

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
01F00050001	ANDERSON	01270	4.04	BRUSHY FORK CREEK	OPEN	7/15/2015	1984	36.109767	-84.186267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
01F00050003	ANDERSON	01270	5.3	SULPHUR SPRING CREEK	OPEN	7/15/2015	1950	36.1106	-84.202617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.3
01F00050005	ANDERSON	01270	9	POPLAR CREEK	WEIGHT POSTED	7/10/2017	1960	36.116967	-84.231933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.6
01S23980001	ANDERSON	01297	0.38	BUFFALO CREEK	OPEN	6/28/2017	1979	36.20715	-84.029933	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	73.1
01S23980003	ANDERSON	01297	0.975	GOOSENECK HOLLOW BRANCH	OPEN	6/28/2017	2015	36.2138	-84.024467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
01023750001	ANDERSON	02375	0.28	INDIAN CREEK	OPEN	7/8/2015	1982	36.051533	-84.339033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.2
01024010001	ANDERSON	02401	1.63	BULL RUN CREEK	OPEN	7/13/2015	1952	36.0114	-84.134817	CONCRETE	TEE BEAM	69.8
01024440001	ANDERSON	02444	1.05	POPLAR CREEK	OPEN	7/10/2017	1978	36.032317	-84.30445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1
01024440003	ANDERSON	02444	6.38	BUSHY FORK CREEK	OPEN	7/16/2015	1985	36.066867	-84.2324	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.7
01024440005	ANDERSON	02444	6.65	CSX RAILROAD	OPEN	7/16/2015	1990	36.06755	-84.22795	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
01024520001	ANDERSON	02452	1.34	HINDS CREEK	WEIGHT POSTED	7/5/2017	1960	36.157717	-83.999283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.8
010A1820001	ANDERSON	02452	3.6	HINDS CREEK	OPEN	7/5/2017	2011	36.17855	-83.969133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	75
01024540001	ANDERSON	02454	0.15	BYRAMS FORK CREEK	OPEN	7/5/2017	1975	36.17235	-84.009317	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	78.2
01S24750001	ANDERSON	02456	3.41	BUFFALO CREEK	OPEN	6/28/2017	1940	36.202583	-84.041867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.3
01024600001	ANDERSON	02460	0.345	BRANCH	OPEN	6/26/2017	2011	36.180733	-84.1879	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
01024620001	ANDERSON	02462	0.03	COAL CREEK	OPEN	6/26/2017	2016	36.21475	-84.166233	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90
01024620003	ANDERSON	02462	0.28	BEECH GROVE CREEK	OPEN	6/26/2017	1995	36.216983	-84.169417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
01024620005	ANDERSON	02462	0.55	BEECH GROVE CREEK	WEIGHT POSTED	6/26/2017	1975	36.220433	-84.171017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18
01024620007	ANDERSON	02462	1.34	BEECH GROVE CREEK	OPEN	6/26/2017	1930	36.229083	-84.179567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.9
01024620009	ANDERSON	02462	2	BEECH GROVE CREEK	OPEN	6/26/2017	1999	36.234967	-84.1874	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
01M37300001	ANDERSON	03727	0.2	POPLAR CREEK	OPEN	7/6/2017	1970	36.004133	-84.256583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6
01M37290001	ANDERSON	03729	2.475	BRANCH	OPEN	7/6/2017	1975	36.0115	-84.27785	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.7
01M37360001	ANDERSON	03731	0.12	POPLAR CREEK	OPEN	7/7/2017	1981	36.004533	-84.258383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
01M37370001	ANDERSON	03737	1.29	BRANCH	OPEN	7/7/2017	1970	36.032917	-84.2231	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
010B0480001	ANDERSON	04365	1.47	BRANCH	OPEN	7/7/2017	1970	36.02485	-84.208017	CONCRETE	CHANNEL BEAM	43.2
010B1560001	ANDERSON	04368	0.211	BRANCH	OPEN	7/6/2017	1980	36.010867	-84.265183	CONCRETE	CHANNEL BEAM	79.4
01M37440001	ANDERSON	05842	0.66	BRUSHY FORK CREEK	OPEN	7/7/2017	1995	36.0354	-84.2624	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.3
010A0020001	ANDERSON	0A002	0.61	COW CREEK	OPEN	7/10/2017	2012	36.081867	-84.321983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
010A0020003	ANDERSON	0A002	2.41	COW CREEK	OPEN	7/10/2017	2012	36.059333	-84.3132	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
010A0090001	ANDERSON	0A002	2.977	POPLAR CREEK	OPEN	7/10/2017	1984	36.059467	-84.304717	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.4
010A0040001	ANDERSON	0A004	0.328	INDIAN CREEK	OPEN	7/10/2017	1993	36.054367	-84.345467	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.8
010A0040003	ANDERSON	0A004	1.244	WRIGHT CREEK	WEIGHT POSTED	7/10/2017	1965	36.070583	-84.354933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.7
010A0110001	ANDERSON	0A011	0.322	SEEBER CREEK	WEIGHT POSTED	7/10/2017	1977	36.089183	-84.28125	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.5
010A0110003	ANDERSON	0A011	0.853	STONE FLAT CREEK	OPEN	7/10/2017	1978	36.095917	-84.285683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
010A0120001	ANDERSON	0A012	0.097	STONE FLAT CREEK	OPEN	7/10/2017	2010	36.095017	-84.283667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
010A0220003	ANDERSON	0A022	0.934	INDIAN FORK CREEK	OPEN	7/28/2015	1984	36.160667	-84.389883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
010A0270003	ANDERSON	0A027	0.36	COAL CREEK	OPEN	6/26/2017	1987	36.176333	-84.192083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
010A0310001	ANDERSON	0A031	0.019	COAL CREEK	OPEN	6/26/2017	1984	36.187617	-84.183733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73.5
010A0520001	ANDERSON	0A052	1.489	CSX RAILROAD	WEIGHT POSTED	7/15/2015	1914	36.112883	-84.184567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	6.5
010A0670003	ANDERSON	0A067	0.893	CANE CREEK	OPEN	6/26/2017	2013	36.171967	-84.129433	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	86.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
01100750025	ANDERSON	0A080	0.439	I75	OPEN	9/1/2015	1970	36.21135	-84.1343	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
010A0810001	ANDERSON	0A081	0	COAL CREEK	OPEN	6/21/2017	2004	36.217833	-84.131833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	77.6
010A0880001	ANDERSON	0A088	0.362	COAL CREEK	OPEN	6/21/2017	1997	36.2198	-84.149317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
01100750029	ANDERSON	0A088	0.498	I75	OPEN	9/1/2015	1970	36.219817	-84.147883	CONCRETE CONTINUOUS	TEE BEAM	70.7
010A0880003	ANDERSON	0A088	3.52	CLINCH RIVER	OPEN	6/21/2017	1982	36.2079	-84.10845	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.4
010A0900001	ANDERSON	0A090	0.071	BRANCH	OPEN	6/21/2017	1967	36.226117	-84.149783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
01100750033	ANDERSON	0A096	0.127	I75	OPEN	9/2/2015	1984	36.229817	-84.15445	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
010A1360001	ANDERSON	0A136	1.879	HINDS CREEK	OPEN	6/28/2017	1931	36.146217	-84.076317	CONCRETE	TEE BEAM	70.1
010A1360003	ANDERSON	0A136	2.37	JOHN CREEK	OPEN	6/28/2017	1983	36.153367	-84.075133	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.7
01100750013	ANDERSON	0A136	2.758	I75	OPEN	8/24/2015	1969	36.1581	-84.072	CONCRETE CONTINUOUS	TEE BEAM	88.3
010A1360005	ANDERSON	0A136	4.935	BUFFALO CREEK	OPEN	6/28/2017	1987	36.180217	-84.063633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
010A1380001	ANDERSON	0A138	0.449	BUFFALO CREEK	OPEN	6/28/2017	1988	36.1604	-84.080017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
010A1380003	ANDERSON	0A138	1.117	JOHN CREEK	OPEN	6/28/2017	1970	36.155733	-84.070283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
010A1390001	ANDERSON	0A139	0.508	BUFFALO CREEK	OPEN	6/28/2017	1984	36.167883	-84.072483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
010A1410001	ANDERSON	0A141	2.119	HINDS CREEK	OPEN	6/28/2017	1987	36.1482	-84.064217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
01100750009	ANDERSON	0A141	2.229	I75	OPEN	8/24/2015	1969	36.1493	-84.0629	CONCRETE CONTINUOUS	TEE BEAM	96.9
010A1430001	ANDERSON	0A143	0.01	BRUSHY CREEK	OPEN	6/28/2017	1970	36.1183	-84.083633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.5
010A1450001	ANDERSON	0A145	0.011	ANDY BRANCH	OPEN	7/5/2017	1970	36.125383	-84.036167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
010A1910001	ANDERSON	0A191	0.382	BYRAMS FORK CREEK	WEIGHT POSTED	7/5/2017	1970	36.200633	-83.97955	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.7
010A2760001	ANDERSON	0A276	0.39	BULL RUN CREEK	OPEN	7/13/2015	1940	36.03315	-84.096667	CONCRETE	TEE BEAM	46.2
010A3030001	ANDERSON	0A303	0.072	BRANCH	OPEN	7/15/2015	1984	36.034717	-84.104	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.6
010A3370003	ANDERSON	0A337	3.682	BRUSHY CREEK	OPEN	7/16/2015	1998	36.069633	-84.228017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
010A3900001	ANDERSON	0A390	0.775	POPLAR CREEK	OPEN	7/28/2015	1996	36.02245	-84.310183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.7
010A3910003	ANDERSON	0A391	0.063	CSX RAILROAD	OPEN	7/8/2015	1998	36.0297	-84.334117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
010A3960001	ANDERSON	0A396	2.786	BYRUMS CREEK	OPEN	7/5/2017	1960	36.168883	-84.01885	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.1
010A4450001	ANDERSON	0A445	0.15	HARNESS CREEK	OPEN	7/10/2017	1983	36.116267	-84.236117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82
010A4600001	ANDERSON	0A460	0.108	RIGHT FORK COAL CREEK	OPEN	6/21/2017	1970	36.222733	-84.158267	CONCRETE	SLAB	43.4
010A4840001	ANDERSON	0A484	0.076	FORK COAL CREEK	CLOSED	6/21/2017	1965	36.2356	-84.161217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.6
010E5250001	ANDERSON	0A504	0.02	COAL CREEK	OPEN	6/21/2017	1997	36.211133	-84.1428	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
010A5040001	ANDERSON	0A504	0.392	COAL CREEK	OPEN	6/21/2017	1967	36.211733	-84.147283	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.6
010A5150001	ANDERSON	0A515	0.305	HINDS CREEK	OPEN	7/5/2017	1935	36.1409	-84.0509	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.5
01100750007	ANDERSON	0A515	0.628	I75	OPEN	8/18/2015	1969	36.144633	-84.053967	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	89.4
010A9400001	ANDERSON	0A940	0.074	BRANCH	OPEN	7/7/2017	1970	36.025633	-84.20445	CONCRETE	CHANNEL BEAM	87.1
010B0010001	ANDERSON	0B001	0.038	HINDS CREEK	OPEN	7/5/2017	1984	36.1667	-83.98555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
010B0300001	ANDERSON	0B030	0.261	EAST FORK POPLAR CREEK	OPEN	7/6/2017	1970	36.005733	-84.262083	CONCRETE	CHANNEL BEAM	70.3
010B0410001	ANDERSON	0B041	0.021	EAST FORK POPLAR CREEK	WEIGHT POSTED	7/6/2017	1970	36.008033	-84.264933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.5
010B1390001	ANDERSON	0B139	0.187	BRUSHY FORK CREEK	OPEN	7/28/2015	1965	36.049367	-84.24165	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	60.8
01M37300003	ANDERSON	0B158	0.406	EAST FORK OF POPLAR CREEK	OPEN	7/6/2017	1968	35.9988	-84.3001	CONCRETE	CHANNEL BEAM	76.1
010E5260001	ANDERSON	0B213	0.046	EMORY VALLEY CREEK	OPEN	7/7/2017	1996	36.025433	-84.205417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	93.4
010B2350001	ANDERSON	0B235	0.435	BUFFALO CREEK	OPEN	7/16/2015	2001	36.156483	-84.084267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.5
010B2350003	ANDERSON	0B235	0.806	HINDS CREEK	OPEN	7/16/2015	2001	36.151967	-84.080983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
010E0720001	ANDERSON	0E072	0.626	HINDS CREEK	OPEN	7/5/2017	1986	36.173983	-83.975433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
010E4500001	ANDERSON	0E450	0.011	POPLAR CREEK	OPEN	7/6/2017	1985	36.00895	-84.2671	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	67.6
010E4880001	ANDERSON	0E488	0.063	BRUSHY FORK CREEK	OPEN	7/28/2015	2010	36.029117	-84.272967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
01SR0620005	ANDERSON	0E493	0.175	SR 62	OPEN	1/12/2017	1981	36.003883	-84.231567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.7
01S23970001	ANDERSON	0E510	0.462	HINDS CREEK	OPEN	6/28/2017	1990	36.12515	-84.10615	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.7
01S23970003	ANDERSON	0E510	1.381	BRUSHY CREEK	OPEN	6/28/2017	1994	36.128017	-84.093283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
01S23970005	ANDERSON	0E510	4.996	ANDY CREEK	OPEN	7/5/2017	1950	36.1381	-84.044867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
01S23970007	ANDERSON	0E510	5.378	HINDS CREEK	OPEN	7/5/2017	1980	36.142233	-84.040483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
010A1940001	ANDERSON	0E516	0.8	LITTLE DISMAL CREEK	OPEN	7/15/2015	2010	36.080767	-84.11015	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.6
010A1940003	ANDERSON	0E516	0.96	LITTLE DISMAL CREEK	OPEN	7/15/2015	2010	36.07925	-84.108667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
010A2100001	ANDERSON	0E521	0.492	SOUTHERN RAILWAY	OPEN	7/7/2017	1990	36.098267	-84.126967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78
01100750002	ANDERSON	I0075	0.78	NFA 1264	OPEN	8/17/2015	1969	36.0424	-84.035567	CONCRETE CONTINUOUS	TEE BEAM	68.4
01100750001	ANDERSON	I0075	0.78	NFA 1264	OPEN	8/17/2015	1969	36.12595	-84.035333	CONCRETE CONTINUOUS	TEE BEAM	70.8
01100750004	ANDERSON	I0075	1.83	NFA 1268	OPEN	8/18/2015	1972	36.139067	-84.043483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.9
01100750003	ANDERSON	I0075	1.83	NFA E510	OPEN	8/18/2015	1972	36.13915	-84.04335	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.8
01100750006	ANDERSON	I0075	2.18	HINDS CREEK	OPEN	8/24/2015	1972	36.142033	-84.04865	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.5
01100750005	ANDERSON	I0075	2.18	HINDS CREEK	OPEN	8/18/2015	1972	36.14215	-84.04855	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.5
01100750011	ANDERSON	I0075	3.75	JOHNS CREEK	OPEN	8/24/2015	1972	36.156533	-84.069333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.6
01100750015	ANDERSON	I0075	4.48	BUFFALO CREEK	OPEN	8/24/2015	1972	36.16395	-84.078317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
01100750019	ANDERSON	I0075	5.77	NFA A115	OPEN	9/1/2015	1969	36.179283	-84.0922	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.2
01100750020	ANDERSON	I0075	5.77	NFA A115	OPEN	9/1/2015	1969	36.179	-84.092317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
01I00750022	ANDERSON	I0075	7.5	NFA A116	OPEN	9/1/2015	1969	36.195683	-84.1147	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.1
01I00750021	ANDERSON	I0075	7.5	NFA A116	OPEN	9/1/2015	1969	36.196017	-84.114433	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88
01I00750024	ANDERSON	I0075	8.28	CLINCH RIVER	OPEN	9/15/2015	1969	36.2045	-84.123383	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.1
01I00750023	ANDERSON	I0075	8.28	CLINCH RIVER	OPEN	9/14/2015	1969	36.204767	-84.123083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.1
01I00750028	ANDERSON	I0075	9.18	COAL CREEK	OPEN	9/15/2015	1971	36.21205	-84.135933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
01I00750027	ANDERSON	I0075	9.21	COAL CREEK	OPEN	9/14/2015	1971	36.212517	-84.13615	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
01I00750041	ANDERSON	I0075	10.35	BRANCH	OPEN	9/3/2015	1965	36.224867	-84.149833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54
01I00750032	ANDERSON	I0075	10.57	SR 71	OPEN	9/2/2015	1965	36.227083	-84.151467	CONCRETE CONTINUOUS	TEE BEAM	79.9
01I00750031	ANDERSON	I0075	10.57	SR 71	OPEN	9/2/2015	1965	36.2271	-84.151067	CONCRETE CONTINUOUS	TEE BEAM	78.9
01I00750035	ANDERSON	I0075	11.27	SR 116	OPEN	9/8/2015	1970	36.233817	-84.160433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
01I00750036	ANDERSON	I0075	11.27	SR 9	OPEN	9/8/2015	1970	36.23335	-84.160217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
01I00750037	ANDERSON	I0075	11.34	BRANCH	OPEN	9/3/2015	1965	36.233317	-84.161483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54
01I00750039	ANDERSON	I0075	11.58	SOUTHERN RAILWAY	OPEN	9/8/2015	1965	36.2357	-84.1653	CONCRETE	TEE BEAM	91.1
01I00750040	ANDERSON	I0075	11.58	SOUTHERN RAILWAY	OPEN	9/8/2015	1965	36.235	-84.165	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.4
01SR0090001	ANDERSON	SR009	0.82	FORK COAL CREEK	OPEN	12/14/2016	1927	36.222583	-84.157433	CONCRETE	TEE BEAM	53
01SR0090003	ANDERSON	SR009	0.94	COAL CREEK	OPEN	12/14/2016	1927	36.220917	-84.157067	CONCRETE	TEE BEAM	63
01SR0090006	ANDERSON	SR009	4.34	SOUTHERN RAILWAY	OPEN	12/14/2016	1970	36.174733	-84.142733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
01SR0090005	ANDERSON	SR009	4.34	SOUTHERN RAILWAY	OPEN	12/14/2016	1970	36.1748	-84.142883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
01SR0090007	ANDERSON	SR009	4.71	CANE CREEK	OPEN	12/14/2016	1970	36.169383	-84.143917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.9
01SR0090008	ANDERSON	SR009	4.71	CANE CREEK	OPEN	12/14/2016	1970	36.169383	-84.143717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
01SR0090009	ANDERSON	SR009	6.83	BLOWING SPRINGS CREEK	OPEN	12/14/2016	1927	36.140167	-84.15365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
01SR0090011	ANDERSON	SR009	9.87	BRANCH	OPEN	12/14/2016	1927	36.106483	-84.1315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
01SR0090015	ANDERSON	SR009	10.71	CLINCH RIVER	OPEN	1/25/2017	1940	36.093917	-84.13145	STEEL CONTINUOUS	TRUSS - THRU	40.9
01SR0090017	ANDERSON	SR009	15.51	NELSON CREEK	OPEN	12/19/2016	1940	36.0374	-84.105833	CONCRETE	TEE BEAM	53.7
01SR0090019	ANDERSON	SR009	16.1	BULL RUN CREEK	OPEN	12/19/2016	1944	36.032583	-84.0976	CONCRETE	TEE BEAM	48.5
01SR0610023	ANDERSON	SR061	0.09	SOU RWY SR330 & NFA A39	OPEN	1/18/2017	1985	36.045967	-84.339567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	71.1
01SR0610025	ANDERSON	SR061	0.3	SR 61 RAMP	OPEN	1/18/2017	1985	36.043367	-84.338117	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	83.6
01SR0610001	ANDERSON	SR061	2.41	POPLAR CREEK	OPEN	1/18/2017	1965	36.0218	-84.311867	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.1
01SR0610003	ANDERSON	SR061	3.98	BRUSHY CREEK	OPEN	1/18/2017	1946	36.025717	-84.2878	CONCRETE	TEE BEAM	46.5
01SR0610005	ANDERSON	SR061	5.74	LAUREL BRANCH	OPEN	1/4/2017	1946	36.038067	-84.260917	CONCRETE	TEE BEAM	51.6
01SR0610007	ANDERSON	SR061	6.55	RACCOON CREEK	OPEN	1/4/2017	1946	36.045483	-84.2498	CONCRETE	TEE BEAM	49.4
01SR0610009	ANDERSON	SR061	8.08	BRUSHY CREEK	OPEN	1/4/2017	1946	36.061133	-84.230917	CONCRETE	TEE BEAM	43.9
01SR0610013	ANDERSON	SR061	13.93	BRANCH	OPEN	1/4/2017	1946	36.087633	-84.1513	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.5
01SR0610027	ANDERSON	SR061	15.67	NORFOLK S RR & FAU 4074	OPEN	1/12/2017	1987	36.10345	-84.12925	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.2
01SR0610016	ANDERSON	SR061	17.24	CLINCH RIVER	OPEN	2/2/2017	2000	36.1224	-84.114967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
01SR0610015	ANDERSON	SR061	17.24	CLINCH RIVER	OPEN	2/2/2017	1957	36.1223	-84.11475	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
01100750017	ANDERSON	SR061	20.87	I75	OPEN	9/2/2015	1971	36.164833	-84.082133	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	83.9
01100750018	ANDERSON	SR061	20.87	I75	OPEN	9/2/2015	1971	36.166683	-84.08225	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	83.9
01SR0610017	ANDERSON	SR061	23.57	BUFFALO CREEK	OPEN	1/19/2017	1947	36.195117	-84.050433	CONCRETE	TEE BEAM	50.8
01SR0610019	ANDERSON	SR061	24.5	BRANCH	OPEN	12/12/2016	1947	36.199517	-84.035033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
01SR0610021	ANDERSON	SR061	26.15	BUFFALO CREEK	OPEN	12/12/2016	1947	36.2137	-84.011867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
01SR0620009	ANDERSON	SR062	2.22	BRANCH	OPEN	1/18/2017	1960	36.00965	-84.26855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.9
01SR0620011	ANDERSON	SR062	5.92	5391 - BETHEL VALLEY RD	OPEN	1/12/2017	2000	35.98755	-84.21585	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80
01SR0620004	ANDERSON	SR062	6.95	RAMPS TO & FROM SR 170	OPEN	1/12/2017	1979	35.992317	-84.19935	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.4
01SR0620003	ANDERSON	SR062	6.95	RAMPS TO & FROM SR 170	OPEN	1/12/2017	1979	35.992067	-84.199383	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
01SR0620001	ANDERSON	SR062	7.14	CLINCH RIVER	OPEN	2/1/2017	1979	35.991683	-84.196117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
01SR0710001	ANDERSON	SR071	1.65	HINDS CREEK	OPEN	1/19/2017	1934	36.151267	-84.027533	CONCRETE	ARCH - DECK	56.3
01SR0710003	ANDERSON	SR071	4.79	BUFFALO CREEK	OPEN	1/19/2017	1934	36.185233	-84.0608	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.3
01SR0710005	ANDERSON	SR071	8.51	CLEAR CREEK	OPEN	1/19/2017	1934	36.2129	-84.073683	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.3
01SR0950001	ANDERSON	SR095	2.5	E FORK POPLAR CREEK	OPEN	1/9/2017	1997	36.0059	-84.280817	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83
01SR0950003	ANDERSON	SR095	3.015	E FORK POPLAR CREEK	OPEN	1/9/2017	1997	36.008967	-84.272433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68
01SR0950005	ANDERSON	SR095	3.565	BRANCH	OPEN	1/9/2017	1946	36.012617	-84.2636	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.5
01SR0950009	ANDERSON	SR095	7.43	BRANCH	OPEN	1/9/2017	1945	36.045117	-84.209583	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	58
01SR1160001	ANDERSON	SR116	0.18	NEW RIVER	OPEN	1/30/2017	1998	36.12505	-84.422583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
01SR1160003	ANDERSON	SR116	0.33	STALLION BRANCH	OPEN	1/30/2017	1970	36.125767	-84.420383	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	95.5
01SR1160009	ANDERSON	SR116	1.17	ELI BRANCH	OPEN	1/30/2017	1977	36.205283	-84.3072	CONCRETE	CHANNEL BEAM	56
01SR1160005	ANDERSON	SR116	4.04	INDIAN CREEK	OPEN	1/30/2017	1992	36.155183	-84.37755	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
01SR1160011	ANDERSON	SR116	4.42	FLAT BRANCH	OPEN	1/30/2017	1970	36.1709	-84.2758	CONCRETE	CHANNEL BEAM	52.6
01SR1160019	ANDERSON	SR116	5.44	PATTERSON BRANCH	OPEN	1/30/2017	1977	36.166517	-84.358233	CONCRETE	CHANNEL BEAM	59.8
01SR1160007	ANDERSON	SR116	8.97	CAGE CREEK	OPEN	1/30/2017	2002	36.20205	-84.33045	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.8
01SR1160013	ANDERSON	SR116	15.61	COAL CREEK	OPEN	1/26/2017	1996	36.17745	-84.182517	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.3
01SR1160015	ANDERSON	SR116	17.94	COAL CREEK	OPEN	1/24/2017	1986	36.204067	-84.168083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.7
01SR1160017	ANDERSON	SR116	19.12	COAL CREEK	OPEN	1/24/2017	1977	36.218633	-84.161317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
010A0980001	ANDERSON	SR116	19.61	RT FORK COAL CREEK	OPEN	1/26/2017	1938	36.23625	-84.161067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
01S23970009	ANDERSON	SR170	1.17	BYRAMS FORK CREEK	OPEN	1/19/2017	1940	36.163067	-84.0173	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.9
01S24740001	ANDERSON	SR170	2.58	CLINCH RIVER & CSX RR	OPEN	2/1/2017	1958	36.0177	-84.165967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
01S23950001	ANDERSON	SR330	1.55	POPLAR CREEK	OPEN	1/26/2017	1986	36.0474	-84.314167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.3
01SR3300001	ANDERSON	SR330	4.16	POPLAR CREEK	OPEN	1/26/2017	1970	36.07505	-84.28745	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
01S26130003	ANDERSON	SR330	5.14	STONE FLAT CREEK	OPEN	1/26/2017	1970	36.086333	-84.2778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
01S26130005	ANDERSON	SR330	5.7	BROWN CREEK	OPEN	1/26/2017	1970	36.091667	-84.27165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
01S26130009	ANDERSON	SR330	8.67	HARNES CREEK	OPEN	1/26/2017	1970	36.116833	-84.232817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
02F00070001	BEDFORD	01032	0.81	BRANCH	OPEN	12/8/2016	2005	35.42365	-86.6403	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
02F00070003	BEDFORD	01032	0.93	BRANCH	OPEN	12/8/2016	1950	35.423567	-86.63765	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
02F00070005	BEDFORD	01032	2.34	BRANCH	OPEN	12/8/2016	1987	35.423133	-86.613	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
02F00070007	BEDFORD	01032	3.9	SINKING CREEK	OPEN	12/7/2016	1985	35.4204	-86.586183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
02S42910003	BEDFORD	01038	0.52	THOMPSON CREEK	OPEN	1/18/2017	1956	35.45515	-86.333133	CONCRETE	TEE BEAM	75.7
02S42910005	BEDFORD	01038	2.41	SHIPMAN CREEK	OPEN	1/18/2017	1956	35.457833	-86.3004	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
02S42910007	BEDFORD	01038	2.86	CAVE BRANCH	OPEN	1/19/2017	1956	35.457117	-86.292333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
02S42910009	BEDFORD	01038	5.2	DUCK RIVER	OPEN	1/19/2017	1975	35.457333	-86.25765	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.1
02S42910011	BEDFORD	01038	5.94	DUCK RIVER	OPEN	1/19/2017	1975	35.460433	-86.245783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
02S42880001	BEDFORD	01040	2.36	ALEXANDER CREEK	OPEN	11/15/2016	1953	35.600917	-86.541333	CONCRETE	TEE BEAM	71
02S42880003	BEDFORD	01040	2.665	NORTH FORK CREEK	OPEN	11/17/2016	1953	35.5995	-86.536417	CONCRETE	TEE BEAM	69.7
02S42880005	BEDFORD	01040	3.31	BRANCH	OPEN	11/17/2016	1956	35.5958	-86.526433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
02S42880007	BEDFORD	01040	4.41	BRANCH	OPEN	11/17/2016	1945	35.605133	-86.51745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
02S62600001	BEDFORD	01043	4.18	BRANCH	OPEN	2/2/2017	1965	35.540567	-86.418317	CONCRETE CONTINUOUS	SLAB	71.4
02S42780001	BEDFORD	01432	1.22	WILSON CREEK	OPEN	11/8/2016	1960	35.63515	-86.6229	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
02S42780003	BEDFORD	01432	2.61	CLEM CREEK	OPEN	11/10/2016	1960	35.6243	-86.603783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
02019800003	BEDFORD	01980	1.69	BRANCH	OPEN	1/10/2017	1970	35.344917	-86.4307	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.1
02019800001	BEDFORD	01980	1.93	FLAT CREEK	OPEN	1/10/2017	1983	35.347717	-86.433467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
02019840001	BEDFORD	01984	2.31	BRANCH OF FLAT CREEK	OPEN	1/5/2017	2003	35.359683	-86.450283	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.4
02019840005	BEDFORD	01984	3.17	UNNAMED BRANCH	OPEN	1/5/2017	2005	35.356267	-86.436117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.2
02019840007	BEDFORD	01984	3.24	UNNAMED BRANCH	OPEN	1/5/2017	1984	35.355967	-86.434883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
02019880001	BEDFORD	01988	0.99	EAST ROCK CREEK	OPEN	12/7/2016	2012	35.4505	-86.641133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.1
02019880003	BEDFORD	01988	2.84	SINKING CREEK	WEIGHT POSTED	12/5/2016	1977	35.458917	-86.611283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.6
02019930001	BEDFORD	01993	0.53	UNNAMED BRANCH	OPEN	1/10/2017	1960	35.3299	-86.444483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64
02019930003	BEDFORD	01993	0.96	FLAT CREEK	WEIGHT POSTED	1/10/2017	1950	35.336133	-86.442583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.4
02019930005	BEDFORD	01993	2.57	BRANCH	OPEN	1/9/2017	1960	35.356283	-86.42895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
02019930007	BEDFORD	01993	3.7	FLAT CREEK	OPEN	1/9/2017	1960	35.371567	-86.4233	CONCRETE	TEE BEAM	70.6
02019930009	BEDFORD	01993	3.87	UNNAMED BRANCH	OPEN	1/9/2017	1975	35.373467	-86.421867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
02019930011	BEDFORD	01993	5.06	COLEMAN CREEK	OPEN	1/4/2017	1970	35.387667	-86.411383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
02S62590001	BEDFORD	02004	0.025	BENNETT CREEK	OPEN	1/12/2017	1970	35.39535	-86.32955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
02S62590003	BEDFORD	02004	0.175	THOMPSON CREEK	OPEN	1/12/2017	1983	35.3942	-86.331533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
02S62590005	BEDFORD	02004	3.13	BOBO CREEK	OPEN	1/12/2017	1950	35.386083	-86.376583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75
02S62590007	BEDFORD	02004	3.72	BOBO CREEK	OPEN	1/12/2017	1950	35.389383	-86.385033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
02S62590009	BEDFORD	02004	4.09	BEADEN BRANCH	OPEN	1/12/2017	1984	35.3932	-86.389633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
02S62590011	BEDFORD	02004	5.18	BOBO CREEK	OPEN	1/4/2017	1960	35.392283	-86.40775	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.8
02S62590013	BEDFORD	02004	5.345	FLAT CREEK	OPEN	1/4/2017	1958	35.391167	-86.4094	CONCRETE	TEE BEAM	78.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
02S62590015	BEDFORD	02004	6.11	GOOSE CREEK	OPEN	1/4/2017	1960	35.387433	-86.420033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
02S62590017	BEDFORD	02004	7.23	CROOKED RUN CREEK	OPEN	12/20/2016	1960	35.40405	-86.4471	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
02S62590019	BEDFORD	02004	9.66	MUD CREEK	OPEN	12/20/2016	1940	35.415833	-86.477767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
02S63800001	BEDFORD	02005	0.66	HURRICANE CREEK	OPEN	11/18/2016	1973	35.542733	-86.460083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
02S63800003	BEDFORD	02005	3.77	FALL CREEK	OPEN	11/17/2016	1974	35.58485	-86.479	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
02020050005	BEDFORD	02005	6.44	NORTH FORK CREEK	OPEN	11/4/2016	1950	35.622817	-86.48145	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.8
02020060001	BEDFORD	02006	1.03	LITTLE SINKING CREEK	OPEN	12/5/2016	2016	35.4841	-86.5816	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
02020060003	BEDFORD	02006	3.64	POWELL CREEK	OPEN	12/2/2016	2003	35.4827	-86.536033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
02020060005	BEDFORD	02006	5.21	SUGAR CREEK	OPEN	12/2/2016	1960	35.480967	-86.510133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.4
02020060007	BEDFORD	02006	5.79	DUCK RIVER	OPEN	12/2/2016	2004	35.4802	-86.5003	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
02020070001	BEDFORD	02007	5.4	NORTH FORK CREEK	OPEN	11/23/2016	1984	35.5925	-86.586883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.6
02020070003	BEDFORD	02007	5.66	WEAKLEY CREEK	OPEN	11/23/2016	1950	35.59635	-86.586917	CONCRETE CONTINUOUS	SLAB	87.1
02020080003	BEDFORD	02008	0.26	BRANCH	OPEN	11/3/2016	1955	35.488267	-86.435683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
02020080005	BEDFORD	02008	2.86	BUTLER CREEK	OPEN	2/1/2017	1940	35.499517	-86.392067	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74
02020080007	BEDFORD	02008	3.74	MOUNT MORIAH BRANCH	OPEN	2/1/2017	1950	35.503683	-86.378817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.5
02020080009	BEDFORD	02008	5.68	PANNELL CREEK	OPEN	1/25/2017	1984	35.528767	-86.370783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
02020100001	BEDFORD	02010	0.76	WARTRACE CREEK	OPEN	2/9/2017	1970	35.5678	-86.34445	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5
02020100003	BEDFORD	02010	1.9	MUSE CREEK	OPEN	2/9/2017	1983	35.5675	-86.3245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
02020100005	BEDFORD	02010	3.76	MORGAN CREEK	OPEN	2/3/2017	1960	35.568867	-86.291883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.1
02020100007	BEDFORD	02010	4.27	GARRISON FORK CREEK	OPEN	2/3/2017	1940	35.566167	-86.2838	CONCRETE	TEE BEAM	72.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
02020100009	BEDFORD	02010	6.81	GARRISON FORK CREEK	OPEN	2/3/2017	1950	35.5725	-86.2475	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.4
02020140001	BEDFORD	02014	0.78	HUTTON BRANCH	OPEN	2/13/2017	1991	35.602517	-86.4178	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
02020160005	BEDFORD	02016	0.83	TAYLOR CREEK	OPEN	11/7/2016	1991	35.675483	-86.586067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
02020160003	BEDFORD	02016	3.29	WEAKLEY CREEK	OPEN	11/7/2016	1981	35.671683	-86.552517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
02020160007	BEDFORD	02016	4.62	DOLLY BRANCH	OPEN	11/7/2016	1988	35.66935	-86.52885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
02020160001	BEDFORD	02016	5.36	ALEXANDER CREEK	OPEN	11/7/2016	1983	35.66895	-86.51595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
02034710001	BEDFORD	03471	0.41	HOLLAND BRANCH	OPEN	11/3/2016	1962	35.493683	-86.486233	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.2
020A0060001	BEDFORD	0A006	0.822	SINKING CREEK	OPEN	12/13/2016	1975	35.3774	-86.592667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
020A0590001	BEDFORD	0A009	2.286	WILSON CREEK	OPEN	11/8/2016	2010	35.655417	-86.629417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
020A0590003	BEDFORD	0A009	4.548	WILSON CREEK	OPEN	11/8/2016	1981	35.626133	-86.626783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A0870001	BEDFORD	0A017	0.652	BRANCH	WEIGHT POSTED	11/10/2016	1940	35.6305	-86.581667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.8
020A0170001	BEDFORD	0A017	2.221	WEAKLEY CREEK	OPEN	11/15/2016	1987	35.626817	-86.55525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
020A0170003	BEDFORD	0A017	2.27	WEAKLEY CREEK	OPEN	11/15/2016	1987	35.627717	-86.554417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
020A0290001	BEDFORD	0A029	1.927	ALEXANDER CREEK	OPEN	11/15/2016	2008	35.616783	-86.533083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.5
020A0440001	BEDFORD	0A044	2.526	FLAT CREEK	OPEN	1/9/2017	1960	35.351067	-86.432083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.4
020A0480001	BEDFORD	0A048	0.379	NORTH FORK CREEK	OPEN	11/23/2016	1983	35.589333	-86.58215	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.9
020A0520001	BEDFORD	0A052	0.529	PRINCE BRANCH	OPEN	1/13/2017	1960	35.374667	-86.3381	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
020A0520003	BEDFORD	0A052	1.65	THOMPSON CREEK	OPEN	1/13/2017	1960	35.388683	-86.33125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
020A0520005	BEDFORD	0A052	1.986	THOMPSON CREEK	WEIGHT POSTED	1/13/2017	1960	35.393417	-86.331067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
020A0550001	BEDFORD	0A055	0.525	WILSON CREEK	OPEN	11/8/2016	1920	35.615517	-86.641467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A0600001	BEDFORD	0A060	0.032	ANDERTON BRANCH	OPEN	1/13/2017	1983	35.405967	-86.327867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
020A0600003	BEDFORD	0A060	0.129	ANDERTON BRANCH	OPEN	1/13/2017	1983	35.405583	-86.326283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
020A0600005	BEDFORD	0A060	0.348	ANDERTON BRANCH	OPEN	1/17/2017	1983	35.404667	-86.322533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
020A0890001	BEDFORD	0A089	0.7	BRANCH	OPEN	11/23/2016	2016	35.624067	-86.582383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A0940001	BEDFORD	0A094	1.279	NORTH FORK CREEK	OPEN	11/4/2016	1957	35.610033	-86.464783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.5
020A0970001	BEDFORD	0A097	3.287	ALEXANDER CREEK	OPEN	11/4/2016	2000	35.639	-86.521933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
020A0980001	BEDFORD	0A098	0.884	ALEXANDER CREEK	OPEN	11/4/2016	1981	35.65075	-86.5184	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
020A1030001	BEDFORD	0A103	1.956	NORTH FORK CREEK	OPEN	11/4/2016	1940	35.622417	-86.499083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.7
020A1050001	BEDFORD	0A105	0.999	FALL CREEK	OPEN	11/17/2016	2010	35.590317	-86.458017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
020A1080001	BEDFORD	0A108	0.542	FALL CREEK	OPEN	11/17/2016	1975	35.583633	-86.488217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.8
020A1130001	BEDFORD	0A113	4.287	LITTLE HURRICANE CREEK	OPEN	11/21/2016	1997	35.529167	-86.5037	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
020A0540001	BEDFORD	0A115	0.421	CLEM CREEK	OPEN	11/10/2016	1940	35.619167	-86.6045	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.4
020A1220001	BEDFORD	0A122	0.892	FALL CREEK	WEIGHT POSTED	11/21/2016	1940	35.564617	-86.516367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.8
020A1220003	BEDFORD	0A122	2.654	DRYLAND CREEK	OPEN	11/21/2016	1950	35.539333	-86.517867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
020A1250001	BEDFORD	0A125	1.766	HURRICANE CREEK	OPEN	11/18/2016	1984	35.550267	-86.490067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.1
020A1270001	BEDFORD	0A127	0.459	LITTLE HURRICANE CREEK	OPEN	11/21/2016	1984	35.521917	-86.467633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
020A1290005	BEDFORD	0A129	0.297	KNOB CREEK	OPEN	1/24/2017	2001	35.521183	-86.305667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
020A1290001	BEDFORD	0A129	0.576	KNOB CREEK	OPEN	1/24/2017	2004	35.520333	-86.300861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
020A1290003	BEDFORD	0A129	1.444	KNOB CREEK	OPEN	1/24/2017	2003	35.517267	-86.286033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
020A1300001	BEDFORD	0A130	1.749	HURRICANE CREEK	OPEN	2/2/2017	1984	35.554067	-86.433533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
020A1320001	BEDFORD	0A132	2.088	MINKSLIDE CREEK	WEIGHT POSTED	2/2/2017	1963	35.556217	-86.4132	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.5
020A1430003	BEDFORD	0A143	3.022	PANNELL BRANCH	OPEN	1/25/2017	1987	35.52105	-86.364617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
020A1460001	BEDFORD	0A146	0.08	BRANCH	OPEN	1/18/2017	1986	35.45455	-86.330767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
020A1470001	BEDFORD	0A147	1.489	SALLIE CREEK	OPEN	2/9/2017	1983	35.58975	-86.278383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
020A1480001	BEDFORD	0A148	0.847	PUNCHEON CAMP CREEK	OPEN	2/8/2017	2007	35.617267	-86.2774	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
020A1500001	BEDFORD	0A150	1.892	BRANCH	WEIGHT POSTED	2/9/2017	1960	35.57485	-86.295967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.7
020A1530001	BEDFORD	0A153	0.338	CRAUCH BRANCH	OPEN	2/9/2017	1960	35.60095	-86.321283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
020A1530003	BEDFORD	0A153	0.949	BRANCH	OPEN	2/9/2017	1950	35.609683	-86.31975	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.9
020A1830001	BEDFORD	0A164	0.008	BUTLER CREEK	OPEN	2/2/2017	1977	35.51265	-86.404617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
020A1680007	BEDFORD	0A168	0.081	JAKES BRANCH	OPEN	2/8/2017	1986	35.607183	-86.246	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
020A1680001	BEDFORD	0A168	0.709	GARRISON FORK CREEK	OPEN	2/8/2017	1984	35.5993	-86.250117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
020A1680003	BEDFORD	0A168	1.26	PUNCHEON CAMP CREEK	OPEN	2/8/2017	1983	35.592067	-86.25285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
020A1680005	BEDFORD	0A168	2.15	LEE'S BRANCH	OPEN	2/8/2017	1986	35.58455	-86.2606	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A1700001	BEDFORD	0A170	0.713	STRAIGHT CREEK	OPEN	2/3/2017	1940	35.554633	-86.281783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.4
020A1730001	BEDFORD	0A173	2.09	STRAIGHT CREEK	WEIGHT POSTED	2/3/2017	1950	35.55185	-86.266783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.7
020A1780001	BEDFORD	0A178	0.289	BRANCH	WEIGHT POSTED	12/8/2016	1960	35.397583	-86.631967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.8
020A0570001	BEDFORD	0A179	0.208	WILSON CREEK	OPEN	11/8/2016	1984	35.644	-86.6233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
020A0570003	BEDFORD	0A179	1.803	CLEM CREEK	OPEN	11/10/2016	1950	35.640667	-86.597767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88.2
020A1870001	BEDFORD	0A187	2.74	GARRISON FORK CREEK	OPEN	2/1/2017	1960	35.510683	-86.32485	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.5
020A1880001	BEDFORD	0A188	0.411	DRY RUN BRANCH	OPEN	1/24/2017	1960	35.484917	-86.316533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
020A1880003	BEDFORD	0A188	2.451	GARRISON FORK CREEK	OPEN	1/24/2017	2000	35.49325	-86.340017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
020A1890001	BEDFORD	0A189	1.682	DODDY CREEK	WEIGHT POSTED	1/24/2017	1950	35.484317	-86.26795	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.3
020A1950001	BEDFORD	0A195	0.012	SIMS SPRINGS	OPEN	12/1/2016	1998	35.5121	-86.622883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
020A1950003	BEDFORD	0A195	2.266	SINKING CREEK	OPEN	12/1/2016	1977	35.508217	-86.584467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
020A1950005	BEDFORD	0A195	4.72	DUCK RIVER	OPEN	12/1/2016	1981	35.50605	-86.542717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7
020A1970001	BEDFORD	0A197	0.01	DUCK RIVER	OPEN	1/19/2017	1986	35.480167	-86.325217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.1
020A1990001	BEDFORD	0A199	1.609	HARRISON FORK CREEK	OPEN	1/25/2017	1984	35.486033	-86.336233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
020A2020001	BEDFORD	0A202	0.116	LITTLE FLAT CREEK	OPEN	1/18/2017	1981	35.44085	-86.37715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
020A0510001	BEDFORD	0A203	0.153	CLEM CREEK	OPEN	11/23/2016	1984	35.604367	-86.598767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A2180001	BEDFORD	0A218	0.006	BRANCH	OPEN	1/5/2017	1984	35.355883	-86.435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A2250001	BEDFORD	0A225	0.246	BELL BUCKLE BRANCH	OPEN	2/13/2017	1970	35.5883	-86.356933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83
020A2330001	BEDFORD	0A233	0.065	SHIPPMAN CREEK	WEIGHT POSTED	1/18/2017	1940	35.458833	-86.30105	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.7
020A2350001	BEDFORD	0A235	3.248	THOMPSON CREEK	OPEN	1/17/2017	1960	35.46215	-86.32365	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83.2
020A2370001	BEDFORD	0A237	0.105	THOMPSON CREEK	WEIGHT POSTED	1/17/2017	1960	35.420833	-86.327867	CONCRETE	TEE BEAM	74.7
020A2430001	BEDFORD	0A243	0.016	SHIPMAN CREEK	OPEN	1/18/2017	2003	35.429117	-86.295117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
020A1620001	BEDFORD	0A245	0.851	WARTRACE CREEK	OPEN	2/13/2017	1983	35.640317	-86.344017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
020A1620003	BEDFORD	0A245	1.325	WARTRACE CREEK	WEIGHT POSTED	2/13/2017	1966	35.645817	-86.339133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
020A1620005	BEDFORD	0A245	2.195	WARTRACE CREEK	OPEN	2/13/2017	2011	35.652583	-86.329883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
020A2470001	BEDFORD	0A247	0.017	THOMPSON CREEK	OPEN	1/13/2017	1984	35.380783	-86.3382	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
020A2570001	BEDFORD	0A257	0.87	BRANCH	OPEN	1/17/2017	1960	35.414217	-86.36805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
020A2580001	BEDFORD	0A258	0.44	BRANCH OF MUD CREEK	OPEN	12/20/2016	1950	35.414517	-86.466817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	95.9
020A2580003	BEDFORD	0A258	1.98	FLAT CREEK	OPEN	12/20/2016	2000	35.4254	-86.4495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A2600001	BEDFORD	0A260	0.332	FLAT CREEK	OPEN	12/20/2016	1996	35.419933	-86.439733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
020A1240001	BEDFORD	0A261	0.965	PARCH CORN CREEK	OPEN	11/18/2016	2004	35.561533	-86.4863	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
020A2660001	BEDFORD	0A266	2.607	GORDON BRANCH	WEIGHT POSTED	1/17/2017	1970	35.42445	-86.380367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.7
020A2660003	BEDFORD	0A266	2.773	GORDON BRANCH	OPEN	1/17/2017	1950	35.426067	-86.378183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.2
020A2700001	BEDFORD	0A270	0.014	BRANCH OF FLAT CREEK	OPEN	1/9/2017	1960	35.365967	-86.42325	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68
020A2750001	BEDFORD	0A275	0.009	BRANCH OF FLAT CREEK	OPEN	1/10/2017	1983	35.333383	-86.444083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
020A2780001	BEDFORD	0A278	2.84	GOOSE CREEK	OPEN	1/4/2017	1983	35.376683	-86.453033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
020A2780003	BEDFORD	0A278	3.255	GOOSE CREEK	OPEN	1/4/2017	1982	35.367433	-86.446267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
020A2840001	BEDFORD	0A284	0.851	SUGAR CREEK	OPEN	12/14/2016	1984	35.3914	-86.510833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A2850001	BEDFORD	0A285	1.503	BRANCH	OPEN	12/14/2016	2012	35.40545	-86.510367	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99
020A2850003	BEDFORD	0A285	2.302	SUGAR CREEK	OPEN	12/14/2016	1950	35.3971	-86.517767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	95.8
020A2850005	BEDFORD	0A285	2.826	BLUESTOCKING CREEK	OPEN	12/14/2016	1984	35.395733	-86.525133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
020A2850007	BEDFORD	0A285	4.032	ASHLAND CREEK	OPEN	12/14/2016	1984	35.407567	-86.5336	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A2850009	BEDFORD	0A285	4.428	BUCHANAN CREEK	OPEN	12/14/2016	1993	35.413167	-86.5355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
020A2900001	BEDFORD	0A290	0.082	ASHLAND BRANCH	WEIGHT POSTED	12/13/2016	1965	35.393583	-86.5539	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.5
020A2920001	BEDFORD	0A292	0.052	SUGAR CREEK	OPEN	12/20/2016	1984	35.370217	-86.518283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
020A3100003	BEDFORD	0A310	0.538	CASCADE BRANCH	OPEN	1/19/2017	1950	35.4464	-86.254467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.3
020A3100001	BEDFORD	0A310	0.8	NORMAN CREEK	WEIGHT POSTED	11/3/2016	1940	35.448567	-86.258033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20.3
020A3160001	BEDFORD	0A316	1.155	UNNAMED BRANCH	OPEN	12/8/2016	1975	35.41375	-86.63055	STEEL	STRINGER/MULTI-BEAM OR GIRDER	93.8
020A3190001	BEDFORD	0A319	0.293	SINKING CREEK	OPEN	12/13/2016	2004	35.443367	-86.59365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
020A3210001	BEDFORD	0A321	0.237	ASHLAND BRANCH	OPEN	12/13/2016	1983	35.384867	-86.566267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
020A3250001	BEDFORD	0A325	0.795	SNAKE CREEK	OPEN	12/5/2016	1987	35.44875	-86.52055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A3250003	BEDFORD	0A325	1.647	SNAKE CREEK	OPEN	12/2/2016	2005	35.4602	-86.5167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
020A3450001	BEDFORD	0A345	2.351	CORTNER CREEK	OPEN	12/7/2016	1984	35.442067	-86.6135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
020A3510001	BEDFORD	0A351	0.215	EAST ROCK CREEK	OPEN	12/7/2016	1982	35.43985	-86.640717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
020A3530001	BEDFORD	0A353	2.372	SINKING CREEK	OPEN	12/7/2016	1978	35.440483	-86.595517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.2
020A3550001	BEDFORD	0A355	2	SNAKE CREEK	OPEN	12/5/2016	1960	35.4389	-86.530167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
020A3570001	BEDFORD	0A357	1.147	EAST ROCK CREEK	OPEN	12/5/2016	2007	35.464467	-86.6466	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
020A3730001	BEDFORD	0A373	1.159	CLEM CREEK	OPEN	11/23/2016	1950	35.59565	-86.598333	CONCRETE CONTINUOUS	SLAB	88.1
020A3740001	BEDFORD	0A374	2.464	SINKING CREEK	OPEN	12/1/2016	1972	35.535333	-86.590433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.8
020A3740003	BEDFORD	0A374	3.861	DUCK RIVER	OPEN	12/1/2016	1960	35.5526	-86.58255	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.1
020A3800001	BEDFORD	0A380	0.502	NORTH FORK CREEK	WEIGHT POSTED	11/23/2016	1975	35.59095	-86.571683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.4
020A3870001	BEDFORD	0A387	0.016	STRAIGHT CREEK	WEIGHT POSTED	2/3/2017	1950	35.55005	-86.264	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.7
020A3900001	BEDFORD	0A390	2.019	BELL BUCKLE CREEK	OPEN	2/13/2017	1940	35.613883	-86.37755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
020A3960001	BEDFORD	0A396	0.901	COOPS CREEK	OPEN	2/2/2017	1960	35.550217	-86.428167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
020A4250001	BEDFORD	0A425	0.872	GARRISON CREEK	OPEN	2/8/2017	1985	35.611617	-86.2445	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
020A1420001	BEDFORD	0A468	1.458	BUTLER CREEK	OPEN	1/25/2017	2010	35.517783	-86.41295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
020A1420003	BEDFORD	0A468	4.404	PANNELL CREEK	OPEN	1/25/2017	1960	35.53115	-86.3735	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.2
020A6640001	BEDFORD	0A664	0.113	STOKES BRANCH	WEIGHT POSTED	2/1/2017	1940	35.51155	-86.337117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.3
020A6750001	BEDFORD	0A675	0.665	WEAKLEY CREEK	OPEN	11/15/2016	1950	35.634717	-86.550633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	94.3
020A6750003	BEDFORD	0A675	3.888	TAYLOR BRANCH	OPEN	11/7/2016	1983	35.667033	-86.588333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.4
020A6770001	BEDFORD	0A677	0.166	FALL CREEK	OPEN	11/21/2016	1984	35.552433	-86.537	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
02020030001	BEDFORD	0A681	2.136	LITTLE HURRICANE CREEK	OPEN	11/21/2016	1940	35.525267	-86.4729	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.4
02020030003	BEDFORD	0A681	4.852	HURRICANE CREEK	OPEN	11/18/2016	1982	35.5569	-86.499217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
02020030005	BEDFORD	0A681	5.192	PORCH CREEK	OPEN	11/18/2016	1970	35.5614	-86.5008	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
02020030007	BEDFORD	0A681	5.612	FALL CREEK	OPEN	11/18/2016	1981	35.567283	-86.503117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
020A2050001	BEDFORD	0A786	0.14	FAY BRANCH	WEIGHT POSTED	2/1/2017	1960	35.499833	-86.371017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.8
020B0010001	BEDFORD	0B001	0.022	BOMAR CREEK	OPEN	11/3/2016	2007	35.488267	-86.435683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
020A4490001	BEDFORD	0B252	1.078	NORTH FORK CREEK	OPEN	11/4/2016	1984	35.642633	-86.436083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
02SR0100001	BEDFORD	SR010	1.42	BRANCH	OPEN	9/21/2016	1923	35.37	-86.515	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
02SR0100003	BEDFORD	SR010	1.815	BRANCH	OPEN	9/21/2016	1923	35.375	-86.511667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
02SR0100005	BEDFORD	SR010	2.43	SUGAR CREEK	OPEN	9/21/2016	1928	35.381667	-86.505	CONCRETE	TEE BEAM	82.1
02SR0100007	BEDFORD	SR010	8.36	FLAT CREEK	OPEN	9/21/2016	1927	35.458333	-86.47	CONCRETE	TEE BEAM	65
02SR0100009	BEDFORD	SR010	9.96	DUCK RIVER	OPEN	9/21/2016	1989	35.481667	-86.463333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
02SR0100011	BEDFORD	SR010	12.8	LITTLE HURRICANE CREEK	OPEN	9/22/2016	1997	35.52	-86.455	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
02SR0100013	BEDFORD	SR010	14.17	BRANCH	OPEN	9/22/2016	1997	35.54	-86.451667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
02SR0100015	BEDFORD	SR010	14.28	BRANCH	OPEN	9/22/2016	1997	35.541667	-86.451667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
02SR0100017	BEDFORD	SR010	14.36	HURRICANE CREEK	OPEN	9/22/2016	1997	35.543333	-86.45	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
02SR0100019	BEDFORD	SR010	16.34	BENFORD CREEK	OPEN	9/26/2016	1997	35.571667	-86.445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
02SR0100021	BEDFORD	SR010	17.98	BRANCH	OPEN	9/26/2016	1996	35.593333	-86.438333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
02SR0100023	BEDFORD	SR010	18.23	BRANCH	OPEN	9/26/2016	1924	35.598333	-86.438333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
02SR0100025	BEDFORD	SR010	20.67	BRANCH	OPEN	9/26/2016	1996	35.631667	-86.428333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
02SR0100027	BEDFORD	SR010	21.63	BRANCH	OPEN	9/26/2016	1996	35.646667	-86.425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
02SR0160001	BEDFORD	SR016	4.43	TAYLOR CREEK	OPEN	9/27/2016	1944	35.644233	-86.5941	CONCRETE	TEE BEAM	76.2
02SR0160003	BEDFORD	SR016	6.68	WEAKLEY CREEK	OPEN	9/27/2016	1941	35.600567	-86.5843	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.9
02SR0160005	BEDFORD	SR016	6.73	WEAKLEY CREEK OVERFLOW	OPEN	9/27/2016	1941	35.613383	-86.583717	CONCRETE	TEE BEAM	67.9
02SR0160007	BEDFORD	SR016	7.29	BRANCH	OPEN	9/27/2016	1941	35.60675	-86.578117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.1
02SR0160009	BEDFORD	SR016	9.41	BRANCH	OPEN	9/27/2016	1941	35.585533	-86.55155	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86.6
02SR0160011	BEDFORD	SR016	9.54	HOOK CREEK	OPEN	9/28/2016	1941	35.583783	-86.550767	CONCRETE	TEE BEAM	57.4
02SR0160013	BEDFORD	SR016	11.9	FALL CREEK	OPEN	9/28/2016	1937	35.552433	-86.534567	CONCRETE	TEE BEAM	49.9
02SR0160015	BEDFORD	SR016	13.08	DRY CREEK	OPEN	9/28/2016	1937	35.539217	-86.521283	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.2
02SR0160017	BEDFORD	SR016	13.49	BRANCH	OPEN	9/28/2016	1938	35.53405	-86.517517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
02SR0160019	BEDFORD	SR016	13.59	LITTLE HURRICANE CREEK	OPEN	9/28/2016	1937	35.532883	-86.516767	CONCRETE	TEE BEAM	53.3
02SR0160023	BEDFORD	SR016	18.22	BIG SPRING BRANCH	OPEN	10/3/2016	1940	35.4888	-86.457983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.2
02SR0160025	BEDFORD	SR016	19.47	HOLLAND BRANCH	OPEN	10/3/2016	1959	35.488933	-86.45755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
02SR0160027	BEDFORD	SR016	20.74	BOMAR CREEK	OPEN	10/3/2016	1986	35.48305	-86.414183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
02SR0160029	BEDFORD	SR016	22.93	DUCK RIVER	OPEN	10/3/2016	1989	35.4686	-86.463117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.7
02SR0160031	BEDFORD	SR016	26.19	THOMPSON CREEK	OPEN	10/3/2016	1942	35.447383	-86.329283	CONCRETE	TEE BEAM	49.9
02SR0160033	BEDFORD	SR016	27.86	SHIPMAN CREEK	OPEN	10/3/2016	1942	35.4423	-86.3021	CONCRETE	TEE BEAM	67.5
02SR0640001	BEDFORD	SR064	3.37	SINKING CREEK	OPEN	10/4/2016	1959	35.481667	-86.605	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.8
02SR0640003	BEDFORD	SR064	4.65	LITTLE SINKING CREEK	OPEN	10/4/2016	1959	35.473333	-86.586667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.3
02SR0640005	BEDFORD	SR064	6.6	POWELL CREEK	OPEN	10/4/2016	1959	35.455	-86.56	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.3
02SR0640007	BEDFORD	SR064	8.85	SNAKE CREEK	OPEN	10/4/2016	1959	35.455	-86.52	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.3
02SR0640009	BEDFORD	SR064	9.45	SUGAR CREEK	OPEN	10/5/2016	1959	35.455	-86.508333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.5
02SR0640011	BEDFORD	SR064	9.59	DAVIS BRANCH	OPEN	10/5/2016	1959	35.455	-86.506667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	55.8
02SR0640013	BEDFORD	SR064	11.56	FLATT CREEK	WEIGHT POSTED	10/5/2016	1959	35.47	-86.478333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	68.7
02SR0640015	BEDFORD	SR064	13.59	HOLLAND BRANCH	OPEN	10/5/2016	1965	35.476667	-86.44	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
02SR0640017	BEDFORD	SR064	14.81	BOMAR CREEK	OPEN	10/5/2016	1965	35.475	-86.418333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
02SR0640019	BEDFORD	SR064	17.02	BUTLER CREEK	OPEN	10/6/2016	1975	35.48	-86.38	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
02SR0640029	BEDFORD	SR064	20.52	STOKES BRANCH	OPEN	10/6/2016	1976	35.508333	-86.336667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
02SR0640031	BEDFORD	SR064	21.17	WARTRACE CREEK	OPEN	10/6/2016	1979	35.518333	-86.335	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.5
02SR0640033	BEDFORD	SR064	24.89	BATES BRANCH	OPEN	10/6/2016	1983	35.553333	-86.3	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
02SR0640045	BEDFORD	SR064	25.51	HAWKINS BRANCH	OPEN	10/6/2016	1988	35.558333	-86.29	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.9
02SR0640035	BEDFORD	SR064	26	MORGAN BRANCH	OPEN	10/7/2016	1983	35.565	-86.286667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
02SR0640037	BEDFORD	SR064	27.45	SALLIES BRANCH	OPEN	10/7/2016	1985	35.58	-86.27	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
02SR0640039	BEDFORD	SR064	28.26	LEE BRANCH	OPEN	10/7/2016	1985	35.59	-86.263333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
02SR0640041	BEDFORD	SR064	28.87	PUNCHEON CAMP CREEK	OPEN	10/7/2016	1985	35.598333	-86.26	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
02SR0640043	BEDFORD	SR064	29.97	JAKES BRANCH	OPEN	10/7/2016	1985	35.613333	-86.255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
02SR0820001	BEDFORD	SR082	1.34	COLEMAN CREEK	OPEN	10/10/2016	1940	35.361667	-86.391667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.5
02SR0820003	BEDFORD	SR082	1.95	COLEMAN CREEK	OPEN	10/10/2016	1940	35.37	-86.395	CONCRETE	TEE BEAM	67.3
02SR0820005	BEDFORD	SR082	3.6	BOBO CREEK	OPEN	10/10/2016	1940	35.391667	-86.408333	CONCRETE	TEE BEAM	64.9
02SR0820007	BEDFORD	SR082	5.71	WALLACE BRANCH	OPEN	10/10/2016	1935	35.415	-86.43	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
02SR0820009	BEDFORD	SR082	8.89	DUCK RIVER	OPEN	10/10/2016	2004	35.459389	-86.448278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.5
02SR0820011	BEDFORD	SR082	12.41	FALL CREEK	OPEN	10/11/2016	1937	35.585	-86.416667	CONCRETE	TEE BEAM	73.6
02SR0820013	BEDFORD	SR082	14.45	BRANCH	OPEN	10/11/2016	1937	35.585	-86.381667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
02SR0820015	BEDFORD	SR082	15.41	BRANCH	OPEN	10/11/2016	1937	35.588333	-86.366667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
02SR0820017	BEDFORD	SR082	15.86	BRANCH	OPEN	10/11/2016	1937	35.588333	-86.358333	CONCRETE	TEE BEAM	87.4
02SR0820019	BEDFORD	SR082	15.88	BELL BUCKLE CREEK	OPEN	10/11/2016	1937	35.588333	-86.358333	CONCRETE	TEE BEAM	87.4
02SR0820021	BEDFORD	SR082	16.92	KELLEY CREEK	OPEN	10/12/2016	1982	35.586667	-86.34	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
02SR0820025	BEDFORD	SR082	19.87	LYNCH BRANCH	OPEN	10/12/2016	1983	35.603333	-86.295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
02SR0820029	BEDFORD	SR082	21.87	PUNCHEON CREEK	OPEN	10/12/2016	1983	35.606667	-86.261667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
02SR1300001	BEDFORD	SR130	1.22	SINKING CREEK	OPEN	10/13/2016	1948	35.381667	-86.611667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.5
02SR1300003	BEDFORD	SR130	1.69	SINKING CREEK	OPEN	10/13/2016	1948	35.385	-86.605	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.5
02SR1300005	BEDFORD	SR130	2.51	BRANCH	OPEN	10/13/2016	1948	35.385	-86.59	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.7
02SR1300007	BEDFORD	SR130	4.765	SIMMONS BRANCH	OPEN	10/13/2016	1948	35.393333	-86.553333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
02SR1300009	BEDFORD	SR130	5.45	BRANCH	OPEN	10/13/2016	1948	35.401667	-86.546667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.6
02SR1300011	BEDFORD	SR130	6.25	BUCHANAN BRANCH	OPEN	10/14/2016	1998	35.413333	-86.541667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
02SR1300013	BEDFORD	SR130	8.3	SUGAR CREEK	OPEN	10/14/2016	1948	35.435	-86.518333	CONCRETE	TEE BEAM	54.8
02SR1300015	BEDFORD	SR130	9.83	DAVIS BRANCH	OPEN	10/14/2016	1948	35.453333	-86.506667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.9
02SR1300017	BEDFORD	SR130	10.81	DUCK RIVER	OPEN	10/14/2016	2013	35.471667	-86.446667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.7
02SR1300019	BEDFORD	SR130	12.23	MORGAN BRANCH	OPEN	10/14/2016	1923	35.456667	-86.43	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
02SR1300021	BEDFORD	SR130	13.66	BRANCH	OPEN	10/17/2016	1998	35.446667	-86.408333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
02SR1300023	BEDFORD	SR130	16.35	BRANCH	OPEN	10/17/2016	1923	35.43	-86.371667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
02SR1300025	BEDFORD	SR130	16.74	LITTLE FLAT CREEK	OPEN	10/17/2016	1993	35.425	-86.37	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
02SR1300027	BEDFORD	SR130	19.58	THOMPSON CREEK	OPEN	10/17/2016	1993	35.403333	-86.331667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
02SR1300029	BEDFORD	SR130	20.59	BRANCH	OPEN	10/17/2016	1923	35.391667	-86.326667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.1
02S42890027	BEDFORD	SR269	1.63	WARTRACE CREEK	OPEN	10/18/2016	1940	35.628333	-86.356667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
02S42890025	BEDFORD	SR269	2.02	HATCHET CREEK	OPEN	10/18/2016	1940	35.621667	-86.356667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
02S42890023	BEDFORD	SR269	3.24	WARTRACE CREEK	OPEN	10/18/2016	1960	35.605	-86.351667	CONCRETE	TEE BEAM	74.8
02S42890029	BEDFORD	SR269	3.42	WARTRACE CREEK	OPEN	10/18/2016	1970	35.6041	-86.352767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
02S42890021	BEDFORD	SR269	4.68	BELL BUCKLE CREEK	OPEN	10/18/2016	1940	35.585	-86.355	CONCRETE CONTINUOUS	TEE BEAM	78
02S42890019	BEDFORD	SR269	6.77	ANTHONY CREEK	OPEN	10/19/2016	1950	35.556667	-86.353333	CONCRETE	TEE BEAM	65.5
02S42890017	BEDFORD	SR269	8.12	HURRICANE CREEK	OPEN	10/19/2016	1930	35.538333	-86.346667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.8
02S42890015	BEDFORD	SR269	9.12	WARTRACE CREEK	OPEN	10/19/2016	1930	35.526667	-86.34	CONCRETE	TEE BEAM	63.9
02E00290029	BEDFORD	SR269	10.61	GARRISON FORK CREEK	OPEN	10/20/2016	1940	35.52	-86.318333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.6
02S42890011	BEDFORD	SR269	11.1	NOB CREEK	OPEN	10/19/2016	2005	35.518333	-86.31	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
02E00290031	BEDFORD	SR269	12.15	BRANCH	OPEN	10/20/2016	1952	35.508333	-86.305	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	72.2
02S42890007	BEDFORD	SR269	15.1	CSX RAILROAD	OPEN	10/20/2016	1936	35.471667	-86.296667	CONCRETE	TEE BEAM	82.5
02S42890005	BEDFORD	SR269	15.49	DUCK RIVER	OPEN	10/20/2016	1993	35.465	-86.295	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
02S42890003	BEDFORD	SR269	18.96	CARR BRANCH	OPEN	10/20/2016	1941	35.441667	-86.263333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.5
02S42890001	BEDFORD	SR269	19.33	NORMAN CREEK	OPEN	10/20/2016	1992	35.436667	-86.26	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
02S63640001	BEDFORD	SR270	3.18	NORTH FORK CREEK	OPEN	10/21/2016	1967	35.583333	-86.596667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.7
02020010001	BEDFORD	SR276	0.25	ANDERTON BRANCH	OPEN	10/21/2016	1960	35.405	-86.328333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
02020010003	BEDFORD	SR276	1.28	ANTHONY BRANCH	OPEN	10/21/2016	1960	35.42	-86.326667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
02SR0100029	BEDFORD	SR437	0	SR-437 / SR-10	OPEN	9/22/2016	2010	35.52805	-86.454117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83.8
02SR4370001	BEDFORD	SR437	1	BRANCH	OPEN	10/24/2016	2010	35.522133	-86.437983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
02SR4370003	BEDFORD	SR437	2.38	BUTLER CREEK	OPEN	10/24/2016	2010	35.522133	-86.437983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
02SR4370005	BEDFORD	SR437	2.55	BRANCH	OPEN	10/24/2016	2010	35.517483	-86.411383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
02SR4370007	BEDFORD	SR437	2.95	BRANCH	OPEN	10/24/2016	2010	35.516083	-86.404533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
02SR4370009	BEDFORD	SR437	3.6	BRANCH	OPEN	10/24/2016	2010	35.50775	-86.398667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
02SR4370011	BEDFORD	SR437	4.11	BUTLER CREEK	OPEN	10/24/2016	2010	35.50145	-86.394983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
03008910001	BENTON	00891	8.61	BRANCH	OPEN	5/16/2016	1987	35.992056	-88.154889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
03008910005	BENTON	00891	11.82	MIDDLE BROOK CREEK	OPEN	5/16/2016	1999	35.021722	-88.123694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
03008910007	BENTON	00891	12.8	CANE CREEK	OPEN	5/16/2016	1996	35.035306	-88.119389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
03F03480005	BENTON	00905	0.81	MORGAN CREEK	OPEN	5/23/2016	2003	35.841806	-88.016639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
03F03480003	BENTON	00905	1.89	BRANCH	OPEN	5/23/2016	1960	35.842333	-88.998361	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	75.2
03I00400003	BENTON	00907	0.27	MCILLWAIN RD. / I-40	OPEN	5/10/2016	1965	35.851972	-88.063917	CONCRETE CONTINUOUS	TEE BEAM	74.1
03009070001	BENTON	00907	0.62	EAGLE CREEK	OPEN	5/18/2016	1986	35.854028	-88.069639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
03S80400001	BENTON	00911	1.495	WATSON CREEK	OPEN	5/12/2016	1958	36.052361	-88.205694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
03S80400003	BENTON	00911	2.695	BRITTON CREEK	OPEN	5/12/2016	1958	36.068833	-88.203417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
03S80400021	BENTON	00911	3.79	SMUTHERS CREEK	OPEN	5/12/2016	1970	36.083444	-88.207167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
03S80400005	BENTON	00911	5.29	LICK CREEK	OPEN	5/12/2016	1953	36.10355	-88.201639	CONCRETE	TEE BEAM	68.6
03S80400007	BENTON	00911	6.225	BRANCH	OPEN	5/12/2016	1953	36.11625	-88.198028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
03S80400009	BENTON	00911	8.055	DRY CREEK	WEIGHT POSTED	5/12/2016	1954	36.131833	-88.178083	CONCRETE	TEE BEAM	57.9
03S80400011	BENTON	00911	10.03	RACoon CREEK	OPEN	5/12/2016	1954	35.151	-88.16125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
03S80400013	BENTON	00911	12.28	BRANCH	OPEN	5/17/2016	1960	36.172	-88.137778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
03S80400015	BENTON	00911	12.49	RUSHING CREEK	OPEN	5/12/2016	1970	36.174	-88.134944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.7
03S80400017	BENTON	00911	13.82	GREENBRIER BRANCH	OPEN	5/12/2016	1965	36.181806	-88.120639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
03S80400019	BENTON	00911	15.72	RAMBLE CREEK	OPEN	5/19/2016	1950	36.208028	-88.114917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.3
03S82170001	BENTON	00913	10.79	RAMBLE CREEK	OPEN	5/19/2016	1963	36.191583	-88.065917	CONCRETE	CHANNEL BEAM	80
03017430001	BENTON	01743	0.08	SYCAMORE CREEK	OPEN	5/18/2016	2012	35.846361	-88.1535	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
03017450001	BENTON	01745	2.63	BRANCH	OPEN	5/19/2016	1996	35.922167	-88.082611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
03017450003	BENTON	01745	2.88	BIRDSONG CREEK	OPEN	5/19/2016	1991	35.924722	-88.085667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
03017490001	BENTON	01749	3.01	BURNSIDE CREEK	OPEN	5/17/2016	1975	36.067667	-88.079139	CONCRETE	CHANNEL BEAM	61.3
03017490003	BENTON	01749	3.87	CHARLIE CREEK	OPEN	5/19/2016	1975	36.061556	-88.092417	CONCRETE	CHANNEL BEAM	71.1
03017510001	BENTON	01751	4.57	BURNSIDE CREEK	OPEN	5/17/2016	1992	36.087833	-88.084889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
03017510003	BENTON	01751	6.05	CHARLIE CREEK	OPEN	5/19/2016	1975	36.069389	-88.094667	CONCRETE	CHANNEL BEAM	61.5
03017530001	BENTON	01753	0.05	CROOKED CREEK	OPEN	5/18/2016	1983	36.256139	-88.0025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
03017530003	BENTON	01753	0.24	S FORK CROOKED CREEK	OPEN	5/19/2016	1950	36.255306	-88.000111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
03017530005	BENTON	01753	6.87	SULPHUR CREEK	OPEN	5/18/2016	1971	36.187	-87.985083	CONCRETE	CHANNEL BEAM	52.1
03017530007	BENTON	01753	8.425	SULPHUR CREEK	OPEN	5/17/2016	1988	36.17825	-88.00925	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
03017530009	BENTON	01753	11.71	N FORK HARMON CREEK	OPEN	5/16/2016	1995	36.14475	-87.973	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.6
03S81740001	BENTON	01757	2.86	HURRICANE CREEK	OPEN	5/18/2016	1958	36.284111	-88.067778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
03S81740003	BENTON	01757	3.12	MATHENY BRANCH	OPEN	5/18/2016	1958	36.287556	-88.068222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
03S81740005	BENTON	01757	4.19	HOPE CREEK	OPEN	5/18/2016	1958	36.299722	-88.073583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
03S81740007	BENTON	01757	7.16	TRACE CREEK	OPEN	5/18/2016	1958	36.326528	-88.075889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
03017570009	BENTON	01757	11.09	BENNETTS CREEK	OPEN	5/18/2016	1986	36.356139	-88.033806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
03017590001	BENTON	01759	2.72	LICK CREEK	OPEN	5/18/2016	1970	36.312417	-88.020083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
03017640001	BENTON	01764	0.78	CYPRESS CREEK	OPEN	5/17/2016	1970	36.045861	-88.081972	CONCRETE	TEE BEAM	59.4
03017640003	BENTON	01764	2.34	BRANCH	OPEN	5/17/2016	1965	36.027917	-88.066694	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77
03017700001	BENTON	01770	2.31	DRY CREEK	OPEN	5/16/2016	1991	36.144472	-88.111833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
03017700003	BENTON	01770	3.88	BRANCH	OPEN	5/16/2016	1984	36.13425	-88.086611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
03009070019	BENTON	05550	1.12	LITTLE BIRDSONG CREEK	OPEN	5/18/2016	1993	35.981833	-88.106528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
030A0140001	BENTON	0A014	1.385	LICK CREEK	OPEN	5/12/2016	1989	36.084028	-88.183028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91
030A0250003	BENTON	0A025	1.662	DRY CREEK	OPEN	5/12/2016	2005	36.100472	-88.144	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
030A0250001	BENTON	0A025	3.29	DRY CREEK	OPEN	5/12/2016	1996	36.112778	-88.15225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
030A0250005	BENTON	0A025	3.592	DRY CREEK	OPEN	5/12/2016	1999	36.117	-88.153472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
030A0500001	BENTON	0A050	0.678	RUSHING CREEK	OPEN	5/17/2016	1999	36.159889	-88.121972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87
030A0520001	BENTON	0A052	1.494	GREENBRIER BRANCH	OPEN	5/17/2016	1986	36.17925	-88.1295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
030A0640001	BENTON	0A064	1.18	GREENBRIER BRANCH	OPEN	5/17/2016	2006	36.185306	-88.13025	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.7
030A0690001	BENTON	0A069	1.661	RAMBLE CREEK	OPEN	5/16/2016	1986	36.194806	-88.079472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
030A0700001	BENTON	0A070	0.357	SOUTH CREEK	OPEN	5/16/2016	1991	36.183889	-88.072	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
030A0720001	BENTON	0A072	0.312	BRANCH	OPEN	5/19/2016	1975	36.201861	-88.082	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.5
030A1010001	BENTON	0A101	0.483	NICKELTOWN BRANCH	OPEN	5/23/2016	1984	35.832167	-88.019444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
030A1010003	BENTON	0A101	0.726	MORGAN CREEK	OPEN	5/23/2016	1988	35.835472	-88.019056	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
030A1010005	BENTON	0A101	0.786	BRANCH	OPEN	5/23/2016	1983	35.836444	-88.019139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
030A1450001	BENTON	0A145	1.213	BRANCH	OPEN	5/19/2016	1965	36.259972	-87.980167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
030A1490001	BENTON	0A149	0.865	BRANCH	OPEN	5/18/2016	1992	36.228667	-87.992222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
030A1510001	BENTON	0A151	0.08	LITTLE CROOKED CREEK	WEIGHT POSTED	5/18/2016	1975	36.229389	-87.970556	ALUMINUM, WROUGHT OR CAST IRON	STRINGER/MULTI-BEAM OR GIRDER	52.6
030A1560001	BENTON	0A156	0.08	SULPHUR CREEK	OPEN	5/16/2016	1998	36.178778	-88.017083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	14
030A1700001	BENTON	0A170	1.561	NORTH FORK HARMON CREEK	OPEN	5/17/2016	1989	36.141528	-87.996806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
030A1730001	BENTON	0A173	0.246	S. FK. HARMON CREEK	OPEN	5/17/2016	1997	36.142083	-87.963278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.8
030A1750001	BENTON	0A175	0.098	S. FK. HARMON CREEK	OPEN	5/18/2016	2012	36.114778	-87.986889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
030A1760001	BENTON	0A176	1.454	BEAVERDAM CREEK	OPEN	5/18/2016	1975	36.087611	-88.048028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.1
030A1760003	BENTON	0A176	5.344	M. FK. HARMAN CREEK	OPEN	5/18/2016	1984	36.113472	-88.990861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
030A1810001	BENTON	0A181	2.457	BRANCH	OPEN	5/17/2016	1984	36.089889	-88.04575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
030A1830001	BENTON	0A183	0.936	BEAVERDAM CREEK	OPEN	5/18/2016	2004	36.10965	-88.04705	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	46.5
030A1920001	BENTON	0A192	0.447	BURNSIDE CREEK	OPEN	5/17/2016	1982	36.07475	-88.079806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
030A1970001	BENTON	0A197	0.215	CHARLIE CREEK	OPEN	5/19/2016	1982	36.065444	-88.093167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.2
030A2480001	BENTON	0A248	1.711	DURDIN CREEK	OPEN	5/18/2016	1983	36.032417	-88.051472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
030A2720001	BENTON	0A272	1.009	PRAIRIE BRANCH	OPEN	5/17/2016	2001	36.019639	-88.1025	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.7
030A2750001	BENTON	0A275	1.921	CYPRESS CREEK	OPEN	5/17/2016	1992	36.020833	-88.106944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.4
030A2750003	BENTON	0A275	2.308	MIDDLE BROOK CREEK	OPEN	5/17/2016	1990	36.025611	-88.108861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
030A2750007	BENTON	0A275	4.149	CANE CREEK	OPEN	5/19/2016	1984	36.050056	-88.106389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
030A2820001	BENTON	0A282	0.817	LITTLE BIRDSONG CREEK	OPEN	5/18/2016	1979	35.912972	-88.100194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.9
030A3000001	BENTON	0A300	2.936	DALTON CREEK	OPEN	5/19/2016	1970	35.956083	-88.046167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
030A3010001	BENTON	0A301	0.089	BALLARD BRANCH	OPEN	5/19/2016	2008	35.949639	-88.048028	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.5
030A3010003	BENTON	0A301	2.81	GREEN HATLEY BRANCH	OPEN	5/19/2016	1970	35.92375	-88.076083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
030A3070001	BENTON	0A307	1.79	EAGLE CREEK	OPEN	5/23/2016	1988	35.893222	-88.031972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
03100400005	BENTON	0A307	3.506	COXBURG RD. / I-40	OPEN	5/10/2016	1965	35.868833	-88.032333	CONCRETE CONTINUOUS	TEE BEAM	79.8
030A3070005	BENTON	0A307	4.725	DRY BRANCH	OPEN	5/23/2016	1991	35.855417	-88.029611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
030A3070007	BENTON	0A307	5.168	BRANCH	OPEN	5/23/2016	1987	35.850111	-88.0275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
030A3140001	BENTON	0A314	0.747	EAGLE CREEK	OPEN	5/18/2016	2001	35.863639	-88.066833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
030A3140003	BENTON	0A314	3.797	EAGLE CREEK	OPEN	5/18/2016	2004	35.893472	-88.057861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
030A3260001	BENTON	0A326	0.45	EAGLE CREEK	OPEN	5/18/2016	2014	35.849361	-88.071528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
030A3630001	BENTON	0A363	2.299	CANEY CREEK	OPEN	5/23/2016	1975	35.899444	-88.101	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
030A3660001	BENTON	0A366	1.125	TURKEY CREEK	OPEN	5/23/2016	2003	35.916472	-88.113806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
030A3660003	BENTON	0A366	2.133	COON CREEK	OPEN	5/23/2016	1984	35.906806	-88.126778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
030A3780001	BENTON	0A378	1.376	BIRDSONG CREEK	OPEN	5/18/2016	2008	35.863806	-88.197722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
030A3910001	BENTON	0A391	0.534	FOURTEEN CREEK	OPEN	5/19/2016	1984	35.908139	-88.126722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
030A4020001	BENTON	0A402	0.719	CYPRESS CREEK	OPEN	5/16/2016	1983	35.989472	-88.139972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
030A4030001	BENTON	0A403	0.62	CYPRESS CREEK	OPEN	5/16/2016	1983	36.000806	-88.123639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
030A4390003	BENTON	0A439	1.264	CANE CREEK	OPEN	1/30/2017	1970	36.048861	-88.100583	CONCRETE	CHANNEL BEAM	73.2
030A4630001	BENTON	0A463	0.03	BRANCH	OPEN	5/18/2016	1975	36.050167	-88.107389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
030A4630003	BENTON	0A463	0.42	CANE CREEK	OPEN	5/18/2016	1975	36.053278	-88.110694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
030A4050001	BENTON	0A465	1.236	COTTON CREEK	OPEN	5/16/2016	1993	35.991667	-88.199722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
030A4590001	BENTON	0A557	0.035	CSX RAILROAD	OPEN	5/16/2016	1975	36.047167	-88.129444	CONCRETE CONTINUOUS	TEE BEAM	97.7
03100400001	BENTON	I0040	0.87	BRANCH	OPEN	5/10/2016	1965	35.847917	-88.071833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
03100400002	BENTON	I0040	0.87	BRANCH	OPEN	5/10/2016	1965	35.848083	-88.071833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
03100400009	BENTON	I0040	8.45	TENNESSEE RIVER	OPEN	5/23/2016	1992	35.868583	-87.945417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.4
03SR0010001	BENTON	SR001	0.43	HUNTING CREEK	OPEN	5/11/2016	1950	36.034333	-88.20575	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.3
03SR0010003	BENTON	SR001	0.59	CSX RAILROAD	OPEN	5/11/2016	1950	36.034583	-88.203	CONCRETE CONTINUOUS	TEE BEAM	55.8
03SR0010005	BENTON	SR001	1.99	BRANCH	OPEN	5/11/2016	1952	36.042278	-88.180361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.2
03SR0010007	BENTON	SR001	2.76	BRANCH	OPEN	5/11/2016	1952	36.046056	-88.167778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.2
03SR0010031	BENTON	SR001	4.32	CSX RAILROAD	OPEN	5/11/2016	1985	36.044639	-88.140361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
03SR0010025	BENTON	SR001	5.66	BRANCH	OPEN	5/10/2016	1986	36.036389	-88.119222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
03SR0010027	BENTON	SR001	6.84	CYPRESS CREEK	OPEN	5/10/2016	1985	36.029861	-88.099611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
03SR0010029	BENTON	SR001	7.05	BRANCH	OPEN	5/10/2016	1986	36.029028	-88.096361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
03SR0010019	BENTON	SR001	8.58	BRANCH	OPEN	5/10/2016	1947	36.028167	-88.07	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
03SR0010021	BENTON	SR001	8.92	BRANCH	OPEN	5/10/2016	1947	36.024528	-88.065667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
03SR0010023	BENTON	SR001	12.64	TENNESSEE RIVER	OPEN	2/19/2016	1989	36.017017	-88.004217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
03SR0690017	BENTON	SR069	4.45	BRANCH	OPEN	5/10/2016	1975	35.904722	-88.100806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
03SR0690019	BENTON	SR069	4.83	BIRDSONG CREEK	OPEN	5/10/2016	1975	35.910444	-88.102167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.1
03SR0690021	BENTON	SR069	4.97	BIRDSONG CREEK OVERFLOW	OPEN	5/10/2016	1975	35.912111	-88.102556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.9
03SR0692009	BENTON	SR069	6.57	RUSHING CREEK	OPEN	5/10/2016	1990	36.144317	-88.101167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
03SR0690023	BENTON	SR069	6.93	AMMON CREEK	OPEN	5/10/2016	1975	35.94	-88.109111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
03SR0690025	BENTON	SR069	9.88	LITTLE BIRDSONG CREEK	OPEN	5/10/2016	1926	35.982417	-88.111528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
03SR0692011	BENTON	SR069	11.12	RAMBLE CREEK	OPEN	5/11/2016	1990	36.198583	-88.087806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.1
03SR0692001	BENTON	SR069	11.2	BRANCH	OPEN	5/11/2016	1994	36.199667	-88.087278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
03SR0690027	BENTON	SR069	12.03	CYPRESS CREEK	OPEN	5/10/2016	1926	36.013139	-88.111528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
03SR0690029	BENTON	SR069	12.71	MIDDLE BROOK CREEK	OPEN	5/10/2016	1972	36.022417	-88.114528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
03SR0692013	BENTON	SR069	12.86	JONES BRANCH	OPEN	5/11/2016	1994	36.222806	-88.084389	CONCRETE	CHANNEL BEAM	77
03SR0690031	BENTON	SR069	12.93	CANE CREEK	OPEN	5/10/2016	1926	36.025528	-88.11525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
03SR0690033	BENTON	SR069	14.51	CSX RAILROAD	OPEN	5/10/2016	1972	36.04825	-88.115611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.6
03SR0690035	BENTON	SR069	15.16	CANE CREEK	OPEN	5/10/2016	1972	36.057528	-88.115222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
03S81500001	BENTON	SR147	0.265	SUGAR CREEK CANAL	OPEN	5/11/2016	1960	36.236667	-88.084556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9
03017720001	BENTON	SR147	1.83	DRY CREEK	OPEN	5/11/2016	1977	36.245278	-88.060861	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.4
03017720003	BENTON	SR147	4.4	CROOKED CREEK	OPEN	5/11/2016	1987	36.254611	-88.01875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
03017720005	BENTON	SR147	7.4	S. FORK CROOKED CREEK	OPEN	5/11/2016	1945	36.276528	-87.988306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
03I00400007	BENTON	SR191	0	SR-191 / I-40	OPEN	5/12/2016	1962	35.86825	-87.969917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	94.7
03E03470001	BENTON	SR191	3.38	EAGLE CREEK	OPEN	5/12/2016	1968	35.903778	-87.994111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
03S82440003	BENTON	SR191	3.93	HAGGARD BRANCH	OPEN	5/12/2016	1990	35.911472	-87.995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
03S80420001	BENTON	SR191	9.63	BIRDSONG CREEK	OPEN	5/16/2016	1965	35.986611	-88.052528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.8
03S80420003	BENTON	SR191	12.06	FORD CREEK	OPEN	5/16/2016	1965	35.998583	-88.071583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.6
03S80430001	BENTON	SR191	15.6	CHARLIE CREEK	OPEN	5/11/2016	1960	35.058611	-88.091556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
03S80430003	BENTON	SR191	16.52	BRANCH	OPEN	5/11/2016	1960	36.055778	-88.074694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
03S80430005	BENTON	SR191	19.02	BEAVER DAM CREEK	OPEN	5/11/2016	1975	36.074639	-88.040056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
03SR1910001	BENTON	SR191	19.69	BRANCH	OPEN	5/11/2016	1945	36.071944	-88.028917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.1
03SR0690001	BENTON	SR192	2.51	WOLF CREEK	OPEN	5/12/2016	1986	35.875083	-88.123611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.1
03SR0690003	BENTON	SR192	3.3	SYCAMORE CREEK	OPEN	5/12/2016	1985	35.871889	-88.136444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.3
03SR0690005	BENTON	SR192	4.38	BIRDSONG CREEK	OPEN	5/12/2016	1986	35.881278	-88.144	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
03SR0690007	BENTON	SR192	4.6	OVERFLOW	OPEN	5/12/2016	2000	35.884472	-88.143861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.7
03SR0690009	BENTON	SR192	4.88	FOURTEEN CREEK	OPEN	5/11/2016	1989	35.888417	-88.143583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.5
03SR0690011	BENTON	SR192	6.57	COON CREEK	OPEN	5/11/2016	1989	35.910889	-88.132667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
03SR0690013	BENTON	SR192	8.03	TURKEY CREEK	OPEN	5/11/2016	2000	35.930111	-88.121	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
03SR0690015	BENTON	SR192	9.23	AMMON CREEK	OPEN	5/11/2016	1986	35.946333	-88.116	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
03SR0010009	BENTON	SR391	1.33	BRANCH	OPEN	5/12/2016	1950	36.052222	-88.1195	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.7
03SR0010011	BENTON	SR391	1.77	CANE CREEK	OPEN	5/12/2016	1950	36.056861	-88.114139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.3
03SR0010013	BENTON	SR391	3.26	CANE CREEK	OPEN	5/12/2016	1946	36.050917	-88.094556	CONCRETE	TEE BEAM	95.2
03SR0010015	BENTON	SR391	3.45	CSX RAILROAD	OPEN	5/16/2016	1942	36.048861	-88.09225	CONCRETE	TEE BEAM	93.1
03SR0010017	BENTON	SR391	4.09	CYPRESS CREEK	OPEN	5/16/2016	1947	36.041972	-88.084861	CONCRETE	TEE BEAM	77.7
04011340001	BLEDSOE	01134	4.24	CANE CREEK	OPEN	6/29/2016	1960	35.555967	-85.35905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
04011340003	BLEDSON	01134	11.86	MAYS CREEK	OPEN	6/29/2016	1960	35.510267	-85.282883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
04011340005	BLEDSON	01134	13.51	SEQUATCHIE RIVER	OPEN	6/28/2016	1960	35.501717	-85.257333	CONCRETE	TEE BEAM	67.5
04011340007	BLEDSON	01134	16.07	BRANCH	OPEN	6/23/2016	1954	35.52835	-85.23125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
04011340009	BLEDSON	01134	16.23	KEEDY LOVE BRANCH	OPEN	6/22/2016	1963	35.529717	-85.229017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.6
04011340011	BLEDSON	01134	17.51	CRYSTAL CREEK	OPEN	6/20/2016	1952	35.540017	-85.2123	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
04011340013	BLEDSON	01134	18.15	BRANCH	OPEN	6/20/2016	1952	35.548467	-85.208417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
04011340015	BLEDSON	01134	20.17	MCREYNOLDS BRANCH	OPEN	6/20/2016	1952	35.575183	-85.196283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.4
04011340017	BLEDSON	01134	20.97	SKILLERN CREEK	OPEN	6/20/2016	1952	35.5856	-85.190467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
04542630001	BLEDSON	01155	0.17	SEQUATCHIE RIVER	OPEN	6/13/2016	1986	35.60555	-85.186433	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.9
04542630003	BLEDSON	01155	7.95	MILL BRANCH	OPEN	6/13/2016	1997	35.67485	-85.090317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75
04542630007	BLEDSON	01155	13.96	SEQUATCHIE RIVER	OPEN	6/13/2016	1965	35.737967	-85.037967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.5
04542630009	BLEDSON	01155	14.69	STEPHENS BRANCH	OPEN	6/13/2016	1963	35.746667	-85.0426	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
04542630011	BLEDSON	01155	14.99	STEPHENS BRANCH	OPEN	6/13/2016	1963	35.747317	-85.047433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
04021680001	BLEDSON	02168	5.98	HALL CREEK	OPEN	6/22/2016	2000	35.452117	-85.212217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
04021680003	BLEDSON	02168	8.84	MC GILL CREEK	OPEN	6/22/2016	1992	35.474767	-85.18855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
04021720003	BLEDSON	02172	0.15	POLEBRIDGE CREEK	OPEN	6/27/2016	1992	35.5776	-85.113233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
04021720001	BLEDSON	02172	3.55	LOWRY BRANCH	OPEN	6/27/2016	1977	35.601667	-85.077967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
04021740007	BLEDSON	02174	0.45	ROCKY BRANCH	CLOSED	6/14/2016	1977	35.688417	-85.1142	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	32.9
04021740005	BLEDSON	02174	1.44	LITTLE CREEK	OPEN	6/14/2016	2002	35.697683	-85.101017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
04021740001	BLEDSON	02174	6.84	STEPHENS BRANCH	OPEN	6/16/2016	1986	35.7447	-85.031117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
04022330001	BLEDSON	02233	1.37	MCWILLIAMS CREEK	OPEN	6/16/2016	1963	35.434367	-85.3022	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
04022330003	BLEDSON	02233	3.66	BOWMAN CREEK	OPEN	6/16/2016	1963	35.461767	-85.280933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
04022330007	BLEDSON	02233	6.68	HIGH BRANCH	OPEN	6/23/2016	1963	35.4989	-85.255083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
040A0680001	BLEDSON	0A068	4.215	POND CREEK	OPEN	7/6/2016	1968	35.49005	-85.304583	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.2
040A0680003	BLEDSON	0A068	5.469	CANNON CREEK	OPEN	7/11/2016	2008	35.505733	-85.294833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
040A0680005	BLEDSON	0A068	6.989	MAISE CREEK	OPEN	7/11/2016	1982	35.523817	-85.279283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
040A0680007	BLEDSON	0A068	13.012	BRANCH	OPEN	7/11/2016	1978	35.58875	-85.213633	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.3
040A0730001	BLEDSON	0A073	0.676	SEQUATCHIE RIVER	OPEN	7/6/2016	1936	35.630533	-85.1535	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.1
040A0800001	BLEDSON	0A080	0.424	SEQUATCHIE RIVER	OPEN	7/12/2016	1988	35.691767	-85.08295	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
040A0800003	BLEDSON	0A080	1.758	HELLHOLE CREEK	OPEN	7/6/2016	1995	35.704233	-85.100183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.5
040A0840001	BLEDSON	0A084	0.053	SEQUATCHIE RIVER	OPEN	7/18/2016	1993	35.72995	-85.0618	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
040A0930001	BLEDSON	0A093	0.383	LITTLE BEAVER DAM CREEK	OPEN	7/18/2016	1940	35.7238	-85.18335	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57.5
040A1000001	BLEDSON	0A100	0.147	BEAVER DAM CREEK	OPEN	7/18/2016	1984	35.688367	-85.199317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
040A1140001	BLEDSON	0A114	0.022	BEE CREEK	OPEN	7/18/2016	2014	35.768417	-85.148917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.9
040A1160001	BLEDSON	0A116	0.467	BEE CREEK	OPEN	7/18/2016	1988	35.7635	-85.178433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.4
040A1260001	BLEDSON	0A126	0.744	BRADDEN CREEK	OPEN	6/8/2016	1984	35.704783	-85.27455	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
040A1310001	BLEDSON	0A131	2.471	GLADE CREEK	OPEN	6/8/2016	2005	35.7126	-85.263267	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	83
040A1360001	BLEDSON	0A136	0.062	COVE BRANCH	OPEN	7/6/2016	1976	35.656	-85.14325	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.1
040A1450001	BLEDSON	0A145	0.287	HELLHOLE CREEK	OPEN	7/6/2016	1991	35.711333	-85.102917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
040A1520001	BLEDSON	0A152	0.297	COVE BRANCH	OPEN	7/6/2016	1999	35.656267	-85.14415	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
040A2340001	BLEDSON	0A234	1.338	ROARING CREEK	OPEN	7/12/2016	1987	35.522	-85.1583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
040A2860003	BLEDSON	0A286	4.396	CANNON CREEK	OPEN	7/6/2016	1986	35.471117	-85.30085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
040A2900001	BLEDSON	0A290	0.332	CANNON CREEK	OPEN	7/6/2016	1958	35.4889	-85.29895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
040A3090001	BLEDSON	0A309	1.613	SEQUATCHIE RIVER	OPEN	7/12/2016	1988	35.451417	-85.318217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
040A3100001	BLEDSON	0A310	0.741	BRANCH	OPEN	7/6/2016	1976	35.4567	-85.2972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.9
040A3150001	BLEDSON	0A315	0.867	SUZANNE BRANCH	OPEN	7/12/2016	1986	35.434933	-85.228783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
040A0430001	BLEDSON	0A466	0.38	BRANCH	OPEN	7/11/2016	1989	35.617917	-85.192083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
04SR0300005	BLEDSON	0A474	0.071	SEQUATCHIE RIVER	OPEN	7/12/2016	1925	35.596867	-85.1909	CONCRETE	TEE BEAM	54.7
040A6900001	BLEDSON	0A690	0.81	BRANCH	OPEN	1/31/2017	2017	35.724081	-85.201589	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
040A3180001	BLEDSON	0D761	2.908	LAUREL BRANCH	OPEN	7/12/2016	1984	35.403983	-85.242783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
04SR0280001	BLEDSON	SR028	0.12	AUSTIN BRANCH	OPEN	6/1/2016	1953	35.444233	-85.343367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
04SR0280003	BLEDSON	SR028	1.75	CLARK BRANCH	OPEN	6/1/2016	1953	35.461667	-85.326667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
04SR0280005	BLEDSON	SR028	2.54	LAMB CREEK	OPEN	6/1/2016	1953	35.4723	-85.318117	CONCRETE	TEE BEAM	56.9
04SR0280007	BLEDSON	SR028	4.05	POND CREEK	OPEN	6/1/2016	1951	35.490033	-85.30245	CONCRETE	TEE BEAM	55.9
04SR0280009	BLEDSON	SR028	4.22	BRANCH	OPEN	6/1/2016	1953	35.4919	-85.300633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
04SR0280011	BLEDSON	SR028	4.39	RAINS BRANCH	OPEN	6/1/2016	1953	35.493333	-85.298333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63
04SR0280013	BLEDSON	SR028	5.2	CANNON CREEK	OPEN	6/1/2016	1951	35.501667	-85.29	CONCRETE	TEE BEAM	57.9
04SR0280015	BLEDSON	SR028	6.47	MAISE CREEK	OPEN	6/1/2016	1953	35.516667	-85.278333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.9
04SR0280017	BLEDSON	SR028	8.14	SPRING BRANCH	OPEN	6/6/2016	1953	35.536667	-85.261667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.8
04SR0280019	BLEDSON	SR028	8.35	PEMBERTON CREEK	OPEN	6/6/2016	1953	35.54	-85.258333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.8
04SR0280021	BLEDSON	SR028	8.75	ROCKY BRANCH	OPEN	6/6/2016	1951	35.545983	-85.25545	CONCRETE	TEE BEAM	53.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
04SR0280023	BLEDSON	SR028	8.87	BRANCH	OPEN	6/6/2016	1953	35.5475	-85.254867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.9
04SR0280025	BLEDSON	SR028	10	BRACKEN BRANCH	OPEN	6/6/2016	1953	35.561667	-85.246667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.8
04SR0280027	BLEDSON	SR028	10.78	BRANCH	OPEN	6/6/2016	1953	35.568333	-85.236667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
04SR0280029	BLEDSON	SR028	11.88	BRANCH	OPEN	6/6/2016	1953	35.578333	-85.221667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.8
04SR0280031	BLEDSON	SR028	12.45	BRANCH	OPEN	6/6/2016	1951	35.583333	-85.213333	CONCRETE	TEE BEAM	54.7
04SR0280033	BLEDSON	SR028	15.35	BRANCH	OPEN	6/7/2016	1957	35.615	-85.186667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
04SR0280035	BLEDSON	SR028	15.54	BRANCH	OPEN	6/7/2016	1957	35.618333	-85.185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
04SR0280037	BLEDSON	SR028	17.79	HALL CREEK	OPEN	6/7/2016	1957	35.647233	-85.164683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
04SR0280039	BLEDSON	SR028	19.17	COLD SPRING COVE BRANCH	OPEN	6/7/2016	1957	35.66	-85.148333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.1
04SR0280041	BLEDSON	SR028	20.56	ROCKY CREEK	OPEN	6/7/2016	1957	35.675	-85.131667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
04SR0280043	BLEDSON	SR028	21.84	ROCKY BRANCH	OPEN	6/9/2016	1957	35.69	-85.116667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
04SR0280045	BLEDSON	SR028	23.31	HELL HOLE CREEK	OPEN	6/9/2016	1957	35.706667	-85.101667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
04SR0280049	BLEDSON	SR028	25.83	SWAFFORD CREEK	OPEN	6/9/2016	1957	35.736667	-85.075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
04SR0300001	BLEDSON	SR030	1.1	BRADDEN CREEK	OPEN	6/8/2016	2012	35.684067	-85.276583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
04SR0300003	BLEDSON	SR030	2.54	GLADE CREEK	OPEN	6/8/2016	1956	35.67555	-85.2534	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	62.9
04SR0300007	BLEDSON	SR030	10.36	SEQUATCHIE RIVER	OPEN	6/9/2016	2001	35.5947	-85.194967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.5
04S42530001	BLEDSON	SR101	6.38	BEAVER DAM CREEK	OPEN	6/8/2016	1938	35.735417	-85.195317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
04S42530003	BLEDSON	SR101	8.01	COWEN CREEK	OPEN	6/8/2016	1938	35.750633	-85.175867	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.8
04S42530005	BLEDSON	SR101	8.98	BEE CREEK	OPEN	6/14/2016	1938	35.7629	-85.16915	CONCRETE	TEE BEAM	57
04004180001	BLEDSON	SR284	0.88	CANE CREEK	OPEN	6/13/2016	1970	35.638333	-85.335	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
04SR2840005	BLED SOE	SR284	1.04	BRANCH	OPEN	6/7/2016	1988	35.641667	-85.331667	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	96.4
04004180003	BLED SOE	SR284	1.79	ROCKHOUSE CREEK	OPEN	6/13/2016	1970	35.648333	-85.333333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
05S24230001	BLOUNT	01220	0.98	GALLAGHER CREEK	OPEN	1/6/2016	1988	35.763883	-84.141067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
050A0240001	BLOUNT	01223	1.08	GALLAGHER CREEK	OPEN	1/6/2016	1960	35.758533	-84.134933	CONCRETE	CHANNEL BEAM	85.8
05S24360001	BLOUNT	01244	0.96	LAUREY BANK BRANCH	OPEN	1/6/2016	1950	35.768867	-84.001	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
05S24980001	BLOUNT	01246	3.664	LITTLE RIVER	OPEN	1/28/2016	1941	35.7997	-83.887083	CONCRETE	TEE BEAM	56.2
05S24980003	BLOUNT	01246	4.569	BRANCH	OPEN	1/28/2016	1920	35.80925	-83.876767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.1
05F00260001	BLOUNT	01263	9.55	MILL CREEK	OPEN	12/7/2015	1955	35.5833	-83.984317	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	65.8
050A6380001	BLOUNT	01266	3.56	NORTH FORK CROOKED CREEK	OPEN	2/5/2016	1987	35.710867	-83.926983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
05023930001	BLOUNT	02393	1.89	PISTOL CREEK	OPEN	12/9/2015	1988	35.721117	-83.982983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
05023930003	BLOUNT	02393	8.78	NINE MILE CREEK	OPEN	2/19/2016	1940	35.63965	-84.038483	CONCRETE	TEE BEAM	82.8
05023930005	BLOUNT	02393	10.17	SIX MILE CREEK	OPEN	2/19/2016	1998	35.622317	-84.038167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.2
050A5200001	BLOUNT	02395	1.56	ELLEJOY CREEK	OPEN	2/8/2016	1993	35.77345	-83.850367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
050A5510001	BLOUNT	02395	4.08	LITTLE RIVER	OPEN	2/4/2016	2000	35.74745	-83.833117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
05023970001	BLOUNT	02397	1.295	CSX RAILROAD	OPEN	12/3/2015	1993	35.838433	-83.9845	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
05I01400005	BLOUNT	02397	1.61	I140	OPEN	5/23/2017	1992	35.842417	-83.9858	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
050A5200003	BLOUNT	02402	1.59	LITTLE ELLEJOY CREEK	OPEN	2/22/2016	1986	35.808783	-83.801117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
05024020003	BLOUNT	02402	1.8	LITTLE ELLEJOY CREEK	OPEN	2/22/2016	1930	35.806367	-83.79925	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80.4
05024020001	BLOUNT	02402	3.58	ELLEJOY CREEK	OPEN	2/22/2016	1986	35.800633	-83.7729	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
05024040001	BLOUNT	02404	0.62	NAILS CREEK	OPEN	2/16/2017	2016	35.813583	-83.883567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
05024060001	BLOUNT	02406	3.29	FORT LOUDON LAKE	OPEN	2/18/2016	1942	35.803314	-84.020853	CONCRETE	GIRDER AND FLOORBEAM SYSTEM	70.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
05024060003	BLOUNT	02406	4.59	LACKEY CREEK	OPEN	2/18/2016	1942	35.789628	-84.038267	CONCRETE	GIRDER AND FLOORBEAM SYSTEM	69.3
05024060007	BLOUNT	02406	5.11	BRANCH	OPEN	1/6/2016	1940	35.7732	-84.088214	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
05024060005	BLOUNT	02406	8.205	ISH CREEK	OPEN	2/18/2016	1940	35.783	-84.095533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
050B2020001	BLOUNT	03797	5.55	PISTOL CREEK	OPEN	1/5/2016	1930	35.755233	-83.969767	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	81.2
05M37990001	BLOUNT	03799	1.85	DUNCAN CREEK	OPEN	1/27/2016	1950	35.744533	-83.955567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.7
05038010001	BLOUNT	03801	1.82	PISTOL CREEK	OPEN	12/9/2015	1995	35.722833	-83.985067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
05038030001	BLOUNT	03803	0.14	PISTOL CREEK	OPEN	12/9/2015	1965	35.738067	-83.97815	CONCRETE	CHANNEL BEAM	87.3
050B8480001	BLOUNT	03810	0.461	BROWN CREEK	OPEN	12/16/2015	1999	35.75755	-83.947033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58
05038220001	BLOUNT	03813	0.6	SPRINGFIELD CREEK	OPEN	1/14/2016	1935	35.789433	-83.9605	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3
05S25500001	BLOUNT	03818	0.13	PISTOL CREEK	OPEN	1/14/2016	1972	35.75715	-83.973033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.8
05S25500003	BLOUNT	03818	1.14	PISTOL CREEK	OPEN	2/5/2016	1959	35.769817	-83.9832	CONCRETE	TEE BEAM	58.9
05038190001	BLOUNT	03819	1.78	PISTOL CREEK	OPEN	12/16/2015	2003	35.792183	-83.9707	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.3
05038200001	BLOUNT	03820	1.63	PISTOL CREEK	OPEN	2/5/2016	1978	35.7681	-83.98185	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.2
050A1160001	BLOUNT	04176	0.03	LITTLE RIVER	OPEN	2/5/2016	1965	35.8261	-83.941383	CONCRETE	TEE BEAM	56.7
050B4880007	BLOUNT	04442	0.27	PISTOL CREEK	OPEN	1/5/2016	1970	35.758083	-83.96725	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.6
05SR0359001	BLOUNT	04442	0.41	PISTOL CREEK	OPEN	1/5/2016	1974	35.759	-83.9685	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88
05SR0359003	BLOUNT	04442	0.47	PISTOL CREEK	OPEN	12/16/2015	1920	35.759583	-83.9689	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	77
05S25500005	BLOUNT	04443	0.61	CULTON CREEK	OPEN	1/6/2016	1960	35.77805	-83.995967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
050A5110001	BLOUNT	04483	0.01	LITTLE RIVER	OPEN	2/4/2016	1991	35.766317	-83.85605	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.1
050A5030001	BLOUNT	04484	0.89	CROOKED CREEK	OPEN	2/8/2016	1995	35.771333	-83.877617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.5
050B0040001	BLOUNT	05378	0.02	PISTOL CREEK	OPEN	12/16/2015	2005	35.789633	-83.974283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
05S24230003	BLOUNT	05551	0.25	GALLAGHER CREEK	OPEN	2/18/2016	1930	35.7497	-84.1212	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	64.2
050A1030001	BLOUNT	05596	1.71	LAUREL BANK BRANCH	WEIGHT POSTED	2/18/2016	1960	35.751633	-84.00835	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52
050A5390001	BLOUNT	05610	0.69	CENTENARY CREEK	OPEN	1/27/2016	2002	35.680367	-84.0406	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
050A0030001	BLOUNT	05843	0.91	BAKER CREEK	OPEN	12/15/2015	1999	35.6726	-84.107767	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
050D9820001	BLOUNT	05846	0.44	PISTOL CREEK	OPEN	1/14/2016	1998	35.8091	-83.94515	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
050A3000001	BLOUNT	05846	0.915	PISTOL CREEK	WEIGHT POSTED	1/14/2016	1960	35.81395	-83.943733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.7
050A6240001	BLOUNT	05847	1.04	CROOKED CREEK	OPEN	2/5/2016	1985	35.73345	-83.882783	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.4
050B0950001	BLOUNT	05853	0.19	BROWN CREEK	OPEN	1/14/2016	1950	35.761533	-83.96635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55
050B0950003	BLOUNT	05853	0.405	SOUTHERN RAILWAY	WEIGHT POSTED	1/14/2016	1940	35.76415	-83.9645	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	42.1
050A2950001	BLOUNT	05940	0.47	PISTOL CREEK	OPEN	1/14/2016	1994	35.831617	-83.94335	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
050A0040001	BLOUNT	0A004	0.51	BAKER CREEK	OPEN	12/15/2015	2001	35.6772	-84.093967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.1
050A0050001	BLOUNT	0A005	0.08	CSX RAILROAD	WEIGHT POSTED	12/15/2015	1993	35.693017	-84.087317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.4
050A0050003	BLOUNT	0A005	0.759	BRANCH	OPEN	12/15/2015	1983	35.685833	-84.07955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
050A0660001	BLOUNT	0A066	0.777	CSX RAILROAD	OPEN	12/15/2015	1945	35.703233	-84.069117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.7
050A0730001	BLOUNT	0A073	0.24	TAYLOR BRANCH	OPEN	2/18/2016	1940	35.793733	-84.055433	CONCRETE	SLAB	61.4
050A0730003	BLOUNT	0A073	1.308	LACKEY CREEK	OPEN	1/6/2016	1925	35.788767	-84.0433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65
050A3710001	BLOUNT	0A371	0.852	NAILS CREEK	OPEN	1/28/2016	1984	35.820917	-83.878817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
050A4240003	BLOUNT	0A421	0.448	SHORT CREEK	OPEN	1/29/2016	2002	35.678233	-83.791533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.9
050A4240001	BLOUNT	0A424	10.777	SHORT CREEK	OPEN	1/29/2016	1959	35.66845	-83.782667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
050A4990001	BLOUNT	0A499	4.268	BRANCH	OPEN	1/27/2016	1988	35.6108	-84.001567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
050A5310001	BLOUNT	0A531	0.029	PITNER CREEK	WEIGHT POSTED	2/22/2016	1930	35.8189	-83.767333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.7
050A5360001	BLOUNT	0A536	0.891	ELLEJOY CREEK	OPEN	2/22/2016	1987	35.79085	-83.796567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
050A5380001	BLOUNT	0A538	1.038	ELLEJOY CREEK	OPEN	2/22/2016	1984	35.787517	-83.800833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
050A5450001	BLOUNT	0A545	1.17	ELLEJOY CREEK	OPEN	2/8/2016	1920	35.772067	-83.815567	CONCRETE	ARCH - DECK	57.3
050A5530001	BLOUNT	0A553	0.042	LITTLE RIVER	OPEN	1/29/2016	1970	35.73035	-83.816417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.4
050A5530003	BLOUNT	0A553	0.282	REED CREEK	OPEN	1/29/2016	2005	35.727717	-83.813317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
050A5530005	BLOUNT	0A553	5.36	LITTLE RIVER	OPEN	2/4/2016	2009	35.68445	-83.790361	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
050A5540001	BLOUNT	0A554	1.91	REED CREEK	OPEN	1/7/2016	2013	35.738167	-83.788017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.9
050A5540003	BLOUNT	0A554	2.186	REED CREEK	OPEN	1/7/2016	2015	35.739667	-83.783567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
050A5540005	BLOUNT	0A554	3.35	REED CREEK	OPEN	1/7/2016	1984	35.743083	-83.7665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
050A5680001	BLOUNT	0A568	0.055	LITTLE RIVER	OPEN	2/4/2016	1964	35.676617	-83.756367	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.2
050A5810001	BLOUNT	0A581	0.008	LITTLE RIVER	OPEN	2/4/2016	2011	35.670467	-83.717367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.9
050A6010001	BLOUNT	0A601	0.102	BRANCH	OPEN	1/25/2016	1980	35.751883	-84.105333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
050A6320001	BLOUNT	0A632	2.59	CROOKED CREEK	OPEN	2/5/2016	1970	35.7105	-83.912883	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	80.9
050A5270001	BLOUNT	0A654	0.514	MILLSTONE CREEK	OPEN	2/22/2016	1982	35.785933	-83.7679	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3
050A5320001	BLOUNT	0A660	0.716	PITNER CREEK	OPEN	2/22/2016	1931	35.811467	-83.768317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.4
050A7700001	BLOUNT	0A770	0.409	CENTENARY CREEK	OPEN	1/27/2016	1902	35.664083	-84.045867	CONCRETE	ARCH - DECK	92.5
050A7820001	BLOUNT	0A782	0.052	LITTLE NINE MILE CREEK	OPEN	2/19/2016	1999	35.6473	-84.028133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
050A7840001	BLOUNT	0A784	0.345	SIX MILE CREEK	OPEN	1/27/2016	1996	35.633717	-83.999083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
050A7970001	BLOUNT	0A797	0.212	NINE MILE CREEK	OPEN	2/19/2016	2011	35.628333	-84.064417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
050A8060001	BLOUNT	0A806	0.004	NINE MILE CREEK	OPEN	2/19/2016	1983	35.61465	-84.0788	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.2
050A8440001	BLOUNT	0A844	2.025	LITTLE BAKER CREEK	OPEN	1/25/2016	1984	35.658383	-84.106717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
050A8590001	BLOUNT	0A859	0.015	NINE MILE CREEK	OPEN	1/25/2016	2010	35.608033	-84.128333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
050A8600001	BLOUNT	0A860	0.012	NINE MILE CREEK	OPEN	2/19/2016	1986	35.606383	-84.097267	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.9
050A8600003	BLOUNT	0A860	0.684	NINE MILE CREEK	OPEN	2/19/2016	2010	35.60415	-84.1058	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.2
050A8630001	BLOUNT	0A863	1.285	NINE MILE CREEK	WEIGHT POSTED	1/25/2016	1915	35.60595	-84.150183	CONCRETE	ARCH - DECK	49.4
050A8680001	BLOUNT	0A868	0.021	NINE MILE CREEK	WEIGHT POSTED	1/25/2016	1930	35.606483	-84.173017	CONCRETE	TEE BEAM	2
05038040001	BLOUNT	0A993	0.573	PISTOL CREEK	OPEN	12/9/2015	1960	35.742233	-83.97315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
050B2000001	BLOUNT	0B200	0.05	PISTOL CREEK	OPEN	1/5/2016	1950	35.756233	-83.968783	CONCRETE	TEE BEAM	91.4
050B4940001	BLOUNT	0B494	0.131	PISTOL CREEK	OPEN	12/16/2015	1985	35.760067	-83.96915	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	92.2
050B7560001	BLOUNT	0B756	0.08	PISTOL CREEK	OPEN	12/9/2015	1999	35.718817	-83.98585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
05048170001	BLOUNT	0B796	0.06	BRANCH	OPEN	12/9/2015	1995	35.720683	-83.983217	CONCRETE	ARCH - DECK	97.1
05M37970001	BLOUNT	0C110	0.029	PISTOL CREEK	OPEN	1/5/2016	1941	35.7554	-83.969867	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	80.1
050Z0020001	BLOUNT	0C112	0.117	LAUREL BANK BRANCH	OPEN	12/3/2015	2004	35.736383	-84.0232	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.5
050C1220001	BLOUNT	0C122	0.02	BROWN CREEK	OPEN	1/27/2016	2007	35.744094	-83.948644	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.1
050C1200001	BLOUNT	0C180	0.348	LAUREL BANK BRANCH	OPEN	12/3/2015	2004	35.742167	-84.024033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
050A3540001	BLOUNT	0D976	0.381	RODDY CREEK	OPEN	1/14/2016	1935	35.8508	-83.93615	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
05I01400002	BLOUNT	I0140	0.4	NFA A086 / I140	OPEN	5/23/2017	1990	35.849083	-83.999883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
05I01400001	BLOUNT	I0140	0.4	OLD TOPSIDE RD / I140	OPEN	5/23/2017	1990	35.8489	-83.999967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
05I01400004	BLOUNT	I0140	0.81	NEW TOPSIDE RD (SR 333)	OPEN	5/23/2017	1990	35.846267	-83.99315	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
05I01400003	BLOUNT	I0140	0.81	NEW TOPSIDE RD (SR 333)	OPEN	5/23/2017	1990	35.84615	-83.99345	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
05I01400008	BLOUNT	I0140	1.54	CSX RAILROAD	OPEN	5/23/2017	1992	35.8411	-83.981917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
05I01400007	BLOUNT	I0140	1.54	CSX RAILROAD	OPEN	5/23/2017	1992	35.840917	-83.981983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
05SR0330001	BLOUNT	SR033	1.81	LITTLE BAKER CREEK	OPEN	11/17/2015	1930	35.662417	-84.107483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.4
05SR0330003	BLOUNT	SR033	10.45	SR 115 (US 129 NB)	OPEN	11/16/2015	1959	35.740067	-83.989267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54
05SR0330005	BLOUNT	SR033	12.18	FAU 4442 & PISTOL CREEK	OPEN	11/16/2015	2006	35.75845	-83.9687	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	77.3
05SR0330007	BLOUNT	SR033	12.45	BROWN CREEK	OPEN	11/24/2015	2005	35.761233	-83.965417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
05SR0330011	BLOUNT	SR033	16.9	LITTLE RIVER	OPEN	11/23/2015	1925	35.81915	-83.937133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.9
05SR0330013	BLOUNT	SR033	18.93	RODDY BRANCH	OPEN	11/23/2015	1924	35.847683	-83.941167	CONCRETE	TEE BEAM	46.5
05SR0330015	BLOUNT	SR033	19.98	SOUTHERN RAILWAY	OPEN	11/23/2015	1982	35.861717	-83.945783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
05SR0330017	BLOUNT	SR033	20.65	STOCK CREEK	OPEN	11/23/2015	1943	35.872317	-83.94345	CONCRETE	TEE BEAM	62.9
05SR0350001	BLOUNT	SR035	0.13	SR 115 (US 129 NB)	OPEN	11/3/2015	1959	35.78885	-83.992117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.4
05SR0350004	BLOUNT	SR035	0.6	PISTOL CREEK	OPEN	11/24/2015	1924	35.78195	-83.984317	CONCRETE	TEE BEAM	71.5
05SR0350003	BLOUNT	SR035	0.6	PISTOL CREEK	OPEN	11/24/2015	1958	35.78185	-83.98445	CONCRETE	TEE BEAM	76.5
05SR0350005	BLOUNT	SR035	2.31	BROWN CR & HARPER AVE	OPEN	11/3/2015	2003	35.761433	-83.9682	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.2
05SR0350007	BLOUNT	SR035	3.08	BROWN CREEK	OPEN	11/24/2015	1923	35.759083	-83.9577	CONCRETE	MIXED TYPES	78.8
05SR0350009	BLOUNT	SR035	7.78	LITTLE RIVER	OPEN	11/24/2015	1986	35.786067	-83.88465	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80
05SR0730001	BLOUNT	SR073	0.36	FLOYD CREEK	OPEN	11/4/2015	1979	35.738217	-84.165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
05SR0730003	BLOUNT	SR073	2.8	BRANCH	OPEN	11/4/2015	1979	35.753883	-84.128283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
05SR0730006	BLOUNT	SR073	8.48	CSX RAILROAD	OPEN	10/29/2015	1977	35.756217	-84.030767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84
05SR0730005	BLOUNT	SR073	8.48	CSX RAILROAD	OPEN	10/29/2015	1977	35.756017	-84.03095	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.4
05SR0730007	BLOUNT	SR073	9.85	LAUREL BANK BRANCH	OPEN	11/4/2015	1977	35.752967	-84.0067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
05SR0730033	BLOUNT	SR073	12.02	PISTOL CREEK	OPEN	11/4/2015	1984	35.752533	-83.970467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
05SR0730009	BLOUNT	SR073	13.05	BROWN CREEK	OPEN	11/4/2015	1939	35.755017	-83.95375	CONCRETE	TEE BEAM	83
05SR0730011	BLOUNT	SR073	15.34	GRAVEL BRANCH	OPEN	10/21/2015	1939	35.75695	-83.913333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	61.2
05SR0730013	BLOUNT	SR073	16.25	FLAGG BRANCH	OPEN	10/21/2015	1939	35.75745	-83.896833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.2
05SR0730015	BLOUNT	SR073	17.17	CROOKED CREEK	OPEN	10/21/2015	1986	35.75815	-83.880417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.4
05SR0730016	BLOUNT	SR073	17.17	CROOKED CREEK	OPEN	10/21/2015	1986	35.758283	-83.880583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.4
05SR0730017	BLOUNT	SR073	19.57	ROCKY BRANCH	OPEN	10/21/2015	1953	35.750833	-83.841083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
05SR0730019	BLOUNT	SR073	20.29	BRANCH	OPEN	10/21/2015	1953	35.742517	-83.831383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
05SR0730021	BLOUNT	SR073	22.4	FOOTHILLS PKWY (A820)	OPEN	10/20/2015	1987	35.7184	-83.820133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
05SR0730022	BLOUNT	SR073	22.42	FOOTHILLS PKWY (A820)	OPEN	10/20/2015	1968	35.718433	-83.819883	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	74.2
05SR0730023	BLOUNT	SR073	22.84	HESSEE CREEK	OPEN	10/20/2015	1954	35.712433	-83.819467	CONCRETE	TEE BEAM	60.9
05SR0730025	BLOUNT	SR073	24.4	BRANCH	OPEN	10/20/2015	1953	35.697583	-83.8084	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
05SR0730027	BLOUNT	SR073	25.92	BRANCH	OPEN	10/19/2015	1953	35.68655	-83.797367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
05SR0730029	BLOUNT	SR073	26.38	SHORT CREEK	OPEN	10/19/2015	1953	35.6832	-83.790533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
05SR0730031	BLOUNT	SR073	29.44	BRANCH	OPEN	10/19/2015	1953	35.6784	-83.741233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
05S24220001	BLOUNT	SR073	29.98	LITTLE RIVER	WEIGHT POSTED	10/19/2015	1948	35.6804	-83.732783	CONCRETE	TEE BEAM	55.6
05S24220003	BLOUNT	SR073	31.77	BRANCH	OPEN	10/19/2015	1948	35.690633	-83.707533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.9
05SR1150001	BLOUNT	SR115	0.83	FOUR MILE CREEK	OPEN	11/5/2015	1938	35.5794	-84.097167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.6
05SR1150003	BLOUNT	SR115	3.15	NINE MILE CREEK	OPEN	11/5/2015	1938	35.609317	-84.093183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.3
05SR0720013	BLOUNT	SR115	3.97	PARSONS CREEK	OPEN	10/28/2015	1930	35.499517	-83.934017	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	75.4
05SR1150013	BLOUNT	SR115	11.19	TABCAT CREEK	OPEN	10/28/2015	1956	35.5244	-83.993167	CONCRETE	TEE BEAM	73
05SR1150006	BLOUNT	SR115	12.48	NFA 1244	OPEN	11/16/2015	1959	35.764667	-83.987017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
05SR1150005	BLOUNT	SR115	12.48	FAU 3820	OPEN	11/16/2015	1959	35.764767	-83.986833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77
05SR1150007	BLOUNT	SR115	13.51	CULTON CREEK	OPEN	11/24/2015	1959	35.779633	-83.989983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.8
05SR0720017	BLOUNT	SR115	13.66	ABRAMS CREEK	OPEN	10/28/2015	1956	35.555483	-83.998183	CONCRETE	TEE BEAM	70.4
05I01400025	BLOUNT	SR115	17.64	I140	OPEN	5/23/2017	1991	35.835567	-83.9709	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
05SR1620023	BLOUNT	SR162	0.78	RUSSELL BRANCH	OPEN	5/23/2017	2002	35.828067	-83.960083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
05SR1620009	BLOUNT	SR162	0.81	RUSSELL BRANCH	OPEN	5/23/2017	1996	35.82785	-83.961017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
05SR1620022	BLOUNT	SR162	0.85	SR-162 / PROPOSED RDWY	OPEN	5/23/2017	2004	35.828	-83.959533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
05SR1620021	BLOUNT	SR162	0.85	SR-162 / PROPOSED RDWY	OPEN	5/23/2017	2004	35.82775	-83.959683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
05SR1620012	BLOUNT	SR162	0.95	CUSICK RD(4177) / SR162	OPEN	5/22/2017	2002	35.826933	-83.958267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
05SR1620011	BLOUNT	SR162	0.95	SR162 / CUSICK RD(4177)	OPEN	5/22/2017	2002	35.826667	-83.958333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
05SR1620013	BLOUNT	SR162	1.22	GRADE RD(A712) / SR 162	OPEN	5/22/2017	2002	35.82375	-83.955383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
05SR1620014	BLOUNT	SR162	1.22	GRADE(A712) / SR 162	OPEN	5/22/2017	2002	35.824133	-83.955367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
05SR1620016	BLOUNT	SR162	1.59	RUSSEL RD(A193) / SR162	OPEN	5/22/2017	2003	35.8194	-83.951733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
05SR1620015	BLOUNT	SR162	1.59	RUSSEL RD(A193) / SR162	OPEN	5/22/2017	2003	35.81925	-83.951917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
05SR1620018	BLOUNT	SR162	2.14	ALCOA TRAIL(A300) / SR16	OPEN	5/22/2017	2003	35.812483	-83.94685	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.9
05SR1620017	BLOUNT	SR162	2.14	ALCOA TRAIL(A300) / SR16	OPEN	5/22/2017	2003	35.812317	-83.94705	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.9
05SR1620019	BLOUNT	SR162	2.315	PISTOL CREEK	OPEN	5/22/2017	2004	35.810167	-83.945267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
05SR1620020	BLOUNT	SR162	2.315	PISTOL CREEK	OPEN	5/22/2017	2004	35.809633	-83.944117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
05S25500009	BLOUNT	SR333	8.345	LACKEY CREEK	OPEN	11/23/2015	1959	35.822017	-84.039967	CONCRETE	TEE BEAM	66.2
05FA0920001	BLOUNT	SR333	13.525	CSX RAILROAD	OPEN	11/5/2015	1997	35.859217	-83.97355	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
05S25500007	BLOUNT	SR334	0.56	CSX RAILROAD	OPEN	11/16/2015	1959	35.793383	-84.013367	CONCRETE	TEE BEAM	73

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
05SR3350001	BLOUNT	SR335	2.37	CSX RAILROAD	OPEN	11/5/2015	1985	35.74135	-84.041983	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.7
05SR1150009	BLOUNT	SR335	7.77	SR 115	OPEN	11/3/2015	1959	35.800067	-83.989917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.3
05012200005	BLOUNT	SR335	10	PISTOL CREEK	OPEN	11/23/2015	1941	35.80245	-83.952667	CONCRETE	TEE BEAM	79.8
05SR3360001	BLOUNT	SR336	0.515	LITTLE BAKER CREEK	OPEN	11/17/2015	2011	35.606017	-84.103783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
05S24250001	BLOUNT	SR336	4.15	NINE MILE CREEK	OPEN	11/17/2015	1950	35.607617	-84.088083	CONCRETE	TEE BEAM	66.3
05S24970001	BLOUNT	SR336	7.5	CLEAR CREEK	OPEN	11/17/2015	1948	35.619633	-84.035967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
05S24970003	BLOUNT	SR336	8.21	SIX MILE CREEK	OPEN	11/17/2015	1948	35.62445	-84.025233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
05S24970005	BLOUNT	SR336	19.58	PISTOL CREEK	OPEN	11/17/2015	1984	35.750217	-83.972467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
05012420001	BLOUNT	SR337	0.1	BRANCH	OPEN	10/19/2015	1970	35.6784	-83.732367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
06S44320001	BRADLEY	01154	3.07	CHATATA CREEK	OPEN	10/7/2015	1960	35.1663	-84.796683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
06S44320007	BRADLEY	01154	3.87	FIVE MILE CREEK	OPEN	10/7/2015	1960	35.1713	-84.784017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
06S44320003	BRADLEY	01154	7.39	CLIMER BRANCH	OPEN	9/16/2015	1990	35.174617	-84.727033	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.2
06S44320005	BRADLEY	01154	8.19	CHESTUEE CREEK	OPEN	10/27/2015	1985	35.167083	-84.716883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.3
060Z0070001	BRADLEY	01156	2.5	NORFOLK SOUTHERN RR	OPEN	10/7/2015	1983	35.18575	-84.8196	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.3
060Z0070003	BRADLEY	01156	2.56	LITTLE CHATATA CREEK	OPEN	10/7/2015	1983	35.1851	-84.818767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
06S43320001	BRADLEY	01181	5.25	BLUE SPRINGS BRANCH	OPEN	10/14/2015	1950	35.087717	-84.90885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
06S43320003	BRADLEY	01181	5.48	BLUE SPRINGS BRANCH	OPEN	10/14/2015	1985	35.090883	-84.909633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
06011850003	BRADLEY	01185	4.095	LITTLE CHATTA CREEK	OPEN	10/6/2015	1985	35.211083	-84.7956	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
06011850001	BRADLEY	01185	13.06	SOUTH MOUSE CREEK	OPEN	9/15/2015	1939	35.30455	-84.800367	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48
06011870003	BRADLEY	01187	0.55	SMALL BRANCH	OPEN	9/28/2015	1965	35.182083	-84.910867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
06011870005	BRADLEY	01187	1.55	SMALL BRANCH	OPEN	9/15/2015	2000	35.1956	-84.909033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
06S44930005	BRADLEY	01187	3.59	BIGSBY CREEK	OPEN	9/15/2015	1976	35.221717	-84.8928	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
06036400003	BRADLEY	02259	0.12	SOUTHERN RAILWAY	OPEN	8/25/2015	1950	35.14305	-84.886433	CONCRETE	TEE BEAM	56.4
06S44210001	BRADLEY	02261	1.71	BRYMER CREEK	OPEN	10/26/2015	1950	35.1287	-84.99105	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
06S44210003	BRADLEY	02261	4.95	HARRIS CREEK	WEIGHT POSTED	9/22/2015	1950	35.172633	-84.975067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60
06S43110001	BRADLEY	02265	0.98	CHATATA CREEK	OPEN	10/8/2015	1935	35.18445	-84.780267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
06022650003	BRADLEY	02265	1.14	CHATATA CREEK	OPEN	10/8/2015	1935	35.186183	-84.778317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.1
06022650005	BRADLEY	02265	2.05	CHATATA CREEK	OPEN	10/8/2015	1935	35.1986	-84.7732	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3
06022650007	BRADLEY	02265	2.46	CHATATA CREEK	OPEN	10/8/2015	1940	35.203517	-84.76965	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.3
06022650009	BRADLEY	02265	5.42	CHATATA CREEK	WEIGHT POSTED	10/14/2015	1940	35.241767	-84.75495	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.5
06022660001	BRADLEY	02266	1.58	COAHULLA CREEK	OPEN	9/21/2015	2005	35.017483	-84.8614	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.4
06022660007	BRADLEY	02266	4.35	JERRY BRANCH	OPEN	9/21/2015	1995	35.0107	-84.891467	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	77.4
06022660003	BRADLEY	02266	5.81	JERRY BRANCH	OPEN	9/21/2015	1986	35.023717	-84.898717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
06022660005	BRADLEY	02266	6.17	JERRY BRANCH	OPEN	9/21/2015	1992	35.025783	-84.90395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
06022670001	BRADLEY	02267	2.72	APISON CREEK	OPEN	9/15/2015	1983	35.218183	-84.9501	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
06022670003	BRADLEY	02267	5.63	ALLEN MILL FORK	OPEN	9/15/2015	1995	35.249017	-84.93775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
06022690001	BRADLEY	02269	4.89	LICK CREEK	OPEN	9/3/2015	1983	35.309167	-84.885167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
06022720001	BRADLEY	02272	0.02	CHATATA CREEK	OPEN	10/6/2015	1925	35.208767	-84.766017	CONCRETE CONTINUOUS	TEE BEAM	69.1
06022720003	BRADLEY	02272	0.42	LITTLE CHATATA CREEK	OPEN	10/6/2015	1997	35.211433	-84.772183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
06022720005	BRADLEY	02272	1.29	LITTLE CHATATA CREEK	OPEN	10/6/2015	1940	35.208567	-84.785783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
06022740001	BRADLEY	02274	3.47	CHESTUEE CREEK	CLOSED	10/27/2015	1960	35.20165	-84.710867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	19.4
06022760001	BRADLEY	02276	0.94	CHATATA CREEK	OPEN	9/14/2015	1963	35.260867	-84.744583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	71.6
06022760005	BRADLEY	02276	3.67	PARKER BRANCH	OPEN	9/14/2015	1963	35.237083	-84.719017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
06022760003	BRADLEY	02276	5.34	SOUTH CHESTUEE CREEK	OPEN	9/14/2015	1967	35.2179	-84.71205	CONCRETE	TEE BEAM	78.1
06036400001	BRADLEY	03640	0.54	SMALL BRANCH	OPEN	8/24/2015	1960	35.140067	-84.88625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
06036450001	BRADLEY	03645	0.28	SOUTH MOUSE CREEK	OPEN	8/20/2015	1965	35.1751	-84.876867	CONCRETE	TEE BEAM	72
06036470001	BRADLEY	03647	2.12	SOUTH MOUSE CREEK	OPEN	8/26/2015	1987	35.208583	-84.853717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.8
06036490001	BRADLEY	03649	0.32	SOUTH MOUSE CREEK	OPEN	8/24/2015	1960	35.151233	-84.8877	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.2
06M36600001	BRADLEY	03660	0.44	MOUSE CREEK	OPEN	8/26/2015	2007	35.20095	-84.852483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
06004560003	BRADLEY	04390	0.01	SOUTH MOUSE CREEK	OPEN	8/24/2015	2002	35.162533	-84.882967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
06043900001	BRADLEY	04390	0.13	BRANCH	OPEN	8/20/2015	1950	35.1619	-84.880983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
060A0450001	BRADLEY	04472	0.46	SOUTH MOUSE CREEK	OPEN	8/20/2015	1989	35.171767	-84.878967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
060A0160001	BRADLEY	04615	0.09	LITTLE CHATTA CREEK	OPEN	8/25/2015	1960	35.169383	-84.825617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.1
06046160001	BRADLEY	04616	1.64	FILLAUERS BRANCH	OPEN	8/25/2015	2007	35.19085	-84.8514	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.6
060A2620001	BRADLEY	04617	0.4	SOUTH MOUSE CREEK	OPEN	8/26/2015	1960	35.191783	-84.864983	CONCRETE	CHANNEL BEAM	53.7
060A1150001	BRADLEY	04623	0.58	CANDIES CREEK	OPEN	8/20/2015	1985	35.19775	-84.897067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.2
06022590005	BRADLEY	0A003	4.752	BLACK FOX CREEK	WEIGHT POSTED	10/14/2015	1940	35.08475	-84.922367	CONCRETE	SLAB	48.9
06022590003	BRADLEY	0A003	4.976	BLUE SPRINGS BRANCH	OPEN	10/14/2015	1983	35.087783	-84.921	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
06022700001	BRADLEY	0A007	1.169	CANDIES CREEK	OPEN	10/13/2015	1988	35.108133	-84.9532	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
06022700003	BRADLEY	0A007	2.26	BLACK FOX CREEK	OPEN	10/13/2015	1981	35.112567	-84.935267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
060A0480001	BRADLEY	0A048	1.554	BRYMER CREEK	OPEN	10/26/2015	1984	35.12845	-84.987933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
06SR3110001	BRADLEY	0A050	2.975	SR 311	OPEN	5/30/2017	2017	35.148483	-84.93735	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
060A0550001	BRADLEY	0A055	0.322	BRANCH	OPEN	9/22/2015	1984	35.177833	-84.967617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
06SR0404001	BRADLEY	0A060	0.55	SR 311	OPEN	8/5/2015	1965	35.145883	-84.928817	CONCRETE CONTINUOUS	TEE BEAM	83
060A0620001	BRADLEY	0A062	2.979	BRYMER CREEK	WEIGHT POSTED	10/27/2015	1965	35.130267	-84.97765	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.4
060A0630001	BRADLEY	0A063	0.853	CANDIES CREEK	OPEN	10/15/2015	1984	35.123817	-84.93295	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
060A0700001	BRADLEY	0A070	2.265	BRANCH	OPEN	9/28/2015	1940	35.167067	-84.951133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
060A0770001	BRADLEY	0A077	0.017	HARRIS CREEK	OPEN	9/22/2015	1984	35.177233	-84.955433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
060A0770003	BRADLEY	0A077	1.163	HARRIS CREEK	OPEN	9/28/2015	1984	35.16815	-84.945133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
060A0770005	BRADLEY	0A077	3.408	RUNNERS BRANCH	OPEN	9/22/2015	1965	35.1737	-84.91915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
060A0790001	BRADLEY	0A079	0.885	RUNNERS BRANCH	OPEN	9/28/2015	1985	35.18425	-84.935817	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	98.9
060A0830001	BRADLEY	0A083	0.872	RUNNERS BRANCH	OPEN	9/28/2015	1965	35.17535	-84.922433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
060A0990001	BRADLEY	0A099	0.484	HARRIS CREEK	OPEN	9/22/2015	1987	35.172183	-84.966883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
060A1160001	BRADLEY	0A116	1.398	LICK BRANCH	OPEN	9/15/2015	1983	35.2162	-84.912567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
060A1190001	BRADLEY	0A119	1.113	APISON FORK	WEIGHT POSTED	9/15/2015	1935	35.22995	-84.928533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.7
060A1210001	BRADLEY	0A121	0.323	CANDIES CREEK	OPEN	9/15/2015	1985	35.210733	-84.8906	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.7
060A1590001	BRADLEY	0A159	0.164	SOUTH MOUSE CREEK	OPEN	10/27/2015	1985	35.168167	-84.879767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
060A1630001	BRADLEY	0A163	0.193	CANDIES CREEK	OPEN	9/15/2015	1988	35.222917	-84.878633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.7
060A1650001	BRADLEY	0A165	0.2	CANDIES CREEK	OPEN	9/3/2015	1985	35.2679	-84.850233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87
060A1730001	BRADLEY	0A173	0.072	GREASY CREEK	OPEN	9/15/2015	1994	35.25365	-84.906567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
060A1730003	BRADLEY	0A173	1.03	BIGSBY CREEK	OPEN	9/15/2015	1983	35.241067	-84.913567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
060A1750001	BRADLEY	0A175	0.015	LICK CREEK	OPEN	9/15/2015	1986	35.223867	-84.922267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
060A1810001	BRADLEY	0A181	0.828	HARRIS CREEK	OPEN	9/22/2015	2008	35.1604	-84.925883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.9
060A1820001	BRADLEY	0A182	0.152	CANDIES CREEK	OPEN	9/22/2015	1998	35.164517	-84.912317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.4
060A1840001	BRADLEY	0A184	0.637	CANDIES CREEK	OPEN	9/22/2015	1990	35.1727	-84.905733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
060A2340001	BRADLEY	0A234	0.563	CANDIES CREEK	OPEN	9/28/2015	1965	35.150517	-84.917633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	45.2
060A3420001	BRADLEY	0A342	0.622	LICK CREEK	WEIGHT POSTED	9/3/2015	1965	35.325617	-84.87555	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.7
060A3670001	BRADLEY	0A367	0.386	SOUTH MOUSE CREEK	WEIGHT POSTED	10/12/2015	1960	35.231867	-84.8436	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.4
060A3740001	BRADLEY	0A374	0.099	BRANCH	OPEN	10/12/2015	2000	35.212683	-84.853583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
060A3740003	BRADLEY	0A374	0.219	SOUTH MOUSE CREEK	OPEN	10/12/2015	1983	35.211917	-84.851667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.6
060A3920001	BRADLEY	0A392	0.102	LITTLE SOUTH MOUSE CREEK	OPEN	9/14/2015	1983	35.2403	-84.806433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
060A3920003	BRADLEY	0A392	2.635	LITTLE SOUTH MOUSE CREEK	OPEN	9/14/2015	1982	35.270267	-84.781983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
060A4030001	BRADLEY	0A403	0.051	LITTLE SOUTH MOUSE CREEK	OPEN	9/14/2015	1987	35.256683	-84.7916	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
060A4130001	BRADLEY	0A413	0.858	LITTLE SOUTH MOUSE CREEK	OPEN	9/14/2015	1986	35.2489	-84.797517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
060A4190001	BRADLEY	0A419	0.799	BRANCH	OPEN	9/16/2015	1940	35.288733	-84.755067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
060A4220001	BRADLEY	0A422	0.237	BRANCH	OPEN	9/14/2015	1935	35.281767	-84.7584	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
060A5120001	BRADLEY	0A512	0.072	FILLAUERS BRANCH	OPEN	10/12/2015	1990	35.187567	-84.8529	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
060A2210001	BRADLEY	0A712	5.389	KINSER CREEK	OPEN	9/16/2015	1965	35.115683	-84.780383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
060A7610001	BRADLEY	0A761	0.017	CHATATA CREEK	OPEN	10/8/2015	1983	35.1786	-84.784383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
060A7640001	BRADLEY	0A764	1.174	CHESTUEE CREEK	OPEN	10/27/2015	1950	35.184033	-84.712117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
060A7780001	BRADLEY	0A778	1.38	GATLIN BRANCH	OPEN	9/16/2015	2003	35.15535	-84.728083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
060A7790001	BRADLEY	0A779	2.65	CHESTUEE CREEK	OPEN	9/16/2015	1925	35.146917	-84.72665	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77.9
060A2240001	BRADLEY	0A789	0.146	LONDON BRANCH	OPEN	9/16/2015	1983	35.130567	-84.742883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
060A2240003	BRADLEY	0A789	0.675	SOUTH CHESTUEE CREEK	OPEN	9/16/2015	1995	35.124483	-84.737617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
060Z0010001	BRADLEY	0A815	0.08	BRANCH	OPEN	10/6/2015	1970	35.202817	-84.802233	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	71.5
060A8300001	BRADLEY	0A830	0.099	CHESTUEE CREEK	OPEN	9/16/2015	2007	35.108933	-84.775233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
060A8470001	BRADLEY	0A847	2.111	MILL CREEK	OPEN	9/21/2015	1960	35.060017	-84.805717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
060A8510001	BRADLEY	0A851	4.693	COAHULLA CREEK	OPEN	9/21/2015	1991	35.055567	-84.8598	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
060A8590001	BRADLEY	0A859	1.273	COAHULLA CREEK	OPEN	9/21/2015	2003	35.082583	-84.843767	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
060A8610001	BRADLEY	0A861	5.444	OVERFLOW	OPEN	9/21/2015	1994	35.029433	-84.84835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
060A8610003	BRADLEY	0A861	5.568	COAHULLA CREEK	OPEN	9/21/2015	1989	35.028033	-84.8471	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.9
060A2010001	BRADLEY	0A867	0.088	MILL CREEK	OPEN	9/21/2015	1950	35.025033	-84.774417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
060A8870001	BRADLEY	0A887	1.09	SUGAR CREEK	OPEN	9/21/2015	1987	35.017867	-84.823467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
060A8940001	BRADLEY	0A894	0.65	SUGAR CREEK	OPEN	9/21/2015	1983	35.014917	-84.819567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
060A9120001	BRADLEY	0A912	0.355	BRANCH	OPEN	10/15/2015	1990	35.159283	-84.879333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
060B2570001	BRADLEY	0B257	2.089	BLACK FOX CREEK	OPEN	10/13/2015	1992	35.103067	-84.9399	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
060B2590001	BRADLEY	0B259	2.195	MAROON BRANCH	OPEN	9/21/2015	1986	35.016083	-84.938917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
060B2760001	BRADLEY	0B276	1.014	CANDIES CREEK	OPEN	10/13/2015	1983	35.0585	-84.971217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
060B2790001	BRADLEY	0B279	0.605	CANDIES CREEK	OPEN	10/13/2015	1984	35.066017	-84.9697	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
060B3310001	BRADLEY	0B331	0.102	BRANCH	OPEN	10/15/2015	1950	35.155917	-84.877433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
060B5840001	BRADLEY	0B584	0.05	LICK CREEK	OPEN	9/15/2015	1993	35.221517	-84.917067	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.3
060B2820001	BRADLEY	0C112	4.584	BRANCH	OPEN	10/13/2015	2010	35.095333	-84.962917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86.2
060A0260001	BRADLEY	0D947	6.157	BLACK FOX CREEK	OPEN	10/13/2015	1940	35.098667	-84.93675	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38
06I00750001	BRADLEY	I0075	2.57	BANCROFT RD (NFA 2261)	OPEN	7/14/2015	1963	35.141733	-84.9858	CONCRETE CONTINUOUS	TEE BEAM	85.8
06I00750002	BRADLEY	I0075	2.58	BANCROFT RD (NFA 2261)	OPEN	7/14/2015	1963	35.1426	-84.98575	CONCRETE CONTINUOUS	TEE BEAM	85.8
06I00750006	BRADLEY	I0075	5.87	HARRIS CREEK	OPEN	7/16/2015	1965	35.161867	-84.934217	CONCRETE CONTINUOUS	TEE BEAM	92.4
06I00750005	BRADLEY	I0075	5.87	HARRIS CREEK	OPEN	7/16/2015	1965	35.16185	-84.933883	CONCRETE CONTINUOUS	TEE BEAM	92.4
06I00750008	BRADLEY	I0075	6.17	HARRIS CK RD (NFA A077)	OPEN	7/14/2015	1965	35.16485	-84.9307	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.6
06I00750007	BRADLEY	I0075	6.17	HARRIS CK RD (NFA A077)	OPEN	7/14/2015	1965	35.164717	-84.9304	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.7
06I00750009	BRADLEY	I0075	7.06	RUNNER BRANCH	OPEN	7/16/2015	1965	35.17395	-84.919483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
06I00750013	BRADLEY	I0075	7.8	BRANCH	OPEN	7/27/2015	1965	35.1819	-84.909917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
06I00750015	BRADLEY	I0075	8.38	CANDIES CREEK	OPEN	7/29/2015	1963	35.186683	-84.902483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.3
06I00750016	BRADLEY	I0075	8.38	CANDIES CREEK	OPEN	7/29/2015	1963	35.186917	-84.9026	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65.5
06I00750017	BRADLEY	I0075	9.39	SR 60	OPEN	7/15/2015	1965	35.193867	-84.8871	CONCRETE CONTINUOUS	TEE BEAM	94.7
06I00750018	BRADLEY	I0075	9.39	SR 60	OPEN	7/15/2015	1965	35.19415	-84.887317	CONCRETE CONTINUOUS	TEE BEAM	94.7
06I00750019	BRADLEY	I0075	10.03	NORMAN CHAPEL RD. (3660)	OPEN	7/21/2015	1964	35.198783	-84.877433	CONCRETE CONTINUOUS	TEE BEAM	78.7
06I00750020	BRADLEY	I0075	10.03	NORMAN CHAPEL RD. (3660)	OPEN	7/21/2015	1964	35.198933	-84.877683	CONCRETE CONTINUOUS	TEE BEAM	81.2
06I00750021	BRADLEY	I0075	11.15	PAUL HUFF PKWY.FAU 3660	OPEN	7/21/2015	1968	35.212433	-84.8666	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.3
06I00750022	BRADLEY	I0075	11.15	PAUL HUFF PKWY.FAU 3660	OPEN	7/21/2015	1968	35.212533	-84.8669	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6
06I00750024	BRADLEY	I0075	14.49	NFA A164	OPEN	7/29/2015	1968	35.254917	-84.83735	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
06I00750023	BRADLEY	I0075	14.49	NFA A164	OPEN	7/29/2015	1968	35.2544	-84.836267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
06I00750029	BRADLEY	I0075	18.56	OLD LOWER RIVER RD, 1185	OPEN	7/27/2015	1972	35.3077	-84.806433	CONCRETE CONTINUOUS	TEE BEAM	95.1
06I00750030	BRADLEY	I0075	18.56	EUREKA RD (NFA 1185)	OPEN	7/15/2015	1972	35.308067	-84.807383	CONCRETE CONTINUOUS	TEE BEAM	94.1
06I00750027	BRADLEY	I0075	19.17	HIWASSEE RIVER	OPEN	7/28/2015	1968	35.314767	-84.8005	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	88.2
06I00750028	BRADLEY	I0075	19.17	HIWASSEE RIVER	OPEN	7/28/2015	1968	35.31505	-84.80105	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	88.2
06SR0020001	BRADLEY	SR002	4.36	BRYMER CREEK	OPEN	7/22/2015	1925	35.12235	-84.950017	CONCRETE	TEE BEAM	46.2
06SR0020005	BRADLEY	SR002	6.86	CANDIES CREEK	OPEN	7/20/2015	2004	35.147233	-84.918	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
06SR0023001	BRADLEY	SR002	11.39	SOUTH MOUSE CREEK	OPEN	7/22/2015	1960	35.189867	-84.86645	CONCRETE	TEE BEAM	79.6
06SR0023002	BRADLEY	SR002	11.39	SOUTH MOUSE CREEK	OPEN	7/22/2015	1960	35.190067	-84.866417	CONCRETE	TEE BEAM	76.6
06FA0023004	BRADLEY	SR002	12.27	FILLAUER BRANCH	OPEN	7/22/2015	1960	35.196617	-84.85305	CONCRETE	TEE BEAM	76.6
06FA0023003	BRADLEY	SR002	12.27	FILLAUER BRANCH	OPEN	7/22/2015	1960	35.1964	-84.85315	CONCRETE	TEE BEAM	76.6
06SR0020013	BRADLEY	SR002	13.52	BRANCH	OPEN	7/22/2015	2001	35.208767	-84.83725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
06SR0020015	BRADLEY	SR002	20.92	HIWASSEE RIVER & SOU RR	OPEN	7/30/2015	1995	35.289867	-84.75705	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.9
06SR0020007	BRADLEY	SR040	0.04	SOUTH MOUSE CREEK	OPEN	7/22/2015	2004	35.157983	-84.885033	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80.9
06SR0020009	BRADLEY	SR040	0.45	LITTLE SOUTH MOUSE CREEK	OPEN	7/21/2015	1925	35.1581	-84.878567	CONCRETE	SLAB	62.7
06SR0400005	BRADLEY	SR040	8.18	LONDON BRANCH	OPEN	7/22/2015	1971	35.1329	-84.749067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
06SR0400006	BRADLEY	SR040	8.18	LONDON BRANCH	OPEN	7/22/2015	1971	35.1333	-84.749333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
06SR0400007	BRADLEY	SR040	8.95	CHESTUEE CREEK	OPEN	7/22/2015	1971	35.1306	-84.7358	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
06SR0404017	BRADLEY	SR060	11.29	SR 60 / SR 74	OPEN	7/20/2015	1972	35.133033	-84.860217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.6
06SR0404019	BRADLEY	SR060	12.4	BATES PIKE (NFA A712)	OPEN	7/20/2015	1974	35.14845	-84.849867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.6
06SR0404021	BRADLEY	SR060	12.63	SR 60 / SR 40	OPEN	7/20/2015	1974	35.149533	-84.847883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.3
06SR0600023	BRADLEY	SR060	13.01	POWER LINE RD. (NFA A706)	OPEN	7/20/2015	1976	35.1545	-84.844483	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
06SR0600024	BRADLEY	SR060	13.01	POWER LINE RD. (NFA A706)	OPEN	7/20/2015	1976	35.1544	-84.8448	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.4
06SR0600022	BRADLEY	SR060	13.38	BENTON PIKE (FAU 3644)	OPEN	7/20/2015	1976	35.1596	-84.845217	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.4
06SR0600021	BRADLEY	SR060	13.38	BENTON PIKE (NFA 1154)	OPEN	7/20/2015	1976	35.1597	-84.844983	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.4
06SR0600025	BRADLEY	SR060	13.83	NFA A576-FAU 1156-SOU RW	OPEN	7/20/2015	1976	35.165717	-84.847533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.9
06SR0600026	BRADLEY	SR060	13.83	NFA A576-FAU 3645-SOU RW	OPEN	7/20/2015	1976	35.165683	-84.8478	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.9
06SR0600027	BRADLEY	SR060	14.96	FILLAUER BRANCH	OPEN	7/21/2015	1975	35.17655	-84.861533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
06SR0600003	BRADLEY	SR060	15.72	SOUTH MOUSE CREEK	OPEN	7/21/2015	1960	35.182533	-84.872567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
06SR0600005	BRADLEY	SR060	18.58	CANDIES CREEK	OPEN	7/23/2015	1948	35.2169	-84.88255	CONCRETE	TEE BEAM	46.2
06SR0600007	BRADLEY	SR060	21.02	GREASY CREEK	OPEN	7/21/2015	2013	35.248917	-84.898667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
06SR0600009	BRADLEY	SR060	24.28	BRANCH	OPEN	7/21/2015	2013	35.279683	-84.93985	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
06SR0740001	BRADLEY	SR074	0.01	OVERFLOW CONASAUGA RIVER	OPEN	8/12/2015	2011	34.988067	-84.775967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.6
06SR0740003	BRADLEY	SR074	0.14	CONASAUGA RIVER	OPEN	8/12/2015	2013	34.990083	-84.77545	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.5
06SR0740005	BRADLEY	SR074	0.98	MILL CREEK	OPEN	8/4/2015	1935	35.0012	-84.77785	CONCRETE	TEE BEAM	68.9
06SR0740007	BRADLEY	SR074	7.8	HICKS BRANCH	OPEN	8/4/2015	1939	35.08955	-84.822933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.8
06SR0740009	BRADLEY	SR074	10.09	COHULLA CREEK	OPEN	8/4/2015	1937	35.116883	-84.838467	CONCRETE	TEE BEAM	49.7
06SR0740011	BRADLEY	SR074	13.25	BRANCH	OPEN	8/4/2015	1940	35.1484	-84.87015	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68.2
06SR0020011	BRADLEY	SR074	16.52	FILLAUERS BRANCH	OPEN	8/4/2015	1925	35.191067	-84.851533	CONCRETE	TEE BEAM	84
06011870007	BRADLEY	SR306	0.23	GREASY CREEK	OPEN	8/5/2015	1960	35.238183	-84.886417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
06011870011	BRADLEY	SR306	2	RIGGINS BRANCH	OPEN	7/30/2015	1965	35.245733	-84.8822	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
06S43110003	BRADLEY	SR306	3.59	BEAVER DAM CREEK	OPEN	8/5/2015	1960	35.279533	-84.859367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
06S11600001	BRADLEY	SR308	0.38	CANDIES CREEK	OPEN	8/12/2015	1992	35.309917	-84.847517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
06I00750025	BRADLEY	SR308	4.27	I75	OPEN	7/30/2015	1968	35.288967	-84.81575	CONCRETE CONTINUOUS	TEE BEAM	87.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
06011600005	BRADLEY	SR308	5.2	SOUTH MOUSE CREEK	OPEN	8/5/2015	1971	35.28395	-84.8007	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
06I00750003	BRADLEY	SR311	0	I75	OPEN	11/29/2015	1963	35.152267	-84.948183	CONCRETE CONTINUOUS	TEE BEAM	66
06SR3110005	BRADLEY	SR311	0.67	COLONIAL PIPELINE	OPEN	5/30/2017	2017	35.147933	-84.937167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.8
06SR3110003	BRADLEY	SR311	0.69	COLONIAL PIPELINE	OPEN	5/30/2017	2017	35.148483	-84.93735	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.8
06SR0020003	BRADLEY	SR311	1.48	SR 2	OPEN	8/5/2015	1972	35.1434	-84.923917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
06SR0404003	BRADLEY	SR311	1.77	CANDIES CREEK	OPEN	8/10/2015	1972	35.1415	-84.91935	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.5
06SR0404023	BRADLEY	SR311	2.01	VARNELL RD. (NFA A872)	OPEN	8/10/2015	1972	35.140017	-84.915483	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.7
06SR0404005	BRADLEY	SR311	3.15	NORFOLK-SOUTHERN RWY	OPEN	8/10/2015	1972	35.13375	-84.89715	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7
06SR0404007	BRADLEY	SR311	3.22	OLD CHATTANOOGA PIKE	OPEN	8/10/2015	1972	35.133717	-84.8959	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
06SR0404009	BRADLEY	SR311	3.58	BLUE SPRING RD (NFA 1181)	OPEN	8/10/2015	1972	35.1327	-84.889683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.5
06SR0404011	BRADLEY	SR311	3.8	BRANCH	OPEN	8/11/2015	1972	35.131483	-84.886133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
06SR0404013	BRADLEY	SR311	3.82	SOUTHERN RAILWAY	OPEN	8/11/2015	1972	35.131617	-84.885733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
06SR0404015	BRADLEY	SR311	4.74	SR 311(FAP)/SR 311(FAU)	OPEN	8/11/2015	1972	35.130883	-84.86935	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
06S43080001	BRADLEY	SR312	1.36	HARRIS CREEK	OPEN	8/11/2015	2007	35.1773	-84.9902	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
06S43080003	BRADLEY	SR312	2.86	FAULKNER'S BRANCH	OPEN	8/11/2015	1950	35.1773	-84.966917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
06I00750011	BRADLEY	SR312	6.29	SR 312 / I75	OPEN	7/16/2015	1965	35.176417	-84.917383	CONCRETE CONTINUOUS	TEE BEAM	69.1
06S43080005	BRADLEY	SR312	6.8	CANDIES CREEK	OPEN	8/12/2015	1948	35.173117	-84.909317	CONCRETE	TEE BEAM	76.5
06S43080007	BRADLEY	SR312	7.04	BEECH SPRINGS BRANCH	OPEN	8/13/2015	1945	35.17125	-84.90575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
06S43080009	BRADLEY	SR312	7.63	BEECH SPRINGS BRANCH	OPEN	8/13/2015	1945	35.168467	-84.896067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
06011520003	BRADLEY	SR313	4.3	BIRD BRANCH	OPEN	8/13/2015	1955	35.068133	-84.77185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
06011520001	BRADLEY	SR313	5.64	DULL HOE CREEK	OPEN	8/13/2015	1955	35.05445	-84.7566	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
06SR3170001	BRADLEY	SR317	1.79	MAROON BRANCH	OPEN	8/12/2015	1994	35.01915	-84.944717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
060A0250001	BRADLEY	SR317	1.83	MAROON BRANCH	OPEN	8/12/2015	1994	35.019433	-84.943817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
07S24450001	CAMPBELL	01041	1.12	BIG CREEK	OPEN	5/19/2016	1936	36.352778	-84.127067	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7
07S24480005	CAMPBELL	01278	1.07	CSX RAILROAD	OPEN	5/18/2016	2002	36.326467	-84.174717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.6
07S24481001	CAMPBELL	01278	2.74	CUCKLE CREEK	OPEN	5/18/2016	1922	36.327467	-84.146383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.6
07S24480003	CAMPBELL	01278	3.77	PRIVATE ROAD	OPEN	5/18/2016	1940	36.339883	-84.15185	CONCRETE	CHANNEL BEAM	27.2
07S25260007	CAMPBELL	01280	4.42	SINKING CREEK	OPEN	5/16/2016	1960	36.506417	-84.141611	CONCRETE	TEE BEAM	52.9
07S25260005	CAMPBELL	01280	4.76	SINKING CREEK	OPEN	5/16/2016	1960	36.504983	-84.147167	CONCRETE	TEE BEAM	68.5
07S25260003	CAMPBELL	01280	7.81	BRANCH	OPEN	5/24/2016	1940	36.488733	-84.18695	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.5
07I00750019	CAMPBELL	01280	16.36	I75	OPEN	10/6/2015	1965	36.41675	-84.2824	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
07S25260011	CAMPBELL	01280	18.21	BRANCH	OPEN	5/24/2016	1993	36.401317	-84.277833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
07S25820001	CAMPBELL	01282	3.06	DAVIS BRANCH	OPEN	5/4/2016	1987	36.462433	-84.041433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
07S25820003	CAMPBELL	01282	5	DAVIS BRANCH	OPEN	5/4/2016	1975	36.47745	-84.014	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	54.7
07S25820005	CAMPBELL	01282	5.27	DAVIS BRANCH	OPEN	5/4/2016	1977	36.479833	-84.010139	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	41.8
07S23440001	CAMPBELL	01400	2.77	ROUND ROCK CREEK	OPEN	5/18/2016	1977	36.238367	-84.33025	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.1
07024250007	CAMPBELL	02425	2.33	COVE CREEK	OPEN	5/9/2016	1922	36.320617	-84.24285	CONCRETE	ARCH - DECK	58.2
07024250005	CAMPBELL	02425	2.96	COVE CREEK	OPEN	5/9/2016	1926	36.32865	-84.245333	CONCRETE	ARCH - DECK	58.2
07024250003	CAMPBELL	02425	4.92	COVE CREEK	OPEN	5/9/2016	1922	36.352567	-84.261717	CONCRETE	ARCH - DECK	57.2
07024250001	CAMPBELL	02425	7.97	TITUS CREEK	OPEN	5/9/2016	1930	36.392083	-84.2791	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	46.1
07G00030001	CAMPBELL	02433	1.8	ELK CREEK	OPEN	5/23/2016	1983	36.583117	-84.138939	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
070A8310001	CAMPBELL	02433	4.16	ELK CREEK	OPEN	5/23/2016	1981	36.570633	-84.148467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
07024660001	CAMPBELL	02466	3.09	TACKETT BRANCH	OPEN	5/18/2016	1987	36.245667	-84.290583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
07024700001	CAMPBELL	02470	0.889	CASPER SHARP BRANCH	OPEN	5/18/2016	2002	36.37705	-84.105317	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	95.8
07024700003	CAMPBELL	02470	6.21	NORRIS LAKE CEDAR CREEK	OPEN	5/19/2016	1987	36.367517	-84.035717	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
07024720001	CAMPBELL	02472	5.1	DOAKES CREEK	OPEN	5/19/2016	1935	36.433	-83.98125	CONCRETE	TEE BEAM	48.3
07024720003	CAMPBELL	02472	7.99	LITTLE CREEK	OPEN	5/17/2016	1935	36.443983	-83.934333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
07024740003	CAMPBELL	02474	5.48	LICK CREEK	OPEN	5/4/2016	1978	36.500533	-84.075267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.3
07037480001	CAMPBELL	03748	0.77	BIG CREEK	OPEN	5/10/2016	2015	36.38005	-84.11985	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.6
07037490001	CAMPBELL	03749	2.85	BIG CREEK	OPEN	5/10/2016	1991	36.3875	-84.125217	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.5
07037660001	CAMPBELL	03766	0.11	BIG CREEK	OPEN	5/10/2016	2007	36.384283	-84.122617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.9
070A0060001	CAMPBELL	0A006	0	ELK CREEK	OPEN	5/23/2016	1994	36.539333	-84.179333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.2
070A0080001	CAMPBELL	0A008	0.013	ROUND ROCK CREEK	OPEN	5/18/2016	2005	36.239667	-84.295967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.4
070A0310001	CAMPBELL	0A031	0.081	COVE CREEK (CLSP)	OPEN	5/9/2016	1996	36.306833	-84.226367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
070A0330001	CAMPBELL	0A033	0.082	DOG CREEK	OPEN	5/9/2016	1988	36.315417	-84.205167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
070A0330003	CAMPBELL	0A033	1.357	BRUCE CREEK	OPEN	5/9/2016	1984	36.32395	-84.221167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
070A0490001	CAMPBELL	0A047	0.043	DOG CREEK	OPEN	5/9/2016	1986	36.319383	-84.201183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
070A0620001	CAMPBELL	0A062	0.007	COVE CREEK	OPEN	5/9/2016	2000	36.369278	-84.273722	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
070A0650001	CAMPBELL	0A065	0.454	TITUS CREEK	OPEN	5/24/2016	1983	36.396317	-84.2737	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
070A0660001	CAMPBELL	0A066	0.058	TITUS CREEK	OPEN	5/24/2016	1983	36.38385	-84.262933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
070A0700001	CAMPBELL	0A070	0.112	STINKING CREEK	OPEN	5/24/2016	1995	36.474033	-84.198067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.5
070A0710001	CAMPBELL	0A071	0.275	BRANCH OF STINKING CREEK	OPEN	5/16/2016	1993	36.51225	-84.150861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
070A0710003	CAMPBELL	0A071	0.394	BRANCH OF STINKING CREEK	OPEN	5/16/2016	1925	36.51425	-84.150722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
070A0710005	CAMPBELL	0A071	0.497	BRANCH	OPEN	5/16/2016	1987	36.515528	-84.151917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
070A0800001	CAMPBELL	0A080	0.241	BRANCH OF STINK. CREEK	OPEN	5/16/2016	1930	36.508517	-84.149333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.5
070A0800003	CAMPBELL	0A080	0.466	STINKING CREEK	OPEN	5/16/2016	1930	36.509917	-84.147278	CONCRETE	ARCH - DECK	63.7
070A0800005	CAMPBELL	0A080	0.785	STINKING CREEK	OPEN	5/16/2016	1930	36.507317	-84.143783	CONCRETE	ARCH - DECK	49.7
070A0820001	CAMPBELL	0A082	0.027	HICKORY CREEK	OPEN	5/16/2016	1994	36.498583	-84.107917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.3
070A0820003	CAMPBELL	0A082	1.254	HICKORY CREEK	OPEN	5/16/2016	1978	36.485567	-84.1152	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.2
070A0900001	CAMPBELL	0A090	0	TERRY CREEK	OPEN	5/24/2016	1935	36.44165	-84.310133	CONCRETE	ARCH - DECK	65.5
070A0940001	CAMPBELL	0A091	0.414	ELK FORK CREEK	OPEN	5/25/2016	1988	36.456111	-84.281528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
070A0940003	CAMPBELL	0A091	3.073	ELK FORK CREEK	OPEN	5/25/2016	1980	36.479417	-84.249083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.9
070A0920001	CAMPBELL	0A092	0.376	ELK FORK CREEK	OPEN	5/24/2016	1987	36.450983	-84.291517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
070A1020001	CAMPBELL	0A102	0.027	ELK FORK CREEK	OPEN	5/25/2016	1972	36.49035	-84.240917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86
070A1020003	CAMPBELL	0A102	1.63	ELK FORK CREEK	OPEN	5/25/2016	1995	36.5023	-84.2251	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
070A1030001	CAMPBELL	0A103	1.134	LITTLE ELK CREEK	OPEN	5/25/2016	1938	36.512	-84.227	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.7
070A1190001	CAMPBELL	0A119	0.394	ELK FORK CREEK	OPEN	5/23/2016	1984	36.590033	-84.136267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.2
070A1210001	CAMPBELL	0A121	0.685	BRANCH	OPEN	5/23/2016	1983	36.571867	-84.17885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
070A1210003	CAMPBELL	0A121	0.976	CROOKED CREEK	OPEN	5/23/2016	1981	36.5745	-84.18245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
070A1220001	CAMPBELL	0A122	0.037	CROOKED CREEK	OPEN	5/23/2016	1983	36.5737	-84.181017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
070A1260001	CAMPBELL	0A126	0.462	BRANCH	OPEN	5/23/2016	1983	36.5908	-84.144917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
070A1270001	CAMPBELL	0A127	0.247	TERRY CREEK	OPEN	5/24/2016	1983	36.442183	-84.31265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
070A1330001	CAMPBELL	0A133	0.128	LICK FORK CREEK	OPEN	5/25/2016	2000	36.471917	-84.286633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.8
070A1370001	CAMPBELL	0A137	1.9	CAPUCHIN CREEK	OPEN	5/23/2016	1985	36.584278	-84.233222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
070A1480001	CAMPBELL	0A148	0.008	CLEAR FORK CREEK	OPEN	5/23/2016	1971	36.586533	-84.088383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48
070A1580003	CAMPBELL	0A158	0.096	OLLIS CREEK	OPEN	5/10/2016	1994	36.395667	-84.12815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
070A1580005	CAMPBELL	0A158	0.262	BRANCH OFF OLLIS CREEK	OPEN	5/10/2016	1984	36.394317	-84.130367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.2
070A1650001	CAMPBELL	0A165	0.569	BRANCH	OPEN	5/10/2016	1930	36.360767	-84.142517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.6
070A1690001	CAMPBELL	0A169	0.104	DAVIS CREEK	OPEN	5/4/2016	1984	36.46135	-84.051067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
070A1690003	CAMPBELL	0A169	2.241	HOG CAMP CREEK	OPEN	5/4/2016	1996	36.486433	-84.054217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
070A1700001	CAMPBELL	0A170	0.016	DAVIS CREEK	OPEN	5/4/2016	1985	36.47835	-84.054533	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.2
070A1740001	CAMPBELL	0A174	0.014	HICKORY CREEK	OPEN	5/4/2016	1975	36.52865	-84.0784	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.3
070A1910001	CAMPBELL	0A191	0.031	WHITE OAK CREEK	OPEN	5/4/2016	1986	36.532467	-84.034033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
070A2040001	CAMPBELL	0A204	2.725	LAUREL FORK	OPEN	5/4/2016	1994	36.567314	-84.01205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
070A2440001	CAMPBELL	0A244	0.937	BRANCH	OPEN	5/16/2016	2010	36.488733	-84.18695	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
070A0790001	CAMPBELL	0A247	0.292	STINKING CREEK	WEIGHT POSTED	5/24/2016	1950	36.491722	-84.16975	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	13.1
070A2730001	CAMPBELL	0A273	0.561	DOSSETT CREEK	OPEN	5/17/2016	1996	36.420067	-83.99865	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.4
070A2710001	CAMPBELL	0A303	0.354	DOSSETT CREEK	OPEN	5/17/2016	1981	36.423017	-83.992217	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81
070A8300001	CAMPBELL	0A324	0	JAKES BRANCH	OPEN	5/24/2016	1930	36.400217	-84.327367	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.5
070A3660001	CAMPBELL	0A366	1.726	BIG CREEK	OPEN	5/18/2016	1990	36.359883	-84.1133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.4
070A3760001	CAMPBELL	0A376	0.184	HUNTERS BRANCH	OPEN	5/9/2016	1975	36.35705	-84.137567	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	73.9
070A4870005	CAMPBELL	0A487	0.21	SIDE SLOPE	OPEN	5/18/2016	2013	36.271633	-84.195667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.4
070A4940003	CAMPBELL	0A494	0.352	DAVIS CREEK	OPEN	5/17/2016	1970	36.438767	-84.9407	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
070A4960001	CAMPBELL	0A496	0.185	RIGHT FORK COAL CREEK	OPEN	5/18/2016	1970	36.249017	-84.177233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
07I00750003	CAMPBELL	0A496	0.358	I75	OPEN	9/9/2015	1962	36.24715	-84.180267	CONCRETE CONTINUOUS	TEE BEAM	62.4
070A6220001	CAMPBELL	0A622	0.273	CSX RAILROAD	WEIGHT POSTED	6/14/2016	1992	36.378517	-84.129867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	24.2
070B0010001	CAMPBELL	0B001	0.236	CSX RAILROAD	CLOSED	7/11/2016	1915	36.338533	-84.164689	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17
070B0180001	CAMPBELL	0B018	0.011	STINKING CREEK	OPEN	5/24/2016	2008	36.4436	-84.23185	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
07I00750023	CAMPBELL	0B255	1.759	I75	OPEN	10/6/2015	2005	36.533683	-84.167183	CONCRETE CONTINUOUS	TEE BEAM	92.9
07I00750001	CAMPBELL	I0075	0.04	BRANCH	OPEN	9/9/2015	1962	36.239867	-84.17285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65
07I00750007	CAMPBELL	I0075	2.68	FRONTAGE ROAD & SOU RWY	OPEN	9/21/2015	1961	36.272	-84.199117	CONCRETE CONTINUOUS	TEE BEAM	89.8
07I00750008	CAMPBELL	I0075	2.68	FRONTAGE ROAD & SOU RWY	OPEN	9/21/2015	1961	36.272	-84.19945	CONCRETE CONTINUOUS	TEE BEAM	89.8
07I00750013	CAMPBELL	I0075	5.57	NFA A031	OPEN	9/30/2015	1967	36.305983	-84.225967	CONCRETE CONTINUOUS	TEE BEAM	51.6
07I00750014	CAMPBELL	I0075	5.57	NFA A031	OPEN	9/30/2015	1967	36.305817	-84.225967	CONCRETE CONTINUOUS	TEE BEAM	49.2
07I00750016	CAMPBELL	I0075	5.73	COVE CREEK	OPEN	10/5/2015	1967	36.3065	-84.228733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.2
07I00750015	CAMPBELL	I0075	5.73	COVE CREEK	OPEN	10/5/2015	1967	36.306617	-84.228583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.4
07I00750018	CAMPBELL	I0075	11.24	SR 63	OPEN	10/5/2015	1967	36.3778	-84.245633	CONCRETE CONTINUOUS	TEE BEAM	61.9
07I00750017	CAMPBELL	I0075	11.24	NFA A716	OPEN	10/5/2015	1967	36.378317	-84.245433	CONCRETE CONTINUOUS	TEE BEAM	49.9
07I00750022	CAMPBELL	I0075	30.67	SR 9	OPEN	10/6/2015	1964	36.578967	-84.111417	CONCRETE	TEE BEAM	83
07I00750021	CAMPBELL	I0075	30.67	SR 9	OPEN	10/6/2015	1964	36.578867	-84.111283	CONCRETE	TEE BEAM	90.7
07SR0090001	CAMPBELL	SR009	9.37	NO BUSINESS CREEK	OPEN	5/3/2017	1929	36.551167	-83.067233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
07SR0090003	CAMPBELL	SR009	10.71	LAUREL CREEK	OPEN	5/3/2017	1926	36.542917	-84.080733	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.3
07SR0090005	CAMPBELL	SR009	12.97	ROCK CREEK	OPEN	5/3/2017	1929	36.5129	-84.083783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
07SR0090007	CAMPBELL	SR009	13.46	HICKORY CREEK	OPEN	5/3/2017	1930	36.506417	-84.080967	CONCRETE	TEE BEAM	53.9
07SR0090009	CAMPBELL	SR009	15.28	LICK CREEK	OPEN	5/3/2017	1930	36.4835	-84.077117	CONCRETE	TEE BEAM	78.4
07SR0090013	CAMPBELL	SR009	24.15	BIG CREEK	OPEN	4/20/2017	1921	36.382083	-84.1212	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	56.7
07SR0090015	CAMPBELL	SR009	26.12	HUNTERS BRANCH	OPEN	5/2/2017	1947	36.360467	-84.142433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
07SR0090017	CAMPBELL	SR009	26.14	BRANCH	OPEN	5/2/2017	1947	36.35965	-84.143083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.1
07SR0090019	CAMPBELL	SR009	26.77	CSX RAILROAD	OPEN	5/2/2017	2011	36.35355	-84.150833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.4
07SR0090021	CAMPBELL	SR009	29.78	DOG CREEK	OPEN	4/20/2017	1968	36.328183	-84.193	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
07SR0090024	CAMPBELL	SR009	31.35	COVE LAKE	OPEN	5/2/2017	1968	36.310367	-84.209883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.1
07SR0090023	CAMPBELL	SR009	31.35	COVE LAKE	OPEN	5/2/2017	1968	36.310467	-84.210067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.1
07SR0090025	CAMPBELL	SR009	31.79	COVE LAKE	OPEN	5/2/2017	1968	36.30435	-84.21145	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.3
07I00750009	CAMPBELL	SR009	32.33	I75	OPEN	9/21/2015	1964	36.298883	-84.216383	CONCRETE CONTINUOUS	TEE BEAM	69.5
07I00750010	CAMPBELL	SR009	32.33	I75	OPEN	9/21/2015	1964	36.29875	-84.2163	CONCRETE CONTINUOUS	TEE BEAM	69.5
07SR0630003	CAMPBELL	SR063	2	SOUTHERN RAILWAY	OPEN	4/20/2017	1977	36.41435	-84.30285	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	64.6
07SR0630005	CAMPBELL	SR063	7.7	BRANCH	OPEN	4/20/2017	1977	36.38915	-84.101833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
07SR0900001	CAMPBELL	SR090	0.03	CSX RAILROAD& A205	OPEN	4/24/2017	1947	36.5522	-84.047383	CONCRETE	TEE BEAM	54.6
07SR0900003	CAMPBELL	SR090	0.18	BIG HICKORY CREEK	OPEN	4/24/2017	1947	36.5508	-84.045367	CONCRETE	TEE BEAM	68.4
07SR0900005	CAMPBELL	SR090	5.06	TACKETT CREEK	OPEN	4/24/2017	1965	36.5398	-84.006117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.1
07SR0900007	CAMPBELL	SR090	5.97	CLEAR FORK CREEK	OPEN	4/24/2017	1991	36.546083	-83.993833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.1
07SR0900009	CAMPBELL	SR090	6.71	ROSE CREEK	OPEN	4/24/2017	1977	36.551517	-83.984	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	58.2
07SR1160001	CAMPBELL	SR116	0.04	NEW RIVER	OPEN	4/27/2017	1982	36.210633	-84.321733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.5
070A4840001	CAMPBELL	SR116	0.32	BRANCH	OPEN	4/25/2017	1935	36.241667	-84.164967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
070A4840003	CAMPBELL	SR116	0.56	BRANCH	OPEN	4/25/2017	1935	36.244867	-84.166367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.4
070A4840005	CAMPBELL	SR116	0.77	BRANCH	OPEN	4/25/2017	1935	36.2477	-84.167683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.1
070A4840009	CAMPBELL	SR116	2.89	CSX RAILROAD	OPEN	4/25/2017	1974	36.26835	-84.191517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	58.3
070A4840013	CAMPBELL	SR116	3.64	TUNNEL HOLLOW BRANCH	OPEN	4/25/2017	1935	36.274167	-84.201267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
07S23450001	CAMPBELL	SR297	3.03	TERRY CREEK	OPEN	4/26/2017	1953	36.4422	-84.308633	CONCRETE	TEE BEAM	54.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
07S23450003	CAMPBELL	SR297	3.74	COONTAIL CREEK	OPEN	4/26/2017	1958	36.45045	-84.30155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.6
07S23450005	CAMPBELL	SR297	4.33	DOUGLAS BRANCH	OPEN	4/26/2017	1958	36.4563	-84.293933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.4
07S23450007	CAMPBELL	SR297	5.24	LICK FORK CREEK	OPEN	4/26/2017	1939	36.4648	-84.281917	CONCRETE	TEE BEAM	53.4
07S23450009	CAMPBELL	SR297	12.13	LITTLE ELK RIVER	OPEN	4/26/2017	1945	36.527817	-84.197067	CONCRETE	TEE BEAM	57.5
07S23450011	CAMPBELL	SR297	14.06	WHISTLE CREEK	OPEN	4/26/2017	1945	36.5462	-84.172483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8
07S23450013	CAMPBELL	SR297	14.79	ELK FORK CREEK	OPEN	4/26/2017	1950	36.552669	-84.164819	CONCRETE	TEE BEAM	50.1
07S23450015	CAMPBELL	SR297	16.39	BRANCH	OPEN	4/26/2017	1945	36.56725	-84.145917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72
08S61890001	CANNON	01046	0.68	NORTHCUTT CREEK	OPEN	3/9/2017	1952	35.8788	-86.162183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
08S42550001	CANNON	01104	0.51	PARCHCORN HOLLOW BRANCH	OPEN	3/15/2017	1956	35.828033	-86.028283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
08S42550003	CANNON	01104	2.42	SHANBORNE BRANCH	OPEN	3/15/2017	1954	35.832	-85.996	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
08E00160001	CANNON	01114	0.98	SHELTON BRANCH	OPEN	3/2/2017	1985	35.7262	-86.158667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
08F00140001	CANNON	01119	1.18	YOUNGBLOOD CREEK	OPEN	3/9/2017	1982	35.754661	-85.974939	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
08F00140003	CANNON	01119	3.41	BULLPEN CREEK	OPEN	3/9/2017	1985	35.732411	-85.999319	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
08011190005	CANNON	01119	7.25	MCMAHON CREEK	OPEN	3/2/2017	1985	35.678133	-86.008	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
08F00140007	CANNON	01119	7.415	DUKE CREEK	OPEN	3/2/2017	1991	35.677083	-86.0096	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
08F00090001	CANNON	01123	2.5	MOUNTAIN CREEK	OPEN	3/9/2017	1950	35.842739	-85.9412	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
08F00010001	CANNON	01125	2.62	ANDREWS CREEK	OPEN	3/9/2017	1976	35.8572	-86.153583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
08F00010003	CANNON	01125	4.3	NORTHCUTT BRANCH	OPEN	3/9/2017	1985	35.877083	-86.15705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
08SR0010001	CANNON	01376	0.01	EAST FORK STONES RIVER	WEIGHT POSTED	3/6/2017	1920	35.8294	-86.178419	CONCRETE	TEE BEAM	56.9
08SR0010017	CANNON	01376	0.43	BRANCH	OPEN	3/6/2017	1920	35.826717	-86.172117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68.5
08SR0010003	CANNON	01376	2.25	LOCKE CREEK	OPEN	3/6/2017	1920	35.818269	-86.143081	CONCRETE	TEE BEAM	47.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
08SR0010005	CANNON	01376	2.56	EAST FORK STONES RIVER	OPEN	3/6/2017	1924	35.818531	-86.137319	CONCRETE	TEE BEAM	56.6
08SR0010007	CANNON	01376	2.88	EAST FORK STONES RIVER	OPEN	3/6/2017	1924	35.820231	-86.13205	CONCRETE	TEE BEAM	61
08SR0010009	CANNON	01376	5.48	RUSH CREEK	OPEN	3/6/2017	1924	35.825639	-86.0876	CONCRETE	TEE BEAM	50.1
08S43570005	CANNON	01381	0.5	STONES RIVER	OPEN	3/9/2017	1965	35.813983	-86.15155	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
08021260001	CANNON	02126	2.08	BRANCH	OPEN	3/9/2017	1950	35.833489	-85.913189	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3
08S43570001	CANNON	02141	3.36	CARSON FORK CREEK	OPEN	3/2/2017	1965	35.731433	-86.121817	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.5
08021430001	CANNON	02143	1.05	LOCKS CREEK	OPEN	3/9/2017	2000	35.83135	-86.135917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
08021430003	CANNON	02143	2	LOCKS CREEK	OPEN	3/9/2017	1989	35.871833	-86.130783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.1
08SR1450015	CANNON	02143	5.01	NFA 2143 / SR145	OPEN	2/8/2017	1988	35.871883	-86.09765	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.7
08021450001	CANNON	02145	0.09	EAST FORK STONES RIVER	OPEN	3/2/2017	1971	35.829217	-86.073517	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.3
08S44810003	CANNON	02145	0.84	DOOLITTLE BRANCH	OPEN	3/2/2017	1986	35.839264	-86.071836	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
08021470001	CANNON	02147	7.13	HURRICANE CREEK	OPEN	3/15/2017	1958	35.96295	-86.074911	CONCRETE	TEE BEAM	83.4
08021510001	CANNON	02151	3.45	MARTIN BRANCH	OPEN	3/2/2017	1984	35.911483	-85.97375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
08021510003	CANNON	02151	4.33	CLEAR FORK CREEK	OPEN	3/2/2017	1994	35.91895	-85.98585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
08021510005	CANNON	02151	6.1	CLEAR FORK CREEK	OPEN	3/2/2017	1989	35.9404	-85.995933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77
08021510007	CANNON	02151	6.19	CONNELL CREEK	OPEN	3/2/2017	1989	35.939967	-85.997467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
080A0010001	CANNON	0A001	0.011	MARSHALL CREEK	WEIGHT POSTED	3/16/2017	1960	35.952217	-86.116217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20.2
080A0020001	CANNON	0A002	0.009	MARSHALL CREEK	OPEN	3/16/2017	1960	35.95295	-86.120667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.5
080A0040001	CANNON	0A004	0.046	MARSHALL CREEK	WEIGHT POSTED	3/16/2017	1960	35.955267	-86.12805	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.1
08SR0010015	CANNON	0A006	1.96	CRANE BRANCH	OPEN	3/9/2017	1924	35.768989	-85.979689	CONCRETE	TEE BEAM	86.8
080A0080001	CANNON	0A008	0.01	SANDERS FORK CREEK	OPEN	3/16/2017	1965	35.92935	-86.095539	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
080A0090001	CANNON	0A009	0.01	SANDERS FORK CREEK	WEIGHT POSTED	3/16/2017	1965	35.92085	-86.101111	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	45.3
080A0130001	CANNON	0A013	0.008	SANDERS FORK CREEK	WEIGHT POSTED	3/15/2017	1965	35.911517	-86.1017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.8
080A0140001	CANNON	0A014	0.016	SANDERS FORK CREEK	WEIGHT POSTED	3/16/2017	1965	35.9093	-86.102117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.4
080A0200001	CANNON	0A020	0.248	FODDERSTACK CREEK	OPEN	3/15/2017	1993	35.9667	-86.087539	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
080A0210001	CANNON	0A021	2.461	MARSHALL CREEK	OPEN	3/15/2017	1950	35.952561	-86.109469	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.5
080A0220001	CANNON	0A022	0.065	MARSHALL CREEK	OPEN	4/10/2017	1940	35.956667	-86.13895	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.9
080A0230001	CANNON	0A023	0.016	SANDERS FORK CREEK	OPEN	4/10/2017	1985	35.951967	-86.092183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
080A0230003	CANNON	0A023	1.464	HURRICANE CREEK	OPEN	4/10/2017	1984	35.9599	-86.0713	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
080A0280001	CANNON	0A028	0.022	SANDERS FORK CREEK	OPEN	4/10/2017	1930	35.936033	-86.091617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.5
080A0330001	CANNON	0A033	0.018	SANDERS FORK CREEK	WEIGHT POSTED	4/10/2017	1920	35.902417	-86.101817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.4
080A0340001	CANNON	0A034	0.079	SANDERS FORK CREEK	OPEN	4/10/2017	1984	35.892983	-86.101133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
080A0340003	CANNON	0A034	0.129	SANDERS FORK CREEK	OPEN	4/10/2017	1984	35.892783	-86.100317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
080A0380001	CANNON	0A038	0.005	LOCKE CREEK	OPEN	4/17/2017	1984	35.8499	-86.127017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
080A0440001	CANNON	0A044	0.137	NORTHCUTT BRANCH	WEIGHT POSTED	4/17/2017	1975	35.876692	-86.154533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.2
080A0530001	CANNON	0A053	2.297	HURRICANE CREEK	OPEN	4/17/2017	1949	35.901983	-86.0671	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.2
080A0540001	CANNON	0A054	5.416	SPOUT SPRINGS BRANCH	OPEN	4/20/2017	2006	35.946583	-86.029717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.2
080A0540003	CANNON	0A054	7.286	SYCAMORE CREEK	OPEN	4/20/2017	2008	35.951817	-86.00035	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.3
080A0590001	CANNON	0A059	0.008	SYCAMORE CREEK	OPEN	4/20/2017	1984	35.9497	-86.0064	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
080A0610001	CANNON	0A061	0.183	EAST FORK STONES RIVER	OPEN	4/17/2017	1986	35.831633	-86.045183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
080A0610003	CANNON	0A061	1.665	CAVENDER BRANCH	OPEN	4/17/2017	1984	35.852167	-86.045883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
080A0660001	CANNON	0A066	0	ROCKHOUSE CREEK	OPEN	4/20/2017	1986	35.838317	-86.03075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
080A0660003	CANNON	0A066	0.295	BRANCH	OPEN	4/20/2017	1986	35.839733	-86.025867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
080A0700001	CANNON	0A070	0	EAST FORK STONES RIVER	OPEN	4/5/2017	1984	35.833017	-85.99475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
080A0760001	CANNON	0A076	5.25	CLEAR FORK CREEK	OPEN	4/20/2017	1984	35.921517	-85.990117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
080A0780001	CANNON	0A078	0.008	WILMORE CREEK	WEIGHT POSTED	4/20/2017	1950	35.898083	-85.99185	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.1
080A0900001	CANNON	0A090	0.024	CONNELL CREEK	WEIGHT POSTED	4/20/2017	1920	35.917817	-86.014083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.4
080A1020001	CANNON	0A102	1.218	MOUNTAIN CREEK	OPEN	4/5/2017	1999	35.819961	-85.931667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
080A1080001	CANNON	0A108	0.612	PARCHCORN HOLLOW BRANCH	OPEN	4/5/2017	1940	35.821717	-86.021467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.4
080A1090001	CANNON	0A109	0.071	SHANBORNE BRANCH	OPEN	4/5/2017	1998	35.830967	-85.996033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
080A1170001	CANNON	0A117	0.368	CHARLES CREEK	OPEN	4/5/2017	1997	35.786333	-85.940883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
080A1240001	CANNON	0A124	1.554	HILL CREEK	OPEN	4/17/2017	1997	35.80215	-86.034831	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
080A1310001	CANNON	0A131	1.52	HILL CREEK	WEIGHT POSTED	4/4/2017	1940	35.801164	-86.029728	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.6
080A1410001	CANNON	0A141	0.986	BULL PEN CREEK	OPEN	4/4/2017	1920	35.742483	-86.025508	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.1
080A1410003	CANNON	0A141	1.746	BULLPEN CREEK	OPEN	4/4/2017	2014	35.7368	-86.015919	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90
080A1410005	CANNON	0A141	5.054	MCMAHAN CREEK	OPEN	4/4/2017	1994	35.69175	-86.012969	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.2
080A1550001	CANNON	0A155	0.207	DUKE CREEK	OPEN	4/4/2017	1950	35.664367	-86.033217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.4
080A1650001	CANNON	0A165	0.036	LIBERTY CREEK	OPEN	4/4/2017	1984	35.647533	-86.043617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
080A1810001	CANNON	0A181	2.702	BRAWLEYS FORK CREEK	OPEN	4/5/2017	1960	35.694867	-86.166167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
080A1810003	CANNON	0A181	3.642	BRAWLEYS FORK CREEK	OPEN	4/5/2017	2004	35.707389	-86.172069	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
080A1810005	CANNON	0A181	3.866	BRANCH	OPEN	4/5/2017	1984	35.707381	-86.176011	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
080A1830001	CANNON	0A183	0.004	BRAWLEYS FORK CREEK	OPEN	4/5/2017	1984	35.714369	-86.175519	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
080A1840001	CANNON	0A184	0.057	DUG BRANCH	OPEN	4/4/2017	1930	35.7271	-86.184567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.4
080A1950001	CANNON	0A195	0.008	CARSON FORK CREEK	OPEN	4/4/2017	1999	35.727883	-85.122367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
080A1960001	CANNON	0A196	0.107	DUCK BRANCH	OPEN	5/3/2017	1984	35.730283	-86.119917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
080A1990001	CANNON	0A199	4.021	SPRING BRANCH	OPEN	5/3/2017	1993	35.761317	-86.114467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81
080A1990003	CANNON	0A199	5.535	CARSON FORK CREEK	OPEN	5/3/2017	1985	35.774917	-86.125233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.8
080A2040001	CANNON	0A204	0.214	CARSON FORK CREEK	OPEN	5/3/2017	2001	35.766683	-86.131967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
080A2160001	CANNON	0A216	0.218	BRAWLEY'S FORK CREEK	OPEN	5/2/2017	1940	35.763733	-86.168417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.2
080A2180001	CANNON	0A218	0.231	BRAWLEY'S FORK CREEK	OPEN	5/2/2017	1988	35.761483	-86.161383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.5
080A2200001	CANNON	0A220	0.064	BRAWLEY'S FORK CREEK	OPEN	5/2/2017	1984	35.785283	-86.161167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
080A2230001	CANNON	0A223	0.037	BRAWLEY'S FORK CREEK	OPEN	5/2/2017	1984	35.802	-86.150933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
080A2250001	CANNON	0A225	0.631	HOLLIS CREEK	OPEN	5/10/2017	1986	35.814633	-86.126483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.1
080A2260001	CANNON	0A226	0.188	EAST FORK STONES RIVER	OPEN	5/10/2017	1990	35.82035	-86.114383	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
080A2270001	CANNON	0A227	0.103	HOLLIS CREEK	OPEN	5/11/2017	1998	35.796433	-86.107	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
080A2280001	CANNON	0A228	0.012	HOLLIS CREEK	OPEN	5/11/2017	1960	35.7949	-86.101817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54
080A2290001	CANNON	0A229	1.344	BRANCH	OPEN	5/11/2017	1997	35.81195	-86.088517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
080A2330001	CANNON	0A233	0.09	EAST FORK STONES RIVER	OPEN	5/11/2017	1968	35.825067	-86.08225	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
080A2370001	CANNON	0A237	0.239	W. COLLEGE ST / BRANCH	OPEN	5/1/2017	1995	35.820517	-86.07545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
080A2390001	CANNON	0A239	0.185	S. LYNN ST. / BRANCH	OPEN	5/1/2017	2002	35.818083	-86.071667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
080A2860001	CANNON	0A286	0.005	DOOLITTLE BRANCH	OPEN	5/1/2017	2008	35.83855	-86.07175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
080A2910001	CANNON	0A291	0.099	HURRICANE CREEK	WEIGHT POSTED	5/10/2017	1965	35.9459	-86.068217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.6
080A2920001	CANNON	0A292	0.01	HURRICANE CREEK	WEIGHT POSTED	5/10/2017	2006	35.935967	-86.0735	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.9
080A2930001	CANNON	0A293	0.005	HURRICANE CREEK	WEIGHT POSTED	5/25/2017	1965	35.93195	-86.074817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.2
080A2950001	CANNON	0A295	0.01	HURRICANE CREEK	OPEN	5/25/2017	2011	35.921667	-86.071917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
080A3030001	CANNON	0A303	0.003	LOCKE CREEK	WEIGHT POSTED	5/15/2017	1960	35.944733	-86.13015	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.4
080A3070001	CANNON	0A307	0	LOCKE CREEK	WEIGHT POSTED	5/15/2017	1960	35.826433	-86.1407	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.4
080A3080001	CANNON	0A308	0.01	LOCKE CREEK	OPEN	5/15/2017	2008	35.825733	-86.141483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
080A3160001	CANNON	0A316	0.215	LEACH CREEK	CLOSED	5/16/2017	1960	35.941983	-86.109633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.4
080A3290001	CANNON	0A329	0	WILMOUTH CREEK	OPEN	5/25/2017	1965	35.901933	-85.991267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	43.8
080A3300001	CANNON	0A330	0	WILMOUTH CREEK	WEIGHT POSTED	5/16/2017	1965	35.9076	-85.98985	STEEL	STRINGER/MULTI-BEAM OR GIRDER	19.7
080A3310001	CANNON	0A331	0	WILMORE CREEK	WEIGHT POSTED	5/25/2017	1950	35.91185	-85.993083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	33.3
080A3320001	CANNON	0A332	0	WILMORE CREEK	WEIGHT POSTED	5/25/2017	1950	35.917417	-85.991683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.4
080A3470001	CANNON	0A347	0.002	CLEAR FORK CREEK	OPEN	5/25/2017	2013	35.929883	-85.991367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.4
080A3490001	CANNON	0A349	0	EAST FORK STONES RIVER	OPEN	5/2/2017	2017	35.83025	-86.007483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
080A3510001	CANNON	0A351	0	EAST FORK STONES RIVER	OPEN	5/2/2017	2017	35.831383	-86.000867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
080A3540001	CANNON	0A354	0	EAST FORK STONES RIVER	WEIGHT POSTED	5/16/2017	1965	35.83805	-85.980917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
080A3830001	CANNON	0A383	0.004	HILL CREEK	WEIGHT POSTED	5/25/2017	1960	35.813983	-86.045867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21
080A3850001	CANNON	0A385	0.012	HILL CREEK	WEIGHT POSTED	5/25/2017	1965	35.806217	-86.03955	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.3
080A3950001	CANNON	0A395	0.01	SMITH BRANCH	OPEN	5/3/2017	1965	35.764117	-86.120117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.7
080A4020001	CANNON	0A402	0.077	CARSON FORK CREEK	WEIGHT POSTED	5/3/2017	1965	35.751	-86.130383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.7
080A4060001	CANNON	0A406	0.07	BRAWLEY'S FORK CREEK	WEIGHT POSTED	5/2/2017	1965	35.735783	-86.172667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.9
080A4120001	CANNON	0A412	0	HOLLIS CREEK	OPEN	5/11/2017	2014	35.806933	-86.115067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.5
080A4140001	CANNON	0A414	0.041	HOLLIS CREEK	OPEN	5/11/2017	1965	35.791217	-86.087617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.1
080A4250001	CANNON	0A425	0.117	EAST FORK STONES RIVER	OPEN	5/16/2017	2013	35.823583	-86.095167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	71.9
080A4470001	CANNON	0A447	0.731	BRANCH	OPEN	5/1/2017	2015	35.796117	-86.043033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
080A4630001	CANNON	0A463	0.03	HILL CREEK	WEIGHT POSTED	5/2/2017	1950	35.809722	-86.043333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20.9
08SR0010020	CANNON	SR001	1.32	CARSON FORK CREEK	OPEN	1/18/2017	1987	35.806517	-86.155633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
08SR0010019	CANNON	SR001	1.32	CARSON FORK CREEK	OPEN	1/10/2017	1987	35.806283	-86.155367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
08SR0010021	CANNON	SR001	3.41	HOLLIS CREEK	OPEN	1/18/2017	1987	35.8127	-86.121167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5
08SR0010023	CANNON	SR001	4.96	SMALL BRANCH	OPEN	1/24/2017	1988	35.819967	-86.09535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
08SR0010025	CANNON	SR001	5.32	EAST FORK STONES RIVER	OPEN	1/24/2017	1987	35.823067	-86.090017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
08SR0010026	CANNON	SR001	5.32	EAST FORK STONES RIVER	OPEN	1/24/2017	1987	35.823167	-86.09045	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
08SR0010027	CANNON	SR001	5.52	RUSH CREEK	OPEN	1/18/2017	1987	35.824467	-86.087233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
08SR0010011	CANNON	SR001	6.15	EAST FORK STONES RIVER	OPEN	1/10/2017	1924	35.828167	-86.07715	CONCRETE	TEE BEAM	49.5
08SR0010013	CANNON	SR001	7.23	HILL CREEK	OPEN	1/18/2017	2013	35.826267	-86.058617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
08SR0010029	CANNON	SR001	13.54	CRANE BRANCH	OPEN	1/9/2017	2016	35.77325	-85.977908	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
08SR0530001	CANNON	SR053	0.43	HAYES CREEK	OPEN	1/10/2017	1934	35.651633	-86.065933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
08SR0530003	CANNON	SR053	1.45	DUKE CREEK	OPEN	1/10/2017	1994	35.666317	-86.064017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.7
08SR0530005	CANNON	SR053	3.24	LEWIS CREEK	OPEN	1/10/2017	2003	35.675467	-86.060717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
08SR0530007	CANNON	SR053	4.91	MCMAHAN CREEK	OPEN	1/9/2017	1934	35.716367	-86.057617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.1
08SR0530009	CANNON	SR053	5.22	BRANCH	OPEN	1/9/2017	1934	35.720717	-86.057033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.1
08SR0530011	CANNON	SR053	14.54	EAST FORK STONES RIVER	OPEN	1/10/2017	1952	35.831783	-86.035667	CONCRETE	TEE BEAM	64.3
08SR0530017	CANNON	SR053	17.01	ROCKHOUSE CREEK	OPEN	1/9/2017	1932	35.864817	-86.031783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
08SR0530013	CANNON	SR053	19.65	CONNELL CREEK	OPEN	1/9/2017	1932	35.899333	-86.027967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
08SR0530015	CANNON	SR053	21.73	BRANCH	OPEN	1/9/2017	1932	35.922383	-86.008267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.1
08SR0640001	CANNON	SR064	2.1	BRANCH	OPEN	2/1/2017	1991	35.724633	-86.187167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
08E00170001	CANNON	SR064	2.92	BRAWLEY'S FORK CREEK	OPEN	2/1/2017	1980	35.7276	-86.173717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
08E00170003	CANNON	SR064	3.7	SHELTON BRANCH	OPEN	2/1/2017	1985	35.735583	-86.167283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
08S43570003	CANNON	SR064	8.95	CARSON FORK CREEK	OPEN	2/1/2017	1969	35.803783	-86.150567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.6
08SR0960001	CANNON	SR096	0.96	BRANCH	OPEN	2/1/2017	1979	35.937117	-86.138	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
08SR0960003	CANNON	SR096	1.55	LEACH CREEK	OPEN	2/1/2017	1979	35.590233	-86.127583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
08SR0960005	CANNON	SR096	3.22	MARSHALL CREEK	OPEN	2/1/2017	1979	35.950583	-86.101467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
08S61900001	CANNON	SR099	1.29	BRAWLEY'S FORK CREEK	OPEN	2/1/2017	1956	35.745767	-86.170867	CONCRETE	TEE BEAM	74.6
08SR1450001	CANNON	SR145	1.43	RUSH CREEK	OPEN	2/13/2017	1930	35.8442	-86.094433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
08SR1450003	CANNON	SR145	1.95	RUSH CREEK	OPEN	2/13/2017	1951	35.851467	-86.096	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.6
08SR1450005	CANNON	SR145	4.74	SANDERS FORK CREEK	OPEN	2/13/2017	1999	35.888031	-86.101697	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
08SR1450007	CANNON	SR145	6.04	MINGLE BRANCH	OPEN	2/16/2017	1951	35.906517	-86.103867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
08SR1450009	CANNON	SR145	6.68	MCKNIGHT BRANCH	OPEN	2/16/2017	1952	35.915333	-86.1032	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.3
08SR1450011	CANNON	SR145	8.96	CARTER CREEK	OPEN	2/1/2017	1951	35.944333	-86.0953	CONCRETE	TEE BEAM	87.5
08SR1450013	CANNON	SR145	9.33	MARSHALL CREEK	OPEN	2/1/2017	1988	35.948533	-86.094833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
08SR1460001	CANNON	SR146	6.445	MOUNTAIN CREEK	OPEN	2/16/2017	1948	35.852367	-85.943333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2
08SR1460003	CANNON	SR146	8.565	DRY CREEK	OPEN	2/16/2017	1948	35.868047	-85.922892	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
08SR1460005	CANNON	SR146	8.875	BRANCH	OPEN	2/16/2017	1948	35.8703	-85.9191	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
09008120005	CARROLL	00812	4.37	BRANCH	OPEN	11/30/2015	1960	35.925861	-88.576028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
09008120003	CARROLL	00812	5.75	RUTHERFORD FK OBION RIVE	OPEN	12/8/2015	1975	35.907361	-88.575	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
09008120001	CARROLL	00812	8.06	GRASSY HOLLOW CREEK	OPEN	11/30/2015	1959	35.880389	-88.595278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
09008140001	CARROLL	00814	2.03	BEAVER CREEK	OPEN	12/2/2015	1960	35.939083	-88.377528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	57.8
09008140003	CARROLL	00814	3.49	HAWKINS CREEK	OPEN	11/30/2015	2012	35.927111	-88.358278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.5
09008140005	CARROLL	00814	5.88	BACON CREEK	OPEN	12/2/2015	2000	35.910861	-88.323556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
09008140007	CARROLL	00814	7.58	OVERFLOW	OPEN	12/7/2015	2010	35.89295	-88.31105	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
09008140009	CARROLL	00814	7.66	BIG SANDY RIVER	OPEN	12/7/2015	2010	35.892817	-88.309717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.7
09017260003	CARROLL	00969	3.06	TODD CREEK	OPEN	12/7/2015	1994	36.102389	-88.58225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
09016990001	CARROLL	01699	8.43	INDIAN CREEK	OPEN	12/2/2015	1987	35.949806	-88.282333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
09017010001	CARROLL	01701	1.54	BRIER CREEK	OPEN	12/11/2015	1982	35.972583	-88.429889	CONCRETE	CHANNEL BEAM	74.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
09017070001	CARROLL	01707	2.74	OVERFLOW	OPEN	12/2/2015	1989	36.002167	-88.243417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
09017070003	CARROLL	01707	2.76	OVERFLOW	OPEN	12/2/2015	1989	36.00225	-88.243833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
09017070007	CARROLL	01707	2.86	BIG SANDY R. DR. CANAL	OPEN	12/9/2015	1989	36.00225	-88.2455	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.3
09017090001	CARROLL	01709	3.69	CHERRY CREEK	OPEN	12/2/2015	1970	36.048111	-88.241806	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72.2
09017120001	CARROLL	01712	2.33	MILL CREEK	OPEN	11/30/2015	1995	35.902361	-88.571083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
09017140001	CARROLL	01714	1.52	STEEP BANK BRANCH	OPEN	12/9/2015	1970	35.921444	-88.619056	CONCRETE	CHANNEL BEAM	84.5
09017140003	CARROLL	01714	2.69	BRANCH	OPEN	12/9/2015	1970	35.917333	-88.600139	CONCRETE	CHANNEL BEAM	73.4
09S80350005	CARROLL	01714	3.77	GRASSY HOLLOW CREEK	OPEN	11/30/2015	2015	35.907083	-88.588278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
09017180001	CARROLL	01718	0.38	BEAVER CREEK	OPEN	12/11/2015	1984	35.923389	-88.396833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
09017200001	CARROLL	01720	5.31	REEDY CREEK	OPEN	12/11/2015	2010	35.963833	-88.506533	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.1
09017220001	CARROLL	01722	3.05	BRANCH	OPEN	12/1/2015	1987	36.006472	-88.660556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
09017220003	CARROLL	01722	3.25	DEMOSS BRANCH	OPEN	12/1/2015	1985	36.006889	-88.656972	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.7
09017240001	CARROLL	01724	0.82	BRANCH	OPEN	12/3/2015	1965	36.026111	-88.3665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
09017260005	CARROLL	01726	1.1	BRANCH	OPEN	12/1/2015	1991	36.098028	-88.546389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
090A3420001	CARROLL	01746	0.55	CROOKED CREEK	OPEN	12/8/2015	1986	36.086417	-88.336222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
090A3460001	CARROLL	01746	3.92	ALLAN CREEK	OPEN	12/8/2015	1984	36.089278	-88.282083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
090A3180003	CARROLL	01755	1.53	MARTIN CREEK	OPEN	12/8/2015	1983	36.133417	-88.305444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
09S81490003	CARROLL	01756	3.08	BURROW CREEK	OPEN	12/1/2015	1940	36.090167	-88.419694	CONCRETE	CHANNEL BEAM	76.9
09S81490005	CARROLL	01756	3.15	GUINS CREEK	OPEN	12/8/2015	1988	36.089917	-88.418611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.5
090A2860007	CARROLL	01756	3.35	OVERFLOW	OPEN	12/1/2015	1987	36.08925	-88.415167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A0210001	CARROLL	0A021	2.232	DEMOSS CREEK	OPEN	12/4/2015	1970	36.024944	-88.660194	CONCRETE	CHANNEL BEAM	72.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
090A0590001	CARROLL	0A059	2.607	HALLEY CREEK	OPEN	12/4/2015	1975	36.016972	-88.573722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72.3
090A0590003	CARROLL	0A059	2.676	REEDY CREEK	OPEN	12/1/2015	1998	36.016889	-88.572778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.9
090A0700001	CARROLL	0A070	2.059	BRANCH	OPEN	12/1/2015	1969	36.0495	-88.617917	CONCRETE	CHANNEL BEAM	83.5
090A0700003	CARROLL	0A070	2.578	SHORT BRANCH	OPEN	12/1/2015	1984	36.0505	-88.627028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
090A0710001	CARROLL	0A071	0.086	SHORT BRANCH	OPEN	12/1/2015	1995	36.038889	-88.627833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
090A0740001	CARROLL	0A074	0.565	OVERFLOW	OPEN	12/7/2015	1969	36.05825	-88.665167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.8
090A0740003	CARROLL	0A074	0.686	SOUTH FORK OBION RIVER	OPEN	12/7/2015	1969	36.059917	-88.665056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
090A0740005	CARROLL	0A074	0.926	OVERFLOW	OPEN	12/7/2015	1970	36.063444	-88.664694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
090A0740007	CARROLL	0A074	1.061	OVERFLOW	OPEN	12/7/2015	1989	36.065417	-88.664611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.2
090A0780001	CARROLL	0A078	0.779	BRANCH	OPEN	12/1/2015	1989	35.954194	-88.681611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
090A0790001	CARROLL	0A079	0.649	BRANCH	OPEN	12/1/2015	1984	35.964611	-88.679778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
090A0800001	CARROLL	0A080	2.427	SANDY BRANCH	OPEN	12/1/2015	1987	35.951139	-88.649611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
090A0990001	CARROLL	0A099	4.441	HALLEY CREEK	OPEN	12/11/2015	1988	35.987722	-88.570417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
090A1010001	CARROLL	0A101	0.652	BRANCH	OPEN	12/4/2015	1993	35.975861	-88.567167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A1130001	CARROLL	0A113	0.27	BRANCH	OPEN	12/8/2015	1996	35.989861	-88.516278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
090A1190005	CARROLL	0A119	1.796	BRANCH	OPEN	12/4/2015	1988	36.059861	-88.543583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.2
090A1260001	CARROLL	0A126	1.262	BRANCH	OPEN	12/2/2015	1970	36.102778	-88.594583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.5
090A1270001	CARROLL	0A127	1.567	BRANCH	OPEN	12/2/2015	1983	36.085722	-88.643667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
090A1300001	CARROLL	0A130	1.417	PLUM CREEK	OPEN	12/2/2015	1984	36.090944	-88.626333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
090A1350001	CARROLL	0A135	0.424	ELENDER CREEK	OPEN	12/2/2015	1983	36.112528	-88.577361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
090A1360001	CARROLL	0A136	0.97	TODD CREEK	OPEN	12/2/2015	2001	36.088917	-88.583556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
090A1390001	CARROLL	0A139	1.43	BRANCH	OPEN	12/2/2015	1970	36.091889	-88.552472	CONCRETE	CHANNEL BEAM	46.9
090A2580001	CARROLL	0A258	0.491	SPRING CREEK	OPEN	12/11/2015	1960	36.12175	-88.507556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
090A2710001	CARROLL	0A271	1.196	SPRING CREEK	OPEN	12/2/2015	1995	36.100278	-88.499889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
090A2740001	CARROLL	0A274	0.184	SPRING CREEK	OPEN	12/4/2015	1983	36.097	-88.495472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A2820001	CARROLL	0A282	1.539	PETTIJOHN BRANCH	OPEN	12/7/2015	1975	36.143861	-88.418194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
090A2880001	CARROLL	0A288	0.82	BRANCH	OPEN	12/7/2015	1984	36.088667	-88.435639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
090A3000001	CARROLL	0A300	0.52	OBION RIVER	OPEN	5/9/2017	2017	35.831389	-88.468028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
090A3010001	CARROLL	0A301	0.076	BRANCH	OPEN	12/4/2015	1984	36.107083	-88.424528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A3110001	CARROLL	0A311	1.235	GUINS CREEK	OPEN	12/14/2015	1989	36.113444	-88.396611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
090A3120001	CARROLL	0A312	1.118	BRANCH	OPEN	12/4/2015	1987	36.122	-88.383389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A3330003	CARROLL	0A333	0.889	CROOKED CREEK	OPEN	12/4/2015	1999	36.065361	-88.369361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.4
090A3420003	CARROLL	0A342	2.862	MARTIN CREEK	OPEN	12/4/2015	1983	36.124611	-88.290556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A3540001	CARROLL	0A354	3.002	BRANCH	OPEN	12/4/2015	1983	36.13075	-88.21325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
090A3710001	CARROLL	0A371	1.055	CARVER CREEK	OPEN	12/4/2015	1984	36.067917	-88.33925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
090A3710003	CARROLL	0A371	2.336	BRANCH	OPEN	12/4/2015	1991	36.059306	-88.356139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A3860001	CARROLL	0A386	0.258	HOLLOW ROCK BRANCH	OPEN	12/14/2015	1984	36.037472	-88.275139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A3860003	CARROLL	0A386	2.468	HOLLOW ROCK BRANCH	WEIGHT POSTED	12/14/2015	1960	36.046944	-88.243389	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	64.7
090A3930001	CARROLL	0A393	0.344	HOLLOW ROCK BRANCH	WEIGHT POSTED	12/14/2015	1970	36.039222	-88.281361	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20
090A4580001	CARROLL	0A458	0.399	OVERFLOW	OPEN	12/7/2015	1950	36.03975	-88.223583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
090A4580003	CARROLL	0A458	0.69	HUNTING CREEK	OPEN	12/7/2015	1940	36.041028	-88.2185	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	73.2
090A4630001	CARROLL	0A463	0.87	LYLE BRANCH	OPEN	12/9/2015	1983	35.989056	-88.243861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A4740001	CARROLL	0A474	0.832	BRANCH	OPEN	12/14/2015	1993	36.018278	-88.363361	CONCRETE	CHANNEL BEAM	83.5
090A4800001	CARROLL	0A480	2.33	BALL CREEK	OPEN	12/9/2015	1984	35.955917	-88.304389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
090A4810003	CARROLL	0A481	0.859	BIG SANDY RIVER	OPEN	12/9/2015	1987	35.960278	-88.27	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.1
090A4810005	CARROLL	0A481	0.912	OVERFLOW	OPEN	12/9/2015	1987	35.959778	-88.269222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.1
090A4840003	CARROLL	0A484	0.325	LITTLE BEAVER CREEK	OPEN	12/11/2015	1984	35.996722	-88.374722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
090A4910001	CARROLL	0A491	1.66	LITTLE BEAVER CREEK	OPEN	12/11/2015	2004	35.986028	-88.387639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.5
090A5050001	CARROLL	0A505	0.676	BRIER CREEK	OPEN	12/14/2015	1983	36.052444	-88.415444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
090A5060001	CARROLL	0A506	0.532	BRANCH	OPEN	12/14/2015	1983	36.042278	-88.437444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
090A5430001	CARROLL	0A543	0.496	PAVED DITCH	OPEN	12/14/2015	1988	36.009028	-88.423917	CONCRETE	CHANNEL BEAM	70.4
090A5520001	CARROLL	0A552	0.306	PAVED DITCH	OPEN	12/14/2015	1988	36.004139	-88.426278	CONCRETE	CHANNEL BEAM	70.4
090A5720001	CARROLL	0A572	0.887	BRANCH	OPEN	12/11/2015	1950	36.0085	-88.408528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.9
090A6150001	CARROLL	0A615	0.76	BRANCH	OPEN	12/11/2015	1987	35.948806	-88.442889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A6190003	CARROLL	0A619	0.621	HAWKINS CREEK	OPEN	12/11/2015	1991	35.938528	-88.364917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
090A6400001	CARROLL	0A640	1.06	MAPLE CREEK	OPEN	12/8/2015	1993	35.889197	-88.285883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
090A6410001	CARROLL	0A641	1.894	MAPLE CREEK	OPEN	12/8/2015	1996	35.893972	-88.279611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A6520001	CARROLL	0A652	3.179	BEACON CREEK	OPEN	12/8/2015	2005	35.862083	-88.344056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
090A6800001	CARROLL	0A680	0.93	ROANE CREEK	OPEN	12/8/2015	1975	35.871806	-88.408556	CONCRETE	CHANNEL BEAM	83.9
090A6840001	CARROLL	0A684	0.59	ROAN CREEK	OPEN	12/8/2015	1993	35.882111	-88.419361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A6860001	CARROLL	0A686	2.543	ROAN CREEK	OPEN	12/8/2015	1984	35.885639	-88.426389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
090A6870001	CARROLL	0A687	0.589	CANE CREEK	OPEN	12/8/2015	1984	35.871472	-88.483556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A7080001	CARROLL	0A708	1.744	RUTHERFORD FK. OBION RV	OPEN	12/9/2015	2005	35.881194	-88.514722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
090A7080003	CARROLL	0A708	1.788	OVERFLOW	OPEN	12/9/2015	2005	35.881056	-88.514139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
090A7230001	CARROLL	0A723	0.573	BARDWELL BRANCH	OPEN	12/11/2015	1983	35.829917	-88.479889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
090A7240001	CARROLL	0A724	1.669	RUTHERFORD FK. OBION RV	OPEN	12/11/2015	1993	35.83925	-88.482833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A7280001	CARROLL	0A728	2.513	RUTHERFORD FK. OBION RV	OPEN	12/8/2015	1984	35.920611	-88.548056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.5
090A7290001	CARROLL	0A729	0.687	BRANCH	OPEN	12/8/2015	1987	35.934639	-88.566278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
090A7640001	CARROLL	0A764	0.608	DRY CREEK	OPEN	12/11/2015	2002	35.805861	-88.697528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
090A7670003	CARROLL	0A767	0.713	DRY CREEK	OPEN	12/11/2015	1993	35.81625	-88.693722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
090A7770003	CARROLL	0A777	1.277	JOHN'S CREEK	OPEN	12/11/2015	1991	35.883611	-88.636722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
09SR0010001	CARROLL	SR001	0.47	BRANCH	OPEN	11/3/2015	1924	35.794611	-88.638778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
09SR0010003	CARROLL	SR001	1.88	OVERFLOW	OPEN	11/3/2015	2002	35.807778	-88.619806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
09SR0010005	CARROLL	SR001	2.04	M. FK. FORKED DEER RIVER	OPEN	11/3/2015	1924	35.809639	-88.617944	CONCRETE	TEE BEAM	80
09SR0010007	CARROLL	SR001	10.95	OVERFLOW	OPEN	11/3/2015	1928	35.905639	-88.521639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.7
09SR0010009	CARROLL	SR001	11.02	RUTHERFORD FK OBION RIVE	OPEN	11/3/2015	1924	35.9065	-88.520861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.3
09SR0010011	CARROLL	SR001	11.13	OVERFLOW	OPEN	11/3/2015	1928	35.907861	-88.519611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
09SR0010013	CARROLL	SR001	13.08	BRANCH	OPEN	11/3/2015	1928	35.929	-88.497361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
09SR0010047	CARROLL	SR001	14.32	BRANCH	OPEN	11/3/2015	1924	35.940083	-88.481833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
09SR0010015	CARROLL	SR001	14.43	REEDY CREEK	OPEN	11/3/2015	1928	35.941361	-88.480306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.1
09SR0010017	CARROLL	SR001	19.25	BEAVER CREEK	OPEN	11/3/2015	1928	35.998361	-88.433889	CONCRETE	TEE BEAM	73.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
09SR0010019	CARROLL	SR001	20.88	BRANCH	OPEN	11/3/2015	1922	36.006639	-88.40775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.8
09SR0010021	CARROLL	SR001	22.14	BRANCH	OPEN	11/3/2015	1928	36.013778	-88.386889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
09SR0010023	CARROLL	SR001	23.46	BRANCH	OPEN	11/3/2015	1928	36.023889	-88.367083	CONCRETE	TEE BEAM	79.5
09SR0010025	CARROLL	SR001	24.87	BRANCH	OPEN	11/3/2015	1928	36.031111	-88.344472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
09SR0010027	CARROLL	SR001	26.93	BRANCH	OPEN	11/3/2015	1950	36.037889	-88.308972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.8
09SR0010029	CARROLL	SR001	27.88	BRANCH	OPEN	11/4/2015	1928	36.037944	-88.291972	CONCRETE	TEE BEAM	78.2
09SR0010031	CARROLL	SR001	28.56	BRANCH	OPEN	11/3/2015	1950	36.034472	-88.280167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
09SR0010033	CARROLL	SR001	28.64	CSX RR (ABANDONED)	OPEN	11/4/2015	1950	36.034222	-88.278833	CONCRETE	TEE BEAM	67.3
09SR0010035	CARROLL	SR001	29.73	BRANCH	OPEN	11/4/2015	1950	36.035278	-88.259639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.8
09SR0010037	CARROLL	SR001	31.17	OVERFLOW	OPEN	11/4/2015	1950	36.037694	-88.234806	CONCRETE	TEE BEAM	50.2
09SR0010039	CARROLL	SR001	31.33	OVERFLOW	OPEN	11/4/2015	1950	36.037306	-88.231972	CONCRETE	TEE BEAM	48.2
09SR0010041	CARROLL	SR001	31.47	BIG SANDY RIVER	OPEN	11/4/2015	1950	36.037028	-88.229333	CONCRETE	TEE BEAM	51.5
09SR0010043	CARROLL	SR001	31.65	OVERFLOW	OPEN	11/4/2015	1950	36.036583	-88.226222	CONCRETE	TEE BEAM	51.2
09SR0224001	CARROLL	SR022	0.34	BRIER CREEK	OPEN	11/17/2015	1968	35.987778	-88.420556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
09SR0220001	CARROLL	SR022	0.43	MUD CREEK	OPEN	11/5/2015	1997	35.827444	-88.389536	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.7
09SR0220004	CARROLL	SR022	1.98	ROAN DRAINAGE CANEL	OPEN	11/5/2015	1997	35.850167	-88.39125	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
09SR0220003	CARROLL	SR022	1.98	ROAN DRAINAGE CANAL	OPEN	11/5/2015	1997	35.849861	-88.390972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.7
09SR0224003	CARROLL	SR022	2.89	BEAVER CREEK	OPEN	11/17/2015	1969	36.012472	-88.445056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.5
09SR0224007	CARROLL	SR022	3.09	OVERFLOW	OPEN	11/17/2015	1967	36.015306	-88.444611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
09SR0224005	CARROLL	SR022	3.1	CSX RAILROAD	OPEN	11/17/2015	1969	36.000278	-88.444722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.2
09SR0220005	CARROLL	SR022	6.31	DRAINAGE DITCH	OPEN	11/5/2015	1999	35.911778	-88.401667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
09SR0220007	CARROLL	SR022	6.77	DRAINAGE DITCH	OPEN	11/5/2015	1999	35.918583	-88.402611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
09SR0220008	CARROLL	SR022	6.77	DRAINAGE DITCH	OPEN	11/5/2015	1999	35.918333	-88.402833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
09SR0220010	CARROLL	SR022	6.86	BEAVER CREEK	OPEN	11/9/2015	1999	35.919639	-88.403111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
09SR0220009	CARROLL	SR022	6.86	BEAVER CREEK	OPEN	11/9/2015	1999	35.919917	-88.402861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
09SR0220012	CARROLL	SR022	7.51	BUTLER BRANCH	OPEN	11/9/2015	1999	35.92925	-88.404583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
09SR0220011	CARROLL	SR022	7.51	BUTLER BRANCH	OPEN	11/9/2015	1999	35.929306	-88.404333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
09SR0220025	CARROLL	SR022	8.97	HILLARD BRANCH	OPEN	11/9/2015	1999	35.950389	-88.407583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
09SR0220026	CARROLL	SR022	8.97	HILLARD BRANCH	OPEN	11/9/2015	1999	35.950111	-88.40775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
09SR0224027	CARROLL	SR022	10.03	DRAINAGE DITCH	OPEN	11/4/2015	1999	35.965833	-88.407806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
09SR0224029	CARROLL	SR022	10.61	DRAINAGE DITCH	OPEN	11/4/2015	1999	35.973722	-88.406361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
09SR0224031	CARROLL	SR022	10.84	BRANCH	OPEN	11/4/2015	1999	35.977083	-88.405639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
09SR0224025	CARROLL	SR022	11.91	SR364	OPEN	11/4/2015	1999	35.991694	-88.411028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
09SR0220013	CARROLL	SR022	12.72	OVERFLOW	OPEN	11/4/2015	2010	35.995389	-88.42175	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4
09SR0220015	CARROLL	SR022	12.85	BEAVER CREEK	OPEN	11/4/2015	2010	35.996583	-88.423317	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.4
09SR0220017	CARROLL	SR022	12.94	OVERFLOW	OPEN	11/4/2015	2010	35.9976	-88.4246	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.6
09SR0220019	CARROLL	SR022	17.26	CROOKED CREEK	OPEN	11/4/2015	1991	36.053944	-88.457222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59.1
09SR0220022	CARROLL	SR022	20.82	CLEAR CREEK	OPEN	11/4/2015	1991	36.09925	-88.48625	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
09SR0220021	CARROLL	SR022	20.82	CLEAR CREEK	OPEN	11/5/2015	1991	36.0995	-88.485944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.6
09SR0220024	CARROLL	SR022	23.85	SR 76 (US 79)	OPEN	11/5/2015	1997	36.140806	-88.488639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
09SR0220023	CARROLL	SR022	23.85	SR 76 (US 79)	OPEN	11/5/2015	1997	36.140917	-88.488278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
09SR0760001	CARROLL	SR076	4.23	BRANCH	OPEN	11/9/2015	1929	35.998	-88.638833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
09SR0760003	CARROLL	SR076	9.55	HALLEY CREEK	OPEN	11/9/2015	1982	36.057889	-88.579528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.1
09SR0760005	CARROLL	SR076	9.67	OVERFLOW	OPEN	11/9/2015	1984	36.059333	-88.578111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.1
09SR0760007	CARROLL	SR076	10.68	OVERFLOW	OPEN	11/10/2015	1985	36.070917	-88.567306	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.1
09SR0760009	CARROLL	SR076	11	SOUTH FORK OBION RIVER	OPEN	11/10/2015	1986	36.074611	-88.563833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.1
09SR0760011	CARROLL	SR076	11.35	OVERFLOW	OPEN	11/10/2015	1985	36.07875	-88.560056	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84
09SR0760015	CARROLL	SR076	13.26	BRANCH	OPEN	11/9/2015	2009	36.10075	-88.539444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
09SR0760017	CARROLL	SR076	13.54	BRANCH	OPEN	11/9/2015	2009	36.104183	-88.536717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
09SR0760021	CARROLL	SR076	15.64	SPRING CREEK	OPEN	11/9/2015	1951	36.127167	-88.5125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
09SR0770001	CARROLL	SR077	4.2	WHITE CREEK	OPEN	11/9/2015	1993	35.982472	-88.597028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.4
09SR0770003	CARROLL	SR077	4.79	BRANCH	OPEN	11/9/2015	1993	35.98275	-88.586806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
09SR0770005	CARROLL	SR077	6.02	HALLEY CREEK	OPEN	11/9/2015	1994	35.9925	-88.573472	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.4
09SR0770009	CARROLL	SR077	7.93	BRANCH	OPEN	11/9/2015	2004	36.004433	-88.543611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
09SR0770029	CARROLL	SR077	8.06	BRANCH	OPEN	11/10/2015	2006	36.004333	-88.540783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
09SR0770011	CARROLL	SR077	9.29	REEDY CREEK	OPEN	11/10/2015	1984	36.0025	-88.519722	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.5
09SR0770031	CARROLL	SR077	11.92	BRANCH	OPEN	11/10/2015	2006	36.013067	-88.4787	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
09SR0770013	CARROLL	SR077	13.34	ROCK CREEK	OPEN	11/10/2015	1997	36.009417	-88.455	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.8
09SR0770015	CARROLL	SR077	16.76	BRIAR CREEK	OPEN	11/10/2015	1993	36.038917	-88.405306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
09SR0770017	CARROLL	SR077	16.97	BRANCH	OPEN	11/10/2015	1993	36.041333	-88.405028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
09SR0770019	CARROLL	SR077	18.52	CROOKED CREEK	OPEN	11/9/2015	1996	36.064417	-88.404778	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
09SR0770025	CARROLL	SR077	21.41	BRANCH	OPEN	11/17/2015	1990	36.08175	-88.361028	CONCRETE	CHANNEL BEAM	84.1
09SR0770027	CARROLL	SR077	23.79	BRANCH	OPEN	11/17/2015	1959	36.107056	-88.339278	CONCRETE	CHANNEL BEAM	62.7
09SR1040001	CARROLL	SR104	0.77	BRANCH	OPEN	11/12/2015	1950	35.910111	-88.686222	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.1
09SR1040003	CARROLL	SR104	2.73	JONES CREEK	OPEN	11/12/2015	1986	35.909083	-88.651417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.8
09SR1040005	CARROLL	SR104	5.03	STEEP BANK BRANCH	OPEN	11/12/2015	1986	35.895611	-88.627556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
09SR1040007	CARROLL	SR104	6.74	BRANCH	OPEN	11/12/2015	1929	35.880583	-88.608972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
09SR1040009	CARROLL	SR104	7.67	GRASSY HOLLOW CREEK	OPEN	11/12/2015	1991	35.875361	-88.593889	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	92.7
09SR1040011	CARROLL	SR104	8.94	BRANCH	OPEN	11/12/2015	1991	35.874611	-88.573444	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	89.3
09SR1040013	CARROLL	SR104	9.14	BRANCH	OPEN	11/12/2015	1985	35.873472	-88.570111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
09SR1040015	CARROLL	SR104	11.08	BRANCH	OPEN	11/17/2015	1985	35.812722	-88.588917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.8
09SR1050009	CARROLL	SR105	0.07	THOMPSON CREEK	OPEN	11/12/2015	1987	36.048306	-88.692306	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.6
09SR1050001	CARROLL	SR105	0.87	BRANCH	OPEN	11/12/2015	1987	36.048667	-88.678056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
09SR1050003	CARROLL	SR105	1.86	DEMOSS CREEK	OPEN	11/12/2015	1987	36.049694	-88.660611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.8
09SR1050005	CARROLL	SR105	6.54	BRANCH	OPEN	11/12/2015	1929	36.001056	-88.611139	CONCRETE	CHANNEL BEAM	84.6
09SR1050007	CARROLL	SR105	8.24	WHITE CREEK	OPEN	11/17/2015	2002	35.995139	-88.581944	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.7
09S81460003	CARROLL	SR114	7.06	HORN CREEK	OPEN	11/10/2015	1972	35.857444	-88.320611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
09S81460005	CARROLL	SR114	12.83	MAPLE CREEK	OPEN	11/17/2015	1961	35.922917	-88.298611	CONCRETE	CHANNEL BEAM	55.5
09S81460007	CARROLL	SR114	15.29	BIG SANDY RIVER	OPEN	11/17/2015	2005	35.955467	-88.284417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.1
09S81460009	CARROLL	SR114	18.06	MOORE CREEK	OPEN	11/17/2015	1959	35.995722	-88.27825	CONCRETE	CHANNEL BEAM	76.8
09S80240013	CARROLL	SR114	20.93	HOLLOW ROCK CREEK	OPEN	11/10/2015	1954	36.037111	-88.273861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.9
09S80240015	CARROLL	SR114	21.93	CHERRY CREEK	OPEN	11/10/2015	1955	36.051389	-88.272167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
09S80240017	CARROLL	SR114	23.65	ALLEN CREEK	OPEN	11/17/2015	1950	36.074139	-88.265889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61
09S80240019	CARROLL	SR114	26.69	MARTIN CREEK	OPEN	11/17/2015	2000	36.111278	-88.256722	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
09SR1240001	CARROLL	SR124	1.2	BRANCH	OPEN	11/9/2015	1950	36.130028	-88.513722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.4
09S80950001	CARROLL	SR190	3.04	OBION RIVER	OPEN	11/23/2015	1953	36.056917	-88.622444	CONCRETE	TEE BEAM	77.3
09S80950003	CARROLL	SR190	3.12	OVERFLOW	OPEN	11/23/2015	1953	36.058056	-88.622917	CONCRETE	TEE BEAM	79.8
09S80950005	CARROLL	SR190	3.23	BRANCH	OPEN	11/19/2015	1953	36.059722	-88.622889	CONCRETE	TEE BEAM	63.1
09S80950007	CARROLL	SR190	3.32	OVERFLOW	OPEN	11/23/2015	1953	36.061056	-88.622417	CONCRETE	TEE BEAM	64.1
09S80950009	CARROLL	SR190	3.37	OVERFLOW	OPEN	11/23/2015	1953	36.061389	-88.622306	CONCRETE	TEE BEAM	64.1
09S80950011	CARROLL	SR190	5.78	PLUM CREEK	OPEN	11/19/2015	1951	36.083056	-88.632639	CONCRETE	TEE BEAM	64.1
09017050001	CARROLL	SR219	3.06	CROOKED CRK.DRAIN.CANAL	OPEN	11/17/2015	1985	36.07375	-88.346833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
090A7810001	CARROLL	SR220	0.7	DEMOSS CREEK	OPEN	11/17/2015	2002	35.826556	-88.601722	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	96.9
09S81480001	CARROLL	SR220	8.31	OVERFLOW	OPEN	11/19/2015	1985	35.903556	-88.648444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
09S81480003	CARROLL	SR220	8.36	JOHNS CREEK	OPEN	11/19/2015	1972	35.904278	-88.648278	CONCRETE	CHANNEL BEAM	47.1
09F00310001	CARROLL	SR220	9.96	OVERFLOW	OPEN	11/19/2015	2007	35.929083	-88.645972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.5
09F00310003	CARROLL	SR220	9.99	RUTHERFORD FORK OBION RV	OPEN	11/19/2015	2007	35.929583	-88.645889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.2
09SR3640001	CARROLL	SR364	0.3	BEAVER CREEK	OPEN	12/3/2015	1988	35.993472	-88.406528	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.6
09SR3640002	CARROLL	SR364	0.3	BEAVER CREEK	OPEN	12/3/2015	1988	35.99425	-88.405056	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.6
09SR3640003	CARROLL	SR364	0.39	OVERFLOW OF BEAVER CREEK	OPEN	11/18/2015	1988	35.994028	-88.404889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
09SR3640004	CARROLL	SR364	0.39	OVERFLOW OF BEAVER CREEK	OPEN	11/18/2015	1988	35.99425	-88.405056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
09SR3640005	CARROLL	SR364	1.65	BRANCH	OPEN	11/18/2015	1979	36.008056	-88.394806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.6
09SR0010046	CARROLL	SR364	1.83	SR364/SR1&CSX RAILROAD	OPEN	11/18/2015	1988	36.01075	-88.395056	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.6
09SR0010045	CARROLL	SR364	1.83	SR 364/SR1&CSX RAILROAD	OPEN	11/18/2015	1982	36.010861	-88.394778	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.3
09S80380001	CARROLL	SR423	2.6	CLEAR CREEK	OPEN	11/18/2015	1956	36.119028	-88.465528	CONCRETE	CHANNEL BEAM	70

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
09S80380003	CARROLL	SR423	7.61	OVERFLOW	OPEN	11/19/2015	1956	36.128417	-88.388306	CONCRETE	CHANNEL BEAM	66.1
09S80380005	CARROLL	SR423	7.67	GUINS CREEK	OPEN	11/19/2015	1956	36.1275	-88.387333	CONCRETE	TEE BEAM	60.6
09S80380007	CARROLL	SR423	7.74	BRANCH	OPEN	11/19/2015	1956	36.127306	-88.386111	CONCRETE	CHANNEL BEAM	71
09S80370001	CARROLL	SR424	2.405	INDIAN CREEK OVERFLOW	OPEN	11/23/2015	2015	35.859611	-88.517472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
09S80370003	CARROLL	SR424	2.425	INDIAN CREEK	OPEN	11/23/2015	2015	35.859611	-88.517139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
09S80370005	CARROLL	SR424	3.04	RUTHERFORD FK. OBION RIV	OPEN	11/23/2015	2015	35.859056	-88.507167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
09S80370007	CARROLL	SR424	3.09	OVERFLOW	OPEN	11/23/2015	2015	35.859278	-88.506306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
09S80370009	CARROLL	SR424	9.35	NORTH FORK MUD CREEK	OPEN	11/23/2015	1970	35.836694	-88.423611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
09S80370011	CARROLL	SR424	11.6	ROAN CREEK	OPEN	12/3/2015	1975	35.862389	-88.402972	CONCRETE	CHANNEL BEAM	69.6
09S80370013	CARROLL	SR424	11.69	OVERFLOW	OPEN	11/23/2015	1960	35.862917	-88.401778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3
09S80370015	CARROLL	SR424	15.58	OVERFLOW	OPEN	11/23/2015	2005	35.8489	-88.345	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
09S80370017	CARROLL	SR424	15.65	BIG SANDY RIVER	OPEN	12/3/2015	1956	35.848472	-88.343861	CONCRETE	TEE BEAM	50.6
09S80370019	CARROLL	SR424	15.68	BIG SANDY RIVER OVERFLOW	OPEN	11/23/2015	2014	35.848278	-88.34325	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
09S80370021	CARROLL	SR424	15.79	BIG SANDY RIVER OVERFLOW	OPEN	11/23/2015	2014	35.847694	-88.341444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.4
09S81460001	CARROLL	SR424	16.82	MORRIS CREEK	OPEN	12/3/2015	1972	35.85175	-88.330361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
09S82330001	CARROLL	SR436	0.68	REEDY CREEK	OPEN	11/23/2015	1960	36.014333	-88.540972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	47.1
09S82330003	CARROLL	SR436	3.865	OVERFLOW	OPEN	11/24/2015	2012	36.050383	-88.509033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
09S82330005	CARROLL	SR436	3.92	OVERFLOW	OPEN	11/24/2015	2012	36.050517	-88.50825	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
09S82330007	CARROLL	SR436	4.03	OVERFLOW	OPEN	11/24/2015	2012	36.052017	-88.506867	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.8
09S82330009	CARROLL	SR436	4.135	SOUTH FORK OBION RIVER	OPEN	11/24/2015	2012	36.053117	-88.505383	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.7
09S82330011	CARROLL	SR436	4.27	OLD RIVER BED	OPEN	11/24/2015	2012	36.0545	-88.503883	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.8
09S82330013	CARROLL	SR436	6.055	OVERFLOW	OPEN	12/3/2015	2012	36.073733	-88.510967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
09S82330015	CARROLL	SR436	6.15	CLEAR CREEK	OPEN	12/3/2015	2012	36.0751	-88.511283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.1
10S23750001	CARTER	01077	0.14	STONEY CREEK	OPEN	9/14/2015	1978	36.3706	-82.154333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
10007430005	CARTER	01077	1.72	WATAUGA RIVER	OPEN	9/16/2015	2010	36.351867	-82.154267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
10007430003	CARTER	01077	1.99	BRANCH	OPEN	9/16/2015	1985	36.349117	-82.152933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
10S25150001	CARTER	01077	2.13	SULPHER SPRINGS BRANCH	WEIGHT POSTED	9/16/2015	1945	36.346917	-82.153733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	26.3
10025150007	CARTER	01077	2.17	SULPHER CREEK	WEIGHT POSTED	9/16/2015	1955	36.346383	-82.1541	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	17.6
10S25580001	CARTER	01383	3.66	POWDER BRANCH	WEIGHT POSTED	8/24/2015	1950	36.31095	-82.26915	CONCRETE CONTINUOUS	SLAB	4
10013850001	CARTER	01385	0.23	SINKING CREEK	OPEN	9/24/2015	1986	36.330783	-82.30395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
10013850003	CARTER	01385	1.99	WATAUGA RIVER	WEIGHT POSTED	7/29/2015	1941	36.345636	-82.282742	STEEL	TRUSS - THRU	17.8
100A7070001	CARTER	01387	0.08	BUCK CREEK	OPEN	8/6/2015	1942	36.1927	-82.049083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.3
10F00320001	CARTER	01388	2.62	WATAUGA RIVER	OPEN	9/22/2015	1982	36.36755	-82.16835	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
10SR0370029	CARTER	01392	4.49	BRANCH	OPEN	9/24/2015	1950	36.39755	-82.248867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
10026050001	CARTER	01427	0.2	TIGER CREEK	OPEN	8/25/2015	1968	36.2199	-82.178167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
10026050003	CARTER	01427	0.55	TIGER CREEK	OPEN	8/25/2015	1968	36.21685	-82.182333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
10026050005	CARTER	01427	0.71	TIGER CREEK	OPEN	8/25/2015	1960	36.214917	-82.182867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
10026050007	CARTER	01427	1.1	TIGER CREEK	OPEN	8/25/2015	1962	36.209667	-82.182983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
10026050009	CARTER	01427	2.19	TIGER CREEK	OPEN	8/25/2015	1960	36.195867	-82.187033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
10026050011	CARTER	01427	3.31	TIGER CREEK	OPEN	8/25/2015	1965	36.181833	-82.1831	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
10S25200001	CARTER	01429	1.81	ELK RIVER	OPEN	9/23/2015	1957	36.2584	-81.983583	CONCRETE	TEE BEAM	67.1
10S25200003	CARTER	01429	2.75	ELK RIVER	OPEN	9/23/2015	1957	36.2495	-81.977383	CONCRETE	TEE BEAM	77.2
10026090001	CARTER	02609	3.51	BUFFALO CREEK	OPEN	8/24/2015	1960	36.297333	-82.298517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43
10026110001	CARTER	02611	5.28	STONEY CREEK	OPEN	9/8/2015	1960	36.397667	-82.109333	CONCRETE	TEE BEAM	71.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
10026800001	CARTER	02680	0.03	DOE RIVER	OPEN	8/17/2015	1989	36.148617	-82.10185	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89
10026800003	CARTER	02680	0.57	DOE RIVER	OPEN	8/17/2015	1984	36.144817	-82.108383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.4
10026800005	CARTER	02680	1.32	COVE CREEK	OPEN	8/17/2015	1980	36.1407	-82.120667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	65.1
10039380001	CARTER	03938	0.4	GAP CREEK	OPEN	9/17/2015	2015	36.331217	-82.263967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
10M39390001	CARTER	03939	0.11	DOE RIVER	OPEN	9/22/2015	1926	36.348556	-82.211972	CONCRETE	ARCH - DECK	84.8
10I00260001	CARTER	04250	0.16	MAYFLOWER RD. / I-26	OPEN	5/22/2017	1986	36.291517	-82.32485	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.6
100A2730003	CARTER	04261	0.01	DOE RIVER	OPEN	9/22/2015	1915	36.28455	-82.174733	CONCRETE	ARCH - DECK	85.9
100A2730001	CARTER	04261	3.01	LITTLE DOE RIVER	WEIGHT POSTED	4/3/2017	1915	36.246883	-82.194817	CONCRETE	ARCH - DECK	63.6
100A5590001	CARTER	04833	1.14	GAP CREEK	WEIGHT POSTED	9/17/2015	1939	36.32155	-82.248383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25
10S23770001	CARTER	06022	0.47	GAP CREEK	OPEN	6/22/2017	1958	36.284717	-82.23185	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68.4
10023770003	CARTER	06022	2.66	GAP CREEK	OPEN	6/28/2017	1948	36.313617	-82.240267	CONCRETE CONTINUOUS	SLAB	46.5
100A0380001	CARTER	0A038	0.071	LICK CREEK	OPEN	9/24/2015	1990	36.3779	-82.2864	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.7
100A0620001	CARTER	0A062	0.15	SLAGLE BRANCH	OPEN	9/24/2015	1950	36.360067	-82.239283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.6
100A9850001	CARTER	0A102	0.618	STONE CREEK	WEIGHT POSTED	9/1/2015	1968	36.452717	-82.031517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.7
100A1440001	CARTER	0A144	0.009	SINKING CREEK	OPEN	9/24/2015	1990	36.325617	-82.30955	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.6
100A2290001	CARTER	0A229	0.671	BUFFALO CREEK	OPEN	8/24/2015	1990	36.285033	-82.308533	CONCRETE	CHANNEL BEAM	61.4
100A2490001	CARTER	0A249	0.139	BUFFALO CREEK	OPEN	8/24/2015	1960	36.312167	-82.287283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.2
100A2500001	CARTER	0A250	0.107	BUFFALO CREEK	WEIGHT POSTED	8/24/2015	1960	36.307067	-82.291883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.6
10039900001	CARTER	0A253	0.026	BUFFALO CREEK	OPEN	8/24/2015	1915	36.301883	-82.295483	CONCRETE	ARCH - DECK	59.9
100A2990001	CARTER	0A299	0.016	DOE RIVER	OPEN	9/22/2015	1980	36.30675	-82.1962	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.7
100A3170001	CARTER	0A317	3.351	DOE RIVER	OPEN	9/22/2015	1990	36.300367	-82.195183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
100A2400001	CARTER	0A338	1.105	BUFFALO CREEK	OPEN	8/24/2015	1985	36.2654	-82.31625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
100C1010001	CARTER	0A373	0.02	DOE RIVER	WEIGHT POSTED	8/13/2015	1946	36.1866	-82.071683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.8
100A6030001	CARTER	0A392	2.52	BRANCH	OPEN	8/25/2015	1984	36.216733	-82.216283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
100A5930001	CARTER	0A593	0.017	LITTLE DOE CREEK	OPEN	9/21/2015	1969	36.2425	-82.18945	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	76.1
100A5950001	CARTER	0A595	0.133	LITTLE DOE CREEK	OPEN	8/25/2015	1979	36.22955	-82.188467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.5
100A6180001	CARTER	0A618	0.03	TIGER CREEK	WEIGHT POSTED	8/25/2015	1970	36.190783	-82.187167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39
100A6280001	CARTER	0A628	0.149	DOE RIVER	OPEN	8/18/2015	1992	36.230717	-82.155533	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.7
100A6330001	CARTER	0A633	0.09	DOE RIVER	OPEN	8/18/2015	1987	36.223283	-82.1371	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.2
100A6340001	CARTER	0A634	1.757	RR GRADE RD / DOE RIVER	OPEN	9/9/2015	1889	36.235783	-82.1554	STEEL	TRUSS - THRU	41
100A6350001	CARTER	0A635	0.065	DOE RIVER	WEIGHT POSTED	8/18/2015	1978	36.230717	-82.14355	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.7
100A6420001	CARTER	0A642	0.625	GEORGE CREEK	WEIGHT POSTED	8/17/2015	1950	36.20185	-82.104067	CONCRETE	SLAB	45.8
100A6420003	CARTER	0A642	1.443	DOE RIVER	OPEN	8/17/2015	2003	36.203483	-82.091133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	100
100A6440001	CARTER	0A644	0.094	DOE RIVER	OPEN	8/17/2015	1998	36.202867	-82.102783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.7
100A6500001	CARTER	0A650	0.045	DOE RIVER	OPEN	8/4/2015	1989	36.201233	-82.085833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.8
100A6510001	CARTER	0A651	0.01	DOE RIVER	OPEN	8/4/2015	2008	36.1921	-82.069317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.6
100A6560001	CARTER	0A656	0.009	DOE RIVER	OPEN	8/17/2015	1983	36.17175	-82.07975	CONCRETE	SLAB	52.2
100A6570001	CARTER	0A657	0.013	DOE RIVER	OPEN	8/12/2015	1986	36.171033	-82.080917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
100A6570003	CARTER	0A657	1.638	HEATON CREEK	OPEN	8/12/2015	1986	36.148733	-82.08215	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.8
100A6570005	CARTER	0A657	2.357	HEATON CREEK	OPEN	8/12/2015	1986	36.140083	-82.0763	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.8
100A6590001	CARTER	0A659	1.049	HEATON CREEK	OPEN	8/12/2015	1983	36.149533	-82.082583	CONCRETE	SLAB	86.6
100A6630001	CARTER	0A663	0.108	DOE RIVER	OPEN	8/17/2015	1984	36.15255	-82.101317	CONCRETE	SLAB	95
100A6730001	CARTER	0A673	0.024	DOE RIVER	WEIGHT POSTED	8/11/2015	1960	36.198833	-82.070233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	7.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
100A6740001	CARTER	0A674	0.565	DOE RIVER	OPEN	8/6/2015	1960	36.19445	-82.067583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.7
100A6880001	CARTER	0A688	0.004	BUCK CREEK	OPEN	8/6/2015	1998	36.195333	-82.065383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.8
100A6890001	CARTER	0A689	0.09	BUCK CREEK	OPEN	8/6/2015	1986	36.194017	-82.0534	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
100A7000001	CARTER	0A700	0.038	BUCK CREEK	OPEN	8/6/2015	1984	36.181067	-82.022567	CONCRETE	SLAB	83.7
100A7020001	CARTER	0A702	0.802	BUCK CREEK	OPEN	8/6/2015	1989	36.1874	-82.034717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.8
100A7160001	CARTER	0A716	7.123	HEATON BRANCH	WEIGHT POSTED	9/23/2015	1960	36.261733	-82.0044	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.8
100A7240001	CARTER	0A724	0.087	LITTLE DOE RIVER	WEIGHT POSTED	9/22/2015	1972	36.274667	-82.179383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.5
10SR0670009	CARTER	0A746	0.249	OVERFLOW	OPEN	8/26/2015	1941	36.28855	-82.171483	CONCRETE	TEE BEAM	47.7
10SR0670011	CARTER	0A746	0.294	LAUREL FORK CREEK	OPEN	8/26/2015	1941	36.287867	-82.171533	CONCRETE	TEE BEAM	28.5
100A7480001	CARTER	0A748	0.555	LAUREL FORK CREEK	OPEN	8/26/2015	1985	36.286417	-82.162317	CONCRETE CONTINUOUS	SLAB	72.4
100A7520001	CARTER	0A752	0.008	LAUREL FORK CREEK	OPEN	8/26/2015	1975	36.28635	-82.15845	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.6
100A7650001	CARTER	0A765	4.52	LAUREL FORK CREEK	WEIGHT POSTED	8/26/2015	1945	36.256783	-82.1111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.8
100A7670001	CARTER	0A767	0.023	LAUREL FORK CREEK	WEIGHT POSTED	8/26/2015	1979	36.26375	-82.122617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.9
100A7970001	CARTER	0A797	0.009	ELK RIVER	OPEN	9/23/2015	1988	36.273633	-81.991617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.6
100A7990001	CARTER	0A799	0.539	TRIVETT BRANCH	OPEN	9/23/2015	1983	36.2358	-81.964767	CONCRETE	SLAB	79.2
100A8000001	CARTER	0A800	0.022	TRIVETT BRANCH	OPEN	9/23/2015	1955	36.235717	-81.965133	CONCRETE	SLAB	53.2
100A8100001	CARTER	0A810	0.1	STONY CREEK	WEIGHT POSTED	9/1/2015	1974	36.463133	-82.007267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.7
100A8690003	CARTER	0A869	0.48	STONE CREEK	WEIGHT POSTED	9/8/2015	1980	36.38785	-82.128333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.7
100A8690001	CARTER	0A869	0.561	STONE CREEK	WEIGHT POSTED	9/8/2015	1960	36.3894	-82.128667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.5
100A8880001	CARTER	0A888	0.053	BRANCH	OPEN	9/14/2015	1986	36.377467	-82.15545	CONCRETE	SLAB	87.2
100A9060001	CARTER	0A906	0.115	STONY CREEK	OPEN	9/8/2015	1984	36.383233	-82.135317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.5
100A9060003	CARTER	0A906	0.393	STONE CREEK	WEIGHT POSTED	9/8/2015	1960	36.38625	-82.13745	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
100A9120001	CARTER	0A912	0.103	BRANCH	OPEN	9/14/2015	1987	36.38235	-82.142467	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	82.6
100A9120003	CARTER	0A912	0.274	STONE CREEK	OPEN	9/14/2015	1985	36.380467	-82.141633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.7
100A2925001	CARTER	0A925	0.101	STONE CREEK	OPEN	9/8/2015	1990	36.39965	-82.103067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82
100A9270001	CARTER	0A927	1.66	STONE CREEK	OPEN	9/3/2015	1995	36.404	-82.0917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.7
100A9280001	CARTER	0A928	0.213	STONE CREEK	OPEN	9/3/2015	1997	36.411217	-82.081683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
100A9300001	CARTER	0A930	0.417	STONE CREEK	OPEN	9/8/2015	1986	36.402083	-82.098317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
100A9370001	CARTER	0A937	0.031	STONE CREEK	OPEN	9/3/2015	2002	36.4135	-82.079117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.2
100A9450001	CARTER	0A945	0.06	STONE CREEK	OPEN	9/3/2015	1990	36.41185	-82.0849	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.3
100A9530001	CARTER	0A953	0.022	STONE CREEK	OPEN	9/3/2015	1987	36.421033	-82.066717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
100A9610001	CARTER	0A961	0.018	STONE CREEK	WEIGHT POSTED	9/3/2015	1965	36.42795	-82.05855	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.3
100A9670001	CARTER	0A967	0.048	STONE CREEK	WEIGHT POSTED	9/1/2015	1972	36.434117	-82.053417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.4
100A9700001	CARTER	0A970	0.019	STONE CREEK	OPEN	9/1/2015	1984	36.43745	-82.050317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.5
100A9720001	CARTER	0A972	0.11	STONE CREEK	OPEN	9/1/2015	1984	36.441383	-82.045233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	57.2
100A9740001	CARTER	0A974	1.614	STONE CREEK	WEIGHT POSTED	9/1/2015	1974	36.44615	-82.0444	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7
100A9840001	CARTER	0A984	0.058	STONE CREEK	WEIGHT POSTED	9/1/2015	1968	36.457083	-82.0227	STEEL	STRINGER/MULTI-BEAM OR GIRDER	6
100A9870001	CARTER	0A987	0.041	STONE CREEK	WEIGHT POSTED	9/1/2015	1974	36.459333	-82.018333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.9
100A9880001	CARTER	0A988	0.035	STONE CREEK	WEIGHT POSTED	9/1/2015	1965	36.461333	-82.0143	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.1
100B0010001	CARTER	0B001	0.017	DOE RIVER	WEIGHT POSTED	8/4/2015	1978	36.20245	-82.080617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2
100B0100001	CARTER	0B010	0.03	DOE RIVER	OPEN	8/13/2015	1998	36.18935	-82.070417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
100B0230001	CARTER	0B023	0.03	STONE CREEK	WEIGHT POSTED	9/1/2015	1986	36.449733	-82.042033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.9
100B8690001	CARTER	0B025	0.039	STONE CREEK	OPEN	9/8/2015	1991	36.394283	-82.119717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.1
100C1000001	CARTER	0B077	0.003	DOE RIVER	OPEN	8/13/2015	1998	36.1833	-82.0756	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.8
100B0850001	CARTER	0B085	0.015	HAMPTON CREEK	WEIGHT POSTED	8/13/2015	1987	36.177583	-82.066933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.5
10SR0670021	CARTER	0B137	0.997	GREENLEE RD / SR-67	OPEN	7/3/2017	1985	36.315767	-82.30445	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.8
100Z0010001	CARTER	0B138	0.008	DOE RIVER	WEIGHT POSTED	8/4/2015	1970	36.190683	-82.069583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.3
100B1390001	CARTER	0B139	0.01	COVE CREEK	OPEN	8/18/2015	1998	36.138867	-82.119333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
100A6490001	CARTER	0B156	0.07	HEATON RD / DOE RIVER	OPEN	8/4/2015	1991	36.201383	-82.087867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92.5
100B3490001	CARTER	0B349	0.1	TIGER CREEK	WEIGHT POSTED	9/23/2015	1980	36.224378	-82.183539	STEEL	CHANNEL BEAM	19.7
100C1020001	CARTER	0C102	0.015	LITTLE DOE CREEK	WEIGHT POSTED	8/18/2015	1975	36.233283	-82.186967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43
10I00260004	CARTER	I0026	0.57	I-26 WB / S. ROANE ST.	OPEN	5/22/2017	1986	36.286944	-82.324167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
10I00260003	CARTER	I0026	0.57	I-26 EB / S. ROANE ST.	OPEN	5/22/2017	1986	36.287217	-82.324683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
10I00260005	CARTER	I0026	0.71	I-26 EB / PRICE RD.	OPEN	5/22/2017	1980	36.285717	-82.324483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.7
10I00260006	CARTER	I0026	0.71	I-26 WB / PRICE RD.	OPEN	5/22/2017	1980	36.285733	-82.324233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.7
10I00260008	CARTER	I0026	1.91	I-26 WB / SR-359	OPEN	5/22/2017	1986	36.270433	-82.320483	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
10I00260007	CARTER	I0026	1.91	I-26 EB / OKOLONA RD.	OPEN	5/22/2017	1986	36.270333	-82.320817	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
10SR0370001	CARTER	SR037	1.24	BUCK CREEK	OPEN	6/5/2017	1958	36.178333	-82.018033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
10SR0370003	CARTER	SR037	1.72	BUCK CREEK	OPEN	6/5/2017	1958	36.183017	-82.025133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
10SR0370005	CARTER	SR037	3	SHELL CREEK	OPEN	6/5/2017	1958	36.19035	-82.045767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
10SR0370007	CARTER	SR037	4.03	WILSON CREEK	OPEN	6/5/2017	1958	36.195333	-82.063117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
10SR0370009	CARTER	SR037	6.65	DOE RIVER	OPEN	6/5/2017	2008	36.2	-82.108333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	83.5
10SR0370011	CARTER	SR037	7.42	ROARING CREEK	OPEN	6/5/2017	1953	36.2	-82.121667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	67.5
10SR0370013	CARTER	SR037	11.37	BRANCH	OPEN	6/5/2017	1958	36.2	-82.176667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.7
10SR0370016	CARTER	SR037	16.07	DOE RIVER	OPEN	6/7/2017	1966	36.27675	-82.311317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.9
10SR0370015	CARTER	SR037	16.07	DOE RIVER	OPEN	6/7/2017	1966	36.276333	-82.177767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	76.9
10SR0370018	CARTER	SR037	16.96	LAUREL FORK CREEK	OPEN	6/7/2017	1966	36.288967	-82.17465	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96.7
10SR0370017	CARTER	SR037	16.96	LAUREL FORK CREEK	OPEN	6/7/2017	1966	36.2872	-82.174317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96.7
10SR0370019	CARTER	SR037	17.43	DOE RIVER	OPEN	6/8/2017	1939	36.294767	-82.1779	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.3
10SR0370021	CARTER	SR037	17.56	DOE RIVER	OPEN	6/8/2017	1992	36.295917	-82.17975	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72
10SR0370023	CARTER	SR037	18.82	DOE RIVER & 0A304	OPEN	6/8/2017	1956	36.308817	-82.194367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.2
10SR0370028	CARTER	SR037	21.28	DOE RIVER	OPEN	6/14/2017	1973	36.3438	-82.2073	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.7
10SR0370027	CARTER	SR037	21.28	DOE RIVER	OPEN	6/14/2017	1973	36.342617	-82.2071	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.4
10SR0910009	CARTER	SR037	22.1	WATAUGA RIVER	OPEN	7/27/2015	1965	36.354233	-82.206917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.8
10SR0370037	CARTER	SR037	22.38	SR-37 / SR-91	OPEN	6/14/2017	1991	36.358017	-82.205017	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
10SR0370031	CARTER	SR037	24.23	US-19E / CHAMBERS DR	OPEN	6/14/2017	1988	36.3801	-82.220533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.5
10SR0370032	CARTER	SR037	24.23	US-19E / CHAMBERS DR	OPEN	6/14/2017	1988	36.3801	-82.220533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.5
10SR0370033	CARTER	SR037	24.46	US-19E / KEENEURG RD	OPEN	6/21/2017	1988	36.2	-82.221667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	72.7
10SR0370034	CARTER	SR037	24.46	US-19E / KEENEURG RD	OPEN	6/21/2017	1988	36.2	-82.221667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68.7
10SR0370035	CARTER	SR037	26.9	INDIAN CREEK	OPEN	6/21/2017	1990	36.411667	-82.258333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
10SR0670024	CARTER	SR067	1.88	US-321 / HAPPY VALLEY RD	OPEN	7/3/2017	1986	36.317483	-82.287717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82
10SR0670023	CARTER	SR067	1.88	US-321 / HAPPY VALLEY RD	OPEN	7/3/2017	1986	36.317567	-82.287433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82
10SR0670026	CARTER	SR067	2.17	US-321 / SPARKS RD	OPEN	7/6/2017	1986	36.318967	-82.283117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
10SR0670025	CARTER	SR067	2.17	US-321 / SPARKS RD	OPEN	7/6/2017	1986	36.319033	-82.282567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
10SR0670027	CARTER	SR067	2.24	SR-359 & BUFFALO CREEK	OPEN	7/27/2015	1986	36.318667	-82.281267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.9
10SR0670028	CARTER	SR067	2.24	SR-359 & BUFFALO CREEK	OPEN	7/27/2015	1986	36.318917	-82.280683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.9
10SR0670031	CARTER	SR067	2.4	POWDER BRANCH	OPEN	7/22/2015	1986	36.317911	-82.2775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	35.6
10SR0670007	CARTER	SR067	3.24	PEDESTRIAN WALKWAY	OPEN	7/5/2017	1984	36.32615	-82.27045	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.1
10SR0910005	CARTER	SR067	3.48	GAP CREEK	OPEN	7/22/2015	1984	36.330233	-82.268783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
10SR0670029	CARTER	SR067	7.1	DOE RIVER	OPEN	7/22/2015	1929	36.2	-82.213333	CONCRETE CONTINUOUS	ARCH - DECK	76.7
10SR0670013	CARTER	SR067	8.64	LAUREL CREEK	OPEN	7/22/2015	1929	36.2077	-82.153567	CONCRETE	TEE BEAM	46.9
10SR0670015	CARTER	SR067	8.72	LAUREL CREEK	OPEN	7/22/2015	1929	36.2	-82.151667	CONCRETE	TEE BEAM	52.4
10SR0670017	CARTER	SR067	14.65	STONY CREEK	OPEN	7/22/2015	1936	36.312633	-82.073617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
10SR0670019	CARTER	SR067	17.61	WATAUGA RIVER	OPEN	10/21/2015	1946	36.32885	-82.0419	STEEL CONTINUOUS	TRUSS - DECK	56
10SR0910001	CARTER	SR091	0.45	SINKING CREEK	OPEN	6/1/2017	1927	36.327925	-82.307247	CONCRETE	TEE BEAM	48.7
10SR0910003	CARTER	SR091	2.58	BUFFALO CREEK	OPEN	6/1/2017	1929	36.328467	-82.271133	CONCRETE	TEE BEAM	72.1
10SR0910011	CARTER	SR091	3.2	BRANCH	OPEN	6/6/2017	1965	36.359617	-82.196783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
10SR0910021	CARTER	SR091	5.22	MINTON BRANCH	OPEN	6/1/2017	1994	36.36925	-82.163417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.2
10SR0910013	CARTER	SR091	6.12	LITTLE STONEY CREEK	OPEN	6/1/2017	1999	36.375817	-82.154833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
10SR0910023	CARTER	SR091	8.79	FURNACE BRANCH	OPEN	6/1/2017	1999	36.396817	-82.114367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
10SR0910025	CARTER	SR091	9.88	HINKLE BRANCH	OPEN	5/25/2017	1999	36.4032	-82.096333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.3
10SR0910027	CARTER	SR091	10.37	BARTEE BRANCH	OPEN	5/25/2017	1999	36.408367	-82.090033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
10SR0910015	CARTER	SR091	11.25	LAUREL BRANCH	OPEN	5/25/2017	2002	36.415633	-82.077283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
10SR0910017	CARTER	SR091	12.24	MILL CREEK	OPEN	5/25/2017	2002	36.423267	-82.063333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
10SR0910019	CARTER	SR091	14.94	BLEVINS BRANCH	OPEN	5/25/2017	2002	36.453633	-82.035433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
10SR0910029	CARTER	SR091	17.45	STONE CREEK	OPEN	5/25/2017	2012	36.468267	-81.995317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
10SR1430001	CARTER	SR143	7.27	FIVE POPLAR BRANCH	OPEN	6/6/2017	1952	36.147633	-82.1012	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	75.9
10SR1430003	CARTER	SR143	8.72	DOE RIVER	OPEN	6/6/2017	1986	36.167567	-82.096617	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66.2
10SR1430005	CARTER	SR143	12.53	DOE RIVER	OPEN	6/6/2017	1967	36.19825	-82.0732	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	57.6
10SR1590001	CARTER	SR159	5.07	ROW BRANCH	OPEN	5/23/2017	1953	36.293283	-82.0182	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
10SR1590003	CARTER	SR159	5.63	BLACK BRANCH	OPEN	5/23/2017	1953	36.287767	-82.011333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
10SR1590005	CARTER	SR159	7.23	ELK RIVER	OPEN	5/23/2017	2012	36.276517	-81.99045	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
10S23790001	CARTER	SR173	1.86	MCKINNEY BRANCH	OPEN	6/6/2017	1945	36.21575	-82.21555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
10S23790003	CARTER	SR173	2.15	SIMERLY CREEK	OPEN	6/6/2017	1960	36.213667	-82.211583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
10S23790005	CARTER	SR173	2.25	SIMERLY CREEK	OPEN	6/6/2017	1950	36.215467	-82.210283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
10S23790007	CARTER	SR173	4.15	TIGER CREEK	OPEN	6/6/2017	1941	36.228217	-82.18895	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.9
10SR0672001	CARTER	SR359	1.26	BUFFALO CREEK	OPEN	6/21/2017	1996	36.2819	-82.308833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
10SR0672003	CARTER	SR359	1.9	BUFFALO CREEK	OPEN	6/21/2017	1984	36.290583	-82.305083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.7
10SR0670001	CARTER	SR359	4.41	BUFFALO CREEK	OPEN	6/21/2017	1925	36.31815	-82.280733	CONCRETE	TEE BEAM	67.9
10SR0670005	CARTER	SR359	4.56	POWDER BRANCH	OPEN	6/21/2017	1997	36.319233	-82.2782	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
10S24950001	CARTER	SR361	2.08	DRY CREEK	OPEN	7/21/2015	1940	36.266033	-82.286483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.8
10S24950003	CARTER	SR361	2.54	DRY CREEK	OPEN	7/21/2015	2003	36.260483	-82.2839	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
10S24950005	CARTER	SR361	3.62	DRY CREEK	OPEN	7/10/2017	1984	36.249067	-82.2709	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
10SR3610001	CARTER	SR361	4.1	JEFFERY CREEK	OPEN	7/10/2017	1999	36.247517	-82.26365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
10S24950007	CARTER	SR361	8.84	DOE RIVER	OPEN	7/10/2017	1964	36.2614	-82.186483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77
10S23800001	CARTER	SR400	0.04	WATAUGA RIVER & A045	OPEN	7/22/2015	1962	36.369683	-82.2996	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.7
10S23800003	CARTER	SR400	4.48	SLACLE BRANCH	OPEN	7/22/2015	1960	36.358317	-82.226817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.2
10SR0370025	CARTER	SR400	5.16	WATAUGA RIVER & 04263	OPEN	7/5/2017	2010	36.355467	-82.22395	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.1
11S62750001	CHEATHAM	00839	2.71	BARTONS CREEK	OPEN	9/9/2016	1998	36.354583	-87.2799	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.3
11S63310001	CHEATHAM	00958	0.24	HALF PONE CREEK	OPEN	9/27/2016	1969	36.422983	-87.14835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
11S63310003	CHEATHAM	00958	3.73	RACCOON CREEK	OPEN	10/6/2016	2009	36.400533	-87.09555	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.1
11S63310005	CHEATHAM	00958	6.15	SPRING CREEK	OPEN	10/6/2016	2009	36.376083	-87.070733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.9
11S63310007	CHEATHAM	00958	8.7	BRANCH	OPEN	10/6/2016	1987	36.3558	-87.039233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
11S63310009	CHEATHAM	00958	9.63	SYCAMORE CREEK	OPEN	10/6/2016	1960	36.34565	-87.028983	CONCRETE CONTINUOUS	TEE BEAM	55.6
11S61500001	CHEATHAM	00979	3.82	SYCAMORE CREEK	OPEN	10/4/2016	1949	36.3241	-87.093083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	70.6
11S61500003	CHEATHAM	00979	4	BRANCH	OPEN	10/4/2016	1969	36.3265	-87.0931	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
11S61500005	CHEATHAM	00979	4.59	SPRING CREEK	OPEN	9/21/2016	2009	36.334	-87.097717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.6
11F00080009	CHEATHAM	00979	9.49	DRY FORK CREEK	OPEN	10/4/2016	1969	36.3825	-87.1205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
11F00080011	CHEATHAM	00979	10.32	RACCOON CREEK	OPEN	10/4/2016	1969	36.39315	-87.126083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
11F00050013	CHEATHAM	00979	12.46	HALF POND CREEK	OPEN	9/28/2016	1969	36.42005	-87.128	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
11F00050015	CHEATHAM	00979	13.04	RUSH BRANCH	OPEN	9/28/2016	1969	36.426933	-87.125683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
11019310001	CHEATHAM	01931	1.91	HARPETH RIVER	OPEN	10/27/2016	1985	36.10145	-87.10795	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
11019330001	CHEATHAM	01933	7.105	HARPETH RIVER	OPEN	10/18/2016	1982	36.168033	-87.128517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.3
11019330003	CHEATHAM	01933	8.57	HARPETH RIVER	OPEN	10/19/2016	1996	36.151583	-87.118833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
11019330009	CHEATHAM	01933	10.3	MOUND CREEK	OPEN	10/19/2016	1978	36.14055	-87.095183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5
11019330005	CHEATHAM	01933	11.64	DOG CREEK	OPEN	10/19/2016	1995	36.124667	-87.09805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
11019370001	CHEATHAM	01937	2.82	BRANCH	OPEN	10/13/2016	1940	36.169333	-86.995983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
11019370003	CHEATHAM	01937	3.67	POND CREEK	OPEN	10/13/2016	1955	36.180733	-86.997367	CONCRETE	TEE BEAM	70
11019370005	CHEATHAM	01937	4.1	WEST FORK POND CREEK	OPEN	10/13/2016	1960	36.183883	-87.0028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
11019420003	CHEATHAM	01942	6.23	SUGAR FORK CREEK	OPEN	10/3/2016	1981	36.355133	-87.11115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.3
11019420005	CHEATHAM	01942	6.52	SUGAR FORK CREEK	OPEN	10/3/2016	1981	36.354767	-87.1063	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
11019420007	CHEATHAM	01942	6.97	SUGAR FORK CREEK	OPEN	10/3/2016	2004	36.354583	-87.098233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.4
11019450001	CHEATHAM	01945	0.18	SYCAMORE CREEK	OPEN	10/5/2016	1979	36.370883	-86.98355	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87
11S61520003	CHEATHAM	01948	0.62	BIG TURNBULL CREEK	OPEN	10/25/2016	1992	36.100867	-87.12555	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
11019480001	CHEATHAM	01948	1.05	CSX RAILROAD	OPEN	10/25/2016	1965	36.099733	-87.133517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.3
110A0040001	CHEATHAM	0A004	0.019	HUNLEY BRANCH	OPEN	9/9/2016	1970	36.345017	-87.2714	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
110A0120001	CHEATHAM	0A012	2.79	HALF PONE CREEK	OPEN	9/26/2016	1981	36.373317	-87.21685	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86
110A0130001	CHEATHAM	0A013	2.075	HALF PONE CREEK	OPEN	9/27/2016	1950	36.39895	-87.184917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.1
110A0170001	CHEATHAM	0A017	0.785	HALF PONE CREEK	OPEN	9/26/2016	1983	36.382717	-87.196167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.7
110A0180001	CHEATHAM	0A018	0.805	DRY FORK CREEK	OPEN	9/26/2016	1970	36.3607	-87.20545	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.4
110A0320003	CHEATHAM	0A032	2.187	SYCAMORE CREEK	OPEN	9/21/2016	1985	36.303117	-87.1281	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.4
110A0460001	CHEATHAM	0A046	1.495	BRANCH	OPEN	9/22/2016	1960	36.335317	-87.127217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
110A0470001	CHEATHAM	0A047	2.252	BRANCH	OPEN	9/21/2016	1970	36.314033	-87.1194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
110A0550003	CHEATHAM	0A055	0.4	BRANCH	OPEN	9/22/2016	1970	36.361833	-87.160083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
110A0550001	CHEATHAM	0A055	0.572	DRY FORK CREEK	OPEN	9/22/2016	1970	36.359967	-87.157217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
110A0610001	CHEATHAM	0A061	1.446	RACCOON CREEK	OPEN	9/22/2016	1960	36.390017	-87.1766	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
110A0620001	CHEATHAM	0A062	1.854	RACCOON CREEK	OPEN	9/22/2016	1976	36.389817	-87.141567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
110A0760001	CHEATHAM	0A076	0.324	HALF PONE CREEK	OPEN	9/28/2016	1983	36.421217	-87.107	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
110A1070001	CHEATHAM	0A107	0.312	SPRING CREEK	OPEN	10/3/2016	2010	36.358333	-87.098283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
110A1280001	CHEATHAM	0A128	1.576	BLUE SPRING CREEK	OPEN	10/7/2016	1987	36.326667	-87.0298	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
110A1300001	CHEATHAM	0A130	0.018	BRANCH	OPEN	10/7/2016	1983	36.342517	-87.02815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
110A1420001	CHEATHAM	0A142	0.027	WATER PLANT RD / BRANCH	OPEN	10/6/2016	1960	36.32005	-87.050683	CONCRETE	TEE BEAM	56.9
110A1440001	CHEATHAM	0A144	1.358	BRANCH	OPEN	10/7/2016	1970	36.323717	-87.016383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
110A1440003	CHEATHAM	0A144	1.667	BLUE SPRING CREEK	OPEN	10/7/2016	1998	36.325967	-87.013567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
110A1490001	CHEATHAM	0A149	0.617	BLUE SPRING CREEK	OPEN	10/7/2016	1970	36.323233	-87.996933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
110A1500001	CHEATHAM	0A150	0.918	BLUE SPRING CREEK	OPEN	10/7/2016	1970	36.322967	-86.987717	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.4
110A1500003	CHEATHAM	0A150	3.504	JONES BRANCH	OPEN	10/5/2016	1960	36.352217	-86.967733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1
110A1520001	CHEATHAM	0A152	2.763	SYCAMORE CREEK	OPEN	10/5/2016	2004	36.361767	-87.0103	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
110A2010001	CHEATHAM	0A201	0.515	HARPEETH RIVER	OPEN	10/18/2016	1982	36.172017	-87.160017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.9
110A2050001	CHEATHAM	0A205	1.418	BRANCH	OPEN	10/10/2016	1950	36.2884	-86.97315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
110A2050003	CHEATHAM	0A205	1.991	MARROWBONE CREEK	OPEN	10/10/2016	2000	36.2927	-86.965683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
110A2160001	CHEATHAM	0A216	3.733	MARROWBONE CREEK	OPEN	10/10/2016	1994	36.280483	-86.981533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
110A2260001	CHEATHAM	0A226	0.87	DRY FORK CREEK	OPEN	10/10/2016	1965	36.274017	-87.012417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
110A2260003	CHEATHAM	0A226	2.401	DRY FORK CREEK	OPEN	10/10/2016	1970	36.270033	-87.03795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.2
110A2270001	CHEATHAM	0A227	2.492	DRY CREEK	OPEN	10/27/2016	1970	36.26275	-87.042533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.2
110A2310001	CHEATHAM	0A231	1.054	MARROWBONE CREEK	OPEN	10/11/2016	1981	36.252667	-87.992967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
110A2310003	CHEATHAM	0A231	2.185	MARROWBONE CREEK	OPEN	10/11/2016	1965	36.261867	-87.986517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.4
110A2350001	CHEATHAM	0A235	0.579	MARROWBONE CREEK	OPEN	10/11/2016	1975	36.245517	-87.013917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57
110A2350003	CHEATHAM	0A235	1.196	MARROWBONE CREEK	OPEN	10/11/2016	1994	36.244	-87.005017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.8
110A2360001	CHEATHAM	0A236	0.226	LITTLE MARROWBONE CREEK	OPEN	10/11/2016	1984	36.2245	-87.00255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
110A2450001	CHEATHAM	0A245	0.346	MARROWBONE CREEK	OPEN	10/27/2016	1960	36.256983	-87.051133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	52.6
110A3190001	CHEATHAM	0A319	0.009	DRY CREEK	OPEN	10/12/2016	1970	36.20255	-87.0595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
110A3250001	CHEATHAM	0A325	0.008	WEST FORK POND CREEK	OPEN	10/13/2016	1970	36.16895	-87.01555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
110A3260001	CHEATHAM	0A326	0.599	WEST FORK POND CREEK	OPEN	10/13/2016	1970	36.1611	-87.0189	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.3
110A3390001	CHEATHAM	0A339	0.196	BRANCH	OPEN	10/12/2016	1950	36.11125	-87.019783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
110A3600001	CHEATHAM	0A360	0.313	HARPETH RIVER	OPEN	10/27/2016	1987	36.096033	-87.054467	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.5
11100400009	CHEATHAM	0A363	0.97	BEECH HILL RD / I40	OPEN	9/7/2016	1960	36.088317	-87.068617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.9
110A1580001	CHEATHAM	0A371	2.391	BRANCH	OPEN	10/5/2016	1950	36.369567	-87.004633	CONCRETE	TEE BEAM	72.1
11100400005	CHEATHAM	0A372	0	LUYBEN HILLS ROAD / I40	OPEN	9/2/2016	1960	36.0836	-87.09785	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
110A3720001	CHEATHAM	0A372	1.267	BRUSH CREEK	WEIGHT POSTED	10/26/2016	1975	36.07715	-87.0806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.4
110A3720003	CHEATHAM	0A372	4.052	SOUTH HARPETH RIVER	OPEN	10/26/2016	1998	36.06145	-87.054967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
110A3720005	CHEATHAM	0A372	5.562	POPLAR CREEK	OPEN	10/26/2016	1980	36.050167	-87.041433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.9
11100400003	CHEATHAM	0A383	0.126	FVIEW-KSPG RD/ I40	OPEN	9/2/2016	1960	36.067033	-87.127817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.1
11100400001	CHEATHAM	0A384	0.362	FVIEW-KSPG RD / I40	OPEN	9/2/2016	1960	36.05285	-87.140517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63
110A3940001	CHEATHAM	0A394	0.048	TALLEY BRANCH	OPEN	10/14/2016	1919	36.059333	-87.1562	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
110A3940003	CHEATHAM	0A394	0.265	BRANCH	OPEN	10/14/2016	1960	36.058117	-87.15305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
110A3950001	CHEATHAM	0A395	0.644	TALLY BRANCH	OPEN	10/14/2016	1987	36.064417	-87.15545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
11S61520001	CHEATHAM	0A417	0.493	BRANCH	OPEN	10/25/2016	2012	36.096067	-87.1412	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
11S61520007	CHEATHAM	0A417	1.437	ROCK BRANCH	OPEN	10/25/2016	1976	36.095833	-87.151567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
110A4470001	CHEATHAM	0A447	0.18	BRANCH OF TURNBULL CREEK	OPEN	10/25/2016	1987	36.094567	-87.15585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
110A4640001	CHEATHAM	0A464	0.31	BRANCH (HRSP)	OPEN	9/13/2016	1930	36.146867	-87.121317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	76.2
110A4670001	CHEATHAM	0A467	0.016	LEATHERWOOD CREEK	OPEN	10/19/2016	1950	36.148617	-87.145983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.1
110A4850001	CHEATHAM	0A485	1.779	TURNIPSEED CREEK	OPEN	10/18/2016	1970	36.218783	-87.168383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
110A5060001	CHEATHAM	0A506	0.01	SOUTH HARPETH RIVER	WEIGHT POSTED	10/26/2016	1950	36.0654	-87.058783	STEEL	GIRDER AND FLOORBEAM SYSTEM	29.7
110A5250001	CHEATHAM	0A525	1.267	WEST FORK BRUSH CREEK	OPEN	10/26/2016	1970	36.059283	-87.094417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
110A5250003	CHEATHAM	0A525	1.72	BRANCH	OPEN	10/26/2016	2016	36.064	-87.097767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.4
11019350001	CHEATHAM	0A526	1.104	DRY CREEK	OPEN	10/12/2016	1950	36.203467	-87.058317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.7
11100240002	CHEATHAM	I0024	0.36	I24 LL/ RIDGE ROAD	OPEN	9/1/2016	1973	36.368167	-86.965	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.5
11100240001	CHEATHAM	I0024	0.47	124 RL/ RIDGE ROAD	OPEN	9/1/2016	1973	36.36565	-86.96335	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.3
11100400007	CHEATHAM	I0040	4.08	HARPETH RIVER	OPEN	9/7/2016	1960	36.08525	-87.0887	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	59.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
11I00400008	CHEATHAM	I0040	4.08	HARPETH RIVER	OPEN	9/7/2016	1960	36.0853	-87.088683	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	62
11I00400011	CHEATHAM	I0040	5.63	HARPETH RIVER	OPEN	9/6/2016	2016	36.08775	-87.06305	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.5
11SR0010001	CHEATHAM	SR001	4.78	HARPETH RIVER	OPEN	9/8/2016	1995	36.123667	-87.101183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.2
11SR0010003	CHEATHAM	SR001	8.87	TURNER CREEK	OPEN	9/8/2016	1926	36.097183	-87.045867	CONCRETE	TEE BEAM	62.3
11SR0120015	CHEATHAM	SR012	0.23	BULL RUN CREEK	OPEN	9/20/2016	1936	36.21525	-86.983283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
11SR0120002	CHEATHAM	SR012	3.24	MARROW BONE CREEK	OPEN	9/20/2016	1996	36.241333	-87.023583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.5
11SR0120001	CHEATHAM	SR012	3.24	MARROW BONE CREEK	OPEN	9/20/2016	1996	36.24165	-87.023467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.5
11SR0120013	CHEATHAM	SR012	4.19	SANDY RUN CREEK	OPEN	9/20/2016	1998	36.25185	-87.034733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
11SR0120003	CHEATHAM	SR012	5.16	DRY FORK CREEK	OPEN	9/21/2016	1996	36.310583	-87.0475	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.5
11SR0120005	CHEATHAM	SR012	7.72	MARKS CREEK	OPEN	9/21/2016	1949	36.285733	-87.078017	CONCRETE	TEE BEAM	65
11SR0120007	CHEATHAM	SR012	11.48	SYCAMORE CREEK	OPEN	9/26/2016	1949	36.329833	-87.121683	CONCRETE	TEE BEAM	65
11SR0120009	CHEATHAM	SR012	16.41	DRY FORK CREEK	OPEN	9/26/2016	1955	36.357067	-87.175533	CONCRETE	TEE BEAM	65.3
11SR0120011	CHEATHAM	SR012	18.44	HALF PONE CREEK	OPEN	9/27/2016	1955	36.38385	-87.190933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.5
11SR0490001	CHEATHAM	SR049	0.39	SR-49 / HARPETH RIVER	OPEN	9/13/2016	2014	36.286667	-87.146667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.8
11SR0490003	CHEATHAM	SR049	1.3	BRANCH	OPEN	9/13/2016	1931	36.2765	-87.1363	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.3
11SR0490005	CHEATHAM	SR049	3.43	BIG BLUFF CREEK	OPEN	9/14/2016	1930	36.2801	-87.101767	CONCRETE	TEE BEAM	61
11SR0490009	CHEATHAM	SR049	4.95	CUMBERLAND RIVER	OPEN	9/14/2016	1998	36.270217	-87.0787	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
11SR0490011	CHEATHAM	SR049	9.46	SYCAMORE CREEK	OPEN	9/19/2016	2006	36.319733	-87.051033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.7
11SR1120003	CHEATHAM	SR112	3.2	BRANCH OF SPRING CREEK	OPEN	9/19/2016	1936	36.400717	-87.032217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
11SR1120001	CHEATHAM	SR112	4.77	SYCAMORE CREEK	OPEN	9/19/2016	1999	36.369933	-86.987183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
11SR2490001	CHEATHAM	SR249	0.6	BRANCH	OPEN	9/8/2016	2009	36.2437	-87.06365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
11S61520005	CHEATHAM	SR249	2.56	HARPETH RIVER	OPEN	9/8/2016	1995	36.106817	-87.074983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
11S63600005	CHEATHAM	SR249	6.9	SAMS CREEK	OPEN	9/15/2016	1968	36.159133	-87.04425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
11S63600007	CHEATHAM	SR249	7.87	SAMS CREEK	OPEN	9/15/2016	1968	36.171783	-87.047133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
11S63600009	CHEATHAM	SR249	8.51	SAMS CREEK	OPEN	9/15/2016	1968	36.178983	-87.039567	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	62.3
11S63600011	CHEATHAM	SR249	10.57	SAMS CREEK	WEIGHT POSTED	9/15/2016	1964	36.202383	-87.033417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	43.5
11S63600013	CHEATHAM	SR249	11.54	DRY CREEK	OPEN	9/15/2016	1965	36.2123	-87.045067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	45.9
11S61510003	CHEATHAM	SR249	13.52	BRUSH CREEK	OPEN	9/14/2016	2005	36.23535	-87.058067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.7
11S61510001	CHEATHAM	SR249	14.14	BLUE CREEK	OPEN	9/14/2016	1950	36.2437	-87.06365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
11I00240003	CHEATHAM	SR249	26.02	NEW HOPE RD. / I24	OPEN	9/19/2016	1973	36.347917	-86.9317	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	67
11S61490001	CHEATHAM	SR250	1.4	BRANCH	OPEN	9/13/2016	1990	36.209467	-87.159417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
11S61490003	CHEATHAM	SR250	2.1	TURNIPSEED CREEK	OPEN	9/13/2016	2008	36.21645	-87.149967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
11S61510005	CHEATHAM	SR251	0.63	SAMS CREEK	OPEN	9/15/2016	2014	36.2265	-87.036767	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.3
11S61510007	CHEATHAM	SR251	3.54	POND CREEK	OPEN	9/15/2016	1957	36.204367	-86.991933	CONCRETE	TEE BEAM	64.6
110A2860001	CHEATHAM	SR455	1.07	BRANCH	OPEN	9/14/2016	1970	36.2711	-87.069167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
12008180001	CHESTER	00818	0.39	SUGAR CREEK	OPEN	8/25/2015	2007	35.430483	-88.640133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
120A3410001	CHESTER	00818	0.43	SUGAR CREEK	OPEN	8/25/2015	1929	35.431028	-88.640333	CONCRETE	TEE BEAM	61
12S80600001	CHESTER	00882	2.2	OVERFLOW	OPEN	8/19/2015	1953	35.587972	-88.573972	CONCRETE	TEE BEAM	72.2
12S80600003	CHESTER	00882	2.25	S. FK. FORKED DEER RIVER	OPEN	8/24/2015	1952	35.588583	-88.574139	CONCRETE	TEE BEAM	72.2
12S82110001	CHESTER	00883	0.84	SUGAR CREEK	OPEN	8/24/2015	1961	35.390222	-88.653472	CONCRETE	TEE BEAM	77.5
12S80580009	CHESTER	00926	1.51	OVERFLOW	OPEN	8/25/2015	2002	35.494083	-88.646833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.7
12S80580007	CHESTER	00926	1.78	OVERFLOW	OPEN	8/25/2015	2002	35.49025	-88.647	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.7
12S80580005	CHESTER	00926	1.86	S. FK. FORKED DEER RIVER	OPEN	8/25/2015	2002	35.489	-88.647028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
12S80580003	CHESTER	00926	2.23	OVERFLOW	OPEN	8/25/2015	2002	35.48375	-88.64725	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.3
12S80580001	CHESTER	00926	2.35	OVERFLOW	OPEN	8/25/2015	2002	35.481861	-88.647389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.7
12019010001	CHESTER	01584	0.65	RT FORK OF SWEET LIPS CR	OPEN	8/20/2015	1993	35.3925	-88.524861	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.9
12016300001	CHESTER	01630	3.79	BRANCH	OPEN	8/26/2015	2004	35.427	-88.835028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
12016690001	CHESTER	01669	2.97	HORSE CREEK	OPEN	8/24/2015	1990	35.404639	-88.625056	CONCRETE	CHANNEL BEAM	78.8
12016730001	CHESTER	01673	0.45	KISE CREEK	OPEN	8/24/2015	2003	35.251889	-88.770278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
12016730003	CHESTER	01673	2.37	KISE CREEK	OPEN	8/24/2015	2001	35.27275	-88.769639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.7
12016750001	CHESTER	01675	3.01	BRANCH	OPEN	8/24/2015	1955	35.352444	-88.725111	CONCRETE	CHANNEL BEAM	66.1
12016750003	CHESTER	01675	3.16	SUGAR CREEK	OPEN	8/24/2015	1955	35.354472	-88.726583	CONCRETE	CHANNEL BEAM	66.1
12016760001	CHESTER	01676	1.57	BRANCH	OPEN	8/24/2015	1970	35.266306	-88.706667	CONCRETE	CHANNEL BEAM	78.8
12016790003	CHESTER	01679	0.16	SWEET LIPS CREEK	OPEN	8/25/2015	1970	35.406111	-88.558722	CONCRETE	CHANNEL BEAM	79.6
12016790005	CHESTER	01679	2.51	JACKS CREEK	WEIGHT POSTED	8/25/2015	1991	35.409972	-88.591083	CONCRETE	CHANNEL BEAM	33.9
12016790007	CHESTER	01679	2.59	JACKS CREEK	WEIGHT POSTED	8/25/2015	1960	35.411	-88.591306	CONCRETE	CHANNEL BEAM	30.8
12016790009	CHESTER	01679	2.64	OVERFLOW	OPEN	8/25/2015	1955	35.411833	-88.591694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	46
12016830001	CHESTER	01683	4.19	CLARKS CREEK	OPEN	8/24/2015	1970	35.5202	-88.535983	CONCRETE	CHANNEL BEAM	67.6
12016860001	CHESTER	01686	0.38	OVERFLOW OLD RIVER BED	OPEN	8/25/2015	1968	35.440222	-88.611083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.7
12S81640003	CHESTER	01686	0.52	S. FK. FORKED DEER RIVER	OPEN	8/25/2015	1968	35.438361	-88.609667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.7
12S81640005	CHESTER	01686	2.62	DRY BRANCH	OPEN	8/20/2015	2011	35.426933	-88.415683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.3
12016860003	CHESTER	01686	4.67	BRANCH	OPEN	8/20/2015	1990	35.411667	-88.560528	CONCRETE	CHANNEL BEAM	75
12S81640007	CHESTER	01686	4.68	JACKS CREEK	OPEN	8/20/2015	2000	35.409806	-88.559806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.1
12016880001	CHESTER	01688	1.88	LITTLE WHITE OAK CREEK	OPEN	8/24/2015	1984	35.441667	-88.446333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
12S81350001	CHESTER	01690	6.06	MIDDLETON CREEK	OPEN	8/24/2015	1999	35.464583	-88.387611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
12016920001	CHESTER	01692	0.63	TURKEY CREEK	OPEN	8/24/2015	1993	35.476306	-88.517833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
12016940001	CHESTER	01694	0.58	CLARKS CREEK	OPEN	8/19/2015	1988	35.498333	-88.587639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.6
12016960001	CHESTER	01696	0.86	FINGER CREEK	OPEN	8/24/2015	1970	35.50875	-88.639528	CONCRETE	CHANNEL BEAM	75.6
12016960003	CHESTER	01696	2.3	JONES CREEK	OPEN	8/19/2015	2009	35.503556	-88.615556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.1
12F00050003	CHESTER	05554	0.73	BRANCH	OPEN	8/26/2015	1991	35.422667	-88.704111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
12S82470001	CHESTER	05555	4.49	LITTLE SUGAR CREEK	OPEN	8/24/2015	1960	35.353139	-88.734361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
120A0040001	CHESTER	0A004	1.031	CLOVER CREEK	OPEN	8/26/2015	1965	35.402167	-88.820167	CONCRETE	CHANNEL BEAM	83
120A0050001	CHESTER	0A005	0.751	BRANCH	OPEN	8/26/2015	1993	35.427694	-88.813778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
120A0070001	CHESTER	0A007	1.399	CLOVER CREEK	OPEN	8/26/2015	1984	35.411611	-88.835111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
120A0320001	CHESTER	0A032	0.413	DRY CREEK	OPEN	8/26/2015	1986	35.455389	-88.707167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
120A0340001	CHESTER	0A034	0.487	TURKEY CREEK	OPEN	8/26/2015	1988	35.459639	-88.687972	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.7
120A0350001	CHESTER	0A035	0.84	TURKEY CREEK	OPEN	8/26/2015	1975	35.442083	-88.688194	CONCRETE	CHANNEL BEAM	47.5
120A2030001	CHESTER	0A113	1.182	SPRING CREEK	OPEN	8/20/2015	1993	35.424139	-88.526194	CONCRETE	CHANNEL BEAM	65.7
120A1240001	CHESTER	0A124	0.91	FINGER CREEK	OPEN	8/19/2015	1984	35.497444	-88.637333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
120A1330001	CHESTER	0A133	0.946	JONES CREEK	OPEN	8/24/2015	1990	35.521056	-88.611778	CONCRETE	CHANNEL BEAM	67.6
120A1380001	CHESTER	0A138	0.44	CLARK'S CREEK	OPEN	8/19/2015	1987	35.477444	-88.596889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.7
120A1500001	CHESTER	0A150	0.113	CYPRESS CREEK	OPEN	4/27/2017	2017	35.522556	-88.573472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
120A1530001	CHESTER	0A153	0.642	CYPRESS CREEK	OPEN	8/19/2015	1986	35.540889	-88.576083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
120A1530003	CHESTER	0A153	3.072	CLARKS CREEK	OPEN	8/19/2015	1983	35.508472	-88.5655	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.8
120A1720001	CHESTER	0A172	1.414	JACKS CREEK	OPEN	8/20/2015	1984	35.495111	-88.473917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
120A1870001	CHESTER	0A187	1.497	CRINER CREEK	OPEN	8/24/2015	1984	35.479472	-88.412333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
120A1890001	CHESTER	0A189	0.702	DRY CREEK	OPEN	8/20/2015	1973	35.440528	-88.580167	CONCRETE	CHANNEL BEAM	64
120A1890003	CHESTER	0A189	3.671	JACKS CREEK	OPEN	8/25/2015	1970	35.441083	-88.527806	CONCRETE	CHANNEL BEAM	50.8
120A1890005	CHESTER	0A189	5.157	SPRING CREEK	WEIGHT POSTED	8/20/2015	1995	35.434056	-88.503556	CONCRETE	SLAB	45.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
120A2020001	CHESTER	0A202	2.065	BRANCH	OPEN	8/20/2015	1970	35.414389	-88.560861	CONCRETE	CHANNEL BEAM	78.9
120A2110001	CHESTER	0A211	1.8	LITTLE WHITE OAK CREEK	OPEN	8/20/2015	1984	35.424944	-88.432361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
120A2180001	CHESTER	0A218	0.834	DRY CREEK	OPEN	8/25/2015	2002	35.417111	-88.585222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.9
120A2290001	CHESTER	0A229	1.481	TAR CREEK	OPEN	11/29/2016	2016	35.400583	-88.571861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
120A2300001	CHESTER	0A230	0.709	TAR CREEK	WEIGHT POSTED	8/20/2015	1965	35.384111	-88.566111	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	50.3
120A1900001	CHESTER	0A253	3.581	JACKS CREEK	OPEN	8/20/2015	1976	35.468722	-88.522278	CONCRETE	CHANNEL BEAM	50.1
120A1900003	CHESTER	0A253	3.606	OVERFLOW	OPEN	8/20/2015	1978	35.46875	-88.521861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	73.7
120A2540001	CHESTER	0A254	0.915	LITTLE WHITE OAK CREEK	WEIGHT POSTED	8/25/2015	1965	35.403278	-88.428417	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	58.8
120A2760001	CHESTER	0A276	0.619	BRANCH	OPEN	8/24/2015	1984	35.377139	-88.650861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
120A2760005	CHESTER	0A278	0.157	BRANCH	OPEN	8/24/2015	2007	35.368683	-88.644283	CONCRETE	CHANNEL BEAM	83
120A2820001	CHESTER	0A282	0.243	SUGAR CREEK	OPEN	8/24/2015	1992	35.360472	-88.687833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.9
120A2820003	CHESTER	0A282	0.65	WEBB CREEK	OPEN	8/24/2015	1984	35.354722	-88.68725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
120A2970001	CHESTER	0A297	1.709	BRANCH	OPEN	8/25/2015	1983	35.365639	-88.7485	CONCRETE	CHANNEL BEAM	90.7
120A2990001	CHESTER	0A299	1.431	LITTLE SUGAR CREEK	OPEN	8/24/2015	1997	35.356222	-88.73575	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
120A2990003	CHESTER	0A299	1.501	LITTLE SUGAR CREEK	OPEN	8/24/2015	1995	35.35525	-88.736722	CONCRETE	CHANNEL BEAM	85
120A3000001	CHESTER	0A300	1.297	SUGAR CREEK	WEIGHT POSTED	8/19/2015	1968	35.322139	-88.735611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	57.8
120A3040001	CHESTER	0A304	3.879	BRANCH	OPEN	8/19/2015	1984	35.328194	-88.790639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
120A3070001	CHESTER	0A307	1.919	LITTLE PINEY CREEK	OPEN	8/19/2015	1970	35.353361	-88.793722	CONCRETE	CHANNEL BEAM	96
120A3280001	CHESTER	0A328	0.311	KISE CREEK	OPEN	8/19/2015	1998	35.264361	-88.769611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
120A3280003	CHESTER	0A328	1.091	WOODVILLE CREEK	OPEN	8/19/2015	2005	35.260733	-88.757567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77.2
120A3340001	CHESTER	0A334	0.346	HAMSTRING CREEK	OPEN	8/19/2015	1996	35.250556	-88.728222	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
120A3270001	CHESTER	0A407	0.37	KISE CREEK	WEIGHT POSTED	8/19/2015	1993	35.287	-88.764722	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	55.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
120A3290001	CHESTER	0A427	0.59	KISE CREEK	WEIGHT POSTED	8/19/2015	1990	35.297944	-88.762417	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	47.8
12SR0050002	CHESTER	SR005	4.7	SUGAR CREEK	OPEN	8/13/2015	1979	35.429	-88.642972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
12SR0050001	CHESTER	SR005	4.7	SUGAR CREEK	OPEN	8/13/2015	1979	35.429111	-88.642806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
12SR0050003	CHESTER	SR005	8.38	OVERFLOW	OPEN	8/13/2015	1979	35.46675	-88.684472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.6
12SR0050004	CHESTER	SR005	8.38	OVERFLOW	OPEN	8/13/2015	1934	35.46625	-88.684722	CONCRETE	TEE BEAM	81.1
12SR0050005	CHESTER	SR005	8.5	TURKEY CREEK	OPEN	8/13/2015	1979	35.46725	-88.685917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.4
12SR0050006	CHESTER	SR005	8.5	TURKEY CREEK	OPEN	8/13/2015	1934	35.46725	-88.686167	CONCRETE	TEE BEAM	74.8
12SR0050008	CHESTER	SR005	9.36	DRY CREEK	OPEN	8/17/2015	1934	35.475306	-88.697972	CONCRETE	TEE BEAM	92.4
12SR0050007	CHESTER	SR005	9.38	DRY CREEK	OPEN	8/17/2015	1979	35.475722	-88.698056	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.5
12SR0222001	CHESTER	SR022	1.35	BRANCH	OPEN	8/13/2015	1992	35.384889	-88.39175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
12SR0222003	CHESTER	SR022	1.37	BRANCH	OPEN	8/13/2015	1992	35.384833	-88.392111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
12SR0222019	CHESTER	SR022	1.73	BRANCH	OPEN	8/17/2015	2008	35.384767	-88.3983	CONCRETE	CHANNEL BEAM	85.5
12SR02220001	CHESTER	SR022	2.88	DRY CREEK	OPEN	8/13/2015	1958	35.421861	-88.369972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
12SR0222005	CHESTER	SR022	2.91	OVERFLOW	OPEN	8/17/2015	1998	35.386556	-88.419139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
12SR0222007	CHESTER	SR022	2.97	LITTLE WHITE OAK CREEK	OPEN	8/17/2015	1998	35.38625	-88.420194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
12SR02220003	CHESTER	SR022	3.7	DITCH	OPEN	8/13/2015	1958	35.433833	-88.372083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82
12SR02220005	CHESTER	SR022	3.91	MIDDLETONS CREEK	OPEN	8/13/2015	1958	35.436722	-88.371917	CONCRETE	TEE BEAM	75.1
12SR02220007	CHESTER	SR022	7.79	DITCH	OPEN	8/13/2015	1958	35.492667	-88.377667	CONCRETE	TEE BEAM	59
12SR0222009	CHESTER	SR022	8.97	SPRING CREEK	OPEN	8/17/2015	1998	35.44125	-88.49075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
12SR0222011	CHESTER	SR022	10.85	OVERFLOW	OPEN	8/17/2015	1998	35.459222	-88.514722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
12SR0222013	CHESTER	SR022	10.95	SANDY CREEK	OPEN	8/17/2015	1998	35.460417	-88.515333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
12SR0222015	CHESTER	SR022	12.44	OVERFLOW	OPEN	8/17/2015	1993	35.480083	-88.519389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
12SR0222017	CHESTER	SR022	12.6	JACKS CREEK	OPEN	8/17/2015	1997	35.482194	-88.518417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
12SR1000001	CHESTER	SR100	0.87	WEST FORK CLOVER CREEK	OPEN	8/18/2015	1936	35.383361	-88.822139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
12SR1000005	CHESTER	SR100	3.18	BRANCH	OPEN	8/18/2015	1971	35.392	-88.782472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
12SR1000007	CHESTER	SR100	7.15	TURKEY CREEK	OPEN	8/18/2015	1935	35.409556	-88.715611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
12SR1000009	CHESTER	SR100	8.44	DRAINAGE DITCH	OPEN	8/18/2015	2005	35.4155	-88.693917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.4
12SR0050009	CHESTER	SR100	11.45	SR-100 / SR-5	OPEN	8/18/2015	2006	35.430483	-88.644417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
12SR0050010	CHESTER	SR100	11.45	LL-SR-100 / SR-5	OPEN	8/18/2015	2006	35.430633	-88.644533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
12SR1000018	CHESTER	SR100	11.66	LL-SR-100 / CHURCH ST	OPEN	8/18/2015	2006	35.431633	-88.641133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
12SR1000017	CHESTER	SR100	11.66	RL-SR-100 / CHURCH ST	OPEN	8/18/2015	2006	35.431533	-88.640983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
12SR1000019	CHESTER	SR100	11.81	RL-SR-100 / W.TN, RR,	OPEN	8/18/2015	2006	35.432383	-88.638483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
12SR1000020	CHESTER	SR100	11.81	LL-SR-100 / W.TN, RR,	OPEN	8/18/2015	2006	35.432533	-88.638583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
12SR1000011	CHESTER	SR100	14.16	S. FK. FORKED DEER RIVER	OPEN	8/13/2015	1931	35.448611	-88.604556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	53.8
12SR1000013	CHESTER	SR100	16.03	DRY BRANCH	OPEN	8/13/2015	1931	35.457806	-88.573444	CONCRETE	TEE BEAM	44.9
12SR1000015	CHESTER	SR100	19.04	JACKS CREEK	OPEN	8/13/2015	1931	35.471194	-88.522694	CONCRETE	TEE BEAM	94
12016770001	CHESTER	SR125	0.12	LITTLE PINEY CREEK	OPEN	8/17/2015	1971	35.347194	-88.8035	CONCRETE	CHANNEL BEAM	63.8
12016770003	CHESTER	SR125	1.4	PINEY CREEK	OPEN	8/17/2015	1972	35.364278	-88.80475	CONCRETE	CHANNEL BEAM	78.2
12S80610001	CHESTER	SR200	2.18	S. FK. FORKED DEER RIVER	OPEN	8/19/2015	1986	35.467583	-88.613417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.3
12S80610003	CHESTER	SR200	2.59	OVERFLOW	OPEN	8/17/2015	2005	35.470528	-88.608083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
12S80610005	CHESTER	SR200	2.82	OVERFLOW	OPEN	8/17/2015	2005	35.474167	-88.605833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.9
12S80610007	CHESTER	SR200	2.91	CLARKS CREEK	OPEN	8/17/2015	2005	35.475222	-88.605222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.9
12S80610009	CHESTER	SR200	2.98	OVERFLOW	OPEN	8/17/2015	2005	35.476111	-88.604722	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
12002890001	CHESTER	SR225	0.77	WOODVILLE CREEK	OPEN	8/17/2015	1955	35.25725	-88.758389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.1
12002890003	CHESTER	SR225	3.97	BRANCH	OPEN	8/17/2015	1960	35.284389	-88.713556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
12002890005	CHESTER	SR225	4.41	BRANCH	OPEN	8/17/2015	1960	35.289472	-88.709083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
12SR2250001	CHESTER	SR225	8.39	WEBB BRANCH	OPEN	8/17/2015	1995	35.338417	-88.710833	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	89.2
12E00220001	CHESTER	SR225	9.4	SUGAR CREEK	OPEN	8/17/2015	1991	35.354111	-88.706167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.1
12SR2250005	CHESTER	SR225	11.84	MELTON BRANCH	OPEN	8/17/2015	1985	35.386806	-88.698667	CONCRETE	CHANNEL BEAM	81.9
12SR0052001	CHESTER	SR365	0.42	ICG RR	OPEN	8/17/2015	1934	35.438111	-88.642667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.4
12SR0052003	CHESTER	SR365	3.08	SR 365 / ICG RR	OPEN	8/17/2015	1975	35.46125	-88.665972	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.1
13E00340001	CLAIBORNE	01304	0.25	CLEAR CREEK	OPEN	6/12/2017	1989	36.549283	-83.949467	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95
13006990003	CLAIBORNE	01304	1.62	ROCK CREEK	OPEN	6/12/2017	1992	36.5407	-83.929633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.6
130A0690001	CLAIBORNE	01310	0.27	GAP CREEK	OPEN	6/6/2017	1984	36.552467	-83.667567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
130A0690003	CLAIBORNE	01310	2.76	GAP CREEK	OPEN	6/6/2017	2015	36.58245	-83.6794	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
130A3040001	CLAIBORNE	01313	0.75	BIG BARREN CREEK	OPEN	6/13/2017	1980	36.40585	-83.682967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
13S25480001	CLAIBORNE	01315	8.31	POWELL RIVER	OPEN	6/7/2017	1942	36.54025	-83.524817	CONCRETE	TEE BEAM	67
13S23520001	CLAIBORNE	01332	7.91	BALL CREEK	OPEN	4/28/2016	1960	36.398767	-83.569467	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.2
13S23520003	CLAIBORNE	01332	12.1	LITTLE SYCAMORE CREEK	OPEN	6/7/2017	1985	36.435683	-83.52255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5
13S24760001	CLAIBORNE	01336	0.24	LOWER FALL BRANCH	OPEN	5/25/2017	1960	36.4559	-83.87865	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
13S24760003	CLAIBORNE	01336	0.35	DAVIS CREEK	OPEN	5/31/2017	1959	36.454383	-83.878533	CONCRETE	TEE BEAM	71.1
13S24760005	CLAIBORNE	01336	0.82	DAVIS CREEK	OPEN	5/31/2017	1959	36.44995	-83.872417	CONCRETE	TEE BEAM	66.1
13S24760007	CLAIBORNE	01336	1.12	DAVIS CREEK	OPEN	5/31/2017	1959	36.4472	-83.868383	CONCRETE	TEE BEAM	77.2
13024770001	CLAIBORNE	01340	0.23	BIG BARREN CREEK	OPEN	6/13/2017	1985	36.3963	-83.69775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
13024720001	CLAIBORNE	02472	3.04	CAWOOD BRANCH	OPEN	5/25/2017	2015	36.457167	-83.876733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
13024720003	CLAIBORNE	02472	3.97	CAWOOD BRANCH	OPEN	5/25/2017	1991	36.4642	-83.863033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
13024970001	CLAIBORNE	02497	0.03	BLAIR CREEK	OPEN	6/6/2017	1998	36.510067	-83.605883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
13025030001	CLAIBORNE	02503	1.58	HOOP CREEK	WEIGHT POSTED	6/7/2017	1980	36.524	-83.431533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.9
13025070001	CLAIBORNE	02507	0.04	STATION CREEK	OPEN	6/6/2017	1986	36.588917	-83.606083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
13025540001	CLAIBORNE	02554	0.02	BLAIR CREEK	OPEN	6/7/2017	1970	36.50975	-83.604083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
13025560003	CLAIBORNE	02556	1.84	RUSSELL CREEK	OPEN	6/7/2017	1984	36.502233	-83.506183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.6
13025560001	CLAIBORNE	02556	1.97	RUSSELL CREEK	WEIGHT POSTED	6/7/2017	1975	36.50035	-83.505583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.9
13025580001	CLAIBORNE	02558	2.11	GAP CREEK	OPEN	5/25/2017	1988	36.53305	-83.692667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.5
13025600001	CLAIBORNE	02560	2.48	INDIAN CREEK	OPEN	6/6/2017	1985	36.557517	-83.60665	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.6
13025600003	CLAIBORNE	02560	6.35	LITTLE CREEK	OPEN	6/6/2017	1984	36.55955	-83.54795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
13025620001	CLAIBORNE	02562	0.28	STATION CREEK	OPEN	6/6/2017	1988	36.594817	-83.6242	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
13027040001	CLAIBORNE	02704	0.72	TOWN CREEK	OPEN	5/25/2017	1993	36.5291	-83.74055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
13SR0320009	CLAIBORNE	05484	0.28	RUSSELL CREEK	OPEN	6/13/2017	1959	36.451	-83.568417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
130A0020001	CLAIBORNE	0A002	0.481	BLAIR CREEK	OPEN	6/6/2017	1999	36.514183	-83.6102	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
130A0380001	CLAIBORNE	0A038	0.325	CLEAR CREEK	OPEN	6/8/2017	1984	36.57125	-83.912067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
130A0420001	CLAIBORNE	0A042	0.927	BUFFALO CREEK	OPEN	6/12/2017	2016	36.569033	-83.957133	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.5
130A0420003	CLAIBORNE	0A042	2.185	BUFFALO CREEK	OPEN	6/12/2017	1987	36.586017	-83.619367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
130A0480003	CLAIBORNE	0A048	0.008	ROCKY CREEK	OPEN	6/12/2017	1984	36.539883	-83.9272	CONCRETE	SLAB	72.8
130A0510001	CLAIBORNE	0A051	0.057	CLEAR FORK	OPEN	6/12/2017	1975	36.554267	-83.975817	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	41.5
130A1420001	CLAIBORNE	0A142	0.013	LITTLE CREEK	OPEN	6/6/2017	1994	36.5526	-83.57245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
130A1540001	CLAIBORNE	0A154	2.158	INDIAN CREEK	WEIGHT POSTED	6/6/2017	1990	36.581783	-83.596867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.8
130A2400001	CLAIBORNE	0A240	0.017	LITTLE SYCAMORE CREEK	OPEN	6/7/2017	1984	36.46435	-83.487833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
130A2410001	CLAIBORNE	0A241	0.05	LITTLE SYCAMORE CREEK	OPEN	6/7/2017	2013	36.454767	-83.505233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
130A2420001	CLAIBORNE	0A242	0.822	LITTLE SYCAMORE CREEK	OPEN	6/7/2017	1984	36.450383	-83.510717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.6
130A2430001	CLAIBORNE	0A243	0.01	LITTLE SYCAMORE CREEK	OPEN	6/7/2017	1995	36.453633	-83.50745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
130A2450001	CLAIBORNE	0A245	0.241	LITTLE SYCAMORE CREEK	OPEN	6/7/2017	1986	36.444667	-83.5191	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
130A2500001	CLAIBORNE	0A250	0.356	BIG SYCAMORE CREEK	WEIGHT POSTED	6/20/2017	1989	36.441367	-83.439467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.3
130A2520001	CLAIBORNE	0A252	0.322	BIG SYCAMORE CREEK	OPEN	6/20/2017	1999	36.457683	-83.4412	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.2
130A2530001	CLAIBORNE	0A253	1.325	BIG SYCAMORE CREEK	OPEN	6/20/2017	1986	36.467467	-83.437633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
130A2540001	CLAIBORNE	0A254	0.336	BIG SYCAMORE CREEK	OPEN	6/20/2017	1994	36.471383	-83.430333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
130A0330001	CLAIBORNE	0A255	0.334	BIG SYCAMORE CREEK	OPEN	6/20/2017	1984	36.47795	-83.414267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
130A2570001	CLAIBORNE	0A257	0.762	S. FK. SYCAMORE CR	OPEN	6/20/2017	2014	36.4728	-83.398067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
130A2570003	CLAIBORNE	0A257	1.99	S. FK. SYCAMORE CR	OPEN	6/20/2017	2017	36.459481	-83.391814	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	94.3
130A2810001	CLAIBORNE	0A281	0.873	BALL CREEK	OPEN	6/7/2017	1983	36.399967	-83.578217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
130A3050003	CLAIBORNE	0A305	1.811	BIG BARREN CREEK	OPEN	6/13/2017	1988	36.415317	-83.65765	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
130A3720001	CLAIBORNE	0A372	0.009	BIG BARREN CREEK	OPEN	6/13/2017	1970	36.387283	-83.7086	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
130A3720003	CLAIBORNE	0A372	0.235	BIG BARREN CREEK	OPEN	6/13/2017	1970	36.384433	-83.70955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
130A3730001	CLAIBORNE	0A373	0.013	BIG BARREN CREEK	OPEN	6/13/2017	1970	36.382617	-83.711167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
13024950001	CLAIBORNE	0A392	3.808	BLAIR CREEK	OPEN	6/6/2017	1984	36.523067	-83.630983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
130A4050001	CLAIBORNE	0A405	0.059	BLAIR CREEK	OPEN	6/6/2017	1984	36.520433	-83.636283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
130A4240001	CLAIBORNE	0A424	0.222	GAP CREEK	OPEN	6/6/2017	1984	36.54325	-83.669967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
130A4260001	CLAIBORNE	0A426	1.55	GAP CREEK	OPEN	5/31/2017	1993	36.514983	-83.68655	WOOD OR TIMBER	SLAB	95
130A4410001	CLAIBORNE	0A441	0.013	KEG BRANCH	OPEN	5/25/2017	1987	36.521683	-83.7148	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
130A4440001	CLAIBORNE	0A444	0.696	OLD TOWN CREEK	OPEN	5/25/2017	1984	36.5197	-83.733217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
130A4820001	CLAIBORNE	0A482	0.957	DAVIS CREEK	OPEN	5/25/2017	1996	36.461817	-83.845217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
130A4960001	CLAIBORNE	0A496	1.252	DAVIS CREEK	WEIGHT POSTED	5/31/2017	1940	36.444533	-83.91235	STEEL	STRINGER/MULTI-BEAM OR GIRDER	14
130A4970001	CLAIBORNE	0A497	0.343	DAVIS CREEK	WEIGHT POSTED	5/31/2017	1935	36.44355	-83.916267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.8
130A4990001	CLAIBORNE	0A499	0.48	DAVIS CREEK	WEIGHT POSTED	5/31/2017	1975	36.440417	-83.923167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.8
130A7010001	CLAIBORNE	0A701	0.009	STRAIGHT CREEK	OPEN	6/12/2017	1984	36.540317	-83.926933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
13SR1320003	CLAIBORNE	0A707	3.019	BURRELL CREEK	OPEN	6/8/2017	1997	36.566517	-83.8119	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
13SR1320001	CLAIBORNE	0A707	4.085	BRANCH	OPEN	6/8/2017	1985	36.579	-83.802183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
13SR0320023	CLAIBORNE	SR032	1.07	CANEY CREEK	OPEN	6/7/2016	2009	36.408433	-83.473733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
13SR0320003	CLAIBORNE	SR032	2.43	CANEY CREEK	OPEN	6/7/2016	2009	36.407467	-83.495183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
13SR0320005	CLAIBORNE	SR032	2.92	BIG SYCAMORE CREEK	OPEN	6/7/2016	2007	36.4075	-83.5065	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.3
13SR0320007	CLAIBORNE	SR032	4.41	LITTLE SYCAMORE CREEK	OPEN	6/7/2016	2005	36.4236	-83.523183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
13SR0320025	CLAIBORNE	SR032	6.61	OLD SR032	OPEN	6/7/2016	2005	36.429017	-83.557383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
13SR0320019	CLAIBORNE	SR032	8.78	RUSSELL CREEK	OPEN	6/7/2016	2001	36.455433	-83.56575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65
13SR0320011	CLAIBORNE	SR032	13.22	BLAIR CREEK	OPEN	6/6/2016	1959	36.509783	-83.604617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64
13SR0320013	CLAIBORNE	SR032	15.96	POWELL RIVER	OPEN	6/13/2016	2000	36.540267	-83.63105	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
13SR0330001	CLAIBORNE	SR033	3.67	BIG BARREN CREEK	OPEN	6/8/2016	1972	36.388367	-83.70175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
13SR0330011	CLAIBORNE	SR033	7.5	BIG BARREN CREEK	OPEN	6/8/2016	1988	36.417633	-83.65135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
13SR0330003	CLAIBORNE	SR033	10.09	SOUTHERN RAILWAY	OPEN	6/7/2016	1951	36.4359	-83.611133	CONCRETE	TEE BEAM	54.9
13SR0330005	CLAIBORNE	SR033	13.68	BRANCH	OPEN	6/8/2016	1931	36.417283	-83.495733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
13SR0330007	CLAIBORNE	SR033	18.04	BIG SYCAMORE CREEK	WEIGHT POSTED	6/8/2016	1942	36.450117	-83.43915	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.9
13SR0330009	CLAIBORNE	SR033	20.56	SOUTH FORK SYCAMORE CREEK	OPEN	6/8/2016	1967	36.473867	-83.4107	CONCRETE	CHANNEL BEAM	47.9
13SR0630005	CLAIBORNE	SR063	12.16	OLD TOWN CREEK	OPEN	6/1/2016	1971	36.526983	-83.740733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
13SR0630007	CLAIBORNE	SR063	14.9	GAP CREEK	OPEN	6/1/2016	1971	36.535917	-83.692183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.4
13SR0630009	CLAIBORNE	SR063	15.81	GAP CREEK	OPEN	6/1/2016	1971	36.542417	-83.678367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
13SR0630011	CLAIBORNE	SR063	16.39	SOUTHERN RAILWAY	OPEN	6/1/2016	1969	36.546583	-83.669867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.6
13SR0630013	CLAIBORNE	SR063	16.68	GAP CREEK	OPEN	6/1/2016	1971	36.549267	-83.6654	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
13S24410003	CLAIBORNE	SR063	21.6	INDIAN CREEK	OPEN	6/6/2016	1970	36.58845	-83.605217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
13S24410001	CLAIBORNE	SR063	29.06	COX CREEK	OPEN	6/6/2016	1960	36.5799	-83.498983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
13S23530005	CLAIBORNE	SR063	35.06	POWELL RIVER	OPEN	6/13/2016	1978	36.5355	-83.447033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
13S25920005	CLAIBORNE	SR063	36.82	HOOP CREEK	OPEN	6/6/2016	1960	36.536533	-83.435017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
13SR0900001	CLAIBORNE	SR090	1.04	BUFFALO CREEK	OPEN	6/1/2016	1977	36.5577	-83.964767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
13SR0900003	CLAIBORNE	SR090	4.4	TRACY CREEK	OPEN	6/1/2016	1952	36.57045	-83.924333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
13005061001	CLAIBORNE	SR345	0.505	RUSSELL CREEK	OPEN	6/6/2016	1967	36.45745	-83.556283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
13023530003	CLAIBORNE	SR345	4.72	CEDAR FORK CREEK	OPEN	6/6/2016	1940	36.588333	-83.6028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.8
14S42320001	CLAY	01179	2.99	KNOB CREEK	OPEN	5/12/2016	1976	36.523983	-85.541433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
14021090001	CLAY	02109	0.14	LITTLE TRACE CREEK	OPEN	5/10/2016	1979	36.581083	-85.7811	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.1
14022510001	CLAY	02251	0.53	LITTLE PROCTOR CREEK	OPEN	4/26/2016	1950	36.56745	-85.517717	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	85.4
14022510003	CLAY	02251	2.22	LITTLE PROCTOR CREEK	OPEN	4/26/2016	1984	36.587167	-85.532867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
14022510005	CLAY	02251	2.52	LITTLE PROCTOR CREEK	OPEN	4/26/2016	1975	36.591467	-85.533967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
14022510007	CLAY	02251	4.04	KETTLE CREEK	OPEN	4/26/2016	1963	36.608167	-85.518867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90
14022550003	CLAY	02255	3.21	HURRICANE CREEK	OPEN	4/25/2016	1986	36.5997	-85.702783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
140A0100001	CLAY	0A010	1.867	LITTLE TRACE CREEK	OPEN	4/25/2016	1984	36.607233	-85.77165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
140A0170001	CLAY	0A017	0.02	LINE CREEK	OPEN	4/25/2016	1975	36.608033	-85.76945	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.7
140A0180001	CLAY	0A018	0.059	LINE CREEK	OPEN	4/4/2016	1979	36.608867	-85.754333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79
140A0190001	CLAY	0A019	1.141	LINE CREEK	OPEN	4/4/2016	1984	36.606883	-85.746117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
140A0460001	CLAY	0A046	1.519	SPRING CREEK	OPEN	5/4/2016	1991	36.615967	-85.587167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
140A0520001	CLAY	0A052	0.051	NEW HOPE BRANCH	OPEN	4/26/2016	1992	36.572783	-85.5422	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
140A0520003	CLAY	0A052	0.154	PROCTOR CREEK	OPEN	4/26/2016	1992	36.5705	-85.5422	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
140A0530001	CLAY	0A053	0.161	PROCTOR BRANCH	WEIGHT POSTED	5/10/2016	1950	36.5703	-85.539583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	9.1
140A0540001	CLAY	0A054	1.521	KNOB CREEK	OPEN	5/3/2016	1984	36.5424	-85.555067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
140A0550001	CLAY	0A055	0.088	DRY CREEK	OPEN	5/2/2016	1993	36.5183	-85.577183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
140A0570001	CLAY	0A057	0.05	BRIMSTONE CREEK	OPEN	5/9/2016	1988	36.502233	-85.639217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
140A0580001	CLAY	0A058	2.206	DRY CREEK	OPEN	5/2/2016	1997	36.529583	-85.588533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
140A0580003	CLAY	0A058	2.684	DRY CREEK	OPEN	5/2/2016	1984	36.523233	-85.585667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
140A0580005	CLAY	0A058	4.671	BRANCH	OPEN	5/2/2016	1984	36.52045	-85.5569	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
140A0600001	CLAY	0A060	0.276	TURKEY CREEK	OPEN	5/2/2016	1994	36.49685	-85.5857	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
140A0600003	CLAY	0A060	0.491	TURKEY CREEK	OPEN	5/3/2016	1997	36.499983	-85.585933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
140A1070001	CLAY	0A107	1.026	LITTLE TRACE CREEK	OPEN	5/10/2016	1984	36.561733	-85.70265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
140A1100001	CLAY	0A110	1.43	LITTLE TRACE CREEK	OPEN	4/25/2016	1984	36.571467	-85.716317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
140A1450001	CLAY	0A145	1.535	TRACE CREEK	OPEN	4/25/2016	1985	36.56	-85.779467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
140A1540001	CLAY	0A154	0.025	NEELY CREEK	OPEN	5/4/2016	1984	36.56685	-85.46805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
14SR0520015	CLAY	0A206	0.14	POOR HOUSE RD / SR 52	OPEN	5/16/2016	2013	36.511083	-85.467433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.9
140A2100001	CLAY	0A210	3.13	BURCHARD BRANCH	OPEN	4/20/2016	1984	36.490983	-85.502617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
140A2100003	CLAY	0A210	7.298	MILL CREEK	OPEN	4/20/2016	1941	36.4833	-85.458983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.2
140A2100005	CLAY	0A210	7.824	MILL CREEK	OPEN	5/3/2016	1987	36.488967	-85.464517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
140A2110001	CLAY	0A211	0.591	MILL CREEK	OPEN	4/20/2016	2000	36.474467	-85.472267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
140A2120001	CLAY	0A212	2.128	MILL CREEK	OPEN	4/20/2016	1978	36.48025	-85.493917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77
140A2130001	CLAY	0A213	0.01	MILL CREEK	OPEN	5/3/2016	1988	36.4833	-85.501567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
140A2150001	CLAY	0A215	0.056	MILL CREEK	WEIGHT POSTED	5/3/2016	1940	36.4952	-85.509367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.4
140A2190001	CLAY	0A219	0.044	MILL CREEK	OPEN	5/4/2016	1988	36.494267	-85.55055	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.5
140A2240001	CLAY	0A224	2.242	DRY FORK CREEK	OPEN	5/9/2016	1975	36.46945	-85.53995	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80
140A2250001	CLAY	0A225	3.855	RIGHT FORK CREEK	OPEN	5/9/2016	1988	36.464933	-85.5273	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
140A2300001	CLAY	0A230	0.078	MILL CREEK	OPEN	5/12/2016	1985	36.49445	-85.561883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
140A3500001	CLAY	0A350	1.635	TRACE CREEK	OPEN	4/4/2016	1984	36.539133	-85.7834	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
140A3500003	CLAY	0A350	2.744	BEAN BRANCH	OPEN	4/4/2016	1986	36.544933	-85.767167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
140A5010001	CLAY	0A501	0.007	MILL CREEK	WEIGHT POSTED	5/4/2016	1950	36.497733	-85.531583	CONCRETE CONTINUOUS	SLAB	25.4
14022520001	CLAY	0A593	1.308	BRIMSTONE CREEK	OPEN	5/9/2016	2015	36.489217	-85.625267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
14022520003	CLAY	0A593	3.418	BRIMSTONE CREEK	OPEN	5/9/2016	1991	36.5106	-85.64175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.4
14022520005	CLAY	0A593	5.812	LEFT FORK BRIMSTONE CREEK	OPEN	5/9/2016	1984	36.536817	-85.648883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
14SR0520021	CLAY	0A863	0.92	SHANKEY CREEK	OPEN	4/7/2016	2008	36.5245	-85.49525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
14SR0520001	CLAY	SR052	2.25	TRACE CREEK	OPEN	4/4/2016	1970	36.575	-85.78	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	65.8
14SR0520003	CLAY	SR052	4.69	LITTLE TRACE CREEK	OPEN	4/5/2016	1996	36.59	-85.745	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.4
14SR0520005	CLAY	SR052	7.16	HURRICANE CREEK	OPEN	4/5/2016	1939	36.596667	-85.701667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.2
14SR0520007	CLAY	SR052	17.13	NEW HOPE CREEK	OPEN	4/7/2016	1999	36.573333	-85.545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
14SR0520009	CLAY	SR052	18.56	PROCTOR CREEK	OPEN	4/5/2016	2010	36.563333	-85.523333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
14SR0520011	CLAY	SR052	19.32	CUMBERLAND RIVER	OPEN	5/24/2016	1988	36.553333	-85.516667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.9
14SR0520013	CLAY	SR052	19.63	OVERFLOW & KYLE ST (A290)	OPEN	5/24/2016	1987	36.551667	-85.511667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.9
14SR0520017	CLAY	SR052	20.79	WET WEATHER BRANCH	OPEN	5/23/2016	2013	36.508567	-85.46395	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
14SR0520018	CLAY	SR052	20.79	WET WEATHER BRANCH	OPEN	5/23/2016	2013	36.5088	-85.46375	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
14SR0520019	CLAY	SR052	22.05	SR-52 / WET MILL CR. RD.	OPEN	5/18/2016	2013	36.5016	-85.45	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
14SR0520020	CLAY	SR052	22.05	SR-52 / WET MILL CR. RD.	OPEN	5/18/2016	2013	36.501717	-85.450133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
14SR0530001	CLAY	SR053	1.35	DRY FORK CREEK	OPEN	5/23/2016	1961	36.481667	-85.561667	CONCRETE CONTINUOUS	TEE BEAM	73.1
14SR0530003	CLAY	SR053	2.5	MILL CREEK	OPEN	5/23/2016	1961	36.496667	-85.556667	CONCRETE CONTINUOUS	TEE BEAM	67.2
14SR0530005	CLAY	SR053	6.03	SHANKEY CREEK	OPEN	4/7/2016	1974	36.526667	-85.521667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
14SR0530007	CLAY	SR053	8.89	OBEY RIVER	OPEN	5/19/2016	1975	36.54	-85.49	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.7
14SR0530009	CLAY	SR053	10	NEELEY CREEK	OPEN	4/7/2016	1975	36.543333	-85.471667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
14SR0530011	CLAY	SR053	10.49	BRANCH	OPEN	4/7/2016	1988	36.54555	-85.463167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
15F00140001	COCKE	00931	4.13	PIGEON RIVER	OPEN	10/4/2016	1984	35.812933	-83.062	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.4
15S24850001	COCKE	01242	0.2	CRIPPLE CREEK	OPEN	11/7/2016	1997	35.817	-83.1412	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
15S24850003	COCKE	01242	0.48	CRIPPLE CREEK	OPEN	11/7/2016	1975	35.81865	-83.0536	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
15S24850005	COCKE	01242	0.78	CRIPPLE CREEK	OPEN	11/7/2016	2003	35.8201	-83.13225	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.8
15S24850011	COCKE	01242	3.76	GULF FORK BIG CREEK	OPEN	11/7/2016	2004	35.847583	-83.102533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7
15S24850013	COCKE	01242	4.17	GULF FORK BIG CREEK	OPEN	11/7/2016	2004	35.8431	-83.098717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.7
15S24850015	COCKE	01242	4.5	GULF FORK BIG CREEK	OPEN	11/7/2016	2004	35.841483	-83.0932	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.7
15S24850017	COCKE	01242	5.45	GULF FORK BIG CREEK	OPEN	11/7/2016	2004	35.8312	-83.0982	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.7
15S24850019	COCKE	01242	6.04	GULF FORK BIG CREEK	OPEN	11/7/2016	2006	35.8262	-83.0922	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
15S24850025	COCKE	01242	13.9	JOHN CREEK	OPEN	11/2/2016	1999	35.8796	-83.011533	CONCRETE	SLAB	76.6
15S24850021	COCKE	01242	13.96	TRAIL FORK BIG CREEK	OPEN	11/2/2016	1988	35.879833	-83.010883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
15S24850023	COCKE	01242	14.91	DRY FORK CREEK	OPEN	11/2/2016	1955	35.89	-83.000483	CONCRETE	SLAB	75.1
15E00220001	COCKE	01321	1.37	PIGEON RIVER & NFA A391	OPEN	10/4/2016	1964	35.78465	-83.1135	CONCRETE CONTINUOUS	TEE BEAM	94.2
15F00180001	COCKE	01321	6.06	GULF FORK BIG CREEK	OPEN	11/8/2016	2006	35.8238	-83.091533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
15S25400001	COCKE	01325	5.44	FRENCH BROAD RIVER	OPEN	10/5/2016	1981	36.05	-83.21095	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.3
15I00400013	COCKE	01326	2.23	I40	OPEN	5/16/2016	1970	35.939567	-83.1987	CONCRETE CONTINUOUS	TEE BEAM	49.2
15S24870003	COCKE	01327	6.91	FOWLER GROVE CREEK	OPEN	10/18/2016	1929	36.038983	-83.133717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.1
15S24870001	COCKE	01327	8.35	LOVELL CREEK	OPEN	10/18/2016	1986	36.0308	-83.1535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
15025090001	COCKE	02509	1.72	SINKING CREEK	OPEN	10/10/2016	2004	35.95075	-83.255217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
15025090003	COCKE	02509	2.34	SINKING CREEK	OPEN	10/10/2016	2003	35.94185	-83.25675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
15025090005	COCKE	02509	2.82	SINKING CREEK	WEIGHT POSTED	10/10/2016	1938	35.93605	-83.25995	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.8
15025090007	COCKE	02509	3.2	SINKING CREEK	OPEN	10/10/2016	2003	35.931117	-83.262267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
15025090009	COCKE	02509	3.4	SINKING CREEK	OPEN	10/10/2016	1942	35.928817	-83.263833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.9
15025130001	COCKE	02513	2.95	KNOB CREEK	WEIGHT POSTED	10/11/2016	1973	36.112833	-83.140283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17.4
15025150001	COCKE	02515	0.18	INDIAN CAMP CREEK	OPEN	9/21/2016	2008	35.803317	-83.250817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
15025150003	COCKE	02515	0.23	INDIAN CAMP CREEK	OPEN	9/21/2016	2008	35.802567	-83.251267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.1
15025150005	COCKE	02515	0.32	INDIAN CAMP CREEK	OPEN	9/21/2016	1999	35.802033	-83.252533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
15025150007	COCKE	02515	0.38	INDIAN CAMP CREEK	OPEN	9/21/2016	2008	35.8013	-83.252383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
15025150009	COCKE	02515	0.59	INDIAN CAMP CREEK	OPEN	9/21/2016	2008	35.798933	-83.254417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
15025150011	COCKE	02515	1.25	INDIAN CAMP CREEK	OPEN	9/21/2016	2008	35.789583	-83.253567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
15SR0320007	COCKE	02570	0.1	COSBY CREEK	WEIGHT POSTED	11/28/2016	1954	35.8732	-83.223383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.7
15025740001	COCKE	02574	0.17	TRAIL FORK BIG CREEK	OPEN	11/1/2016	2013	35.906983	-83.0235	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.8
15025740003	COCKE	02574	0.74	MIDDLE FORK CREEK	OPEN	11/1/2016	1997	35.90525	-83.032917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
15025740005	COCKE	02574	1.65	GULF FORK BIG CREEK	OPEN	11/1/2016	1983	35.901683	-83.04485	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
15025740007	COCKE	02574	4.83	GULF FORK BIG CREEK	OPEN	11/1/2016	1983	35.895117	-83.091883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
15025740009	COCKE	02574	5.25	GULF FORK BIG CREEK	OPEN	11/15/2016	1973	35.894417	-83.093283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
15025740011	COCKE	02574	5.63	BRANCH	OPEN	11/15/2016	1982	35.892567	-83.0948	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
15025740019	COCKE	02574	5.64	BRANCH	OPEN	11/15/2016	1974	35.891767	-83.0978	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
15025740013	COCKE	02574	5.73	GULF FORK BIG CREEK	OPEN	11/15/2016	1973	35.8907	-83.09815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
15025740015	COCKE	02574	6.79	GULF FORK BIG CREEK	OPEN	11/15/2016	1973	35.880183	-83.093633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
150A2870001	COCKE	02574	7.03	GULF FORK BIG CREEK	OPEN	11/16/2016	2010	35.878433	-83.096467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
150A2870003	COCKE	02574	7.73	GULF FORK BIG CREEK	OPEN	11/16/2016	2010	35.874117	-83.104233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
150A2870005	COCKE	02574	8.19	GULF FORK BIG CREEK	OPEN	11/16/2016	2010	35.8706	-83.10335	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
150A2870007	COCKE	02574	9	GULF FORK BIG CREEK	OPEN	11/14/2016	2008	35.862317	-83.106	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
150A2870009	COCKE	02574	9.065	GULF FORK BIG CREEK	OPEN	11/14/2016	2009	35.862067	-83.106067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
150A2870011	COCKE	02574	9.2	GULF FORK BIG CREEK	OPEN	11/14/2016	2009	35.860233	-83.105383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
150A2870013	COCKE	02574	9.46	GULF FORK BIG CREEK	OPEN	11/14/2016	2009	35.856633	-83.10635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
150A2870015	COCKE	02574	9.65	GULF FORK BIG CREEK	OPEN	11/14/2016	1994	35.854967	-83.107367	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.5
15025740017	COCKE	02574	10.23	GULF FORK BIG CREEK	OPEN	11/14/2016	1978	35.850717	-83.10115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
15025760001	COCKE	02576	3.23	LONG CREEK	OPEN	10/20/2016	1965	35.988733	-83.015833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
150A9000001	COCKE	0A009	0.014	PIGEON RIVER	OPEN	10/5/2016	1984	35.928733	-83.170733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.5
150A0430001	COCKE	0A043	0.414	O'NEAL BRANCH	OPEN	10/10/2016	1986	35.978767	-83.238567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
150A0550001	COCKE	0A055	0.089	SINKING CREEK	OPEN	10/3/2016	1960	35.988317	-83.206567	CONCRETE CONTINUOUS	SLAB	51
150A0790001	COCKE	0A079	2.245	CLAY CREEK	OPEN	10/3/2016	1942	36.041883	-83.193833	CONCRETE CONTINUOUS	TEE BEAM	69.4
150A0820001	COCKE	0A082	2.153	BRANCH	OPEN	10/3/2016	1940	36.052133	-83.20675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
150A0930001	COCKE	0A093	0.777	KNEELAS CREEK	OPEN	10/3/2016	1982	36.1042	-83.209433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.8
150A0980001	COCKE	0A098	2.057	SLATE CREEK	OPEN	10/3/2016	1938	36.110783	-83.164733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
150A0990001	COCKE	0A099	0.052	SLATE CREEK	OPEN	10/3/2016	1984	36.115367	-83.168483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
150A1030001	COCKE	0A103	1.67	KNEELAS CREEK	OPEN	10/3/2016	1938	36.122033	-83.23725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
150A1160001	COCKE	0A116	0.031	KNOB CREEK	OPEN	10/11/2016	1984	36.103283	-83.133533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
150A1350001	COCKE	0A135	0.555	CLEAR CREEK	OPEN	10/18/2016	1965	35.990683	-83.153117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
150A1350003	COCKE	0A135	0.72	CLEAR CREEK	OPEN	10/18/2016	1983	35.9916	-83.15065	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
150A1360001	COCKE	0A136	0.903	CLEAR CREEK	OPEN	10/18/2016	1984	35.998628	-83.139022	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
150A1380001	COCKE	0A138	0.346	CLEAR CREEK	OPEN	10/11/2016	1993	36.017017	-83.09865	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
150A1390001	COCKE	0A139	0.042	FOWLER GROVE CREEK	OPEN	10/11/2016	1983	36.034117	-83.136317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
150A1460001	COCKE	0A146	2.783	OVEN CREEK	WEIGHT POSTED	10/19/2016	1973	36.08685	-83.0623	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.3
150A1610001	COCKE	0A161	0.005	KNOB CREEK	OPEN	10/11/2016	1993	36.081467	-83.1208	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
150A1630001	COCKE	0A163	2.92	CLEAR CREEK	OPEN	10/19/2016	2004	36.01935	-83.05205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
150A1760001	COCKE	0A176	0.031	CLEAR CREEK	OPEN	10/19/2016	1984	36.01685	-83.0643	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
150A2120001	COCKE	0A212	1.563	CLEAR CREEK	OPEN	10/19/2016	1945	36.0097	-83.07485	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.7
150A2210001	COCKE	0A221	0.056	CLEAR CREEK	OPEN	10/19/2016	1984	36.008167	-83.081883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
150A2380001	COCKE	0A238	0.621	LONG CREEK	WEIGHT POSTED	11/1/2016	1920	35.953833	-83.05025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	38.5
150A2390001	COCKE	0A239	0.393	LONG CREEK	OPEN	10/20/2016	1982	35.962533	-83.042333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
150A2610001	COCKE	0A261	3.486	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/3/2016	1934	35.877233	-83.926	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.2
150A2640001	COCKE	0A264	0.05	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/3/2016	1973	35.868283	-83.003233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.3
150A2650001	COCKE	0A265	0.033	TRAIL FORK BIG CREEK	OPEN	11/3/2016	1986	35.853233	-82.990583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
150A2760001	COCKE	0A276	0.008	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/2/2016	1975	35.895583	-83.0037	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37
150A2770001	COCKE	0A277	0.091	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/2/2016	1973	35.891117	-83.002117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.8
150A2820001	COCKE	0A282	0.127	TRAIL FORK BIG CREEK	OPEN	5/1/2017	2017	35.91845	-83.027733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.9
150A2960001	COCKE	0A296	6.69	GULF FORK BIG CREEK	OPEN	11/14/2016	1986	35.854033	-83.1076	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
150A2970001	COCKE	0A297	0.433	GULF FORK BIG CREEK	WEIGHT POSTED	11/16/2016	1974	35.8634	-83.100833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7
150A2970003	COCKE	0A297	0.615	GULF FORK BIG CREEK	OPEN	11/16/2016	1986	35.865783	-83.10065	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
150A3050001	COCKE	0A305	1.302	GULF FORK BIG CREEK	OPEN	11/8/2016	2016	35.8181	-83.042017	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93.9
150A3060001	COCKE	0A306	0.009	GULF FORK BIG CREEK	OPEN	11/8/2016	2007	35.827717	-83.05385	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
150A3070001	COCKE	0A307	0.008	GULF FORK BIG CREEK	OPEN	11/8/2016	1983	35.822086	-83.046317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
150A3090001	COCKE	0A309	0.521	GRASSY FORK CREEK	OPEN	11/8/2016	1999	35.814617	-83.08245	CONCRETE	SLAB	94.3
15100400019	COCKE	0A386	3.303	I40	OPEN	5/18/2016	1970	35.90125	-83.183367	CONCRETE CONTINUOUS	TEE BEAM	77.2
150A4050001	COCKE	0A404	0.02	PIGEON RIVER	OPEN	10/4/2016	1981	35.81175	-83.175283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
150A4070001	COCKE	0A407	0.013	COSBY CREEK	OPEN	10/12/2016	1984	35.801467	-83.23995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.9
150A4070003	COCKE	0A407	0.122	CANEY CREEK	OPEN	10/12/2016	1995	35.802567	-83.23835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
150A4080001	COCKE	0A408	1.207	COSBY CREEK	OPEN	10/12/2016	1983	35.787917	-83.2276	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
150A4080005	COCKE	0A408	3.013	GREENBRIER CREEK	OPEN	10/12/2016	1984	35.782667	-83.2433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90
150A4280001	COCKE	0A428	0.2	INDIAN CAMP CREEK	OPEN	10/12/2016	1975	35.766767	-83.259383	CONCRETE	CHANNEL BEAM	52.3
150A4400001	COCKE	0A440	0.842	COSBY CREEK	OPEN	10/12/2016	1987	35.8428	-83.233983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.9
150A4450001	COCKE	0A445	0.029	COSBY CREEK	WEIGHT POSTED	11/28/2016	1975	35.8649	-83.22385	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.6
150A4450005	COCKE	0A445	2.973	MIDDLE CREEK	OPEN	11/29/2016	1983	35.8472	-83.261517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
150A4470001	COCKE	0A447	0.277	COSBY CREEK	OPEN	10/12/2016	1983	35.823883	-83.245983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	55.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
150A4480001	COCKE	0A448	2.335	PIGEON RIVER	OPEN	10/4/2016	1985	35.843283	-83.185517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.3
150A4630001	COCKE	0A463	0.065	COSBY CREEK	WEIGHT POSTED	11/29/2016	1970	35.854617	-83.2191	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.6
15SR0350005	COCKE	0A494	2.769	CLEAR CREEK	OPEN	10/11/2016	1919	36.010067	-83.095883	CONCRETE	ARCH - DECK	28.5
15SR0350007	COCKE	0A495	1.14	CLEAR CREEK	OPEN	11/1/2016	1918	36.01295	-83.071683	CONCRETE	ARCH - DECK	24.5
150A5350001	COCKE	0A535	3.14	SINKING CREEK	OPEN	10/10/2016	1960	35.971	-83.237467	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	77.9
150A5430001	COCKE	0A543	0.045	SINKING CREEK	OPEN	10/10/2016	2009	35.9532	-83.255367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
150A5440001	COCKE	0A544	0.947	SINKING CREEK	OPEN	10/10/2016	2005	35.965817	-83.250417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.2
150A5800001	COCKE	0A580	0.011	CLEAR CREEK	OPEN	10/18/2016	1978	35.995467	-83.148733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	70.7
150A3100001	COCKE	0A792	0.029	GRASSY FORK CREEK	WEIGHT POSTED	11/8/2016	1972	35.814417	-83.078433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.4
15SR0320009	COCKE	0A900	1.372	ENGLISH CREEK	OPEN	11/29/2016	2004	35.913383	-83.21135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
15SR0350003	COCKE	0A905	0.94	SOUTH FORK CREEK	OPEN	10/19/2016	2005	36.022083	-83.041783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
150A9090001	COCKE	0A909	1.113	NOLICHUKY RIVER	WEIGHT POSTED	11/1/2016	1924	36.1222	-83.125283	CONCRETE	ARCH - DECK	47.3
15I00400031	COCKE	0E400	0	I40	OPEN	5/18/2016	1970	35.8385	-83.18045	CONCRETE CONTINUOUS	TEE BEAM	95.6
15I00400002	COCKE	I0040	0.2	HUFF HOLLOW RD (A032)	OPEN	5/4/2016	1965	35.983617	-83.2781	CONCRETE CONTINUOUS	TEE BEAM	70.5
15I00400001	COCKE	I0040	0.2	HUFF HOLLOW RD (A032)	OPEN	5/4/2016	1965	35.98345	-83.27845	CONCRETE CONTINUOUS	TEE BEAM	77.9
15I00400003	COCKE	I0040	1.76	SR 9	OPEN	5/4/2016	1961	35.969917	-83.258267	CONCRETE CONTINUOUS	TEE BEAM	80
15I00400004	COCKE	I0040	1.8	SR 9	OPEN	5/4/2016	1961	35.970367	-83.256933	CONCRETE CONTINUOUS	TEE BEAM	70.9
15I00400011	COCKE	I0040	2.03	I40 / SR 9 RAMP	OPEN	5/4/2016	1965	35.969317	-83.25345	CONCRETE CONTINUOUS	TEE BEAM	84
15I00400006	COCKE	I0040	2.27	CARSON SPGS RD (2509)	OPEN	5/9/2016	1965	35.968217	-83.24915	CONCRETE CONTINUOUS	TEE BEAM	73.4
15I00400005	COCKE	I0040	2.27	CARSON SPGS RD (2509)	OPEN	5/9/2016	1965	35.968033	-83.249383	CONCRETE CONTINUOUS	TEE BEAM	73.4
15I00400039	COCKE	I0040	2.4	BRANCH	OPEN	5/10/2016	1965	35.967583	-83.24705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
15I00400008	COCKE	I0040	3.04	CAVE CHURCH ROAD (A535)	OPEN	5/4/2016	1965	35.967833	-83.23625	CONCRETE CONTINUOUS	TEE BEAM	70.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
15I00400007	COCKE	I0040	3.04	CAVE CHURCH ROAD (A535)	OPEN	5/4/2016	1965	35.967583	-83.235883	CONCRETE CONTINUOUS	TEE BEAM	82.1
15I00400015	COCKE	I0040	7.17	GOLF COURSE RD (A526)	OPEN	5/16/2016	1970	35.926917	-83.19165	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77
15I00400016	COCKE	I0040	7.17	GOLF COURSE RD (A526)	OPEN	5/16/2016	1970	35.926883	-83.19045	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.1
15I00400017	COCKE	I0040	7.6	ENGLISH CREEK	OPEN	5/10/2016	1970	35.920933	-83.18875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
15I00400022	COCKE	I0040	9.62	PIGEON RIVER	OPEN	5/9/2016	1966	35.892183	-83.18595	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.6
15I00400021	COCKE	I0040	9.62	PIGEON RIVER	OPEN	5/9/2016	1966	35.89225	-83.1863	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.6
15I00400024	COCKE	I0040	9.76	PIGEON RIVER	OPEN	5/9/2016	1970	35.890283	-83.186567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
15I00400023	COCKE	I0040	9.76	PIGEON RIVER	OPEN	5/9/2016	1970	35.890317	-83.186867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.6
15I00400025	COCKE	I0040	10.55	SR 73	OPEN	5/18/2016	1970	35.879017	-83.1868	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
15I00400026	COCKE	I0040	10.55	SR 73	OPEN	5/18/2016	1970	35.879233	-83.186533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
15I00400028	COCKE	I0040	12.97	HARTFORD ROAD (931)	OPEN	5/18/2016	1970	35.844083	-83.1821	CONCRETE CONTINUOUS	TEE BEAM	78.6
15I00400027	COCKE	I0040	12.97	HARTFORD ROAD (931)	OPEN	5/18/2016	1970	35.84425	-83.182383	CONCRETE CONTINUOUS	TEE BEAM	78.6
15I00400029	COCKE	I0040	13.1	PIGEON RIVER	OPEN	6/6/2016	1970	35.842383	-83.181917	CONCRETE CONTINUOUS	TEE BEAM	89.8
15I00400030	COCKE	I0040	13.1	PIGEON RIVER	OPEN	6/6/2016	1970	35.842283	-83.181583	CONCRETE CONTINUOUS	TEE BEAM	88.8
15I00400033	COCKE	I0040	15.05	NFA 931 & PIGEON RIVER	OPEN	6/6/2016	1970	35.815167	-83.1785	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.8
15I00400041	COCKE	I0040	17.37	BRANCH	OPEN	5/10/2016	1974	35.8181	-83.1435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58
15I00400035	COCKE	I0040	17.45	NFA 1242	OPEN	5/18/2016	1970	35.81665	-83.14325	CONCRETE CONTINUOUS	TEE BEAM	94
15I00400037	COCKE	I0040	21	GREEN CORNER RD (1321)	OPEN	5/18/2016	1970	35.7838	-83.110633	CONCRETE CONTINUOUS	TEE BEAM	51.9
15SR0090001	COCKE	SR009	3.23	SINKING CREEK	OPEN	8/10/2015	1955	35.97365	-83.233283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.5
15SR0090003	COCKE	SR009	3.91	SINKING CREEK	OPEN	8/10/2015	1929	35.975183	-83.221067	CONCRETE	TEE BEAM	66.3
15SR0090005	COCKE	SR009	4.62	SINKING CREEK	OPEN	8/10/2015	1929	35.971083	-83.2098	CONCRETE	TEE BEAM	67.9
15SR0090007	COCKE	SR009	6.82	PIGEON RIVER	OPEN	8/17/2015	1936	35.961233	-83.174283	CONCRETE	TEE BEAM	60.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
15SR0090011	COCKE	SR009	10.58	FRENCH BROAD RIVER	OPEN	8/17/2015	2010	35.95375	-83.112767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.2
15SR0090013	COCKE	SR009	14.65	LONG CREEK	OPEN	8/11/2015	1930	35.9479	-83.053233	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	76.2
15SR0090015	COCKE	SR009	14.98	PIGPEN BRANCH	OPEN	8/11/2015	1930	35.9458	-83.047983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
15SR0090027	COCKE	SR009	17.63	SHOP BRANCH	OPEN	8/11/2015	1960	35.92715	-83.01255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
15SR0090017	COCKE	SR009	18.09	LAUREL CREEK	OPEN	8/11/2015	1924	35.9269	-83.00635	CONCRETE	TEE BEAM	60.5
15SR0090019	COCKE	SR009	20.45	BRANCH	OPEN	8/13/2015	1924	35.9234	-82.976967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
15SR0090021	COCKE	SR009	21.43	BRANCH	OPEN	8/13/2015	1924	35.922467	-82.961083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
15SR0090023	COCKE	SR009	21.56	FRENCH BROAD RV & SOU RW	OPEN	8/17/2015	1928	35.9217	-82.959483	CONCRETE	ARCH - DECK	86.2
15SR0090025	COCKE	SR009	22.53	WOLF CREEK	OPEN	8/13/2015	1930	35.922433	-82.945333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
15SR0320001	COCKE	SR032	9.84	COSBY CREEK	OPEN	8/5/2015	1931	35.7839	-83.218983	CONCRETE	TEE BEAM	85
15SR0320003	COCKE	SR032	12.12	GREENBRIER CREEK	OPEN	8/5/2015	1931	35.80325	-83.246733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.6
15SR0320005	COCKE	SR032	12.2	COSBY CREEK	OPEN	8/5/2015	1993	35.8036	-83.247917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.8
15SR0320013	COCKE	SR032	18	COSBY CREEK	OPEN	8/4/2015	1997	35.873117	-83.221417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
15SR0320015	COCKE	SR032	20.38	ENGLISH CREEK	OPEN	8/4/2015	1997	35.905967	-83.222733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
15I00400010	COCKE	SR032	23.53	I40	OPEN	5/16/2016	1965	35.947917	-83.20365	CONCRETE CONTINUOUS	TEE BEAM	80.9
15I00400009	COCKE	SR032	23.53	I40	OPEN	5/16/2016	1965	35.947767	-83.2036	CONCRETE CONTINUOUS	TEE BEAM	76.6
15SR0320011	COCKE	SR032	31.07	FRENCH BROAD RIVER	OPEN	8/22/2016	2016	36.042817	-83.2563	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
15SR0350001	COCKE	SR035	1.705	PIGEON RIVER	OPEN	8/3/2015	1956	35.968317	-83.187267	CONCRETE	TEE BEAM	56.9
15SR0350009	COCKE	SR035	3.59	FRENCH BROAD RIVER	OPEN	8/18/2015	1975	35.981667	-83.161111	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
15SR0350011	COCKE	SR035	9.21	NFA A212	OPEN	8/19/2015	2009	35.981667	-83.161111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
15SR0350012	COCKE	SR035	9.21	NFA A212	OPEN	8/19/2015	2009	35.981667	-83.161111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
15SR0350013	COCKE	SR035	11.09	BRANCH	OPEN	8/3/2015	2007	36.022083	-83.041783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
15SR0730001	COCKE	SR073	0.52	INDIAN CAMP CREEK	OPEN	8/5/2015	1948	35.7723	-83.26645	CONCRETE	TEE BEAM	54.2
15SR0730003	COCKE	SR073	2.02	GREENBRIER CREEK	OPEN	8/5/2015	1948	35.7805	-83.2429	CONCRETE	TEE BEAM	45.2
15025720001	COCKE	SR073	4.56	PIGEON RIVER	OPEN	8/4/2015	1967	35.880433	-83.19805	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	46.9
15S24180001	COCKE	SR073	7.75	SWEETWATER CREEK	OPEN	8/10/2015	1999	35.90345	-83.165967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
15S24180003	COCKE	SR073	8.05	SWEETWATER CREEK	OPEN	8/10/2015	1999	35.907283	-83.167783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
15S24180005	COCKE	SR073	8.34	MCMANHAN BRANCH	OPEN	8/10/2015	1999	35.910183	-83.170933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
15SR1070011	COCKE	SR107	2.41	DRY FORK CREEK	OPEN	8/12/2015	2010	35.889417	-82.997667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
15SR1070003	COCKE	SR107	5.81	FRENCH BROAD RIVER	OPEN	8/17/2015	1971	35.925467	-83.021667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.3
15SR1070005	COCKE	SR107	6.28	MOONEYHAM BRANCH	OPEN	8/12/2015	1935	35.92705	-82.978783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
15SR1070007	COCKE	SR107	6.81	MOONEYHAM BRANCH	OPEN	8/12/2015	1935	35.934233	-82.98155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
15SR1070009	COCKE	SR107	7.7	MOONEYHAM BRANCH	OPEN	8/12/2015	1955	35.946217	-82.9789	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
15SR1600001	COCKE	SR160	0.78	CLEAR CREEK	OPEN	8/3/2015	1948	35.99365	-83.163133	CONCRETE	ARCH - DECK	49.6
15SR1600003	COCKE	SR160	3.45	CLAY CREEK	OPEN	8/3/2015	1983	36.02525	-83.163367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
15SR1600007	COCKE	SR160	8.91	SLATE CREEK	OPEN	8/3/2015	1983	36.088733	-83.16265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
15SR1600009	COCKE	SR160	11.87	NOLICHUCKY RIVER	OPEN	8/18/2015	1948	36.126767	-83.175533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	41.4
15S24190001	COCKE	SR339	0.39	CHAVIS CREEK	OPEN	8/5/2015	1945	35.819633	-83.2572	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
15S24190003	COCKE	SR339	0.99	COSBY CREEK	OPEN	8/5/2015	1955	35.815417	-83.247967	CONCRETE	TEE BEAM	61.4
15S24860001	COCKE	SR340	5.47	CLEAR CREEK	OPEN	8/13/2015	1955	36.007467	-83.090617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
15S24860003	COCKE	SR340	8.68	OVEN CREEK	OPEN	8/13/2015	1955	36.047133	-83.080283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
15024860005	COCKE	SR340	11.09	BRANCH	OPEN	8/13/2015	1955	36.075617	-83.059867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
16I00240039	COFFEE	00918	7.67	A.E.D.C. RD. / I24	OPEN	1/11/2016	1963	35.417	-86.01665	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
16010300001	COFFEE	01030	1.63	NORTH FORK BLUE CREEK	OPEN	4/11/2016	1930	35.34865	-86.240617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
16010300003	COFFEE	01030	3.34	ROCK CREEK	OPEN	4/12/2016	1999	35.359933	-86.214017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
16010960001	COFFEE	01096	2.91	TAYLOR BRANCH	OPEN	4/20/2016	1940	35.496917	-86.027817	CONCRETE	TEE BEAM	57.5
16010960003	COFFEE	01096	6.82	BRANCH	OPEN	4/19/2016	1940	35.515367	-85.963783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.5
16S42920009	COFFEE	01098	5.77	WEST FORK HICKORY CREEK	OPEN	4/19/2016	1970	35.53545	-85.979733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
16S42920011	COFFEE	01098	6.8	WEST FORK HICKORY CREEK	OPEN	4/19/2016	1930	35.545383	-85.987633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.4
16011000011	COFFEE	01100	1.99	LIBERTY CREEK	OPEN	4/20/2016	1940	35.640617	-86.034383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
16S42900013	COFFEE	01100	2.02	OVERFLOW LIBERTY CREEK	OPEN	4/20/2016	1940	35.64075	-86.033983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
16I00240051	COFFEE	01105	3.39	I24	OPEN	1/14/2016	1963	35.3643	-85.962183	CONCRETE CONTINUOUS	TEE BEAM	69.2
16F00290005	COFFEE	01111	3.82	BOBO CREEK	OPEN	4/14/2016	1965	35.405867	-86.17845	CONCRETE	TEE BEAM	58.7
16F00290003	COFFEE	01111	6.99	CRUMPTON CREEK	OPEN	4/14/2016	1940	35.422183	-86.136317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.1
16F00290001	COFFEE	01111	12.19	GRINDSTONE CREEK	OPEN	4/7/2016	1994	35.479933	-86.0886	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
16S42910007	COFFEE	01113	1.37	BREWER CREEK	OPEN	4/7/2016	1950	35.4989	-86.143517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
16F00270003	COFFEE	01113	6.9	DUCK RIV (NORMANDY LAKE)	OPEN	5/11/2016	1974	35.458883	-86.211333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
16F00010005	COFFEE	01115	2.31	MUDDY BRANCH	OPEN	4/7/2016	1940	35.565683	-86.1297	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.4
16S44000003	COFFEE	01115	3.33	CLEAR BRANCH	OPEN	4/7/2016	1960	35.579433	-86.136433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
16S44650001	COFFEE	01408	0.43	BEANS CREEK	OPEN	4/18/2016	1950	35.341867	-85.9598	CONCRETE	TEE BEAM	73.9
16I00240055	COFFEE	01408	2.01	I24	OPEN	1/14/2016	1963	35.333483	-85.934933	CONCRETE CONTINUOUS	TEE BEAM	69.3
16S62600001	COFFEE	02010	0.19	NOAH FORK CREEK	OPEN	4/7/2016	2013	35.574733	-86.238817	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.3
16021100005	COFFEE	02010	0.43	PANHANDLE BRANCH	OPEN	4/7/2016	1973	35.575633	-86.23495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
16021100007	COFFEE	02010	1.48	NOAH FORK CREEK	OPEN	4/7/2016	1974	35.57755	-86.217667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
16S44420003	COFFEE	02116	2.67	BREWER CREEK	OPEN	4/25/2016	1973	35.5125	-86.151867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
16021200001	COFFEE	02120	1.73	EATON BRANCH	OPEN	4/7/2016	1955	35.541867	-86.136467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
16021240001	COFFEE	02124	2.47	MUD CREEK	OPEN	4/25/2016	1965	35.623017	-86.000183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
16021240003	COFFEE	02124	2.75	MCAFEE BRANCH	OPEN	4/25/2016	1955	35.622067	-85.995217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
16100240057	COFFEE	02125	1.57	I24	OPEN	1/8/2016	1963	35.3223	-85.9244	CONCRETE CONTINUOUS	TEE BEAM	68.5
16021330001	COFFEE	02133	0.53	LITTLE HICKORY CREEK	OPEN	4/26/2016	1955	35.5014	-85.90725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.9
16021350001	COFFEE	02135	1.01	BRANCH	OPEN	4/26/2016	1963	35.623117	-86.0509	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.4
16021350003	COFFEE	02135	6.98	WELKER BRANCH	OPEN	4/26/2016	2000	35.59525	-86.067217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
16021370001	COFFEE	02137	4.63	MUD CREEK	OPEN	4/26/2016	1964	35.603	-86.025483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
16021370003	COFFEE	02137	7.32	POCAHONTAS BRANCH	OPEN	4/26/2016	1955	35.636467	-86.039783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
16021390001	COFFEE	02139	0.25	MCAFEE BRANCH	OPEN	4/26/2016	1960	35.616983	-85.988183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
16021390003	COFFEE	02139	2.52	MEADOW CREEK	OPEN	4/26/2016	1984	35.588883	-85.9817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
16034100001	COFFEE	03410	0.35	GREENBRIER CREEK	OPEN	4/27/2016	1970	35.499217	-86.081217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
16034110001	COFFEE	03411	0.34	LITTLE DUCK RIVER	OPEN	4/27/2016	1930	35.485917	-86.086883	CONCRETE	TEE BEAM	62.9
16034120001	COFFEE	03412	0.55	LITTLE DUCK RIVER	OPEN	4/27/2016	1980	35.484467	-86.08115	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.6
16M34280001	COFFEE	03428	2.04	BRANCH	OPEN	5/3/2016	1940	35.3794	-86.18255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
16M34280003	COFFEE	03428	2.3	BRANCH	OPEN	5/3/2016	1940	35.38175	-86.1789	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
16034340001	COFFEE	03434	1.48	WEST FORK ROCK CREEK	OPEN	5/2/2016	1986	35.369117	-86.227917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
16034340003	COFFEE	03434	2.52	NORTH FORK ROCK CREEK	OPEN	5/2/2016	1996	35.382233	-86.234433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
160A2390001	COFFEE	04663	0.52	LITTLE DUCK RIVER	OPEN	5/3/2016	1955	35.45505	-86.064533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.6
160A2880001	COFFEE	05387	0.16	NORTH FORK BLUE CREEK	OPEN	5/3/2016	1950	35.345967	-86.232183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
16S42900001	COFFEE	05557	0.47	NOAH FORK CREEK	OPEN	5/3/2016	1950	35.5782	-86.185417	CONCRETE	TEE BEAM	51.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
16S42900003	COFFEE	05557	2.39	WISERS BRANCH	OPEN	5/3/2016	1960	35.598583	-86.169217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
16S42900005	COFFEE	05557	3.92	WISERS BRANCH	OPEN	5/3/2016	1940	35.6154	-86.152883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.6
16014080005	COFFEE	05558	2.66	DRY CREEK	OPEN	5/3/2016	1981	35.360683	-85.990667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
16S44650003	COFFEE	05558	3.4	BRADLEY CREEK	OPEN	5/3/2016	1976	35.356667	-85.979233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
160A1280001	COFFEE	0A011	7.367	W. FORK HICKORY CREEK	OPEN	3/2/2016	1987	35.54195	-85.963467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
160A1290001	COFFEE	0A013	2.202	W. FORK HICKORY CREEK	OPEN	3/2/2016	1960	35.543083	-85.95435	CONCRETE CONTINUOUS	TEE BEAM	88.5
160A1290003	COFFEE	0A013	3.61	W. FORK HICKORY CREEK	OPEN	3/2/2016	1965	35.560267	-85.945517	CONCRETE	TEE BEAM	87
160A0300005	COFFEE	0A030	3.182	HICKERSON SPRINGS BRANCH	OPEN	3/7/2016	1934	35.410783	-86.13045	CONCRETE	TEE BEAM	58.2
160A0300007	COFFEE	0A030	3.554	CRUMPTON CREEK	OPEN	3/7/2016	1996	35.796083	-86.123983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.4
160A0300009	COFFEE	0A030	5.473	WILEY CREEK	OPEN	3/7/2016	1936	35.434717	-86.105367	CONCRETE	TEE BEAM	45.1
160A0490001	COFFEE	0A049	0.174	NORTH FORK ROCK CREEK	OPEN	3/8/2016	1970	35.36095	-86.2147	CONCRETE	CHANNEL BEAM	43.4
160A0640001	COFFEE	0A064	0.23	DUCK RIVER	OPEN	3/2/2016	1964	35.5418	-86.10345	CONCRETE	TEE BEAM	57.7
160A1130001	COFFEE	0A113	1.475	MUD CREEK	OPEN	3/7/2016	1965	35.634367	-85.993767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
160A1130003	COFFEE	0A113	2.798	LIBERTY CREEK	OPEN	3/7/2016	1965	35.644233	-86.0084	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
160A1200001	COFFEE	0A120	0.052	MEADOW BRANCH	OPEN	3/7/2016	1960	35.581867	-85.961617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.7
160A1230001	COFFEE	0A123	1.011	W. FORK HICKORY CREEK	OPEN	3/7/2016	1965	35.565467	-85.9433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75
160A1330001	COFFEE	0A133	0.675	BRADLEY CREEK	OPEN	3/8/2016	1965	35.447467	-85.951717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.4
160A1330003	COFFEE	0A133	2.131	WARREN BRANCH	OPEN	3/8/2016	1964	35.448583	-85.97745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
160A1350001	COFFEE	0A135	0.318	WARREN BRANCH	OPEN	3/8/2016	1960	35.460167	-85.97245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
160A1360001	COFFEE	0A136	5.077	WARREN BRANCH	OPEN	3/8/2016	1979	35.442683	-85.983183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
160A1390001	COFFEE	0A139	0.802	WOLF CREEK	OPEN	3/8/2016	1966	35.49115	-86.032483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.4
160A1400001	COFFEE	0A140	0.592	WOLF CREEK	OPEN	3/8/2016	1960	35.481233	-86.064317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.2
16034150001	COFFEE	0A152	0.351	LITTLE DUCK RIVER	OPEN	3/8/2016	2010	35.4741	-86.07045	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
16I00240033	COFFEE	0A152	0.822	I24	OPEN	1/7/2016	1966	35.4762	-86.0634	CONCRETE CONTINUOUS	TEE BEAM	67.3
160A1750001	COFFEE	0A175	0.1	BRADLEY CREEK	OPEN	3/8/2016	1983	35.453183	-85.9364	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
160A1800001	COFFEE	0A180	0.249	DUCK RIVER	OPEN	3/9/2016	1960	35.557067	-86.087883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.2
160A1800003	COFFEE	0A180	0.818	BOILING SPRINGS CREEK	OPEN	3/9/2016	1992	35.565067	-86.089933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
160A1800005	COFFEE	0A180	2.736	DUCK RIVER	OPEN	3/9/2016	1969	35.5922	-86.0887	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
160A1830001	COFFEE	0A183	1.169	BLUE SPRING CREEK	OPEN	3/9/2016	1999	35.432617	-85.992633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
160A1860001	COFFEE	0A186	0.255	FERRELL BRANCH	OPEN	3/7/2016	1950	35.602683	-86.1711	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74
160A1860003	COFFEE	0A186	0.464	FERRELL BRANCH	OPEN	3/7/2016	1950	35.605383	-86.170967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	66.9
160A1930001	COFFEE	0A193	0.222	BEANS CREEK	OPEN	3/9/2016	1950	35.397933	-85.930833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.3
160A1940001	COFFEE	0A194	0.75	WILLIS CREEK	OPEN	3/16/2016	1988	35.350433	-85.91775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
160A1950001	COFFEE	0A195	0.218	BEANS CREEK	OPEN	3/9/2016	2005	35.3895	-85.9369	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
160A2000001	COFFEE	0A200	1.806	BEANS CREEK	OPEN	3/9/2016	1960	35.3865	-85.940933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
160A2110001	COFFEE	0A211	0.313	HUNT CREEK	OPEN	3/8/2016	1940	35.45375	-86.054733	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	63.6
160A2120001	COFFEE	0A212	0.805	BETSY WILLIS CREEK	OPEN	3/16/2016	1963	35.30135	-85.930767	CONCRETE	SLAB	43.6
160A2160001	COFFEE	0A216	0.325	BRADLEY CREEK	OPEN	3/16/2016	1970	35.3351	-85.990417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.4
16I00240043	COFFEE	0A222	1.272	I24	OPEN	1/11/2016	1963	35.397567	-85.996917	CONCRETE CONTINUOUS	TEE BEAM	72.9
160A2260001	COFFEE	0A226	0.412	BANES CREEK	WEIGHT POSTED	3/16/2016	1969	35.569867	-85.9975	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	46
160A2290001	COFFEE	0A229	0.053	HUNT CREEK	OPEN	3/16/2016	1967	35.453283	-86.056633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
160A2300001	COFFEE	0A230	2.97	BLUE SPRING CREEK	OPEN	3/9/2016	1965	35.417483	-85.986117	CONCRETE	TEE BEAM	65.2
160A2310001	COFFEE	0A231	2.27	CRUMPTON CREEK	OPEN	3/15/2016	1940	36.39175	-86.112167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.8
160A2320001	COFFEE	0A232	0.579	BRANCH	OPEN	3/15/2016	1960	35.39965	-86.1075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.1
160A2790001	COFFEE	0A279	0.167	BRANCH	OPEN	3/10/2016	1942	35.369267	-86.18185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
160A2790003	COFFEE	0A279	0.47	BRANCH	OPEN	3/10/2016	1975	35.365867	-86.1791	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
160A3100001	COFFEE	0A310	1.381	CASCADE CREEK	OPEN	3/10/2016	1950	35.43055	-86.241767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
160A3100003	COFFEE	0A310	1.95	CASCADE CREEK	OPEN	3/10/2016	1950	35.438233	-86.2454	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.3
160A3230001	COFFEE	0A323	4.001	NORMANDY LAKE	OPEN	5/11/2016	1977	35.4464	-86.1704	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
160A3480001	COFFEE	0A348	1.879	DUCK RIVER	OPEN	4/4/2016	1987	35.472183	-86.121267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
160A3770001	COFFEE	0A377	1.451	BASHAW CREEK	OPEN	3/9/2016	1992	35.493167	-86.13285	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.2
160A3810001	COFFEE	0A381	0.67	RILEY CREEK	OPEN	3/9/2016	1950	35.509667	-86.202367	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.5
16I00240015	COFFEE	0A385	0.2	I24	OPEN	1/6/2016	1968	35.557783	-86.2038	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
160A4050001	COFFEE	0A405	0.084	NOAH FORK CREEK	OPEN	4/5/2016	1969	35.590767	-86.184339	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
160A4060001	COFFEE	0A406	0.175	LITTLE DUCK RIVER	OPEN	4/4/2016	1965	35.468017	-86.067283	CONCRETE	TEE BEAM	70.9
160A4060003	COFFEE	0A406	0.2	OVERFLOW	OPEN	4/4/2016	1970	35.468483	-86.06675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.4
160A4070001	COFFEE	0A407	0.014	GARRISON FORK CREEK	OPEN	4/4/2016	1960	35.632933	-86.233617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56
160A4090001	COFFEE	0A409	0	GARRISON FORK CREEK	OPEN	4/4/2016	1968	35.643933	-86.226783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
160A4090003	COFFEE	0A409	0.174	NORTON BRANCH	OPEN	4/4/2016	1959	35.643183	-86.223933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.4
160A4090005	COFFEE	0A409	0.813	NORTON BRANCH	WEIGHT POSTED	4/4/2016	1959	35.6418	-86.213183	CONCRETE	SLAB	52.2
160A4110001	COFFEE	0A411	3.017	GARRISON FORK CREEK	OPEN	4/4/2016	1966	35.660417	-86.213933	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	88.2
160A4120001	COFFEE	0A412	0.008	GARRISON FORK CREEK	OPEN	4/4/2016	1965	35.664183	-86.2152	CONCRETE	TEE BEAM	73.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
160A4190001	COFFEE	0A419	0.68	DUCK RIVER	OPEN	4/6/2016	1950	35.63685	-86.145133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.4
160A4210001	COFFEE	0A421	5.079	NOAH FORK CREEK	OPEN	4/20/2016	1955	35.581367	-86.182317	CONCRETE	TEE BEAM	58.4
160A4240001	COFFEE	0A424	0.694	MCBRIDE BRANCH	OPEN	4/5/2016	1925	35.6091	-86.226267	CONCRETE	TEE BEAM	62.2
160A4240003	COFFEE	0A424	2.08	GARRISON FORK CREEK	OPEN	4/5/2016	1985	35.625633	-86.2397	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
16I00240005	COFFEE	0A425	0.553	I24	OPEN	1/4/2016	1968	35.619217	-86.2406	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	97
160A4280001	COFFEE	0A428	1.251	CROSSLIN BRANCH	OPEN	4/5/2016	1950	35.58445	-86.22785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
160A4280003	COFFEE	0A428	1.753	NOAH FORK CREEK	OPEN	4/5/2016	1994	35.57735	-86.22765	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
160A4340001	COFFEE	0A434	0.426	DUCK RIVER	OPEN	4/6/2016	1956	35.58395	-86.082167	CONCRETE	TEE BEAM	69.3
160A4340003	COFFEE	0A434	0.58	OVERFLOW	OPEN	4/6/2016	1975	35.583817	-86.084667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
160A4400001	COFFEE	0A440	0.902	PERRY CREEK	OPEN	4/6/2016	1965	35.596	-86.09115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
160A4420001	COFFEE	0A442	3.665	WELKER BRANCH	OPEN	4/6/2016	2001	35.54875	-86.08085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
160A4510001	COFFEE	0A451	0.549	MUDDY CREEK	OPEN	4/6/2016	1955	35.562333	-86.10255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.3
16I00240019	COFFEE	0A886	0.9	I24	OPEN	1/6/2016	1966	35.508	-86.104233	CONCRETE CONTINUOUS	TEE BEAM	64.3
16S44000001	COFFEE	0A886	2.97	EATON BRANCH	OPEN	4/13/2016	1940	35.537367	-86.106833	CONCRETE	TEE BEAM	69.4
160A1160001	COFFEE	0A889	0.225	BARREN FORK CREEK	OPEN	4/20/2016	1968	35.648083	-85.988117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
160A3190001	COFFEE	0A898	0.862	BOBO CREEK	OPEN	4/4/2016	1950	35.393633	-86.1823	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.7
160A3920001	COFFEE	0A900	0.162	NORTH FORK ROCK CREEK	OPEN	4/11/2016	1942	35.379017	-86.230283	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	56.5
160A5560001	COFFEE	0A903	0.317	NORTH FORK ROCK CREEK	OPEN	4/18/2016	1972	35.356633	-86.214267	CONCRETE	TEE BEAM	60.8
160B0050001	COFFEE	0B005	0.01	NOAH FORK CREEK	OPEN	4/6/2016	1950	35.597517	-86.169417	CONCRETE CONTINUOUS	SLAB	77.7
160B0480001	COFFEE	0B048	0.01	JERNIGAN CREEK	OPEN	4/6/2016	2008	35.659883	-86.21285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
160B1880001	COFFEE	0B188	0.03	DUCK RIVER (OSFSP)	WEIGHT POSTED	4/7/2016	1906	35.492283	-86.104317	STEEL	TRUSS - THRU	45.5
16I00240001	COFFEE	I0024	0.03	SR 64	OPEN	1/4/2016	1968	35.62535	-86.243533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
16I00240002	COFFEE	I0024	0.03	SR 64	OPEN	1/4/2016	1968	35.625383	-86.243233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
16I00240003	COFFEE	I0024	0.25	GARRISON FORK CREEK	OPEN	1/12/2016	1968	35.622283	-86.242417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
16I00240004	COFFEE	I0024	0.25	GARRISON FORK CREEK	OPEN	1/12/2016	1968	35.622383	-86.242083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.6
16I00240007	COFFEE	I0024	1.24	MCBRIDE BRANCH & NFA A12	OPEN	1/12/2016	1968	35.608	-86.24055	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
16I00240008	COFFEE	I0024	1.24	MCBRIDE BRANCH & NFA A12	OPEN	1/12/2016	1968	35.607917	-86.239817	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91
16I00240010	COFFEE	I0024	3.42	NFA 2010 & NOAH FK CREEK	OPEN	1/12/2016	1968	35.577183	-86.232667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
16I00240009	COFFEE	I0024	3.42	NFA 2010 & NOAH FK CREEK	OPEN	1/12/2016	1968	35.577283	-86.233017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
16I00240011	COFFEE	I0024	3.62	BRANTLEY CREEK	OPEN	1/5/2016	1970	35.574617	-86.232033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
16I00240014	COFFEE	I0024	5.55	BRANCH	OPEN	1/5/2016	1970	35.559	-86.204867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
16I00240013	COFFEE	I0024	5.55	BRANCH	OPEN	1/6/2016	1970	35.558667	-86.204917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.1
16I00240021	COFFEE	I0024	13.12	DUCK RIVER	OPEN	5/9/2016	1966	35.501583	-86.09095	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.6
16I00240022	COFFEE	I0024	13.12	DUCK RIVER	OPEN	5/9/2016	1966	35.50185	-86.090683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
16I00240025	COFFEE	I0024	13.72	GREENBRIAR CREEK	OPEN	1/6/2016	1965	35.497017	-86.081817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.1
16I00240028	COFFEE	I0024	14.06	NFA A092 & CFW RR	OPEN	1/5/2016	1966	35.4939	-86.07705	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6
16I00240027	COFFEE	I0024	14.06	NFA A092 & CFW RR	OPEN	1/5/2016	1966	35.49375	-86.077333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
16I00240032	COFFEE	I0024	15.33	WOLF CREEK	OPEN	1/21/2016	1966	35.478633	-86.06475	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
16I00240031	COFFEE	I0024	15.33	WOLF CREEK	OPEN	1/21/2016	1966	35.478367	-86.06505	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
16I00240038	COFFEE	I0024	18.2	BRANCH	OPEN	1/7/2016	1966	35.441883	-86.040583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
16I00240037	COFFEE	I0024	18.2	BRANCH	OPEN	1/7/2016	1966	35.441767	-86.04165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
16I00240041	COFFEE	I0024	21.68	BRANCH	OPEN	1/7/2016	1965	35.402767	-86.001833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
16I00240047	COFFEE	I0024	23.64	BRADLEY CREEK	OPEN	1/21/2016	1963	35.380983	-85.979933	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.6
16I00240048	COFFEE	I0024	23.64	BRADLEY CREEK	OPEN	1/21/2016	1963	35.3815	-85.9799	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.6
16I00240049	COFFEE	I0024	23.8	OVERFLOW	OPEN	1/21/2016	1963	35.3789	-85.978067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.6
16I00240050	COFFEE	I0024	23.8	OVERFLOW	OPEN	1/21/2016	1963	35.3794	-85.977783	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.6
16I00240054	COFFEE	I0024	26.07	BEANS CREEK	OPEN	1/21/2016	1963	35.362533	-85.952433	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.9
16I00240053	COFFEE	I0024	26.07	BEANS CREEK	OPEN	1/21/2016	1963	35.3536	-85.95255	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.9
16I00240059	COFFEE	I0024	29.02	BETSY WILLIS CREEK	OPEN	1/13/2016	1958	35.319483	-85.9215	CONCRETE	TEE BEAM	96.4
16I00240060	COFFEE	I0024	29.02	BETSY WILLIS CREEK	OPEN	1/13/2016	1958	35.3195	-85.921167	CONCRETE	TEE BEAM	96.4
16SR0020001	COFFEE	SR002	0.51	GARRISON FORK CREEK	OPEN	1/25/2016	1935	35.626683	-86.239433	CONCRETE	TEE BEAM	70
16SR0020003	COFFEE	SR002	1.95	MCBRIDE BRANCH	OPEN	1/25/2016	1935	35.610117	-86.2245	CONCRETE	TEE BEAM	82.3
16SR0020005	COFFEE	SR002	4.62	BRANCH	OPEN	1/25/2016	1940	35.580033	-86.196417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
16SR0020007	COFFEE	SR002	5.09	NOAH FORK CREEK	OPEN	1/25/2016	1935	35.574517	-86.19195	CONCRETE	TEE BEAM	64.5
16SR0020009	COFFEE	SR002	5.47	BREWER BRANCH	OPEN	1/25/2016	1953	35.570867	-86.186783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
16I00240017	COFFEE	SR002	8.23	I24	OPEN	1/7/2016	1966	35.53605	-86.164083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.9
16SR0020011	COFFEE	SR002	12.71	DUCK RIVER	OPEN	5/16/2016	2012	35.4957	-86.104133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
16SR0020013	COFFEE	SR002	13.68	LITTLE DUCK RIVER	OPEN	5/16/2016	1958	35.486733	-86.0914	CONCRETE	TEE BEAM	80.3
16SR0020014	COFFEE	SR002	13.68	LITTLE DUCK RIVER	OPEN	5/16/2016	1934	35.486667	-86.0911	CONCRETE	TEE BEAM	80.3
16SR0020015	COFFEE	SR002	14.28	CFW RAILROAD	OPEN	2/3/2016	1928	35.48025	-86.0858	CONCRETE	TEE BEAM	41.2
16SR0020017	COFFEE	SR002	15.98	LITTLE DUCK RIVER	OPEN	2/2/2016	1950	35.462367	-86.06505	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.9
16I00240035	COFFEE	SR002	16.76	I24	OPEN	1/11/2016	2001	35.457567	-86.05235	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80
16SR0020019	COFFEE	SR002	21.03	BLUE SPRING CREEK	OPEN	2/2/2016	1923	35.423928	-85.98915	CONCRETE	TEE BEAM	81.5
16SR0020021	COFFEE	SR002	22	BRANCH	OPEN	2/2/2016	1940	35.414567	-85.976283	CONCRETE	TEE BEAM	65.6
16SR0020023	COFFEE	SR002	22.07	BRADLEY CREEK	OPEN	2/2/2016	1941	35.58065	-85.975317	CONCRETE	TEE BEAM	53.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
16SR0020025	COFFEE	SR002	24.93	BEANS CREEK	OPEN	2/2/2016	1940	35.37885	-85.766433	CONCRETE	TEE BEAM	71.7
16SR0020027	COFFEE	SR002	28.7	BETSY WILLIS CREEK	OPEN	2/3/2016	1940	35.330283	-85.92005	CONCRETE	TEE BEAM	71.3
16I00240023	COFFEE	SR053	0.9	I24	OPEN	1/6/2016	2010	35.4993	-86.086583	CONCRETE CONTINUOUS	TEE BEAM	91.7
16SR0530001	COFFEE	SR053	2.39	BRANCH	OPEN	2/3/2016	2010	35.520817	-86.082667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
16SR0530003	COFFEE	SR053	4.48	PARKS WELKER BRANCH	OPEN	2/3/2016	1972	35.55075	-86.082417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
16SR0530005	COFFEE	SR053	8.42	GOOSE POND BRANCH	OPEN	2/3/2016	1956	35.607183	-86.072717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.3
16SR0530007	COFFEE	SR053	10.58	LIBERTY CREEK	OPEN	2/3/2016	1972	35.638333	-86.06755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
16SR0550001	COFFEE	SR055	2.2	ROCK CREEK	OPEN	2/2/2016	1936	35.366	-86.222933	CONCRETE	TEE BEAM	64.7
16SR0550003	COFFEE	SR055	2.64	NFA A035-FAU 4334-CSX RR	OPEN	2/17/2016	1941	35.3566	-86.205283	CONCRETE	TEE BEAM	74.8
16SR0550005	COFFEE	SR055	5.03	BRANCH	OPEN	2/3/2016	1950	35.377733	-86.172333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
16SR0550007	COFFEE	SR055	7.82	HICKERSON SPRING BRANCH	OPEN	2/8/2016	1980	35.401817	-86.13275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
16SR0550009	COFFEE	SR055	8.69	CRUMPTON CREEK	OPEN	2/18/2016	1979	35.41045	-86.121317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.6
16SR0550011	COFFEE	SR055	10.65	BRANCH	OPEN	2/3/2016	1955	35.434917	-86.104117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
16SR0550013	COFFEE	SR055	14.02	LITTLE DUCK RIVER	OPEN	5/9/2016	1941	35.479533	-86.079783	CONCRETE	TEE BEAM	46.5
16I00240029	COFFEE	SR055	14.77	I24	OPEN	1/4/2016	1973	35.489433	-86.07405	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	87.3
16I00240030	COFFEE	SR055	14.77	I24	OPEN	1/4/2016	1966	35.489667	-86.074233	CONCRETE CONTINUOUS	TEE BEAM	70.6
16SR0550023	COFFEE	SR055	18.5	TAYLOR CREEK	OPEN	2/4/2016	1986	35.522733	-86.02295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
16SR0550025	COFFEE	SR055	20.44	SMALL BRANCH	OPEN	2/3/2016	1987	35.52615	-85.9992	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
16SR0550015	COFFEE	SR055	20.84	WEST FORK HICKORY CREEK	OPEN	2/3/2016	1986	35.546433	-85.994017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
16SR0550017	COFFEE	SR055	23.01	BRANCH	OPEN	2/3/2016	1950	35.56245	-85.961017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
16SR0550019	COFFEE	SR055	23.69	BRANCH	OPEN	2/3/2016	1940	35.570033	-85.953767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
16SR0550021	COFFEE	SR055	24.35	MEADOW BRANCH	OPEN	2/4/2016	1986	35.578417	-85.947683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
16S44010001	COFFEE	SR064	2.2	SUTTON BRANCH	OPEN	2/11/2016	1992	35.647467	-86.224817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
16SR1270001	COFFEE	SR127	2.45	DRY CREEK	OPEN	2/8/2016	1950	35.368483	-85.995683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.1
16I00240045	COFFEE	SR127	3.75	I24	OPEN	1/14/2016	2010	35.383033	-85.982267	CONCRETE CONTINUOUS	TEE BEAM	92.3
16SR1270003	COFFEE	SR127	4.66	BRADLEY CREEK	OPEN	2/18/2016	1956	35.395583	-85.978	CONCRETE	TEE BEAM	25
16S42600001	COFFEE	SR127	6.21	BRADLEY CREEK	OPEN	2/11/2016	1940	35.416217	-85.9693	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.1
16S42600003	COFFEE	SR127	7.19	BRADLEY CREEK	OPEN	2/11/2016	1935	35.427367	-85.859183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
16S42600005	COFFEE	SR127	9.76	BRADLEY CREEK	WEIGHT POSTED	2/18/2016	1940	35.4562	-85.931211	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.8
16S42600007	COFFEE	SR127	14.1	LITTLE HICKORY CREEK	OPEN	2/11/2016	2001	35.50975	-85.895317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
16SR1300001	COFFEE	SR130	1.2	BRANCH	OPEN	3/1/2016	1990	35.370367	-86.2537	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
16SR1300003	COFFEE	SR130	1.64	WEST FORK ROCK CREEK	OPEN	3/1/2016	1990	35.3694	-86.246067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
16SR1300005	COFFEE	SR130	2.77	ROCK CREEK	OPEN	3/1/2016	1966	35.351967	-86.2129	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.5
16S42890003	COFFEE	SR269	0.27	NORMAN CREEK	OPEN	3/1/2016	1940	35.419617	-86.248467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
16S42890001	COFFEE	SR269	1.45	NORMAN CREEK	OPEN	3/1/2016	1940	35.403667	-86.241483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
16SR2690001	COFFEE	SR269	2.93	MARBURY DR (FAU 4329)	OPEN	3/2/2016	1993	35.38485	-86.229967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.4
16021220005	COFFEE	SR280	0.77	MCBRIDE BRANCH	OPEN	3/2/2016	1970	35.613383	-86.212217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
16S44000009	COFFEE	SR280	1.12	MCBRIDE BRANCH	OPEN	3/2/2016	1970	35.617933	-86.209533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
16S44000007	COFFEE	SR280	1.7	MCBRIDE BRANCH	OPEN	3/2/2016	1970	35.62385	-86.20305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
16S42900007	COFFEE	SR280	6.64	DUCK RIVER	OPEN	3/2/2016	1940	35.625183	-86.136383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71
16S42900009	COFFEE	SR280	8.1	PERRY CREEK	OPEN	3/7/2016	1940	35.627833	-86.11135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
17008250001	CROCKETT	00825	0.26	BRANCH	OPEN	7/18/2016	1985	35.925083	-89.235583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
17F00180001	CROCKETT	00848	0.68	BRANCH	OPEN	7/14/2016	1960	35.883361	-89.248889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
17F00180005	CROCKETT	00848	2.55	POND CREEK	OPEN	7/14/2016	1992	35.885278	-89.109611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.8
17F00180007	CROCKETT	00848	2.97	BRANCH	OPEN	7/14/2016	1996	35.88225	-89.2825	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81
17008500009	CROCKETT	00850	3.39	BRANCH	OPEN	7/19/2016	2012	35.780778	-88.938583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
17F00050007	CROCKETT	00850	3.82	BEECH CREEK	OPEN	7/19/2016	2003	35.780694	-88.931139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.7
17015700001	CROCKETT	00852	0.45	WILLIAMS CREEK	OPEN	7/18/2016	1940	35.715361	-89.045861	CONCRETE	TEE BEAM	68.7
17015700003	CROCKETT	00852	2.22	PEARSONS CREEK	OPEN	7/18/2016	1983	35.715361	-89.014833	CONCRETE	TEE BEAM	77.3
17015700005	CROCKETT	00852	2.34	PEARSON CREEK	OPEN	7/18/2016	1983	35.714972	-89.012389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.4
17014280001	CROCKETT	01428	0.64	BRANCH	OPEN	7/13/2016	1965	35.775528	-89.200278	CONCRETE	CHANNEL BEAM	75
17014280003	CROCKETT	01428	2.03	BLACK CREEK	OPEN	7/13/2016	2000	35.790111	-89.21525	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
17S80330001	CROCKETT	01444	1.13	OVRERFLOW FKED DEER RIVE	OPEN	7/20/2016	1997	35.785972	-88.911389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.6
17S80330011	CROCKETT	01444	1.4	OLD RV. BED M FK FKD DR	OPEN	7/20/2016	1999	35.789917	-88.911306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
17S80940005	CROCKETT	01445	1.94	ODELL CREEK	OPEN	7/19/2016	1992	35.932417	-89.177361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
17S80940003	CROCKETT	01445	3.03	RICE CREEK	OPEN	7/20/2016	2009	35.92375	-89.193444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
17S80940001	CROCKETT	01445	3.95	BRANCH	OPEN	7/20/2016	1984	35.920361	-89.208722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
17014960003	CROCKETT	01496	0.3	OVERFLOW	OPEN	7/19/2016	1984	35.961083	-89.201917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
17014960001	CROCKETT	01496	0.32	STOKES CREEK	OPEN	7/19/2016	1992	35.961222	-89.201611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
17015640001	CROCKETT	01564	2.29	BRANCH	OPEN	7/14/2016	2001	35.712389	-89.0975	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
17015680001	CROCKETT	01568	0.54	PEARSONS CREEK	OPEN	7/14/2016	2009	35.699367	-89.03355	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.7
17015680003	CROCKETT	01568	1.18	BR SO FK OF FK DEER R	WEIGHT POSTED	7/14/2016	1962	35.698389	-89.044694	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.4
17015680007	CROCKETT	01568	2.36	BRANCH	OPEN	7/14/2016	1987	35.701556	-89.063722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
17015680005	CROCKETT	01568	3.64	BRANCH	OPEN	7/14/2016	1984	35.706444	-89.081639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
17015720001	CROCKETT	01572	8.67	BRANCH FORKED DEER RIVER	OPEN	7/13/2016	2005	35.76875	-89.210556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.9
17015720007	CROCKETT	01572	12.68	DITCH	OPEN	7/14/2016	1960	35.7515	-89.151667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
17015720003	CROCKETT	01572	12.79	KAIL CREEK	OPEN	7/14/2016	2005	35.751417	-89.150028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
17015720009	CROCKETT	01572	12.94	DITCH	OPEN	7/14/2016	1960	35.751417	-89.147417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
17015720005	CROCKETT	01572	14.95	WITSON CREEK	OPEN	7/14/2016	1964	35.742917	-89.114861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
17015740001	CROCKETT	01574	3.56	BRANCH OF BEECH CREEK	OPEN	7/18/2016	1966	35.750583	-88.931111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
17015750001	CROCKETT	01575	1.76	LICK CREEK	OPEN	7/18/2016	1999	35.837111	-89.333528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
17015750003	CROCKETT	01575	2.41	BLACK CREEK	OPEN	7/18/2016	1999	35.827556	-89.332194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
17015780001	CROCKETT	01578	1.61	BUCK CREEK	OPEN	7/18/2016	1984	35.81	-89.122361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
17015780003	CROCKETT	01578	4.02	EPPERSON CREEK	OPEN	7/19/2016	1989	35.844778	-89.121806	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.4
170A0270001	CROCKETT	0A027	0.68	BEAR CREEK	OPEN	7/13/2016	2014	35.821722	-89.273417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.2
170A0600001	CROCKETT	0A060	1.722	BRANCH OF POND CREEK	WEIGHT POSTED	7/18/2016	1962	35.862472	-89.288167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.8
170A0600003	CROCKETT	0A060	2.12	BRANCH POND CREEK	WEIGHT POSTED	7/18/2016	1958	35.864194	-89.281333	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	68.8
170A0600005	CROCKETT	0A060	3.589	BRANCH POND CREEK	OPEN	7/18/2016	1984	35.863694	-89.26425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
170A0600011	CROCKETT	0A060	5.119	POND CREEK	OPEN	7/18/2016	1984	35.865194	-89.235833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
170A0710003	CROCKETT	0A071	1.86	POND CREEK	OPEN	7/18/2016	1998	35.873889	-89.251528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
170A0720001	CROCKETT	0A072	2.545	POND CREEK	OPEN	7/14/2016	1983	35.81975	-89.182667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
170A0780001	CROCKETT	0A078	1.082	POND CREEK	OPEN	7/18/2016	1965	35.836056	-89.198944	CONCRETE	CHANNEL BEAM	52.3
17SR0200021	CROCKETT	0A078	1.847	REYNOLDS RD / SR 20	OPEN	7/13/2016	1994	35.836111	-89.185667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
170A0800001	CROCKETT	0A080	1.074	POND CREEK	OPEN	7/18/2016	2000	35.852806	-89.21125	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98
170A0810001	CROCKETT	0A081	0.941	TUCKER CREEK	OPEN	7/18/2016	1987	35.862417	-89.190778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
170A0890001	CROCKETT	0A089	0.149	BRANCH OF POND CREEK	OPEN	7/18/2016	1990	35.881167	-89.248639	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	87.5
170A1090001	CROCKETT	0A109	0.299	MILLER CREEK	OPEN	7/19/2016	1984	35.932083	-89.22575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
170A1130001	CROCKETT	0A113	1.443	BRANCH OF RICE CREEK	OPEN	7/20/2016	1997	35.922639	-89.207389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
170A1180001	CROCKETT	0A118	0.937	RICE CREEK	WEIGHT POSTED	7/20/2016	1960	35.913306	-89.189972	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	61.8
170A1190001	CROCKETT	0A119	2.099	RICE CREEK	WEIGHT POSTED	7/19/2016	1999	35.905417	-89.194694	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	56.5
170A1220001	CROCKETT	0A122	1.926	STOKES CREEK	OPEN	7/20/2016	1967	35.934972	-89.181917	CONCRETE	CHANNEL BEAM	83.2
170A1390001	CROCKETT	0A139	0.424	BR MID FK OF FK DEER R	OPEN	7/20/2016	1984	35.897028	-89.148028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
170A1390003	CROCKETT	0A139	1.35	BRANCH	OPEN	7/20/2016	1984	35.888056	-89.141667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
170A1430005	CROCKETT	0A143	1.115	BRANCH	OPEN	7/18/2016	2002	35.849361	-89.146833	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86.2
17001430001	CROCKETT	0A143	1.685	BR OF EPPERSON CREEK	OPEN	7/18/2016	2007	35.845083	-89.138333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.7
170A1430003	CROCKETT	0A143	2.403	BRANCH OF EPPERSON CRK	OPEN	7/18/2016	1984	35.836167	-89.134556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
170A1440001	CROCKETT	0A144	0.484	BR OF EPPERSON CREEK	WEIGHT POSTED	7/20/2016	2003	35.837917	-89.132833	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	47.8
170A1480001	CROCKETT	0A148	2.926	BUCK CREEK	OPEN	7/18/2016	1984	35.807861	-89.135111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
170A1510001	CROCKETT	0A151	0.583	BUCK CREEK	OPEN	7/18/2016	2002	35.809444	-89.125083	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
170A1570001	CROCKETT	0A157	0.595	BRANCH OF BUCK CREEK	WEIGHT POSTED	7/20/2016	1999	35.808167	-89.112194	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	60.7
170A1590001	CROCKETT	0A159	0.646	BRANCH OF BUCK CREEK	OPEN	7/18/2016	2015	35.818944	-89.09775	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.9
170A1630001	CROCKETT	0A163	2.72	CYPRESS CREEK	OPEN	7/19/2016	1994	35.813222	-89.055611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74.2
170A1670001	CROCKETT	0A167	1.415	BRANCH OF CYPRESS CREEK	WEIGHT POSTED	7/20/2016	1985	35.814611	-89.048222	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	49.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
170A1680001	CROCKETT	0A168	1.143	SANDY CREEK	OPEN	7/19/2016	1993	35.794417	-89.039111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.2
170A1700001	CROCKETT	0A170	0.838	BRANCH	OPEN	6/19/2017	2017	35.81175	-89.035389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
17SR2210007	CROCKETT	0A174	0.055	DRAINAGE DITCH	OPEN	7/20/2016	1985	35.786806	-89.065944	CONCRETE	CHANNEL BEAM	77.5
170A1850001	CROCKETT	0A185	0.671	BRANCH OF CYPRESS CREEK	WEIGHT POSTED	7/20/2016	1960	35.75975	-89.036778	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	64.3
170A1870003	CROCKETT	0A187	1.252	CYPRESS CREEK	OPEN	7/19/2016	1991	35.768444	-89.066167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
170A1880001	CROCKETT	0A188	1.315	BRANCH OF CYPRESS CREEK	OPEN	7/19/2016	1964	35.769889	-89.079472	CONCRETE	CHANNEL BEAM	83.1
170A1880003	CROCKETT	0A188	1.506	BRANCH OF CYPRESS CREEK	WEIGHT POSTED	7/19/2016	1960	35.769028	-89.076222	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	59.9
170A1880005	CROCKETT	0A188	2.735	BRANCH OF CYPRESS CREEK	OPEN	7/19/2016	1983	35.758056	-89.069056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
170A1900001	CROCKETT	0A190	0.408	BRANCH	OPEN	7/19/2016	1994	35.777167	-89.099333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
170A1910003	CROCKETT	0A191	0.607	BRANCH	OPEN	7/19/2016	2000	35.761833	-89.081694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
170A1910001	CROCKETT	0A191	1.894	BRANCH OF CYPRESS CREEK	WEIGHT POSTED	7/19/2016	1993	35.761389	-89.075667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	47.6
170A1970001	CROCKETT	0A197	1.319	BRANCH OF CYPRESS CREEK	WEIGHT POSTED	7/19/2016	1963	35.746972	-89.032083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	58.3
170A2130005	CROCKETT	0A213	3.308	WARREN DITCH	OPEN	7/19/2016	1984	35.793667	-88.940833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
170A2130007	CROCKETT	0A213	4.356	BRANCH	WEIGHT POSTED	7/19/2016	2001	35.780333	-88.939361	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	74.8
170A2160001	CROCKETT	0A216	0.89	BRANCH OF WARREN DITCH	OPEN	7/19/2016	1994	35.784667	-88.960917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
170A2240003	CROCKETT	0A224	1.26	BRANCH OF BEECH CREEK	OPEN	7/18/2016	1983	35.740444	-88.941472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
170A2360001	CROCKETT	0A236	1.6	CONNLEY CREEK	WEIGHT POSTED	7/19/2016	1995	35.699639	-88.994667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	60.2
170A2900001	CROCKETT	0A290	1.457	WHITSON CREEK	WEIGHT POSTED	7/18/2016	1990	35.726944	-89.111944	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	61.2
170A2930001	CROCKETT	0A293	0.469	WHITSON CREEK	OPEN	7/18/2016	1984	35.722139	-89.142972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
170A2940001	CROCKETT	0A294	0.91	KAIL CREEK	WEIGHT POSTED	7/18/2016	1998	35.738417	-89.155139	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	67.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
170A2980001	CROCKETT	0A298	0.271	KAIL CREEK	OPEN	7/18/2016	1999	35.773917	-89.135528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
170A2980003	CROCKETT	0A298	1.391	BRANCH OF KAIL CREEK	OPEN	7/18/2016	1983	35.767833	-89.150444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
170A3050001	CROCKETT	0A305	0.017	BR SO FK OF FK DEER R.	OPEN	7/13/2016	1983	35.747444	-89.211111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
170A3050003	CROCKETT	0A305	0.98	BRANCH	OPEN	7/13/2016	1986	35.760028	-89.207583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
170A3080001	CROCKETT	0A308	0.269	BRANCH	WEIGHT POSTED	7/18/2016	1960	35.738944	-89.182583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	40
170A3160001	CROCKETT	0A316	1.024	BRANCH OF BLACK CREEK	OPEN	7/13/2016	1983	35.803111	-89.20625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
170A3170003	CROCKETT	0A317	0.852	BLACK CREEK	WEIGHT POSTED	7/18/2016	1991	35.782533	-89.245883	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	57.7
170A3190001	CROCKETT	0A319	2.042	BLACK CREEK	WEIGHT POSTED	7/18/2016	1965	35.782278	-89.2605	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.8
170A3190003	CROCKETT	0A319	2.055	BRANCH BLACK CREEK	OPEN	7/14/2016	1984	35.782056	-89.2605	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
170A3200001	CROCKETT	0A320	0.962	BLACK CREEK BRANCH	OPEN	7/14/2016	2015	35.798944	-89.275667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
170A3950001	CROCKETT	0A395	0.188	BRANCH	OPEN	7/14/2016	1987	35.707861	-89.093667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
17SR0200031	CROCKETT	0A450	3.144	US-412 (SR-20)	OPEN	7/11/2016	1994	35.774944	-89.128306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.7
170A4510001	CROCKETT	0A451	0.15	BRANCH	OPEN	7/14/2016	1994	35.902611	-89.251361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
17SR0200001	CROCKETT	SR020	1.32	BRANCH	OPEN	7/11/2016	1965	35.90075	-89.249583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
17SR0200003	CROCKETT	SR020	3.52	LITTLE POND CREEK	OPEN	7/11/2016	1965	35.877694	-89.222778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
17SR0200005	CROCKETT	SR020	5.55	TUCKER CREEK	OPEN	7/11/2016	1965	35.85475	-89.2	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.6
17SR0200035	CROCKETT	SR020	6.95	BRANCH	OPEN	7/11/2016	2013	35.83685	-89.1875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
17SR0200037	CROCKETT	SR020	7.02	BRANCH	OPEN	7/11/2016	1993	35.836833	-89.186306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
17SR0200041	CROCKETT	SR020	8.2	BRANCH	OPEN	7/11/2016	1995	35.823806	-89.172444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
17SR0200007	CROCKETT	SR020	8.59	BRANCH	OPEN	7/11/2016	1995	35.819528	-89.168306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
17SR0200027	CROCKETT	SR020	9.22	SR 20 RAMP A / SR 20	OPEN	7/11/2016	1994	35.812083	-89.161389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
17SR0200043	CROCKETT	SR020	9.84	BRANCH	OPEN	7/11/2016	1995	35.803167	-89.160361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.4
17SR0200047	CROCKETT	SR020	12.41	BRANCH	OPEN	7/11/2016	1995	35.776667	-89.132667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.3
17SR0200045	CROCKETT	SR020	16.38	BRANCH	OPEN	7/11/2016	1993	35.738583	-89.082611	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	70.4
17SR0200009	CROCKETT	SR020	17.82	SR 20 / SR 76	OPEN	7/11/2016	1991	35.726222	-89.065306	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
17SR0200010	CROCKETT	SR020	17.82	SR 20 / SR 76	OPEN	7/11/2016	1991	35.726389	-89.065139	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
17SR0200012	CROCKETT	SR020	17.89	SR 20 / CSX RR	OPEN	7/11/2016	1959	35.725	-89.063722	CONCRETE	TEE BEAM	69.7
17SR0200011	CROCKETT	SR020	17.89	SR 20 / CSX RR	OPEN	7/11/2016	1991	35.724833	-89.063861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9
17SR0200013	CROCKETT	SR020	19.43	WILLIAMS CREEK	OPEN	7/11/2016	1959	35.708333	-89.043944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.9
17SR0200015	CROCKETT	SR020	19.57	GREEN CREEK	OPEN	7/11/2016	1959	35.707333	-89.041833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.1
17SR0200018	CROCKETT	SR020	20.23	PEARSON CREEK	OPEN	7/11/2016	1959	35.702806	-89.031444	CONCRETE	TEE BEAM	81.7
17SR0200017	CROCKETT	SR020	20.23	PEARSON CREEK	OPEN	7/11/2016	1991	35.702611	-89.031639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.1
17SR0200029	CROCKETT	SR054	5.18	SR 54 / SR 20	OPEN	7/11/2016	1994	35.796583	-89.159917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
17SR0540001	CROCKETT	SR054	5.43	BRANCH	OPEN	7/11/2016	1996	35.795583	-89.15575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
17SR0540003	CROCKETT	SR054	8.78	BRANCH	OPEN	7/12/2016	1948	35.801083	-89.110278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
17SR0540005	CROCKETT	SR054	10.11	BRANCH	OPEN	7/12/2016	1948	35.816639	-89.0965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
17SR0540007	CROCKETT	SR054	10.69	BRANCH	OPEN	7/12/2016	1948	35.8235	-89.090389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
17SR0540009	CROCKETT	SR054	12.31	OVERFLOW	OPEN	7/12/2016	1992	35.842556	-89.073444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.6
17SR0540011	CROCKETT	SR054	12.61	BRANCH	OPEN	7/12/2016	1998	35.846083	-89.070306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
17SR0540013	CROCKETT	SR054	12.94	M. FK. FORKED DEER RIVER	OPEN	7/12/2016	1998	35.85	-89.066889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
17SR0760001	CROCKETT	SR076	1.61	ABANDONED RAILROAD	OPEN	7/12/2016	1930	35.716722	-89.081611	CONCRETE	TEE BEAM	53
17SR0760003	CROCKETT	SR076	5.05	DRAINAGE DITCH	OPEN	7/13/2016	1930	35.747806	-89.034167	CONCRETE	TEE BEAM	56.8
17SR0760005	CROCKETT	SR076	5.3	CYPRESS CREEK	OPEN	7/13/2016	1930	35.733583	-89.030611	CONCRETE	TEE BEAM	54.8
17SR0760007	CROCKETT	SR076	9.51	SR 76 / CSX RR	OPEN	7/13/2016	2005	35.787667	-88.972583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
17SR0760009	CROCKETT	SR076	11.94	OVERFLOW	OPEN	7/13/2016	1930	35.809361	-88.939917	CONCRETE	TEE BEAM	86.7
17SR0760011	CROCKETT	SR076	12.07	M. FK. FORKED DEER RIVER	OPEN	7/13/2016	1930	35.810361	-88.938056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	64.7
17SR0760013	CROCKETT	SR076	12.24	MIDDLE FORK FORKED DEER	OPEN	7/13/2016	1930	35.812111	-88.935861	CONCRETE	TEE BEAM	75.8
17SR0880001	CROCKETT	SR088	0.12	OVERFLOW	OPEN	7/12/2016	1994	35.817139	-89.35375	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
17SR0880003	CROCKETT	SR088	1.95	BLACK CREEK	OPEN	7/12/2016	1974	35.815944	-89.321333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.7
17SR0880005	CROCKETT	SR088	2.81	BRANCH	OPEN	7/12/2016	2004	35.681556	-89.305778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
17SR0880007	CROCKETT	SR088	3.88	BEAR CREEK	OPEN	7/12/2016	2004	35.813472	-89.286917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.7
17SR0880017	CROCKETT	SR088	5.23	BRANCH	OPEN	7/12/2016	2004	35.812	-89.263028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
17SR0880011	CROCKETT	SR088	7.14	BRANCH	OPEN	7/12/2016	2004	35.809611	-89.229083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
17SR0200033	CROCKETT	SR088	13.56	SR 88 / SR 20	OPEN	7/12/2016	1994	35.745583	-89.097861	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.8
17SR0880013	CROCKETT	SR088	16.66	BRANCH	OPEN	7/12/2016	2003	35.714139	-89.078556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
17SR0880015	CROCKETT	SR088	17.46	BRANCH	OPEN	7/12/2016	1955	35.713944	-89.064389	CONCRETE	TEE BEAM	67.1
17SR0200019	CROCKETT	SR088	18.06	SR 88 / SR 20	OPEN	7/12/2016	1991	35.713694	-89.053806	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
17SR1520007	CROCKETT	SR152	0.17	OVERFLOW	OPEN	7/12/2016	1994	35.832111	-88.96975	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
17SR1520001	CROCKETT	SR152	4.75	BUCK CREEK	OPEN	7/13/2016	1960	35.834278	-89.100389	CONCRETE	CHANNEL BEAM	60.3
17SR1520009	CROCKETT	SR152	7.18	BRANCH	OPEN	7/13/2016	1991	35.833472	-89.057333	CONCRETE	CHANNEL BEAM	66.9
17SR1520003	CROCKETT	SR152	7.32	CYPRESS CREEK	OPEN	7/13/2016	1998	35.833528	-89.054833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
17SR1520013	CROCKETT	SR152	7.41	BRANCH	OPEN	7/13/2016	1998	35.833389	-89.053139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
17SR1520011	CROCKETT	SR152	9.27	SCHOOL HOUSE CREEK	OPEN	7/13/2016	1975	35.832889	-89.01975	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77.8
17SR1520005	CROCKETT	SR152	10.31	BEAR CREEK	OPEN	7/13/2016	1940	35.832361	-89.00175	CONCRETE	CHANNEL BEAM	54.9
17S80290001	CROCKETT	SR188	0.63	POND CREEK	OPEN	7/12/2016	1945	35.809083	-89.168583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
17S80290003	CROCKETT	SR188	0.9	BRANCH	OPEN	7/12/2016	1945	35.812806	-89.167194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
17SR0200025	CROCKETT	SR188	1.3	SR 188 / SR 20	OPEN	7/12/2016	1994	35.817667	-89.166167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7
17SR1880001	CROCKETT	SR188	1.37	BRANCH	OPEN	7/12/2016	1995	35.819556	-89.166222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
17S80290005	CROCKETT	SR188	6.68	BRANCH	OPEN	7/12/2016	1952	35.893778	-89.156222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
17S80290013	CROCKETT	SR188	11.65	OVERFLOW	OPEN	7/13/2016	1988	35.959667	-89.142139	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.9
17S80290015	CROCKETT	SR188	11.73	M. FK. FORKED DEER RIVER	OPEN	7/13/2016	1960	35.960528	-89.141056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72.3
17S80290017	CROCKETT	SR188	11.87	OVERFLOW	OPEN	7/13/2016	1988	35.961861	-89.13925	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
17S80290019	CROCKETT	SR188	11.93	OVERFLOW	OPEN	7/13/2016	2014	35.962383	-89.138067	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.3
17S80290021	CROCKETT	SR188	11.98	OVERFLOW	OPEN	7/13/2016	2014	35.964417	-89.136817	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
17F00160001	CROCKETT	SR189	3.53	POND CREEK	OPEN	7/12/2016	1952	35.858583	-89.22075	CONCRETE	TEE BEAM	63.6
17F00160003	CROCKETT	SR189	4.83	LITTLE POND CREEK	OPEN	7/12/2016	1952	35.877056	-89.225333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.2
17F00160005	CROCKETT	SR189	4.91	OVERFLOW	OPEN	7/12/2016	1960	35.878111	-89.22575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
17SR0200023	CROCKETT	SR189	5.25	SR 189 / SR 20	OPEN	7/12/2016	1993	35.882667	-89.227944	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
17S80490001	CROCKETT	SR221	2.05	BRANCH	OPEN	7/11/2016	1970	35.786417	-89.08075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
17SR2210005	CROCKETT	SR221	2.1	DRAINAGE DITCH	OPEN	7/12/2016	1970	35.78625	-89.079861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
17S80490003	CROCKETT	SR221	2.56	BRANCH	OPEN	7/12/2016	1970	35.785556	-89.071694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
18I00400037	CUMBERLAND	00884	0	I40	OPEN	11/17/2015	2006	35.90525	-84.876617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2
18008840001	CUMBERLAND	00884	1.51	BAKERS BRANCH	OPEN	5/24/2016	1976	35.923567	-84.871233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
18008840003	CUMBERLAND	00884	10.24	YELLOW CREEK (CWMA)	OPEN	2/4/2016	1984	36.0186	-84.7941	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
18F00250001	CUMBERLAND	00885	3.342	DADDY CREEK	OPEN	5/24/2016	1974	35.998033	-84.823217	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.4
18F00130001	CUMBERLAND	01168	3.78	BYRD CREEK	OPEN	5/24/2016	1934	35.923417	-84.935667	MASONRY	ARCH - DECK	65
18F00050001	CUMBERLAND	01170	1.73	BLACK DROWNING CREEK	OPEN	5/17/2016	2000	36.013217	-85.06955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
18F00050003	CUMBERLAND	01170	2.34	COPELAND CREEK	OPEN	5/17/2016	1975	36.008	-85.076017	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	78.4
18I00400057	CUMBERLAND	01174	1.24	NFA 1174 / EBL I40	OPEN	11/5/2015	2005	36.049267	-85.149533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
18I00400059	CUMBERLAND	01174	1.3	NFA 1174 / WBL I40	OPEN	11/5/2015	2005	36.049767	-85.14865	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.5
18S43840001	CUMBERLAND	01199	1.44	SELF CREEK	OPEN	5/12/2016	1959	35.798433	-85.04235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
18012010003	CUMBERLAND	01201	0.43	BASSES CREEK	WEIGHT POSTED	5/16/2016	1940	35.850867	-85.055267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.3
18012010001	CUMBERLAND	01201	2.81	LICK CREEK	OPEN	5/16/2016	1972	35.820917	-85.037133	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88
18S43820001	CUMBERLAND	01203	0.72	PINEY CREEK	OPEN	5/23/2016	1978	35.89755	-84.7274	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	63.9
18021740001	CUMBERLAND	02174	1.96	SEQUATCHIE RIVER	OPEN	5/3/2016	1984	35.7713	-85.0182	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
18021740003	CUMBERLAND	02174	3.23	SEQUATCHIE RIVER	OPEN	5/3/2016	1999	35.785483	-85.015033	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80.9
18021740005	CUMBERLAND	02174	8.38	DADDY'S CREEK	WEIGHT POSTED	5/19/2016	1958	35.84435	-84.9879	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	36.1
18022020001	CUMBERLAND	02202	1.23	WEST FORK CREEK	OPEN	5/4/2016	1960	35.924017	-85.213583	CONCRETE	TEE BEAM	75.4
18022020003	CUMBERLAND	02202	3.13	POKEPATCH CREEK	OPEN	5/4/2016	1965	35.949917	-85.21385	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
18022020005	CUMBERLAND	02202	4.77	WHITEOAK CREEK	OPEN	5/4/2016	1972	35.9696	-85.1999	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
18022370001	CUMBERLAND	02237	1.3	CLEAR CREEK	OPEN	5/26/2016	1970	36.1198	-85.096917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
18022850001	CUMBERLAND	02285	4.49	EAST FORK OF CANE CREEK	OPEN	5/16/2016	1965	35.787833	-85.207817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
18022850003	CUMBERLAND	02285	10.69	LAUREL CREEK	OPEN	5/16/2016	1936	35.856833	-85.158417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.4
18100400049	CUMBERLAND	02287	2.09	MT. VERNON RD OVER I-40	OPEN	11/23/2015	1966	35.898686	-84.766117	CONCRETE CONTINUOUS	TEE BEAM	72.5
18022890001	CUMBERLAND	02289	3.59	DUNCAN CREEK	OPEN	5/18/2016	1940	36.002083	-85.201683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2
18022890003	CUMBERLAND	02289	5.6	WILKERSON CREEK	OPEN	5/18/2016	1990	35.983283	-85.19075	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
18022960001	CUMBERLAND	02296	1.74	SANDY BRANCH	OPEN	5/23/2016	1964	35.813683	-84.8582	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
18022960003	CUMBERLAND	02296	1.89	HARRIS BRANCH	OPEN	5/23/2016	1964	35.813567	-84.860767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
180A5000001	CUMBERLAND	04523	0.87	LITTLE OBED RIVER	OPEN	5/10/2016	1956	35.974983	-85.034983	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.6
18SR4620001	CUMBERLAND	06018	0.73	OBED RIVER	OPEN	5/12/2016	1980	35.984575	-85.043183	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	97.9
18100400003	CUMBERLAND	0A001	0.115	I40	OPEN	11/3/2015	1964	36.091967	-85.22895	CONCRETE CONTINUOUS	TEE BEAM	76
18100400007	CUMBERLAND	0A009	1.34	JIM GARRETT RD / I-40	OPEN	11/4/2015	1964	36.064433	-85.18705	CONCRETE CONTINUOUS	TEE BEAM	73.3
18100400011	CUMBERLAND	0A073	0.583	I40	OPEN	11/4/2015	1965	36.020819	-85.078106	CONCRETE CONTINUOUS	TEE BEAM	81.7
180A1310001	CUMBERLAND	0A131	0.24	BRANCH	OPEN	5/12/2016	1990	35.995683	-85.007133	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.4
180A1510001	CUMBERLAND	0A151	1.11	OBED RIVER (CWMA)	OPEN	2/4/2016	2010	36.072711	-84.902831	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85
180A1530001	CUMBERLAND	0A153	9.955	OTTER CREEK (CWMA)	OPEN	2/4/2016	1992	36.054561	-84.855769	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	86.3
180A1530003	CUMBERLAND	0A153	15.067	DADDY'S CREEK (CWMA)	WEIGHT POSTED	2/8/2016	1950	36.059161	-84.792239	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.9
180A1580001	CUMBERLAND	0A158	0.058	SEQUATCHIE RIVER	WEIGHT POSTED	5/3/2016	1970	35.746467	-85.029267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.3
180A1790001	CUMBERLAND	0A179	1.229	YELLOW CREEK	OPEN	5/24/2016	1987	36.00235	-84.784383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
180A1800001	CUMBERLAND	0A180	6.573	CRAB ORCHARD CREEK	OPEN	5/23/2016	1983	35.937567	-84.708167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
180A1860001	CUMBERLAND	0A186	0.932	PINEY CREEK	OPEN	5/23/2016	1988	35.907233	-84.734767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
180A1880001	CUMBERLAND	0A188	1.672	MAMMY'S CREEK	OPEN	5/23/2016	1992	35.912317	-84.778367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
180A2130001	CUMBERLAND	0A213	0.779	FALL BRANCH	OPEN	5/9/2016	1993	35.873367	-84.8073	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
180A2340001	CUMBERLAND	0A234	1.318	DADDY'S CREEK	OPEN	5/26/2016	1976	35.927417	-84.87635	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.6
180A2340003	CUMBERLAND	0A234	7.332	BROWN CREEK	OPEN	5/24/2016	2008	35.961183	-84.93695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
180A2340005	CUMBERLAND	0A234	7.583	NORTH CREEK	OPEN	5/24/2016	2008	35.962017	-84.9405	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
18100400061	CUMBERLAND	0A251	1.918	NFA A251 / EBL I40	OPEN	11/19/2015	1966	35.9531	-84.9534	CONCRETE CONTINUOUS	TEE BEAM	71.5
18100400063	CUMBERLAND	0A251	1.931	NFA A251 / WBL I40	OPEN	11/19/2015	1966	35.95325	-84.953083	CONCRETE CONTINUOUS	TEE BEAM	71.5
180A2790001	CUMBERLAND	0A279	3.96	FALL CREEK	OPEN	5/9/2016	1986	35.8372	-84.799333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
180A2890001	CUMBERLAND	0A289	0.309	WHITES CREEK	WEIGHT POSTED	5/23/2016	1960	35.77675	-84.903867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	50.4
180A3130001	CUMBERLAND	0A313	1.393	BYRD CREEK	OPEN	5/24/2016	1985	35.93215	-84.9513	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.6
180A4000001	CUMBERLAND	0A400	0.771	OBED RIVER	OPEN	5/10/2016	1926	35.957333	-85.05045	CONCRETE	TEE BEAM	69.2
180A4200003	CUMBERLAND	0A420	2.472	WILKERSON CREEK	OPEN	5/18/2016	1995	35.98565	-85.231417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
18100400025	CUMBERLAND	0A454	1.698	COOK RD OVER I-40	OPEN	11/17/2015	1966	35.974017	-85.0009	CONCRETE CONTINUOUS	TEE BEAM	63
180A5230001	CUMBERLAND	0A523	0.56	DADDY'S CREEK	OPEN	5/12/2016	1986	35.819633	-85.011483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
180A5230003	CUMBERLAND	0A523	1.258	LICK CREEK	OPEN	5/12/2016	1983	35.811317	-85.017317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
180A5620001	CUMBERLAND	0A562	0.52	DADDY'S CREEK	OPEN	5/12/2016	2001	35.78215	-85.046133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
180A5730001	CUMBERLAND	0A573	0.551	LITTLE LAUREL CREEK	OPEN	5/26/2016	1984	35.840733	-85.12355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
180A6230001	CUMBERLAND	0A623	0.234	OBED RIVER	OPEN	5/10/2016	2009	35.955817	-85.058733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.1
180A6360001	CUMBERLAND	0A636	1.892	JUMPING CREEK	OPEN	5/19/2016	1970	35.8659	-85.183517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.6
180A8140001	CUMBERLAND	0A814	0.579	CANEY FORK RIVER	OPEN	5/19/2016	1970	35.841133	-85.2183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
180A8140003	CUMBERLAND	0A814	2.617	LAUREL CREEK	OPEN	5/19/2016	1987	35.88785	-85.187783	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
180A8140005	CUMBERLAND	0A814	3.202	MEADOW CREEK	OPEN	5/19/2016	1984	35.88825	-85.17785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
180A8210001	CUMBERLAND	0A821	0.712	WEST FORK CREEK	OPEN	5/4/2016	1982	35.917917	-85.199983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
180A8210003	CUMBERLAND	0A821	1.522	CANEY FORK RIVER	OPEN	5/4/2016	1978	35.9198	-85.188067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9
180A1510003	CUMBERLAND	0A831	4.03	MYATT CREEK (CWMA)	WEIGHT POSTED	2/4/2016	1989	36.129483	-84.981667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.4
180A8900001	CUMBERLAND	0A890	0.702	OTTER CREEK	OPEN	5/2/2016	2003	36.041367	-84.896083	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
180A9340001	CUMBERLAND	0A934	0.765	LITTLEFIELD BRANCH	OPEN	5/24/2016	1965	35.962933	-85.089583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
180A9390001	CUMBERLAND	0A939	1.004	BYRDS CREEK (CMSP)	WEIGHT POSTED	2/2/2016	1937	35.893267	-85.0254	MASONRY	ARCH - DECK	27.4
180B0170001	CUMBERLAND	0B017	0.736	BEAM CREEK	OPEN	5/4/2016	1986	35.975083	-85.141617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
180B0180001	CUMBERLAND	0B018	0.391	LITTLE FIELDS BRANCH	OPEN	5/24/2016	1939	35.948267	-85.101483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
180B0380003	CUMBERLAND	0B038	0.655	CANEY CREEK	OPEN	5/18/2016	1950	35.9912	-85.180767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
180B2610001	CUMBERLAND	0B261	1.703	LAKE OVERFLOW	OPEN	5/24/2016	1980	35.998033	-84.823217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.2
180B3020001	CUMBERLAND	0B302	1.397	ST GEORGE LAKE OVERFLOW	OPEN	5/2/2016	1980	35.983917	-84.907533	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
180B3730001	CUMBERLAND	0B373	0.432	LAKE CANTERBURY OVERFLOW	OPEN	5/2/2016	1980	35.998017	-84.911417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
180B0180005	CUMBERLAND	0C195	0.38	BEAM CREEK	OPEN	5/10/2016	1938	35.964567	-85.145367	CONCRETE	TEE BEAM	72.5
180B0180003	CUMBERLAND	0C195	0.65	TANTROUGH CREEK	OPEN	5/10/2016	1938	35.963667	-85.140517	CONCRETE	TEE BEAM	72.4
18I00400002	CUMBERLAND	I0040	0.24	SR 24	OPEN	11/3/2015	1963	36.100033	-85.2361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
18I00400001	CUMBERLAND	I0040	0.24	SR 24	OPEN	11/3/2015	1963	36.0997	-85.236283	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94
18I00400005	CUMBERLAND	I0040	3.08	MEADOW CREEK	OPEN	11/3/2015	1967	36.073228	-85.198297	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
18I00400014	CUMBERLAND	I0040	11.49	DROWNING CREEK	OPEN	11/4/2015	1966	36.0157	-85.070064	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.5
18I00400013	CUMBERLAND	I0040	11.54	DROWNING CREEK	OPEN	11/4/2015	1966	36.014969	-85.069914	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
18I00400016	CUMBERLAND	I0040	11.61	NFA 1170 (CRESTON RD)	OPEN	11/5/2015	1966	36.013333	-85.07	CONCRETE CONTINUOUS	TEE BEAM	92.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
18I00400015	CUMBERLAND	I0040	11.61	NFA 1170 (CRESTON RD)	OPEN	11/5/2015	1966	36.013333	-85.07	CONCRETE CONTINUOUS	TEE BEAM	88.1
18I00400021	CUMBERLAND	I0040	13.54	OBED RIVER	OPEN	11/16/2015	1966	35.998333	-85.041667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.6
18I00400022	CUMBERLAND	I0040	13.54	OBED RIVER	OPEN	11/16/2015	1966	35.99815	-85.04025	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
18I00400032	CUMBERLAND	I0040	22.38	DADDYS CREEK & NFA A244	OPEN	11/10/2015	1966	35.925383	-84.9138	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
18I00400031	CUMBERLAND	I0040	22.38	DADDYS CREEK & NFA A244	OPEN	11/10/2015	1966	35.925717	-84.914917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.1
18I00400034	CUMBERLAND	I0040	23.92	NFA A244	OPEN	11/17/2015	1966	35.911667	-84.893333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.9
18I00400033	CUMBERLAND	I0040	23.92	NFA A244	OPEN	11/17/2015	1967	35.911667	-84.893333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.9
18I00400036	CUMBERLAND	I0040	24.15	SR 1	OPEN	11/19/2015	1966	35.91	-84.89	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
18I00400035	CUMBERLAND	I0040	24.15	SR 1	OPEN	11/19/2015	1966	35.91	-84.89	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
18I00400040	CUMBERLAND	I0040	25.83	SR 1 & SOU RWY	OPEN	11/19/2015	1967	35.901883	-84.861733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.1
18I00400039	CUMBERLAND	I0040	25.86	SR 1 & SOU RWY	OPEN	11/19/2015	1967	35.901533	-84.86165	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
18I00400043	CUMBERLAND	I0040	29.09	FALL CREEK	OPEN	11/24/2015	1966	35.883667	-84.812778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
18I00400045	CUMBERLAND	I0040	29.19	NFA A212	OPEN	11/23/2015	1967	35.884289	-84.811181	CONCRETE CONTINUOUS	TEE BEAM	77.8
18I00400046	CUMBERLAND	I0040	29.19	NFA A212	OPEN	11/23/2015	1967	35.8845	-84.811281	CONCRETE CONTINUOUS	TEE BEAM	87
18I00400047	CUMBERLAND	I0040	30.32	MILLSTONE CREEK	OPEN	11/24/2015	1966	35.894769	-84.796578	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
18I00400054	CUMBERLAND	I0040	34.57	PINEY CREEK	OPEN	11/12/2015	1968	35.895567	-84.727	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
18I00400053	CUMBERLAND	I0040	34.57	PINEY CREEK	OPEN	11/12/2015	1968	35.895067	-84.72735	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.7
18SR0010001	CUMBERLAND	SR001	6.35	CANEY FORK RIVER	OPEN	2/2/2016	1958	35.9708	-85.155864	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.7
18SR0010003	CUMBERLAND	SR001	7.05	BEAM CREEK	OPEN	2/17/2016	2006	35.96605	-85.144619	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.7
18SR0010005	CUMBERLAND	SR001	12.71	OBED RIVER	OPEN	2/22/2016	1959	35.960181	-85.051261	CONCRETE	TEE BEAM	47.6
18SR0010007	CUMBERLAND	SR001	21.96	DADDYS CREEK	OPEN	2/22/2016	2013	35.919169	-84.919569	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
18SR0010009	CUMBERLAND	SR001	27.29	RENFROE CREEK	OPEN	2/18/2016	1929	35.88735	-84.8402	CONCRETE	TEE BEAM	78.3
18SR0010011	CUMBERLAND	SR001	29.36	FALL CREEK	OPEN	2/18/2016	1926	35.88	-84.81	CONCRETE	TEE BEAM	54
18SR0010013	CUMBERLAND	SR001	30.86	MAMMYS CREEK	OPEN	2/11/2016	1928	35.874933	-84.788583	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.6
18SR0010015	CUMBERLAND	SR001	32.13	KING CREEK	OPEN	2/11/2016	1928	35.868797	-84.770036	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	83.4
18SR0010017	CUMBERLAND	SR001	34.19	PINEY CREEK	OPEN	2/18/2016	1930	35.853969	-84.737869	CONCRETE	ARCH - DECK	92.3
18SR0240001	CUMBERLAND	SR024	14.08	MEADOW CREEK	OPEN	2/16/2016	1997	35.987889	-85.06435	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9
18SR0240003	CUMBERLAND	SR024	15.37	OBED RIVER	OPEN	2/23/2016	1929	35.974519	-85.048531	CONCRETE	TEE BEAM	35.2
18SR0280001	CUMBERLAND	SR028	2.73	DADDYS CREEK	OPEN	3/3/2016	1958	35.806642	-85.020919	CONCRETE	TEE BEAM	60
18SR0280003	CUMBERLAND	SR028	2.99	LICK CREEK	OPEN	3/3/2016	1958	35.810431	-85.020414	CONCRETE	TEE BEAM	66.1
18SR0280005	CUMBERLAND	SR028	5.86	BASSES CREEK	OPEN	3/9/2016	1997	35.851314	-85.012794	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
18SR0280007	CUMBERLAND	SR028	10.69	BYRDS CREEK	OPEN	3/1/2016	1961	35.912036	-84.992136	CONCRETE CONTINUOUS	TEE BEAM	47.1
18SR0280009	CUMBERLAND	SR028	11.09	THREE MILE CREEK	OPEN	3/1/2016	1962	35.916936	-84.995633	CONCRETE CONTINUOUS	TEE BEAM	51.2
18SR0280011	CUMBERLAND	SR028	15.96	LITTLE OBED RIVER	OPEN	3/15/2016	1973	35.976111	-85.03825	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
18SR0280012	CUMBERLAND	SR028	15.96	LITTLE OBED RIVER	OPEN	3/15/2016	1973	35.97605	-85.038511	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
18SR0280013	CUMBERLAND	SR028	17.5	OBED RIVER	OPEN	3/16/2016	1972	35.9969	-85.044569	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
18SR0280014	CUMBERLAND	SR028	17.5	OBED RIVER	OPEN	3/16/2016	1972	35.996769	-85.0448	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
18I00400017	CUMBERLAND	SR028	17.77	I40	OPEN	11/17/2015	1966	36	-85.046667	CONCRETE CONTINUOUS	TEE BEAM	79
18SR0280015	CUMBERLAND	SR028	25.44	LICK FORK CREEK	OPEN	3/8/2016	1952	36.105781	-85.067389	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	71.8
18SR0280017	CUMBERLAND	SR028	30.5	CLEAR CREEK	OPEN	3/8/2016	1952	36.170089	-85.028061	CONCRETE	TEE BEAM	56.3
18SR0680001	CUMBERLAND	SR068	3.25	DADDYS CREEK	OPEN	3/10/2016	1997	35.890361	-84.93765	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.7
18SR0680003	CUMBERLAND	SR068	6.99	SPRING BRANCH	OPEN	3/2/2016	1952	35.842867	-84.917967	CONCRETE	TEE BEAM	54.9
18SR0680005	CUMBERLAND	SR068	7.13	GRASSY COVE CREEK	OPEN	3/2/2016	1951	35.840867	-84.91775	CONCRETE	TEE BEAM	70
18SR0680007	CUMBERLAND	SR068	7.54	GRASSY COVE CREEK	OPEN	3/7/2016	1951	35.8351	-84.915589	CONCRETE	TEE BEAM	54.9
18SR0680011	CUMBERLAND	SR068	12.04	COAL CREEK	OPEN	3/7/2016	1979	35.786161	-84.88315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
18SR0680013	CUMBERLAND	SR068	12.55	WHITES CREEK	OPEN	3/7/2016	1980	35.778769	-84.882419	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
18S42530001	CUMBERLAND	SR101	5.69	LAUREL CREEK	OPEN	3/2/2016	1952	35.840211	-85.132061	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73.6
18I00400027	CUMBERLAND	SR101	16.29	PEAVINE ROAD OVER I-40	OPEN	11/17/2015	2009	35.96	-84.983333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	84.9
18S42520001	CUMBERLAND	SR298	1.43	LITTLE OBED RIVER	OPEN	3/14/2016	1960	35.970961	-85.016839	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.3
18I00400023	CUMBERLAND	SR298	2.23	I40	OPEN	2/29/2016	2015	35.982419	-85.0137	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.3
18S42520005	CUMBERLAND	SR298	9.11	OBED RIVER	OPEN	3/16/2016	1997	36.061689	-84.961531	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.6
18S42520009	CUMBERLAND	SR298	17.35	TOMS BRANCH	OPEN	3/10/2016	1958	36.10075	-84.860633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
18I00400051	CUMBERLAND	SR299	2.79	I40	OPEN	11/19/2015	1967	35.892533	-84.734333	CONCRETE CONTINUOUS	TEE BEAM	70.3
18011660001	CUMBERLAND	SR419	0.41	BYRDS CR & LAKE (CMSP)	OPEN	3/9/2016	1936	35.900669	-84.998861	MASONRY	ARCH - DECK	69.8
19F00080001	DAVIDSON	00998	3.66	BEECH CREEK	OPEN	5/19/2017	1940	36.073867	-87.0094	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
19F00080003	DAVIDSON	00998	5.05	HARPEETH RIVER	OPEN	5/19/2017	1989	36.085983	-87.025233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
19F00580001	DAVIDSON	01002	0.03	BRANCH	OPEN	4/5/2017	2000	36.101983	-86.869833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
19F00580005	DAVIDSON	01002	0.13	BELLE MEADE BRANCH	OPEN	4/5/2017	2000	36.101433	-86.867967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
19010020003	DAVIDSON	01002	1.49	BELLE MEADE BRANCH	OPEN	4/5/2017	1950	36.093017	-86.8483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
19010020009	DAVIDSON	01002	3.5	SUGARTREE BRANCH	OPEN	4/5/2017	1986	36.090817	-86.81885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
19010020007	DAVIDSON	01002	4.29	BROWN'S CREEK	OPEN	4/5/2017	2013	36.089	-86.798617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
19I00400143	DAVIDSON	01004	1.94	NEW HOPE ROAD / I40	OPEN	1/28/2016	1964	36.169333	-86.585367	CONCRETE CONTINUOUS	TEE BEAM	57.3
19010080001	DAVIDSON	01008	1.62	INDIAN CREEK	OPEN	5/9/2017	1986	35.992	-86.65525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
19010080005	DAVIDSON	01008	4.02	BRANCH	OPEN	5/9/2017	1993	36.00035	-86.6232	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
19010080003	DAVIDSON	01008	4.56	BRANCH	OPEN	5/9/2017	1993	36.008	-86.6219	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
19I00240047	DAVIDSON	01008	4.98	OLD HICKORY BLVD / I24	OPEN	10/22/2015	2000	36.013967	-86.620117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19010130009	DAVIDSON	01013	9.22	EARTHMAN FORK CREEK	OPEN	4/21/2017	1940	36.26565	-86.831433	CONCRETE	TEE BEAM	63.6
19F01170001	DAVIDSON	01017	1.56	DRY CREEK	OPEN	4/18/2017	1970	36.2861	-86.6927	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
19F01170003	DAVIDSON	01017	1.73	MYATT DR /CSX RR-NFA A67	OPEN	4/18/2017	1966	36.288583	-86.693233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.9
19010170001	DAVIDSON	01017	3.44	TWO MILE PKWY/ CSX RR	OPEN	4/18/2017	1968	36.3112	-86.705333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.3
19I00400135	DAVIDSON	01395	0.34	STEWARTS FERRY PK RL/I40	OPEN	1/27/2016	1960	36.155	-86.63	CONCRETE CONTINUOUS	TEE BEAM	81.3
19I00400136	DAVIDSON	01395	0.34	STEWARTS FERRY PK LL/I40	OPEN	1/27/2016	1960	36.155017	-86.629583	CONCRETE CONTINUOUS	TEE BEAM	81.4
19019210001	DAVIDSON	01921	0.87	EAST FORK CREEK	OPEN	4/10/2017	1981	36.002483	-87.029567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.8
19019290001	DAVIDSON	01929	0.04	TRACE CREEK	OPEN	6/6/2017	2005	36.045	-86.95	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.7
190A3900003	DAVIDSON	01952	1.11	BRANCH	OPEN	5/18/2017	1999	36.1786	-86.613567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
190A3900001	DAVIDSON	01952	1.6	DRY FORK CREEK	OPEN	5/18/2017	1989	36.184817	-86.6098	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
19019520001	DAVIDSON	01952	3.61	STONE'S CREEK	OPEN	5/17/2017	1940	36.2	-86.582267	CONCRETE	TEE BEAM	67.8
19SR0060013	DAVIDSON	03241	0.39	JAMES ROBERTSON PKWY	OPEN	5/25/2017	1958	36.163817	-86.786333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.2
19I00400069	DAVIDSON	03242	1.25	CHURCH STREET / I40	OPEN	12/17/2015	1968	36.157883	-86.79125	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	42.5
19M32420001	DAVIDSON	03242	1.37	CHURCH ST/10-11-12&CSX R	OPEN	4/17/2017	1991	36.158733	-86.789917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.4
19M32440001	DAVIDSON	03244	1.48	CUMBERLAND RIVER & GAY S	OPEN	6/28/2017	1964	36.166867	-86.776367	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.8
19K32480001	DAVIDSON	03248	1.54	OTTER CREEK	OPEN	4/11/2017	1960	36.062267	-86.81395	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	68.2
19I04400025	DAVIDSON	03248	5.55	GRANNY WHITE PK. / I440	OPEN	3/2/2016	1985	36.115917	-86.791567	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	76.7
19I00400077	DAVIDSON	03248	7.94	12TH AVE S / I40	OPEN	1/4/2016	1970	36.149517	-86.784433	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	57.8
19S63940001	DAVIDSON	03250	4.03	BROWN CREEK	OPEN	4/5/2017	1931	36.101333	-86.781633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
19032500001	DAVIDSON	03250	4.38	WEST FORK BROWN'S CREEK	OPEN	4/5/2017	1960	36.110017	-86.775117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19SR0060029	DAVIDSON	03250	4.48	WOODMONT BLVD/FRANKLIN R	OPEN	2/15/2017	1971	36.110117	-86.773667	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	96.3
19SR0060031	DAVIDSON	03252	5.1	GALLATIN RD / BRILEY PKW	OPEN	3/8/2017	1974	36.234683	-86.724617	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	88
19032520001	DAVIDSON	03253	1.02	TRINITY LN./ELLINGTON PK	OPEN	3/2/2017	1967	36.204433	-86.74995	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.1
19032550001	DAVIDSON	03255	0.12	BRANCH	OPEN	4/13/2017	2003	36.154	-86.842	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
19104400007	DAVIDSON	03255	1.915	MURPHY RD. / I440	OPEN	2/22/2016	1985	36.139667	-86.823217	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	86.6
19044350003	DAVIDSON	03256	0.26	CSX RR	OPEN	9/8/2015	2012	36.176	-86.818867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75
19032570001	DAVIDSON	03257	0.42	BRANCH	OPEN	4/13/2017	1990	36.172167	-86.829567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
19032570005	DAVIDSON	03257	0.75	BRANCH	OPEN	4/13/2017	1990	36.172167	-86.829567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
19032570003	DAVIDSON	03257	1.07	BRANCH	OPEN	4/13/2017	1990	36.163917	-86.836083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
19L32580001	DAVIDSON	03258	0.39	JEFFERSON ST/CUMBERLAND	OPEN	6/23/2017	1994	36.175133	-86.78365	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.3
19100400057	DAVIDSON	03258	1.6	JEFFERSON ST / I-40	OPEN	12/10/2015	1967	36.171317	-86.799017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66
19100650141	DAVIDSON	03262	1.77	3RD AVENUE N / I65	OPEN	2/11/2016	1969	36.187683	-86.794217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.3
19100650059	DAVIDSON	03267	0.19	FERN AVE RL / I65	OPEN	2/12/2016	1965	36.19545	-86.77565	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.2
19100650060	DAVIDSON	03267	0.22	FERN AVE LL / I65	OPEN	2/12/2016	1965	36.195617	-86.792933	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68
19L32680003	DAVIDSON	03268	1.86	EWING CREEK	OPEN	4/20/2017	2003	36.232783	-86.7813	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.8
19FA0100003	DAVIDSON	03268	2.23	BRICK CHURCH PK/BRILEY P	OPEN	4/13/2017	1974	36.238083	-86.7808	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.9
19L32680005	DAVIDSON	03268	3.11	N FORK EWING CREEK	OPEN	4/20/2017	1960	36.250017	-86.776583	CONCRETE	TEE BEAM	73.3
19L32680007	DAVIDSON	03268	5.3	LITTLE CREEK	OPEN	4/20/2017	1995	36.278567	-86.78305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
19100400101	DAVIDSON	03269	0.48	FESSLERS LANE / I40	OPEN	1/12/2016	1960	36.146783	-86.743683	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	70.1
19SR0060011	DAVIDSON	03274	0.53	UNION ST / J ROBERTSON P	OPEN	5/25/2017	1954	36.162167	-86.784983	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19032870003	DAVIDSON	03287	0.48	STONER'S CREEK	OPEN	5/18/2017	1950	36.19445	-86.607567	CONCRETE	TEE BEAM	66.4
19032890001	DAVIDSON	03289	2.63	BRANCH	OPEN	4/26/2017	1984	36.0508	-86.74325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
19032890003	DAVIDSON	03289	3.79	BRANCH	OPEN	4/26/2017	1970	36.06645	-86.737767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.5
190A6960001	DAVIDSON	03289	7.57	SEVEN MILE CREEK	OPEN	5/11/2017	1986	36.089417	-86.720017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
190A6960003	DAVIDSON	03289	8.05	BRANCH	OPEN	5/11/2017	1989	36.085533	-86.72705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
19032920001	DAVIDSON	03292	0.42	MCCRORY CREEK	OPEN	5/16/2017	1955	36.157633	-86.635967	CONCRETE	TEE BEAM	76.5
19032950001	DAVIDSON	03295	0.7	DB TODD/ 18TH & HERMAN ST	OPEN	5/25/2017	1979	36.161683	-86.802533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.1
19100400053	DAVIDSON	03295	1.32	D.B. TODD JR. BLVD / I40	OPEN	12/10/2015	1967	36.170067	-86.80665	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.3
190D9950001	DAVIDSON	04160	0.99	OVERALL CREEK	OPEN	4/13/2017	1970	36.131383	-86.923467	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81
190B1700001	DAVIDSON	04161	1.53	CSX RAILROAD	OPEN	4/11/2017	1960	36.092717	-86.760367	CONCRETE	TEE BEAM	88.4
190B1140001	DAVIDSON	04163	0.38	BROWNS CREEK	OPEN	4/11/2017	1987	36.12785	-86.767133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
190A8820001	DAVIDSON	04164	0.35	CSX RAILROAD	OPEN	5/2/2017	1951	36.131817	-86.749533	CONCRETE	ARCH - DECK	93.1
190A8820003	DAVIDSON	04164	0.48	CSX RAILROAD	OPEN	5/2/2017	1952	36.133867	-86.748567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.4
19104400051	DAVIDSON	04165	0.92	FOSTER AVE. / I440	OPEN	3/9/2016	1985	36.124	-86.742467	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.2
190A8460003	DAVIDSON	04165	1.11	CSX RAILROAD	WEIGHT POSTED	5/2/2017	1953	36.126617	-86.7422	STEEL	STRINGER/MULTI-BEAM OR GIRDER	14.8
19100400115	DAVIDSON	04166	0.32	SPENCE LANE / I40	OPEN	1/14/2016	2003	36.140033	-86.722417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.9
19041670001	DAVIDSON	04167	0.82	BRANCH	OPEN	5/16/2017	1982	36.142083	-86.641983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
19100400133	DAVIDSON	04167	1.25	ELM HILL PIKE / I40	OPEN	1/27/2016	1964	36.141667	-86.65	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.8
190A4670001	DAVIDSON	04167	1.69	MCCRORY CREEK	OPEN	5/16/2017	1966	36.14455	-86.656883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.8
190Z3180005	DAVIDSON	04167	3.28	BRANCH	OPEN	5/16/2017	1965	36.152817	-86.682617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
190Z3180003	DAVIDSON	04167	3.49	BRANCH	OPEN	5/15/2017	1965	36.153283	-86.686183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190Z3180001	DAVIDSON	04167	5.18	MILL CREEK	OPEN	5/15/2017	1965	36.144867	-86.712517	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	71.8
19I00400103	DAVIDSON	04167	6.63	ELM HILL PK / I40	OPEN	1/12/2016	1963	36.14435	-86.738433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.5
190A5220001	DAVIDSON	04168	1.85	W FORK HAMILTON CREEK	OPEN	5/26/2017	1965	36.0899	-86.625717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
190A5220003	DAVIDSON	04168	2.21	BRANCH	OPEN	5/26/2017	1965	36.08935	-86.61955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.4
19I00240085	DAVIDSON	04169	0	HICKORY HOLLOW PKWY/ I24	OPEN	10/21/2015	1979	36.039183	-86.649117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.3
19041690001	DAVIDSON	04169	0.27	HICKORY HOLLOW PKWY/CSXR	OPEN	5/10/2017	1979	36.043417	-86.65015	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
190A5990001	DAVIDSON	04169	3.09	MILL CREEK	OPEN	5/10/2017	1950	36.070117	-86.684633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74.3
190A5990005	DAVIDSON	04169	5.28	SORGHUM CREEK	OPEN	5/11/2017	1950	36.095283	-86.70085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.4
19I00240023	DAVIDSON	04169	5.78	ANTIOCH PIKE / I24	OPEN	10/9/2015	1958	36.097917	-86.709778	CONCRETE CONTINUOUS	TEE BEAM	63.1
190A5990007	DAVIDSON	04169	6.06	SEVEN MILE CREEK	OPEN	5/11/2017	1986	36.099283	-86.7139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
19M32860001	DAVIDSON	04171	0.32	BRANCH	OPEN	4/18/2017	1950	36.255833	-86.7088	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.8
19044350001	DAVIDSON	04435	1.05	BRANCH	OPEN	6/27/2017	1993	36.17465	-86.823633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
19SR3860001	DAVIDSON	04451	1.31	CONFERENCE DR/H'VILLE BP	OPEN	5/9/2017	1989	36.307167	-86.694833	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95
190B3240001	DAVIDSON	04845	2.14	BRANCH	OPEN	5/9/2017	1940	36.024467	-86.680333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
190A5900003	DAVIDSON	04845	2.39	MILL CREEK	OPEN	5/9/2017	1940	36.02095	-86.680767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88.4
190A5900001	DAVIDSON	04845	2.96	INDIAN CREEK	OPEN	5/9/2017	1940	36.014333	-86.678444	CONCRETE	TEE BEAM	79.4
190B3250001	DAVIDSON	04846	1.68	BRANCH	OPEN	5/9/2017	1968	36.007383	-86.667333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
19048480001	DAVIDSON	04848	0.05	BRANCH	OPEN	4/26/2017	2004	36.007617	-86.727217	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.1
19048480003	DAVIDSON	04848	0.08	BRANCH	OPEN	4/26/2017	2004	36.014767	-86.726233	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.1
19048480005	DAVIDSON	04848	1.4	BRANCH	OPEN	4/26/2017	2005	36.01355	-86.715683	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190A3920003	DAVIDSON	04876	2.12	STONES CREEK	OPEN	5/17/2017	1965	36.2016	-86.591333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.8
190A9560001	DAVIDSON	04876	2.33	BRANCH	OPEN	5/17/2017	1987	36.204483	-86.590417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
19048760001	DAVIDSON	04876	3.03	BRANCH	OPEN	5/17/2017	2000	36.214467	-86.588517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
19S63340001	DAVIDSON	04881	3.03	RICHLAND CREEK	OPEN	4/5/2017	1992	36.089733	-86.86065	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.8
19S63340003	DAVIDSON	04881	3.12	BELLE MEADE BRANCH	OPEN	4/5/2017	1992	36.090783	-86.8595	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.1
19104400023	DAVIDSON	04883	1.44	BELMONT BLVD. / I440	OPEN	3/2/2016	1985	36.11615	-86.798417	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	74.7
190B2380001	DAVIDSON	04886	1.51	SEVEN MILE CREEK	OPEN	5/11/2017	1984	36.072383	-86.733467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77.7
19100650117	DAVIDSON	04888	0.32	ARMORY DR/I65-RR-POWELL	OPEN	2/3/2016	1985	36.101183	-86.765317	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
190B9240001	DAVIDSON	04890	1.52	SUGARTREE CREEK	OPEN	4/7/2017	1986	36.114617	-86.836833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
19104400017	DAVIDSON	04891	1.93	WOODLAWN DR. / I440	OPEN	3/2/2016	1985	36.12595	-86.8145	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	94.7
190B9560001	DAVIDSON	04892	2.31	SUGARTREE CREEK	OPEN	4/7/2017	1966	36.106583	-86.821517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	76.6
190B8970001	DAVIDSON	04893	0.91	BRANCH	OPEN	4/7/2017	1989	36.128533	-86.826033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.5
190D7520001	DAVIDSON	04895	1.29	HARPEATH RIVER	OPEN	4/10/2017	1985	36.059133	-86.94455	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4
190C8220001	DAVIDSON	04895	2.32	BRANCH	OPEN	4/10/2017	1986	36.069667	-86.9319	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
190E2360001	DAVIDSON	04897	0.96	FLAT CREEK	OPEN	6/2/2017	1965	36.0718	-86.946667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
190D7830001	DAVIDSON	04897	3.44	OVERALL CREEK	OPEN	4/10/2017	1959	36.101817	-86.931067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
190D8330001	DAVIDSON	04899	0.27	BRANCH	OPEN	4/13/2017	1960	36.125633	-86.902633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
190D9660001	DAVIDSON	04902	0.01	OVERALL CREEK	OPEN	4/13/2017	1949	36.121433	-86.932633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.9
19049020001	DAVIDSON	04902	0.42	BRANCH	OPEN	4/13/2017	1992	36.12195	-86.925633	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19FA0100019	DAVIDSON	04905	2.57	JAMES AVE/BRILEY PKWY&CR	OPEN	4/19/2017	1968	36.163783	-86.868333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.7
19049070001	DAVIDSON	04907	0.15	BRANCH	OPEN	4/13/2017	2003	36.154	-86.853	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
19I00650033	DAVIDSON	04911	1.3	CHESTNUT STREET / I65	OPEN	2/8/2016	1970	36.141817	-86.777033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.1
190B0560001	DAVIDSON	04911	1.55	CSX RAILROAD	OPEN	4/11/2017	2009	36.142	-86.77225	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
19I00400075	DAVIDSON	04914	0.67	DIVISION STREET / I40	OPEN	1/4/2016	1970	36.151283	-86.78665	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.2
19K32830001	DAVIDSON	04915	0.725	CSX RAILROAD	OPEN	4/17/2017	1965	36.185333	-86.76085	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.9
19032520015	DAVIDSON	04915	0.77	CLEVELAND ST/ELLINGTON P	OPEN	2/21/2017	1965	36.1848	-86.759533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75
19I00650137	DAVIDSON	04917	0.23	BUCHANAN STREET / I65	OPEN	2/11/2016	1969	36.180183	-86.800633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
190C5870001	DAVIDSON	04918	1.13	WHITES CREEK	OPEN	4/21/2017	1975	36.217833	-86.820283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
190C5870003	DAVIDSON	04918	3.27	DRY FORK CREEK	OPEN	4/21/2017	1997	36.24715	-86.82915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
190C5480001	DAVIDSON	04919	0.93	EATONS CREEK	OPEN	4/21/2017	1950	36.2218	-86.865417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
190C5480003	DAVIDSON	04919	1.26	EATONS CREEK	OPEN	4/21/2017	1950	36.22655	-86.867117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
190C6020001	DAVIDSON	04921	0.91	DRAKES BRANCH	OPEN	4/21/2017	1930	36.217283	-86.848933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
190C7200003	DAVIDSON	04924	3.36	EWING CREEK	OPEN	4/17/2017	1975	36.2299	-86.754717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
190C7200001	DAVIDSON	04924	4.69	CSX RAILROAD	OPEN	4/17/2017	1975	36.2296	-86.731483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	64.8
190C9930001	DAVIDSON	04925	1.5	CSX RAILROAD	OPEN	4/17/2017	1978	36.214467	-86.736633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.4
190C8690001	DAVIDSON	04926	0.675	EWING CREEK	OPEN	4/20/2017	1960	36.26065	-86.764167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
190C7630013	DAVIDSON	04927	1.965	CLAYLICK CREEK	OPEN	4/20/2017	1986	36.300683	-86.81025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
190C7630001	DAVIDSON	04927	6.16	SHANES FORK CREEK	OPEN	4/20/2017	1997	36.343233	-86.765983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190C7630003	DAVIDSON	04927	7.98	SHANES FORK CREEK	OPEN	4/19/2017	1950	36.347233	-86.73505	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39
190C7630005	DAVIDSON	04927	8.44	BRANCH	OPEN	4/19/2017	1992	36.346433	-86.727267	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
190C7630009	DAVIDSON	04927	8.67	BRANCH	OPEN	4/19/2017	1960	36.344783	-86.724433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	71.8
190C7630011	DAVIDSON	04927	9.145	BRANCH	OPEN	4/19/2017	1986	36.339233	-86.71955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
19100240057	DAVIDSON	04928	0.63	UNION HILL ROAD / I24	OPEN	9/15/2015	1972	36.323167	-86.861	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.2
19100650089	DAVIDSON	04930	0.53	ALTA LOMA ROAD / I65	OPEN	2/18/2016	1988	36.297917	-86.714133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
190D2090001	DAVIDSON	04930	0.95	CSX RAILROAD	OPEN	4/18/2017	1981	36.295133	-86.707317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.6
19100650077	DAVIDSON	04933	1.11	DUE WEST AVENUE / I65	OPEN	2/18/2016	2000	36.2501	-86.741817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.1
190C8850001	DAVIDSON	04933	2.17	CSX RAILROAD	OPEN	4/17/2017	1965	36.248167	-86.723183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	45.3
190D4350001	DAVIDSON	04936	2.2	COOPER CREEK	OPEN	5/23/2017	1984	36.209133	-86.714083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
190A4680001	DAVIDSON	04938	5.06	BRANCH	OPEN	5/16/2017	1985	36.152133	-86.683667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
19K32830005	DAVIDSON	04939	1.23	CSX RAILROAD	OPEN	5/23/2017	1951	36.181683	-86.7265	CONCRETE	ARCH - DECK	55.3
190D4660001	DAVIDSON	04939	3.58	BRANCH	OPEN	5/23/2017	1950	36.207483	-86.716633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
19100240015	DAVIDSON	04946	0.93	THOMPSON LN /I24&I24-RMP	OPEN	10/6/2015	2002	36.111617	-86.723283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.8
190A8080001	DAVIDSON	04946	1.45	MILL CREEK	OPEN	5/15/2017	1950	36.117533	-86.718933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.9
19SR1550059	DAVIDSON	04949	1.33	CURREY RD. / BRILEY PKWY	OPEN	4/5/2017	2002	36.236667	-86.78	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
19100400119	DAVIDSON	04951	1.45	MASSMAN DRIVE / I40	OPEN	1/26/2016	1963	36.141967	-86.710033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.9
19SR0010035	DAVIDSON	04952	0.23	VULTEE BLVD/MURF'BORO RD	OPEN	5/15/2017	1941	36.124033	-86.707817	CONCRETE	TEE BEAM	26.8
190E6610001	DAVIDSON	04956	1.97	WHITTEMORE BRANCH	OPEN	5/10/2017	1965	36.052383	-86.68385	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.4
19100240037	DAVIDSON	04957	0.53	BLUE HOLE RD / I24	OPEN	10/15/2015	1958	36.053917	-86.672717	CONCRETE CONTINUOUS	TEE BEAM	57

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190A5920001	DAVIDSON	04957	0.97	MILL CREEK	OPEN	5/10/2017	1985	36.059467	-86.67225	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.3
19I00240045	DAVIDSON	04960	1.94	OLD FRANKLIN RD / I24	OPEN	10/21/2015	2000	36.03	-86.64	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
190B3100001	DAVIDSON	04960	2.7	OLD FRANKLIN RD / CSX RR	OPEN	5/10/2017	1989	36.0403	-86.63295	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
190A5310001	DAVIDSON	04964	0.62	EAST FORK HAMILTON CREEK	OPEN	5/26/2017	1987	36.0739	-86.624067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
190A9890003	DAVIDSON	04967	0.3	STONER CREEK	OPEN	5/18/2017	1953	36.185317	-86.626333	CONCRETE	TEE BEAM	48
19I00240117	DAVIDSON	05333	1.23	SHELBY AVENUE / I24	OPEN	10/1/2015	1960	36.166333	-86.765	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.1
19053330001	DAVIDSON	05333	1.53	GATEWAY / C.RVR-1ST&1-RR	OPEN	6/15/2017	2004	36.159617	-86.769783	STEEL	ARCH - THRU	86.6
19I00400073	DAVIDSON	05333	2.97	DEMONBREUN STREET / I40	OPEN	1/4/2016	1967	36.153567	-86.788117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.5
19032490003	DAVIDSON	05343	0.04	DEMONBREUN ST/11TH&CSX R	OPEN	5/25/2017	2005	36.154883	-86.785517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.5
190A3940001	DAVIDSON	05499	0.38	DRY FORK CREEK	OPEN	9/4/2015	1986	36.1793	-86.5823	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
190D8960001	DAVIDSON	05501	0.1	CSX RR & RICHLAND CREEK	OPEN	7/27/2015	1916	36.121967	-86.85275	CONCRETE	TEE BEAM	39.6
190A1340001	DAVIDSON	06060	0.352	HOLT CREEK	OPEN	8/20/2015	1984	36.007017	-86.703033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
190A7560007	DAVIDSON	06063	1.532	BRANCH	OPEN	8/25/2015	1940	36.078667	-86.6698	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
190A7560005	DAVIDSON	06063	1.66	BRANCH	OPEN	8/25/2015	1950	36.077383	-86.67125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
190A7560003	DAVIDSON	06063	2.318	MILL CREEK	OPEN	8/25/2015	1950	36.081783	-86.680267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.1
190B4330001	DAVIDSON	06064	1.791	BROWN CREEK	OPEN	6/20/2017	1915	36.103183	-86.790033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.4
19I00240053	DAVIDSON	0A009	0.483	BIDWELL ROAD / I24	OPEN	9/14/2015	1972	36.326433	-86.886783	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.8
190C5640001	DAVIDSON	0A009	1.92	LONG CREEK	OPEN	7/14/2015	1960	36.343533	-86.896317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.3
190A0200001	DAVIDSON	0A020	0.01	TERMINAL ROAD	OPEN	8/21/2015	2010	36.1372	-86.667217	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85
190C5580001	DAVIDSON	0A021	0.038	EARTHMAN FORK CREEK	OPEN	7/14/2015	1950	36.300267	-86.857183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190C5820001	DAVIDSON	0A042	2.355	DRY FORK CREEK	OPEN	7/10/2017	1982	36.247483	-86.836983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	100
190C5830001	DAVIDSON	0A043	0.058	DRY FORK CREEK	OPEN	7/10/2017	1945	36.26595	-86.858417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
190C5830003	DAVIDSON	0A043	0.484	CARNEY CREEK	OPEN	7/10/2017	1940	36.262267	-86.863967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
190C6460001	DAVIDSON	0A082	0.565	WHITES CREEK	OPEN	6/12/2017	1985	36.212433	-86.8246	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4
190C6140001	DAVIDSON	0A089	0.935	DRAKES BRANCH	OPEN	6/12/2017	1960	36.2099	-86.848117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.7
190C5330001	DAVIDSON	0A126	0.139	EATONS CREEK	OPEN	5/22/2017	1955	36.204717	-86.860917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
190C6050001	DAVIDSON	0A128	0.63	BRANCH	OPEN	7/9/2015	1950	36.213817	-86.866617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65
19SR1550039	DAVIDSON	0A128	1.15	CATO RD / BRILEY PKWY	OPEN	4/17/2017	1993	36.219117	-86.871567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.4
190C6040001	DAVIDSON	0A130	0.006	EATONS CREEK	OPEN	5/22/2017	1955	36.21255	-86.866083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	91.7
190C6070001	DAVIDSON	0A132	0.017	EATONS CREEK	OPEN	7/9/2015	1940	36.22855	-86.868867	CONCRETE CONTINUOUS	TEE BEAM	76.6
190C6070003	DAVIDSON	0A132	0.31	SULPHUR CREEK	OPEN	7/9/2015	1940	36.23055	-86.873367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
190C7680001	DAVIDSON	0A135	0.291	BRANCH	OPEN	7/14/2015	1940	36.35455	-86.857	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
190C7730001	DAVIDSON	0A141	2.699	SULPUR CREEK	OPEN	7/13/2015	1950	36.368317	-86.85845	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
190C5710001	DAVIDSON	0A179	0	LONG CREEK	OPEN	7/13/2015	1985	36.360867	-86.910267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.6
190C6600001	DAVIDSON	0A198	0.386	BRANCH	OPEN	7/10/2017	1960	36.21965	-86.81845	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
19010150003	DAVIDSON	0A209	0.353	CROCKER SPRINGS	OPEN	7/15/2015	1987	36.30825	-86.80935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.6
190C6620001	DAVIDSON	0A210	0.109	BRANCH	OPEN	7/10/2017	1965	36.221017	-86.8116	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
190C6700001	DAVIDSON	0A215	0.317	BRANCH	OPEN	7/10/2017	1960	36.2197	-86.817267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
190C7570001	DAVIDSON	0A232	0.016	EWING CREEK	OPEN	7/7/2017	2004	36.231833	-86.80385	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80
190C7570003	DAVIDSON	0A232	0.485	BRANCH	OPEN	7/7/2017	1935	36.23855	-86.8025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190C7570005	DAVIDSON	0A232	2.948	WHITES CREEK	OPEN	7/7/2017	2005	36.263033	-86.824483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.3
190C7570007	DAVIDSON	0A232	3.107	EARTHMAN FORK	OPEN	7/7/2017	2004	36.262417	-86.827183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.5
190A2350005	DAVIDSON	0A235	4.407	LITTLE MARROWBONE CREEK	OPEN	7/10/2015	1930	36.273533	-86.907667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
190A2350007	DAVIDSON	0A235	4.628	BRANCH	OPEN	7/10/2015	1940	36.27365	-86.903717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
190A2350003	DAVIDSON	0A235	4.742	LITTLE MARROWBONE CREEK	OPEN	7/10/2015	1935	36.273483	-86.901467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
190A2350001	DAVIDSON	0A235	4.912	LITTLE MARROW BONE CREEK	OPEN	7/10/2015	1940	36.2745	-86.89875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
190C7400001	DAVIDSON	0A236	0.096	NORTH FORK OF EWING CREE	OPEN	7/16/2015	2004	36.244417	-86.782083	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.2
190A2430001	DAVIDSON	0A243	0.364	BRANCH	OPEN	7/16/2015	1986	36.2596	-86.7631	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
19100650079	DAVIDSON	0A266	0.198	CHADWELL DRIVE / I65	OPEN	2/18/2016	2003	36.263767	-86.738683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.6
190C7760001	DAVIDSON	0A295	0.807	SOUTH FORK SYCAMORE CREE	OPEN	7/13/2015	1994	36.387017	-86.890567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
190D1930001	DAVIDSON	0A298	0.031	BRANCH	OPEN	7/23/2015	1960	36.289567	-86.73185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
190C7720001	DAVIDSON	0A301	2.015	SOUTH FORK SYCAMORE CREE	OPEN	7/13/2015	1950	36.3689	-86.8592	CONCRETE	TEE BEAM	73
190C8360001	DAVIDSON	0A307	0.058	BRANCH	OPEN	7/22/2015	1985	36.288267	-86.7443	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
190C8360003	DAVIDSON	0A307	1.226	BRANCH	OPEN	7/22/2015	1985	36.29975	-86.730933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
190C8270001	DAVIDSON	0A312	2.228	BRANCH	OPEN	8/3/2015	1950	36.32725	-86.731667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
190C8080001	DAVIDSON	0A341	0.008	LUMSLEY FORK CREEK	OPEN	8/3/2015	1960	36.3353	-86.7911	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
190C7880003	DAVIDSON	0A344	1.148	BRANCH	OPEN	8/7/2015	1995	36.36055	-86.735533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
190C7880001	DAVIDSON	0A344	1.224	BRANCH	OPEN	8/7/2015	1995	36.361983	-86.736167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
190B3740001	DAVIDSON	0A359	1.158	OTTER CREEK	OPEN	6/21/2017	1970	36.0575	-86.845167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190A3960005	DAVIDSON	0A396	0.505	BRANCH	OPEN	8/3/2015	1988	36.326067	-86.7053	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7
190C7920001	DAVIDSON	0A398	0.005	BAKERS FORK CREEK	OPEN	8/4/2015	1984	36.356383	-86.733217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
190C7920003	DAVIDSON	0A398	0.441	BAKERS FORK CREEK	OPEN	8/4/2015	1984	36.357533	-86.740533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
190C8090001	DAVIDSON	0A400	2.279	LUMSLEY FORK CREEK	OPEN	8/3/2015	1997	36.332233	-86.732067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.1
190A4000001	DAVIDSON	0A400	2.407	BRANCH	OPEN	8/3/2015	1997	36.33085	-86.7309	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
190F7550001	DAVIDSON	0A424	1.79	CSX RAILROAD	OPEN	7/24/2015	1993	36.279617	-86.709817	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.7
190D1380001	DAVIDSON	0A467	0.268	BRANCH	OPEN	7/24/2015	1950	36.251967	-86.72225	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.2
190D1180001	DAVIDSON	0A486	0.189	CSX RAILROAD	OPEN	7/24/2015	1965	36.239217	-86.727267	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	61.8
190A5100001	DAVIDSON	0A510	0.1	GIBSON CREEK	OPEN	7/24/2015	1992	36.252683	-86.719317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
190D3130001	DAVIDSON	0A511	0.143	BRANCH	OPEN	7/20/2015	1990	36.259883	-86.71035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
190D3130003	DAVIDSON	0A511	0.667	BRANCH	OPEN	7/20/2015	1950	36.254517	-86.707183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
190D3180001	DAVIDSON	0A517	0.166	BRANCH	OPEN	7/20/2015	1990	36.2581	-86.7106	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
190D3190001	DAVIDSON	0A518	0.158	BRANCH	OPEN	7/20/2015	1990	36.256967	-86.710117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
190C4820001	DAVIDSON	0A609	0.003	BR W FORK HURRICANE CR	OPEN	9/4/2015	1975	36.009933	-86.612283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
190A6590003	DAVIDSON	0A659	0.249	BRANCH	OPEN	7/23/2015	1997	36.2943	-86.695767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.2
190A6590001	DAVIDSON	0A659	0.25	SPRING BRANCH	OPEN	7/23/2015	1972	36.2943	-86.69575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.5
190A6700001	DAVIDSON	0A670	0.119	BRANCH	OPEN	7/23/2015	1986	36.2975	-86.6891	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
190D1920001	DAVIDSON	0A731	0.562	BRANCH	OPEN	7/23/2015	1960	36.29005	-86.733633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.6
190C5540001	DAVIDSON	0A742	1.244	MARROWBONE CREEK	OPEN	7/21/2015	1940	36.30335	-86.919483	STEEL	TRUSS - THRU	68
190C5720001	DAVIDSON	0A743	0.501	LONG CREEK	OPEN	7/14/2015	1945	36.348767	-86.905233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00240051	DAVIDSON	0A743	1.376	HARPER ROAD / I24	OPEN	9/14/2015	1972	36.337267	-86.91375	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.8
190C4310001	DAVIDSON	0A816	0.302	BRANCH	OPEN	8/10/2015	1960	36.226117	-86.630783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
190E3820001	DAVIDSON	0A957	0.061	BRANCH	OPEN	9/3/2015	1973	36.204983	-86.5895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
190E3830001	DAVIDSON	0A958	0.375	BRANCH	OPEN	9/3/2015	1973	36.205667	-86.58665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
19019430001	DAVIDSON	0A989	0	LONG CREEK	OPEN	7/13/2015	1960	36.382483	-86.9133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.4
190E3660001	DAVIDSON	0B011	0.026	BRANCH	OPEN	9/4/2015	1975	36.165017	-86.5882	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
190B0590001	DAVIDSON	0B059	0.059	BRANCH	OPEN	8/24/2015	1984	36.140933	-86.6408	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
190B0600001	DAVIDSON	0B060	0.02	BRANCH	OPEN	8/24/2015	1984	36.13545	-86.639717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
190A5170003	DAVIDSON	0B090	1.343	MCCRORY CREEK	OPEN	8/24/2015	1960	36.12215	-86.655333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8
190B1210003	DAVIDSON	0B121	0.158	BRANCH	OPEN	9/2/2015	1975	36.086917	-86.61745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
190A5260001	DAVIDSON	0B221	0.63	EAST FORK HAMILTON CREEK	OPEN	9/2/2015	1965	36.078633	-86.6232	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
190B2060001	DAVIDSON	0B243	0.688	BRANCH	OPEN	9/2/2015	1989	36.079133	-86.61285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
190B2520001	DAVIDSON	0B252	0.356	EAST FORK HAMILTON CREEK	OPEN	9/2/2015	1978	36.068583	-86.625233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
190B3040001	DAVIDSON	0B304	0.323	BRANCH	OPEN	9/2/2015	1960	36.044333	-86.578133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
190B3190001	DAVIDSON	0B319	0.776	BRANCH	OPEN	8/3/2015	1980	36.32215	-86.711433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
190E6540001	DAVIDSON	0B327	0.887	BRANCH	OPEN	8/26/2015	1986	36.023583	-86.6645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
190E6540003	DAVIDSON	0B327	1.263	MILL CREEK	OPEN	8/26/2015	1985	36.0285	-86.666633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.6
190D3350001	DAVIDSON	0B355	0.365	BRANCH	OPEN	7/20/2015	1950	36.260767	-86.71015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
190B3750001	DAVIDSON	0B375	0.007	MANSKER CREEK	CLOSED	8/5/2015	1956	36.38685	-86.73475	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190A4210001	DAVIDSON	0B381	0.941	MCCRORY CREEK	OPEN	8/21/2015	1966	36.152417	-86.650283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.1
190B4040001	DAVIDSON	0B404	0.086	BRANCH	OPEN	8/21/2015	1974	36.158667	-86.643717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
19FA0100005	DAVIDSON	0B428	4.363	MCGAVOCK PK / BRILEY PKW	OPEN	4/12/2017	1971	36.216983	-86.692283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
190B4300001	DAVIDSON	0B430	0.386	A LAKE	OPEN	8/24/2015	1980	36.147483	-86.6813	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
19SR1550015	DAVIDSON	0B512	0.492	REVERE PL / BRILEY PKWY	OPEN	4/11/2017	2007	36.171283	-86.6883	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
190B5710001	DAVIDSON	0B571	1.069	BRANCH	OPEN	8/21/2015	1982	36.153833	-86.688	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.2
190A9950001	DAVIDSON	0B611	0.2	BRANCH	OPEN	8/14/2015	1965	36.13645	-86.701183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
19SR1550013	DAVIDSON	0B641	0.612	WINTHORNE DR/BRILEY PKWY	OPEN	4/7/2017	2002	36.117317	-86.7028	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.6
190B6520001	DAVIDSON	0B652	0.966	BRANCH	OPEN	8/14/2015	1975	36.113967	-86.699267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
190E4740001	DAVIDSON	0B687	0.105	BRANCH	OPEN	8/14/2015	1960	36.132717	-86.723233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
190B6980001	DAVIDSON	0B698	0.15	BRANCH	OPEN	8/14/2015	1980	36.129267	-86.710783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
190E6600001	DAVIDSON	0B823	1.213	BRANCH	OPEN	8/19/2015	1965	36.045233	-86.691767	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.2
190C4930001	DAVIDSON	0B824	0.092	BRANCH	OPEN	8/19/2015	1975	36.045067	-86.692333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
190C4930003	DAVIDSON	0B824	0.523	BRANCH	OPEN	8/19/2015	1975	36.049717	-86.6958	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90
190E4120001	DAVIDSON	0B844	0.354	BRANCH	OPEN	8/19/2015	1970	36.050633	-86.698433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
190E2790001	DAVIDSON	0B846	0.851	BRANCH	OPEN	8/19/2015	1970	36.04335	-86.703333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.8
190A6620001	DAVIDSON	0B893	0.647	SORGHUM BRANCH	OPEN	8/19/2015	1955	36.071983	-86.699083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.2
190B9520001	DAVIDSON	0B952	0.072	BRANCH	OPEN	8/20/2015	1980	36.0098	-86.72	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
190B9520003	DAVIDSON	0B952	0.204	BRANCH	OPEN	8/20/2015	1980	36.011717	-86.71965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190B9660001	DAVIDSON	0B966	0.09	SEVEN MILE CREEK	OPEN	8/18/2015	1986	36.05545	-86.744317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.4
190B9910001	DAVIDSON	0B991	0.066	BRANCH	OPEN	8/20/2015	1982	36.010017	-86.718733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
190C0270001	DAVIDSON	0C027	0.18	EWING CREEK	OPEN	7/17/2015	2010	36.231917	-86.795583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	90.7
190C0270003	DAVIDSON	0C027	0.24	OVERFLOW	OPEN	7/17/2015	2010	36.232617	-86.795467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
190B2850001	DAVIDSON	0C090	0.659	BRANCH	OPEN	6/26/2017	1985	36.049833	-86.762983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
190B3420001	DAVIDSON	0C099	0.299	BRANCH	OPEN	8/18/2015	1960	36.051617	-86.751417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.7
190C1800001	DAVIDSON	0C180	0.345	BRANCH	OPEN	8/18/2015	1940	36.06645	-86.7495	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.2
190A7150001	DAVIDSON	0C304	0.193	SEVEN MILE CREEK	OPEN	8/18/2015	1950	36.0831	-86.7241	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.5
190E4520001	DAVIDSON	0C379	0.114	MILL CREEK	OPEN	8/18/2015	1970	36.0987	-86.706467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
190C3800001	DAVIDSON	0C380	0.554	SORGHUM CREEK	OPEN	8/18/2015	1978	36.089617	-86.699533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
190E4660001	DAVIDSON	0C404	0.103	BRANCH	OPEN	6/26/2017	1965	36.042683	-86.820983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
190E4670001	DAVIDSON	0C405	0.032	BRANCH	OPEN	6/26/2017	1965	36.04415	-86.82015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
190B3900001	DAVIDSON	0C420	0.1	OTTER CREEK	OPEN	6/21/2017	1960	36.0618	-86.823133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
19041590001	DAVIDSON	0C445	0.22	CSX RAILROAD	OPEN	6/26/2017	1987	36.03915	-86.785567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	93
190B3810001	DAVIDSON	0C475	0.915	OTTER CREEK	OPEN	6/26/2017	1950	36.0554	-86.850067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
190B4050001	DAVIDSON	0C495	0.026	BRANCH	OPEN	6/8/2017	1960	36.084717	-86.860967	CONCRETE	CHANNEL BEAM	74.3
190B4070001	DAVIDSON	0C499	0.064	RICHLAND CREEK	OPEN	6/8/2017	1955	36.08685	-86.8557	CONCRETE	CHANNEL BEAM	75.4
190B4660001	DAVIDSON	0C503	0.207	BRANCH	OPEN	6/8/2017	1983	36.090633	-86.85505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
190B4620001	DAVIDSON	0C504	0.386	BRANCH	OPEN	6/8/2017	1983	36.092067	-86.851467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
190B4610001	DAVIDSON	0C505	0.041	BRANCH	OPEN	6/8/2017	1967	36.09235	-86.849683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190B4080001	DAVIDSON	0C505	0.648	RICHLAND CREEK	OPEN	6/8/2017	1955	36.084333	-86.853067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
190B4670001	DAVIDSON	0C507	0.174	BELLE MEADE BRANCH	OPEN	6/8/2017	1920	36.091667	-86.852983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	73.4
190B4110001	DAVIDSON	0C509	0.156	RICHLAND CREEK	OPEN	6/8/2017	1960	36.0815	-86.849433	CONCRETE	CHANNEL BEAM	89.5
190B4970001	DAVIDSON	0C557	0.005	MIDDLE FORK CREEK	OPEN	6/20/2017	1960	36.094233	-86.778517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
190B4970003	DAVIDSON	0C557	0.925	BROWN CREEK	OPEN	6/20/2017	1955	36.09425	-86.79395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
190B4930001	DAVIDSON	0C582	0.343	BROWNS CREEK	OPEN	6/21/2017	1955	36.0902	-86.796283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
190B5090001	DAVIDSON	0C600	0.015	MIDDLE FORK CREEK	OPEN	6/20/2017	1965	36.100017	-86.777267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.6
190B5250001	DAVIDSON	0C610	0.141	MIDDLE FORK CREEK	OPEN	6/20/2017	1985	36.105367	-86.775233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
190B5250003	DAVIDSON	0C610	0.898	BROWNS CREEK	OPEN	6/20/2017	1985	36.106	-86.788817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
190B5900001	DAVIDSON	0C646	0.186	BROWN'S CREEK	OPEN	6/20/2017	1950	36.108217	-86.785233	CONCRETE	CHANNEL BEAM	68.4
190B9470001	DAVIDSON	0C685	0.156	SUGARTREE CREEK	OPEN	6/21/2017	1986	36.108383	-86.8222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
190C0180001	DAVIDSON	0C733	0.538	SUGARTREE CREEK	OPEN	6/21/2017	1983	36.11515	-86.8398	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.2
190B9830001	DAVIDSON	0C745	1.573	RICHLAND CREEK	OPEN	6/21/2017	1925	36.112883	-86.861917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86.9
190B9930001	DAVIDSON	0C760	0.062	RICHLAND CREEK	OPEN	6/7/2017	1970	36.105067	-86.867317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.8
190D8210001	DAVIDSON	0C790	1.563	BRANCH	OPEN	6/7/2017	1950	36.095383	-86.876983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.6
190C8030001	DAVIDSON	0C803	0.976	BRANCH	OPEN	8/11/2015	1930	36.165383	-86.7299	CONCRETE	ARCH - DECK	50.4
190D7750001	DAVIDSON	0C805	0.366	FLAT CREEK	OPEN	6/6/2017	1965	36.06895	-86.932917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
190D7750003	DAVIDSON	0C805	1.117	FLAT CREEK	OPEN	6/6/2017	1965	36.0705	-86.945583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
190D7800001	DAVIDSON	0C832	0.315	FLAT CREEK	OPEN	6/6/2017	1984	36.067483	-86.941467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
190D7480005	DAVIDSON	0C867	3.456	POPLAR CREEK	OPEN	6/1/2017	1965	36.0539	-87.007883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
190D7480003	DAVIDSON	0C867	4.423	POPLAR CREEK	OPEN	6/1/2017	1965	36.050917	-87.024533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190D9810001	DAVIDSON	0C908	0.579	BEECH CREEK	OPEN	5/19/2017	1970	36.078083	-87.012967	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	72.5
190D9810005	DAVIDSON	0C908	1.978	HARPETH RIVER	OPEN	5/19/2017	1986	36.080617	-86.997417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.2
190D9810007	DAVIDSON	0C908	3.054	BUFFALO CREEK	OPEN	5/19/2017	1965	36.09035	-86.988367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
190D8160001	DAVIDSON	0C971	1.923	BRANCH	OPEN	6/7/2017	1950	36.101967	-86.89415	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.4
190D8370001	DAVIDSON	0C989	0.147	JOCELYN HOLLOW BRANCH	OPEN	6/7/2017	1965	36.1045	-86.8788	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.5
190D8670001	DAVIDSON	0D023	1.3	BRANCH	OPEN	6/7/2017	1957	36.112417	-86.885283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.4
190D0530001	DAVIDSON	0D053	0.247	EWIN BRANCH	OPEN	6/13/2017	1958	36.1277	-86.893883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
190D1010001	DAVIDSON	0D101	0.198	BRANCH	OPEN	6/13/2017	2014	36.14765	-86.856667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.8
190E0360001	DAVIDSON	0D127	0.342	BRANCH	OPEN	6/13/2017	1960	36.15625	-86.884533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
190E0800001	DAVIDSON	0D152	0.455	RICHLAND CREEK	OPEN	7/28/2015	1940	36.1546	-86.85405	CONCRETE CONTINUOUS	TEE BEAM	72.6
190D1990001	DAVIDSON	0D199	0.01	BRANCH	OPEN	6/1/2017	1988	36.0275	-87.0114	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
190D9980001	DAVIDSON	0D215	0.256	INDIAN CREEK	OPEN	6/7/2017	1984	36.1398	-86.9591	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
190C5460001	DAVIDSON	0D223	4.548	BULL RUN CREEK	OPEN	7/9/2015	1984	36.222617	-86.975883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
190E1470001	DAVIDSON	0D224	0.05	BULL RUN CREEK	OPEN	7/9/2015	1970	36.233117	-86.955083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.8
190C5430003	DAVIDSON	0D225	0.608	BACK CREEK	OPEN	5/22/2017	2010	36.219417	-86.925633	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.3
190C5430001	DAVIDSON	0D225	1.614	BACK CREEK	OPEN	5/22/2017	1984	36.21125	-86.9403	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
190C5370003	DAVIDSON	0D226	0.951	SULPHUR CREEK	OPEN	5/22/2017	1980	36.209133	-86.922333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.5
19S61530003	DAVIDSON	0D228	0.045	SULPHUR CREEK	OPEN	5/22/2017	1955	36.21075	-86.921383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
19SR1550023	DAVIDSON	0D257	0.146	CO. HOSP. RD/ BRILEY PKW	OPEN	4/17/2017	1989	36.187633	-86.8629	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	94.7
19032590001	DAVIDSON	0D257	0.308	WHITES CREEK	OPEN	6/12/2017	1989	36.186583	-86.86025	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190D2780001	DAVIDSON	0D278	0.09	BRANCH	OPEN	7/28/2015	2003	36.154217	-86.844217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
190D3810001	DAVIDSON	0D381	1.449	LAKE @ GREAT CIRCLE RD	OPEN	9/9/2015	1980	36.199167	-86.8073	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	70.5
19I00240061	DAVIDSON	0D427	1.717	CLAYLICK ROAD / I24	OPEN	9/15/2015	1972	36.316767	-86.834683	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.7
190C7610001	DAVIDSON	0D427	1.798	CLAYLICK CREEK	OPEN	7/14/2015	1970	36.316833	-86.835133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
190C5700001	DAVIDSON	0D441	0.067	EARTHMAN FORK CREEK	OPEN	7/21/2015	1985	36.29445	-86.854317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9
190C7830001	DAVIDSON	0D445	0.007	WHITES CREEK	OPEN	7/15/2015	1977	36.29485	-86.809567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.9
190C7870001	DAVIDSON	0D452	0.008	BAKERS FORK	OPEN	8/4/2015	1950	36.362933	-86.75305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
190C7980001	DAVIDSON	0D454	0.827	BRANCH	OPEN	8/7/2015	1955	36.376033	-86.7512	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
190C7860001	DAVIDSON	0D457	0.42	SHANES FORK CREEK	OPEN	8/4/2015	1985	36.342417	-86.757	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
190C7930001	DAVIDSON	0D458	0.457	SHAW BRANCH	OPEN	7/15/2015	1929	36.311267	-86.780083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
190C7840001	DAVIDSON	0D460	0.069	CUMMINGS BRANCH	OPEN	7/15/2015	2014	36.30685	-86.800133	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.6
190C7840003	DAVIDSON	0D460	0.778	SHAW BRANCH	OPEN	7/15/2015	2014	36.306767	-86.78795	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.6
190C7840005	DAVIDSON	0D460	2.492	BRANCH	OPEN	7/16/2015	2004	36.286417	-86.78275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
190D4620001	DAVIDSON	0D462	0.046	BRANCH	OPEN	7/16/2015	1985	36.283967	-86.785917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.3
190C7240001	DAVIDSON	0D528	0.639	EWING CREEK	OPEN	7/17/2015	1960	36.231033	-86.773667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72.3
190D7340001	DAVIDSON	0D544	0.079	EWING CREEK	OPEN	7/17/2015	1960	36.233317	-86.792367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	73.6
19L32680001	DAVIDSON	0D611	1.077	PAGES BRANCH	OPEN	6/12/2017	1982	36.2025	-86.777133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.3
19032520013	DAVIDSON	0D682	0.378	CHICKASAW AVE/ELLINGTON	OPEN	3/2/2017	1967	36.199783	-86.75135	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
190C9070001	DAVIDSON	0D699	0.18	PAGES BRANCH	OPEN	6/12/2017	1960	36.2088	-86.77025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190C9080001	DAVIDSON	0D700	0.271	PAGES BRANCH	OPEN	6/12/2017	1950	36.20715	-86.7727	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
19SR0060039	DAVIDSON	0D733	0.36	BEN ALLEN RD/ELLINGTON P	OPEN	3/2/2017	1977	36.222083	-86.746983	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	99.9
190C8910001	DAVIDSON	0D745	0.023	EWING CREEK	OPEN	7/17/2015	1965	36.230817	-86.7687	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
190D4850001	DAVIDSON	0D867	0.051	BRANCH	OPEN	8/10/2015	1950	36.208367	-86.7145	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
190D4890001	DAVIDSON	0D884	0.298	COOPER CREEK	OPEN	8/10/2015	1965	36.205833	-86.711167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
190D4800001	DAVIDSON	0E004	0.205	CSX RAILROAD	OPEN	8/10/2015	1917	36.201883	-86.735417	CONCRETE	ARCH - DECK	44.2
190D5930001	DAVIDSON	0E047	0.992	CSX RAILROAD	OPEN	8/11/2015	1986	36.1882	-86.7279	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.5
190D0350001	DAVIDSON	0E087	0.344	BRANCH	OPEN	8/11/2015	1955	36.190917	-86.751633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93
190E1450001	DAVIDSON	0E145	0.01	FLAT CREEK	OPEN	6/6/2017	2005	36.070717	-86.929983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
190E2920001	DAVIDSON	0E292	0.171	CSX RAILROAD	OPEN	6/9/2017	1993	36.164333	-86.802017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.8
190A5190001	DAVIDSON	0E370	0.184	BRANCH	OPEN	8/21/2015	1950	36.144833	-86.648033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
190E4480001	DAVIDSON	0E448	0.08	BRANCH	OPEN	6/6/2017	1985	36.058	-86.971	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
190E2240001	DAVIDSON	0E489	0.053	MANSKER CREEK	OPEN	8/4/2015	1841	36.33805	-86.716933	MASONRY	ARCH - DECK	90.5
190E5020001	DAVIDSON	0E502	0.143	EWING CREEK	OPEN	7/16/2015	1980	36.24145	-86.783017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
190E5030001	DAVIDSON	0E503	0.105	BRANCH	OPEN	9/2/2015	1980	36.037417	-86.581417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.3
190E5050001	DAVIDSON	0E505	0.017	BRANCH	OPEN	6/7/2017	2000	36.100233	-86.929267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
190E5060001	DAVIDSON	0E506	0.031	BRANCH	OPEN	6/1/2017	1990	36.040617	-86.96235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
190E5070001	DAVIDSON	0E507	0.021	BRANCH	OPEN	8/26/2015	1990	36.0399	-86.75205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
190E5080001	DAVIDSON	0E508	0.03	BRANCH	OPEN	8/26/2015	1996	36.0413	-86.748617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
190E5090001	DAVIDSON	0E509	0.049	BRANCH	OPEN	8/26/2015	1996	36.034567	-86.744317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190E5100001	DAVIDSON	0E510	0.08	BRANCH	OPEN	6/26/2017	1980	36.0485	-86.76495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
190E5110001	DAVIDSON	0E511	0.251	BRANCH	OPEN	8/20/2015	2000	36.0167	-86.7164	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
190E5120001	DAVIDSON	0E512	0.02	BRANCH	OPEN	8/24/2015	1990	36.1334	-86.637583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
190E5130001	DAVIDSON	0E513	0.396	BRANCH	OPEN	8/26/2015	2000	36.02015	-86.649167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
190E5140001	DAVIDSON	0E514	0.211	BRANCH	OPEN	9/3/2015	1980	36.200417	-86.5951	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
190E5150001	DAVIDSON	0E515	0.006	BRANCH	OPEN	9/3/2015	1990	36.203133	-86.591733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
190E5500001	DAVIDSON	0E550	0.126	MANSKER CREEK	OPEN	8/7/2015	1986	36.351367	-86.722833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
190B6020001	DAVIDSON	0F004	0.013	BROWNS CREEK	OPEN	7/3/2017	1984	36.11405	-86.777017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
190F0060001	DAVIDSON	0F006	0.18	BRANCH	OPEN	7/3/2017	1986	36.1164	-86.7834	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.9
19I04400021	DAVIDSON	0F007	0.444	BRIGHTWOOD AVE. / I440	OPEN	3/2/2016	1982	36.118533	-86.800633	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90.1
19I04400015	DAVIDSON	0F107	0.436	SHARONDALE DR. / I440	OPEN	3/2/2016	1985	36.128933	-86.816633	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.9
19I04400013	DAVIDSON	0F109	0.273	RICHARDSON AVE. / I440	OPEN	3/1/2016	1985	36.133933	-86.819117	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.5
190F2090001	DAVIDSON	0F209	0.176	BRANCH	OPEN	6/13/2017	1913	36.129283	-86.833933	CONCRETE	ARCH - DECK	70
190F2470001	DAVIDSON	0F247	0.4	BRANCH	OPEN	6/13/2017	2012	36.140033	-86.833183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
190C0800003	DAVIDSON	0F253	0.14	BRANCH	OPEN	7/28/2015	2003	36.153983	-86.848633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
19I04400005	DAVIDSON	0F314	0.389	ACKLEN PARK DR. / I440	OPEN	2/22/2016	1985	36.143033	-86.823117	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80.5
190B0870001	DAVIDSON	0F416	0.543	CSX RAILROAD	OPEN	7/6/2017	1955	36.1391	-86.773833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	67.5
19I00650031	DAVIDSON	0F416	0.645	HAMILTON AVENUE / I65	OPEN	2/8/2016	1966	36.139267	-86.77565	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	79.3
190B1210001	DAVIDSON	0F427	0.478	BROWNS CREEK	OPEN	7/6/2017	1960	36.126017	-86.768717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.4
19I04400043	DAVIDSON	0F482	0.209	WINFORD AVE. / I440	OPEN	3/8/2016	1981	36.1213	-86.755683	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
190B1390001	DAVIDSON	0F485	0.796	CSX RAILROAD	OPEN	8/13/2015	1992	36.12025	-86.7511	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77.3
190A8300001	DAVIDSON	0F534	1.023	BRANCH	OPEN	8/13/2015	1960	36.116633	-86.7306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
19I04400055	DAVIDSON	0F573	0.058	LYLE AVE / I440	OPEN	3/9/2016	1985	36.124833	-86.733933	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	89.5
19I00400111	DAVIDSON	0F588	0.121	ARLINGTON AVENUE / I40 R	OPEN	1/13/2016	1965	36.1406	-86.73125	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.7
19I00400112	DAVIDSON	0F588	0.169	ARLINGTON AVENUE / I40 L	OPEN	1/13/2016	1965	36.141067	-86.731633	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	60.1
190B0320001	DAVIDSON	0F600	0.718	BROWNS CREEK	OPEN	8/13/2015	1985	36.140567	-86.758283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.9
190F7540001	DAVIDSON	0F619	0.266	BROWNS CREEK	OPEN	8/12/2015	1993	36.148783	-86.751117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.4
190A0780001	DAVIDSON	0F650	0.785	BROWN'S CREEK	OPEN	8/12/2015	1965	36.158533	-86.743133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.8
190B0710001	DAVIDSON	0F691	0.039	CSX RAILROAD	OPEN	7/6/2017	1988	36.147767	-86.77275	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96.8
190B0280001	DAVIDSON	0F749	0.264	BROWN'S CREEK	OPEN	8/12/2015	1940	36.142017	-86.757667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.5
190Z0010001	DAVIDSON	0F765	0.13	VHOINS BRANCH	OPEN	7/7/2017	1987	36.238783	-86.8003	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.4
190F7700001	DAVIDSON	0F770	0.115	CSX RAILROAD	OPEN	8/25/2015	1990	36.043683	-86.64705	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.3
190F7980001	DAVIDSON	0F798	0.041	BEECH CREEK	OPEN	6/2/2017	2004	36.0804	-87.0138	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
190F8020001	DAVIDSON	0F802	0.405	CSX RAILROAD	OPEN	6/2/2017	2003	36.088717	-87.005033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.6
190C4800001	DAVIDSON	0G002	0	E. BR.OF HURRICANE CREEK	OPEN	9/4/2015	1975	36.010367	-86.608467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.9
190G1560001	DAVIDSON	0G156	0.75	CSX RAILROAD	OPEN	6/2/2017	2014	36.074667	-86.99	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.9
19S63350001	DAVIDSON	0H191	0.273	DRY FORK CREEK	OPEN	9/4/2015	1950	36.183133	-86.607933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
19032660001	DAVIDSON	0P039	0.22	BRANCH	OPEN	8/11/2015	1940	36.172817	-86.7311	CONCRETE	ARCH - DECK	43.4
19I00240056	DAVIDSON	I0024	2.97	I24 LL / SR 65	OPEN	9/14/2015	1972	36.32435	-86.86885	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
19I00240055	DAVIDSON	I0024	2.97	I24 RL / SR 65	OPEN	9/14/2015	1972	36.323983	-86.868667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00240059	DAVIDSON	I0024	4.9	CLAYLICK CREEK	OPEN	9/15/2015	1976	36.3173	-86.835567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
19I00240087	DAVIDSON	I0024	5.28	BRANCH	OPEN	9/15/2015	1972	36.313333	-86.831667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59
19I00240063	DAVIDSON	I0024	6.64	I24 RL / CLAYLICK CR. RD	OPEN	9/16/2015	1972	36.301667	-86.813333	CONCRETE CONTINUOUS	TEE BEAM	90.6
19I00240064	DAVIDSON	I0024	6.64	I24 LL / CLAYLICK CR. RD	OPEN	9/16/2015	1972	36.301667	-86.813333	CONCRETE CONTINUOUS	TEE BEAM	90.6
19I00240069	DAVIDSON	I0024	7.22	I24 RL / LICKTON PIKE	OPEN	9/16/2015	1972	36.293333	-86.81	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
19I00240070	DAVIDSON	I0024	7.22	I24 LL / LICKTON PIKE	OPEN	9/16/2015	1972	36.293333	-86.81	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
19I00240089	DAVIDSON	I0024	7.34	BRANCH	OPEN	9/16/2015	1972	36.29	-86.81	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19I00240071	DAVIDSON	I0024	8.51	I24 RL / OLD HICKORY BLV	OPEN	9/17/2015	1972	36.276667	-86.8	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70
19I00240072	DAVIDSON	I0024	8.51	I24 LL / OLD HICKORY BLV	OPEN	9/17/2015	1972	36.276667	-86.8	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70
19I00240091	DAVIDSON	I0024	8.67	LITTLE CREEK	OPEN	9/17/2015	1977	36.275	-86.798333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19I00240100	DAVIDSON	I0024	10.38	VHOINS BRANCH	OPEN	9/17/2015	1976	36.251667	-86.785	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69
19I00240099	DAVIDSON	I0024	10.42	VHOINS BRANCH	OPEN	9/17/2015	1976	36.251667	-86.785	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	83
19I00240073	DAVIDSON	I0024	10.95	I24 RL / BRICK CHURCH LN	OPEN	9/22/2015	1972	36.244667	-86.784833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
19I00240074	DAVIDSON	I0024	10.95	I24 LL / BRICK CHURCH LN	OPEN	9/22/2015	1972	36.243333	-86.785	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.3
19I00240315	DAVIDSON	I0024	11.39	I24 RP / N FORK EWING CR	OPEN	9/22/2015	1972	36.239767	-86.784933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
19I00240075	DAVIDSON	I0024	11.41	I24 RL / BRILEY PARKWAY	OPEN	9/22/2015	1972	36.238333	-86.786667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96
19I00240076	DAVIDSON	I0024	11.41	I24 LL / BRILEY PARKWAY	OPEN	9/22/2015	1972	36.238333	-86.786667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97
19I00240077	DAVIDSON	I0024	11.54	NORTH FORK EWING CREEK	OPEN	9/22/2015	1972	36.235	-86.786667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19I00240079	DAVIDSON	I0024	11.76	EWING CREEK	OPEN	9/23/2015	1972	36.233833	-86.785217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00240082	DAVIDSON	I0024	11.86	I24 LL / EWING DRIVE	OPEN	9/23/2015	1972	36.231667	-86.783333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
19I00240081	DAVIDSON	I0024	11.86	I24 RL / EWING DRIVE	OPEN	9/23/2015	1972	36.231667	-86.783333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.7
19I00240083	DAVIDSON	I0024	12.04	I24 RL / BRICK CHURCH PK	OPEN	9/25/2015	1972	36.23	-86.781667	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	97
19I00240084	DAVIDSON	I0024	12.04	I24 LL / BRICK CHURCH PK	OPEN	9/25/2015	1972	36.230517	-86.781867	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	86
19I00240103	DAVIDSON	I0024	13.16	I24 RAMP STR 40 / I24-EB	OPEN	9/25/2015	1961	36.19	-86.775	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49
19I00240107	DAVIDSON	I0024	13.79	I24 / NORTH FIRST ST	OPEN	9/25/2015	1961	36.1802	-86.774467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.5
19I00240109	DAVIDSON	I0024	14.025	I24 / SPRING STREET	OPEN	9/28/2015	1961	36.177033	-86.772933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
19I00240111	DAVIDSON	I0024	14.215	I24 / CSX RR & OLDHAM ST	OPEN	9/28/2015	1961	36.173333	-86.77	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68
19I00240113	DAVIDSON	I0024	14.455	I24 / MAIN STREET	OPEN	9/28/2015	1961	36.17	-86.768333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.2
19I00240115	DAVIDSON	I0024	14.535	I24 / WOODLAND STREET	OPEN	9/28/2015	1961	36.17	-86.766667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.7
19I00240120	DAVIDSON	I0024	15.225	I24 LL / CUMBERLAND RIVE	OPEN	10/12/2015	1963	36.162483	-86.76085	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59.5
19I00240119	DAVIDSON	I0024	15.225	I24 RL / CUMBERLAND RIVE	OPEN	10/12/2015	1963	36.1625	-86.7614	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.9
19I00240121	DAVIDSON	I0024	15.88	I24 RMP / I40 RMP & SR 2	OPEN	10/1/2015	1960	36.155	-86.76	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.9
19I00240305	DAVIDSON	I0024	16.15	I24 RMP STR 145 / SR 1 R	OPEN	10/5/2015	1960	36.138333	-86.728333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.9
19I00240005	DAVIDSON	I0024	16.2	I24 - ST 142/SR 1 MURF	OPEN	10/5/2015	1960	36.136667	-86.726667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82
19I00240097	DAVIDSON	I0024	16.885	I24-RMP-F-STR-C/LAFAYETT	OPEN	10/2/2015	1985	36.126667	-86.728333	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	54
19I00240095	DAVIDSON	I0024	16.985	I24-RMP-C-STR-B/I24-SR1	OPEN	10/2/2015	1985	36.125	-86.728333	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
19I00240011	DAVIDSON	I0024	17.56	I24 / GLENROSE AVE&CSX R	OPEN	10/5/2015	1960	36.116667	-86.726667	CONCRETE CONTINUOUS	TEE BEAM	85
19I00240013	DAVIDSON	I0024	17.65	I24 / GLENROSE AVENUE	OPEN	10/6/2015	1960	36.116667	-86.725	CONCRETE CONTINUOUS	TEE BEAM	85
19I00240021	DAVIDSON	I0024	19.01	SEVEN MILE CREEK	OPEN	10/7/2015	1958	36.1	-86.711667	CONCRETE CONTINUOUS	TEE BEAM	73.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00240031	DAVIDSON	I0024	20.365	SORGHUM BRANCH	OPEN	10/7/2015	1958	36.084267	-86.699333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
19I00240033	DAVIDSON	I0024	21.525	I24 / HAYWOOD LANE	OPEN	10/9/2015	1958	36.068333	-86.69	CONCRETE CONTINUOUS	TEE BEAM	98
19I00240035	DAVIDSON	I0024	22.795	WHITTEMORE BRANCH	OPEN	10/9/2015	1958	36.0556	-86.675333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19I00240039	DAVIDSON	I0024	23.17	MILL CREEK	OPEN	10/15/2015	1958	36.05	-86.67	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	49.8
19I00240311	DAVIDSON	I0024	23.9	BELL RD RP / COLLINS CR	OPEN	10/15/2015	1958	36.045	-86.66	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19I00240041	DAVIDSON	I0024	23.92	I24 / BELL ROAD	OPEN	10/20/2015	1958	36.045	-86.66	CONCRETE CONTINUOUS	TEE BEAM	75
19I00240313	DAVIDSON	I0024	23.94	BELL RD RP / COLLINS CR	OPEN	10/20/2015	1958	36.043333	-86.658333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
19I00240043	DAVIDSON	I0024	24.205	COLLINS CREEK	OPEN	10/20/2015	1958	36.041667	-86.655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
19I00240049	DAVIDSON	I0024	27.47	HURRICANE CREEK	OPEN	10/22/2015	1958	36.0089	-86.61475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19I00400001	DAVIDSON	I0040	1.07	I40 / MCCRORY LANE	OPEN	10/23/2015	1959	36.076667	-87.020333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.3
19I00400003	DAVIDSON	I0040	1.52	BRANCH	OPEN	10/23/2015	1959	36.076667	-87.013333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.6
19I00400005	DAVIDSON	I0040	2.52	CSX RAILROAD	OPEN	10/28/2015	1959	36.076667	-86.995	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
19I00400007	DAVIDSON	I0040	3.23	HARPETH RIVER	OPEN	10/28/2015	1995	36.075	-86.983333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.1
19I00400009	DAVIDSON	I0040	4.44	BRANCH	OPEN	11/2/2015	1959	36.076667	-86.963333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.6
19I00400011	DAVIDSON	I0040	4.83	I40 / SR 1	OPEN	11/2/2015	1959	36.081017	-86.956467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.3
19I00400014	DAVIDSON	I0040	7.05	I40-LL/SAWYER BROWN RD	OPEN	11/2/2015	1959	36.105	-86.931567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
19I00400013	DAVIDSON	I0040	7.05	I40-RL/SAWYER BROWN RD	OPEN	11/2/2015	1959	36.103333	-86.931667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.5
19I00400015	DAVIDSON	I0040	7.71	I40 / OLD HICKORY BLVD	OPEN	11/3/2015	1959	36.110967	-86.92295	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96
19I00400017	DAVIDSON	I0040	9.25	I40 / DAVIDSON ROAD	OPEN	11/3/2015	1959	36.126283	-86.903217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.8
19I00400019	DAVIDSON	I0040	9.3	BRANCH	OPEN	11/3/2015	1959	36.125	-86.903333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00400021	DAVIDSON	I0040	9.62	I40 / CHARLOTTE AVE	OPEN	11/3/2015	1959	36.128333	-86.9	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
19I00400023	DAVIDSON	I0040	10.71	I40 / OLD HICKORY BLVD.	OPEN	11/4/2015	1962	36.141533	-86.885067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.2
19I00400025	DAVIDSON	I0040	11.46	I40 / AMERICAN ROAD	OPEN	11/4/2015	1962	36.146667	-86.875	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.2
19I00400027	DAVIDSON	I0040	11.56	I40 / WESTBORO ROAD	OPEN	11/4/2015	1962	36.149133	-86.873533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
19I00400165	DAVIDSON	I0040	12.49	I-40-EB-RP-B / 6 ROUTES	OPEN	11/5/2015	2010	36.151467	-86.8588	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
19I00400166	DAVIDSON	I0040	12.54	I-40 RP/ 5 ROUTES	OPEN	11/10/2015	2002	36.156883	-86.85965	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70
19I00400031	DAVIDSON	I0040	12.66	RICHLAND CREEK	OPEN	11/5/2015	1963	36.151667	-86.855	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79
19I00400033	DAVIDSON	I0040	12.77	I40 / MORROW RD	OPEN	12/2/2015	1963	36.151667	-86.853333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.9
19I00400035	DAVIDSON	I0040	12.97	I40 / 51ST AVE NORTH	OPEN	12/2/2015	1963	36.151667	-86.85	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
19I00400037	DAVIDSON	I0040	13.33	I40 / 46TH AVE NORTH	OPEN	12/2/2015	1967	36.153333	-86.843333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
19I00400039	DAVIDSON	I0040	13.65	CSX RAILROAD	OPEN	12/3/2015	1967	36.153333	-86.836667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
19I00400041	DAVIDSON	I0040	13.75	I40 / 40TH AVE NORTH	OPEN	12/7/2015	1967	36.153333	-86.835	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.9
19I00400303	DAVIDSON	I0040	14.4	I40-RMP-WS-STR#5/I440-RM	OPEN	12/3/2015	1985	36.155	-86.825	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.1
19I00400305	DAVIDSON	I0040	14.44	I40-RMP-WS-STR6 / I40-EB	OPEN	12/3/2015	1985	36.156883	-86.82305	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.1
19I00400047	DAVIDSON	I0040	14.59	I40 RL / CLIFTON AVE	OPEN	12/7/2015	1967	36.156667	-86.821667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
19I00400048	DAVIDSON	I0040	14.59	I40 LL / CLIFTON AVE	OPEN	12/7/2015	1967	36.156667	-86.821667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
19I00400147	DAVIDSON	I0040	14.73	I40 / BATAVIA STREET	OPEN	12/7/2015	1967	36.16	-86.821667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
19I00400049	DAVIDSON	I0040	14.89	I40 / 28TH AVE NORTH	OPEN	12/8/2015	1967	36.161667	-86.82	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	81
19I00400325	DAVIDSON	I0040	15.16	I40 RMP JB / RMP B	OPEN	12/8/2015	1967	36.165	-86.816667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00400051	DAVIDSON	I0040	15.33	I40 / JEFFERSON ST- CSXRR	OPEN	12/8/2015	1967	36.166667	-86.815	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
19I00400155	DAVIDSON	I0040	15.65	I40 / 21ST AVE N	OPEN	12/10/2015	1967	36.168333	-86.81	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.1
19I00400056	DAVIDSON	I0040	16.14	I40 STR 13/I65 & I65 RMP	OPEN	12/10/2015	1967	36.17	-86.801667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	71.2
19I00400061	DAVIDSON	I0040	16.62	I40 / HERMAN ST & ICG RR	OPEN	12/16/2015	2015	36.166667	-86.796667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
19I00400335	DAVIDSON	I0040	16.76	I40 / CSX R	OPEN	12/15/2015	2015	36.165	-86.795	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84
19I00400337	DAVIDSON	I0040	16.81	I40 / CLINTON ST	OPEN	12/16/2015	2015	36.165	-86.795	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.2
19I00400065	DAVIDSON	I0040	16.88	I40 / JO JOHNSON ST	OPEN	12/16/2015	2015	36.164183	-86.79415	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	86.2
19I00400067	DAVIDSON	I0040	17.108	I40 / CHARLOTTE AVE	OPEN	12/16/2015	2015	36.16	-86.793333	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	90.3
19I00400328	DAVIDSON	I0040	17.44	I40 RMP CH 3 / RMP B1	OPEN	12/17/2015	1968	36.155	-86.79	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
19I00400327	DAVIDSON	I0040	17.46	I40 RMP B2 / RMP CH 4	OPEN	12/17/2015	1968	36.155	-86.79	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.1
19I00400079	DAVIDSON	I0040	18.34	I40 RL / 8TH AVE SR 6	OPEN	1/4/2016	1972	36.146667	-86.78	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.6
19I00400317	DAVIDSON	I0040	18.34	I40 RMP / 8TH AVE SR 6	OPEN	1/5/2016	1970	36.146667	-86.78	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71
19I00400080	DAVIDSON	I0040	18.34	I40 LL / 8TH AVE SR 6	OPEN	1/5/2016	1970	36.146667	-86.78	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.6
19I00400081	DAVIDSON	I0040	18.39	I40 STR 79 / I65 RAMP	OPEN	1/5/2016	1970	36.146667	-86.778333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71
19I00400153	DAVIDSON	I0040	18.42	I40 STR 156 / I65 RAMP	OPEN	1/5/2016	1970	36.146667	-86.778333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.9
19I00400083	DAVIDSON	I0040	18.47	I40 STR 80 / I40 RAMP	OPEN	1/5/2016	1970	36.146667	-86.776667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63
19I00400085	DAVIDSON	I0040	18.59	I40 RL / CSX RR	OPEN	1/6/2016	1970	36.148333	-86.775	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
19I00400086	DAVIDSON	I0040	18.59	I40 LL / CSX RR	OPEN	1/6/2016	1970	36.148333	-86.775	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.2
19I00400087	DAVIDSON	I0040	18.69	I40 RL / 6TH AVE S	OPEN	1/6/2016	1968	36.148333	-86.773333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00400088	DAVIDSON	I0040	18.69	I40 LL / 6TH AVE S	OPEN	1/6/2016	1968	36.148333	-86.773333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.6
19I00400089	DAVIDSON	I0040	18.86	I40/SR 11-SR 1&2ND AVE S	OPEN	1/7/2016	1968	36.15	-86.77	STEEL	ARCH - DECK	70
19I00400312	DAVIDSON	I0040	18.91	STR 84A I40 EXIT RMP/SR	OPEN	1/7/2016	1968	36.15	-86.77	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	78.3
19I00400311	DAVIDSON	I0040	18.93	STR 84B I40 EXIT RMP/SR	OPEN	1/7/2016	1968	36.15	-86.77	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	81.1
19I00400313	DAVIDSON	I0040	19.42	I40 RMP/I40 RMP & SR 24	OPEN	1/8/2016	1960	36.153333	-86.761667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.2
19I00400096	DAVIDSON	I0040	19.72	I40 LL / FAIRFIELD AVE	OPEN	1/8/2016	1960	36.151667	-86.756667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	54
19I00400095	DAVIDSON	I0040	19.72	I40 RL / FAIRFIELD AVE	OPEN	1/8/2016	1960	36.151667	-86.756667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	54
19I00400097	DAVIDSON	I0040	20.05	NASVILLE & EASTERN RR	OPEN	1/8/2016	1960	36.15	-86.751667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72
19I00400099	DAVIDSON	I0040	20.15	BROWNS CREEK	OPEN	1/12/2016	1960	36.15	-86.75	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	73
19I00240067	DAVIDSON	I0040	21.58	I40 STR 5B / I24	OPEN	1/14/2016	1960	36.138333	-86.728333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67
19I00240003	DAVIDSON	I0040	21.61	I40 RMP STR 144 / RMP I4	OPEN	1/14/2016	2003	36.138733	-86.7272	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
19I00400309	DAVIDSON	I0040	21.64	I40 RAMP STR 5A / I40	OPEN	1/14/2016	2003	36.138333	-86.726667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.3
19I00400117	DAVIDSON	I0040	22.35	MILL CREEK	OPEN	1/26/2016	1963	36.141333	-86.7146	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74
19I00400331	DAVIDSON	I0040	23.46	BR3-I40 WB RMP B / 2 RTS	OPEN	1/26/2016	2008	36.145133	-86.693867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
19I00400125	DAVIDSON	I0040	24.01	I40 / MCGAVOCK PIKE	OPEN	1/26/2016	1959	36.141667	-86.685	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91
19I00400329	DAVIDSON	I0040	24.67	AIRPORT-RAMP A / I40	OPEN	1/27/2016	1988	36.14	-86.673333	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.8
19I00400131	DAVIDSON	I0040	25.55	MCCRORY CREEK	OPEN	1/27/2016	1960	36.14	-86.658333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
19I00400137	DAVIDSON	I0040	28.01	I40 / STONES RIVER	OPEN	1/28/2016	1960	36.158333	-86.621667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.3
19I00400139	DAVIDSON	I0040	28.5	I40 / DODSON CHAPEL	OPEN	1/28/2016	1960	36.164467	-86.614717	CONCRETE CONTINUOUS	TEE BEAM	85.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00400161	DAVIDSON	I0040	29.02	I40-RAMP-M / I40	OPEN	1/28/2016	1991	36.166667	-86.608333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.2
19I00400145	DAVIDSON	I0040	31.02	I40 / EARHART ROAD	OPEN	1/28/2016	1960	36.168783	-86.57145	CONCRETE CONTINUOUS	TEE BEAM	89
19I00650313	DAVIDSON	I0065	0.42	I65-RAMP D / CSX RR	OPEN	2/2/2016	1988	36.041083	-86.781417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.7
19I00650003	DAVIDSON	I0065	0.46	CSX RAILROAD	OPEN	2/2/2016	1963	36.04115	-86.781867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.9
19I00650004	DAVIDSON	I0065	0.46	CSX RAILROAD	OPEN	2/2/2016	1963	36.041267	-86.78195	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.9
19I00650005	DAVIDSON	I0065	2.32	I65 / HOGAN ROAD	OPEN	2/2/2016	1963	36.065	-86.771667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
19I00650007	DAVIDSON	I0065	2.91	I65 RL / FARRELL PKWY.	OPEN	2/3/2016	1963	36.07475	-86.76885	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
19I00650008	DAVIDSON	I0065	2.91	I65 LL / FARRELL PKWY.	OPEN	2/3/2016	1963	36.073333	-86.768333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
19I00650127	DAVIDSON	I0065	5.65	I65-RAMP-SE / CSX RR	OPEN	2/4/2016	1990	36.11425	-86.771767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
19I00650125	DAVIDSON	I0065	5.95	I65-RAMP-NE / CSX RR	OPEN	2/4/2016	1985	36.113333	-86.773333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67
19I00650123	DAVIDSON	I0065	5.97	L2-I65-RL-SN162/L1-I65&S	OPEN	2/4/2016	1985	36.115383	-86.772683	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78
19I00650124	DAVIDSON	I0065	5.98	L2-I65-LL-SN163/L1-I65&S	OPEN	2/4/2016	1985	36.115817	-86.7729	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68
19I00650119	DAVIDSON	I0065	6.13	I65/FRANKLIN RD BERRY RD	OPEN	2/5/2016	1985	36.118033	-86.774583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
19I00650105	DAVIDSON	I0065	6.19	I65 / BERRY ROAD	OPEN	2/5/2016	1972	36.116667	-86.773333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82
19I00650025	DAVIDSON	I0065	6.35	BROWN'S CREEK	OPEN	2/5/2016	1969	36.121783	-86.77285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19I00650027	DAVIDSON	I0065	6.7	I65 / CRAIGHEAD AVENUE	OPEN	2/5/2016	1970	36.1263	-86.772367	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	63.5
19I00650029	DAVIDSON	I0065	7.27	I65 / WEDGEWOOD AVENUE	OPEN	2/5/2016	1970	36.134033	-86.775267	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	74.7
19I00650311	DAVIDSON	I0065	8.28	I65 RAMP / 8TH AVE S SR	OPEN	2/8/2016	1970	36.148733	-86.7789	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77
19I00650133	DAVIDSON	I0065	8.55	I65-STR 14 / I65	OPEN	2/8/2016	1967	36.173333	-86.801183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.6
19I00650136	DAVIDSON	I0065	8.8	I65 LL / ARTHUR AVENUE	OPEN	2/11/2016	1967	36.175	-86.8	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00650135	DAVIDSON	I0065	8.8	I65 RL / ARTHUR AVENUE	OPEN	2/11/2016	1967	36.176683	-86.800767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86
19I00650143	DAVIDSON	I0065	9.85	I65 / ABD. RR.	OPEN	2/11/2016	1967	36.189767	-86.791567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.8
19I00650145	DAVIDSON	I0065	10.24	CUMBERLAND RV & COWAN ST	OPEN	2/12/2016	1967	36.191333	-86.784533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47.5
19I00240105	DAVIDSON	I0065	10.62	I65 RAMP STR 45 / I24-WB	OPEN	2/12/2016	1961	36.191917	-86.778167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76
19I00240101	DAVIDSON	I0065	10.74	I65 RAMP STR 41 / I24-EB	OPEN	2/12/2016	1961	36.192683	-86.776467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64
19I00650061	DAVIDSON	I0065	11.43	PAGES BRANCH	OPEN	2/12/2016	1961	36.202983	-86.776517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
19I00650063	DAVIDSON	I0065	11.7	I65 / TRINITY LANE	OPEN	2/16/2016	1961	36.20625	-86.776083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68
19I00650103	DAVIDSON	I0065	12.89	I65 RMP B STR 14 / I65 S	OPEN	2/16/2016	2000	36.2236	-86.774067	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
19I00240301	DAVIDSON	I0065	13	I65 RAMP B / I24 RAMP C	OPEN	2/16/2016	2000	36.225317	-86.775567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
19I00240065	DAVIDSON	I0065	13.02	I65 SBL / I24 RAMP C	OPEN	2/16/2016	2000	36.225583	-86.774267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80
19I00650068	DAVIDSON	I0065	13.36	I65 / EWING DRIVE	OPEN	2/17/2016	2015	36.228333	-86.771667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.8
19I00650067	DAVIDSON	I0065	13.36	I65 / EWING DRIVE	OPEN	2/17/2016	1964	36.228333	-86.771667	CONCRETE CONTINUOUS	TEE BEAM	88
19I00650069	DAVIDSON	I0065	13.45	EWING CREEK	OPEN	2/17/2016	1964	36.230933	-86.7706	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
19I00650147	DAVIDSON	I0065	14.9	I65-SB-RMP-BR4/I65-BPRMP	OPEN	2/17/2016	2004	36.240233	-86.747983	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
19I00650129	DAVIDSON	I0065	15.5	I65-SB-RMP-BE/B.P.RMP-DC	OPEN	2/17/2016	2004	36.2418	-86.75565	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
19I00650083	DAVIDSON	I0065	17.18	I65 / NESBITT LANE	OPEN	2/18/2016	1964	36.272133	-86.735783	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.9
19I00650085	DAVIDSON	I0065	18.03	I65 / CUNNIFF PARKWAY	OPEN	2/18/2016	1966	36.283583	-86.729883	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
19I00650087	DAVIDSON	I0065	18.45	BRANCH	OPEN	2/18/2016	1966	36.288233	-86.724883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
19I00650111	DAVIDSON	I0065	18.9	DRY CREEK	OPEN	2/18/2016	1966	36.292633	-86.719417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
19I00650091	DAVIDSON	I0065	20.1	CSX RAILROAD	OPEN	2/19/2016	1963	36.306017	-86.70605	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00650093	DAVIDSON	I0065	20.26	I65 / RIVERGATE PKWY	OPEN	2/19/2016	1968	36.30805	-86.70435	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
19I00650108	DAVIDSON	I0065	21.43	I65 LL / LONG HOLLOW PIK	OPEN	2/19/2016	1977	36.323733	-86.70505	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	88.8
19I00650107	DAVIDSON	I0065	21.43	I65 RL / LONG HOLLOW PIK	OPEN	2/19/2016	1977	36.323833	-86.704717	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	87.8
19I00650095	DAVIDSON	I0065	21.58	BRANCH	OPEN	2/19/2016	1977	36.325	-86.705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19I00650097	DAVIDSON	I0065	21.58	I65 RL / EAST CEDAR ST	OPEN	2/19/2016	1968	36.325767	-86.70565	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.7
19I00650098	DAVIDSON	I0065	21.58	I65 LL / EAST CEDAR ST	OPEN	2/19/2016	1968	36.32565	-86.705983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.7
19I00650100	DAVIDSON	I0065	22.15	MANSKER CREEK	OPEN	2/19/2016	1968	36.333333	-86.709867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
19I00650099	DAVIDSON	I0065	22.15	MANSKER CREEK	OPEN	2/19/2016	1968	36.333333	-86.7094	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
19I00400301	DAVIDSON	I0440	0.08	I440-RMP-NW-STR#4/I40E&W	OPEN	2/22/2016	1986	36.155	-86.826667	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
19I04400001	DAVIDSON	I0440	0.36	I440-RL / CHARLOTTE AVE.	OPEN	2/22/2016	1985	36.153267	-86.8229	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	82
19I04400002	DAVIDSON	I0440	0.36	I440-LL / CHARLOTTE AVE.	OPEN	2/22/2016	1985	36.1532	-86.822683	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	83
19I04400004	DAVIDSON	I0440	0.72	I440-LL / CSX RR	OPEN	2/22/2016	1985	36.148233	-86.822317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
19I04400003	DAVIDSON	I0440	0.72	I440-RL / CSX RR	OPEN	2/22/2016	1985	36.148033	-86.822617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
19I04400027	DAVIDSON	I0440	4.17	I440-RL / LELAND LANE	OPEN	3/4/2016	1985	36.115867	-86.786883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83
19I04400028	DAVIDSON	I0440	4.17	I440-LL / LELAND LANE	OPEN	3/4/2016	1985	36.116133	-86.787067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83
19I04400059	DAVIDSON	I0440	4.28	BRANCH	OPEN	1/31/2017	1987	36.116	-86.786	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19I04400029	DAVIDSON	I0440	4.36	I440-RL / CRAIG AVE.	OPEN	3/4/2016	1985	36.115867	-86.783583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80
19I04400030	DAVIDSON	I0440	4.36	I440-LL / CRAIG AVE.	OPEN	3/4/2016	1985	36.115983	-86.78365	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
19I04400031	DAVIDSON	I0440	4.82	I440-RMP-WS ES/FRANKLINR	OPEN	3/4/2016	1985	36.113133	-86.773617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00650114	DAVIDSON	I0440	4.85	L4-SN166-LL/L3-SN164&165	OPEN	3/7/2016	1985	36.11575	-86.774933	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	39
19I00650113	DAVIDSON	I0440	4.85	L4-SN167-RL/L3-SN164&165	OPEN	3/7/2016	1985	36.11565	-86.774917	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	39
19I00650121	DAVIDSON	I0440	4.88	L3-SN165-RL /L2-SN162 16	OPEN	3/7/2016	1985	36.115	-86.775	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65
19I00650122	DAVIDSON	I0440	4.9	L3-SN164-LL /L2-SN162&16	OPEN	3/7/2016	1985	36.114867	-86.774033	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66
19I04400033	DAVIDSON	I0440	4.99	I440-RMP-WN-EN /BERRY RD	OPEN	3/8/2016	1985	36.119183	-86.772717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.7
19I04400035	DAVIDSON	I0440	5	I440-RMP-ES / CSX RR	OPEN	3/8/2016	1985	36.11675	-86.772417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67
19I04400037	DAVIDSON	I0440	5.01	I440-RMP-EN / CSX RR	OPEN	3/8/2016	1985	36.118483	-86.772483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.7
19I04400041	DAVIDSON	I0440	5.44	I440 / BRANSFORD AVE	OPEN	3/8/2016	1985	36.1197	-86.765983	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83
19I04400053	DAVIDSON	I0440	7.04	I440-RL/GLENROSE AVE CSX	OPEN	3/9/2016	1985	36.12425	-86.7418	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
19I04400054	DAVIDSON	I0440	7.04	I440-LL/GLENROSE AVE CSX	OPEN	3/9/2016	1985	36.123333	-86.74	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
19I00240093	DAVIDSON	I0440	7.59	I440-RMP-G-STR-A/I24 SR1	OPEN	3/10/2016	1985	36.12615	-86.72915	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.3
19SR0010001	DAVIDSON	SR001	3.1	WEST FORK BUFFALO CREEK	OPEN	2/8/2017	1926	36.091583	-86.989267	CONCRETE	TEE BEAM	62.7
19SR0010003	DAVIDSON	SR001	3.69	EAST FORK BUFFALO CREEK	OPEN	2/8/2017	1926	36.091083	-86.978833	CONCRETE	TEE BEAM	59.1
19SR0010005	DAVIDSON	SR001	10.04	BRANCH	OPEN	2/8/2017	1926	36.092867	-86.884567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.5
19SR0010007	DAVIDSON	SR001	10.67	BRANCH & CSX RR	OPEN	2/8/2017	1999	36.09755	-86.87495	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
19SR0010009	DAVIDSON	SR001	11.02	BRANCH	OPEN	2/10/2017	1923	36.1008	-86.870717	CONCRETE	TEE BEAM	58.5
19SR0010011	DAVIDSON	SR001	11.38	BRANCH	OPEN	2/10/2017	1923	36.105783	-86.8679	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.8
19SR0010013	DAVIDSON	SR001	12.32	RICHLAND CREEK	OPEN	2/10/2017	1923	36.116933	-86.858883	CONCRETE	TEE BEAM	70.3
19SR0010015	DAVIDSON	SR001	12.95	SUGAR TREE CREEK	OPEN	2/10/2017	1923	36.122833	-86.85025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	34.8
19SR0010017	DAVIDSON	SR001	13.81	BRANCH	OPEN	2/10/2017	1923	36.130183	-86.837517	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	49.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I04400009	DAVIDSON	SR001	14.84	WEST END /I440 RP-F&H	OPEN	3/1/2016	1985	36.136617	-86.82165	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79
19I04400011	DAVIDSON	SR001	14.88	SR1-RMP-F / I440 & RMP-D	OPEN	3/1/2016	1985	36.135267	-86.821083	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	77.8
19I00400071	DAVIDSON	SR001	17.09	SR 1 BROADWAY / I40	OPEN	12/17/2015	1968	36.155767	-86.789733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76
19SR0010019	DAVIDSON	SR001	17.29	BRDWY /11TH AVE S &CSX R	OPEN	2/24/2017	1946	36.155	-86.786667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53
19SR0010025	DAVIDSON	SR001	19.26	BROWNS CREEK	OPEN	2/13/2017	1946	36.146917	-86.75705	CONCRETE	ARCH - DECK	64
19SR0010029	DAVIDSON	SR001	21.54	BRANCH	OPEN	2/13/2017	1942	36.132517	-86.72335	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.4
19SR0010031	DAVIDSON	SR001	21.99	MILL CREEK	OPEN	2/13/2017	1940	36.129033	-86.714317	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	69.2
19SR0010041	DAVIDSON	SR001	23.155	CSX RAILROAD	OPEN	2/13/2017	1940	36.116667	-86.6995	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.6
19SR0010043	DAVIDSON	SR001	32.25	HURRICANE CREEK	OPEN	2/13/2017	1926	36.02555	-86.58765	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
19SR0010044	DAVIDSON	SR001	32.25	HURRICANE CREEK	OPEN	2/13/2017	1926	36.02565	-86.5875	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
19SR0060015	DAVIDSON	SR006	9.72	SR 6 / C' RIVER-1RR-2STS	OPEN	5/22/2017	1951	36.168033	-86.77745	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.7
19SR0060017	DAVIDSON	SR006	10.44	STR 2 / RMP SD TO 3252	OPEN	2/15/2017	1965	36.172533	-86.764267	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	73.7
19SR0060035	DAVIDSON	SR006	10.53	STR 3@ ELLINGTON PKY I/C	OPEN	2/15/2017	1964	36.173467	-86.766267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.7
19032520005	DAVIDSON	SR006	10.55	STR 19@ ELLINGTON PKY I/	OPEN	2/15/2017	1967	36.173783	-86.767917	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	66
19032520003	DAVIDSON	SR006	10.58	STR 18@ ELLINGTON PKY I/	OPEN	2/16/2017	1965	36.174	-86.767517	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	66
19SR0060033	DAVIDSON	SR006	10.6	STR 17@ ELLINGTON PKY I/	OPEN	2/16/2017	1965	36.173333	-86.766667	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.9
19SR0110039	DAVIDSON	SR006	10.6	STR 12@ ELLINGTON PKY I/	OPEN	2/16/2017	1965	36.175467	-86.765767	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	71.5
19SR0110043	DAVIDSON	SR006	10.66	STR 14@ ELLINGTON PKY I/	OPEN	2/16/2017	1965	36.174583	-86.76575	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	71.5
19SR0110047	DAVIDSON	SR006	10.72	STR 16@ ELLINGTON PKY I/	OPEN	2/16/2017	1965	36.175417	-86.76555	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.4
19FA0060011	DAVIDSON	SR006	11.81	SR 6 RL / GRANADA AVENUE	OPEN	2/21/2017	1969	36.188383	-86.754667	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	88.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19FA0060012	DAVIDSON	SR006	11.81	SR 6 LL / GRANADA AVENUE	OPEN	2/21/2017	1969	36.188483	-86.754833	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	88.9
19FA0060013	DAVIDSON	SR006	11.91	BRANCH	OPEN	2/21/2017	1969	36.188333	-86.753333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
19FA0060015	DAVIDSON	SR006	12.17	SR 6 RL / DOUGLAS AVENUE	OPEN	2/23/2017	1969	36.191667	-86.753333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	43.1
19FA0060016	DAVIDSON	SR006	12.17	SR 6 LL / DOUGLAS AVENUE	OPEN	2/23/2017	1969	36.191667	-86.753333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.7
19FA0060017	DAVIDSON	SR006	12.32	CSX RAILROAD	OPEN	2/23/2017	1969	36.193333	-86.751667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.1
19FA0060018	DAVIDSON	SR006	12.32	CSX RAILROAD	OPEN	2/23/2017	1969	36.193333	-86.751667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.3
19032520008	DAVIDSON	SR006	13.91	SR 6 LL / HART LANE	OPEN	3/2/2017	1977	36.2181	-86.747517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
19032520007	DAVIDSON	SR006	13.91	SR 6 RL / HART LANE	OPEN	3/2/2017	1977	36.216667	-86.746667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
19032520012	DAVIDSON	SR006	14.78	SR 6 LL / BROADMOOR DRIV	OPEN	3/2/2017	1977	36.230417	-86.74755	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	93.4
19032520011	DAVIDSON	SR006	14.78	SR 6 RL / BROADMOOR DRIV	OPEN	3/2/2017	1977	36.230417	-86.74755	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	92.4
19SR0060053	DAVIDSON	SR006	15.26	E. PKWY-NB-RMP-C/ 4 RDS.	OPEN	3/23/2017	2004	36.236267	-86.743333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
19FA0100301	DAVIDSON	SR006	15.46	B.PKWY-RMP-WB/BRIARVIL R	OPEN	3/3/2017	1975	36.236667	-86.74	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.6
19FA0100013	DAVIDSON	SR006	15.49	B.PKWY-RL-4W/BRIARVIL R	OPEN	3/3/2017	1975	36.238683	-86.741733	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.6
19FA0100014	DAVIDSON	SR006	15.49	B.PKWY-LL-4E/ELLING PKY	OPEN	3/3/2017	1975	36.238867	-86.74145	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.6
19SR0060047	DAVIDSON	SR006	15.78	BP-BR#2-WB/BRIAR-RAMP-A	OPEN	3/23/2017	2004	36.239883	-86.743133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
19FA0100010	DAVIDSON	SR006	16.04	BRILEY PKWY LL/SAUNDERS	OPEN	3/3/2017	2004	36.23745	-86.732117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.1
19FA0100009	DAVIDSON	SR006	16.04	BRILEY PKWY RL/SAUNDERS	OPEN	3/3/2017	2004	36.236983	-86.73215	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.1
19SR0060021	DAVIDSON	SR006	19.46	SR 6 RL / CSX RR	OPEN	3/8/2017	2014	36.2678	-86.711083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.1
19SR0060023	DAVIDSON	SR006	20.1	DRY CREEK	OPEN	3/8/2017	1926	36.283333	-86.706667	CONCRETE	TEE BEAM	73.4
19SR0060025	DAVIDSON	SR006	21.08	BRANCH	OPEN	3/8/2017	1955	36.29725	-86.698667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19SR0060027	DAVIDSON	SR006	22.84	MANSKER CREEK	OPEN	3/8/2017	1937	36.30935	-86.672533	CONCRETE	TEE BEAM	48.9
19SR0110001	DAVIDSON	SR011	1.75	MILL CREEK	OPEN	3/9/2017	1999	36.0085	-86.701217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82.3
19SR0110025	DAVIDSON	SR011	1.88	BRANCH	OPEN	3/13/2017	1932	36.3769	-86.748767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.4
19SR0110003	DAVIDSON	SR011	6.95	SEVEN MILE CREEK	OPEN	3/9/2017	1928	36.078533	-86.7258	CONCRETE	TEE BEAM	72
19SR0110005	DAVIDSON	SR011	7.6	BRANCH	OPEN	3/9/2017	1928	36.086167	-86.7286	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
19SR0110009	DAVIDSON	SR011	10.24	CSX RAILROAD	OPEN	3/9/2017	1929	36.121367	-86.750317	CONCRETE CONTINUOUS	TEE BEAM	62.8
19I04400039	DAVIDSON	SR011	10.34	NOLENSVILLE RD / I440	OPEN	3/9/2016	1984	36.122683	-86.75095	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	57.3
19SR0110011	DAVIDSON	SR011	11.28	BROWN CREEK	OPEN	3/9/2017	1929	36.134617	-86.759183	CONCRETE	TEE BEAM	84
19SR0110041	DAVIDSON	SR011	12.52	STR 13@ ELLINGTON PKY I/	OPEN	3/14/2017	1965	36.174617	-86.765983	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
19SR0110045	DAVIDSON	SR011	12.52	STR 15@ ELLINGTON PKY I/	OPEN	3/14/2017	1965	36.174567	-86.766933	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82.5
19SR0110037	DAVIDSON	SR011	12.52	STR 11@ ELLINGTON PKY I/	OPEN	3/14/2017	1965	36.1751	-86.765917	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
19SR0110016	DAVIDSON	SR011	12.52	SR11/ELLINGTON PKWY&CSXR	OPEN	3/14/2017	1965	36.1757	-86.7664	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.4
19SR0110015	DAVIDSON	SR011	12.52	SR11/ELLINGTON PKWY&CSXR	OPEN	3/14/2017	1965	36.175983	-86.7661	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.7
19SR0110017	DAVIDSON	SR011	15.19	PAGES BRANCH	OPEN	3/10/2017	1928	36.209767	-86.765983	CONCRETE	TEE BEAM	88.8
19SR0110019	DAVIDSON	SR011	16.63	BRANCH	OPEN	3/10/2017	1928	36.229617	-86.758267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.8
19SR0110021	DAVIDSON	SR011	16.68	BRANCH	OPEN	3/10/2017	1928	36.2309	-86.758217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
19I00650071	DAVIDSON	SR011	17.16	DICKERSON PIKE / I65	OPEN	2/17/2016	2005	36.2372	-86.757767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
19SR0110023	DAVIDSON	SR011	18.05	BRANCH	OPEN	3/10/2017	1928	36.24995	-86.757033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.4
19SR0110051	DAVIDSON	SR011	18.47	BRANCH	OPEN	3/10/2017	1928	36.255883	-86.757767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.9
19SR0110027	DAVIDSON	SR011	18.87	NORTH FORK EWING CREEK	OPEN	3/10/2017	1928	36.26185	-86.757367	CONCRETE	TEE BEAM	61.9
19SR0110029	DAVIDSON	SR011	22.09	DRY CREEK	OPEN	3/10/2017	1928	36.29685	-86.724533	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	79
19SR0110031	DAVIDSON	SR011	23.98	ROSCOE BRANCH	OPEN	3/10/2017	1928	36.3221	-86.713383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19SR0110035	DAVIDSON	SR011	25.16	MANSKER CREEK	OPEN	3/13/2017	2013	36.338633	-86.71765	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
19I00650139	DAVIDSON	SR012	1.31	8TH AVENUE N RL / I65	OPEN	2/11/2016	1967	36.184	-86.797867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.9
19SR0120005	DAVIDSON	SR012	3.56	CUMBERLAND RIVER	OPEN	3/28/2017	1978	36.190867	-86.825983	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71
19SR0120007	DAVIDSON	SR012	4.27	BRANCH	OPEN	3/13/2017	1936	36.19685	-86.83655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.6
19SR0120009	DAVIDSON	SR012	5.33	WHITES CREEK	OPEN	3/13/2017	1946	36.204517	-86.852083	CONCRETE	TEE BEAM	65
19SR0120011	DAVIDSON	SR012	6.05	EATONS CREEK	OPEN	3/13/2017	1947	36.208833	-86.86365	CONCRETE	TEE BEAM	65
19SR0120017	DAVIDSON	SR012	6.49	SR 12 / BRILEY PKWY	OPEN	3/13/2017	1992	36.209883	-86.871383	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82
19SR0120013	DAVIDSON	SR012	9.25	SULPHUR CREEK	OPEN	3/13/2017	1997	36.211633	-86.919803	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
19SR0240001	DAVIDSON	SR024	2.9	OVERALL CREEK	OPEN	3/16/2017	1930	36.109217	-86.934183	CONCRETE	TEE BEAM	71.7
19SR0240003	DAVIDSON	SR024	3.65	BROWN CREEK	OPEN	3/16/2017	1932	36.1161	-86.9238	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71
19SR0240005	DAVIDSON	SR024	8.32	RICHLAND CREEK	OPEN	3/16/2017	1990	36.15065	-86.854367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68
19010000001	DAVIDSON	SR024	10.62	CSX RAILROAD	OPEN	3/16/2017	1999	36.15475	-86.81395	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
19I00240123	DAVIDSON	SR024	13.62	HERMITAGE AVE RL / I24	OPEN	10/1/2015	1960	36.1548	-86.762417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.5
19I00240124	DAVIDSON	SR024	13.62	HERMITAGE AVE LL / I24	OPEN	10/1/2015	1960	36.154933	-86.762417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.5
19SR0240011	DAVIDSON	SR024	14.74	BROWN CREEK	OPEN	3/16/2017	1924	36.154483	-86.742933	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	69.8
19SR0240013	DAVIDSON	SR024	15.93	CSX RAILROAD	OPEN	3/16/2017	1924	36.153717	-86.722183	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	30.5
19SR0240015	DAVIDSON	SR024	17.5	MILL CREEK	OPEN	3/20/2017	1928	36.1637	-86.69855	CONCRETE	ARCH - DECK	63.5
19SR0240017	DAVIDSON	SR024	18.17	SR 24 / BRILEY PKWY	OPEN	3/20/2017	2007	36.16825	-86.688883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.2
19SR0240019	DAVIDSON	SR024	19.28	CSX RAILROAD	OPEN	3/20/2017	1928	36.169083	-86.66925	CONCRETE CONTINUOUS	TEE BEAM	58.2
19SR0240021	DAVIDSON	SR024	21.8	STONES RIVER	OPEN	3/20/2017	1973	36.18565	-86.634283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
19SR0240023	DAVIDSON	SR024	23.24	SR 24 / RACHEL'S LANE	OPEN	3/20/2017	1987	36.21245	-86.607	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76
19E00150001	DAVIDSON	SR045	0.97	WHITES CREEK	OPEN	3/15/2017	2005	36.2736	-86.81705	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19E00150003	DAVIDSON	SR045	2.73	BRANCH	OPEN	3/15/2017	1940	36.278667	-86.786717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.5
19E00150005	DAVIDSON	SR045	3.48	LITTLE CREEK	OPEN	3/15/2017	1940	36.278667	-86.773517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
19I00650081	DAVIDSON	SR045	5.74	OLD HICKORY BLVD / I65	OPEN	2/18/2016	2006	36.263333	-86.738333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
19E00150007	DAVIDSON	SR045	7	CSX RAILROAD	OPEN	3/15/2017	1974	36.263333	-86.715583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.4
19SR0450001	DAVIDSON	SR045	9.26	CUMBERLAND RIVER	OPEN	3/24/2017	1967	36.262583	-86.676183	STEEL	TRUSS - THRU	73.8
19SR0450002	DAVIDSON	SR045	9.26	CUMBERLAND RIVER	OPEN	3/24/2017	1928	36.31265	-86.676617	STEEL	TRUSS - THRU	87.8
19003620001	DAVIDSON	SR045	16.54	STONER'S CREEK	OPEN	3/15/2017	1975	36.187083	-86.613767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.9
19SR0450003	DAVIDSON	SR045	17.7	OLD HICKORY BLVD/SR 265	OPEN	3/15/2017	1991	36.1743	-86.606117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
19I00400141	DAVIDSON	SR045	17.92	OLD HICKORY BLVD / I40	OPEN	1/28/2016	1991	36.1705	-86.601617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77
19S62190001	DAVIDSON	SR065	0.26	PAGES BRANCH	OPEN	3/21/2017	1969	36.205	-86.773333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
19SR0650001	DAVIDSON	SR065	3.33	EWING CREEK	OPEN	3/21/2017	1995	36.230067	-86.812417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.4
19SR0650003	DAVIDSON	SR065	5.03	WHITES CREEK	OPEN	3/21/2017	1994	36.25085	-86.828467	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.1
19SR0650005	DAVIDSON	SR065	6.05	EARTHMAN FORK CREEK	OPEN	3/21/2017	1932	36.265167	-86.830767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28
19SR0650007	DAVIDSON	SR065	16.01	SOUTH FORK SYCAMORE CREEK	OPEN	3/21/2017	1947	36.389667	-86.898783	CONCRETE	TEE BEAM	61.1
19SR0960001	DAVIDSON	SR096	0.59	SOUTH HARPETH RIVER	OPEN	3/22/2017	1969	36.01	-87.028333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.3
19SR1000001	DAVIDSON	SR100	1.06	SOUTH HARPETH RIVER	OPEN	4/26/2017	1929	36.018333	-87.03	STEEL	TRUSS - THRU	72.7
19SR1000003	DAVIDSON	SR100	1.72	BRANCH	OPEN	3/21/2017	1930	36.025	-87.021667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
19SR1000005	DAVIDSON	SR100	2.03	BRANCH	OPEN	3/22/2017	1930	36.026667	-87.016667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.7
19SR1000007	DAVIDSON	SR100	4.62	PRITCHETT CREEK	OPEN	3/22/2017	1930	36.033333	-86.971667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
19SR1000009	DAVIDSON	SR100	5.36	PRITCHETT CREEK	OPEN	3/22/2017	1930	36.04	-86.961667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.3
19SR1000011	DAVIDSON	SR100	6.11	TRACE CREEK	OPEN	3/22/2017	1929	36.045567	-86.9496	CONCRETE	TEE BEAM	78.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19SR1000013	DAVIDSON	SR100	7.36	HARPETH RIVER	OPEN	4/25/2017	1929	36.053933	-86.92965	STEEL	TRUSS - THRU	69.3
19SR1060001	DAVIDSON	SR106	0.64	OTTER CREEK	OPEN	4/4/2017	1938	36.05265	-86.8583	CONCRETE	TEE BEAM	63.5
19SR1060003	DAVIDSON	SR106	2.72	RICHLAND CREEK	OPEN	4/4/2017	1938	36.0778	-86.8378	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.9
19SR1060005	DAVIDSON	SR106	4.5	SUGAR TREE CREEK	OPEN	4/4/2017	1938	36.099083	-86.820933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
19I04400019	DAVIDSON	SR106	6.37	HILLSBORO PK./ I440	OPEN	3/2/2016	1985	36.122683	-86.806633	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	83
19SR1120001	DAVIDSON	SR112	0.55	WHITE CREEK	OPEN	4/4/2017	1934	36.203333	-86.84	CONCRETE	TEE BEAM	51.4
19SR1120003	DAVIDSON	SR112	2.94	BRANCH	OPEN	4/4/2017	1934	36.236667	-86.83	CONCRETE	TEE BEAM	66.4
19SR1120005	DAVIDSON	SR112	3.62	DRY FORK CREEK	OPEN	4/4/2017	1934	36.246883	-86.834517	CONCRETE	TEE BEAM	70.4
19SR1120007	DAVIDSON	SR112	5.75	BRANCH	OPEN	4/4/2017	1934	36.269017	-86.860017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
19I00650011	DAVIDSON	SR155	0.11	THOMPSON LN / I65 & CSX R	OPEN	2/4/2016	1971	36.1105	-86.771167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.8
19SR1550003	DAVIDSON	SR155	0.3	BRANCH	OPEN	4/5/2017	1937	36.112183	-86.768933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
19I00240017	DAVIDSON	SR155	2.93	BRILEY PKWY / I24	OPEN	10/6/2015	2002	36.109983	-86.7224	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
19SR1550008	DAVIDSON	SR155	3.48	DRUMMOND DRIVE	OPEN	4/5/2017	1963	36.111167	-86.7128	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.5
19SR1550007	DAVIDSON	SR155	3.48	DRUMMOND DRIVE	OPEN	4/5/2017	1963	36.11	-86.713333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.5
19SR1550010	DAVIDSON	SR155	3.54	CSX RAILROAD	OPEN	4/5/2017	1963	36.111433	-86.711783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.5
19SR1550009	DAVIDSON	SR155	3.54	CSX RAILROAD	OPEN	4/5/2017	1963	36.111283	-86.711683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.5
19SR1550011	DAVIDSON	SR155	3.62	MILL CREEK	OPEN	4/5/2017	1963	36.111633	-86.710367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.5
19SR1550012	DAVIDSON	SR155	3.62	MILL CREEK	OPEN	4/5/2017	1963	36.1118	-86.7104	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.5
19SR0010037	DAVIDSON	SR155	4.31	SR 155 / SR 1	OPEN	4/7/2017	2004	36.117917	-86.700833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
19S63260001	DAVIDSON	SR155	5.25	BRILEY PKWY / AIRPORT D	OPEN	4/7/2017	1959	36.129567	-86.6951	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
19SR1550069	DAVIDSON	SR155	6.13	SR 155 / SR155 RAMP D	OPEN	4/7/2017	2008	36.142433	-86.698983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
19I00400333	DAVIDSON	SR155	6.22	BR4-SR155-RP-D/2 RTS	OPEN	1/26/2016	2008	36.144725	-86.698561	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00400121	DAVIDSON	SR155	6.35	BRILEY PKWY / I40	OPEN	1/26/2016	2008	36.143333	-86.698333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
19S63260003	DAVIDSON	SR155	7.06	SR-155 / ELM HILL PK	OPEN	4/11/2017	2007	36.1521	-86.690417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	100
19FA0100021	DAVIDSON	SR155	7.22	BRANCH	OPEN	4/11/2017	1965	36.153333	-86.691667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
19SR1550067	DAVIDSON	SR155	9.18	BRANCH	OPEN	4/11/2017	2007	36.179567	-86.69545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
19S63260007	DAVIDSON	SR155	10.02	BRILEY PKW/TWO RIVERS PK	OPEN	4/11/2017	2006	36.12	-86.693333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
19S63260009	DAVIDSON	SR155	10.55	BRILEY PKWY / OPRYLAND D	OPEN	4/11/2017	1970	36.197133	-86.6877	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
19S63260014	DAVIDSON	SR155	13.75	CUMBERLAND RV & PENN'BEN	OPEN	4/24/2017	1962	36.2355	-86.710167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69
19S63260013	DAVIDSON	SR155	13.75	CUMBERLAND RV & PENN'BEN	OPEN	4/24/2017	2005	36.23575	-86.710222	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
19S63260015	DAVIDSON	SR155	14.01	BRILEY PKWY/BRUSH HILL R	OPEN	4/12/2017	1963	36.123333	-86.666667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
19FA0100016	DAVIDSON	SR155	14.58	B. PKWY-LL-3E/ELLING PKY	OPEN	4/12/2017	1975	36.23885	-86.7419	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97
19FA0100015	DAVIDSON	SR155	14.58	B.PKWY-RL-3W/BRIARVIL R	OPEN	4/12/2017	1975	36.239067	-86.741483	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97
19I00650073	DAVIDSON	SR155	15.13	BRILEY PKWY / I65	OPEN	2/17/2016	2005	36.240717	-86.752567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
19I00650131	DAVIDSON	SR155	15.14	BRILEY PKWY RMP-BF / I65	OPEN	2/17/2016	2000	36.241117	-86.7521	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
19SR1550053	DAVIDSON	SR155	15.48	BRILEY PKWY / DICKERSON	OPEN	4/12/2017	1997	36.241583	-86.756717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76
19SR1550051	DAVIDSON	SR155	16.01	BRILEY PKWY/OAKVIEW DR	OPEN	4/13/2017	1997	36.241083	-86.766533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
19SR1550055	DAVIDSON	SR155	16.39	BRILEY PKWY/MOOREWOOD	OPEN	4/13/2017	1997	36.239967	-86.772933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
19SR1550045	DAVIDSON	SR155	17.09	NORTH FORK EWING CR	OPEN	4/13/2017	1990	36.238233	-86.78505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
19SR1550047	DAVIDSON	SR155	18.06	BRANCH	OPEN	4/13/2017	1990	36.23445	-86.8016	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
19SR1550025	DAVIDSON	SR155	18.15	BRILEY PKWY./KNIGHT RD.	OPEN	4/13/2017	1988	36.234433	-86.80325	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19SR0650009	DAVIDSON	SR155	18.81	SR 155 / WHITES CREEK PK	OPEN	4/13/2017	1992	36.233983	-86.814967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	91
19SR1550043	DAVIDSON	SR155	19.33	SR 155/BUENA VISTA PK&CR	OPEN	4/13/2017	1992	36.23295	-86.8243	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	84
19SR1120009	DAVIDSON	SR155	19.94	SR 155 / CLARKSVILLE HWY	OPEN	4/13/2017	1992	36.229167	-86.833833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	99
19SR1550037	DAVIDSON	SR155	20.85	BRILEY PKWY/DRAKES RD&CR	OPEN	4/13/2017	1992	36.228433	-86.8497	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.6
19SR1550035	DAVIDSON	SR155	21.8	SR 155 / EATONS CR RD&CR	OPEN	4/13/2017	1992	36.2249	-86.86545	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.6
19SR1550041	DAVIDSON	SR155	22.44	BRANCH	OPEN	4/17/2017	1992	36.216933	-86.872267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
19SR1550021	DAVIDSON	SR155	23.35	ICG RAILROAD	OPEN	4/17/2017	1989	36.205233	-86.870483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
19SR1550029	DAVIDSON	SR155	24.86	C'RILL BEND/CUMBERLAND R	OPEN	4/25/2017	1985	36.18485	-86.864	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.8
19SR1550031	DAVIDSON	SR155	25.72	SR 155 / CSX RR	OPEN	4/17/2017	1987	36.174567	-86.8701	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
19SR1550033	DAVIDSON	SR155	25.91	SR155 / CENTNNIAL BLVD.	OPEN	4/17/2017	1987	36.171617	-86.869367	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84
19FA0100017	DAVIDSON	SR155	26.41	RICHLAND CREEK	OPEN	4/17/2017	1968	36.164617	-86.86885	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.2
19FA0100018	DAVIDSON	SR155	26.41	RICHLAND CREEK	OPEN	4/17/2017	1968	36.16465	-86.868583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.2
19SR1550065	DAVIDSON	SR155	27.08	RICHLAND CREEK	OPEN	4/20/2017	2004	36.164617	-86.86885	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.2
19SR1550064	DAVIDSON	SR155	27.25	SR155-BR#9-RMPS-A&C	OPEN	4/19/2017	2001	36.171617	-86.869367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80
19I00400163	DAVIDSON	SR155	27.38	SR155-BR-7-RMPS-A&F /I40	OPEN	11/12/2015	2001	36.152617	-86.857783	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
19SR1550071	DAVIDSON	SR155	27.4	SR 155-RMP C / SR155	OPEN	4/19/2017	2010	36.154433	-86.858167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
19I00400029	DAVIDSON	SR155	27.52	WHITE BRIDGE ROAD / I40	OPEN	11/5/2015	2010	36.152617	-86.857783	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66
19SR1550019	DAVIDSON	SR155	29.57	RICHLAND CR & CSX RR	OPEN	4/19/2017	1983	36.126583	-86.849483	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	73
19SR1710001	DAVIDSON	SR171	1.06	CSX RAILROAD	OPEN	4/21/2017	1967	36.02825	-86.614133	CONCRETE	TEE BEAM	54

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19SR1710003	DAVIDSON	SR171	3.8	SAVAGE BRANCH	OPEN	4/21/2017	1977	36.06205	-86.593683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
19F00210005	DAVIDSON	SR171	5.88	HOBSON PIKE / STONES RIV	OPEN	5/23/2017	1970	36.081917	-86.567083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.2
19004550001	DAVIDSON	SR174	0.9	MANSKER CREEK	OPEN	4/19/2017	1977	36.327517	-86.69925	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.3
19S61510001	DAVIDSON	SR251	1.56	CUB CREEK	OPEN	5/2/2017	1955	36.192083	-86.961033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9
19S61510003	DAVIDSON	SR251	4.49	INDIAN CREEK	OPEN	5/2/2017	1982	36.154617	-86.951383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
19S61530001	DAVIDSON	SR254	2.54	OTTER CREEK	OPEN	4/20/2017	1950	36.04845	-86.866783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	91.1
19FA1310001	DAVIDSON	SR254	7.14	CSX RAILROAD	OPEN	4/20/2017	1966	36.037267	-86.786317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71
19I00650001	DAVIDSON	SR254	7.35	OLD HICKORY BLVD / I65	OPEN	2/2/2016	1989	36.038483	-86.783217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
19S61580001	DAVIDSON	SR254	9.43	BRANCH	OPEN	4/20/2017	1993	36.0417	-86.747283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
19S61580003	DAVIDSON	SR254	9.6	BRANCH	OPEN	4/20/2017	1993	36.040517	-86.74525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
19SR2540005	DAVIDSON	SR254	12.74	BRANCH	OPEN	4/21/2017	1990	36.044317	-86.694167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
19S61580005	DAVIDSON	SR254	14.11	MILL CREEK	OPEN	4/21/2017	1989	36.04515	-86.672017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	83
19S61580007	DAVIDSON	SR254	14.81	COLLINS CREEK	OPEN	4/21/2017	1974	36.045017	-86.65925	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84
19I00650009	DAVIDSON	SR255	0.53	HARDING PLACE / I65	OPEN	2/3/2016	2000	36.08245	-86.764483	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.3
19S63550001	DAVIDSON	SR255	0.71	CSX RR (RADNOR YARDS)	OPEN	5/17/2017	1998	36.081667	-86.761667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
19S63550003	DAVIDSON	SR255	2.86	SEVEN MILE CREEK	OPEN	5/8/2017	1966	36.0796	-86.725067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66
19I00240027	DAVIDSON	SR255	4.31	HARDING PLACE / I24	OPEN	10/7/2015	2003	36.085	-86.7	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4
19004430003	DAVIDSON	SR255	4.37	BRANCH	OPEN	5/8/2017	1967	36.0861	-86.699367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
19004430001	DAVIDSON	SR255	5.23	MILL CREEK	OPEN	5/8/2017	1979	36.091217	-86.68595	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19SR2550003	DAVIDSON	SR255	8.6	DONELSON PK./AIRPORT ENT	OPEN	5/8/2017	1986	36.1329	-86.663967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65
19I00400127	DAVIDSON	SR255	9.2	DONELSON PIKE / I40	OPEN	1/27/2016	2002	36.140567	-86.666317	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
19I00650115	DAVIDSON	SR386	0.24	SR386/I65-1017-A380- CSX	OPEN	2/18/2016	1985	36.303767	-86.708633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80
19SR3860003	DAVIDSON	SR386	1.24	SR 386 / LIBERTY LN	OPEN	5/9/2017	1990	36.3083	-86.69165	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
19SR3860005	DAVIDSON	SR386	1.28	SR 386 RMP D/LIBERTY LN	OPEN	5/9/2017	1990	36.309183	-86.691633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.4
19SR3860009	DAVIDSON	SR386	1.98	BRANCH	OPEN	5/9/2017	1990	36.311867	-86.6787	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.7
19SR3860007	DAVIDSON	SR386	2.29	MANSKER CREEK	OPEN	5/9/2017	1990	36.312133	-86.673717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
20009050001	DECATUR	00905	0.1	LICK CREEK	OPEN	5/3/2016	2008	35.756317	-88.081417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.9
20F00080003	DECATUR	00905	5.44	MORGAN CREEK	OPEN	5/4/2016	1991	35.816083	-88.049389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
20009050005	DECATUR	00905	6.77	BRANCH	OPEN	5/4/2016	1987	35.830111	-88.036028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
200A2910001	DECATUR	01705	0.69	TURNBO CREEK	OPEN	5/9/2016	1988	35.468306	-88.140861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
200A2220001	DECATUR	01705	9.54	RUSHING CREEK	OPEN	5/9/2016	1986	35.569944	-88.115056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
200A3130001	DECATUR	01708	1.9	EAST PRONG DOE CREEK	OPEN	5/9/2016	1999	35.430611	-88.233639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
200A3230003	DECATUR	01708	4.07	PRONG DOE CREEK	OPEN	5/9/2016	1986	35.448139	-88.241611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
200A3230001	DECATUR	01708	4.25	EAST PRONG DOE CREEK	OPEN	5/9/2016	1986	35.448028	-88.238639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
20017390001	DECATUR	01739	2.25	TARRAPIN CREEK	OPEN	5/3/2016	1976	35.672	-88.078781	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	71.1
20017410001	DECATUR	01741	0.53	NORTH FORK LICK CREEK	OPEN	5/3/2016	1996	35.759639	-88.059917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
20I00400003	DECATUR	01743	5.95	BIBLE HILL RD / I40	OPEN	4/28/2016	1963	35.818611	-88.151333	CONCRETE CONTINUOUS	TEE BEAM	81.9
20017580001	DECATUR	01758	3.97	ELKINS BRANCH	OPEN	5/9/2016	1955	35.554139	-88.013889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
20017580003	DECATUR	01758	4.12	DRY BRANCH	OPEN	5/9/2016	1955	35.55225	-88.013472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
20017580005	DECATUR	01758	7.8	WHITES CREEK	OPEN	5/5/2016	1945	35.507472	-87.989444	CONCRETE	TEE BEAM	58.3
20017580007	DECATUR	01758	11.57	WHITES CREEK	OPEN	5/9/2016	2004	35.509253	-88.041694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
20SR0690005	DECATUR	02732	1.05	GANS CREEK	OPEN	5/4/2016	1996	35.454333	-88.107639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.1
20SR0690007	DECATUR	02732	1.48	EDWARDS BRANCH	OPEN	5/4/2016	1996	35.459889	-88.108639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
20SR0690009	DECATUR	02732	4.79	WHITES CREEK	OPEN	5/4/2016	1939	35.502056	-88.099556	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.1
20SR0690011	DECATUR	02732	8.3	BRANCH	OPEN	5/4/2016	1994	35.543639	-88.125361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
20SR0690013	DECATUR	02732	8.41	RUSHING CREEK	OPEN	5/4/2016	1994	35.544583	-88.1265	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
20S80640007	DECATUR	05577	1.74	CUB CREEK	OPEN	5/3/2016	1954	35.746111	-88.158444	CONCRETE	TEE BEAM	85.6
20S80640005	DECATUR	05577	1.92	OVERFLOW	OPEN	5/3/2016	2012	35.745056	-88.155056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
20S80640003	DECATUR	05577	4.84	CUB CREEK	OPEN	5/2/2016	1954	35.711583	-88.137861	CONCRETE	TEE BEAM	79.9
20S80640009	DECATUR	05577	6.27	SULPHUR FORK CUB CREEK	OPEN	5/9/2016	1954	35.697417	-88.1535	CONCRETE	TEE BEAM	78
20S80640011	DECATUR	05577	7.67	ROCKY BRANCH	OPEN	5/3/2016	1972	35.684833	-88.138639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
200A3000001	DECATUR	0A013	0.805	RUSHING CREEK	OPEN	5/9/2016	2000	35.539806	-88.155028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.2
200A0160001	DECATUR	0A016	0.713	ARMS CREEK	WEIGHT POSTED	5/9/2016	1972	35.660167	-88.177111	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	67.9
200A0170001	DECATUR	0A017	2.568	ARMS CREEK	OPEN	5/9/2016	1997	35.671333	-88.182139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
200A0180001	DECATUR	0A018	1.501	JOHNSON CREEK	OPEN	5/9/2016	1977	35.648417	-88.163972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
200A0320001	DECATUR	0A032	0.235	SHIPMAN CREEK	OPEN	5/3/2016	1984	35.684917	-88.132056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
200A0320003	DECATUR	0A032	1.814	SHORT AND DIRTY CREEK	OPEN	5/3/2016	1977	35.678528	-88.106111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
200A0380001	DECATUR	0A038	0.743	STORMS CREEK	OPEN	5/9/2016	2006	35.7175	-88.116139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
200A0410001	DECATUR	0A041	1.321	CUB CREEK	OPEN	5/3/2016	1984	35.765833	-88.174917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
200A0460001	DECATUR	0A047	0.275	DRAINAGE DITCH	OPEN	5/3/2016	1984	35.773917	-88.1685	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
200A0460003	DECATUR	0A047	0.326	WILLOW CREEK	OPEN	5/3/2016	1994	35.773917	-88.169389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
200A0540001	DECATUR	0A054	0.966	HORNY HEAD CREEK	OPEN	5/3/2016	1977	35.750444	-88.142278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
200A0590001	DECATUR	0A059	0.658	LITTLE LICK CREEK	OPEN	5/3/2016	1977	35.764028	-88.107333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
200A0600001	DECATUR	0A060	0.694	LITTLE LICK CREEK	OPEN	5/2/2016	2016	35.770222	-88.125278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
200A0620001	DECATUR	0A062	0.409	LITTLE LICK CREEK	OPEN	5/2/2016	1977	35.778111	-88.13925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
200A0700001	DECATUR	0A070	4.138	LICK CREEK	OPEN	5/2/2016	2008	35.803567	-88.124917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
200A0710001	DECATUR	0A071	0.931	LICK CREEK	OPEN	5/5/2016	1988	35.787417	-88.094722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
200A0730001	DECATUR	0A073	0.321	BRANCH	OPEN	5/2/2016	2004	35.801889	-88.103	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
200A0730003	DECATUR	0A073	1.122	BRANCH	OPEN	5/2/2016	2016	35.804889	-88.116083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
200A0910001	DECATUR	0A091	6.008	BRANCH	OPEN	5/4/2016	2004	35.767083	-88.058222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
200A0980001	DECATUR	0A098	0.104	MORGAN CREEK	OPEN	5/4/2016	2016	35.818806	-88.044194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
200A0990001	DECATUR	0A099	0.841	MORGAN CREEK	OPEN	5/4/2016	1983	35.8265	-88.034222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
200A1020001	DECATUR	0A102	3.63	HOG CREEK	OPEN	5/4/2016	1998	35.787472	-88.015667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
200A1040001	DECATUR	0A104	0.6	BRANCH	OPEN	5/3/2016	1970	35.745297	-88.036222	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.5
200A1600001	DECATUR	0A160	0.905	HERRON CREEK	OPEN	5/3/2016	2004	35.628611	-88.101639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.7
200A1690001	DECATUR	0A169	0.705	BRANCH	OPEN	5/3/2016	1990	35.632667	-88.053444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
200A2220003	DECATUR	0A240	1.177	LOST CREEK	WEIGHT POSTED	5/9/2016	1960	35.55575	-88.075389	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	64.9
200A2420001	DECATUR	0A242	2.618	SULFUR SPRING CREEK	OPEN	5/9/2016	1984	35.575194	-88.032417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
200A2550001	DECATUR	0A255	3.009	FISHER CREEK	OPEN	5/9/2016	1977	35.517583	-88.040139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
200A2620001	DECATUR	0A262	1.947	WHITES CREEK	OPEN	5/9/2016	2002	35.501278	-88.072833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
200A2740001	DECATUR	0A274	0.38	SULFUR SPRINGS	OPEN	5/9/2016	1955	35.435472	-88.087056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
200A2750001	DECATUR	0A275	1.339	TURNBO CREEK	OPEN	5/5/2016	2003	35.407139	-88.094583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
200A2890001	DECATUR	0A289	0.393	RUSHING CREEK	OPEN	5/5/2016	1998	35.552833	-88.120667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
200A2930001	DECATUR	0A293	1.4	LITTLE CREEK	OPEN	5/9/2016	1988	35.475194	-88.126361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
200A2950001	DECATUR	0A295	0.833	TURNBO CREEK	WEIGHT POSTED	5/9/2016	1968	35.467972	-88.134861	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	48.7
200A2970001	DECATUR	0A297	0.671	TURNBO CREEK	OPEN	5/9/2016	1993	35.462361	-88.125889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.6
200A2990001	DECATUR	0A299	1.057	TURNBO CREEK	OPEN	5/9/2016	1977	35.483417	-88.148139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
200A3070001	DECATUR	0A307	0.773	STEWMAN CREEK	OPEN	5/9/2016	1992	35.428111	-88.175139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
200A3170001	DECATUR	0A317	1.155	STEWMAN CREEK	WEIGHT POSTED	5/9/2016	1980	35.443167	-88.199139	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	51.2
200A3270001	DECATUR	0A327	0.259	EAST PRONG DOE CREEK	OPEN	5/9/2016	2016	35.463333	-88.241694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
200A3400001	DECATUR	0A340	0.997	RUSHING CREEK	OPEN	5/4/2016	1977	35.521111	-88.164083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
200A3450003	DECATUR	0A345	0.235	BRANCH	OPEN	5/4/2016	1988	35.513167	-88.179917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
200A3450001	DECATUR	0A345	0.567	RUSHING CREEK	OPEN	5/4/2016	1983	35.50835	-88.179236	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
200A3720001	DECATUR	0A372	2.182	PANTHER CREEK	OPEN	5/4/2016	2000	35.588028	-88.200167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99
200A3780001	DECATUR	0A378	0.482	TURKEY CREEK	OPEN	5/4/2016	1983	35.559056	-88.172306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
200A3890001	DECATUR	0A389	0.604	ARMS CREEK	OPEN	5/9/2016	1984	35.626556	-88.168889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
200A3890003	DECATUR	0A389	1.386	JOHNSON CREEK	OPEN	5/9/2016	1984	35.619722	-88.15925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
200A3890005	DECATUR	0A389	1.901	BEAR CREEK	OPEN	5/9/2016	1955	35.619833	-88.15025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
20S80680007	DECATUR	0A511	1.342	PIKES PEAK BRANCH	OPEN	5/3/2016	1960	35.633056	-88.049028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
20I00400002	DECATUR	I0040	0.07	NFA A046	OPEN	4/28/2016	1965	35.816889	-88.178111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68.7
20I00400001	DECATUR	I0040	0.07	NFA A046	OPEN	4/28/2016	1965	35.818889	-88.178056	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	62.7
20SR0200001	DECATUR	SR020	0.86	ARMS CREEK	OPEN	4/28/2016	2011	35.64075	-88.174	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
20SR0200003	DECATUR	SR020	1.46	JOHNSON CREEK	OPEN	4/28/2016	2011	35.642883	-88.163633	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.5
20SR0200005	DECATUR	SR020	2.8	BEAR CREEK	OPEN	4/28/2016	1986	35.648417	-88.140472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
20SR0200007	DECATUR	SR020	2.99	BUCKNER CREEK	OPEN	4/28/2016	1932	35.649028	-88.1375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.8
20SR0200009	DECATUR	SR020	4.99	RAINS CREEK	OPEN	4/28/2016	1930	35.645389	-88.102806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.3
20SR0200011	DECATUR	SR020	8.59	ALLEY BRANCH	OPEN	4/28/2016	1930	35.630667	-88.043028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
20SR0200013	DECATUR	SR020	9.05	TENNESSEE RIVER	OPEN	5/25/2017	1987	35.628133	-88.0352	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.1
20SR0690001	DECATUR	SR069	4.9	STEWAMANS CREEK	WEIGHT POSTED	4/28/2016	1950	35.393031	-88.134619	STEEL	TRUSS - THRU	44.2
20SR0690003	DECATUR	SR069	9.15	TURNBO CREEK	OPEN	4/28/2016	1996	35.440778	-88.10025	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.7
20SR0690025	DECATUR	SR069	13.62	LITTLE LICK CREEK	OPEN	4/28/2016	1998	35.460806	-88.084361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
20SR0690027	DECATUR	SR069	14.01	LITTLE LICK CREEK	OPEN	4/28/2016	1998	35.464111	-88.089972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
20SR0690029	DECATUR	SR069	14.08	LITTLE LICK CREEK	OPEN	4/28/2016	1998	35.464861	-88.091028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
20SR0690023	DECATUR	SR069	20.63	RUSHING CREEK	OPEN	5/2/2016	1989	35.543722	-88.141694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2
20SR0690015	DECATUR	SR069	25.34	BEECH RIVER	OPEN	5/3/2016	1930	35.605556	-88.119	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74
20SR0690017	DECATUR	SR069	33.28	CUB CREEK	OPEN	5/2/2016	1973	35.716056	-88.105639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.4
20SR0690019	DECATUR	SR069	36.34	LITTLE LICK CREEK	OPEN	5/2/2016	1977	35.754444	-88.084444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.5
20SR0690021	DECATUR	SR069	36.56	LICK CREEK	OPEN	5/2/2016	1966	35.756944	-88.082528	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
20I00400005	DECATUR	SR069	42.4	SR 69 / I40	OPEN	5/2/2016	2000	35.840306	-88.085611	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
20SR1000001	DECATUR	SR100	0.43	BRANCH	OPEN	5/4/2016	1930	35.531389	-88.236222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.8
20SR1000003	DECATUR	SR100	0.85	BRANCH	OPEN	5/4/2016	1930	35.534194	-88.229667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.8
20S80680001	DECATUR	SR100	9.61	RUSHING CREEK	OPEN	5/3/2016	1944	35.580111	-88.093306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.7
20S80680003	DECATUR	SR100	10.88	LOST CREEK	OPEN	5/3/2016	1950	35.581583	-88.071472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
20S80680005	DECATUR	SR100	14.36	BEECH RIVER	OPEN	5/3/2016	1974	35.616806	-88.043222	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
20SR1000005	DECATUR	SR100	15.54	PIKES PEAKS BRANCH	OPEN	5/3/2016	1990	35.632	-88.050583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
20SR1140001	DECATUR	SR114	7.3	NORTH FORK STEWMAN CREEK	OPEN	5/4/2016	1958	35.469639	-88.181972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
20SR1140003	DECATUR	SR114	8.29	MURPHY CREEK	OPEN	5/4/2016	1958	35.477278	-88.196806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
200A3000003	DECATUR	SR202	1.35	STEWMAN CREEK	OPEN	5/3/2016	1970	35.418333	-88.158278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.4
20016980003	DECATUR	SR202	11.03	TURKEY CREEK	OPEN	5/2/2016	1986	35.592611	-88.14475	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
20016980001	DECATUR	SR202	13.35	PANTHER CREEK	OPEN	5/4/2016	1950	35.603278	-88.179444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
20017350001	DECATUR	SR202	14.55	BEECH RIVER	OPEN	5/2/2016	1985	35.61725	-88.180972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.1
21011160001	DEKALB	01116	5.63	SINK CREEK	OPEN	11/19/2015	1985	35.871517	-85.83855	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.1
21S44280003	DEKALB	01118	0.89	HICKMAN BRANCH	OPEN	9/14/2015	1972	36.080667	-86.045333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.4
21F00090005	DEKALB	01118	1.16	GOOSE CREEK	OPEN	9/14/2015	1972	36.0786	-86.041267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
21S44280001	DEKALB	01118	6.98	OAKLEY CREEK	OPEN	9/14/2015	1985	36.09435	-85.948883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
21020250001	DEKALB	02025	0.23	GOOSE CREEK	OPEN	8/24/2015	1970	36.068333	-86.054583	CONCRETE CONTINUOUS	TEE BEAM	70.4
21020250003	DEKALB	02025	0.52	GOOSE CREEK	OPEN	8/5/2015	1984	36.070467	-86.051517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
21021480001	DEKALB	02148	2.28	SMITH FORK CREEK	OPEN	8/26/2015	1999	36.070367	-85.929983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
21021480003	DEKALB	02148	3.9	DRY BRANCH	OPEN	8/5/2015	1975	36.063517	-85.955817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
21021490001	DEKALB	02149	5.205	DRY CREEK	OPEN	8/10/2015	2011	35.943233	-85.907167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.8
21021910001	DEKALB	02191	2.06	PINE CREEK	OPEN	8/11/2015	1984	35.91515	-85.84025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
21021950005	DEKALB	02195	0.84	SMALL BRANCH	OPEN	8/4/2015	1992	35.955617	-85.911433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
21021950001	DEKALB	02195	2.36	EGYPT HOLLOW BRANCH	OPEN	8/4/2015	1970	35.975033	-85.919233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
21021950003	DEKALB	02195	3.12	BRANCH	OPEN	8/4/2015	1970	35.984717	-85.917517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
210A0610001	DEKALB	0A012	2.107	HELTON CREEK	OPEN	10/6/2015	2011	35.943283	-85.907133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	83.6
210A0500001	DEKALB	0A013	4.183	SMITH FORK CREEK	OPEN	11/12/2015	2007	36.034667	-85.938417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.8
210A0580001	DEKALB	0A016	0.008	DISMAL BRANCH	OPEN	8/5/2015	1984	36.034817	-85.9674	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
210A0180001	DEKALB	0A018	0.087	DISMAL BRANCH	OPEN	8/5/2015	1987	36.0347	-85.956267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
210A0630001	DEKALB	0A020	4.433	HELTON CREEK	OPEN	9/3/2015	1934	36.063633	-85.94815	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.2
210A0480001	DEKALB	0A021	4.285	HANNAH BRANCH	OPEN	11/5/2015	1970	36.054133	-85.921683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
210A0280001	DEKALB	0A028	1.175	SMITH FORK CREEK	OPEN	11/12/2015	1988	36.0082	-85.961983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
210A0280003	DEKALB	0A028	2.665	BARGER HOLLOW BRANCH	OPEN	9/9/2015	1986	36.0148	-85.946	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
210A0510003	DEKALB	0A028	2.937	DRY CREEK	OPEN	9/22/2015	1980	36.015117	-85.941567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.2
210A3730001	DEKALB	0A052	1.635	LONG BRANCH	OPEN	9/17/2015	1993	36.094083	-85.848683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
210A3200001	DEKALB	0A054	0.11	CLEAR FORK CREEK	OPEN	9/22/2015	1985	35.953617	-85.995733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.4
210A0770001	DEKALB	0A095	3.706	HOLMES CREEK	OPEN	9/1/2015	1950	35.992533	-85.827217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.4
210A0810001	DEKALB	0A095	6.06	FALL CREEK	CLOSED	9/1/2015	1940	35.96425	-85.812917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
210A1190001	DEKALB	0A119	0.008	SMALL BRANCH	OPEN	9/9/2015	1990	35.998317	-85.843067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
210A1240001	DEKALB	0A200	0.386	FALL CREEK	OPEN	9/8/2015	1978	35.95995	-85.8229	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
210A1630001	DEKALB	0A214	1.47	FALL CREEK	OPEN	9/2/2015	1945	35.94315	-85.780983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.7
210A1670001	DEKALB	0A219	1.629	PINE CREEK	WEIGHT POSTED	11/24/2015	1945	35.907883	-85.771583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.1
210A1710001	DEKALB	0A227	3.035	PINE CREEK	OPEN	11/4/2015	1984	35.9049	-85.783933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
210A1900001	DEKALB	0A237	1.211	SINK CREEK	OPEN	11/23/2015	1991	35.256833	-85.719217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94
210A2030001	DEKALB	0A254	1.368	SINK CREEK	OPEN	11/4/2015	1986	35.87225	-85.771233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
210A2180001	DEKALB	0A263	1.449	SINK CREEK	OPEN	8/11/2015	1993	35.86405	-85.785467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
210A2660001	DEKALB	0A266	0.041	SINK CREEK	OPEN	8/11/2015	1987	35.865167	-85.7717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
210A2770001	DEKALB	0A277	0.972	CANEY BRANCH	OPEN	11/4/2015	1984	35.875233	-85.689033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
210A2280001	DEKALB	0A282	0.819	SINK CREEK	WEIGHT POSTED	8/10/2015	1950	35.857433	-85.824317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.3
210A2280003	DEKALB	0A282	0.843	WARREN COUNTY BRANCH	WEIGHT POSTED	8/10/2015	1960	35.856733	-85.707333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.3
210A2250001	DEKALB	0A285	1.693	SINK CREEK	OPEN	10/7/2015	1987	35.863617	-85.82175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
210A2290001	DEKALB	0A288	0.941	SINK CREEK	OPEN	10/7/2015	1984	35.863417	-85.835583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
210A2390001	DEKALB	0A293	0.112	SINK CREEK	OPEN	11/4/2015	1977	35.850017	-85.871083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.5
210A2380001	DEKALB	0A299	0.784	SINK CREEK	CLOSED	11/4/2015	1970	35.851267	-85.8662	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	37
210A3010001	DEKALB	0A301	1.127	SINK CREEK	OPEN	11/4/2015	1984	35.869733	-85.852183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
210A2920001	DEKALB	0A320	0	DRY CREEK	WEIGHT POSTED	10/13/2015	1970	35.942817	-85.905417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30
210A2610001	DEKALB	0A321	1.175	DRY CREEK	WEIGHT POSTED	10/13/2015	1950	35.927717	-85.917233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
210A3230001	DEKALB	0A323	0.019	SMITH FORK CREEK	OPEN	11/12/2015	1985	35.99285	-86.026733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.8
210A2990001	DEKALB	0A327	0	DRY CREEK	OPEN	11/17/2015	1985	35.964633	-85.9176	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.6
210A2840001	DEKALB	0A329	1.083	EGYPT HOLLOW BRANCH	WEIGHT POSTED	11/16/2015	1960	35.969867	-85.90125	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.4
210A3300003	DEKALB	0A330	3.405	BRANCH	OPEN	10/5/2015	1999	36.00455	-85.926883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
210A2780003	DEKALB	0A330	3.648	DRY CREEK	WEIGHT POSTED	10/12/2015	1922	36.000667	-85.930483	CONCRETE	ARCH - DECK	25.7
210A3330001	DEKALB	0A333	1.88	BRANCH	OPEN	10/8/2015	1986	36.0514	-86.03095	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	75.8
210A2940001	DEKALB	0A340	0.008	DRY CREEK	OPEN	10/13/2015	1985	35.993	-85.929817	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.7
210A3130001	DEKALB	0A346	0.224	CLEAR FORK CREEK	OPEN	9/23/2015	1986	35.97325	-85.986083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.4
210A3120001	DEKALB	0A347	0.013	CLEAR FORK CREEK	OPEN	10/1/2015	1985	35.987933	-85.981367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
210A3320001	DEKALB	0A368	0.592	HELTON CREEK	OPEN	9/14/2015	2007	36.056183	-86.024617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
210A3810001	DEKALB	0A381	0.364	BRANCH	OPEN	10/8/2015	1972	36.0768	-86.040133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
210A4090001	DEKALB	0A417	0.042	BARGER HOLLOW BRANCH	OPEN	10/5/2015	1994	36.015617	-85.947017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
210A4240001	DEKALB	0A424	0.11	BRAGER HOLLOW BRANCH	OPEN	10/5/2015	1980	36.0105	-85.944817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
210A2720001	DEKALB	0A432	1.758	FALL CREEK	OPEN	9/15/2015	1989	35.960267	-85.823783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
210A2740001	DEKALB	0A455	0.255	FALL CREEK	OPEN	9/17/2015	1960	35.960567	-85.83945	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
210A2710001	DEKALB	0A472	0.7	FALL CREEK	OPEN	9/3/2015	1975	35.958167	-85.827667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
21SR0530007	DEKALB	0A548	0.944	HICKMAN CREEK	OPEN	10/6/2015	1951	36.07865	-86.03315	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.2
21SR0260017	DEKALB	0A555	0.361	SR 26	CLOSED	8/24/2015	1951	35.95765	-85.815217	CONCRETE	TEE BEAM	27.7
21SR0260001	DEKALB	SR026	1.1	GOOSE CREEK	OPEN	8/25/2015	1953	36.075	-86.043333	CONCRETE	TEE BEAM	67.3
21SR0260003	DEKALB	SR026	2.99	HELTON CREEK	OPEN	8/18/2015	1953	36.055	-86.021667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
21SR0260005	DEKALB	SR026	6	BRANCH	OPEN	8/13/2015	1953	36.015	-86.003333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
21SR0260023	DEKALB	SR026	7.3	BRANCH	OPEN	8/12/2015	1951	35.956667	-85.805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
21SR0260007	DEKALB	SR026	8.42	SMITH FORK CREEK	OPEN	8/25/2015	2004	36.008333	-85.968333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.4
21SR0260009	DEKALB	SR026	9.71	BRANCH	OPEN	8/13/2015	1953	36.013333	-85.946667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
21SR0260011	DEKALB	SR026	10.6	OVERFLOW OF DRY CREEK	OPEN	8/19/2015	2004	36.008333	-85.931667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
21SR0260013	DEKALB	SR026	10.69	DRY CREEK	OPEN	8/20/2015	2004	36.008333	-85.931667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.4
21SR0260015	DEKALB	SR026	17.79	FALL CREEK	OPEN	8/12/2015	1951	35.958333	-85.828333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76
21SR0260019	DEKALB	SR026	18.99	FALL CREEK	OPEN	8/12/2015	1951	35.956667	-85.805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
21SR0260021	DEKALB	SR026	24.58	CANEY FORK RV&NFA A199	OPEN	11/2/2015	2015	35.965	-85.718333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
21SR0530001	DEKALB	SR053	0.01	SYCAMORE CREEK	OPEN	9/29/2015	1947	35.951667	-85.996667	CONCRETE	TEE BEAM	77.3
21SR0530003	DEKALB	SR053	1.8	GREEN HILL BRANCH	OPEN	8/12/2015	1948	35.976667	-85.988333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
21SR0530005	DEKALB	SR053	3.59	SMITH FORK CREEK	OPEN	9/28/2015	1948	36.001667	-85.98	CONCRETE	TEE BEAM	59.9
21SR0560001	DEKALB	SR056	0.49	SINK CREEK	OPEN	9/29/2015	1954	35.856667	-85.798333	CONCRETE	TEE BEAM	65.6
21SR0560019	DEKALB	SR056	3.68	CAPPY SPRINGS BRANCH	OPEN	8/11/2015	1975	35.9	-85.811667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
21SR0560003	DEKALB	SR056	4.42	PINE CREEK	OPEN	8/26/2015	1966	35.908333	-85.818333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	55.1
21SR0560005	DEKALB	SR056	8.16	FALL CREEK	OPEN	9/17/2015	1971	35.961667	-85.81	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
21SR0560007	DEKALB	SR056	15.4	CANEY FORK RIVER	OPEN	10/21/2015	1949	36.028333	-85.741667	STEEL CONTINUOUS	TRUSS - DECK	79.3
21SR0960001	DEKALB	SR096	0.16	BRANCH	OPEN	6/27/2017	1982	35.99975	-86.024517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
21SR0960003	DEKALB	SR096	1.3	JORDAN BRANCH	OPEN	6/27/2017	1982	36.01125	-86.00985	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
21SR0960005	DEKALB	SR096	1.66	JORDAN BRANCH	OPEN	6/27/2017	1982	36.01365	-86.004033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
21SR0960007	DEKALB	SR096	1.69	BRANCH	OPEN	6/27/2017	1982	36.013817	-86.0034	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
21SR0960009	DEKALB	SR096	13.64	WOLF CREEK	OPEN	7/13/2015	1970	36.104617	-85.819833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
21SR1410001	DEKALB	SR141	1.75	LONG BRANCH	OPEN	6/28/2017	1975	36.100517	-85.845183	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.3
21SR1410005	DEKALB	SR141	3.22	WOLF CREEK	OPEN	7/14/2015	1946	36.101667	-85.815	CONCRETE	TEE BEAM	62.4
21SR1410013	DEKALB	SR141	3.4	BRANCH	OPEN	6/28/2017	1950	36.10185	-85.811683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
21SR1410007	DEKALB	SR141	3.45	BRANCH	OPEN	6/28/2017	1946	36.1016	-85.810967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
21SR1410009	DEKALB	SR141	4.45	WOLF CREEK	OPEN	6/28/2017	1946	36.09335	-85.796517	CONCRETE	TEE BEAM	66.5
21SR1410011	DEKALB	SR141	4.83	WOLF CREEK	OPEN	8/18/2015	1946	36.09	-85.791667	CONCRETE	TEE BEAM	64.5
21SR1460001	DEKALB	SR146	4.68	PINE CREEK	OPEN	8/12/2015	1947	35.921667	-85.856667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
21F00100007	DEKALB	SR264	1.48	BRANCH	OPEN	9/3/2015	1940	36.061667	-85.9	CONCRETE CONTINUOUS	SLAB	73.2
21F00100009	DEKALB	SR264	1.94	REYNOLDS BRANCH	OPEN	9/21/2015	2007	36.070283	-85.900683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
21S44281003	DEKALB	SR264	3.27	SMITH FORK CREEK	OPEN	9/28/2015	1987	36.085	-85.908333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.7
21S44281001	DEKALB	SR264	3.92	WALKER CREEK	OPEN	9/21/2015	1987	36.091667	-85.916667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
21S43990001	DEKALB	SR288	4.89	SINK CREEK	OPEN	9/28/2015	1978	35.88	-85.75	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.4
22003890001	DICKSON	00839	2.1	JOHNSON CREEK	OPEN	8/3/2016	1984	36.281667	-87.241867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
22009540003	DICKSON	00954	0.89	BRANCH	OPEN	7/15/2016	1996	36.0576	-87.26545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90
22009540005	DICKSON	00954	1.04	BRANCH	OPEN	7/15/2016	1996	36.055917	-87.26335	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
22009540001	DICKSON	00954	1.31	BEAVERDAM CREEK	OPEN	7/15/2016	1996	36.052983	-87.261417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.8
22S61480011	DICKSON	00957	0.6	NAILS BRANCH	OPEN	8/11/2016	1949	35.963967	-87.21425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
22S61480009	DICKSON	00957	0.85	BARREN FORK CREEK	OPEN	8/11/2016	1949	35.964667	-87.219217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.3
22S61480007	DICKSON	00957	2.76	PARKER CREEK	OPEN	8/11/2016	1949	35.988717	-87.23335	CONCRETE	TEE BEAM	72.1
22S61480005	DICKSON	00957	3.97	GOLSLIN BRANCH	OPEN	8/15/2016	1975	36.004183	-87.237983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
22I00400015	DICKSON	00957	5.17	SPENCER'S MILL RD / I40	OPEN	6/6/2016	1963	36.017533	-87.241933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.6
22009570013	DICKSON	00957	5.33	NAILS CREEK	OPEN	8/18/2016	1949	36.020083	-87.240817	CONCRETE	TEE BEAM	65.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
22S61480001	DICKSON	00957	5.85	BRANCH	OPEN	8/18/2016	1949	36.02455	-87.246667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
22009570017	DICKSON	00957	8.28	GENTRY BRANCH	OPEN	8/18/2016	1960	36.041117	-87.280167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.4
22S61430001	DICKSON	00965	0.33	GARNERS CREEK	OPEN	8/23/2016	1957	35.995617	-87.51595	CONCRETE	TEE BEAM	66.1
22S61430003	DICKSON	00965	1.01	BRANCH	OPEN	8/23/2016	1950	36.00535	-87.518383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
22S62750001	DICKSON	00967	1.27	BIG BARTONS CREEK	OPEN	7/14/2016	1997	36.2166	-87.3623	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.3
22S62750003	DICKSON	00967	4.43	BIG BARTONS CREEK	OPEN	7/18/2016	1934	36.25045	-87.333533	CONCRETE	TEE BEAM	55.4
22S62750005	DICKSON	00967	5.12	BRANCH	OPEN	7/18/2016	1930	36.259617	-87.330233	CONCRETE	ARCH - DECK	64.9
22S62740003	DICKSON	00967	7.16	BRANCH	OPEN	7/18/2016	1948	36.2779	-87.316967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	68.5
22S62740001	DICKSON	00967	10.31	JOHNSON CREEK	OPEN	8/3/2016	1967	36.265417	-87.267117	CONCRETE	TEE BEAM	68.5
22017980001	DICKSON	01798	1.3	BRANCH	OPEN	8/23/2016	1936	36.007467	-87.522967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
22018430001	DICKSON	01843	2.29	BEAVER DAM CREEK	OPEN	8/17/2016	1940	36.041217	-87.312933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.3
22018470001	DICKSON	01847	2.04	BEAVER DAM CREEK	OPEN	8/2/2016	1968	36.062867	-87.221233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
22018470003	DICKSON	01847	2.51	FIVE MILE CREEK	OPEN	8/2/2016	1968	36.0677	-87.221367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
22018490001	DICKSON	01849	1.96	LITTLE JONES CREEK	OPEN	8/10/2016	1960	36.13425	-87.325883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	72.1
22018490003	DICKSON	01849	4.16	JONES CREEK	OPEN	7/19/2016	1955	36.103967	-87.3177	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	60.2
22018510001	DICKSON	01851	0.82	BRANCH OF YELLOW CREEK	OPEN	8/16/2016	2003	36.105167	-87.510833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
22SR8400013	DICKSON	01852	0.7	HICKMAN RD. / I-840	OPEN	6/24/2016	2004	35.9662	-87.23085	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
22S62750007	DICKSON	01853	0.01	BRANCH	OPEN	7/18/2016	1973	36.279617	-87.318733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
22S61470001	DICKSON	01854	3.4	WILEY BRANCH	OPEN	8/22/2016	1975	36.015717	-87.492967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
22S61470003	DICKSON	01854	4.21	EAST FORK PINEY RIVER	OPEN	8/22/2016	1960	36.025883	-87.40995	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.7
22S61470005	DICKSON	01854	5.06	EAST FORK PINEY RIVER	OPEN	8/22/2016	1970	36.032883	-87.401117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
22S61470007	DICKSON	01854	6.42	EAST FORK PINEY RIVER	OPEN	8/22/2016	1973	36.0521	-87.39755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
22S63700001	DICKSON	01855	2.62	SULLIVAN BRANCH	OPEN	7/6/2016	1969	36.328383	-87.4833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
22S63700003	DICKSON	01855	2.87	BRANCH	OPEN	7/6/2016	1956	36.330983	-87.48675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
22018580001	DICKSON	01858	0.19	GARNER CREEK	OPEN	8/23/2016	1938	36.022617	-87.520133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.1
22018580003	DICKSON	01858	4.24	WEST PINEY RIVER	OPEN	8/24/2016	1987	36.0445	-87.462133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.7
22018600001	DICKSON	01860	1.2	JONES CREEK	OPEN	7/19/2016	1977	36.090483	-87.3643	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.2
22018600005	DICKSON	01860	2.85	SPICER BRANCH	OPEN	7/19/2016	1989	36.10215	-87.3396	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.8
22S62730003	DICKSON	01860	5.94	JONES CREEK	OPEN	7/19/2016	1978	36.114	-87.294483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
22018640001	DICKSON	01864	2.53	JONES CREEK	OPEN	8/12/2016	1984	36.156433	-87.280883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.3
22018680003	DICKSON	01868	0.06	YELLOW CREEK	OPEN	7/13/2016	1993	36.182267	-87.519833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
22018680001	DICKSON	01868	0.11	BRANCH	OPEN	7/13/2016	1975	36.182583	-87.518283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
22S63210001	DICKSON	01872	2.23	BRANCH	OPEN	7/7/2016	1981	36.290567	-87.443767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
22S63210003	DICKSON	01872	4.1	BRANCH	OPEN	7/7/2016	1981	36.299733	-87.412933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.8
22S63210005	DICKSON	01872	5.66	LITTLE BARTONS CREEK	OPEN	7/7/2016	1961	36.307267	-87.388067	CONCRETE	TEE BEAM	79.7
22M31500001	DICKSON	03150	0.84	BRANCH	OPEN	8/25/2016	1948	36.084467	-87.381483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
220A0630001	DICKSON	0A001	2.704	LEATHERWOOD CREEK	OPEN	7/5/2016	1960	36.285883	-87.495417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
220A0630003	DICKSON	0A001	2.782	TURKEY BRANCH	OPEN	7/5/2016	1959	36.286117	-87.49415	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
220A0770001	DICKSON	0A012	2.499	TURKEY BRANCH	OPEN	7/6/2016	1955	36.3263	-87.4883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
220A0630005	DICKSON	0A017	0.471	BRANCH	OPEN	7/6/2016	1945	36.292183	-87.46155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
220A0630007	DICKSON	0A017	1.177	BRANCH	OPEN	7/6/2016	1981	36.291317	-87.449383	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.4
220A0670001	DICKSON	0A023	1.997	LEATHERWOOD CREEK	OPEN	7/5/2016	1970	36.279	-87.490417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.5
220A0320001	DICKSON	0A032	0.337	STONE BRANCH	OPEN	7/7/2016	1986	36.303083	-87.417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86
220A0430001	DICKSON	0A045	0.459	BIG HORSE BRANCH	OPEN	7/14/2016	2000	36.280417	-87.375517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
220A0450001	DICKSON	0A045	3.029	BRANCH	OPEN	7/8/2016	1992	36.29745	-87.4054	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94
220A1000001	DICKSON	0A045	3.24	WOODS VALLEY BRANCH	OPEN	7/8/2016	1995	36.298417	-87.402383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
220A1000003	DICKSON	0A045	3.441	LITTLE BARTONS CREEK	WEIGHT POSTED	7/8/2016	1965	36.30085	-87.408533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.4
220A0480001	DICKSON	0A048	0.24	LITTLE BARTONS CREEK	OPEN	7/8/2016	2004	36.2761	-87.343017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	100
220A1050001	DICKSON	0A049	0.615	FURNACE CREEK	OPEN	7/8/2016	1991	36.267383	-87.35885	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.9
220A1050003	DICKSON	0A049	0.664	BRANCH	OPEN	7/8/2016	1950	36.266367	-87.3581	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.8
220A1030001	DICKSON	0A051	1.02	BRANCH	OPEN	7/20/2016	1993	36.29765	-87.356717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
220A0590007	DICKSON	0A059	1.966	BEAR CREEK	OPEN	7/11/2016	1987	36.236933	-87.498517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
220A0590005	DICKSON	0A059	2.35	BEAR CREEK	OPEN	7/11/2016	1987	36.235067	-87.49315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
220A0590003	DICKSON	0A059	2.618	BEAR CREEK	OPEN	7/11/2016	1983	36.234133	-87.488467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
220A0590001	DICKSON	0A059	2.997	BEAR CREEK	OPEN	7/11/2016	1989	36.235317	-87.481833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
220A1470001	DICKSON	0A063	0.072	BIG BARTONS CREEK	OPEN	7/18/2016	2011	36.27755	-87.327783	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
220A1470003	DICKSON	0A063	2.408	BIG HORSE CREEK	OPEN	7/20/2016	1995	36.2985	-87.337233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
220A1430001	DICKSON	0A064	0.006	BIG HORSE CREEK	OPEN	7/20/2016	1940	36.29405	-87.3436	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.1
220A1430003	DICKSON	0A064	0.11	BRANCH	OPEN	7/20/2016	1940	36.2956	-87.34435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
220A1440001	DICKSON	0A067	0.8	FURNACE CREEK	OPEN	7/20/2016	2001	36.2761	-87.343017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.8
220A1440003	DICKSON	0A067	1.18	FURNACE CREEK	OPEN	7/20/2016	1999	36.2785	-87.337617	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98
220A0740001	DICKSON	0A074	1.366	LEATHERWOOD CREEK	OPEN	7/5/2016	1950	36.2894	-87.500333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.8
220A1120001	DICKSON	0A078	0.088	FURNACE CREEK	OPEN	7/14/2016	1989	36.2567	-87.374667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
220A1120003	DICKSON	0A079	4.193	FURNACE CREEK	OPEN	7/14/2016	1981	36.25335	-87.380183	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.9
220A0930001	DICKSON	0A093	2.329	BRANCH	OPEN	8/3/2016	1995	36.29795	-87.285467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
220A1110001	DICKSON	0A111	3.636	JOHNSON CREEK	OPEN	8/8/2016	2000	36.25695	-87.269683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
220A2100001	DICKSON	0A113	2.005	JOHNSON CREEK	OPEN	8/8/2016	1950	36.229383	-87.282117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
220A1140001	DICKSON	0A114	1.469	JOHNSON CREEK	OPEN	8/8/2016	2000	36.248983	-87.2702	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
220A1140005	DICKSON	0A114	1.879	JOHNSON CREEK	OPEN	8/8/2016	2000	36.25465	-87.269483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
220A1180001	DICKSON	0A118	0.207	BRANCH	OPEN	8/1/2016	2004	36.19635	-87.180267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
220A1190001	DICKSON	0A119	0.31	JOHNSON CREEK	OPEN	8/8/2016	2000	36.228133	-87.2873	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
220A1970001	DICKSON	0A122	0.041	JOHNSON CREEK	OPEN	8/8/2016	1986	36.233367	-87.276517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
220A1970003	DICKSON	0A122	0.579	JOHNSON CREEK	OPEN	8/8/2016	1975	36.2405	-87.2726	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
220A1400001	DICKSON	0A140	0.497	BUCK BRANCH	OPEN	8/3/2016	1993	36.307067	-87.215467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
220A1750003	DICKSON	0A140	1.32	BUCK BRANCH	OPEN	8/3/2016	1960	36.29755	-87.2072	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.9
220A1850001	DICKSON	0A153	1.131	BRANCH	OPEN	8/3/2016	1984	36.270917	-87.160833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
220A1660001	DICKSON	0A166	1.23	STILLHOUSE BRANCH	OPEN	8/9/2016	2003	36.190133	-87.26655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
220A1660003	DICKSON	0A166	1.439	BRANCH	OPEN	8/9/2016	2003	36.190533	-87.26285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
220A2280001	DICKSON	0A168	0.285	HAW CREEK	OPEN	8/9/2016	1970	36.17845	-87.306617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
220A2280003	DICKSON	0A168	1.797	WILLIAMS BRANCH	OPEN	8/9/2016	1960	36.179333	-87.2795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
220A2280005	DICKSON	0A168	2.136	JONES CREEK	OPEN	8/9/2016	1970	36.178967	-87.274533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
220A2480001	DICKSON	0A177	0.07	TOWN BRANCH	OPEN	8/31/2016	1970	36.177783	-87.33635	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77
220A0310001	DICKSON	0A189	2.072	DODD BRANCH	OPEN	7/13/2016	1940	36.134417	-87.517333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
220A1920001	DICKSON	0A192	6.63	LITTLE JONES CREEK	OPEN	7/21/2016	1998	36.13005	-87.406433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
220A2730001	DICKSON	0A201	1.098	OAKLEY BRANCH	OPEN	8/1/2016	1990	36.180717	-87.16835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.5
220A2730003	DICKSON	0A201	2.831	BRANCH	OPEN	8/1/2016	2003	36.19765	-87.1776	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
220A2310001	DICKSON	0A206	0.035	LITTLE JONES CREEK	OPEN	8/10/2016	1960	36.1311	-87.336483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
220A2060003	DICKSON	0A206	2.28	SULPHUR FORK BRANCH	OPEN	8/10/2016	1998	36.16145	-87.352133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
220A1260001	DICKSON	0A224	2.604	LITTLE JONES CREEK	OPEN	7/21/2016	1960	36.1308	-87.392267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
220A1270005	DICKSON	0A224	3.917	BRANCH	OPEN	7/21/2016	1960	36.132583	-87.378133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
220A1270003	DICKSON	0A224	4.109	LITTLE JONES CREEK	OPEN	7/21/2016	1986	36.13015	-87.377167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.1
220A1270001	DICKSON	0A224	4.641	WALKER BRANCH	OPEN	7/21/2016	1994	36.122717	-87.379033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
220A2280007	DICKSON	0A228	1.76	JOSLIN BRANCH	OPEN	8/12/2016	2007	36.133367	-87.278133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
22MBSP10001	DICKSON	0A236	0.142	BRANCH (MBSP)	OPEN	6/27/2016	1990	36.100467	-87.283583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
220A3400001	DICKSON	0A237	0.084	BRANCH (MBSP)	OPEN	6/27/2016	1935	36.1135	-87.28425	CONCRETE	CHANNEL BEAM	50.5
220A3440001	DICKSON	0A237	0.469	BRANCH (MBSP)	OPEN	6/27/2016	2006	36.09415	-87.286683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	55
220A3400003	DICKSON	0A241	1.944	CSX RAILROAD (MBSP)	OPEN	6/27/2016	2010	36.0783	-87.264983	STEEL	TRUSS - THRU	86.1
220A2500001	DICKSON	0A250	1.45	BRANCH	OPEN	8/2/2016	1970	36.06305	-87.22745	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
220A0910001	DICKSON	0A258	0.007	LITTLE BARTONS CREEK	OPEN	7/7/2016	1972	36.285683	-87.446533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.9
220A2630003	DICKSON	0A263	0	BRANCH	OPEN	7/15/2016	1996	36.05285	-87.2618	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.8
220A2630001	DICKSON	0A263	0.898	BEAVERDAM CREEK	OPEN	7/15/2016	1979	36.047233	-87.275033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.8
220A2680001	DICKSON	0A268	0.13	NAILS CREEK	OPEN	8/18/2016	1961	36.029483	-87.213733	CONCRETE CONTINUOUS	TEE BEAM	76.2
22I00400017	DICKSON	0A268	0.18	DEAL RD. / I40	OPEN	6/7/2016	1963	36.02825	-87.21315	CONCRETE CONTINUOUS	TEE BEAM	61.3
220A4250001	DICKSON	0A273	0.131	NAILS CREEK	OPEN	8/18/2016	1961	36.0192	-87.244283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.2
220A3920001	DICKSON	0A274	0.878	BIG TURNBULL CREEK	OPEN	8/15/2016	2010	36.00435	-87.22015	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88
220A2780001	DICKSON	0A278	0.546	LITTLE TURNBULL CREEK	WEIGHT POSTED	8/11/2016	1955	36.014133	-87.197233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.9
220A2920001	DICKSON	0A292	0.808	TURNBILL CREEK	OPEN	8/11/2016	1986	35.988167	-87.21645	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
22SR8400011	DICKSON	0A302	0.5	PARKER CR. ROAD / I-840	OPEN	6/24/2016	2004	35.9781	-87.2356	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
220A3020001	DICKSON	0A302	1	PARKER CREEK	OPEN	8/11/2016	1990	35.979467	-87.24295	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
220A3100001	DICKSON	0A310	0.522	PARKER CREEK	OPEN	8/17/2016	2004	35.9678	-87.275467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
220A3150005	DICKSON	0A315	2.83	BRANCH	OPEN	8/15/2016	1994	36.0106	-87.276617	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.1
220A3150003	DICKSON	0A315	2.832	NAILS CREEK	OPEN	8/15/2016	1994	36.011133	-87.276667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
22I00400011	DICKSON	0A315	4.217	HOGAN RD / I40 RL	OPEN	6/7/2016	1962	36.023417	-87.294217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.5
22I00400012	DICKSON	0A315	4.265	HOGAN RD. / I40 LL	OPEN	6/7/2016	1962	36.024133	-87.29445	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.4
220A3150001	DICKSON	0A315	5.551	BEAVER DAM CREEK	OPEN	8/15/2016	2002	36.0387	-87.304867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.2
220A3190003	DICKSON	0A319	1.99	NAILS CREEK	OPEN	8/17/2016	1997	36.0065	-87.299917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
220A3190001	DICKSON	0A319	2.546	HALEY BRANCH	OPEN	8/17/2016	1986	36.011017	-87.294867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
22SR8400003	DICKSON	0A330	0.75	PORTER ROAD / I-840	OPEN	6/23/2016	2004	36.001467	-87.2522	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
220A4580001	DICKSON	0A338	4.166	TURKEY CREEK	OPEN	8/4/2016	1960	36.003583	-87.374067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
220A3380003	DICKSON	0A338	6.1	TURKEY CREEK	OPEN	8/4/2016	1996	36.015633	-87.35825	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96
220A3490001	DICKSON	0A349	0.88	TURKEY CREEK	OPEN	8/4/2016	2007	35.987267	-87.41905	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	100
220A3550001	DICKSON	0A355	2.073	DOUBLE BRANCH	OPEN	8/4/2016	2004	35.9899	-87.431783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
220A4710001	DICKSON	0A356	2.279	EAST PINEY RIVER	OPEN	8/24/2016	1938	36.010633	-87.438883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.2
220A4560001	DICKSON	0A357	0.017	DOUBLE BRANCH	OPEN	8/4/2016	1957	35.9904	-87.430133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
220A3580001	DICKSON	0A358	1.14	LITTLE JONES CREEK	OPEN	8/12/2016	2007	36.130083	-87.306117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98
220A3610001	DICKSON	0A361	0.199	BRANCH	OPEN	8/24/2016	1938	36.022783	-87.450583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.7
220A4530001	DICKSON	0A376	0.014	WILLOW BRANCH	OPEN	8/25/2016	1960	36.053517	-87.38475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
220A4530003	DICKSON	0A376	1.254	GRAB CREEK	OPEN	8/25/2016	2013	36.039183	-87.382033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.9
220A5280001	DICKSON	0A386	0.01	GARNER CREEK	OPEN	8/16/2016	1950	36.0636	-87.5265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
220A0090001	DICKSON	0A389	3.732	GARNER CREEK	OPEN	8/16/2016	1950	36.079517	-87.500083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
220A3950001	DICKSON	0A395	0.253	BRANCH	OPEN	8/23/2016	1950	35.992733	-87.510517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
220A5010001	DICKSON	0A403	2.023	COON CREEK	OPEN	8/30/2016	1940	36.057933	-87.4734	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
220A5050001	DICKSON	0A405	2.467	WEST PINEY RIVER	OPEN	8/30/2016	1981	36.060633	-87.45575	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
220A4070001	DICKSON	0A407	0.03	COON CREEK	OPEN	8/30/2016	1997	36.051033	-87.466083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
220A4140001	DICKSON	0A414	0.081	GARNERS CREEK	OPEN	8/16/2016	2000	36.077483	-87.522167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
220A5060001	DICKSON	0A415	1.8	WORLEY FURNACE BRANCH	OPEN	8/30/2016	1960	36.066083	-87.454633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
220A5090003	DICKSON	0A417	1.941	WORLEY FURNACE BRANCH	OPEN	8/30/2016	1970	36.07245	-87.433233	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
220A4170003	DICKSON	0A417	2.95	WORLEY FURNACE BR.	OPEN	8/30/2016	1996	36.067667	-87.448917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
220A4190001	DICKSON	0A419	0.38	BAKER BRANCH	OPEN	8/30/2016	1997	36.056883	-87.449383	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
220A4290001	DICKSON	0A429	0.491	FANNIE BRANCH	OPEN	7/13/2016	2004	36.11125	-87.46795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
220A4290003	DICKSON	0A429	0.84	YELLOW CREEK	OPEN	7/13/2016	2009	36.115717	-87.47045	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
220A0200001	DICKSON	0A431	0.778	BRANCH	OPEN	7/13/2016	1960	36.1216	-87.457083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
220A4330003	DICKSON	0A433	0.682	BRANCH	OPEN	7/12/2016	1992	36.155717	-87.493633	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.4
220A4330001	DICKSON	0A433	8.516	SULPHUR CREEK	OPEN	7/14/2016	1993	36.163783	-87.372383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
220A0190001	DICKSON	0A434	0.288	YELLOW CREEK	OPEN	7/13/2016	1984	36.115533	-87.47765	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9
220A0410001	DICKSON	0A444	1.071	BALTHROP BRANCH	OPEN	7/13/2016	1987	36.199083	-87.548533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
220A0280001	DICKSON	0A448	1.287	EAST FORK YELLOW CREEK	OPEN	7/11/2016	1979	36.169233	-87.469367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.7
220A0280003	DICKSON	0A448	4.493	CEDAR CREEK	OPEN	7/11/2016	1985	36.2095	-87.4684	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
220A1280001	DICKSON	0A454	0.016	SULPUR FORK CREEK	OPEN	7/14/2016	1950	36.161517	-87.3586	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
220A1240001	DICKSON	0A463	3.196	BIG BARTONS CREEK	OPEN	7/14/2016	1970	36.197833	-87.38655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
220A0470009	DICKSON	0A471	3.874	CEDAR CREEK	OPEN	7/12/2016	1975	36.21245	-87.502117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
220A0470007	DICKSON	0A471	4.224	CEDAR CREEK	OPEN	7/12/2016	1996	36.210417	-87.507167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
220A0470005	DICKSON	0A471	4.504	CEDAR CREEK	OPEN	7/12/2016	1998	36.210367	-87.511767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.7
220A0470003	DICKSON	0A471	4.732	CEDAR CREEK	OPEN	7/12/2016	1960	36.208167	-87.514917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
220A0470001	DICKSON	0A471	5.544	YELLOW CREEK	OPEN	7/12/2016	1992	36.20845	-87.529283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
220A0530001	DICKSON	0A473	0.05	CEDAR CREEK	OPEN	7/12/2016	1984	36.207367	-87.516917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
220A5240001	DICKSON	0A524	1.265	FIVE MILE CREEK	OPEN	8/2/2016	2004	36.0889	-87.235933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
220A5240003	DICKSON	0A524	1.393	FIVE MILE CREEK	OPEN	8/2/2016	2004	36.090633	-87.236033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
220A2910001	DICKSON	0A565	0.866	TRACE CREEK	OPEN	8/1/2016	1950	36.114333	-87.207633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
220A5650001	DICKSON	0A565	1.583	TRACE CREEK	OPEN	8/1/2016	1996	36.1185	-87.196983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
220A3090001	DICKSON	0A738	0.461	WOLF DEN BRANCH	OPEN	7/19/2016	1950	36.099	-87.322067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.9
220A7470001	DICKSON	0A747	0.45	WALKER BRANCH	OPEN	8/10/2016	1999	36.129583	-87.369	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
220A7470003	DICKSON	0A747	0.65	LITTLE JONES CREEK	OPEN	8/10/2016	1999	36.129883	-87.365417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
220A8150001	DICKSON	0A815	0.312	SPILLWAY FOR LUTHER LAKE	OPEN	8/31/2016	1990	36.080967	-87.366483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
220A0230001	DICKSON	0A887	1.457	LEATHERWOOD CREEK	OPEN	7/5/2016	1970	36.275917	-87.48835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
22M31540001	DICKSON	0B269	2.25	JONES CREEK	OPEN	7/19/2016	1996	36.092983	-87.347817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
22I00400004	DICKSON	I0040	2.94	PINEY RIVER & NFA A361	OPEN	6/1/2016	1963	35.994617	-87.4398	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.6
22I00400003	DICKSON	I0040	2.94	PINEY RIVER & NFA A361	OPEN	6/1/2016	1963	35.9943	-87.439833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.6
22I00400006	DICKSON	I0040	5.13	I40-LL / EAST PINEY RD.	OPEN	6/1/2016	1963	36.007567	-87.404467	CONCRETE	TEE BEAM	75.4
22I00400005	DICKSON	I0040	5.13	I40-RL / EAST PINEY RD.	OPEN	6/1/2016	1963	36.00695	-87.404517	CONCRETE	TEE BEAM	58.2
22I00400021	DICKSON	I0040	13.13	I40 RL /SR 840-RMP-NW&SE	OPEN	6/3/2016	2000	36.021183	-87.265267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
22I00400022	DICKSON	I0040	13.13	I40 LL /SR 840-RMP-NW&SE	OPEN	6/3/2016	2000	36.02225	-87.265983	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.1
22I00400023	DICKSON	I0040	13.5	I40-RAMP-NW / ABANDONED	OPEN	6/3/2016	2004	36.026742	-87.268453	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
22I00400014	DICKSON	I0040	14.38	NAILS CREEK	OPEN	6/6/2016	1962	36.017617	-87.244033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.2
22I00400013	DICKSON	I0040	14.38	NAILS CREEK	OPEN	6/6/2016	1962	36.017333	-87.2442	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
22I00400019	DICKSON	I0040	16.53	TURNBULL CREEK	OPEN	5/24/2016	1963	36.029883	-87.210117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.5
22I00400020	DICKSON	I0040	16.53	TURNBULL CREEK	OPEN	5/24/2016	1963	36.030017	-87.210233	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.4
22SR8400001	DICKSON	I0840	1.18	NAILS CREEK	OPEN	6/23/2016	2004	36.012483	-87.257817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
22SR8400005	DICKSON	I0840	2.18	GOSLIN BRANCH	OPEN	6/23/2016	2004	35.9992	-87.2512	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
22SR8400007	DICKSON	I0840	3.26	I-840-R / OLD NASH. HWY	OPEN	6/23/2016	2004	35.985917	-87.2407	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
22SR8400008	DICKSON	I0840	3.26	I-840-L / OLD NASH. HWY	OPEN	6/23/2016	2004	35.986	-87.24035	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
22SR8400009	DICKSON	I0840	3.45	PARKER CREEK	OPEN	6/24/2016	2004	35.984	-87.238583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
22SR8400015	DICKSON	I0840	5.12	BARREN FORK CREEK	OPEN	6/24/2016	2004	35.963183	-87.226667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
22SR0010001	DICKSON	SR001	4.17	PINEY CREEK	OPEN	6/8/2016	1924	36.08905	-87.472467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
22SR0010003	DICKSON	SR001	7.64	PINEY CREEK	OPEN	6/8/2016	1924	36.086067	-87.408117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
22SR0010005	DICKSON	SR001	8.08	CSX RAILROAD	OPEN	6/8/2016	2009	36.085783	-87.401283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
22SR0010007	DICKSON	SR001	11.545	BRANCH	OPEN	6/8/2016	1939	36.081667	-87.34675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.3
22SR0010009	DICKSON	SR001	11.98	WOLFDEN BRANCH	OPEN	6/9/2016	1939	36.087133	-87.3223	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.3
22SR0010011	DICKSON	SR001	15.16	FOUR MILE BRANCH	OPEN	6/9/2016	1940	36.102417	-87.288533	CONCRETE	TEE BEAM	65.1
22SR0010013	DICKSON	SR001	15.3	BRANCH	OPEN	6/9/2016	1939	36.102917	-87.285917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	62.8
22SR0010015	DICKSON	SR001	15.52	BRANCH	OPEN	6/9/2016	1939	36.103483	-87.282133	CONCRETE	ARCH - DECK	73.8
22I00400009	DICKSON	SR046	3.67	SR 46 / I40	OPEN	6/10/2016	1994	36.019233	-87.3361	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.6
22SR0460001	DICKSON	SR046	6.86	WILLOW BRANCH	OPEN	6/10/2016	1964	36.05565	-87.3697	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
22003430001	DICKSON	SR046	14.79	BRANCH	OPEN	6/13/2016	1940	36.11585	-87.4835	CONCRETE	TEE BEAM	53.7
22003430003	DICKSON	SR046	15.59	BRANCH	OPEN	6/13/2016	1940	36.12435	-87.493183	CONCRETE	TEE BEAM	42.3
22S61430005	DICKSON	SR046	15.74	BRANCH	OPEN	6/13/2016	1917	36.124833	-87.495517	CONCRETE	TEE BEAM	38.9
22003430021	DICKSON	SR046	17.51	YELLOW CREEK	OPEN	6/13/2016	2012	36.149067	-87.5047	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
22S61430009	DICKSON	SR046	17.72	BRANCH	OPEN	6/13/2016	1956	36.152533	-87.50475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
22S61430011	DICKSON	SR046	18.58	EAST FORK YELLOW CREEK	OPEN	6/14/2016	1956	36.1615	-87.5148	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
22S61430013	DICKSON	SR046	19.06	YELLOW CREEK	OPEN	6/14/2016	1956	36.164783	-87.521767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	42.1
22003430015	DICKSON	SR046	19.36	BRANCH	OPEN	6/14/2016	1956	36.168217	-87.524783	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.5
22S61430017	DICKSON	SR046	20.3	BRANCH	OPEN	6/14/2016	1956	36.18105	-87.52095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
22003430019	DICKSON	SR046	22.46	BALTHROP BRANCH	OPEN	6/14/2016	1937	36.20845	-87.533783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.1
22SR0470003	DICKSON	SR047	15.42	JONES CREEK	OPEN	6/16/2016	1964	36.142917	-87.28715	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	70.7
22SR0470005	DICKSON	SR047	17.79	SULPHUR FORK CREEK	OPEN	6/16/2016	1964	36.160733	-87.319167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
22I00400001	DICKSON	SR048	0.21	SR 48 / I40	OPEN	6/15/2016	1963	35.988633	-87.48795	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	39
22SR0480001	DICKSON	SR048	2.27	BRANCH	OPEN	6/15/2016	1986	36.013583	-87.474517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
22SR0480003	DICKSON	SR048	4.04	PINEY RIVER	OPEN	6/15/2016	1992	36.027883	-87.449917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.1
22SR0480005	DICKSON	SR048	4.47	BRANCH	OPEN	6/15/2016	1985	36.02855	-87.442483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
22SR0480007	DICKSON	SR048	8.6	LITTLE PINEY RIVER	OPEN	6/15/2016	1989	36.067583	-87.398633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
22FA0360001	DICKSON	SR048	10.13	SR 48 / SR 1	OPEN	6/20/2016	2008	36.0822	-87.380417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7
22SR0480009	DICKSON	SR048	13.65	JONES CREEK	OPEN	6/20/2016	1929	36.12895	-87.3594	CONCRETE	TEE BEAM	68.9
22SR0480011	DICKSON	SR048	14.01	BRANCH	OPEN	6/20/2016	1929	36.134983	-87.357967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.9
22SR0480013	DICKSON	SR048	15.93	SULPHUR FORK CREEK	OPEN	6/20/2016	1929	36.16195	-87.354167	CONCRETE	TEE BEAM	68
22SR0480015	DICKSON	SR048	17.1	TOWN BRANCH & NFA A178	OPEN	6/20/2016	1929	36.1753	-87.342867	CONCRETE	TEE BEAM	65
22SR0480017	DICKSON	SR048	21.32	BRANCH	OPEN	6/21/2016	1931	36.234683	-87.3451	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
22SR0480019	DICKSON	SR048	21.58	BARTONS CREEK	OPEN	6/21/2016	2006	36.2384	-87.345067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
22SR0480021	DICKSON	SR048	21.85	BRANCH	OPEN	6/21/2016	1931	36.2421	-87.346533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
22SR0480023	DICKSON	SR048	24.03	FURNACE CREEK	OPEN	6/21/2016	2010	36.27075	-87.355817	CONCRETE	ARCH - DECK	83
22SR0480025	DICKSON	SR048	25.05	HORSE BRANCH	OPEN	6/21/2016	1931	36.285433	-87.355533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
22SR0480027	DICKSON	SR048	25.18	BRANCH	OPEN	6/21/2016	1931	36.286683	-87.355517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.5
22SR0490001	DICKSON	SR049	1.97	CHILDRESS BRANCH	OPEN	6/16/2016	1985	36.251667	-87.5	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
22SR0490003	DICKSON	SR049	12.07	BIG BARTON CREEK	OPEN	6/16/2016	1930	36.200767	-87.370567	CONCRETE CONTINUOUS	TEE BEAM	80.2
22SR0490005	DICKSON	SR049	16.29	HAW BRANCH	OPEN	6/16/2016	1984	36.18375	-87.311033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
22SR0960001	DICKSON	SR096	2.11	CSX RAILROAD	OPEN	6/22/2016	1962	36.05545	-87.324067	CONCRETE CONTINUOUS	TEE BEAM	75.7
22SR0960003	DICKSON	SR096	4.78	BEAVERDAM CREEK	OPEN	6/22/2016	1956	36.045333	-87.2807	CONCRETE	TEE BEAM	83.5
22SR0960005	DICKSON	SR096	4.91	GENTRYS BRANCH	OPEN	6/22/2016	1956	36.04555	-87.278533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
22SR0960007	DICKSON	SR096	8.6	TURNBULL CREEK	OPEN	6/22/2016	1981	36.032467	-87.215483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.1
22S61490001	DICKSON	SR250	5.01	BRANCH	OPEN	6/28/2016	1960	36.175283	-87.169217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
22S61490003	DICKSON	SR250	6.14	HARPEETH RIVER	OPEN	6/28/2016	1960	36.191417	-87.167267	CONCRETE CONTINUOUS	TEE BEAM	69.1
23F00020003	DYER	00824	4.22	ROCK SLOUGH	OPEN	3/29/2016	1990	36.00475	-89.54375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
23F00250001	DYER	00825	2.6	NASH CREEK	OPEN	3/21/2016	1950	35.957889	-89.285333	CONCRETE	TEE BEAM	77
23008260011	DYER	00826	0.87	LEWIS CREEK	OPEN	3/17/2016	1985	36.094861	-89.408444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.2
23S80960001	DYER	00826	4.43	BRANCH	OPEN	3/23/2016	1960	36.113444	-89.360361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
23S80960007	DYER	00826	4.81	BRANCH	OPEN	3/23/2016	2002	36.117944	-89.3565	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.2
23S80960009	DYER	00826	6.65	BRANCH	OPEN	3/23/2016	1960	36.120667	-89.326722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
23SR0030023	DYER	00826	9.1	LANES FERRY RD. / SR 3	OPEN	3/2/2016	1979	36.112472	-89.289917	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	86.7
23008270001	DYER	00827	0.76	BRANCH	OPEN	3/21/2016	1982	36.034583	-89.279722	CONCRETE	CHANNEL BEAM	73.6
23S82400001	DYER	01433	0.15	BRANCH	OPEN	3/22/2016	1960	36.058556	-89.380472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
23S82400003	DYER	01433	0.6	LEWIS CREEK	OPEN	3/22/2016	1990	36.064389	-89.379583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.5
23I01550031	DYER	01433	0.84	MILLSFIELD RD. / I155	OPEN	2/25/2016	1979	36.068111	-89.379361	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.8
23S82400017	DYER	01433	8.63	MURRAY CREEK	OPEN	3/17/2016	1960	36.173167	-89.361194	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.8
23S80050007	DYER	01433	9.24	OVERFLOW	OPEN	3/28/2016	1957	36.181972	-89.359667	CONCRETE	TEE BEAM	63.2
23S80050009	DYER	01433	9.48	OVERFLOW	OPEN	3/28/2016	1957	36.185556	-89.360306	CONCRETE	TEE BEAM	64.3
23S80050011	DYER	01433	9.89	OBION RIVER	OPEN	3/29/2016	1957	36.191306	-89.36125	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
23S80050001	DYER	01435	1.33	BRANCH	OPEN	3/21/2016	1930	36.172778	-89.339056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
23S80050003	DYER	01435	2.81	BIFFLE CREEK	OPEN	3/21/2016	1930	36.158389	-89.320333	CONCRETE	TEE BEAM	47.1
23S80050019	DYER	01437	0.1	BRANCH	OPEN	3/17/2016	1960	36.209139	-89.359611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
23S80270001	DYER	01438	8.81	REED'S CREEK	OPEN	3/22/2016	1979	36.15775	-89.17775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
23014950001	DYER	01495	2.48	OVERFLOW	OPEN	3/28/2016	1970	35.972583	-89.412278	CONCRETE	TEE BEAM	81.1
23S80260003	DYER	01495	3.08	S. FK. FORKED DEER RIVER	OPEN	3/28/2016	1956	35.975528	-89.40225	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.6
23014960001	DYER	01496	1.32	MILLER CREEK	OPEN	3/16/2016	2008	35.958389	-89.226611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.4
23014970003	DYER	01497	8.76	OBION RIVER	OPEN	3/29/2016	1994	36.001639	-89.646556	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
23014990001	DYER	01499	2.02	BRANCH	OPEN	3/22/2016	1970	36.084833	-89.254944	CONCRETE	CHANNEL BEAM	73.4
23015020001	DYER	01502	2.31	BRANCH	OPEN	3/21/2016	2016	36.060583	-89.237111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.8
23015020003	DYER	01502	3.57	DOAKVILLE CREEK	OPEN	3/21/2016	1960	36.060222	-89.214528	CONCRETE	TEE BEAM	53.3
23015020005	DYER	01502	3.64	BRANCH	OPEN	3/22/2016	1975	36.059944	-89.213167	CONCRETE	CHANNEL BEAM	71
23015020009	DYER	01502	4.54	BRANCH	OPEN	3/22/2016	1984	36.055306	-89.201528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.8
23SR0030029	DYER	01503	1.5	SHARPE FERRY RD. / SR 3	OPEN	3/2/2016	1979	36.139167	-89.263194	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87.2
23015030001	DYER	01503	2.09	TOWN CREEK	OPEN	3/23/2016	2000	36.147639	-89.262556	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.1
23S81400003	DYER	01503	4.39	REEDS CREEK	OPEN	3/28/2016	1962	36.179667	-89.254	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	73.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
23SR0030037	DYER	01503	8.23	SHARPE FERRY RD. / SR 3	OPEN	2/26/2016	1979	36.206306	-89.211361	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.9
23015040001	DYER	01504	0.53	HARRIS CREEK	OPEN	3/22/2016	1997	36.086194	-89.245472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.7
23015040003	DYER	01504	2.37	DOAKVILLE CREEK	OPEN	3/22/2016	1987	36.083861	-89.212972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
23015050001	DYER	01505	0.92	RUNNING REELFOOT BAYOU	OPEN	3/29/2016	1992	36.177472	-89.494528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
23015080001	DYER	01508	1.36	REEDS CREEK	OPEN	3/23/2016	1979	36.171333	-89.202722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.2
23SR0030033	DYER	01508	2.91	LOCUST GROVE RD. / SR 3	OPEN	2/26/2016	1979	36.171667	-89.229944	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92
230A7280003	DYER	02721	0.99	BRANCH	OPEN	3/23/2016	2010	36.110817	-89.345483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98
230A7280001	DYER	02721	2.49	LIGHT CREEK	OPEN	3/23/2016	1987	36.110583	-89.318889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
230A2450001	DYER	02722	1.25	BRANCH	OPEN	3/21/2016	1983	36.130222	-89.420472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.8
23I01550023	DYER	02723	1.74	NAUVOO RD / I155	OPEN	2/25/2016	1979	36.068806	-89.418028	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.7
230A6760001	DYER	02723	3.47	LEWIS CREEK	OPEN	3/17/2016	1994	36.091833	-89.421528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.5
23M29260001	DYER	02926	0.48	LEWIS CREEK	OPEN	3/23/2016	1982	36.043917	-89.349583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
230A5550001	DYER	02926	1.6	HUNSACKER CREEK	OPEN	3/17/2016	2000	36.048556	-89.331778	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.4
230A5550003	DYER	02926	2.14	JONES CREEK	OPEN	3/17/2016	1999	36.047861	-89.322083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90
230A5550009	DYER	02926	2.65	BRANCH	OPEN	3/17/2016	1981	36.048083	-89.313444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.3
230A7040003	DYER	02926	4.3	BRANCH	OPEN	3/17/2016	1981	36.059	-89.296917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84
230A7040001	DYER	02926	4.43	BRANCH	OPEN	3/17/2016	1981	36.058944	-88.294528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85
230A8290001	DYER	05471	0.13	BRANCH	OPEN	3/22/2016	1993	36.049639	-89.36325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
230A8290003	DYER	05471	1.04	IC RAILROAD	OPEN	3/22/2016	1998	36.089639	-89.356583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.5
23014980001	DYER	05569	1.27	BRANCH	OPEN	3/21/2016	1975	36.052194	-89.473833	CONCRETE	CHANNEL BEAM	60.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
23014980003	DYER	05569	1.99	EDWARDS CREEK	OPEN	3/21/2016	1994	36.051639	-89.461278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96
23014980005	DYER	05569	3.99	BRANCH	OPEN	3/21/2016	1994	36.046222	-89.426361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
230A0900001	DYER	0A090	0.457	BRANCH	OPEN	3/16/2016	1997	35.896528	-89.277278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.7
230A1000003	DYER	0A100	0.63	LEWIS CREEK	OPEN	3/21/2016	1965	36.018444	-89.365	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.7
230A1090001	DYER	0A109	2.149	OVERFLOW	OPEN	3/17/2016	1984	35.972667	-89.218583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
230A1090003	DYER	0A109	2.221	STOKES CREEK	OPEN	3/17/2016	1986	35.973667	-89.218444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
230A1090005	DYER	0A109	2.337	STOKES CREEK	OPEN	3/17/2016	1983	35.975389	-89.218222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
230A2080001	DYER	0A208	2.37	DRAINAGE DITCH	CLOSED	3/29/2016	1970	36.137611	-89.482944	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.2
230A2270001	DYER	0A227	0.333	BRANCH	OPEN	3/21/2016	2006	36.174444	-89.444639	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	78.2
230A2300001	DYER	0A230	1.09	SLOUGH	OPEN	3/21/2016	1974	36.185283	-89.467217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.3
230A2410001	DYER	0A241	1.699	ALDRIDGE CREEK	OPEN	3/28/2016	2014	36.205389	-89.33675	STEEL	OTHER	78.8
230A2420001	DYER	0A242	0.11	ALDRIDGE CREEK	OPEN	3/28/2016	2000	36.207222	-89.33875	CONCRETE	CHANNEL BEAM	73.8
230A2460001	DYER	0A246	0.532	RUNNING CREEK	OPEN	3/21/2016	2003	36.120306	-89.411417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
230A2470001	DYER	0A247	0.37	LEWIS CREEK	OPEN	3/21/2016	1975	36.140667	-89.408083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21
230A2490001	DYER	0A249	0.249	BRANCH	OPEN	3/21/2016	1984	36.105222	-89.400528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
230A2580001	DYER	0A251	0.333	BRANCH	OPEN	3/29/2016	1983	36.121278	-89.360333	CONCRETE	CHANNEL BEAM	60.1
230A2510003	DYER	0A251	1.024	BRANCH	OPEN	3/29/2016	2005	36.124167	-89.369317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.7
230A2540001	DYER	0A254	0.69	MURRAY CREEK	OPEN	3/17/2016	1999	36.167444	-89.358389	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
230A2620001	DYER	0A262	1.695	BRANCH	OPEN	3/17/2016	1983	36.149111	-89.320222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
230A2640003	DYER	0A264	0.89	BRANCH	OPEN	3/17/2016	1972	36.152567	-89.306017	CONCRETE	CHANNEL BEAM	17.7
230A2640001	DYER	0A264	3.62	BRANCH	OPEN	3/17/2016	1972	36.130167	-89.282167	CONCRETE	CHANNEL BEAM	17.7
230A2650001	DYER	0A265	0.459	BIFFLE CREEK	OPEN	3/28/2016	2015	36.171694	-89.327556	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
230A2680001	DYER	0A268	0.631	BIFFLE CREEK	OPEN	3/17/2016	1999	36.166472	-89.310611	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.7
230A2680005	DYER	0A268	4.406	BRANCH	OPEN	3/21/2016	1988	36.138194	-89.275583	CONCRETE	CHANNEL BEAM	72.1
230A2680003	DYER	0A268	4.483	BRANCH	OPEN	3/21/2016	1983	36.137558	-89.275722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
23SR0030027	DYER	0A268	5.154	BIFFLE RD. / SR 3	OPEN	3/2/2016	1979	36.126917	-89.275278	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.9
23I01550033	DYER	0A270	2.238	HURRICANE HILL RD / I155	OPEN	2/25/2016	1979	36.067972	-89.372278	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.5
23SR0030031	DYER	0A276	0.609	PALESTINE RD. / SR 3	OPEN	2/26/2016	1979	36.16275	-89.240306	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92
230A2820001	DYER	0A282	0.848	BRANCH	OPEN	3/23/2016	1990	36.159194	-89.217389	CONCRETE	CHANNEL BEAM	72.4
230A2820003	DYER	0A282	2.159	MULHERIN CREEK	OPEN	3/23/2016	1965	36.140361	-89.219694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	39.9
230A2820005	DYER	0A282	3.237	BRANCH	OPEN	3/23/2016	1983	36.128972	-89.203806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
230A2900001	DYER	0A290	1.009	TOWN CREEK	OPEN	3/17/2016	1984	36.155333	-89.275222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
230A3300001	DYER	0A330	1.323	BRANCH	OPEN	3/22/2016	1994	36.147417	-89.190111	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.5
230A3330001	DYER	0A333	0.95	MULHERIN CREEK	OPEN	3/23/2016	1981	36.133083	-89.22825	CONCRETE	CHANNEL BEAM	56.6
230A3400001	DYER	0A340	0.666	BRANCH	OPEN	3/22/2016	1984	36.132556	-89.17025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
230A3470001	DYER	0A347	0.209	DOAKVILLE CREEK	OPEN	3/23/2016	1983	36.110667	-89.202111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
230A3470005	DYER	0A347	2.755	HARRIS CREEK	OPEN	3/23/2016	1984	36.111917	-89.247528	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.7
230A3500003	DYER	0A350	1.682	BETHEL BRANCH	OPEN	3/22/2016	1984	36.059667	-89.169194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
230A3540001	DYER	0A354	0.571	BRANCH	OPEN	3/22/2016	1988	36.083194	-89.172556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
230A3740001	DYER	0A374	0.728	BETHEL BRANCH	OPEN	3/22/2016	1983	36.043444	-89.18025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
230A3770001	DYER	0A377	0.145	BRANCH	OPEN	3/21/2016	1975	36.058472	-89.229028	CONCRETE	CHANNEL BEAM	80.4
230A3780001	DYER	0A378	1.157	BRANCH	OPEN	3/21/2016	1965	36.049	-89.224889	CONCRETE	CHANNEL BEAM	80.4
230A3850001	DYER	0A385	1.006	BRANCH	WEIGHT POSTED	3/21/2016	1980	36.0235	-89.262889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.5
230A3980001	DYER	0A398	0.101	ROELLEN CREEK	OPEN	3/17/2016	2008	36.0221	-89.2828	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
230A3980005	DYER	0A398	2.142	PARKER DITCH	OPEN	3/21/2016	2011	35.997222	-89.277806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.9
230A4010003	DYER	0A401	0.531	PARKER DITCH	OPEN	3/21/2016	1987	36.015194	-89.271528	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96
230A4170001	DYER	0A417	1.285	ELIZA CREEK	OPEN	3/21/2016	1980	35.970933	-89.250278	CONCRETE	CHANNEL BEAM	93.8
230A4190001	DYER	0A419	0.311	MILLER CREEK	OPEN	3/16/2016	1970	35.950194	-89.227722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	71.4
230A4230001	DYER	0A423	0.369	BRANCH	OPEN	3/16/2016	1984	35.933583	-89.285972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
230A4230003	DYER	0A423	0.569	NASH CREEK	OPEN	3/21/2016	1998	35.932611	-89.282722	CONCRETE	CHANNEL BEAM	88.7
230A4260003	DYER	0A426	1.69	BRANCH	OPEN	3/21/2016	1970	35.892556	-89.304028	CONCRETE	CHANNEL BEAM	91.8
230A4260005	DYER	0A426	1.824	POND CREEK	OPEN	3/21/2016	2012	35.893139	-89.301778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
230A4430003	DYER	0A443	1.39	NASH CREEK	OPEN	3/16/2016	1984	35.922861	-89.277222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
230A4430001	DYER	0A443	4.107	POND CREEK	OPEN	3/22/2016	1990	35.921028	-89.325278	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.1
230A4710001	DYER	0A471	0.184	IC RAILROAD	OPEN	3/22/2016	1992	35.968833	-89.386083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.7
230A4910001	DYER	0A491	0.606	BRANCH	OPEN	3/22/2016	1984	35.968639	-89.437583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
230A4920001	DYER	0A492	0.51	BRANCH	OPEN	3/22/2016	2010	35.975567	-89.4312	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
230A4930001	DYER	0A493	1.55	MCBRIDE CREEK	OPEN	3/22/2016	1982	35.96825	-89.448417	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	14.6
230A4980001	DYER	0A498	0.026	BRANCH	OPEN	3/22/2016	1975	35.947528	-89.457056	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34.9
230A5550005	DYER	0A555	0.883	BRANCH	OPEN	3/17/2016	1983	36.071194	-89.303972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
230A5550007	DYER	0A555	0.996	JONES CREEK	WEIGHT POSTED	3/17/2016	1965	36.072583	-89.302583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.2
230A6010001	DYER	0A601	0.289	BRANCH	OPEN	3/22/2016	1965	36.033028	-89.437528	CONCRETE	CHANNEL BEAM	67.8
230A6150001	DYER	0A615	5.513	BRANCH	OPEN	3/29/2016	1980	35.93875	-89.507528	CONCRETE	CHANNEL BEAM	92.9
230A6160001	DYER	0A616	1	DRAINAGE DITCH	OPEN	3/21/2016	1980	36.009611	-89.488889	CONCRETE	CHANNEL BEAM	39.9
230A6230001	DYER	0A623	0.168	SLOUGH CREEK	OPEN	3/29/2016	2012	35.998472	-89.545778	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.9
230A6510001	DYER	0A651	0.88	DITCH	OPEN	3/21/2016	1979	36.046	-89.494694	CONCRETE	CHANNEL BEAM	69.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
23I01550017	DYER	0A656	1.516	SIMPSON RD / I155	OPEN	2/25/2016	1979	36.071475	-89.463792	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.9
23I01550021	DYER	0A657	2.457	NFA A657 / I155	OPEN	2/25/2016	1979	36.069083	-89.426306	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.9
23I01550019	DYER	0A658	1.203	MCCLOUGH RD / I155	OPEN	2/25/2016	1979	36.069806	-89.450833	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
230A6670001	DYER	0A667	0.321	LEWIS CREEK	OPEN	3/17/2016	1984	36.094167	-89.427083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
230A6870003	DYER	0A687	0.113	LEWIS CREEK	OPEN	3/17/2016	2011	36.086694	-89.408722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.9
230A6870005	DYER	0A687	1.077	BRANCH	OPEN	3/23/2016	1999	36.07275	-89.410528	CONCRETE	CHANNEL BEAM	92.9
230A7110001	DYER	0A711	0.596	BRANCH	OPEN	3/23/2016	2003	36.101278	-89.330583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
23SR0030015	DYER	0A711	1.706	HOSS EVERETT RD. / SR 3	OPEN	3/2/2016	1980	36.089722	-89.322972	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92
23SR0030013	DYER	0A717	0.574	FORT HUDSON RD. / SR 3	OPEN	3/2/2016	1980	36.075639	-89.343278	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	91.9
23SR0030021	DYER	0A727	1.237	CHURCH GROVE RD. / SR 3	OPEN	3/2/2016	1980	36.106139	-89.298083	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92.8
230A7290001	DYER	0A729	0.092	BRANCH	OPEN	3/23/2016	1984	36.119361	-89.325333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
23E00230001	DYER	0A766	0.414	OVERFLOW	OPEN	3/22/2016	1988	36.037972	-89.20325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
23002310003	DYER	0A766	0.442	DOAKVILLE CREEK	OPEN	3/22/2016	1988	36.038306	-89.202611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.1
23E00230005	DYER	0A766	0.576	OVERFLOW	OPEN	3/22/2016	1988	36.039111	-89.200444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
230A0730001	DYER	0A827	2.537	POND CREEK	OPEN	3/21/2016	1988	35.996611	-89.377083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.9
230A8760001	DYER	0A876	0.18	PRIVATE LAKE CANAL	OPEN	3/23/2016	1980	36.101367	-89.39185	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.9
230A4230005	DYER	0B145	3.456	CAIN CREEK	OPEN	3/22/2016	1981	35.958639	-89.336667	CONCRETE	CHANNEL BEAM	73.8
23I01550001	DYER	I0155	0	MISSISSIPPI RIVER	OPEN	3/17/2017	1975	36.118333	-89.615	STEEL CONTINUOUS	TRUSS - THRU	71.8
23I01550003	DYER	I0155	3.27	I155 / YARBRO RD	OPEN	2/22/2016	1977	36.089278	-89.568944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
23I01550004	DYER	I0155	3.27	I155 / YARBRO RD	OPEN	2/23/2016	1977	36.089361	-89.568861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
23I01550005	DYER	I0155	4.32	OVERFLOW	OPEN	2/23/2016	1977	36.085306	-89.550806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
23I01550006	DYER	I0155	4.32	OVERFLOW	OPEN	2/23/2016	1977	36.0855	-89.55075	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
23I01550008	DYER	I0155	5.4	OBION RIVER	OPEN	2/23/2016	1977	36.08125	-89.532083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
23I01550007	DYER	I0155	5.4	OBION RIVER	OPEN	2/23/2016	1977	36.081111	-89.532194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
23I01550010	DYER	I0155	6.19	OVERFLOW	OPEN	2/23/2016	1977	36.078417	-89.518389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
23I01550009	DYER	I0155	6.19	OVERFLOW	OPEN	2/25/2016	1977	36.078194	-89.518444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
23I01550012	DYER	I0155	7.16	TENN - KY RAILROAD	OPEN	2/25/2016	1977	36.075944	-89.501269	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
23I01550011	DYER	I0155	7.16	TENN - KY RAILROAD	OPEN	2/25/2016	1977	36.075944	-89.501269	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
23I01550014	DYER	I0155	7.4	SR 182	OPEN	2/23/2016	1977	36.075639	-89.497139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
23I01550013	DYER	I0155	7.4	SR 182	OPEN	2/25/2016	1977	36.075417	-89.49725	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
23I01550026	DYER	I0155	13.04	I155 / SR 78	OPEN	2/25/2016	1979	36.068833	-89.397056	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
23I01550025	DYER	I0155	13.04	I155 / SR 78	OPEN	2/25/2016	1979	36.068583	-89.397	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
23I01550027	DYER	I0155	13.41	LEWIS CREEK	OPEN	2/25/2016	1979	36.068389	-89.390111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57
23I01550030	DYER	I0155	13.85	DRAINAGE DITCH	OPEN	2/25/2016	1979	36.068583	-89.432667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
23I01550029	DYER	I0155	13.85	DRAINAGE DITCH	OPEN	2/25/2016	1979	36.068333	-89.382444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.7
23SR0030002	DYER	SR003	0.06	S. FORK FORKED DEER RIVE	OPEN	3/7/2016	1959	35.947417	-89.408556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	67.7
23SR0030001	DYER	SR003	0.06	S. FORK FORKED DEER RIVE	OPEN	3/8/2016	1959	35.947306	-89.408472	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	67.7
23SR0030004	DYER	SR003	0.44	OVERFLOW	OPEN	3/28/2016	1959	35.951639	-89.40425	CONCRETE	TEE BEAM	74.9
23SR0030003	DYER	SR003	0.44	OVERFLOW	OPEN	3/28/2016	1959	35.951528	-89.404056	CONCRETE	TEE BEAM	73.9
23SR0034001	DYER	SR003	5.52	OVERFLOW	OPEN	2/26/2016	1959	36.020306	-89.404722	CONCRETE	TEE BEAM	66.3
23SR0034002	DYER	SR003	5.52	OVERFLOW	OPEN	2/26/2016	1959	36.020167	-89.404861	CONCRETE	TEE BEAM	77.6
23SR0034004	DYER	SR003	5.65	N. FK. FORKED DEER RIVER	OPEN	3/8/2016	1959	36.021556	-89.406306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
23SR0034003	DYER	SR003	5.65	N. FK. FORKED DEER RIVER	OPEN	3/8/2016	1959	36.021667	-89.406111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61
23SR0030009	DYER	SR003	10.67	LEWIS CREEK	OPEN	2/25/2016	1923	36.053778	-89.361583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.4
23SR0030011	DYER	SR003	10.81	BRANCH	OPEN	2/25/2016	1980	36.055222	-89.359583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.4
23SR0030040	DYER	SR003	11.99	SR 3 / SR 211	OPEN	2/26/2016	1984	36.065806	-89.343306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
23SR0030039	DYER	SR003	11.99	SR 3 / SR 211	OPEN	2/26/2016	1984	36.066222	-89.342861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
23I01550036	DYER	SR003	12.51	SR 3 / I155	OPEN	2/25/2016	1979	36.072861	-89.347389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80.7
23I01550035	DYER	SR003	12.51	SR 3 / I155	OPEN	2/25/2016	1979	36.073	-89.347194	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80.7
23SR0030017	DYER	SR003	14.47	BRANCH	OPEN	3/2/2016	1979	36.091222	-89.320917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
23SR0030019	DYER	SR003	14.93	LIGHT CREEK	OPEN	3/2/2016	1979	35.095528	-88.314972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
23SR0030036	DYER	SR003	22.72	REEDS CREEK	OPEN	3/15/2016	1979	36.180667	-89.224667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.1
23SR0030035	DYER	SR003	22.72	REED CREEK	OPEN	3/15/2016	1979	36.180556	-89.224389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
23SR0200030	DYER	SR020	1.07	SR 20 WB / ICG RAILROAD	OPEN	3/15/2016	1985	36.052139	-89.335389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
23SR0200029	DYER	SR020	1.07	SR 20 EB / ICG RAILROAD	OPEN	3/15/2016	1994	36.051944	-89.335639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
23SR0200028	DYER	SR020	1.27	SR 20-WB / HOGWALLOW RD	OPEN	3/15/2016	1985	36.049111	-89.334917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
23SR0200027	DYER	SR020	1.27	SR 20-EB / HOGWALLOW RD	OPEN	3/15/2016	1994	36.049167	-89.335111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
23SR0200026	DYER	SR020	2.24	SR 20-WB / LEWIS CREEK	OPEN	3/16/2016	1985	36.035611	-89.339	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.1
23SR0200025	DYER	SR020	2.24	SR20-EB / LEWIS CREEK	OPEN	3/16/2016	1995	36.035806	-89.339278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
23SR0200031	DYER	SR020	2.93	SR 20 / SR 104	OPEN	3/15/2016	1986	36.025583	-89.340639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87
23SR0200032	DYER	SR020	2.93	SR 20 / SR 104	OPEN	3/15/2016	1986	36.025583	-89.340361	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
23SR0200034	DYER	SR020	3.47	LEWIS CREEK	OPEN	2/29/2016	1986	36.017806	-89.340778	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.1
23SR0200033	DYER	SR020	3.47	LEWIS CREEK	OPEN	2/29/2016	1986	36.01775	-89.341111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.1
23SR0200035	DYER	SR020	4.8	N FORK FORKED DEER RIVER	OPEN	3/14/2016	1994	35.998528	-89.342167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
23SR0200036	DYER	SR020	4.8	N FORK FORKED DEER RIVER	OPEN	3/14/2016	1986	35.998417	-89.341806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
23SR0200038	DYER	SR020	5.43	SR20 WB / OVERFLOW	OPEN	2/29/2016	1986	35.989361	-89.342389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.9
23SR0200037	DYER	SR020	5.43	SR 20 EB / OVERFLOW	OPEN	2/29/2016	1995	35.989361	-89.342639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
23SR0200041	DYER	SR020	10.51	BRANCH	OPEN	2/29/2016	1996	35.933167	-89.289667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
23SR0200043	DYER	SR020	10.91	BRANCH	OPEN	2/29/2016	1996	35.928667	-89.284944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
23SR0200045	DYER	SR020	11.46	BRANCH	OPEN	2/29/2016	1996	35.92275	-89.278583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
23SR0030025	DYER	SR077	0	SR 77 / SR 3	OPEN	2/26/2016	1979	36.121444	-89.281806	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.3
23SR0780001	DYER	SR078	2.6	LEWIS CREEK	OPEN	3/3/2016	1979	36.072306	-89.397	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
23SR0780003	DYER	SR078	7.88	OBION RIVER	OPEN	3/3/2016	1995	36.13525	-89.431639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.4
23SR0780005	DYER	SR078	10.73	DRAINAGE CANAL	OPEN	3/3/2016	1926	36.174861	-89.444111	CONCRETE	TEE BEAM	63.4
23SR0780007	DYER	SR078	12.52	DRAINAGE CANAL	OPEN	3/3/2016	1926	36.198556	-89.457194	CONCRETE	TEE BEAM	69.4
23SR0890001	DYER	SR089	0.05	BRANCH	OPEN	3/15/2016	1998	36.202611	-89.185083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
23SR1030001	DYER	SR103	1.19	OVERFLOW	OPEN	3/9/2016	1991	36.160639	-89.563056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
23SR1030003	DYER	SR103	3.28	OVERFLOW	OPEN	3/9/2016	1990	36.159583	-89.525667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
23SR1030005	DYER	SR103	3.87	BRANCH	OPEN	3/16/2016	1990	36.158444	-89.515639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
23SR1030007	DYER	SR103	4.16	RUNNING REELFOOT CANAL	OPEN	3/28/2016	1985	36.161806	-89.5105	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
23SR1030009	DYER	SR103	4.28	RUNNING REELFOOT BAYOU	OPEN	3/28/2016	1985	36.162278	-89.508528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
23SR1030011	DYER	SR103	6.05	DRAINAGE CANAL	OPEN	3/28/2016	1985	36.163222	-89.477389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
23SR1030013	DYER	SR103	6.95	DRAINAGE DITCH	OPEN	3/28/2016	1985	36.161056	-89.461556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
23SR0200001	DYER	SR104	4.89	BRANCH	OPEN	3/8/2016	1920	36.059444	-89.591167	CONCRETE	CHANNEL BEAM	82
23SR0200003	DYER	SR104	5.06	SLOUGH BRANCH	OPEN	3/8/2016	1987	36.058556	-89.588306	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
23SR0200005	DYER	SR104	5.59	BRANCH	OPEN	3/8/2016	1985	36.055833	-89.579639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
23SR0200007	DYER	SR104	6.6	BRANCH	OPEN	3/8/2016	1985	36.050722	-89.562556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.6
23SR0200009	DYER	SR104	6.89	OBION RIVER	OPEN	3/7/2016	1948	36.049139	-89.557889	STEEL	TRUSS - THRU	56.1
23SR0200011	DYER	SR104	8.78	SLOUGH	OPEN	3/9/2016	1997	36.040944	-89.52575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
23SR0200013	DYER	SR104	11.48	DRAINAGE DITCH	OPEN	3/9/2016	2009	36.035694	-89.478361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.6
23SR0200015	DYER	SR104	12.1	EDWARDS CREEK	OPEN	3/9/2016	1920	36.034472	-89.467583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.6
23SR0200023	DYER	SR104	13.71	BRANCH	OPEN	3/11/2016	1940	36.034194	-89.439333	CONCRETE	SLAB	56.1
23SR0200017	DYER	SR104	14.49	BRANCH	OPEN	3/23/2016	1920	36.036083	-89.426361	CONCRETE	ARCH - DECK	46.5
23SR1040001	DYER	SR104	17.37	ILLIONIS CENTRAL R.R.	OPEN	3/15/2016	1936	36.03125	-89.375194	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.4
23SR1040003	DYER	SR104	18.12	JONES CREEK	OPEN	3/15/2016	1940	36.027028	-89.362667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.4
23SR1040005	DYER	SR104	19.67	OVERFLOW	OPEN	3/15/2016	1939	36.025694	-89.335583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.6
23SR1040007	DYER	SR104	19.94	LEWIS CREEK CANAL	OPEN	3/16/2016	1939	36.025889	-89.330833	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77.4
23SR1040009	DYER	SR104	20.02	LEWIS CREEK CANEL	OPEN	3/16/2016	1939	36.025944	-89.329333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.6
23SR1040011	DYER	SR104	22.55	ROELLEN CREEK	OPEN	3/16/2016	1986	36.023806	-89.284361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
23SR1040013	DYER	SR104	27.39	DOAKVILLE CREEK	OPEN	3/16/2016	1967	36.033361	-89.199861	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.4
23SR1040015	DYER	SR104	28.38	BETHAL BRANCH	OPEN	3/16/2016	1967	36.028361	-89.18325	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.9
23SR1040017	DYER	SR104	28.85	OVERFLOW	OPEN	3/22/2016	1967	36.025528	-89.175694	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
23SR1050003	DYER	SR105	2.39	BRANCH	OPEN	3/22/2016	1998	36.189861	-89.185444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
23SR1050001	DYER	SR105	2.55	COOL SPRINGS BRANCH	OPEN	3/22/2016	1985	36.187639	-89.184	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
23I01550015	DYER	SR181	14.98	SR 181 / I155	OPEN	3/17/2016	1977	36.092861	-89.585972	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
23SR1820001	DYER	SR182	3.69	COON CREEK	OPEN	3/17/2016	2010	36.101861	-89.437694	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.9
23S82030017	DYER	SR182	4.21	COON CREEK	OPEN	3/17/2016	1960	36.086333	-89.487278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.5
23S82030001	DYER	SR182	8.67	LEWIS CREEK	OPEN	3/16/2016	1960	36.101861	-89.437694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
23E00260001	DYER	SR210	0.3	OVERFLOW	OPEN	3/29/2016	1924	35.933389	-89.389306	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.8
23E00260003	DYER	SR210	0.78	BRANCH	OPEN	3/23/2016	2006	35.933333	-89.383333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.8
23SR0200019	DYER	SR210	3.5	ILLINOIS CENTRAL RR	OPEN	3/16/2016	2000	35.975833	-89.386444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.5
23SR0200021	DYER	SR210	4.75	POND CREEK	OPEN	3/22/2016	2005	35.972417	-89.363917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
23SR0200039	DYER	SR210	6.69	SR 20	OPEN	3/16/2016	1996	35.965472	-89.33125	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
23SR0030005	DYER	SR211	1.31	OVERFLOW	OPEN	3/29/2016	1933	36.022722	-89.389611	CONCRETE	TEE BEAM	60.4
23SR0030007	DYER	SR211	1.71	N. FORK FORKED DEER RIVE	OPEN	3/30/2016	1933	36.028111	-89.387083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53.5
23SR2110001	DYER	SR211	3.9	LEWIS CREEK	OPEN	3/16/2016	1987	36.050528	-89.366472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
23002270001	DYER	SR211	5.25	BRANCH	OPEN	3/15/2016	1923	36.077611	-89.326278	CONCRETE	TEE BEAM	63.9
23002270003	DYER	SR211	5.67	BRANCH	OPEN	3/15/2016	1923	36.081694	-89.320583	CONCRETE	TEE BEAM	62.1
23002270005	DYER	SR211	6.04	BRANCH	OPEN	3/15/2016	1923	36.085139	-89.3155	CONCRETE	TEE BEAM	76.1
23002270007	DYER	SR211	6.36	BRANCH	OPEN	3/15/2016	1922	36.08825	-89.311056	CONCRETE	TEE BEAM	48.9
23002270009	DYER	SR211	14.92	REEDS CREEK	OPEN	3/23/2016	1928	36.178556	-89.216389	CONCRETE	TEE BEAM	68.1
23002270013	DYER	SR211	15.63	COOL SPRINGS BRANCH	OPEN	3/23/2016	1928	36.187139	-89.20925	CONCRETE	TEE BEAM	81.2
24F00310003	FAYETTE	00838	1.32	BRANCH	OPEN	10/11/2016	1999	35.224694	-89.333361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.8
24F00310009	FAYETTE	00838	2.45	WEST FORK BENNETTS CREEK	OPEN	10/11/2016	1978	35.21525	-89.321583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24F00310007	FAYETTE	00838	2.56	EAST FORK BENNETTS CREEK	OPEN	10/11/2016	1978	35.21475	-89.319806	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.7
24F00310013	FAYETTE	00838	2.83	BRANCH	OPEN	10/11/2016	1984	35.211833	-89.317139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	26.7
24F00310011	FAYETTE	00838	5.04	BRANCH	OPEN	10/11/2016	1996	35.187083	-89.295556	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.3
24015530001	FAYETTE	00840	0.41	LOOSAHATCHIE RIVER	OPEN	10/6/2016	1993	35.250222	-89.34375	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.1
24015530003	FAYETTE	00840	4.45	CATRON CREEK	OPEN	10/6/2016	1966	35.287167	-89.300639	CONCRETE	CHANNEL BEAM	80.7
24015530005	FAYETTE	00840	6.69	BIG MUDDY CREEK	OPEN	10/10/2016	1962	35.308389	-89.2725	CONCRETE	CHANNEL BEAM	60.4
24015530007	FAYETTE	00840	6.74	BRANCH	OPEN	10/6/2016	1965	35.308944	-89.272139	CONCRETE	CHANNEL BEAM	58.2
24S80550001	FAYETTE	00840	11.45	BEAR CREEK	OPEN	10/10/2016	1952	35.341972	-89.210444	CONCRETE	TEE BEAM	72
24S80790001	FAYETTE	00845	0.27	SANDY CREEK	OPEN	10/17/2016	1938	35.049222	-89.440889	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53.9
24S81130021	FAYETTE	01442	1.05	BRANCH	OPEN	10/17/2016	1960	35.060722	-89.243222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.5
24S81130023	FAYETTE	01442	1.45	BRANCH	OPEN	10/17/2016	1960	35.066444	-88.243	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
24014420003	FAYETTE	01442	2.58	BRANCH	OPEN	10/17/2016	1956	35.082444	-89.244722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
24S81130025	FAYETTE	01442	6.22	WOLF RIVER OVERFLOW	OPEN	10/17/2016	1958	35.120139	-89.280944	CONCRETE	CHANNEL BEAM	75.6
24S81130027	FAYETTE	01442	6.32	NORTH FORK WOLF RIVER	OPEN	10/17/2016	1997	35.121139	-89.282056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.3
24S81130029	FAYETTE	01442	6.42	OVERFLOW	OPEN	10/17/2016	1957	35.12225	-89.28325	CONCRETE	CHANNEL BEAM	76.6
24S81130031	FAYETTE	01442	6.51	OVERFLOW	OPEN	10/18/2016	1957	35.12325	-89.284556	CONCRETE	CHANNEL BEAM	77.3
24S81130033	FAYETTE	01442	9.39	BRANCH	WEIGHT POSTED	10/11/2016	1957	35.155361	-89.313583	CONCRETE	CHANNEL BEAM	37.7
24S81130035	FAYETTE	01442	12.26	BENNETT'S CREEK	OPEN	10/11/2016	2008	35.187222	-89.335278	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.5
24014420005	FAYETTE	01442	14.04	BRANCH	OPEN	10/11/2016	1975	35.211139	-89.344222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
24I02690015	FAYETTE	01454	0.3	I-269 (SR-385)	OPEN	10/4/2016	2012	35.10435	-89.637383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24014540001	FAYETTE	01454	5.26	BRANCH	OPEN	6/6/2017	2017	35.102972	-89.560889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
24014540003	FAYETTE	01454	5.38	SHAW CREEK	OPEN	10/19/2016	2006	35.102972	-89.560889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
24014540005	FAYETTE	01454	5.43	OVERFLOW	OPEN	10/19/2016	1965	35.101111	-89.558611	CONCRETE	CHANNEL BEAM	86.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24014540007	FAYETTE	01454	5.46	OVERFLOW	OPEN	10/19/2016	2001	35.101111	-89.558611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
24014740005	FAYETTE	01474	2.76	BRANCH	OPEN	10/5/2016	2000	35.386167	-89.4495	CONCRETE	CHANNEL BEAM	73.1
24014740001	FAYETTE	01474	6.26	BRANCH	OPEN	10/5/2016	1965	35.390167	-89.509028	CONCRETE	CHANNEL BEAM	72.3
24014740003	FAYETTE	01474	6.74	BRANCH	OPEN	10/5/2016	1964	35.393806	-89.513111	CONCRETE	CHANNEL BEAM	48.1
24581130001	FAYETTE	01540	0.38	BRANCH	OPEN	10/17/2016	1963	35.052389	-89.4175	CONCRETE	CHANNEL BEAM	47.6
24581130003	FAYETTE	01540	0.48	GOLDEN CREEK	OPEN	10/17/2016	1995	35.051	-89.41725	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.9
24015400005	FAYETTE	01540	4.74	CLEAR CREEK	OPEN	10/18/2016	1965	35.015361	-89.387306	CONCRETE	CHANNEL BEAM	65.9
24015400007	FAYETTE	01540	4.79	OVERFLOW	OPEN	10/18/2016	1968	35.014528	-89.371361	CONCRETE	CHANNEL BEAM	65.9
24015400009	FAYETTE	01540	6.1	EARLY GROVE CREEK	OPEN	10/18/2016	2006	35.004778	-89.353111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.1
24015400011	FAYETTE	01540	6.9	MT. TENA CREEK	OPEN	10/18/2016	1965	35.004667	-89.338667	CONCRETE	CHANNEL BEAM	82.1
24015400013	FAYETTE	01540	7.58	BRANCH	OPEN	10/18/2016	2001	35.004806	-89.327028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.7
24015400015	FAYETTE	01540	13.17	BRANCH	OPEN	10/13/2016	1968	35.016	-89.251917	CONCRETE	CHANNEL BEAM	78.9
24015400017	FAYETTE	01540	14.28	WOLF RIVER	OPEN	10/13/2016	1993	35.031333	-89.247028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.4
24015430001	FAYETTE	01543	1.22	BRANCH	OPEN	10/19/2016	1965	35.0225	-89.510778	CONCRETE	CHANNEL BEAM	70.3
24015430003	FAYETTE	01543	1.43	GRISSOM CREEK	OPEN	10/19/2016	1974	35.019528	-89.510833	CONCRETE	CHANNEL BEAM	71.3
24015440001	FAYETTE	01544	1.66	DAVIS CREEK	OPEN	10/6/2016	1991	35.255028	-89.396889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
24015440003	FAYETTE	01544	6.83	BRANCH	OPEN	10/5/2016	2003	35.2745	-89.476	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.4
24015440005	FAYETTE	01544	7.07	TREADVILLE CREEK	OPEN	10/5/2016	2009	35.274267	-89.48035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
24015470001	FAYETTE	01547	0.49	BRANCH OF NORTH FORK CR	OPEN	10/17/2016	1965	35.101583	-89.240611	CONCRETE	CHANNEL BEAM	72.3
24015500001	FAYETTE	01550	2.01	BEAR CREEK	OPEN	10/6/2016	1993	35.366786	-89.315806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.2
24015500003	FAYETTE	01550	4.05	POPLAR CREEK	OPEN	10/6/2016	1993	35.379139	-89.247472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
24015530009	FAYETTE	01553	2.97	BEAR CREEK	OPEN	10/10/2016	1965	35.361639	-89.214167	CONCRETE	CHANNEL BEAM	47.4
24015550001	FAYETTE	01555	0.94	BIG MUDDY CREEK	OPEN	10/6/2016	1987	35.363972	-89.339667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
24015550005	FAYETTE	01555	1.14	DRAINAGE DITCH	WEIGHT POSTED	10/10/2016	1963	35.363944	-89.336222	CONCRETE	CHANNEL BEAM	44.6
24015550007	FAYETTE	01555	4.34	BIG MUDDY CREEK	WEIGHT POSTED	10/10/2016	1962	35.338556	-89.310944	CONCRETE	CHANNEL BEAM	33.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24015550009	FAYETTE	01555	4.46	OVERFLOW	OPEN	10/10/2016	1967	35.336833	-89.311	CONCRETE	CHANNEL BEAM	83.4
24015550011	FAYETTE	01555	6.97	CATRON CREEK	OPEN	10/6/2016	2004	35.300861	-89.313472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.8
24015570001	FAYETTE	01557	4.68	LIPSKY CREEK	OPEN	10/10/2016	1965	35.354639	-89.3635	CONCRETE	CHANNEL BEAM	69.9
24015570003	FAYETTE	01557	6.71	BRANCH	OPEN	10/10/2016	1965	35.381722	-89.354194	CONCRETE	CHANNEL BEAM	78.4
24I00400021	FAYETTE	01559	1.95	I-40	OPEN	9/21/2016	1961	35.363222	-89.486611	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.3
240A1750001	FAYETTE	02705	2.92	BRANCH JONES CREEK	OPEN	10/18/2016	1965	35.195361	-89.445333	CONCRETE	CHANNEL BEAM	68.8
240A1750003	FAYETTE	02705	5.19	BLUFF CREEK	OPEN	10/18/2016	1997	35.227583	-89.442889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.5
240A1690001	FAYETTE	02706	6.91	STAFFORD CREEK	OPEN	10/13/2016	1968	35.082139	-89.419167	CONCRETE	CHANNEL BEAM	70
240A1700003	FAYETTE	02706	8.06	OVERFLOW	OPEN	10/19/2016	1965	35.070861	-89.412	CONCRETE	CHANNEL BEAM	46.5
240A1700005	FAYETTE	02706	8.12	OVERFLOW	WEIGHT POSTED	10/19/2016	1965	35.070167	-89.412389	CONCRETE	CHANNEL BEAM	47.9
240A1700007	FAYETTE	02706	8.19	NORTH FORK WOLF RIVER	OPEN	10/13/2016	1997	35.069417	-89.412639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	89.7
240A1700009	FAYETTE	02706	8.36	OVERFLOW	OPEN	10/13/2016	1998	35.066917	-89.412167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.6
240A1580001	FAYETTE	02707	1.96	BLACK CREEK	OPEN	10/12/2016	1964	35.169917	-89.338472	CONCRETE	CHANNEL BEAM	80.2
240A0020001	FAYETTE	0A002	1.556	BRANCH	OPEN	10/5/2016	2002	35.277167	-89.528111	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.6
240A0020003	FAYETTE	0A002	4.209	BLACK ANKLE CREEK	OPEN	10/5/2016	1967	35.258944	-89.553722	CONCRETE	CHANNEL BEAM	72.2
240A0060001	FAYETTE	0A006	0.973	BRANCH	OPEN	10/5/2016	1969	35.269167	-89.5715	CONCRETE	CHANNEL BEAM	88.4
240A0060003	FAYETTE	0A006	1.722	BLACK ANKLE CREEK	OPEN	10/5/2016	1994	35.272944	-89.561444	CONCRETE	CHANNEL BEAM	83.4
240A0060005	FAYETTE	0A006	1.812	BLACK ANKLE CREEK	OPEN	10/5/2016	1994	35.272889	-89.559917	CONCRETE	SLAB	91
240A0080001	FAYETTE	0A008	0.875	BLACK ANKLE CREEK	OPEN	10/5/2016	1999	35.25025	-89.519778	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	75.6
240A0100001	FAYETTE	0A010	2.627	BRANCH	OPEN	10/5/2016	1984	35.257056	-89.607556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
240A0100003	FAYETTE	0A010	2.829	WEBER CREEK	OPEN	10/5/2016	1984	35.256028	-89.604194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
240A0140001	FAYETTE	0A014	3.098	EAST BEAVER CREEK CANAL	OPEN	10/13/2016	1991	35.386389	-89.617278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.6
24S82590003	FAYETTE	0A018	0.58	LAUREL CREEK CANAL	OPEN	10/5/2016	1960	35.335556	-89.53475	CONCRETE	CHANNEL BEAM	50.1
240A0180005	FAYETTE	0A018	0.605	BRANCH	OPEN	10/5/2016	2005	35.313383	-89.495533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
240A0180007	FAYETTE	0A018	3.955	OVERFLOW	OPEN	10/5/2016	1944	35.312	-89.547861	CONCRETE	CHANNEL BEAM	78.2
24S82590009	FAYETTE	0A018	4.02	OVERFLOW	OPEN	10/5/2016	1965	35.307083	-89.54875	CONCRETE	CHANNEL BEAM	76.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24S82590011	FAYETTE	0A018	4.17	LITTLE CYPRESS CR CANAL	OPEN	10/6/2016	1960	35.314083	-89.550444	CONCRETE	CHANNEL BEAM	51.1
240A0200001	FAYETTE	0A020	1.858	BRANCH	WEIGHT POSTED	10/6/2016	1960	35.28375	-89.432056	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.8
240A0200003	FAYETTE	0A020	2.412	LOOSAHATCHIE RIVER	OPEN	10/6/2016	1995	35.290806	-89.428806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5
240A0220001	FAYETTE	0A022	0.841	BRANCH	OPEN	10/10/2016	2004	35.313167	-89.297528	CONCRETE	CHANNEL BEAM	89.5
240A0230001	FAYETTE	0A023	0.476	OVERFLOW	OPEN	10/5/2016	1965	35.313167	-89.297528	CONCRETE	CHANNEL BEAM	88.5
240A0230003	FAYETTE	0A023	0.526	LITTLE CYPRESS CREEK	OPEN	10/6/2016	2007	35.323317	-89.516033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
240A0240001	FAYETTE	0A024	1.124	WILDER CREEK	OPEN	10/6/2016	1965	35.335528	-89.53475	CONCRETE	CHANNEL BEAM	88.5
240A0250001	FAYETTE	0A025	2.65	CANE CREEK	OPEN	10/5/2016	1988	35.326278	-89.614611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
240A0260001	FAYETTE	0A026	1.701	LOOSAHATCHIE RIVER	OPEN	10/6/2016	1990	35.292583	-89.578167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.1
240A0260003	FAYETTE	0A026	1.985	BRANCH	OPEN	10/6/2016	1986	35.295889	-89.574611	CONCRETE	CHANNEL BEAM	72.1
240A0260005	FAYETTE	0A026	3.01	OVERFLOW	WEIGHT POSTED	10/6/2016	1960	35.308889	-89.572222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.2
240A0260007	FAYETTE	0A026	3.1	LITTLE CYPRESS CREEK	OPEN	10/6/2016	2014	35.31	-89.571667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
24I00400013	FAYETTE	0A026	3.771	I-40	OPEN	9/21/2016	1961	35.319778	-89.571	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72.3
240A0350001	FAYETTE	0A035	1.38	WILDER CREEK	OPEN	10/5/2016	1983	35.371556	-89.518472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
240A0390001	FAYETTE	0A039	1.594	BRANCH	OPEN	10/5/2016	2006	35.346639	-89.545222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
240A0430001	FAYETTE	0A043	0.644	BRANCH	OPEN	10/5/2016	1992	35.331306	-89.411083	CONCRETE	CHANNEL BEAM	88.4
240A0430003	FAYETTE	0A043	1.8	BRANCH	OPEN	10/12/2016	1994	35.342333	-89.422333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.2
240A0430005	FAYETTE	0A043	2.053	BASSWOOD CREEK	OPEN	10/12/2016	1965	35.346194	-89.425306	CONCRETE	CHANNEL BEAM	73.2
240A0430009	FAYETTE	0A043	3.412	OVERFLOW	OPEN	10/12/2016	1973	35.362389	-89.43725	CONCRETE	CHANNEL BEAM	71.9
240A0430011	FAYETTE	0A043	4.157	BRANCH	WEIGHT POSTED	10/12/2016	1973	35.36725	-89.448056	CONCRETE	CHANNEL BEAM	45.4
24I00400025	FAYETTE	0A043	5.463	I-40	OPEN	9/21/2016	1960	35.371667	-89.468111	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.4
240A0430013	FAYETTE	0A043	6.267	BRANCH	OPEN	10/12/2016	1996	35.374861	-89.480167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
240A0460001	FAYETTE	0A046	0.473	BRANCH	OPEN	10/5/2016	1960	35.322139	-89.436917	CONCRETE	CHANNEL BEAM	87.5
240A0460003	FAYETTE	0A046	1.945	BRANCH	OPEN	10/5/2016	1970	35.321861	-89.41125	CONCRETE	CHANNEL BEAM	88.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24I00400029	FAYETTE	0A051	1.092	I-40	OPEN	9/21/2016	1960	35.380472	-89.4395	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
240A0630001	FAYETTE	0A063	0.475	BRANCH OF CYPRESS CREEK	OPEN	10/18/2016	2012	35.195917	-89.602917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
240A0700001	FAYETTE	0A070	1.421	TREADVILLE CREEK	WEIGHT POSTED	10/5/2016	1950	35.256139	-89.478056	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
240A0710001	FAYETTE	0A071	0.372	BRANCH	WEIGHT POSTED	10/5/2016	1960	35.257417	-89.485778	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	33.2
240A0770001	FAYETTE	0A077	0.379	SMART CREEK	OPEN	10/11/2016	2000	35.312583	-89.355139	CONCRETE	CHANNEL BEAM	89.5
240A0830001	FAYETTE	0A083	2.332	SMART CREEK	WEIGHT POSTED	10/11/2016	1965	35.334306	-89.347778	CONCRETE	CHANNEL BEAM	73.7
240A0860001	FAYETTE	0A086	2.286	BRANCH	OPEN	10/11/2016	1990	35.359472	-89.254389	CONCRETE	CHANNEL BEAM	83.5
240A0870001	FAYETTE	0A087	2.192	BRANCH	OPEN	10/11/2016	1965	35.348222	-89.2755	CONCRETE	CHANNEL BEAM	59.4
240A0910001	FAYETTE	0A091	0.44	LITTLE CREEK	OPEN	10/10/2016	1965	35.370222	-89.203611	CONCRETE	CHANNEL BEAM	72.3
240A0910003	FAYETTE	0A091	0.626	BRANCH	OPEN	10/11/2016	1969	35.372	-89.201056	CONCRETE	CHANNEL BEAM	72.3
240A0940003	FAYETTE	0A094	0.071	LONDON CREEK	WEIGHT POSTED	10/11/2016	1965	35.395361	-89.266389	CONCRETE	CHANNEL BEAM	49.7
240A0960001	FAYETTE	0A096	0.336	BRANCH OF LITTLE CREEK	OPEN	10/10/2016	1965	35.367472	-89.200611	CONCRETE	CHANNEL BEAM	83.9
240A0970001	FAYETTE	0A097	0.261	BRANCH	OPEN	10/11/2016	1965	35.37625	-89.202111	CONCRETE	CHANNEL BEAM	83.4
240A0970003	FAYETTE	0A097	0.84	BRANCH	OPEN	10/11/2016	2010	35.384539	-89.202806	CONCRETE	CHANNEL BEAM	71.5
240A1000001	FAYETTE	0A100	0.364	BEAR CREEK	OPEN	10/10/2016	1996	35.3325	-89.211444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.6
240A1020001	FAYETTE	0A102	0.136	BRANCH	OPEN	10/10/2016	2000	35.2988	-89.312267	CONCRETE	CHANNEL BEAM	89.5
240A1030001	FAYETTE	0A103	1.564	BRANCH	OPEN	10/10/2016	1965	35.322417	-89.291306	CONCRETE	CHANNEL BEAM	88.5
240A1060001	FAYETTE	0A106	1.755	BIG MUDDY CREEK	OPEN	10/10/2016	1965	35.29975	-89.2645	CONCRETE	CHANNEL BEAM	86.9
240A1090001	FAYETTE	0A109	1.068	BRANCH	OPEN	10/10/2016	1983	35.312694	-89.200611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
240A1140001	FAYETTE	0A114	1.576	BIG MUDDY CREEK	WEIGHT POSTED	10/10/2016	1970	35.298667	-89.244889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71
240A1150003	FAYETTE	0A115	1.859	WOLF RIVER	OPEN	10/13/2016	1988	35.027667	-89.350583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.7
240A1180001	FAYETTE	0A118	0.822	LOOSAHATCHIE RIVER	OPEN	10/11/2016	2013	35.269133	-89.25205	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.5
240A1190001	FAYETTE	0A119	0.835	BRANCH OF GREGG CREEK	WEIGHT POSTED	10/12/2016	1999	35.262806	-89.193222	CONCRETE	CHANNEL BEAM	47
240A1190003	FAYETTE	0A119	2.142	GREGG CREEK	WEIGHT POSTED	10/12/2016	1989	35.274417	-89.204722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.8
240A1190005	FAYETTE	0A119	2.592	MORROW CREEK	OPEN	10/12/2016	1996	35.274944	-89.212472	CONCRETE	CHANNEL BEAM	89.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
240A1190007	FAYETTE	0A119	4.023	BRANCH	OPEN	10/11/2016	1983	35.273139	-89.236833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
240A1200001	FAYETTE	0A120	2.516	KINGS CREEK	OPEN	10/11/2016	2000	35.244306	-89.261667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
240A1200003	FAYETTE	0A120	3.314	ARMOUR CREEK	OPEN	10/11/2016	1996	35.246972	-89.248167	CONCRETE	CHANNEL BEAM	51.3
240A1210001	FAYETTE	0A121	1.486	MORROW CREEK	OPEN	10/12/2016	2000	35.249056	-89.208444	CONCRETE	CHANNEL BEAM	88.5
240A1210003	FAYETTE	0A121	2.382	BRANCH OF GREGG CREEK	WEIGHT POSTED	10/12/2016	1960	35.251194	-89.194278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.4
240A1270001	FAYETTE	0A127	0.121	OVERFLOW	OPEN	10/12/2016	1984	35.194	-89.3095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9
240A1270003	FAYETTE	0A127	0.261	BRANCH	WEIGHT POSTED	10/12/2016	1993	35.193806	-89.31175	CONCRETE	CHANNEL BEAM	49.6
240A1280001	FAYETTE	0A128	0.804	BRANCH	OPEN	10/12/2016	1970	35.173861	-89.310139	CONCRETE	CHANNEL BEAM	61
240A1280003	FAYETTE	0A128	1.038	BRANCH OF BENNETTS CREEK	OPEN	10/12/2016	2011	35.174	-89.306194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89
240A1290001	FAYETTE	0A129	0.458	BRANCH OF BURNETT'S CREEK	OPEN	10/12/2016	2005	35.178472	-89.276417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.5
240A1290003	FAYETTE	0A129	2.464	BRANCH N. FK. WOLF RIVER	WEIGHT POSTED	10/12/2016	1965	35.17575	-89.243306	CONCRETE	CHANNEL BEAM	31
240A1290005	FAYETTE	0A129	4.278	MCKINNIE CREEK	OPEN	10/12/2016	1993	35.162389	-89.216417	CONCRETE	CHANNEL BEAM	69
240A1310001	FAYETTE	0A131	2.979	BRANCH OF HOWELL CREEK	OPEN	10/12/2016	2000	35.213583	-89.285222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
240A1330001	FAYETTE	0A133	0.47	BRANCH OF WOLF RIVER	OPEN	10/12/2016	1965	35.197889	-89.207611	CONCRETE	CHANNEL BEAM	73.2
240A1330003	FAYETTE	0A133	0.584	BRANCH	OPEN	10/12/2016	1986	35.196444	-89.206639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
240A1360001	FAYETTE	0A136	1.182	BRANCH OF MORROW CREEK	WEIGHT POSTED	10/12/2016	1962	35.230944	-89.210333	CONCRETE	CHANNEL BEAM	46.7
240A1400001	FAYETTE	0A140	0.371	HOWELL CREEK	OPEN	10/11/2016	2008	35.24	-89.293222	CONCRETE	CHANNEL BEAM	89.5
240A1440001	FAYETTE	0A144	2.7	MAY CREEK	OPEN	10/18/2016	1962	35.149639	-89.198111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.1
240A1490001	FAYETTE	0A149	0.295	NORTH FORK CREEK	WEIGHT POSTED	10/18/2016	1961	35.104139	-89.213556	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	22.3
240A1760001	FAYETTE	0A176	3.687	JONES CREEK	OPEN	10/18/2016	1965	35.210444	-89.461889	CONCRETE	CHANNEL BEAM	83
240A1790001	FAYETTE	0A179	2.265	SHAWS CREEK	WEIGHT POSTED	10/19/2016	1964	35.14825	-89.417889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.8
240A1840001	FAYETTE	0A184	0.699	BRANCH	OPEN	10/13/2016	1997	35.034167	-89.361306	CONCRETE	CHANNEL BEAM	73.5
240A1840003	FAYETTE	0A184	3.104	BRANCH	OPEN	10/13/2016	1984	35.054083	-89.375278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
240A1910001	FAYETTE	0A191	1.329	BRANCH OF WOLF RIVER	WEIGHT POSTED	10/13/2016	1960	35.027806	-89.270778	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.3
240A1910003	FAYETTE	0A191	1.949	BRANCH	OPEN	10/13/2016	1965	35.023333	-89.280528	CONCRETE	CHANNEL BEAM	88.5
240A1930001	FAYETTE	0A193	1.186	BRANCH	OPEN	10/17/2016	1984	35.026028	-89.200028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
240A1960001	FAYETTE	0A196	4.861	OVERFLOW	WEIGHT POSTED	10/13/2016	1964	35.087889	-89.321806	CONCRETE	CHANNEL BEAM	48.8
240A1960003	FAYETTE	0A196	4.907	BRANCH OF WOLF RIVER	OPEN	10/13/2016	1965	35.087444	-89.322361	CONCRETE	CHANNEL BEAM	88.5
240A1960005	FAYETTE	0A196	6.503	BRANCH	OPEN	10/13/2016	1965	35.076111	-89.342417	CONCRETE	CHANNEL BEAM	83.5
240A1980001	FAYETTE	0A198	1.45	BRANCH	OPEN	10/13/2016	1984	35.03975	-89.303017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53
240A2010001	FAYETTE	0A201	1.143	SANDY CREEK	OPEN	10/13/2016	2006	35.045333	-89.43675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
240A2030001	FAYETTE	0A203	0.11	SANDY CREEK	OPEN	10/17/2016	1993	35.048333	-89.454111	CONCRETE	CHANNEL BEAM	79.4
240A2040001	FAYETTE	0A204	0.271	SANDY CREEK	OPEN	10/17/2016	1965	35.049111	-89.465306	CONCRETE	CHANNEL BEAM	43.9
240A2080001	FAYETTE	0A208	0.128	OVERFLOW	WEIGHT POSTED	10/17/2016	1979	35.040556	-89.488583	CONCRETE	CHANNEL BEAM	48.2
240A2100001	FAYETTE	0A210	0.562	TEAGUE BRANCH	OPEN	10/17/2016	1965	34.996444	-89.456222	CONCRETE	CHANNEL BEAM	69.5
240A2110001	FAYETTE	0A211	0.721	GOLDEN CREEK	OPEN	10/17/2016	1987	35.019667	-89.428278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.4
240A2150001	FAYETTE	0A215	0.437	BRANCH	OPEN	10/18/2016	1965	35.191667	-89.489306	CONCRETE	CHANNEL BEAM	71.4
240A2170001	FAYETTE	0A217	0.557	SHAWS CREEK	OPEN	10/18/2016	1977	35.1615	-89.488833	CONCRETE	CHANNEL BEAM	60.4
240A2200001	FAYETTE	0A220	0.821	SHAWS CREEK	OPEN	10/18/2016	1965	35.13775	-89.508333	CONCRETE	CHANNEL BEAM	78.4
240A2220001	FAYETTE	0A222	2.793	BRANCH	OPEN	10/18/2016	2004	35.1117	-89.458278	CONCRETE	CHANNEL BEAM	72.2
240A2220003	FAYETTE	0A222	5.374	BRANCH	OPEN	10/18/2016	1960	35.090333	-89.468361	CONCRETE	CHANNEL BEAM	82.2
240A2230001	FAYETTE	0A223	0.697	HURRICANE CREEK	OPEN	10/19/2016	1996	35.107194	-89.497083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
240A2290001	FAYETTE	0A229	0.839	ALEXANDER CREEK	OPEN	10/19/2016	1988	35.11675	-89.562889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
240A2290003	FAYETTE	0A229	1.995	SHAWS CREEK	OPEN	10/19/2016	1965	35.117167	-89.543583	CONCRETE	CHANNEL BEAM	71.1
240A2290005	FAYETTE	0A229	2.072	SHAWS CREEK OVERFLOW	OPEN	10/19/2016	1993	35.116389	-89.542944	CONCRETE	CHANNEL BEAM	82.9
240A2320001	FAYETTE	0A232	3	HURRICANE CREEK	OPEN	10/19/2016	1996	35.077222	-89.5265	CONCRETE	CHANNEL BEAM	83.1
240A2320003	FAYETTE	0A232	3.051	HURRICANE CREEK	WEIGHT POSTED	10/19/2016	1965	35.077639	-89.52725	CONCRETE	CHANNEL BEAM	34.8
240A2340003	FAYETTE	0A234	2.888	BRANCH	OPEN	10/19/2016	1965	35.019972	-89.511194	CONCRETE	CHANNEL BEAM	72.3
240A2350001	FAYETTE	0A235	2.994	BRANCH	WEIGHT POSTED	10/19/2016	1968	35.002444	-89.564556	CONCRETE	CHANNEL BEAM	34.1
240A2370001	FAYETTE	0A237	0.707	BRANCH	OPEN	10/19/2016	1965	35.006333	-89.621111	CONCRETE	CHANNEL BEAM	62.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
240A2550001	FAYETTE	0A255	1.105	CLAY BRANCH	OPEN	10/19/2016	2016	35.174056	-89.526833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
240A2570001	FAYETTE	0A257	1.214	DRAINAGE DITCH	OPEN	10/19/2016	1965	35.2157	-89.534633	CONCRETE	CHANNEL BEAM	73.4
240A2570003	FAYETTE	0A257	1.295	CYPRESS CREEK	OPEN	10/19/2016	1999	35.214694	-89.535694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
240A2620001	FAYETTE	0A262	1.095	BRANCH	OPEN	10/19/2016	2003	35.116694	-89.625472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	100
240A0730001	FAYETTE	0A273	0.522	NORTH FORK PRICE BRANCH	OPEN	10/6/2016	1983	35.395083	-89.310306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
240A3500001	FAYETTE	0A350	2.75	BRANCH	OPEN	10/12/2016	1960	35.1155	-89.360028	CONCRETE	CHANNEL BEAM	61.4
240A3500003	FAYETTE	0A350	3.253	WATKINS CREEK	OPEN	10/18/2016	1965	35.114556	-89.368667	CONCRETE	CHANNEL BEAM	71.4
240A3500005	FAYETTE	0A350	4.525	HARGISS CREEK	OPEN	10/12/2016	2016	35.114556	-89.390917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.1
240A5180001	FAYETTE	0A518	0.09	BRANCH	OPEN	10/5/2016	1988	35.230167	-89.525361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
240A5610001	FAYETTE	0A561	0.362	BRANCH	OPEN	10/19/2016	2008	35.170183	-89.575833	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
24SR3850025	FAYETTE	0A747	0.13	BRANCH	OPEN	10/19/2016	2005	35.0335	-89.639167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63
240A8220001	FAYETTE	0A822	0.338	BRANCH	OPEN	10/19/2016	2010	35.196472	-89.956778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
240A2440001	FAYETTE	0J485	0.35	FLETCHER CREEK	OPEN	6/6/2017	2016	35.057528	-89.636028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
24I00400003	FAYETTE	I0040	2.57	LOOSAHATCHIE RIVER	OPEN	9/21/2016	1963	35.298778	-89.601	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.5
24I00400004	FAYETTE	I0040	2.57	LOOSAHATCHIE RIVER	OPEN	9/21/2016	1963	35.298361	-89.601306	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80
24I00400005	FAYETTE	I0040	2.72	OVERFLOW	OPEN	9/21/2016	1963	35.299806	-89.598944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8
24I00400006	FAYETTE	I0040	2.72	OVERFLOW	OPEN	9/21/2016	1963	35.3	-89.599194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.1
24I00400007	FAYETTE	I0040	3.16	BRANCH	OPEN	9/21/2016	1963	35.304	-89.593167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8
24I00400008	FAYETTE	I0040	3.16	BRANCH	OPEN	9/21/2016	1963	35.304167	-89.593361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8
24I00400010	FAYETTE	I0040	3.82	BRANCH	OPEN	9/21/2016	1963	35.310556	-89.584528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8
24I00400009	FAYETTE	I0040	3.82	BRANCH	OPEN	9/21/2016	1963	35.310278	-89.584389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24I00400011	FAYETTE	I0040	3.99	LITTLE CYPRESS CREEK	OPEN	9/21/2016	1963	35.312056	-89.582028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8
24I00400012	FAYETTE	I0040	3.99	LITTLE CYPRESS CREEK	OPEN	9/21/2016	1963	35.312139	-89.582333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8
24I00400016	FAYETTE	I0040	6.405	PORTER RD.	OPEN	9/21/2016	1963	35.336222	-89.549639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.8
24I00400015	FAYETTE	I0040	6.405	PORTER RD.	OPEN	9/21/2016	1963	35.334444	-89.549361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.8
24I00400017	FAYETTE	I0040	7.49	WILDER CREEK	OPEN	9/21/2016	1963	35.34175	-89.532528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72.8
24I00400018	FAYETTE	I0040	7.49	WILDER CREEK	OPEN	9/21/2016	1963	35.342417	-89.532694	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.8
24I00400023	FAYETTE	I0040	11.06	BRANCH	OPEN	9/21/2016	1963	35.367417	-89.477833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
24I00400027	FAYETTE	I0040	12.63	BRANCH	OPEN	9/21/2016	1963	35.376806	-89.452139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.6
24I00400031	FAYETTE	I0040	13.83	BRANCH	OPEN	9/21/2016	1963	35.382833	-89.432556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.6
24SR0010001	FAYETTE	SR001	1.93	BRANCH	OPEN	9/22/2016	1929	35.337361	-89.613083	CONCRETE	TEE BEAM	55.2
24SR0010003	FAYETTE	SR001	5.66	BRANCH	OPEN	9/22/2016	1929	35.378333	-89.571667	CONCRETE	TEE BEAM	63.6
24SR0010005	FAYETTE	SR001	7.26	BRANCH	OPEN	9/22/2016	1929	35.396667	-89.553333	CONCRETE	TEE BEAM	78.6
24SR0010007	FAYETTE	SR001	7.57	OVERFLOW	OPEN	9/22/2016	1929	35.400722	-89.549917	CONCRETE	TEE BEAM	82.4
24SR0010009	FAYETTE	SR001	7.86	OVERFLOW	OPEN	9/22/2016	1929	35.403333	-89.546667	CONCRETE	TEE BEAM	70.1
24SR0150002	FAYETTE	SR015	0.4	BRANCH	OPEN	9/22/2016	1992	35.212972	-89.632083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
24SR0150001	FAYETTE	SR015	0.4	BRANCH	OPEN	9/22/2016	1992	35.212861	-89.631833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	56.9
24SR0150004	FAYETTE	SR015	0.55	BIG CYPRESS CREEK	OPEN	9/26/2016	1992	35.214167	-89.629861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.7
24SR0150003	FAYETTE	SR015	0.55	BIG CYPRESS CREEK	OPEN	9/26/2016	1992	35.214083	-89.6295	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	70.1
24SR0150035	FAYETTE	SR015	2.1	BRANCH	OPEN	9/26/2016	1994	35.221972	-89.604444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
24SR0150005	FAYETTE	SR015	3.57	BRANCH	OPEN	9/26/2016	1926	35.225583	-89.578861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.3
24SR0150007	FAYETTE	SR015	6.5	BRANCH	OPEN	9/26/2016	1926	35.228944	-89.52725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7
24SR0150010	FAYETTE	SR015	9.96	TREADVILLE CREEK	OPEN	9/26/2016	1994	35.232333	-89.466444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24SR0150009	FAYETTE	SR015	9.96	TREADVILLE CREEK	OPEN	9/26/2016	1994	35.232111	-89.466361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.1
24SR0150013	FAYETTE	SR015	13.57	BRANCH	OPEN	9/26/2016	1997	35.235556	-89.403	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.7
24SR0150016	FAYETTE	SR015	14.06	JONES CREEK	OPEN	9/22/2016	1994	35.236528	-89.394556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.7
24SR0150015	FAYETTE	SR015	14.06	JONES CREEK	OPEN	9/22/2016	1994	35.236361	-89.394333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.7
24SR0150017	FAYETTE	SR015	16.29	TOWN CREEK	OPEN	9/22/2016	1957	35.243611	-89.356056	CONCRETE	TEE BEAM	59.9
24SR0150019	FAYETTE	SR015	18.26	OVERFLOW	OPEN	9/22/2016	1998	35.243611	-89.322028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.6
24SR0150022	FAYETTE	SR015	18.45	BENNETTS CREEK	OPEN	9/22/2016	1999	35.244361	-89.319	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.3
24SR0150021	FAYETTE	SR015	18.45	BENNETTS CREEK	OPEN	9/22/2016	1999	35.244194	-89.318889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.3
24SR0150023	FAYETTE	SR015	19.55	HOWELL CREEK	OPEN	9/22/2016	1999	35.248056	-89.300083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
24SR0150025	FAYETTE	SR015	19.64	OVERFLOW	OPEN	9/22/2016	1999	35.24875	-89.298556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
24SR0150027	FAYETTE	SR015	21.23	BRANCH	OPEN	9/22/2016	1999	35.277889	-89.274917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.1
24SR0150029	FAYETTE	SR015	21.31	KINGS CREEK	OPEN	9/22/2016	1999	35.26175	-89.273861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
24SR0150031	FAYETTE	SR015	22.07	LOOSAHATCHIE RIVER	OPEN	9/26/2016	1999	35.267944	-89.262583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.3
24SR0150033	FAYETTE	SR015	26.9	BRANCH	OPEN	9/26/2016	1999	35.306278	-89.193861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
24SR0180001	FAYETTE	SR018	4.12	SOUTHERN RAILWAY	OPEN	9/27/2016	1973	35.04875	-89.208028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
24SR0570001	FAYETTE	SR057	1.61	SOUTHERN RAILWAY	OPEN	9/26/2016	1971	35.046972	-89.615694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.9
24SR0570003	FAYETTE	SR057	2.86	DRAINAGE DITCH	OPEN	9/26/2016	1998	35.041667	-89.594111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.2
24SR0570005	FAYETTE	SR057	3.02	DRAINAGE DITCH	OPEN	9/26/2016	1998	35.044	-89.591389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.3
24SR0570007	FAYETTE	SR057	3.2	DRAINAGE DITCH	OPEN	9/26/2016	1996	35.043917	-89.588167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.1
24SR0570031	FAYETTE	SR057	4.16	NORFOLK SOUTHERN R.R.	OPEN	9/26/2016	2013	35.04315	-89.57125	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24SR0570009	FAYETTE	SR057	4.3	DRAINAGE DITCH	OPEN	9/28/2016	1931	35.043028	-89.56875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.6
24SR0570011	FAYETTE	SR057	5.84	MORRISON CREEK	OPEN	9/28/2016	1997	35.041639	-89.541861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
24SR0570013	FAYETTE	SR057	6.45	DRAINAGE DITCH	OPEN	9/28/2016	1931	35.041111	-89.530639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
24SR0570015	FAYETTE	SR057	8.66	DRAINAGE DITCH	OPEN	9/27/2016	1999	35.041583	-89.492278	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	79.1
24SR0570017	FAYETTE	SR057	9	OVERFLOW	OPEN	9/27/2016	1999	35.042806	-89.4865	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.3
24SR0570019	FAYETTE	SR057	9.36	GRISSUM CREEK	OPEN	9/27/2016	2000	35.044167	-89.480361	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.3
24SR0570021	FAYETTE	SR057	10.06	TEAGUE BRANCH	OPEN	9/27/2016	2000	35.046806	-89.468278	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.3
24SR0570023	FAYETTE	SR057	10.34	SANDY CREEK	OPEN	9/28/2016	2000	35.047861	-89.463556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.3
24SR0570025	FAYETTE	SR057	13.44	WOLF RIVER	OPEN	9/27/2016	1998	35.058861	-89.410556	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.1
24SR0590001	FAYETTE	SR059	2.67	DRAINAGE DITCH	OPEN	9/27/2016	1998	35.360306	-89.532556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
24SR0590017	FAYETTE	SR059	2.99	OVERFLOW	OPEN	9/27/2016	1999	35.356972	-89.528611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
24I00400019	FAYETTE	SR059	3.77	SR-59 / I-40	OPEN	9/27/2016	1960	35.348972	-89.519083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.7
24SR0590003	FAYETTE	SR059	4.94	BRANCH	OPEN	9/27/2016	1999	35.340778	-89.501222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
24SR0590007	FAYETTE	SR059	5.64	CYPRESS CREEK	OPEN	9/27/2016	1999	35.336583	-89.489944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87
24SR0590009	FAYETTE	SR059	5.77	OVERFLOW	OPEN	9/27/2016	1999	35.335944	-89.487972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
24SR0590011	FAYETTE	SR059	8	OVERFLOW	OPEN	9/26/2016	1997	35.322583	-89.452028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
24SR0590013	FAYETTE	SR059	8.07	LAUREL CREEK	OPEN	9/26/2016	1997	35.322111	-89.450833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.9
24SR0590015	FAYETTE	SR059	11.87	DRAINAGE DITCH	OPEN	9/26/2016	1998	35.299417	-89.389556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
24SR0760001	FAYETTE	SR076	0.54	OVERFLOW	OPEN	9/28/2016	2014	35.068083	-89.394083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24SR0760003	FAYETTE	SR076	0.73	NORTH FORK WOLF RIVER	OPEN	9/28/2016	2014	35.070778	-89.394056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
24SR0760005	FAYETTE	SR076	0.92	OVERFLOW	OPEN	9/28/2016	2014	35.073472	-89.393694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
24SR0760007	FAYETTE	SR076	2.04	BRANCH	OPEN	9/28/2016	2014	35.089361	-89.389889	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.6
24SR0760009	FAYETTE	SR076	2.99	BRANCH	OPEN	9/28/2016	1932	35.1025	-89.385611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
24SR0760011	FAYETTE	SR076	5.51	BRANCH	OPEN	9/28/2016	1998	35.138056	-89.374361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
24SR0760015	FAYETTE	SR076	14.04	LOOSAHATCHIE RIVER	OPEN	9/28/2016	1947	35.25825	-89.353583	CONCRETE	TEE BEAM	66.6
24SR0760017	FAYETTE	SR076	15.72	SMART CREEK	OPEN	9/28/2016	1951	35.281417	-89.35325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
24SR0760019	FAYETTE	SR076	20.21	MUDDY CREEK	OPEN	9/29/2016	1951	35.342111	-89.333556	CONCRETE	TEE BEAM	68.2
24SR0760021	FAYETTE	SR076	23.2	BRANCH	OPEN	9/29/2016	1951	35.378694	-89.302611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
24SR0760023	FAYETTE	SR076	23.26	DRAINAGE DITCH	OPEN	9/29/2016	1948	35.379694	-89.30575	CONCRETE	TEE BEAM	67.6
24SR0760025	FAYETTE	SR076	24.14	BRANCH	OPEN	9/29/2016	1939	35.392139	-89.302722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
24014580001	FAYETTE	SR193	4.86	ALEXANDER CREEK	OPEN	9/28/2016	1965	35.14625	-89.555083	CONCRETE	CHANNEL BEAM	58
24014580003	FAYETTE	SR193	7.72	BRANCH	OPEN	9/28/2016	1965	35.148361	-89.505167	CONCRETE	CHANNEL BEAM	41.1
24015420001	FAYETTE	SR193	11.48	BRANCH	OPEN	9/29/2016	1965	35.155111	-89.451639	CONCRETE	CHANNEL BEAM	69
24S80780001	FAYETTE	SR194	0.72	OVERFLOW	OPEN	9/28/2016	2013	35.051833	-89.541778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
24S80780003	FAYETTE	SR194	0.81	WOLF RIVER	OPEN	9/28/2016	2013	35.053139	-89.541222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
24S80780005	FAYETTE	SR194	1.06	OVERFLOW	OPEN	9/28/2016	2013	35.056222	-89.540083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
24S80780007	FAYETTE	SR194	1.17	OVERFLOW	OPEN	9/28/2016	2013	35.058278	-89.539944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
24S80780009	FAYETTE	SR194	2.13	HURRICANE CREEK	OPEN	9/28/2016	1999	35.071972	-89.539639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.4
24SR1940001	FAYETTE	SR194	8.18	BRANCH	OPEN	9/28/2016	1980	35.141056	-89.486806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
24S80780011	FAYETTE	SR194	8.5	SHAW CREEK	OPEN	9/28/2016	2012	35.145944	-89.486639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
24S80780013	FAYETTE	SR194	9.25	BRANCH	OPEN	9/28/2016	2012	35.1505	-89.495306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24SR1940003	FAYETTE	SR194	11.97	BRANCH	OPEN	9/29/2016	1980	35.189111	-89.516056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
24S80780015	FAYETTE	SR194	12.84	CYPRESS CREEK	OPEN	9/29/2016	1981	35.201417	-89.516806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.8
24SR1940005	FAYETTE	SR194	16.42	BLACK ANKLE CREEK	OPEN	9/29/2016	2011	35.250967	-89.5099	CONCRETE	CHANNEL BEAM	89.2
24S80780017	FAYETTE	SR194	19.57	TREADVILLES CREEK	OPEN	9/29/2016	1985	35.292722	-89.506194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.7
24S80780019	FAYETTE	SR194	19.62	LOOSAHATCHIE RIVER	OPEN	9/29/2016	2012	35.293556	-89.506389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.6
24S80780021	FAYETTE	SR194	19.74	BRANCH	OPEN	9/29/2016	2012	35.295333	-89.506667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.3
24S80780025	FAYETTE	SR194	21.71	BRANCH	OPEN	9/29/2016	2012	35.314333	-89.483417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
24S80780027	FAYETTE	SR194	21.9	LAUREL CR. DRAIN. CANAL	OPEN	9/29/2016	2012	35.317278	-89.483333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.4
24S81080001	FAYETTE	SR195	3.23	BRANCH	OPEN	9/29/2016	1959	35.189778	-89.408167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.3
24S81080003	FAYETTE	SR195	4.39	OVERFLOW	OPEN	9/29/2016	1960	35.191778	-89.3885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.3
24S81080005	FAYETTE	SR195	4.46	BRANCH	OPEN	9/29/2016	1958	35.191722	-89.387333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
24S81080007	FAYETTE	SR195	5.47	DAVIS CREEK	OPEN	9/29/2016	1960	35.197944	-89.372333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
24F00240003	FAYETTE	SR196	1.09	RUSSELL CREEK	OPEN	9/29/2016	1939	35.013472	-89.617528	CONCRETE	CHANNEL BEAM	48
24F00240001	FAYETTE	SR196	1.36	BRANCH OF RUSSELL CREEK	OPEN	9/29/2016	1939	35.017028	-89.6175	CONCRETE	CHANNEL BEAM	49.3
24008430001	FAYETTE	SR196	5.04	WOLF RIVER OVERFLOW	OPEN	10/3/2016	1981	35.066444	-89.618333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
24008430003	FAYETTE	SR196	5.21	WOLF RIVER	OPEN	10/4/2016	1981	35.068278	-89.616389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.6
24008430005	FAYETTE	SR196	5.46	WOLF RIVER OVERFLOW	OPEN	10/3/2016	1981	35.071111	-89.613472	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
24S81090043	FAYETTE	SR196	6.8	SHAW CREEK	OPEN	10/3/2016	1982	35.082083	-89.596722	CONCRETE	CHANNEL BEAM	59.6
24S81090003	FAYETTE	SR196	7.11	OVERFLOW	OPEN	10/3/2016	1982	35.086556	-89.597389	CONCRETE	CHANNEL BEAM	52.5
24S81090007	FAYETTE	SR196	14.13	BRANCH	OPEN	10/4/2016	1966	35.184722	-89.592611	CONCRETE	CHANNEL BEAM	55.2
24008430009	FAYETTE	SR196	16.22	LITTLE CYPRESS CREEK	OPEN	10/4/2016	1993	35.213361	-89.585056	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
24S81090011	FAYETTE	SR196	20.73	WEBER BRANCH	OPEN	9/29/2016	1953	35.277028	-89.5905	CONCRETE	TEE BEAM	69.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24I00400001	FAYETTE	SR196	22.22	I-40	OPEN	9/29/2016	1961	35.291778	-89.609833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.1
24S81090013	FAYETTE	SR196	22.5	BRANCH	OPEN	9/29/2016	1956	35.293694	-89.614111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
24S81090015	FAYETTE	SR196	23.22	OVERFLOW	OPEN	9/29/2016	1966	35.302222	-89.618944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
24S81090017	FAYETTE	SR196	23.3	OVERFLOW	OPEN	10/3/2016	1966	35.301222	-89.619333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
24S81090019	FAYETTE	SR196	23.55	LOOSAHATCHIE RIVER	OPEN	10/3/2016	1951	35.305639	-89.617139	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.6
24S81090021	FAYETTE	SR196	23.7	OVERFLOW	OPEN	10/3/2016	1952	35.307639	-89.616583	CONCRETE	TEE BEAM	71.4
24S81090023	FAYETTE	SR196	23.8	OVERFLOW	OPEN	10/3/2016	1952	35.309056	-89.616694	CONCRETE	TEE BEAM	71.4
24S81090025	FAYETTE	SR196	23.92	OVERFLOW	OPEN	10/3/2016	1952	35.310917	-89.616583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.4
24S81090027	FAYETTE	SR196	24.03	OVERFLOW	OPEN	10/3/2016	1952	35.312417	-89.616861	CONCRETE	TEE BEAM	71.4
24S81090029	FAYETTE	SR196	24.17	BRANCH	OPEN	10/3/2016	1960	35.314611	-89.617056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
24S81140001	FAYETTE	SR222	3.66	LITTLE LAUREL CREEK	OPEN	9/27/2016	1958	35.337167	-89.400944	CONCRETE	CHANNEL BEAM	61
24I00400033	FAYETTE	SR222	7.75	SR-222 / I-40	OPEN	9/27/2016	2014	35.392333	-89.41175	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
24SR3850003	FAYETTE	SR385	0.015	SR-385 RAMP E / MS-304	OPEN	10/3/2016	2005	35.02995	-89.5931	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24I02690011	FAYETTE	SR385	0.26	BRANCH	OPEN	10/4/2016	2012	35.097717	-89.63775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
24SR3850005	FAYETTE	SR385	0.34	BRANCH	OPEN	10/3/2016	2005	35.021111	-89.662306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
24SR3850008	FAYETTE	SR385	0.445	SR-385 / KEOUGH RD	OPEN	10/3/2016	2005	35.035133	-89.639333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
24SR3850007	FAYETTE	SR385	0.445	SR-385 / KEOUGH RD	OPEN	10/3/2016	2005	35.035117	-89.638983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24I02690013	FAYETTE	SR385	0.56	BRANCH	OPEN	10/4/2016	2012	35.10215	-89.6367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
24SR0570027	FAYETTE	SR385	0.94	RAMP "H" / NORFORK S. RR	OPEN	10/3/2016	2005	35.042917	-89.6383	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
24SR3850031	FAYETTE	SR385	0.96	NORFOLK SOUTHERN RWY	OPEN	10/4/2016	2005	35.043033	-89.63755	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
24SR3850012	FAYETTE	SR385	0.995	NORFOLK SOUTHERN RWY	OPEN	10/3/2016	2005	35.0429	-89.638117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
24SR3850011	FAYETTE	SR385	0.995	NORFOLK SOUTHERN Rwy	OPEN	10/3/2016	2005	35.043	-89.637833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
24SR0570029	FAYETTE	SR385	1.04	SR-385 NB / SR 57	OPEN	10/4/2016	2005	35.04415	-89.637783	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24SR0570030	FAYETTE	SR385	1.04	SR-385 SB / SR 57	OPEN	10/4/2016	2005	35.044117	-89.636683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24I02690018	FAYETTE	SR385	1.57	JOHNSON CREEK	OPEN	10/4/2016	2012	35.116883	-89.636767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.3
24I02690017	FAYETTE	SR385	1.57	JOHNSON CREEK	OPEN	10/4/2016	2012	35.11685	-89.636483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.3
24I02690019	FAYETTE	SR385	1.77	BRANCH	OPEN	10/4/2016	2012	35.10285	-89.636433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
24I02690008	FAYETTE	SR385	1.885	FLETCHER CREEK	OPEN	10/4/2016	2012	35.055667	-89.63745	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24I02690007	FAYETTE	SR385	1.885	FLETCHER CREEK	OPEN	10/4/2016	2012	35.055769	-89.637469	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24I02690009	FAYETTE	SR385	1.98	FLETCHER RD	OPEN	10/4/2016	2012	35.057367	-89.637167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24I02690010	FAYETTE	SR385	1.98	FLETCHER RD	OPEN	10/4/2016	2012	35.057233	-89.637467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24I02690021	FAYETTE	SR385	2.59	MONTEREY RD	OPEN	10/4/2016	2012	35.131367	-89.638433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24I02690022	FAYETTE	SR385	2.59	MONTEREY RD	OPEN	10/4/2016	2012	35.131317	-89.638717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
24I02690023	FAYETTE	SR385	2.695	MARY'S CREEK	OPEN	10/4/2016	2012	35.13265	-89.639083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
25S42420003	FENTRESS	01180	1.32	LONG BRANCH	OPEN	8/25/2016	1950	36.258983	-84.961083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.3
25S42420001	FENTRESS	01180	1.98	N. PRONG CLEAR FK. CREEK	OPEN	8/25/2016	1982	36.265233	-84.968817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
250A1120001	FENTRESS	01182	7.14	MILL CREEK	OPEN	8/25/2016	1992	36.3933	-84.791467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.7
25S44500003	FENTRESS	01211	2.81	CROOKED CREEK	OPEN	8/29/2016	1968	36.342133	-84.884667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.3
25S44500001	FENTRESS	01211	6.03	N. PRONG CLEAR FK CREEK	OPEN	8/29/2016	1964	36.307033	-84.9096	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.8
25F00120005	FENTRESS	01211	14.22	MILL CREEK	OPEN	8/9/2016	2008	36.2165	-84.925767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
25F00120007	FENTRESS	01211	15.78	BRIDGE CREEK	WEIGHT POSTED	8/3/2016	1950	36.19665	-84.934067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.8
25023020001	FENTRESS	02302	0.96	HURRICANE CREEK	OPEN	8/3/2016	1939	36.194833	-85.06835	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.5
25023120001	FENTRESS	02312	4.53	SLATE CREEK	OPEN	8/3/2016	1970	36.2096	-85.0315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.4
25023140001	FENTRESS	02314	0.65	SO. PRONG CLEAR FK. CR	OPEN	8/30/2016	1945	36.221917	-84.914917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.5
25023160001	FENTRESS	02316	9.45	LITTLE CRAB CREEK	WEIGHT POSTED	8/24/2016	1940	36.456283	-85.0499	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2
25023160003	FENTRESS	02316	12.69	POPLAR COVE CREEK	OPEN	8/15/2016	2006	36.433583	-85.01495	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.9
250A0280001	FENTRESS	0A028	0.015	POPLAR COVE CREEK	OPEN	8/16/2016	1986	36.4483	-84.9985	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
250A0460001	FENTRESS	0A046	1.984	REED CREEK	OPEN	8/8/2016	1986	36.542183	-84.992933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
250A0480001	FENTRESS	0A048	0.013	CANEY CREEK	OPEN	8/8/2016	1988	36.556417	-85.013017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
250A0600001	FENTRESS	0A060	0.42	REED CREEK	OPEN	8/8/2016	1986	36.536483	-84.991467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
250A0710001	FENTRESS	0A063	0.08	WOLF RIVER	OPEN	8/17/2016	1990	36.53555	-84.95215	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
250A0630001	FENTRESS	0A063	0.416	ROTTEN FORK WOLF RIVER	OPEN	8/17/2016	1939	36.539117	-84.9484	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.9
250A0630003	FENTRESS	0A063	1.119	ROTTEN FORK WOLF RIVER	OPEN	8/15/2016	1983	36.547167	-84.940533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
250A0710013	FENTRESS	0A071	0.529	OVERFLOW	OPEN	8/2/2016	2001	36.532983	-84.942833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
250A0710003	FENTRESS	0A071	0.552	WOLF RIVER	OPEN	8/2/2016	2001	36.532617	-84.942583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73
250A0710007	FENTRESS	0A071	3.219	DELK CREEK	OPEN	8/2/2016	2010	36.524267	-84.901733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.5
250A0710011	FENTRESS	0A071	4.539	WILLIAMS CREEK	WEIGHT POSTED	8/1/2016	1969	36.5284	-84.876567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.9
250A0730001	FENTRESS	0A073	0.135	ROTTEN FORK WOLF RIVER	WEIGHT POSTED	8/2/2016	1940	36.563717	-84.94465	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2
250A0730003	FENTRESS	0A073	1.046	ROTTEN FORK WOLF RIVER	OPEN	8/2/2016	1986	36.576517	-84.943467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
250A0750001	FENTRESS	0A075	0.558	DELK CREEK	OPEN	8/1/2016	1987	36.516117	-84.896533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.2
250A0750003	FENTRESS	0A075	0.869	JESSE CREEK	OPEN	8/1/2016	1987	36.51405	-84.89155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.6
250A1440001	FENTRESS	0A144	0.96	BIG CREEK	OPEN	8/10/2016	1935	36.362467	-84.779267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94
250A1750001	FENTRESS	0A175	0.65	CROOKED CREEK	OPEN	8/10/2016	1989	36.411633	-84.9113	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
250A1960001	FENTRESS	0A196	4.066	ROCK CASTLE CREEK	OPEN	8/16/2016	1986	36.378667	-84.995467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57.7
250A1980001	FENTRESS	0A198	0.094	ROCK CASTLE CREEK	OPEN	8/8/2016	1940	36.3773	-84.996883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.5
250A1990001	FENTRESS	0A199	0.016	BUFFALO COVE CREEK	WEIGHT POSTED	8/8/2016	1950	36.385	-85.0096	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.6
250A2030001	FENTRESS	0A203	2.731	BIG INDIAN CREEK	OPEN	8/24/2016	1995	36.39735	-85.082967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
250A2110001	FENTRESS	0A211	1.19	BRANCH	OPEN	8/24/2016	1960	36.399817	-85.041567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
250A2340001	FENTRESS	0A234	0.254	NORTH PRONG CLEAR CREEK	OPEN	8/9/2016	1984	36.278167	-84.9644	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
250A2500001	FENTRESS	0A250	1.614	CLEAR FORK CREEK	OPEN	8/30/2016	2005	36.23765	-84.909683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
250A3020001	FENTRESS	0A302	1.055	BIG LAUREL CREEK	WEIGHT POSTED	8/24/2016	1940	36.26715	-85.098667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	40.7
250A3020003	FENTRESS	0A302	1.393	LITTLE LAUREL CREEK	OPEN	8/4/2016	1984	36.270133	-85.099817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
25SR0280001	FENTRESS	SR028	28.03	DRY BRANCH	OPEN	7/21/2016	1980	36.526667	-84.955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94
25SR0280003	FENTRESS	SR028	29.4	WOLF RIVER	OPEN	7/27/2016	1940	36.5423	-84.961867	STEEL	TRUSS - THRU	30.7
25SR0280005	FENTRESS	SR028	33.426	CANEY CREEK	OPEN	7/21/2016	1990	36.563333	-85.011667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
25SR0520001	FENTRESS	SR052	1.45	BIG INDIAN CREEK	OPEN	7/20/2016	2009	36.4195	-85.075633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
25SR0520003	FENTRESS	SR052	5.21	EAST FORK OBEY RIVER	OPEN	7/20/2016	2012	36.433	-85.026667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
25SR0520005	FENTRESS	SR052	7.46	BRANHAM HOLLOW BRANCH	OPEN	7/20/2016	2013	36.4366	-85.007367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
25SR0520013	FENTRESS	SR052	13.44	SR 28	OPEN	7/20/2016	1990	36.427267	-84.921017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
25SR0520007	FENTRESS	SR052	24.51	BRANCH	OPEN	7/20/2016	1930	36.375	-84.778333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86.5
25SR0520009	FENTRESS	SR052	27.83	CLEAR FORK RIVER	OPEN	7/19/2016	1999	36.35	-84.731667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.1
25SR0850001	FENTRESS	SR085	1	LITTLE LAUREL CREEK	OPEN	7/20/2016	1988	36.276667	-85.105	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
25SR0850003	FENTRESS	SR085	5.67	EAST FORK OBEY RIVER	OPEN	7/13/2016	1989	36.2724	-85.044633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	70.9
25SR1540003	FENTRESS	SR154	2.2	SR 28	OPEN	7/25/2016	1991	36.454133	-84.928017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.1
25SR1540001	FENTRESS	SR154	9.24	LAUREL CREEK	OPEN	7/25/2016	1982	36.49	-84.843333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
25S42400001	FENTRESS	SR296	1.04	BRANCH	OPEN	7/19/2016	1929	36.383333	-84.92	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	64.6
25S42400003	FENTRESS	SR296	1.39	CROOKED CREEK	OPEN	7/26/2016	1938	36.381667	-84.915	CONCRETE	TEE BEAM	63.5
25S42400005	FENTRESS	SR296	2.55	LONG CREEK	OPEN	7/18/2016	1938	36.38	-84.893333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
25S44220001	FENTRESS	SR325	2.03	WOLF RIVER	OPEN	7/19/2016	1984	36.553933	-85.032083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
25S44220003	FENTRESS	SR325	2.12	HILBERT CREEK	OPEN	7/19/2016	1995	36.554667	-85.031167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
26S44050001	FRANKLIN	01086	5.5	WAGNER CREEK	OPEN	12/3/2015	1985	35.212333	-86.031517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
26F00110001	FRANKLIN	01088	2.43	ROCK CREEK	OPEN	9/21/2015	1967	35.25365	-86.141867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.8
260A2010001	FRANKLIN	01088	3.66	TAYLOR CREEK	OPEN	12/2/2015	1970	35.267733	-86.135833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
26S44760003	FRANKLIN	01092	3.71	GUM CREEK	OPEN	12/7/2015	1930	35.293933	-86.005667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.9
26F00270001	FRANKLIN	01101	4.06	WAGNER CREEK	OPEN	12/3/2015	1950	35.217467	-86.011417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
26S44040001	FRANKLIN	01103	4.95	DICK CREEK	WEIGHT POSTED	12/7/2015	1940	35.2492	-85.933983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.6
26S44760001	FRANKLIN	01105	4.46	ELK RIVER	OPEN	9/21/2015	1969	35.31775	-85.980233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
26019850001	FRANKLIN	01985	1.09	BEANS CREEK	OPEN	12/2/2015	1985	35.062783	-86.2467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.2
26019850003	FRANKLIN	01985	3.86	FACTORY BRANCH	OPEN	12/2/2015	1986	35.099633	-86.259233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
26019850005	FRANKLIN	01985	4.98	DOG CREEK	OPEN	12/2/2015	1988	35.111217	-86.261367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
26019850007	FRANKLIN	01985	5.31	CANEY HOLLOW CREEK	OPEN	12/2/2015	2006	35.1134	-86.265983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.9
26019850009	FRANKLIN	01985	10.405	ELK RIVER	OPEN	9/22/2015	1976	35.163433	-86.318367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
26021040001	FRANKLIN	02104	2.7	WILLHITE CREEK	OPEN	12/2/2015	1961	35.054533	-86.213033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
26S44080003	FRANKLIN	02104	3.16	BEANS CREEK	OPEN	12/2/2015	1960	35.058417	-86.209183	CONCRETE	TEE BEAM	91.1
26021060001	FRANKLIN	02106	4.19	NORWOOD CREEK	OPEN	12/3/2015	1985	35.14215	-86.065583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
26021060003	FRANKLIN	02106	7.38	KEITH COVE CREEK	OPEN	12/3/2015	1983	35.143417	-86.024417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
26021060005	FRANKLIN	02106	8.64	BOILING FORK CREEK	OPEN	12/3/2015	1988	35.1576	-86.015983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.3
26021100001	FRANKLIN	02110	0.87	LITTLE HURRICANE CREEK	OPEN	12/3/2015	1972	35.274333	-86.205233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
26021130001	FRANKLIN	02113	1.9	STEWART CREEK	OPEN	12/8/2015	2006	35.093417	-86.109117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.1
26021190001	FRANKLIN	02119	0.19	WAGNER CREEK	OPEN	12/8/2015	2005	35.204117	-86.0722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
26021190003	FRANKLIN	02119	0.22	OVERFLOW	OPEN	12/3/2015	2005	35.205967	-86.072167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
26021250001	FRANKLIN	02125	2.26	ELK RIVER	OPEN	12/7/2015	1997	35.306117	-85.94385	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
26021270001	FRANKLIN	02127	0.61	BOILING FORK CREEK	OPEN	12/8/2015	1960	35.16245	-86.060417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	68.5
26M34980001	FRANKLIN	03498	0.85	WAGNER CREEK	OPEN	12/8/2015	1970	35.201983	-86.056467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
260A1040001	FRANKLIN	05387	1.63	SOUTH FORK BLUE CREEK	OPEN	12/3/2015	1983	35.338983	-86.232417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
26SR0150009	FRANKLIN	05487	0.09	FACTORY BRANCH	OPEN	12/7/2015	1950	35.124183	-86.19335	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
260A0230001	FRANKLIN	0A023	1.276	ELK RIVER	OPEN	9/21/2015	1972	35.275617	-86.109483	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	58.8
260A1030001	FRANKLIN	0A103	0.444	ROCK CREEK	OPEN	10/12/2015	1988	35.327167	-86.209783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
260A1230001	FRANKLIN	0A123	0.78	ROCK CREEK	OPEN	10/12/2015	1994	35.287567	-86.187767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
260A1250001	FRANKLIN	0A125	0.448	ROCK CREEK	OPEN	10/12/2015	1985	35.27455	-86.172683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.5
260A2260001	FRANKLIN	0A226	0.923	DRY CREEK	OPEN	10/12/2015	1996	35.290533	-86.163067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
260A2640001	FRANKLIN	0A264	1.07	BRANCH	WEIGHT POSTED	10/12/2015	1950	35.262933	-86.102417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.3
260A2970001	FRANKLIN	0A297	1.339	CHILDER CREEK	OPEN	10/13/2015	1980	35.300983	-86.032	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.9
260A3180001	FRANKLIN	0A318	2.546	GUM CREEK	OPEN	10/13/2015	1984	35.305467	-86.002117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
260A3400001	FRANKLIN	0A340	3.977	MUD CREEK	OPEN	10/13/2015	1974	35.2314	-85.917183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.9
260A3420001	FRANKLIN	0A342	0.279	MUD CREEK	OPEN	10/13/2015	1970	35.246117	-85.921217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.5
260A3450001	FRANKLIN	0A345	1.874	ROSE CREEK	OPEN	10/13/2015	1985	35.249767	-85.9605	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
260A3550001	FRANKLIN	0A355	1.211	WAGNER CREEK	OPEN	10/29/2015	1970	35.204217	-86.040833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
260A3560001	FRANKLIN	0A356	0.072	WAGNER CREEK	OPEN	10/14/2015	1983	35.213917	-86.025867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
260A4060001	FRANKLIN	0A406	0.259	WAGNER CREEK	WEIGHT POSTED	10/14/2015	1985	35.20135	-86.091833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.5
260A4100001	FRANKLIN	0A410	0.638	WAGNER CREEK	OPEN	10/14/2015	1940	35.203817	-86.080717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.8
260A4600001	FRANKLIN	0A460	0.399	BOILING FORK CREEK	OPEN	10/14/2015	1936	35.1624	-86.00655	CONCRETE	TEE BEAM	59.1
260A4930001	FRANKLIN	0A493	0.335	MILLER CREEK	OPEN	10/14/2015	1983	35.18175	-85.987883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
260A5810001	FRANKLIN	0A581	0.098	BRANCH	OPEN	3/21/2016	2015	35.209533	-86.0972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
260A5850001	FRANKLIN	0A585	0.247	CROW CREEK	OPEN	10/28/2015	1970	35.074967	-85.925133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.1
260A5870001	FRANKLIN	0A587	0.193	YOUNGS CREEK	OPEN	10/1/2015	1983	35.073667	-85.918383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
260A5890001	FRANKLIN	0A589	0.1	CROW CREEK	OPEN	10/28/2015	1936	35.064567	-85.917033	CONCRETE	ARCH - DECK	53.2
260A5900001	FRANKLIN	0A590	0.119	CROSS CREEK	OPEN	10/1/2015	1975	35.048633	-85.902917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.6
260A5910001	FRANKLIN	0A591	0.188	CROW CREEK	OPEN	10/28/2015	1972	35.017717	-85.9127	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	65.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
260A5950001	FRANKLIN	0A595	2.66	KEITH COVE CREEK	OPEN	11/3/2015	1983	35.125028	-85.084722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
260A5950003	FRANKLIN	0A595	3.675	KEITH COVE CREEK	OPEN	11/3/2015	1991	35.132033	-86.008367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
260A5970001	FRANKLIN	0A597	0.405	NORWOOD CREEK	OPEN	11/3/2015	1998	35.152383	-86.06325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
260A6040003	FRANKLIN	0A604	0.942	BRANCH	WEIGHT POSTED	11/3/2015	1950	35.124	-86.062833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.6
260A6090001	FRANKLIN	0A609	0.687	STEWART CREEK	OPEN	11/3/2015	1983	35.122733	-86.111317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
260A6220001	FRANKLIN	0A622	0.351	DRY CREEK	OPEN	11/3/2015	1978	35.131433	-86.13605	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.7
260A6220003	FRANKLIN	0A622	2.983	BRANCH	OPEN	11/3/2015	2006	35.139533	-86.17505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
260A6230001	FRANKLIN	0A623	0.645	DRY CREEK	OPEN	11/3/2015	1997	35.126117	-86.1399	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
260A6410001	FRANKLIN	0A641	4.129	BRANCH	OPEN	11/4/2015	1988	35.0743	-86.187117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
260A6410003	FRANKLIN	0A641	4.344	BEANS CREEK	OPEN	11/4/2015	1983	35.072283	-86.189883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
260A6430001	FRANKLIN	0A643	0.081	BRANCH	OPEN	11/4/2015	1954	35.1244	-86.189767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.5
260A6540001	FRANKLIN	0A654	0.731	BRANCH	OPEN	11/4/2015	1994	35.047983	-86.204583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
260A6690001	FRANKLIN	0A669	2.986	TAYLOR CREEK	OPEN	11/16/2015	1985	35.061883	-86.294933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
260A6700003	FRANKLIN	0A670	0.648	ROBINSON CREEK	OPEN	11/16/2015	1991	35.0468	-86.3069	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
260A6700001	FRANKLIN	0A670	1.882	TAYLOR CREEK	OPEN	11/16/2015	2008	35.052067	-86.288283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
260A6720001	FRANKLIN	0A672	0.779	ROBINSON CREEK	OPEN	11/16/2015	1984	35.053917	-86.304183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
260A7010001	FRANKLIN	0A701	1.329	MATHIAS BRANCH	OPEN	11/4/2015	1984	35.062017	-86.248183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
260A7080005	FRANKLIN	0A708	0.144	WEST FORK INDIAN CREEK	OPEN	11/16/2015	2000	35.095833	-86.316217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
260A7080007	FRANKLIN	0A708	0.547	SOUTH FORK INDIAN CREEK	OPEN	11/16/2015	1986	35.092617	-86.310317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
260A7080003	FRANKLIN	0A708	0.845	SOUTH FORK INDIAN CREEK	OPEN	11/16/2015	1983	35.0887	-86.310367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
260A7080001	FRANKLIN	0A708	2.644	ROBINSON CREEK	OPEN	11/16/2015	1993	35.074817	-86.289917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
260A7120001	FRANKLIN	0A712	1.288	ROBINSON CREEK	OPEN	11/17/2015	1985	35.088083	-86.2746	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
260A7160001	FRANKLIN	0A716	0.861	FACTORY BRANCH	OPEN	11/4/2015	1984	36.107917	-86.233067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
260A7170001	FRANKLIN	0A717	0.22	CANEY CREEK	OPEN	11/4/2015	1986	35.111483	-86.268533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
260A7270001	FRANKLIN	0A727	0.86	DOG BRANCH	OPEN	11/17/2015	1965	35.115867	-86.254033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.1
260A7290001	FRANKLIN	0A729	1.23	FACTORY BRANCH	OPEN	11/17/2015	1975	35.11375	-86.22865	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.4
260A7320001	FRANKLIN	0A732	0.237	NEAL CREEK	OPEN	11/17/2015	1950	35.1641	-86.27175	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.4
260A7330001	FRANKLIN	0A733	0.025	MURRELL CREEK	OPEN	11/17/2015	1983	35.18275	-86.266617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
260A7370001	FRANKLIN	0A737	0.878	FACTORY BRANCH	OPEN	11/17/2015	2008	35.12115	-86.22395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
26S44200001	FRANKLIN	0A893	0.196	DRY CREEK	OPEN	12/2/2015	1955	35.2766	-86.13755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
26S44200003	FRANKLIN	0A893	5.294	POORHOUSE CREEK	OPEN	12/2/2015	1960	35.30425	-86.194683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
260A0880003	FRANKLIN	0A897	3.405	BRANCH	OPEN	12/2/2015	1986	35.314317	-86.207	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
260A0880001	FRANKLIN	0A897	5.393	ROCK CREEK	OPEN	12/2/2015	1955	35.3385	-86.2091	CONCRETE	TEE BEAM	69
260A9510001	FRANKLIN	0A951	0.955	LITTLE HURRICANE CREEK	OPEN	12/2/2015	1991	35.259183	-86.206467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
260A9640001	FRANKLIN	0A964	0.216	NORTH FORK OF BLUE CREEK	OPEN	12/2/2015	2007	35.339967	-86.223617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
26026180001	FRANKLIN	0B001	1.691	SPRING CREEK	OPEN	12/2/2015	1979	35.307233	-86.122467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
260A7350001	FRANKLIN	0B175	0.02	LAMB ROAD / MURRELL CR	OPEN	11/17/2015	2011	35.180417	-86.26625	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
260B2000001	FRANKLIN	0B200	0.058	CROSS CREEK	OPEN	10/28/2015	1955	35.035883	-85.908233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.1
260B2000003	FRANKLIN	0B200	0.176	CROW CREEK	OPEN	10/28/2015	2015	35.035883	-85.910283	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
26SR0150002	FRANKLIN	SR015	1.24	ROBINSON CREEK	OPEN	6/1/2017	2008	35.063867	-86.2962	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
26SR0150001	FRANKLIN	SR015	1.24	ROBINSON CREEK	OPEN	6/1/2017	2008	35.0637	-86.295933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
26SR0150027	FRANKLIN	SR015	2.88	BRANCH	OPEN	6/1/2017	2006	35.073333	-86.269933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
26SR0150003	FRANKLIN	SR015	3.57	BEANS CREEK	OPEN	6/1/2017	2008	35.07965	-86.2603	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
26SR0150004	FRANKLIN	SR015	3.57	BEANS CREEK	OPEN	6/1/2017	2008	35.079833	-86.260467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
26SR0150005	FRANKLIN	SR015	5.17	BRANCH	OPEN	6/12/2017	2006	35.091467	-86.236083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
26SR0150007	FRANKLIN	SR015	5.93	BRANCH	OPEN	6/12/2017	2006	35.09805	-86.225583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
26SR0150029	FRANKLIN	SR015	9.07	BRANCH	OPEN	6/12/2017	2006	35.123933	-86.1823	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
26SR0150031	FRANKLIN	SR015	10.2	BRANCH	OPEN	6/12/2017	2006	35.13815	-86.174317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
26SR0150033	FRANKLIN	SR015	10.78	DRAINAGE	OPEN	6/12/2017	2006	35.14415	-86.166933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
26SR0150023	FRANKLIN	SR015	13.38	SR-15 / SR-433 (US-64)	OPEN	6/13/2017	1994	35.163167	-86.131567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
26SR0150011	FRANKLIN	SR015	13.74	DRY CREEK	OPEN	6/28/2017	1932	35.17075	-86.128433	CONCRETE	TEE BEAM	48.7
26SR0150013	FRANKLIN	SR015	15.37	ABANDONED CSX RAILROAD	OPEN	6/13/2017	1937	35.184217	-86.109317	CONCRETE	TEE BEAM	75.7
26SR0150015	FRANKLIN	SR015	16.86	BOILING FORK CREEK	OPEN	6/28/2017	1937	35.176733	-86.085083	CONCRETE	TEE BEAM	59.8
26SR0150025	FRANKLIN	SR015	17.78	SR-15 / SR-433	OPEN	6/13/2017	1994	35.170517	-86.070683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
26SR0150017	FRANKLIN	SR015	23.12	MILLER CREEK	OPEN	6/14/2017	1934	35.1716	-85.983417	CONCRETE	TEE BEAM	66.6
26SR0150019	FRANKLIN	SR015	23.17	BRANCH	OPEN	6/14/2017	1934	35.171567	-85.9825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
26SR0150021	FRANKLIN	SR015	23.75	BOILING FORK CREEK	OPEN	6/14/2017	1934	35.1712	-85.972217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80.7
26SR0160001	FRANKLIN	SR016	1.18	POORHOUSE CREEK	OPEN	6/6/2017	1999	35.330717	-86.181683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
26SR0160003	FRANKLIN	SR016	5.81	TAYLOR CREEK	OPEN	6/6/2017	1940	35.276417	-86.133433	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80.4
26SR0160005	FRANKLIN	SR016	7.21	ELK RIVER	OPEN	6/26/2017	1966	35.259	-86.121817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
26SR0160007	FRANKLIN	SR016	8.38	HESSEY BRANCH	OPEN	6/12/2017	1941	35.242767	-86.116483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
26SR0160009	FRANKLIN	SR016	11.55	WAGNER CREEK	OPEN	6/6/2017	1941	35.201133	-86.094617	CONCRETE	TEE BEAM	52
26SR0160011	FRANKLIN	SR016	12.73	BOILING FORK CREEK	OPEN	6/26/2017	1941	35.188917	-86.109033	CONCRETE	TEE BEAM	37.2
26SR0160015	FRANKLIN	SR016	13.525	BRANCH	OPEN	6/26/2017	2017	35.17795	-86.137339	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
26SR0160013	FRANKLIN	SR016	14.3	BRANCH	OPEN	6/12/2017	1994	35.169883	-86.12835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
26F00010001	FRANKLIN	SR016	16.5	DRY CREEK	OPEN	6/12/2017	1975	35.138417	-86.12895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
26SR0500001	FRANKLIN	SR050	1.57	ELK RIVER	OPEN	6/20/2017	1950	35.192183	-86.281183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	62.5
26SR0500003	FRANKLIN	SR050	1.99	MURRELL CREEK	OPEN	6/20/2017	1976	35.191167	-86.274067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
26SR0500007	FRANKLIN	SR050	10.59	DRY CREEK	OPEN	6/20/2017	1966	35.186467	-86.136117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.5
26SR0500017	FRANKLIN	SR050	15.57	SR-50 / SR-433	OPEN	6/15/2017	1994	35.227867	-86.048133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
26SR0500020	FRANKLIN	SR050	17.58	SR050 / 02729	OPEN	6/15/2017	1992	35.250233	-86.026283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
26SR0500019	FRANKLIN	SR050	17.58	SR050 / 0B050	OPEN	6/15/2017	1992	35.25035	-86.0258	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
26SR0500021	FRANKLIN	SR050	20.5	GUM CREEK	OPEN	6/26/2017	1992	35.265667	-85.9807	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
26SR0500023	FRANKLIN	SR050	21.14	YELLOW BRANCH	OPEN	6/26/2017	1992	35.2708	-85.971317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
26SR0500009	FRANKLIN	SR050	23.17	MUD CREEK	OPEN	6/26/2017	1991	35.2747	-85.937283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.6
26SR0560001	FRANKLIN	SR056	0.22	CROW CREEK	OPEN	9/17/2015	1960	34.991017	-85.902517	CONCRETE	TEE BEAM	76.2
26SR0560003	FRANKLIN	SR056	0.75	HOLLY FLAT CREEK	OPEN	6/21/2017	1960	34.997	-85.896483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
26SR0560005	FRANKLIN	SR056	1.71	BRANCH	OPEN	6/21/2017	1996	35.004583	-85.898533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
26SR0560007	FRANKLIN	SR056	4	CROSS CREEK	OPEN	6/21/2017	1966	35.040317	-85.906783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86
26SR0560009	FRANKLIN	SR056	6.48	YOUNGS CREEK	OPEN	6/21/2017	1977	35.0718	-85.920683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
26SR0560011	FRANKLIN	SR056	7.92	CROW CREEK	OPEN	9/17/2015	1936	35.0903	-85.931483	CONCRETE	TEE BEAM	72.3
26S44360001	FRANKLIN	SR121	1.2	BEANS CREEK	OPEN	9/22/2015	1960	35.120833	-86.305683	CONCRETE	TEE BEAM	75.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
26SR1220001	FRANKLIN	SR122	0.83	ROBINSON CREEK	OPEN	7/5/2017	1971	35.043633	-86.3073	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
26SR1220003	FRANKLIN	SR122	2.08	TAYLOR CREEK	OPEN	7/5/2017	1970	35.0513	-86.287483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
26SR1270001	FRANKLIN	SR127	6.21	ELK RIVER	OPEN	3/27/2017	1951	35.299317	-86.059933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	28.5
26SR1300001	FRANKLIN	SR130	0.68	BLUE CREEK	OPEN	7/5/2017	1960	35.336933	-86.220483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
26SR1300003	FRANKLIN	SR130	10.86	ELK RIVER	OPEN	6/21/2017	1966	35.215733	-86.157933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.6
26SR1300005	FRANKLIN	SR130	12.89	BOILING FORK CREEK	OPEN	6/21/2017	1968	35.201733	-86.127233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64
26S44060001	FRANKLIN	SR279	2.05	ELK RIVER	OPEN	9/16/2015	1962	35.285833	-86.10645	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.2
26SR4330001	FRANKLIN	SR433	0.33	BRANCH	OPEN	7/10/2017	1994	35.166783	-86.130533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
26SR0500011	FRANKLIN	SR433	0.69	DRY CREEK	OPEN	7/10/2017	1994	35.167517	-86.124067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
26SR0500012	FRANKLIN	SR433	0.69	DRY CREEK	OPEN	7/10/2017	1994	35.167717	-86.124317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
26SR4330003	FRANKLIN	SR433	1.725	BRANCH	OPEN	7/10/2017	1994	35.167133	-86.105933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
26SR0500013	FRANKLIN	SR433	3.58	BOILING FORK CREEK	OPEN	10/7/2015	1994	35.167233	-86.074067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.8
26SR0500014	FRANKLIN	SR433	3.58	BOILING FORK CREEK	OPEN	10/7/2015	1994	35.167517	-86.074367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
26SR0500015	FRANKLIN	SR433	6.01	CSX RAILROAD	OPEN	10/12/2015	1995	35.198883	-86.060917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.8
26SR0500016	FRANKLIN	SR433	6.01	CSX RAILROAD	OPEN	10/12/2015	1995	35.199067	-86.061133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7
26SR0500025	FRANKLIN	SR433	6.68	WAGNER CREEK	OPEN	10/6/2015	1994	35.205317	-86.052133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
26SR0500027	FRANKLIN	SR433	7.21	BLUE SPRING BRANCH	OPEN	10/6/2015	1994	35.212683	-86.048717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
26S43300001	FRANKLIN	SR476	3.39	ELK RIVER	OPEN	9/15/2015	1972	35.382317	-86.237617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.1
26S43300003	FRANKLIN	SR476	7.4	HURRICANE CREEK	OPEN	9/15/2015	1972	35.253483	-86.254783	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68
27F00030001	GIBSON	00835	2.51	GRASS CREEK	OPEN	9/30/2015	1960	36.177861	-89.079583	CONCRETE	CHANNEL BEAM	72.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27008530003	GIBSON	00853	1.94	RUTHERFORD FK. OBION RIV	OPEN	10/20/2015	1980	35.967944	-88.751917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.6
27S80160001	GIBSON	00853	2.69	ROBERTSON CREEK	OPEN	10/15/2015	1985	35.9785	-88.750167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
27S80160003	GIBSON	00853	6.63	THOMPSON CREEK	OPEN	10/6/2015	1944	36.032389	-88.737417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
27S80160005	GIBSON	00853	6.7	BRANCH	OPEN	10/6/2015	1960	36.033306	-88.737722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
27S80310005	GIBSON	00854	0.09	BRANCH	OPEN	10/28/2015	1965	35.916361	-89.009806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
27S80310007	GIBSON	00854	1.26	REAGAN CREEK	OPEN	10/28/2015	1993	35.91775	-89.030056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
27S80310009	GIBSON	00854	7.4	OVERFLOW	OPEN	10/22/2015	1969	35.95025	-89.117972	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.8
27S80310003	GIBSON	00854	7.52	BUCK CREEK	OPEN	10/22/2015	1969	35.952056	-89.117778	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.8
27S80310001	GIBSON	00854	7.66	OVERFLOW	OPEN	10/22/2015	1969	35.954167	-89.117472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.8
27008600003	GIBSON	00860	4.57	ADAMS BRANCH	OPEN	10/13/2015	1984	35.976639	-88.815167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.6
27008600005	GIBSON	00860	4.59	BRANCH	OPEN	10/13/2015	1984	35.976583	-88.814583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.7
27008600019	GIBSON	00860	6.5	MAYS CREEK	OPEN	10/13/2015	1996	35.975278	-88.777528	CONCRETE	CHANNEL BEAM	70
27008600007	GIBSON	00860	6.99	OVERFLOW	OPEN	10/13/2015	1991	35.977528	-88.772972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
27008600009	GIBSON	00860	7.1	RUTHERFORD FK. OBION RIV	OPEN	10/13/2015	1984	35.97875	-88.771833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.7
27008600011	GIBSON	00860	7.47	BROWNING CREEK	OPEN	10/13/2015	1990	35.980167	-88.765944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.6
27008600013	GIBSON	00860	8.07	ROBERTSON CREEK	OPEN	10/13/2015	2001	35.9775	-88.756306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.6
27008600015	GIBSON	00860	10.34	BRANCH	OPEN	10/13/2015	1995	35.975139	-88.717583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
27008600017	GIBSON	00860	10.49	CRESSVILLE CREEK	OPEN	10/13/2015	1999	35.973639	-88.716167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
27SR0430001	GIBSON	00880	0.88	BRANCH	OPEN	10/6/2015	1925	35.810139	-88.770417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
27014010001	GIBSON	01401	2.83	RUTHERFORD FK. OBION R.	OPEN	10/22/2015	2015	36.081083	-88.915083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27014010003	GIBSON	01401	2.96	OVERFLOW	OPEN	10/22/2015	1998	36.080556	-88.917194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
27014010005	GIBSON	01401	3.22	OVERFLOW	OPEN	10/22/2015	1992	36.077889	-88.920444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77
27014010007	GIBSON	01401	3.35	OVERFLOW	OPEN	10/22/2015	1960	36.076222	-88.921444	CONCRETE	CHANNEL BEAM	44.1
27014140001	GIBSON	01414	3.92	MUD CREEK	OPEN	9/29/2015	1963	36.120694	-89.053306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
27580330001	GIBSON	01444	0.08	DRAINAGE DITCH	OPEN	10/20/2015	1998	35.798611	-88.910972	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	96.4
27580330003	GIBSON	01444	0.39	SUGAR CREEK	OPEN	10/20/2015	1997	35.803	-88.910917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.2
27580330005	GIBSON	01444	0.83	DRAINAGE DITCH	OPEN	10/20/2015	1991	35.809194	-88.912	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.1
27015210001	GIBSON	01521	0.04	COOL SPRINGS BRANCH	OPEN	10/12/2015	1960	36.153333	-89.111667	CONCRETE	CHANNEL BEAM	72.2
27015820001	GIBSON	01582	7.62	BR MID FORK FORKED DEER	OPEN	10/21/2015	2002	35.87425	-88.969639	CONCRETE	CHANNEL BEAM	80.9
27015820005	GIBSON	01582	9.53	BR MID FORK FORKED DEER	OPEN	10/21/2015	1973	35.857194	-88.952194	CONCRETE	CHANNEL BEAM	58.8
27015820007	GIBSON	01582	11.37	BARNETT BRANCH	OPEN	10/21/2015	1996	35.841083	-88.935306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
27015850003	GIBSON	01585	0.65	BRANCH OF RUTHERFORD FOR	OPEN	10/15/2015	1970	35.948972	-88.743694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
27015850005	GIBSON	01585	1.36	OVERFLOW	WEIGHT POSTED	10/15/2015	1971	35.958056	-88.737972	CONCRETE	CHANNEL BEAM	35.5
27015850011	GIBSON	01585	1.73	RUTHERFORD FK OF OBION R	OPEN	10/15/2015	1987	35.961972	-88.733667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
27015850015	GIBSON	01585	2.55	CRESSVILLE CREEK	OPEN	10/15/2015	2013	35.9705	-88.724861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.7
27015870001	GIBSON	01587	1.85	BUCK CREEK	WEIGHT POSTED	10/12/2015	1970	35.942833	-89.054861	CONCRETE	CHANNEL BEAM	34.2
27015870003	GIBSON	01587	2.02	BUCK CREEK	OPEN	10/12/2015	1999	35.94525	-89.054722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.6
27015880001	GIBSON	01588	0.8	HOG CREEK	OPEN	10/19/2015	1984	35.89775	-88.827722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
27015880003	GIBSON	01588	1.8	N. FORK OF FORKED DEER R	OPEN	10/19/2015	2007	35.899778	-88.810472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.3
27015880005	GIBSON	01588	2.21	BR OF N. FK. FORKED DEER	OPEN	10/19/2015	1994	35.900722	-88.802722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
27015890001	GIBSON	01589	2.14	ADAMS BRANCH	OPEN	10/13/2015	1992	35.972278	-88.832889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27015910001	GIBSON	01591	1.65	BRANCH	OPEN	10/7/2015	1998	36.002417	-88.835944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.1
27015920001	GIBSON	01592	8.3	BRANCH BUCK CREEK	WEIGHT POSTED	10/28/2015	1970	35.963917	-89.116611	CONCRETE	CHANNEL BEAM	27.2
27015930003	GIBSON	01593	2.83	RUTHERFORD FK OF OBION	OPEN	10/21/2015	2005	36.060833	-88.889056	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.2
27015930013	GIBSON	01593	8.04	SOUTH FORK OBION RIVER	OPEN	10/5/2015	1988	36.128194	-88.849722	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.9
27015930019	GIBSON	01593	8.34	OVERFLOW S FORK OBION	OPEN	10/5/2015	2005	36.132361	-88.848667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.8
27015940001	GIBSON	01594	0.8	ROGERS BRANCH	OPEN	10/15/2015	1990	36.020556	-88.965667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
27015940003	GIBSON	01594	2.56	BRANCH OF FORKED DEER RI	OPEN	10/15/2015	1991	36.02925	-88.994722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
27015940007	GIBSON	01594	7.23	DRAINAGE DITCH	OPEN	10/15/2015	1965	36.050472	-89.070889	CONCRETE	CHANNEL BEAM	22.3
27015940009	GIBSON	01594	7.28	MUD CREEK	OPEN	10/15/2015	2002	36.051278	-88.066944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
27015940013	GIBSON	01594	9.24	SQUIRT CREEK	OPEN	10/15/2015	1991	36.033333	-89.102833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
27015950001	GIBSON	01595	2.25	BRANCH	OPEN	10/1/2015	1986	36.139889	-88.929528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
27015960001	GIBSON	01596	6.36	BRANCH	OPEN	10/22/2015	1965	36.072917	-88.961222	CONCRETE	CHANNEL BEAM	50.4
27015960003	GIBSON	01596	7.2	BRANCH	OPEN	10/22/2015	1965	36.071111	-88.946278	CONCRETE	CHANNEL BEAM	65.3
27SR0430017	GIBSON	01598	0.03	BEAR CREEK	OPEN	10/8/2015	1935	36.0335	-88.811972	CONCRETE	TEE BEAM	72.6
27016020001	GIBSON	01602	1.01	OVERFLOW S FORK OBION RV	WEIGHT POSTED	10/6/2015	1974	36.09475	-88.750833	CONCRETE	CHANNEL BEAM	45.1
27016020003	GIBSON	01602	1.14	OLD RIVERBD S FORK OBION	OPEN	10/6/2015	2002	36.0955	-88.748611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.6
27016040001	GIBSON	01604	0.48	BEAR CREEK	OPEN	10/6/2015	1936	36.097222	-88.760806	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	66.4
27016040003	GIBSON	01604	1.33	DRY CREEK	OPEN	10/5/2015	1987	36.099	-88.774972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
270A7470001	GIBSON	02000	1.6	DUFFY BRANCH	OPEN	10/21/2015	1985	35.860056	-88.895333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
270B0150003	GIBSON	02114	1.58	TOMS CREEK	OPEN	10/7/2015	1983	36.042472	-88.8355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270B0150005	GIBSON	02114	2.98	BR RUTHERFORD FK OBION R	OPEN	10/7/2015	1997	36.049583	-88.856833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
27SR0050033	GIBSON	02463	1.07	CUMMINS CREEK	OPEN	10/28/2015	1929	36.142333	-88.991083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27SR0050031	GIBSON	02482	2.78	BRANCH	OPEN	10/28/2015	1927	36.110278	-88.989556	CONCRETE	TEE BEAM	62.4
27SR0050019	GIBSON	02483	0.08	DRAINAGE DITCH	OPEN	10/28/2015	2001	36.00675	-88.949306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
27SR0050021	GIBSON	02483	1.35	ROGERS BRANCH	OPEN	10/7/2015	1929	36.022	-88.961806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.1
27SR0050023	GIBSON	02483	1.45	BRANCH	OPEN	10/7/2015	1929	36.023278	-88.962583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
27SR0050025	GIBSON	02483	3.5	BRANCH	OPEN	10/28/2015	1929	36.049389	-88.980306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.1
27SR1040011	GIBSON	02488	1	BRANCH	OPEN	10/12/2015	1978	35.986056	-89.022694	CONCRETE	CHANNEL BEAM	75.8
27SR1040013	GIBSON	02488	2.28	BRANCH	OPEN	10/12/2015	1939	35.983917	-89.000139	CONCRETE	TEE BEAM	68
27M30000001	GIBSON	03000	0.01	BRANCH	OPEN	10/28/2015	1976	35.819583	-88.926278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.9
27046060001	GIBSON	04606	0.25	SUGAR CREEK	OPEN	10/28/2015	1995	35.813528	-88.892694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
27S80290023	GIBSON	05559	2.91	PARKER BRANCH	OPEN	10/12/2015	2012	36.141806	-89.113222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.1
270A0080001	GIBSON	0A008	1.446	BETHEL BRANCH	OPEN	10/12/2015	1984	36.08525	-89.131472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
270A0150001	GIBSON	0A015	1.179	BRANCH OF SQUIRT CREEK	OPEN	10/15/2015	1984	36.062028	-89.105167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
270A0250001	GIBSON	0A025	0.746	BRANCH OF MUD CREEK	OPEN	10/20/2015	1999	36.068194	-89.072806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
270A0290001	GIBSON	0A029	0.28	YORK BRANCH	WEIGHT POSTED	10/12/2015	1970	36.104556	-89.123083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	63.7
270A0290003	GIBSON	0A029	3.98	PARKER BRANCH	OPEN	10/8/2015	1970	36.148722	-89.140778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
270A0290005	GIBSON	0A029	5.234	COOL SPRINGS BRANCH	OPEN	10/8/2015	2008	36.166778	-89.138139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A0290007	GIBSON	0A029	5.632	BR OF COOL SPRINGS BRANC	OPEN	10/8/2015	1966	36.171278	-89.134333	CONCRETE	CHANNEL BEAM	83.5
270A0320001	GIBSON	0A032	0.462	REEDS CREEK	OPEN	10/12/2015	2008	36.137056	-89.15	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
270A9790001	GIBSON	0A034	1.19	BR OF N FORK FORKED DEER	WEIGHT POSTED	10/21/2015	1950	36.004528	-89.067206	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	68.8
270A0390001	GIBSON	0A039	1.409	BR OF N FORK FORKED DEER	OPEN	10/20/2015	1975	36.039611	-89.034083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	39
270A0440001	GIBSON	0A044	0.873	COW CREEK	OPEN	10/20/2015	2004	36.067694	-89.048833	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
270A0440003	GIBSON	0A044	0.987	DRAINAGE DITCH - COW CR.	OPEN	10/20/2015	1997	36.069028	-89.047667	CONCRETE	CHANNEL BEAM	60.4
270A0440005	GIBSON	0A044	1.125	OVERFLOW-COW CREEK	OPEN	10/20/2015	1972	36.070667	-89.046528	CONCRETE	CHANNEL BEAM	78.5
270A0460001	GIBSON	0A046	1.533	MUD CREEK	OPEN	9/29/2015	2007	36.089	-89.051333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
270A0470001	GIBSON	0A047	1.78	MUD CREEK	OPEN	9/29/2015	2001	36.100194	-89.048611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94
270A0610001	GIBSON	0A061	0.084	COOL SPRINGS BRANCH	WEIGHT POSTED	9/29/2015	1984	36.153694	-89.1015	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.8
270A0620001	GIBSON	0A062	1.85	COOL SPRINGS BRANCH	WEIGHT POSTED	10/12/2015	2001	36.173361	-89.147722	CONCRETE	CHANNEL BEAM	73.8
270A0630001	GIBSON	0A063	2.344	EDMUNDSON CREEK	OPEN	9/30/2015	2008	36.155833	-89.044389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
270A0680001	GIBSON	0A068	1.71	DILLARD CREEK	OPEN	10/12/2015	1984	36.199722	-89.1095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
270A0760001	GIBSON	0A076	1.664	EDMUNDSON CREEK	OPEN	9/29/2015	1980	36.152083	-89.059833	CONCRETE	CHANNEL BEAM	72.5
270A0770001	GIBSON	0A077	0.38	EDMUNDSON CREEK	OPEN	9/29/2015	1972	36.148722	-89.068083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	24
270A0810001	GIBSON	0A081	0.985	BRANCH OF GRASS CREEK	WEIGHT POSTED	9/30/2015	1988	36.182028	-89.062222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.7
270A0810003	GIBSON	0A081	1.44	GRASS CREEK	OPEN	10/5/2015	2015	36.18275	-89.07025	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
270A1080001	GIBSON	0A108	0.051	TURKEY CREEK	OPEN	10/6/2015	2011	35.794639	-88.810361	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.7
270A1140001	GIBSON	0A114	1.058	BR RUTHERFORD FORK OBION	OPEN	9/30/2015	2015	36.179806	-88.024444	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	100
270A1170001	GIBSON	0A117	1.361	BR OF EDMUNDSON CREEK	OPEN	9/30/2015	2005	36.144056	-89.021528	CONCRETE	CHANNEL BEAM	83.5
270A1200001	GIBSON	0A120	0.059	CUMMINGS CREEK	OPEN	9/30/2015	2000	36.142194	-88.999028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
270A1570001	GIBSON	0A157	0.037	BRANCH	OPEN	10/22/2015	1983	36.104556	-88.972333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
270A1580001	GIBSON	0A158	1.245	BRANCH OF RUTHERFORD FK	OPEN	10/22/2015	2008	36.1042	-88.9728	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
270A1590001	GIBSON	0A159	1.363	OWEN BRANCH	OPEN	10/22/2015	1991	36.092306	-88.94975	CONCRETE	CHANNEL BEAM	61.5
270A1610001	GIBSON	0A161	1.326	OWEN BRANCH	WEIGHT POSTED	10/28/2015	2000	36.083611	-88.953639	CONCRETE	CHANNEL BEAM	74.7
270A1610003	GIBSON	0A161	2.251	BR RUTHERFORD FORK OBION	WEIGHT POSTED	10/28/2015	1992	36.077833	-88.943056	CONCRETE	CHANNEL BEAM	47.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
270A1990001	GIBSON	0A199	1.256	SAND CREEK	WEIGHT POSTED	10/21/2015	1972	36.068917	-89.016139	CONCRETE	CHANNEL BEAM	31.8
270A2100001	GIBSON	0A210	2.137	COW CREEK	OPEN	10/20/2015	2000	36.057111	-89.001389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
270A2150001	GIBSON	0A215	2.124	CAMP CREEK	WEIGHT POSTED	10/28/2015	1968	36.058083	-88.905694	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34.3
270A2240001	GIBSON	0A224	0.47	BRANCH OF CAMP CREEK	OPEN	10/7/2015	1970	36.031333	-88.91325	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	21.4
270A2260001	GIBSON	0A226	0.84	BRANCH OF CAMP CREEK	OPEN	10/7/2015	1983	36.043167	-88.913333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A2320001	GIBSON	0A232	0.81	BRANCH OF OBION RIVER	OPEN	10/1/2015	2000	36.193972	-88.949111	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.5
270A2370001	GIBSON	0A237	0.62	BRANCH	OPEN	10/1/2015	2011	36.162733	-88.976967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
270A2370003	GIBSON	0A237	6.27	BRANCH	OPEN	10/1/2015	1996	36.157972	-88.914833	CONCRETE	CHANNEL BEAM	72.5
270A2380001	GIBSON	0A238	0.15	BRANCH	WEIGHT POSTED	10/1/2015	1982	36.168	-88.925361	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	46
270A2390001	GIBSON	0A239	0.865	BR OF S FORK OF OBION RI	OPEN	10/1/2015	2012	36.145972	-88.927417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
270A2400001	GIBSON	0A240	0.194	BR S FORK OBION RIVER	WEIGHT POSTED	10/1/2015	1970	36.155306	-88.918028	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	63.3
270A2450001	GIBSON	0A245	1.126	BRANCH	OPEN	10/1/2015	1989	36.151389	-88.901083	CONCRETE	CHANNEL BEAM	25.2
270A2480001	GIBSON	0A248	1.629	LICK CREEK	OPEN	10/5/2015	2007	36.168	-88.925361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.2
270A2540001	GIBSON	0A254	1.459	LOCUST GROVE CREEK	OPEN	10/5/2015	1978	36.099056	-88.841444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	49.4
270A2600001	GIBSON	0A260	0.562	BRANCH OF LICK CREEK	OPEN	10/22/2015	1984	36.093889	-88.899139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
270A2620003	GIBSON	0A262	2.05	OVERFLOW	OPEN	10/21/2015	1990	36.06725	-88.883861	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.2
270A2660003	GIBSON	0A266	1.627	BRADFORD CREEK	WEIGHT POSTED	10/6/2015	1969	36.102222	-88.802639	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	53.7
270A2750001	GIBSON	0A275	0.135	BRADFORD CREEK	OPEN	10/29/2015	1984	36.080389	-88.812472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85
270A3090001	GIBSON	0A309	0.436	BEAR CREEK	OPEN	10/6/2015	2006	36.089967	-88.76735	CONCRETE	CHANNEL BEAM	72.5
270A3120001	GIBSON	0A312	0.88	BEAR CREEK	WEIGHT POSTED	10/6/2015	1994	36.073222	-88.774889	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	47.8
270A3130001	GIBSON	0A313	0.555	DOLAN CREEK	OPEN	10/7/2015	1983	36.055167	-88.753889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
270A3130003	GIBSON	0A313	0.88	BRANCH OF DOLAN CREEK	OPEN	10/7/2015	2000	36.054	-88.748194	CONCRETE	CHANNEL BEAM	77.5
270A3140003	GIBSON	0A314	0.347	BEAR CREEK	OPEN	10/7/2015	2000	36.045889	-88.777111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
270A3140001	GIBSON	0A314	1.723	BEAR CREEK	WEIGHT POSTED	10/7/2015	1991	36.046472	-88.801694	CONCRETE	CHANNEL BEAM	57.7
270A3170001	GIBSON	0A317	0.36	BEAR CREEK	OPEN	10/6/2015	1960	36.068694	-88.777944	CONCRETE	CHANNEL BEAM	83.5
270A3230001	GIBSON	0A323	1.584	BRANCH OF THOMPSON CREEK	OPEN	10/6/2015	1970	36.031056	-88.711306	CONCRETE	CHANNEL BEAM	61.4
270A3230003	GIBSON	0A323	2.658	BR OF THOMPSON CREEK	OPEN	10/6/2015	1972	36.040778	-88.696972	CONCRETE	CHANNEL BEAM	49.5
270A3230005	GIBSON	0A323	2.827	THOMPSON CREEK	OPEN	10/6/2015	1970	36.043167	-88.696444	CONCRETE	CHANNEL BEAM	61.4
270A3250001	GIBSON	0A325	0.695	THOMPSON CREEK	OPEN	10/6/2015	1984	36.034167	-88.719111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
270A3250003	GIBSON	0A325	0.809	BRANCH OF THOMPSON CREEK	WEIGHT POSTED	10/6/2015	1975	36.032556	-88.719444	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	67.8
270A3350003	GIBSON	0A335	2.247	BROWNING CREEK	OPEN	10/7/2015	1983	35.995083	-88.76375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
270A3400001	GIBSON	0A340	1.383	BRANCH	OPEN	10/7/2015	1995	35.997222	-88.792944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A3490001	GIBSON	0A349	1.39	BRANCH OF RUTHERFORD FK.	WEIGHT POSTED	10/8/2015	1970	36.005472	-88.809583	CONCRETE	CHANNEL BEAM	47.6
270A3490003	GIBSON	0A349	1.52	RUTHERFORD FORK OF OBION	OPEN	10/8/2015	1988	36.004083	-88.811	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.9
270A3540001	GIBSON	0A354	0.002	BETHEL BRANCH	OPEN	10/12/2015	1972	36.073444	-89.161028	CONCRETE	CHANNEL BEAM	68.9
270A3580003	GIBSON	0A358	2.139	ADAMS BRANCH	OPEN	10/15/2015	1995	35.982972	-88.800194	CONCRETE	CHANNEL BEAM	91
270A3610001	GIBSON	0A361	1.462	BR THOMPSON LEVEE CREEK	OPEN	10/8/2015	1972	36.004111	-88.87475	CONCRETE	CHANNEL BEAM	72.3
270A3610003	GIBSON	0A361	4.85	BR N FORK FORKED DEER	OPEN	10/8/2015	1975	35.986056	-88.926972	CONCRETE	CHANNEL BEAM	59.1
270A3640001	GIBSON	0A364	1.042	DITCH	OPEN	10/8/2015	1970	36.033167	-88.877833	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	56.4
270A3690001	GIBSON	0A369	0.861	BRANCH	OPEN	10/7/2015	1983	36.019167	-88.86925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A3700001	GIBSON	0A370	1.67	BR THOMPSON LEVEE CREEK	OPEN	10/7/2015	1983	36.001306	-88.870278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A3760007	GIBSON	0A376	0.097	OVERFLOW	OPEN	10/21/2015	1994	36.013556	-89.193583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	3
270A3790001	GIBSON	0A379	1.689	OVERFLOW FORKED DEER RV	OPEN	10/19/2015	1970	35.9225	-88.841694	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
270A3790003	GIBSON	0A379	1.788	N FORK OF FORKED DEER	OPEN	10/19/2015	1970	35.923806	-88.841111	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.1
270A3790005	GIBSON	0A379	1.972	OVERFLOW FORKED DEER RIV	OPEN	10/19/2015	1970	35.926389	-88.840111	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.1
270A3790007	GIBSON	0A379	2.89	BRANCH FORKED DEER RIVER	OPEN	10/20/2015	1958	35.939556	-88.838056	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.7
270A3800001	GIBSON	0A380	0.263	BR N FORK FORKED DEER	WEIGHT POSTED	10/20/2015	1970	35.930083	-88.8435	CONCRETE	CHANNEL BEAM	40
270A4800001	GIBSON	0A480	0.09	BR OF N FORK FORKED DEER	OPEN	10/28/2015	2006	35.957833	-88.942833	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.2
270A4970001	GIBSON	0A497	0.406	ADAMS BRANCH	WEIGHT POSTED	10/13/2015	1995	35.971278	-88.823167	CONCRETE	CHANNEL BEAM	57.7
270A4970005	GIBSON	0A497	2.508	MAYO BRANCH	OPEN	10/13/2015	1987	35.958028	-88.796694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A4990001	GIBSON	0A499	0.406	FLIPPEN CREEK	OPEN	10/13/2015	1992	35.942083	-88.774028	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.9
270A5020001	GIBSON	0A502	0.118	FLIPPEN CREEK	WEIGHT POSTED	10/15/2015	1974	35.959278	-88.750389	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	74.8
270A5690001	GIBSON	0A569	1.622	BRANCH OF GRASS CREEK	OPEN	9/30/2015	1970	36.202083	-89.068028	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.2
270A6460001	GIBSON	0A646	0.007	BR OF N FORK FORKED DEER	OPEN	10/19/2015	2008	35.8893	-88.8087	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A6480001	GIBSON	0A648	1.942	N FORK OF FORKED DEER	OPEN	9/29/2015	1995	35.86825	-88.775472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A6480003	GIBSON	0A648	3.001	BR OF OLIVER BRANCH	OPEN	9/29/2015	1998	35.854611	-88.782361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.5
270A6490001	GIBSON	0A649	1.356	N FORK OF FORKED DEER	OPEN	9/29/2015	2014	35.850278	-88.771417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
270A6510001	GIBSON	0A651	0.29	BR OF N FORK FORKED DEER	WEIGHT POSTED	10/6/2015	1966	35.855611	-88.787611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	53.5
270A7020001	GIBSON	0A702	0.351	BRANCH	OPEN	10/19/2015	1973	35.884467	-88.799139	CONCRETE	CHANNEL BEAM	78.5
270A7020003	GIBSON	0A702	1.612	N FORK OF FORKED DEER RV	OPEN	2/21/2017	2017	35.873639	-88.810611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
270A7020005	GIBSON	0A702	2.513	BEE CREEK	OPEN	10/19/2015	1984	35.872417	-88.826111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
270A7060001	GIBSON	0A706	0.695	HOG CREEK	OPEN	10/19/2015	1992	35.869111	-88.857333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
270A7080001	GIBSON	0A708	2.35	HOG CREEK	OPEN	9/22/2015	1992	35.878867	-88.821167	PRESTRESSED CONCRETE	SLAB	61.5
270A7110001	GIBSON	0A711	1.995	HOG CREEK	WEIGHT POSTED	10/19/2015	1974	35.871139	-88.854389	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	29.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
270A7150001	GIBSON	0A715	1.128	WALLSMITH BRANCH	WEIGHT POSTED	10/21/2015	1960	35.88975	-88.881167	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	46
270A7180001	GIBSON	0A718	0.921	BR OF N FORK FORKED DEER	OPEN	10/21/2015	1983	35.903778	-88.863806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A7220001	GIBSON	0A722	1.749	CAIN CREEK	WEIGHT POSTED	10/21/2015	1970	35.895556	-88.927028	CONCRETE	CHANNEL BEAM	43.3
270A7220003	GIBSON	0A722	1.79	BRANCH	OPEN	10/22/2015	1994	35.895556	-88.927694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
270A7250001	GIBSON	0A725	0.604	PARKER BRANCH	OPEN	10/20/2015	1995	35.928556	-88.898889	CONCRETE	CHANNEL BEAM	59.5
270A7310001	GIBSON	0A731	0.51	BRANCH OF CAIN CREEK	OPEN	10/22/2015	1980	35.907528	-88.94125	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.5
270A7320001	GIBSON	0A732	0.272	CAIN CREEK	OPEN	10/22/2015	1986	35.922194	-88.943917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
270A7340001	GIBSON	0A734	0.062	CAIN CREEK	OPEN	10/22/2015	1995	35.905417	-88.934889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
270A7380001	GIBSON	0A738	2.047	BRANCH OF BARNETT BRANCH	OPEN	10/22/2015	1994	35.879028	-88.940028	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	36
270A7430001	GIBSON	0A743	1.983	PARKER BRANCH	OPEN	10/21/2015	2004	35.871722	-88.913417	CONCRETE	CHANNEL BEAM	93
270A7430003	GIBSON	0A743	4.92	DUFFY BRANCH	WEIGHT POSTED	10/20/2015	1993	35.843472	-88.93075	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.9
270A7450001	GIBSON	0A745	1.007	DUFFY BRANCH	WEIGHT POSTED	10/21/2015	1992	35.856806	-88.907278	CONCRETE	SLAB	35.8
270A7490001	GIBSON	0A749	0.312	LITTLE SUGAR CREEK	OPEN	10/28/2015	1993	35.835444	-88.880472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	66.1
270A7500003	GIBSON	0A750	2.993	BRANCH SUGAR CREEK	OPEN	9/29/2015	1999	35.832583	-88.843528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
270A7520001	GIBSON	0A752	0.509	BRANCH OF SUGAR CREEK	WEIGHT POSTED	10/6/2015	1969	35.822528	-88.859917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.9
270A7520003	GIBSON	0A752	0.565	SUGAR CREEK	WEIGHT POSTED	9/29/2015	1975	35.821694	-88.859861	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.2
270A7530001	GIBSON	0A753	2.563	SUGAR CREEK	OPEN	9/29/2015	2008	35.846333	-88.876583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
270A8000001	GIBSON	0A800	0.402	BRANCH	OPEN	10/28/2015	1983	35.822694	-88.919611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
270A9250001	GIBSON	0A925	0.795	BRANCH	WEIGHT POSTED	10/22/2015	1970	35.861806	-88.979722	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	48.8
270A9300001	GIBSON	0A930	1.065	BRANCH OF DAVIS CREEK	OPEN	10/22/2015	2011	35.891056	-88.988778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A9310001	GIBSON	0A931	0.62	DAVIS CREEK	OPEN	10/28/2015	1983	35.879028	-88.940056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
270A9310003	GIBSON	0A931	2.579	REAGAN CREEK	WEIGHT POSTED	10/28/2015	1990	35.895111	-89.032611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	49.9
270A9460001	GIBSON	0A946	0.317	BRANCH OF DAVIS CREEK	OPEN	10/8/2015	2010	35.933467	-88.998367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92
270A9460007	GIBSON	0A946	2.123	DAVIS CREEK	OPEN	10/8/2015	2009	35.931806	-89.029917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
270A9460009	GIBSON	0A946	2.239	REAGAN CREEK	OPEN	10/8/2015	2009	35.930556	-89.0313	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
270A9490001	GIBSON	0A949	0.723	BRANCH OF BUCK CREEK	OPEN	10/12/2015	1970	35.947639	-89.042778	CONCRETE	CHANNEL BEAM	78.5
270A9500001	GIBSON	0A950	0.31	BUCK CREEK	OPEN	10/8/2015	1996	35.957472	-89.019667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
270A9560003	GIBSON	0A956	4.478	BR MID FORK FORKED DEER	OPEN	10/12/2015	1969	35.900972	-89.0985	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	70.7
270A9610001	GIBSON	0A961	0.78	BRANCH	OPEN	10/12/2015	1984	35.89975	-89.085556	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	39
270A9750001	GIBSON	0A975	1.78	BRANCH OF BUCK CREEK	OPEN	10/28/2015	1990	35.955861	-89.07125	CONCRETE	CHANNEL BEAM	83.5
270A9780001	GIBSON	0A978	2.35	BRANCH	OPEN	10/21/2015	1989	36.000389	-89.052528	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	22.7
270A9820001	GIBSON	0A982	1.885	BRANCH	OPEN	10/21/2015	1998	36.010333	-89.101806	CONCRETE	CHANNEL BEAM	48.1
270A9820003	GIBSON	0A982	2.42	BRANCH	OPEN	10/21/2015	1989	36.010694	-89.111333	CONCRETE	CHANNEL BEAM	31.3
270A9940001	GIBSON	0A994	1.562	BRANCH	OPEN	10/21/2015	1998	35.985722	-89.152972	CONCRETE	CHANNEL BEAM	34.8
270B0090001	GIBSON	0B009	0.93	BR RUTHERFORD FK OBION R	WEIGHT POSTED	10/1/2015	1998	36.184056	-88.999806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.8
270B0100001	GIBSON	0B010	0.877	EDMONDSON CREEK	WEIGHT POSTED	9/30/2015	2008	36.159667	-89.01175	CONCRETE	CHANNEL BEAM	63.7
270B0060001	GIBSON	0B010	2.591	BR RUTHERFORD FORK OBION	OPEN	9/30/2015	1983	36.1825	-89.012556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
270B0110001	GIBSON	0B011	1.659	BRANCH	OPEN	10/5/2015	1983	36.149139	-89.021306	CONCRETE	CHANNEL BEAM	77.5
27SR0050003	GIBSON	0B079	0.108	LITTLE SUGAR CREEK	OPEN	10/28/2015	1925	35.807806	-88.893972	CONCRETE	TEE BEAM	78.4
270A3520001	GIBSON	0B090	1.132	BEAR CREEK	WEIGHT POSTED	10/8/2015	1970	36.02725	-88.815528	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	63.7
270B1000001	GIBSON	0B100	0.354	BRANCH	OPEN	10/8/2015	1960	36.033667	-88.798361	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	77
27015850001	GIBSON	0B112	0.68	ROE CREEK	OPEN	10/28/2015	1975	35.929417	-88.750806	CONCRETE	CHANNEL BEAM	37
27030060001	GIBSON	0B128	0.328	BRANCH	OPEN	10/28/2015	1980	35.828361	-88.916222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27029990001	GIBSON	OB132	0.062	BRANCH	OPEN	10/28/2015	1984	35.821028	-88.923167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.6
27SR0050001	GIBSON	SR005	0.87	SUGAR CREEK	OPEN	8/31/2015	1992	35.804583	-88.889833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
27SR0050002	GIBSON	SR005	0.87	SUGAR CREEK	OPEN	8/31/2015	1992	35.804472	-88.890028	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
27SR0050041	GIBSON	SR005	1.32	LITTLE SUGAR CREEK	OPEN	8/27/2015	1992	35.80925	-88.892972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
27SR0050005	GIBSON	SR005	3.68	LICK CREEK	OPEN	8/27/2015	1923	35.82925	-88.915333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.4
27SR0050007	GIBSON	SR005	5.01	DUFFY BRANCH	OPEN	8/27/2015	1994	35.848333	-88.915694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
27SR0050009	GIBSON	SR005	6.29	BARNETT BRANCH	OPEN	8/27/2015	1994	35.850278	-88.922167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
27SR0050051	GIBSON	SR005	8.64	BRANCH	OPEN	8/27/2015	2000	35.898194	-88.932	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
27SR0050011	GIBSON	SR005	9.51	BRANCH	OPEN	8/27/2015	1994	35.900278	-88.936861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
27SR0050013	GIBSON	SR005	9.89	CAIN CREEK	OPEN	8/27/2015	1994	35.915222	-88.938333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
27SR0050015	GIBSON	SR005	9.95	DRAINAGE DITCH	OPEN	8/27/2015	1994	35.916333	-88.938528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
27SR0050043	GIBSON	SR005	11.46	BRANCH	OPEN	8/27/2015	1994	35.933611	-88.94075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
27SR0050017	GIBSON	SR005	14.64	N. FK. FORKED DEER RIVER	OPEN	8/27/2015	1963	35.981833	-88.930167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.9
27SR0050039	GIBSON	SR005	14.85	BRANCH	OPEN	8/27/2015	1960	35.985	-88.930083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
27SR0050071	GIBSON	SR005	17.29	BRANCH	OPEN	8/27/2015	2001	36.005944	-88.951306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
27SR0050061	GIBSON	SR005	18.22	BRANCH	OPEN	8/27/2015	2001	36.012972	-88.964583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
27SR0050073	GIBSON	SR005	18.7	ROGER BRANCH	OPEN	8/27/2015	2001	36.018167	-88.970611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
27SR0050059	GIBSON	SR005	19.78	BRANCH	OPEN	8/27/2015	2001	36.032528	-88.975667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
27SR0050053	GIBSON	SR005	20.74	BRANCH	OPEN	8/27/2015	2001	36.044194	-88.984722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27SR0050048	GIBSON	SR005	20.76	WEST TN RAILROAD	OPEN	8/31/2015	2000	36.044167	-88.985	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
27SR0050047	GIBSON	SR005	20.76	WEST TN RAILROAD	OPEN	8/31/2015	2000	36.044389	-88.984889	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
27SR0050063	GIBSON	SR005	20.94	BRANCH	OPEN	8/31/2015	2001	36.046278	-88.987111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
27SR0050065	GIBSON	SR005	21.97	BRANCH	OPEN	8/31/2015	2001	36.057111	-88.9995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
27SR0050067	GIBSON	SR005	23.16	SAND CREEK	OPEN	8/31/2015	2001	36.072833	-89.006694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
27SR0050069	GIBSON	SR005	23.19	BRANCH	OPEN	8/31/2015	2001	36.072833	-88.007972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
27SR0050046	GIBSON	SR005	23.23	SR 5 / SR 77	OPEN	8/31/2015	2000	36.073778	-89.006611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
27SR0050045	GIBSON	SR005	23.23	SR 5 / SR 77	OPEN	8/31/2015	2000	36.073778	-89.006389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
27SR0050055	GIBSON	SR005	25.91	BRANCH	OPEN	9/1/2015	2001	36.107833	-89.00175	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	72.9
27SR0050049	GIBSON	SR005	26.88	SR105	OPEN	9/1/2015	2000	36.125639	-89.00625	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
27SR0050050	GIBSON	SR005	26.88	SR105	OPEN	9/1/2015	2000	36.125667	-89.006528	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
27SR0050057	GIBSON	SR005	28.1	BRANCH	OPEN	9/1/2015	2001	36.142083	-88.999806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
27SR0050035	GIBSON	SR005	29.99	EDMONDSON CREEK	OPEN	9/1/2015	1927	36.167889	-89.001667	CONCRETE	TEE BEAM	50.3
27SR0050037	GIBSON	SR005	31.1	BRANCH	OPEN	9/1/2015	1927	36.183028	-89.013083	CONCRETE	TEE BEAM	51
27SR0430029	GIBSON	SR043	1.73	BRANCH	OPEN	9/1/2015	1990	35.813139	-88.775083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
27SR0430003	GIBSON	SR043	4.79	I.C.G. RAILROAD	OPEN	9/1/2015	1989	35.850667	-88.750944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
27SR0430004	GIBSON	SR043	4.81	I.C.G. RAILROAD	OPEN	9/1/2015	1969	35.851	-88.751028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.7
27SR0430005	GIBSON	SR043	7.39	CLEAR CREEK	OPEN	9/1/2015	1975	35.887333	-88.747639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
27SR0430007	GIBSON	SR043	11.64	FLIPPEN CREEK	OPEN	9/1/2015	1995	35.94525	-88.768139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8
27SR0430009	GIBSON	SR043	13.67	MAYO BRANCH	OPEN	9/1/2015	1995	35.839056	-88.781944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27SR0430012	GIBSON	SR043	15.05	OVERFLOW	OPEN	9/1/2015	1995	35.991306	-88.790667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5
27SR0430011	GIBSON	SR043	15.05	OVERFLOW	OPEN	9/1/2015	1995	35.99125	-88.790361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5
27SR0430014	GIBSON	SR043	15.23	RUTHERFORK FK OBION RIVE	OPEN	9/1/2015	1995	35.994056	-88.79175	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
27SR0430013	GIBSON	SR043	15.23	RUTHERFORD FK.OBION RIVE	OPEN	9/1/2015	1995	35.993722	-88.791583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
27SR0430032	GIBSON	SR043	17.69	NORFOLK SOUTHERN RR	OPEN	9/1/2015	1994	36.026111	-88.809	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
27SR0430031	GIBSON	SR043	17.69	NORFOLK SOUTHERN RR	OPEN	9/1/2015	1994	36.026583	-88.808917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
27SR0430033	GIBSON	SR043	18.12	BEAR CREEK	OPEN	9/2/2015	1995	36.032194	-88.812167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
27SR0430019	GIBSON	SR043	23.65	BRANCH	OPEN	9/2/2015	1995	36.107528	-88.811194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
27SR0430021	GIBSON	SR043	24.02	OVERFLOW	OPEN	9/2/2015	1996	36.113028	-88.811083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.6
27SR0430023	GIBSON	SR043	24.19	OVERFLOW	OPEN	9/2/2015	1996	36.115444	-88.810833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
27SR0540001	GIBSON	SR054	0.24	BRANCH	OPEN	9/2/2015	1992	35.853389	-89.062222	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.2
27SR0540003	GIBSON	SR054	2.73	REAGAN CREEK	OPEN	9/2/2015	1929	35.883472	-89.037028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
27SR0540005	GIBSON	SR054	3.07	BRANCH	OPEN	9/2/2015	1929	35.887389	-89.0335	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
27SR0540007	GIBSON	SR054	5.51	DAVIS CREEK	OPEN	9/2/2015	1992	35.916111	-89.008028	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.6
27SR0540009	GIBSON	SR054	6.44	BRANCH	OPEN	9/3/2015	1996	35.927	-88.998333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8
27SR0540011	GIBSON	SR054	7.25	BRANCH	OPEN	9/3/2015	1929	35.936667	-88.989611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
27SR0540013	GIBSON	SR054	10.18	CAIN CREEK	OPEN	9/3/2015	1992	35.965444	-88.954444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63
27SR0540015	GIBSON	SR054	10.35	W TENN RAILROAD	OPEN	9/3/2015	1968	35.967556	-88.92975	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.8
27SR0540017	GIBSON	SR054	14.71	BRANCH	OPEN	9/3/2015	1930	36.036161	-88.895111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27SR0540019	GIBSON	SR054	16.17	RUTHERFORD FK.OBION RIVE	OPEN	9/9/2015	1975	36.0525	-88.878583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.7
27SR0540021	GIBSON	SR054	16.34	OVERFLOW	OPEN	9/9/2015	1975	36.054167	-88.876639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.7
27SR0540023	GIBSON	SR054	20.22	BRANCH	OPEN	9/3/2015	1930	36.076833	-88.814111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
27SR0760001	GIBSON	SR076	5.77	HOG CREEK	OPEN	9/2/2015	1930	35.865889	-88.927222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
27SR0760003	GIBSON	SR076	8.89	N. FK. FORKED DEER RIVER	OPEN	9/2/2015	1930	35.890889	-88.810722	CONCRETE	TEE BEAM	88.9
27SR0760005	GIBSON	SR076	9.2	BRANCH	OPEN	9/2/2015	1930	35.893056	-88.805722	CONCRETE	TEE BEAM	66.9
27SR0760007	GIBSON	SR076	9.62	BRANCH	OPEN	9/2/2015	1930	35.896056	-88.799222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
27SR0760009	GIBSON	SR076	11.25	BRANCH	OPEN	9/2/2015	1930	35.906139	-88.772972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.9
27SR0760011	GIBSON	SR076	11.97	WEST TENNESSEE RR	OPEN	9/2/2015	1930	35.910417	-88.761639	CONCRETE	TEE BEAM	68.1
27SR0760013	GIBSON	SR076	13.4	WOLF CREEK	OPEN	9/2/2015	2013	35.924278	-88.742667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
27SR0760017	GIBSON	SR076	13.925	BRANCH	OPEN	9/2/2015	2013	35.929367	-88.736033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
27SR0760021	GIBSON	SR076	15.46	OVERFLOW	OPEN	9/3/2015	2012	35.944633	-88.7158	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
27SR0760019	GIBSON	SR076	15.61	RUTHERFORD FK.OBION RIVE	OPEN	9/3/2015	2013	35.946444	-88.713889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
27SR0760020	GIBSON	SR076	15.61	RUTHERFORD FK.OBION RIVE	OPEN	9/3/2015	2013	35.946233	-88.714217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
27SR0770001	GIBSON	SR077	1.915	DRAINAGE DITCH	OPEN	9/8/2015	1954	36.101278	-88.125222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
27SR0770003	GIBSON	SR077	3.255	BETHEL CREEK	OPEN	9/8/2015	1954	36.09225	-89.104778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
27SR0770005	GIBSON	SR077	6.155	DRY CREEK	OPEN	9/8/2015	1954	36.076833	-89.057278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
27SR0770007	GIBSON	SR077	6.295	MUD CREEK	OPEN	9/8/2015	1954	36.076583	-89.054722	CONCRETE	TEE BEAM	80.7
27SR0770009	GIBSON	SR077	6.365	OVERFLOW	OPEN	9/8/2015	1954	36.076806	-89.053361	CONCRETE	TEE BEAM	63.6
27SR0770011	GIBSON	SR077	9.045	OVERFLOW	OPEN	9/8/2015	1983	35.980306	-88.929528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.2
27SR0770013	GIBSON	SR077	9.185	N. FK. FORKED DEER RIVER	OPEN	9/8/2015	1984	35.98025	-88.926833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27SR0770015	GIBSON	SR077	9.415	OVERFLOW	OPEN	9/8/2015	1983	35.966944	-88.922806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
27SR0770017	GIBSON	SR077	10.805	THOMPSON LEVEE CREEK	OPEN	9/8/2015	1994	35.976917	-88.898694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.8
27SR0770021	GIBSON	SR077	14.205	BRANCH	OPEN	9/8/2015	1991	35.94375	-88.857833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
27SR0770019	GIBSON	SR077	15.545	BRANCH	OPEN	9/8/2015	1984	35.941917	-88.833972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
27SR1040001	GIBSON	SR104	0.11	N. FK. FORKED DEER RIVER	OPEN	9/9/2015	1967	36.022444	-89.171778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.2
27SR1040003	GIBSON	SR104	1.97	BRANCH	OPEN	9/9/2015	1978	36.006333	-89.145944	CONCRETE	CHANNEL BEAM	53.2
27SR1040027	GIBSON	SR104	2.67	BRANCH	OPEN	9/9/2015	1946	36.001694	-89.135111	CONCRETE	CHANNEL BEAM	57.6
27SR1040041	GIBSON	SR104	4.11	BRANCH	OPEN	9/9/2015	2014	35.994336	-89.110811	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
27SR1040043	GIBSON	SR104	5.07	BRANCH	OPEN	9/9/2015	2014	36.036161	-88.895061	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
27SR1040005	GIBSON	SR104	5.915	BRANCH	OPEN	9/10/2015	2014	35.993361	-89.079111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
27SR1040045	GIBSON	SR104	6.38	BRANCH	OPEN	9/10/2015	2014	35.992708	-89.670822	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.6
27SR1040007	GIBSON	SR104	7.23	BRANCH	OPEN	9/10/2015	2014	35.991667	-89.055889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
27SR1040009	GIBSON	SR104	7.84	BRANCH	OPEN	9/10/2015	2001	35.990861	-89.044917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
27SR1040031	GIBSON	SR104	9.115	BRANCH	OPEN	9/10/2015	2001	35.994333	-89.022917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
27SR1040033	GIBSON	SR104	10.22	BRANCH	OPEN	9/10/2015	2001	35.99425	-89.003167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
27SR1040015	GIBSON	SR104	12.54	BRANCH	OPEN	9/10/2015	1939	35.981389	-88.969167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91
27SR1040017	GIBSON	SR104	13.59	CANE CREEK	OPEN	9/10/2015	1939	35.980944	-88.950444	CONCRETE	TEE BEAM	56.3
27SR1040019	GIBSON	SR104	13.7	OVERFLOW	OPEN	9/10/2015	1939	35.980861	-88.9485	CONCRETE	TEE BEAM	56.3
27SR1040021	GIBSON	SR104	13.79	DRAINAGE DITCH	OPEN	9/10/2015	1939	35.980722	-88.946806	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68.6
27SR1040023	GIBSON	SR104	15.17	WOLF CREEK	OPEN	9/15/2015	1984	35.912972	-88.745278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72.6
27SR1050001	GIBSON	SR105	10.52	TOWN BRANCH	OPEN	9/9/2015	1987	36.127667	-88.981694	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27SR1050003	GIBSON	SR105	10.77	OVERFLOW	OPEN	9/15/2015	1987	36.1285	-88.977639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
27SR1050005	GIBSON	SR105	10.88	OVERFLOW	OPEN	9/15/2015	1987	36.129194	-88.975694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
27SR1050007	GIBSON	SR105	10.94	RUTHERFORD FK.OBION RIVE	OPEN	9/15/2015	1987	36.129583	-88.974556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
27SR1050009	GIBSON	SR105	11.13	OVERFLOW	OPEN	9/15/2015	1987	36.130806	-88.971611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
27SR1050011	GIBSON	SR105	11.18	OVERFLOW	OPEN	9/15/2015	1987	36.131028	-88.970806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
27SR1050013	GIBSON	SR105	11.82	BRANCH	OPEN	9/15/2015	1987	36.129361	-88.960361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
27SR1050015	GIBSON	SR105	12.46	BRANCH	OPEN	9/15/2015	1987	36.127472	-88.949583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
27SR1050017	GIBSON	SR105	15.92	BRANCH	OPEN	9/15/2015	1987	36.117444	-88.890167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
27SR1050019	GIBSON	SR105	16.27	BRANCH	OPEN	9/15/2015	1987	36.116111	-88.884139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
27SR1050021	GIBSON	SR105	16.37	LICK CREEK	OPEN	9/15/2015	1987	36.11575	-88.882639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
27SR1050023	GIBSON	SR105	18.99	LOCUST GROVE CREEK	OPEN	9/15/2015	1987	36.104444	-88.837667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
27SR1050025	GIBSON	SR105	21.86	MUD CREEK	OPEN	9/15/2015	1987	36.076278	-88.812333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94
27SR1050027	GIBSON	SR105	24.33	BEAR CREEK	OPEN	9/17/2015	1987	36.081972	-88.770139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.6
27SR1050029	GIBSON	SR105	26.11	DOLAN CREEK	OPEN	9/17/2015	1987	35.081972	-88.770139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.7
27SR1520005	GIBSON	SR152	0	OVERFLOW	OPEN	9/16/2015	1992	35.832028	-88.9675	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.2
27SR1520007	GIBSON	SR152	0.15	OVERFLOW	OPEN	9/16/2015	1992	35.831861	-88.964778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
27SR1520009	GIBSON	SR152	0.39	M. FK. FORKED DEER RIVER	OPEN	9/16/2015	1992	35.83175	-88.960361	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	89.5
27SR1520001	GIBSON	SR152	0.39	DRAINAGE DITCH	OPEN	9/16/2015	1992	35.832167	-88.981167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
27SR1520011	GIBSON	SR152	0.61	OVERFLOW	OPEN	9/16/2015	1992	35.831694	-88.9565	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27SR1520013	GIBSON	SR152	0.66	OVERFLOW	OPEN	9/16/2015	1992	35.831639	-88.9555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
27SR1520015	GIBSON	SR152	4.81	LITTLE SUGAR CREEK	OPEN	9/16/2015	1987	35.819972	-88.897111	CONCRETE CONTINUOUS	SLAB	87
27SR1520017	GIBSON	SR152	5.39	SUGAR CREEK	OPEN	9/16/2015	1987	35.800639	-88.880917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88
27SR1520019	GIBSON	SR152	7.66	SUGAR CREEK	OPEN	9/16/2015	1983	35.809194	-88.844917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
27SR1520021	GIBSON	SR152	8.87	SUGAR CREEK	OPEN	9/16/2015	1986	35.813694	-88.825167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
27SR1520023	GIBSON	SR152	10.31	TURKEY CREEK	OPEN	9/16/2015	1987	35.807583	-88.802056	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.2
27SR1520025	GIBSON	SR152	15.22	DRY BRANCH	OPEN	9/16/2015	1991	35.794417	-88.727194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.9
27SR0050029	GIBSON	SR185	0.5	SAND CREEK	OPEN	9/17/2015	1929	36.072694	-88.997944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
27SR0050027	GIBSON	SR185	1.36	W TENN RAILROAD	OPEN	9/17/2015	1958	36.061833	-88.990361	CONCRETE	TEE BEAM	70.4
27S81690001	GIBSON	SR185	5.92	CAMP CREEK	OPEN	9/17/2015	1965	36.050694	-88.914528	CONCRETE	TEE BEAM	79.6
270A1020001	GIBSON	SR186	1.16	SUGAR CREEK	OPEN	9/22/2015	1969	35.811139	-88.828528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
27S80320001	GIBSON	SR186	6.47	HOG CREEK	OPEN	9/22/2015	2012	35.879556	-88.847778	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
27S80320003	GIBSON	SR186	9.62	BRANCH	OPEN	9/17/2015	2012	35.916333	-88.864139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.4
27S80320005	GIBSON	SR186	10.11	WALL SMITH BRANCH	OPEN	9/17/2015	2004	35.920861	-88.870694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.6
27S80320007	GIBSON	SR186	10.92	BRANCH	OPEN	9/17/2015	1985	35.924222	-88.884611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.1
27S80320009	GIBSON	SR186	11.87	PARKER BRANCH	OPEN	9/17/2015	2012	35.933083	-88.896444	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.3
27S80320011	GIBSON	SR186	12.01	BRANCH	OPEN	9/17/2015	2012	35.934861	-88.897639	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.3
27S80320013	GIBSON	SR186	12.77	BRANCH	OPEN	9/17/2015	2012	35.944583	-88.904194	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.3
27S80320015	GIBSON	SR186	13.76	BRANCH	OPEN	9/17/2015	2012	35.956028	-88.914583	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.3
27015840007	GIBSON	SR187	3.53	OLIVER BRANCH	OPEN	9/17/2015	1986	35.857056	-88.810333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
27015840005	GIBSON	SR187	4.83	BR OF OLIVER BRANCH	OPEN	9/17/2015	1986	35.86025	-88.788528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27015840003	GIBSON	SR187	5.6	N FORK OF FRKD DEER RIVE	OPEN	9/17/2015	1986	35.868278	-85.779222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.6
27015840001	GIBSON	SR187	7.65	CLEAR CREEK	OPEN	9/17/2015	1986	35.880222	-88.749333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
27S80290001	GIBSON	SR188	0.07	OVERFLOW	OPEN	9/21/2015	2014	35.963667	-89.136	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
27S80290003	GIBSON	SR188	0.1	OVERFLOW	OPEN	9/21/2015	2014	35.963722	-89.1355	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.6
27S80290005	GIBSON	SR188	0.245	OVERFLOW	OPEN	9/21/2015	1975	35.966139	-89.133111	CONCRETE	CHANNEL BEAM	82.5
27S80290007	GIBSON	SR188	0.305	OVERFLOW	OPEN	9/21/2015	1988	35.966167	-89.132833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.4
27S80290009	GIBSON	SR188	4.92	OVERFLOW	OPEN	9/21/2015	2005	36.027778	-89.110861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.6
27S80290011	GIBSON	SR188	4.975	OVERFLOW	OPEN	9/21/2015	2005	36.028472	-89.110333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.6
27S80290013	GIBSON	SR188	5.06	N. FK. FRKED DEER RV	OPEN	9/21/2015	1992	36.029528	-89.109417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
27S80290015	GIBSON	SR188	5.165	OVERFLOW	OPEN	9/21/2015	2005	36.03075	-89.108583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.6
27S80290017	GIBSON	SR188	5.42	SQUIRT CREEK	OPEN	9/21/2015	2005	36.034389	-89.106556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.6
27S80290019	GIBSON	SR188	5.585	OVERFLOW	OPEN	9/22/2015	2005	36.036556	-89.106472	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.6
27S80290021	GIBSON	SR188	9.39	BETHEL BRANCH	OPEN	9/22/2015	1965	36.088806	-89.118222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
27FA0350001	GIBSON	SR366	0.51	LITTLE SUGAR CREEK	OPEN	9/22/2015	1972	35.81625	-88.891	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
27FA0350002	GIBSON	SR366	0.51	LITTLE SUGAR CREEK	OPEN	9/22/2015	1972	35.682528	-88.891222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
27FA0350003	GIBSON	SR366	2.73	CSX RAILROAD / A905&B117	OPEN	9/22/2015	1968	35.836833	-88.902556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
27SR3660005	GIBSON	SR366	4.04	SR 366 / W TENN RAILROAD	OPEN	9/22/2015	1983	35.836667	-88.925611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
27SR3660007	GIBSON	SR366	4.87	BRANCH	OPEN	9/22/2015	1983	35.829139	-88.935806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
27SR3660009	GIBSON	SR366	5.65	LICK CREEK	OPEN	9/23/2015	1983	35.817944	-88.934639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
27SR3660011	GIBSON	SR366	5.82	SR 366 RAMP / CSX RR	OPEN	9/23/2015	1983	35.932417	-88.933167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
27SR0760023	GIBSON	SR366	5.83	SR 366 / SR 76 & CSX RR	OPEN	9/23/2015	1983	35.816028	-88.932694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.7
27SR0055001	GIBSON	SR367	3.37	N. FK. FORKED DEER RIVER	OPEN	9/23/2015	2005	35.988944	-88.940139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
27SR0055003	GIBSON	SR367	3.57	BRANCH	OPEN	9/23/2015	1926	35.991611	-88.93875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
27SR0055005	GIBSON	SR367	3.99	BRANCH	OPEN	9/23/2015	1927	35.997278	-88.940778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94
27L30130001	GIBSON	SR425	1.76	WOLF CREEK	OPEN	9/23/2015	2005	35.936556	-88.735722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
27F00070001	GIBSON	SR445	1.45	BRANCH	OPEN	9/23/2015	2012	36.152361	-88.9672	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
27SR4450001	GIBSON	SR445	2.57	BRANCH	OPEN	9/24/2015	1998	36.168222	-88.964306	CONCRETE	CHANNEL BEAM	85.2
27S80080001	GIBSON	SR445	5.62	DRAINAGE DITCH	OPEN	9/23/2015	2006	36.182861	-88.923361	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	96.6
27S80080003	GIBSON	SR445	5.79	OVERFLOW	OPEN	9/23/2015	2012	36.18325	-88.921433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
27S80080005	GIBSON	SR445	5.92	DRAINAGE DITCH	OPEN	9/24/2015	1994	36.184028	-88.918611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.3
27S80080007	GIBSON	SR445	6.01	SOUTH FORK OBION RIVER	OPEN	9/24/2015	1965	36.183583	-88.916833	CONCRETE	CHANNEL BEAM	62
27S80080009	GIBSON	SR445	6.22	OVERFLOW	OPEN	9/24/2015	1999	36.183364	-88.913667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.6
27S80080011	GIBSON	SR445	6.34	SOUTH FORK OBION RIVER	OPEN	9/24/2015	1985	36.186778	-88.911917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.6
27SR1040039	GIBSON	SR457	0.56	WEST TN RR	OPEN	9/29/2015	2001	35.937806	-88.950944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
27SR1040040	GIBSON	SR457	0.56	WEST TN RR	OPEN	9/29/2015	2001	35.938083	-88.951056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
27SR1040037	GIBSON	SR457	0.79	CAIN CREEK	OPEN	9/29/2015	2001	35.939194	-88.954556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
27SR1040038	GIBSON	SR457	0.79	CAIN CREEK	OPEN	9/29/2015	2001	35.939417	-88.954528	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
27SR1040035	GIBSON	SR457	2.72	BRANCH	OPEN	9/24/2015	2001	35.964639	-88.962583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
28F00140009	GILES	00936	1.03	WEAKLEY CREEK	OPEN	2/19/2016	1960	35.270017	-87.197967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
28F00140007	GILES	00936	1.71	BRANCH	OPEN	2/17/2016	1960	35.264367	-87.188683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
28F00140005	GILES	00936	3.14	WEAKLEY CREEK	OPEN	2/17/2016	1990	35.252467	-87.169167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.6
28F00140003	GILES	00936	3.37	GIMLET CREEK	OPEN	2/17/2016	1987	35.249433	-87.1675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
28F00140001	GILES	00936	4.73	CHOATE CREEK	OPEN	2/11/2016	1977	35.233717	-87.156	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
28F00200001	GILES	00940	4.23	RHEA BRANCH	OPEN	2/8/2016	1996	35.348683	-87.152033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
280A3660001	GILES	00960	0.88	WEST FORK SHOAL CREEK	OPEN	3/4/2016	1937	35.048617	-87.140733	CONCRETE	TEE BEAM	71.3
280A3660003	GILES	00960	3.05	TACKET BRANCH	OPEN	3/4/2016	1939	35.059533	-87.109733	CONCRETE	TEE BEAM	73.2
28018750003	GILES	00960	4.9	TACKET BRANCH	OPEN	3/4/2016	1938	35.037633	-87.084567	CONCRETE	TEE BEAM	73.4
28018750005	GILES	00960	5.25	EAST FORK SHOALS CREEK	OPEN	3/4/2016	1979	35.040767	-87.084367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
280A3740001	GILES	00960	8.04	JENKINS CREEK	OPEN	3/8/2016	1969	35.019333	-87.057233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.5
28S62380001	GILES	00962	0.02	ROBERTSON FORK CREEK	OPEN	4/21/2016	1968	35.330472	-87.031833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
28S62380003	GILES	00962	2.35	BRANCH	OPEN	4/21/2016	1973	35.324778	-86.9915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
28S62380005	GILES	00962	3.71	BLUE CREEK	OPEN	4/21/2016	1973	35.320194	-86.968111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
28S62380009	GILES	00962	8	RICHLAND CREEK	OPEN	4/11/2016	1978	35.2885	-86.906583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
28F00530007	GILES	00966	0.36	BRANCH	OPEN	2/18/2016	1930	35.3288	-87.037733	CONCRETE	TEE BEAM	73
28F00530005	GILES	00966	3.08	BRANCH	OPEN	2/18/2016	1930	35.3209	-87.079533	CONCRETE	TEE BEAM	73
28009660001	GILES	00966	3.72	BIG CREEK	OPEN	2/18/2016	1984	35.313983	-87.086983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.2
28009660003	GILES	00966	3.9	BRANCH OF BIG CREEK	OPEN	2/8/2016	1984	35.312833	-87.089683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6
28F00380003	GILES	00981	0.07	FORD CREEK	OPEN	3/9/2016	1954	35.02945	-87.00425	CONCRETE	TEE BEAM	73.1
28S62340005	GILES	00981	6.03	PETTY CREEK	OPEN	3/9/2016	1954	35.084983	-87.998783	CONCRETE	TEE BEAM	64
28S62340007	GILES	00981	8.05	RICHLAND CREEK	OPEN	4/21/2016	1980	35.1125	-87.002767	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
28S62350001	GILES	00983	0.59	BEE SPRINGS BRANCH	OPEN	3/21/2016	1940	35.106717	-86.8636	CONCRETE	TEE BEAM	77.5
28S62350003	GILES	00983	2.18	BELL CREEK	OPEN	3/21/2016	1940	35.127317	-86.8725	CONCRETE	TEE BEAM	82.8
28S62350005	GILES	00983	3.02	BRANCH	OPEN	3/29/2016	1940	35.138917	-86.87645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
28F00120001	GILES	00987	3.91	AGNEW CREEK	OPEN	2/23/2016	1960	35.185217	-87.132133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
28S63610001	GILES	00989	3.18	BRANCH	OPEN	2/11/2016	1948	35.23665	-87.043783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
28018110001	GILES	01811	7.15	CHOATE CREEK	OPEN	2/22/2016	1983	35.2233	-87.170033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
28018170001	GILES	01817	0.01	WEAKLEY CREEK	OPEN	2/19/2016	1998	35.2706	-87.202833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.3
28018710001	GILES	01871	1.08	HULSEY BRANCH	OPEN	3/3/2016	1984	35.01305	-87.167167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
28S62340001	GILES	01873	1.4	ELK RIVER	OPEN	4/20/2016	1989	35.013508	-86.994917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
28018750001	GILES	01875	2.72	E. FORK SHOALS CREEK	OPEN	3/7/2016	1992	35.06435	-87.074917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
28018830001	GILES	01883	5.91	DRY CREEK	OPEN	2/10/2016	1958	35.271517	-87.134217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
28018830003	GILES	01883	7.25	DRY CREEK	OPEN	2/10/2016	1976	35.25395	-86.124617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
28018830005	GILES	01883	9.32	WEAKLEY CREEK	OPEN	2/10/2016	1959	35.22645	-87.11495	CONCRETE	TEE BEAM	61.7
28018830007	GILES	01883	13.84	CHICKEN CREEK	OPEN	2/23/2016	1963	35.193683	-87.062133	CONCRETE	TEE BEAM	59.9
28018850001	GILES	01885	0.74	CLOCK CREEK	OPEN	4/11/2016	1950	35.278472	-86.900778	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.4
28018890001	GILES	01889	0.32	BRADSHAW CREEK	OPEN	4/7/2016	1987	35.242833	-86.8362	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
28018890003	GILES	01889	6.02	BRANCH	OPEN	4/8/2016	1950	35.29475	-86.895306	CONCRETE	TEE BEAM	79.5
28018910001	GILES	01891	0.03	RICHLAND CREEK	OPEN	2/12/2016	1987	35.273533	-87.042617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
28018910003	GILES	01891	1.27	BIG CREEK	OPEN	2/12/2016	2003	35.275067	-87.058167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.9
28018910005	GILES	01891	2.2	BIG CREEK	OPEN	2/12/2016	1980	35.28785	-87.05965	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.4
28018930001	GILES	01893	3.59	ROBERTSON FORK CREEK	OPEN	4/25/2016	1968	35.373194	-87.006611	CONCRETE	TEE BEAM	79
28018940003	GILES	01894	0.37	RAGSDALE CREEK	WEIGHT POSTED	3/16/2016	1968	34.998783	-86.935783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.1
28018940001	GILES	01894	3.85	SINKING CREEK	OPEN	3/16/2016	1950	35.009883	-86.8878	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
28I00650011	GILES	01898	0.97	BAUGH RD / I65	OPEN	10/21/2015	1964	35.06	-86.881667	CONCRETE CONTINUOUS	TEE BEAM	79.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
280A2660001	GILES	01898	1.03	REEVES BRANCH	OPEN	3/18/2016	1965	35.062183	-86.881033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
28I00650043	GILES	01898	1.06	I65 WEIGH STATION BP RAM	OPEN	10/19/2015	2009	35.062722	-86.880722	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
28018980003	GILES	01898	1.58	ELK RIVER	OPEN	3/18/2016	1995	35.06865	-86.876033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
28018980005	GILES	01898	3.04	CSX RAILROAD	OPEN	3/18/2016	1991	35.072483	-86.851117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89
28018980007	GILES	01898	3.51	KELLEY CREEK	OPEN	3/18/2016	1960	35.069583	-86.8443	CONCRETE	TEE BEAM	75.1
28019000003	GILES	01900	1.61	BUCHANAN CREEK	OPEN	3/10/2016	1958	35.142983	-86.966767	CONCRETE	TEE BEAM	75.1
28019000001	GILES	01900	7.08	INDIAN CREEK	OPEN	3/29/2016	1963	35.137733	-86.884533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
28I00650023	GILES	01900	7.42	BUNKER HILL RD / I65	OPEN	10/29/2015	1965	35.136667	-86.878333	CONCRETE CONTINUOUS	TEE BEAM	65.1
28019020001	GILES	01902	1.86	BRANCH	OPEN	4/7/2016	1965	35.224306	-86.855944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
28019020005	GILES	01902	3.23	BRADSHAW CREEK	OPEN	4/7/2016	1995	35.237778	-86.84025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
28019040001	GILES	01904	4.4	N FK PIGEON ROOST CREEK	OPEN	4/19/2016	1930	35.257528	-86.970889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.4
28019040003	GILES	01904	8.62	RICHLAND CREEK	OPEN	4/21/2016	1969	35.306528	-86.955194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.3
28019080001	GILES	01908	2.41	LYNN CREEK	OPEN	2/4/2016	1950	35.4026	-87.072367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.4
28019080003	GILES	01908	5.43	FRY BRANCH	OPEN	2/4/2016	1956	35.372467	-87.034817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60
28L31750001	GILES	03175	0.07	PLEASANT RUN CREEK	OPEN	1/21/2016	1989	35.199667	-87.0292	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
280A5330001	GILES	04504	0.32	BRANCH	OPEN	2/2/2016	1973	35.191967	-87.017867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
28SR0150017	GILES	05313	0.12	PLEASANT RUN CREEK	OPEN	1/19/2016	1930	35.195	-87.031667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5
28SR0150019	GILES	05313	0.95	BRANCH	OPEN	1/19/2016	1930	35.193333	-87.016667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
28SR0150021	GILES	05313	1.37	BRANCH	OPEN	1/19/2016	1930	35.191667	-87.01	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
280A0010001	GILES	0A001	3.289	ANDERSON CREEK	OPEN	2/5/2016	1984	35.035567	-87.164383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
280A0030003	GILES	0A003	1.546	POWDER MILL CREEK	OPEN	2/5/2016	1983	35.38775	-87.173967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
280A0030001	GILES	0A003	1.8	ANDERSON CREEK	OPEN	2/5/2016	2004	35.39115	-87.175417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.4
280A0040001	GILES	0A004	1.994	FACTORY CREEK	OPEN	2/5/2016	1998	35.35795	-87.202983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.4
280A0080001	GILES	0A008	1.789	ANDERSON CREEK	OPEN	2/5/2016	1982	35.3992	-87.186617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
280A0180001	GILES	0A018	0.29	WEAKLEY CREEK	OPEN	2/19/2016	1994	35.26095	-87.18975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
280A0250001	GILES	0A025	0.11	HAMS CREEK	OPEN	2/17/2016	1962	35.29865	-87.1716	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
280A0300001	GILES	0A030	0.143	MUCKLE BRANCH	OPEN	2/19/2016	1983	35.2664	-87.1877	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
280A0340001	GILES	0A034	4.587	HAM'S CREEK	OPEN	2/17/2016	1940	35.25715	-87.164367	CONCRETE	TEE BEAM	73.4
280A0380001	GILES	0A038	2.912	DRY CREEK	OPEN	2/11/2016	1952	35.2855	-86.138183	CONCRETE	SLAB	91.3
280A0420001	GILES	0A042	1.137	NORTH CHOATE CREEK	OPEN	2/22/2016	1950	35.232017	-87.20015	CONCRETE	TEE BEAM	77
280A0450001	GILES	0A045	0.244	DRY CREEK	OPEN	2/10/2016	1983	35.24475	-87.116433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
280A0460001	GILES	0A046	0.325	WEAKLEY CREEK	OPEN	2/12/2016	1983	35.234133	-87.1437	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
280A0470001	GILES	0A047	0.396	DRY CREEK	OPEN	2/10/2016	1945	35.235567	-87.1103	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56
280A0480001	GILES	0A048	0.39	BRANCH	OPEN	2/11/2016	2012	35.239689	-87.135514	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80.9
280A0490001	GILES	0A049	1.582	LITTLE DRY CREEK	OPEN	2/10/2016	1994	35.248833	-87.1091	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
280A0570001	GILES	0A057	1.563	BIG CREEK	OPEN	2/18/2016	1925	35.300483	-87.079	CONCRETE	ARCH - DECK	56.5
28F00530001	GILES	0A058	0.028	ZUCCARELLO BRANCH	OPEN	2/8/2016	1930	35.316083	-87.091533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
280A0580001	GILES	0A058	0.657	BIG CREEK	OPEN	2/8/2016	1986	35.3247	-87.089583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.6
280A0580003	GILES	0A058	2.028	MINNOW BRANCH	OPEN	2/8/2016	1991	35.343283	-87.09365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
280A0640001	GILES	0A064	1.493	BIG CREEK	OPEN	2/18/2016	1975	35.346533	-87.11525	CONCRETE	TEE BEAM	71.4
280A0680001	GILES	0A068	0.129	BIG CREEK	WEIGHT POSTED	2/8/2016	1940	35.3469	-87.133583	CONCRETE	TEE BEAM	48
280A0690001	GILES	0A069	0.063	YOKLEY BRANCH	OPEN	2/5/2016	1991	35.3652	-87.142517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
280A0730001	GILES	0A073	3.91	LYNN CREEK	OPEN	2/4/2016	1984	35.371567	-87.042433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
280A0820001	GILES	0A082	0.577	FRY BRANCH	OPEN	2/4/2016	1939	35.38255	-87.03765	CONCRETE	TEE BEAM	73.2
280A0820003	GILES	0A082	1.448	FRY BRANCH	OPEN	2/4/2016	1939	35.394617	-87.0397	CONCRETE	TEE BEAM	75.2
280A0820005	GILES	0A082	2.087	FRY BRANCH	OPEN	2/4/2016	1939	35.403633	-87.042633	CONCRETE	TEE BEAM	92.3
280A0920001	GILES	0A092	2.41	EAST FORK OF LYNN CREEK	OPEN	2/12/2016	2010	35.390639	-87.021722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
280A0960001	GILES	0A096	0.251	TRIGG BRANCH	WEIGHT POSTED	4/25/2016	1958	35.383167	-86.979083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.1
280A0960003	GILES	0A096	0.546	TRIGG BRANCH	WEIGHT POSTED	4/25/2016	1966	35.387667	-86.977944	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.6
280A1010001	GILES	0A101	0.872	ROBERTSON FORK CREEK	OPEN	4/22/2016	2007	35.384583	-86.952944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
280A1100001	GILES	0A110	0.2	ROBERTSON FORK BRANCH	OPEN	4/25/2016	1950	35.377111	-86.977278	CONCRETE	TEE BEAM	46.2
280A1100003	GILES	0A110	0.943	TRADE BRANCH	OPEN	4/25/2016	1950	35.367167	-86.974167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
280A1150001	GILES	0A115	0.21	BRANCH	OPEN	4/22/2016	1940	35.346889	-86.935194	CONCRETE	TEE BEAM	81
280A1160001	GILES	0A116	0.091	ROBERTSON FORK CREEK	OPEN	4/22/2016	1999	35.372694	-86.925417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
280A1220001	GILES	0A122	0.016	ANDERSON BRANCH	OPEN	4/21/2016	1950	35.303806	-86.957917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
280A1240001	GILES	0A124	0.015	RICHLAND CREEK	OPEN	4/11/2016	1985	35.294639	-86.914639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
280A1280001	GILES	0A128	1.387	PIGEON ROOST CREEK	OPEN	4/19/2016	1984	35.253722	-86.979167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A1280003	GILES	0A128	2.002	PIGEON ROOST CREEK	OPEN	4/19/2016	1984	35.248222	-86.987528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A1350001	GILES	0A135	0.339	PIGEON ROOST CREEK	OPEN	4/19/2016	1984	35.250056	-86.994417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
280A1380001	GILES	0A138	2.721	PIGEON ROOST CREEK	OPEN	4/19/2016	1983	35.242167	-87.030333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
280A1400001	GILES	0A140	2.562	PIGEON ROOST CREEK	OPEN	4/13/2016	1965	35.24025	-86.95475	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.3
280A1400003	GILES	0A140	2.641	PIGEON ROOST CREEK	OPEN	4/13/2016	1984	35.240278	-86.956194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
280A1400005	GILES	0A140	3.433	PIGEON ROOST CREEK	OPEN	4/13/2016	1986	35.241528	-86.968806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
280A1400007	GILES	0A140	3.44	PIGEON ROOST CREEK	OPEN	4/13/2016	1986	35.241306	-86.968944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
280A1480001	GILES	0A148	0.424	BURTON CREEK	OPEN	4/11/2016	1987	35.278139	-86.917583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
280A1480003	GILES	0A148	1.328	CLOCK CREEK	OPEN	4/11/2016	1965	35.283944	-86.906	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
280A1500001	GILES	0A150	0.091	BRANDSHAW CREEK	OPEN	4/5/2016	1993	35.228667	-86.88895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
280A1510001	GILES	0A151	0.89	CLOCK CREEK	OPEN	4/8/2016	1965	35.270917	-86.889139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
280A1640001	GILES	0A164	4.83	BRANCH	OPEN	4/5/2016	1965	35.232767	-86.887467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
280A1670001	GILES	0A167	0.786	LITTLE CREEK	OPEN	4/5/2016	1993	35.21965	-86.883533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
280A1750001	GILES	0A175	0.027	W. FORK BRADSHAW CREEK	OPEN	4/8/2016	1987	35.276778	-86.850806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
280A1770001	GILES	0A177	0.163	INDIAN CREEK	OPEN	3/21/2016	1948	35.102983	-86.8677	CONCRETE	TEE BEAM	76
28I00650019	GILES	0A177	1.3	NEWMAN RD / I65	OPEN	10/29/2015	1965	35.106667	-86.885	CONCRETE CONTINUOUS	TEE BEAM	78.5
280A1770003	GILES	0A177	1.594	BROWN BRANCH	OPEN	3/21/2016	1960	35.10905	-86.889317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
280A1940001	GILES	0A194	1.652	LEATHERWOOD CREEK	OPEN	4/6/2016	1983	35.195433	-86.97435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
280A1950001	GILES	0A195	1.72	BRANCH	OPEN	4/6/2016	1987	35.203283	-86.9337	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A1960001	GILES	0A196	0.143	BUCHANAN CREEK	OPEN	4/6/2016	1982	35.2124	-86.926067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.4
280A2000001	GILES	0A200	3.252	BRADSHAW CREEK	OPEN	1/6/2017	2016	35.22725	-86.846333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	95.9
280A2180001	GILES	0A218	0.154	LITTLE CREEK	OPEN	4/5/2016	1925	35.195617	-86.863567	CONCRETE	ARCH - DECK	79.7
280A2190001	GILES	0A219	1.368	BRADSHAW CREEK	OPEN	4/8/2016	1987	35.280222	-86.829111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A2260001	GILES	0A226	0.099	EAST FORK SHOAL CREEK	OPEN	3/7/2016	1986	35.0533	-87.0802	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
280A2340001	GILES	0A234	0.472	OLIVER BRANCH	OPEN	4/4/2016	1954	35.17495	-86.935967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.9
280A2390001	GILES	0A239	0.103	SNUFF BRANCH	OPEN	3/29/2016	1964	35.13955	-86.87885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
280A2390005	GILES	0A239	2.34	SNUFF BRANCH	OPEN	3/29/2016	1963	35.171667	-86.87865	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
280A2510001	GILES	0A251	0.058	SILVER CREEK	OPEN	3/10/2016	1948	35.087733	-86.9266	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
280A2570001	GILES	0A257	0.407	SILVER CREEK	OPEN	3/10/2016	1986	35.0818	-86.941317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A2630001	GILES	0A263	0.526	BEATY BRANCH	OPEN	2/2/2016	1939	35.057683	-87.893667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
280A2660003	GILES	0A266	0.18	REEVES BRANCH	OPEN	3/18/2016	2009	35.061983	-86.880633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
280A2760001	GILES	0A276	3.058	SINKING CREEK	OPEN	3/16/2016	1984	35.03395	-86.85865	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
280A2960001	GILES	0A296	0.624	CSX RR	CLOSED	4/8/2016	1970	35.292	-86.858833	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	15
280A3020001	GILES	0A302	0.038	NORTH FORK BLUE CREEK	OPEN	4/22/2016	1996	35.341333	-86.942222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A3190003	GILES	0A319	2.249	PRETTY BRANCH	OPEN	3/9/2016	1954	35.081483	-87.00235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
280A3360001	GILES	0A336	3.432	JENKIN'S CREEK	OPEN	3/8/2016	1984	35.011533	-87.05765	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
280A3450001	GILES	0A345	1.758	DONAHUE CREEK	OPEN	3/7/2016	1953	35.135167	-87.066567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
280A3560001	GILES	0A356	0.946	EAST FORK DOG BRANCH	OPEN	3/7/2016	1994	35.078333	-87.07375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
280A3580001	GILES	0A358	3.123	WEST FORK SHOAL CREEK	WEIGHT POSTED	3/4/2016	1948	35.062917	-87.145933	CONCRETE	TEE BEAM	54.7
280A3620001	GILES	0A362	0.017	JENKINS CREEK	OPEN	3/9/2016	1970	35.0502	-87.045567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
280A3690001	GILES	0A369	0.186	EAST FORK SHOALS CREEK	OPEN	3/8/2016	1982	35.007817	-87.0995	CONCRETE CONTINUOUS	TEE BEAM	94.9
280A3710001	GILES	0A371	0.02	WEST FORK OF SHOAL CREEK	OPEN	3/8/2016	1982	35.016233	-87.115017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96
280A3720001	GILES	0A372	0.061	WEST FORK SHOAL CREEK	OPEN	3/8/2016	2009	35.00515	-87.10135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A3770001	GILES	0A377	0.1	HAMS CREEK	OPEN	3/3/2016	1995	35.001522	-87.164867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
280A3810001	GILES	0A381	0.417	DAVIS BRANCH	OPEN	3/3/2016	1995	35.002383	-87.165967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A3820001	GILES	0A382	1.839	HUSLEY CREEK	OPEN	3/3/2016	1956	35.010067	-87.16915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.5
280A3920001	GILES	0A392	1.428	AGNEW CREEK	OPEN	2/23/2016	1999	35.211333	-87.1352	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
280A3920003	GILES	0A392	1.98	BRANCH	OPEN	2/22/2016	1983	35.214567	-87.142633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
280A3940001	GILES	0A394	1.306	REYNOLDS BRANCH	OPEN	2/23/2016	1952	35.181617	-87.076867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.9
280A3940003	GILES	0A394	5.155	AGNEW CREEK	OPEN	2/23/2016	1965	35.1642	-87.13605	CONCRETE	TEE BEAM	81.4
280A3980003	GILES	0A398	1.913	SHANNON CREEK	OPEN	3/1/2016	1982	35.126067	-87.17505	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
280A4010001	GILES	0A401	0.034	WEST FORK SHOAL CREEK	OPEN	3/2/2016	1920	35.105133	-87.134117	CONCRETE	ARCH - DECK	63.5
280A4090001	GILES	0A409	0.2	CHICKEN CREEK	OPEN	4/13/2016	2008	35.26095	-87.18975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A4110001	GILES	0A411	0.283	REYNOLDS BRANCH	OPEN	2/23/2016	1960	35.165183	-87.087617	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.8
280A4190001	GILES	0A419	4.89	CHOATE CREEK	OPEN	2/22/2016	1950	35.22495	-87.179	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86
280A4370001	GILES	0A437	0.03	SHANNON CREEK	OPEN	3/1/2016	1955	35.143667	-87.181683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
280A4370003	GILES	0A437	1.858	SHANNON BRANCH	OPEN	3/1/2016	1939	35.119533	-87.178717	CONCRETE	TEE BEAM	91.5
280A4370005	GILES	0A437	2.191	SHANNON CREEK	OPEN	3/1/2016	1950	35.115033	-87.17975	CONCRETE	TEE BEAM	90.5
280A4370007	GILES	0A437	2.968	SHANNON CREEK	OPEN	3/1/2016	1940	35.1055	-87.186533	CONCRETE	TEE BEAM	91.5
280A4450001	GILES	0A445	1.04	SHANNON CREEK	OPEN	3/2/2016	2008	35.072183	-87.20635	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7
280A4480001	GILES	0A448	2.398	PUNCHEON BRANCH	OPEN	3/2/2016	1984	35.039317	-87.208917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A4490001	GILES	0A449	1.461	PUNCHEON CREEK	OPEN	3/2/2016	1984	35.040917	-87.205083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
280A4500001	GILES	0A450	1.818	PUNCHEON BRANCH	OPEN	3/2/2016	1947	35.047483	-87.1975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
280A4680001	GILES	0A468	0.092	BEATY BRANCH	OPEN	2/2/2016	1936	35.052883	-86.894783	CONCRETE	TEE BEAM	86.5
28SR0150037	GILES	0A501	0.85	BRADSHAW CREEK	OPEN	4/5/2016	1929	35.191667	-86.846667	CONCRETE	TEE BEAM	86.1
280A5170001	GILES	0A517	0.108	PLEASANT RUN CREEK	OPEN	1/21/2016	1950	35.204617	-87.026433	CONCRETE	TEE BEAM	82.5
280A5710001	GILES	0A571	0.069	PLEASANT RUN CREEK	OPEN	1/21/2016	1940	35.200833	-87.0285	CONCRETE	SLAB	60.2
280A6190001	GILES	0A619	1.789	JENKINS CREEK	OPEN	3/8/2016	1934	35.0012	-87.052033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
280A6520001	GILES	0A652	0.199	WEAKLEY CREEK	WEIGHT POSTED	2/19/2016	1946	35.259333	-87.186233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.3
280A6780001	GILES	0A678	0.16	WET WEAKLEY CREEK	OPEN	2/19/2016	1960	35.269983	-87.21455	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
280A6800001	GILES	0A680	0.127	DRY WEAKLEY CREEK	OPEN	2/22/2016	1970	35.2927	-87.209383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.4
280A7220001	GILES	0A722	0.098	BRANCH	OPEN	2/2/2016	1991	35.18905	-87.022933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.9
280A1830003	GILES	0A727	0.557	OLIVER BRANCH	OPEN	4/4/2016	1946	35.179283	-86.924783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
280A7500001	GILES	0A750	0.256	BRANCH	OPEN	2/2/2016	1950	35.209833	-87.052972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
28M31820001	GILES	0A757	0.07	PLEASANT RUN CREEK	OPEN	1/21/2016	1992	35.1986	-87.0299	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
28M31860001	GILES	0A760	0.163	BRANCH	WEIGHT POSTED	1/19/2016	1950	35.189783	-87.019967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	39.9
28M31860003	GILES	0A760	0.39	BRANCH	OPEN	1/19/2016	1950	35.189217	-87.01565	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
28M31910001	GILES	0A761	0.074	PLEASANT RUN CREEK	OPEN	1/21/2016	1989	35.197617	-87.03035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
280A5600001	GILES	0A762	0.131	PLEASANT RUN CREEK	OPEN	1/19/2016	1984	35.1956	-87.0312	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
28F00310001	GILES	0A767	1.231	BUCHANAN CREEK	OPEN	4/6/2016	1950	35.233267	-86.917083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.3
28F00310003	GILES	0A767	3.691	BRANCH	OPEN	4/6/2016	1992	35.21075	-86.942417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
28F00310005	GILES	0A767	6.467	LEATHERWOOD CREEK	OPEN	4/6/2016	1940	35.19905	-86.975417	CONCRETE	TEE BEAM	90.4
28031800001	GILES	0A769	0.067	PLEASANT RUN CREEK	OPEN	1/21/2016	1987	35.200767	-87.02895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
280A3390001	GILES	0A775	0.054	SMITHSONS BRANCH	OPEN	3/10/2016	1993	35.169433	-87.021483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
28SR0150023	GILES	0A800	0.433	LEATHERWOOD CREEK	OPEN	4/4/2016	1930	35.1758	-86.961683	CONCRETE	TEE BEAM	75
28SR0150025	GILES	0A801	0.428	BUCHANAN CREEK	OPEN	4/4/2016	1929	35.183028	-86.939033	CONCRETE	TEE BEAM	78.4
28SR0150027	GILES	0A801	0.561	BRANCH	OPEN	4/4/2016	1929	35.182667	-86.936833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
28SR0150005	GILES	0A837	0.77	CHOATE CREEK	OPEN	1/28/2016	1925	35.23	-87.163333	CONCRETE	TEE BEAM	92.2
28SR0150007	GILES	0A837	0.93	BRANCH	OPEN	1/28/2016	1925	35.23	-87.161667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
28SR0150001	GILES	0A963	0.57	CHOATE CREEK	OPEN	1/28/2016	1925	35.218333	-87.21	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
28SR0150003	GILES	0A963	2.03	CHOATE CREEK	OPEN	1/28/2016	1925	35.225	-87.186667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
28I00650001	GILES	I0065	0.77	HOLLAND CREEK	OPEN	10/19/2015	1964	35.000167	-86.878333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
28I00650006	GILES	I0065	2.76	SINKING CREEK	OPEN	10/19/2015	1964	35.03	-86.878333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.9
28I00650005	GILES	I0065	2.76	SINKING CREEK	OPEN	10/19/2015	1964	35.03	-86.878333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.9
28I00650007	GILES	I0065	3.19	I65 RL / NFA A276	OPEN	10/19/2015	1964	35.036667	-86.878333	CONCRETE CONTINUOUS	TEE BEAM	91.3
28I00650008	GILES	I0065	3.19	I65 LL / NFA A276	OPEN	10/19/2015	1964	35.036667	-86.878333	CONCRETE CONTINUOUS	TEE BEAM	92.3
28I00650009	GILES	I0065	3.94	I65 RL / ELK RV-NFA A28	OPEN	10/21/2015	1964	35.046667	-86.88	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.1
28I00650010	GILES	I0065	3.94	I65 LL / ELK RV-NFA A28	OPEN	10/21/2015	1964	35.046667	-86.88	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.2
28I00650013	GILES	I0065	4.87	REEVES BRANCH	OPEN	10/21/2015	1964	35.061667	-86.881667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
28I00650015	GILES	I0065	6.2	I65 RL / SR 273	OPEN	10/29/2015	1964	35.08	-86.883333	CONCRETE CONTINUOUS	TEE BEAM	96
28I00650016	GILES	I0065	6.2	I65 LL / SR 273	OPEN	10/29/2015	1964	35.08	-86.883333	CONCRETE CONTINUOUS	TEE BEAM	85
28I00650017	GILES	I0065	8	BROWN BRANCH	OPEN	10/29/2015	1964	35.106667	-86.885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
28I00650022	GILES	I0065	9.62	I65LL/INDIAN CR &NFA A75	OPEN	10/29/2015	1965	35.128333	-86.876667	CONCRETE CONTINUOUS	TEE BEAM	96.5
28I00650021	GILES	I0065	9.62	I65RL/INDIAN CR &NFA A75	OPEN	10/29/2015	1965	35.128333	-86.876667	CONCRETE CONTINUOUS	TEE BEAM	95.5
28I00650025	GILES	I0065	11.74	BRANCH	OPEN	11/3/2015	1965	35.158333	-86.88	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
28I00650027	GILES	I0065	12.47	BRANCH	OPEN	11/3/2015	1965	35.17	-86.878333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
28I00650029	GILES	I0065	12.6	I65 / BUNKER HILL RD	OPEN	11/3/2015	1965	35.171667	-86.878333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.2
28I00650030	GILES	I0065	12.62	I65 / BUNKER HILL RD	OPEN	11/3/2015	1965	35.171667	-86.878333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.2
28I00650031	GILES	I0065	14.08	I65 RL / SR 15	OPEN	11/3/2015	2002	35.191667	-86.87	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85
28I00650032	GILES	I0065	14.08	I65 LL / SR 15	OPEN	11/3/2015	2002	35.191667	-86.87	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85
28I00650033	GILES	I0065	16.83	BRANCH	OPEN	11/4/2015	1965	35.226667	-86.886667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
28I00650036	GILES	I0065	16.96	I65 LL / NFA 1885	OPEN	11/4/2015	1965	35.228333	-86.886667	CONCRETE CONTINUOUS	TEE BEAM	82.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
28I00650035	GILES	I0065	16.96	I65 RL / NFA 1902	OPEN	11/4/2015	1965	35.228333	-86.886667	CONCRETE CONTINUOUS	TEE BEAM	81.5
28I00650037	GILES	I0065	17.08	BRANCH	OPEN	11/4/2015	1965	35.231667	-86.886667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
28I00650040	GILES	I0065	19.97	I65 LL/CLOCK CR-NFA A15	OPEN	11/4/2015	1965	35.27	-86.89	CONCRETE CONTINUOUS	TEE BEAM	84.5
28I00650039	GILES	I0065	19.97	I65 RL/CLOCK CK-NFA A15	OPEN	11/4/2015	1965	35.27	-86.89	CONCRETE CONTINUOUS	TEE BEAM	91
28I00650041	GILES	I0065	21.32	I65 RL/DIANA RD NFA 1889	OPEN	11/4/2015	1965	35.288333	-86.883333	CONCRETE CONTINUOUS	TEE BEAM	81.4
28I00650042	GILES	I0065	21.32	I65 LL/DIANA RD NFA 1889	OPEN	11/4/2015	1965	35.288333	-86.883333	CONCRETE CONTINUOUS	TEE BEAM	81.4
28SR0070003	GILES	SR007	2.76	EZELL BRANCH	OPEN	11/5/2015	1946	35.008333	-86.876667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
28I00650003	GILES	SR007	3	SR 7 / I65	OPEN	11/5/2015	1958	35.011667	-86.878333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.2
28SR0070005	GILES	SR007	4.15	SINKING CREEK	OPEN	11/5/2015	1922	35.026667	-86.881667	CONCRETE	TEE BEAM	65
28SR0070007	GILES	SR007	5.45	ELK RIVER	OPEN	11/5/2015	1959	35.045	-86.886667	CONCRETE	TEE BEAM	61
28SR0070009	GILES	SR007	6.23	BEATY BRANCH	OPEN	11/5/2015	1924	35.055	-86.893333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.8
28SR0070011	GILES	SR007	9.22	SILVER CREEK	OPEN	11/10/2015	1924	35.086667	-86.926667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.6
28SR0070013	GILES	SR007	11.41	NEWTON BRANCH	OPEN	11/10/2015	1924	35.096667	-86.958333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
28SR0070015	GILES	SR007	13.1	OVERFLOW	OPEN	11/10/2015	1920	35.116667	-86.971667	CONCRETE	TEE BEAM	69.1
28SR0070017	GILES	SR007	13.24	BUCHANAN CREEK	OPEN	11/10/2015	1921	35.118333	-86.973333	CONCRETE	TEE BEAM	50.7
28SR0070019	GILES	SR007	15.85	BRITTON BRANCH	OPEN	11/10/2015	1924	35.148333	-87.001667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.5
28SR0070021	GILES	SR007	17.41	BRANCH	OPEN	11/10/2015	1924	35.168333	-87.015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.5
28SR0070023	GILES	SR007	18.75	BRANCH	OPEN	11/12/2015	1938	35.183333	-87.028333	CONCRETE	TEE BEAM	90.9
28SR0070025	GILES	SR007	19.23	PLEASANT RUN CREEK	OPEN	11/12/2015	1938	35.188333	-87.033333	CONCRETE	TEE BEAM	90.2
28SR0070049	GILES	SR007	22.75	BRANCH	OPEN	11/12/2015	1923	35.235	-87.043333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84
28SR0070029	GILES	SR007	22.94	PIGEON ROOST CREEK	OPEN	11/12/2015	1927	35.236667	-87.043333	CONCRETE	TEE BEAM	50.9
28SR0070031	GILES	SR007	24.93	BRANCH	OPEN	11/12/2015	1923	35.265	-87.043333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.5
28SR0070033	GILES	SR007	26.23	BRANCH	OPEN	11/13/2015	1925	35.278333	-87.031667	CONCRETE	TEE BEAM	59.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
28SR0070035	GILES	SR007	26.71	BRANCH	OPEN	11/13/2015	1923	35.285	-87.026667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
28SR0070037	GILES	SR007	27.72	CSX RAILROAD	OPEN	11/13/2015	1981	35.298333	-87.026667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73
28SR0070039	GILES	SR007	28.59	RICHLAND CREEK	OPEN	11/13/2015	1927	35.311667	-87.03	CONCRETE	TEE BEAM	49.8
28SR0070051	GILES	SR007	29.63	BRANCH	OPEN	11/13/2015	1927	35.326667	-87.031667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
28SR0070043	GILES	SR007	32.46	LYNN CREEK	OPEN	11/16/2015	1927	35.366667	-87.035	CONCRETE	TEE BEAM	58.3
28SR0070045	GILES	SR007	34.23	EAST LYNN CREEK	OPEN	11/16/2015	1927	35.39	-87.021667	CONCRETE	TEE BEAM	56
28SR0070053	GILES	SR007	34.65	BRANCH	OPEN	11/16/2015	1926	35.395	-87.023333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
28SR0070047	GILES	SR007	35.74	BRANCH	OPEN	11/16/2015	1926	35.41	-87.028333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.5
28SR0110001	GILES	SR011	0.99	BRANCH	OPEN	11/19/2015	1935	35.006667	-87.203333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.2
28SR0110003	GILES	SR011	1.49	OVERFLOW	OPEN	11/19/2015	1987	35.013333	-87.2	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
28SR0110005	GILES	SR011	1.66	SUGAR CREEK	OPEN	11/19/2015	1987	35.015	-87.198333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
28SR0110007	GILES	SR011	6.91	SHOAL CREEK	OPEN	11/19/2015	1973	35.076667	-87.151667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.1
28SR0110009	GILES	SR011	17.83	RICHLAND CR & TS RR	OPEN	11/19/2015	1983	35.193333	-87.043333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.5
28SR0110011	GILES	SR011	19.18	PLEASANT RUN CREEK	OPEN	11/23/2015	1938	35.205	-87.026667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
28SR0110013	GILES	SR011	23.38	PIGEON ROOST CREEK	OPEN	11/23/2015	1938	35.24	-86.971667	CONCRETE	TEE BEAM	37.6
28SR0110015	GILES	SR011	27.36	BURTON CREEK	OPEN	11/23/2015	1938	35.273333	-86.92	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
28SR0110017	GILES	SR011	28.31	CLOCK CREEK	OPEN	11/23/2015	1939	35.283333	-86.906667	CONCRETE	TEE BEAM	70
28SR0110019	GILES	SR011	29.15	BURGESS CREEK	OPEN	11/23/2015	1939	35.293333	-86.898333	CONCRETE	TEE BEAM	69.5
28SR0150063	GILES	SR015	1.39	N. CHOATE CREEK & ROAD	OPEN	12/3/2015	2006	35.189983	-86.859433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
28SR0150064	GILES	SR015	1.39	N. CHOATE CREEK & ROAD	OPEN	12/3/2015	2006	35.189983	-86.859433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
28SR0150065	GILES	SR015	2.67	CHOATE CREEK	OPEN	12/3/2015	2007	35.189983	-86.859433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
28SR0150066	GILES	SR015	2.67	CHOATE CREEK	OPEN	12/3/2015	2007	35.189983	-86.859433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
28SR0150067	GILES	SR015	3.02	REED ROAD AND BRANCH	OPEN	12/3/2015	2008	35.19985	-87.063567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
28SR0150068	GILES	SR015	3.02	REED ROAD AND BRANCH	OPEN	12/3/2015	2008	35.19985	-87.063567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
28SR0150069	GILES	SR015	3.87	BRANCH	OPEN	12/4/2015	2008	35.218333	-87.21	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
28SR0150010	GILES	SR015	5.09	AGNEW CREEK	OPEN	12/4/2015	2011	35.218333	-87.133333	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
28SR0150009	GILES	SR015	5.09	AGNEW CREEK	OPEN	12/4/2015	2011	35.218333	-87.133333	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
28SR0150011	GILES	SR015	7.02	RICHLAND CREEK	OPEN	12/4/2015	2010	35.21	-87.101667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.8
28SR0150013	GILES	SR015	9.17	BRANCH	OPEN	12/4/2015	1930	35.205	-87.063333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.8
28SR0150040	GILES	SR015	9.65	RICHLAND CREEK OVERFLOW	OPEN	12/7/2015	1995	35.199783	-87.06345	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150039	GILES	SR015	9.65	RICHLAND CREEK OVERFLOW	OPEN	12/7/2015	1995	35.19985	-87.063567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150041	GILES	SR015	9.89	SR15 RL/VALES MILL RD&CR	OPEN	12/7/2015	1995	35.196467	-87.06415	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150042	GILES	SR015	9.89	SR15 LL/VALES MILL RD&CR	OPEN	12/7/2015	1995	35.1964	-87.063867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89
28SR0150055	GILES	SR015	10.35	CHICKEN CREEK	OPEN	12/7/2015	1995	35.189367	-87.06495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
28SR0150057	GILES	SR015	12.01	BUFORD BRANCH	OPEN	12/7/2015	1995	35.169683	-87.051733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
28SR0150044	GILES	SR015	12.15	BUFORD BRANCH	OPEN	12/8/2015	1995	35.169983	-87.0489	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150043	GILES	SR015	12.15	BUFORD BRANCH	OPEN	12/8/2015	1995	35.169717	-87.048933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150046	GILES	SR015	12.37	RICHLAND CREEK	OPEN	12/8/2015	1995	35.169183	-87.0449	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150045	GILES	SR015	12.37	RICHLAND CREEK	OPEN	12/8/2015	1995	35.169	-87.045033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150047	GILES	SR015	12.52	RICHLAND CREEK OVERFLOW	OPEN	12/8/2015	1995	35.1679	-87.042883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150048	GILES	SR015	12.52	RICHLAND CREEK OVERFLOW	OPEN	12/8/2015	1995	35.1681	-87.042817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
28SR0150071	GILES	SR015	16.29	BRANCH	OPEN	12/10/2015	1998	35.1778	-86.012683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
28SR0150049	GILES	SR015	17.18	LEATHERWOOD CREEK	OPEN	12/10/2015	2000	35.17735	-86.9637	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.4
28SR0150050	GILES	SR015	17.18	LEATHERWOOD CREEK	OPEN	12/10/2015	2000	35.177583	-86.963717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.4
28SR0150051	GILES	SR015	18.39	BUCHANNAN CREEK	OPEN	12/10/2015	2000	35.17955	-86.94265	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150052	GILES	SR015	18.39	BUCHANNAN CREEK	OPEN	12/10/2015	2000	35.179783	-86.942633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150029	GILES	SR015	20.07	BRANCH	OPEN	12/10/2015	2000	35.185	-86.916667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
28SR0150031	GILES	SR015	20.99	CAMPBELL CREEK	OPEN	12/15/2015	2000	35.195	-86.901667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.4
28SR0150059	GILES	SR015	23.45	LITTLE BRADSHAW CREEK	OPEN	12/15/2015	1993	35.190333	-86.8606	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.3
28SR0150062	GILES	SR015	23.52	OVERFLOW	OPEN	12/15/2015	1995	35.190117	-86.859283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150061	GILES	SR015	23.52	OVERFLOW	OPEN	12/15/2015	1995	35.189983	-86.859433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150053	GILES	SR015	23.63	BRADSHAW CR & CSX RR	OPEN	12/15/2015	1993	35.1894	-86.85755	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
28SR0150054	GILES	SR015	23.63	BRADSHAW CR & CSX RR	OPEN	12/15/2015	1993	35.18955	-86.857417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
28SR1290001	GILES	SR129	0.13	EAST FORK LYNN CREEK	OPEN	1/4/2016	1945	35.373333	-87.031667	CONCRETE	TEE BEAM	57
28SR1290007	GILES	SR129	1.67	BRANCH	OPEN	1/4/2016	1996	35.386667	-86.95	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
28SR1290005	GILES	SR129	3.05	TRIGG BRANCH	OPEN	1/4/2016	1920	35.378333	-86.981667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.1
28SR1290003	GILES	SR129	4.92	CALVERT BRANCH	OPEN	1/4/2016	2003	35.386667	-86.95	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
28SR1290009	GILES	SR129	5.95	BRANCH	OPEN	1/4/2016	1996	35.386667	-86.95	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
28SR1290011	GILES	SR129	6.46	CALVERT BRANCH	OPEN	1/4/2016	1996	35.386667	-86.95	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
28S62080001	GILES	SR166	0.37	JENKINS CREEK	OPEN	1/5/2016	1955	34.998333	-87.046667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
28S62080003	GILES	SR166	2.12	BRANCH	OPEN	1/5/2016	1955	35.021667	-87.055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
28S62080005	GILES	SR166	4.05	JENKINS CREEK	OPEN	1/5/2016	1955	35.048333	-87.046667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
28S62080007	GILES	SR166	4.33	JENKINS CREEK	OPEN	1/5/2016	1955	35.051667	-87.045	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
28S62080009	GILES	SR166	8.5	HAMMOND CREEK	OPEN	1/5/2016	1955	35.108333	-87.036667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
28S62080011	GILES	SR166	10.53	DONAHUE CREEK	OPEN	1/6/2016	1955	35.135	-87.05	CONCRETE	TEE BEAM	72.2
28S62080013	GILES	SR166	11.21	EVERLY BRANCH	OPEN	1/6/2016	1955	35.145	-87.048333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
28S62360001	GILES	SR166	14.62	PIGEON ROOST CREEK	OPEN	1/6/2016	1993	35.231667	-87.083333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.7
28S62360003	GILES	SR166	15.81	RICHLAND CREEK	OPEN	1/6/2016	1957	35.248333	-87.083333	CONCRETE CONTINUOUS	TEE BEAM	67.8
28S62360005	GILES	SR166	16.44	BRANCH	OPEN	1/7/2016	1955	35.256667	-87.086667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
28S62360007	GILES	SR166	19.39	BRANCH	OPEN	1/7/2016	1955	35.298333	-87.083333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
28S62000009	GILES	SR166	21.34	ZUCCARELLO BRANCH	OPEN	1/7/2016	1955	35.318333	-87.103333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
28S62000011	GILES	SR166	26.06	FACTORY CREEK	OPEN	1/7/2016	1959	35.365	-87.148333	CONCRETE	TEE BEAM	55.3
28S62000013	GILES	SR166	27.06	BROWNLOW CREEK	OPEN	1/7/2016	1997	35.378333	-87.156667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.8
28S62010001	GILES	SR245	0.12	BROWNLOW CREEK	OPEN	1/13/2016	1959	35.363333	-87.145	CONCRETE	TEE BEAM	74.7
28S62010003	GILES	SR245	0.62	YOKLEY CREEK	OPEN	1/13/2016	1959	35.366667	-87.136667	CONCRETE	TEE BEAM	72.8
28S62010005	GILES	SR245	2.31	MACK BRANCH	OPEN	1/13/2016	1955	35.385	-87.125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
28S62010007	GILES	SR245	3.39	YOKLEY CREEK	OPEN	1/13/2016	1955	35.401667	-87.121667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
28S62010009	GILES	SR245	4.02	YOKLEY CREEK	OPEN	1/13/2016	1955	35.408333	-87.116667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
28S62010011	GILES	SR245	5.07	BLUE CREEK	OPEN	1/13/2016	1955	35.42	-87.103333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
28S42090001	GILES	SR273	3.16	FORD CREEK	OPEN	1/14/2016	1984	35.0282	-87.004483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
28S42090003	GILES	SR273	7.05	RICHLAND CREEK	OPEN	1/14/2016	1996	35.045633	-86.9499	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
28S42090005	GILES	SR273	11.56	REEVES BRANCH	OPEN	1/14/2016	1966	35.075	-86.89	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
28S42090007	GILES	SR273	12.88	INDIAN CREEK	OPEN	1/14/2016	1990	35.086667	-86.871667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.8
29S24790001	GRAINGER	01213	0.16	FROST BRANCH	OPEN	4/10/2017	1950	36.153983	-83.7015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
29S24790005	GRAINGER	01213	2.5	RICHLAND CREEK	OPEN	4/10/2017	1917	36.138417	-83.66745	CONCRETE	ARCH - DECK	53.7
29S24790007	GRAINGER	01213	4.56	BRANCH	OPEN	4/10/2017	1955	36.14635	-83.635567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
29S24790009	GRAINGER	01213	6.095	BRANCH	OPEN	4/10/2017	1950	36.15905	-83.615017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
29S24790011	GRAINGER	01213	11.155	BUFFALO CREEK	OPEN	4/19/2017	1955	36.213633	-83.562017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
29S24800001	GRAINGER	01213	12.02	BETHEL BRANCH	OPEN	4/19/2017	1923	36.20515	-83.55225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
29S24780001	GRAINGER	01274	6.27	WILLIAMS CREEK	OPEN	4/5/2017	1980	36.308167	-83.61875	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	81.3
29S24780003	GRAINGER	01274	11.55	CRACKER CREEK	WEIGHT POSTED	4/4/2017	1930	36.343267	-83.5374	STEEL	GIRDER AND FLOORBEAM SYSTEM	55.5
29S24780005	GRAINGER	01274	13.01	PUNCHEON CREEK	OPEN	11/3/2015	1965	36.350617	-83.5204	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
29S24780007	GRAINGER	01274	16.64	NOTCHY CREEK	OPEN	4/4/2017	1975	36.364267	-83.463083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
29S24800003	GRAINGER	01328	0.91	BRANCH	OPEN	4/19/2017	1923	36.22475	-83.565933	CONCRETE	ARCH - DECK	71.6
29F00020001	GRAINGER	01328	3.57	RICHLAND CREEK	OPEN	4/12/2017	1976	36.242467	-83.605233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.5
29024730001	GRAINGER	02473	0.24	RICHLAND CREEK	OPEN	4/20/2017	1923	36.291283	-83.482067	CONCRETE	ARCH - DECK	70.1
29024730003	GRAINGER	02473	0.38	ROCKY CREEK	OPEN	4/20/2017	1923	36.289617	-83.482183	CONCRETE	ARCH - DECK	71.3
29024750001	GRAINGER	02475	0.59	BRANCH	OPEN	4/20/2017	1977	36.282583	-83.533367	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.7
29024770001	GRAINGER	02477	0.23	RAY CREEK	OPEN	4/20/2017	1945	36.308267	-83.410117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
29024790003	GRAINGER	02479	0.47	WILLIAMS CREEK	OPEN	4/5/2017	1930	36.299133	-83.595883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.9
29024790005	GRAINGER	02479	0.79	WILLIAMS CREEK	OPEN	4/5/2017	1990	36.303683	-83.597133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
29024790007	GRAINGER	02479	1.25	WILLIAMS CREEK	OPEN	4/4/2017	1996	36.308883	-83.6019	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
29024850001	GRAINGER	02485	0.05	INDIAN CREEK	OPEN	4/4/2017	1992	36.404067	-83.381533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
29025340001	GRAINGER	02534	0.15	RICHLAND CREEK	OPEN	4/12/2017	1975	36.182633	-83.6778	CONCRETE	CHANNEL BEAM	48

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
29025400001	GRAINGER	02540	0.91	BRANCH	OPEN	4/18/2017	1935	36.302067	-83.458183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.4
29025400003	GRAINGER	02540	3.21	RICHLAND CREEK	OPEN	4/20/2017	2016	36.287567	-83.495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
29025440001	GRAINGER	02544	0.18	WILLIAMS BRANCH	OPEN	4/5/2017	1980	36.310483	-83.61985	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	64.4
29025480001	GRAINGER	02548	0.01	INDIAN CREEK	OPEN	4/4/2017	1986	36.411117	-83.3607	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
29025480003	GRAINGER	02548	1.8	INDIAN CREEK	OPEN	4/4/2017	1984	36.397617	-83.336083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
290A0250001	GRAINGER	0A025	2.55	HOGSKINS CREEK	OPEN	4/5/2017	2011	36.328033	-83.644983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
290A0250003	GRAINGER	0A025	3.152	WILLIAMS CREEK	OPEN	4/5/2017	1995	36.32785	-83.635317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
290A0260001	GRAINGER	0A026	0.372	WILLIAMS CREEK	OPEN	4/5/2017	1994	36.316667	-83.623667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
290A0260003	GRAINGER	0A026	2.011	HOGSKIN CREEK	WEIGHT POSTED	4/18/2017	1945	36.327733	-83.635117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	11.8
290A0260005	GRAINGER	0A026	2.459	HOGSKIN CREEK	OPEN	4/19/2017	1975	36.307567	-83.654533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
290A0500001	GRAINGER	0A050	2.557	FLAT CREEK	OPEN	4/19/2017	1986	36.243483	-83.679417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
290A0510001	GRAINGER	0A051	0.068	FLAT CREEK	OPEN	4/19/2017	1989	36.2529	-83.669133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
290A0960001	GRAINGER	0A096	0.082	INDIAN CREEK	OPEN	4/4/2017	1930	36.393483	-83.4074	CONCRETE	ARCH - DECK	65.4
290A0970001	GRAINGER	0A097	0.022	FORKED DEER CREEK	OPEN	4/4/2017	1976	36.372583	-83.438883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
290A0970003	GRAINGER	0A097	2.42	MILL CREEK	OPEN	4/4/2017	1994	36.389033	-83.4064	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
290A0990001	GRAINGER	0A099	0.38	MILL CREEK	OPEN	4/4/2017	1975	36.372283	-83.402083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
290A3520001	GRAINGER	0A352	0.033	RICHLAND CREEK	WEIGHT POSTED	4/12/2017	1970	36.267967	-83.549967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51
290A3650001	GRAINGER	0A365	0.093	RICHLAND CREEK	WEIGHT POSTED	4/12/2017	1915	36.2521	-83.58325	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.5
290A3780001	GRAINGER	0A379	0.017	BUFFALO CREEK	WEIGHT POSTED	4/19/2017	1935	36.205433	-83.555633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7
290A3800001	GRAINGER	0A380	1.238	BUFFALO CREEK	OPEN	4/19/2017	1984	36.193781	-83.56255	CONCRETE CONTINUOUS	SLAB	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
290A4040001	GRAINGER	0A404	1.577	RICHLAND CREEK	OPEN	4/12/2017	1984	36.2037	-83.66035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
290A4060001	GRAINGER	0A406	0.037	RICHLAND CREEK	WEIGHT POSTED	4/12/2017	1970	36.208367	-83.653433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.1
290A4070001	GRAINGER	0A407	0.168	RICHLAND CREEK	OPEN	4/10/2017	1987	36.176517	-83.680583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
290A4080001	GRAINGER	0A408	0.686	RICHLAND CREEK	WEIGHT POSTED	4/10/2017	1935	36.166633	-83.684633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.6
290A4100001	GRAINGER	0A410	1.842	RICHLAND CREEK	OPEN	4/10/2017	1984	36.16075	-83.67825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
290A4120001	GRAINGER	0A412	0.214	BRANCH	OPEN	4/10/2017	1923	36.1493	-83.6368	CONCRETE	ARCH - DECK	73.7
290A5180001	GRAINGER	0A434	2.369	BRANCH	OPEN	4/4/2017	1982	36.362633	-83.43185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
290A0400003	GRAINGER	0A522	1.079	HOGSKIN CREEK	OPEN	4/19/2017	1975	36.300067	-83.6649	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
290A0400001	GRAINGER	0A522	1.758	BRANCH	OPEN	4/19/2017	1975	36.304383	-83.6545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
290A6160001	GRAINGER	0A616	0.021	BRANCH	WEIGHT POSTED	4/20/2017	1950	36.284733	-83.535483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	19.7
290A5200001	GRAINGER	0A663	0.079	RICHLAND CREEK	OPEN	4/12/2017	1987	36.2119	-83.648067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
290A6670001	GRAINGER	0A667	0.018	BRANCH	OPEN	4/19/2017	2002	36.2648	-83.648817	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	83.3
29SR0010001	GRAINGER	SR001	1.26	BRANCH	OPEN	4/13/2016	2003	36.149233	-83.708667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
29SR0010003	GRAINGER	SR001	3.4	BRANCH	OPEN	4/13/2016	1936	36.174133	-83.68595	CONCRETE	TEE BEAM	77.2
29SR0010005	GRAINGER	SR001	5.78	BRANCH	OPEN	4/13/2016	1937	36.20305	-83.663967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.2
29SR0010007	GRAINGER	SR001	6.88	BRANCH	OPEN	4/13/2016	1940	36.212817	-83.648667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.2
29SR0010009	GRAINGER	SR001	7.97	HIGHLAND SPRINGS BRANCH	OPEN	4/19/2016	1946	36.22415	-83.635333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.1
29SR0010011	GRAINGER	SR001	9.12	BRANCH	OPEN	4/19/2016	1946	36.234367	-83.619167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
29SR0010013	GRAINGER	SR001	10.36	HIGGS BRANCH	OPEN	4/19/2016	1950	36.245433	-83.6015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
29SR0010015	GRAINGER	SR001	11.16	BUFFALO HIDE CREEK	OPEN	4/19/2016	1940	36.251317	-83.589433	CONCRETE	TEE BEAM	68.1
29SR0010017	GRAINGER	SR001	14.88	BRANCH	OPEN	4/19/2016	1973	36.276867	-83.5309	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
29SR0010019	GRAINGER	SR001	16.275	RICHLAND CREEK	OPEN	4/20/2016	1953	36.282917	-83.5074	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.7
29SR0010021	GRAINGER	SR001	17.065	RICHLAND CREEK	OPEN	4/20/2016	1953	36.288933	-83.495317	CONCRETE	TEE BEAM	82.7
29SR0010023	GRAINGER	SR001	19.3	BRANCH	OPEN	4/20/2016	1953	36.303333	-83.459967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	75.2
29SR0010025	GRAINGER	SR001	22.81	SHIELDS CREEK	OPEN	4/13/2016	1941	36.317583	-83.40055	CONCRETE	TEE BEAM	49.9
29SR0010027	GRAINGER	SR001	24.47	GAP BRANCH	OPEN	4/20/2016	1942	36.3295	-83.375233	CONCRETE	TEE BEAM	46.9
29SR0010029	GRAINGER	SR001	25.26	BUCK HOLLOW BRANCH	OPEN	4/11/2016	1942	36.33285	-83.361817	CONCRETE	TEE BEAM	39.4
29SR0010031	GRAINGER	SR001	26.83	BRIAR FORK CREEK	OPEN	4/13/2016	1998	36.342333	-83.336433	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.7
29SR0010032	GRAINGER	SR001	26.83	BRIAR FORK CREEK	OPEN	4/13/2016	1998	36.34255	-83.336517	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.7
29SR0010037	GRAINGER	SR001	27.1	SR 32	OPEN	4/11/2016	1998	36.344467	-83.33245	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
29SR0010033	GRAINGER	SR001	28.83	MEADOW CREEK	OPEN	4/14/2016	1945	36.346217	-83.3015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63
29SR0010035	GRAINGER	SR001	29.91	SR 32	OPEN	4/11/2016	1998	36.335983	-83.28765	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2
29SR0320001	GRAINGER	SR032	7.02	BRIAR FORK CREEK	OPEN	4/14/2016	1942	36.358417	-83.33635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.8
29SR0320005	GRAINGER	SR032	14.99	INDIAN CREEK	OPEN	5/3/2016	1981	36.377233	-83.444533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	70.5
29SR0320007	GRAINGER	SR032	17	CLINCH RIVER	OPEN	4/11/2016	2009	36.401133	-83.4583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.3
29SR0920003	GRAINGER	SR092	6.5	BRANCH	OPEN	4/18/2016	2000	36.247683	-83.524717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8
29SR0920001	GRAINGER	SR092	9.14	RICHLAND CREEK	OPEN	4/18/2016	2012	36.2793	-83.51465	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
29SR1310001	GRAINGER	SR131	7.73	WILLIAMS CREEK	OPEN	4/20/2016	1973	36.29805	-83.583983	CONCRETE	CHANNEL BEAM	33.5
29SR1310003	GRAINGER	SR131	9.97	PUNCHEON CAMP CREEK	OPEN	4/20/2016	1973	36.312067	-83.54845	CONCRETE	CHANNEL BEAM	50.7
29S23490001	GRAINGER	SR131	23.57	INDIAN CREEK	OPEN	4/20/2016	1962	36.394633	-83.33205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
29E00040011	GRAINGER	SR375	2.62	BRANCH	OPEN	4/18/2016	1950	36.202833	-83.477583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
29E00040001	GRAINGER	SR375	6.56	BRANCH	OPEN	4/18/2016	1960	36.243033	-83.442617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
29E00040003	GRAINGER	SR375	6.69	BRANCH	OPEN	4/18/2016	1950	36.24475	-83.4421	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
29E00040005	GRAINGER	SR375	9.27	BRANCH	OPEN	4/18/2016	1950	36.26845	-83.421767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
29E00040007	GRAINGER	SR375	14.665	GERMAN CR. CHEROKEE LAKE	OPEN	5/2/2016	1941	36.3048	-83.3476	STEEL CONTINUOUS	TRUSS - THRU	58.8
29E00040009	GRAINGER	SR375	16.14	BRANCH	OPEN	4/18/2016	1950	36.30905	-83.326667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
30I00810046	GREENE	01236	0.01	NFA1236 / I81 LL	OPEN	7/13/2016	1972	36.3236	-82.833133	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.9
30I00810049	GREENE	01236	0.78	I81 RT & LF LNS	OPEN	7/13/2016	1972	36.326967	-82.82825	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
30S23910013	GREENE	01236	2.3	LICK CREEK	OPEN	1/12/2017	1991	36.313367	-82.807633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
30S23910011	GREENE	01236	3.94	UNION TEMPLE CREEK	OPEN	1/24/2017	1922	36.307717	-82.7839	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.2
30012360009	GREENE	01236	4.45	ROARING SPRINGS CREEK	OPEN	1/24/2017	1970	36.301867	-82.779967	CONCRETE	SLAB	77.7
30013290005	GREENE	01329	3.85	E FK RICHLAND CREEK	OPEN	2/8/2017	1924	36.115167	-82.83725	CONCRETE	ARCH - DECK	74.8
30F00400003	GREENE	01329	4.87	RICHLAND CREEK	OPEN	2/8/2017	1995	36.10465	-82.84395	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.3
30F00010001	GREENE	01331	0.83	SOUTHERN RAILWAY	OPEN	3/8/2017	1988	36.19425	-83.037167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
30F00260001	GREENE	01335	6.7	CARSON CREEK	OPEN	1/19/2017	1925	36.311067	-82.645467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
30S24540001	GREENE	01337	1.07	CLEAR CREEK	OPEN	1/19/2017	1950	36.347183	-82.705083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88.6
30013420005	GREENE	01342	9.58	MEADOW CREEK	OPEN	3/14/2017	1950	36.0255	-82.933683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.8
30S23920001	GREENE	01342	10.37	LITTLE MEADOW CREEK	OPEN	3/14/2017	1958	36.0279	-82.922017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.2
30S23920003	GREENE	01342	14.05	COVE CREEK	OPEN	3/13/2017	2005	36.04045	-82.868483	CONCRETE CONTINUOUS	SLAB	80.8
30F00340001	GREENE	01344	1.61	CAMP CREEK	OPEN	2/2/2017	1988	36.087133	-82.763683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
30F00340003	GREENE	01344	2.24	CAMP CREEK	OPEN	2/6/2017	1989	36.078117	-82.764967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
30F00340005	GREENE	01344	2.41	CAMP CREEK	OPEN	2/6/2017	1988	36.075883	-82.764033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
30013440015	GREENE	01344	2.43	CAMP CREEK	OPEN	2/6/2017	1988	36.075567	-82.763867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
30F00340007	GREENE	01344	6.07	BRANCH	WEIGHT POSTED	2/8/2017	1930	36.06485	-82.798267	CONCRETE	SLAB	45.8
30F00340009	GREENE	01344	6.73	MUD CREEK	OPEN	2/8/2017	1930	36.067767	-82.8074	CONCRETE	TEE BEAM	71
30013460001	GREENE	01346	0.39	LICK CREEK	OPEN	3/7/2017	1929	36.202617	-82.995517	CONCRETE	TEE BEAM	46
30S23900001	GREENE	01350	2.35	RILEY CREEK	OPEN	3/8/2017	1941	36.199467	-83.053767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.4
30S23900003	GREENE	01350	2.77	LICK CREEK	OPEN	3/7/2017	2008	36.201183	-83.0473	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.5
30S23900005	GREENE	01350	3.27	LICK CREEK	OPEN	3/7/2017	1990	36.205217	-83.040217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
30I00810017	GREENE	01350	5.38	I81	OPEN	7/6/2016	1972	36.23045	-83.037933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
30S23900007	GREENE	01350	6.54	BRANCH	OPEN	2/13/2017	1935	36.246967	-83.022167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.2
30S23900009	GREENE	01350	12.08	LITTLE GAP CREEK	OPEN	2/13/2017	1945	36.297583	-82.95155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
30F00270001	GREENE	01352	0.56	JOCKEY CREEK	OPEN	2/1/2017	2007	36.236567	-82.647283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
30I00810081	GREENE	02469	1.9	NFA 2469 / LT LN I81	OPEN	7/5/2016	1967	36.208033	-83.087683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96.7
30I00810079	GREENE	02469	1.94	NFA 2469 / RT LN I81	OPEN	7/5/2016	1967	36.207467	-83.08765	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.7
30025170001	GREENE	02517	0.9	MUD CREEK	WEIGHT POSTED	2/8/2017	1950	36.075817	-82.83675	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.3
30025170003	GREENE	02517	1.94	NOLICHUCKY RIVER	OPEN	3/6/2017	1981	36.085667	-82.824183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.8
30025210003	GREENE	02521	0.36	COLLEGE CREEK	OPEN	2/21/2017	1984	36.170383	-82.761783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
30025210001	GREENE	02521	1.58	HOLLEY CREEK	OPEN	2/2/2017	1984	36.155267	-82.76695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
30025230001	GREENE	02523	1.46	LITTLE CHUCKY CREEK	OPEN	2/14/2017	1994	36.17265	-82.931317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
30025230003	GREENE	02523	3.4	DULANEY BRANCH	WEIGHT POSTED	2/21/2017	1930	36.152183	-82.929783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.6
30025270001	GREENE	02527	1.265	SINKING CREEK	OPEN	2/2/2017	1986	36.203267	-82.744083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
30025270003	GREENE	02527	4.26	SINKING CREEK	OPEN	2/2/2017	1985	36.241933	-82.7322	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
30I00810057	GREENE	02535	1.29	I81	OPEN	7/13/2016	1971	36.354583	-82.7418	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.9
30025350001	GREENE	02535	1.66	LICK CREEK	OPEN	1/24/2017	1987	36.349367	-82.7403	CONCRETE CONTINUOUS	SLAB	86.1
30025370001	GREENE	02537	0.14	LICK CREEK	OPEN	1/19/2017	1984	36.38005	-82.69295	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.7
30025780001	GREENE	02578	2.83	NOLICHUCKY RIVER	OPEN	3/6/2017	2013	36.05965	-82.907017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
30025780003	GREENE	02578	3.08	MEADOW CREEK	WEIGHT POSTED	3/13/2017	1920	36.059467	-82.910833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55
30025800005	GREENE	02580	6.65	BRANCH	OPEN	2/6/2017	2001	36.099133	-82.708017	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.6
30025800003	GREENE	02580	9.7	DRY CREEK	OPEN	2/6/2017	1987	36.097017	-82.746283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
30025800001	GREENE	02580	10.62	CAMP CREEK	OPEN	2/2/2017	1987	36.094383	-82.7606	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
30025820001	GREENE	02582	0.95	JENNINGS CREEK	OPEN	2/6/2017	1984	36.107117	-82.729667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.2
30025820003	GREENE	02582	1.05	JENNINGS CREEK	OPEN	2/6/2017	1984	36.10765	-82.728283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.2
30I00810053	GREENE	02583	0.1	I81	OPEN	7/13/2016	1972	36.343767	-82.787933	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.7
30025830001	GREENE	02583	1.78	LICK CREEK	OPEN	1/25/2017	1950	36.322167	-82.787267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.3
30025840001	GREENE	02584	1.41	MIDDLE CREEK	OPEN	2/6/2017	1990	36.14225	-82.725233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
30025900001	GREENE	02590	0.1	LICK CREEK	OPEN	2/14/2017	1985	36.246833	-82.93045	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.8
30025900003	GREENE	02590	0.42	LICK SLOUGH CREEK	OPEN	2/14/2017	1985	36.245867	-82.934733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
30I00810025	GREENE	02590	2.5	I81	OPEN	7/6/2016	1971	36.24975	-82.96905	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.6
30025900005	GREENE	02590	5.3	GAP CREEK	OPEN	2/13/2017	1928	36.245967	-83.015317	CONCRETE	ARCH - DECK	56.7
30025920001	GREENE	02592	5.86	GUEST CREEK	OPEN	1/10/2017	1986	36.264867	-82.8493	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
30025920003	GREENE	02592	6.68	LICK CREEK	OPEN	1/10/2017	1986	36.26795	-82.86245	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
30I00810035	GREENE	02592	9.37	I81	OPEN	7/12/2016	1971	36.308067	-82.874	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	91.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
30025940001	GREENE	02594	2.04	BABB CREEK	OPEN	1/10/2017	1950	36.293783	-82.900267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
30025940003	GREENE	02594	3.05	PLUM CREEK	OPEN	1/10/2017	1960	36.299383	-82.884267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
30025940005	GREENE	02594	5.07	KITE CREEK	OPEN	1/10/2017	1955	36.31975	-82.858783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
30S23710007	GREENE	02594	6.3	BRANCH	OPEN	1/10/2017	1939	36.330583	-82.84185	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.9
30025940009	GREENE	02594	13.14	PYBORN CREEK	OPEN	1/19/2017	1960	36.368617	-82.735367	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	81.3
30L38630001	GREENE	03863	1.72	BRANCH	OPEN	3/15/2017	1984	36.161617	-82.819483	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	48.1
30038680001	GREENE	03868	0.5	BRANCH	OPEN	3/15/2017	1955	36.157167	-82.826867	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	72.6
30SR1070011	GREENE	05389	0.63	FRANK CREEK	OPEN	2/21/2017	2005	36.175117	-82.765733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
300A0330001	GREENE	0A033	0.143	RIPLEY CREEK	OPEN	2/1/2017	1962	36.1858	-82.709917	CONCRETE	TEE BEAM	84.4
300A0740001	GREENE	0A074	0.297	GAP CREEK	OPEN	2/13/2017	1925	36.272483	-82.97955	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86.6
300A0820001	GREENE	0A082	0.325	LICK CREEK	OPEN	2/14/2017	1985	36.2364	-82.94775	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7
30I00810027	GREENE	0A082	2.064	I81	OPEN	7/12/2016	1968	36.258617	-82.952617	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.8
300A0820003	GREENE	0A082	4.145	PIGEON CREEK	WEIGHT POSTED	2/13/2017	1925	36.27755	-82.929617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.6
300A0940001	GREENE	0A094	0.879	LICK CREEK	OPEN	3/8/2017	1987	36.23035	-82.970033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
30I00810091	GREENE	0A094	2.543	NFA A094 / RT LN I81	OPEN	7/12/2016	1968	36.224183	-82.9872	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
30I00810093	GREENE	0A094	2.594	NFA A094 / LT LN I81	OPEN	7/12/2016	1968	36.242733	-82.987983	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
300A0990001	GREENE	0A099	0.503	LICK CREEK	OPEN	3/8/2017	1984	36.233994	-82.973	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
300A1010001	GREENE	0A101	0.01	LICK CREEK	OPEN	3/7/2017	1997	36.218017	-82.968133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
300A1050001	GREENE	0A105	0.67	GAP CREEK	OPEN	3/8/2017	1994	36.225083	-83.023917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
300A1230001	GREENE	0A123	1.806	GRASSY CREEK	OPEN	1/18/2017	1999	36.202483	-82.912083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
300A1270001	GREENE	0A127	0.548	GRASSY CREEK	WEIGHT POSTED	1/18/2017	1940	36.22135	-82.9077	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.7
300A1500001	GREENE	0A150	0.044	GOSS CREEK	OPEN	1/18/2017	1983	36.20365	-82.878667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87
300A1550001	GREENE	0A155	0.014	ROARING FORK CREEK	OPEN	1/18/2017	1930	36.22175	-82.86795	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.8
300A1550003	GREENE	0A155	2.111	ROARING FORK CREEK	OPEN	1/18/2017	1987	36.21275	-82.8374	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
300A1610001	GREENE	0A161	0.01	GRASSY CREEK	OPEN	1/18/2017	2003	36.22315	-82.869967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.5
300A1630001	GREENE	0A163	0.034	ROARING FORK CREEK	OPEN	1/18/2017	2000	36.22195	-82.890817	CONCRETE CONTINUOUS	SLAB	80.9
300A1630003	GREENE	0A163	1.58	HOOVER CREEK	OPEN	1/18/2017	1984	36.239733	-82.886283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
300A1630005	GREENE	0A163	3.166	HOOVER CREEK	OPEN	1/18/2017	1922	36.247833	-82.864083	CONCRETE	ARCH - DECK	79.9
300A1640001	GREENE	0A164	0.755	ROARING FORK CREEK	OPEN	1/18/2017	2000	36.243783	-82.893283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
300A1650001	GREENE	0A165	0.331	LICK CREEK	OPEN	1/18/2017	2014	36.250417	-82.877167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
300A1650003	GREENE	0A165	0.572	BRANCH	OPEN	1/25/2017	1984	36.253767	-82.878383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.7
300A1680001	GREENE	0A168	2.122	SAYLOR CREEK	WEIGHT POSTED	1/25/2017	1999	36.25925	-82.893767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83.9
30I00810033	GREENE	0A170	0.569	I81	OPEN	7/12/2016	1968	36.261619	-82.9644	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87
300A1780001	GREENE	0A178	3.25	OVERFLOW BRANCH	OPEN	1/10/2017	1984	36.276533	-82.859417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.7
300A1780003	GREENE	0A178	3.383	LICK CREEK	OPEN	1/10/2017	2006	36.274917	-82.85865	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.8
30I00810041	GREENE	0A181	0.552	I81	OPEN	7/19/2016	1968	36.308483	-82.858967	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
300A1820001	GREENE	0A182	1.135	LICK CREEK	OPEN	1/10/2017	1993	36.290933	-82.848933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
300A1820003	GREENE	0A182	2.008	HOODLEY BRANCH	OPEN	1/10/2017	1999	36.287433	-82.836733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.5
300A2020001	GREENE	0A202	0.083	LICK CREEK	OPEN	1/12/2017	1986	36.314567	-82.812067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
300A2020003	GREENE	0A202	0.954	LICK CREEK	OPEN	1/12/2017	1984	36.306383	-82.820417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
300A2040001	GREENE	0A204	0.735	LICK CREEK	OPEN	1/10/2017	2006	36.30165	-82.837533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92
300A7130001	GREENE	0A226	1.437	CANEY BRANCH	OPEN	3/14/2017	1950	36.04605	-82.984033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66
300A2380005	GREENE	0A238	0.047	GARDNER CREEK	OPEN	1/10/2017	1983	36.3391	-82.842333	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	83.2
30I00810067	GREENE	0A276	1.605	I81	OPEN	7/14/2016	1970	36.3655	-82.683433	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.9
300A2820001	GREENE	0A282	1.43	CLEAR CREEK	OPEN	1/19/2017	2003	36.364133	-82.710083	CONCRETE	SLAB	95.9
300A2830001	GREENE	0A283	0.11	CLEAR CREEK	OPEN	1/19/2017	1980	36.362817	-82.704117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.8
300A2830003	GREENE	0A283	1.039	LICK CREEK	WEIGHT POSTED	1/19/2017	1979	36.36095	-82.718567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.3
300A2920001	GREENE	0A292	0.055	CLEAR CREEK	WEIGHT POSTED	1/19/2017	1997	36.344817	-82.698233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.4
300A3010001	GREENE	0A301	3.018	LONG FORK CREEK	OPEN	1/24/2017	1983	36.328217	-82.738667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97
300A3030001	GREENE	0A303	0.744	LICK CREEK	OPEN	1/24/2017	1935	36.344983	-82.752283	CONCRETE	ARCH - DECK	53.9
300A3090001	GREENE	0A309	0.632	LICK CREEK	OPEN	1/24/2017	1924	36.345983	-82.755167	CONCRETE	ARCH - DECK	71.5
300A3090003	GREENE	0A309	1.227	LICK CREEK	OPEN	1/24/2017	1923	36.342367	-82.76445	CONCRETE	ARCH - DECK	67.8
300A3090005	GREENE	0A309	2.199	LICK CREEK	OPEN	1/25/2017	1996	36.331917	-82.772967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.1
300A3110001	GREENE	0A311	0.228	DODD CREEK	OPEN	1/25/2017	1988	36.334933	-82.785933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
300A3220001	GREENE	0A322	0.015	CANEY CREEK	OPEN	1/12/2017	1987	36.324433	-82.8007	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
300A3230003	GREENE	0A323	0.058	HORSE CREEK	OPEN	1/25/2017	2004	36.319117	-82.7864	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
300A3230001	GREENE	0A323	0.904	LICK CREEK	OPEN	1/12/2017	1984	36.32095	-82.7987	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
300A3250001	GREENE	0A325	0.896	UNION TEMPLE CREEK	OPEN	1/24/2017	1935	36.302583	-82.7634	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.7
300A3380001	GREENE	0A338	2.22	ROARING FORK CREEK	OPEN	1/25/2017	1981	36.228	-82.816933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.3
300A3380003	GREENE	0A338	3.39	SOUTH FORK	OPEN	1/25/2017	1984	36.217417	-82.809467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.9
300A3410001	GREENE	0A341	0.673	ROARING FORK	OPEN	1/25/2017	2012	36.226267	-82.824267	CONCRETE CONTINUOUS	SLAB	97
300B5000001	GREENE	0A424	0.126	RIPLEY CREEK	OPEN	2/1/2017	1950	36.202017	-82.716933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
300B5000003	GREENE	0A424	0.351	BRANCH	OPEN	2/1/2017	1950	36.203333	-82.713333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
300A4250001	GREENE	0A425	0.027	JOCKEY CREEK	OPEN	2/1/2017	2003	36.232367	-82.6438	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
300A4660001	GREENE	0A466	0.065	SINKING CREEK	WEIGHT POSTED	2/2/2017	1996	36.2247	-82.745233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.8
300A4730001	GREENE	0A473	0.71	SOUTHERN RAILWAY	OPEN	2/2/2017	1970	36.193783	-82.745533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.6
300A4730003	GREENE	0A473	1.17	SINKING CREEK	OPEN	2/2/2017	1984	36.197917	-82.741483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
300A4860001	GREENE	0A486	0.071	COLLEGE CREEK	OPEN	2/21/2017	1990	36.17075	-82.76385	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
300A5000003	GREENE	0A500	0.364	COLLEGE CREEK	OPEN	2/2/2017	1945	36.163083	-82.747383	CONCRETE	SLAB	62.9
300A5000001	GREENE	0A500	0.786	COLLEGE CREEK	OPEN	2/2/2017	1984	36.157633	-82.744933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
300A5130001	GREENE	0A513	1.054	SINKING CREEK	OPEN	2/1/2017	1910	36.182667	-82.734283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.3
300A5170001	GREENE	0A517	0.289	SINKING CREEK	OPEN	2/1/2017	2008	36.173017	-82.719583	CONCRETE CONTINUOUS	SLAB	80.5
300A5180001	GREENE	0A518	1.917	SINKING CREEK	OPEN	2/1/2017	1984	36.1741	-82.7223	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.2
300A5340001	GREENE	0A534	2.529	BIG LIMESTONE CREEK	OPEN	2/1/2017	1986	36.2061	-82.650567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
300A5410001	GREENE	0A541	0.413	CEDAR BRANCH	OPEN	2/1/2017	1930	36.223467	-82.646633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.4
300A5520001	GREENE	0A552	1.301	HORSE CREEK	OPEN	2/1/2017	2001	36.162933	-82.704067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
300A5540001	GREENE	0A554	1.239	HORSE CREEK	OPEN	2/1/2017	1975	36.162117	-82.701017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.6
300A5630001	GREENE	0A563	0.877	HORSE CREEK	OPEN	2/1/2017	2000	36.163033	-82.6631	CONCRETE	GIRDER AND FLOORBEAM SYSTEM	68.9
300A5670001	GREENE	0A567	1.896	HORSE CREEK	OPEN	2/1/2017	1987	36.136083	-82.6512	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
300A5760001	GREENE	0A576	0.054	HORSE CREEK	OPEN	2/6/2017	1986	36.114367	-82.656	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
300A6170001	GREENE	0A617	1.55	CAMP CREEK	OPEN	2/6/2017	1985	36.117283	-82.741783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
300A6170003	GREENE	0A617	2.291	CAMP CREEK	OPEN	2/6/2017	2002	36.127183	-82.7433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
300A6180001	GREENE	0A618	0.716	WATER FORK	OPEN	2/6/2017	1986	36.115117	-82.737367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
300A6220001	GREENE	0A622	1.993	DRY CREEK	OPEN	2/6/2017	2002	36.073767	-82.71715	CONCRETE	SLAB	97
300A6330001	GREENE	0A633	0.321	CAMP CREEK	OPEN	2/2/2017	1998	36.090067	-82.762317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
300A6530001	GREENE	0A653	0.984	BACK CREEK	OPEN	3/13/2017	1999	36.024767	-82.826917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86.1
300A6530003	GREENE	0A653	5.171	HUD CREEK	WEIGHT POSTED	2/8/2017	1922	36.063633	-82.7977	CONCRETE	ARCH - DECK	62.6
300A6600001	GREENE	0A660	0.388	PAINT CREEK	OPEN	3/2/2017	1992	35.99135	-82.787917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	73.2
300A6600003	GREENE	0A660	2.313	PAINT CREEK	OPEN	3/2/2017	1992	36.01205	-82.768267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.3
300A6600005	GREENE	0A660	3.302	PAINT CREEK	OPEN	3/2/2017	1992	36.01815	-82.752967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.6
300A6640001	GREENE	0A664	0.015	PAINT CREEK	WEIGHT POSTED	3/2/2017	2000	35.997433	-82.786467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85
300A6640003	GREENE	0A664	0.67	PAINT CREEK	WEIGHT POSTED	3/2/2017	1996	36.038367	-82.782417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.9
300A6720001	GREENE	0A672	0.104	BACK CREEK	OPEN	3/13/2017	1996	36.0266	-82.837033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85
300A6740001	GREENE	0A674	0.202	COVE CREEK	OPEN	3/13/2017	1945	36.024017	-82.844433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.4
300A6820001	GREENE	0A682	4.987	LOWER PAINT CREEK	WEIGHT POSTED	3/14/2017	1997	35.978417	-82.870633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.6
300A6870001	GREENE	0A687	0.273	COVE CREEK	OPEN	3/13/2017	1940	36.0387	-82.858867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.4
300A7200001	GREENE	0A720	2.866	MEADOW CREEK	WEIGHT POSTED	3/14/2017	1940	36.050983	-82.906567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.5
300A7220001	GREENE	0A722	0.696	MEADOW CREEK	OPEN	3/14/2017	1987	36.037167	-82.920633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
300A7250001	GREENE	0A725	0.952	CEDAR CREEK	OPEN	3/13/2017	1984	36.040667	-82.886167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
300A7250003	GREENE	0A725	1.082	CEDAR CREEK	OPEN	3/13/2017	1986	36.0475	-82.888667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
300A7250005	GREENE	0A725	1.174	COVE CREEK	OPEN	3/13/2017	1986	36.049233	-82.8887	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
300A7590001	GREENE	0A759	0.033	RICHLAND CREEK	OPEN	2/8/2017	1940	36.09785	-82.852567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	45.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
300A7770001	GREENE	0A777	0.03	HOLLEY CREEK	OPEN	2/2/2017	1992	36.139817	-82.7615	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97
300A7780001	GREENE	0A778	0.937	HOLLEY CREEK	OPEN	2/2/2017	1970	36.148667	-82.765183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
300A8120001	GREENE	0A812	1.469	E FORK RICHLAND CREEK	OPEN	2/8/2017	1940	36.12125	-82.8263	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.2
300A8230001	GREENE	0A823	0.057	RICHLAND CREEK	OPEN	2/14/2017	1994	36.125217	-82.845483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.8
300A8240001	GREENE	0A824	1.241	RICHLAND CREEK	WEIGHT POSTED	2/14/2017	1920	36.123117	-82.844217	CONCRETE	ARCH - DECK	50.8
300A8940001	GREENE	0A894	1.088	NOLICHUCKY RIVER	OPEN	3/6/2017	1986	36.082	-82.993717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.1
300A9060001	GREENE	0A906	0.008	LITTLE CHUCKY CREEK	OPEN	3/9/2017	1987	36.12405	-83.053067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
300A9160001	GREENE	0A916	1.568	LICK CREEK	OPEN	3/9/2017	1988	36.1557	-83.099983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
300A9210001	GREENE	0A921	0.663	POTTER CREEK	OPEN	3/8/2017	1984	36.163633	-83.097717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
300A9220001	GREENE	0A922	1.552	PORTER CREEK	WEIGHT POSTED	3/8/2017	1950	36.172033	-83.096533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.2
300A9300001	GREENE	0A930	2.186	LICK CREEK	OPEN	3/7/2017	1987	36.151667	-83.075467	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	86.2
300A9340001	GREENE	0A934	0.149	LICK CREEK	OPEN	3/7/2017	1998	36.060117	-83.067817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90
300A9340003	GREENE	0A934	2.061	MINK CREEK	OPEN	3/9/2017	1940	36.16855	-83.035967	CONCRETE CONTINUOUS	TEE BEAM	45.5
300A9460001	GREENE	0A946	0	LITTLE CHUCKY CREEK	OPEN	3/9/2017	1988	36.1233	-83.010817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.4
300A9490001	GREENE	0A949	1.52	LITTLE CHUCKY CREEK	OPEN	2/16/2017	1988	36.146183	-82.98585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
300A9530001	GREENE	0A953	0.221	LITTLE CHUCKY CREEK	OPEN	2/16/2017	1983	36.1508	-82.894183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97
300A9730001	GREENE	0A973	1.361	LITTLE CHUCKY CREEK	OPEN	2/16/2017	2003	36.157883	-82.958983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
300A9730003	GREENE	0A973	1.423	MCNEW BRANCH	OPEN	2/16/2017	1950	36.15705	-82.9585	STEEL	STRINGER/MULTI-BEAM OR GIRDER	90.7
300A9750001	GREENE	0A975	1.958	LITTLE CHUCKY CREEK	OPEN	2/16/2017	1940	36.16585	-82.9426	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88.5
300A9880001	GREENE	0A988	1.217	LITTLE CHUCKY CREEK	OPEN	2/21/2017	1921	36.1596	-82.9105	CONCRETE	ARCH - DECK	69.1
300B0100001	GREENE	0B010	0.199	LITTLE CHUCKY CREEK	OPEN	2/14/2017	2004	36.172117	-82.935317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
300B0590001	GREENE	0B059	0.144	GAP CREEK	OPEN	2/13/2017	2005	36.2477	-83.011917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.5
300B0610001	GREENE	0B061	2.841	LICK CREEK	OPEN	3/7/2017	1986	36.21505	-83.029833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
300B0660001	GREENE	0B066	1.384	STONE CREEK	OPEN	3/15/2017	1970	36.223033	-83.03595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
30I00810087	GREENE	0B069	1.265	NFA B069 / RT LN I81	OPEN	7/6/2016	1970	36.215833	-83.0628	STEEL	STRINGER/MULTI-BEAM OR GIRDER	98.7
30I00810089	GREENE	0B069	1.315	NFA B069 / LT LN I81	OPEN	7/6/2016	1970	36.216517	-83.0627	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.7
30I00810085	GREENE	0B083	0.692	NFA B083 / LT LN I81	OPEN	7/5/2016	1970	36.2126	-83.0749	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96.9
30I00810083	GREENE	0B083	0.745	NFA B083 / RT LN I81	OPEN	7/5/2016	1970	36.212033	-83.091217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97.9
300B0910001	GREENE	0B091	0.961	LICK CREEK	OPEN	3/7/2017	1994	36.1904	-83.06235	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
300B0950001	GREENE	0B095	0.317	POTTER CREEK	OPEN	3/8/2017	1970	36.20475	-83.093083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
300B0960001	GREENE	0B096	0.381	POTTER CREEK	OPEN	3/8/2017	1970	36.206533	-83.094	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
300B1040001	GREENE	0B104	2.776	BLACK CREEK	OPEN	3/9/2017	2001	36.177083	-83.127433	CONCRETE	SLAB	98
30SR0345001	GREENE	0B146	0.28	SR 350	OPEN	2/21/2017	1930	36.164033	-82.836567	CONCRETE	TEE BEAM	57.4
300A7840001	GREENE	0B451	0.149	HOLLEY CREEK	OPEN	3/15/2017	2009	36.172433	-82.7934	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
300C0110001	GREENE	0C011	0.442	OVERFLOW	OPEN	3/8/2017	1997	36.20525	-83.0202	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
300C0110003	GREENE	0C011	0.568	LICK CREEK	OPEN	3/8/2017	1997	36.20445	-83.022183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
300A9120001	GREENE	0C023	1.494	LICK CREEK	OPEN	3/9/2017	2004	36.1427	-83.107917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	99
300C1060001	GREENE	0C106	0.1	JOCKEY CREEK	OPEN	2/1/2017	2010	36.152183	-82.929783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
30I00810002	GREENE	I0081	0.45	PINE GROVE RD (A443)	OPEN	7/5/2016	1968	36.200883	-83.124533	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.1
30I00810001	GREENE	I0081	0.45	PINE GROVE RD (A443)	OPEN	7/5/2016	1968	36.20055	-83.1241	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92
30I00810004	GREENE	I0081	2.19	POTTER CREEK	OPEN	7/19/2016	1970	36.205617	-83.093533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
30I00810003	GREENE	I0081	2.19	POTTER CREEK	OPEN	7/19/2016	1970	36.204983	-83.094267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
30I00810010	GREENE	I0081	3.82	BRANCH	OPEN	7/19/2016	1970	36.214833	-83.067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
30I00810009	GREENE	I0081	3.82	BRANCH	OPEN	7/19/2016	1970	36.214283	-83.0675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
30I00810011	GREENE	I0081	3.85	SOUTHERN RAILWAY	OPEN	7/6/2016	1970	36.21455	-83.0665	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
30I00810012	GREENE	I0081	3.85	SOUTHERN RAILWAY	OPEN	7/6/2016	1970	36.215317	-83.06635	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
30I00810095	GREENE	I0081	3.87	NORFOLK SOUTHERN RR	OPEN	7/6/2016	1994	36.215533	-83.066333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78
30I00810015	GREENE	I0081	5.46	SR 34	OPEN	7/18/2016	1970	36.224	-83.0398	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
30I00810016	GREENE	I0081	5.46	SR 34	OPEN	7/18/2016	1968	36.224233	-83.041067	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
30I00810073	GREENE	I0081	5.67	STONE CREEK	OPEN	7/19/2016	1973	36.224667	-83.036567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
30I00810020	GREENE	I0081	6.85	GAP CREEK	OPEN	7/19/2016	1970	36.232583	-83.016933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
30I00810019	GREENE	I0081	6.85	GAP CREEK	OPEN	7/19/2016	1970	36.231917	-83.017467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
30I00810031	GREENE	I0081	13.2	PUNCHEON CREEK	OPEN	7/19/2016	1968	36.275817	-82.917467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
30I00810032	GREENE	I0081	13.2	PUNCHEON CREEK	OPEN	7/19/2016	1968	36.276517	-82.917833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
30I00810037	GREENE	I0081	15.48	PLUM CREEK	OPEN	7/19/2016	1968	36.295283	-82.884667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
30I00810040	GREENE	I0081	16	WESLEY RD (A178)	OPEN	7/12/2016	1971	36.300417	-82.877717	CONCRETE CONTINUOUS	TEE BEAM	90.5
30I00810039	GREENE	I0081	16	WESLEY RD (A178)	OPEN	7/12/2016	1971	36.2999	-82.8772	CONCRETE CONTINUOUS	TEE BEAM	90.5
30I00810043	GREENE	I0081	18.32	GARDER CREEK	OPEN	7/20/2016	1970	36.317633	-82.84215	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
30I00810051	GREENE	I0081	20.44	CHAPEL RD (A321)	OPEN	7/13/2016	1971	36.335233	-82.811017	CONCRETE CONTINUOUS	TEE BEAM	92.6
30I00810052	GREENE	I0081	20.44	CHAPEL RD (A321)	OPEN	7/13/2016	1971	36.335717	-82.8112	CONCRETE CONTINUOUS	TEE BEAM	92.6
30I00810077	GREENE	I0081	21.22	CANEY CREEK	OPEN	7/20/2016	1973	36.340517	-82.79885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
30I00810075	GREENE	I0081	23.8	BRANCH	OPEN	7/20/2016	1973	36.353033	-82.7541	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
30I00810056	GREENE	I0081	23.87	ROBERT KIDAY RD (A309)	OPEN	7/13/2016	1970	36.353333	-82.7539	CONCRETE CONTINUOUS	TEE BEAM	92.6
30I00810055	GREENE	I0081	23.87	ROBERT KIDAY RD (A309)	OPEN	7/13/2016	1972	36.35305	-82.753867	CONCRETE CONTINUOUS	TEE BEAM	92.6
30I00810059	GREENE	I0081	24.79	PYBORN CREEK	OPEN	7/20/2016	1970	36.354217	-82.737383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
30I00810061	GREENE	I0081	25.55	LICK CREEK	OPEN	7/20/2016	1970	36.355017	-82.740183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57
30I00810063	GREENE	I0081	26.56	CLEAR CREEK	OPEN	7/20/2016	1970	36.358133	-82.7026	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58
30I00810065	GREENE	I0081	26.93	JEAROLDSTOWN RD (1337)	OPEN	7/13/2016	1972	36.358517	-82.699617	CONCRETE CONTINUOUS	TEE BEAM	96
30I00810066	GREENE	I0081	26.93	JEAROLDSTOWN RD (2596)	OPEN	7/13/2016	1972	36.358783	-82.69995	CONCRETE CONTINUOUS	TEE BEAM	96
30I00810070	GREENE	I0081	30.02	JEAROLDSTOWN RD (2596)	OPEN	7/14/2016	1974	36.388417	-82.6599	CONCRETE CONTINUOUS	TEE BEAM	94.5
30I00810069	GREENE	I0081	30.02	JEAROLDSTOWN RD (2596)	OPEN	7/14/2016	1974	36.38815	-82.659417	CONCRETE CONTINUOUS	TEE BEAM	94.5
30I00810071	GREENE	I0081	31.04	PITT RD (A267)	OPEN	7/14/2016	1974	36.399883	-82.648383	CONCRETE CONTINUOUS	TEE BEAM	94.5
30I00810072	GREENE	I0081	31.04	PITT RD (A267)	OPEN	7/14/2016	1974	36.400617	-82.6486	CONCRETE CONTINUOUS	TEE BEAM	92.5
30SR0340001	GREENE	SR034	2.17	MUD CREEK	OPEN	1/27/2016	1929	36.224933	-83.047467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
30SR0340006	GREENE	SR034	3.49	GAP CREEK	OPEN	2/23/2016	1929	36.219433	-83.025267	CONCRETE	TEE BEAM	85.5
30SR0340005	GREENE	SR034	3.49	GAP CREEK	OPEN	2/22/2016	1980	36.219133	-83.025467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
30SR0340008	GREENE	SR034	5.69	LICK CREEK	OPEN	3/7/2016	1980	36.1976	-82.996933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68.9
30SR0340007	GREENE	SR034	5.69	LICK CREEK	OPEN	3/7/2016	1980	36.197483	-82.997183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
30SR0340031	GREENE	SR034	8.07	BRANCH	OPEN	1/27/2016	1971	36.188	-82.9585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.4
30SR0340009	GREENE	SR034	14.1	SR 70	OPEN	1/13/2016	1980	36.17085	-82.858783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.2
30SR0340010	GREENE	SR034	14.1	NFA 1346	OPEN	1/13/2016	1980	36.171067	-82.858983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.2
30FA0343001	GREENE	SR034	15.77	FAU 3865	OPEN	1/27/2016	1965	36.175883	-82.83025	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9
30FA0343002	GREENE	SR034	15.77	SR 172	OPEN	1/27/2016	1965	36.176033	-82.830383	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
30FA0343004	GREENE	SR034	17.25	FAU 1391 & SOUTHERN RWY	OPEN	2/17/2016	1965	36.177933	-82.805	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.9
30FA0343003	GREENE	SR034	17.25	FAU 3867 & SOUTHERN RWY	OPEN	2/17/2016	1965	36.177817	-82.805167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.9
30SR0340017	GREENE	SR034	21.4	SINKING CREEK	OPEN	2/22/2016	1978	36.186867	-82.736833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
30SR0340020	GREENE	SR034	22.16	SOUTHERN RAILWAY	OPEN	1/12/2016	1971	36.19375	-82.726133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95
30SR0340019	GREENE	SR034	22.16	SOUTHERN RAILWAY	OPEN	1/12/2016	1971	36.19385	-82.725717	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95
30SR0340021	GREENE	SR034	22.92	RIPLEY CREEK	OPEN	1/13/2016	1980	36.203117	-82.718433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
30SR0340029	GREENE	SR034	25.24	RHEATOWN CREEK	OPEN	1/13/2016	1980	36.227183	-82.690383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
30SR0340025	GREENE	SR034	27.32	CEDAR CREEK	OPEN	1/13/2016	1953	36.231167	-82.65425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
30SR0340027	GREENE	SR034	27.97	JOCKEY CREEK	OPEN	1/27/2016	1988	36.231183	-82.64285	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89
30SR0340028	GREENE	SR034	27.97	JOCKEY CREEK	OPEN	1/27/2016	1998	36.2315	-82.64315	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.5
30SR0350001	GREENE	SR035	3.07	NOLICHUCKY RIVER	OPEN	3/9/2016	1967	36.0696	-82.967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	38.2
30SR0350003	GREENE	SR035	7.02	BRANCH	WEIGHT POSTED	1/11/2016	1930	36.1079	-82.917833	CONCRETE	SLAB	30.8
30SR0700001	GREENE	SR070	0.27	PAINT CREEK	OPEN	1/4/2016	1935	35.989433	-82.853283	CONCRETE	TEE BEAM	70.4
30SR0700003	GREENE	SR070	5.94	COVE CREEK	OPEN	1/4/2016	1937	36.032917	-82.846783	CONCRETE	TEE BEAM	73.3
30SR0700005	GREENE	SR070	6.39	COVE CREEK	OPEN	1/4/2016	1935	36.036917	-82.852483	CONCRETE	TEE BEAM	52.9
30SR0700007	GREENE	SR070	8.5	NOLICHUCKY RIVER	OPEN	3/8/2016	2006	36.064383	-82.8677	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.3
30SR0700009	GREENE	SR070	18.93	GASS CREEK	OPEN	1/4/2016	1970	36.193533	-82.88075	CONCRETE	CHANNEL BEAM	66.5
30SR0700011	GREENE	SR070	20.64	GASS CREEK	OPEN	1/4/2016	1991	36.213217	-82.8878	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
30SR0700013	GREENE	SR070	21.33	GASS CREEK	OPEN	1/4/2016	2004	36.2219	-82.893017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
30SR0700015	GREENE	SR070	23.6	GRASSY CREEK	OPEN	1/4/2016	1984	36.243667	-82.911117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
30SR0700017	GREENE	SR070	24.7	LICK CREEK	OPEN	1/4/2016	1984	36.24835	-82.925833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.1
30SR0700021	GREENE	SR070	26.17	BRANCH	OPEN	1/5/2016	2002	36.2642	-82.918567	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	75.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
30I00810029	GREENE	SR070	26.65	I81	OPEN	7/12/2016	1975	36.25675	-82.955667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
30SR0700019	GREENE	SR070	28.95	BEAR HOLLOW CREEK	OPEN	1/5/2016	1971	36.296917	-82.947467	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	57.1
30SR0930003	GREENE	SR093	10.04	UNION TEMPLE CREEK	OPEN	1/5/2016	1943	36.296867	-82.736267	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.6
30SR0930005	GREENE	SR093	12.93	LONG FORK CREEK	OPEN	1/5/2016	1950	36.329583	-82.705917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
30SR1070001	GREENE	SR107	3.93	COVE CREEK	OPEN	1/11/2016	1936	35.9874	-82.85935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.9
30SR1070003	GREENE	SR107	5.58	COVE CREEK	OPEN	1/11/2016	1985	36.0062	-82.85355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
30SR0340011	GREENE	SR107	10.07	HOLLEY CREEK	OPEN	2/4/2016	1927	36.1732	-82.794267	CONCRETE	TEE BEAM	76.3
30SR1070013	GREENE	SR107	11.46	MOON CREEK	OPEN	2/4/2016	2000	36.169617	-82.740217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
30SR1070007	GREENE	SR107	12.65	NOLICHUCKY RIVER	OPEN	3/8/2016	1951	36.1569	-82.7262	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	40
30SR1070009	GREENE	SR107	17.35	HORSE CREEK	OPEN	1/11/2016	1948	36.1547	-82.65295	CONCRETE	TEE BEAM	42.5
30SR1720001	GREENE	SR172	3.4	ROARING FORK CREEK	OPEN	2/17/2016	1960	36.216033	-82.832983	CONCRETE	TEE BEAM	62.3
30S24920003	GREENE	SR172	9.9	LICK CREEK	OPEN	3/7/2016	1962	36.298833	-82.8256	CONCRETE	TEE BEAM	67.8
30I00810045	GREENE	SR172	11.635	I81 RL	OPEN	7/12/2016	1972	36.323033	-82.832833	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.6
30S24860001	GREENE	SR340	0.77	NOLICHUCKY RIVER	OPEN	2/2/2016	1985	36.096733	-83.05135	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86
30S23580003	GREENE	SR340	4.53	LITTLE CHUCKY CREEK	OPEN	2/8/2016	1986	36.122683	-83.089517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7
30S23580001	GREENE	SR340	10.85	LICK CREEK	OPEN	2/22/2016	1983	36.173283	-83.159933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
30S24900001	GREENE	SR348	0.75	LICK CREEK	OPEN	2/22/2016	1987	36.1516	-83.052217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	72.3
30S24900003	GREENE	SR348	2.08	BLACK CREEK	OPEN	2/8/2016	1986	36.1623	-83.1253	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
30S24900005	GREENE	SR348	3.68	POTTER CREEK	OPEN	2/8/2016	1986	36.17585	-83.097083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
30S24900007	GREENE	SR348	5.15	LICK CREEK	OPEN	2/22/2016	1988	36.1773	-83.073	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
30S24900009	GREENE	SR348	6.82	MINK CREEK	OPEN	2/8/2016	1986	36.180133	-83.0471	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
30S24900011	GREENE	SR348	11.48	SOUTHERN RAILWAY	OPEN	2/8/2016	1989	36.18305	-82.973433	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.5
30SR3490001	GREENE	SR349	7.94	UNION TEMPLE CREEK	OPEN	1/11/2016	2000	36.114633	-82.952183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
30E00370001	GREENE	SR350	0.96	NOLICHUCKY RIVER	OPEN	2/2/2016	1980	36.116917	-82.780933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.7
30SR3500005	GREENE	SR350	3.1	RICHLAND CREEK	OPEN	1/6/2016	1998	36.131883	-82.811683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
30E00370005	GREENE	SR350	5.15	RICHLAND CREEK	OPEN	1/6/2016	2011	36.155483	-82.826583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
30SR3510001	GREENE	SR351	1.7	BRANCH	OPEN	1/6/2016	1960	36.062783	-82.8418	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
30S23920005	GREENE	SR351	1.73	FLAG BRANCH	OPEN	1/6/2016	1960	36.063083	-82.841467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
30S23920007	GREENE	SR351	2.9	MUD CREEK	OPEN	1/6/2016	1955	36.073467	-82.8261	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
30S23920009	GREENE	SR351	8.1	CAMP CREEK	OPEN	1/6/2016	1960	36.118683	-82.756883	CONCRETE	TEE BEAM	73
30S23920011	GREENE	SR351	10.53	MIDDLE CREEK	OPEN	1/6/2016	1960	36.145633	-82.729967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
30S23910001	GREENE	SR351	12.87	HORSE CREEK	OPEN	1/5/2016	1986	36.1599	-82.679383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
30S23910003	GREENE	SR351	16.17	NOLICHUCKY RIVER	OPEN	2/2/2016	1994	36.2047	-82.682733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.3
30S23910005	GREENE	SR351	16.605	RHEATOWN CREEK	OPEN	1/5/2016	1985	36.2095	-82.687433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.4
30S23910007	GREENE	SR351	18.425	RHEATOWN CREEK	OPEN	1/5/2016	1995	36.230883	-82.695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
30S23910009	GREENE	SR351	21.52	SINKING CREEK	OPEN	1/5/2016	1954	36.262833	-82.720667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.1
31S43980003	GRUNDY	00928	1.01	FIRESALD CREEK	OPEN	6/22/2016	1970	35.446117	-85.729167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
31S43980001	GRUNDY	00928	7.08	BRANCH	OPEN	6/22/2016	1976	35.5168	-85.752617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
31F00090001	GRUNDY	01133	3.76	SCOTT CR. RD / SCOTT CR.	OPEN	6/14/2016	1950	35.321683	-85.7127	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	96.8
31021300001	GRUNDY	02130	2.98	TRUSSELL CREEK	OPEN	6/23/2016	1984	35.260717	-85.863533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
31021300003	GRUNDY	02130	3.36	GILLIAM SPRING BRANCH	OPEN	6/23/2016	1997	35.2611	-85.858083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
31100240007	GRUNDY	02132	1.27	BELLS MILL RD OVER I-24	OPEN	5/5/2016	1958	35.2792	-85.892167	CONCRETE CONTINUOUS	TEE BEAM	93.8
31021320001	GRUNDY	02132	1.83	CALDWELL CREEK	WEIGHT POSTED	6/23/2016	1930	35.285	-85.887283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.8
31021360001	GRUNDY	02136	1.07	MILL CREEK	OPEN	6/21/2016	1965	35.372933	-85.554383	CONCRETE	TEE BEAM	91.2
310A0210001	GRUNDY	0A021	0.65	SMALL BRANCH	OPEN	6/9/2016	1993	35.476983	-85.847633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
310A0220001	GRUNDY	0A022	2.263	BRANCH	WEIGHT POSTED	6/9/2016	1935	35.4774	-85.84945	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69
310A0220005	GRUNDY	0A022	2.41	BRANCH	OPEN	6/9/2016	2001	35.4769	-85.84755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
310A0220003	GRUNDY	0A022	2.45	HICKORY CREEK	OPEN	6/9/2016	1984	35.476533	-85.8463	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
310A0230001	GRUNDY	0A023	0.246	HICKORY CREEK	OPEN	6/15/2016	1994	35.481517	-85.8519	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
310A0230003	GRUNDY	0A023	0.923	BRANCH OF HICKORY CREEK	OPEN	6/15/2016	1970	35.4906	-85.851883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.8
310A0230005	GRUNDY	0A023	2.549	HICKORY CREEK	OPEN	6/15/2016	1992	35.502233	-85.8695	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
310A0320001	GRUNDY	0A032	1.058	SAVAGE COVE CREEK	OPEN	6/16/2016	1983	35.51445	-85.694033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
310A0320003	GRUNDY	0A032	1.208	BRANCH	OPEN	6/16/2016	1995	35.514533	-85.692017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
310A0400001	GRUNDY	0A040	0.016	TAYLOR CREEK	OPEN	6/16/2016	1983	35.4953	-85.674783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
310A0420001	GRUNDY	0A042	1.468	LAUREL CREEK (SGSP)	OPEN	6/9/2016	1996	35.4483	-85.6541	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
310A0730001	GRUNDY	0A073	0.386	BIG CREEK	OPEN	6/22/2016	1934	35.413217	-85.7058	CONCRETE	TEE BEAM	92
310A0780001	GRUNDY	0A078	2.101	RANGER CREEK	OPEN	6/22/2016	1984	35.40285	-85.66915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
310A1060001	GRUNDY	0A106	0.941	COLLINS RIVER	OPEN	6/21/2016	1994	35.392833	-85.566567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.5
310A1300001	GRUNDY	0A130	1.165	JAKES CREEK	OPEN	6/17/2016	1940	35.35855	-85.54885	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.8
310A1640001	GRUNDY	0A164	0.154	MILL CREEK	OPEN	6/21/2016	2012	35.3493	-85.5607	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
310A2170001	GRUNDY	0A217	1.262	BLACK CREEK	OPEN	6/22/2016	1986	35.321583	-85.709283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
310A2490001	GRUNDY	0A249	0.431	LITTLE FIERY GIZZARD CR	OPEN	6/14/2016	1992	35.25255	-85.743133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.1
310A2670001	GRUNDY	0A267	0.511	LITTLE FIERY GIZZARD CR	OPEN	6/14/2016	1987	35.253333	-85.737133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
310A3100001	GRUNDY	0A310	0.118	BLACK CREEK	OPEN	6/14/2016	1991	35.2565	-85.738717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
310A3690001	GRUNDY	0A369	0.884	DRY CREEK	OPEN	6/23/2016	1987	35.281483	-85.264817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
310A3690003	GRUNDY	0A369	1.089	DRY CREEK	OPEN	6/23/2016	1983	35.264783	-85.838367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
310A3730001	GRUNDY	0A373	1.632	BRANCH	OPEN	6/27/2016	1980	35.302433	-85.84335	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
310A3750001	GRUNDY	0A375	0.011	DRY CREEK	OPEN	6/27/2016	1965	35.3225	-85.824567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.4
310A3780001	GRUNDY	0A378	0.553	ELK RIVER	OPEN	6/27/2016	1989	35.3299	-85.852117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.1
310A3830001	GRUNDY	0A383	0.497	BRANCH	OPEN	6/27/2016	1987	35.330333	-85.8657	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
310A3860005	GRUNDY	0A386	0.087	BRANCH	OPEN	6/20/2016	2000	35.359233	-85.831017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
310A3860001	GRUNDY	0A386	0.465	JAY CREEK	OPEN	6/20/2016	1988	35.364567	-85.829683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
310A3860003	GRUNDY	0A386	1.533	INDIAN CAMP CREEK	OPEN	6/20/2016	2001	35.378833	-85.831233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
310A4300001	GRUNDY	0A430	0.092	PEPPER HOLLOW BRANCH	OPEN	6/16/2016	1940	35.498467	-85.654083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.3
310A4410001	GRUNDY	0A441	0.665	HICKORY CREEK	OPEN	6/15/2016	1931	35.513917	-85.865	CONCRETE CONTINUOUS	TEE BEAM	85
310A4940001	GRUNDY	0A494	0.17	LAUREL CREEK	OPEN	6/20/2016	2012	35.37495	-85.834933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
310A5090001	GRUNDY	0A509	0.009	PEPPER HOLLOW BRANCH	OPEN	6/16/2016	1998	35.5037	-85.66075	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
310A5100001	GRUNDY	0A510	0.098	SMALL BRANCH	OPEN	6/16/2016	1945	35.49315	-85.651383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46
31100240004	GRUNDY	I0024	1.24	PATTON CREEK	OPEN	5/5/2016	2007	35.291867	-85.896267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
31100240003	GRUNDY	I0024	1.24	PATTON CREEK	OPEN	5/4/2016	2007	35.291833	-85.896683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
31100240006	GRUNDY	I0024	1.56	ELK RIVER	OPEN	5/5/2016	2007	35.287367	-85.894717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
31I00240005	GRUNDY	I0024	1.56	ELK RIVER	OPEN	5/5/2016	2007	35.2874	-85.894917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	89.8
31SR0020001	GRUNDY	SR002	0.58	PATTON CREEK	OPEN	5/5/2016	1940	35.317267	-85.892533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
31SR0020003	GRUNDY	SR002	2.27	OVERFLOW	OPEN	5/5/2016	1940	35.299717	-85.8732	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
31SR0020005	GRUNDY	SR002	2.5	ELK RIVER	OPEN	5/5/2016	1992	35.297433	-85.870417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.9
31SR0020007	GRUNDY	SR002	4.19	HENLEY CREEK	OPEN	5/5/2016	1926	35.27535	-85.859317	CONCRETE	TEE BEAM	65.2
31SR0020009	GRUNDY	SR002	4.96	DRY CREEK	OPEN	5/5/2016	1926	35.264583	-85.855317	CONCRETE	TEE BEAM	76.1
31SR0020011	GRUNDY	SR002	4.99	DRY CREEK	OPEN	5/5/2016	1926	35.2641	-85.855167	CONCRETE	TEE BEAM	65.7
31SR0500001	GRUNDY	SR050	0.01	ELK RIVER	OPEN	5/16/2016	1967	35.288967	-85.913217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
31SR0500002	GRUNDY	SR050	0.01	ELK RIVER	OPEN	5/16/2016	1993	35.28895	-85.913417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5
31I00240001	GRUNDY	SR050	0.27	I24	OPEN	5/4/2016	1992	35.299967	-85.903333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
31SR0500003	GRUNDY	SR050	0.84	PATTON CREEK	OPEN	5/16/2016	1998	35.303683	-85.894433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
31S43240001	GRUNDY	SR050	5.05	BOSTICK CREEK	OPEN	5/17/2016	1940	35.339367	-85.8551	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.4
31S43240003	GRUNDY	SR050	6.95	ELK RIVER	OPEN	5/17/2016	1956	35.357583	-85.836517	CONCRETE	TEE BEAM	73.7
31S43240005	GRUNDY	SR050	8.07	BRANCH	OPEN	5/17/2016	1940	35.35525	-85.8191	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
31S43240007	GRUNDY	SR050	14.45	ARMSTRONG CREEK	OPEN	5/17/2016	1935	35.40365	-85.771883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86.7
31S43240009	GRUNDY	SR050	17.54	ROCK CREEK	OPEN	5/23/2016	1940	35.428317	-85.727217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
31SR0560001	GRUNDY	SR056	12.5	BLACK CREEK	OPEN	5/23/2016	1930	35.333383	-85.705567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.7
31SR0560003	GRUNDY	SR056	15.01	RANGER CREEK	OPEN	5/23/2016	1974	35.368283	-85.699	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
31SR0560005	GRUNDY	SR056	18.62	NFA A073 & BIG CREEK	OPEN	5/12/2016	1964	35.41325	-85.705067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.9
31SR0560007	GRUNDY	SR056	20.53	PINEY CREEK	OPEN	5/23/2016	2008	35.433067	-85.720667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
31SR0560009	GRUNDY	SR056	21.29	FIRESALD CREEK	OPEN	5/23/2016	2011	35.438783	-85.7114	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93.5
31SR0560011	GRUNDY	SR056	28.885	COLLINS RIVER	OPEN	5/19/2016	1940	35.479433	-85.649117	CONCRETE	TEE BEAM	75.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
31SR0560013	GRUNDY	SR056	31.24	PEPPER HOLLOW BRANCH	OPEN	5/19/2016	1930	35.509383	-85.665967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.1
31SR0560015	GRUNDY	SR056	31.98	COLLINS RIVER	OPEN	5/19/2016	1987	35.534817	-85.6735	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
31SR0560017	GRUNDY	SR056	33.03	SAVAGE COVE CREEK	OPEN	5/19/2016	2005	35.5207	-85.689217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
31SR1080001	GRUNDY	SR108	2.55	MILL CREEK	OPEN	6/1/2016	1940	35.33345	-85.565583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.6
31SR1080003	GRUNDY	SR108	3.34	LICK CREEK	OPEN	6/1/2016	1950	35.360367	-85.568167	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	73.7
31SR1080005	GRUNDY	SR108	8.76	BERNER CREEK	OPEN	6/6/2016	1950	35.369767	-85.645133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
31SR1080007	GRUNDY	SR108	10.6	FULTS CREEK	OPEN	6/6/2016	1950	35.37265	-85.6777	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
31SR1080009	GRUNDY	SR108	11.4	RANGER CREEK	OPEN	6/6/2016	1945	35.37395	-85.691567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
31SR1080011	GRUNDY	SR108	17.98	ROCK CREEK	OPEN	6/8/2016	1940	35.430983	-85.726117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
31SR1080013	GRUNDY	SR108	18.2	PINEY CREEK	OPEN	5/12/2016	1930	35.432717	-85.729467	CONCRETE	TEE BEAM	59.7
31SR1080015	GRUNDY	SR108	25.96	BRANCH	OPEN	6/8/2016	1945	35.460567	-85.841333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3
31SR1080017	GRUNDY	SR108	25.98	BRANCH	OPEN	6/8/2016	1940	35.460567	-85.841333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
31SR1080019	GRUNDY	SR108	26.23	BRANCH	OPEN	6/8/2016	1940	35.463333	-85.84445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
31SR1080021	GRUNDY	SR108	26.68	BRANCH	OPEN	6/8/2016	1940	35.468317	-85.849767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
31SR1080023	GRUNDY	SR108	28.18	BRANCH	OPEN	6/8/2016	1940	35.484617	-85.867233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.8
31SR1500001	GRUNDY	SR150	1.96	LITTLE FIERY GIZZARD CR	OPEN	6/7/2016	1940	35.258017	-85.7236	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
31SR1500003	GRUNDY	SR150	2.96	GIZZARD CREEK	OPEN	6/7/2016	1940	35.261583	-85.739283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.8
31S43500001	GRUNDY	SR399	1.45	COLLINS RIVER	OPEN	6/7/2016	1930	35.387917	-85.556233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
32F00230001	HAMBLEN	01307	0.53	LONG CREEK	OPEN	9/17/2015	1991	36.13055	-83.262983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
32FA0620005	HAMBLEN	01311	3.75	BRANCH	OPEN	9/1/2015	1975	36.236517	-83.235617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
32F00220001	HAMBLEN	01314	0.74	BAILEY BRANCH	OPEN	9/17/2015	1966	36.142567	-83.258683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
32S24880001	HAMBLEN	01320	6.03	YOUNG CREEK	OPEN	9/21/2015	1950	36.243683	-83.361617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
32S24880003	HAMBLEN	01320	9.05	SPRING BRANCH	OPEN	9/21/2015	1987	36.232517	-83.313033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
32S24880005	HAMBLEN	01320	10.27	TURKEY CREEK	OPEN	9/21/2015	1974	36.221217	-83.296867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
32S26080001	HAMBLEN	01324	0.63	SPRING CREEK	OPEN	9/14/2015	1950	36.256933	-83.2738	CONCRETE	ARCH - DECK	87.3
32024610001	HAMBLEN	02461	4	NOLICHUCKY RIVER	OPEN	9/16/2015	1990	36.130117	-83.221083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
32S25650001	HAMBLEN	02469	1.32	LYONS CREEK	OPEN	9/15/2015	1960	36.236633	-83.12745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
32S25650003	HAMBLEN	02469	2.25	BENT CREEK	OPEN	9/9/2015	1960	36.2355	-83.111233	CONCRETE	TEE BEAM	85.8
32025240001	HAMBLEN	02524	2.79	BUSBY CREEK	OPEN	9/21/2015	1943	36.189917	-83.422183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
32024570001	HAMBLEN	02525	2.01	SINKING FORK CREEK	OPEN	9/17/2015	1983	36.150056	-83.282194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
32025280001	HAMBLEN	02528	2.78	BRANCH FALL CREEK	OPEN	9/1/2015	1939	36.249867	-83.1936	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.2
32025280003	HAMBLEN	02528	2.99	FALL CREEK	OPEN	9/1/2015	1986	36.252833	-83.194017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
32025320001	HAMBLEN	02532	2.25	CEDAR CREEK	OPEN	9/14/2015	1960	36.275167	-83.230367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
32038360001	HAMBLEN	03836	1.59	TURKEY CREEK	OPEN	9/22/2015	2005	36.2141	-83.2937	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.2
32SR0340001	HAMBLEN	03836	2.55	STUBBLEFIELD CREEK	OPEN	9/23/2015	1967	36.220933	-83.279717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.8
32SR0340003	HAMBLEN	03836	2.61	LIBERTY ST (FAU 3838)	OPEN	9/23/2015	1966	36.2218	-83.278317	CONCRETE CONTINUOUS	TEE BEAM	47.5
32038370001	HAMBLEN	03837	1.14	HAVLEY BRANCH	OPEN	9/21/2015	1980	36.221617	-83.318117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
32M38430001	HAMBLEN	03843	0.42	TURKEY CREEK	OPEN	9/23/2015	1997	36.207667	-83.289283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
32M38440001	HAMBLEN	03844	0.25	WEST FORK TURKEY CREEK	OPEN	9/23/2015	1971	36.208983	-83.2955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
320A6840001	HAMBLEN	04299	0.05	TURKEY CREEK	OPEN	9/22/2015	1990	36.215767	-83.29465	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.6
32043170011	HAMBLEN	04317	0.67	TURKEY CREEK	OPEN	9/22/2015	1965	36.213417	-83.293233	CONCRETE	CHANNEL BEAM	67.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
320A4700001	HAMBLEN	04318	2.41	DRAINAGE DITCH	OPEN	9/1/2015	1966	36.254167	-83.20055	CONCRETE	TEE BEAM	74.5
320A0040001	HAMBLEN	0A004	1.568	HAVELY SPRINGS BRANCH	OPEN	9/14/2015	1987	36.243967	-83.296233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
320A0300001	HAMBLEN	0A030	1.766	BENT CREEK	OPEN	9/9/2015	1993	36.254067	-83.109433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
320A0300003	HAMBLEN	0A030	2.461	MUDD CREEK	OPEN	9/9/2015	1997	36.248717	-83.099917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
320A0590001	HAMBLEN	0A059	0.023	BRANCH	OPEN	9/21/2015	1969	36.18015	-83.442067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
320A2510001	HAMBLEN	0A251	0.025	SPRING BRANCH	OPEN	9/14/2015	1955	36.243617	-83.296717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.4
320A2760001	HAMBLEN	0A276	1.307	SPRING CREEK	OPEN	9/14/2015	1991	36.251067	-83.2703	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
320A2870001	HAMBLEN	0A287	0.987	STUBBLEFIELD CREEK	OPEN	9/23/2015	1970	36.2452	-83.270467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
320A2970001	HAMBLEN	0A297	0.04	SPRING CREEK	OPEN	9/23/2015	1965	36.234467	-83.260467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
320A3140001	HAMBLEN	0A314	0.154	SPRING CREEK	OPEN	9/23/2015	1940	36.252117	-83.273367	CONCRETE	TEE BEAM	44.9
320A3520001	HAMBLEN	0A352	0.856	CEDAR CREEK	WEIGHT POSTED	9/14/2015	1960	36.270283	-83.2266	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.7
320A4160001	HAMBLEN	0A416	0.151	WHITEHORN CREEK	OPEN	9/9/2015	1994	36.245517	-83.0916	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
320A4430001	HAMBLEN	0A443	0.711	BENT CREEK	OPEN	9/15/2015	1979	36.20855	-83.133933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
320A4460001	HAMBLEN	0A446	0.474	UPPER BENT CREEK	OPEN	9/9/2015	1987	36.230217	-83.114733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.4
320A4490003	HAMBLEN	0A449	0.975	MARSHALL CREEK	OPEN	9/15/2015	1986	36.208883	-83.151817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.3
320A4510001	HAMBLEN	0A451	1.971	BENT CREEK	OPEN	9/15/2015	1997	36.19885	-83.155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
320A4550001	HAMBLEN	0A455	0.047	HALE BRANCH	OPEN	9/15/2015	1986	36.188917	-83.17115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
320A5070001	HAMBLEN	0A507	0.213	FLAT CREEK	OPEN	9/17/2015	1983	36.1601	-83.210733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
320A5070003	HAMBLEN	0A507	2.744	NOLICHUCKY RIVER	OPEN	9/16/2015	1989	36.1773	-83.1854	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.5
32100810023	HAMBLEN	0A512	0.75	I81	OPEN	3/3/2016	1967	36.172483	-83.210867	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	97.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
320A5340001	HAMBLEN	0A534	0.628	FLAT CREEK	OPEN	9/17/2015	1987	36.171767	-83.233517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
320A5450001	HAMBLEN	0A545	0.219	LONG CREEK	OPEN	9/17/2015	1938	36.1321	-83.234733	CONCRETE	TEE BEAM	62.4
320A5470001	HAMBLEN	0A547	0.129	LONG CREEK	OPEN	9/17/2015	1999	36.138717	-83.246467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
32SR0320007	HAMBLEN	0A551	0.295	SR-32	OPEN	3/17/2016	2014	36.213667	-83.260417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.3
320A7160001	HAMBLEN	0A683	0.727	TURKEY CREEK	OPEN	2/7/2017	2017	36.20575	-83.2896	CONCRETE	SLAB	82.9
320A7430001	HAMBLEN	0A743	0.046	TURKEY CREEK	OPEN	9/21/2015	1986	36.226483	-83.29595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
320A7470001	HAMBLEN	0A747	0.734	TURKEY CREEK	OPEN	9/21/2015	1900	36.23775	-83.297183	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	75.8
320A7590001	HAMBLEN	0A759	1.353	TURKEY CREEK	OPEN	9/21/2015	1940	36.24335	-83.295633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.7
320A9450001	HAMBLEN	0A945	0.008	W FORK OF TURKEY CREEK	OPEN	9/23/2015	1970	36.208067	-83.297767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
320A9620001	HAMBLEN	0A962	0.105	W FK TURKEY CREEK	OPEN	9/23/2015	1965	36.20715	-83.300017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
320A4130001	HAMBLEN	0B036	0.453	BENT CREEK	OPEN	9/9/2015	1993	36.265583	-83.11315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
320B0490001	HAMBLEN	0B049	0.084	HALE BRANCH	OPEN	9/15/2015	1970	36.19555	-83.175817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
320B2100001	HAMBLEN	0B210	0.22	SOU RWY& SINKING CR.	OPEN	9/16/2015	2002	36.142833	-83.282217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.2
32I00810001	HAMBLEN	I0081	0.23	SOUTHERN RAILWAY	OPEN	3/1/2016	1967	36.136183	-83.2829	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.2
32I00810002	HAMBLEN	I0081	0.23	SOUTHERN RAILWAY	OPEN	3/1/2016	1967	36.136017	-83.283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.2
32I00810041	HAMBLEN	I0081	0.24	SR-32 RAMP/NORF SO RR	OPEN	3/1/2016	2013	36.136503	-83.282875	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
32I00810039	HAMBLEN	I0081	0.31	SINKING FORK CREEK	OPEN	3/2/2016	1964	36.136183	-83.281467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
32I00810009	HAMBLEN	I0081	0.87	NFA 1307	OPEN	3/1/2016	1971	36.1385	-83.272033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.5
32I00810010	HAMBLEN	I0081	0.87	NFA 1307	OPEN	3/1/2016	1971	36.138517	-83.271717	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.5
32I00810011	HAMBLEN	I0081	1.92	NFA 2461 - HALE RD	OPEN	3/2/2016	1971	36.145233	-83.255183	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
32I00810012	HAMBLEN	I0081	1.92	NFA 2461 - HALE RD	OPEN	3/2/2016	1971	36.14545	-83.2553	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
32I00810013	HAMBLEN	I0081	4.18	NFA B207-LOWLAND ROAD	OPEN	3/1/2016	1971	36.156733	-83.2229	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.2
32I00810014	HAMBLEN	I0081	4.18	NFA B207-LOWLAND RD	OPEN	3/1/2016	1971	36.165517	-83.222933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.6
32I00810019	HAMBLEN	I0081	4.72	FLAT CREEK	OPEN	3/2/2016	1970	36.1695	-83.21565	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
32I00810021	HAMBLEN	I0081	4.79	EAST FORK FLAT CREEK	OPEN	3/2/2016	1971	36.170433	-83.214367	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.7
32I00810025	HAMBLEN	I0081	6.24	TURKEY CREEK	OPEN	3/2/2016	1972	36.18325	-83.1937	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
32I00810028	HAMBLEN	I0081	6.28	NFA A506	OPEN	3/3/2016	1972	36.1839	-83.193567	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.5
32I00810027	HAMBLEN	I0081	6.28	NFA A506	OPEN	3/3/2016	1972	36.183517	-83.193267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.1
32I00810029	HAMBLEN	I0081	7.51	HALES BRANCH	OPEN	3/2/2016	1972	36.192367	-83.173583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
32I00810031	HAMBLEN	I0081	7.58	SR 340	OPEN	3/15/2016	1972	36.193267	-83.173617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
32I00810032	HAMBLEN	I0081	7.58	SR 340	OPEN	3/3/2016	1972	36.1936	-83.173783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
32I00810033	HAMBLEN	I0081	8.32	SOUTHERN RAILWAY	OPEN	3/15/2016	1972	36.196017	-83.160833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.2
32I00810034	HAMBLEN	I0081	8.32	SOUTHERN RAILWAY	OPEN	3/15/2016	1972	36.1964	-83.160583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.1
32I00810036	HAMBLEN	I0081	8.47	BENT CREEK	OPEN	3/15/2016	1972	36.196917	-83.157567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.7
32I00810035	HAMBLEN	I0081	8.47	BENT CREEK	OPEN	3/15/2016	1972	36.1963	-83.157983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
32I00810038	HAMBLEN	I0081	8.79	BENT CREEK RD & BRANCH	OPEN	3/15/2016	1972	36.19745	-83.153033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.1
32I00810037	HAMBLEN	I0081	8.79	BENT CREEK RD & BRANCH	OPEN	3/15/2016	1972	36.197067	-83.152433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.5
32I00810005	HAMBLEN	SR032	0.255	SR 32 RL / I81	OPEN	3/1/2016	2014	36.136533	-83.2802	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
32SR0324012	HAMBLEN	SR032	4.25	SR 160	OPEN	3/17/2016	1975	36.19125	-83.2688	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
32SR0324011	HAMBLEN	SR032	4.25	SR-32 / SR-160	OPEN	3/17/2016	1975	36.190933	-83.268467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
32SR0324001	HAMBLEN	SR032	4.72	NFA 1322	OPEN	3/17/2016	1975	36.196617	-83.265167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
32SR0324002	HAMBLEN	SR032	4.72	NFA 1322	OPEN	3/17/2016	1975	36.196567	-83.2655	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
32SR0320010	HAMBLEN	SR032	6.29	RETAIL RD	OPEN	3/21/2016	2014	36.2168	-83.257233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	62.3
32SR0320009	HAMBLEN	SR032	6.29	RETAIL RD	OPEN	3/21/2016	2014	36.216683	-83.257017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.3
32SR0324004	HAMBLEN	SR032	6.97	SR 32 / 3836 & SOU Rwy	OPEN	4/5/2016	1975	36.226033	-83.258533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.5
32SR0324003	HAMBLEN	SR032	6.98	SR 32 / SR34 & SOU Rwy	OPEN	4/5/2016	1975	36.226317	-83.258283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.9
32SR0324005	HAMBLEN	SR032	8.48	STUBBLEFIELD CREEK	OPEN	3/22/2016	1975	36.246083	-83.269083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
32SR0324008	HAMBLEN	SR032	9.51	SR 343 LL	OPEN	3/21/2016	1975	36.256433	-83.281583	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
32SR0324007	HAMBLEN	SR032	9.52	SR 343 RL	OPEN	3/21/2016	1975	36.256767	-83.2815	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
32SR0320001	HAMBLEN	SR032	9.87	HOLSTON RIVER	OPEN	4/4/2016	1982	36.26125	-83.2839	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.5
32FA0620001	HAMBLEN	SR034	7.28	SOUTHERN RAILWAY	OPEN	4/5/2016	1970	36.2042	-83.318633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.1
32FA0620003	HAMBLEN	SR034	8.76	TURKEY CREEK	OPEN	4/5/2016	1971	36.209233	-83.29535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
32SR0324009	HAMBLEN	SR034	11.1	SR 32 BP	OPEN	4/4/2016	1977	36.2233	-83.258083	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
32SR0340005	HAMBLEN	SR034	11.16	THOMPSON CREEK	OPEN	4/5/2016	1967	36.227367	-83.258317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.8
32SR0340007	HAMBLEN	SR034	19.93	BENT CREEK	OPEN	4/5/2016	1927	36.27215	-83.117917	CONCRETE	TEE BEAM	42
32SR0340009	HAMBLEN	SR034	20.24	CANEY FORK CREEK	OPEN	4/5/2016	1927	36.270633	-83.112717	CONCRETE	TEE BEAM	49.9
32SR1130001	HAMBLEN	SR113	0.97	FLAT CREEK	OPEN	3/22/2016	1990	36.166583	-83.258267	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.6
32SR1130003	HAMBLEN	SR113	12.67	BENT CREEK	OPEN	3/22/2016	1999	36.283533	-83.133533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
32SR1600001	HAMBLEN	SR160	0.14	OVERFLOW	OPEN	3/16/2016	1958	36.128367	-83.17755	CONCRETE	TEE BEAM	40.9
32SR1600004	HAMBLEN	SR160	3.05	FLAT CREEK	OPEN	3/16/2016	1968	36.158167	-83.2123	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
32SR1600003	HAMBLEN	SR160	3.07	FLAT CREEK	OPEN	3/16/2016	1950	36.158517	-83.212183	CONCRETE	TEE BEAM	63
32I00810016	HAMBLEN	SR160	3.82	181	OPEN	3/3/2016	1968	36.167567	-83.2188	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87.7
32I00810015	HAMBLEN	SR160	3.82	181	OPEN	3/3/2016	1968	36.167633	-83.21865	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	86.7
32SR1600019	HAMBLEN	SR160	7.95	SR 343 & BRANCH	OPEN	3/16/2016	1992	36.193117	-83.279167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
32SR1600020	HAMBLEN	SR160	7.95	SR 343 & BRANCH	OPEN	3/16/2016	1992	36.19285	-83.279167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
32SR1600021	HAMBLEN	SR160	9.56	SOUTHERN RAILWAY	OPEN	3/16/2016	1992	36.188183	-83.3064	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
32SR1600022	HAMBLEN	SR160	9.56	SOUTHERN RAILWAY	OPEN	3/16/2016	1992	36.187917	-83.306278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
32SR1600017	HAMBLEN	SR160	14.54	SOUTHERN RAILWAY	OPEN	3/21/2016	1986	36.1705	-83.3853	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.7
32SR1600018	HAMBLEN	SR160	14.54	SOUTHERN RAILWAY	OPEN	3/21/2016	1992	36.170717	-83.368467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.7
32S23580005	HAMBLEN	SR340	0.29	SOU RWY & BENT CREEK	OPEN	3/22/2016	1984	36.185217	-83.167883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
32S23580003	HAMBLEN	SR340	2.15	HALE BRANCH	WEIGHT POSTED	3/22/2016	1941	36.2059	-83.187833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.4
32S23580001	HAMBLEN	SR340	2.235	BRANCH	WEIGHT POSTED	3/22/2016	1941	36.205967	-83.189333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.1
320A3970001	HAMBLEN	SR344	0.68	FALL CREEK	OPEN	3/22/2016	1987	36.258933	-83.194483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
32SR4740001	HAMBLEN	SR474	1.07	NORFOLK SOU RWY	OPEN	3/21/2016	2004	36.188017	-83.357467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
33S44640001	HAMILTON	00951	0.17	NORTH CHICKAMAUGA CREEK	OPEN	5/3/2017	1983	35.2114	-85.215583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
33004388001	HAMILTON	01126	0.07	SMALL STREAM	OPEN	1/13/2016	1973	35.2037	-85.15315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
33004380005	HAMILTON	01126	4.64	POE BRANCH	OPEN	5/11/2017	1976	35.2481	-85.1786	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
33011260001	HAMILTON	01126	5.03	D587 & SOU RWY	OPEN	5/9/2017	1976	35.252767	-85.180883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.2
33011260019	HAMILTON	01126	5.68	SMALL BRANCH	OPEN	5/9/2017	1940	35.247867	-85.1859	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
33I00750069	HAMILTON	01145	4.25	GEORGETOWN PIKE / I75	OPEN	7/25/2016	1962	35.117617	-85.045283	CONCRETE CONTINUOUS	TEE BEAM	63.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
330E0620001	HAMILTON	01145	5.28	BRANCH	OPEN	2/4/2016	1987	35.104633	-85.04965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
33F00050001	HAMILTON	01147	7.9	FALLING WATER CREEK	OPEN	1/11/2016	1985	35.191683	-85.312267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
33F00250001	HAMILTON	01149	0.01	SODDY CREEK	OPEN	1/14/2016	1938	35.2696	-85.123383	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.8
33F00250003	HAMILTON	01149	3.4	POSSUM CREEK	OPEN	1/14/2016	1938	35.298867	-85.089733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.5
33F00250005	HAMILTON	01149	9.78	BRANCH OF BIG POSSUM CR	OPEN	1/25/2016	1996	35.341017	-85.128383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
33S44470001	HAMILTON	01151	0.79	SALE CREEK	OPEN	1/27/2016	2013	35.393767	-85.097983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
33S44470003	HAMILTON	01151	1.07	BRANCH	OPEN	1/27/2016	1986	35.39235	-85.09425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
33SR0290001	HAMILTON	01406	0.04	STRINGERS BRANCH	OPEN	5/16/2017	1923	35.08445	-85.317267	CONCRETE	TEE BEAM	69.9
33SR0290003	HAMILTON	01406	1.49	STRINGERS BRANCH	OPEN	5/16/2017	1928	35.100983	-85.301767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
33SR0290005	HAMILTON	01406	2.12	STRINGERS BRANCH	OPEN	5/16/2017	1929	35.108733	-85.295533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
33022010007	HAMILTON	01431	1.48	LITTLE WOLFTEVER CREEK	OPEN	2/4/2016	1986	35.078567	-85.033233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
33021560001	HAMILTON	02156	0.43	WOLFTEVER CREEK	OPEN	2/8/2016	1990	35.1341	-85.078	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
33021600001	HAMILTON	02160	0.7	GRASSHOPPER CREEK	OPEN	2/8/2016	1987	35.3134	-85.016967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
33SR0290011	HAMILTON	02162	0.44	FALLING WATER CREEK	OPEN	1/4/2016	1928	35.194417	-85.244583	CONCRETE	TEE BEAM	41.7
33SR0290013	HAMILTON	02162	2.76	CHICKAMAUGA CREEK	OPEN	5/2/2017	1983	35.221683	-85.221567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
33021620005	HAMILTON	02162	3.61	SMALL BRANCH	OPEN	5/2/2017	1929	35.229617	-85.209883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
33SR0290017	HAMILTON	02162	4.46	BRANCH	OPEN	5/2/2017	1930	35.237617	-85.198483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
33021990001	HAMILTON	02199	1.54	BLACK CREEK	OPEN	3/7/2016	1965	35.00525	-85.378133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
33022010001	HAMILTON	02201	1.99	WILKERSON BRANCH	OPEN	2/16/2016	1975	35.051367	-85.0483	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	80.4
33022050001	HAMILTON	02205	3.01	BRANCH	OPEN	2/8/2016	1965	35.119717	-85.0839	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33022050003	HAMILTON	02205	5.89	WOLFTEVER CREEK	OPEN	2/4/2016	2009	35.084717	-85.073617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
33022070001	HAMILTON	02207	4.1	ROGERS BRANCH	OPEN	2/8/2016	1987	35.140483	-85.065933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
33022070003	HAMILTON	02207	5.41	LONG SAVANNAH CREEK	OPEN	2/8/2016	1940	35.157233	-85.060883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.1
33022090001	HAMILTON	02209	2.38	MIDDLE CREEK	OPEN	1/11/2016	1995	35.15215	-85.350067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3
33SR0290025	HAMILTON	02219	0.86	LITTLE SODDY CREEK	OPEN	5/9/2017	1939	35.2877	-85.155533	CONCRETE	FRAME (EXCEPT FRAME CULVERTS)	91.9
33022190001	HAMILTON	02219	2.34	BIG SODDY CREEK	OPEN	1/25/2016	1955	35.30135	-85.1655	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.7
33022190003	HAMILTON	02219	5.13	BRANCH	OPEN	1/25/2016	1984	35.334967	-85.141733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
33022190005	HAMILTON	02219	5.72	BIG POSSUM CREEK	OPEN	1/25/2016	1965	35.34135	-85.13475	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.6
33035460001	HAMILTON	03546	0.43	TN RIVER, A231, & A267	OPEN	2/22/2017	1984	35.054067	-85.303483	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
33SR0580051	HAMILTON	03549	0.085	THIRD ST/ENT RP TO 5395	OPEN	6/12/2017	1971	35.0509	-85.297117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.7
33035490001	HAMILTON	03549	0.5	FAU 3546(GEORGIA AVE)	OPEN	5/10/2017	1971	35.053083	-85.303883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.2
33035520001	HAMILTON	03552	0.97	ABANDONED SPUR LINE	OPEN	5/10/2017	1952	35.04895	-85.293683	CONCRETE	TEE BEAM	74.6
33035520003	HAMILTON	03552	1.54	CITICO YDS & NFA F466	OPEN	5/10/2017	2003	35.045533	-85.284467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.8
33035560004	HAMILTON	03556	0.15	CSX RR & SOUTHERN RR	OPEN	6/13/2017	1954	35.05735	-85.273617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.1
33035560003	HAMILTON	03556	0.15	CSX RR & NORF. SOU. RR	OPEN	6/13/2017	1958	35.0573	-85.273533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.4
33035560007	HAMILTON	03556	3.98	CHICKAMAUGA CREEK	OPEN	6/20/2017	2012	35.048583	-85.2143	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
33035560009	HAMILTON	03556	4.73	ABANDONED SPUR LINE	OPEN	6/26/2017	1959	35.05595	-85.205817	CONCRETE	TEE BEAM	58.4
33035560011	HAMILTON	03556	4.86	CSX RAILROAD	OPEN	6/26/2017	1959	35.0557	-85.203617	CONCRETE	TEE BEAM	59.4
33SR1530013	HAMILTON	03556	5.57	SR 153	OPEN	3/14/2017	1961	35.054233	-85.191033	CONCRETE CONTINUOUS	TEE BEAM	76.1
33SR1530014	HAMILTON	03556	5.57	SR 153	OPEN	3/14/2017	1961	35.054367	-85.191167	CONCRETE CONTINUOUS	TEE BEAM	76.1
33L35660001	HAMILTON	03566	0.75	ABANDONED RR SPUR	OPEN	6/19/2017	1906	35.03965	-85.2982	STEEL	GIRDER AND FLOORBEAM SYSTEM	64.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33035730001	HAMILTON	03573	0.01	SMALL BRANCH	OPEN	5/18/2017	1970	35.017933	-85.280367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
33L35740003	HAMILTON	03574	1.42	CHATTANOOGA CREEK	OPEN	5/18/2017	1972	35.0037	-85.306067	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
33L35780001	HAMILTON	03578	0.58	BRANCH	OPEN	5/18/2017	1970	35.003533	-85.233333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.9
33I00240059	HAMILTON	03578	0.8	S. MOORE RD / I-24	OPEN	10/4/2016	1964	35.006283	-85.2317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.9
33035780003	HAMILTON	03578	0.86	SMALL BRANCH	OPEN	6/13/2017	1960	35.0509	-85.13115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
33S43410009	HAMILTON	03580	0.37	FRIAR BRANCH	OPEN	6/26/2017	2005	35.0534	-85.184367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.4
33S43410011	HAMILTON	03580	1.72	BRANCH	OPEN	6/7/2017	1950	35.045633	-85.163517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
33I00750049	HAMILTON	03580	2.15	SHALLOWFORD RD / I-75	OPEN	7/26/2016	1959	35.042533	-85.156367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
33SR1530030	HAMILTON	03588	4.32	SR 153	OPEN	4/25/2017	1954	35.130983	-85.24475	CONCRETE	TEE BEAM	62.6
33SR1530029	HAMILTON	03588	4.32	SR-153	OPEN	4/25/2017	1954	35.130817	-85.2447	CONCRETE	TEE BEAM	60.6
330D0340001	HAMILTON	03591	1.62	LICK CREEK	OPEN	5/2/2017	1998	35.172083	-85.206733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
33M35940001	HAMILTON	03594	2.19	BRANCH	OPEN	5/17/2017	1970	35.134267	-85.305133	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.4
33M35950001	HAMILTON	03595	0.18	MOUNTAIN CREEK	OPEN	5/17/2017	1992	35.12555	-85.30795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
33S43060001	HAMILTON	03596	0.02	STRINGERS BRANCH	OPEN	5/16/2017	1986	35.094483	-85.307067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
33M35990001	HAMILTON	03599	0.62	NORFOLK SOUTHERN RR	OPEN	6/21/2017	1955	35.0743	-85.253183	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	48.5
33M36000001	HAMILTON	03600	0.85	CHICKAMAUGA CREEK	OPEN	6/21/2017	1987	35.067867	-85.213567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.3
33SR1530015	HAMILTON	03601	0.74	SR 153	OPEN	3/15/2017	1962	35.065083	-85.195217	CONCRETE CONTINUOUS	TEE BEAM	65.5
33036010005	HAMILTON	03601	1.96	BRANCH	OPEN	6/13/2017	1982	35.080833	-85.1863	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.5
33SR1530007	HAMILTON	03602	0.835	SR 153	OPEN	3/15/2017	2016	35.042617	-85.186033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
33036020005	HAMILTON	03602	1.58	FAU 3605 & CSX RR	OPEN	6/13/2017	1969	35.034383	-85.193717	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
33036030001	HAMILTON	03603	2.38	BRANCH	OPEN	6/8/2017	2000	35.04825	-85.165117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33M36030001	HAMILTON	03603	2.67	FRIAR BRANCH	OPEN	6/7/2017	2003	35.052117	-85.163067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
33M36030003	HAMILTON	03603	3.56	POE BRANCH	OPEN	6/8/2017	1940	35.064117	-85.15715	CONCRETE	TEE BEAM	70.7
33M36040001	HAMILTON	03604	0.7	FRIAR BRANCH	CLOSED	10/6/2016	1976	35.05855	-85.170433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	3.4
33036040003	HAMILTON	03604	1.13	POE BRANCH	OPEN	6/8/2017	1984	35.0573	-85.1635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
33M36040005	HAMILTON	03604	1.84	BRANCH	OPEN	6/8/2017	1960	35.053067	-85.152117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.4
330E5060001	HAMILTON	03604	2.174	FRIAR BRANCH	OPEN	3/16/2016	1963	35.051783	-85.146883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6
330E2910001	HAMILTON	03604	2.654	BRANCH	OPEN	6/7/2017	1960	35.052167	-85.141433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
33036040011	HAMILTON	03604	2.924	BRANCH	OPEN	6/7/2017	1982	35.0516	-85.137233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
33S43420001	HAMILTON	03605	2.33	FRIAR BRANCH	OPEN	6/13/2017	1955	35.046733	-85.200933	CONCRETE	TEE BEAM	72
33036070001	HAMILTON	03607	0.845	MACKAY BRANCH	OPEN	6/7/2017	1985	35.023283	-85.13985	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
33M36090001	HAMILTON	03609	1.01	SPRING CREEK	OPEN	6/20/2017	1959	35.002883	-85.219083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77.5
33I00240079	HAMILTON	03609	1.08	SPRING CREEK RD / I-24EB	OPEN	10/3/2016	1959	35.004017	-85.219083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.4
33I00240063	HAMILTON	03609	1.13	SPRING CREEK RD / I-24WB	OPEN	10/3/2016	1959	35.00465	-85.219067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.4
33M36100001	HAMILTON	03610	1.29	SMALL STREAM	OPEN	5/18/2017	2001	35.0017	-85.23025	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.6
33I00240061	HAMILTON	03610	1.58	MCBRIEN RD / I-24	OPEN	10/3/2016	1959	35.004817	-85.227067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.5
33I00240057	HAMILTON	03611	1.01	BELVOIR AVE / I-24	OPEN	10/4/2016	1965	35.010733	-85.243917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.6
33M36140001	HAMILTON	03614	1.21	CHATTANOOGA CREEK	OPEN	5/17/2017	1974	34.994583	-85.302933	CONCRETE	TEE BEAM	63.3
33M36150001	HAMILTON	03615	0.79	CHATTANOOGA CREEK	OPEN	5/17/2017	1962	34.985183	-85.310517	CONCRETE	TEE BEAM	62.1
33SR0290015	HAMILTON	03631	0	SR 29	OPEN	1/10/2017	1977	35.21325	-85.21795	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
33036320001	HAMILTON	03632	2.35	POE BRANCH	OPEN	5/2/2017	1990	35.2383	-85.189267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
33036330021	HAMILTON	03633	0.15	SOUTHERN RAILWAY	OPEN	5/9/2017	1928	35.255767	-85.1799	CONCRETE	TEE BEAM	28.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33036330023	HAMILTON	03633	0.9	BRANCH	OPEN	5/9/2017	1940	35.264733	-85.1749	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
33SR0290027	HAMILTON	03634	0.69	BIG SODDY CREEK	OPEN	5/23/2017	1932	35.296383	-85.149367	CONCRETE	TEE BEAM	69.7
33SR0290029	HAMILTON	03634	0.75	BIG SODDY CREEK OVERFLOW	OPEN	5/23/2017	1932	35.2972	-85.148733	CONCRETE	TEE BEAM	69.7
33040190001	HAMILTON	04019	0.07	STRINGERS BRANCH	OPEN	5/16/2017	1950	35.084633	-85.320183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.9
33040220001	HAMILTON	04022	0.43	BRANCH	OPEN	5/17/2017	1960	34.991017	-85.252433	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.3
330Z0030003	HAMILTON	04125	0.63	BRANCH	OPEN	5/2/2017	1955	35.19005	-85.203033	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68.1
330E0110001	HAMILTON	04132	0.14	WOLFTEVER CREEK	OPEN	5/15/2017	1965	35.053683	-85.043533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
330C8480001	HAMILTON	04133	2.19	NORTH CHICKAMAUGA CREEK	OPEN	5/16/2017	1940	35.129517	-85.215833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.9
330E2720001	HAMILTON	04144	0.1	BRANCH	OPEN	6/7/2017	1981	35.00735	-85.119733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.9
330E0680003	HAMILTON	04145	4.13	WOLFTEVER CREEK	OPEN	6/7/2017	2009	35.084217	-85.072617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
33I00240053	HAMILTON	04148	3.27	S. SEMINOLE DR. / I-24	OPEN	10/5/2016	1963	35.02	-85.26	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86.4
330A7680001	HAMILTON	04150	0.17	CHATTANOOGA CREEK	OPEN	5/18/2017	1985	34.986317	-85.32705	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	62.1
33044170001	HAMILTON	04417	0.82	CSX RR & NORF. SOU. RWY	OPEN	5/11/2017	1994	35.0359	-85.294117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.9
330D1270001	HAMILTON	04427	1.39	BRANCH	OPEN	5/2/2017	1979	35.202183	-85.160117	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	87.1
330C9580001	HAMILTON	04470	1.24	NORTH CHICKAMAUGA CREEK	OPEN	5/3/2017	1955	35.1748	-85.228083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	50.9
330C1810001	HAMILTON	04972	0.47	ROBERT MILL BRANCH	OPEN	5/2/2017	1988	35.198883	-85.250367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
330C1810003	HAMILTON	04972	0.84	ROBERT MILL BRANCH	OPEN	5/2/2017	1997	35.20115	-85.25495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
33011450001	HAMILTON	04975	1.47	SMALL BRANCH	OPEN	2/4/2016	1981	35.1057	-85.052233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
33SR3210001	HAMILTON	04976	0.08	BRANCH	OPEN	5/15/2017	1994	35.063917	-85.073683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
33SR3510005	HAMILTON	04976	1.56	WOLFTEVER CREEK	OPEN	5/15/2017	1994	35.082767	-85.06545	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33I00240051	HAMILTON	04984	3.06	S. CREST / I24 & E. MAIN	OPEN	10/19/2016	1964	35.022267	-85.261283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.3
33I00750001	HAMILTON	04986	1.5	RP FR HAMILTON PL / I75	OPEN	7/14/2016	1987	35.035883	-85.162567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
33049860001	HAMILTON	04986	1.66	BRANCH	OPEN	6/7/2017	1990	35.038017	-85.159567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
330E2780003	HAMILTON	04988	2.115	MACKEY BRANCH	OPEN	6/7/2017	1989	35.021567	-85.142917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
33I00750043	HAMILTON	04988	3.562	FRANKS RD / I-75 & RAMP	OPEN	7/14/2016	2001	35.032583	-85.16725	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
33053950003	HAMILTON	05395	2.31	PEDESTRIAN WALKWAY	OPEN	6/12/2017	2004	35.05655	-85.309933	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.7
33SR0580049	HAMILTON	05395	2.44	RAVINE-WALNUT ST.BRIDGE	OPEN	6/12/2017	1971	35.056333	-85.30815	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
33SR0580007	HAMILTON	05395	2.75	FAU 3546- GEORGIA AVE	OPEN	6/12/2017	1972	35.053317	-85.304317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.5
33SR0580009	HAMILTON	05395	3.05	MABEL ST (NFA A396)	OPEN	6/12/2017	1971	35.051583	-85.2996	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.6
33SR0580053	HAMILTON	05395	3.57	CITICO CREEK	OPEN	6/12/2017	1971	35.052167	-85.290817	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	71
33FA0940003	HAMILTON	05395	6.73	S. CHICKAMAUGA CREEK	OPEN	6/14/2017	1960	35.087317	-85.260767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76
33SR0023001	HAMILTON	05403	1.36	CSX & NORFOLK SOU RR	OPEN	6/12/2017	1996	35.040317	-85.286233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	65.9
33SR0020017	HAMILTON	05404	1.08	CSX & NORFOLK SOU. RR	OPEN	6/14/2017	1999	35.0396	-85.291817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	32.7
33SR0020019	HAMILTON	05404	2.83	SR 2 DODDS AVE	OPEN	6/20/2017	1956	35.0316	-85.264183	STEEL	GIRDER AND FLOORBEAM SYSTEM	64.2
33SR0020020	HAMILTON	05404	2.83	SR 2 - DODDS AVE	OPEN	6/20/2017	1956	35.031783	-85.264133	STEEL	GIRDER AND FLOORBEAM SYSTEM	75.2
330D7920003	HAMILTON	05707	2.56	SALE CREEK	OPEN	1/27/2016	1996	35.37075	-85.07385	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91
330D7920001	HAMILTON	05707	3.119	BRANCH	OPEN	1/27/2016	1940	35.373217	-85.064983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
33022250001	HAMILTON	05709	0.33	HODGETOWN BRANCH	OPEN	1/27/2016	1930	35.381633	-85.10315	CONCRETE	SLAB	69.9
33SR0290019	HAMILTON	05744	0.21	SR 29	OPEN	1/10/2017	1975	35.234917	-85.196633	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
330D6270001	HAMILTON	05744	0.37	POE BRANCH	OPEN	1/13/2016	1999	35.233083	-85.194767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
330F4630001	HAMILTON	05745	0.467	NS SPURLINE (RR)	OPEN	2/22/2016	2011	35.078017	-85.153633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.9
330D7710001	HAMILTON	05778	0.723	ROCK CREEK	OPEN	1/19/2016	1955	35.383133	-85.121117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.9
33021520001	HAMILTON	05781	0.041	JOHNSON BRANCH	OPEN	2/16/2016	1935	34.987767	-85.062867	CONCRETE CONTINUOUS	SLAB	63.4
330E3830001	HAMILTON	05784	1.009	MACKEY BRANCH	OPEN	3/16/2016	1981	35.00365	-85.170117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.8
33100750055	HAMILTON	05788	0.177	175	OPEN	7/12/2016	2004	35.055467	-85.138167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
330E4770001	HAMILTON	05789	0.42	BRANCH	OPEN	3/16/2016	1975	35.0583	-85.144867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
330E3590001	HAMILTON	05794	0.064	MACKEY BRANCH	WEIGHT POSTED	3/16/2016	1981	35.0119	-85.14945	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.9
330A0470001	HAMILTON	0A047	0.178	MOUNTAIN CREEK	OPEN	2/11/2016	1983	35.109183	-85.320933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
330A0650001	HAMILTON	0A065	0.199	MOUNTAIN CREEK	OPEN	2/11/2016	1965	35.1192	-85.312317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
330A1500001	HAMILTON	0A150	0.924	MOUNTAIN CREEK	OPEN	2/11/2016	1970	35.13065	-85.304917	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.4
33SR0580047	HAMILTON	0A342	0.09	HIGH ST / RIVERSIDE DR	OPEN	6/12/2017	1971	35.053883	-85.3056	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.3
330A3940001	HAMILTON	0A394	0.1	HURRICANE CREEK	OPEN	2/16/2016	2009	34.993836	-85.085478	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.9
330A7830001	HAMILTON	0A783	0.1	CITICO CREEK	OPEN	3/7/2016	1930	35.052883	-85.286967	CONCRETE CONTINUOUS	TEE BEAM	52.4
330A7880001	HAMILTON	0A788	0.436	CHATTANOOGA CREEK	OPEN	3/8/2016	1985	34.99035	-85.301383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.6
330B2330001	HAMILTON	0B233	0.253	BRANCH	OPEN	3/9/2016	1925	35.0118	-85.233767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
33100240047	HAMILTON	0B323	0.412	OLD RINGGOLD RD / I-24	OPEN	10/26/2016	1963	35.016767	-85.2692	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.8
330B5600001	HAMILTON	0B560	0.802	BRANCH	OPEN	3/7/2016	1975	35.047817	-85.274317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
330B6210001	HAMILTON	0B621	0.504	FRIAR BRANCH	OPEN	2/22/2016	1963	35.047283	-85.193417	CONCRETE	TEE BEAM	80.7
330B6310001	HAMILTON	0B631	0.132	BRANCH	OPEN	3/8/2016	1962	35.021633	-85.298467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
330B7810001	HAMILTON	0B781	0.421	BRANCH	OPEN	3/9/2016	1965	35.002283	-85.22595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
330B8260001	HAMILTON	0B826	0.608	W CHICKAMAUGA CREEK	OPEN	9/27/2016	1992	34.997567	-85.200283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77.8
330B8890001	HAMILTON	0B889	0.202	SPRING CREEK	OPEN	3/10/2016	1955	34.988833	-85.226267	CONCRETE CONTINUOUS	SLAB	59.1
330B9130001	HAMILTON	0B913	0.562	BRANCH	OPEN	3/10/2016	1998	34.9854	-85.245483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
330B9650001	HAMILTON	0B965	0.029	BRANCH	OPEN	3/10/2016	1965	34.99135	-85.252883	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	84.2
330C1760001	HAMILTON	0C176	1.625	FALLING WATER CREEK	OPEN	1/7/2016	1984	35.19085	-85.268833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
330C1800001	HAMILTON	0C180	0.778	FALLING WATER CREEK	OPEN	1/4/2016	1988	35.1984	-85.254083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
330C2050001	HAMILTON	0C205	0.58	MIDDLE CREEK	OPEN	1/11/2016	1998	35.154533	-85.3422	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	79.6
33M36020001	HAMILTON	0C327	0.73	FRIAR BRANCH	OPEN	6/21/2017	1980	35.062133	-85.17655	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.4
330C4030001	HAMILTON	0C403	0.038	SHOAL CREEK	WEIGHT POSTED	1/11/2016	1977	35.13525	-85.331117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.8
330C5960001	HAMILTON	0C596	0.224	PITTS BRANCH	OPEN	2/18/2016	1950	35.183317	-85.25025	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.2
330C6050001	HAMILTON	0C605	0.426	STRINGERS BRANCH	WEIGHT POSTED	2/18/2016	1940	35.0891	-85.31215	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.6
330C6340001	HAMILTON	0C634	0.218	STRINGERS BRANCH	OPEN	2/18/2016	2004	35.104767	-85.29955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
330C7490001	HAMILTON	0C749	0.008	STRINGERS BRANCH	OPEN	2/18/2016	1940	35.1169	-85.2908	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
330C7750001	HAMILTON	0C775	0.04	STRINGERS BRANCH	OPEN	2/18/2016	1950	35.092867	-85.308683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.2
330C7790001	HAMILTON	0C779	0.059	STRINGERS BRANCH	OPEN	2/18/2016	1960	35.0868	-85.313467	CONCRETE	SLAB	79.5
330C8910003	HAMILTON	0C891	0.813	NINE MILE BRANCH	OPEN	1/4/2016	1992	35.17275	-85.258433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
330C8910001	HAMILTON	0C891	1.662	PITTS BRANCH	OPEN	1/4/2016	1988	35.183933	-85.253883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
330D0310001	HAMILTON	0D031	0.829	NORTH CHICKAMAUGA CREEK	OPEN	2/18/2016	1996	35.146133	-85.22705	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.8
330D1800001	HAMILTON	0D180	0.221	BRANCH	OPEN	1/14/2016	1980	35.214883	-85.1754	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.5
330Z0050001	HAMILTON	0D262	0.051	BRANCH	OPEN	3/16/2016	1983	35.081817	-85.18695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
330Z0090001	HAMILTON	0D274	0.31	BRANCH	OPEN	3/16/2016	1983	35.084233	-85.186617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
330D4560001	HAMILTON	0D456	0.036	SOUTH CHICKAMAUGA CREEK	OPEN	3/10/2016	1998	35.084983	-85.227217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
330D5020003	HAMILTON	0D502	0.242	BRANCH	OPEN	1/27/2016	1930	35.29275	-85.15705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.5
330D5020001	HAMILTON	0D502	0.914	LITTLE SODDY CREEK	OPEN	1/27/2016	1935	35.288683	-85.165017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
330D5100001	HAMILTON	0D510	1.212	LITTLE SODDY CREEK	OPEN	1/27/2016	1930	35.28845	-85.16365	CONCRETE	SLAB	69.4
330D5350001	HAMILTON	0D535	1.645	BRANCH OF POSSUM CREEK	OPEN	1/14/2016	1940	35.308467	-85.105467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.8
33SR1110011	HAMILTON	0D546	3.091	JONES GAP RD. / SR 111	OPEN	2/1/2017	2005	35.344433	-85.183233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.6
330D5700001	HAMILTON	0D570	0.103	POE BRANCH	OPEN	1/27/2016	1990	35.257217	-85.176383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
330D6280001	HAMILTON	0D628	0.19	POE BRANCH	OPEN	1/13/2016	1998	35.213383	-85.2137	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
330D6280003	HAMILTON	0D628	1.893	POE BRANCH	OPEN	1/13/2016	1999	35.232033	-85.196267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
330D8070001	HAMILTON	0D666	0.201	HODGETOWN BRANCH	OPEN	1/27/2016	1986	35.384717	-85.09915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
330D6720001	HAMILTON	0D672	0.212	BACKWATER OF TN. RIVER	OPEN	3/3/2016	1983	35.043883	-85.35065	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.2
330D7270001	HAMILTON	0D727	0.021	BRANCH	WEIGHT POSTED	1/25/2016	1998	35.2813	-85.193967	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	48.6
330D7400001	HAMILTON	0D740	0.082	BRANCH	OPEN	1/19/2016	2000	35.345483	-85.12855	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	78.1
33SR1110001	HAMILTON	0D754	0.114	YOUNG RD. / SR 111	OPEN	2/1/2017	1993	35.340483	-85.2166	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92.6
330D7810003	HAMILTON	0D781	1.81	BRANCH OF SALE CREEK	OPEN	1/14/2016	1986	35.420217	-85.10295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3
330D7810001	HAMILTON	0D781	2.604	SALE CREEK	OPEN	1/14/2016	1955	35.42675	-85.09015	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.1
330D7980001	HAMILTON	0D798	1.216	BRANCH	OPEN	1/14/2016	1986	35.417967	-85.051383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
330D7980003	HAMILTON	0D798	1.843	BRANCH	OPEN	1/14/2016	1950	35.4196	-85.041067	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.4
330D8360001	HAMILTON	0D836	0.017	POSSUM CREEK	OPEN	1/25/2016	1955	35.338733	-85.123567	STEEL	GIRDER AND FLOORBEAM SYSTEM	51.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
330D9330001	HAMILTON	0D933	0.207	BRANCH	OPEN	2/16/2016	2015	35.020683	-85.028183	OTHER	CULVERT (INCLUDES FRAME CULVERTS)	89.3
33022030001	HAMILTON	0D952	3.255	WOLFEVER CREEK	OPEN	2/8/2016	1986	35.052617	-85.01645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
330D9920001	HAMILTON	0D992	1.581	OOLTEWAH CREEK	OPEN	2/8/2016	1986	35.099167	-85.016617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
33022010003	HAMILTON	0E008	0.07	WILKERSON BRANCH	OPEN	2/8/2016	1960	35.053717	-85.049633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
33022010005	HAMILTON	0E008	0.11	WOLFTEVER CREEK	WEIGHT POSTED	2/8/2016	1965	35.0543	-85.049783	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.3
330E0660001	HAMILTON	0E066	0.14	SOUTHERN RAILWAY	OPEN	2/22/2016	1987	35.0711	-85.107767	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.4
330E0730003	HAMILTON	0E073	0.175	WOLFTEVER CREEK	OPEN	2/4/2016	1915	35.07895	-85.0682	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.4
330E1590001	HAMILTON	0E159	2.624	BRANCH	OPEN	2/8/2016	1988	35.2413	-85.009767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
330E1780001	HAMILTON	0E178	0.06	LONG SAVANNAH CREEK	OPEN	2/8/2016	1984	35.2402	-85.010217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
330E1790001	HAMILTON	0E179	0.263	WOLFE BRANCH	OPEN	2/8/2016	1987	35.181783	-85.043217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
330E1790003	HAMILTON	0E179	3.805	SAVANNAH CREEK	OPEN	2/8/2016	2001	35.2249	-85.016383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
330E1890001	HAMILTON	0E189	0.784	ELDRIDGE CREEK	WEIGHT POSTED	2/8/2016	1938	35.3027	-85.048733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.4
330E1940001	HAMILTON	0E194	0.366	VARNELL CREEK	OPEN	2/8/2016	2001	35.143817	-85.0569	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
330E2600001	HAMILTON	0E260	0.101	MACKEY BRANCH	OPEN	2/23/2016	1973	35.0422	-85.121633	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.1
330E2830001	HAMILTON	0E283	0.388	RYALL SPRINGS BRANCH	OPEN	2/22/2016	2004	35.012017	-85.1141	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.9
330Z0080001	HAMILTON	0E464	0.069	MACKEY BRANCH	OPEN	2/23/2016	1975	35.0367	-85.131067	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	81.6
33M36040007	HAMILTON	0E506	0.136	FRIAR BRANCH	OPEN	5/15/2017	1960	35.052317	-85.146617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
33036040009	HAMILTON	0E506	0.316	BRANCH	OPEN	6/7/2017	1960	35.05265	-85.143333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
330E5070001	HAMILTON	0E507	0.179	BRANCH	OPEN	3/16/2016	1972	35.0517	-85.15565	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
330Z0310001	HAMILTON	0E658	0.032	BRANCH	OPEN	3/16/2016	1998	35.072517	-85.190567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
330Z0200001	HAMILTON	0E675	0.09	MOUNTAIN CREEK	OPEN	2/18/2016	1992	35.1338	-85.3033	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	83.9
330F3550001	HAMILTON	0F355	0.14	HURRICANE BRANCH	OPEN	2/23/2016	2008	35.005167	-85.094783	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.1
330F4650001	HAMILTON	0F465	0.28	BLACK CREEK	OPEN	3/7/2016	2000	35.0214	-85.40105	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	76.3
330D6520001	HAMILTON	0G197	0.1	POE BRANCH	OPEN	1/14/2016	1940	35.246683	-85.17985	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
330C9460001	HAMILTON	0G454	1.035	NORTH CHICKAMAUGA CREEK	OPEN	5/3/2017	1951	35.167867	-85.222017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.5
33100240001	HAMILTON	I0024	2.3	BLACK CR & CUMMINGS RD	OPEN	8/2/2016	1964	35.011417	-85.38925	CONCRETE	TEE BEAM	86.7
33100240002	HAMILTON	I0024	2.3	BLACK CR & CUMMINGS RD	OPEN	8/2/2016	1964	35.011533	-85.389583	CONCRETE	TEE BEAM	86.7
33100240003	HAMILTON	I0024	2.9	SR 2	OPEN	8/3/2016	1964	35.018417	-85.383283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
33100240004	HAMILTON	I0024	2.9	SR 2	OPEN	8/3/2016	1964	35.018533	-85.3836	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.6
33100240005	HAMILTON	I0024	3.57	KELLEY'S FERRY RD (C037)	OPEN	8/4/2016	1964	35.02485	-85.374983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83.1
33100240006	HAMILTON	I0024	3.57	KELLEY'S FERRY RD (C037)	OPEN	8/4/2016	1964	35.025083	-85.375217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.6
33100240007	HAMILTON	I0024	4.22	BROWN'S FERRY (FAU 3622)	OPEN	8/4/2016	1964	35.027383	-85.363867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.3
33100240008	HAMILTON	I0024	4.22	BROWNS FERRY RD(FAU 3622)	OPEN	8/4/2016	1964	35.02765	-85.36375	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72
33100240010	HAMILTON	I0024	5.33	LOOKOUT CREEK	OPEN	8/10/2016	1964	35.026683	-85.345117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82.3
33100240009	HAMILTON	I0024	5.33	LOOKOUT CREEK	OPEN	8/10/2016	1964	35.026583	-85.345233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82.3
33100240011	HAMILTON	I0024	6.19	CHATTANOOGA CREEK	OPEN	8/10/2016	1964	35.018683	-85.333567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82.3
33100240012	HAMILTON	I0024	6.19	CHATTANOOGA CREEK	OPEN	8/10/2016	1964	35.0189	-85.333633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82.3
33100240013	HAMILTON	I0024	7.39	I24 EB RP / CSX RR	OPEN	10/12/2016	1964	35.030883	-85.320883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33I00240077	HAMILTON	I0024	7.41	I24 EB / CSX RR	OPEN	10/12/2016	1990	35.0311	-85.321083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92
33I00240014	HAMILTON	I0024	7.41	I24 WB / CSX RR	OPEN	10/18/2016	1990	35.0313	-85.321083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
33I00240015	HAMILTON	I0024	7.52	I24 EB/I24EB RP TO I124N	OPEN	10/25/2016	1990	35.03205	-85.31945	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
33I00240016	HAMILTON	I0024	7.53	I24 WB/I24EB RP TO I124N	OPEN	10/25/2016	1990	35.032233	-85.319183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
33I01240003	HAMILTON	I0024	7.54	I24EB RP/I124RP TO I24E	OPEN	10/25/2016	1962	35.0322	-85.318633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.7
33I00240017	HAMILTON	I0024	7.6	I24 EB RP/A660 CHESTNUT	OPEN	9/7/2016	1961	35.03135	-85.317767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
33I00240082	HAMILTON	I0024	7.61	I24 WB / A660 & CSX RR	OPEN	9/7/2016	1990	35.0322	-85.31735	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.7
33I00240081	HAMILTON	I0024	7.61	I24EB / A660 & CSX RR	OPEN	9/7/2016	1990	35.032017	-85.3175	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
33I00240018	HAMILTON	I0024	7.63	I24 WB RP TO I124N/A660	OPEN	9/7/2016	1961	35.032267	-85.317217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.2
33I00240019	HAMILTON	I0024	7.71	I24 EB RP / ABAND CSX RR	OPEN	9/8/2016	1961	35.03105	-85.3166	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	95.8
33I00240020	HAMILTON	I0024	7.72	I24 WB RP TO I124/CSX RR	OPEN	9/8/2016	1961	35.031733	-85.316183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.6
33I00240022	HAMILTON	I0024	7.73	I24WB RP TO I124NB/SR2	OPEN	9/13/2016	1960	35.031317	-85.315033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77
33I00240021	HAMILTON	I0024	7.78	I24 EB / SR 2 BROAD ST	OPEN	9/13/2016	1960	35.0306	-85.315433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.1
33I00240084	HAMILTON	I0024	7.78	I24 WB / SR2 BROAD ST	OPEN	9/13/2016	1990	35.031133	-85.315283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.9
33I00240024	HAMILTON	I0024	7.86	I24WB RP TO I124N/A643	OPEN	9/14/2016	1960	35.0306	-85.313	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	76
33I00240023	HAMILTON	I0024	7.91	I24EB&WB/A643 WILLIAMS	OPEN	9/13/2016	1960	35.029917	-85.3133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	65
33I00240026	HAMILTON	I0024	7.97	I24 WB RP TO I124N/A642	OPEN	9/14/2016	1960	35.029833	-85.311183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78
33I00240025	HAMILTON	I0024	8.03	I24 EB & WB/A642 LONG ST	OPEN	9/14/2016	1960	35.029217	-85.31155	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79
33I00240028	HAMILTON	I0024	8.06	I24WB RP/SR58 MARKET ST	OPEN	9/15/2016	1960	35.0293	-85.30985	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33I00240027	HAMILTON	I0024	8.1	I24 EB&WB / SR58 MARKET	OPEN	9/19/2016	1960	35.028733	-85.3097	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77
33I00240029	HAMILTON	I0024	8.56	I24 / SOUTHERN RAILWAY	OPEN	9/20/2016	1958	35.025633	-85.303217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.9
33I00240031	HAMILTON	I0024	8.74	I24/I24RP TO CENTRAL AVE	OPEN	9/20/2016	1960	35.024117	-85.300517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	61.6
33I00240033	HAMILTON	I0024	8.94	CANNON AVE (NFA B631)	OPEN	9/20/2016	1962	35.022033	-85.2982	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77
33I00240035	HAMILTON	I0024	9.29	SR 27 (ROSSVILLE BLVD.)	OPEN	9/22/2016	1961	35.018433	-85.293933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.7
33I00240037	HAMILTON	I0024	9.62	HICKORY ST (4981)	OPEN	9/20/2016	1961	35.01845	-85.288067	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.6
33I00240039	HAMILTON	I0024	10.06	4TH AVE. (3572)	OPEN	9/22/2016	1961	35.016433	-85.280733	CONCRETE	TEE BEAM	78
33I00240041	HAMILTON	I0024	10.36	SOU RWY (ABANDONED)	OPEN	9/22/2016	1963	35.014917	-85.27575	CONCRETE	TEE BEAM	61.7
33I00240043	HAMILTON	I0024	10.43	DODDS AVE (FAU 3557)	OPEN	9/22/2016	1963	35.014617	-85.274683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.6
33I00240045	HAMILTON	I0024	10.53	SR 8 (US41) WESTSIDE DR.	OPEN	9/27/2016	1963	35.014367	-85.273083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.7
33I00240050	HAMILTON	I0024	11.07	MISSIONARY RIDGE	OPEN	10/24/2016	1964	35.022317	-85.261133	CONCRETE	TEE BEAM	72
33I00240049	HAMILTON	I0024	11.13	MISSIONARY RIDGE	OPEN	10/25/2016	1965	35.020033	-85.265633	CONCRETE	TEE BEAM	88.1
33I00240055	HAMILTON	I0024	12.08	GERMANTOWN RD (FAU 3577)	OPEN	10/4/2016	1965	35.014317	-85.252167	CONCRETE	TEE BEAM	81.2
33I00240071	HAMILTON	I0024	13.5	SMALL BRANCH	OPEN	10/3/2016	1960	35.005983	-85.228683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
33I00240075	HAMILTON	I0024	13.58	BRANCH	OPEN	10/3/2016	1960	35.003483	-85.227033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	44.1
33I00750009	HAMILTON	I0075	1.17	BIG SPRING CREEK	OPEN	7/19/2016	1959	35.001183	-85.210733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.9
33I00750010	HAMILTON	I0075	1.17	BIG SPRING CREEK	OPEN	7/19/2016	1959	35.001067	-85.211383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.9
33I00750013	HAMILTON	I0075	1.29	I75 NB TO I24 WB	OPEN	7/12/2016	1959	35.002917	-85.212083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	74.7
33I00240067	HAMILTON	I0075	1.38	I-75 / I-24 EB	OPEN	7/12/2016	1959	35.004283	-85.2116	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	76.6
33I00240069	HAMILTON	I0075	1.41	I24 EB TO I75 NB	OPEN	7/12/2016	1959	35.0041	-85.213233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84.9
33I00750019	HAMILTON	I0075	1.91	SOUTH CHICKAMAUGA CREEK	OPEN	7/19/2016	1960	35.007433	-85.202217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33I00750023	HAMILTON	I0075	2.68	CSX RAILROAD	OPEN	7/19/2016	1960	35.011	-85.189367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77
33I00750077	HAMILTON	I0075	3.36	SMALL BRANCH	OPEN	7/19/2016	1960	35.015467	-85.178767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
33I00750027	HAMILTON	I0075	3.43	E.BRAINARD RD (SR 320)	OPEN	7/18/2016	1960	35.016967	-85.17875	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	95
33I00750071	HAMILTON	I0075	3.59	SMALL BRANCH	OPEN	7/18/2016	1960	35.01865	-85.17705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
33I00750029	HAMILTON	I0075	4.08	BRANCH	OPEN	7/14/2016	1959	35.02475	-85.17305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.1
33I00750037	HAMILTON	I0075	4.11	EXIT RP / I75 & SR153 RP	OPEN	7/14/2016	2000	35.02585	-85.1729	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
33I00750047	HAMILTON	I0075	5.28	BRANCH	OPEN	7/25/2016	1960	35.038467	-85.159983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
33I00750051	HAMILTON	I0075	6.41	STANDIFER GAP RD (E506)	OPEN	7/25/2016	2004	35.050217	-85.145617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.3
33I00750053	HAMILTON	I0075	6.68	BRANCH	OPEN	7/12/2016	1960	35.052433	-85.141883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
33I00750059	HAMILTON	I0075	7.45	SR 317 - BONNEY OAKS DR	OPEN	7/13/2016	2004	35.059817	-85.131533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
33I00750060	HAMILTON	I0075	7.45	SR 2 BONNEY OAKS DR	OPEN	7/13/2016	2004	35.059817	-85.131533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
33I00750061	HAMILTON	I0075	8.44	SOUTHERN RR & BRANCH	OPEN	7/19/2016	2004	35.069683	-85.1194	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
33I00750083	HAMILTON	I0075	8.97	I-75	OPEN	7/19/2016	2007	35.073733	-85.1109	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
33I00750063	HAMILTON	I0075	11.3	WOLFTEVER CREEK	OPEN	7/19/2016	2007	35.084317	-85.07285	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75
33I00750065	HAMILTON	I0075	11.57	I-75 / SR-2	OPEN	7/26/2016	2007	35.086033	-85.0683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
33I00750067	HAMILTON	I0075	13.28	BRANCH	OPEN	7/25/2016	1960	35.105267	-85.051483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
33I01240001	HAMILTON	I0124	0.01	I124 RP TO I24 W/CSX RR	OPEN	10/18/2016	1990	35.03155	-85.321033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78
33I01240019	HAMILTON	I0124	0.13	I124SB RP TO I24EB/A660	OPEN	9/8/2016	1961	35.031417	-85.3169	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
33I01240005	HAMILTON	I0124	0.54	20TH ST W. (FAU 5395)	OPEN	8/3/2016	1962	35.036633	-85.319317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33I01240006	HAMILTON	I0124	0.54	19TH ST W. (FAU 5395)	OPEN	8/3/2016	1962	35.0368	-85.319483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
33I01240008	HAMILTON	I0124	0.68	SOUTHERN RAILWAY	OPEN	8/3/2016	1962	35.038633	-85.319133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	58
33I01240007	HAMILTON	I0124	0.68	SOUTHERN RWY	OPEN	8/3/2016	1962	35.038583	-85.318983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	48
33I01240021	HAMILTON	I0124	0.72	SOUTHERN RWY	OPEN	8/3/2016	1962	35.0387	-85.318933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	73
33I01240009	HAMILTON	I0124	0.8	W.MAIN ST (FAU 3553)	OPEN	8/10/2016	1963	35.03965	-85.317533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.7
33I01240010	HAMILTON	I0124	0.8	W.MAIN ST (FAU 3553)	OPEN	8/10/2016	1963	35.03975	-85.317683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.1
33I01240011	HAMILTON	I0124	1.08	W.12TH ST (NFA 410)	OPEN	8/10/2016	1963	35.041667	-85.316683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.3
33I01240012	HAMILTON	I0124	1.08	W.12TH ST (FAU 4425)	OPEN	8/10/2016	1963	35.04265	-85.314617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.4
33I01240013	HAMILTON	I0124	1.34	I-124-RL / W. 9TH ST.	OPEN	8/2/2016	1958	35.04625	-85.313867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	43.4
33I01240014	HAMILTON	I0124	1.34	W. 9TH ST. (FAU 3551)	OPEN	8/2/2016	1958	35.046383	-85.314167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	44.6
33I01240016	HAMILTON	I0124	1.55	W. 6TH ST (FAU 3550)	OPEN	8/2/2016	1958	35.0495	-85.31445	CONCRETE	TEE BEAM	56.1
33I01240015	HAMILTON	I0124	1.55	W. 6TH ST (FAU 3550)	OPEN	8/2/2016	1958	35.049433	-85.314017	CONCRETE	TEE BEAM	69.1
33I01240017	HAMILTON	I0124	1.74	W. 4TH ST (SR 389)	OPEN	8/10/2016	1958	35.05205	-85.313717	CONCRETE	TEE BEAM	47.3
33I01240018	HAMILTON	I0124	1.74	W. 4TH ST (SR 389)	OPEN	8/10/2016	1958	35.05195	-85.313933	CONCRETE	TEE BEAM	52.7
33SR0020001	HAMILTON	SR002	0.82	BLACK CREEK	OPEN	11/16/2016	1935	35.025983	-85.4036	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
33SR0020005	HAMILTON	SR002	3.64	LOOKOUT CREEK	OPEN	11/16/2016	2012	35.021167	-85.358333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
33SR0020007	HAMILTON	SR002	3.86	CSX RAILROAD	OPEN	11/16/2016	1935	35.0211	-85.35385	CONCRETE	TEE BEAM	35.9
33SR0020009	HAMILTON	SR002	4.84	RAVINE -LOOKOUT MOUNTAIN	OPEN	11/17/2016	1935	35.021633	-85.3398	CONCRETE	TEE BEAM	53.2
33SR0020013	HAMILTON	SR002	6.6	CHATTANOOGA CREEK&CSX RR	OPEN	11/17/2016	1968	35.022817	-85.3192	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
33SR0270008	HAMILTON	SR002	8.28	SOUTHERN RWY & CSX RR	OPEN	11/17/2016	1963	35.02625	-85.3029	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.8
33SR0270007	HAMILTON	SR002	8.28	SOUTHERN RWY & CSX RR	OPEN	11/17/2016	1963	35.026083	-85.30295	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.8
33SR0020023	HAMILTON	SR002	14.94	SOUTH CHICKAMAUGA CREEK	OPEN	11/15/2016	1993	35.01415	-85.21065	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33SR0020025	HAMILTON	SR002	16.23	CSX RAILROAD	OPEN	11/15/2016	2012	35.025767	-85.19275	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83
33SR0020027	HAMILTON	SR002	16.95	SR 153	OPEN	11/15/2016	1961	35.031967	-85.182733	CONCRETE CONTINUOUS	TEE BEAM	95.5
33SR0020029	HAMILTON	SR002	23.79	LITTLE OOLTEWAH CREEK	OPEN	11/15/2016	1929	35.087017	-85.0168	CONCRETE	TEE BEAM	52.4
33SR0080001	HAMILTON	SR008	0.46	CHICKAMAUGA CREEK	OPEN	11/15/2016	1976	34.989217	-85.195733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
33I00750003	HAMILTON	SR008	0.95	I75	OPEN	7/11/2016	1959	34.990133	-85.203583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	62.8
33I00750004	HAMILTON	SR008	0.95	I75	OPEN	7/11/2016	1959	34.98995	-85.203467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	62.8
33SR0080003	HAMILTON	SR008	2.01	SPRING CREEK	OPEN	11/15/2016	1930	34.990717	-85.222483	CONCRETE	TEE BEAM	74.5
33SR0080007	HAMILTON	SR008	9.68	TN RIVER & FAU 5395	OPEN	6/4/2017	1917	35.05655	-85.3096	STEEL	MOVABLE - BASCULE	31.5
33SR0080013	HAMILTON	SR008	11.35	NFA A029 & SOU RR	OPEN	11/14/2016	1958	35.075717	-85.322083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.4
33SR0080011	HAMILTON	SR008	11.46	SOUTHERN RAILWAY	OPEN	11/14/2016	1922	35.077417	-85.32045	CONCRETE	TEE BEAM	46.4
33SR0080019	HAMILTON	SR008	12.55	STRINGERS BRANCH	OPEN	11/14/2016	1926	35.086733	-85.327283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
33SR0080021	HAMILTON	SR008	13.47	MOUNTAIN CREEK	OPEN	11/14/2016	1936	35.09795	-85.327967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
33SR0080025	HAMILTON	SR008	16.29	SHOAL CREEK	OPEN	11/14/2016	1940	35.117133	-85.354033	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	76.8
33SR0170001	HAMILTON	SR017	0.09	MOUNTAIN STREAM	OPEN	11/16/2016	2012	34.98515	-85.332683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
33SR0580011	HAMILTON	SR017	8.05	CSX RAILROAD	OPEN	11/21/2016	1928	35.079883	-85.221483	CONCRETE	TEE BEAM	70.2
33SR0580013	HAMILTON	SR017	8.2	CHICKAMAUGA CREEK	OPEN	11/22/2016	1929	35.080117	-85.2189	STEEL	TRUSS - THRU	57.5
33SR0270001	HAMILTON	SR027	1.09	MIDDLE CREEK	OPEN	11/14/2016	1977	35.1173	-85.374617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
33SR0270003	HAMILTON	SR027	1.96	SHOAL CREEK	OPEN	11/14/2016	1977	35.108733	-85.363183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
33FA0271001	HAMILTON	SR029	0	TN R/SOURR/FAU 5395&3619	OPEN	3/15/2017	1955	35.0548	-85.315217	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	73
33FA0271003	HAMILTON	SR029	0.675	SOU RWY & NFA A016	OPEN	12/22/2016	2014	35.064333	-85.317967	CONCRETE CONTINUOUS	TEE BEAM	97.2
33FA0271005	HAMILTON	SR029	0.765	MANNING STREET (FAU 3624)	OPEN	12/22/2016	2014	35.065933	-85.3188	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2
33FA0271007	HAMILTON	SR029	1.55	E.ELMWOOD & RR (A029)	OPEN	12/22/2016	2014	35.0768	-85.321683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33FA0271010	HAMILTON	SR029	1.63	SR-8 RAMP	OPEN	12/22/2016	2014	35.0767	-85.323183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5
33FA0271009	HAMILTON	SR029	1.645	SR8 SB RP TO SR29	OPEN	12/22/2016	2014	35.07675	-85.321733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	73.6
33FA0271011	HAMILTON	SR029	2.05	SR-29 EX RP / SR-8	OPEN	12/15/2016	2013	35.08425	-85.321533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	98.9
33FA0271015	HAMILTON	SR029	2.12	SR 8 SIGNAL MTN.BLVD.	OPEN	12/15/2016	1962	35.0847	-85.323267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.9
33SR0290103	HAMILTON	SR029	2.23	STRINGERS BRANCH	OPEN	12/22/2016	1960	35.086133	-85.322017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
33SR0290076	HAMILTON	SR029	5.19	SR-29 SB / FAU 3595	OPEN	1/9/2017	1987	35.122017	-85.297167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
33SR0290075	HAMILTON	SR029	5.19	SR-29 NB / FAU 3595	OPEN	1/9/2017	1987	35.121867	-85.296917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
33SR0290078	HAMILTON	SR029	5.48	SR 29 / NFA A150	OPEN	1/9/2017	1987	35.12585	-85.294733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
33SR0290077	HAMILTON	SR029	5.48	SR 29 / NFA A150	OPEN	1/9/2017	1987	35.125367	-85.294533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
33SR0290080	HAMILTON	SR029	7.8	SR 29 / FAU 3594	OPEN	1/9/2017	1987	35.15755	-85.285533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
33SR0290079	HAMILTON	SR029	7.8	SR 29 / FAU 4034	OPEN	1/9/2017	1987	35.157467	-85.285233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
33SR0290082	HAMILTON	SR029	8.47	SR 29 / NFA C592	OPEN	1/11/2017	1987	35.166817	-85.282633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
33SR0290081	HAMILTON	SR029	8.47	SR 29 / NFA C592	OPEN	1/11/2017	1987	35.166733	-85.282367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
33SR0290084	HAMILTON	SR029	8.84	SR 29 / NFA C593	OPEN	1/11/2017	1987	35.171517	-85.279317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
33SR0290083	HAMILTON	SR029	8.84	SR 29 / NFA C593	OPEN	1/11/2017	1987	35.171367	-85.279067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
33SR0290085	HAMILTON	SR029	9.35	SR 29 / NFA C177	OPEN	1/10/2017	1987	35.177167	-85.27335	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.6
33SR0290086	HAMILTON	SR029	9.35	SR 29 / NFA C177	OPEN	1/10/2017	1987	35.177367	-85.273567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
33SR0290088	HAMILTON	SR029	9.67	SR 29 / NFA C176	OPEN	1/10/2017	1988	35.179617	-85.2687	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
33SR0290087	HAMILTON	SR029	9.67	SR 29 / NFA C176	OPEN	1/10/2017	1988	35.179417	-85.268567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33SR0290099	HAMILTON	SR029	10.46	PITTS BRANCH	OPEN	1/11/2017	1988	35.1841	-85.2556	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.7
33SR0290090	HAMILTON	SR029	10.56	SR 29 / NFA C891	OPEN	1/10/2017	1988	35.185	-85.25415	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
33SR0290089	HAMILTON	SR029	10.56	SR 29 / NFA C891	OPEN	1/10/2017	1988	35.184683	-85.2542	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
33SR0290044	HAMILTON	SR029	11.04	FAU 2162	OPEN	1/9/2017	1977	35.1881	-85.246583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
33SR0290043	HAMILTON	SR029	11.04	SR 153	OPEN	1/9/2017	1977	35.187817	-85.2466	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
33SR0290063	HAMILTON	SR029	11.35	FALLING WATER CREEK	OPEN	1/10/2017	1977	35.19025	-85.242033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
33SR0290065	HAMILTON	SR029	11.86	OVERFLOW	OPEN	1/10/2017	1977	35.1962	-85.23675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
33SR0290070	HAMILTON	SR029	13.56	N. CHICKAMAUGA CREEK	OPEN	1/10/2017	1975	35.21435	-85.2166	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
33SR0290069	HAMILTON	SR029	13.56	N. CHICKAMAUGA CREEK	OPEN	1/10/2017	1975	35.214183	-85.216333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.1
33SR0290105	HAMILTON	SR029	15.25	SR-29 RAMP / POE BRANCH	OPEN	1/10/2017	1999	35.2325	-85.195767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6
33SR0290046	HAMILTON	SR029	15.89	FAU 3632/SOU RR/ POE BR	OPEN	1/10/2017	1975	35.23915	-85.1888	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
33SR0290045	HAMILTON	SR029	15.89	FAU3632/SOU RR/ POE BR	OPEN	1/10/2017	1975	35.23885	-85.189067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
33SR0290047	HAMILTON	SR029	16.38	POE BRANCH	OPEN	1/10/2017	1975	35.243133	-85.182433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
33SR0290049	HAMILTON	SR029	16.66	NFA G197 & TVA RR	OPEN	1/9/2017	1976	35.246717	-85.1801	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
33SR0290050	HAMILTON	SR029	16.66	NFA G197 & TVA RR	OPEN	1/9/2017	1976	35.246867	-85.18035	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
33SR0290052	HAMILTON	SR029	16.78	FAU 1126 SEQUOYAH ROAD	OPEN	1/9/2017	1976	35.2486	-85.179033	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
33SR0290051	HAMILTON	SR029	16.78	FAU 1126 SEQUOYAH ROAD	OPEN	1/9/2017	1976	35.2483	-85.178917	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.5
33SR0290053	HAMILTON	SR029	16.86	POE BRANCH	OPEN	1/9/2017	1976	35.249317	-85.17775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
33SR0290055	HAMILTON	SR029	16.95	POE BRANCH	OPEN	1/9/2017	1976	35.250817	-85.176567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33SR0290057	HAMILTON	SR029	17.12	POE BRANCH	OPEN	2/13/2017	1976	35.252333	-85.176217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
33SR0290059	HAMILTON	SR029	17.29	NFA D570 CARD RD	OPEN	2/13/2017	1976	35.254567	-85.1743	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7
33SR0290060	HAMILTON	SR029	17.29	NFA D570 CARD RD	OPEN	2/13/2017	1976	35.25475	-85.1746	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7
33SR0290071	HAMILTON	SR029	19.685	FAU 4463	OPEN	2/15/2017	1984	35.28385	-85.15255	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.2
33SR0290073	HAMILTON	SR029	19.93	SODDY CREEK	OPEN	2/15/2017	1984	35.287667	-85.152033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.2
33SR0290091	HAMILTON	SR029	20.39	SR-29 / OLD DAYTON PK	OPEN	2/15/2017	1993	35.294017	-85.151133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.2
33SR0290093	HAMILTON	SR029	20.58	BIG SODDY CREEK	OPEN	2/13/2017	1991	35.296967	-85.1511	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57
33SR0290031	HAMILTON	SR029	23.57	LITTLE OPOSSUM CREEK	OPEN	2/1/2017	1992	35.335567	-85.129383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
33SR0290101	HAMILTON	SR029	23.64	OVERFLOW	OPEN	2/1/2017	1992	35.3366	-85.129133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
33SR0290034	HAMILTON	SR029	23.71	BIG OPOSSUM CREEK	OPEN	2/14/2017	1992	35.337567	-85.129367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
33SR0290033	HAMILTON	SR029	23.71	BIG OPOSSUM CREEK	OPEN	2/14/2017	1992	35.3376	-85.129133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
33SR0290035	HAMILTON	SR029	24.14	SMALL BRANCH	OPEN	2/1/2017	1992	35.3437	-85.127967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
33SR0290037	HAMILTON	SR029	26.41	HODGETOWN BRANCH	OPEN	2/1/2017	1992	35.3743	-85.113117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
33SR0290039	HAMILTON	SR029	27.28	ROCK CREEK	OPEN	2/1/2017	1993	35.385967	-85.108017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.9
33SR0290041	HAMILTON	SR029	28.26	SALE CREEK	OPEN	2/1/2017	1992	35.39965	-85.10415	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
33SR0380003	HAMILTON	SR038	2.26	BLACK CREEK	OPEN	11/16/2016	1933	35.0112	-85.388767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60
33SR0580003	HAMILTON	SR058	3.36	CSX RAILROAD	OPEN	3/8/2017	1920	35.015033	-85.3143	CONCRETE CONTINUOUS	SLAB	49
33SR0580005	HAMILTON	SR058	3.83	CHATTANOOGA CR & CSX RR	OPEN	3/8/2017	1968	35.0213	-85.31125	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.5
33SR0580021	HAMILTON	SR058	8.15	BRANCH	OPEN	3/8/2017	1940	35.106367	-85.151933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
33SR0580023	HAMILTON	SR058	10.39	HARRISON CREEK	OPEN	3/2/2017	1938	35.125933	-85.125533	CONCRETE	TEE BEAM	69.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33SR0580025	HAMILTON	SR058	12.32	WOLFTEVER CREEK	OPEN	3/2/2017	1930	35.148283	-85.109367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.2
33SR0580026	HAMILTON	SR058	12.32	WOLFTEVER CREEK	OPEN	3/2/2017	1983	35.148367	-85.109567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
33SR0580031	HAMILTON	SR058	15.65	BRANCH	OPEN	3/2/2017	1938	35.1799	-85.068567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
33SR0580033	HAMILTON	SR058	16.79	BRANCH	OPEN	3/2/2017	1938	35.1892	-85.05175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
33SR0580035	HAMILTON	SR058	17.05	WOLF CREEK	OPEN	3/2/2017	1938	35.191817	-85.048767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
33SR0580037	HAMILTON	SR058	19.96	SAVANNAH CREEK	OPEN	3/2/2017	1938	35.22755	-85.021383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.3
33SR0580039	HAMILTON	SR058	22.35	BRANCH	OPEN	3/2/2017	1938	35.256233	-84.997783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.1
33SR0580041	HAMILTON	SR058	25.44	BRANCH	OPEN	3/2/2017	1938	35.292817	-84.966317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
33SR0580043	HAMILTON	SR058	25.6	BRANCH	OPEN	3/2/2017	1938	35.294967	-84.964617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.3
33SR0600001	HAMILTON	SR060	0.44	BRANCH	OPEN	3/2/2017	2012	35.3041	-84.9635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
33SR0290095	HAMILTON	SR111	0.02	SR 29	OPEN	2/1/2017	1991	35.299817	-85.150383	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.5
33SR0290097	HAMILTON	SR111	0.15	SR 29 SBL	OPEN	2/1/2017	1991	35.301483	-85.1507	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.7
33SR1110003	HAMILTON	SR111	0.88	NFA 2219-BLACK VALLEY RD	OPEN	2/1/2017	1992	35.30455	-85.162367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.3
33SR1110005	HAMILTON	SR111	0.97	SOUTHERN RAILWAY	OPEN	2/1/2017	1992	35.305517	-85.16355	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.3
33SR1110009	HAMILTON	SR111	5.76	BOARD CAMP CREEK	OPEN	2/1/2017	1993	35.3393	-85.204283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
33SR1480001	HAMILTON	SR148	1	BRANCH	OPEN	11/16/2016	2004	34.994367	-85.351083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.6
33SR1480003	HAMILTON	SR148	2.47	INCLINE TRAM	OPEN	11/16/2016	1970	35.0075	-85.3378	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.4
33I00750081	HAMILTON	SR153	0.11	SR153 / I75 SB EXIT RAMP	OPEN	7/14/2016	2000	35.0247	-85.1745	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
33I00750039	HAMILTON	SR153	0.24	I-75 & RAMP NM	OPEN	7/14/2016	2000	35.028233	-85.17125	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33SR1530003	HAMILTON	SR153	0.45	HICKORY VALLEY ROAD	OPEN	3/13/2017	1959	35.0286	-85.175617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.5
33SR1530004	HAMILTON	SR153	0.45	HICKORY VALLEY ROAD	OPEN	3/13/2017	1959	35.027833	-85.17615	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.3
33SR1530009	HAMILTON	SR153	2.13	FRIAR BRANCH	OPEN	3/14/2017	1962	35.048883	-85.188583	CONCRETE	TEE BEAM	96.9
33SR1530017	HAMILTON	SR153	3.59	SOU RWY & CSX RR	OPEN	4/12/2017	1962	35.06925	-85.19645	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
33SR0022019	HAMILTON	SR153	4.01	SR 317	OPEN	4/12/2017	1961	35.074783	-85.198717	CONCRETE CONTINUOUS	TEE BEAM	92.7
33SR0580017	HAMILTON	SR153	4.68	SR 58	OPEN	4/12/2017	1954	35.08275	-85.206133	CONCRETE	TEE BEAM	94.5
33SR1530025	HAMILTON	SR153	7.75	SOUTHERN RAILWAY	OPEN	4/12/2017	1954	35.11755	-85.233817	CONCRETE	TEE BEAM	81.2
33SR0290007	HAMILTON	SR153	12.23	FAU 1406	OPEN	3/13/2017	1959	35.179033	-85.2476	CONCRETE CONTINUOUS	TEE BEAM	64.2
33SR0290010	HAMILTON	SR153	12.56	PITTS BRANCH	OPEN	4/20/2017	1928	35.183733	-85.246617	CONCRETE	TEE BEAM	70.6
33SR0290009	HAMILTON	SR153	12.56	PITTS BRANCH	OPEN	4/20/2017	1954	35.1838	-85.246433	CONCRETE	TEE BEAM	73.9
33S42690005	HAMILTON	SR312	1.89	PENNY CREEK	OPEN	12/7/2016	1994	35.3319	-85.01015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
33S42690003	HAMILTON	SR312	3.33	GRASSHOPPER CREEK	OPEN	12/7/2016	1996	35.3162	-85.02645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
33S42690001	HAMILTON	SR312	8.71	NORMAN BRANCH	OPEN	12/7/2016	1940	35.251417	-85.06755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
33S43080001	HAMILTON	SR312	15.68	OVERFLOW	OPEN	12/7/2016	1964	35.177117	-85.037983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
33S43080003	HAMILTON	SR312	15.71	LONG SAVANNAH CREEK	OPEN	12/7/2016	1951	35.177167	-85.037483	CONCRETE CONTINUOUS	SLAB	65.5
33F01340005	HAMILTON	SR312	17.02	TALIFERRO BRANCH	OPEN	12/7/2016	1954	35.169633	-85.0172	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
33SR3170005	HAMILTON	SR317	1.32	BRANCH	OPEN	12/8/2016	1998	35.073333	-85.190033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
33SR0022003	HAMILTON	SR317	3.75	POE BRANCH	OPEN	12/8/2016	1930	35.069117	-85.1485	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
33SR0022007	HAMILTON	SR317	4.48	FRIAR BRANCH	OPEN	12/8/2016	1940	35.0627	-85.139067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
33SR3170001	HAMILTON	SR317	7.1	RAILROAD	OPEN	12/28/2016	2012	35.0775	-85.323433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
33S43430005	HAMILTON	SR317	7.415	BRANCH	OPEN	12/15/2016	1996	35.060817	-85.070217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
33S43430003	HAMILTON	SR317	8.76	WILKERSON CREEK	OPEN	12/15/2016	2001	35.05305	-85.0495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
33S43430001	HAMILTON	SR317	9.67	CHESTNUT CREEK	OPEN	12/15/2016	1940	35.047217	-85.036583	CONCRETE	ARCH - DECK	67.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33SR0580020	HAMILTON	SR319	0	SR 58 WB / SR 153	OPEN	4/4/2017	1963	35.09045	-85.218533	CONCRETE CONTINUOUS	TEE BEAM	33
33SR0580019	HAMILTON	SR319	0	SR 58 EB / SR 153	OPEN	4/4/2017	1963	35.090367	-85.218367	CONCRETE CONTINUOUS	TEE BEAM	33
33SR0580045	HAMILTON	SR319	1.98	FAU 5395	OPEN	4/4/2017	1981	35.094633	-85.24915	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68
33006030003	HAMILTON	SR319	2.1	SOUTHERN RAILWAY	OPEN	4/4/2017	1981	35.096467	-85.250317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
33006030001	HAMILTON	SR319	2.22	TENNESSEE RIVER	OPEN	4/10/2017	1976	35.097867	-85.251317	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.7
33006030015	HAMILTON	SR319	2.67	SOUTHERN RAILWAY	OPEN	4/11/2017	1978	35.103867	-85.254667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
33006030017	HAMILTON	SR319	3.26	FAU 3542	OPEN	4/11/2017	1978	35.111717	-85.250967	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.9
33006030019	HAMILTON	SR319	3.63	FAU 3588 & E697	OPEN	4/11/2017	1981	35.116783	-85.248483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.3
33006030021	HAMILTON	SR319	4.11	BRANCH	OPEN	4/11/2017	1981	35.119417	-85.241033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
33S43060009	HAMILTON	SR319	5.19	SOUTHERN RAILWAY	OPEN	4/19/2017	1936	35.139417	-85.2339	CONCRETE	TEE BEAM	79.2
33S43060011	HAMILTON	SR319	6.29	NORTH CHICKAMAUGA CREEK	OPEN	4/19/2017	1955	35.1491	-85.219117	CONCRETE	TEE BEAM	86.8
33SR3190001	HAMILTON	SR319	6.95	ROGERS BRANCH	OPEN	4/19/2017	2003	35.1503	-85.210183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
33S43060005	HAMILTON	SR319	11.97	BRANCH	OPEN	4/19/2017	1985	35.200967	-85.1577	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
33S43060007	HAMILTON	SR319	12.3	BRANCH	OPEN	4/19/2017	1985	35.202933	-85.152567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
33SR0290061	HAMILTON	SR319	21.26	SR 319 / SR 29	OPEN	2/15/2017	1978	35.276967	-85.1552	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.7
33S43070001	HAMILTON	SR320	0.86	CSX RAILROAD	OPEN	3/8/2017	1936	35.018333	-85.192267	CONCRETE	TEE BEAM	46.6
33S43070003	HAMILTON	SR320	1.74	SMALL STREAM	OPEN	3/8/2017	1965	35.017083	-85.17795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
33S43070005	HAMILTON	SR320	3.47	MACKAY BRANCH	OPEN	3/8/2017	1992	35.007217	-85.15355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
33S43070007	HAMILTON	SR320	7.24	HURRICANE CREEK	OPEN	3/8/2017	1970	35.000083	-85.095583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
33S44270009	HAMILTON	SR321	0.32	JOHNSON BRANCH	OPEN	12/15/2016	1930	34.991083	-85.096517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.3
33011430003	HAMILTON	SR321	1.58	HURRICANE CREEK	OPEN	12/15/2016	1990	35.008583	-85.090633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
33011430005	HAMILTON	SR321	5.55	WOLFTEVER CREEK	OPEN	12/15/2016	1998	35.061583	-85.066317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.3
33011430009	HAMILTON	SR321	6.77	LITTLE WOLFTEVER CREEK	OPEN	12/15/2016	1936	35.07835	-85.05985	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.2
34S23520001	HANCOCK	01332	1.99	MULBERRY CREEK	OPEN	8/13/2015	1952	36.538483	-83.3646	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.1
34F00040001	HANCOCK	01334	2.44	BIG CREEK	OPEN	8/10/2015	1996	36.462633	-83.33285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
34F00040003	HANCOCK	01334	4.93	SWAN CREEK	OPEN	8/10/2015	1992	36.47695	-83.297267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
34013340005	HANCOCK	01334	7.66	BRIAR CREEK	OPEN	8/10/2015	1987	36.499483	-83.257533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
34S25980001	HANCOCK	01343	0.06	POWELL RIVER	OPEN	8/13/2015	1968	36.55595	-83.37955	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	70.5
34S25980003	HANCOCK	01343	3.37	FOUR MILE CREEK	OPEN	8/13/2015	1984	36.5905	-83.4067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
34025460001	HANCOCK	02546	1.26	BIG WAR CREEK	OPEN	8/5/2015	1946	36.423133	-83.329233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.8
34025460003	HANCOCK	02546	6.96	BIG WAR CREEK	OPEN	10/10/2016	2016	36.454817	-83.241233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.9
34026100001	HANCOCK	02610	1.85	TURKEY CREEK	OPEN	8/11/2015	1984	36.549333	-83.06895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
34026100003	HANCOCK	02610	6.47	RICHARDSON CREEK	OPEN	8/11/2015	1987	36.524817	-83.127	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
34S24990001	HANCOCK	02612	5.35	VALLEY BRANCH	OPEN	8/12/2015	1984	36.567767	-82.981267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
34026120005	HANCOCK	02612	8.68	WAR CREEK	OPEN	8/12/2015	1984	36.572433	-82.939683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
34026200001	HANCOCK	02620	2.12	FOUR MILE CREEK	OPEN	8/13/2015	1970	36.5794	-83.367417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
34026200003	HANCOCK	02620	4.7	MARTIN CREEK	OPEN	8/13/2015	1970	36.588183	-83.3343	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	86.6
340A0550001	HANCOCK	0A055	2.336	MULBERRY CREEK	OPEN	8/13/2015	1984	36.56135	-83.301333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
340A0650001	HANCOCK	0A065	0.077	BLACKWATER CREEK	OPEN	8/11/2015	2005	36.583617	-83.1646	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99
340A0820001	HANCOCK	0A082	0.141	N FORK CLINCH RIVER	OPEN	8/12/2015	1993	36.584617	-83.010067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
340A0870001	HANCOCK	0A087	0.013	CLINCH RIVER	OPEN	8/12/2015	1975	36.5725	-82.9359	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.3
340A0910001	HANCOCK	0A091	0.61	WAR CREEK	OPEN	8/12/2015	1995	36.567567	-82.941583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
340A1590001	HANCOCK	0A095	2.739	BIG WAR CREEK	OPEN	8/5/2015	1999	36.426417	-83.347433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
340A0970001	HANCOCK	0A097	2.344	BLACKWATER CREEK	OPEN	8/11/2015	1990	36.545433	-83.09795	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
340A0990001	HANCOCK	0A099	0.027	GREASY ROCK CREEK	OPEN	8/10/2015	1999	36.517083	-83.2159	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
340A0990003	HANCOCK	0A099	3.451	PANTHER CREEK	OPEN	8/11/2015	1986	36.528217	-83.156667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.2
340A1040001	HANCOCK	0A104	1.842	PANTHER CREEK	OPEN	8/11/2015	2010	36.54395	-83.152333	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
340A1340001	HANCOCK	0A134	1.113	BIG WAR CREEK	OPEN	8/10/2015	1997	36.45695	-83.20565	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.8
340A1350003	HANCOCK	0A135	0.51	BIG WAR CREEK	OPEN	8/10/2015	2001	36.460383	-83.185733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
340A1350001	HANCOCK	0A135	0.7	BIG WAR CREEK	OPEN	8/10/2015	2012	36.461917	-83.188467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
340A1450001	HANCOCK	0A145	1.808	BIG WAR CREEK	OPEN	8/5/2015	1994	36.431933	-83.2728	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
340A1480001	HANCOCK	0A148	0.047	BIG WAR CREEK	OPEN	8/5/2015	1998	36.42455	-83.302083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
340A1690001	HANCOCK	0A169	0.261	DUCK CREEK	OPEN	8/10/2015	1986	36.501067	-83.244583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
340A1840001	HANCOCK	0A184	0.014	BRANCH BIG CREEK	OPEN	8/10/2015	1978	36.476833	-83.348517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
340A1920001	HANCOCK	0A192	0.142	MARTIN CREEK	WEIGHT POSTED	8/13/2015	1960	36.5911	-83.334967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.6
340A1950001	HANCOCK	0A195	0.254	GREASY ROCK CREEK	OPEN	8/10/2015	1984	36.5299	-83.219783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
340A0340001	HANCOCK	0A234	1.592	MULBERRY CREEK	OPEN	8/13/2015	1970	36.548683	-83.376567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
340A2400001	HANCOCK	0A240	0.3	RICHARDSON CREEK	OPEN	8/11/2015	2003	36.535483	-83.128467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.8
340A2450001	HANCOCK	0A245	0.08	WAR CREEK	OPEN	8/5/2015	2007	36.42425	-83.31525	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
340A0940001	HANCOCK	0A710	0.523	WAR CREEK	OPEN	8/12/2015	1992	36.55355	-82.948533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
34SR0310009	HANCOCK	SR031	3.68	WILDER BRANCH	OPEN	6/29/2016	2000	36.4494	-83.23415	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.5
34SR0310001	HANCOCK	SR031	4.38	BIG WAR CREEK	OPEN	6/29/2016	1999	36.457567	-83.2388	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.5
34SR0310003	HANCOCK	SR031	5	STONE FORD CREEK	OPEN	6/29/2016	1959	36.4659	-83.242833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
34SR0310005	HANCOCK	SR031	7.78	BRANCH	OPEN	6/29/2016	1989	36.498583	-83.236533	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.5
34SR0310007	HANCOCK	SR031	8	DUCK CREEK	OPEN	6/29/2016	1989	36.501767	-83.2375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
34SR0330001	HANCOCK	SR033	3.03	BRANCH	OPEN	6/28/2016	1986	36.492083	-83.335467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
34SR0330003	HANCOCK	SR033	4.68	SWAN CREEK	OPEN	6/28/2016	1986	36.5002	-83.312617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
34SR0330015	HANCOCK	SR033	7	BRANCH	OPEN	6/28/2016	1970	36.505183	-83.27535	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	92.7
34SR0330005	HANCOCK	SR033	7.73	BRIAR CREEK	OPEN	6/28/2016	2001	36.506117	-83.263667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
34SR0330007	HANCOCK	SR033	11.77	GREASY ROCK CREEK	OPEN	6/28/2016	1936	36.5282	-83.219367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	30.5
34SR0330009	HANCOCK	SR033	12.29	BRANCH	OPEN	6/28/2016	1986	36.533733	-83.21325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
34SR0330011	HANCOCK	SR033	15.9	EAST FORK CREEK	OPEN	6/28/2016	1973	36.555817	-83.158167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
34SR0330017	HANCOCK	SR033	21.05	FOX BRANCH	OPEN	7/5/2016	2014	36.562325	-83.0836	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
34SR0330013	HANCOCK	SR033	21.66	BLACKWATER CREEK	OPEN	7/5/2016	1938	36.564883	-83.073367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.8
34S25920001	HANCOCK	SR063	2.08	MULBERRY CREEK	OPEN	7/6/2016	1985	36.55505	-83.38075	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
34S23520003	HANCOCK	SR063	4.36	MULBERRY CREEK	OPEN	7/6/2016	1997	36.538633	-83.357317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
34S23520005	HANCOCK	SR063	5.58	MULBERRY CREEK	OPEN	7/6/2016	1959	36.547067	-83.3388	CONCRETE	TEE BEAM	89.1
34S23520007	HANCOCK	SR063	7.73	MULBERRY CREEK	OPEN	7/6/2016	1977	36.55895	-83.30655	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.4
34S23520009	HANCOCK	SR063	8.44	MULBERRY CREEK	OPEN	7/6/2016	1977	36.564117	-83.295517	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	79.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
34S23610003	HANCOCK	SR063	10.97	MULBERRY CREEK	OPEN	7/6/2016	1960	36.576417	-83.2552	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
34S23610001	HANCOCK	SR063	12.47	BLACKWATER CREEK	OPEN	7/6/2016	1960	36.558783	-83.243533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
34SR0660001	HANCOCK	SR066	6.47	CLINCH RIVER	OPEN	7/6/2016	1999	36.516717	-83.216183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	83.6
34SR0700001	HANCOCK	SR070	1.635	CLINCH RIVER	OPEN	7/5/2016	2015	36.569083	-83.040733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
34SR0700003	HANCOCK	SR070	4.09	BLACKWATER CREEK	OPEN	7/5/2016	1992	36.591667	-83.0698	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
35F00270001	HARDEMAN	00840	0.41	LITTLE CREEK	OPEN	8/22/2016	1960	35.344139	-89.178861	CONCRETE	CHANNEL BEAM	59
35S82520001	HARDEMAN	00863	0.87	DRY CREEK	OPEN	8/22/2016	1968	35.063528	-89.088667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.8
35S82520003	HARDEMAN	00863	3.69	SPRING CREEK	OPEN	8/22/2016	1970	35.101694	-89.082611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.8
35S82520007	HARDEMAN	00863	4.7	CASH CREEK	OPEN	8/22/2016	1962	35.115444	-89.085889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
35S82520009	HARDEMAN	00863	8.49	MARSHALL CREEK	OPEN	8/18/2016	1972	35.16175	-89.0665	CONCRETE	CHANNEL BEAM	79.9
35S82520011	HARDEMAN	00863	11.13	HAMER CREEK	OPEN	8/18/2016	2009	35.196983	-89.058033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
35S82320001	HARDEMAN	00865	13.07	SPRING CREEK	OPEN	8/24/2016	1964	35.213417	-89.000222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	55.3
35S82320003	HARDEMAN	00865	14.25	BRANCH	OPEN	8/24/2016	1960	35.230028	-88.999778	CONCRETE	CHANNEL BEAM	71.7
35S80540005	HARDEMAN	00866	6.33	GREGG CREEK	OPEN	8/18/2016	1998	35.243611	-89.167694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.8
35S80540001	HARDEMAN	00866	10.98	MCKINNIE CREEK	OPEN	8/18/2016	1956	35.192972	-89.145417	CONCRETE	CHANNEL BEAM	70
35S81170001	HARDEMAN	00867	2.63	SHORT CREEK	OPEN	8/18/2016	1954	35.306778	-89.057417	CONCRETE	CHANNEL BEAM	72.1
35S80810013	HARDEMAN	00869	3.91	LITTLE HATCHIE CREEK	WEIGHT POSTED	8/24/2016	1951	35.177333	-88.80725	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.1
35S80810011	HARDEMAN	00869	6.96	SKIPPER CREEK	OPEN	8/29/2016	1951	35.13825	-88.810194	CONCRETE	TEE BEAM	77.6
35S80810009	HARDEMAN	00869	7.92	BIG HATCHIE RIVER	WEIGHT POSTED	8/24/2016	1954	35.126833	-88.813	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47.4
35S80810005	HARDEMAN	00869	8.27	OVERFLOW	OPEN	8/25/2016	1995	35.122917	-88.816806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.1
35S80810003	HARDEMAN	00869	8.69	OVERFLOW	OPEN	8/25/2016	1951	35.117194	-88.818528	CONCRETE	TEE BEAM	68.2
35S80810001	HARDEMAN	00869	12.21	BRANCH	OPEN	8/25/2016	1962	35.083361	-88.85775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
35016090001	HARDEMAN	01609	3.21	INDIAN CREEK	OPEN	8/22/2016	2009	35.008	-89.18145	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.4
35016110001	HARDEMAN	01611	1.04	BRANCH	OPEN	8/24/2016	1983	35.041611	-89.085694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
35016110003	HARDEMAN	01611	2.62	OVERFLOW	OPEN	8/24/2016	2001	35.018083	-89.082694	CONCRETE	CHANNEL BEAM	79.3
35016130001	HARDEMAN	01613	0.2	HARDCASTLE CREEK	OPEN	8/30/2016	1963	35.0455	-88.804778	CONCRETE	CHANNEL BEAM	78.4
35016150001	HARDEMAN	01615	1.85	MUDDY CREEK	OPEN	8/25/2016	1972	35.073056	-88.819028	CONCRETE	CHANNEL BEAM	60.1
35016150003	HARDEMAN	01615	3.19	CYPRESS CREEK	OPEN	8/25/2016	1996	35.083028	-88.864167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
35016150005	HARDEMAN	01615	3.3	OVERFLOW	OPEN	8/29/2016	1994	35.084639	-88.837389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
35016150013	HARDEMAN	01615	9.51	PORTERS CREEK	OPEN	8/24/2016	2007	35.1569	-88.882983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90
35016150015	HARDEMAN	01615	11.73	CUB CREEK	OPEN	8/24/2016	1970	35.174417	-88.913778	CONCRETE	CHANNEL BEAM	69.8
35016190001	HARDEMAN	01619	2.44	MILL CREEK	OPEN	8/22/2016	2005	35.335306	-88.950472	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
35016210001	HARDEMAN	01621	3.2	MILL CREEK	OPEN	8/22/2016	1971	35.325639	-88.980472	CONCRETE	CHANNEL BEAM	83.4
35016230001	HARDEMAN	01623	0.15	PINEY CREEK	OPEN	8/31/2016	1997	35.330778	-88.827944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
35016250007	HARDEMAN	01625	0.26	OVERFLOW	OPEN	8/18/2016	1977	35.33625	-89.065528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
35016250001	HARDEMAN	01625	0.28	CLEAR CREEK	OPEN	8/18/2016	1960	35.336361	-89.115611	CONCRETE	CHANNEL BEAM	66
35016250003	HARDEMAN	01625	3.51	GAMBLE CREEK	OPEN	8/18/2016	1975	35.376889	-89.091222	CONCRETE	CHANNEL BEAM	76.4
35016250005	HARDEMAN	01625	5.42	HICKORY CREEK	OPEN	8/18/2016	1949	35.401139	-89.104139	CONCRETE	CHANNEL BEAM	71
35016260001	HARDEMAN	01626	1.31	GRAYS CREEK	OPEN	8/31/2016	1965	35.330444	-88.905583	CONCRETE	CHANNEL BEAM	72.3
35016260003	HARDEMAN	01626	4.9	PINEY CREEK	OPEN	8/31/2016	1989	35.303528	-88.8625	CONCRETE	CHANNEL BEAM	90.7
35016280001	HARDEMAN	01628	0.86	BRANCH	OPEN	8/25/2016	1984	35.414639	-88.897778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
35016280003	HARDEMAN	01628	2.04	CLOVER CREEK	OPEN	8/25/2016	2008	35.412778	-88.916639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.6
35016280005	HARDEMAN	01628	2.14	BRANCH	OPEN	8/25/2016	2000	35.413806	-88.917917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.1
35016280009	HARDEMAN	01628	7.28	DRY CREEK	OPEN	8/25/2016	1965	35.408722	-88.982333	CONCRETE	CHANNEL BEAM	83.9
35SR0150031	HARDEMAN	02320	2.53	BRANCH	OPEN	8/22/2016	1960	35.283472	-89.089139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.9
350A0950001	HARDEMAN	02709	1.49	GRAYS CREEK	OPEN	8/31/2016	1962	35.321472	-88.917222	CONCRETE	CHANNEL BEAM	78.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
350A1080001	HARDEMAN	02709	4.88	PINEY CREEK	OPEN	8/31/2016	1999	35.273806	-88.913611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.6
350A1080003	HARDEMAN	02709	4.93	OVERFLOW	OPEN	8/31/2016	2002	35.273111	-88.913194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
350A2240003	HARDEMAN	02711	3.62	PORTERS CREEK	OPEN	8/29/2016	1992	35.067694	-88.921583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.3
350A2240005	HARDEMAN	02711	5.24	BRANCH	OPEN	8/29/2016	1968	35.06055	-88.8984	CONCRETE	CHANNEL BEAM	72.4
35S81580001	HARDEMAN	05560	5.62	SPRING CREEK	OPEN	8/18/2016	1958	35.134861	-89.037806	CONCRETE	TEE BEAM	68.5
35S81580003	HARDEMAN	05560	5.68	OVERFLOW	OPEN	8/18/2016	2003	35.134889	-89.036611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.5
35S81580005	HARDEMAN	05560	6.1	COVINGTON BRANCH	OPEN	8/18/2016	1965	35.134639	-89.028889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
35S81580007	HARDEMAN	05560	10.89	CUB CREEK	OPEN	8/23/2016	1958	35.1395	-88.955472	CONCRETE	CHANNEL BEAM	73.3
35S81580009	HARDEMAN	05560	10.96	OVERFLOW	OPEN	8/23/2016	1940	35.139694	-88.954083	CONCRETE	CHANNEL BEAM	73.3
350A4620003	HARDEMAN	05682	1.6	OVERFLOW	OPEN	8/17/2016	1970	35.110944	-89.002028	CONCRETE	CHANNEL BEAM	58.2
350A4620001	HARDEMAN	05682	1.75	PLEASANT RUN CREEK	OPEN	8/17/2016	1972	35.275556	-89.000944	CONCRETE	CHANNEL BEAM	58.2
350A0050001	HARDEMAN	0A005	0.245	RICHLAND CREEK	OPEN	8/22/2016	1992	35.429417	-89.163222	CONCRETE	CHANNEL BEAM	77.5
350A0070001	HARDEMAN	0A007	1.204	CYPRESS CREEK	OPEN	8/30/2016	1974	35.396417	-88.878417	CONCRETE	CHANNEL BEAM	83.5
350A0250001	HARDEMAN	0A025	0.973	BRANCH	OPEN	8/22/2016	1975	35.306333	-89.147528	CONCRETE	CHANNEL BEAM	60.6
350A0250003	HARDEMAN	0A025	2.043	CLEAR CREEK	OPEN	8/22/2016	1972	35.291611	-89.149556	CONCRETE	CHANNEL BEAM	80.8
350A0420001	HARDEMAN	0A042	2.037	POTTERS CREEK	OPEN	8/18/2016	1970	35.255139	-89.038417	CONCRETE	CHANNEL BEAM	71.3
350A0440001	HARDEMAN	0A044	0.716	PLEASANT RUN CREEK	OPEN	8/18/2016	1984	35.209417	-89.089056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
350A0440003	HARDEMAN	0A044	3.075	BRANCH	OPEN	8/18/2016	1984	35.2395	-89.073694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
350A0450001	HARDEMAN	0A045	2.21	OAK DAIN CREEK	OPEN	8/18/2016	1992	35.274944	-89.114611	CONCRETE	CHANNEL BEAM	76.5
350A0530001	HARDEMAN	0A053	1.582	DRY BRANCH	OPEN	8/22/2016	1984	35.416389	-89.043778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A0590001	HARDEMAN	0A059	0.145	BEAN CREEK	OPEN	8/30/2016	1992	35.410667	-88.984111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
350A0600001	HARDEMAN	0A060	0.644	BRANCH	OPEN	8/25/2016	1965	35.399194	-88.966944	CONCRETE	CHANNEL BEAM	62.8
350A0600003	HARDEMAN	0A060	0.754	OVERFLOW	OPEN	8/25/2016	1965	35.397833	-88.968111	CONCRETE	CHANNEL BEAM	72.3
350A0600005	HARDEMAN	0A060	0.805	CLOVER CREEK	OPEN	8/31/2016	1965	35.39725	-88.9685	CONCRETE	CHANNEL BEAM	72.3
350A0630001	HARDEMAN	0A063	1.457	BRANCH	OPEN	8/30/2016	1971	35.382833	-88.989917	CONCRETE	CHANNEL BEAM	61.5
350A0660001	HARDEMAN	0A066	3.459	PUGH CREEK	OPEN	8/30/2016	1968	35.404583	-88.922306	CONCRETE	CHANNEL BEAM	71.9
350A0830001	HARDEMAN	0A083	1.675	CLOVER CREEK	OPEN	8/30/2016	1965	35.417167	-88.852667	CONCRETE	CHANNEL BEAM	61.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
350A0830003	HARDEMAN	0A083	1.917	BRANCH	OPEN	8/30/2016	1999	35.420611	-88.852361	CONCRETE	SLAB	83.5
350A0910001	HARDEMAN	0A091	0.951	RICHLAND CREEK	OPEN	8/22/2016	1969	35.397333	-89.172306	CONCRETE	CHANNEL BEAM	83.9
350A0920001	HARDEMAN	0A092	0.997	BRANCH (CSTP&FWMA)	OPEN	8/16/2016	1948	35.35175	-88.886028	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	87.7
350A1010001	HARDEMAN	0A101	2.44	PINEY CREEK	OPEN	8/31/2016	2005	35.288778	-88.880222	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
350A1020001	HARDEMAN	0A102	0.088	GREASY BRANCH	OPEN	8/31/2016	1986	35.2975	-88.853667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
350A1110001	HARDEMAN	0A111	3.031	HAYES BRANCH	OPEN	8/29/2016	1970	35.225639	-88.883639	CONCRETE	CHANNEL BEAM	72.4
350A1140001	HARDEMAN	0A114	3.563	GREASY CREEK	OPEN	8/30/2016	1986	35.294639	-88.819806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A1150001	HARDEMAN	0A115	0.37	BRANCH	OPEN	8/30/2016	1992	35.296694	-88.813722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A1190001	HARDEMAN	0A119	0.66	FISH BRANCH	OPEN	8/30/2016	1970	35.226194	-88.788806	CONCRETE	CHANNEL BEAM	74
350A1210003	HARDEMAN	0A121	0.822	BRANCH	OPEN	8/18/2016	2001	35.250889	-89.174833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
350A1240001	HARDEMAN	0A124	0.044	BRANCH	OPEN	8/29/2016	1983	35.176389	-88.807278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A1260001	HARDEMAN	0A126	1.538	LITTLE HATCHIE CREEK	OPEN	8/29/2016	2008	35.187111	-88.787472	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.5
350A1350001	HARDEMAN	0A135	5.636	MAGBEE BRANCH	OPEN	8/29/2016	1970	35.151733	-88.847267	CONCRETE	CHANNEL BEAM	83.5
350A1360001	HARDEMAN	0A136	6.099	PLEASANT RUN CREEK	OPEN	8/17/2016	1970	35.200528	-89.095194	CONCRETE	CHANNEL BEAM	72.4
350A1460001	HARDEMAN	0A146	2.067	CYPRESS CREEK	OPEN	8/29/2016	1989	35.067417	-88.858861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.6
350A1490001	HARDEMAN	0A149	1.141	LEE CREEK	OPEN	8/29/2016	1946	35.116028	-88.795694	CONCRETE	SLAB	61.9
350A1500001	HARDEMAN	0A150	2.696	MAY CREEK	OPEN	8/17/2016	1988	35.131639	-89.164333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
350A1500003	HARDEMAN	0A150	2.762	BRANCH	OPEN	8/17/2016	1988	35.132556	-89.163833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
350A1530001	HARDEMAN	0A153	1.279	MAY CREEK	OPEN	8/17/2016	1993	35.136583	-89.171444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
350A1620001	HARDEMAN	0A162	1.227	HARDCASTLE CREEK	OPEN	8/30/2016	1983	35.029389	-88.814389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A1670001	HARDEMAN	0A167	2.57	BEARMAN CREEK	OPEN	8/30/2016	1960	35.008194	-88.794944	CONCRETE	CHANNEL BEAM	72.5
350A1700001	HARDEMAN	0A170	0.251	BRANCH	OPEN	8/24/2016	1983	35.041083	-88.862111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
350A1790003	HARDEMAN	0A179	0.305	CYPRESS CREEK	OPEN	8/24/2016	2011	35.053783	-88.8835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
350A1790001	HARDEMAN	0A179	0.92	BRANCH	OPEN	8/24/2016	2011	35.061	-88.884389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A1830001	HARDEMAN	0A183	0.458	BRANCH	OPEN	8/24/2016	1970	35.24375	-88.950139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.5
350A1910001	HARDEMAN	0A191	0.157	BRANCH	WEIGHT POSTED	8/24/2016	1992	35.235333	-88.964472	CONCRETE	CHANNEL BEAM	42.9
350A1920001	HARDEMAN	0A192	0.557	DRY BRANCH	OPEN	8/24/2016	1992	35.223639	-88.960389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
350A2140005	HARDEMAN	0A214	5.532	STEWART BRANCH	OPEN	8/22/2016	1971	35.102833	-88.915	CONCRETE	CHANNEL BEAM	73.9
350A2200001	HARDEMAN	0A220	1.247	PORTERS CREEK	OPEN	8/22/2016	2006	35.076389	-88.919306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.7
350A2300001	HARDEMAN	0A230	2.578	BRANCH	OPEN	8/24/2016	1950	35.01475	-88.935528	CONCRETE	CHANNEL BEAM	77.5
350A2320001	HARDEMAN	0A232	1.595	BRANCH	OPEN	8/24/2016	1983	35.013694	-88.911222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A2360001	HARDEMAN	0A236	0.387	PORTERS CREEK	OPEN	8/24/2016	1972	35.001722	-88.977889	CONCRETE	CHANNEL BEAM	88.5
350A2410001	HARDEMAN	0A239	3.377	EAST FORK SPRING CREEK	OPEN	8/24/2016	1984	35.030278	-89.043417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A2430001	HARDEMAN	0A243	2.943	SAULSBURY CREEK	OPEN	8/24/2016	1970	35.029583	-89.078861	CONCRETE	CHANNEL BEAM	88.5
350A2480001	HARDEMAN	0A248	2.437	INDIAN CREEK	OPEN	8/22/2016	1970	35.019389	-89.150333	CONCRETE	CHANNEL BEAM	83.5
350A2510001	HARDEMAN	0A251	1.313	INDIAN CREEK	WEIGHT POSTED	8/22/2016	1960	35.012583	-89.176222	CONCRETE	CHANNEL BEAM	73.8
350A2520001	HARDEMAN	0A252	2.74	OVERFLOW	OPEN	8/23/2016	1965	35.07475	-89.021778	CONCRETE	CHANNEL BEAM	72.5
350A2520003	HARDEMAN	0A252	2.786	EAST FORK SPRING CREEK	OPEN	8/23/2016	1959	35.074694	-89.022639	CONCRETE	CHANNEL BEAM	62.8
350A2530001	HARDEMAN	0A253	4.22	SPRING CREEK	OPEN	8/22/2016	1989	35.101861	-89.046917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.7
350A2530003	HARDEMAN	0A253	4.302	OVERFLOW-SPRING CREEK	OPEN	8/22/2016	1989	35.102778	-89.046083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
350A2530005	HARDEMAN	0A253	7.775	KELLYHAM BRANCH	OPEN	8/22/2016	1983	35.101361	-89.008111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
350A2540001	HARDEMAN	0A254	2.163	SPRING CREEK	OPEN	8/23/2016	1989	35.097694	-89.03625	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74.2
350A2540003	HARDEMAN	0A254	2.187	OVERFLOW	OPEN	8/23/2016	1989	35.098	-89.036222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74.2
350A2610001	HARDEMAN	0A261	3.676	W FORK SPRING CREEK	OPEN	8/22/2016	1984	35.081583	-89.112	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A2670001	HARDEMAN	0A267	1.143	CASH CREEK	OPEN	8/22/2016	2003	35.126861	-89.109639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
350A2760001	HARDEMAN	0A276	2.851	BRANCH MC KINNIE CREEK	OPEN	8/18/2016	1984	35.181	-89.147639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
350A2960001	HARDEMAN	0A296	0.198	BRANCH	OPEN	1/30/2017	2016	35.337611	-88.806694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.8
350A3380001	HARDEMAN	0A338	0.104	WADE CREEK	OPEN	8/30/2016	1960	35.264028	-88.802472	CONCRETE	CHANNEL BEAM	83.5
35044140001	HARDEMAN	0A399	1	BRANCH	OPEN	8/17/2016	1989	35.273389	-88.980167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
350A5380001	HARDEMAN	0A538	0.668	BRANCH	OPEN	8/31/2016	1990	35.299889	-88.925167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
350A5390001	HARDEMAN	0A539	0.987	BRANCH	OPEN	8/30/2016	1965	35.274556	-88.874972	CONCRETE	CHANNEL BEAM	88.5
350A5450001	HARDEMAN	0A545	0.086	MAGBEE BRANCH	OPEN	8/24/2016	1989	35.16625	-88.8385	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
350A5460001	HARDEMAN	0A546	1.694	BRANCH	OPEN	8/25/2016	1983	35.085167	-88.860444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
350A5470001	HARDEMAN	0A547	0.91	BRANCH	OPEN	8/25/2016	1983	35.089333	-88.871389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
350A6180001	HARDEMAN	0A618	0.293	BRANCH	OPEN	8/30/2016	2001	35.346139	-88.957028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
350A0430001	HARDEMAN	0B102	1.866	PLEASANT RUN CREEK	OPEN	8/17/2016	1995	35.254222	-88.034556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.8
350A0430003	HARDEMAN	0B102	7.31	OAK DANE CREEK	OPEN	8/22/2016	1965	35.247833	-89.125306	CONCRETE	CHANNEL BEAM	59.1
35SR0150001	HARDEMAN	SR015	4.39	CLEAR CREEK	OPEN	8/10/2016	1995	35.311333	-89.126278	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.8
35SR0150035	HARDEMAN	SR015	5.7	DRAINAGE DITCH	OPEN	8/10/2016	1999	35.301778	-88.1095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66
35SR0150037	HARDEMAN	SR015	7.93	DRAINAGE DITCH	OPEN	8/10/2016	1999	35.293528	-88.072222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66
35SR0150039	HARDEMAN	SR015	8.82	DRAINAGE DITCH	OPEN	8/10/2016	1999	35.288361	-88.058111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66
35SR0150003	HARDEMAN	SR015	11.78	PLEASANT RUN CREEK	OPEN	8/10/2016	1995	35.270639	-89.014972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
35SR0150005	HARDEMAN	SR015	14.59	OVERFLOW	OPEN	8/10/2016	1930	35.254389	-88.974444	CONCRETE	TEE BEAM	47.9
35SR0150007	HARDEMAN	SR015	14.71	SPRING CREEK	OPEN	8/11/2016	1930	35.253889	-88.972583	CONCRETE	TEE BEAM	52
35SR0150033	HARDEMAN	SR015	14.91	DRAINAGE DITCH	OPEN	8/11/2016	1986	35.251667	-88.97	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
35SR0150051	HARDEMAN	SR015	16.14	OVERFLOW	OPEN	8/11/2016	2013	35.2478	-88.949267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84
35SR0150009	HARDEMAN	SR015	16.37	OVERFLOW	OPEN	8/11/2016	1985	35.246722	-88.944667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84
35SR0150053	HARDEMAN	SR015	16.5	OVERFLOW	OPEN	8/11/2016	2013	35.246283	-88.942917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
35SR0150011	HARDEMAN	SR015	16.645	OVERFLOW	OPEN	8/11/2016	1985	35.245639	-88.940111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65
35SR0150013	HARDEMAN	SR015	16.99	OVERFLOW	OPEN	8/10/2016	1984	35.244306	-88.934194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84
35SR0150055	HARDEMAN	SR015	17.3	OVERFLOW	OPEN	8/10/2016	2013	35.246283	-88.942917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84
35SR0150015	HARDEMAN	SR015	17.52	OVERFLOW	OPEN	8/10/2016	1985	35.243389	-88.924722	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65
35SR0150017	HARDEMAN	SR015	17.68	HATCHIE RIVER	OPEN	8/10/2016	1999	35.243389	-88.921972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
35SR0150057	HARDEMAN	SR015	18.05	HATCHIE RIVER	OPEN	8/11/2016	2016	35.24285	-88.915483	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.5
35SR0150019	HARDEMAN	SR015	18.56	BRANCH	OPEN	8/10/2016	1930	35.242433	-88.87315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.5
35SR0150041	HARDEMAN	SR015	18.65	BRANCH	OPEN	8/10/2016	2005	35.2427	-88.904983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
35SR0150021	HARDEMAN	SR015	20.04	BRANCH	OPEN	8/10/2016	1930	35.2369	-88.881417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
35SR0150023	HARDEMAN	SR015	20.265	HAYES BRANCH	OPEN	8/10/2016	1930	35.2358	-88.877717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5
35SR0150043	HARDEMAN	SR015	22.72	DOGTAIL CREEK	OPEN	8/11/2016	2010	35.225033	-88.8381	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
35SR0150045	HARDEMAN	SR015	23.1	DRAINAGE DITCH	OPEN	8/11/2016	2010	35.222383	-88.8321	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
35SR0150047	HARDEMAN	SR015	23.5	WADE CREEK	OPEN	8/11/2016	2010	35.2235	-88.825283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.9
35SR0150049	HARDEMAN	SR015	25.77	FISH BRANCH	OPEN	8/11/2016	2010	35.218483	-88.78565	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.9
35SR0180001	HARDEMAN	SR018	1.29	BRANCH	OPEN	8/10/2016	1931	35.081861	-89.182389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
35SR0180003	HARDEMAN	SR018	4.14	MAY CREEK	OPEN	8/10/2016	1964	35.115694	-89.153639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
35SR0180005	HARDEMAN	SR018	7.43	BRANCH	OPEN	8/10/2016	1931	35.157583	-89.125833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
35SR0180007	HARDEMAN	SR018	18.88	HATCHIE RIVER	OPEN	8/10/2016	1983	35.275194	-88.976694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.9
35SR0180027	HARDEMAN	SR018	19.03	OVERFLOW	OPEN	8/10/2016	1983	35.276917	-88.975389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
35SR0180009	HARDEMAN	SR018	19.26	OVERFLOW	OPEN	8/10/2016	1985	35.279778	-88.973444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.9
35SR0180011	HARDEMAN	SR018	19.38	OVERFLOW	OPEN	8/11/2016	1983	35.281444	-88.972389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	71.1
35SR0180013	HARDEMAN	SR018	19.78	OVERFLOW	OPEN	8/11/2016	1985	35.286139	-88.968306	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.8
35SR0180015	HARDEMAN	SR018	20.82	GRAYS CREEK	OPEN	8/11/2016	1983	35.297306	-88.956056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9
35SR0180017	HARDEMAN	SR018	22.07	BRANCH	OPEN	8/10/2016	1930	35.312639	-88.944167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.9
35SR0180019	HARDEMAN	SR018	24.93	MILL CREEK	OPEN	8/11/2016	2001	35.347667	-88.916944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
35SR0180023	HARDEMAN	SR018	29.89	CYPRESS CREEK	OPEN	8/11/2016	2014	35.4135	-88.883517	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.6
35SR0180025	HARDEMAN	SR018	30.4	CLOVER CREEK	OPEN	8/11/2016	1974	35.420778	-88.880194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.6
35SR0570001	HARDEMAN	SR057	5.51	DRY BRANCH	OPEN	8/11/2016	1997	35.051306	-89.099	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
35SR0570003	HARDEMAN	SR057	6.8	SAULSBURY CREEK	OPEN	8/11/2016	2004	35.05	-89.076667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
35SR0570005	HARDEMAN	SR057	9.44	EAST FORK SPRING CREEK	OPEN	8/15/2016	2004	35.051667	-89.03	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
35SR0570007	HARDEMAN	SR057	9.9	BRANCH	OPEN	8/11/2016	1996	35.052306	-89.021694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
35SR0570009	HARDEMAN	SR057	11.31	SOUTHERN RAILWAY	OPEN	8/15/2016	1972	35.0465	-89.999944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
35SR0570011	HARDEMAN	SR057	14.39	PORTERS CREEK	OPEN	8/15/2016	2004	35.036667	-88.948333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90.4
35SR0570013	HARDEMAN	SR057	14.59	OVERFLOW	OPEN	8/15/2016	1996	35.037306	-88.944361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.4
35SR0570015	HARDEMAN	SR057	17.25	CRYSTAL SPRINGS BRANCH	OPEN	8/15/2016	1996	35.041917	-88.898306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
35SR0570017	HARDEMAN	SR057	17.92	CYPRESS CREEK	OPEN	8/15/2016	2004	35.041667	-88.886667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
35SR0570019	HARDEMAN	SR057	20.235	OVERFLOW	OPEN	8/15/2016	2010	35.045444	-88.845833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.4
35SR0570021	HARDEMAN	SR057	20.32	BIG MUDDY CREEK	OPEN	8/16/2016	2010	35.0454	-88.844483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
35SR0570023	HARDEMAN	SR057	20.595	OVERFLOW	OPEN	8/15/2016	2010	35.045833	-88.839533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.4
35SR0570025	HARDEMAN	SR057	22.94	SOUTHERN RAILWAY	OPEN	8/16/2016	1935	35.052444	-88.801111	CONCRETE	TEE BEAM	69.8
35SR0570027	HARDEMAN	SR057	23.17	HATCHIE RIVER	OPEN	8/16/2016	1975	35.055472	-88.799361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.1
35SR0570029	HARDEMAN	SR057	23.4	OVERFLOW	OPEN	8/16/2016	1975	35.058	-88.797056	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.3
35SR1000001	HARDEMAN	SR100	4.24	CLEAR CREEK	OPEN	8/16/2016	1961	35.329389	-89.08775	CONCRETE	TEE BEAM	67.1
35SR1000003	HARDEMAN	SR100	4.34	BRANCH	OPEN	8/16/2016	1961	35.329306	-89.085722	CONCRETE	TEE BEAM	66
35SR1000025	HARDEMAN	SR100	5.34	BRANCH	OPEN	8/16/2016	1975	35.331444	-89.068556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
35SR1000005	HARDEMAN	SR100	7.31	OVERFLOW	OPEN	8/15/2016	1964	35.340611	-89.035361	CONCRETE	TEE BEAM	63.3
35SR1000007	HARDEMAN	SR100	7.58	OVERFLOW	OPEN	8/15/2016	1964	35.341944	-89.030833	CONCRETE	TEE BEAM	63.3
35SR1000009	HARDEMAN	SR100	7.92	SHORT CREEK	OPEN	8/15/2016	1964	35.343583	-89.025083	CONCRETE	TEE BEAM	63.3
35SR1000011	HARDEMAN	SR100	8.37	OVERFLOW	OPEN	8/15/2016	1964	35.346083	-89.017694	CONCRETE	TEE BEAM	75.5
35SR1000013	HARDEMAN	SR100	8.5	HATCHIE RIVER	OPEN	8/15/2016	1964	35.347111	-89.015722	CONCRETE CONTINUOUS	TEE BEAM	76.6
35SR0180021	HARDEMAN	SR100	15.08	SR 18	OPEN	8/16/2016	1959	35.364611	-88.907861	CONCRETE CONTINUOUS	TEE BEAM	70.9
35SR1000015	HARDEMAN	SR100	17.36	BRANCH	OPEN	8/17/2016	1938	35.373167	-88.868778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
35SR1000017	HARDEMAN	SR100	17.49	OVERFLOW	OPEN	8/17/2016	1938	35.373694	-88.8665	CONCRETE	TEE BEAM	60.4
35SR1000019	HARDEMAN	SR100	17.72	BRANCH	OPEN	8/17/2016	1938	35.374278	-88.862611	CONCRETE	TEE BEAM	74.2
35SR1000021	HARDEMAN	SR100	17.81	CYPRESS CREEK	OPEN	8/17/2016	1938	35.375083	-88.860722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
35SR1000023	HARDEMAN	SR100	18.58	CYPRESS CREEK	OPEN	8/17/2016	1938	35.377778	-88.847944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
35SR1250001	HARDEMAN	SR125	0.71	S.COLONEL CREEK	OPEN	8/15/2016	1948	35.006167	-88.894083	CONCRETE	TEE BEAM	58.5
35SR1250003	HARDEMAN	SR125	1.33	N.COLONEL CREEK	OPEN	8/15/2016	1948	35.01525	-88.894194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
35SR1250005	HARDEMAN	SR125	3.09	CRYSTAL SPRING BRANCH	OPEN	8/15/2016	1948	35.04075	-88.893611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.1
35SR1250007	HARDEMAN	SR125	4.52	BRANCH	OPEN	8/15/2016	1948	35.061194	-88.892111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
35SR1250009	HARDEMAN	SR125	7.03	PORTERS CREEK	OPEN	8/15/2016	1941	35.095667	-88.901306	CONCRETE	TEE BEAM	65.5
35SR1250011	HARDEMAN	SR125	7.32	OVERFLOW	OPEN	8/15/2016	2004	35.099806	-88.903333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86
35SR1250013	HARDEMAN	SR125	7.55	STEWART BRANCH	OPEN	8/15/2016	2000	35.102833	-88.90475	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
35SR1250015	HARDEMAN	SR125	7.96	DRY BRANCH	OPEN	8/15/2016	2004	35.108167	-88.907278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86
35SR1250017	HARDEMAN	SR125	12.28	CUB CREEK	OPEN	8/15/2016	2004	35.168444	-88.920889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86
35SR1250019	HARDEMAN	SR125	12.41	OVERFLOW	OPEN	8/15/2016	2004	35.170222	-88.920611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86
35SR1250021	HARDEMAN	SR125	14.28	LANE BRANCH	OPEN	8/16/2016	2004	35.194361	-88.929639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.5
35SR1250023	HARDEMAN	SR125	14.57	DEADMAN BRANCH	OPEN	8/16/2016	1949	35.1975	-88.933167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
35SR1250025	HARDEMAN	SR125	15.54	CARTER BRANCH	OPEN	8/16/2016	2004	35.207889	-88.944361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.5
35SR1250027	HARDEMAN	SR125	16.89	DRY BRANCH	OPEN	8/16/2016	2004	35.223944	-88.958111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
35SR1250029	HARDEMAN	SR125	17.75	BRANCH	OPEN	8/16/2016	1949	35.234361	-88.966778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
35SR1250031	HARDEMAN	SR125	18.53	SPRING CREEK	OPEN	8/16/2016	1949	35.242333	-88.976194	CONCRETE	TEE BEAM	64.5
35SR1250033	HARDEMAN	SR125	19.01	BRANCH	OPEN	8/16/2016	1966	35.247528	-88.981944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.5
35SR1250035	HARDEMAN	SR125	26.4	BRANCH	OPEN	8/17/2016	1991	35.309917	-88.858111	CONCRETE	CHANNEL BEAM	83.3
35S82470001	HARDEMAN	SR125	27.98	GAYLOR CREEK	OPEN	8/17/2016	1956	35.324639	-88.838472	CONCRETE	CHANNEL BEAM	89.4
35SR1250037	HARDEMAN	SR125	29.69	BRANCH	OPEN	8/17/2016	1991	35.343694	-88.820333	CONCRETE	CHANNEL BEAM	57.1
35S82470003	HARDEMAN	SR125	30.14	PINEY CREEK	OPEN	8/17/2016	2004	35.3425	-88.812389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
35SR1380001	HARDEMAN	SR138	0.97	MILL CREEK	OPEN	8/16/2016	1985	35.340833	-88.942389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
35SR1380003	HARDEMAN	SR138	1.78	BRANCH	OPEN	8/17/2016	1985	35.34925	-88.952056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
35SR1380005	HARDEMAN	SR138	4.54	BRANCH	OPEN	8/17/2016	1985	35.375528	-88.982361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
35SR1380007	HARDEMAN	SR138	5.24	BRANCH	OPEN	8/17/2016	1985	35.381611	-88.992417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
35SR1380009	HARDEMAN	SR138	6.44	OVERFLOW	OPEN	8/17/2016	1985	35.386139	-89.012	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
35SR1380011	HARDEMAN	SR138	6.49	OVERFLOW	OPEN	8/17/2016	1985	35.386806	-89.012167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
35SR1380013	HARDEMAN	SR138	6.65	CLOVER CREEK	OPEN	8/17/2016	1985	35.388806	-89.012861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
35SR1380017	HARDEMAN	SR138	7.98	DRAINAGE DITCH	OPEN	8/17/2016	1985	35.406472	-89.019056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
35SR1380019	HARDEMAN	SR138	8.22	BRANCH	OPEN	8/17/2016	1985	35.409944	-89.018667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
35SR1380021	HARDEMAN	SR138	8.96	DRAINAGE DITCH	OPEN	8/17/2016	1985	35.420806	-89.018472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
35SR1380015	HARDEMAN	SR138	9.23	DRY BRANCH	OPEN	8/17/2016	1985	35.424722	-89.018306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
36008970003	HARDIN	00897	6.14	LICK CREEK	OPEN	6/15/2016	1940	35.115056	-88.3161	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.7
36F00230005	HARDIN	00897	6.48	BRANCH	OPEN	6/15/2016	1940	35.118778	-88.318806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78
36S81250001	HARDIN	00899	3.29	HOLLAND CREEK	OPEN	6/14/2016	1985	35.04875	-88.098583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
36009010001	HARDIN	00901	0.34	NORTH FORK BEASON CREEK	OPEN	6/6/2016	1984	35.247639	-88.331056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
36S80880003	HARDIN	00901	12.04	WHITE OAK CREEK	OPEN	6/8/2016	2003	35.346639	-88.21825	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
36S80880005	HARDIN	00901	14.27	MILES CREEK	OPEN	6/8/2016	1960	35.37325	-88.222417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
36016740001	HARDIN	01674	1.01	CANEY BRANCH	OPEN	6/15/2016	1984	35.203111	-88.357806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
36017210001	HARDIN	01721	0.84	BARBWOOD BRANCH	OPEN	6/14/2016	1960	35.078917	-88.263194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
36017230001	HARDIN	01723	0.36	BOONE CREEK	OPEN	6/9/2016	2008	35.218317	-88.145117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
36017230003	HARDIN	01723	2.22	LITTLE TURKEY CREEK	OPEN	6/13/2016	1960	35.196333	-88.129167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.6
36017230005	HARDIN	01723	3.39	CHOATE CREEK	OPEN	6/14/2016	1984	35.182139	-88.1295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
36017230007	HARDIN	01723	8.76	DEAN BRANCH	OPEN	6/9/2016	1976	35.112528	-88.117639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
36017230009	HARDIN	01723	9.05	HORSE CREEK	OPEN	6/9/2016	2001	35.109417	-88.12225	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.6
36017250001	HARDIN	01725	1.74	TURKEY CREEK	OPEN	6/14/2016	1986	35.178306	-88.05925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
36017250003	HARDIN	01725	1.8	GOBBLER CREEK	OPEN	6/14/2016	1989	35.178944	-88.059306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
36017270001	HARDIN	01727	3.2	BEASON CREEK	OPEN	6/7/2016	2004	35.268167	-88.293083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.3
36017270003	HARDIN	01727	4.55	CHALK CREEK	OPEN	6/6/2016	1993	35.286417	-88.298611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
36017270005	HARDIN	01727	7.09	SOUTH FORK MUD CREEK	OPEN	6/6/2016	1984	35.306861	-88.330389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
36017270007	HARDIN	01727	7.25	OVERFLOW	OPEN	6/6/2016	1984	35.3085	-88.332444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
36017270009	HARDIN	01727	7.39	NORTH FORK MUD CREEK	OPEN	6/7/2016	1992	35.309944	-88.334278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.1
360A3710001	HARDIN	01731	1.04	LITTLE JOHN BRANCH	OPEN	6/16/2016	1975	35.000556	-88.336944	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.4
36017380001	HARDIN	01738	1.35	HOOVER BRANCH	OPEN	6/16/2016	1992	35.024444	-88.323361	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.6
360A2370003	HARDIN	01742	6.61	LEFT FORK WHITES CREEK	OPEN	6/13/2016	1977	35.088611	-88.044917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.4
360A2370001	HARDIN	01742	7.62	LEFT FORK WHITES CREEK	OPEN	6/13/2016	1970	35.094444	-88.060722	CONCRETE	CHANNEL BEAM	97
36017420001	HARDIN	01742	7.93	LEFT FORK WHITES CREEK	OPEN	6/13/2016	1983	35.093472	-88.065167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
36017420003	HARDIN	01742	8.71	WHITES CREEK	OPEN	6/13/2016	1970	35.103056	-88.071333	CONCRETE	CHANNEL BEAM	78.2
36017500001	HARDIN	01750	2.02	STEEL CREEK	OPEN	6/6/2016	1988	35.24375	-88.171389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
36017520001	HARDIN	01752	0.86	SMITH FORK	OPEN	6/9/2016	1996	35.300236	-88.116056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
36017540003	HARDIN	01754	0.02	MIDDLETON CREEK	OPEN	6/6/2016	1970	35.416306	-88.360889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	61.4
36017540001	HARDIN	01754	0.98	BRANCH	WEIGHT POSTED	6/6/2016	1960	35.417194	-88.344083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.5
36SR1280005	HARDIN	02333	2.49	OVERFLOW	OPEN	6/7/2016	1951	35.252444	-88.206806	CONCRETE	TEE BEAM	55.5
36SR1280007	HARDIN	02333	2.63	HORSE CREEK	OPEN	6/7/2016	1951	35.252306	-88.204056	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	37.2
36023330001	HARDIN	02333	4.11	LICK BRANCH	OPEN	6/6/2016	2017	35.266417	-88.272467	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93
36SR1280009	HARDIN	02333	5.2	SAW MILL BRANCH	OPEN	6/6/2016	1947	35.281444	-88.187639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.5
36SR1280011	HARDIN	02333	11.29	INDIAN CREEK	OPEN	6/8/2016	1957	35.354139	-88.175	CONCRETE	TEE BEAM	60.1
36027020001	HARDIN	02702	0.1	WHITES CREEK	OPEN	6/13/2016	1965	35.104889	-88.075833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
36027020003	HARDIN	02702	0.5	HORSE CREEK	OPEN	6/9/2016	1984	35.107861	-89.071389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
36027020005	HARDIN	02702	1.36	HORSE CREEK	OPEN	6/9/2016	1984	35.109111	-88.058278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
36027020007	HARDIN	02702	2.09	HORSE CREEK	OPEN	6/9/2016	1983	35.116944	-88.050556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
36031140001	HARDIN	03114	0.28	BRANCH	OPEN	6/14/2016	1988	35.219167	-88.218639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
360A3590003	HARDIN	05561	0.9	CHAMBERS CREEK	WEIGHT POSTED	6/16/2016	1965	35.025306	-88.307278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.9
360A0040001	HARDIN	0A004	1.584	BEASON CREEK	OPEN	6/6/2016	2002	35.25575	-88.297528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
360A0100001	HARDIN	0A010	0.179	BEASON CREEK	OPEN	6/8/2016	1960	35.224667	-88.338472	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76
360A0120001	HARDIN	0A012	1.08	DOLLAR CREEK	WEIGHT POSTED	6/8/2016	1950	35.24125	-88.353361	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.6
360A0160001	HARDIN	0A016	0.32	NORTH FORK BEASON CREEK	OPEN	6/7/2016	1984	35.261111	-88.348667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.9
360A0230001	HARDIN	0A023	0.211	BRANCH	OPEN	6/7/2016	1984	35.2615	-88.334778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
360A0310001	HARDIN	0A031	0.102	DRAINAGE DITCH	OPEN	6/8/2016	1945	35.314278	-88.341306	CONCRETE	TEE BEAM	62.5
360A0410001	HARDIN	0A041	0.067	N FORK MUD CREEK	WEIGHT POSTED	6/8/2016	1960	35.305556	-88.372583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.2
360A0480001	HARDIN	0A048	2.206	CHALK CREEK	OPEN	6/8/2016	1970	35.322139	-88.252306	CONCRETE	CHANNEL BEAM	78.5
360A0500001	HARDIN	0A050	0.237	CHALK CREEK	WEIGHT POSTED	6/7/2016	1950	35.299417	-88.270139	CONCRETE	TEE BEAM	69.8
360A0510001	HARDIN	0A051	0.891	MUD CREEK	WEIGHT POSTED	6/8/2016	1960	35.334222	-88.263194	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.7
360A0510003	HARDIN	0A051	1.382	WHITE OAK CREEK	OPEN	6/9/2016	1988	35.341361	-88.262528	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.9
360A0510005	HARDIN	0A051	2.373	FLATS CREEK	WEIGHT POSTED	6/9/2016	1960	35.349444	-88.251694	STEEL	STRINGER/MULTI-BEAM OR GIRDER	24.9
360A0600001	HARDIN	0A060	0.287	ANDERSON BRANCH	WEIGHT POSTED	6/8/2016	1960	35.368778	-88.234583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.8
360A0810001	HARDIN	0A081	0.697	DRAINAGE DITCH	OPEN	6/6/2016	1931	35.407528	-88.32075	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.9
360A0810003	HARDIN	0A081	0.982	HURRICANE CREEK	OPEN	6/6/2016	1970	35.407806	-88.315917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73
360A0940001	HARDIN	0A094	0.729	LITTLE HURRICANE CREEK	OPEN	6/6/2016	1970	35.403611	-88.289833	CONCRETE	CHANNEL BEAM	80

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
360A0980001	HARDIN	0A098	0.683	FLATS CREEK	WEIGHT POSTED	6/8/2016	1965	35.364111	-88.276	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	38.3
360A1000001	HARDIN	0A100	0.967	MILES CREEK	OPEN	6/8/2016	1965	35.390222	-88.237639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.5
360A1000003	HARDIN	0A100	3.411	HANNAH BRANCH	OPEN	6/6/2016	1984	35.39775	-89.273583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
360A1280001	HARDIN	0A128	1.42	STEEL CREEK	OPEN	6/6/2016	1987	35.23675	-88.1825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
360A1290001	HARDIN	0A129	0.209	SAWMILL BRANCH	OPEN	6/6/2016	1975	35.282889	-88.184889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.5
360A1310001	HARDIN	0A131	2.408	WHITLOW BRANCH	OPEN	6/9/2016	1993	35.311667	-88.138056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
360A1330001	HARDIN	0A133	1.524	INDIAN CREEK	OPEN	6/8/2016	1991	35.332556	-88.159722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.9
360A1360001	HARDIN	0A136	1.036	PONEY CREEK	OPEN	6/9/2016	1994	35.368694	-88.142583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
360A1370001	HARDIN	0A137	2.83	PONEY CREEK	OPEN	6/8/2016	2007	35.3568	-88.14155	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
360A1440001	HARDIN	0A144	0.43	SHORT CREEK	OPEN	6/6/2016	1945	35.388028	-88.044583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.5
360A1550001	HARDIN	0A155	2.55	SMITH FORK	OPEN	6/8/2016	1978	35.279833	-88.099	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.5
360A1550003	HARDIN	0A155	3.565	SMITH FORK	OPEN	6/9/2016	1988	35.292278	-88.102861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
360A1570001	HARDIN	0A157	0.8	INDIAN CREEK	OPEN	6/8/2016	1986	35.286278	-88.031694	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.8
360A1670001	HARDIN	0A167	0.217	BOONE CREEK	OPEN	6/13/2016	1993	35.225917	-88.129583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.5
360A1680001	HARDIN	0A168	1.712	TURKEY CREEK	OPEN	6/13/2016	1970	35.209194	-88.136917	CONCRETE	CHANNEL BEAM	81
360A1700001	HARDIN	0A170	0.008	TURKEY CREEK	OPEN	6/14/2016	1985	35.187611	-88.129444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80
360A1710001	HARDIN	0A171	0.044	LITTLE TURKEY CREEK	WEIGHT POSTED	6/15/2016	1980	35.193528	-88.12875	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.1
360A1770001	HARDIN	0A177	2.981	BRADY BRANCH	OPEN	6/9/2016	2009	35.227639	-88.049917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
360A1770003	HARDIN	0A177	3.593	SMITH FORK CREEK	OPEN	6/9/2016	1986	35.219722	-88.050722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
360A1810001	HARDIN	0A181	2.278	NEIGHBOR BRANCH	OPEN	6/13/2016	1992	35.210306	-87.991083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
360A1840001	HARDIN	0A184	0.097	BRANCH	OPEN	6/7/2016	2006	35.2814	-87.98745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
360A1850001	HARDIN	0A185	0.069	DRY CREEK	WEIGHT POSTED	6/13/2016	1991	35.218472	-87.990583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.2
360A4840001	HARDIN	0A187	0.044	GERMANY BRANCH	OPEN	6/14/2016	1975	35.144889	-88.009694	CONCRETE	CHANNEL BEAM	58.2
360A1880001	HARDIN	0A188	3.325	LITTLE TURKEY CREEK	OPEN	6/15/2016	1981	35.186389	-88.106778	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.4
360A7710001	HARDIN	0A190	1.365	TURKEY CREEK	OPEN	6/13/2016	2007	35.20055	-88.134433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
360A1930001	HARDIN	0A193	0.568	ENGLISH CREEK	WEIGHT POSTED	6/14/2016	1960	35.191722	-88.1725	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.8
360A1940001	HARDIN	0A194	0.173	CHOATE CREEK	OPEN	6/15/2016	1955	35.16625	-88.131222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.9
360A1940003	HARDIN	0A194	3.115	ENGLISH CREEK	OPEN	6/14/2016	1986	35.179583	-88.1715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
360A2320001	HARDIN	0A232	0.188	CHOATE CREEK	WEIGHT POSTED	6/15/2016	1974	35.1605	-88.129639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.7
360A2400001	HARDIN	0A240	1.309	HOLLAND CREEK	OPEN	6/15/2016	1963	35.034556	-88.072417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.9
360A2400003	HARDIN	0A240	3.559	RIGHT FORK WHITES CREEK	OPEN	6/15/2016	1984	35.052778	-88.048111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
360A2430003	HARDIN	0A243	1.812	PETTY BRANCH	OPEN	6/13/2016	1992	35.111361	-88.026444	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96.7
360A2430001	HARDIN	0A243	3.776	LEFT FORK WHITES CREEK	OPEN	6/9/2016	1983	35.087306	-88.021278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
360A2450001	HARDIN	0A245	1.332	LEFT FORK WHITES CREEK	OPEN	6/15/2016	1992	35.086139	-87.990722	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	86.2
360A2520001	HARDIN	0A252	0.859	SHORT CREEK	OPEN	6/6/2016	2016	35.38775	-88.347472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
360A2520003	HARDIN	0A252	1.16	MIDDLETON CREEK	OPEN	6/6/2016	2016	35.387972	-88.342167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
360A2590003	HARDIN	0A259	0.143	HOLLAND CREEK	OPEN	6/15/2016	1992	35.070389	-88.10575	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.2
360A2810001	HARDIN	0A281	0.04	HATLEY CREEK	OPEN	6/14/2016	2006	35.100567	-88.2731	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
360A2860001	HARDIN	0A286	1.127	HATLEY CREEK	CLOSED	6/14/2016	1993	35.102778	-88.260278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37
360A2890001	HARDIN	0A289	1.318	MUD CREEK	OPEN	10/17/2016	2016	35.118889	-88.276944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
360A2920001	HARDIN	0A292	7.948	MUD CREEK	OPEN	6/14/2016	1975	35.131944	-88.284194	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	36
360A3020003	HARDIN	0A302	2.49	MUD CREEK	CLOSED	6/8/2017	1930	35.210778	-88.288944	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.4
360A3020005	HARDIN	0A302	6.38	MUD CREEK	CLOSED	6/8/2017	1965	35.184194	-88.282889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.5
360A3070001	HARDIN	0A307	0.023	HORSE CREEK	OPEN	6/14/2016	1965	35.136111	-88.014583	CONCRETE	TEE BEAM	82.2
360A3080001	HARDIN	0A308	0.195	HORSE CREEK	WEIGHT POSTED	6/16/2016	1963	35.126778	-87.999	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.5
360A3210001	HARDIN	0A321	0.677	WEST PRONG DOE CREEK	OPEN	6/8/2016	2007	35.419722	-88.241389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
360A3310001	HARDIN	0A331	2.368	BRANCH	OPEN	6/15/2016	1955	35.131222	-88.355472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
360A3310003	HARDIN	0A331	2.387	SHILOH BRANCH	OPEN	6/15/2016	1955	35.131	-88.355694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
360A3330001	HARDIN	0A333	1.162	LITTLE HURRICANE CREEK	OPEN	6/6/2016	1970	35.417667	-88.286389	CONCRETE	CHANNEL BEAM	69
360A3350001	HARDIN	0A335	3.429	BRANCH	OPEN	6/15/2016	1972	35.095333	-88.339472	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.2
360A3350003	HARDIN	0A335	3.556	LICK CREEK DRAINAGE CANE	OPEN	6/15/2016	1987	35.093472	-88.339583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
360A3350005	HARDIN	0A335	3.598	LICK CREEK	OPEN	6/15/2016	1984	35.092861	-88.339639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
360A3610001	HARDIN	0A361	1.077	LEATH CREEK	OPEN	6/16/2016	1970	35.06	-88.303806	CONCRETE	CHANNEL BEAM	85.1
360A4030001	HARDIN	0A403	0.155	ROBINSON CREEK	OPEN	6/16/2016	1986	35.040806	-88.259333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
360A4240001	HARDIN	0A424	0.087	SHILOH BRANCH	OPEN	6/15/2016	1991	35.138306	-88.368389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
360A4310001	HARDIN	0A431	0.985	GATTIS CREEK	OPEN	6/8/2016	1984	35.213167	-88.323694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
360A4370001	HARDIN	0A437	0.477	GATTIS CREEK	WEIGHT POSTED	6/8/2016	1970	35.203667	-88.339306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.7
360A4370003	HARDIN	0A437	0.992	WICKER BRANCH	WEIGHT POSTED	6/8/2016	1970	35.210944	-88.339639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.8
360A4430001	HARDIN	0A446	0.44	INDIAN CREEK	OPEN	6/7/2016	1930	35.277139	-88.021806	CONCRETE	ARCH - DECK	71.5
360A4980001	HARDIN	0A498	0.053	ROGERS CREEK	WEIGHT POSTED	6/15/2016	1968	35.143083	-88.068917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.9
36SR0690005	HARDIN	0A880	0.049	PORTER CREEK	OPEN	6/14/2016	1935	35.102806	-88.145778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
360A3550001	HARDIN	0A882	2.389	PISGAH BRANCH	OPEN	6/16/2016	1973	35.079917	-88.354361	CONCRETE	CHANNEL BEAM	70.4
36S82300001	HARDIN	0B202	0.19	STEEL CREEK	OPEN	6/7/2016	1952	35.24775	-88.149722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
36S82300003	HARDIN	0B202	0.955	CLEMITT BRANCH	OPEN	6/7/2016	1960	35.258611	-88.149139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
360A1780001	HARDIN	0B272	0.15	TURKEY CREEK	OPEN	6/15/2016	1970	35.180917	-88.119917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.2
36SR0150001	HARDIN	SR015	0.89	REASON CREEK	OPEN	5/24/2016	2000	35.226	-88.356611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
36SR0150003	HARDIN	SR015	4.48	TENN RIVER OVERFLOW	OPEN	5/24/2016	1987	35.226389	-88.296417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
36SR0150005	HARDIN	SR015	5	TENN RIVER OVERFLOW	OPEN	5/24/2016	1988	35.226278	-88.287333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
36SR0150007	HARDIN	SR015	5.41	TENN RIVER OVERFLOW	OPEN	5/24/2016	1988	35.225694	-88.280083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
36SR0150009	HARDIN	SR015	6.29	TENNESSEE RIVER	OPEN	6/1/2016	1980	35.224722	-88.264528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.8
36SR0150011	HARDIN	SR015	9.38	HORSE CREEK	OPEN	5/25/2016	2010	35.2264	-88.211367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
36SR0150013	HARDIN	SR015	9.74	OVERFLOW	OPEN	5/24/2016	2010	35.226067	-88.204933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
36SR0150014	HARDIN	SR015	9.78	OVERFLOW	OPEN	5/24/2016	2010	35.2263	-88.20475	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
36SR0150015	HARDIN	SR015	10.43	TURKEY CREEK	OPEN	5/25/2016	2010	35.22875	-88.193667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
36SR0150016	HARDIN	SR015	10.43	TURKEY CREEK	OPEN	5/25/2016	2010	35.2289	-88.19395	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
36SR0150017	HARDIN	SR015	12.3	STEEL CREEK	OPEN	5/24/2016	2010	35.243333	-88.16615	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
36SR0150033	HARDIN	SR015	12.48	BRANCH	OPEN	5/25/2016	2010	35.244483	-88.163067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
36SR0150019	HARDIN	SR015	13.16	STEEL CREEK	OPEN	5/25/2016	2010	35.245817	-88.151533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.6
36SR0150035	HARDIN	SR015	14.67	BRANCH	OPEN	5/25/2016	2010	35.2451	-88.1257	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
36SR0150022	HARDIN	SR015	17.84	SMITH FORK CREEK	OPEN	5/25/2016	1926	35.255583	-88.073694	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.4
36SR0150021	HARDIN	SR015	17.84	SMITH FORK CREEK	OPEN	5/25/2016	2016	35.255392	-88.073572	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
36SR0150023	HARDIN	SR015	20.83	BIG BEE CREEK	OPEN	5/25/2016	2016	35.275028	-88.02675	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6
36SR0150024	HARDIN	SR015	20.83	BIG BEE CREEK	OPEN	5/26/2016	1926	35.275028	-88.02675	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.1
36SR0150025	HARDIN	SR015	21.16	INDIAN CREEK	OPEN	5/24/2016	2006	35.275733	-88.0208	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
36SR0150026	HARDIN	SR015	21.16	INDIAN CREEK	OPEN	5/24/2016	2006	35.275733	-88.0211	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
36SR0150027	HARDIN	SR015	22.03	BRANCH	OPEN	5/25/2016	1926	35.278483	-88.005783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.3
36SR0150029	HARDIN	SR015	22.33	FLAT GAP CREEK	OPEN	5/24/2016	2006	35.279333	-88.00055	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
36SR0150030	HARDIN	SR015	22.33	FLAT GAP CREEK	OPEN	5/25/2016	2006	35.279617	-88.000933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
36SR0150031	HARDIN	SR015	23.53	BRANCH	OPEN	5/25/2016	2006	35.28695	-87.98305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
36SR0220001	HARDIN	SR022	6.49	SNAKE CREEK	OPEN	5/26/2016	1944	35.180194	-88.32675	CONCRETE	TEE BEAM	57.7
36SR0220003	HARDIN	SR022	8.9	GATTIS CREEK	OPEN	5/25/2016	1944	35.213556	-88.32255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
36SR0570001	HARDIN	SR057	4.63	CHAMBERS CREEK	OPEN	5/26/2016	1967	35.040778	-88.301806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.1
36SR0570003	HARDIN	SR057	7.57	ROBINSONS CREEK	OPEN	5/26/2016	1968	35.048389	-88.251556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
36SR0690025	HARDIN	SR069	1.33	MIDDLETON CREEK	OPEN	5/26/2016	1987	35.372583	-88.339556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
36SR0690027	HARDIN	SR069	3.12	HURRICANE CREEK	OPEN	5/26/2016	1987	35.369972	-88.308139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.1
36SR0690029	HARDIN	SR069	4.35	FLATS CREEK	OPEN	5/26/2016	1987	35.371639	-88.2865	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
36SR0690031	HARDIN	SR069	5.05	BIGHAM CREEK	OPEN	5/26/2016	1987	35.374278	-88.2745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
36SR0690033	HARDIN	SR069	7.78	MILES CREEK	OPEN	5/26/2016	1996	35.382111	-88.228389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.7
36SR0690035	HARDIN	SR069	10.06	DOE CREEK	WEIGHT POSTED	5/26/2016	1944	35.387222	-88.197417	STEEL	TRUSS - THRU	28
36SR0690001	HARDIN	SR069	10.82	HOLLAND CREEK	OPEN	5/31/2016	1935	35.101889	-88.129167	CONCRETE	TEE BEAM	52.9
36SR0690003	HARDIN	SR069	11.36	HOLLOWFIELD CREEK	OPEN	5/31/2016	1935	35.101278	-88.138667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.9
36SR0690037	HARDIN	SR069	11.81	PORTER CREEK	OPEN	5/31/2016	1993	35.103583	-88.145944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
36SR0690007	HARDIN	SR069	12.5	BEVINS BRANCH	OPEN	5/31/2016	1935	35.109361	-88.155472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.4
36SR0690009	HARDIN	SR069	13.22	BUCK BRANCH	OPEN	5/31/2016	1935	35.113667	-88.167139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
36SR0690011	HARDIN	SR069	14.54	HOWARD BRANCH	OPEN	5/31/2016	1935	35.12575	-88.184861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.4
36SR0690013	HARDIN	SR069	15.23	ROBERTSON BRANCH	OPEN	5/31/2016	1935	35.129778	-88.195889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
36SR0690015	HARDIN	SR069	16.09	ROBINSON BRANCH	OPEN	5/31/2016	1935	35.138056	-88.20625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
36SR0690039	HARDIN	SR069	17.74	SCOTT BRANCH	OPEN	5/26/2016	1999	35.1595	-88.217167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
36SR0690017	HARDIN	SR069	23.27	BEASON CREEK	OPEN	6/1/2016	1954	35.231333	-88.324361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74.5
36SR0690019	HARDIN	SR069	26.53	NORTH FORK BEASON CREEK	OPEN	5/31/2016	1954	35.264972	-88.353306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.7
36SR0690021	HARDIN	SR069	28.98	SOUTH FORK MUD CREEK	OPEN	5/31/2016	1954	35.299194	-88.356583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.7
36SR0690023	HARDIN	SR069	29.26	NORTH FORK MUD CREEK	OPEN	5/31/2016	2001	35.303278	-88.356861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.7
36SR1040001	HARDIN	SR104	1.9	TANYARD BRANCH	OPEN	5/26/2016	1948	35.395333	-88.249667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
36SR1140003	HARDIN	SR114	1.42	BRANCH	OPEN	6/2/2016	1999	35.382333	-88.046528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
36SR1140005	HARDIN	SR114	3.12	BRANCH	OPEN	6/2/2016	1999	35.403917	-88.057556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
36SR1140001	HARDIN	SR114	3.22	TENNESSEE RIVER	OPEN	6/13/2016	1997	35.4055	-88.056278	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.8
36SR1280003	HARDIN	SR128	3.72	HATLEY CREEK	OPEN	6/2/2016	1947	35.102944	-88.256694	CONCRETE	TEE BEAM	48.7
36S82300009	HARDIN	SR128	16.19	WHITLOW BRANCH	OPEN	6/2/2016	1990	35.293111	-88.130667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
36S82300005	HARDIN	SR128	17.17	INDIAN CREEK	OPEN	6/2/2016	2001	35.306528	-88.125278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.2
36S82300007	HARDIN	SR128	17.29	OVERFLOW	OPEN	6/2/2016	2001	35.307889	-88.124	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.2
36SR1280013	HARDIN	SR128	22.07	HARDIN CREEK	OPEN	6/6/2016	2001	35.356083	-88.069611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
36SR1280015	HARDIN	SR128	23.71	SHORT CREEK	OPEN	6/2/2016	2000	35.371694	-88.049056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
36SR1420001	HARDIN	SR142	0.21	OWL CREEK	OPEN	5/26/2016	1977	35.141472	-88.370806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
36SR1420003	HARDIN	SR142	2.78	LICK CREEK	OPEN	5/26/2016	1947	35.089806	-88.352972	CONCRETE	TEE BEAM	62.2
36S61940001	HARDIN	SR203	1.65	HORSE CREEK	OPEN	5/31/2016	1963	35.215611	-88.216611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.6
36S61940003	HARDIN	SR203	4.61	ENGLISH CREEK	OPEN	5/31/2016	1958	35.201333	-88.172528	CONCRETE	TEE BEAM	68.3
36S61940005	HARDIN	SR203	7.4	TURKEY CREEK	OPEN	5/31/2016	1958	35.185556	-88.129361	CONCRETE	TEE BEAM	66.5
36S61940007	HARDIN	SR203	9.65	TURKEY CREEK	OPEN	5/31/2016	1959	35.169722	-88.095778	CONCRETE	TEE BEAM	66.5
36S61940009	HARDIN	SR203	12.57	RODGERS CREEK	OPEN	6/2/2016	1960	35.15125	-88.053861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
36S61940011	HARDIN	SR203	15.29	GERMAN BRANCH	OPEN	6/2/2016	1960	35.136389	-88.014667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
36S61940013	HARDIN	SR203	16.45	NICHOLS BRANCH	OPEN	6/2/2016	1960	35.128667	-87.996833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
36S82430003	HARDIN	SR226	3.68	HORSE CREEK	OPEN	5/31/2016	1969	35.179972	-88.20975	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.1
37S23670007	HAWKINS	01175	12.58	HOLSTON RIVER	WEIGHT POSTED	6/6/2017	1964	36.515583	-82.724167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.8
37S25270001	HAWKINS	01186	5.79	STONE POINT CREEK	OPEN	6/12/2017	1950	36.507783	-82.8447	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
37E00100001	HAWKINS	01212	0.18	CLOUD CREEK	OPEN	5/15/2017	1960	36.3892	-83.118017	CONCRETE	TEE BEAM	68.5
37S23660001	HAWKINS	01364	1.95	BIG CREEK	OPEN	6/13/2017	1941	36.47745	-82.938417	CONCRETE	TEE BEAM	61.9
37014340001	HAWKINS	01434	1.2	BEECH CREEK	OPEN	6/1/2017	1960	36.392683	-82.903417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
37SR0700007	HAWKINS	01434	7.63	DODSON CREEK	OPEN	6/14/2017	1945	36.362667	-82.988	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.1
37025450001	HAWKINS	02545	1.58	CHEROKEE LAKE-BEECH CR.	WEIGHT POSTED	6/1/2017	1965	36.397933	-82.928733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.7
37025490001	HAWKINS	02549	1.63	STONY POINT CREEK	OPEN	7/13/2015	1970	36.49355	-82.82395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
37025980001	HAWKINS	02598	5.61	BEECH CREEK	OPEN	6/20/2017	1955	36.393567	-82.855267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.8
37026020001	HAWKINS	02602	0.19	POSSUM CREEK	OPEN	6/12/2017	1940	36.58165	-82.779933	CONCRETE	SLAB	73
37026020003	HAWKINS	02602	0.72	POOR VALLEY BRANCH	OPEN	6/12/2017	2003	36.585017	-82.78835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
37026020005	HAWKINS	02602	9.44	MARSHALL CREEK	OPEN	7/9/2015	1970	36.540233	-82.9096	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
37026020007	HAWKINS	02602	12.17	FISHER CREEK	OPEN	6/13/2017	1978	36.514783	-82.93685	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.2
37026020009	HAWKINS	02602	13.49	FISHER CREEK	OPEN	6/13/2017	1977	36.497083	-82.9388	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	78.3
37026020011	HAWKINS	02602	16.75	CANEY CREEK	OPEN	5/15/2017	1984	36.464917	-82.97305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
37026040001	HAWKINS	02604	2.04	HUNT CREEK	OPEN	7/13/2015	1985	36.484383	-82.75325	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.6
37026040003	HAWKINS	02604	9.47	HOLSTON RIVER	OPEN	6/8/2017	2014	36.46865	-82.849017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
37SR0700005	HAWKINS	02638	0.27	DODSON CREEK	OPEN	6/14/2017	1978	36.347067	-82.9515	CONCRETE	CHANNEL BEAM	73.6
370A0690001	HAWKINS	03898	0.565	HOLSTON RIVER	OPEN	6/12/2017	2009	36.549417	-82.6143	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.9
37M39500001	HAWKINS	03950	1.07	BRANCH	OPEN	7/13/2015	1952	36.539833	-82.665683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
37M39500003	HAWKINS	03950	3.3	SMITH CREEK	OPEN	6/7/2017	1952	36.5246	-82.700133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
370A3590001	HAWKINS	05322	0.53	NORFOLK / SOU RAILWAY	OPEN	7/20/2015	1962	36.504733	-82.77055	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65.4
37SR0010005	HAWKINS	0A005	1.876	CLOUD CREEK	OPEN	6/1/2017	1942	36.3857	-83.101483	CONCRETE	TEE BEAM	58.7
37SR0010007	HAWKINS	0A005	2.932	CANEY CREEK	OPEN	6/1/2017	1937	36.3858	-83.08295	CONCRETE	TEE BEAM	49.1
370A0300001	HAWKINS	0A030	0.363	SOUTHERN RAILWAY	OPEN	7/6/2017	2012	36.254333	-83.0867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.2
370A0430001	HAWKINS	0A043	2.206	CANEY CREEK	OPEN	6/13/2017	1974	36.4028	-83.047017	CONCRETE	SLAB	71.4
370A0440001	HAWKINS	0A044	1.396	BRANCH	OPEN	6/13/2017	1987	36.39575	-83.068117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
37SR0010001	HAWKINS	0A085	1.008	MOORESBURG CREEK	OPEN	11/3/2015	1941	36.344883	-83.22	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.5
370A1070001	HAWKINS	0A107	0.55	WAR CREEK	OPEN	5/16/2017	1990	36.512317	-83.0287	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69
370A1070003	HAWKINS	0A107	0.618	WAR CREEK	OPEN	5/16/2017	1984	36.511467	-83.0286	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97
370A1070005	HAWKINS	0A107	6.166	SWEET CREEK	WEIGHT POSTED	5/16/2017	1930	36.518283	-83.10335	CONCRETE	TEE BEAM	49.7
370A1310001	HAWKINS	0A131	1.647	POOR VALLEY CREEK	OPEN	5/15/2017	1988	36.3896	-83.216667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92
370A1320001	HAWKINS	0A132	0.096	CANEY FORK	OPEN	5/15/2017	1999	36.3813	-83.22445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
370A1330001	HAWKINS	0A133	0.325	RICHARDSON CREEK	OPEN	5/16/2017	1940	36.476033	-83.157583	CONCRETE	SLAB	60

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
370A1350001	HAWKINS	0A135	0.556	BIG WAR CREEK	OPEN	5/16/2017	1998	36.450533	-83.177733	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
370B0520001	HAWKINS	0A139	0.864	POOR VALLEY CREEK	OPEN	5/15/2017	2007	36.395	-83.203317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
370B0520003	HAWKINS	0A139	3.711	POOR VALLEY CREEK	OPEN	5/17/2017	1982	36.4148	-83.1632	CONCRETE	SLAB	86.2
370B0520005	HAWKINS	0A139	3.897	POOR VALLEY CREEK	OPEN	5/17/2017	1982	36.4156	-83.159883	CONCRETE	SLAB	74.1
370B0520007	HAWKINS	0A139	4.087	POOR VALLEY CREEK	OPEN	5/17/2017	1982	36.4155	-83.156567	CONCRETE	SLAB	86.2
370B0520009	HAWKINS	0A139	5.53	POOR VALLEY CREEK	OPEN	5/17/2017	1982	36.425467	-83.137767	CONCRETE	SLAB	75.3
370A1430001	HAWKINS	0A143	1.695	BYRD CREEK	OPEN	5/16/2017	1973	36.493233	-83.1219	CONCRETE	SLAB	90.5
370A1630001	HAWKINS	0A163	2.338	BYRD CREEK	OPEN	5/16/2017	1973	36.4993	-83.121483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
370A1670001	HAWKINS	0A167	0.496	POOR VALLEY CREEK	OPEN	5/17/2017	1984	36.438367	-83.116633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76
370A1680001	HAWKINS	0A168	1.329	POOR VALLEY CREEK	OPEN	5/17/2017	1984	36.451017	-83.095133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
370A1800001	HAWKINS	0A180	5.783	CANEY CREEK	OPEN	6/13/2017	1974	36.42245	-83.019783	CONCRETE	SLAB	80.9
370A1830001	HAWKINS	0A183	0.691	CANEY CREEK	OPEN	6/13/2017	1987	36.414767	-83.024383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.7
370A1830003	HAWKINS	0A183	0.936	CANEY CREEK	OPEN	6/13/2017	1982	36.416767	-83.0209	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.1
370A1850001	HAWKINS	0A185	0.065	CANEY CREEK	OPEN	6/13/2017	2006	36.42715	-83.010167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
370A1850003	HAWKINS	0A185	2.11	CANEY CREEK	OPEN	5/15/2017	1984	36.441917	-82.99165	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.2
370A2000001	HAWKINS	0A200	0.007	CANEY CREEK	OPEN	5/15/2017	1993	36.460383	-82.978983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
370A2170001	HAWKINS	0A217	0	BIG CREEK	OPEN	7/9/2015	1975	36.514833	-82.891783	CONCRETE	SLAB	64.4
370A2220001	HAWKINS	0A222	0.296	FISHER CREEK	OPEN	6/13/2017	1984	36.489917	-82.940233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.2
370A2220003	HAWKINS	0A222	1.712	BIG CREEK	OPEN	6/13/2017	1972	36.49775	-82.917817	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	62.6
370A2230001	HAWKINS	0A223	0.11	BIG CREEK	OPEN	7/9/2015	1984	36.504283	-82.909133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
370A2240001	HAWKINS	0A224	0.043	BIG CREEK	OPEN	7/9/2015	1973	36.511267	-82.8993	CONCRETE	SLAB	55.9
370A2250001	HAWKINS	0A225	0.006	BIG CREEK	OPEN	7/9/2015	1970	36.523883	-82.898083	CONCRETE	SLAB	59.6
370A2760001	HAWKINS	0A276	0.055	BIG CREEK	OPEN	6/13/2017	1997	36.468867	-82.9458	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
370A2830001	HAWKINS	0A283	0.174	BIG CREEK	OPEN	6/8/2017	1935	36.425317	-82.95145	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.3
370A3390001	HAWKINS	0A339	0.316	SOUTHERN RAILWAY	OPEN	7/16/2015	1977	36.481083	-82.827117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.7
370A3520001	HAWKINS	0A352	0.447	SOUTHERN RAILWAY	OPEN	7/16/2015	1959	36.501733	-82.788117	CONCRETE CONTINUOUS	TEE BEAM	45.1
370A3530001	HAWKINS	0A353	0.108	SOUTHERN RAILWAY	OPEN	7/16/2015	1960	36.500933	-82.79025	CONCRETE CONTINUOUS	TEE BEAM	68.9
370A3550001	HAWKINS	0A355	0.178	BRADLEY CREEK	OPEN	7/20/2015	1925	36.505483	-82.789417	CONCRETE	ARCH - DECK	78.5
370A3550003	HAWKINS	0A355	0.645	RENFROE CREEK	OPEN	7/20/2015	1930	36.508133	-82.781817	CONCRETE	SLAB	72.5
370A3550005	HAWKINS	0A355	1.37	RENFROE CREEK	OPEN	6/12/2017	1930	36.517933	-82.781817	CONCRETE	SLAB	79.5
370A3560001	HAWKINS	0A356	0.054	RENFROE CREEK	OPEN	7/20/2015	1940	36.507283	-82.781617	CONCRETE	SLAB	63.6
370A3580001	HAWKINS	0A358	0.77	RENFROE CREEK	OPEN	6/12/2017	1930	36.518	-82.782517	CONCRETE	SLAB	62.5
370A3830001	HAWKINS	0A383	3.35	ALEXANDER CREEK	OPEN	6/7/2017	2003	36.535117	-82.720767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
370A4300001	HAWKINS	0A430	0.038	ALEXANDER CREEK	OPEN	6/7/2017	1993	36.52485	-82.715917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
370A6380001	HAWKINS	0A638	0.005	GOSHEN CREEK	OPEN	7/13/2015	1995	36.489833	-82.72145	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
370A6560001	HAWKINS	0A656	4.764	HONEYCUTT CR.	OPEN	6/1/2017	2000	36.416983	-82.869917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.9
370A6740003	HAWKINS	0A674	0.008	GRASSY CREEK	OPEN	6/20/2017	1960	36.423717	-82.790617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58
370A6740001	HAWKINS	0A674	2.477	BEECH CREEK	OPEN	6/20/2017	1984	36.3984	-82.820617	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.6
370A6810001	HAWKINS	0A681	3.174	BEECH CREEK	WEIGHT POSTED	6/20/2017	1920	36.387267	-82.846317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.5
370A6820001	HAWKINS	0A682	0.017	BEECH CREEK	WEIGHT POSTED	6/20/2017	1955	36.387483	-82.843467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.1
370A6850001	HAWKINS	0A685	0.003	BEECH CREEK	OPEN	6/20/2017	1984	36.410467	-82.762883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
370A6890001	HAWKINS	0A689	0.531	BEECH CREEK	OPEN	6/20/2017	1982	36.426033	-82.724183	CONCRETE	SLAB	93.8
370A6980001	HAWKINS	0A698	0.007	BEECH CREEK	OPEN	6/20/2017	1982	36.400333	-82.86635	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88
370A6990001	HAWKINS	0A699	0.01	BEECH CREEK	OPEN	6/1/2017	1984	36.398783	-82.880217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9
370A7010001	HAWKINS	0A701	0.02	BEECH CREEK	OPEN	6/1/2017	1987	36.401767	-82.885083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.2
370A7140003	HAWKINS	0A714	0.484	HONEYCUTT CREEK	OPEN	7/20/2015	1950	36.3691	-83.006233	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	72.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
370A7170001	HAWKINS	0A717	1.404	DODSON CREEK	OPEN	6/14/2017	2004	36.342067	-82.975767	CONCRETE	SLAB	98.9
370A7170003	HAWKINS	0A717	1.871	LOUNDERBACK CREEK	OPEN	6/14/2017	1984	36.335683	-82.97925	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.7
370A7210001	HAWKINS	0A721	0.768	COWARD BRANCH	OPEN	6/14/2017	1984	36.31465	-82.98775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
370A7270001	HAWKINS	0A727	0.031	SOUTHERN RAILWAY	OPEN	6/14/2017	1993	36.3499	-83.009217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.8
370A7270003	HAWKINS	0A727	0.214	HONEYCUTT CREEK	OPEN	6/14/2017	1993	36.34955	-83.012233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
370A7420003	HAWKINS	0A742	0.959	HONEYCUTT CREEK	OPEN	6/22/2017	1999	36.339583	-83.0024	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
370A7560001	HAWKINS	0A756	1.088	SOUTHERN RAILWAY	OPEN	6/22/2017	2003	36.300517	-83.03335	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.7
370A7650001	HAWKINS	0A765	0.813	ROBERTSON CREEK	WEIGHT POSTED	6/21/2017	1940	36.328967	-83.066	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.6
370A7670001	HAWKINS	0A767	0.86	ROBERTSON CREEK	OPEN	6/21/2017	1984	36.330233	-83.04825	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97
370A7770001	HAWKINS	0A777	0.742	ROBERTSON CREEK	OPEN	6/21/2017	1994	36.3215	-83.07955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
370A7840001	HAWKINS	0A784	1.357	WHITEHORN CREEK	OPEN	7/6/2017	1993	36.2674	-83.071083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
370A7870001	HAWKINS	0A787	1.313	ROBERTSON CREEK	OPEN	6/21/2017	1940	36.311067	-83.0858	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.7
370A7990001	HAWKINS	0A799	0.139	WHITEHORN CREEK	OPEN	7/6/2017	1990	36.252383	-83.084167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
370A8260001	HAWKINS	0A826	0.592	WHITEHORN CREEK	OPEN	7/6/2017	2003	36.249183	-83.0867	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99
370A8540001	HAWKINS	0A854	0.426	WAR CREEK	OPEN	6/21/2017	1954	36.3549	-83.088917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
370A8610001	HAWKINS	0A861	2.246	ROBERTSON CREEK	OPEN	6/21/2017	1987	36.359817	-83.03685	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	71.5
370A9430001	HAWKINS	0A943	0.134	CROCKETT CREEK	OPEN	6/21/2017	1995	36.405133	-83.005833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
370B0260001	HAWKINS	0B026	0.238	CROCKETT CREEK	WEIGHT POSTED	6/21/2017	1960	36.390167	-83.0302	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7
370B1480001	HAWKINS	0B148	0.083	BIG CREEK	WEIGHT POSTED	7/9/2015	1950	36.508683	-82.902717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.3
370B1620001	HAWKINS	0B162	0.012	BYRD CREEK	OPEN	5/16/2017	1974	36.495267	-83.111883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
370B1960001	HAWKINS	OB196	0	BEECH CREEK	OPEN	6/20/2017	2007	36.390583	-82.816183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
37SR0010047	HAWKINS	SR001	0.56	BRANCH	OPEN	8/2/2016	1993	36.3455	-83.25485	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68.8
37SR0010045	HAWKINS	SR001	1.55	BRANCH	OPEN	8/2/2016	1984	36.345217	-83.237217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
37SR0010003	HAWKINS	SR001	3.53	POOR VALLEY CREEK	OPEN	9/6/2016	1942	36.345533	-83.204117	CONCRETE	TEE BEAM	93.2
37SR0010004	HAWKINS	SR001	3.53	POOR VALLEY CREEK	OPEN	9/6/2016	1984	36.3457	-83.204217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78.7
37SR0010042	HAWKINS	SR001	10.29	CLOUDS CREEK	OPEN	8/2/2016	1983	36.3913	-83.099283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
37SR0010041	HAWKINS	SR001	10.29	CLOUDS CREEK	OPEN	8/2/2016	1983	36.391133	-83.099067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
37SR0010043	HAWKINS	SR001	11.07	CANEY CREEK	OPEN	9/15/2016	1983	36.384333	-83.0891	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
37SR0010044	HAWKINS	SR001	11.07	CANEY CREEK	OPEN	9/15/2016	1983	36.384533	-83.088917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
37SR0010039	HAWKINS	SR001	18.16	SR 70	OPEN	8/3/2016	1974	36.426383	-82.983683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.9
37SR0010040	HAWKINS	SR001	18.16	SR 70	OPEN	8/3/2016	1966	36.4265	-82.983717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
37SR0010013	HAWKINS	SR001	21.77	BIG CREEK	OPEN	8/3/2016	1976	36.461167	-82.936733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.7
37SR0010014	HAWKINS	SR001	21.77	BIG CREEK	OPEN	8/3/2016	1976	36.461417	-82.93685	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.7
37SR0010015	HAWKINS	SR001	25.54	FORGEY CREEK	OPEN	8/3/2016	1976	36.473533	-82.871833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
37SR0010017	HAWKINS	SR001	26.59	SURGOINSVILLE CREEK	OPEN	8/3/2016	1976	36.478767	-82.854867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
37SR0010019	HAWKINS	SR001	28.6	STONE POINT CREEK	OPEN	8/3/2016	1976	36.4924	-82.823233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.7
37SR0010023	HAWKINS	SR001	30.18	BRADLEY CREEK	OPEN	8/3/2016	1975	36.5064	-82.791383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
37SR0010021	HAWKINS	SR001	31.2	RENFROE CREEK	OPEN	8/3/2016	1975	36.509017	-82.782117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
37SR0010027	HAWKINS	SR001	33.23	HORD CREEK	OPEN	8/3/2016	1968	36.519283	-82.745083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.2
37SR0010031	HAWKINS	SR001	34.94	ALEXANDER CREEK	OPEN	8/4/2016	1968	36.51825	-82.717817	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	59

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
37SR0010033	HAWKINS	SR001	36.1	SMITH CREEK	OPEN	8/4/2016	1968	36.52105	-82.697983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
37SR0010025	HAWKINS	SR001	39.35	BRANCH	OPEN	8/4/2016	1962	36.5468	-82.650117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.1
37SR0010038	HAWKINS	SR001	41.3	NORTH FORK HOLSTON RIVER	OPEN	8/16/2016	1962	36.553983	-82.615967	CONCRETE CONTINUOUS	TEE BEAM	55.1
37SR0010037	HAWKINS	SR001	41.3	NORTH FORK HOLSTON RIVER	OPEN	8/16/2016	1962	36.554033	-82.61585	CONCRETE CONTINUOUS	TEE BEAM	57.3
37SR0310001	HAWKINS	SR031	0.24	BRANCH	OPEN	8/2/2016	1958	36.346217	-83.228133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
37SR0310003	HAWKINS	SR031	0.99	CLOUD CREEK	OPEN	8/2/2016	1958	36.35615	-83.232	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
37SR0310005	HAWKINS	SR031	2.34	POOR VALLEY CREEK	OPEN	8/17/2016	1945	36.3699	-83.221433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
37SR0310007	HAWKINS	SR031	4.17	POOR VALLEY CREEK	OPEN	8/2/2016	1958	36.392017	-83.21595	CONCRETE	TEE BEAM	16.8
37SR0340001	HAWKINS	SR034	0.68	MUD CREEK	OPEN	8/9/2016	1929	36.259367	-83.091583	CONCRETE	TEE BEAM	51.9
37SR0340005	HAWKINS	SR034	1.16	SOU RWYS & WHITE HORN CR	OPEN	8/15/2016	1990	36.255383	-83.084683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.4
37SR0660001	HAWKINS	SR066	1.76	WALKER CREEK	OPEN	8/9/2016	1925	36.276267	-83.068433	CONCRETE	ARCH - DECK	66.5
37SR0660003	HAWKINS	SR066	2.61	WHITEHORN SHORT CREEK	OPEN	8/9/2016	1925	36.2832	-83.0565	CONCRETE	ARCH - DECK	67
37SR0660005	HAWKINS	SR066	10.19	HOLSTON RIVER	OPEN	8/15/2016	1958	36.372717	-83.013167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	50.5
37SR0660007	HAWKINS	SR066	12.04	CROCKETT CREEK	OPEN	8/9/2016	1968	36.397017	-83.014433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
37SR0660027	HAWKINS	SR066	12.43	NFA 1449	OPEN	8/9/2016	1968	36.399633	-83.020417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.4
37SR0010009	HAWKINS	SR066	12.55	SR 1	OPEN	8/2/2016	1994	36.40085	-83.021867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.9
37SR0660009	HAWKINS	SR066	14.19	CANEY CREEK	OPEN	8/9/2016	1986	36.405383	-83.037983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.7
37SR0660011	HAWKINS	SR066	15.84	STOCK CREEK	OPEN	8/9/2016	1986	36.409683	-83.061633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
37SR0660013	HAWKINS	SR066	17.45	RENFROE CREEK	OPEN	8/10/2016	1942	36.402683	-83.087933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.8
37SR0660015	HAWKINS	SR066	18.03	MOUNTAIN BRANCH	OPEN	8/10/2016	1931	36.40395	-83.097767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
37SR0660017	HAWKINS	SR066	21.73	LITTLE POOR VALLEY CREEK	OPEN	8/10/2016	1992	36.42845	-83.11295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
37SR0660019	HAWKINS	SR066	22.45	BIG POOR VALLEY CREEK	OPEN	8/10/2016	1988	36.434483	-83.1231	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
37SR0660021	HAWKINS	SR066	26.24	BIG WAR CREEK	OPEN	8/10/2016	1985	36.451433	-83.155483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
37SR0660023	HAWKINS	SR066	27.17	RICHARDSON CREEK	OPEN	8/10/2016	1985	36.459483	-83.142317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
37SR0660025	HAWKINS	SR066	27.43	BRANCH	OPEN	8/10/2016	1985	36.463017	-83.143583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
37SR0700001	HAWKINS	SR070	0.42	DODSON CREEK	OPEN	8/8/2016	1986	36.338217	-82.9265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
37SR0700003	HAWKINS	SR070	1.16	DODSON CREEK	OPEN	8/8/2016	1986	36.347883	-82.929733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
37SR0700029	HAWKINS	SR070	2.84	HECK HOLLOW BRANCH	OPEN	8/8/2016	1986	36.344417	-82.954853	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
37SR0700031	HAWKINS	SR070	2.93	DODSON CREEK	OPEN	8/8/2016	1986	36.344617	-82.95645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
37SR0700033	HAWKINS	SR070	3.13	DODSON CREEK	OPEN	8/8/2016	1986	36.34495	-82.9599	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
37SR0700035	HAWKINS	SR070	3.48	DODSON CREEK	OPEN	8/8/2016	1986	36.34495	-82.966033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
37SR0700027	HAWKINS	SR070	4.06	DODSON CREEK	OPEN	8/8/2016	1985	36.344083	-82.976533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
37SR0700009	HAWKINS	SR070	6.19	SOUTHERN RAILWAY	OPEN	8/8/2016	1967	36.351983	-83.0108	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	39
37SR0700011	HAWKINS	SR070	6.39	HONEYCUTT CREEK	OPEN	8/8/2016	1967	36.351817	-83.014267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
37SR0700013	HAWKINS	SR070	8.91	CANEY CREEK	OPEN	9/14/2016	1971	36.447867	-82.9882	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	58.6
37SR0700015	HAWKINS	SR070	9.9	NOSE CREEK	OPEN	9/14/2016	1926	36.46035	-82.979083	CONCRETE	SLAB	67.2
37SR0700017	HAWKINS	SR070	10.33	CANEY CREEK	OPEN	9/14/2016	1966	36.4652	-82.975833	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.6
37SR0700025	HAWKINS	SR070	11.43	BRANCH	OPEN	9/14/2016	1930	36.4811	-82.988283	CONCRETE	TEE BEAM	56.1
37SR0700019	HAWKINS	SR070	14.31	POOR VALLEY CREEK	OPEN	9/19/2016	1952	36.491867	-83.025417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
37SR0700021	HAWKINS	SR070	17.95	WAR CREEK	OPEN	9/19/2016	1952	36.507033	-83.039983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
37SR0700023	HAWKINS	SR070	21.41	MILL CREEK	OPEN	9/19/2016	1981	36.543667	-83.022	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	63.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
37SR0940001	HAWKINS	SR094	0.2	LITTLE POOR VALLEY CREEK	OPEN	8/10/2016	1983	36.427217	-83.10985	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
37SR1130001	HAWKINS	SR113	6.7	ROBERTSON CREEK	OPEN	8/11/2016	1975	36.340483	-83.04075	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.5
37S23650001	HAWKINS	SR344	3.8	HOLSTON RIVER	OPEN	8/17/2016	1985	36.369683	-83.081767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.2
37013620001	HAWKINS	SR346	0.61	SINKING CREEK	OPEN	8/11/2016	1923	36.46005	-82.89835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
37013620003	HAWKINS	SR346	0.87	SINKING CREEK	OPEN	8/11/2016	1923	36.457267	-82.895167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
37013620005	HAWKINS	SR346	3.9	SURGOINSVILLE CREEK	OPEN	8/11/2016	1923	36.47105	-82.851517	CONCRETE	SLAB	74.5
37013620007	HAWKINS	SR346	6.09	STONY POINT CREEK	OPEN	9/1/2016	1923	36.49035	-82.8207	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
37005340009	HAWKINS	SR346	8.01	ALEXANDER CREEK	OPEN	9/1/2016	1960	36.521633	-82.71525	CONCRETE CONTINUOUS	SLAB	61.7
37005680003	HAWKINS	SR346	16	SOUTHERN RAILWAY	OPEN	9/19/2016	1980	36.587367	-82.637933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
37005680007	HAWKINS	SR346	16.22	CSX RAILROAD	OPEN	9/19/2016	1980	36.587517	-82.633567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
37S24620001	HAWKINS	SR346	17.83	HOLSTON RIVER	OPEN	8/11/2016	1977	36.589167	-82.606467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.3
37S23670001	HAWKINS	SR347	3.22	BIG CREEK	WEIGHT POSTED	9/13/2016	1941	36.417933	-82.952133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.4
37S23670003	HAWKINS	SR347	4.26	HOLSTON RIVER	OPEN	9/7/2016	1972	36.418717	-82.9373	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63
37S23670005	HAWKINS	SR347	9.15	PALMER BRANCH	OPEN	9/12/2016	1960	36.397283	-82.861217	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	79.2
37S24630001	HAWKINS	SR347	10.14	NORTH FORK CREEK	OPEN	9/12/2016	1958	36.389733	-82.848483	CONCRETE	TEE BEAM	70.3
37S24630003	HAWKINS	SR347	11.53	BEECH CREEK	OPEN	9/14/2016	1958	36.394767	-82.82775	CONCRETE	TEE BEAM	69.6
37S24630005	HAWKINS	SR347	12.25	BEECH CREEK	OPEN	9/14/2016	1958	36.394333	-82.819117	CONCRETE	TEE BEAM	73.3
37S24630007	HAWKINS	SR347	14.04	BEECH CREEK	OPEN	9/12/2016	1958	36.394167	-82.794117	CONCRETE	TEE BEAM	85.4
37S24630009	HAWKINS	SR347	14.38	BEECH CREEK	OPEN	9/12/2016	1960	36.397017	-82.789217	CONCRETE	TEE BEAM	85.4
38008440003	HAYWOOD	00844	3.645	NIXON CREEK	OPEN	1/13/2016	2016	35.69975	-89.276556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
38S82390001	HAYWOOD	00844	7.81	MERIDIAN CREEK	OPEN	1/14/2016	1966	35.699778	-89.276556	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90
38S81310001	HAYWOOD	00846	1.97	NIXON CREEK	OPEN	1/21/2016	1956	35.446611	-89.242778	CONCRETE	TEE BEAM	79.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
38S81310003	HAYWOOD	00846	2.03	OVERFLOW	OPEN	1/21/2016	1960	35.617694	-89.210611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
38S81310005	HAYWOOD	00846	5.5	COBB CREEK	OPEN	1/21/2016	1960	35.635528	-89.150642	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
38S81310007	HAYWOOD	00846	8.35	OVERFLOW	OPEN	1/21/2016	1957	35.660111	-89.117361	CONCRETE	TEE BEAM	83.9
38S81310009	HAYWOOD	00846	8.42	MUDDY CREEK	OPEN	1/21/2016	1957	35.660333	-89.116167	CONCRETE CONTINUOUS	TEE BEAM	83.9
38S81310011	HAYWOOD	00846	8.53	OVERFLOW	OPEN	1/21/2016	1957	35.661056	-89.114472	CONCRETE	TEE BEAM	70
38008470001	HAYWOOD	00847	1.03	CARTER CREEK	OPEN	1/13/2016	1979	35.544806	-89.179639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
38008470003	HAYWOOD	00847	1.09	CLIFF CREEK	OPEN	1/13/2016	1979	35.543861	-89.17925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
38008470005	HAYWOOD	00847	3.98	DITCH	OPEN	1/13/2016	1984	35.527583	-89.132361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
38008470007	HAYWOOD	00847	4.51	BRANCH	OPEN	1/13/2016	1979	35.525778	-89.12375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
38I00400043	HAYWOOD	00847	8.58	I40	OPEN	12/17/2015	1959	35.577111	-89.119722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.7
38008470009	HAYWOOD	00847	10.7	CANE CREEK	OPEN	1/14/2016	2011	35.607167	-89.116	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.1
38008470011	HAYWOOD	00847	12.78	MUDDY CREEK	OPEN	1/19/2016	1997	35.632333	-89.115417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
380A0040001	HAYWOOD	00857	0.1	RICHLAND CREEK	OPEN	1/15/2016	1975	35.43425	-89.167972	CONCRETE	CHANNEL BEAM	65.5
380A1790007	HAYWOOD	00857	2.99	BEAR CREEK	OPEN	1/15/2016	2002	35.4555	-89.193444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
380A1790005	HAYWOOD	00857	3.16	BEAR CREEK	OPEN	1/15/2016	2006	35.4543	-89.1961	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
380A1790001	HAYWOOD	00857	3.44	OVERFLOW	OPEN	1/15/2016	1972	35.451917	-89.200639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
38013770001	HAYWOOD	01377	1.85	BUCKS CREEK	OPEN	1/14/2016	1954	35.617778	-89.27525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
38013770003	HAYWOOD	01377	3.5	BRANCH	OPEN	1/13/2016	1954	35.641306	-89.287528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
38S80520013	HAYWOOD	01443	2.54	PRAIRIE CREEK	OPEN	4/20/2017	2017	35.468	-89.309528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
38I00400021	HAYWOOD	01443	4.72	I40	OPEN	12/17/2015	1959	35.478778	-89.274083	CONCRETE CONTINUOUS	TEE BEAM	87.6
38014820001	HAYWOOD	01482	0.8	DISTRICT BRANCH	OPEN	1/13/2016	1975	35.673	-89.454444	CONCRETE	CHANNEL BEAM	54
38015520001	HAYWOOD	01552	2.97	POPLAR CREEK	OPEN	1/15/2016	2008	35.420389	-89.245389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
38015540001	HAYWOOD	01554	6.54	CYPRESS CREEK	OPEN	1/19/2016	2016	35.574639	-89.424806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
38015560001	HAYWOOD	01556	1.63	JEFFERS CREEK	OPEN	1/13/2016	2002	35.666806	-89.072861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89
38015570001	HAYWOOD	01557	0.31	BRANCH	OPEN	1/15/2016	1998	35.404028	-89.358	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
38100400003	HAYWOOD	01557	1.57	I40	WEIGHT POSTED	12/16/2015	1960	35.417833	-89.369944	CONCRETE CONTINUOUS	TEE BEAM	77.1
38015570003	HAYWOOD	01557	3.61	BRANCH	OPEN	1/15/2016	2003	35.442833	-89.386139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
38015580001	HAYWOOD	01558	1.1	BROWNS CREEK	OPEN	1/13/2016	1984	35.563306	-89.09725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.9
38015610001	HAYWOOD	01561	2.16	LAGOON CREEK	OPEN	1/12/2016	1988	35.614861	-89.401528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.5
38015640001	HAYWOOD	01564	0.83	KAIL CREEK	OPEN	1/13/2016	1991	35.725722	-89.177861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
38015650001	HAYWOOD	01565	3.47	BRANCH	OPEN	1/13/2016	2006	35.68075	-89.209778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.7
38015660001	HAYWOOD	01566	1.8	LOST CREEK	OPEN	1/12/2016	2008	35.755833	-89.366861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
38015660005	HAYWOOD	01566	4.36	NIXON CREEK	OPEN	1/12/2016	2003	35.755444	-89.329778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.6
38015660007	HAYWOOD	01566	10.89	BRANCH	OPEN	1/13/2016	2004	35.705056	-89.264056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
38015670001	HAYWOOD	01567	2.36	OTTER CREEK	OPEN	1/12/2016	2007	35.726317	-89.353767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
38015670003	HAYWOOD	01567	2.42	OTTER CREEK	OPEN	1/12/2016	1998	35.727139	-89.35375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
38U30210001	HAYWOOD	03021	0.33	SUGAR CREEK	OPEN	1/19/2016	1979	35.588722	-89.261444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
38030280001	HAYWOOD	03028	0.33	SUGAR CREEK	OPEN	1/21/2016	1952	35.588306	-89.251028	CONCRETE	TEE BEAM	81.4
380A2550001	HAYWOOD	05585	0.17	SUGAR CREEK	OPEN	1/19/2016	1976	35.587556	-89.262528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	69.4
380A0090001	HAYWOOD	0A009	2.486	BRANCH	OPEN	1/15/2016	1984	35.447167	-89.118972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A0110001	HAYWOOD	0A011	2.139	MERIDIAN CREEK	OPEN	1/14/2016	1976	35.677167	-89.365444	CONCRETE	CHANNEL BEAM	63.8
380A0120001	HAYWOOD	0A012	2.216	LAGOON CREEK	OPEN	1/13/2016	1965	35.660361	-89.411306	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.5
380A0170001	HAYWOOD	0A017	1.265	DISTRICT BRANCH	OPEN	1/13/2016	1997	35.659806	-89.441056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
380A0200001	HAYWOOD	0A020	0.979	BRANCH	OPEN	1/13/2016	2001	35.639806	-89.402889	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.5
380A0230001	HAYWOOD	0A023	2.192	BRANCH	OPEN	1/12/2016	1983	35.612389	-89.392667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
380A0250005	HAYWOOD	0A025	1.663	LAGOON CREEK	OPEN	1/13/2016	1988	35.595278	-89.469806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
380A0300001	HAYWOOD	0A030	0.446	BRANCH	OPEN	1/13/2016	1983	35.682028	-89.287722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A0300003	HAYWOOD	0A030	2.134	BRANCH	OPEN	1/13/2016	1987	35.666417	-89.274944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A0350001	HAYWOOD	0A035	0.544	BRANCH	OPEN	1/14/2016	1976	35.740222	-89.423528	CONCRETE	CHANNEL BEAM	22.4
380A0380001	HAYWOOD	0A038	1.663	OTTER CREEK	OPEN	1/13/2016	1984	35.737333	-89.420528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A0400001	HAYWOOD	0A040	0.751	LOST CREEK	OPEN	1/12/2016	1973	35.775917	-89.431722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	68.8
380A0420001	HAYWOOD	0A042	0.822	LOST CREEK	OPEN	1/12/2016	1983	35.765528	-89.418833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
380A0430001	HAYWOOD	0A043	1.985	LOST CREEK	OPEN	1/12/2016	2012	35.76425	-89.413583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
380A0510001	HAYWOOD	0A051	0.516	BRANCH	OPEN	1/12/2016	1986	35.786556	-89.374472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
380A0510003	HAYWOOD	0A051	1.78	BRANCH	OPEN	1/12/2016	1984	35.779861	-89.358111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
380A0600001	HAYWOOD	0A060	1.38	MERIDIAN CREEK	OPEN	1/14/2016	1993	35.701778	-89.314917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
380A0740001	HAYWOOD	0A074	0.733	LITTLE NIXON CREEK	OPEN	1/14/2016	2015	35.628306	-89.2675	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
380A0760001	HAYWOOD	0A076	0.293	BRANCH	OPEN	1/13/2016	1969	35.640056	-89.2815	CONCRETE	CHANNEL BEAM	73.8
380A0820001	HAYWOOD	0A082	0.528	DRAINAGE DITCH	OPEN	1/13/2016	1983	35.736278	-89.283694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
380A0960001	HAYWOOD	0A096	0.73	BRANCH	OPEN	1/13/2016	1976	35.692917	-89.208444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.5
380A0970001	HAYWOOD	0A097	1.23	BEAR CREEK	WEIGHT POSTED	1/15/2016	1998	35.412861	-89.214889	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	54.1
380A1090001	HAYWOOD	0A109	1.536	BR OF S FK F. DEER RIVER	OPEN	1/21/2016	1995	35.666778	-89.072889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
380A1100001	HAYWOOD	0A110	1.203	BRANCH OF MUD CREEK	OPEN	1/21/2016	1983	35.643583	-89.091861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
380A1100003	HAYWOOD	0A110	2.509	BRANCH OF MUD CREEK	OPEN	1/21/2016	1983	35.626778	-89.095778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
380A1110001	HAYWOOD	0A111	0.733	BRANCH	OPEN	1/21/2016	1984	35.638389	-89.109389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A1110003	HAYWOOD	0A111	1.288	BRANCH	OPEN	1/21/2016	1983	35.641333	-89.102333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A1110007	HAYWOOD	0A111	2.202	BRANCH	OPEN	1/21/2016	1984	35.6535	-89.101083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A1120003	HAYWOOD	0A112	1.482	COBB CREEK	OPEN	1/21/2016	1986	35.616278	-89.142972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A1120007	HAYWOOD	0A112	2.482	MUD CREEK	OPEN	1/21/2016	1994	35.6165	-89.125167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
38I00400047	HAYWOOD	0A114	0.496	I40	OPEN	12/17/2015	1961	35.589611	-89.077389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.4
380A1150003	HAYWOOD	0A115	2.475	BRANCH	OPEN	1/19/2016	1984	35.603778	-89.107611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A1230001	HAYWOOD	0A123	1.022	JACOBS CREEK	OPEN	1/19/2016	1984	35.636306	-89.1695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
380A1380001	HAYWOOD	0A138	0.299	RICE BRANCH	OPEN	1/13/2016	2014	35.534167	-89.082028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
380A1380003	HAYWOOD	0A138	2.11	BROWNS CREEK	OPEN	1/13/2016	2011	35.554389	-89.097528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
380A1400001	HAYWOOD	0A140	1.468	BROWNS CREEK	OPEN	1/13/2016	2006	35.55005	-89.096317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
380A1480001	HAYWOOD	0A148	0.57	BRANCH	OPEN	1/15/2016	1999	35.41325	-89.338833	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.5
380A1480003	HAYWOOD	0A148	1.747	BRANCH	OPEN	1/15/2016	1992	35.427139	-89.344472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
380A1500001	HAYWOOD	0A150	0.573	BIG BLACK CREEK	OPEN	1/14/2016	2015	35.465056	-89.083361	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	83.1
380A1520001	HAYWOOD	0A152	0.544	BRANCH	OPEN	1/14/2016	1968	35.49405	-89.135717	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34
380A1530003	HAYWOOD	0A153	1.25	BRANCH	OPEN	1/13/2016	1984	35.53525	-89.117361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
380A1570001	HAYWOOD	0A157	3.154	CARTER CREEK	OPEN	1/14/2016	1976	35.556417	-89.168944	CONCRETE	CHANNEL BEAM	48.7
380A1570003	HAYWOOD	0A157	3.217	BRANCH	WEIGHT POSTED	1/14/2016	1975	35.556306	-89.17	CONCRETE	CHANNEL BEAM	36.4
380A1600001	HAYWOOD	0A160	0.236	MUD CREEK	OPEN	1/14/2016	1992	35.581583	-89.158861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
38I00400041	HAYWOOD	0A160	1.406	I40	OPEN	12/17/2015	1959	35.568278	-89.149778	CONCRETE CONTINUOUS	TEE BEAM	81.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
380A1550003	HAYWOOD	0A160	3.52	CLIFF CREEK	OPEN	1/13/2016	1972	35.538611	-89.152806	CONCRETE	CHANNEL BEAM	63.8
380A1610001	HAYWOOD	0A161	0.41	BRANCH	OPEN	1/14/2016	1984	35.549417	-89.143417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
380A1660001	HAYWOOD	0A166	1.195	BRANCH	OPEN	1/13/2016	1999	35.54175	-89.2	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
38I00400035	HAYWOOD	0A169	3.483	I40	OPEN	12/17/2015	1959	35.546417	-89.215806	CONCRETE CONTINUOUS	TEE BEAM	97.6
380A1730001	HAYWOOD	0A173	1.349	POPLAR CREEK	OPEN	1/15/2016	2007	35.4679	-89.2327	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
380A1790009	HAYWOOD	0A179	1.148	RICHLAND CREEK	OPEN	1/15/2016	1992	35.456028	-89.150667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
380A1810001	HAYWOOD	0A181	1.662	BRANCH	OPEN	1/15/2016	1914	35.467139	-89.16025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A1820001	HAYWOOD	0A182	0.272	BRANCH	OPEN	1/15/2016	1984	35.471	-89.462667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
380A2020001	HAYWOOD	0A202	0.6	BRANCH	OPEN	1/15/2016	1984	35.421528	-89.328944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
38I00400011	HAYWOOD	0A203	1.332	I40	OPEN	12/16/2015	1960	35.428861	-89.352083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.3
38I00400015	HAYWOOD	0A205	0.092	I40	OPEN	12/16/2015	1960	35.451722	-89.316028	CONCRETE CONTINUOUS	TEE BEAM	74.7
380A2050001	HAYWOOD	0A205	0.331	BRANCH	OPEN	1/15/2016	1997	35.451694	-89.31275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
380A2050003	HAYWOOD	0A205	1.625	JETER CREEK	OPEN	1/15/2016	1974	35.445056	-89.296694	CONCRETE	CHANNEL BEAM	61.8
380A2120001	HAYWOOD	0A212	1.062	BRANCH	OPEN	1/15/2016	1988	35.45925	-89.365167	CONCRETE	CHANNEL BEAM	94.5
380A2140001	HAYWOOD	0A214	0.276	BRANCH	OPEN	1/15/2016	1984	35.463583	-89.392278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
380A2240001	HAYWOOD	0A224	2.267	MUDDY CREEK	OPEN	1/15/2016	2004	35.440056	-89.436222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
380A2450001	HAYWOOD	0A245	1.861	SUGAR CREEK	OPEN	1/13/2016	1995	35.540444	-89.279083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.4
380A2460001	HAYWOOD	0A246	0.977	SUGAR BRANCH	OPEN	1/13/2016	1992	35.551722	-89.259472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
380A2570001	HAYWOOD	0A257	4.86	BRANCH	OPEN	1/12/2016	1986	35.5485	-89.353167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
380A2620003	HAYWOOD	0A262	1.72	BRANCH	OPEN	1/12/2016	1984	35.556167	-89.373083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
380A2620005	HAYWOOD	0A262	2.149	CYPRESS CREEK	OPEN	1/12/2016	1984	35.550556	-89.375833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
380A2620007	HAYWOOD	0A262	2.181	OVERFLOW	OPEN	1/12/2016	1984	35.550056	-89.375861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
380A2680001	HAYWOOD	0A268	0.233	BRANCH	OPEN	1/12/2016	1983	35.589944	-89.322528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
380A2840001	HAYWOOD	0A284	0.443	BRANCH	OPEN	1/12/2016	1983	35.63875	-89.420333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
380A2960001	HAYWOOD	0A296	0.03	BRANCH	CLOSED	1/15/2016	1985	35.461667	-89.397917	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	19.9
380A3140001	HAYWOOD	0A314	0.005	BRANCH	OPEN	1/12/2016	2010	35.628167	-89.324556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
380A3920001	HAYWOOD	0A392	0.09	SUGAR CREEK	OPEN	1/19/2016	1975	35.589694	-89.254639	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	79.9
38I00400005	HAYWOOD	I0040	2.19	OVERFLOW	OPEN	12/16/2015	1962	35.419667	-89.367306	CONCRETE	TEE BEAM	94.2
38I00400006	HAYWOOD	I0040	2.19	OVERFLOW	OPEN	12/16/2015	1962	35.419806	-89.367472	CONCRETE	TEE BEAM	95.2
38I00400008	HAYWOOD	I0040	2.31	BIG MUDDY (OVERFLOW)	OPEN	12/15/2015	1962	35.420722	-89.36575	CONCRETE	TEE BEAM	94.2
38I00400007	HAYWOOD	I0040	2.31	BIG MUDDY (OVERFLOW)	OPEN	12/15/2015	1962	35.420611	-89.365611	CONCRETE	TEE BEAM	94.4
38I00400009	HAYWOOD	I0040	2.41	BIG MUDDY CREEK	OPEN	12/17/2015	1962	35.421639	-89.364306	CONCRETE	TEE BEAM	93.2
38I00400010	HAYWOOD	I0040	2.41	BIG MUDDY CREEK	OPEN	12/17/2015	1962	35.421694	-89.364472	CONCRETE	TEE BEAM	82.7
38I00400017	HAYWOOD	I0040	6.08	PRAIRIE CREEK	OPEN	12/17/2015	1962	35.454139	-89.312444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
38I00400019	HAYWOOD	I0040	6.5	JETER CREEK	OPEN	12/17/2015	1962	35.456056	-89.306639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.6
38I00400024	HAYWOOD	I0040	10.18	POPLAR CREEK	OPEN	12/15/2015	1962	35.497583	-89.268528	CONCRETE	TEE BEAM	94.2
38I00400023	HAYWOOD	I0040	10.18	POPLAR CREEK	OPEN	12/15/2015	1962	35.497472	-89.268083	CONCRETE	TEE BEAM	82.8
38I00400025	HAYWOOD	I0040	10.71	BRANCH	OPEN	12/15/2015	1962	35.504806	-89.265806	CONCRETE	TEE BEAM	82.8
38I00400026	HAYWOOD	I0040	10.71	BRANCH	OPEN	12/15/2015	1962	35.504972	-89.266111	CONCRETE	TEE BEAM	94.2
38I00400027	HAYWOOD	I0040	11.04	BRANCH	OPEN	12/15/2015	1962	35.509611	-89.26425	CONCRETE	TEE BEAM	72.6
38I00400028	HAYWOOD	I0040	11.04	BRANCH	OPEN	12/15/2015	1962	35.509639	-89.264528	CONCRETE	TEE BEAM	83.6
38I00400029	HAYWOOD	I0040	11.26	BEAR CREEK	OPEN	12/15/2015	1962	35.512528	-89.263278	CONCRETE	TEE BEAM	72.6
38I00400030	HAYWOOD	I0040	11.26	BEAR CREEK	OPEN	12/15/2015	1962	35.5125	-89.2635	CONCRETE	TEE BEAM	83.6
38I00400031	HAYWOOD	I0040	12.07	HATCHIE RIVER	OPEN	12/15/2015	1962	35.524028	-89.259472	CONCRETE CONTINUOUS	TEE BEAM	80.6
38I00400032	HAYWOOD	I0040	12.07	HATCHIE RIVER	OPEN	12/15/2015	1962	35.523972	-89.259833	CONCRETE CONTINUOUS	TEE BEAM	80.6
38I00400037	HAYWOOD	I0040	15.89	BRANCH	OPEN	12/17/2015	1961	35.550528	-89.205861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.4
38SR0010001	HAYWOOD	SR001	2.13	MUDDY CREEK	OPEN	12/17/2015	1926	35.450528	-89.438806	CONCRETE	TEE BEAM	48.2
38SR0010003	HAYWOOD	SR001	2.89	BRANCH	OPEN	12/17/2015	1926	35.455139	-89.426722	CONCRETE	TEE BEAM	37.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
38SR0010005	HAYWOOD	SR001	5.58	OVERFLOW	OPEN	12/22/2015	1926	35.476806	-89.387806	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.3
38SR0010007	HAYWOOD	SR001	5.93	OVERFLOW	OPEN	12/22/2015	1924	35.480861	-89.38425	CONCRETE	TEE BEAM	77.8
38SR0010009	HAYWOOD	SR001	6.28	OVERFLOW	OPEN	12/22/2015	1924	35.4845	-89.380306	CONCRETE	TEE BEAM	78.5
38SR0010011	HAYWOOD	SR001	6.38	MUDDY CREEK	OPEN	12/22/2015	1924	35.486167	-89.379528	CONCRETE	TEE BEAM	78.5
38SR0010013	HAYWOOD	SR001	6.94	OVERFLOW	OPEN	12/22/2015	1924	35.492778	-89.373722	CONCRETE	TEE BEAM	91.2
38SR0010015	HAYWOOD	SR001	7.23	OVERFLOW	OPEN	12/22/2015	1924	35.49625	-89.370667	CONCRETE	TEE BEAM	79.2
38SR0010017	HAYWOOD	SR001	7.65	OVERFLOW	OPEN	12/22/2015	1924	35.501056	-89.366194	CONCRETE	TEE BEAM	78.5
38SR0010019	HAYWOOD	SR001	8.15	OVERFLOW	OPEN	12/22/2015	1924	35.506694	-89.360889	CONCRETE	TEE BEAM	84
38SR0010021	HAYWOOD	SR001	8.41	OVERFLOW	OPEN	12/22/2015	1924	35.509917	-89.358389	CONCRETE	TEE BEAM	78.5
38SR0010023	HAYWOOD	SR001	8.84	OVERFLOW	OPEN	12/22/2015	1924	35.537889	-89.337639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.3
38SR0010025	HAYWOOD	SR001	9.11	BRADFORD LAKE	OPEN	1/12/2016	1924	35.518333	-89.351306	CONCRETE	TEE BEAM	78.5
38SR0010027	HAYWOOD	SR001	9.42	HATCHIE RIVER	OPEN	12/22/2015	1925	35.522333	-89.349111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.9
38SR0010029	HAYWOOD	SR001	10.75	BRANCH	OPEN	12/30/2015	1929	35.537833	-89.337583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
38SR0010055	HAYWOOD	SR001	15.7	CRS RR & SUGAR CREEK	OPEN	1/4/2016	1995	35.576306	-89.272972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
38SR0010053	HAYWOOD	SR001	15.81	BRANCH	OPEN	12/30/2015	1995	35.57575	-89.271056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
38SR0010051	HAYWOOD	SR001	16.31	BRANCH	OPEN	12/30/2015	1995	35.573694	-89.2625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
38SR0760029	HAYWOOD	SR001	18	SUGAR CREEK	OPEN	12/30/2015	1975	35.584778	-89.242083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
38SR0010033	HAYWOOD	SR001	19.58	BRANCH	OPEN	12/30/2015	1925	35.593028	-89.222917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.4
38SR0010035	HAYWOOD	SR001	20.49	BRANCH	OPEN	1/4/2016	1925	35.592417	-89.206833	CONCRETE	SLAB	75.2
38SR0010037	HAYWOOD	SR001	22.64	BRANCH	OPEN	1/4/2016	1925	35.590861	-89.168528	CONCRETE	SLAB	62.2
38SR0010039	HAYWOOD	SR001	24.24	MUD CREEK	OPEN	1/4/2016	1925	35.588944	-89.140417	CONCRETE	SLAB	31.5
38SR0010041	HAYWOOD	SR001	25.72	BRANCH	OPEN	1/5/2016	1925	35.584611	-89.114889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
38SR0010043	HAYWOOD	SR001	26.62	BRANCH	OPEN	1/5/2016	1925	35.586139	-89.099028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
38I00400045	HAYWOOD	SR001	26.89	I40	OPEN	1/5/2016	1959	35.585167	-89.094556	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
38I00400046	HAYWOOD	SR001	26.89	I40	OPEN	1/5/2016	1959	35.585222	-89.094222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79
38SR0010049	HAYWOOD	SR001	27.21	BRANCH	OPEN	1/5/2016	1925	35.583944	-89.088889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
38SR0190001	HAYWOOD	SR019	7.16	BRIAR CREEK	OPEN	1/8/2016	1930	35.643333	-89.345556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
38SR0190003	HAYWOOD	SR019	8.49	MERIDIAN CREEK	OPEN	1/8/2016	1950	35.630417	-89.328056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
38SR0190005	HAYWOOD	SR019	12.33	BRANCH	OPEN	1/8/2016	1995	35.589639	-89.288111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
38F00110001	HAYWOOD	SR019	15.61	BRANCH OF CARTER CREEK	OPEN	1/8/2016	2010	35.567472	-89.202472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
38I00400039	HAYWOOD	SR019	16.62	I40	OPEN	1/5/2016	1959	35.557222	-89.189694	CONCRETE CONTINUOUS	TEE BEAM	90.1
38SR0540001	HAYWOOD	SR054	0.5	OVERFLOW	OPEN	1/11/2016	1954	35.571917	-89.475167	CONCRETE	TEE BEAM	64.7
38SR0540003	HAYWOOD	SR054	13.88	BRANCH	OPEN	1/4/2016	1989	35.609889	-89.256806	CONCRETE	CHANNEL BEAM	62.2
38SR0540005	HAYWOOD	SR054	16.7	BRANCH	OPEN	1/4/2016	1993	35.609861	-89.256806	CONCRETE	CHANNEL BEAM	64.3
38SR0540007	HAYWOOD	SR054	16.81	NIXON CREEK	OPEN	1/4/2016	1992	35.643694	-89.229639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
38SR0540009	HAYWOOD	SR054	17.6	BRANCH	OPEN	1/4/2016	1989	35.654861	-89.228528	CONCRETE	CHANNEL BEAM	62.2
38SR0540011	HAYWOOD	SR054	21.91	OVERFLOW	OPEN	1/4/2016	1984	35.712722	-89.213889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
38SR0540013	HAYWOOD	SR054	21.98	OVERFLOW	OPEN	1/6/2016	1984	35.713889	-89.213639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
38SR0540015	HAYWOOD	SR054	22.12	OVERFLOW	OPEN	1/6/2016	1984	35.715944	-89.213167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
38SR0540017	HAYWOOD	SR054	22.21	OVERFLOW	OPEN	1/6/2016	1984	35.717028	-89.21275	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.8
38SR0540019	HAYWOOD	SR054	22.32	SOUTH FORK FORKED DEER R	OPEN	1/7/2016	1984	35.718556	-89.211972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
38SR0540021	HAYWOOD	SR054	22.45	OVERFLOW	OPEN	1/6/2016	1984	35.71975	-89.210278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.8
38SR0540023	HAYWOOD	SR054	22.65	OVERFLOW	OPEN	1/6/2016	1984	35.721306	-89.207139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
38SR0540025	HAYWOOD	SR054	22.82	OVERFLOW	OPEN	1/7/2016	1984	35.722611	-89.204667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95
38SR0540027	HAYWOOD	SR054	23.21	OVERFLOW	OPEN	1/11/2016	1984	35.725	-89.198306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
38SR0540029	HAYWOOD	SR054	24.23	BRANCH	OPEN	1/11/2016	1993	35.735333	-89.190389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
38SR0760001	HAYWOOD	SR076	7.1	POPLAR CREEK	OPEN	1/4/2016	1951	35.496917	-89.265611	CONCRETE	TEE BEAM	64.6
38SR0760003	HAYWOOD	SR076	7.18	OVERFLOW	OPEN	1/4/2016	1951	35.588314	-89.26525	CONCRETE	TEE BEAM	65
38SR0760005	HAYWOOD	SR076	7.48	OVERFLOW	OPEN	1/4/2016	1951	35.502111	-89.26375	CONCRETE	TEE BEAM	50.2
38SR0760007	HAYWOOD	SR076	7.61	OVERFLOW	OPEN	1/4/2016	1951	35.504028	-89.263	CONCRETE	TEE BEAM	64.6
38SR0760009	HAYWOOD	SR076	7.76	OVERFLOW	OPEN	1/4/2016	1951	35.506028	-89.261972	CONCRETE	TEE BEAM	64.6
38SR0760011	HAYWOOD	SR076	7.84	OVERFLOW	OPEN	1/5/2016	1951	35.507	-89.261389	CONCRETE	TEE BEAM	64.6
38SR0760013	HAYWOOD	SR076	7.95	BEAR CREEK	OPEN	1/5/2016	1951	35.508694	-89.260694	CONCRETE	TEE BEAM	64
38SR0760015	HAYWOOD	SR076	8.09	OVERFLOW	OPEN	1/5/2016	1951	35.510528	-89.259861	CONCRETE	TEE BEAM	64.6
38SR0760017	HAYWOOD	SR076	8.22	OVERFLOW	OPEN	1/5/2016	1951	35.512167	-89.258639	CONCRETE	TEE BEAM	51.7
38SR0760019	HAYWOOD	SR076	8.46	OVERFLOW	OPEN	1/5/2016	1951	35.515111	-89.256889	CONCRETE	TEE BEAM	64
38SR0760021	HAYWOOD	SR076	8.63	OVERFLOW	OPEN	1/6/2016	1951	35.517417	-89.255417	CONCRETE	TEE BEAM	64.6
38SR0760023	HAYWOOD	SR076	8.72	OVERFLOW	OPEN	1/6/2016	1951	35.519	-89.255444	CONCRETE	TEE BEAM	64.6
38SR0760025	HAYWOOD	SR076	8.83	OVERFLOW	OPEN	1/6/2016	1949	35.520472	-89.254722	CONCRETE	TEE BEAM	64.6
38SR0760027	HAYWOOD	SR076	8.98	HATCHIE RIVER	OPEN	1/14/2016	1949	35.522389	-89.253722	STEEL	TRUSS - THRU	11.9
38I00400033	HAYWOOD	SR076	10.08	I40	OPEN	1/6/2016	2006	35.537861	-89.248556	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
38SR0760031	HAYWOOD	SR076	15.95	OVERFLOW	OPEN	1/6/2016	1934	35.627806	-89.211722	CONCRETE	TEE BEAM	86.5
38SR0760033	HAYWOOD	SR076	16	NIXON CREEK	OPEN	1/8/2016	1934	35.627972	-89.210972	CONCRETE	TEE BEAM	69
38SR0760035	HAYWOOD	SR076	18.78	OVERFLOW	OPEN	1/8/2016	1934	35.652611	-89.171667	CONCRETE	TEE BEAM	71.2
38SR0760037	HAYWOOD	SR076	18.99	JACOCK'S CREEK	OPEN	1/8/2016	1934	35.65425	-89.168528	CONCRETE	TEE BEAM	88.3
38SR0760039	HAYWOOD	SR076	21.59	MUD CREEK	OPEN	1/8/2016	1934	35.677639	-89.132667	CONCRETE	TEE BEAM	70.3
38SR0760041	HAYWOOD	SR076	21.98	OVERFLOW	OPEN	1/8/2016	1934	35.681528	-89.127361	CONCRETE	TEE BEAM	69.5
38SR0760043	HAYWOOD	SR076	22.44	OVERFLOW	OPEN	1/8/2016	1934	35.6855	-89.120889	CONCRETE	TEE BEAM	69.4
38SR0760045	HAYWOOD	SR076	22.99	OVERFLOW	OPEN	1/7/2016	1934	35.690806	-89.113556	CONCRETE	TEE BEAM	68.5
38SR0760047	HAYWOOD	SR076	23.21	S. FORK FORKED DEER RIVE	OPEN	1/7/2016	1934	35.692694	-89.110556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	67.9
38SR0760049	HAYWOOD	SR076	23.97	S. FORK FORKED DEER RIVE	OPEN	1/7/2016	2011	35.699833	-89.100111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
38SR0870001	HAYWOOD	SR087	2.3	BRANCH	OPEN	1/11/2016	1990	35.624306	-89.430917	CONCRETE	CHANNEL BEAM	76.5
38S80460003	HAYWOOD	SR087	3.47	BRANCH	OPEN	1/11/2016	1960	35.631778	-89.413083	CONCRETE	CHANNEL BEAM	67.2
38SR0870003	HAYWOOD	SR087	3.57	BRANCH	OPEN	1/11/2016	2000	35.631278	-89.411639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
38S80460001	HAYWOOD	SR087	3.61	LAGOON CREEK	OPEN	1/11/2016	1960	35.630944	-89.410944	CONCRETE	CHANNEL BEAM	66.9
38SR0870005	HAYWOOD	SR087	5.65	BRANCH	OPEN	1/11/2016	1997	35.615944	-89.380389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
38S80520001	HAYWOOD	SR179	1.09	OVERFLOW	OPEN	1/6/2016	1959	35.476694	-89.455111	CONCRETE	CHANNEL BEAM	65.4
38S80520003	HAYWOOD	SR179	1.24	LITTLE MUDDY CREEK	OPEN	1/6/2016	1959	35.477611	-89.452861	CONCRETE	CHANNEL BEAM	65.4
38S80520005	HAYWOOD	SR179	4.66	BRANCH	OPEN	1/6/2016	1960	35.461611	-89.39875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
38S80520009	HAYWOOD	SR179	6.12	MUDDY CREEK	OPEN	1/6/2016	1960	35.618944	-88.864861	CONCRETE	TEE BEAM	65.9
38I00400013	HAYWOOD	SR179	9.01	I40	OPEN	1/7/2016	1960	35.433944	-89.337028	CONCRETE CONTINUOUS	TEE BEAM	77.4
38S80540015	HAYWOOD	SR179	13.16	BRANCH	OPEN	1/7/2016	1960	35.474667	-89.257972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
38S80540017	HAYWOOD	SR179	15.3	BRANCH	OPEN	1/7/2016	1960	35.446556	-89.242778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
38S80540011	HAYWOOD	SR179	15.73	OVERFLOW	OPEN	1/7/2016	1960	35.443417	-89.23725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
38S80540009	HAYWOOD	SR179	15.76	POPLAR CREEK	OPEN	1/7/2016	1951	36.443389	-89.236861	CONCRETE	TEE BEAM	60.3
38S80540007	HAYWOOD	SR179	15.81	OVERFLOW	OPEN	1/7/2016	1960	35.443194	-89.235861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
38S80540005	HAYWOOD	SR179	18.13	OVERFLOW	OPEN	1/8/2016	2010	35.423944	-89.209889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
38S80540003	HAYWOOD	SR179	18.2	BEAR CREEK	OPEN	1/8/2016	2010	35.423583	-89.208806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
38S80540001	HAYWOOD	SR179	18.26	OVERFLOW	OPEN	1/8/2016	2010	35.423194	-89.207778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
38S80510001	HAYWOOD	SR180	1.12	POND CREEK TRIBUTARY	OPEN	1/11/2016	2004	35.711583	-89.411361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.8
38S80510003	HAYWOOD	SR180	2.61	OFFER CREEK	OPEN	1/11/2016	1960	35.7335	-89.414083	CONCRETE	CHANNEL BEAM	60.4
38S80510005	HAYWOOD	SR180	2.74	OVERFLOW	OPEN	1/11/2016	1960	35.734583	-89.4145	CONCRETE	CHANNEL BEAM	67.8
38S80510007	HAYWOOD	SR180	4.57	OVERFLOW	OPEN	1/11/2016	1960	35.751639	-89.393472	CONCRETE	CHANNEL BEAM	68.9
38S80510009	HAYWOOD	SR180	4.75	LOST CREEK	OPEN	1/11/2016	1961	35.753306	-89.390806	CONCRETE	CHANNEL BEAM	62.8
38S80510011	HAYWOOD	SR180	7.05	BRANCH	OPEN	1/11/2016	1960	35.785444	-89.383194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
38S80510013	HAYWOOD	SR180	8.58	BRANCH	OPEN	1/11/2016	1960	35.803778	-89.395194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
38S81140007	HAYWOOD	SR222	0.2	DITCH	OPEN	1/12/2016	2016	35.420367	-89.415117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
38S81140003	HAYWOOD	SR222	0.59	DITCH	OPEN	1/11/2016	2016	35.408367	-89.412117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
38S81140005	HAYWOOD	SR222	2.3	DITCH	OPEN	1/11/2016	2016	35.4307	-89.406067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
38S81140001	HAYWOOD	SR222	5.13	DITCH	OPEN	1/12/2016	1960	35.461111	-89.405083	CONCRETE	CHANNEL BEAM	56.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
39S80600001	HENDERSON	00882	0.1	OVERFLOW	OPEN	8/2/2016	1960	35.590194	-88.574861	CONCRETE	TEE BEAM	72.3
390A7260001	HENDERSON	00892	1.85	PIGHAM CREEK	OPEN	8/4/2016	2006	35.814861	-88.413972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
39003070011	HENDERSON	01022	2.52	CANE CREEK	OPEN	8/1/2016	1984	35.556111	-88.283278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
39003070013	HENDERSON	01022	2.69	BRANCH	OPEN	8/1/2016	1979	35.557611	-88.285694	CONCRETE	CHANNEL BEAM	78.2
39S80590003	HENDERSON	01648	1.09	BRANCH	OPEN	8/2/2016	1958	35.643778	-88.596917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
39S80590005	HENDERSON	01648	2.04	SPENCE CREEK	OPEN	8/3/2016	1958	35.650056	-88.585056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
39S80590007	HENDERSON	01648	2.51	MCHENRY BRANCH	OPEN	8/2/2016	1960	35.647361	-88.577639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
39016870001	HENDERSON	01687	2.36	CANE CREEK	OPEN	8/8/2016	1987	35.545333	-88.290611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
39016910001	HENDERSON	01691	1.47	BEECH RIVER	OPEN	8/3/2016	2002	35.605833	-88.331611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99
39016910003	HENDERSON	01691	6.76	HARMON CREEK	OPEN	8/8/2016	1987	35.662333	-88.346083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
39016930001	HENDERSON	01693	0.6	N. FK. FORKED DEER RIVER	OPEN	8/2/2016	1972	35.583639	-88.533806	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	60.4
39S81340001	HENDERSON	01697	2.94	OLIVE BRANCH	OPEN	8/3/2016	1999	35.731361	-88.369639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
39016970003	HENDERSON	01697	6.02	SCARCE CREEK	OPEN	8/3/2016	1966	35.768111	-88.364083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72.5
390A3730001	HENDERSON	01698	6.23	PINEY CREEK	OPEN	8/9/2016	1960	35.546667	-88.431944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
39017000001	HENDERSON	01700	1.81	BRANCH	OPEN	8/8/2016	1978	35.649778	-88.519556	CONCRETE	CHANNEL BEAM	78.7
39017000003	HENDERSON	01700	1.92	N. FK. FORKED DEER RIVER	OPEN	8/8/2016	1984	35.649	-88.517889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
39017020001	HENDERSON	01702	3.44	MIDDLE FORK DEER RIVER	OPEN	8/3/2016	1984	35.71875	-88.546389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
39027010001	HENDERSON	02701	0.055	DARDEN BRANCH	OPEN	8/2/2016	2013	35.634217	-88.214683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
39S82620005	HENDERSON	02701	1.25	BEECH RIVER	OPEN	8/2/2016	1973	35.617861	-88.212139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
39S82620003	HENDERSON	02701	1.64	BEECH RIVER SLOUGH	OPEN	8/2/2016	1973	35.612139	-88.213139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
39S82620001	HENDERSON	02701	1.91	OVERFLOW	OPEN	8/2/2016	1973	35.608361	-88.213889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
39S80390001	HENDERSON	05566	1.18	M. FK. FORKED DEER RIVER	OPEN	8/3/2016	1973	35.705167	-88.515556	CONCRETE	CHANNEL BEAM	72.3
39I00400007	HENDERSON	05566	8.07	UNION CROSS RD. / I-40	OPEN	7/25/2016	1963	35.768972	-88.453222	CONCRETE CONTINUOUS	TEE BEAM	61.6
39I00400015	HENDERSON	05566	14.01	WILDERSVILLE RD. / I-40	OPEN	7/26/2016	1963	35.791694	-88.378444	CONCRETE CONTINUOUS	TEE BEAM	56
39S80390007	HENDERSON	05566	15.1	BIG SANDY RIVER	OPEN	8/3/2016	1957	35.782528	-88.366917	CONCRETE	TEE BEAM	78
39S80390009	HENDERSON	05566	15.29	DRY BRANCH	OPEN	8/4/2016	1958	35.781278	-88.364028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
390A6000001	HENDERSON	06028	0.403	ONE MILE BRANCH	OPEN	8/8/2016	1992	35.6685	-88.383861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
390A0010001	HENDERSON	0A001	4.906	M. FK. FORKED DEER RIVER	WEIGHT POSTED	8/8/2016	1950	35.744806	-88.554833	STEEL	GIRDER AND FLOORBEAM SYSTEM	39.3
390A0030001	HENDERSON	0A003	0.77	DRY CREEK	WEIGHT POSTED	8/3/2016	1975	35.717417	-88.5775	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	54.6
390A0040001	HENDERSON	0A004	0.668	BRANCH	OPEN	8/3/2016	1992	35.724722	-88.559944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
390A0050001	HENDERSON	0A005	0.188	BRANCH	OPEN	8/3/2016	1996	35.716028	-88.580556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
390A0060001	HENDERSON	0A006	0.379	BRANCH	OPEN	8/3/2016	1984	35.707972	-88.58225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
39I00400001	HENDERSON	0A011	0.045	LAW RD. / I-40	OPEN	7/25/2016	1960	35.736722	-88.583556	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72.7
390A0110001	HENDERSON	0A011	2.149	GURLEY CREEK	OPEN	8/2/2016	1978	35.761056	-88.600861	CONCRETE	CHANNEL BEAM	85.5
390A0120001	HENDERSON	0A012	0.057	BRANCH	OPEN	8/3/2016	1984	35.716389	-88.549472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
390A0120003	HENDERSON	0A012	0.246	COURTNEY BRANCH	OPEN	8/3/2016	1997	35.713778	-88.548028	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.7
390A0120005	HENDERSON	0A012	1.774	BRANCH	OPEN	8/8/2016	2016	35.700861	-88.527139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
390A0200001	HENDERSON	0A020	1.684	MIDDLE FORK DEER CREEK	OPEN	8/3/2016	1984	35.699583	-88.48975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
390A0220001	HENDERSON	0A022	0.419	ARMS CREEK	OPEN	8/9/2016	1983	35.692194	-88.192556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
390A0260001	HENDERSON	0A026	0.143	KING CREEK	OPEN	8/9/2016	1984	35.724417	-88.195139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
390A0430001	HENDERSON	0A043	0.787	OVERFLOW	OPEN	8/2/2016	2010	35.771917	-88.594944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
390A0430003	HENDERSON	0A043	0.88	OVERFLOW	OPEN	8/4/2016	1982	35.770861	-88.59575	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
390A0430005	HENDERSON	0A043	0.918	FORKED DEER RIVER	OPEN	8/8/2016	1982	35.770417	-88.59625	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.9
390A0460003	HENDERSON	0A046	0.892	BRANCH	WEIGHT POSTED	8/9/2016	1970	35.786333	-88.215944	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	61.5
390A0470001	HENDERSON	0A047	0.049	GURLEY CREEK	OPEN	8/2/2016	1984	35.738444	-88.607333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
390A0490001	HENDERSON	0A049	5.438	OVERFLOW	WEIGHT POSTED	8/9/2016	1970	35.726417	-88.190639	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	67.2
390A0630005	HENDERSON	0A063	0.511	BRANCH	WEIGHT POSTED	8/4/2016	1975	35.819417	-88.47	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	67.8
390A0670001	HENDERSON	0A067	1.06	BRANCH	WEIGHT POSTED	8/4/2016	1975	35.806333	-88.435278	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	68.8
390A0860001	HENDERSON	0A086	0.269	BRAZIL BRANCH	OPEN	8/3/2016	1983	35.673667	-88.436556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
390A0890001	HENDERSON	0A089	0.297	ONE MILE BRANCH	OPEN	8/3/2016	1998	35.664417	-88.391806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
390A1020001	HENDERSON	0A102	1.065	OLIVE BRANCH	WEIGHT POSTED	8/3/2016	1955	35.714667	-88.363694	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	83
390A1120001	HENDERSON	0A112	9.428	SCARCE CREEK (NTSP)	OPEN	8/9/2016	1984	35.759333	-88.332083	CONCRETE	CHANNEL BEAM	88.5
390A1180001	HENDERSON	0A118	1.871	HALEY CREEK	OPEN	8/8/2016	2007	35.64915	-88.307139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
390A1300001	HENDERSON	0A130	3.437	BROWN'S CREEK	OPEN	8/8/2016	2000	35.675917	-88.27125	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.6
390A1320001	HENDERSON	0A132	0.971	BRANCH	OPEN	8/8/2016	1984	35.663417	-88.844583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
390A1320003	HENDERSON	0A132	2.665	BRANCH	OPEN	8/8/2016	1983	35.641056	-88.259306	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.4
390A1510001	HENDERSON	0A151	2.214	BRITT CREEK	OPEN	8/4/2016	1986	35.805111	-88.360556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
39I00400017	HENDERSON	0A151	2.75	EXCHANGE RD. / I-40	OPEN	7/26/2016	1960	35.797972	-88.36125	CONCRETE CONTINUOUS	TEE BEAM	64
390A1540001	HENDERSON	0A154	0.863	BIG SANDY RIVER	OPEN	8/8/2016	2016	35.793417	-88.346639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
39I00400025	HENDERSON	0A157	0.012	FARMSVILLE RD. / I-40	OPEN	7/27/2016	1960	35.808083	-88.308917	CONCRETE CONTINUOUS	TEE BEAM	71.2
390A1570001	HENDERSON	0A157	1.334	DABBS CREEK (NTSP)	OPEN	8/8/2016	1996	35.793972	-88.317139	CONCRETE	CHANNEL BEAM	76.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
390A1600001	HENDERSON	0A160	0.266	BRANCH	OPEN	8/4/2016	1983	35.781722	-88.351889	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	79.8
390A1620001	HENDERSON	0A162	0.065	SPENCER CREEK	OPEN	8/2/2016	1984	35.597417	-88.612	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
390A1620003	HENDERSON	0A162	2.066	NORTH FORK DEER RIVER	WEIGHT POSTED	8/2/2016	1950	35.589944	-88.586611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	73.8
390A1880001	HENDERSON	0A188	2.179	SULPHUR FORK CUB CREEK	WEIGHT POSTED	8/9/2016	1965	35.744917	-88.23675	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	74.8
390A1940001	HENDERSON	0A194	0.69	GREASY CREEK	OPEN	8/9/2016	1970	35.759694	-88.208917	CONCRETE	CHANNEL BEAM	88.5
390A1960001	HENDERSON	0A196	5.67	BIG CREEK	OPEN	8/8/2016	2004	35.658778	-88.216444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.7
390A1970001	HENDERSON	0A197	0.729	SULPHUR FORK CUB CREEK	WEIGHT POSTED	8/9/2016	1965	35.732222	-88.202917	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	74.8
390A2080001	HENDERSON	0A208	0.599	BIG CREEK	OPEN	8/8/2016	1976	35.683611	-88.232444	CONCRETE	CHANNEL BEAM	83.2
390A2130001	HENDERSON	0A213	0.34	BIG CREEK	OPEN	8/9/2016	1968	35.638333	-88.205444	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	83.3
390A2310001	HENDERSON	0A231	1.359	BROWNS CREEK	OPEN	8/2/2016	1993	35.632583	-88.250194	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.8
390A2380001	HENDERSON	0A238	0.3	BIG HURRICANE DRAINAGE	OPEN	8/9/2016	1977	35.436806	-88.356472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	53.2
390A2490001	HENDERSON	0A249	0.715	CANE CREEK	OPEN	8/8/2016	1965	35.536833	-88.280167	CONCRETE	CHANNEL BEAM	89.5
390A2610001	HENDERSON	0A261	1.179	CANE CREEK	OPEN	8/3/2016	1978	35.599056	-88.291278	CONCRETE	CHANNEL BEAM	73.5
390A2640001	HENDERSON	0A264	1.825	BEECH RIVER	WEIGHT POSTED	8/3/2016	1975	35.613778	-88.295528	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.3
390A2640003	HENDERSON	0A264	2.217	BEECH RIVER	OPEN	8/3/2016	1988	35.618917	-88.298583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91
390A2660001	HENDERSON	0A266	0.406	HALEY CREEK	WEIGHT POSTED	8/3/2016	1968	35.624417	-88.294722	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	66.5
390A2740003	HENDERSON	0A274	0.999	HARMON CREEK	OPEN	8/1/2016	2008	35.629967	-88.356033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
390A2770001	HENDERSON	0A277	1.73	PINEY CREEK	OPEN	8/3/2016	2001	35.607194	-88.355056	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
390A2820001	HENDERSON	0A282	0.381	PINEY CREEK	OPEN	8/3/2016	1978	35.594222	-88.371556	CONCRETE	CHANNEL BEAM	69.9
390A2850001	HENDERSON	0A285	0.828	LOST CREEK	OPEN	8/3/2016	1976	35.562556	-88.344472	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88.5
390A2860003	HENDERSON	0A286	2.502	BRANCH	OPEN	8/3/2016	1984	35.582167	-88.338083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
390A3010001	HENDERSON	0A301	3.275	WEST PRONG DOE CREEK	WEIGHT POSTED	8/9/2016	1975	35.488972	-88.292583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	76.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
390A3220001	HENDERSON	0A322	0.655	DOE CREEK	OPEN	8/9/2016	1984	35.430389	-88.251056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
390A3260001	HENDERSON	0A326	1.731	DOE CREEK	OPEN	8/9/2016	1978	35.44825	-88.256389	CONCRETE	CHANNEL BEAM	89.5
390A3270001	HENDERSON	0A327	0.338	MIDDLE PRONG DOE CREEK	WEIGHT POSTED	8/9/2016	1977	35.462056	-88.251194	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	59.2
390A3420001	HENDERSON	0A342	1.702	HURRICANE CREEK	OPEN	8/9/2016	1992	35.421361	-88.320167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
390A3430001	HENDERSON	0A343	0.788	BRANCH	OPEN	8/9/2016	1965	35.425889	-88.313333	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	91.9
390A3440001	HENDERSON	0A344	0.193	BRANCH	OPEN	8/9/2016	1984	35.420611	-88.315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
390A3530001	HENDERSON	0A353	0.508	BROOKS CREEK	OPEN	8/9/2016	2016	35.444056	-88.358444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
390A3540001	HENDERSON	0A354	1.095	BIG HURRICANE DRAINAGE	OPEN	8/8/2016	1965	35.468444	-88.337306	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	74.2
390A3550001	HENDERSON	0A355	0.5	BRANCH	OPEN	8/9/2016	2016	36.467789	-88.344297	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
390A3700001	HENDERSON	0A370	0.801	FLAT CREEK	OPEN	8/2/2016	2001	35.561083	-88.229028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
390A4110003	HENDERSON	0A411	0.026	DITCH	OPEN	8/4/2016	1992	35.630917	-88.405139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
390A4390001	HENDERSON	0A439	1.604	MIDDLE FORK CREEK	WEIGHT POSTED	8/8/2016	1974	35.56025	-88.503806	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	59.2
39019000001	HENDERSON	0A441	1.012	BRANCH	OPEN	8/8/2016	2015	35.550083	-88.521667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
390A4420001	HENDERSON	0A442	1.583	BRANCH	OPEN	8/8/2016	1973	35.557639	-88.537278	CONCRETE	CHANNEL BEAM	88.5
390A4460001	HENDERSON	0A446	2.021	BRANCH	OPEN	8/8/2016	1976	35.616722	-88.506833	CONCRETE	CHANNEL BEAM	68.8
39002720009	HENDERSON	0A447	1.418	WOLF CREEK	OPEN	8/8/2016	1965	35.615444	-88.456444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
390A4510005	HENDERSON	0A451	2.388	VAN CREEK	WEIGHT POSTED	8/8/2016	1986	35.63975	-88.496778	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36
390A4510001	HENDERSON	0A451	3.467	NORTH FORK DEER CREEK	OPEN	8/8/2016	1971	35.63575	-88.514639	CONCRETE	CHANNEL BEAM	77.7
390A4510003	HENDERSON	0A451	6.229	BELL BRANCH	OPEN	8/2/2016	1984	35.618389	-88.555639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
390A4530001	HENDERSON	0A453	1.806	FORKED DEER CREEK	OPEN	8/8/2016	1996	35.618194	-88.513222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
390A4600001	HENDERSON	0A460	2.826	BEECH RIVER	OPEN	8/3/2016	1995	35.650028	-88.414722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
390A4670001	HENDERSON	0A467	0.006	BRANCH	CLOSED	8/3/2016	1900	35.626139	-88.611111	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	36
390A4670005	HENDERSON	0A467	0.704	SPENCER CREEK	WEIGHT POSTED	8/3/2016	1960	35.6205	-88.6025	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	48.3
390A4770003	HENDERSON	0A477	1.173	SPENCER CREEK	OPEN	8/2/2016	1984	35.672639	-88.59125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
390A4990001	HENDERSON	0A499	0.035	BRAZIL CREEK	OPEN	8/3/2016	1984	35.659667	-88.421778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
390A5050001	HENDERSON	0A505	0.224	ONE MILE CREEK	OPEN	8/3/2016	1977	35.65875	-88.409306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.9
390A5120001	HENDERSON	0A512	0.411	ONEMILE BRANCH	OPEN	8/4/2016	2010	35.6606	-88.400833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
390A5510001	HENDERSON	0A551	0.144	OWL CREEK	OPEN	8/8/2016	1982	35.649667	-88.3715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
390A0630001	HENDERSON	0A630	7.525	CANE CREEK	OPEN	8/4/2016	1976	35.772389	-88.516833	CONCRETE	CHANNEL BEAM	72.3
390A0630003	HENDERSON	0A630	7.682	CANE CREEK	OPEN	8/4/2016	1979	35.770833	-88.52025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
39I00400037	HENDERSON	0A660	1.907	SHILOH RD. / I-40	OPEN	7/27/2016	1960	35.814417	-88.206472	CONCRETE CONTINUOUS	TEE BEAM	79.8
39I00400021	HENDERSON	0A667	1.489	YUMA RD. / I-40	OPEN	7/26/2016	1960	35.801611	-88.337222	CONCRETE CONTINUOUS	TEE BEAM	64.4
390A6670001	HENDERSON	0A667	1.87	DABBS CREEK	OPEN	8/4/2016	1975	35.805333	-88.334028	CONCRETE	CHANNEL BEAM	78.7
390A3660001	HENDERSON	0A726	2.125	MIDDLETON CREEK	OPEN	8/9/2016	1976	35.514222	-88.403056	CONCRETE	CHANNEL BEAM	72.2
390A8050001	HENDERSON	0A805	0.102	BRANCH	OPEN	8/8/2016	1960	35.674	-88.408167	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	77.9
390A8310001	HENDERSON	0A831	0.496	WHITE BRANCH	WEIGHT POSTED	8/3/2016	1970	35.585417	-88.273	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	53.9
390B0050001	HENDERSON	0B005	0.311	DITCH	OPEN	8/4/2016	1992	35.645278	-88.400472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
390B8000001	HENDERSON	0B049	0.5	LITTLE CUB CREEK (NTSP)	OPEN	7/27/2016	1985	35.793972	-88.317139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
39I00400004	HENDERSON	I0040	3.29	MIDDLE FORK FORKED DEER	OPEN	7/25/2016	1961	35.7475	-88.556417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74
39I00400003	HENDERSON	I0040	3.29	MIDDLE FORK FORKED DEER	OPEN	7/25/2016	1961	35.747056	-88.55625	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74
39I00400009	HENDERSON	I0040	10.59	N. FORK BIG BEAVER CREEK	OPEN	7/26/2016	1965	35.775306	-88.431194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
39I00400011	HENDERSON	I0040	12.13	LITTLE BEAVER CREEK	OPEN	7/26/2016	1965	35.784472	-88.406222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
39I00400020	HENDERSON	I0040	15.65	BIG SANDY RIVER	OPEN	7/26/2016	1965	35.800583	-88.347222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
39I00400019	HENDERSON	I0040	15.65	BIG SANDY RIVER	OPEN	7/26/2016	1965	35.800417	-88.347139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5
39I00400024	HENDERSON	I0040	16.62	DABBS CREEK	OPEN	7/26/2016	1965	35.803056	-88.330389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.4
39I00400023	HENDERSON	I0040	16.62	DABBS CREEK	OPEN	7/26/2016	1965	35.802806	-88.327778	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.4
39I00400027	HENDERSON	I0040	19.88	MORRIS CREEK	OPEN	7/27/2016	1965	35.816056	-88.274667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.3
39I00400029	HENDERSON	I0040	20.31	MORRIS CREEK	OPEN	7/27/2016	1965	35.8175	-88.267306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.5
39I00400034	HENDERSON	I0040	22.59	BRANCH	OPEN	7/27/2016	1965	35.816472	-88.227167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
39I00400033	HENDERSON	I0040	22.61	BRANCH	OPEN	7/27/2016	1965	35.815917	-88.226	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
39SR0200003	HENDERSON	SR020	11.05	BRAZIL BRANCH	OPEN	7/26/2016	1930	35.660056	-88.4225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
39SR0200007	HENDERSON	SR020	11.73	ONE MILE BRANCH	OPEN	7/26/2016	1999	35.657083	-88.410889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82
39SR0200011	HENDERSON	SR020	13.64	TOWN CREEK	OPEN	7/26/2016	1967	35.642333	-88.383528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.5
39SR0200013	HENDERSON	SR020	14.39	OWL CREEK	OPEN	7/26/2016	1988	35.6405	-88.370389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.5
39SR0200015	HENDERSON	SR020	15.27	HARMON CREEK	OPEN	7/26/2016	1998	35.638083	-88.355167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5
39SR0200018	HENDERSON	SR020	18.55	HALEY CREEK	OPEN	7/27/2016	1998	35.629472	-88.298861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5
39SR0200017	HENDERSON	SR020	18.55	HALEY CREEK	OPEN	7/27/2016	1998	35.629306	-88.315444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5
39SR0200019	HENDERSON	SR020	18.85	LICK CREEK	OPEN	7/27/2016	1930	35.630361	-88.296033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
39SR0200021	HENDERSON	SR020	21.175	CANEY BRANCH	OPEN	7/27/2016	2013	35.638833	-88.253833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
39SR0200023	HENDERSON	SR020	21.285	DRY CREEK	OPEN	7/27/2016	2013	35.639083	-88.251778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
39SR0200025	HENDERSON	SR020	21.49	BROWN'S CREEK	OPEN	7/27/2016	2013	35.639472	-88.248278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
39SR0200026	HENDERSON	SR020	21.49	BROWN'S CREEK	OPEN	7/27/2016	2013	35.639472	-88.248278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
39SR0200028	HENDERSON	SR020	21.615	OVERFLOW	OPEN	7/27/2016	2013	35.6397	-88.245983	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.5
39SR0200027	HENDERSON	SR020	21.615	OVERFLOW	OPEN	7/27/2016	2013	35.6397	-88.245983	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.5
39SR0200029	HENDERSON	SR020	24.2	BIG CREEK	OPEN	7/28/2016	2013	35.635806	-88.201556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
39SR0200030	HENDERSON	SR020	24.2	BIG CREEK	OPEN	7/28/2016	2013	35.635806	-88.201556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
39SR0200032	HENDERSON	SR020	24.41	OVERFLOW	OPEN	7/28/2016	2013	35.636583	-88.198533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
39SR0200031	HENDERSON	SR020	24.41	OVERFLOW	OPEN	7/28/2016	2013	35.636583	-88.198533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
39SR0220001	HENDERSON	SR022	1.28	DRAINAGE DITCH	OPEN	7/26/2016	1956	35.510111	-88.380778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
39SR0222001	HENDERSON	SR022	2.9	MILL CREEK	OPEN	7/27/2016	2007	35.544167	-88.476972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
39SR0222003	HENDERSON	SR022	3.63	MIDDLE FORK CREEK	OPEN	7/27/2016	2007	35.552417	-88.46875	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
39SR0220003	HENDERSON	SR022	6.07	PINEY CREEK	OPEN	7/26/2016	1956	35.581583	-88.388333	CONCRETE	TEE BEAM	70.6
39SR0222005	HENDERSON	SR022	6.72	WOLF CREEK	OPEN	7/27/2016	2007	35.590278	-88.443361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.7
39SR0220005	HENDERSON	SR022	8.58	POORHOUSE CREEK	OPEN	7/26/2016	1949	35.614444	-88.400611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.4
39SR0222007	HENDERSON	SR022	9.66	BRANCH	OPEN	7/27/2016	2003	35.621222	-88.419889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
39SR0220007	HENDERSON	SR022	9.88	BEECH RIVER	OPEN	7/26/2016	1990	35.632056	-88.404556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.6
39SR0220025	HENDERSON	SR022	10.74	BRANCH	OPEN	7/26/2016	1992	35.644389	-88.401389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
39SR0220011	HENDERSON	SR022	12.73	ONE MILE BRANCH	OPEN	7/26/2016	2004	35.667983	-88.384317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
39SR0220015	HENDERSON	SR022	14.61	GRAVES BRANCH	OPEN	7/26/2016	1931	35.69525	-88.386722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
39SR0220017	HENDERSON	SR022	17.65	BIG SANDY RIVER	OPEN	7/26/2016	2002	35.738833	-88.391944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
39SR0220027	HENDERSON	SR022	17.89	BRANCH	OPEN	7/26/2016	2002	35.742444	-88.392139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
39SR0220019	HENDERSON	SR022	19.505	BIG BEAVER CREEK	OPEN	7/27/2016	2002	35.765833	-88.394389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
39SR0220021	HENDERSON	SR022	20.1	LITTLE BEAVER CREEK	OPEN	7/27/2016	2002	35.774278	-88.393417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
39I00400013	HENDERSON	SR022	21.105	SR-22 / I-40	OPEN	7/27/2016	2002	35.788889	-88.391389	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
39SR0220023	HENDERSON	SR022	22.4	BRITT CREEK	OPEN	7/27/2016	1998	35.807583	-88.389361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
39SR1000001	HENDERSON	SR100	0.99	GOFF BRANCH	OPEN	7/27/2016	1931	35.4935	-88.405889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
39SR1000003	HENDERSON	SR100	1.93	MIDDLETON CREEK	OPEN	7/28/2016	1932	35.493389	-88.389222	CONCRETE	TEE BEAM	76.9
39SR1000005	HENDERSON	SR100	3.18	DRY CREEK	OPEN	7/27/2016	1931	35.499444	-88.369222	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	50.3
39SR1000007	HENDERSON	SR100	7.24	EAST FORK CANE CREEK	OPEN	7/27/2016	1931	35.514056	-88.299417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	65.9
39SR1000009	HENDERSON	SR100	8.11	EAST FORK CANE CREEK	OPEN	7/28/2016	1931	35.517472	-88.284444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.3
39SR1000011	HENDERSON	SR100	10.46	FLAT CREEK	OPEN	7/28/2016	1931	35.527778	-88.244917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
39SR1040001	HENDERSON	SR104	6.5	CANE CREEK	OPEN	8/1/2016	1985	35.762833	-88.52425	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.4
39I00400005	HENDERSON	SR104	7.34	SR-104 / I-40	OPEN	8/1/2016	2010	35.754883	-88.514	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
39SR1040003	HENDERSON	SR104	8.15	BRANCH	OPEN	8/1/2016	1985	35.75	-88.501389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.9
39SR1040005	HENDERSON	SR104	9	SPRING CREEK	OPEN	8/1/2016	1984	35.743694	-88.491528	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.1
39SR1040007	HENDERSON	SR104	9.02	SPRING CREEK	OPEN	8/1/2016	1984	35.743306	-88.491611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.4
39SR1040009	HENDERSON	SR104	11.69	M. FK. FORKED DEER RIVER	OPEN	8/1/2016	1984	35.717028	-88.466028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.7
39SR1040011	HENDERSON	SR104	18.2	BEECH RIVER	OPEN	8/2/2016	1985	35.629222	-88.386556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
39SR1040013	HENDERSON	SR104	21.15	PINEY CREEK	OPEN	8/2/2016	1985	35.596222	-88.367944	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.7
39SR1040015	HENDERSON	SR104	31.6	HURRICANE CREEK	OPEN	8/2/2016	1948	35.478806	-88.323694	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.4
39S80670017	HENDERSON	SR114	0.81	BRANCH	OPEN	8/1/2016	1965	35.523861	-88.251444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
39S80670001	HENDERSON	SR114	8.83	OVERFLOW	OPEN	7/28/2016	2002	35.612778	-88.272639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
39S80670003	HENDERSON	SR114	8.89	CANE CREEK	OPEN	7/28/2016	2002	35.613556	-88.272583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
39S80670005	HENDERSON	SR114	8.99	OVERFLOW	OPEN	7/28/2016	2002	35.614917	-88.272444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
39S80670007	HENDERSON	SR114	9.28	OVERFLOW	OPEN	7/28/2016	2005	35.619183	-88.272317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
39S80670009	HENDERSON	SR114	9.46	OVERFLOW	OPEN	8/1/2016	2005	35.621667	-88.272217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
39S80670011	HENDERSON	SR114	9.57	BEECH RIVER	OPEN	8/1/2016	2005	35.62375	-88.272278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
39S80670013	HENDERSON	SR114	9.73	OVERFLOW	OPEN	8/1/2016	2005	35.625861	-88.271972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
39S80670015	HENDERSON	SR114	9.84	BRANCH	OPEN	8/1/2016	2005	35.627389	-88.271861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
39I00400031	HENDERSON	SR114	26.47	SR-114 / I-40 EBL	OPEN	7/27/2016	1966	35.817667	-88.252611	CONCRETE CONTINUOUS	TEE BEAM	70
39I00400041	HENDERSON	SR114	26.48	SR-114 / I-40 WBL	OPEN	7/27/2016	1961	35.81875	-88.252083	CONCRETE CONTINUOUS	TEE BEAM	78.8
39S80610001	HENDERSON	SR200	0.59	OVERFLOW	OPEN	8/1/2016	1964	35.568861	-88.545611	CONCRETE	CHANNEL BEAM	66.7
39S80610003	HENDERSON	SR200	0.62	MIDDLE FORK CREEK	OPEN	8/1/2016	1970	35.569111	-88.545278	CONCRETE	CHANNEL BEAM	65.5
39S80610005	HENDERSON	SR200	3.01	BRANCH	OPEN	7/28/2016	1961	35.584556	-88.511417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
39S80610007	HENDERSON	SR200	10.8	WOLF CREEK	OPEN	7/28/2016	1995	35.625722	-88.422056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.9
39S81350001	HENDERSON	SR201	1.47	BRANCH	OPEN	8/1/2016	1998	35.459889	-88.341	CONCRETE	CHANNEL BEAM	82.2
39S81350003	HENDERSON	SR201	1.58	BIG HURRICANE CREEK	OPEN	8/1/2016	1986	35.461083	-88.339333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
39S81350005	HENDERSON	SR201	5.71	BRANCH	OPEN	8/1/2016	1954	35.457806	-88.2835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
39S81350007	HENDERSON	SR201	6.97	WEST FORK DOE CREEK	OPEN	8/1/2016	2003	35.472583	-88.277389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
39S81350009	HENDERSON	SR201	8.33	MIDDLE FORK DOE CREEK	OPEN	8/1/2016	1961	35.484472	-88.262806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
39016980001	HENDERSON	SR201	13.21	FLAT CREEK	OPEN	8/1/2016	1980	35.595278	-88.216806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.3
40S81560005	HENRY	00896	4	PETTY JOHN CREEK	OPEN	2/11/2016	1998	36.178278	-88.352833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
40S81560003	HENRY	00896	6.04	GUINN CREEK	OPEN	2/11/2016	1960	36.184806	-88.384889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
40S81560001	HENRY	00896	6.69	BRANCH	OPEN	2/11/2016	1960	36.190528	-88.393306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
40S80930005	HENRY	00902	9.81	WEST SANDY CREEK	OPEN	2/8/2016	1942	36.302	-88.160583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.1
40E00030003	HENRY	00902	13.96	BRANCH	OPEN	2/4/2016	1960	36.363139	-88.168889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.5
40E00030005	HENRY	00902	14.86	BRANCH	OPEN	2/4/2016	1960	36.376556	-88.168389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
40S80930007	HENRY	00904	1.06	BEAVERDAM CREEK	OPEN	2/4/2016	1960	36.336417	-88.185972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
40F00050003	HENRY	00904	3.43	HOLLY FORK CREEK	OPEN	2/4/2016	1984	36.332417	-88.223611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
40S82370001	HENRY	01715	0.9	HENSON BRANCH	OPEN	2/12/2016	1960	36.342944	-88.262694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
40S82370003	HENRY	01715	1.07	OVERFLOW	OPEN	2/12/2016	1960	36.3455	-88.263056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
40S82370005	HENRY	01715	2.21	THOMPSON CREEK	OPEN	2/12/2016	1960	36.361028	-88.260694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.1
40017150007	HENRY	01715	4.04	NELSON CREEK	OPEN	2/12/2016	1965	36.379889	-88.249778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
40017150009	HENRY	01715	7.29	HOLLEY FORK CREEK	OPEN	2/5/2016	1968	36.419667	-88.267944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
40017170001	HENRY	01717	0.44	SOUTH FK BLOOD RIVER	OPEN	2/5/2016	2005	36.441333	-88.208667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
40017170005	HENRY	01717	1.18	MCGEHEE BRANCH	OPEN	2/5/2016	1956	36.446944	-88.216083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
40017280001	HENRY	01728	2.08	BRANCH	OPEN	2/8/2016	1991	36.204361	-88.43325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
40017340001	HENRY	01734	3.02	BIRD CREEK	OPEN	2/10/2016	1970	36.379194	-88.3695	CONCRETE	CHANNEL BEAM	73.3
400A5750001	HENRY	01735	3.49	BRANCH	OPEN	2/5/2016	1987	36.257694	-88.395417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
400A5750003	HENRY	01735	4.93	OBION RIVER	OPEN	2/5/2016	1996	36.277639	-88.387806	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.6
40017360001	HENRY	01736	4.31	RABBIT CREEK	OPEN	2/11/2016	1999	36.465667	-88.17175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
400A7020001	HENRY	03064	2.89	TOWN CREEK	OPEN	2/12/2016	1963	36.313361	-88.295056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.7
400A7020003	HENRY	03064	2.96	BRANCH	OPEN	2/12/2016	1964	36.314139	-88.29425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
400A7020005	HENRY	03064	3.54	MCGOWAN CREEK	OPEN	2/12/2016	1960	36.320278	-88.287667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
40030660001	HENRY	03066	0.31	BRANCH CREEK	OPEN	2/17/2016	1986	36.305028	-88.293944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
40S80240001	HENRY	05741	1.2	BARNES FORK CREEK	OPEN	2/10/2016	1998	36.243056	-88.287417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
40S80240003	HENRY	05741	1.3	BRANCH	OPEN	2/10/2016	1998	36.242611	-88.285722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
40S80240005	HENRY	05741	2.98	WEST SANDY CREEK	OPEN	2/10/2016	1996	36.22875	-88.264111	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.1
40S80240007	HENRY	05741	4.06	BRANCH	OPEN	2/10/2016	1958	36.218556	-88.251028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
40F00040009	HENRY	05741	4.84	OVERFLOW	OPEN	2/10/2016	1950	36.212444	-88.239917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
400A0150001	HENRY	0A015	2.25	WALNUT FORK CREEK	OPEN	2/5/2016	1965	36.338167	-88.438278	CONCRETE	CHANNEL BEAM	34.8
400A0220001	HENRY	0A022	1.289	CANE CREEK	WEIGHT POSTED	2/10/2016	1981	36.36025	-88.501139	CONCRETE	CHANNEL BEAM	34.6
400A0240001	HENRY	0A024	0.475	CANE CREEK BRANCH	OPEN	2/5/2016	1991	36.3725	-88.513611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
400A0240003	HENRY	0A024	1.038	CANE CREEK	OPEN	2/5/2016	2004	36.379583	-88.51025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
400A0300001	HENRY	0A030	0.51	BRANCH	OPEN	2/5/2016	1984	36.367111	-88.488222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
400A0320001	HENRY	0A032	1.223	WALNUT FORK CREEK	OPEN	2/5/2016	2008	36.375567	-88.454383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
400A0580001	HENRY	0A058	3.091	BIRDS CREEK	OPEN	2/4/2016	1979	36.371747	-88.36775	CONCRETE	CHANNEL BEAM	61.1
400A0650001	HENRY	0A065	0.839	NORTH FORK OBION RIVER	OPEN	2/5/2016	2004	36.397033	-88.369167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
400A0670001	HENRY	0A067	1.158	NORTH FORK OBION RIVER	OPEN	2/10/2016	1965	36.384639	-88.352472	CONCRETE	CHANNEL BEAM	69.7
400A0670003	HENRY	0A067	1.984	PHILLIPS CREEK	OPEN	2/4/2016	1962	36.394556	-88.358361	CONCRETE	CHANNEL BEAM	22.7
400A0720001	HENRY	0A072	1.632	CLEAR CREEK	OPEN	2/17/2016	1950	36.424639	-88.381833	CONCRETE	CHANNEL BEAM	58.8
400A0760001	HENRY	0A076	0.56	NORTH FORK OBION RIVER	OPEN	2/11/2016	2012	36.439917	-88.450472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
400A0780003	HENRY	0A078	0.925	NORTH FORK OBION RIVER	OPEN	2/10/2016	1980	36.424944	-88.411833	CONCRETE	CHANNEL BEAM	70.4
400A1130001	HENRY	0A113	0.316	DRY CREEK	OPEN	2/11/2016	2006	36.450972	-88.460583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
400A1130003	HENRY	0A113	1.987	SANDY BRANCH	OPEN	2/11/2016	1995	36.473444	-88.466083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
400A1130005	HENRY	0A113	2.574	SUGAR CREEK	WEIGHT POSTED	2/11/2016	1984	36.481667	-88.466361	CONCRETE	CHANNEL BEAM	33.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
400A1130007	HENRY	0A113	3.799	TERRAPIN CREEK	WEIGHT POSTED	2/12/2016	1963	36.487194	-88.485667	CONCRETE	CHANNEL BEAM	56.4
400A1130009	HENRY	0A113	3.89	BRANCH	OPEN	2/11/2016	1998	36.486889	-88.487056	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	62.3
400A1180001	HENRY	0A118	0.48	SANDY BRANCH	WEIGHT POSTED	2/12/2016	1980	36.474722	-88.451361	CONCRETE	CHANNEL BEAM	40.5
400A1330001	HENRY	0A133	0.682	EAST FORK CLARKS RIVER	OPEN	2/17/2016	2005	36.342472	-88.3135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
400A1340001	HENRY	0A134	1.643	EAST FORK CLARKS RIVER	OPEN	2/17/2016	2013	36.4605	-88.316333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
400A1370001	HENRY	0A137	0.87	EAST FORK CLARKS RIVER	OPEN	2/17/2016	1995	36.449333	-88.316556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
400A1400001	HENRY	0A140	2.5	ROWE CREEK	OPEN	2/10/2016	1981	36.394472	-88.325278	CONCRETE	CHANNEL BEAM	80.8
400A1650003	HENRY	0A165	1.58	HOLLEY FORK CREEK	OPEN	2/17/2016	2002	36.393306	-88.230861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
400A1780001	HENRY	0A178	1.349	HOLLEY FORK CREEK	WEIGHT POSTED	2/17/2016	1962	36.406111	-88.253972	CONCRETE	CHANNEL BEAM	59.7
400A1890001	HENRY	0A189	1.464	NORTH FORK BLOOD RIVER	OPEN	2/8/2016	1964	36.46875	-88.263472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
400A1890003	HENRY	0A189	2.42	MIDDLE FORK BLOOD RIVER	OPEN	2/5/2016	1965	36.454444	-88.263222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
400A1900001	HENRY	0A190	1.856	SOUTH FORK BLOOD RIVER	WEIGHT POSTED	2/8/2016	1955	36.431083	-88.239472	CONCRETE	CHANNEL BEAM	63.8
400A1930001	HENRY	0A193	1.85	CALEDONIA CREEK	OPEN	2/12/2016	1981	36.173639	-88.495194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
400A1930003	HENRY	0A193	2.5	BRANCH	OPEN	2/12/2016	1962	36.180639	-88.487611	CONCRETE	CHANNEL BEAM	71.1
400A1950001	HENRY	0A195	3.049	BLOOD RIVER	OPEN	2/5/2016	2000	36.460389	-88.25875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
400A2030001	HENRY	0A203	0.66	CLARK BRANCH	OPEN	4/12/2016	2016	36.490833	-88.308667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
400A2100001	HENRY	0A210	2.08	BLOOD RIVER	WEIGHT POSTED	2/17/2016	1972	36.473056	-88.1955	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	41.2
400A2110001	HENRY	0A211	0.086	BLOOD RIVER	OPEN	2/11/2016	1998	36.496639	-88.183083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
400A2130001	HENRY	0A213	0.251	RABBIT CREEK	OPEN	2/11/2016	1997	36.466833	-88.187722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
400A2180001	HENRY	0A218	0.767	RABBIT CREEK	WEIGHT POSTED	2/11/2016	1955	36.466139	-88.160528	CONCRETE	CHANNEL BEAM	61
400A2820001	HENRY	0A282	2.06	NEIL DITCH	OPEN	2/11/2016	1962	36.172194	-88.392694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
400A2820003	HENRY	0A282	3.104	BRANCH	OPEN	2/11/2016	1962	36.185333	-88.386917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
400A3540001	HENRY	0A354	2.604	BEAR CREEK	OPEN	2/18/2016	1950	36.158389	-88.187694	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.4
400A3860001	HENRY	0A386	3.2	TURKEY PEN BRANCH	OPEN	2/4/2016	1945	36.314472	-88.222361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
400A3930001	HENRY	0A393	0.345	TURKEY PEN BRANCH	OPEN	2/4/2016	2004	36.424639	-88.381833	CONCRETE	CHANNEL BEAM	72.4
400A4070001	HENRY	0A407	0.865	BRANCH	OPEN	2/3/2016	1984	36.286444	-88.148583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
400A4290001	HENRY	0A429	1.495	CONE CREEK	OPEN	2/3/2016	1948	36.284139	-88.111778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
400A4340001	HENRY	0A434	1.37	CLENDON CREEK	OPEN	2/3/2016	1948	36.248111	-88.128611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
400A4600001	HENRY	0A460	2.491	GIN CREEK	OPEN	2/3/2016	1945	36.209611	-88.146083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
400A4700001	HENRY	0A470	1.047	VAUGHN BRANCH	OPEN	2/3/2016	1994	36.278444	-88.20175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
400A4800001	HENRY	0A480	0.367	CLIFTY CREEK	OPEN	2/10/2016	1998	36.264944	-88.253806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
400A4800003	HENRY	0A480	2.493	CLIFTY CREEK	OPEN	2/10/2016	1962	36.271194	-88.288528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
400A5070001	HENRY	0A507	0.695	BEAR CREEK	OPEN	2/18/2016	1965	36.164417	-88.278139	CONCRETE	CHANNEL BEAM	61.6
400A5080001	HENRY	0A508	0.48	BEAR CREEK	OPEN	2/10/2016	2008	36.17175	-88.290111	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	62.5
400A5120001	HENRY	0A512	3.096	GUINS CREEK	OPEN	2/11/2016	1995	36.150722	-88.381278	CONCRETE	CHANNEL BEAM	88.5
400A5340001	HENRY	0A534	0.974	BRANCH	OPEN	2/12/2016	1984	36.194861	-88.477111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
400A5350001	HENRY	0A535	0.053	BRANCH	WEIGHT POSTED	2/12/2016	1972	36.182222	-88.462278	CONCRETE	CHANNEL BEAM	22.2
400A5400001	HENRY	0A540	1.081	BRANCH	OPEN	2/12/2016	1979	36.196111	-88.524083	CONCRETE	CHANNEL BEAM	76.9
400A5560003	HENRY	0A556	2.819	TRAINER CREEK	OPEN	2/5/2016	1984	36.251667	-88.416028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
400A5560005	HENRY	0A556	6.213	MIDDLE FORK OBION RIVER	OPEN	2/10/2016	1960	36.276167	-88.3715	CONCRETE	CHANNEL BEAM	78.5
400A5570001	HENRY	0A557	2.284	MIDDLE FORK OBION RIVER	OPEN	2/8/2016	1988	36.257861	-88.468028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
400A5570003	HENRY	0A557	2.418	BRANCH	OPEN	4/18/2017	2017	36.259222	-88.469528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.9
400A5580001	HENRY	0A558	0.097	BRANCH	OPEN	2/5/2016	1984	36.252472	-88.463528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
400A5720001	HENRY	0A572	1.139	MIDDLE FORK OBION RIVER	OPEN	2/8/2016	1969	36.276722	-88.419611	CONCRETE	CHANNEL BEAM	52

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
400A5720003	HENRY	0A572	1.399	TRAINER CREEK	OPEN	2/10/2016	2000	36.273167	-88.420861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
400A6380001	HENRY	0A638	0.079	CSX RAILROAD	OPEN	2/5/2016	2008	36.2892	-88.351833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.4
400A7140001	HENRY	0A714	1.101	OVERFLOW	OPEN	2/17/2016	1986	36.307472	-88.275083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.6
400A7140003	HENRY	0A714	1.21	BAILEY FORK CREEK	OPEN	2/17/2016	1991	36.308139	-88.273472	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.8
40M30670001	HENRY	0A833	0.522	JONES BEND CREEK	OPEN	2/17/2016	1950	36.310333	-88.334444	CONCRETE	TEE BEAM	45.2
400A5420001	HENRY	0A916	2.05	SPRING CREEK	OPEN	2/12/2016	1972	36.196972	-88.486694	CONCRETE	CHANNEL BEAM	91.9
40M30810001	HENRY	0A921	0.329	BRANCH	OPEN	2/17/2016	1982	36.305333	-88.288889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
40SR0760025	HENRY	0A999	0.085	P LANDING SP / SR 76	OPEN	1/29/2016	1991	36.438611	-88.084028	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
400A5840001	HENRY	0B120	0.572	MIDDLE FORK OBION RIVER	OPEN	2/18/2016	1935	36.283639	-88.329389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
40SR0220003	HENRY	SR022	1.68	DRAINAGE DITCH	OPEN	1/25/2016	1958	36.168917	-88.52775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
40SR0540001	HENRY	SR054	2.17	OVERFLOW	OPEN	1/25/2016	1982	36.290917	-88.485222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
40SR0540005	HENRY	SR054	2.52	OLD TOWN CREEK	OPEN	1/25/2016	1983	36.290472	-88.478778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5
40SR0540007	HENRY	SR054	5.13	BRANCH	OPEN	1/25/2016	1984	36.291417	-88.432389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
40SR0540009	HENRY	SR054	6.47	BRANCH	OPEN	1/25/2016	1984	36.294861	-88.40875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
40SR0540013	HENRY	SR054	8.35	BRANCH	OPEN	1/25/2016	1984	36.299	-88.374972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
40SR0540015	HENRY	SR054	10.26	BRANCH	OPEN	1/25/2016	1934	36.302778	-88.341694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.3
40SR0540017	HENRY	SR054	10.48	KWT RAILROAD	OPEN	1/29/2016	1934	36.302333	-88.33775	CONCRETE	TEE BEAM	79.3
40SR0540019	HENRY	SR054	11.66	CSX RAILROAD BED	OPEN	1/25/2016	1934	36.309833	-88.326778	CONCRETE	TEE BEAM	83.9
40SR0540021	HENRY	SR054	11.78	JONES BEND CREEK	OPEN	1/27/2016	1937	36.311472	-88.327139	CONCRETE	TEE BEAM	55.5
40SR0540023	HENRY	SR054	16.47	NORTH FORK OBION RIVER	OPEN	1/27/2016	1937	36.378167	-88.334194	CONCRETE	TEE BEAM	78.6
40SR0540025	HENRY	SR054	17.13	ROWE CREEK	OPEN	1/27/2016	1937	36.387639	-88.333611	CONCRETE	TEE BEAM	80.4
40SR0540027	HENRY	SR054	22.41	MORMON BRANCH	OPEN	1/27/2016	1937	36.464528	-88.331778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	40.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
40SR0690001	HENRY	SR069	0.03	BIG SANDY RIVER	OPEN	1/29/2016	1986	36.17825	-88.160528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72
40SR0692001	HENRY	SR069	0.12	BIG SANDY RIVER	OPEN	2/2/2016	1942	36.232417	-88.104111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.3
40SR0692003	HENRY	SR069	1.28	BRANCH	OPEN	2/2/2016	1940	36.233083	-88.124528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
40SR0692005	HENRY	SR069	2.5	BRANCH	OPEN	2/2/2016	1940	36.242778	-88.141694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
40SR0690003	HENRY	SR069	5.34	SPRING CREEK	OPEN	1/26/2016	1965	36.233722	-88.225417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71
40SR0692007	HENRY	SR069	5.66	BEASLEY CREEK	OPEN	2/3/2016	1940	36.259556	-88.191444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
40SR0690005	HENRY	SR069	6.09	WEST SANDY CREEK	OPEN	1/26/2016	1963	36.240083	-88.236222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64.8
40SR0692009	HENRY	SR069	6.38	WEST SANDY CREEK	OPEN	2/8/2016	1942	36.260444	-88.202306	CONCRETE	TEE BEAM	73.8
40SR0690007	HENRY	SR069	9.66	CLIFTY CREEK	OPEN	1/26/2016	1965	36.272167	-88.285972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
40SR0690009	HENRY	SR069	13.11	BRANCH	OPEN	1/26/2016	1935	36.303528	-88.341611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
40SR0690011	HENRY	SR069	13.47	JONES BEND CREEK	OPEN	1/26/2016	1930	36.30925	-88.343389	CONCRETE	TEE BEAM	81.2
40SR0690013	HENRY	SR069	23	WALNUT CREEK	OPEN	1/27/2016	1974	36.392722	-88.454611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.5
40SR0690015	HENRY	SR069	28.34	OVERFLOW	OPEN	1/26/2016	1974	36.462083	-88.489444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9
40SR0690017	HENRY	SR069	28.47	NORTH FORK OBION RIVER	OPEN	1/28/2016	1972	36.463583	-88.489361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.7
40SR0690019	HENRY	SR069	29	BRANCH	OPEN	1/26/2016	1924	36.471389	-88.49125	CONCRETE	TEE BEAM	93.4
40SR0690021	HENRY	SR069	29.97	BRANCH	OPEN	1/26/2016	1924	36.483694	-88.498639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
40SR0690023	HENRY	SR069	30.89	BRANCH	OPEN	1/28/2016	1973	36.495639	-88.493667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
40SR0690025	HENRY	SR069	31.16	TERRAPIN CREEK	OPEN	1/26/2016	1973	36.498333	-88.490306	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.6
40SR0760031	HENRY	SR076	0.58	BRANCH	OPEN	1/29/2016	2002	36.156194	-88.465972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
40SR0760001	HENRY	SR076	0.84	CALEDONIA CREEK	OPEN	1/29/2016	2003	36.158806	-88.462611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
40SR0760033	HENRY	SR076	5.97	BRANCH	OPEN	1/29/2016	2002	36.209444	-88.400111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
40SR0760027	HENRY	SR076	9.69	BRANCH	OPEN	1/29/2016	2001	36.245028	-88.355611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
40SR0760029	HENRY	SR076	11.15	BRANCH	OPEN	1/29/2016	2001	36.262778	-88.339556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
40SR0760003	HENRY	SR076	13.36	CSX RAILROAD	OPEN	1/29/2016	1999	36.289833	-88.319389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.5
40SR0690027	HENRY	SR076	14.28	NFA A853 (E. BLYTHE ST.)	OPEN	2/1/2016	1975	36.300417	-88.309944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
40SR0760005	HENRY	SR076	15.64	ABANDONED RAILROAD	OPEN	2/1/2016	1929	36.311944	-88.291139	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	83.9
40SR0760007	HENRY	SR076	15.89	TOWN CREEK	OPEN	2/1/2016	1929	36.314167	-88.287472	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.9
40SR0760009	HENRY	SR076	16.27	SMALLWOOD CREEK	OPEN	1/27/2016	1981	36.317444	-88.282306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
40SR0760011	HENRY	SR076	18.79	BRANCH	OPEN	1/27/2016	1985	36.339861	-88.246417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
40SR0760012	HENRY	SR076	18.79	BRANCH	OPEN	1/27/2016	1985	36.339861	-88.246667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
40SR0760013	HENRY	SR076	19.95	HOLLY FORK CREEK	OPEN	1/28/2016	1985	36.350222	-88.230111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.9
40SR0760014	HENRY	SR076	19.95	HOLLY FORK CREEK	OPEN	1/28/2016	1985	36.350222	-88.230111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.9
40SR0760016	HENRY	SR076	22.3	BEAVERDAM CREEK	OPEN	1/27/2016	1992	36.370694	-88.196333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.5
40SR0760015	HENRY	SR076	22.3	BEAVER DAM CREEK	OPEN	1/27/2016	1990	36.370556	-88.196222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.5
40SR0760018	HENRY	SR076	27.3	EAGLE CREEK	OPEN	1/28/2016	1944	36.419278	-88.131611	CONCRETE	TEE BEAM	79.5
40SR0760017	HENRY	SR076	27.3	EAGLE CREEK	OPEN	1/28/2016	1992	36.419194	-88.131417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5
40SR0760023	HENRY	SR076	27.95	BRANCH	OPEN	1/27/2016	1940	36.427111	-88.125472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
40SR0760019	HENRY	SR076	29.12	LITTLE EAGLE CREEK	OPEN	1/29/2016	1944	36.432889	-88.105667	CONCRETE	TEE BEAM	82.5
40SR0760021	HENRY	SR076	31.41	TENNESSEE RIVER	OPEN	3/3/2016	1992	36.442778	-88.066583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.6
40SR0770001	HENRY	SR077	1.93	BRANCH	OPEN	2/1/2016	1984	36.167139	-88.305194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.1
40SR0770003	HENRY	SR077	2.84	BEAR CREEK	OPEN	1/29/2016	1951	36.179889	-88.307056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
40SR0770005	HENRY	SR077	4.04	BRANCH	OPEN	1/29/2016	1951	36.196861	-88.310361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
40SR0770007	HENRY	SR077	6.24	OVERFLOW	OPEN	1/29/2016	1985	36.227861	-88.307361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
40SR0770009	HENRY	SR077	6.31	BARNES CREEK	OPEN	1/29/2016	1995	36.228861	-88.307111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
40SR0770015	HENRY	SR077	6.9	BRANCH	OPEN	1/29/2016	1994	36.237389	-88.306917	CONCRETE	CHANNEL BEAM	54.3
40SR0770013	HENRY	SR077	9.31	CLIFTY CREEK	OPEN	1/29/2016	1999	36.270194	-88.303611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
40SR1140001	HENRY	SR114	0.96	BEAR CREEK	WEIGHT POSTED	2/1/2016	1953	36.160833	-88.258028	CONCRETE	TEE BEAM	62.6
40SR1140003	HENRY	SR114	1.02	BRANCH	OPEN	2/1/2016	1960	36.160944	-88.257694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
40SR1140005	HENRY	SR114	1.33	PANTHER CREEK	WEIGHT POSTED	2/1/2016	1953	36.166	-88.256722	CONCRETE	TEE BEAM	52.5
40S81560007	HENRY	SR114	2.28	PANTHER CREEK	OPEN	2/1/2016	1960	36.17525	-88.262583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
40SR1190001	HENRY	SR119	4.5	CYPRESS CREEK	OPEN	2/4/2016	1943	36.496472	-88.104167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
40S80920001	HENRY	SR140	2.01	COLD BRANCH	OPEN	2/1/2016	1987	36.180278	-88.505861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
40S80920003	HENRY	SR140	2.06	OVERFLOW	OPEN	2/1/2016	1987	36.181083	-88.506194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
40S80920005	HENRY	SR140	2.15	OVERFLOW	OPEN	2/1/2016	2003	36.182278	-88.506667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.1
40S80920009	HENRY	SR140	5.77	TUMBLING CREEK	OPEN	2/1/2016	1987	36.229972	-88.508361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
40S80920011	HENRY	SR140	8.61	OVERFLOW	OPEN	2/1/2016	1987	36.26875	-88.510194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80
40S80920013	HENRY	SR140	8.72	OVERFLOW	OPEN	2/1/2016	1987	36.270667	-88.509611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
40S80920015	HENRY	SR140	8.77	MIDDLE FORK OBION RIVER	OPEN	2/1/2016	1987	36.271139	-88.509528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80
40002980001	HENRY	SR140	20.48	NORTH FORK OBION RIVER	OPEN	2/3/2016	2001	36.446333	-88.466944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
40S81720003	HENRY	SR140	23.03	MILL CREEK	OPEN	12/28/2016	1957	36.442528	-88.423056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.6
40S81720005	HENRY	SR140	26.54	CLEAR CREEK	OPEN	2/3/2016	1960	36.444056	-88.362417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
40SR1400001	HENRY	SR140	29.44	BRANCH	OPEN	2/1/2016	1948	36.4415	-88.311083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
40SR1400003	HENRY	SR140	35.32	BRANCH	OPEN	2/4/2016	1986	36.434222	-88.214944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
40SR1600003	HENRY	SR140	38.1	EAGLE CREEK	OPEN	2/4/2016	1960	36.428944	-88.166917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
40SR1600001	HENRY	SR140	39.21	NORTH FORK EAGLE CREEK	OPEN	2/4/2016	1960	36.430583	-88.147611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
40SR2180021	HENRY	SR218	0.9	KWT RAILROAD	OPEN	11/7/2016	2016	36.35225	-88.3491	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.3
40SR2180019	HENRY	SR218	1.55	BIRDS CREEK	OPEN	11/7/2016	2016	36.3471	-88.358583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
40SR2180015	HENRY	SR218	4.045	BRANCH	OPEN	2/1/2016	2000	36.281944	-88.361611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.5
40SR2180017	HENRY	SR218	9.815	BRANCH	OPEN	2/3/2016	1998	36.266639	-88.318028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
40SR2180005	HENRY	SR218	11.775	BRANCH	OPEN	2/3/2016	1989	36.273167	-88.285056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
40SR2180007	HENRY	SR218	11.825	BRANCH	OPEN	2/3/2016	1989	36.273417	-88.284222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
40SR2180009	HENRY	SR218	12.125	BRANCH	OPEN	2/3/2016	1989	36.274583	-88.279056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
40SR2180011	HENRY	SR218	12.185	BRANCH	OPEN	2/3/2016	1989	36.274806	-88.277972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
40SR2180013	HENRY	SR218	12.315	BRANCH E OF PARIS	OPEN	2/1/2016	1989	36.275194	-88.275806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
40SR2180001	HENRY	SR218	14.385	BAILEY FORK CR.	OPEN	2/2/2016	1988	36.299944	-88.262333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.9
40SR2180003	HENRY	SR218	14.535	OVERFLOW	OPEN	2/4/2016	1988	36.301833	-88.262667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.2
41I00400001	HICKMAN	00920	1.8	DUCK RIVER RD / I40	OPEN	10/31/2016	1965	35.874467	-87.7099	CONCRETE CONTINUOUS	TEE BEAM	58.5
41S61790001	HICKMAN	00942	1.78	BRANCH	OPEN	11/23/2015	1962	35.662917	-87.677317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
41S61790003	HICKMAN	00942	3.21	CANE CREEK	OPEN	11/23/2016	1959	35.648617	-87.660217	CONCRETE	TEE BEAM	49.4
41S61790005	HICKMAN	00942	3.43	BRANCH	OPEN	11/23/2015	1962	35.64515	-87.661217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
41S61790007	HICKMAN	00942	5.9	CANE CREEK	OPEN	11/25/2015	1960	35.632917	-87.6234	CONCRETE	TEE BEAM	74.6
41S61750001	HICKMAN	00944	0.42	PINEY RIVER	OPEN	10/2/2015	1950	35.91055	-87.4685	CONCRETE	TEE BEAM	53.9
41S61750003	HICKMAN	00944	2.24	LITTLE SPRING CREEK	OPEN	10/2/2015	1950	35.920583	-87.442683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
41S61750005	HICKMAN	00944	3.35	LITTLE SPRING CREEK	OPEN	10/2/2015	1950	35.915867	-87.42475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
41S61750007	HICKMAN	00944	3.54	BRANCH	OPEN	10/5/2015	1950	35.911783	-87.415667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
41S61730005	HICKMAN	00946	0.01	SUGAR CREEK	OPEN	12/2/2015	1960	35.892367	-87.62935	CONCRETE	TEE BEAM	80.6
41S61730007	HICKMAN	00946	3.89	BRANCH	OPEN	12/3/2015	1960	35.867317	-87.679567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
41F04930001	HICKMAN	00950	0.45	DOG CREEK	OPEN	9/21/2015	1972	35.8187	-87.2542	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
41F04930003	HICKMAN	00950	0.6	DOG CREEK	OPEN	9/21/2015	1965	35.817317	-87.25195	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
41F04750003	HICKMAN	00952	1.27	BRISTOL CAVE BRANCH	OPEN	9/2/2015	1985	35.943183	-87.321267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
41F04750001	HICKMAN	00952	1.46	BIG SPRING CREEK	OPEN	9/2/2015	1985	35.9459	-87.3203	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
41S61780001	HICKMAN	00955	0.93	BIG SWAN CREEK	OPEN	10/28/2015	1965	35.628483	-87.4542	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.5
41S61780003	HICKMAN	00955	2.19	SWAN CREEK	OPEN	10/28/2015	1965	35.644617	-87.450867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.5
41S61780005	HICKMAN	00955	4.57	COPPERAS CREEK	OPEN	10/29/2015	1965	35.676	-87.438917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
41S61780007	HICKMAN	00955	5.34	SIMMON'S BRANCH	OPEN	10/29/2015	1950	35.6872	-87.43935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.1
41S61780009	HICKMAN	00955	7.46	HAW BRANCH	OPEN	10/21/2015	1950	35.714183	-87.4283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.1
41F04700001	HICKMAN	00961	5.9	BRANCH	OPEN	11/19/2015	1930	35.844333	-87.480017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.6
41F04700003	HICKMAN	00961	6.15	BIRD CREEK	OPEN	11/19/2015	1930	35.8467	-87.47685	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	44.3
41F04950001	HICKMAN	00963	1.4	OVERFLOW DUCK RIVER	OPEN	9/28/2015	1960	35.753	-87.282383	CONCRETE	TEE BEAM	73.5
41F04950003	HICKMAN	00963	1.49	DUCK RIVER	OPEN	9/28/2015	1987	35.75385	-87.282567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.1
41S61760011	HICKMAN	00963	6.5	DOG CREEK	OPEN	9/21/2015	1963	35.817533	-87.261583	CONCRETE	TEE BEAM	78.8
41S61760013	HICKMAN	00963	7.23	LICK CREEK	OPEN	9/21/2015	1963	35.820983	-87.2724	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	66.4
41009650001	HICKMAN	00965	1.94	BRANCH	OPEN	12/14/2015	1986	35.989667	-87.5144	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
41018270001	HICKMAN	01827	0.07	DRY BRANCH	OPEN	11/25/2015	1974	35.629433	-87.618367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
41018310001	HICKMAN	01831	0.33	CANE BRANCH	OPEN	11/23/2015	1976	35.676383	-87.704917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
41018310003	HICKMAN	01831	3.08	MORGAN CREEK	OPEN	11/16/2015	1979	35.707117	-87.702133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
41018330007	HICKMAN	01833	0.57	LOWE BRANCH	OPEN	10/23/2015	1981	35.778033	-87.622017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
41018330005	HICKMAN	01833	4.16	BRANCH	OPEN	11/10/2015	1979	35.737617	-87.630017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
41018330009	HICKMAN	01833	4.9	SULFUR FORK CREEK	OPEN	11/10/2015	1974	35.72955	-87.627133	CONCRETE	TEE BEAM	77.7
41018330001	HICKMAN	01833	8.52	SULPHUR FORK CREEK	OPEN	11/13/2015	1965	35.685567	-87.605417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52
41018330003	HICKMAN	01833	9	SULPHUR FORK CREEK	OPEN	11/13/2015	1970	35.679167	-87.602283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54
41018350001	HICKMAN	01835	0.08	PERSIMMON CREEK	OPEN	10/14/2015	1954	35.791817	-87.400417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8
41561760003	HICKMAN	01837	2.51	DRY PRONG LEATHERWOOD CR	OPEN	9/24/2015	1990	35.75425	-87.246483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
41561760005	HICKMAN	01837	3.12	WET PRONG LEATHERWOOD CR	OPEN	9/24/2015	1994	35.759333	-87.253367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
41561760007	HICKMAN	01837	3.38	LEATHERWOOD CREEK	OPEN	9/24/2015	1968	35.759367	-87.25785	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
41561760009	HICKMAN	01837	3.49	LEATHERWOOD CREEK	OPEN	9/24/2015	1968	35.7595	-87.260133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
41018390001	HICKMAN	01839	1.96	LICK CREEK	OPEN	9/15/2015	1968	35.8372	-87.262067	CONCRETE	TEE BEAM	76.5
41018390003	HICKMAN	01839	2.86	GIN CREEK	OPEN	9/15/2015	1979	35.845233	-87.252733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
41018440001	HICKMAN	01844	0.01	PINEY BRANCH	OPEN	10/16/2015	1965	35.749883	-87.404117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
41018460001	HICKMAN	01846	2.65	ARNOLD BRANCH	OPEN	10/19/2015	1963	35.775483	-87.378517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
41018460003	HICKMAN	01846	5.73	DUCK RIVER	OPEN	10/19/2015	1968	35.797833	-87.3442	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.2
41562440001	HICKMAN	01848	1.81	HALEY CREEK	OPEN	10/14/2015	1950	35.785383	-87.423217	CONCRETE	TEE BEAM	46.2
41018480001	HICKMAN	01848	4.53	DRY CREEK	OPEN	10/19/2015	1994	35.800067	-87.3869	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
41018500001	HICKMAN	01850	2.97	TATUM CREEK	OPEN	9/15/2015	1968	35.893867	-87.281283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
41018410001	HICKMAN	01850	4.93	BARREN FORK LICK CREEK	OPEN	8/24/2015	1963	35.896	-87.255717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.5
41561470001	HICKMAN	01854	7.57	BEAR CREEK	OPEN	9/30/2015	1988	35.977167	-87.438533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.7
41018560003	HICKMAN	01856	0.41	DOG CREEK	OPEN	9/22/2015	1975	35.814183	-87.246017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
41018560005	HICKMAN	01856	0.6	DOG CREEK	OPEN	9/22/2015	1983	35.813367	-87.242917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
41018560007	HICKMAN	01856	0.81	DOG CREEK	OPEN	9/22/2015	1972	35.810983	-87.2404	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
41018560009	HICKMAN	01856	1.8	DOG CREEK	OPEN	9/22/2015	1984	35.805517	-87.2285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
410A0030001	HICKMAN	0A003	0.436	PINEY RIVER	WEIGHT POSTED	9/30/2015	1970	35.932333	-87.46875	CONCRETE CONTINUOUS	TEE BEAM	64.3
410A0070001	HICKMAN	0A007	0.541	PLUNDERS CREEK	OPEN	9/30/2015	1996	35.964117	-87.462267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
410A0100001	HICKMAN	0A010	0.077	BEAR CREEK	OPEN	10/1/2015	1979	35.97295	-87.414367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
410A0190001	HICKMAN	0A019	1.525	BECKY BRANCH	OPEN	10/7/2015	2004	35.9458	-87.37895	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99
410A0210001	HICKMAN	0A021	0.794	GOOSE BRANCH	OPEN	10/7/2015	2014	35.9438	-87.475867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81
410A0220001	HICKMAN	0A022	1.4	BRANCH	OPEN	10/7/2015	1980	35.926833	-87.368783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.5
410A0260003	HICKMAN	0A026	0.081	DRY BRANCH	OPEN	10/28/2015	1987	35.616883	-87.4525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
410A0580001	HICKMAN	0A058	0.434	BIG TURNBULL CREEK	OPEN	8/19/2015	1999	35.946217	-87.246883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
410A0590001	HICKMAN	0A059	0.641	BARREN FORK	OPEN	8/19/2015	1980	35.94435	-87.252167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
410A0660005	HICKMAN	0A066	1.43	BRANCH	OPEN	8/24/2015	2014	35.909933	-87.223483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
410A0660001	HICKMAN	0A066	2.041	LOCUST FORK CREEK	OPEN	8/24/2015	1974	35.901883	-87.23275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
410A0660003	HICKMAN	0A066	3.022	LOCUST FORK CREEK	OPEN	9/1/2015	1974	35.890133	-87.225117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
410A0700001	HICKMAN	0A077	0.01	BRANCH	WEIGHT POSTED	8/24/2015	2000	35.913533	-87.2236	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.8
410A0610001	HICKMAN	0A081	0.931	LOCUS FORK CREEK	OPEN	9/1/2015	1986	35.887517	-87.222217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
410A0610003	HICKMAN	0A081	1.678	YOUNGER CREEK	OPEN	9/1/2015	1979	35.87825	-87.224117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
410A0610005	HICKMAN	0A081	2.289	LOCUST FORK	OPEN	9/1/2015	2011	35.871083	-87.22935	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91
410A0850001	HICKMAN	0A085	2.429	BRANCH	OPEN	9/1/2015	1990	35.868767	-87.2356	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
410A0890007	HICKMAN	0A089	0	BARREN FORK CREEK	OPEN	8/19/2015	2008	35.920333	-87.268167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
410A0890001	HICKMAN	0A089	0.079	BARREN FORK CREEK	OPEN	8/20/2015	1979	35.919433	-87.26785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
410A0890003	HICKMAN	0A089	0.862	BARREN FORK LICK CREEK	OPEN	8/20/2015	1975	35.909833	-87.263117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
410A0890005	HICKMAN	0A089	1.69	BARREN FORK LICK CR	OPEN	8/20/2015	1996	35.89935	-87.259317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
410A0710005	HICKMAN	0A096	0.406	BARREN FORK LICK CREEK	OPEN	9/3/2015	1981	35.844633	-87.24535	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73
410A0710007	HICKMAN	0A096	0.697	LICK CREEK	OPEN	9/3/2015	1979	35.842733	-87.241333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	72
410A0710009	HICKMAN	0A096	1.316	LICK CREEK	OPEN	9/3/2015	1982	35.839833	-87.231667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73
410A0710003	HICKMAN	0A096	1.668	LICK CREEK	OPEN	9/3/2015	2002	35.839167	-87.2257	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
410A1000005	HICKMAN	0A100	0.136	TATUM CREEK	WEIGHT POSTED	9/15/2015	1991	35.892617	-87.279683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.7
410A1000003	HICKMAN	0A100	2.235	TATUM CREEK	OPEN	9/9/2015	1974	35.86505	-87.274167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
410A1010001	HICKMAN	0A101	0.008	TATUM CREEK	OPEN	9/9/2015	1979	35.875533	-87.271683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
410A1020001	HICKMAN	0A102	2.813	LICK CREEK	OPEN	9/9/2015	1963	35.831333	-87.2683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
410A1100001	HICKMAN	0A104	2.042	JONES CREEK	OPEN	9/11/2015	1979	35.845217	-87.287317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
410A1100003	HICKMAN	0A104	2.883	JONES CREEK	OPEN	9/11/2015	1975	35.8497	-87.299583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.3
410A1050001	HICKMAN	0A105	1.314	CAVANDER CREEK	OPEN	9/28/2015	2011	35.862267	-87.2957	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85
410A1060001	HICKMAN	0A106	1.92	JONES CREEK	OPEN	9/10/2015	1979	35.859533	-87.30855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
410A1060003	HICKMAN	0A106	2.183	JONES CREEK	OPEN	9/10/2015	1979	35.856433	-87.306567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.1
410A1060005	HICKMAN	0A106	2.758	JONES CREEK	OPEN	9/10/2015	1981	35.850633	-87.300033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
410A1120001	HICKMAN	0A112	2.233	BRANCH	OPEN	11/17/2015	2002	35.827583	-87.701983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
410A1150001	HICKMAN	0A115	1.299	MILL CREEK	OPEN	9/2/2015	1975	35.91225	-87.306467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
410A0880001	HICKMAN	0A128	0.909	MILL CREEK	OPEN	9/14/2015	1964	35.9016	-87.323967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
410A1040005	HICKMAN	0A128	1.573	BRANCH	OPEN	9/14/2015	1981	35.894133	-87.328883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
410A1040003	HICKMAN	0A128	1.822	MILL CREEK	OPEN	9/14/2015	1970	35.89345	-87.333267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
410A1040001	HICKMAN	0A128	2.592	MILL CREEK	OPEN	9/14/2015	1992	35.891883	-87.346733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
410A1310001	HICKMAN	0A131	0.576	BRANCH	OPEN	9/17/2015	1974	35.89135	-87.320217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
410A1670001	HICKMAN	0A137	0.666	MILL CREEK	OPEN	10/6/2015	1975	35.8756	-87.454617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
410A1370001	HICKMAN	0A137	2.778	MILL CREEK	OPEN	11/30/2015	2013	35.871067	-87.425283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78
410A1530001	HICKMAN	0A154	2.788	HASSELL CREEK	OPEN	9/17/2015	1975	35.832283	-87.314133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
410A1500001	HICKMAN	0A155	0.048	HASSELL CREEK	OPEN	9/11/2015	1973	35.813833	-87.294183	CONCRETE	TEE BEAM	78.5
410A1630001	HICKMAN	0A163	1.324	HASSELL CREEK	OPEN	9/17/2015	1980	35.854467	-87.332883	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78
410A1650001	HICKMAN	0A170	0	MILL CREEK	WEIGHT POSTED	10/12/2015	1962	35.884367	-87.370617	CONCRETE	TEE BEAM	27
410A1760001	HICKMAN	0A176	1.106	BRANCH	OPEN	10/5/2015	1994	35.911783	-87.415667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
410A1760003	HICKMAN	0A176	1.539	LITTLE SPRING CREEK	OPEN	10/5/2015	1975	35.914767	-87.421067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55
410A1790001	HICKMAN	0A179	0.151	KEY BRANCH	OPEN	10/6/2015	1975	35.890517	-87.466067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
410A1750001	HICKMAN	0A187	0.083	BELL BRANCH	OPEN	10/6/2015	1980	35.858783	-87.430267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
410A1910001	HICKMAN	0A191	0.039	PERSIMMON CREEK	OPEN	10/15/2015	2003	35.787367	-87.403367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
410A1910003	HICKMAN	0A191	2.57	PERSIMMON CREEK	OPEN	10/15/2015	2000	35.782233	-87.407033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
410A1920001	HICKMAN	0A191	2.897	PERSIMMON CREEK	OPEN	10/15/2015	1994	35.786333	-87.404033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.7
410A1950001	HICKMAN	0A195	1.638	HALEY CREEK	OPEN	10/20/2015	1985	35.81805	-87.423417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.8
410A1950003	HICKMAN	0A195	2.015	HALEY CREEK	OPEN	10/14/2015	1995	35.81335	-87.421567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
410A2220001	HICKMAN	0A222	0.135	PINEY BRANCH	OPEN	10/16/2015	1993	35.753567	-87.409583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
410A1450001	HICKMAN	0A236	0.917	LICK CREEK	OPEN	12/14/2015	2010	35.794433	-87.310317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
410A2390001	HICKMAN	0A239	0.806	FORT COOPER CREEK	OPEN	9/28/2015	1960	35.804217	-87.272367	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.5
410A1330001	HICKMAN	0A245	0.841	WET PRONG LEATHERWOOD CR	OPEN	9/25/2015	1984	35.7653	-87.241417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
410A2450001	HICKMAN	0A245	1.923	WET PRONG LEATHERWOOD CR	OPEN	9/25/2015	1994	35.776367	-87.231017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
410A2470001	HICKMAN	0A247	0.022	WET PRONG LEATHERWOOD CR	WEIGHT POSTED	9/25/2015	1991	35.7748	-87.236283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47.8
410A2470003	HICKMAN	0A247	0.271	PUCKETT BRANCH	WEIGHT POSTED	9/25/2015	1991	35.778083	-87.237717	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.8
410A2490003	HICKMAN	0A249	4.631	FALLS BRANCH	OPEN	10/30/2015	1987	35.663867	-87.39795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
410A2490005	HICKMAN	0A249	4.992	FALLS BRANCH	OPEN	10/30/2015	1986	35.66015	-87.394483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
410A2580001	HICKMAN	0A258	1.718	DUNLAP CREEK	OPEN	10/22/2015	1975	35.708	-87.304683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
410A5000001	HICKMAN	0A260	0.67	BUCK BRANCH	OPEN	10/22/2015	1979	35.723517	-87.322267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
410A2600003	HICKMAN	0A260	0.85	BUCK BRANCH	WEIGHT POSTED	10/22/2015	1995	35.7259	-86.3215	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.6
410A2380003	HICKMAN	0A264	1.745	BLUE BUCK CREEK	OPEN	10/22/2015	1979	35.69685	-87.3482	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
410A2380005	HICKMAN	0A264	2.003	BLUE BUCK CREEK	OPEN	10/22/2015	1981	35.698633	-87.352167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
410A2380001	HICKMAN	0A264	6.152	BLUE BUCK CREEK	OPEN	10/20/2015	2010	35.728483	-87.406083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
410A4710003	HICKMAN	0A270	2.066	UGLY CREEK	OPEN	10/30/2015	1980	35.686017	-87.37435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
410A4710001	HICKMAN	0A270	5.142	BLUE BUCK CREEK	OPEN	10/20/2015	1970	35.721967	-87.394783	CONCRETE CONTINUOUS	TEE BEAM	58.4
410A2720003	HICKMAN	0A272	0.133	SWAN CREEK	OPEN	10/21/2015	1981	35.7146	-87.426183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73
410A2720001	HICKMAN	0A272	0.479	SHORT BRANCH	OPEN	10/21/2015	1979	35.711783	-87.42155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
410A2720005	HICKMAN	0A272	1.072	SHORT BRANCH	OPEN	10/21/2015	2000	35.706917	-87.41375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
410A2490001	HICKMAN	0A274	0.008	FALLS BRANCH	OPEN	10/30/2015	1970	35.68425	-87.4263	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
410A2740001	HICKMAN	0A274	2.575	BIG SWAN CREEK	OPEN	10/29/2015	2005	35.659417	-87.447783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
410A2760001	HICKMAN	0A276	1.331	BIG SWAN CREEK	OPEN	10/20/2015	2013	35.731367	-87.415217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	100
410A2510001	HICKMAN	0A277	0.575	BIG SWAN CREEK	OPEN	10/30/2015	1972	35.68225	-87.42975	CONCRETE	TEE BEAM	62.4
410A2790001	HICKMAN	0A279	1.766	BRANCH	OPEN	11/4/2015	1980	35.675967	-87.4692	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
410A2530001	HICKMAN	0A279	3.619	PINEY FORK	OPEN	11/4/2015	1970	35.666583	-87.4945	CONCRETE	TEE BEAM	76.5
410A2600001	HICKMAN	0A283	0.696	MUDDY BRANCH	OPEN	11/4/2015	1978	35.659383	-87.4916	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
410A2840001	HICKMAN	0A284	0.07	BIG SWAN CREEK	OPEN	10/28/2015	2000	35.6434	-87.4523	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
410A2890001	HICKMAN	0A289	2.226	BRUSHY FORK CREEK	OPEN	11/3/2015	1993	35.665367	-87.543817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
410A3160001	HICKMAN	0A316	0.057	LOWE BRANCH	OPEN	10/23/2015	1980	35.777417	-87.622183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
410A3160003	HICKMAN	0A316	0.283	LOWE BRANCH	OPEN	10/23/2015	1988	35.77445	-87.62425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
410A3180001	HICKMAN	0A318	0.092	COW HOLLOW CREEK	OPEN	11/16/2015	1975	35.78205	-87.63195	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
410A2950005	HICKMAN	0A320	0.758	BEAVER DAM CREEK	OPEN	11/10/2015	1968	35.764883	-87.5794	CONCRETE CONTINUOUS	TEE BEAM	77.5
410A2950003	HICKMAN	0A320	1.424	BLUEWATER CREEK	OPEN	11/10/2015	1970	35.763367	-87.590117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
410A2950001	HICKMAN	0A320	3.216	SULPHUR CREEK	OPEN	11/10/2015	1991	35.771217	-87.615683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.5
410A3320007	HICKMAN	0A322	1.301	BLUE WATER CREEK	OPEN	11/12/2015	1976	35.722183	-87.603133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
410A3230001	HICKMAN	0A323	0.008	SULPHUR FORK CREEK	OPEN	11/12/2015	1997	35.6975	-87.615883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
410A3240001	HICKMAN	0A324	0.087	PETERS BRANCH	OPEN	11/13/2015	1995	35.686517	-87.6044	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
410A3060007	HICKMAN	0A325	0.152	BEAVER DAM CREEK	OPEN	11/9/2015	1972	35.7578	-87.553	CONCRETE	TEE BEAM	65.7
410A3060005	HICKMAN	0A325	2.144	MILAN BRANCH	OPEN	11/2/2015	1979	35.739233	-87.538183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
410A3060003	HICKMAN	0A325	4.135	WADES BRANCH	WEIGHT POSTED	11/3/2015	1960	35.72015	-87.517833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	35.3
410A3060001	HICKMAN	0A325	4.36	BEAVER DAM CREEK	OPEN	11/3/2015	1968	35.717983	-87.5149	CONCRETE	TEE BEAM	49.6
410A3070001	HICKMAN	0A326	0.141	BEAVERDAM CREEK	OPEN	11/2/2015	1975	35.743417	-87.53715	CONCRETE CONTINUOUS	TEE BEAM	62.5
410A3020001	HICKMAN	0A327	0.662	MILAN BRANCH	OPEN	11/2/2015	1975	35.732767	-87.544283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
410A3280001	HICKMAN	0A328	0.277	MILAN BRANCH	OPEN	11/2/2015	1986	35.71205	-87.566133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
410A3050001	HICKMAN	0A329	0	WADES BRANCH	OPEN	11/3/2015	1984	35.69075	-87.56235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
410A3300001	HICKMAN	0A330	0.06	INDIAN CREEK	OPEN	10/26/2015	1955	35.758233	-87.4661	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.8
410A3100001	HICKMAN	0A332	3.545	PINEY CREEK	OPEN	10/26/2015	1968	35.75745	-87.482867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
410A3330001	HICKMAN	0A333	1.884	BRANCH	OPEN	11/9/2015	1981	35.77615	-87.53455	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
410A3570001	HICKMAN	0A335	1.91	TRACE CREEK	OPEN	12/8/2015	1975	35.80205	-87.551433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
410A3470001	HICKMAN	0A347	1.06	PUMPKIN CREEK	OPEN	10/1/2015	2004	35.97115	-87.396283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
410A3470003	HICKMAN	0A347	1.389	BEAR CREEK	WEIGHT POSTED	10/1/2015	1950	35.973833	-87.400083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.8
410A3850001	HICKMAN	0A348	0.346	WEST FORK WOLF CREEK	OPEN	11/17/2015	1979	35.804833	-87.686583	CONCRETE	CHANNEL BEAM	75
410A3850003	HICKMAN	0A348	0.567	WEST FORK WOLF CREEK	OPEN	11/17/2015	1980	35.803533	-87.68405	CONCRETE	CHANNEL BEAM	75.2
410A0090001	HICKMAN	0A349	1.011	BEAR CREEK	OPEN	10/1/2015	1979	35.97365	-86.416917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
41009590001	HICKMAN	0A352	4.633	DUCK RIVER	OPEN	12/8/2015	1962	35.81525	-87.626733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.2
410A3530013	HICKMAN	0A353	0.176	LITTLE SRING CREEK	OPEN	10/5/2015	2002	35.918333	-87.414683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
41100400005	HICKMAN	0A364	1.298	NFA A364 / I40 & SUGAR C	OPEN	11/1/2016	1965	35.883817	-87.685183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.5
410A3910003	HICKMAN	0A364	3.109	SUGAR CREEK	OPEN	9/23/2015	2009	35.8883	-87.657783	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	100
410A3910001	HICKMAN	0A364	3.371	SUGAR CREEK	OPEN	9/23/2015	1962	35.8906	-87.654067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.5
410A0030003	HICKMAN	0A366	2.157	PINEY RIVER	OPEN	9/30/2015	1977	35.95945	-87.46015	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74
410A3670001	HICKMAN	0A367	0.384	BRANCH	OPEN	9/23/2015	1995	35.89945	-87.64165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
410A3950001	HICKMAN	0A368	1.647	BRANCH	OPEN	12/4/2015	1965	35.908933	-87.6171	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
410A3950003	HICKMAN	0A368	2.78	BRANCH	OPEN	12/4/2015	1990	35.92095	-87.603433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
41100400021	HICKMAN	0A370	0.034	WHITEHOUSE RD. / I40	OPEN	11/9/2016	1964	35.916917	-87.60685	CONCRETE CONTINUOUS	TEE BEAM	83
410A3990001	HICKMAN	0A370	0.159	NORTH FORK SUGAR CREEK	OPEN	12/4/2015	1983	35.915233	-87.605467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
410A3950005	HICKMAN	0A371	0.013	SUGAR CREEK	OPEN	12/4/2015	1980	35.922317	-87.602	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
410A4020001	HICKMAN	0A372	1.956	MIDDLE FORK SUGAR CREEK	OPEN	12/7/2015	1986	35.910267	-87.606183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
410A4150001	HICKMAN	0A373	0.031	BRANCH	OPEN	12/7/2015	1983	35.907333	-87.58095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
410A4150003	HICKMAN	0A373	2.66	BRANCH	OPEN	12/7/2015	1965	35.936533	-87.57415	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
410A4150009	HICKMAN	0A374	4.722	PRETTY CREEK	OPEN	12/1/2015	1980	35.893417	-87.538817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
410A3740001	HICKMAN	0A374	4.772	PRETTY CREEK	OPEN	12/1/2015	1996	35.892767	-87.53845	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
410A4150007	HICKMAN	0A374	4.812	PRETTY CREEK	OPEN	12/1/2015	1980	35.8924	-87.537933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
410A4150005	HICKMAN	0A374	4.844	PRETTY CREEK	OPEN	12/1/2015	1980	35.8923	-87.537333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
410A4150011	HICKMAN	0A374	6.426	PRETTY CREEK	OPEN	11/30/2015	1979	35.879867	-87.51615	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
410A4200001	HICKMAN	0A374	6.626	PRETTY CREEK	OPEN	11/30/2015	1979	35.8773	-87.514633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
410A4060001	HICKMAN	0A375	0.139	SOUTH FORK SUGAR CREEK	OPEN	12/2/2015	1995	35.889817	-87.61675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
410A3770001	HICKMAN	0A377	0.012	TAYLOR CREEK	OPEN	12/11/2015	1990	35.854483	-87.578	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
410A4090001	HICKMAN	0A378	1.534	TAYLOR CREEK	OPEN	12/11/2015	1986	35.832	-87.581383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
410A3480001	HICKMAN	0A385	3.96	PINEY RIVER	OPEN	11/20/2015	1968	35.84095	-87.53555	CONCRETE CONTINUOUS	TEE BEAM	70
410A3480003	HICKMAN	0A385	6.664	BRANCH	OPEN	11/20/2015	1970	35.83235	-87.49075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
410A3860001	HICKMAN	0A386	1.595	BRANCH	OPEN	12/11/2015	1979	35.872583	-87.535833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
410A3460001	HICKMAN	0A387	1.597	BRANCH	OPEN	11/20/2015	1972	35.854817	-87.517967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
410A3460003	HICKMAN	0A387	2.709	BRANCH	OPEN	11/20/2015	1976	35.68975	-87.534983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
410A3930001	HICKMAN	0A393	0	PRETTY CREEK	OPEN	11/30/2015	1980	35.8801	-87.516883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
41100400025	HICKMAN	0A396	0.015	OLD BEAVER RD. / I40	OPEN	11/9/2016	1964	35.951867	-87.555367	CONCRETE CONTINUOUS	TEE BEAM	75.5
410A3980001	HICKMAN	0A398	1.49	BEAVER CREEK	OPEN	10/16/2015	1979	35.924933	-87.492967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
410A4220001	HICKMAN	0A422	0.596	BIRD CREEK	OPEN	11/19/2015	1979	35.842117	-87.468783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.7
410A4220003	HICKMAN	0A422	0.638	BIRD CREEK	OPEN	11/19/2015	1979	35.841933	-87.468033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
410A3320001	HICKMAN	0A427	0.502	DEFEATED CREEK	OPEN	11/5/2015	2002	35.79385	-87.449183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
410A3310001	HICKMAN	0A427	0.656	WEST FORK DEFEATED CREEK	OPEN	11/5/2015	1968	35.795883	-87.449283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.4
410A3310003	HICKMAN	0A427	0.979	WEST FORK DEFEATED CREEK	OPEN	11/5/2015	1968	35.799033	-87.452933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
410A3310005	HICKMAN	0A427	1.256	WEST FORK DEFEATED CREEK	OPEN	11/5/2015	1965	35.8022	-87.456017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.3
410A4340001	HICKMAN	0A434	0.07	BRANCH	WEIGHT POSTED	8/25/2015	2000	35.930717	-87.51205	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.6
410A4470003	HICKMAN	0A447	0.02	BEAVER CREEK	OPEN	8/25/2015	1968	35.9307	-87.508333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
410A3320005	HICKMAN	0A448	0.605	EAST FORK DEFEATED CREEK	OPEN	11/6/2015	1980	35.804	-87.4465	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
410A3320003	HICKMAN	0A448	0.9	EAST FORK DEFEATED CREEK	OPEN	11/6/2015	1986	35.807883	-87.447833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
410A4480001	HICKMAN	0A448	1.562	DEFEATED CREEK	OPEN	11/6/2015	1994	35.816967	-87.444933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
410A4500001	HICKMAN	0A450	0.17	REECE BRANCH	WEIGHT POSTED	11/6/2015	2000	35.8095	-87.449333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.7
410A5360001	HICKMAN	0A536	0.02	LITTLE SPRING CREEK	OPEN	10/2/2015	1980	35.91645	-87.459867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.5
410A5390001	HICKMAN	0A539	4.549	EAST FORK WOLF CREEK	OPEN	11/17/2015	2012	35.799067	-87.677017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
410A3690001	HICKMAN	0A542	2.833	MIDDLE FORK WOLF CREEK	OPEN	11/17/2015	1993	35.81075	-87.685167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
410A3670003	HICKMAN	0A542	7.487	BLOWING SPRINGS	OPEN	11/16/2015	1960	35.787383	-87.634283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	27.3
410A5560001	HICKMAN	0A556	0.009	INDIAN CREEK	OPEN	10/26/2015	1974	35.744917	-87.471933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
410A5410001	HICKMAN	0A560	0.057	SWAN CREEK	OPEN	10/29/2015	1981	35.702667	-87.435433	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.5
410A5720001	HICKMAN	0A572	0.114	UPPER SINKING CREEK	WEIGHT POSTED	11/23/2015	1995	35.667917	-87.651583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.8
410A5850001	HICKMAN	0A585	0.016	SULPHUR CREEK	OPEN	11/12/2015	1985	35.717133	-87.624833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
410A5860001	HICKMAN	0A586	0.037	SULPHUR CREEK	OPEN	11/13/2015	1996	35.69345	-87.610833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
410A7010001	HICKMAN	0A587	0	SULPHUR CREEK	OPEN	10/23/2015	2015	35.764833	-87.62065	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	100
410A5880001	HICKMAN	0A588	0	SULPHUR CREEK	OPEN	11/12/2015	1986	35.695817	-87.61285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
410A5920001	HICKMAN	0A592	0	COW HOLLOW CREEK	OPEN	11/16/2015	1985	35.77885	-87.63615	CONCRETE	CHANNEL BEAM	56.3
410A5370001	HICKMAN	0A610	0.017	PINEY CREEK	OPEN	11/4/2015	1980	35.67325	-87.501267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
410A6150001	HICKMAN	0A615	0.021	LITTLE PINEY FORK	OPEN	11/4/2015	1985	35.64865	-87.517583	CONCRETE	CHANNEL BEAM	58.4
410A6180001	HICKMAN	0A618	0.118	COPPERAS BRANCH	WEIGHT POSTED	10/29/2015	1994	35.679367	-87.44465	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.7
410A6380001	HICKMAN	0A638	0.008	PINEY BRANCH	OPEN	10/16/2015	1985	35.74625	-87.38435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
410A6850001	HICKMAN	0A685	0.013	MILL CREEK	OPEN	9/17/2015	1997	35.8917	-87.345883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
410A7290001	HICKMAN	0A729	0.014	INDIAN CREEK	OPEN	11/3/2015	1985	35.72895	-87.474983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
410A7380001	HICKMAN	0A738	0.039	SOUTH FORK SUGAR CREEK	OPEN	12/2/2015	1994	35.88995	-87.603933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
410A7390001	HICKMAN	0A739	0.139	SOUTH FORK SUGAR CREEK	OPEN	12/2/2015	1996	35.889767	-87.608	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
410X4000001	HICKMAN	0A748	0.014	INDIAN CREEK	OPEN	12/14/2015	2012	35.742133	-87.472567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
410A7530001	HICKMAN	0A753	0.017	HURRICANE CREEK	WEIGHT POSTED	11/12/2015	1930	35.726867	-87.636983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.5
410A7540001	HICKMAN	0A754	0.022	MILAN BRANCH	OPEN	11/2/2015	1980	35.73385	-87.542667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
410A7550001	HICKMAN	0A755	0.022	MILAM BRANCH	OPEN	11/2/2015	2009	35.728817	-87.548767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
410A7560001	HICKMAN	0A756	0.04	HALEY CREEK	WEIGHT POSTED	10/14/2015	1994	35.789383	-87.4225	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.6
410A7610001	HICKMAN	0A761	0.031	SULPHUR FORK CR	WEIGHT POSTED	11/13/2015	1994	35.692367	-87.609833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.7
410A7710001	HICKMAN	0A771	0.005	UGLY CREEK	WEIGHT POSTED	10/22/2015	1987	35.716267	-87.392383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.8
410A7750001	HICKMAN	0A775	0.1	SUGAR CREEK	OPEN	12/7/2015	1995	35.908733	-87.611633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
410A8020001	HICKMAN	0A802	0.08	GARNER CREEK	OPEN	6/19/2017	2017	35.9438	-87.475867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
410A8040001	HICKMAN	0A804	0.04	TYLOR CREEK	OPEN	8/26/2015	2010	35.852167	-87.579933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.5
410A3530011	HICKMAN	0A806	0.162	BRANCH	OPEN	12/3/2015	1954	35.860767	-87.690867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
410A0950003	HICKMAN	0B001	1.588	NORTH FORK MILL CREEK	OPEN	10/12/2015	1960	35.891333	-87.3666	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	53.9
410A1370003	HICKMAN	0B001	3.497	MILL CREEK	WEIGHT POSTED	10/12/2015	1991	35.88115	-87.390617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.3
410A1350001	HICKMAN	0B626	0.778	DRY PRG LEATHERWOOD CR	OPEN	9/25/2015	1983	35.751367	-87.233017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
41100400003	HICKMAN	I0040	0.82	DUCK RIVER	OPEN	10/31/2016	1965	35.878583	-87.69855	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
41100400004	HICKMAN	I0040	0.82	DUCK RIVER	OPEN	10/31/2016	1965	35.87895	-87.69835	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
41100400028	HICKMAN	I0040	1.53	GARNER CREEK	OPEN	11/7/2016	1964	35.9791	-87.505867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.3
41100400027	HICKMAN	I0040	1.53	GARNER CREEK	OPEN	11/7/2016	1964	35.978867	-87.5057	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.3
41100400030	HICKMAN	I0040	1.63	I40 LL / NFA 965	OPEN	11/7/2016	1964	35.9796	-87.5042	CONCRETE CONTINUOUS	TEE BEAM	73.4
41100400029	HICKMAN	I0040	1.63	I40 RL / NFA 965	OPEN	11/7/2016	1964	35.979417	-87.503983	CONCRETE CONTINUOUS	TEE BEAM	73.4
41100400007	HICKMAN	I0040	2.71	SUGAR CREEK	OPEN	11/1/2016	1965	35.8848	-87.666483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
41100400008	HICKMAN	I0040	2.71	SUGAR CREEK	OPEN	11/1/2016	1965	35.88495	-87.666583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.5
41100400010	HICKMAN	I0040	3.26	SUGAR CREEK	OPEN	11/1/2016	1965	35.887867	-87.65745	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
41100400009	HICKMAN	I0040	3.26	SUGAR CREEK	OPEN	11/1/2016	1965	35.88735	-87.6574	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
41100400011	HICKMAN	I0040	4.01	SUGAR CREEK	OPEN	11/2/2016	1965	35.89245	-87.6455	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
41100400012	HICKMAN	I0040	4.01	SUGAR CREEK	OPEN	11/2/2016	1965	35.89255	-87.645767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
41100400013	HICKMAN	I0040	4.21	SR 230	OPEN	11/8/2016	1965	35.893783	-87.642117	CONCRETE CONTINUOUS	TEE BEAM	62.9
41100400014	HICKMAN	I0040	4.21	SR 230	OPEN	11/8/2016	1965	35.89395	-87.642417	CONCRETE CONTINUOUS	TEE BEAM	67.2
41100400016	HICKMAN	I0040	4.56	NFA A368 & SUGAR CREEK	OPEN	11/2/2016	1965	35.896683	-87.63645	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.1
41100400015	HICKMAN	I0040	4.56	NFA A368 & SUGAR CREEK	OPEN	11/2/2016	1965	35.896083	-87.6368	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.9
41100400017	HICKMAN	I0040	5.29	SUGAR CREEK	OPEN	11/8/2016	1964	35.903033	-87.626283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.5
41100400019	HICKMAN	I0040	5.95	BRANCH	OPEN	11/9/2016	1964	35.908167	-87.616683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.5
41100400023	HICKMAN	I0040	7	BRANCH	OPEN	11/9/2016	1964	35.918733	-87.603583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.5
41SR8400002	HICKMAN	I0840	0.64	I840/ NEW CUTOFF ROAD	OPEN	11/29/2016	1998	35.9547	-87.216533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.6
41SR8400001	HICKMAN	I0840	0.64	I840/ NEW CUTOFF ROAD	OPEN	11/29/2016	1998	35.954617	-87.216683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.6
41SR0070001	HICKMAN	SR007	2.2	LICK CREEK	OPEN	11/22/2016	1991	35.839083	-87.250333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.3
41SR0070003	HICKMAN	SR007	2.64	GIN BRANCH	OPEN	11/22/2016	1991	35.84465	-87.252417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
41SR0070005	HICKMAN	SR007	3.54	GIN BRANCH	OPEN	11/22/2016	1991	35.95785	-87.25425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
41SR0070007	HICKMAN	SR007	4.04	BRANCH	OPEN	11/22/2016	1991	35.865117	-87.2547	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
41SR0480003	HICKMAN	SR048	1.35	PINEY FORK CREEK	OPEN	11/17/2016	1975	35.63945	-87.521017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
41SR0480005	HICKMAN	SR048	3.59	PINEY FORK CREEK	OPEN	11/17/2016	1975	35.664433	-87.4971	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
41SR0480007	HICKMAN	SR048	4.8	BRUSHY FORK CREEK	OPEN	11/17/2016	1975	35.680867	-87.502283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.4
41SR0480009	HICKMAN	SR048	5.65	BEAVERDAM CREEK	OPEN	11/17/2016	1975	35.692583	-87.504317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
41SR0480011	HICKMAN	SR048	8.61	INDIAN CREEK	OPEN	11/18/2016	1931	35.719467	-87.47695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
41SR0480015	HICKMAN	SR048	9.55	INDIAN CREEK	OPEN	11/18/2016	1931	35.732633	-87.474517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
41SR0480017	HICKMAN	SR048	11.36	INDIAN CREEK	OPEN	11/18/2016	1931	35.7575	-87.466233	CONCRETE	TEE BEAM	51
41SR0480019	HICKMAN	SR048	11.74	MOSS SPRING BRANCH	OPEN	11/18/2016	1931	35.7624	-87.462783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	42.4
41SR0480021	HICKMAN	SR048	13.55	DUCK RIVER	OPEN	11/21/2016	1988	35.783783	-87.461033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.2
41SR0480023	HICKMAN	SR048	14.23	DEFEATED CAMP CREEK	OPEN	11/21/2016	1931	35.78785	-87.450167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.2
41SR0480025	HICKMAN	SR048	22.27	MILL CREEK	OPEN	11/21/2016	2008	35.87315	-87.46465	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
41SR0480027	HICKMAN	SR048	23.78	PINEY RIVER	OPEN	11/21/2016	1989	35.890217	-87.469683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87
41SR0480029	HICKMAN	SR048	26.32	BEAVER CREEK	OPEN	11/21/2016	2008	35.924283	-87.475717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
41SR0480031	HICKMAN	SR048	29.95	GARNER CREEK	OPEN	11/21/2016	2008	35.969833	-87.491317	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.4
410A3530001	HICKMAN	SR050	0.12	DUCK RIVER OVERFLOW	OPEN	1/12/2017	1964	35.872617	-87.708733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
410A3530003	HICKMAN	SR050	0.28	DUCK RIVER	OPEN	1/12/2017	1997	35.870983	-87.706683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
41SR0500045	HICKMAN	SR050	2.91	HAPPY HOLLOW CREEK	OPEN	1/12/2017	1997	35.8487	-87.6704	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.1
41SR0500047	HICKMAN	SR050	3.09	BRANCH	OPEN	1/12/2017	1997	35.839267	-87.672417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
41SR0500035	HICKMAN	SR050	4.5	DUCK RIVER	OPEN	1/11/2017	1996	35.82775	-87.6652	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
41SR0500037	HICKMAN	SR050	4.68	DUCK RIVER OVERFLOW	OPEN	1/11/2017	1996	35.825367	-87.66355	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
41SR0500041	HICKMAN	SR050	6.01	BRIAR POND BRANCH	OPEN	1/11/2017	1996	35.808433	-87.652933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
41SR0500039	HICKMAN	SR050	7.51	BEAVER DAM CREEK	OPEN	1/11/2017	1996	35.799667	-87.6297	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
41SR0500043	HICKMAN	SR050	7.62	BEAVERDAM CREEK OVERFLOW	OPEN	1/11/2017	1996	35.79945	-87.627733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
41SR0500009	HICKMAN	SR050	14.04	DUCK RIVER	OPEN	12/12/2016	2016	35.783833	-87.525717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
41SR0500011	HICKMAN	SR050	16.93	OVERFLOW DUCK RIVER	OPEN	1/9/2017	1970	35.773417	-87.477583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.4
41SR0500013	HICKMAN	SR050	17.19	DUCK RIVER	OPEN	1/9/2017	1970	35.773033	-87.473	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.3
41SR0500015	HICKMAN	SR050	17.585	INDIAN CREEK	OPEN	1/9/2017	1970	35.7725	-87.465617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
41SR0500017	HICKMAN	SR050	17.645	SCT RAILROAD	OPEN	1/5/2017	1970	35.77235	-87.464917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.2
41SR0500019	HICKMAN	SR050	20.63	SWAN CREEK	OPEN	1/5/2017	2012	35.756317	-87.416567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.1
41SR0500021	HICKMAN	SR050	25.43	WILLIE BRANCH	OPEN	1/5/2017	1992	35.75125	-87.336967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
41SR0500023	HICKMAN	SR050	27.72	BOAT BRANCH	OPEN	1/5/2017	1939	35.7466	-87.30385	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69
41SR0500025	HICKMAN	SR050	28.18	BUCK BRANCH	OPEN	1/5/2017	1951	35.741867	-87.298283	CONCRETE	TEE BEAM	49.8
41SR0500027	HICKMAN	SR050	29.33	TOTTY BRANCH	OPEN	12/5/2016	1951	35.728633	-87.286267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
41SR0500029	HICKMAN	SR050	29.87	DUNLAP CREEK	OPEN	12/5/2016	1951	35.7239	-87.27875	CONCRETE	TEE BEAM	47.6
41SR0500031	HICKMAN	SR050	30.55	DUCK RIVER	OPEN	12/5/2016	1951	35.720333	-87.2678	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.5
41SR1000001	HICKMAN	SR100	1.93	CANE CREEK	OPEN	12/1/2016	1930	35.6768	-87.71075	CONCRETE	TEE BEAM	83.5
41SR1000003	HICKMAN	SR100	3.75	BRANCH	OPEN	12/1/2016	1930	35.672467	-87.679733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
41SR1000005	HICKMAN	SR100	5.75	UPPER SINKING CREEK	OPEN	12/1/2016	1930	35.666417	-87.645417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
41SR1000007	HICKMAN	SR100	6.33	UPPER SINKING CREEK	OPEN	12/1/2016	1930	35.6613	-87.637217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
41SR1000009	HICKMAN	SR100	14.83	BEAVERDAM CREEK	OPEN	11/29/2016	1931	35.703833	-87.509617	CONCRETE	TEE BEAM	82.1
41SR1000011	HICKMAN	SR100	22.7	MILL CREEK	OPEN	11/29/2016	1931	35.892933	-87.350783	CONCRETE	TEE BEAM	39.4
41S61770001	HICKMAN	SR230	2.23	DUCK RIVER	OPEN	12/5/2016	1956	35.77655	-87.316233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.7
41S61730001	HICKMAN	SR230	11.46	PINEY RIVER	OPEN	12/2/2016	1953	35.870083	-87.500267	CONCRETE	TEE BEAM	37.4
41S61730003	HICKMAN	SR230	11.8	PRETTY CREEK	OPEN	12/2/2016	1985	35.872317	-87.505333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
41S62220001	HICKMAN	SR230	20.16	SUGAR CREEK	OPEN	12/2/2016	1966	35.89475	-87.6374	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
41F04660003	HICKMAN	SR230	20.58	BRANCH	OPEN	12/2/2016	1966	35.8944	-87.64355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
41E04660001	HICKMAN	SR230	20.9	BRANCH	OPEN	12/2/2016	1966	35.89395	-87.648433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
41SR0500001	HICKMAN	SR438	0.88	LOWER SINKING CREEK	OPEN	1/18/2017	1983	35.720133	-87.707217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
41SR0500003	HICKMAN	SR438	6.16	COW HOLLOW BRANCH	OPEN	1/18/2017	1983	35.7595	-87.65	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
41SR0500005	HICKMAN	SR438	8.23	COW HOLLOW BRANCH	OPEN	1/18/2017	1983	35.783283	-87.630833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.2
41SR0500007	HICKMAN	SR438	8.53	BEAVERDAM CREEK	OPEN	1/18/2017	1980	35.784917	-87.62595	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
42F02200003	HOUSTON	00910	1.19	BRANCH	OPEN	1/29/2016	1962	36.248717	-87.840267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
42F02200001	HOUSTON	00910	1.86	BRANCH	OPEN	1/29/2016	1995	36.2582	-87.8395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
42F02190001	HOUSTON	00910	3.4	BRANCH	OPEN	1/28/2016	1974	36.25245	-87.8627	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
42S62610007	HOUSTON	00910	4.31	WHITEOAK CREEK	OPEN	1/28/2016	1945	36.258833	-87.8714	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.5
42S62610005	HOUSTON	00910	5.29	CURT BRANCH	OPEN	1/28/2016	1947	36.2686	-87.878267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
42S62610003	HOUSTON	00910	9.7	DRY HOLLOW BRANCH	OPEN	1/27/2016	1947	36.305367	-87.917917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.7
42S62610001	HOUSTON	00910	10.34	CANE CREEK	OPEN	1/27/2016	1967	36.312317	-87.907367	CONCRETE	TEE BEAM	78.4
42S62610009	HOUSTON	00937	0.52	WHITEOAK CREEK	OPEN	1/29/2016	1959	36.259717	-87.83125	CONCRETE	TEE BEAM	69
42S63650001	HOUSTON	01781	0.77	LONG BRANCH	OPEN	2/2/2016	1979	36.2545	-87.7724	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.6
42S63650003	HOUSTON	01781	3.13	BRANCH	OPEN	2/5/2016	1974	36.283767	-87.769183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
42S63650005	HOUSTON	01781	3.31	LEWIS CREEK	OPEN	2/8/2016	1968	36.285933	-87.76735	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
42S63650007	HOUSTON	01781	3.93	LEWIS BRANCH	OPEN	2/8/2016	1974	36.2945	-87.765567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
42017830001	HOUSTON	01783	0.04	NORTH FORK	OPEN	2/2/2016	1960	36.255117	-87.771267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.1
42017830003	HOUSTON	01783	0.94	LONG BRANCH	OPEN	2/2/2016	1960	36.255883	-87.7562	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
42017830005	HOUSTON	01783	1.82	LONG BRANCH	OPEN	2/2/2016	1975	36.256867	-87.741267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
420A1450001	HOUSTON	01783	8.39	ERIN BRANCH	OPEN	2/19/2016	1965	36.316967	-87.695667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.4
420A0400001	HOUSTON	01783	10.43	BRIGHAM BRANCH	OPEN	2/19/2016	1983	36.34465	-87.689533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
42017850001	HOUSTON	01785	2.84	BOAZ BRANCH	OPEN	2/18/2016	1982	36.2832	-87.540167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
42G02120003	HOUSTON	01785	4.05	YELLOW CREEK	OPEN	2/18/2016	1985	36.297183	-87.54985	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
42S63780001	HOUSTON	01789	0.11	YELLOW CREEK	OPEN	2/18/2016	1972	36.310467	-87.554717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
42S63780003	HOUSTON	01789	1.04	LEATHERWOOD CREEK	OPEN	2/18/2016	1982	36.316933	-87.54155	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.7
42017830007	HOUSTON	01791	1.88	ROSS BRANCH	OPEN	2/3/2016	1958	36.28445	-87.702317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
42017830009	HOUSTON	01791	1.99	ROSS BRANCH	OPEN	2/3/2016	1968	36.286017	-87.701217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
42017830011	HOUSTON	01791	2.2	ROSS BRANCH	OPEN	2/3/2016	1968	36.286467	-87.697767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8
42017910013	HOUSTON	01791	3.47	ROSS BRANCH	OPEN	2/3/2016	1965	36.299233	-87.6834	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
42017830015	HOUSTON	01791	3.88	WELLS CREEK	OPEN	2/3/2016	1965	36.30145	-87.677417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.6
42018200001	HOUSTON	01820	7.73	BATEMAN BRANCH	OPEN	2/4/2016	1968	36.283733	-87.655917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62
420A1630001	HOUSTON	0A009	0.022	MUSTERGROUND CREEK	OPEN	1/28/2016	1974	36.30435	-87.63995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
420A0140001	HOUSTON	0A014	3.377	CANE CREEK	OPEN	1/13/2016	1962	36.319267	-87.839233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
420A0180001	HOUSTON	0A018	1.107	HURRICANE CREEK	OPEN	1/14/2016	1976	36.338733	-87.93545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
420A0220001	HOUSTON	0A022	0.681	S FORK HURRICANE CREEK	OPEN	1/26/2016	1993	36.3291	-87.792233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
420A0240001	HOUSTON	0A024	0.93	S. FORK HURRICANE CREEK	OPEN	1/26/2016	1950	36.32635	-87.778367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.6
420A0290001	HOUSTON	0A029	0.94	BRIGHAM BRANCH	OPEN	2/12/2016	1965	36.33885	-87.72845	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
420A0310001	HOUSTON	0A031	0.644	SPRING BRANCH	OPEN	2/12/2016	1972	36.330017	-87.69375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
420A0310003	HOUSTON	0A031	1.877	BRANCH	OPEN	2/12/2016	1972	36.34205	-87.705533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
420A0310005	HOUSTON	0A031	2.102	BRIGHAM BRANCH	OPEN	2/12/2016	1972	36.344317	-87.7079	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
420A0380001	HOUSTON	0A038	0.275	BRANCH	OPEN	1/26/2016	1984	36.324333	-87.7731	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
420A0480003	HOUSTON	0A048	0.03	GUICES CREEK	OPEN	1/30/2017	1975	36.347283	-87.607033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
420A0480001	HOUSTON	0A048	3.97	WELLS CREEK	OPEN	2/11/2016	2006	36.332267	-87.66635	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
420A0560001	HOUSTON	0A056	0.118	MOORE BRANCH	OPEN	1/21/2016	1983	36.357983	-87.606383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
420A0650001	HOUSTON	0A065	0.314	MOORE BRANCH	OPEN	1/21/2016	1984	36.357833	-87.601017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
420A0740001	HOUSTON	0A074	0.571	LEATHERWOOD CREEK	OPEN	2/18/2016	1984	36.314217	-87.533767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
420A0760001	HOUSTON	0A076	0.021	BRANCH	OPEN	1/19/2016	1983	36.310333	-87.605517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
420A0760003	HOUSTON	0A076	0.694	DRY BRANCH	OPEN	1/19/2016	1982	36.30875	-87.593833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
420A0860001	HOUSTON	0A086	0.584	BRIGHAM BRANCH	OPEN	2/19/2016	2002	36.345117	-87.680217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
420A0970001	HOUSTON	0A097	3.922	SALMON BRANCH	OPEN	2/17/2016	1986	36.255	-87.580567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
420A1010001	HOUSTON	0A101	0	SALMON BRANCH	OPEN	2/17/2016	1983	36.2477	-87.594583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
420A1090001	HOUSTON	0A109	0.218	HALF PONE BRANCH	OPEN	2/1/2016	1974	36.205783	-87.658067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
420A1100001	HOUSTON	0A110	0.064	DRY CREEK	OPEN	1/19/2016	1984	36.314533	-87.601717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
420A1100003	HOUSTON	0A110	0.103	GUICES CREEK	OPEN	1/19/2016	1995	36.314433	-87.601017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
420A1130001	HOUSTON	0A113	0.008	PATTERSON BRANCH	OPEN	2/1/2016	1972	36.217117	-87.671433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
420A1190001	HOUSTON	0A119	0.1	PATTERSON BRANCH	OPEN	2/1/2016	1984	36.22055	-87.66695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
420A1230001	HOUSTON	0A123	0.105	BATEMAN BRANCH	OPEN	2/16/2016	1984	36.276917	-87.642733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
420A1230005	HOUSTON	0A123	0.425	BRANCH	OPEN	2/16/2016	1994	36.27265	-87.6437	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
420A1230003	HOUSTON	0A123	3.25	BATEMAN BRANCH	OPEN	2/16/2016	1984	36.271167	-87.627883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
420A1280001	HOUSTON	0A128	0.35	GUICES CREEK	WEIGHT POSTED	2/23/2016	1975	36.303783	-87.592867	STEEL	GIRDER AND FLOORBEAM SYSTEM	35
420A1340003	HOUSTON	0A134	0.015	BATEMAN BRANCH	OPEN	2/4/2016	1983	36.296983	-87.672183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
420A1380001	HOUSTON	0A138	1.27	DRY BRANCH	OPEN	1/21/2016	2011	36.261167	-87.5541	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
420A1390001	HOUSTON	0A139	0.042	MUSTERGROUND CREEK	OPEN	1/27/2016	2000	36.3099	-87.656417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
420A1430001	HOUSTON	0A143	0.012	ERIN BRANCH	OPEN	2/19/2016	1960	36.319183	-87.687517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
420A1450003	HOUSTON	0A145	0.97	BRANCH	OPEN	2/16/2016	1993	36.2709	-87.593233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
420A1490001	HOUSTON	0A149	0.952	BRANCH	OPEN	2/5/2016	1986	36.285067	-87.753217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
420A1500003	HOUSTON	0A150	0.626	BRANCH	OPEN	2/22/2016	1966	36.3148	-87.70605	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
420A1500001	HOUSTON	0A150	0.672	ERIN BRANCH	OPEN	2/22/2016	1966	36.315533	-87.706017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
420A1510001	HOUSTON	0A151	2.059	ERIN BRANCH	OPEN	2/22/2016	1993	36.315933	-87.712817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
420A1520003	HOUSTON	0A152	0.01	ERIN BRANCH	OPEN	2/22/2016	1966	36.31485	-87.721217	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
420A1580001	HOUSTON	0A158	0.052	AVERITT BRANCH	OPEN	2/2/2016	1971	36.27	-87.684533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
420A1610001	HOUSTON	0A161	1.653	LEWIS BRANCH	OPEN	2/5/2016	1986	36.28175	-87.79415	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
420A1640003	HOUSTON	0A164	0.379	LEWIS BRANCH	OPEN	2/5/2016	1991	36.2815	-87.7752	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
420A1640001	HOUSTON	0A164	5.58	FRANKS BRANCH	OPEN	1/29/2016	1984	36.256683	-87.825333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
420A1690001	HOUSTON	0A169	1.06	HALF PONE BRANCH	OPEN	2/4/2016	2007	36.278683	-87.677683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
420A1700001	HOUSTON	0A170	0.033	AVERITT BRANCH	OPEN	2/1/2016	1954	36.278683	-87.677683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
420A1710001	HOUSTON	0A171	3.199	SALMON BRANCH	OPEN	2/17/2016	1994	36.2372	-87.602233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
420A1860001	HOUSTON	0A186	0.025	LEWIS BRANCH	OPEN	2/8/2016	2002	36.292633	-87.7652	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
420A1920001	HOUSTON	0A192	1.206	S FORK HURRICANE CREEK	OPEN	1/14/2016	2003	36.3063	-87.850467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
420A1980001	HOUSTON	0A198	0.04	CANE CREEK	OPEN	1/14/2016	2003	36.3165	-87.871567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
420A1800003	HOUSTON	0A206	0.776	CURT BRANCH	OPEN	1/27/2016	1984	36.26655	-87.8879	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
420A2070001	HOUSTON	0A207	0.1	WELLS CREEK	OPEN	2/4/2016	1998	36.284383	-87.677883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.8
420A2110001	HOUSTON	0A211	0.05	CANE CREEK	OPEN	1/27/2016	1976	36.29855	-87.921967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
420A2240001	HOUSTON	0A224	0.218	ERIN BRANCH	OPEN	2/19/2016	2005	36.318	-87.691933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
420A2530001	HOUSTON	0A253	0.353	BOOSTER BRANCH	OPEN	2/11/2016	1987	36.3658	-87.682867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
420A2620001	HOUSTON	0A262	0.05	POLLARD BRANCH	OPEN	2/1/2016	1991	36.26145	-87.6662	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
420A3370001	HOUSTON	0A337	0.014	WELLS CREEK	OPEN	2/4/2016	2000	36.30655	-87.67695	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
420A3980001	HOUSTON	0A398	0.048	BATEMAN BRANCH	OPEN	2/16/2016	2005	36.2668	-87.623883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
420A4100001	HOUSTON	0A410	0.09	POLLARD BRANCH	OPEN	2/26/2016	2016	36.266567	-87.668633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78
420A0340001	HOUSTON	0A455	0.005	BOOSTER BRANCH	OPEN	2/11/2016	1983	36.368	-87.678167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
420A0340003	HOUSTON	0A455	1.349	WELLS CREEK	OPEN	2/11/2016	1988	36.35455	-87.665233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.9
420A0930003	HOUSTON	0A476	0.195	CHILDERS BRANCH	OPEN	1/21/2016	1997	36.243333	-87.5412	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
420A0930001	HOUSTON	0A476	1.374	BEAN CREEK	OPEN	2/17/2016	1996	36.2326	-87.535367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
420A4790001	HOUSTON	0A479	1.803	LEWIS CREEK	OPEN	2/8/2016	2001	36.285533	-87.76805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
42SR0130001	HOUSTON	SR013	3.07	BRANCH	OPEN	1/4/2016	1928	36.26725	-87.686167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
42SR0130003	HOUSTON	SR013	4.05	POLLARD BRANCH	OPEN	1/4/2016	1972	36.279333	-87.676833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.2
42SR0130005	HOUSTON	SR013	5.59	BATEMAN BRANCH	OPEN	1/4/2016	1972	36.30115	-87.676117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
42SR0130007	HOUSTON	SR013	6.95	MUSTER GROUND CREEK	OPEN	1/4/2016	1928	36.31975	-87.671867	CONCRETE	TEE BEAM	74.4
42SR0130009	HOUSTON	SR013	10.965	BRANCH	OPEN	1/8/2016	1928	36.337	-87.609083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
42SR0130011	HOUSTON	SR013	11.12	GRICES CREEK	OPEN	1/8/2016	1978	36.337967	-87.606483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
42S61430001	HOUSTON	SR046	0.82	SHOULDER STRAP BRANCH	OPEN	1/8/2016	1973	36.22655	-87.5452	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
42S61440001	HOUSTON	SR046	5.03	GUICES CREEK	OPEN	1/8/2016	1964	36.334867	-87.604467	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	66.5
42017870003	HOUSTON	SR046	6.71	GUICES CREEK	OPEN	1/8/2016	1975	36.357267	-87.6098	CONCRETE	TEE BEAM	77.3
42SR0490001	HOUSTON	SR049	5.38	ERIN BRANCH	OPEN	1/7/2016	1941	36.320833	-87.683717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	67.8
42SR0490003	HOUSTON	SR049	5.875	WELLS CREEK	OPEN	1/7/2016	1932	36.319233	-87.675367	CONCRETE	TEE BEAM	15.9
42SR0490005	HOUSTON	SR049	6.1	MUSTER GROUND CREEK	OPEN	1/7/2016	1932	36.31835	-87.671617	CONCRETE	TEE BEAM	63.7
42SR0490007	HOUSTON	SR049	12.76	TOWN CREEK	OPEN	1/7/2016	1932	36.276367	-87.5674	CONCRETE	TEE BEAM	71.1
42SR0490009	HOUSTON	SR049	13.515	SALMON CREEK	OPEN	1/12/2016	1932	36.2664	-87.562217	CONCRETE	TEE BEAM	73.1
42SR0490013	HOUSTON	SR049	14.3	DRY CREEK	OPEN	1/12/2016	1970	36.256933	-87.5538	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
42SR0490011	HOUSTON	SR049	15.135	YELLOW CREEK	OPEN	1/12/2016	1998	36.247233	-87.5462	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.6
42SR0490015	HOUSTON	SR049	15.93	JORDAN BRANCH	OPEN	1/12/2016	1989	36.2466	-87.532467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
42SR1470001	HOUSTON	SR147	5.76	BRANCH	OPEN	1/13/2016	1984	36.32	-87.848333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
42SR1470003	HOUSTON	SR147	6.16	NORTH FORK CANE CREEK	OPEN	1/13/2016	1984	36.318333	-87.841667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.1
42SR1490003	HOUSTON	SR149	0.06	MUSTERGROUND CREEK	OPEN	1/5/2016	1992	36.320183	-87.676483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.4
42SR1490005	HOUSTON	SR149	0.65	WELL'S CREEK	OPEN	1/5/2016	1992	36.327733	-87.6707	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
42SR1490007	HOUSTON	SR149	0.83	WELL'S CREEK	OPEN	1/5/2016	1992	36.3301	-87.6696	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.3
42SR1490009	HOUSTON	SR149	1.32	SPRING BRANCH	OPEN	1/6/2016	1992	36.336883	-87.667367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
42SR1490001	HOUSTON	SR149	2.1	WELLS CREEK	OPEN	1/6/2016	1980	36.346667	-87.666667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
42SR1490011	HOUSTON	SR149	2.26	CAVE BRANCH	OPEN	1/6/2016	1992	36.350117	-87.6661	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
42SR1490013	HOUSTON	SR149	3.38	LICKSKILLET BRANCH	OPEN	1/6/2016	1992	36.362167	-87.653617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
42S62250001	HOUSTON	SR231	0.96	HALF PONE HOLLOW BRANCH	OPEN	1/26/2016	1960	36.214233	-87.6508	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
42FA1230001	HOUSTON	SR232	1.78	HURRICANE CREEK	OPEN	1/14/2016	1961	36.333333	-87.915	CONCRETE	TEE BEAM	61
43E03810003	HUMPHREYS	00909	0.76	SOUTH FORK BLUE CREEK	OPEN	3/29/2016	1950	35.828133	-87.873817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
43E03810001	HUMPHREYS	00909	0.94	BRANCH	OPEN	3/29/2016	1950	35.830217	-87.873017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
43I00400003	HUMPHREYS	00909	4.01	BLUE CREEK RD. / I40	OPEN	1/6/2016	1965	35.863883	-87.905556	CONCRETE CONTINUOUS	TEE BEAM	74.1
43F03770001	HUMPHREYS	00910	4.1	BUFFALO RIVER	OPEN	4/8/2016	2008	35.9176	-87.844633	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
430A3160001	HUMPHREYS	00910	15.7	DUCK RIVER	OPEN	4/22/2016	1945	36.042667	-87.853617	STEEL	TRUSS - THRU	4.4
43S62210001	HUMPHREYS	00910	21.59	TRACE CREEK	OPEN	4/5/2016	1960	36.08615	-87.800967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.9
43S62210003	HUMPHREYS	00910	24.75	LITTLE RICHLAND CREEK	OPEN	3/7/2016	1960	36.1279	-87.813067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
43S62210005	HUMPHREYS	00910	27.01	BIG RICHLAND CREEK	OPEN	2/29/2016	1986	36.15725	-87.820683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.4
43S62210007	HUMPHREYS	00910	27.65	SPRING CREEK	OPEN	2/29/2016	1975	36.161417	-87.830517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.1
43S62210009	HUMPHREYS	00910	30.34	HALLS CREEK	OPEN	2/17/2016	1979	36.1921	-87.81825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
43S62210011	HUMPHREYS	00910	33.65	TRAYLOR BRANCH	OPEN	2/23/2016	1966	36.222767	-87.837717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
43S63480001	HUMPHREYS	00925	0.61	CAMP BRANCH	OPEN	4/7/2016	1965	35.929567	-87.836267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
43S63480003	HUMPHREYS	00925	0.71	BAKER BRANCH	OPEN	4/7/2016	1965	35.930867	-87.836383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
43S63730001	HUMPHREYS	00925	4.22	GRASSY BRANCH	WEIGHT POSTED	4/8/2016	1955	35.976467	-87.838317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.6
43S63730003	HUMPHREYS	00925	5.51	DUCK RIVER	OPEN	4/8/2016	1962	35.994317	-87.833233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.6
43S63730005	HUMPHREYS	00925	6.38	LUTEN BRANCH	OPEN	3/23/2016	1976	36.0053	-87.829933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
43S63480013	HUMPHREYS	00925	7.06	BUCKET BRANCH	OPEN	3/23/2016	1973	36.01465	-87.82785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
43S63480015	HUMPHREYS	00925	8.11	PUMPKIN CREEK	OPEN	3/23/2016	2012	36.02785	-87.820967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.1
43F03780017	HUMPHREYS	00925	8.57	BLUE CREEK	OPEN	3/23/2016	1999	36.0334	-87.8213	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90.8
43S61700001	HUMPHREYS	00927	0.44	INDIAN CREEK	OPEN	4/19/2016	1950	36.015583	-87.962833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
43S61700003	HUMPHREYS	00927	0.53	BRANCH	OPEN	4/19/2016	1950	36.000983	-87.962083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
43S61700005	HUMPHREYS	00927	6.05	HARMAN BRANCH	OPEN	4/18/2016	1965	36.011833	-87.93	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
43S62230001	HUMPHREYS	00933	0.44	BRANCH	OPEN	4/13/2016	1965	35.966617	-87.678933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2
43S62230003	HUMPHREYS	00933	1.41	WALLACE BRANCH	OPEN	4/15/2016	1965	35.968133	-87.66405	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3
43S62230005	HUMPHREYS	00933	6.56	HURRICANE CREEK	OPEN	3/30/2016	1956	36.03265	-87.655983	CONCRETE	TEE BEAM	61.7
43S62230007	HUMPHREYS	00933	6.64	BRANCH	OPEN	3/30/2016	1960	36.03375	-87.656417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
43S62230009	HUMPHREYS	00933	9.09	BLUE CREEK	WEIGHT POSTED	3/30/2016	1952	36.0644	-87.64935	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.8
43E03640003	HUMPHREYS	01063	0.65	WOLF CREEK	OPEN	2/29/2016	1979	36.1583	-87.811517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
43E03640001	HUMPHREYS	01063	2.78	BIG RICHLAND CREEK	OPEN	2/29/2016	1979	36.154117	-87.780267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
43016740001	HUMPHREYS	01647	2.68	BRANCH	OPEN	4/11/2016	1954	35.936667	-87.913117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
43017790001	HUMPHREYS	01779	1.56	INDIAN CREEK	OPEN	4/14/2016	1976	35.994167	-87.59815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
43017790003	HUMPHREYS	01779	4.14	LITTLE HURRICANE CREEK	OPEN	3/28/2016	1983	36.0277	-87.6073	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
43017790005	HUMPHREYS	01779	7.43	HURRICANE CREEK	OPEN	3/28/2016	1972	36.068183	-87.601017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
43017790007	HUMPHREYS	01779	7.99	HURRICANE CREEK	OPEN	3/28/2016	1987	36.073933	-87.439183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.5
43017810001	HUMPHREYS	01781	3.26	BLACK BRANCH	OPEN	2/12/2016	1992	36.216483	-87.761117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.8
43017810003	HUMPHREYS	01781	3.79	BLACK BRANCH	OPEN	2/12/2016	1982	36.22315	-87.76395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
43017810005	HUMPHREYS	01781	4.15	WHITE OAK CREEK	OPEN	2/12/2016	2012	36.22705	-87.766433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.6
43017810007	HUMPHREYS	01781	5.41	SHILOH BRANCH	OPEN	2/17/2016	1984	36.241783	-87.774467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
43017940001	HUMPHREYS	01794	0.1	NORTH FORK BLUE CREEK	OPEN	4/12/2016	1968	35.865517	-87.90525	CONCRETE	TEE BEAM	30.5
43017940003	HUMPHREYS	01794	0.94	JACKS BRANCH	OPEN	4/11/2016	1954	35.873083	-87.912	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
43017940005	HUMPHREYS	01794	2.55	OPOSSUM CREEK	OPEN	4/11/2016	1954	35.886117	-87.922867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
43017940007	HUMPHREYS	01794	4.31	ROBERTS CREEK	OPEN	4/11/2016	1943	35.9062	-87.908533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
43017940009	HUMPHREYS	01794	4.73	DUNCAN BRANCH	OPEN	4/11/2016	1984	35.90955	-87.904367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
43017960001	HUMPHREYS	01796	0.92	DUCK RIVER	OPEN	4/7/2016	1976	35.947467	-87.82025	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
43017980001	HUMPHREYS	01798	1.92	BAPTIST BRANCH	OPEN	4/15/2016	1960	35.984217	-87.641467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
43017980003	HUMPHREYS	01798	3.74	TUMBLING CREEK	OPEN	4/15/2016	1968	35.972283	-87.619867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.4
43017980005	HUMPHREYS	01798	4.49	TUMBLING CREEK	OPEN	4/15/2016	1965	35.973467	-87.6085	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.4
43017980007	HUMPHREYS	01798	6.67	MILLER BRANCH	OPEN	4/14/2016	1976	35.980833	-87.573	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
43017980009	HUMPHREYS	01798	7.08	MILLER BRANCH	OPEN	4/14/2016	1976	35.984467	-87.567183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
43018020001	HUMPHREYS	01802	2.74	LITTLE BLUE CREEK	OPEN	4/4/2016	1968	36.064383	-87.732567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
43018020003	HUMPHREYS	01802	3.48	LITTLE BLUE CREEK	OPEN	4/1/2016	2011	36.07195	-87.726633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.9
43018020005	HUMPHREYS	01802	5.29	BRANCH	OPEN	4/1/2016	1968	36.077817	-87.696733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
43018060001	HUMPHREYS	01806	0.08	DEER CREEK	OPEN	3/8/2016	1970	36.162583	-87.753267	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.1
43018060003	HUMPHREYS	01806	0.9	BRANCH	OPEN	3/8/2016	1989	36.157067	-87.741617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
43018060005	HUMPHREYS	01806	3.11	RICHLAND CREEK	OPEN	3/8/2016	1974	36.146683	-87.706017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	74.7
43018060007	HUMPHREYS	01806	5.45	TRACE CREEK	WEIGHT POSTED	3/8/2016	1972	36.122167	-87.683567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	38.9
43018080001	HUMPHREYS	01808	4.68	WHITEOAK CREEK	OPEN	3/14/2016	1984	36.149283	-87.581033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
43018100001	HUMPHREYS	01810	2.17	LITTLE RICHLAND CREEK	WEIGHT POSTED	3/9/2016	1991	36.141083	-87.84585	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20.2
43018100003	HUMPHREYS	01810	3.58	LITTLE RICHLAND CREEK	OPEN	3/2/2016	2000	36.145883	-87.869467	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.4
43E03640007	HUMPHREYS	01814	1.06	BRANCH	OPEN	2/25/2016	1975	36.170717	-87.8471	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
43E03640009	HUMPHREYS	01814	1.8	HALLS CREEK	OPEN	2/25/2016	1975	36.172283	-87.859817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
43018140001	HUMPHREYS	01814	8.4	TURKEY CREEK	OPEN	2/26/2016	1988	36.209067	-87.89245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
43018140003	HUMPHREYS	01814	8.65	TURKEY CREEK	OPEN	2/26/2016	2006	36.208933	-87.889067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
43018140005	HUMPHREYS	01814	9.5	TURKEY CREEK	OPEN	2/26/2016	2006	36.209917	-87.879167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97
43018140011	HUMPHREYS	01814	10.06	TURKEY CREEK	OPEN	2/26/2016	1989	36.211767	-87.870283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
43018140013	HUMPHREYS	01814	10.52	TURKEY CREEK	OPEN	2/26/2016	2008	36.2125	-87.862667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.9
43018140015	HUMPHREYS	01814	10.77	TRAYLOR BRANCH	OPEN	2/23/2016	1984	36.21375	-87.862183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
43E03700001	HUMPHREYS	01816	5.23	COLD BRANCH	OPEN	4/18/2016	1984	36.045117	-87.854433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
43018180003	HUMPHREYS	01818	1.84	BRANCH	OPEN	3/18/2016	1940	36.08495	-87.837233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
43018180001	HUMPHREYS	01818	3.69	DRY CREEK	OPEN	3/18/2016	1984	36.091867	-87.865983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
430A0010001	HUMPHREYS	0A001	1.32	GREENBRIER CREEK	OPEN	2/23/2016	1984	36.231633	-87.912317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
430A0010003	HUMPHREYS	0A001	1.703	GREENBRIER CREEK	OPEN	2/23/2016	1984	36.229883	-87.906	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
430A0040001	HUMPHREYS	0A004	0.072	HALLS CREEK	OPEN	2/25/2016	1979	36.1844	-87.84505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
430A0040003	HUMPHREYS	0A004	2.028	TURKEY CREEK	OPEN	2/25/2016	1984	36.207333	-87.859	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
430A0150001	HUMPHREYS	0A015	0.033	LITTLE TURKEY CREEK	OPEN	2/26/2016	1984	36.19925	-87.903233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3
430A0190001	HUMPHREYS	0A019	1.814	HALLS CREEK	OPEN	2/25/2016	2009	36.178167	-87.852533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.2
430A0200001	HUMPHREYS	0A020	0.014	HALLS CREEK	OPEN	2/17/2016	2002	36.1884	-87.828367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
430A0220001	HUMPHREYS	0A022	0.055	HALLS CREEK	OPEN	2/25/2016	1992	36.18225	-87.8486	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
430A0280001	HUMPHREYS	0A028	0.165	BIG RICHLAND CREEK	OPEN	2/29/2016	1999	36.149583	-87.803	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	71.5
430A0390007	HUMPHREYS	0A039	2.52	PENNYWINKLE BRANCH	OPEN	2/17/2016	2012	36.237917	-87.794033	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86
430A0390003	HUMPHREYS	0A039	3.14	WHITE OAK CREEK	OPEN	2/17/2016	2002	36.239483	-87.785083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.2
430A0390005	HUMPHREYS	0A039	3.743	SHILOH BRANCH	OPEN	2/17/2016	1984	36.240533	-87.7779	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
430A0430001	HUMPHREYS	0A043	2.618	GANDER CREEK	OPEN	2/23/2016	1984	36.225233	-87.779767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
430A0430003	HUMPHREYS	0A043	3.119	WHITEOAK CREEK	OPEN	2/23/2016	1989	36.226817	-87.773367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95
430A0460001	HUMPHREYS	0A046	0.115	PENHOOK BRANCH	OPEN	2/11/2016	1986	36.2152	-87.72385	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
430A0490001	HUMPHREYS	0A049	0.994	BRANCH	OPEN	2/11/2016	2001	36.208233	-87.74085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
430A0500001	HUMPHREYS	0A050	2.01	BRANCH	OPEN	2/11/2016	1984	36.20895	-87.741433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
430A0550001	HUMPHREYS	0A055	0.037	RICHLAND CREEK	OPEN	3/2/2016	1983	36.133	-87.82875	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.6
430A0550003	HUMPHREYS	0A055	0.586	HEMBY BRANCH	OPEN	3/2/2016	1984	36.12525	-87.827383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
430A0580001	HUMPHREYS	0A058	0.075	HEMBY BRANCH	WEIGHT POSTED	3/2/2016	1983	36.133	-87.82875	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.2
430A0640001	HUMPHREYS	0A064	0.023	BEAR CREEK	OPEN	3/18/2016	1984	36.11315	-87.906283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
430A0660001	HUMPHREYS	0A066	0.25	DRY CREEK	WEIGHT POSTED	3/18/2016	1988	36.095833	-87.906283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.9
430A0700001	HUMPHREYS	0A070	0.091	DRY BRANCH	OPEN	3/18/2016	1995	36.091867	-87.89265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
430A0720001	HUMPHREYS	0A072	0.54	LITTLE DRY CREEK	OPEN	3/18/2016	1983	36.083336	-87.92705	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70
430A0820001	HUMPHREYS	0A082	0.259	TRACE CREEK	OPEN	4/19/2016	1985	36.077583	-87.86905	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.2
430A0930001	HUMPHREYS	0A093	0.038	BRANCH	OPEN	3/7/2016	1973	36.094167	-87.790567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
430A0930003	HUMPHREYS	0A093	2.145	LITTLE RICHLAND CREEK	OPEN	3/7/2016	2014	36.121367	-87.799633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
430A3020001	HUMPHREYS	0A099	0.168	SOUTH FORK BLUE CREEK	OPEN	4/12/2016	1968	35.864233	-87.907967	CONCRETE	TEE BEAM	73.5
430A1240001	HUMPHREYS	0A124	0.034	WHITE OAK CREEK	OPEN	2/11/2016	1995	36.214617	-87.707267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66
430A1290001	HUMPHREYS	0A129	0.362	NORTH FORK DEER CREEK	OPEN	2/12/2016	1984	36.18595	-87.718033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
430A1290003	HUMPHREYS	0A129	0.803	NORTH FORK DEER CREEK	OPEN	2/12/2016	1984	36.1896	-87.7132	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
430A1290005	HUMPHREYS	0A129	2.176	NORTH FK. DEER CREEK	OPEN	2/12/2016	1986	36.188917	-87.690233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
430A1300003	HUMPHREYS	0A130	0.415	BRANCH	OPEN	2/11/2016	1984	36.204083	-87.7262	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
430A1330001	HUMPHREYS	0A133	4.237	DEER CREEK	OPEN	2/11/2016	1984	36.182617	-87.723783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9
430A1380003	HUMPHREYS	0A138	2.05	BRANCH	OPEN	3/17/2016	2012	36.15225	-87.671917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97
430A1380001	HUMPHREYS	0A138	2.534	BIG RICHLAND CREEK	OPEN	3/17/2016	1984	36.149567	-87.664917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
430A1440001	HUMPHREYS	0A144	1.647	BRANCH	WEIGHT POSTED	3/8/2016	1988	36.15895	-87.739083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
430A1440003	HUMPHREYS	0A144	4.309	BRANCH	OPEN	3/8/2016	2014	36.15895	-87.739083	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	86.4
430A1450001	HUMPHREYS	0A145	1.082	BRANCH	OPEN	3/7/2016	1984	36.146333	-87.694917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
430A1450003	HUMPHREYS	0A145	1.391	BIG RICHLAND CREEK	OPEN	3/7/2016	1984	36.148467	-87.698117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
430A1490001	HUMPHREYS	0A149	1.02	BRANCH	WEIGHT POSTED	3/17/2016	1988	36.1425	-87.683183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.8
430A1500001	HUMPHREYS	0A150	0.109	TRACE CREEK	OPEN	3/9/2016	1978	36.105617	-87.709517	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.4
430A1500003	HUMPHREYS	0A150	3.871	TRACE CREEK	OPEN	3/17/2016	1976	36.128783	-87.65525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
430A1510001	HUMPHREYS	0A151	0.025	BRANCH	OPEN	2/29/2016	1984	36.152733	-87.772417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
430A1590001	HUMPHREYS	0A159	0.028	COLEY BRANCH	OPEN	3/9/2016	1984	36.103183	-86.670367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
430A1660001	HUMPHREYS	0A166	0.541	WHITEOAK CREEK	OPEN	3/14/2016	1984	36.155867	-87.586217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
430A1660003	HUMPHREYS	0A166	1.164	BRANCH	OPEN	3/14/2016	1993	36.161017	-87.594833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
430A1660005	HUMPHREYS	0A166	3.147	GRAVELLY RUN CREEK	OPEN	3/14/2016	1984	36.1772	-87.6179	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
430A1660007	HUMPHREYS	0A166	4.5	PEACH CREEK	OPEN	3/15/2016	1984	36.190017	-87.600783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
430A1660009	HUMPHREYS	0A166	4.857	BRANCH	OPEN	3/15/2016	1984	36.191633	-87.6401	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
430A1700001	HUMPHREYS	0A170	0.294	TRACE CREEK	OPEN	3/9/2016	2009	36.128817	-87.624183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
430A1710001	HUMPHREYS	0A171	0.036	WHITE OAK CREEK	OPEN	3/15/2016	1978	36.188767	-87.629483	CONCRETE	CHANNEL BEAM	91.8
430A1720001	HUMPHREYS	0A172	0.059	WHITE OAK CREEK	OPEN	3/15/2016	1991	36.182967	-87.623117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
430A1730001	HUMPHREYS	0A173	0.07	WHITEOAK CREEK	OPEN	3/14/2016	1991	36.1734	-87.604583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
430A1870001	HUMPHREYS	0A187	1.042	BATEMAN BRANCH	WEIGHT POSTED	3/9/2016	1987	36.154317	-87.608917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
430A1950001	HUMPHREYS	0A195	0.116	STEWART BRANCH	OPEN	3/16/2016	1978	36.098633	-87.58445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
430A1950005	HUMPHREYS	0A195	1.367	DOGWOOD BRANCH	OPEN	3/16/2016	1976	36.108567	-87.575233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
430A1950007	HUMPHREYS	0A195	2.037	SAWMILL CREEK	OPEN	3/16/2016	1984	36.107483	-87.564383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
430A2040001	HUMPHREYS	0A204	0.022	LITTLE HURRICANE CREEK	OPEN	3/28/2016	1984	36.030283	-87.5951	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
430A2040003	HUMPHREYS	0A204	0.642	MARTIN BRANCH	OPEN	3/28/2016	1995	36.02605	-87.585983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
430A2050001	HUMPHREYS	0A205	2.246	HURRICANE CREEK	OPEN	3/30/2016	1983	36.03895	-87.639683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.9
430A2100001	HUMPHREYS	0A210	0.009	LITTLE HURRICANE CREEK	OPEN	3/30/2016	1984	36.037117	-87.6382	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
430A2110001	HUMPHREYS	0A211	2.483	BRANCH	OPEN	3/30/2016	1984	36.04945	-87.629183	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96
430A2130001	HUMPHREYS	0A213	0.711	YELLOW BANK CREEK	OPEN	3/28/2016	1984	36.0895	-87.598667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.1
430A2230001	HUMPHREYS	0A223	0.052	INDIAN CREEK	WEIGHT POSTED	4/14/2016	1988	35.99135	-87.600667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	32.9
430A2310001	HUMPHREYS	0A231	1.581	WHEELER BRANCH	OPEN	4/15/2016	1960	35.969933	-87.657733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
430A2390001	HUMPHREYS	0A239	2.02	TUMBLING CREEK	OPEN	4/13/2016	1980	35.945683	-87.720067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	51.9
430A2390003	HUMPHREYS	0A239	2.448	TUMBLING CREEK	OPEN	4/13/2016	1980	35.94745	-87.710867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
430A2390005	HUMPHREYS	0A239	3.142	TUMBLING CREEK	OPEN	4/13/2016	1980	35.9421	-87.716183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	51.9
430A2410001	HUMPHREYS	0A241	0.065	TUMBLING CREEK	OPEN	4/13/2016	2000	35.949483	-87.70375	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	70.9
430A2430001	HUMPHREYS	0A243	0	TUMBLING CREEK	OPEN	4/13/2016	1980	35.933	-87.730833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
430A2480001	HUMPHREYS	0A248	0.511	BRANCH	OPEN	3/29/2016	1984	35.989483	-87.757867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
430A2480003	HUMPHREYS	0A248	1.064	BRANCH	OPEN	7/15/2016	1984	35.995283	-87.763133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
430A2490001	HUMPHREYS	0A249	1.204	WOODWORD BRANCH	OPEN	3/29/2016	1987	35.999783	-87.741283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
430A2500001	HUMPHREYS	0A250	0.938	BRANCH	OPEN	4/1/2016	1984	36.01075	-87.726117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
430A2500003	HUMPHREYS	0A250	2.315	BRANCH	OPEN	4/1/2016	1984	36.021583	-87.706667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
430A2510001	HUMPHREYS	0A251	0.16	HURRICANE CREEK	OPEN	4/1/2016	2000	36.017617	-87.70965	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	70.9
430A2540003	HUMPHREYS	0A254	4.259	BLUE CREEK	WEIGHT POSTED	4/4/2016	1989	36.060317	-87.716467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.4
430A2540001	HUMPHREYS	0A254	5.227	BLUE CREEK	OPEN	4/4/2016	1992	36.0627	-87.73195	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.4
430A2630001	HUMPHREYS	0A263	0.05	LITTLE BLUE CREEK	OPEN	4/1/2016	1984	36.07805	-87.687317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
430A2700001	HUMPHREYS	0A270	0.1	TRACE CREEK	OPEN	3/21/2016	2012	35.08455	-87.75355	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
430A2760001	HUMPHREYS	0A276	0.092	BLUE CREEK	WEIGHT POSTED	4/4/2016	1998	36.060583	-87.756383	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	30.3
430A2790001	HUMPHREYS	0A279	0.17	BLUE CREEK	WEIGHT POSTED	4/4/2016	1989	36.060017	-87.739667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21
43100400015	HUMPHREYS	0A281	0.031	NFA A281 / I40	OPEN	1/13/2016	1965	35.878033	-87.746567	CONCRETE CONTINUOUS	TEE BEAM	61.5
430A2860001	HUMPHREYS	0A286	0.595	BUFFALO RIVER	OPEN	4/12/2016	1967	35.8671	-87.819267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.4
430A2860003	HUMPHREYS	0A286	0.907	BUFFALO RIVER OVERFLOW	OPEN	4/12/2016	1981	35.862867	-87.82065	CONCRETE	CHANNEL BEAM	93
430A6000001	HUMPHREYS	0A298	0.05	TRACE CREEK	OPEN	4/5/2016	1978	36.085717	-87.793267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.5
430A3300001	HUMPHREYS	0A330	1.421	MATHEW BRANCH	OPEN	4/5/2016	1972	36.0481	-87.800867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
430A3300003	HUMPHREYS	0A330	2.742	BEAR BRANCH	OPEN	4/5/2016	1975	36.0547	-87.7809	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
430A3400001	HUMPHREYS	0A340	0.02	HURRICANE CREEK	OPEN	3/29/2016	1986	35.971233	-87.780333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
430A3400003	HUMPHREYS	0A340	3.13	BRANCH	OPEN	4/7/2016	1955	35.983867	-87.813733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
430A3400005	HUMPHREYS	0A340	4.694	LUTEN BRANCH	OPEN	3/23/2016	1978	36.004017	-87.824233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
430A3410001	HUMPHREYS	0A341	0.492	HURRICANE CREEK	OPEN	4/7/2016	1964	35.96415	-87.811133	CONCRETE	TEE BEAM	47.4
430A3570001	HUMPHREYS	0A357	0.15	BRANCH	OPEN	4/8/2016	1984	35.982133	-87.839183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
430A2800001	HUMPHREYS	0A362	3.66	BRANCH	OPEN	4/12/2016	1983	35.87875	-87.736917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
430A3650001	HUMPHREYS	0A365	0.067	HARMON CREEK	OPEN	4/18/2016	2005	36.015617	-87.929633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
430A3670001	HUMPHREYS	0A367	0.908	HARMAN BRANCH	OPEN	4/18/2016	1984	36.00185	-87.91495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
430A3750001	HUMPHREYS	0A375	0.045	INDIAN CREEK	OPEN	4/18/2016	1984	36.030983	-87.94605	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
430A2190001	HUMPHREYS	0A396	1.981	PEMBERTON BRANCH	OPEN	4/14/2016	1984	35.967483	-87.579833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
430A2190003	HUMPHREYS	0A396	2.574	PEMBERTON BRANCH	OPEN	4/14/2016	1992	35.973	-87.5875	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.8
43SR0010031	HUMPHREYS	0A423	0.164	TVA LOOP RAMP / SR-1	OPEN	1/26/2016	2001	36.018533	-87.983083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.8
43SR0010013	HUMPHREYS	0A452	1.807	TRACE CREEK	OPEN	3/21/2016	1925	36.082633	-87.775283	CONCRETE	TEE BEAM	46.7
430A4690001	HUMPHREYS	0A469	1.166	BRANCH	OPEN	3/21/2016	1979	36.08535	-87.782233	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
430A4690003	HUMPHREYS	0A469	3.377	BRANCH	OPEN	3/21/2016	1984	36.088717	-87.743983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
430A5010001	HUMPHREYS	0A501	0.02	TRACE CREEK	OPEN	4/5/2016	1982	36.082783	-87.784617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.2
430A5040001	HUMPHREYS	0A504	0.409	BRANCH	OPEN	4/5/2016	1979	36.0863	-87.791367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.7
430A5230001	HUMPHREYS	0A523	0.709	BRANCH	OPEN	3/21/2016	2001	36.098683	-87.7426	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
430A5720001	HUMPHREYS	0A572	0.039	BLUE CREEK	OPEN	3/16/2016	1995	36.104033	-87.632217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
430A5810001	HUMPHREYS	0A581	0.117	MILL BRANCH	OPEN	3/8/2016	1991	36.1444	-87.706233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
430A5960001	HUMPHREYS	0A596	0.068	PUMKIN CREEK	OPEN	3/23/2016	1983	36.032333	-87.793817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	62.8
430A6100001	HUMPHREYS	0A610	0.048	TRACE CREEK	OPEN	3/17/2016	1993	36.128167	-87.659667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.9
430A6200001	HUMPHREYS	0A620	0.025	BRANCH	WEIGHT POSTED	3/21/2016	1983	36.090917	-87.7425	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.7
430A6330001	HUMPHREYS	0A633	0.307	FOWKES BRANCH	OPEN	4/19/2016	2001	36.002933	-87.972283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
430A6330003	HUMPHREYS	0A633	1.2	INDIAN CREEK	OPEN	4/19/2016	2001	36.014667	-87.9726	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
430A6420001	HUMPHREYS	0A642	0.08	HURRICANE CREEK	OPEN	3/30/2016	2012	35.94745	-87.710867	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	71

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
43SR0010001	HUMPHREYS	0A658	0.172	NFA A658 / SR 1	OPEN	1/26/2016	2002	36.023083	-87.961867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
43S63270001	HUMPHREYS	0A658	0.22	CSX RAILROAD	WEIGHT POSTED	1/26/2016	1960	36.023683	-87.962283	CONCRETE	TEE BEAM	44.3
43I00400001	HUMPHREYS	I0040	1.85	SOUTH FORK BLUE CREEK	OPEN	1/6/2016	1965	35.863667	-87.908217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.1
43I00400002	HUMPHREYS	I0040	1.85	SOUTH FORK BLUE CREEK	OPEN	1/6/2016	1965	35.8639	-87.90825	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.1
43I00400005	HUMPHREYS	I0040	2.87	BRANCH	OPEN	1/11/2016	1964	35.8649	-87.89005	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
43I00400006	HUMPHREYS	I0040	2.87	BRANCH	OPEN	1/11/2016	1964	35.865067	-87.89025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
43I00400007	HUMPHREYS	I0040	4.28	I40 RL / NFA A293	OPEN	1/11/2016	1964	35.869317	-87.865917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
43I00400008	HUMPHREYS	I0040	4.28	I40 LL / NFA A293	OPEN	1/11/2016	1964	35.86945	-87.866117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
43I00400009	HUMPHREYS	I0040	6.02	I40 RL / NFA A286	OPEN	1/11/2016	1964	35.88145	-87.839567	CONCRETE CONTINUOUS	TEE BEAM	80.1
43I00400010	HUMPHREYS	I0040	6.02	I40 LL / NFA A286	OPEN	1/11/2016	1964	35.881767	-87.839383	CONCRETE CONTINUOUS	TEE BEAM	79.7
43I00400011	HUMPHREYS	I0040	6.26	BUFFALO RIVER	OPEN	1/12/2016	1964	35.882417	-87.834983	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.2
43I00400012	HUMPHREYS	I0040	6.26	BUFFALO RIVER	OPEN	1/12/2016	1964	35.88165	-87.835	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.2
43I00400018	HUMPHREYS	I0040	12.38	BRANCH	OPEN	1/13/2016	1965	35.8758	-87.729133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
43I00400017	HUMPHREYS	I0040	12.38	BRANCH	OPEN	1/13/2016	1965	35.875317	-87.7287	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
43SR0010003	HUMPHREYS	SR001	5.33	BRANCH	OPEN	1/21/2016	1959	36.047	-87.916167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.2
43SR0010005	HUMPHREYS	SR001	5.94	TRACE CREEK	OPEN	1/21/2016	1959	36.052133	-87.9072	CONCRETE	TEE BEAM	55.8
43SR0010006	HUMPHREYS	SR001	5.94	TRACE CREEK	OPEN	1/21/2016	1959	36.052033	-87.907183	CONCRETE	TEE BEAM	57
43SR0010007	HUMPHREYS	SR001	6.53	TRACE CREEK	OPEN	1/21/2016	1959	36.056783	-87.898367	CONCRETE CONTINUOUS	TEE BEAM	85.2
43SR0010008	HUMPHREYS	SR001	6.53	TRACE CREEK	OPEN	1/21/2016	1959	36.056983	-87.898333	CONCRETE CONTINUOUS	TEE BEAM	85.2
43SR0010009	HUMPHREYS	SR001	8.43	BRANCH	OPEN	1/19/2016	1993	36.073067	-87.871067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
43SR0010011	HUMPHREYS	SR001	9.05	BRANCH	OPEN	1/19/2016	1993	36.07565	-87.86055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7
43SR0010027	HUMPHREYS	SR001	10.49	TRACE CREEK	OPEN	1/19/2016	1988	36.079783	-87.835317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	56.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
43SR0010029	HUMPHREYS	SR001	13.6	BRANCH	OPEN	1/19/2016	1989	36.08485	-87.78235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.3
43SR0010017	HUMPHREYS	SR001	15.6	BRANCH	OPEN	1/19/2016	1925	36.08675	-87.74695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.8
43SR0010019	HUMPHREYS	SR001	16.04	TRACE CREEK	OPEN	1/19/2016	1925	36.08885	-87.73965	CONCRETE	TEE BEAM	70.3
43SR0010021	HUMPHREYS	SR001	24.28	YELLOW BANK BRANCH	OPEN	1/14/2016	1925	36.098467	-87.602483	CONCRETE	TEE BEAM	57.3
43SR0010023	HUMPHREYS	SR001	25.23	HURRICANE CREEK	OPEN	1/14/2016	1925	36.097	-87.585567	CONCRETE	TEE BEAM	64
43SR0010025	HUMPHREYS	SR001	27	BRANCH	OPEN	1/14/2016	1925	36.092917	-87.554383	CONCRETE	TEE BEAM	42.5
430A4520001	HUMPHREYS	SR013	0.37	TRACE CREEK	OPEN	2/4/2016	1988	36.084333	-87.788983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.2
43SR0130001	HUMPHREYS	SR013	0.47	BRANCH	OPEN	2/2/2016	1949	35.840817	-87.801917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
43SR0130003	HUMPHREYS	SR013	1	BRANCH	OPEN	2/2/2016	1949	35.8464	-87.808067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
43SR0130005	HUMPHREYS	SR013	1.4	BRANCH	OPEN	2/2/2016	1949	35.851883	-87.808983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
43SR0130007	HUMPHREYS	SR013	2.55	BRANCH	OPEN	2/2/2016	1949	35.868583	-87.808467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
43I00400013	HUMPHREYS	SR013	3.39	SR 13 / I40	OPEN	1/13/2016	1959	35.879417	-87.801833	CONCRETE CONTINUOUS	TEE BEAM	67.1
43SR0130009	HUMPHREYS	SR013	3.54	BLACK BRANCH	OPEN	2/2/2016	1949	35.881367	-87.80055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.3
43SR0130011	HUMPHREYS	SR013	7.21	BRANCH	OPEN	2/2/2016	1949	35.927867	-87.77115	CONCRETE	TEE BEAM	56.3
43SR0130013	HUMPHREYS	SR013	7.71	DUCK RIVER	OPEN	2/3/2016	2005	35.934183	-87.766317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.8
43SR0130015	HUMPHREYS	SR013	8.43	BRANCH	OPEN	2/3/2016	1949	35.942933	-87.759683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.6
43SR0130017	HUMPHREYS	SR013	11.32	STEWARTS BRANCH	OPEN	2/3/2016	2005	35.97765	-87.762733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86
43SR0130019	HUMPHREYS	SR013	11.43	HURRICANE CREEK	OPEN	2/3/2016	2005	35.979167	-87.763367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86
43SR0130021	HUMPHREYS	SR013	15.23	PUMPKIN CREEK	OPEN	2/3/2016	2008	36.019869	-87.777147	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
43SR0130024	HUMPHREYS	SR013	16.89	BLUE CREEK	OPEN	2/4/2016	2008	36.055	-87.778317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.3
43SR0130023	HUMPHREYS	SR013	16.89	BLUE CREEK	OPEN	2/4/2016	2008	36.055	-87.778317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.3
43SR0130025	HUMPHREYS	SR013	19.35	SR13/TRACE CR-A469A504-R	OPEN	2/4/2016	1963	36.085733	-87.793367	CONCRETE CONTINUOUS	TEE BEAM	45.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
43SR0130027	HUMPHREYS	SR013	21.68	BRANCH	OPEN	2/5/2016	1933	36.1169	-87.780517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
43SR0130029	HUMPHREYS	SR013	21.71	LITTLE RICHLAND CREEK	OPEN	2/5/2016	1933	36.117717	-87.780717	CONCRETE	TEE BEAM	49.9
43SR0130031	HUMPHREYS	SR013	24.62	WILLIAMS HOLLOW BRANCH	OPEN	2/5/2016	1933	36.15525	-87.77315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.3
43SR0130033	HUMPHREYS	SR013	24.71	BIG RICHLAND CREEK	OPEN	2/5/2016	2005	36.15665	-87.772367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
43SR0130035	HUMPHREYS	SR013	25.78	DRY BRANCH	OPEN	2/8/2016	1933	36.162633	-87.755317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
43SR0130037	HUMPHREYS	SR013	26.68	DRY BRANCH	OPEN	2/8/2016	1933	36.172317	-87.744533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.3
43SR0130039	HUMPHREYS	SR013	29.75	BRANCH	OPEN	2/8/2016	1933	36.20875	-87.72615	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
43SR0130041	HUMPHREYS	SR013	29.88	WHITE OAK CREEK	OPEN	2/8/2016	1933	36.21045	-87.808233	CONCRETE	TEE BEAM	56.2
43SR0130043	HUMPHREYS	SR013	31.18	DRY BRANCH	OPEN	2/8/2016	1933	36.224267	-87.712	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.5
43S62220017	HUMPHREYS	SR230	2.3	TANYARD CREEK	OPEN	1/27/2016	1969	35.9505	-87.664633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
43S62220015	HUMPHREYS	SR230	3.51	TUMBLING CREEK	OPEN	1/27/2016	1969	35.959317	-87.682567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7
43S62220013	HUMPHREYS	SR230	4.32	BRANCH	OPEN	1/27/2016	1959	35.96575	-87.69245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
43S62220011	HUMPHREYS	SR230	4.58	BRANCH	OPEN	1/27/2016	1959	35.968283	-87.694983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
43S62220009	HUMPHREYS	SR230	8.03	OVERFLOW	OPEN	1/27/2016	1959	36.00055	-87.730233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
43S62220007	HUMPHREYS	SR230	8.17	HURRICANE CREEK	OPEN	1/28/2016	1959	36.0012	-87.732483	CONCRETE	TEE BEAM	47.1
43S62220005	HUMPHREYS	SR230	8.33	HURRICANE CREEK	OPEN	1/28/2016	1958	36.001983	-87.735233	CONCRETE	TEE BEAM	28.6
43S62220003	HUMPHREYS	SR230	9.15	WOODWARD BRANCH	OPEN	1/28/2016	1939	36.010767	-87.744867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
43S62220001	HUMPHREYS	SR230	10.94	PUMPKIN CREEK	OPEN	1/28/2016	1959	36.030983	-87.7622	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
43S62250001	HUMPHREYS	SR231	1.74	TRACE CREEK	OPEN	1/14/2016	1952	36.129217	-87.642967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	58.2
43E03700003	HUMPHREYS	SR231	7.45	WHITEOAK CREEK	OPEN	1/14/2016	1985	36.199583	-87.653133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.5
44S62930001	JACKSON	01148	0.11	SHAKE RAG CREEK	OPEN	5/31/2017	1960	36.322267	-85.7103	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
44011500001	JACKSON	01150	4.05	LONG BRANCH	OPEN	10/27/2016	1958	36.280967	-85.66175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
44011500003	JACKSON	01150	4.41	BRANCH	OPEN	10/27/2016	1958	36.27685	-85.658983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
44011500005	JACKSON	01150	5.58	BRANCH	OPEN	10/27/2016	1957	36.272767	-85.641467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
44011500007	JACKSON	01150	5.89	BRANCH	OPEN	10/27/2016	1957	36.269833	-85.637383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
44F00080001	JACKSON	01171	0.01	DOE CREEK	OPEN	5/25/2017	1972	36.348933	-85.6575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
44F00170001	JACKSON	01173	0.24	JENNINGS CREEK	OPEN	5/25/2017	1979	36.460583	-85.740783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.2
44F00170003	JACKSON	01173	6.81	CUB CREEK	OPEN	6/26/2017	1970	36.3962	-85.7097	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	97.8
44020840003	JACKSON	02084	0.02	SALT LICK CREEK	WEIGHT POSTED	5/31/2017	1940	36.373167	-85.8324	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
44020840007	JACKSON	02084	3.61	SALT LICK CREEK	OPEN	6/26/2017	1970	36.333983	-85.794467	CONCRETE	TEE BEAM	49.5
44022300001	JACKSON	02230	0.42	SPRING CREEK	OPEN	5/8/2017	1970	36.2426	-85.754883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
44561670003	JACKSON	02241	1.62	E. FK. OF WARTRACE CREEK	OPEN	5/31/2017	1955	36.4016	-85.781017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.1
44022430001	JACKSON	02243	5.32	HOPPER CREEK	OPEN	6/29/2017	1984	36.353817	-85.542367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
44022440003	JACKSON	02244	2.21	MORRISON CREEK	OPEN	7/27/2015	1950	36.2962	-85.607017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.2
44022460001	JACKSON	02246	0.11	FLYNN'S CREEK	OPEN	5/8/2017	1984	36.30195	-85.70895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
44022460003	JACKSON	02246	0.76	DRY FORK CREEK	OPEN	5/8/2017	1993	36.292833	-85.707333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
44020840009	JACKSON	02730	0.1	FLYNN CREEK	OPEN	5/30/2017	1993	36.326383	-85.715367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
440A0170001	JACKSON	0A017	0.118	SALT LICK CREEK	OPEN	5/31/2017	1984	36.364433	-85.825283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
440A0210001	JACKSON	0A021	0.5	WARTRACE CREEK	WEIGHT POSTED	5/3/2017	1970	36.406417	-85.820983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.8
440A0220001	JACKSON	0A022	0.12	WARTRACE CREEK	OPEN	5/3/2017	1979	36.408067	-85.8104	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
440A0230001	JACKSON	0A023	0	WARTRACE CREEK	OPEN	6/1/2017	1979	36.411317	-85.809583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
440A0250001	JACKSON	0A025	0	WARTRACE CREEK	OPEN	5/3/2017	1984	36.385367	-85.79615	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
440A0250003	JACKSON	0A025	0.274	DRY CREEK	OPEN	5/3/2017	1984	36.3856	-85.80085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
440A0270001	JACKSON	0A027	0.088	WARTRACE CREEK	OPEN	6/26/2017	1970	36.374617	-85.787933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.6
440A0380001	JACKSON	0A038	0.019	INDIAN CREEK	OPEN	5/31/2017	1985	36.3881	-85.7516	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
440A0390001	JACKSON	0A039	0.013	JENNINGS CREEK	OPEN	5/30/2017	1987	36.455117	-85.704783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
440A0430001	JACKSON	0A043	1.861	BULLARD CREEK	OPEN	5/31/2017	1984	36.3656	-85.7242	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
440A0500001	JACKSON	0A050	0.322	WARD FORK CREEK	OPEN	5/25/2017	1993	36.4606	-85.78	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
440A0550001	JACKSON	0A055	3.682	JENNINGS CREEK	OPEN	6/21/2017	1989	36.463967	-85.759033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.7
440A0600001	JACKSON	0A060	3.968	RILEY CREEK	OPEN	5/30/2017	1996	36.436683	-85.678267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
440A0600003	JACKSON	0A060	4.332	JENNINGS CREEK	OPEN	5/30/2017	1985	36.44015	-85.6748	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
440A0740001	JACKSON	0A074	1.243	CRABTREE CREEK	OPEN	5/25/2017	1986	36.483817	-85.75475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
440A0740003	JACKSON	0A074	1.547	CRABTREE CREEK	OPEN	5/25/2017	1950	36.487983	-85.753167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.7
440A0740005	JACKSON	0A074	2.4	CRABTREE CREEK	OPEN	5/25/2017	1984	36.497	-85.74645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
440A0750001	JACKSON	0A075	0	JENNINGS CREEK	OPEN	5/30/2017	1990	36.4503	-85.6936	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.3
440A0760001	JACKSON	0A076	1	PINE LICK CREEK	OPEN	6/1/2017	1985	36.475733	-85.694017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
440A0790001	JACKSON	0A079	1.071	FUNNS BRANCH	OPEN	6/26/2017	1984	36.3208	-85.826317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
440A1180001	JACKSON	0A118	0.01	ROARING RIVER	OPEN	6/28/2017	1990	36.36245	-85.613583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
440A1220001	JACKSON	0A122	0.072	ROARING RIVER	OPEN	6/29/2017	2011	36.35165	-85.54605	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.1
440A1390001	JACKSON	0A139	4.147	DODSON CREEK	OPEN	6/29/2017	1978	36.322233	-85.511667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
440A1400001	JACKSON	0A140	0.025	SPRING CREEK	OPEN	5/31/2017	2013	36.338683	-85.520367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	98
440A1820001	JACKSON	0A182	1.623	BLACKBURN FORK CREEK	OPEN	5/3/2017	1986	36.240633	-85.57355	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
440A1830001	JACKSON	0A183	0.24	BLACKBURN FORK CREEK	OPEN	5/1/2017	2013	36.236167	-85.570817	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
440A1860001	JACKSON	0A186	2.151	BOWMAN BRANCH	OPEN	5/1/2017	1995	36.25505	-85.60175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
440A2020001	JACKSON	0A202	1.318	MORRISON CREEK	OPEN	5/31/2017	1984	36.327067	-85.5965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
440A2030001	JACKSON	0A203	1.359	MORRISON CREEK	OPEN	5/31/2017	1984	36.344067	-85.5894	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
440A2070001	JACKSON	0A207	0.077	BLACKBURN FORK CREEK	OPEN	6/13/2017	2013	36.30435	-85.56005	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
440A2070003	JACKSON	0A207	3.32	BLACKBURN FORK CREEK	OPEN	6/13/2017	1940	36.339017	-85.565567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.4
440A2120001	JACKSON	0A212	0.049	GIBSON HOLLOW BRANCH	OPEN	5/25/2017	1965	36.3497	-85.658233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
440A2350001	JACKSON	0A235	0.009	FLYNN CREEK	OPEN	10/27/2016	1985	36.274883	-85.658033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
440A2350009	JACKSON	0A235	0.372	BRANCH	WEIGHT POSTED	5/3/2017	1987	36.269917	-85.657733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.2
440A2350003	JACKSON	0A235	0.648	RUSH FORK CREEK	OPEN	10/27/2016	1984	36.267067	-85.660733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
440A2350005	JACKSON	0A235	1.026	RUSH FORK CREEK	OPEN	10/27/2016	1978	36.26175	-85.660917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
440A2350007	JACKSON	0A235	1.762	RUSH FORK CREEK	OPEN	10/27/2016	1984	36.251933	-85.65875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
440A2380001	JACKSON	0A238	0	DRY FORK CREEK	OPEN	5/8/2017	1984	36.2615	-85.696383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
440A2530001	JACKSON	0A253	0	DRY FORK CREEK	WEIGHT POSTED	5/8/2017	1960	36.270767	-85.752117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.3
440A2530005	JACKSON	0A253	0.403	DRY FORK BRANCH	OPEN	5/8/2017	1984	36.270217	-85.745133	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77
440A2540001	JACKSON	0A254	1.708	DRY FORK CREEK	OPEN	5/8/2017	1984	36.275233	-85.75625	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.6
440A2640001	JACKSON	0A264	0.063	DRY FORK CREEK	OPEN	5/8/2017	1984	36.288683	-85.70785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
440A2650001	JACKSON	0A265	0.101	FLYNN CREEK	OPEN	5/2/2017	1984	36.293983	-85.694383	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93
440A2650003	JACKSON	0A265	0.174	FLYNN CREEK	OPEN	5/2/2017	1986	36.2929	-85.6942	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
440A2650005	JACKSON	0A265	1.127	FLYNN CREEK	OPEN	5/2/2017	1987	36.284683	-85.68105	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
440A2680001	JACKSON	0A268	0.068	FLYNN CREEK	OPEN	5/2/2017	1960	36.28055	-85.67995	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.8
440A2690001	JACKSON	0A269	0.062	FLYNN CREEK	OPEN	5/3/2017	1970	36.278417	-85.672767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
440A2830001	JACKSON	0A283	0.13	FLYNN CREEK	OPEN	5/31/2017	1960	36.317733	-85.71455	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.4
440A2930001	JACKSON	0A293	3.523	FLYNN CREEK	OPEN	6/28/2017	1986	36.340033	-85.72285	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.1
440A2930003	JACKSON	0A293	3.557	OVERFLOW OF FLYNN CREEK	OPEN	6/28/2017	1985	36.339933	-85.722217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
440A3390001	JACKSON	0A339	0.172	DOE CREEK	OPEN	5/25/2017	1970	36.3544	-85.655217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
440A3530001	JACKSON	0A353	0.164	DOE CREEK	OPEN	5/25/2017	1970	36.3503	-85.656467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
440A3580001	JACKSON	0A358	0.389	DOE CREEK	OPEN	6/21/2017	1985	36.3723	-85.654883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73.3
440A3860001	JACKSON	0A386	2.414	JENNINGS CREEK	OPEN	5/25/2017	1984	36.467467	-85.795333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
440A3910001	JACKSON	0A391	0.013	DOE CREEK	WEIGHT POSTED	5/25/2017	1935	36.346617	-85.657933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32
440A3920001	JACKSON	0A392	0.015	NORTH FORK CREEK	OPEN	5/25/2017	1995	36.4658	-85.71875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
440A2290001	JACKSON	0A421	0.107	DOE CREEK	OPEN	5/30/2017	1984	36.337467	-85.6551	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
44022520001	JACKSON	0A593	10.34	BRIMSTONE CREEK	OPEN	6/21/2017	2012	36.479033	-85.6093	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.2
44SR0530001	JACKSON	SR053	1.24	MARTIN CREEK	OPEN	7/10/2017	1998	36.272233	-85.79945	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.1
44SR0530027	JACKSON	SR053	3.32	BRANCH	OPEN	7/10/2017	1939	36.275617	-85.76705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.4
44SR0530003	JACKSON	SR053	7.84	FLYNN CREEK	OPEN	4/26/2017	1935	36.306317	-85.711883	CONCRETE	TEE BEAM	66.8
44SR0530005	JACKSON	SR053	8.68	BUFFALO CREEK	OPEN	1/25/2017	1934	36.3178	-85.7123	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
44SR0530007	JACKSON	SR053	8.98	SHAKE RAG CREEK	OPEN	1/25/2017	1984	36.322217	-85.71245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
44SR0530029	JACKSON	SR053	10.62	BRANCH	OPEN	1/25/2017	1935	36.340333	-85.7017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
44SR0530009	JACKSON	SR053	11.18	HOPKINS BRANCH	OPEN	1/25/2017	1984	36.347583	-85.6984	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
44SR0530011	JACKSON	SR053	11.43	POORHOUSE CREEK	OPEN	3/16/2017	1984	36.348333	-85.695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
44SR0530015	JACKSON	SR053	15.72	ROARING RIVER	OPEN	4/24/2017	1972	36.37355	-85.647283	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	84
44SR0530017	JACKSON	SR053	17.56	HURRICANE CREEK	OPEN	10/31/2016	1978	36.396683	-85.634667	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.7
44SR0530019	JACKSON	SR053	21.41	SUGAR CREEK	OPEN	3/28/2017	1979	36.437733	-85.612333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.6
44SR0530021	JACKSON	SR053	22.38	PENITENTIARY BRANCH	OPEN	7/10/2017	1978	36.439417	-85.595017	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.8
44SR0530023	JACKSON	SR053	23.55	HAMILTON BRANCH	OPEN	7/10/2017	1978	36.448517	-85.5784	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	96.6
44SR0530025	JACKSON	SR053	25.19	BRANCH	OPEN	7/10/2017	1967	36.468678	-85.5831	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
44SR0560001	JACKSON	SR056	8.36	DOE CREEK	OPEN	7/6/2017	1963	36.320117	-85.6553	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
44SR0560003	JACKSON	SR056	8.69	DOE CREEK	OPEN	7/6/2017	1963	36.323983	-85.658033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
44SR0560005	JACKSON	SR056	9.35	DOE CREEK	OPEN	7/6/2017	1963	36.33375	-85.658167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
44SR0560029	JACKSON	SR056	10.5	GIBSON HOLLOW BRANCH	OPEN	7/6/2017	1972	36.349533	-85.657517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
44SR0560007	JACKSON	SR056	10.92	DOE CREEK	OPEN	10/31/2016	1972	36.356333	-85.655433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
44SR0560009	JACKSON	SR056	10.98	CUMBERLAND RIVER	OPEN	4/24/2017	1994	36.372767	-85.652283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.2
44SR0560011	JACKSON	SR056	15.72	BRANCH	OPEN	6/1/2017	1951	36.428117	-85.662117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
44SR0560013	JACKSON	SR056	17.15	GERMANY CREEK	OPEN	6/1/2017	1951	36.44515	-85.671483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65
44SR0560015	JACKSON	SR056	17.73	PINE LICK CREEK	OPEN	6/1/2017	1997	36.4488	-85.679783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
44SR0560017	JACKSON	SR056	20.95	NORTH FORK BRANCH	OPEN	6/1/2017	1951	36.46555	-85.716383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
44SR0560019	JACKSON	SR056	23.27	CRABTREE CREEK	OPEN	6/1/2017	2010	36.467	-85.754567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.4
44SR0560021	JACKSON	SR056	23.55	HUDSON CREEK	OPEN	6/1/2017	1989	36.465233	-85.758833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
44SR0560023	JACKSON	SR056	24.92	JENNINGS CREEK	OPEN	6/13/2017	1985	36.46435	-85.7801	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
44SR0560025	JACKSON	SR056	25.15	JENNINGS CREEK	OPEN	6/13/2017	1985	36.466283	-85.783483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
44SR0560031	JACKSON	SR056	25.53	BRANCH	OPEN	6/12/2017	1983	36.468267	-85.789867	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	86.2
44SR0850001	JACKSON	SR085	1.31	SALT LICK CREEK	OPEN	6/14/2017	1962	36.34605	-85.8078	CONCRETE	TEE BEAM	82.6
44SR0850003	JACKSON	SR085	3.47	WARTRACE CREEK	OPEN	6/14/2017	1963	36.361683	-85.774633	CONCRETE CONTINUOUS	TEE BEAM	87.8
44SR0850005	JACKSON	SR085	4.77	INDIAN CREEK	OPEN	6/14/2017	1962	36.362317	-85.753367	CONCRETE CONTINUOUS	TEE BEAM	73.2
44SR0850013	JACKSON	SR085	10.78	INDIAN CREEK	OPEN	6/12/2017	2001	36.39595	-85.722683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
44SR0850011	JACKSON	SR085	11.27	HICKS HOLLOW BRANCH	OPEN	6/12/2017	2014	36.4002	-85.715967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
44SR0850009	JACKSON	SR085	13.09	HENSLEY CREEK	OPEN	6/12/2017	1978	36.417833	-85.702067	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	73.2
44SR0850007	JACKSON	SR085	15.07	JENNINGS CREEK	OPEN	4/26/2017	1981	36.419667	-85.673267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
44SR1350001	JACKSON	SR135	9.22	BLACKBURNS CREEK	OPEN	4/26/2017	1987	36.34765	-85.565567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.8
44SR1350003	JACKSON	SR135	11.08	MORRISON CREEK	OPEN	1/25/2017	1984	36.35575	-85.588567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
44SR1350005	JACKSON	SR135	12.16	TALLEY CREEK	OPEN	1/25/2017	1984	36.348783	-85.604467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
44S43900001	JACKSON	SR135	17.2	KEELING BRANCH	OPEN	6/1/2017	1958	36.464517	-85.68315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.4
44S43900003	JACKSON	SR135	17.6	KEELING BRANCH	OPEN	5/8/2017	2012	36.467417	-85.6771	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.1
44SR1510001	JACKSON	SR151	0.27	HUDSON CREEK	OPEN	6/8/2017	1984	36.467467	-85.763267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
44SR1510003	JACKSON	SR151	2.51	HUDSON CREEK	OPEN	6/8/2017	1950	36.494567	-85.8145	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.5
44SR1510005	JACKSON	SR151	2.69	HUDSON CREEK	OPEN	6/8/2017	2008	36.495917	-85.7837	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
44S62920007	JACKSON	SR262	1	WARTRACE CREEK	OPEN	6/1/2017	1954	36.40725	-85.81235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
44S62920005	JACKSON	SR262	1.22	WARTRACE CREEK	OPEN	6/1/2017	1998	36.4051	-85.809483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.7
44S62920003	JACKSON	SR262	1.67	WARTRACE CREEK	OPEN	6/7/2017	2005	36.399867	-85.804833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
44S62920001	JACKSON	SR262	2.33	WARTRACE CREEK	OPEN	6/7/2017	1998	36.391667	-85.798333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
44S61670001	JACKSON	SR262	3.54	EAST FORK WARTRACE CREEK	OPEN	6/7/2017	1954	36.380267	-85.787383	CONCRETE	TEE BEAM	47.6
44SR0852001	JACKSON	SR262	5.11	BULLARD CREEK	OPEN	6/1/2017	1949	36.356	-85.721083	CONCRETE	TEE BEAM	80.8
44SR0852003	JACKSON	SR262	6.63	TRACE CREEK	OPEN	6/1/2017	1949	36.35765	-85.697233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
44SR0852005	JACKSON	SR262	7.56	CUMBERLAND RIVER	OPEN	7/22/2015	1959	36.36	-85.681667	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	68
44SR2900001	JACKSON	SR290	11.22	BOWMAN CREEK	OPEN	7/6/2017	1998	36.2395	-85.606417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
44014100001	JACKSON	SR477	2.48	BLACKBURN CREEK	OPEN	7/20/2015	1960	36.250217	-85.564983	CONCRETE CONTINUOUS	TEE BEAM	81.7
44014100003	JACKSON	SR477	3.85	DRY CREEK	OPEN	5/1/2017	1940	36.255483	-85.543417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.4
45S24650005	JEFFERSON	01296	5.22	BRANCH	OPEN	5/8/2017	1998	36.062183	-83.45555	CONCRETE	SLAB	82.3
45S24650001	JEFFERSON	01296	10.29	PIEDMONT BRANCH	OPEN	5/3/2017	1955	36.02605	-83.529233	CONCRETE	SLAB	66.8
450A1450001	JEFFERSON	01296	16.435	LOST CREEK	OPEN	5/3/2017	1921	36.10055	-83.549933	CONCRETE	ARCH - DECK	59.3
45S24130003	JEFFERSON	01298	0.08	PIEDMONT BRANCH	OPEN	5/3/2017	1940	36.023667	-83.531183	CONCRETE	TEE BEAM	60.8
45014050003	JEFFERSON	01405	0.22	PIEDMOUNT BRANCH	OPEN	5/3/2017	1960	36.0189	-83.535283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
45I00400025	JEFFERSON	01405	1.03	I40	OPEN	6/1/2016	1973	36.008183	-83.530283	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.1
45014050001	JEFFERSON	01405	1.05	RAMP TO I40/DUMPLIN CR	OPEN	6/1/2016	1973	36.008533	-83.526783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
450A4650001	JEFFERSON	01430	0.18	LONG CREEK	OPEN	5/9/2017	1965	36.079633	-83.372167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.7
45I00810001	JEFFERSON	01430	0.24	I81	WEIGHT POSTED	6/14/2016	1960	36.078667	-83.367214	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.8
45024510001	JEFFERSON	02451	0.41	SEEHORN CREEK	OPEN	5/10/2017	1943	36.019533	-83.3095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.1
45024530003	JEFFERSON	02453	5.76	LOST CREEK	OPEN	5/3/2017	1986	36.09385	-83.605717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
45024530005	JEFFERSON	02453	7.54	LEWIS CREEK	WEIGHT POSTED	5/3/2017	1934	36.115217	-83.601883	CONCRETE	SLAB	28.7
45024530009	JEFFERSON	02453	9.15	BRANCH	OPEN	5/3/2017	2002	36.121767	-83.582433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.6
45024530007	JEFFERSON	02453	15.77	MILL SPRING CREEK	OPEN	5/2/2017	1995	36.1664	-83.525933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
45024570001	JEFFERSON	02457	0.13	LONG CREEK	OPEN	5/9/2017	1938	36.112633	-83.296867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.2
45100400031	JEFFERSON	02498	2.68	I40	OPEN	6/2/2016	1974	36.021183	-83.481433	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87
45025000001	JEFFERSON	02500	1.39	KOONTZ CREEK	WEIGHT POSTED	5/8/2017	1950	36.050383	-83.385333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.1
45025100003	JEFFERSON	02510	0.1	LOST CREEK	OPEN	5/3/2017	1940	36.090933	-83.541517	CONCRETE	SLAB	52.1
45025100001	JEFFERSON	02510	1.88	LOST CREEK	WEIGHT POSTED	5/2/2017	1940	36.08045	-83.515017	CONCRETE CONTINUOUS	SLAB	27.8
45025450001	JEFFERSON	02514	0.05	CLEAR CREEK	OPEN	5/10/2017	1984	35.930233	-83.344267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
45100810011	JEFFERSON	02516	0.54	I81	OPEN	6/14/2016	1966	36.1183	-83.327683	CONCRETE CONTINUOUS	TEE BEAM	77
45025160001	JEFFERSON	02516	1.37	CARTER CREEK	OPEN	5/9/2017	1918	36.118017	-83.314983	CONCRETE	TEE BEAM	44.9
45025160003	JEFFERSON	02516	2.095	LONG CREEK	OPEN	5/9/2017	1918	36.11055	-83.307833	CONCRETE	TEE BEAM	67
45025300001	JEFFERSON	02530	0.44	SOUTHERN RAILWAY	OPEN	5/8/2017	1968	36.134717	-83.46875	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.8
45026350001	JEFFERSON	02635	2.58	LOST CREEK	OPEN	5/2/2017	1960	36.0804	-83.5015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
45S26040001	JEFFERSON	02716	0.23	MOSSY CREEK	OPEN	5/2/2017	1935	36.127183	-83.486333	CONCRETE	TEE BEAM	66.5
45F00290003	JEFFERSON	02716	0.55	SOUTHERN RAILWAY	CLOSED	5/2/2017	1945	36.130317	-83.482183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	5
45M38310001	JEFFERSON	03831	0.11	MOSSY CREEK	OPEN	5/2/2017	1988	36.1275	-83.49275	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	59.6
450A3910001	JEFFERSON	05496	0.39	SINKING FORK CREEK	OPEN	5/10/2017	1993	36.130033	-83.2889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
450A3910003	JEFFERSON	05496	0.4	NORFOLK/SOUTHERN RR	OPEN	5/10/2017	1993	36.12975	-83.28795	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
450A0390001	JEFFERSON	0A039	0.095	MOSSY CREEK	OPEN	5/2/2017	1984	36.128367	-83.486617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
450A0720003	JEFFERSON	0A072	2.685	BEAVER CREEK	OPEN	5/2/2017	1986	36.081433	-83.626617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
450A0720005	JEFFERSON	0A072	4.105	BEAVER CREEK	OPEN	5/2/2017	1986	36.093983	-83.6404	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
450A0800001	JEFFERSON	0A080	0.047	BEAVER CREEK	OPEN	5/2/2017	1986	36.06945	-83.617967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
450A0820001	JEFFERSON	0A082	1.87	LOST CREEK	WEIGHT POSTED	5/3/2017	1942	36.100667	-83.611583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.1
450A1180001	JEFFERSON	0A118	0.405	DUMPLIN CREEK	OPEN	5/8/2017	1984	35.993667	-83.562783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
45S24130001	JEFFERSON	0A137	0.325	PIEDMONT BRANCH	OPEN	5/8/2017	1940	36.0218	-83.5321	CONCRETE	TEE BEAM	59.8
450A1550001	JEFFERSON	0A155	0.144	LOST CREEK	OPEN	5/3/2017	1984	36.097083	-83.584867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
45S24650003	JEFFERSON	0A172	0.105	LOST CREEK	OPEN	5/3/2017	1965	36.101417	-83.55225	CONCRETE	CHANNEL BEAM	58.9
450A2630001	JEFFERSON	0A263	0.074	MOSSY CREEK	OPEN	5/2/2017	1988	36.1279	-83.491333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
45I00400013	JEFFERSON	0A465	1.183	I40	OPEN	6/13/2016	1960	36.0535	-83.35815	CONCRETE CONTINUOUS	TEE BEAM	83.6
450A4820001	JEFFERSON	0A482	0.032	DUMPLIN CREEK	WEIGHT POSTED	5/8/2017	1938	36.0616	-83.45525	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.5
45I00400003	JEFFERSON	0A482	3.352	I40	OPEN	6/2/2016	1964	36.034017	-83.4519	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.1
450A4990001	JEFFERSON	0A499	0.019	SINKING FORK	OPEN	5/9/2017	1984	36.1225	-83.295667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
450A5790001	JEFFERSON	0A579	0.362	LONG CREEK	WEIGHT POSTED	5/9/2017	1952	36.092067	-83.333317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.7
45I00810005	JEFFERSON	0A579	1.372	I81	OPEN	6/14/2016	1966	36.09655	-83.347933	CONCRETE CONTINUOUS	TEE BEAM	78.4
450A5810001	JEFFERSON	0A581	2.839	CRIDER CREEK	OPEN	5/9/2017	1965	36.079267	-83.369867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
450A5830001	JEFFERSON	0A583	0.251	LONG CREEK	OPEN	5/9/2017	1981	36.080567	-83.359833	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	77.5
450A5860001	JEFFERSON	0A586	0.293	SPRING CREEK	OPEN	5/10/2017	1997	36.042817	-83.36	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90
450A6570001	JEFFERSON	0A657	2.645	BALL CREEK	OPEN	5/10/2017	1943	35.983583	-83.304783	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.8
450A6600001	JEFFERSON	0A660	0.185	INDIAN CREEK	OPEN	5/10/2017	1943	35.976833	-83.30965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
45I00400021	JEFFERSON	0A735	0.035	I40	OPEN	6/13/2016	1960	36.027167	-83.3073	CONCRETE CONTINUOUS	TEE BEAM	93.7
450A8360001	JEFFERSON	0A836	0.687	DUMPLIN CREEK	OPEN	5/8/2017	1993	36.033317	-83.491867	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.9
45I00400029	JEFFERSON	0A872	1.406	I40	OPEN	6/2/2016	1973	36.0144	-83.51005	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.8
450A8730001	JEFFERSON	0A873	1.505	DUMPLIN CREEK	OPEN	5/8/2017	1986	36.017167	-83.509183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
450A8780001	JEFFERSON	0A878	0.338	DUMPLIN CREEK	OPEN	5/8/2017	1992	36.0298	-83.496033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
450A8800001	JEFFERSON	0A880	0.539	DUMPLIN CREEK	OPEN	5/8/2017	1984	36.040067	-83.475467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
450A8840001	JEFFERSON	0A884	1.137	DUMPLIN CREEK	OPEN	5/8/2017	2004	36.0508	-83.46155	CONCRETE	ARCH - DECK	100
450A8970001	JEFFERSON	0A897	0.046	LOST CREEK	OPEN	5/2/2017	1960	36.080383	-83.507433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.3
45I00810017	JEFFERSON	0B242	0.76	I81	OPEN	6/14/2016	1966	36.13385	-83.29425	CONCRETE CONTINUOUS	TEE BEAM	64.5
450A0870001	JEFFERSON	0D585	4.289	BEAVER CREEK	OPEN	5/2/2017	1936	36.0808	-83.625883	CONCRETE	TEE BEAM	73.4
45I00400033	JEFFERSON	I0040	0.27	NFA A118 COOK MILL RD	OPEN	6/1/2016	1973	35.9938	-83.564683	CONCRETE CONTINUOUS	TEE BEAM	86.2
45I00400034	JEFFERSON	I0040	0.27	NFA A118 COOK MILL RD	OPEN	6/1/2016	1973	35.99425	-83.565233	CONCRETE CONTINUOUS	TEE BEAM	86.2
45I00400037	JEFFERSON	I0040	2.3	EXIT RAMP OVER DUMPLIN C	OPEN	6/1/2016	1973	36.0062	-83.532683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
45I00400035	JEFFERSON	I0040	3.3	DUMPLIN CREEK	OPEN	6/1/2016	1973	36.012433	-83.0156	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58
45I00400001	JEFFERSON	I0040	5.62	SR 9	OPEN	6/2/2016	1965	36.022583	-83.4763	CONCRETE CONTINUOUS	TEE BEAM	92.9
45I00400002	JEFFERSON	I0040	5.62	SR 9	OPEN	6/2/2016	1965	36.0227	-83.476283	CONCRETE CONTINUOUS	TEE BEAM	92.8
45I00400005	JEFFERSON	I0040	7.93	SR 92	OPEN	6/8/2016	2000	36.038183	-83.440617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
45I00400007	JEFFERSON	I0040	9.33	NFA A486 CHESTNUT GRV RD	OPEN	6/8/2016	1965	36.048483	-83.418467	CONCRETE CONTINUOUS	TEE BEAM	90.7
45I00400008	JEFFERSON	I0040	9.33	NFA A486 CHESTNUT GRV RD	OPEN	6/8/2016	1965	36.048733	-83.418483	CONCRETE CONTINUOUS	TEE BEAM	89.6
45I00400010	JEFFERSON	I0040	10.85	SR 66	OPEN	6/8/2016	1965	36.062333	-83.3971	CONCRETE CONTINUOUS	TEE BEAM	97
45I00400009	JEFFERSON	I0040	10.85	SR 66	OPEN	6/8/2016	1965	36.062133	-83.3971	CONCRETE CONTINUOUS	TEE BEAM	86
45I00400039	JEFFERSON	I0040	11.68	RAMP FROM I81 LT LN	OPEN	6/9/2016	1961	36.0678	-83.386583	CONCRETE CONTINUOUS	TEE BEAM	56.2
45I00400041	JEFFERSON	I0040	11.98	RAMP FROM I81 LF LN	OPEN	6/13/2016	1961	36.067417	-83.38385	CONCRETE CONTINUOUS	TEE BEAM	90.1
45I00400011	JEFFERSON	I0040	12.13	NFA 2500 ZIRKLE ROAD	OPEN	6/8/2016	1961	36.062233	-83.37825	CONCRETE CONTINUOUS	TEE BEAM	82.8
45I00400012	JEFFERSON	I0040	12.13	NFA 2500 ZIRKLE ROAD	OPEN	6/8/2016	1961	36.0625	-83.378233	CONCRETE CONTINUOUS	TEE BEAM	82.8
45I00400015	JEFFERSON	I0040	14.02	NFA A465	OPEN	6/13/2016	1961	36.049083	-83.3492	CONCRETE CONTINUOUS	TEE BEAM	91
45I00400016	JEFFERSON	I0040	14.02	NFA A465	OPEN	6/13/2016	1961	36.049233	-83.348883	CONCRETE CONTINUOUS	TEE BEAM	89.1
45I00400018	JEFFERSON	I0040	14.45	SR 113	OPEN	6/13/2016	1961	36.045183	-83.34275	CONCRETE CONTINUOUS	TEE BEAM	83.2
45I00400017	JEFFERSON	I0040	14.45	SR 113	OPEN	6/13/2016	1961	36.0454	-83.342967	CONCRETE CONTINUOUS	TEE BEAM	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
45I00400019	JEFFERSON	I0040	14.68	FRENCH BROAD RIVER	OPEN	7/11/2016	1960	36.043	-83.339317	STEEL CONTINUOUS	TRUSS - DECK	68.5
45I00810019	JEFFERSON	I0081	0.27	RAMP TO I40 RT LN ONLY	OPEN	6/9/2016	1960	36.068933	-83.384117	CONCRETE CONTINUOUS	TEE BEAM	65.8
45I00810003	JEFFERSON	I0081	1.34	LONG CREEK	OPEN	6/20/2016	1967	36.079433	-83.3702	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57
45I00810007	JEFFERSON	I0081	3.45	CRIDER CREEK	OPEN	6/20/2016	1967	36.100433	-83.34385	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58
45I00810009	JEFFERSON	I0081	4.12	SR 341	OPEN	6/14/2016	2007	36.1086	-83.33625	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
45I00810010	JEFFERSON	I0081	4.12	SR 341	OPEN	6/14/2016	2007	36.108717	-83.336667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
45I00810021	JEFFERSON	I0081	5.06	BRANCH	OPEN	6/20/2016	1960	36.11935	-83.325483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
45I00810022	JEFFERSON	I0081	5.09	BRANCH	OPEN	6/20/2016	1987	36.119467	-83.326033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
45I00810013	JEFFERSON	I0081	6.3	CEDAR CREEK	OPEN	6/20/2016	1967	36.130083	-83.324783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
45I00810015	JEFFERSON	I0081	6.35	NFA 2518 HARDY RD	OPEN	6/14/2016	1967	36.130333	-83.307317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.9
45I00810016	JEFFERSON	I0081	6.35	NFA 2518 HARDY RD	OPEN	6/14/2016	1967	36.130667	-83.307683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.4
45SR0090001	JEFFERSON	SR009	2.49	TUCKAHOE CREEK	OPEN	10/7/2015	1930	36.0253	-83.575533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
45SR0090003	JEFFERSON	SR009	4.84	PIEDMONT BRANCH	OPEN	10/7/2015	1930	36.022333	-83.5353	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
45SR0090005	JEFFERSON	SR009	5.08	BRANCH	OPEN	10/7/2015	1930	36.02275	-83.531117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
45SR0090007	JEFFERSON	SR009	7	DUMPLIN CREEK	OPEN	10/7/2015	1930	36.028483	-83.497917	CONCRETE	TEE BEAM	66.1
45SR0090009	JEFFERSON	SR009	13.23	RIMMER CREEK	OPEN	10/7/2015	1934	36.027683	-83.397683	CONCRETE	TEE BEAM	32.4
45SR0090011	JEFFERSON	SR009	14.24	KOONTZ CREEK	OPEN	10/7/2015	1930	36.034583	-83.3818	CONCRETE	TEE BEAM	32.7
45SR0090013	JEFFERSON	SR009	15.72	SPRING CREEK	OPEN	10/7/2015	1930	36.04205	-83.3573	CONCRETE	TEE BEAM	56.8
45SR0090015	JEFFERSON	SR009	16.59	FRENCH BROAD RIVER	OPEN	9/8/2015	2002	36.038333	-83.34	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
45SR0320001	JEFFERSON	SR032	4.56	SOUTHERN RAILWAY	OPEN	10/13/2015	1997	36.105817	-83.282483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5
45SR0320003	JEFFERSON	SR032	5.31	LONG CREEK	OPEN	10/13/2015	2003	36.116717	-83.2856	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.4
45SR0340001	JEFFERSON	SR034	0.52	CROWDER CREEK	OPEN	10/5/2015	1952	36.061417	-83.684017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
45SR0340003	JEFFERSON	SR034	3.94	BEAVER CREEK	OPEN	10/5/2015	1954	36.07645	-83.626783	CONCRETE	TEE BEAM	96.6
45SR0340004	JEFFERSON	SR034	3.94	BEAVER CREEK	OPEN	10/5/2015	1952	36.076533	-83.626867	CONCRETE	TEE BEAM	92.5
45SR0340005	JEFFERSON	SR034	7.72	LOST CREEK	OPEN	10/5/2015	1949	36.097483	-83.564517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.6
45SR0340007	JEFFERSON	SR034	8.38	BRANCH	OPEN	10/5/2015	1949	36.101	-83.5536	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
45SR0340009	JEFFERSON	SR034	13.06	MOSSY CREEK	OPEN	10/5/2015	1949	36.122167	-83.47445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
45SR0340011	JEFFERSON	SR034	14.97	SR 34 LF LN / SOU RR	OPEN	10/6/2015	1953	36.140167	-83.448733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67
45SR0340013	JEFFERSON	SR034	14.98	SR 34 RT LN / SOU RR	OPEN	10/6/2015	1953	36.140183	-83.4484	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67
45SR0660003	JEFFERSON	SR066	0.9	RIMMER CREEK	OPEN	10/13/2015	1948	36.0333	-83.409467	CONCRETE CONTINUOUS	SLAB	57.5
45SR0660005	JEFFERSON	SR066	5.17	BRANCH	OPEN	10/13/2015	1995	36.081033	-83.375483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
45SR0920015	JEFFERSON	SR092	0.01	BRANCH	OPEN	10/12/2015	1985	35.929833	-83.340217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93
45SR0920001	JEFFERSON	SR092	1.43	CLEAR CREEK	OPEN	10/12/2015	1946	35.93835	-83.360117	CONCRETE	TEE BEAM	64.6
45SR0920003	JEFFERSON	SR092	3.115	MUDDY CREEK	OPEN	10/12/2015	1946	35.95425	-83.366817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	31
45SR0920005	JEFFERSON	SR092	9.14	FRENCH BROAD RIVER	WEIGHT POSTED	7/25/2016	1947	36.010167	-83.4117	STEEL CONTINUOUS	TRUSS - THRU	16.8
45SR0920007	JEFFERSON	SR092	12.88	DUMPLIN CREEK	OPEN	10/12/2015	1970	36.050067	-83.462183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
45SR0920011	JEFFERSON	SR092	19.55	SOUTHERN RAILWAY	OPEN	10/13/2015	2003	36.121233	-83.508367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.6
45SR0920013	JEFFERSON	SR092	23.96	HOLSTON RIVER	OPEN	9/3/2015	1962	36.167967	-83.504617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.2
45SR1390001	JEFFERSON	SR139	1.25	BRANCH	OPEN	10/7/2015	2010	36.057133	-83.658817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
45004980001	JEFFERSON	SR139	5.95	SHODDEN CREEK	OPEN	10/12/2015	2003	35.998583	-83.44415	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
45S26260003	JEFFERSON	SR341	7.42	LONG CREEK	OPEN	10/5/2015	1970	36.1015	-83.318167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
45S25620001	JEFFERSON	SR363	2.75	INDIAN CREEK	OPEN	9/8/2015	1942	35.982117	-83.33475	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	33.7
46S24610001	JOHNSON	01076	3.15	WATAUGA RIVER	OPEN	5/25/2016	1949	36.37445	-81.9045	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.9
46S24610003	JOHNSON	01076	3.95	BIG DRY RUN CREEK	OPEN	5/3/2016	1940	36.323889	-81.938883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
46S25760003	JOHNSON	01076	7.06	DRY RUN CREEK	OPEN	5/3/2016	1940	36.32405	-81.938883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
46S25760001	JOHNSON	01076	9.98	ROAN CREEK	OPEN	5/25/2016	1949	36.37445	-81.937833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.4
46S24610013	JOHNSON	01394	0.25	ROAN CREEK	OPEN	4/27/2016	1954	36.38655	-81.86795	CONCRETE	TEE BEAM	79
46S24610011	JOHNSON	01394	0.49	BRANCH	OPEN	5/3/2016	1955	36.383067	-81.866633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
46S24610009	JOHNSON	01394	1.77	AVERY BRANCH	OPEN	5/2/2016	1955	36.370069	-81.873333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
46S24610007	JOHNSON	01394	5.76	MORGAN BRANCH	OPEN	5/2/2016	1955	36.337117	-81.909633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.6
46S24610005	JOHNSON	01394	5.87	BIG DRY RUN CREEK	OPEN	5/2/2016	1955	36.337033	-81.91155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
46013940003	JOHNSON	01394	6.77	BAKER BRANCH	OPEN	5/2/2016	1940	36.333167	-81.925883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
46S25410001	JOHNSON	02613	0.02	ROAN CREEK	OPEN	4/26/2016	1960	36.415972	-81.836528	CONCRETE	TEE BEAM	78
46S25410003	JOHNSON	02613	0.43	VAUGHT CREEK	WEIGHT POSTED	4/26/2016	1928	36.411556	-81.831972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.9
46S25410005	JOHNSON	02613	1.12	VAUGHT CREEK	OPEN	4/26/2016	1930	36.404694	-81.823139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.7
46026130007	JOHNSON	02613	1.22	LAUREL CREEK	OPEN	4/26/2016	1997	36.403767	-81.822133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
46026150001	JOHNSON	02615	0.98	ROAN CREEK	OPEN	4/27/2016	2010	36.43005	-81.802722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.8
46026170001	JOHNSON	02617	4.9	CORN CREEK	OPEN	5/23/2016	1978	36.48995	-81.811183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
46026210001	JOHNSON	02621	0.59	GENTRY CREEK	WEIGHT POSTED	5/23/2016	1939	36.562722	-81.751483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.3
460B4340001	JOHNSON	0A009	0.075	ROANE CREEK	OPEN	4/27/2016	1970	36.432083	-81.7939	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.5
460A0240001	JOHNSON	0A024	0.426	BEAVERDAM CREEK	WEIGHT POSTED	5/23/2016	2007	36.604033	-81.812783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.9
460A0470001	JOHNSON	0A047	0.361	DOE CREEK	OPEN	4/26/2016	1960	36.4165	-81.967833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82
460A0470003	JOHNSON	0A047	1.125	DOE CREEK	OPEN	4/26/2016	1994	36.409167	-81.96155	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
460A0510001	JOHNSON	0A051	0.068	DOE CREEK	OPEN	4/26/2016	1984	36.384683	-81.962183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
460A0540001	JOHNSON	0A054	0.023	DOE CREEK	OPEN	4/26/2016	1973	36.416217	-81.9563	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57
460A0550001	JOHNSON	0A055	0.222	DOE CREEK	WEIGHT POSTED	4/26/2016	1965	36.41905	-81.95055	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.9
460A0570001	JOHNSON	0A057	0.978	MACK BRANCH	OPEN	4/28/2016	1993	36.438333	-81.94055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
460A0630001	JOHNSON	0A063	0.453	DOE CREEK	WEIGHT POSTED	4/28/2016	1960	36.449056	-81.849278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.5
460A0640001	JOHNSON	0A064	0.103	DOE CREEK	OPEN	4/28/2016	1975	36.448389	-81.920944	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.7
460A0640003	JOHNSON	0A064	0.566	DOE CREEK	OPEN	4/28/2016	1984	36.434717	-81.913883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
460A0710001	JOHNSON	0A071	0.76	DOE CREEK	OPEN	4/28/2016	1995	36.45305	-81.88015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.1
460A0950001	JOHNSON	0A095	0.37	BRANCH	WEIGHT POSTED	5/23/2016	1975	36.500778	-81.775389	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49
46SR0910001	JOHNSON	0A104	0.735	FURNACE CREEK	OPEN	5/10/2016	2004	36.484133	-81.798667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
46SR0910003	JOHNSON	0A104	2.064	FURNACE CREEK	OPEN	5/10/2016	1996	36.008306	-81.013056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
460A1210001	JOHNSON	0A121	0.018	FURNACE CREEK	OPEN	4/28/2016	2002	36.468889	-81.803556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87
460A4350001	JOHNSON	0A122	0.02	FURNACE CREEK	WEIGHT POSTED	5/18/2016	1970	36.479889	-81.798861	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.5
460A1330001	JOHNSON	0A125	0.84	FURNACE CREEK	WEIGHT POSTED	5/18/2016	1970	36.491389	-81.792222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.7
460A1280001	JOHNSON	0A128	0.029	FURNACE CREEK	WEIGHT POSTED	5/18/2016	1959	36.487139	-81.796694	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49
460A1250001	JOHNSON	0A133	0.077	FURNACE CREEK	OPEN	5/18/2016	1950	36.478139	-81.801278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.6
460A1380001	JOHNSON	0A138	0.143	FURNACE CREEK	OPEN	5/18/2016	1939	36.473694	-81.801867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.9
460A1500001	JOHNSON	0A150	0.184	GOOSE CREEK	OPEN	5/18/2016	1970	36.469083	-81.807389	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.3
460A1680001	JOHNSON	0A168	0.253	TOWN CREEK	OPEN	4/28/2016	2001	36.439056	-81.800967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.5
460A0530001	JOHNSON	0A178	0.07	DOE CREEK	OPEN	4/28/2016	1986	36.423633	-81.9439	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
460A1790001	JOHNSON	0A179	0.052	DOE CREEK	OPEN	4/28/2016	1988	36.431853	-81.924497	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
460B4330001	JOHNSON	0A184	0.007	DOE CREEK	WEIGHT POSTED	4/28/2016	2005	36.4212	-81.948783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.4
460A2150001	JOHNSON	0A215	0.029	BEAVER DAM CREEK	OPEN	5/23/2016	1984	36.554444	-81.890833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
460A2480001	JOHNSON	0A248	0.574	GOOSE CREEK	OPEN	5/23/2016	1971	36.494483	-81.815283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
460A2490001	JOHNSON	0A249	0.015	STONE BRANCH	OPEN	5/23/2016	1975	36.497194	-81.816933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
460A2590001	JOHNSON	0A259	0.003	FURNACE CREEK	OPEN	5/3/2016	1979	36.499483	-81.779278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
460A2620001	JOHNSON	0A262	0.346	GENTRY CREEK	WEIGHT POSTED	5/11/2016	1939	36.009278	-81.012483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.1
460A2640001	JOHNSON	0A264	0.7	GENTRY CREEK	OPEN	5/11/2016	1995	36.558611	-81.751667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
460A2730001	JOHNSON	0A273	0.032	LAUREL CREEK	OPEN	5/11/2016	1992	36.57695	-81.757267	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
460A2760001	JOHNSON	0A276	0.037	LAUREL CREEK	OPEN	5/11/2016	1965	36.498056	-81.81295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
460A2960001	JOHNSON	0A296	0.008	FORGE CREEK	OPEN	5/23/2016	1970	36.467267	-81.733167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67
460A2970001	JOHNSON	0A297	0.906	FORGE CREEK	OPEN	5/5/2016	1938	36.44205	-81.770283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85
460A2970003	JOHNSON	0A297	1.873	FORGE CREEK	OPEN	5/5/2016	2015	36.451433	-81.759767	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.6
460A2970005	JOHNSON	0A302	0.181	FORGE CREEK	OPEN	5/5/2016	1978	36.453033	-81.8801	CONCRETE	SLAB	77.5
460A3070001	JOHNSON	0A307	0.007	ROAN CREEK	OPEN	5/10/2016	1978	36.428617	-81.7803	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
460A3090001	JOHNSON	0A309	0.016	ROAN CREEK	OPEN	5/2/2016	1970	36.419717	-81.769517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
460A3460001	JOHNSON	0A346	0.022	ROAN CREEK	OPEN	5/3/2016	1998	36.3537	-81.7551	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.8
460A3620001	JOHNSON	0A362	0.007	ROAN CREEK	OPEN	5/3/2016	1978	36.4315	-81.79965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
460A3720001	JOHNSON	0A372	0.323	VAUGHT CREEK	OPEN	4/27/2016	1986	36.382317	-81.819333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
460A3750001	JOHNSON	0A375	0.336	ROAN CREEK	WEIGHT POSTED	5/2/2016	1962	36.395783	-81.848367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
460A3780001	JOHNSON	0A378	0.061	ROANE'S CREEK	OPEN	5/2/2016	1993	36.39255	-81.862817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
460A4090001	JOHNSON	0A409	4.35	ROAN CREEK	OPEN	4/27/2016	1975	36.375417	-81.927283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.4
460A4130001	JOHNSON	0A413	0.051	ROAN CREEK	OPEN	4/27/2016	1965	36.389733	-81.898972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.1
460A4400001	JOHNSON	0A440	0.018	LAUREL CREEK	OPEN	5/23/2016	1987	36.5925	-81.754883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
460A4340001	JOHNSON	0A458	0.012	FORGE CREEK	OPEN	5/2/2016	1984	36.476667	-81.72485	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
460A0490001	JOHNSON	0A600	0.005	DOE CREEK	OPEN	4/26/2016	1984	36.4124	-81.960767	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.7
460A6010001	JOHNSON	0A602	0.024	ROAN CREEK	OPEN	5/10/2016	1995	36.4129	-81.766617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.3
460C2000001	JOHNSON	0A603	0.01	GOOSE CREEK	OPEN	5/10/2016	1999	36.465472	-81.801917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.7
460D0010001	JOHNSON	0D001	0.01	GOOSE CREEK	OPEN	4/3/2017	2016	36.45395	-81.813333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
46SR0340001	JOHNSON	SR034	2.5	BEAVERDAM CREEK	OPEN	10/13/2016	1990	36.520886	-81.928286	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
46SR0340003	JOHNSON	SR034	12.85	GOOSE CREEK	OPEN	10/13/2016	2005	36.48655	-81.808333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.9
46SR0340005	JOHNSON	SR034	14.33	FURNACE CREEK	OPEN	10/13/2016	1954	36.467922	-81.804028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
46SR0340007	JOHNSON	SR034	17.08	ROARING CREEK	OPEN	10/13/2016	1954	36.433719	-81.785456	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
46SR0340009	JOHNSON	SR034	17.78	ROAN CREEK	OPEN	10/13/2016	1954	36.433719	-81.785453	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.1
46SR0340011	JOHNSON	SR034	19.61	ROAN CREEK	OPEN	10/17/2016	1956	36.433719	-81.785453	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.6
46SR0340013	JOHNSON	SR034	19.96	ROAN CREEK	OPEN	10/17/2016	1956	36.4	-81.756667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.6
46SR0340015	JOHNSON	SR034	21.25	ROAN CREEK	OPEN	10/17/2016	1956	36.383089	-81.759164	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.6
46SR0340017	JOHNSON	SR034	21.41	ROAN CREEK	OPEN	10/17/2016	1956	36.3809	-81.760069	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
46SR0340019	JOHNSON	SR034	21.62	ROAN CREEK	OPEN	10/17/2016	1956	36.377808	-81.760447	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
46SR0340021	JOHNSON	SR034	22.22	ROAN CREEK	OPEN	10/17/2016	1956	36.377808	-81.760447	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.1
46SR0340023	JOHNSON	SR034	22.33	ROAN CREEK	OPEN	10/17/2016	1956	36.368819	-81.754522	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.5
46SR0340025	JOHNSON	SR034	22.59	ROAN CREEK	OPEN	10/17/2016	1956	36.365261	-81.756036	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.5
46SR0340027	JOHNSON	SR034	23.23	ROAN CREEK	OPEN	10/17/2016	1956	36.356172	-81.756122	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
46SR0340029	JOHNSON	SR034	23.94	ROAN CREEK	OPEN	10/17/2016	1956	36.349919	-81.747194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
46SR0670001	JOHNSON	SR067	1.32	KOPLEY CREEK	OPEN	10/11/2016	1946	36.3572	-82.028333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
46SR0670003	JOHNSON	SR067	2.66	COBBS CREEK	OPEN	10/11/2016	1931	36.365917	-82.0062	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	46.9
46SR0670005	JOHNSON	SR067	2.87	BRANCH	OPEN	10/11/2016	1931	36.367117	-82.003033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
46SR0670007	JOHNSON	SR067	5.62	DOE CREEK	OPEN	10/11/2016	2012	36.3938	-81.968333	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
46SR0670009	JOHNSON	SR067	8.12	DOE CREEK	OPEN	10/11/2016	1931	36.422683	-81.935	CONCRETE	TEE BEAM	37.2
46SR0670011	JOHNSON	SR067	10.68	DOE CREEK	OPEN	10/11/2016	1931	36.441667	-81.908333	CONCRETE	TEE BEAM	49.5
46SR0670013	JOHNSON	SR067	16.81	GOOSE CREEK	OPEN	10/10/2016	2011	36.47615	-81.811667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
46SR0910013	JOHNSON	SR091	7.5	BRANCH	OPEN	10/12/2016	2009	36.53695	-81.779533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
46SR0910005	JOHNSON	SR091	9.26	LAUREL CREEK	OPEN	10/12/2016	1996	36.556133	-81.769533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
46SR0910007	JOHNSON	SR091	10.04	LAUREL CREEK	OPEN	10/12/2016	1990	36.564783	-81.7611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.1
46SR0910009	JOHNSON	SR091	10.18	GENTRY CREEK	OPEN	10/12/2016	1970	36.566667	-81.759383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.6
46SR0910011	JOHNSON	SR091	13.59	BRANCH	OPEN	10/12/2016	1916	36.602967	-81.751017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.2
46SR1330001	JOHNSON	SR133	2.76	BEAVERDAM CREEK	OPEN	9/29/2016	1956	36.543417	-81.8957	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
46SR1330003	JOHNSON	SR133	3.14	BEAVERDAM CREEK	OPEN	9/29/2016	1956	36.548575	-81.896525	CONCRETE	TEE BEAM	84.2
46SR1330005	JOHNSON	SR133	4.58	BEAVERDAM CREEK	OPEN	9/29/2016	1956	36.563233	-81.879367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
46SR1330007	JOHNSON	SR133	5.7	BEAVERDAM CREEK	OPEN	10/10/2016	1978	36.567733	-81.864133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
46SR1330015	JOHNSON	SR133	6.45	BRANCH	OPEN	10/10/2016	1956	36.57275	-81.8541	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87
46SR1330009	JOHNSON	SR133	9.6	BEAVERDAM CREEK	OPEN	10/10/2016	1956	36.593483	-81.815017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
46SR1330011	JOHNSON	SR133	9.67	BEAVERDAM CREEK	OPEN	10/10/2016	1956	36.594683	-81.815317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
46S23740001	JOHNSON	SR167	0.15	DOE CREEK	OPEN	10/6/2016	1945	36.386917	-81.967983	CONCRETE	TEE BEAM	56.9
46S23740003	JOHNSON	SR167	13.89	TOWN CREEK	OPEN	10/6/2016	1939	36.445833	-81.798467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.6
46S23740005	JOHNSON	SR167	18.65	FORGE CREEK	OPEN	10/10/2016	1972	36.47405	-81.72795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
46S23740007	JOHNSON	SR167	19.34	FORGE CREEK	OPEN	10/10/2016	1972	36.4814	-81.719917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
46S23740009	JOHNSON	SR167	19.63	FORGE CREEK	OPEN	10/10/2016	1972	36.484917	-81.71715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
47000710013	KNOX	00071	0.53	S. KNOXVILLE /SEVIER AVE	OPEN	1/19/2016	1994	35.95195	-83.893733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
47000710014	KNOX	00071	0.53	S. KNOXVILLE /SEVIER AVE	OPEN	1/19/2016	1994	35.95205	-83.89405	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
47X00710001	KNOX	00071	1.11	TN R-A132-SOURR-FAU1124	OPEN	3/22/2016	1983	35.960967	-83.89705	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.3
47SR0710029	KNOX	00071	1.67	J WHITE PKWY / RIVERSIDE	OPEN	1/19/2016	1999	35.965417	-83.900683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	100
47SR0710019	KNOX	00071	2.46	RMP J WHITE PKWY/NEYLAND	OPEN	2/10/2016	1999	35.963083	-83.913667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.2
47SR0710021	KNOX	00071	2.58	J WHITE RMP / J WHITE	OPEN	2/10/2016	1999	35.9638	-83.912433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
47I00400145	KNOX	01053	0.52	CEDAR BLUFF RD RMP/I40RM	OPEN	10/20/2016	1993	35.918717	-84.090067	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
47004780005	KNOX	01124	1.21	WILLIAMS CREEK	OPEN	6/14/2016	1925	35.970133	-83.882333	CONCRETE	ARCH - DECK	77.9
47S24080001	KNOX	01124	2.93	STRAWBERRY / H. RIV&RD	OPEN	4/26/2016	1949	35.984783	-83.858767	STEEL CONTINUOUS	TRUSS - THRU	53.5
47S24080003	KNOX	01124	4.81	SWAN POND CREEK	OPEN	4/4/2016	1955	35.9793	-83.832367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
47E00470001	KNOX	01135	1.58	BRANCH	OPEN	4/27/2016	1950	35.833233	-84.173817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
47E00470003	KNOX	01135	4.08	LITTLE TURKEY CREEK	OPEN	4/11/2016	2007	35.853217	-84.148467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.5
47I00400001	KNOX	01248	1.755	WATT ROAD / I40	OPEN	10/5/2016	1965	35.877883	-84.237283	CONCRETE CONTINUOUS	TEE BEAM	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47S25020001	KNOX	01250	4.67	FOURTH CREEK	OPEN	6/29/2016	1965	35.923	-83.996417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
47S24050003	KNOX	01252	0.92	MEADOW CREEK	OPEN	5/12/2016	1974	35.96035	-84.108733	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	77.2
47S24050005	KNOX	01252	4.28	GRASSY CREEK	OPEN	6/6/2016	1950	35.986883	-84.059333	CONCRETE	TEE BEAM	55.9
47I00750019	KNOX	01254	0.75	PLEASANT RIDGE RD. / I75	OPEN	1/18/2017	1981	35.983783	-83.977017	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80.2
47I06400005	KNOX	01256	2.75	BRUHIN RD. / I640	OPEN	4/25/2016	2002	36.00345	-83.9539	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.9
47S24100005	KNOX	01256	5.72	KNOB FORK CREEK	OPEN	6/27/2016	2006	36.025417	-83.990967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
47S24100009	KNOX	01256	7.14	BEAVER CREEK	OPEN	6/27/2016	1950	36.039617	-84.00615	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.8
47S24100011	KNOX	01256	10.37	BULL RUN CREEK	OPEN	6/27/2016	1951	36.068833	-84.04675	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.9
47S24100013	KNOX	01256	11.11	BRANCH	OPEN	6/6/2016	1955	36.07865	-84.051383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.7
47I00400113	KNOX	01260	7.44	THORNGROVE ROAD / I40	OPEN	1/12/2017	1973	35.99635	-83.7105	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.3
47S25050001	KNOX	01262	1.64	ROSEBERRY CREEK	OPEN	6/13/2016	1997	36.06445	-83.7573	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
47S25050003	KNOX	01262	2.48	FLAT CREEK	OPEN	6/13/2016	1927	36.06175	-83.745733	CONCRETE	ARCH - DECK	54.8
47S25050009	KNOX	01262	5.18	HOLSTON RIVER	OPEN	5/24/2016	1930	36.059717	-83.70405	CONCRETE	ARCH - THRU	49.3
470D5760001	KNOX	01273	0.97	FLAT CREEK	OPEN	6/13/2016	1950	36.077633	-83.743133	CONCRETE	TEE BEAM	85.6
47012770001	KNOX	01277	0.22	NORTH FORK TURKEY CREEK	OPEN	4/25/2016	1970	35.883983	-84.162133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
47012770003	KNOX	01277	3.08	HICKORY CREEK	OPEN	5/4/2016	2014	35.9092	-84.185967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82
47012770005	KNOX	01277	8.75	PLUM CREEK	OPEN	5/4/2016	1997	35.95685	-84.127183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
47F00440001	KNOX	01281	0.96	TEN MILE CREEK	OPEN	4/25/2016	1995	35.900967	-84.073467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
47F00250001	KNOX	01287	1.02	ROSSBERRY CREEK	OPEN	6/13/2016	1939	36.083117	-83.785733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.2
47012890001	KNOX	01289	0.18	SOUTHERN RAILWAY	OPEN	5/3/2016	1981	36.03435	-83.887983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
47S24120003	KNOX	01289	2.09	MURPHY CREEK	OPEN	5/25/2016	1942	36.0551	-83.870367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47S24120005	KNOX	01289	6.12	ROSEBERRY CREEK	OPEN	5/25/2016	1940	36.092783	-83.818133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.8
47S24120007	KNOX	01289	9.44	LITTLE FLAT CREEK	OPEN	5/25/2016	1952	36.130617	-83.784867	CONCRETE	TEE BEAM	77.6
47S24120009	KNOX	01289	11.45	BIG FLAT CREEK	OPEN	5/25/2016	1940	36.142333	-83.752967	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	54.8
47012930001	KNOX	01293	1.41	BULL RUN CREEK	OPEN	6/7/2016	1965	36.172717	-83.927267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.6
47023990001	KNOX	02399	1.21	TUCKAHOE CREEK	OPEN	3/21/2016	1926	35.97795	-83.68955	CONCRETE	TEE BEAM	72.8
47023990003	KNOX	02399	1.53	BRANCH	OPEN	3/21/2016	1987	35.98085	-83.69375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
47024070003	KNOX	02407	1.02	ZACHARY BRANCH	OPEN	5/25/2016	1974	36.129833	-83.741617	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.2
47024100001	KNOX	02410	3.14	STOCK CREEK	OPEN	4/18/2016	1938	35.878133	-83.8957	CONCRETE	TEE BEAM	57.9
47024160003	KNOX	02416	1.37	LITTLE TURKEY CREEK	OPEN	4/27/2016	2007	35.853717	-84.175683	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.6
47024160005	KNOX	02416	3.88	TURKEY CREEK	OPEN	4/27/2016	1945	35.8704	-84.147233	CONCRETE	TEE BEAM	81.8
47024200001	KNOX	02420	5.325	HICKORY CREEK	OPEN	5/4/2016	1966	35.891317	-84.222733	CONCRETE	CHANNEL BEAM	60
47024220001	KNOX	02422	0.78	GRABLE CREEK	OPEN	5/4/2016	1930	35.887483	-84.243333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.6
47024220003	KNOX	02422	1	HICKORY CREEK	OPEN	5/4/2016	1945	35.888733	-84.2458	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
47024240001	KNOX	02424	2.91	MANIFOLD CREEK	OPEN	3/22/2016	1933	35.97215	-83.724183	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	75.6
47024240003	KNOX	02424	4.42	TUCKAHOE CREEK	OPEN	3/22/2016	1920	35.9674	-83.701883	CONCRETE	ARCH - DECK	58.2
47024280001	KNOX	02428	1.92	SINKING CREEK	OPEN	5/24/2016	1955	36.029567	-83.781967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.7
47024280003	KNOX	02428	5.31	LYONS CREEK	OPEN	5/24/2016	1955	36.037583	-83.727017	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.6
47024300005	KNOX	02430	2.16	LEGG CREEK	OPEN	6/14/2016	1945	36.059033	-83.813	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.6
47024300003	KNOX	02430	4.83	ROSEBERRY CREEK	OPEN	6/13/2016	1965	36.082517	-83.775933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84.7
470E3290001	KNOX	02432	0.25	BEAVER CREEK	OPEN	6/27/2016	1940	36.02725	-84.0276	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.7
47024320001	KNOX	02432	3.73	BULL RUN CREEK	OPEN	6/6/2016	1940	36.051083	-84.074067	CONCRETE	TEE BEAM	67.5
47I00750059	KNOX	02434	4.28	BRUSHY VALLEY RD. / I75	OPEN	1/27/2017	1971	36.0885	-84.012283	CONCRETE CONTINUOUS	TEE BEAM	86.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47024340001	KNOX	02434	8.76	ROARING SPRINGS BRANCH	OPEN	6/7/2016	1966	36.131967	-83.958017	CONCRETE	CHANNEL BEAM	74.8
470A0400003	KNOX	02436	2.93	STOCK CREEK	OPEN	4/14/2016	1915	35.894917	-83.85365	CONCRETE	ARCH - DECK	68.1
470A0400005	KNOX	02436	3.52	STOCK CREEK	OPEN	4/13/2016	1970	35.891683	-83.84405	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
47024360001	KNOX	02436	6.39	HINES CREEK	OPEN	4/5/2016	1935	35.910933	-83.8011	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60
47024360003	KNOX	02436	9.79	GAP CREEK	OPEN	4/6/2016	1935	35.92835	-83.747817	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	54.9
47024360005	KNOX	02436	10.065	GAP CREEK	OPEN	4/6/2016	1930	35.924917	-83.7455	CONCRETE	CHANNEL BEAM	59.6
47037880005	KNOX	03766	0.52	FIRST CREEK	OPEN	6/2/2016	2006	35.96875	-83.9175	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.6
47L37710003	KNOX	03771	2.01	SECOND CREEK	OPEN	6/27/2016	1965	36.009167	-83.973817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
47037730001	KNOX	03773	0.11	WOODLAND AVE/DAVANNA ST	OPEN	6/23/2016	1957	35.982133	-83.936283	CONCRETE	TEE BEAM	79.1
47037730003	KNOX	03773	1.3	FIRST CREEK	OPEN	5/24/2016	1991	35.994017	-83.921667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
47106400027	KNOX	03773	5.02	MILLERTOWN PK. / I640	OPEN	4/20/2016	1981	36.0296	-83.87175	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82.9
47037730005	KNOX	03773	5.3	LOVES CREEK	OPEN	5/16/2016	1940	36.033267	-83.86965	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	70
47037730007	KNOX	03773	5.52	SOUTHERN RAILWAY	OPEN	5/3/2016	1992	36.0359	-83.868183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76
47L37740001	KNOX	03774	1.92	THIRD CREEK	OPEN	5/16/2016	1965	35.951383	-83.968483	CONCRETE	CHANNEL BEAM	73.4
47037740003	KNOX	03774	3.12	E.FK. THIRD CR & SOU. RR	OPEN	5/2/2016	1974	35.9583	-83.94935	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.5
47037740005	KNOX	03774	3.24	CSX RAILROAD	OPEN	5/2/2016	1950	35.9596	-83.9476	CONCRETE	TEE BEAM	51.9
47L37750001	KNOX	03775	0.26	TENNESSEE RIVER & 2 RTS.	OPEN	6/20/2016	1897	35.956783	-83.913617	STEEL CONTINUOUS	TRUSS - DECK	67.5
47L37750003	KNOX	03775	1.2	SOUTHERN RR	OPEN	6/8/2016	2007	35.969483	-83.921983	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.1
47SR1580035	KNOX	03776	0.14	FAU 3776 / S. CENTRAL AV	OPEN	2/17/2016	1973	35.963117	-83.915383	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	94
47SR1580049	KNOX	03776	0.35	FAU 3776 / 2 RTS.	OPEN	2/17/2016	1973	35.962167	-83.914867	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90.9
47100400017	KNOX	03778	0.14	WALKER SPRGS RD / I40	OPEN	10/11/2016	1998	35.923217	-84.065467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47048280001	KNOX	03778	1.45	TRIBUTARY TO TEN MILE CK	OPEN	5/18/2016	2001	35.929517	-84.060217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
47M37800001	KNOX	03780	0.314	SOUTHERN RAILWAY	OPEN	5/2/2016	1937	35.9622	-83.98515	CONCRETE	TEE BEAM	49.7
47000710009	KNOX	03781	1.2	MOODY AVE /S. KNOXVILLE	OPEN	1/14/2016	1993	35.9445	-83.896233	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.8
47037840001	KNOX	03784	1.12	SOUTHERN RAILWAY	OPEN	6/29/2016	1989	35.916833	-84.030283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.5
47SR1580045	KNOX	03788	0	SUMMIT HILL DR / J.WHITE	OPEN	2/17/2016	2006	35.969056	-83.916667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
47102750012	KNOX	03789	1.43	LL-HEISKELL AVE. / I275	OPEN	12/5/2016	1959	35.9914	-83.95175	CONCRETE	TEE BEAM	74.3
47102750011	KNOX	03789	1.43	RL-HEISKELL AVE. / I275	OPEN	12/5/2016	1959	35.991267	-83.951667	CONCRETE	TEE BEAM	59.8
47037890003	KNOX	03789	2.91	FIRST CREEK	OPEN	5/24/2016	1989	35.999317	-83.928317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.4
470A1220003	KNOX	04175	0.37	LOVE CREEK	OPEN	5/16/2016	1935	36.022867	-83.860017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
470A1220007	KNOX	04175	0.54	BRANCH	OPEN	5/16/2016	1980	36.0252	-83.861267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
470A1220001	KNOX	04175	0.85	LOVE CREEK	OPEN	5/16/2016	1935	36.029567	-83.862983	CONCRETE	SLAB	70.5
470B9100001	KNOX	04823	1.2	LITTLE TURKEY CREEK	OPEN	4/27/2016	1985	35.863983	-84.200617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
470A0610001	KNOX	04824	1.12	CSX RAILROAD	OPEN	4/19/2016	1992	35.95935	-84.0277	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2
470B9050001	KNOX	04825	0.51	LITTLE TURKEY CREEK	OPEN	4/27/2016	1935	35.861	-84.185133	CONCRETE	TEE BEAM	70.5
47100400149	KNOX	04828	2.095	GALLAHER VIEW RD. / I40	OPEN	10/11/2016	1996	35.924767	-84.058817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.6
47100750031	KNOX	04830	0.52	INSKIP RD. / I75	OPEN	1/24/2017	1969	36.006967	-83.967883	CONCRETE CONTINUOUS	TEE BEAM	67.6
47100750037	KNOX	04831	1.84	CALLAHAN RD.-RL / I75	OPEN	1/24/2017	1969	36.024767	-83.997083	CONCRETE CONTINUOUS	TEE BEAM	49.2
47100750038	KNOX	04831	1.84	CALLAHAN RD.-LL / I75	OPEN	1/24/2017	1969	36.024883	-83.99715	CONCRETE CONTINUOUS	TEE BEAM	50.2
47048310001	KNOX	04831	1.95	BRANCH	OPEN	6/27/2016	1970	36.02605	-83.9948	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
47SR1620047	KNOX	04832	2.705	FAU 4832 / SR162	OPEN	3/16/2016	1999	35.924733	-84.133483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
47L37710001	KNOX	05289	0.34	FOURTH CREEK	OPEN	5/5/2016	2010	35.935883	-84.007233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47I00400181	KNOX	05289	0.6	5289&I40 RP / I40-RP 5A	OPEN	10/26/2016	2004	35.939433	-84.008483	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.5
47I00400195	KNOX	05289	0.62	RMP TO I40WB / FOURTH CR	OPEN	10/26/2016	2006	35.938617	-84.010067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
470B8180001	KNOX	05615	2.482	TURKEY CREEK	OPEN	4/21/2016	1999	35.900517	-84.141417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
470E1290001	KNOX	05619	0.174	MEADOW CREEK	OPEN	5/12/2016	1970	35.9603	-84.102483	CONCRETE	CHANNEL BEAM	71.3
47M37860001	KNOX	05620	0.679	TEN MILE CREEK	OPEN	4/25/2016	1970	35.91285	-84.079017	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	79.7
470E5020001	KNOX	05624	1.99	BEAVER CREEK	OPEN	6/27/2016	2000	36.0587	-83.973117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.7
470A0850001	KNOX	05626	0.369	SOUTHERN RAILWAY	OPEN	4/19/2016	1991	36.020067	-83.976367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
470A0850003	KNOX	05626	1.48	BRANCH	OPEN	4/19/2016	1935	36.033867	-83.969317	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	72.7
470C8020001	KNOX	05635	0.987	BRANCH	OPEN	3/21/2016	1926	35.963917	-83.848183	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	61.2
470E2150001	KNOX	05637	0.713	BEAVER CREEK	OPEN	6/6/2016	1985	35.99615	-84.08505	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.5
470E9900001	KNOX	05643	0.25	THIRD CREEK	OPEN	5/10/2016	1981	35.967683	-83.982633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
470E9900003	KNOX	05643	0.439	CSX RAILROAD	OPEN	5/2/2016	1981	35.970517	-83.982017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	52
470E9900004	KNOX	05643	0.439	CSX RAILROAD	OPEN	5/2/2016	1981	35.970617	-83.982267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.7
47SR1150007	KNOX	05647	0.009	CHEROKEE TRAIL / ALCOA	OPEN	2/2/2016	1975	35.93745	-83.948417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.7
470E5820001	KNOX	05648	1.386	FIRST CREEK	OPEN	5/19/2016	1910	36.014717	-83.921817	CONCRETE	ARCH - DECK	76.5
47I00400043	KNOX	05649	0.42	LIBERTY ST. / I40	OPEN	11/7/2016	1981	35.95935	-83.965567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.9
470A0920001	KNOX	05650	0.234	THIRD CREEK	OPEN	5/10/2016	1950	35.955133	-83.948433	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	54.3
470A0940001	KNOX	05651	2.134	FIRST CREEK	OPEN	5/9/2016	1943	36.021133	-83.924867	CONCRETE	TEE BEAM	62
470A0970001	KNOX	05653	0.609	BRANCH	OPEN	5/9/2016	1960	36.033467	-83.902833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.7
47I00750021	KNOX	05654	1.955	WILSON RD. / I75	OPEN	1/18/2017	1981	35.98715	-83.972933	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78.4
470A0330001	KNOX	05662	1.177	WILLIAMS CREEK	OPEN	5/10/2016	2007	35.975017	-83.8867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47000710015	KNOX	05665	0.43	SEVIER AVE /S. KNOXVILLE	OPEN	1/19/2016	1993	35.957833	-83.897333	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
470A0690001	KNOX	05667	2.466	BRANCH	OPEN	5/5/2016	1935	35.942233	-84.010217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
470A1350001	KNOX	05673	0.95	W CLINCH AVE/WORLD FAIR	OPEN	6/16/2016	1907	35.962183	-83.923467	CONCRETE	ARCH - DECK	55.7
470A1310001	KNOX	05676	0.158	SECOND CR & SOU RWY	OPEN	6/23/2016	1935	35.971767	-83.926583	CONCRETE	TEE BEAM	79.7
470A0210001	KNOX	05859	1.318	WHITE CREEK	OPEN	5/9/2016	1950	36.030533	-83.903183	CONCRETE	CHANNEL BEAM	63.8
47SR1580037	KNOX	05860	0.38	W. CHURCH AVE / 5 RTS	OPEN	6/1/2016	2006	35.964067	-83.915517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
470A0360001	KNOX	05861	0.46	SWAN POND CREEK	OPEN	4/4/2016	1935	36.001917	-83.7664	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.3
470A0530001	KNOX	05863	1.435	TEN MILE CREEK	OPEN	5/10/2016	1997	35.925233	-84.072483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
470A0560001	KNOX	05865	0.02	TEN MILE CREEK	OPEN	5/18/2016	2001	35.932667	-84.06325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
470A0570001	KNOX	05866	0.02	TEN MILE CREEK	OPEN	5/18/2016	1993	35.940867	-84.06035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
470E1760001	KNOX	05868	2.12	TEN MILE CREEK	OPEN	5/18/2016	1995	35.944767	-84.0565	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
470A1160003	KNOX	05871	0.805	FLENNLKEN BR	OPEN	3/23/2016	1940	35.90825	-83.940583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
47I00400019	KNOX	05874	0.25	N. WINSTON RD. / I40	OPEN	10/11/2016	2004	35.927683	-84.045517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
47SR1690007	KNOX	05877	0.21	21ST. STREET. / SR169	OPEN	11/8/2016	2000	35.963583	-83.945783	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
470B9720001	KNOX	05889	0.75	LITTLE TURKEY CREEK	OPEN	4/27/2016	1968	35.871067	-84.206717	CONCRETE	CHANNEL BEAM	73.2
470C0280001	KNOX	05891	0.6	SINKING CREEK	OPEN	5/10/2016	1970	35.924717	-84.0764	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	90.5
470C1480001	KNOX	05898	1.373	BEAVER CREEK	OPEN	5/12/2016	1960	35.964867	-84.178667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.7
470F1590001	KNOX	05900	0.03	PLUM CREEK	OPEN	5/18/2016	1990	35.95715	-84.135833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
470F1590003	KNOX	05900	0.78	BEAVER CREEK	OPEN	5/18/2016	1990	35.965417	-84.131983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
470D0990001	KNOX	05903	1.158	HINES CREEK	OPEN	4/13/2016	1983	35.904383	-83.8033	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
470D0990003	KNOX	05903	3.02	BURNETT CREEK	OPEN	4/13/2016	1936	35.914083	-83.82905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
470D2790001	KNOX	05904	0.595	COX CREEK	OPEN	5/23/2016	1935	36.07945	-83.898767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
470D2790003	KNOX	05904	0.711	BEAVER CREEK	OPEN	5/23/2016	1987	36.08105	-83.899333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
470D2910001	KNOX	05905	0.85	BEAVER CREEK	OPEN	5/23/2016	1945	36.083233	-83.9069	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.4
470E2180001	KNOX	05913	0.4	BRANCH	OPEN	6/6/2016	1940	35.9974	-84.07515	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
470E3240001	KNOX	05914	2.435	KNOB CREEK	OPEN	6/27/2016	1950	36.037483	-84.003667	CONCRETE	TEE BEAM	91.2
47100750051	KNOX	05915	2.76	EAST COPELAND RD. / I75	OPEN	1/27/2017	1971	36.066333	-84.010817	CONCRETE CONTINUOUS	TEE BEAM	78.5
470A0960003	KNOX	05925	0.02	FIRST CREEK	OPEN	5/9/2016	1997	36.0205	-83.9245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
47SR1620009	KNOX	05941	2.93	BOB GRAY RD. / SR 162	OPEN	3/9/2016	1973	35.931317	-84.141317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.8
47102750005	KNOX	05942	0.438	BAXTER AVE-RL / I275	OPEN	11/16/2016	1959	35.976667	-83.9352	CONCRETE	TEE BEAM	41.8
47102750006	KNOX	05942	0.438	BAXTER AVE-LL / I275	OPEN	11/16/2016	1959	35.9768	-83.935317	CONCRETE	TEE BEAM	41.8
470A0890001	KNOX	05944	0.08	FIRST CREEK	OPEN	5/9/2016	1994	36.02435	-83.92795	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
47106400031	KNOX	05948	3.19	BUFFAT MILL DR. / I640	OPEN	4/20/2016	1981	36.028017	-83.866	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.8
47SR1580013	KNOX	05951	0.45	SR 158 & NFA A140	OPEN	6/22/2016	1935	35.96175	-83.914467	CONCRETE	ARCH - DECK	68.1
47SR0710027	KNOX	05951	0.922	EAST HILL AVE / SR71	OPEN	6/1/2016	1997	35.965767	-83.906717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
47SR0010017	KNOX	06024	0.33	THIRD CREEK	OPEN	3/29/2016	1936	35.953017	-83.9413	CONCRETE	ARCH - DECK	77.5
47100400201	KNOX	06025	0.375	E.FIFTH AVE/I40 WB-RP 1A	OPEN	11/28/2016	1962	35.9759	-83.918917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.7
47SR1580061	KNOX	06026	0.475	HOF DR. / SR158 TUNNEL	OPEN	3/8/2016	2006	35.981867	-83.917533	CONCRETE	ARCH - DECK	91.6
47056660003	KNOX	06026	0.483	HOF DR RMP 2B / FIRST CR	OPEN	12/2/2016	2006	35.983417	-83.915733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.3
47100400069	KNOX	06026	0.51	HALL OF FAME DR. / 2 RTS	OPEN	12/1/2016	2005	35.982967	-83.917233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.6
470A2260001	KNOX	0A001	0.037	OAK ST/ SOU RR-SECOND CR	OPEN	6/29/2016	1996	35.966833	-83.924633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
470A9600001	KNOX	0A010	0.051	SECOND CREEK	OPEN	6/28/2016	1981	35.969117	-83.926817	CONCRETE	CHANNEL BEAM	91.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
470A0120001	KNOX	0A012	0.03	THIRD CREEK	OPEN	6/30/2016	2016	35.975683	-84.003133	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.7
470A0720001	KNOX	0A012	0.458	THIRD CREEK	OPEN	6/16/2016	1942	35.980917	-84.004483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
470A0350001	KNOX	0A035	0.351	SWAN POND CREEK	OPEN	3/17/2016	1990	35.978167	-83.806117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
470A0390001	KNOX	0A039	3.335	HINES CREEK	OPEN	4/6/2016	1988	35.932383	-83.7919	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
470A0880001	KNOX	0A088	2.01	FIRST CREEK	OPEN	5/9/2016	1930	36.0357	-83.9326	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
470A1060001	KNOX	0A106	0.991	FIRST CREEK	OPEN	5/24/2016	1920	35.996917	-83.92475	CONCRETE	ARCH - DECK	72.8
470A1160001	KNOX	0A116	1.643	FIRST CREEK	OPEN	5/19/2016	2011	36.003267	-83.926117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
470A1230001	KNOX	0A123	2.2	LOVE'S CREEK	OPEN	6/14/2016	1970	36.008533	-83.838367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
470A1250001	KNOX	0A125	0.049	BRANCH	OPEN	6/14/2016	1996	35.990183	-83.85405	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.3
470A1250003	KNOX	0A125	0.41	BRANCH	OPEN	6/14/2016	1994	35.988283	-83.859133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.6
470A1320001	KNOX	0A132	0.533	SLUE FROM TENNESSEE RIVE	OPEN	4/11/2016	1985	35.9613	-83.876217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.5
470A1410003	KNOX	0A141	0.069	FIRST CREEK	OPEN	6/2/2016	1960	35.9698	-83.918033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
470A1410001	KNOX	0A141	0.499	FIRST CREEK	OPEN	6/2/2016	1956	35.97375	-83.911033	CONCRETE	TEE BEAM	92.3
47000710011	KNOX	0A150	1.007	WYNN AVE / S. KNOXVILLE	OPEN	1/19/2016	1994	35.9489	-83.8962	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.4
470A1590001	KNOX	0A159	2.674	BURNETT CREEK	OPEN	4/5/2016	1940	35.921483	-83.826267	CONCRETE	TEE BEAM	71.3
470A1910001	KNOX	0A191	0.01	SECOND CREEK	OPEN	6/28/2016	1992	35.964633	-83.926067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.5
470A1400001	KNOX	0A240	0.3	RAMP	OPEN	5/23/2016	2014	35.949361	-83.938892	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
470A2480001	KNOX	0A248	0.004	THIRD CREEK	OPEN	5/10/2016	1964	35.9549	-83.94815	CONCRETE	CHANNEL BEAM	93.5
470A3070001	KNOX	0A307	0.083	FOREST PARK BLVD/SOU RR	OPEN	6/15/2016	1930	35.9408	-83.982017	CONCRETE	TEE BEAM	59.1
470A3170001	KNOX	0A317	0	FOURTH CREEK	OPEN	6/29/2016	1962	35.924467	-83.99755	CONCRETE	CHANNEL BEAM	61.2
470A4000001	KNOX	0A400	0.025	BRANCH	OPEN	6/29/2016	1970	35.93545	-84.01335	CONCRETE	CHANNEL BEAM	65
470A4820001	KNOX	0A482	0.142	BRANCH	OPEN	5/10/2016	1953	35.959583	-83.950383	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
470A5090001	KNOX	0A509	0.09	E. FK. THIRD CREEK	OPEN	6/28/2016	1999	35.967533	-83.952983	CONCRETE	SLAB	93.9
470A5280001	KNOX	0A528	0.88	SECOND CREEK	OPEN	6/28/2016	1965	35.983933	-83.94775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
470A5940001	KNOX	0A594	0.014	FOURTH CREEK	OPEN	5/5/2016	1966	35.942067	-84.011017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
470A5950001	KNOX	0A595	0.347	FOURTH CREEK	OPEN	5/5/2016	1936	35.945367	-84.015283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.4
470A7890001	KNOX	0A789	0.21	BRANCH	OPEN	6/16/2016	1965	35.98615	-84.004	CONCRETE	CHANNEL BEAM	74.2
47100750015	KNOX	0A823	0.097	MYRTLEWOOD RD. / I75	OPEN	1/18/2017	1981	35.978867	-83.9791	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.7
470A8230001	KNOX	0A823	0.12	BRANCH - MAINT. BY STATE	OPEN	12/29/2016	1981	35.978817	-83.978583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
47100750023	KNOX	0A842	0.06	GAP RD. / I75	OPEN	1/20/2017	1981	35.994233	-83.966483	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	79.8
470A9550001	KNOX	0A955	0.068	SECOND CREEK	OPEN	6/28/2016	1999	35.974717	-83.93045	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.8
470B0960001	KNOX	0B096	0.111	BRANCH	OPEN	6/16/2016	1967	35.995483	-83.998133	CONCRETE	CHANNEL BEAM	55.9
47100750035	KNOX	0B120	0.811	MURRAY RD. / I75	OPEN	1/24/2017	1969	36.016483	-83.985883	CONCRETE CONTINUOUS	TEE BEAM	83.8
47100750029	KNOX	0B150	0.294	TILLERY RD. / I75	OPEN	1/24/2017	1981	36.003267	-83.96275	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.9
470B2120001	KNOX	0B212	0.012	FIRST CREEK	OPEN	5/9/2016	1930	36.020283	-83.924233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
47106400007	KNOX	0B225	0.122	THE HAGUE DR. / I640	OPEN	4/25/2016	1971	36.01	-83.9383	CONCRETE CONTINUOUS	TEE BEAM	81.5
470B2530001	KNOX	0B253	2.14	FIRST CREEK	OPEN	5/9/2016	2005	36.02945	-83.929667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.1
470B3590001	KNOX	0B359	0.073	HOLBROOK DR / B363	OPEN	5/26/2016	1935	36.036983	-83.935467	CONCRETE	TEE BEAM	89.4
470B3630001	KNOX	0B363	0	BRANCH	OPEN	5/9/2016	1930	36.034633	-83.932733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
470B3630001	KNOX	0B363	0	BRANCH	OPEN	5/9/2016	1930	36.034633	-83.932733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
470B5220001	KNOX	0B522	0.033	TOPSIDE RD. / CSX RR	OPEN	4/19/2016	1990	35.876217	-83.96	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.2
470B7080001	KNOX	0B708	0.127	TEN MILE CREEK	OPEN	4/21/2016	1945	35.905967	-84.074583	CONCRETE	TEE BEAM	72.2
470B8190001	KNOX	0B819	0.012	BRANCH	OPEN	4/21/2016	1970	35.9012	-84.1375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
470B8220001	KNOX	0B822	0.155	TURKEY CREEK	OPEN	4/25/2016	1965	35.8942	-84.145617	CONCRETE	CHANNEL BEAM	76.9
470B8290001	KNOX	0B829	0.06	TURKEY CREEK	OPEN	4/25/2016	1960	35.88935	-84.149217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
470B8620001	KNOX	0B862	0.022	TURKEY CREEK	OPEN	4/25/2016	1960	35.884733	-84.153667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
470C1380001	KNOX	0C138	0.122	CONNER CREEK	OPEN	5/4/2016	1935	35.920183	-84.21665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
470C1400001	KNOX	0C140	0.08	CONNER CREEK	OPEN	5/4/2016	1980	35.932	-84.225433	CONCRETE	CHANNEL BEAM	79
470C1420001	KNOX	0C142	0.02	CONNER CREEK	OPEN	5/4/2016	1965	35.93025	-84.221567	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	87
470C1450001	KNOX	0C145	1.295	BEAVER CREEK	OPEN	5/12/2016	1967	35.956383	-84.190383	CONCRETE	CHANNEL BEAM	60.3
470C1990003	KNOX	0C199	1.398	BEAVER CREEK	OPEN	6/6/2016	1895	35.968967	-84.147833	MASONRY	ARCH - DECK	74.3
470C1990001	KNOX	0C199	1.923	BEAVER CREEK	OPEN	6/6/2016	1910	35.973217	-84.1405	CONCRETE	ARCH - DECK	75.4
470C3260001	KNOX	0C326	0.127	WHITES CREEK	OPEN	5/9/2016	1940	36.022517	-83.91455	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
470C3340001	KNOX	0C334	0.175	FIRST CREEK	OPEN	5/19/2016	1994	36.007017	-83.924483	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.4
470C3340003	KNOX	0C334	0.513	BRANCH	OPEN	5/19/2016	2001	36.010467	-83.920317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.5
470C3420001	KNOX	0C342	0.09	FIRST CREEK	OPEN	5/19/2016	1965	36.0082	-83.92425	CONCRETE	CHANNEL BEAM	80.4
470C3440001	KNOX	0C344	0.116	FIRST CREEK	OPEN	5/19/2016	1960	36.01175	-83.922067	CONCRETE	CHANNEL BEAM	49.7
470C3470001	KNOX	0C347	0.175	FIRST CREEK	OPEN	5/19/2016	2011	36.004067	-83.926633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
47100400087	KNOX	0C453	0.042	SPRING HILL ROAD / I40	OPEN	12/8/2016	1982	36.01	-83.867369	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.7
470C5480001	KNOX	0C548	0.439	FIRST CREEK	OPEN	5/24/2016	1964	35.988567	-83.915133	CONCRETE	CHANNEL BEAM	76.2
47SR0333001	KNOX	0C560	0.142	GLENWOOD / HALL FAME DR.	OPEN	1/14/2016	2006	35.985633	-83.9192	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
470C5600001	KNOX	0C560	0.33	FIRST CREEK	OPEN	6/28/2016	2014	35.9851	-83.9161	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.2
470C5900003	KNOX	0C590	0.18	FIRST CREEK	OPEN	6/2/2016	1922	35.977817	-83.914017	CONCRETE	ARCH - DECK	60.5
470C8870001	KNOX	0C887	0.03	FIRST CREEK	OPEN	6/2/2016	1989	35.974867	-83.911467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.9
470C8990001	KNOX	0C899	0.24	RAMP TO GAY ST/GROUND	OPEN	6/16/2016	1919	35.968367	-83.921717	CONCRETE	TEE BEAM	38.9
470C8990003	KNOX	0C899	0.26	RAMP TO GAY ST/GROUND	WEIGHT POSTED	6/16/2016	1919	35.968883	-83.920683	CONCRETE	TEE BEAM	2
470C9180001	KNOX	0C918	1.173	SOUTHERN RAILWAY	OPEN	6/15/2016	2008	35.9707	-83.86115	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.2
470D2820001	KNOX	0D282	0.32	COX CREEK	OPEN	6/30/2016	1975	36.079067	-83.887217	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	70

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
470D2890001	KNOX	0D289	0.847	BEAVER CREEK	OPEN	5/23/2016	1963	36.094867	-83.883483	CONCRETE	CHANNEL BEAM	73.4
470D2990001	KNOX	0D299	0.252	WILLOW FORK CREEK	OPEN	5/23/2016	1998	36.082467	-83.925983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
470D3500001	KNOX	0D350	0.927	TABLER BRANCH	OPEN	5/23/2016	1963	36.150733	-83.8315	CONCRETE	CHANNEL BEAM	75.3
470D3510001	KNOX	0D351	1.632	TABLER BRANCH	OPEN	5/23/2016	1965	36.154733	-83.821	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	80.3
470D3600001	KNOX	0D360	5.097	BEAVER CREEK	OPEN	5/23/2016	1935	36.11535	-83.858183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1
470D3640001	KNOX	0D364	0.64	LITTLE FLAT CREEK	OPEN	5/23/2016	1965	36.14825	-83.810733	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	81.5
470D3800001	KNOX	0D380	0.794	FLAT CREEK	OPEN	5/23/2016	1999	36.1632	-83.763667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.5
470D3990001	KNOX	0D399	1.256	BRICE BRANCH	OPEN	5/24/2016	1975	36.100683	-83.741317	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	81.3
470D3990003	KNOX	0D399	2.294	FLAT CREEK	OPEN	5/24/2016	2000	36.110733	-83.7275	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.2
470D4020001	KNOX	0D402	3.581	LITTLE FLAT CREEK	OPEN	5/25/2016	1963	36.133117	-83.76765	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.5
470D4030001	KNOX	0D403	0.763	LITTLE FLAT CREEK	OPEN	5/25/2016	1973	36.12385	-83.774917	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	90.5
470D4050001	KNOX	0D405	0.934	LITTLE FLAT CREEK	OPEN	5/25/2016	1963	36.1303	-83.749483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	58.4
470D4730001	KNOX	0D473	0.305	WHITES CREEK	OPEN	5/25/2016	1966	36.045617	-83.892933	CONCRETE	CHANNEL BEAM	77.6
470C4910001	KNOX	0D491	0.015	LOVE CREEK	OPEN	5/16/2016	1987	36.019833	-83.858933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
470D5000001	KNOX	0D500	0.939	WOODS CREEK	OPEN	6/14/2016	1935	36.0287	-83.8354	CONCRETE	TEE BEAM	58.8
470D5070001	KNOX	0D507	0.325	WOODS CREEK	OPEN	6/14/2016	1965	36.035833	-83.841333	CONCRETE	CHANNEL BEAM	73.3
470D6040001	KNOX	0D604	0.066	LYON CREEK	OPEN	5/25/2016	1964	36.027583	-83.724317	CONCRETE	CHANNEL BEAM	73.4
47100400101	KNOX	0D668	0.061	OGLESBY ROAD / I40	OPEN	1/10/2017	1975	36.006683	-83.805667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	94.9
47100400103	KNOX	0D670	0.405	UNION SCHOOL ROAD / I40	OPEN	1/10/2017	1975	36.00415	-83.78815	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
47100400109	KNOX	0D680	1.09	MCMILLAND ROAD / I40	OPEN	1/12/2017	1975	36.004733	-83.750117	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.9
470D6960001	KNOX	0D696	0.832	LIMESTONE CREEK	OPEN	3/15/2016	1984	35.9923	-83.680617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
470D7080001	KNOX	0D708	0.92	TUCKAHOE CREEK	OPEN	3/16/2016	2014	35.971	-83.664317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
470D7110001	KNOX	0D711	1.312	TUCKAHOE CREEK	OPEN	3/15/2016	1930	35.97455	-83.685233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.9
470D7140001	KNOX	0D714	0.587	TUCKAHOE CREEK	OPEN	3/15/2016	1945	35.9705	-83.67035	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.4
470D7180001	KNOX	0D718	0.411	TUCKAHOE CREEK	OPEN	3/16/2016	1940	35.97135	-83.693367	CONCRETE	TEE BEAM	65.9
470D7180003	KNOX	0D718	0.62	TUCKAHOE CREEK	OPEN	3/16/2016	1965	35.9696	-83.696617	CONCRETE	CHANNEL BEAM	73.4
470D7660001	KNOX	0D766	2.115	SWAN POND CREEK	OPEN	4/4/2016	1950	35.986733	-83.785183	CONCRETE	TEE BEAM	61.3
470D7860001	KNOX	0D786	0.804	SWAN POND CREEK	OPEN	4/4/2016	1920	35.981183	-83.832933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
470D8130001	KNOX	0D813	0.237	FRENCH BROAD RIVER	OPEN	4/11/2016	1965	35.948617	-83.841317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.4
470D8590001	KNOX	0D859	0.872	HINES CREEK	OPEN	4/6/2016	1950	35.924183	-83.796683	CONCRETE	CHANNEL BEAM	66.7
470D8690001	KNOX	0D869	0.007	BURNETT CREEK	OPEN	4/5/2016	1966	35.9272	-83.8273	CONCRETE	CHANNEL BEAM	85.7
470D8700001	KNOX	0D870	0.012	BURNETT CREEK	OPEN	4/5/2016	1965	35.932417	-83.82985	CONCRETE	CHANNEL BEAM	89.1
470D8760001	KNOX	0D876	0.207	HINES CREEK	OPEN	4/6/2016	1930	35.926283	-83.797717	CONCRETE	TEE BEAM	72.7
470D8770001	KNOX	0D877	0.217	HINES CREEK	OPEN	4/6/2016	1920	35.91335	-83.7994	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.3
470D9170001	KNOX	0D917	0.081	STOCK CREEK	OPEN	4/13/2016	1915	35.891217	-83.843383	CONCRETE	SLAB	62.6
470D9170003	KNOX	0D917	0.669	STOCK CREEK	OPEN	4/13/2016	1970	35.88415	-83.838367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.4
470D9350001	KNOX	0D935	0.041	STOCK CREEK	OPEN	4/14/2016	1965	35.893733	-83.849067	CONCRETE	CHANNEL BEAM	75.4
47SR1680001	KNOX	0D942	0.296	DICK FORD ROAD / SR 168	OPEN	3/15/2016	1973	35.90085	-83.8563	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.8
470D9590001	KNOX	0D959	1.574	BRANCH	OPEN	4/18/2016	1935	35.879417	-83.874433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
470D9590003	KNOX	0D959	2.004	STOCK CREEK	OPEN	4/18/2016	1984	35.8851	-83.8741	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94
470D9610001	KNOX	0D961	0.11	STOCK CREEK	OPEN	4/14/2016	1966	35.88895	-83.865167	CONCRETE	CHANNEL BEAM	73.4
470D9650001	KNOX	0D965	1.843	STOCK CREEK	OPEN	4/13/2016	1965	35.885317	-83.841433	CONCRETE	CHANNEL BEAM	74.8
470D9820001	KNOX	0D982	0.874	STOCK CREEK	OPEN	4/18/2016	1918	35.8694	-83.921633	CONCRETE	ARCH - DECK	62.3
470E0710001	KNOX	0E071	1.031	BULL RUN CREEK	OPEN	6/7/2016	1965	36.133017	-83.979933	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.6
470E0710003	KNOX	0E071	3.453	BRANCH	OPEN	6/7/2016	1950	36.156583	-83.954917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
470E0720001	KNOX	0E072	0.539	BULL RUN CREEK	OPEN	6/7/2016	1986	36.154517	-83.95435	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	86

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
470E0730001	KNOX	0E073	0	BULL RUN CREEK	OPEN	6/7/2016	1994	36.164417	-83.943683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
470E0960001	KNOX	0E096	0.037	MILL BRANCH	OPEN	6/7/2016	1970	36.115967	-83.913667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
470E1060001	KNOX	0E106	0.94	MEADOW CREEK	OPEN	5/18/2016	1940	35.964133	-84.128867	CONCRETE	CHANNEL BEAM	60.3
470E2160001	KNOX	0E216	0.034	GRASSY CREEK	OPEN	5/18/2016	1989	35.991317	-84.061333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
470E3840001	KNOX	0E384	0.162	BULL RUN CREEK	OPEN	6/8/2016	2015	36.084817	-84.022733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.1
470E3850001	KNOX	0E385	2.881	WILLIAMS CREEK	OPEN	6/8/2016	1974	36.098983	-84.02165	CONCRETE	CHANNEL BEAM	73.2
470D3860001	KNOX	0E386	2.21	CHILDRESS BRANCH	OPEN	6/6/2016	1964	36.0733	-84.04865	CONCRETE	CHANNEL BEAM	73.3
470E3880001	KNOX	0E388	1.955	WILCOX BRANCH	OPEN	6/8/2016	1970	36.096	-84.018367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
470E4080001	KNOX	0E408	1.203	BULL RUN CREEK	OPEN	6/7/2016	1968	36.104383	-83.993317	CONCRETE	CHANNEL BEAM	46.2
470D8410001	KNOX	0E841	0.63	ROSEBERRY CREEK	OPEN	6/13/2016	1915	36.078467	-83.770067	CONCRETE CONTINUOUS	ARCH - DECK	64.2
47106400025	KNOX	0G305	0.045	EAST TOWNE RD. E. / I640	OPEN	4/25/2016	1981	36.030733	-83.878683	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
47106400023	KNOX	0G306	0.075	EAST TOWNE RD. W. / I640	OPEN	4/25/2016	1981	36.030867	-83.87985	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.1
47101400031	KNOX	0G380	0.02	SCOTT LANE / I140	OPEN	7/19/2016	1991	35.866833	-84.038433	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
470G3810001	KNOX	0G425	0.07	BEAVER CREEK	OPEN	5/23/2016	1999	36.106867	-83.8739	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
470A1180001	KNOX	0G480	0.62	FIRST CREEK	OPEN	6/28/2016	1945	35.983283	-83.914683	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.7
470H7100001	KNOX	0H710	0.01	BRANCH	OPEN	5/18/2016	2005	35.945267	-84.05635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
47100400003	KNOX	I0040	1.78	I40 / EVERETT ROAD	OPEN	10/5/2016	1959	35.88885	-84.212417	CONCRETE CONTINUOUS	TEE BEAM	83.2
47100400005	KNOX	I0040	3.98	I40 / CAMPBELL STATION RD	OPEN	10/5/2016	1968	35.898383	-84.175233	CONCRETE CONTINUOUS	TEE BEAM	79.8
47100400121	KNOX	I0040	5.56	TURKEY CREEK	OPEN	10/10/2016	1973	35.905	-84.148333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.9
47100400013	KNOX	I0040	8.89	I40 / CEDAR BLUFF RD	OPEN	10/20/2016	1993	35.917833	-84.091033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80
47100400015	KNOX	I0040	9.7	TEN MILE CREEK	OPEN	10/10/2016	1960	35.921017	-84.076617	CONCRETE	TEE BEAM	72
47100400147	KNOX	I0040	10.15	I40 / BRIDGEWATER RD.	OPEN	10/11/2016	1998	35.922633	-84.069417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47100400187	KNOX	I0040	11.79	I40 / MONTVUE RD.	OPEN	10/24/2016	2005	35.928433	-84.04355	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
47100400021	KNOX	I0040	11.88	I40 / OLD WEST HILLS I/C	OPEN	10/24/2016	1959	35.929133	-84.039317	CONCRETE CONTINUOUS	TEE BEAM	84.2
47100400023	KNOX	I0040	12.04	I40 / BUCKINGHAM RD.	OPEN	10/24/2016	1962	35.929683	-84.037467	CONCRETE CONTINUOUS	TEE BEAM	57.9
47100400189	KNOX	I0040	12.05	I40-EB-RMP / BUCKINGHAM	OPEN	10/24/2016	2005	35.92955	-84.036983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
47100400025	KNOX	I0040	12.85	I40 / WESLEY RD.	OPEN	10/24/2016	1962	35.9328	-84.02295	CONCRETE CONTINUOUS	TEE BEAM	78.6
47100400027	KNOX	I0040	13.67	FOURTH CREEK	OPEN	10/26/2016	1963	35.936667	-84.01	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47100400029	KNOX	I0040	13.7	I40 / WEISGARBER RD.	OPEN	10/26/2016	2005	35.93775	-84.009367	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
47100400179	KNOX	I0040	13.71	I40-WB / WEISGARBER ROAD	OPEN	10/26/2016	2004	35.93825	-84.009617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
47100400193	KNOX	I0040	14.18	I40-RP-6-B2 /I40-RP-6-C1	OPEN	10/26/2016	2005	35.940633	-84.003567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88.4
47100400031	KNOX	I0040	14.18	I40 / PAPERMILL RD.	OPEN	10/26/2016	2006	35.941583	-84.002083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
47100400191	KNOX	I0040	14.22	I40-WB-RMP / PAPERMILL	OPEN	10/26/2016	2005	35.942217	-84.002	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
47100400035	KNOX	I0040	15.47	I40 / HOLLYWOOD DR.	OPEN	11/7/2016	1965	35.950867	-83.9824	CONCRETE CONTINUOUS	TEE BEAM	81
47100400037	KNOX	I0040	16.1	I40/I40-EB RMP TO I75 N	OPEN	11/7/2016	1981	35.955683	-83.97305	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
47100400039	KNOX	I0040	16.2	THIRD CREEK	OPEN	12/28/2016	1965	35.955	-83.971667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59
47100400303	KNOX	I0040	16.22	I40-WB RMP-I75N / P'MILL	OPEN	1/20/2017	1982	35.9575	-83.971867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97.4
47100400045	KNOX	I0040	17.31	I40/MIDDLEBROOK PK.& RR	OPEN	1/19/2017	1965	35.961667	-83.953333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
47100400175	KNOX	I0040	17.32	I40EB RMP/M'BROOK-RR	OPEN	1/19/2017	2001	35.916667	-84.09	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
47100400167	KNOX	I0040	17.6	I40-EB RMP / 2 RTS.	OPEN	11/7/2016	2001	35.9632	-83.94835	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
47100400047	KNOX	I0040	17.67	I40&I40 EB RMP/I40 RMPS	OPEN	11/8/2016	2000	35.963517	-83.947517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
47100400137	KNOX	I0040	17.7	I-40-WB RMP/UNIVERSITY A	OPEN	11/8/2016	1980	35.964067	-83.944817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47100400177	KNOX	I0040	17.72	I40-WB-RMP/UNIVERSITY AV	OPEN	11/7/2016	1966	35.962283	-83.946683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.9
47100400049	KNOX	I0040	17.73	I40 / UNIVERSITY AVE.	OPEN	11/8/2016	1965	35.963233	-83.946283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
47100400125	KNOX	I0040	17.92	I40-WB-RMP / 2 RTS.	OPEN	11/8/2016	1980	35.9635	-83.943417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.4
47100400051	KNOX	I0040	17.93	I40 / 21ST. STREET	OPEN	11/9/2016	1965	35.962583	-83.942967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.9
47100400127	KNOX	I0040	17.94	I40-EB RMP / 21ST. ST.	OPEN	11/9/2016	1981	35.962467	-83.943017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79
47100400054	KNOX	I0040	18.3	I40-LL / 17TH. STREET	OPEN	11/14/2016	1965	35.964317	-83.936717	CONCRETE	TEE BEAM	70
47100400053	KNOX	I0040	18.3	I40-RL / 17TH. STREET	OPEN	11/14/2016	1965	35.9638	-83.936567	CONCRETE	TEE BEAM	81
47100400161	KNOX	I0040	18.84	I40-EB-RP H / BLACKSTOC	OPEN	11/9/2016	1994	35.966233	-83.928167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
47100400153	KNOX	I0040	18.85	I40-EB RMP / 2 RTS/CR&RR	OPEN	11/9/2016	1986	35.966217	-83.9266	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
47100400057	KNOX	I0040	18.86	I40WB-RMP/BLACKSTOCK-RR	OPEN	11/22/2016	1982	35.969817	-83.928333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
47100400129	KNOX	I0040	18.9	I40-WB-RMP / 5TH. AVE.	OPEN	11/22/2016	1981	35.9714	-83.930367	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
47100400061	KNOX	I0040	18.91	I40 VIADUCT/ 7 RTS-CR-RR	OPEN	11/28/2016	1964	35.968817	-83.9277	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.3
47100400205	KNOX	I0040	19.3	I40-RMPS / 2 RTS & RR	OPEN	11/14/2016	2006	35.970133	-83.916067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.3
47100400197	KNOX	I0040	19.4	I40-EB-RMP/OLD MAGNOLIA	OPEN	11/22/2016	2007	35.94	-84.001667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88
47100400204	KNOX	I0040	19.45	I40-WB-RMP/OLD MAGNOLIA	OPEN	11/22/2016	1965	35.97405	-83.917533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97
47100400063	KNOX	I0040	19.5	I40-RL / 2 ROUTES	OPEN	12/1/2016	2007	35.974967	-83.918683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.8
47100400064	KNOX	I0040	19.52	I40-LL / E. FIFTH AVE.	OPEN	12/1/2016	2007	35.974933	-83.919133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
47100400068	KNOX	I0040	19.68	I40-WB-RMP / GILL AVE.	OPEN	11/22/2016	2007	35.979017	-83.918767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.3
47100400067	KNOX	I0040	19.68	I40 / GILL AVE.	OPEN	11/22/2016	2007	35.979033	-83.91805	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.3
47100400185	KNOX	I0040	20.31	RMPS -1A&2A / FIRST CR.	OPEN	12/2/2016	2006	35.984283	-83.91635	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47100400209	KNOX	I0040	20.31	FIRST CREEK	OPEN	12/2/2016	2007	35.9837	-83.916	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.9
47100400183	KNOX	I0040	20.34	I40-RMPS 1-2 / N. 6TH ST	OPEN	12/7/2016	2005	35.98475	-83.914883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
47100400075	KNOX	I0040	20.34	I40 / NORTH 6TH ST.	OPEN	12/7/2016	1967	35.984217	-83.914917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.6
47100400077	KNOX	I0040	20.42	I40 /SOU RR& MITCHELL ST	OPEN	12/7/2016	1967	35.9846	-83.913583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.6
47100400079	KNOX	I0040	20.79	I40 / BORUFF AVE.	OPEN	12/7/2016	1967	35.986667	-83.906667	CONCRETE CONTINUOUS	TEE BEAM	87.6
47100400081	KNOX	I0040	21.3	I40 / CHERRY STREET	OPEN	12/7/2016	1964	35.99	-83.9	CONCRETE CONTINUOUS	TEE BEAM	98
47100400083	KNOX	I0040	22.45	I40 / PROSSER ROAD	OPEN	12/7/2016	1964	36.002467	-83.884733	CONCRETE CONTINUOUS	TEE BEAM	88.8
47100400085	KNOX	I0040	23.12	I40 / RUTLEDGE PIKE	OPEN	12/8/2016	1968	36.007067	-83.8742	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
47100400135	KNOX	I0040	23.96	I40-EB-FLYOVER / 3 RTS.	OPEN	1/18/2017	1982	36.011667	-83.861667	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
47100400123	KNOX	I0040	24.06	I40 / I640 RMP TO I40-EB	OPEN	12/13/2016	1982	36.013383	-83.8595	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
47100400089	KNOX	I0040	24.33	I40 / CHILHOWEE ROAD	OPEN	12/13/2016	1982	36.0128	-83.854833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.2
47100400091	KNOX	I0040	25	LOVES CREEK	OPEN	12/29/2016	1967	36.01	-83.843333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59
47100400093	KNOX	I0040	25.06	I40 / ASHEVILLE HWY.	OPEN	12/13/2016	1967	36.010533	-83.842067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71
47100400095	KNOX	I0040	25.31	I40 / HOLSTON DRIVE	OPEN	12/13/2016	1968	36.00865	-83.838467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
47100400097	KNOX	I0040	25.57	LOVES CREEK	OPEN	12/29/2016	1967	36.00715	-83.8346	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47100400099	KNOX	I0040	25.91	I40 / HOLSTON R. &SR 168	OPEN	11/15/2016	1971	36.007933	-83.82835	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.8
47100400106	KNOX	I0040	28.92	I40-LL/STRAWBERRY PLAIN	OPEN	1/10/2017	1971	36.002983	-83.775617	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
47100400105	KNOX	I0040	28.92	I40-RL/STRAWBERRY PLAIN	OPEN	1/10/2017	1971	36.002683	-83.77585	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
47100400107	KNOX	I0040	29.42	I40-RL/HUCKLEBERRY SPG RD	OPEN	1/10/2017	1971	36.003617	-83.766967	CONCRETE CONTINUOUS	TEE BEAM	83.1
47100400108	KNOX	I0040	29.42	I40-LL/HUCKLEBERRY SPG RD	OPEN	1/10/2017	1971	36.004	-83.767033	CONCRETE CONTINUOUS	TEE BEAM	89.9
47100400111	KNOX	I0040	32	I40-EB / COOPER ROAD	OPEN	1/12/2017	1971	35.997517	-83.7229	CONCRETE CONTINUOUS	TEE BEAM	91.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47I00400112	KNOX	I0040	32	I40-WB / COOPER ROAD	OPEN	1/12/2017	1971	35.997767	-83.722517	CONCRETE CONTINUOUS	TEE BEAM	85.3
47I00400115	KNOX	I0040	33.29	I40-RL / MIDWAY ROAD	OPEN	1/12/2017	1971	35.996483	-83.699883	CONCRETE CONTINUOUS	TEE BEAM	95.7
47I00400116	KNOX	I0040	33.29	I40-LL / MIDWAY ROAD	OPEN	1/12/2017	1971	35.996733	-83.699917	CONCRETE CONTINUOUS	TEE BEAM	88.5
47I00400120	KNOX	I0040	34.35	I40-WB / SMITH SCHOOL RD	OPEN	1/12/2017	1975	35.995533	-83.681233	CONCRETE CONTINUOUS	TEE BEAM	86.3
47I00400119	KNOX	I0040	34.35	I40-EB / SMITH SCHOOL RD	OPEN	1/12/2017	1973	35.995017	-83.6811	CONCRETE CONTINUOUS	TEE BEAM	85.3
47I00400041	KNOX	I0075	0.03	I75-SB-RMP TO I40-EB/I40	OPEN	1/19/2017	1981	35.957417	-83.969467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
47I00750001	KNOX	I0075	0.04	I75 SB RMP/PAPERMILL RD.	OPEN	1/19/2017	1965	35.957283	-83.9726	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.9
47I00750003	KNOX	I0075	0.07	I75-SB RMP TO I40/BRIDG	OPEN	1/19/2017	1981	35.957733	-83.971133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
47I00750005	KNOX	I0075	0.09	I40 EB RP TO I75 /P'MILL	OPEN	1/19/2017	1981	35.957567	-83.971667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
47I00750109	KNOX	I0075	0.99	I75 - RL / CSX RAILROAD	OPEN	1/17/2017	1981	35.96885	-83.979233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
47I00750110	KNOX	I0075	0.99	I75 - LL / CSX RAILROAD	OPEN	1/17/2017	1981	35.969133	-83.9798	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
47I00750011	KNOX	I0075	1.16	I75-SR-62 RMPs/THIRD CR	OPEN	12/28/2016	1981	35.970283	-83.980033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47I00750017	KNOX	I0075	1.88	W. FK. THIRD CREEK	OPEN	12/29/2016	1981	35.9802	-83.978233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47I00750025	KNOX	I0075	3.44	I75 /SR-9 (CLINTON HWY)	OPEN	1/25/2017	1981	35.998483	-83.96025	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.1
47I00750053	KNOX	I0075	3.5	I75-NB FLYOVER / 4 RTS.	OPEN	1/25/2017	1981	35.997917	-83.959183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
47I00750055	KNOX	I0075	3.58	I75-SB RMP/I640-WB RMP	OPEN	1/24/2017	1981	35.999567	-83.959733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
47I00750033	KNOX	I0075	4.62	I75 / MERCHANT RD.	OPEN	1/25/2017	1969	36.010217	-83.971817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
47I00750041	KNOX	I0075	6.94	I75 / ERWIN RD & SOU. RR	OPEN	1/26/2017	1969	36.032783	-83.99855	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.6
47I00750043	KNOX	I0075	6.99	KNOB FORK CR.	OPEN	12/29/2016	1969	36.031667	-83.998333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47I00750045	KNOX	I0075	7.09	I75 / CENTRAL AVE. PK.	OPEN	1/26/2017	1969	36.034933	-83.997667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.9
47I00750048	KNOX	I0075	7.84	BEAVER CREEK	OPEN	1/26/2017	1969	36.044967	-83.998967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
47I00750047	KNOX	I0075	7.84	BEAVER CREEK	OPEN	1/26/2017	1969	36.045033	-83.998733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.3
47I00750050	KNOX	I0075	8.11	I75 - LL / EMORY RD.	OPEN	1/26/2017	1969	36.0484	-84.00075	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
47I00750049	KNOX	I0075	8.11	I75 - RL / EMORY RD.	OPEN	1/26/2017	1969	36.048517	-84.000567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
47I00750061	KNOX	I0075	11.71	BULL RUN CREEK	OPEN	1/27/2017	1969	36.0935	-84.012483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
47I00750063	KNOX	I0075	12.03	I75 /BULL RUN VALLEY RD.	OPEN	1/27/2017	1971	36.096233	-84.01685	CONCRETE CONTINUOUS	TEE BEAM	85.4
47I00750065	KNOX	I0075	12.42	WILCOX BRANCH	OPEN	12/29/2016	1969	36.100683	-84.02145	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47I00400163	KNOX	I0140	0	I-140 / I40	OPEN	10/10/2016	1996	35.9118	-84.122167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
47I01400043	KNOX	I0140	0.18	I140 WB RMP/ PARKSIDE DR	OPEN	7/12/2016	1996	35.908917	-84.120083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.8
47I01400041	KNOX	I0140	0.19	I140 / PARKSIDE DR.	OPEN	7/12/2016	1996	35.908667	-84.120967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47I01400045	KNOX	I0140	0.56	I140 / SR1(KINGSTON PK)	OPEN	7/11/2016	1996	35.903517	-84.118967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
47I01400011	KNOX	I0140	1.54	I140 / FOX RD.	OPEN	7/11/2016	1993	35.890833	-84.111983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47I01400013	KNOX	I0140	1.89	I140 /GEORGE WILLIAMS RD	OPEN	7/12/2016	1993	35.8878	-84.10695	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47I01400015	KNOX	I0140	2.19	I140 / EMORY CHURCH RD.	OPEN	7/12/2016	1993	35.885167	-84.1028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47I01400017	KNOX	I0140	2.31	SINKING CR. EMBAYMENT	OPEN	7/12/2016	1993	35.88375	-84.1013	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47I01400019	KNOX	I0140	2.93	I140 / WESTLAND DR.	OPEN	7/12/2016	1992	35.876483	-84.094967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
47I01400021	KNOX	I0140	3.58	I140 / BLUEGRASS RD.	OPEN	7/19/2016	1992	35.86985	-84.08695	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47I01400027	KNOX	I0140	4.68	I140 / NORTHSHORE DR.	OPEN	7/19/2016	1991	35.859217	-84.072417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47I01400029	KNOX	I0140	5.44	I140-RL / TEDFORD RD.	OPEN	7/19/2016	1991	35.86045	-84.059367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
47I01400030	KNOX	I0140	5.44	I140-LL / TEDFORD RD.	OPEN	7/19/2016	1991	35.860633	-84.059483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47I01400033	KNOX	I0140	7.12	I140 / TOOLES BEND RD.	OPEN	7/19/2016	1991	35.863367	-84.03215	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47I01400035	KNOX	I0140	7.86	I140 / CONNECTOR "A"	OPEN	7/20/2016	1991	35.855367	-84.023317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
47I01400037	KNOX	I0140	8.64	I140 / TENNESSEE RIVER	OPEN	7/20/2016	1989	35.849667	-84.01225	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.7
47I02750033	KNOX	I0275	0	I275 RMP 5D/ 7 RTS-RR-CK	OPEN	11/16/2016	1986	35.96595	-83.926367	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.4
47I02750031	KNOX	I0275	0.01	I275-SB EXT RP-I / 2 RTS	OPEN	11/14/2016	1994	35.964617	-83.9275	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.8
47I00400059	KNOX	I0275	0.03	I40-EB RMP TO I275/2 RTS	OPEN	11/14/2016	1982	35.967183	-83.929883	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.5
47I00400143	KNOX	I0275	0.08	I275-SB TO I40EB / 7 RTS	OPEN	11/14/2016	1982	35.96925	-83.926083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.5
47I02750001	KNOX	I0275	0.18	I275 / 5TH AVE.	OPEN	11/14/2016	1981	35.9709	-83.930017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
47I02750021	KNOX	I0275	0.22	I275-SB RMP / 5TH. AVE.	OPEN	11/14/2016	1981	35.970983	-83.930633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47I02750003	KNOX	I0275	0.39	I275 / ELM STREET	OPEN	12/5/2016	1958	35.973533	-83.931917	CONCRETE	TEE BEAM	65.5
47I02750008	KNOX	I0275	1.02	I275-SB / OLDHAM AVE.	OPEN	12/5/2016	1960	35.98125	-83.937967	CONCRETE	TEE BEAM	67
47I02750007	KNOX	I0275	1.02	I275-RL / WOODLAND AVE.	OPEN	12/5/2016	1960	35.981267	-83.93785	CONCRETE	TEE BEAM	67
47I02750029	KNOX	I0275	1.5	SECOND CREEK	OPEN	11/9/2016	1990	35.983333	-83.94	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47I02750009	KNOX	I0275	1.67	I275 / TENNESSEE AVE	OPEN	11/9/2016	1989	35.984383	-83.946967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
47I02750027	KNOX	I0275	1.93	I275 / SOUTHERN RR.	OPEN	12/5/2016	1989	35.9876	-83.949583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
47I02750023	KNOX	I0275	2.17	SECOND CREEK	OPEN	11/9/2016	1965	35.991117	-83.950917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47I02750025	KNOX	I0275	2.3	I275-NB EX RMP / 2ND. CR	OPEN	11/9/2016	1965	35.99315	-83.951717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
47I02750013	KNOX	I0275	2.46	SECOND CREEK	OPEN	11/16/2016	1962	35.994683	-83.952617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47I02750019	KNOX	I0640	0	I640-RL (EB) / I275	OPEN	4/19/2016	1962	35.999917	-83.958433	CONCRETE CONTINUOUS	TEE BEAM	79.9
47I02750020	KNOX	I0640	0	I640-LL (WB) / I275	OPEN	4/19/2016	1962	36.000033	-83.958483	CONCRETE CONTINUOUS	TEE BEAM	86.5
47I00750057	KNOX	I0640	0.05	I640-WB FLYOVER / 4 RTS	OPEN	4/19/2016	1981	36.000733	-83.958533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.5
47I06400009	KNOX	I0640	2.29	I640 / OLD BROADWAY	OPEN	4/25/2016	1970	36.017467	-83.92425	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	85.4
47I06400011	KNOX	I0640	2.37	BRANCH	OPEN	4/20/2016	1970	36.01825	-83.922833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47I06400013	KNOX	I0640	2.41	I640 / SR33	OPEN	4/25/2016	1970	36.018667	-83.922333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
47I06400017	KNOX	I0640	2.65	WHITES CREEK	OPEN	4/20/2016	1981	36.01995	-83.918833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47I06400019	KNOX	I0640	2.84	I640-EB / SOU RR- NORA LN	OPEN	5/2/2016	1981	36.020883	-83.915617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
47I06400020	KNOX	I0640	2.84	I640-WB / SOU RR- NORA LN	OPEN	5/2/2016	1981	36.021333	-83.9148	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.6
47I06400022	KNOX	I0640	4.66	I640-LL / WASHINGTON PK.	OPEN	5/2/2016	1981	36.032233	-83.88695	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.1
47I06400021	KNOX	I0640	4.66	I640-RL / WASHINGTON PK.	OPEN	5/2/2016	1981	36.03195	-83.88675	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.1
47I06400029	KNOX	I0640	5.83	BRANCH	OPEN	4/20/2016	1981	36.0287	-83.86665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.9
47I06400033	KNOX	I0640	6.49	I640-RL / MCINTYRE RD.	OPEN	4/20/2016	1981	36.020733	-83.860783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.1
47I06400034	KNOX	I0640	6.49	I640-LL / MCINTYRE RD.	OPEN	4/20/2016	1981	36.0208	-83.8606	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
47I06400035	KNOX	I0640	6.69	I640-RL / SR 1-SOU. RR.	OPEN	4/20/2016	1982	36.01795	-83.861433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
47I06400036	KNOX	I0640	6.69	I640-LL / SR 1-SOU. RR.	OPEN	4/20/2016	1982	36.0181	-83.860883	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.4
47SR0010001	KNOX	SR001	1.31	TURKEY CREEK	OPEN	11/16/2015	1939	35.868017	-84.2034	CONCRETE	TEE BEAM	66
47SR0010003	KNOX	SR001	4.11	NORTH FORK TURKEY CREEK	OPEN	11/16/2015	1939	35.881733	-84.15925	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	59.5
47SR0010005	KNOX	SR001	4.43	TURKEY CREEK	OPEN	11/16/2015	1939	35.883983	-84.1543	CONCRETE	TEE BEAM	58.8
47SR0010007	KNOX	SR001	9.32	TEN MILE CREEK	OPEN	11/16/2015	1936	35.9145	-84.077817	CONCRETE	TEE BEAM	75.5
47SR0010009	KNOX	SR001	13.87	FOURTH CREEK	OPEN	11/16/2015	1942	35.9329	-84.002	CONCRETE	TEE BEAM	61.5
47SR0010011	KNOX	SR001	15.16	SOUTHERN RAILWAY	OPEN	11/17/2015	2011	35.94105	-83.98215	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47SR1580021	KNOX	SR001	17.56	FIRST CREEK	OPEN	3/8/2016	1972	35.968433	-83.91675	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.5
47SR1150029	KNOX	SR001	17.62	SR158 / SR115 RAMP B	OPEN	2/10/2016	2001	35.950133	-83.94225	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
47SR1580001	KNOX	SR001	18.22	THIRD CREEK	OPEN	2/16/2016	1952	35.943117	-83.935917	CONCRETE	TEE BEAM	87.6
47SR1580009	KNOX	SR001	18.84	FT LOUDON LK BACKWATERS	OPEN	2/16/2016	1973	35.946267	-83.925983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.2
47SR1580005	KNOX	SR001	19.52	SECOND CREEK	OPEN	2/16/2016	1950	35.955583	-83.921983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
47SR0710023	KNOX	SR001	20.385	HALL FAME DR / J WHITE	OPEN	3/8/2016	1999	35.9637	-83.911417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81
47SR0710023	KNOX	SR001	20.385	HALL FAME DR / J WHITE	OPEN	3/8/2016	1999	35.9637	-83.911417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81
47056660001	KNOX	SR001	20.903	HOF DR. / 2 RTS - SOU RR	OPEN	3/8/2016	2006	35.970217	-83.915667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
47SR0010063	KNOX	SR001	21.402	FIRST CREEK	OPEN	12/8/2015	1997	35.976633	-83.913033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
47SR0010031	KNOX	SR001	21.432	SOU RAILWAY	OPEN	12/8/2015	1997	35.976267	-83.914417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
47SR0010033	KNOX	SR001	23.712	SR-1 / PED. WALKWAY	OPEN	12/8/2015	1959	35.996233	-83.899867	CONCRETE	TEE BEAM	81.8
47SR0010037	KNOX	SR001	25.872	LOVE CREEK	OPEN	12/3/2015	1927	36.018183	-83.858683	CONCRETE	TEE BEAM	65.7
47SR0010039	KNOX	SR001	26.422	SOUTHERN RAILWAY	OPEN	12/7/2015	1976	36.022433	-83.8507	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.3
47SR0010041	KNOX	SR001	27.512	WOODS CREEK	OPEN	12/3/2015	1976	36.034917	-83.840833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
47SR0010043	KNOX	SR001	29.932	LEGG CREEK	OPEN	12/3/2015	1976	36.049717	-83.802033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.3
47SR0010045	KNOX	SR001	30.642	STRONG CREEK	OPEN	12/4/2015	1976	36.0563	-83.792117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.3
47SR0010047	KNOX	SR001	32.662	ROSEBERRY CREEK	OPEN	12/7/2015	1973	36.077933	-83.768117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
47SR0010053	KNOX	SR001	34.872	BRANCH	OPEN	12/7/2015	1955	36.1029	-83.743467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
47SR0010049	KNOX	SR001	35.862	FLAT CREEK	OPEN	12/8/2015	2000	36.114117	-83.732283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.3
47SR0010050	KNOX	SR001	35.862	FLAT CREEK	OPEN	12/8/2015	1999	36.114183	-83.732567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.3
47SR0090001	KNOX	SR009	1.31	BEAVER CREEK	OPEN	12/16/2015	1930	36.0183	-84.051617	CONCRETE	TEE BEAM	69.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47SR0090015	KNOX	SR009	6.96	SR9 RMP TO I75-SB / SR9	OPEN	12/16/2015	1981	35.998633	-83.96045	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
47I02750017	KNOX	SR009	7.18	I275-NB EXT. RMP / SR-9	OPEN	11/16/2016	1963	35.9994	-83.956083	CONCRETE CONTINUOUS	TEE BEAM	91.6
47SR0090007	KNOX	SR009	7.87	HOLSTON RIVER	OPEN	12/9/2015	2004	36.01445	-83.83125	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
47SR0090009	KNOX	SR009	11.13	SINKING CREEK	OPEN	12/9/2015	1958	36.021617	-83.774067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47SR0090013	KNOX	SR009	13.39	SR9-ASHEVILLE / SR 34	OPEN	12/9/2015	1933	36.027467	-83.73405	CONCRETE	TEE BEAM	51
47SR0090011	KNOX	SR009	13.82	LYON CREEK	OPEN	12/9/2015	1933	36.025217	-83.72655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
47I00400207	KNOX	SR033	0.02	HOF DR RMP 2D/I40 RMP 1A	OPEN	12/1/2016	2007	35.982583	-83.91835	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.5
47SR0330003	KNOX	SR033	2.18	KNOB CREEK	OPEN	12/15/2015	1926	35.9011	-83.93725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
47SR0330007	KNOX	SR033	3.85	CSX RAILROAD	OPEN	12/15/2015	1986	35.920433	-83.927017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.1
47SR0330011	KNOX	SR033	6.68	TENNESSEE RIVER & 2 RTS	OPEN	2/8/2016	1930	35.958867	-83.919883	CONCRETE	ARCH - DECK	77
47I00400157	KNOX	SR033	7.55	SR1 RP-G/3 RTS/CREEK/RR	OPEN	11/16/2016	1986	35.966	-83.925567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
47SR0010061	KNOX	SR033	7.57	HENLEY ST. / 2 RTS-CR-RR	OPEN	11/16/2016	1986	35.966	-83.925622	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
47SR0010025	KNOX	SR033	7.64	SOUTHERN RAILWAY	OPEN	12/15/2015	1927	35.967283	-83.92415	CONCRETE	TEE BEAM	43.5
47SR0330013	KNOX	SR033	9.03	BROADWAY/ J.WHITE PKWY	OPEN	12/16/2015	1965	35.987117	-83.921017	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	55.4
47SR0330015	KNOX	SR033	9.24	FIRST CREEK	OPEN	12/15/2015	1949	35.98995	-83.919933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	62.5
47SR0330017	KNOX	SR033	10.1	FIRST CREEK	OPEN	12/15/2015	1936	36.0013	-83.92565	CONCRETE	TEE BEAM	63
47SR0330019	KNOX	SR033	10.23	FIRST CREEK	OPEN	1/4/2016	1936	36.0035	-83.92665	CONCRETE	TEE BEAM	51.7
47SR0330021	KNOX	SR033	10.33	FIRST CREEK	OPEN	1/4/2016	1936	36.00445	-83.926733	CONCRETE	TEE BEAM	62.2
47SR0330023	KNOX	SR033	11.19	FIRST CREEK	OPEN	1/4/2016	1971	36.01615	-83.922317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
47SR0330035	KNOX	SR033	11.28	FIRST CREEK	OPEN	1/4/2016	1981	36.01705	-83.9229	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
47SR0330027	KNOX	SR033	11.35	WHITES CREEK	OPEN	1/4/2016	1971	36.018367	-83.922167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47SR0330029	KNOX	SR033	11.637	SR 33/SR331(TAZEWELL PK)	OPEN	12/16/2015	1971	36.022133	-83.924267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
47SR0330032	KNOX	SR033	15.96	BEAVER CREEK	OPEN	1/6/2016	1963	36.080517	-83.927917	CONCRETE	TEE BEAM	72.4
47SR0330031	KNOX	SR033	15.98	BEAVER CREEK	OPEN	12/1/2016	1963	36.080667	-83.92715	CONCRETE	TEE BEAM	94.7
47SR0330033	KNOX	SR033	16.8	MILL BRANCH	OPEN	1/6/2016	1934	36.090867	-83.920633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.2
47SR0340001	KNOX	SR034	0.81	LYONS CREEK	OPEN	1/7/2016	1942	36.033683	-83.72615	CONCRETE	TEE BEAM	79.6
47SR0340003	KNOX	SR034	2.03	CLIFTS CREEK	OPEN	1/7/2016	1942	36.046517	-83.7112	CONCRETE	TEE BEAM	74
47SR0340005	KNOX	SR034	3.25	THOMPSON CREEK	OPEN	1/7/2016	1953	36.056833	-83.694867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
47SR0620019	KNOX	SR062	4.02	BEAVER CREEK	OPEN	1/13/2016	1945	35.978383	-84.131867	CONCRETE	TEE BEAM	61.9
47SR0620003	KNOX	SR062	8.21	GRASSY CREEK	OPEN	1/13/2016	1945	35.990433	-84.060533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
47SR0620005	KNOX	SR062	8.89	BRANCH	OPEN	1/13/2016	1945	35.988217	-84.049817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
47SR0620007	KNOX	SR062	11.515	BRANCH	OPEN	1/13/2016	2014	35.975317	-84.006483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
47SR0620009	KNOX	SR062	11.725	THIRD CREEK	OPEN	1/13/2016	1945	35.975233	-84.00275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5
47I00750013	KNOX	SR062	13.1	SR-62 / I75 & I75 NB RMP	OPEN	1/12/2017	1980	35.9738	-83.979767	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	70
47SR0620023	KNOX	SR062	14.61	EAST FORK THIRD CREEK	OPEN	1/14/2016	1985	35.97035	-83.95555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
47I00400055	KNOX	SR062	15.96	WESTERN AVE. / I40	OPEN	11/14/2016	1981	35.9656	-83.93345	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7
47SR0620013	KNOX	SR062	16.1	WESTERN AVE / 2 RTS & RR	OPEN	1/14/2016	1994	35.964733	-83.931033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
47I00400173	KNOX	SR062	16.1	SR62 RAMP / I40 EB RAMP	OPEN	11/9/2016	1982	35.9676	-83.929383	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
47SR0620015	KNOX	SR062	16.34	SOU RWY SECOND CR & E571	OPEN	1/12/2016	1994	35.964383	-83.92695	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.4
47SR0010065	KNOX	SR062	16.43	SR62 /SR1 RP-C HENLEY ST	OPEN	1/12/2016	1994	35.964567	-83.924183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
47SR0330039	KNOX	SR062	16.45	SR62 /SR1 RP-G HENLEY ST	OPEN	1/12/2016	1994	35.9646	-83.923317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
47SR0710007	KNOX	SR071	1.34	HINES CREEK	OPEN	2/25/2016	1955	35.896933	-83.812033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47SR0710001	KNOX	SR071	2.38	BURNETT CREEK	OPEN	2/25/2016	1933	35.9033	-83.8282	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.4
47SR0710003	KNOX	SR071	12.55	BULL RUN CREEK	OPEN	2/22/2016	1934	36.114317	-83.98755	CONCRETE CONTINUOUS	TEE BEAM	63.3
47SR1150001	KNOX	SR115	0	LITTLE RIVER	OPEN	2/2/2016	2005	35.873183	-83.9591	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.8
47SR1150002	KNOX	SR115	0	LITTLE RIVER	OPEN	2/2/2016	2005	35.873067	-83.9595	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.8
47SR1150023	KNOX	SR115	0.88	SR115 / SR168	OPEN	2/2/2016	1988	35.884983	-83.953583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82
47SR1150004	KNOX	SR115	1.44	KNOBS CREEK	OPEN	2/2/2016	1936	35.89255	-83.953283	CONCRETE	TEE BEAM	70.8
47SR1150003	KNOX	SR115	1.44	KNOBS CREEK	OPEN	2/2/2016	1962	35.8925	-83.953233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.3
47SR1150005	KNOX	SR115	1.66	CSX RAILROAD	OPEN	2/2/2016	1964	35.895567	-83.95285	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.6
47SR1150006	KNOX	SR115	1.66	CSX RAILROAD	OPEN	2/2/2016	1934	35.895433	-83.952967	CONCRETE	TEE BEAM	47.9
47SR1150009	KNOX	SR115	5.32	SR115 /SR158&TENN. RIV.	OPEN	1/12/2016	1990	35.945767	-83.947017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
47SR1150027	KNOX	SR115	5.69	SR115 RMP / SR-1 RMP C	OPEN	2/10/2016	2001	35.9502	-83.94355	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
47SR0010013	KNOX	SR115	5.87	SR115-ALCOA / KINGSTON	OPEN	2/10/2016	2000	35.952517	-83.942317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96
47SR1150011	KNOX	SR115	6.01	SOU RWY&3RD CR A247	OPEN	2/10/2016	1966	35.954217	-83.94335	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89
47SR1150013	KNOX	SR115	6.15	SOU RR-CSX RR & A248	OPEN	2/4/2016	1965	35.955817	-83.945133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.1
47SR1150015	KNOX	SR115	6.5	SR115 / EUCLID AVE.	OPEN	2/4/2016	1965	35.96075	-83.946417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.7
47I00400071	KNOX	SR115	6.58	SR115-EB RMP/I40&21ST.	OPEN	11/9/2016	1981	35.96225	-83.94315	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
47SR1150025	KNOX	SR115	6.61	SR115-RP 4C /UNIVERSITY	OPEN	11/7/2016	2001	35.9623	-83.94635	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.9
47I00400009	KNOX	SR131	0.85	LOVELL RD. / I40	OPEN	10/10/2016	2000	35.905833	-84.144567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
47E00040001	KNOX	SR131	5.95	MEADOW CREEK	OPEN	1/25/2016	2010	35.966067	-84.12315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
47E00040003	KNOX	SR131	7.51	BEAVER CREEK	OPEN	1/25/2016	1940	35.984633	-84.117383	CONCRETE CONTINUOUS	TEE BEAM	54.8
47SR1310013	KNOX	SR131	14.01	BEAVER CR AND NS RR	OPEN	1/25/2016	2014	36.023772	-84.02205	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47SR1310007	KNOX	SR131	16.6	BRANCH	OPEN	2/22/2016	1960	36.055567	-83.987317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
47SR1310009	KNOX	SR131	19.63	BRANCH	OPEN	2/22/2016	2008	36.055567	-83.987317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47SR1310011	KNOX	SR131	20.11	BRANCH	OPEN	2/22/2016	2008	36.082217	-83.936767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
47SR1310001	KNOX	SR131	20.51	LAMMIE BRANCH	OPEN	2/25/2016	1939	36.085467	-83.920983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.5
47SR1310003	KNOX	SR131	23.86	KERNS BRANCH	OPEN	2/25/2016	1939	36.116117	-83.87605	CONCRETE	TEE BEAM	47.5
47SR1310005	KNOX	SR131	29.495	BRANCH	OPEN	2/25/2016	1940	36.166367	-83.814483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
47SR1580011	KNOX	SR158	0.05	FIRST CREEK	OPEN	10/3/2016	1972	35.957567	-83.901017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
47000710017	KNOX	SR158	0.35	SR158 / RMP TO HILL AVE.	OPEN	2/16/2016	1999	35.965917	-83.915383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96.5
47SR1580065	KNOX	SR158	0.98	J WHITE PK/OLD MAGNOLIA	OPEN	3/8/2016	2006	35.974367	-83.916983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
47SR0010071	KNOX	SR158	1.01	NEYLAND DR / E. FIFTH AV	OPEN	3/8/2016	2006	35.9759	-83.9174	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.5
47I00400199	KNOX	SR158	1.02	SR158 / I40-WB-RMP-1A	OPEN	11/28/2016	2007	35.975583	-83.91815	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.4
47SR0620001	KNOX	SR162	0.15	SR162 / SR 62 EBL	OPEN	3/9/2016	1973	35.978333	-84.178867	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	83
47SR1620003	KNOX	SR162	1.2	BEAVER CREEK	OPEN	3/9/2016	1969	35.964	-84.173233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
47SR1620004	KNOX	SR162	1.2	BEAVER CREEK	OPEN	3/9/2016	1969	35.96415	-84.17305	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.3
47SR1620006	KNOX	SR162	2.51	SR162-LL /HARDIN VALLEY	OPEN	3/9/2016	1969	35.950133	-84.1575	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
47SR1620005	KNOX	SR162	2.51	SR162-RL /HARDIN VALLEY	OPEN	3/9/2016	1969	35.95	-84.157817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
47SR1620007	KNOX	SR162	3.78	SR162-NB / LOVELL RD	OPEN	3/9/2016	1968	35.9349	-84.144983	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9
47SR1620008	KNOX	SR162	3.78	SR162-SB / LOVELL RD	OPEN	3/9/2016	1968	35.935083	-84.145033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
47SR1620039	KNOX	SR162	5.64	SR162/162-RP TO I40 EAST	OPEN	3/16/2016	2000	35.91475	-84.123267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.9
47I00400165	KNOX	SR162	5.85	SR162-SB-RMP TO I40/I40	OPEN	10/10/2016	1998	35.9126	-84.118017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47SR0330037	KNOX	SR168	0.93	SR168 / MARYVILLE PK.	OPEN	3/15/2016	1967	35.8882	-83.937917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70
47S25910011	KNOX	SR168	1.55	J.SEVIER / NOR-SOU RR	OPEN	3/15/2016	1970	35.889267	-83.92715	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.4
47S25910015	KNOX	SR168	4.63	SR 168 / NUBERT SPGS. RD	OPEN	3/15/2016	1970	35.982567	-83.874417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.4
47SR0710005	KNOX	SR168	6.69	SR71 / CHAPMAN HWY.	OPEN	3/16/2016	1974	35.907467	-83.84025	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.4
47S25910001	KNOX	SR168	7.4	SR168 / SEVIERVILLE PK	OPEN	3/16/2016	1962	35.9144	-83.830417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	57.8
47S25910003	KNOX	SR168	7.86	BURNETT CREEK	OPEN	3/16/2016	1960	35.919433	-83.826133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
47S25910005	KNOX	SR168	7.94	SR168 / BURNETT CREEK RD	OPEN	3/16/2016	1958	35.92025	-83.824917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	58.4
47S25910007	KNOX	SR168	10.84	FRENCH BROAD RIVER	OPEN	3/15/2016	1962	35.952617	-83.809217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.5
47S25960001	KNOX	SR168	13.095	SWAN POND CREEK	OPEN	3/16/2016	1958	35.97825	-83.82535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
47SR0090005	KNOX	SR168	16.03	LOVES CREEK	OPEN	3/22/2016	1931	36.009917	-83.8435	CONCRETE	TEE BEAM	87.2
47SR0010035	KNOX	SR168	17.91	SR-168 / SR-1	OPEN	3/8/2016	1962	36.00185	-83.87465	STEEL	STRINGER/MULTI-BEAM OR GIRDER	93.6
47S24040001	KNOX	SR169	3.9	TEN MILE CREEK	OPEN	2/22/2016	1993	35.941917	-84.059917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
47SR1690001	KNOX	SR169	9.24	THIRD CREEK	OPEN	2/22/2016	1978	35.96205	-83.975883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
47I00750007	KNOX	SR169	9.28	MIDDLEBROOK PK / I75	OPEN	1/20/2017	1981	35.961967	-83.974867	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90.5
47SR1690005	KNOX	SR169	10.54	THIRD CREEK	OPEN	2/22/2016	2000	35.946867	-84.053833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
47S24740003	KNOX	SR170	2.25	CHILDRESS BRANCH	OPEN	2/22/2016	1945	36.08165	-84.0544	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
47I00750067	KNOX	SR170	4.74	RACoon VALLEY RD. / I75	OPEN	1/27/2017	1960	36.10745	-84.023833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.2
47S25040001	KNOX	SR331	2.73	BRANCH	OPEN	4/19/2016	1940	36.052667	-83.895067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.3
47S25040003	KNOX	SR331	5.5	COX CREEK	OPEN	4/19/2016	1960	36.0863	-83.87195	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
47S25040005	KNOX	SR331	11.83	LITTLE FLAT CREEK	OPEN	4/19/2016	1960	36.14045	-83.796117	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	80.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
47E00190001	KNOX	SR331	14.51	FLAT CREEK	OPEN	4/19/2016	2008	36.151633	-83.75335	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
47SR3320001	KNOX	SR332	0.24	TURKEY CREEK	OPEN	4/5/2016	2007	35.878467	-84.157733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
47SR3320003	KNOX	SR332	0.64	TURKEY CREEK	OPEN	4/5/2016	2007	35.876733	-84.151017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
47S24060001	KNOX	SR332	1.87	SOUTHERN RAILWAY	OPEN	4/5/2016	1942	35.861717	-84.1418	CONCRETE	TEE BEAM	65
47S24060003	KNOX	SR332	2.19	SINKING CREEK	OPEN	4/11/2016	1942	35.860933	-84.137467	CONCRETE	TEE BEAM	59.9
47S24060005	KNOX	SR332	8.16	BRANCH	OPEN	4/5/2016	1950	35.87335	-84.047817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.3
47SR3320015	KNOX	SR332	8.67	SINKING CREEK	OPEN	4/5/2016	1950	35.878417	-84.0413	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.4
47S24060007	KNOX	SR332	12.56	FOURTH CREEK	OPEN	4/5/2016	1950	35.917717	-83.996417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
47S24060009	KNOX	SR332	13.35	FOURTH CREEK	OPEN	4/5/2016	1950	35.927783	-84.000183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
47004740011	KNOX	SR332	13.8	FOURTH CREEK	OPEN	4/5/2016	1965	35.933933	-84.00245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
47SR4500001	KNOX	SR450	0.22	SOU. RR & THIRD CR	OPEN	3/16/2016	2002	35.948867	-83.937217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
48008280001	LAKE	00828	6.06	BRANCH	OPEN	7/25/2016	2014	36.262933	-89.46505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
48S81510001	LAKE	00828	8.1	RUNNING REELFOOT BAYOU	OPEN	7/21/2016	1990	36.259611	-89.428944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.8
48015050001	LAKE	01505	1.9	RUNNING REELFOOT BAYOU	OPEN	7/21/2016	1985	36.215583	-89.498222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
48015110001	LAKE	01511	1.68	BLUE BANK BAYOU	OPEN	7/21/2016	1984	36.284806	-89.517306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
48S81570001	LAKE	01515	2.75	BLUE BANK BAYOU	OPEN	7/21/2016	1965	36.302694	-89.500694	CONCRETE	CHANNEL BEAM	83.9
480A0370001	LAKE	02155	5.93	RUNNING REELFOOT BAYOU	OPEN	7/25/2016	1991	36.331611	-89.400833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	61.4
480A0400001	LAKE	0A040	1.538	BLUE BANK BAYOU	OPEN	7/21/2016	1999	36.307139	-89.476139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
480A0400003	LAKE	0A040	2.536	BLUE BANK BAYOU	OPEN	7/25/2016	1999	36.321611	-89.475833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
480A0430001	LAKE	0A043	2.3	RUNNING REELFOOT BAYOU	OPEN	7/21/2016	2007	36.269683	-89.424683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
480A0590001	LAKE	0A059	1.613	BRANCH	OPEN	7/21/2016	1995	36.198167	-89.516139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
480A0590003	LAKE	0A059	1.91	RUNNING REELFOOT BAYOU	OPEN	7/21/2016	2013	36.197917	-89.510733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
480A2000001	LAKE	0A200	0	SLOUGH OF REELFOOT LAKE	OPEN	7/25/2016	1983	36.352778	-89.406222	CONCRETE	CHANNEL BEAM	32.5
48SR0210005	LAKE	SR021	0.07	HARRIS DITCH	OPEN	7/21/2016	1969	36.367444	-89.504917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.3
48SR0210001	LAKE	SR021	1.2	BRANCH	OPEN	7/21/2016	1916	36.369056	-89.487861	CONCRETE	CHANNEL BEAM	64.5
48SR0210007	LAKE	SR021	7.375	REELFOOT LAKE SPILLWAY	OPEN	7/25/2016	2011	36.352917	-89.409767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
48SR0210003	LAKE	SR021	7.61	REELFOOT LAKE SPILLWAY	OPEN	7/25/2016	1930	36.352306	-89.40575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	31.5
48SR0220005	LAKE	SR022	0.095	TENN. KEN. RAILROAD	OPEN	7/21/2016	2014	36.385883	-88.46755	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
48SR0220009	LAKE	SR022	1.675	BRANCH	OPEN	7/21/2016	2014	36.407333	-89.474917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
48SR0220003	LAKE	SR022	4.59	DITCH	OPEN	7/21/2016	1998	36.443833	-89.486722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
48SR0780001	LAKE	SR078	0.17	OVERFLOW	OPEN	7/21/2016	1982	36.228333	-89.473583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.4
48SR0780003	LAKE	SR078	5.66	SLOUGH	OPEN	7/21/2016	1997	36.307139	-89.475694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
48SR0780005	LAKE	SR078	7.5	SLOUGH	OPEN	7/21/2016	1997	36.333556	-89.472944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
48SR0780007	LAKE	SR078	8.05	SLOUGH	OPEN	7/21/2016	1997	36.34125	-89.469944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
48SR0780009	LAKE	SR078	8.63	SLOUGH	OPEN	7/25/2016	1993	36.349417	-89.468611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
48SR0220007	LAKE	SR078	11.08	BRANCH	OPEN	7/21/2016	2014	36.413219	-89.475392	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
48SR0780011	LAKE	SR078	16.54	DRAINAGE DITCH	OPEN	7/21/2016	1928	36.447861	-89.408778	CONCRETE	CHANNEL BEAM	65.4
48SR0780013	LAKE	SR078	17.985	DRAINAGE DITCH	OPEN	7/21/2016	1999	36.464361	-89.392972	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	87.6
48SR0790021	LAKE	SR079	6.4	OVERFLOW	OPEN	7/21/2016	1987	36.226333	-89.544444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.3
48SR0790023	LAKE	SR079	6.95	SLOUGH	OPEN	7/21/2016	1984	36.227139	-89.537361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
48SR0790025	LAKE	SR079	7.26	SLOUGH	OPEN	7/21/2016	1984	36.227917	-89.531917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
49S80450005	LAUDERDALE	00816	6.67	BRANCH	OPEN	4/25/2016	1991	35.751056	-89.62325	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.4
49S80440009	LAUDERDALE	00819	1.16	COLD CREEK	OPEN	4/14/2016	1970	35.818833	-89.663361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
49S80440011	LAUDERDALE	00819	1.45	COLD CREEK	OPEN	4/14/2016	1980	35.822861	-89.528417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
49S80440013	LAUDERDALE	00819	6.19	KNOB CREEK	OPEN	4/20/2016	1953	35.879694	-89.533917	CONCRETE	TEE BEAM	69.7
49S80440015	LAUDERDALE	00819	8.92	BRANCH	OPEN	4/20/2016	1970	35.876972	-89.488833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
49SR0880001	LAUDERDALE	00820	0.36	OVERFLOW	OPEN	4/21/2016	1986	35.915111	-89.631	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
49F00110003	LAUDERDALE	00821	2.07	OVERFLOW	OPEN	4/13/2016	2013	35.880617	-89.358567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
49F00110005	LAUDERDALE	00821	2.32	OVERFLOW	OPEN	4/13/2016	1972	35.880817	-89.35405	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.3
49F00110007	LAUDERDALE	00821	2.35	S FK. FORKED DEER RIVER	OPEN	4/14/2016	1991	35.880722	-89.353667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.3
49F00110009	LAUDERDALE	00821	2.53	OVERFLOW	OPEN	4/13/2016	1997	35.880778	-89.350278	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
49F00110011	LAUDERDALE	00821	2.66	OVERFLOW	OPEN	4/13/2016	1960	35.880633	-89.347833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	29.6
49F00110013	LAUDERDALE	00821	2.87	OVERFLOW	OPEN	4/13/2016	1997	35.881056	-89.344389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
49F00110015	LAUDERDALE	00821	2.93	FORKED DEER RIVER	OPEN	4/13/2016	2005	35.881361	-89.34325	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
49S82160001	LAUDERDALE	00822	1.17	BRANCH	OPEN	4/13/2016	1950	35.868861	-89.379056	CONCRETE	CHANNEL BEAM	61
49F00120003	LAUDERDALE	00822	2.18	HALLS CREEK	OPEN	4/13/2016	1958	35.863222	-89.364194	CONCRETE	TEE BEAM	60.1
49F00120005	LAUDERDALE	00822	2.97	S FK FORKED DEER RIVER	OPEN	4/13/2016	1992	35.861833	-89.350139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
49F00120007	LAUDERDALE	00822	3.53	OLD BED S.FRK.FR.D.DEER R	OPEN	4/18/2016	1996	35.861972	-89.341	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
49S82160005	LAUDERDALE	00823	2.09	DRAINAGE DITCH	OPEN	4/13/2016	1987	35.860833	-89.376333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
49S82160003	LAUDERDALE	00823	2.3	SUMROW CREEK	OPEN	4/13/2016	1991	35.864556	-89.376	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.3
49SR0190033	LAUDERDALE	01258	1.61	CNIC RAILROAD	OPEN	4/26/2016	1987	35.742639	-89.529417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.3
49S81270001	LAUDERDALE	01440	2	BRANCH	OPEN	4/25/2016	1997	35.799972	-89.453694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
49014820003	LAUDERDALE	01482	0.06	DRAINAGE DITCH	OPEN	4/26/2016	2007	35.675417	-89.570667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
49014820005	LAUDERDALE	01482	0.42	BRANCH	OPEN	4/28/2016	1975	35.673556	-89.564611	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.7
49014820007	LAUDERDALE	01482	3.22	BRANCH OF HATCHIE RIVER	OPEN	6/20/2016	2016	35.651556	-89.513917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
49014820009	LAUDERDALE	01482	3.7	BRANCH	WEIGHT POSTED	4/28/2016	1968	35.666611	-89.511917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59
49014820011	LAUDERDALE	01482	4.47	BRANCH	OPEN	4/27/2016	1984	35.667333	-89.498417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
49014820013	LAUDERDALE	01482	5.58	CAMP CREEK	OPEN	6/6/2017	2017	35.668389	-89.478944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
49014870001	LAUDERDALE	01487	1.04	COLD CREEK	OPEN	4/20/2016	2012	35.698194	-89.716333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.2
49S82020001	LAUDERDALE	01489	4.44	CANE CREEK	OPEN	4/26/2016	1997	35.751583	-89.483528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
49014930001	LAUDERDALE	01493	4.8	MILL CREEK	OPEN	4/21/2016	1960	35.901861	-89.481972	CONCRETE	TEE BEAM	79.2
49S80260001	LAUDERDALE	01495	0.04	MILL CREEK	OPEN	4/20/2016	1985	35.904806	-89.453389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.1
49S80260003	LAUDERDALE	01495	0.12	BRANCH	OPEN	4/20/2016	2001	35.905556	-89.453194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
49S80260005	LAUDERDALE	01495	0.69	BRANCH	OPEN	4/20/2016	1997	35.912472	-89.44725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
49S80260007	LAUDERDALE	01495	2.28	CHAMBERS BRANCH	OPEN	4/20/2016	2015	35.933111	-89.442194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.6
49S80260009	LAUDERDALE	01495	2.8	BRANCH	OPEN	5/3/2017	2017	35.939028	-89.437361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.6
490A2900001	LAUDERDALE	04109	1.01	FAIN SPRING CREEK	OPEN	4/26/2016	1982	35.753583	-89.508361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
490A2900003	LAUDERDALE	04109	1.27	CANE CREEK	OPEN	4/26/2016	1990	35.756806	-89.506472	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
490A0680003	LAUDERDALE	06136	0.32	HYDE CREEK	OPEN	12/19/2016	2016	35.736306	-89.553889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
490A0010001	LAUDERDALE	0A001	0.691	BRANCH OF HATCHIE RIVER	OPEN	4/19/2016	2006	35.663017	-89.599933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
490A0010003	LAUDERDALE	0A001	0.978	BRANCH	OPEN	4/19/2016	2012	35.663694	-89.605444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
490A0010007	LAUDERDALE	0A001	1.502	BRANCH	OPEN	4/19/2016	1991	35.664778	-89.614111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
490A0010005	LAUDERDALE	0A001	2.731	COOPER SPRINGS CREEK	OPEN	4/19/2016	2002	35.67	-89.633111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
490A0050003	LAUDERDALE	0A005	3.57	BRANCH OF CANE CREEK	OPEN	4/19/2016	2000	35.673389	-89.685583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A0060001	LAUDERDALE	0A006	1.346	BOAR CREEK	OPEN	4/19/2016	1984	35.682694	-89.656	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
490A0140001	LAUDERDALE	0A014	4.423	COLD CREEK	OPEN	4/26/2016	1998	35.693083	-89.804167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
490A0150001	LAUDERDALE	0A015	1.68	COLD CREEK	OPEN	4/20/2016	1989	35.647528	-89.834167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87
490A0210001	LAUDERDALE	0A021	0.242	BRANCH	WEIGHT POSTED	4/20/2016	1995	35.610472	-89.877111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.6
490A0250001	LAUDERDALE	0A025	2.682	COTTON SLOUGH	WEIGHT POSTED	4/20/2016	2014	35.686889	-89.859417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
490A0270003	LAUDERDALE	0A027	2.577	BRANCH	OPEN	4/28/2016	1984	35.689972	-89.47025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
490A0280001	LAUDERDALE	0A028	0.034	JONES SLOUGH	OPEN	4/26/2016	1994	35.700972	-89.804722	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.9
490A4890001	LAUDERDALE	0A030	1.755	BRANCH	WEIGHT POSTED	4/26/2016	1992	35.742278	-89.749472	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71
490A0330001	LAUDERDALE	0A033	0.324	JONES SLOUGH	WEIGHT POSTED	4/26/2016	1985	35.771278	-89.750556	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.9
490A0390001	LAUDERDALE	0A039	0.387	BRANCH	OPEN	4/27/2016	1991	35.747972	-89.451278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
490A0450001	LAUDERDALE	0A045	0.768	CANE CREEK	OPEN	4/19/2016	1988	35.710639	-89.669389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
490A0480001	LAUDERDALE	0A048	0.263	BRANCH	WEIGHT POSTED	4/14/2016	1978	35.740194	-89.656389	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.9
490A0480009	LAUDERDALE	0A048	0.345	BRANCH	WEIGHT POSTED	4/14/2016	1975	35.74	-89.655139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.4
490A0480003	LAUDERDALE	0A048	0.626	BRANCH OF CANE CREEK	WEIGHT POSTED	4/14/2016	1970	35.740194	-89.650028	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.3
490A0480005	LAUDERDALE	0A048	1.667	CANE CREEK	OPEN	4/20/2016	1990	35.732722	-89.643222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
490A0480007	LAUDERDALE	0A048	2.69	BRANCH OF CANE CREEK	OPEN	4/14/2016	2015	35.719889	-89.648139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
490A0530001	LAUDERDALE	0A053	0.9	BRANCH OF CANE CREEK	OPEN	4/14/2016	1984	35.760139	-89.635306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
490A0530005	LAUDERDALE	0A053	1.2	BRANCH	OPEN	4/14/2016	2002	35.755778	-89.635472	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.9
490A0530003	LAUDERDALE	0A053	2.72	CANE CREEK	OPEN	4/19/2016	1984	35.742306	-89.624806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.7
490A0550003	LAUDERDALE	0A055	0.764	CANE CREEK	OPEN	4/20/2016	1995	35.74875	-89.609167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
490A0560001	LAUDERDALE	0A056	0.501	BRANCH	OPEN	4/19/2016	1997	35.739972	-89.610833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A0610001	LAUDERDALE	0A061	1.09	BRANCH	OPEN	4/18/2016	1984	35.688472	-89.59175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
490A0640001	LAUDERDALE	0A064	0.718	BRANCH OF HATCHIE RIVER	WEIGHT POSTED	4/18/2016	1970	35.695778	-89.591	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.7
490A0650001	LAUDERDALE	0A065	0.105	BRANCH OF CANE CREEK	WEIGHT POSTED	4/19/2016	1975	35.732444	-89.600222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.2
490A0700001	LAUDERDALE	0A070	0.96	CANE CREEK	OPEN	4/20/2016	1992	35.752861	-89.588528	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	70.9
490A0790001	LAUDERDALE	0A079	2.168	BRANCH	OPEN	4/13/2016	1984	35.770917	-89.546472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
490A0810001	LAUDERDALE	0A081	4.642	COLD CREEK	OPEN	9/28/2016	2016	35.814556	-89.595083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
490A0810003	LAUDERDALE	0A081	6.187	OVERFLOW	WEIGHT POSTED	4/13/2016	1958	35.829972	-89.606222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.6
490A0930001	LAUDERDALE	0A093	2.001	BRANCH	OPEN	4/14/2016	1984	35.831972	-89.512	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A0940001	LAUDERDALE	0A094	1.076	BRANCH	WEIGHT POSTED	4/14/2016	1969	35.817861	-89.520028	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	44.7
490A0950001	LAUDERDALE	0A095	0.062	BRANCH	OPEN	6/20/2016	2016	35.81675	-89.520361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
490A0990001	LAUDERDALE	0A099	1.293	COLD CREEK	OPEN	4/13/2016	2012	35.821722	-89.544972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
490A1010001	LAUDERDALE	0A099	2.631	BRANCH	OPEN	4/14/2016	1975	35.823306	-89.529444	CONCRETE	CHANNEL BEAM	83.2
490A1020001	LAUDERDALE	0A102	2.503	COLD CREEK	OPEN	4/14/2016	1997	35.832111	-89.5665	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
490A1100001	LAUDERDALE	0A110	1.757	BRANCH	WEIGHT POSTED	4/13/2016	1970	35.787917	-89.601167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.6
490A1100005	LAUDERDALE	0A110	2.327	BRANCH	OPEN	4/12/2016	1984	35.780167	-89.599417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
490A1110001	LAUDERDALE	0A111	2.041	BRANCH	OPEN	4/13/2016	1986	35.79175	-89.61475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
490A1120001	LAUDERDALE	0A112	0.204	BRANCH	OPEN	4/12/2016	1984	35.778472	-89.615667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
490A1150001	LAUDERDALE	0A115	1.912	MID FK OF FORKED DEER	OPEN	4/12/2016	1991	35.832611	-89.66425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
490A1150003	LAUDERDALE	0A115	4.255	MID FK FORKED DEER RIVER	OPEN	4/18/2016	1996	35.8205	-89.659722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.4
490A1170003	LAUDERDALE	0A117	3.751	BRANCH	OPEN	4/18/2016	2002	35.843361	-89.688417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.6
490A1170001	LAUDERDALE	0A117	5.366	DITCH	OPEN	4/12/2016	1999	35.832667	-89.664278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.4
490A1210001	LAUDERDALE	0A121	2.267	OLD BED FORKED DEER	OPEN	4/25/2016	1988	35.881083	-89.597333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75
490A1210003	LAUDERDALE	0A121	3.812	KNOB CREEK	OPEN	4/21/2016	1970	35.880361	-89.569833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	25.6
490A1240001	LAUDERDALE	0A124	2.26	KNOB CREEK	OPEN	4/21/2016	1999	35.871639	-89.501528	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
490A1340001	LAUDERDALE	0A134	1.1	BRANCH	WEIGHT POSTED	4/18/2016	1999	35.852278	-89.465222	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	63.7
490A1340003	LAUDERDALE	0A134	1.178	DOUBLE BRANCH	OPEN	4/18/2016	1984	35.853167	-89.464444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
490A1340005	LAUDERDALE	0A134	1.886	BRANCH	WEIGHT POSTED	4/19/2016	1977	35.862861	-89.460417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.6
490A1340007	LAUDERDALE	0A134	2.183	BRANCH	OPEN	4/19/2016	1984	35.8665	-89.457722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
490A1340009	LAUDERDALE	0A134	2.565	BRANCH	OPEN	4/19/2016	1984	35.871694	-89.455194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
490A1350001	LAUDERDALE	0A135	0.061	BRANCH	OPEN	4/18/2016	2009	35.852333	-89.463639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97
490A1350003	LAUDERDALE	0A135	0.445	BRANCH	WEIGHT POSTED	4/18/2016	2006	35.853	-89.457278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.2
490A1350005	LAUDERDALE	0A135	1.569	BRANCH	OPEN	4/18/2016	1985	35.850944	-89.438417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A1350007	LAUDERDALE	0A135	1.65	BRANCH	OPEN	4/18/2016	2006	35.584267	-87.43725	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
490A1360001	LAUDERDALE	0A136	0.208	BRANCH	WEIGHT POSTED	4/20/2016	1975	35.870583	-89.445139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42
490A1400001	LAUDERDALE	0A140	1.909	BRANCH	WEIGHT POSTED	4/25/2016	1975	35.883944	-89.484	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
490A1420001	LAUDERDALE	0A142	0.909	BRANCH	OPEN	4/21/2016	1984	35.928417	-89.496778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A1420005	LAUDERDALE	0A142	1.915	BRANCH	OPEN	4/21/2016	1970	36.01035	-88.466433	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	38.9
490A1510001	LAUDERDALE	0A151	0.5	CHAMBERS BRANCH	OPEN	4/20/2016	2003	35.935056	-89.430167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A1510003	LAUDERDALE	0A151	0.636	CHAMBERS BRANCH	OPEN	4/20/2016	1992	35.934472	-89.427694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
490A1510005	LAUDERDALE	0A151	0.949	BRANCH	WEIGHT POSTED	4/25/2016	2001	35.934417	-89.422556	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	35.9
490A1520001	LAUDERDALE	0A152	0.387	BRANCH	OPEN	4/20/2016	1985	35.914556	-89.437556	STEEL	STRINGER/MULTI-BEAM OR GIRDER	95.6
490A1550001	LAUDERDALE	0A155	0.648	MILL CREEK	OPEN	4/25/2016	1989	35.915111	-89.398111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
490A1950003	LAUDERDALE	0A195	0.889	BRANCH	WEIGHT POSTED	4/13/2016	1975	35.89625	-89.378278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.3
490A1960001	LAUDERDALE	0A196	0.008	BRANCH	OPEN	4/13/2016	1984	35.894806	-89.384306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A1970001	LAUDERDALE	0A197	0.537	BRANCH	OPEN	4/13/2016	1984	35.881333	-89.393194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
490A2300001	LAUDERDALE	0A230	0.395	SUMROW CREEK	OPEN	4/27/2016	1995	35.866083	-89.415583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
490A2310001	LAUDERDALE	0A231	1.19	SUMROW CREEK	OPEN	4/27/2016	1987	35.865083	-89.428111	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
490A2310003	LAUDERDALE	0A231	2.452	BEECH BLUFF CREEK	OPEN	4/27/2016	1987	35.851194	-89.437972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A2320001	LAUDERDALE	0A232	0.965	BEECH BLUFF CREEK	OPEN	4/27/2016	1993	35.882444	-89.393222	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.1
490A2570001	LAUDERDALE	0A257	0.327	TISDALE CREEK	OPEN	4/12/2016	1996	35.847667	-89.395222	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
490A2570003	LAUDERDALE	0A257	0.393	BRANCH	WEIGHT POSTED	4/12/2016	1984	35.847111	-89.394278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.7
490A2570005	LAUDERDALE	0A257	0.44	BRANCH	WEIGHT POSTED	4/13/2016	1975	35.846683	-89.393722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7
490A2600001	LAUDERDALE	0A260	0.121	TISDALE CREEK	OPEN	4/27/2016	2000	35.829194	-89.415556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
490A2610001	LAUDERDALE	0A261	1.079	TISDALE CREEK	OPEN	4/27/2016	2003	35.823444	-89.424361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
490A2630001	LAUDERDALE	0A263	0.26	BRANCH	WEIGHT POSTED	4/27/2016	1975	35.8356	-89.431778	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.8
490A2630003	LAUDERDALE	0A263	1.066	BRANCH	OPEN	4/27/2016	2009	35.826817	-89.44045	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
490A2630005	LAUDERDALE	0A263	1.934	TISDALE CREEK	OPEN	4/27/2016	1984	35.817417	-89.449389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
490A2630007	LAUDERDALE	0A263	2.657	BRANCH	WEIGHT POSTED	4/27/2016	2004	35.809167	-89.455528	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.8
490A2660003	LAUDERDALE	0A266	0.494	TISDALE CREEK	WEIGHT POSTED	4/27/2016	1975	35.818889	-89.460611	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.8
490A2660005	LAUDERDALE	0A266	1.424	BRANCH	OPEN	4/27/2016	1983	35.831611	-89.457222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A2710001	LAUDERDALE	0A271	0.392	BRANCH	OPEN	4/27/2016	1984	35.804611	-89.440111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
490A2710003	LAUDERDALE	0A271	0.743	BRANCH	OPEN	4/27/2016	1984	35.806028	-89.445139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.9
490A2780001	LAUDERDALE	0A278	1.143	CAMP CREEK	OPEN	4/26/2016	1986	35.648417	-89.473833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
490A2790001	LAUDERDALE	0A279	0.323	IC RAILROAD	OPEN	4/21/2016	1997	35.783694	-89.492694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
490A2790003	LAUDERDALE	0A279	0.719	NELSON CREEK	OPEN	4/21/2016	2008	35.788889	-89.494222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
490A2790005	LAUDERDALE	0A279	1.234	BRANCH	OPEN	4/21/2016	2005	35.744717	-89.461383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
490A2800001	LAUDERDALE	0A280	0.681	BRANCH	OPEN	4/25/2016	2008	35.785639	-89.478528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
490A2890001	LAUDERDALE	0A289	0.453	BRANCH	OPEN	4/26/2016	1988	35.74675	-89.492417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
490A2890003	LAUDERDALE	0A289	0.665	BRANCH	OPEN	4/26/2016	2002	35.746861	-89.49625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
490A2910007	LAUDERDALE	0A291	0.627	BRANCH	OPEN	4/25/2016	1974	35.766222	-89.495611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	31.7
490A2910001	LAUDERDALE	0A291	1.279	BRANCH	OPEN	4/25/2016	1984	35.771667	-89.490194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
490A2910009	LAUDERDALE	0A291	1.557	BRANCH	OPEN	4/25/2016	1974	35.775583	-89.49	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	31
490A2980001	LAUDERDALE	0A298	1.23	HYDE CREEK	OPEN	4/26/2016	1975	35.715683	-89.530639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
490A3160001	LAUDERDALE	0A316	1.21	BRANCH	OPEN	4/27/2016	1994	35.619222	-89.530972	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.4
490A3160003	LAUDERDALE	0A316	1.41	BRANCH OF HATCHIE RIVER	WEIGHT POSTED	4/27/2016	1970	35.621667	-89.532306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.3
490A3160005	LAUDERDALE	0A316	4.3	BRANCH	OPEN	4/27/2016	1960	35.634861	-89.515111	CONCRETE	CHANNEL BEAM	84.5
490A3160007	LAUDERDALE	0A316	4.41	OVERFLOW	OPEN	4/26/2016	1973	35.634639	-89.513583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	32.9
490A3160009	LAUDERDALE	0A316	4.54	BRANCH	WEIGHT POSTED	4/27/2016	1970	35.63475	-89.511194	CONCRETE	CHANNEL BEAM	45.7
490A3190001	LAUDERDALE	0A319	0.8	BRANCH	OPEN	4/26/2016	2015	35.651944	-89.507778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
490A3190003	LAUDERDALE	0A319	1.454	BRANCH	OPEN	4/26/2016	2015	35.655889	-89.518083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
490A3190005	LAUDERDALE	0A319	1.584	BRANCH	WEIGHT POSTED	4/26/2016	2012	35.656867	-89.520083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	76.5
490A3210001	LAUDERDALE	0A321	0.563	BRANCH	OPEN	4/26/2016	1983	35.649222	-89.518694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
490A3260001	LAUDERDALE	0A326	3.423	BRANCH	OPEN	4/27/2016	2003	35.647944	-89.589028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.9
490A3510001	LAUDERDALE	0A351	0.913	BRANCH	OPEN	4/27/2016	1997	35.679583	-89.552333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A3540001	LAUDERDALE	0A354	1.402	BRANCH	OPEN	4/27/2016	1984	35.679361	-89.509111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
490A3560001	LAUDERDALE	0A356	0.681	BRANCH	OPEN	4/27/2016	1984	35.680167	-89.561389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
490A3560003	LAUDERDALE	0A356	1.265	BRANCH	WEIGHT POSTED	4/28/2016	1974	35.67975	-89.550889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.7
490A3570001	LAUDERDALE	0A357	1.729	BRANCH	OPEN	4/27/2016	1983	35.701667	-89.551944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
490A4850001	LAUDERDALE	0A485	1.627	NELSON CREEK	OPEN	4/21/2016	1984	35.789222	-89.487139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
490A0290001	LAUDERDALE	0A489	0.105	JONES SLOUGH	OPEN	4/26/2016	1984	35.721444	-89.775417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
490A0350001	LAUDERDALE	0A490	1.352	LOWER FORKED DEER RIVER	WEIGHT POSTED	4/27/2016	1975	35.788194	-89.730028	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.7
490A0400001	LAUDERDALE	0A491	2.339	BRANCH	WEIGHT POSTED	4/25/2016	1970	35.742694	-89.701083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.9
490A0400003	LAUDERDALE	0A491	2.428	COLD CREEK	OPEN	4/26/2016	1999	35.742639	-89.699556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
490A4980003	LAUDERDALE	0A498	2.006	BRANCH	OPEN	4/20/2016	1986	35.932472	-89.458667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
490A1480003	LAUDERDALE	0A499	5.076	CHAMBERS BRANCH	OPEN	4/25/2016	1986	35.933583	-89.42275	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.3
490A0830003	LAUDERDALE	0A510	0.804	DRAINAGE DITCH	OPEN	4/25/2016	1984	35.772389	-89.515083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
490A0830005	LAUDERDALE	0A510	0.965	NELSON CREEK	OPEN	4/25/2016	1975	35.771056	-89.513111	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.4
490A0890001	LAUDERDALE	0A515	0.61	NORTH FORK CANE CREEK	WEIGHT POSTED	4/13/2016	1970	35.788333	-89.527083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.8
49S81280001	LAUDERDALE	0A521	1.691	BRANCH	OPEN	4/19/2016	1960	35.734972	-89.598722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3
49S81280003	LAUDERDALE	0A521	4.427	HYDE CREEK	OPEN	4/19/2016	1996	35.743806	-89.558861	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.2
49014860001	LAUDERDALE	0A522	1.039	CNIC RAILROAD	OPEN	4/26/2016	1990	35.709667	-89.549639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
49014880003	LAUDERDALE	0A523	1.417	BRANCH	OPEN	4/26/2016	1975	35.738917	-89.505778	CONCRETE	CHANNEL BEAM	46.9
49014880001	LAUDERDALE	0A523	2.404	BRANCH	WEIGHT POSTED	4/26/2016	1955	35.736056	-89.48975	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.8
490A0200001	LAUDERDALE	0P020	1.939	BRANCH (FPSP)	WEIGHT POSTED	4/5/2016	1978	35.635139	-89.841806	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	66.4
49SR0030001	LAUDERDALE	SR003	8.82	FAU 1258 (LAKE DR)	OPEN	3/30/2016	1971	35.7545	-89.550083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.8
49SR0030002	LAUDERDALE	SR003	8.82	SR 19	OPEN	3/30/2016	1971	35.75475	-89.550306	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.8
49SR0030003	LAUDERDALE	SR003	8.96	CANE CREEK	OPEN	3/30/2016	1970	35.756611	-89.549028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
49SR0030005	LAUDERDALE	SR003	10.53	NORTH FORK CANE CREEK	OPEN	3/30/2016	1963	35.772944	-89.530361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.3
49SR0030006	LAUDERDALE	SR003	10.53	NORTH FORK CANE CREEK	OPEN	3/30/2016	1963	35.773167	-89.516939	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.3
49SR0030009	LAUDERDALE	SR003	18.12	DOUBLE BRANCH	OPEN	3/31/2016	1963	35.851889	-89.440667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.4
49SR0030010	LAUDERDALE	SR003	18.12	DOUBLE BRANCH	OPEN	3/31/2016	1963	35.852028	-89.440778	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.4
49SR0030012	LAUDERDALE	SR003	19.23	SUMROW CREEK	OPEN	3/31/2016	1963	35.866528	-89.432194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.4
49SR0030011	LAUDERDALE	SR003	19.23	SUMROW CREEK	OPEN	3/31/2016	1963	35.866361	-89.398694	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
49SR0030013	LAUDERDALE	SR003	21.91	MILL CREEK	OPEN	4/4/2016	1960	35.903639	-89.420056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88
49SR0030014	LAUDERDALE	SR003	21.91	MILL CREEK	OPEN	4/4/2016	1960	35.903611	-89.420028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
49SR0030016	LAUDERDALE	SR003	23.94	CHAMBERS BRANCH	OPEN	4/4/2016	1960	35.932806	-89.416333	CONCRETE	TEE BEAM	79.7
49SR0030015	LAUDERDALE	SR003	23.94	CHAMBERS BRANCH	OPEN	4/4/2016	1960	35.932806	-89.4165	CONCRETE	TEE BEAM	80.5
49SR0190001	LAUDERDALE	SR019	6.15	OVERFLOW	OPEN	4/4/2016	1988	35.764694	-89.7675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
49SR0190003	LAUDERDALE	SR019	6.43	JONES SLOUGH	OPEN	4/4/2016	1988	35.764944	-89.762556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
49SR0190005	LAUDERDALE	SR019	7.14	OVERFLOW	OPEN	4/4/2016	1986	35.766583	-89.750361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.3
49SR0190009	LAUDERDALE	SR019	7.46	OVERFLOW	OPEN	4/4/2016	1988	35.766972	-89.7445	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
49SR0190013	LAUDERDALE	SR019	9.32	OVERFLOW	OPEN	4/5/2016	1988	35.773056	-89.712139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
49SR0190015	LAUDERDALE	SR019	9.61	OVERFLOW	OPEN	4/5/2016	1988	35.773167	-89.707056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
49SR0190017	LAUDERDALE	SR019	10	OVERFLOW	OPEN	3/31/2016	1988	35.773778	-89.70025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
49SR0190019	LAUDERDALE	SR019	10.2	COLD CREEK	OPEN	4/4/2016	1988	35.774722	-89.696861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
49SR0190021	LAUDERDALE	SR019	10.83	OVERFLOW	OPEN	4/4/2016	1988	35.773722	-89.685833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
49SR0190023	LAUDERDALE	SR019	10.93	OVERFLOW	OPEN	3/31/2016	1988	35.773306	-89.684111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.4
49SR0190025	LAUDERDALE	SR019	11.57	OVERFLOW	OPEN	4/4/2016	1988	35.772611	-89.672889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
49SR0190027	LAUDERDALE	SR019	14.52	BRANCH	OPEN	4/30/2016	1933	35.77325	-89.624194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
49SR0190029	LAUDERDALE	SR019	17.79	BRANCH	OPEN	4/4/2016	1933	35.764222	-89.569111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
49SR0190031	LAUDERDALE	SR019	18.96	CANE CREEK	OPEN	4/4/2016	1928	35.756194	-89.551639	CONCRETE	TEE BEAM	45.9
49SR0190039	LAUDERDALE	SR019	19.3	DITCH	OPEN	3/31/2016	1987	35.731222	-89.556361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
49SR0190041	LAUDERDALE	SR019	19.72	HYDE CREEK	OPEN	3/31/2016	1987	35.727639	-89.550389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.4
49SR0190043	LAUDERDALE	SR019	20.01	SR-19 / SR-209	OPEN	3/31/2016	1986	35.725056	-89.546444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
49SR0190045	LAUDERDALE	SR019	20.1	BRANCH	OPEN	3/31/2016	1987	35.724361	-89.545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
49SR0190049	LAUDERDALE	SR019	20.19	CNIC RAILROAD	OPEN	3/31/2016	1987	35.723944	-89.543528	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
49SR0190047	LAUDERDALE	SR019	21.14	BRANCH	OPEN	4/4/2016	1987	35.724361	-89.526528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
49SR0190035	LAUDERDALE	SR019	23.9	BRANCH	OPEN	4/4/2016	1928	35.715503	-89.479642	CONCRETE	TEE BEAM	61.9
49SR0190037	LAUDERDALE	SR019	24.52	BRANCH	OPEN	4/4/2016	1929	35.714389	-89.46875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.6
49SR0870003	LAUDERDALE	SR087	0.94	BRANCH	OPEN	4/5/2016	1982	35.607694	-89.871639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
49SR0870009	LAUDERDALE	SR087	2.7	BRANCH	OPEN	4/5/2016	1982	35.619167	-89.844667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
49SR0870011	LAUDERDALE	SR087	3.88	OVERFLOW	OPEN	4/5/2016	1986	35.626889	-89.826111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.5
49SR0870013	LAUDERDALE	SR087	5.18	BRANCH	OPEN	4/6/2016	1925	35.636083	-89.806583	CONCRETE	CHANNEL BEAM	48.1
49SR0870017	LAUDERDALE	SR087	6.42	BRANCH	OPEN	4/6/2016	1925	35.645389	-89.788083	CONCRETE	CHANNEL BEAM	50.4
49SR0870025	LAUDERDALE	SR087	11.75	BRANCH	OPEN	4/6/2016	1986	35.680611	-89.706389	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.1
49SR0870023	LAUDERDALE	SR087	12.47	BRANCH	OPEN	4/5/2016	1982	35.690361	-89.701778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.4
49SR0870027	LAUDERDALE	SR087	12.91	CANE CREEK	OPEN	4/6/2016	1981	35.693444	-89.695444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
49SR0870029	LAUDERDALE	SR087	17.05	COOPER SPRINGS CREEK	OPEN	4/4/2016	2008	35.685278	-89.631	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80
49SR0870031	LAUDERDALE	SR087	18.01	CAMPGROUND CREEK	OPEN	4/4/2016	2008	35.683111	-89.614167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80
49SR0870033	LAUDERDALE	SR087	19.11	BRANCH	OPEN	4/4/2016	1925	35.681	-89.594778	CONCRETE	CHANNEL BEAM	47.5
49S80460003	LAUDERDALE	SR087	20.76	DRAINAGE DITCH	OPEN	4/4/2016	1992	35.672361	-89.572694	CONCRETE	CHANNEL BEAM	86.2
49S80460005	LAUDERDALE	SR087	21.02	BRANCH	OPEN	4/4/2016	1970	35.669972	-89.569167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
49S80460007	LAUDERDALE	SR087	25.25	BRANCH	OPEN	4/4/2016	1960	35.625444	-89.523361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
49S80460009	LAUDERDALE	SR087	25.39	BRANCH	OPEN	4/4/2016	1960	35.624806	-89.520806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
49S80460021	LAUDERDALE	SR087	27.65	CAMP CREEK	OPEN	4/4/2016	1987	35.620167	-89.481111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
49SR0880007	LAUDERDALE	SR088	4.02	OVERFLOW	OPEN	4/5/2016	1986	35.920889	-89.595444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
49SR0880009	LAUDERDALE	SR088	4.57	OVERFLOW	OPEN	4/5/2016	1986	35.920333	-89.585583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
49SR0880011	LAUDERDALE	SR088	4.63	OVERFLOW	OPEN	4/5/2016	1986	35.920333	-89.584472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
49SR0880013	LAUDERDALE	SR088	4.7	OLD BED FORKED DEER RIVE	OPEN	4/6/2016	1984	35.92025	-89.566944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
49SR0880015	LAUDERDALE	SR088	4.93	OVERFLOW	OPEN	4/5/2016	1986	35.920028	-89.579194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.2
49SR0880017	LAUDERDALE	SR088	5.09	OLD BED FORKED DEER RIVE	OPEN	4/6/2016	1986	35.919889	-89.576417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
49SR0880019	LAUDERDALE	SR088	5.28	OVERFLOW	OPEN	4/5/2016	1986	35.919722	-89.573083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
49SR0880021	LAUDERDALE	SR088	5.4	OVERFLOW	OPEN	4/6/2016	1986	35.919611	-89.570972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
49SR0880023	LAUDERDALE	SR088	5.66	OVERFLOW	OPEN	4/4/2016	1986	35.919194	-89.562333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
49SR0880025	LAUDERDALE	SR088	5.88	OVERFLOW	OPEN	4/4/2016	1986	35.919194	-89.562333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
49SR0880027	LAUDERDALE	SR088	6.11	OVERFLOW	OPEN	4/5/2016	1986	35.918972	-89.558194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
49SR0880029	LAUDERDALE	SR088	6.39	OVERFLOW	OPEN	4/6/2016	1986	35.91875	-89.553222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
49SR0880031	LAUDERDALE	SR088	6.59	OVERFLOW	OPEN	4/6/2016	1986	35.918528	-89.549722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
49SR0880033	LAUDERDALE	SR088	6.85	OVERFLOW	OPEN	4/5/2016	1986	35.918306	-89.545111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
49SR0880035	LAUDERDALE	SR088	7.27	OVERFLOW	OPEN	4/5/2016	1986	35.918	-89.537667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6
49SR0880037	LAUDERDALE	SR088	7.4	OVERFLOW	OPEN	4/5/2016	1986	35.917833	-89.535333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
49SR0880039	LAUDERDALE	SR088	7.94	OVERFLOW	OPEN	4/5/2016	1986	35.917389	-89.525667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
49SR0880041	LAUDERDALE	SR088	8.37	OVERFLOW	OPEN	4/5/2016	1986	35.917056	-89.518139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
49SR0880043	LAUDERDALE	SR088	8.75	OVERFLOW	OPEN	4/5/2016	1985	35.916694	-89.511417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
49SR0880047	LAUDERDALE	SR088	10.58	BRANCH OF MILL CREEK	OPEN	4/7/2016	1983	35.9065	-89.482278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
49SR0880049	LAUDERDALE	SR088	12.17	MILL CREEK	OPEN	4/7/2016	1985	35.904444	-89.454556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
49SR0880055	LAUDERDALE	SR088	13.48	BRANCH	OPEN	4/7/2016	1985	35.8945	-89.435667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
49SR0030017	LAUDERDALE	SR088	14.69	SR-3 (US-51)	OPEN	4/7/2016	1964	35.88125	-89.423222	CONCRETE CONTINUOUS	TEE BEAM	69.8
49SR0880057	LAUDERDALE	SR088	16.97	SUMROW CREEK	OPEN	4/7/2016	1985	35.866972	-89.396694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.9
49SR0880059	LAUDERDALE	SR088	19.26	TISDALE CREEK	OPEN	4/7/2016	1985	35.837306	-89.402611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
49SR0880061	LAUDERDALE	SR088	20.75	BRANCH	OPEN	4/6/2016	1985	35.824167	-89.383611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
49SR0880063	LAUDERDALE	SR088	21.16	BRANCH	OPEN	4/6/2016	1985	35.821194	-89.386861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
49SR0880065	LAUDERDALE	SR088	22.41	OVERFLOW	OPEN	4/6/2016	1985	35.819333	-89.364778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.4
49SR0880067	LAUDERDALE	SR088	22.56	OVERFLOW	OPEN	4/6/2016	1985	35.818889	-89.362167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.4
49SR0880069	LAUDERDALE	SR088	22.63	OVERFLOW	OPEN	4/11/2016	1985	35.818611	-89.360972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
49SR0880071	LAUDERDALE	SR088	22.79	S. FK. FORKED DEER RIVER	OPEN	4/11/2016	1952	35.818111	-89.358083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	36.6
49SR0880073	LAUDERDALE	SR181	0.35	SR 88 & OBION RIVER	OPEN	4/5/2016	1995	35.918917	-89.608194	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.5
49S80440001	LAUDERDALE	SR208	0.955	CANE CREEK	OPEN	4/6/2016	1978	35.758694	-89.538472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
49E00200001	LAUDERDALE	SR209	1.7	BRANCH	OPEN	4/7/2016	1938	35.677806	-89.569583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
49E00200003	LAUDERDALE	SR209	5.15	HYDE CREEK	OPEN	4/7/2016	1936	35.724028	-89.546528	CONCRETE	TEE BEAM	90
49E00210005	LAUDERDALE	SR209	8.09	CANE CREEK	OPEN	4/6/2016	1924	35.75975	-89.522583	CONCRETE	TEE BEAM	90.6
49E00210007	LAUDERDALE	SR209	10.32	NELSON CREEK	OPEN	4/6/2016	1925	35.784278	-89.499389	CONCRETE	TEE BEAM	84.7
49E00210009	LAUDERDALE	SR209	14.55	TISDALE CREEK	OPEN	4/7/2016	1924	35.815667	-89.443528	CONCRETE CONTINUOUS	SLAB	65.6
49E00210011	LAUDERDALE	SR209	15.19	BRANCH	OPEN	4/6/2016	1925	35.822194	-89.435167	CONCRETE	TEE BEAM	72.1
49E00210013	LAUDERDALE	SR209	16.3	BRANCH	OPEN	4/6/2016	1925	35.830444	-89.419194	CONCRETE	TEE BEAM	67
49E00210015	LAUDERDALE	SR209	17.07	TISDALE CREEK	OPEN	4/6/2016	1926	35.836083	-89.408083	CONCRETE	TEE BEAM	53.7
49E00500025	LAUDERDALE	SR210	0.29	BRANCH	OPEN	4/7/2016	1925	35.8815	-89.395028	CONCRETE	TEE BEAM	87.9
49E00500027	LAUDERDALE	SR210	3.02	BRANCH	OPEN	4/12/2016	1923	35.916931	-89.390417	CONCRETE	TEE BEAM	92.9
49E00500029	LAUDERDALE	SR210	3.38	S FORK FORKED DEER RIVER	OPEN	4/12/2016	1990	35.925917	-89.389972	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
49SR0872001	LAUDERDALE	SR371	1.1	CANE CREEK	OPEN	4/12/2016	1980	35.674806	-89.689444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
49SR0872003	LAUDERDALE	SR371	1.39	BRANCH	OPEN	4/12/2016	1991	35.674833	-89.684222	CONCRETE	CHANNEL BEAM	80.1
49SR0872005	LAUDERDALE	SR371	3.46	BRANCH	OPEN	4/12/2016	1980	35.671944	-89.64875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
50S63770001	LAWRENCE	00912	2.67	KIMBLE BRANCH	OPEN	4/27/2017	1970	35.124733	-87.557033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
50F00090001	LAWRENCE	00930	1.73	WEST FORK SUGAR CREEK	OPEN	5/25/2017	1965	35.1489	-87.3156	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
50F00090003	LAWRENCE	00930	1.85	PROSSER CREEK	OPEN	5/25/2017	1965	35.14935	-87.313483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
50M31690001	LAWRENCE	00932	0.43	SHOAL CREEK	OPEN	6/14/2017	1983	35.2349	-87.326967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7
50F00080003	LAWRENCE	00932	8.39	BRANCH	OPEN	5/22/2017	1950	35.1513	-87.250083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
50009320005	LAWRENCE	00932	8.93	EAST FORK OF SUGAR CREEK	OPEN	5/22/2017	1950	35.1442	-87.247883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54
50F00080007	LAWRENCE	00932	9.59	COPPERAS CREEK	OPEN	5/22/2017	1950	35.142817	-87.236983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.2
50F00080009	LAWRENCE	00932	10.97	CLEAR CREEK	OPEN	5/22/2017	1950	35.132133	-87.219333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.2
50S62330001	LAWRENCE	00934	5.45	GRANDDADDY CREEK	OPEN	4/24/2017	1985	35.271683	-87.464233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
50009340003	LAWRENCE	00934	7.74	PINEY CREEK	OPEN	4/24/2017	1985	35.277767	-87.501117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
50F00040001	LAWRENCE	00936	3.47	BEELER FORK BRANCH	WEIGHT POSTED	6/1/2017	1950	35.266483	-87.268483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.5
50S62040001	LAWRENCE	00938	7.12	CROWSON CREEK	OPEN	6/6/2017	1959	35.306633	-87.412833	CONCRETE	TEE BEAM	80.7
50F00340001	LAWRENCE	00949	0.3	SOUTH FORK BUFFALO RIVER	OPEN	6/7/2017	1997	35.372017	-87.269767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
50F00340003	LAWRENCE	00949	3.29	ANDERSON CREEK	OPEN	6/7/2017	1950	35.408717	-87.246983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.1
50F00340005	LAWRENCE	00949	3.86	ANDERSON CREEK	OPEN	6/7/2017	1950	35.415633	-87.241533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.9
50018090001	LAWRENCE	01426	6.24	SHOAL CREEK	OPEN	4/27/2017	1965	35.1202	-87.5086	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	48
50017610001	LAWRENCE	01761	0.07	TENNESSEE SOUTHERN RR	OPEN	5/2/2017	1942	35.00425	-87.606817	WOOD OR TIMBER	TRUSS - THRU	46.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
50018030001	LAWRENCE	01803	4.13	GABLE BRANCH	OPEN	5/3/2017	1983	35.050883	-87.42625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
500A6430001	LAWRENCE	01805	7.83	WEST FORK SUGAR CREEK	OPEN	5/12/2017	1995	35.061183	-87.26335	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4
50018050001	LAWRENCE	01805	13.6	SECOND CREEK	OPEN	5/8/2017	1940	35.033417	-87.347033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.1
50018070001	LAWRENCE	01807	0.87	CLACK BRANCH	OPEN	4/27/2017	1993	35.091883	-87.503633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
50018090003	LAWRENCE	01809	11.62	PINEY BRANCH	OPEN	4/24/2017	2010	35.265783	-87.4982	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.9
50018110005	LAWRENCE	01811	0.98	CLEAR CREEK	OPEN	5/16/2017	1983	35.146	-87.217833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
50018110003	LAWRENCE	01811	1.96	CLEAR CREEK	OPEN	5/16/2017	1984	35.15565	-87.20585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
50018110001	LAWRENCE	01811	2.45	CLEAR CREEK	OPEN	5/16/2017	1984	35.160033	-87.03305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
50018170001	LAWRENCE	01817	0.21	DRY WEAKLEY CREEK	OPEN	6/2/2017	1983	35.302433	-87.216767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
50018190003	LAWRENCE	01819	2.13	BUFFALO RIVER	OPEN	6/9/2017	1977	35.398733	-87.334117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
50018190001	LAWRENCE	01819	6.09	OEHMEN BRANCH	OPEN	6/8/2017	1960	35.342683	-87.342383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
50018210001	LAWRENCE	01821	5.08	BUFFALO RIVER	OPEN	6/9/2017	1996	35.393583	-87.30765	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
50018320001	LAWRENCE	01832	0.71	LITTLE BLUE WATER CREEK	OPEN	5/3/2017	1965	35.024433	-87.501967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
50018320003	LAWRENCE	01832	3.93	BLUE WATER CREEK	OPEN	5/3/2017	2006	35.012217	-87.4525	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.2
50018360001	LAWRENCE	01836	1.86	BEELER FORK BRANCH	OPEN	6/1/2017	2005	35.245133	-87.276367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.9
50018380005	LAWRENCE	01838	1.48	BUFFALO RIVER	OPEN	6/12/2017	1997	35.437417	-87.424133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.6
50018380003	LAWRENCE	01838	3.99	CAMP BRANCH	OPEN	6/12/2017	1979	35.435783	-87.380983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
50018380001	LAWRENCE	01838	5.94	BELL BRANCH	OPEN	6/12/2017	1979	35.43375	-87.3471	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
500A0790001	LAWRENCE	03159	0.67	LITTLE SHOAL CREEK	OPEN	6/13/2017	1991	35.273217	-87.33755	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
50056940001	LAWRENCE	05694	0.81	BRANCH	OPEN	4/13/2017	2014	35.240033	-87.326583	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.7
50SR0150007	LAWRENCE	05694	2.02	MCLEAN CREEK	OPEN	4/13/2017	1929	35.236667	-87.306667	CONCRETE	TEE BEAM	78.6
50SR0150009	LAWRENCE	05694	2.87	SHOAL CREEK	OPEN	4/13/2017	1929	35.235	-87.291667	CONCRETE	TEE BEAM	48.7
50SR0150011	LAWRENCE	05694	3.34	BRANCH	OPEN	4/13/2017	1929	35.233333	-87.283333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.3
50SR0150013	LAWRENCE	05694	4.5	BRANCH	OPEN	4/13/2017	1929	35.226667	-87.265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.3
500A0120001	LAWRENCE	0A012	0.701	BRUSH BRANCH	OPEN	4/20/2017	1980	35.382667	-87.55855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5
500A0140001	LAWRENCE	0A014	1.116	REED BRANCH	OPEN	4/20/2017	1986	35.330017	-87.513383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
500A0270001	LAWRENCE	0A027	0.679	CAMP BRANCH	OPEN	6/12/2017	2000	35.437017	-87.380783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
500A0430001	LAWRENCE	0A043	0.299	CROWSON CREEK	OPEN	6/6/2017	2001	35.31655	-87.42385	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
500A0480001	LAWRENCE	0A048	0.019	SPRING BRANCH	OPEN	6/6/2017	1983	35.308983	-87.410217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
500A0590001	LAWRENCE	0A059	0.794	COPELAND BRANCH	OPEN	6/9/2017	1987	35.4002	-87.319017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
500A0620001	LAWRENCE	0A062	3.029	CRAWFISH BRANCH	OPEN	6/6/2017	1955	35.29005	-87.36525	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.5
500A0890001	LAWRENCE	0A089	0.595	SHOAL CREEK	OPEN	6/13/2017	1994	35.31985	-87.296067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
500A0940001	LAWRENCE	0A094	0.223	OEHMEN BRANCH	OPEN	6/8/2017	1986	35.336433	-87.337617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
500A0990001	LAWRENCE	0A099	1.897	SHOAL CREEK	OPEN	6/1/2017	1984	35.305133	-87.31235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
500A1070001	LAWRENCE	0A107	1.218	W FORK BUFFALO RIVER	OPEN	6/8/2017	2004	35.347472	-87.361333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.2
500A1110001	LAWRENCE	0A111	0.896	BRIDY CREEK	WEIGHT POSTED	6/7/2017	1940	35.3704	-87.3216	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.9
500A1150001	LAWRENCE	0A115	2.435	W FORK BUFFALO RIVER	OPEN	6/8/2017	1984	35.380533	-87.38155	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	45.4
500A1200001	LAWRENCE	0A120	1.213	WEST FORK BUFFALO RIVER	OPEN	6/8/2017	1984	35.4624	-87.36875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
500A1220003	LAWRENCE	0A122	0.016	SAW CREEK	OPEN	6/12/2017	1979	35.432517	-87.359133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
500A1220001	LAWRENCE	0A122	3.134	BRANCH	OPEN	6/9/2017	1984	35.400117	-87.344	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
500A1270001	LAWRENCE	0A127	0.102	SAW CREEK	OPEN	6/12/2017	2003	35.4339	-87.387917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
500A1480001	LAWRENCE	0A148	1.416	SOUTH FORK SAW CREEK	OPEN	6/9/2017	1987	35.425817	-87.3164	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
500A1570001	LAWRENCE	0A157	1.067	SOUTH FORK BUFFALO RIVER	OPEN	6/7/2017	1940	35.38285	-87.2884	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
500A1620001	LAWRENCE	0A162	0.785	BREWER BRANCH	OPEN	6/7/2017	1975	35.366383	-87.290133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
500A1970001	LAWRENCE	0A197	1.073	TRY WEAKLEY CREEK	OPEN	6/2/2017	1975	35.302317	-87.226317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	53.9
500A2210001	LAWRENCE	0A221	1.378	DRYLAND CREEK	OPEN	6/1/2017	1955	35.2273	-87.265183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
500A2660001	LAWRENCE	0A266	0.33	PROSSER CREEK	OPEN	5/25/2017	1985	35.161533	-87.3033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
500A2670001	LAWRENCE	0A267	0.1	LOVE BRANCH	OPEN	5/25/2017	1975	35.1612	-87.312233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	93.9
500A2670003	LAWRENCE	0A267	1.147	WEST FORK SUGAR CREEK	OPEN	5/25/2017	1975	35.1611	-87.32855	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.6
500A2790001	LAWRENCE	0A279	2.533	FERGUSON BRANCH	WEIGHT POSTED	5/15/2017	1960	35.124983	-87.308867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.3
500A2850001	LAWRENCE	0A285	0.39	TANYARD BRANCH	OPEN	5/16/2017	1984	35.126267	-87.21935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
500A2850003	LAWRENCE	0A285	0.906	CLEAR CREEK	OPEN	5/16/2017	1984	35.1205	-87.224767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
500A2860001	LAWRENCE	0A286	0.704	GILES BRANCH	OPEN	5/15/2017	1960	35.13335	-87.253367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86.7
500A2860003	LAWRENCE	0A286	0.916	EAST FORK SUGAR CREEK	OPEN	5/15/2017	1984	35.130867	-87.251683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
500A2900001	LAWRENCE	0A290	1.141	EAST FORK SUGAR CREEK	OPEN	5/12/2017	1999	35.115733	-87.244917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
500A2900003	LAWRENCE	0A290	2.55	CLEAR CREEK	WEIGHT POSTED	5/15/2017	1960	35.114767	-87.227683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.9
500A2930001	LAWRENCE	0A293	0.264	EAST FORK SUGAR CREEK	WEIGHT POSTED	5/12/2017	1960	35.096283	-87.243817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.8
500A2930003	LAWRENCE	0A293	0.549	CLEAR CREEK	OPEN	5/12/2017	1991	35.0957	-87.240117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
500A3040001	LAWRENCE	0A304	3.21	IDAHO BRANCH	OPEN	5/12/2017	1984	35.09175	-87.285067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
500A3140001	LAWRENCE	0A314	1.964	NEW HOPE BRANCH	OPEN	5/11/2017	1983	35.0428	-87.25225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
500A3240001	LAWRENCE	0A324	1.049	SHANNON BRANCH	OPEN	5/10/2017	1960	35.068567	-87.310433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.8
500A3320001	LAWRENCE	0A332	0.91	COTTS CREEK	OPEN	5/9/2017	1984	35.023967	-87.321617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
500A3320003	LAWRENCE	0A332	1.54	SCOTT CREEK	OPEN	5/9/2017	1984	35.021967	-87.310867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
500A3320005	LAWRENCE	0A332	5.97	HOOD BRANCH	OPEN	5/11/2017	1935	35.018917	-87.239283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.4
500A3370001	LAWRENCE	0A337	1.507	CAMELS BRANCH	OPEN	5/11/2017	1960	35.033883	-87.25195	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96
500A3370003	LAWRENCE	0A337	2.416	NEW HOPE BRANCH	OPEN	5/11/2017	1966	35.040367	-87.262567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87
500A3370005	LAWRENCE	0A337	3.1	NEW HOPE BRANCH	OPEN	5/11/2017	1987	35.041483	-87.27425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
500A3400001	LAWRENCE	0A340	0.958	SHOALLY BRANCH	OPEN	5/15/2017	1950	35.130917	-87.281517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	93.8
500A3460001	LAWRENCE	0A346	1.156	APPLETON BRANCH	OPEN	5/11/2017	1960	35.0142	-87.237267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.4
500A3570001	LAWRENCE	0A357	0.794	SECOND CREEK	OPEN	5/9/2017	1986	35.02715	-87.344067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
500A3600001	LAWRENCE	0A360	1.572	COTTS CREEK	OPEN	5/9/2017	1940	35.006467	-87.3117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
500A3760001	LAWRENCE	0A376	4.191	LICKLOG BRANCH	OPEN	5/8/2017	1965	35.072767	-87.38995	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.8
500A3830001	LAWRENCE	0A383	1.332	HURRICANE CREEK	OPEN	5/8/2017	1955	35.022133	-87.401633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86.5
500A3860001	LAWRENCE	0A386	2.641	HURRICANE CREEK	OPEN	5/3/2017	2007	35.003167	-87.436933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.7
500A3880001	LAWRENCE	0A388	1.27	HURRICANE CREEK	OPEN	5/8/2017	1953	35.031567	-87.381667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
500A3900001	LAWRENCE	0A390	0.217	LITTLE BLUE WATER CREEK	WEIGHT POSTED	5/3/2017	1926	35.033933	-87.499583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.8
500A4110001	LAWRENCE	0A411	1.064	BLUEWATER CREEK	OPEN	5/10/2017	1993	35.129183	-87.3611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
500A4160001	LAWRENCE	0A416	2.375	BLUEWATER CREEK	OPEN	5/10/2017	1950	35.110917	-87.370983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
500A4180001	LAWRENCE	0A418	1.622	BLUEWATER CREEK	OPEN	5/10/2017	1950	35.094083	-87.381233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.8
500A4190001	LAWRENCE	0A419	0.744	EAST FORK OF SUGAR CREEK	OPEN	5/22/2017	1970	35.174983	-87.256483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.7
500A4210001	LAWRENCE	0A421	1.607	SECOND CREEK	OPEN	5/10/2017	1960	35.077083	-87.34135	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97.7
500A4410001	LAWRENCE	0A441	0.522	WOLF CREEK	OPEN	5/2/2017	1997	35.014117	-87.547367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
500A4420001	LAWRENCE	0A442	0.367	WOLF CREEK	OPEN	5/2/2017	1993	35.007883	-87.5545	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
500A4580001	LAWRENCE	0A458	0.849	TIDWELL BRANCH	OPEN	5/1/2017	1993	35.074733	-87.518683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
500A4640001	LAWRENCE	0A464	1.397	CANEY BRANCH	OPEN	5/3/2017	1935	35.0913	-87.473117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.9
500A4750001	LAWRENCE	0A475	0.404	LORETTO BRANCH	OPEN	5/8/2017	1960	35.077083	-87.449133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82
500A4860001	LAWRENCE	0A486	0.779	CLACK BRANCH	OPEN	4/27/2017	1987	35.100233	-87.449433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
500A4960001	LAWRENCE	0A496	3.068	FACTORY CREEK	OPEN	4/27/2017	1998	35.101	-87.539683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
500A5020001	LAWRENCE	0A502	0.13	BREWER BRANCH	OPEN	5/1/2017	1970	35.06325	-87.575567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
500A5210001	LAWRENCE	0A521	1.76	LONG BRANCH	OPEN	4/25/2017	1981	35.18295	-87.409183	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	81.5
500A5210003	LAWRENCE	0A521	3.148	LONG BRANCH	OPEN	4/25/2017	2010	35.1668	-87.423783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
500A5210005	LAWRENCE	0A521	3.794	LONG BRANCH	OPEN	4/25/2017	1984	35.158433	-87.424717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
500A5210009	LAWRENCE	0A521	4.38	LONG BRANCH	OPEN	4/25/2017	2011	35.150183	-87.426633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.1
500A5210007	LAWRENCE	0A521	4.54	SHOAL CREEK	OPEN	4/25/2017	2005	35.148067	-87.42605	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5
500A5310001	LAWRENCE	0A531	2.33	SHOAL CREEK	OPEN	4/25/2017	2001	35.168267	-87.36215	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.6
500A5460001	LAWRENCE	0A546	1.19	POND CREEK	OPEN	4/25/2017	2002	35.227667	-87.36215	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
500A5500001	LAWRENCE	0A550	2.322	SPRING CREEK	OPEN	4/25/2017	1993	35.213067	-87.4471	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
500A5520001	LAWRENCE	0A552	0.836	CHISHOLM CREEK	OPEN	4/25/2017	1994	35.22095	-87.565583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
500A5520003	LAWRENCE	0A552	2.944	AARON BRANCH	OPEN	4/25/2017	1983	35.2165	-87.532833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
500A5520005	LAWRENCE	0A552	6.22	KNOB CREEK	OPEN	4/25/2017	1975	35.212217	-87.480967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.9
500A5520007	LAWRENCE	0A552	9.31	SPRING CREEK	OPEN	4/24/2017	1960	35.23255	-87.43695	CONCRETE	TEE BEAM	60.3
500A5630001	LAWRENCE	0A563	1.925	CHISOLM CREEK	OPEN	4/27/2017	1999	35.164133	-87.543033	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
500A5660001	LAWRENCE	0A566	0.961	CHISOLM CREEK	OPEN	4/25/2017	2011	35.20225	-87.556067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
500A5890001	LAWRENCE	0A589	2.11	BUCK BRANCH	OPEN	5/2/2017	1950	35.019983	-87.583267	CONCRETE	TEE BEAM	91.5
500A5900001	LAWRENCE	0A590	0.123	CHISHOLM CREEK	OPEN	4/20/2017	1975	35.294383	-87.567417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5
500A5920001	LAWRENCE	0A592	0.039	CHISHOLM CREEK	WEIGHT POSTED	4/20/2017	1975	35.276533	-87.572633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.8
500A6030001	LAWRENCE	0A603	0.853	GRANDDADDY CREEK	OPEN	4/24/2017	1984	35.279333	-87.4644	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
500A6160001	LAWRENCE	0A616	0.455	BRUSHY CREEK	OPEN	4/24/2017	1983	35.22075	-87.46875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
500A6200003	LAWRENCE	0A620	0.248	BREWER BRANCH	OPEN	5/1/2017	1987	35.05995	-87.57435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
500A6200001	LAWRENCE	0A620	0.395	BRANCH	OPEN	5/1/2017	1997	35.060967	-87.571983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
500A6250001	LAWRENCE	0A625	0.25	BRANCH	OPEN	5/8/2017	1987	35.10805	-87.404517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
500A6420001	LAWRENCE	0A642	4.922	BRUSH CREEK	WEIGHT POSTED	4/20/2017	1932	35.37535	-87.5656	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
500A6450001	LAWRENCE	0A645	0.27	CROWSON CREEK	OPEN	6/14/2017	1930	35.2437	-87.356317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
500A6450003	LAWRENCE	0A645	0.44	SHOAL CREEK	WEIGHT POSTED	6/14/2017	1933	35.241867	-87.353417	STEEL	TRUSS - THRU	56.8
500A6450005	LAWRENCE	0A645	0.97	SHOAL CREEK	OPEN	6/14/2017	1930	35.24355	-87.3465	CONCRETE CONTINUOUS	SLAB	69
500A6470001	LAWRENCE	0A647	0.495	COON CREEK	OPEN	6/13/2017	1950	35.218567	-87.341767	CONCRETE CONTINUOUS	SLAB	46.5
500A1930001	LAWRENCE	0A648	2.062	DRY WEAKLEY CREEK	OPEN	6/2/2017	2003	35.3223	-87.2299	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99
500A1930003	LAWRENCE	0A648	2.872	DRY WEAKLEY CREEK	OPEN	6/2/2017	2006	35.312233	-87.23085	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
500A1930005	LAWRENCE	0A648	3.411	DRY WEAKLEY CREEK	OPEN	6/2/2017	1997	35.306567	-87.224617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
500A0840001	LAWRENCE	0A662	0.6	LITTLE SHOAL CREEK	OPEN	6/1/2017	2004	35.296889	-87.318361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.6
500A0640001	LAWRENCE	0A663	0.89	CROWSON CREEK	OPEN	6/6/2017	1975	35.4448	-87.388533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.4
500A6840001	LAWRENCE	0A684	0.069	LITTLE SPRING CREEK	OPEN	4/25/2017	1993	35.211867	-87.446317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
500A7190001	LAWRENCE	0A719	1.209	STAGGS BRANCH	OPEN	4/20/2017	1979	35.303333	-87.541783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
500A9000001	LAWRENCE	0A900	0.036	BRANCH	OPEN	5/2/2017	1960	35.019667	-87.583133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
500A9560001	LAWRENCE	0A956	0.01	BREWER BRANCH	OPEN	5/1/2017	1991	35.06615	-87.576883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
50031680001	LAWRENCE	0B042	0.359	SHOAL CREEK	OPEN	6/13/2017	1985	35.235917	-87.336917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
50M31680003	LAWRENCE	0B042	1.278	TENNESSEE SOUTHERN RR	OPEN	6/13/2017	2003	35.225017	-87.339383	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.6
500B0540001	LAWRENCE	0B054	0.46	W FORK BUFFALO RIVER	OPEN	5/8/2017	2012	35.085867	-87.41535	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
50SR0060001	LAWRENCE	SR006	2.5	LITTLE BLUEWATER CR.	OPEN	4/4/2017	2006	35.036667	-87.503333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.6
50SR0060003	LAWRENCE	SR006	6.91	PRONG CLACK CREEK	OPEN	4/4/2017	1934	35.071667	-87.44	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
50SR0060005	LAWRENCE	SR006	20.04	SHOAL CREEK	OPEN	4/4/2017	1935	35.231667	-87.333333	CONCRETE	TEE BEAM	68.5
50SR0060019	LAWRENCE	SR006	24.32	BRANCH	OPEN	4/4/2017	1994	35.291667	-87.31	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
50SR0060021	LAWRENCE	SR006	25.6	CROSSFIELD BRANCH	OPEN	4/4/2017	1996	35.309883	-87.301317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
50SR0060007	LAWRENCE	SR006	26.41	LITTLE SHOAL CREEK	OPEN	4/4/2017	1994	35.318333	-87.295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
50SR0060009	LAWRENCE	SR006	30.26	SOUTH BUFFALO RIVER	OPEN	4/6/2017	1998	35.371667	-87.271667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
50SR0060010	LAWRENCE	SR006	30.26	SOUTH BUFFALO RIVER	OPEN	4/6/2017	1998	35.371667	-87.271667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
50SR0060011	LAWRENCE	SR006	31.48	W FORK BUFFALO RIVER	OPEN	4/6/2017	1962	35.388333	-87.276667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.9
50SR0060013	LAWRENCE	SR006	32.7	NORTH FORK BUFFALO RIVER	OPEN	4/6/2017	1998	35.405	-87.281667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
50SR0060014	LAWRENCE	SR006	32.7	NORTH FORK BUFFALO RIVER	OPEN	4/6/2017	1998	35.405	-87.281667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.9
50SR0060015	LAWRENCE	SR006	33.17	NORTH FORK BUFFALO RIVER	OPEN	4/6/2017	1962	35.411667	-87.281667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.9
50SR0060017	LAWRENCE	SR006	33.85	BRANCH	OPEN	4/6/2017	1962	35.421667	-87.281667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.9
50SR0150031	LAWRENCE	SR015	4.65	BRANCH	OPEN	4/7/2017	2012	35.308578	-87.499089	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	67.8
50SR0150033	LAWRENCE	SR015	9.48	BRANCH	OPEN	4/7/2017	2012	35.293253	-87.417078	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
50SR0150035	LAWRENCE	SR015	10.185	BRANCH	OPEN	4/7/2017	2012	35.2863	-87.408583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
50SR0150037	LAWRENCE	SR015	12.105	BRANCH	OPEN	4/7/2017	2012	35.265739	-87.383742	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
50SR0150016	LAWRENCE	SR015	12.72	BRANCH	OPEN	10/25/2016	2014	35.259967	-87.380583	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.6
50SR0150017	LAWRENCE	SR015	13.98	SR-242	OPEN	10/25/2016	2014	35.241756	-87.376025	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
50SR0150018	LAWRENCE	SR015	13.98	SR-242	OPEN	10/25/2016	2014	35.242292	-87.37635	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
50SR0150019	LAWRENCE	SR015	14.92	POND CREEK	OPEN	10/26/2016	2014	35.227514	-87.371561	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
50SR0150020	LAWRENCE	SR015	14.92	POND CREEK	OPEN	10/26/2016	2014	35.229039	-87.372675	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
50SR0150022	LAWRENCE	SR015	15.96	SHOAL CREEK	OPEN	10/26/2016	2014	35.215725	-87.364542	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.9
50SR0150021	LAWRENCE	SR015	15.96	SHOAL CREEK	OPEN	10/26/2016	2014	35.214439	-87.363475	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.9
50SR0060023	LAWRENCE	SR015	17.56	TN SOUTHERN RR	OPEN	10/27/2016	2014	35.205983	-87.341883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
50SR0150025	LAWRENCE	SR015	17.56	TN SOUTHERN RR	OPEN	10/27/2016	2014	35.205267	-87.341783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.7
50SR0150023	LAWRENCE	SR015	17.56	TN SOUTHERN RR	OPEN	10/27/2016	2014	35.205483	-87.34185	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
50SR0150024	LAWRENCE	SR015	17.56	TN SOUTHERN RR	OPEN	10/27/2016	2014	35.205683	-87.341867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
50SR0060026	LAWRENCE	SR015	17.7	SR-6 (US-43)	OPEN	8/31/2016	2014	35.205583	-87.3395	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
50SR0060025	LAWRENCE	SR015	17.7	SR-6 (US-43)	OPEN	8/31/2016	2014	35.205367	-87.3395	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
50SR0150028	LAWRENCE	SR015	22.355	BRANCH	OPEN	4/10/2017	2007	35.22025	-87.264317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
50SR0150027	LAWRENCE	SR015	22.355	BRANCH	OPEN	4/10/2017	2007	35.22005	-87.263931	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
50SR0150029	LAWRENCE	SR015	25.405	BRANCH	OPEN	4/10/2017	2009	35.220417	-87.2558	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
50S61970001	LAWRENCE	SR227	1.85	SHOAL CREEK	OPEN	4/11/2017	1954	35.023333	-87.58	CONCRETE	TEE BEAM	71.7
50S61970003	LAWRENCE	SR227	2.21	PINHOOK BRANCH	OPEN	4/11/2017	1954	35.023333	-87.573333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
50S61970005	LAWRENCE	SR227	2.94	PINHOOK BRANCH	OPEN	4/11/2017	1954	35.028333	-87.561667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
50S61970009	LAWRENCE	SR227	4.09	PINHOOK BRANCH	OPEN	4/11/2017	1958	35.033333	-87.543333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.7
50S62050001	LAWRENCE	SR227	8.2	BLUE WATER CREEK	OPEN	4/11/2017	1994	35.061667	-87.418333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.1
50S63120001	LAWRENCE	SR240	2.155	LITTLE BUFFALO RIVER	OPEN	4/12/2017	1958	35.325	-87.488333	CONCRETE	TEE BEAM	75
50S62300003	LAWRENCE	SR240	7.065	CHIEF CREEK	OPEN	4/12/2017	1960	35.371667	-87.425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
50S62300005	LAWRENCE	SR240	9.745	BUFFALO RIVER	OPEN	4/12/2017	1994	35.396667	-87.388333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.5
50S62300007	LAWRENCE	SR240	14.025	SOUTH FORK SAW CREEK	OPEN	4/12/2017	1953	35.428333	-87.326667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
50S62300001	LAWRENCE	SR241	2.22	CROWSON CREEK	OPEN	4/12/2017	1997	35.316667	-87.426667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.5
50S62030001	LAWRENCE	SR242	0.57	HOLLEY CREEK	OPEN	4/17/2017	1962	35.03	-87.581667	CONCRETE	TEE BEAM	75.5
50S62030003	LAWRENCE	SR242	2.26	BREWER BRANCH	OPEN	4/17/2017	1956	35.06	-87.571667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
50S62030005	LAWRENCE	SR242	4.03	BREWER BRANCH	OPEN	4/17/2017	1960	35.083333	-87.58	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
50S62030007	LAWRENCE	SR242	4.47	BREWER BRANCH	OPEN	4/17/2017	1960	35.09	-87.581667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
50S62030009	LAWRENCE	SR242	7.93	FACTORY CREEK	OPEN	4/17/2017	1958	35.12	-87.546667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
50S62030011	LAWRENCE	SR242	9.31	CHISHOLM CREEK	OPEN	4/17/2017	1958	35.133333	-87.53	CONCRETE	TEE BEAM	79.6
50S62030013	LAWRENCE	SR242	11.26	BRANCH	OPEN	4/18/2017	1960	35.141667	-87.5	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
50S62030015	LAWRENCE	SR242	12.02	KNOB CREEK	OPEN	4/18/2017	1955	35.138333	-87.486667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
50S62030017	LAWRENCE	SR242	13.46	CREWS CREEK	OPEN	4/18/2017	1960	35.153333	-87.471667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
50S62030019	LAWRENCE	SR242	15.06	CREWS CREEK	OPEN	4/18/2017	1960	35.166667	-87.45	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
50S62030021	LAWRENCE	SR242	15.34	CREWS CREEK	OPEN	4/18/2017	1960	35.17	-87.446667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
50S62030023	LAWRENCE	SR242	15.69	CREWS CREEK	OPEN	4/18/2017	1960	35.175	-87.443333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
50S62030025	LAWRENCE	SR242	16.02	CREWS CREEK	OPEN	4/19/2017	1960	35.178333	-87.441667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
50SR0150001	LAWRENCE	SR242	23.38	CROWSON CREEK	OPEN	4/7/2017	1955	35.241667	-87.358333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.5
50SR0150003	LAWRENCE	SR242	23.62	SHOAL CREEK	OPEN	4/10/2017	1955	35.241667	-87.353333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.5
50SR0150005	LAWRENCE	SR242	24.01	SHOAL CREEK	OPEN	4/10/2017	1996	35.241667	-87.346667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	64.5
50S62310001	LAWRENCE	SR242	26.26	LITTLE SHOAL CREEK	OPEN	4/19/2017	1986	35.270767	-87.340433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
50S62310003	LAWRENCE	SR242	31.16	WEST FORK BUFFALO RIVER	OPEN	4/19/2017	2006	35.337817	-87.359217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.8
50S62310005	LAWRENCE	SR242	33.16	WATER FORK CREEK	OPEN	4/19/2017	1975	35.3622	-87.3737	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
50S62310007	LAWRENCE	SR242	33.83	PARKER CREEK	OPEN	4/19/2017	1984	35.36915	-87.3814	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
50S62310009	LAWRENCE	SR242	35.32	SKILLMAN BRANCH	OPEN	4/19/2017	1984	35.38975	-87.38755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
510A1100001	LEWIS	00929	2.15	ROCKHOUSE CREEK	OPEN	10/15/2015	1994	35.459383	-87.608683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.2
510A1100003	LEWIS	00929	3.75	JACKS BRANCH	OPEN	10/19/2015	1993	35.473283	-87.585083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
510A1100005	LEWIS	00929	3.99	ROCK HOUSE CREEK	OPEN	10/19/2015	1989	35.472083	-87.58845	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.1
510A1100007	LEWIS	00929	5.6	ROCKHOUSE CREEK	OPEN	10/19/2015	1984	35.459383	-87.608683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.1
510A1350001	LEWIS	00935	2.23	PINEY BRANCH	OPEN	9/23/2015	1970	35.552517	-87.46655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
510A1350003	LEWIS	00935	3.59	BRIER BRANCH	OPEN	9/24/2015	1984	35.568517	-87.458817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
510A1410003	LEWIS	00935	3.92	LITTLE SWAN CREEK	OPEN	9/24/2015	1999	35.572167	-87.458633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.2
51S62630005	LEWIS	00941	2.25	CHIEF CREEK	OPEN	10/14/2015	1974	35.44995	-87.510433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
51S61790009	LEWIS	00942	0.43	DEPRIEST BRANCH	OPEN	10/7/2015	1958	35.633633	-87.615667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
51S61790001	LEWIS	00942	2.73	SLIPPERY BRANCH	OPEN	10/6/2015	1960	35.615278	-87.588528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
51S61790003	LEWIS	00942	4.24	BRANCH	OPEN	10/7/2015	1940	35.605222	-87.566167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
51S63160001	LEWIS	00953	2.17	BIG SWAN CREEK	OPEN	9/18/2015	1960	35.517444	-87.349258	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
51S63160003	LEWIS	00953	2.79	HENRY CREEK	OPEN	9/18/2015	1960	35.526	-87.350167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
51S63160005	LEWIS	00953	3.6	ESTES BRANCH	OPEN	9/21/2015	1960	35.5374	-87.3534	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
51S63160007	LEWIS	00953	3.88	BIG SWAN CREEK	OPEN	9/21/2015	1960	35.54065	-87.3558	CONCRETE	TEE BEAM	70.8
51S63160009	LEWIS	00953	3.94	TROTTERS BRANCH	OPEN	9/21/2015	1960	35.541233	-87.356717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
51S63160011	LEWIS	00953	5.72	BIG SWAN CREEK	OPEN	9/21/2015	1960	35.554933	-87.380733	CONCRETE	TEE BEAM	63.9
51S63160013	LEWIS	00953	6.38	LANKFORD BRANCH	OPEN	9/21/2015	1960	35.562333	-87.385133	CONCRETE	TEE BEAM	66.8
51009550001	LEWIS	00955	0.06	BRANCH	OPEN	9/22/2015	2006	35.59175	-87.462	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
51S61781001	LEWIS	00955	1.23	INDIAN CREEK	OPEN	9/22/2015	1960	35.607583	-87.457817	CONCRETE	TEE BEAM	67.4
51S61960001	LEWIS	01769	2.19	ALLENS CREEK	OPEN	10/21/2015	1985	35.42405	-87.594233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
51S61960005	LEWIS	01769	3.35	ALLENS CREEK	OPEN	10/21/2015	1974	35.440283	-87.599233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
51018230001	LEWIS	01823	0.22	ROCKHOUSE CREEK	OPEN	10/21/2015	1974	35.45485	-87.6088	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
51018230003	LEWIS	01823	0.85	TRACE CREEK	OPEN	10/19/2015	1993	35.4543	-87.619167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
51018250001	LEWIS	01825	2.76	ODOM BRANCH	OPEN	10/9/2015	1965	35.5422	-87.634033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
51018270001	LEWIS	01827	2.7	GOODMAN BRANCH	OPEN	10/8/2015	1985	35.579	-87.603667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
51018270003	LEWIS	01827	3.9	GOODMAN BRANCH	OPEN	10/8/2015	1984	35.592361	-87.615389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.7
51018270005	LEWIS	01827	4.79	SOUTH FORK CANE CREEK	OPEN	10/8/2015	1985	35.603278	-87.6115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.6
51S62640001	LEWIS	01829	3.1	CATHYS CREEK	OPEN	9/22/2015	1930	35.595467	-87.375	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.2
51S62640003	LEWIS	01829	3.26	CATHEYS CREEK	OPEN	9/22/2015	1988	35.597667	-87.375083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
51S62640005	LEWIS	01829	7.05	SPRING BRANCH	OPEN	9/22/2015	1972	35.635583	-87.339317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
51S62640007	LEWIS	01829	7.44	SCOTT BRANCH	OPEN	9/22/2015	1950	35.636	-87.332567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.2
51018380001	LEWIS	01838	0.01	CHIEF CREEK	OPEN	10/14/2015	1958	35.438867	-87.475017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7
51018420009	LEWIS	01842	1.63	BRANCH	OPEN	9/28/2015	1994	35.58725	-87.506483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
51S61780001	LEWIS	01842	2.42	INDIAN CREEK	OPEN	9/28/2015	1994	35.597733	-87.50295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
51S61780003	LEWIS	01842	2.69	INDIAN CREEK	OPEN	9/28/2015	2012	35.6001	-87.49935	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
51018420005	LEWIS	01842	4.09	INDIAN CREEK	OPEN	9/24/2015	1958	35.6073	-87.477017	CONCRETE	TEE BEAM	76.3
51018420007	LEWIS	01842	4.47	BRANCH	OPEN	9/24/2015	1972	35.607683	-87.4699	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
51S61960009	LEWIS	05563	4.2	BUFFALO RIVER	OPEN	10/21/2015	1967	35.452833	-87.603583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.5
510A0040005	LEWIS	0A004	0.835	SOUTH FORK CANE CREEK	OPEN	10/8/2015	1984	35.566667	-87.62875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
510A0040003	LEWIS	0A004	1.837	SOUTH FORK CANE CREEK	OPEN	10/8/2015	1984	35.58025	-87.623639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
510A0050001	LEWIS	0A005	0.018	SOUTH FORK CANE CREEK	OPEN	10/8/2015	2002	35.582083	-87.623361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
510A0050003	LEWIS	0A005	0.487	SOUTH FORK CANE CREEK	OPEN	10/8/2015	2002	35.579472	-87.630722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
510A0070001	LEWIS	0A007	0	EAST FORK CANE CREEK	OPEN	10/7/2015	1992	35.614028	-87.596139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.1
510A0100001	LEWIS	0A010	2.258	SLIPPERY BRANCH	OPEN	10/6/2015	1962	35.627583	-87.576056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
510A0100003	LEWIS	0A010	2.689	SLIPPERY BRANCH	OPEN	10/6/2015	1965	35.622556	-87.580667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
510A0100005	LEWIS	0A010	3.126	SLIPPERY BRANCH	OPEN	10/6/2015	1965	35.6175	-87.585167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
510A0110001	LEWIS	0A011	0.493	SLIPPERY BRANCH	OPEN	10/6/2015	1986	35.634139	-87.575833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
510A0120001	LEWIS	0A012	0.098	EAST FORK CANE CREEK	OPEN	10/7/2015	1996	35.590783	-87.555833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
510A0150001	LEWIS	0A015	1.621	BRANCH	OPEN	9/28/2015	1986	35.5897	-87.513617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
510A0160001	LEWIS	0A016	0.049	INDIAN CREEK	OPEN	9/28/2015	1984	35.602117	-87.493767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
510A0170001	LEWIS	0A017	0.035	INDIAN CREEK	OPEN	9/24/2015	1984	35.604383	-87.4899	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
510A0460001	LEWIS	0A046	0.229	HUNT BRANCH	OPEN	9/18/2015	1984	35.524833	-87.298633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
510A0530001	LEWIS	0A053	1.389	BIG SWAN CREEK	OPEN	9/17/2015	1972	35.470889	-87.346528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
510A0670001	LEWIS	0A067	0.886	POND CREEK	OPEN	9/17/2015	1992	35.476528	-87.414383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
510A0700001	LEWIS	0A070	2.169	BUFFALO RIVER	OPEN	9/17/2015	2015	35.465556	-87.465556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.1
510A0700003	LEWIS	0A070	2.654	HALE BRANCH	OPEN	9/17/2015	1993	35.471778	-87.463	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
510A0770001	LEWIS	0A077	3.039	LITTLE BUFFALO RIVER	OPEN	10/22/2015	2008	35.431383	-87.520083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
510A0820001	LEWIS	0A082	0.559	BRUSH CREEK	OPEN	10/22/2015	1984	35.420883	-87.534533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
510A0820003	LEWIS	0A082	0.745	LITTLE BRUSH CREEK	OPEN	10/22/2015	1984	35.418783	-87.53545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
510A0800001	LEWIS	0A087	2.16	BRUSH CREEK	OPEN	10/22/2015	1992	35.442639	-87.5315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
510A0980001	LEWIS	0A098	0.331	BUFFALO RIVER	WEIGHT POSTED	10/22/2015	1965	35.449533	-87.56925	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.6
510A1010001	LEWIS	0A101	0.011	GRINDERS CREEK	OPEN	10/15/2015	1988	35.464817	-87.537517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.8
510A1110001	LEWIS	0A111	0.062	BRANCH	OPEN	10/13/2015	1984	35.531433	-87.572333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.1
510A1110003	LEWIS	0A111	2.442	ROCKHOUSE CREEK	OPEN	10/13/2015	1936	35.49785	-87.565	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	75.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
510A1120001	LEWIS	0A112	0.235	ROCKHOUSE CREEK	OPEN	10/15/2015	1984	35.48035	-87.5677	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
510A1120003	LEWIS	0A112	0.538	BRANCH	OPEN	10/15/2015	1984	35.477517	-87.5638	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
510A1130001	LEWIS	0A113	0.02	ROCKHOUSE CREEK	OPEN	10/19/2015	1972	35.466	-87.600617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
510A1240015	LEWIS	0A122	0.866	RUSH BRANCH	OPEN	10/15/2015	1984	35.484	-87.539583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
510A1240001	LEWIS	0A124	1.159	BRANCH	OPEN	10/16/2015	1969	35.509333	-87.495883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
510A1240003	LEWIS	0A124	1.752	BRANCH	OPEN	10/16/2015	1969	35.501617	-87.499917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
510A1240005	LEWIS	0A124	2.202	GRINDER BRANCH	OPEN	10/23/2015	1969	35.4984	-87.506533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
510A1240007	LEWIS	0A124	2.875	BARBER BRANCH	OPEN	10/16/2015	1969	35.492233	-87.515817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
510A1240009	LEWIS	0A124	3.105	GRINDERS CREEK	OPEN	10/16/2015	1962	35.491867	-87.519883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.1
510A1240011	LEWIS	0A124	3.441	GRINDERS CREEK	OPEN	10/16/2015	1968	35.490767	-87.52555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.4
510A1240017	LEWIS	0A124	4.844	RUSH BRANCH	OPEN	10/15/2015	1984	35.490367	-87.54425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
510A1280001	LEWIS	0A128	1.853	GRINDERS CREEK	OPEN	9/30/2015	1962	35.52115	-87.5185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9
510A1390001	LEWIS	0A139	0.063	LITTLE SWAN CREEK	OPEN	9/23/2015	1970	35.553167	-87.4646	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.4
510A1440001	LEWIS	0A144	0.04	BRUSH CREEK	OPEN	9/23/2015	1984	35.54585	-87.46445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
510A1510001	LEWIS	0A151	0.988	BRANCH	OPEN	10/13/2015	1960	35.53935	-87.57915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.9
510A1510003	LEWIS	0A151	1.3	BRANCH	OPEN	10/13/2015	1960	35.534883	-87.579367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.8
510A1580001	LEWIS	0A158	0.194	TRACE CREEK	OPEN	10/9/2015	2003	35.511611	-87.633389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.1
510A1600001	LEWIS	0A160	0.162	TRACE CREEK	OPEN	10/9/2015	2005	35.521383	-87.63765	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
510A1620001	LEWIS	0A162	0.161	BRANCH	OPEN	10/9/2015	2000	35.527444	-87.642778	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
510A1630001	LEWIS	0A163	0.163	BRANCH	OPEN	10/9/2015	1978	35.533342	-87.644556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
510A1670001	LEWIS	0A165	1.418	SWEETWATER BRANCH	OPEN	10/9/2015	1984	35.49675	-87.655333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
510A1740001	LEWIS	0A174	0	EAST FORK CANE CREEK	OPEN	10/7/2015	1999	35.609222	-87.576944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
510A1800001	LEWIS	0A180	1.383	PINEY BRANCH	OPEN	9/30/2015	1970	35.5494	-87.502817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.2
510A1840001	LEWIS	0A184	0.04	BIG SWAN CREEK	OPEN	9/21/2015	1995	35.554033	-87.371067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
510A2950001	LEWIS	0A295	0	SLIPPERY BRANCH	OPEN	10/6/2015	2005	35.618833	-87.58425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
510A2990001	LEWIS	0A299	0.095	INDIAN CREEK	OPEN	9/28/2015	2008	35.6016	-87.508667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
510A3030001	LEWIS	0A303	0.14	EAST FORK CANE CREEK	OPEN	10/7/2015	1995	35.580783	-87.55485	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
510A3210001	LEWIS	0A321	0.016	BIG BIGBY CREEK	OPEN	9/18/2015	2004	35.526867	-87.28775	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
510A3240001	LEWIS	0A324	0	WEST FORK BIG BIGBY CR	OPEN	9/18/2015	2010	35.521167	-87.299767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
510A3250001	LEWIS	0A325	0	WEST FORK	OPEN	9/18/2015	2010	35.518333	-87.300433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
510A3270001	LEWIS	0A327	0.038	LITTLE SWAN CREEK	OPEN	9/23/2015	1997	35.564083	-87.45955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
510A3400001	LEWIS	0A340	1.188	PINEY BRANCH	OPEN	12/7/2016	2016	35.548167	-87.49295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
510A3520001	LEWIS	0A352	0.009	PINEY CREEK	OPEN	9/30/2015	2001	35.553333	-87.521083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9
510A3630001	LEWIS	0A363	0.058	ROCKHOUSE CREEK	OPEN	10/23/2015	1995	35.517367	-87.57225	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.6
510A3640001	LEWIS	0A364	0.065	ROCKHOUSE CREEK	OPEN	10/13/2015	1998	35.513317	-87.5712	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
510A3680001	LEWIS	0A368	0.094	ROCKHOUSE CREEK	OPEN	10/19/2015	2008	35.475567	-87.58015	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
510A3780001	LEWIS	0A378	0.13	ROCKHOUSE CREEK	OPEN	6/10/2016	1980	35.48	-87.574017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.5
510A4800001	LEWIS	0A480	0.1	EAST FORK CANE CREEK	WEIGHT POSTED	10/7/2015	1950	35.59555	-87.557833	STEEL	GIRDER AND FLOORBEAM SYSTEM	26.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
510A6420001	LEWIS	0A642	0.446	LITTLE BRUSH CREEK	OPEN	10/21/2015	1985	35.40305	-87.564217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
51SR0200001	LEWIS	SR020	12.93	SR-20 / N.T.P.	OPEN	8/28/2015	1961	35.5037	-87.45855	CONCRETE	ARCH - DECK	65.7
51SR0480001	LEWIS	SR048	3.16	SWEETWATER BRANCH	OPEN	8/31/2015	1934	35.494567	-87.6631	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
51SR0480003	LEWIS	SR048	4.79	SWEETWATER BRANCH	OPEN	8/31/2015	1933	35.497567	-87.634283	CONCRETE	TEE BEAM	74
51SR0480005	LEWIS	SR048	5.15	TRACE CREEK	OPEN	8/31/2015	1929	35.5013	-87.630583	CONCRETE	TEE BEAM	84.3
51SR0480007	LEWIS	SR048	9.08	ROCKHOUSE CREEK	OPEN	8/31/2015	1931	35.529883	-87.575867	CONCRETE	TEE BEAM	48.4
51SR0480009	LEWIS	SR048	12.52	BLONDY HOLLOW BRANCH	OPEN	8/28/2015	1937	35.573833	-87.551333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.5
51SR0480011	LEWIS	SR048	15.01	COLDWATER HOLLOW BRANCH	OPEN	8/28/2015	1997	35.607417	-87.559133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
51S63150001	LEWIS	SR099	0.12	ROBINETTE CREEK	OPEN	8/27/2015	1989	35.442	-87.633883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
51S61960007	LEWIS	SR099	2.36	ALLENS CREEK	OPEN	8/27/2015	1968	35.44215	-87.599617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
51SR0990003	LEWIS	SR099	5.99	COW HOLLOW BRANCH	OPEN	8/27/2015	1965	35.441133	-87.5515	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
510A0900001	LEWIS	SR099	6.86	LITTLE BUFFALO RIVER	OPEN	8/27/2015	1964	35.446417	-87.539167	CONCRETE	TEE BEAM	76.5
51E03650005	LEWIS	SR099	8.04	BUFFALO RIVER	OPEN	8/27/2015	1985	35.461933	-87.5362	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
51SR0990001	LEWIS	SR099	21.325	LITTLE SWAN CREEK	OPEN	9/1/2015	2004	35.58925	-87.449194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.7
51SR0990002	LEWIS	SR099	21.325	LITTLE SWAN CREEK	OPEN	9/1/2015	1996	35.5892	-87.4492	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.7
51SR0990005	LEWIS	SR099	22.8	FAUCETT BRANCH	OPEN	9/1/2015	1947	35.576117	-87.429333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
51SR0990007	LEWIS	SR099	23.86	LITTLE GRINDERS CREEK	OPEN	9/1/2015	1996	35.5672	-87.41555	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.4
51SR0990009	LEWIS	SR099	24.645	LITTLE SWAN CREEK	OPEN	9/1/2015	1996	35.56555	-87.402117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.7
51SR0990011	LEWIS	SR099	24.95	SWAN CREEK	OPEN	9/2/2015	1952	35.562783	-87.39785	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.7
51SR0990013	LEWIS	SR099	25.44	SWAN CREEK	OPEN	9/23/2016	2015	35.562267	-87.3893	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.7
51SR0990015	LEWIS	SR099	26.385	FLAT BRANCH	OPEN	9/2/2015	1954	35.564167	-87.373433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
51S62630001	LEWIS	SR241	1.18	SQUAW BRANCH	OPEN	8/28/2015	1940	35.438967	-87.475683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
52S63320005	LINCOLN	01018	0.42	LIMESTONE CREEK	OPEN	8/4/2015	1950	34.992117	-86.729	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.6
52S63320003	LINCOLN	01018	4.86	SMITH BRANCH	OPEN	8/4/2015	1950	34.991883	-86.80735	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
52S63320001	LINCOLN	01018	5.26	LITTLE LIMESTONE CREEK	OPEN	8/4/2015	1950	34.9919	-86.8145	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
52F00420001	LINCOLN	01024	0.02	ELK RIVER	OPEN	7/21/2015	1953	35.1458	-86.658517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72
52F00420003	LINCOLN	01024	1.55	DRY CREEK	OPEN	7/21/2015	1940	35.12775	-86.658967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.3
52S62390009	LINCOLN	01024	6.3	BRANCH	OPEN	7/21/2015	1960	35.117867	-86.6245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
52S62390007	LINCOLN	01024	7.27	BRANCH	OPEN	7/21/2015	1960	35.119317	-86.6077	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
52F00460001	LINCOLN	01027	2.36	BRANCH	OPEN	8/4/2015	1972	34.991983	-86.6776	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.9
52F00450001	LINCOLN	01029	0.32	WALKER CREEK	OPEN	8/5/2015	1950	35.008333	-86.580783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.6
52F00450003	LINCOLN	01029	2.47	BRANCH	OPEN	8/5/2015	1977	35.033617	-86.60115	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.7
52S42830001	LINCOLN	01031	7.06	HARBIN CREEK	OPEN	8/7/2015	1997	35.029967	-86.509317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
52F00190009	LINCOLN	01031	9.09	COLLIER SPRINGS	WEIGHT POSTED	8/7/2015	1950	35.00305	-86.516183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.9
52F00190011	LINCOLN	01031	9.62	MANSON CREEK	OPEN	8/7/2015	1950	34.997917	-86.522883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
52S62410001	LINCOLN	01033	0.53	STEWARTS CREEK	OPEN	8/25/2015	1960	35.1171	-86.537467	CONCRETE	TEE BEAM	81.2
52S62410003	LINCOLN	01033	1.03	LEE'S CREEK	OPEN	8/25/2015	1960	35.12385	-86.534867	CONCRETE	TEE BEAM	72.6
52010330001	LINCOLN	01033	1.9	ELK RIVER	OPEN	8/25/2015	1983	35.134117	-86.538867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.1
52018980009	LINCOLN	01898	0.97	BRANCH	OPEN	7/29/2015	1997	35.059533	-86.819283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
52018980005	LINCOLN	01898	2.52	BRANCH	OPEN	7/29/2015	1960	35.049167	-86.795817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
52018980003	LINCOLN	01898	3.03	KELLY CREEK	OPEN	7/29/2015	1992	35.044933	-86.788633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
52018980001	LINCOLN	01898	3.35	BRANCH	OPEN	7/29/2015	1984	35.041083	-86.786267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
52018980007	LINCOLN	01898	3.55	BRANCH	OPEN	7/29/2015	1960	35.038117	-86.78595	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	76.9
52019020009	LINCOLN	01902	1.23	E FORK BRADSHAW CREEK	OPEN	7/7/2017	1998	35.24445	-86.8089	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.8
52019020007	LINCOLN	01902	5.45	REED HOLLOW BRANCH	OPEN	7/6/2017	1960	35.217167	-86.751383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9
52019660001	LINCOLN	01966	0.03	HESTER CREEK	OPEN	8/19/2015	2003	35.0164	-86.359883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
52019670001	LINCOLN	01967	1.48	HESTER CREEK	OPEN	8/13/2015	1960	35.018017	-86.386383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
52019670003	LINCOLN	01967	2.9	HESTER CREEK	OPEN	8/11/2015	1960	35.011567	-86.4051	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
52019670005	LINCOLN	01967	4.67	BIG HUCKLEBERRY CREEK	OPEN	8/11/2015	1965	35.035067	-86.410167	CONCRETE	CHANNEL BEAM	59.2
52019670007	LINCOLN	01967	6.49	FLINT RIVER	OPEN	8/11/2015	1960	35.057167	-86.422533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
52019680001	LINCOLN	01968	0.14	FLINT RIVER	OPEN	8/13/2015	1984	35.062183	-86.417167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
52019680003	LINCOLN	01968	0.79	MULE PEN CREEK	OPEN	8/13/2015	1991	35.05665	-86.40815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
52019680005	LINCOLN	01968	2.46	HUCKLEBERRY CREEK	OPEN	8/13/2015	1986	35.047183	-86.383067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
52019690001	LINCOLN	01969	0.41	BRANCH	OPEN	8/27/2015	1985	35.147033	-86.3951	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80.9
52019690003	LINCOLN	01969	4.35	ELK RIVER	OPEN	8/26/2015	1983	35.139267	-86.4476	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
52019690005	LINCOLN	01969	5.36	DUKES CREEK	OPEN	8/12/2015	1983	35.131267	-86.46125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
520A3050001	LINCOLN	01969	6.4	TEAL HOLLOW BRANCH	OPEN	8/12/2015	2009	35.1215	-86.4642	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.5
52019690007	LINCOLN	01969	6.7	TEAL HOLLOW BRANCH	OPEN	8/12/2015	1975	35.119967	-86.467467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
52019690009	LINCOLN	01969	7.7	TEAL HOLLOW BRANCH	OPEN	8/12/2015	1975	35.1074	-86.4691	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
52019690011	LINCOLN	01969	8.07	TEAL HOLLOW BRANCH	OPEN	8/12/2015	1975	35.101867	-86.467883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
52019690013	LINCOLN	01969	10.25	TROTTERS BRANCH	OPEN	8/19/2015	1965	35.072883	-86.478233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
52019690015	LINCOLN	01969	10.48	TROTTERS BRANCH	OPEN	8/19/2015	1965	35.069133	-86.479067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
52019690017	LINCOLN	01969	12.05	BRANCH	OPEN	8/10/2015	1965	35.046783	-86.4826	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
52019690019	LINCOLN	01969	12.47	TROTTERS BRANCH	OPEN	8/10/2015	1965	35.04165	-86.486083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
52019690021	LINCOLN	01969	13.55	BRANCH	OPEN	8/10/2015	1965	35.030617	-86.498917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
52019690023	LINCOLN	01969	13.99	HARBIN BRANCH	OPEN	8/10/2015	1965	35.024933	-86.50245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
52019710001	LINCOLN	01971	1.34	STEWART CREEK	OPEN	8/21/2015	1935	35.081183	-86.524033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.1
52019710003	LINCOLN	01971	1.58	BUGGER HOLLOW BRANCH	OPEN	8/21/2015	1935	35.0842	-86.525733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.6
52019710005	LINCOLN	01971	3.55	STEWART CREEK	OPEN	8/21/2015	1935	35.109383	-86.538467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
52019720011	LINCOLN	01972	3.66	HENDERSON BRANCH	OPEN	7/22/2015	2000	35.083344	-86.7544	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
52019720001	LINCOLN	01972	4.87	COLDWATER CREEK	WEIGHT POSTED	7/22/2015	1935	35.083833	-86.734617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.4
52019720003	LINCOLN	01972	5.3	STEADMAN CREEK	OPEN	7/22/2015	1950	35.082317	-86.72805	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.1
52019720005	LINCOLN	01972	5.88	STEADMAN CREEK	OPEN	7/22/2015	1940	35.0875	-86.721817	CONCRETE CONTINUOUS	SLAB	81.6
52S62390005	LINCOLN	01972	9.58	MOLINO CREEK	OPEN	7/20/2015	1960	35.106833	-86.671267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
52019720009	LINCOLN	01972	9.63	MOLINO CREEK	OPEN	7/20/2015	1990	35.106417	-86.670733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
52019730001	LINCOLN	01973	3.57	TUCKER CREEK	OPEN	8/27/2015	2005	35.167667	-86.38	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
52019730005	LINCOLN	01973	5.44	TUCKER CREEK	OPEN	8/27/2015	1955	35.146233	-86.386367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.3
52019730007	LINCOLN	01973	6.14	ELK RIVER	OPEN	8/27/2015	1940	35.1386	-86.383867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.9
52019730009	LINCOLN	01973	8.27	BRANCH TO SHELTON CREEK	OPEN	10/22/2015	2015	35.112117	-86.3786	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.8
52019740001	LINCOLN	01974	8.18	COLDWATER CREEK	OPEN	7/23/2015	1983	35.0624	-86.717333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
52019740003	LINCOLN	01974	8.77	PINNEL CREEK	OPEN	7/23/2015	1975	35.063217	-86.727317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.9
52SR0150001	LINCOLN	01975	0.73	CHICKEN CREEK	OPEN	7/7/2017	1931	35.185667	-86.8131	CONCRETE	TEE BEAM	84.4
52019750001	LINCOLN	01975	0.88	CHICKEN CREEK	OPEN	7/7/2017	1950	35.184133	-86.813183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.9
52019750003	LINCOLN	01975	3.65	LEATHERWOOD CREEK	OPEN	7/17/2015	1960	35.145183	-86.81985	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
52019750005	LINCOLN	01975	5.1	BRANCH	OPEN	7/13/2015	1983	35.126267	-86.812233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
52019760001	LINCOLN	01976	1.39	BRANCH	OPEN	8/25/2015	1950	35.1268	-86.5112	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
52019760003	LINCOLN	01976	1.53	BRANCH	OPEN	8/25/2015	1950	35.126717	-86.508517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
52019020005	LINCOLN	01977	0.66	BRANCH	OPEN	7/6/2017	1998	35.212283	-86.728883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
52019790001	LINCOLN	01979	1.36	GIMLET CREEK	OPEN	9/2/2015	1977	35.22635	-86.470833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.8
52019790003	LINCOLN	01979	3.48	W F MULBERRY CREEK	OPEN	9/4/2015	1950	35.250767	-86.459633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.4
52019830001	LINCOLN	01983	0.11	SWAN CREEK	OPEN	7/5/2017	1990	35.267983	-86.729917	CONCRETE	TEE BEAM	82.7
52L33100001	LINCOLN	03310	0.44	TANYARD BRANCH	OPEN	9/15/2015	1950	35.154167	-86.57265	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.2
52033120001	LINCOLN	03312	0.48	NORRIS CREEK	OPEN	9/14/2015	1984	35.15385	-86.555483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.2
52M33130001	LINCOLN	03313	0.22	NORRIS CREEK	OPEN	9/14/2015	2008	35.150533	-86.564633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.8
520A1760001	LINCOLN	0A001	0.275	EAST FORK MULBERRY CREEK	WEIGHT POSTED	9/2/2015	1947	35.219017	-86.4277	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.3
520A0060001	LINCOLN	0A006	1.907	HANNAH GAP BRANCH	OPEN	6/16/2017	1975	35.3426	-86.580267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8
520A0950001	LINCOLN	0A007	0.375	BUCHANAN CREEK	OPEN	7/3/2017	1984	35.193833	-86.58665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
520A0490001	LINCOLN	0A049	0.585	BUCHANAN CREEK	OPEN	7/10/2017	1960	35.163767	-86.59645	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.8
520A0490005	LINCOLN	0A049	2.542	BRANCH	OPEN	7/10/2017	1984	35.198	-86.617383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
520A0490007	LINCOLN	0A049	2.865	BRANCH	OPEN	7/10/2017	1984	35.186933	-86.62285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A0490003	LINCOLN	0A049	3.083	CANE CREEK	OPEN	7/10/2017	1958	35.186972	-86.627194	CONCRETE CONTINUOUS	TEE BEAM	80

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
520A0500001	LINCOLN	0A050	0.02	BRANCH	OPEN	7/6/2017	1983	35.208283	-86.692317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A0650001	LINCOLN	0A065	1.647	SWAN CREEK	OPEN	7/5/2017	1991	35.249983	-86.726333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A0670001	LINCOLN	0A067	0.027	MORTON BRANCH	WEIGHT POSTED	7/5/2017	1950	35.254817	-86.6924	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.4
520A0690003	LINCOLN	0A069	1.305	CRAIGHEAD CREEK	OPEN	7/5/2017	2002	35.2459	-86.667083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
520A0690005	LINCOLN	0A069	2.138	CRAIGHEAD CREEK	OPEN	7/3/2017	1983	35.238417	-86.662033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A0690007	LINCOLN	0A069	2.796	CRAIGHEAD CREEK	OPEN	7/3/2017	1975	35.230583	-86.657883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	91.5
520A0690009	LINCOLN	0A069	4.639	CRAIGHEAD CREEK	OPEN	7/3/2017	1984	35.221117	-86.645867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A0730001	LINCOLN	0A073	0.286	GINGERBREAD CREEK	OPEN	6/20/2017	2000	35.256367	-86.620317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A0730003	LINCOLN	0A073	0.677	PINHOOK BRANCH	OPEN	6/20/2017	1983	35.262233	-87.62075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
520A0770001	LINCOLN	0A077	0.986	CANE CREEK	OPEN	6/21/2017	1986	35.222617	-86.623483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.1
520A0770003	LINCOLN	0A077	2.781	BRANCH	OPEN	6/21/2017	1978	35.240083	-86.608183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	98.6
520A0800001	LINCOLN	0A080	1.99	CRAIGHEAD CREEK	OPEN	7/3/2017	1984	35.212733	-86.6345	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A0820001	LINCOLN	0A082	0.962	BRANCH	OPEN	7/3/2017	1994	35.206717	-86.6195	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
520A0880001	LINCOLN	0A088	0.181	HAYES BRANCH	OPEN	7/10/2017	1978	35.183033	-86.634517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	100
520A0890001	LINCOLN	0A089	1.84	HAYES BRANCH	OPEN	7/6/2017	1984	35.184517	-86.646667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A0930001	LINCOLN	0A093	3.986	BRANCH	OPEN	6/20/2017	1984	35.25735	-87.600517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A0950003	LINCOLN	0A095	1.628	BUCHANAN CREEK	OPEN	7/10/2017	1984	35.184017	-86.587283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
520A1000001	LINCOLN	0A100	0.127	NORRIS CREEK	OPEN	6/21/2017	1997	35.23465	-86.566067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1010005	LINCOLN	0A101	0.312	BRANCH	OPEN	6/20/2017	1984	35.262067	-86.605983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
520A1010001	LINCOLN	0A101	0.353	GINGERBREAD CREEK	OPEN	6/20/2017	1994	35.2628	-87.60595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1010003	LINCOLN	0A101	3.571	LITTLE CANE CREEK	OPEN	6/16/2017	1991	35.30825	-86.601783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
520A1020001	LINCOLN	0A102	0.519	GINGERBREAD CREEK	OPEN	6/20/2017	1970	35.267783	-87.598833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.4
520A1040001	LINCOLN	0A104	0.474	LITTLE CANE CREEK	OPEN	6/16/2017	2001	35.306283	-86.620217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
520A1160001	LINCOLN	0A116	0.009	GIMLET CREEK	OPEN	9/9/2015	1968	35.230583	-86.657883	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.8
520A1230001	LINCOLN	0A123	1.177	SCOTT BRANCH	OPEN	6/16/2017	1998	35.324833	-86.602383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
520A4730001	LINCOLN	0A126	0.068	KELLY CREEK	OPEN	7/29/2015	1984	35.060417	-86.8265	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.2
520A1310001	LINCOLN	0A131	0.091	HANNAH GAP BRANCH	OPEN	6/16/2017	2001	35.335033	-86.5772	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1310003	LINCOLN	0A131	1.443	BARHAM BRANCH	OPEN	6/16/2017	1979	35.34035	-86.556833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	100
520A1350001	LINCOLN	0A135	0.348	BRANCH	OPEN	9/10/2015	1968	35.275	-86.55965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
520A1360001	LINCOLN	0A136	0.042	NORRIS CREEK	WEIGHT POSTED	9/10/2015	1940	35.269117	-86.55565	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71
520A1380001	LINCOLN	0A138	0.161	NORRIS CREEK	OPEN	9/10/2015	1940	35.279167	-86.545667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	90.2
520A1380003	LINCOLN	0A138	3.252	GIMLET CREEK	OPEN	9/9/2015	1960	35.2837	-86.500833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
520A1380005	LINCOLN	0A138	3.985	GIMLET CREEK	OPEN	9/9/2015	1960	35.273817	-86.497883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
520A1410001	LINCOLN	0A141	0.011	TUCKER CREEK	OPEN	8/27/2015	1999	35.159633	-86.379083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1470001	LINCOLN	0A147	2.479	LANE BRANCH	OPEN	9/8/2015	1984	35.257433	-86.515933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
520A1470003	LINCOLN	0A147	3.229	LANE BRANCH	OPEN	9/8/2015	1984	35.247517	-86.5127	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
520A1470005	LINCOLN	0A147	3.851	LANE BRANCH	OPEN	9/8/2015	1981	35.239733	-86.517917	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
520A1470007	LINCOLN	0A147	4.303	LANE BRANCH	OPEN	9/8/2015	1994	35.233367	-86.51795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
520A1480001	LINCOLN	0A148	0.01	REDD BRANCH	OPEN	9/8/2015	1989	35.247667	-86.512817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
520A1510001	LINCOLN	0A151	0.08	LANE BRANCH	OPEN	9/3/2015	1994	35.220683	-86.517933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1510003	LINCOLN	0A151	0.872	HAMESTRING BRANCH	OPEN	9/3/2015	1986	35.221467	-86.504433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1530003	LINCOLN	0A153	1.113	BRANCH	OPEN	9/3/2015	2005	35.209783	-86.537517	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93.6
520A1560001	LINCOLN	0A156	0.273	NORRIS CREEK	OPEN	9/3/2015	1988	35.193067	-86.562867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
520A1580001	LINCOLN	0A158	0.129	BUCKEYE CREEK	OPEN	9/4/2015	1996	35.2525	-86.452	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	100
520A1590001	LINCOLN	0A159	0	W FORK OF MULBERRY CREEK	OPEN	9/4/2015	1994	35.2581	-86.461467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
520A1620003	LINCOLN	0A162	0.163	NORRIS CREEK	OPEN	9/2/2015	1985	35.164867	-86.545667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
520A1620001	LINCOLN	0A162	0.526	BRANCH	OPEN	9/1/2015	1999	35.165383	-86.53975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
520A1620005	LINCOLN	0A162	2.62	BRANCH	OPEN	9/2/2015	1940	35.186867	-86.515917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.5
520A1650001	LINCOLN	0A165	0.059	BRANCH	OPEN	9/1/2015	1945	35.168917	-86.529533	CONCRETE	TEE BEAM	61.5
520A1710001	LINCOLN	0A171	3.324	BUCKEYE CREEK	OPEN	9/4/2015	1995	35.266667	-86.439383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A1740001	LINCOLN	0A174	7.853	EAST FORK MULBERRY CREEK	OPEN	9/2/2015	1993	35.21715	-86.445017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.8
520A1830001	LINCOLN	0A183	4.3	STEPHENS CREEK	OPEN	8/26/2015	2003	35.1452	-86.456567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1870001	LINCOLN	0A187	2.147	BRANCH	OPEN	9/1/2015	1984	35.175183	-86.488633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1870003	LINCOLN	0A187	2.847	BRANCH	OPEN	9/1/2015	1994	35.174333	-86.476417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1870005	LINCOLN	0A187	3.2	MULBERRY CREEK	OPEN	9/1/2015	1965	35.175367	-86.47035	CONCRETE	TEE BEAM	64.5
52S63380007	LINCOLN	0A187	5.102	EAST FORK MULBERRY CREEK	OPEN	9/1/2015	1982	35.193717	-86.45285	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
520A1890001	LINCOLN	0A189	0.353	DUKES BRANCH	OPEN	8/12/2015	1984	35.12545	-86.457633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
520A1890003	LINCOLN	0A189	3.61	BUCKEYE CREEK	OPEN	8/26/2015	1940	35.12485	-86.4075	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
520A1890005	LINCOLN	0A189	4.333	SHELTON CREEK	OPEN	8/26/2015	1940	35.12545	-86.397033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	99
520A1970005	LINCOLN	0A197	0.939	CANE CREEK	OPEN	6/21/2017	1960	35.23825	-86.625033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.5
520A1970003	LINCOLN	0A197	3.184	BRANCH	OPEN	6/21/2017	1989	35.265783	-86.6444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A1970001	LINCOLN	0A197	5.931	PLEASANT VALLEY CREEK	OPEN	6/21/2017	2004	35.30125	-86.665467	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
520A2130001	LINCOLN	0A213	1.005	BRANCH	OPEN	7/7/2017	1995	35.2497	-86.7843	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A2170001	LINCOLN	0A217	0.207	HESTER CREEK	OPEN	8/19/2015	1927	35.016333	-86.357033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
520A2200001	LINCOLN	0A220	0.818	EAST FORK BRADSHAW CREEK	OPEN	7/7/2017	1997	35.251117	-86.8005	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
520A2410001	LINCOLN	0A241	2.887	HESTER CREEK	OPEN	8/11/2015	1970	34.991867	-86.43915	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.4
520A2440001	LINCOLN	0A244	0.263	HESTER CREEK	OPEN	8/11/2015	1984	35.006367	-86.421667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
520A2480001	LINCOLN	0A248	0.355	HESTER CREEK	OPEN	8/11/2015	1987	35.001233	-86.433083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
520A2500001	LINCOLN	0A250	2.911	BIG HUCKLEBERRY CREEK	OPEN	8/13/2015	2009	35.045917	-86.427517	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
520A2500003	LINCOLN	0A250	3.226	FLINT RIVER	OPEN	8/13/2015	1983	35.04975	-86.424433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
52019020001	LINCOLN	0A261	2.062	LITTLE SWAN CREEK	OPEN	7/6/2017	1987	35.207167	-86.7014	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A2680001	LINCOLN	0A268	1.354	BRANCH	OPEN	8/19/2015	1996	35.100183	-86.448717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A2830001	LINCOLN	0A283	0.547	TROTTERS BRANCH	OPEN	8/10/2015	1985	35.038233	-86.487533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A2840001	LINCOLN	0A284	2.214	HARBIN BRANCH	OPEN	8/7/2015	1950	35.0504	-86.52965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
520A2900001	LINCOLN	0A290	2.084	TROTTERS BRANCH	OPEN	8/21/2015	1960	35.064083	-86.481417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.2
520A2910001	LINCOLN	0A291	0.14	LEE'S CREEK	OPEN	8/19/2015	2014	35.106133	-86.509217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
520A2940001	LINCOLN	0A294	2.156	STEWART CREEK	WEIGHT POSTED	8/21/2015	1960	35.087967	-86.5257	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
520A2950001	LINCOLN	0A295	0.22	LEES CREEK	WEIGHT POSTED	8/25/2015	1969	35.1217	-86.52245	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.7
520A3180001	LINCOLN	0A318	2.467	WALKER BRANCH	OPEN	8/7/2015	1955	35.062767	-86.573633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
520A3180003	LINCOLN	0A318	3.316	HARPER BRANCH	OPEN	8/7/2015	1940	35.06435	-86.588217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
520A3700001	LINCOLN	0A370	0.165	WALKER CREEK	OPEN	8/5/2015	1917	35.0289	-86.60185	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.4
520A3730001	LINCOLN	0A373	1.018	LITTLE CANE CREEK	WEIGHT POSTED	8/5/2015	1970	35.005433	-86.61715	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83.3
520A3810003	LINCOLN	0A381	2.117	WASHBURN BRANCH	OPEN	8/5/2015	1985	35.04165	-86.607817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.2
520A3830001	LINCOLN	0A383	1.133	WASHBURN BRANCH	OPEN	8/5/2015	1965	35.0621	-86.60855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
520A3990001	LINCOLN	0A399	2.351	BRANCH	CLOSED	7/20/2015	1924	35.103783	-86.663633	MASONRY	ARCH - DECK	21.8
52056810001	LINCOLN	0A405	2	ELK RIVER	CLOSED	9/14/2015	1901	35.133389	-86.583417	STEEL	TRUSS - THRU	0
520A4070001	LINCOLN	0A407	0.284	BRANCH	OPEN	7/21/2015	1983	35.1221	-86.622917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A4070003	LINCOLN	0A407	1.834	BRANCH	OPEN	7/21/2015	1984	35.1321	-86.638967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
520A4140003	LINCOLN	0A414	1.34	MOLINO CREEK	OPEN	7/20/2015	1996	35.123683	-86.689933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A4160007	LINCOLN	0A416	1.672	DRY CREEK	OPEN	7/23/2015	1960	35.062233	-86.7121	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
520A4160003	LINCOLN	0A416	4.262	BRANCH	OPEN	8/3/2015	1960	35.048967	-86.6726	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
520A4160005	LINCOLN	0A416	4.371	COLDWATER CREEK	OPEN	8/3/2015	1984	35.049133	-86.670967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
520A4160001	LINCOLN	0A416	4.827	FLYNN BRANCH	OPEN	8/3/2015	1960	35.0519	-86.663383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
520A4320001	LINCOLN	0A432	2.316	COLDWATER CREEK	OPEN	7/23/2015	1975	35.046583	-86.68715	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88.5
520A4410001	LINCOLN	0A441	0.016	COLDWATER CREEK	OPEN	8/3/2015	1975	35.04855	-86.675017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.2
520A4420001	LINCOLN	0A442	1.78	BRANCH	OPEN	7/23/2015	1978	35.0424	-86.694133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.8
520A4420003	LINCOLN	0A442	2.134	COLDWATER CREEK	OPEN	7/23/2015	1975	35.0474	-86.692783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
520A4470001	LINCOLN	0A447	1.285	COMMONS BRANCH	OPEN	7/22/2015	2011	35.07565	-86.742517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A4630001	LINCOLN	0A463	0.431	SMITH BRANCH	OPEN	8/4/2015	1984	34.997983	-86.8025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
520A4630007	LINCOLN	0A463	4.703	KELLY CREEK	WEIGHT POSTED	7/29/2015	1940	35.054917	-86.811883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.7
520A4940001	LINCOLN	0A494	0.221	ELK RIVER	OPEN	7/13/2015	1989	35.098633	-86.741533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
520A4950001	LINCOLN	0A495	0.204	CUNNINGHAM BRANCH	OPEN	7/13/2015	2006	35.134	-86.7424	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A4950003	LINCOLN	0A495	0.863	CARR CREEK	OPEN	7/13/2015	1978	35.691817	-86.72535	STEEL	STRINGER/MULTI-BEAM OR GIRDER	94.8
520A5050001	LINCOLN	0A505	0.215	BRADSHAW CREEK	OPEN	7/17/2015	1987	35.148183	-86.819617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
520A5070001	LINCOLN	0A507	0.122	CHICKEN CREEK	OPEN	7/17/2015	2012	35.159217	-86.820283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
520A5100001	LINCOLN	0A510	1.977	LEATHERWOOD CREEK	OPEN	7/17/2015	1940	35.151133	-86.811117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.4
520A5120001	LINCOLN	0A512	1.197	BRANCH	OPEN	7/17/2015	1940	35.166867	-86.786	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.8
520A5120003	LINCOLN	0A512	4.543	BRANCH	OPEN	7/17/2015	1996	35.198167	-86.790817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
520A5130001	LINCOLN	0A513	3.761	CHICKEN CREEK	OPEN	7/7/2017	1930	35.1869	-86.808133	CONCRETE	SLAB	66.5
520A5270001	LINCOLN	0A527	0.098	SWAN CREEK	OPEN	7/10/2015	1977	35.184533	-86.73875	STEEL	STRINGER/MULTI-BEAM OR GIRDER	100
520A5270003	LINCOLN	0A527	1.044	LITTLE SWAN CREEK	OPEN	7/10/2015	2003	35.1814	-86.722817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94
520A5270005	LINCOLN	0A527	2.508	WYATT CREEK	OPEN	7/10/2015	1950	35.171733	-86.7052	STEEL	STRINGER/MULTI-BEAM OR GIRDER	90.5
520A5290001	LINCOLN	0A529	1.4	LITTLE SWAN CREEK	OPEN	7/10/2015	1970	35.192183	-86.71775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
520A5300001	LINCOLN	0A530	2.565	WYATT CREEK	OPEN	7/10/2015	1983	35.169483	-86.68495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
520A5370001	LINCOLN	0A537	0.091	STEWART CREEK	OPEN	8/21/2015	1970	35.1069	-86.532	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
520A7250001	LINCOLN	0A612	0.078	BRANCH	OPEN	8/26/2015	1984	35.14295	-86.444367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
520A7110001	LINCOLN	0A711	0.391	NORRIS CREEK	OPEN	9/9/2015	1975	35.28965	-86.535683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	98.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
520A7110003	LINCOLN	0A711	0.663	NORRIS CREEK	WEIGHT POSTED	9/9/2015	1940	35.293467	-86.53445	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.9
520A7120001	LINCOLN	0A712	0.075	W FORK OF MULBERRY CR	OPEN	9/4/2015	1975	35.273067	-86.462983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96
520A7120003	LINCOLN	0A712	0.287	BAILEY BRANCH	OPEN	9/4/2015	1960	35.275333	-86.46535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
520A7180001	LINCOLN	0A718	0.88	FLINT RIVER	OPEN	8/10/2015	2006	35.03365	-86.479517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
520A2100001	LINCOLN	0A726	0.347	TANYARD BRANCH	OPEN	9/15/2015	1990	35.149667	-86.572883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
52S42830007	LINCOLN	0A727	0.321	WELLS CREEK	OPEN	9/14/2015	1965	35.113933	-86.561133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
520A7100001	LINCOLN	0A734	0.37	BRANCH	OPEN	9/14/2015	1988	35.1657	-86.516933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
52S42840007	LINCOLN	0A735	0.068	BRANCH	OPEN	9/10/2015	1985	35.26505	-86.55925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
52S42840005	LINCOLN	0A735	2.404	BRANCH	OPEN	9/8/2015	1983	35.241267	-86.536667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
52S42840003	LINCOLN	0A735	6.318	BRANCH	OPEN	9/3/2015	1930	35.197783	-86.533133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
52010350001	LINCOLN	0A735	7.551	NORRIS CREEK	OPEN	9/2/2015	1932	35.18245	-86.543533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.5
52L33110001	LINCOLN	0A736	0.579	TANYARD CREEK	OPEN	9/15/2015	1982	35.149117	-86.57255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
520A8180001	LINCOLN	0A818	0.08	NORRIS CREEK	WEIGHT POSTED	9/10/2015	1968	35.27205	-86.553683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45
520A4870001	LINCOLN	0A870	2.227	O'NEAL BRANCH	OPEN	7/13/2015	1984	35.084133	-86.80575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
520A4870003	LINCOLN	0A870	4.93	ELK RIVER	OPEN	7/13/2015	1983	35.097933	-86.78075	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
52SR0100001	LINCOLN	SR010	1.34	CAMPERS CREEK	OPEN	9/16/2015	1947	35.008333	-86.576667	CONCRETE	TEE BEAM	65
52SR0100003	LINCOLN	SR010	5.15	BRANCH	OPEN	9/16/2015	1947	35.063333	-86.573333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.2
52SR0100005	LINCOLN	SR010	8.22	WELLS CREEK	OPEN	9/16/2015	1947	35.108517	-86.565983	CONCRETE	TEE BEAM	84.3
52SR0100008	LINCOLN	SR010	10.57	SR 10 LL / ELK RIVER	OPEN	9/16/2015	1968	35.141536	-86.569117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.1
52SR0100007	LINCOLN	SR010	10.57	SR 10 RL / ELK RIVER	OPEN	9/16/2015	1968	35.141533	-86.569117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
52SR0100025	LINCOLN	SR010	10.79	NORRIS CREEK	OPEN	9/17/2015	1972	35.14445	-86.568133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.3
52SR0100027	LINCOLN	SR010	12.34	NORRIS CREEK	OPEN	9/17/2015	1972	35.160367	-86.55685	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5
52SR0100029	LINCOLN	SR010	12.505	SR 10 / OLD MULBERRY RD.	OPEN	9/17/2015	1972	35.161617	-86.559217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.2
52SR0100009	LINCOLN	SR010	15.02	BRANCH	OPEN	9/17/2015	1923	35.063333	-86.573333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
52SR0100013	LINCOLN	SR010	17.17	NORRIS CREEK	OPEN	9/17/2015	1923	35.226417	-86.565183	CONCRETE	TEE BEAM	48.9
52SR0100015	LINCOLN	SR010	19.32	NORRIS CREEK	OPEN	9/21/2015	1923	35.2558	-86.565667	CONCRETE	TEE BEAM	51.6
52SR0100017	LINCOLN	SR010	19.52	UNION BRANCH	OPEN	9/21/2015	1923	35.258433	-86.565683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
52SR0100019	LINCOLN	SR010	19.86	BRANCH	OPEN	9/21/2015	1923	35.262767	-86.562817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
52SR0100021	LINCOLN	SR010	20.47	BRANCH	OPEN	9/21/2015	1923	35.269633	-86.556117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
52SR0100023	LINCOLN	SR010	21.44	BRANCH	OPEN	9/21/2015	1923	35.280783	-86.54625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.6
52SR0150034	LINCOLN	SR015	0.12	NFA A501 (OLD SR 15)	OPEN	9/24/2015	1994	35.18805	-86.8272	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
52SR0150033	LINCOLN	SR015	0.12	NFA A501 (OLD SR 15)	OPEN	9/24/2015	1994	35.1878	-86.82795	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
52SR0150035	LINCOLN	SR015	0.91	BRANCH	OPEN	9/24/2015	1994	35.188517	-86.81395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
52SR0150003	LINCOLN	SR015	2.33	BRANCH	OPEN	9/24/2015	1997	35.19755	-86.792117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
52SR0150005	LINCOLN	SR015	2.58	BRANCH	OPEN	9/24/2015	1998	35.199817	-86.788733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
52SR0150007	LINCOLN	SR015	4.57	MCFEE CREEK	OPEN	9/24/2015	1997	35.201286	-86.754467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
52SR0150008	LINCOLN	SR015	4.57	MCAFEE CREEK	OPEN	9/24/2015	1997	35.2011	-86.75435	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
52SR0150009	LINCOLN	SR015	6.09	SWAN CREEK	OPEN	9/25/2015	1997	35.209333	-86.731167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
52SR0150010	LINCOLN	SR015	6.09	SWAN CREEK	OPEN	9/25/2015	1997	35.209483	-86.7308	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
52SR0150011	LINCOLN	SR015	7.37	LITTLE SWAN CREEK	OPEN	9/25/2015	1997	35.199333	-86.712083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	84

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
52SR0150012	LINCOLN	SR015	7.37	LITTLE SWAN CREEK	OPEN	9/25/2015	1997	35.1995	-86.711867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	84
52SR0150013	LINCOLN	SR015	11.6	HAYES BRANCH	OPEN	9/25/2015	2000	35.18265	-86.641167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
52SR0150015	LINCOLN	SR015	14.16	CANE CREEK	OPEN	9/25/2015	1997	35.15865	-86.610267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	84
52SR0150037	LINCOLN	SR015	17.98	BRANCH	OPEN	10/2/2015	2008	35.162778	-86.544444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.2
52SR0150039	LINCOLN	SR015	19.1	BRANCH	OPEN	10/2/2015	2008	35.163889	-86.524722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.2
52SR0150041	LINCOLN	SR015	20.51	BRANCH	OPEN	10/2/2015	2008	35.155556	-86.502778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.2
52SR0150022	LINCOLN	SR015	21.92	ELK RIVER	OPEN	10/2/2015	2007	35.141667	-86.483333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
52SR0150021	LINCOLN	SR015	21.92	ELK RIVER	OPEN	10/2/2015	2007	35.141667	-86.483333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
52SR0150023	LINCOLN	SR015	23.65	HOLLOW BRANCH	OPEN	10/2/2015	2009	35.124867	-86.462	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.2
52SR0150025	LINCOLN	SR015	23.75	HOLLOW CREEK	OPEN	10/2/2015	2010	35.123333	-86.46	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.2
52SR0150026	LINCOLN	SR015	23.75	HOLLOW CREEK	OPEN	10/2/2015	2010	35.123333	-86.46	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.2
52SR0150028	LINCOLN	SR015	23.93	OVERFLOW	OPEN	10/2/2015	2009	35.121667	-86.458333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.2
52SR0150027	LINCOLN	SR015	23.93	OVERFLOW	OPEN	10/2/2015	2009	35.121667	-86.458333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.2
52SR0150029	LINCOLN	SR015	24.02	DUKES CREEK	OPEN	10/2/2015	2009	35.12	-86.456667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.2
52SR0150030	LINCOLN	SR015	24.02	DUKES CREEK	OPEN	10/2/2015	2009	35.12	-86.456667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.2
52SR0150043	LINCOLN	SR015	27.98	GUM SPRINGS BRANCH	OPEN	10/2/2015	2010	35.065	-86.358333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
52SR0150031	LINCOLN	SR015	31.44	HUCKLEBERRY CREEK	OPEN	10/2/2015	2009	35.065	-86.358333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
52SR0500001	LINCOLN	SR050	2.6	CANE CREEK	OPEN	10/5/2015	1938	35.281783	-86.6297	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.1
52SR0500003	LINCOLN	SR050	4.24	PINHOOK BRANCH	OPEN	10/5/2015	1938	35.25855	-86.624133	CONCRETE	TEE BEAM	71.2
52SR0500005	LINCOLN	SR050	4.46	GINGERBREAD CREEK	OPEN	10/5/2015	1938	35.255517	-86.622717	CONCRETE	TEE BEAM	67.5
52SR0500007	LINCOLN	SR050	5.82	CLARK BRANCH	OPEN	10/5/2015	1938	35.237167	-86.6139	CONCRETE	TEE BEAM	69.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
52SR0500009	LINCOLN	SR050	9.66	BUCHANAN CREEK	OPEN	10/5/2015	1936	35.188233	-86.586167	CONCRETE	TEE BEAM	62.3
52SR0500011	LINCOLN	SR050	10.02	BRANCH	OPEN	10/5/2015	1936	35.18325	-86.584133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.8
52SR0150017	LINCOLN	SR050	13.22	COTTON MILL CREEK	OPEN	10/6/2015	1975	35.158067	-86.559967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.2
52SR0150019	LINCOLN	SR050	13.34	NORRIS CREEK	OPEN	10/6/2015	1932	35.159	-86.558017	CONCRETE	TEE BEAM	80.8
52SR0500013	LINCOLN	SR050	13.485	MOORES BRANCH	OPEN	10/6/2015	2007	35.16455	-86.531	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
52SR0500015	LINCOLN	SR050	15.63	PAMPLINS BRANCH	OPEN	10/6/2015	1957	35.191083	-86.51205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
52SR0500017	LINCOLN	SR050	16.11	BRANCH	OPEN	10/6/2015	1957	35.196133	-86.505967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
52SR0500019	LINCOLN	SR050	18.87	WEST FORK MULBERRY CREEK	OPEN	10/6/2015	1950	35.212117	-86.461983	CONCRETE	TEE BEAM	64.3
52SR0500021	LINCOLN	SR050	20.08	EAST FORK MULBERRY CREEK	OPEN	10/6/2015	1950	35.221133	-86.443883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
52SR1100005	LINCOLN	SR110	0.92	SHERRILL BRANCH	OPEN	10/7/2015	1971	35.003667	-86.825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
52SR1100007	LINCOLN	SR110	1.51	JOHNSON BRANCH	OPEN	10/7/2015	1971	35.0098	-86.818367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
52SR1100001	LINCOLN	SR110	17.12	WASHBURN BRANCH	OPEN	10/7/2015	1971	35.076067	-86.615083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
52SR1100003	LINCOLN	SR110	21.59	BRANCH	OPEN	10/7/2015	1971	35.11625	-86.57265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1
52SR1210001	LINCOLN	SR121	0.53	JENNY RIVER	OPEN	10/9/2015	1930	34.99675	-86.38255	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92.5
52SR1210003	LINCOLN	SR121	2.36	BRANCH	OPEN	10/9/2015	1971	35.0154	-86.3616	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
52SR1210005	LINCOLN	SR121	2.46	BRANCH	OPEN	10/9/2015	1971	35.016433	-86.360267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
52SR1210007	LINCOLN	SR121	4.53	LITTLE HUCKLEBERRY CREEK	OPEN	10/9/2015	1985	35.040633	-86.0419	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
52SR1210009	LINCOLN	SR121	5.25	HUCKLEBERRY CREEK	OPEN	10/9/2015	1998	35.051217	-86.374733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
52S42810007	LINCOLN	SR129	0.39	CANE CREEK CHANNEL	OPEN	10/13/2015	1951	35.31685	-86.63325	CONCRETE	TEE BEAM	80.5
52S42810009	LINCOLN	SR129	0.62	CANE CREEK	OPEN	10/13/2015	1951	35.316067	-86.629367	CONCRETE	TEE BEAM	88
52S42810011	LINCOLN	SR129	1.69	SCOTT BRANCH	OPEN	10/13/2015	1951	35.312633	-86.6112	CONCRETE	TEE BEAM	84.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
52S42810013	LINCOLN	SR129	3.77	HANNAH GAP BRANCH	OPEN	10/13/2015	1956	35.316433	-86.580383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86
52S42810015	LINCOLN	SR129	4.62	LITTLE CANE CREEK	OPEN	10/13/2015	1929	35.314417	-86.565683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.9
52S42810017	LINCOLN	SR129	6.14	LITTLE CANE CREEK	OPEN	10/13/2015	1940	35.3242	-86.544767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
52S42810001	LINCOLN	SR244	2.32	MORTON CREEK	OPEN	10/14/2015	1985	35.23475	-86.707783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
52S42810003	LINCOLN	SR244	2.84	MORTON CREEK	OPEN	10/14/2015	1970	35.239017	-86.702133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
52S42810005	LINCOLN	SR244	7.74	PLEASANT VALLEY CREEK	OPEN	10/14/2015	1957	35.2916	-86.65345	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84.5
52S42090001	LINCOLN	SR273	1.73	BRADSHAW CREEK	OPEN	10/15/2015	2009	35.11	-86.806667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
52SR2730001	LINCOLN	SR273	5.08	SHORT CREEK	OPEN	10/15/2015	1960	35.121833	-86.781333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
52S42090005	LINCOLN	SR273	7.14	CARR CREEK	OPEN	10/15/2015	1965	35.13585	-86.749867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.1
52S42090007	LINCOLN	SR273	9.75	SWAN CREEK	OPEN	10/15/2015	1960	35.157567	-86.7173	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.9
52SR2730003	LINCOLN	SR273	12.52	BRANCH	OPEN	10/15/2015	1988	35.149533	-86.677583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
52SR2730005	LINCOLN	SR273	13.44	BRANCH	OPEN	10/15/2015	1988	35.142333	-86.665517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
52S42820009	LINCOLN	SR273	14	BRANCH	OPEN	10/14/2015	1988	35.146883	-86.657483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
52S42820011	LINCOLN	SR273	14.99	UNION CAMP GROUND BRANCH	OPEN	10/14/2015	1988	35.156217	-86.644417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
52SR2730007	LINCOLN	SR273	15.55	BRANCH	OPEN	10/14/2015	1988	35.159283	-86.6353	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
52S42820001	LINCOLN	SR274	4.32	BRANCH	OPEN	10/8/2015	1950	35.050283	-86.733167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
52S42820003	LINCOLN	SR274	4.96	BRANCH	OPEN	10/8/2015	1952	35.059433	-86.7316	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
52S42820005	LINCOLN	SR274	6.82	COLD WATER CREEK	OPEN	10/8/2015	1987	35.0837	-86.732817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.8
52S42820007	LINCOLN	SR274	10.03	ELK RIVER	OPEN	10/8/2015	1973	35.12285	-86.7177	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
52S62400001	LINCOLN	SR275	3.06	CATTRELL SPRING CREEK	OPEN	10/16/2015	1940	35.019367	-86.524967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
52S62400005	LINCOLN	SR275	4.52	FLINT RIVER	OPEN	10/16/2015	1950	35.011833	-86.502283	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	79.6
52S62400009	LINCOLN	SR275	9.78	FLINT RIVER	OPEN	10/16/2015	1963	35.043467	-86.446917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
52S62400011	LINCOLN	SR275	11.58	STILES CREEK	OPEN	10/16/2015	1940	35.059	-86.424283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
53S24300001	LOUDON	01138	3.22	STEEKEE CREEK	OPEN	8/17/2016	1950	35.706667	-84.343867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
53S24300003	LOUDON	01138	3.65	STEEKEE CREEK	OPEN	8/17/2016	1950	35.71155	-84.345583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
53S24300005	LOUDON	01138	4.48	STEEKEE CREEK	OPEN	8/17/2016	1950	35.722717	-84.347867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
53F00220011	LOUDON	01214	4.83	POND CREEK	OPEN	8/22/2016	1991	35.6875	-84.4673	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	66
53006470001	LOUDON	01216	1.86	BAKER CREEK	OPEN	8/16/2016	1977	35.639617	-84.215883	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.5
53S24240001	LOUDON	01216	6.07	BRANCH	OPEN	8/24/2016	1960	35.6686	-84.147083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
53S24230001	LOUDON	01220	1.7	CLOYD CREEK	OPEN	8/16/2016	2011	35.75085	-84.174117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.3
53F00050001	LOUDON	01247	1.55	TOWN CREEK	OPEN	8/10/2016	1950	35.7242	-84.28195	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.4
53023550001	LOUDON	01251	5.53	HINES CREEK	OPEN	8/24/2016	1915	35.793267	-84.363033	CONCRETE	TEE BEAM	54.3
53023550003	LOUDON	01251	7.79	BRANCH	OPEN	9/7/2016	1972	35.7845	-84.345292	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
53I00750021	LOUDON	01251	7.86	I75	OPEN	9/8/2016	1972	35.783667	-84.344483	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.3
53006470003	LOUDON	01269	3.81	SINKING CREEK	OPEN	8/16/2016	1977	35.689717	-84.230617	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.9
53I00750037	LOUDON	01279	2.56	I75	OPEN	9/12/2016	1972	35.862017	-84.25895	CONCRETE CONTINUOUS	TEE BEAM	78.3
530A0860001	LOUDON	01279	2.77	HOPE CREEK	OPEN	8/10/2016	1957	35.863733	-84.257567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
53SR0720007	LOUDON	02339	1.07	STEEKEE CREEK	OPEN	8/29/2016	1942	35.737917	-84.334783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.3
53023490001	LOUDON	02349	4.4	PROSPECT CREEK	OPEN	8/22/2016	2003	35.741028	-84.425433	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
53S25510001	LOUDON	02353	0.2	SWEETWATER CREEK	OPEN	8/29/2016	1993	35.723317	-84.380367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.3
53023390003	LOUDON	02354	7.31	CLEAR CREEK	OPEN	8/17/2016	1987	35.72285	-84.32265	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
53023560003	LOUDON	02356	1.15	SWEETWATER CREEK	OPEN	8/29/2016	1970	35.7382	-84.373883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.8
53023560001	LOUDON	02356	3.21	SOUTHERN RWY & CITY ST	OPEN	8/29/2016	1986	35.73945	-84.343367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.4
53023570001	LOUDON	02357	0.37	TOWN CREEK	OPEN	8/10/2016	1935	35.844383	-84.25695	CONCRETE	TEE BEAM	69.9
53023570003	LOUDON	02357	2.14	MUDDY CREEK	OPEN	8/11/2016	1940	35.827817	-84.2374	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
53023620001	LOUDON	02362	1.45	MUDDY CREEK	OPEN	8/11/2016	1920	35.806783	-84.234167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.7
53037080001	LOUDON	03708	1.1	TOWN CREEK	OPEN	8/11/2016	1960	35.7973	-84.267683	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.8
53S25290001	LOUDON	03714	1.78	SOUTHERN RAILWAY	OPEN	8/15/2016	1950	35.78115	-84.279733	CONCRETE	TEE BEAM	58.5
53037150001	LOUDON	03715	0.14	TOWN CREEK	OPEN	8/15/2016	1960	35.792083	-84.2623	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
530A4660001	LOUDON	04351	0.08	TOWN CREEK	OPEN	8/15/2016	1988	35.807317	-84.276917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
530A1500001	LOUDON	04354	0.05	TOWN CREEK	OPEN	8/15/2016	2011	35.800933	-84.271117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
53055880001	LOUDON	05588	0.37	TOWN CREEK	OPEN	8/15/2016	2008	35.831717	-84.274783	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.5
53I00400009	LOUDON	05896	3.292	I40	OPEN	10/4/2016	1972	35.870533	-84.275833	CONCRETE CONTINUOUS	TEE BEAM	94
53I00750017	LOUDON	0A035	2.026	I75	OPEN	9/8/2016	1972	35.76405	-84.365033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.8
530A0200001	LOUDON	0A035	3.631	HOTCHKISS CREEK	OPEN	8/24/2016	1965	35.780367	-84.34575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
530A0360001	LOUDON	0A050	1.686	HINES CREEK	OPEN	8/24/2016	1983	35.804167	-84.346983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
53SR0950005	LOUDON	0A188	0.512	SR 73	OPEN	2/10/2017	1960	35.794483	-84.2445	CONCRETE	TEE BEAM	62.6
530A3850001	LOUDON	0A385	0.112	BAKER CREEK	OPEN	8/24/2016	1998	35.663817	-84.135083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90
530A3240001	LOUDON	0A482	0.371	BRANCH	OPEN	8/17/2016	1935	35.687667	-84.303633	CONCRETE	TEE BEAM	83.5
530A0570003	LOUDON	0A592	3.006	BACON CREEK	OPEN	1/20/2017	2016	35.676733	-84.4058	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
530A0570001	LOUDON	0A596	0.707	SWEETWATER CREEK	OPEN	8/25/2016	1984	35.67305	-84.411933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
530A6010001	LOUDON	0A601	0.149	SWEETWATER CREEK	WEIGHT POSTED	8/25/2016	1970	35.6799	-84.404917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.3
530A6010003	LOUDON	0A601	0.33	BRANCH	OPEN	8/25/2016	2015	35.6825	-84.405183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
530A4070001	LOUDON	0A646	0.631	POND CREEK	OPEN	8/22/2016	1987	35.70525	-84.459367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
530A6470001	LOUDON	0A647	0	BRADSHAW BRANCH	OPEN	8/22/2016	2003	35.730983	-84.427333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.5
530A6520001	LOUDON	0A652	0.976	DRY VALLEY BRANCH	OPEN	8/29/2016	1997	35.716617	-84.4016	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
530A4030001	LOUDON	0A661	0.45	POLECAT CREEK	OPEN	8/23/2016	1944	35.7523	-84.445867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.1
530A5940001	LOUDON	0A808	0.169	BACON CREEK	OPEN	8/25/2016	1930	35.675283	-84.40445	CONCRETE	TEE BEAM	48.2
530A2350001	LOUDON	0B485	0.209	GRUBB CREEK	OPEN	8/16/2016	1965	35.879167	-84.332933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
53I00400001	LOUDON	I0040	0.01	NFA B485	OPEN	10/3/2016	1960	35.8785	-84.33335	CONCRETE CONTINUOUS	TEE BEAM	94.1
53I00400002	LOUDON	I0040	0.01	NFA B485	OPEN	10/3/2016	1960	35.878667	-84.33325	CONCRETE CONTINUOUS	TEE BEAM	94.1
53I00400017	LOUDON	I0040	0.52	GRUBB CREEK	OPEN	9/26/2016	1972	35.874483	-84.3253	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
53I00400003	LOUDON	I0040	0.54	GRUBB CREEK	OPEN	9/26/2016	1960	35.875067	-84.3254	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
53I00400006	LOUDON	I0040	0.57	SR 95	OPEN	10/3/2016	1959	35.87495	-84.32455	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.9
53I00400005	LOUDON	I0040	0.57	SR 73	OPEN	10/3/2016	1960	35.874767	-84.32455	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.9
53I00400008	LOUDON	I0040	2.01	NFA C131 BUTTERMILK RD	OPEN	10/3/2016	1959	35.868817	-84.300583	CONCRETE CONTINUOUS	TEE BEAM	92.2
53I00400007	LOUDON	I0040	2.01	NFA C131 BUTTERMILK RD	OPEN	10/3/2016	1959	35.8685	-84.30045	CONCRETE CONTINUOUS	TEE BEAM	92.2
53I00400011	LOUDON	I0040	4.18	HOPE CREEK	OPEN	9/26/2016	1959	35.870333	-84.262433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58
53I00400013	LOUDON	I0040	4.51	I75 NBL	OPEN	10/4/2016	1964	35.868683	-84.257133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	49.9
53I00750003	LOUDON	I0075	2.26	SR 323	OPEN	9/6/2016	1971	35.693333	-84.43025	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9
53I00750004	LOUDON	I0075	2.26	NFA 1214 POND CREEK RD	OPEN	9/6/2016	1971	35.693433	-84.4307	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.9
53I00750005	LOUDON	I0075	3.92	NFA 2349	OPEN	9/6/2016	1971	35.713567	-84.414867	CONCRETE CONTINUOUS	TEE BEAM	91
53I00750006	LOUDON	I0075	3.94	NFA 2349	OPEN	9/6/2016	1971	35.7143	-84.41495	CONCRETE CONTINUOUS	TEE BEAM	90.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
53I00750013	LOUDON	I0075	6.98	NFA A658 MATLOCK BEND RD	OPEN	9/8/2016	1972	35.748333	-84.381283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.8
53I00750014	LOUDON	I0075	6.98	NFA A658 MATLOCK BEND RD	OPEN	9/8/2016	1972	35.7486	-84.381483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.8
53I00750016	LOUDON	I0075	7.55	TENNESSEE RIVER	OPEN	10/18/2016	1977	35.754967	-84.375633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
53I00750015	LOUDON	I0075	7.55	TENNESSEE RIVER	OPEN	10/18/2016	1977	35.754933	-84.3755	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
53I00750019	LOUDON	I0075	10.05	HOTCHKISS CREEK	OPEN	9/7/2016	1972	35.7817	-84.346783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
53I00750024	LOUDON	I0075	10.37	I75 LL / E. HOTCHKISS CR	OPEN	9/7/2016	1972	35.785217	-84.342133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
53I00750023	LOUDON	I0075	10.39	I75 RL / E. HOTCHKISS CR	OPEN	9/7/2016	1972	35.7847	-84.34165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
53I00750025	LOUDON	I0075	11.01	I75 RL / HOTCHKISS CREEK	OPEN	9/7/2016	1972	35.7902	-84.331783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
53I00750026	LOUDON	I0075	11.06	I75 LL / HOTCHKISS CREEK	OPEN	9/7/2016	1972	35.79125	-84.331433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
53I00750031	LOUDON	I0075	12.92	NFA A051 HOTCHKISS VLY R	OPEN	9/8/2016	1972	35.807983	-84.306033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.9
53I00750032	LOUDON	I0075	12.92	NFA A051 HOTCHKISS VLY R	OPEN	9/8/2016	1972	35.80805	-84.30645	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.8
53I00750034	LOUDON	I0075	14.24	NFA 1247 KINGSTON ST	OPEN	9/12/2016	1972	35.821433	-84.289	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.3
53I00750033	LOUDON	I0075	14.24	NFA 1247 KINGSTON ST	OPEN	9/12/2016	1972	35.821217	-84.2889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
53I00750040	LOUDON	I0075	16.12	SR 1	OPEN	9/12/2016	1964	35.843117	-84.270967	CONCRETE CONTINUOUS	TEE BEAM	85.2
53I00750039	LOUDON	I0075	16.12	SR 1	OPEN	9/12/2016	1964	35.843283	-84.270667	CONCRETE CONTINUOUS	TEE BEAM	85.2
53I00750041	LOUDON	I0075	17.78	HOPE CREEK	OPEN	9/26/2016	1972	35.864767	-84.25905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
53I00400015	LOUDON	I0075	18.04	I40 EBL	OPEN	10/4/2016	1964	35.868783	-84.256567	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.3
53SR0010001	LOUDON	SR001	5.87	TOWN CREEK	OPEN	2/10/2017	1926	35.852417	-84.245167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.6
53SR0020001	LOUDON	SR002	0.62	BACON CREEK	OPEN	2/24/2017	1928	35.674133	-84.404533	CONCRETE	TEE BEAM	64.3
53SR0020003	LOUDON	SR002	1.42	PLEASANT RUN CREEK	OPEN	2/24/2017	1928	35.682917	-84.3953	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
53SR0020005	LOUDON	SR002	6.78	TENNESSEE RIVER	OPEN	3/14/2017	2004	35.743417	-84.331633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
53SR0020007	LOUDON	SR002	8.34	SOUTHERN RAILWAY	OPEN	2/24/2017	1968	35.756333	-84.319183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.1
53SR0330001	LOUDON	SR033	1.86	BYRD BRANCH	OPEN	2/23/2017	1930	35.632583	-84.168217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
53SR0330003	LOUDON	SR033	2.78	BYRD BRANCH	OPEN	2/23/2017	1999	35.639617	-84.15445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
53SR0720001	LOUDON	SR072	0.96	FORK CREEK	OPEN	2/23/2017	1981	35.655217	-84.28715	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.6
53SR0720003	LOUDON	SR072	3.03	CLEAR CREEK	OPEN	2/23/2017	1981	35.68235	-84.297017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
53SR0720005	LOUDON	SR072	7.76	STEEKEE CREEK	OPEN	2/27/2017	1988	35.7207	-84.348967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
53SR0720009	LOUDON	SR072	8.45	SOUTHERN RAILWAY	OPEN	2/24/2017	1974	35.7188	-84.359833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.1
53SR0720011	LOUDON	SR072	9.57	SWEETWATER CREEK	OPEN	2/27/2017	1974	35.72475	-84.37785	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.6
53SR0720019	LOUDON	SR072	10.01	DRY VALLEY CREEK	OPEN	2/27/2017	1974	35.7294	-84.38215	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
53I00750010	LOUDON	SR072	10.7	I75 LF LN	OPEN	9/6/2016	1974	35.73255	-84.394183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.7
53I00750009	LOUDON	SR072	10.7	I75	OPEN	9/6/2016	1974	35.732683	-84.394133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.9
53SR0720013	LOUDON	SR072	12.94	POND CREEK	OPEN	2/27/2017	1942	35.744933	-84.4301	CONCRETE	TEE BEAM	36.2
53SR0720015	LOUDON	SR072	15.95	POLECAT CREEK	OPEN	2/27/2017	1985	35.727483	-84.467683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	74.9
53SR0730013	LOUDON	SR073	0.18	GRUBB CREEK	OPEN	2/23/2017	1984	35.87265	-84.324917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
53SR0730015	LOUDON	SR073	0.37	GRUBB CREEK	OPEN	2/23/2017	1984	35.869317	-84.324967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.6
53SR0730017	LOUDON	SR073	0.89	GRUBB CREEK	OPEN	2/23/2017	1983	35.8629	-84.324267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76
53I00750035	LOUDON	SR073	4.68	SR 73 RL / I75	OPEN	9/12/2016	1962	35.828733	-84.2801	CONCRETE CONTINUOUS	TEE BEAM	85
53SR0730001	LOUDON	SR073	4.95	TOWN CREEK	OPEN	2/23/2017	1967	35.826283	-84.2762	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
53SR0950003	LOUDON	SR073	7.51	SOUTHERN RAILWAY	OPEN	2/10/2017	2014	35.795183	-84.254517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
53SR0950009	LOUDON	SR073	9.19	TELLICO RES.DIV.CANAL	OPEN	3/14/2017	1975	35.7802	-84.24265	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
53SR0730019	LOUDON	SR073	14.37	TRIB OF CLOYD CREEK	OPEN	2/23/2017	2004	35.736733	-84.181683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
53SR0730011	LOUDON	SR073	14.67	CLOYD CREEK	OPEN	2/23/2017	1965	35.73615	-84.175633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
53SR0950001	LOUDON	SR095	0.87	BAKER CREEK	OPEN	2/23/2017	1954	35.653667	-84.1544	CONCRETE	TEE BEAM	52.8
53SR0950011	LOUDON	SR095	10.72	CLINCH RIVER	OPEN	3/15/2017	1962	35.888283	-84.323567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	39.5
53S25070001	LOUDON	SR322	0.1	POND CREEK	OPEN	2/24/2017	1955	35.62865	-84.503017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
53S25070013	LOUDON	SR322	0.25	MUD CREEK	OPEN	2/24/2017	1950	35.627033	-84.500967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.2
53SR3220001	LOUDON	SR322	3.27	GREASEY CREEK	OPEN	2/24/2017	1955	35.63675	-84.511117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
53S25070009	LOUDON	SR323	1.84	SWEETWATER CREEK	OPEN	2/24/2017	1975	35.68345	-84.40145	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.3
53012490003	LOUDON	SR444	1.46	TELLICO LK (FORK CR)	OPEN	2/23/2017	1976	35.67445	-84.271117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.3
53012490005	LOUDON	SR444	6.74	TELLICO LAKE	OPEN	2/23/2017	1976	35.741	-84.262733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.8
56S61380009	MACON	01078	4.13	LONG HUNGRY CREEK	OPEN	9/2/2015	1996	36.555183	-85.87555	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.8
56F00030001	MACON	01080	0.91	WHITEOAK CREEK	OPEN	8/19/2015	1985	36.593983	-85.977883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
56S62890001	MACON	01082	0.64	BRANCH	OPEN	9/22/2015	1980	36.446633	-86.116067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
56S62890003	MACON	01082	0.79	MIDDLE FORK GOOSE CREEK	OPEN	9/22/2015	1980	36.448917	-86.115683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.3
56008700005	MACON	01082	2.46	BRANCH	OPEN	9/17/2015	1955	36.471317	-86.1157	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
56S62890007	MACON	01082	2.88	MIDDLE FORK GOOSE CREEK	OPEN	9/17/2015	1980	36.476767	-86.11245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
56S62890009	MACON	01082	4.04	BARBER'S BRANCH	OPEN	9/17/2015	1945	36.490217	-86.101883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.5
56S62890011	MACON	01082	4.63	MIDDLE FORK GOOSE CREEK	OPEN	9/17/2015	1975	36.489833	-86.091433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
56005090013	MACON	01082	5.24	MIDDLE FORK GOOSE CREEK	OPEN	9/17/2015	1960	36.497617	-86.087433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.9
56S62130001	MACON	01089	0.55	LITTLE PEYTON CREEK	OPEN	9/14/2015	1959	36.4311	-85.9726	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
56S62130003	MACON	01089	4.66	DRY FORK CREEK	OPEN	9/15/2015	1949	36.464067	-86.006667	CONCRETE	TEE BEAM	72.3
56S62130005	MACON	01089	5.48	ADAMS CREEK	OPEN	9/15/2015	1959	36.46715	-86.020617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
56S63910001	MACON	01091	5.08	LONG CR & NFA 2107	OPEN	8/14/2015	1975	36.579033	-86.1143	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
56020660001	MACON	02066	0.82	BIG TRAMMEL CREEK	OPEN	8/13/2015	2005	36.600517	-86.197233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
56020750001	MACON	02075	0.38	BIG TRAMMEL CREEK	OPEN	8/13/2015	2006	36.6397	-86.197933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
56020870001	MACON	02087	0.61	PEYTON CREEK	OPEN	9/14/2015	1960	36.426667	-85.9399	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	68.8
56020870003	MACON	02087	1.1	BRANCH	OPEN	9/14/2015	1965	36.432933	-85.936967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.8
56020920001	MACON	02092	1.28	LOVE CREEK	OPEN	9/23/2015	1960	36.479567	-86.159467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
56S62150003	MACON	02092	1.7	BRANCH	OPEN	9/23/2015	1960	36.480883	-86.152667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
56S62150005	MACON	02092	4.14	MIDDLE FORK CREEK	OPEN	9/22/2015	1957	36.4603	-86.1197	CONCRETE	TEE BEAM	82.6
56020930001	MACON	02093	0.5	BRANCH	OPEN	9/23/2015	1987	36.4869	-86.148283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
56020930005	MACON	02093	1.58	BRANCH	OPEN	9/23/2015	1991	36.496117	-86.13315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
56020930003	MACON	02093	2.83	CARR CREEK	OPEN	9/23/2015	1987	36.50965	-86.120717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
56020940001	MACON	02094	0.98	LONG CREEK	OPEN	8/21/2015	1992	36.557367	-85.942567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
56020940003	MACON	02094	3.13	DRY BRANCH	OPEN	8/21/2015	1983	36.562617	-85.91	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
56020950001	MACON	02095	3.26	SULLIVAN BRANCH	OPEN	9/15/2015	2004	36.47815	-86.030183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
56020960001	MACON	02096	1.37	LONG CREEK	OPEN	8/14/2015	1975	36.623617	-86.1112	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.5
56020970001	MACON	02097	1.19	BRANCH	OPEN	9/8/2015	2004	36.514367	-85.840883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
56020980001	MACON	02098	4.67	PUNCHEON CREEK	OPEN	8/18/2015	1986	36.621283	-86.010417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
56020990001	MACON	02099	1	WEST FORK LONG CREEK	OPEN	8/14/2015	2009	36.571883	-86.159133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
56021010001	MACON	02101	2.42	LONG CREEK	OPEN	8/18/2015	1965	36.55275	-86.090567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
56021010003	MACON	02101	3.4	OVERFLOW	OPEN	8/18/2015	1962	36.566083	-86.093867	CONCRETE	TEE BEAM	73.1
56021010005	MACON	02101	3.46	LONG CREEK	OPEN	8/18/2015	1962	36.56725	-86.092867	CONCRETE	TEE BEAM	70.2
56SR0520001	MACON	02103	3.45	LONG FORK CREEK	OPEN	8/21/2015	1956	36.51	-85.94	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72.3
56021050007	MACON	02105	1.25	BRANCH	OPEN	8/19/2015	1983	36.5919	-86.01895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65
56021050001	MACON	02105	1.42	PUNCHEON CREEK	OPEN	8/19/2015	2000	36.591717	-86.021767	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
56021050005	MACON	02105	2.03	BRANCH	OPEN	8/19/2015	1983	36.587783	-86.031967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
56021050003	MACON	02105	2.38	SPRING CREEK	OPEN	8/19/2015	1994	36.5853	-86.036533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.1
56021070001	MACON	02107	0.69	CLIFTY CREEK	OPEN	8/14/2015	1984	36.586433	-86.117467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
56021070003	MACON	02107	2.39	WEST FORK LONG CREEK	OPEN	8/14/2015	1991	36.60705	-86.119667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
560A0200001	MACON	0A020	0.055	MIDDLE FORK GOOSE CREEK	WEIGHT POSTED	9/17/2015	1950	36.488567	-86.092783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22
560A0310001	MACON	0A031	1.969	DRY BRANCH	OPEN	8/13/2015	1992	36.627167	-86.174233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
560A0310003	MACON	0A031	2.928	DRY BRANCH	OPEN	8/13/2015	1984	36.63495	-86.188683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
560A0340001	MACON	0A034	0.425	DRY BRANCH	OPEN	8/13/2015	1965	36.635933	-86.192767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
560A0500001	MACON	0A050	2.649	BIG TOOLEY CREEK	OPEN	8/13/2015	1989	36.574083	-86.1963	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
560A0540001	MACON	0A054	0.764	HANGING ROCK CREEK	OPEN	8/14/2015	2009	36.628983	-86.1185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
560A0630003	MACON	0A063	1.524	WEST FORK LONG CREEK	OPEN	8/14/2015	1984	36.59025	-86.1508	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
560A0630001	MACON	0A063	2.314	WEST FORK LONG CREEK	OPEN	8/14/2015	2011	36.5803	-86.156733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
560A0760001	MACON	0A076	0.617	WEST FORK LONG CREEK	OPEN	8/13/2015	1983	36.555283	-86.1649	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
560A0910001	MACON	0A091	0.017	LONG CREEK	OPEN	8/18/2015	1977	36.543767	-86.09185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
560A0910003	MACON	0A091	0.879	LONG CREEK	OPEN	8/18/2015	1984	36.53615	-86.103167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A0940001	MACON	0A094	0.018	LONG CREEK	OPEN	8/18/2015	1983	36.529233	-86.111217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
560A1180001	MACON	0A118	0.287	PUNCHEON CREEK	OPEN	8/18/2015	1979	36.61595	-86.011367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
560A1190001	MACON	0A119	1.992	LICK BRANCH	OPEN	8/19/2015	1983	36.592083	-86.021567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
560A1310001	MACON	0A131	0.076	PUNCHEON CREEK	WEIGHT POSTED	8/19/2015	1950	36.569417	-86.03615	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.4
560A1750001	MACON	0A175	1.423	BRANCH	OPEN	8/20/2015	1985	36.54685	-86.002667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
560A1990007	MACON	0A199	0.82	TOWN CREEK	OPEN	8/20/2015	2012	36.524167	-86.00895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
560A1990009	MACON	0A199	1.063	TOWN CREEK	OPEN	8/20/2015	2013	36.5241	-86.0058	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99
560A1990011	MACON	0A199	1.26	TOWN CREEK	OPEN	5/23/2016	2016	36.526	-86.004	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.5
560A1990005	MACON	0A199	1.624	TOWN CREEK	OPEN	8/20/2015	1983	36.5285	-85.99805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.2
560A1990001	MACON	0A199	1.68	TOWN CREEK	OPEN	8/20/2015	1984	36.529367	-85.99755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
560A1990003	MACON	0A199	1.801	TOWN CREEK	OPEN	8/20/2015	1983	36.53105	-85.9968	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A2280001	MACON	0A228	0.125	BRANCH	OPEN	8/20/2015	1975	36.5266	-85.99805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
560A2290001	MACON	0A229	0.281	WHITE OAK CREEK	OPEN	8/20/2015	1997	36.529883	-85.98805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
560A2290003	MACON	0A229	0.759	WHITE OAK CREEK	OPEN	8/20/2015	1983	36.523367	-85.986	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A2290005	MACON	0A229	1.005	WHITE OAK CREEK	OPEN	8/20/2015	1984	36.520133	-85.984483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
560A2420001	MACON	0A242	0.93	WHITE OAK CREEK	OPEN	8/21/2015	2011	36.556967	-85.993117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	99
560A2460001	MACON	0A246	0.63	BRANCH	OPEN	8/21/2015	1983	36.5706	-85.978617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
560A2570001	MACON	0A257	1.912	WHITE OAK CREEK	OPEN	8/19/2015	2003	36.608183	-85.969017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
560A2660001	MACON	0A266	0.059	WHITE OAK CREEK	OPEN	8/19/2015	1985	36.617067	-85.950867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
560A2690001	MACON	0A269	1.124	LONG FORK CREEK	OPEN	8/19/2015	1994	36.611583	-85.92315	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
560A2780001	MACON	0A278	0	LONG CREEK	OPEN	8/21/2015	2005	36.533167	-85.937333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
560A2860001	MACON	0A286	1.17	DRY CREEK	OPEN	8/21/2015	1983	36.574083	-85.92115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
560A2870001	MACON	0A287	1.223	DRY BRANCH	OPEN	8/21/2015	1998	36.583233	-85.930633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
560A2870003	MACON	0A287	1.907	LONG CREEK	OPEN	8/21/2015	1996	36.577167	-85.939517	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
560A2870005	MACON	0A287	2.019	BRANCH	OPEN	8/21/2015	1968	36.576433	-85.941167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
560A2970001	MACON	0A297	1.78	SALT LICK CREEK	OPEN	8/24/2015	1989	36.57975	-85.871467	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
560A2980001	MACON	0A298	1.901	LITTLE SALT LICK CREEK	OPEN	8/24/2015	1984	36.580283	-85.854317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A3010001	MACON	0A301	1.873	LITTLE SALT LICK CREEK	OPEN	8/24/2015	1992	36.5746	-85.831267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A3010003	MACON	0A301	2.287	LITTLE SALT LICK CREEK	WEIGHT POSTED	8/24/2015	1980	36.570767	-85.818433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.7
560A3030001	MACON	0A303	3.062	SALT LICK CREEK	OPEN	8/24/2015	2004	36.5907	-85.880333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
560A3030003	MACON	0A303	3.4	TRI. TO SALT LICK CREEK	OPEN	8/24/2015	2012	36.590467	-85.8862	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
560A3060003	MACON	0A306	4.702	YORK BRANCH	OPEN	8/24/2015	1994	36.609567	-85.871417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A3060001	MACON	0A306	5.252	YORK BRANCH	OPEN	8/24/2015	1983	36.610817	-85.881333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
560A3140001	MACON	0A314	1.26	BRANCH	OPEN	9/2/2015	2013	36.546917	-85.850333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.2
560A3140003	MACON	0A314	1.5	BRANCH	OPEN	9/2/2015	2013	36.547533	-85.855283	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.2
560A3160001	MACON	0A316	1.815	SALT LICK CREEK	OPEN	9/2/2015	2009	36.542333	-85.8546	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
560A3160003	MACON	0A316	2.097	SALT LICK CREEK	OPEN	9/2/2015	1987	36.540783	-85.85015	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
560A3170001	MACON	0A317	0.139	SALT LICK CREEK	OPEN	9/2/2015	1996	36.552167	-85.8574	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
560A3180001	MACON	0A318	0	SALT LICK CREEK	OPEN	9/2/2015	2001	36.55315	-85.86275	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
560A3450001	MACON	0A345	0.024	SALT LICK CRK	WEIGHT POSTED	9/8/2015	1950	36.530717	-85.84545	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.5
560A3470001	MACON	0A347	0.41	WITCHER HOLLOW CREEK	OPEN	8/24/2015	1960	36.531767	-85.8351	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
560A3530001	MACON	0A353	0.026	SALT LICK CRK	WEIGHT POSTED	9/5/2015	1960	36.532567	-85.84935	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.3
560A3540001	MACON	0A354	0	SALT LICK CREEK	OPEN	9/8/2015	1984	36.53085	-85.848483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
560A3660001	MACON	0A366	0.054	SALT LICK CREEK	OPEN	9/8/2015	1984	36.51865	-85.844233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A3730001	MACON	0A373	0.362	LONG HUNGRY CREEK	OPEN	9/9/2015	1991	36.517483	-85.884667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
560A3760001	MACON	0A376	1.215	LONG HUNGRY CREEK	OPEN	9/9/2015	1975	36.491083	-85.892167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.7
560A3760007	MACON	0A376	1.542	LONG HUNGRY CREEK	OPEN	9/9/2015	1998	36.495617	-85.892	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.5
560A3760003	MACON	0A376	2.299	LONG HUNGRY CREEK	OPEN	9/9/2015	1994	36.5056	-85.888567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
560A3760005	MACON	0A376	2.691	LONG HUNGRY CREEK	OPEN	9/9/2015	1983	36.511117	-85.886533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
560A3780003	MACON	0A378	0.847	BRANCH	OPEN	9/8/2015	1975	36.515883	-85.843117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
560A3780001	MACON	0A378	1.851	SALT LICK CREEK	OPEN	9/8/2015	1983	36.5024	-85.847067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A3930001	MACON	0A393	0	LONG CREEK	OPEN	8/21/2015	1984	36.512083	-85.934933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A3940001	MACON	0A394	3.379	LONG CREEK	OPEN	9/9/2015	1992	36.488917	-85.937183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A4240001	MACON	0A425	0.143	BRANCH	OPEN	9/14/2015	1970	36.445067	-85.947717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
560A4240003	MACON	0A425	0.313	DUG HOLLOW BRANCH	OPEN	9/14/2015	1983	36.445367	-85.950883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
560A4270001	MACON	0A427	2.088	LITTLE PEYTON CREEK	OPEN	9/14/2015	1983	36.42465	-85.967167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
560A4290001	MACON	0A429	1.194	DARK SHRUM BRANCH	OPEN	9/15/2015	1983	36.473517	-85.975317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A4290003	MACON	0A429	1.401	DARK SHRUM BRANCH	OPEN	9/15/2015	1992	36.4715	-85.977583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
560A4290005	MACON	0A429	2.253	BRANCH	OPEN	9/15/2015	1983	36.470367	-85.992217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
560A4310001	MACON	0A431	0	DARK SHRUM BRANCH	OPEN	9/15/2015	1998	36.46955	-85.993433	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.7
560A4400001	MACON	0A440	0.502	DRY BRANCH	OPEN	9/16/2015	1991	36.451867	-86.040683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A4470003	MACON	0A447	0.184	BRANCH	OPEN	9/16/2015	1999	36.503517	-86.049483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
560A4470005	MACON	0A447	0.252	BRANCH	OPEN	9/16/2015	1999	36.504517	-86.049667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
560A4490001	MACON	0A449	0.126	GOOSE CREEK	OPEN	9/15/2015	1950	36.4717	-86.0456	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
560A4490003	MACON	0A449	1.409	FORD BRANCH	OPEN	9/15/2015	1955	36.4837	-86.061983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
560A4500001	MACON	0A450	3.155	CARTER BRANCH	OPEN	9/16/2015	1983	36.457417	-86.08145	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
560A4500003	MACON	0A450	3.407	CARTER BRANCH	OPEN	9/16/2015	1983	36.453983	-86.081133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
560A4500005	MACON	0A450	3.889	CARTER BRANCH	OPEN	9/16/2015	1986	36.447117	-86.081533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
560A4500007	MACON	0A450	4.306	CARTER BRANCH	OPEN	9/16/2015	1987	36.441217	-86.08035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
560A4500009	MACON	0A450	4.623	GOOSE CREEK	OPEN	9/16/2015	1987	36.436867	-86.07885	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.1
560A4550001	MACON	0A455	0.007	CARTER BRANCH	OPEN	9/16/2015	1984	36.461517	-86.082067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
560A4590001	MACON	0A459	0.012	GOOSE CREEK	OPEN	9/16/2015	1992	36.446217	-86.063967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
560A4630001	MACON	0A463	0.025	MIDDLE FORK GOOSE CREEK	OPEN	9/22/2015	1993	36.469767	-86.118367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
560A4630003	MACON	0A463	0.879	CARR CREEK	OPEN	9/22/2015	2009	36.480867	-86.123767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
560A4630005	MACON	0A463	2.096	CARR CREEK	OPEN	9/22/2015	1950	36.4961	-86.129733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
560A4650001	MACON	0A465	0	MIDDLE FORK GOOSE CREEK	OPEN	9/17/2015	2004	36.478983	-86.111533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
560A4670001	MACON	0A467	1.865	BARBERS BRANCH	OPEN	9/17/2015	1983	36.492683	-86.1006	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A4750001	MACON	0A475	0.017	ECHO BRANCH	OPEN	9/22/2015	2004	36.46365	-86.132483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
560A4750003	MACON	0A475	0.329	BRANCH	OPEN	9/22/2015	1984	36.462167	-86.137367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A4760001	MACON	0A476	0	BRANCH	OPEN	9/23/2015	1983	36.484767	-86.150683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A4760003	MACON	0A476	0.568	BRANCH	OPEN	9/23/2015	1992	36.492117	-86.1528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A4800001	MACON	0A480	1.669	LOVE CREEK	OPEN	9/23/2015	1983	36.493117	-86.1659	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560A4800003	MACON	0A480	2.29	LOVE CREEK	OPEN	9/23/2015	1983	36.484983	-86.1641	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
560B1750001	MACON	0B175	0.795	BIG TRAMMEL CREEK	OPEN	8/13/2015	2012	36.581983	-86.210833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
560B1750003	MACON	0B175	3.431	BRANCH	OPEN	8/12/2015	1960	36.569583	-86.182067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.4
560B1850001	MACON	0B185	1.144	TRAMMEL CREEK	OPEN	8/13/2015	1984	36.624667	-86.19595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
560B2000001	MACON	0B200	0.02	DOCTOR HOLLOW	OPEN	8/18/2015	1950	36.567383	-86.09195	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
56SR0100001	MACON	SR010	1.47	TAYLORS BRANCH	OPEN	8/3/2015	1942	36.448567	-86.052483	CONCRETE	TEE BEAM	61.5
56SR0100003	MACON	SR010	1.72	DRY BRANCH	OPEN	8/3/2015	1942	36.45155	-86.05	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.3
56SR0100005	MACON	SR010	3.03	DRY FORK CREEK	OPEN	8/3/2015	1945	36.469733	-86.044067	CONCRETE	TEE BEAM	67.1
56SR0100007	MACON	SR010	3.09	SULLIVAN BRANCH	OPEN	8/3/2015	1949	36.4706	-86.0436	CONCRETE	TEE BEAM	65.3
56SR0100009	MACON	SR010	5.58	E. FK. GOOSE CREEK	OPEN	8/3/2015	1974	36.504067	-86.047	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
56SR0520011	MACON	SR052	0.37	TRAMMEL CREEK	OPEN	8/4/2015	1992	36.54495	-86.215767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
56SR0520009	MACON	SR052	17.79	LONG FORK CREEK	OPEN	8/25/2015	1995	36.504117	-85.940367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
56SR0520013	MACON	SR052	18.53	BRANCH	OPEN	8/4/2015	1995	36.5073	-85.928117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
56SR0520003	MACON	SR052	21.23	LONG HUNGRY CREEK	OPEN	8/4/2015	1972	36.52215	-85.884467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
56SR0520007	MACON	SR052	21.4	BRANCH	OPEN	8/4/2015	1970	36.523233	-85.881517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
56SR0520021	MACON	SR052	23.54	SALT LICK CREEK	OPEN	8/11/2015	2002	36.520217	-85.844417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
56SR0520023	MACON	SR052	24.07	SR6-RL/OLD WILLIAMSPORT	OPEN	8/11/2015	2002	36.523233	-85.835717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
56SR0520025	MACON	SR052	24.47	BRANCH	OPEN	8/11/2015	2002	36.526667	-85.830117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
56SR0520027	MACON	SR052	24.84	WITCHER HOLLOW BRANCH	OPEN	8/11/2015	2002	36.531483	-85.82715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
56SR0560001	MACON	SR056	0.82	JENNINGS CREEK	OPEN	8/12/2015	1983	36.46385	-85.831517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
56SR0560003	MACON	SR056	0.94	JENNINGS CREEK	OPEN	8/12/2015	1983	36.462417	-85.832517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
56SR0560005	MACON	SR056	1.18	JENNINGS CREEK	OPEN	8/12/2015	1983	36.45895	-85.833783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
56SR0560011	MACON	SR056	1.3	JENNINGS CREEK	OPEN	8/12/2015	1983	36.45735	-85.833417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
56SR0560013	MACON	SR056	1.61	BRANCH	OPEN	8/12/2015	1993	36.452733	-85.832767	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.8
56SR0560015	MACON	SR056	1.8	BRANCH	OPEN	8/12/2015	1993	36.449967	-85.832983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.8
56SR0560017	MACON	SR056	1.93	BRANCH	OPEN	8/12/2015	1993	36.448183	-85.8329	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.8
56SR0520005	MACON	SR056	11.86	LITTLE SALT LICK CREEK	OPEN	8/11/2015	1920	36.53515	-85.850117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.2
56SR0560009	MACON	SR056	15.65	LITTLE SALT LICK CREEK	OPEN	8/11/2015	1964	36.574317	-85.829967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
56SR0560007	MACON	SR056	19.35	BRANCH	OPEN	8/11/2015	1985	36.616017	-85.798933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
56SR1510001	MACON	SR151	1.6	LITTLE SALT LICK CREEK	OPEN	8/12/2015	1985	36.52465	-85.836283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
56SR1510003	MACON	SR151	1.86	LITTLE SALT LICK CREEK	OPEN	8/12/2015	1940	36.527517	-85.839183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.5
56SR1510005	MACON	SR151	2.47	SALT LICK CREEK	WEIGHT POSTED	8/12/2015	1940	36.531117	-85.849083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.2
56S61380001	MACON	SR261	2.19	WHITE OAK CREEK	OPEN	8/25/2015	1965	36.5346	-85.994683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
56S61380003	MACON	SR261	2.38	WHITE OAK CREEK	OPEN	8/25/2015	1965	36.5325	-85.9923	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.7
56S61380005	MACON	SR261	9.63	LONG CREEK	OPEN	8/25/2015	1970	36.599183	-85.92295	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
56S61380007	MACON	SR261	12.45	SALT LICK CREEK	OPEN	8/25/2015	1967	36.61335	-85.885817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
57S81620001	MADISON	00868	1.51	OVERFLOW	OPEN	7/7/2017	1960	35.592556	-88.752278	CONCRETE	CHANNEL BEAM	68.4
57S81620003	MADISON	00868	1.68	N. FK. FORKED DEER RIVER	OPEN	7/7/2017	2003	35.655694	-88.63175	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.5
57S81620007	MADISON	00868	4.22	MARTIN CREEK	OPEN	7/6/2017	1986	35.584167	-88.707167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
57F00060001	MADISON	00870	2.12	COBB CREEK	CLOSED	7/30/2015	1968	35.470861	-88.918806	CONCRETE	CHANNEL BEAM	16.6
57F00060003	MADISON	00870	4.55	BRANCH	OPEN	7/30/2015	1984	35.463444	-88.881556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
57S81880013	MADISON	00870	6.56	LACY CREEK	OPEN	7/30/2015	2000	35.45675	-88.849639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
57S81880015	MADISON	00870	10.17	BEAR CREEK	OPEN	7/30/2015	1993	35.464611	-88.792889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
57S81880017	MADISON	00870	11.54	NELSON BRANCH	OPEN	7/30/2015	2011	35.460617	-88.7697	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.3
57S81880019	MADISON	00870	12.91	ALLEN CREEK	OPEN	7/30/2015	1984	35.470611	-88.751083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.6
57008710001	MADISON	00871	2.91	PANTHER CREEK	OPEN	7/5/2017	1973	35.638139	-89.056667	CONCRETE	CHANNEL BEAM	70.8
57008710003	MADISON	00871	5.35	PANTHER CREEK	OPEN	7/5/2017	1992	35.654611	-89.039639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.5
57008710005	MADISON	00871	7.9	CYPRESS CREEK	OPEN	7/5/2017	1996	35.6475	-88.996056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.1
57I00400009	MADISON	00871	10.31	NFA 871 / I40	OPEN	6/19/2017	1961	35.622361	-88.982694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.1
57008720001	MADISON	00872	1.46	DYER CREEK	OPEN	7/29/2015	1990	35.653917	-88.785528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
57008720003	MADISON	00872	2.64	BRANCH	OPEN	7/29/2015	1990	35.670333	-88.781	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
57I00400037	MADISON	00872	3.23	NFA 872 / I40	OPEN	6/20/2017	1986	35.678833	-88.780444	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.8
57015810011	MADISON	00872	6.2	JOHNSON CREEK	OPEN	7/10/2017	1997	35.718944	-88.766	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.7
57015810013	MADISON	00872	7.7	POPLAR CREEK	OPEN	7/10/2017	1994	35.59075	-88.638861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57015810015	MADISON	00872	8.79	BRANCH	OPEN	8/3/2015	1983	35.59075	-88.638861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
57015810017	MADISON	00872	9.18	OVERFLOW	OPEN	8/3/2015	1958	35.755028	-88.740278	CONCRETE	CHANNEL BEAM	71.1
57015810019	MADISON	00872	9.32	OVERFLOW	OPEN	8/3/2015	1965	35.756833	-88.739806	CONCRETE	CHANNEL BEAM	68.5
57015810021	MADISON	00872	9.37	MIDDLE FORK FORKED DEER	OPEN	8/3/2015	1970	35.757583	-88.739528	CONCRETE	TEE BEAM	78.3
57015810023	MADISON	00872	10.01	DUFFY'S CREEK	WEIGHT POSTED	8/3/2015	1951	35.766861	-88.737722	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	46.4
57008730001	MADISON	00873	7.37	JOHNSON CREEK	OPEN	8/4/2015	1987	35.511944	-88.919778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
57S80570003	MADISON	00873	8.17	DRY BRANCH	OPEN	8/4/2015	1996	35.51975	-88.912778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.8
57S80570005	MADISON	00873	10.59	LACKEY CREEK	OPEN	8/3/2015	1950	35.544583	-88.886667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
57S82200001	MADISON	00875	3.26	BEAR CREEK	OPEN	7/6/2017	1984	35.657861	-88.631778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
57S82200003	MADISON	00875	4.99	JONES CREEK	OPEN	7/6/2017	2003	35.671389	-88.644639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.1
57S82200005	MADISON	00875	6.03	TRACE CREEK	OPEN	7/6/2017	2013	35.686056	-88.646806	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84.1
57I00400029	MADISON	00877	2.78	NFA877/I40	OPEN	6/19/2017	1960	35.674167	-88.807517	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.5
57S81820001	MADISON	00877	3.96	DYER CREEK	OPEN	8/11/2015	2004	35.690111	-88.801833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.3
57S81820003	MADISON	00877	4.97	BRANCH	OPEN	7/30/2015	2002	35.704278	-88.803472	CONCRETE	CHANNEL BEAM	72.1
57S81820005	MADISON	00877	7.53	M. FK. FORKED DEER RIVER	OPEN	7/30/2015	1997	35.739694	-88.793972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.1
57S81820007	MADISON	00877	7.76	BRANCH	OPEN	7/30/2015	2001	35.742472	-88.792694	CONCRETE	CHANNEL BEAM	71.6
57S81820009	MADISON	00877	8.92	BRANCH	OPEN	7/29/2015	1991	35.758333	-88.789722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
57S81820011	MADISON	00877	11.25	BRANCH	OPEN	7/30/2015	1999	35.758333	-88.789722	CONCRETE	SLAB	75.2
57S82050001	MADISON	00879	0.29	MATTHEWS BRANCH	OPEN	8/3/2015	2004	35.741806	-88.902139	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.3
57S82050003	MADISON	00879	1.71	BRANCH	OPEN	8/3/2015	2011	35.741083	-88.876944	CONCRETE	CHANNEL BEAM	76.3
57S82050005	MADISON	00879	1.76	DELOACH BRANCH	OPEN	8/3/2015	1989	35.741083	-88.875972	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.2
57S80580001	MADISON	00926	0.73	MERIDIAN CREEK	OPEN	7/30/2015	1987	35.568833	-88.768667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57S80580003	MADISON	00926	1.83	BRANCH	OPEN	8/3/2015	1989	35.563222	-88.7845	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
57S80580005	MADISON	00926	5.11	OVERFLOW	OPEN	8/4/2015	1987	35.539472	-88.741278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.3
57S80580007	MADISON	00926	5.3	S. FK. FORKED DEER RIVER	OPEN	8/4/2015	1987	35.539361	-88.737972	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.3
57S80580009	MADISON	00926	8.46	BRANCH	OPEN	8/3/2015	1981	35.531194	-88.683806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
57013670009	MADISON	01367	1.06	JOHNSON CREEK	OPEN	7/6/2017	1989	35.578861	-88.90725	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.5
57013670015	MADISON	01367	3.79	HICKS CREEK	OPEN	7/6/2017	2007	35.584639	-88.860472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6
57S81830009	MADISON	01367	6.02	OVERFLOW	OPEN	7/6/2017	1992	35.59525	-88.833611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
57S81830011	MADISON	01367	6.09	OVERFLOW	OPEN	7/6/2017	1992	35.596194	-88.833278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
57S81830013	MADISON	01367	6.15	OVERFLOW	OPEN	7/6/2017	1992	35.597056	-88.833028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
57S81830015	MADISON	01367	6.25	OVERFLOW	OPEN	7/6/2017	1992	35.598861	-88.832528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
57S81830017	MADISON	01367	6.43	S. FK. FORKED DEER RIVER	OPEN	8/4/2015	1952	35.600944	-88.831889	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.1
57S81830019	MADISON	01367	6.58	OVERFLOW	OPEN	7/30/2015	1992	35.603028	-88.831083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.7
57S81830021	MADISON	01367	6.76	BRANCH	OPEN	7/30/2015	1992	35.605639	-88.830083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.7
57S82140001	MADISON	01399	1.28	OVERFLOW	OPEN	8/4/2015	1998	35.674028	-88.999528	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
57S82140003	MADISON	01399	1.42	OVERFLOW	OPEN	8/4/2015	1998	35.671917	-89.000083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
57S82140005	MADISON	01399	1.6	OVERFLOW	OPEN	8/4/2015	1998	35.669528	-89.000583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
57S82140007	MADISON	01399	1.74	OVERFLOW	OPEN	8/4/2015	1960	35.667333	-89.000944	CONCRETE	CHANNEL BEAM	73.6
57S82140009	MADISON	01399	1.83	S. FK. FORKED DEER RIVER	OPEN	8/4/2015	1984	35.666222	-89.001139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.1
57S82140011	MADISON	01399	1.99	OVERFLOW	OPEN	8/4/2015	1960	35.6635	-89.001667	CONCRETE	CHANNEL BEAM	78
57016500011	MADISON	01409	0.97	BRANCH	OPEN	7/29/2015	1985	35.625583	-88.769194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57014090009	MADISON	01409	2.18	JONES CREEK	OPEN	7/5/2017	1998	35.634678	-88.752764	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
57014090007	MADISON	01409	3.78	BRANCH	OPEN	7/5/2017	1981	35.64275	-88.726722	CONCRETE	CHANNEL BEAM	78.3
57014090005	MADISON	01409	4.59	BROWN CREEK	OPEN	7/5/2017	2009	35.650611	-88.716444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87
57014090003	MADISON	01409	6.77	COTTON GROVE CREEK	OPEN	7/5/2017	1986	35.670472	-88.686972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
57014090001	MADISON	01409	8.49	COTTON GROVE CREEK	OPEN	7/5/2017	2007	35.692472	-88.675056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
57014440003	MADISON	01444	0.17	M. FORK FORKED DEER RIVE	OPEN	8/4/2015	1955	35.792444	-88.911028	CONCRETE	TEE BEAM	60.2
57014440007	MADISON	01444	0.47	BRANCH	OPEN	7/6/2017	1956	35.674472	-88.905944	CONCRETE	TEE BEAM	62.2
57014440013	MADISON	01444	3.18	BRANCH	OPEN	7/6/2017	1956	35.713389	-88.908667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
57015580001	MADISON	01558	0.13	BRANCH	OPEN	7/5/2017	2005	35.558417	-89.070639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
57015580003	MADISON	01558	0.4	RICE BRANCH	OPEN	7/5/2017	2005	35.558278	-89.066972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
57015790001	MADISON	01579	1.48	BRANCH	OPEN	7/7/2017	1999	35.777778	-88.753833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.4
57016290001	MADISON	01629	7.6	OVERFLOW	OPEN	7/6/2017	2012	35.563389	-88.846639	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.8
57016290003	MADISON	01629	7.72	CANE CREEK	OPEN	7/6/2017	2000	35.564861	-88.845639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.8
57016300003	MADISON	01630	1.75	BRANCH	WEIGHT POSTED	8/5/2015	1970	35.444778	-88.855972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.9
57016300001	MADISON	01630	1.86	LACY CREEK	OPEN	8/5/2015	1990	35.446083	-88.857306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
57016310001	MADISON	01631	1.15	TURKEY CREEK	OPEN	7/5/2017	1999	35.501361	-89.042444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.9
57016320001	MADISON	01632	2.13	CHISHOLM CREEK	OPEN	7/5/2017	1984	35.508139	-88.973611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
57016330001	MADISON	01633	1.02	MOORE BRANCH	OPEN	8/7/2015	1986	35.514667	-88.705194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
57016340001	MADISON	01634	1.38	BOND CREEK	OPEN	8/5/2015	1983	35.531361	-88.847361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.5
57016360001	MADISON	01636	0.59	CANE CREEK	OPEN	8/5/2015	1999	35.549222	-88.868833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57016380001	MADISON	01638	0.77	BOND CREEK	OPEN	8/6/2015	1965	35.55025	-88.837472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.3
57S82130001	MADISON	01639	1.56	BRANCH	OPEN	7/5/2017	1988	35.590583	-88.960861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
57016480001	MADISON	01648	1.29	BRANCH	OPEN	7/6/2017	1952	35.626111	-88.617194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72
57016480005	MADISON	01648	2.27	BRANCH	OPEN	7/6/2017	2005	35.635483	-88.6101	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
57016480003	MADISON	01648	2.67	BRANCH	OPEN	7/6/2017	2005	35.636633	-88.603533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.1
57016490001	MADISON	01649	1	BRANCH	OPEN	7/7/2017	1983	35.76325	-88.889722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
57016490003	MADISON	01649	1.03	MATTHEWS BRANCH	OPEN	7/7/2017	2008	35.76325	-88.88925	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.4
57016490005	MADISON	01649	1.07	BRANCH	OPEN	7/7/2017	1983	35.763083	-88.8885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
57016560001	MADISON	01656	3	MATTHEWS BRANCH	OPEN	8/11/2015	1992	35.718972	-88.901306	CONCRETE	CHANNEL BEAM	74.5
57016560003	MADISON	01656	4.39	BRANCH	OPEN	7/6/2017	1984	35.718417	-88.876611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
570A0790001	MADISON	01658	0.21	MOIZE CREEK	OPEN	7/6/2017	1984	35.717917	-88.856889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.5
57016580001	MADISON	01658	2.57	DYERS CREEK	OPEN	7/6/2017	1998	35.71975	-88.815333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.6
57016580003	MADISON	01658	2.66	BRANCH	OPEN	7/6/2017	1984	35.719972	-88.813806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
57016580005	MADISON	01658	5.36	JOHNSON CREEK	OPEN	7/6/2017	1992	35.723889	-88.769722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.5
57016580007	MADISON	01658	6.58	POPLAR CREEK	OPEN	7/6/2017	1995	35.724028	-88.746806	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.8
57SR0200011	MADISON	03042	1.7	SANDY CREEK	OPEN	8/3/2015	1929	35.626056	-88.838972	CONCRETE	TEE BEAM	63.7
57SR0010023	MADISON	03043	1.05	BRANCH	OPEN	8/4/2015	1930	35.614639	-88.824278	MASONRY	ARCH - DECK	36
57SR0010025	MADISON	03044	1.78	BRANCH	OPEN	7/29/2015	1928	35.631444	-88.789639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
57L30460001	MADISON	03046	1.29	SANDY BRANCH	OPEN	7/30/2015	1930	35.635167	-88.823417	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.5
57L30470001	MADISON	03047	1.28	SANDY BRANCH	OPEN	7/30/2015	1930	35.634167	-88.825944	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.1
57030500001	MADISON	03050	4.11	BRANCH	OPEN	7/30/2015	2000	35.6674	-88.804317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57030500003	MADISON	03050	4.66	BRANCH	OPEN	7/30/2015	2000	35.669444	-88.794889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
57M30530005	MADISON	03053	0.04	BRANCH	OPEN	7/29/2015	1991	35.667611	-88.880694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
57SR0200025	MADISON	03053	0.52	BRANCH	OPEN	7/29/2015	1991	35.667694	-88.888972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
57M30530001	MADISON	03053	3.865	BRANCH	OPEN	7/29/2015	1994	35.68925	-88.851583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
57M30530003	MADISON	03053	4.14	MAIZE CREEK	OPEN	7/29/2015	1993	35.689389	-88.846583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.6
570A8090001	MADISON	03053	6.649	BRANCH	OPEN	7/30/2015	1965	35.692778	-88.808167	CONCRETE	CHANNEL BEAM	73.7
57M30580001	MADISON	03058	0.29	WEST TENNESSEE RR	OPEN	7/30/2015	1950	35.616944	-88.811556	CONCRETE	TEE BEAM	48.8
57M30580003	MADISON	03058	0.34	EXTENSION STREET	OPEN	7/30/2015	1940	35.621639	-88.810778	CONCRETE	TEE BEAM	69.3
570B2170001	MADISON	04123	0.41	MOIZE CREEK	OPEN	7/30/2015	1989	35.704028	-88.850778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
570B2640001	MADISON	04772	0.9	JONES CREEK	OPEN	7/29/2015	1985	35.6255	-88.769139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
57S81960019	MADISON	05568	1.9	ROBERTSON CREEK	OPEN	7/6/2017	1965	35.587889	-89.002861	CONCRETE	CHANNEL BEAM	78.1
57S81960017	MADISON	05568	3.57	BRANCH	OPEN	7/6/2017	1965	35.564583	-88.999667	CONCRETE	CHANNEL BEAM	87.6
570A0600001	MADISON	05738	0.41	BRANCH	OPEN	8/11/2015	1998	35.702333	-88.876083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
57100400003	MADISON	0A003	0.951	I40	OPEN	6/19/2017	1957	35.60225	-89.040556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
570A0040001	MADISON	0A004	1.669	BRANCH	OPEN	7/5/2017	1962	35.619333	-88.994361	CONCRETE	TEE BEAM	89.5
570A0050001	MADISON	0A005	0.612	BRANCH	OPEN	8/5/2015	1988	35.4355	-88.817472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570A0080001	MADISON	0A008	0.66	BRANCH	OPEN	8/12/2015	2013	35.672417	-88.799233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
570A0190001	MADISON	0A019	1.075	BRANCH	OPEN	8/11/2015	2000	35.677139	-88.979639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570A0190003	MADISON	0A019	1.414	BRANCH	OPEN	8/11/2015	1992	35.6815	-88.977889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570A0190005	MADISON	0A019	2.531	BRANCH	OPEN	8/11/2015	1984	35.697417	-88.975222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
570A0300001	MADISON	0A030	2.538	ADAIR BRANCH	OPEN	8/11/2015	1970	35.685667	-88.934528	CONCRETE	CHANNEL BEAM	85.5
570A0310001	MADISON	0A031	0.521	ALLEN CREEK	OPEN	8/7/2015	2001	35.457278	-88.755417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
570A0440001	MADISON	0A044	0.198	EUBANK BRANCH	OPEN	8/11/2015	2000	35.769889	-88.611028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
570A0440003	MADISON	0A044	1.059	BRANCH	OPEN	8/11/2015	1970	35.7815	-88.614167	CONCRETE	CHANNEL BEAM	86.2
57SR0200005	MADISON	0A050	1.072	ADAIR CREEK	OPEN	8/11/2015	1958	35.676278	-88.948056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
570A0500001	MADISON	0A050	4.496	BRANCH	OPEN	7/29/2015	1991	35.666611	-88.889694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
57SR0200015	MADISON	0A050	5.033	NFA A050/SR 20	OPEN	6/27/2017	1991	35.665444	-88.881639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	72.4
570A0620001	MADISON	0A062	0.683	MATTHEWS CREEK	OPEN	8/11/2015	1993	35.708389	-88.907	CONCRETE	CHANNEL BEAM	86.9
570A0780001	MADISON	0A078	0.672	MOIZE CREEK	OPEN	8/11/2015	1989	35.735361	-88.862083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.7
570A0830001	MADISON	0A083	0.344	OVERFLOW	OPEN	8/5/2015	1984	35.432167	-88.859139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
570A0830003	MADISON	0A083	0.377	LACY CREEK	OPEN	8/5/2015	1984	35.432556	-88.859444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
570A0870003	MADISON	0A087	2.814	BRANCH	OPEN	8/12/2015	2005	35.763417	-88.857083	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.4
570A0870001	MADISON	0A087	4.04	TURKEY CREEK	OPEN	7/7/2017	1987	35.751833	-88.837333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
570A0900001	MADISON	0A090	0.761	BRANCH	OPEN	8/12/2015	2005	35.784667	-88.851417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
570A0920001	MADISON	0A092	0.646	BRANCH	WEIGHT POSTED	8/12/2015	1975	35.785611	-88.862917	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	48.2
570A0930001	MADISON	0A093	0.076	BRANCH	OPEN	7/7/2017	2002	35.788889	-88.830639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
570A0970001	MADISON	0A097	0.248	BRANCH	OPEN	7/7/2017	2000	35.791833	-88.883972	CONCRETE	SLAB	93.9
570A1080001	MADISON	0A108	0.451	BRANCH	OPEN	7/7/2017	1983	35.790806	-88.805361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
570A1160001	MADISON	0A116	0.417	DUFFY'S CREEK	OPEN	7/7/2017	1997	35.791806	-88.751472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
57I00400033	MADISON	0A121	1.665	NFA A121/I40	OPEN	6/19/2017	1962	35.676611	-88.793722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.4
57I00400039	MADISON	0A133	2.623	NFA A133 / I40	OPEN	6/20/2017	1962	35.678833	-88.780444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.2
570A1340001	MADISON	0A134	1.679	JOHNSON CREEK	OPEN	7/6/2017	1986	35.687306	-88.747361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
570A1360001	MADISON	0A136	1.338	FINGER CREEK	OPEN	8/7/2015	1984	35.528583	-88.645611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
570A1660001	MADISON	0A166	1.841	CROOKED CREEK	OPEN	7/5/2017	2000	35.762222	-88.711667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
570A1660003	MADISON	0A166	2.697	OVERFLOW	OPEN	7/5/2017	1994	35.768806	-88.700278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
570A1660005	MADISON	0A166	2.76	GILMERS CREEK	OPEN	7/6/2017	1994	35.768917	-88.701889	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
570A1660007	MADISON	0A166	3.286	OVERFLOW	WEIGHT POSTED	8/12/2015	1968	35.769167	-88.692667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	42.9
570A1660009	MADISON	0A166	3.346	SPRING CREEK	OPEN	7/6/2017	1984	35.769778	-88.691861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
570A1820001	MADISON	0A182	0.59	BRANCH	OPEN	7/5/2017	1984	35.728806	-88.70575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
570A1820003	MADISON	0A182	0.698	GILMER CREEK	OPEN	7/5/2017	1991	35.728722	-88.703778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
570A1830001	MADISON	0A183	0.107	BRANCH	WEIGHT POSTED	7/7/2017	1989	35.726528	-88.697639	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	43.9
57100400047	MADISON	0A184	0.62	NFA A184/I40	OPEN	6/20/2017	1960	35.70875	-88.663167	CONCRETE CONTINUOUS	TEE BEAM	66.1
57100400045	MADISON	0A186	0.662	NFA A186/I40	OPEN	6/20/2017	1964	35.694556	-88.700389	CONCRETE CONTINUOUS	TEE BEAM	82.2
570A1860001	MADISON	0A186	1.771	GILMER'S CREEK	OPEN	7/5/2017	2000	35.70825	-88.706444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97
57100400043	MADISON	0A188	1.273	NFA A188/I40	OPEN	6/20/2017	1960	35.683611	-88.713278	CONCRETE CONTINUOUS	TEE BEAM	75
57100400049	MADISON	0A202	0.32	NFA A202/I40	OPEN	6/20/2017	1964	35.712944	-88.649778	CONCRETE CONTINUOUS	TEE BEAM	82.4
570A2240003	MADISON	0A224	0.999	BRANCH	WEIGHT POSTED	8/11/2015	1965	35.743972	-88.930361	CONCRETE	CHANNEL BEAM	38.9
570A2440001	MADISON	0A244	0.855	OVERFLOW	OPEN	8/11/2015	1970	35.590667	-88.668194	CONCRETE	CHANNEL BEAM	82.9
570A2440003	MADISON	0A244	1.197	N FK FORKED DEER RIVER	OPEN	8/10/2015	1998	35.59675	-88.667056	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.1
570A2450001	MADISON	0A245	0.215	BRANCH	OPEN	8/6/2015	2014	35.693333	-88.994917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
570A2460003	MADISON	0A246	0.575	BRANCH	OPEN	8/6/2015	2005	35.701767	-88.976444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570A2490001	MADISON	0A249	1.313	HARRIS CREEK	OPEN	7/5/2017	1996	35.626278	-88.694056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
570A2560001	MADISON	0A256	2.203	BRANCH	OPEN	7/5/2017	1984	35.636056	-88.738778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
570A3000001	MADISON	0A300	3.31	BRANCH	OPEN	8/7/2015	2001	35.550278	-88.718889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.4
570A3010001	MADISON	0A301	0.05	BRANCH	OPEN	8/11/2015	1970	35.585778	-88.740972	CONCRETE	CHANNEL BEAM	75.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
570A3070001	MADISON	0A307	0.84	MOORE BRANCH	WEIGHT POSTED	8/11/2015	1965	35.542028	-88.692278	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	73.5
570A3070005	MADISON	0A307	2.002	BRANCH	OPEN	8/7/2015	1984	35.552194	-88.704972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
570A3100001	MADISON	0A310	0.418	BRANCH	OPEN	8/11/2015	1975	35.568167	-88.697306	CONCRETE	CHANNEL BEAM	56.7
570A3100003	MADISON	0A310	2.211	MARLIN CREEK	OPEN	8/7/2015	2009	35.567472	-88.674722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.4
570A3140001	MADISON	0A314	0.887	BRANCH	OPEN	8/7/2015	1984	35.538667	-88.651556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
570A3200001	MADISON	0A320	0.017	HUDSON BRANCH	OPEN	8/7/2015	1998	35.5075	-88.67425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
570A3210001	MADISON	0A321	0.803	BRANCH	WEIGHT POSTED	8/7/2015	1965	35.515639	-88.692611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	57.4
570A3280001	MADISON	0A328	0.509	BRANCH	OPEN	8/7/2015	1984	35.562472	-88.766417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
570A3280003	MADISON	0A328	0.953	BRANCH	OPEN	8/7/2015	1984	35.564389	-88.773667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
570A3320001	MADISON	0A332	0.716	BRANCH	OPEN	8/7/2015	2005	35.546417	-88.8009	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
570A3330001	MADISON	0A333	0.187	HUNTERS CREEK	OPEN	8/6/2015	2001	35.513389	-88.760417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.7
570A3360001	MADISON	0A336	3.706	BEAR CREEK	OPEN	7/7/2017	1982	35.479361	-88.761111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
570A3560001	MADISON	0A356	0.54	BRANCH	OPEN	7/7/2017	1992	35.502444	-88.815889	CONCRETE	CHANNEL BEAM	80
570A3570001	MADISON	0A357	0.79	BRANCH	OPEN	8/5/2015	2001	35.519167	-88.809778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
570A3600001	MADISON	0A360	1.447	BRANCH	OPEN	7/7/2017	2009	35.473056	-88.832361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570A3600003	MADISON	0A360	1.504	BRANCH	OPEN	7/7/2017	2009	35.473444	-88.8315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570A3640001	MADISON	0A364	0.178	OVERFLOW	WEIGHT POSTED	8/5/2015	1945	35.445944	-88.873472	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	25.8
570A3640003	MADISON	0A364	0.191	SANDY CREEK	WEIGHT POSTED	8/5/2015	1945	35.446083	-88.873667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	27.9
570A3670001	MADISON	0A367	1.434	LACKEY CREEK	OPEN	8/5/2015	2011	35.528533	-88.885783	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
570A3720001	MADISON	0A372	0.443	COBB CREEK	OPEN	8/5/2015	2005	35.496194	-88.92275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
570A3720003	MADISON	0A372	0.542	BRANCH	OPEN	8/5/2015	2002	35.344778	-88.922889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
570A3730001	MADISON	0A373	0.156	BRANCH	OPEN	7/7/2017	1984	35.455917	-88.876194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
570A3730003	MADISON	0A373	1.246	BRANCH	OPEN	7/7/2017	1984	35.448167	-88.892167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
570A3730005	MADISON	0A373	1.91	BRANCH	OPEN	8/7/2015	1984	35.443639	-88.901278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
570A3730007	MADISON	0A373	6.006	BRANCH	OPEN	8/7/2015	1970	35.442194	-88.968139	CONCRETE	CHANNEL BEAM	85.5
570A3730009	MADISON	0A373	6.576	DRY CREEK	OPEN	8/7/2015	2011	35.44875	-88.971361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
570A3770001	MADISON	0A377	0.438	DRY CREEK	OPEN	8/6/2015	2002	35.464222	-88.967806	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
570A3790003	MADISON	0A379	0.633	BRANCH	OPEN	8/5/2015	2006	35.440167	-88.97055	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
570A3800001	MADISON	0A380	2.162	PENNYCOST CREEK	OPEN	8/6/2015	2006	35.4767	-88.99235	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
570A3810001	MADISON	0A381	0.652	MUDDY CREEK	OPEN	8/5/2015	2002	35.456583	-88.993556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
570A3810003	MADISON	0A381	1.417	BRANCH	OPEN	8/5/2015	1984	35.451611	-89.003472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
570A3840007	MADISON	0A384	3.253	BRANCH	OPEN	8/5/2015	1970	35.4485	-89.05575	CONCRETE	CHANNEL BEAM	92.9
570A3860001	MADISON	0A386	0.17	MUDDY CREEK	OPEN	8/5/2015	2011	35.44305	-89.0422	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
570A3860003	MADISON	0A386	0.31	OVERFLOW	OPEN	8/5/2015	2011	35.442536	-89.040383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
570A3860005	MADISON	0A386	0.64	OVERFLOW	WEIGHT POSTED	8/5/2015	1968	35.438528	-89.036583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	43
570A3990001	MADISON	0A399	0.629	BRANCH	OPEN	8/4/2015	1984	35.487722	-89.067778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
570A4020001	MADISON	0A402	0.404	BRANCH	WEIGHT POSTED	8/11/2015	1965	35.511583	-89.038556	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	24.1
570A4020003	MADISON	0A402	0.732	BRANCH	WEIGHT POSTED	8/11/2015	1976	35.511639	-89.044222	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	26.7
570A4110001	MADISON	0A411	0.863	BRANCH	OPEN	7/7/2017	2008	35.582333	-89.016167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570A4110003	MADISON	0A411	2.223	BRANCH	OPEN	8/11/2015	2008	35.569333	-88.009383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
570A4130001	MADISON	0A413	2.006	BRANCH	OPEN	8/11/2015	1995	35.574306	-88.950278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.7
570A4130003	MADISON	0A413	2.736	CUB CREEK	OPEN	8/11/2015	1996	35.406528	-88.955028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.7
570A4180001	MADISON	0A418	0.371	CYPRESS CREEK	OPEN	8/11/2015	1999	35.573333	-89.0315	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91
570A4230001	MADISON	0A423	1.204	BRANCH	OPEN	8/11/2015	2004	35.588306	-88.965056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570A4290001	MADISON	0A429	1.536	HICKS CREEK	OPEN	8/5/2015	1997	35.567472	-88.879056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
570A4300001	MADISON	0A430	1.396	JOHNSON CREEK	OPEN	8/5/2015	2011	35.533611	-88.923944	CONCRETE	CHANNEL BEAM	90.7
570A4300003	MADISON	0A430	1.735	HART CREEK	OPEN	8/5/2015	2008	35.5365	-88.929533	CONCRETE	SLAB	87.5
570A4310001	MADISON	0A431	2.945	LACKEY CREEK	OPEN	8/5/2015	1990	35.57325	-88.902778	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.8
570A4350001	MADISON	0A435	0.722	BLACK CREEK	OPEN	8/11/2015	2004	35.528556	-88.969361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
570A4510001	MADISON	0A451	0.958	BOND CREEK	OPEN	8/7/2015	2004	35.561	-88.82175	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.8
570A4530001	MADISON	0A453	0.876	MERIDIAN CREEK	OPEN	8/12/2015	1998	35.542778	-88.810972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89
570A4780001	MADISON	0A478	0.87	BRANCH	WEIGHT POSTED	7/7/2017	1968	35.646944	-88.611333	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	70.1
570A4790001	MADISON	0A479	1.004	BRANCH	WEIGHT POSTED	7/7/2017	1974	35.651944	-88.615778	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	64.9
570A4870001	MADISON	0A487	0.52	BRANCH	OPEN	8/26/2015	2015	35.620722	-88.908167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
570A5000001	MADISON	0A500	0.092	BOND CREEK	OPEN	8/12/2015	2011	35.57485	-88.813117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9
570A5140001	MADISON	0A514	0.043	CANE CREEK	OPEN	8/12/2015	1940	35.573472	-88.827028	CONCRETE	TEE BEAM	62.9
570A5150001	MADISON	0A515	0.055	BOND CREEK	OPEN	8/12/2015	1989	35.569639	-88.816417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
570A5290001	MADISON	0A529	0.332	CANE CREEK	OPEN	8/12/2015	1965	35.576056	-88.827222	CONCRETE	TEE BEAM	62.9
570A5380001	MADISON	0A538	0.033	BOND CREEK	WEIGHT POSTED	8/12/2015	1975	35.58275	-88.824611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	41.3
570A5650001	MADISON	0A565	0.076	BRANCH	OPEN	8/11/2015	1997	35.613917	-88.82725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
570A5840001	MADISON	0A584	0.091	BRANCH	OPEN	8/11/2015	2008	35.6087	-88.806533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
570A6030001	MADISON	0A603	0.26	ANDERSON BRANCH	OPEN	8/12/2015	1977	35.610278	-88.805194	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	62.4
570A6040001	MADISON	0A604	0.072	ANDERSON BRANCH	OPEN	8/12/2015	2011	35.6095	-88.80525	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99
570A6450001	MADISON	0A645	0.706	ANDERSON BRANCH	OPEN	8/12/2015	1986	35.620944	-88.794611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
570A6710001	MADISON	0A671	0.217	ANDERSON BRANCH	OPEN	8/12/2015	1984	35.617611	-88.795667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
570A7590001	MADISON	0A759	0.14	BRANCH	OPEN	8/12/2015	1955	35.616972	-88.821722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570A3890001	MADISON	0A761	1.467	PENNYCOST CREEK	OPEN	8/7/2015	2004	35.44325	-89.073639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
570A4100001	MADISON	0A785	1.141	BRANCH	OPEN	8/7/2015	1968	35.440583	-89.059333	CONCRETE	CHANNEL BEAM	79.8
570A4100003	MADISON	0A785	1.553	MUDDY CREEK	OPEN	8/7/2015	2004	35.442528	-89.052611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
570A8030001	MADISON	0A805	0.636	BRANCH	OPEN	7/7/2017	2006	35.7825	-88.648583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
570A8600001	MADISON	0A860	0.16	BRANCH	OPEN	8/12/2015	1974	35.684917	-88.840944	CONCRETE	CHANNEL BEAM	51.2
57016420001	MADISON	0A900	0.396	BOND CREEK	OPEN	8/12/2015	1990	35.580306	-88.809472	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
57016420003	MADISON	0A900	0.85	MERIDIAN CREEK	OPEN	7/7/2017	1989	35.576917	-88.802556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.1
57016420005	MADISON	0A900	1.065	OVERFLOW	OPEN	7/7/2017	1996	35.575333	-88.799278	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.5
57016420007	MADISON	0A900	1.897	BRANCH	OPEN	7/7/2017	1984	35.575278	-88.79925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
57016420009	MADISON	0A900	2.485	DITCH	OPEN	7/7/2017	1984	35.5735	-88.774583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
57016420011	MADISON	0A900	2.965	BRANCH	OPEN	7/7/2017	1984	35.570222	-88.767139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
57016420013	MADISON	0A900	3.951	BRANCH	OPEN	7/7/2017	1992	35.562444	-88.7525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
57016430001	MADISON	0A901	1.341	CSX RAILROAD	OPEN	8/5/2015	1975	35.562444	-88.7525	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
57S82060001	MADISON	0A980	0.05	S. FK. FORKED DEER RIVER	OPEN	8/4/2015	1993	35.617667	-88.851583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.1
57S82060003	MADISON	0A980	0.207	OVERFLOW	OPEN	8/12/2015	1950	35.616417	-88.854222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
57016440007	MADISON	0A980	0.338	OVERFLOW	OPEN	8/12/2015	1922	35.616028	-88.856139	CONCRETE	TEE BEAM	40.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57016440009	MADISON	0A980	0.522	ANDERSON BRANCH	OPEN	8/12/2015	1977	35.615472	-88.859528	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	63.1
57016440011	MADISON	0A980	0.623	OVERFLOW	OPEN	8/12/2015	1922	35.614861	-88.861056	CONCRETE	TEE BEAM	48.1
57016440013	MADISON	0A980	0.728	OVERFLOW	WEIGHT POSTED	8/12/2015	1922	35.614083	-88.862667	CONCRETE	TEE BEAM	27.4
57016440015	MADISON	0A980	2.82	BRANCH	OPEN	8/5/2015	1950	35.606111	-88.897611	CONCRETE	TEE BEAM	69.7
57016440017	MADISON	0A980	2.927	JOHNSON CREEK	OPEN	8/5/2015	1955	35.606556	-88.899528	CONCRETE	TEE BEAM	69.7
570B1450001	MADISON	0B145	0.628	BRANCH	OPEN	8/12/2015	1989	35.631972	-88.830083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	95.8
570B1540001	MADISON	0B154	1.095	BRANCH	OPEN	8/12/2015	1986	35.635778	-88.823194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
570B2110003	MADISON	0B211	2.623	CYPRESS CREEK	OPEN	8/6/2015	2002	35.628917	-89.008167	CONCRETE	CHANNEL BEAM	93.9
570B2110005	MADISON	0B211	2.736	BRANCH	OPEN	8/6/2015	2002	35.628694	-89.006167	CONCRETE	CHANNEL BEAM	93.9
570B2120001	MADISON	0B212	0.337	ADAIR CREEK	OPEN	8/11/2015	1990	35.680417	-88.943722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
570B2140001	MADISON	0B214	0.921	BRANCH	OPEN	7/7/2017	1970	35.790861	-88.780667	CONCRETE	CHANNEL BEAM	85.9
570B2150001	MADISON	0B215	0.42	BRANCH	OPEN	7/5/2017	1983	35.668528	-88.679917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
570B2150003	MADISON	0B215	1.159	OVERFLOW	OPEN	7/5/2017	2004	35.66325	-88.6692	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
570B2150005	MADISON	0B215	1.211	HARRIS CREEK	OPEN	7/5/2017	2004	35.663111	-88.668361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.6
570B2150007	MADISON	0B215	1.906	JONES CREEK	OPEN	7/5/2017	2011	35.662367	-88.6565	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89
570B2160001	MADISON	0B216	0.463	BRANCH	OPEN	8/7/2015	1984	35.483528	-88.718056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
570B2160003	MADISON	0B216	0.783	TURK CREEK	OPEN	8/7/2015	1984	35.480278	-88.714111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
57015810003	MADISON	0B244	1.167	DYER CREEK	OPEN	8/12/2015	2000	35.660667	-88.789167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
57I00400015	MADISON	0B261	0.543	NFA B261/I40	OPEN	6/20/2017	1961	35.638583	-88.916944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.9
57016450017	MADISON	0B289	0.404	HICKS CREEK	OPEN	8/12/2015	1989	35.594806	-88.854194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
57016450003	MADISON	0B289	2.147	BRANCH	OPEN	8/12/2015	1993	35.613194	-88.863583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.1
57016460001	MADISON	0B290	0.979	JOHNSON CREEK	OPEN	8/5/2015	1983	35.629722	-88.890972	CONCRETE	CHANNEL BEAM	60.7
57016460003	MADISON	0B290	1.222	JOHNSON CREEK - BRANCH	OPEN	8/5/2015	1989	35.632611	-88.892806	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57016460005	MADISON	0B290	3.642	CUB CREEK	OPEN	8/5/2015	2005	35.630611	-88.933833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.6
57100400011	MADISON	0B290	4.54	I40	OPEN	6/19/2017	1960	35.632944	-88.948917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.1
570A4220001	MADISON	0B388	0.192	BRANCH	WEIGHT POSTED	8/5/2015	1981	35.565861	-89.030722	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	39.8
570B3990001	MADISON	0B399	0.409	BRANCH	OPEN	7/6/2017	1970	35.724583	-88.835306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
570B3990003	MADISON	0B399	0.526	BRANCH	OPEN	7/6/2017	1970	35.724333	-88.833361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
570B3990005	MADISON	0B399	0.81	BRANCH	OPEN	7/6/2017	1970	35.724333	-88.828278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
570B3990007	MADISON	0B399	1.374	BRANCH	OPEN	7/6/2017	1970	35.724056	-88.818361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
57S80570001	MADISON	0B502	1.019	CANE CREEK	OPEN	8/12/2015	1990	35.580417	-88.826556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
570A8110001	MADISON	0B505	1.174	BRANCH	OPEN	8/12/2015	1999	35.688056	-88.809639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.1
57M30570001	MADISON	0B510	0.316	MAGNOLIA / ANDERSON BR	OPEN	8/12/2015	1992	35.603917	-88.807917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.8
57M30570003	MADISON	0B510	0.781	EASTERN ST / ANDERSON BR	OPEN	8/12/2015	2014	35.605844	-88.807181	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8
57100400005	MADISON	I0040	2.84	CYPRESS CREEK	OPEN	6/19/2017	1959	35.607722	-89.026722	CONCRETE	TEE BEAM	66.9
57100400006	MADISON	I0040	2.84	CYPRESS CREEK	OPEN	6/19/2017	1959	35.608028	-89.026861	CONCRETE	TEE BEAM	67.9
57100400008	MADISON	I0040	4.83	HUNTERSVILLE CREEK	OPEN	6/19/2017	1959	35.619	-88.994222	CONCRETE	TEE BEAM	78.9
57100400007	MADISON	I0040	4.83	HUNTERSVILLE CREEK	OPEN	6/19/2017	1959	35.618833	-88.994139	CONCRETE	TEE BEAM	78.9
57100400014	MADISON	I0040	8.35	CUB CREEK	OPEN	6/19/2017	1960	35.637111	-88.935778	CONCRETE	TEE BEAM	71.9
57100400013	MADISON	I0040	8.35	CUB CREEK	OPEN	6/19/2017	1960	35.636889	-88.935639	CONCRETE	TEE BEAM	83.9
57100400017	MADISON	I0040	10.48	BRANCH	OPEN	6/19/2017	1960	35.647444	-88.900056	CONCRETE	TEE BEAM	83.9
57100400018	MADISON	I0040	10.48	BRANCH	OPEN	6/19/2017	1960	35.647083	-88.899861	CONCRETE	TEE BEAM	71.9
57100400019	MADISON	I0040	11.08	SO. FORK FORKED DEER RIV	OPEN	6/19/2017	1960	35.6505	-88.889889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72.9
57100400020	MADISON	I0040	11.08	SO. FORK FORKED DEER RIV	OPEN	6/19/2017	1960	35.650778	-88.890361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72.9
57100400021	MADISON	I0040	11.9	ICC RR	OPEN	6/19/2017	1960	35.655667	-88.876722	CONCRETE	TEE BEAM	77.9
57100400022	MADISON	I0040	11.9	ICC RR	OPEN	6/19/2017	1960	35.655833	-88.877111	CONCRETE	TEE BEAM	77.9
57100400024	MADISON	I0040	12.01	SR 20	OPEN	6/19/2017	1992	35.657389	-88.875444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	62.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57I00400023	MADISON	I0040	12.01	SR 20	OPEN	6/19/2017	1992	35.657111	-88.874889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.9
57I00400028	MADISON	I0040	14.73	SR 5	OPEN	6/19/2017	1961	35.670722	-88.830056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.1
57I00400027	MADISON	I0040	14.73	SR 5	OPEN	6/19/2017	1961	35.6705	-88.830083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59.1
57I00400032	MADISON	I0040	16.55	IC RR & DYER CREEK	OPEN	6/19/2017	1961	35.676111	-88.798806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.7
57I00400031	MADISON	I0040	16.55	IC RR & DYER CREEK	OPEN	6/19/2017	1961	35.666944	-88.798639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.7
57I00400035	MADISON	I0040	17.04	ICG RR	OPEN	6/20/2017	1961	35.677361	-88.790083	CONCRETE	TEE BEAM	78
57I00400036	MADISON	I0040	17.04	ICG RR	OPEN	6/20/2017	1961	35.677583	-88.790167	CONCRETE	TEE BEAM	67
57SR0010001	MADISON	SR001	3.29	CYPRESS CREEK	OPEN	6/20/2017	1925	35.604833	-89.026083	CONCRETE	TEE BEAM	84.6
57SR0010003	MADISON	SR001	3.44	ROBERTSON CREEK	OPEN	6/20/2017	1925	35.606583	-89.024556	CONCRETE	TEE BEAM	77.9
57SR0010005	MADISON	SR001	5.47	BRANCH	OPEN	6/20/2017	1925	35.614556	-88.991083	CONCRETE	TEE BEAM	89.1
57SR0010007	MADISON	SR001	8.32	CUB CREEK	OPEN	6/20/2017	1925	35.612139	-88.941139	CONCRETE	TEE BEAM	88.1
57SR0010009	MADISON	SR001	8.56	BRANCH	OPEN	6/20/2017	1958	35.611833	-88.937028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
57SR0010011	MADISON	SR001	10.64	JOHNSON CREEK	OPEN	6/20/2017	1959	35.614361	-88.9005	CONCRETE	TEE BEAM	77
57SR0010012	MADISON	SR001	10.64	JOHNSON CREEK	OPEN	6/20/2017	1959	35.6145	-88.900389	CONCRETE	TEE BEAM	77
57SR0010014	MADISON	SR001	10.84	BRANCH	OPEN	6/20/2017	1959	35.615	-88.897111	CONCRETE	TEE BEAM	82.9
57SR0010013	MADISON	SR001	10.84	BRANCH	OPEN	6/20/2017	1959	35.614944	-88.897	CONCRETE	TEE BEAM	82.9
57SR0010015	MADISON	SR001	12.3	OVERFLOW	OPEN	6/20/2017	1959	35.618444	-88.871417	CONCRETE	TEE BEAM	66
57SR0010016	MADISON	SR001	12.3	OVERFLOW	OPEN	6/20/2017	1959	35.618694	-88.871389	CONCRETE	TEE BEAM	66
57SR0010018	MADISON	SR001	12.75	BRANCH	OPEN	6/20/2017	1959	35.618639	-88.863361	CONCRETE	TEE BEAM	78
57SR0010017	MADISON	SR001	12.75	BRANCH	OPEN	6/20/2017	1959	35.618278	-88.863417	CONCRETE	TEE BEAM	77.4
57SR0010020	MADISON	SR001	13.3	S. FORK FORKED DEER RIVE	OPEN	6/20/2017	1958	35.618639	-88.863417	CONCRETE CONTINUOUS	TEE BEAM	65
57SR0010019	MADISON	SR001	13.3	S. FORK FORKED DEER RIVE	OPEN	6/20/2017	1958	35.618472	-88.853833	CONCRETE CONTINUOUS	TEE BEAM	54
57SR0010021	MADISON	SR001	13.88	SANDY CREEK	OPEN	6/26/2017	1925	35.617583	-88.843528	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85
57FA0053003	MADISON	SR001	15.14	RIVERSIDE DR (1367)	OPEN	6/21/2017	1967	35.612306	-88.825194	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82
57FA0053001	MADISON	SR001	15.25	ICG RR	OPEN	6/26/2017	1966	35.612278	-88.823389	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57SR0010035	MADISON	SR001	15.8	S. ROYAL ST & ICG RR	OPEN	6/21/2017	1978	35.612306	-88.814028	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.3
57SR0010037	MADISON	SR001	17.06	ANDERSON BRANCH	OPEN	6/21/2017	1985	35.618306	-88.783611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
57SR0010039	MADISON	SR001	18.02	BRANCH	OPEN	6/21/2017	1985	35.628361	-88.786111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
57I00400041	MADISON	SR001	22.45	I40	OPEN	6/21/2017	1960	35.680667	-88.742833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.8
57I00400042	MADISON	SR001	22.45	I40	OPEN	6/21/2017	1960	35.680694	-88.743028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.9
57SR0010027	MADISON	SR001	24.12	POPLAR CREEK	OPEN	6/26/2017	1928	35.700889	-88.727	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
57SR0010029	MADISON	SR001	27.41	GILMERS CREEK	OPEN	6/26/2017	1926	35.741417	-88.701306	CONCRETE	TEE BEAM	70.5
57SR0010031	MADISON	SR001	28.99	SPRING CREEK	OPEN	6/26/2017	1926	35.758722	-88.683167	CONCRETE	TEE BEAM	53.7
57SR0010033	MADISON	SR001	31.05	BRANCH	OPEN	6/26/2017	1926	35.780389	-88.658444	CONCRETE	TEE BEAM	64.6
57SR0050001	MADISON	SR005	0.84	DRAINAGE DITCH	OPEN	6/21/2017	1975	35.485944	-88.713361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
57SR0050005	MADISON	SR005	1.5	BEAR CREEK	OPEN	6/21/2017	1928	35.491694	-88.722	CONCRETE	TEE BEAM	78.4
57SR0050007	MADISON	SR005	1.86	BRANCH	OPEN	6/21/2017	1975	35.495	-88.727	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
57SR0050009	MADISON	SR005	3.96	HUNTER CREEK	OPEN	6/21/2017	2004	35.514361	-88.755611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
57SR0050011	MADISON	SR005	4.06	BRANCH	OPEN	6/21/2017	1928	35.515361	-88.757	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.6
57SR0050037	MADISON	SR005	6.7	BRANCH	OPEN	6/21/2017	1968	35.539806	-88.792944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.6
57SR0050013	MADISON	SR005	7.73	MERIDIAN CREEK	OPEN	6/21/2017	1999	35.533611	-88.806556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
57SR0050015	MADISON	SR005	7.8	BRANCH	OPEN	6/21/2017	1999	35.550722	-88.80725	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.8
57SR0050017	MADISON	SR005	9.34	BOND CREEK	OPEN	6/21/2017	1929	35.57175	-88.814694	CONCRETE	TEE BEAM	73.6
57SR0050020	MADISON	SR005	9.98	ICG RR	OPEN	6/26/2017	1929	35.581	-88.8145	CONCRETE	TEE BEAM	92.8
57SR0050019	MADISON	SR005	9.98	ICG RR	OPEN	6/26/2017	1957	35.580972	-88.81425	CONCRETE	TEE BEAM	93.8
57SR0050022	MADISON	SR005	10.54	OVERFLOW	OPEN	6/26/2017	1929	35.589028	-88.830917	CONCRETE	TEE BEAM	79.2
57SR0050021	MADISON	SR005	10.54	OVERFLOW	OPEN	6/26/2017	1929	35.589028	-88.814	CONCRETE	TEE BEAM	89.7
57SR0050024	MADISON	SR005	10.81	S. FORK FORKED DEER RIVE	OPEN	6/21/2017	1992	35.592972	-88.814167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57SR0050023	MADISON	SR005	10.81	S. FORK FORKED DEER RIVE	OPEN	6/21/2017	1955	35.592889	-88.81375	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.1
57SR0050025	MADISON	SR005	11.17	OVERFLOW	OPEN	6/26/2017	1957	35.59825	-88.81375	CONCRETE	TEE BEAM	79.2
57SR0050026	MADISON	SR005	11.17	OVERFLOW	OPEN	6/26/2017	1929	35.598667	-88.814	CONCRETE	TEE BEAM	77.1
57SR0050027	MADISON	SR005	11.71	CSX RAILROAD	OPEN	6/26/2017	1958	35.60575	-88.815639	CONCRETE	TEE BEAM	69.5
57SR0050029	MADISON	SR005	13.98	BRANCH	OPEN	6/26/2017	1968	35.636611	-88.821611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
57SR0050045	MADISON	SR005	19.52	BRANCH	OPEN	6/26/2017	2013	35.713167	-88.8359	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
57SR0050043	MADISON	SR005	21.18	SR 186	OPEN	6/26/2017	1997	35.733778	-88.850028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
57SR0050044	MADISON	SR005	21.18	SR 186	OPEN	6/26/2017	1997	35.733472	-88.850083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
57SR0050032	MADISON	SR005	21.65	IC RR	OPEN	6/26/2017	1967	35.739889	-88.848611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.2
57SR0050031	MADISON	SR005	21.65	IC RR	OPEN	6/26/2017	1999	35.73975	-88.848222	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.2
57SR0050033	MADISON	SR005	21.89	MIDDLE FK.FORKED DEER RI	OPEN	6/26/2017	1968	35.742944	-88.844528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.8
57SR0050034	MADISON	SR005	21.89	MIDDLE FK.FORKED DEER RI	OPEN	6/26/2017	1967	35.743056	-88.847111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.8
57SR0050035	MADISON	SR005	25.42	BRANCH	OPEN	6/27/2017	1992	35.786833	-88.866944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
57SR0050041	MADISON	SR005	25.59	BRANCH	OPEN	6/27/2017	1990	35.788639	-88.869528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
57SR0180001	MADISON	SR018	4.7	MERIDIAN CREEK	OPEN	6/21/2017	1930	35.490333	-88.844917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51
57SR0200001	MADISON	SR020	0.03	CONNLEY CREEK	OPEN	6/26/2017	1991	35.691139	-88.983611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
57SR0200002	MADISON	SR020	0.03	CONNLEY CREEK	OPEN	6/26/2017	1954	35.691222	-88.997222	CONCRETE CONTINUOUS	TEE BEAM	83.9
57SR0200003	MADISON	SR020	1.31	BRANCH	OPEN	6/26/2017	1958	35.6815	-88.977583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
57SR0200021	MADISON	SR020	3.06	ADAIR BRANCH	OPEN	6/27/2017	1991	35.671667	-88.94975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
57SR0200023	MADISON	SR020	5.05	BRANCH	OPEN	6/27/2017	1991	35.668083	-88.914528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
57SR0200017	MADISON	SR020	6.21	NFA A050 & BRANCH	OPEN	6/27/2017	1991	35.667306	-88.894083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57SR0200018	MADISON	SR020	6.24	NFA A050 & BRANCH	OPEN	6/27/2017	1991	35.667	-88.893528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.9
57SR0200027	MADISON	SR020	7.19	BRANCH	OPEN	6/27/2017	1990	35.66225	-88.880083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
57SR0200007	MADISON	SR020	8.08	OLD HICKORY CREEK	OPEN	6/28/2017	2011	35.650167	-88.869917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.9
57SR0200009	MADISON	SR020	8.93	BRANCH	OPEN	6/28/2017	1929	35.644444	-88.858861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
57L30450001	MADISON	SR020	12.85	ICG RR	OPEN	6/28/2017	2002	35.648417	-88.792333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
57SR0050039	MADISON	SR043	0	SR 5	OPEN	6/28/2017	1992	35.760972	-88.846	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.2
57SR0430002	MADISON	SR043	0.84	TURKEY CREEK	OPEN	6/28/2017	1989	35.768361	-88.833083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
57SR0430001	MADISON	SR043	0.84	TURKEY CREEK	OPEN	6/28/2017	1989	35.768111	-88.833444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
57SR0430005	MADISON	SR043	1.27	BRANCH	OPEN	6/28/2017	1991	35.77175	-88.827333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
57SR0430003	MADISON	SR043	3.8	BRANCH	OPEN	6/28/2017	1992	35.792667	-88.790194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
57SR1380001	MADISON	SR138	1.15	MUDDY CREEK	OPEN	6/27/2017	1978	35.446472	-89.021972	CONCRETE	CHANNEL BEAM	24.4
57SR1380003	MADISON	SR138	1.21	MUDDY CREEK	OPEN	6/27/2017	1988	35.447111	-89.021972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
57SR1380005	MADISON	SR138	3.4	PENNYCOST CREEK	OPEN	6/27/2017	1992	35.470139	-89.026139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.2
57SR1380007	MADISON	SR138	4.69	OVERFLOW	OPEN	6/27/2017	1949	35.481028	-89.043444	CONCRETE	CHANNEL BEAM	47.4
57SR1380009	MADISON	SR138	4.79	BIG BLACK CREEK	OPEN	6/27/2017	1991	35.482444	-89.043833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.1
57SR1380011	MADISON	SR138	4.88	OVERFLOW	OPEN	6/27/2017	1949	35.483806	-89.044889	CONCRETE	CHANNEL BEAM	68.2
57SR1380013	MADISON	SR138	4.95	OVERFLOW	OPEN	6/28/2017	1949	35.483972	-89.045889	CONCRETE	CHANNEL BEAM	67.1
57I00400001	MADISON	SR138	13.34	I40	OPEN	7/5/2017	1960	35.596722	-89.054639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.7
57SR1520001	MADISON	SR152	0.94	DRY CREEK	OPEN	6/26/2017	1986	35.782111	-88.700639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
57SR1520003	MADISON	SR152	1.13	M. FK. FORKED DEER RIVER	OPEN	6/28/2017	1986	35.780389	-88.698222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.3
57SR1520005	MADISON	SR152	1.37	OVERFLOW	OPEN	6/28/2017	1989	35.777667	-88.695667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.3
57I00400051	MADISON	SR152	7.83	I40	OPEN	6/21/2017	1960	35.717806	-88.634	CONCRETE CONTINUOUS	TEE BEAM	67.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57FA0053006	MADISON	SR186	0.19	SANDY CREEK	OPEN	6/27/2017	1964	35.620167	-88.841972	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.7
57FA0053005	MADISON	SR186	0.2	SANDY CREEK	OPEN	6/27/2017	1964	35.620361	-88.841778	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	75.7
57FA0053008	MADISON	SR186	1.56	FAU 3042	OPEN	6/27/2017	1964	35.505083	-88.84975	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77
57FA0053007	MADISON	SR186	1.56	FAU 3042	OPEN	6/27/2017	1964	35.638333	-88.849472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77
57I00400025	MADISON	SR186	3.3	I40	OPEN	6/27/2017	1961	35.663306	-88.854	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	60.2
57SR1860001	MADISON	SR186	3.73	FAU 3049 - VANN DR	OPEN	6/27/2017	1997	35.6695	-88.855083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
57SR1860005	MADISON	SR186	3.73	FAU 3049 - VANN DR	OPEN	6/28/2017	1997	35.669528	-88.856	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92
57SR1860003	MADISON	SR186	3.73	FAU 3049 - VANN DR	OPEN	6/28/2017	1997	35.669611	-88.854472	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.6
57FA0053009	MADISON	SR186	6.96	MOIZE CREEK	OPEN	6/28/2017	2002	35.716139	-88.703194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
570A1020001	MADISON	SR186	9.57	BRANCH	OPEN	6/28/2017	1986	35.784361	-88.829722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
57S81880021	MADISON	SR197	0.44	OVERFLOW	OPEN	6/29/2017	1985	35.495028	-88.715139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.4
57S81880023	MADISON	SR197	0.56	S. FK. FORKED DEER RIVER	OPEN	6/29/2017	1985	35.495722	-88.713361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.4
57S81620009	MADISON	SR197	8.55	BRANCH	OPEN	6/29/2017	1991	35.571472	-88.642222	CONCRETE	CHANNEL BEAM	55.4
57S81620011	MADISON	SR197	8.65	BRANCH	OPEN	6/29/2017	1990	35.571361	-88.640611	CONCRETE	CHANNEL BEAM	50.2
57SR1970001	MADISON	SR197	10.05	BRANCH	OPEN	6/29/2017	1998	35.564389	-88.618528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
57E00220013	MADISON	SR198	0.04	ANDERSON BRANCH	OPEN	6/28/2017	1945	35.611972	-88.802556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
57F00530013	MADISON	SR198	1.22	JONES CREEK	OPEN	6/28/2017	2004	35.609333	-88.782694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
57S80590005	MADISON	SR198	4.42	BRANCH	OPEN	6/28/2017	1994	35.610306	-88.728	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
57S80590007	MADISON	SR198	4.68	BROWN CREEK	OPEN	6/28/2017	1992	35.610861	-88.723417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.2
57S80590009	MADISON	SR198	5.97	HARRIS CREEK	OPEN	6/28/2017	1989	35.613444	-88.701694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57S80590011	MADISON	SR198	6.13	OVERFLOW	OPEN	6/28/2017	2006	35.613556	-88.698722	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.2
57S80590013	MADISON	SR198	8.65	BEAR CREEK	OPEN	6/29/2017	1948	35.613194	-88.654444	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.7
57S81880029	MADISON	SR198	11.56	OVERFLOW	OPEN	6/29/2017	1999	35.594083	-89.635889	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86
57S81880027	MADISON	SR198	11.69	N. FK. FORKED DEER RIVER	OPEN	6/29/2017	1981	35.592583	-88.637417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
57S81880025	MADISON	SR198	11.84	OLD RIVER BED	OPEN	6/29/2017	1996	35.59075	-88.638861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.8
57S81960001	MADISON	SR223	0.62	PENNYCOST CREEK	OPEN	6/28/2017	1985	35.477611	-89.016417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.5
57S81960003	MADISON	SR223	2.28	BRANCH	WEIGHT POSTED	7/5/2017	1952	35.49525	-89.001278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.4
57E00100005	MADISON	SR223	3.02	OVERFLOW	OPEN	6/28/2017	2005	35.502611	-89.994833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.3
57S81960007	MADISON	SR223	3.1	CHISLUM CREEK	OPEN	7/5/2017	2005	35.503444	-88.994722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
57SR2230015	MADISON	SR223	4.14	BRANCH	OPEN	7/5/2017	1989	35.518639	-88.996417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
57S81960009	MADISON	SR223	4.17	OVERFLOW	OPEN	7/5/2017	1989	35.518917	-88.995056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
57S81960011	MADISON	SR223	4.27	BIG BLACK CREEK	OPEN	7/5/2017	1987	35.520361	-88.997167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
57S81960013	MADISON	SR223	4.3	OVERFLOW	OPEN	6/28/2017	1984	35.520889	-88.997222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
57E00110001	MADISON	SR223	5.89	BRANCH	OPEN	6/28/2017	1958	35.537472	-88.991111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
57E00110003	MADISON	SR223	8.65	CUB CREEK	OPEN	6/28/2017	1998	35.559889	-88.951667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
57SR2230017	MADISON	SR223	15	BRANCH	OPEN	6/28/2017	1995	35.6405	-88.916944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
57I00400053	MADISON	SR223	15.05	I40	OPEN	6/28/2017	1992	35.641083	-88.9205	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
58F00140001	MARION	01106	0.65	SEQUATCHIE RVR OVERFLOW	OPEN	10/17/2016	1979	35.142828	-85.515864	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
58F00140003	MARION	01106	0.91	SEQUATCHIE RIVER	OPEN	10/17/2016	1979	35.140875	-85.512117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
58SR0270001	MARION	01127	0.45	POPLAR SPRINGS BRANCH	OPEN	10/12/2016	1928	34.992103	-85.721147	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
58F00080003	MARION	01129	3.51	LITTLE SEQUATCHIE RIVER	OPEN	10/6/2016	1979	35.094567	-85.574033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
58SR0270007	MARION	01131	2.89	OWEN SPRINGS CREEK	OPEN	10/5/2016	1939	35.119281	-85.591847	CONCRETE	TEE BEAM	76.1
58SR0270009	MARION	01131	3.66	LITTLE SEQUATCHIE RIVER	OPEN	10/5/2016	1925	35.129392	-85.586603	CONCRETE	TEE BEAM	85.6
580A6270001	MARION	01131	8.97	SMALL BRANCH	OPEN	10/18/2016	1992	35.183528	-85.527689	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
58014070001	MARION	01407	0.13	SEQUATCHIE RIVER	OPEN	10/6/2016	1983	35.098436	-85.557919	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
58S44400003	MARION	01407	4.58	MOORE HOLLOW CREEK	OPEN	10/24/2016	1960	35.08295	-85.49385	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.1
58014070005	MARION	01407	5.42	DRY CREEK	OPEN	10/24/2016	1984	35.085733	-85.481233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
58014070007	MARION	01407	6.47	BUTCHER CREEK	OPEN	10/24/2016	1984	35.0863	-85.4644	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
58S44400009	MARION	01407	6.7	MULLENS CREEK	OPEN	10/24/2016	1984	35.099881	-85.463911	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.7
58014070011	MARION	01407	7.1	BRANCH	OPEN	10/24/2016	1984	35.078189	-85.466953	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
58014070013	MARION	01407	7.99	DRY BRANCH	OPEN	10/24/2016	1984	35.067636	-85.474614	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
58014070015	MARION	01407	9.44	ELLIS GAP BRANCH	OPEN	10/24/2016	1958	35.048544	-85.476097	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
58021650001	MARION	01423	4.04	GRIFFITH CREEK	OPEN	10/6/2016	1939	35.252528	-85.489794	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.9
58021650003	MARION	01423	4.89	DANIEL CREEK	OPEN	10/6/2016	1941	35.260764	-85.482208	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.2
58021650005	MARION	01423	5.75	SMALL BRANCH	OPEN	10/6/2016	1938	35.266344	-85.469072	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.3
58021650007	MARION	01423	5.94	HENDRIX CREEK	OPEN	10/6/2016	1938	35.268733	-85.467286	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
58021280001	MARION	02128	0.85	SEQUATCHIE RIVER	OPEN	10/6/2016	1985	35.079161	-85.593575	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.6
58021530005	MARION	02153	0.56	DRY CREEK	OPEN	10/12/2016	1992	34.995847	-85.807694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
58021530003	MARION	02153	0.58	DRY CREEK	OPEN	10/12/2016	1979	34.998933	-85.807183	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	62.4
58I00240039	MARION	02161	1.36	SHELLMOUND RD. / I-24 EB	OPEN	7/20/2016	1965	35.040683	-85.603533	CONCRETE CONTINUOUS	TEE BEAM	60.5
58021630003	MARION	02163	1.9	DIXON CREEK	OPEN	10/6/2016	1950	35.148847	-85.602917	CONCRETE	SLAB	53.3
58021690001	MARION	02169	2.73	MILL BRANCH	OPEN	10/3/2016	1950	35.249917	-85.552917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
58021690003	MARION	02169	3.28	JOHNS BRANCH	OPEN	10/3/2016	1950	35.24285	-85.5567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
58F00080001	MARION	0A008	0.12	STANDIFER BRANCH	OPEN	10/11/2016	1940	35.074519	-85.615211	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.3
580A0340001	MARION	0A034	2.236	POCKET CREEK	OPEN	10/3/2016	1987	35.243	-85.555867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
580A0500001	MARION	0A050	0.806	GRIFFITH CREEK	OPEN	10/19/2016	1983	35.257261	-85.497064	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
580A0600001	MARION	0A060	0.287	BRANCH	OPEN	10/18/2016	1940	35.221567	-85.503517	CONCRETE	SLAB	70.3
580A0810001	MARION	0A081	0.652	SEQUATCHIE RIVER	OPEN	10/18/2016	1985	35.205672	-85.497153	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.6
580A0810003	MARION	0A081	1.761	LOONEY'S BRANCH	OPEN	10/18/2016	1950	35.197731	-85.482903	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70
580A0820003	MARION	0A082	0.033	SEQUATCHIE RIVER	OPEN	10/19/2016	1983	35.22805	-85.492517	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.8
580A0940001	MARION	0A094	1.073	SMALL BRANCH	OPEN	10/18/2016	1921	35.186056	-85.515722	CONCRETE	TEE BEAM	66.3
580A1070001	MARION	0A107	0.361	SWEDEN CREEK	OPEN	10/11/2016	1994	35.078856	-85.800322	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
580A1790001	MARION	0A179	1.421	HALL CREEK	OPEN	10/5/2016	1989	35.119406	-85.568011	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
580A1850001	MARION	0A185	0.503	SEQUATCHIE RIVER	OPEN	10/19/2016	1985	35.264828	-85.459978	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
580A1890001	MARION	0A189	0.698	SEQUATCHIE RIVER	OPEN	10/26/2016	1986	35.110867	-85.526983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
580A2120001	MARION	0A212	0.042	OWEN SPRINGS BRANCH	OPEN	11/1/2016	1983	35.117139	-85.589531	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96
580A2400001	MARION	0A240	0.014	HOGUE BRANCH	OPEN	11/17/2016	1993	35.060219	-85.5633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
580A2610001	MARION	0A261	0.047	RUNNING WATER CREEK	OPEN	11/8/2016	1965	34.9884	-85.497881	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
58I00240059	MARION	0A261	0.08	MURPHY HOLLOW RD / I-24	OPEN	7/21/2016	2015	34.987933	-85.498267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
580A2610003	MARION	0A261	0.15	MURPHY HOLLOW CREEK	OPEN	11/8/2016	1964	34.986681	-85.4982	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
580A2620003	MARION	0A262	0.608	BRANCH	OPEN	11/8/2016	1985	34.986467	-85.489117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
580A2720001	MARION	0A272	0.535	COLE CITY CREEK	OPEN	11/17/2016	1966	34.986669	-85.597719	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.4
580A3000001	MARION	0A300	0.032	N.FORK PRYOR COVE BRANCH	WEIGHT POSTED	11/1/2016	1936	35.093767	-85.631267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.4
580A3000003	MARION	0A300	0.618	W. FK. PRYOR COVE BRANCH	OPEN	11/1/2016	1984	35.094081	-85.641	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
580A3050001	MARION	0A305	0.219	PRYOR COVE BRANCH	OPEN	11/1/2016	1988	35.095511	-85.635531	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
580A3310001	MARION	0A331	0.944	TOWN CREEK	WEIGHT POSTED	11/8/2016	1988	35.07645	-85.636581	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43
58I00240055	MARION	0A360	0.106	SCRATCH ANKLE RD / I-24	OPEN	7/21/2016	1968	34.991033	-85.508433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
58I00240033	MARION	0A386	0.246	KIMBALL LN / I-24	OPEN	7/18/2016	1965	35.0428	-85.6738	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	62.8
580A3920001	MARION	0A392	4.949	SWEDEN CREEK	OPEN	11/2/2016	1988	35.064517	-85.764783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
580A3920003	MARION	0A392	6.899	SWEDEN CREEK	OPEN	11/2/2016	1996	35.072831	-85.794519	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73
580A3920007	MARION	0A392	7.651	GOURDNECK COVE BRANCH	OPEN	11/2/2016	1994	35.07475	-85.807311	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
580A3920005	MARION	0A392	8.149	SWEETEN CREEK	OPEN	11/2/2016	1988	35.081461	-85.808539	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
58I00240027	MARION	0A396	0.089	FISH TRAP RD. / I-24	OPEN	7/18/2016	1963	35.071733	-85.733833	CONCRETE CONTINUOUS	TEE BEAM	61
580A3960001	MARION	0A396	0.659	BATTLE CREEK	OPEN	11/28/2016	1974	35.071489	-85.743689	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.7
580A3980001	MARION	0A398	0.1	STRAIGHT COVE BRANCH	OPEN	11/2/2016	1988	35.0763	-85.810233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
580A4430001	MARION	0A443	0.488	POPLAR SPRINGS BRANCH	OPEN	11/3/2016	1992	34.992669	-85.7267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
580A4440001	MARION	0A444	0.048	POPLAR SPRINGS BRANCH	OPEN	11/3/2016	1940	34.992069	-85.722361	CONCRETE	SLAB	58.2
580A4470001	MARION	0A447	0.733	POPLAR SPRING CREEK	OPEN	11/3/2016	1940	34.997989	-85.737839	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	63.2
580A4620001	MARION	0A462	0.599	REXTON HOLLOW CREEK	WEIGHT POSTED	10/12/2016	1940	34.988969	-85.771561	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
580A4910001	MARION	0A491	0.098	CLAYTON CAMP CREEK	OPEN	10/12/2016	1984	35.011697	-85.806853	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
580A5010001	MARION	0A501	0.46	BIG FIERY GIZZARD CREEK	OPEN	11/28/2016	1964	35.10865	-85.744881	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
580A5010003	MARION	0A501	0.77	GILLIAM CREEK	OPEN	11/28/2016	1964	35.105139	-85.741939	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
580A5020001	MARION	0A502	0.36	BATTLE CREEK	OPEN	11/28/2016	1999	35.084211	-85.7421	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
580A5030001	MARION	0A503	0.21	KELLY COVE BRANCH	OPEN	11/28/2016	2001	35.080519	-85.732931	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
580A5030003	MARION	0A503	0.46	KELLY COVE BRANCH	OPEN	11/28/2016	1983	35.079483	-85.7291	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
580A5050001	MARION	0A505	1.055	BIG FIERY GIZZARD CREEK	OPEN	11/28/2016	1987	35.124211	-85.735931	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
580A5050003	MARION	0A505	1.147	BIG FIERY GIZZARD CREEK	OPEN	11/28/2016	1985	35.125561	-85.735631	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78
580A5050005	MARION	0A505	4.018	BIG FIERY GIZZARD CREEK	OPEN	11/28/2016	1992	35.149619	-85.705919	CONCRETE CONTINUOUS	TEE BEAM	91.5
580A5100005	MARION	0A510	2.05	CAVE COVE BRANCH	OPEN	11/15/2016	1963	35.170311	-85.793889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.6
580A5100007	MARION	0A510	2.56	BATTLE CREEK	OPEN	11/15/2016	1985	35.17465	-85.800319	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.6
580A5100009	MARION	0A510	3.57	BATTLE CREEK	OPEN	11/15/2016	1992	35.180431	-85.815339	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
580A5110001	MARION	0A511	0	BATTLE CREEK	OPEN	11/15/2016	1964	35.163611	-85.790061	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.4
58100240015	MARION	0A512	0	MARTIN SPRINGS RD / I-24	OPEN	7/11/2016	1963	35.145833	-85.775383	CONCRETE CONTINUOUS	TEE BEAM	85.6
580A5120001	MARION	0A512	0.528	HARGISS COVE BRANCH	OPEN	11/15/2016	1939	35.151111	-85.779511	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
580A5120003	MARION	0A512	1.25	BATTLE CREEK	OPEN	11/22/2016	1945	35.15955	-85.787039	CONCRETE	TEE BEAM	90.2
580A5120005	MARION	0A512	1.551	BATTLE CREEK	OPEN	11/22/2016	1946	35.163739	-85.788389	CONCRETE	TEE BEAM	91
580A5120007	MARION	0A512	2.136	CAVE COVE BRANCH	OPEN	11/22/2016	1946	35.170861	-85.793461	CONCRETE	TEE BEAM	87.8
58100240005	MARION	0A526	2.44	LAUREL LAKE DR / I-24	OPEN	7/11/2016	1966	35.235383	-85.838317	CONCRETE CONTINUOUS	TEE BEAM	60
58100240063	MARION	0A541	0.773	TRUSSELL RD / I-24 WB	OPEN	7/11/2016	1968	35.231217	-85.821733	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	71.1
58100240007	MARION	0A550	0.011	DIXIE LEE HWY / I-24 EB	OPEN	7/11/2016	1995	35.230833	-85.827083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
580A1780001	MARION	0A622	0.414	HALL CREEK	OPEN	11/8/2016	1965	35.137481	-85.552711	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
580A6260001	MARION	0A626	0.013	POPLAR SPRING BRANCH	OPEN	11/3/2016	1990	34.993931	-85.730089	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
580A6280001	MARION	0A628	0	SMALL BRANCH	OPEN	11/8/2016	1992	35.179536	-85.529603	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
580Z0020001	MARION	0A740	0	SMALL STREAM	OPEN	11/3/2016	1995	35.009939	-85.699661	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
58I00240010	MARION	I0024	6.32	CAVE COVE CREEK	OPEN	7/11/2016	1963	35.170717	-85.793783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.1
58I00240009	MARION	I0024	6.32	CAVE COVE CREEK	OPEN	7/11/2016	1963	35.170567	-85.793933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.4
58I00240011	MARION	I0024	7.2	BATTLE CREEK	OPEN	7/11/2016	1963	35.158817	-85.7883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9
58I00240013	MARION	I0024	7.94	HARGISS COVE BRANCH	OPEN	7/11/2016	1963	35.15065	-85.780133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9
58I00240019	MARION	I0024	11.43	BIG FIERY GIZZARD CREEK	OPEN	7/12/2016	1963	35.109017	-85.745017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
58I00240020	MARION	I0024	11.43	BIG FIERY GIZZARD CREEK	OPEN	7/12/2016	1963	35.109117	-85.7447	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
58I00240021	MARION	I0024	11.74	GILLIAM CREEK	OPEN	7/12/2016	1963	35.105317	-85.741933	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.3
58I00240022	MARION	I0024	11.74	GILLIAM CREEK	OPEN	7/12/2016	1963	35.105467	-85.741667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.3
58I00240023	MARION	I0024	11.96	BRANCH	OPEN	7/13/2016	1963	35.102533	-85.7399	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
58I00240025	MARION	I0024	13.5	KELLY COVE BRANCH	OPEN	7/13/2016	1965	35.080817	-85.737033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
58I00240029	MARION	I0024	16.64	RAULSTON BRANCH	OPEN	7/13/2016	1965	35.046433	-85.7035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
58I00240031	MARION	I0024	17.48	I-24 / SR-27 (US-72)	OPEN	7/18/2016	2014	35.040067	-85.690933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
58I00240035	MARION	I0024	20.79	A386 & SEQUATCHIE VAL RR	OPEN	7/20/2016	1965	35.05025	-85.63615	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.3
58I00240036	MARION	I0024	20.79	A386 & SEQUATCHIE VAL RR	OPEN	7/20/2016	1965	35.050467	-85.635933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.3
58I00240037	MARION	I0024	21.34	SEQUATCHIE RIVER	OPEN	8/8/2016	1965	35.048417	-85.626567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
58I00240038	MARION	I0024	21.34	SEQUATCHIE RIVER	OPEN	8/9/2016	1965	35.048633	-85.626483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
58I00240069	MARION	I0024	22.65	I-24 WB / SHELLMOUND RD.	OPEN	7/20/2016	1965	35.043983	-85.6029	CONCRETE CONTINUOUS	TEE BEAM	58.9
58I00240041	MARION	I0024	24.14	I-24 EB / TVA ACCESS RD	OPEN	7/20/2016	1965	35.031833	-85.58275	CONCRETE CONTINUOUS	TEE BEAM	67
58I00240042	MARION	I0024	24.15	I-24 WB / TVA RD	OPEN	7/20/2016	1965	35.033433	-85.581767	CONCRETE CONTINUOUS	TEE BEAM	67
58I00240043	MARION	I0024	25.84	TENNESSEE RIVER	OPEN	9/12/2016	1965	35.02365	-85.554367	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	72.2
58I00240048	MARION	I0024	27.41	RUNNING WATER CREEK	OPEN	7/21/2016	1966	35.01125	-85.531167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
58I00240047	MARION	I0024	28.18	RUNNING WATER CREEK	OPEN	7/21/2016	1966	35.00595	-85.52035	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.1
58I00240049	MARION	I0024	28.48	MORONEY GULF BRANCH	OPEN	7/21/2016	1965	35.005483	-85.515117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
58I00240054	MARION	I0024	28.93	RUNNING WATER CREEK	OPEN	7/21/2016	1965	35	-85.511944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
58I00240053	MARION	I0024	28.93	RUNNING WATER CREEK	OPEN	7/21/2016	1965	35.00015	-85.51235	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
58I00240057	MARION	I0024	30.27	MURPHY HOLLOW CREEK	OPEN	7/21/2016	1965	34.987083	-85.498767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
58I00240061	MARION	I0024	30.59	BRANCH	OPEN	7/21/2016	1965	34.988683	-85.49365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
58I00240071	MARION	SR002	1.4	DIXIE LEE HWY / I-24 WB	OPEN	7/11/2016	1996	35.231683	-85.82695	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
58SR0020001	MARION	SR002	2.18	OVERFLOW OF BATTLE CREEK	OPEN	8/1/2016	1929	35.1371	-85.77125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
58SR0020003	MARION	SR002	2.37	BATTLE CREEK	OPEN	8/1/2016	1924	35.134417	-85.7709	CONCRETE	TEE BEAM	76.4
58SR0020005	MARION	SR002	4.19	BATTLE CREEK	OPEN	8/1/2016	1928	35.11445	-85.751883	CONCRETE	TEE BEAM	76.4
58I00240017	MARION	SR002	4.37	BATTLE CREEK RD / I-24	OPEN	7/11/2016	1963	35.11345	-85.74895	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
58SR0020007	MARION	SR002	4.67	BIG FIERY GIZZARD CREEK	OPEN	8/1/2016	1928	35.111933	-85.74405	CONCRETE	TEE BEAM	78.1
58SR0020009	MARION	SR002	5.01	GILLIAM CREEK	OPEN	8/3/2016	1928	35.10935	-85.739317	CONCRETE	TEE BEAM	77.4
58SR0020011	MARION	SR002	7.01	KELLY COVE CREEK	OPEN	8/3/2016	1929	35.080833	-85.73615	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
58SR0020015	MARION	SR002	14.87	TOWN CREEK	OPEN	8/3/2016	1954	35.073	-85.631767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
58SR0020017	MARION	SR002	15.83	STANDIFER BRANCH	OPEN	8/3/2016	1929	35.072933	-85.615717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
58SR0020019	MARION	SR002	16.53	SEQUATCHIE RIVER	OPEN	8/10/2016	1989	35.06595	-85.606783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
58SR0020021	MARION	SR002	16.78	SEQUATCHIE RV OVERFLOW	OPEN	8/10/2016	1989	35.063367	-85.603517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
58SR0020023	MARION	SR002	21.14	TENNESSEE RIVER	OPEN	9/14/2016	2014	35.02905	-85.548517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
58SR0020025	MARION	SR002	22.13	DRY CREEK	OPEN	8/10/2016	1929	35.032017	-85.5349	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
58I00240001	MARION	SR015	1.81	SR-15 / I-24	OPEN	7/11/2016	1959	35.240017	-85.8481	CONCRETE CONTINUOUS	TEE BEAM	67.5
58I00240002	MARION	SR015	1.81	SR-15 / I-24	OPEN	7/11/2016	1959	35.240083	-85.8483	CONCRETE CONTINUOUS	TEE BEAM	67.5
58SR0270015	MARION	SR027	0.92	POPLAR SPRINGS BRANCH	OPEN	8/11/2016	1995	34.994867	-85.70655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
58SR0270023	MARION	SR027	1.87	BRANCH	OPEN	8/11/2016	1995	35.007867	-85.701233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
58SR0270025	MARION	SR027	2.04	BRANCH	OPEN	8/11/2016	1995	35.010267	-85.700483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
58SR0270013	MARION	SR027	2.65	NFA 1127 & SEQ VAL RR	OPEN	8/11/2016	1995	35.018633	-85.697633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
58SR0270003	MARION	SR027	3.95	BATTLE CREEK	OPEN	8/10/2016	1928	35.036517	-85.692317	CONCRETE	TEE BEAM	63.8
58SR0270004	MARION	SR027	3.95	BATTLE CREEK	OPEN	8/10/2016	1970	35.0366	-85.692517	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86
58SR0280007	MARION	SR027	6.41	HOGUE BRANCH	OPEN	8/16/2016	1920	35.0589	-85.56275	CONCRETE	SLAB	69.1
58SR0280003	MARION	SR027	9.84	PECK BRANCH	OPEN	8/16/2016	1940	35.09285	-85.533967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.2
58SR0270017	MARION	SR027	28.06	SUCK CREEK	OPEN	8/16/2016	1983	35.1247	-85.390533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.3
58I00240065	MARION	SR028	0	SR-28 / I-24	OPEN	7/18/2016	1982	35.049	-85.630783	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	99
58I00240066	MARION	SR028	0	SR-28 / I-24	OPEN	7/18/2016	1982	35.049067	-85.631	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	99
58SR0280001	MARION	SR028	0.77	TOWN CREEK	OPEN	8/23/2016	1982	35.058667	-85.62335	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
58SR0280002	MARION	SR028	0.77	TOWN CREEK	OPEN	8/23/2016	1982	35.059433	-85.623483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
58SR0020028	MARION	SR028	1.8	SR-2	OPEN	8/10/2016	1988	35.072033	-85.614767	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
58SR0020027	MARION	SR028	1.8	SR-2	OPEN	8/10/2016	1988	35.07185	-85.614583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
58SR0280015	MARION	SR028	4.97	LITTLE SEQUATCHIE RIVER	OPEN	8/23/2016	1990	35.103467	-85.576317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.9
58SR0280013	MARION	SR028	5.15	HALL CREEK	OPEN	8/23/2016	1989	35.106083	-85.5755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
58SR0280023	MARION	SR028	5.44	HALL CREEK	OPEN	8/22/2016	1989	35.1097	-85.573383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
58SR0280017	MARION	SR028	11.33	BRANCH	OPEN	8/22/2016	1992	35.184917	-85.526467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
58SR0280019	MARION	SR028	11.42	BRANCH	OPEN	8/22/2016	1992	35.186033	-85.525983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
58SR0280021	MARION	SR028	11.57	BRANCH	OPEN	8/22/2016	1992	35.187983	-85.525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.9
58SR0280009	MARION	SR028	16.52	GRIFFITH CREEK	OPEN	8/23/2016	1973	35.248233	-85.47905	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.9
58SR0280011	MARION	SR028	18.12	HENDRIX CREEK	OPEN	8/22/2016	1972	35.267683	-85.463383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
58SR1340001	MARION	SR134	2.32	MORONEY GULF BRANCH	OPEN	9/20/2016	1965	35.00585	-85.514317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
58SR1340005	MARION	SR134	2.8	RUNNING WATER CREEK	OPEN	9/21/2016	1962	34.9997	-85.511783	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.6
58SR1340007	MARION	SR134	3.44	RUNNING WATER CREEK	OPEN	9/20/2016	1938	34.991308	-85.507728	CONCRETE	TEE BEAM	74.5
58SR1340009	MARION	SR134	4.74	MILL CREEK	OPEN	9/20/2016	1940	34.99165	-85.487033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
58SR1340011	MARION	SR134	4.82	HICKS HOLLOW BRANCH	OPEN	9/20/2016	1940	34.992167	-85.485867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
58SR0270005	MARION	SR150	1.4	PRYOR COVE BRANCH	OPEN	9/21/2016	1973	35.090317	-85.622717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.9
58SR0270011	MARION	SR156	15.07	LEE HIGHWAY (SR-27)	OPEN	9/20/2016	1995	35.016483	-85.698267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
58SR1560001	MARION	SR156	15.19	TENNESSEE RIVER	OPEN	9/15/2016	1981	35.0157	-85.696267	STEEL	ARCH - THRU	87.8
58SR1560003	MARION	SR156	18.28	GRAHAM CREEK	OPEN	9/21/2016	1955	35.000083	-85.6477	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
58SR1560005	MARION	SR156	21.18	COLE CITY CREEK	OPEN	9/1/2016	1968	34.9937	-85.600817	CONCRETE	TEE BEAM	87.7
58SR1560007	MARION	SR156	22.8	GRAHAM COVE BRANCH	OPEN	9/21/2016	1930	35.001317	-85.574683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
58SR1560009	MARION	SR156	24.75	CSX RR & NFA A266	OPEN	9/26/2016	1975	35.011733	-85.548583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
58SR1560011	MARION	SR156	24.98	ALLEY GULF BRANCH	OPEN	9/26/2016	1975	35.013217	-85.545317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
58I00240045	MARION	SR156	25.27	SR-156 / I-24	OPEN	7/20/2016	1965	35.01495	-85.540717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.6
58SR1560013	MARION	SR156	25.58	RUNNING WATER CREEK	OPEN	9/1/2016	1968	35.018883	-85.538167	CONCRETE	TEE BEAM	50.4
58SR0270021	MARION	SR283	0.73	SEQUATCHIE RIVER	OPEN	9/27/2016	1980	35.185467	-85.51535	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
58005390001	MARION	SR283	3.05	KELLY BRANCH	OPEN	9/27/2016	2012	35.194983	-85.48365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
58SR0280005	MARION	SR283	3.26	LOONEYS CREEK	OPEN	9/27/2016	1989	35.1973	-85.481233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
59009910001	MARSHALL	00991	2.02	BRANCH	OPEN	6/10/2016	1979	35.437083	-86.931267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
59F00110001	MARSHALL	01032	0.19	BELFAST CREEK	OPEN	7/20/2016	1970	35.419567	-86.698717	CONCRETE	TEE BEAM	75
59F00120009	MARSHALL	01032	3.28	LEDFORD BRANCH	OPEN	7/19/2016	1940	35.41025	-86.649383	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.9
59F00070001	MARSHALL	01036	0.84	OPOSSUM CREEK	OPEN	8/3/2016	1979	35.3722	-86.693983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
59F00070003	MARSHALL	01036	2.46	RICK CREEK	OPEN	8/3/2016	1986	35.3695	-86.666167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
59F00120001	MARSHALL	01039	0.37	CANE CREEK	OPEN	7/13/2016	1965	35.330867	-86.6548	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.9
59F00120003	MARSHALL	01039	1.16	MIDDLE FORK CREEK	OPEN	7/13/2016	1978	35.3422	-86.657133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
59F00120005	MARSHALL	01039	3.4	BRANCH	OPEN	7/19/2016	1976	35.371867	-86.653383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
59F00120007	MARSHALL	01039	5.27	BRANCH	OPEN	7/19/2016	1976	35.394233	-86.649917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
59S42780001	MARSHALL	01432	0.35	SPRING CREEK	OPEN	8/5/2016	1949	35.630367	-86.685767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
59019770001	MARSHALL	01977	0.1	BRANCH	OPEN	7/8/2016	1973	35.2652	-86.736067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
59019770003	MARSHALL	01977	3.92	BRANCH	OPEN	7/7/2016	1965	35.316333	-86.753067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
59019770005	MARSHALL	01977	4.21	BARNES RD/PEE DEE BRANCH	OPEN	7/7/2016	1970	35.320367	-86.7528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
59019830003	MARSHALL	01983	0.22	BRANCH	OPEN	7/8/2016	1960	35.259033	-86.782733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
59019830013	MARSHALL	01983	0.33	RICHLAND CREEK	OPEN	7/1/2016	1960	35.317933	-86.814217	CONCRETE	TEE BEAM	75.2
59019830005	MARSHALL	01983	2.24	BRANCH	OPEN	7/8/2016	1960	35.26425	-86.752317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
59019830011	MARSHALL	01983	2.93	BRANCH	OPEN	7/1/2016	1972	35.286433	-86.797683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
59019830009	MARSHALL	01983	3.4	BRANCH	OPEN	7/1/2016	1925	35.280267	-86.801183	CONCRETE	TEE BEAM	78.2
59019830001	MARSHALL	01983	3.85	PLEASANT VALLEY CREEK	OPEN	7/12/2016	1975	35.317183	-86.688433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
59019830007	MARSHALL	01983	5.15	BRANCH	OPEN	7/1/2016	1963	35.261367	-86.789483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60
59019860007	MARSHALL	01986	2.04	BRANCH	OPEN	6/15/2016	1980	35.422683	-86.8733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3
59019860001	MARSHALL	01986	2.6	GLOBE CREEK	OPEN	6/15/2016	1945	35.416517	-86.869867	CONCRETE	TEE BEAM	86.6
59019860009	MARSHALL	01986	5.36	NEW LAKE BRANCH	OPEN	6/15/2016	2011	35.40315	-86.83715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
59019860003	MARSHALL	01986	7.405	CSX RAILROAD	OPEN	6/15/2016	2000	35.4137	-86.812183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88
59019860005	MARSHALL	01986	7.72	BIG ROCK CREEK	OPEN	6/22/2016	1965	35.36385	-86.8068	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86.9
59019880001	MARSHALL	01988	2.24	MUD CREEK	OPEN	7/22/2016	1965	35.446167	-86.663633	CONCRETE CONTINUOUS	SLAB	73.8
59019900001	MARSHALL	01990	0.32	GOOSE CREEK	OPEN	6/8/2016	1957	35.500033	-86.874983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
59019920001	MARSHALL	01992	0.51	BIG ROCK CREEK	OPEN	6/7/2016	1945	35.518367	-86.7198	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86.6
59019920003	MARSHALL	01992	3.58	BIG ROCK CREEK	OPEN	6/7/2016	1950	35.530667	-86.768117	CONCRETE	TEE BEAM	77.5
59S63130001	MARSHALL	01994	0.85	BIG ROCK CREEK	OPEN	6/6/2016	1959	35.569717	-86.765583	CONCRETE	TEE BEAM	82.9
59019990001	MARSHALL	01999	0.48	CANEY CREEK	OPEN	6/3/2016	1935	35.597694	-86.764222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
59019990003	MARSHALL	01999	6.71	THICK CREEK	OPEN	6/2/2016	1965	35.682917	-86.742972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
59020020001	MARSHALL	02002	0.64	CANEY CREEK	OPEN	6/3/2016	1973	35.633342	-86.738667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
59020020003	MARSHALL	02002	7	SPRING CREEK	OPEN	8/8/2016	1949	35.6909	-86.684217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
59S43290011	MARSHALL	03439	0.19	BIG ROCK CREEK	OPEN	8/10/2016	1965	35.4466	-86.786817	CONCRETE	TEE BEAM	60.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
59M34400001	MARSHALL	03440	0.51	CSX RAILROAD	OPEN	8/11/2016	1981	35.465883	-86.797917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.2
59034470001	MARSHALL	03447	0.73	SNELL BRANCH	OPEN	8/9/2016	1980	35.460117	-86.803233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
59M34480001	MARSHALL	03448	1.1	BIG ROCK CREEK	OPEN	8/10/2016	1955	35.438433	-86.794367	CONCRETE	TEE BEAM	72
59M34490001	MARSHALL	03449	0.18	BRANCH	OPEN	8/10/2016	1996	35.431717	-86.802117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
59042660001	MARSHALL	04266	0.44	SNAKE CREEK	OPEN	8/10/2016	1986	35.431183	-86.744633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
590A4380001	MARSHALL	04575	0.41	LOYD BRANCH	OPEN	8/10/2016	1968	35.444067	-86.809667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
59S62580001	MARSHALL	05435	0.4	CAPPS BRANCH	OPEN	8/9/2016	2012	35.4518	-86.7777	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.4
59M34410003	MARSHALL	06032	0.97	BRANCH	OPEN	8/9/2016	1960	35.463267	-86.79125	CONCRETE	TEE BEAM	84.9
590A1360001	MARSHALL	0A004	0.217	EAST ROCK CREEK	OPEN	8/1/2016	2003	35.501417	-86.7142	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
590A3140001	MARSHALL	0A009	0.631	ROBERTSON FORK CREEK	OPEN	6/17/2016	2004	35.380167	-86.907483	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85
590A3140003	MARSHALL	0A009	2.899	MOORESVILLE CREEK	OPEN	6/13/2016	2013	35.40775	-86.901433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
590A3140005	MARSHALL	0A009	4.771	MOORESVILLE CREEK	OPEN	6/13/2016	1963	35.43185	-86.9114	CONCRETE	TEE BEAM	80.6
590A0350003	MARSHALL	0A035	1.959	JONES CREEK	OPEN	6/2/2016	1973	35.658472	-86.748194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
590A0350005	MARSHALL	0A035	4.804	CANEY CREEK	OPEN	6/3/2016	1994	35.621556	-86.758139	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
590A0390001	MARSHALL	0A039	0.72	CANEY CREEK	OPEN	6/1/2016	1965	35.678306	-86.700556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
590A0430001	MARSHALL	0A043	0.65	FLAT CREEK	OPEN	6/2/2016	1974	35.685056	-86.801694	CONCRETE	TEE BEAM	73.1
590A0470001	MARSHALL	0A047	2.318	BRANCH OF CANEY CREEK	OPEN	6/1/2016	1979	35.657639	-86.717583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
590A0490001	MARSHALL	0A049	0.561	CANEY CREEK	OPEN	6/3/2016	1960	35.634306	-86.729389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
590A0520001	MARSHALL	0A052	2.09	SPRING CREEK	OPEN	6/1/2016	1962	35.6689	-86.6811	CONCRETE	TEE BEAM	73.4
590A0520007	MARSHALL	0A052	3.02	BRANCH	OPEN	8/8/2016	1990	35.665367	-86.66745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
590A0550001	MARSHALL	0A055	0.187	WEST FORK SPRING CREEK	OPEN	8/8/2016	2010	35.703217	-86.692583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
590A0550003	MARSHALL	0A055	0.743	EAST FORK SPRING CREEK	OPEN	8/8/2016	1984	35.704067	-86.682817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
590A0630001	MARSHALL	0A063	0.47	BRANCH	OPEN	8/5/2016	1974	35.6256	-86.65995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
590A0770001	MARSHALL	0A077	0.707	SPRING CREEK	OPEN	8/5/2016	1938	35.62465	-86.681267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.4
590A0770003	MARSHALL	0A077	2.035	BRANCH	OPEN	8/5/2016	1975	35.59325	-86.660567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
590A0820001	MARSHALL	0A082	0.769	SPRING CREEK	OPEN	8/5/2016	1965	35.618133	-86.686717	CONCRETE	TEE BEAM	80.7
590A1070001	MARSHALL	0A107	3.531	RICH CREEK	OPEN	8/4/2016	1980	35.548233	-86.676783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
590A1100001	MARSHALL	0A110	0.624	DUCK RIVER	OPEN	8/5/2016	1986	35.580517	-86.641933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
590A1130001	MARSHALL	0A113	0.433	RICH CREEK	OPEN	8/4/2016	1997	35.547317	-86.684633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A1140001	MARSHALL	0A114	0.266	OPOSSUM CREEK	OPEN	8/4/2016	1998	35.554033	-86.70265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A1140003	MARSHALL	0A114	0.831	RICH CREEK	OPEN	8/4/2016	2002	35.55335	-86.692167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A1150001	MARSHALL	0A115	0.601	RICH CREEK	OPEN	8/4/2016	1969	35.5671	-86.702033	CONCRETE	TEE BEAM	77.5
590A1170001	MARSHALL	0A117	0.811	RICH CREEK	OPEN	6/6/2016	1986	35.570928	-86.714	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
590A1180001	MARSHALL	0A118	0.699	OPOSSUM CREEK	OPEN	8/3/2016	1976	35.530617	-86.690533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A1190001	MARSHALL	0A119	1.602	BRANCH	OPEN	8/3/2016	1955	35.518833	-86.681383	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.2
590A1270001	MARSHALL	0A127	1.99	EAST ROCK CREEK	OPEN	6/6/2016	1975	35.552889	-86.754667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.9
590A1290001	MARSHALL	0A129	0.046	BIG ROCK CREEK	OPEN	6/7/2016	1991	35.50455	-86.767667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.8
590A1320001	MARSHALL	0A132	3.207	SNAKE CREEK	OPEN	7/22/2016	1965	35.47775	-86.765517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
590A1370001	MARSHALL	0A137	1.793	BELFAST CREEK	OPEN	8/1/2016	1999	35.484867	-86.7161	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
590A1380001	MARSHALL	0A138	1.271	BELFAST CREEK	OPEN	7/22/2016	1984	35.469317	-86.72095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
590A1380003	MARSHALL	0A138	2.383	DRY CREEK	OPEN	7/22/2016	1968	35.46995	-86.7405	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
590A1390001	MARSHALL	0A139	0.825	EAST ROCK CREEK	OPEN	8/1/2016	1996	35.480917	-86.679983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
590A1390003	MARSHALL	0A139	1.542	MUD CREEK	OPEN	8/1/2016	1998	35.476967	-86.688867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A1400001	MARSHALL	0A140	0.815	EAST ROCK CREEK	OPEN	8/1/2016	1984	35.4848	-86.666033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
590A1420003	MARSHALL	0A142	0.785	SNAKE CREEK	OPEN	7/22/2016	1957	35.46385	-86.760567	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	63.8
590A1420001	MARSHALL	0A142	3.493	BELFAST CREEK	OPEN	7/21/2016	1982	35.455517	-86.7186	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
590A1630001	MARSHALL	0A163	0.375	LEDFORD BRANCH	OPEN	7/20/2016	1984	35.409667	-86.670267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A1660001	MARSHALL	0A166	0.194	BRANCH	OPEN	7/20/2016	1948	35.40845	-86.6944	CONCRETE	TEE BEAM	78.2
590A1660003	MARSHALL	0A166	2.919	LAZY BRANCH	OPEN	7/14/2016	1913	35.377	-86.685583	CONCRETE	SLAB	84.5
590A1660005	MARSHALL	0A166	3.118	LAZY BRANCH	OPEN	7/14/2016	1983	35.37475	-86.687017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
590A1670001	MARSHALL	0A167	0.115	CANE CREEK	OPEN	7/14/2016	1983	35.350033	-86.68855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
590A1670003	MARSHALL	0A167	1.466	WEST CAMP CREEK	OPEN	7/14/2016	1994	35.369117	-86.6923	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A1680001	MARSHALL	0A168	0.184	CANE CREEK	OPEN	7/14/2016	1970	35.356583	-86.6875	CONCRETE	TEE BEAM	91.5
590A1710001	MARSHALL	0A171	0.173	CANE CREEK	OPEN	7/13/2016	1984	35.338267	-86.66655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A1730001	MARSHALL	0A173	0.046	MIDDLE CANE CREEK	OPEN	7/13/2016	1971	35.350217	-86.65445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
590A1740001	MARSHALL	0A174	2.68	SANDERS CREEK	OPEN	7/13/2016	1981	35.3513	-86.629933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
590A1780001	MARSHALL	0A178	0.507	EAST ROCK CREEK	OPEN	7/19/2016	2006	35.3971	-86.640767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A1820001	MARSHALL	0A182	0.057	WEST CAMP CREEK	OPEN	7/20/2016	1985	35.38325	-86.707183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
590A1850001	MARSHALL	0A185	0.208	PLEASANT VALLEY CREEK	OPEN	7/12/2016	1975	35.318667	-86.70125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.4
590A1870001	MARSHALL	0A187	0.019	BRANCH	OPEN	7/12/2016	1975	35.3198	-86.70865	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
590A1890001	MARSHALL	0A189	0.181	BRANCH	OPEN	7/8/2016	1960	35.27955	-86.72565	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
590A1890003	MARSHALL	0A189	3.126	PLEASANT VALLEY CREEK	OPEN	7/12/2016	1984	35.319117	-86.715833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
590A1900001	MARSHALL	0A190	5.21	RICHLAND CREEK	OPEN	7/7/2016	1984	35.336333	-86.755333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
590A1950001	MARSHALL	0A195	0.511	PLEASANT VALLEY CREEK	OPEN	7/12/2016	1930	35.314133	-86.680483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.2
590A2140001	MARSHALL	0A214	0.482	COFFEY BRANCH	OPEN	7/5/2016	1984	35.267083	-86.786067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A2140003	MARSHALL	0A214	3.831	COFFEY BRANCH	OPEN	7/5/2016	1983	35.307183	-86.782933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
590A2140005	MARSHALL	0A214	3.932	COFFEY BRANCH	OPEN	7/5/2016	1965	35.3087	-86.78315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
590A2140007	MARSHALL	0A214	4.041	COFFEY BRANCH	OPEN	7/6/2016	1970	35.31015	-86.783333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.2
590A2140009	MARSHALL	0A214	4.401	COFFEY BRANCH	OPEN	7/6/2016	1975	35.31485	-86.784283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
590A2140015	MARSHALL	0A214	4.536	COFFEY BRANCH	OPEN	7/6/2016	1990	35.3169	-86.7847	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
590A2140011	MARSHALL	0A214	4.564	COFFEY BRANCH	OPEN	7/6/2016	1950	35.318383	-86.785383	CONCRETE	TEE BEAM	62.1
590A2140013	MARSHALL	0A214	4.687	RICHLAND CREEK	OPEN	7/6/2016	1960	35.3209	-86.786533	CONCRETE	TEE BEAM	79.7
590A2150001	MARSHALL	0A215	0.163	COFFEY BRANCH	OPEN	7/5/2016	1970	35.3047	-86.7809	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
590A2150003	MARSHALL	0A215	0.223	COFFEY BRANCH	OPEN	7/5/2016	1970	35.304	-86.78025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
590A2170001	MARSHALL	0A217	0.102	THOMPSON BRANCH	OPEN	7/7/2016	1960	35.328417	-86.772	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
590A2190001	MARSHALL	0A219	0.115	PORTER BRANCH	OPEN	7/1/2016	1983	35.279917	-86.8263	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
590A2220001	MARSHALL	0A222	0.767	RICHLAND CREEK	OPEN	7/5/2016	2012	35.319633	-86.837817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
590A2240001	MARSHALL	0A224	0	TORY FORK CREEK	OPEN	6/27/2016	1972	35.352767	-86.7882	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.3
590A2310001	MARSHALL	0A231	0.693	SANDERS CREEK	OPEN	6/27/2016	1930	35.40005	-86.780433	CONCRETE	TEE BEAM	75.5
590A2450001	MARSHALL	0A245	0.01	CAPPS BRANCH	OPEN	8/9/2016	1984	35.439633	-86.768417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
590A2540001	MARSHALL	0A254	0.79	COLLINS CREEK	OPEN	7/21/2016	1999	35.415167	-86.7657	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
590A2610001	MARSHALL	0A261	0.115	HATCHETT CREEK	OPEN	8/11/2016	1945	35.354883	-86.837767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.4
590A2640001	MARSHALL	0A264	3.077	CSX RAILROAD	OPEN	8/11/2016	1997	35.36395	-86.835783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
590A2730001	MARSHALL	0A273	0.408	CSX RAILROAD	CLOSED	8/11/2016	1950	35.362583	-86.083689	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	18.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
590A2840001	MARSHALL	0A284	0.145	ROBERTSON FORK CREEK	OPEN	6/17/2016	1950	35.370467	-86.8827	CONCRETE	TEE BEAM	91.5
590A2910001	MARSHALL	0A291	1.132	SNAKE CREEK	OPEN	7/21/2016	1930	35.420667	-86.741833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1
590A2950001	MARSHALL	0A295	0.205	BIG ROCK CREEK	OPEN	6/23/2016	1984	35.388017	-86.82185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
590A2980001	MARSHALL	0A298	0.078	CORN CREEK	OPEN	6/23/2016	1986	35.323833	-86.869583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
59100650005	MARSHALL	0A298	0.753	THOMAS RD. / I65	OPEN	9/14/2016	1960	35.3249	-86.882083	CONCRETE CONTINUOUS	TEE BEAM	78.2
590A2980005	MARSHALL	0A298	2.949	ROBERTSON FORK CREEK	OPEN	6/17/2016	1945	35.367967	-86.892167	CONCRETE	TEE BEAM	78.9
590A3020001	MARSHALL	0A302	2.182	CORN CREEK	OPEN	6/23/2016	1935	35.33465	-86.869767	CONCRETE	TEE BEAM	73.3
59100650013	MARSHALL	0A309	1.627	SIMMONS RIDGE RD. / I65	OPEN	9/19/2016	1960	35.398133	-86.8803	CONCRETE CONTINUOUS	TEE BEAM	92.5
590A3140007	MARSHALL	0A314	1.835	GLOBE CREEK	OPEN	6/9/2016	1974	35.465467	-86.920367	CONCRETE	TEE BEAM	91.5
590A3210001	MARSHALL	0A321	1.475	BRANCH	OPEN	6/13/2016	1960	35.4186	-86.914283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
590A3210003	MARSHALL	0A321	1.579	BRANCH	OPEN	6/13/2016	1960	35.419283	-86.91265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
590A3210005	MARSHALL	0A321	1.831	MOORESVILLE CREEK	OPEN	6/13/2016	1960	35.418933	-86.909317	CONCRETE	TEE BEAM	91.5
590A3230001	MARSHALL	0A323	2.814	BEAR CREEK	OPEN	6/10/2016	1950	35.4354	-86.93235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
590A3590003	MARSHALL	0A329	0.269	BEAR CREEK	OPEN	6/10/2016	1989	35.444083	-86.930833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
590A3290001	MARSHALL	0A329	1.946	FOX BRANCH	OPEN	6/10/2016	1955	35.45495	-86.934283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
590A3300001	MARSHALL	0A330	0.042	EAST FORK GLOBE CREEK	OPEN	6/9/2016	1975	35.44905	-86.886833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
590A3300003	MARSHALL	0A330	0.388	GUPTON BRANCH	OPEN	6/9/2016	1987	35.451833	-86.8918	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
590A3310001	MARSHALL	0A331	0.449	MCKNIGHT BRANCH	OPEN	6/9/2016	1975	35.457867	-86.903667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
590A3320001	MARSHALL	0A332	1.118	GLOBE CREEK	OPEN	6/10/2016	1975	35.433317	-86.8812	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
590A3490001	MARSHALL	0A349	0.302	LOYD BRANCH	OPEN	8/10/2016	1970	35.442433	-86.808167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
590A3560001	MARSHALL	0A356	0.02	E. FORK GLOBE CREEK	OPEN	6/9/2016	2013	35.450833	-86.851817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
590A3610001	MARSHALL	0A361	0.06	E. FORK GLOBE CREEK	OPEN	6/9/2016	1988	35.44815	-86.875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
590A3610003	MARSHALL	0A361	3.01	SILVER CREEK	OPEN	6/8/2016	2016	35.485667	-86.876933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99
590A3730001	MARSHALL	0A373	2.42	BRANCH OF ROCK CREEK	OPEN	6/8/2016	1975	35.498217	-86.797917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
590A3740001	MARSHALL	0A374	1.148	CSX RAILROAD	OPEN	6/7/2016	1995	35.50095	-86.77675	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
590A3760001	MARSHALL	0A376	1.512	WRIGHT BRANCH	OPEN	6/8/2016	1984	35.510417	-86.7924	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
59M34450001	MARSHALL	0A609	0.683	BIG ROCK CREEK	WEIGHT POSTED	8/9/2016	1965	35.449833	-86.786417	CONCRETE CONTINUOUS	TEE BEAM	44.2
59S62580003	MARSHALL	0A611	1.086	SNAKE CREEK	OPEN	7/21/2016	1983	35.450967	-86.757983	CONCRETE CONTINUOUS	SLAB	82.5
59S62580005	MARSHALL	0A611	3.679	BELFAST CREEK	OPEN	7/21/2016	1983	35.443867	-86.71425	CONCRETE CONTINUOUS	SLAB	82.5
59S43180001	MARSHALL	0A612	1.594	TROY FORK CREEK	OPEN	6/27/2016	1930	35.343167	-86.792033	CONCRETE	TEE BEAM	62.2
59S43180003	MARSHALL	0A612	5.938	SANDERS CREEK	OPEN	6/23/2016	1997	35.4034	-86.790317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
59M34500001	MARSHALL	0A614	0.067	BRANCH	OPEN	6/22/2016	1955	35.4228	-86.803133	CONCRETE	TEE BEAM	72.4
59M34500003	MARSHALL	0A614	0.427	BRANCH	OPEN	6/22/2016	1950	35.423383	-86.80955	CONCRETE	TEE BEAM	72.4
590A0340001	MARSHALL	0D005	4.343	FLAT CREEK	OPEN	6/2/2016	1999	35.702306	-86.790889	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
59I00650002	MARSHALL	I0065	0.04	I65 LL / SR 11	OPEN	9/14/2016	1965	35.305	-86.881667	CONCRETE CONTINUOUS	TEE BEAM	81.9
59I00650001	MARSHALL	I0065	0.04	I65 RL / SR 11	OPEN	9/14/2016	1965	35.305	-86.881667	CONCRETE CONTINUOUS	TEE BEAM	81.9
59I00650003	MARSHALL	I0065	0.8	RICHLAND CREEK	OPEN	9/14/2016	1964	35.315	-86.881667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
59I00650004	MARSHALL	I0065	0.8	RICHLAND CREEK	OPEN	9/14/2016	1964	35.315	-86.881667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
59I00650008	MARSHALL	I0065	2.22	I65 LL / BLUE CR RD	OPEN	9/15/2016	1964	35.336667	-86.878333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
59I00650007	MARSHALL	I0065	2.22	I65 RL / BLUE CR RD	OPEN	9/15/2016	1964	35.336667	-86.878333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.8
59I00650009	MARSHALL	I0065	4.47	ROBINSON FORK CREEK	OPEN	9/15/2016	1964	35.366667	-86.885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
59I00650010	MARSHALL	I0065	4.47	ROBINSON FORK CREEK	OPEN	9/15/2016	1964	35.366667	-86.885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
59I00650012	MARSHALL	I0065	4.72	I65 LL / SR 129	OPEN	9/15/2016	1964	35.37	-86.885	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
59I00650011	MARSHALL	I0065	4.72	I65 RL / SR 129	OPEN	9/15/2016	1964	35.37	-86.885	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
59I00650016	MARSHALL	I0065	9.04	GLOBE CREEK	OPEN	9/19/2016	1964	35.431667	-86.88	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
59I00650015	MARSHALL	I0065	9.04	GLOBE CREEK	OPEN	9/19/2016	1964	35.431667	-86.88	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
59I00650017	MARSHALL	I0065	10.16	I65 RL / SR 373 & CREEK	OPEN	9/19/2016	1964	35.446667	-86.883333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.3
59I00650018	MARSHALL	I0065	10.16	I65 LL / SR 373 & CREEK	OPEN	9/19/2016	1964	35.446667	-86.883333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.3
59I00650019	MARSHALL	I0065	10.17	I65 NB RAMP / BRANCH	OPEN	9/19/2016	1964	35.448333	-86.883333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
59I00650020	MARSHALL	I0065	10.18	I65 SB RAMP / BRANCH	OPEN	9/19/2016	1964	35.448333	-86.883333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
59SR0110001	MARSHALL	SR011	1.05	RICHLAND CREEK	OPEN	8/15/2016	1929	35.318333	-86.873333	CONCRETE	TEE BEAM	87.6
59SR0110003	MARSHALL	SR011	1.33	CORN CREEK	OPEN	8/15/2016	1929	35.321667	-86.87	CONCRETE	TEE BEAM	85.6
59SR0110005	MARSHALL	SR011	3.71	BRANCH	OPEN	8/15/2016	1955	35.348333	-86.845	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
59SR0110007	MARSHALL	SR011	4.36	BRANCH	OPEN	8/15/2016	1955	35.356667	-86.84	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.4
59SR0110009	MARSHALL	SR011	6.54	CSX RAILROAD	OPEN	8/15/2016	1950	35.385	-86.826667	CONCRETE	TEE BEAM	56.9
59SR0110031	MARSHALL	SR011	6.84	BRANCH	OPEN	8/16/2016	1953	35.386667	-86.821667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
59SR0110011	MARSHALL	SR011	7.63	ROCK CREEK	OPEN	8/16/2016	1948	35.395	-86.813333	CONCRETE CONTINUOUS	TEE BEAM	71.5
59SR0110013	MARSHALL	SR011	7.76	BRANCH	OPEN	8/16/2016	1953	35.396667	-86.811667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
59SR0110015	MARSHALL	SR011	8.73	BRANCH	OPEN	8/16/2016	1948	35.41	-86.803333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
59SR0110017	MARSHALL	SR011	11.14	ROCK CREEK	OPEN	8/16/2016	1928	35.441667	-86.791667	CONCRETE	TEE BEAM	82.4
59SR0110019	MARSHALL	SR011	13.18	ROCK CREEK	OPEN	8/17/2016	1930	35.465	-86.775	CONCRETE	TEE BEAM	44
59SR0110021	MARSHALL	SR011	14.04	SNAKE CREEK	OPEN	8/17/2016	1929	35.473333	-86.763333	CONCRETE	TEE BEAM	42
59SR0110023	MARSHALL	SR011	14.99	DRY CREEK	OPEN	8/17/2016	1929	35.483333	-86.751667	CONCRETE	TEE BEAM	46.2
59SR0110025	MARSHALL	SR011	17.63	EAST ROCK CREEK	OPEN	8/17/2016	1926	35.505	-86.711667	CONCRETE	TEE BEAM	49.5
59SR0110027	MARSHALL	SR011	22.2	RICH CREEK	OPEN	8/17/2016	1928	35.57	-86.701667	CONCRETE	TEE BEAM	47.9
59SR0110029	MARSHALL	SR011	23.89	DUCK RIVER	OPEN	8/17/2016	1965	35.593333	-86.696667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.7
59SR0500019	MARSHALL	SR050	5.53	CSX RAILROAD	OPEN	8/22/2016	1961	35.468333	-86.795	CONCRETE CONTINUOUS	TEE BEAM	63.8
59SR0500017	MARSHALL	SR050	6.22	SNELL BRANCH	OPEN	8/22/2016	1961	35.463333	-86.785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
59SR0500001	MARSHALL	SR050	6.57	BIG ROCK CREEK	OPEN	3/14/2017	1936	35.448333	-86.786667	CONCRETE	TEE BEAM	97.4
59SR0500003	MARSHALL	SR050	7.3	CAPPS BRANCH	OPEN	8/22/2016	1961	35.443333	-86.773333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
59SR0500005	MARSHALL	SR050	8.64	SNAKE CREEK	OPEN	8/22/2016	1936	35.436667	-86.751667	CONCRETE	TEE BEAM	65.4
59SR0500007	MARSHALL	SR050	12.24	BRANCH	OPEN	8/23/2016	1935	35.411667	-86.7	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
59SR0500009	MARSHALL	SR050	15.11	LAZY BRANCH	OPEN	8/23/2016	1935	35.373333	-86.688333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.4
59SR0500011	MARSHALL	SR050	15.68	BRANCH	OPEN	8/23/2016	1935	35.365	-86.686667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
59SR0500013	MARSHALL	SR050	16.69	WEST CANE CREEK	OPEN	8/23/2016	1935	35.35	-86.681667	CONCRETE	TEE BEAM	59.6
59SR0500015	MARSHALL	SR050	17.06	BRANCH	OPEN	8/23/2016	1935	35.346667	-86.678333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
59SR0990001	MARSHALL	SR099	3.25	CANEY CREEK	OPEN	8/25/2016	1969	35.608333	-86.77	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
59SR0990007	MARSHALL	SR099	3.61	BRANCH	OPEN	8/25/2016	1948	35.6075	-86.763717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
59SR0990003	MARSHALL	SR099	6.13	CSX RAILROAD	OPEN	8/25/2016	1969	35.598333	-86.72	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.9
59SR0990005	MARSHALL	SR099	7.69	SPRING CREEK	OPEN	8/25/2016	1984	35.643333	-86.681667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
59FA0113001	MARSHALL	SR106	1.36	COLLINS CREEK	OPEN	9/1/2016	2013	35.433333	-86.778333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
59SR1060007	MARSHALL	SR106	1.9	DUCK RIVER	OPEN	9/1/2016	2016	35.606667	-86.821667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
59FA0113003	MARSHALL	SR106	2.425	CAPPS BRANCH	OPEN	9/1/2016	1963	35.446667	-86.775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
59FA0113005	MARSHALL	SR106	3.03	BIG ROCK CREEK	OPEN	9/1/2016	2002	35.455	-86.778333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
59SR1060005	MARSHALL	SR106	4.8	WRIGHT BRANCH	OPEN	9/1/2016	1940	35.496667	-86.808333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.8
59SR1290001	MARSHALL	SR129	0.71	BRANCH	OPEN	9/2/2016	1984	35.37	-86.913333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
59SR1290007	MARSHALL	SR129	3.41	BRANCH	OPEN	9/2/2016	1999	35.37	-86.913333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
59SR1290005	MARSHALL	SR129	7.26	TOWN CREEK	OPEN	9/2/2016	1980	35.33	-86.841667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
59SR1290003	MARSHALL	SR129	7.41	BRANCH - TOWN CREEK	OPEN	9/2/2016	1980	35.33	-86.84	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
59S42800015	MARSHALL	SR129	9.14	GARRETT BRANCH	OPEN	9/2/2016	1950	35.321667	-86.815	CONCRETE	TEE BEAM	78.5
59S42800003	MARSHALL	SR129	9.76	TROY CREEK	OPEN	9/6/2016	1930	35.321667	-86.803333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.5
59S42800005	MARSHALL	SR129	10.64	BRANCH	OPEN	9/6/2016	1930	35.321667	-86.788333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.2
59S42800007	MARSHALL	SR129	11.59	THOMPSON BRANCH	OPEN	9/6/2016	1950	35.326667	-86.773333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
59S42800009	MARSHALL	SR129	12.24	RICHLAND CREEK	OPEN	9/6/2016	1951	35.323333	-86.765	CONCRETE	TEE BEAM	78.5
59S42800011	MARSHALL	SR129	12.83	PEE DEE CREEK	OPEN	9/6/2016	1930	35.32	-86.756667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
59S42800013	MARSHALL	SR129	15.85	BRANCH	OPEN	9/6/2016	1930	35.318333	-86.713333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
59SR1300001	MARSHALL	SR130	0.04	CANE CREEK	OPEN	9/7/2016	1954	35.32	-86.638333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.9
59SR1300003	MARSHALL	SR130	0.79	SAUNDERS BRANCH	OPEN	9/7/2016	1949	35.331667	-86.636667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.9
59SR1300005	MARSHALL	SR130	2.16	SORRELS BRANCH	OPEN	9/7/2016	1949	35.35	-86.626667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.9
59S63640001	MARSHALL	SR270	0.17	SPRING CREEK	OPEN	8/25/2016	1955	35.601667	-86.696667	CONCRETE	TEE BEAM	70.3
59S63640003	MARSHALL	SR270	2.48	WILSON CREEK	OPEN	8/25/2016	1970	35.598333	-86.66	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	62
59S62581001	MARSHALL	SR271	1.16	BELFAST CREEK	OPEN	9/8/2016	1992	35.435	-86.703333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
59SR2710001	MARSHALL	SR271	3.935	BRANCH	OPEN	9/8/2016	1979	35.473333	-86.701667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
59S62580007	MARSHALL	SR271	5.675	EAST FORK ROCK CREEK	OPEN	9/8/2016	1955	35.496667	-86.711667	CONCRETE	TEE BEAM	73.7
59S43290001	MARSHALL	SR272	0.27	RICHLAND CREEK	OPEN	9/8/2016	1998	35.326667	-86.761667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
59S43290003	MARSHALL	SR272	1.03	BRANCH	OPEN	9/8/2016	1952	35.335	-86.755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
59S43290005	MARSHALL	SR272	2.57	RICHLAND CREEK	OPEN	9/8/2016	1927	35.355	-86.743333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
59S43290007	MARSHALL	SR272	3.05	RICHLAND CREEK	OPEN	9/9/2016	1930	35.36	-86.738333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
59S43290009	MARSHALL	SR272	8.56	COLLINS CREEK	OPEN	9/9/2016	1955	35.421667	-86.768333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.8
59S42770001	MARSHALL	SR272	12.71	BRANCH	OPEN	9/9/2016	2000	35.503333	-86.768333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
59E00220003	MARSHALL	SR272	13.44	CSX RAILROAD	OPEN	9/9/2016	1982	35.513333	-86.77	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.5
59E00220005	MARSHALL	SR272	15.47	BRANCH	OPEN	9/9/2016	1930	35.541667	-86.771667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
59S42770007	MARSHALL	SR272	17.91	DUCK RIVER	OPEN	9/9/2016	1970	35.575	-86.778333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
59SR0502001	MARSHALL	SR373	0.06	BEAR CREEK	OPEN	9/13/2016	1944	35.453333	-86.93	CONCRETE	TEE BEAM	69.1
59SR0502003	MARSHALL	SR373	1.54	FRY BRANCH	OPEN	9/13/2016	1939	35.438333	-86.915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
59SR0502005	MARSHALL	SR373	1.64	MOORESVILLE CREEK	OPEN	9/13/2016	1939	35.44	-86.913333	CONCRETE	TEE BEAM	74.5
59SR0502007	MARSHALL	SR373	2.98	GLOBE CREEK	OPEN	9/13/2016	1939	35.445	-86.89	CONCRETE	TEE BEAM	75.2
59SR0502009	MARSHALL	SR373	4.84	DOGGETT BRANCH	OPEN	9/13/2016	2012	35.448333	-86.86	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.9
59SR0502011	MARSHALL	SR373	5.42	BRANCH	OPEN	9/13/2016	2012	35.45	-86.85	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
59SR0502013	MARSHALL	SR373	8.27	CSX RAILROAD	OPEN	9/13/2016	1948	35.45	-86.801667	CONCRETE	TEE BEAM	54.9
60009490001	MAURY	00949	3.14	DRY BRANCH	OPEN	9/19/2016	1962	35.482433	-87.218883	CONCRETE	TEE BEAM	59.7
60S62520003	MAURY	00968	0.1	SCOTTS CREEK	OPEN	9/14/2016	1960	35.524033	-87.1584	CONCRETE	TEE BEAM	75.3
60S62520001	MAURY	00968	2.71	SUGAR CREEK	OPEN	9/15/2016	1960	35.532417	-87.2026	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
60009700001	MAURY	00970	0.42	CEDAR BRANCH	WEIGHT POSTED	10/18/2016	1969	35.61485	-87.029067	CONCRETE	SLAB	46.3
60009700003	MAURY	00970	1.3	LYTLE CREEK	OPEN	10/19/2016	1940	35.613633	-87.013367	CONCRETE	TEE BEAM	54.2
60F05700005	MAURY	00970	1.91	DUCK RIVER	OPEN	8/24/2016	1983	35.6127	-87.00305	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
60I00650011	MAURY	00970	8.26	SOWELL MILL PK. / I65	OPEN	5/3/2016	1963	35.589583	-86.903117	CONCRETE CONTINUOUS	TEE BEAM	61.3
600A5700001	MAURY	00970	10.54	DUCK RIVER	OPEN	8/22/2016	1983	35.570633	-86.872583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
60S62560005	MAURY	00972	1.88	RUTHERFORD CREEK	OPEN	7/20/2016	1978	35.693783	-86.951933	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.1
600A1220009	MAURY	00972	5.92	BRANCH	OPEN	7/13/2016	1960	35.699917	-86.89905	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	66.1
60I00650023	MAURY	00972	7.16	KEDRON RD. / I65	OPEN	5/5/2016	1962	35.690417	-86.88595	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64
60S63220001	MAURY	00972	10.44	LITTLE FLAT CREEK	OPEN	7/14/2016	1958	35.667683	-86.837183	CONCRETE	TEE BEAM	64.1
60009740001	MAURY	00974	2.27	LEIPERS CREEK	OPEN	8/10/2016	2012	35.79485	-87.126967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.6
60009740003	MAURY	00974	2.9	LEIPERS CREEK	OPEN	8/9/2016	2002	35.80075	-87.118333	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60S62530003	MAURY	00993	5.1	QUALITY CREEK	OPEN	9/13/2016	1989	35.541417	-87.146467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.2
60S62530001	MAURY	00993	5.53	ISBEL BRANCH	OPEN	9/13/2016	1957	35.535367	-87.147567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	45.2
60009970003	MAURY	00997	1.61	BIGBY CREEK	OPEN	9/28/2016	1997	35.570667	-87.21275	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	70.9
60009970001	MAURY	00997	3	DOG CREEK	OPEN	9/28/2016	1990	35.588367	-87.206633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
60009990001	MAURY	00999	0.58	KNOB CREEK	OPEN	7/27/2016	1950	35.692817	-87.081167	CONCRETE	TEE BEAM	58.1
60009990005	MAURY	00999	2.32	ROMANTOWN CREEK	OPEN	7/29/2016	1950	35.715617	-87.073483	CONCRETE	TEE BEAM	62.1
60009990007	MAURY	00999	3.82	BRANCH	OPEN	7/29/2016	1950	35.733433	-87.0696	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
60S62550001	MAURY	01243	7.64	LYTLE CREEK	OPEN	9/2/2016	1960	35.57505	-87.023783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
60018290005	MAURY	01829	0.82	CATHEYS CREEK	OPEN	10/7/2016	1949	35.630733	-87.3212	CONCRETE	TEE BEAM	58.2
60018290003	MAURY	01829	3.39	HAMPSHIRE CREEK	OPEN	10/6/2016	1940	35.6242	-87.282417	CONCRETE	TEE BEAM	60.2
60018290001	MAURY	01829	4.25	CURRY BRANCH	OPEN	10/6/2016	1990	35.618517	-87.270717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.1
60018400005	MAURY	01840	0.7	BIG BIGBY CREEK	OPEN	9/21/2016	1999	35.5264	-87.273567	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92
60018400003	MAURY	01840	1.19	BRANCH	OPEN	9/21/2016	2000	35.5253	-87.265067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
60018400001	MAURY	01840	2.86	BIG BIGBY CREEK	OPEN	9/15/2016	1975	35.518833	-87.237067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
600A0190001	MAURY	01870	0.66	LEIPERS CREEK	OPEN	8/3/2016	1992	35.70375	-87.19805	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
600A3180001	MAURY	01890	0.1	ISBELL BRANCH	OPEN	9/13/2016	1940	35.5337	-87.14645	CONCRETE	TEE BEAM	59.2
600A3240001	MAURY	01892	3.23	LITTLE BIGBY CREEK	OPEN	9/7/2016	1996	35.481467	-87.096467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
60018930003	MAURY	01893	1.75	FOUNTAIN CREEK	OPEN	8/25/2016	1975	35.43455	-86.9989	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
60018930001	MAURY	01893	4.41	FOUNTAIN CREEK	OPEN	8/31/2016	1967	35.463317	-87.00085	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.3
60018970001	MAURY	01897	1.19	NEGRO CREEK	OPEN	8/22/2016	1950	35.582317	-86.939167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
60018970003	MAURY	01897	2.53	DUCK RIVER	OPEN	8/23/2016	1962	35.573233	-86.922133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.4
600A4490001	MAURY	01901	0.21	POPLAR CREEK	OPEN	10/12/2016	1974	35.669217	-87.19465	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60019010003	MAURY	01901	4.65	BEARD BRANCH	OPEN	9/28/2016	1987	35.618533	-87.208267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
600A1610001	MAURY	01903	2.91	DUCK RIVER	OPEN	8/24/2016	1925	35.597383	-86.95865	CONCRETE	ARCH - DECK	58
60S63220003	MAURY	01907	0.26	BRANCH	OPEN	7/13/2016	1962	35.705333	-86.901333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
60019070003	MAURY	01907	1.53	RUTHERFORD CREEK	OPEN	7/13/2016	1958	35.714817	-86.92045	CONCRETE	TEE BEAM	59
60S63220007	MAURY	01907	3.39	BRANCH	OPEN	7/12/2016	1960	35.740983	-86.924817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
600A2400001	MAURY	01911	0.32	LUNNS BRANCH	OPEN	8/15/2016	2007	35.82805	-87.2166	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
60019110001	MAURY	01911	1.41	LICK CREEK	OPEN	8/15/2016	1962	35.83685	-87.207783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.6
60019110003	MAURY	01911	2.44	LICK CREEK	OPEN	8/15/2016	1980	35.841167	-87.19265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.4
60019120001	MAURY	01912	2.08	BRANCH	OPEN	8/29/2016	1972	35.464	-87.004883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
60019120003	MAURY	01912	3.22	JOHNSON BRANCH	OPEN	8/29/2016	1945	35.4749	-86.99045	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.8
60S63530001	MAURY	01914	2.42	FOUNTAIN CREEK	OPEN	8/17/2016	1964	35.50285	-86.9473	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.7
60S63530003	MAURY	01914	3.17	BRUSH CREEK	OPEN	8/17/2016	1979	35.495883	-86.937217	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.9
60I00650001	MAURY	01914	6.06	SCRIBNERS MILL RD / I65	OPEN	5/3/2016	1965	35.496767	-86.8915	CONCRETE CONTINUOUS	TEE BEAM	62.7
60019140005	MAURY	01914	6.67	SILVER CREEK	OPEN	8/17/2016	1955	35.49575	-86.880667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2
60019160001	MAURY	01916	0.09	LITTLE BIGBY CREEK	OPEN	9/8/2016	1925	35.521467	-87.091167	CONCRETE	ARCH - DECK	44.3
60019160003	MAURY	01916	0.68	EAST FORK BIGBY CREEK	OPEN	8/9/2016	1975	35.52045	-87.080817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
60019180001	MAURY	01918	1.66	LYTLE CREEK	OPEN	8/24/2016	1990	35.602033	-87.012917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
60019200001	MAURY	01920	2.19	CATHEY'S CREEK	OPEN	10/11/2016	1989	35.634467	-87.2715	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
60019200003	MAURY	01920	2.46	LOVES BRANCH	OPEN	10/11/2016	1969	35.636683	-87.275433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
60019200005	MAURY	01920	2.74	LOVES BRANCH	OPEN	10/11/2016	2002	35.64005	-87.278183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
60019200007	MAURY	01920	3.17	LOVES BRANCH	OPEN	10/10/2016	1983	35.6442	-87.28345	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60019200013	MAURY	01920	3.27	LOVES BRANCH	OPEN	10/10/2016	1983	35.644783	-87.285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
60019200015	MAURY	01920	4.14	LOVES BRANCH	OPEN	10/10/2016	1983	35.651	-87.298183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1
60019200009	MAURY	01920	4.34	LOVES BRANCH	OPEN	10/10/2016	1983	35.652817	-87.3175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
60019200011	MAURY	01920	7.51	DUCK RIVER	OPEN	10/10/2016	1960	35.676533	-87.2895	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.1
600A2210001	MAURY	01924	1.07	FOUNTAIN CREEK	CLOSED	8/30/2016	1984	35.518	-86.942083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.4
60019260001	MAURY	01926	0.1	BEECH CREEK	OPEN	8/3/2016	1940	35.735617	-87.129917	CONCRETE	TEE BEAM	64.3
60019260003	MAURY	01926	2.25	TURKEY CREEK	OPEN	8/5/2016	1964	35.739633	-87.16315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.4
60019260005	MAURY	01926	3.83	LEIPERS CREEK	OPEN	8/8/2016	2001	35.7412	-87.188933	CONCRETE	TEE BEAM	93.5
600A0840003	MAURY	01950	1.12	ROMANTOWN CREEK	OPEN	7/26/2016	2008	35.723633	-87.054067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
600A0550001	MAURY	01965	0.65	GASKILL BRANCH	OPEN	8/1/2016	1993	35.827633	-87.113383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
60SR0060001	MAURY	02733	2.09	RATTLESNAKE FALLS BRANCH	OPEN	9/20/2016	1925	35.474733	-87.248833	CONCRETE CONTINUOUS	SLAB	58.9
60SR0060003	MAURY	02733	2.97	SHEEPNECK BRANCH	OPEN	9/19/2016	1927	35.483483	-87.237517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
60SR0060005	MAURY	02733	3.18	TENNESSEE SOUTHERN RR	WEIGHT POSTED	9/20/2016	1925	35.486067	-87.235967	CONCRETE	TEE BEAM	20.7
60SR0060007	MAURY	02733	3.27	BIG BIGBY CREEK	OPEN	9/20/2016	1927	35.487433	-87.236183	CONCRETE	TEE BEAM	50.6
60SR0070025	MAURY	02737	1.91	FITZGERALD BRANCH	OPEN	8/3/2016	1982	35.723183	-87.125617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
60SR0070017	MAURY	02737	2.05	SNOW CREEK	OPEN	8/3/2016	1982	35.725233	-87.126467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
60K31940001	MAURY	03194	0.89	TENNESSEE SOUTHERN RR	OPEN	10/18/2016	1966	35.627667	-87.062283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.7
60M32010001	MAURY	03201	1.53	DUCK RIVER	OPEN	10/18/2016	1973	35.618033	-87.032117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.1
600B0240007	MAURY	03203	0.71	HALLEY BRANCH	OPEN	7/26/2016	1992	35.636967	-87.027733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
600B0240001	MAURY	03203	2.58	RUTHERFORD CREEK	OPEN	7/26/2016	1975	35.6606	-87.030667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67
600B0240005	MAURY	03203	3.64	RANEL BRANCH	OPEN	7/26/2016	1965	35.673633	-87.038267	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
600B0240003	MAURY	03203	4.61	RANEL BRANCH	OPEN	7/26/2016	1993	35.685133	-87.0463	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
60SR0060061	MAURY	03209	0.19	INDUSTRIAL PARK RD/SR6	OPEN	7/11/2016	1992	35.62955	-87.066817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.3
600A4920001	MAURY	03209	0.69	DUCK RIVER	OPEN	10/18/2016	2010	35.635083	-87.071167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
60040380001	MAURY	03211	0.98	LITTLE BIGBY CREEK	OPEN	10/25/2016	1970	35.6114	-87.070967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
600A1670001	MAURY	04624	0.05	BEAR CREEK	OPEN	10/17/2016	1960	35.635867	-86.972767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53.7
60031980007	MAURY	04837	0.38	TENNESSEE SOUTHERN RR	OPEN	10/21/2016	1994	35.594083	-87.018917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.1
60031980005	MAURY	04837	1.14	LYTLE CREEK	OPEN	10/21/2016	1994	35.603267	-87.01315	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.6
60031980003	MAURY	04837	1.16	LYTLE CREEK	OPEN	10/21/2016	1994	35.603383	-87.012833	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.8
60031980001	MAURY	04837	3.35	DUCK RIVER	OPEN	8/24/2016	1994	35.632083	-87.00985	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.3
60SR0060065	MAURY	05368	1.39	SANTA FE PK / SR 6	OPEN	7/11/2016	1992	35.639133	-87.043933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.5
60SR0070027	MAURY	05570	0.3	LEIPERS CREEK	OPEN	8/15/2016	1988	35.784583	-87.176433	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.5
600A1220011	MAURY	06067	0.499	CROOKED CREEK	OPEN	7/13/2016	1996	35.709533	-86.897483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
600A1220001	MAURY	06067	0.609	RUTHERFORD CREEK	OPEN	7/13/2016	1996	35.711033	-86.8979	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
600A1250001	MAURY	06067	1.972	AENON CREEK	OPEN	7/18/2016	1989	35.730433	-86.894417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
60SR3960007	MAURY	06067	2.221	PORT ROYAL RD / SR 396	OPEN	6/1/2016	1989	35.734067	-86.894017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.7
600A1250003	MAURY	06067	2.968	GRASSY BRANCH	OPEN	7/18/2016	1984	35.744617	-86.893667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.5
600A1160003	MAURY	06068	0.05	MCCUTCHEON CREEK	OPEN	7/12/2016	1993	35.741233	-86.924483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
600A0010001	MAURY	0A001	2.173	LITTLE BIGBY CREEK	OPEN	9/13/2016	1974	35.62485	-87.068767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90
600A0060001	MAURY	0A006	0.615	BRANCH	OPEN	10/13/2016	1970	35.672483	-87.13885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
600A0070001	MAURY	0A007	1.281	TAILINGS PONDS	OPEN	10/13/2016	1975	35.628383	-87.136033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
600A0080001	MAURY	0A008	0.827	GREENLICK CREEK	OPEN	9/27/2016	1930	35.643367	-87.121383	CONCRETE	ARCH - DECK	57.4
600A0110001	MAURY	0A011	1.21	JOHN'S BRANCH	OPEN	10/11/2016	1979	35.670183	-87.187217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A0160003	MAURY	0A016	2.476	BRANCH	OPEN	9/7/2016	1992	35.4684	-87.101633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
600A0160001	MAURY	0A016	2.581	LITTLE BIGBY CREEK	OPEN	9/7/2016	1991	35.46875	-87.09995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
600A0200001	MAURY	0A020	0.388	TURKEY CREEK	OPEN	8/5/2016	1938	35.73255	-87.167317	CONCRETE	TEE BEAM	65.9
600A0200003	MAURY	0A020	1.216	TURKEY CREEK	OPEN	8/5/2016	1938	35.722367	-87.1738	CONCRETE	TEE BEAM	66.9
600A0210001	MAURY	0A021	0.064	SNOW CREEK	OPEN	8/3/2016	1987	35.7118	-87.145917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
600A0220001	MAURY	0A022	2.984	TURKEY CREEK	OPEN	8/5/2016	1955	35.71465	-87.178933	CONCRETE	TEE BEAM	63
600A0330001	MAURY	0A033	0.006	TURKEY CREEK	OPEN	8/5/2016	1960	35.7417	-87.158683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
600A0330003	MAURY	0A033	3.76	ELAM BRANCH	WEIGHT POSTED	8/11/2016	1958	35.788833	-87.1582	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.7
600A0470001	MAURY	0A047	1.687	BRANCH	OPEN	8/11/2016	1983	35.7922	-87.165483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
600A0480001	MAURY	0A048	0.036	LEIPERS CREEK	OPEN	8/10/2016	1940	35.799383	-87.122667	CONCRETE	TEE BEAM	49
600A0510001	MAURY	0A051	0.123	LEIPERS CREEK	WEIGHT POSTED	8/8/2016	1950	35.76235	-87.186033	CONCRETE	TEE BEAM	37.2
600A0540001	MAURY	0A054	1.068	INDIAN CAMP CREEK	OPEN	8/11/2016	1993	35.789683	-87.141883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A0540003	MAURY	0A054	1.207	LEIPER'S CREEK	OPEN	8/11/2016	1981	35.79075	-87.1402	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63
600A0550003	MAURY	0A055	2.737	INDIAN CAMP BRANCH	OPEN	8/11/2016	1935	35.7857	-87.136683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.7
600A0560001	MAURY	0A056	0.847	SOWELL BRANCH	OPEN	8/9/2016	1962	35.80125	-87.118033	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.9
600A0600001	MAURY	0A060	0.011	FOX BRANCH	OPEN	8/9/2016	2011	35.804617	-87.100667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
60019050001	MAURY	0A064	2.382	GREENLICK CR &TSOU RR	OPEN	9/29/2016	1962	35.657067	-87.11895	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.2
60019050003	MAURY	0A064	3.76	DUCK RIVER	WEIGHT POSTED	9/29/2016	1963	35.672167	-87.1287	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.5
60019050007	MAURY	0A064	5.023	ROBERTS BEND BRANCH	OPEN	10/13/2016	1961	35.68045	-87.11395	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60019050005	MAURY	0A064	7.383	KNOB CREEK	OPEN	7/27/2016	1920	35.674667	-87.07885	CONCRETE	ARCH - DECK	51.8
600A0680001	MAURY	0A068	1.191	LEIPERS CREEK	WEIGHT POSTED	8/9/2016	1958	35.802967	-87.088667	CONCRETE	TEE BEAM	47.7
600A0760001	MAURY	0A076	1.334	BRANCH	OPEN	7/22/2016	1975	35.768567	-87.0185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
600A0760003	MAURY	0A076	1.602	CARTER CREEK	OPEN	7/22/2016	2010	35.76765	-87.013917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
600A0780001	MAURY	0A078	0.161	TERRELL BRANCH	OPEN	7/21/2016	1978	35.73715	-87.013033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
600A0810001	MAURY	0A081	0.004	KNOB CREEK	OPEN	7/29/2016	1984	35.734417	-87.06905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
600A0810003	MAURY	0A081	2.059	SNOW CREEK	OPEN	8/1/2016	1983	35.75775	-87.085467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
600A0820001	MAURY	0A082	0.01	KNOB CREEK	OPEN	7/29/2016	1983	35.726783	-87.072183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
600A0820003	MAURY	0A082	2.618	SNOW CREEK	OPEN	8/1/2016	1975	35.74455	-87.096667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
600A0840001	MAURY	0A084	0.032	BASSHAN CREEK	OPEN	7/21/2016	1940	35.70275	-87.016433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
600A0850001	MAURY	0A085	2.066	FOUNTAIN CREEK	OPEN	8/29/2016	1950	35.442367	-87.042767	CONCRETE	TEE BEAM	74.4
600A0870001	MAURY	0A087	0.185	KNOB CREEK	OPEN	7/27/2016	2011	35.70815	-87.08095	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
600A0870003	MAURY	0A087	1.18	KNOB CREEK	OPEN	7/27/2016	2011	35.702417	-87.081367	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
600A0880001	MAURY	0A088	2.198	SWELL BRANCH	OPEN	8/1/2016	1986	35.727567	-87.104567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
600A0880003	MAURY	0A088	2.97	SNOW CREEK	OPEN	8/1/2016	2012	35.7362	-87.109633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
600A0890001	MAURY	0A089	0.279	TERRELL BRANCH	OPEN	7/21/2016	1935	35.7244	-87.008333	CONCRETE	ARCH - DECK	64.7
600A0890003	MAURY	0A089	1.166	CARTER'S CREEK	OPEN	7/21/2016	1962	35.7177	-86.995933	CONCRETE	TEE BEAM	59.6
600A1040001	MAURY	0A104	0.052	CARTERS CREEK	WEIGHT POSTED	7/22/2016	1965	35.6904	-87.009083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.7
600A1160001	MAURY	0A116	0.434	MCCUTCHEON CREEK	OPEN	7/12/2016	1991	35.7492	-86.923183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
600A1180001	MAURY	0A118	1.966	JOHNSON BRANCH	OPEN	7/12/2016	2000	35.705333	-86.901333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.4
60I00650027	MAURY	0A123	1.245	JIM WARREN RD / I65	OPEN	5/16/2016	1961	35.73155	-86.875367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69
600A1270001	MAURY	0A127	1.808	RUTHERFORD CREEK	OPEN	7/18/2016	1985	35.725183	-86.8665	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
600A1320001	MAURY	0A132	0.346	LITTLE FLAT CREEK	OPEN	7/14/2016	1977	35.697417	-86.838933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
600A1320003	MAURY	0A132	1.086	GLENN BRANCH	OPEN	7/14/2016	1977	35.702467	-86.847883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
600A1330003	MAURY	0A133	3.25	KINCAID BRANCH	OPEN	7/14/2016	1950	35.703267	-86.842533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
600A1330001	MAURY	0A133	3.475	LITTLE FLAT CREEK	OPEN	7/14/2016	2004	35.70285	-86.838633	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.2
600A1410001	MAURY	0A141	2.212	PUMPKIN CREEK	OPEN	7/19/2016	2011	35.643933	-86.865433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4
600A1420001	MAURY	0A142	0.11	PUMPKIN CREEK	OPEN	7/18/2016	2009	35.6458	-86.872883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
600A1440001	MAURY	0A144	0.135	BRANCH	OPEN	7/19/2016	1984	35.6464	-86.88595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A1520001	MAURY	0A152	1.288	N. PRONG DOUBLE BRANCH	OPEN	7/20/2016	1970	35.676883	-86.9339	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
600A1520003	MAURY	0A152	2.115	S. PRONG DOUBLE BRANCH	OPEN	7/19/2016	1984	35.6315	-86.936167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
600A1560001	MAURY	0A156	0.911	BRANCH	OPEN	7/20/2016	1984	35.66795	-86.9869	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A1570001	MAURY	0A157	1.312	RUTHERFORD CREEK	WEIGHT POSTED	7/20/2016	1960	35.67315	-86.978033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.2
600A1570003	MAURY	0A157	2.476	DOUBLE BRANCH	OPEN	7/20/2016	2013	35.6775	-86.962983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.1
60019030001	MAURY	0A161	0.035	BEAR CREEK	OPEN	10/17/2016	1990	35.633467	-86.955067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
60019030003	MAURY	0A161	0.318	BRANCH	OPEN	10/17/2016	1970	35.631233	-86.9514	CONCRETE CONTINUOUS	TEE BEAM	48.4
60019030005	MAURY	0A161	0.896	BRANCH	OPEN	8/16/2016	1968	35.627367	-86.94575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
600A1630001	MAURY	0A163	0.721	LYTLE CREEK	OPEN	8/24/2016	1950	35.621283	-87.016983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.2
600A1730001	MAURY	0A173	1.98	BRANCH	OPEN	8/16/2016	1970	35.6258	-86.943183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
600A1770001	MAURY	0A177	0.415	PUMPKIN CREEK	OPEN	8/22/2016	1945	35.57745	-86.861667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	45.2
600A1770003	MAURY	0A177	3.486	DUCK RIVER	WEIGHT POSTED	8/16/2016	1962	35.617633	-86.8659	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.7
600A1850001	MAURY	0A185	0.332	GREASY BRANCH	OPEN	8/23/2016	1948	35.54275	-86.977167	CONCRETE	TEE BEAM	67.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
600A1890001	MAURY	0A189	0.297	CEDAR CREEK	OPEN	8/18/2016	1940	35.546767	-86.84275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.5
600A1910001	MAURY	0A191	0.316	DRY CREEK	OPEN	8/17/2016	1976	35.545417	-86.86205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
60I00650007	MAURY	0A191	3.014	NEW CUT RD. / I65	OPEN	5/3/2016	1965	35.54295	-86.906267	CONCRETE CONTINUOUS	TEE BEAM	65.2
600A2000001	MAURY	0A200	0	SILVER CREEK	OPEN	8/23/2016	1935	35.54795	-86.94875	CONCRETE	ARCH - DECK	58.4
600A2040001	MAURY	0A204	1.103	BRANCH	OPEN	8/22/2016	1950	35.579433	-87.910317	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	67
600A2200001	MAURY	0A220	1.804	SILVER CREEK	OPEN	8/17/2016	2003	35.52365	-86.917017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
600A2240001	MAURY	0A224	2.155	HURRICANE CREEK	OPEN	8/31/2016	1989	35.529867	-87.0033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A2260001	MAURY	0A226	0.305	LONG TOM BRANCH	OPEN	8/31/2016	1938	35.5024	-86.965	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	72.8
600A2290001	MAURY	0A229	0.052	FOUNTAIN CREEK	OPEN	8/26/2016	1994	35.473667	-86.970883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
600A2290003	MAURY	0A229	1.087	SOUTH FORK FOUNTAIN CREEK	OPEN	8/26/2016	1977	35.46	-86.976917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
600A2290005	MAURY	0A229	1.485	SOUTH FORK FOUNTAIN CREEK	OPEN	8/25/2016	1930	35.455017	-86.980517	CONCRETE	ARCH - DECK	58.1
600A2300001	MAURY	0A230	0.015	FOUNTAIN CREEK	OPEN	8/31/2016	1930	35.477117	-86.986267	CONCRETE	ARCH - DECK	58.4
600A2480001	MAURY	0A248	0.227	BRANCH	OPEN	8/31/2016	1984	35.481317	-87.00325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
600A2560001	MAURY	0A256	1.07	HURRICANE CREEK	OPEN	9/2/2016	1952	35.541667	-86.996183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.7
600A2580001	MAURY	0A258	0.241	GOOSE CREEK	OPEN	9/2/2016	1984	35.555417	-87.015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
600A0910001	MAURY	0A269	3.061	FOUNTAIN CREEK	OPEN	8/29/2016	1940	35.453367	-87.032517	CONCRETE	ARCH - DECK	59.3
600A3920001	MAURY	0A285	0.086	SCOTTS CREEK	OPEN	9/14/2016	1987	35.523017	-87.157717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
600A3290001	MAURY	0A300	0.021	FOUNTAIN CREEK	OPEN	8/29/2016	1984	35.445783	-87.042433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
60I00650015	MAURY	0A301	0.594	LUTHER SHARP RD / I65	OPEN	5/4/2016	1965	35.6242	-86.898717	CONCRETE CONTINUOUS	TEE BEAM	69.1
600A3070001	MAURY	0A307	0.011	LITTLE BIGBY CREEK	OPEN	9/13/2016	1950	35.557583	-87.084817	CONCRETE	TEE BEAM	59.1
600A3070003	MAURY	0A307	4.588	LITTLE BIGBY CREEK	WEIGHT POSTED	9/8/2016	1968	35.529183	-87.0877	CONCRETE	TEE BEAM	48.9
600A3100001	MAURY	0A310	0.088	POPULAR CREEK	OPEN	10/12/2016	1980	35.659583	-87.182317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
600A3260005	MAURY	0A326	0.038	S. FK. FOUNTAIN CREEK	OPEN	8/25/2016	1944	35.44675	-86.988567	CONCRETE	TEE BEAM	39.2
600A3260003	MAURY	0A326	0.179	CAMPBELL STATION BRANCH	OPEN	8/25/2016	1975	35.445017	-86.9875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.1
600A3260001	MAURY	0A326	1.132	CAMPBELL STATION BRANCH	OPEN	8/25/2016	1935	35.433817	-86.977933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	46.2
600A3270003	MAURY	0A327	1.599	SHEEPNECK CREEK	OPEN	8/26/2016	1984	35.451717	-86.956067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A3270001	MAURY	0A327	1.706	SHEEPNECK CREEK	OPEN	8/26/2016	1983	35.45245	-86.954217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A3310001	MAURY	0A331	0.189	GLOBE CREEK	WEIGHT POSTED	8/26/2016	1965	35.4688	-86.9334	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.6
600A3360001	MAURY	0A336	0	LITTLE BIGBY CREEK	OPEN	9/8/2016	1986	35.492883	-87.097667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A3380001	MAURY	0A338	0.049	TERRAPIN BRANCH	OPEN	9/14/2016	2002	35.4943	-87.147217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
600A3380003	MAURY	0A338	2.961	SCOTTS CREEK	OPEN	9/14/2016	2002	35.454017	-87.153683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
600A3400001	MAURY	0A340	1.075	CARTERS CREEK	OPEN	7/22/2016	1940	35.788533	-87.029333	CONCRETE	TEE BEAM	66.8
600A3410001	MAURY	0A341	0.02	LITTLE BIGBY CREEK	OPEN	9/2/2016	2013	35.570233	-87.079633	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	76.9
600A3530001	MAURY	0A353	0.082	DRY CREEK	OPEN	9/19/2016	1936	35.472717	-87.214	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.9
600A3540001	MAURY	0A354	1.142	BRANCH	OPEN	9/19/2016	1945	35.482133	-87.2368	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58
600A3580001	MAURY	0A358	0.423	BIG BIGBY BRANCH	WEIGHT POSTED	9/20/2016	1916	35.4832	-87.242483	CONCRETE	ARCH - DECK	17.4
600A3580003	MAURY	0A358	0.733	BRANCH	OPEN	9/20/2016	1964	35.486717	-87.23895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.5
600A3640001	MAURY	0A364	1.518	SILVER CREEK	OPEN	8/17/2016	1965	35.5077	-86.892717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.2
600A3680001	MAURY	0A368	2.7	DOG BRANCH	OPEN	9/21/2016	1984	35.515217	-87.265783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A3720001	MAURY	0A372	0.44	DOG BRANCH	OPEN	9/21/2016	1940	35.519783	-87.266983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
600B0360001	MAURY	0A374	0.011	LITTLE BIGBY CREEK	OPEN	9/8/2016	1970	35.5382	-87.089717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
600A3750001	MAURY	0A375	0.181	W. FORK BIG BIGBY CREEK	OPEN	9/21/2016	2014	35.52755	-87.261167	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
600A3750003	MAURY	0A375	0.92	LONG BRANCH	OPEN	9/22/2016	1989	35.5347	-87.258583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
600A3780001	MAURY	0A378	0.184	SUGAR CREEK	OPEN	9/15/2016	2000	35.5034	-87.189283	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85
600A3810001	MAURY	0A381	0.101	SUGAR CREEK	OPEN	9/15/2016	1930	35.527867	-87.207983	CONCRETE	TEE BEAM	48.3
600A3930001	MAURY	0A393	1.299	QUALITY CREEK	OPEN	9/14/2016	2006	35.5433	-87.170517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
600A3960001	MAURY	0A396	1.488	BRANCH	OPEN	8/18/2016	1958	35.551317	-86.849467	CONCRETE	TEE BEAM	66.5
600A4080001	MAURY	0A408	1.311	BIG BIGBY CREEK	WEIGHT POSTED	9/28/2016	1930	35.585483	-87.184133	CONCRETE	TEE BEAM	16.2
600A4090001	MAURY	0A409	0.249	CAMP BRANCH	OPEN	9/22/2016	1966	35.550783	-87.238983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.5
600A4090003	MAURY	0A409	2.143	DOG BRANCH	OPEN	9/22/2016	1983	35.575567	-87.248417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
600A4120001	MAURY	0A412	0.756	DOG BRANCH	OPEN	10/6/2016	1940	35.577933	-87.238117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.5
600A4130001	MAURY	0A413	0.13	CAMP BRANCH	OPEN	9/22/2016	1984	35.556067	-87.260283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
600A4130003	MAURY	0A413	0.459	CAMP BRANCH	OPEN	9/22/2016	1984	35.556833	-87.265633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
600A4140003	MAURY	0A414	0.974	BAPTIST BRANCH	OPEN	10/5/2016	1975	35.559933	-87.3026	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
600A4140001	MAURY	0A414	1.554	BAPTIST BRANCH	OPEN	10/5/2016	1983	35.564883	-87.294883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.3
600A4150001	MAURY	0A415	0.01	BAPTIST BRANCH	OPEN	10/5/2016	2012	35.5678	-87.294217	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.5
600A4180001	MAURY	0A418	1.726	DOG BRANCH	OPEN	9/28/2016	1939	35.581317	-87.2256	CONCRETE	ARCH - DECK	69.7
600A4240001	MAURY	0A424	0.046	CURRY BRANCH	OPEN	10/6/2016	1939	35.612133	-87.268433	CONCRETE	ARCH - DECK	64.7
600A4240003	MAURY	0A424	2.148	BAPTIST CREEK	OPEN	10/5/2016	1934	35.59595	-87.291417	CONCRETE	ARCH - DECK	46.7
600A4290001	MAURY	0A429	1.347	DRY FORK	OPEN	9/27/2016	2012	35.600833	-87.33235	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
600A4330001	MAURY	0A433	0.01	CATHEYS CREEK	OPEN	10/7/2016	2016	35.633067	-87.30545	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
600A4340001	MAURY	0A434	2	MCCLANAHAN BRANCH	OPEN	10/5/2016	1993	35.5981	-87.29185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
60019010001	MAURY	0A449	0.226	POPLAR CREEK	OPEN	10/12/2016	1980	35.67665	-87.2091	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
600A4350003	MAURY	0A461	0.32	SCOTTS BRANCH	OPEN	10/7/2016	2004	35.640783	-87.331667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
600A4350001	MAURY	0A461	0.506	SCOTTS BRANCH	OPEN	10/7/2016	1992	35.643383	-87.330917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
600A4650001	MAURY	0A465	0.608	EAST FORK GREENLICK CREEK	OPEN	9/27/2016	1939	35.60995	-87.1199	CONCRETE CONTINUOUS	TEE BEAM	59.5
600A4710001	MAURY	0A471	2.236	BRANCH	OPEN	9/15/2016	1935	35.457	-87.209517	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	57.2
600A4710003	MAURY	0A471	3.269	DRY CREEK	OPEN	9/19/2016	2011	35.47055	-87.2158	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.8
600A4780001	MAURY	0A478	0.421	EAST FORK GREENLICK CREEK	OPEN	9/27/2016	1983	35.60085	-87.114383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
600A4910001	MAURY	0A491	0.339	JOHNSON BRANCH	OPEN	8/8/2016	1980	35.724	-87.2408	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
60I00650019	MAURY	0A538	1.626	NEW LASEA RD./I65	OPEN	5/5/2016	1963	35.660667	-86.89285	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.1
600A1430001	MAURY	0A538	1.987	PUMPKIN CREEK	OPEN	7/19/2016	2011	35.664733	-86.890733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
60SR0500013	MAURY	0A557	1.265	GOOSE CREEK	OPEN	8/23/2016	1918	35.562633	-86.993667	CONCRETE	ARCH - DECK	60.9
60SR0500015	MAURY	0A557	3.112	HURRICANE CREEK	OPEN	8/23/2016	1918	35.547617	-86.968533	CONCRETE CONTINUOUS	ARCH - DECK	70.3
60009700009	MAURY	0A570	1.05	DUCK RIVER	CLOSED	8/22/2016	1950	35.574883	-86.8674	CONCRETE CONTINUOUS	TEE BEAM	33.8
600A5710001	MAURY	0A571	2.29	CARTER CREEK	OPEN	7/21/2016	2011	35.727533	-86.98835	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.9
600A5710003	MAURY	0A571	3.61	THOMAS PETTY BRANCH	OPEN	7/22/2016	1984	35.7435	-86.996083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
600A1910005	MAURY	0A614	1.431	GOOSE CREEK	OPEN	8/23/2016	2013	35.569667	-86.985883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
600A8860001	MAURY	0A886	0.738	BRANCH	OPEN	10/25/2016	1993	35.599267	-87.060333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
600A8860003	MAURY	0A886	1.315	BRANCH	OPEN	10/25/2016	1993	35.600033	-87.061333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
600B0210001	MAURY	0B021	0.739	DUCK RIVER	OPEN	10/13/2016	1965	35.68665	-87.178517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	36.6
600B0210003	MAURY	0B021	1.579	SNOW CREEK	OPEN	10/12/2016	2011	35.6948	-87.188183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.9
600B0220001	MAURY	0B022	3.292	POPLAR CREEK	OPEN	10/12/2016	1965	35.6811	-87.223383	CONCRETE	TEE BEAM	60.3
600B0230001	MAURY	0B023	0.604	KNOB CREEK	WEIGHT POSTED	7/29/2016	1945	35.718967	-87.074867	CONCRETE	TEE BEAM	49.2
600B0250001	MAURY	0B025	0.733	COVEY BRANCH	OPEN	9/6/2016	1960	35.510017	-87.07365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.9
600B0250003	MAURY	0B025	1.034	E FORK LITTLE BIGBY CREEK	OPEN	9/6/2016	1949	35.505767	-87.073733	CONCRETE	TEE BEAM	64.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
600B0250005	MAURY	0B025	1.443	E FORK LITTLE BIGBY CREE	OPEN	9/6/2016	1935	35.500217	-87.070717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
600B0260001	MAURY	0B026	0.694	HOPEWELL BRANCH	OPEN	9/6/2016	1984	35.500467	-87.06635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
600B0260003	MAURY	0B026	2.47	E FORK LITTLE BIGBY CREE	OPEN	9/6/2016	1983	35.476683	-87.06515	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
600B0270001	MAURY	0B027	0.012	LITTLE BIGBY CREEK	OPEN	9/7/2016	1935	35.477833	-87.09745	CONCRETE	ARCH - DECK	57.4
600B0280001	MAURY	0B028	2.749	WILEY BRANCH	OPEN	9/7/2016	1984	35.469233	-87.08745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
600B0750001	MAURY	0B075	0.291	RMP FR 396 TO SR6/B075	OPEN	6/2/2016	1989	35.739933	-86.9467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.6
600B0810001	MAURY	0B081	0.53	RUTHERFORD CREEK	OPEN	10/17/2016	1990	35.669667	-87.01395	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.1
600B1260001	MAURY	0B126	0.149	BRANCH	OPEN	9/2/2016	1985	35.576117	-87.065917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
600B1760001	MAURY	0B176	0.078	BRANCH	OPEN	9/27/2016	1980	35.631417	-87.113667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
600A1220005	MAURY	0B205	0.013	MCCUTCHEON CREEK	OPEN	7/12/2016	1990	35.727617	-86.924317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
600B2060001	MAURY	0B206	0.137	AENON CREEK	WEIGHT POSTED	7/18/2016	1950	35.7339	-86.88605	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	62.8
60M32110001	MAURY	0B225	0.047	LITTLE BIGBY CREEK	OPEN	10/25/2016	1984	35.60505	-87.06885	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.7
600B3050001	MAURY	0B305	0.013	TENNESSEE SOUTHERN RR	OPEN	10/19/2016	2006	35.611183	-87.049967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
60009700011	MAURY	0B310	1.567	CEDAR CREEK	OPEN	8/22/2016	1960	35.554367	-86.856733	CONCRETE	TEE BEAM	56.5
600B3500001	MAURY	0B350	0.16	BRANCH	OPEN	10/17/2016	1999	35.6404	-87.011983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
600A0560003	MAURY	0B363	0.13	LEIPERS CREEK	OPEN	8/9/2016	1940	35.8009	-87.11525	CONCRETE	TEE BEAM	64.6
600B5510001	MAURY	0B551	0.35	MCCUTCHEON CREEK	OPEN	7/12/2016	2014	35.737483	-86.923367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
600A1220003	MAURY	0B561	0.566	AENON CREEK	WEIGHT POSTED	11/10/2016	1964	35.727667	-86.905317	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	33.8
600A0260001	MAURY	0B625	0.01	BRANCH	OPEN	8/8/2016	1956	35.751333	-87.2291	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.4
600A4460001	MAURY	0B627	0.893	KETTLE BRANCH	OPEN	10/10/2016	1940	35.67795	-87.297883	CONCRETE	ARCH - DECK	58.4
60SR0060043	MAURY	OZ001	0.1	RAMP C-SATURN PKWY/SR 6	OPEN	6/2/2016	1989	35.71745	-86.969767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60I00650003	MAURY	I0065	1.47	SILVER CREEK	OPEN	5/3/2016	1965	35.50795	-86.89435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57
60I00650009	MAURY	I0065	5.47	DUCK RIVER	OPEN	5/4/2016	1962	35.564433	-86.906017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
60I00650010	MAURY	I0065	5.47	DUCK RIVER	OPEN	5/4/2016	1962	35.564583	-86.906333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
60I00650013	MAURY	I0065	9.05	DERRYBERRY CREEK	OPEN	5/4/2016	1965	35.616267	-86.899833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.9
60I00650017	MAURY	I0065	10.9	I65 RL / SR 99	OPEN	5/5/2016	1963	35.642567	-86.893483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87
60I00650018	MAURY	I0065	10.9	I65 LL / SR 99	OPEN	5/5/2016	1963	35.6427	-86.8939	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
60I00650021	MAURY	I0065	12.48	PUMPKIN CREEK	OPEN	5/5/2016	1963	35.66515	-86.891533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.9
60I00650025	MAURY	I0065	16.48	RUTHERFORD CREEK	OPEN	5/16/2016	1961	35.72225	-86.876933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.7
60I00650026	MAURY	I0065	16.48	RUTHERFORD CREEK	OPEN	5/16/2016	1961	35.72215	-86.877233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.7
60SR0060084	MAURY	SR006	2.48	BIG BIGBY CREEK / TSRR	OPEN	6/27/2016	1999	35.469767	-87.26505	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.9
60SR0060083	MAURY	SR006	2.51	BIG BIGBY CREEK / TSRR	OPEN	6/27/2016	1999	35.470028	-87.264703	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.9
60SR0060085	MAURY	SR006	5.35	BRANCH	OPEN	6/27/2016	1999	35.499206	-87.232597	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	70.9
60SR0060009	MAURY	SR006	5.58	BIG BIGBY CREEK	OPEN	6/27/2016	1998	35.502417	-87.231533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
60SR0060010	MAURY	SR006	5.58	BIG BIGBY CREEK	OPEN	6/27/2016	1998	35.50285	-87.231717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
60SR0060031	MAURY	SR006	6.96	SR 6 RL/MT JOY RD&TSOURR	OPEN	6/28/2016	1978	35.5204	-87.222567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.4
60SR0060032	MAURY	SR006	6.96	SR 6 LL/MT JOY RD&TSOURR	OPEN	6/28/2016	1978	35.520433	-87.222817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.4
60SR0060033	MAURY	SR006	10.14	SUGAR FORK CREEK	OPEN	6/28/2016	1978	35.555167	-87.197917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
60SR0060034	MAURY	SR006	10.14	SUGAR FORK CREEK	OPEN	6/28/2016	1978	35.555517	-87.197917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
60SR0060035	MAURY	SR006	10.94	TENNESSEE SOUTHERN RR	OPEN	6/14/2016	1978	35.557983	-87.184917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60SR0060071	MAURY	SR006	12.3	BRANCH	OPEN	6/27/2016	1989	35.569283	-87.163933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
60SR0060078	MAURY	SR006	13.61	SR 6 / ZION RD	OPEN	6/28/2016	2001	35.580083	-87.144667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.9
60SR0060077	MAURY	SR006	13.61	SR 6 / ZION RD	OPEN	6/28/2016	1989	35.57985	-87.1445	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	71.9
60SR0060037	MAURY	SR006	14.71	TENNESSEE SOUTHERN RR	OPEN	6/29/2016	1988	35.588533	-87.128283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
60SR0060038	MAURY	SR006	14.71	TENNESSEE SOUTHERN RR	OPEN	6/29/2016	2000	35.588817	-87.12815	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
60SR0060040	MAURY	SR006	14.83	TENNESSEE SOUTHERN RR	OPEN	6/29/2016	2000	35.5896	-87.1267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
60SR0060039	MAURY	SR006	14.83	TENNESSEE SOUTHERN RR	OPEN	6/29/2016	1988	35.589517	-87.126333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
60SR0060045	MAURY	SR006	16.335	BRANCH	OPEN	6/29/2016	1988	35.61015	-87.120817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
60SR0060047	MAURY	SR006	16.78	BRANCH	OPEN	7/6/2016	1988	35.61615	-87.117733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
60SR0060049	MAURY	SR006	16.98	BRANCH	OPEN	7/6/2016	1988	35.619383	-87.118967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
60SR0060053	MAURY	SR006	18.05	SR6/SR50-WILLIAMSPORT PK	OPEN	7/6/2016	1992	35.62865	-87.10415	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
60SR0060054	MAURY	SR006	18.05	SR6/SR50-WILLIAMSPORT PK	OPEN	7/6/2016	2000	35.6288	-87.104383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
60SR0060055	MAURY	SR006	19.78	SR6-RL/OLD WILLIAMSPORT	OPEN	7/8/2016	1992	35.626967	-87.074367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
60SR0060056	MAURY	SR006	19.78	SR-6LL/OLD WILLIAMSPORT	OPEN	7/8/2016	1992	35.627167	-87.074517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
60SR0060057	MAURY	SR006	20.12	LITTLE BIGBY CREEK	OPEN	7/8/2016	1992	35.628917	-87.068983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
60SR0060058	MAURY	SR006	20.12	LITTLE BIGBY CREEK	OPEN	7/8/2016	1992	35.629183	-87.069183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86
60SR0060059	MAURY	SR006	20.2	SR6-RMP-C/L. BIGBY CR	OPEN	7/8/2016	1992	35.628617	-87.068767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
60SR0060063	MAURY	SR006	20.56	TENNESSEE SOUTHERN RR	OPEN	7/6/2016	1992	35.629683	-87.061533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.8
60SR0060068	MAURY	SR006	22.24	DUCK RIVER	OPEN	7/11/2016	1992	35.6377	-87.035967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60SR0060067	MAURY	SR006	22.24	DUCK RIVER	OPEN	7/11/2016	1992	35.63735	-87.036033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87
60SR0060028	MAURY	SR006	25.69	RUTHERFORD CREEK	OPEN	6/22/2016	1972	35.66885	-87.005233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
60SR0060027	MAURY	SR006	25.69	RUTHERFORD CREEK	OPEN	6/22/2016	1972	35.668917	-87.0051	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
60SR0060079	MAURY	SR006	31.56	SR 6-STR. 1 / SR 396	OPEN	6/2/2016	1989	35.7382	-86.9471	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.9
60SR0060029	MAURY	SR006	32.14	BRANCH	OPEN	6/3/2016	1954	35.743683	-86.93935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.9
60SR0070001	MAURY	SR007	1.36	BRANCH	OPEN	5/18/2016	1949	35.4473	-87.040983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
60SR0070003	MAURY	SR007	2.18	BRANCH	OPEN	5/18/2016	1923	35.457117	-87.0398	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.5
60SR0070005	MAURY	SR007	5.96	COVEY BRANCH	OPEN	5/19/2016	1927	35.510733	-87.055717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	44.9
60SR0060025	MAURY	SR007	13.9	DUCK RIVER	OPEN	5/19/2016	1948	35.6217	-87.0342	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.7
60SR0060026	MAURY	SR007	13.9	DUCK RIVER	OPEN	5/19/2016	1947	35.6217	-87.0342	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	62.2
60SR0070011	MAURY	SR007	15.72	DUCK RIVER	OPEN	5/23/2016	2004	35.645533	-87.045367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
60SR0070013	MAURY	SR007	16	TENNESSEE SOUTHERN RR	OPEN	5/23/2016	2005	35.64845	-87.048733	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
60SR0070041	MAURY	SR007	19.48	NOB CREEK	OPEN	5/24/2016	2004	35.6823	-87.080167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
60SR0070043	MAURY	SR007	19.93	BRANCH	OPEN	5/24/2016	2004	35.6871	-87.084817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
60SR0070045	MAURY	SR007	22.4	GORGE	OPEN	5/24/2016	2011	35.711767	-87.115933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
60SR0070037	MAURY	SR007	23.48	SNOW CREEK	OPEN	5/24/2016	1999	35.718917	-87.13	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
60SR0070039	MAURY	SR007	29.19	ELAM BRANCH	OPEN	5/24/2016	2001	35.78935	-87.159733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
60SR0070021	MAURY	SR007	29.31	LEIPERS CREEK	OPEN	5/24/2016	1983	35.78875	-87.161683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	61.5
60SR0070023	MAURY	SR007	29.51	LEIPERS CREEK	OPEN	5/25/2016	1983	35.788933	-87.1651	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60SR0070029	MAURY	SR007	30.1	LEIPERS CREEK	OPEN	5/25/2016	1988	35.788817	-87.1749	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
60SR0070035	MAURY	SR007	30.49	BRANCH	OPEN	5/25/2016	1990	35.7924	-87.180383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
60SR0070033	MAURY	SR007	31.33	BRANCH	OPEN	5/25/2016	1989	35.799583	-87.192083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
60SR0500001	MAURY	SR050	0.02	FATTY BREAD CREEK	OPEN	6/9/2016	1947	35.720783	-87.246533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
60SR0500003	MAURY	SR050	2.4	DUCK RIVER	OPEN	6/9/2016	1951	35.695533	-87.220783	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.9
60SR0500005	MAURY	SR050	5.13	JOHNS BRANCH	OPEN	6/9/2016	1947	35.668867	-87.190883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
60SR0500007	MAURY	SR050	9.41	GREENLICK CREEK	OPEN	6/9/2016	1935	35.634733	-87.129433	CONCRETE	TEE BEAM	49.9
60SR0500031	MAURY	SR050	10.75	BRANCH OF GREENLICK CREEK	OPEN	6/9/2016	1991	35.62995	-87.106183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
60SR0500009	MAURY	SR050	13.27	LITTLE BIGBY CREEK	OPEN	6/9/2016	1938	35.61725	-87.065717	CONCRETE	TEE BEAM	59.9
60FA0380001	MAURY	SR050	13.98	TENNESSEE SOUTHERN RR	OPEN	6/13/2016	1978	35.609317	-87.069267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.9
60FA0380003	MAURY	SR050	14.51	BRANCH	OPEN	6/13/2016	1978	35.602767	-87.065183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52
60SR0500011	MAURY	SR050	17.75	LYTLE CREEK	OPEN	6/13/2016	1978	35.5883	-87.01365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
60SR0500021	MAURY	SR050	19.92	GOOSE CREEK	OPEN	6/13/2016	1981	35.561467	-86.99895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
60SR0500023	MAURY	SR050	21.21	HURRICANE CREEK	OPEN	6/13/2016	1981	35.544083	-86.98945	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
60SR0500025	MAURY	SR050	21.84	BRANCH	OPEN	6/8/2016	1981	35.53905	-86.981517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
60SR0500027	MAURY	SR050	22.78	FOUNTAIN CREEK	OPEN	6/8/2016	1981	35.535367	-86.965217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79
60SR0500029	MAURY	SR050	24.9	SILVER CREEK	OPEN	6/8/2016	1981	35.530017	-86.92825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3
60I00650005	MAURY	SR050	26.75	SR 50 / I65	OPEN	5/3/2016	1963	35.51895	-86.898483	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66
60SR0990001	MAURY	SR099	2.56	MCCLANAHAN CREEK	OPEN	6/16/2016	1948	35.595183	-87.296767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.5
60SR0990003	MAURY	SR099	2.89	BAPTIST CREEK	OPEN	6/16/2016	1948	35.597483	-87.29185	CONCRETE	TEE BEAM	49.7
60SR0990005	MAURY	SR099	4.2	CURRY BRANCH	OPEN	6/16/2016	1948	35.603733	-87.269783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60SR0990007	MAURY	SR099	4.27	BRANCH	OPEN	6/16/2016	1948	35.604133	-87.26875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
60SR0990009	MAURY	SR099	4.88	EAST FORK CURRY BRANCH	OPEN	6/16/2016	1948	35.609517	-87.2607	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.5
60SR0990011	MAURY	SR099	6.69	BRANCH	OPEN	6/20/2016	1948	35.615767	-87.232967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.1
60SR0990013	MAURY	SR099	6.94	BRANCH	OPEN	6/20/2016	1948	35.617183	-87.228933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
60SR0990015	MAURY	SR099	8.03	BIG BIGBY CREEK	OPEN	6/20/2016	1948	35.617467	-87.209817	CONCRETE	TEE BEAM	50.7
60SR0990017	MAURY	SR099	8.23	FRIERSON BRANCH	OPEN	6/20/2016	1948	35.6178	-87.206433	CONCRETE	TEE BEAM	51.7
60SR0990019	MAURY	SR099	10.5	BEARD BRANCH	OPEN	6/20/2016	1941	35.615217	-87.1665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.9
60SR0990021	MAURY	SR099	12.66	GREENLICK CREEK	OPEN	6/20/2016	1941	35.61305	-87.12835	CONCRETE	TEE BEAM	48.9
60SR0990023	MAURY	SR099	12.97	EAST FORK GREENLICK CREEK	OPEN	6/21/2016	1941	35.615	-87.123383	CONCRETE	TEE BEAM	45.2
60SR0060041	MAURY	SR099	13.18	SR 99 / SR 6	OPEN	6/21/2016	1988	35.616533	-87.120133	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	70.7
60SR0990033	MAURY	SR099	13.24	BRANCH	OPEN	6/21/2016	1988	35.616667	-87.118717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
60SR0990027	MAURY	SR099	20.51	BEAR CREEK	OPEN	6/21/2016	1968	35.633567	-86.954017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.9
60SR0990029	MAURY	SR099	26.07	PUMPKIN CREEK	OPEN	6/22/2016	1968	35.643	-86.8595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
60SR0990031	MAURY	SR099	26.34	FLAT CREEK	OPEN	6/22/2016	1968	35.6425	-86.85495	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.2
60SR1060001	MAURY	SR106	2.94	FLAT CREEK	OPEN	5/31/2016	1947	35.665267	-86.830133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74.5
60SR1060005	MAURY	SR106	5.06	LITTLE FLAT CREEK	OPEN	5/31/2016	2001	35.695433	-86.831983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	65.3
60SR1060003	MAURY	SR106	5.72	CARLTON BRANCH	OPEN	5/31/2016	1947	35.7047	-86.83525	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78
60SR1660001	MAURY	SR166	2.43	BRANCH	OPEN	5/26/2016	2008	35.464033	-87.1734	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
60S62000003	MAURY	SR166	3.1	SUGAR CREEK	OPEN	3/30/2017	1970	35.472017	-87.179667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.9
60S62000001	MAURY	SR166	4.17	SUGAR CREEK	OPEN	5/26/2016	1953	35.4865	-87.1827	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60
60S61990005	MAURY	SR166	10.35	BIG BIGBY CREEK	OPEN	5/26/2016	1953	35.545533	-87.234383	CONCRETE	TEE BEAM	61.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60S61990003	MAURY	SR166	10.42	OVERFLOW BIGBY CREEK	OPEN	5/26/2016	1953	35.545617	-87.23555	CONCRETE	TEE BEAM	65.9
60S61990001	MAURY	SR166	11.66	CAMP BRANCH	OPEN	5/26/2016	1953	35.554583	-87.2543	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
60SR0060011	MAURY	SR243	2.06	SUGAR CREEK	OPEN	6/14/2016	1925	35.548783	-87.196617	CONCRETE	TEE BEAM	49.3
60SR0060013	MAURY	SR243	2.3	TENNESSEE SOUTHERN RR	OPEN	6/14/2016	1927	35.55075	-87.193017	CONCRETE	TEE BEAM	51.1
60SR0060075	MAURY	SR243	2.97	SR 243 RAMP EF / SR 6	OPEN	6/14/2016	1989	35.559333	-87.18565	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.9
60SR0060015	MAURY	SR243	6.14	LICK CREEK	OPEN	6/14/2016	1925	35.576533	-87.13275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.1
60SR0060017	MAURY	SR243	7.21	GREENLICK CREEK	OPEN	6/15/2016	1925	35.58155	-87.114867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	32.8
60SR0060019	MAURY	SR243	9.85	LITTLE BIGBY CREEK	OPEN	6/15/2016	1925	35.599283	-87.074067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.9
60SR2430001	MAURY	SR243	10.31	BRANCH	OPEN	6/15/2016	1989	35.602933	-87.0683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.9
60SR0060021	MAURY	SR243	10.91	TENNESSEE SOUTHERN RR	OPEN	6/15/2016	1965	35.61025	-87.06115	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	60.9
60SR0060023	MAURY	SR243	11.36	TENNESSEE SOUTHERN RR	OPEN	6/15/2016	2009	35.613633	-87.054567	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
60S62010001	MAURY	SR245	2.1	LITTLE BIGBY CREEK	OPEN	6/8/2016	1960	35.471033	-87.099167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.1
60S62010003	MAURY	SR245	9.92	LITTLE BIGBY CREEK	OPEN	6/8/2016	2012	35.5738	-87.07145	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.8
60S61810003	MAURY	SR246	1.07	CARTER CREEK	OPEN	6/7/2016	1955	35.681667	-87.012083	CONCRETE	TEE BEAM	59.4
60S61810005	MAURY	SR246	2.34	MAYHORN BRANCH	OPEN	6/7/2016	1957	35.698533	-87.01355	CONCRETE	TEE BEAM	40.2
60S61810007	MAURY	SR246	4.44	BRANCH	OPEN	6/7/2016	1950	35.728133	-87.011517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.7
60S61810009	MAURY	SR246	4.65	TERRELL BRANCH	OPEN	6/7/2016	1950	35.731117	-87.011117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.4
60S61810011	MAURY	SR246	6.59	CARTER CREEK	OPEN	6/7/2016	1955	35.759067	-87.007683	CONCRETE	TEE BEAM	47.6
60S62540001	MAURY	SR247	1.05	LEIPERS CREEK	OPEN	6/6/2016	1960	35.695267	-87.20275	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41
60S62540003	MAURY	SR247	2.5	TURKEY CREEK	OPEN	6/6/2016	2012	35.702333	-87.1812	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
60S62540005	MAURY	SR247	5.78	BEECH CREEK	OPEN	6/6/2016	1999	35.72285	-87.13235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60004150009	MAURY	SR247	9.58	SNOW CREEK	OPEN	6/6/2016	1960	35.7587	-87.085133	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	47.7
60SR2470001	MAURY	SR247	10.89	SNOW CREEK	OPEN	6/6/2016	1950	35.768733	-87.066233	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	56.9
60S62540007	MAURY	SR247	14.23	CARTERS CREEK	OPEN	6/3/2016	1950	35.777117	-87.01925	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	59.6
60S62510001	MAURY	SR247	15.71	CARTERS CREEK	OPEN	6/3/2016	2006	35.7528	-86.996833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.2
60S62510003	MAURY	SR247	16.85	MCMEEN BRANCH	OPEN	6/3/2016	1977	35.752833	-86.9765	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.5
60S62510005	MAURY	SR247	18.42	BRANCH	OPEN	6/3/2016	1950	35.752833	-86.948633	CONCRETE	ARCH - DECK	56.5
60S62510007	MAURY	SR247	19.85	MCCUTCHEAN CREEK	WEIGHT POSTED	6/3/2016	1950	35.75255	-86.923167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.8
60SR0502003	MAURY	SR373	3.8	BRANCH	OPEN	5/18/2016	1930	35.488833	-86.985617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.2
60SR0502005	MAURY	SR373	4.54	BRANCH	OPEN	5/18/2016	1934	35.4795	-86.981883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
60SR0502007	MAURY	SR373	6.09	FOUNTAIN CREEK	OPEN	5/18/2016	1933	35.471367	-86.956933	CONCRETE	TEE BEAM	80.7
60SR0502009	MAURY	SR373	7.5	SHEEPNECK CREEK	OPEN	5/18/2016	1934	35.46545	-86.93445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.2
60I00650040	MAURY	SR396	0	SR-396 / I65	OPEN	5/23/2016	1987	35.74125	-86.8732	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.4
60SR0060081	MAURY	SR396	0	SR396-RAMP-STR 3 / SR 6	OPEN	6/2/2016	1989	35.738967	-86.945767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.4
60SR3960003	MAURY	SR396	1.43	SR396 RL/NFA 1907 & A CR	OPEN	6/1/2016	1989	35.732483	-86.9251	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72
60SR3960004	MAURY	SR396	1.43	SR396LL/NFA 1907 @ A CR	OPEN	6/1/2016	1989	35.732717	-86.925117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72
60SR3960005	MAURY	SR396	1.46	SR396-RT RMP/MCCUTHEON C	OPEN	6/1/2016	1989	35.7307	-86.9245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
60SR3960006	MAURY	SR396	1.46	SR396-LF RMP/MCCUTHEON C	OPEN	6/1/2016	1989	35.73385	-86.924483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
60SR3960009	MAURY	SR396	2.92	AENON CREEK	OPEN	6/1/2016	1990	35.7339	-86.8992	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56
60SR3960011	MAURY	SR396	4	AENON CREEK	OPEN	5/31/2016	1989	35.73875	-86.881483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57
60I00650039	MAURY	SR396	4.45	SR 396 / I65	OPEN	5/16/2016	1989	35.738567	-86.873633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
60SR3960001	MAURY	SR396	4.46	BRANCH	OPEN	5/31/2016	1989	35.745683	-86.870567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72
54S43210001	McMINN	00858	1.33	NORTH MOUSE CREEK	OPEN	9/17/2015	1986	35.473169	-84.624253	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
54S42740001	McMINN	00947	2.62	ROGERS CREEK	OPEN	9/24/2015	1998	35.355019	-84.820492	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
54S42740003	McMINN	00947	5.59	NORTH MOUSE CREEK	OPEN	7/5/2017	1995	35.327558	-84.789575	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
54I00750001	McMINN	00947	6.06	I75	OPEN	4/4/2016	1972	35.324883	-84.782833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.7
54S42720011	McMINN	01191	3.89	FROG BRANCH	OPEN	9/14/2015	1985	35.589883	-84.626167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
54S42720009	McMINN	01191	4.15	LITTLE SEWEE CREEK	OPEN	9/14/2015	1940	35.586667	-84.6243	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
54S42720007	McMINN	01191	4.77	BIVINS BRANCH	OPEN	9/14/2015	1995	35.578906	-84.619361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
54S42720005	McMINN	01191	9.4	ARNWINE SPRINGS BRANCH	OPEN	9/14/2015	1960	35.519653	-84.60905	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61
54S44750001	McMINN	01192	0.94	CANE CREEK	OPEN	9/30/2015	1969	35.282944	-84.558306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
54S43740003	McMINN	01194	0.49	CHESTUEE CREEK	OPEN	9/30/2015	1973	35.325725	-84.620917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.8
54S43740005	McMINN	01196	3.13	OOSTANAULA CREEK	OPEN	9/21/2015	1961	35.350714	-84.671814	CONCRETE	TEE BEAM	79.5
54S43740007	McMINN	01196	5.83	DRY VALLEY CREEK	OPEN	9/21/2015	1960	35.378875	-84.693764	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
54011980001	McMINN	01198	0.64	CHESTUEE CREEK	OPEN	9/21/2015	1989	35.433753	-84.461775	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.6
54011980003	McMINN	01198	1.74	LITTLE CHESTUEE CREEK	OPEN	9/21/2015	1940	35.426869	-84.445783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.7
54011980005	McMINN	01198	1.95	LITTLE CHESTUEE CREEK	OPEN	9/21/2015	1989	35.426317	-84.44225	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.4
54S43720003	McMINN	01227	0.83	BRANCH	OPEN	9/23/2015	1997	35.372058	-84.668325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
54S43720007	McMINN	01227	5.11	CEDAR SPRINGS BRANCH	OPEN	9/23/2015	2000	35.416944	-84.617931	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
54S43740013	McMINN	01231	4.68	ROGERS CREEK	OPEN	9/1/2015	1963	35.437183	-84.73775	CONCRETE	TEE BEAM	79.4
54S43740011	McMINN	01231	6.92	SPRING CREEK	OPEN	9/9/2015	1976	35.4082	-84.730433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
54012330005	McMINN	01233	3.09	OOSTANAULA CREEK	OPEN	9/2/2015	1965	35.487083	-84.52475	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.6
54012330007	McMINN	01233	6.05	FIESTA BRANCH	OPEN	9/2/2015	1972	35.44965	-84.502767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.3
54012330009	McMINN	01233	6.71	MIDDLE CREEK	OPEN	9/2/2015	1985	35.4422	-84.498633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
54012330011	McMINN	01233	7.21	ROCKY BRANCH	OPEN	9/2/2015	1950	35.4393	-84.491533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82
54023190001	McMINN	02319	1.48	OOSTANAULA CREEK	OPEN	9/2/2015	1996	35.343683	-84.689883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82
54023190003	McMINN	02319	4.32	MEADOW FORK CREEK	OPEN	9/24/2015	1938	35.311236	-84.711925	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.3
54023230001	McMINN	02323	4.76	ROGERS CREEK	OPEN	9/14/2015	1983	35.400961	-84.768464	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
54023230003	McMINN	02323	6.02	BRUSH CREEK	OPEN	9/24/2015	1970	35.418011	-84.762419	STEEL	STRINGER/MULTI-BEAM OR GIRDER	93.7
54023230005	McMINN	02323	7.57	SHOALS CREEK	OPEN	9/18/2015	1975	35.434283	-84.745617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86.8
54544680005	McMINN	02325	1.99	ROCK CREEK	OPEN	9/18/2015	2005	35.46205	-84.722983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.9
54544680001	McMINN	02325	4.58	POSSUM TROT CREEK	OPEN	9/22/2015	1970	35.490981	-84.702136	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
54544680003	McMINN	02325	5.82	ROGERS CREEK	OPEN	9/22/2015	1975	35.502833	-84.689031	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
54023270001	McMINN	02327	2.85	NORTH MOUSE CREEK	OPEN	9/14/2015	1967	35.489286	-84.612589	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.1
540Z0040001	McMINN	02329	4.12	OOSTANAULA CREEK	OPEN	9/18/2015	1960	35.511567	-84.487117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.5
54543730001	McMINN	02334	1.38	DRY VALLEY CREEK	OPEN	7/3/2017	1970	35.356017	-84.732617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
54543730003	McMINN	02334	1.51	NORTH MOUSE CREEK	OPEN	7/3/2017	1970	35.356981	-84.734644	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
54543730005	McMINN	02334	3.58	SPRING CREEK	OPEN	7/3/2017	1987	35.366653	-84.763269	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
54544670001	McMINN	02336	3.17	CHESTUEE CREEK	OPEN	9/30/2015	1967	35.402086	-84.519744	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
54M36740001	McMINN	03674	0.31	OOSTANAULA CREEK	OPEN	9/23/2015	1970	35.462794	-84.569356	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
54M36760001	McMINN	03676	0.46	OOSTANAULA CREEK	OPEN	9/23/2015	1984	35.442861	-84.584769	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
54036760005	McMINN	03676	0.71	SOKEY BRANCH	OPEN	7/5/2017	1970	35.445122	-84.581317	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	79.2
54M36760003	McMINN	03676	1.51	OOSTANAULA CREEK	OPEN	7/5/2017	1973	35.452497	-84.581997	STEEL	STRINGER/MULTI-BEAM OR GIRDER	90.1
540Z0050001	McMINN	04534	1.84	SOUTHERN RAILROAD	OPEN	9/23/2015	1980	35.437425	-84.629328	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80
540A4460001	McMINN	05408	1.24	NORTH MOUSE CREEK	OPEN	9/22/2015	1981	35.448633	-84.65625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
54I00750017	McMINN	05408	1.86	I75 NBL	OPEN	4/11/2016	1972	35.4486	-84.666181	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.7
54I00750051	McMINN	05408	1.94	I75 SBL	OPEN	4/11/2016	1972	35.4486	-84.6675	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.7
54I00750049	McMINN	05408	6.09	I75 SBL	OPEN	4/13/2016	1971	35.406717	-84.7069	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.9
54I00750011	McMINN	05408	6.17	I75 NBL	OPEN	4/11/2016	1971	35.405667	-84.70505	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.9
540A0180001	McMINN	06048	1.724	BLUE SPRINGS BRANCH	OPEN	9/22/2015	1975	35.469981	-84.650086	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
540A0090001	McMINN	0A009	0.022	BRANCH	OPEN	9/16/2015	1998	35.528242	-84.654281	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
540A0170001	McMINN	0A017	0.597	SPRING CREEK	OPEN	9/22/2015	1984	35.490644	-84.660994	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
540A0200001	McMINN	0A020	0.257	CLEARWATER BRANCH	OPEN	9/16/2015	1973	35.549575	-84.659447	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.4
540A0280001	McMINN	0A028	0.853	LITTLE MOUSE CREEK	WEIGHT POSTED	9/17/2015	1983	35.486244	-84.602669	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.8
540A0290001	McMINN	0A029	0.056	LITTLE MOUSE CREEK	OPEN	9/17/2015	1993	35.488617	-84.611656	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.5
540A0390001	McMINN	0A039	3.424	S FK LITTLE SEWEE CREEK	OPEN	9/1/2015	1970	35.556117	-84.6519	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.3
540Z0030001	McMINN	0A042	0.028	BRANCH	OPEN	9/16/2015	1973	35.531686	-84.654617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.2
540Z0020001	McMINN	0A044	0.389	BRANCH	OPEN	9/17/2015	1967	35.545969	-84.569911	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
540A0450001	McMINN	0A045	0.872	S FK LITTLE SEWEE CREEK	OPEN	9/1/2015	1983	35.5573	-84.658983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
540A0450003	McMINN	0A045	1.633	S FK LITTLE SEWEE CREEK	OPEN	9/1/2015	1935	35.55725	-84.645717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.4
540A0450005	McMINN	0A045	1.974	S FK LITTLE SEWEE CREEK	OPEN	9/1/2015	2001	35.557717	-84.640283	CONCRETE CONTINUOUS	SLAB	99
540A0490001	McMINN	0A049	0.951	BRANCH	OPEN	9/16/2015	1973	35.590119	-84.653003	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
540A0490003	McMINN	0A049	1.49	LITTLE SEWEE CREEK	OPEN	2/25/2016	1970	35.585228	-84.646236	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.5
540A0510001	McMINN	0A051	0.257	S FK LITTLE SEWEE CREEK	OPEN	9/14/2015	1984	35.58295	-84.668669	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
540A0510003	McMINN	0A051	1.217	LITTLE SEWEE CREEK	OPEN	9/14/2015	1970	35.589264	-84.657036	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.1
540A0560001	McMINN	0A056	0.747	BIG SEWEE CREEK	OPEN	9/16/2015	1970	35.632411	-84.609392	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93
54I00750041	McMINN	0A068	2.73	I75	OPEN	4/26/2016	1973	35.586117	-84.5268	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
540A0900001	McMINN	0A090	2.458	NORTH MOUSE CREEK	OPEN	9/17/2015	2009	35.550161	-84.573972	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93.7
540A0910001	McMINN	0A091	1.137	NORTH MOUSE CREEK	OPEN	9/17/2015	1984	35.536994	-84.571525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
54I00750037	McMINN	0A091	1.417	I75	OPEN	4/25/2016	1973	35.54075	-84.57485	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96
54I00750033	McMINN	0A094	1.937	I75	OPEN	4/26/2016	1973	35.528333	-84.585983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.9
540A1000001	McMINN	0A100	1.497	NORTH MOUSE CREEK	OPEN	9/17/2015	1997	35.527333	-84.581458	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
540A1050001	McMINN	0A105	0.046	LITTLE MOUSE CREEK	WEIGHT POSTED	9/17/2015	1936	35.493458	-84.575886	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.8
540Z0070001	McMINN	0A108	0.049	LATHAN SPRINGS BRANCH	OPEN	9/16/2015	1987	35.512153	-84.604147	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
540A1200001	McMINN	0A120	0.314	OOSTANULA CREEK	OPEN	9/18/2015	1981	35.504283	-84.496017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
540A1270001	McMINN	0A127	1.34	OOSTANULA CREEK	OPEN	10/8/2015	1984	35.495817	-84.507414	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
540A1600001	McMINN	0A160	2.294	MIDDLE CREEK	OPEN	10/19/2015	1999	35.459644	-84.472214	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
540A1680001	McMINN	0A168	0.49	MIDDLE CREEK	OPEN	10/19/2015	1986	35.453603	-84.48385	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
540A1760001	McMINN	0A176	0.583	CHESTUEE CREEK	OPEN	10/19/2015	1984	35.440094	-84.447533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
540A1810001	McMINN	0A181	0.358	BURGER CREEK	OPEN	10/19/2015	1984	35.416267	-84.475836	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
540A1830001	McMINN	0A183	0.157	CHESTUEE CREEK	OPEN	10/21/2015	1972	35.4084	-84.486883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.7
540A1930001	McMINN	0A193	2.187	CONASAUGA CREEK	OPEN	10/19/2015	1995	35.328172	-84.476325	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.1
540A1960001	McMINN	0A196	0.267	CONASAUGA CREEK	WEIGHT POSTED	10/19/2015	1930	35.323622	-84.478883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57
540A1990001	McMINN	0A199	0.098	CANE CREEK	OPEN	10/21/2015	1973	35.335883	-84.518583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
540A2010001	McMINN	0A201	0.111	CONASAUGA CREEK	OPEN	10/5/2015	1987	35.314667	-84.487867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.5
540A2020001	McMINN	0A202	1.409	CONASAUGA CREEK	OPEN	10/5/2015	2012	35.310267	-84.49995	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.2
540A2140001	McMINN	0A214	0.101	CSX RAILROAD	OPEN	10/21/2015	1995	35.2974	-84.537617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
540A2210001	McMINN	0A221	0.117	CONASAUGA CREEK	OPEN	10/21/2015	1991	35.300467	-84.508083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98
540A2350001	McMINN	0A235	0.057	CONASAUGA CREEK	OPEN	10/21/2015	1988	35.27525	-84.568133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
540A2490001	McMINN	0A249	1.381	CHESTUEE CREEK	OPEN	10/30/2015	1987	35.31205	-84.6141	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.1
540A2630001	McMINN	0A263	0.472	CANE CREEK	OPEN	10/21/2015	1984	35.291417	-84.55265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
540A2980001	McMINN	0A298	0.84	CHESTUEE CREEK	OPEN	10/22/2015	1984	35.349117	-84.599733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.8
540A3000003	McMINN	0A300	2.789	TOM FOEMAN CREEK	OPEN	10/22/2015	1981	35.358783	-84.575617	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.9
540A3130001	McMINN	0A313	0.65	CHESTUEE CREEK	OPEN	10/22/2015	1983	35.368783	-84.581683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
540A3300001	McMINN	0A330	1.8	FERGUSON BRANCH	OPEN	10/28/2015	1925	35.392217	-84.498283	CONCRETE	TEE BEAM	72.4
540A3300003	McMINN	0A330	2.81	CHESTUEE CREEK	OPEN	10/28/2015	1938	35.40515	-84.490633	CONCRETE	TEE BEAM	71.4
540A3470001	McMINN	0A347	0.864	CHESTUEE CREEK	OPEN	10/22/2015	1973	35.409533	-84.505083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.2
540A3610003	McMINN	0A361	1.6	CHESTUEE CREEK	OPEN	10/22/2015	1983	35.407183	-84.527133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
540A3780001	McMINN	0A378	0.49	OOSTANULA CREEK	OPEN	10/29/2015	1990	35.408528	-84.600633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.2
540A3810001	McMINN	0A381	0.92	OOSTANULA CREEK	OPEN	10/29/2015	1973	35.401433	-84.611383	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
540A3810003	McMINN	0A381	1.85	OOSTANULA CREEK	OPEN	10/29/2015	1998	35.410967	-84.607633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
540A3870001	McMINN	0A387	2.258	OOSTANULA CREEK	OPEN	10/29/2015	1973	35.370017	-84.636617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.1
540A3900001	McMINN	0A390	3.23	OOSTANULA CREEK	OPEN	10/29/2015	1973	35.367983	-84.644867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.4
540A3960001	McMINN	0A396	0.03	MEADOW FORK BRANCH	OPEN	10/29/2015	1938	35.308933	-84.703267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.2
540A3990001	McMINN	0A399	1.301	MEADOW FORK BRANCH	WEIGHT POSTED	10/29/2015	1973	35.310367	-84.6959	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.8
540A4170001	McMINN	0A417	1.227	OOSTANULA CREEK	OPEN	10/24/2015	1981	35.29135	-84.7365	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
540A4210001	McMINN	0A421	0.2	OOSTANULA CREEK	OPEN	10/24/2015	1960	35.31595	-84.7132	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69
540A4220001	McMINN	0A422	0.062	OOSTANULA CREEK	OPEN	10/24/2015	1985	35.327767	-84.704833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.8
540A4300001	McMINN	0A430	0.059	DRY VALLEY CREEK	OPEN	10/29/2015	1973	35.381567	-84.69215	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.9
540A4300003	McMINN	0A430	1.679	BRANCH	OPEN	10/29/2015	1970	35.376567	-84.6665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
540A4480003	McMINN	0A448	4.809	SPRING CREEK	OPEN	10/6/2015	1935	35.471633	-84.676167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.3
540A4540001	McMINN	0A454	1.743	NORTH MOUSE CREEK	OPEN	10/15/2015	1994	35.431933	-84.6742	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
540A4540003	McMINN	0A454	3.722	SPRING CREEK	OPEN	10/15/2015	1986	35.440883	-84.705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
540A4550001	McMINN	0A455	1.845	NORTH MOUSE CREEK	OPEN	10/15/2015	1988	35.4127	-84.691883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
540A4550003	McMINN	0A455	3.645	SPRING CREEK	WEIGHT POSTED	10/15/2015	1975	35.433817	-84.7071	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.1
540A4860001	McMINN	0A486	1.354	NORTH MOUSE CREEK	OPEN	10/30/2015	1988	35.3377	-84.750033	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
540A4870001	McMINN	0A487	1.528	NORTH MOUSE CREEK	OPEN	10/30/2015	1984	35.332633	-84.765117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
54I00750035	McMINN	0A487	1.799	I75	OPEN	4/4/2016	1971	35.329383	-84.763267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
540A4880001	McMINN	0A488	1.97	SPRING CREEK	OPEN	10/30/2015	1970	35.34085	-84.779817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.3
540A4940001	McMINN	0A494	1.378	SPRING CREEK	OPEN	10/24/2015	1976	35.353083	-84.77135	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
540A4980003	McMINN	0A498	4.32	GEE BRANCH	OPEN	10/24/2015	1940	35.360933	-84.82055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
540A5070001	McMINN	0A507	2.31	ROGERS CREEK	OPEN	10/24/2015	1981	35.398767	-84.77585	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.7
540A5230001	McMINN	0A523	0.167	SPRING CREEK	OPEN	10/24/2015	1987	35.385083	-84.752383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
540A5250001	McMINN	0A525	0.307	ROGERS CREEK	OPEN	10/15/2015	2003	35.42405	-84.746317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
540A6260001	McMINN	0A531	0	OOSTANAULA CREEK	OPEN	9/23/2015	1970	35.441169	-84.591869	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.4
540A6260001	McMINN	0A531	0	OOSTANAULA CREEK	OPEN	9/23/2015	1970	35.441169	-84.591869	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.4
540A5380001	McMINN	0A538	1.273	ROCK CREEK	OPEN	10/6/2015	1975	35.476431	-84.726881	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96
54012290003	McMINN	0A541	2.07	BRANCH	OPEN	9/30/2015	1984	35.369772	-84.533164	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
54012290001	McMINN	0A541	4.338	CHESTUEE CREEK	OPEN	10/22/2015	1990	35.39435	-84.556567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.5
540Z0060001	McMINN	0A607	0.648	OOSTANAULA CREEK	OPEN	10/29/2015	1973	35.390467	-84.611433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.1
540A6100003	McMINN	0A610	1.208	BIG BRANCH	OPEN	10/5/2015	1965	35.323667	-84.487767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
540A6110001	McMINN	0A611	0.144	ROGERS CREEK	OPEN	10/30/2015	1973	35.3851	-84.79445	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.7
540A6110003	McMINN	0A611	6.62	SHOAL CREEK	OPEN	10/15/2015	2006	35.46185	-84.766417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
540A6120001	McMINN	0A612	0.466	LATHAN SPRINGS BRANCH	OPEN	10/8/2015	1968	35.511592	-84.604144	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
54I00750031	McMINN	0A612	0.493	I75	OPEN	4/19/2016	1973	35.511117	-84.602817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.8
540A6120003	McMINN	0A612	1.303	NORTH MOUSE CREEK	OPEN	10/8/2015	1994	35.512547	-84.591078	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
540Z0010001	McMINN	0A631	0.029	BIG SEWEE CREEK	OPEN	10/8/2015	1970	35.615094	-84.579525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
540A0570001	McMINN	0A632	0.108	BIG SEWEE CREEK	OPEN	9/16/2015	1981	35.61895	-84.587317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82
540A6250001	McMINN	0A859	0.141	OOSTANAULA CREEK	OPEN	10/28/2015	1973	35.450783	-84.58455	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94
540A6270001	McMINN	0A890	0.184	OOSTANAULA CREEK	OPEN	10/28/2015	1984	35.441983	-84.584817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
540A9620001	McMINN	0A962	0.02	BIG BRANCH	OPEN	10/6/2015	2003	35.471117	-84.656117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
54SR3050013	McMINN	0B470	3.015	COLLINS BRANCH	OPEN	10/8/2015	1956	35.583653	-84.673006	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
54SR0300003	McMINN	0B475	0.863	ROGERS CREEK	OPEN	10/6/2015	1931	35.481197	-84.698567	CONCRETE	TEE BEAM	50.3
54SR0300005	McMINN	0B475	2.154	MEADOW CREEK	OPEN	10/6/2015	1934	35.476181	-84.679703	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64
54SR0300007	McMINN	0B475	2.502	SPRING CREEK	OPEN	10/6/2015	1934	35.472478	-84.675689	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.4
54I00750004	McMINN	I0075	2.67	MOUSE CREEK	OPEN	4/6/2016	1971	35.333011	-84.757411	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
54I00750003	McMINN	I0075	2.69	MOUSE CREEK	OPEN	4/6/2016	1971	35.3326	-84.756381	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
54I00750005	McMINN	I0075	3.19	NFA A486	OPEN	4/6/2016	1971	35.338969	-84.752411	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
54I00750006	McMINN	I0075	3.2	NFA A486	OPEN	4/6/2016	1971	35.339619	-84.753381	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.5
54I00750008	McMINN	I0075	4.65	NFA 2334	OPEN	4/7/2016	1971	35.358633	-84.74275	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.5
54I00750007	McMINN	I0075	4.65	NFA 2334	OPEN	4/7/2016	1971	35.358161	-84.741731	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
54I00750009	McMINN	I0075	7.31	SR 39	OPEN	4/11/2016	1972	35.39	-84.718333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
54I00750010	McMINN	I0075	7.32	NFA 1231	OPEN	4/11/2016	1972	35.39	-84.718333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
54I00750013	McMINN	I0075	9.46	NFA A455	OPEN	4/13/2016	1972	35.415	-84.696667	CONCRETE CONTINUOUS	TEE BEAM	85
54I00750014	McMINN	I0075	9.47	NFA A455	OPEN	4/13/2016	1972	35.415	-84.696667	CONCRETE CONTINUOUS	TEE BEAM	87.4
54I00750015	McMINN	I0075	10.83	NFA A454	OPEN	4/14/2016	1972	35.431667	-84.683333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
54I00750016	McMINN	I0075	10.83	NFA A454	OPEN	4/14/2016	1972	35.431667	-84.683333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
54I00750019	McMINN	I0075	13.79	SR 30	OPEN	4/14/2016	1973	35.463333	-84.648333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
54I00750020	McMINN	I0075	13.79	SR 30	OPEN	4/14/2016	1973	35.463333	-84.648333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
54I00750021	McMINN	I0075	13.82	BLUE SPRINGS BRANCH	OPEN	4/13/2016	1971	35.465	-84.648333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
54I00750024	McMINN	I0075	15.41	NFA 858	OPEN	4/4/2016	1971	35.4843	-84.630783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.8
54I00750023	McMINN	I0075	15.41	NFA 858	OPEN	4/4/2016	1971	35.483967	-84.6302	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.8
54I00750025	McMINN	I0075	16.31	NFA 2327	OPEN	4/18/2016	1971	35.493767	-84.620283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
54I00750026	McMINN	I0075	16.34	NFA 2327	OPEN	4/18/2016	1971	35.491667	-84.62	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
54I00750029	McMINN	I0075	17.78	BRANCH	OPEN	4/19/2016	1972	35.510117	-84.603967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
54I00750045	McMINN	I0075	20.83	BRANCH	OPEN	4/25/2016	1972	35.543333	-84.57	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
54I00750046	McMINN	I0075	20.84	BRANCH	OPEN	4/25/2016	1972	35.543333	-84.57	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
54I00750048	McMINN	I0075	22.43	BRANCH	OPEN	4/26/2016	1973	35.56	-84.551667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
54I00750047	McMINN	I0075	22.43	BRANCH	OPEN	4/26/2016	1973	35.56	-84.551667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
54SR0020001	McMINN	SR002	1.11	BRANCH	OPEN	3/2/2017	1920	35.30485	-84.747083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.2
54SR0020003	McMINN	SR002	6.41	DRY VALLEY CREEK	OPEN	3/16/2017	2005	35.3714	-84.70045	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
54SR0020007	McMINN	SR002	22.9	BRANCH	OPEN	3/16/2017	1925	35.548683	-84.516233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.4
54SR0020005	McMINN	SR002	23.67	BRANCH	OPEN	3/16/2017	1925	35.561667	-84.506667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.5
54SR0020009	McMINN	SR002	23.95	BRANCH	OPEN	3/16/2017	1925	35.558867	-84.50855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.1
54SR0300001	McMINN	SR030	1.67	ROCK CREEK	OPEN	3/9/2017	2004	35.48	-84.731667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
54SR0300031	McMINN	SR030	3.44	ROGERS CREEK	OPEN	3/9/2017	2003	35.484433	-84.69945	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
54SR0300033	McMINN	SR030	5.14	SPRING CREEK	OPEN	3/23/2017	2003	35.48	-84.731667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
54SR0300011	McMINN	SR030	7.27	NORTH MOUSE CREEK	OPEN	3/13/2017	1974	35.461	-84.6401	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
54SR0300012	McMINN	SR030	7.27	NORTH MOUSE CREEK	OPEN	3/13/2017	1974	35.461267	-84.64	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.8
54SR0300013	McMINN	SR030	9.97	SOUTHERN RAILWAY	OPEN	3/23/2017	1936	35.44885	-84.597867	CONCRETE	TEE BEAM	49.4
54SR0300015	McMINN	SR030	11.55	OOSTANAULA CREEK	OPEN	3/9/2017	1958	35.432733	-84.585583	CONCRETE	TEE BEAM	81.2
54SR0300018	McMINN	SR030	14.97	CHESTUEE CREEK	OPEN	3/20/2017	2013	35.38855	-84.564983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.8
54SR0300017	McMINN	SR030	14.97	CHESTUEE CREEK	OPEN	3/20/2017	2013	35.38855	-84.564983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.8
54SR0300019	McMINN	SR030	16.91	TOM FOEMAN CREEK	OPEN	3/22/2017	2014	35.461839	-84.553014	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.9
54SR0300020	McMINN	SR030	16.91	TOM FOEMAN CREEK	OPEN	3/22/2017	2014	35.361731	-84.553014	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.9
54SR0300021	McMINN	SR030	22.63	CANE CREEK	OPEN	3/23/2017	2005	35.301117	-84.537733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.7
54SR0300023	McMINN	SR030	23.875	CONASAUGA CREEK	OPEN	3/8/2017	2005	35.284633	-84.5458	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
54SR0300026	McMINN	SR030	24.39	SR-30 NB / CSX RR	OPEN	3/2/2017	2005	35.277633	-84.546417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.2
54SR0300025	McMINN	SR030	24.39	SR 30-SB / CSX RR	OPEN	3/2/2017	2005	35.277333	-84.5466	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.2
54SR0300027	McMINN	SR030	24.88	CULPEPPER BRANCH	OPEN	3/8/2017	2005	35.270317	-84.5465	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
54SR0330001	McMINN	SR033	1.28	CSX RR & CROCKETT SPRG B	OPEN	3/8/2017	1998	35.3591	-84.51775	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
54SR0330007	McMINN	SR033	3.89	BRANCH	OPEN	3/8/2017	1930	35.393767	-84.501583	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	71.5
54SR0330004	McMINN	SR033	4.77	CHESTUEE CREEK	OPEN	3/14/2017	1997	35.406067	-84.496933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
54SR0330003	McMINN	SR033	4.77	CHESTUEE CREEK	OPEN	3/14/2017	1997	35.40585	-84.496567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
54S43740009	McMINN	SR039	0.67	NORTH MOUSE CREEK	OPEN	4/20/2017	1972	35.3908	-84.707917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.2
54SR0025003	McMINN	SR039	1.83	DRY VALLEY CREEK	OPEN	4/12/2017	1922	35.383333	-84.69	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
54SR0390001	McMINN	SR039	13.35	MIDDLE CREEK	OPEN	4/20/2017	1951	35.425911	-84.515369	CONCRETE	TEE BEAM	48.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
54S43710005	McMINN	SR039	15.68	CHESTUEE CREEK	OPEN	4/20/2017	2014	35.42	-84.478333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
54SR0390003	McMINN	SR039	20.83	BRANCH	OPEN	4/11/2017	1985	35.366367	-84.436733	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.1
54S43710003	McMINN	SR039	21.27	PROSPECT BRANCH	OPEN	4/11/2017	1992	35.364383	-84.433267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
54S43710001	McMINN	SR039	22.43	CONASAUGA CREEK	OPEN	4/11/2017	1988	35.356167	-84.4195	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.4
54SR0680001	McMINN	SR068	7.59	MUD CREEK	OPEN	4/12/2017	1973	35.604083	-84.529883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
54SR1630001	McMINN	SR163	2.525	ROBINSON'S BRANCH	OPEN	4/24/2017	1955	35.297083	-84.751083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
54SR1630005	McMINN	SR163	4.78	OOSTANOULA CREEK	OPEN	4/25/2017	1955	35.308083	-84.7181	CONCRETE	TEE BEAM	59.7
54SR1630007	McMINN	SR163	10.73	LICK CREEK	OPEN	4/24/2017	1970	35.281667	-84.626667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
54SR1630009	McMINN	SR163	11.74	CHESTUEE CREEK	OPEN	4/25/2017	1958	35.282467	-84.609033	CONCRETE	TEE BEAM	49.7
54SR1630011	McMINN	SR163	13.71	CONASAUGA CREEK	OPEN	4/25/2017	1958	35.271583	-84.5782	CONCRETE	TEE BEAM	59.5
54SR3050015	McMINN	SR305	1.14	FORREST HILL BRANCH	OPEN	4/19/2017	1930	35.458067	-84.5809	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	70.2
54SR3050003	McMINN	SR305	2.62	SOUTHERN RAILWAY	OPEN	4/10/2017	1977	35.476667	-84.59	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
54011910013	McMINN	SR305	3.17	LITTLE MOUSE CREEK	OPEN	4/19/2017	1982	35.483333	-84.595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
54011910001	McMINN	SR305	4.45	NORTH MOUSE CREEK	OPEN	4/10/2017	1977	35.498333	-84.606667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
54I00750043	McMINN	SR305	4.83	I75	OPEN	4/18/2016	1973	35.50375	-84.6107	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94
54SR3050009	McMINN	SR305	8.15	CLEAR WATER BRANCH	OPEN	4/10/2017	1955	35.528333	-84.655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
54SR3050017	McMINN	SR305	11.46	COLLINS BRANCH	OPEN	4/10/2017	1998	35.573633	-84.674167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
54S43200001	McMINN	SR307	0.5	OOSTANAULA CREEK	OPEN	4/5/2017	1986	35.448183	-84.584167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.9
54F00100003	McMINN	SR309	0.17	NORTH MOUSE CREEK	OPEN	4/5/2017	1973	35.521183	-84.545517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
54012330001	McMINN	SR309	2.31	LITTLE MOUSE CREEK	OPEN	4/5/2017	1973	35.546083	-84.564733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
54I00750039	McMINN	SR309	2.42	I75	OPEN	4/25/2016	1972	35.546667	-84.565	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
54SR3100001	McMINN	SR310	0.05	CSX RAILROAD	OPEN	4/4/2017	1982	35.328833	-84.5212	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.2
54SR3100009	McMINN	SR310	0.19	CANE CREEK	OPEN	4/4/2017	1982	35.326667	-84.52	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
54S42760005	McMINN	SR310	3.14	BIG BRANCH	OPEN	4/5/2017	1992	35.341133	-84.4725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
54S42760007	McMINN	SR310	4.36	CONASAUGA CREEK	OPEN	4/26/2017	1973	35.3457	-84.451933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.5
55S80860005	McNAIRY	00876	0.575	OVERFLOW	OPEN	9/20/2016	2010	35.075617	-88.628867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
55S80860003	McNAIRY	00876	0.7	CYPRESS CREEK	OPEN	9/20/2016	2010	35.076983	-88.630067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
55S80860001	McNAIRY	00876	0.88	OVERFLOW	OPEN	9/20/2016	2003	35.079306	-88.631833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.8
55S81190009	McNAIRY	00876	8.91	BRANCH	OPEN	9/15/2016	1972	35.172528	-88.602306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.6
55S82350001	McNAIRY	00878	0.92	CLAREY CREEK	OPEN	9/13/2016	1964	35.237139	-88.40775	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	64.2
55S82350003	McNAIRY	00878	1.92	STANLEY CREEK	OPEN	9/12/2016	1964	35.236	-88.406194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66.6
55SR0050013	McNAIRY	00887	2.44	HENDRIX CREEK	OPEN	9/15/2016	1929	35.209861	-88.603583	CONCRETE	TEE BEAM	51
55014220005	McNAIRY	01422	9.67	ROSE CREEK	OPEN	9/15/2016	1955	35.190361	-88.646528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
55015840001	McNAIRY	01584	3.85	SWEET LIPS CREEK	OPEN	9/12/2016	1975	35.380861	-88.529417	CONCRETE	CHANNEL BEAM	88.4
550A1640001	McNAIRY	01624	1.09	LICK CREEK	OPEN	9/13/2016	1975	35.308111	-88.43975	CONCRETE	CHANNEL BEAM	83.2
550A1660001	McNAIRY	01624	6.3	COON CREEK	OPEN	9/15/2016	1979	35.370722	-88.40675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
550A0070001	McNAIRY	01631	0.99	WOODVILLE CREEK	OPEN	9/14/2016	2013	35.230767	-88.742967	CONCRETE	CHANNEL BEAM	88.7
550A0070003	McNAIRY	01631	3.47	LITTLE HATCHIE CREEK	OPEN	9/14/2016	2013	35.2415	-88.703389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.6
550A4780001	McNAIRY	01650	0.06	CROOKED CREEK	OPEN	9/20/2016	1994	35.150056	-88.558583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
55016550001	McNAIRY	01655	6.48	MUDDY CREEK	OPEN	12/12/2016	2016	35.067667	-88.52025	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.1
55016570001	McNAIRY	01657	2.45	BOLES CREEK	OPEN	9/20/2016	2000	35.049361	-88.707361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
55016570003	McNAIRY	01657	4.14	CYPRESS CREEK	OPEN	9/20/2016	1988	35.027194	-88.707639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
55016570005	McNAIRY	01657	4.34	BRANCH	OPEN	9/20/2016	1988	35.024472	-88.706417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
55016570007	McNAIRY	01657	6.49	INDIAN CREEK	OPEN	9/20/2016	1972	35.021	-88.674861	CONCRETE	CHANNEL BEAM	73.3
55016590003	McNAIRY	01659	1.2	BRANCH	OPEN	9/19/2016	2010	35.079556	-88.781611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
55S81190001	McNAIRY	01661	2.02	NEATHERY CREEK	WEIGHT POSTED	9/19/2016	1961	35.10275	-88.694333	CONCRETE	CHANNEL BEAM	34.2
55S81190003	McNAIRY	01661	3.29	MOSES CREEK	OPEN	9/19/2016	2007	35.975583	-89.4312	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
55016650001	McNAIRY	01665	5.43	CYPRESS CREEK	WEIGHT POSTED	9/13/2016	1972	35.267528	-88.581833	CONCRETE	CHANNEL BEAM	58.5
55016660001	McNAIRY	01666	0.16	MOSES CREEK	OPEN	9/19/2016	1976	35.132	-88.677556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
55016680001	McNAIRY	01668	1.63	GRAHAM CREEK	WEIGHT POSTED	9/15/2016	1950	35.204556	-88.474389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.7
55016710001	McNAIRY	01671	4.29	WOLF BRANCH	OPEN	9/19/2016	1984	35.113528	-88.600528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
55016710003	McNAIRY	01671	5.03	OXFORD CREEK	OPEN	9/19/2016	2012	35.123056	-88.600444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4
55016760001	McNAIRY	01676	0.88	LITTLE HATCHIE CREEK	OPEN	9/14/2016	1992	35.261694	-88.692528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
55016760005	McNAIRY	01676	0.93	OVERFLOW	OPEN	9/14/2016	1993	35.261583	-88.691639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
55016760003	McNAIRY	01676	1.05	SWAIN BRANCH	OPEN	9/14/2016	1984	35.261778	-88.689528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
55016780001	McNAIRY	01678	1.67	SANDY CREEK	OPEN	9/13/2016	2008	35.224933	-88.5681	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
55016780003	McNAIRY	01678	3.21	OVERFLOW	OPEN	9/13/2016	2013	35.238917	-88.588361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
55016780005	McNAIRY	01678	3.25	TACKER CREEK	OPEN	9/13/2016	2013	35.238889	-88.588722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
55016780007	McNAIRY	01678	4.39	CYPRESS CREEK	OPEN	9/15/2016	2010	35.235694	-88.605167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.8
55016800001	McNAIRY	01680	1.74	LITTLE HATCHIE CREEK	OPEN	9/14/2016	1998	35.296972	-88.673194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
55F00080001	McNAIRY	05566	9.29	LITTLE SNAKE CREEK	WEIGHT POSTED	9/13/2016	1965	35.246028	-88.491778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	37.6
55F00080003	McNAIRY	05566	11.57	SNAKE CREEK	OPEN	9/13/2016	2001	35.242833	-89.452472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.2
55S80860015	McNAIRY	05567	2.6	BRANCH	OPEN	9/12/2016	1987	35.018694	-88.603111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
55S80860017	McNAIRY	05567	5.33	LITTLE MUDDY CREEK	OPEN	9/12/2016	1999	35.030556	-88.560417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
550A0120001	McNAIRY	0A012	0.53	WILSON CREEK	OPEN	9/15/2016	1984	35.231056	-88.679222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A0150001	McNAIRY	0A015	1.067	DOLLAR CREEK	OPEN	9/12/2016	1975	35.243	-88.38	CONCRETE	CHANNEL BEAM	78.1
550A0280001	McNAIRY	0A028	2.653	WAIN CREEK	OPEN	9/14/2016	1984	35.269611	-88.650278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
550A0390001	McNAIRY	0A039	0.681	BRANCH	OPEN	9/14/2016	1984	35.281444	-88.688111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
550A0420001	McNAIRY	0A042	0.28	N FORK DRAINAGE CANAL	OPEN	9/14/2016	1977	35.316306	-88.379417	CONCRETE	CHANNEL BEAM	79
550A0490001	McNAIRY	0A049	0.248	WHITE OAK CREEK	OPEN	9/14/2016	2007	35.36835	-88.44815	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.9
550A0540001	McNAIRY	0A054	1.788	BILLIES CREEK	OPEN	9/12/2016	1984	35.317333	-88.584028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A0540003	McNAIRY	0A054	4.747	HUGGINS CREEK	OPEN	9/12/2016	1984	35.3135	-88.628583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
550A0580001	McNAIRY	0A058	0.614	HOG WALLOW CREEK	OPEN	9/13/2016	1986	35.342333	-88.630611	CONCRETE	CHANNEL BEAM	88.5
550A0590001	McNAIRY	0A059	0.746	HOG WALLOW CREEK	OPEN	9/13/2016	1984	35.347639	-88.61025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
550A0820001	McNAIRY	0A082	4.36	SULPHUR SPRINGS BRANCH	WEIGHT POSTED	9/14/2016	1977	35.29	-88.503833	CONCRETE	CHANNEL BEAM	74.7
550A0820003	McNAIRY	0A082	6.59	DRY CREEK	OPEN	9/14/2016	2011	35.300444	-88.474333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
550A0820005	McNAIRY	0A082	8.915	LICK CREEK	OPEN	9/14/2016	1983	35.296972	-88.438167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A0860001	McNAIRY	0A086	1.321	CYPRESS CREEK	OPEN	9/15/2016	1984	35.243111	-88.612333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A0880001	McNAIRY	0A088	0.66	TAR CREEK	OPEN	9/13/2016	1977	35.321778	-88.538639	CONCRETE	CHANNEL BEAM	88.5
550A0940001	McNAIRY	0A094	0.779	BRANCH	OPEN	9/14/2016	1984	35.279861	-88.499139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A0980001	McNAIRY	0A098	1.315	SNAKE CREEK	OPEN	9/13/2016	1987	35.264528	-88.473472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
550A1010003	McNAIRY	0A101	1.434	WHITE OAK CREEK	OPEN	9/14/2016	1986	35.341944	-88.478583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A1010005	McNAIRY	0A101	2.781	WHITE OAK CREEK	OPEN	9/14/2016	1995	35.352389	-88.460139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A1050001	McNAIRY	0A105	0.039	BUSHEL BRANCH	OPEN	9/12/2016	1984	35.353833	-88.593639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
550A1050005	McNAIRY	0A105	2.715	TAR CREEK	OPEN	9/12/2016	1984	35.35175	-88.549083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
550A1080001	McNAIRY	0A108	1.071	SNAKE CREEK	OPEN	9/14/2016	1998	35.28675	-88.47725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A1210001	McNAIRY	0A121	0.464	TAR CREEK	OPEN	9/12/2016	1984	35.37125	-88.554778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
550A1350001	McNAIRY	0A135	1.344	CYPRESS CREEK	OPEN	9/15/2016	1984	35.259389	-88.582889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A1470001	McNAIRY	0A147	1.293	SANDY CREEK	OPEN	9/13/2016	1984	35.213167	-88.583806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
550A1480003	McNAIRY	0A148	0.517	CYPRESS CREEK	WEIGHT POSTED	9/13/2016	1965	35.207833	-88.594972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.3
550A1520001	McNAIRY	0A152	0.882	LICK CREEK	OPEN	9/13/2016	1985	35.289389	-88.43725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
550A1550003	McNAIRY	0A155	1.349	BRANCH	OPEN	9/13/2016	1984	35.295	-88.397917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
550A1610001	McNAIRY	0A161	0.547	LICK CREEK	OPEN	9/13/2016	2003	35.263389	-88.440389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
550A1690001	McNAIRY	0A169	0.077	COON CREEK	OPEN	9/15/2016	1983	35.363722	-88.412028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A1690003	McNAIRY	0A169	0.142	COON CREEK	OPEN	9/15/2016	1983	35.363556	-88.410806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A1700001	McNAIRY	0A170	1.24	WHITE OAK CREEK	OPEN	9/15/2016	1987	35.37255	-88.384889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91
550A1710001	McNAIRY	0A171	2.598	WHITE OAK CREEK	OPEN	9/14/2016	1998	35.379967	-88.421583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.5
550A1720001	McNAIRY	0A172	0.08	BLUFF CREEK	OPEN	9/14/2016	1984	35.358333	-88.451778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A1750001	McNAIRY	0A175	1.619	OVERFLOW	OPEN	9/15/2016	1988	35.018333	-88.732111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.7
550A1750003	McNAIRY	0A175	2.027	TUSCUMBIA RIVER	OPEN	9/15/2016	1984	35.01425	-88.737333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.8
550A1750009	McNAIRY	0A175	6.128	HATCHIE RIVER	OPEN	9/15/2016	1999	35.041639	-88.785306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	88.3
550A1770001	McNAIRY	0A177	1.212	BRANCH	OPEN	9/13/2016	1984	35.284861	-88.433944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A2360001	McNAIRY	0A236	2.173	CROOKED CREEK	OPEN	9/20/2016	1975	35.171917	-88.5405	CONCRETE	CHANNEL BEAM	83.1
550A2540001	McNAIRY	0A254	0.748	MIDDLE FORK OWL CREEK	OPEN	9/15/2016	1992	35.13925	-88.464639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
550A2560001	McNAIRY	0A256	0.592	MUDDY CREEK	OPEN	9/13/2016	1975	35.090056	-88.507417	CONCRETE	CHANNEL BEAM	79.8
550A2740001	McNAIRY	0A274	0.459	LICK CREEK	OPEN	9/13/2016	1984	35.067056	-88.449639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
550A2800001	McNAIRY	0A280	0.773	CHAMBERS CREEK	OPEN	9/13/2016	1984	35.005333	-88.446528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
550A2900001	McNAIRY	0A290	0.576	LITTLE LICK CREEK	OPEN	9/13/2016	1999	35.048639	-88.400306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A3000001	McNAIRY	0A300	1.389	LICK CREEK	OPEN	9/13/2016	1984	35.071722	-88.466111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A3160001	McNAIRY	0A316	0.889	BRANCH	OPEN	9/12/2016	1986	35.048778	-88.513361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
550A3180001	McNAIRY	0A318	0.558	MUDDY CREEK	OPEN	9/12/2016	1987	35.048583	-88.523944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.8
550A3220001	McNAIRY	0A322	1.034	ROLAND CREEK	OPEN	9/13/2016	1984	35.084472	-88.559306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A3290001	McNAIRY	0A329	2.001	BRANCH	OPEN	9/13/2016	1984	35.095306	-88.499083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A3370003	McNAIRY	0A337	0.777	LITTLE HATCHIE CREEK	OPEN	9/14/2016	1992	35.218	-88.718278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7
550A3380001	McNAIRY	0A338	0.123	LITTLE MUDDY CREEK	OPEN	9/12/2016	2004	35.037	-88.561028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
550A3380005	McNAIRY	0A338	0.25	OVERFLOW	OPEN	9/12/2016	1940	35.037806	-88.563139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88.5
550A4180001	McNAIRY	0A418	0.572	BRANCH	OPEN	9/15/2016	1983	35.168583	-88.600639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
550A4250001	McNAIRY	0A425	0.848	DILLON BRANCH	OPEN	9/13/2016	1984	35.131944	-88.375556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A4280001	McNAIRY	0A428	0.572	CYPRESS CREEK	OPEN	9/19/2016	1970	35.166361	-88.597583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.1
550A4410001	McNAIRY	0A441	0.186	CYPRESS CREEK	OPEN	9/19/2016	1975	35.167028	-88.592861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.9
550A4940001	McNAIRY	0A494	0.196	CYPRESS CREEK	OPEN	9/19/2016	1985	35.169917	-88.588139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
550A4950001	McNAIRY	0A495	0.694	CYPRESS CREEK	OPEN	9/19/2016	1985	35.146944	-88.602389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80
550A5030001	McNAIRY	0A503	0.712	MOSES CREEK	OPEN	9/15/2016	1983	35.162611	-88.650194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A5060001	McNAIRY	0A506	0.279	GILMORE BRANCH	OPEN	9/19/2016	1983	35.124639	-88.673083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
550A5080003	McNAIRY	0A508	0.452	MOSSES CREEK	OPEN	9/19/2016	1985	35.146806	-88.660583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
550A5110001	McNAIRY	0A511	0.348	RAMER BRANCH	OPEN	9/20/2016	1982	35.081806	-88.638472	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.8
550A5110003	McNAIRY	0A511	1.5	REEDY BRANCH	OPEN	9/20/2016	1984	35.076083	-88.655972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A5220001	McNAIRY	0A522	1.324	BRANCH	OPEN	9/12/2016	1987	35.006194	-88.610083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A5400007	McNAIRY	0A540	3.906	DRY CREEK	OPEN	9/20/2016	1984	35.111944	-88.729917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A5400003	McNAIRY	0A540	6.26	MOSSES CREEK	OPEN	9/19/2016	1992	35.120611	-88.703944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A5400005	McNAIRY	0A540	6.324	OVERFLOW	OPEN	9/19/2016	2000	35.121167	-88.703139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A5420001	McNAIRY	0A542	1.544	MOSSES CREEK	OPEN	9/19/2016	1986	35.098389	-88.756417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91
550A5440001	McNAIRY	0A544	1.814	MOSSES CREEK	OPEN	9/19/2016	1985	35.107111	-88.748639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A5450001	McNAIRY	0A545	1.31	NAIL CREEK	OPEN	9/20/2016	1986	35.132667	-88.719806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
550A5460001	McNAIRY	0A546	1.485	NAIL CREEK	OPEN	9/20/2016	1997	35.143833	-88.704056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
550A5540001	McNAIRY	0A554	2.097	NAIL CREEK	OPEN	9/15/2016	1997	35.159633	-88.698667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
550A6070001	McNAIRY	0A607	0.362	BEASON CREEK	OPEN	9/12/2016	1973	35.232583	-88.374472	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
550A6180001	McNAIRY	0A618	0.094	BRANCH	OPEN	9/13/2016	1991	35.218528	-88.392333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
550A6450001	McNAIRY	0A645	1.072	BRANCH	OPEN	9/15/2016	1984	35.216389	-88.613333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
550A6450003	McNAIRY	0A645	1.697	HENDRIX BRANCH	OPEN	9/15/2016	1983	35.211583	-88.621056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
550A6550001	McNAIRY	0A655	1.258	CLEAR CREEK	OPEN	9/15/2016	1984	35.187361	-88.445694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
550A6580001	McNAIRY	0A658	1.82	CLEAR CREEK	WEIGHT POSTED	9/13/2016	1975	35.167444	-88.407889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	57.6
550A6640001	McNAIRY	0A664	1.305	MUDDY CREEK	OPEN	9/12/2016	1985	35.050139	-88.559333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
550A6660001	McNAIRY	0A666	0.578	LITTLE MUDDY CREEK	OPEN	9/12/2016	2006	35.024483	-88.55605	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
550A4180003	McNAIRY	0A736	0.113	BRANCH	OPEN	9/15/2016	1987	35.169722	-88.601139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
550A7660001	McNAIRY	0A766	1.69	OXFORD CREEK	OPEN	9/15/2016	2011	35.141972	-88.534639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
550A7880001	McNAIRY	0A788	0.092	OXFORD CREEK	WEIGHT POSTED	9/15/2016	1965	35.145528	-88.524222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51
550A2200001	McNAIRY	0A805	0.245	GRAHAM CREEK	OPEN	9/20/2016	1975	35.202944	-88.470111	CONCRETE	CHANNEL BEAM	74
550A2200003	McNAIRY	0A805	3.46	LITTLE SNAKE CREEK	OPEN	9/13/2016	1984	35.238556	-88.458028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
55SR0050021	McNAIRY	SR005	1.26	MUDDY CREEK	OPEN	9/1/2016	1980	35.013889	-88.52055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56
55SR0050039	McNAIRY	SR005	2.3	MUDDY CREEK	OPEN	9/1/2016	2001	35.027639	-88.525583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
55SR0050001	McNAIRY	SR005	3.8	MUDDY CREEK	OPEN	9/1/2016	1997	35.048889	-88.534222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73
55SR0050003	McNAIRY	SR005	4.34	BRUSHY CREEK	OPEN	9/1/2016	1928	35.05625	-88.537278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
55SR0050005	McNAIRY	SR005	7	ROLAND CREEK	OPEN	9/1/2016	1997	35.092861	-88.55225	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
55SR0050041	McNAIRY	SR005	9.23	MUDDY CREEK	OPEN	9/1/2016	2001	35.123528	-88.564722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
55SR0050027	McNAIRY	SR005	9.6	BRANCH	OPEN	9/1/2016	1968	35.128333	-88.566778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
55SR0050007	McNAIRY	SR005	9.9	OXFORD CREEK	OPEN	9/1/2016	1997	35.132528	-88.568417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
55SR0050023	McNAIRY	SR005	13.07	CYPRESS CR & SOU RR	OPEN	9/6/2016	1986	35.150639	-88.599639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.4
55SR0050024	McNAIRY	SR005	13.07	CYPRESS CR & ICG RR	OPEN	9/6/2016	1986	35.150389	-88.59975	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.3
55SR0050025	McNAIRY	SR005	15.6	SR 15	OPEN	9/6/2016	1986	35.182417	-88.614361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.2
55SR0050026	McNAIRY	SR005	15.6	SR 15	OPEN	9/6/2016	1986	35.182444	-88.614583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
55SR0050029	McNAIRY	SR005	16.9	BRANCH	OPEN	9/6/2016	1990	35.200778	-88.615917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
55SR0050031	McNAIRY	SR005	17.72	BRANCH	OPEN	9/6/2016	1990	35.212778	-88.61475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
55SR0050033	McNAIRY	SR005	17.8	BRANCH	OPEN	9/6/2016	1990	35.213833	-88.614583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
55SR0050035	McNAIRY	SR005	18.1	BRANCH	OPEN	9/6/2016	1990	35.218194	-88.615056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
55SR0050037	McNAIRY	SR005	19.49	BRANCH	OPEN	9/6/2016	1990	35.244361	-88.616528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
55SR0050043	McNAIRY	SR005	20.98	MUDDY CREEK	OPEN	9/6/2016	2001	35.256583	-88.628361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
55SR0050015	McNAIRY	SR005	23.9	HUGGINS CREEK	OPEN	9/6/2016	1927	35.298389	-88.636583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
55SR0050017	McNAIRY	SR005	24.81	SHEFFIELD BRANCH	OPEN	9/6/2016	2000	35.311583	-88.6375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
55SR0050045	McNAIRY	SR005	25.7	MUDDY CREEK	OPEN	9/6/2016	2001	35.325028	-88.638472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
55SR0050019	McNAIRY	SR005	26.72	HOGWALLOW CREEK	OPEN	9/6/2016	1927	35.339306	-88.639472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
55SR0150035	McNAIRY	SR015	0.34	BRANCH	OPEN	9/1/2016	2010	35.216867	-88.7771	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
55SR0150037	McNAIRY	SR015	1.8	BRANCH	OPEN	9/1/2016	2016	35.213878	-88.75175	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82
55SR0150002	McNAIRY	SR015	2.88	WOODVILLE CREEK	OPEN	9/1/2016	2010	35.2113	-88.732917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.7
55SR0150001	McNAIRY	SR015	2.88	WOODVILLE CREEK	OPEN	9/1/2016	2010	35.2113	-88.732917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.7
55SR0150003	McNAIRY	SR015	3.03	BRANCH	OPEN	9/1/2016	2010	35.210933	-88.730317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
55SR0150004	McNAIRY	SR015	3.03	BRANCH	OPEN	9/1/2016	2010	35.210933	-88.730317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
55SR0150005	McNAIRY	SR015	3.43	LITTLE HATCHIE CREEK	OPEN	9/7/2016	1987	35.209983	-88.7234	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.2
55SR0150006	McNAIRY	SR015	3.43	LITTLE HATCHIE CREEK	OPEN	9/7/2016	1987	35.209983	-88.7234	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.2
55SR0150007	McNAIRY	SR015	4.33	ROSE CREEK	OPEN	9/6/2016	2010	35.208	-88.707783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
55SR0150008	McNAIRY	SR015	4.33	ROSE CREEK	OPEN	9/6/2016	2010	35.208	-88.707783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
55SR0150009	McNAIRY	SR015	7.78	ROSE CREEK	OPEN	9/6/2016	2008	35.193806	-88.650167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
55SR0050011	McNAIRY	SR015	11.63	CYPRESS CREEK	OPEN	9/6/2016	1927	35.168278	-88.58975	CONCRETE	TEE BEAM	58.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
55SR0050009	McNAIRY	SR015	12.44	CROOKED CREEK	OPEN	9/6/2016	1928	35.159333	-88.580861	CONCRETE	TEE BEAM	64.3
55SR0150025	McNAIRY	SR015	12.64	CROOKED CREEK	OPEN	9/7/2016	1980	35.15875	-88.578	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.7
55SR0150026	McNAIRY	SR015	12.64	CROOKED CREEK	OPEN	9/7/2016	1980	35.158889	-88.578389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.7
55SR0150029	McNAIRY	SR015	15.32	BRANCH	OPEN	9/6/2016	2001	35.177	-88.536361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
55SR0150011	McNAIRY	SR015	15.88	CROOKED CREEK	OPEN	9/7/2016	2001	35.182083	-88.528778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
55SR0150013	McNAIRY	SR015	20.08	GRAHAM CREEK	OPEN	9/7/2016	2001	35.202861	-88.463806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
55SR0150033	McNAIRY	SR015	20.96	CROOKED CREEK	OPEN	9/7/2016	2001	35.208639	-88.451722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
55SR0150015	McNAIRY	SR015	22.48	SNAKE CREEK CANAL	OPEN	9/7/2016	1999	35.219417	-88.42675	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.5
55SR0150016	McNAIRY	SR015	22.48	SNAKE CREEK CANAL	OPEN	9/7/2016	1999	35.219528	-88.426667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.5
55SR0150019	McNAIRY	SR015	23.75	STANLEY CREEK	OPEN	9/7/2016	2001	35.228028	-88.406944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
55SR0150027	McNAIRY	SR015	23.87	BRANCH	OPEN	9/7/2016	2001	35.228806	-88.405083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
55SR0150021	McNAIRY	SR015	25.73	BRANCH	OPEN	9/7/2016	1927	35.2335	-88.375694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
55SR0220017	McNAIRY	SR022	3.65	MUDD CREEK	OPEN	9/7/2016	1980	35.288694	-88.389917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
55SR0220007	McNAIRY	SR022	6.28	NORTH FORK MUD CREEK	OPEN	9/7/2016	1980	35.325667	-88.387583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
55SR0220005	McNAIRY	SR022	6.45	BRANCH	OPEN	9/7/2016	1980	35.327917	-88.386556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
55SR0220001	McNAIRY	SR022	7.94	LICK CREEK	OPEN	9/8/2016	1932	35.07275	-88.390278	CONCRETE	TEE BEAM	67.6
55SR0220003	McNAIRY	SR022	8.77	LITTLE LICK CREEK	OPEN	9/8/2016	1932	35.082917	-88.38325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
55SR0220011	McNAIRY	SR022	8.88	SAM BISHOP DITCH	OPEN	9/7/2016	1958	35.359056	-88.366889	CONCRETE	TEE BEAM	70.4
55SR0220013	McNAIRY	SR022	9.09	WHITE OAK CREEK	OPEN	9/7/2016	1958	35.362139	-88.366139	CONCRETE	TEE BEAM	59.5
55SR0220015	McNAIRY	SR022	9.35	N. FORK WHITE OAK CREEK	OPEN	9/7/2016	1958	35.365861	-88.365889	CONCRETE	TEE BEAM	59.5
55SR0570001	McNAIRY	SR057	5.95	BOLES BRANCH	OPEN	9/8/2016	1939	35.074528	-88.692944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
55SR0570003	McNAIRY	SR057	7.65	BRANCH	OPEN	9/8/2016	1998	35.067917	-88.665833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
55SR0570005	McNAIRY	SR057	8.25	CYPRESS CREEK	OPEN	9/8/2016	2015	35.066083	-88.655694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.8
55SR0570007	McNAIRY	SR057	8.5	OVERFLOW	OPEN	9/8/2016	1939	35.065806	-88.651361	CONCRETE	CHANNEL BEAM	53.9
55SR0570009	McNAIRY	SR057	8.85	BRANCH	OPEN	9/8/2016	1939	35.065361	-88.645278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	62.9
55SR0570011	McNAIRY	SR057	9.74	BRANCH	OPEN	9/8/2016	1998	35.067028	-88.629972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
55SR0570013	McNAIRY	SR057	11.59	BRANCH	OPEN	9/8/2016	1999	35.072639	-88.598417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
55SR0570015	McNAIRY	SR057	12.16	PRAIRIE BRANCH	OPEN	9/12/2016	1999	35.072667	-88.588028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
55SR0570017	McNAIRY	SR057	13.39	BRANCH	OPEN	9/12/2016	1999	35.073861	-88.56675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
55SR0570019	McNAIRY	SR057	13.69	ROLAND CREEK	OPEN	9/12/2016	1998	35.074611	-88.561389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.5
55SR0570021	McNAIRY	SR057	16.43	MUDDY CREEK	OPEN	9/7/2016	1948	35.077167	-88.513944	CONCRETE	TEE BEAM	68.7
55SR0570023	McNAIRY	SR057	18.96	BRANCH	OPEN	9/7/2016	1948	35.073444	-88.469556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
55SR0570025	McNAIRY	SR057	20.23	BRANCH	OPEN	9/7/2016	1948	35.070194	-88.447222	CONCRETE	TEE BEAM	72.8
55SR0570027	McNAIRY	SR057	20.58	LICK CREEK	OPEN	9/7/2016	1948	35.069611	-88.441361	CONCRETE	TEE BEAM	70.3
55SR0570029	McNAIRY	SR057	24.17	LITTLE LICK CREEK	OPEN	9/7/2016	1968	35.061361	-88.384972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
55SR0690003	McNAIRY	SR069	0.09	BRANCH	OPEN	9/7/2016	1998	35.3565	-88.364861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
55SR0690001	McNAIRY	SR069	0.25	OVERFLOW	OPEN	9/7/2016	1998	35.357667	-88.366361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
55S81220001	McNAIRY	SR117	2.085	CLEAR CREEK	OPEN	9/12/2016	1957	35.175	-88.388861	CONCRETE	TEE BEAM	75.3
55S81220003	McNAIRY	SR117	3.5	GRAHAM CREEK	OPEN	9/12/2016	1957	35.194778	-88.384417	CONCRETE	TEE BEAM	84.7
55S81220005	McNAIRY	SR117	4.735	SNAKE CREEK	OPEN	9/12/2016	1957	35.212583	-88.395667	CONCRETE	TEE BEAM	53.6
55SR1420003	McNAIRY	SR142	2.85	N. FK. OXFORD CREEK	OPEN	9/8/2016	1998	35.146861	-88.522667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
55SR1420005	McNAIRY	SR142	6.43	OWL CREEK	OPEN	9/8/2016	1997	35.152222	-88.462111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.4
55S80830001	McNAIRY	SR199	2.68	HUGGINS CREEK	OPEN	9/8/2016	1955	35.35675	-88.594972	CONCRETE	TEE BEAM	59.3
55S80830003	McNAIRY	SR199	6.76	TAR CREEK	OPEN	9/8/2016	1960	35.3305	-88.539583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
55S80830005	McNAIRY	SR199	6.82	BRANCH	OPEN	9/8/2016	1960	35.330528	-88.538472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
55S80850001	McNAIRY	SR224	1.47	LICK CREEK	OPEN	9/8/2016	2004	35.075083	-88.429267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
55S80850003	McNAIRY	SR224	4.59	LITTLE OWL CREEK	OPEN	9/8/2016	2004	35.1166	-88.426583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.1
55S80850005	McNAIRY	SR224	4.99	OWL CREEK	OPEN	9/8/2016	2013	35.121694	-88.423222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
55S80850007	McNAIRY	SR224	8.58	CLEAR CREEK	OPEN	9/8/2016	2005	35.168972	-88.432861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.8
55S80850009	McNAIRY	SR224	10.61	GRAHAM CREEK	OPEN	9/8/2016	2013	35.197639	-88.412444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
55S80830009	McNAIRY	SR224	12.565	CLAREY CREEK	OPEN	9/8/2016	2013	35.22765	-88.424233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
55S80830007	McNAIRY	SR224	13.96	LICK CREEK	OPEN	9/8/2016	2013	35.2403	-88.443167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.3
55S81210001	McNAIRY	SR224	23.12	WHITE OAK CREEK	OPEN	9/8/2016	1963	35.361194	-88.453944	CONCRETE	CHANNEL BEAM	65.5
55S81210003	McNAIRY	SR224	23.74	MELTON CREEK	OPEN	9/8/2016	2011	35.369778	-88.45225	CONCRETE	CHANNEL BEAM	98.1
55S81210005	McNAIRY	SR224	24.84	BRANCH	OPEN	9/8/2016	1998	35.380767	-88.438528	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.5
55S80820001	McNAIRY	SR225	1.93	KISE CREEK	OPEN	9/1/2016	1951	35.230833	-88.760472	CONCRETE	TEE BEAM	70.7
55S82240001	McNAIRY	SR234	2.19	INDIAN CREEK	OPEN	9/12/2016	1985	35.010917	-88.647944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
55S80860013	McNAIRY	SR234	3.75	LITTLE INDIAN CREEK	OPEN	9/12/2016	1958	35.031472	-88.640278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.6
55S80860011	McNAIRY	SR234	5.8	MUDDY CREEK	OPEN	9/12/2016	1952	35.058	-88.626861	CONCRETE	TEE BEAM	69.4
55S80860009	McNAIRY	SR234	5.97	OVERFLOW	OPEN	9/12/2016	1952	35.060278	-88.625694	CONCRETE	TEE BEAM	82
55S80860007	McNAIRY	SR234	6.12	OVERFLOW	OPEN	9/12/2016	1960	35.062278	-88.625111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
61S42740003	MEIGS	00947	0.34	AGENCY CREEK	OPEN	6/14/2017	2006	35.393267	-84.895767	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
61004580005	MEIGS	00947	3.06	LEWIS CREEK	OPEN	6/7/2017	1940	35.368217	-84.882167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
61004580007	MEIGS	00947	4.39	PRICE CREEK	OPEN	6/14/2017	2010	35.36235	-84.861133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.1
61S42690001	MEIGS	01128	4.6	GUNSTOCKER CREEK	OPEN	6/20/2017	1985	35.343633	-84.935917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
61S44290001	MEIGS	01189	1.515	GOODFIELD CREEK	OPEN	6/13/2017	1967	35.497583	-84.851533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
61011890001	MEIGS	01189	2.94	BRANCH	OPEN	6/7/2017	1960	35.483217	-84.868117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
61S42710001	MEIGS	01191	3.3	TEN MILE CREEK	OPEN	6/1/2017	1948	35.666617	-84.665033	CONCRETE	TEE BEAM	68.9
61S42710003	MEIGS	01191	4.51	BRANCH OF HURRICANE CREEK	OPEN	6/1/2017	1984	35.6662	-84.643583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
61S42710005	MEIGS	01191	5.86	DRY FORK CREEK	OPEN	6/1/2017	1985	35.652367	-84.630517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
61S42710007	MEIGS	01191	6.23	BIG SEWEE CREEK	OPEN	6/1/2017	1982	35.6478	-84.633083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9
61022710001	MEIGS	02271	7.79	COLDWATER BRANCH	OPEN	6/7/2017	1993	35.46105	-84.80825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
61022710003	MEIGS	02271	8.81	COLDWATER BRANCH	OPEN	6/12/2017	1984	35.469367	-84.821933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
61022730001	MEIGS	02273	9.4	DAVIS CREEK	OPEN	6/20/2017	1960	35.563783	-84.7149	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61
61022750001	MEIGS	02275	0.56	DRY FORK BRANCH	OPEN	6/20/2017	1973	35.568517	-84.749983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
61022750003	MEIGS	02275	0.93	BLACK ANKLE CREEK	OPEN	6/15/2017	1970	35.570533	-84.744267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
61022750005	MEIGS	02275	1.56	DAVIS CREEK	OPEN	6/20/2017	1973	35.5915	-84.567233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
61022750007	MEIGS	02275	3.96	LITTLE SEWEE CREEK	OPEN	6/13/2017	1970	35.598667	-84.703717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
610A0220001	MEIGS	0A022	1.058	SEWEE CREEK	WEIGHT POSTED	6/8/2017	1884	35.57805	-84.7596	STEEL	TRUSS - THRU	19.8
610A0280001	MEIGS	0A028	0.215	BIG SEWEE CREEK	OPEN	6/12/2017	1988	35.593683	-84.712717	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.2
61022750011	MEIGS	0A066	2.094	HURRICANE CREEK	WEIGHT POSTED	6/21/2017	1967	35.6426	-84.672967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.9
610A0660001	MEIGS	0A066	6.97	TEN MILE CREEK	OPEN	6/6/2017	1991	35.705	-84.643383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
610A0670001	MEIGS	0A067	0.06	TEN MILE CREEK	OPEN	6/6/2017	1991	35.680967	-84.662483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
610A0760001	MEIGS	0A076	0.45	TEN MILE CREEK	OPEN	6/6/2017	1982	35.643467	-84.6871	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
610A0760003	MEIGS	0A076	1.564	HURRICANE CREEK	OPEN	6/15/2017	2009	35.644817	-84.669417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
610A0760005	MEIGS	0A076	3.627	BIG SEWEE CREEK	OPEN	6/15/2017	2004	35.63155	-84.6456	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
610A0770001	MEIGS	0A077	0.37	TEN MILE CREEK	OPEN	6/15/2017	1982	35.652333	-84.67825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
610A0780001	MEIGS	0A078	0.381	HURRICANE CREEK	OPEN	6/15/2017	2004	35.658633	-84.65965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
610A0820001	MEIGS	0A082	0.046	BIG SEWEE CREEK	OPEN	6/14/2017	1995	35.606333	-84.675267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
610A0820003	MEIGS	0A082	1.4	TEN MILE CREEK	OPEN	6/14/2017	1986	35.6182	-84.69195	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.2
610A1010001	MEIGS	0A101	0.388	GOODFIELD CREEK	OPEN	6/15/2017	1983	35.469217	-84.831317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
610A1020001	MEIGS	0A102	1.31	PRICE CREEK	OPEN	6/21/2017	1988	35.40825	-84.835583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
610A1180001	MEIGS	0A118	0.035	BIG SEWEE CREEK	OPEN	6/6/2017	2013	35.643367	-84.637667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.9
610A1200001	MEIGS	0A120	2.101	SUGAR CREEK	OPEN	6/26/2017	2004	35.324433	-84.897933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99
610A1220001	MEIGS	0A122	1.387	SUGAR CREEK	OPEN	6/26/2017	1984	35.339183	-84.890767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
610A1240001	MEIGS	0A124	0.123	SUGAR CREEK	OPEN	6/26/2017	1981	35.310417	-84.916633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
610A1240003	MEIGS	0A124	0.737	SUGAR CREEK	OPEN	6/26/2017	1981	35.313183	-84.90675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
610A1270001	MEIGS	0A127	0.482	GUNSTOCKER CREEK	OPEN	6/13/2017	1988	35.30255	-84.943233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
610A1280001	MEIGS	0A128	0.055	DAVIS CREEK	OPEN	6/12/2017	1988	35.569733	-84.724283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
610A1300001	MEIGS	0A130	0	GUNSTOCKER CREEK	OPEN	6/13/2017	2010	35.330433	-84.9513	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
610A1390001	MEIGS	0A139	1.054	BEAR BRANCH	OPEN	6/15/2017	2007	35.3849	-85.011567	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.9
610A1670001	MEIGS	0A167	0.925	GOODFIELD CREEK	OPEN	6/20/2017	1993	35.499833	-84.832867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
610A1690001	MEIGS	0A169	0.365	DECATUR CREEK	OPEN	6/13/2017	1985	35.491167	-84.826017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
610A1700001	MEIGS	0A170	0.311	DECATUR CREEK	OPEN	6/13/2017	1993	35.502883	-84.8042	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
610A1940001	MEIGS	0A194	0.573	WATTS CREEK	OPEN	6/13/2017	2008	35.62775	-84.75995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
610A2140001	MEIGS	0A214	0.12	DECATUR CREEK	OPEN	6/14/2017	1984	35.5145	-84.790917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
610A2350001	MEIGS	0A235	0.213	GOODFIELD CREEK	OPEN	6/14/2017	1985	35.4599	-84.834717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
610A3400001	MEIGS	0A340	0.04	DECATUR CREEK	WEIGHT POSTED	6/14/2017	1960	35.50215	-84.771983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.5
61S43210001	MEIGS	0A730	0.1	LITTLE SEWEE CREEK	OPEN	6/20/2017	1975	35.591667	-84.676667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
61SR0300001	MEIGS	0A733	0.37	DECATUR BRANCH	WEIGHT POSTED	6/20/2017	1931	35.514767	-84.79305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	27.9
61SR0300003	MEIGS	SR030	5.575	DECATUR BRANCH	OPEN	5/18/2017	2009	35.514722	-84.793056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
61SR0580001	MEIGS	SR058	0.42	GUNSTOCKER CREEK	OPEN	5/2/2017	1996	35.307317	-84.955367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
61SR0580003	MEIGS	SR058	5.22	HIWASSEE RIVER	OPEN	5/2/2017	2007	35.366317	-84.91045	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.2
61SR0580005	MEIGS	SR058	7.22	SMALL BRANCH	OPEN	5/2/2017	1930	35.3936	-84.901017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.2
61SR0580007	MEIGS	SR058	10.98	AGENCY CREEK	OPEN	5/2/2017	1930	35.43	-84.856667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.2
61SR0580009	MEIGS	SR058	17.5	DECATUR CREEK	OPEN	5/2/2017	1976	35.508333	-84.793333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
61SR0580011	MEIGS	SR058	19.9	FORK CREEK	OPEN	5/15/2017	1950	35.54	-84.778333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.5
61SR0580013	MEIGS	SR058	22.84	BIG SEWEE CREEK	OPEN	5/22/2017	1928	35.575	-84.75	CONCRETE	TEE BEAM	70.4
61SR0580015	MEIGS	SR058	24.49	MOORE BRANCH	OPEN	5/15/2017	1930	35.591667	-84.728333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
61SR0580017	MEIGS	SR058	24.94	BRANCH	OPEN	5/17/2017	1930	35.593333	-84.723333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3
61SR0580019	MEIGS	SR058	26.78	BRANCH	OPEN	5/16/2017	1928	35.615	-84.708333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
61SR0580021	MEIGS	SR058	27.25	BRANCH	OPEN	5/16/2017	1930	35.62	-84.703333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
61SR0580023	MEIGS	SR058	29.4	NEBO BRANCH	OPEN	5/17/2017	1930	35.648333	-84.686667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.3
61SR0580025	MEIGS	SR058	30.3	BRANCH	OPEN	5/18/2017	1930	35.661017	-84.679783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.8
61SR0580027	MEIGS	SR058	31.8	BRANCH	OPEN	5/4/2017	1930	35.68065	-84.6682	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
61SR0580029	MEIGS	SR058	35.05	TEN MILE CREEK	OPEN	5/4/2017	1930	35.72015	-84.636633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2
61SR0600001	MEIGS	SR060	3.1	TENNESSEE RIVER	OPEN	5/8/2017	1995	35.410617	-85.0196	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.8
61SR0680001	MEIGS	SR068	4.68	SEWEE CREEK	OPEN	5/15/2017	1964	35.615	-84.701667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	61.8
61S43350001	MEIGS	SR304	4.77	BIG SEWEE CREEK	OPEN	5/22/2017	1954	35.576667	-84.791667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.1
61S43350003	MEIGS	SR304	7.14	DRAKE BRANCH	OPEN	5/10/2017	1979	35.601483	-84.767267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
61SR3050001	MEIGS	SR305	0.3	LITTLE SEWEE CREEK	OPEN	5/10/2017	1998	35.592333	-84.677517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
61SR3050003	MEIGS	SR305	0.33	LITTLE SEWEE CREEK	OPEN	5/4/2017	1998	35.592333	-84.677083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
61011870003	MEIGS	SR306	0.6	LICK CREEK	OPEN	5/11/2017	1999	35.350667	-84.88305	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
61011870001	MEIGS	SR306	1.21	SMALL BRANCH	OPEN	5/11/2017	1940	35.350317	-84.89375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
62S24300003	MONROE	01138	1.02	FORK CREEK	OPEN	7/26/2016	1952	35.643233	-84.311433	CONCRETE	TEE BEAM	79.1
62F00010003	MONROE	01139	7.07	CITICO CREEK	OPEN	7/19/2016	1983	35.532217	-84.103183	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.3
62F00010005	MONROE	01139	10	MULBERRY CREEK	OPEN	7/19/2016	1978	35.542417	-84.058667	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	64.4
62F00240003	MONROE	01200	0.32	KINSER BRANCH	OPEN	7/25/2016	1997	35.488167	-84.451617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
62F00240005	MONROE	01200	2.37	DANCING CREEK	OPEN	7/25/2016	1993	35.501133	-84.420833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
62S24150007	MONROE	01202	1.42	STRATTON CREEK	OPEN	7/20/2016	1958	35.46835	-84.227883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
62S24150009	MONROE	01202	2.44	TELLICO RIVER	OPEN	8/23/2016	1967	35.4758	-84.242583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.6
62S24150011	MONROE	01202	7.49	NOTCHY CREEK	OPEN	8/9/2016	1998	35.491733	-84.30645	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.9
62F00020001	MONROE	01204	2.52	BRANCH	OPEN	8/9/2016	1940	35.529367	-84.317483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.9
62012060001	MONROE	01206	0.2	SWEETWATER CREEK	OPEN	7/27/2016	1966	35.597967	-84.461917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.9
62012060003	MONROE	01206	3.86	BRANCH	OPEN	8/1/2016	1937	35.5726	-84.4187	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
62012060005	MONROE	01206	4.05	FORK CREEK	OPEN	8/1/2016	2013	35.570367	-84.41635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
62SR0330001	MONROE	01210	0.12	MADISONVILLE BRANCH	OPEN	8/2/2016	1930	35.519717	-84.360533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7
62SR0330007	MONROE	01210	0.57	SR 33	OPEN	8/6/2015	1974	35.522033	-84.353683	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	64.9
62F00110001	MONROE	01235	3.53	SINKHOLE CREEK	OPEN	7/18/2016	1958	35.412	-84.279967	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	80.1
62S25090001	MONROE	01241	4.58	BAT CREEK	OPEN	8/2/2016	1941	35.555883	-84.3623	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.8
62023350001	MONROE	02335	3.34	NOTCHY CREEK	OPEN	7/20/2016	2009	35.514717	-84.274083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98
62023440001	MONROE	02344	1.27	NORTH FORK NOTCHY CREEK	OPEN	8/3/2016	1970	35.518983	-84.2955	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	64.2
62023440003	MONROE	02344	1.89	NORTH FORK NOTCHY CREEK	OPEN	8/3/2016	1972	35.514483	-84.305033	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	62.3
62023440005	MONROE	02344	2.22	NORTH FORK NOTCHY CREEK	OPEN	8/3/2016	1991	35.514317	-84.310467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
62023480001	MONROE	02348	0.25	ISLAND CREEK	OPEN	8/2/2016	1983	35.5733	-84.288467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
62023480003	MONROE	02348	3.35	BAT CREEK	OPEN	7/25/2016	1987	35.59285	-84.3274	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
62S24320001	MONROE	05394	0.23	SWEETWATER CREEK	OPEN	7/27/2016	1966	35.600733	-84.456833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.6
620A4050001	MONROE	0A011	5.531	BULLET CREEK	OPEN	7/11/2016	2009	35.283717	-84.431517	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
620A9050003	MONROE	0A011	6.897	SPRING CREEK	OPEN	7/11/2016	1988	35.267317	-84.423117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
62I00750009	MONROE	0A059	2.785	I75	OPEN	8/30/2016	1971	35.644	-84.469517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
620A0670001	MONROE	0A067	0.166	SWEETWATER CREEK	WEIGHT POSTED	7/27/2016	1965	35.64955	-84.4281	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50
620A0810001	MONROE	0A081	1.192	SWEETWATER CREEK	OPEN	7/27/2016	1920	35.625133	-84.448217	CONCRETE	ARCH - DECK	78.5
620A1000001	MONROE	0A100	0.831	FORK CREEK	OPEN	8/1/2016	1987	35.59085	-84.388367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
620A1110001	MONROE	0A111	0.374	FORK CREEK	OPEN	8/1/2016	2001	35.5786	-84.406567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.2
620A0330001	MONROE	0A116	1.846	SWEETWATER CREEK	OPEN	7/26/2016	1910	35.575467	-84.486933	CONCRETE	ARCH - DECK	42

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
620A1490001	MONROE	0A137	0.3	FORK CREEK	OPEN	7/26/2016	1998	35.65035	-84.296533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.9
620A5200001	MONROE	0A149	2.432	CSX RAILROAD	OPEN	7/25/2016	1999	35.48765	-84.412417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.1
620A1590001	MONROE	0A159	0.173	BAT CREEK	OPEN	8/2/2016	1984	35.563033	-84.359167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
620A3740001	MONROE	0A170	0.967	CHESTNEE CREEK	OPEN	7/21/2016	1983	35.44605	-84.4362	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
620A1810001	MONROE	0A181	1.028	ISLAND CREEK	OPEN	7/20/2016	1992	35.582183	-84.269233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
620A2240001	MONROE	0A224	1.758	NOTCHY CREEK	OPEN	8/9/2016	1983	35.501467	-84.2915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
620A2330001	MONROE	0A233	0.18	NOTCHY CREEK	OPEN	8/9/2016	2011	35.49045	-84.308817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
620A2650001	MONROE	0A265	0.867	NOTCHY CREEK	OPEN	7/21/2016	2009	35.457867	-84.36135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
620A2680001	MONROE	0A268	1.2	BIG CREEK	OPEN	7/20/2016	1992	35.4529	-84.291783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
620A2740001	MONROE	0A274	1.03	SINKHOLE CREEK	OPEN	7/13/2016	1975	35.406617	-84.302167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.2
620A2780001	MONROE	0A278	1.184	SINKHOLE CREEK	OPEN	7/13/2016	2009	35.408417	-84.29575	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
620A2950001	MONROE	0A295	0.573	SMOKEY RUN CREEK	OPEN	7/18/2016	2001	35.380367	-84.26485	CONCRETE	FRAME (EXCEPT FRAME CULVERTS)	91.2
620A2960001	MONROE	0A296	3.003	CANE CREEK	OPEN	7/18/2016	1983	35.4253	-84.254467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
620A3010001	MONROE	0A301	0.187	CANE CREEK	OPEN	7/18/2016	2004	35.41445	-84.2478	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
620A3080001	MONROE	0A308	3.356	BALL PLAY CREEK	OPEN	7/14/2016	1984	35.481817	-84.1849	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
620A3150001	MONROE	0A315	10	CITICO CREEK	OPEN	7/19/2016	1940	35.5151	-84.097417	CONCRETE	TEE BEAM	76
620A3180001	MONROE	0A318	0.834	BALL PLAY CREEK	OPEN	7/14/2016	1987	35.4708	-84.183933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
620A3310001	MONROE	0A331	5.111	BALL PLAY CREEK	OPEN	7/14/2016	1983	35.454467	-84.18885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
620A3340001	MONROE	0A334	0.46	BALL PLAY CREEK	OPEN	7/14/2016	2015	35.45145	-84.178533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.2
620A3630001	MONROE	0A363	1.204	CHESTUEE CREEK	WEIGHT POSTED	7/21/2016	1970	35.465217	-84.407383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
620A3720001	MONROE	0A372	0.01	BRANCH	OPEN	7/21/2016	1994	35.445667	-84.3737	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
620A3790001	MONROE	0A379	4.903	CONASAUGA CREEK	OPEN	7/12/2016	1994	35.3548	-84.384283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
620A4080001	MONROE	0A408	0.042	BULLET CREEK	OPEN	7/11/2016	2003	35.287433	-84.436433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
620A4090001	MONROE	0A409	0.328	BULLET CREEK	OPEN	7/11/2016	1987	35.276333	-84.437383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
620A4130001	MONROE	0A413	0.156	POWER MILL BRANCH	OPEN	7/12/2016	1984	35.338583	-84.37375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
620A4160001	MONROE	0A416	0.013	CONASAUGA CREEK	OPEN	7/12/2016	1995	35.311567	-84.3603	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.8
620A4170001	MONROE	0A417	3.202	CONASAUGA CREEK	OPEN	7/12/2016	1975	35.308033	-84.350533	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.3
620A4410001	MONROE	0A441	3.15	COKER CREEK	OPEN	7/8/2016	1987	35.251033	-84.292467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
620A4540001	MONROE	0A454	1.995	COKER CREEK	OPEN	7/8/2016	2012	35.233067	-84.318467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
620A1450001	MONROE	0A470	0.026	BAT CREEK	OPEN	7/26/2016	1997	35.616733	-84.290633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
620A5090001	MONROE	0A509	0.188	POWDER MILL BRANCH	OPEN	7/12/2016	2008	35.339983	-84.369867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
620A5210001	MONROE	0A521	0.67	MIDDLE CREEK	OPEN	7/25/2016	2003	35.478367	-84.45175	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
620A1060001	MONROE	0A592	0.777	FORK CREEK	OPEN	8/1/2016	1983	35.609633	-84.372983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
62100750011	MONROE	0A596	0.205	I75	OPEN	8/30/2016	1971	35.665867	-84.452033	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
62100750007	MONROE	0A616	1.152	I75	OPEN	8/30/2016	1971	35.636997	-84.475694	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
620A0530001	MONROE	0A617	0.03	GREASY CREEK	OPEN	7/27/2016	1993	35.646317	-84.484983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
620A7980001	MONROE	0A798	0.782	BALL PLAY CREEK	OPEN	7/14/2016	1984	35.494083	-84.18465	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
620A8430001	MONROE	0A843	0.212	BAT CREEK	OPEN	7/26/2016	1991	35.608117	-84.3103	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
62SR0680009	MONROE	0A859	0.231	SINKHOLE CREEK	OPEN	7/13/2016	1918	35.3914	-84.3222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
62SR0020001	MONROE	SR002	2.28	SWEETWATER CREEK	OPEN	8/12/2015	1929	35.5918	-84.468783	CONCRETE	TEE BEAM	33.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
62SR0020003	MONROE	SR002	2.71	SWEETWATER CREEK	OPEN	8/12/2015	1931	35.59715	-84.464983	CONCRETE	TEE BEAM	81.6
62SR0020009	MONROE	SR002	3.6	TRIB. SWEETWATER CREEK	OPEN	8/12/2015	2001	35.608583	-84.4621	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
62SR0020005	MONROE	SR002	5.04	SWEETWATER CREEK	OPEN	8/12/2015	1966	35.625583	-84.449267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	54
62SR0020007	MONROE	SR002	5.18	SOUTHERN RAILWAY	OPEN	8/12/2015	1966	35.62645	-84.446983	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	61
62SR0330005	MONROE	SR033	5.51	SR 33 RL / SR 68	OPEN	8/5/2015	1975	35.509083	-84.3717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.9
62SR0330006	MONROE	SR033	5.51	SR 33 LL / SR 68	OPEN	8/5/2015	1975	35.509283	-84.37185	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.8
62SR0330003	MONROE	SR033	16.68	LITTLE TENNESSEE RIVER	OPEN	8/26/2015	1971	35.6035	-84.2143	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
62SR0330004	MONROE	SR033	16.68	LITTLE TENNESSEE RIVER	OPEN	8/26/2015	1971	35.603567	-84.214367	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
62S42760001	MONROE	SR039	2.17	CONASAUGA CREEK	OPEN	8/10/2015	1970	35.3419	-84.37615	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.3
62I00750001	MONROE	SR068	0.21	I75	OPEN	8/30/2016	1970	35.59885	-84.517067	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
62I00750002	MONROE	SR068	0.21	I75	OPEN	8/30/2016	1970	35.599033	-84.516917	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
62SR0680001	MONROE	SR068	3.19	SOU. RR & SWEETWATER CR	OPEN	8/12/2015	1977	35.5863	-84.467817	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.9
62SR0680019	MONROE	SR068	11.81	CSX RAILROAD	OPEN	8/5/2015	1970	35.514033	-84.37455	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.8
62SR0680007	MONROE	SR068	16.51	NOTCHY CREEK	OPEN	8/4/2015	1993	35.4504	-84.377283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
62SR0680023	MONROE	SR068	22.52	SINKHOLE CREEK	OPEN	8/4/2015	1990	35.391633	-84.318567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
62SR0680025	MONROE	SR068	23.88	SINKHOLE CREEK	OPEN	8/4/2015	1990	35.375517	-84.30635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
62SR0680021	MONROE	SR068	24.48	HUNT BRANCH	OPEN	8/4/2015	1989	35.3677	-84.301567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
62SR0680011	MONROE	SR068	36.11	BARNEY CREEK	OPEN	8/5/2015	1998	35.24135	-84.317933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.4
62SR0680013	MONROE	SR068	38.37	COKER CREEK	OPEN	8/5/2015	1993	35.218033	-84.340567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.4
62SR0720009	MONROE	SR072	0.94	FOUR MILE CREEK	OPEN	8/27/2015	1990	35.569083	-84.109583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
62SR0720007	MONROE	SR072	4.83	NINE MILE CREEK	OPEN	8/27/2015	1982	35.611117	-84.19	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
62SR0720005	MONROE	SR072	5.54	ISLAND CREEK	OPEN	8/6/2015	1981	35.578767	-84.272167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
62SR0720001	MONROE	SR072	5.56	CSX RAILROAD	OPEN	8/6/2015	1981	35.57925	-84.272517	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.6
62SR0720003	MONROE	SR072	8.78	BAT CREEK	OPEN	8/25/2015	1981	35.625533	-84.273783	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.3
62SR1650001	MONROE	SR165	1.76	QUARRY CREEK	OPEN	8/11/2015	1993	35.357517	-84.2743	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
62SR1650003	MONROE	SR165	2.21	LYON CREEK	OPEN	8/11/2015	1991	35.3557	-84.267417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
62SR1650009	MONROE	SR165	3.13	TELLICO RIVER	OPEN	8/11/2015	1986	35.34925	-84.253917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.3
62SR1650005	MONROE	SR165	8.85	SR 165 / NFA A465	OPEN	8/11/2015	1970	35.35115	-84.190317	CONCRETE	SLAB	88.7
62SR1650007	MONROE	SR165	9.63	BRANCH	OPEN	8/11/2015	1970	35.352233	-84.17805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
62SR1650011	MONROE	SR165	21.54	LAUREL BRANCH	OPEN	8/24/2015	1983	35.351767	-84.070867	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	100
62S25180001	MONROE	SR315	1.26	SPRING CREEK	OPEN	8/10/2015	1960	35.271667	-84.416433	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.2
62S25180003	MONROE	SR315	5.63	CONASAUGA CREEK	OPEN	8/10/2015	1960	35.319633	-84.375367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
62S25180005	MONROE	SR315	7.65	POWDER MILL CREEK	OPEN	8/10/2015	1960	35.342533	-84.3604	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
62I00750005	MONROE	SR322	0.59	I75	OPEN	8/30/2016	1973	35.623133	-84.492033	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.4
62SR3220003	MONROE	SR322	3.13	SWEETWATER CREEK	OPEN	8/13/2015	2001	35.608917	-84.461483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.2
62SR3220001	MONROE	SR322	3.32	SOUTHERN RAILWAY	OPEN	8/13/2015	2001	35.608933	-84.457367	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.9
62S24320003	MONROE	SR322	7.93	FORK CREEK	OPEN	8/13/2015	1958	35.611967	-84.3792	CONCRETE	TEE BEAM	77.2
62S24300001	MONROE	SR322	13.32	BAT CREEK	OPEN	8/13/2015	1952	35.617417	-84.303483	CONCRETE	TEE BEAM	76.3
62S24150001	MONROE	SR360	0.03	TELLICO RIVER	OPEN	8/24/2015	1960	35.36315	-84.284133	CONCRETE	TEE BEAM	61.5
62S24150003	MONROE	SR360	1.55	SMOKEY RUN CREEK	OPEN	8/4/2015	1960	35.38255	-84.2731	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
62S24150005	MONROE	SR360	4.33	CANE CREEK	OPEN	8/10/2015	1958	35.408367	-84.243317	CONCRETE	TEE BEAM	77.5
62023330005	MONROE	SR360	14.79	BACKWATERS TELLICO LAKE	OPEN	8/10/2015	1976	35.511083	-84.191383	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
62E00010001	MONROE	SR360	21.44	TELLICO RIVER	OPEN	8/25/2015	1930	35.587817	-84.22715	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.7
63S63310001	MONTGOMERY	00958	0.88	RUSH BRANCH	OPEN	1/11/2017	1987	36.425133	-87.151283	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.3
63S62750003	MONTGOMERY	00971	3.38	HURRICANE CREEK	OPEN	1/5/2017	1978	36.423517	-87.333483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
63S63630001	MONTGOMERY	00971	8.5	ROCKY FORD CREEK	OPEN	1/19/2017	1963	36.474467	-87.337433	CONCRETE	TEE BEAM	60.4
63S63630005	MONTGOMERY	00971	11.38	BRANCH	OPEN	1/19/2017	1963	36.485533	-87.38305	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.6
63F00190001	MONTGOMERY	00973	2.14	BRANCH	OPEN	1/19/2017	1935	36.479083	-87.3895	CONCRETE	ARCH - DECK	56.5
63S63630003	MONTGOMERY	00973	3.97	CUMBERLAND RIVER	OPEN	1/27/2017	1987	36.503083	-87.380733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.2
63S62690003	MONTGOMERY	00975	5.04	DRY BRANCH	OPEN	12/1/2016	1986	36.498667	-87.5018	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.5
63S62690001	MONTGOMERY	00975	7.9	CUMMINGS CREEK	WEIGHT POSTED	12/1/2016	1942	36.48805	-87.468533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.9
63S61170001	MONTGOMERY	00977	3.04	LITTLE WEST FORK CREEK	OPEN	1/26/2017	2004	36.5915	-87.38975	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.7
63018570001	MONTGOMERY	01411	3.28	BAGGETT BRANCH	OPEN	1/18/2017	1958	36.362983	-87.470533	CONCRETE	TEE BEAM	63.6
63018530005	MONTGOMERY	01853	0.01	BIG BARTONS CREEK	OPEN	1/20/2017	1989	36.313767	-87.303733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.1
63018530003	MONTGOMERY	01853	4.11	LITTLE BARTONS CREEK	OPEN	1/20/2017	1950	36.335417	-87.3456	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.1
63018530001	MONTGOMERY	01853	6.38	LOUISE CREEK	OPEN	1/23/2017	1963	36.3642	-87.341783	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.6
63018550001	MONTGOMERY	01855	0.18	SULLIVAN BRANCH	OPEN	1/9/2017	1964	36.33445	-87.48785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
63018550003	MONTGOMERY	01855	1.23	BRANCH	OPEN	1/9/2017	1960	36.347767	-87.495667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
63018590001	MONTGOMERY	01859	4.74	E FORK YELLOW CREEK	OPEN	1/9/2017	1956	36.407983	-87.535933	CONCRETE	TEE BEAM	72.9
63SR1490009	MONTGOMERY	01861	1.51	ANTIOCH CREEK	OPEN	1/10/2017	1940	36.44805	-87.426633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.9
63018610001	MONTGOMERY	01861	2.8	BUDD'S CREEK	OPEN	1/13/2017	1978	36.432767	-87.4366	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
63018610003	MONTGOMERY	01861	3.95	BUDD'S CREEK	OPEN	1/17/2017	1981	36.417417	-87.434517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.4
63018610005	MONTGOMERY	01861	4.95	BRANCH	WEIGHT POSTED	1/17/2017	1960	36.404033	-87.439667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.8
63018610007	MONTGOMERY	01861	5.15	BUDDS CREEK	OPEN	1/17/2017	1983	36.40135	-87.440533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.9
63018610009	MONTGOMERY	01861	6.15	BUDDS BRANCH	OPEN	1/17/2017	1980	36.388983	-87.4479	STEEL	STRINGER/MULTI-BEAM OR GIRDER	93.8
630A6060001	MONTGOMERY	01863	0.52	COOPER CREEK	OPEN	11/30/2016	1987	36.494067	-87.554733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.5
63018630001	MONTGOMERY	01863	1.8	BRANCH	OPEN	11/30/2016	1965	36.510383	-87.558483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.1
63S63790001	MONTGOMERY	01869	2.07	SPRING CREEK	OPEN	1/26/2017	1968	36.598817	-87.350867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.8
63I00240017	MONTGOMERY	01880	1.9	TROUGH SPRINGS RD /I24EB	OPEN	11/9/2016	1973	36.514133	-87.208267	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78
63I00240018	MONTGOMERY	01880	1.99	TROUGH SPRINGS RD /I24WB	OPEN	11/9/2016	1973	36.514517	-87.206833	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78
63018800001	MONTGOMERY	01880	5.47	PASSENGER CREEK	OPEN	12/5/2016	1940	36.516767	-87.159717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.8
63S62710001	MONTGOMERY	01888	0.98	BIG MCADOO CREEK	OPEN	1/24/2017	1959	36.471783	-87.261733	CONCRETE	TEE BEAM	65.2
63S62710003	MONTGOMERY	01888	1.81	LITTLE MCADOO CREEK	OPEN	1/24/2017	1960	36.463883	-87.258767	CONCRETE	TEE BEAM	79.5
63018880001	MONTGOMERY	01888	6.67	MCADOO CREEK	OPEN	1/11/2017	1945	36.443967	-87.209183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.8
63018880003	MONTGOMERY	01888	10.05	MCADOO CREEK	OPEN	12/5/2016	1987	36.4795	-87.17825	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.1
630A5040001	MONTGOMERY	01892	0.18	BUD'S CREEK	OPEN	1/10/2017	1984	36.448783	-87.443367	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.7
63SR0130013	MONTGOMERY	03121	1.7	CSX RAILROAD	OPEN	1/25/2017	2000	36.5243	-87.352233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.8
63S31480001	MONTGOMERY	03148	0.14	CSX RAILROAD	OPEN	1/25/2017	1991	36.552717	-87.322717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.3
63K31480003	MONTGOMERY	03148	1.27	BRANCH	OPEN	1/25/2017	1950	36.5495	-87.3029	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	45.4
630A0780001	MONTGOMERY	04761	1.67	RACCOON CREEK	OPEN	12/1/2016	1992	36.57525	-87.465733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
630A2360001	MONTGOMERY	05580	1.11	SPRING CREEK	OPEN	12/6/2016	1965	36.61575	-87.287817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.7
63I00240011	MONTGOMERY	06055	0.71	DUNLOP RD. / I24	OPEN	11/8/2016	1973	36.579033	-87.265367	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	75.5
630A6090001	MONTGOMERY	0A006	0.025	BLOOMING GROVE CREEK	OPEN	11/30/2016	1980	36.49375	-87.55535	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.7
630A0090001	MONTGOMERY	0A009	1.568	SULPHUR BRANCH	WEIGHT POSTED	1/11/2017	1974	36.402367	-87.243017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.8
630A0120003	MONTGOMERY	0A012	0.24	BASCOMB ELDRIDGE CREEK	OPEN	12/14/2016	2006	36.497033	-87.5904	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
630A0120001	MONTGOMERY	0A012	0.776	BASCOMB ELDRIDGE CREEK	OPEN	12/14/2016	2001	36.497033	-87.5904	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
630A4140001	MONTGOMERY	0A035	0.049	INDIAN CREEK	OPEN	1/12/2017	1940	36.32985	-87.408517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	86
630A0890001	MONTGOMERY	0A089	1.023	IC RAILROAD (REMOVED)	OPEN	1/26/2017	1975	36.59475	-87.400317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	7
630A1430001	MONTGOMERY	0A143	1.206	CSX RAILROAD	OPEN	1/25/2017	1988	36.565867	-87.305817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.4
63I00240003	MONTGOMERY	0A236	0.521	MERIWEATHER RD./I 24	OPEN	11/7/2016	1972	36.618	-87.299033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.8
630A2190001	MONTGOMERY	0A238	0.824	MARSHALL CREEK	OPEN	12/14/2016	1986	36.422833	-87.587733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
630A2780001	MONTGOMERY	0A278	1.034	PASSENGER CREEK	OPEN	12/5/2016	1994	36.505117	-87.138183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
63I00240019	MONTGOMERY	0A281	0.906	DURHAM RD. / I24	OPEN	11/10/2016	1973	36.495917	-87.176733	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.9
63I00240023	MONTGOMERY	0A284	0.357	SANGO RD-STR. 15A / I24	OPEN	11/10/2016	1973	36.476733	-87.143067	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87.6
63I00240024	MONTGOMERY	0A284	0.429	SANGO RD-SRT. 15B / I24	OPEN	11/10/2016	1973	36.47695	-87.142217	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	88.6
630A2840001	MONTGOMERY	0A284	1.076	PASSENGER CREEK	OPEN	12/5/2016	1998	36.4771	-87.129833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.9
630A2970001	MONTGOMERY	0A297	1.85	BIG MCADOO CREEK	OPEN	1/24/2017	1996	36.48085	-87.2256	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
630A3060001	MONTGOMERY	0A306	0.075	PASSENGER CREEK	OPEN	12/5/2016	1986	36.505833	-87.137017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	91.4
630A3140001	MONTGOMERY	0A314	1.26	BRUSH CREEK	OPEN	1/11/2017	1986	36.416867	-87.2429	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
630A3260003	MONTGOMERY	0A326	3.522	MUDDY BRANCH	OPEN	1/11/2017	2002	36.42855	-87.291017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
630A3310001	MONTGOMERY	0A331	1.745	BIG MCADOO CREEK	OPEN	1/24/2017	2012	36.463467	-87.275017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.1
630A3380001	MONTGOMERY	0A338	1.455	WALL BRANCH	OPEN	1/24/2017	1984	36.500283	-87.278233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.4
630A3500001	MONTGOMERY	0A350	2.377	ROCKY FORD CREEK	OPEN	1/19/2017	1986	36.470317	-87.335983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
630A3600003	MONTGOMERY	0A360	0.022	CAMP CREEK	OPEN	1/19/2017	1985	36.447483	-87.331117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.8
630A3600001	MONTGOMERY	0A360	1.727	HURRICANE CREEK	OPEN	1/19/2017	1984	36.426367	-87.317467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.8
630A3640001	MONTGOMERY	0A364	1.199	BRANCH	OPEN	1/5/2017	1993	36.424333	-87.3546	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.2
630A3640003	MONTGOMERY	0A364	2.739	SPRING BRANCH	WEIGHT POSTED	1/23/2017	1950	36.404183	-87.34665	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.1
630A3670001	MONTGOMERY	0A367	2.696	BRANCH	OPEN	1/5/2017	1979	36.4221	-87.343317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
630A3710001	MONTGOMERY	0A371	4.759	DAWSON CREEK	OPEN	1/5/2017	1991	36.4168	-87.295117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
630A3710003	MONTGOMERY	0A371	5.325	BRANCH	OPEN	1/5/2017	1984	36.41795	-87.303567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	93.9
630A3860001	MONTGOMERY	0A386	0.593	BRANCH	OPEN	1/20/2017	1955	36.365033	-87.302133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
630A3860003	MONTGOMERY	0A386	1.064	LOUISE CREEK	OPEN	1/20/2017	1981	36.359383	-87.306417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.5
630A3900001	MONTGOMERY	0A390	0.846	LOUISE CREEK	OPEN	1/23/2017	1977	36.36325	-87.322883	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.7
630A3940001	MONTGOMERY	0A394	1.294	LOUISE CREEK	OPEN	1/23/2017	1982	36.366533	-87.362	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.7
630A4120001	MONTGOMERY	0A412	0.199	INDIAN CREEK	WEIGHT POSTED	1/12/2017	1982	36.324017	-87.3819	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.9
630A4200001	MONTGOMERY	0A420	0.01	BRYANT BRANCH	OPEN	1/12/2017	1975	36.33715	-87.453117	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	82.5
630A4220001	MONTGOMERY	0A422	0.032	BRYANT BRANCH	OPEN	1/12/2017	1986	36.352367	-87.4633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.1
630A4230001	MONTGOMERY	0A423	0.113	BAGGETT BRANCH	OPEN	1/18/2017	1988	36.36395	-87.46315	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
630A4340001	MONTGOMERY	0A434	1.464	DAWSON CREEK	OPEN	1/19/2017	1967	36.388967	-87.305867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
630A4360001	MONTGOMERY	0A436	2.141	LOUISE CREEK	OPEN	1/18/2017	1970	36.370117	-87.399567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.2
630A4450001	MONTGOMERY	0A445	0.319	BAGGETT BRANCH	OPEN	1/9/2017	1978	36.36835	-87.500517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
630A4670001	MONTGOMERY	0A445	2.114	BURNEY CREEK	WEIGHT POSTED	1/23/2017	1973	36.390433	-87.48995	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.2
630A4470001	MONTGOMERY	0A447	0.066	BARTONS CREEK	OPEN	1/20/2017	1976	36.3412	-87.308567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
630A4580001	MONTGOMERY	0A458	3.62	YELLOW CREEK	OPEN	1/9/2017	2007	36.380617	-87.546717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
630A4600001	MONTGOMERY	0A460	0.371	BRANCH	OPEN	12/1/2016	1985	36.49705	-87.47125	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.7
630A4350005	MONTGOMERY	0A462	2.405	LOUISE CREEK	OPEN	1/18/2017	1975	36.3699	-87.411633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
630A4870001	MONTGOMERY	0A487	0.864	GOLDENHORN CREEK	OPEN	1/27/2017	1982	36.424	-87.45475	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.4
630A4960001	MONTGOMERY	0A496	0.349	LOUISE CREEK	WEIGHT POSTED	1/18/2017	1984	36.36065	-87.420483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.5
630A5000001	MONTGOMERY	0A500	0.29	SOLAR WAY / SPRING CREEK	OPEN	11/21/2016	2010	36.6133	-87.25825	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.2
630A5080001	MONTGOMERY	0A508	1.229	ANTIOCH CREEK	OPEN	1/10/2017	1986	36.43705	-87.3857	STEEL	STRINGER/MULTI-BEAM OR GIRDER	91.7
630A5090001	MONTGOMERY	0A509	1.825	ANTIOCH CREEK	OPEN	1/10/2017	1983	36.444717	-87.402233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.4
63018920001	MONTGOMERY	0A550	1.093	GOLDENHORN CREEK	OPEN	1/13/2017	1987	36.432483	-87.454767	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
63018920003	MONTGOMERY	0A550	1.5	SWEET CREEK	OPEN	1/13/2017	1975	36.4321	-87.462817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.4
630A5540001	MONTGOMERY	0A554	0.38	VERNON CREEK	OPEN	1/17/2017	1997	36.421367	-87.430833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
630A5880001	MONTGOMERY	0A588	1.738	BARTEE BRANCH	OPEN	11/30/2016	1988	36.50245	-87.51725	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.3
630A6060003	MONTGOMERY	0A606	4.533	BRANCH	OPEN	12/14/2016	1970	36.525283	-87.5864	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.1
630A6150001	MONTGOMERY	0A615	1.672	BLOOMING GROVE CREEK	OPEN	12/1/2016	1976	36.479867	-87.523017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
630A6160001	MONTGOMERY	0A616	2.31	BRANCH	OPEN	12/14/2016	1988	36.486	-87.590567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.4
630A6160003	MONTGOMERY	0A616	2.996	ELDRIDGE CREEK	OPEN	12/14/2016	1982	36.487933	-87.5788	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.9
630A2010001	MONTGOMERY	0A626	0.157	SPRING CREEK	OPEN	12/6/2016	1983	36.617133	-87.252933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
630A6280001	MONTGOMERY	0A628	1.469	ANTIOCH CREEK	OPEN	1/10/2017	1974	36.442017	-87.39195	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70
63SR1490003	MONTGOMERY	0B350	1.287	WEAVER CREEK	OPEN	1/27/2017	1960	36.4376	-87.484283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.3
63SR1490005	MONTGOMERY	0B350	3.001	GOLDENHAM CREEK	OPEN	1/13/2017	1990	36.439533	-87.45845	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
63SR1490007	MONTGOMERY	0B350	3.939	VERNON CREEK	OPEN	1/13/2017	1989	36.445383	-87.44435	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
630B4430001	MONTGOMERY	0B443	0.307	BRYANT BRANCH	OPEN	1/18/2017	1975	36.3621	-87.47425	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.4
630B4500001	MONTGOMERY	0B450	0	VERNON CREEK	OPEN	1/17/2017	1994	36.409083	-87.41615	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.1
630B6230001	MONTGOMERY	0B623	0.01	BRANCH	OPEN	1/24/2017	2015	36.50635	-87.364317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
630A4560001	MONTGOMERY	0B648	0.139	SULPHUR FORK CREEK	OPEN	12/22/2016	1990	36.553133	-87.139667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
63I00240005	MONTGOMERY	I0024	3.23	SPRING CREEK	OPEN	11/7/2016	1970	36.61365	-87.29525	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
63I00240006	MONTGOMERY	I0024	3.23	SPRING CREEK	OPEN	11/7/2016	1970	36.6138	-87.294383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
63I00240008	MONTGOMERY	I0024	4.39	I24 LL / SR 13	OPEN	11/7/2016	1970	36.60035	-87.2826	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
63I00240007	MONTGOMERY	I0024	4.39	I24 RL / SR 13	OPEN	11/7/2016	1970	36.599917	-87.2831	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
63I00240010	MONTGOMERY	I0024	5.38	CSX RAILROAD	OPEN	11/8/2016	1972	36.588617	-87.2721	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
63I00240009	MONTGOMERY	I0024	5.38	CSX RAILROAD	OPEN	11/8/2016	1972	36.588233	-87.272783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
63I00240013	MONTGOMERY	I0024	9.01	RED RIVER	OPEN	11/9/2016	1972	36.542767	-87.240933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.2
63I00240014	MONTGOMERY	I0024	9.1	RED RIVER	OPEN	11/9/2016	1972	36.543317	-87.237333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
63I00240015	MONTGOMERY	I0024	10.6	I24 RL / SR 76	OPEN	11/9/2016	1972	36.525433	-87.221883	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78.4
63I00240016	MONTGOMERY	I0024	10.6	I24 LL / SR 76	OPEN	11/9/2016	1972	36.525783	-87.221183	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78.4
63I00240022	MONTGOMERY	I0024	15.01	I24 LL / DIXIE B RD	OPEN	11/10/2016	1972	36.48725	-87.1598	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
63I00240021	MONTGOMERY	I0024	15.01	I24 RL / DIXIE B RD	OPEN	11/10/2016	1972	36.486367	-87.1597	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
63SR0120001	MONTGOMERY	SR012	1.08	BRUSH CREEK	OPEN	11/4/2016	1958	36.425017	-87.215583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.3
63SR0120003	MONTGOMERY	SR012	4.04	LITTLE MCADOO CREEK	OPEN	11/4/2016	1958	36.460083	-87.238567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
63SR0120005	MONTGOMERY	SR012	5.3	BIG MCADOO CREEK	OPEN	11/4/2016	1990	36.476433	-87.24535	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.3
63SR0120007	MONTGOMERY	SR012	8.38	BRANCH	OPEN	11/4/2016	1960	36.4992	-87.288983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
63SR0120013	MONTGOMERY	SR012	15.44	RED RIVER	OPEN	11/15/2016	1956	36.541433	-87.367633	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
63SR0120016	MONTGOMERY	SR012	20.81	LITTLE W. FORK RED RIVER	OPEN	11/15/2016	1950	36.599883	-87.422083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.7
63SR0120015	MONTGOMERY	SR012	20.81	LITTLE W. FORK RED RIVER	OPEN	11/15/2016	1988	36.599983	-87.421717	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.5
63SR0130001	MONTGOMERY	SR013	1.55	YELLOW CREEK	OPEN	11/17/2016	1999	36.3487	-87.539483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.7
63SR0130003	MONTGOMERY	SR013	4.31	BIG EAST FORK CREEK	OPEN	11/17/2016	1930	36.364617	-87.5016	CONCRETE	TEE BEAM	59
63SR0130005	MONTGOMERY	SR013	4.67	EAST FORK CREEK	OPEN	11/17/2016	1978	36.365583	-87.494983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.4
63SR0130007	MONTGOMERY	SR013	17.49	CUMBERLAND RIVER	WEIGHT POSTED	11/16/2016	1966	36.480317	-87.374933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	19.9
63SR0130009	MONTGOMERY	SR013	19.53	BRANCH	OPEN	11/18/2016	1904	36.508117	-87.366717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
63SR0134001	MONTGOMERY	SR013	19.89	IC RR (REMOVED)	OPEN	11/18/2016	1956	36.54195	-87.359733	CONCRETE	TEE BEAM	48.2
63SR0130015	MONTGOMERY	SR013	21.606	RED RIVER	OPEN	11/18/2016	2011	36.543767	-87.3362	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
63SR0130017	MONTGOMERY	SR013	29.87	BRANCH	OPEN	11/21/2016	1959	36.621233	-87.231733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
63SR0130019	MONTGOMERY	SR013	31.4	SPRING CREEK	OPEN	11/21/2016	1971	36.635683	-87.211483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	34.2
63SR0480001	MONTGOMERY	SR048	0.4	LITTLE BARTON'S CREEK	OPEN	11/17/2016	1930	36.3269	-87.3743	CONCRETE	TEE BEAM	33.5
63SR0480003	MONTGOMERY	SR048	3.36	LOUISE CREEK	OPEN	11/17/2016	1930	36.369733	-87.376217	CONCRETE	TEE BEAM	37.9
63SR0480005	MONTGOMERY	SR048	9.87	SPRING CREEK	OPEN	11/22/2016	1946	36.60485	-87.318133	CONCRETE	TEE BEAM	64
63I00240001	MONTGOMERY	SR048	11.61	SR 48 / I24	OPEN	11/22/2016	1975	36.629467	-87.3171	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	100
63SR0760005	MONTGOMERY	SR076	19.35	PASSENGER CREEK	OPEN	11/22/2016	1995	36.5348	-87.197117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.6
63SR0760003	MONTGOMERY	SR112	13.66	CSX RAILROAD	OPEN	11/18/2016	1977	36.526817	-87.3488	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	63
63SR1490001	MONTGOMERY	SR149	1.53	YELLOW CREEK	OPEN	11/2/2016	1979	36.4146	-87.579933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
63SR1490011	MONTGOMERY	SR149	7.31	WEAVER CREEK	OPEN	11/2/2016	1984	36.43635	-87.48435	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.8
63SR1490013	MONTGOMERY	SR149	8.79	GOLDENHAM CREEK	OPEN	11/2/2016	1984	36.443333	-87.4598	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
63SR1490015	MONTGOMERY	SR149	9.59	BUDD'S CREEK	OPEN	11/3/2016	1984	36.449017	-87.447217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.8
63SR1490017	MONTGOMERY	SR149	10.08	BRANCH	OPEN	11/3/2016	1984	36.4531	-87.4394	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
63SR1490019	MONTGOMERY	SR149	10.39	BRANCH	OPEN	11/3/2016	1984	36.457017	-87.4353	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
63003530001	MONTGOMERY	SR233	4.76	BLOOMING GROVE CREEK	OPEN	11/30/2016	1981	36.491167	-87.543217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.1
63S61170003	MONTGOMERY	SR236	4.06	WEST FORK RED RIVER	OPEN	11/22/2016	2007	36.625267	-87.365867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
63I00240025	MONTGOMERY	SR237	2.2	ROSSVIEW RD./I24-EBL	OPEN	7/1/2016	2016	36.555767	-87.250433	PRESTRESSED CONCRETE CONTINUOUS	TEE BEAM	99
63I00240026	MONTGOMERY	SR237	2.32	ROSSVIEW RD./I24	OPEN	7/1/2016	2016	36.556367	-87.248517	PRESTRESSED CONCRETE CONTINUOUS	TEE BEAM	99
63S61180001	MONTGOMERY	SR238	1.15	RED RIVER	OPEN	12/22/2016	1953	36.554083	-87.141817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.5
63E00030003	MONTGOMERY	SR238	7.28	BRANCH	OPEN	12/22/2016	1960	36.630767	-87.187033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
63S63520005	MONTGOMERY	SR238	8.23	SPRING CREEK	OPEN	12/22/2016	1961	36.641817	-87.197717	CONCRETE	TEE BEAM	61.4
63S62701005	MONTGOMERY	SR374	1.16	RED RIVER	OPEN	12/20/2016	1970	36.526217	-87.2794	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.2
63SR3740001	MONTGOMERY	SR374	5.11	SR374-RL /RUSSELL PK&RR	OPEN	12/20/2016	1984	36.572017	-87.297083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.3
63SR3740002	MONTGOMERY	SR374	5.11	SR374-LL /RUSSELL PK&RR	OPEN	12/20/2016	2007	36.572033	-87.29955	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.6
63SR0130021	MONTGOMERY	SR374	5.28	SR374-RL / SR-13	OPEN	12/20/2016	2008	36.572467	-87.3024	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
63SR0130022	MONTGOMERY	SR374	5.28	SR374-LL / SR13	OPEN	12/20/2016	2008	36.5723	-87.302433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
63SR3740005	MONTGOMERY	SR374	6.19	OVERFLOW	OPEN	12/12/2016	1992	36.57795	-87.31655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
63SR3740007	MONTGOMERY	SR374	8.06	SR 374-RL / PRIVATE RD.	OPEN	12/12/2016	1992	36.581383	-87.349267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
63SR3740008	MONTGOMERY	SR374	8.06	SR 374-LL / PRIVATE RD.	OPEN	12/12/2016	2008	36.58125	-87.349533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
63SR3740009	MONTGOMERY	SR374	8.59	WEST FORK RED RIVER	OPEN	12/12/2016	1992	36.5803	-87.358533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
63SR3740010	MONTGOMERY	SR374	8.59	WEST FORK RED RIVER	OPEN	12/12/2016	2008	36.580083	-87.358717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
63SR3740003	MONTGOMERY	SR374	10.96	BRANCH	OPEN	12/9/2016	2008	36.587033	-87.399633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
63SR0120019	MONTGOMERY	SR374	11.66	NORTH PKWY. / SR 12	OPEN	12/9/2016	1992	36.585133	-87.411567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.3
63SR0760007	MONTGOMERY	SR374	16.18	NORTH PKWY. / SR 76	OPEN	12/9/2016	2001	36.550967	-87.46	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
64S63390017	MOORE	01028	0.12	EAST FORK MULBERRY CREEK	OPEN	5/12/2016	1961	35.226778	-86.411778	CONCRETE	TEE BEAM	79.6
64S42870001	MOORE	01030	1.62	BRANCH	OPEN	5/19/2016	1955	35.31225	-86.299306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
64S42870003	MOORE	01030	3.87	HURRICANE CREEK	OPEN	5/19/2016	1955	35.320361	-86.299	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
64019800001	MOORE	01980	0.2	BRANCH	OPEN	5/9/2016	1957	35.323028	-86.368722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
64019800003	MOORE	01980	0.86	DOG TAIL CREEK	OPEN	5/9/2016	1965	35.322694	-86.380472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
64019800005	MOORE	01980	1.98	BRANCH	OPEN	5/9/2016	1930	35.313833	-86.396	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
64019810001	MOORE	01981	4.44	WET PRONG FARRIS CREEK	OPEN	5/16/2016	1982	35.177139	-86.340667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
64019850003	MOORE	01985	4.37	WET PRONG FARRIS CREEK	OPEN	5/18/2016	1965	35.214917	-86.353583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
640A1150001	MOORE	01987	6.41	EAST FORK MULBERRY CREEK	OPEN	5/13/2016	1973	35.281861	-86.371806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
64019890001	MOORE	01989	0.03	BRANCH	OPEN	5/19/2016	1968	35.310083	-86.338167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
64019910001	MOORE	01991	0.59	HURRICANE CREEK	OPEN	5/25/2016	1975	35.279806	-86.293306	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75
64019930001	MOORE	01993	0.81	SPANKEN BRANCH	OPEN	5/10/2016	1994	35.303028	-86.452972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
64019930003	MOORE	01993	1.38	BRANCH	OPEN	5/10/2016	1965	35.310361	-86.448611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
64019950001	MOORE	01995	0.05	MULBERRY CREEK	OPEN	5/11/2016	1987	35.319611	-86.470806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
64019950003	MOORE	01995	0.89	BRANCH	OPEN	5/11/2016	1960	35.329417	-86.478417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.6
640A0200001	MOORE	0A020	4.501	BRANCH	OPEN	5/10/2016	1975	35.281667	-86.387972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
640A0240001	MOORE	0A024	0.07	BUCKEYE CREEK	OPEN	5/10/2016	1998	35.272472	-86.435472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
640A0260001	MOORE	0A026	0.04	WEST FORK MULBERRY CREEK	OPEN	5/11/2016	1987	35.316861	-86.480778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
640A0260003	MOORE	0A026	0.839	BRANCH	OPEN	5/11/2016	1993	35.321917	-86.471861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
640A0270001	MOORE	0A027	0.1	WEST FORK MULBERRY CREEK	OPEN	5/11/2016	1982	35.315306	-86.491056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
640A0280001	MOORE	0A028	2.995	WEST FORK MULBERRY CREEK	OPEN	5/11/2016	1984	35.314333	-86.498639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
640A0380001	MOORE	0A038	1.467	EAST FORK MULBERRY CREEK	OPEN	5/13/2016	1984	35.299	-86.369	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.1
640A0440001	MOORE	0A044	0.74	BRANCH	OPEN	5/9/2016	1986	35.342972	-86.381528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
640A0480001	MOORE	0A048	0.17	EAST FORK MULBERRY CREEK	OPEN	5/9/2016	1983	35.322694	-86.356611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
640A0490001	MOORE	0A049	0.017	EAST FORK MULBERRY CREEK	OPEN	5/9/2016	1935	35.342417	-86.348306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
640A0690001	MOORE	0A069	0.141	HURRICANE CREEK	OPEN	5/19/2016	1987	35.318	-86.299111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
640A0690003	MOORE	0A069	0.51	HURRICANE CREEK	OPEN	5/19/2016	1983	35.312861	-86.298917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
640A0700001	MOORE	0A070	0.147	HURRICANE CREEK	OPEN	5/19/2016	1986	35.321861	-86.300889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
640A0710001	MOORE	0A071	0.997	TURKEY CREEK	OPEN	5/23/2016	1984	35.319917	-86.275806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
640A0710003	MOORE	0A071	1.148	TURKEY CREEK	OPEN	5/23/2016	1935	35.317944	-86.2755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
640A0730001	MOORE	0A073	2.301	TURKEY CREEK	OPEN	5/23/2016	1984	35.308361	-86.274028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
640A0740001	MOORE	0A074	2.309	HURRICANE CREEK	OPEN	5/23/2016	1996	35.349889	-86.301444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
640A0760001	MOORE	0A076	0.039	HURRICANE CREEK	OPEN	5/23/2016	1976	35.345917	-86.297444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
640A0820001	MOORE	0A082	0.03	TURKEY CREEK	OPEN	5/25/2016	1970	35.291361	-86.277111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
640A0830001	MOORE	0A083	0.522	TURKEY CREEK	OPEN	5/25/2016	1975	35.300917	-86.273944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.5
640A0830003	MOORE	0A083	0.709	TURKEY CREEK	OPEN	5/25/2016	1975	35.2985	-86.275306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
640A1000001	MOORE	0A100	0.668	GOOD BRANCH	OPEN	5/13/2016	1974	35.294528	-86.355306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
640A1000003	MOORE	0A100	1.027	GOOD BRANCH	OPEN	5/13/2016	1974	35.290028	-86.352472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
640A1220001	MOORE	0A122	0.061	COFFEE CREEK	OPEN	5/18/2016	1983	35.207583	-86.312833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
640A1220003	MOORE	0A122	1.853	SHORT CREEK	OPEN	5/18/2016	1956	35.206056	-86.330806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
640A1220005	MOORE	0A122	2.361	SHORT CREEK	OPEN	5/18/2016	1955	35.211722	-86.3355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
640A1260001	MOORE	0A126	2.552	EAST PITTS BRANCH	OPEN	5/12/2016	1992	35.256028	-86.387944	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
640A1300001	MOORE	0A130	0.161	WET PRONG FARRIS CREEK	OPEN	5/16/2016	1968	35.174028	-86.337056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
640A1330001	MOORE	0A133	1.3	DRY PRONG FARRIS CREEK	OPEN	5/16/2016	2004	35.177972	-86.348111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
640A1360001	MOORE	0A136	2.274	GOOSE BRANCH	OPEN	5/12/2016	1955	35.260361	-86.391306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.9
640A1460001	MOORE	0A146	0.248	EAST FORK MULBERRY CREEK	WEIGHT POSTED	5/12/2016	1950	35.272611	-86.38125	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.6
640A2240001	MOORE	0A224	0.166	FARRIS CREEK	OPEN	5/16/2016	1997	35.170694	-86.328528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
640A2250001	MOORE	0A225	0.118	FARRIS CREEK	OPEN	5/16/2016	2000	35.165889	-86.323278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
640A2270001	MOORE	0A227	0.239	SHORT CREEK	OPEN	5/18/2016	2000	35.203222	-86.328389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
640A3020001	MOORE	0A302	0.029	DRY PRONG CREEK	OPEN	5/16/2016	2002	35.186056	-86.356306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
640A1280001	MOORE	0A311	0.013	WET PRONG FARRIS CREEK	OPEN	5/18/2016	1995	35.193917	-86.343972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
64SR0500001	MOORE	SR050	2.31	BRANCH	OPEN	5/2/2016	1953	35.261056	-86.395306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
64SR0500003	MOORE	SR050	2.58	EAST FORK MULBERRY CREEK	OPEN	5/2/2016	1952	35.26425	-86.392722	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	72.3
64SR0500005	MOORE	SR050	4.13	PITT'S BRANCH	OPEN	5/2/2016	1993	35.263333	-86.368806	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.4
64SR0500007	MOORE	SR050	4.71	BRANCH	OPEN	5/2/2016	1993	35.261278	-86.362417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.8
64SR0500009	MOORE	SR050	8.64	BULL RUN BRANCH	OPEN	5/2/2016	1991	35.224306	-86.320528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
64SR0550001	MOORE	SR055	0.31	EAST FORK MULBERRY CREEK	OPEN	5/3/2016	1951	35.271167	-86.387278	CONCRETE	TEE BEAM	82.8
64SR0550003	MOORE	SR055	1.65	EAST FORK MULBERRY CREEK	OPEN	5/3/2016	1951	35.284361	-86.37125	CONCRETE	TEE BEAM	82.5
64SR0550005	MOORE	SR055	2.77	GOOD BRANCH	OPEN	2/14/2017	1953	35.299361	-86.364528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.8
64SR0550007	MOORE	SR055	3.88	EAST FORK MULBERRY CREEK	OPEN	5/3/2016	1955	35.314778	-86.359	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.8
64SR0550009	MOORE	SR055	4.255	MULBERRY CREEK	OPEN	5/4/2016	2012	35.319806	-86.356083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.8
64SR0550011	MOORE	SR055	4.52	BRANCH	OPEN	5/4/2016	2008	35.323056	-86.353528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
64SR0550013	MOORE	SR055	5.95	BOBO CREEK	OPEN	5/4/2016	1953	35.342833	-86.347861	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.5
64S42860001	MOORE	SR129	1.03	BUCKEYE CREEK	OPEN	5/5/2016	1949	35.279833	-86.426778	CONCRETE	TEE BEAM	72.8
64010220009	MOORE	SR129	2.45	W. FK. MULBERRY CREEK	OPEN	5/5/2016	1960	35.313417	-86.498694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
64S42860003	MOORE	SR129	2.51	BRANCH	OPEN	11/9/2016	1940	35.275194	-86.402194	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
64S42860005	MOORE	SR129	3.47	PRICE BRANCH	OPEN	5/5/2016	1949	35.277889	-86.386333	CONCRETE	TEE BEAM	70.2
64010220011	MOORE	SR129	5.02	W. FK. MULBERRY CREEK	OPEN	5/5/2016	1960	35.309194	-86.461528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
64F00050007	MOORE	SR129	6.07	MULBERRY CREEK	OPEN	5/5/2016	1994	35.294472	-86.459722	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.7
65004440001	MORGAN	00884	9.51	EMORY RIVER	OPEN	3/13/2017	2000	36.068683	-84.66105	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.1
65S44250005	MORGAN	00916	1.71	ROCK CREEK	OPEN	2/15/2017	1973	36.223533	-84.774083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
65S44250001	MORGAN	00916	6.195	ROCK CREEK	OPEN	2/15/2017	1939	36.27065	-84.822683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.6
65006130001	MORGAN	00916	7.86	CLEAR FORK CREEK	OPEN	2/15/2017	1996	36.286933	-84.841933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.7
65S25230001	MORGAN	01232	0.5	MACHINE BRANCH	OPEN	3/8/2017	2011	35.992767	-84.478667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
65012340001	MORGAN	01234	1.83	WINCHESTER CREEK	OPEN	3/6/2017	2007	36.117983	-84.539483	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	99.7
65012340003	MORGAN	01234	3.415	FLAT FORK CREEK	OPEN	3/6/2017	1988	36.12355	-84.512933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	71.9
65023780001	MORGAN	02378	5.02	CRAB ORCHARD CREEK	OPEN	3/14/2017	1986	36.010633	-84.61105	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.5
65023780003	MORGAN	02378	7.15	MILL CREEK	OPEN	3/14/2017	2006	36.026167	-84.588967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
65023780005	MORGAN	02378	7.73	EMORY RIVER & SOU RWY	OPEN	3/14/2017	1983	36.027167	-84.58035	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.4
65023780007	MORGAN	02378	8.61	HALL BRANCH	OPEN	3/14/2017	1920	36.0316	-84.5693	CONCRETE	SLAB	45.4
65023780011	MORGAN	02378	13.05	MUD LICK CREEK	OPEN	3/8/2017	1993	35.9867	-84.556767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.7
65023780013	MORGAN	02378	13.2	MUD LICK CREEK	OPEN	3/8/2017	1940	35.9856	-84.554783	CONCRETE CONTINUOUS	SLAB	65.9
65023780015	MORGAN	02378	13.49	MUD LICK CREEK	OPEN	3/8/2017	1997	35.983667	-84.550583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
65023800001	MORGAN	02380	0.14	MIDDLE FORK CREEK	OPEN	2/8/2017	1988	36.027017	-84.425183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
65023800003	MORGAN	02380	1.71	JONES CREEK	OPEN	2/8/2017	2001	36.023217	-84.450433	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81
65023800005	MORGAN	02380	3.17	BUTLER CREEK	OPEN	2/8/2017	2000	36.021067	-84.472783	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80.6
65023820003	MORGAN	02382	2.92	GEISE CREEK	OPEN	2/8/2017	1984	36.036667	-84.381267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
65023860001	MORGAN	02386	2.15	EMORY RIVER	OPEN	2/16/2017	1984	36.113	-84.615117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.9
65023880001	MORGAN	02388	1.75	DRY CREEK	OPEN	3/9/2017	1945	36.137033	-84.594833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.5
65023880003	MORGAN	02388	4.42	EMORY RIVER	OPEN	3/9/2017	2007	36.151167	-84.575117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
65023900001	MORGAN	02390	0.07	PIGEON BRANCH	OPEN	2/14/2017	1984	36.24445	-84.673933	CONCRETE	SLAB	78.4
65023920003	MORGAN	02392	0.72	WHITEOAK CREEK	OPEN	2/14/2017	1995	36.242933	-84.659017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.8
65023940001	MORGAN	02394	2.58	WHITE OAK CREEK	OPEN	2/15/2017	1970	36.281167	-84.68275	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.2
65023940003	MORGAN	02394	4.2	BONE CAMP CREEK	OPEN	2/15/2017	1941	36.286617	-84.70405	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.2
65023960001	MORGAN	02396	5.77	WHITEOAK CREEK	OPEN	2/9/2017	1983	36.32055	-84.664567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.7
65SR0520001	MORGAN	05761	2.89	WHITE OAK CREEK	OPEN	2/9/2017	1982	36.353283	-84.691217	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
650A0010001	MORGAN	0A001	1.146	CRAB ORCHARD CREEK	OPEN	3/14/2017	1984	35.9509	-84.692133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
650A0010003	MORGAN	0A001	1.356	TAYLOR CREEK	OPEN	3/14/2017	2000	35.9524	-84.694517	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.4
650A0030003	MORGAN	0A003	2.467	WHITEOAK FORK BRANCH	OPEN	3/14/2017	1994	35.919617	-84.672167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
650A0030001	MORGAN	0A003	3.082	CLIFTY CREEK	OPEN	3/14/2017	1991	35.912517	-84.6733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
650A0130001	MORGAN	0A013	0.02	WHITEOAK CREEK	OPEN	3/8/2017	1970	35.97115	-84.6075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
650A0180001	MORGAN	0A018	1.425	WHITEOAK CREEK	OPEN	3/8/2017	1984	35.966867	-84.578967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
650A0190001	MORGAN	0A019	1.882	WHITEOAK CREEK	OPEN	3/8/2017	1984	35.972633	-84.592583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
650A0330001	MORGAN	0A033	3.354	HORSE PEN BRANCH	OPEN	3/8/2017	2010	35.98995	-84.572733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
650A0620001	MORGAN	0A062	2.074	CROOKED FORK CREEK	OPEN	3/6/2017	1998	36.082017	-84.576133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.3
650A1040001	MORGAN	0A104	5.936	CLEAR CREEK	OPEN	3/13/2017	1970	36.102067	-84.717267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.8
650A1110001	MORGAN	0A111	1.557	CLEAR CREEK	OPEN	3/13/2017	1965	36.122433	-84.79465	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.8
650A1110003	MORGAN	0A111	3.826	GREEN BRANCH	OPEN	3/13/2017	1987	36.147983	-84.777967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
650A1170001	MORGAN	0A117	0.275	GUT BRANCH	OPEN	3/13/2017	1984	36.12955	-84.705683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
650A1440001	MORGAN	0A144	2.254	WHITE CREEK	OPEN	2/15/2017	1989	36.178017	-84.800083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.4
650A1520001	MORGAN	0A152	0.033	SCUTCHEON CREEK	OPEN	2/16/2017	1994	36.142067	-84.634367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
650A1530005	MORGAN	0A153	5.888	ISLAND CREEK	OPEN	5/30/2017	1953	36.029983	-84.720517	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	42.2
650A1560003	MORGAN	0A156	0.528	ROCK CREEK	OPEN	2/16/2017	1984	36.177	-84.666067	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.3
650A1560005	MORGAN	0A156	1.155	BOBS CREEK	OPEN	2/16/2017	2000	36.17375	-84.673733	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.3
650A1730001	MORGAN	0A173	2.326	BONE CAMP CREEK	OPEN	2/15/2017	1986	36.241117	-84.72565	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
650A1910001	MORGAN	0A191	3.06	CLEAR FORK	OPEN	2/9/2017	1990	36.325	-84.786517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
650A2240001	MORGAN	0A224	2.318	SOUTHERN RAILWAY	OPEN	2/14/2017	1975	36.24	-84.66835	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	65.8
650A2510001	MORGAN	0A251	0.006	EMORY RIVER	OPEN	3/9/2017	1988	36.1493	-84.596417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.2
650A2510003	MORGAN	0A251	1.942	GREASY CREEK	OPEN	3/9/2017	1986	36.16645	-84.589317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91
650A2530001	MORGAN	0A253	0.025	GREASY CREEK	OPEN	3/9/2017	1985	36.16035	-84.5847	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
650A2530003	MORGAN	0A253	3.243	LAUREL BRANCH	OPEN	3/9/2017	1982	36.168133	-84.54725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
650A2530009	MORGAN	0A253	7.8	EMORY RIVER	WEIGHT POSTED	5/30/2017	1975	36.177667	-84.425033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
650A2610001	MORGAN	0A261	0.434	MUD CREEK	OPEN	3/6/2017	1971	36.107283	-84.571517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.7
650A2630001	MORGAN	0A263	0.2	JUDGE BRANCH	WEIGHT POSTED	5/10/2017	1935	36.125983	-84.503033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.4
650A2780001	MORGAN	0A278	2.732	CROOKED FORK CREEK	OPEN	2/8/2017	1990	36.093783	-84.4444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
650A2830001	MORGAN	0A283	0.037	CROOKED FORK CREEK	OPEN	2/8/2017	1993	36.095617	-84.440333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
650A2830003	MORGAN	0A283	0.659	CROOKED FORK CREEK	OPEN	2/8/2017	2004	36.093367	-84.43	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.9
650A3200001	MORGAN	0A320	0.044	GEISE CREEK	OPEN	2/8/2017	2005	36.0449	-84.365067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
650A3250001	MORGAN	0A325	1.114	CROOKED FORK CREEK	OPEN	2/8/2017	1984	36.0557	-84.487533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
650A3290001	MORGAN	0A329	0.041	MIDDLE FORK CREEK	OPEN	2/8/2017	1987	36.04195	-84.434867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.2
650A3370001	MORGAN	0A337	0.016	BRANCH	OPEN	3/6/2017	1984	36.091267	-84.570417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.7
650A3370003	MORGAN	0A337	0.75	MUD CREEK	OPEN	3/6/2017	1984	36.091933	-84.558067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
650A3380001	MORGAN	0A338	0.856	CROOKED FORK CREEK	OPEN	3/6/2017	1986	36.081733	-84.539783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
650A3410001	MORGAN	0A341	0.3	CROOKED FORK CREEK	OPEN	3/6/2017	2006	36.0691	-84.525067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
650A3420001	MORGAN	0A342	0.203	LITTLE EMORY RIVER	OPEN	3/8/2017	1984	35.995433	-84.476783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68
650A3530003	MORGAN	0A353	0.478	FORKED CREEK	OPEN	3/8/2017	2013	36.006117	-84.511317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
650A3670001	MORGAN	0A367	0.504	HORSEPEN CREEK	OPEN	3/8/2017	2010	35.989733	-84.5726	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
650A4090001	MORGAN	0A409	1.059	CRAB ORCHARD CREEK	OPEN	3/14/2017	1987	35.969417	-84.67	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.8
650A4090003	MORGAN	0A409	1.441	GALLAHER CREEK	OPEN	3/14/2017	1993	35.97255	-84.67385	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
650A4090005	MORGAN	0A409	10.271	ISLAND CREEK	WEIGHT POSTED	5/30/2017	1965	36.053017	-84.666867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.2
650A2640001	MORGAN	0A413	0.006	FLAT FORK CREEK	WEIGHT POSTED	5/10/2017	1935	36.130967	-84.497917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
650A4150001	MORGAN	0A461	0.05	SCUTCHEON CREEK	OPEN	2/16/2017	2012	36.13845	-84.6299	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
65SR0290017	MORGAN	0A490	0.391	BRANCH	OPEN	2/16/2017	1928	36.117733	-84.60805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
65SR0290001	MORGAN	SR029	0.22	LITTLE EMORY RIVER	OPEN	5/15/2017	1962	35.9871	-84.4326	CONCRETE	TEE BEAM	52.6
65SR0290003	MORGAN	SR029	0.33	BITTER CREEK	OPEN	5/15/2017	1962	35.98845	-84.483683	CONCRETE	TEE BEAM	64.6
65SR0290005	MORGAN	SR029	2.25	FORKED CREEK	OPEN	5/15/2017	1962	36.003183	-84.5123	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
65SR0290007	MORGAN	SR029	3.42	BITTER CREEK	OPEN	5/15/2017	1962	36.015533	-84.525633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
65SR0290009	MORGAN	SR029	3.55	MUDDY BRANCH	OPEN	5/15/2017	1962	36.0172	-84.526167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
65SR0290011	MORGAN	SR029	4.69	BITTER CREEK	OPEN	5/15/2017	1929	36.032617	-84.523417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.9
65SR0290013	MORGAN	SR029	5.9	BITTER CREEK	OPEN	5/16/2017	1929	36.0485	-84.530183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.7
65SR0290015	MORGAN	SR029	8.85	CROOKED FORK CREEK	OPEN	5/16/2017	1928	36.084867	-84.5549	CONCRETE	TEE BEAM	24.9
65SR0290035	MORGAN	SR029	13.61	EMORY RIVER	OPEN	5/16/2017	1977	36.128467	-84.6157	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.8
65SR0290021	MORGAN	SR029	14.67	BRANCH	OPEN	5/16/2017	1928	36.139	-84.6291	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
65SR0290023	MORGAN	SR029	15.725	SCUTCHEON CREEK	OPEN	5/16/2017	1928	36.150667	-84.64045	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.9
65SR0290025	MORGAN	SR029	19.67	GARRETT BRANCH	OPEN	5/16/2017	1928	36.1973	-84.66	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.3
65SR0290027	MORGAN	SR029	19.755	ROCK CREEK	OPEN	5/16/2017	1928	36.198417	-84.660533	CONCRETE	ARCH - DECK	83.7
65SR0290029	MORGAN	SR029	21.19	SOUTHERN RAILWAY	OPEN	5/17/2017	1975	36.217983	-84.6669	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	57.1
65SR0290031	MORGAN	SR029	23.05	WHITE OAK CREEK	OPEN	5/17/2017	2011	36.244033	-84.67015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
65SR0290033	MORGAN	SR029	26.14	MASSINGALE CREEK	OPEN	5/17/2017	1927	36.28205	-84.65795	CONCRETE	TEE BEAM	61.8
65SR0520003	MORGAN	SR052	1.49	LITTLE CREEK	OPEN	5/17/2017	2014	36.349444	-84.702778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7
65SR0520005	MORGAN	SR052	2.18	WHITE OAK CREEK	OPEN	5/17/2017	2014	36.348333	-84.691386	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7
65SR0620001	MORGAN	SR062	8.11	WHITE CREEK	OPEN	5/23/2017	1985	36.1572	-84.7888	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
65SR0620003	MORGAN	SR062	13.77	LITTLE CLEAR CREEK	OPEN	5/22/2017	1993	36.13035	-84.723083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.3
65SR0620027	MORGAN	SR062	18.14	SOUTHERN RAILROAD	OPEN	5/22/2017	2003	36.121983	-84.652833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.8
65SR0620005	MORGAN	SR062	19.95	ROCK CREEK	OPEN	5/22/2017	2004	36.13395	-84.625217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.8
65SR0620007	MORGAN	SR062	21.41	MUD CREEK	OPEN	5/22/2017	2011	36.100717	-84.565567	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.9
65SR0620009	MORGAN	SR062	22.615	FLAT FORK CREEK	OPEN	5/22/2017	2011	36.093467	-84.545817	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
65SR0620011	MORGAN	SR062	23.56	TAYLOR BRANCH	OPEN	5/22/2017	2011	36.087567	-84.53085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
65SR0620015	MORGAN	SR062	25.93	BEECH FORK CREEK	OPEN	5/10/2017	1948	36.07225	-84.495817	CONCRETE	TEE BEAM	51.3
65SR0620017	MORGAN	SR062	28.23	CROOKED CREEK	OPEN	5/9/2017	1951	36.068117	-84.454183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.9
65SR0620019	MORGAN	SR062	29.38	MIDDLE FORK CREEK	OPEN	5/9/2017	1951	36.0559	-84.440133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.4
65SR0620021	MORGAN	SR062	33	GEISE CREEK	OPEN	5/9/2017	1951	36.0393	-84.39345	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
65SR0620023	MORGAN	SR062	34.68	GEISE CREEK	OPEN	5/9/2017	1951	36.04525	-84.3652	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	83.9
65SR0620025	MORGAN	SR062	34.75	MIDDLE CREEK	OPEN	5/9/2017	1951	36.045683	-84.364117	CONCRETE	TEE BEAM	64.9
65SR1160001	MORGAN	SR116	2.06	STOCKSTILL CREEK	OPEN	5/10/2017	2016	36.094917	-84.445967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90
65SR1160003	MORGAN	SR116	2.26	STOCKSTILL CREEK	OPEN	5/10/2017	1970	36.097283	-84.445133	CONCRETE	CHANNEL BEAM	45.2
65SR1160005	MORGAN	SR116	2.6	STOCKSTILL CREEK	OPEN	5/10/2017	1970	36.101783	-84.4471	CONCRETE	CHANNEL BEAM	45.2
65S42520001	MORGAN	SR298	6.05	CLEAR CREEK	OPEN	5/23/2017	1935	36.120233	-84.7463	CONCRETE	TEE BEAM	76.9
65S25900001	MORGAN	SR299	8.86	HORSE BRANCH	OPEN	5/30/2017	1970	35.9893	-84.57215	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
65SR2990007	MORGAN	SR299	9.82	EMORY RIVER	OPEN	5/30/2017	1999	35.98455	-84.55915	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
65SR0292001	MORGAN	SR328	3.45	MUDDY CREEK	OPEN	5/30/2017	1931	35.9843	-84.54265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.7
65SR0292003	MORGAN	SR328	3.59	MUDDY CREEK	OPEN	5/30/2017	1931	35.9837	-84.540883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.3
65SR0292005	MORGAN	SR328	3.97	MUDDY CREEK	OPEN	5/30/2017	1950	35.9866	-84.535033	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.2
65S23430001	MORGAN	SR329	8.72	BRANCH	OPEN	5/22/2017	2007	36.236117	-84.681833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66I00690059	OBION	00069	19.1	HOOSIER CREEK	OPEN	5/15/2017	2013	36.425808	-89.083058	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
66I00690060	OBION	00069	19.1	HOOSIER CREEK	OPEN	5/15/2017	2013	36.425844	-89.083544	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
66I00690017	OBION	00069	19.38	SR 5	OPEN	5/11/2017	2013	36.429292	-89.080478	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
66I00690018	OBION	00069	19.38	SR 5	OPEN	5/11/2017	2013	36.429478	-89.080814	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
66I00690061	OBION	00069	19.72	N FORK HOOSIER CREEK	OPEN	5/15/2017	2012	36.43325	-89.076717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
66I00690063	OBION	00069	19.9	BRANCH	OPEN	5/15/2017	2012	36.435317	-89.074917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
66I00690065	OBION	00069	20.41	BRANCH	OPEN	5/15/2017	2012	36.442133	-89.071717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
66I00690019	OBION	00069	23.01	ICG RR AND FRONTAGE RD	OPEN	5/15/2017	2013	36.468133	-89.0538	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
66I00690020	OBION	00069	23.01	ICG RR AND FRONTAGE RD	OPEN	5/15/2017	2013	36.468433	-89.053567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
66I00690067	OBION	00069	23.31	BRANCH	OPEN	5/15/2017	2012	36.467883	-89.048383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
66S80110001	OBION	00815	0.03	HARRIS FORK CREEK	OPEN	6/8/2017	1945	36.502861	-88.827361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
66S81650001	OBION	01433	2.71	DAUGHERTY CREEK	OPEN	5/31/2017	1992	36.221778	-89.4175	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.5
66S81650003	OBION	01433	4.275	BROWNS CREEK	OPEN	5/31/2017	1958	36.242583	-89.425167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	48.9
66S81650005	OBION	01433	7.605	ROCK CREEK	OPEN	5/31/2017	1959	36.287083	-89.409472	CONCRETE	CHANNEL BEAM	79.5
66S81650007	OBION	01433	9.711	PAW PAW CREEK	OPEN	5/31/2017	1959	36.31025	-89.385611	CONCRETE	TEE BEAM	68.4
66S81650009	OBION	01433	11.16	BRANCH	OPEN	5/31/2017	1959	36.329867	-89.37765	CONCRETE	CHANNEL BEAM	80.5
66S81650011	OBION	01433	13.24	GLADY CREEK	OPEN	5/31/2017	1959	36.358722	-89.368472	CONCRETE	CHANNEL BEAM	74.8
66S80050001	OBION	01437	2.61	ZION CREEK	OPEN	6/7/2017	1992	36.228583	-89.331806	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
66S80050003	OBION	01437	3.94	BRANCH	OPEN	6/7/2017	1960	36.247583	-89.329222	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
66S80050005	OBION	01437	6.04	CLOVER CREEK	OPEN	6/7/2017	1997	36.264472	-89.305222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.5
66S80050007	OBION	01437	6.51	BRANCH	OPEN	6/7/2017	1998	36.263444	-89.297306	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66015230001	OBION	01523	1.1	RICHLAND CREEK	OPEN	5/31/2017	1996	36.279806	-89.23225	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.6
66015240001	OBION	01524	1.23	MILL CREEK	OPEN	5/31/2017	1960	36.272472	-89.168583	CONCRETE	TEE BEAM	47.1
66015240003	OBION	01524	1.46	BRANCH	OPEN	6/14/2017	1965	36.274611	-89.165278	CONCRETE	CHANNEL BEAM	75.3
66015240005	OBION	01524	3.2	DRY CREEK	OPEN	6/14/2017	1965	36.278778	-89.138139	CONCRETE	TEE BEAM	74.9
66F00250001	OBION	01524	5.67	BRANCH	OPEN	6/13/2017	1950	36.302889	-89.130583	CONCRETE	TEE BEAM	72.3
66015250001	OBION	01525	2.21	OVERFLOW	OPEN	6/13/2017	1970	36.277889	-88.982639	CONCRETE	CHANNEL BEAM	45.2
66015250003	OBION	01525	2.29	MUD CREEK	OPEN	6/13/2017	1994	36.278472	-88.983667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.9
66015250007	OBION	01525	2.33	OVERFLOW	OPEN	6/13/2017	1994	36.278972	-88.983667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.7
66015250005	OBION	01525	4.64	CANE CREEK	OPEN	6/14/2017	1998	36.302361	-88.994722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
66015260001	OBION	01526	1.77	RICHLAND CREEK	OPEN	5/30/2017	1970	36.298111	-89.247028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.7
66015260003	OBION	01526	3.2	LITTLE RICHLAND CREEK	OPEN	5/30/2017	1984	36.307306	-89.225583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
66015260005	OBION	01526	6.54	MILL CREEK	OPEN	5/30/2017	1992	36.328306	-89.182028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.5
66015260009	OBION	01526	11.13	MILL CREEK	OPEN	5/31/2017	2004	36.370583	-89.200833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	71.9
66015280001	OBION	01528	0.06	BRANCH	OPEN	5/31/2017	1975	36.369167	-89.141583	CONCRETE	CHANNEL BEAM	66.7
66015280003	OBION	01528	0.5	DAVIDSON CREEK	OPEN	5/31/2017	1975	36.368944	-89.134083	CONCRETE	CHANNEL BEAM	39.3
66015290001	OBION	01529	2.85	CYPRESS CREEK	OPEN	6/12/2017	2000	36.360694	-88.959417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.1
66015290003	OBION	01529	3.05	BRANCH	OPEN	6/12/2017	2003	36.363667	-88.959333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.2
66015310001	OBION	01531	4.61	REELFOOT CREEK	OPEN	6/6/2017	1975	36.483972	-89.206861	CONCRETE	TEE BEAM	85.7
66015320003	OBION	01532	0.745	CUB BRANCH	OPEN	6/7/2017	1970	36.465	-89.159139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.5
66015320001	OBION	01532	1.85	CANE CREEK	OPEN	6/5/2017	1986	36.456444	-89.149333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
66I00690021	OBION	01532	6.3	I-69	OPEN	5/11/2017	2013	36.448933	-89.072517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
66SR0220047	OBION	01533	0.06	KNOX-DANIEL RD / SR 22	OPEN	5/18/2017	2000	36.426667	-89.002056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
66015330001	OBION	01533	0.74	NAPIER BRANCH	OPEN	6/7/2017	1992	36.427694	-89.015444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66015330005	OBION	01533	2.95	HARRIS CREEK	OPEN	6/8/2017	1997	36.419167	-88.982806	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.3
66015330007	OBION	01533	3.04	OVERFLOW	OPEN	6/8/2017	1965	36.418389	-88.981472	CONCRETE	CHANNEL BEAM	62.9
66015330009	OBION	01533	9.54	WOLF CREEK	OPEN	6/8/2017	1984	36.430056	-88.880222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.1
66015340001	OBION	01534	2.625	CUB BRANCH	OPEN	6/7/2017	1970	36.483667	-89.147556	CONCRETE	CHANNEL BEAM	67.6
66015340003	OBION	01534	4.27	CANE CREEK	OPEN	6/5/2017	1970	36.483194	-89.118472	CONCRETE	CHANNEL BEAM	73.4
66015340005	OBION	01534	5.189	N. REELFOOT CREEK	OPEN	6/7/2017	2004	36.488694	-89.109194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.2
66015340007	OBION	01534	8.14	N. REELFOOT CREEK	OPEN	6/7/2017	1975	36.479389	-89.074528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	69.2
66100690023	OBION	01534	9.82	I-69	OPEN	5/11/2017	2013	36.45765	-89.072467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
66S80100001	OBION	01536	1.06	DEER CREEK	OPEN	6/12/2017	2001	36.454083	-88.96225	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.1
66015360003	OBION	01536	2.08	OVERFLOW	OPEN	6/12/2017	1984	36.446	-88.948583	CONCRETE	CHANNEL BEAM	66.9
66015360007	OBION	01536	2.26	HARRIS FORK CREEK	OPEN	6/8/2017	1997	36.444833	-88.946139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.6
66015380001	OBION	01538	0.65	HICKS BRANCH	OPEN	6/8/2017	1984	36.467028	-88.944528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
66015380003	OBION	01538	2.71	OVERFLOW	OPEN	6/8/2017	1957	36.468361	-88.912861	CONCRETE	CHANNEL BEAM	64.9
66015380005	OBION	01538	2.82	HARRIS FORK CREEK	OPEN	6/8/2017	2007	36.467167	-88.911639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.6
66015380007	OBION	01538	2.9	OVERFLOW	OPEN	6/8/2017	2002	36.466278	-88.910667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
66015380009	OBION	01538	7.93	WALNUT GROVE BRANCH	OPEN	6/8/2017	2006	36.467	-88.832917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	74.6
66015410003	OBION	01541	2.12	BRANCH	OPEN	6/8/2017	2015	36.495611	-88.855278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.3
66008350029	OBION	02122	0.52	BEAR CREEK	OPEN	5/31/2017	1932	36.213306	-89.098861	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.8
660A8100001	OBION	02122	4.06	OVERFLOW (GWMA)	OPEN	6/5/2017	1989	36.260583	-89.114222	CONCRETE	CHANNEL BEAM	51.1
660A8100003	OBION	02122	4.42	OVERFLOW (GWMA)	OPEN	6/5/2017	1989	36.264944	-89.117056	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	55
66F00250005	OBION	02122	4.72	OBION RIVER	OPEN	6/5/2017	1990	36.268972	-89.119694	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81
66F00250003	OBION	02122	5.19	OLD OBION RIVER BED	WEIGHT POSTED	6/7/2017	1960	36.274722	-89.122972	CONCRETE	CHANNEL BEAM	38.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
660A5600001	OBION	02123	4.02	GRASS CREEK	OPEN	6/12/2017	1970	36.2495	-89.068861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
66M29580001	OBION	02958	0.87	FIRST CREEK	OPEN	6/16/2017	2000	36.435556	-89.05975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
66M29780001	OBION	02978	0.88	GROVE CREEK	OPEN	6/15/2017	2000	36.4235	-89.026722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
66M29780003	OBION	02978	0.95	NAPIER CREEK	OPEN	6/15/2017	1960	36.423417	-89.0255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
66015300005	OBION	05742	6.09	SO. REELFOOT CREEK	OPEN	5/31/2017	2001	36.390444	-89.25625	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
66015300001	OBION	05742	7.69	KILHAM CREEK	OPEN	5/31/2017	1970	36.403694	-89.235472	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72
66015300009	OBION	05742	8.04	CANE CREEK	OPEN	5/31/2017	1999	36.405722	-89.230639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.4
660A4870001	OBION	05743	0.87	BRANCH	OPEN	6/12/2017	1970	36.296722	-89.086917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
660A4870003	OBION	05743	1.46	DAVIDSON CREEK	OPEN	6/13/2017	1994	36.298889	-89.096778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.8
660A4870005	OBION	05743	1.82	TROY CREEK	OPEN	6/13/2017	1996	36.299972	-89.103139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.1
660A0010001	OBION	0A001	0.006	BRANCH	OPEN	5/31/2017	1993	36.354611	-89.395333	CONCRETE	CHANNEL BEAM	69.5
660A0220003	OBION	0A022	3.49	SOUTH REELFOOT CREEK	OPEN	5/31/2017	2008	36.3588	-89.280967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.7
660A0320001	OBION	0A032	1.038	ROGERS CREEK	OPEN	5/31/2017	1970	36.333444	-89.253556	CONCRETE	CHANNEL BEAM	70.5
660A0360001	OBION	0A036	4.88	MILL CREEK	OPEN	5/31/2017	1975	36.350083	-89.212167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.1
660A0370003	OBION	0A037	2.453	NORTH BRANCH	OPEN	5/31/2017	2002	36.324583	-89.345194	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.4
660A0390001	OBION	0A039	0.61	BRANCH	OPEN	5/31/2017	2005	36.358833	-89.173806	CONCRETE	CHANNEL BEAM	53.2
660A0440003	OBION	0A044	2.92	BRANCH	OPEN	5/31/2017	1983	36.392917	-89.192972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
660A0450001	OBION	0A045	0.435	BRANCH	OPEN	6/1/2017	1970	36.405278	-89.127278	CONCRETE	CHANNEL BEAM	74.8
660A0450003	OBION	0A045	2.586	DAVIDSON CREEK	OPEN	6/1/2017	1970	36.400028	-89.155417	CONCRETE	CHANNEL BEAM	48.8
660A0460001	OBION	0A046	1.197	DAVIDSON CREEK	OPEN	6/1/2017	1992	36.388667	-89.146361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
660A0460003	OBION	0A046	1.76	ROCK SPRING BRANCH	OPEN	6/1/2017	1983	36.390917	-89.138917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
660A0470001	OBION	0A047	0.67	DAVIDSON CREEK	OPEN	6/1/2017	1965	36.391361	-89.147944	CONCRETE	CHANNEL BEAM	57.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
660A0520001	OBION	0A052	0.152	BRANCH	OPEN	6/1/2017	1975	36.4035	-89.096806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.5
660A0580001	OBION	0A058	0.907	BRANCH	OPEN	6/1/2017	1975	36.434417	-89.117528	CONCRETE	CHANNEL BEAM	62
660A0580003	OBION	0A058	1.4	BRANCH	OPEN	6/1/2017	1975	36.427194	-89.117806	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	59.8
660A0580005	OBION	0A058	1.77	BRANCH	OPEN	6/1/2017	1975	36.421889	-89.118472	CONCRETE	CHANNEL BEAM	56.7
660A0690005	OBION	0A069	2.794	NORTH REELFOOT CREEK	OPEN	6/5/2017	1965	36.470444	-89.247028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	71.9
660A0690007	OBION	0A069	2.857	BRANCH	OPEN	6/5/2017	1900	36.471194	-89.247333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.9
660A0690009	OBION	0A069	4.762	HAMBLIN BRANCH	OPEN	6/5/2017	1975	36.482194	-89.227139	CONCRETE	CHANNEL BEAM	85.5
660A0690011	OBION	0A069	5.572	NORTH REELFOOT CREEK	OPEN	6/5/2017	1965	36.481222	-89.212667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.2
660A0700001	OBION	0A070	3.67	SOUTH REELFOOT CREEK	OPEN	6/1/2017	2005	35.43945	-89.260683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.1
660A0710001	OBION	0A071	0.949	SUGAR CREEK	OPEN	6/1/2017	1965	36.435972	-89.218056	CONCRETE	CHANNEL BEAM	95.2
660A0710003	OBION	0A071	1.199	SUGAR CREEK	OPEN	6/1/2017	1984	36.436639	-89.222528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A0710005	OBION	0A071	2.55	SUGAR CREEK	OPEN	6/1/2017	1983	36.434472	-89.244556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A0740001	OBION	0A074	1.443	REELFOOT CREEK	OPEN	6/1/2017	1984	36.407278	-89.2565	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
660A0790001	OBION	0A079	0.407	BRANCH	OPEN	6/1/2017	1970	36.454139	-89.295222	CONCRETE	CHANNEL BEAM	89.5
660A0500001	OBION	0A083	0.657	BRANCH	OPEN	6/1/2017	1990	36.398611	-89.109639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.4
660A0880001	OBION	0A088	0.893	BRANCH	OPEN	6/5/2017	1970	36.494722	-89.201083	CONCRETE	CHANNEL BEAM	64.3
660A0900001	OBION	0A090	1.522	BRANCH	OPEN	6/5/2017	1970	36.494806	-89.230889	CONCRETE	CHANNEL BEAM	78.8
660A0910003	OBION	0A091	0.44	BRANCH	OPEN	6/1/2017	1990	36.469583	-89.237417	CONCRETE	CHANNEL BEAM	78.8
660A0910001	OBION	0A091	1.226	TAYLOR CREEK	OPEN	6/5/2017	1970	36.467717	-89.224217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	40
660A0940001	OBION	0A094	1.368	TAYLOR CREEK	OPEN	6/5/2017	1965	36.460722	-89.201556	CONCRETE	CHANNEL BEAM	79.8
660A0950001	OBION	0A095	0.697	TAYLOR CREEK	OPEN	6/5/2017	1970	36.459556	-89.190417	CONCRETE	CHANNEL BEAM	79.8
660A0980005	OBION	0A098	0	BRANCH	OPEN	6/6/2017	1994	36.504806	-89.170639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.7
660A0980009	OBION	0A098	0.191	BRANCH	OPEN	6/6/2017	1970	36.504417	-89.163944	CONCRETE	CHANNEL BEAM	42.5
660A0980001	OBION	0A098	0.531	BRANCH	OPEN	6/6/2017	1970	36.505444	-89.202028	CONCRETE	CHANNEL BEAM	70.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
660A0980003	OBION	0A098	1.398	BRANCH	OPEN	6/6/2017	1975	36.505111	-89.186417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	76.7
660A1020001	OBION	0A102	0.889	CUB BRANCH	OPEN	6/7/2017	1995	36.490444	-89.143806	CONCRETE	CHANNEL BEAM	72.2
660A1030001	OBION	0A103	0.062	CANE CREEK	OPEN	6/16/2017	1998	36.488889	-89.116389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.9
660A1200001	OBION	0A120	1.559	CANE CREEK	OPEN	6/7/2017	1975	36.4654	-89.130983	CONCRETE	CHANNEL BEAM	70.2
660A1390001	OBION	0A139	0.813	N FORK HOOSIER CREEK	OPEN	6/7/2017	1975	36.449083	-89.105056	CONCRETE	CHANNEL BEAM	70.2
660A1400001	OBION	0A140	2.318	NORTH REELFOOT CREEK	OPEN	6/7/2017	1970	36.479944	-89.096	CONCRETE	CHANNEL BEAM	79.8
66I00690025	OBION	0A141	1.09	I-69	OPEN	5/15/2017	2013	36.466083	-89.0705	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
660A1410001	OBION	0A141	2.15	BRANCH	OPEN	6/8/2017	1970	36.465639	-89.051583	CONCRETE	CHANNEL BEAM	60.8
660A1440001	OBION	0A144	0.54	MUD CREEK	OPEN	6/7/2017	2004	36.4965	-89.072556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	76.7
660A1450001	OBION	0A145	1.317	NORTH REELFOOT CREEK	OPEN	6/8/2017	1970	36.484694	-89.056056	CONCRETE	CHANNEL BEAM	77.2
660A1500001	OBION	0A150	0.298	NORTH REELFOOT CREEK	OPEN	6/7/2017	1965	36.496	-89.030306	CONCRETE	CHANNEL BEAM	57.4
660A1530001	OBION	0A153	1.818	BRANCH	OPEN	6/8/2017	1975	36.458833	-89.023	CONCRETE	CHANNEL BEAM	58.9
660A1560001	OBION	0A156	0.502	BRANCH	OPEN	6/8/2017	1975	36.445806	-89.035972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
66SR0030041	OBION	0A159	0.626	SR 3	OPEN	5/18/2017	1978	36.452972	-89.000944	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
66SR0030043	OBION	0A164	1.577	SR 3	OPEN	5/18/2017	1978	36.459167	-88.988806	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.9
66SR0030045	OBION	0A166	0.501	SR 3	OPEN	5/18/2017	1978	36.465806	-88.974972	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
660A1660001	OBION	0A166	0.603	BRANCH	OPEN	6/8/2017	1978	36.467306	-88.974917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
660A1670001	OBION	0A167	1.31	DEER CREEK	OPEN	6/8/2017	1986	36.479194	-88.971194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
660A1670003	OBION	0A167	2.532	BRANCH	OPEN	6/8/2017	1970	36.469583	-88.980528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.5
660A1670005	OBION	0A167	2.673	BRANCH	OPEN	6/8/2017	1988	36.468639	-88.978778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
66SR0030049	OBION	0A169	0.523	SR 3	OPEN	5/16/2017	1978	36.476167	-88.956167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
660A1710001	OBION	0A171	0.296	HICKS BRANCH	OPEN	6/8/2017	1978	36.480806	-88.940972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
66SR0030053	OBION	0A171	0.375	SR 3	OPEN	5/16/2017	1978	36.482139	-88.940972	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
66SR0030055	OBION	0A173	0.303	SR 3	OPEN	5/16/2017	1978	36.4895	-88.924833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
66SR0030067	OBION	0A178	1.955	SR 3	OPEN	5/22/2017	1978	36.49525	-88.904861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
660A1820001	OBION	0A182	0.22	SOUTH FORK HARRIS FK CR	OPEN	6/14/2017	1995	36.48325	-88.901944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A1850001	OBION	0A185	0.324	BRANCH	OPEN	6/8/2017	1998	36.47225	-88.89425	CONCRETE	SLAB	77.2
660A2050001	OBION	0A205	0.147	BRANCH	OPEN	6/13/2017	1988	36.495444	-88.866222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A2050003	OBION	0A205	0.56	BRANCH	OPEN	6/8/2017	2008	36.495444	-88.866222	CONCRETE	CHANNEL BEAM	80.2
660A0280005	OBION	0A218	0.147	BRANCH	OPEN	5/30/2017	2006	36.337972	-89.206278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
660A0280003	OBION	0A218	0.908	MILL CREEK	OPEN	5/30/2017	1975	36.346806	-89.212861	CONCRETE	CHANNEL BEAM	48.3
660A2330001	OBION	0A233	0.312	SOUTH FORK HARRIS FK CR	OPEN	6/16/2017	2016	36.500722	-88.875028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
660A2410001	OBION	0A241	0.41	CLOVERDALE CREEK	OPEN	6/7/2017	1984	36.212389	-89.315972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
660A2410003	OBION	0A241	1.019	BRANCH	OPEN	6/5/2017	1984	36.211361	-89.305111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
660A2410005	OBION	0A241	1.571	BRANCH	OPEN	6/5/2017	1984	36.210444	-89.295278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A2480001	OBION	0A248	1.412	BRANCH	OPEN	6/14/2017	1965	36.496389	-88.850444	CONCRETE	CHANNEL BEAM	63.6
660A2510001	OBION	0A251	1.075	BRANCH	OPEN	6/13/2017	1970	36.457306	-88.841583	CONCRETE	CHANNEL BEAM	77.2
660A2520001	OBION	0A252	0.019	WALNUT GROVE BRANCH	OPEN	6/13/2017	1995	36.453806	-88.837306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
660A2530001	OBION	0A253	0.009	WALNUT GROVE BRANCH	OPEN	6/13/2017	1970	36.448667	-88.836833	CONCRETE	CHANNEL BEAM	78.2
660A2590001	OBION	0A259	2.569	WOLF CREEK	OPEN	6/8/2017	2000	36.444389	-88.876694	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.2
660A2650001	OBION	0A265	0.173	BRANCH	OPEN	6/8/2017	1970	36.463306	-88.891444	CONCRETE	CHANNEL BEAM	66.7
660A2790001	OBION	0A279	0.517	DEER CREEK	OPEN	6/12/2017	1970	36.441419	-88.956389	CONCRETE	CHANNEL BEAM	65.9
660A2830001	OBION	0A283	0.346	PURSLEY CREEK	OPEN	6/15/2017	1984	36.428083	-89.025722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
660A2830003	OBION	0A283	0.52	BRANCH	OPEN	6/15/2017	1984	36.428083	-89.025722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.9
660A3480001	OBION	0A348	0.462	HOOSIER CREEK	OPEN	6/15/2017	1994	36.389444	-89.076278	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	77.1
660A3780001	OBION	0A378	0.245	FIRST CREEK	OPEN	6/15/2017	2008	36.433194	-89.061639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
66SR0220051	OBION	0A427	1.7	AIRPORT RD/SR 22	OPEN	5/17/2017	1985	36.401194	-88.97875	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.9
660A4310001	OBION	0A431	0.22	OVERFLOW	OPEN	6/14/2017	1970	36.3439	-89.022889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.7
660A4310003	OBION	0A431	2.548	OVERFLOW	OPEN	6/14/2017	1970	36.341583	-88.981833	CONCRETE	CHANNEL BEAM	70
660A4350001	OBION	0A435	2.246	CYPRESS CREEK	OPEN	6/12/2017	2000	36.361278	-88.973361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
660A4380001	OBION	0A438	2.142	CYPRESS CREEK	OPEN	6/12/2017	1984	36.358417	-88.985667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A4400001	OBION	0A440	0.014	DITCH	OPEN	6/12/2017	1990	36.398917	-88.994111	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.7
660A4430001	OBION	0A443	2.668	CYPRESS CREEK	OPEN	6/12/2017	1992	36.354222	-88.99925	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91
660A4450001	OBION	0A445	3.686	BRANCH	OPEN	6/14/2017	1970	36.341528	-89.054806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.7
660A4680001	OBION	0A468	2.65	BRANCH	OPEN	6/15/2017	1975	36.364139	-89.097694	CONCRETE	CHANNEL BEAM	84.7
660A4690001	OBION	0A469	1.365	BRANCH	OPEN	6/13/2017	1987	36.327833	-89.08375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
660A4710001	OBION	0A471	0.417	DAVIDSON CREEK	OPEN	6/12/2017	1998	36.349028	-89.110694	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
660A4710003	OBION	0A471	0.857	BRANCH	OPEN	6/12/2017	1975	36.354528	-89.112889	CONCRETE	CHANNEL BEAM	79.9
660A4720001	OBION	0A472	0.3	BRANCH	OPEN	6/5/2017	1983	36.364583	-89.136639	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.2
660A4800001	OBION	0A480	1.223	TROY CREEK	OPEN	6/14/2017	2001	36.332389	-89.125278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
660A4800003	OBION	0A480	2.534	TROY CREEK	OPEN	6/14/2017	1970	36.335806	-89.146667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
660A4800005	OBION	0A480	3.043	TROY CREEK	OPEN	6/14/2017	1970	36.335972	-89.155833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
660A4840001	OBION	0A484	0.57	TROY CREEK	OPEN	6/13/2017	2009	36.326944	-89.119633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
660A4900001	OBION	0A490	1.674	BRANCH	OPEN	6/16/2017	1970	36.306194	-89.027444	CONCRETE	CHANNEL BEAM	79.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
660A4920001	OBION	0A492	0.276	BRANCH	OPEN	6/13/2017	1987	36.304639	-89.032583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
660A4960001	OBION	0A496	0.515	CANE CREEK	OPEN	6/13/2017	1997	36.298194	-89.004972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
660A5000001	OBION	0A500	0.327	CANE CREEK	OPEN	6/13/2017	1970	36.29675	-88.966733	CONCRETE	CHANNEL BEAM	90.8
660A5010001	OBION	0A501	0.806	BRANCH	OPEN	6/13/2017	1970	36.303333	-88.957417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.8
660A5060001	OBION	0A506	0.687	MUD CREEK	OPEN	6/13/2017	1992	36.280222	-88.963333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.8
660A5500003	OBION	0A550	1.905	GRASS CREEK	OPEN	6/12/2017	2002	36.223167	-89.048528	CONCRETE	SLAB	73.2
660A5500001	OBION	0A550	2.594	GRASS CREEK	OPEN	6/12/2017	1978	36.2245	-89.060694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.5
660A5560001	OBION	0A556	1.457	GRASS CREEK	OPEN	6/12/2017	1983	36.2385	-89.059194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A5670001	OBION	0A567	1.17	BRANCH	OPEN	6/12/2017	1975	36.227889	-89.072917	CONCRETE	CHANNEL BEAM	79.8
660A5780001	OBION	0A578	3.012	BRANCH	WEIGHT POSTED	6/13/2017	1983	36.214111	-89.134722	CONCRETE	CHANNEL BEAM	49.8
660A5780003	OBION	0A578	3.654	DILLARD CREEK	OPEN	6/12/2017	1983	36.215694	-89.123639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
660A5780005	OBION	0A578	4.361	BEAR CREEK	OPEN	6/12/2017	1983	36.214361	-89.11225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
660A6880001	OBION	0A579	1.521	BROWN CREEK	OPEN	6/1/2017	1965	36.254778	-89.403806	CONCRETE	CHANNEL BEAM	55.2
660A5800001	OBION	0A580	0.857	DILLARD CREEK	OPEN	6/12/2017	1970	36.209867	-89.122617	CONCRETE	CHANNEL BEAM	73.8
660A5800003	OBION	0A580	2.234	BRANCH	OPEN	6/13/2017	1975	36.233972	-89.116222	CONCRETE	CHANNEL BEAM	78.2
660A5820001	OBION	0A582	1.081	BRANCH	OPEN	6/13/2017	1987	36.299722	-89.134722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
660A5900001	OBION	0A590	0.388	BRANCH	OPEN	6/15/2017	2004	36.328389	-89.15825	CONCRETE	CHANNEL BEAM	59.3
660A5900003	OBION	0A590	3.639	MILL CREEK	OPEN	6/14/2017	1992	36.284778	-89.169028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
660A6060001	OBION	0A606	0.253	TROY CREEK	OPEN	6/16/2017	1949	36.341361	-89.158389	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.3
66SR0030035	OBION	0A615	0.431	SR 3	OPEN	5/16/2017	1974	36.300778	-89.194417	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.9
660A6160001	OBION	0A616	1.199	MILL CREEK	OPEN	6/7/2017	2004	36.330222	-89.19625	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
660A6170001	OBION	0A617	1.666	LITTLE RICHLAND CREEK	WEIGHT POSTED	6/7/2017	1970	36.31275	-89.225389	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.6
660A6180001	OBION	0A618	0.077	RICHLAND CREEK	OPEN	6/7/2017	1960	36.292194	-89.216194	CONCRETE	CHANNEL BEAM	81.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66SR0030033	OBION	0A619	0.945	SR 3	OPEN	5/16/2017	1978	36.281306	-89.205694	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92
660A6190001	OBION	0A619	1.042	BRANCH	OPEN	6/7/2017	1975	36.281278	-89.207472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A6590001	OBION	0A659	1.409	BRANCH	OPEN	6/5/2017	1975	36.245222	-89.263611	CONCRETE	CHANNEL BEAM	71.9
660A6590003	OBION	0A659	3.735	CLOVER CREEK	OPEN	6/5/2017	1998	36.21475	-89.271778	CONCRETE	SLAB	78.9
660A6610001	OBION	0A661	0.699	BRANCH	OPEN	6/5/2017	1984	36.256361	-89.230306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
660A6610003	OBION	0A661	2.63	BURNT MILL HOLLOW CREEK	OPEN	6/5/2017	1983	36.245083	-89.249639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
660A6620001	OBION	0A662	1.282	CLOVER CREEK	OPEN	6/5/2017	2000	36.240417	-89.282833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
660A6640001	OBION	0A664	3.433	CLOVER CREEK	OPEN	6/5/2017	2014	36.225306	-89.276472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.2
660A6680001	OBION	0A668	1.375	CLOVERDALE CREEK	OPEN	6/7/2017	1984	36.220972	-89.313611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
660A6750001	OBION	0A675	0.139	ZION CREEK	OPEN	6/1/2017	1960	36.225806	-89.361222	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.2
660A6760001	OBION	0A676	0.167	CLOVERDALE CREEK	OPEN	6/7/2017	1975	36.236	-89.333639	CONCRETE	CHANNEL BEAM	78.2
660A6770001	OBION	0A677	0.424	ZION CREEK	OPEN	6/1/2017	1998	36.243306	-89.365444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
660A6780001	OBION	0A678	1.38	ZION CREEK	OPEN	6/1/2017	1975	36.241083	-89.36775	CONCRETE	CHANNEL BEAM	81.4
660A6780003	OBION	0A678	2.093	ZION CREEK	OPEN	6/1/2017	2004	36.23075	-89.369028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.2
660A6780005	OBION	0A678	3.939	JOHNSON CREEK	OPEN	6/1/2017	1987	36.218	-89.386028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
660A6810001	OBION	0A681	0.328	BRANCH	OPEN	6/1/2017	2017	36.214444	-89.369306	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89
66015200001	OBION	0A691	0.975	CLOVERDALE CREEK	OPEN	6/7/2017	1998	36.254639	-89.337389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96
660A6930001	OBION	0A693	1.388	CLOVER CREEK	OPEN	6/7/2017	1984	36.284833	-89.315444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A6930003	OBION	0A693	2.516	BRANCH	OPEN	6/7/2017	1981	36.276222	-89.325472	CONCRETE	CHANNEL BEAM	74.3
660A6950001	OBION	0A695	0.209	BRANCH	OPEN	6/7/2017	1983	36.288	-89.318056	CONCRETE	CHANNEL BEAM	67.9
660A6980001	OBION	0A698	1.093	CLOVER CREEK	OPEN	6/7/2017	1984	36.303722	-89.304361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
660A6990001	OBION	0A699	1.387	PAWPAW CREEK	OPEN	6/1/2017	1994	36.30525	-89.356806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
660A7170001	OBION	0A717	1.612	ROBINSON CREEK	OPEN	6/7/2017	1984	36.320833	-89.259528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
660A7180001	OBION	0A718	1.191	RICHLAND CREEK	OPEN	6/7/2017	1992	36.30575	-89.250667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91
660A7310001	OBION	0A731	0.006	SOUTH FORK HARRIS FK CR	OPEN	6/14/2017	1965	36.4995	-88.868278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.4
660A7440001	OBION	0A744	0.536	BRANCH	OPEN	6/7/2017	1975	36.461806	-89.136306	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.6
66L29430001	OBION	0A811	0.157	NORTH FORK HARRIS FK CR	OPEN	6/14/2017	1970	36.500194	-88.879556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.8
66L29440001	OBION	0A812	0.789	SOUTH FORK HARRIS CREEK	OPEN	6/13/2017	2016	36.500083	-88.872361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
66M29480001	OBION	0A815	0.232	HARRIS FORK CREEK	CLOSED	6/14/2017	1940	36.500444	-88.87875	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.5
660A8340001	OBION	0A834	0.42	BRANCH	OPEN	6/12/2017	2003	36.454167	-89.034278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	76.7
66SR0220045	OBION	0A855	0.05	TYSON RD/SR 22	OPEN	5/18/2017	2000	36.42	-88.001975	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
660A2810001	OBION	0A866	0.733	BRANCH	OPEN	6/8/2017	1900	36.434083	-89.006056	CONCRETE	CHANNEL BEAM	78.7
660B1000001	OBION	0B100	0.777	OBION R. DRAINAGE CANEL	OPEN	6/15/2017	1928	36.216833	-89.196694	CONCRETE	TEE BEAM	49.5
660B1000003	OBION	0B100	1.3	OVERFLOW	OPEN	6/15/2017	1928	36.224417	-89.195778	CONCRETE	TEE BEAM	47.9
660B1000005	OBION	0B100	1.903	OVERFLOW	OPEN	6/15/2017	1928	36.233083	-89.194583	CONCRETE	TEE BEAM	48.7
66SR0030024	OBION	SR003	0.88	OBION RIVER	OPEN	5/11/2017	1978	36.218944	-89.210278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
66SR0030023	OBION	SR003	0.88	OBION RIVER	OPEN	5/11/2017	1978	36.218861	-89.21	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
66SR0030026	OBION	SR003	1.36	OVERFLOW	OPEN	5/11/2017	1978	36.225722	-89.212167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.1
66SR0030025	OBION	SR003	1.36	OVERFLOW	OPEN	5/11/2017	1978	36.225889	-89.211889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.1
66SR0030027	OBION	SR003	2.26	OLD OBION RV DRAIN CAN	OPEN	5/15/2017	1978	36.23825	-89.216389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.1
66SR0030028	OBION	SR003	2.26	OLD OBION RV DRAIN CAN	OPEN	5/15/2017	1978	36.238194	-89.216667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
66SR0030030	OBION	SR003	2.38	OBION RIVER	OPEN	5/15/2017	1978	36.239889	-89.217306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
66SR0030029	OBION	SR003	2.38	OBION RIVER	OPEN	5/15/2017	1978	36.239889	-89.216917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66SR0030031	OBION	SR003	4.23	RICHLAND CREEK	OPEN	5/15/2017	1978	36.266	-89.214861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.1
66SR0030032	OBION	SR003	4.23	RICHLAND CREEK	OPEN	5/15/2017	1978	36.266111	-89.215194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.1
66SR0030037	OBION	SR003	8.93	MILL CREEK	OPEN	5/16/2017	1978	36.325556	-89.176194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
66SR0030012	OBION	SR003	10.38	TROY CREEK	OPEN	5/15/2017	1960	36.339222	-89.156444	CONCRETE	TEE BEAM	66
66SR0030011	OBION	SR003	10.38	TROY CREEK	OPEN	5/15/2017	1960	36.339111	-89.156306	CONCRETE	TEE BEAM	78.3
66SR0030013	OBION	SR003	12.54	DAVIDSON CREEK	OPEN	5/15/2017	1960	36.362639	-89.131194	CONCRETE	TEE BEAM	77.6
66SR0030014	OBION	SR003	12.54	DAVIDSON CREEK	OPEN	5/15/2017	1960	36.362778	-89.131444	CONCRETE	TEE BEAM	65.3
66SR0030016	OBION	SR003	15.39	BRANCH	OPEN	5/16/2017	1960	36.391167	-89.097833	CONCRETE	TEE BEAM	48.5
66SR0030015	OBION	SR003	15.39	BRANCH	OPEN	5/16/2017	1960	36.393972	-89.097583	CONCRETE	TEE BEAM	65.3
66SR0030082	OBION	SR003	16.01	BRANCH	OPEN	5/16/2017	1968	36.400667	-89.090333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.4
66SR0030017	OBION	SR003	18.04	HOOSIER BRANCH	OPEN	5/15/2017	1970	36.421333	-89.067972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
66SR0030018	OBION	SR003	18.04	HOOSIER BRANCH	OPEN	5/15/2017	1971	36.421667	-89.068333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
66SR0030019	OBION	SR003	20.38	IC RAILROAD	OPEN	5/16/2017	1970	36.448028	-89.055194	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6
66SR0030020	OBION	SR003	20.38	IC RAILROAD	OPEN	5/16/2017	1970	36.448333	-89.055194	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
66SR0030021	OBION	SR003	21.51	PURSLEY CREEK	OPEN	5/16/2017	1974	36.439611	-89.035361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
66SR0030057	OBION	SR003	23.41	BRANCH	OPEN	5/18/2017	1979	36.448694	-89.003833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
66SR0030059	OBION	SR003	25.66	BRANCH	OPEN	5/16/2017	1979	36.467278	-88.972583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
66SR0030047	OBION	SR003	26.13	DEER CREEK	OPEN	5/16/2017	1978	36.471361	-88.965778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
66SR0030051	OBION	SR003	27.3	BRANCH	OPEN	5/22/2017	1978	36.479361	-88.947444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
66SR0030061	OBION	SR003	28.27	HICKS BRANCH	OPEN	5/22/2017	1979	36.486194	-88.932194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
66SR0030066	OBION	SR003	30.31	SR 215	OPEN	5/22/2017	1967	36.498528	-88.899444	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88
66SR0030065	OBION	SR003	30.31	SR 215	OPEN	5/22/2017	1967	36.498333	-88.899472	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66SR0050001	OBION	SR005	0.63	BRANCH	OPEN	5/18/2017	1929	36.210278	-89.016611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.8
66SR0050003	OBION	SR005	5.07	OVERFLOW	OPEN	5/18/2017	1968	36.267028	-89.0545	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.3
66SR0050005	OBION	SR005	5.47	OBION RIVER	OPEN	5/16/2017	1968	36.271917	-89.057833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	72.3
66SR0050007	OBION	SR005	6.45	OVERFLOW	OPEN	5/16/2017	1968	36.284722	-89.066389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.3
66SR0050009	OBION	SR005	10.46	IC RAILROAD	OPEN	5/17/2017	2003	36.340722	-89.0695	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5
66SR0050011	OBION	SR005	11.44	BRANCH	OPEN	5/16/2017	1929	36.354806	-89.067194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
66SR0050013	OBION	SR005	13.49	HOOSIER BRANCH	OPEN	5/17/2017	1929	36.384389	-89.062611	CONCRETE	TEE BEAM	60
66SR0050015	OBION	SR005	14.03	OVERFLOW	OPEN	5/17/2017	1930	36.392083	-89.061278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
66SR0050017	OBION	SR005	14.46	OVERFLOW	OPEN	5/17/2017	1934	36.398167	-89.060361	CONCRETE	TEE BEAM	57.5
66SR0050019	OBION	SR005	16.78	FIRST CREEK	OPEN	5/17/2017	1983	36.426778	-89.064333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
66SR0050021	OBION	SR005	17	NORTH FORK HOOSIER CREEK	OPEN	5/17/2017	1985	36.427222	-89.068528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
66SR0050023	OBION	SR005	18.225	NORTH FORK HOOSIER CR.	OPEN	5/17/2017	2010	36.434867	-89.087017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.2
66SR0050029	OBION	SR005	20.48	BLACK BRANCH	OPEN	5/17/2017	2010	36.464067	-89.10505	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.1
66SR0050025	OBION	SR005	22.37	CANE CREEK	OPEN	5/17/2017	2010	36.49005	-89.1157	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.1
66SR0050027	OBION	SR005	22.75	NORTH REELFOOT CREEK	OPEN	5/17/2017	2010	36.49525	-89.11785	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
66SR0210017	OBION	SR021	0.03	BRANCH	OPEN	5/22/2017	2009	36.352017	-89.404733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
66SR0210001	OBION	SR021	2.05	BRANCH	OPEN	5/22/2017	1924	36.359167	-89.370306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
66SR0210003	OBION	SR021	2.9	BRANCH	OPEN	5/22/2017	1924	36.354361	-89.357111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
66SR0210015	OBION	SR021	7.78	BRANCH	OPEN	5/22/2017	1980	36.338639	-89.289611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
66SR0210005	OBION	SR021	12.64	MILL CREEK	OPEN	5/22/2017	1998	36.336417	-89.206444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66SR0210007	OBION	SR021	14	BRANCH	OPEN	5/22/2017	1925	36.337222	-89.182139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.9
66SR0210013	OBION	SR021	15.61	BRANCH	OPEN	5/22/2017	1960	36.344444	-89.149806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
66S80070003	OBION	SR021	16.03	BRANCH	OPEN	5/22/2017	1960	36.346222	-89.142694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
66S80070005	OBION	SR021	18.33	DAVIDSON CREEK	OPEN	5/22/2017	1987	36.344111	-89.104139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.1
66SR0210009	OBION	SR021	22.87	PURSLEY CREEK	OPEN	5/22/2017	2008	36.453361	-89.042222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
66SR0210011	OBION	SR021	25.69	NORTH REELFOOT CREEK	OPEN	5/22/2017	2001	36.49375	-89.035861	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.3
66SR0220035	OBION	SR022	0	SR 22 / SR 431	OPEN	5/30/2017	1987	36.40385	-89.00205	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.8
66SR0220026	OBION	SR022	0.04	HARRIS CREEK	OPEN	5/24/2017	1988	36.404217	-89.000933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
66SR0220025	OBION	SR022	0.04	HARRIS CREEK	OPEN	5/24/2017	1988	36.405233	-89.00115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
66SR0220034	OBION	SR022	0.35	DRAINAGE CANAL	OPEN	5/25/2017	1988	36.405717	-88.995967	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.9
66SR0220033	OBION	SR022	0.35	DRAINAGE CANAL	OPEN	5/25/2017	1988	36.406017	-88.995833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68.9
66SR0220037	OBION	SR022	0.55	RAMP BC/SR 22	OPEN	5/22/2017	2000	36.407283	-88.959467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
66SR0220038	OBION	SR022	0.55	RAMP BC/SR 22	OPEN	5/25/2017	2000	36.4074	-88.99295	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
66SR0220027	OBION	SR022	0.88	BRANCH	OPEN	5/17/2017	1987	36.395306	-88.964611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
66SR0220031	OBION	SR022	2.09	NORTH FORK OBION RV	OPEN	5/17/2017	1988	36.403694	-88.983889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
66SR0220032	OBION	SR022	2.09	NORTH FORK OBION RV	OPEN	5/17/2017	1988	36.403639	-88.984056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
66SR0220040	OBION	SR022	2.79	HARRIS FORK CREEK	OPEN	5/18/2017	2000	36.409056	-88.994222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7
66SR0220039	OBION	SR022	2.79	HARRIS FORK CREEK	OPEN	5/18/2017	2000	36.409306	-88.994111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7
66SR0220041	OBION	SR022	2.8	HARRIS FORK CREEK	OPEN	5/18/2017	2000	36.410611	-88.993417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66SR0220044	OBION	SR022	3.12	ICRR	OPEN	5/18/2017	2000	36.412972	-88.997583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7
66SR0220043	OBION	SR022	3.12	ICRR	OPEN	5/18/2017	2000	36.413167	-88.997444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7
66SR0220053	OBION	SR022	4.62	NAPIER BRANCH	OPEN	5/18/2017	2003	36.432722	-89.006833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
66SR0030039	OBION	SR022	5.45	SR 3	OPEN	5/22/2017	1978	36.443389	-89.01225	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92.3
66SR0220007	OBION	SR022	7.76	HOOSIER CREEK	OPEN	5/22/2017	1949	36.440583	-89.125611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.6
66SR0220009	OBION	SR022	15.63	NORTH REELFOOT CREEK	OPEN	5/22/2017	1953	36.463778	-89.253333	CONCRETE	TEE BEAM	75.2
66SR0220011	OBION	SR022	16.12	BRANCH	OPEN	5/22/2017	1955	36.464167	-89.262139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
66SR0220013	OBION	SR022	17.98	BRANCH	OPEN	5/18/2017	1955	36.450056	-89.29025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
66SR0220015	OBION	SR022	18.6	REELFOOT CREEK	OPEN	5/18/2017	1999	36.442722	-89.296444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90
66SR0220017	OBION	SR022	18.79	OVERFLOW	OPEN	5/22/2017	1999	36.440333	-89.298278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.3
66SR0220019	OBION	SR022	21.59	BRANCH	OPEN	5/18/2017	1949	36.407194	-89.326056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
66SR0220021	OBION	SR022	23.35	INDIAN CREEK	OPEN	5/18/2017	1949	36.386083	-89.343333	CONCRETE	TEE BEAM	91.7
66SR0220023	OBION	SR022	26.73	BRANCH	OPEN	5/18/2017	1949	36.356556	-89.388861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
66SR0430002	OBION	SR043	0.18	OVERFLOW	OPEN	5/24/2017	1997	36.411028	-88.855639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.1
66SR0430001	OBION	SR043	0.18	OVERFLOW	OPEN	5/24/2017	1997	36.411111	-88.855361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.1
66SR0430003	OBION	SR043	1.02	OVERFLOW	OPEN	5/24/2017	1929	36.423333	-88.856667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
66SR0430006	OBION	SR043	1.22	RICHLAND CREEK	OPEN	5/24/2017	2000	36.426361	-88.857278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.1
66SR0430005	OBION	SR043	1.22	RICHLAND CREEK	OPEN	5/25/2017	2000	36.426528	-88.856972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.1
66SR0430007	OBION	SR043	6.44	HARRIS CREEK	OPEN	5/25/2017	1929	36.500194	-88.875667	CONCRETE	TEE BEAM	52.9
66SR0780001	OBION	SR078	0.72	DRAINAGE DITCH	OPEN	5/22/2017	1982	36.222083	-89.470278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66SR0780003	OBION	SR078	0.99	RUNNING REELFOOT BAYOU	OPEN	5/22/2017	1960	36.22575	-89.472222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.4
66S80080007	OBION	SR089	0.49	OVERFLOW	OPEN	5/23/2017	1938	36.204333	-89.005778	CONCRETE	TEE BEAM	79.1
66S80080009	OBION	SR089	0.6	OVERFLOW	OPEN	5/23/2017	1938	36.204639	-89.003944	CONCRETE	TEE BEAM	79.1
66S80080011	OBION	SR089	0.89	RUTHERFORD FK.OBION RIVE	OPEN	5/23/2017	2003	36.2055	-88.999	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
66S80080013	OBION	SR089	1.08	OVERFLOW	OPEN	5/23/2017	1978	36.206028	-88.995639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
66S80080001	OBION	SR089	1.85	BRANCH	OPEN	5/24/2017	1960	36.208056	-89.135722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
66S80080003	OBION	SR089	2.91	DILLARD CREEK	OPEN	5/24/2017	1960	36.207111	-89.116833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
66SR0890007	OBION	SR089	3.39	DILLARD CREEK	OPEN	5/23/2017	1999	36.223167	-88.976056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
66S80140001	OBION	SR089	4.57	OVERFLOW	OPEN	5/23/2017	2004	36.240139	-88.974917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.8
66S80140003	OBION	SR089	4.91	SOUTH FORK OBION RIVER	OPEN	5/23/2017	1989	36.244944	-88.974	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.8
66S80140005	OBION	SR089	5.46	OVERFLOW	OPEN	5/24/2017	1998	36.2525	-88.970806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
66S80080005	OBION	SR089	6.14	GRASSY CREEK	OPEN	5/23/2017	2009	36.204217	-89.060583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.7
66S80060003	OBION	SR183	3.08	BRANCH	OPEN	5/23/2017	1986	36.293056	-89.273944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
66S80060001	OBION	SR183	4.51	BURNT MILL HOLLOW BRANCH	OPEN	5/23/2017	1986	36.274667	-89.264778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
66S80050009	OBION	SR183	5.68	BURNT MILL HOLLOW CREEK	OPEN	5/23/2017	1980	36.264611	-89.257167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
66SR0030069	OBION	SR183	7.96	SR 3	OPEN	5/23/2017	1976	36.262278	-89.216611	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.9
66002560013	OBION	SR183	8.15	RICHLAND CREEK	OPEN	5/23/2017	1980	36.262028	-89.213222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
66SR0030009	OBION	SR183	13.85	MILL CREEK	OPEN	5/23/2017	1927	36.323	-89.175917	CONCRETE	TEE BEAM	61.2
66S81670001	OBION	SR184	0.305	TROY CREEK	OPEN	5/23/2017	2000	36.342639	-89.162306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
66F00050001	OBION	SR184	3.51	DAVIDSON CREEK	OPEN	5/23/2017	2000	36.378889	-89.138222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
66F00050005	OBION	SR184	5.51	BRANCH	OPEN	5/23/2017	2000	36.403333	-89.120833	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66F00050003	OBION	SR184	5.855	HOOSIER CREEK	OPEN	5/23/2017	2000	36.408306	-89.118778	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.5
66SR0034003	OBION	SR184	10.4	PURSLEY CREEK	OPEN	5/24/2017	1926	36.43075	-89.029611	CONCRETE	TEE BEAM	61.7
66SR0034005	OBION	SR184	10.825	BRANCH	OPEN	5/24/2017	1926	36.434028	-89.023111	CONCRETE	TEE BEAM	97
66SR0220049	OBION	SR184	11.54	SR 184 / SR 22	OPEN	5/24/2017	2003	36.440056	-89.011444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.3
66002640001	OBION	SR214	1.45	NAPIER BRANCH	OPEN	5/30/2017	1926	36.444417	-89.002417	CONCRETE	TEE BEAM	66
66002640025	OBION	SR214	3.97	DEER CREEK	OPEN	5/30/2017	1926	36.464306	-88.963722	CONCRETE	TEE BEAM	48.9
66002640027	OBION	SR214	5.22	HICKS BRANCH	OPEN	5/30/2017	1926	36.474139	-88.945278	CONCRETE	TEE BEAM	50.1
66SR0030063	OBION	SR214	7.69	SR 214 RP N / SR 3	OPEN	5/30/2017	1975	36.494611	-88.909	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.3
66FA0051001	OBION	SR215	1	HARRIS FK.DRAINAGE DITCH	OPEN	5/25/2017	1997	36.491139	-88.89025	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
66FA0051003	OBION	SR215	1.14	IC RAILROAD	OPEN	5/25/2017	1972	36.491778	-88.892472	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
66S80090001	OBION	SR216	1.31	HOOSIER CREEK	OPEN	5/24/2017	1984	36.355722	-89.043722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.8
66S80090003	OBION	SR216	1.47	OVERFLOW	OPEN	5/24/2017	1986	36.355444	-89.040722	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	54.3
66S80090005	OBION	SR216	1.69	OVERFLOW	OPEN	5/24/2017	1986	36.3555	-89.036861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
66S80090007	OBION	SR216	1.81	NORTH FORK OBION RIVER	OPEN	5/24/2017	1986	36.354472	-89.035167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.2
66S80090009	OBION	SR216	1.97	OVERFLOW	OPEN	5/24/2017	1986	36.353167	-89.033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.2
66S80090011	OBION	SR216	2.13	OVERFLOW	OPEN	5/25/2017	1986	36.351694	-89.030722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.4
66S80090013	OBION	SR216	2.29	OVERFLOW	OPEN	5/30/2017	1986	36.350389	-89.0285	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
66S80090015	OBION	SR216	2.67	OVERFLOW	OPEN	5/25/2017	2009	36.345833	-89.025806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.4
66S80090017	OBION	SR216	2.82	CYPRESS CREEK	OPEN	5/25/2017	2009	36.34325	-89.026139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
66S80090019	OBION	SR216	2.94	OVERFLOW	OPEN	5/25/2017	2009	36.341917	-89.026361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.4
66SR0220001	OBION	SR431	2.68	NORTH FORK OBION RIVER	OPEN	5/25/2017	1985	36.399811	-88.995306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.1
66SR0220003	OBION	SR431	3.49	IC RAILROAD	OPEN	5/30/2017	1928	36.40675	-89.005556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	66.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
66SR0220005	OBION	SR431	4.96	GROVE CREEK	OPEN	5/30/2017	1928	36.4125	-89.03	CONCRETE	TEE BEAM	63.7
66SR0034001	OBION	SR431	7	HOOSIER CREEK	OPEN	5/30/2017	1968	36.415556	-89.066194	CONCRETE	TEE BEAM	97.9
67011760001	OVERTON	01176	4.93	HUGHES CREEK	OPEN	12/8/2016	1956	36.258483	-85.227983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
67S44490007	OVERTON	01176	6.06	WEST FORK OBEY RIVER	OPEN	12/8/2016	1940	36.2581	-85.207917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.1
67F00150009	OVERTON	01176	9.57	WEST FORK OBEY RIVER	WEIGHT POSTED	12/14/2016	1940	36.300717	-85.194267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.6
67F00010001	OVERTON	01178	3.12	FLAT CREEK	OPEN	12/7/2016	1940	36.4117	-85.374933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.8
67F00190001	OVERTON	01205	5.17	ROARING RIVER	WEIGHT POSTED	12/5/2016	1973	36.338006	-85.37775	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.2
67S43920001	OVERTON	01207	5.47	NETTLE CARRIER BRANCH	WEIGHT POSTED	12/8/2016	1970	36.39545	-85.209878	STEEL	GIRDER AND FLOORBEAM SYSTEM	52.7
67014160001	OVERTON	01416	0.31	BUFFALO BRANCH	OPEN	12/5/2016	1960	36.374667	-85.431783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
67014160003	OVERTON	01416	1.39	FLAT CREEK	OPEN	12/5/2016	1974	36.371267	-85.415183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
67SR0420001	OVERTON	01506	1.29	SPRING CREEK	OPEN	12/13/2016	1924	36.24625	-85.3872	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
67SR0420003	OVERTON	01506	7.1	ROARING RIVER	OPEN	12/7/2016	1983	36.318936	-85.342158	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
67SR0420005	OVERTON	01506	8.02	MATTHEWS CREEK	OPEN	12/7/2016	1953	36.331658	-85.340131	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
67SR0420007	OVERTON	01506	9.06	CARR CREEK	WEIGHT POSTED	12/22/2016	1953	36.3457	-85.334633	CONCRETE	TEE BEAM	33.9
67022360001	OVERTON	02236	0.87	TURKEY CREEK	OPEN	12/12/2016	2015	36.245433	-85.409633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.3
67022950001	OVERTON	02295	2.93	BIG EAGLE CREEK	OPEN	12/1/2016	1975	36.476867	-85.238567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
67023020001	OVERTON	02302	0.31	EAST FORK OBEY RIVER	OPEN	12/13/2016	1994	36.184117	-85.1642	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
67023020003	OVERTON	02302	6.05	HURRICANE CREEK	OPEN	12/14/2016	2001	36.2009	-85.090417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
67023060001	OVERTON	02306	1.3	CLEEK BRANCH	OPEN	12/12/2016	1972	36.321133	-85.420567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
67SR0420009	OVERTON	05755	0.67	BRANCH	OPEN	11/9/2016	1990	36.36575	-85.338683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
67SR0420011	OVERTON	05755	0.8	TOWN CREEK	OPEN	11/3/2016	1988	36.366817	-85.340283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
670A0080001	OVERTON	0A008	3.222	LICK BRANCH	OPEN	12/5/2016	2003	36.384789	-85.454567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
670A0450001	OVERTON	0A045	0.872	BRYAN'S FORK (SSSP)	OPEN	11/7/2016	2009	36.460583	-85.423283	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.2
670A0450003	OVERTON	0A045	1.91	MORGAN CREEK (SSSP)	OPEN	11/7/2016	1995	36.461717	-85.4105	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.1
670A0450005	OVERTON	0A045	2.79	MORGAN CREEK (SSSP)	OPEN	11/7/2016	2009	36.4534	-85.399533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
670A1380001	OVERTON	0A138	0.744	LITTLE EAGLE CREEK	OPEN	12/1/2016	1984	36.45115	-85.278883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
670A1380003	OVERTON	0A138	1.051	BIG EAGLE CREEK	OPEN	12/1/2016	2000	36.44935	-85.274033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
670A1520001	OVERTON	0A152	0.269	MONROE CREEK	OPEN	12/1/2016	2016	36.44545	-85.260983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84
670A1880001	OVERTON	0A188	0.896	WHORLEY BRANCH	OPEN	12/7/2016	1984	36.445167	-85.19085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
670A2100001	OVERTON	0A210	0.053	MILL CREEK BRANCH	OPEN	12/7/2016	1978	36.490917	-85.452583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
670A2130001	OVERTON	0A213	0.479	CRAWFORD BRANCH	OPEN	12/8/2016	1984	36.402233	-85.222244	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
670A2140001	OVERTON	0A214	0.024	NETTLE CARRIER CREEK	OPEN	12/7/2016	1998	36.394011	-85.230675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
670A2290001	OVERTON	0A229	0.127	COWAN BRANCH	OPEN	12/7/2016	1984	36.395439	-85.159836	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
670A2420001	OVERTON	0A242	1.498	LAMB FORK CREEK	OPEN	12/8/2016	1986	36.324403	-85.214925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
670A2550001	OVERTON	0A255	0.021	BIG LAUREL CREEK	OPEN	12/13/2016	1903	36.2685	-85.111933	STEEL	GIRDER AND FLOORBEAM SYSTEM	44.7
670A3090001	OVERTON	0A309	5.427	WEST FORK OBEY RIVER	OPEN	12/8/2016	1984	36.20785	-85.192833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
670A3160001	OVERTON	0A316	0.492	BRANCH	OPEN	12/6/2016	1986	36.185444	-85.269056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
670A3320001	OVERTON	0A332	0.036	DRY HOLLOW CREEK	OPEN	12/8/2016	1984	36.258533	-85.211317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.7
670A3700001	OVERTON	0A370	0.243	CARR CREEK	OPEN	12/1/2016	1974	36.332075	-85.312444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
670A3710001	OVERTON	0A371	0.192	EAST FORK OBEY RIVER	OPEN	12/8/2016	1984	36.172067	-85.1652	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
670A3710003	OVERTON	0A371	4.072	LITTLE HURRICANE CREEK	OPEN	12/14/2016	1994	36.180383	-85.106533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
670A3820001	OVERTON	0A382	0.424	CARR CREEK	OPEN	12/1/2016	1984	36.341092	-85.366383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
670A4040001	OVERTON	0A404	2.676	ROARING RIVER	OPEN	12/1/2016	1984	36.3316	-85.350617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
670A4160001	OVERTON	0A416	3.393	SPRING CREEK	OPEN	12/12/2016	1987	36.256817	-85.462517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
670A4190001	OVERTON	0A419	1.996	SPRING CREEK	OPEN	12/12/2016	1993	36.273467	-85.423217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
670A4190003	OVERTON	0A419	2.808	DANNER BRANCH	OPEN	12/13/2016	1978	36.283817	-85.420233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.9
670A4300001	OVERTON	0A430	1.189	BEAR CREEK	OPEN	12/8/2016	1984	36.266444	-85.433856	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
670A3900001	OVERTON	0A793	0.644	SULPHUR BRANCH	OPEN	12/7/2016	2007	36.306125	-85.3774	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
67SR0520001	OVERTON	SR052	17.65	MEANS CREEK	OPEN	11/15/2016	1959	36.394417	-85.2258	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.2
67SR0520003	OVERTON	SR052	21.71	WEST FORK OBEY RIVER	OPEN	11/15/2016	1941	36.397217	-85.1747	CONCRETE	TEE BEAM	52.9
67SR0840001	OVERTON	SR084	2.94	BRANCH	OPEN	11/7/2016	1947	36.231917	-85.292483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.8
67SR0840003	OVERTON	SR084	7.66	CARR CREEK	OPEN	11/9/2016	1940	36.291383	-85.300783	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.1
67SR0840005	OVERTON	SR084	10.16	BRANCH	OPEN	11/9/2016	1940	36.327233	-85.303717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.5
67SR0840007	OVERTON	SR084	10.88	COPELAND CREEK	OPEN	11/3/2016	1948	36.33625	-85.310167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
67SR0840009	OVERTON	SR084	11.62	COLLINS CREEK	OPEN	11/3/2016	1953	36.344483	-85.318367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.4
67SR0840011	OVERTON	SR084	13.31	SR 84/ SR 111 & TOWN CR	OPEN	11/22/2016	2013	36.360517	-85.340867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.8
67SR0840013	OVERTON	SR084	13.345	SR 84 RAMP "B" / TOWN CR	OPEN	11/22/2016	2013	36.360417	-85.342267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
67SR0850001	OVERTON	SR085	7.05	FLAT CREEK	OPEN	11/14/2016	1931	36.389617	-85.40135	CONCRETE	TEE BEAM	40.2
67SR0850003	OVERTON	SR085	9.6	ZOLLICOFFER CREEK	OPEN	11/14/2016	1931	36.375117	-85.365983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.6
67SR0850005	OVERTON	SR085	11.4	TOWN CREEK	OPEN	11/2/2016	1974	36.380283	-85.330717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
67SR0850007	OVERTON	SR085	16.78	PUNCHEON CAMP CREEK	OPEN	11/22/2016	1994	36.32965	-85.190117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
67SR0850009	OVERTON	SR085	18.01	WEST FORK OBEY RIVER	OPEN	11/8/2016	1966	36.314667	-85.181233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.1
67SR0850011	OVERTON	SR085	19.14	SCOTT BRANCH	OPEN	11/8/2016	1995	36.30175	-85.17095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
67SR0420019	OVERTON	SR111	1.33	SPRING CREEK	OPEN	11/1/2016	1987	36.249467	-85.394467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
67SR0420021	OVERTON	SR111	5.65	BRANCH	OPEN	11/1/2016	1988	36.306883	-85.3666	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
67SR0420023	OVERTON	SR111	7.65	ROARING RIVER	OPEN	11/1/2016	1987	36.333917	-85.3537	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.7
67SR0420025	OVERTON	SR111	8.8	CARR CREEK	OPEN	11/1/2016	1988	36.348733	-85.3458	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
67SR0420027	OVERTON	SR111	9.76	TOWN CREEK	OPEN	11/1/2016	1987	36.3616	-85.3414	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.4
67SR0420017	OVERTON	SR111	10.73	COLLINS BRANCH	OPEN	11/2/2016	1973	36.3761	-85.338733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
67SR0420015	OVERTON	SR111	18.11	BRANCH	OPEN	11/2/2016	1965	36.439933	-85.258917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.4
67SR1360001	OVERTON	SR136	3.32	GIBBONS BRANCH	OPEN	11/14/2016	1984	36.336483	-85.428217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
67SR1360003	OVERTON	SR136	3.74	ROARING RIVER	OPEN	11/16/2016	1970	36.341967	-85.42495	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89
67SR1360005	OVERTON	SR136	5.26	FLAT CREEK	OPEN	11/16/2016	1985	36.3595	-85.433317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.8
67SR1360007	OVERTON	SR136	7.92	BUFFALO BRANCH	OPEN	11/2/2016	1984	36.3955	-85.44155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
67005810001	OVERTON	SR136	14.3	MILL CREEK (PARK LAKE)	OPEN	11/29/2016	1934	36.470583	-85.417717	CONCRETE	TEE BEAM	54.7
67SR1640001	OVERTON	SR164	10.74	LITTLE INDIAN CREEK	OPEN	11/8/2016	1970	36.255617	-85.14835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
67F00150001	OVERTON	SR293	1.21	SPRING CREEK	OPEN	11/21/2016	1995	36.284933	-85.441633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.3
67F00150003	OVERTON	SR293	3.67	BRANCH	OPEN	11/21/2016	1940	36.2761	-85.401633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.7
67F00150005	OVERTON	SR293	5.34	BRANCH	OPEN	11/17/2016	2016	36.26515	-85.3799	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
67S43930001	OVERTON	SR294	1.39	EAGLE CREEK	OPEN	11/29/2016	1959	36.449433	-85.273667	CONCRETE	TEE BEAM	70.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
68E02410001	PERRY	00909	5.96	BRANCH	OPEN	6/12/2017	1976	35.787733	-87.87015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
68E02410003	PERRY	00909	7.76	FORK OF CROOKED CREEK	OPEN	6/12/2017	1995	35.804717	-87.894317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.6
68F02430001	PERRY	00921	0.22	BUFFALO RIVER	OPEN	8/26/2015	1958	35.604617	-87.83905	CONCRETE CONTINUOUS	TEE BEAM	62
68F02340003	PERRY	00921	1.02	BUFFALO RIVER	OPEN	8/17/2015	1986	35.595017	-87.838383	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	64.7
68F02430005	PERRY	00921	3.26	BRANCH	OPEN	8/17/2015	1986	35.56515	-87.843667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
68S62430001	PERRY	00923	3.1	BRANCH	OPEN	6/28/2017	1950	35.65635	-87.891967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
68S62430003	PERRY	00923	4.09	LICK CREEK	OPEN	6/28/2017	1961	35.666167	-87.9047	CONCRETE	TEE BEAM	65.2
68S62430005	PERRY	00923	5.44	LICK CREEK	OPEN	6/28/2017	1961	35.678133	-87.92265	CONCRETE	TEE BEAM	64.6
68017750001	PERRY	01775	1.76	SWINDLE CREEK	OPEN	8/5/2015	1965	35.538217	-87.950033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
68017750003	PERRY	01775	4.09	FURNACE BRANCH	OPEN	7/10/2017	1960	35.5593	-87.964117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
68017750005	PERRY	01775	4.2	MCCURTIE BRANCH	OPEN	8/4/2015	1960	35.560767	-87.9641	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
68017750007	PERRY	01775	4.74	WHITWELL BRANCH	OPEN	7/10/2017	1960	35.567917	-87.9606	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
68017750009	PERRY	01775	7.15	MARSH CREEK	OPEN	7/10/2017	1998	35.597	-87.956133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	86.7
68017750011	PERRY	01775	11.11	CYPRESS CREEK	OPEN	7/6/2017	1991	35.615033	-87.98995	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
68017770001	PERRY	01777	0.06	CANE CREEK	OPEN	6/26/2017	1980	35.70835	-87.774983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
68017770003	PERRY	01777	3.79	LAGOON BRANCH	OPEN	6/9/2017	1972	35.749767	-87.7737	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.6
68017770005	PERRY	01777	4.63	BUFFALO RIVER	OPEN	6/9/2017	1962	35.7606	-87.77465	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57.7
68017880001	PERRY	01788	1.57	SUGAR HILL BRANCH	OPEN	8/17/2015	1960	35.554333	-87.825067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
68017880003	PERRY	01788	2.44	BUFFALO RIVER	OPEN	8/17/2015	1968	35.544667	-87.819933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.7
68017880005	PERRY	01788	8.88	SINKING CREEK	OPEN	8/14/2015	1974	35.508567	-87.753167	CONCRETE	TEE BEAM	78.3
68017920001	PERRY	01792	0.29	BUFFALO RIVER	OPEN	8/24/2015	1985	35.668333	-87.81435	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	67.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
68S63890003	PERRY	01792	1.99	BRUSH CREEK	OPEN	8/24/2015	1960	35.668483	-87.793067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	74.6
68017920003	PERRY	01792	4	BRANCH	OPEN	8/24/2015	1996	35.652183	-87.766667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.9
680A0040001	PERRY	0A004	1.102	LITTLE SPRING CREEK	OPEN	7/6/2017	1989	35.6373	-87.993333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
680A0040003	PERRY	0A004	1.575	LITTLE SPRING CREEK	OPEN	7/6/2017	1984	35.633783	-87.988017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
680A0080001	PERRY	0A008	0.049	SPRING CREEK	OPEN	6/30/2017	1982	35.6548	-87.9928	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	68
680A0100001	PERRY	0A010	0.039	SPRING CREEK	OPEN	6/30/2017	1992	35.655183	-87.988417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
680A0130001	PERRY	0A013	2.744	BRANCH	OPEN	6/21/2017	1954	35.6902	-87.988833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
680A0180001	PERRY	0A018	7.747	DEER CREEK	OPEN	6/14/2017	1984	35.7371	-87.975383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
680A0180003	PERRY	0A018	8.605	TOMS CREEK	OPEN	6/14/2017	1986	35.74205	-87.962433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
680A0190001	PERRY	0A019	0.055	LICK CREEK	WEIGHT POSTED	6/28/2017	1991	35.645817	-87.885383	STEEL	GIRDER AND FLOORBEAM SYSTEM	52.1
680A0220001	PERRY	0A022	0.048	TOMS CREEK	OPEN	6/14/2017	1984	35.733067	-87.945317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.8
680A0220003	PERRY	0A022	0.373	OWL HOLLOW	OPEN	6/14/2017	1993	35.730967	-87.949283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
680A0230007	PERRY	0A023	0.073	BRANCH	OPEN	6/15/2017	1991	35.723083	-87.932733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
680A0230001	PERRY	0A023	0.464	BRANCH	OPEN	6/20/2017	1984	35.721117	-87.926967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
680A0230003	PERRY	0A023	1.19	BRANCH	OPEN	6/20/2017	1984	35.71165	-87.923483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
680A0230005	PERRY	0A023	1.367	BRANCH	OPEN	6/20/2017	1987	35.70955	-87.92195	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
680A0230009	PERRY	0A023	1.615	BRANCH	OPEN	6/20/2017	1991	35.706317	-87.920667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
680A0290001	PERRY	0A029	3.779	ROAN CREEK	OPEN	6/13/2017	1985	35.774	-87.931767	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
680A0310001	PERRY	0A031	0.062	BRANCH	OPEN	6/15/2017	1964	35.730883	-87.935233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
680A0310003	PERRY	0A031	3.408	ROBERTS CREEK	OPEN	6/13/2017	1950	35.7625	-87.975233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
680A0360001	PERRY	0A036	0.105	DEER CREEK	OPEN	6/14/2017	1987	35.748617	-87.987633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
680A0450001	PERRY	0A045	1.529	ROAN CREEK	OPEN	6/13/2017	2003	35.774383	-87.958517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
680A0450003	PERRY	0A045	2.506	SHANNON BRANCH	OPEN	6/13/2017	1970	35.7788	-87.945983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.2
680A0530001	PERRY	0A053	2.556	CROOKED CREEK	OPEN	6/12/2017	1991	35.81045	-87.9374	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.9
680A0540001	PERRY	0A054	0.063	CROOKED CREEK	OPEN	6/12/2017	1980	35.775233	-87.860617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
680A0680001	PERRY	0A068	0.955	PINKHOOK BRANCH	OPEN	6/26/2017	1970	35.716167	-87.8011	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
680A1010003	PERRY	0A101	1.16	RED BANK CREEK	OPEN	6/2/2017	1984	35.80065	-87.827583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
680A2250001	PERRY	0A101	2.246	TERRAPIN CREEK	OPEN	6/2/2017	1989	35.790417	-87.815833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
680A1080001	PERRY	0A108	3.22	LOST CREEK	OPEN	6/8/2017	1978	35.795167	-87.763383	CONCRETE	CHANNEL BEAM	86
680A1090001	PERRY	0A109	0.042	LOST CREEK	OPEN	6/8/2017	1989	35.7928	-87.774	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
680A1090003	PERRY	0A109	4.455	BRANCH	OPEN	6/8/2017	1991	35.7668	-87.735733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
680A1110001	PERRY	0A111	0	BUFFALO RIVER OVERFLOW	OPEN	6/8/2017	1985	35.78435	-87.773433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
680A1110003	PERRY	0A111	0.021	BUFFALO RIVER	OPEN	6/8/2017	1985	35.7842	-87.773667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	70.8
680A1130001	PERRY	0A113	0.11	LAGOON BRANCH	OPEN	6/9/2017	1984	35.749817	-87.7715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
680A1130003	PERRY	0A113	0.6	LAGOON BRANCH	OPEN	6/9/2017	1984	35.7483	-87.7632	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
680A1180001	PERRY	0A118	0.011	LOWER SINKING CREEK	OPEN	6/26/2017	1991	35.701083	-87.747283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
680A1190001	PERRY	0A119	0.062	LICK CREEK	WEIGHT POSTED	6/28/2017	1992	35.649567	-87.889233	STEEL	GIRDER AND FLOORBEAM SYSTEM	48
680A1220001	PERRY	0A122	0.687	KINGS BRANCH	OPEN	6/26/2017	1968	35.701533	-87.804383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
680A1230001	PERRY	0A123	0.781	KINGS BRANCH	OPEN	6/26/2017	1979	35.70435	-87.816483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
680A1230003	PERRY	0A123	5.963	NORTH FORK TOMS CREEK	OPEN	6/15/2017	1984	35.725133	-87.8867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
680A1250001	PERRY	0A125	2.623	BRANCH	OPEN	6/21/2017	1984	35.681967	-87.8748	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
680A1250003	PERRY	0A125	4.92	NORTH FORK LICK CREEK	OPEN	6/21/2017	1984	35.6758	-87.913333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
680A1250005	PERRY	0A125	5.02	LICK CREEK	OPEN	6/21/2017	1984	35.6746	-87.9139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.1
680A1300001	PERRY	0A130	0.052	CANE CREEK	OPEN	6/26/2017	2008	35.69955	-87.747083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
680A1310001	PERRY	0A131	1.989	TAYLOR BRANCH	OPEN	8/24/2015	1970	35.644633	-87.831717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
680A1340001	PERRY	0A134	0.011	BRANCH	OPEN	8/24/2015	1984	35.664567	-87.808083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
680A1390001	PERRY	0A139	0.084	BRUSH CREEK	OPEN	8/24/2015	1991	35.64475	-87.750483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5
680A1520001	PERRY	0A152	0.161	SHORT CREEK	WEIGHT POSTED	8/21/2015	1995	35.617067	-87.82205	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.7
680A1540001	PERRY	0A154	4.728	BRANCH	OPEN	8/21/2015	1984	35.570217	-87.7522	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
680A1550001	PERRY	0A155	0.097	COON CREEK	OPEN	8/21/2015	1984	35.598	-87.70145	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
680A1570001	PERRY	0A157	1.476	HURRICANE CREEK	OPEN	5/12/2017	2017	35.559333	-87.72365	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92
680A1570009	PERRY	0A157	3.42	COTTON BRANCH	OPEN	8/14/2015	1996	35.5381	-87.737183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
680A1570003	PERRY	0A157	3.98	COTTON BRANCH	OPEN	8/14/2015	1987	35.5351	-87.74495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
680A1570005	PERRY	0A157	4.3	COTTON BRANCH	OPEN	8/14/2015	1986	35.533717	-87.750183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
680A1570007	PERRY	0A157	5.12	COTTON BRANCH	OPEN	8/14/2015	1991	35.52965	-87.76295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
680A1600001	PERRY	0A160	0.04	HURRICANE CREEK	OPEN	8/21/2015	1987	35.57235	-87.8017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.5
680A1620001	PERRY	0A162	2.785	ROCKHOUSE CREEK	OPEN	8/17/2015	1991	35.535633	-87.7975	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
680A1620003	PERRY	0A162	4.48	BRANCH	OPEN	8/17/2015	1984	35.535767	-87.771667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
680A1630001	PERRY	0A163	0.011	ROCKHOUSE CREEK	OPEN	8/14/2015	1991	35.5238	-87.754033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
680A1660001	PERRY	0A166	0.266	SINKING CREEK	OPEN	8/14/2015	1987	35.50975	-87.721117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
680A1670001	PERRY	0A167	3.64	SINKING CREEK	OPEN	8/13/2015	1992	35.5188	-87.82405	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.9
680A1700001	PERRY	0A170	0.501	LITTLE OPOSSUM CREEK	OPEN	8/13/2015	1987	35.48405	-87.824033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
680A1880001	PERRY	0A188	0.026	CEDAR CREEK	OPEN	8/26/2015	2015	35.52965	-87.899217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.6
680A1880003	PERRY	0A188	0.656	FLOWERS BRANCH	OPEN	8/11/2015	1949	35.524417	-87.890167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
680A1890001	PERRY	0A189	0.25	CEDAR CREEK	OPEN	8/11/2015	2009	35.52675	-87.910333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.8
680A1900001	PERRY	0A190	0.021	WOODS BRANCH	OPEN	8/11/2015	1989	35.5019	-87.8716	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
680A1900005	PERRY	0A190	3.324	MAYBERRY BRANCH	OPEN	8/12/2015	1984	35.504533	-87.9	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
680A1900007	PERRY	0A190	4.092	BRANCH	OPEN	8/12/2015	1972	35.509083	-87.91155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
680A1940001	PERRY	0A194	0.181	BRANCH	OPEN	8/12/2015	1991	35.506917	-87.9132	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.4
680A1950001	PERRY	0A195	0.045	BRANCH	OPEN	8/12/2015	1989	35.514017	-87.9301	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
680A1980001	PERRY	0A198	0.24	WHITEOAK CREEK	OPEN	8/13/2015	1991	35.46695	-87.991967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
680A1980003	PERRY	0A198	5.399	HOWELL FORK	OPEN	8/13/2015	1991	35.480983	-87.9151	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
680A2020001	PERRY	0A202	0.051	WHITEOAK CREEK	OPEN	8/13/2015	1955	35.470683	-87.973967	CONCRETE	TEE BEAM	45.4
680A2130001	PERRY	0A213	0.164	CEDAR CREEK	OPEN	8/11/2015	2002	35.53715	-87.954033	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.6
680A2130003	PERRY	0A213	2.142	BEE CREEK	OPEN	8/12/2015	1945	35.511317	-87.962367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
680A2040001	PERRY	0A213	4.205	SHORT CREEK	OPEN	8/12/2015	1945	35.48965	-87.971283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
680A2220001	PERRY	0A222	3.048	BRANCH	OPEN	8/11/2015	1986	35.553833	-87.9124	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
680A2220003	PERRY	0A222	4.813	SWINDLE CREEK	OPEN	8/11/2015	1986	35.54335	-87.938767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
680A2220005	PERRY	0A222	5.156	OPOSSUM BRANCH	OPEN	8/11/2015	1987	35.538917	-87.9413	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
680A2270005	PERRY	0A227	3.03	DEPRIEST BRANCH	OPEN	8/5/2015	1991	35.573933	-87.92405	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
680A2270001	PERRY	0A227	3.47	BUCK FORK	OPEN	8/5/2015	1986	35.58145	-87.923133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
680A2270003	PERRY	0A227	4.82	MARSH CREEK	OPEN	8/5/2015	1987	35.596317	-87.937367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
680A2280001	PERRY	0A228	0.077	WHITWELL BRANCH	OPEN	7/10/2017	1960	35.562067	-87.9653	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
680A2330001	PERRY	0A233	2.9	CYPRESS CREEK	OPEN	8/5/2015	1995	35.619483	-87.923233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.1
680A2360001	PERRY	0A236	0.311	CYPRESS CREEK	OPEN	7/6/2017	1985	35.607083	-88.024433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.1
680A0990001	PERRY	0A302	3.45	BUFFALO RIVER	OPEN	6/6/2017	1988	35.812267	-87.798489	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.9
680A0990003	PERRY	0A302	3.85	POOLE LAKE	OPEN	6/6/2017	1993	35.817067	-87.7959	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
680A1020001	PERRY	0A303	0.408	TERRAPIN CREEK	OPEN	6/6/2017	1984	35.810111	-87.805533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
680A1020003	PERRY	0A303	1.288	RED BANK CREEK	OPEN	6/2/2017	1984	35.808317	-87.833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
680A1020005	PERRY	0A303	1.39	BRANCH	OPEN	6/2/2017	1980	35.808983	-87.819133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
680A1000001	PERRY	0A304	2.067	TERRAPIN CREEK	OPEN	6/6/2017	1972	35.80145	-87.811433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
680A3070001	PERRY	0A307	0.115	S FK TOM'S CREEK	WEIGHT POSTED	6/15/2017	1993	35.71325	-87.864083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
680A5690001	PERRY	0A327	0.076	MAYBERRY BRANCH	OPEN	8/12/2015	2006	35.490333	-87.885533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
680A3850001	PERRY	0A385	0.018	BRUSH CREEK	OPEN	3/22/2016	2016	35.645367	-87.744983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
680A3860001	PERRY	0A386	0.06	CYPRESS CREEK	OPEN	8/5/2015	2009	35.61705	-87.90365	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.8
680A3870001	PERRY	0A387	0.02	BRANCH	OPEN	7/10/2017	1995	35.599567	-87.96595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
680A3890001	PERRY	0A389	0.02	LICK CREEK	OPEN	6/30/2017	2009	35.641533	-87.878083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
680B1000001	PERRY	OP334	0.14	SPRING CREEK (MTSP)	OPEN	5/23/2017	1987	35.653233	-88.00165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
680A0080003	PERRY	OP334	0.53	BRANCH (MTSP)	OPEN	5/23/2017	1982	35.655917	-88.005283	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	84
68SR0130001	PERRY	SR013	1.73	BUFFALO RIVER	OPEN	5/15/2017	2013	35.487917	-87.834367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
68SR0130021	PERRY	SR013	12.06	PLAINER BRANCH	OPEN	5/15/2017	1960	35.6138	-87.834767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.3
68SR0130003	PERRY	SR013	13.78	BRANCH	OPEN	5/15/2017	1934	35.636	-87.828033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
68SR0130005	PERRY	SR013	15.28	BRANCH	OPEN	5/15/2017	1934	35.656167	-87.821083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.3
68SR0130007	PERRY	SR013	18.07	BRANCH	OPEN	5/15/2017	1934	35.691783	-87.804167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
68SR0130009	PERRY	SR013	18.84	KING BRANCH	OPEN	5/15/2017	1931	35.702233	-87.799617	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.8
68SR0130011	PERRY	SR013	19.73	PIN HOOK BRANCH	OPEN	5/16/2017	1956	35.714417	-87.7967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
68SR0130013	PERRY	SR013	22.04	BRANCH	OPEN	5/16/2017	1956	35.744083	-87.809733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.5
68SR0130015	PERRY	SR013	22.91	EDWARDS BRANCH	OPEN	5/16/2017	1956	35.754183	-87.803817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
68SR0130017	PERRY	SR013	28.33	BUFFALO RIVER	OPEN	5/16/2017	1952	35.811	-87.77795	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	41
68SR0130019	PERRY	SR013	28.98	SIMMONS CREEK	OPEN	5/16/2017	1949	35.819517	-87.782933	CONCRETE	TEE BEAM	49.8
68SR0200021	PERRY	SR020	0.57	TENNESSEE RIVER OVERFLOW	OPEN	5/22/2017	1986	35.624933	-88.024383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.6
68SR0200001	PERRY	SR020	5.35	BRANCH	OPEN	5/22/2017	1930	35.6217	-87.94755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.2
68SR0200003	PERRY	SR020	6.13	BRANCH	OPEN	5/22/2017	1929	35.622367	-87.933933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.2
68SR0200005	PERRY	SR020	6.62	BRANCH	OPEN	5/22/2017	1929	35.620917	-87.925583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.2
68SR0200007	PERRY	SR020	12.61	BUFFALO RIVER & SHORT CR	OPEN	5/22/2017	2005	35.6209	-87.831833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.4
68SR0200009	PERRY	SR020	14.51	COON CREEK	OPEN	5/18/2017	1929	35.634533	-87.804233	CONCRETE	TEE BEAM	61.9
68SR0200011	PERRY	SR020	21.88	COON CREEK	OPEN	5/18/2017	1955	35.592683	-87.691067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
68SR0200013	PERRY	SR020	22.26	COON CREEK	OPEN	5/18/2017	1955	35.58885	-87.685933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.5
68SR0200015	PERRY	SR020	22.94	HUGH HOLLOW BRANCH	OPEN	5/18/2017	1957	35.5833	-87.676783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
68SR0200017	PERRY	SR020	23.06	COON CREEK	OPEN	5/18/2017	1957	35.581433	-87.676067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
68SR0200019	PERRY	SR020	23.79	COON CREEK	OPEN	5/18/2017	1957	35.572333	-87.669733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
68SR1000001	PERRY	SR100	1.73	BRUSH CREEK	OPEN	5/31/2017	1930	35.651567	-87.7672	CONCRETE	TEE BEAM	81.7
68S61740001	PERRY	SR128	1.72	WHITEOAK CREEK	OPEN	5/31/2017	1951	35.473183	-87.949367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.3
68S61740003	PERRY	SR128	6.78	CEDAR CREEK	WEIGHT POSTED	5/31/2017	1950	35.523367	-87.926317	CONCRETE	TEE BEAM	47.7
68F02390001	PERRY	SR438	2.51	LITTLE SPRING CREEK	OPEN	5/23/2017	1948	35.649367	-88.004583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
68F02390003	PERRY	SR438	4.26	SPRING CREEK	OPEN	5/23/2017	1971	35.657633	-87.978317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7
68F02390005	PERRY	SR438	8.23	LICK CREEK	OPEN	5/23/2017	1990	35.68265	-87.9451	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.8
68S62430007	PERRY	SR438	12.15	BRANCH	OPEN	5/23/2017	1979	35.720833	-87.934183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
68S62430009	PERRY	SR438	12.68	TOMS CREEK	OPEN	5/26/2017	1976	35.727817	-87.9359	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5
68SR0500001	PERRY	SR438	20.28	BUFFALO RIVER	OPEN	5/26/2017	1975	35.708233	-87.797433	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.4
68SR0500003	PERRY	SR438	22.44	BRANCH	OPEN	5/26/2017	1985	35.70825	-87.760017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
68SR0500005	PERRY	SR438	22.79	CANE CREEK	OPEN	5/26/2017	1968	35.70495	-87.755383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.4
69S43340005	PICKETT	00886	1.03	BRANCH	OPEN	1/6/2016	1957	36.608331	-84.993831	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
69S43340001	PICKETT	00886	1.17	CANEY CREEK	OPEN	1/6/2016	1957	36.606239	-84.99355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
69S43340003	PICKETT	00886	1.9	CANEY CREEK	OPEN	1/6/2016	1957	36.597369	-84.998639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
69F00090001	PICKETT	01215	6.01	FRANKLIN CREEK	OPEN	1/7/2016	2001	36.503483	-85.110767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
69023240001	PICKETT	02324	3.29	PILES BRANCH	OPEN	1/7/2016	1950	36.601367	-85.00715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
690A0760001	PICKETT	0A076	1.299	SOUTH BRANCH	OPEN	1/14/2016	1986	36.603031	-85.07535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
690A0990001	PICKETT	0A099	0.659	WOLF RIVER	OPEN	1/19/2016	1994	36.562881	-85.075281	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
690A1110001	PICKETT	0A111	0.182	WOLF RIVER	OPEN	1/19/2016	1998	36.541761	-85.052511	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
690A1130001	PICKETT	0A113	0.297	HOLBERT CREEK	OPEN	1/11/2016	1987	36.561589	-85.032639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
690A1180001	PICKETT	0A118	0.166	SOUTH BRANCH	OPEN	1/14/2016	1986	36.58715	-84.999011	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
690A1200001	PICKETT	0A120	1.369	CANEY CREEK	OPEN	1/14/2016	1983	36.572119	-85.0057	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
690A1140001	PICKETT	0A307	0	HOLBERT CREEK	OPEN	1/11/2016	1987	36.563	-85.034511	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
69F00020001	PICKETT	0A465	1.02	JOUETT CREEK	OPEN	1/14/2016	1945	36.587639	-85.231861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.5
690A5000001	PICKETT	0A500	0.03	HOBERT CREEK	OPEN	1/11/2016	1987	36.575711	-85.044781	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
69SR0280001	PICKETT	SR028	1.67	HOLBERT CREEK	OPEN	1/4/2016	1983	36.566461	-85.03725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
69SR0280003	PICKETT	SR028	6.13	LICK CREEK	OPEN	1/4/2016	1985	36.618933	-85.07295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
69SR0420001	PICKETT	SR111	3.21	OBEY RIVER	OPEN	1/25/2016	1996	36.5325	-85.161233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.4
69SR0420005	PICKETT	SR111	9.6	WOLF RIVER	OPEN	1/28/2016	1988	36.6017	-85.120867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.4
69SR0420007	PICKETT	SR111	9.73	BRANCH	OPEN	1/6/2016	1988	36.603619	-85.120069	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.4
69SR0420009	PICKETT	SR111	10.15	BRANCH	OPEN	1/6/2016	1988	36.607589	-85.114711	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
69SR1540001	PICKETT	SR154	1.26	THOMPSON CREEK	OPEN	1/5/2016	1962	36.555417	-84.795517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.2
69SR1540003	PICKETT	SR154	3.22	ROCK CREEK	OPEN	1/5/2016	2007	36.5774	-84.7954	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
69G00060001	PICKETT	SR295	0.57	WOLF RIVER	OPEN	1/6/2016	1991	36.583689	-85.118311	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.3
69S42350001	PICKETT	SR325	5.91	TOWN CREEK	OPEN	1/4/2016	1987	36.568733	-85.125767	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
69S42350003	PICKETT	SR325	6.1	RINGBY CREEK	OPEN	1/4/2016	2012	36.566483	-85.124717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
69S42350005	PICKETT	SR325	8.74	WIDOW CREEK	OPEN	1/4/2016	1938	36.556667	-85.086667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.1
69S42350007	PICKETT	SR325	12.6	DRY CREEK	OPEN	1/5/2016	1995	36.536133	-85.047583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.3
70F00190001	POLK	01154	2.7	OCOEE RIVER	OPEN	6/13/2016	1989	35.186317	-84.675683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.1
70012210001	POLK	01221	4.07	HALL CREEK	OPEN	5/10/2016	1960	35.086317	-84.320367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
70012210003	POLK	01221	5.72	ROCKY FORD CREEK	OPEN	5/10/2016	1987	35.102067	-84.3128	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
70012210005	POLK	01221	7.44	BRANCH	OPEN	5/10/2016	1960	35.121417	-84.313983	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	85.8
70S43130007	POLK	01223	0.12	FOURMILE CREEK	WEIGHT POSTED	6/8/2016	1968	35.174617	-84.653733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	38.1
70S43130009	POLK	01223	2.5	HIWASSEE RIVER	OPEN	6/13/2016	1994	35.204717	-84.655233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.7
70S43130011	POLK	01223	7.23	NICHOLSON BRANCH	OPEN	6/7/2016	2003	35.245383	-84.6097	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
70S43130015	POLK	01223	7.55	CONASAUGA CREEK	OPEN	6/7/2016	1986	35.2432	-84.604983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
70S43130013	POLK	01223	7.83	CSX RAILROAD	OPEN	6/7/2016	1986	35.242233	-84.600033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.4
70023090001	POLK	02309	1.94	OCOEE RIVER	OPEN	6/8/2016	1993	35.148517	-84.692417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
70023130001	POLK	02313	1.16	CHESTUEE CREEK	OPEN	6/8/2016	1979	35.234533	-84.6691	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.3
70S43150001	POLK	02317	0.85	BRANCH	OPEN	5/16/2016	1960	35.1543	-84.32555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
70S43150003	POLK	02317	1.55	TURTLETOWN CREEK	WEIGHT POSTED	5/19/2016	1955	35.1458	-84.3308	CONCRETE	TEE BEAM	23.4
70023260003	POLK	02326	0.67	OCOEE RIVER	OPEN	5/4/2016	1983	35.002817	-84.3993	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
70023260005	POLK	02326	2.92	GRASSY CREEK	OPEN	5/4/2016	1982	35.003167	-84.432133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
70023300001	POLK	02330	1.81	HORNS CREEK	OPEN	6/2/2016	1975	35.091817	-84.673967	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	73.9
70S43140001	POLK	02332	1.13	GREASY CREEK	OPEN	6/1/2016	1963	35.135083	-84.526283	CONCRETE	TEE BEAM	89.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
700A0080001	POLK	0A008	0.692	GEE CREEK	OPEN	6/7/2016	2001	35.238467	-84.551867	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	84.4
700A0080003	POLK	0A008	6.072	SPRING CREEK	OPEN	6/1/2016	1980	35.23675	-84.48445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
700A0160001	POLK	0A016	3.104	TOWEE CREEK	OPEN	6/1/2016	1987	35.227117	-84.423967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
700A0180001	POLK	0A018	3.599	CHILDERS CREEK	OPEN	6/1/2016	1984	35.198067	-84.480233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
700A0180003	POLK	0A019	0.006	CHILDERS CREEK	OPEN	6/1/2016	2010	35.198033	-84.48255	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.9
700A0220001	POLK	0A022	1.57	TOWEE CREEK	OPEN	6/1/2016	1998	35.216467	-84.426933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
700A0220003	POLK	0A022	3.89	LOSS CREEK	OPEN	6/1/2016	2008	35.205683	-84.402783	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	84.2
700A0250001	POLK	0A025	0.048	GRASSY CREEK	OPEN	5/4/2016	1992	35.009717	-84.437683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
70SR0330015	POLK	0A037	0.54	OLD SR-33 / OCOEE RIVER	OPEN	6/13/2016	1946	35.16505	-84.677933	CONCRETE	TEE BEAM	38.9
700A0480001	POLK	0A048	0.919	GREASY CREEK	OPEN	6/1/2016	1986	35.144617	-84.5164	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
700A0480003	POLK	0A048	1.435	GREASY CREEK	OPEN	6/1/2016	1986	35.1439	-84.510717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
700A0740001	POLK	0A074	1.691	TUMBLING CREEK	OPEN	5/4/2016	1936	35.002067	-84.469383	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53.2
700A1030001	POLK	0A103	0.42	TURTLETOWN CREEK	OPEN	5/10/2016	1970	35.104967	-84.323467	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	87.4
700A1030003	POLK	0A103	2.154	NEGRO CREEK	OPEN	5/16/2016	2006	35.10465	-84.3503	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
700A1080001	POLK	0A110	0.79	NEGRO CREEK	OPEN	5/10/2016	1980	35.109817	-84.347767	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	90.6
700A1100001	POLK	0A110	2.306	TURTLE TOWN CREEK	OPEN	5/10/2016	2003	35.120883	-84.328417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
700A1120001	POLK	0A112	0.017	TURTLETOWN CREEK	OPEN	5/10/2016	1984	35.125883	-84.338883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
700A1160001	POLK	0A116	1.463	BRUSH CREEK	OPEN	5/3/2016	1984	35.0576	-84.411083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
700B0020003	POLK	0A121	0.03	SMALL BRANCH	OPEN	5/3/2016	1988	35.041467	-84.4023	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
700A1370003	POLK	0A137	2.415	NORTH POTATO CREEK	OPEN	5/3/2016	1986	35.049933	-84.328067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
700A2030001	POLK	0A203	3.617	HORNS CREEK	OPEN	6/2/2016	1992	35.088567	-84.6833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
700A2040001	POLK	0A204	0.149	COOKSON CREEK	OPEN	6/2/2016	1992	35.088767	-84.66855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
700A2070001	POLK	0A207	3.289	OLD FORT CREEK	WEIGHT POSTED	6/6/2016	1970	35.048917	-84.741017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.6
700A2090003	POLK	0A209	0.928	OLD FORT CREEK	OPEN	6/6/2016	1984	35.044083	-84.726733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
700A2150001	POLK	0A215	2.051	BALL PLAY CREEK	OPEN	6/6/2016	2013	35.01865	-84.704983	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	92.9
700A2350001	POLK	0A235	2.23	MINNEWAUGA CREEK	OPEN	6/6/2016	1930	35.00745	-84.689033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.8
700A2750001	POLK	0A275	0.707	CHESTUEE CREEK	OPEN	6/13/2016	1987	35.261783	-84.644017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
700A2820001	POLK	0A282	0.985	HORTON BRANCH	OPEN	6/8/2016	1984	35.192717	-84.612833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
700A2830001	POLK	0A283	0.538	HORTON BRANCH	OPEN	6/8/2016	1988	35.184	-84.604833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
700A2970001	POLK	0A297	0.621	CLOUD BRANCH	OPEN	6/2/2016	1984	35.1087	-84.658433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
700A3080003	POLK	0A308	1.045	LILLARD BRANCH	OPEN	6/13/2016	1996	35.208217	-84.599133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
700A3080001	POLK	0A308	1.247	PELL CREEK	OPEN	6/13/2016	1994	35.216033	-84.587017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
700A3170001	POLK	0A317	1.126	CSX RAILROAD	WEIGHT POSTED	6/8/2016	1915	35.231983	-84.611317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	24.4
700A3170003	POLK	0A317	2.094	CSX RAILROAD	WEIGHT POSTED	6/8/2016	1913	35.226017	-84.621983	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	60
700A3200001	POLK	0A320	1.446	CHESTUEE CREEK	OPEN	6/8/2016	1965	35.247217	-84.6553	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
700A3450003	POLK	0A345	0.797	BRANCH	OPEN	5/3/2016	1930	35.028867	-84.40055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
70S43130003	POLK	0A354	0.026	FOUR MILE CREEK	OPEN	6/13/2016	1980	35.172767	-84.6471	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
70S43130001	POLK	0A354	0.336	BRANCH	OPEN	6/13/2016	1954	35.1732	-84.652	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
70S43560001	POLK	0A360	2.457	HIWASSEE RIVER	OPEN	6/13/2016	1988	35.22465	-84.64565	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
70022680001	POLK	0A840	1.53	CONASAUGA RIVER	WEIGHT POSTED	6/8/2016	1924	35.000872	-84.75375	CONCRETE	ARCH - DECK	32.3
700A2010003	POLK	0A867	1.773	BRANCH	OPEN	6/6/2016	1978	35.014317	-84.73325	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	78.4
700A2010005	POLK	0A867	4.06	BALL PLAY CREEK	OPEN	6/6/2016	1975	35.0247	-84.704783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.3
700A2010007	POLK	0A867	8.076	COOKSON CREEK	WEIGHT POSTED	6/2/2016	1970	35.071483	-84.668183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.4
700A2010009	POLK	0A867	8.766	COOKSON BRANCH	OPEN	6/2/2016	1993	35.079983	-84.66495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
70SR0300002	POLK	SR030	1.99	HIWASSEE RIVER	OPEN	4/4/2016	2001	35.2409	-84.563133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
70SR0300001	POLK	SR030	1.99	HIWASSEE RIVER	OPEN	4/4/2016	2001	35.241033	-84.563317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.2
70SR0300015	POLK	SR030	7.38	TIESKEE CREEK	OPEN	4/14/2016	1992	35.20085	-84.511567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
70SR0300003	POLK	SR030	8.2	JUNEBUG CREEK	OPEN	4/14/2016	1984	35.190167	-84.505933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
70SR0300005	POLK	SR030	13.07	GREASY CREEK	OPEN	4/18/2016	1936	35.135533	-84.53715	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.9
70SR0300007	POLK	SR030	13.16	GREASY CREEK	OPEN	4/19/2016	1936	35.1342	-84.537617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.6
70SR0300009	POLK	SR030	16.47	CLEAR CREEK	OPEN	4/19/2016	2006	35.120317	-84.568317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
70SR0300011	POLK	SR030	16.98	ROCK CREEK	OPEN	4/19/2016	2006	35.118017	-84.5745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
70SR0330001	POLK	SR033	0.72	BRANCH	OPEN	4/7/2016	1926	34.997933	-84.735217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60
70SR0330003	POLK	SR033	1.52	CONASAUGA RIVER	OPEN	4/7/2016	1926	35.009483	-84.7339	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	60.2
70SR0330027	POLK	SR033	1.74	BRANCH	OPEN	4/14/2016	1926	35.012633	-84.7338	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
70SR0330005	POLK	SR033	3.93	OLD FORT CREEK	OPEN	4/14/2016	1926	35.04435	-84.733017	CONCRETE CONTINUOUS	SLAB	58.2
70SR0330007	POLK	SR033	7.51	BRANCH	OPEN	4/20/2016	1926	35.0953	-84.72815	CONCRETE CONTINUOUS	SLAB	52.9
70SR0330013	POLK	SR033	12.56	CSX RAILROAD	OPEN	4/6/2016	2008	35.1269	-84.717617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
70SR0330029	POLK	SR033	13.64	OCOEE RIVER	OPEN	4/6/2016	2012	35.1679	-84.680033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
70SR0330017	POLK	SR033	15.4	BRANCH	OPEN	4/6/2016	1946	35.172867	-84.652817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
70SR0330019	POLK	SR033	15.53	FOUR MILE CREEK	OPEN	4/7/2016	1998	35.174417	-84.651883	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	76
70SR0330021	POLK	SR033	18.46	HORTON CREEK	OPEN	4/5/2016	2013	35.203867	-84.614633	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
70SR0330022	POLK	SR033	18.46	HORTON CREEK	OPEN	4/5/2016	2013	35.203867	-84.614633	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
70SR0330024	POLK	SR033	19.35	LILLARD BRANCH	OPEN	4/5/2016	2013	35.210817	-84.6017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
70SR0330023	POLK	SR033	19.35	LILLARD BRANCH	OPEN	4/5/2016	2013	35.210817	-84.6017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
70SR0330026	POLK	SR033	20.3	PELL BRANCH	OPEN	4/5/2016	2013	35.219983	-84.589	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
70SR0330025	POLK	SR033	20.3	PELL BRANCH	OPEN	4/5/2016	2013	35.219983	-84.589	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
70SR0400001	POLK	SR040	0.04	CHESTUEE CREEK	OPEN	4/19/2016	1969	35.12825	-84.72285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3
70SR0330009	POLK	SR040	0.34	SR 33 & CSX RR	OPEN	4/20/2016	1969	35.126933	-84.717817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
70SR0330010	POLK	SR040	0.36	SR 33 & CSX RR	OPEN	4/20/2016	2008	35.127067	-84.7175	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
70SR0400003	POLK	SR040	1.59	FRY BRANCH	OPEN	4/19/2016	2010	35.11815	-84.69885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
70SR0400005	POLK	SR040	3.12	OCOEE RIVER	OPEN	4/20/2016	1937	35.1117	-84.675167	CONCRETE	TEE BEAM	33.9
70SR0400007	POLK	SR040	4.23	CLOUD BRANCH	OPEN	4/20/2016	1929	35.10355	-84.658817	CONCRETE	TEE BEAM	40.4
70SR0400009	POLK	SR040	10.35	GREASY CREEK	OPEN	4/20/2016	1992	35.1116	-84.571083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.1
70SR0400011	POLK	SR040	11.05	MADDENS BRANCH	OPEN	10/12/2016	2016	35.1098	-84.5592	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80
70SR0400013	POLK	SR040	13.14	CANEY CREEK	OPEN	4/19/2016	1982	35.098733	-84.5367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
70SR0400015	POLK	SR040	15.39	GOFORTH CREEK	OPEN	4/26/2016	1982	35.083833	-84.514833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
70SR0400017	POLK	SR040	18.36	GASSAWAY CREEK	OPEN	4/26/2016	1982	35.077483	-84.485383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
70SR0400019	POLK	SR040	20.04	ROCK CREEK	OPEN	4/26/2016	1968	35.068383	-84.46215	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
70SR0400021	POLK	SR040	23.04	BRUSH CREEK	OPEN	4/25/2016	1967	35.035933	-84.4362	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	56.5
70SR0400023	POLK	SR040	24.85	BRANCH & CSX RAILROAD	OPEN	4/25/2016	1967	35.03215	-84.404933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	43
70SR0400029	POLK	SR040	26.74	BURRA-BURRA CREEK	OPEN	4/25/2016	1967	35.027183	-84.372583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
70SR0400030	POLK	SR040	26.74	BURRA-BURRA CREEK	OPEN	4/26/2016	1940	35.0275	-84.372083	CONCRETE	TEE BEAM	83.6
70SR0400031	POLK	SR040	26.93	NORTH POTATO CREEK	OPEN	4/25/2016	1968	35.02515	-84.3703	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.9
70SR0400032	POLK	SR040	26.93	NORTH POTATO CREEK	OPEN	4/26/2016	1940	35.025317	-84.369567	CONCRETE	TEE BEAM	84
70SR0400033	POLK	SR040	27.54	TENN COPPER COMPANY RR	OPEN	4/26/2016	1967	35.022767	-84.36015	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
70SR0400034	POLK	SR040	27.54	TENN COPPER COMPANY RR	OPEN	4/26/2016	1935	35.02335	-84.359883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
70SR0400036	POLK	SR040	28.47	ELLIS BRANCH / SR-40 WB	OPEN	4/26/2016	1966	35.02235	-84.34435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
70SR0680001	POLK	SR068	3.11	WOMBLE BRANCH	OPEN	5/16/2016	1962	35.183933	-84.324733	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.4
70SR0680003	POLK	SR068	3.69	WOMBLE BRANCH	OPEN	5/16/2016	1962	35.177883	-84.33175	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.4
70SR0680005	POLK	SR068	4.83	HIWASSEE RIVER	OPEN	5/17/2016	1964	35.167967	-84.31795	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	76.7
70SR0680009	POLK	SR068	6.22	CSX RAILROAD	OPEN	5/17/2016	2008	35.15495	-84.315917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
70SR0680011	POLK	SR068	10.16	TURTLETOWN CREEK	OPEN	5/16/2016	1989	35.126767	-84.34475	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.1
70SR0680013	POLK	SR068	16.39	BRUSH CREEK	OPEN	5/5/2016	1943	35.0562	-84.391633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.1
70SR0400025	POLK	SR068	18.39	SR 40	OPEN	5/3/2016	1966	35.029817	-84.380783	CONCRETE CONTINUOUS	TEE BEAM	72.4
70SR0400026	POLK	SR068	18.39	SR 40	OPEN	5/3/2016	1966	35.029783	-84.3806	CONCRETE CONTINUOUS	TEE BEAM	68.9
70SR0680015	POLK	SR068	19.45	NORTH POTATO CREEK	OPEN	5/5/2016	1971	35.015183	-84.382717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
70SR0680017	POLK	SR068	21.01	DAVIS MILL CREEK	OPEN	5/5/2016	1931	34.995033	-84.382583	CONCRETE	TEE BEAM	49.9
70SR1630001	POLK	SR163	0.29	CSX RAILROAD	OPEN	4/5/2016	1957	35.264267	-84.560433	CONCRETE	TEE BEAM	79.6
70S43540001	POLK	SR313	0.39	OLD FORT CREEK	WEIGHT POSTED	4/7/2016	1952	35.04715	-84.7472	CONCRETE	TEE BEAM	51.4
70S43130005	POLK	SR314	4.8	FOUR MILE CREEK	OPEN	4/7/2016	1968	35.1637	-84.63425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
70S25180001	POLK	SR315	0.01	HIWASSEE RIVER	OPEN	4/18/2016	1991	35.1886	-84.503117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
71005870001	PUTNAM	01016	1.86	BURTONS BRANCH	OPEN	8/11/2016	1979	36.178267	-85.4638	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
71S42440001	PUTNAM	01016	10.57	NASHVILLE & EASTERN RR	OPEN	8/17/2016	1989	36.173783	-85.340867	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.6
71S44310001	PUTNAM	01120	3.89	CANE CREEK	OPEN	8/25/2016	1958	36.090483	-85.596767	CONCRETE	CHANNEL BEAM	55.8
71F00090003	PUTNAM	01144	4.84	BRANCH	OPEN	9/13/2016	1961	36.13705	-85.74365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
71S63300005	PUTNAM	01144	6.25	LITTLE INDIAN CREEK	OPEN	9/12/2016	1960	36.137883	-85.766883	CONCRETE	TEE BEAM	76.9
71S44140001	PUTNAM	01146	5.51	CANE CREEK	OPEN	9/21/2016	1940	36.160183	-85.549483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.3
71S43970001	PUTNAM	01165	5.73	BRANCH	OPEN	9/20/2016	1998	36.109133	-85.629717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
71S43970003	PUTNAM	01165	7.71	MAXWELL BRANCH	OPEN	9/20/2016	1960	36.136317	-85.628533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
71020720001	PUTNAM	02072	1.07	ROCK SPRINGS BRANCH	OPEN	8/17/2016	1960	36.1545	-85.79335	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
71022160005	PUTNAM	02216	0.01	TOWN CREEK	OPEN	9/20/2016	1960	36.075917	-85.558667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.3
71022160003	PUTNAM	02216	0.94	BRANCH	OPEN	8/22/2016	1962	36.085483	-85.56855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
71022160001	PUTNAM	02216	2.19	CANE CREEK	OPEN	8/18/2016	2006	36.0974	-85.584867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
71022220001	PUTNAM	02222	0.14	BUFFALO VALLEY BRANCH	OPEN	8/22/2016	1940	36.137133	-85.788617	CONCRETE	TEE BEAM	85.3
71100400013	PUTNAM	02224	2.89	OLD BAXTER RD / I-40	OPEN	8/1/2016	1960	36.112367	-85.686567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.1
71022260001	PUTNAM	02226	3.15	MINE LICK CREEK	OPEN	9/19/2016	1991	36.153017	-85.645083	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.7
71022300001	PUTNAM	02230	2.93	ENSOR HOLLOW BRANCH	OPEN	8/16/2016	1960	36.213267	-85.770633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
71022300003	PUTNAM	02230	3.26	LITTLE INDIAN CREEK	OPEN	8/16/2016	1960	36.216467	-85.77445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
71022300005	PUTNAM	02230	5.97	MARTIN CREEK	OPEN	8/15/2016	1973	36.236517	-85.7578	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.8
71022360001	PUTNAM	02236	0.97	MILL CREEK	OPEN	9/14/2016	2007	36.255967	-85.5023	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
71022360003	PUTNAM	02236	4.59	BEAR CREEK	OPEN	8/11/2016	2005	36.24445	-85.444367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
71022380001	PUTNAM	02238	2.73	MILL CREEK	OPEN	8/10/2016	1988	36.2951	-85.480667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
71035200001	PUTNAM	03520	1.53	BRANCH	OPEN	8/11/2016	1990	36.198433	-85.480033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
71035280001	PUTNAM	03528	0.24	SHORT CREEK	OPEN	8/9/2016	1984	36.156267	-85.4987	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
71100400031	PUTNAM	03529	1.36	S. MAPLE / I-40 EB	OPEN	7/14/2016	1960	36.134917	-85.487467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.4
71100400067	PUTNAM	03529	1.4	S. MAPLE / I-40 WB	OPEN	7/14/2016	1960	36.135583	-85.487417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.4
71SR1110001	PUTNAM	03530	1.73	BUCK MTN. RD OVER SR-111	OPEN	6/7/2016	1977	36.167333	-85.464333	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
710A8750001	PUTNAM	03530	2.05	BURTON BRANCH	OPEN	8/11/2016	1991	36.166783	-85.458783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
710B0050001	PUTNAM	04404	0.88	BRANCH	OPEN	8/11/2016	2001	36.149483	-85.508833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.1
71100400063	PUTNAM	04552	1.461	HOLIDAY RD / I-40 WB	OPEN	7/11/2016	1960	36.136733	-85.5444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.7
71100400025	PUTNAM	04552	1.501	HOLIDAY ROAD / I-40 EB	OPEN	7/11/2016	1960	36.13615	-85.5446	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.7
71022340001	PUTNAM	04553	3.15	W BLACKBURN FORK CREEK	OPEN	9/7/2016	2004	36.203933	-85.58135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
710A9400001	PUTNAM	04558	0.36	SHORT CREEK	OPEN	8/9/2016	1984	36.156633	-85.498783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
71100400065	PUTNAM	05830	1.13	MINE LICK CR RD / I-40WB	OPEN	7/7/2016	1960	36.139933	-85.579133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.4
71100400021	PUTNAM	05830	1.17	MINE LICK CR RD / I-40EB	OPEN	7/7/2016	1960	36.139233	-85.579067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.4
710A5250001	PUTNAM	05830	1.395	BRANCH	OPEN	8/22/2016	1940	36.1365	-85.57945	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.8
710A2720003	PUTNAM	05830	2.17	CANE CREEK	OPEN	8/24/2016	2011	36.134617	-85.567833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
710A0100001	PUTNAM	0A010	0.02	LITTLE INDIAN CREEK	WEIGHT POSTED	9/13/2016	1950	36.135533	-85.755967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
710A0120001	PUTNAM	0A012	0.021	BIG INDIAN CREEK	OPEN	9/12/2016	1935	36.1393	-85.776333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
710A0280001	PUTNAM	0A028	2.593	BRANCH OF BIG HOLLOW BR	OPEN	9/12/2016	1940	36.147933	-85.75215	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
710A0280003	PUTNAM	0A028	2.704	BIG INDIAN CREEK	OPEN	9/12/2016	1940	36.146533	-85.751033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71
710A0290001	PUTNAM	0A029	0.008	BIG INDIAN CREEK	OPEN	9/13/2016	1988	36.153617	-85.73485	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
710A0300001	PUTNAM	0A030	0.049	BIG INDIAN CREEK	OPEN	9/13/2016	1986	36.152683	-85.712817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
710A0560001	PUTNAM	0A056	0.772	LITTLE INDIAN CREEK	OPEN	8/16/2016	1988	36.2097	-85.756783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
710A0590001	PUTNAM	0A059	0.033	SHAW BRANCH	OPEN	8/15/2016	1984	36.22105	-85.72685	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
710A0590003	PUTNAM	0A059	0.734	MARTIN CREEK	OPEN	8/15/2016	1985	36.225167	-85.717417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
710A0620001	PUTNAM	0A062	3.632	MCBROOM BRANCH	OPEN	8/16/2016	1988	36.208317	-85.697633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
710A0620003	PUTNAM	0A062	4.885	MCBROOM BRANCH	OPEN	8/15/2016	1984	36.221383	-85.711733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
710A0670001	PUTNAM	0A067	0.024	MARTIN CREEK	OPEN	8/16/2016	1984	36.215	-85.655583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
710A1140001	PUTNAM	0A114	2.58	BRINDLEY BRANCH	OPEN	8/17/2016	2004	36.208133	-85.7919	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	73.2
710A1220001	PUTNAM	0A122	0.232	MINE LICK CREEK	WEIGHT POSTED	9/19/2016	1970	36.1495	-85.6441	PRESTRESSED CONCRETE	TEE BEAM	26.3
710A1610001	PUTNAM	0A161	0.047	WEST BLACKBURN FORK	OPEN	9/7/2016	1984	36.189283	-85.585017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
710A1650001	PUTNAM	0A165	2.515	BLACKBURN FORK	OPEN	9/7/2016	1987	36.218817	-85.5765	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
710A1760001	PUTNAM	0A176	0.418	BLACKBURN FORK	OPEN	9/6/2016	1978	36.230017	-85.545667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
710A1830001	PUTNAM	0A183	1.222	LITTLE CREEK	OPEN	9/6/2016	1940	36.20285	-85.5498	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.3
710A1990001	PUTNAM	0A199	0.561	LITTLE CREEK	OPEN	9/6/2016	1994	36.2077	-85.56855	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
710A2190001	PUTNAM	0A219	1.278	EAST BLACKBURN FORK	OPEN	9/6/2016	2002	36.229567	-85.52815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
710A2250001	PUTNAM	0A225	0.919	EAST BLACKBURN FORK	OPEN	9/6/2016	1984	36.227783	-85.523783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
710A2250003	PUTNAM	0A225	1.351	EAST BLACKBURN FORK	OPEN	9/6/2016	1983	36.2324	-85.534517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
710A2610001	PUTNAM	0A261	0.28	MILL CREEK	OPEN	9/14/2016	2000	36.259833	-85.502833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
710A2620001	PUTNAM	0A262	0.436	MILL CREEK	OPEN	9/14/2016	1994	36.26735	-85.502167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
710A2690001	PUTNAM	0A269	0.025	MILL CREEK	OPEN	8/10/2016	1984	36.295683	-85.4802	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
710A2890001	PUTNAM	0A289	1.919	TURKEY CREEK	OPEN	9/15/2016	1988	36.220483	-85.411217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
710A2900001	PUTNAM	0A290	1.308	TURKEY CREEK	OPEN	9/15/2016	1988	36.2265	-85.407817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
710A2940001	PUTNAM	0A294	1.567	SPRING CREEK	OPEN	8/11/2016	1982	36.21885	-85.379067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
710A3030001	PUTNAM	0A303	3.933	FALLING WATER RIVER	OPEN	9/1/2016	1986	36.14445	-85.420767	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.1
710A3050001	PUTNAM	0A305	1.869	FALLING WATER RIVER	OPEN	9/8/2016	1983	36.153417	-85.394167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
710A3050003	PUTNAM	0A305	2.576	BARNES HOLLOW BRANCH	OPEN	9/1/2016	1940	36.1479	-85.404433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.3
71100400045	PUTNAM	0A305	9.315	I40	OPEN	7/19/2016	1964	36.13095	-85.357917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.3
71100400047	PUTNAM	0A305	10.08	I40	OPEN	7/22/2016	1961	36.131367	-85.345217	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.5
710A3180001	PUTNAM	0A318	0.073	CLEGHORN CREEK	OPEN	9/1/2016	1978	36.129017	-85.419033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	75.4
710A3190001	PUTNAM	0A319	0.108	CLEGHORN CREEK	OPEN	8/11/2016	1996	36.126283	-85.41655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
710A3200001	PUTNAM	0A320	0.316	CLEGHORN CREEK	OPEN	8/11/2016	1996	36.12645	-85.399233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
71100400043	PUTNAM	0A323	0.384	I40-EBL	OPEN	7/18/2016	1961	36.143383	-85.37425	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.9
71100400061	PUTNAM	0A323	0.458	I40-WBL	OPEN	7/18/2016	1961	36.144317	-85.3749	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.9
710A3410001	PUTNAM	0A341	0.491	CLEGHORN CREEK	OPEN	8/17/2016	1984	36.1681	-85.281683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
710A4090001	PUTNAM	0A409	0.072	BRANCH	OPEN	9/8/2016	1982	36.137483	-85.268183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
71100400051	PUTNAM	0A434	0.015	I40	OPEN	7/20/2016	1963	36.140517	-85.305317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
71100400049	PUTNAM	0A438	0.011	I40	OPEN	7/19/2016	1963	36.13585	-85.324733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.7
710A4430001	PUTNAM	0A443	2.601	MILL CREEK	OPEN	9/8/2016	1983	36.090467	-85.347517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
710A4720001	PUTNAM	0A472	2.554	FALLING WATER RIVER	OPEN	9/21/2016	1985	36.097717	-85.49595	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.1
71SR1110011	PUTNAM	0A478	0.011	LOVELADY RD OVER SR-111	OPEN	6/7/2016	1987	36.087867	-85.505517	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
710A4780001	PUTNAM	0A478	0.109	PIGEON ROOST CREEK	OPEN	8/25/2016	1987	36.088467	-85.507633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
710A4780003	PUTNAM	0A478	0.856	HUDGENS CREEK	OPEN	8/25/2016	1970	36.088167	-85.518483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
710A4810001	PUTNAM	0A481	2.221	HUDGENS CREEK	OPEN	9/22/2016	1978	36.097317	-85.518867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72.4
710A4990001	PUTNAM	0A499	0.821	CANE CREEK	OPEN	9/20/2016	1987	36.114417	-85.57825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
710A5010001	PUTNAM	0A501	1.212	CANE CREEK	OPEN	8/23/2016	1940	36.129183	-85.5713	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.1
710A5490001	PUTNAM	0A549	1.105	CANE CREEK	OPEN	8/23/2016	1970	36.082667	-85.607483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.6
71100400009	PUTNAM	0A601	0.12	I40	OPEN	6/22/2016	1960	36.096967	-85.712033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.3
710A7070001	PUTNAM	0A707	0.318	FALLING WATER RIVER	OPEN	9/26/2016	1975	36.130317	-85.444067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.5
710A7340001	PUTNAM	0A734	0.831	FALLING WATER RIVER	OPEN	8/24/2016	1989	36.101783	-85.481767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.9
710A7460001	PUTNAM	0A746	0.675	PIGEON ROOST CREEK	OPEN	8/24/2016	1970	36.09635	-85.507117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.1
710A7630007	PUTNAM	0A763	1.28	CANE CREEK	OPEN	9/8/2016	2011	36.144139	-85.563514	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
710A7060001	PUTNAM	0A787	0.115	FALLING WATER RIVER	OPEN	9/21/2016	2015	36.137217	-85.427533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
710A7630001	PUTNAM	0A970	2.64	WEST BLACKBURN FORK BR	OPEN	9/7/2016	1986	36.189917	-85.583817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
710A7630003	PUTNAM	0A970	3.08	WEST BLACKBURN FORK	OPEN	9/7/2016	1986	36.196133	-85.583967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3
710A7630005	PUTNAM	0A970	3.13	RECTOR CREEK	OPEN	9/7/2016	1986	36.196933	-85.584017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
710B2260001	PUTNAM	0B226	0.018	FALLING WATER RIVER	OPEN	9/1/2016	1984	36.147483	-85.405983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
710B2400001	PUTNAM	0B240	0.088	MAXWELL BRANCH	OPEN	9/19/2016	1940	36.139533	-85.6273	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.7
71035310001	PUTNAM	0B286	0.673	CANE CREEK OVERFLOW	OPEN	9/21/2016	1980	36.164117	-85.538417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
710A7550001	PUTNAM	0B290	0.53	HUDGENS CREEK	OPEN	8/23/2016	2001	36.11195	-85.5239	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
710A2720001	PUTNAM	0B841	0.614	SPRING CREEK	OPEN	9/15/2016	2008	36.3032	-85.465017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
71100400003	PUTNAM	I0040	0.67	INDIAN CREEK	OPEN	6/27/2016	1959	36.14	-85.791667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85
71100400005	PUTNAM	I0040	0.84	SR 96	OPEN	6/22/2016	1959	36.136667	-85.788333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.6
71100400016	PUTNAM	I0040	11.6	I-40 WB / ELMORE TOWN RD	OPEN	6/23/2016	1960	36.133333	-85.65	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	91.8
71100400015	PUTNAM	I0040	11.6	I-40 EB / ELMORE TOWN RD	OPEN	6/23/2016	1960	36.133333	-85.65	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80.4
71100400017	PUTNAM	I0040	12.75	I-40 EB / BAXTER RD	OPEN	7/12/2016	1960	36.136667	-85.628333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85
71100400018	PUTNAM	I0040	12.75	I-40 WB / BAXTER RD	OPEN	7/12/2016	1960	36.136667	-85.628333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85
71100400019	PUTNAM	I0040	12.85	MAXWELL BRANCH	OPEN	6/23/2016	1961	36.136667	-85.626667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
71100400024	PUTNAM	I0040	16.3	CANE CREEK	OPEN	7/12/2016	1960	36.136667	-85.566667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.8
71100400023	PUTNAM	I0040	16.3	CANE CREEK	OPEN	7/12/2016	1960	36.136667	-85.566667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.8
71100400029	PUTNAM	I0040	19.85	SR 136	OPEN	8/4/2016	1960	36.133333	-85.503333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.9
71100400030	PUTNAM	I0040	19.85	SR 136	OPEN	8/4/2016	1960	36.133333	-85.503333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91
71100400041	PUTNAM	I0040	24.16	FALLING WATER RIV (A305)	OPEN	6/28/2016	1962	36.138333	-85.426667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.6
71100400042	PUTNAM	I0040	24.16	FALLING WATER RIV (A305)	OPEN	6/28/2016	1962	36.138333	-85.426667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.6
71100400053	PUTNAM	I0040	33.46	I40 / SR 24	OPEN	7/13/2016	1963	36.138333	-85.278333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
71I00400054	PUTNAM	I0040	33.46	I40 / SR 24	OPEN	7/13/2016	1963	36.138333	-85.278333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96
71I00400055	PUTNAM	I0040	34.12	I40 / SR 24	OPEN	7/6/2016	1963	36.138333	-85.266667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
71I00400056	PUTNAM	I0040	34.12	I40 WB / SR 24	OPEN	7/6/2016	1963	36.138333	-85.266667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
71I00400059	PUTNAM	I0040	34.16	STAMPS HOLLOW CREEK	OPEN	6/23/2016	1963	36.136667	-85.266667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
71SR0240001	PUTNAM	SR024	13.64	SPRING CREEK	OPEN	6/9/2016	1928	36.17	-85.593333	CONCRETE	TEE BEAM	59.8
71SR0240003	PUTNAM	SR024	18.3	NASHVILLE & EASTERN RR	OPEN	6/9/2016	1936	36.163333	-85.518333	CONCRETE	TEE BEAM	82
71I00400037	PUTNAM	SR024	22.85	SR 24 / I40	OPEN	8/3/2016	1984	36.136667	-85.45	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
71SR0240005	PUTNAM	SR024	24.42	FALLING WATER RIVER	OPEN	7/21/2016	2000	36.113333	-85.45	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	81.5
71SR0240007	PUTNAM	SR024	27.8	BULLOCK CREEK	OPEN	6/6/2016	1928	36.106667	-85.398333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
71I00400057	PUTNAM	SR024	39.14	SR 24 / I40	OPEN	7/13/2016	1965	36.111667	-85.245	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.7
71I00400007	PUTNAM	SR056	0.54	SR 56 / I40	OPEN	6/22/2016	1959	36.088333	-85.723333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.6
71SR0560001	PUTNAM	SR056	2.11	N&E RR & NFA 2226	OPEN	6/15/2016	1968	36.158333	-85.631667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.8
71SR0620007	PUTNAM	SR062	2.3	OFFICE BRANCH	OPEN	5/26/2016	1953	36.133333	-85.233333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
71SR0620001	PUTNAM	SR062	4.67	DRIPPING SPRINGS CREEK	OPEN	5/26/2016	1974	36.121667	-85.196667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
71SR0620003	PUTNAM	SR062	5.18	MEADOW CREEK	OPEN	5/26/2016	1974	36.116667	-85.19	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
71SR0620005	PUTNAM	SR062	9.83	HURRICANE CREEK	OPEN	5/26/2016	1981	36.133611	-85.111667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
71SR0840001	PUTNAM	SR084	1.65	LONG HOLLOW BRANCH	OPEN	6/6/2016	1999	36.055	-85.333333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
71SR0840003	PUTNAM	SR084	4.04	MILL CREEK	OPEN	6/6/2016	1999	36.081667	-85.326667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
71SR0840007	PUTNAM	SR084	5.95	CALFKILLER RIVER	OPEN	6/6/2016	1999	36.105	-85.31	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
71SR0840005	PUTNAM	SR084	11.61	CAVE SPRINGS BRANCH	OPEN	5/25/2016	1940	36.168333	-85.285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
71005250001	PUTNAM	SR096	1.28	BUFFALO VALLEY CREEK	OPEN	6/8/2016	1958	36.136667	-85.79	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.5
71005250003	PUTNAM	SR096	1.53	INDIAN CREEK	OPEN	6/8/2016	1938	36.14	-85.786667	CONCRETE	TEE BEAM	79.4
71SR0960007	PUTNAM	SR096	2.34	BRANCH	OPEN	6/8/2016	1987	36.215633	-85.72455	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	87.3
71005250005	PUTNAM	SR096	3.22	BATES BRANCH	OPEN	6/8/2016	1938	36.158333	-85.783333	CONCRETE	TEE BEAM	78
71SR0960009	PUTNAM	SR096	3.38	BRANCH	OPEN	6/8/2016	1987	36.223633	-85.735833	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.3
71SR1110014	PUTNAM	SR111	1.45	SR 111 / SR 136	OPEN	6/30/2016	1988	36.101667	-85.503333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.4
71SR1110013	PUTNAM	SR111	1.45	SR 111 / SR 136	OPEN	6/28/2017	1988	36.101667	-85.503333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.4
71100400034	PUTNAM	SR111	4.05	SR 111 / I40	OPEN	7/14/2016	1969	36.133333	-85.478333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
71100400033	PUTNAM	SR111	4.05	SR 111 / I40	OPEN	7/14/2016	1969	36.133333	-85.478333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
71SR0240012	PUTNAM	SR111	5.29	SR 111 / SR 24 - 20.97	OPEN	6/16/2016	1976	36.15	-85.475	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89
71SR0240011	PUTNAM	SR111	5.29	SR 111 / SR 24 - 20.99	OPEN	6/16/2016	1976	36.15	-85.475	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.9
71SR1110003	PUTNAM	SR111	6.94	BURTONS BRANCH	OPEN	5/25/2016	1977	36.171667	-85.46	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
71SR1110009	PUTNAM	SR111	7.42	FAU 1016	OPEN	6/30/2016	1980	36.178333	-85.461667	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	85.7
71SR1110010	PUTNAM	SR111	7.42	FAU 1016	OPEN	6/30/2016	1980	36.178333	-85.461667	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	85.7
71SR1110005	PUTNAM	SR111	8.12	NASH & EASTERN RR & A661	OPEN	6/14/2016	1980	36.188333	-85.461667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.7
71SR1110006	PUTNAM	SR111	8.12	NASH & EASTERN RR & A661	OPEN	6/14/2016	1980	36.188333	-85.461667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.5
71SR1110007	PUTNAM	SR111	8.58	NFA A636 (GIBBONS ROAD)	OPEN	6/13/2016	1980	36.195	-85.461667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
71SR1110008	PUTNAM	SR111	8.58	NFA A636 (GIBBONS ROAD)	OPEN	6/13/2016	1980	36.195	-85.461667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
71SR0420001	PUTNAM	SR111	11.88	BRANCH	OPEN	5/25/2016	1988	36.216667	-85.413333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
71SR0420003	PUTNAM	SR111	12.61	TURKEY CREEK	OPEN	5/24/2016	1988	36.228056	-85.4075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
71F00130007	PUTNAM	SR135	0	FALLING WATER RIVER	OPEN	7/21/2016	1987	36.041436	-85.591517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
71I00400027	PUTNAM	SR135	8.32	SR135 / I-40 EBL	OPEN	7/11/2016	2003	36.135	-85.53	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
71I00400069	PUTNAM	SR135	8.36	SR135 / I-40 WBL	OPEN	7/11/2016	2003	36.135	-85.528333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.1
71SR1350001	PUTNAM	SR135	14.72	E.PRONG BLACKBURN FORK C	OPEN	5/25/2016	2003	36.22	-85.506667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.2
71SR1350003	PUTNAM	SR135	16.415	DRY CREEK	OPEN	6/2/2016	1940	36.241667	-85.516667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.9
71SR1360003	PUTNAM	SR136	0.215	PIGEON ROOST CREEK	OPEN	5/25/2016	1971	36.105	-85.505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
71SR1360001	PUTNAM	SR136	1.35	SPRING CREEK	OPEN	6/1/2016	1973	36.296667	-85.46	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
71SR1410001	PUTNAM	SR141	2.74	NASHVILLE & EASTERN RR	OPEN	6/7/2016	1969	36.09	-85.735	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
710A1690001	PUTNAM	SR290	0.94	BLACKBURN FORK	OPEN	6/2/2016	1984	36.221667	-85.573333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
71SR2900001	PUTNAM	SR290	4.44	LITTLE CREEK	OPEN	6/2/2016	1991	36.19485	-85.534933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
71SR2910001	PUTNAM	SR291	1.49	RECTOR BRANCH	OPEN	6/2/2016	2002	36.1881	-85.612483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
720A4880001	RHEA	01151	0.03	BRANCH	OPEN	10/10/2016	2004	35.424533	-85.0444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
72S43800001	RHEA	01162	0.46	PINEY RIVER	OPEN	10/6/2016	1970	35.691133	-84.85245	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.4
72F00180003	RHEA	01162	2.73	MUDDY CREEK	OPEN	10/12/2016	2014	35.7011	-84.8185	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.7
72F00180005	RHEA	01162	5.08	TOESTRING BRANCH	OPEN	10/12/2016	1942	35.695667	-84.788133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.1
72F00180007	RHEA	01162	9.81	MUDDY CREEK	OPEN	10/12/2016	1942	35.72755	-84.79435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.8
72021680001	RHEA	02168	3.03	ROARING CREEK	OPEN	10/18/2016	2006	35.457983	-85.105483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
72021720001	RHEA	02172	0.08	HENDERSON CREEK	OPEN	10/19/2016	1975	35.60695	-85.061767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
72021800003	RHEA	02180	5.92	PINEY RIVER	OPEN	10/18/2016	1982	35.715067	-84.87965	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
72021800001	RHEA	02180	5.96	OVERFLOW	OPEN	10/18/2016	1982	35.714617	-84.88	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
72SR0600001	RHEA	02279	0.55	BRANCH	OPEN	10/5/2016	2002	35.440667	-85.013133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
72022790001	RHEA	02279	3.04	SEXTON CREEK	OPEN	10/5/2016	1938	35.440533	-85.012917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
72022810001	RHEA	02281	1.52	YELLOW CREEK	OPEN	10/25/2016	1984	35.610267	-84.822983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
72022820001	RHEA	02282	4.07	SALE CREEK	OPEN	10/10/2016	1959	35.45045	-85.073683	CONCRETE	TEE BEAM	67.8
72022860001	RHEA	02286	2.73	CRAWFORDS BRANCH	OPEN	10/18/2016	1994	35.50175	-84.901467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
72022940001	RHEA	02294	0.46	RECTOR CREEK	OPEN	10/17/2016	1938	35.7283	-84.7883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
72022960001	RHEA	02296	5.12	WHITES CREEK	OPEN	10/25/2016	1956	35.797017	-84.811717	CONCRETE	TEE BEAM	67.8
72S43760003	RHEA	02331	0.63	RICHLAND CREEK	OPEN	10/20/2016	1985	35.508083	-85.022633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.4
72S43760005	RHEA	02331	3.68	STEWARTS CREEK	OPEN	10/24/2016	1985	35.556983	-84.991883	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.7
72F00230007	RHEA	02331	9.36	SOUTHERN RAILWAY	OPEN	10/13/2016	1975	35.5882	-84.937067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.2
720A5490001	RHEA	04078	0.3	LITTLE RICHLAND CREEK	OPEN	10/4/2016	2003	35.50765	-85.001133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.1
720A1430001	RHEA	04199	0.66	LITTLE RICHLAND CREEK	OPEN	10/19/2016	1969	35.517533	-85.000017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59.3
72SR0600003	RHEA	05383	2.17	BROYLES BRANCH	OPEN	10/4/2016	1960	35.484467	-85.018583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.2
720A0980001	RHEA	05416	1.25	RICHLAND CREEK	OPEN	10/5/2016	1991	35.5273	-84.988683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
720A0110001	RHEA	0A011	0.224	LITTLE RICHLAND CREEK	OPEN	10/11/2016	1999	35.5667	-84.954917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.1
720A6250001	RHEA	0A018	0.05	BROYLE'S CREEK	OPEN	10/5/2016	1984	35.4795	-85.023267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
720A0240001	RHEA	0A024	0.722	ROARING CREEK	OPEN	10/10/2016	1993	35.445033	-85.088833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66.6
720A0620001	RHEA	0A062	0.187	MORGAN CREEK	OPEN	10/10/2016	1987	35.522967	-85.071967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
720A1110001	RHEA	0A111	0.689	BROYLES BRANCH	OPEN	10/11/2016	1955	35.482283	-85.02205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
720A1200001	RHEA	0A120	0.029	BLACK CREEK	OPEN	10/11/2016	1995	35.501967	-85.02495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
720A1210001	RHEA	0A121	0.507	BRANCH	OPEN	10/19/2016	1993	35.503967	-85.024217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
720A1460001	RHEA	0A146	0.053	LITTLE RICHLAND CREEK	OPEN	10/11/2016	2003	35.55105	-84.965233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.6
720A1520001	RHEA	0A152	3.788	PINEY CREEK	OPEN	10/20/2016	1987	35.622933	-84.969367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
720A1930001	RHEA	0A193	0.6	VANS CREEK	OPEN	10/17/2016	1984	35.703767	-84.849117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
720A1970001	RHEA	0A197	0.013	CAMP CREEK	OPEN	10/17/2016	1987	35.771833	-84.772567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
720A2070001	RHEA	0A207	0.649	MUDDY CREEK	OPEN	10/12/2016	2003	35.71975	-84.797017	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93.9
720A2980001	RHEA	0A298	1.515	MUDDY CREEK	WEIGHT POSTED	10/12/2016	1950	35.707033	-84.809333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47
720A3020001	RHEA	0A302	0.017	TOWN CREEK	OPEN	10/4/2016	2010	35.675617	-84.8724	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
720A3020003	RHEA	0A302	1.166	TOWN CREEK	OPEN	10/4/2016	1984	35.687883	-84.860933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
720A3070001	RHEA	0A307	0.511	CRACKER CREEK	OPEN	10/17/2016	1960	35.666333	-84.8588	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
720A3370001	RHEA	0A337	0.02	TOWN CREEK	OPEN	10/13/2016	1955	35.682583	-84.868083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
720A3750001	RHEA	0A375	0.272	BUSH CREEK	OPEN	10/6/2016	1996	35.59275	-84.834767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
720A3860001	RHEA	0A386	1.97	CLEAR CREEK	OPEN	10/6/2016	1994	35.596683	-84.904383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
720A3930001	RHEA	0A393	0.014	CLEAR CREEK	OPEN	10/6/2016	1977	35.58095	-84.897933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
720A4120001	RHEA	0A412	0.153	TOWN CREEK	OPEN	10/26/2016	1995	35.531733	-84.914133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
720A4420001	RHEA	0A442	0.474	BROWN BRANCH	OPEN	10/26/2016	1938	35.485817	-84.938633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
720A4890001	RHEA	0A489	2.262	BLACK OAK CREEK	OPEN	10/27/2016	1986	35.432867	-85.044633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
720A4980001	RHEA	0A498	0.265	BROYLES BRANCH	OPEN	10/27/2016	1984	35.475767	-85.031917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
720A5230001	RHEA	0A523	0.027	RICHLAND CREEK	OPEN	10/24/2016	2003	35.543933	-84.970533	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.8
720A6810001	RHEA	0A523	0.15	LITTLE RICHLAND CREEK	OPEN	10/24/2016	2003	35.536383	-84.979	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
720A1390001	RHEA	0A670	0.271	LITTLE RICHLAND CREEK	OPEN	10/26/2016	1977	35.503233	-85.006	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.8
72022840001	RHEA	0A710	2.88	RATTAN BRANCH	OPEN	10/26/2016	2009	35.480567	-84.956667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.7
72SR0290001	RHEA	SR029	4.21	BRANCH	OPEN	9/19/2016	1960	35.473883	-85.03115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.4
72SR0290004	RHEA	SR029	5.58	RICHLAND CREEK	OPEN	9/7/2016	1960	35.488083	-85.014067	CONCRETE	TEE BEAM	97.1
72SR0290003	RHEA	SR029	5.58	RICHLAND CREEK	OPEN	9/20/2016	1960	35.487883	-85.01385	CONCRETE	TEE BEAM	97.1
72SR0290006	RHEA	SR029	5.8	RICHLAND CREEK OVERFLOW	OPEN	9/1/2016	2007	35.49	-85.011233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97.9
72SR0290005	RHEA	SR029	5.8	RICHLAND CREEK OVERFLOW	OPEN	9/1/2016	2007	35.49	-85.010833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97.9
72SR0290028	RHEA	SR029	6.14	LITTLE RICHLAND CREEK	OPEN	9/13/2016	1960	35.494217	-85.007383	CONCRETE	TEE BEAM	66.8
72SR0290027	RHEA	SR029	6.14	LITTLE RICHLAND CREEK	OPEN	9/13/2016	1960	35.4942	-85.007533	CONCRETE	TEE BEAM	56.3
72SR0290031	RHEA	SR029	11.59	OAK HILL RD	OPEN	9/21/2016	2002	35.5576	-84.956767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
72SR0290032	RHEA	SR029	11.59	OAK HILL ROAD	OPEN	9/21/2016	2002	35.558083	-84.95685	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
72SR0290034	RHEA	SR029	12.03	WHITES FLAT ROAD	OPEN	9/22/2016	2003	35.5626	-84.951983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
72SR0290033	RHEA	SR029	12.03	WHITES FLAT ROAD	OPEN	9/22/2016	2003	35.56185	-84.951583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
72SR0290009	RHEA	SR029	16.06	CLEAR CREEK	OPEN	9/13/2016	2001	35.61	-84.913333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	73.9
72SR0290010	RHEA	SR029	16.06	CLEAR CREEK	OPEN	9/13/2016	2001	35.61	-84.913333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.9
72SR0290035	RHEA	SR029	16.96	BRANCH	OPEN	9/15/2016	2003	35.6223	-84.904483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
72SR0290011	RHEA	SR029	20.68	TOWN CREEK	OPEN	9/21/2016	2011	35.668333	-84.875	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
72SR0290013	RHEA	SR029	22.62	OVERFLOW PINEY RIVER	OPEN	9/26/2016	2008	35.694817	-84.85855	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
72SR0290015	RHEA	SR029	22.87	RAVINE	OPEN	9/20/2016	2008	35.696667	-84.856667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80
72SR0290017	RHEA	SR029	23	PINEY RIVER	OPEN	9/26/2016	2008	35.69975	-84.854783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
72SR0290019	RHEA	SR029	23.48	BRANCH	OPEN	9/20/2016	1931	35.704817	-84.8498	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
72SR0290021	RHEA	SR029	23.56	BRANCH	OPEN	9/20/2016	1931	35.705	-84.848333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5
72SR0290023	RHEA	SR029	30.79	CAMP CREEK	OPEN	9/20/2016	1931	35.782033	-84.763033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
72SR0290025	RHEA	SR029	31.79	WHITES CREEK	OPEN	9/28/2016	1993	35.794683	-84.751333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
72SR0290026	RHEA	SR029	31.79	WHITES CREEK	OPEN	9/28/2016	1993	35.7938	-84.752683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
72SR0300001	RHEA	SR030	2.15	TIGUES CREEK	OPEN	9/26/2016	1966	35.55	-85.08	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2
72SR0300003	RHEA	SR030	3.74	MORGAN CREEK	OPEN	9/26/2016	1963	35.536667	-85.056667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
72SR0300005	RHEA	SR030	7.99	RICHLAND CREEK	OPEN	9/22/2016	1956	35.496667	-85.023333	CONCRETE	TEE BEAM	69.5
72SR0300009	RHEA	SR030	9.25	LITTLE RICHLAND CREEK	OPEN	9/1/2016	1940	35.49315	-85.007017	CONCRETE	TEE BEAM	78.7
72SR0300011	RHEA	SR030	15.84	TOWN CREEK	OPEN	9/19/2016	1998	35.532167	-84.910417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
72SR0300013	RHEA	SR030	17.26	TENNESSEE RIVER	OPEN	9/26/2016	1996	35.536717	-84.8844	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60
72SR0600005	RHEA	SR060	5.32	BROYLES BRANCH	OPEN	9/19/2016	2000	35.483333	-85.018333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
72SR0680001	RHEA	SR068	3.41	LITTLE PINEY RIVER	OPEN	9/14/2016	1962	35.745	-84.84	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.5
72SR0680003	RHEA	SR068	7.01	PINEY RIVER	OPEN	9/14/2016	1930	35.703533	-84.870583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81
72SR0680005	RHEA	SR068	7.16	FORK OF PINEY RIVER	OPEN	9/14/2016	1930	35.701833	-84.870983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81
72SR0290029	RHEA	SR068	8.3	SR 68 / SR 29 & SOU RR	OPEN	9/14/2016	1989	35.686667	-84.866667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.5
72SR0680007	RHEA	SR068	9.83	WOLF CREEK	OPEN	9/19/2016	1941	35.646667	-84.861667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
72SR3020011	RHEA	SR302	0.83	BRANCH	OPEN	9/6/2016	1986	35.545117	-84.893783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
72S42680001	RHEA	SR302	2.57	CLEAR CREEK	OPEN	9/6/2016	1962	35.5674	-84.88015	CONCRETE	TEE BEAM	64.6
72SR3020009	RHEA	SR302	5.19	BUSH CREEK	OPEN	9/7/2016	1990	35.592483	-84.848	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.7
72S43790001	RHEA	SR302	6.24	YELLOW CREEK	OPEN	9/7/2016	1963	35.605817	-84.839317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.7
72F00170001	RHEA	SR302	11.99	TOWN CREEK	OPEN	9/7/2016	1942	35.690017	-84.85665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
72S43750001	RHEA	SR303	0.21	SALE CREEK	OPEN	9/15/2016	1986	35.44	-85.08	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.9
72S43750003	RHEA	SR303	2.94	SALE CREEK	OPEN	9/15/2016	1960	35.476833	-85.072633	CONCRETE	TEE BEAM	72.3
72SR0292005	RHEA	SR378	0.91	RICHLAND CREEK	OPEN	9/22/2016	1974	35.4905	-85.016067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.6
72SR0292003	RHEA	SR378	1.58	LITTLE RICHLAND CREEK	OPEN	9/22/2016	1933	35.5008	-85.007517	CONCRETE	TEE BEAM	80.6
72S42650003	RHEA	SR443	1.59	BRUSH CREEK	OPEN	9/6/2016	1954	35.498133	-85.112817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
72S42650001	RHEA	SR443	5.22	WELLER BRANCH	OPEN	9/6/2016	1954	35.520283	-85.073933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
73I00400001	ROANE	01203	1.49	I40 RT LN	OPEN	9/13/2016	1968	35.885633	-84.687883	CONCRETE CONTINUOUS	TEE BEAM	98.2
73012030001	ROANE	01203	4.03	SOUTHERN RAILWAY	OPEN	3/7/2017	2005	35.877733	-84.671267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
73I00400019	ROANE	01224	1.7	I40	OPEN	9/19/2016	1969	35.873	-84.462017	CONCRETE CONTINUOUS	TEE BEAM	80
73F00030001	ROANE	01224	1.9	BRANCH	OPEN	4/12/2017	1970	35.874617	-84.459433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
73S24010001	ROANE	01226	0.28	EMORY RIVER	OPEN	3/13/2017	1992	35.928633	-84.55115	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	46.4
73012280001	ROANE	01228	4.85	TVA HAUL ROAD (PRIVATE)	OPEN	4/19/2017	2010	35.754783	-84.549867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.9
73S24730001	ROANE	01230	3.8	LITTLE EMORY RIVER	OPEN	3/8/2017	2006	35.958367	-84.476483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.4
73S24730003	ROANE	01230	15.03	BRANCH	OPEN	3/9/2017	1950	36.030683	-84.348067	CONCRETE CONTINUOUS	SLAB	86
73S24730005	ROANE	01230	16.09	INDIAN CREEK	OPEN	3/9/2017	1970	36.04245	-84.349083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
73S24420001	ROANE	01253	1.85	SMOKEY RUN CREEK	OPEN	4/4/2017	2007	35.775867	-84.734833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
73S24420003	ROANE	01253	9.38	KING CREEK	OPEN	4/4/2017	1955	35.831283	-84.697817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
73014250001	ROANE	01425	3.94	CANEY CREEK	OPEN	3/15/2017	1945	35.855517	-84.597817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	39.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
73023630001	ROANE	02363	2.01	STAMPS CREEK	OPEN	4/25/2017	1970	35.754783	-84.549867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.9
73S25550001	ROANE	02365	2.48	WOLF CREEK	OPEN	4/26/2017	1960	35.806167	-84.411883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
73023650003	ROANE	02365	6.01	CAVE CREEK	OPEN	4/26/2017	1968	35.792667	-84.396817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
73I00400031	ROANE	02366	3.4	I40	OPEN	9/21/2016	1959	35.871317	-84.376017	CONCRETE CONTINUOUS	TEE BEAM	85.7
73S24020001	ROANE	02366	3.6	CANEY CREEK	OPEN	4/10/2017	1940	35.871467	-84.373717	CONCRETE	TEE BEAM	58.4
73I00400035	ROANE	02366	4.67	I40	OPEN	9/21/2016	2008	35.878317	-84.360533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
73S24020003	ROANE	02366	5.5	PAWPAW CREEK	OPEN	4/10/2017	2004	35.882383	-84.346817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.8
73023680001	ROANE	02368	3.69	BULLET BRANCH	OPEN	3/16/2017	1960	35.8363	-84.626267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
73023710001	ROANE	02371	0.02	POPLAR CREEK	OPEN	3/16/2017	1970	35.996417	-84.34105	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.1
73S25360001	ROANE	02372	1.745	BRANCH	OPEN	4/19/2017	2003	35.910117	-84.534317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
73023740005	ROANE	02374	1.19	CLINCH RIVER	OPEN	3/13/2017	1987	35.884133	-84.489967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.9
73023740003	ROANE	02374	2.89	BRANCH	OPEN	4/12/2017	1945	35.90565	-84.4769	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
730A0860001	ROANE	02374	8.92	DAVIDSON CREEK	OPEN	3/16/2017	1979	35.9595	-84.401667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.8
73023740001	ROANE	02374	9.24	POPLAR CREEK	OPEN	3/16/2017	1970	35.961967	-84.39625	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47
73023760001	ROANE	02376	1.46	KINGS CREEK	OPEN	4/12/2017	1940	35.930067	-84.47265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
73M36940001	ROANE	03694	1.68	SOUTHERN RAILWAY	OPEN	3/7/2017	1997	35.92335	-84.562467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
73L36980001	ROANE	03698	0.1	BLACK CREEK	OPEN	4/4/2017	1917	35.866733	-84.68645	CONCRETE	ARCH - DECK	92.1
73037010001	ROANE	03701	1.7	SOUTHERN RAILWAY	OPEN	3/7/2017	1969	35.892367	-84.637583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
73037010003	ROANE	03701	1.73	SOUTHERN RAILWAY	OPEN	3/7/2017	1969	35.891617	-84.637417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
73037010005	ROANE	03701	1.74	CARDIFF CREEK	OPEN	4/19/2017	1969	35.890483	-84.637433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
730A6610001	ROANE	04030	0.15	BLACK CREEK	OPEN	4/4/2017	1958	35.864317	-84.688867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
730A0020001	ROANE	0A002	0.36	BLACK CREEK	OPEN	4/4/2017	1997	35.806683	-84.742867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
730A0180001	ROANE	0A018	0.254	CLIFTY CREEK	OPEN	4/19/2017	1993	35.950233	-84.57695	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.9
730A2500001	ROANE	0A041	1.056	HINES CREEK	OPEN	4/26/2017	1940	35.781517	-84.38805	CONCRETE	TEE BEAM	70.4
730A2420003	ROANE	0A092	0.107	PAW PAW CREEK	OPEN	4/11/2017	1965	35.8791	-84.335417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.2
730A2190001	ROANE	0A163	0.167	BRANCH	OPEN	4/12/2017	1939	35.899467	-84.3994	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
73100400025	ROANE	0A278	1.156	I40	OPEN	9/21/2016	1970	35.865017	-84.4272	CONCRETE CONTINUOUS	TEE BEAM	94.9
730A3200003	ROANE	0A320	0.133	CRIPPLE CREEK	OPEN	4/10/2017	1994	35.869467	-84.447417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
73100400029	ROANE	0A321	0.317	I40	OPEN	9/21/2016	1970	35.866133	-84.386667	CONCRETE CONTINUOUS	TEE BEAM	83.3
730A2250001	ROANE	0A321	0.494	MILL CREEK	OPEN	4/10/2017	1965	35.864567	-84.385167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
730A2320001	ROANE	0A329	0.451	PAW PAW CREEK	OPEN	4/10/2017	1970	35.886233	-84.35305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
730A2530001	ROANE	0A372	0.174	WOLF CREEK	WEIGHT POSTED	4/26/2017	1934	35.806267	-84.413017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.8
730A3910001	ROANE	0A391	0.075	POPLAR CREEK	OPEN	3/9/2017	1985	35.0232	-84.332217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.4
730A2670001	ROANE	0A402	1.442	SMITH CREEK	OPEN	4/26/2017	1940	35.849667	-84.493333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
730A2640001	ROANE	0A404	0.507	BUCK CREEK	OPEN	4/26/2017	1934	35.837783	-84.4431	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.4
730A2660001	ROANE	0A406	1.417	BUCK CREEK	OPEN	4/26/2017	1940	35.816733	-84.461467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
73100400003	ROANE	0A448	1.198	I40	OPEN	9/13/2016	1969	35.912267	-84.595167	CONCRETE CONTINUOUS	TEE BEAM	66.2
730A2420001	ROANE	0A452	0.016	NORFOLK-SOUTHERN RWY	OPEN	3/8/2017	1987	35.94105	-84.542633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87.7
730A4610001	ROANE	0A461	0.366	BRANCH	OPEN	4/5/2017	1955	35.915033	-84.580433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
730A4610003	ROANE	0A461	0.527	BRANCH	OPEN	4/5/2017	1955	35.913783	-84.582833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
730A1610001	ROANE	0A481	0.533	CANEY CREEK	OPEN	4/5/2017	1996	35.9121	-84.56465	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
730A3080001	ROANE	0A556	2.289	RILEY CREEK	OPEN	4/20/2017	1996	35.810883	-84.552417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
730A3280001	ROANE	0A572	0.296	PAINT ROCK CREEK	OPEN	4/25/2017	1986	35.74295	-84.50275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
730A3210001	ROANE	0A573	0.066	RICHLAND CREEK	OPEN	4/20/2017	1986	35.774867	-84.49185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
730A3200001	ROANE	0A578	0.636	PAINT ROCK CREEK	OPEN	4/20/2017	1988	35.74965	-84.492367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
730A3040001	ROANE	0A579	0.473	RILEY CREEK	OPEN	4/20/2017	1983	35.817567	-84.539217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.6
73100400017	ROANE	0A596	0.537	I40	OPEN	9/19/2016	1969	35.872017	-84.484083	CONCRETE CONTINUOUS	TEE BEAM	81.8
730A6330001	ROANE	0A633	1.904	BRANCH	OPEN	4/24/2017	2017	35.672617	-84.562533	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.1
730A3320001	ROANE	0A639	3.462	CEDAR CREEK	OPEN	4/24/2017	1983	35.6993	-84.535283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
730A3300001	ROANE	0A643	0.836	PAINT ROCK CREEK	OPEN	4/25/2017	1987	35.723583	-84.5164	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
730A6640001	ROANE	0A664	1.703	RILEY CREEK	WEIGHT POSTED	4/25/2017	1965	35.784383	-84.576083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.5
730A3520007	ROANE	0A714	0.022	STAMP CREEK	OPEN	4/24/2017	1979	35.74275	-84.5615	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86
730A3520001	ROANE	0A714	1.911	BARNARD NARROWS BRANCH	OPEN	4/24/2017	1984	35.758617	-84.58085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
730A3520003	ROANE	0A714	2.031	BARNARD NARROWS BRANCH	OPEN	4/24/2017	1984	35.75855	-84.583117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
730A3520009	ROANE	0A714	2.391	BARNARD NARROWS BRANCH	OPEN	4/24/2017	1984	35.760183	-84.589	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
730A3520005	ROANE	0A714	2.745	RILEY CREEK	OPEN	4/25/2017	1979	35.762833	-84.594267	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.9
730A0690003	ROANE	0A719	0.095	DRY FORK CREEK	OPEN	4/25/2017	1991	35.685817	-84.607317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
730A0690001	ROANE	0A719	1.107	HURRICANE CREEK	OPEN	4/25/2017	1925	35.69495	-84.61925	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.9
730A3230003	ROANE	0A732	0.034	BRANCH	OPEN	4/25/2017	1983	35.741183	-84.509683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64
730A3230001	ROANE	0A732	0.811	PAINT ROCK CREEK	OPEN	4/25/2017	1985	35.731917	-84.509467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
730A3330001	ROANE	0A736	0.058	BRANCH	OPEN	4/25/2017	1983	35.6875	-84.535183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
730A1890001	ROANE	0A888	0.021	BOWMAN BRANCH	OPEN	4/19/2017	1960	35.8689	-84.57935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
730A1720001	ROANE	0A890	1.892	SHANTY BRANCH	OPEN	4/19/2017	1935	35.871433	-84.59365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
730A6560001	ROANE	0A992	0.056	CARDIFF CREEK	OPEN	4/19/2017	2016	35.8917	-84.630467	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.9
730A9980001	ROANE	0A998	0.13	BUCK CREEK	OPEN	4/19/2017	2003	35.902667	-84.6049	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.9
73SR0610015	ROANE	0B076	0.048	INDIAN CREEK	OPEN	3/9/2017	1938	36.045917	-84.346683	CONCRETE	TEE BEAM	52.5
730A1810001	ROANE	0B082	0.354	CARDIFF CREEK	OPEN	4/19/2017	1935	35.889367	-84.61955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.1
73037390001	ROANE	0B174	0.129	POPLAR CREEK	WEIGHT POSTED	3/8/2017	1950	35.982583	-84.327083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.8
730X0020001	ROANE	0B470	0.263	EAST FORK POPLAR CREEK	OPEN	3/8/2017	1999	35.956533	-84.36805	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.7
730X0010003	ROANE	0B474	0.117	EAST FORK POPLAR CREEK	OPEN	3/8/2017	1999	35.964083	-84.359733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.7
730A2340001	ROANE	0B485	2.119	PAW PAW CREEK	OPEN	4/11/2017	2000	35.856767	-84.3395	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.6
730A2350003	ROANE	0B485	2.391	PAW PAW CREEK	OPEN	4/11/2017	1986	35.8599	-84.33795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
730A2350005	ROANE	0B485	3.538	PAW PAW CREEK	OPEN	4/11/2017	1934	35.875967	-84.334683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.3
73I00400002	ROANE	I0040	1.08	OAKDALE ROAD (NFA 1203)	OPEN	9/13/2016	1969	35.886817	-84.68665	CONCRETE CONTINUOUS	TEE BEAM	80.5
73I00400005	ROANE	I0040	7.16	SR 61 SOU RWY & BRANCH	OPEN	9/14/2016	1969	35.910033	-84.58935	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.8
73I00400041	ROANE	I0040	7.21	CANEY CREEK	OPEN	9/20/2016	1958	35.90905	-84.588683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
73I00400043	ROANE	I0040	7.24	CANEY CREEK	OPEN	9/20/2016	1960	35.910683	-84.584217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
73I00400008	ROANE	I0040	8.95	SR 29	OPEN	9/14/2016	1970	35.90125	-84.56065	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.7
73I00400007	ROANE	I0040	8.95	SR 29	OPEN	9/14/2016	1970	35.9011	-84.5608	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.6
73I00400009	ROANE	I0040	9.96	PINE RIDGE RD (NFA 1160)	OPEN	9/14/2016	1969	35.894983	-84.545833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
73I00400010	ROANE	I0040	9.96	PINE RIDGE RD (NFA 1160)	OPEN	9/14/2016	1969	35.895133	-84.54585	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
73I00400012	ROANE	I0040	10.59	NFA 1226	OPEN	9/19/2016	1969	35.894633	-84.535083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
73I00400011	ROANE	I0040	10.59	NFA 1226	OPEN	9/19/2016	1969	35.894483	-84.535133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.4
73I00400013	ROANE	I0040	11.15	CLINCH RIVER & NFA A774	OPEN	10/19/2016	1960	35.89035	-84.526567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76
73I00400015	ROANE	I0040	12.34	SR 58	OPEN	9/19/2016	1969	35.881067	-84.50875	CONCRETE CONTINUOUS	TEE BEAM	88.7
73I00400016	ROANE	I0040	12.34	SR 58	OPEN	9/19/2016	1969	35.881283	-84.508583	CONCRETE CONTINUOUS	TEE BEAM	88.7
73I00400021	ROANE	I0040	15.81	YOUNGS CREEK	OPEN	9/20/2016	1969	35.87315	-84.451283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59
73I00400024	ROANE	I0040	16.22	SR 58	OPEN	9/20/2016	1969	35.8715	-84.44405	CONCRETE CONTINUOUS	TEE BEAM	80
73I00400023	ROANE	I0040	16.22	SR 58	OPEN	9/20/2016	1969	35.8714	-84.44425	CONCRETE CONTINUOUS	TEE BEAM	94
73I00400027	ROANE	I0040	18.43	NFA 2366	OPEN	9/21/2016	1970	35.860383	-84.407383	CONCRETE CONTINUOUS	TEE BEAM	69.9
73I00400028	ROANE	I0040	18.43	NFA 2366	OPEN	9/21/2016	1970	35.86055	-84.407083	CONCRETE CONTINUOUS	TEE BEAM	71
73I00400033	ROANE	I0040	20.69	CANEY CREEK	OPEN	9/27/2016	1970	35.8717	-84.371617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
73I00400037	ROANE	I0040	22.86	PAW PAW CREEK	OPEN	9/26/2016	1970	35.879167	-84.335517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
73SR0010001	ROANE	SR001	2.46	SOU Rwy & BLACK CREEK	OPEN	5/8/2017	1952	35.84575	-84.7076	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.9
73SR0010003	ROANE	SR001	10.23	SHANTY CREEK	OPEN	5/8/2017	1952	35.866633	-84.59455	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
73SR0010005	ROANE	SR001	11.07	BOWMAN BRANCH	OPEN	5/8/2017	1953	35.867367	-84.581017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
73SR0010007	ROANE	SR001	14.91	CLINCH RIVER	OPEN	5/16/2017	2006	35.888633	-84.5278	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.1
73SR0290003	ROANE	SR029	7.48	EMORY RIVER	OPEN	5/15/2017	1957	35.928867	-84.556967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	51.8
73SR0290005	ROANE	SR029	8.7	SOUTHERN RAILWAY	OPEN	5/11/2017	1967	35.94125	-84.541867	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
73SR0290007	ROANE	SR029	8.84	BARNETT BRANCH	OPEN	5/11/2017	1968	35.94265	-84.539867	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86
73SR0290009	ROANE	SR029	12.1	SR-29 / SR-61	OPEN	5/10/2017	1963	35.970617	-84.498283	CONCRETE CONTINUOUS	TEE BEAM	48.9
73SR0290011	ROANE	SR029	13.18	LITTLE EMORY RIVER	OPEN	5/10/2017	1962	35.97895	-84.4823	CONCRETE	TEE BEAM	64.6
73SR0580001	ROANE	SR058	11.43	TENNESSEE RIVER	OPEN	5/16/2017	2004	35.85645	-84.533217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.6
73SR0580003	ROANE	SR058	17.56	CLINCH RIVER	OPEN	5/16/2017	1962	35.909467	-84.397933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80
73SR0580005	ROANE	SR058	17.85	NFA E398	OPEN	5/3/2017	2003	35.913483	-84.397417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
73SR0580007	ROANE	SR058	20.74	BEAR CREEK	OPEN	5/4/2017	1960	35.944583	-84.363083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
73SR0610001	ROANE	SR061	3.06	CARDIFF CREEK	OPEN	5/11/2017	1947	35.892767	-84.623333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.9
73SR0610003	ROANE	SR061	3.975	CANEY CREEK	OPEN	5/18/2017	1936	35.89705	-84.607683	CONCRETE	TEE BEAM	74.8
73SR0610004	ROANE	SR061	3.975	CANEY CREEK	OPEN	5/18/2017	1965	35.897133	-84.607717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75
73SR0610017	ROANE	SR061	5.17	CANEY CREEK	OPEN	5/18/2017	1947	35.90775	-84.591783	CONCRETE	TEE BEAM	65.4
73SR0610005	ROANE	SR061	5.5	CANEY CREEK	OPEN	5/18/2017	1950	35.90985	-84.586083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
73SR0610007	ROANE	SR061	5.675	BRANCH	OPEN	5/18/2017	1947	35.911417	-84.583817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
73SR0610011	ROANE	SR061	8.52	LITTLE EMORY RIVER	OPEN	5/10/2017	1935	35.9702	-84.474333	CONCRETE	TEE BEAM	67.8
73SR0610013	ROANE	SR061	14.48	BRANCH	OPEN	5/9/2017	1938	36.01195	-84.384667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
73SR0610021	ROANE	SR061	17.73	BIG MOUNTAIN CREEK	OPEN	5/9/2017	1984	36.0468	-84.347183	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.2
73SR0610019	ROANE	SR061	17.885	INDIAN CREEK	OPEN	5/9/2017	1984	36.0476	-84.344733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.2
73SR0720001	ROANE	SR072	1.87	PAINT ROCK CREEK	OPEN	5/3/2017	1995	35.74145	-84.508483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
73SR0720009	ROANE	SR072	1.98	BRANCH	OPEN	5/3/2017	2012	35.743617	-84.5129	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
73SR0720003	ROANE	SR072	2.16	BRANCH	OPEN	5/3/2017	1970	35.745533	-84.5149	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.6
73SR0720005	ROANE	SR072	4.555	STAMP CREEK	OPEN	5/3/2017	2012	35.764483	-84.543417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
73SR0720007	ROANE	SR072	7.52	RILEY CREEK	OPEN	5/3/2017	1986	35.8013	-84.563067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
73SR0950007	ROANE	SR095	0.94	WHITEOAK CREEK	OPEN	5/17/2017	1983	35.900017	-84.326183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.8
73SR0950001	ROANE	SR095	4.19	BEAR CREEK	OPEN	5/4/2017	1946	35.9374	-84.34055	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.1
73SR0950005	ROANE	SR095	5.43	BEAR CREEK	OPEN	5/4/2017	1982	35.94365	-84.357183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
73SR0580011	ROANE	SR095	5.78	SR-95 / SR-58	OPEN	5/3/2017	1982	35.943633	-84.363583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.2
73SR0950009	ROANE	SR095	5.9	BEAR CREEK	OPEN	5/4/2017	1982	35.944617	-84.36185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
73SR0950004	ROANE	SR095	8.08	EAST FORK POPLAR CREEK	OPEN	5/4/2017	2013	35.969967	-84.346433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
73SR0950003	ROANE	SR095	8.08	EAST FORK POPLAR CREEK	OPEN	5/4/2017	2013	35.969967	-84.346433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
73I00400039	ROANE	SR299	0.05	I-40	OPEN	9/13/2016	1989	35.895106	-84.334361	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
73S24710001	ROANE	SR304	1.38	BLUEGRASS CREEK	OPEN	5/2/2017	1950	35.728517	-84.666483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3
73S24710003	ROANE	SR304	6.07	BACKWATERS OF WATTS BAR	OPEN	5/2/2017	1950	35.7763	-84.617667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
73SR3040001	ROANE	SR304	10.1	BRANCH	OPEN	5/2/2017	1950	35.82225	-84.577567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
73S25530005	ROANE	SR322	2.03	WEST FORK CREEK	OPEN	5/2/2017	1961	35.7216	-84.527883	CONCRETE	TEE BEAM	66.3
73S25530003	ROANE	SR322	2.98	PAINT ROCK CREEK	OPEN	5/2/2017	1961	35.708417	-84.530683	CONCRETE	TEE BEAM	79.4
73S25530001	ROANE	SR322	4.8	BRANCH	OPEN	5/2/2017	1950	35.68365	-84.532267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
73SR0582001	ROANE	SR326	1.05	LADD CREEK	OPEN	5/8/2017	1950	35.868617	-84.447017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
73SR0582003	ROANE	SR326	1.17	YOUNG CREEK	OPEN	5/8/2017	1950	35.86995	-84.445517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
73E00230005	ROANE	SR327	1.39	POPLAR CREEK	OPEN	5/17/2017	1987	35.9419	-84.390867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.5
73S26090003	ROANE	SR327	3.06	DAVIDSON CREEK	OPEN	5/9/2017	1977	35.95995	-84.40155	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.1
73S26090001	ROANE	SR327	3.66	OXIER CREEK	OPEN	5/9/2017	1950	35.968017	-84.403033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
73SR0292001	ROANE	SR328	0.05	SOUTHERN RAILWAY	OPEN	5/11/2017	1985	35.9392	-84.5458	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.9
73SR0620001	ROANE	SR330	0.04	INDIAN CREEK	OPEN	5/9/2017	1969	36.046483	-84.346117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.3
73SR3820001	ROANE	SR382	0.83	CARDIFF CREEK	OPEN	5/11/2017	1970	35.888617	-84.617233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
74004370007	ROBERTSON	00843	1.73	BRANCH	OPEN	5/9/2016	1978	36.487133	-87.043167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.8
74S62770003	ROBERTSON	00843	1.94	MILLERS CREEK	OPEN	5/9/2016	1980	36.487783	-87.039683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
74S62770005	ROBERTSON	00843	4.13	CALBES CREEK	OPEN	5/6/2016	1977	36.496667	-87.007833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
74S62780001	ROBERTSON	00851	3.02	SULPHUR FORK CREEK	OPEN	5/13/2016	1960	36.513567	-86.998133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98
74I00240003	ROBERTSON	00979	0.47	STROUVILLE RD / I24	OPEN	3/16/2016	1973	36.461083	-87.11705	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.7
74F00300003	ROBERTSON	01014	0.97	SULPHUR FORK CREEK	OPEN	4/7/2016	1978	36.467033	-86.77015	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	70.5
74F00300005	ROBERTSON	01014	2.88	LONG BRANCH	OPEN	4/7/2016	1965	36.43975	-86.771167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	75
74F00300007	ROBERTSON	01014	3.51	LONG BRANCH	OPEN	4/7/2016	1970	36.43565	-86.780483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
74010140009	ROBERTSON	01014	6.42	CARR CREEK	OPEN	4/5/2016	1978	36.421067	-86.821533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
74S63740001	ROBERTSON	01019	1.94	CRAWFORD BRANCH	OPEN	4/6/2016	1968	36.455767	-86.868583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
74S63740003	ROBERTSON	01019	2.09	CARR CREEK	OPEN	4/6/2016	1968	36.4578	-86.868817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
74I00650005	ROBERTSON	01021	1.11	NEW HALL RD (1021) / I65	OPEN	3/21/2016	1969	36.435667	-86.706633	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	88.5
74S62820001	ROBERTSON	01021	2.15	MILL BRANCH	OPEN	4/11/2016	1959	36.447367	-86.714583	CONCRETE	TEE BEAM	70
74S62820003	ROBERTSON	01021	3.02	MOSS BRANCH	OPEN	4/11/2016	1960	36.459933	-86.71505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
74S62820005	ROBERTSON	01021	8.92	EMPSON BRANCH	OPEN	4/13/2016	1978	36.5392	-86.7064	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	70.6
74S62820007	ROBERTSON	01021	9.15	HONEY RUN CREEK	OPEN	4/14/2016	1977	36.541683	-86.70395	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
74S62820009	ROBERTSON	01021	10.57	SOUTH FORK RED RIVER	OPEN	4/19/2016	1978	36.558	-86.69215	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
74018840001	ROBERTSON	01884	1.85	ELK FORK CREEK	OPEN	5/3/2016	1978	36.616317	-87.095167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
74018840003	ROBERTSON	01884	4.73	RED RIVER	OPEN	5/3/2016	1975	36.595033	-86.0602	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
74019470001	ROBERTSON	01947	1.21	POLE BRANCH	OPEN	4/8/2016	1970	36.4218	-86.779233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.4
74019470003	ROBERTSON	01947	5.66	WARTRACE CREEK	OPEN	4/7/2016	2003	36.460033	-86.826683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
74019470005	ROBERTSON	01947	6.08	BRANCH	OPEN	4/7/2016	1930	36.465033	-86.831317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
74019470007	ROBERTSON	01947	7.72	WARTRACE CREEK	OPEN	5/18/2016	1940	36.48175	-86.850033	CONCRETE	TEE BEAM	79.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
74042340001	ROBERTSON	01947	8.36	INDUST ACCESS RD / CSX R	OPEN	5/18/2016	1989	36.485517	-86.85965	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.6
74019510001	ROBERTSON	01951	0.96	BRANCH	OPEN	4/13/2016	1950	36.5403	-86.765833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.4
74019510003	ROBERTSON	01951	2.08	BEAVER DAM CREEK	OPEN	4/13/2016	1960	36.524483	-86.763033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
74019510005	ROBERTSON	01951	3.61	SANTEE CREEK	OPEN	4/12/2016	1950	36.5027	-86.7629	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.3
74019510007	ROBERTSON	01951	3.71	BRANCH	OPEN	4/12/2016	1950	36.501317	-86.763283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
74019530003	ROBERTSON	01953	0.82	BRANCH	OPEN	4/15/2016	2009	36.4827	-86.655883	CONCRETE	ARCH - DECK	94.9
74100650013	ROBERTSON	01953	2.46	CALISTIA RD / I65	OPEN	3/22/2016	1969	36.499983	-86.666717	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	84.4
74019530001	ROBERTSON	01953	4.8	HONEY RUN CREEK	OPEN	4/14/2016	1975	36.531	-86.669433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
74019550001	ROBERTSON	01955	4.17	BUZZARD CREEK	OPEN	5/4/2016	1950	36.60495	-86.9824	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.5
74100240009	ROBERTSON	01958	0.25	GAUSE RD / I24	OPEN	3/17/2016	1970	36.431703	-87.072486	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.7
74019580007	ROBERTSON	01958	0.67	BRUSH CREEK	OPEN	5/12/2016	1970	36.434533	-87.0663	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
74562800001	ROBERTSON	01958	3.61	BRANCH	OPEN	5/10/2016	1950	36.444867	-87.01915	CONCRETE	TEE BEAM	72.3
74562800003	ROBERTSON	01958	4.2	MILLERS CREEK	OPEN	5/10/2016	1974	36.447767	-87.00985	CONCRETE	TEE BEAM	83.1
74019580001	ROBERTSON	01958	5.89	CALEBS CREEK	OPEN	5/10/2016	1965	36.454633	-86.983567	CONCRETE	TEE BEAM	72.4
74019600001	ROBERTSON	01960	3.43	RED RIVER	OPEN	4/20/2016	1960	36.605917	-86.80085	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9
74019600003	ROBERTSON	01960	4.7	BRANCH	OPEN	4/20/2016	1940	36.5956	-86.812733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
74561210001	ROBERTSON	01963	2.73	SPRING CREEK	OPEN	4/20/2016	1978	36.641067	-86.919367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
740A7740001	ROBERTSON	03297	0.84	SULPHUR CREEK	OPEN	5/18/2016	2011	36.520833	-86.8865	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86
740A3260001	ROBERTSON	04528	0.66	WARTRACE CREEK	OPEN	5/18/2016	1997	36.497483	-86.8503	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
740A3800001	ROBERTSON	04649	2.72	CARR CREEK	OPEN	5/5/2016	1975	36.49585	-86.92845	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
740A3240001	ROBERTSON	05353	0.61	WARTRACE CREEK	OPEN	5/18/2016	1975	36.473233	-86.836617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
74055080001	ROBERTSON	05508	0.29	CARR CREEK	OPEN	5/18/2016	1989	36.467167	-86.888167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.8
740A2040001	ROBERTSON	06081	2.28	FREY BRANCH	OPEN	4/12/2016	2006	36.489333	-86.676517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
74I00650007	ROBERTSON	06082	0.927	UNION RD (A256) / I65	OPEN	3/21/2016	1969	36.455783	-86.692683	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	91.6
740A2560001	ROBERTSON	06082	1.519	MILL BRANCH	OPEN	4/11/2016	1960	36.447217	-86.69085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
740A0070001	ROBERTSON	0A007	3.241	ELK FORK CREEK	OPEN	5/3/2016	1991	36.6313	-87.0946	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.2
740A0160001	ROBERTSON	0A016	0.167	RED RIVER	OPEN	5/4/2016	1996	36.62415	-86.008583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
740A0250001	ROBERTSON	0A025	0.328	STURGEON CREEK	OPEN	5/4/2016	1982	36.594167	-87.037117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.6
740A0300001	ROBERTSON	0A030	0.285	STURGEON CREEK	OPEN	5/3/2016	1986	36.56385	-87.0139	CONCRETE	SLAB	91.8
740A0330001	ROBERTSON	0A033	0.08	BUZZARD CREEK	OPEN	5/4/2016	2002	36.603	-86.980933	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.8
740A0390001	ROBERTSON	0A039	0.971	SPRING CREEK	OPEN	4/20/2016	1981	36.64335	-86.952733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.1
740A0690001	ROBERTSON	0A069	0.514	SPRING CREEK	OPEN	4/20/2016	1975	36.617317	-86.894567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
740A0690003	ROBERTSON	0A069	1.75	VALLEY BRANCH	OPEN	4/20/2016	1975	36.627017	-86.894517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
740A0850001	ROBERTSON	0A085	0.573	SOUTH FORK RED RIVER	OPEN	4/20/2016	1950	36.648217	-86.84355	CONCRETE	TEE BEAM	70.3
740A0860001	ROBERTSON	0A086	1.179	SOUTH FORK RED RIVER	OPEN	4/20/2016	1970	36.633367	-86.67835	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9
74I00240011	ROBERTSON	0A088	0.143	JACK TEASLEY RD / I24	OPEN	3/17/2016	1970	36.408439	-87.037311	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	88.4
740A1050001	ROBERTSON	0A105	0.944	SOUTH FORK RED RIVER	OPEN	4/19/2016	1970	36.59455	-86.778617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
740A1260001	ROBERTSON	0A126	2.131	SOUTH FORK RED RIVER	OPEN	4/19/2016	1985	36.586433	-86.737033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.2
740A1300001	ROBERTSON	0A130	2.087	HONEY RUN CREEK	OPEN	4/19/2016	1992	36.56735	-86.7208	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.9
740A1320001	ROBERTSON	0A132	2.479	SOUTH FORK RED RIVER	OPEN	4/19/2016	1950	36.562517	-86.7053	CONCRETE	TEE BEAM	61.3
740A1380001	ROBERTSON	0A138	1.6	BRANCH	OPEN	4/18/2016	2008	36.626	-86.686	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
740A1420001	ROBERTSON	0A142	1.605	RED RIVER	OPEN	4/18/2016	1975	36.624167	-86.652133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.4
740A1430001	ROBERTSON	0A143	1.001	SUMMERS BRANCH	OPEN	4/18/2016	1922	36.6385	-86.651733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
740A1470001	ROBERTSON	0A147	0.392	SUMMERS BRANCH	OPEN	4/18/2016	1970	36.64055	-86.610917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
740A1480001	ROBERTSON	0A148	1.877	SUMMERS BRANCH	OPEN	4/18/2016	1978	36.638917	-86.605317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
74I00650041	ROBERTSON	0A149	0.472	NFA A149 / I65	OPEN	4/1/2016	1967	36.63305	-86.57355	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.7
74I00650037	ROBERTSON	0A151	2.216	NFA A151 / I65	OPEN	4/1/2016	1967	36.620633	-86.5774	CONCRETE CONTINUOUS	TEE BEAM	87.8
74I00650035	ROBERTSON	0A156	2.564	NFA A156 / I65	OPEN	4/1/2016	1967	36.602067	-86.587483	CONCRETE CONTINUOUS	TEE BEAM	91.3
740A1660001	ROBERTSON	0A166	0.358	RED RIVER	OPEN	4/15/2016	1979	36.596833	-86.6325	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
740A1670001	ROBERTSON	0A167	1.216	RED RIVER	OPEN	4/15/2016	1935	36.580533	-86.623983	CONCRETE	TEE BEAM	69.5
740A1670003	ROBERTSON	0A167	2.48	SOMERVILLE BRANCH	OPEN	4/15/2016	1960	36.56355	-86.62435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
740A1740001	ROBERTSON	0A174	2.507	BRANCH	OPEN	4/14/2016	1950	36.556817	-86.663483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
740A1740003	ROBERTSON	0A174	3.18	SOUTH FORK RED RIVER	OPEN	4/14/2016	1965	36.549483	-86.6708	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.3
740A1770001	ROBERTSON	0A177	0.808	RED RIVER	OPEN	4/14/2016	1981	36.547133	-86.6632	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96
740A1960001	ROBERTSON	0A196	1.357	EMPSON FREY BRANCH	OPEN	4/12/2016	1970	36.507717	-86.6884	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
740A1970001	ROBERTSON	0A197	0.821	HONEY RUN CREEK	OPEN	4/14/2016	1975	36.538483	-86.689383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
740A1980003	ROBERTSON	0A198	0.25	EMPSON BRANCH	OPEN	4/12/2016	2006	36.50975	-86.691	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
740A1980001	ROBERTSON	0A198	1.797	BRANCH	OPEN	4/12/2016	2006	36.5136	-86.711833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
740A2030001	ROBERTSON	0A203	0.263	HONEY RUN CREEK	OPEN	4/11/2016	1987	36.48955	-86.64895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
740A2070001	ROBERTSON	0A207	0.955	SANTEE CREEK	OPEN	4/13/2016	1981	36.4977	-86.77795	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.8
740A2120001	ROBERTSON	0A212	6.741	BEAVER DAM CREEK	OPEN	4/13/2016	1970	36.527933	-86.824683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
740A2130001	ROBERTSON	0A213	2.689	SANTEE CREEK	OPEN	4/12/2016	1999	36.508217	-86.742967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
740A2200001	ROBERTSON	0A220	0.167	BEAVER DAM CREEK	OPEN	4/13/2016	1975	36.531433	-86.81275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
740A2390003	ROBERTSON	0A239	0.28	BRANCH	OPEN	4/7/2016	1999	36.464033	-86.831117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
740A2390001	ROBERTSON	0A239	2.817	BRANCH	OPEN	4/7/2016	1978	36.467167	-86.7912	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
740A2410001	ROBERTSON	0A241	2.476	BRANCH	OPEN	4/7/2016	1997	36.451767	-86.778817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
740A2570001	ROBERTSON	0A257	1.12	MOSS BRANCH	OPEN	4/11/2016	2006	36.460083	-86.706	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
740A2580001	ROBERTSON	0A258	0.68	MILL BRANCH	OPEN	4/11/2016	2004	36.448	-86.688	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
740A2610001	ROBERTSON	0A261	1.943	SULPHUR FORK CREEK	OPEN	4/8/2016	1975	36.45805	-86.745067	CONCRETE	TEE BEAM	86.9
740A2620001	ROBERTSON	0A262	0.361	PEYTON BRANCH	OPEN	4/8/2016	1978	36.445567	-86.752167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
740A2620003	ROBERTSON	0A262	1.263	SULPHUR FORK CREEK	OPEN	4/8/2016	1975	36.4473	-86.73715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
740A2630001	ROBERTSON	0A263	0.098	PEYTON CREEK	OPEN	4/8/2016	1992	36.444133	-86.752667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.6
740A2880001	ROBERTSON	0A288	1.431	SULPHUR FORK CREEK	OPEN	4/11/2016	1975	36.429867	-86.7136	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
740A2990001	ROBERTSON	0A299	1.469	BRANCH	OPEN	4/5/2016	1986	36.389836	-86.795169	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
740A2990003	ROBERTSON	0A299	4.79	DICKERSON BRANCH	OPEN	4/5/2016	1984	36.386833	-86.849983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
740A3010001	ROBERTSON	0A301	0.295	NORTH FORK SYCAMORE CREEK	OPEN	4/5/2016	1982	36.384667	-86.858833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.8
740A3120001	ROBERTSON	0A312	0.61	BEDNIGO BRANCH	OPEN	4/4/2016	1983	36.418	-86.893667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	71.7
740A3120003	ROBERTSON	0A312	0.722	BEDNIGO BRANCH	OPEN	4/4/2016	1982	36.416167	-86.894	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	71.7
740A3120005	ROBERTSON	0A312	0.925	BEDNIGO BRANCH	OPEN	4/4/2016	1975	36.413333	-86.893167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
740A3120007	ROBERTSON	0A312	1.104	BEDNIGO CREEK	OPEN	4/4/2016	1960	36.410833	-86.893667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	66.8
740A3120009	ROBERTSON	0A312	1.719	BEDNIGO BRANCH	OPEN	4/4/2016	1988	36.4025	-86.895333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
740A3120011	ROBERTSON	0A312	2.191	BEDNIGO BRANCH	OPEN	4/4/2016	1940	36.396183	-86.89705	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
740A3120013	ROBERTSON	0A312	2.482	BEDNIGO CREEK	OPEN	4/4/2016	2000	36.392167	-86.898167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
740A3170001	ROBERTSON	0A317	1.165	CARR CREEK	OPEN	4/6/2016	1970	36.433817	-86.8462	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
740A3330003	ROBERTSON	0A333	0.39	CRAWFORD BRANCH	OPEN	4/6/2016	2006	36.4522	-86.874467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
740A3330001	ROBERTSON	0A333	1.03	CRAWFORD BRANCH	OPEN	4/6/2016	1970	36.45215	-86.885933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
740A3380001	ROBERTSON	0A338	0.5	POOR HOUSE BRANCH	OPEN	4/21/2016	1965	36.45865	-86.900533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
740A3500001	ROBERTSON	0A350	1.375	CARR CREEK	OPEN	4/21/2016	1960	36.474267	-86.912867	CONCRETE	TEE BEAM	61.6
740A3510001	ROBERTSON	0A351	1.212	CARR CREEK	OPEN	4/21/2016	1975	36.479383	-86.925583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.4
740A3530001	ROBERTSON	0A353	0.024	BROWNS FORK CREEK	OPEN	4/21/2016	1999	36.478233	-86.935333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
740A3530003	ROBERTSON	0A353	1.799	BROWNS FORK CREEK	OPEN	4/21/2016	1984	36.457533	-86.93115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
740A3560001	ROBERTSON	0A356	1.273	HOLLIS CREEK	OPEN	5/19/2016	1987	36.406167	-86.9906	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.7
740A3620001	ROBERTSON	0A362	4.764	BRANCH	OPEN	5/10/2016	1970	36.4477	-87.010867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
740A3670001	ROBERTSON	0A367	0.589	HOLLIS CREEK	OPEN	5/19/2016	1960	36.385783	-86.978517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
740A3670003	ROBERTSON	0A367	1.13	HOLLIS CREEK	OPEN	5/19/2016	1955	36.3936	-86.979417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.4
740A3680001	ROBERTSON	0A368	0.051	HOLLIS CREEK	OPEN	5/23/2016	1975	36.377833	-86.9824	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
740A3720001	ROBERTSON	0A372	0.025	BRANCH	OPEN	5/19/2016	1983	36.395083	-86.979033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
740A3720003	ROBERTSON	0A372	1.006	HOLLIS CREEK	OPEN	5/19/2016	1960	36.405167	-86.989783	CONCRETE	TEE BEAM	76.2
740A3740001	ROBERTSON	0A374	1.673	BATTLE CREEK	OPEN	5/23/2016	1960	36.385183	-86.943133	CONCRETE CONTINUOUS	TEE BEAM	77
740A3760001	ROBERTSON	0A376	0.007	BATTLE CREEK	OPEN	5/23/2016	1978	36.400583	-86.9456	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
740A3850001	ROBERTSON	0A385	1.205	CALEBS CREEK	OPEN	5/23/2016	1995	36.451633	-86.965917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
740A3870001	ROBERTSON	0A387	1.124	HOOD BRANCH	OPEN	5/6/2016	1997	36.494217	-86.955917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.7
740A4000001	ROBERTSON	0A400	1.758	CALEBS CREEK	OPEN	5/9/2016	1960	36.478483	-87.004717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
740A4020001	ROBERTSON	0A402	0	HONEY RUN CREEK	OPEN	5/9/2016	1982	36.487017	-87.0412	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
740A4090001	ROBERTSON	0A409	0.789	BRUSH CREEK	OPEN	5/12/2016	1999	36.450533	-87.071767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
740A0426001	ROBERTSON	0A426	0.316	SPRING CREEK	OPEN	4/20/2016	2002	36.625183	-86.90685	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
740A4320001	ROBERTSON	0A432	0.328	WEST FORK CREEK	OPEN	5/12/2016	1960	36.4819	-87.1017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3
740A4320003	ROBERTSON	0A432	1.023	BRUSHY CREEK	OPEN	5/12/2016	1960	36.4808	-87.089267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
740A4380001	ROBERTSON	0A438	4.013	BRUSHY CREEK	OPEN	5/9/2016	1987	36.513783	-87.09275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
740A4420001	ROBERTSON	0A442	1.12	MILLERS CREEK	OPEN	5/6/2016	1995	36.50715	-87.035683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
740A4730001	ROBERTSON	0A473	1.824	BRANCH	OPEN	5/5/2016	1949	36.542267	-86.9438	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
740A4760001	ROBERTSON	0A476	2.02	SPRING CREEK	OPEN	5/5/2016	1965	36.536017	-86.955017	CONCRETE	TEE BEAM	72.3
740A4800001	ROBERTSON	0A480	1.233	SULPHUR FORK	OPEN	5/13/2016	1960	36.519283	-86.912317	CONCRETE	TEE BEAM	45.9
740A4820001	ROBERTSON	0A482	0.034	CSX RAILROAD	OPEN	5/5/2016	1990	36.5184	-86.9226	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87
740A5950001	ROBERTSON	0A595	0.7	CARR CREEK	OPEN	4/5/2016	1955	36.415967	-86.807433	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.2
740A5980001	ROBERTSON	0A598	1.174	CARR CREEK	OPEN	4/5/2016	1950	36.41305	-86.793167	CONCRETE	TEE BEAM	73.2
74M32990001	ROBERTSON	0A864	0.01	BRANCH	OPEN	5/18/2016	1965	36.5137	-86.882117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
74S62790003	ROBERTSON	0B003	1.127	SULFUR FORK CREEK	OPEN	5/5/2016	1962	36.51645	-86.91315	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	60.1
74S62790001	ROBERTSON	0B003	4.037	SPRING CREEK	OPEN	5/5/2016	1960	36.5304	-86.961067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.4
740B3710001	ROBERTSON	0B371	0.12	CARR CREEK	OPEN	4/22/2016	2008	36.410833	-86.790167	CONCRETE	ARCH - DECK	99
74I00240001	ROBERTSON	I0024	0.14	PASSENGER CREEK	OPEN	3/16/2016	1973	36.46685	-87.126667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
74I00240002	ROBERTSON	I0024	0.14	PASSENGER CREEK	OPEN	3/16/2016	1973	36.467617	-87.125467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
74I00240005	ROBERTSON	I0024	1.15	WEST FORK CREEK	OPEN	3/16/2016	1973	36.457733	-87.111567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
74I00240006	ROBERTSON	I0024	1.15	WEST FORK CREEK	OPEN	3/16/2016	1973	36.45865	-87.111783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
74I00240017	ROBERTSON	I0024	1.44	HOLLIS CREEK	OPEN	3/18/2016	1973	36.374683	-86.98545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
74I00240019	ROBERTSON	I0024	1.5	I24 RL/MCMAHON HOLLOW RD	OPEN	3/18/2016	1972	36.374383	-86.984367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
74I00240020	ROBERTSON	I0024	1.5	I24 LL/MCMAHON HOLLOW RD	OPEN	3/18/2016	1972	36.373933	-86.98445	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
74I00240022	ROBERTSON	I0024	2.31	SYCAMORE CREEK	OPEN	3/18/2016	1972	36.3696	-86.9713	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.2
74I00240021	ROBERTSON	I0024	2.31	SYCAMORE CREEK	OPEN	3/18/2016	1972	36.368617	-86.9717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
74I00650003	ROBERTSON	I0065	0.2	I65 LL / BETHEL RD	OPEN	3/21/2016	1972	36.417667	-86.7187	CONCRETE CONTINUOUS	TEE BEAM	79.9
74I00650009	ROBERTSON	I0065	4.26	I65 RL / SPRINGFIELD RD.	OPEN	3/21/2016	1969	36.468733	-86.68225	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
74I00650010	ROBERTSON	I0065	4.26	I65 LL / SPRINGFIELD RD.	OPEN	3/21/2016	1969	36.468783	-86.682767	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
74I00650011	ROBERTSON	I0065	5.72	I65 RL / BILL MOSS RD	OPEN	3/22/2016	1969	36.488383	-86.673033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
74I00650012	ROBERTSON	I0065	5.72	I65 LL / BILL MOSS RD	OPEN	3/22/2016	1969	36.488467	-86.673467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
74I00650015	ROBERTSON	I0065	7.5	HONEY RUN CREEK	OPEN	3/22/2016	1969	36.510017	-86.656183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
74I00650017	ROBERTSON	I0065	7.56	I65 RL / HORSESHOE RD.	OPEN	3/22/2016	1969	36.510667	-86.655567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.4
74I00650018	ROBERTSON	I0065	7.56	I65 LL / HORSESHOE RD.	OPEN	3/22/2016	1969	36.510833	-86.65585	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.4
74I00650021	ROBERTSON	I0065	9.41	SOUTH FORK RED RIVER	OPEN	3/28/2016	1967	36.534	-86.640267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
74I00650022	ROBERTSON	I0065	9.41	SOUTH FORK RED RIVER	OPEN	3/28/2016	1967	36.534133	-86.640533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
74I00650023	ROBERTSON	I0065	10.32	I65 RL / GUTHRIE RD	OPEN	3/28/2016	1967	36.546033	-86.634233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92
74I00650024	ROBERTSON	I0065	10.32	I65 LL / GUTHRIE RD	OPEN	3/28/2016	1967	36.546417	-86.63475	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
74I00650026	ROBERTSON	I0065	11.13	I65 LL / CEDAR GROVE RD	OPEN	3/29/2016	1967	36.556983	-86.6278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.7
74I00650025	ROBERTSON	I0065	11.13	I65 RL / CEDAR GROVE RD	OPEN	3/29/2016	1967	36.555	-86.628333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.7
74I00650027	ROBERTSON	I0065	11.63	BRANCH	OPEN	3/29/2016	1967	36.5631	-86.62345	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
74I00650029	ROBERTSON	I0065	13.04	RED RIVER	OPEN	3/29/2016	1967	36.581283	-86.611483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.6
74I00650030	ROBERTSON	I0065	13.04	RED RIVER	OPEN	3/29/2016	1967	36.581467	-86.6119	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.6
74I00650031	ROBERTSON	I0065	13.24	BUNTIN BRANCH	OPEN	4/1/2016	1967	36.58405	-86.60925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94
74I00650032	ROBERTSON	I0065	13.26	BUNTIN BRANCH	OPEN	4/1/2016	1967	36.583683	-86.610067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94
74I00650039	ROBERTSON	I0065	16.78	SUMMERS BRANCH	OPEN	4/1/2016	1967	36.625233	-86.57525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
74SR0110003	ROBERTSON	SR011	11.01	BRANCH	OPEN	6/1/2016	1905	36.51475	-86.881717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
74SR0110005	ROBERTSON	SR011	11.26	SULPHUR FORK CREEK	OPEN	6/1/2016	1949	36.518167	-86.8825	CONCRETE	TEE BEAM	53
74SR0110006	ROBERTSON	SR011	11.26	SULPHUR FORK CREEK	OPEN	6/1/2016	1949	36.516667	-86.881667	CONCRETE	TEE BEAM	54
74SR0110013	ROBERTSON	SR011	11.46	BRANCH	OPEN	6/1/2016	2000	36.5058	-86.867117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64
74SR0110007	ROBERTSON	SR011	24.03	CSX RAILROAD	OPEN	6/7/2016	1976	36.5877	-87.079167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.5
74SR0110009	ROBERTSON	SR011	24.58	RED RIVER	OPEN	6/7/2016	1976	36.590017	-87.087917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.2
74SR0250001	ROBERTSON	SR025	12.72	HONEY RUN CREEK	OPEN	6/3/2016	2014	36.549617	-86.7128	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.1
74I00650019	ROBERTSON	SR025	17.04	SR 25 / I65	OPEN	3/28/2016	1967	36.526667	-86.643333	CONCRETE CONTINUOUS	TEE BEAM	85.5
74I00240023	ROBERTSON	SR049	0.14	SR 49 RL / I24	OPEN	3/17/2016	1972	36.40175	-87.02545	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	100
74I00240024	ROBERTSON	SR049	0.14	SR 49 LL / I24	OPEN	3/17/2016	1972	36.001833	-87.025717	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	100
74SR0490001	ROBERTSON	SR049	3.52	MILLERS CREEK	OPEN	6/2/2016	1931	36.431667	-86.98	CONCRETE	TEE BEAM	27.5
74SR0490003	ROBERTSON	SR049	4.93	CALEBS CREEK	OPEN	6/2/2016	1931	36.447883	-86.96205	CONCRETE	TEE BEAM	31.5
74SR0490005	ROBERTSON	SR049	7.92	CARRS CREEK	OPEN	6/2/2016	1931	36.481567	-86.929461	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.8
74SR0490009	ROBERTSON	SR049	12.45	WARTRACE CREEK	OPEN	6/2/2016	1974	36.510817	-86.863817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
74SR0490011	ROBERTSON	SR049	12.61	SULPHUR FORK CREEK	OPEN	6/2/2016	1974	36.512983	-86.862933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78.1
74SR0490013	ROBERTSON	SR049	20.57	RED RIVER	OPEN	6/3/2016	1997	36.592233	-86.7643	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.7
74SR0520001	ROBERTSON	SR052	3.54	NEAL BRANCH	OPEN	6/3/2016	1962	36.603467	-86.656667	CONCRETE	TEE BEAM	63.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
74SR0520003	ROBERTSON	SR052	4.41	RED RIVER	OPEN	6/3/2016	1960	36.602933	-86.640017	CONCRETE CONTINUOUS	TEE BEAM	60.2
74I00650033	ROBERTSON	SR052	6.76	SR 52 / I65	OPEN	4/1/2016	1967	36.5914	-86.60125	CONCRETE CONTINUOUS	TEE BEAM	94.9
74SR0650003	ROBERTSON	SR065	5.46	CARR CREEK	OPEN	6/8/2016	1987	36.46765	-86.893267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.5
74SR0760001	ROBERTSON	SR076	0.21	SULPHUR FORK CREEK	OPEN	6/9/2016	1957	36.539383	-87.11415	CONCRETE CONTINUOUS	TEE BEAM	41.5
74SR0760003	ROBERTSON	SR076	4.66	CSX RAILROAD	OPEN	6/7/2016	1940	36.5814	-87.067367	CONCRETE	TEE BEAM	81.9
74SR0760005	ROBERTSON	SR076	9.3	SULPHUR FORK CREEK	OPEN	6/8/2016	1950	36.484817	-86.791683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.9
74SR1610001	ROBERTSON	SR161	9.6	RED RIVER	OPEN	6/7/2016	1961	36.639817	-86.979767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75
74I00240007	ROBERTSON	SR256	0.39	SR 256 / I24	OPEN	3/17/2016	1970	36.449683	-87.1164	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	88
74S62770001	ROBERTSON	SR256	2.2	BRUSH CREEK	OPEN	6/6/2016	1965	36.46945	-87.080717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
74S63430001	ROBERTSON	SR256	5.89	SULPHUR FORK CREEK	OPEN	6/6/2016	1961	36.515333	-87.056717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	64.9
74S63430003	ROBERTSON	SR256	7.87	CHAMBERS SPRINGS CREEK	OPEN	6/6/2016	1970	36.543167	-87.060617	CONCRETE	TEE BEAM	78.7
74I00650001	ROBERTSON	SR257	0.99	BETHEL RD / I65 NBL	OPEN	3/21/2016	1969	36.417417	-86.717233	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97
74S62780003	ROBERTSON	SR257	1.68	BROWNS FORK CREEK	OPEN	6/9/2016	1955	36.441117	-86.93515	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
74S62780005	ROBERTSON	SR257	2.63	BRUSHY CREEK	OPEN	6/9/2016	1955	36.442917	-86.919717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
74SR2570001	ROBERTSON	SR257	13.03	BRANCH	OPEN	6/8/2016	1982	36.413883	-86.76735	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
75FA8000001	RUTHERFORD	00800	0.17	LYTLE CREEK	OPEN	9/20/2016	1956	35.827233	-86.39125	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.8
75F00400001	RUTHERFORD	00986	1.98	ROCKY FORK CREEK	OPEN	7/11/2016	1972	35.926533	-86.58595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
75I00240041	RUTHERFORD	01044	0.48	EPPS MILL RD / I24	OPEN	6/22/2016	1968	35.7224	-86.320367	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.1
75F00750003	RUTHERFORD	01044	1.27	MIDDLE FORK STONES RIVER	OPEN	8/3/2016	1989	35.72015	-86.333383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79
75S61890007	RUTHERFORD	01046	0.26	MCKNIGHT BRANCH	OPEN	9/6/2016	1955	35.884	-86.160133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.2
75010460015	RUTHERFORD	01046	1.04	BRANCH	OPEN	9/6/2016	1940	35.895683	-86.159883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75S61890009	RUTHERFORD	01046	1.65	BRANCH	OPEN	9/6/2016	1947	35.904583	-86.1595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	53.7
75010460001	RUTHERFORD	01046	2.18	OVERFLOW	OPEN	9/13/2016	2009	35.856817	-86.346817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
75S61890011	RUTHERFORD	01046	2.75	BRANCH	OPEN	9/6/2016	1950	35.9169	-86.169667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.1
75S61890013	RUTHERFORD	01046	3.86	BRANCH	OPEN	9/6/2016	1959	35.929017	-86.1804	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
75S61890017	RUTHERFORD	01046	6.81	CRIPPLE CREEK	OPEN	9/9/2016	1958	35.874117	-86.268467	CONCRETE	TEE BEAM	61.5
75S61890003	RUTHERFORD	01046	8.71	BRANCH	OPEN	9/9/2016	1986	35.8705	-86.235667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
75S61890005	RUTHERFORD	01046	10.82	EAST FORK STONES RIVER	OPEN	9/9/2016	1962	35.860467	-86.20225	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72.5
75010470001	RUTHERFORD	01047	2.88	BRANCH	OPEN	7/27/2016	2015	35.671	-86.471	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
75F00250001	RUTHERFORD	01047	3.2	BRANCH	OPEN	7/26/2016	1955	35.669733	-86.475867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72
75F00250003	RUTHERFORD	01047	5.01	WEST FORK STONES RIVER	OPEN	7/25/2016	1977	35.69145	-86.4842	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
75010480003	RUTHERFORD	01048	1.91	NFA1059 & CSX RAILROAD	OPEN	9/26/2016	1998	35.873917	-86.4932	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	91.6
75F00090001	RUTHERFORD	01055	5.3	WEST FORK STONES RIVER	OPEN	9/21/2016	1977	35.939983	-86.4647	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.7
75I00240015	RUTHERFORD	01055	9.22	FLORENCE ROAD / I24	OPEN	6/17/2016	1996	35.889733	-86.4811	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.8
75SR8400017	RUTHERFORD	01055	9.82	FLORENCE RD./SR 840	OPEN	10/6/2016	1997	35.880417	-86.481333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.1
75F00090005	RUTHERFORD	01055	11.39	OVERALL CREEK	OPEN	7/12/2016	1970	35.858783	-86.483667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.9
75010570001	RUTHERFORD	01057	0.31	CSX RAILROAD	OPEN	7/1/2016	1983	36.0218	-86.590633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.4
75F00490001	RUTHERFORD	01057	1.685	HURRICANE CREEK	OPEN	7/1/2016	2014	36.002683	-86.596033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
75F00490003	RUTHERFORD	01057	2.02	HURRICANE CREEK	OPEN	7/1/2016	1968	35.997683	-86.596683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
75I00240003	RUTHERFORD	01057	2.17	WALDRON RD / I24	OPEN	6/13/2016	1968	35.995	-86.59665	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
75010590005	RUTHERFORD	01059	3.39	ROCK SPRINGS BRANCH	OPEN	7/6/2016	2000	35.981433	-86.543483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75F00460003	RUTHERFORD	01059	5.71	STEWARTS CREEK	OPEN	8/18/2016	1930	35.955767	-86.5166	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
75F00460001	RUTHERFORD	01059	10.31	OVERALL CREEK	OPEN	8/18/2016	1936	35.906117	-86.461683	CONCRETE	TEE BEAM	58.4
75SR8400023	RUTHERFORD	01059	10.87	NFA 1059 / I840	OPEN	10/10/2016	1995	35.90025	-86.455117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.2
750A0380001	RUTHERFORD	01059	14.58	WEST FORK STONES RIVER	OPEN	9/26/2016	1996	35.860583	-86.410833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
75F00030001	RUTHERFORD	01061	3.17	STONES RIVER	OPEN	9/23/2016	1969	36.039567	-86.485617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	40.7
750B3310001	RUTHERFORD	01061	7.78	BRYANT CREEK	OPEN	8/16/2016	1960	36.08725	-86.514517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
75S63050005	RUTHERFORD	01084	0.25	STEWARTS CREEK	OPEN	7/12/2016	1970	35.884	-86.567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
75SR8400013	RUTHERFORD	01084	4.56	MANSON PIKE / SR 840	OPEN	10/6/2016	1997	35.874817	-86.493683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9
75S63050001	RUTHERFORD	01084	6.03	OVERALL CREEK	OPEN	7/12/2016	2004	35.871033	-86.467867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90
75I00240019	RUTHERFORD	01084	6.78	FORTRESS BLVD / I24	OPEN	6/20/2016	2003	35.867333	-86.457683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
75S63050003	RUTHERFORD	01084	9.7	W. FORK STONES RIVER	OPEN	9/26/2016	1970	35.85705	-86.412967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
75010840001	RUTHERFORD	01084	9.76	CSX RAILROAD & ROSEBANK	OPEN	9/26/2016	2005	35.85705	-86.412967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
75SR0010029	RUTHERFORD	01376	0.98	BRANCH	OPEN	8/12/2016	1924	35.8195	-86.1905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
75014030003	RUTHERFORD	01403	0.2	CSX RR	OPEN	8/11/2016	2008	35.812267	-86.37685	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.9
75014030001	RUTHERFORD	01403	1.18	LYTLE CREEK	OPEN	8/11/2016	2009	35.812267	-86.37685	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74.6
75S63140001	RUTHERFORD	01424	1.75	BIG SPRINGS CREEK	OPEN	8/5/2016	1958	35.779733	-86.349767	CONCRETE	TEE BEAM	76.6
75S63140003	RUTHERFORD	01424	2.49	BRANCH	OPEN	8/5/2016	1958	35.712333	-86.258983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
75S63140005	RUTHERFORD	01424	7.41	CRIPPLE CREEK	OPEN	8/8/2016	2001	35.767467	-86.21495	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87.1
75S63140007	RUTHERFORD	01424	8.91	CRIPPLE CREEK	OPEN	8/8/2016	1962	35.785033	-86.210533	CONCRETE	SLAB	71.1
75019340001	RUTHERFORD	01934	1.84	BRANCH	OPEN	7/8/2016	1983	35.813933	-86.604417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
75019340003	RUTHERFORD	01934	2.29	BRANCH	OPEN	7/8/2016	1981	35.8281	-86.600017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75019340005	RUTHERFORD	01934	3.68	WINDROW BRANCH	OPEN	7/8/2016	1980	35.820817	-86.577267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.2
75019340007	RUTHERFORD	01934	4.19	BRANCH	OPEN	7/8/2016	1981	35.801217	-86.569233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
75019340015	RUTHERFORD	01934	5.05	WINDROW BRANCH	OPEN	7/8/2016	1950	35.798583	-86.555083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.7
75019340009	RUTHERFORD	01934	6.97	BRANCH	OPEN	7/13/2016	1960	35.809517	-86.526967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.8
75019340011	RUTHERFORD	01934	7.97	OVERALL CREEK	OPEN	7/13/2016	1976	35.8114	-86.510383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
75019340013	RUTHERFORD	01934	10.26	PUCKETTS CREEK	OPEN	7/13/2016	1989	35.80885	-86.470033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
75020110001	RUTHERFORD	02011	4.29	ARMSTRONG CREEK	OPEN	7/13/2016	1988	35.7963	-86.4725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
75020110003	RUTHERFORD	02011	4.83	ARMSTRONG CREEK	OPEN	7/13/2016	1980	35.8041	-86.472133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.1
75020130003	RUTHERFORD	02013	0.01	BRANCH	OPEN	8/11/2016	2003	35.656267	-86.407767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
75I00240033	RUTHERFORD	02013	1.57	JOE B. JACKSON RD / I24	OPEN	6/21/2016	2004	35.785333	-86.372017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
75I00240013	RUTHERFORD	02015	4.478	BAKER RD / I24	OPEN	6/17/2016	1968	35.924083	-86.521017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.5
75020180001	RUTHERFORD	02018	0.88	DRY FORK CREEK	OPEN	7/26/2016	1994	35.656267	-86.407767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
75020190001	RUTHERFORD	02019	1.5	BRADLEY CREEK	OPEN	9/7/2016	1976	35.953333	-86.177383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
75I00240047	RUTHERFORD	02020	0.14	HOOVERS GAP RD / I24	OPEN	6/23/2016	1968	35.671133	-86.2815	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
75020200007	RUTHERFORD	02020	2.23	BRANCH	OPEN	8/3/2016	1990	35.67605	-86.311133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
75020200005	RUTHERFORD	02020	3.88	BRANCH	OPEN	8/2/2016	1989	35.690033	-86.331483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
75020200003	RUTHERFORD	02020	4.18	BRANCH	OPEN	8/2/2016	1986	35.692333	-86.335667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
75020200001	RUTHERFORD	02020	4.39	BRANCH	OPEN	8/2/2016	1983	35.69405	-86.3372	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
75021210001	RUTHERFORD	02021	3.11	FALL CREEK	OPEN	8/16/2016	1965	36.027967	-86.41605	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	52.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75020240001	RUTHERFORD	02024	1.4	HARPETH RIVER	OPEN	7/18/2016	1940	35.751783	-86.622283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.8
75020240005	RUTHERFORD	02024	1.87	BRANCH	OPEN	7/18/2016	1990	35.7504	-86.614233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
75020240003	RUTHERFORD	02024	2.6	HARPETH RIVER	OPEN	7/19/2016	1994	35.7569	-86.608633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
75100240035	RUTHERFORD	02026	0.72	ELAM RD / I24	OPEN	6/21/2016	1968	35.713867	-86.3549	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	79.8
75020260001	RUTHERFORD	02026	2.12	MIDDLE FORK STONES RIVER	OPEN	8/12/2016	1965	35.76735	-86.37585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61
75020300001	RUTHERFORD	02030	3.53	BRANCH	OPEN	9/16/2016	1988	35.904317	-86.325283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
75033550003	RUTHERFORD	03355	3.1	BEAR BRANCH	OPEN	9/19/2016	1987	35.8735	-86.367433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
75033550001	RUTHERFORD	03355	5.12	SINKING CREEK	OPEN	9/19/2016	1984	35.874033	-86.3954	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
75M33630001	RUTHERFORD	03363	0.7	BRANCH	OPEN	9/20/2016	1974	35.856583	-86.382217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
75033660001	RUTHERFORD	03366	0.73	SINKING CREEK	OPEN	9/19/2016	1976	35.875	-86.410917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
750A2740001	RUTHERFORD	03366	4.57	BUSHMAN CREEK	OPEN	9/13/2016	1979	35.884117	-86.344833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
75SR1020001	RUTHERFORD	03372	0.55	STEWARTS CREEK	OPEN	8/18/2016	1928	35.985467	-86.503433	CONCRETE	TEE BEAM	70.5
75M33770001	RUTHERFORD	03377	0.22	STEWARTS CREEK	OPEN	9/28/2016	1945	36.006467	-86.49955	CONCRETE	TEE BEAM	85
75033790001	RUTHERFORD	03379	0.3	HARTS BRANCH	OPEN	9/27/2016	1960	35.985433	-86.52355	CONCRETE	TEE BEAM	77.4
75M33810001	RUTHERFORD	03381	1.16	STEWART CREEK	OPEN	9/28/2016	1970	35.974217	-86.502717	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72
75040440001	RUTHERFORD	04044	0.375	FINCH BRANCH	OPEN	10/3/2016	1985	36.015767	-86.542333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
750A0440003	RUTHERFORD	04672	1.06	HARTS BRANCH	OPEN	9/27/2016	1960	35.886217	-86.541533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
75SR0010019	RUTHERFORD	04679	1.26	DRAINAGE DITCH	OPEN	9/13/2016	1947	35.836767	-86.338283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
750B0990001	RUTHERFORD	04687	0.15	CSX RAILROAD	OPEN	9/22/2016	1940	35.84395	-86.39895	CONCRETE	TEE BEAM	59.3
750B0990003	RUTHERFORD	04687	1.04	WEST FORK STONES RIVER	OPEN	9/22/2016	1990	35.843283	-86.4137	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
750A1670001	RUTHERFORD	05511	0.61	SINKING CREEK	OPEN	9/19/2016	1989	35.883233	-86.399433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75E00720001	RUTHERFORD	05515	1.904	ROCK SPRINGS BRANCH	OPEN	7/5/2016	1975	35.957183	-86.593833	CONCRETE	TEE BEAM	69.1
75E03520003	RUTHERFORD	05515	2.677	BRANCH	OPEN	7/5/2016	1977	35.9602	-86.5809	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
750A0190001	RUTHERFORD	05515	3.556	ROCK SPRINGS BRANCH	OPEN	7/5/2016	1965	35.965	-86.56745	CONCRETE	TEE BEAM	80.6
750A0190003	RUTHERFORD	05515	5.332	DRAINAGE DITCH	OPEN	7/6/2016	2000	35.983783	-86.54825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
75055250001	RUTHERFORD	05525	0.96	PUCKETT CREEK	OPEN	5/31/2017	0	35.857	-86.467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
75SR0990001	RUTHERFORD	05695	0.2	CHEATHAM BRANCH	OPEN	12/5/2016	1957	35.74095	-86.64655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.2
75SR8400067	RUTHERFORD	05739	0.78	VETERANS PKWY / I840	OPEN	10/5/2016	2008	35.871017	-86.5009	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
75057390001	RUTHERFORD	05739	4.3	OVERALL CREEK	OPEN	7/21/2016	2011	35.821	-86.494	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.3
750D1990001	RUTHERFORD	05739	5.8	BRANCH	OPEN	7/21/2016	2010	35.80385	-86.478317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
75057390003	RUTHERFORD	05739	6.34	ARMSTRONG BRANCH	OPEN	7/21/2016	2012	35.801	-86.471	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.3
75057390007	RUTHERFORD	05739	6.84	BRANCH	OPEN	7/21/2016	2010	35.798	-86.463	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
75057390005	RUTHERFORD	05739	9.275	W. FORK STONES RIVER	OPEN	7/21/2016	2010	35.787	-86.423	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
750A1930001	RUTHERFORD	06080	0.5	BRANCH	OPEN	8/16/2016	1983	35.981617	-86.393067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
75SR8400011	RUTHERFORD	0A008	0.96	BEASLEY RD./ I840	OPEN	10/6/2016	1997	35.871017	-86.5009	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.1
750A0140001	RUTHERFORD	0A014	0.965	ROCKY FORK CREEK	OPEN	7/11/2016	2007	35.922483	-86.561983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
750A0160001	RUTHERFORD	0A016	2.075	ROCKY FORK CREEK	OPEN	7/11/2016	1983	35.9175	-86.597583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
750A0170003	RUTHERFORD	0A017	1.18	BRANCH	OPEN	7/6/2016	1950	35.957617	-86.544383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	36.3
75I00240007	RUTHERFORD	0A017	1.725	ROCKY FORK RD / I24	OPEN	6/13/2016	1968	35.9529	-86.551567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80
750A0170001	RUTHERFORD	0A017	2.96	OLIVE BRANCH	OPEN	7/6/2016	1960	35.93815	-86.560417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	74.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
750A0200001	RUTHERFORD	0A020	2.9	OLIVE BRANCH	OPEN	7/6/2016	1988	35.9407	-86.553783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
750A0330001	RUTHERFORD	0A033	0.29	STEWART CREEK	OPEN	7/11/2016	1970	35.9218	-86.535317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	43.1
750A0470001	RUTHERFORD	0A047	0.071	ANDREWS CREEK	OPEN	8/15/2016	1981	35.855533	-86.175533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
750A0560001	RUTHERFORD	0A056	0.126	CSX RAILROAD	OPEN	7/1/2016	1936	36.00295	-86.5373	CONCRETE	TEE BEAM	40.8
750A1470001	RUTHERFORD	0A147	1.577	OVERALL CREEK	OPEN	8/18/2016	1955	35.886133	-86.463117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.5
75S62160009	RUTHERFORD	0A170	0.128	OLIVE BRANCH	OPEN	7/11/2016	1953	35.936483	-86.529483	CONCRETE	TEE BEAM	74.1
750A1870003	RUTHERFORD	0A187	0.749	BRANCH OF REED CREEK	OPEN	8/8/2016	1975	35.734817	-86.216967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
750A1870001	RUTHERFORD	0A187	1.856	REED CREEK	OPEN	8/8/2016	1940	35.7193	-86.2138	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	41.7
750A1900001	RUTHERFORD	0A190	0.461	FALL CREEK	OPEN	8/16/2016	1930	36.016333	-86.400867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.2
750A2100001	RUTHERFORD	0A210	1.074	JARMAN CREEK	OPEN	8/17/2016	1975	35.956833	-86.265083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
750A2110001	RUTHERFORD	0A211	0.095	BRANCH	OPEN	9/15/2016	1995	35.969267	-86.221417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
750A2120001	RUTHERFORD	0A212	2.351	BRADLEY CREEK	OPEN	9/15/2016	1970	35.9514	-86.219	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
750A2160003	RUTHERFORD	0A216	1.183	DRY FORK BRANCH	OPEN	9/7/2016	1993	35.922667	-86.229617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
750A2160001	RUTHERFORD	0A216	1.424	BRANCH	OPEN	9/7/2016	1980	35.919383	-86.23085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
750A2170001	RUTHERFORD	0A217	0.369	BRANCH	OPEN	9/7/2016	1981	35.930967	-86.204733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.4
750A2210001	RUTHERFORD	0A221	0.348	BRADLEY CREEK	OPEN	9/15/2016	1973	35.955817	-86.196033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
750A2240001	RUTHERFORD	0A224	0.923	DRY FORK BRANCH	OPEN	9/8/2016	1986	35.92225	-86.187617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
750A2240003	RUTHERFORD	0A224	4.244	BRANCH OF TRIMBLE CREEK	OPEN	9/8/2016	1975	35.885167	-86.210583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
750A2240005	RUTHERFORD	0A224	4.42	BRANCH OF TRIMBLE CREEK	OPEN	9/8/2016	1975	35.88435	-86.2125	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
750A2240007	RUTHERFORD	0A224	4.488	TRIMBLE CREEK	OPEN	9/8/2016	1975	35.884433	-86.213717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
750A2240009	RUTHERFORD	0A224	5.313	BRANCH	OPEN	9/8/2016	1973	35.883333	-86.227333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
750A2240011	RUTHERFORD	0A224	6.081	EAST FORK OF STONES RIVE	OPEN	9/8/2016	1968	35.8766	-86.235817	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.4
750A2280001	RUTHERFORD	0A228	1.801	MCKNIGHT BRANCH	OPEN	8/15/2016	1984	35.866917	-86.199367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
750A2330001	RUTHERFORD	0A233	0.206	BRADLEY CREEK	OPEN	9/16/2016	1970	35.927733	-86.29035	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.5
750A2360001	RUTHERFORD	0A236	0.131	CRIPPLE CREEK	OPEN	9/9/2016	1930	35.875633	-86.263483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.6
750A2370001	RUTHERFORD	0A237	0.936	STONES RIVER	OPEN	9/9/2016	1931	35.882833	-86.272517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.2
750A2380001	RUTHERFORD	0A238	0.454	BRADLEY CREEK	OPEN	9/16/2016	1955	35.922233	-86.274183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	42.4
750A2460001	RUTHERFORD	0A246	1.302	EAST FORK STONES RIVER	OPEN	9/16/2016	1975	35.919317	-86.33325	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8
750A2520001	RUTHERFORD	0A252	2.007	BUSHMAN CREEK	OPEN	9/16/2016	1988	35.89565	-86.348117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
75SR8400043	RUTHERFORD	0A261	4.28	NFA A261 / I840	OPEN	10/17/2016	1995	35.974733	-86.446183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
75SR8400041	RUTHERFORD	0A269	0.35	NFA A269 / I840	OPEN	10/13/2016	1995	35.950817	-86.440933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99
750A2990003	RUTHERFORD	0A299	0.874	BRANCH	OPEN	8/17/2016	1980	35.838483	-86.2575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
750A2990001	RUTHERFORD	0A299	1.642	CRIPPLE CREEK	OPEN	8/17/2016	1960	35.848817	-86.261383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.4
750A3050001	RUTHERFORD	0A305	1.224	BRANCH	OPEN	8/15/2016	1930	35.83825	-86.19845	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.5
750A3080001	RUTHERFORD	0A308	0.608	ANDREWS CREEK	OPEN	8/15/2016	2006	35.85555	-86.18785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
750A3080003	RUTHERFORD	0A308	1.526	UNNAMED BRANCH	OPEN	8/15/2016	1978	35.842783	-86.187467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
750A3200001	RUTHERFORD	0A320	0.138	MURRAY BRANCH	OPEN	8/9/2016	1983	35.792183	-86.254617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
750A3210001	RUTHERFORD	0A321	0.159	MCELROY CREEK	OPEN	8/9/2016	1975	35.773733	-86.241917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.9
750A3240001	RUTHERFORD	0A324	0.314	MCELROY CREEK	OPEN	8/9/2016	1983	35.78425	-86.241967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
750A3250005	RUTHERFORD	0A325	0.815	MCELROY CREEK	OPEN	8/10/2016	1975	35.801283	-86.24905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
750A3250003	RUTHERFORD	0A325	1.346	MCELROY BRANCH	OPEN	8/10/2016	1973	35.8087	-86.249867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
750A3250001	RUTHERFORD	0A325	2.14	CRIPPLE CREEK	OPEN	8/10/2016	1973	35.819733	-86.248033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
75SR8400049	RUTHERFORD	0A327	3.5	NFA A327 / I840	OPEN	10/18/2016	1995	36.017717	-86.428183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88
750A3280001	RUTHERFORD	0A328	1.435	BRANCH	OPEN	8/16/2016	1988	36.004633	-86.3811	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
750A3300001	RUTHERFORD	0A330	1.856	CRIPPLE CREEK	OPEN	8/10/2016	1981	35.813	-86.238567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
750A3510003	RUTHERFORD	0A351	0.45	LEE SPRINGS BRANCH	OPEN	8/11/2016	1990	35.790583	-86.348317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.2
750A3510001	RUTHERFORD	0A351	1.686	LYTLE CREEK	OPEN	8/11/2016	1983	35.788167	-86.326517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.7
750A3570001	RUTHERFORD	0A357	3.884	BRANCH	OPEN	8/17/2016	1997	35.970717	-86.3166	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
75I00240037	RUTHERFORD	0A358	3.15	GUM RD / I24	OPEN	6/22/2016	1968	35.746083	-86.340167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.9
750A3630001	RUTHERFORD	0A363	0.027	BIG SPRINGS CREEK	OPEN	8/5/2016	1975	35.71075	-86.273233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.1
750A3630005	RUTHERFORD	0A363	0.754	DRY CREEK	OPEN	8/5/2016	1977	35.718533	-86.277117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
750A3630003	RUTHERFORD	0A363	1.869	HURRICANE CREEK	OPEN	8/5/2016	1988	35.723317	-86.29355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
750A3640001	RUTHERFORD	0A364	1.9	BRANCH	OPEN	8/17/2016	1988	35.961117	-86.329833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
750A3640003	RUTHERFORD	0A364	2.346	BRANCH	OPEN	8/17/2016	1988	35.967517	-86.32885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
750A3670001	RUTHERFORD	0A367	1.231	UNNAMED BRANCH	OPEN	8/8/2016	1935	35.747483	-86.231783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.8
750A3740001	RUTHERFORD	0A374	0.574	UNNAMED BRANCH	OPEN	8/4/2016	1981	35.68025	-86.273583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.6
750A3820001	RUTHERFORD	0A382	0.093	HENRY CREEK	OPEN	8/2/2016	1978	35.686417	-86.379617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
750A3880001	RUTHERFORD	0A388	0.188	BRANCH OF DRY FORK CREEK	OPEN	7/27/2016	1983	35.65275	-86.401733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
750A3880005	RUTHERFORD	0A388	1.266	BRANCH OF DRY FORK CREEK	OPEN	7/27/2016	1983	35.638317	-86.398483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
750A3880003	RUTHERFORD	0A388	1.393	DRY FORK BRANCH	OPEN	7/27/2016	1981	35.636283	-86.397967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
750A3900001	RUTHERFORD	0A390	1.277	BRANCH	OPEN	7/27/2016	1987	35.637933	-86.3958	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
750A3960001	RUTHERFORD	0A396	2.04	BRANCH	OPEN	8/1/2016	1975	35.717417	-86.374667	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.9
750A3970001	RUTHERFORD	0A397	0.231	CHRISTMAS CREEK	OPEN	8/2/2016	1986	35.710383	-86.40315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
750A4000001	RUTHERFORD	0A400	0.283	BRANCH	OPEN	8/1/2016	1976	35.748133	-86.383167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
750A4010001	RUTHERFORD	0A401	0.049	LONG CREEK	OPEN	8/1/2016	1978	35.716233	-86.370567	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.4
750A4040001	RUTHERFORD	0A404	1.08	MIDDLE FORK STONES RIVER	OPEN	8/3/2016	1987	35.699367	-86.31785	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.8
750A4040003	RUTHERFORD	0A404	2.83	MIDDLE FORK STONES RIVER	OPEN	8/3/2016	1979	35.713383	-86.33145	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.9
75100240043	RUTHERFORD	0A406	0.591	RIDLEY EARPS RD / I24	OPEN	6/22/2016	1968	35.703017	-86.306483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97
750A4120001	RUTHERFORD	0A412	1.475	LONG CREEK	OPEN	8/1/2016	1930	35.742533	-86.36735	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.6
750A4370001	RUTHERFORD	0A437	1.118	WEST FORK STONES RIVER	OPEN	7/22/2016	1975	35.74965	-86.427817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.9
750A4380003	RUTHERFORD	0A438	0.41	BRANCH	OPEN	7/22/2016	1989	35.742817	-86.422267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
750A4380001	RUTHERFORD	0A438	0.537	LYTLE CREEK	OPEN	7/22/2016	1960	35.74255	-86.41895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
750A4390001	RUTHERFORD	0A439	0.029	CHRISTMAS CREEK	OPEN	7/22/2016	1991	35.730533	-86.412167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
750A4390003	RUTHERFORD	0A439	0.81	BRANCH	OPEN	7/22/2016	1992	35.733033	-86.42475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
750A4440001	RUTHERFORD	0A444	0.595	DRY FORK CREEK	OPEN	7/25/2016	1960	35.69565	-86.4468	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	67
750A4440003	RUTHERFORD	0A444	1.938	WEST FORK STONES RIVER	OPEN	7/25/2016	1937	35.752733	-86.46425	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.5
750A4500001	RUTHERFORD	0A450	0.009	CRIPPLE CREEK	OPEN	8/17/2016	1979	35.848067	-86.261567	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
750A4620001	RUTHERFORD	0A462	2.033	ARMSTRONG BRANCH	OPEN	7/22/2016	1993	35.7839	-86.472817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
750A4690001	RUTHERFORD	0A469	0.682	DRY CREEK	OPEN	8/9/2016	1997	35.820183	-86.291367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
750A4710001	RUTHERFORD	0A471	0.531	MCELROY BRANCH	OPEN	8/9/2016	1979	35.765367	-86.246783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
750A4840001	RUTHERFORD	0A484	0.744	EAST FORK SPRING CREEK	OPEN	7/19/2016	1970	35.717883	-86.674517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
750A4870001	RUTHERFORD	0A487	3.43	BRANCH	OPEN	7/18/2016	1983	35.76625	-86.649333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
750A4900001	RUTHERFORD	0A490	0.163	BRANCH	OPEN	7/18/2016	1983	35.789783	-86.649917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
750A4970001	RUTHERFORD	0A497	0.657	HARPEETH RIVER	OPEN	7/18/2016	1960	35.760633	-86.627067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
750A5000001	RUTHERFORD	0A500	0.276	CONCORD CREEK	WEIGHT POSTED	7/19/2016	1950	35.749217	-86.600667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72
750A5010001	RUTHERFORD	0A501	0.839	CONCORD CREEK	OPEN	7/19/2016	1977	35.745583	-86.596283	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
750A5030001	RUTHERFORD	0A503	0.681	CONCORD CREEK	OPEN	7/20/2016	1987	35.744283	-86.575533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
750A5090001	RUTHERFORD	0A509	2.767	BRANCH	OPEN	7/20/2016	1975	35.7665	-86.529783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
750A5090003	RUTHERFORD	0A509	2.931	BRANCH OF FLAT CREEK	OPEN	7/20/2016	1975	35.7665	-86.529783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
750A5120001	RUTHERFORD	0A512	4.13	BRANCH	OPEN	7/8/2016	1960	35.820267	-86.591983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
750A5200001	RUTHERFORD	0A520	1.252	BRANCH	OPEN	8/3/2016	1990	35.67205	-86.3365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
750A5260001	RUTHERFORD	0A526	2.013	BRANCH	OPEN	7/26/2016	2010	35.673433	-86.465567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
750A5270001	RUTHERFORD	0A527	0.585	WEST FORK STONES RIVER	OPEN	7/25/2016	1988	35.696433	-86.473067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
750A5290001	RUTHERFORD	0A529	1.144	BRANCH	OPEN	7/25/2016	1991	35.693367	-86.484433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
750A5580001	RUTHERFORD	0A558	0.758	BRANCH	OPEN	8/12/2016	1989	35.80705	-86.353683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
750A5610001	RUTHERFORD	0A561	1.074	BRANCH	OPEN	8/4/2016	1968	35.646367	-86.254233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
750A5610003	RUTHERFORD	0A561	1.663	BRANCH	OPEN	8/4/2016	1968	35.652817	-86.260767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
750A5610005	RUTHERFORD	0A561	2.932	MIDDLE FORK STONES RIVER	OPEN	8/4/2016	1968	35.665683	-86.276833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
750A6030001	RUTHERFORD	0A603	0.007	ROCK SPRINGS BRANCH	OPEN	7/5/2016	1968	35.96805	-86.566083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
750A6070001	RUTHERFORD	0A607	0.04	E BRANCH HURRICANE CREEK	OPEN	7/1/2016	1970	35.865017	-86.595617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
750A6330001	RUTHERFORD	0A633	2.839	WINDROW CREEK	OPEN	7/8/2016	1979	35.802733	-86.575217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
750A6470001	RUTHERFORD	0A647	0.328	BRANCH	OPEN	9/22/2016	1950	35.844367	-86.395233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
750A6580001	RUTHERFORD	0A658	0.47	OVERALL CREEK	OPEN	7/12/2016	1980	35.828667	-86.484783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
750B9690001	RUTHERFORD	0A706	0.28	DRAINAGE DITCH	OPEN	10/4/2016	1990	36.028667	-86.570333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
750A7210001	RUTHERFORD	0A721	0.501	STEWART CREEK	OPEN	9/28/2016	1940	36.001783	-86.505583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.7
750A7340001	RUTHERFORD	0A734	0.055	E BRANCH HURRICANE CREEK	OPEN	10/3/2016	1982	36.000283	-86.5952	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
750A7870001	RUTHERFORD	0A787	0.357	FINCH BRANCH	OPEN	10/3/2016	1981	36.010833	-86.558283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
750A7880001	RUTHERFORD	0A788	0.541	HARTS BRANCH	OPEN	9/27/2016	1975	35.984983	-86.526367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
750B0840001	RUTHERFORD	0B084	0.1	LYTLE CREEK	OPEN	9/22/2016	1927	35.8409	-86.396333	CONCRETE	ARCH - DECK	42.8
750B0900001	RUTHERFORD	0B090	0.017	BRANCH	OPEN	9/19/2016	1990	35.943017	-86.548233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
750B1750001	RUTHERFORD	0B175	0.222	SINKING CREEK	OPEN	9/20/2016	1950	35.849583	-86.375353	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	90.5
750B3340001	RUTHERFORD	0B334	1.044	DRY FORK CREEK	OPEN	7/26/2016	1981	35.652617	-86.4052	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
750B3390001	RUTHERFORD	0B339	0.572	BRADLEY CREEK	OPEN	9/15/2016	1970	35.955917	-86.210183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
750B3410001	RUTHERFORD	0B341	2.224	BRADLEY CREEK	OPEN	9/15/2016	1975	35.943667	-86.232117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
750B5500001	RUTHERFORD	0B550	0.032	BRANCH	OPEN	9/21/2016	1992	35.826017	-86.437117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
750B5510001	RUTHERFORD	0B551	0.1	BRANCH	OPEN	9/21/2016	1992	35.829933	-86.431733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
750B8380001	RUTHERFORD	0B838	0.211	BRANCH	OPEN	7/6/2016	1990	35.943017	-86.548233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
75SR0990003	RUTHERFORD	0B979	0.96	CONCORD CREEK	OPEN	7/20/2016	1996	35.745617	-86.550583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
75SR0990005	RUTHERFORD	0B979	2.6	BRANCH	OPEN	7/20/2016	2003	35.760867	-86.52875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
75F00490007	RUTHERFORD	0B980	2.882	ROCK SPRINGS CREEK	OPEN	7/5/2016	1940	35.956317	-86.59675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
750C0130001	RUTHERFORD	0C013	1.651	BRANCH	OPEN	9/21/2016	1992	35.8273	-86.434083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
75M33760001	RUTHERFORD	0C023	0.287	STEWART CREEK	OPEN	9/28/2016	1960	36.007617	-86.499567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.3
75SR0010021	RUTHERFORD	0C034	0.756	BRANCH	OPEN	9/13/2016	1947	35.830083	-86.292233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
75SR0010023	RUTHERFORD	0C034	0.891	DRY CREEK	OPEN	9/13/2016	1945	35.829833	-86.2899	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
75SR0010025	RUTHERFORD	0C034	3.041	CRIPPLE CREEK	OPEN	8/12/2016	1924	35.826683	-86.25205	CONCRETE	TEE BEAM	70.8
75SR0010027	RUTHERFORD	0C034	3.62	BRANCH	OPEN	8/10/2016	1924	35.822533	-86.243067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
750C1710001	RUTHERFORD	0C171	0.065	ROCK SPRINGS CREEK	OPEN	9/27/2016	2000	35.97795	-86.552683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
750C1720001	RUTHERFORD	0C172	0.026	ROCK SPRINGS BRANCH	OPEN	9/27/2016	2000	35.97235	-86.5622	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
75M36620001	RUTHERFORD	0C186	0.15	SINKING CREEK	OPEN	9/20/2016	1950	35.848383	-86.374117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.1
750A4860001	RUTHERFORD	0C229	0.007	BRANCH	OPEN	7/19/2016	1950	35.746967	-86.696567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.7
750C4890001	RUTHERFORD	0C489	0.09	BRADLEY BRANCH	OPEN	9/7/2016	1980	35.954667	-86.175717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
75E00720005	RUTHERFORD	0C860	0.014	ROCK SPRINGS BRANCH	OPEN	7/5/2016	1975	35.961733	-86.575883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
75I00240055	RUTHERFORD	0C860	1.137	SAM RIDLEY PKWY RL / I24	OPEN	6/13/2016	1976	35.974867	-86.571717	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
75I00240056	RUTHERFORD	0C860	1.137	SAM RIDLEY PKWY LL / I24	OPEN	6/13/2016	1976	35.975033	-86.5719	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
750A0020001	RUTHERFORD	0D101	2.4	BRANCH	OPEN	7/12/2016	1980	35.85625	-86.53935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
75020130001	RUTHERFORD	0D125	0.286	LYTLE CREEK	OPEN	8/11/2016	1940	35.80595	-86.370667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
750D4110001	RUTHERFORD	0D411	1.14	PUCKETT CREEK	OPEN	5/31/2017	0	35.855	-86.464	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
750D4350001	RUTHERFORD	0D435	0.27	PUCKETT CREEK	OPEN	9/21/2016	2007	35.864253	-86.469353	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
750E9190001	RUTHERFORD	0E919	0.37	BRANCH	OPEN	10/4/2016	2010	36.025	-86.58	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
750E9190003	RUTHERFORD	0E919	1.035	BRANCH	OPEN	10/4/2016	2010	36.031	-86.571	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
750E9190005	RUTHERFORD	0E919	1.22	BRANCH	OPEN	10/4/2016	2010	36.033	-86.569	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
750E9190007	RUTHERFORD	0E919	1.32	BRANCH	OPEN	10/4/2016	2010	36.034	-86.567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
750A6100003	RUTHERFORD	0G002	0.47	E BRANCH HURRICANE CREEK	OPEN	10/3/2016	1974	36.005233	-86.603333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
75100240001	RUTHERFORD	I0024	1.16	EAST FORK HURRICANE CREEK	OPEN	6/13/2016	1969	35.99555	-86.598183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
75100240301	RUTHERFORD	I0024	1.22	EXIT RAMP / BRANCH	OPEN	6/13/2016	1969	35.997	-86.59725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
75100240005	RUTHERFORD	I0024	3.81	ROCK SPGS.CR.ROCK SPGS R	OPEN	6/13/2016	1969	35.9677	-86.5667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.9
75100240303	RUTHERFORD	I0024	6.75	ENT RAMP / OLIVE BRANCH	OPEN	6/16/2016	1969	35.9357	-86.531717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
75100240305	RUTHERFORD	I0024	6.76	EXIT RAMP / OLIVE BRANCH	OPEN	6/16/2016	1969	35.9345	-87.533333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.7
75100240010	RUTHERFORD	I0024	6.77	I24 / SR 102 & BRANCH	OPEN	6/16/2016	1969	35.93525	-87.5324	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.7
75100240009	RUTHERFORD	I0024	6.77	I24 / SR 102 & BRANCH	OPEN	6/16/2016	1969	35.934867	-86.532783	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.7
75100240011	RUTHERFORD	I0024	7.07	STEWARTS CREEK	OPEN	6/16/2016	1969	35.931667	-86.5292	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.4
75100240012	RUTHERFORD	I0024	7.07	STEWARTS CREEK	OPEN	6/16/2016	1969	35.9321	-86.528783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.5
75100240059	RUTHERFORD	I0024	11.15	I24 RAMP C / I24	OPEN	6/17/2016	1996	35.886333	-86.477517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.5
75100240017	RUTHERFORD	I0024	12.61	OVERALL CREEK	OPEN	6/20/2016	2003	35.872133	-86.462917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.5
75100240023	RUTHERFORD	I0024	15.5	STONES RIVER	OPEN	6/20/2016	1971	35.840933	-86.4285	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75I00240027	RUTHERFORD	I0024	17.29	BRANCH	OPEN	6/21/2016	1969	35.8216	-86.407467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
75I00240031	RUTHERFORD	I0024	18.72	CSX RAILROAD	OPEN	6/21/2016	1971	35.806117	-86.3903	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
75I00240039	RUTHERFORD	I0024	25.08	HURRICANE CREEK	OPEN	6/22/2016	1971	35.729983	-86.327317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
75I00240040	RUTHERFORD	I0024	25.08	HURRICANE CREEK	OPEN	6/22/2016	1971	35.7298	-86.3266	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
75I00240046	RUTHERFORD	I0024	29.37	STONES RIVER	OPEN	6/22/2016	1971	35.67735	-86.28625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
75I00240045	RUTHERFORD	I0024	29.37	STONES RIVER	OPEN	6/22/2016	1971	35.677483	-86.285733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
75I00240049	RUTHERFORD	I0024	30.3	STONES RIVER	OPEN	6/23/2016	1971	35.666667	-86.276933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
75I00240050	RUTHERFORD	I0024	30.3	STONES RIVER	OPEN	6/23/2016	1971	35.666017	-86.277017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
75I00240052	RUTHERFORD	I0024	31.61	BRANCH	OPEN	6/23/2016	1971	35.653	-86.2601	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
75I00240051	RUTHERFORD	I0024	31.61	BRANCH	OPEN	6/23/2016	1971	35.652867	-86.2605	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
75I00240053	RUTHERFORD	I0024	32.19	BRANCH	OPEN	6/23/2016	1971	35.645367	-86.25415	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
75SR8400001	RUTHERFORD	I0840	0.64	OVERFLOW	OPEN	10/5/2016	1998	35.857033	-86.594983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
75SR8400003	RUTHERFORD	I0840	1.08	OVERFLOW	OPEN	10/5/2016	1998	35.8578	-86.420683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
75SR8400007	RUTHERFORD	I0840	2.23	OVERFLOW	OPEN	10/5/2016	1998	35.8601	-86.567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
75SR8400065	RUTHERFORD	I0840	6.8	DRAINAGE DITCH	OPEN	10/6/2016	1998	35.877	-86.48815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
75SR8400019	RUTHERFORD	I0840	7.63	I840 RP E / I840	OPEN	10/10/2016	1995	35.882733	-86.477567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
75I00240061	RUTHERFORD	I0840	7.73	SR 840 RP E / I24	OPEN	6/17/2016	1995	35.885333	-86.477683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
75I00240063	RUTHERFORD	I0840	7.73	I840 / I24	OPEN	6/17/2016	1995	35.8841	-86.4764	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76
75I00240064	RUTHERFORD	I0840	7.73	I840 / I24	OPEN	6/17/2016	1996	35.884317	-86.476583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75SR8400022	RUTHERFORD	I0840	8.76	OVERALL CREEK	OPEN	10/10/2016	1995	35.895867	-86.465167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80
75SR8400021	RUTHERFORD	I0840	8.76	OVERALL CREEK	OPEN	10/10/2016	1995	35.8956	-86.464933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
75SR8400025	RUTHERFORD	I0840	9.72	I840 / SR1-RR & C-D RD	OPEN	10/11/2016	1995	35.902467	-86.450233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
75SR8400026	RUTHERFORD	I0840	9.72	I840 / SR1-RR & C-D RD	OPEN	10/11/2016	1995	35.902767	-86.4505	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
75SR8400027	RUTHERFORD	I0840	9.73	SR 840 RP J / CSX RR	OPEN	10/11/2016	1995	35.901717	-86.44945	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5
75SR8400029	RUTHERFORD	I0840	9.77	SR 840 RP O / SR 1	OPEN	10/11/2016	1995	35.904733	-86.45085	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
75SR8400031	RUTHERFORD	I0840	10.44	WEST FORK STONES RIVER	OPEN	10/12/2016	1995	35.91065	-86.4422	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.7
75SR8400032	RUTHERFORD	I0840	10.44	WEST FORK STONES RIVER	OPEN	10/12/2016	1995	35.910817	-86.4426	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.7
75SR8400059	RUTHERFORD	I0840	10.85	OVERFLOW	OPEN	10/12/2016	1997	35.915983	-86.439167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
75SR8400036	RUTHERFORD	I0840	11.59	I840 / NFA A266	OPEN	10/12/2016	1995	35.9262	-86.435367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
75SR8400035	RUTHERFORD	I0840	11.59	I840 / NFA A266	OPEN	10/12/2016	1995	35.92625	-86.435017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
75SR8400033	RUTHERFORD	I0840	12.16	OVERFLOW	OPEN	10/13/2016	1997	35.934467	-86.43555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
75SR8400039	RUTHERFORD	I0840	12.46	I840 / NFA 1055	OPEN	10/13/2016	1995	35.938733	-86.436367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
75SR8400040	RUTHERFORD	I0840	12.46	I840 / NFA 1055	OPEN	10/13/2016	1995	35.939217	-86.436733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
75SR8400045	RUTHERFORD	I0840	15.42	EAST FORK STONES RIVER	OPEN	10/17/2016	1995	35.978467	-86.44295	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
75SR8400046	RUTHERFORD	I0840	15.42	EAST FORK STONES RIVER	OPEN	10/17/2016	1995	35.978633	-86.4432	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.7
75SR8400052	RUTHERFORD	I0840	18.56	FALL CREEK	OPEN	10/18/2016	1995	36.021183	-86.4281	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
75SR8400051	RUTHERFORD	I0840	18.56	FALL CREEK	OPEN	10/18/2016	1995	36.021233	-86.59445	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
75SR8400055	RUTHERFORD	I0840	20.27	HURRICANE CREEK	OPEN	10/19/2016	1995	36.046033	-86.429683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75SR8400056	RUTHERFORD	I0840	20.27	HURRICANE CREEK	OPEN	10/19/2016	1995	36.04605	-86.430117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73
75SR0010001	RUTHERFORD	SR001	2	FINCH BRANCH	OPEN	10/20/2016	1953	36.014633	-86.554917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.2
75SR0010003	RUTHERFORD	SR001	2.58	BRANCH	OPEN	10/20/2016	1953	36.0113	-86.5454	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.9
75SR0010005	RUTHERFORD	SR001	4.76	HARTS BRANCH	OPEN	10/20/2016	1945	35.986167	-86.522333	CONCRETE	TEE BEAM	25
75SR0010007	RUTHERFORD	SR001	6.24	STEWARTS CREEK	OPEN	10/20/2016	2004	35.968517	-86.506833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
75SR0010039	RUTHERFORD	SR001	7.29	SR 1 RP D/SR 1 & RP C	OPEN	10/21/2016	1982	35.956467	-86.496	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.9
75SR0010043	RUTHERFORD	SR001	8.57	SR 1 / CSX RR	OPEN	10/21/2016	1981	35.940683	-86.482833	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	82
75SR0010009	RUTHERFORD	SR001	10.75	OVERALL CREEK	OPEN	10/21/2016	1950	35.91555	-86.460133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
75SR0010010	RUTHERFORD	SR001	10.75	OVERALL CREEK	OPEN	10/21/2016	1950	35.915783	-86.459983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.6
75SR0010045	RUTHERFORD	SR001	11.72	SR 1 RAMP K / CSX RR	OPEN	10/24/2016	1995	35.904567	-86.451367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
75SR0010047	RUTHERFORD	SR001	11.89	SR 1 RAMP M / SR 1	OPEN	10/24/2016	1995	35.9021	-86.44875	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
75SR0010011	RUTHERFORD	SR001	14.23	STONES RIVER	OPEN	10/24/2016	1948	35.8752	-86.423067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.6
75SR0010012	RUTHERFORD	SR001	14.23	STONES RIVER	OPEN	10/24/2016	1950	35.875317	-86.422967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.4
75SR0010013	RUTHERFORD	SR001	16.59	LYTLE CREEK	OPEN	10/25/2016	1949	35.848267	-86.398017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
75SR0010015	RUTHERFORD	SR001	16.72	LYTLE CREEK	OPEN	10/25/2016	1949	35.846367	-86.396583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
75SR0010017	RUTHERFORD	SR001	19.14	BRANCH	OPEN	10/25/2016	1993	35.839167	-86.359667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
75SR0010059	RUTHERFORD	SR001	20.56	BRANCH	OPEN	10/25/2016	1996	35.831133	-86.336683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
75SR0010049	RUTHERFORD	SR001	23.07	BRANCH	OPEN	11/4/2016	1996	35.827083	-86.292367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
75SR0010051	RUTHERFORD	SR001	23.27	DRY BRANCH	OPEN	11/4/2016	1995	35.8266	-86.28895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
75SR0010053	RUTHERFORD	SR001	25.29	CRIPPLE CREEK	OPEN	11/4/2016	1996	35.824533	-86.253167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75SR0010054	RUTHERFORD	SR001	25.29	CRIPPLE CREEK	OPEN	11/4/2016	1996	35.824717	-86.253067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
75SR0010055	RUTHERFORD	SR001	26.9	BRANCH	OPEN	11/4/2016	1995	35.816417	-86.226583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
75SR0020001	RUTHERFORD	SR002	2.94	LYTLE CREEK	OPEN	11/7/2016	1937	35.79115	-86.3617	CONCRETE	TEE BEAM	72.9
75SR0020003	RUTHERFORD	SR002	6.61	BRANCH	OPEN	11/7/2016	1935	35.752567	-86.331433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.2
75SR0020005	RUTHERFORD	SR002	8.16	HURRICANE CREEK	OPEN	11/7/2016	1937	35.7329	-86.317767	CONCRETE	TEE BEAM	53.8
75SR0020007	RUTHERFORD	SR002	11.69	BRANCH	OPEN	11/7/2016	1935	35.6877	-86.288383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
75SR0020009	RUTHERFORD	SR002	12.71	BRANCH	OPEN	11/8/2016	1931	35.6746	-86.279717	CONCRETE	TEE BEAM	59.4
75SR0020011	RUTHERFORD	SR002	13.06	BRANCH	OPEN	11/8/2016	1935	35.6703	-86.2767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
75SR0020013	RUTHERFORD	SR002	14.58	BRANCH	OPEN	11/8/2016	1935	35.65335	-86.25965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
75SR0020015	RUTHERFORD	SR002	15.17	BRANCH	OPEN	11/8/2016	1935	35.64655	-86.25335	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
75SR0100002	RUTHERFORD	SR010	1.12	DRY FORK CREEK	OPEN	11/9/2016	1995	35.6659	-86.421133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
75SR0100001	RUTHERFORD	SR010	1.12	DRY FORK CREEK	OPEN	11/9/2016	1995	35.6658	-86.420883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
75SR0100017	RUTHERFORD	SR010	1.42	DRY FORK CREEK	OPEN	11/9/2016	1995	35.670167	-86.419767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.2
75SR0100003	RUTHERFORD	SR010	5.46	CHRISTMAS CREEK	OPEN	11/9/2016	1993	35.727333	-86.412483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.6
75SR0100004	RUTHERFORD	SR010	5.46	CHRISTMAS CREEK	OPEN	11/9/2016	1993	35.727433	-86.412733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.6
75SR0100019	RUTHERFORD	SR010	5.82	LYTLE CREEK	OPEN	11/9/2016	1995	35.732533	-86.411017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
75SR0100005	RUTHERFORD	SR010	10.81	MIDDLE FK STONES RIVER	OPEN	11/10/2016	1995	35.803917	-86.3978	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.8
75I00240029	RUTHERFORD	SR010	11.34	SR 10 / I24	OPEN	6/21/2016	1970	35.811617	-86.396567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
75SR0100007	RUTHERFORD	SR010	12.63	CSX RAILROAD	OPEN	11/10/2016	1928	35.830167	-86.393667	CONCRETE CONTINUOUS	TEE BEAM	48.9
75SR0100009	RUTHERFORD	SR010	12.96	LYTLE CREEK	OPEN	11/10/2016	1927	35.8349	-86.392817	CONCRETE	TEE BEAM	80.6
75SR0100011	RUTHERFORD	SR010	14.68	SINKING CREEK	OPEN	11/10/2016	1927	35.864717	-86.3887	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
75SR0100013	RUTHERFORD	SR010	20.05	STONES RIVER	OPEN	11/10/2016	2002	35.9412	-86.378167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75SR0100015	RUTHERFORD	SR010	23.35	BRANCH	OPEN	11/10/2016	1934	35.988083	-86.372917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
75SR0110001	RUTHERFORD	SR011	2.22	BRANCH	OPEN	11/16/2016	1930	35.749667	-86.695233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
75SR0110003	RUTHERFORD	SR011	2.52	OVERALL CREEK	OPEN	11/16/2016	1929	35.75365	-86.692667	CONCRETE	TEE BEAM	58.6
75SR0160001	RUTHERFORD	SR016	0.02	NEELEYS CREEK	OPEN	11/16/2016	1943	35.789717	-86.651567	CONCRETE	TEE BEAM	84.3
75SR0160003	RUTHERFORD	SR016	1.5	CEDAR CREEK	OPEN	11/16/2016	1940	35.769167	-86.645217	CONCRETE	TEE BEAM	65.3
75SR0160005	RUTHERFORD	SR016	1.71	HARPETH RIVER	OPEN	11/16/2016	1940	35.766383	-86.646667	CONCRETE	TEE BEAM	34.7
75SR0160007	RUTHERFORD	SR016	3.56	CHEATHAM BRANCH	OPEN	11/17/2016	1942	35.740117	-86.649967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
75SR0160009	RUTHERFORD	SR016	4.79	KELLY CREEK	OPEN	11/17/2016	1940	35.7236	-86.64125	CONCRETE	TEE BEAM	33.9
75SR0960001	RUTHERFORD	SR096	0.35	STEWART'S BRANCH	OPEN	11/17/2016	1936	35.85085	-86.594167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
75SR0960003	RUTHERFORD	SR096	0.51	BRANCH	OPEN	11/17/2016	1936	35.8507	-86.5914	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
75SR0960005	RUTHERFORD	SR096	2.18	BRANCH	OPEN	11/17/2016	1936	35.847133	-86.562183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
75SR0960007	RUTHERFORD	SR096	4.08	BRANCH	OPEN	11/18/2016	1991	35.8429	-86.52895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
75SR0960009	RUTHERFORD	SR096	4.56	BRANCH	OPEN	11/18/2016	1960	35.842933	-86.520383	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	31.5
75SR0960011	RUTHERFORD	SR096	6.28	OVERALL CREEK	OPEN	11/18/2016	1936	35.843233	-86.490033	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.8
75SR0960013	RUTHERFORD	SR096	7.97	PUCKETT CREEK	OPEN	11/18/2016	2002	35.8447	-86.460283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
75I00240021	RUTHERFORD	SR096	9.35	SR 96 / I24	OPEN	6/20/2016	1968	35.84745	-86.436183	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78
75SR0960016	RUTHERFORD	SR096	10.56	W. FORK STONES RIVER	OPEN	11/18/2016	1972	35.846383	-86.414867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
75SR0960015	RUTHERFORD	SR096	10.56	W.FORK STONES RIVER	OPEN	11/18/2016	1972	35.846117	-86.414767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
75SR0960017	RUTHERFORD	SR096	11.25	NFA B336-CSX RR& LYTLE C	OPEN	11/21/2016	1974	35.846667	-86.403333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.8
75SR0960031	RUTHERFORD	SR096	11.79	SINKING CREEK	OPEN	11/21/2016	1955	35.861233	-86.385383	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.8
75SR0960033	RUTHERFORD	SR096	14.29	BRANCH	OPEN	11/21/2016	1991	35.875317	-86.352017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
75SR0960019	RUTHERFORD	SR096	14.66	BUSHMAN CREEK	OPEN	11/21/2016	1966	35.879117	-86.347067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75SR0960021	RUTHERFORD	SR096	18.46	EAST FORK STONES RIVER	OPEN	12/1/2016	1999	35.921017	-86.305817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.5
75SR0960023	RUTHERFORD	SR096	20.07	JARMAN BRANCH	OPEN	12/1/2016	1970	35.92945	-86.280133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
75SR0960025	RUTHERFORD	SR096	20.53	BRADLEY CREEK	OPEN	12/1/2016	1970	35.928483	-86.272033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.3
75SR0960027	RUTHERFORD	SR096	22.41	DRY FORK CREEK	OPEN	12/1/2016	1976	35.92965	-86.23875	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
75SR0990033	RUTHERFORD	SR099	3.23	KELLY CREEK	OPEN	12/5/2016	1996	35.73885	-86.6319	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
75SR0990017	RUTHERFORD	SR099	3.49	HARPETH RIVER	OPEN	12/5/2016	1990	35.737267	-86.62775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
75SR0990037	RUTHERFORD	SR099	5.87	PICKETT BRANCH	OPEN	12/5/2016	2010	35.73885	-86.6319	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
75SR0990039	RUTHERFORD	SR099	5.89	PICKETT BRANCH	OPEN	12/5/2016	2010	35.73885	-86.6319	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.2
75SR0990023	RUTHERFORD	SR099	7.34	BRANCH	OPEN	12/7/2016	1991	35.739133	-86.562	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6
75SR0990025	RUTHERFORD	SR099	9.68	BRANCH	OPEN	12/7/2016	1992	35.76145	-86.5322	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
75SR0990027	RUTHERFORD	SR099	9.9	BRANCH	OPEN	12/7/2016	1992	35.7632	-86.529167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
75SR0990029	RUTHERFORD	SR099	10.58	BRANCH	OPEN	12/7/2016	1992	35.769033	-86.519433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
75SR0990031	RUTHERFORD	SR099	11.36	BRANCH	OPEN	12/7/2016	1992	35.777183	-86.501	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
75SR0990019	RUTHERFORD	SR099	14.37	PUCKETT CREEK	OPEN	12/9/2016	1989	35.8067	-86.47225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
75SR0990021	RUTHERFORD	SR099	15.83	BRANCH	OPEN	12/9/2016	1989	35.812967	-86.447483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
75SR0990009	RUTHERFORD	SR099	16.5	SPENCES CREEK	OPEN	12/9/2016	1967	35.815167	-86.4362	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
75SR0990011	RUTHERFORD	SR099	16.61	SPENCES CREEK	OPEN	12/9/2016	1967	35.815517	-86.434217	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85
75SR0990013	RUTHERFORD	SR099	17	SPENCES CREEK	OPEN	12/9/2016	1967	35.8172	-86.427633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
75SR0990015	RUTHERFORD	SR099	17.63	W. FORK STONES RIVER	OPEN	12/14/2016	1969	35.821667	-86.418033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75I00240025	RUTHERFORD	SR099	18.1	SR 99 / I24	OPEN	6/21/2016	1970	35.827533	-86.414167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.6
75SR0990035	RUTHERFORD	SR099	18.86	BRANCH	OPEN	12/14/2016	2007	35.837	-86.409	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
75S61900001	RUTHERFORD	SR099	28.66	MURRAY BRANCH	OPEN	12/14/2016	1945	35.759483	-86.263817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.6
75S61900003	RUTHERFORD	SR099	31.13	CRIPPLE CREEK	OPEN	12/14/2016	1989	35.747333	-86.225233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
75S61900005	RUTHERFORD	SR099	32.14	REED CREEK	OPEN	12/14/2016	1956	35.745667	-86.2087	CONCRETE	TEE BEAM	63.9
75SR8400005	RUTHERFORD	SR102	0.68	SR 102 / I 840	OPEN	1/4/2017	1997	35.858567	-86.579383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
75S62160001	RUTHERFORD	SR102	1.07	STEWART CREEK	OPEN	1/4/2017	1972	35.864217	-86.58075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
75S62160003	RUTHERFORD	SR102	1.89	BRANCH	OPEN	1/4/2017	2010	35.874883	-86.576167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
75S62160005	RUTHERFORD	SR102	2.38	BRANCH	OPEN	1/4/2017	2010	35.881467	-86.573433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
75S62160007	RUTHERFORD	SR102	5.31	ROCKY FORK CREEK	OPEN	1/4/2017	2010	35.914217	-86.551383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
75SR1020009	RUTHERFORD	SR102	7.81	OLIVE BRANCH	OPEN	1/5/2017	1982	35.93645	-86.530417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
75SR1020011	RUTHERFORD	SR102	8.72	BRANCH	OPEN	1/5/2017	1982	35.9475	-86.522	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.2
75SR1020014	RUTHERFORD	SR102	9.24	SREWART CREEK	OPEN	1/5/2017	1982	35.95305	-86.5156	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.8
75SR1020013	RUTHERFORD	SR102	9.24	STEWART CREEK	OPEN	1/5/2017	1982	35.952817	-86.515533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.8
75SR1020016	RUTHERFORD	SR102	9.32	SR 102/NFA 1059 OLD N.HW	OPEN	1/9/2017	1982	35.9538	-86.51455	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.8
75SR1020015	RUTHERFORD	SR102	9.32	SR 102/NFA 1059 OLD N.HW	OPEN	1/9/2017	1982	35.953567	-86.514367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.8
75SR0010033	RUTHERFORD	SR102	10.34	SR1/CSX RR/RP C & D	OPEN	1/9/2017	1982	35.9576	-86.498233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	91.3
75SR0010034	RUTHERFORD	SR102	10.34	SR1/CSX RR/RP C & D	OPEN	1/9/2017	1982	35.9577	-86.49835	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90.1
75SR0010041	RUTHERFORD	SR102	10.48	SR 102 RAMP C / SR 1	OPEN	1/9/2017	1983	35.959167	-86.49985	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.1
75SR0010031	RUTHERFORD	SR266	2.66	SR 1 & CSX RR	OPEN	1/10/2017	1976	35.996283	-86.5319	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75SR2660003	RUTHERFORD	SR266	4.06	RELIEF DRAIN	OPEN	1/10/2017	1986	35.9964	-86.5084	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
75SR2660001	RUTHERFORD	SR266	4.29	STEWART CREEK	OPEN	1/10/2017	1986	35.9984	-86.505233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.7
75E00720007	RUTHERFORD	SR266	6.31	STONES RIVER	OPEN	1/25/2017	1969	35.997883	-86.470667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.2
75SR8400047	RUTHERFORD	SR266	8.71	SR 266 / I840	OPEN	10/17/2016	1995	35.986633	-86.43825	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
75SR2660005	RUTHERFORD	SR266	11.34	RELIEF DRAIN	OPEN	1/10/2017	2001	35.972333	-86.39905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
75S63060005	RUTHERFORD	SR266	13.85	WADES BRANCH	OPEN	1/10/2017	1978	35.944833	-86.37085	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	73.9
75F00050005	RUTHERFORD	SR268	0.84	WEST FORK STONES RIVER	OPEN	1/12/2017	1966	35.887933	-86.423567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	41
75F00050003	RUTHERFORD	SR268	1.7	SINKING CREEK	OPEN	1/12/2017	1972	35.899617	-86.420183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
75010480007	RUTHERFORD	SR268	5.01	DRY BRANCH	OPEN	1/12/2017	1980	35.909217	-86.371167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.3
75010480009	RUTHERFORD	SR268	5.59	BEAR BRANCH	OPEN	1/12/2017	1980	35.907483	-86.36105	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6
75S61880001	RUTHERFORD	SR268	6.22	BUSHMAN CREEK	OPEN	1/12/2017	1980	35.906117	-86.349983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
75E00330001	RUTHERFORD	SR269	0.26	GROVE CREEK	OPEN	1/18/2017	1993	35.746383	-86.691817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
75S63030001	RUTHERFORD	SR269	2.76	CONCORD CREEK	OPEN	1/18/2017	1993	35.743283	-86.5572	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
75SR2690001	RUTHERFORD	SR269	5.04	BRANCH	OPEN	1/18/2017	1985	35.72525	-86.5266	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
75E00270005	RUTHERFORD	SR269	9.38	PANTHER CREEK	OPEN	1/18/2017	1977	35.735933	-86.4593	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
75E00270003	RUTHERFORD	SR269	11	W. FORK STONES RIVER	OPEN	1/18/2017	1985	35.722133	-86.446617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.3
75E00270001	RUTHERFORD	SR269	11.44	BRANCH	OPEN	1/24/2017	1986	35.720517	-86.439033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.3
75S63030003	RUTHERFORD	SR269	12.39	CONCORD CREEK	OPEN	1/24/2017	2007	35.743283	-86.5572	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
75S42890007	RUTHERFORD	SR269	13.67	CHRISTMAS CREEK	OPEN	1/24/2017	1965	35.708983	-86.402117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
75S42890005	RUTHERFORD	SR269	15.16	HENRY CREEK	OPEN	1/24/2017	1955	35.703333	-86.37725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
75S42890003	RUTHERFORD	SR269	15.7	SHORT CREEK	OPEN	1/24/2017	1950	35.69985	-86.3691	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
75S42890001	RUTHERFORD	SR269	16.4	SHORT CREEK	OPEN	1/24/2017	1957	35.692833	-86.363583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
75SR8400061	RUTHERFORD	SR452	0	SR 452 / I840	OPEN	10/18/2016	2000	36.04035	-86.428867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
76F00120001	SCOTT	01238	1.65	SOUTHERN RAILWAY	OPEN	10/25/2016	1960	36.381867	-84.5872	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.2
76F00120003	SCOTT	01238	3.11	BLACK CREEK	OPEN	10/25/2016	1985	36.380867	-84.611517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
76S24490001	SCOTT	01240	0.31	BRANCH	OPEN	10/4/2016	1948	36.5611	-84.444433	CONCRETE	TEE BEAM	73.3
76S24490003	SCOTT	01240	1.57	ROARING PUNCH BRANCH	OPEN	10/4/2016	1960	36.567317	-84.42525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.1
76S24490005	SCOTT	01240	2.21	BRANCH	OPEN	10/4/2016	1960	36.574933	-84.41925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
76S24490007	SCOTT	01240	6.1	GUM FORK CREEK	OPEN	10/4/2016	1986	36.56675	-84.364133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
76S24490009	SCOTT	01240	8.18	GUM FORK CREEK	OPEN	10/4/2016	1955	36.575817	-84.330583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.9
76F00150001	SCOTT	01261	3.01	BRIMSTONE CREEK	OPEN	11/2/2016	1987	36.345317	-84.539517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
76S23420003	SCOTT	01261	5.54	HUNTSVILLE BRANCH	OPEN	11/2/2016	1993	36.32095	-84.509617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
76S23420013	SCOTT	01261	7.31	BRIMSTONE CREEK	OPEN	11/1/2016	1981	36.304867	-84.513517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	94.7
76S23420005	SCOTT	01261	10.01	BRIMSTONE CREEK	OPEN	11/1/2016	1985	36.273867	-84.494067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.2
76S23420007	SCOTT	01261	10.99	MILL CREEK	OPEN	11/1/2016	2004	36.263017	-84.488533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.7
76S23440003	SCOTT	01400	6.515	MONTGOMERY FORK CREEK	OPEN	9/20/2016	1975	36.32845	-84.366767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.5
76S23440005	SCOTT	01400	10.935	STRAIGHT FORK CREEK	OPEN	8/29/2016	1989	36.370417	-84.393933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
76023770003	SCOTT	02377	3.67	NEW RIVER	OPEN	11/2/2016	1975	36.383983	-84.528567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.6
76023850001	SCOTT	02385	0.21	PAINT ROCK CREEK	WEIGHT POSTED	9/12/2016	1965	36.4515	-84.4771	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
76023890001	SCOTT	02389	0.06	BRANCH	OPEN	10/5/2016	1984	36.553483	-84.4508	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
76023920001	SCOTT	02392	5.96	WEBB CREEK	OPEN	10/31/2016	1940	36.310617	-84.62395	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.3
76023960003	SCOTT	02396	0.4	BLACK WOLF CREEK	OPEN	10/31/2016	1976	36.321	-84.637133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
76023960001	SCOTT	02396	1.65	BLACK WOLF CREEK	OPEN	10/31/2016	1975	36.318033	-84.633217	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	78.1
76023980001	SCOTT	02398	3.33	BUFFALO CREEK	OPEN	9/12/2016	1940	36.501967	-84.456333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.4
76023980003	SCOTT	02398	7.42	BUFFALO CREEK	OPEN	9/7/2016	1993	36.459317	-84.41295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
76023980005	SCOTT	02398	9.56	BRUSHY BRANCH	OPEN	9/6/2016	1965	36.43705	-84.4174	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
76024000001	SCOTT	02400	0	SR29, N. S. RR/PHILLIP C	OPEN	10/25/2016	2011	35.894267	-87.130767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2
76024000001	SCOTT	02400	0	SR29, N. S. RR/PHILLIP C	OPEN	10/25/2016	2011	35.894267	-87.130767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2
76S26330001	SCOTT	02400	0.02	SOUTHERN RAILWAY	OPEN	10/12/2016	1937	36.4705	-84.545267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.4
760A0010001	SCOTT	0A001	0.158	NORTH FORK PINE CREEK	OPEN	9/26/2016	1987	36.504867	-84.5391	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.2
760A0080001	SCOTT	0A008	1.831	PUNCHEONCAMP CREEK	OPEN	9/26/2016	1975	36.54395	-84.555217	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.1
760A3270001	SCOTT	0A038	0.129	PINE CREEK	OPEN	10/12/2016	1981	36.4914	-84.54035	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.5
760A0400001	SCOTT	0A040	2.277	PINE CREEK	OPEN	10/12/2016	1984	36.477033	-84.559167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
760A0400003	SCOTT	0A040	2.365	THOMAS CREEK	OPEN	10/12/2016	1984	36.476167	-84.560367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
760A0400005	SCOTT	0A040	2.583	PINE CREEK	OPEN	10/12/2016	1994	36.474317	-84.563283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
760A0400007	SCOTT	0A040	4.818	PINE CREEK	WEIGHT POSTED	10/17/2016	1914	36.46605	-84.5968	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.8
760A0400009	SCOTT	0A040	6.317	PINE CREEK	WEIGHT POSTED	10/17/2016	1914	36.45795	-84.6163	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.3
760A0400011	SCOTT	0A040	9.01	S.FK. CUMBERLAND RIVER	WEIGHT POSTED	10/19/2016	1914	36.45405	-84.650717	STEEL	TRUSS - THRU	41.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
760A0540001	SCOTT	0A054	0.246	BRANCH	OPEN	10/5/2016	2000	36.545	-84.488483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
760A0560001	SCOTT	0A056	0.498	SOUTHERN RAILWAY	OPEN	10/5/2016	1975	36.541283	-84.460733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.4
760A0630001	SCOTT	0A063	0.844	ROARING PAUNCH CREEK	OPEN	10/5/2016	1933	36.578867	-84.439517	CONCRETE	ARCH - DECK	79.5
760A0830001	SCOTT	0A083	2.27	JELICO CREEK	OPEN	10/4/2016	1981	36.5457	-84.338933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
760A1050001	SCOTT	0A105	0.122	PHILLIPS CREEK	OPEN	9/12/2016	1983	36.486617	-84.4695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
760A1090001	SCOTT	0A109	0.31	JONES BRANCH	OPEN	10/5/2016	1948	36.567636	-84.452428	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.9
760A1130001	SCOTT	0A113	0.298	PAINT ROCK CREEK	OPEN	9/21/2016	1975	36.42255	-84.4608	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.9
760A1200001	SCOTT	0A120	0.851	BUFFALO CREEK	OPEN	9/7/2016	1996	36.440133	-84.399333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.9
760A1210001	SCOTT	0A121	0.052	BUFFALO CREEK	OPEN	9/7/2016	1930	36.446017	-84.401117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.9
760A1210003	SCOTT	0A121	1.9	SMITH CREEK	WEIGHT POSTED	9/7/2016	1920	36.46175	-84.380417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	9.1
760A1210005	SCOTT	0A121	2.251	MARCUM CREEK	OPEN	9/7/2016	1984	36.463483	-84.374983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
760A1220001	SCOTT	0A122	1.402	BUFFALO CREEK	OPEN	9/6/2016	1986	36.42245	-84.40165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
760A1220003	SCOTT	0A122	3.01	ROCK HOUSE FORK CREEK	OPEN	9/6/2016	1988	36.407333	-84.392017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
760A1230001	SCOTT	0A123	3.392	STANLEY CREEK	OPEN	9/12/2016	1975	36.452867	-84.47755	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.7
760A1280001	SCOTT	0A135	1.08	ROCKHOUSE CREEK	WEIGHT POSTED	9/6/2016	1970	36.407033	-84.378617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.8
760A1250001	SCOTT	0A135	1.62	ROCKHOUSE CREEK	WEIGHT POSTED	9/6/2016	1998	36.406667	-84.370117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.9
760A1370001	SCOTT	0A137	0.006	JELICO CREEK	WEIGHT POSTED	10/4/2016	1975	36.570267	-84.3169	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.2
760A1460001	SCOTT	0A146	0.042	BRANCH	OPEN	9/12/2016	1983	36.453133	-84.484633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
760A3140001	SCOTT	0A154	0.114	PHILLIPS CREEK	OPEN	10/17/2016	1935	36.429417	-84.539567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
760A3220001	SCOTT	0A157	0.061	PHILLIPS CREEK	OPEN	10/17/2016	1975	36.433683	-84.539933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.9
760A1780003	SCOTT	0A178	0.234	CANE CREEK	OPEN	10/17/2016	1950	36.40865	-84.488667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
760A3430001	SCOTT	0A189	0.114	BRANCH	OPEN	9/12/2016	1983	36.45455	-84.49315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
760A3060001	SCOTT	0A196	0.32	PHILLIPS CREEK	OPEN	10/25/2016	1994	36.3864	-84.549417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
760A2830001	SCOTT	0A209	1.754	BRANCH	OPEN	10/31/2016	1938	36.35975	-84.59735	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.5
760A2170001	SCOTT	0A217	0.197	BRIMSTONE CREEK	OPEN	11/1/2016	1950	36.298717	-84.502583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.7
760A2230001	SCOTT	0A238	0.029	BEMBERTON BRANCH	WEIGHT POSTED	11/2/2016	1975	36.342733	-84.548717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.1
760A2430001	SCOTT	0A246	1.055	BLACK WOLF CREEK	OPEN	10/31/2016	1975	36.285367	-84.560217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.7
760A2220001	SCOTT	0A249	0.05	BRIMSTONE CREEK	WEIGHT POSTED	11/1/2016	1940	36.31545	-84.512583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.4
760A2760001	SCOTT	0A276	0.891	CLEAR FORK RIVER	OPEN	10/25/2016	2006	36.38805	-84.629333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
760A2200003	SCOTT	0A278	0.644	BRIMSTONE CREEK	WEIGHT POSTED	11/1/2016	1970	36.25265	-84.50635	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.2
760A2200001	SCOTT	0A278	1.486	INDIAN CREEK	OPEN	11/1/2016	1975	36.25905	-84.49515	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	72
760A1940001	SCOTT	0A295	0.237	NEW RIVER	OPEN	9/20/2016	1975	36.287067	-84.3667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.9
760A2950003	SCOTT	0A295	2.05	BOWLING BRANCH	OPEN	10/18/2016	1981	36.269167	-84.392167	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	32.2
760A1940005	SCOTT	0A295	6.056	SMOKEY CREEK	OPEN	9/20/2016	1994	36.229217	-84.417583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
760A2000001	SCOTT	0A296	0.367	STRAIGHT FORK CREEK	OPEN	8/29/2016	1976	36.374433	-84.358917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.8
760A1790001	SCOTT	0A300	0.394	BUFFALO CREEK	OPEN	9/21/2016	1994	36.371933	-84.448683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89
760A1990001	SCOTT	0A300	3.302	NEW RIVER	OPEN	9/21/2016	1975	36.336067	-84.450983	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.6
760A2140003	SCOTT	0A301	0.747	NEW RIVER	OPEN	9/21/2016	1997	36.37445	-84.451017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
760A3080001	SCOTT	0A308	0.021	CANE CREEK	OPEN	10/17/2016	1950	36.408317	-84.48965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90
760A2140001	SCOTT	0A308	1.79	NEW RIVER	OPEN	10/17/2016	1975	36.389633	-84.487683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.5
760A1830001	SCOTT	0A319	1.373	BRANCH	OPEN	8/29/2016	1983	36.375783	-84.3652	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
760A1850001	SCOTT	0A323	0.01	STRAIGHT FORK CREEK	WEIGHT POSTED	8/29/2016	1930	36.384517	-84.343017	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	27.6
760A2900001	SCOTT	0A442	0.985	BLACK CREEK	OPEN	10/25/2016	1992	36.377617	-84.60695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
760A1020001	SCOTT	0A450	0.315	STANLEY CREEK	WEIGHT POSTED	9/7/2016	1965	36.461333	-84.40905	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44
76S23410001	SCOTT	0A465	0.27	PINE CREEK	OPEN	9/26/2016	1988	36.494883	-84.511317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
76S24500003	SCOTT	0A465	0.49	PINE CREEK	OPEN	9/26/2016	1950	36.4942	-84.507817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
760A5000003	SCOTT	0A508	0.397	PAINT ROCK CREEK	OPEN	9/21/2016	1930	36.404083	-84.44995	CONCRETE	TEE BEAM	80.9
760A5000001	SCOTT	0A508	3	BUFFALO CREEK	OPEN	8/29/2016	2006	36.388017	-84.420417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
76SR0290017	SCOTT	0A583	0.087	NIGS CREEK	OPEN	9/26/2016	1924	36.480083	-84.536567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	46.5
760A4680001	SCOTT	0A660	0.2	NEW RIVER	OPEN	9/20/2016	2001	36.328617	-84.375833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
76SR0290001	SCOTT	SR029	1.63	WEBB CREEK	OPEN	4/11/2017	1925	36.31455	-84.62695	CONCRETE	TEE BEAM	79
76SR0290003	SCOTT	SR029	1.85	BLACK WOLF CREEK	OPEN	4/11/2017	1925	36.316767	-84.624833	CONCRETE	TEE BEAM	50.9
76SR0290007	SCOTT	SR029	2.77	BRANCH	OPEN	4/11/2017	1927	36.322333	-84.612117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
76SR0290005	SCOTT	SR029	8.66	BUTTRAM BRANCH	OPEN	4/11/2017	1990	36.382083	-84.5587	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
76SR0290009	SCOTT	SR029	8.91	NEW RIVER	OPEN	4/11/2017	1990	36.382317	-84.553333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.1
76SR0290013	SCOTT	SR029	12.93	SULPHUR CREEK	OPEN	4/12/2017	1992	36.4323	-84.53825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
76SR0290015	SCOTT	SR029	13.46	CHERRY FORK CREEK	OPEN	4/12/2017	1995	36.44	-84.539717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
76SR0290035	SCOTT	SR029	16.21	SOU RWY & NFA A168	OPEN	4/19/2017	1996	36.476733	-84.539433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.3
76SR0290037	SCOTT	SR029	16.5	NIGS CREEK	OPEN	4/12/2017	1997	36.480967	-84.538	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
76SR0290019	SCOTT	SR029	18.06	PINE CREEK	OPEN	4/12/2017	1986	36.497017	-84.518717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
76SR0290021	SCOTT	SR029	22.53	SOUTHERN RAILWAY	OPEN	4/19/2017	1959	36.53805	-84.465033	CONCRETE	TEE BEAM	71
76SR0290023	SCOTT	SR029	24.81	BRANCH	OPEN	4/12/2017	1959	36.565867	-84.448533	CONCRETE	TEE BEAM	61
76SR0290025	SCOTT	SR029	25.79	PERKINS CREEK	OPEN	4/12/2017	1959	36.5786	-84.440467	CONCRETE	TEE BEAM	61
76SR0290027	SCOTT	SR029	26.65	BRANCH	OPEN	4/12/2017	1959	36.5909	-84.438983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
76SR0520001	SCOTT	SR052	4.9	SOUTHERN RAILWAY	OPEN	4/11/2017	2000	36.334467	-84.60665	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.6
76SR0630001	SCOTT	SR063	1.96	FLAT CREEK	OPEN	4/19/2017	2001	36.4162	-84.50385	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82
76SR0630007	SCOTT	SR063	5.31	PAINT ROCK CR & TN RWY	OPEN	4/17/2017	1983	36.4046	-84.451217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	67
76SR0630009	SCOTT	SR063	7.89	BUFFALO CREEK	OPEN	4/19/2017	1983	36.382267	-84.41505	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.5
76SR0630011	SCOTT	SR063	12.45	BRANCH	OPEN	4/17/2017	1955	36.390683	-84.34145	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66
76SR0630017	SCOTT	SR063	13.47	BRANCH	OPEN	4/17/2017	1976	36.39305	-84.326383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
76SR2970013	SCOTT	SR297	13.36	LITTON PINE CREEK	OPEN	4/19/2017	1970	36.500567	-84.526233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
76S24500011	SCOTT	SR456	3.53	WEST CREEK	OPEN	4/20/2017	1956	36.434383	-84.458	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
76S24500005	SCOTT	SR456	5.47	ALLEN CREEK	OPEN	4/20/2017	1953	36.456917	-84.475383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
76S24500007	SCOTT	SR456	6.52	STANLEY CREEK	OPEN	4/20/2017	1960	36.471467	-84.479817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
76006610009	SCOTT	SR456	9.57	SOU RWY/N F PINE CR/A072	OPEN	4/19/2017	1982	36.499	-84.508267	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.1
77F00060001	SEQUATCHIE	01132	1.33	SEQUATCHIE RIV OVERFLOW	OPEN	2/8/2017	1990	35.361	-85.373667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
77F00060003	SEQUATCHIE	01132	1.44	SEQUATCHIE RIVER	OPEN	2/15/2017	1990	35.359667	-85.3722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.7
77011530001	SEQUATCHIE	01153	4.48	HENSON CREEK	OPEN	2/15/2017	1963	35.3997	-85.324783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
77011530005	SEQUATCHIE	01153	6.86	WELCH BRANCH	OPEN	2/27/2017	1963	35.399817	-85.3248	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
77S43510003	SEQUATCHIE	01153	7.46	MCWILLIAMS CREEK	OPEN	2/1/2017	1984	35.405917	-85.329417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
77011530007	SEQUATCHIE	01153	8.67	SEQUATCHIE RIVER	OPEN	2/27/2017	1970	35.404367	-85.38845	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
77021640003	SEQUATCHIE	02164	0.22	BRANCH	OPEN	2/16/2017	1998	35.311533	-85.4312	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.9
77021640001	SEQUATCHIE	02164	1.53	SEQUATCHIE RIVER	OPEN	2/15/2017	1983	35.3002	-85.416667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
77SR1110019	SEQUATCHIE	02168	0.9	SR111	OPEN	1/10/2017	2002	35.351783	-85.29805	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
77021680001	SEQUATCHIE	02168	1.24	GRAY CREEK	OPEN	2/27/2017	1993	35.3551	-85.292983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90
77022290007	SEQUATCHIE	02229	0.44	THURMAN CREEK	OPEN	2/21/2017	2003	35.30955	-85.441083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
77022290001	SEQUATCHIE	02229	1.43	WOODCOCK CREEK	OPEN	2/21/2017	1940	35.32225	-85.4339	CONCRETE	TEE BEAM	72
77022290003	SEQUATCHIE	02229	2.51	STONE CREEK	OPEN	2/21/2017	1982	35.336617	-85.426617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
77022290005	SEQUATCHIE	02229	3.58	JOHNSON MILL CREEK	OPEN	2/21/2017	1939	35.34735	-85.413267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6
770A0020001	SEQUATCHIE	0A002	0.63	LONG BRANCH	OPEN	2/27/2017	2010	35.502017	-85.453717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
770A0050001	SEQUATCHIE	0A005	1.257	BIG BRUSH CREEK	OPEN	2/6/2017	1967	35.404367	-85.38845	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.3
770A0690001	SEQUATCHIE	0A069	0.13	LITTLE BRUSH CREEK	OPEN	2/15/2017	2001	35.404367	-85.3884	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
770A0700001	SEQUATCHIE	0A070	0.84	BIG BRUSH CREEK	OPEN	2/8/2017	1994	35.414033	-85.381017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.1
770A0980001	SEQUATCHIE	0A098	0.52	MCWILLIAMS CREEK	OPEN	2/1/2017	1989	35.400183	-85.339317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
770A1850001	SEQUATCHIE	0A185	0	GRAYSON MILL CREEK	OPEN	2/13/2017	1986	35.255517	-85.441133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
770A1850003	SEQUATCHIE	0A185	1.328	ANDERSON MILL CREEK	OPEN	2/16/2017	1984	35.264467	-85.424433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
770A1870001	SEQUATCHIE	0A187	0.012	GRAYSON MILL CREEK	OPEN	2/8/2017	1960	35.249533	-85.432	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	58.6
770A1890001	SEQUATCHIE	0A189	0.072	SEQUATCHIE RIVER	OPEN	2/15/2017	1973	35.274433	-85.4301	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
770A2180001	SEQUATCHIE	0A218	0.774	STONE CREEK	OPEN	2/16/2017	1996	35.318967	-85.422917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
770A2500001	SEQUATCHIE	0A250	0.722	COOPS CREEK	OPEN	2/8/2017	2003	35.369467	-85.3879	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
770A2750001	SEQUATCHIE	0A275	0.54	COOPS CREEK	OPEN	2/8/2017	1998	35.37465	-85.399383	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	82.3
770A2900001	SEQUATCHIE	0A290	0.86	COOPS CREEK	OPEN	2/8/2017	1960	35.368733	-85.3993	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
770A2990001	SEQUATCHIE	0A299	0.063	COOPS CREEK	OPEN	2/14/2017	1982	35.3691	-85.400067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
770A3080001	SEQUATCHIE	0A308	0.353	COOPS CREEK	OPEN	2/14/2017	2003	35.379483	-85.401717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
770A3090001	SEQUATCHIE	0A309	0.051	COOPS CREEK	OPEN	2/14/2017	1992	35.376317	-85.3991	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
770A3110001	SEQUATCHIE	0A311	0.87	SAVAGE CREEK	OPEN	2/13/2017	1987	35.425933	-85.5277	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
770A4970001	SEQUATCHIE	0A497	0.505	STANDIFER CREEK	OPEN	2/1/2017	1999	35.215017	-85.38015	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.8
770A4970003	SEQUATCHIE	0A497	2.204	BRIMER CREEK	OPEN	2/1/2017	2001	35.229733	-85.3692	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.5
770A5970001	SEQUATCHIE	0A597	0.321	MCWILLIAMS CREEK	OPEN	2/13/2017	1987	35.418267	-85.3204	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
77SR1110011	SEQUATCHIE	0D546	1.08	SR 111	OPEN	1/12/2017	1993	35.344967	-85.23255	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.1
77SR0080001	SEQUATCHIE	SR008	11.55	KEEL BRANCH	OPEN	1/18/2017	1942	35.33235	-85.385617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
77SR0080003	SEQUATCHIE	SR008	12.6	OVERFLOW OF SEQUATCHIE R	OPEN	1/9/2017	1950	35.330683	-85.390233	CONCRETE	TEE BEAM	70.6
77SR0080005	SEQUATCHIE	SR008	12.73	SEQUATCHIE RIVER	OPEN	1/9/2017	1950	35.331617	-85.391733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57.6
77SR0080007	SEQUATCHIE	SR008	15.33	COOPS CREEK	OPEN	1/24/2017	1950	35.367167	-85.392567	CONCRETE	TEE BEAM	62.3
77SR0080009	SEQUATCHIE	SR008	18.62	LITTLE BRUSH CREEK	OPEN	1/24/2017	1963	35.4035	-85.389667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.3
77SR0280015	SEQUATCHIE	SR028	0.91	HICKS CREEK	OPEN	1/4/2017	1973	35.279017	-85.456	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
77SR0280001	SEQUATCHIE	SR028	1.07	BRANCH	OPEN	1/5/2017	1974	35.2812	-85.453433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
77SR0280017	SEQUATCHIE	SR028	4.08	WOODCOCK CREEK	OPEN	1/5/2017	1972	35.319867	-85.429167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
77SR0280025	SEQUATCHIE	SR028	4.78	STONE CREEK	OPEN	1/12/2017	1973	35.32845	-85.422233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
77SR0280023	SEQUATCHIE	SR028	7.7	BRANCH	OPEN	1/18/2017	1940	35.398317	-85.372817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
77SR0280005	SEQUATCHIE	SR028	8.14	LITTLE BRUSH CREEK	OPEN	1/18/2017	1937	35.404133	-85.369533	CONCRETE	TEE BEAM	58.7
77SR0280007	SEQUATCHIE	SR028	8.31	BIG BRUSH CREEK	OPEN	1/25/2017	1940	35.405	-85.368333	CONCRETE	TEE BEAM	56.9
77SR0280009	SEQUATCHIE	SR028	8.47	STILLHOUSE BRANCH	OPEN	1/25/2017	1940	35.408467	-85.367233	CONCRETE	TEE BEAM	55.8
77SR0280011	SEQUATCHIE	SR028	8.74	ROGERS BRANCH	OPEN	1/25/2017	1940	35.412183	-85.365233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.5
77SR0280013	SEQUATCHIE	SR028	10.21	MINTON BRANCH	OPEN	1/18/2017	1940	35.4309	-85.352983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.5
77SR1110013	SEQUATCHIE	SR111	1.19	SODDY CREEK	OPEN	1/10/2017	1993	35.344567	-85.252733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
77SR1110009	SEQUATCHIE	SR111	2.81	NFA A119 OLD HENSON RD	OPEN	1/18/2017	2003	35.350067	-85.2806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
77SR1110010	SEQUATCHIE	SR111	2.81	NFA A119 OLD HENSON RD	OPEN	1/18/2017	1993	35.349667	-85.280083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
77SR1110015	SEQUATCHIE	SR111	3.51	GREY CREEK	OPEN	1/10/2017	1993	35.35045	-85.294367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
77SR1110017	SEQUATCHIE	SR111	7.59	NFA 1153 E VALLEY RD	OPEN	1/12/2017	1993	35.389033	-85.3326	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.3
77SR1110002	SEQUATCHIE	SR111	8.86	SEQUATCHIE RIVER	OPEN	1/24/2017	2003	35.39315	-85.354667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
77SR1110001	SEQUATCHIE	SR111	8.86	SEQUATCHIE RIVER	OPEN	1/24/2017	1990	35.393467	-85.35335	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.6
77SR1110004	SEQUATCHIE	SR111	9.17	NFA A095 (DAVIS RD)	OPEN	1/24/2017	2003	35.392817	-85.35885	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
77SR1110003	SEQUATCHIE	SR111	9.17	NFA A095 (DAVIS RD)	OPEN	1/18/2017	1990	35.393283	-85.358717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
77SR1110005	SEQUATCHIE	SR111	9.44	OVERFLOW-BIG BRUSH CREEK	OPEN	1/24/2017	1990	35.3925	-85.363617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.3
77SR1110007	SEQUATCHIE	SR111	9.53	BIG BRUSH CREEK	OPEN	1/4/2017	1990	35.392933	-85.365117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
77SR1110008	SEQUATCHIE	SR111	9.53	BIG BRUSH CREEK	OPEN	1/4/2017	2003	35.392583	-85.365333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.6
77SR0280027	SEQUATCHIE	SR111	10.05	SR-111 NB / SR-28	OPEN	1/24/2017	2000	35.395583	-85.37375	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
77SR0280028	SEQUATCHIE	SR111	10.05	SR-111 SB / SR-28	OPEN	1/24/2017	2000	35.394633	-85.373967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
77005390001	SEQUATCHIE	SR283	0.46	ANDERSON MILL CREEK	OPEN	1/5/2017	1985	35.259767	-85.43495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
77S43500003	SEQUATCHIE	SR399	0.12	SAVAGE CREEK	OPEN	1/24/2017	1968	35.431267	-85.538617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
78S24200003	SEVIER	01142	1.4	GISTS CREEK	OPEN	6/14/2017	1935	35.907083	-83.591933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.1
78S25330003	SEVIER	01286	0.77	MIDDLE CREEK	OPEN	6/1/2017	1960	35.789167	-83.535767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
78S25330005	SEVIER	01286	2.67	MIDDLE CREEK	OPEN	6/1/2017	1960	35.784317	-83.501117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
78S25330007	SEVIER	01286	3.06	MIDDLE CREEK	OPEN	6/1/2017	1950	35.784733	-83.499233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
78S25330009	SEVIER	01286	6.08	BIRD CREEK	OPEN	6/22/2017	1959	35.805733	-83.4601	CONCRETE	TEE BEAM	78.9
78F00260001	SEVIER	01404	0.85	MIDDLE CREEK	OPEN	6/1/2017	2008	35.85945	-83.5544	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.3
78S25860001	SEVIER	02436	0.59	GAP CREEK	OPEN	7/6/2017	1960	35.91275	-83.741883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
78024410003	SEVIER	02441	1.5	HAPPY CREEK	OPEN	7/22/2015	1918	35.873083	-83.691217	CONCRETE	TEE BEAM	78.8
78024410005	SEVIER	02441	3.85	HAPPY CREEK	OPEN	7/23/2015	1973	35.858717	-83.7067	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	81.3
78024760001	SEVIER	02476	0.02	WALDENS CREEK	OPEN	7/27/2015	1991	35.7856	-83.617783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.2
78024800001	SEVIER	02480	4.01	GISTS CREEK	OPEN	7/21/2015	1997	35.8488	-83.624983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
78024820001	SEVIER	02482	0.09	MIDDLE CREEK	OPEN	6/7/2017	1984	35.8401	-83.5469	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.2
78024880001	SEVIER	02488	0.21	LITTLE PIGEON RIVER	OPEN	6/12/2017	1970	35.867467	-83.54605	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	66.4
78024900001	SEVIER	02490	0.14	KNOB CREEK	OPEN	7/23/2015	2014	35.867467	-83.660467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
78024900003	SEVIER	02490	0.45	KNOB CREEK	OPEN	7/23/2015	1984	35.870383	-83.65675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
78024900005	SEVIER	02490	4.64	GISTS CREEK	OPEN	7/23/2015	2006	35.8908	-83.597817	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.8
78024900007	SEVIER	02490	5.59	W. PRONG LITTLE PIGEON R	OPEN	7/29/2015	1999	35.8922	-83.583117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.8
78024920001	SEVIER	02492	0.07	HETTIE CREEK	OPEN	6/6/2017	1984	35.891983	-83.4257	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
78024370001	SEVIER	04693	1.12	W PRONG LITTLE PIGEON RV	OPEN	6/7/2017	1976	35.84435	-83.568167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68.3
780A0650001	SEVIER	0A065	0.362	BOYDS CREEK	WEIGHT POSTED	7/6/2017	1970	35.897133	-83.6931	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.3
780A0680001	SEVIER	0A068	0.386	BOYDS CREEK	OPEN	7/6/2017	1919	35.8829	-83.726283	CONCRETE	TEE BEAM	84.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
780A0760001	SEVIER	0A076	0.592	KNOB CREEK	OPEN	7/22/2015	1987	35.881033	-83.65915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
780A0780001	SEVIER	0A078	3.211	HAPPY CREEK	OPEN	7/10/2017	1986	35.887417	-83.663583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
780A0780003	SEVIER	0A078	4.033	HAPPY CREEK	OPEN	7/10/2017	1984	35.894517	-83.661817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
780A0780005	SEVIER	0A078	5.571	BOYDS CREEK	OPEN	7/6/2017	1983	35.91045	-83.65935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
780A0800001	SEVIER	0A080	0.05	KNOB CREEK	OPEN	7/10/2017	2016	35.8999	-83.65465	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.2
780A0810001	SEVIER	0A081	0.004	PANTHER CREEK	WEIGHT POSTED	7/10/2017	1974	35.9044	-83.64505	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.8
780A0860001	SEVIER	0A086	0.512	LITTLE GISTS CREEK	OPEN	6/14/2017	1986	35.904883	-83.596317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
780A1430001	SEVIER	0A143	1.287	TUCKAHOE CR.	OPEN	7/7/2017	1974	35.984317	-83.645133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
780A4170001	SEVIER	0A147	4.163	DUMPLIN CREEK	OPEN	7/7/2017	1935	35.966017	-83.63745	CONCRETE	CHANNEL BEAM	73.9
780A1590001	SEVIER	0A159	0.533	DUMPLIN CREEK	OPEN	7/7/2017	1992	35.98405	-83.583583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.2
780A1970001	SEVIER	0A197	0.72	MILLICAN CREEK	OPEN	6/6/2017	1995	35.929117	-83.532367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
780A2300001	SEVIER	0A230	0.22	MIDDLE CREEK	OPEN	6/12/2017	1948	35.86925	-83.560133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79
780A2460001	SEVIER	0A246	1.236	HETTIE CREEK	OPEN	6/6/2017	1986	35.898017	-83.440333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
780A2510001	SEVIER	0A251	0.001	FLAT CREEK	OPEN	6/6/2017	1993	35.91465	-83.4495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
780A2530001	SEVIER	0A253	0.09	W. PRONG LITTLE PIGEON R	OPEN	7/7/2017	2013	35.802133	-83.5714	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.6
780A2530003	SEVIER	0A253	0.19	W. PRONG LITTLE PIGEON R	OPEN	7/7/2017	2013	35.802367	-83.569967	STEEL	TRUSS - THRU	79.6
780A2530005	SEVIER	0A253	0.27	DRAINAGE DITCH	OPEN	7/7/2017	2013	35.801883	-83.568833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.6
780A2890001	SEVIER	0A289	0.22	EAST FORK DUNN CREEK	OPEN	6/8/2017	2013	35.846383	-83.42405	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.5
780A2900001	SEVIER	0A290	0.047	EAST FORK	OPEN	6/8/2017	1985	35.855617	-83.43885	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.5
780A2950001	SEVIER	0A295	2.37	WILHITE CREEK	OPEN	6/15/2017	1983	35.857367	-83.35225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
780A2960001	SEVIER	0A296	0.074	WILHITE CREEK	OPEN	6/15/2017	2006	35.854433	-83.379267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
780A2970001	SEVIER	0A297	0.056	WILHITE CREEK	OPEN	6/15/2017	1996	35.857017	-83.371383	CONCRETE	SLAB	91.2
780A3080001	SEVIER	0A308	2.071	DUNN CREEK	OPEN	6/21/2017	2003	35.8085	-83.288867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.9
780A3080003	SEVIER	0A308	2.273	DUNN CREEK	OPEN	6/21/2017	2007	35.80675	-83.291217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.9
780A3080005	SEVIER	0A308	2.93	DUNN CREEK	OPEN	6/21/2017	2003	35.801	-83.297217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.9
780A3080007	SEVIER	0A308	5.307	DUNN CREEK	OPEN	6/21/2017	1993	35.7717	-83.2912	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
780A3090001	SEVIER	0A309	7.78	DUNN CREEK	OPEN	6/20/2017	1960	35.822583	-83.3184	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	90.3
780A3090003	SEVIER	0A309	8.287	YELLOW BREECHES CREEK	OPEN	6/20/2017	1971	35.8287	-83.321883	CONCRETE CONTINUOUS	SLAB	84.2
780A3100001	SEVIER	0A310	0.009	DUNN CREEK	OPEN	6/21/2017	1981	35.812533	-83.29005	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	87.3
780A3110001	SEVIER	0A311	0.385	DUNN CREEK	OPEN	6/21/2017	2000	35.780483	-83.298783	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93.8
780A3120001	SEVIER	0A312	0.699	DUNN CREEK	OPEN	6/21/2017	1983	35.765667	-83.284933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
780A3240001	SEVIER	0A324	0.581	EAST FORK	OPEN	6/6/2017	1875	35.86105	-83.482383	WOOD OR TIMBER	TRUSS - THRU	71
780A3270001	SEVIER	0A327	8.148	DUNN CREEK	OPEN	6/20/2017	1995	35.827	-83.3898	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
780A3270003	SEVIER	0A327	10.189	DUNN CREEK	OPEN	6/20/2017	2000	35.8214	-83.3598	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.5
780A3270005	SEVIER	0A327	12.3	DUNN CREEK	OPEN	6/20/2017	2005	35.826417	-83.33055	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
780A3300001	SEVIER	0A330	0.01	LITTLE PIGEON RIVER	OPEN	6/26/2017	1965	35.814833	-83.439183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.1
780A3310001	SEVIER	0A331	0.057	EAST FORK	OPEN	6/15/2017	1963	35.844367	-83.417433	CONCRETE	CHANNEL BEAM	61.8
780A3350001	SEVIER	0A335	0.035	DUNN CREEK	OPEN	6/20/2017	2008	35.821733	-83.353083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
780A3520001	SEVIER	0A352	0.094	WEBB CREEK	OPEN	6/27/2017	1984	35.757417	-83.380783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.4
780A3530001	SEVIER	0A353	0.495	WEBB CREEK	OPEN	6/26/2017	1992	35.758667	-83.393967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.9
780A3530003	SEVIER	0A353	0.792	WEBB CREEK	WEIGHT POSTED	6/26/2017	1965	35.760167	-83.38945	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
780A3580001	SEVIER	0A358	0.093	LITTLE PIGEON RIVER	WEIGHT POSTED	6/27/2017	1970	35.747583	-83.4164	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.1
780A3590001	SEVIER	0A359	0.009	LITTLE PIGEON RIVER	WEIGHT POSTED	1/31/2017	1970	35.753883	-83.41375	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.5
780A3670001	SEVIER	0A367	0.273	BIRD CREEK	OPEN	6/22/2017	2013	35.785983	-83.460633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
780A3670003	SEVIER	0A367	1.071	BIRD CREEK	OPEN	6/22/2017	1984	35.78315	-83.451533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
780A4310001	SEVIER	0A431	0.151	W PRONG LITTLE PIGEON RI	OPEN	7/30/2015	1986	35.778267	-83.542583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.3
780A4430001	SEVIER	0A443	0.615	MIDDLE CREEK	OPEN	6/7/2017	1984	35.824267	-83.541433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
780A4530001	SEVIER	0A453	0.3	ACCESS RD TO SPLASH CO	OPEN	6/7/2017	2008	35.796883	-83.572667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.5
780A4690001	SEVIER	0A469	0.172	MIDDLE CREEK	OPEN	6/12/2017	1976	35.857983	-83.551483	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	59.5
780A4910001	SEVIER	0A491	0.108	LITTLE PIGEON RIVER	OPEN	7/30/2015	1989	35.805583	-83.574367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85
780A4980001	SEVIER	0A498	0.314	LE CONTE CREEK	OPEN	7/20/2015	1997	35.709517	-83.522	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.3
780A5050001	SEVIER	0A505	0.008	MILL CREEK	OPEN	7/28/2015	1993	35.75405	-83.569033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
780A5090003	SEVIER	0A506	0.009	MILL CREEK	OPEN	7/28/2015	1983	35.763883	-83.569283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.8
780A5090005	SEVIER	0A509	0.117	COVE CREEK	OPEN	6/28/2017	1983	35.7359	-83.629133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
780A5090007	SEVIER	0A509	0.687	MACHINE BRANCH	OPEN	6/28/2017	1987	35.737167	-83.619817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
780A5090001	SEVIER	0A509	6.973	MILL CREEK	OPEN	7/28/2015	1984	35.76905	-83.547117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.3
780A5140001	SEVIER	0A514	0.532	MILL CREEK	OPEN	7/29/2015	1965	35.784733	-83.6465	CONCRETE	CHANNEL BEAM	75.6
780A5180001	SEVIER	0A518	0.412	MILL CREEK	OPEN	7/29/2015	1986	35.790167	-83.565817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
780A5240001	SEVIER	0A524	0.545	COVE CREEK	OPEN	7/5/2017	1970	35.7434	-83.626267	CONCRETE	CHANNEL BEAM	59.4
780A5270001	SEVIER	0A527	6.113	HAPPY CREEK	OPEN	7/23/2015	1936	35.844933	-83.70835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
780A5330001	SEVIER	0A533	0.209	COVE CREEK	OPEN	7/5/2017	2006	35.723433	-83.634733	CONCRETE	ARCH - DECK	99
780A5470001	SEVIER	0A547	0.192	COVE CREEK	OPEN	6/28/2017	1983	35.719867	-83.6414	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
780A5620001	SEVIER	0A562	0.138	WALDENS CREEK	OPEN	7/27/2015	2011	35.785433	-83.6266	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
780A5630001	SEVIER	0A563	0.358	WALDENS CREEK	OPEN	7/27/2015	1998	35.7857	-83.63385	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.9
780A5660001	SEVIER	0A566	0.119	WALDENS CREEK	OPEN	7/27/2015	1984	35.769917	-83.654417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.7
780A5670001	SEVIER	0A567	0.173	WALDENS CREEK	OPEN	7/27/2015	1984	35.768017	-83.659	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
780A5800001	SEVIER	0A580	0.13	MILL CREEK	OPEN	7/5/2017	1999	35.804483	-83.583583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
780A5960001	SEVIER	0A596	0.633	W PRONG LITTLE PIEGON R	OPEN	7/27/2015	1985	35.817383	-83.58955	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.2
780A6340001	SEVIER	0A634	1.98	BRIDGE CREEK	OPEN	7/21/2015	1958	35.84735	-83.662133	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	92.4
780A7740001	SEVIER	0A774	0.034	YELLOW BREECHES CREEK	WEIGHT POSTED	6/20/2017	1975	35.827283	-83.315467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68
780A7840001	SEVIER	0A784	0.28	LITTLE PIEGON RIVER	OPEN	6/26/2017	2010	35.795533	-83.420583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
780A8080001	SEVIER	0A808	0.196	DUDLEY CREEK	OPEN	7/13/2015	1993	35.72385	-83.5078	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.2
780A8230001	SEVIER	0A823	0.158	DUDLEY CREEK	OPEN	7/13/2015	1994	35.7243	-83.49025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
780A8270001	SEVIER	0A827	0.008	DUDLEY CREEK	OPEN	7/13/2015	1960	35.720533	-83.49865	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
780A8290001	SEVIER	0A829	0.733	ROARING FORK CREEK	OPEN	7/13/2015	2000	35.716483	-83.491383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
780A8320001	SEVIER	0A832	0.024	ROARING FORK CREEK	OPEN	7/13/2015	1984	35.717033	-83.490417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.8
780A8450001	SEVIER	0A845	0.008	ROARING FORK CREEK	OPEN	7/13/2015	2010	35.716417	-83.5	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.8
780A8480001	SEVIER	0A848	0.072	ROARING FORK CREEK	OPEN	7/20/2015	2006	35.7172	-83.505117	CONCRETE CONTINUOUS	SLAB	85.8
780A8520001	SEVIER	0A852	0.107	ROARING FORK CREEK	OPEN	7/20/2015	1970	35.717617	-83.506783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.2
780A8650001	SEVIER	0A865	0.199	BASKINS CREEK	OPEN	7/20/2015	1986	35.708817	-83.51085	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.3
780A8670001	SEVIER	0A867	0.018	BASKINS CREEK	WEIGHT POSTED	7/20/2015	1970	35.709967	-83.5128	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.7
780A8770001	SEVIER	0A877	0.008	W PRONG LITTLE PIGEON R	OPEN	7/20/2015	1998	35.720367	-83.510317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
780A8920001	SEVIER	0A892	0.009	LE CONTE CREEK	OPEN	7/20/2015	2013	35.701683	-83.513583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
780A9040001	SEVIER	0A904	0.12	W PRONG LITTLE PIGEON R	OPEN	7/20/2015	2009	35.70915	-83.52265	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.4
780A9120001	SEVIER	0A912	0.11	W PRONG LITTLE PIGEON RV	OPEN	7/20/2015	1990	35.7073	-83.52405	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80.2
780A9460003	SEVIER	0A946	3.844	W. FK LITTLE PIGEON RIVE	OPEN	7/20/2015	1989	35.713633	-83.512533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	80.9
780A9740001	SEVIER	0A974	0.041	W PRONG LITTLE PIGEON R	OPEN	7/30/2015	1991	35.7747	-83.539167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.6
780A9990001	SEVIER	0A999	0.264	MILL CREEK	OPEN	7/29/2015	1996	35.796883	-83.572667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.5
780B0030001	SEVIER	0B003	0.08	LITTLE PIGEON RIVER	OPEN	7/30/2015	1992	35.79555	-83.561033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.6
780B0060001	SEVIER	0B006	0.056	W PRG LITTLE PIGEON RIVE	OPEN	7/30/2015	1913	35.78845	-83.5545	CONCRETE	ARCH - DECK	59.5
780B0720001	SEVIER	0B072	0.486	MIDDLE CREEK	OPEN	6/12/2017	1940	35.86285	-83.555517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.8
780B1460001	SEVIER	0B146	0.006	MILL CREEK	OPEN	7/28/2015	1984	35.75715	-83.568	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
780B2710001	SEVIER	0B271	0.766	E FORK LITTLE PIGEON RV	OPEN	6/8/2017	2007	35.86535	-83.488117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.7
780B3260001	SEVIER	0B326	0.008	BOYDS CREEK	OPEN	7/6/2017	1974	35.92065	-83.665683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.9
780B3530001	SEVIER	0B353	0.155	MACHINE BRANCH	OPEN	7/5/2017	1984	35.73425	-83.618883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
780B3540001	SEVIER	0B354	0.231	COVE CREEK	OPEN	7/5/2017	1984	35.729917	-83.62875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
780A0770001	SEVIER	0B396	0.647	KNOB CREEK	OPEN	7/10/2017	1987	35.887467	-83.659833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
780B5120001	SEVIER	0B512	0.007	BOYD'S CREEK	OPEN	7/6/2017	1980	35.890967	-83.717817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.5
780B5930001	SEVIER	0B593	0.081	MIDDLE CREEK	OPEN	6/7/2017	1990	35.80955	-83.538617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
780B6850001	SEVIER	0B685	0.07	COVE CREEK	OPEN	6/28/2017	2016	35.758483	-83.620183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.7
780B6910001	SEVIER	0B691	0.29	WEBB CREEK	OPEN	6/27/2017	2010	35.759867	-83.35765	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
780B7100001	SEVIER	0B710	0.003	WILHITE CREEK	OPEN	6/14/2017	1983	35.85015	-83.383617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
780A9580001	SEVIER	0B785	0.15	W PRONG LITTLE PIGEON R	OPEN	7/20/2015	2013	35.726167	-83.512017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.5
780B7140001	SEVIER	0B805	0.012	MIDDLE CREEK	OPEN	6/1/2017	1960	35.7846	-83.50435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
780B8110001	SEVIER	0B811	0.086	MILL CREEK	OPEN	7/28/2015	1998	35.794033	-83.56965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
780Z0010001	SEVIER	0B944	0.072	W PRONG LITTLE PIEGON R	OPEN	7/27/2015	1997	35.83815	-83.569717	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.2
780B8120001	SEVIER	0B944	1.346	MIDDLE CREEK	OPEN	7/27/2015	2005	35.8371	-83.549233	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
780B8010001	SEVIER	0B964	0.053	EAST FORK DUNN CREEK	OPEN	6/14/2017	1993	35.84835	-83.392683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.8
780C3960001	SEVIER	0C396	0.165	MIDDLE CREEK	OPEN	6/1/2017	2004	35.867517	-83.546067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
780A5110001	SEVIER	0C633	0.422	MILL CREEK	OPEN	7/29/2015	1965	35.782967	-83.55945	CONCRETE	CHANNEL BEAM	68.5
78I00400002	SEVIER	I0040	0.38	HICKMAN ROAD	OPEN	1/31/2017	1972	35.985717	-83.64475	CONCRETE CONTINUOUS	TEE BEAM	88.8
78I00400001	SEVIER	I0040	0.38	HICKMAN ROAD	OPEN	1/31/2017	1972	35.985183	-83.644817	CONCRETE CONTINUOUS	TEE BEAM	88.8
78I00400004	SEVIER	I0040	0.56	TUCKAHOE BRANCH	OPEN	12/30/2016	1975	35.985433	-83.641667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
78I00400003	SEVIER	I0040	0.56	TUCKAHOE BRANCH	OPEN	12/30/2016	1975	35.984683	-83.641367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
78I00400006	SEVIER	I0040	1.08	SR 139	OPEN	1/31/2017	1975	35.983867	-83.632533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.8
78I00400005	SEVIER	I0040	1.08	SR 139	OPEN	1/31/2017	1975	35.98325	-83.632467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.8
78I00400008	SEVIER	I0040	3.78	BRYAN ROAD	OPEN	1/31/2017	1975	35.986567	-83.58515	CONCRETE CONTINUOUS	TEE BEAM	87.2
78I00400007	SEVIER	I0040	3.78	BRYAN ROAD	OPEN	1/31/2017	1975	35.98615	-83.585117	CONCRETE CONTINUOUS	TEE BEAM	78.9
78SR0350001	SEVIER	SR035	2.73	BOYDS CREEK	OPEN	9/1/2015	1933	35.861783	-83.74285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
78SR0350003	SEVIER	SR035	2.92	BRANCH	OPEN	9/1/2015	1938	35.860283	-83.740033	CONCRETE	TEE BEAM	82.5
78SR0350031	SEVIER	SR035	3.54	REGAN BRANCH	OPEN	9/1/2015	1964	35.857867	-83.729683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.4
78SR0350005	SEVIER	SR035	5.04	HAPPY CREEK	OPEN	9/1/2015	1931	35.847817	-83.707667	CONCRETE	TEE BEAM	64.5
78SR0350007	SEVIER	SR035	7.87	KNOB CREEK	OPEN	9/1/2015	1931	35.864167	-83.6638	CONCRETE	TEE BEAM	74.4
78SR0350009	SEVIER	SR035	8.62	BRIDGE CREEK	OPEN	9/8/2015	1931	35.860917	-83.653967	CONCRETE	TEE BEAM	83.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
78SR0350012	SEVIER	SR035	10.65	GISTS CREEK	OPEN	9/8/2015	2008	35.859933	-83.62465	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
78SR0350011	SEVIER	SR035	10.65	GISTS CREEK	OPEN	9/8/2015	2008	35.859683	-83.6246	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
78SR0350013	SEVIER	SR035	10.98	GIST CREEK RL	OPEN	9/8/2015	2008	35.861233	-83.619067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.4
78SR0350014	SEVIER	SR035	10.98	GIST CREEK	OPEN	9/8/2015	2008	35.861367	-83.619067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.6
78SR0350016	SEVIER	SR035	12.41	GIST CREEK LL	OPEN	9/8/2015	1931	35.87065	-83.596633	CONCRETE	TEE BEAM	72
78SR0350015	SEVIER	SR035	12.41	GISTS CREEK RL	OPEN	9/8/2015	1956	35.8705	-83.5966	CONCRETE	TEE BEAM	71
78SR0350017	SEVIER	SR035	13.76	W.FK.LITTLE PIGEON RIVER	OPEN	8/27/2015	1933	35.8714	-83.574633	CONCRETE	TEE BEAM	58.7
78SR0350021	SEVIER	SR035	14.82	MIDDLE CREEK	OPEN	10/8/2015	1963	35.86675	-83.557083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.6
78SR0350023	SEVIER	SR035	17.65	LITTLE PIGEON RIVER	OPEN	10/6/2015	1975	35.864783	-83.50755	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.8
78SR0350029	SEVIER	SR035	22.08	HETTIE CREEK	OPEN	8/18/2015	1975	35.893383	-83.4376	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
78SR0350027	SEVIER	SR035	25.94	FLATT CREEK	OPEN	8/18/2015	2007	35.911467	-83.3779	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
78SR0660001	SEVIER	SR066	0.02	LITTLE PIGEON RIVER	OPEN	9/28/2015	1963	35.869717	-83.567533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79
78SR0660004	SEVIER	SR066	4.94	FRENCH BROAD RIVER	OPEN	10/14/2015	1987	35.93675	-83.5834	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.2
78SR0660003	SEVIER	SR066	4.94	FRENCH BROAD RIVER	OPEN	10/14/2015	1968	35.93685	-83.583183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.2
78SR0660005	SEVIER	SR066	8.09	DUMPLIN CREEK	OPEN	9/24/2015	1975	35.976567	-83.605683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
78I00400009	SEVIER	SR066	8.555	I40	OPEN	1/31/2017	1975	35.983017	-83.60795	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
78I00400010	SEVIER	SR066	8.555	I40 LT LN	OPEN	1/31/2017	1975	35.982967	-83.608217	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
78SR0710021	SEVIER	SR071	15.04	LECONTE CREEK	OPEN	9/16/2015	1938	35.70895	-83.520883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.5
78SR0710023	SEVIER	SR071	15.6	BASKIN CREEK	OPEN	9/16/2015	1938	35.712833	-83.513067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.3
78SR0710025	SEVIER	SR071	15.96	ROARING FORK CREEK	OPEN	9/16/2015	1938	35.717217	-83.511417	CONCRETE	ARCH - DECK	57.2
78SR0710039	SEVIER	SR071	21.04	W.FK.LITTLE PIGEON RIVER	OPEN	10/5/2015	1958	35.773533	-83.53705	CONCRETE	TEE BEAM	48.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
78SR0710041	SEVIER	SR071	24.33	LITTLE PIGEON RIVER RL	OPEN	10/5/2015	1967	35.807317	-83.577567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	62.7
78SR0710042	SEVIER	SR071	24.33	LITTLE PIGEON RIVER LL	OPEN	10/5/2015	1949	35.807483	-83.577633	CONCRETE	TEE BEAM	51.7
78SR0710043	SEVIER	SR071	25.68	LITTLE PIGEON RIVER RL	OPEN	10/5/2015	1949	35.82615	-83.575383	CONCRETE	TEE BEAM	71.8
78SR0710044	SEVIER	SR071	25.68	LITTLE PIGEON RIVER LL	OPEN	10/5/2015	1967	35.826167	-83.5756	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.2
78SR0710045	SEVIER	SR071	26.61	NORTON BRANCH	OPEN	9/22/2015	1967	35.838717	-83.572	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
78SR0710047	SEVIER	SR071	28.07	LITTLE PIGEON RIVER	OPEN	10/5/2015	1949	35.859633	-83.566483	CONCRETE	TEE BEAM	80.7
78S24220001	SEVIER	SR073	6.43	COVE CREEK	OPEN	9/15/2015	1977	35.76565	-83.62155	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.3
78SR0730037	SEVIER	SR073	8	LOST BRANCH	OPEN	9/15/2015	1982	35.7815	-83.61865	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
78S24220003	SEVIER	SR073	8.77	WALDENS CREEK	OPEN	9/15/2015	2002	35.789917	-83.612017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.2
78S24220005	SEVIER	SR073	9.4	WALDENS CREEK	OPEN	9/21/2015	2002	35.793033	-83.60155	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
78S24220007	SEVIER	SR073	9.62	WALDENS CREEK	OPEN	9/21/2015	2002	35.793583	-83.5977	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
78S24220009	SEVIER	SR073	10.32	WALDENS CREEK	OPEN	9/21/2015	2002	35.798917	-83.587383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
78S24220011	SEVIER	SR073	10.8	MILL CREEK	OPEN	9/21/2015	1988	35.803367	-83.58095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
78SR0730013	SEVIER	SR073	11.69	ROARING FORK CREEK	OPEN	9/22/2015	1956	35.717033	-83.502267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.5
78SR0730015	SEVIER	SR073	12.17	DUDLEY CREEK	OPEN	9/22/2015	1956	35.722567	-83.496483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.7
78SR0730017	SEVIER	SR073	16.82	HILLS CREEK	OPEN	9/22/2015	1956	35.736283	-83.421317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
78SR0730019	SEVIER	SR073	17.135	LITTLE PIGEON RIVER	OPEN	10/7/2015	1955	35.739033	-83.416617	CONCRETE	TEE BEAM	52.4
78SR0730021	SEVIER	SR073	18.78	COPELAND CREEK	OPEN	9/22/2015	1954	35.74985	-83.39545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
78SR0730023	SEVIER	SR073	19.93	WEBB CREEK	OPEN	10/7/2015	2007	35.7581	-83.3829	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.7
78SR0730025	SEVIER	SR073	20.76	WEBB CREEK	OPEN	9/14/2015	1954	35.760367	-83.369233	CONCRETE	TEE BEAM	46.5
78SR0730027	SEVIER	SR073	22.05	RAMSEY CREEK	OPEN	9/14/2015	1954	35.759233	-83.347183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
78SR0730029	SEVIER	SR073	22.83	NOISEY CREEK	OPEN	9/14/2015	1954	35.761117	-83.333467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
78SR0730031	SEVIER	SR073	24.02	TEXAS CREEK	OPEN	9/14/2015	1954	35.7624	-83.312333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
78SR0730033	SEVIER	SR073	24.15	WEBB CREEK	OPEN	9/14/2015	1954	35.762433	-83.310133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
78SR0730035	SEVIER	SR073	25.56	DUNN CREEK	OPEN	9/14/2015	1948	35.767033	-83.286133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
78SR1390001	SEVIER	SR139	2.25	TUCKAHOE CREEK	OPEN	9/24/2015	1947	35.990117	-83.632483	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	67
78SR1390003	SEVIER	SR139	3.93	DUMPLIN CREEK	OPEN	9/24/2015	1973	35.970733	-83.624633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	47.3
78S24200001	SEVIER	SR338	7.11	BOYDS CREEK	OPEN	10/8/2015	1920	35.926433	-83.65275	MASONRY	ARCH - DECK	56.6
78012940001	SEVIER	SR338	11.78	LITTLE PIGEON RIVER	OPEN	10/13/2015	1986	35.928533	-83.584183	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	75.5
78024430001	SEVIER	SR338	14.96	MILLICAN CREEK	OPEN	10/8/2015	1984	35.927483	-83.542917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	60
78024430003	SEVIER	SR338	17.15	FRENCH BROAD RIVER	OPEN	10/13/2015	1980	35.957017	-83.546017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	48
78S24190001	SEVIER	SR339	7.695	WHITE CREEK	OPEN	8/18/2015	1940	35.8463	-83.388517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
78S24190005	SEVIER	SR339	12	BRANCH	OPEN	8/18/2015	1940	35.829633	-83.32595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
78S24190003	SEVIER	SR339	13.61	YELLOW BREECHES CREEK	OPEN	8/18/2015	1950	35.830217	-83.298783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
78SR4160001	SEVIER	SR416	1.885	COPELAND CREEK	OPEN	10/12/2015	1950	35.757383	-83.397917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
78S24210003	SEVIER	SR416	2.015	WEBB CREEK	OPEN	10/12/2015	1955	35.759317	-83.397733	CONCRETE	TEE BEAM	65.5
78S24210011	SEVIER	SR416	3.04	LAUREL BRANCH	OPEN	10/12/2015	1950	35.772033	-83.402033	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	83.3
78S24210005	SEVIER	SR416	3.47	LITTLE PIGEON RIVER	OPEN	10/12/2015	1995	35.776633	-83.405117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
78S24210007	SEVIER	SR416	9.83	BIRD CREEK	OPEN	10/6/2015	1992	35.814817	-83.461883	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	76.5
78S24210009	SEVIER	SR416	12.465	LITTLE PIGEON RIVER	OPEN	10/6/2015	1992	35.839583	-83.48935	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
78006870013	SEVIER	SR416	14.17	LITTLE PIGEON RIVER	OPEN	10/6/2015	1991	35.860783	-83.5029	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
78SR4480001	SEVIER	SR448	0.09	LITTLE PIGEON RIVER	OPEN	8/27/2015	2004	35.869283	-83.562517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77
78S25330001	SEVIER	SR449	0.13	LITTLE PIGEON RIVER	OPEN	8/20/2015	1984	35.7827	-83.548233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73.4
78S26050001	SEVIER	SR449	1.82	MIDDLE CREEK	OPEN	8/20/2015	2005	35.803967	-83.5385	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
78SR4490003	SEVIER	SR449	2.76	MIDDLE CREEK	OPEN	8/20/2015	2001	35.817933	-83.54	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.3
78SR4490005	SEVIER	SR449	3.37	MIDDLE CREEK	OPEN	8/20/2015	2005	35.829817	-83.5428	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
78SR4490007	SEVIER	SR449	4.32	MIDDLE CREEK	OPEN	8/20/2015	2005	35.842333	-83.543233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
78SR4490009	SEVIER	SR449	5.32	MIDDLE CREEK	OPEN	8/20/2015	2005	35.857983	-83.54455	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
78SR4540001	SEVIER	SR454	1.79	BRANCH	OPEN	9/9/2015	2011	35.7898	-83.458533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
78012840007	SEVIER	SR454	4.67	BIRDS CREEK	OPEN	9/9/2015	1985	35.7898	-83.458533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
78012840001	SEVIER	SR454	5.04	BIRDS CREEK	OPEN	9/9/2015	1985	35.794333	-83.45935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
78012840003	SEVIER	SR454	5.35	BIRDS CREEK	OPEN	9/9/2015	2011	35.797617	-83.460483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
78S24830005	SEVIER	SR454	5.6	BIRDS CREEK	OPEN	9/9/2015	2011	35.8002	-83.457467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
79I02690020	SHELBY	00269	0.666	SR086	OPEN	1/24/2017	2015	35.011883	-89.644117	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
79I02690019	SHELBY	00269	0.666	SR086	OPEN	1/24/2017	2015	35.011433	-89.643817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
79I02690021	SHELBY	00269	1.275	SHELBY DR	OPEN	1/25/2017	2015	35.020283	-89.643467	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94
79I02690022	SHELBY	00269	1.275	SHELBY DR	OPEN	1/25/2017	2015	35.020333	-89.64375	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98
79I02690017	SHELBY	00269	1.695	I0269	OPEN	1/25/2017	2015	35.026433	-89.643039	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
790B7600001	SHELBY	00300	1.68	WOLF RIVER	OPEN	12/5/2016	1976	35.187556	-90.045667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
79008070001	SHELBY	00801	2.14	BIG CREEK CANAL	OPEN	4/12/2017	1966	35.299111	-89.990889	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79008070003	SHELBY	00801	3.73	BRANCH	OPEN	4/10/2017	1966	35.321861	-89.992611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
79008070005	SHELBY	00801	3.91	BRANCH	OPEN	4/10/2017	1966	35.324389	-89.992667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
790A0280003	SHELBY	00801	5.07	BRANCH	OPEN	4/10/2017	1968	35.333861	-89.999278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
79S81030001	SHELBY	00803	3.87	LOOSAHATCHIE RIVER	OPEN	4/17/2017	2016	35.262444	-89.929417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.5
79008030004	SHELBY	00803	9.15	BIG CREEK CANAL	OPEN	5/3/2017	1976	35.332806	-89.898389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	58.5
79008030003	SHELBY	00803	9.15	BIG CREEK CANAL	WEIGHT POSTED	5/3/2017	1955	35.332806	-89.898167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.2
79008040003	SHELBY	00804	1.68	BRANCH	OPEN	3/28/2017	1995	35.054472	-89.886306	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.6
79008040001	SHELBY	00804	2	BRANCH	OPEN	4/26/2017	1995	35.042889	-89.886167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	79.2
790N0070003	SHELBY	00805	0.26	NORTH FORK CREEK	OPEN	5/4/2017	2013	35.341381	-89.888431	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.3
790N0070001	SHELBY	00805	0.765	BRANCH	OPEN	5/3/2017	2008	35.341381	-89.888431	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
790N0070005	SHELBY	00805	2.415	BRANCH & CNIC RAILROAD	OPEN	5/3/2017	2013	35.341381	-89.888431	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.3
790N0070007	SHELBY	00805	3.13	NORTH FORK CREEK	OPEN	5/4/2017	2013	35.341381	-89.888431	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.3
79008110009	SHELBY	00811	3.01	BRANCH	OPEN	5/2/2017	2005	35.094972	-89.729806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
79008110001	SHELBY	00811	3.81	WOLF RIVER	OPEN	5/3/2017	2007	35.106444	-89.731478	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
79008110011	SHELBY	00811	5.36	BRANCH OF MARYS CREEK	OPEN	4/5/2017	2011	35.125694	-89.727972	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.8
79008110013	SHELBY	00811	7.04	BRANCH	OPEN	4/5/2017	2010	35.1491	-89.72695	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.7
790X0200001	SHELBY	00811	9.11	GRAYS CREEK	OPEN	4/6/2017	1997	35.177611	-89.733556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
790X0100001	SHELBY	00811	9.76	BRANCH	OPEN	4/6/2017	1995	35.186333	-89.730389	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93.7
79008110007	SHELBY	00811	11.11	BRANCH	OPEN	4/25/2017	1995	35.19575	-89.726278	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I00400123	SHELBY	00811	12.54	CANADA RD / I-40	OPEN	12/29/2016	1961	35.223083	-89.73675	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	41.6
79002090001	SHELBY	00813	0.33	ROYSTER CREEK	OPEN	5/8/2017	1950	35.346139	-89.911861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	65.7
79008130003	SHELBY	00813	3.63	BRANCH	OPEN	4/12/2017	1988	35.386194	-89.921194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
79I00550001	SHELBY	01450	5.77	HOLMES RD / I-55	OPEN	12/29/2016	1999	35.006611	-90.002278	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
79E00390003	SHELBY	01450	10.7	JOHNS CREEK	OPEN	4/26/2017	1989	35.005972	-89.916222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
79014500019	SHELBY	01450	12.98	BN RAILROAD	OPEN	4/24/2017	2005	35.006194	-89.876167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.1
79014500021	SHELBY	01450	13.26	JOHN'S CREEK LATERAL A	OPEN	4/24/2017	2005	35.005833	-89.871194	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
79014500023	SHELBY	01450	17.48	BRANCH	OPEN	4/4/2017	1989	35.005783	-89.796417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
79S82230001	SHELBY	01450	20.5	BRANCH	OPEN	4/4/2017	1955	35.006056	-89.743611	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.9
79002000003	SHELBY	01450	21.49	BRANCH	OPEN	4/4/2017	1966	35.006139	-89.726389	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.2
79014520005	SHELBY	01452	1.2	BRANCH	OPEN	5/2/2017	1975	35.085611	-89.770056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
79014520007	SHELBY	01452	2.13	BRANCH	OPEN	5/2/2017	1975	35.001464	-89.012592	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
79014550001	SHELBY	01455	2.63	NONCONNAH CREEK	OPEN	4/5/2017	2001	35.032861	-89.759667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
790S0300001	SHELBY	01456	0.39	BRANCH	OPEN	3/14/2017	1968	35.130722	-89.790278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2
79014560007	SHELBY	01456	2.22	BRANCH	OPEN	4/24/2017	1957	35.128567	-89.759	CONCRETE	TEE BEAM	49.9
79014560005	SHELBY	01456	3.44	GRAY'S CREEK	OPEN	4/5/2017	1993	35.1295	-89.738667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.7
790S0230001	SHELBY	01458	0.39	BRANCH	OPEN	3/13/2017	1970	35.150694	-89.813583	CONCRETE	CHANNEL BEAM	59
790A6810001	SHELBY	01458	5.18	GRAYS CREEK	OPEN	4/4/2017	1956	35.163083	-89.740611	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.7
79014590001	SHELBY	01459	5.93	LOOSAHATCHIE RIVER	OPEN	4/10/2017	1998	35.279639	-89.766389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.4
79014590003	SHELBY	01459	9.8	BRANCH	OPEN	4/10/2017	1960	35.332389	-89.757611	CONCRETE	CHANNEL BEAM	67.1
79014590005	SHELBY	01459	11.2	BRANCH	OPEN	4/11/2017	2003	35.348856	-89.744222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79014590007	SHELBY	01459	14.77	WEST BEAVER CREEK	OPEN	4/11/2017	1977	35.384083	-89.716	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	70.4
79014620003	SHELBY	01462	1.56	BEAR CREEK	OPEN	4/11/2017	1970	35.353694	-89.949167	CONCRETE	CHANNEL BEAM	91.3
79014620005	SHELBY	01462	3.19	JAKES CREEK	OPEN	4/12/2017	1988	35.359472	-89.974028	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.8
790A0280001	SHELBY	01462	5.21	BRANCH	OPEN	4/17/2017	1950	35.337028	-89.989611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90
79014630001	SHELBY	01463	0.7	BIG CREEK	OPEN	4/5/2017	2017	35.326083	-89.83075	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2
79014630003	SHELBY	01463	1.02	BRANCH	OPEN	4/5/2017	1950	35.322278	-89.833556	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.6
79014630005	SHELBY	01463	1.83	BRANCH	OPEN	4/6/2017	1998	35.310583	-89.835111	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	89.7
79014640001	SHELBY	01464	1.02	BEAR CREEK	OPEN	4/12/2017	1988	35.367917	-89.941889	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.3
79014640003	SHELBY	01464	1.38	BRANCH	OPEN	4/12/2017	1988	35.368583	-89.948167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.4
79014640007	SHELBY	01464	2.57	BRANCH	OPEN	4/11/2017	1995	35.370417	-89.967778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
79014640009	SHELBY	01464	3.13	BRANCH	OPEN	4/11/2017	1975	35.371361	-89.97775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
79014640005	SHELBY	01464	4.23	BRANCH	OPEN	4/12/2017	1999	35.360639	-89.982444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91
79014660001	SHELBY	01466	0.37	BRANCH	OPEN	4/11/2017	2007	35.360233	-89.747283	STEEL	TRUSS - THRU	94.9
79014660003	SHELBY	01466	0.72	CROOKED CREEK	OPEN	4/11/2017	1965	35.360639	-89.753417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.4
79014660005	SHELBY	01466	2.62	BRANCH	OPEN	4/6/2017	1987	35.363917	-89.787389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.9
79014660007	SHELBY	01466	3.37	OVERFLOW	OPEN	4/6/2017	1965	35.365111	-89.800139	CONCRETE	CHANNEL BEAM	89.3
79014660009	SHELBY	01466	3.57	BIG CREEK	OPEN	4/6/2017	2009	35.3658	-89.803583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.8
79014670001	SHELBY	01467	1.91	BRANCH	OPEN	4/6/2017	1963	35.365889	-89.832528	CONCRETE	CHANNEL BEAM	73.4
79014680001	SHELBY	01468	0.8	BIG CREEK	OPEN	4/10/2017	1951	35.379139	-89.807139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.6
79014680005	SHELBY	01468	3.4	BRANCH	OPEN	4/10/2017	2004	35.375833	-89.761467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
79014680003	SHELBY	01468	4.23	CROOKED CREEK	OPEN	4/10/2017	1998	35.374333	-89.746944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790A1860005	SHELBY	02178	0.4	HOWARD CREEK	OPEN	5/8/2017	1955	35.258639	-89.864583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
790A1860003	SHELBY	02178	3.07	BRANCH	OPEN	5/8/2017	1988	35.262	-89.821833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
790A1860001	SHELBY	02178	4.22	FRANKS BRANCH	WEIGHT POSTED	4/26/2017	1954	35.261972	-89.80175	CONCRETE	TEE BEAM	17.8
790A1840001	SHELBY	02178	6.34	OLIVER CREEK	OPEN	5/1/2017	1954	35.263917	-89.764889	CONCRETE	TEE BEAM	67.4
790A2230001	SHELBY	02231	1.42	FRANKS BRANCH	OPEN	5/9/2017	1956	35.245139	-89.793194	CONCRETE	CHANNEL BEAM	68.1
79022470001	SHELBY	02247	1.71	JOHNS CREEK	OPEN	4/26/2017	1999	35.01915	-89.9045	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
79I00400121	SHELBY	02278	1.4	DAVIES PLANTATION/I-40	OPEN	12/29/2016	1962	35.216889	-89.747222	CONCRETE CONTINUOUS	TEE BEAM	55.3
79S80740049	SHELBY	02734	0.125	HALL CREEK	OPEN	5/1/2017	2015	35.263972	-89.666278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95
79028000005	SHELBY	02800	1.6	CYPRESS CREEK	OPEN	3/8/2017	1960	35.17325	-90.010389	CONCRETE	TEE BEAM	83.6
79M28000003	SHELBY	02800	4.57	WORKHOUSE CREEK	OPEN	3/7/2017	1960	35.173667	-89.958139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
79I00400155	SHELBY	02803	2.24	I-240 & I-40 RAMPS	OPEN	1/10/2017	1965	35.144667	-90.022028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47
79K28060001	SHELBY	02806	0.3	CNIC RAILROAD	OPEN	3/8/2017	1953	35.233667	-90.009778	CONCRETE	TEE BEAM	57.1
79K28060003	SHELBY	02806	3.69	WOLF RIVER	OPEN	12/7/2016	1965	35.188556	-89.008278	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
79028060005	SHELBY	02806	4.91	CYPRESS CREEK	OPEN	3/8/2017	2014	35.170889	-90.009	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.8
79K28060007	SHELBY	02806	5.84	DITCH	OPEN	3/9/2017	1950	35.157806	-90.012056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72.5
79SR0830011	SHELBY	02806	6.13	WATKINS ST / NORTH PKWY	OPEN	1/25/2017	1966	35.153444	-90.012361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66.9
79I00550075	SHELBY	02807	0	S PARKWAY W. / I-55	OPEN	1/9/2017	1967	35.107972	-90.066944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.4
79K28070001	SHELBY	02807	0.99	CNIC RAILROAD	OPEN	3/14/2017	2007	35.107603	-90.058183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.5
79K28070003	SHELBY	02807	1.18	S. PKWY E/2 ROUTES-RR	OPEN	3/14/2017	2007	35.107483	-90.054733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
79I02400044	SHELBY	02807	2.73	SOUTH PARKWAY WB / I-240	OPEN	1/9/2017	1963	35.109639	-90.029444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68.8
79I02400043	SHELBY	02807	2.73	SOUTH PARKWAY EB / I-240	OPEN	1/9/2017	1963	35.109833	-90.016944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.8
79K28070005	SHELBY	02807	4.52	DITCH	OPEN	3/14/2017	1940	35.108583	-89.997944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79028110001	SHELBY	02810	0	WINCHESTER RD	OPEN	3/15/2017	1978	35.053306	-89.987361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58
79K28100005	SHELBY	02810	0.8	AIRPORT INTERCHANGE AVE.	OPEN	3/15/2017	1970	35.063472	-89.987056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.2
79K28100006	SHELBY	02810	0.8	AIRPORT INTERCHANGE AVE.	OPEN	3/15/2017	1975	35.063528	-89.987194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.2
79K28100003	SHELBY	02810	1.16	DEMOCRAT RD.	OPEN	3/15/2017	1965	35.068417	-89.985694	CONCRETE CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	92.4
79S80770005	SHELBY	02810	1.51	NONCONNAH CREEK	OPEN	12/14/2016	2016	35.073472	-89.986056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
79028100001	SHELBY	02810	1.53	NONCONNAH CREEK	OPEN	12/14/2016	1958	35.073444	-89.985528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.9
79S80770007	SHELBY	02810	2.97	AIRWAYS BLVD/YALE YARDS	OPEN	3/22/2017	1954	35.094194	-89.987278	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	50
79S81000005	SHELBY	02813	2.12	BRANCH	OPEN	3/6/2017	1963	35.053889	-90.022306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.2
79I00550023	SHELBY	02813	2.64	WINCHESTER RD / I-55	OPEN	1/5/2017	2000	35.053806	-90.013528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
79S81000007	SHELBY	02813	3.51	DAYS CREEK	OPEN	3/6/2017	1965	35.053417	-89.998306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.5
79028110003	SHELBY	02813	4.06	PLOUGH BLVD. SB. LANES	OPEN	3/6/2017	1978	35.054472	-89.989417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	70
79028110005	SHELBY	02813	4.09	PLOUGH BLVD. NB. LANES	OPEN	3/6/2017	1978	35.055361	-89.989	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69
79S81000009	SHELBY	02813	5.34	HURRICANE CREEK	OPEN	3/8/2017	1965	35.052556	-89.966806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.9
79S81000013	SHELBY	02813	8.25	TEN MILE CREEK	OPEN	3/7/2017	1955	35.051194	-89.915333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65.4
79SR0040029	SHELBY	02814	0.04	TEN MILE CREEK	OPEN	3/6/2017	1981	35.04075	-89.917333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
79028140002	SHELBY	02814	0.16	BNSF RAILWAY	OPEN	3/6/2017	1978	35.039889	-89.914972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
79028140001	SHELBY	02814	0.16	BNSF RAILWAY	OPEN	3/6/2017	1978	35.039889	-89.914972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
79S81000019	SHELBY	02814	1.16	WINCHESTER RD.	OPEN	3/6/2017	1963	35.050944	-89.907694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	55.1
79S81800001	SHELBY	02814	2.94	NONCONNAH CREEK	OPEN	3/6/2017	2003	35.076333	-89.906278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I02400101	SHELBY	02814	3.07	PERKINS RD / I-240	OPEN	1/24/2017	2003	35.078222	-89.906833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67
790M0030001	SHELBY	02814	4.9	CHERRY BAYOU	OPEN	3/13/2017	1970	35.104639	-89.90725	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73
79K28140009	SHELBY	02814	7.77	PEDESTRIAN WALKWAY	OPEN	3/14/2017	1970	35.145	-89.907833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.3
79028140011	SHELBY	02814	7.81	SAM COOPER BLVD.	OPEN	3/14/2017	1968	35.145472	-89.907833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.7
79028150001	SHELBY	02815	3.9	BRANCH	OPEN	3/9/2017	1970	35.199806	-89.967806	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	56
79028150003	SHELBY	02815	4.02	JAMES RD.	OPEN	3/9/2017	1979	35.200056	-89.965222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74
79S82080001	SHELBY	02818	0.46	SWEETBRIER CREEK	OPEN	3/14/2017	2008	35.131133	-89.8593	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
79S82080003	SHELBY	02818	0.69	WOLF RIVER & FAU 5011	OPEN	3/30/2017	2008	35.132278	-89.855861	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
79S82080005	SHELBY	02818	0.7	WOLF RIVER	OPEN	3/30/2017	2007	35.131767	-89.855667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.1
79S82080006	SHELBY	02818	0.7	WOLF RIVER	OPEN	3/30/2017	2007	35.132533	-89.856383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.4
79SR1770009	SHELBY	02818	4.08	SR-177	OPEN	3/14/2017	1986	35.131917	-89.797667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
790M0240001	SHELBY	02819	1.28	BRANCH	OPEN	3/8/2017	1968	35.245222	-89.985639	CONCRETE	CHANNEL BEAM	56.8
79I00400071	SHELBY	02819	5.18	N. MCLEAN BLVD. / I-40	OPEN	12/21/2016	1975	35.192361	-89.99325	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	56.8
790M0140001	SHELBY	02819	5.3	WOLF RIVER	OPEN	12/7/2016	1980	35.191417	-89.992861	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57.6
79L28200001	SHELBY	02820	0.29	CYPRESS CREEK	OPEN	3/8/2017	1950	35.1685	-89.99575	CONCRETE	TEE BEAM	82.5
79L28210001	SHELBY	02821	1.08	CSX RAILROAD	OPEN	3/9/2017	1965	35.13125	-89.976722	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.8
79L28210003	SHELBY	02821	3.37	CYPRESS CREEK	OPEN	3/9/2017	1955	35.1635	-89.975583	CONCRETE	TEE BEAM	50
79028210005	SHELBY	02821	5.02	WOLF RIVER	OPEN	12/7/2016	1965	35.18725	-89.975639	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52
790A4710001	SHELBY	02821	8.93	CNIC RAILROAD	OPEN	3/7/2017	1991	35.236139	-89.965306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.6
790A3190001	SHELBY	02821	9.97	BRANCH	OPEN	3/8/2017	1963	35.238139	-89.951	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
79028220001	SHELBY	02822	0.38	CNIC RAILROAD	OPEN	3/8/2017	1950	35.216583	-90.023722	CONCRETE	TEE BEAM	43.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79S81040003	SHELBY	02822	3.76	CNIC RAILROAD	OPEN	3/7/2017	1969	35.220556	-89.965333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75
790M0270001	SHELBY	02822	9.46	DITCH	OPEN	5/9/2017	1968	35.218861	-89.867111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
79028230005	SHELBY	02823	1.1	BRANCH	OPEN	3/7/2017	1970	35.176083	-89.961972	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.8
79028230001	SHELBY	02823	1.77	WOLF RIVER	OPEN	12/6/2016	1980	35.184611	-89.95775	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.2
79028230003	SHELBY	02823	6.41	BRANCH	OPEN	3/8/2017	1963	35.245889	-89.944861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.5
79028240001	SHELBY	02824	0.04	CHEROKEE BAYOU	OPEN	3/16/2017	1970	35.082417	-89.957167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
79028240005	SHELBY	02824	5.64	WORKHOUSE BAYOU	OPEN	3/9/2017	1970	35.158306	-89.944028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
79L28250005	SHELBY	02825	1.45	CHERRY CREEK	OPEN	3/15/2017	1958	35.086472	-89.931333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.3
79L28260001	SHELBY	02826	3.05	BRANCH	OPEN	3/15/2017	1960	35.107472	-89.935083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
79I02400107	SHELBY	02826	6.8	PARK AVE / I-240	OPEN	1/10/2017	1958	35.099667	-89.869417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68.4
79028270003	SHELBY	02827	1.51	BRANCH	OPEN	3/27/2017	1970	35.074167	-89.867028	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.6
79028270009	SHELBY	02827	2.99	NONCONNAH CREEK	OPEN	3/22/2017	1957	35.081889	-89.890472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.8
79I02400103	SHELBY	02827	3.14	MT MORIAH RD / I-240	OPEN	1/24/2017	1957	35.083278	-89.8925	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	67
79028270005	SHELBY	02827	7.95	SAM COOPER BLVD.	OPEN	3/10/2017	1968	35.148389	-89.888028	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.4
79L28270003	SHELBY	02827	8.21	WHITE STATION CREEK	OPEN	3/13/2017	1960	35.152083	-89.887972	CONCRETE	TEE BEAM	76.9
79L28270001	SHELBY	02827	10.23	DITCH	OPEN	3/9/2017	1960	35.162194	-89.919111	CONCRETE	TEE BEAM	81.7
79028280001	SHELBY	02828	0.5	BRANCH	OPEN	3/27/2017	1991	35.013	-89.864556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
79L28280001	SHELBY	02828	4.71	NONCONNAH CREEK	OPEN	3/23/2017	1970	35.073111	-89.862611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	75.1
79L28280002	SHELBY	02828	4.71	NONCONNAH CREEK	OPEN	3/23/2017	1970	35.073167	-89.86275	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	55.1
79L28300001	SHELBY	02830	1.03	JOHNS CREEK	OPEN	3/28/2017	1970	35.0505	-89.889611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79028300003	SHELBY	02830	4.7	BRANCH	OPEN	4/20/2017	1969	35.048833	-89.824778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.9
79028300005	SHELBY	02830	5.03	NONCONNAH CREEK	OPEN	4/26/2017	1993	35.049583	-89.8175	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
79I02400061	SHELBY	02831	2.4	NORRIS RD / I-240	OPEN	1/12/2017	1965	35.083417	-90.025972	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	76
79028310003	SHELBY	02831	2.81	CANE CREEK	OPEN	3/14/2017	1950	35.086167	-90.031083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.7
79L28310005	SHELBY	02831	4.09	DRAINAGE DITCH	OPEN	3/13/2017	1960	35.086611	-90.053667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.9
79S81000003	SHELBY	02837	1.66	CYPRESS CREEK	OPEN	3/29/2017	1950	35.056056	-90.089333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.2
79S81000001	SHELBY	02837	2.24	CNIC RAILROAD	OPEN	3/29/2017	1977	35.056389	-90.099417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.6
79S80770001	SHELBY	02840	3.44	DRAINAGE DITCH	OPEN	3/30/2017	1960	35.045028	-89.989639	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.3
79028420003	SHELBY	02842	3.07	SOUTH CYPRESS CREEK	OPEN	3/29/2017	1998	35.033472	-90.07	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.6
79028420005	SHELBY	02842	5.94	NONCONNAH CREEK	OPEN	12/12/2016	1977	35.072861	-90.062611	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.5
79028420007	SHELBY	02842	6.32	DITCH	OPEN	3/13/2017	1977	35.078556	-90.062722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
79I00550061	SHELBY	02842	6.41	NEW HORN LAKE RD / I-55	OPEN	1/9/2017	1963	35.080417	-90.063222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	63.3
79I02400009	SHELBY	02850	2.27	I-240 & MADISON AVE	OPEN	1/10/2017	1971	35.139639	-90.022833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.6
79I02400011	SHELBY	02850	2.39	MADISON AVE RP K / I-240	OPEN	1/10/2017	1969	35.138806	-90.024361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.8
79SR0010041	SHELBY	02850	3.48	MADISON AVE / SR-1	OPEN	1/26/2017	1970	35.143139	-90.043528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	64
79SR0830019	SHELBY	02851	0	MONROE AVE/D THOMAS BLVD	OPEN	1/26/2017	1965	35.142	-90.044917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.8
79M28510003	SHELBY	02851	0.23	PRIVATE ALLEY	OPEN	3/9/2017	1917	35.141056	-90.0415	CONCRETE	SLAB	57.1
79SR0830005	SHELBY	02855	0.53	DANNY THOMAS BLVD	OPEN	1/26/2017	1975	35.14525	-90.044472	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	70.7
79I00400157	SHELBY	02855	1.77	JEFFERSON AVE / I-240	OPEN	1/10/2017	1964	35.142694	-90.023111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.7
79028600001	SHELBY	02860	0.45	UNION RR(TRACKS REMOVED)	OPEN	4/27/2017	1974	35.092972	-90.044222	CONCRETE	TEE BEAM	72.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79028610005	SHELBY	02861	1.78	BLACK BAYOU	OPEN	3/15/2017	1957	35.099167	-89.933167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
79028610003	SHELBY	02861	3.84	CYPRESS CREEK	OPEN	3/15/2017	1960	35.115472	-89.969083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
79028610001	SHELBY	02861	4.46	CNIC RAILROAD	OPEN	3/16/2017	1960	35.115694	-89.980111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	69
79SR0040031	SHELBY	02861	5.62	SOUTHERN AVE / LAMAR AVE	OPEN	2/2/2017	1959	35.116278	-90.000806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	71.4
79028610007	SHELBY	02861	5.77	PEDESTRIAN FACILITY	OPEN	3/15/2017	1995	35.116444	-90.003	CONCRETE	SLAB	71.5
79I02400039	SHELBY	02861	7.19	E. MCLEMORE AVE. / I-240	OPEN	1/18/2017	1966	35.115389	-90.028278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68.3
790B2800003	SHELBY	02861	8.8	CNIC RAILROAD	OPEN	3/14/2017	2005	35.116139	-90.056444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.2
790B6060001	SHELBY	02862	0.5	CNIC RAILROAD	OPEN	3/16/2017	1962	35.093806	-90.014083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	59.5
79028630001	SHELBY	02863	2.22	DAYS CREEK	OPEN	3/15/2017	1970	35.026972	-90.0075	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40
79028630003	SHELBY	02863	5.11	NONCONNAH CREEK	OPEN	12/14/2016	1985	35.068944	-90.006417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	64
790H5140001	SHELBY	02863	5.35	CORPORATE AVE.	OPEN	3/15/2017	1985	35.073028	-90.007139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74
79I02400075	SHELBY	02863	5.39	MILL BRACH RD / I-240	OPEN	1/23/2017	1985	35.072917	-90.007472	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
79M28670001	SHELBY	02867	2.14	BLACK BAYOU	OPEN	3/15/2017	1960	35.099417	-89.932528	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.4
79M28670003	SHELBY	02867	3.29	CHERRY BAYOU	OPEN	3/16/2017	1960	35.094444	-89.914667	CONCRETE	TEE BEAM	81.4
79I02400105	SHELBY	02867	5.84	QUINCE AVE / I-240	OPEN	1/23/2017	1957	35.089556	-89.870611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.6
79S82120005	SHELBY	02867	7.81	BRANCH	OPEN	3/27/2017	2005	35.072972	-89.8495	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.4
79S82120003	SHELBY	02867	9.39	BRANCH	OPEN	3/28/2017	1965	35.057889	-89.829389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
79S82120001	SHELBY	02867	10.09	BRANCH	OPEN	3/28/2017	1965	35.051417	-89.820167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
790B5620003	SHELBY	02869	0.13	DRAINAGE CANAL	OPEN	3/16/2017	1960	35.050611	-89.95975	CONCRETE	TEE BEAM	82.9
790B5620001	SHELBY	02869	0.67	DRAINAGE CANAL	OPEN	3/16/2017	1960	35.043167	-89.95875	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.9
79028690001	SHELBY	02869	3.38	TEN MILE CREEK	OPEN	3/6/2017	1969	35.036944	-89.920917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR0040005	SHELBY	02869	3.6	RAINES RD / SR-4	OPEN	2/2/2017	1975	35.038083	-89.917361	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.3
79SR0040006	SHELBY	02869	3.6	RAINES RD / SR-4	OPEN	2/2/2017	1975	35.038222	-89.9175	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.5
79028700007	SHELBY	02870	5.44	DISTRIBUTERS ACCESS RD.	OPEN	4/25/2017	1999	35.070611	-89.954306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.4
79028700009	SHELBY	02870	5.53	BURLINGTON-NORTHERN RR	OPEN	4/25/2017	1999	35.071944	-89.954556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72
79028700011	SHELBY	02870	5.6	ABANDONED RAILROAD	OPEN	4/25/2017	1999	35.072917	-89.954639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.4
79028710003	SHELBY	02871	4.93	NONCONNAH CREEK	OPEN	3/23/2017	1995	35.064889	-89.843417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
790L0250001	SHELBY	02871	5.96	BRANCH	OPEN	3/14/2017	2002	35.079694	-89.841722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
79S82420001	SHELBY	02872	1.54	CYPRESS CREEK	OPEN	3/29/2017	1980	35.035306	-90.072028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64
79I00550019	SHELBY	02872	5.48	RAINES RD / I-55	OPEN	1/4/2017	1999	35.035722	-90.002056	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
79S82420003	SHELBY	02872	5.64	DAYS CREEK	OPEN	3/16/2017	1985	35.035472	-90.000056	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64.7
790A6310001	SHELBY	02875	2.01	BRANCH	OPEN	4/5/2017	1991	35.169028	-89.826278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.9
79028750007	SHELBY	02875	3.28	BRANCH	OPEN	3/13/2017	1986	35.164917	-89.847528	CONCRETE	CHANNEL BEAM	83.2
79028750003	SHELBY	02875	4.56	FLETCHER CREEK	OPEN	3/14/2017	1967	35.1695	-89.865556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
79028750005	SHELBY	02875	7.47	CSX RAILROAD	OPEN	5/8/2017	1976	35.208722	-89.863611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
790S0260001	SHELBY	02875	7.49	BRANCH	OPEN	5/9/2017	1968	35.209472	-89.863278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.4
790B5520001	SHELBY	02875	10.35	BRANCH	OPEN	5/9/2017	1987	35.241722	-89.855222	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.1
790X0010001	SHELBY	02875	10.54	BRANCH	OPEN	5/9/2017	1995	35.241417	-89.851889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
790K6360001	SHELBY	02878	0.528	BRANCH	OPEN	4/20/2017	2009	35.1843	-89.820233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
79028780013	SHELBY	02878	1.75	FLETCHER CREEK	OPEN	3/14/2017	2001	35.177722	-89.840389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.9
79028780007	SHELBY	02878	4.52	HURRICANE CREEK	OPEN	3/9/2017	1998	35.187194	-89.886889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79028780009	SHELBY	02878	5.65	BRANCH	OPEN	3/9/2017	1981	35.196806	-89.902583	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	79.2
79028780011	SHELBY	02878	6.12	BRANCH	OPEN	3/9/2017	1981	35.199444	-89.91	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	76.4
79028780005	SHELBY	02878	6.52	BRANCH	OPEN	3/9/2017	1963	35.204333	-89.913306	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	56
79028830001	SHELBY	02883	1.21	BRANCH	OPEN	3/15/2017	1966	35.069222	-89.965639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	70
79040150001	SHELBY	04015	0.31	BRANCH	OPEN	3/7/2017	1963	35.243278	-89.946556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
79040150003	SHELBY	04015	2.21	BRANCH	OPEN	3/8/2017	1963	35.237333	-89.913472	CONCRETE	CHANNEL BEAM	66.3
79040320029	SHELBY	04032	0.68	CNIC, E419, ICCN & 5250	OPEN	3/6/2017	2003	35.145694	-89.97	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
79040320035	SHELBY	04032	1.31	CYPRESS CREEK	OPEN	3/6/2017	2003	35.146556	-89.959333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.2
79040320031	SHELBY	04032	1.59	MALCOMB ST.	OPEN	3/6/2017	2002	35.1475	-89.954333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.2
79040320032	SHELBY	04032	1.59	MALCOMB ST.	OPEN	3/6/2017	2002	35.147667	-89.954306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92
79040320002	SHELBY	04032	1.71	HOLMES ST	OPEN	3/6/2017	1968	35.148194	-89.951833	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	73
79040320001	SHELBY	04032	1.71	HOLMES ST	OPEN	3/6/2017	1968	35.148111	-89.951611	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	83.6
79040320003	SHELBY	04032	2.1	N. HIGHLAND ST.	OPEN	3/7/2017	1969	35.147944	-89.944778	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	80.6
79040320004	SHELBY	04032	2.1	N HIGHLAND ST	OPEN	3/7/2017	1969	35.148139	-89.944806	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	81.6
79040320013	SHELBY	04032	3.38	VAUGHN RD.	OPEN	3/7/2017	1969	35.146028	-89.922556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.6
79040320014	SHELBY	04032	3.38	VAUGHN RD.	OPEN	3/7/2017	1969	35.146083	-89.922611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.6
79040320015	SHELBY	04032	3.6	HARRISON CREEK	OPEN	3/8/2017	1969	35.145611	-89.918278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.2
79040320017	SHELBY	04032	3.74	WARING RD.	OPEN	3/8/2017	1968	35.145556	-89.916306	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	82.9
79040320018	SHELBY	04032	3.74	WARING RD	OPEN	3/8/2017	1968	35.145778	-89.916306	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	73
79040320021	SHELBY	04032	4.61	ABANDONED RAILROAD	OPEN	3/8/2017	1969	35.146889	-89.928194	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79040320025	SHELBY	04032	5.09	WHITE STATION CREEK	OPEN	3/8/2017	1968	35.146889	-89.928194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
790A7280003	SHELBY	04040	2.4	BRANCH	OPEN	5/8/2017	1970	35.069111	-89.6905	CONCRETE	CHANNEL BEAM	70.1
790A7330003	SHELBY	04053	1.83	BRANCH	OPEN	5/3/2017	1965	35.072056	-89.6675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
79040140001	SHELBY	04182	0.27	FLETCHER CREEK	OPEN	3/14/2017	1960	35.166667	-89.878306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.8
790B2570001	SHELBY	04183	3.09	NONCONNAH CREEK	OPEN	4/4/2017	1999	35.03925	-89.795778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.3
790B2800001	SHELBY	04185	0.96	BRANCH	OPEN	3/14/2017	1962	35.082944	-89.835361	CONCRETE	CHANNEL BEAM	71.2
79028240003	SHELBY	04186	1.78	WOLF RIVER	OPEN	12/7/2016	1974	35.184972	-89.944194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.2
79100400081	SHELBY	04186	2.1	N HIGHLAND ST / I-40	OPEN	12/21/2016	1972	35.189694	-89.944583	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.1
79L28250001	SHELBY	04187	1.16	HARRISON CREEK	OPEN	3/8/2017	1960	35.171444	-89.926028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.8
79028250003	SHELBY	04187	2.9	SAM COOPER BLVD.	OPEN	3/13/2017	1968	35.146889	-89.928194	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.3
79041870001	SHELBY	04187	5.25	BRANCH	OPEN	3/15/2017	1986	35.114528	-89.925722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
790B2750001	SHELBY	04189	1.96	JOHNS CREEK	OPEN	3/28/2017	1972	35.034972	-89.886278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	69.1
790B2750002	SHELBY	04189	1.96	JOHNS CREEK	WEIGHT POSTED	3/28/2017	1963	35.035056	-89.886278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17.8
79041890001	SHELBY	04189	2.66	BRANCH	OPEN	4/5/2017	1963	35.034694	-89.873767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.1
790M0840003	SHELBY	04191	0.99	DAYS CREEK	WEIGHT POSTED	3/16/2017	1968	35.060833	-89.993667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.3
790M0100001	SHELBY	04196	2.45	DITCH	OPEN	3/29/2017	1998	35.0465	-90.096417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.4
790M0100003	SHELBY	04196	3.53	CYRESS CREEK	OPEN	3/29/2017	1969	35.0615	-90.092556	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.2
79043850003	SHELBY	04385	1.41	BRANCH	OPEN	3/27/2017	1975	35.014889	-89.831083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
790S0120001	SHELBY	04385	1.99	BRANCH	OPEN	3/27/2017	1980	35.023806	-89.831083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
79043850005	SHELBY	04385	2.85	BRANCH	OPEN	3/27/2017	1980	35.040917	-89.831056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79043850007	SHELBY	04385	3.17	BRANCH	OPEN	3/27/2017	1980	35.042944	-89.830833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
79043850009	SHELBY	04385	4.23	NONCONNAH CREEK	OPEN	3/23/2017	1998	35.055611	-89.8285	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78
790A6410003	SHELBY	04452	0.29	BRANCH	OPEN	5/3/2017	1960	35.208917	-89.808333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
790A6410001	SHELBY	04452	0.99	BRANCH	OPEN	5/3/2017	1965	35.218972	-89.807833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.8
79044530001	SHELBY	04453	0.01	BRANCH	OPEN	5/9/2017	2009	35.215533	-89.826183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
79028750001	SHELBY	04458	0.07	HARRINGTON CREEK	OPEN	5/8/2017	2015	35.200861	-89.868517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
790B4810001	SHELBY	04458	1.35	BRANCH	OPEN	5/9/2017	1950	35.219194	-89.86775	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.5
790B9880001	SHELBY	05005	0.09	ROYSTER CREEK	OPEN	5/9/2017	1973	35.337194	-89.917278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.1
790B2510001	SHELBY	05009	1.89	BRANCH	OPEN	5/3/2017	1987	35.069694	-89.775722	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.6
79050110001	SHELBY	05011	1.58	OVERFLOW	OPEN	3/14/2017	1980	35.118722	-89.835778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.3
79050110003	SHELBY	05011	3.16	BRANCH	OPEN	5/2/2017	1980	35.114	-89.808694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.1
790B5590001	SHELBY	05012	0.9	TEN MILE CREEK	OPEN	3/30/2017	1974	35.064889	-89.937667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.3
790B5590005	SHELBY	05012	3.58	JOHNS CREEK	WEIGHT POSTED	4/3/2017	1962	35.061861	-89.891361	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.7
79050120001	SHELBY	05012	6.57	BRANCH	OPEN	4/20/2017	1999	35.060389	-89.840361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
790B2950001	SHELBY	05014	1.05	BRANCH	OPEN	5/3/2017	1959	35.084083	-89.829417	CONCRETE	CHANNEL BEAM	75.5
790B2620001	SHELBY	05024	1.73	TOWLES CREEK	OPEN	3/27/2017	1955	35.028028	-89.822194	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.5
79028700001	SHELBY	05029	0.55	TEN MILE CREEK	OPEN	3/30/2017	1975	35.07675	-89.941472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.8
79028700003	SHELBY	05029	3.53	JOHNS CREEK	OPEN	3/30/2017	1975	35.0765	-89.892083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
790B5670001	SHELBY	05030	2.52	JOHNS CREEK	OPEN	4/3/2017	1961	35.068861	-89.887972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	90.2
790M0020001	SHELBY	05031	0.54	BRANCH	OPEN	3/28/2017	1970	35.0565	-89.922194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	62.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79050360001	SHELBY	05036	0.19	BRANCH	OPEN	4/20/2017	1999	35.055267	-89.84075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
79050370001	SHELBY	05037	0.97	KIRBY CREEK	OPEN	4/26/2017	1999	35.037917	-89.839972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
790B9800001	SHELBY	05042	1.37	TEN MILE CREEK	OPEN	3/28/2017	1950	35.044306	-89.916917	CONCRETE	TEE BEAM	70.5
790B2580001	SHELBY	05043	0.32	BRANCH	OPEN	3/27/2017	1992	35.035194	-89.8015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
790B2580003	SHELBY	05043	1.09	BRANCH	OPEN	3/27/2017	1992	35.037111	-89.814083	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77
790B5610001	SHELBY	05055	0.14	DRAINAGE CANAL	OPEN	3/15/2017	1967	35.0505	-89.964222	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.1
79050550001	SHELBY	05055	0.56	BRANCH	OPEN	3/16/2017	2000	35.044111	-89.963778	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80.9
790B4440001	SHELBY	05056	0.61	JOHNS CREEK	OPEN	4/26/2017	2001	35.003528	-89.91675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
790M0010001	SHELBY	05056	2.69	BRANCH	OPEN	3/28/2017	1970	35.031444	-89.924556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
790A9990001	SHELBY	05065	0.69	BRANCH	OPEN	3/16/2017	1965	35.013917	-90.002	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
790A7620001	SHELBY	05078	1.96	CYPRESS CREEK	OPEN	3/30/2017	1962	35.026833	-90.056667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.5
790A7660001	SHELBY	05081	0.3	DRAINAGE DITCH	OPEN	3/30/2017	1964	35.025	-90.048694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84.6
790A7660003	SHELBY	05081	0.38	CYPRESS CREEK	OPEN	3/30/2017	1975	35.026278	-90.048694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.4
79028350001	SHELBY	05081	1.82	CNIC RAILROAD	OPEN	3/29/2017	1985	35.041833	-90.043444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.8
790B5700003	SHELBY	05089	0.48	BRANCH	OPEN	3/29/2017	1965	35.042694	-90.088139	CONCRETE	CHANNEL BEAM	55
790B5700001	SHELBY	05089	0.57	BRANCH	OPEN	3/29/2017	1958	35.042806	-90.086694	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.3
79050920009	SHELBY	05092	0.11	ICG RAILROAD	OPEN	3/13/2017	2012	35.085683	-90.07385	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.5
790H2770001	SHELBY	05092	0.54	NONCONNAH CREEK	OPEN	12/12/2016	1980	35.080556	-90.078806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.8
790M0850001	SHELBY	05092	2.19	NONCONNAH CREEK	OPEN	12/12/2016	1980	35.076278	-90.064556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.6
790M0290001	SHELBY	05093	3.1	CNIC RAILROAD	OPEN	3/8/2017	1968	35.210639	-90.02825	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790A0020001	SHELBY	05095	0.37	TODD CREEK	OPEN	4/17/2017	1983	35.234722	-90.0215	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
790B1160001	SHELBY	05102	0.81	BRANCH	OPEN	3/9/2017	1956	35.220444	-90.01475	CONCRETE	CHANNEL BEAM	77.2
79M28770001	SHELBY	05131	2.97	BRANCH	OPEN	3/13/2017	1999	35.173639	-89.836111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.4
79I00400111	SHELBY	05131	3.06	WHITTEN RD / I-40	OPEN	12/28/2016	1999	35.174861	-89.83625	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
79M28770005	SHELBY	05131	3.96	FLETCHER CREEK	OPEN	3/13/2017	1999	35.187833	-89.835889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.9
79028710005	SHELBY	05131	6.77	CSX RAILROAD	OPEN	5/9/2017	1993	35.226778	-89.8355	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
79051330001	SHELBY	05133	1.15	BRANCH	OPEN	4/3/2017	1980	35.173639	-89.829611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
79051330003	SHELBY	05133	2.37	BRANCH	OPEN	4/20/2017	1980	35.179556	-89.813444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
79051350001	SHELBY	05135	0.14	BRANCH	OPEN	4/5/2017	1999	35.202567	-89.8149	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
790A6350001	SHELBY	05135	1	FLETCHER CREEK	OPEN	4/20/2017	1999	35.19025	-89.81475	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.6
79I00400113	SHELBY	05135	1.31	APPLING RD / I40	OPEN	12/28/2016	1994	35.185417	-89.812972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
79051360001	SHELBY	05136	2.11	BRANCH	OPEN	4/24/2017	1985	35.195028	-89.826556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.1
79051360002	SHELBY	05136	2.11	BRANCH	OPEN	4/24/2017	1985	35.194833	-89.826694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.2
790X0070001	SHELBY	05139	2.02	OVERFLOW	OPEN	4/20/2017	1995	35.193333	-89.766528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
79051410001	SHELBY	05141	0.56	FLETCHER CREEK	OPEN	3/9/2017	1990	35.172278	-89.855139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	63.8
79051430001	SHELBY	05143	1.78	BRANCH	OPEN	3/13/2017	1999	35.189861	-89.836333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
790X0190001	SHELBY	05148	1.3	BRANCH	OPEN	4/4/2017	1995	35.173889	-89.781556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
79051480001	SHELBY	05148	1.57	BRANCH	OPEN	4/4/2017	1993	35.173861	-89.786333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
79014560009	SHELBY	05149	0.46	BRANCH	OPEN	3/14/2017	1995	35.132806	-89.788833	CONCRETE CONTINUOUS	SLAB	96.5
79051530001	SHELBY	05153	1.56	BRANCH	OPEN	4/24/2017	2000	35.149417	-89.771611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I02400115	SHELBY	05155	1.48	SHADY GROVE RD / I-240	OPEN	1/23/2017	1963	35.123306	-89.868139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	43.5
790B3880001	SHELBY	05155	1.8	BRANCH	OPEN	3/14/2017	1994	35.123028	-89.863472	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.2
79040320023	SHELBY	05156	4.35	SAM COOPER BLVD.	OPEN	3/10/2017	1968	35.147667	-89.898056	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.8
790X0170001	SHELBY	05161	1.62	DRAINAGE DITCH	OPEN	5/2/2017	1993	35.0951	-89.778733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.5
79051610001	SHELBY	05161	2.58	BRANCH	OPEN	5/3/2017	1993	35.098361	-89.76475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
79051610003	SHELBY	05161	3.27	BRANCH	OPEN	5/3/2017	1993	35.095817	-89.753067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
790B6640001	SHELBY	05167	1.9	CHERRY BAYOU	OPEN	3/16/2017	1960	35.086778	-89.929472	CONCRETE CONTINUOUS	TEE BEAM	88.5
790B6220001	SHELBY	05167	2.07	BLACK BAYOU	OPEN	3/16/2017	1959	35.086889	-89.932417	CONCRETE CONTINUOUS	TEE BEAM	69.6
79051710001	SHELBY	05171	1.35	CHERRY BAYOU	OPEN	3/15/2017	1960	35.105167	-89.903003	CONCRETE	TEE BEAM	87.9
790B6200001	SHELBY	05174	0.01	BLACK BAYOU	OPEN	3/16/2017	1968	35.093083	-89.931333	CONCRETE CONTINUOUS	TEE BEAM	57.4
790B6280001	SHELBY	05178	0.43	CHERRY BAYOU	OPEN	3/16/2017	1953	35.088778	-89.916722	CONCRETE CONTINUOUS	TEE BEAM	87.7
790B6090001	SHELBY	05182	1.46	CANE CREEK	OPEN	3/16/2017	1965	35.100667	-90.01225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
790B6670001	SHELBY	05185	0.51	CNIC RAILROAD	OPEN	3/16/2017	1960	35.114278	-89.982111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.5
790B6570003	SHELBY	05189	2.91	CYPRESS CREEK	OPEN	3/9/2017	1940	35.123667	-89.966556	CONCRETE	ARCH - DECK	67.8
790B6370001	SHELBY	05200	1.09	PEDESTRIAN WALKWAY	OPEN	3/13/2017	2013	35.139111	-89.951722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.9
790B6370003	SHELBY	05200	2.67	WORKHOUSE BAYOU	OPEN	3/13/2017	1950	35.161583	-89.951056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
790B6030001	SHELBY	05203	0.94	MARJORIE BAYOU	OPEN	3/14/2017	1965	35.094139	-90.029056	CONCRETE	TEE BEAM	89.1
790B5570001	SHELBY	05203	1.39	CANE CREEK	OPEN	3/14/2017	1935	35.090806	-90.025056	CONCRETE	TEE BEAM	76.2
79028310009	SHELBY	05203	1.83	HERNANDO RD / NORRIS RD	OPEN	3/14/2017	1963	35.084194	-90.025028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86
790B6100001	SHELBY	05207	0.05	CANE CREEK	OPEN	3/16/2017	1986	35.100917	-90.009528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.8
790B5810001	SHELBY	05208	0.08	ABANDONED RAILROAD	OPEN	3/14/2017	1982	35.111694	-90.023083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	69.5
79I02400041	SHELBY	05208	0.39	TRIGG AVE / I240 & RAMPS	OPEN	1/18/2017	1961	35.111694	-90.029611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.1
790A6060001	SHELBY	05220	1.45	LICK CREEK	OPEN	3/9/2017	1960	35.159722	-90.018833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790B5410001	SHELBY	05221	1.95	LICK CREEK	OPEN	3/8/2017	1960	35.165889	-90.018222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
790B4870001	SHELBY	05222	0.7	CYPRESS CREEK	OPEN	3/8/2017	1965	35.169056	-89.983667	CONCRETE	TEE BEAM	69.1
790B7990001	SHELBY	05224	2.12	LICK CREEK	OPEN	3/9/2017	1930	35.156722	-90.001333	CONCRETE	TEE BEAM	87.9
790A5580001	SHELBY	05224	2.97	CYPRESS CREEK	OPEN	3/8/2017	1964	35.168806	-90.000222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.3
790B5050001	SHELBY	05226	1.08	CYPRESS CREEK	OPEN	3/8/2017	1965	35.167556	-89.990694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.2
79I00550085	SHELBY	05234	0.23	RIVERSIDE BLVD / I-55	OPEN	1/9/2017	1961	35.113444	-90.074139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72
790B6290001	SHELBY	05248	0.04	WORKHOUSE CREEK	OPEN	3/7/2017	1965	35.175111	-89.961361	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.4
79SR0570011	SHELBY	05250	0.01	RAILROAD RIGHT-OF-WAY	OPEN	4/18/2017	1958	35.136111	-89.967861	CONCRETE	SLAB	42.1
790B6450001	SHELBY	05250	1.5	CYPRESS CREEK	OPEN	3/9/2017	1972	35.156694	-89.983333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	95.4
790B6360001	SHELBY	05252	0.97	WORKHOUSE CREEK	OPEN	3/9/2017	1950	35.160611	-89.947778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
790B6340001	SHELBY	05255	1.05	HARRISON CREEK	OPEN	3/7/2017	1970	35.1695	-89.924722	CONCRETE	TEE BEAM	88.3
790B6400001	SHELBY	05256	0.64	HARRISON CREEK	OPEN	3/13/2017	1959	35.151417	-89.91925	CONCRETE CONTINUOUS	TEE BEAM	88
790M0210001	SHELBY	05257	0.61	BRANCH	OPEN	3/13/2017	1968	35.140639	-89.916278	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.2
790B6410001	SHELBY	05259	0.74	HARRISON CREEK	OPEN	3/9/2017	1960	35.156806	-89.918806	CONCRETE CONTINUOUS	TEE BEAM	85
79028000009	SHELBY	05261	0.32	HARRISON CREEK	OPEN	3/7/2017	1920	35.178111	-89.929861	CONCRETE CONTINUOUS	TEE BEAM	83.6
790B6480001	SHELBY	05263	0.35	CYPRESS CREEK	OPEN	3/13/2017	1970	35.141889	-89.957778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.5
79040320027	SHELBY	05265	1.04	SAM COOPER BLVD.	OPEN	3/7/2017	1968	35.146667	-89.937222	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
790F0000001	SHELBY	05272	0.27	WHITE STATION CREEK	OPEN	3/13/2017	1970	35.142333	-89.89325	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.8
790B6180001	SHELBY	05280	0.13	BNSF RAILROAD	OPEN	3/22/2017	1966	35.089417	-89.974444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66.3
79I00550083	SHELBY	05294	0.01	TRIGG AVE / I-55	OPEN	1/9/2017	1961	35.112694	-90.074417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.9
79053450001	SHELBY	05345	1.66	WINCHESTER RD / BRANCH	OPEN	5/8/2017	2000	35.000633	-89.011789	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
79014500017	SHELBY	05346	0.49	NONCONNAH CREEK	OPEN	5/3/2017	1996	35.027722	-89.722861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79053460001	SHELBY	05346	1.64	BRANCH	OPEN	5/8/2017	2009	35.041556	-89.732472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
79053460003	SHELBY	05346	1.84	BRANCH	OPEN	5/8/2017	2009	35.000742	-89.012206	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
790A0500001	SHELBY	05420	0.87	ROYSTER CREEK	OPEN	5/8/2017	1988	35.364944	-89.912389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
790L0110001	SHELBY	05426	0.11	BRANCH	OPEN	5/2/2017	1993	35.095083	-89.728028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
79054260003	SHELBY	05426	1.36	BRANCH	OPEN	5/3/2017	2008	35.090683	-89.710883	STEEL	TRUSS - THRU	90.7
79054260001	SHELBY	05426	3.07	BRANCH	OPEN	5/4/2017	2009	35.0844	-89.683222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
790L0230001	SHELBY	05426	3.76	BRANCH	OPEN	5/4/2017	1994	35.074444	-89.678389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
79014520001	SHELBY	05426	4.5	BRANCH	OPEN	5/3/2017	1962	35.074528	-89.666	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.2
79054270001	SHELBY	05427	1.05	BRANCH	OPEN	5/9/2017	2009	35.213217	-89.819	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
79054270003	SHELBY	05427	1.26	FLETCHER CREEK	OPEN	5/3/2017	2009	35.21315	-89.815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
790L0100001	SHELBY	05427	1.55	FLETCHER CREEK	OPEN	5/3/2017	1995	35.209389	-89.814806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
790A7330001	SHELBY	05434	0.33	BRANCH	OPEN	4/4/2017	1965	35.010861	-89.706667	CONCRETE	CHANNEL BEAM	77.3
79054360001	SHELBY	05436	0.18	BRANCH	OPEN	5/8/2017	1999	35.025267	-89.72005	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
790A7360003	SHELBY	05437	1.05	BRANCH	OPEN	4/5/2017	1956	35.020806	-89.671278	CONCRETE	CHANNEL BEAM	59.3
790A7360001	SHELBY	05437	1.518	NONCONNAH CREEK	OPEN	4/5/2017	1960	35.020861	-89.661861	CONCRETE	CHANNEL BEAM	59.5
79014520003	SHELBY	05440	1.1	BRANCH	OPEN	5/3/2017	1995	35.079306	-89.068861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
79054430001	SHELBY	05443	2.9	BRANCH	OPEN	4/4/2017	2009	35.002817	-89.012611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
790A6920001	SHELBY	05443	4.43	FLETCHER CREEK	OPEN	4/4/2017	1997	35.189139	-89.761972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
790A1860009	SHELBY	05445	0.49	BRANCH	OPEN	4/17/2017	1955	35.251417	-89.920611	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.4
790A1860007	SHELBY	05445	2.54	BRANCH	OPEN	4/12/2017	1956	35.261806	-89.896472	CONCRETE	CHANNEL BEAM	71.2
79050920001	SHELBY	05450	0.36	BRANCH	OPEN	4/27/2017	1980	35.072611	-90.089667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
79050920003	SHELBY	05450	0.82	CYPRESS CREEK	OPEN	4/27/2017	1995	35.069417	-90.094444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79050920005	SHELBY	05450	4.8	BRANCH	OPEN	4/27/2017	1998	35.055806	-90.153167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
79050920007	SHELBY	05450	5.17	BRANCH	OPEN	4/25/2017	1998	35.050139	-90.15325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
79050920011	SHELBY	05450	5.8	BRANCH	OPEN	4/25/2017	1998	35.041367	-90.154617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
79014570001	SHELBY	05456	2.6	HALL CREEK	OPEN	5/1/2017	1957	35.262389	-89.64825	CONCRETE	TEE BEAM	62.8
79S81050001	SHELBY	05459	1.36	BIG CREEK CANAL	OPEN	4/12/2017	1959	35.280278	-90.007278	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.3
790X0120001	SHELBY	05462	0.31	FLETCHER CREEK	OPEN	4/20/2017	1995	35.177167	-89.772778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
790B5560001	SHELBY	05466	0.35	NONCONNAH CREEK	OPEN	12/14/2016	1971	35.071611	-89.990639	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.2
790A7280001	SHELBY	05571	0.67	BRANCH	OPEN	5/8/2017	1962	35.0695	-89.718694	CONCRETE	CHANNEL BEAM	67.3
79S80740001	SHELBY	05757	1.165	DRAINAGE DITCH	OPEN	5/2/2017	2003	35.062139	-89.654111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	95
79S80740003	SHELBY	05757	2.34	OVERFLOW	WEIGHT POSTED	5/2/2017	1959	35.078528	-89.651806	CONCRETE	CHANNEL BEAM	48.4
79S80740005	SHELBY	05757	2.51	WOLF RIVER	WEIGHT POSTED	5/2/2017	1949	35.080972	-89.651333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	14.8
79S80740007	SHELBY	05757	2.83	OVERFLOW	OPEN	4/11/2017	1999	35.085528	-89.65075	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
79S80740009	SHELBY	05757	3.12	OVERFLOW	OPEN	4/11/2017	1959	35.089694	-89.651111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.3
79S80740011	SHELBY	05757	3.52	OVERFLOW	OPEN	4/11/2017	1956	35.095083	-89.6535	CONCRETE	TEE BEAM	74.2
79S80740013	SHELBY	05757	4.59	JOHNSONS CREEK	OPEN	4/11/2017	1954	35.109583	-89.657667	CONCRETE	TEE BEAM	75.7
79S80740015	SHELBY	05757	6.6	MARYS CREEK	OPEN	4/11/2017	1959	35.137611	-89.660111	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
79S80740017	SHELBY	05757	11.03	GRAYS CREEK	OPEN	3/20/2017	1954	35.198167	-89.658361	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.6
79S80740019	SHELBY	05757	13.05	CYPRESS CREEK CANAL	OPEN	5/2/2017	1957	35.221917	-89.650167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.5
79I00400131	SHELBY	05757	16.14	I-40	OPEN	12/30/2016	1998	35.262028	-89.664556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.4
79S80740045	SHELBY	06052	0.203	BRANCH	OPEN	4/10/2017	1989	35.336361	-89.758944	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
79S80740047	SHELBY	06052	0.356	CROOKED CREEK	OPEN	4/10/2017	1990	35.338222	-89.760417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
790A2390001	SHELBY	0A008	1.704	NONCONNAH CREEK	OPEN	4/5/2017	1960	35.020028	-89.66175	CONCRETE	CHANNEL BEAM	80.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790A7390001	SHELBY	0A020	0.451	NONCONNAH CREEK	OPEN	4/5/2017	2005	35.026722	-89.678028	STEEL	TRUSS - THRU	80.5
790A0200001	SHELBY	0A020	1.467	BRANCH	OPEN	5/8/2017	1970	35.039167	-89.6715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
790A0210003	SHELBY	0A035	2.51	BRANCH	OPEN	2/15/2017	1977	35.325056	-90.050194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	68
790A0360001	SHELBY	0A036	0.125	BRANCH	OPEN	4/26/2017	2008	35.027767	-89.793617	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.1
790A0220001	SHELBY	0A054	1.295	BRANCH	OPEN	2/15/2017	1960	35.352167	-90.048361	STEEL	STRINGER/MULTI-BEAM OR GIRDER	76.5
790A1520005	SHELBY	0A152	0.02	DRAINAGE DITCH	OPEN	4/27/2017	2012	35.061133	-90.152733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
790A1530001	SHELBY	0A153	0.02	DRAINAGE DITCH	OPEN	4/27/2017	2012	35.060517	-90.152733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
790A1500001	SHELBY	0A165	1.076	W BEAVER CREEK CANAL	OPEN	4/3/2017	1971	35.357361	-89.693389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.9
790A2000001	SHELBY	0A206	0.046	BRANCH	OPEN	5/2/2017	1978	35.091056	-89.76825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
790A0710003	SHELBY	0A331	0.75	BRANCH	OPEN	4/12/2017	1970	35.387583	-89.949444	CONCRETE	CHANNEL BEAM	89.4
790A0260001	SHELBY	0A342	7.143	BRANCH	OPEN	4/11/2017	1983	35.380056	-90.0045	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
790X0080001	SHELBY	0A538	0.278	DRAINAGE DITCH	OPEN	5/2/2017	1995	35.101389	-89.834528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.2
790A5880001	SHELBY	0A588	1.1	BRANCH	OPEN	4/20/2017	1999	35.115133	-89.8375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790A8760001	SHELBY	0A876	0.43	BRANCH	OPEN	5/8/2017	1968	35.368861	-89.835333	CONCRETE	CHANNEL BEAM	78.5
790B6650001	SHELBY	0B010	0.178	CHERRY BAYOU	OPEN	4/25/2017	1965	35.100222	-89.909694	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.9
790B6550001	SHELBY	0B072	0.264	WHITE STATION CREEK	OPEN	4/19/2017	1960	35.136056	-89.893917	CONCRETE	TEE BEAM	96.8
790B6250001	SHELBY	0B235	0.278	COVE BAYOU	OPEN	4/27/2017	1960	35.092528	-89.915389	CONCRETE	SLAB	78.2
790B2380001	SHELBY	0B238	0.1	BRANCH	OPEN	4/19/2017	2000	35.107667	-89.900767	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.9
790B6630001	SHELBY	0B265	1.215	CHERRY BAYOU	OPEN	4/27/2017	1960	35.088056	-89.927611	CONCRETE	TEE BEAM	89.4
790B6230001	SHELBY	0B272	0.445	BLACK BAYOU	OPEN	4/27/2017	1955	35.090194	-89.931417	CONCRETE	TEE BEAM	73.8
790B6510001	SHELBY	0B392	0.71	HARRISON CREEK	OPEN	4/19/2017	1959	35.139472	-89.915722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	96.9
790M0220001	SHELBY	0B403	0.964	DITCH	OPEN	4/17/2017	1968	35.141833	-89.916472	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790C5480001	SHELBY	0B404	0.49	HARRISON CREEK	OPEN	4/17/2017	1930	35.143028	-89.916694	CONCRETE	SLAB	89.5
790B6540001	SHELBY	0B428	0.393	HARRISON CREEK	OPEN	4/19/2017	1960	35.137944	-89.915167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
790B6530001	SHELBY	0B429	0.244	HARRISON CREEK	OPEN	4/19/2017	1960	35.13575	-89.912	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
790B6520001	SHELBY	0B430	0.15	HARRISON CREEK	OPEN	4/19/2017	1972	35.1345	-89.911056	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
790B6240001	SHELBY	0B518	0.971	BLACK BAYOU	OPEN	4/25/2017	1954	35.097028	-89.932111	CONCRETE CONTINUOUS	TEE BEAM	83.9
790B6270001	SHELBY	0B528	0.054	BLACK BAYOU	OPEN	4/25/2017	1970	35.095806	-89.931944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.3
790B6620001	SHELBY	0B536	0.358	BLACK BAYOU	OPEN	4/19/2017	1960	35.103694	-89.933611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.6
790B6720001	SHELBY	0B573	0.311	BRANCH	OPEN	4/18/2017	1930	35.112194	-89.931194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
79016000001	SHELBY	0B575	0.037	BRANCH	OPEN	4/19/2017	1954	35.113083	-89.926722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
79028090001	SHELBY	0B575	0.407	BLACK BAYOU	OPEN	4/18/2017	1978	35.113222	-89.933222	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.3
790B6730001	SHELBY	0B576	0.244	BRANCH	OPEN	4/18/2017	1959	35.112278	-89.930111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
790B6740001	SHELBY	0B577	0.326	BRANCH	OPEN	4/18/2017	1940	35.112167	-89.928667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
790B6750001	SHELBY	0B578	0.245	BRANCH	OPEN	4/19/2017	1964	35.112194	-89.927556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
790B6980001	SHELBY	0B698	0.36	GALLOWAY BRANCH	OPEN	4/20/2017	1970	35.135683	-89.951517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
790B6610001	SHELBY	0B734	0.042	CYPRESS CREEK	OPEN	4/18/2017	1991	35.127056	-89.963139	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.7
790B6600001	SHELBY	0B741	0.014	CYPRESS CREEK	OPEN	4/18/2017	1945	35.129917	-89.9605	CONCRETE CONTINUOUS	ARCH - DECK	73.9
790B6590001	SHELBY	0B750	0.079	CYPRESS CREEK	OPEN	4/18/2017	1965	35.122694	-89.967417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.4
790B1870001	SHELBY	0B767	0.398	CYPRESS CREEK	OPEN	4/18/2017	1965	35.119667	-89.968833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
790B9950001	SHELBY	0B995	0.568	CHEROKEE BAYOU	OPEN	4/25/2017	1950	35.090667	-89.957167	CONCRETE	TEE BEAM	89.4
790A1310001	SHELBY	0C002	2.353	BRANCH	OPEN	4/10/2017	1984	35.391219	-89.800464	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
790A1550001	SHELBY	0C003	1.8	BRANCH	OPEN	4/11/2017	1988	35.384556	-89.697722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.9
790A1600001	SHELBY	0C004	0.962	BRANCH	OPEN	4/3/2017	1964	35.318111	-89.711444	CONCRETE	CHANNEL BEAM	89.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790A1470001	SHELBY	0C010	1.375	W BEAVER CREEK	OPEN	4/3/2017	1931	35.364167	-89.700111	STEEL	TRUSS - THRU	61.9
790C0100003	SHELBY	0C010	1.602	WEST BEAVER CREEK	OPEN	4/3/2017	1988	35.364083	-89.698139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
790A1610001	SHELBY	0C020	1.487	BRANCH	OPEN	4/3/2017	1963	35.306556	-89.69675	CONCRETE	CHANNEL BEAM	84.5
790A1350001	SHELBY	0C025	0.936	W BEAVER CREEK	OPEN	4/10/2017	1977	35.396389	-89.723333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.4
79SR3850049	SHELBY	0C032	0.531	SALEM RD. / SR-385	OPEN	3/2/2017	1994	35.31025	-89.745972	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
790A1650001	SHELBY	0C034	0.174	BRANCH	OPEN	5/2/2017	1970	35.287972	-89.757361	CONCRETE	CHANNEL BEAM	89.4
79SR3850031	SHELBY	0C034	3.08	STEWART RD / SR385	OPEN	3/2/2017	1994	35.311111	-89.729	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
79SR3850043	SHELBY	0C039	0.209	DONNELL RD / SR385	OPEN	3/2/2017	1994	35.307639	-89.792333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.9
790A1870001	SHELBY	0C039	1.284	CROOKED CREEK	OPEN	4/10/2017	1971	35.323083	-89.790528	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.7
790A1430001	SHELBY	0C046	0.624	BRANCH	OPEN	4/10/2017	1965	35.405111	-89.72025	CONCRETE	TEE BEAM	84.4
790A1250001	SHELBY	0C056	0.326	CASPER CREEK	OPEN	4/6/2017	1965	35.360167	-89.827444	CONCRETE	TEE BEAM	79.5
790A1240001	SHELBY	0C057	0.12	CASPER CREEK	OPEN	4/6/2017	1965	35.355556	-89.827	CONCRETE	TEE BEAM	77.5
79014600001	SHELBY	0C106	1.362	BIG CREEK	OPEN	4/12/2017	1989	35.308056	-89.981944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
790A0440001	SHELBY	0C108	1.371	BIG CREEK	OPEN	4/17/2017	2016	35.315861	-89.974389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
790A0410001	SHELBY	0C123	0.961	BRANCH	OPEN	4/12/2017	1968	35.317083	-89.991639	CONCRETE	CHANNEL BEAM	89.5
790A0340001	SHELBY	0C125	1.962	JAKES CREEK	OPEN	4/12/2017	1962	35.339583	-89.954639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.1
790A0370001	SHELBY	0C126	0.737	JAKES CREEK	OPEN	4/12/2017	1963	35.351028	-89.969306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84.5
790A0540001	SHELBY	0C132	0.844	BRANCH	OPEN	4/11/2017	1969	35.361472	-89.947278	CONCRETE	CHANNEL BEAM	92.4
790A0540003	SHELBY	0C132	0.963	BEAR CREEK	OPEN	4/11/2017	1963	35.361389	-89.94525	CONCRETE	CHANNEL BEAM	90.4
790C1390001	SHELBY	0C139	1.07	NONCONNAH CREEK	OPEN	4/12/2017	2006	35.37785	-89.9581	STEEL	TRUSS - THRU	80.5
790A0860003	SHELBY	0C142	0.59	BRANCH	OPEN	5/8/2017	1969	35.388083	-89.881139	CONCRETE	CHANNEL BEAM	73.4
790A0860001	SHELBY	0C142	1.379	NORTH FORK CREEK	OPEN	5/8/2017	1970	35.3895	-89.889583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84.4
790A0890001	SHELBY	0C198	0.08	BRANCH	OPEN	5/8/2017	1985	35.365444	-89.886417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
790A0680001	SHELBY	0C199	0.666	ROYSTER CREEK	OPEN	5/8/2017	1939	35.351583	-89.912139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790A0140001	SHELBY	0C239	0.695	BRANCH	OPEN	4/10/2017	1964	35.290028	-90.012778	CONCRETE	TEE BEAM	84.4
790A0140003	SHELBY	0C239	1.089	BRANCH	OPEN	4/10/2017	1955	35.295083	-90.010583	CONCRETE	TEE BEAM	84.4
790A0260003	SHELBY	0C242	1.825	BRANCH	OPEN	4/12/2017	1978	35.379222	-90.0275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
79008010001	SHELBY	0C253	0.078	BRANCH	OPEN	4/10/2017	1998	35.301528	-89.992722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.8
790A0050001	SHELBY	0C269	1.038	BRANCH	OPEN	4/10/2017	1965	35.252194	-90.037444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
790L0190001	SHELBY	0C271	0.313	BRANCH	OPEN	4/17/2017	2004	35.263783	-90.045717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790C3360001	SHELBY	0C336	0.386	BRANCH	OPEN	4/17/2017	1958	35.219861	-90.035944	CONCRETE	TEE BEAM	78.8
790C4120001	SHELBY	0C412	0.533	BRANCH	OPEN	4/17/2017	1960	35.239444	-89.983556	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.3
790C4590001	SHELBY	0C459	0.255	BRANCH	OPEN	4/17/2017	1960	35.237778	-89.982917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.4
790B1140001	SHELBY	0C666	0.098	BRANCH	OPEN	4/17/2017	1960	35.2195	-90.009111	CONCRETE	CHANNEL BEAM	86.3
790C7650001	SHELBY	0C765	0.432	BRANCH	OPEN	4/12/2017	1950	35.28975	-89.912444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
790A3190003	SHELBY	0D017	1.81	BRANCH	OPEN	4/17/2017	1960	35.247222	-89.945417	CONCRETE	CHANNEL BEAM	79
790D1050001	SHELBY	0D105	0.825	BRANCH	OPEN	4/24/2017	1980	35.19735	-89.9492	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
79028150007	SHELBY	0D136	0.175	JAMES RD.	OPEN	3/9/2017	1979	35.200194	-89.864778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5
790A8870001	SHELBY	0D356	0.07	BRANCH	OPEN	4/24/2017	1977	35.201333	-89.911333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.4
790D3780001	SHELBY	0D378	0.608	BRANCH	OPEN	4/24/2017	1980	35.192556	-89.909528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
790A2680001	SHELBY	0D520	0.274	BRANCH	OPEN	4/12/2017	1970	35.247028	-89.915139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790A2490001	SHELBY	0D785	0.124	BRANCH	OPEN	5/9/2017	1975	35.223778	-89.821056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
790A2290001	SHELBY	0D839	1.16	BRANCH	OPEN	4/26/2017	1963	35.247778	-89.798722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63
790L0150001	SHELBY	0D870	0.624	FLETCHER CREEK	OPEN	5/8/2017	1993	35.225	-89.801389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
790A6430001	SHELBY	0D884	1.024	BRANCH	OPEN	5/8/2017	1960	35.218111	-89.789778	CONCRETE	CHANNEL BEAM	84.4
790A6480001	SHELBY	0D889	1.922	OLIVER CREEK	OPEN	5/1/2017	1976	35.247417	-89.756861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790A6480003	SHELBY	0D889	6.102	CLEAR CREEK	OPEN	5/2/2017	1994	35.268083	-89.700861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
790A1830001	SHELBY	0D923	0.995	BRANCH	OPEN	5/1/2017	1970	35.267972	-89.74075	CONCRETE	CHANNEL BEAM	84.5
79SR3850051	SHELBY	0D953	0.654	MILTON WILSON RD / SR385	OPEN	2/28/2017	1998	35.270861	-89.679139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.1
790A6570003	SHELBY	0D955	0.67	GRAYS CREEK	OPEN	4/6/2017	1972	35.200889	-89.681556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.9
79I00400125	SHELBY	0D958	2.652	CHAMBERS CHAPEL RD / I40	OPEN	12/29/2016	1962	35.243278	-89.700889	CONCRETE CONTINUOUS	TEE BEAM	92.1
790A6630001	SHELBY	0D963	1.389	BRANCH	OPEN	5/2/2017	1965	35.21375	-89.720028	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
790D9650001	SHELBY	0D965	0.273	BRANCH	OPEN	4/26/2017	1965	35.2121	-89.715417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
790A6730003	SHELBY	0D990	0.408	GRAYS CREEK	OPEN	4/6/2017	1981	35.196778	-89.64725	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
790A6730001	SHELBY	0D994	0.529	BRANCH	OPEN	4/6/2017	1972	35.182111	-89.653278	CONCRETE	CHANNEL BEAM	97
790A6830001	SHELBY	0D996	1.644	MARY'S CREEK	OPEN	4/11/2017	1970	35.135056	-89.677306	CONCRETE	CHANNEL BEAM	72.3
790E0230001	SHELBY	0E023	0.028	CHEROKEE BAYOU	OPEN	4/27/2017	1965	35.092722	-89.957194	CONCRETE	TEE BEAM	77.5
79I02400063	SHELBY	0E079	0.018	COLGATE RD / I-240	OPEN	1/12/2017	1962	35.078611	-90.026111	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
790B6050001	SHELBY	0E125	0.221	TARENT BRANCH	OPEN	5/1/2017	1965	35.081333	-90.022639	CONCRETE	TEE BEAM	92.5
79I02400051	SHELBY	0E155	0.376	PERSON AVE / I-240	OPEN	1/12/2017	1965	35.10675	-90.029194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.9
790B6110001	SHELBY	0E184	0.194	CASTALIA BAYOU	OPEN	4/19/2017	1986	35.103139	-90.006222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	90.7
790B6140001	SHELBY	0E199	0.603	CASTALIA BAYOU	OPEN	4/19/2017	1960	35.106556	-89.999667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
79I02400019	SHELBY	0E526	0.991	LINDEN AVE / 4 ROUTES	OPEN	1/12/2017	1968	35.134833	-90.023694	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.3
79I02400017	SHELBY	0E528	0.363	EASTMORELAND AVE / I-240	OPEN	1/12/2017	1968	35.136	-90.024556	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
790E5650001	SHELBY	0E565	0.687	GAYOSO BAYOU	OPEN	6/13/2017	1960	35.148389	-90.0445	MASONRY	ARCH - DECK	59.7
790B5730001	SHELBY	0E578	0.493	BNSF & CSX RAILROADS	WEIGHT POSTED	4/18/2017	1903	35.124639	-90.0295	CONCRETE	ARCH - DECK	7.8
79I00550093	SHELBY	0E691	0.21	WISCONSIN AVE / I-55	OPEN	1/10/2017	1963	35.120056	-90.069972	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.6
790E7010001	SHELBY	0E701	0.033	BRANCH	OPEN	4/18/2017	1950	35.125611	-90.058528	CONCRETE	SLAB	73.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I00550081	SHELBY	0E721	0.329	OLIVE AVE / I-55	OPEN	1/9/2017	1962	35.11075	-90.075222	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75
790B2720001	SHELBY	0E726	0	W. MCLEMORE AVE.	OPEN	4/20/2017	1966	35.116556	-90.069556	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88
79I00550073	SHELBY	0E752	0.15	PERSON AVE / I-55	OPEN	1/9/2017	1964	35.102111	-90.076528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.2
790E9450001	SHELBY	0E945	0.264	BRANCH	OPEN	4/27/2017	1970	35.08275	-90.068056	PRESTRESSED CONCRETE	TEE BEAM	46.8
790B5940001	SHELBY	0E961	0.419	LATHAM BRANCH	OPEN	4/27/2017	1991	35.082417	-90.058167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98
790A6970001	SHELBY	0F003	2.145	MARYS CREEK	OPEN	4/11/2017	1965	35.129083	-89.710444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	88.8
790X0160001	SHELBY	0F050	0.252	BRANCH	OPEN	4/24/2017	1985	35.171972	-89.786333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
790X0020001	SHELBY	0F209	0.785	OVERFLOW	OPEN	4/20/2017	1995	35.189306	-89.768194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.1
790F2160001	SHELBY	0F216	0.171	BRANCH	OPEN	5/8/2017	1994	35.207833	-89.802278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
790F2170001	SHELBY	0F217	0.15	FLETCHER CREEK	OPEN	4/20/2017	1993	35.188806	-89.811611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
790A6390001	SHELBY	0F217	0.26	FLETCHER CREEK	OPEN	4/24/2017	1984	35.189722	-89.810833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	61.1
790F2190001	SHELBY	0F219	0.1	BRANCH	OPEN	4/20/2017	1999	35.188528	-89.836222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
790A6330001	SHELBY	0F247	0.046	BRANCH	OPEN	4/5/2017	1972	35.16875	-89.822306	CONCRETE	CHANNEL BEAM	72.7
790A6300001	SHELBY	0F248	0.352	BRANCH	OPEN	4/5/2017	1995	35.161417	-89.819417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
79028040001	SHELBY	0F373	0.052	WOLF RIVER HARBOR	OPEN	12/30/2016	1984	35.157528	-90.050472	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.6
790S0110001	SHELBY	0G016	0.1	DITCH	OPEN	4/25/2017	1980	35.012139	-89.829417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
790G4780001	SHELBY	0G478	0.585	BRANCH	OPEN	4/24/2017	1991	34.999581	-89.880531	CONCRETE	TEE BEAM	72
790B4660001	SHELBY	0G622	0.185	DRAINAGE CANAL	OPEN	5/1/2017	1970	35.049694	-89.954778	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.8
790X0060001	SHELBY	0G642	0.185	HURRICANE CREEK	OPEN	5/1/2017	1995	35.037028	-89.966972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78
790B0940001	SHELBY	0G657	0.485	BRANCH	OPEN	5/1/2017	1970	35.046806	-89.997028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86
790B1200001	SHELBY	0G676	0.945	BRANCH	OPEN	4/26/2017	1969	35.026556	-90.001139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790B0320001	SHELBY	0G679	0.129	BRANCH OF DAYS CREEK	OPEN	4/26/2017	1960	35.027167	-90.005167	CONCRETE	CHANNEL BEAM	87.1
79I00550015	SHELBY	0G679	0.266	GOODHAVEN DR / I-55	OPEN	1/4/2017	1999	35.027361	-90.002333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.8
790A9820001	SHELBY	0G811	0.41	BRANCH	OPEN	4/26/2017	1955	35.004222	-90.013472	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	100
790A8770001	SHELBY	0G907	1.354	BRANCH	OPEN	5/1/2017	1964	35.051306	-90.026056	CONCRETE	CHANNEL BEAM	72.7
790H0710001	SHELBY	0H071	1.277	BRANCH	OPEN	4/26/2017	1980	35.03125	-90.092194	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.7
79L28360001	SHELBY	0H332	0.498	DITCH	OPEN	4/26/2017	1970	35.028083	-90.043583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
790B5550001	SHELBY	0H506	0.396	DAYS CREEK	OPEN	5/1/2017	1970	35.065278	-89.993083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.8
790H5170001	SHELBY	0H517	0.06	NONCONNAH CREEK	OPEN	12/13/2016	1999	35.076111	-89.953556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.1
790B5580003	SHELBY	0H517	0.42	BNSF RR	OPEN	5/1/2017	1960	35.078056	-89.961444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	49.5
790B5660001	SHELBY	0H520	0.221	TEN MILE CREEK	OPEN	5/2/2017	1964	35.062	-89.93325	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.1
790X0050001	SHELBY	0H551	0.021	DRAINAGE DITCH	OPEN	4/5/2017	1993	35.159417	-89.806472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
790L0060001	SHELBY	0H551	0.89	BRANCH	OPEN	4/5/2017	1980	35.1585	-89.81525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
790X0140001	SHELBY	0H552	0.132	BRANCH	OPEN	4/20/2017	1982	35.132778	-89.858444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
790X0210001	SHELBY	0H553	0.216	BRANCH	OPEN	4/20/2017	1999	35.062639	-89.840306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
790X0030001	SHELBY	0H554	0.287	DRAINAGE DITCH	OPEN	5/3/2017	1994	35.073611	-89.772	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.9
790X0110001	SHELBY	0H555	0.15	DRAINAGE DITCH	OPEN	5/3/2017	1994	35.078444	-89.769639	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.9
790X0090001	SHELBY	0H559	0.131	BRANCH	OPEN	5/8/2017	1995	35.20925	-89.812167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
790J0870001	SHELBY	0J087	0.299	CUMBY BAYOU	OPEN	12/20/2016	1970	35.15	-90.033222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
79I00400037	SHELBY	0J107	0.05	FAXON AVE / I-40	OPEN	12/19/2016	2007	35.155483	-90.02	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.8
790J1120001	SHELBY	0J112	0.27	QUIMBY BAYOU	OPEN	4/24/2017	1999	35.149361	-90.032028	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790J1180001	SHELBY	OJ118	0.236	CUMBY BAYOU	OPEN	4/24/2017	1985	35.151722	-90.033444	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.9
790G0020001	SHELBY	OJ125	0.26	BRANCH	OPEN	12/5/2016	1915	35.161056	-90.047833	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.6
790G0010001	SHELBY	OJ126	0.1	GAYOSO BAYOU	OPEN	12/5/2016	1940	35.158944	-90.046667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.2
790A5700001	SHELBY	OJ186	0.775	LICK CREEK	WEIGHT POSTED	4/26/2017	1957	35.167556	-90.018167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86
790B8020001	SHELBY	OJ291	0.036	LICK CREEK	OPEN	4/24/2017	1930	35.155611	-89.264778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
790B8000001	SHELBY	OJ296	0.292	LICK CREEK	OPEN	4/19/2017	1930	35.155833	-90.000278	CONCRETE	TEE BEAM	100
790B8010001	SHELBY	OJ302	0.904	LICK CREEK	OPEN	4/24/2017	1930	35.155722	-89.999028	CONCRETE	TEE BEAM	100
790B5760001	SHELBY	OJ314	0.105	LICK CREEK	OPEN	4/19/2017	1930	35.157056	-90.006	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.5
790B5950001	SHELBY	OJ321	0.65	LICK CREEK	OPEN	4/24/2017	1930	35.158056	-90.015194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.4
790A5750001	SHELBY	OJ326	0.484	LICK CREEK	OPEN	4/19/2017	1930	35.157	-90.005056	CONCRETE	TEE BEAM	99.9
790A5710003	SHELBY	OJ327	0.077	LICK CREEK	OPEN	4/19/2017	1930	35.156556	-90.002417	CONCRETE	TEE BEAM	100
790A5740001	SHELBY	OJ328	0.487	LICK CREEK	OPEN	4/19/2017	1930	35.156889	-90.003889	CONCRETE	TEE BEAM	100
790A6010003	SHELBY	OJ336	0.1	LICK CREEK	OPEN	4/24/2017	1964	35.160611	-90.018833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
790B7890001	SHELBY	OJ343	0.249	LICK CREEK	OPEN	4/19/2017	1932	35.157333	-90.0085	CONCRETE	TEE BEAM	99.9
790B5770001	SHELBY	OJ344	0.133	LICK CREEK	OPEN	4/19/2017	1950	35.157167	-90.007139	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	100
79SR0010043	SHELBY	OJ350	0.141	GARLAND ST RAMP / N PKWY	OPEN	1/25/2017	1966	35.153167	-90.011278	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	67.8
790N0740003	SHELBY	OJ915	0.531	BRANCH	OPEN	5/8/2017	2002	35.0802	-89.73995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
790N0740001	SHELBY	OJ915	0.973	BRANCH	OPEN	5/8/2017	2002	35.077933	-89.740467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
790K7500001	SHELBY	OJ936	0.529	BRANCH	OPEN	5/3/2017	1988	35.089556	-89.755417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.9
790K0010001	SHELBY	OK001	0.42	BRANCH	OPEN	5/8/2017	2013	35.1087	-89.787383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
790K0010003	SHELBY	OK001	1.16	BRANCH	OPEN	5/8/2017	2013	35.103583	-89.776017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.7
790B6770001	SHELBY	OK008	0.034	WHITE STATION CREEK	OPEN	5/1/2017	1953	35.150056	-89.891778	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790B6420001	SHELBY	0K086	0.213	GRAHAM BRANCH	OPEN	5/2/2017	1965	35.154528	-89.919694	CONCRETE	TEE BEAM	97.8
790B6330001	SHELBY	0K122	0.708	HARRISON CREEK	OPEN	5/1/2017	1960	35.172694	-89.926833	CONCRETE CONTINUOUS	TEE BEAM	97.6
790B6470001	SHELBY	0K264	0.67	CYPRESS CREEK	OPEN	5/1/2017	1960	35.147139	-89.959222	CONCRETE CONTINUOUS	TEE BEAM	73.1
790B6470003	SHELBY	0K264	1.24	CUMBERLAND BAYOU	OPEN	5/2/2017	1950	35.147389	-89.968861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
790B6390001	SHELBY	0K299	0.047	WORKHOUSE BAYOU	OPEN	5/2/2017	1950	35.159361	-89.9465	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
790B6380001	SHELBY	0K300	0.056	WORKHOUSE BAYOU	OPEN	5/1/2017	1940	35.158528	-89.945194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
790B6790003	SHELBY	0K370	0.104	CYPRESS CREEK	OPEN	5/1/2017	1999	35.158361	-89.969528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
790B6790001	SHELBY	0K370	0.229	CYPRESS CREEK	OPEN	5/1/2017	1999	35.158778	-89.969361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
790M0170001	SHELBY	0K396	0.349	OVERTON BAYOU	OPEN	4/24/2017	1970	35.16625	-89.988944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	87.1
790B4990001	SHELBY	0K409	0.568	CYPRESS CREEK	OPEN	4/27/2017	1965	35.165667	-89.976917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.7
790B5100001	SHELBY	0K418	0.18	CYPRESS CREEK	OPEN	4/27/2017	1965	35.164972	-89.977139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89
790B6460001	SHELBY	0K439	0.685	CYPRESS CREEK	OPEN	5/1/2017	1964	35.161333	-89.972722	CONCRETE	TEE BEAM	96.4
790K5100001	SHELBY	0K510	0.054	WORKHOUSE BAYOU	OPEN	4/27/2017	1950	35.180889	-89.956167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
790B0180001	SHELBY	0K521	0.24	WORKHOUSE BAYOU	OPEN	4/27/2017	1974	35.174333	-89.959444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99.9
790B6300001	SHELBY	0K521	0.7	WORKHOUSE BAYOU	OPEN	4/27/2017	1970	35.173167	-89.957389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	100
79028160001	SHELBY	0K562	0.68	BRANCH	OPEN	12/5/2016	1958	35.159944	-90.046778	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.2
790K5810001	SHELBY	0K581	0.199	BRANCH	OPEN	5/9/2017	1990	35.243417	-89.855611	CONCRETE	TEE BEAM	79.7
790K6160001	SHELBY	0K616	0.158	FLETCHER CREEK BRANCH	OPEN	4/24/2017	1999	35.187133	-89.790783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
790L0160001	SHELBY	0K618	0.062	BRANCH	OPEN	5/4/2017	2004	35.082133	-89.680267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
79E00390005	SHELBY	0K619	0.058	BRANCH	OPEN	4/24/2017	2005	35.005778	-89.871139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.7
790L0140001	SHELBY	0K627	1.37	OLIVER CREEK	OPEN	5/9/2017	1993	35.23545	-89.75215	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790L0120001	SHELBY	0K629	0.07	OLIVER CREEK	OPEN	5/9/2017	1993	35.232222	-89.749722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790L0130001	SHELBY	0K630	0.05	OLIVER CREEK	OPEN	5/9/2017	1993	35.234033	-89.7507	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
790A6570001	SHELBY	0K634	2.276	CYPRESS CREEK	OPEN	5/1/2017	1955	35.243667	-89.677278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.2
79SR3850111	SHELBY	0K634	2.787	OLD AIRLINE RD / SR385	OPEN	3/2/2017	2007	35.2481	-89.670783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
790A1940001	SHELBY	0K638	0.078	BRANCH	OPEN	4/10/2017	1987	35.313367	-89.816475	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98
790A1940003	SHELBY	0K638	0.175	OVERFLOW	OPEN	4/10/2017	1987	35.311944	-89.816667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790A1520001	SHELBY	0K639	1.718	BRANCH	OPEN	4/4/2017	1958	35.349583	-89.674389	CONCRETE	CHANNEL BEAM	70.9
790A1520003	SHELBY	0K639	2.15	W BEAVER CREEK CANAL	OPEN	4/4/2017	1958	35.354972	-89.6715	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.4
790A0110001	SHELBY	0K640	0.458	BRANCH	OPEN	4/3/2017	1960	35.320639	-89.666083	CONCRETE	CHANNEL BEAM	85.4
790A0110003	SHELBY	0K640	0.898	BEAVER CREEK	OPEN	4/4/2017	1956	35.319944	-89.658417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.4
790A0110005	SHELBY	0K640	0.981	BRANCH	OPEN	4/4/2017	1958	35.319472	-89.657056	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.4
79S80740043	SHELBY	0K641	0.365	OVERFLOW	OPEN	5/1/2017	1960	35.303472	-89.665917	CONCRETE	CHANNEL BEAM	71.3
79S80740025	SHELBY	0K641	0.593	LOOSAHATCHIE RIVER	OPEN	4/5/2017	1960	35.306417	-89.667583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.5
79SR2050027	SHELBY	0K641	0.897	BEAVER CREEK	OPEN	4/4/2017	1960	35.310472	-89.66975	CONCRETE	CHANNEL BEAM	73.3
79S80740029	SHELBY	0K641	1.256	OVERFLOW	OPEN	4/4/2017	1960	35.315278	-89.671778	CONCRETE	CHANNEL BEAM	76.3
79028130017	SHELBY	0K650	0	WINCHESTER RD.	OPEN	3/6/2017	1983	35.051833	-89.998528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.5
79SR0140061	SHELBY	0K800	0	K800 RAMP C / SR-14	OPEN	2/6/2017	1996	35.199556	-89.925444	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.2
790B0600001	SHELBY	0K800	0.406	WOLF RIVER OVERFLOW	OPEN	4/19/2017	1976	35.197833	-89.923861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.7
79SR0140029	SHELBY	0K800	0.61	WOLF RIVER	OPEN	12/8/2016	1939	35.200139	-89.923361	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.7
79SR2040013	SHELBY	0K900	0.03	BIG CREEK DRAINAGE CANAL	OPEN	4/5/2017	1983	35.323	-89.870222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78
790K9020001	SHELBY	0K902	0.07	MARYS CREEK	OPEN	4/5/2017	1995	35.18085	-89.734917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90.8
790A6970003	SHELBY	0L004	2.184	GRAYS CREEK	OPEN	4/25/2017	1994	35.183306	-89.725611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.2
79008110005	SHELBY	0L004	2.425	BRANCH	OPEN	4/25/2017	1995	35.186778	-89.725972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790L0170001	SHELBY	0L017	0.416	BRANCH	OPEN	4/6/2017	1993	35.134783	-89.670583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790L0200001	SHELBY	0L020	0.542	BRANCH	OPEN	5/8/2017	2004	35.0534	-89.716967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790L0220001	SHELBY	0L022	0.241	NONCONNAH CREEK	OPEN	5/2/2017	2003	35.077833	-89.902111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.1
79I00550077	SHELBY	0L120	0.01	INDUST. ACCESS RD / I-55	OPEN	1/9/2017	1961	35.109028	-90.075583	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	70.3
790B5710001	SHELBY	0L124	0.431	CYPRESS CREEK	OPEN	4/27/2017	1991	35.0375	-90.078306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	99.7
790G2410001	SHELBY	0M091	0.6	JOHN'S CREEK	OPEN	4/24/2017	1999	34.99665	-89.861033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
790B5900001	SHELBY	0M340	0.16	CHANNEL 3 DR / RIVERSIDE	OPEN	4/17/2017	1948	35.127028	-90.066806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.2
790N0210001	SHELBY	0N021	0.25	BRANCH	OPEN	5/3/2017	2008	35.5727	-88.261	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82
790N0630001	SHELBY	0N063	0.02	BRANCH	OPEN	1/31/2017	1972	35.37005	-89.883633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
790N0640001	SHELBY	0N064	0.578	RANER CREEK	OPEN	5/8/2017	2008	35.2653	-89.843233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
790N0650001	SHELBY	0N065	0.225	FRANKS BRANCH	OPEN	5/9/2017	2008	35.2433	-89.785033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
790N0680001	SHELBY	0N068	0.1	FLETCHER CREEK	OPEN	4/4/2017	2008	35.18525	-89.765767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790N0680003	SHELBY	0N068	0.362	FLETCHER CREEK	OPEN	4/4/2017	2008	35.1881	-89.76315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790N0690001	SHELBY	0N069	0.366	BRANCH	OPEN	4/24/2017	2008	35.123581	-89.75875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
790N0700001	SHELBY	0N070	0.542	BRANCH	OPEN	4/26/2017	2009	35.003683	-90.0927	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
790N0710001	SHELBY	0N071	0.3	BRANCH	OPEN	5/8/2017	2008	35.0427	-89.704317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
790N0720001	SHELBY	0N072	0.379	BRANCH	OPEN	4/6/2017	2008	35.142511	-89.672642	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
790N0730001	SHELBY	0N073	0.2	BRANCH	OPEN	5/3/2017	1988	35.090117	-89.753753	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.9
790N0750001	SHELBY	0N075	0.056	BRANCH	OPEN	5/2/2017	2002	35.090417	-89.7305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
790N0760001	SHELBY	0N076	0.051	BRANCH	OPEN	5/2/2017	2002	35.09155	-89.730333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
790N0780001	SHELBY	0N078	0.087	BRANCH	OPEN	4/6/2017	2009	35.158839	-89.732061	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790N0790001	SHELBY	0N079	0.527	BRANCH	OPEN	4/4/2017	2009	35.156	-89.744733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
790N0800001	SHELBY	0N080	0.123	BRANCH	OPEN	4/5/2017	2009	35.159561	-89.736419	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790N0810001	SHELBY	0N081	0.09	BRANCH	OPEN	4/6/2017	2009	35.159131	-89.733461	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790L0240001	SHELBY	0N082	0.16	BRANCH	OPEN	5/2/2017	1994	35.214889	-89.717067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
790N0830001	SHELBY	0N083	0.679	BRANCH	OPEN	4/11/2017	2002	35.1807	-89.68705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.2
790N0830003	SHELBY	0N083	1.375	FIELD CREEK	OPEN	4/11/2017	2002	35.177967	-89.696983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
790N0850001	SHELBY	0N085	0.164	BRANCH	OPEN	5/1/2017	2008	35.261733	-89.655567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
790N0860001	SHELBY	0N086	0.017	NORTH BRANCH	OPEN	5/8/2017	2008	35.223583	-89.791767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
790N0880001	SHELBY	0N088	0.23	BRANCH	OPEN	4/25/2017	2009	35.025683	-89.806833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
790B2390003	SHELBY	0P001	0.037	HORN LAKE CUTOFF	OPEN	2/15/2017	1997	35.068583	-90.131278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
790B2390001	SHELBY	0P001	0.196	CNIC RAILROAD	OPEN	2/15/2017	1938	35.067278	-90.129361	CONCRETE	TEE BEAM	80.8
790A0210001	SHELBY	C0000	0.01	BRANCH	OPEN	2/15/2017	1970	35.329778	-90.048611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.2
79100400001	SHELBY	I0040	0	MISSISSIPPI RIVER	OPEN	8/13/2015	1973	35.151667	-90.07	STEEL CONTINUOUS	ARCH - THRU	47
79100400143	SHELBY	I0040	0.51	WOLF RIVER HARBOR	OPEN	12/19/2016	1973	35.152861	-90.056306	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77
79100400145	SHELBY	I0040	0.55	WOLF RIVER HARBOR	OPEN	12/15/2016	1973	35.154694	-90.050806	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.1
79100400147	SHELBY	I0040	0.68	I-40 RAMP "D" / RAMP "B"	OPEN	12/15/2016	1973	35.151667	-90.052722	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
79100400149	SHELBY	I0040	0.72	I40-EB-EXT-RP-G/I40-RP-B	OPEN	12/19/2016	1973	35.152111	-90.053083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
79100400151	SHELBY	I0040	0.77	I40-LL-RP-B/2 RTS & RR	OPEN	12/19/2016	1989	35.153361	-90.049417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I00400141	SHELBY	I0040	0.79	N FRONT ST & S MAIN ST	OPEN	12/15/2016	1989	35.152111	-90.052444	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
79I00400164	SHELBY	I0040	1.08	I40-WB-EX RP / N 3RD ST.	OPEN	12/19/2016	1973	35.153333	-90.047139	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
79I00400003	SHELBY	I0040	1.21	N. LAUDERDALE ST.	OPEN	12/20/2016	1973	35.151528	-90.044694	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
79I00400007	SHELBY	I0040	1.82	I-40 / N. MANASSAS ST	OPEN	12/19/2016	1968	35.150528	-90.034444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77
79I00400009	SHELBY	I0040	1.85	BRANCH	OPEN	12/20/2016	1968	35.149889	-90.033056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76
79I00400011	SHELBY	I0040	1.95	I-40 / N. DUNLAP ST.	OPEN	12/19/2016	1968	35.016222	-90.032389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81
79I00400013	SHELBY	I0040	2.09	I-40 E.B. / AYERS ST.	OPEN	12/19/2016	1966	35.149972	-90.029667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.2
79I00400014	SHELBY	I0040	2.09	I-40 WB / AYERS ST.	OPEN	12/20/2016	1966	35.150111	-90.029722	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.1
79I00400021	SHELBY	I0040	2.49	I40-RP-K / I240-RL-EX-RP	OPEN	12/19/2016	1966	35.146667	-90.022806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.9
79I00400043	SHELBY	I0040	3.57	I-40 / VOLLINTINE AVE.	OPEN	12/19/2016	1964	35.165333	-90.018694	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.9
79I00400045	SHELBY	I0040	3.72	I-40 / BROWN AVE.	OPEN	12/20/2016	1964	35.167444	-90.018417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.7
79I00400047	SHELBY	I0040	3.92	I-40 / CHELSEA AVE.	OPEN	12/20/2016	1964	35.170333	-90.01825	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79
79I00400049	SHELBY	I0040	4.09	I-40 / CSX RR	OPEN	12/20/2016	1964	35.170306	-90.01825	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
79I00400051	SHELBY	I0040	4.2	I-40 / SMITH AVE.	OPEN	12/20/2016	1964	35.173	-90.019333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.9
79I00400055	SHELBY	I0040	4.58	I40 / LEATH BAYOU	OPEN	12/20/2016	1964	35.18	-90.017806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
79I00400057	SHELBY	I0040	4.62	I-40 / LEVEE RD	OPEN	12/21/2016	1964	35.180417	-90.01775	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64.8
79I00400059	SHELBY	I0040	5.01	I-40 E.B. / WOLF RIVER	OPEN	12/1/2016	1976	35.186083	-90.017194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
79I00400060	SHELBY	I0040	5.01	I-40 W.B. / WOLF RIVER	OPEN	12/1/2016	1976	35.186111	-90.017861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
79I00400063	SHELBY	I0040	5.27	I40-RL-RP-32D/300-RP-32C	OPEN	12/21/2016	1977	35.1905	-90.016028	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I00400067	SHELBY	I0040	5.46	I-40 WB ENT RP	OPEN	12/21/2016	1977	35.192417	-90.014306	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
79I00400069	SHELBY	I0040	5.68	I-40 E.B. / N WATKINS ST	OPEN	12/21/2016	1979	35.191444	-90.008278	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.5
79I00400070	SHELBY	I0040	5.68	I-40 W.B. / N WATKINS ST	OPEN	12/21/2016	1979	35.192028	-90.00825	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.5
79I00400074	SHELBY	I0040	7.51	I-40 WB / N HOLLYWOOD ST	OPEN	12/21/2016	1975	35.191778	-89.975889	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
79I00400073	SHELBY	I0040	7.51	I-40 EB / N HOLLYWOOD ST	OPEN	12/21/2016	1975	35.1915	-89.976028	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
79I00400075	SHELBY	I0040	7.76	BRANCH	OPEN	12/29/2016	1976	35.191194	-89.972333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.4
79I00400077	SHELBY	I0040	8.17	I-40 E.B. / IC RAILROAD	OPEN	12/20/2016	1976	35.190806	-89.964444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.9
79I00400078	SHELBY	I0040	8.17	I-40 W.B. / IC RAILROAD	OPEN	12/20/2016	1976	35.191056	-89.964139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.4
79I00400079	SHELBY	I0040	8.6	I-40 E.B. / WARFORD ST.	OPEN	12/20/2016	1976	35.190333	-89.956806	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
79I00400080	SHELBY	I0040	8.6	I-40 W.B. / WARFORD ST.	OPEN	12/20/2016	1976	35.190639	-89.956833	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
79I00400083	SHELBY	I0040	9.42	I-40 E.B. / WOLF RIVER	OPEN	12/1/2016	1976	35.189889	-89.942528	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
79I00400084	SHELBY	I0040	9.42	I-40 W.B. / WOLF RIVER	OPEN	12/1/2016	1976	35.190083	-89.942472	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
79I00400085	SHELBY	I0040	10.32	I-40 RAMP / SR-14	OPEN	12/21/2016	1977	35.191083	-89.926861	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.5
79I00400087	SHELBY	I0040	10.34	I-40 / SR-14	OPEN	12/21/2016	1979	35.1925	-89.926611	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
79I00400089	SHELBY	I0040	10.43	I-40 / I-40 RP TO SR-14	OPEN	12/21/2016	1978	35.192444	-89.924944	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
79I00400091	SHELBY	I0040	11.37	CSX RAILROAD	OPEN	12/21/2016	1978	35.183583	-89.913639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
79I00400093	SHELBY	I0040	12.54	I-40 / SR-204	OPEN	12/28/2016	1978	35.169083	-89.902667	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
79I00400096	SHELBY	I0040	13.9	I-40 W.B. / SR-1	OPEN	12/28/2016	2005	35.154194	-89.887806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.7
79I00400167	SHELBY	I0040	13.9	SR1,I40EB,I240EB&RAM PS	OPEN	12/28/2016	2016	35.153667	-89.8883	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I00400168	SHELBY	I0040	13.9	SR1/I40 WBL/RAMP 12BF	OPEN	12/28/2016	2016	35.154133	-89.887817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
79I00400095	SHELBY	I0040	13.9	I-40 E.B. / SR-1	OPEN	12/28/2016	2005	35.153611	-89.888417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.7
79I00400098	SHELBY	I0040	13.99	WHITE STATION CREEK	OPEN	12/28/2016	1962	35.153389	-89.88625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.7
79I00400097	SHELBY	I0040	13.99	WHITE STATION CREEK	OPEN	12/28/2016	1962	35.152528	-89.887417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
79I00400099	SHELBY	I0040	14.01	I40 EB / I40 EXIT RAMP	OPEN	12/29/2016	1962	35.152528	-89.886861	CONCRETE CONTINUOUS	SLAB	89.4
79I00400162	SHELBY	I0040	14.4	I40-LL / RIGHT-OF-WAY	OPEN	12/29/2016	2016	35.149617	-89.8821	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.8
79I00400103	SHELBY	I0040	14.53	WOLF RIVER	OPEN	12/1/2016	2016	35.155806	-89.87975	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
79I00400105	SHELBY	I0040	15.75	I-40 / SYCAMORE VIEW RD	OPEN	12/21/2016	1963	35.165028	-89.861583	CONCRETE CONTINUOUS	TEE BEAM	82
79I00400107	SHELBY	I0040	16.45	BRANCH	OPEN	12/21/2016	1997	35.169278	-89.850444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80
79I00400109	SHELBY	I0040	17.13	BRANCH	OPEN	12/21/2016	1996	35.173556	-89.839611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79
79I00400115	SHELBY	I0040	19.42	FLETCHER CREEK	OPEN	12/28/2016	1997	35.189528	-89.804222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
79I00400119	SHELBY	I0040	21.47	I-40 / US-64	OPEN	12/28/2016	1964	35.204111	-89.7725	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66
79I00400127	SHELBY	I0040	27.1	OVERFLOW	OPEN	12/29/2016	1964	35.249194	-89.689889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.5
79I00400128	SHELBY	I0040	27.1	OVERFLOW	OPEN	12/29/2016	1964	35.249361	-89.689944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.5
79I00400130	SHELBY	I0040	27.4	CLEAR CREEK	OPEN	12/29/2016	1964	35.251722	-89.6855	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.1
79I00400129	SHELBY	I0040	27.4	CLEAR CREEK	OPEN	12/29/2016	1964	35.251528	-89.683611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.5
79I00400139	SHELBY	I0040	28.93	HALL CREEK	OPEN	12/30/2016	1999	35.263833	-89.662694	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.9
79I00400134	SHELBY	I0040	28.98	HALL CREEK	OPEN	12/30/2016	1999	35.263861	-89.662167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
79I00400133	SHELBY	I0040	28.98	HALL CREEK	OPEN	12/30/2016	1999	35.263667	-89.661278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.5
79I00400135	SHELBY	I0040	29.74	I-40 EB / CHESTER ST	OPEN	12/30/2016	1964	35.269694	-89.650389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I00400136	SHELBY	I0040	29.74	I-40 WB / CHESTER ST	OPEN	12/30/2016	1964	35.269944	-89.650472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
79I00550003	SHELBY	I0055	1.28	I-55 / WILSON RD	OPEN	12/29/2016	1960	35.013778	-90.002333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.9
79I00550005	SHELBY	I0055	1.32	MILL BRANCH	OPEN	1/4/2017	1960	35.014139	-90.002278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
79I00550011	SHELBY	I0055	2.17	BRANCH	OPEN	1/4/2017	1969	35.026639	-90.002222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
79I00550017	SHELBY	I0055	2.48	I-55 / DAYS CREEK	OPEN	1/4/2017	1960	35.031139	-90.002167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.7
79I00550021	SHELBY	I0055	3.54	I-55 / MILL BRANCH RD	OPEN	1/5/2017	1960	35.045972	-90.00725	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
79I00550028	SHELBY	I0055	4.81	I-55 S.B. / BROOKS RD	OPEN	12/29/2016	2001	35.061222	-90.019833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
79I00550027	SHELBY	I0055	4.81	I-55 N.B. / BROOKS RD	OPEN	12/29/2016	2001	35.061167	-90.018833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
79I00550029	SHELBY	I0055	5.09	I-55 N.B. / SR-3	OPEN	12/29/2016	1960	35.0635	-90.02275	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91
79I00550030	SHELBY	I0055	5.09	I-55 S.B. / SR-3	OPEN	12/29/2016	1960	35.063222	-90.022889	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.1
79I00550031	SHELBY	I0055	5.25	NONCONNAH CREEK	OPEN	12/8/2016	1962	35.065333	-90.024194	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.8
79I00550032	SHELBY	I0055	5.36	NONCONNAH CREEK	OPEN	12/8/2016	1962	35.066972	-90.027028	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.1
79I00550035	SHELBY	I0055	5.58	I240 EB RAMP	OPEN	1/4/2017	1958	35.069306	-90.025583	CONCRETE CONTINUOUS	SLAB	80.2
79I00550037	SHELBY	I0055	5.71	I-55 N.B. / I-240	OPEN	1/4/2017	1958	35.071333	-90.025611	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	94
79I00550041	SHELBY	I0055	5.94	TARENT BRANCH	OPEN	1/4/2017	1960	35.073639	-90.030278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
79I00550039	SHELBY	I0055	5.95	I55 NB / BRANCH	OPEN	1/4/2017	1960	35.074778	-90.030361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
79I00550044	SHELBY	I0055	6.47	CANE CREEK	OPEN	1/4/2017	1963	35.075389	-90.039694	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.2
79I00550043	SHELBY	I0055	6.47	CANE CREEK	OPEN	1/4/2017	1963	35.075361	-90.039222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.2
79I00550046	SHELBY	I0055	6.66	I-55 SB / LEVEE RD	OPEN	1/5/2017	1963	35.076139	-90.042528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	73.8
79I00550045	SHELBY	I0055	6.66	I-55 NB / LEVEE RD	OPEN	1/5/2017	1963	35.076361	-90.042417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I00550048	SHELBY	I0055	6.7	ICG RAILROAD	OPEN	1/5/2017	1963	35.076389	-90.044417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.9
79I00550047	SHELBY	I0055	6.7	ICG RAILROAD	OPEN	1/5/2017	1963	35.076389	-90.042944	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72
79I00550055	SHELBY	I0055	7.44	I-55 RP / SR-14 & I-55	OPEN	1/9/2017	1963	35.079083	-90.056194	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.1
79I00550059	SHELBY	I0055	7.65	BRANCH	OPEN	1/9/2017	1963	35.080139	-90.059083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
79I00550063	SHELBY	I0055	8.2	MALLORY BAYOU	OPEN	1/5/2017	1963	35.079778	-90.068667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3
79I00550065	SHELBY	I0055	8.675	RIVERPORT RD & ICG R.R.	OPEN	1/5/2017	2012	35.084083	-90.074833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
79I00550068	SHELBY	I0055	8.78	CNIC RAILROAD	OPEN	1/5/2017	2012	35.085278	-90.075778	STEEL	STRINGER/MULTI-BEAM OR GIRDER	94.9
79I00550067	SHELBY	I0055	8.78	CNIC RAILROAD	OPEN	1/5/2017	2012	35.085222	-90.075639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	94.9
79I00550069	SHELBY	I0055	8.8	CNIC RAILROAD	OPEN	1/5/2017	2012	35.085278	-90.075444	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97.5
79I00550072	SHELBY	I0055	8.88	I-55 S.B. / MALLORY AVE	OPEN	1/5/2017	2012	35.087028	-90.076694	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
79I00550071	SHELBY	I0055	8.88	I-55 N.B. / MALLORY AVE	OPEN	1/5/2017	2012	35.087028	-90.076556	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
79I00550090	SHELBY	I0055	10.97	I-55 S.B. / MCLEMORE AVE	OPEN	1/10/2017	1964	35.116306	-90.072111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	58.4
79I00550089	SHELBY	I0055	10.97	I-55 N.B. / MCLEMORE AVE	OPEN	1/10/2017	1964	35.116333	-90.071861	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.2
79I00550107	SHELBY	I0055	11.03	I-55 EXIT RAMP / CSX RR	OPEN	1/10/2017	1963	35.1175	-90.0725	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.7
79I00550099	SHELBY	I0055	11.93	I-55 / METAL MUSEUM DR	OPEN	1/10/2017	1965	35.125111	-90.072694	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.8
79I00550101	SHELBY	I0055	12	MISSISSIPPI RIVER	OPEN	12/15/2015	1949	35.13	-90.08	STEEL CONTINUOUS	TRUSS - THRU	48.4
79I00400169	SHELBY	I0240	0.19	I-240 EB / I-40	OPEN	1/9/2017	2006	35.150333	-90.022083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
79I00400017	SHELBY	I0240	0.28	I-240 WB RP / I40 & I240	OPEN	12/19/2016	2006	35.150133	-90.024683	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
79I02400013	SHELBY	I0240	0.87	I-240 EX RAMP / I-240	OPEN	1/10/2017	1964	35.138528	-90.024417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.8
79I02400021	SHELBY	I0240	1.07	I240 EX RP / I240 ENT RP	OPEN	1/12/2017	1968	35.135722	-90.024667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I02400027	SHELBY	I0240	1.2	I240 RP / SR4 RP & 5218	OPEN	1/18/2017	1967	35.133083	-90.023639	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
79I02400023	SHELBY	I0240	1.26	I-240 E.B. / PEABODY AVE	OPEN	1/12/2017	1969	35.133083	-90.024306	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.8
79I02400025	SHELBY	I0240	1.26	I-240 EB RP / PEABODY	OPEN	1/12/2017	1968	35.133139	-90.02475	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.4
79I02400024	SHELBY	I0240	1.26	I-240 W.B. / PEABODY AVE	OPEN	1/12/2017	1969	35.133028	-90.024028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.7
79I02400030	SHELBY	I0240	1.41	I-240 WB. / SR-4	OPEN	1/18/2017	1968	35.130556	-90.023833	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	84.5
79I02400029	SHELBY	I0240	1.41	I-240 EB. / SR-4	OPEN	1/18/2017	1968	35.131306	-90.024194	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	87
79I02400034	SHELBY	I0240	1.68	I-240 W.B. / CENTRAL AVE	OPEN	1/18/2017	1966	35.126944	-90.023944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.8
79I02400033	SHELBY	I0240	1.68	I-240 E.B. / CENTRAL AVE	OPEN	1/18/2017	1966	35.126972	-90.024111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.8
79I02400036	SHELBY	I0240	1.8	I240 WB / AGNES PL & RR	OPEN	1/18/2017	1966	35.125083	-90.024639	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.7
79I02400035	SHELBY	I0240	1.8	I-240 EB / AGNES PL & RR	OPEN	1/18/2017	1966	35.125306	-90.024806	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.6
79I02400037	SHELBY	I0240	2.22	I-240 EB. / WALKER AVE	OPEN	1/18/2017	1966	35.119333	-90.026361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	68.8
79I02400038	SHELBY	I0240	2.22	I-240 WB. / WALKER AVE	OPEN	1/18/2017	1966	35.119333	-90.025806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.8
79I02400046	SHELBY	I0240	3.09	I-240 WB / KERR AVE	OPEN	1/9/2017	1963	35.107194	-90.029167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	66.4
79I02400045	SHELBY	I0240	3.09	I-240 EB. / KERR AVE.	OPEN	1/9/2017	1963	35.10725	-90.029444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	66.4
79I02400047	SHELBY	I0240	3.12	ABANDONED RAILROAD	OPEN	1/12/2017	1963	35.106444	-90.029417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.7
79I02400048	SHELBY	I0240	3.12	ABANDONED RAILROAD	OPEN	1/12/2017	1963	35.10675	-90.029194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.7
79I02400053	SHELBY	I0240	4.01	I-240 EB. / ALICE AVE.	OPEN	1/12/2017	1962	35.094306	-90.026417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.8
79I02400054	SHELBY	I0240	4.01	I-240 WB. / ALICE AVE.	OPEN	1/12/2017	1962	35.094306	-90.026194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88
79I02400056	SHELBY	I0240	4.27	CANE CREEK	OPEN	1/12/2017	1962	35.090667	-90.025528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I02400055	SHELBY	I0240	4.27	CANE CREEK	OPEN	1/12/2017	1962	35.090667	-90.025694	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.1
79I02400066	SHELBY	I0240	5.2	TARENT BRANCH	OPEN	1/18/2017	1960	35.077278	-90.025639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.4
79I02400065	SHELBY	I0240	5.2	TARENT BRANCH	OPEN	1/12/2017	1960	35.076472	-90.026944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.7
79I02400067	SHELBY	I0240	5.34	I-240 EB / WB RP TO I-55	OPEN	1/18/2017	1958	35.075278	-90.027361	CONCRETE CONTINUOUS	SLAB	81
79I00550038	SHELBY	I0240	5.48	I-240 / I-55	OPEN	1/18/2017	1958	35.073194	-90.028111	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	81
79I02400071	SHELBY	I0240	6.51	I-240 RP / CORPORATE AVE	OPEN	1/18/2017	1983	35.072528	-90.010167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83
79I02400073	SHELBY	I0240	6.52	I-240 EX RP / I-240	OPEN	1/23/2017	1983	35.072556	-90.009361	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.4
79I02400077	SHELBY	I0240	7.83	NONCONNAH CREEK	OPEN	12/14/2016	1958	35.073417	-89.986611	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.8
79I02400080	SHELBY	I0240	7.88	I-240 WB / AIRWAYS BLVD	OPEN	1/24/2017	1961	35.076889	-89.985667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.7
79I02400079	SHELBY	I0240	7.88	I-240 EB / AIRWAYS BLVD	OPEN	1/24/2017	1961	35.076111	-89.98575	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.1
79I02400127	SHELBY	I0240	7.92	I-240 RP / AIRWAYS BLVD	OPEN	1/23/2017	1975	35.070833	-89.987028	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.9
79I02400083	SHELBY	I0240	8	I-240 EB / RAMP	OPEN	1/23/2017	1963	35.076028	-89.983889	CONCRETE CONTINUOUS	SLAB	70.2
79I02400086	SHELBY	I0240	9.25	I-240 WB. / BNSF RWY.	OPEN	1/23/2017	1963	35.078194	-89.962194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.1
79I02400085	SHELBY	I0240	9.25	I-240 EB / BNSF RAILROAD	OPEN	1/23/2017	1963	35.077972	-89.961889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	66.8
79I02400087	SHELBY	I0240	9.56	DITCH	OPEN	1/23/2017	1968	35.078722	-89.956083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
79I02400090	SHELBY	I0240	9.58	CHEROKEE BAYOU	OPEN	1/23/2017	1961	35.080028	-89.956806	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.1
79I02400089	SHELBY	I0240	9.58	CHEROKEE BAYOU	OPEN	1/23/2017	1961	35.079444	-89.956583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59
79I02400130	SHELBY	I0240	9.59	I-240 RAMP / DITCH	OPEN	1/23/2017	1965	35.080806	-89.957139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.6
79I02400097	SHELBY	I0240	10.64	BLACK BAYOU	OPEN	1/24/2017	1960	35.080861	-89.938556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85
79I02400125	SHELBY	I0240	13.86	RAMP TO MT MORIAH RD	OPEN	1/23/2017	1993	35.083889	-89.882639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I02400131	SHELBY	I0240	14.18	I-240 WB EX RP / I-240	OPEN	1/24/2017	1993	35.084389	-89.877556	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
79I02400137	SHELBY	I0240	18.63	BRANCH	OPEN	1/23/2017	1968	35.144444	-89.873917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
79I02400136	SHELBY	I0240	18.88	I240 WB / I40 / SR001	OPEN	1/24/2017	2005	35.149617	-89.8821	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.3
79I02400119	SHELBY	I0240	19.18	PEDESTRIAN FACILITY	OPEN	1/23/2017	1962	35.149861	-89.867111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.5
79I02400120	SHELBY	I0240	19.2	PEDESTRIAN FACILITY	OPEN	1/23/2017	2001	35.149639	-89.882167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
79I00400102	SHELBY	I0240	19.41	I40 LL / I40	OPEN	1/24/2017	1960	35.152611	-89.884	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	51.8
79I00400101	SHELBY	I0240	19.41	I-40 / SAM COOPER BLVD	OPEN	1/23/2017	1962	35.1515	-89.88525	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	71.7
79I00550097	SHELBY	SR001	0	I-55 & SR-1 / I-55	OPEN	1/25/2017	1963	35.124667	-90.067361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.6
79I00550097	SHELBY	SR001	0	I-55 & SR-1 / I-55	OPEN	1/25/2017	1963	35.124667	-90.067361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.6
79I00550097	SHELBY	SR001	0	I-55 & SR-1 / I-55	OPEN	1/25/2017	1963	35.124667	-90.067361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.6
79I00550097	SHELBY	SR001	0	I-55 & SR-1 / I-55	OPEN	1/25/2017	1963	35.124667	-90.067361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.6
79I00550097	SHELBY	SR001	0	I-55 & SR-1 / I-55	OPEN	1/25/2017	1963	35.124667	-90.067361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.6
79I00400005	SHELBY	SR001	3.11	SR-1 / I-40	OPEN	1/25/2017	1965	35.151222	-90.040722	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.2
79SR0830009	SHELBY	SR001	3.29	SR-1 / LANE AVE	OPEN	1/25/2017	1966	35.153472	-90.038639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.9
79I00400035	SHELBY	SR001	4.38	SR-1 / I-40	OPEN	1/25/2017	2005	35.154217	-90.021617	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
79SR0830017	SHELBY	SR001	6.06	LICK CREEK	OPEN	1/31/2017	1956	35.151972	-89.992333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43
79SR0010009	SHELBY	SR001	7.31	OK371, 05250 & RR	OPEN	1/24/2017	1931	35.149722	-89.970139	CONCRETE	SLAB	60
79SR0010011	SHELBY	SR001	7.91	CYPRESS CREEK	OPEN	1/25/2017	1930	35.149389	-89.95975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52
79SR0010013	SHELBY	SR001	10.2	HARRISON CREEK	OPEN	1/25/2017	1939	35.148889	-89.919306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52
79SR0010015	SHELBY	SR001	12.53	WOLF RIVER	OPEN	12/5/2016	1926	35.15825	-89.882778	CONCRETE	TEE BEAM	68.9
79SR0010017	SHELBY	SR001	13.39	FLETCHER CREEK	OPEN	1/26/2017	1926	35.167667	-89.872639	CONCRETE	TEE BEAM	63.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR0010051	SHELBY	SR001	17.64	BRANCH	OPEN	1/26/2017	2007	35.214783	-89.82475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
79SR0010019	SHELBY	SR001	18.11	DRAINAGE DITCH	OPEN	1/26/2017	1929	35.220194	-89.819333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
79SR0010021	SHELBY	SR001	22.13	OLIVER CREEK	OPEN	1/26/2017	1926	35.250528	-89.76025	CONCRETE	TEE BEAM	48.4
79SR0010023	SHELBY	SR001	23.47	SCOTTS CREEK	OPEN	1/26/2017	1929	35.258889	-89.738972	CONCRETE	TEE BEAM	47.5
79SR0010025	SHELBY	SR001	25.49	BRANCH	OPEN	1/26/2017	1925	35.271444	-89.706833	CONCRETE	TEE BEAM	48.9
79SR0010027	SHELBY	SR001	25.61	CLEAR CREEK	OPEN	1/26/2017	1926	35.272278	-89.704806	CONCRETE	TEE BEAM	49.9
79SR0010029	SHELBY	SR001	26.85	CSX RAILROAD	OPEN	1/30/2017	1957	35.284861	-89.691083	CONCRETE	TEE BEAM	90.2
79SR0010030	SHELBY	SR001	26.85	CSX RAILROAD	OPEN	1/30/2017	1926	35.284694	-89.691472	CONCRETE	TEE BEAM	85
79SR0010047	SHELBY	SR001	27.2	SR1 RAMP D / CSX RR	OPEN	1/30/2017	1996	35.286972	-89.686861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.6
79SR0010049	SHELBY	SR001	27.23	SR1 RMP / GULF STREAM RD	OPEN	1/30/2017	1997	35.286139	-89.684694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.7
79SR0010031	SHELBY	SR001	27.47	BRANCH	OPEN	1/30/2017	1997	35.29025	-89.683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.1
79SR0010033	SHELBY	SR001	29.32	BRANCH	OPEN	1/30/2017	1925	35.300225	-89.653861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.2
79SR0010035	SHELBY	SR001	29.81	OVERFLOW	OPEN	1/30/2017	1925	35.3055	-89.645972	CONCRETE	TEE BEAM	75.2
79SR0010037	SHELBY	SR001	29.97	OVERFLOW	OPEN	1/30/2017	1925	35.306444	-89.643472	CONCRETE	TEE BEAM	52.7
79SR0010039	SHELBY	SR001	30.36	LOOSAHATCHIE RIVER	OPEN	2/2/2017	1925	35.310528	-89.639639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	32.2
79SR0037047	SHELBY	SR003	0.52	SR3 SB / PAVED DITCH	OPEN	12/7/2016	1983	35.15775	-90.046361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
79SR0030001	SHELBY	SR003	3.46	BRANCH	OPEN	1/30/2017	1949	35.045	-90.025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
79SR0030003	SHELBY	SR003	4.06	BRANCH	OPEN	1/30/2017	1934	35.053694	-90.024889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.4
79SR0030005	SHELBY	SR003	4.61	PAVED DITCH	OPEN	1/30/2017	1931	35.0615	-90.023417	CONCRETE	TEE BEAM	62.9
79SR0030007	SHELBY	SR003	4.87	NONCONNAH CREEK	OPEN	12/12/2016	1996	35.065278	-90.022583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
79SR0030009	SHELBY	SR003	5.04	RAVINE	OPEN	1/30/2017	1934	35.067472	-90.021944	CONCRETE	TEE BEAM	69.7
79SR0030011	SHELBY	SR003	5.11	OVERFLOW	OPEN	1/30/2017	1935	35.068583	-90.021778	CONCRETE	TEE BEAM	68.5
79I00550109	SHELBY	SR003	5.28	SR-3 / I-240 & RAMPS	OPEN	1/30/2017	1958	35.071111	-90.021111	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	71.2
79SR0030013	SHELBY	SR003	6.35	PAVED DITCH	OPEN	1/31/2017	1930	35.086444	-90.018278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR0030015	SHELBY	SR003	6.66	CNIC RR	OPEN	1/31/2017	1934	35.090917	-90.018083	CONCRETE	TEE BEAM	91.1
79SR0030017	SHELBY	SR003	7.19	CANE CREEK	OPEN	1/31/2017	1934	35.098639	-90.017944	CONCRETE	TEE BEAM	92.1
79I02400015	SHELBY	SR003	10.06	I240 & RAMPS	OPEN	2/1/2017	1969	35.004333	-90.023556	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59.2
79SR0010005	SHELBY	SR003	11.32	SR-3 / SR-1	OPEN	2/1/2017	1965	35.141111	-90.045056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.9
79SR0030023	SHELBY	SR003	12.73	DRAINAGE DITCH	OPEN	12/7/2016	1934	35.157333	-90.045139	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.8
79SR0030025	SHELBY	SR003	15.25	WOLF RIVER	OPEN	12/5/2016	2012	35.188722	-90.035111	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.8
79SR0030027	SHELBY	SR003	15.69	OVERFLOW	OPEN	2/1/2017	1934	35.195111	-90.034861	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47.9
79SR0030029	SHELBY	SR003	16.44	CNIC RAILROAD	OPEN	2/1/2017	1934	35.205944	-90.033333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	50
79SR0030031	SHELBY	SR003	18.63	TODD CREEK	OPEN	2/1/2017	1933	35.233639	-90.016056	CONCRETE	TEE BEAM	93.1
79SR0030032	SHELBY	SR003	18.63	TODD CREEK	OPEN	2/1/2017	1956	35.233722	-90.016194	CONCRETE	TEE BEAM	91.1
79SR0030033	SHELBY	SR003	18.88	BRANCH	OPEN	2/1/2017	1960	35.236639	-90.013417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	45.7
79SR0030035	SHELBY	SR003	20.35	OVERFLOW	OPEN	2/6/2017	1933	35.253944	-89.998694	CONCRETE	TEE BEAM	98.2
79SR0030036	SHELBY	SR003	20.35	OVERFLOW	OPEN	2/6/2017	1957	35.254028	-89.998806	CONCRETE	TEE BEAM	98.2
79SR0030038	SHELBY	SR003	20.79	LOOSAHATCHIE RIVER	OPEN	12/6/2016	1956	35.25925	-89.994278	CONCRETE CONTINUOUS	TEE BEAM	76.8
79SR0030037	SHELBY	SR003	20.79	LOOSAHATCHIE RIVER	OPEN	12/6/2016	1993	35.259722	-89.994111	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.1
79SR0030042	SHELBY	SR003	27.08	BRANCH	OPEN	1/31/2017	1960	35.329389	-89.923083	CONCRETE	TEE BEAM	77.7
79SR0030043	SHELBY	SR003	27.55	BIG CREEK	OPEN	1/31/2017	1974	35.334306	-89.917472	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
79SR0030044	SHELBY	SR003	27.55	BIG CREEK	OPEN	1/31/2017	1960	35.334417	-89.917722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
79SR0030045	SHELBY	SR003	30.31	NORTH FORK CREEK	OPEN	1/31/2017	1933	35.365778	-89.887667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
79SR0030051	SHELBY	SR003	30.52	BRANCH	OPEN	1/31/2017	1968	35.368083	-89.885333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
79SR0040001	SHELBY	SR004	1.83	CAPELVILLE CREEK	OPEN	2/1/2017	1977	35.017444	-89.895389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
79SR0040003	SHELBY	SR004	2.23	JOHNS CREEK	OPEN	2/2/2017	1929	35.022306	-89.899444	CONCRETE	TEE BEAM	81.5
79SR0040004	SHELBY	SR004	2.23	JOHNS CREEK	OPEN	2/2/2017	1975	35.022139	-89.899639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR0040007	SHELBY	SR004	3.87	TENMILE CREEK	OPEN	2/1/2017	1975	35.039972	-89.918222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
79SR0040027	SHELBY	SR004	3.87	TENMILE CREEK	OPEN	2/1/2017	1981	35.039417	-89.918889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
79SR0040009	SHELBY	SR004	4.13	BNSF RAILROAD	OPEN	2/2/2017	1975	35.043556	-89.919556	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
79SR0040010	SHELBY	SR004	4.14	BNSF RAILROAD	OPEN	2/2/2017	1975	35.043806	-89.91975	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.2
79SR0040011	SHELBY	SR004	5.3	BRANCH	OPEN	2/6/2017	1965	35.056722	-89.931889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
79SR0040015	SHELBY	SR004	7.18	NONCONNAH CREEK	OPEN	12/14/2016	1961	35.077722	-89.952417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	55
79I02400093	SHELBY	SR004	7.39	SR-4 RAMP / I-240	OPEN	2/1/2017	1985	35.080611	-89.952944	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.4
79I02400095	SHELBY	SR004	7.4	I240 EB & WB & RAMP	OPEN	2/1/2017	1983	35.080056	-89.955028	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.3
79I02400096	SHELBY	SR004	7.49	RAMPS FROM I-240 & SR-4	OPEN	2/1/2017	1960	35.081	-89.95625	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72.9
79SR0040017	SHELBY	SR004	7.55	CHEROKEE CREEK	OPEN	2/1/2017	1960	35.081417	-89.957028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
79SR0040033	SHELBY	SR004	12.67	SR 4 (LAMAR AVE)	OPEN	2/2/2017	1968	35.130528	-90.023611	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	92.9
79SR0140001	SHELBY	SR014	0.58	HORN LAKE CREEK	OPEN	2/8/2017	1928	34.999111	-90.118861	CONCRETE	TEE BEAM	54.1
79SR0140003	SHELBY	SR014	4.27	CYPRESS CREEK	OPEN	2/8/2017	1929	35.035722	-90.0725	CONCRETE	TEE BEAM	81
79SR0140006	SHELBY	SR014	7.13	IC RR & NONCONNAH CREEK	OPEN	12/13/2016	1929	35.074417	-90.057972	STEEL	TRUSS - THRU	37.1
79SR0140005	SHELBY	SR014	7.13	CNIC RR & NONCONNAH CR	OPEN	12/13/2016	1964	35.074333	-90.057806	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
79SR0140055	SHELBY	SR014	7.35	PAVED DITCH	OPEN	2/8/2017	1978	35.077778	-90.056944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56
79I00550057	SHELBY	SR014	7.46	SR-14 / I-55	OPEN	2/8/2017	1964	35.079056	-90.057167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64.6
79SR0140009	SHELBY	SR014	7.68	INDUSTRIAL AVE & CNIC RR	OPEN	2/13/2017	1929	35.082083	-90.057056	CONCRETE	TEE BEAM	77.4
79SR0140015	SHELBY	SR014	9.69	ILLINOIS CENTRAL RR	OPEN	2/13/2017	2014	35.110972	-90.052972	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.9
79SR0140017	SHELBY	SR014	11.96	CUMBY BAYOU	OPEN	12/7/2016	1933	35.156139	-90.044639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I00400039	SHELBY	SR014	13.31	SR-14 / I-40	OPEN	2/14/2017	2007	35.157917	-90.0211	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
79SR0140057	SHELBY	SR014	13.49	LICK CREEK	OPEN	2/14/2017	1966	35.158389	-90.017556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
79SR0140019	SHELBY	SR014	16.28	SCOTT ST & LIBERTY AVE	OPEN	2/14/2017	2000	35.158472	-89.969722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.1
79SR0140021	SHELBY	SR014	17.27	WORKHOUSE BAYOU	OPEN	2/6/2017	1942	35.163972	-89.953694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
79SR0140023	SHELBY	SR014	18.27	02800, 0K274 & CSX RR	OPEN	2/2/2017	1940	35.173972	-89.94125	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.2
79SR0140025	SHELBY	SR014	19.12	HARRISON CREEK	OPEN	2/6/2017	1935	35.183806	-89.932083	CONCRETE	TEE BEAM	49.2
79SR0140027	SHELBY	SR014	20.13	WOLF RIVER OVERFLOW	OPEN	2/6/2017	1996	35.196806	-89.925056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.2
79SR0140063	SHELBY	SR014	20.37	WOLF RIVER	OPEN	12/8/2016	1996	35.200333	-89.924306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.2
79SR0140065	SHELBY	SR014	20.67	SR-14 / SR-15	OPEN	2/6/2017	1996	35.204667	-89.923417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
79SR0140067	SHELBY	SR014	20.94	SR-14 RAMP "D" / SR-14	OPEN	2/8/2017	1997	35.206444	-89.921583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
79SR0140069	SHELBY	SR014	20.97	SR-14 RAMP "F" / SR-14	OPEN	2/8/2017	1997	35.208444	-89.921389	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
79SR0140031	SHELBY	SR014	26.28	OVERFLOW	OPEN	2/6/2017	1952	35.268361	-89.862333	CONCRETE	TEE BEAM	47.5
79SR0140033	SHELBY	SR014	26.58	OVERFLOW	OPEN	2/6/2017	1952	35.271556	-89.858889	CONCRETE	TEE BEAM	55.7
79SR0140035	SHELBY	SR014	26.74	OVERFLOW	OPEN	2/6/2017	1952	35.273611	-89.857167	CONCRETE	TEE BEAM	50.7
79SR0140037	SHELBY	SR014	26.9	LOOSAHATCHIE RIVER	OPEN	12/8/2016	1952	35.275417	-89.855333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.5
79SR0140039	SHELBY	SR014	27.25	OVERFLOW	OPEN	2/6/2017	1952	35.279194	-89.851472	CONCRETE	TEE BEAM	55.7
79SR0140041	SHELBY	SR014	30.27	BRANCH	WEIGHT POSTED	2/6/2017	1952	35.313139	-89.817667	CONCRETE	TEE BEAM	50.7
79SR0140043	SHELBY	SR014	31.2	CROOKED CREEK	OPEN	2/8/2017	1952	35.323611	-89.80725	CONCRETE	TEE BEAM	53.2
79SR0140045	SHELBY	SR014	35.61	BRANCH	OPEN	2/8/2017	1952	35.373111	-89.757972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
79SR0140047	SHELBY	SR014	38.01	BRANCH	OPEN	2/8/2017	1952	35.397944	-89.728444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.2
79SR0140049	SHELBY	SR014	38.25	WEST BEAVER CREEK	OPEN	2/8/2017	1955	35.383611	-89.725222	CONCRETE	TEE BEAM	80.2
79002040003	SHELBY	SR015	0.52	BRANCH	OPEN	2/8/2017	1975	35.205611	-89.914167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	70.7
79002040005	SHELBY	SR015	2.26	BRANCH	OPEN	2/8/2017	1975	35.205167	-89.883861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79002040007	SHELBY	SR015	3.28	HARRINGTON CREEK	OPEN	2/8/2017	1952	35.204361	-89.866056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56
79SR0150001	SHELBY	SR015	5.83	W. FK. FLETCHER CREEK	OPEN	2/8/2017	1983	35.203722	-89.821278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57
79SR0150003	SHELBY	SR015	7.13	BRANCH	OPEN	2/9/2017	1928	35.20425	-89.798306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
79SR0150007	SHELBY	SR015	11.89	GRAYS CREEK	OPEN	2/9/2017	1992	35.205028	-89.7145	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.7
79FA3120007	SHELBY	SR023	2.1	SR 23 / SR 277	OPEN	2/13/2017	1964	35.133444	-89.983889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	60.6
79SR0230001	SHELBY	SR023	2.61	CSX & CNIC RR	OPEN	2/9/2017	1958	35.133111	-89.974972	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69
79SR0230007	SHELBY	SR023	3.68	CYPRESS CREEK	OPEN	2/8/2017	1961	35.133556	-89.958028	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81
79SR0230009	SHELBY	SR023	7.46	WHITE STATION CREEK	OPEN	2/8/2017	1960	35.130417	-89.8915	CONCRETE	TEE BEAM	63
79I02400117	SHELBY	SR023	8.8	WALNUT GROVE RD / I-240	OPEN	2/8/2017	2008	35.130889	-89.868139	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
79SR0230003	SHELBY	SR057	1.88	SR 23, CSX & CNIC RR	OPEN	2/14/2017	1928	35.136611	-89.972528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	32
79SR0230005	SHELBY	SR057	2.16	SR57 WB RP / SR23 EB	OPEN	2/14/2017	1958	35.135361	-89.967556	CONCRETE CONTINUOUS	TEE BEAM	91.2
79SR0570001	SHELBY	SR057	2.72	CYPRESS CREEK	OPEN	2/14/2017	1931	35.131639	-89.958833	CONCRETE	ARCH - DECK	50.2
79SR0570003	SHELBY	SR057	8.08	SR57 EB / SR57 WB RAMP	OPEN	2/14/2017	1959	35.102778	-89.871833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.9
79I02400112	SHELBY	SR057	8.09	SR-57 WB. / I-240	OPEN	2/15/2017	1958	35.104083	-89.869806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	60.7
79I02400111	SHELBY	SR057	8.18	SR-57 EB. / I-240	OPEN	2/15/2017	1960	35.101889	-89.870361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65.9
79SR0570009	SHELBY	SR057	8.57	RIDGEWAY LOOP RD.	OPEN	2/14/2017	1975	35.102556	-89.863889	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	64
79SR0570005	SHELBY	SR057	17.87	BRANCH	OPEN	2/13/2017	1930	35.047806	-89.717583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.1
79SR0570007	SHELBY	SR057	21.89	BRANCH	OPEN	2/14/2017	1930	35.044917	-89.646889	CONCRETE	TEE BEAM	60.3
79SR0860001	SHELBY	SR086	0.756	LITTLE NONCONNAH CREEK	OPEN	2/14/2017	1930	35.018806	-89.654444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
79SR0860007	SHELBY	SR086	1.376	BRANCH	OPEN	2/15/2017	2008	35.025444	-89.661944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
79SR0860009	SHELBY	SR086	2.36	DITCH	OPEN	2/15/2017	2014	35.03605	-89.6737	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR0860003	SHELBY	SR086	3.046	S. ROWLETT ST. & RR	OPEN	2/15/2017	2015	35.043444	-89.681778	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.9
79SR0142001	SHELBY	SR175	0.18	HORN LAKE CREEK	OPEN	2/15/2017	2005	34.998111	-90.096361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
79SR1750005	SHELBY	SR175	5.6	DAYS CREEK	OPEN	2/14/2017	1982	35.020861	-90.010528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
79I00550009	SHELBY	SR175	6.03	SR-175 / I-55	OPEN	2/14/2017	2002	35.021139	-90.002111	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.8
79S80750005	SHELBY	SR175	7.91	HURRICANE CREEK	OPEN	2/14/2017	1983	35.02075	-89.969778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
79SR1750009	SHELBY	SR175	10.15	TEN MILE CREEK	OPEN	2/22/2017	1982	35.020444	-89.930194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
79SR1750011	SHELBY	SR175	11.77	JOHNS CREEK	OPEN	2/22/2017	1982	35.020389	-89.901611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.1
79014500001	SHELBY	SR175	12.25	BRANCH	OPEN	2/22/2017	1983	35.020361	-89.893056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
79014500005	SHELBY	SR175	12.88	BRANCH OF JOHNS CREEK	OPEN	2/15/2017	1979	35.020306	-89.882167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54
79014500007	SHELBY	SR175	15.69	PAVED DITCH	OPEN	2/15/2017	1982	35.020222	-89.832667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
79014500009	SHELBY	SR175	17.05	BRANCH	OPEN	2/16/2017	2005	35.0203	-89.808783	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.9
79SR1750003	SHELBY	SR175	17.79	BRANCH	OPEN	2/16/2017	1998	35.020333	-89.795556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
79014500011	SHELBY	SR175	19.07	BRANCH	OPEN	2/16/2017	2003	35.020556	-89.773	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
79014500013	SHELBY	SR175	21.13	BR. OF NONCONNAH CREEK	OPEN	2/16/2017	1948	35.020583	-89.736694	CONCRETE	TEE BEAM	72.8
79014500015	SHELBY	SR175	21.57	BRANCH	OPEN	2/16/2017	1948	35.020611	-89.728972	CONCRETE	TEE BEAM	71.6
79014530001	SHELBY	SR175	25	NONCONNAH CREEK	OPEN	2/16/2017	1999	35.0375	-89.688944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.6
79SR1760001	SHELBY	SR176	0.02	JOHNS CREEK	OPEN	2/15/2017	2007	34.99495	-89.93655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
79SR1760003	SHELBY	SR176	1.29	TEN MILE CREEK	OPEN	2/15/2017	2007	35.013767	-89.9368	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
79S81110011	SHELBY	SR176	4	WINCHESTER RD.	OPEN	2/15/2017	1961	35.051639	-89.933889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65
79S81110001	SHELBY	SR176	4.22	BNSF RWY	OPEN	2/15/2017	1961	35.054944	-89.933472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	71.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR0040013	SHELBY	SR176	4.36	SR176 / SR004	OPEN	2/16/2017	1963	35.056806	-89.932472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	56
79S81110008	SHELBY	SR176	4.66	TEN MILE CREEK	OPEN	2/16/2017	1961	35.06075	-89.931056	CONCRETE CONTINUOUS	SLAB	75.8
79S81110007	SHELBY	SR176	4.66	TEN MILE CREEK	OPEN	2/16/2017	1961	35.060667	-89.930833	CONCRETE CONTINUOUS	SLAB	63.4
79S81110005	SHELBY	SR176	4.94	SR176 / 05012	OPEN	2/16/2017	1961	35.064722	-89.93225	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64
79E02010003	SHELBY	SR176	5.79	NONCONNAH CREEK	OPEN	12/13/2016	1954	35.077056	-89.931306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.9
79I02400099	SHELBY	SR176	5.99	I-240 & RAMPS	OPEN	2/16/2017	1958	35.079639	-89.931111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59
790B2930001	SHELBY	SR177	0.41	BRANCH	OPEN	2/17/2017	1957	35.056806	-89.812861	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.3
79S81020001	SHELBY	SR177	4.68	WOLF RIVER	OPEN	2/17/2017	1958	35.116083	-89.801083	CONCRETE CONTINUOUS	TEE BEAM	71
79SR1770005	SHELBY	SR177	5.2	DITCH	OPEN	2/17/2017	2003	35.124611	-89.798806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
79S81020003	SHELBY	SR177	9.2	FLETCHER CREEK	OPEN	2/17/2017	1987	35.180972	-89.792389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
79I00400117	SHELBY	SR177	10.14	I-40	OPEN	2/22/2017	1988	35.194722	-89.791944	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
79S81020005	SHELBY	SR177	12.18	BRANCH	OPEN	2/17/2017	2001	35.224167	-89.791889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
79SR1930001	SHELBY	SR193	0.93	MACON RD / SR-385	OPEN	2/16/2017	2009	35.155867	-89.638667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.1
79SR2040001	SHELBY	SR204	0.24	WOLF RIVER	OPEN	12/8/2016	1975	35.171583	-89.899472	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
79SR2040003	SHELBY	SR204	1.33	HARRINGTON CREEK	OPEN	2/21/2017	1972	35.18675	-89.896083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
79SR2040005	SHELBY	SR204	1.46	CSX RAILROAD	OPEN	2/21/2017	1972	35.188611	-89.895917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
79SR2040007	SHELBY	SR204	6.8	BRANCH	OPEN	2/21/2017	1976	35.262667	-89.889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
79SR2040009	SHELBY	SR204	7.54	LOOSAHATCHIE RIVER	OPEN	12/7/2016	1977	35.273583	-89.887444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
79SR2040011	SHELBY	SR204	8.67	BRANCH	OPEN	2/21/2017	1980	35.289306	-89.882306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
79008040051	SHELBY	SR205	0.68	BRANCH	OPEN	2/21/2017	2005	35.34415	-89.800283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
79008040053	SHELBY	SR205	1.06	BIG CREEK DRAINAGE DITCH	OPEN	2/21/2017	1966	35.342111	-89.806278	CONCRETE	TEE BEAM	64.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79S80710001	SHELBY	SR205	3.68	CASPER CREEK	OPEN	2/21/2017	1943	35.337528	-89.843778	CONCRETE	TEE BEAM	82.1
79S80710003	SHELBY	SR205	6.25	NORTH FORK CREEK	OPEN	2/21/2017	2001	35.341444	-89.889111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
79FA3120001	SHELBY	SR277	0.4	B812 & CNIC RR	OPEN	2/22/2017	1992	35.111917	-89.984694	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	67
79FA3120003	SHELBY	SR277	0.72	SR277 / 2861, E295 & RR	OPEN	2/22/2017	1947	35.11525	-89.984361	CONCRETE	TEE BEAM	63.4
79SR0030049	SHELBY	SR300	0	SR 300 / SR 3	OPEN	2/15/2017	1976	35.1995	-90.034917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.2
79I00400061	SHELBY	SR300	1.21	I-40 W.B.	OPEN	12/20/2016	1977	35.191083	-90.016489	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.2
79I00400065	SHELBY	SR300	1.5	I-40 E.B.	OPEN	12/21/2016	1977	35.190056	-90.014278	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.8
79I02690005	SHELBY	SR385	0.02	BRANCH	OPEN	2/28/2017	2012	35.06935	-89.641733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
79I02400123	SHELBY	SR385	0.09	SR385 WB RP / I240	OPEN	2/21/2017	1993	35.084139	-89.879083	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.3
79I02400133	SHELBY	SR385	0.28	SR385 WB RP / I240 WB RP	OPEN	1/24/2017	1993	35.083028	-89.877917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83
79I02690008	SHELBY	SR385	0.6	WOLF RIVER	OPEN	2/24/2017	2012	35.075317	-89.649117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
79I02690007	SHELBY	SR385	0.6	WOLF RIVER	OPEN	2/24/2017	2012	35.075317	-89.649117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.3
79SR3850113	SHELBY	SR385	0.84	BRANCH	OPEN	2/21/2017	1994	35.077083	-89.86775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.1
79SR3850007	SHELBY	SR385	1.21	SR385 / 02828	OPEN	2/22/2017	1995	35.075	-89.862056	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
79I02690009	SHELBY	SR385	1.325	WOLF RIVER OVERFLOW	OPEN	3/1/2017	2012	35.085483	-89.649733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
79I02690010	SHELBY	SR385	1.325	WOLF RIVER OVERFLOW	OPEN	3/1/2017	2012	35.085583	-89.649967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
79SR3850081	SHELBY	SR385	1.34	SR385 / 0D994	OPEN	2/27/2017	2007	35.181633	-89.649667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
79SR3850082	SHELBY	SR385	1.34	SR385 / 0D994	OPEN	2/27/2017	2007	35.181567	-89.649967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.4
79I02690011	SHELBY	SR385	1.615	BRANCH	OPEN	3/1/2017	2012	35.0889	-89.647083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
79SR3850065	SHELBY	SR385	1.67	HOWARD CREEK	OPEN	2/22/2017	1996	35.071167	-89.855556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I02690013	SHELBY	SR385	1.875	BRANCH	OPEN	3/1/2017	2012	35.091717	-89.643883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
79I02690015	SHELBY	SR385	2.125	TRIBUTARY TO WOLF RIVER	OPEN	3/1/2017	2012	35.094533	-89.641017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
79I02690016	SHELBY	SR385	2.125	TRIBUTARY TO WOLF RIVER	OPEN	2/28/2017	2012	35.094567	-89.64135	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
79SR3850009	SHELBY	SR385	2.39	KIRBY PKWY	OPEN	2/23/2017	1996	35.066778	-89.843861	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.4
79SR3850091	SHELBY	SR385	2.41	GRAYS CREEK	OPEN	2/27/2017	2007	35.19695	-89.651733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.4
79SR3850092	SHELBY	SR385	2.41	GRAYS CREEK	OPEN	2/27/2017	2007	35.197067	-89.652033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.4
79SR2050001	SHELBY	SR385	2.675	SR385 / SR205	OPEN	2/28/2017	2007	35.200817	-89.652467	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.1
79SR2050002	SHELBY	SR385	2.675	SR385 / SR205	OPEN	2/28/2017	2007	35.200733	-89.652733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.1
79SR3850011	SHELBY	SR385	2.68	NONCONNAH CREEK	OPEN	2/22/2017	1996	35.064167	-89.840083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.2
79SR3850067	SHELBY	SR385	3.15	BRANCH	OPEN	2/23/2017	1996	35.065472	-89.841833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
79SR0150010	SHELBY	SR385	3.3	SR385 SB / SR15	OPEN	2/28/2017	2007	35.209733	-89.6542	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	99.1
79SR0150009	SHELBY	SR385	3.3	SR385 NB / SR15	OPEN	2/28/2017	2007	35.209767	-89.653933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	99.1
79SR3850013	SHELBY	SR385	3.57	SR385 / 04385	OPEN	2/23/2017	1996	35.054722	-89.829417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.6
79SR3850015	SHELBY	SR385	3.95	NONCONNAH CR & QUINCE RD	OPEN	2/22/2017	1996	35.052278	-89.8235	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.2
79SR3850094	SHELBY	SR385	4.195	CYPRESS CREEK	OPEN	3/1/2017	2007	35.2227	-89.656167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.2
79SR3850093	SHELBY	SR385	4.195	CYPRESS CREEK	OPEN	3/1/2017	2007	35.222683	-89.655883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.2
79SR3850083	SHELBY	SR385	4.22	BRANCH	OPEN	2/23/2017	1999	35.052333	-89.818889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
79SR1770001	SHELBY	SR385	4.53	SR385 / SR177	OPEN	2/23/2017	1996	35.05225	-89.813306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.2
79SR3850019	SHELBY	SR385	4.75	SR385 / WINCHESTER RD	OPEN	2/22/2017	1996	35.05075	-89.810194	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR3850028	SHELBY	SR385	5.12	SR385 / NONCONNAH CREEK	OPEN	2/23/2017	1996	35.045361	-89.808444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
79SR3850027	SHELBY	SR385	5.12	NONCONNAH CREEK	OPEN	2/23/2017	1996	35.045444	-89.808528	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
79SR3850069	SHELBY	SR385	5.67	BRANCH	OPEN	2/23/2017	1996	35.040028	-89.801944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
79SR3850023	SHELBY	SR385	6.02	SR385 / HACKS CROSS RD	OPEN	2/28/2017	1996	35.036472	-89.796639	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.7
79SR3850024	SHELBY	SR385	6.02	SR385 / HACKS CROSS RD	OPEN	2/23/2017	1996	35.037806	-89.796639	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
79SR3850071	SHELBY	SR385	6.47	BRANCH	OPEN	2/28/2017	1996	35.034139	-89.789722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3
79SR3850095	SHELBY	SR385	6.47	BRANCH	OPEN	3/1/2017	2007	35.252117	-89.67325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
79SR3850073	SHELBY	SR385	6.75	BRANCH	OPEN	2/28/2017	1996	35.032167	-89.785528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3
79I00400138	SHELBY	SR385	6.79	SR385 SB / I40	OPEN	3/2/2017	2000	35.255639	-89.676806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.3
79I00400137	SHELBY	SR385	6.79	SR385 NB / I40	OPEN	3/2/2017	2000	35.255778	-89.676583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
79SR3850053	SHELBY	SR385	7.185	HALL CREEK	OPEN	3/2/2017	2000	35.261139	-89.678556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
79SR3850054	SHELBY	SR385	7.185	HALL CREEK	OPEN	3/2/2017	2000	35.261056	-89.678861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
79SR3850075	SHELBY	SR385	7.23	BRANCH	OPEN	2/28/2017	1998	35.028694	-89.778222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3
79SR3850077	SHELBY	SR385	7.38	BRANCH	OPEN	2/28/2017	1996	35.027889	-89.775889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
79SR3850026	SHELBY	SR385	8.25	FOREST HILL-IRENE RD	OPEN	2/28/2017	1996	35.027556	-89.760389	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
79SR3850025	SHELBY	SR385	8.25	FOREST HILL-IRENE ROAD	OPEN	2/28/2017	1996	35.027417	-89.760444	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
79SR3850042	SHELBY	SR385	8.48	MEMPHIS-ARLINGTON RD	OPEN	2/28/2017	1996	35.27975	-89.680389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
79SR3850041	SHELBY	SR385	8.48	MEMPHIS-ARLINGTON RD	OPEN	2/28/2017	1996	35.279889	-89.680111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
79SR3850040	SHELBY	SR385	8.965	SR-385 / GULFSTREAM RD	OPEN	3/1/2017	1996	35.283333	-89.683556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR3850039	SHELBY	SR385	8.965	SR385 / GULFSTREAM RD	OPEN	3/1/2017	1996	35.286222	-89.683333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
79SR3850038	SHELBY	SR385	9.08	CSX RAILROAD	OPEN	3/1/2017	1996	35.287306	-89.685056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.7
79SR3850037	SHELBY	SR385	9.08	CSX RAILROAD	OPEN	3/1/2017	1996	35.287417	-89.684639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
79SR0010046	SHELBY	SR385	9.21	SR385 / SR1	OPEN	3/1/2017	1996	35.288778	-89.686417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.3
79SR0010045	SHELBY	SR385	9.21	SR-385 / SR-1	OPEN	3/1/2017	1996	35.288917	-89.686139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
79SR3850035	SHELBY	SR385	9.565	LOOSAHATCHIE RIVER	OPEN	3/6/2017	1996	35.292806	-89.690167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
79SR3850036	SHELBY	SR385	9.565	LOOSAHATCHIE RIVER	OPEN	3/3/2017	1996	35.292694	-89.6905	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
79SR3850055	SHELBY	SR385	9.77	NONCONNAH CREEK	OPEN	2/22/2017	1996	35.023861	-89.734083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
79SR3850056	SHELBY	SR385	9.77	NONCONNAH CREEK	OPEN	2/22/2017	1996	35.024139	-89.734111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
79SR3850058	SHELBY	SR385	10.4	SR385 / 05346	OPEN	2/23/2017	2000	35.025556	-89.7235	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
79SR3850057	SHELBY	SR385	10.4	HOUSTON LEVEE RD	OPEN	2/23/2017	2000	35.025278	-89.723528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
79SR3850034	SHELBY	SR385	10.46	SR385 / LONG RD	OPEN	3/1/2017	1996	35.303972	-89.697444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
79SR3850033	SHELBY	SR385	10.46	SR385 / LONG RD	OPEN	3/1/2017	1996	35.304417	-89.697417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
79SR3850105	SHELBY	SR385	10.54	BRANCH	OPEN	2/27/2017	2001	35.025944	-89.720944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
79SR3850030	SHELBY	SR385	11.92	SR385 / LONG RD	OPEN	3/1/2017	1996	35.311611	-89.720333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
79SR3850029	SHELBY	SR385	11.92	SR385 / LONG RD	OPEN	3/1/2017	1996	35.311694	-89.720361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
79SR1750013	SHELBY	SR385	12.42	SR385 / SR175	OPEN	2/27/2017	2000	35.033417	-89.689722	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
79SR1750014	SHELBY	SR385	12.42	SR385 / SR175	OPEN	2/27/2017	2000	35.033611	-89.689833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
79SR3850062	SHELBY	SR385	13.22	SR385 WB / SYCAMORE RD	OPEN	2/27/2017	2001	35.026194	-89.678917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR3850061	SHELBY	SR385	13.22	SR385 EB / SYCAMORE RD	OPEN	2/27/2017	2001	35.026028	-89.678861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
79SR3850107	SHELBY	SR385	13.74	BRANCH	OPEN	2/27/2017	2001	35.021917	-89.671417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.7
79SR3850109	SHELBY	SR385	14.26	NONCONNAH CREEK	OPEN	2/27/2017	2001	35.021111	-89.662306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
79SR3850047	SHELBY	SR385	14.29	BRUNSWICK RD	OPEN	3/2/2017	1996	35.310333	-89.76225	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.4
79SR3850048	SHELBY	SR385	14.29	BRUNSWICK RD.	OPEN	3/2/2017	1996	35.310111	-89.762306	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.4
79SR0860005	SHELBY	SR385	14.44	SR-385 NB / SR-86	OPEN	2/24/2017	2005	35.022367	-89.659433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
79SR0860006	SHELBY	SR385	14.44	SR-385 SB / SR-86	OPEN	2/24/2017	2005	35.022517	-89.659583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
79SR3850045	SHELBY	SR385	15.08	PLEASANT RIDGE RD	OPEN	3/2/2017	1996	35.310472	-89.776056	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
79SR3850046	SHELBY	SR385	15.11	PLEASANT RIDGE RD	OPEN	3/2/2017	1996	35.310167	-89.776556	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
79SR3850086	SHELBY	SR385	15.16	SR385 WB / PROGRESS RD	OPEN	2/27/2017	2005	35.027633	-89.648567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
79SR3850085	SHELBY	SR385	15.16	SR385 EB / PROGRESS RD	OPEN	2/27/2017	2005	35.0274	-89.648583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
79I02690003	SHELBY	SR385	15.16	05437	OPEN	2/27/2017	2015	35.027783	-89.648567	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.2
79I02690001	SHELBY	SR385	15.225	SR385	OPEN	2/27/2017	2015	35.028483	-89.647283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.2
79SR0140072	SHELBY	SR385	17.72	SR385 / SR014	OPEN	3/1/2017	1997	35.308139	-89.822	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.5
79SR0140071	SHELBY	SR385	17.72	SR385 / SR014	OPEN	3/1/2017	1997	35.308389	-89.821806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.5
79SR3850006	SHELBY	SR385	18.43	SLEDGE RD	OPEN	3/1/2017	1997	35.308528	-89.834944	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.5
79SR3850005	SHELBY	SR385	18.43	SLEDGE RD	OPEN	3/1/2017	1997	35.30875	-89.834889	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.5
79SR3850079	SHELBY	SR385	19.73	BRANCH	OPEN	3/2/2017	1996	35.311278	-89.857611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
79SR2040015	SHELBY	SR385	20.76	SR385 / SR204	OPEN	3/2/2017	1996	35.319083	-89.872944	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79SR2040016	SHELBY	SR385	20.76	SR385 / SR204	OPEN	3/2/2017	1996	35.318917	-89.873167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.5
79SR3850063	SHELBY	SR385	21.01	BRANCH	OPEN	3/2/2017	1980	35.321694	-89.876306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
79SR3850003	SHELBY	SR385	22.45	RALEIGH-MILLINGTON RD	OPEN	3/2/2017	1980	35.3305	-89.898583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
79SR3850004	SHELBY	SR385	22.45	RALEIGH-MILLINGTON RD	OPEN	3/2/2017	1980	35.330222	-89.898778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
79SR3850002	SHELBY	SR385	22.68	ILLINOIS CENTRAL RR	OPEN	3/2/2017	1981	35.3275	-89.903028	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
79SR3850001	SHELBY	SR385	22.68	ILLINOIS CENTRAL RR	OPEN	3/2/2017	1981	35.330611	-89.902778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
79SR3880001	SHELBY	SR388	1.36	LOOSAHATCHIE RIVER	OPEN	12/5/2016	1970	35.253083	-90.025611	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
79SR3880002	SHELBY	SR388	1.36	LOOSAHATCHIE RIVER	OPEN	12/5/2016	1970	35.253056	-90.025861	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
79SR3880005	SHELBY	SR388	2.08	BRANCH	OPEN	2/15/2017	1966	35.263194	-90.027583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
79SR3880003	SHELBY	SR388	4.39	DITCH	OPEN	2/15/2017	1970	35.295472	-90.020444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.8
79SR3880007	SHELBY	SR388	4.8	BRANCH	OPEN	2/15/2017	1970	35.302167	-90.019167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
80S62620001	SMITH	01068	1.02	BRUSH CREEK	OPEN	7/14/2015	1935	36.1221	-86.006183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.1
80S62620003	SMITH	01068	2.29	HICKMAN CREEK	OPEN	7/14/2015	1986	36.120617	-85.986267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
80010680009	SMITH	01068	2.71	HARVELS BRANCH	OPEN	7/14/2015	1988	36.1234	-85.979967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
80S62620005	SMITH	01068	2.88	HICKMAN CREEK	OPEN	7/14/2015	1995	36.1245	-85.977483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
80S62620007	SMITH	01068	4.64	PIG CREEK	OPEN	7/14/2015	1950	36.141783	-85.9617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
80F00030001	SMITH	01069	1.23	LICK CREEK	OPEN	6/14/2017	1985	36.22275	-86.103767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
80S62950001	SMITH	01070	4.63	FALL CREEK	OPEN	6/14/2017	1930	36.3018	-86.101133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.6
80010700003	SMITH	01070	5.94	BRANCH	OPEN	6/14/2017	1950	36.28505	-86.10625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
80F00010001	SMITH	01083	0.1	BRANCH	OPEN	7/7/2015	1950	36.234117	-85.889167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	76.3
80S62960001	SMITH	01085	1.31	WILBURN CREEK	OPEN	6/7/2017	1955	36.32865	-86.062617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.2
80S61660001	SMITH	01087	0.84	DEFEATED CREEK	OPEN	6/9/2017	1975	36.363817	-85.893283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
80S61660003	SMITH	01087	1.15	DEFEATED CREEK	OPEN	6/9/2017	1975	36.368483	-85.892633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
80S61660005	SMITH	01087	1.64	SMITH HOLLOW BRANCH	OPEN	6/9/2017	1945	36.372783	-85.886567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
80S61660007	SMITH	01087	4.46	BRANCH	OPEN	6/9/2017	1945	36.40785	-85.870283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
80S62130001	SMITH	01089	1.32	BRANCH	OPEN	6/8/2017	1955	36.393533	-85.9609	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
80S62130003	SMITH	01089	2.03	LITTLE PEYTONS CREEK	OPEN	6/8/2017	1950	36.40145	-85.968533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
80015690001	SMITH	01569	2.17	BRUSH CREEK	OPEN	7/13/2015	1918	36.116317	-86.027767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.2
80020270001	SMITH	02027	0.26	BRUSH CREEK	OPEN	7/13/2015	1984	36.112783	-86.064567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
80020720001	SMITH	02072	1	BRANCH	OPEN	7/5/2017	1970	36.187733	-85.88205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
80020720003	SMITH	02072	3.79	BRANCH	OPEN	7/5/2017	1970	36.160933	-85.8614	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
80020720005	SMITH	02072	4.01	BRANCH	OPEN	7/5/2017	1970	36.158233	-85.8591	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
80020720007	SMITH	02072	5.01	FERGUSON BRANCH	OPEN	7/6/2017	1950	36.15855	-85.848267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.1
80020720009	SMITH	02072	6.82	SAINT MARY BRANCH	OPEN	7/6/2017	1970	36.15585	-85.8261	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
80020760001	SMITH	02076	0.05	TANYARD BRANCH	OPEN	7/8/2015	1975	36.231367	-85.79235	CONCRETE	TEE BEAM	82.7
80020760003	SMITH	02076	0.86	LITTLE INDIAN CREEK	WEIGHT POSTED	7/8/2015	1927	36.225717	-85.7813	STEEL	STRINGER/MULTI-BEAM OR GIRDER	3
80020780001	SMITH	02078	1.02	DENNY BRANCH	WEIGHT POSTED	7/6/2017	1977	36.188167	-86.005033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.8
80020780003	SMITH	02078	6.83	HOGAN CREEK	OPEN	6/23/2017	1970	36.23845	-85.979033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
80020800003	SMITH	02080	0.6	BRANCH	OPEN	6/12/2017	1996	36.31225	-85.999917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
80020800001	SMITH	02080	1.24	PEYTON CREEK	OPEN	6/12/2017	1984	36.31035	-85.9893	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
80020810003	SMITH	02081	2.52	TANYARD BRANCH	OPEN	7/8/2015	1983	36.225567	-85.796633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
80020810001	SMITH	02081	5.27	DILLARD CREEK	OPEN	7/8/2015	1965	36.236383	-85.816517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
80020820007	SMITH	02082	0.08	BRANCH	WEIGHT POSTED	6/8/2017	1965	36.379283	-85.948133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.3
80561640001	SMITH	02083	3.81	HURRICAN CREEK	OPEN	7/16/2015	1970	36.251383	-85.8424	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
80020840001	SMITH	02084	0.02	DEFEATED CREEK	OPEN	6/9/2017	1986	36.3692	-85.891033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
80020840003	SMITH	02084	0.36	KEMP BRANCH	OPEN	6/9/2017	1965	36.367533	-85.885417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
80020840005	SMITH	02084	4.03	BRANCH	OPEN	6/9/2017	1919	36.373033	-85.83285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.6
80020870001	SMITH	02087	0.01	LITTLE PEYTON CREEK	OPEN	6/8/2017	1965	36.391617	-85.957417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
80020820001	SMITH	05574	0.25	DIXON CREEK	OPEN	6/7/2017	1960	36.3631	-86.0495	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.2
80020820003	SMITH	05574	1.08	DIXON CREEK	OPEN	6/7/2017	1965	36.37285	-86.04135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
80020820005	SMITH	05574	2.26	YOUNG BRANCH	OPEN	6/7/2017	1984	36.3753	-86.022033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
80020820009	SMITH	05574	5.5	STONE BRANCH	OPEN	6/7/2017	1987	36.374783	-85.968783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
800A3920001	SMITH	05696	0.05	CUMBERLAND RIVER	OPEN	6/28/2016	1934	36.246933	-85.95655	STEEL CONTINUOUS	TRUSS - THRU	68.6
800A0050001	SMITH	0A005	0.062	GRIGGS HOLLOW BRANCH	OPEN	6/12/2017	1983	36.349733	-85.879217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
800A0060001	SMITH	0A006	0.058	LITTLE PEYTON CREEK	OPEN	6/8/2017	1983	36.409367	-85.97145	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
800A0280001	SMITH	0A028	0.025	PEYTON CREEK	OPEN	6/8/2017	1930	36.32355	-85.967733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	45.7
800A0280003	SMITH	0A028	0.3	PEYTON CREEK	OPEN	6/8/2017	1999	36.322467	-85.97065	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
800A0300001	SMITH	0A030	0.321	BRANCH	OPEN	6/8/2017	1986	36.327317	-85.960167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
800A0350001	SMITH	0A035	0.546	STONE CREEK	OPEN	6/7/2017	1983	36.369533	-85.96035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
800A0390001	SMITH	0A039	2.873	LANKFORD BRANCH	OPEN	6/12/2017	1960	36.340783	-85.918317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54
800A0390003	SMITH	0A039	2.996	LANKFORD BRANCH	OPEN	6/12/2017	1960	36.3396	-85.917167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	28.8
800A0390005	SMITH	0A039	3.441	LANKFORD BRANCH	OPEN	6/12/2017	1960	36.333517	-85.914733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	31.6
800A0430001	SMITH	0A043	1.168	AUSTIN BRANCH	OPEN	6/8/2017	1984	36.394533	-85.931217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
800A0470001	SMITH	0A047	0.1	DEFEATED CREEK	OPEN	6/12/2017	2012	36.3451	-85.897267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.2
800A0560001	SMITH	0A056	1.27	SMITH HOLLOW BRANCH	OPEN	6/9/2017	2011	36.393167	-85.869167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.7
800A0600001	SMITH	0A060	0.034	DEFEATED CREEK	OPEN	6/9/2017	1984	36.393167	-85.869167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
800A0630001	SMITH	0A063	0	KEMP BRANCH	OPEN	6/9/2017	1983	36.368283	-85.883533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
800A0710001	SMITH	0A071	1.986	BUFFALO CREEK	OPEN	6/12/2017	1984	36.31835	-85.86665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
800A0720001	SMITH	0A072	0.057	WEST BRANCH	OPEN	6/12/2017	1970	36.3185	-85.871417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.4
800A0720003	SMITH	0A072	2.769	GIVENS HOLLOW BRANCH	OPEN	6/12/2017	1983	36.310633	-85.8471	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
800A0810001	SMITH	0A081	0.024	DEFEATED CREEK	OPEN	6/9/2017	1983	36.362317	-85.892417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
800A0880001	SMITH	0A088	0	BRANCH	OPEN	6/12/2017	1965	36.281333	-85.946317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
800A0920001	SMITH	0A092	0.052	SNOW CREEK	OPEN	7/7/2017	1983	36.226267	-85.88395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.9
800A0930001	SMITH	0A093	0.012	SNOW CREEK	OPEN	7/7/2017	1988	36.2276	-85.8856	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
800A1130001	SMITH	0A113	0.022	YOUNG BRANCH	OPEN	6/7/2017	1983	36.375817	-86.0257	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
800A1140005	SMITH	0A114	0.01	YOUNG BRANCH	OPEN	7/8/2015	1980	36.211167	-85.791233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
800A1140001	SMITH	0A114	0.385	YOUNG BRANCH	OPEN	7/8/2015	1983	36.215917	-85.79165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
800A1140003	SMITH	0A114	0.971	YOUNG CREEK	OPEN	7/8/2015	1983	36.22425	-85.792017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
800A1190001	SMITH	0A119	0.531	WILBURN CREEK	OPEN	6/7/2017	1996	36.344467	-86.025917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
800A1260001	SMITH	0A126	0.022	LITTLE INDIAN CREEK	OPEN	7/8/2015	1955	36.231383	-85.790817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
800A0040001	SMITH	0A132	0.11	SNOW CREEK	OPEN	7/7/2017	1983	36.210733	-85.8575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
800A1380001	SMITH	0A138	0.03	CANEY FORK RIVER	OPEN	7/20/2015	2009	36.149	-85.84235	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.1
800A1500001	SMITH	0A150	0.457	BATES HOLLOW BRANCH	OPEN	7/10/2017	1983	36.103233	-85.9177	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
800A1530001	SMITH	0A153	0.148	BOILING BROOK	OPEN	7/10/2017	1970	36.162517	-85.894217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
800A1580001	SMITH	0A158	0.621	NEW BELL BROOK	OPEN	7/10/2017	1984	36.1418	-85.93025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
800A1610001	SMITH	0A161	1.184	AGEE BRANCH	OPEN	7/9/2015	1984	36.15695	-85.924633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
800A1640001	SMITH	0A164	0.027	AGEE BRANCH	OPEN	7/10/2017	1984	36.164183	-85.940283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.1
800A1670001	SMITH	0A167	0.486	HICKMAN CREEK	OPEN	7/10/2017	1985	36.136917	-85.9496	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.5
800A1740003	SMITH	0A174	1.21	HICKMAN CREEK	OPEN	7/14/2015	2000	36.102217	-86.007117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
800A1740001	SMITH	0A174	1.73	HICKMAN CREEK	OPEN	7/14/2015	1925	36.101767	-86.003083	CONCRETE	ARCH - DECK	57.5
800A1800001	SMITH	0A180	0.891	DRY FORK CREEK	OPEN	7/13/2015	1960	36.16605	-85.98595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.7
800A1800005	SMITH	0A180	2.8	DRY FORK CREEK	OPEN	7/13/2015	1998	36.14295	-86.000133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
800A1800003	SMITH	0A180	3.221	DRY FORK CREEK	OPEN	7/13/2015	1984	36.142083	-86.007633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
800A2000001	SMITH	0A200	0.633	AGEE CREEK	OPEN	7/13/2015	1986	36.151583	-86.044283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
800A2010001	SMITH	0A201	2.567	MULHERVIN CREEK	OPEN	7/13/2015	1993	36.15275	-86.02695	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
800A2060003	SMITH	0A206	1.126	ROUND LICK CREEK	OPEN	6/14/2017	1986	36.1848	-86.080417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.7
800A2060001	SMITH	0A206	1.286	BRANCH	OPEN	6/14/2017	1980	36.18485	-86.077517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
800A2130007	SMITH	0A213	3.169	PLUNKETT CREEK	OPEN	6/21/2017	1983	36.215683	-86.034833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
800A2130001	SMITH	0A213	3.596	PLUNKETT CREEK	OPEN	6/21/2017	1984	36.221233	-86.032767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
800A2130003	SMITH	0A213	4.875	PLUNKETT CREEK	OPEN	6/21/2017	1987	36.234283	-86.038617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
800A2130005	SMITH	0A213	6.127	PLUNKETT CREEK	OPEN	6/21/2017	1992	36.250317	-86.044017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
800A2130009	SMITH	0A213	6.415	BRANCH	OPEN	6/21/2017	1997	36.25395	-86.042733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
800A2140001	SMITH	0A214	0	PLUNKETT CREEK	OPEN	6/21/2017	1965	36.257533	-86.04715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
800A2140003	SMITH	0A214	1.82	RAWLS CREEK	OPEN	6/21/2017	1965	36.235317	-86.05945	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
800A2140005	SMITH	0A214	2.482	RAWLS CREEK	OPEN	6/21/2017	1965	36.226417	-86.0634	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.7
800A2300001	SMITH	0A230	0.09	PLUNKETT CREEK	OPEN	6/23/2017	1985	36.26405	-86.052433	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	73
800A2300003	SMITH	0A230	1.215	LOST CREEK	OPEN	6/23/2017	2012	36.275467	-86.046867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
800A2320001	SMITH	0A232	0.04	BRANCH	OPEN	6/23/2017	1960	36.253983	-86.007967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
800A2330001	SMITH	0A233	0.158	PLUNKETT CREEK	OPEN	6/23/2017	1923	36.261783	-86.049467	CONCRETE	TEE BEAM	90.5
800A2410003	SMITH	0A241	3.658	MULHERRIN CREEK	OPEN	7/6/2017	1981	36.19005	-85.989917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.9
800A2480001	SMITH	0A248	0.059	SNOW CREEK	WEIGHT POSTED	7/7/2017	1970	36.215833	-85.873867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.6
800A2490003	SMITH	0A249	1.126	OVERFLOW	OPEN	7/7/2017	1975	36.218417	-85.91265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
800A2570001	SMITH	0A257	0.599	WARD BRANCH	OPEN	6/23/2017	1984	36.2308	-85.980183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
800A2620001	SMITH	0A262	0.056	BRANCH	OPEN	6/12/2017	1960	36.29295	-85.983467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
800A2650001	SMITH	0A265	0.087	DAVIS CREEK	OPEN	6/12/2017	1984	36.31595	-86.011133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
800A2720001	SMITH	0A272	0.681	WILBURN CREEK	OPEN	6/7/2017	1986	36.331017	-86.04645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
800A3810001	SMITH	0A381	0.384	BLUFF CREEK	WEIGHT POSTED	7/7/2017	1920	36.215133	-85.9552	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61
800A3890001	SMITH	0A389	2.334	DEFEATED CREEK	OPEN	7/16/2015	1970	36.3322	-85.899983	CONCRETE	TEE BEAM	68.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
800A4250001	SMITH	0A425	0.01	MULHERRIN CREEK	OPEN	7/13/2015	1979	36.161883	-86.01825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
800A4300001	SMITH	0A430	0.2	PEYTON CREEK	OPEN	6/8/2017	1984	36.371067	-85.948967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80
80020710001	SMITH	0A619	0.02	SAINT MARY'S BRANCH	OPEN	7/6/2017	1960	36.153933	-85.830183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	91.9
80I00400001	SMITH	I0040	0.19	BRANCH	OPEN	5/11/2017	1963	36.171567	-86.087067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
80I00400004	SMITH	I0040	1.06	I40 / CO. RD.	OPEN	5/11/2017	1963	36.174717	-86.072517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
80I00400003	SMITH	I0040	1.06	I40 / CO. RD.	OPEN	5/11/2017	1963	36.174517	-86.072667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
80I00400007	SMITH	I0040	5.04	MULHERRIN CRK.&NEW MID.R	OPEN	5/11/2017	1963	36.17755	-86.004467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89
80I00400008	SMITH	I0040	5.04	MULHERRIN CRK.&NEW MID.R	OPEN	5/11/2017	1963	36.177767	-86.0046	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88
80I00400011	SMITH	I0040	6.96	DRY CREEK	OPEN	5/15/2017	1963	36.178917	-85.970833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
80I00400012	SMITH	I0040	6.96	DRY CREEK	OPEN	5/15/2017	1963	36.17915	-85.970767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
80I00400014	SMITH	I0040	7.04	I40 / SR 53	OPEN	5/15/2017	1962	36.17905	-85.9696	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
80I00400013	SMITH	I0040	7.04	I40 / SR 53	OPEN	5/15/2017	1962	36.178783	-85.969217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
80I00400015	SMITH	I0040	8.25	I40 / SR 53	OPEN	5/15/2017	1963	36.1789	-85.947883	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
80I00400017	SMITH	I0040	8.96	CSX RR & COUNTY ROAD	OPEN	5/16/2017	1962	36.176983	-85.935467	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.8
80I00400018	SMITH	I0040	8.96	CSX RR & COUNTY ROAD	OPEN	5/16/2017	1962	36.17725	-85.93585	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	77.1
80I00400019	SMITH	I0040	9.77	DRAINAGE CANAL & SR 264	OPEN	5/16/2017	1962	36.17405	-85.921067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
80I00400020	SMITH	I0040	9.77	DRAINAGE CANAL & SR 264	OPEN	5/16/2017	1962	36.1744	-85.920483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
80I00400022	SMITH	I0040	10.37	HICKMAN CREEK & NFA A156	OPEN	5/16/2017	1962	36.171933	-85.910567	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.9
80I00400021	SMITH	I0040	10.46	HICKMAN CREEK & NFA A156	OPEN	5/16/2017	1962	36.169767	-85.910367	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	71.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
80I00400024	SMITH	I0040	11.46	BOLLING BRANCH & PRIV. R	OPEN	5/18/2017	1962	36.16415	-85.894033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.1
80I00400023	SMITH	I0040	11.46	BOLLING BRANCH & PRIV. R	OPEN	5/18/2017	1962	36.16385	-85.893933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.3
80I00400026	SMITH	I0040	12.91	CANEY FORK RIVER	OPEN	7/23/2015	1962	36.151783	-85.873567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.1
80I00400025	SMITH	I0040	12.93	CANEY FORK RIVER	OPEN	7/20/2015	1962	36.150883	-85.87405	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78.4
80I00400027	SMITH	I0040	13.61	CANEY FORK RIV & KIRBY R	OPEN	7/20/2015	1962	36.146117	-85.864133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.9
80I00400028	SMITH	I0040	13.61	CANEY FORK RIV & KIRBY R	OPEN	7/23/2015	1962	36.146433	-85.863917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90
80I00400030	SMITH	I0040	14.94	BETTYS BEND RD (A138)	OPEN	5/18/2017	1962	36.143	-85.8415	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.9
80I00400029	SMITH	I0040	14.94	BETTYS BEND RD (A138)	OPEN	5/18/2017	1962	36.141517	-85.841967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.9
80I00400032	SMITH	I0040	15.44	CANEY FORK RIVER	OPEN	7/22/2015	1962	36.141417	-85.832817	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79
80I00400031	SMITH	I0040	15.51	CANEY FORK RIVER	OPEN	7/21/2015	1962	36.139983	-85.831917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.6
80I00400033	SMITH	I0040	16.16	CANEY FORK RIVER	OPEN	7/21/2015	1962	36.13885	-85.82015	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
80I00400034	SMITH	I0040	16.2	CANEY FORK RIVER	OPEN	7/22/2015	1962	36.1394	-85.819417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.9
80I00400035	SMITH	I0040	17.16	CANEY FORK RIV & NFA A43	OPEN	7/21/2015	1971	36.138333	-85.803333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.6
80I00400036	SMITH	I0040	17.16	CANEY FORK RIV & NFA A43	OPEN	7/21/2015	1971	36.138333	-85.803333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.6
80SR0240001	SMITH	SR024	1.37	SULPHUR CREEK	OPEN	5/19/2017	1937	36.25545	-86.096367	CONCRETE	TEE BEAM	65.7
80SR0240003	SMITH	SR024	2.96	ROUNDLICK CREEK	OPEN	5/19/2017	1940	36.262517	-86.06975	STEEL	TRUSS - THRU	61.2
80SR0240005	SMITH	SR024	4.41	PLUNKETTS CREEK	OPEN	5/19/2017	1940	36.257967	-86.0476	CONCRETE	TEE BEAM	49.7
80SR0240007	SMITH	SR024	6.38	BRANCH	OPEN	5/19/2017	1938	36.25	-86.018117	CONCRETE	TEE BEAM	65.2
80SR0240009	SMITH	SR024	7.3	WARD CREEK	OPEN	5/19/2017	1938	36.2545	-86.00265	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	76.2
80SR0240011	SMITH	SR024	9.7	HOGAN CREEK	OPEN	5/19/2017	1940	36.255533	-85.961083	CONCRETE	TEE BEAM	51.9
80SR0240013	SMITH	SR024	13.385	CANEY FORK RIVER	OPEN	5/19/2017	2015	36.233333	-85.911667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	26
80SR0240015	SMITH	SR024	15.49	BRANCH	OPEN	5/19/2017	1928	36.221667	-85.882833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
80SR0240017	SMITH	SR024	15.575	SNOW CREEK	OPEN	5/19/2017	1928	36.2207	-85.8819	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.2
80SR0250001	SMITH	SR025	0.15	LICK CREEK	OPEN	5/25/2017	1961	36.363233	-86.066583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.6
80SR0250003	SMITH	SR025	0.76	DIXON CREEK	OPEN	5/25/2017	1962	36.361283	-86.056317	CONCRETE	TEE BEAM	53.5
80SR0250005	SMITH	SR025	2.64	WILBURN CREEK	OPEN	5/25/2017	1962	36.34235	-86.034283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
80SR0250007	SMITH	SR025	4.86	BRANCH	OPEN	5/25/2017	1963	36.317283	-86.011017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
80SR0250009	SMITH	SR025	5.05	BRANCH	OPEN	5/25/2017	1963	36.3144	-86.0097	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	76.7
80SR0250011	SMITH	SR025	5.46	PEYTON'S CREEK	OPEN	5/25/2017	1963	36.30885	-86.007867	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	56.9
80SR0250015	SMITH	SR025	12.78	CUMBERLAND RIVER	OPEN	6/20/2017	1990	36.242433	-85.9434	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.8
80SR0240019	SMITH	SR025	13.25	SR 25 / SR 24	OPEN	5/25/2017	1990	36.235933	-85.94575	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.5
80SR0530017	SMITH	SR053	0.21	HICKMAN CREEK	OPEN	5/26/2017	1985	36.087517	-86.024933	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.3
80SR0530013	SMITH	SR053	2.42	BRUSH CREEK	OPEN	5/26/2017	1981	36.11715	-86.02245	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.2
80SR0530015	SMITH	SR053	5.94	MULHERRIN CREEK	OPEN	5/26/2017	1981	36.165633	-86.017067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.1
80SR0530001	SMITH	SR053	7.18	MULHERRIN CREEK	WEIGHT POSTED	5/26/2017	1947	36.174683	-86.006017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	11
80I00400009	SMITH	SR053	8.38	SR 53 / I40	OPEN	5/15/2017	1965	36.180033	-85.9874	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.3
80SR0530003	SMITH	SR053	9.39	DRY CREEK	OPEN	5/26/2017	1985	36.179733	-85.97035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5
80SR0530005	SMITH	SR053	12.32	MULHERRIN CREEK	OPEN	5/25/2017	1969	36.19075	-85.953117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
80SR0530007	SMITH	SR053	14.03	BRANCH	OPEN	5/25/2017	1978	36.214317	-85.95315	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
80SR0530009	SMITH	SR053	17.51	DILLARD CREEK	OPEN	5/25/2017	1942	36.226	-85.818417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
80SR0530011	SMITH	SR053	19.64	DILLARD CREEK	OPEN	7/16/2015	1941	36.251667	-85.803333	CONCRETE	TEE BEAM	49.4
80SR0800019	SMITH	SR080	0.57	BRANCH	OPEN	5/23/2017	1970	36.2934	-85.9844	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
80SR0800021	SMITH	SR080	1.68	PEYTON CREEK	OPEN	5/23/2017	1987	36.306717	-85.974267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
80SR0800001	SMITH	SR080	2.58	BRANCH	OPEN	5/23/2017	1983	36.31895	-85.968733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
80SR0800017	SMITH	SR080	3.22	BRANCH	OPEN	5/23/2017	1983	36.327683	-85.965733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
80SR0800003	SMITH	SR080	3.77	PEYTON'S CREEK	OPEN	5/23/2017	1953	36.335617	-85.9656	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78.1
80SR0800005	SMITH	SR080	4.625	PEYTON'S CREEK	OPEN	5/23/2017	1952	36.347633	-85.965233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	77.4
80SR0800007	SMITH	SR080	4.9	BRANCH	OPEN	5/23/2017	1948	36.351233	-85.9635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
80SR0800009	SMITH	SR080	5.75	PEYTONS CREEK	OPEN	5/23/2017	2017	36.3609	-85.95565	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.6
80SR0800011	SMITH	SR080	5.9	STONES BRANCH	OPEN	5/23/2017	1956	36.36305	-85.955	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.8
80SR0800013	SMITH	SR080	6.995	PEYTON'S CREEK	OPEN	5/23/2017	2017	36.376667	-85.95	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.8
80SR0800015	SMITH	SR080	9.36	BOSTON BRANCH	OPEN	5/23/2017	1920	36.406733	-85.934283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
80SR0850007	SMITH	SR085	3.38	HOGGTOWN BRANCH	OPEN	6/1/2017	1998	36.319367	-85.913567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
80SR0850009	SMITH	SR085	3.57	BRANCH	OPEN	6/1/2017	2002	36.32	-85.910167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
80SR0850001	SMITH	SR085	4.29	LANKFORD CREEK	OPEN	6/1/2017	1969	36.328617	-85.90535	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	66.7
80SR0850003	SMITH	SR085	6.11	DEFEATED CREEK	OPEN	6/1/2017	1963	36.35255	-85.8938	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.3
80SR0850005	SMITH	SR085	7.64	KEMPVILLE BRANCH	OPEN	6/1/2017	1984	36.347533	-85.867567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
80SR1410001	SMITH	SR141	0.36	ROUND LICK CREEK	OPEN	6/2/2017	1983	36.202	-86.086217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
80SR1410013	SMITH	SR141	1.9	DENNY BRANCH	OPEN	6/2/2017	1998	36.187817	-86.072617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
80SR1410015	SMITH	SR141	2.06	DENNY BRANCH	OPEN	6/2/2017	1999	36.1836	-86.070317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
80SR1410003	SMITH	SR141	4.53	DENNY BRANCH	OPEN	6/2/2017	1987	36.172867	-86.036833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
80I00400005	SMITH	SR141	5.45	SR 141 / I40	OPEN	5/11/2017	1963	36.175483	-86.021033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77
80SR1410017	SMITH	SR141	6.04	DENNY BRANCH	OPEN	6/2/2017	1995	36.173133	-85.943817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
80SR1410007	SMITH	SR141	7.87	HICKMAN CREEK	OPEN	6/2/2017	1972	36.16795	-85.90985	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.3
80SR1410009	SMITH	SR141	9.03	BOLLING BRANCH	OPEN	6/2/2017	1949	36.15845	-85.895533	CONCRETE	TEE BEAM	64.7
80SR1410011	SMITH	SR141	12.68	SMITH FORK CREEK	OPEN	6/2/2017	1956	36.124733	-85.870317	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.5
80SR2630001	SMITH	SR263	1.46	BRANCH	OPEN	6/1/2017	1999	36.276967	-85.950417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.6
80SR2630003	SMITH	SR263	2.12	BRANCH	OPEN	6/1/2017	1999	36.2832	-85.9471	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.7
80SR2640001	SMITH	SR264	1.27	NEW BELL BRANCH	OPEN	6/6/2017	1992	36.121767	-85.9364	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
80SR2640003	SMITH	SR264	2.34	RACoon CREEK	OPEN	6/6/2017	1991	36.137083	-85.935033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
80SR2640005	SMITH	SR264	2.88	HICKMAN CREEK	OPEN	6/6/2017	1984	36.14335	-85.9399	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.7
80SR2640007	SMITH	SR264	4.5	BRANCH	OPEN	6/6/2017	1995	36.163783	-85.93955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
80SR2640009	SMITH	SR264	6.77	CANEY FORK RIVER	OPEN	6/20/2017	1973	36.186233	-85.905817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.7
80SR2640011	SMITH	SR264	7.1	TROUSDALE HOLLOW CREEK	OPEN	6/6/2017	1965	36.188783	-85.9012	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
80SR2640013	SMITH	SR264	7.4	PERKINS BRANCH	OPEN	6/6/2017	1950	36.19175	-85.897867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
81S62670001	STEWART	00834	0.17	DICKS CREEK	OPEN	3/29/2016	1985	36.504817	-87.69535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
81S62670003	STEWART	00834	2.76	CUB CREEK	OPEN	3/29/2016	1958	36.524033	-87.7304	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.1
81S62670005	STEWART	00834	2.9	LEWIS BRANCH	OPEN	3/29/2016	1958	36.52605	-87.731133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.1
81S61130001	STEWART	00943	3.52	BRANCH	OPEN	3/17/2016	1954	36.446283	-87.8555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
81S61130003	STEWART	00943	3.9	WEST FORK LICK CREEK	OPEN	3/17/2016	1954	36.4415	-87.858567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
81F00020005	STEWART	00943	11.45	BRANCH	OPEN	3/28/2016	1950	36.386833	-87.940467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
81S61120001	STEWART	00945	0.12	DYERS CREEK	OPEN	4/6/2016	1948	36.5091	-87.832417	CONCRETE	TEE BEAM	54.8
81S61120003	STEWART	00945	5.37	HAYES FORK CREEK	OPEN	4/13/2016	1958	36.57195	-87.8354	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
81S61120005	STEWART	00945	6.7	MORGAN BRANCH	OPEN	4/13/2016	1972	36.588617	-87.83365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.8
81S61130009	STEWART	01793	3.66	BRANCH	OPEN	3/14/2016	1960	36.426833	-87.79955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
81S81130003	STEWART	01793	4.43	BRANCH	OPEN	3/14/2016	1960	36.419783	-87.809783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
81S61130005	STEWART	01793	4.51	BRANCH	OPEN	3/14/2016	1960	36.4196	-87.811067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
81S62130001	STEWART	01793	5.63	BRANCH	OPEN	3/14/2016	1960	36.414283	-87.8283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
81017970001	STEWART	01797	2.42	BLUE CREEK	OPEN	4/6/2016	1966	36.53095	-87.859467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.1
81S62650001	STEWART	01799	0.58	MORGAN CREEK	OPEN	4/12/2016	1980	36.59845	-87.845333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
81S62650003	STEWART	01799	1.27	HAYES FORK CREEK	OPEN	4/12/2016	1979	36.59235	-87.853933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
81S62650005	STEWART	01799	4.31	BRANCH	OPEN	4/12/2016	1968	36.565983	-87.880733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
81S62660001	STEWART	01801	0.04	MORRIS CREEK	OPEN	4/8/2016	2007	36.562933	-87.754583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
81S62660003	STEWART	01801	1.4	DYER CREEK	OPEN	4/11/2016	1983	36.580867	-87.759467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
81018240003	STEWART	01824	5.05	HURRICANE CREEK	OPEN	3/15/2016	2000	36.34755	-87.837883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
81018240005	STEWART	01824	5.35	HURRICANE CREEK	OPEN	3/15/2016	1995	36.3483	-87.833183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
810A1540001	STEWART	01830	2.4	BEECH FORK CREEK	OPEN	4/13/2016	1962	36.621333	-87.864667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
810A3640001	STEWART	0A003	1.077	LOST CREEK	OPEN	8/17/2015	1955	36.470317	-88.018283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
810A3640003	STEWART	0A003	5.567	DEVILS BACKBONE CREEK	OPEN	8/17/2015	1955	36.509083	-87.99805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
810A3640005	STEWART	0A003	6.127	SO FK PANTHER CREEK	OPEN	8/17/2015	1955	36.511233	-87.988783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
810A3640007	STEWART	0A003	6.323	CENTER FK PANTHER CREEK	OPEN	8/17/2015	1955	36.513283	-87.986417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
810A0190003	STEWART	0A003	9.324	BEAR CREEK BRANCH	OPEN	8/17/2015	1955	36.512617	-87.937117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
810A3640009	STEWART	0A010	1.55	STILLY HOLLOW CREEK	OPEN	8/18/2015	1955	36.529667	-87.9931	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
810A0100001	STEWART	0A010	1.777	DRY FORK CREEK	OPEN	8/18/2015	1955	36.532867	-87.993783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
810A0100003	STEWART	0A010	2.061	DRY FORK CREEK	OPEN	8/18/2015	1955	36.53455	-87.9982	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
810A0100005	STEWART	0A010	5.93	HUGHES CREEK	OPEN	8/18/2015	1955	36.5608	-88.009233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
810A0120001	STEWART	0A012	0.375	BEAR CREEK	OPEN	8/12/2015	1984	36.517433	-87.91715	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.3
810A0120003	STEWART	0A012	2.792	BRANDON SPRING BRANCH	OPEN	8/12/2015	1984	36.5502	-87.930283	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.8
810A0120005	STEWART	0A012	3.939	RAYBURN CREEK	OPEN	8/12/2015	1984	36.565183	-87.9344	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	83.4
810A0120007	STEWART	0A012	4.426	BARRETT CREEK	OPEN	8/12/2015	1984	36.572433	-87.9345	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.8
810A0120011	STEWART	0A012	10.853	PRYOR CREEK	OPEN	8/12/2015	1984	36.648783	-87.976883	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.9
810A0100009	STEWART	0A021	1.34	BYRD CREEK	OPEN	8/14/2015	1983	36.589467	-87.994467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
810A0100007	STEWART	0A021	1.75	BRANCH OF BYRD CREEK	OPEN	8/14/2015	1970	36.594433	-87.9907	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
810A0220001	STEWART	0A022	3.329	FORK OF CLAY CREEK	OPEN	8/14/2015	1983	36.61575	-88.017633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
810A0280001	STEWART	0A028	1.849	GINGER CREEK	OPEN	8/14/2015	1983	36.6366	-88.0224	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
810A0450001	STEWART	0A030	0.295	PRYOR CREEK	OPEN	8/13/2015	1955	36.639217	-87.980933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
810A0300003	STEWART	0A030	3.981	SO FK RUSHING CREEK	OPEN	8/13/2015	1983	36.652917	-88.02995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
810A0300005	STEWART	0A030	5.009	MID FK RUSHING CREEK	OPEN	8/13/2015	1983	36.665933	-88.02765	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
810A0300007	STEWART	0A030	5.199	NORTH FK RUSHING CREEK	OPEN	8/13/2015	1983	36.6685	-88.026833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.4
810A0460001	STEWART	0A046	0.02	PRYOR CREEK	OPEN	8/12/2015	1984	36.654983	-87.9749	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
810A1390001	STEWART	0A104	0.29	MOSSY RUN CREEK	OPEN	4/6/2016	1991	36.539183	-87.8689	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
810A1510001	STEWART	0A119	0.634	MORGAN BRANCH	OPEN	4/18/2016	2002	36.594733	-87.83815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
810A1290001	STEWART	0A129	2.34	SHELBY CREEK	OPEN	4/13/2016	1965	36.656333	-87.875267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
810A1710001	STEWART	0A162	0.135	BRANCH	OPEN	4/18/2016	1984	36.62425	-87.81885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3
810A1710003	STEWART	0A162	0.299	SCOTT BRANCH	OPEN	4/18/2016	1984	36.624317	-87.815967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3
810A1720001	STEWART	0A163	0.658	SALINE CREEK	OPEN	4/18/2016	1989	36.6121	-87.812867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
810A1470001	STEWART	0A171	1.344	BRANCH	OPEN	4/8/2016	1962	36.555433	-87.787317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.4
810A1790001	STEWART	0A172	0.054	MORRIS CREEK	OPEN	4/8/2016	1982	36.559717	-87.769067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.3
810A1810001	STEWART	0A173	0.026	DYERS CREEK	OPEN	4/11/2016	2002	36.580683	-87.759933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
810A1820003	STEWART	0A176	0	DYERS CREEK	OPEN	4/11/2016	1955	36.581367	-87.7571	STEEL	STRINGER/MULTI-BEAM OR GIRDER	79.9
810A1900001	STEWART	0A184	1.696	DICKS FORK CREEK	OPEN	3/29/2016	1965	36.529717	-87.69035	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
810A1900005	STEWART	0A184	3.135	DICKS FORK CREEK	OPEN	3/29/2016	1968	36.509833	-87.695617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
810A1900007	STEWART	0A184	3.304	BRANCH	OPEN	3/29/2016	1965	36.507517	-87.696133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
810A2290003	STEWART	0A202	1.35	BELLWOOD BRANCH	OPEN	4/1/2016	1983	36.518033	-87.7674	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
810A2290001	STEWART	0A202	3.586	CUB CREEK	OPEN	4/1/2016	1983	36.521883	-87.734133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
810A2030001	STEWART	0A203	0.13	DYERS CREEK	OPEN	4/29/2016	2016	36.543083	-87.797083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.5
810A2280001	STEWART	0A208	1.642	BELLWOOD BRANCH	WEIGHT POSTED	4/1/2016	1977	36.5216	-87.76815	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.9
810A2020001	STEWART	0A219	0.152	FERRY CROSS CREEK	OPEN	3/16/2016	1988	36.499433	-87.695783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.1
810A2090001	STEWART	0A224	2.041	LEE CREEK	OPEN	3/23/2016	1986	36.47255	-87.708433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
810A1980001	STEWART	0A228	0.01	CHERRY BRANCH	OPEN	3/16/2016	1965	36.5102	-87.676567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.6
810A1980007	STEWART	0A228	1.583	BRANCH	OPEN	3/16/2016	2006	36.5125	-87.649033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
810A1980003	STEWART	0A228	1.644	NORTH CROSS CREEK	OPEN	3/16/2016	2006	36.512133	-87.6484	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
810A1980005	STEWART	0A228	3.001	NORTH CROSS CREEK	OPEN	3/16/2016	2004	36.519817	-87.628667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.8
810A2140001	STEWART	0A231	0.068	HOPEWELL BRANCH	OPEN	3/23/2016	1964	36.438133	-87.669533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
810A2190001	STEWART	0A238	1.714	WILDCAT CREEK	OPEN	3/23/2016	1984	36.4247	-87.608517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84.9
810A2600001	STEWART	0A260	1.932	MOCASSIN BRANCH	OPEN	4/25/2016	1965	36.393267	-87.605167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
810A2560001	STEWART	0A283	1.317	LITTLE DRY ELK CREEK	OPEN	3/22/2016	1978	36.38275	-87.727167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.8
810A2560003	STEWART	0A283	2.305	LITTLE DRY ELK CREEK	OPEN	3/22/2016	1987	36.396267	-87.725783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
810A2560005	STEWART	0A283	2.358	ELK CREEK	OPEN	3/22/2016	1983	36.397233	-87.726267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
810A2870001	STEWART	0A287	1.354	HURRICANE CREEK	OPEN	3/15/2016	1987	36.346017	-87.850433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
810A3020001	STEWART	0A302	1.853	HURRICANE CREEK	OPEN	3/15/2016	1983	36.348233	-87.83165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
810A2760001	STEWART	0A306	0.044	NORTH CROSS CREEK	OPEN	3/18/2016	1987	36.4017	-87.770633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
810A2940001	STEWART	0A311	1.177	LICK CREEK	OPEN	3/17/2016	1984	36.457867	-87.835933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
810A2940005	STEWART	0A311	2.433	LICK CREEK	OPEN	3/17/2016	2002	36.44015	-87.836133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
810A2950001	STEWART	0A312	0.161	LONG CREEK	OPEN	3/14/2016	1994	36.439083	-87.798667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
810A2950005	STEWART	0A312	3.662	LICK CREEK	OPEN	3/17/2016	2001	36.460817	-87.835433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
810A3230001	STEWART	0A323	0.01	BRANCH	OPEN	3/24/2016	1983	36.475233	-87.90845	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
810A3050003	STEWART	0A335	0.01	N FORK LEATHERWOOD BR	OPEN	3/28/2016	1998	36.385233	-87.935067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
810A3350005	STEWART	0A335	2.031	EAST FORK LEATHERWOOD CR	OPEN	3/28/2016	2014	36.3712	-87.912	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
810A3350007	STEWART	0A335	4.068	BRANCH	OPEN	3/28/2016	1992	36.371317	-87.880683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	82.2
810A3650001	STEWART	0A365	1.688	N FORK HURRICANE CREEK	OPEN	3/15/2016	1984	36.347283	-87.815417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
810A3300001	STEWART	0A379	1.395	STANDING ROCK CREEK	OPEN	3/24/2016	1929	36.436867	-87.998417	CONCRETE	ARCH - DECK	52.6
810A3130005	STEWART	0A380	1.891	STANDING ROCK CREEK	OPEN	3/18/2016	1978	36.413833	-87.937867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
810A3130003	STEWART	0A380	2.472	TERRAPIN RUN BRANCH	OPEN	3/18/2016	1978	36.411733	-87.927867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
810A3130001	STEWART	0A380	3.634	BRANCH	OPEN	3/18/2016	1977	36.416367	-87.909033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
810A3810001	STEWART	0A381	0.14	BRANCH	OPEN	3/30/2016	2014	36.47585	-87.907117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
810A4660001	STEWART	0A466	0.02	E FORK LEATHERWOOD CREEK	OPEN	3/28/2016	1999	36.371033	-87.91975	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.8
81018260001	STEWART	0A467	0.535	STANDING ROCK CREEK	OPEN	3/24/2016	1978	36.432183	-87.96035	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.4
81018260003	STEWART	0A467	1.992	PALMER BRANCH	OPEN	3/24/2016	1986	36.445883	-87.943217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
81018260005	STEWART	0A467	6.571	HINSON CREEK	OPEN	3/24/2016	1992	36.4716	-87.88375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
81003510001	STEWART	SR046	7.04	BRANCH	OPEN	2/25/2016	1978	36.441917	-87.675267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
81S62680001	STEWART	SR046	9.72	LEE CREEK	OPEN	2/25/2016	1980	36.47755	-87.679067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
81S62680003	STEWART	SR046	11.72	HONEY FORK CREEK	OPEN	2/25/2016	1975	36.498983	-87.6919	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
81S62680005	STEWART	SR046	12.09	NORTH CROSS CREEK	OPEN	2/25/2016	1969	36.503683	-87.69255	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
81SR0490021	STEWART	SR049	1.21	LICK CREEK	OPEN	2/23/2016	1933	36.480117	-87.821167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	68.3
81SR0490023	STEWART	SR049	2.24	LONG CREEK	OPEN	2/23/2016	1965	36.478017	-87.8028	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	79.6
81SR0490025	STEWART	SR049	7.52	BRANCH	OPEN	2/23/2016	1965	36.456983	-87.749283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	72.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
81SR0490027	STEWART	SR049	10.7	CROSS CREEK	OPEN	3/1/2016	1984	36.4129	-87.7625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
81SR0490029	STEWART	SR049	10.98	CROSS CREEK	OPEN	3/11/2016	1984	36.409467	-87.765133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
81SR0490031	STEWART	SR049	11.48	CROSS CREEK	OPEN	3/11/2016	1984	36.40335	-87.7696	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
81SR0490033	STEWART	SR049	12.05	CROSS CREEK	OPEN	3/11/2016	1984	36.394983	-87.76975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
81SR0760001	STEWART	SR076	9.34	BRANCH	OPEN	3/7/2016	1971	36.477133	-87.903	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
81SR0760003	STEWART	SR076	10.53	HINSON CREEK	OPEN	3/8/2016	1981	36.481417	-87.882233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
81SR0760005	STEWART	SR076	12.2	INDIAN CREEK	OPEN	3/8/2016	1984	36.4839	-87.85375	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.5
81SR0760007	STEWART	SR076	13.33	CUMBERLAND RIVER	OPEN	3/30/2016	1987	36.489733	-87.8388	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
81SR0760009	STEWART	SR076	14.11	CUMBERLAND RIVER OVERFLO	OPEN	3/8/2016	1987	36.5008	-87.836033	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68
81SR0760013	STEWART	SR076	16.1	BRANCH	OPEN	3/8/2016	1958	36.524783	-87.816333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66
81SR0760015	STEWART	SR076	16.37	DYER CREEK	OPEN	3/8/2016	2010	36.528117	-87.814117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78
81SR0760017	STEWART	SR076	17.74	SPRING BRANCH	OPEN	3/9/2016	1958	36.543417	-87.798767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
81SR0760019	STEWART	SR076	18.75	DYER CREEK	OPEN	3/9/2016	2008	36.553961	-87.785978	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
81SR0760021	STEWART	SR076	20.91	BRANCH	OPEN	3/9/2016	2006	36.561667	-87.748333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
81SR1200001	STEWART	SR120	9.65	SALINE CREEK	OPEN	3/9/2016	1975	36.606833	-87.837483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.5
81SR1200005	STEWART	SR120	11.63	SCOTT BRANCH	OPEN	3/9/2016	1939	36.626617	-87.8212	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.7
81SR1490001	STEWART	SR149	2.5	GUICES CREEK	OPEN	3/4/2016	1960	36.396233	-87.621383	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.8
81S63190001	STEWART	SR232	3.74	LEATHERWOOD CREEK	OPEN	3/7/2016	1992	36.3826	-87.94425	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.9
81S63190003	STEWART	SR232	8.86	STANDING CREEK	OPEN	3/7/2016	1959	36.437183	-87.971867	CONCRETE	TEE BEAM	77.4
81S63190005	STEWART	SR232	8.96	RIBBON CREEK	OPEN	3/7/2016	1959	36.4383	-87.972867	CONCRETE	TEE BEAM	77.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
81S61140011	STEWART	SR233	0.05	SOUTH CROSS CREEK	OPEN	3/4/2016	1970	36.424583	-87.756333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
81S61140009	STEWART	SR233	3.88	BIG ELK CREEK	OPEN	3/4/2016	1961	36.4253	-87.697117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.3
81S61140005	STEWART	SR233	4.27	LITTLE ELK CREEK	OPEN	3/4/2016	1961	36.420817	-87.692683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.3
81S61140007	STEWART	SR233	6.67	WELLS CREEK	OPEN	3/4/2016	1961	36.3977	-87.662133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.6
81003470015	STEWART	SR461	0.08	HICKMAN CREEK	OPEN	3/7/2016	1981	36.481117	-87.88905	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.3
82S25140001	SULLIVAN	01081	1.06	BIG ARM BRANCH	OPEN	3/21/2016	1960	36.42115	-82.235683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
82S25140003	SULLIVAN	01081	1.17	BIG ARM BRANCH	OPEN	3/21/2016	1955	36.421467	-82.234117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
82F00040001	SULLIVAN	01360	0.33	HORSE CREEK	OPEN	3/28/2016	1996	36.5098	-82.56655	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.4
82S13710003	SULLIVAN	01371	1.38	INDIAN CREEK	OPEN	3/1/2016	1988	36.458217	-82.257267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.9
82S25120009	SULLIVAN	01375	0.22	BOOHER CREEK	OPEN	3/8/2016	1927	36.516233	-82.353667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
820A2210001	SULLIVAN	01375	5.04	WAGNER CREEK	OPEN	3/16/2016	1975	36.484767	-82.3973	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.6
82S25170003	SULLIVAN	01378	7.49	BRANCH	OPEN	3/16/2016	1950	36.55515	-82.196767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.4
82S25170001	SULLIVAN	01378	7.63	CEDAR CREEK	OPEN	2/25/2016	1950	36.555617	-82.199867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.4
82013800001	SULLIVAN	01380	1.17	THOMAS CREEK	OPEN	2/29/2016	1950	36.534767	-82.10245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
82013820001	SULLIVAN	01382	1.84	SINKING CREEK	OPEN	2/22/2016	1990	36.574733	-82.142267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.3
82S23720001	SULLIVAN	01384	8.72	BOOZY CREEK	OPEN	2/10/2016	1989	36.577933	-82.412033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.6
82SR0370001	SULLIVAN	01392	0.99	INDIAN CREEK	OPEN	3/1/2016	1928	36.42725	-82.26485	CONCRETE	TEE BEAM	35.2
82SR0370003	SULLIVAN	01392	1.24	INDIAN CREEK	OPEN	3/1/2016	1928	36.431533	-82.265783	CONCRETE	TEE BEAM	39.4
82SR0370005	SULLIVAN	01392	1.83	BOOHER CREEK	OPEN	3/21/2016	1928	36.438767	-82.2667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.2
82026400007	SULLIVAN	02068	0.01	KENDRICK CREEK	OPEN	3/30/2016	2013	36.446983	-82.531117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82025930005	SULLIVAN	02593	1.07	BOWMAN CREEK	OPEN	3/21/2016	1994	36.473517	-82.444633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
82025950001	SULLIVAN	02595	1.75	MILL CREEK	OPEN	3/28/2016	1950	36.44715	-82.590067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
82025950003	SULLIVAN	02595	2.07	MILL CREEK	OPEN	3/28/2016	1950	36.450883	-82.593867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
82025950005	SULLIVAN	02595	2.13	MILL CREEK	OPEN	3/28/2016	1950	36.451083	-82.594067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
82025950007	SULLIVAN	02595	3.05	MILL CREEK	OPEN	3/28/2016	1950	36.4636	-82.589433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
820A2210003	SULLIVAN	02599	0.31	MUDDY CREEK	OPEN	3/8/2016	1965	36.481167	-82.364717	CONCRETE	TEE BEAM	45
82025090001	SULLIVAN	02599	2.29	BOONE LAKE	OPEN	3/14/2016	1952	36.46555	-82.357667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.3
82026400001	SULLIVAN	02640	0.51	BRANCH	OPEN	3/22/2016	1987	36.435583	-82.547433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
82026400005	SULLIVAN	02640	3.655	CSX RAILROAD	OPEN	3/2/2016	1958	36.453317	-82.50025	CONCRETE	TEE BEAM	65.5
82026560001	SULLIVAN	02656	5.17	BOON LK SO FK HOLSTON RV	OPEN	3/14/2016	1953	36.4739	-82.3168	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.8
82026580001	SULLIVAN	02658	3.02	BRANCH	OPEN	3/22/2016	1965	36.46245	-82.29295	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.7
82026720001	SULLIVAN	02672	3.9	REEDY CREEK	OPEN	2/10/2016	1991	36.571939	-82.382219	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.3
82026760001	SULLIVAN	02676	1.87	BEIDLMAN CREEK	WEIGHT POSTED	3/1/2016	1970	36.521	-82.129533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.3
82026780001	SULLIVAN	02678	0.09	BEAVER CREEK	OPEN	3/7/2016	1993	36.492167	-82.305383	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
82026660001	SULLIVAN	02678	3.87	MUDDY CREEK	OPEN	3/7/2016	1983	36.49725	-82.355433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.6
82L38860001	SULLIVAN	03886	0.02	TRANBARGER CREEK	OPEN	3/28/2016	1945	36.556	-82.566783	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	73.8
82L38860003	SULLIVAN	03886	0.14	REEDY CREEK	OPEN	3/28/2016	1979	36.556433	-82.56545	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97
82L38870001	SULLIVAN	03887	0.28	REEDY CREEK	OPEN	3/30/2016	1972	36.557033	-82.559817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.8
82038890001	SULLIVAN	03889	0.26	REEDY CREEK	OPEN	3/29/2016	1984	36.543883	-82.5191	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	69.1
82038890002	SULLIVAN	03889	0.26	REEDY CREEK	OPEN	3/29/2016	1965	36.543883	-82.5191	CONCRETE	TEE BEAM	48.7
82038900003	SULLIVAN	03890	0.04	MAD BRANCH	OPEN	3/30/2016	1961	36.5327	-82.528533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82S23690001	SULLIVAN	03890	0.68	CSX RAILROAD & FAU 3892	OPEN	3/30/2016	1959	36.527517	-82.537617	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64.7
82038920001	SULLIVAN	03892	0.045	RT LN / CSX RAILROAD	OPEN	3/30/2016	1960	36.517933	-82.529967	CONCRETE CONTINUOUS	TEE BEAM	75.2
82038920002	SULLIVAN	03892	0.045	LT LN / CSX RAILROAD	OPEN	3/30/2016	1960	36.517933	-82.529967	CONCRETE CONTINUOUS	TEE BEAM	62.3
820B3140001	SULLIVAN	03894	0.08	KENDRICK CREEK	OPEN	2/10/2016	1993	36.496717	-82.5131	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.7
82038940001	SULLIVAN	03894	1.37	ROCK SPRINGS	OPEN	2/11/2016	1992	36.485567	-82.5313	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
82038940003	SULLIVAN	03894	1.71	ROCK SPRING BRANCH	OPEN	2/11/2016	1992	36.482683	-82.535417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
82038940005	SULLIVAN	03894	2.22	ROCK SPRING BRANCH	OPEN	2/11/2016	1992	36.476817	-82.541067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
820A0700001	SULLIVAN	03899	0.39	BR OF REEDY CREEK	OPEN	2/25/2016	1938	36.55265	-82.585267	CONCRETE	TEE BEAM	45.9
82SR1370031	SULLIVAN	03900	1.25	SR 137	OPEN	5/2/2017	1983	36.57425	-82.5804	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.7
82M39010001	SULLIVAN	03901	0.01	REEDY CREEK	OPEN	3/30/2016	1945	36.56055	-82.551983	CONCRETE	SLAB	66.7
82M39010003	SULLIVAN	03901	0.525	REEDY CREEK	OPEN	3/30/2016	2013	36.554	-82.550017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	80.7
82M39020001	SULLIVAN	03902	1.5	SLUICE OF HOLSTON RIVER	OPEN	3/28/2016	1970	36.541383	-82.57405	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.5
82M39020003	SULLIVAN	03902	2.63	SLUICE S FK HOLSTON RIVE	OPEN	3/16/2016	1990	36.548817	-82.59165	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.8
82039030001	SULLIVAN	03903	1.64	KENDRICK CREEK	OPEN	2/25/2016	1960	36.488483	-82.50815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
82038930005	SULLIVAN	03903	2.99	ROCK SPRINGS BRANCH	OPEN	2/25/2016	1983	36.488717	-82.527833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
82L38930001	SULLIVAN	03903	5.09	SLUICE S FK HOLSTON RIVE	OPEN	2/17/2016	1978	36.51335	-82.5468	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
82M39050001	SULLIVAN	03905	0.47	KENDRICK CREEK	OPEN	3/21/2016	1990	36.4743	-82.51095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
82M39050003	SULLIVAN	03905	1	KENDRICK CREEK	OPEN	3/21/2016	1994	36.468183	-82.51755	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.1
82I00260011	SULLIVAN	03905	1.98	I181	OPEN	9/7/2016	1972	36.456667	-82.526667	CONCRETE CONTINUOUS	TEE BEAM	86.3
82SR0340019	SULLIVAN	03913	0.1	EAST FORK BEAVER CREEK	OPEN	2/18/2016	1986	36.594167	-82.1864	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
820A7490001	SULLIVAN	03916	2.58	SINKING CREEK	OPEN	3/2/2016	1968	36.584717	-82.137033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
82039180001	SULLIVAN	03918	2.43	MILL CREEK	OPEN	2/17/2016	1970	36.5793	-82.226983	CONCRETE	CHANNEL BEAM	62.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82M39210001	SULLIVAN	03921	0.17	SOUTHERN RAILWAY	OPEN	2/22/2016	1996	36.588867	-82.176883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.2
82039300001	SULLIVAN	03930	0.17	BEAVER CREEK	OPEN	3/22/2016	1975	36.59475	-82.185267	CONCRETE	TEE BEAM	31
820A2980001	SULLIVAN	04212	1.26	BACK CREEK	OPEN	2/18/2016	1965	36.524367	-82.263283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
820B1600001	SULLIVAN	04429	0.74	CSX RAILROAD	OPEN	3/21/2016	1992	36.44465	-82.49545	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.9
82044290005	SULLIVAN	04429	1.15	BRANCH OF SINKING CREEK	OPEN	3/23/2016	1998	36.4483	-82.4991	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
82026600001	SULLIVAN	04429	5.89	SOUTH FORK HOLSTON RIVER	OPEN	3/16/2016	1952	36.500733	-82.485683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61
82044290003	SULLIVAN	04429	8.17	FALL CREEK	OPEN	3/23/2016	1980	36.522933	-82.4558	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	77.8
820B7450001	SULLIVAN	04778	0.28	U. S. GOVERNMENT RR	OPEN	3/28/2016	1975	36.53815	-82.5918	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57
82SR0930027	SULLIVAN	04792	0.28	SR 93	OPEN	2/9/2017	1965	36.535867	-82.50415	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.6
820C5100001	SULLIVAN	04792	6.11	REEDY CREEK	OPEN	2/10/2016	1987	36.574833	-82.422967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	93.3
82047940001	SULLIVAN	04794	1.88	MAD BRANCH	OPEN	2/10/2016	1988	36.555867	-82.4898	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.8
82K39170001	SULLIVAN	0A003	0.699	SINKING CREEK	OPEN	2/29/2016	1986	36.583283	-82.13685	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
82F00290001	SULLIVAN	0A004	3.5	BOONE LAKE	OPEN	3/15/2016	1952	36.419433	-82.37435	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	56.8
820A0050001	SULLIVAN	0A005	1.5	BRANCH OF CEDAR CREEK	OPEN	2/22/2016	2002	36.580783	-82.163817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
820A4000001	SULLIVAN	0A006	0.551	BEAVER CREEK	OPEN	2/18/2016	1984	36.55935	-82.222217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.8
82025930003	SULLIVAN	0A014	0.83	SINKING CREEK	OPEN	2/29/2016	2012	36.446033	-82.477517	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	96.9
82025930001	SULLIVAN	0A014	2.218	SOUTH FORK HOLSTON RIVER	OPEN	3/15/2016	1989	36.459917	-82.4596	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.1
82SR0370007	SULLIVAN	0A020	0.438	WOODS CREEK	OPEN	3/7/2016	1928	36.447883	-82.2707	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
82SR0370009	SULLIVAN	0A020	1.05	SOUTHERN RAILWAY	OPEN	3/2/2016	1989	36.455833	-82.275667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.3
82S23730017	SULLIVAN	0A044	0.05	BRANCH	OPEN	2/29/2016	1950	36.505633	-82.136583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82I00260037	SULLIVAN	0A079	0.02	I0026	OPEN	9/6/2016	2013	36.484756	-82.546167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
820A2020001	SULLIVAN	0A202	1.236	GAMMON CREEK	OPEN	3/16/2016	1965	36.4563	-82.4191	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
820A2020003	SULLIVAN	0A202	4.25	WAGNER CREEK	OPEN	3/16/2016	1988	36.48285	-82.39535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
820A2890001	SULLIVAN	0A289	1.119	BEAVER CREEK & NFA A290	OPEN	3/7/2016	1987	36.4987	-82.301033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.2
820C6200001	SULLIVAN	0A305	0.019	BEAVER CREEK	OPEN	3/7/2016	1971	36.503883	-82.285267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	49.2
820A3380001	SULLIVAN	0A338	0.01	SLAGEL CREEK	OPEN	2/22/2016	1960	36.537	-82.267733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	79.7
82I00810045	SULLIVAN	0A348	0.025	MASSENGILL RD / I-81	OPEN	9/14/2016	1976	36.566667	-82.296667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	95.5
820A3530001	SULLIVAN	0A353	0.445	BACK CREEK	WEIGHT POSTED	2/22/2016	1971	36.531933	-82.2642	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.4
820D5000001	SULLIVAN	0A362	0.12	BRANCH	OPEN	2/22/2016	1982	36.5612	-82.266583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.9
820A3750001	SULLIVAN	0A375	0.321	CEDAR CREEK	OPEN	2/18/2016	1990	36.535467	-82.235017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
820A3940001	SULLIVAN	0A394	0.125	BEAVER CREEK	OPEN	2/18/2016	2007	36.551483	-82.228083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
820A4270001	SULLIVAN	0A427	0.858	BEAVER CREEK	OPEN	2/18/2016	1935	36.5698	-82.19925	CONCRETE	TEE BEAM	73.9
820A4560001	SULLIVAN	0A456	0.048	BEAVER CREEK	OPEN	2/22/2016	1926	36.591	-82.186567	CONCRETE	ARCH - DECK	61.5
820A4560003	SULLIVAN	0A456	0.258	BEAVER CREEK	OPEN	2/18/2016	1984	36.593817	-82.1864	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
820A4590001	SULLIVAN	0A459	0.142	LITTLE CREEK	OPEN	2/18/2016	1989	36.594383	-82.1893	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
820A4910001	SULLIVAN	0A491	0.007	STEELE CREEK	OPEN	2/17/2016	1996	36.577767	-82.23215	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
820A5180001	SULLIVAN	0A518	0.161	STEELE CREEK	OPEN	2/17/2016	1989	36.587983	-82.231717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.7
820A5510001	SULLIVAN	0A551	0.009	BEAVER CREEK	OPEN	2/18/2016	1970	36.5777	-82.187983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
82M39220003	SULLIVAN	0A566	0.05	BEAVER CREEK	OPEN	2/18/2016	1998	36.585767	-82.18465	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.9
820A6060001	SULLIVAN	0A606	0.561	CEDAR CREEK	OPEN	2/29/2016	1975	36.563967	-82.1885	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	49.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
820A8160001	SULLIVAN	0A816	0.011	PAPERVILLE CREEK	OPEN	2/22/2016	2002	36.562317	-82.133117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	94.6
820A8390005	SULLIVAN	0A839	3.76	DRY RUN CREEK	OPEN	3/15/2016	1990	36.600036	-81.916669	CONCRETE	SLAB	77.8
820A8390001	SULLIVAN	0A839	8.63	HARPERS CREEK	OPEN	3/9/2016	1988	36.577533	-81.97	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.9
820A8390003	SULLIVAN	0A839	9.29	HARPERS CREEK	OPEN	3/9/2016	1988	36.57515	-81.97995	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.7
820A8390017	SULLIVAN	0A839	13.31	SHARPS CREEK	OPEN	3/15/2016	1975	36.533422	-81.983486	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
820A8460001	SULLIVAN	0A846	0.34	BRANCH	OPEN	3/9/2016	2001	36.57855	-81.986367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
820A8490001	SULLIVAN	0A849	0.58	SHARPS CREEK	OPEN	3/15/2016	1960	36.5477	-82.021883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.6
820A8510001	SULLIVAN	0A851	0.546	SHARPS CREEK	OPEN	3/15/2016	1980	36.545733	-82.013733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.1
820A8590001	SULLIVAN	0A859	0.731	HOLSTON RIVER	OPEN	3/14/2016	1992	36.526933	-82.1125	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
820A8670001	SULLIVAN	0A867	0.053	THOMAS CREEK	OPEN	2/29/2016	1996	36.5336	-82.09365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
820A8680001	SULLIVAN	0A868	0.471	DEIDLMAN CREEK	OPEN	3/1/2016	1984	36.515117	-82.126467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.5
820A8780001	SULLIVAN	0A878	0.24	PAPERVILLE CREEK	OPEN	2/29/2016	1958	36.54555	-82.136383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.9
82F00350001	SULLIVAN	0B017	1.02	INDIAN CREEK	OPEN	3/1/2016	1986	36.45525	-82.258017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
820B0740001	SULLIVAN	0B074	3.282	DARR CREEK	OPEN	3/22/2016	1964	36.425317	-82.374967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
820B1490001	SULLIVAN	0B149	1.11	SINKING CREEK	OPEN	3/23/2016	1991	36.46495	-82.477833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	85.4
820B2630001	SULLIVAN	0B263	0.069	KENDRICKS CREEK	OPEN	3/23/2016	1977	36.47185	-82.513617	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	90.7
820B2890001	SULLIVAN	0B289	1.302	KENDRICK CREEK	OPEN	3/23/2016	1975	36.477017	-82.507417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84
820B2960001	SULLIVAN	0B296	0.179	KINDRICK CREEK	OPEN	3/23/2016	1965	36.4755	-82.51015	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	70.2
820B3150003	SULLIVAN	0B315	1.024	KENDRICK CREEK	OPEN	2/17/2016	1975	36.494183	-82.509783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	58.2
820B3220001	SULLIVAN	0B322	0.023	ROCK SPRINGS BRANCH	OPEN	2/11/2016	1975	36.4793	-82.539417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
820B3230001	SULLIVAN	0B323	0.022	ROCK SPRINGS BRANCH	OPEN	2/11/2016	1992	36.478617	-82.540017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
82I00260005	SULLIVAN	0B346	1.471	I26	OPEN	9/7/2016	1968	36.436667	-82.523333	CONCRETE CONTINUOUS	TEE BEAM	94.4
820B3460001	SULLIVAN	0B346	2.508	KENDRICK CREEK	OPEN	3/22/2016	1960	36.441083	-82.53955	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.6
82I00260007	SULLIVAN	0B347	0.035	I26	OPEN	9/7/2016	1968	36.433333	-82.521667	CONCRETE CONTINUOUS	TEE BEAM	84.9
82I00260013	SULLIVAN	0B357	0.045	I26	OPEN	9/7/2016	1972	36.463333	-82.541667	CONCRETE CONTINUOUS	TEE BEAM	95.1
820B3830001	SULLIVAN	0B383	0.243	HORSE CREEK	OPEN	3/28/2016	1988	36.47605	-82.590217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
820B3860001	SULLIVAN	0B386	0.425	HORSE CREEK	OPEN	3/28/2016	1970	36.49455	-82.5598	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.1
820B4060001	SULLIVAN	0B406	0.17	BEAR CREEK	OPEN	3/28/2016	2001	36.478117	-82.606567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	97.4
820B4160001	SULLIVAN	0B416	0.977	WALKER FORK CREEK	OPEN	3/7/2016	2014	36.454967	-82.630583	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.4
820B4190001	SULLIVAN	0B419	2.98	WALKER FORT CREEK	OPEN	4/5/2016	2015	36.4529	-82.66895	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	97
820B5610001	SULLIVAN	0B561	0.337	MAD BRANCH	OPEN	3/30/2016	1965	36.534617	-82.531583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
820B5620001	SULLIVAN	0B562	0.506	MAD BRANCH	OPEN	3/30/2016	1965	36.536517	-82.53685	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
820B5700001	SULLIVAN	0B570	0.847	MAD BRANCH	OPEN	3/30/2016	1968	36.535867	-82.53355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
820B5760001	SULLIVAN	0B576	0.345	MAD BRANCH	OPEN	3/30/2016	1965	36.54755	-82.539217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
820B6760001	SULLIVAN	0B676	0.746	MAD BRANCH	OPEN	3/30/2016	1969	36.538033	-82.548817	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.3
82SR1370035	SULLIVAN	0B906	0.6	SR 137	OPEN	5/2/2017	1983	36.586183	-82.577867	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.9
820C1380001	SULLIVAN	0C138	0.686	CLARK BRANCH	OPEN	2/10/2016	1960	36.565867	-82.491917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
820C2140001	SULLIVAN	0C214	0.268	REEDY CREEK	OPEN	2/10/2016	1984	36.56195	-82.459617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
820C4240001	SULLIVAN	0C424	1.08	FALL CREEK	OPEN	3/28/2016	1987	36.539067	-82.438217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
820C4420001	SULLIVAN	0C442	0.162	FALL CREEK	OPEN	3/23/2016	2005	36.094417	-82.398067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
820C4730001	SULLIVAN	0C473	0.028	REEDY CREEK	WEIGHT POSTED	2/10/2016	1940	36.575533	-82.3535	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
820C5030001	SULLIVAN	0C503	0.027	REEDY CREEK	OPEN	2/10/2016	1972	36.581867	-82.318767	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99
820C5110001	SULLIVAN	0C511	1.41	REEDY CREEK	OPEN	2/10/2016	1997	36.570483	-82.3896	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	100
820C5180001	SULLIVAN	0C518	0.008	REEDY CREEK	OPEN	2/10/2016	1976	36.574567	-82.366433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	86.7
820C5190001	SULLIVAN	0C519	0.123	BRANCH	OPEN	2/10/2016	1915	36.577783	-82.362583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.5
820C5200001	SULLIVAN	0C520	0.15	COLD SPRINGS BRANCH	OPEN	2/10/2016	1985	36.575383	-82.38205	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.9
820C5600003	SULLIVAN	0C520	0.222	COLD SPRINGS BRANCH	OPEN	2/10/2016	1985	36.57585	-82.381983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.9
820C5200005	SULLIVAN	0C520	0.759	COLD SPRINGS BRANCH	OPEN	2/10/2016	1984	36.582883	-82.382783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.9
820C5310001	SULLIVAN	0C531	0.516	BOOZY CREEK	OPEN	2/10/2016	1956	36.584367	-82.413783	CONCRETE	SLAB	68.7
820C5340001	SULLIVAN	0C534	0.011	REEDY CREEK	WEIGHT POSTED	2/10/2016	1965	36.5725	-82.40925	CONCRETE	CHANNEL BEAM	24.7
820C5390001	SULLIVAN	0C539	0	SO. FK. HOLSTON RIVER	OPEN	3/14/2016	1985	36.4867	-82.194517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68.8
820C5610001	SULLIVAN	0C561	0.04	HORSE CREEK	OPEN	3/28/2016	1975	36.455067	-82.6302	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.5
820C7650001	SULLIVAN	0C765	0.01	INDIAN CREEK	OPEN	3/22/2016	1989	36.425367	-82.257617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
820C8110001	SULLIVAN	0C811	0.026	INDIAN CREEK	OPEN	3/22/2016	1989	36.42115	-82.235683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
820C8310001	SULLIVAN	0C831	0.009	BRANCH	OPEN	2/17/2016	1990	36.589467	-82.213833	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	91.5
820C8350001	SULLIVAN	0C835	0.04	MUDDY CREEK	WEIGHT POSTED	3/8/2016	1989	36.479417	-82.36515	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.2
820C4440001	SULLIVAN	0C840	0.833	FALL CREEK	OPEN	3/23/2016	1989	36.533283	-82.446667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.2
820C9010001	SULLIVAN	0C901	0.027	REEDY CREEK	OPEN	2/10/2016	1997	36.570583	-82.441867	PRESTRESSED CONCRETE	CHANNEL BEAM	74.9
820D3100001	SULLIVAN	0D310	0.674	BRANCH	OPEN	3/14/2016	2006	36.477231	-82.391897	CONCRETE	FRAME (EXCEPT FRAME CULVERTS)	93.7
82I00260035	SULLIVAN	I0026	0	SR 1	OPEN	9/1/2016	1981	36.555	-82.581667	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
82I00260036	SULLIVAN	I0026	0	SR 1	OPEN	9/1/2016	1983	36.555	-82.581667	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
82I00260033	SULLIVAN	I0026	0.23	HOLSTON RI.&CITY STREETS	OPEN	9/19/2016	1981	36.545	-82.581667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82I00260034	SULLIVAN	I0026	0.23	HOLSTON RI.&CITY STREETS	OPEN	9/19/2016	1981	36.545	-82.581667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.9
82I00260031	SULLIVAN	I0026	0.82	PLANT RAILROAD	OPEN	9/1/2016	1981	36.543333	-82.581667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.6
82I00260032	SULLIVAN	I0026	0.82	PLANT RAILROAD	OPEN	9/1/2016	1981	36.543333	-82.581667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.6
82I00260030	SULLIVAN	I0026	0.94	CSX RAILROAD	OPEN	9/1/2016	1981	36.541667	-82.581667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.6
82I00260029	SULLIVAN	I0026	0.94	CSX RAILROAD	OPEN	9/1/2016	1981	36.541667	-82.581667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.8
82I00260028	SULLIVAN	I0026	3.49	FAU 1360	OPEN	9/6/2016	1981	36.506667	-82.57	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.9
82I00260027	SULLIVAN	I0026	3.49	FAU 1360	OPEN	9/6/2016	1981	36.506667	-82.57	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.8
82I00260026	SULLIVAN	I0026	4.01	SR 93	OPEN	9/6/2016	1981	36.5	-82.563333	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
82I00260025	SULLIVAN	I0026	4.01	SR 93	OPEN	9/6/2016	1981	36.5	-82.563333	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
82I00260023	SULLIVAN	I0026	4.07	BRANCH	OPEN	9/1/2016	1981	36.5	-82.563333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
82I00260022	SULLIVAN	I0026	4.12	SR 93 RAMP D	OPEN	9/6/2016	1981	36.498333	-82.563333	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	94
82I00260021	SULLIVAN	I0026	4.12	SR 93 RAMP D	OPEN	9/6/2016	1981	36.498333	-82.563333	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	94
82I00260020	SULLIVAN	I0026	4.25	HORSE CREEK	OPEN	9/6/2016	1981	36.496667	-82.561667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
82I00260019	SULLIVAN	I0026	4.25	HORSE CREEK	OPEN	9/6/2016	1981	36.496667	-82.561667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.4
82I00260017	SULLIVAN	I0026	6.31	SR 347	OPEN	9/6/2016	1968	36.473333	-82.543333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.7
82I00260018	SULLIVAN	I0026	6.31	I-26 LL / FAU 3894	OPEN	9/6/2016	1968	36.473333	-82.543333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.2
82I00260015	SULLIVAN	I0026	6.37	BRANCH	OPEN	9/1/2016	1969	36.473333	-82.541667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
82I00260009	SULLIVAN	I0026	8.32	BRANCH	OPEN	9/1/2016	1971	36.455	-82.523333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
82I00260001	SULLIVAN	I0026	8.46	I81	OPEN	9/7/2016	1970	36.454367	-82.5233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	89

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82I00260002	SULLIVAN	I0026	8.46	I81	OPEN	9/7/2016	1970	36.454483	-82.523083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92
82I00260004	SULLIVAN	I0026	8.93	NFA 2640	OPEN	9/7/2016	1969	36.446667	-82.52	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.7
82I00260003	SULLIVAN	I0026	8.93	NFA 2640	OPEN	9/7/2016	1969	36.446667	-82.52	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.4
82I00810001	SULLIVAN	I0081	0.65	NFA B352	OPEN	9/8/2016	1968	36.433333	-82.563333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.1
82I00810002	SULLIVAN	I0081	0.65	NFA B352	OPEN	9/8/2016	1968	36.433333	-82.563333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92
82I00810003	SULLIVAN	I0081	2.38	NFA 2068	OPEN	9/8/2016	1969	36.445	-82.536667	CONCRETE CONTINUOUS	TEE BEAM	85.7
82I00810004	SULLIVAN	I0081	2.38	NFA 2068	OPEN	9/8/2016	1969	36.445	-82.536667	CONCRETE CONTINUOUS	TEE BEAM	85.7
82I00810005	SULLIVAN	I0081	3.03	BRANCH	OPEN	9/1/2016	1973	36.45	-82.526667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
82I00810012	SULLIVAN	I0081	5.03	FAU 4429	OPEN	9/8/2016	1973	36.468333	-82.498333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.3
82I00810011	SULLIVAN	I0081	5.03	FAU 4429	OPEN	9/8/2016	1973	36.468333	-82.498333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.3
82I00810013	SULLIVAN	I0081	5.41	CSX RAILROAD	OPEN	9/8/2016	1973	36.471667	-82.493333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86
82I00810014	SULLIVAN	I0081	5.41	CSX RAILROAD	OPEN	9/8/2016	1973	36.471667	-82.493333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86
82I00810015	SULLIVAN	I0081	5.65	SR 36	OPEN	9/8/2016	1973	36.473333	-82.491667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	77.2
82I00810016	SULLIVAN	I0081	5.65	SR 36	OPEN	9/8/2016	1973	36.473333	-82.491667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87
82I00810017	SULLIVAN	I0081	6.53	SOUTH FORK HOLSTON RIVER	OPEN	9/19/2016	1973	36.481667	-82.478333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
82I00810018	SULLIVAN	I0081	6.54	SOUTH FORK HOLSTON RIVER	OPEN	9/19/2016	1973	36.481667	-82.478333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
82I00810019	SULLIVAN	I0081	7.98	NFA A257	OPEN	9/12/2016	1973	36.495	-82.458333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.1
82I00810020	SULLIVAN	I0081	7.98	NFA A257	OPEN	9/12/2016	1973	36.495	-82.458333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.9
82I00810023	SULLIVAN	I0081	10.16	NFA A009	OPEN	9/12/2016	1973	36.508333	-82.421667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
82I00810024	SULLIVAN	I0081	10.16	NFA A009	OPEN	9/12/2016	1973	36.508333	-82.421667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82I00810026	SULLIVAN	I0081	12.39	NFA 2670	OPEN	9/12/2016	1973	36.528333	-82.391667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
82I00810025	SULLIVAN	I0081	12.39	NFA 2670	OPEN	9/12/2016	1973	36.528333	-82.391667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.2
82I00810028	SULLIVAN	I0081	12.71	SR 126	OPEN	9/12/2016	1973	36.531667	-82.388333	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97
82I00810027	SULLIVAN	I0081	12.71	SR 126	OPEN	9/12/2016	1973	36.531667	-82.388333	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
82I00810029	SULLIVAN	I0081	14.2	NFA 2601	OPEN	9/12/2016	1973	36.536667	-82.363333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
82I00810030	SULLIVAN	I0081	14.2	NFA 2601	OPEN	9/12/2016	1973	36.536667	-82.363333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
82I00810032	SULLIVAN	I0081	14.98	NFA A140	OPEN	9/13/2016	1973	36.538333	-82.348333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.6
82I00810031	SULLIVAN	I0081	14.98	NFA A140	OPEN	9/13/2016	1973	36.538333	-82.348333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
82I00810034	SULLIVAN	I0081	15.77	SR 37	OPEN	9/13/2016	1973	36.541667	-82.336667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
82I00810033	SULLIVAN	I0081	15.77	SR 37	OPEN	9/13/2016	1973	36.541667	-82.336667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
82I00810035	SULLIVAN	I0081	17.76	NFA 2603	OPEN	9/14/2016	1973	36.56	-82.311667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.7
82I00810036	SULLIVAN	I0081	17.76	NFA 2603	OPEN	9/14/2016	1973	36.56	-82.311667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
82I00810037	SULLIVAN	I0081	20.6	04519	OPEN	9/15/2016	1973	36.581667	-82.266667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
82I00810038	SULLIVAN	I0081	20.6	NFA A518	OPEN	9/15/2016	1973	36.581667	-82.266667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
82SR0010003	SULLIVAN	SR001	2.63	SR 36 & A BRANCH	OPEN	2/27/2017	1959	36.559217	-82.568333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92
82SR0010005	SULLIVAN	SR001	3.41	REACH BRANCH	OPEN	2/27/2017	1954	36.559133	-82.55505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7
82SR0010007	SULLIVAN	SR001	4.26	BRANCH	OPEN	2/27/2017	1954	36.55715	-82.539283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.2
82SR0010009	SULLIVAN	SR001	5.22	BRANCH	OPEN	2/28/2017	1954	36.549967	-82.524917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
82SR0010013	SULLIVAN	SR001	6.94	LESLIE BRANCH	OPEN	2/28/2017	1953	36.548567	-82.496433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82SR0010015	SULLIVAN	SR001	7.37	BRANCH	OPEN	2/28/2017	1953	36.551517	-82.489533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
82SR0010017	SULLIVAN	SR001	8.21	BRANCH	OPEN	3/1/2017	1953	36.558983	-82.47775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
82SR0010019	SULLIVAN	SR001	8.55	GAINES BRANCH	OPEN	3/1/2017	1953	36.555183	-82.473333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
82SR0010021	SULLIVAN	SR001	9.73	OVERFLOW	OPEN	3/1/2017	1959	36.565983	-82.452	CONCRETE	TEE BEAM	76.1
82SR0010022	SULLIVAN	SR001	9.73	OVERFLOW	OPEN	3/1/2017	1959	36.566117	-82.452183	CONCRETE	TEE BEAM	63.7
82SR0010023	SULLIVAN	SR001	9.77	REEDY CREEK	OPEN	3/1/2017	1959	36.566217	-82.451383	CONCRETE	TEE BEAM	76.1
82SR0010024	SULLIVAN	SR001	9.77	REEDY CREEK	OPEN	3/1/2017	1959	36.566383	-82.451333	CONCRETE	TEE BEAM	73
82SR0010026	SULLIVAN	SR001	10.76	REEDY CREEK	OPEN	4/12/2017	1959	36.572617	-82.4354	CONCRETE	TEE BEAM	76.1
82SR0010025	SULLIVAN	SR001	10.76	REEDY CREEK	OPEN	4/12/2017	1959	36.572517	-82.435433	CONCRETE	TEE BEAM	76.1
82SR0010027	SULLIVAN	SR001	10.81	OVERFLOW	OPEN	4/18/2017	1959	36.5728	-82.4344	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
82SR0010029	SULLIVAN	SR001	12.09	BOOZEY CREEK	OPEN	4/18/2017	1959	36.573617	-82.412117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.1
82SR0010031	SULLIVAN	SR001	14.93	REEDY CREEK	OPEN	4/18/2017	1959	36.57605	-82.365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
82SR0010033	SULLIVAN	SR001	15.12	REEDY CREEK	OPEN	4/18/2017	1959	36.576717	-82.359767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7
82SR0010035	SULLIVAN	SR001	16.51	BRANCH (REEDY CREEK)	OPEN	4/18/2017	1959	36.2	-82.336667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	50.2
82SR0010041	SULLIVAN	SR001	20.3	BACK CREEK	OPEN	4/18/2017	1960	36.590017	-82.272517	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	50.2
82I00810039	SULLIVAN	SR001	21.1	I81	OPEN	9/15/2016	1960	36.588792	-82.258911	CONCRETE CONTINUOUS	TEE BEAM	74.5
82I00810040	SULLIVAN	SR001	21.1	I81	OPEN	9/15/2016	1960	36.588792	-82.258911	CONCRETE CONTINUOUS	TEE BEAM	73.5
82SR0010037	SULLIVAN	SR001	22.93	STEEL CREEK	OPEN	4/18/2017	1959	36.2	-82.23	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
82SR0010039	SULLIVAN	SR001	25.14	LITTLE CREEK	OPEN	4/19/2017	2000	36.595333	-82.18975	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.6
82SR0340017	SULLIVAN	SR001	25.29	LITTLE CREEK	OPEN	4/19/2017	1963	36.2	-82.188333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.9
82SR0340035	SULLIVAN	SR034	5.25	SR037	OPEN	5/9/2017	2016	36.455986	-82.285906	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
82SR0340036	SULLIVAN	SR034	5.25	SR037	OPEN	5/9/2017	2016	36.456017	-82.286211	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
82SR0340002	SULLIVAN	SR034	5.96	HOLSTON RIVER & CO. RD.	OPEN	3/9/2017	1977	36.46905	-82.2844	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82SR0340001	SULLIVAN	SR034	5.96	HOLSTON RIVER & CO. RD.	OPEN	3/9/2017	1977	36.466717	-82.284183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
82SR0340028	SULLIVAN	SR034	8.86	SR 394	OPEN	4/10/2017	1977	36.2	-82.263333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
82SR0340027	SULLIVAN	SR034	8.86	SR 394	OPEN	4/10/2017	1977	36.2	-82.263333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
82SR0340003	SULLIVAN	SR034	9.37	BEAVER CREEK	OPEN	4/20/2017	1963	36.511233	-82.26315	CONCRETE	TEE BEAM	95.5
82SR0340005	SULLIVAN	SR034	9.89	BACK CREEK	OPEN	4/20/2017	1963	36.518483	-82.260333	CONCRETE	TEE BEAM	95.5
82SR0340008	SULLIVAN	SR034	11.5	BEAVER CREEK	OPEN	4/20/2017	1929	36.535283	-82.24125	CONCRETE	TEE BEAM	66.6
82SR0340007	SULLIVAN	SR034	11.5	BEAVER CREEK	OPEN	4/20/2017	1966	36.535217	-82.243333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.4
82SR0340009	SULLIVAN	SR034	12.05	BEAVER CREEK	OPEN	4/20/2017	1930	36.540733	-82.235	CONCRETE	TEE BEAM	65.7
82SR0340010	SULLIVAN	SR034	12.05	BEAVER CREEK	OPEN	4/20/2017	1966	36.541	-82.235	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.4
82SR0340011	SULLIVAN	SR034	12.58	BEAVER CREEK	OPEN	4/24/2017	1966	36.546483	-82.228333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.4
82SR0340012	SULLIVAN	SR034	12.58	BEAVER CREEK	OPEN	4/24/2017	1998	36.5468	-82.228333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.8
82SR0340013	SULLIVAN	SR034	13.53	NFA 1378 RAMP	OPEN	3/6/2017	1963	36.556633	-82.216667	CONCRETE CONTINUOUS	TEE BEAM	48.9
82SR0340016	SULLIVAN	SR034	15.43	BEAVER CREEK	OPEN	4/24/2017	1963	36.57475	-82.191667	CONCRETE	TEE BEAM	77.8
82SR0340015	SULLIVAN	SR034	15.43	BEAVER CREEK	OPEN	4/24/2017	1963	36.574567	-82.191667	CONCRETE	TEE BEAM	77.8
82K39130001	SULLIVAN	SR034	16.83	LITTLE CREEK	OPEN	4/24/2017	1980	36.2	-82.188333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
82K39130003	SULLIVAN	SR034	16.84	BEAVER CREEK	OPEN	4/24/2017	1980	36.2	-82.188333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
82SR0340033	SULLIVAN	SR034	17.27	BEECHAM,2ND,3RD & RR	OPEN	3/16/2017	2008	36.592167	-82.1865	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.7
82SR0340029	SULLIVAN	SR034	22.11	PAPERVILLE CREEK	OPEN	4/24/2017	1985	36.2	-82.13	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
82SR0340023	SULLIVAN	SR034	26.79	THOMAS CREEK	OPEN	4/24/2017	1949	36.2	-82.06	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
82SR0340025	SULLIVAN	SR034	27.76	SOUTH HOLSTON RIVER	OPEN	3/13/2017	1949	36.565833	-82.046	STEEL CONTINUOUS	TRUSS - THRU	69.5
82SR0360001	SULLIVAN	SR036	1.34	SINKING CREEK	OPEN	5/3/2017	1930	36.459133	-82.47	CONCRETE	TEE BEAM	62.8
82SR0360003	SULLIVAN	SR036	3.25	CSX RAILROAD	OPEN	5/3/2017	1975	36.4791	-82.494067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
82SR0360004	SULLIVAN	SR036	3.25	CSX RAILROAD	OPEN	5/3/2017	1930	36.479017	-82.494417	CONCRETE	TEE BEAM	57.4
82SR0360005	SULLIVAN	SR036	4.45	CSX RAILROAD	OPEN	5/3/2017	1930	36.492	-82.506167	CONCRETE	TEE BEAM	60.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82SR0360007	SULLIVAN	SR036	5.02	SOUTH HOLSTON RIVER	OPEN	3/8/2017	1969	36.498367	-82.513233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.8
82SR0360008	SULLIVAN	SR036	5.03	SOUTH HOLSTON RIVER	OPEN	3/8/2017	1930	36.497983	-82.512633	CONCRETE	ARCH - DECK	53.7
82SR0360013	SULLIVAN	SR036	10.48	REEDY CREEK	OPEN	5/3/2017	1939	36.552633	-82.569017	CONCRETE	TEE BEAM	60.9
82SR0360015	SULLIVAN	SR036	10.99	TRANBARGER HOLLOW BRANCH	OPEN	5/3/2017	1954	36.59215	-82.567917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.6
82SR0360019	SULLIVAN	SR036	11.09	KINSER BRANCH	OPEN	5/3/2017	1959	36.560317	-82.568517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
82SR0370017	SULLIVAN	SR037	0	INDIAN CREEK	OPEN	4/24/2017	1988	36.41965	-82.250967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.2
82SR0370021	SULLIVAN	SR037	1.73	INDIAN CREEK	OPEN	4/24/2017	1989	36.2	-82.263333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59
82SR0370020	SULLIVAN	SR037	2.26	NORFOLK / SOU RWY	OPEN	4/10/2017	1989	36.2	-82.273333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74
82SR0370019	SULLIVAN	SR037	2.26	NORFOLK / SOU RWY	OPEN	4/10/2017	1989	36.2	-82.273333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74
82S25130001	SULLIVAN	SR044	2.76	INDIAN CREEK	OPEN	2/6/2017	1950	36.471967	-82.251717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
82F00330001	SULLIVAN	SR044	4.61	BRANCH	OPEN	2/6/2017	1977	36.4634	-82.225183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	51
82S25140005	SULLIVAN	SR044	4.93	DRY CREEK	OPEN	2/7/2017	1955	36.46565	-82.220533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
82007470021	SULLIVAN	SR044	6.27	CAYLESS CREEK	OPEN	2/7/2017	1950	36.477483	-82.206567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.6
82S23730007	SULLIVAN	SR044	7.47	POSSUM CREEK	OPEN	2/7/2017	1989	36.480067	-82.187733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
82S23730009	SULLIVAN	SR044	7.52	BRANCH	OPEN	2/7/2017	1950	36.48035	-82.186883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
82S23730011	SULLIVAN	SR044	9.49	BRANCH	OPEN	2/7/2017	1950	36.490367	-82.156533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
82S23730013	SULLIVAN	SR044	9.78	HATCHER CREEK	OPEN	2/13/2017	1990	36.49165	-82.151683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
82S23730015	SULLIVAN	SR044	10.61	MORRELL CREEK	OPEN	2/13/2017	1950	36.50075	-82.141867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
82S23730019	SULLIVAN	SR044	10.85	SOUTH FORK HOLSTON RIVER	OPEN	3/13/2017	1950	36.5153	-82.153333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.7
82SR0440003	SULLIVAN	SR044	11.08	BRANCH	OPEN	2/14/2017	1989	36.505583	-82.135833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82SR0440001	SULLIVAN	SR044	14.82	THOMAS CREEK	OPEN	2/14/2017	1928	36.572517	-82.064067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	71.3
82SR0750001	SULLIVAN	SR075	0.2	SOUTH HOLSTON RIVER	OPEN	3/9/2017	2011	36.447433	-82.443583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
82SR0750003	SULLIVAN	SR075	4.88	BOWMAN BRANCH	OPEN	4/5/2017	1938	36.500517	-82.398917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.7
82SR0750005	SULLIVAN	SR075	6.62	BOOHER CREEK	OPEN	4/5/2017	2007	36.514083	-82.374233	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.1
82SR0750007	SULLIVAN	SR075	7.88	ROBINSON CREEK	OPEN	4/5/2017	2007	36.5199	-82.35305	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.8
82SR0930001	SULLIVAN	SR093	0.33	HORSE CREEK	OPEN	2/1/2017	1990	36.437467	-82.625	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.3
82SR0930003	SULLIVAN	SR093	1.39	HORSE CREEK	OPEN	2/1/2017	1985	36.449033	-82.612617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.9
82SR0930005	SULLIVAN	SR093	2.98	HORSE CREEK	OPEN	2/1/2017	1985	36.468533	-82.599967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.8
82SR0930043	SULLIVAN	SR093	3.335	BEAR CREEK	OPEN	2/1/2017	2001	36.47285	-82.596833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.8
82SR0930039	SULLIVAN	SR093	3.87	HORSE CREEK	OPEN	2/2/2017	1998	36.4765	-82.589133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
82SR0930041	SULLIVAN	SR093	4.21	HORSE CREEK	OPEN	2/2/2017	1998	36.4795	-82.5842	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
82SR0930009	SULLIVAN	SR093	5.89	LITTLE HORSE CREEK	OPEN	2/2/2017	1981	36.49825	-82.566467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
82SR0930037	SULLIVAN	SR093	6.06	LITTLE HORSE CREEK	OPEN	2/2/2017	1981	36.49975	-82.56535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.5
82SR0930011	SULLIVAN	SR093	6.21	HORSE CREEK	OPEN	2/6/2017	1965	36.5022	-82.563717	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.8
82SR0930029	SULLIVAN	SR093	6.28	HORSE CREEK	OPEN	2/27/2017	1981	36.501483	-82.563067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.2
82SR0930031	SULLIVAN	SR093	6.34	HORSE CREEK	OPEN	2/27/2017	1981	36.498533	-82.562433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
82SR0930014	SULLIVAN	SR093	7.23	FAU 3903	OPEN	2/6/2017	1963	36.507883	-82.54685	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.7
82SR0930013	SULLIVAN	SR093	7.23	FAU 3903	OPEN	2/6/2017	1963	36.507783	-82.547033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
82SR0930015	SULLIVAN	SR093	7.83	HOLSTON RIVER	OPEN	3/8/2017	1963	36.511267	-82.537167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.7
82SR0930017	SULLIVAN	SR093	8.44	CSX RAILROAD	OPEN	2/8/2017	1963	36.516917	-82.529167	CONCRETE CONTINUOUS	TEE BEAM	69.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82SR0930018	SULLIVAN	SR093	8.44	CSX RAILROAD	OPEN	2/8/2017	1963	36.516917	-82.529167	CONCRETE CONTINUOUS	TEE BEAM	62.7
82SR0360010	SULLIVAN	SR093	9.02	SR 36	OPEN	2/8/2017	1963	36.517833	-82.519067	CONCRETE CONTINUOUS	TEE BEAM	68.5
82SR0360009	SULLIVAN	SR093	9.02	SR 36	OPEN	2/8/2017	1963	36.51765	-82.519133	CONCRETE CONTINUOUS	TEE BEAM	65.5
82SR0930019	SULLIVAN	SR093	9.65	NFA C276	OPEN	2/9/2017	1965	36.523617	-82.510733	CONCRETE CONTINUOUS	TEE BEAM	46.5
82SR0930020	SULLIVAN	SR093	9.65	SHIPLEY ROAD (C276)	OPEN	2/9/2017	1965	36.523617	-82.510733	CONCRETE CONTINUOUS	TEE BEAM	46.5
82SR0930022	SULLIVAN	SR093	10.22	SR 126	OPEN	2/9/2017	1965	36.529667	-82.503667	CONCRETE CONTINUOUS	TEE BEAM	60.2
82SR0930021	SULLIVAN	SR093	10.22	SR 126	OPEN	2/9/2017	1965	36.530183	-82.50455	CONCRETE CONTINUOUS	TEE BEAM	69.2
82SR0930026	SULLIVAN	SR093	10.99	REEDY CREEK	OPEN	2/23/2017	1965	36.5404	-82.506583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.4
82SR0930025	SULLIVAN	SR093	10.99	REEDY CREEK	OPEN	2/23/2017	1965	36.540467	-82.506283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.8
82SR0010012	SULLIVAN	SR093	11.31	SR 1	OPEN	2/23/2017	1965	36.54475	-82.50895	CONCRETE CONTINUOUS	TEE BEAM	81.9
82SR0010011	SULLIVAN	SR093	11.31	SR 1	OPEN	2/23/2017	1965	36.54465	-82.508733	CONCRETE CONTINUOUS	TEE BEAM	82.9
82SR0935001	SULLIVAN	SR126	1.61	SLUICE OF S. HOLSTON RV	OPEN	4/25/2017	1986	36.52515	-82.642083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.8
82SR0935003	SULLIVAN	SR126	1.9	SOUTH HOLSTON RIVER	OPEN	3/8/2017	1986	36.2	-82.555	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.7
82SR0935005	SULLIVAN	SR126	2.52	BRANCH	OPEN	4/27/2017	1944	36.2	-82.55	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.5
82SR0935009	SULLIVAN	SR126	2.78	BRANCH	OPEN	4/26/2017	1949	36.2	-82.546667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
82SR1260001	SULLIVAN	SR126	9.02	SOUGAN BRANCH	OPEN	4/26/2017	1948	36.544633	-82.4326	CONCRETE	TEE BEAM	65.2
82SR1260003	SULLIVAN	SR126	13.88	ROBINSON CREEK	OPEN	4/26/2017	1948	36.534817	-82.358483	CONCRETE	TEE BEAM	63.2
82SR1260009	SULLIVAN	SR126	15.97	MUDDY CREEK	OPEN	4/27/2017	1930	36.532533	-82.3286	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.1
82SR1260005	SULLIVAN	SR126	17.54	EVANS CREEK	OPEN	4/27/2017	1948	36.543017	-82.303733	CONCRETE	TEE BEAM	82.7
82SR1260007	SULLIVAN	SR126	19.63	AKARD CREEK	OPEN	4/27/2017	1948	36.560233	-82.273117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.9
82SR1260015	SULLIVAN	SR126	20.38	SENEKER CREEK	OPEN	5/1/2017	1948	36.567017	-82.262783	CONCRETE	TEE BEAM	75.2
82SR1260011	SULLIVAN	SR126	20.82	BACK CREEK	OPEN	5/1/2017	1948	36.57015	-82.256233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.2
82SR1260013	SULLIVAN	SR126	22.26	STEELE CREEK	OPEN	5/1/2017	1975	36.581333	-82.2347	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.7
82SR1370029	SULLIVAN	SR137	0.85	NFA B833	OPEN	5/2/2017	1984	36.568567	-82.584517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
82SR1370030	SULLIVAN	SR137	0.85	NFA B833	OPEN	5/2/2017	1984	36.2	-82.588333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82SR1370033	SULLIVAN	SR137	2.04	NFA B903	OPEN	5/2/2017	1983	36.584317	-82.581083	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
82SR1370034	SULLIVAN	SR137	2.04	NFA B903	OPEN	5/2/2017	1983	36.58435	-82.581017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.7
82SR0360017	SULLIVAN	SR137	2.71	SR 36	OPEN	5/2/2017	1984	36.590267	-82.571733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
82SR1370037	SULLIVAN	SR137	2.76	SR 346	OPEN	5/2/2017	1984	36.5926	-82.57265	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65
82SR1370039	SULLIVAN	SR137	2.81	NFA C832	OPEN	5/2/2017	1984	36.5921	-82.570917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
82S24630001	SULLIVAN	SR347	0.9	BLAIRS GAP BRANCH	OPEN	4/25/2017	1985	36.450167	-82.67935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
82026540001	SULLIVAN	SR347	3.98	WALKER FORK CREEK	OPEN	4/25/2017	1935	36.46885	-82.636883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.8
82026540003	SULLIVAN	SR347	4.08	WALKER FORK CREEK	OPEN	4/25/2017	1935	36.468717	-82.634683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	73.8
82S24540001	SULLIVAN	SR347	6.53	HORSE CREEK	OPEN	4/25/2017	1990	36.470617	-82.598083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.5
82S24540005	SULLIVAN	SR347	6.85	MILL CREEK	OPEN	4/25/2017	1950	36.468617	-82.593	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
82SR0932003	SULLIVAN	SR355	1.91	REEDY CREEK	OPEN	5/3/2017	1955	36.550833	-82.5765	CONCRETE	TEE BEAM	50.1
82SR0750009	SULLIVAN	SR357	0	SR 75	OPEN	5/8/2017	1979	36.4813	-82.410833	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	70.1
82SR3570003	SULLIVAN	SR357	1.46	CENTENARY RD (A251)	OPEN	5/8/2017	1975	36.493817	-82.428783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.5
82SR3570004	SULLIVAN	SR357	1.46	CENTENARY RD (A251)	OPEN	5/8/2017	1975	36.493717	-82.428983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.5
82SR3570002	SULLIVAN	SR357	1.985	SHIPLEY FERRY RD.(A009)	OPEN	5/8/2017	1975	36.500933	-82.43135	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
82SR3570001	SULLIVAN	SR357	1.985	SHIPLEY FERRY RD.(A009)	OPEN	5/8/2017	1975	36.501117	-82.431217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
82I00810021	SULLIVAN	SR357	2.42	I81	OPEN	9/12/2016	1976	36.506667	-82.431667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.1
82I00810022	SULLIVAN	SR357	2.42	I81	OPEN	9/12/2016	1976	36.506667	-82.431667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	85.9
82S23730001	SULLIVAN	SR358	0.32	BRANCH	OPEN	4/5/2017	1975	36.480417	-82.20445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
82S23730005	SULLIVAN	SR358	0.81	S.FK.HOLSTON R.& CITY ST	OPEN	3/13/2017	1975	36.484883	-82.200267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
82SR3580003	SULLIVAN	SR358	9.4	BEAVER CREEK	OPEN	4/5/2017	1984	36.58375	-82.185083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
82SR0370015	SULLIVAN	SR390	0.32	HOLSTON RIVER	OPEN	3/9/2017	1998	36.476517	-82.26345	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.9
82SR3940013	SULLIVAN	SR394	0.06	REEDY CREEK	OPEN	4/11/2017	1960	36.575933	-82.353983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	83.4
82SR3940015	SULLIVAN	SR394	3.59	REEDY CREEK	OPEN	4/11/2017	1999	36.533333	-82.327383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59
82SR0370011	SULLIVAN	SR394	7.67	BEAVER CREEK	OPEN	4/11/2017	1970	36.507733	-82.272167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.9
82SR3940001	SULLIVAN	SR394	9.25	WHITETOP CREEK	OPEN	4/24/2017	1995	36.5114	-82.247983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
82SR3940007	SULLIVAN	SR394	11.62	RAMP OVER BRANCH	OPEN	4/20/2017	1995	36.52665	-82.2116	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
82SR3940003	SULLIVAN	SR394	11.65	BRANCH	OPEN	4/20/2017	1996	36.527533	-82.211017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
82SR3940010	SULLIVAN	SR394	11.69	NFA 1378 & SOUTHERN RWY	OPEN	4/5/2017	1992	36.527517	-82.20945	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.2
82SR3940009	SULLIVAN	SR394	11.69	NFA 1378 & SOUTHERN RWY	OPEN	4/5/2017	1992	36.52735	-82.2096	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.3
82SR3940011	SULLIVAN	SR394	14.16	SR 358	OPEN	3/16/2017	1991	36.54295	-82.17235	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
82SR3940012	SULLIVAN	SR394	14.16	SR 358	OPEN	3/16/2017	1991	36.543067	-82.17225	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
82SR0340021	SULLIVAN	SR435	2.01	PAPERVILLE CREEK	OPEN	4/20/2017	1994	36.54695	-82.130333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
83E00120001	SUMNER	00861	1.42	MADISON CREEK	OPEN	1/12/2017	1965	36.322717	-86.6782	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.1
83E00270001	SUMNER	00862	1.62	BRANCH	OPEN	11/2/2016	1930	36.58245	-86.2611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.5
83E00270003	SUMNER	00862	1.97	BRANCH	OPEN	11/2/2016	1930	36.58715	-86.263083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5
83E00270005	SUMNER	00862	2.46	BRANCH	OPEN	11/2/2016	1930	36.592883	-86.26825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.5
83E00270007	SUMNER	00862	2.71	LITTLE TRAMMEL CREEK	OPEN	11/2/2016	1930	36.596383	-86.26835	CONCRETE	TEE BEAM	60.5
83E00270009	SUMNER	00862	3.34	BRANCH	OPEN	11/2/2016	1930	36.605317	-86.2677	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83F00350001	SUMNER	01073	3.63	BRANCH	OPEN	11/15/2016	1915	36.445017	-86.314067	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.6
83F00350003	SUMNER	01073	4.54	BRANCH	OPEN	11/15/2016	1915	36.4575	-86.318083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
83F00350007	SUMNER	01073	5.48	BRANCH	OPEN	11/10/2016	1982	36.470517	-86.313983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
83F00350009	SUMNER	01073	5.93	BLED SOE CREEK	OPEN	11/10/2016	1963	36.476783	-86.32995	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	73.4
83F00350013	SUMNER	01073	6.72	BRUSHY FORK CREEK	OPEN	11/10/2016	1985	36.485367	-86.310367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.7
83F00360015	SUMNER	01073	8.32	BRUSHY FORK CREEK	OPEN	11/10/2016	1982	36.50155	-86.328083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
83SR0520021	SUMNER	01152	0.8	BRANCH	OPEN	11/4/2016	1994	36.565033	-86.267433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
83SR0520023	SUMNER	01152	3.42	BRANCH	OPEN	11/3/2016	1918	36.5539	-86.224433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.1
83020410001	SUMNER	02041	3.78	STATION CAMP CREEK	OPEN	1/18/2017	2011	36.346717	-86.524817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.4
83SR3860035	SUMNER	02041	4.72	BIG S. CAMP BLV / SR 386	OPEN	9/26/2016	2006	36.332467	-86.5935	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.4
83020440001	SUMNER	02044	0.01	DRAKES CREEK	OPEN	1/5/2017	1965	36.389183	-86.623667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
83020150001	SUMNER	02045	0.94	BRANCH	OPEN	11/16/2016	2011	36.460267	-86.361	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.8
83020150003	SUMNER	02045	1.41	BRANCH	OPEN	11/16/2016	1960	36.465967	-86.364717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.8
83020150005	SUMNER	02045	2.15	DRY FORK CREEK	OPEN	11/16/2016	1965	36.476067	-86.369617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
83020150007	SUMNER	02045	2.74	PRYOR BRANCH	OPEN	11/17/2016	1970	36.484083	-86.369	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
83020150009	SUMNER	02045	3.51	BRANCH	OPEN	11/17/2016	1987	36.49495	-86.3683	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.7
83020150011	SUMNER	02045	4.06	BRANCH	OPEN	11/17/2016	1950	36.501667	-86.3727	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.1
83020150013	SUMNER	02045	7.35	WEST PRONG BRANCH	OPEN	11/1/2016	1983	36.54115	-86.391117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
83S62870005	SUMNER	02045	8.05	BRANCH	OPEN	11/1/2016	1960	36.548433	-86.397933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83020460001	SUMNER	02046	0.17	BRINKLEY BRANCH	OPEN	1/10/2017	1986	36.408533	-86.571383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.4
83020460005	SUMNER	02046	0.42	BRINKLEY BRANCH	OPEN	1/10/2017	1970	36.40975	-86.575233	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	71.8
83020460003	SUMNER	02046	6.88	JONES BRANCH	OPEN	2/3/2017	1996	36.4655	-86.6397	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
83020480001	SUMNER	02048	0.04	DRAKES CREEK	OPEN	1/9/2017	1984	36.415817	-86.650867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
83020480003	SUMNER	02048	0.87	BRANCH	OPEN	1/9/2017	1955	36.415367	-86.665617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.7
83020520001	SUMNER	02052	1.25	BRANCH	OPEN	11/15/2016	1987	36.459917	-86.29495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
83020520003	SUMNER	02052	2.74	EAST FORK CREEK	OPEN	11/15/2016	1985	36.44825	-86.2768	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
83020520005	SUMNER	02052	2.86	BRANCH	OPEN	11/15/2016	1987	36.448417	-86.2751	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
83020540003	SUMNER	02054	1	BRANCH	OPEN	11/17/2016	1984	36.469567	-86.418533	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.8
83020540001	SUMNER	02054	2.62	DRY FORK CREEK	OPEN	11/17/2016	1977	36.480617	-86.399533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
83020550001	SUMNER	02055	2.35	STATION CAMP CREEK	OPEN	12/16/2016	1970	36.4699	-86.505133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
83020550003	SUMNER	02055	7.64	DRY FORK CREEK	OPEN	10/11/2016	1983	36.515567	-86.472983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.7
83020550007	SUMNER	02055	7.8	BRANCH	OPEN	10/11/2016	1984	36.517733	-86.472967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
83020550009	SUMNER	02055	9.39	BRANCH	OPEN	10/10/2016	1983	36.5404	-86.4765	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
83020570001	SUMNER	02057	1.73	ROUGES FORK CREEK	OPEN	11/9/2016	1975	36.518333	-86.303683	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	70.7
83020570003	SUMNER	02057	3.86	ROUGES FORK CREEK	OPEN	11/4/2016	1985	36.547267	-86.271133	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	99.5
83020580001	SUMNER	02058	1	HALL TOWN CREEK	OPEN	10/6/2016	1950	36.501983	-86.560617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
83020590001	SUMNER	02059	2.56	BRANCH	OPEN	11/8/2016	1950	36.519517	-86.2663	CONCRETE	TEE BEAM	63.2
83020590003	SUMNER	02059	3.79	BRANCH	OPEN	11/4/2016	1930	36.534133	-86.2687	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72
83020590005	SUMNER	02059	4.32	BRANCH	OPEN	11/4/2016	1950	36.539883	-86.262667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83020600003	SUMNER	02060	1.97	WHITSON CREEK	OPEN	10/10/2016	1965	36.543317	-86.4331	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1
83020610001	SUMNER	02061	3.89	RED RIVER	OPEN	10/4/2016	1960	36.556633	-86.570717	CONCRETE	TEE BEAM	63.3
83020610003	SUMNER	02061	4.8	AUSTIN BRANCH	OPEN	10/4/2016	1964	36.56685	-86.55165	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
83020620001	SUMNER	02062	1.23	WEST FORK DRAKES CREEK	OPEN	10/12/2016	1970	36.555483	-86.467467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
83020620003	SUMNER	02062	2.91	DRY FORK CREEK	OPEN	10/12/2016	1982	36.569083	-86.4444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
83020640001	SUMNER	02064	1.59	SULPHUR FORK CREEK	OPEN	10/17/2016	1970	36.598333	-86.381483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
83020690001	SUMNER	02069	1.39	WEST FORK DRAKES CREEK	OPEN	10/13/2016	1984	36.60875	-86.47525	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5
83020710001	SUMNER	02071	0.47	CANEY FORK CREEK	OPEN	10/12/2016	1970	36.585	-86.427017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.8
83020730003	SUMNER	02073	0.17	BRANCH	OPEN	10/18/2016	1988	36.62085	-86.327183	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.7
83020730001	SUMNER	02073	3.17	DUTCH CREEK	OPEN	10/19/2016	1975	36.586867	-86.301133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.7
83020790001	SUMNER	02079	1.87	BRANCH	OPEN	1/10/2017	1960	36.4088	-86.569133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
83020790003	SUMNER	02079	3.12	LIGGETT BRANCH	OPEN	1/10/2017	1964	36.42495	-86.5658	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
83020790005	SUMNER	02079	3.68	PEE DEE CREEK	OPEN	1/9/2017	1965	36.432917	-86.563767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.3
83020790007	SUMNER	02079	5.05	BRANCH	OPEN	12/16/2016	1960	36.4474	-86.551033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
83005110009	SUMNER	02703	0.11	JONES BRANCH	OPEN	2/3/2017	1955	36.459933	-86.64655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
83M33280001	SUMNER	03328	0.7	CSX RAILROAD	OPEN	1/25/2017	1957	36.383633	-86.437683	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	59.2
83033290001	SUMNER	03329	0.92	TOWN CREEK	OPEN	1/18/2017	1982	36.36525	-86.466317	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.9
83M33320001	SUMNER	03332	0.62	TOWN CREEK	OPEN	1/25/2017	1986	36.380833	-86.454067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66
83039430001	SUMNER	03943	0.67	CSX RAILROAD	OPEN	2/2/2017	2004	36.3012	-86.648033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
83039440001	SUMNER	03943	1.55	DRAKES CREEK	OPEN	2/2/2017	1998	36.3012	-86.648033	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
830A4140001	SUMNER	03944	0.06	DRAKES CREEK	OPEN	12/14/2016	1965	36.3598	-86.6087	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.6
830A4140003	SUMNER	03944	1.44	BRANCH	OPEN	12/14/2016	1960	36.350133	-86.594417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
830A4140005	SUMNER	03944	2.05	BRANCH	OPEN	12/14/2016	1965	36.3414	-86.593833	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	71.4
83SR3860021	SUMNER	03944	2.62	CALENDAR RD / SR 386	OPEN	9/20/2016	1981	36.332467	-86.5935	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.5
83039450001	SUMNER	03945	0.13	BRANCH	OPEN	2/2/2017	1970	36.30675	-86.6201	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
83M39410001	SUMNER	03946	1.83	CSX RAILROAD	OPEN	2/1/2017	1996	36.3012	-86.648033	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.4
83SR3860007	SUMNER	03946	3.53	FOREST RETREAT RD/SR 386	OPEN	9/19/2016	1989	36.319133	-86.64045	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.5
83040120001	SUMNER	04012	0.32	BRANCH	OPEN	1/25/2017	1975	36.384833	-86.4467	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	96.5
830A7290001	SUMNER	04013	0.28	TOWN CREEK	OPEN	1/25/2017	1965	36.393033	-86.444633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5
83045690001	SUMNER	04569	0.99	BRANCH	OPEN	1/18/2017	1991	36.3723	-86.466533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
830A0860001	SUMNER	04869	2.65	STATION CAMP CREEK	OPEN	12/14/2016	1997	36.362633	-86.55135	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.8
830A0600001	SUMNER	04870	1.11	BRANCH	OPEN	12/14/2016	1984	36.341417	-86.627483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
830A3920001	SUMNER	04870	3.12	DRAKES CREEK	WEIGHT POSTED	2/2/2017	1940	36.3365	-86.594083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.6
83SR3860023	SUMNER	04870	4.14	FAU 4870 / SR 386	OPEN	9/21/2016	1981	36.331433	-86.578817	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.7
830A0550001	SUMNER	04871	0.8	CENTER POINT BRANCH	OPEN	2/1/2017	1960	36.323583	-86.659183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.8
830A0460001	SUMNER	04875	0.75	MADISON CREEK	OPEN	1/12/2017	1965	36.351717	-86.68455	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
830A0460003	SUMNER	04875	1.26	MADISON CREEK	OPEN	1/12/2017	1960	36.358567	-86.684217	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	71.3
83SR0520001	SUMNER	05287	1.84	SUMMER'S BRANCH	OPEN	1/24/2017	1934	36.5843	-86.551933	CONCRETE	TEE BEAM	70.3
83SR0520003	SUMNER	05287	3.78	DONOHO BRANCH	OPEN	1/24/2017	1965	36.58265	-86.517817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
83SR1090001	SUMNER	05365	1.94	TOWN CREEK	OPEN	1/25/2017	1964	36.390917	-86.447367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83SR1090003	SUMNER	05366	0.2	CSX RAILROAD	OPEN	1/25/2017	1937	36.404567	-86.448383	CONCRETE	TEE BEAM	47.4
83SR1090005	SUMNER	05366	0.85	LINSLEY BRANCH	OPEN	12/15/2016	1932	36.412417	-86.453033	CONCRETE	TEE BEAM	65.2
830B2180001	SUMNER	05433	2.75	SLATERS CREEK	OPEN	2/3/2017	1985	36.381	-86.713233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
830A0690001	SUMNER	06087	0.436	BRANCH	OPEN	2/1/2017	1965	36.319183	-86.61075	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	72.5
830A0690003	SUMNER	06087	0.924	BRANCH	OPEN	2/1/2017	1965	36.324983	-86.606417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.5
830A4150001	SUMNER	06092	2.962	STATION CAMP CREEK	OPEN	12/14/2016	1982	36.36885	-86.553517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.1
830C6660001	SUMNER	06098	0.37	BRANCH	OPEN	2/2/2017	2015	36.327867	-86.598933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.6
830C6810001	SUMNER	06099	0.66	BRANCH	OPEN	1/18/2017	2012	36.359778	-86.502767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.3
830C6810003	SUMNER	06099	1.16	CSX RAILROAD	OPEN	1/18/2017	2012	36.370617	-86.515	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
83SR3860039	SUMNER	06099	1.485	GREENLEA BLVD. / SR386	OPEN	9/28/2016	2006	36.329233	-86.563283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.6
830A0220001	SUMNER	0A022	0.127	SLATER'S CREEK	OPEN	1/12/2017	1960	36.3517	-86.712717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
830A0230001	SUMNER	0A023	0	SLATER'S CREEK	OPEN	2/3/2017	1990	36.35955	-86.712467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
830A0370001	SUMNER	0A037	3.198	HOGAN BRANCH	OPEN	1/5/2017	1965	36.393967	-86.636533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
830A0370003	SUMNER	0A037	3.277	HOGAN BRANCH	OPEN	1/5/2017	1965	36.394183	-86.634933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.4
830A0460005	SUMNER	0A046	1.483	PATTEN'S BRANCH	OPEN	1/12/2017	1960	36.3625	-86.692867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
830A0480001	SUMNER	0A048	0.01	BRANCH	OPEN	1/12/2017	1996	36.339183	-86.681083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
830A0860003	SUMNER	0A086	0.153	BRANCH	OPEN	2/1/2017	2000	36.311633	-86.616267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
830A2320001	SUMNER	0A232	0.253	BRANCH	OPEN	2/1/2017	1965	36.311283	-86.615783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
830A4210001	SUMNER	0A421	0.033	DRAKES CREEK	OPEN	1/5/2017	1940	36.39245	-86.626067	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.5
830A4230001	SUMNER	0A423	2.734	STATION CAMP	OPEN	1/10/2017	1982	36.424133	-86.563683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
830A4230003	SUMNER	0A423	3.491	LIGGETT BRANCH	OPEN	1/9/2017	1984	36.429533	-86.574817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
830A4230007	SUMNER	0A423	3.893	LIGGETT BRANCH	OPEN	1/9/2017	1987	36.432217	-86.58105	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.1
830A4230009	SUMNER	0A423	8.287	ROBERTSON BRANCH	OPEN	1/5/2017	1965	36.41115	-86.633633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
830A4320001	SUMNER	0A432	2.473	PEE DEE BRANCH	OPEN	1/9/2017	1981	36.448633	-86.579833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
830A4340001	SUMNER	0A434	0.249	STATION CAMP CREEK	OPEN	1/10/2017	1985	36.407667	-86.563783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.1
830A4350001	SUMNER	0A435	0.089	STATION CAMP CREEK	OPEN	1/10/2017	1999	36.391483	-86.559067	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
830A4350003	SUMNER	0A435	4.127	LIBERTY BRANCH	OPEN	1/10/2017	1970	36.41145	-86.5093	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.9
830A4380003	SUMNER	0A438	5.68	BRANCH	OPEN	1/18/2017	2004	36.411967	-86.45345	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.9
830A4420001	SUMNER	0A442	2.78	BRANCH	OPEN	12/15/2016	1970	36.428083	-86.467233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
830A4440001	SUMNER	0A444	0.308	EAST CAMP CREEK	OPEN	12/15/2016	1997	36.411967	-86.45345	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9
830A4510001	SUMNER	0A451	0.206	BRANCH	OPEN	12/16/2016	1960	36.457567	-86.555317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
830A4530001	SUMNER	0A453	0.187	STROTHER BRANCH	OPEN	12/16/2016	1965	36.4573	-86.543983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
830A4540003	SUMNER	0A454	0.184	BRANCH	OPEN	12/16/2016	1992	36.459717	-86.527033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
830A4540001	SUMNER	0A454	0.96	BRIGGANCE BRANCH	OPEN	12/16/2016	1994	36.47025	-86.52425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
830A4560001	SUMNER	0A456	0.247	BRANCH	OPEN	1/9/2017	1984	36.462017	-86.629583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
830A4810001	SUMNER	0A481	2.283	RED RIVER	OPEN	10/6/2016	1996	36.517183	-86.538033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
830A4810003	SUMNER	0A481	2.489	BRANCH	OPEN	10/6/2016	1984	36.514617	-86.539717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
830A4820001	SUMNER	0A482	0.025	RED RIVER	OPEN	10/6/2016	1987	36.501033	-86.51875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
830A4820003	SUMNER	0A482	0.334	BRANCH	OPEN	10/6/2016	1970	36.504017	-86.514917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
830A4840001	SUMNER	0A484	0.031	BRANCH	OPEN	10/6/2016	1984	36.50135	-86.537417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
830A4840003	SUMNER	0A484	0.553	BRANCH	OPEN	10/6/2016	1991	36.50845	-86.536217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
830A4840005	SUMNER	0A484	0.894	BRANCH	OPEN	10/6/2016	1991	36.513	-86.537733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
830A4890001	SUMNER	0A489	1.905	MAXWELL BRANCH	OPEN	10/3/2016	1965	36.522483	-86.599367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.9
830A4890003	SUMNER	0A489	2.219	MAXWELL BRANCH	OPEN	10/3/2016	1984	36.525283	-86.603667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
830A4900001	SUMNER	0A490	0.587	MAXWELL BRANCH	OPEN	10/3/2016	1984	36.503233	-86.592617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
830A4900003	SUMNER	0A490	0.875	MAXWELL BRANCH	OPEN	10/3/2016	1984	36.507567	-86.59225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
830A4900005	SUMNER	0A490	1.084	MAXWELL BRANCH	OPEN	10/3/2016	1982	36.509917	-86.592583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
830A4910001	SUMNER	0A491	0.016	MAXWELL BRANCH	OPEN	10/3/2016	1970	36.5118	-86.593483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
830A4950001	SUMNER	0A495	3.197	BRANCH	OPEN	10/4/2016	1983	36.545933	-86.58815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
830A5000001	SUMNER	0A500	1.654	RED RIVER	OPEN	10/4/2016	1987	36.568917	-86.597183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
830A5100001	SUMNER	0A510	0.351	RED RIVER	OPEN	10/4/2016	1988	36.54905	-86.565967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
830A5120001	SUMNER	0A512	0.765	BRANCH	OPEN	10/4/2016	1984	36.555883	-86.584067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
830A5130001	SUMNER	0A513	1.264	AUSTIN BRANCH	OPEN	10/4/2016	1984	36.568417	-86.58685	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
830A5240001	SUMNER	0A524	0.598	SUMMERS BRANCH	OPEN	1/24/2017	1984	36.588933	-86.552283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
830A5320001	SUMNER	0A532	4.344	WEST FORK DRAKES CREEK	OPEN	10/13/2016	1987	36.6475	-86.506467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.7
830A5580001	SUMNER	0A558	1.008	WEST FORK DRAKES CREEK	OPEN	10/12/2016	1985	36.575767	-86.4567	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94
830A5610001	SUMNER	0A561	0.847	CANEY FORK CREEK	OPEN	10/13/2016	1983	36.588383	-86.4407	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
83SR1090009	SUMNER	0A566	1.36	BRANCH	OPEN	12/15/2016	1932	36.446017	-86.470967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83SR1090011	SUMNER	0A566	1.8	BRANCH	OPEN	12/15/2016	1932	36.452867	-86.471217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
830A6160001	SUMNER	0A616	0.093	DONAHO BRANCH	OPEN	1/24/2017	1990	36.5817	-86.601217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
830A6170001	SUMNER	0A617	0.158	BRANCH	OPEN	1/24/2017	1993	36.580717	-86.51885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.2
830A6590001	SUMNER	0A659	0.031	BRANCH	OPEN	10/10/2016	1930	36.538067	-86.44905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
830A6590003	SUMNER	0A659	1.485	BRANCH	OPEN	10/10/2016	1997	36.539333	-86.471867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.4
830A6610001	SUMNER	0A661	0.123	WEST FORK DRAKES CREEK	OPEN	10/11/2016	1983	36.5287	-86.472867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
830A6630001	SUMNER	0A663	1.88	BRANCH	OPEN	10/10/2016	1984	36.542867	-86.49495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
830A6760001	SUMNER	0A676	1.442	BRANCH	OPEN	10/11/2016	1960	36.498567	-86.45335	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
83020550005	SUMNER	0A676	3.345	WEST FORK DRAKES CREEK	OPEN	10/11/2016	2012	36.516017	-86.472333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
830A6810001	SUMNER	0A681	0.447	EAST CAMP CREEK	OPEN	12/9/2016	1983	36.433267	-86.441683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
830A6810003	SUMNER	0A681	1.33	WALLACE BRANCH	OPEN	12/9/2016	2005	36.44	-86.450317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.9
830A6810005	SUMNER	0A681	2.351	WALLACE BRANCH	OPEN	12/9/2016	1984	36.453367	-86.455517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.8
830A6810007	SUMNER	0A681	2.574	WALLACE BRANCH	OPEN	12/9/2016	1984	36.456117	-86.456833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
830A6810009	SUMNER	0A681	3.043	WALLACE BRANCH	OPEN	12/9/2016	1984	36.462817	-86.456267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
830A6820001	SUMNER	0A682	0.47	EAST CAMP CREEK	OPEN	12/9/2016	1987	36.439633	-86.439067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.8
830A6830001	SUMNER	0A683	0.547	BRANCH	OPEN	11/21/2016	1970	36.425517	-86.398317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
830A7220001	SUMNER	0A722	0.1	TOWN CREEK	OPEN	1/25/2017	1965	36.388967	-86.45005	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	63.5
830A7890001	SUMNER	0A789	1.276	BRANCH	OPEN	1/25/2017	1975	36.38665	-86.444467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
830A8850001	SUMNER	0A885	0.218	BRANCH	OPEN	1/18/2017	1980	36.369717	-86.4665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
830A9610001	SUMNER	0A961	0.155	BRANCH	OPEN	12/7/2016	1955	36.369333	-86.390717	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86.4
830A9650001	SUMNER	0A965	0.349	DESHEA CREEK	OPEN	11/21/2016	1985	36.425583	-86.37685	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
830A9690001	SUMNER	0A969	0.865	MADISON CREEK	OPEN	1/12/2017	1980	36.343433	-86.681483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
830A9740001	SUMNER	0A974	0.722	DESHEA CREEK	OPEN	11/21/2016	1991	36.434967	-86.3893	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
830A9750001	SUMNER	0A975	0.86	BRANCH	OPEN	11/21/2016	1975	36.45705	-86.390167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.2
830A9750003	SUMNER	0A975	1.32	BRANCH	OPEN	11/21/2016	1950	36.4505	-86.391267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.9
830A9760001	SUMNER	0A976	0.484	DESHEA CREEK	OPEN	11/21/2016	1976	36.453217	-86.409333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
830A9760003	SUMNER	0A976	2.502	DRY FORK CREEK	OPEN	11/17/2016	1978	36.47515	-86.391083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
830A9790001	SUMNER	0A979	0.398	DRY FORK CREEK	OPEN	11/17/2016	1983	36.484983	-86.402717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
830A9920001	SUMNER	0A992	1.548	CANEY FORK CREEK	OPEN	11/1/2016	1983	36.5481	-86.388283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
830A9920003	SUMNER	0A992	1.771	WEST PRONG FORK CREEK	OPEN	11/1/2016	1950	36.548333	-86.3921	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
830B0070003	SUMNER	0B007	1.65	SULPHUR FORK CREEK	OPEN	10/17/2016	2011	36.62765	-86.39295	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	99
830B0070001	SUMNER	0B007	3.458	BRANCH	OPEN	10/17/2016	1994	36.627267	-86.365317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
830B0090001	SUMNER	0B009	0.447	BRANCH	OPEN	10/17/2016	1983	36.6347	-86.3784	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
830B0090003	SUMNER	0B009	1.251	BRANCH	OPEN	10/17/2016	1984	36.63985	-86.390833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
830B0090005	SUMNER	0B009	1.532	SULPHUR FORK CREEK	OPEN	10/17/2016	1983	36.6395	-86.395933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.4
830B0100001	SUMNER	0B010	2.719	SULPHUR FORK CREEK	OPEN	10/17/2016	2000	36.6045	-86.384467	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.7
830B0210001	SUMNER	0B021	0.283	BRANCH	OPEN	10/19/2016	1983	36.569967	-86.34005	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
830B0210003	SUMNER	0B021	1.5	MIDDLE FORK DRAKES CREEK	OPEN	10/19/2016	1984	36.5827	-86.328883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
830B0220001	SUMNER	0B022	0.04	BRANCH	OPEN	10/19/2016	1991	36.576833	-86.3292	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
830B0260001	SUMNER	0B026	0.724	MIDDLE FORK DRAKES CREEK	OPEN	10/18/2016	1975	36.602883	-86.3293	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.1
830B0270001	SUMNER	0B027	2.969	SULPHER FORK CREEK	OPEN	10/18/2016	2002	36.613533	-86.3282	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.5
830B0340001	SUMNER	0B034	0.592	BRANCH	OPEN	10/18/2016	1983	36.63535	-86.334717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
830B0340003	SUMNER	0B034	0.927	MIDDLE FORK DRAKES CREEK	OPEN	10/18/2016	1982	36.636083	-86.328833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.4
830B0390001	SUMNER	0B039	0.01	LITTLE TRAMMEL FORK CR	OPEN	11/2/2016	1991	36.629067	-86.267267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
830B0400001	SUMNER	0B040	3.375	LITTLE TRAMMEL CREEK	OPEN	11/2/2016	1970	36.610417	-86.268433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.2
830B0410001	SUMNER	0B041	0.447	BRANCH	OPEN	10/18/2016	1950	36.620517	-86.30795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.4
830B0430001	SUMNER	0B043	1.514	DUTCH CREEK	OPEN	10/19/2016	1960	36.5929	-86.309783	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	65.5
830B0480001	SUMNER	0B048	0.016	BRANCH	OPEN	10/19/2016	1985	36.56335	-86.3189	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.6
830B0480003	SUMNER	0B048	0.495	BRANCH	OPEN	10/19/2016	1985	36.556533	-86.319517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.6
830B0530001	SUMNER	0B053	0.019	BRANCH	OPEN	10/19/2016	1983	36.545517	-86.326467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
830B0540001	SUMNER	0B054	0.188	BRANCH	OPEN	11/10/2016	1940	36.504333	-86.329483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	72.3
830B0560001	SUMNER	0B056	3.074	BRUSHY FORK CREEK	OPEN	11/10/2016	1984	36.495133	-86.322767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
830B0570001	SUMNER	0B057	0.071	BRANCH	OPEN	11/16/2016	1987	36.460583	-86.360433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71
830B0580001	SUMNER	0B058	1.763	BRANCH	OPEN	11/21/2016	1984	36.453183	-86.391183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
830B0750001	SUMNER	0B075	1.296	DESHEA CREEK	OPEN	11/21/2016	1994	36.44615	-86.408483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
830B0800001	SUMNER	0B080	4.92	LICK CREEK	OPEN	12/7/2016	1974	36.394017	-86.307667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
830B0850001	SUMNER	0B085	1.443	LICK CREEK	OPEN	12/7/2016	1920	36.39555	-86.318083	CONCRETE	TEE BEAM	78.5
830B0860001	SUMNER	0B086	0.038	LICK CREEK	OPEN	12/7/2016	1999	36.394583	-86.312283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
830B0870001	SUMNER	0B087	0.185	LICK CREEK	OPEN	11/22/2016	1995	36.3814	-86.331717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
830B0880001	SUMNER	0B087	0.808	LICK CREEK	OPEN	11/22/2016	1978	36.388867	-86.327817	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.4
830B0890001	SUMNER	0B089	0.906	BRANCH	OPEN	12/1/2016	1986	36.434083	-86.32355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
830B0900001	SUMNER	0B090	1.07	BLEDSON CREEK	OPEN	12/1/2016	1985	36.445583	-86.331667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
830B0900003	SUMNER	0B090	1.993	DRY FORK BRANCH	OPEN	12/1/2016	1978	36.45155	-86.342833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.6
830B0920001	SUMNER	0B092	2.291	LICK CREEK	OPEN	12/7/2016	1970	36.411217	-86.280217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
830B0930001	SUMNER	0B093	2.689	LICK CREEK	OPEN	12/7/2016	1992	36.407583	-86.283317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
830B0960001	SUMNER	0B096	0.251	EAST FORK CREEK	OPEN	12/1/2016	1985	36.44455	-86.306567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
830B0990001	SUMNER	0B099	0.229	BRANCH	OPEN	11/15/2016	1984	36.4552	-86.2697	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
830B1020001	SUMNER	0B102	1.075	BLEDSON CREEK	OPEN	12/1/2016	1990	36.459333	-86.32115	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.6
830B1040001	SUMNER	0B104	0.361	DRY FORK CREEK	OPEN	11/16/2016	1940	36.454117	-86.348183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.5
830B1040003	SUMNER	0B104	0.786	BRANCH	OPEN	11/16/2016	1996	36.458933	-86.343667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
830B1100001	SUMNER	0B110	2.442	OTTER FORK CREEK	OPEN	11/9/2016	1984	36.484867	-86.24665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
830B1100003	SUMNER	0B110	4.914	BLEDSON CREEK	OPEN	11/9/2016	1963	36.509283	-86.265333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.2
830B1110001	SUMNER	0B111	0.031	ROUGES FORK CREEK	OPEN	11/9/2016	1985	36.503817	-86.270067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
830B1160001	SUMNER	0B116	0.008	ROUGES FORK CREEK	OPEN	11/9/2016	1984	36.508483	-86.302267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
830B1190001	SUMNER	0B119	0.08	BLEDSON CREEK	OPEN	11/8/2016	1986	36.5204	-86.26285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
830B1190003	SUMNER	0B119	0.262	BRANCH	OPEN	11/8/2016	1987	36.518833	-86.265317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
830B1200001	SUMNER	0B120	0.027	BRANCH	OPEN	11/8/2016	1970	36.52265	-86.257583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
830B1200003	SUMNER	0B120	0.077	BLEDSON CREEK	OPEN	11/8/2016	1960	36.5217	-86.257767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.7
830B1200005	SUMNER	0B120	1.091	BLEDSON CREEK	OPEN	11/8/2016	1984	36.517533	-86.241433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
830B1200007	SUMNER	0B120	1.445	BLEDSON CREEK	OPEN	11/8/2016	1984	36.516033	-86.235483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
830B1210005	SUMNER	0B121	2.214	BRANCH	OPEN	11/8/2016	1983	36.515283	-86.243583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.3
830B1280001	SUMNER	0B128	2.166	BRANCH	OPEN	11/4/2016	1945	36.555883	-86.275883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
830B1320001	SUMNER	0B132	0.061	MIDDLE DUTCH CREEK	OPEN	11/4/2016	1992	36.568367	-86.28015	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
830B1500001	SUMNER	0B150	1.824	BRANCH	OPEN	11/3/2016	1984	36.5698	-86.21905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
830B1820001	SUMNER	0B182	0.904	GARRETT CREEK	OPEN	11/3/2016	1984	36.602917	-86.230817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
830B1910001	SUMNER	0B191	1.18	GARRETT CREEK	OPEN	11/3/2016	1950	36.623117	-86.237183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
830B1920001	SUMNER	0B192	0.01	GARRETT CREEK	OPEN	11/3/2016	1950	36.626633	-86.237617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
830B1930001	SUMNER	0B193	0.047	GARRETT CREEK	OPEN	11/3/2016	1992	36.637033	-86.24225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
830B3860001	SUMNER	0B386	0.186	DRAKES CREEK	OPEN	2/2/2017	2007	36.308883	-86.6088	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.7
830B4420001	SUMNER	0B442	0.055	SLATERS CREEK	OPEN	2/3/2017	1993	36.357033	-86.712267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
830B4570001	SUMNER	0B457	0	WILLIS BRANCH	OPEN	1/5/2017	1975	36.333817	-86.668633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
830B4650001	SUMNER	0B465	0.25	BRANCH	OPEN	2/1/2017	1978	36.325517	-86.6157	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.5
830A5580003	SUMNER	0B470	1.068	CANEY FORK CREEK	OPEN	10/13/2016	1983	36.595283	-86.456783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
83SR0520019	SUMNER	0B477	1.281	DUTCH CREEK	OPEN	11/4/2016	1992	36.566467	-86.2813	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.8
830B4790001	SUMNER	0B479	0.016	BRANCH	OPEN	11/9/2016	1991	36.486117	-86.270683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.1
83020620005	SUMNER	0B502	0.108	BRANCH	OPEN	10/12/2016	1986	36.578017	-86.423833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
830B5490001	SUMNER	0B549	0.327	BRANCH	OPEN	12/14/2016	1982	36.364267	-86.60865	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
830B5510001	SUMNER	0B551	0.704	BRANCH	OPEN	12/14/2016	1990	36.36955	-86.604683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
830B6390001	SUMNER	0B639	0.059	BRANCH	OPEN	1/18/2017	1990	36.368333	-86.46605	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
83020420001	SUMNER	0B669	1.247	BRANCH	OPEN	12/7/2016	1960	36.382667	-86.404533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
83020600001	SUMNER	0B671	2.868	WEST FORK DRAKES CREEK	OPEN	10/12/2016	1950	36.561733	-86.46425	CONCRETE	TEE BEAM	81.1
83020670001	SUMNER	0B673	2.965	WEST FORK CREEK	OPEN	10/13/2016	1982	36.631067	-86.491533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.5
830B7080001	SUMNER	0B708	0.291	BRANCH	OPEN	1/24/2017	1989	36.592317	-86.52475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
830B7460001	SUMNER	0B746	0.2	BRANCH	OPEN	1/18/2017	2006	36.3565	-86.498283	CONCRETE	ARCH - DECK	84.8
830A7660001	SUMNER	0B747	0.06	BRANCH	OPEN	1/18/2017	2004	36.411967	-86.45345	CONCRETE	ARCH - DECK	90
83020490001	SUMNER	0B750	1.373	LICK CREEK	OPEN	11/22/2016	1991	36.379417	-86.334	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.3
83020490003	SUMNER	0B750	1.887	BATES CREEK	OPEN	11/22/2016	1953	36.3726	-86.3332	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.9
83SR1090013	SUMNER	0C002	3.605	TUCKERS CREEK	OPEN	10/10/2016	1941	36.539317	-86.504333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.3
830B9000001	SUMNER	0C033	0.01	BRANCH	OPEN	1/12/2017	2006	36.3469	-86.676567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
83I00650001	SUMNER	I0065	0.89	SLATORS CREEK	OPEN	8/3/2016	1969	36.3455	-86.7155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
83I00650003	SUMNER	I0065	1.03	I65 / SR 41	OPEN	8/2/2016	1969	36.347167	-86.716317	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
83I00650004	SUMNER	I0065	1.03	I65 / SR 41	OPEN	8/2/2016	1969	36.346817	-86.716483	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95
83I00650005	SUMNER	I0065	2.46	I65 / CARTWRIGHT CIRCLE	OPEN	8/2/2016	1969	36.366533	-86.7143	CONCRETE CONTINUOUS	TEE BEAM	83
83I00650006	SUMNER	I0065	2.46	I65 / CARTWRIGHT CIRCLE	OPEN	8/2/2016	1969	36.365833	-86.71455	CONCRETE CONTINUOUS	TEE BEAM	83
83I00650007	SUMNER	I0065	3.5	I65 / WILLIAMSON RD. B21	OPEN	8/3/2016	1972	36.380833	-86.713917	CONCRETE CONTINUOUS	TEE BEAM	73.5
83I00650008	SUMNER	I0065	3.5	I65 / WILLIAMSON RD. B21	OPEN	8/3/2016	1972	36.381419	-86.714756	CONCRETE CONTINUOUS	TEE BEAM	73.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83I00650009	SUMNER	I0065	4.07	BRANCH	OPEN	8/3/2016	1972	36.3895	-86.716	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
83I00650011	SUMNER	I0065	4.41	BRANCH	OPEN	8/3/2016	1972	36.393683	-86.716767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
83SR0064019	SUMNER	SR006	0	SR 386 CONNECTOR/SR6	OPEN	8/8/2016	1988	36.307567	-86.65725	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
83SR0060001	SUMNER	SR006	2.18	CSX RAILROAD	OPEN	8/8/2016	2004	36.302383	-86.634817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.9
83SR0060003	SUMNER	SR006	3.25	BRANCH	OPEN	10/21/2016	1949	36.321967	-86.616133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.4
83SR0060005	SUMNER	SR006	3.35	DRAKES CREEK	OPEN	10/21/2016	1947	36.305367	-86.614267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.9
83SR0060007	SUMNER	SR006	9.84	W. FK STATION CAMP CREEK	OPEN	10/21/2016	1955	36.349583	-86.512533	CONCRETE	TEE BEAM	48.9
83SR0060009	SUMNER	SR006	11.91	E. FK STATION CAMP CREEK	OPEN	10/21/2016	1955	36.369517	-86.484983	CONCRETE	TEE BEAM	46.5
83SR0060011	SUMNER	SR006	15.82	TOWN CREEK	OPEN	8/8/2016	1964	36.403467	-86.42945	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
83SR0060013	SUMNER	SR006	19.01	DESHEA CREEK	OPEN	8/8/2016	1941	36.428467	-86.381567	CONCRETE	TEE BEAM	77.9
83SR0060015	SUMNER	SR006	21.63	DRY FORK CREEK	OPEN	8/8/2016	1966	36.452933	-86.3469	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64
83SR0060017	SUMNER	SR006	23.39	BRANCH	OPEN	8/8/2016	1966	36.4733	-86.32815	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
83SR0060019	SUMNER	SR006	24.7	BRUSH FORK CREEK	OPEN	8/9/2016	1966	36.48645	-86.311183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64
83SR0060021	SUMNER	SR006	25.64	ROUGES FORK CREEK	OPEN	8/9/2016	1966	36.494533	-86.297783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
83SR0060023	SUMNER	SR006	28.38	BLED SOE CREEK	OPEN	8/9/2016	1966	36.517617	-86.2628	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	61.4
83SR0060025	SUMNER	SR006	28.75	BLED SOE CREEK	OPEN	8/9/2016	1966	36.5221	-86.259433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.6
83SR0060027	SUMNER	SR006	29.09	BRANCH	OPEN	8/9/2016	1966	36.524183	-86.254083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1
83SR0110003	SUMNER	SR011	1.345	MANSKER CREEK	OPEN	8/10/2016	1987	36.357667	-86.725033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.7
83SR0250001	SUMNER	SR025	0.88	RONEY BRANCH	OPEN	8/10/2016	1990	36.520983	-86.623333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
83SR0250003	SUMNER	SR025	1.6	BRANCH	OPEN	8/10/2016	1990	36.513333	-86.61515	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83SR0250027	SUMNER	SR025	3.83	BRANCH	OPEN	8/10/2016	1990	36.49105	-86.587767	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.9
83SR0250005	SUMNER	SR025	6.13	BRANCH	OPEN	8/10/2016	1985	36.466917	-86.561533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
83SR0250007	SUMNER	SR025	7.62	STROTHER BRANCH	OPEN	8/10/2016	1991	36.453217	-86.541433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
83SR0250009	SUMNER	SR025	7.86	STATION CAMP CREEK	OPEN	8/10/2016	1991	36.451567	-86.537867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.5
83SR0250011	SUMNER	SR025	10.32	LIBERTY BRANCH	OPEN	8/15/2016	1993	36.42075	-86.5168	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
83SR0250013	SUMNER	SR025	10.89	LIBERTY BRANCH	OPEN	8/15/2016	1954	36.4155	-86.50915	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.4
83SR0250015	SUMNER	SR025	12.43	WALLACE CREEK	OPEN	8/15/2016	1990	36.4014	-86.48805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
83SR0250017	SUMNER	SR025	13.59	EAST STATION CAMP CREEK	OPEN	8/15/2016	2002	36.394667	-86.469067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.7
83SR0250019	SUMNER	SR025	14.72	TOWN CREEK	OPEN	8/15/2016	1935	36.386867	-86.451883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.4
83SR0250021	SUMNER	SR025	21.03	BLED SOE CREEK	OPEN	10/21/2016	1927	36.398517	-86.34365	CONCRETE	TEE BEAM	63.6
83SR0250025	SUMNER	SR025	22.55	BRANCH	OPEN	8/15/2016	1958	36.39675	-86.316817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
83SR0250023	SUMNER	SR025	23.27	BRANCH	OPEN	8/15/2016	1958	36.3941	-86.304483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
83SR0110001	SUMNER	SR041	0	SR 41 / SR 11	OPEN	8/16/2016	1968	36.34315	-86.7196	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	79
83SR0410001	SUMNER	SR041	1.96	STATER CREEK	OPEN	8/16/2016	1939	36.369983	-86.7103	CONCRETE	TEE BEAM	78.7
83SR0410003	SUMNER	SR041	2.17	RIGHT FORK SLATERS CREEK	OPEN	8/16/2016	1939	36.372967	-86.70895	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
83SR0410005	SUMNER	SR041	11.58	HONEY RUN CREEK	OPEN	8/16/2016	1941	36.48755	-86.6461	CONCRETE	TEE BEAM	61.7
83SR0410007	SUMNER	SR041	14.56	RONEY CREEK	OPEN	8/16/2016	1947	36.529233	-86.636667	CONCRETE	TEE BEAM	64.3
83SR0410009	SUMNER	SR041	14.89	BRANCH	OPEN	8/22/2016	1947	36.53395	-86.634983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
83SR0410011	SUMNER	SR041	17.76	RED RIVER	OPEN	8/22/2016	1947	36.568933	-86.606667	CONCRETE	TEE BEAM	68.2
83SR0410013	SUMNER	SR041	19.14	BRANCH	OPEN	8/22/2016	1947	36.58575	-86.594767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
83SR0410015	SUMNER	SR041	19.52	BRANCH	OPEN	8/22/2016	1947	36.59085	-86.591917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
83SR0410017	SUMNER	SR041	21.85	SUMMER'S BRANCH	OPEN	8/22/2016	1947	36.620433	-86.571533	CONCRETE	TEE BEAM	61.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83SR0520035	SUMNER	SR052	2.35	BRANCH	OPEN	8/23/2016	1996	36.579283	-86.554067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
83SR0520033	SUMNER	SR052	2.57	BRANCH	OPEN	8/23/2016	1996	34.013083	-83.000167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
83SR0520029	SUMNER	SR052	4.61	DONOHO BRANCH	OPEN	8/24/2016	1965	36.577017	-86.512833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
83SR0520025	SUMNER	SR052	4.67	CSX RAILROAD	OPEN	8/24/2016	1974	36.577083	-86.51265	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.4
83SR0520005	SUMNER	SR052	7.73	DRAKES CREEK	OPEN	8/24/2016	1971	36.578583	-86.458167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.6
83SR0520007	SUMNER	SR052	9.96	CANEY FORK CREEK	OPEN	8/24/2016	1971	36.579417	-86.418267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.6
83SR0520017	SUMNER	SR052	15.56	MIDDLE FORK CREEK	OPEN	8/24/2016	1975	36.5655	-86.320483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.9
83SR0520009	SUMNER	SR052	17.82	BRANCH	OPEN	8/24/2016	1991	36.567283	-86.281117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
83SR0520011	SUMNER	SR052	21	WIX BRANCH	OPEN	8/24/2016	1991	36.551217	-86.2282	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
83S61240001	SUMNER	SR076	0.92	HONEY RUN CREEK	OPEN	8/23/2016	1955	36.477517	-86.63965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78
83S61240003	SUMNER	SR076	4.05	BRANCH	OPEN	8/23/2016	1955	36.495617	-86.5911	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.5
83S61240005	SUMNER	SR076	7.28	BRANCH	OPEN	8/23/2016	1955	36.52385	-86.5481	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
83S61240007	SUMNER	SR076	7.59	RED RIVER	OPEN	8/23/2016	1952	36.527667	-86.5452	CONCRETE	TEE BEAM	75.9
83SR1090039	SUMNER	SR109	0.4	EAST FK STATION CAMP CR	OPEN	8/25/2016	2014	36.34515	-86.471933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
83SR1090031	SUMNER	SR109	2.93	TOWN CREEK	OPEN	8/25/2016	1990	36.452417	-86.459883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
83SR0060030	SUMNER	SR109	3.71	SR 109 / SR 6	OPEN	8/25/2016	1990	36.37825	-86.46785	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
83SR0060029	SUMNER	SR109	3.71	SR 109 / SR 6	OPEN	8/25/2016	1990	36.378383	-86.4676	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.4
83SR1090028	SUMNER	SR109	4.01	CSX RAILROAD	OPEN	8/25/2016	1993	36.381983	-86.4707	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.1
83SR1090027	SUMNER	SR109	4.01	CSX RAILROAD	OPEN	8/25/2016	1993	36.38205	-86.470433	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.1
83SR1090034	SUMNER	SR109	4.46	SR 109 / SR 174	OPEN	8/26/2016	2004	36.3877	-86.474667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83SR1090033	SUMNER	SR109	4.46	SR 109 / SR 174	OPEN	8/26/2016	2004	36.387667	-86.474967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	97.3
83SR1090030	SUMNER	SR109	4.67	EAST FK STATION CAMP CR	OPEN	8/26/2016	1993	36.390033	-86.4767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
83SR1090029	SUMNER	SR109	4.67	EAST FK STATION CAMP CR	OPEN	8/26/2016	1993	36.390133	-86.4765	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.2
83SR1090037	SUMNER	SR109	16.305	BRANCH	OPEN	9/6/2016	2012	36.538	-86.508	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
83SR1090015	SUMNER	SR109	18.565	DONOHO BRANCH	OPEN	9/6/2016	1941	36.572983	-86.5131	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.3
83SR0520027	SUMNER	SR109	18.945	DONOHO BRANCH	OPEN	9/6/2016	1941	36.57815	-86.515383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
83SR1090017	SUMNER	SR109	19.255	DONOHO BRANCH	OPEN	9/6/2016	1941	36.566767	-86.516883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.3
83SR1090021	SUMNER	SR109	19.485	BRANCH	OPEN	9/6/2016	1941	36.585133	-86.518617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.3
83SR1090023	SUMNER	SR109	20.055	BRANCH	OPEN	9/6/2016	1941	36.591567	-86.525283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
83SR1090025	SUMNER	SR109	20.955	BRANCH	OPEN	9/6/2016	1941	36.601883	-86.535217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.3
83S61260001	SUMNER	SR174	1.34	MADISON CREEK	OPEN	9/7/2016	1960	36.338633	-86.698083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
83S61260003	SUMNER	SR174	1.54	BRANCH	OPEN	9/7/2016	1960	36.341733	-86.680083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.5
83S61260005	SUMNER	SR174	1.86	BRANCH	OPEN	9/7/2016	1955	36.345467	-86.677	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.5
83SR1740001	SUMNER	SR174	3.35	BRANCH	OPEN	9/7/2016	1982	36.36135	-86.662417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
83SR1740003	SUMNER	SR174	3.67	BRANCH	OPEN	9/7/2016	1982	36.363417	-86.658633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
83SR1740005	SUMNER	SR174	3.75	BRANCH	OPEN	9/7/2016	1982	36.36435	-86.657017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
83S61260007	SUMNER	SR174	4.93	BRANCH	OPEN	9/7/2016	1965	36.367917	-86.63535	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.7
83S61260009	SUMNER	SR174	6.03	DRAKES CREEK	OPEN	9/8/2016	2004	36.37045	-86.6164	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.5
83S61260011	SUMNER	SR174	8.98	BRANCH	OPEN	9/8/2016	1955	36.3858	-86.572167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83S61260019	SUMNER	SR174	9.27	BRANCH	OPEN	9/8/2016	1965	36.38495	-86.567183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.5
83S61260013	SUMNER	SR174	9.76	STATION CAMP CREEK	OPEN	9/8/2016	1958	36.382667	-86.558883	CONCRETE	TEE BEAM	67.7
83S61260015	SUMNER	SR174	12.75	LIBERTY BRANCH	OPEN	9/8/2016	1960	36.387033	-86.506017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
83S61260017	SUMNER	SR174	14.11	EAST CAMP CREEK	OPEN	9/8/2016	2004	36.386533	-86.499133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.7
83S62860003	SUMNER	SR174	28.2	CANEY FORK CREEK	OPEN	5/23/2017	1964	36.55535	-86.3947	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59.7
83S62860005	SUMNER	SR174	30.33	SULPHUR FORK CREEK	OPEN	9/13/2016	1956	36.578733	-86.370767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.3
83S62860007	SUMNER	SR174	34.72	MIDDLE FORK DRAKES BRANC	OPEN	9/13/2016	1956	36.623117	-86.32705	CONCRETE	TEE BEAM	76.6
83S62860009	SUMNER	SR174	38.26	LITTLE TRAMMEL CREEK	OPEN	9/13/2016	1956	36.623883	-86.267933	CONCRETE	TEE BEAM	81.2
83E00270011	SUMNER	SR174	39.41	LITTLE TRAMMEL CREEK	OPEN	9/13/2016	1930	36.6397	-86.264433	CONCRETE	TEE BEAM	45.2
83E00270013	SUMNER	SR174	39.51	LITTLE TRAMMEL CREEK	OPEN	9/13/2016	1930	36.6412	-86.264433	CONCRETE	TEE BEAM	72.8
83SR3860011	SUMNER	SR258	2.15	SR 258 / SR 386	OPEN	9/14/2016	1987	36.329967	-86.6186	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
83S61270001	SUMNER	SR258	5.06	BRANCH	OPEN	9/14/2016	1960	36.3685	-86.61595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
83S61270003	SUMNER	SR258	7	HOGAN BRANCH	OPEN	9/14/2016	1958	36.394167	-86.628467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
83S61270005	SUMNER	SR258	7.91	DRAKES CREEK	OPEN	9/14/2016	1961	36.406383	-86.633967	CONCRETE	TEE BEAM	66.5
83S61270007	SUMNER	SR258	9.94	BRANCH	OPEN	9/14/2016	1960	36.42535	-86.6592	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
83SR2580011	SUMNER	SR258	12.65	HOGAN BRANCH	OPEN	9/14/2016	1999	36.458683	-86.647583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
83S61250001	SUMNER	SR259	2.96	GRACE CREEK	OPEN	9/16/2016	1964	36.630917	-86.5121	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.9
83S61250003	SUMNER	SR259	4.33	WEST FORK DRAKES CREEK	OPEN	9/16/2016	1962	36.62375	-86.48995	CONCRETE	TEE BEAM	75
83SR0102001	SUMNER	SR376	2.98	BRANCH	OPEN	9/16/2016	1943	36.49495	-86.275183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
83SR0102003	SUMNER	SR376	3.3	BLED SOE CREEK	OPEN	9/16/2016	1943	36.499333	-86.27755	CONCRETE	TEE BEAM	63.5
83SR3860001	SUMNER	SR386	0.27	CENTER POINT BRANCH	OPEN	9/19/2016	1989	36.311917	-86.668467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83SR3860003	SUMNER	SR386	0.42	SR386 / CENTER POINT RD	OPEN	9/19/2016	1989	36.312367	-86.665283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
83SR3860005	SUMNER	SR386	0.91	SR 6 CONNECTOR RD	OPEN	9/19/2016	1989	36.313433	-86.656567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
83SR3860009	SUMNER	SR386	2.99	SR386/FAU 4872 FOREST RE	OPEN	9/19/2016	1989	36.33015	-86.6269	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
83SR3860010	SUMNER	SR386	2.99	SR386/FAU 4872 FOREST RE	OPEN	9/19/2016	1989	36.330333	-86.62695	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77
83SR3860013	SUMNER	SR386	3.72	BRANCH	OPEN	9/20/2016	1983	36.329933	-86.61355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
83SR3860015	SUMNER	SR386	3.9	BRANCH	OPEN	9/20/2016	1983	36.33095	-86.610783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
83SR3860017	SUMNER	SR386	4.72	DRAKES CREEK	OPEN	9/20/2016	1981	36.33285	-86.59665	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
83SR3860019	SUMNER	SR386	4.72	DRAKES CREEK	OPEN	9/20/2016	1981	36.3324	-86.596817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.9
83SR3860018	SUMNER	SR386	4.72	DRAKES CREEK	OPEN	9/20/2016	1981	36.33305	-86.596567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
83SR3860025	SUMNER	SR386	6.6	BR#2 / SAUNDERSVILLE RD	OPEN	9/21/2016	2007	36.329233	-86.563283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	91.8
83SR3860026	SUMNER	SR386	6.6	BR#1 / SAUNDERVILLE RD	OPEN	9/21/2016	2007	36.329433	-86.5633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	94
83SR3860027	SUMNER	SR386	6.74	CSX RAILROAD	OPEN	9/21/2016	1983	36.3288	-86.56125	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
83SR3860028	SUMNER	SR386	6.74	BR#3-SR386-LL / CSX RR	OPEN	9/21/2016	2006	36.329	-86.560767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
83SR0060034	SUMNER	SR386	6.84	SR386-LL / SR6 & RAMP F	OPEN	9/26/2016	2006	36.328733	-86.559017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
83SR0060033	SUMNER	SR386	6.84	SR 386-RL-RAMP F / SR 6	OPEN	9/26/2016	1981	36.328367	-86.5597	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
83SR0060032	SUMNER	SR386	7.48	SR 386 LT. LN. / SR 6	OPEN	10/25/2016	2006	36.328367	-86.5597	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
83SR0060031	SUMNER	SR386	7.48	SR 386 RT. LN. / SR 6	OPEN	10/25/2016	2006	36.328367	-86.5597	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
83SR3860031	SUMNER	SR386	8.95	BRANCH	OPEN	9/26/2016	1989	36.311917	-86.668467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
83SR3860034	SUMNER	SR386	9.34	S. CAMP CK & CAMP CK. RD	OPEN	9/26/2016	2006	36.33285	-86.59665	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
83SR3860033	SUMNER	SR386	9.34	S. CAMP CK & CAMP CK. RD	OPEN	9/26/2016	2006	36.33285	-86.59665	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.8
83SR3860043	SUMNER	SR386	10.32	BRANCH	OPEN	9/27/2016	2007	36.36365	-86.524017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
83SR3860037	SUMNER	SR386	10.92	ST. BLAISE RD.	OPEN	9/27/2016	2006	36.329233	-86.563283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
83SR3860038	SUMNER	SR386	10.92	ST. BLAISE RD.	OPEN	9/27/2016	2006	36.329233	-86.563283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.3
83SR3860045	SUMNER	SR386	11.21	RANKIN BRANCH	OPEN	9/28/2016	2006	36.311917	-86.668467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
83SR3860041	SUMNER	SR386	12.22	LIBERTY BRANCH	OPEN	9/28/2016	2006	36.33285	-86.59665	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
83SR3860042	SUMNER	SR386	12.22	LIBERTY BRANCH	OPEN	9/28/2016	2006	36.33285	-86.59665	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
840A3530001	TIPTON	00805	7.54	HURRICANE CREEK	OPEN	7/7/2016	1975	35.493806	-89.894028	CONCRETE	SLAB	71.9
84S81930031	TIPTON	00808	3.08	BRANCH	OPEN	7/5/2016	1954	35.602861	-89.742611	CONCRETE	CHANNEL BEAM	66.9
84S81930033	TIPTON	00808	3.98	BRANCH	OPEN	7/5/2016	1985	35.60075	-89.726611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
84F00030005	TIPTON	00808	5.01	ROCKY BRANCH	OPEN	7/5/2016	1965	35.594194	-89.712361	CONCRETE	CHANNEL BEAM	62.3
84F00030007	TIPTON	00808	5.07	MATHIS CREEK	WEIGHT POSTED	7/5/2016	1965	35.594	-89.711222	CONCRETE	CHANNEL BEAM	47.5
84S80710023	TIPTON	00810	2.53	BRANCH	OPEN	6/29/2016	1960	35.416083	-89.659111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
84S80710021	TIPTON	00810	4	BEAVER CREEK	OPEN	6/27/2016	1957	35.423056	-89.639472	CONCRETE	TEE BEAM	74.4
84S80710019	TIPTON	00810	4.23	DRAINAGE DITCH	OPEN	6/27/2016	1957	35.422722	-89.635333	CONCRETE	TEE BEAM	79.6
84S80710017	TIPTON	00810	8.08	OVERFLOW	OPEN	6/27/2016	1960	35.413139	-89.573222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
84S80710015	TIPTON	00810	8.15	BRANCH	OPEN	6/27/2016	1954	35.412444	-89.572417	CONCRETE	CHANNEL BEAM	59.7
84S80710013	TIPTON	00810	8.24	OVERFLOW	OPEN	6/27/2016	1960	35.411417	-89.571194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
84S80710011	TIPTON	00810	9.91	BRANCH	OPEN	6/27/2016	1960	35.408639	-89.542583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
84E00280001	TIPTON	00922	1.82	HATCHEL CREEK	OPEN	7/5/2016	1950	35.491361	-89.725194	CONCRETE	TEE BEAM	79.4
840A4100001	TIPTON	01417	0.56	HATCHELL BRANCH	OPEN	7/5/2016	1997	35.497806	-89.732	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.1
840A4100003	TIPTON	01417	0.6	INDIAN CREEK CANAL	OPEN	7/5/2016	1997	35.498417	-89.731694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.1
840A4100005	TIPTON	01417	0.77	OVERFLOW	WEIGHT POSTED	7/5/2016	1983	35.500917	-89.731472	CONCRETE	CHANNEL BEAM	61.6
84014590001	TIPTON	01459	0.41	BRANCH	OPEN	6/29/2016	1984	35.397861	-89.696222	CONCRETE	CHANNEL BEAM	78.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
84014710001	TIPTON	01471	0.15	SUGAR CREEK	OPEN	7/7/2016	2004	35.508389	-89.941444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98.2
84014720001	TIPTON	01472	1.19	BRANCH	OPEN	6/28/2016	2004	35.400778	-89.869139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.2
84014720003	TIPTON	01472	2.4	NORTH FORK CREEK	OPEN	6/28/2016	2001	35.402611	-89.890444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.4
84014720005	TIPTON	01472	3.3	COLE CREEK	OPEN	6/28/2016	2002	35.404056	-89.906278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.3
84014720007	TIPTON	01472	4.75	ROYSTER CREEK	WEIGHT POSTED	6/28/2016	1970	35.413389	-89.924556	CONCRETE	CHANNEL BEAM	60.4
84014730001	TIPTON	01473	0.44	IC RAILROAD	OPEN	6/29/2016	1997	35.532694	-89.667667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
84014730003	TIPTON	01473	1.81	SMITH BRANCH	OPEN	6/29/2016	1997	35.514472	-89.676056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
84014730007	TIPTON	01473	2.715	BRANCH	WEIGHT POSTED	6/30/2016	1991	35.503111	-89.677417	CONCRETE	CHANNEL BEAM	57.3
84014730005	TIPTON	01473	3.62	BRANCH	OPEN	6/30/2016	2012	35.491433	-89.6839	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.4
84014730009	TIPTON	01473	4.47	INDIAN CREEK CANAL	OPEN	6/30/2016	2012	35.480967	-89.691383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
84014740001	TIPTON	01474	0.09	OVERFLOW	OPEN	6/27/2016	1991	35.405833	-89.527889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
84014740003	TIPTON	01474	0.16	BEAVER CREEK	OPEN	6/27/2016	1991	35.406611	-89.528278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
84014740005	TIPTON	01474	0.27	BRANCH	OPEN	6/27/2016	2007	35.407889	-89.529306	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.9
84014760003	TIPTON	01476	0.655	BRANCH	OPEN	6/30/2016	2013	35.481556	-89.719583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92
84014760005	TIPTON	01476	0.83	BRANCH	OPEN	6/30/2016	2003	35.480361	-89.717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.1
84014760007	TIPTON	01476	0.9	HACHEL CREEK	WEIGHT POSTED	7/5/2016	1973	35.479611	-89.715861	CONCRETE	CHANNEL BEAM	59.2
84014770001	TIPTON	01477	4.09	FLAT CREEK	OPEN	7/6/2016	2008	35.588167	-89.561167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.2
84014770003	TIPTON	01477	4.89	BRANCH	OPEN	6/30/2016	1969	35.578139	-89.559556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
84581930001	TIPTON	01478	6.51	INDIAN CREEK	OPEN	7/6/2016	1998	35.575833	-89.834361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
84581930003	TIPTON	01478	9.73	BRANCH	WEIGHT POSTED	7/6/2016	1957	35.593583	-89.791194	CONCRETE	CHANNEL BEAM	51.6
84014790001	TIPTON	01479	1.61	TOWN CREEK	WEIGHT POSTED	6/29/2016	1975	35.598861	-89.667778	CONCRETE	CHANNEL BEAM	67.7
84014790003	TIPTON	01479	1.64	TOWN CREEK	WEIGHT POSTED	6/29/2016	1970	35.599389	-89.667583	CONCRETE	CHANNEL BEAM	54.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
84014790005	TIPTON	01479	4.16	BRANCH	OPEN	6/29/2016	1974	35.627111	-89.652944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
84014790007	TIPTON	01479	5.57	BRANCH	OPEN	6/30/2016	1974	35.626111	-89.628694	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.9
84014790009	TIPTON	01479	6.85	BRANCH	OPEN	6/29/2016	2000	35.623083	-89.606194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.2
84014790011	TIPTON	01479	6.99	BRANCH	OPEN	6/29/2016	1997	35.621917	-89.604528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.8
84014800001	TIPTON	01480	0.32	BRANCH	OPEN	7/5/2016	2001	35.604333	-89.720778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.1
84014800003	TIPTON	01480	2.14	TOWN CREEK	OPEN	7/6/2016	1997	35.617639	-89.7015	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.6
84014830001	TIPTON	01483	0.7	KELLY BRANCH	OPEN	6/29/2016	1974	35.432472	-89.654389	CONCRETE CONTINUOUS	TEE BEAM	84.4
84014850001	TIPTON	01485	0.8	HURRICANE CREEK	OPEN	7/6/2016	1993	35.559583	-89.830472	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
84028690001	TIPTON	02896	0.64	TOWN CREEK	OPEN	6/29/2016	2006	35.579861	-89.653472	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
84SR0590013	TIPTON	04440	0.88	DRAINAGE DITCH	OPEN	6/29/2016	2014	35.551778	-89.643056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.5
840A2570005	TIPTON	05446	0.29	BRANCH	OPEN	6/29/2016	2010	35.406861	-89.815194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.4
840A2500003	TIPTON	05446	1.04	BRANCH	WEIGHT POSTED	6/29/2016	1970	35.410583	-89.803917	CONCRETE	CHANNEL BEAM	47.4
840A2520003	TIPTON	05447	2.74	BRANCH	WEIGHT POSTED	6/29/2016	1981	35.413139	-89.815278	CONCRETE	CHANNEL BEAM	53.1
840A2570001	TIPTON	05448	0.12	IC RAILROAD	OPEN	6/29/2016	1990	35.398111	-89.844944	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.7
840A2570003	TIPTON	05448	1.57	BIG CREEK	OPEN	6/29/2016	2014	35.40575	-89.82775	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
840A0050001	TIPTON	0A005	1.702	HURRICANE CREEK	OPEN	7/6/2016	2006	35.546889	-89.837139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.6
840A0100001	TIPTON	0A010	1.285	HURRICANE CREEK	OPEN	7/7/2016	1984	35.513667	-89.863611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
840A0100003	TIPTON	0A010	1.368	BRANCH	OPEN	7/7/2016	2005	35.513278	-89.862056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
840A0140003	TIPTON	0A014	1.769	MIDDLE BEAVER CR CANAL	OPEN	6/29/2016	1995	35.394164	-89.641722	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.6
840A0140001	TIPTON	0A014	1.787	OVERFLOW	OPEN	6/29/2016	1995	35.394111	-89.642056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
840A0190001	TIPTON	0A019	3.035	HODGES CREEK	OPEN	7/6/2016	1978	35.587611	-89.813444	CONCRETE	CHANNEL BEAM	75.1
840A0220001	TIPTON	0A022	1.805	HODGES CREEK	OPEN	7/6/2016	1981	35.587806	-89.803278	CONCRETE	CHANNEL BEAM	92.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
840A0270001	TIPTON	0A027	0.507	BRANCH	WEIGHT POSTED	7/6/2016	1972	35.5895	-89.788083	CONCRETE	CHANNEL BEAM	60
840A0340001	TIPTON	0A034	0.38	BRANCH	OPEN	7/6/2016	1983	35.595778	-89.757778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
840A0340005	TIPTON	0A034	1.781	BRANCH	OPEN	7/6/2016	1992	35.607722	-89.771083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
840A0380001	TIPTON	0A038	0.399	BRANCH	OPEN	7/6/2016	2005	35.608517	-89.739306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
840A0400001	TIPTON	0A040	2.592	BRANCH	WEIGHT POSTED	7/6/2016	1970	35.590528	-89.746944	CONCRETE	CHANNEL BEAM	69.8
840A0440001	TIPTON	0A044	1.441	ROCKY BRANCH	OPEN	7/6/2016	2008	35.571317	-89.725767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
840A0520001	TIPTON	0A052	1.964	MATHIS CREEK	OPEN	7/6/2016	2010	35.582617	-89.6991	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
840A0550001	TIPTON	0A055	0.215	BRANCH	WEIGHT POSTED	7/6/2016	1970	35.596417	-89.689	CONCRETE	CHANNEL BEAM	66.5
840A0780001	TIPTON	0A078	0.944	BRANCH	OPEN	6/30/2016	1983	35.604972	-89.582111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
840A0790001	TIPTON	0A079	1.723	BRANCH - HATCHIE RIV.	OPEN	6/30/2016	1970	35.575056	-89.601528	CONCRETE	CHANNEL BEAM	66.8
840A0810001	TIPTON	0A081	1.595	BRANCH	OPEN	6/30/2016	2013	35.572444	-89.634564	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.9
840A0810003	TIPTON	0A081	1.62	TOWN CREEK	OPEN	6/30/2016	2013	35.572306	-89.634861	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.9
840A0900001	TIPTON	0A090	1.158	RICHLAND CREEK	WEIGHT POSTED	7/6/2016	1976	35.585694	-89.537528	CONCRETE	CHANNEL BEAM	56.9
840A0900005	TIPTON	0A090	4.882	DRAINAGE DITCH	OPEN	6/28/2016	1992	35.549278	-89.507028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
840A1180001	TIPTON	0A118	1.049	BRANCH	WEIGHT POSTED	6/28/2016	1970	35.475306	-89.537028	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34.8
840A1210001	TIPTON	0A121	1.716	BRANCH	WEIGHT POSTED	6/28/2016	1969	35.542139	-89.635944	CONCRETE	CHANNEL BEAM	49.3
840A1510001	TIPTON	0A151	0.603	BRANCH	OPEN	6/28/2016	1984	35.426306	-89.624028	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	88.5
840A1510003	TIPTON	0A151	0.978	BRANCH	OPEN	6/28/2016	1984	35.431583	-89.623972	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	85.8
840A1540001	TIPTON	0A154	1.104	BRANCH	OPEN	6/28/2016	2006	35.440694	-89.589667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
840A1590001	TIPTON	0A159	0.653	BRANCH	OPEN	6/28/2016	1983	35.434778	-89.679556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
840A1690001	TIPTON	0A169	0.761	HALL CREEK	WEIGHT POSTED	6/28/2016	1969	35.462139	-89.634889	CONCRETE	CHANNEL BEAM	48.7
840A1720001	TIPTON	0A172	1.17	DRAINAGE CANAL	OPEN	6/30/2016	2009	35.498633	-89.624333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
840A1750001	TIPTON	0A175	0.94	BRANCH	OPEN	6/30/2016	1982	35.509806	-89.637611	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96
840A1780001	TIPTON	0A178	0.132	BRANCH	OPEN	6/29/2016	1984	35.520722	-89.693556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
840A1780003	TIPTON	0A178	1.435	SMITH BRANCH	OPEN	6/29/2016	1988	35.504889	-89.691917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
840A1780005	TIPTON	0A178	2.4	BRANCH	OPEN	7/5/2016	1976	35.490694	-89.695278	CONCRETE	CHANNEL BEAM	79.1
840A1780007	TIPTON	0A178	2.443	BRANCH	OPEN	7/5/2016	2005	35.490567	-89.6952	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
840A1790001	TIPTON	0A179	1.553	HATCHEL CREEK	OPEN	6/30/2016	1989	35.485972	-89.717306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.5
840A1830001	TIPTON	0A183	2.39	SMITH BRANCH	OPEN	6/29/2016	2014	35.50825	-89.687783	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
840A1880001	TIPTON	0A188	0.319	KELLY BRANCH	WEIGHT POSTED	6/28/2016	1975	35.444472	-89.674806	CONCRETE	CHANNEL BEAM	67.8
840A1940003	TIPTON	0A194	4.179	HEBRON CREEK	OPEN	6/29/2016	1987	35.424361	-89.736333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
840A1940005	TIPTON	0A194	4.86	BRANCH	WEIGHT POSTED	6/29/2016	1965	35.401417	-89.73925	CONCRETE	CHANNEL BEAM	50.9
840A2030001	TIPTON	0A203	0.006	BRANCH	OPEN	6/30/2016	1987	35.485528	-89.717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
840A2100001	TIPTON	0A210	1.489	CANE BRANCH	OPEN	7/6/2016	2005	35.489611	-89.778389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.7
840A2100003	TIPTON	0A210	2.879	MYRON CREEK	OPEN	7/6/2016	2015	35.492028	-89.757694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
840A2900005	TIPTON	0A210	2.913	BRANCH	OPEN	7/6/2016	2007	35.492067	-89.757217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
840A2280001	TIPTON	0A228	0.323	IC RAILROAD	OPEN	7/5/2016	1990	35.472667	-89.740917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
840A2280003	TIPTON	0A228	3.399	HEBRON BRANCH	OPEN	6/29/2016	2009	35.4317	-89.749133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
840A2500001	TIPTON	0A250	1.051	BIG CREEK	OPEN	6/29/2016	1984	35.40225	-89.816417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.6
840A2590001	TIPTON	0A259	1.07	BIG CREEK	OPEN	6/29/2016	1984	35.416722	-89.837917	CONCRETE	CHANNEL BEAM	65.4
840A2930001	TIPTON	0A293	1.253	BIG CREEK	OPEN	6/29/2016	2000	35.424917	-89.845111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
840A3090003	TIPTON	0A309	0.226	NORTH FORK CREEK	OPEN	6/29/2016	1984	35.4255	-89.890389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
840A3090001	TIPTON	0A309	0.582	CAMPGROUND SPRING CREEK	OPEN	6/29/2016	1984	35.425389	-89.884222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
840A3110001	TIPTON	0A311	0.357	BRANCH	OPEN	6/30/2016	1992	35.445917	-89.852139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
840A3160001	TIPTON	0A316	0.358	BRANCH	OPEN	6/30/2016	1994	35.437528	-89.898	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
840A3390001	TIPTON	0A339	4.124	BRANCH	OPEN	7/5/2016	2005	35.44675	-89.9625	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.1
840A3390003	TIPTON	0A339	4.157	BEAR CREEK	OPEN	7/5/2016	1988	35.447139	-89.962222	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85
840A3430001	TIPTON	0A343	1.856	BEAR CREEK	OPEN	7/5/2016	1988	35.446944	-89.96275	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
840A3490001	TIPTON	0A349	1.216	SUGAR CREEK	OPEN	7/7/2016	1975	35.499722	-89.919861	CONCRETE	CHANNEL BEAM	73.4
840A3550001	TIPTON	0A355	0.092	HURRICANE CREEK	OPEN	7/7/2016	1993	35.496111	-89.876389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
840A3720001	TIPTON	0A372	1.261	HURRICANE CREEK	OPEN	7/7/2016	1999	35.497556	-89.873889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
840A3730001	TIPTON	0A373	1.95	BRANCH	OPEN	7/7/2016	2012	35.493972	-89.862722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
840A3800003	TIPTON	0A380	0.855	GROGGINS CREEK	OPEN	7/6/2016	1988	35.489056	-89.824583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
840A3830001	TIPTON	0A383	1.743	GROGGINS CREEK	OPEN	7/7/2016	1998	35.501389	-89.806833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.9
840A3850001	TIPTON	0A385	0.808	GROGGINS CREEK	OPEN	7/7/2016	2016	35.491111	-89.822944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.8
840A3880001	TIPTON	0A388	1.261	INDIAN CREEK CANAL	OPEN	7/6/2016	1965	35.533222	-89.798528	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.1
840A3890001	TIPTON	0A389	0.799	BRANCH	OPEN	7/6/2016	1983	35.518694	-89.823444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
840A3900001	TIPTON	0A390	0.214	BRANCH	OPEN	7/6/2016	1983	35.533028	-89.819028	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.2
840A3900003	TIPTON	0A390	1.129	BRANCH	WEIGHT POSTED	7/6/2016	1976	35.529611	-89.806361	CONCRETE	CHANNEL BEAM	73.5
840A3910001	TIPTON	0A391	2.646	BRANCH	OPEN	7/7/2016	1989	35.524972	-89.777028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
840A4090001	TIPTON	0A409	0.817	BRANCH	WEIGHT POSTED	7/6/2016	1976	35.484917	-89.751111	CONCRETE	CHANNEL BEAM	49.9
840A4170001	TIPTON	0A417	1.017	BRANCH	OPEN	7/5/2016	2013	35.520694	-89.711	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
840A4350001	TIPTON	0A435	0.771	BRANCH	OPEN	6/28/2016	1984	35.551028	-89.68675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
840A5550001	TIPTON	0A555	1.751	BRANCH	OPEN	7/11/2016	1976	35.554917	-90.018194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	73.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
840A5630005	TIPTON	0A563	0.491	BRANCH	OPEN	6/28/2016	2012	35.445972	-89.5675	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
840A5630007	TIPTON	0A563	3.679	MIDDLE BEAVER CR CANAL	OPEN	6/28/2016	1998	35.447833	-89.623861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
840A5630009	TIPTON	0A563	4.584	BRANCH	OPEN	6/28/2016	1983	35.450639	-89.637583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
840A5640005	TIPTON	0A564	0.563	BRANCH	OPEN	6/27/2016	2007	35.4235	-89.598017	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
840A5640001	TIPTON	0A564	2.19	OVERFLOW	OPEN	6/28/2016	2001	35.424028	-89.570417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.3
840A5640003	TIPTON	0A564	2.22	BRANCH	OPEN	6/28/2016	1987	35.424111	-89.569806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
840A6220001	TIPTON	0A622	0.781	BRANCH	OPEN	6/30/2016	1990	35.617444	-89.620861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
840A7030001	TIPTON	0A703	0.806	BRANCH	OPEN	6/30/2016	2010	35.426472	-89.907194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90
84S81120007	TIPTON	0A806	1.328	BRANCH	OPEN	7/5/2016	1998	35.53375	-89.71625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
840A8370001	TIPTON	0A837	0.382	BRANCH	OPEN	6/28/2016	2000	35.456917	-89.797111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
84SR4390001	TIPTON	0A885	0.186	TOWN CREEK	OPEN	6/29/2016	1994	35.581972	-89.656417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.6
840A8850001	TIPTON	0A885	0.311	BRANCH	OPEN	6/29/2016	2000	35.581139	-89.658222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
840A8880001	TIPTON	0A888	0.411	SMITH BRANCH	OPEN	7/6/2016	1997	35.543528	-89.645167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
840B0780001	TIPTON	0B078	0.32	BRANCH	OPEN	6/29/2016	1984	35.395833	-89.695367	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	72.5
840A0970003	TIPTON	0B094	2.773	BRANCH	OPEN	6/28/2016	1983	35.517167	-89.504778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
84S80710001	TIPTON	0B099	2.085	BIG CREEK	OPEN	6/30/2016	2005	35.449533	-89.846533	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.1
84S81120003	TIPTON	0C001	4.737	ADKINSON CREEK	OPEN	7/7/2016	1956	35.506653	-89.789944	CONCRETE	CHANNEL BEAM	43.4
84S81120005	TIPTON	0C001	6.027	INDIAN CREEK	OPEN	7/7/2016	1956	35.515139	-89.770694	CONCRETE	TEE BEAM	78.1
84SR0010001	TIPTON	SR001	0.07	E. FORK BEAVER CK CANAL	OPEN	6/20/2016	1923	35.404528	-89.54575	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.7
84SR0010003	TIPTON	SR001	1.09	E. FORK BEAVER CK CANAL	OPEN	6/20/2016	1929	35.413972	-89.532139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
84SR0010005	TIPTON	SR001	1.69	BRANCH	OPEN	6/21/2016	1926	35.418333	-89.522778	CONCRETE	TEE BEAM	78

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
84SR0010007	TIPTON	SR001	1.86	OVERFLOW	OPEN	6/20/2016	1926	35.419472	-89.520361	CONCRETE	TEE BEAM	80.4
84SR0010009	TIPTON	SR001	2.8	BRANCH	OPEN	6/20/2016	1929	35.426111	-89.505667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
84SR0030002	TIPTON	SR003	1.65	BIG CREEK	OPEN	6/20/2016	1927	35.410833	-89.832528	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.7
84SR0030001	TIPTON	SR003	1.66	BIG CREEK	OPEN	6/20/2016	1966	35.410667	-89.832111	CONCRETE	TEE BEAM	88.2
84SR0030003	TIPTON	SR003	3.97	BRANCH	OPEN	6/20/2016	1965	35.433639	-89.8025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
84SR0030004	TIPTON	SR003	4.07	BRANCH	OPEN	6/21/2016	1966	35.435472	-89.801917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
84SR0030005	TIPTON	SR003	6.3	BRANCH	OPEN	6/21/2016	1933	35.456694	-89.772278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.5
84SR0030021	TIPTON	SR003	6.8	MEDIAN DITCH	OPEN	6/21/2016	1975	35.461306	-89.766694	CONCRETE	CHANNEL BEAM	60.2
84SR0030006	TIPTON	SR003	6.82	BRANCH	OPEN	6/21/2016	1965	35.462083	-89.765917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
84SR0030007	TIPTON	SR003	9.93	FROG BRANCH	OPEN	6/21/2016	1965	35.491861	-89.725972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.2
84SR0030010	TIPTON	SR003	10.32	INDIAN CR DRAINAGE CANAL	OPEN	6/21/2016	1998	35.496833	-89.722389	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
84SR0030009	TIPTON	SR003	10.33	INDIAN CR DRAINAGE CANAL	OPEN	6/21/2016	1924	35.496806	-89.722111	CONCRETE	TEE BEAM	61.3
84SR0030011	TIPTON	SR003	11.5	BRANCH	OPEN	6/23/2016	1926	35.510306	-89.709639	CONCRETE	TEE BEAM	37.7
84SR0030013	TIPTON	SR003	11.64	BRANCH	OPEN	6/23/2016	1926	35.512056	-89.708056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
84SR0030012	TIPTON	SR003	11.79	BRANCH	OPEN	6/23/2016	1998	35.51375	-89.707833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.2
84SR0030014	TIPTON	SR003	12.17	BRANCH	OPEN	6/21/2016	1962	35.517306	-89.701361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
84SR0030015	TIPTON	SR003	17.6	TOWN CREEK	OPEN	6/21/2016	1922	35.577472	-89.643083	CONCRETE	TEE BEAM	59.7
84SR0030020	TIPTON	SR003	22.08	HATCHIE RIVER	OPEN	6/21/2016	1974	35.636	-89.61075	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	80.2
84SR0030019	TIPTON	SR003	22.08	HATCHIE RIVER	OPEN	6/21/2016	1992	35.636139	-89.610639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.2
84SR0140013	TIPTON	SR014	3.18	BRANCH	OPEN	6/23/2016	2015	35.434917	-89.67305	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.9
84SR0140001	TIPTON	SR014	3.69	KELLY CREEK	OPEN	6/23/2016	2012	35.439611	-89.666028	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.4
84SR0140002	TIPTON	SR014	3.69	KELLY CREEK	OPEN	6/23/2016	2012	35.439611	-89.666028	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
84SR0140003	TIPTON	SR014	6.21	HALL CREEK CANAL	OPEN	6/23/2016	1963	35.463139	-89.631	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
84SR0140005	TIPTON	SR014	6.74	BRANCH	OPEN	6/23/2016	1962	35.467278	-89.623667	CONCRETE	TEE BEAM	67.1
84SR0140007	TIPTON	SR014	7.23	BEAVER CREEK	OPEN	6/27/2016	1962	35.471194	-89.616417	CONCRETE	TEE BEAM	64.1
84SR0140009	TIPTON	SR014	8.2	BRANCH	OPEN	6/23/2016	1963	35.478889	-89.601833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
84SR0140011	TIPTON	SR014	15.17	BRANCH	OPEN	6/27/2016	1962	35.54975	-89.531417	CONCRETE	TEE BEAM	89.9
84SR0540001	TIPTON	SR054	0.74	BRANCH	OPEN	6/23/2016	1986	35.564361	-89.637583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
84SR0540003	TIPTON	SR054	0.88	TOWN CREEK	OPEN	6/23/2016	1986	35.56425	-89.634972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
84SR0540005	TIPTON	SR054	3.8	COAL CREEK	OPEN	6/23/2016	1986	35.552611	-89.585611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.9
84SR0540007	TIPTON	SR054	6.46	BRANCH	OPEN	6/27/2016	1956	35.554361	-89.538694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.3
84SR0540009	TIPTON	SR054	8.1	BRIGMON BRANCH	OPEN	6/27/2016	1956	35.561	-89.510778	CONCRETE	TEE BEAM	62.7
84SR0540011	TIPTON	SR054	9.12	OVERFLOW	OPEN	6/23/2016	1956	35.564389	-89.493083	CONCRETE	TEE BEAM	60.2
84SR0540013	TIPTON	SR054	9.37	OVERFLOW	OPEN	6/23/2016	1956	35.565917	-89.489222	CONCRETE	TEE BEAM	60.2
84SR0540015	TIPTON	SR054	9.6	HATCHIE RIVER	OPEN	6/22/2016	1952	35.567444	-89.485806	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53
84SR0590001	TIPTON	SR059	6.63	BRANCH	OPEN	6/27/2016	1990	35.531278	-89.848333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
84SR0590003	TIPTON	SR059	6.81	HURRICAN CREEK	OPEN	6/27/2016	1992	35.532806	-89.845667	CONCRETE	CHANNEL BEAM	77.8
84SR0590005	TIPTON	SR059	8.73	INDIAN CREEK	OPEN	6/27/2016	1984	35.552472	-89.822333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.2
84SR0590007	TIPTON	SR059	14.86	ROCKY BRANCH	OPEN	6/27/2016	2006	35.558278	-89.720189	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.3
84SR0590009	TIPTON	SR059	17.16	BRANCH	OPEN	6/28/2016	2006	35.563333	-89.681667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.3
84SR0590027	TIPTON	SR059	20.21	BRANCH	OPEN	6/28/2016	1985	35.535972	-89.649778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
84SR0590029	TIPTON	SR059	20.66	BRANCH	OPEN	6/28/2016	1985	35.536528	-89.641417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
84SR0590031	TIPTON	SR059	20.96	BRANCH	OPEN	6/28/2016	1985	35.536833	-89.636111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
84SR0590019	TIPTON	SR059	24.55	DRAINAGE DITCH	OPEN	6/28/2016	2010	35.495778	-89.598944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
84SR0590021	TIPTON	SR059	24.85	BEAVER CREEK	OPEN	6/28/2016	1995	35.492167	-89.596139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
84SR0590025	TIPTON	SR059	28.28	OVERFLOW	OPEN	6/28/2016	1996	35.450194	-89.562861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.8
84S80520001	TIPTON	SR179	9.09	BRANCH	OPEN	6/27/2016	2004	35.495	-89.505667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.7
84S80710003	TIPTON	SR206	2.36	IC RAILROAD	OPEN	6/27/2016	1991	35.439	-89.779444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.1
84S80710005	TIPTON	SR206	3.93	HEBRON BRANCH	OPEN	6/27/2016	1951	35.4355	-89.753389	CONCRETE	TEE BEAM	66.1
84S80710007	TIPTON	SR206	4.43	BRANCH	OPEN	6/27/2016	1960	35.437389	-89.745028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
84S80710009	TIPTON	SR206	5.32	BRANCH	OPEN	6/27/2016	1984	35.434361	-89.729556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
84S80720003	TIPTON	SR384	2.34	BRANCH	OPEN	6/27/2016	2004	35.479556	-89.634917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
84SR0590017	TIPTON	SR384	6.65	TOWN CREEK	OPEN	6/28/2016	1996	35.542333	-89.637417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	67.1
84SR0590015	TIPTON	SR384	7.08	DRAINAGE DITCH	OPEN	6/28/2016	2013	35.547889	-89.64075	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.9
84SR3840003	TIPTON	SR384	7.44	TOWN CREEK	OPEN	6/28/2016	2000	35.552389	-89.641028	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	73.3
84M29000001	TIPTON	SR384	8.92	TOWN CREEK	OPEN	6/28/2016	1961	35.573211	-89.635917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	73.1
85F00070001	TROUSDALE	01070	1.975	WARD BRANCH	OPEN	2/9/2017	1986	36.3324	-86.137567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
85F00070003	TROUSDALE	01070	2.33	STONE BRANCH	OPEN	2/9/2017	1986	36.330517	-86.131867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
85S62900001	TROUSDALE	01074	0.32	BRANCH	OPEN	3/3/2017	1985	36.391783	-86.107067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
85S62900003	TROUSDALE	01074	3	LICK CREEK	OPEN	3/6/2017	1985	36.3858	-86.065133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.5
85S62900005	TROUSDALE	01074	5.05	DOG BRANCH	OPEN	3/14/2017	1992	36.39705	-86.03405	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.6
85S62890001	TROUSDALE	01082	2.58	HICKERSON BRANCH	OPEN	3/2/2017	1945	36.425667	-86.135183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.1
85020860009	TROUSDALE	02086	0.18	N FORK SCANTY BRANCH	OPEN	3/15/2017	1992	36.393667	-86.008817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
85020860001	TROUSDALE	02086	1.02	SCANTY BRANCH	OPEN	3/15/2017	1986	36.39545	-86.02295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
85020860003	TROUSDALE	02086	1.69	DIXON CREEK	OPEN	3/15/2017	1984	36.39695	-86.03405	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73.6
85020860011	TROUSDALE	02086	2.41	DOG BRANCH	OPEN	3/13/2017	1996	36.40665	-86.03655	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
85020860007	TROUSDALE	02086	2.68	DOG BRANCH	OPEN	3/13/2017	1995	36.410433	-86.035833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
85020860005	TROUSDALE	02086	5.63	PUMPKIN BRANCH	OPEN	3/13/2017	1997	36.42785	-86.0615	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
85020880001	TROUSDALE	02088	0.68	WELCH BRANCH	OPEN	2/13/2017	1997	36.3918	-86.1786	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
85020880003	TROUSDALE	02088	2.45	SECOND CREEK	OPEN	2/17/2017	1950	36.388517	-86.209733	CONCRETE	TEE BEAM	71.1
85020900001	TROUSDALE	02090	2.12	HAWKINS BRANCH	OPEN	2/16/2017	1970	36.4442	-86.201083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.3
85020900003	TROUSDALE	02090	3.1	SKILLET CREEK	OPEN	2/21/2017	1960	36.447283	-86.184383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
85020900005	TROUSDALE	02090	3.14	LITTLE GOOSE CREEK	OPEN	2/21/2017	1960	36.447167	-86.183667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
85020910001	TROUSDALE	02091	1.21	ROCKY CREEK	OPEN	2/16/2017	1960	36.42075	-86.249683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
850A0110001	TROUSDALE	0A011	0.842	BIG GOOSE CREEK	OPEN	3/14/2017	1965	36.374083	-86.136483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	67.1
850A0150001	TROUSDALE	0A015	2.642	BRANCH	OPEN	2/16/2017	1983	36.451917	-86.212083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
850A0150003	TROUSDALE	0A015	2.914	HAWKINS BRANCH	OPEN	2/16/2017	1993	36.449433	-86.208633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
850A0210005	TROUSDALE	0A021	2.512	SKILLET CREEK	OPEN	2/21/2017	1985	36.468933	-86.192033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
850A0210007	TROUSDALE	0A021	2.967	CARR BRANCH	OPEN	2/21/2017	1984	36.4622	-86.191867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
850A0210003	TROUSDALE	0A021	3.695	SKILLET CREEK	OPEN	2/21/2017	1984	36.452267	-86.187467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73
850A0250001	TROUSDALE	0A025	1.387	HARRIS BRANCH	OPEN	2/24/2017	1989	36.4364	-86.166167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
850A0260001	TROUSDALE	0A026	0.16	HARRIS BRANCH	OPEN	2/24/2017	1984	36.425267	-86.1802	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
850A0260003	TROUSDALE	0A026	0.893	HARRIS BRANCH	OPEN	2/24/2017	1950	36.43145	-86.169567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
850A0270001	TROUSDALE	0A027	0.046	LITTLE GOOSE CREEK	OPEN	2/24/2017	1987	36.4337	-86.1881	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
850A0280005	TROUSDALE	0A028	0.06	BRANCH	OPEN	2/23/2017	1999	36.407967	-86.177617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
850A0310001	TROUSDALE	0A031	2.395	SECOND CREEK	OPEN	2/23/2017	1981	36.4014	-86.214033	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.9
850A0350001	TROUSDALE	0A035	1.788	SECOND CREEK	OPEN	2/23/2017	1989	36.41375	-86.228883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
850A0360001	TROUSDALE	0A036	0.008	HARRIS CREEK	OPEN	2/24/2017	1984	36.42845	-86.174117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
850A0400001	TROUSDALE	0A040	0.231	GOOSE CREEK	OPEN	3/3/2017	1978	36.40855	-86.1062	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
850A0400003	TROUSDALE	0A040	0.532	HICKERSON BRANCH	OPEN	3/3/2017	1983	36.408139	-86.111714	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
850A0410001	TROUSDALE	0A041	0.389	HICKERSON BRANCH	OPEN	3/2/2017	2000	36.4139	-86.11915	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
850A0440001	TROUSDALE	0A044	1.903	MIDDLE FORK GOOSE CREEK	OPEN	3/2/2017	1987	36.424417	-86.104761	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
850A0440003	TROUSDALE	0A044	2.537	BIG GOOSE CREEK	OPEN	3/2/2017	1976	36.41935	-86.098067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
850A0450001	TROUSDALE	0A045	1.708	MIDDLE FORK GOOSE CREEK	OPEN	3/2/2017	1990	36.443183	-86.113917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
850A0510001	TROUSDALE	0A051	1.141	FINLEY BRANCH	OPEN	3/3/2017	1984	36.409717	-86.092633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
850A0540005	TROUSDALE	0A054	1.598	BRANCH	OPEN	3/13/2017	2002	36.387967	-86.063333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
850A0540007	TROUSDALE	0A054	1.85	BRANCH	OPEN	3/6/2017	1989	36.366617	-86.069983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	83.7
850A0540001	TROUSDALE	0A054	2.006	LICK CREEK	OPEN	3/6/2017	1986	36.3822	-86.063817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
850A0540003	TROUSDALE	0A054	3.162	GLASGOW BRANCH	OPEN	3/6/2017	1989	36.366617	-86.069983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
850A0550001	TROUSDALE	0A055	0.014	LICK CREEK	OPEN	3/13/2017	1980	36.392767	-86.064367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
850A0570001	TROUSDALE	0A057	0.791	GLASGOW BRANCH	OPEN	3/6/2017	1999	36.37585	-86.075283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
850A0590001	TROUSDALE	0A059	0.23	BRANCH	OPEN	3/15/2017	2012	36.392	-86.045	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.2
850A0620001	TROUSDALE	0A062	0.066	DIXON CREEK	OPEN	3/16/2017	1983	36.40855	-86.021317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
850A0620003	TROUSDALE	0A062	1.427	BRANCH	OPEN	3/16/2017	1987	36.414917	-86.0117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
850A0620005	TROUSDALE	0A062	1.45	DIXON CREEK	OPEN	3/16/2017	1987	36.421944	-86.004333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
850A0690001	TROUSDALE	0A069	0.067	DIXON CREEK	OPEN	3/14/2017	1997	36.387017	-86.041883	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.3
850A0880001	TROUSDALE	0A088	0.45	WARD BRANCH	OPEN	2/9/2017	1984	36.32645	-86.137433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
850A1060001	TROUSDALE	0A106	1.13	ROCKY CREEK	OPEN	2/10/2017	1985	36.348283	-86.259433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.8
850A1090001	TROUSDALE	0A109	0.121	ROCKY CREEK	OPEN	2/10/2017	1993	36.356083	-86.257333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
850A1170001	TROUSDALE	0A117	0.467	ROCKY CREEK	OPEN	2/13/2017	1988	36.369883	-86.251317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
850A1180001	TROUSDALE	0A118	0.084	ROCKY CREEK	OPEN	2/13/2017	1998	36.389367	-86.25135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
850A1190001	TROUSDALE	0A119	1.19	BRANCH	OPEN	2/13/2017	2007	36.369883	-86.251317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
850A1250001	TROUSDALE	0A125	0.345	BRANCH	OPEN	2/10/2017	1988	36.372867	-86.263017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
850A1250003	TROUSDALE	0A125	0.741	BRANCH	OPEN	2/10/2017	1988	36.378133	-86.261117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
850A1270001	TROUSDALE	0A127	0.062	SCANTY BRANCH	OPEN	3/15/2017	1984	36.3915	-86.007867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.6
850A1290001	TROUSDALE	0A129	0.004	DIXON CREEK	OPEN	3/16/2017	2000	36.40155	-86.026867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.9
850A1350001	TROUSDALE	0A135	0.194	LITTLE GOOSE CREEK	OPEN	2/24/2017	1984	36.390467	-86.163117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.4
850A1350003	TROUSDALE	0A135	0.556	DARWIN CREEK	OPEN	2/23/2017	1984	36.390333	-86.156367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
850A1900001	TROUSDALE	0A190	0	DOG BRANCH	OPEN	3/14/2017	1998	36.399283	-86.035217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	90.3
850B1090001	TROUSDALE	0B109	0.07	BRANCH	OPEN	2/16/2017	2007	36.408633	-86.178517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
850B1300001	TROUSDALE	0B130	0.024	LITTLE GOOSE CR OVERFLOW	OPEN	2/23/2017	1985	36.408633	-86.178517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
850B1300003	TROUSDALE	0B130	0.124	LITTLE GOOSE CREEK	OPEN	2/23/2017	1985	36.409717	-86.176383	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
85SR0100001	TROUSDALE	SR010	4.36	ROCKY CREEK	OPEN	2/1/2017	1928	36.362017	-86.25565	CONCRETE	TEE BEAM	63.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
85SR0100003	TROUSDALE	SR010	6.61	BRANCH	OPEN	2/1/2017	1952	36.39025	-86.255617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
85SR0100005	TROUSDALE	SR010	6.69	BRANCH	OPEN	2/1/2017	1952	36.390117	-86.254317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
85SR0100007	TROUSDALE	SR010	6.86	ROCKY CREEK	OPEN	2/1/2017	1952	36.3899	-86.251333	CONCRETE	TEE BEAM	81.9
85SR0100009	TROUSDALE	SR010	9.22	SECOND CREEK	OPEN	2/2/2017	1952	36.400117	-86.213233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
85SR0100011	TROUSDALE	SR010	11.53	LITTLE GOOSE CREEK	OPEN	2/6/2017	1952	36.402	-86.17305	CONCRETE	TEE BEAM	64.9
85SR0100013	TROUSDALE	SR010	11.71	LITTLE GOOSE CREEK	OPEN	2/2/2017	1952	36.401433	-86.16995	CONCRETE	TEE BEAM	55.4
85SR0100015	TROUSDALE	SR010	11.96	MILL BRANCH	OPEN	2/2/2017	1952	36.4002	-86.167233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
85SR0100017	TROUSDALE	SR010	12.61	DARWIN BRANCH	OPEN	2/2/2017	1952	36.395567	-86.155917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	72.9
85SR0100019	TROUSDALE	SR010	14.26	BIG GOOSE CREEK	OPEN	2/6/2017	1949	36.385083	-86.130833	CONCRETE	TEE BEAM	43.9
85SR0100021	TROUSDALE	SR010	15.96	BRANCH	OPEN	2/6/2017	1948	36.394917	-86.110633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
85SR0100023	TROUSDALE	SR010	16.99	FINLEY BRANCH	OPEN	2/6/2017	1948	36.407333	-86.102233	CONCRETE	TEE BEAM	53.8
85SR0100025	TROUSDALE	SR010	19.55	PUMPKIN BRANCH	OPEN	2/6/2017	1946	36.434733	-86.073333	CONCRETE	TEE BEAM	55.8
85SR1410001	TROUSDALE	SR141	2.43	HARRIS BRANCH	OPEN	2/9/2017	1974	36.42365	-86.1829	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
85SR1410003	TROUSDALE	SR141	4.82	LITTLE GOOSE CREEK	OPEN	2/9/2017	1993	36.39185	-86.167133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.9
85SR1410005	TROUSDALE	SR141	6.25	CUMBERLAND RIVER	OPEN	2/3/2017	1981	36.3744	-86.174933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53.9
85SR1410007	TROUSDALE	SR141	6.5	OVERFLOW CUMBERLAND RIVE	OPEN	2/9/2017	1979	36.370767	-86.175833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.9
85S61330009	TROUSDALE	SR260	0.81	BRANCH	OPEN	2/8/2017	1940	36.449583	-86.2532	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
85S61330003	TROUSDALE	SR260	5.58	LITTLE GOOSE CREEK	OPEN	2/8/2017	2017	36.42235	-86.18325	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.8
85SR0102001	TROUSDALE	SR376	0.49	BRANCH	OPEN	2/8/2017	1943	36.395467	-86.264367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
85SR0102003	TROUSDALE	SR376	4.31	EAST FORK BLEDSOE CREEK	OPEN	2/8/2017	1940	36.450617	-86.267	CONCRETE	TEE BEAM	46.8
86S23890001	UNICOI	01347	0.02	HIGGINS CREEK	OPEN	8/8/2016	1941	36.0124	-82.5544	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.5
86F00080009	UNICOI	01347	4.88	HIGGINS CREEK	OPEN	7/20/2016	1980	36.0377	-82.51045	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
86S23890007	UNICOI	01347	5.49	TILSON CREEK	OPEN	7/20/2016	1942	36.047317	-82.510067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.4
86013510009	UNICOI	01351	0.16	CSX RAILROAD	OPEN	7/19/2016	1981	36.054233	-82.584167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90
86S24400005	UNICOI	01351	2.01	DRY CREEK	OPEN	7/19/2016	1976	36.18135	-82.37675	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
86S24400007	UNICOI	01351	3.79	NORTH INDIAN CREEK	OPEN	7/19/2016	1976	36.194117	-82.35175	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
86025590001	UNICOI	01415	0.03	SCIOTO CREEK	OPEN	7/19/2016	1965	36.30205	-82.364733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
86025590003	UNICOI	01415	5.17	HONEYCOMB CREEK	OPEN	7/19/2016	1965	36.238183	-82.270317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
86I00260021	UNICOI	01419	0.1	I26	OPEN	12/7/2016	1981	36.164717	-82.397317	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	91.9
86S25310001	UNICOI	02557	0.14	SAMS CREEK	OPEN	8/2/2016	1942	36.014333	-82.558233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.7
86S25310003	UNICOI	02557	0.6	RICE CREEK	OPEN	8/2/2016	1960	36.009	-82.562017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
86S25310005	UNICOI	02557	1.24	RICE CREEK	OPEN	8/2/2016	1960	36.0005	-82.564167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
86S25310007	UNICOI	02557	1.52	RICE CREEK	OPEN	8/2/2016	1960	35.99665	-82.563567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
86S25310009	UNICOI	02557	2.14	RICE CREEK	OPEN	8/2/2016	1960	35.98765	-82.5659	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
86SR1070001	UNICOI	02559	4.16	SAMS CREEK	OPEN	8/4/2016	1933	35.993056	-82.553333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
86SR0810003	UNICOI	02559	5.62	SAMS CREEK	OPEN	8/4/2016	1933	36.013333	-82.536667	CONCRETE	TEE BEAM	65.5
86SR0810005	UNICOI	02559	7.46	INDIAN CREEK	OPEN	8/4/2016	1996	36.036667	-82.559167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.2
860A0030001	UNICOI	02624	0.05	BUFFALO CREEK	OPEN	7/19/2016	2003	36.242517	-82.322983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.6
86I00260035	UNICOI	04701	0	I26	OPEN	1/10/2017	1993	36.122417	-82.447283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
860A4000001	UNICOI	04701	0.15	NOLICHUCKY RIVER	OPEN	8/10/2016	1994	36.1236	-82.4425	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
860A4000005	UNICOI	04701	1.72	MARTIN CREEK	OPEN	8/9/2016	1928	36.131133	-82.41795	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89.3
86047030001	UNICOI	04703	0.885	MARTIN CREEK	OPEN	8/10/2016	1999	36.132783	-82.422583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
860A0010001	UNICOI	04718	0.36	ROCK CREEK	OPEN	7/19/2016	1976	36.161467	-82.40115	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
860A0010003	UNICOI	04718	0.48	BRANCH	OPEN	7/19/2016	1976	36.162367	-82.399533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
860A0140003	UNICOI	0A014	0.01	RICE CREEK	OPEN	8/2/2016	1984	36.012717	-82.55965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
860A0280001	UNICOI	0A028	0.01	BIG BALD CREEK	OPEN	7/20/2016	1995	36.0338	-82.5094	CONCRETE	SLAB	89.6
860A0300001	UNICOI	0A030	0.017	SOUTH INDIAN CREEK	OPEN	8/3/2016	1982	36.059467	-82.521817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
860A0320001	UNICOI	0A032	0.359	SPIVEY CREEK	OPEN	8/10/2016	1974	36.038617	-82.49155	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.8
860A6020001	UNICOI	0A038	0.01	SOUTH INDIAN CREEK	OPEN	8/3/2016	1987	36.20555	-82.4281	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.9
860A0390001	UNICOI	0A039	0.432	ROCKY FORK CREEK	OPEN	8/4/2016	1983	36.040633	-82.551533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
860A0390003	UNICOI	0A039	0.855	ROCKY FORK CREEK	OPEN	8/4/2016	1990	36.045167	-82.5557	CONCRETE	SLAB	98
860A0470001	UNICOI	0A047	0.008	S. INDIAN CREEK	OPEN	8/3/2016	1984	36.0456	-82.53565	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.7
860A0480001	UNICOI	0A048	0.008	S INDIAN CREEK	OPEN	8/3/2016	1988	36.068333	-82.50785	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	55.3
860A0510001	UNICOI	0A051	0.224	SPIVEY CREEK	OPEN	8/10/2016	1978	36.03865	-82.487333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.8
860A0520001	UNICOI	0A052	0.208	SPIVEY CREEK	WEIGHT POSTED	8/10/2016	1978	36.037317	-82.483067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.1
860A0530001	UNICOI	0A053	0.008	SPIVEY CREEK	OPEN	8/10/2016	1945	36.041717	-82.466233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.9
860A0530003	UNICOI	0A053	0.161	LITTLE BALD CREEK	OPEN	8/10/2016	1983	36.0399	-82.465133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
860A0550001	UNICOI	0A055	0.006	SOUTH INDIAN CREEK	OPEN	7/20/2016	1978	36.077567	-82.496583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.2
860A0550003	UNICOI	0A055	0.147	LITTLE HIGGINS CREEK	OPEN	7/20/2016	2010	36.077683	-82.498583	CONCRETE	FRAME (EXCEPT FRAME CULVERTS)	80.5
860A0550009	UNICOI	0A055	1.182	LITTLE HIGGINS CREEK	OPEN	7/20/2016	1978	36.085717	-82.51265	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70.8
860A0550007	UNICOI	0A055	1.33	LITTLE HIGGINS CREEK	OPEN	7/20/2016	1978	36.086233	-82.515383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.3
860A0560001	UNICOI	0A056	1.506	GRANNY LEWIS CREEK	WEIGHT POSTED	7/20/2016	1978	36.087067	-82.48515	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
860A0580001	UNICOI	0A058	0.109	SOUTH INDIAN CREEK	OPEN	8/3/2016	1975	36.099717	-82.4719	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48
860A0620001	UNICOI	0A062	0.006	SOUTH INDIAN CREEK	OPEN	8/3/2016	1987	36.094217	-82.479617	CONCRETE	SLAB	90.5
860A0680001	UNICOI	0A068	0.874	NOLICHUCKY RIVER	OPEN	8/8/2016	1991	36.1055	-82.4482	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.6
860A0690001	UNICOI	0A069	0.505	SOUTH INDIAN CREEK	OPEN	7/20/2016	2011	36.1159	-82.455783	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.3
860A1000001	UNICOI	0A100	0.228	MARTIN CREEK	OPEN	8/10/2016	1994	36.133533	-82.427	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
860A1140001	UNICOI	0A114	0.017	MARTIN CREEK	OPEN	8/9/2016	1991	36.130533	-82.414417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
860A1250001	UNICOI	0A128	0.881	ODOM BRANCH	OPEN	8/9/2016	1965	36.129883	-82.40545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
860A1290001	UNICOI	0A129	0.023	MARTIN CREEK	OPEN	8/9/2016	1996	36.129667	-82.407733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.8
860A1300001	UNICOI	0A130	0.015	MARTIN CREEK	OPEN	8/9/2016	1969	36.128333	-82.406483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
860A0710001	UNICOI	0A177	0.073	SOUTH INDIAN CREEK	OPEN	8/8/2016	1993	36.122967	-82.448617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7
860A2540003	UNICOI	0A254	0.028	ROCK CREEK	OPEN	7/20/2016	1978	36.042467	-82.552567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.3
860A2550001	UNICOI	0A255	0.294	ROCK CREEK	OPEN	7/20/2016	1984	36.157783	-82.3921	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
860A4390001	UNICOI	0A264	0.082	ROCK CREEK	OPEN	7/20/2016	1983	36.152	-82.383817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.4
860A4400001	UNICOI	0A267	0.047	ROCK CREEK	OPEN	7/20/2016	1984	36.150433	-82.381083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1
860A2770001	UNICOI	0A277	0.05	ROCK CREEK	OPEN	7/19/2016	1992	36.13965	-82.360583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
860A2890001	UNICOI	0A289	0.071	NORTH INDIAN CREEK	OPEN	7/19/2016	1981	36.16585	-82.3989	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
860A3000001	UNICOI	0A300	0.438	NORTH INDIAN CREEK	OPEN	7/19/2016	1982	36.172	-82.394633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.5
860A3030001	UNICOI	0A303	0.7	DRY CREEK	OPEN	7/19/2016	1983	36.18125	-82.365117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.5
860A4430001	UNICOI	0A304	0.256	NORTH INDIAN CREEK	OPEN	7/19/2016	1984	36.186	-82.380067	CONCRETE	CHANNEL BEAM	97
860A3050001	UNICOI	0A305	0.378	NORTH INDIAN CREEK	OPEN	7/19/2016	1996	36.188867	-82.376933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
860A3090001	UNICOI	0A309	1.156	NORTH INDIAN CREEK	OPEN	7/19/2016	1995	36.1922	-82.37275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
860A3790001	UNICOI	0A319	0.013	DRY CREEK	OPEN	7/19/2016	1983	36.1801	-82.362483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
860A3760001	UNICOI	0A376	0.337	NORTH INDIAN CREEK	OPEN	7/19/2016	1985	36.187733	-82.339117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	66
860A3820003	UNICOI	0A382	0.093	NORTH INDIAN CREEK	OPEN	7/20/2016	1983	36.179483	-82.27155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
860A6000001	UNICOI	0A382	1.83	NORTH INDIAN CREEK	OPEN	7/20/2016	1975	36.176183	-82.290817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
860A3870001	UNICOI	0A387	0.159	SIMMERCY CREEK	OPEN	7/20/2016	1991	36.18405	-82.26145	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.1
860A3880001	UNICOI	0A388	0.912	NORTH INDIAN CREEK	OPEN	7/20/2016	1983	36.174	-82.25275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
860A3980001	UNICOI	0A398	0.466	NORTH INDIAN CREEK	OPEN	7/20/2016	1992	36.167883	-82.250283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
860A4050001	UNICOI	0A405	0.018	SOUTH INDIAN CREEK	OPEN	8/3/2016	1986	36.068717	-82.51565	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
860A6030001	UNICOI	0A407	0.004	SPIVEY CREEK	OPEN	8/2/2016	1975	36.058967	-82.5033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.7
860A4250001	UNICOI	0A425	0.087	NORTH INDIAN CREEK	OPEN	7/20/2016	1996	36.177467	-82.321217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.1
860A4260001	UNICOI	0A426	0.075	NORTH INDIAN CREEK	WEIGHT POSTED	7/20/2016	1974	36.184983	-82.525467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.9
860A4550001	UNICOI	0A455	0.984	MARTINS CREEK	OPEN	8/10/2016	1998	36.134083	-82.431983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
860A4550003	UNICOI	0A455	1.188	MARTINS CREEK	OPEN	8/10/2016	1998	36.136333	-82.4302	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.7
860A4810001	UNICOI	0A481	0.011	DRY CREEK	WEIGHT POSTED	7/19/2016	1990	36.180167	-82.37535	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.7
860A4820001	UNICOI	0A482	0.013	N INDIAN CREEK	OPEN	7/20/2016	2000	36.177367	-82.27955	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93.2
860X0040001	UNICOI	0A483	0.036	RICE CREEK	WEIGHT POSTED	8/2/2016	1990	36.018283	-82.557917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.9
860A4840001	UNICOI	0A484	0.007	SOUTH INDIAN CREEK	OPEN	8/2/2016	2000	36.026183	-82.54995	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	93.9
86SR0360007	UNICOI	0A491	0.315	GRANNY LEWIS CREEK	OPEN	8/3/2016	1951	36.086667	-82.483333	CONCRETE	TEE BEAM	40.3
860A5070001	UNICOI	0A507	0.01	DEVIL FORK CREEK	OPEN	8/3/2016	2009	36.346267	-82.540342	STEEL	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
860A6010001	UNICOI	0A601	0.039	SOUTH INDIAN CREEK	WEIGHT POSTED	8/3/2016	1975	36.0497	-82.531467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.8
860A6040001	UNICOI	0A604	0.02	SPIVEY CREEK	WEIGHT POSTED	8/10/2016	2007	36.345544	-82.499903	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.1
860A4270001	UNICOI	0A605	0.007	SPIVEY CREEK	WEIGHT POSTED	8/10/2016	2007	36.043183	-82.4972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.1
860A6060001	UNICOI	0A606	0.038	SPIVEY CREEK	OPEN	8/10/2016	1992	36.047033	-82.500967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.9
860A2540001	UNICOI	0A608	0.004	ROCK CREEK	OPEN	7/20/2016	1993	36.153133	-82.388033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.7
860A6090001	UNICOI	0A609	0.007	SOUTH INDIAN CREEK	OPEN	8/8/2016	1998	36.045283	-82.542417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
860A6100001	UNICOI	0A610	0.004	SOUTH INDIAN CREEK	WEIGHT POSTED	8/2/2016	2003	36.02775	-82.54775	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.7
860Z0010001	UNICOI	0B124	0	DEVIL FORK CREEK	OPEN	8/8/2016	2009	36.042222	-82.542222	STEEL	BOX BEAM OR GIRDERS - MULTIPLE	82.5
86I00260001	UNICOI	I0026	0.46	NFA A370 (CASTILLE RD)	OPEN	11/21/2016	1985	36.2	-82.326667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
86I00260002	UNICOI	I0026	0.46	NFA A370 (CASTILLE RD)	OPEN	11/21/2016	1985	36.2	-82.326667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
86I00260003	UNICOI	I0026	1.25	NFA A369 (GARLAND RD)	OPEN	11/21/2016	1985	36.2	-82.33	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
86I00260004	UNICOI	I0026	1.25	NFA A369 (GARLAND RD)	OPEN	11/21/2016	1985	36.2	-82.33	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
86I00260006	UNICOI	I0026	2.19	CSX RAILROAD	OPEN	11/21/2016	1985	36.2	-82.338333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.9
86I00260005	UNICOI	I0026	2.19	CSX RAILROAD	OPEN	11/21/2016	1985	36.2	-82.338333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.9
86I00260007	UNICOI	I0026	2.5	NFA A359 (BUCKEYE RD)	OPEN	11/28/2016	1985	36.2	-82.343333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
86I00260008	UNICOI	I0026	2.5	NFA A359 (BUCKEYE RD)	OPEN	11/28/2016	1985	36.2	-82.343333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
86I00260010	UNICOI	I0026	3.15	NFA A357 (MC CLAUGIN RD)	OPEN	11/28/2016	1985	36.2	-82.346667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
86I00260009	UNICOI	I0026	3.15	NFA A357 (MC CLAUGIN RD)	OPEN	11/28/2016	1985	36.2	-82.346667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
86I00260012	UNICOI	I0026	4.09	SR 173	OPEN	11/28/2016	1985	36.2	-82.355	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
86I00260011	UNICOI	I0026	4.09	NFA A468	OPEN	11/28/2016	1985	36.2	-82.355	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98
86I00260013	UNICOI	I0026	5.48	N INDIAN CR & NFA A309	OPEN	12/8/2016	1985	36.193333	-82.371667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
86I00260014	UNICOI	I0026	5.48	N INDIAN CR & NFA A309	OPEN	12/8/2016	1985	36.193333	-82.371667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
86I00260015	UNICOI	I0026	5.95	NFA A305 (TINKER RD)	OPEN	11/28/2016	1985	36.19	-82.38	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
86I00260016	UNICOI	I0026	5.95	NFA A305 (TINKER RD)	OPEN	11/28/2016	1985	36.19	-82.38	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
86I00260017	UNICOI	I0026	6.53	DRY CREEK	OPEN	12/5/2016	1985	36.181667	-82.383333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.9
86I00260020	UNICOI	I0026	7.57	NFA A300-PIPPEN HOLLOW R	OPEN	12/7/2016	1983	36.171667	-82.396667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
86I00260019	UNICOI	I0026	7.57	NFA A300-PIPPEN HOLLOW R	OPEN	12/7/2016	1983	36.171667	-82.396667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.9
86I00260023	UNICOI	I0026	8.21	N. FK. ROCKY CREEK	OPEN	12/5/2016	1981	36.162833	-82.400233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.1
86I00260025	UNICOI	I0026	8.35	ROCKY CREEK	OPEN	12/5/2016	1981	36.161667	-82.403333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.1
86I00260028	UNICOI	I0026	8.59	N. INDIAN CREEK	OPEN	12/5/2016	1981	36.158333	-82.41	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.3
86I00260027	UNICOI	I0026	8.59	N. INDIAN CREEK	OPEN	12/5/2016	1981	36.158333	-82.41	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.3
86I00260029	UNICOI	I0026	9.51	SR-81	OPEN	12/7/2016	1987	36.15	-82.421667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	98
86I00260031	UNICOI	I0026	10.31	INDIAN CREEK	OPEN	1/10/2017	1977	36.141667	-82.43	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.2
86I00260032	UNICOI	I0026	10.31	INDIAN CREEK	OPEN	1/10/2017	1977	36.141667	-82.43	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.2
86I00260033	UNICOI	I0026	11.72	NOLICHUCKY RIVER	OPEN	1/11/2017	1977	36.126667	-82.446667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.4
86I00260034	UNICOI	I0026	11.72	NOLICHUCKY RIVER	OPEN	1/11/2017	1977	36.126667	-82.446667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.4
86I00260037	UNICOI	I0026	12.22	OVERFLOW	OPEN	1/10/2017	1977	36.121667	-82.448333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
86I00260040	UNICOI	I0026	12.83	NFA A069-RIVER RD	OPEN	1/10/2017	1993	36.112933	-82.4496	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
86I00260039	UNICOI	I0026	12.83	NFA A069-RIVER RD	OPEN	1/10/2017	1993	36.112317	-82.449883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
86I00260041	UNICOI	I0026	14.08	NFA A066 - LEDFORD RD	OPEN	1/17/2017	1993	36.103733	-82.469167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
86I00260043	UNICOI	I0026	14.14	SOUTH INDIAN CREEK	OPEN	1/17/2017	1993	36.10345	-82.47025	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
86I00260045	UNICOI	I0026	14.45	NFA A409-MASTER RD	OPEN	1/17/2017	1993	36.100083	-82.390267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
86I00260047	UNICOI	I0026	15.24	NFA A445-GUY ERWIN RD	OPEN	1/17/2017	1993	36.092983	-82.484583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
86I00260049	UNICOI	I0026	15.57	SOUTH INDIAN CREEK	OPEN	1/17/2017	1993	36.08835	-82.487933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
86I00260051	UNICOI	I0026	15.82	NFA A061-DEWEY FRYE RD	OPEN	1/18/2017	1993	36.086783	-82.49085	CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
86I00260053	UNICOI	I0026	16.03	INDIAN CREEK	OPEN	1/18/2017	1993	36.0852	-82.493467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
86I00260055	UNICOI	I0026	16.57	NFA A055 & HIGGINS CR	OPEN	1/18/2017	1994	36.078283	-82.497533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
86I00260057	UNICOI	I0026	17.2	SR 352 & SO. INDIAN CR	OPEN	1/11/2017	1994	36.071	-82.504183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
86I00260059	UNICOI	I0026	18.61	TILSON RD (A045)	OPEN	1/18/2017	1994	36.053233	-82.512917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.6
86I00260061	UNICOI	I0026	18.85	CLEAR BRANCH RD (0A030)	OPEN	1/18/2017	1994	36.049133	-82.514617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
86I00260063	UNICOI	I0026	20.09	NFA A047 & LIZZIE BR.	OPEN	1/19/2017	1994	36.038833	-82.531783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
86I00260065	UNICOI	I0026	21.07	NFA 2622-TILSON MTN RD	OPEN	1/19/2017	1994	36.027633	-82.54215	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.4
86I00260067	UNICOI	I0026	22.09	1347-UPPER HIGGINS CR.RD	OPEN	1/24/2017	1995	36.014267	-82.547717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
86I00260069	UNICOI	I0026	22.18	BRANCH	OPEN	1/26/2017	1999	36.012733	-82.546317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
86I00260071	UNICOI	I0026	22.21	RP FROM I-26	OPEN	1/24/2017	1995	36.012467	-82.5462	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86
86I00260073	UNICOI	I0026	24.53	GORGE	OPEN	1/25/2017	1995	35.9827	-82.5455	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.8
86I00260075	UNICOI	I0026	24.71	GORGE	OPEN	1/26/2017	1995	35.978933	-82.5481	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
86I00260076	UNICOI	I0026	24.71	GORGE	OPEN	1/26/2017	1995	35.978933	-82.5481	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
86I00260077	UNICOI	I0026	25.01	GORGE	OPEN	1/25/2017	1995	35.977333	-82.549967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
86SR0360001	UNICOI	SR036	4.19	WATTS BRANCH	OPEN	11/7/2016	1928	36.044533	-82.498817	CONCRETE	TEE BEAM	77.5
86SR0360003	UNICOI	SR036	4.97	SPIVEY CREEK	OPEN	11/7/2016	1995	36.055517	-82.503017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.9
86SR0360005	UNICOI	SR036	5.44	SPIVEY CREEK	OPEN	11/7/2016	1990	36.056033	-82.502717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.7
86SR0810013	UNICOI	SR081	1.09	BRANCH	OPEN	11/7/2016	1999	36.14695	-82.434667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.1
86SR0810001	UNICOI	SR107	0.08	NORTH INDIAN CREEK	OPEN	11/7/2016	1987	36.150417	-82.417733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.2
86SR1070013	UNICOI	SR107	0.4	CSX RR	OPEN	11/14/2016	2015	36.150833	-82.413611	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
86SR1070003	UNICOI	SR107	1.52	ROCKY CREEK	OPEN	11/7/2016	1928	36.16	-82.395	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.8
86SR1070005	UNICOI	SR107	3.71	DRY CREEK	OPEN	11/7/2016	1928	36.181667	-82.368333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.8
86SR1070007	UNICOI	SR107	5.215	INDIAN CREEK	OPEN	11/7/2016	1928	36.150833	-82.413611	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	39.9
86SR1070009	UNICOI	SR107	8.53	INDIAN CREEK	OPEN	11/7/2016	2004	36.208667	-82.130833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
86SR1070011	UNICOI	SR107	12.495	RED FORD CREEK	OPEN	11/7/2016	1991	36.152817	-82.2512	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
86SR1730005	UNICOI	SR173	0.28	CLINCHFIELD RAILROAD	OPEN	11/8/2016	1985	36.20605	-82.3501	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.8
86S23790001	UNICOI	SR173	1.04	NORTH INDIAN CREEK	OPEN	11/8/2016	1970	36.179767	-82.261967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.5
86S23790003	UNICOI	SR173	1.49	BRANCH	OPEN	11/8/2016	1955	36.18345	-82.256883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
86SR0810007	UNICOI	SR352	4.26	ROCK FORK CREEK	OPEN	11/7/2016	1996	36.036667	-82.546667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.2
86SR0810009	UNICOI	SR352	6.42	BIG BRANCH	OPEN	11/7/2016	1948	36.055	-82.526667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
86SR0810011	UNICOI	SR352	9	SOUTH INDIAN CREEK	OPEN	11/7/2016	1996	36.071667	-82.5	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
87S23460001	UNION	01090	5.45	HUNTING CREEK	OPEN	8/9/2016	2001	36.344	-83.80305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
87S23460003	UNION	01090	7.18	BRANCH	OPEN	8/9/2016	2010	36.345833	-83.7732	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
87S23460005	UNION	01090	8.72	LITTLE BARREN CREEK	OPEN	8/9/2016	1960	36.3557	-83.75545	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.8
87012740001	UNION	01274	0.01	HAMILTON GAP CREEK	OPEN	8/16/2016	1987	36.243633	-83.744917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
87F00020001	UNION	01276	0.48	BRANCH	OPEN	8/9/2016	1976	36.362367	-83.754567	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.4
87F00020003	UNION	01276	0.65	BRANCH	OPEN	8/9/2016	1940	36.3648	-83.7546	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.1
87012930001	UNION	01293	0.31	BULLRUN CREEK	WEIGHT POSTED	8/18/2016	1940	36.176533	-83.924083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.6
870D3740001	UNION	01299	0.64	LITTLE BRANCH	WEIGHT POSTED	8/16/2016	1940	36.17305	-83.77065	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.6
870A0550001	UNION	01345	0.03	LITTLE BARREN CREEK	OPEN	8/9/2016	1976	36.365467	-83.754317	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	58.8
87024190001	UNION	02419	1.9	DODSON CREEK	OPEN	8/9/2016	1940	36.3158	-83.720483	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.6
87024190003	UNION	02419	2.61	DODSON CREEK	OPEN	8/9/2016	1960	36.306833	-83.715583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
87024190005	UNION	02419	3.04	BRANCH	OPEN	8/9/2016	1935	36.301433	-83.71825	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.4
87024520001	UNION	02452	0.61	HINDS CREEK	OPEN	8/18/2016	1972	36.19635	-83.941833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.8
87024640001	UNION	02464	3.97	RACCOON CREEK	OPEN	8/17/2016	1972	36.186417	-83.885783	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	90.8
870A0250001	UNION	0A025	2.317	BLACK FOX CREEK	OPEN	8/9/2016	1945	36.316217	-83.684283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
870A1670003	UNION	0A049	0.106	BULL RUN CREEK	OPEN	8/18/2016	1940	36.179833	-83.9022	CONCRETE	TEE BEAM	88.5
870A1000005	UNION	0A100	0.089	FALL CREEK	OPEN	8/10/2016	1984	36.288367	-83.801517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
870A1000001	UNION	0A100	0.217	FALL CREEK	WEIGHT POSTED	8/10/2016	1970	36.289983	-83.802683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.8
870A1000003	UNION	0A100	0.376	FALL CREEK	OPEN	8/10/2016	1984	36.2419	-83.801033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
870A1200001	UNION	0A120	0.227	N FK BULL RUN CREEK	OPEN	8/10/2016	1996	36.241733	-83.8068	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
870A1200003	UNION	0A120	3.04	BULL RUN CREEK	OPEN	8/17/2016	1987	36.21585	-83.780283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
870A1210001	UNION	0A121	0.159	BULL RUN CREEK	OPEN	8/16/2016	2016	36.217767	-83.77805	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
870A1210005	UNION	0A121	3.86	N. FORK BULL RUN CREEK	OPEN	8/10/2016	2016	36.249433	-83.796667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
870A1220001	UNION	0A122	1.085	BULL RUN CREEK	WEIGHT POSTED	8/16/2016	1955	36.216533	-83.775717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.8
870A1220003	UNION	0A122	1.487	BULL RUN CREEK	OPEN	8/17/2016	1998	36.2196	-83.770033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
870A1220005	UNION	0A122	2.129	BULL RUN CREEK	WEIGHT POSTED	8/17/2016	1960	36.226083	-83.76655	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42
870A1310001	UNION	0A131	2.63	WOODS GAP BRANCH	OPEN	8/16/2016	1983	36.2459	-83.746317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
870A1340001	UNION	0A134	0.017	FLAT CREEK	OPEN	8/16/2016	1981	36.229933	-83.7137	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	90.4
870A1360001	UNION	0A136	0.072	FLAT CREEK	OPEN	8/16/2016	1976	36.208483	-83.743733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.6
870A1360003	UNION	0A136	2.146	LITTLE CREEK	OPEN	8/16/2016	1983	36.219267	-83.713633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.1
870A1370001	UNION	0A137	0.05	LITTLE CREEK	OPEN	8/16/2016	1986	36.2145	-83.722267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.7
870A1370003	UNION	0A137	2.02	FLAT CREEK	OPEN	1/31/2017	2016	36.202433	-83.739333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
870A1520001	UNION	0A152	0.2	LITTLE BULL RUN CREEK	OPEN	8/10/2016	1986	36.209683	-83.793733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
870A1520003	UNION	0A152	2.608	N. FK BULL RUN CREEK	OPEN	8/10/2016	1976	36.20075	-83.829683	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.4
870A1560005	UNION	0A156	1.387	N FORK BULL RUN CREEK	OPEN	8/10/2016	1975	36.218733	-83.829833	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	63.4
870A1560003	UNION	0A156	5.325	RACCOON CREEK	OPEN	8/17/2016	1981	36.190617	-83.8847	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.3
870A1580001	UNION	0A158	0.021	RACCOON CREEK	OPEN	8/17/2016	1970	36.20405	-83.876083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
870A1670001	UNION	0A167	0.325	SUCKSTONE CREEK	OPEN	8/18/2016	1984	36.176617	-83.90185	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
870A1730001	UNION	0A173	0.656	BULL RUN CREEK	OPEN	8/18/2016	1993	36.179633	-83.914867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
870A2380001	UNION	0A238	1.036	HINDS CREEK	WEIGHT POSTED	8/18/2016	1970	36.1924	-83.946717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
870A3160001	UNION	0A316	0.04	N. FORK BULL RUN CREEK	OPEN	8/10/2016	2002	36.247867	-83.800633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
870A4070001	UNION	0A407	0.084	FLAT CREEK	WEIGHT POSTED	8/16/2016	1970	36.1701	-83.768183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.6
870D3310001	UNION	0D331	0.782	BULL RUN CREEK	OPEN	8/17/2016	1984	36.176917	-83.8696	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.7
870A1610001	UNION	0D334	1.134	BULL RUN CREEK	OPEN	8/17/2016	1984	36.179183	-83.879267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.2
870D3460001	UNION	0D346	1.524	BULL RUN CREEK	OPEN	8/17/2016	2008	36.18595	-83.8394	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
870A1420001	UNION	0D384	1.546	FLAT CREEK	OPEN	8/16/2016	1983	36.183333	-83.760417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
87SR0330001	UNION	SR033	0.64	BRANCH	OPEN	7/26/2016	1967	36.177467	-83.901683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
87SR0330003	UNION	SR033	0.82	BULL RUN CREEK	OPEN	7/26/2016	1966	36.179917	-83.90055	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57.5
87SR0330005	UNION	SR033	1.31	RACCOON CREEK	OPEN	7/26/2016	1966	36.186483	-83.898417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
87SR0330007	UNION	SR033	15.665	CLINCH RIVER(NORRIS LAKE	OPEN	1/10/2017	2016	36.337389	-83.742	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.4
87SR0610001	UNION	SR061	7.235	HINDS CREEK	OPEN	7/26/2016	1970	36.211233	-83.916983	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	72.9
87SR0610003	UNION	SR061	13.87	BULL RUN CREEK	OPEN	8/1/2016	1985	36.238367	-83.74565	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
87SR0610005	UNION	SR061	17.58	FLAT CREEK	OPEN	8/3/2016	1970	36.195933	-83.745767	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	80.7
87SR1310001	UNION	SR131	3.5	BRANCH	OPEN	8/3/2016	1940	36.1971	-83.764883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
87SR1440001	UNION	SR144	1.99	BULL RUN CREEK	OPEN	8/1/2016	1986	36.191067	-83.8251	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.2
87SR1440003	UNION	SR144	3.48	N FORK BULL RUN CREEK	OPEN	8/1/2016	1952	36.2094	-83.8277	CONCRETE	CHANNEL BEAM	52.3
87SR1440005	UNION	SR144	3.9	N FORK BULL RUN CREEK	OPEN	8/1/2016	2011	36.214317	-83.83155	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.9
87S23470001	UNION	SR170	10.94	FALL CREEK	OPEN	7/26/2016	1960	36.287383	-83.800217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
87S26160001	UNION	SR370	2.58	BULL RUN CREEK	OPEN	8/1/2016	1973	36.215117	-83.7871	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
88011340001	VAN BUREN	01134	0.98	BOULDIN BRANCH	OPEN	10/24/2016	1986	35.60715	-85.439433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
88F00080001	VAN BUREN	01159	0.13	CANE CREEK	OPEN	10/11/2016	1970	35.80445	-85.427567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.7
88021400003	VAN BUREN	02140	5.86	LITTLE DOUBLE CREEK	OPEN	10/17/2016	1950	35.7878	-85.523217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
88021850001	VAN BUREN	02185	2.47	BIG BRANCH	OPEN	10/3/2016	1992	35.574383	-85.522883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
88021850005	VAN BUREN	02185	5.45	HARPER BRANCH	OPEN	10/3/2016	1984	35.6053	-85.55735	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
88021850011	VAN BUREN	02185	9.5	BEE FORK CREEK	OPEN	10/3/2016	1993	35.655117	-85.572133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
88021850009	VAN BUREN	02185	10.3	ROCKY RIVER	OPEN	10/3/2016	1991	35.66375	-85.581117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.6
88021850013	VAN BUREN	02185	13.21	ROCKY RIVER	OPEN	10/3/2016	1950	35.700783	-85.577367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.6
88021880001	VAN BUREN	02188	0.11	CANEY FORK RIVER	OPEN	10/11/2016	1986	35.818383	-85.481367	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
880A0150001	VAN BUREN	0A015	1.748	LAUREL CREEK	OPEN	10/4/2016	1921	35.750817	-85.564583	CONCRETE	ARCH - DECK	84.6
880A0230001	VAN BUREN	0A023	3.496	COVE BRANCH	OPEN	10/17/2016	1994	35.79135	-85.471733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
880A0700001	VAN BUREN	0A070	0.12	SPRING CREEK	OPEN	10/5/2016	1983	35.76795	-85.286767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
880A0750001	VAN BUREN	0A075	0.857	JACK BRANCH	OPEN	10/19/2016	2000	35.69945	-85.289317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
880A0780001	VAN BUREN	0A078	1.369	ROCKHOUSE CREEK	OPEN	10/18/2016	1986	35.676117	-85.32615	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
880A0790001	VAN BUREN	0A079	1.045	MILL CREEK	OPEN	10/18/2016	1999	35.688617	-85.3444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
880A0850001	VAN BUREN	0A085	1.793	PINEY CREEK	OPEN	10/24/2016	1997	35.609883	-85.4234	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
880A0900001	VAN BUREN	0A090	2.723	FALL CR DAM OVFLO(FCFSP)	OPEN	10/18/2016	1965	35.662633	-85.359867	CONCRETE	CHANNEL BEAM	65.5
880A1110001	VAN BUREN	0A111	0.054	LAUREL CREEK	OPEN	10/4/2016	1984	35.7351	-85.5167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
880A1290001	VAN BUREN	0A129	0.82	CANE CREEK (FCFSP)	OPEN	10/18/2016	1989	35.6609	-85.346733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.4
880A1760001	VAN BUREN	0A176	0.13	LAUREL CREEK	OPEN	10/4/2016	2004	35.732617	-85.5081	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
880A1830001	VAN BUREN	0A183	1.52	DRY FORK CREEK	OPEN	10/20/2016	1990	35.69785	-85.486267	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.8
88SR0010001	VAN BUREN	SR001	2.79	CANEY FORK RIVER	OPEN	10/10/2016	1995	35.803933	-85.56865	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
88SR0010002	VAN BUREN	SR001	2.79	CANEY FORK RIVER	OPEN	10/10/2016	1995	35.80415	-85.568767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.8
88SR0300001	VAN BUREN	SR030	4.23	OVERFLOW	OPEN	10/4/2016	2006	35.7361	-85.51975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
88SR0300003	VAN BUREN	SR030	4.29	LAUREL CREEK	OPEN	10/4/2016	2006	35.7363	-85.518817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
88SR0300005	VAN BUREN	SR030	9.46	SR 111	OPEN	10/17/2016	2013	35.744117	-85.457717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	98.9
88SR0300007	VAN BUREN	SR030	14.16	CANE CREEK	OPEN	10/12/2016	1982	35.743433	-85.393617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.7
88SR1110001	VAN BUREN	SR111	10.55	DRY FORK CREEK	OPEN	10/20/2016	1979	35.697767	-85.480917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.4
88SR1110007	VAN BUREN	SR111	19.5	CANEY FORK RIVER	OPEN	10/10/2016	1997	35.821167	-85.4611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
88SR1110008	VAN BUREN	SR111	19.5	CANEY FORK RIVER	OPEN	10/10/2016	1966	35.8212	-85.4615	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
88SR1110009	VAN BUREN	SR284	0	SR-111	OPEN	10/20/2016	2012	35.629067	-85.4765	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
88004180001	VAN BUREN	SR284	2.5	PINEY CREEK	OPEN	10/24/2016	1977	35.627167	-85.4368	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.4
88SR2850007	VAN BUREN	SR285	4.03	MILLSTONE BRANCH	OPEN	10/5/2016	1993	35.782583	-85.4056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
88E00090001	VAN BUREN	SR285	6.47	CANE CREEK	OPEN	10/5/2016	1986	35.753683	-85.393683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
88S44600001	VAN BUREN	SR285	9.32	CAMPS GULF BRANCH	OPEN	10/5/2016	1989	35.730733	-85.337617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
88F00100003	VAN BUREN	SR285	14.73	SPRING CREEK	OPEN	10/19/2016	1989	35.770733	-85.287767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.1
88S44600005	VAN BUREN	SR285	16.25	GLADE CREEK	OPEN	10/19/2016	1986	35.759883	-85.265917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.5
89S43980003	WARREN	00928	0.17	TOWN CREEK	OPEN	4/10/2017	1990	35.5264	-85.754467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
89S43980001	WARREN	00928	2.765	COVE CREEK	OPEN	4/10/2017	1996	35.555233	-85.750617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
89S43980005	WARREN	00928	5.18	BIG HAYES CREEK	WEIGHT POSTED	4/11/2017	1950	35.5825	-85.729483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.9
89011000001	WARREN	01100	0.59	SMALL BRANCH	WEIGHT POSTED	4/10/2017	1943	35.655517	-85.9822	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	33.3
890A5300001	WARREN	01112	0.89	YOUNG BLOOD CREEK	OPEN	4/5/2017	1983	35.741717	-85.9651	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
890A5300003	WARREN	01112	2.48	BULLPEN CREEK	OPEN	4/5/2017	1996	35.71985	-85.967	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.6
890A5190007	WARREN	01112	4.655	CATES BRANCH	OPEN	4/12/2017	2004	35.69095	-85.958433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.2
890A5190005	WARREN	01112	5.64	BARREN FORK RIVER	OPEN	4/12/2017	1978	35.678183	-85.951883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7
890A5190003	WARREN	01112	5.68	OVERFLOW	OPEN	4/12/2017	1978	35.677717	-85.9515	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
89003880001	WARREN	01114	1.69	N.PRONG BARREN FORK RIVE	OPEN	4/10/2017	1977	35.666683	-85.96585	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.4
89003880003	WARREN	01114	1.83	BRANCH	OPEN	4/10/2017	1973	35.66765	-85.963583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51
89S42900007	WARREN	01114	3.33	CANEY BRANCH	OPEN	4/10/2017	1978	35.669317	-85.937717	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.4
89S42900011	WARREN	01114	6.57	BARREN FORK RIVER	OPEN	4/19/2017	1968	35.665417	-85.881217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.5
89S42900013	WARREN	01114	7.53	OWEN BRANCH	OPEN	4/19/2017	1968	35.664283	-85.86465	CONCRETE	TEE BEAM	80.4
89S42900015	WARREN	01114	8.66	PARIS BRANCH	OPEN	4/19/2017	1930	35.672933	-85.847717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.5
89S42900017	WARREN	01114	10.69	OAKLAND BRANCH	OPEN	4/19/2017	1930	35.684933	-85.817517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.9
89S42590001	WARREN	01123	2.7	CHARLES CREEK	OPEN	4/25/2017	1979	35.73135	-85.8138	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.1
89S43220003	WARREN	01123	4.57	HICKORY GROVE BRANCH	OPEN	4/4/2017	1991	35.743267	-85.835883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
89S43220005	WARREN	01123	11.31	MOUNTAIN CREEK	OPEN	4/4/2017	1960	35.813033	-85.914533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
89021830001	WARREN	01137	2.12	MOUNTAIN CREEK	OPEN	4/5/2017	1978	35.790933	-85.75235	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.6
89021830005	WARREN	01137	4.6	RT FORK DRY BRANCH	OPEN	4/4/2017	1983	35.761467	-85.768667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
89021830007	WARREN	01137	5.7	LT FORK DRY BRANCH	OPEN	4/4/2017	1940	35.748867	-85.771617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
89021830003	WARREN	01137	8.02	CHARLES CREEK	OPEN	4/5/2017	1957	35.716767	-85.767483	CONCRETE	TEE BEAM	67.9
89S43990003	WARREN	01137	8.49	CHARLES CREEK	OPEN	4/20/2017	1969	35.717517	-85.759883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.6
89S43990007	WARREN	01137	10.78	DRY BRANCH	OPEN	4/25/2017	1961	35.741883	-85.743717	CONCRETE	TEE BEAM	60.8
89F00200009	WARREN	01137	12.96	MOUNTAIN CREEK	OPEN	4/25/2017	1950	35.767967	-85.729033	CONCRETE CONTINUOUS	TEE BEAM	71.2
89021330001	WARREN	02133	2.13	W FORK HICKORY CREEK	OPEN	4/20/2017	1965	35.580433	-85.9128	CONCRETE	TEE BEAM	75.5
89021380001	WARREN	02138	1.37	COLLINS RIVER	OPEN	4/11/2017	1938	35.581933	-85.701733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
89021380003	WARREN	02138	2.97	HILLS CREEK	OPEN	4/19/2017	1961	35.56915	-85.679483	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	55.9
89021380005	WARREN	02138	4.48	HILLS CREEK	OPEN	4/17/2017	1998	35.563683	-85.6558	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.7
89021380007	WARREN	02138	6.22	DRY CREEK	OPEN	4/17/2017	1984	35.565683	-85.625867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.6
89021380009	WARREN	02138	6.66	SPRING CREEK	OPEN	4/19/2017	1930	35.5637	-85.6184	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.6
89021400001	WARREN	02140	0.95	ROCKY RIVER	OPEN	3/23/2017	1969	35.774133	-85.608267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.6
89021710001	WARREN	02171	4.38	FULTZ CREEK	OPEN	4/12/2017	1987	35.534233	-85.833633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
89021710003	WARREN	02171	5.88	HICKORY CREEK	WEIGHT POSTED	4/12/2017	1935	35.53635	-85.8573	CONCRETE CONTINUOUS	ARCH - DECK	41.2
89021730001	WARREN	02173	1.34	KEEL BRANCH	OPEN	4/20/2017	1970	35.586917	-85.874333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
89021730003	WARREN	02173	3.93	CROW FOOT BRANCH	OPEN	4/20/2017	1963	35.62035	-85.854483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
89021730005	WARREN	02173	4.93	TODD BRANCH	OPEN	4/20/2017	1963	35.630639	-85.84195	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
89021750001	WARREN	02175	3.96	POWDER MILL BRANCH	OPEN	4/12/2017	1986	35.670467	-85.660617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
89021750003	WARREN	02175	5.25	DARK HOLLOW BRANCH	OPEN	4/12/2017	1965	35.65395	-85.66555	CONCRETE	SLAB	82.1
89021770003	WARREN	02177	3.23	GARNER BRANCH	OPEN	4/20/2017	1983	35.664117	-85.886317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
89021790001	WARREN	02179	1.94	OWEN BRANCH	OPEN	4/20/2017	1973	35.692883	-85.8754	CONCRETE	TEE BEAM	74.8
89021790003	WARREN	02179	5.83	CHARLES CREEK	OPEN	4/25/2017	1985	35.74855	-85.882417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.8
89021870001	WARREN	02187	4.44	LONG HOLLOW BRANCH	OPEN	4/4/2017	1965	35.80245	-85.84595	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
89021870003	WARREN	02187	5.51	MOUNTAIN CREEK	OPEN	4/4/2017	1955	35.8142	-85.85745	CONCRETE	TEE BEAM	65.2
890A1060001	WARREN	0A001	1.086	MOUNTAIN CREEK	OPEN	3/9/2017	1963	35.807967	-85.776533	CONCRETE	TEE BEAM	69
890A1220001	WARREN	0A002	0.01	CHARLES CREEK	OPEN	3/13/2017	1986	35.742283	-85.853333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
890A0430001	WARREN	0A043	1.162	SMALL BRANCH	OPEN	3/20/2017	1984	35.8195	-85.343383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
890A0520001	WARREN	0A052	0.881	MOUNTAIN CREEK	OPEN	3/9/2017	1952	35.806167	-85.797133	CONCRETE	TEE BEAM	64.4
890A0540001	WARREN	0A054	0.21	SMALL BRANCH	OPEN	3/9/2017	1960	35.823717	-85.88445	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	75.7
890A0800001	WARREN	0A080	2.438	CHARLES CREEK	OPEN	3/8/2017	1965	35.778133	-85.918167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.4
890A0820001	WARREN	0A082	2.999	CHARLES CREEK	OPEN	3/9/2017	1985	35.759467	-85.899783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
890A0960001	WARREN	0A096	0.457	CHARLES CREEK	OPEN	3/13/2017	1965	35.757183	-85.88445	CONCRETE	TEE BEAM	81.4
890A0560001	WARREN	0A103	0.65	BRANCH	OPEN	3/9/2017	1970	35.82065	-85.896167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.9
890A1130001	WARREN	0A113	1.072	CHARLES CREEK	OPEN	3/16/2017	1985	35.7245	-85.7917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.7
890A1130003	WARREN	0A113	4.92	RT FK DRY BRANCH	OPEN	3/9/2017	1963	35.775383	-85.794383	CONCRETE	TEE BEAM	68.5
890A5740001	WARREN	0A133	0.57	WILLOW BRANCH	OPEN	3/20/2017	1986	35.709933	-85.838917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
890A1430001	WARREN	0A143	2.55	N PRONG BARREN FK RIVER	OPEN	3/8/2017	1986	35.697833	-85.956183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.2
890A1430003	WARREN	0A143	6.1	DOG BRANCH	OPEN	3/21/2017	1992	35.676533	-85.9027	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
890A1740001	WARREN	0A174	0.623	BYBEE BRANCH	OPEN	3/16/2017	1935	35.70885	-85.76695	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.1
890B1850001	WARREN	0A175	0.063	HILLS CREEK	OPEN	4/10/2017	1945	35.5663	-85.659833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.3
890B1850003	WARREN	0A175	0.084	DRY CREEK	OPEN	4/10/2017	1945	35.566433	-85.659467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.4
890B1850005	WARREN	0A175	0.27	NELLIE BRANCH	OPEN	4/10/2017	1945	35.5689	-85.65725	CONCRETE CONTINUOUS	SLAB	72.9
890A2050001	WARREN	0A205	0.79	RT. FK. DRY BRANCH	OPEN	3/9/2017	1984	35.76785	-85.777233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
890A2050003	WARREN	0A205	3.15	OVERFLOW BRANCH	OPEN	3/8/2017	1984	35.7982	-85.765833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
890A2050005	WARREN	0A205	3.17	MOUNTAIN CREEK	OPEN	3/8/2017	1984	35.7984	-85.765767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
890A2130001	WARREN	0A213	0.935	DRY BRANCH	OPEN	3/8/2017	1993	35.751667	-85.757933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.1
890A2130003	WARREN	0A213	4.818	COLLINS RIVER	OPEN	3/24/2017	1975	35.746533	-85.6989	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	71.7
890A2150001	WARREN	0A215	1.509	BLUFF SPRINGS BRANCH	OPEN	3/20/2017	1993	35.819567	-85.765167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
890A2890001	WARREN	0A289	1.886	BRANCH	OPEN	3/20/2017	1984	35.764758	-85.659344	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
890A1200001	WARREN	0A319	0.14	HARDIN BRANCH	OPEN	3/9/2017	1955	35.745217	-85.84305	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78.7
890A3200001	WARREN	0A320	0.408	POWDER MILL BRANCH	WEIGHT POSTED	3/21/2017	1960	35.658833	-85.674	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.5
890A3220001	WARREN	0A322	1.044	RAMS CREEK	OPEN	3/20/2017	1984	35.6619	-85.682717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
890A3640001	WARREN	0A364	2.628	COLLINS RIVER	OPEN	3/23/2017	1978	35.6184	-85.685017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
890A3700001	WARREN	0A370	0.567	COVE CREEK	OPEN	3/21/2017	1987	35.578583	-85.722917	CONCRETE CONTINUOUS	SLAB	97
890A3910001	WARREN	0A391	0.29	SMITH HOLLOW CREEK	OPEN	3/20/2017	1965	35.556417	-85.755933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	77.3
890A4030001	WARREN	0A403	0.645	BARREN FORK RIVER	OPEN	3/23/2017	1985	35.674117	-85.769983	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
890A4180001	WARREN	0A418	1.701	LOCKE BRANCH	OPEN	3/6/2017	1987	35.629533	-85.81405	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
890A4190003	WARREN	0A419	1.38	HICKORY CREEK OVERFLOW	OPEN	3/6/2017	2003	35.6033	-85.837417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
890A4190001	WARREN	0A419	1.393	HICKORY CREEK	OPEN	3/2/2017	2003	35.603317	-85.837117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	99.8
890A4250001	WARREN	0A425	0.846	W FORK HICKORY CREEK	OPEN	3/2/2017	2011	35.593067	-85.867033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
890A4250003	WARREN	0A425	1	W FORK HICKORY CREEK	OPEN	3/2/2017	2011	35.593217	-85.863967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
890A4370003	WARREN	0A437	0.291	FULTZ CREEK	OPEN	3/6/2017	1994	35.514017	-85.820667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
890A4370001	WARREN	0A437	0.528	FULTZ CREEK	OPEN	3/6/2017	1963	35.5171	-85.820467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.8
890A4380001	WARREN	0A438	1.491	BRANCH	WEIGHT POSTED	3/6/2017	1940	35.51535	-85.831833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.6
890A4690001	WARREN	0A469	2.431	BRANCH	OPEN	3/2/2017	1992	35.588617	-85.912867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
890A4860001	WARREN	0A486	3.156	GARNER BRANCH	OPEN	3/2/2017	2007	35.6484	-85.910483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
890A5080001	WARREN	0A508	2.39	HENEGAR BRANCH	OPEN	3/2/2017	1994	35.661667	-85.88155	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
890A5150001	WARREN	0A515	2.517	CANEY BRANCH	OPEN	3/2/2017	1984	35.643833	-85.93255	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
890A5190001	WARREN	0A519	0.485	DRY BRANCH	OPEN	3/2/2017	1984	35.642617	-85.950633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
890A5360001	WARREN	0A536	0.902	WITTY CREEK	OPEN	3/8/2017	1950	35.674883	-85.975433	CONCRETE	TEE BEAM	77.5
890A5470001	WARREN	0A547	0.82	BULL PEN CREEK	OPEN	3/8/2017	1988	35.725817	-85.982217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
89SR0010001	WARREN	0A611	1.135	MILLER BRANCH	OPEN	1/9/2017	1966	35.7412	-85.948167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
89SR0010003	WARREN	0A612	0.46	DOG BRANCH	OPEN	1/9/2017	1925	35.72135	-85.91355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.2
89SR0010005	WARREN	0A612	2.28	OWEN BRANCH	OPEN	1/9/2017	1924	35.708117	-85.8859	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.2
890A6840001	WARREN	0A684	0.025	BYBEE BRANCH	OPEN	3/20/2017	1987	35.717167	-85.7597	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
890A7900001	WARREN	0A790	0.16	CFW RAILROAD	OPEN	3/13/2017	1989	35.666583	-85.795217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.8
89SR0010013	WARREN	0A855	0.115	MUD CREEK	OPEN	3/23/2017	1924	35.7335	-85.671283	CONCRETE	TEE BEAM	43.4
89S43990001	WARREN	0A915	0.672	BYBEE BRANCH	OPEN	3/16/2017	1940	35.7115	-85.761083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.8
89034070001	WARREN	0A916	0.079	CFW RAILROAD	OPEN	3/13/2017	1991	35.68095	-85.769017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.3
89SR0010032	WARREN	SR001	1.49	MILLER BRANCH	OPEN	1/25/2017	2015	35.744683	-85.945567	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
89SR0010031	WARREN	SR001	1.49	MILLER BRANCH	OPEN	1/25/2017	2015	35.744333	-85.945667	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.4
89SR0010024	WARREN	SR001	3.75	DOG BRANCH	OPEN	1/25/2017	2015	35.73025	-85.911817	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9
89SR0010023	WARREN	SR001	3.75	DOG BRANCH	OPEN	1/25/2017	2015	35.729833	-85.911567	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9
89SR0010025	WARREN	SR001	5.8	OWEN BRANCH	OPEN	1/26/2017	2015	35.720767	-85.877183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
89SR0010027	WARREN	SR001	6.19	BRANCH	OPEN	1/26/2017	2015	35.718817	-85.870683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
89SR0010029	WARREN	SR001	8.51	WILLOW BRANCH	OPEN	1/26/2017	2015	35.72375	-85.833783	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95
89SR0010030	WARREN	SR001	8.51	WILLOW BRANCH	OPEN	1/26/2017	2015	35.70685	-85.833	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95
89SR0010007	WARREN	SR001	9.3	WILLOW BRANCH	OPEN	1/5/2017	2008	35.7	-85.8242	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
89SR0010021	WARREN	SR001	9.83	BRANCH	OPEN	1/5/2017	2008	35.69735	-85.817983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
89SR0010017	WARREN	SR001	10.53	SR 55	OPEN	1/4/2017	1988	35.696383	-85.803567	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.1
89SR0010018	WARREN	SR001	10.53	SR 1	OPEN	1/4/2017	1988	35.6965	-85.803317	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
89SR0010012	WARREN	SR001	15.005	COLLINS RIVER	OPEN	1/12/2017	1973	35.70805	-85.73195	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.8
89SR0010011	WARREN	SR001	15.005	COLLINS RIVER	OPEN	1/12/2017	1973	35.707933	-85.73165	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.8
89SR0010019	WARREN	SR001	24.29	ROCKY RIVER	OPEN	1/4/2017	1995	35.776817	-85.6054	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
89SR0010020	WARREN	SR001	24.29	ROCKY RIVER	OPEN	1/4/2017	1995	35.777117	-85.60545	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
89SR0080001	WARREN	SR008	8.14	COLLINS RIVER	OPEN	5/22/2017	1963	35.5947	-85.687867	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	41.9
89SR0300001	WARREN	SR030	6.62	ROCKY RIVER	OPEN	1/24/2017	1968	35.734167	-85.593183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.6
89SR0550003	WARREN	SR055	0.44	BIG HICKORY CREEK	OPEN	1/18/2017	1965	35.65185	-85.804083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	63
89SR0550001	WARREN	SR055	0.63	BRANCH	OPEN	1/5/2017	1986	35.587467	-85.93885	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	65.8
89SR0550005	WARREN	SR055	2.64	BARREN FORK RIVER	OPEN	5/15/2017	1956	35.6728	-85.776717	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.8
89SR0550007	WARREN	SR055	2.82	CFW RAILROAD	OPEN	1/5/2017	1955	35.675233	-85.77575	CONCRETE	TEE BEAM	59.4
89SR0550010	WARREN	SR055	9.1	SR 55 RAMP & CF&W RR	OPEN	1/18/2017	1992	35.651233	-85.81215	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.7
89SR0550009	WARREN	SR055	9.1	SR 55 (BR) & CF&W RR	OPEN	1/18/2017	1992	35.6513	-85.811817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.7
89SR0550012	WARREN	SR055	10.3	BARREN FORK RIVER	OPEN	2/13/2017	1992	35.667033	-85.819783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.1
89SR0550011	WARREN	SR055	10.3	BARREN FORK RIVER	OPEN	2/13/2017	1992	35.667033	-85.81955	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
89SR0550013	WARREN	SR055	11.4	OAKLAND BRANCH	OPEN	2/16/2017	1991	35.6811	-85.813017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
89SR0560019	WARREN	SR056	0.01	WANNAMAKER BRANCH	OPEN	2/1/2017	1960	35.529533	-85.697167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
89SR0560001	WARREN	SR056	3.43	HAYES CREEK	OPEN	2/1/2017	1934	35.571117	-85.711483	CONCRETE	TEE BEAM	57.3
89SR0560003	WARREN	SR056	5.88	MARTIN CREEK	OPEN	2/1/2017	1969	35.60495	-85.70575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91
89SR0560005	WARREN	SR056	11.775	BARREN FORK RIVER	OPEN	5/18/2017	2011	35.672767	-85.75895	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
89SR0560007	WARREN	SR056	12.64	CFW RAILROAD	OPEN	2/1/2017	1974	35.679217	-85.7696	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	65.2
89SR0560009	WARREN	SR056	14.93	BYBEE BRANCH	OPEN	2/1/2017	1953	35.707883	-85.782283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
89SR0560011	WARREN	SR056	16.05	CHARLES CREEK	OPEN	2/1/2017	1953	35.724067	-85.784533	CONCRETE	TEE BEAM	60.4
89SR0560013	WARREN	SR056	19.36	DRY BRANCH	OPEN	2/2/2017	1953	35.771933	-85.789683	CONCRETE	TEE BEAM	56.1
89SR0560015	WARREN	SR056	20.08	BRANCH	OPEN	2/2/2017	1953	35.782333	-85.790933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
89SR0560017	WARREN	SR056	22.47	MOUNTAIN CREEK	OPEN	2/21/2017	1954	35.816683	-85.79095	CONCRETE	TEE BEAM	67
89SR1080001	WARREN	SR108	0.45	LITTLE HICKORY CREEK	OPEN	2/2/2017	1972	35.529917	-85.866083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.4
89SR1080003	WARREN	SR108	3.94	BIG HICKORY CREEK	OPEN	2/2/2017	1939	35.576383	-85.850383	CONCRETE	TEE BEAM	87
89SR1080005	WARREN	SR108	5.67	BRANCH	OPEN	2/8/2017	1943	35.5892	-85.824033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
89SR1080007	WARREN	SR108	6.94	BRANCH	OPEN	2/8/2017	1943	35.604117	-85.812133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.7
89SR1080009	WARREN	SR108	8.23	LOCKE BRANCH	OPEN	2/8/2017	1998	35.617033	-85.7966	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
89SR1080011	WARREN	SR108	9.23	DRY BRANCH	OPEN	2/8/2017	1943	35.62965	-85.789033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.7
89SR1270003	WARREN	SR127	5.08	BRANCH	OPEN	2/8/2017	1988	35.667567	-85.729783	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.1
89S44550001	WARREN	SR127	6.44	COLLINS RIVER	OPEN	2/13/2017	1966	35.675167	-85.709917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
89SR0010015	WARREN	SR136	1.99	CANEY FORK RIVER	OPEN	5/17/2017	1999	35.802367	-85.608567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92.8
89011120001	WARREN	SR286	0.59	BIG HICKORY CREEK	OPEN	5/16/2017	2010	35.657767	-85.803	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.2
89033930001	WARREN	SR286	2.53	BARREN FORK RIVER	OPEN	5/16/2017	2010	35.680233	-85.782867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
89003880009	WARREN	SR287	1.905	BRANCH	OPEN	2/8/2017	1951	35.569767	-85.884433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
89003880007	WARREN	SR287	2.22	W. FORK HICKORY CREEK	OPEN	2/23/2017	1953	35.573533	-85.887117	CONCRETE	TEE BEAM	67
89003880005	WARREN	SR287	9.73	CANEY BRANCH	OPEN	2/22/2017	1959	35.663533	-85.93875	CONCRETE	TEE BEAM	63.4
89S42570003	WARREN	SR287	10.71	BARREN FORK RIVER	OPEN	2/23/2017	1959	35.676317	-85.937267	CONCRETE	TEE BEAM	73.4
89S42570005	WARREN	SR287	15.04	DOG BRANCH	OPEN	2/7/2017	1986	35.7338	-85.91455	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
89S42570007	WARREN	SR287	17.71	CHARLES CREEK	OPEN	2/7/2017	1975	35.7715	-85.910383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
89S42570009	WARREN	SR287	21.81	MOUNTAIN CREEK	OPEN	2/6/2017	1977	35.817933	-85.877633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
89S42610001	WARREN	SR287	29.25	BARTON CREEK	OPEN	2/6/2017	1954	35.8315	-85.767967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.3
89SR2870011	WARREN	SR287	39.48	COLLINS RIVER	OPEN	5/17/2017	1986	35.799733	-85.618733	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	92.7
89S44440001	WARREN	SR288	4.97	COLLINS RIVER	OPEN	5/10/2017	1955	35.77685	-85.6973	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	53.4
89S43990011	WARREN	SR288	8.63	BARTON CREEK	OPEN	2/21/2017	1961	35.82595	-85.703567	CONCRETE	TEE BEAM	77
89S43990013	WARREN	SR288	9.03	BARREN CREEK	OPEN	2/22/2017	1961	35.83005	-85.706583	CONCRETE	TEE BEAM	69.3
90S23860007	WASHINGTON	01066	0.055	BROWN BRANCH	OPEN	6/9/2016	1945	36.2502	-82.5437	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.3
90013350001	WASHINGTON	01335	4.47	BRANCH	WEIGHT POSTED	6/13/2016	1955	36.335183	-82.573467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.4
90F00380001	WASHINGTON	01349	1.47	BUMPASS CREEK	OPEN	5/25/2016	1980	36.179767	-82.53365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
900A2310001	WASHINGTON	01352	0.16	CARSON CREEK	OPEN	6/6/2016	1988	36.248367	-82.640367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
90013520005	WASHINGTON	01352	0.93	CARSON CREEK	OPEN	6/6/2016	1950	36.265367	-82.628067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.1
90013520001	WASHINGTON	01352	1.88	LIMESTONE CREEK	OPEN	6/6/2016	1950	36.217483	-82.602717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.3
90S23870003	WASHINGTON	01352	4.05	BIG LIMESTONE CREEK	OPEN	6/6/2016	1991	36.2238	-82.634033	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.1
90S25280001	WASHINGTON	01353	2.19	DRY CREEK	OPEN	5/24/2016	1950	36.207183	-82.449133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.4
90S25280003	WASHINGTON	01353	3.29	LITTLE CHEROKEE CREEK	OPEN	5/24/2016	1960	36.21975	-82.458033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90S25870001	WASHINGTON	01355	1.44	DRY CREEK	OPEN	5/24/2016	1960	36.203433	-82.426133	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98.8
90S25870003	WASHINGTON	01355	6.61	BRANCH	OPEN	5/24/2016	1960	36.251317	-82.364467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
90S25870005	WASHINGTON	01355	7.01	SINKING CREEK	OPEN	5/24/2016	1960	36.2568	-82.36405	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
90S25870007	WASHINGTON	01355	7.43	SINKING CREEK	OPEN	5/24/2016	1960	36.2621	-82.364533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
90S25870009	WASHINGTON	01355	8.31	SINKING CREEK	OPEN	5/24/2016	1965	36.273883	-82.368489	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	54.1
90013570007	WASHINGTON	01357	0.5	NOLICHUCKY RIVER	OPEN	6/27/2016	1987	36.179933	-82.53395	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.5
90S24520003	WASHINGTON	01357	6.44	BACON BRANCH	OPEN	6/8/2016	2001	36.2518	-82.510133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6
90013590003	WASHINGTON	01359	0.49	LITTLE LIMESTONE CREEK	OPEN	5/25/2016	2004	36.29415	-82.4718	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.7
90F00350001	WASHINGTON	01359	3.9	CHEROKEE CREEK	OPEN	5/25/2016	1930	36.252117	-82.451083	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.9
90013590007	WASHINGTON	01359	5.25	BRANCH	OPEN	5/24/2016	1999	36.23395	-82.447567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
90013590005	WASHINGTON	01359	5.66	LITTLE CHEROKEE CREEK	OPEN	5/25/2016	2004	36.228333	-82.448567	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.4
90S23840001	WASHINGTON	01365	0.27	CLEAR FORK CREEK	OPEN	6/9/2016	1986	36.2869	-82.576017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
90S23840003	WASHINGTON	01365	0.75	MUDDY FORK CREEK	OPEN	6/9/2016	1998	36.288317	-82.56795	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
90025690001	WASHINGTON	02569	0.18	CASSI CREEK	OPEN	6/9/2016	1987	36.155033	-82.596083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
90025690003	WASHINGTON	02569	4.87	NOLICHUCKY RIVER	OPEN	6/27/2016	1958	36.192833	-82.632783	CONCRETE	TEE BEAM	63.6
90025710001	WASHINGTON	02571	0.3	BACON BRANCH	WEIGHT POSTED	6/8/2016	1935	36.250533	-82.504067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.6
90025710003	WASHINGTON	02571	0.71	BACON BRANCH	WEIGHT POSTED	6/8/2016	1930	36.247	-82.498217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.6
90025710007	WASHINGTON	02571	0.94	BACON BRANCH	WEIGHT POSTED	6/8/2016	1935	36.245033	-82.495283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.6
90025710009	WASHINGTON	02571	3.39	LOYD BRANCH	WEIGHT POSTED	6/8/2016	1950	36.211383	-82.492667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.6
90025710005	WASHINGTON	02571	3.75	CHEROKEE CREEK	OPEN	6/8/2016	1982	36.206717	-82.489683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90025730001	WASHINGTON	02573	0.63	LITTLE LIMESTONE CREEK	OPEN	6/6/2016	1994	36.230483	-82.5829	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
90025730003	WASHINGTON	02573	3.08	BIG LIMESTONE CREEK	OPEN	6/8/2016	1988	36.259817	-82.598117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
90025750001	WASHINGTON	02575	0.14	LITTLE LIMESTONE CREEK	WEIGHT POSTED	6/8/2016	1930	36.247383	-82.54285	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.2
90S23840005	WASHINGTON	02585	2.05	MUDDY FORK CREEK	OPEN	6/13/2016	1986	36.3455	-82.515917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.7
900A1070001	WASHINGTON	02587	0.195	FORD CREEK	OPEN	6/20/2016	1999	36.4109	-82.488767	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	85.1
90025890001	WASHINGTON	02589	0.125	REEDY CREEK	OPEN	7/5/2016	1983	36.373717	-82.450817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
90S23710001	WASHINGTON	02594	1.12	BRANCH	OPEN	6/20/2016	1993	36.429183	-82.63475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
90S24520001	WASHINGTON	02626	0.12	REPLINGER CREEK	WEIGHT POSTED	6/8/2016	1945	36.192117	-82.5397	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.8
90026280001	WASHINGTON	02628	0.92	CHEROKEE CREEK	OPEN	6/8/2016	1984	36.20445	-82.489217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.5
90026280003	WASHINGTON	02628	1.72	LEBANON CREEK	OPEN	6/8/2016	1982	36.201333	-82.501917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
90026300001	WASHINGTON	02630	0.65	ONION CREEK	OPEN	6/6/2016	1986	36.213167	-82.570917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
90026300003	WASHINGTON	02630	0.89	ONION CREEK	OPEN	6/6/2016	1955	36.211033	-82.56815	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.4
90026300005	WASHINGTON	02630	2.97	KEPLING CREEK	OPEN	6/8/2016	1992	36.203317	-82.536867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
90026420001	WASHINGTON	02642	0.18	BOONES CREEK	OPEN	6/20/2016	1994	36.3837	-82.4114	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
90026420003	WASHINGTON	02642	2.78	CSX RAILROAD	OPEN	6/14/2016	1989	36.40565	-82.446717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.3
90026440001	WASHINGTON	02644	0.63	FORD CREEK	OPEN	6/20/2016	2015	36.414617	-82.485717	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.2
90026460001	WASHINGTON	02646	0.03	SINKING CREEK	OPEN	6/13/2016	1987	36.412467	-82.508817	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.5
90039560001	WASHINGTON	03956	0.66	COBB CREEK	OPEN	6/22/2016	1995	36.359483	-82.378633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
90039570001	WASHINGTON	03957	3.24	KNOB CR	OPEN	6/9/2016	1988	36.340872	-82.410553	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
900B4940001	WASHINGTON	03959	0.84	CSX RAILROAD	OPEN	6/7/2016	1988	36.313028	-82.335167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.5
900B4940003	WASHINGTON	03959	0.89	CSX RAILROAD	OPEN	6/7/2016	1988	36.313306	-82.334222	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
90039600003	WASHINGTON	03960	0.759	CSX RAILROAD	OPEN	6/7/2016	1988	36.3127	-82.333067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	25.4
90SR0670019	WASHINGTON	03960	0.949	SR 67	OPEN	12/2/2015	1988	36.31035	-82.3322	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	94.3
90I00260027	WASHINGTON	03964	2.33	I26	OPEN	10/13/2015	1969	36.359467	-82.402933	CONCRETE CONTINUOUS	TEE BEAM	73.7
90039660001	WASHINGTON	03966	1.19	SINKING CREEK	OPEN	6/2/2016	1985	36.298183	-82.345167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.1
90039740003	WASHINGTON	03975	4.01	COBB CREEK	OPEN	6/22/2016	1965	36.342633	-82.366967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
90039790001	WASHINGTON	03979	0.49	BRUSHY CREEK	OPEN	6/22/2016	1950	36.331267	-82.339183	CONCRETE	SLAB	57
900A6770001	WASHINGTON	03982	0.37	BRUSH CREEK	OPEN	6/9/2016	1995	36.321517	-82.349483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
900A0700001	WASHINGTON	03984	0.07	BRANCH	OPEN	6/22/2016	1999	36.290533	-82.38825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.2
900B0080001	WASHINGTON	03985	0.88	LITTLE LIMESTONE CREEK	OPEN	5/25/2016	1978	36.292267	-82.475733	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	78
900A0040001	WASHINGTON	03990	1.74	BOONES CREEK	WEIGHT POSTED	7/5/2016	1931	36.3159	-82.482417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.2
90SR0360001	WASHINGTON	03992	2.62	SINKING CREEK	OPEN	6/7/2016	1930	36.303117	-82.336583	CONCRETE	TEE BEAM	49.9
90005480005	WASHINGTON	03994	1.79	NORFOLK / SOU RWY	OPEN	5/25/2016	1983	36.29965	-82.443467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
90S23880003	WASHINGTON	03994	4.95	CSX RAILROAD	OPEN	6/21/2016	1992	36.301033	-82.39175	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	74.4
90033940007	WASHINGTON	03994	5.29	BRANCH	OPEN	6/22/2016	1984	36.301583	-82.385767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.5
90042370003	WASHINGTON	04237	0.02	KNOB CREEK	OPEN	5/25/2016	1990	36.302778	-82.464722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
90I00260025	WASHINGTON	04237	5.68	I26	OPEN	10/12/2015	1969	36.367533	-82.413783	CONCRETE CONTINUOUS	TEE BEAM	79.2
900A0560001	WASHINGTON	04241	0.39	KNOB CREEK	OPEN	6/22/2016	1970	36.37095	-82.318917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.2
90025930001	WASHINGTON	04429	2.03	SINKING CREEK	OPEN	6/13/2016	1986	36.40895	-82.510667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
90025930003	WASHINGTON	04429	3.67	SINKING CREEK	OPEN	6/13/2016	1986	36.4295	-82.497	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90044300001	WASHINGTON	04430	0.68	CARROLL CREEK	OPEN	6/20/2016	1993	36.3841	-82.398472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
90I00260035	WASHINGTON	04521	1.89	I26	OPEN	10/14/2015	1975	36.346383	-82.374917	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78.2
900A3370001	WASHINGTON	04784	1.15	CSX RAILROAD	OPEN	6/14/2016	1987	36.43035	-82.470333	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.3
900B2110001	WASHINGTON	04810	0.98	SINKING CREEK	OPEN	5/24/2016	1998	36.283667	-82.364722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
90039680001	WASHINGTON	05584	2	CSX RAILROAD	OPEN	6/23/2016	1985	36.320917	-82.394667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.1
900B4720001	WASHINGTON	06035	0.384	SINKING CREEK	OPEN	6/2/2016	1965	36.302333	-82.340583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
900A0550001	WASHINGTON	06036	0.961	BRUSH CREEK	OPEN	6/23/2016	1975	36.302933	-82.386233	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.2
900A0800001	WASHINGTON	06041	0.09	BOONES CREEK	OPEN	7/5/2016	1983	36.352528	-82.445917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.3
900A0760001	WASHINGTON	0A076	0.771	BOONES CREEK	OPEN	7/5/2016	1993	36.320067	-82.4785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
900A0810001	WASHINGTON	0A081	0.23	BOONES CREEK	OPEN	6/21/2016	2001	36.344694	-82.452806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
90I00260009	WASHINGTON	0A085	5.252	I26	OPEN	10/7/2015	1969	36.399433	-82.463833	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.4
900A1190001	WASHINGTON	0A119	0.043	CLEAR FORK CREEK	OPEN	6/13/2016	1985	36.341933	-82.548783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
900A1200001	WASHINGTON	0A120	1.033	CLEAR FORK	OPEN	6/13/2016	1984	36.3483	-82.542783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
900A1200003	WASHINGTON	0A120	2.68	MUDDY FORK CREEK	OPEN	6/13/2016	1983	36.334633	-82.5258	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
900A1340001	WASHINGTON	0A134	1.007	CLEAR FK. CREEK	OPEN	6/13/2016	1986	36.33725	-82.553183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
900A1360001	WASHINGTON	0A136	0.752	MUDDY CREEK	OPEN	6/13/2016	1984	36.2999	-82.559617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
90I00810005	WASHINGTON	0A164	0.406	I81	OPEN	10/5/2015	1974	36.411667	-82.593333	CONCRETE CONTINUOUS	TEE BEAM	96.6
900A2090001	WASHINGTON	0A209	0.4	BLACKLEY CREEK	OPEN	6/20/2016	1940	36.324517	-82.6006	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.2
900A2340001	WASHINGTON	0A234	0.013	KEEBLER BRANCH	WEIGHT POSTED	6/8/2016	1930	36.265633	-82.5899	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.8
900A2340003	WASHINGTON	0A234	0.35	BIG LIMESTONE CREEK	OPEN	6/8/2016	1986	36.26185	-82.5931	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
900A2380001	WASHINGTON	0A238	0.044	CARSON CREEK	OPEN	7/5/2016	2005	36.274517	-82.63285	STEEL	STRINGER/MULTI-BEAM OR GIRDER	81.8
900A2410001	WASHINGTON	0A241	1.243	BRANCH	WEIGHT POSTED	6/9/2016	1925	36.27215	-82.573367	CONCRETE	SLAB	50
900A2430001	WASHINGTON	0A243	0.527	LITTLE LIMESTONE CREEK	OPEN	6/8/2016	1993	36.242533	-82.563767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
900A2430003	WASHINGTON	0A243	2.838	BIG LIMESTONE CREEK	WEIGHT POSTED	6/8/2016	1950	36.26865	-82.583933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.6
900A2430005	WASHINGTON	0A243	3.548	BRANCH	OPEN	6/8/2016	1995	36.269717	-82.590083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
900A1810001	WASHINGTON	0A257	2.478	BRANCH	OPEN	6/20/2016	1942	36.430217	-82.639267	CONCRETE	SLAB	61.7
900A1810003	WASHINGTON	0A257	2.592	BRANCH	OPEN	6/20/2016	1942	36.430333	-82.638	CONCRETE	SLAB	77.5
90I00260013	WASHINGTON	0A311	0.925	I26	OPEN	10/12/2015	1969	36.393683	-82.448417	CONCRETE CONTINUOUS	TEE BEAM	94.8
900A3150001	WASHINGTON	0A315	0.315	CSX RAILROAD	OPEN	7/5/2016	2007	36.397667	-82.442917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.7
900A2200001	WASHINGTON	0A413	1.99	CARSON CREEK	WEIGHT POSTED	6/6/2016	1930	36.29285	-82.631617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.4
900A4480001	WASHINGTON	0A448	0.162	BOONES CREEK	OPEN	7/5/2016	2010	36.39195	-82.4008	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
900A4480003	WASHINGTON	0A448	0.416	BOONES CREEK	OPEN	7/5/2016	2010	36.3921	-82.397017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	90.5
900A4750001	WASHINGTON	0A475	0.142	BOONES CREEK	OPEN	6/14/2016	1979	36.38265	-82.4179	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
900A5280001	WASHINGTON	0A528	0.007	KNOB CREEK	OPEN	6/21/2016	1992	36.363667	-82.381967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
900A5280003	WASHINGTON	0A528	0.326	COBB CREEK	OPEN	6/21/2016	1995	36.3603	-82.379117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80
900A5400001	WASHINGTON	0A540	0.076	COBB CREEK	OPEN	6/22/2016	1994	36.352067	-82.361867	CONCRETE	FRAME (EXCEPT FRAME CULVERTS)	95
90039770001	WASHINGTON	0A600	0.069	BRUSH CREEK	OPEN	6/23/2016	1984	36.339433	-82.330933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
900A6240001	WASHINGTON	0A624	2.229	BRANCH	OPEN	6/20/2016	1989	36.378383	-82.350783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
900A6720001	WASHINGTON	0A672	0.161	KNOB CREEK	OPEN	7/6/2016	1960	36.3845	-82.362633	CONCRETE	TEE BEAM	60.3
900A6740001	WASHINGTON	0A674	0.535	BRUSH CREEK	OPEN	6/9/2016	1940	36.325972	-82.346611	CONCRETE	SLAB	47.1
900A8250001	WASHINGTON	0A825	0.392	BOONE CREEK	OPEN	7/5/2016	1909	36.3728	-82.429517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
900A2340007	WASHINGTON	0A850	1.239	BRANCH	OPEN	6/6/2016	1992	36.230267	-82.6261	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
900A8730001	WASHINGTON	0A873	0.534	LIMESTONE CREEK	WEIGHT POSTED	6/7/2016	1920	36.222267	-82.599583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.6
900A8820001	WASHINGTON	0A882	0.028	BIG LIMESTONE CREEK	OPEN	6/6/2016	1985	36.226883	-82.63155	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
900A9040001	WASHINGTON	0A904	0.04	LITTLE LIMESTONE CREEK	WEIGHT POSTED	6/7/2016	1920	36.214067	-82.603133	CONCRETE	TEE BEAM	49.7
900A9050001	WASHINGTON	0A905	0.57	ONION CREEK	OPEN	6/7/2016	1986	36.211483	-82.601683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.3
900A9060001	WASHINGTON	0A906	0.1	LITTLE LIMESTONE CREEK	OPEN	6/7/2016	1995	36.2107	-82.6033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.9
900A9120001	WASHINGTON	0A912	0.225	NOLICHUCKY RIVER	OPEN	6/27/2016	1986	36.18665	-82.608683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.3
900A9120003	WASHINGTON	0A912	0.485	BRANCH	OPEN	6/7/2016	1984	36.184467	-82.605033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
900A9180001	WASHINGTON	0A918	1.651	BRANCH	OPEN	6/8/2016	1935	36.2071	-82.564967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48
90026260003	WASHINGTON	0A932	0.454	KIPLINGER CREEK	WEIGHT POSTED	6/7/2016	1950	36.177817	-82.544283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.7
900A9580001	WASHINGTON	0A958	0.071	CHEROKEE CREEK	OPEN	6/2/2016	1983	36.235383	-82.463783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
900A9690001	WASHINGTON	0A969	0.016	LITTLE LIMESTONE CREEK	OPEN	6/8/2016	1993	36.248483	-82.5477	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
900A9700001	WASHINGTON	0A970	0.031	LITTLE LIMESTONE CREEK	OPEN	6/8/2016	1920	36.2494	-82.544333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.8
900B0630001	WASHINGTON	0B063	1.162	CHEROKEE CREEK	OPEN	5/25/2016	1978	36.216017	-82.472833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
900B0880001	WASHINGTON	0B088	0.045	CLARK CREEK	OPEN	6/7/2016	2012	36.163133	-82.5394	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.9
900B0920001	WASHINGTON	0B092	0.81	BOONES CREEK	OPEN	6/7/2016	2001	36.156983	-82.592383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
900B0940001	WASHINGTON	0B094	0.205	PAINTER CREEK	OPEN	6/7/2016	2004	36.145017	-82.592033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
900B0990001	WASHINGTON	0B099	0.769	CASSI CREEK	WEIGHT POSTED	6/7/2016	1952	36.142983	-82.604633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.6
900B1540001	WASHINGTON	0B154	1.14	CHEROKEE CREEK	OPEN	5/25/2016	2004	36.258733	-82.447133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
900B1780001	WASHINGTON	0B178	0.914	LT CHEROKEE CREEK	OPEN	5/24/2016	1986	36.249	-82.421117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
900B1810001	WASHINGTON	0B181	0.098	LITTLE CHEROKEE CREEK	WEIGHT POSTED	5/25/2016	1930	36.222817	-82.45735	CONCRETE CONTINUOUS	SLAB	35.9
900B1820001	WASHINGTON	0B182	0.035	CHEROKEE CREEK	OPEN	5/24/2016	1988	36.220017	-82.469317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
900B1940001	WASHINGTON	0B194	1.74	DRY CREEK	OPEN	8/2/2016	2014	36.207383	-82.439033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.2
900B1950001	WASHINGTON	0B195	0.073	DRY CREEK	OPEN	5/24/2016	1988	36.214133	-82.411167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.5
900B3450001	WASHINGTON	0B345	0.038	CSX RAILROAD	OPEN	6/23/2016	1973	36.29935	-82.369017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.7
900B4020001	WASHINGTON	0B402	0.109	SINKING CREEK	OPEN	5/25/2016	1973	36.290683	-82.35625	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	69.1
900B4070001	WASHINGTON	0B407	0.012	SINKING CREEK	OPEN	5/25/2016	1985	36.284	-82.364444	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	78.2
900B4090001	WASHINGTON	0B409	0.299	SINKING CREEK	WEIGHT POSTED	5/25/2016	1960	36.292083	-82.352733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.6
900B4350001	WASHINGTON	0B435	0.048	CSX RAILROAD	OPEN	6/23/2016	1970	36.3003	-82.354683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	48
900A0660001	WASHINGTON	0B456	0.076	BRUSH CREEK	OPEN	6/23/2016	1940	36.3131	-82.356117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.2
90I00260057	WASHINGTON	0B490	0.205	I26 & SR 67 RAMP	OPEN	10/22/2015	1977	36.311117	-82.339133	CONCRETE CONTINUOUS	TEE BEAM	69.2
90SR0670013	WASHINGTON	0B493	0.154	SINKING CREEK	OPEN	6/9/2016	1996	36.308033	-82.3322	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.3
900B5000001	WASHINGTON	0B500	0.278	SINKING CREEK	OPEN	6/9/2016	1988	36.31265	-82.327867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
900B5320001	WASHINGTON	0B532	0.03	SINKING CREEK	OPEN	6/9/2016	1991	36.313083	-82.326617	CONCRETE	FRAME (EXCEPT FRAME CULVERTS)	92.5
900B5860001	WASHINGTON	0B586	0.281	WATAUGA RIVER	OPEN	6/27/2016	1986	36.384083	-82.319233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.8
900B6320001	WASHINGTON	0B632	0.033	RED RIVER	OPEN	6/14/2016	1974	36.41545	-82.512933	CONCRETE	TEE BEAM	70.4
900B6620001	WASHINGTON	0B662	0.359	KNOB CREEK	OPEN	6/22/2016	1980	36.350933	-82.402633	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.2
900B6780001	WASHINGTON	0B678	0.05	KNOB CREEK	OPEN	6/21/2016	1989	36.369667	-82.376	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
900B7340001	WASHINGTON	0B734	0.009	CSX RAILROAD	OPEN	5/24/2016	1950	36.411917	-82.463267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
900B5390001	WASHINGTON	0B856	0.012	SINKING CREEK	OPEN	6/9/2016	1984	36.31905	-82.3214	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90I00260063	WASHINGTON	0B859	0.036	I26	OPEN	10/26/2015	1982	36.300083	-82.3335	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98.4
900B8660001	WASHINGTON	0B866	0.005	BRUSH CREEK	OPEN	6/9/2016	1927	36.32325	-82.349567	CONCRETE	ARCH - DECK	86.5
900B8700001	WASHINGTON	0B870	0.25	BOONES CREEK	OPEN	6/14/2016	1995	36.341067	-82.456917	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98
900A3010001	WASHINGTON	0C119	0.517	CSX RAILROAD	OPEN	7/5/2016	2008	36.380622	-82.438542	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
900A8260003	WASHINGTON	0C440	0.07	BOONES CREEK	OPEN	6/20/2016	2002	36.379683	-82.423944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
900C9000001	WASHINGTON	0C900	1.42	BRANCH	OPEN	6/21/2016	1985	36.375167	-82.356	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.7
90013690001	WASHINGTON	0C900	3.537	WATAUGA RIVER	OPEN	6/27/2016	1985	36.396067	-82.346167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	55.4
900A2990003	WASHINGTON	0D400	1.829	SINKING CREEK	WEIGHT POSTED	6/21/2016	1930	36.438733	-82.485517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.2
90I00260001	WASHINGTON	I0026	1.35	SINKING CREEK & CO ROADS	OPEN	10/7/2015	1969	36.42	-82.503333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.6
90I00260002	WASHINGTON	I0026	1.39	SINKING CREEK & CO ROADS	OPEN	10/7/2015	1969	36.42	-82.503333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.6
90I00260003	WASHINGTON	I0026	2.38	GRAY STATION RD (2644)	OPEN	10/7/2015	1969	36.413333	-82.488333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.4
90I00260004	WASHINGTON	I0026	2.38	GRAY STATION RD (2644)	OPEN	10/7/2015	1969	36.413333	-82.488333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.8
90I00260007	WASHINGTON	I0026	3.59	BUCKINGHAM RD (A144)	OPEN	10/7/2015	1969	36.403333	-82.471667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9
90I00260008	WASHINGTON	I0026	3.59	BUCKINGHAM RD (A144)	OPEN	10/7/2015	1969	36.403333	-82.471667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9
90I00260011	WASHINGTON	I0026	4.77	POSSUM HOLLOW RD (A310)	OPEN	10/7/2015	1969	36.393333	-82.453333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.9
90I00260012	WASHINGTON	I0026	4.77	POSSUM HOLLOW RD (A301)	OPEN	10/7/2015	1969	36.393333	-82.453333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9
90I00260015	WASHINGTON	I0026	5.53	CSX RAILROAD	OPEN	10/12/2015	1969	36.388333	-82.441667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9
90I00260016	WASHINGTON	I0026	5.53	CSX RAILROAD	OPEN	10/12/2015	1969	36.388333	-82.441667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9
90I00260018	WASHINGTON	I0026	5.67	MAUPIN HOLLOW RD (2589)	OPEN	10/12/2015	1969	36.386667	-82.44	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9
90I00260017	WASHINGTON	I0026	5.67	MAUPIN HOLLOW RD (2589)	OPEN	10/12/2015	1969	36.386667	-82.44	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90I00260019	WASHINGTON	I0026	5.96	REEDY CREEK	OPEN	10/12/2015	1969	36.386283	-82.43605	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.9
90I00260022	WASHINGTON	I0026	6.79	SR 354 & BOONES CREEK	OPEN	10/12/2015	1969	36.3786	-82.426283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
90I00260023	WASHINGTON	I0026	6.81	BOONES CREEK	OPEN	10/13/2015	1969	36.378783	-82.4256	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.4
90I00260021	WASHINGTON	I0026	6.82	SR 354 & BOONES CREEK	OPEN	10/12/2015	1969	36.378233	-82.426533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.2
90I00260029	WASHINGTON	I0026	9.11	SR 381	OPEN	10/13/2015	1999	36.355467	-82.397467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
90I00260065	WASHINGTON	I0026	9.12	KNOB CREEK	OPEN	10/13/2015	1969	36.354933	-82.397833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
90I00260031	WASHINGTON	I0026	9.88	BROWNS MILL RD (FAU 3986)	OPEN	10/13/2015	1969	36.349483	-82.385717	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
90I00260032	WASHINGTON	I0026	9.88	BROWNS MILL RD (FAU 3986)	OPEN	10/13/2015	1969	36.349733	-82.385817	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
90I00260034	WASHINGTON	I0026	10.29	SR 34	OPEN	10/14/2015	1975	36.347567	-82.379017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
90I00260033	WASHINGTON	I0026	10.29	SR 34	OPEN	10/14/2015	1975	36.347317	-82.378917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
90I00260037	WASHINGTON	I0026	10.92	MOUNTCASTLE DR (3975)	OPEN	10/14/2015	1975	36.342917	-82.3694	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.3
90I00260038	WASHINGTON	I0026	10.92	MOUNTCASTLE DR(NFA 3975)	OPEN	10/14/2015	1975	36.342933	-82.368717	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	92.3
90I00260039	WASHINGTON	I0026	11.31	LAKEVIEW DR (NFA A555)	OPEN	10/14/2015	1975	36.338283	-82.36525	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
90I00260040	WASHINGTON	I0026	11.31	LAKEVIEW DR (NFA A555)	OPEN	10/14/2015	1975	36.3386	-82.364967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
90I00260041	WASHINGTON	I0026	12.2	8TH AVE. (NFA A596)	OPEN	10/15/2015	1975	36.32755	-82.357117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.1
90I00260042	WASHINGTON	I0026	12.2	8TH AVE (NFA A596)	OPEN	10/15/2015	1975	36.327817	-82.356833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.1
90I00260043	WASHINGTON	I0026	12.42	SR 400 WB (UNAKA ST)	OPEN	10/15/2015	1975	36.3255	-82.354183	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98
90I00260044	WASHINGTON	I0026	12.42	SR 400 WB (UNAKA ST)	OPEN	10/15/2015	1975	36.3257	-82.354017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98
90I00260045	WASHINGTON	I0026	12.49	SR 400 (WATAUGA ST)	OPEN	10/15/2015	1975	36.3248	-82.3532	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90I00260046	WASHINGTON	I0026	12.49	SR 400 (WATAUGA ST)	OPEN	10/15/2015	1975	36.32505	-82.35295	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
90I00260048	WASHINGTON	I0026	12.63	FAIRVIEW AVE (FAU 5376)	OPEN	10/22/2015	1975	36.323767	-82.350967	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.5
90I00260047	WASHINGTON	I0026	12.63	FAIRVIEW AVE (FAU 5376)	OPEN	10/22/2015	1975	36.3234	-82.351267	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.5
90I00260049	WASHINGTON	I0026	12.82	SOU RWY&NFA A719 & A676	OPEN	10/22/2015	1975	36.32295	-82.350333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.7
90I00260050	WASHINGTON	I0026	12.82	SOU RWY&NFA A719&NFA A71	OPEN	10/22/2015	1975	36.3231	-82.350167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.7
90I00260051	WASHINGTON	I0026	12.99	SR 91	OPEN	10/22/2015	1976	36.31935	-82.34775	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94
90I00260052	WASHINGTON	I0026	12.99	SR 91	OPEN	10/22/2015	1976	36.319517	-82.34735	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
90I00260054	WASHINGTON	I0026	13.13	CLINCHFIELD RR&FAU 3987	OPEN	10/22/2015	1977	36.317567	-82.347267	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.8
90I00260053	WASHINGTON	I0026	13.13	CLINCHFIELD RR&FAU 3987	OPEN	10/22/2015	1977	36.317367	-82.3477	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
90I00260056	WASHINGTON	I0026	13.28	FAU 3959 EAST MAPLE ST	OPEN	10/26/2015	1978	36.315367	-82.345933	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.5
90I00260055	WASHINGTON	I0026	13.28	FAU 3959 EAST MAPLE ST	OPEN	10/26/2015	1978	36.315183	-82.346733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.4
90I00260060	WASHINGTON	I0026	13.95	SR 67	OPEN	10/26/2015	1977	36.3089	-82.3384	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
90I00260059	WASHINGTON	I0026	13.95	SR 67	OPEN	10/26/2015	1977	36.308733	-82.338783	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	81
90I00260061	WASHINGTON	I0026	14.16	QUARRY DRICSX RR & CREEK	OPEN	10/20/2015	1977	36.306133	-82.336967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73
90I00810002	WASHINGTON	I0081	0.69	SR 93	OPEN	10/5/2015	1973	36.401667	-82.618333	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
90I00810001	WASHINGTON	I0081	0.72	SR 93	OPEN	10/5/2015	1974	36.401667	-82.618333	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	98
90I00810007	WASHINGTON	I0081	3.71	DARK HOLLOW RD (A166)	OPEN	10/5/2015	1973	36.425	-82.573333	CONCRETE CONTINUOUS	TEE BEAM	92.5
90I00810008	WASHINGTON	I0081	3.71	DARK HOLLOW RD (A166)	OPEN	10/5/2015	1973	36.425	-82.573333	CONCRETE CONTINUOUS	TEE BEAM	94.3
90SR0340002	WASHINGTON	SR034	1.72	BIG LIMESTONE CREEK	OPEN	12/8/2015	1952	36.2	-82.615	CONCRETE	TEE BEAM	37.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90SR0340001	WASHINGTON	SR034	1.72	BIG LIMESTONE CREEK	OPEN	12/8/2015	1988	36.2	-82.615	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.5
90SR0340003	WASHINGTON	SR034	9.04	BRANCH	OPEN	12/8/2015	1952	36.2	-82.501667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
90SR0340006	WASHINGTON	SR034	10.13	SR 81	OPEN	12/3/2015	1959	36.294706	-82.484128	CONCRETE	TEE BEAM	82.8
90SR0340005	WASHINGTON	SR034	10.13	SR 81	OPEN	12/3/2015	1959	36.2	-82.483333	CONCRETE	TEE BEAM	83.6
90SR0340007	WASHINGTON	SR034	15.53	CSX RAILROAD	OPEN	12/3/2015	1931	36.310136	-82.3932	CONCRETE	TEE BEAM	53
90SR0340015	WASHINGTON	SR034	17.35	BRANCH	OPEN	12/3/2015	1970	36.3176	-82.366683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
90SR0340009	WASHINGTON	SR034	20.32	KNOB CREEK	OPEN	12/3/2015	2012	36.360617	-82.384	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
90SR3810005	WASHINGTON	SR034	20.85	KNOB CREEK	OPEN	11/18/2015	1992	36.367283	-82.378117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.6
90SR3810007	WASHINGTON	SR034	20.97	KNOB CREEK	OPEN	11/18/2015	1992	36.368633	-82.3767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.4
90SR0340012	WASHINGTON	SR034	23.03	WATAUGA RIVER	OPEN	12/8/2015	1986	36.3932	-82.357517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
90SR0340011	WASHINGTON	SR034	23.03	WATAUGA RIVER	OPEN	12/8/2015	1987	36.3931	-82.3571	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.7
90SR0360005	WASHINGTON	SR036	0.28	KNOB CREEK	OPEN	11/12/2015	1930	36.360767	-82.388367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.9
90SR0360007	WASHINGTON	SR036	2.08	CARROLL CREEK	OPEN	11/12/2015	2006	36.378733	-82.407833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
90SR0360009	WASHINGTON	SR036	2.69	BOONE CREEK	OPEN	11/12/2015	2008	36.3873	-82.41015	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.9
90SR0360011	WASHINGTON	SR036	3.76	REEDY CREEK	OPEN	11/12/2015	1930	36.402867	-82.415	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
90SR0360013	WASHINGTON	SR036	6.68	POSSUM CREEK	OPEN	11/12/2015	1930	36.402167	-82.448067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
90SR0360015	WASHINGTON	SR036	6.875	CEDAR CREEK	OPEN	12/2/2015	2015	36.4365	-82.447917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.9
90SR0670023	WASHINGTON	SR067	0.28	LITTLE CHEROKEE CREEK	OPEN	11/23/2015	1952	36.2155	-82.467683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.6
90SR0670021	WASHINGTON	SR067	0.94	LITTLE CHEROKEE CREEK	OPEN	11/23/2015	1952	36.220483	-82.45765	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67.2
90SR0670001	WASHINGTON	SR067	2.18	LITTLE CHEROKEE CREEK	OPEN	11/23/2015	1952	36.232683	-82.4426	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
90SR0670003	WASHINGTON	SR067	2.36	LITTLE CHEROKEE CREEK	OPEN	11/23/2015	1956	36.234767	-82.440317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90SR0670005	WASHINGTON	SR067	4.18	LITTLE CHEROKEE CREEK	OPEN	11/23/2015	1956	36.251417	-82.418617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.8
90SR0670007	WASHINGTON	SR067	4.67	LITTLE CHEROKEE CREEK	OPEN	12/2/2015	1952	36.257	-82.413717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.4
90SR0670009	WASHINGTON	SR067	5.39	LITTLE CHEROKEE CREEK	OPEN	12/2/2015	2011	36.264017	-82.4042	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.5
90SR0670011	WASHINGTON	SR067	9.2	CSX RAILROAD	OPEN	12/2/2015	1975	36.297717	-82.355417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.2
90SR0670027	WASHINGTON	SR067	10.8	SINKING CREEK	OPEN	12/2/2015	1987	36.31155	-82.3294	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
90SR0670031	WASHINGTON	SR067	11.18	CATBIRD CREEK	OPEN	12/2/2015	1987	36.31225	-82.32475	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
90S23820001	WASHINGTON	SR075	3.26	KEEBLER CREEK	OPEN	11/18/2015	1986	36.272433	-82.595167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.7
90S23820003	WASHINGTON	SR075	5.54	BLACKLEY CREEK	OPEN	11/18/2015	1992	36.297683	-82.575867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
90S23820005	WASHINGTON	SR075	5.65	CLEAR FORK CREEK	OPEN	11/18/2015	1986	36.298433	-82.57485	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.4
90S23820007	WASHINGTON	SR075	6.82	CLEAR FORK CREEK	OPEN	11/18/2015	1940	36.312967	-82.571533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.3
90S23820009	WASHINGTON	SR075	7.095	CLEAR FORK CREEK	OPEN	11/18/2015	2004	36.316267	-82.569633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
90I00260005	WASHINGTON	SR075	15.46	I26	OPEN	10/7/2015	1970	36.406433	-82.393867	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	89.2
90SR0750005	WASHINGTON	SR075	16.49	CEDAR CREEK	OPEN	11/18/2015	1998	36.419117	-82.467917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
90SR0750007	WASHINGTON	SR075	16.94	CEDAR CREEK	OPEN	11/18/2015	1998	36.423617	-82.4626	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.9
90SR0750003	WASHINGTON	SR075	17.98	CEDAR CREEK	OPEN	11/18/2015	1998	36.435183	-82.450783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
90SR0810001	WASHINGTON	SR081	1.86	NOLICHUCKY RIVER	OPEN	12/7/2015	1976	36.177617	-82.454167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76
90SR0810003	WASHINGTON	SR081	4.55	NOLICHUCKY RIVER	OPEN	12/7/2015	1959	36.206317	-82.472983	CONCRETE	TEE BEAM	56.9
90SR0810005	WASHINGTON	SR081	5.14	LITTLE CHEROKEE CREEK	OPEN	11/17/2015	1978	36.215167	-82.472117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.2
90SR0810007	WASHINGTON	SR081	5.36	CHEROKEE CREEK	OPEN	11/17/2015	1978	36.217667	-82.471417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.4
90SR0810009	WASHINGTON	SR081	6	CHEROKEE CREEK	OPEN	11/17/2015	1978	36.22585	-82.465733	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90SR0810011	WASHINGTON	SR081	6.97	CHEROKEE CREEK	OPEN	11/17/2015	1987	36.2372	-82.464167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.3
90SR0810013	WASHINGTON	SR081	7.09	CHEROKEE CREEK	OPEN	11/17/2015	1987	36.238067	-82.466417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
90SR0810015	WASHINGTON	SR081	7.17	CHEROKEE CREEK	OPEN	11/17/2015	1987	36.238633	-82.466783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
90SR0810029	WASHINGTON	SR081	11.46	BRANCH	OPEN	11/17/2015	1930	36.281717	-82.483133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
90SR0810017	WASHINGTON	SR081	11.6	LITTLE LIMSTN CR &SOU RW	OPEN	11/17/2015	1938	36.282867	-82.484083	CONCRETE	TEE BEAM	81.9
90SR0810019	WASHINGTON	SR081	12.12	BARKLEY BRANCH	OPEN	11/17/2015	1940	36.290133	-82.481517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.5
90SR0810021	WASHINGTON	SR081	16.585	MUDDY CREEK	OPEN	11/17/2015	2011	36.314367	-82.543383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
90SR0810023	WASHINGTON	SR081	18.02	CLEAR FORK CREEK	OPEN	11/17/2015	1980	36.32565	-82.563183	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.8
90SR0810025	WASHINGTON	SR081	18.32	BRANCH	OPEN	11/17/2015	1980	36.329233	-82.56645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
90SR0810027	WASHINGTON	SR081	20.07	BRANCH	OPEN	11/17/2015	1930	36.348583	-82.5816	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.5
90SR1070001	WASHINGTON	SR107	2.84	CASSI CREEK	OPEN	11/9/2015	1975	36.151617	-82.597867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.1
90SR1070003	WASHINGTON	SR107	3.43	PAINTERS CREEK	OPEN	11/9/2015	1931	36.1492	-82.587883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
90SR1070005	WASHINGTON	SR107	6.51	CLARKS CREEK	OPEN	11/9/2015	1935	36.167933	-82.541167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.9
90SR1070007	WASHINGTON	SR107	7.01	JOSHUA BRANCH	OPEN	11/9/2015	1931	36.171983	-82.533867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
90SR1070009	WASHINGTON	SR107	7.48	KATY CREEK	OPEN	11/9/2015	1931	36.175183	-82.527817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.8
90S23860001	WASHINGTON	SR353	0.45	NOLICHUCKY RIVER	OPEN	12/7/2015	1958	36.155667	-82.59055	CONCRETE	TEE BEAM	73.9
90S23860003	WASHINGTON	SR353	5.01	ONION CREEK	OPEN	11/9/2015	1993	36.2132	-82.580967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
90S23860005	WASHINGTON	SR353	8.65	LITTLE LIMESTONE CREEK	OPEN	11/9/2015	2007	36.249067	-82.544133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
90SR3530007	WASHINGTON	SR353	10.16	LITTLE LIMESTONE CREEK	OPEN	11/5/2015	2004	36.254533	-82.518217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
90S24520005	WASHINGTON	SR353	11.72	LITTLE LIMESTONES CREEK	OPEN	11/5/2015	1945	36.26445	-82.49985	CONCRETE	TEE BEAM	36.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
90SR3530009	WASHINGTON	SR353	12.53	LITTLE LIMESTONE CREEK	OPEN	11/5/2015	1950	36.274167	-82.492783	CONCRETE	TEE BEAM	63.8
90SR3540013	WASHINGTON	SR354	0.25	KNOB CREEK	OPEN	11/10/2015	1990	36.3021	-82.466617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
90SR3540011	WASHINGTON	SR354	4.07	BOONES CREEK	OPEN	11/10/2015	1975	36.35075	-82.445117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
90S23830001	WASHINGTON	SR354	5	BOONES CREEK	OPEN	11/10/2015	1978	36.36375	-82.4378	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.2
90S23830005	WASHINGTON	SR354	5.57	BOONES CREEK	OPEN	11/10/2015	1979	36.369433	-82.431133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.1
90S23830007	WASHINGTON	SR354	5.98	BOONES CREEK	OPEN	11/10/2015	1955	36.374583	-82.42745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
90SR3540009	WASHINGTON	SR354	6.24	BOONES CREEK	OPEN	11/10/2015	1969	36.376567	-82.426917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
90SR3810001	WASHINGTON	SR381	2.02	BRUSH CREEK	OPEN	11/4/2015	1985	36.302067	-82.382433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
90SR3810003	WASHINGTON	SR381	2.08	SOUTHERN RAILWAY	OPEN	11/4/2015	1986	36.303517	-82.383067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.8
90SR0360019	WASHINGTON	SR381	6.8	SR 36	OPEN	11/4/2015	1992	36.362017	-82.389817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
90SR0340017	WASHINGTON	SR381	7.61	SR 34	OPEN	11/4/2015	1992	36.367517	-82.3794	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.4
90E00320001	WASHINGTON	SR400	1.46	BRANCH	OPEN	11/4/2015	1950	36.318167	-82.361633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
90S23800001	WASHINGTON	SR400	4.99	BRUSH CREEK	OPEN	11/4/2015	2011	36.369267	-82.305183	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.8
91009120001	WAYNE	00912	7.91	BRANCH	OPEN	3/16/2017	1968	35.154067	-87.610167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.5
91009120003	WAYNE	00912	9.37	CALIFORNIA BRANCH	OPEN	3/16/2017	1969	35.155	-87.5853	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.9
91S62260001	WAYNE	00914	3.04	BRANCH	OPEN	5/9/2017	1955	35.435083	-87.92025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
91S62260003	WAYNE	00914	4.47	BRANCH	OPEN	5/9/2017	2016	35.44265	-87.897917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
91S62260005	WAYNE	00914	4.71	LITTLE BEECH CREEK	OPEN	5/9/2017	1953	35.439517	-87.89685	CONCRETE	CHANNEL BEAM	66.3
91S62260007	WAYNE	00914	7.12	BRANCH	OPEN	5/8/2017	1955	35.414783	-87.898	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
91S62270009	WAYNE	00915	0.01	PENHOOK BRANCH	OPEN	2/24/2017	1972	35.151067	-87.938017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
91S62270011	WAYNE	00915	1.77	BRANCH	OPEN	2/24/2017	1972	35.132117	-87.917833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
91S62270013	WAYNE	00915	3.47	BRANCH	OPEN	2/24/2017	1972	35.11445	-87.897117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
91S62270015	WAYNE	00915	4.54	BRANCH	OPEN	2/24/2017	1972	35.10345	-87.884	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
91S62270023	WAYNE	00915	6.42	PATTERSON BRANCH	OPEN	3/3/2017	1972	35.089817	-87.857233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
91S62270017	WAYNE	00915	6.85	BRANCH	OPEN	3/3/2017	1972	35.087533	-87.850467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
91S62270027	WAYNE	00915	7.28	BRANCH	OPEN	3/3/2017	1963	35.083433	-87.8448	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
91S62270021	WAYNE	00915	10.33	MOORE BRANCH	OPEN	2/16/2017	1969	35.0465	-87.819017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
91S62270019	WAYNE	00915	11.23	CYPRESS CREEK	OPEN	2/16/2017	1969	35.034	-87.8213	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.7
91S62270001	WAYNE	00917	6.93	SMITH HOLLOW BRANCH	OPEN	4/4/2017	1988	35.2266	-87.9455	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
91S62270003	WAYNE	00917	7.23	INDIAN CREEK	WEIGHT POSTED	4/4/2017	1985	35.224617	-87.95005	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.9
91S62270005	WAYNE	00917	8.37	MORGAN CREEK	OPEN	3/8/2017	1976	35.210767	-87.953867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
91S62270025	WAYNE	00917	9.02	BRANCH	OPEN	3/8/2017	1987	35.20155	-87.9521	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
91S62270029	WAYNE	00917	9.66	LINDSEY HOLLOW BRANCH	OPEN	3/8/2017	1985	35.193317	-87.948617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2
91S62290001	WAYNE	01763	0.44	HAYES BRANCH	OPEN	2/22/2017	1984	35.053017	-87.815417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
91S62290003	WAYNE	01763	4.19	CYPRESS CREEK	OPEN	2/23/2017	1942	35.099417	-87.785783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.7
91017650001	WAYNE	01765	0.08	HOLLY CREEK	OPEN	3/15/2017	1960	35.036	-87.585533	CONCRETE	TEE BEAM	66.7
91017650003	WAYNE	01765	1.97	HOLLY CREEK	OPEN	3/15/2017	1960	35.058217	-87.601067	CONCRETE	SLAB	65.7
91017650005	WAYNE	01765	4.64	BLACKWELL BRANCH	OPEN	3/15/2017	1950	35.09325	-87.60515	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.2
91017650007	WAYNE	01765	6.32	HOLLY CREEK	OPEN	3/15/2017	1960	35.115683	-87.615433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.2
91017670017	WAYNE	01767	1.51	COUCH BRANCH	OPEN	4/12/2017	2015	35.174289	-87.592689	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
91017670001	WAYNE	01767	1.59	FACTORY CREEK	OPEN	4/12/2017	1992	35.17525	-87.5927	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.2
91017670003	WAYNE	01767	3.47	FACTORY CREEK	OPEN	4/12/2017	2008	35.193467	-87.603767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
91017670005	WAYNE	01767	4.18	DOUBLE BRANCH	OPEN	4/12/2017	1983	35.201017	-87.607167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
91017670007	WAYNE	01767	7.08	FACTORY CREEK	OPEN	4/12/2017	1985	35.2359	-87.626867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.2
91017670009	WAYNE	01767	8.4	GLENROCK BRANCH	OPEN	4/13/2017	1984	35.2517	-87.63225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
91017670013	WAYNE	01767	15.37	HURRICANE CREEK	OPEN	4/20/2017	1972	35.299833	-87.709917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
91017670015	WAYNE	01767	16.16	HURRICANE CREEK	OPEN	4/20/2017	1967	35.307967	-87.717967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	58.4
91017710001	WAYNE	01771	3.81	BUFFALO RIVER	OPEN	5/3/2017	1983	35.435533	-87.700867	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.9
91017730001	WAYNE	01773	3.41	E. PRONG MOCCASIN CREEK	OPEN	4/27/2017	1984	35.403667	-87.74075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
91017730003	WAYNE	01773	4.25	MOCCASIN CREEK	OPEN	4/27/2017	1983	35.414383	-87.74425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
91017730005	WAYNE	01773	6.98	BUFFALO RIVER	OPEN	5/2/2017	1987	35.440517	-87.75945	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
91017760001	WAYNE	01776	4.71	SECOND CREEK	OPEN	3/3/2017	1970	35.059917	-87.913517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71
91017760003	WAYNE	01776	5.85	RIGHT FORK SECOND CREEK	OPEN	3/9/2017	1970	35.04485	-87.921567	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.5
91017760005	WAYNE	01776	7.39	TALLY BRANCH	OPEN	3/9/2017	1970	35.035267	-87.944183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
91017800003	WAYNE	01780	8.18	INDIAN CREEK	OPEN	4/17/2017	1993	35.20805	-87.82645	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
91017800009	WAYNE	01780	9.41	ROBINSON HOLLOW BRANCH	OPEN	4/17/2017	1996	35.219383	-87.841933	CONCRETE	CHANNEL BEAM	79.9
91017800005	WAYNE	01780	9.8	INDIAN CREEK	OPEN	4/17/2017	1985	35.22225	-87.847067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
91017800007	WAYNE	01780	10.93	MOSER BRANCH	OPEN	4/11/2017	1983	35.234033	-87.855867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
91017820013	WAYNE	01782	0.03	BECKUM BRANCH	OPEN	4/4/2017	1984	35.23415	-87.93525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
91017820001	WAYNE	01782	1.23	DAVIS BRANCH	OPEN	4/4/2017	1920	35.239717	-87.91645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
91017820015	WAYNE	01782	2.08	PETIT BRANCH	OPEN	4/11/2017	1982	35.238683	-87.9023	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
91017820003	WAYNE	01782	2.72	ARNOLD BRANCH	OPEN	4/11/2017	1984	35.2397	-87.891333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
91562280005	WAYNE	01782	3.64	BUNDRANT BRANCH	OPEN	4/11/2017	1987	35.23655	-87.87585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
91017820007	WAYNE	01782	5.09	BRANCH OF MOSER BRANCH	OPEN	4/11/2017	1965	35.23855	-87.852783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
91017820009	WAYNE	01782	8.12	BANJO BRANCH	OPEN	4/18/2017	1965	35.271633	-87.82305	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
91017820011	WAYNE	01782	8.3	HOG CREEK	OPEN	4/18/2017	1960	35.272733	-87.820233	CONCRETE	TEE BEAM	57.8
91017840001	WAYNE	01784	10.04	GOOBER CREEK	OPEN	4/26/2017	1930	35.361283	-87.914733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.9
91017860001	WAYNE	01786	0.25	FLIPPO BRANCH	OPEN	5/9/2017	1970	35.43755	-87.971717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.7
91SR0150021	WAYNE	02739	0.13	GREEN RIVER	OPEN	5/1/2017	1929	35.321067	-87.760617	CONCRETE	TEE BEAM	50.7
910A0040001	WAYNE	0A004	0.057	HARDIN CREEK	OPEN	4/26/2017	1992	35.309133	-87.924883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
910A0070001	WAYNE	0A007	2.26	EAGLE CREEK	OPEN	4/26/2017	1996	35.325517	-87.994633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
910A0410001	WAYNE	0A041	0.428	BUCKEYE BRANCH	OPEN	4/26/2017	1984	35.368517	-87.969433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
910A0410003	WAYNE	0A041	1.3	ROSS CREEK	OPEN	4/26/2017	1995	35.3787	-87.96585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
910A0420001	WAYNE	0A042	1.476	MORRISON CREEK	OPEN	5/8/2017	1983	35.408633	-87.93245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
910A0420003	WAYNE	0A042	3.008	BEECH CREEK	OPEN	5/8/2017	1965	35.421283	-87.910933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
910A0510001	WAYNE	0A051	1.876	MORRISON CREEK	OPEN	5/9/2017	1984	35.420783	-87.9439	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A0650001	WAYNE	0A065	0.128	BEECH CREEK	OPEN	5/8/2017	2016	35.402433	-87.873283	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
910A0660003	WAYNE	0A066	0.041	BRANCH	OPEN	5/8/2017	2008	35.395283	-87.847667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.1
910A0660001	WAYNE	0A066	0.09	BEECH CREEK	OPEN	5/8/2017	2008	35.39465	-87.847883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
910A0690001	WAYNE	0A069	0.082	LT PRONG SMITH BRANCH	OPEN	5/8/2017	1986	35.397383	-87.824333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3
910A0700001	WAYNE	0A070	0.555	LT PRONG SMITH BRANCH	OPEN	5/8/2017	2001	35.40325	-87.822167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.7
910A0710001	WAYNE	0A071	0.013	SMITH BRANCH	OPEN	3/31/2017	1991	35.3916	-87.8381	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
910A0710003	WAYNE	0A071	1.33	BEECH CREEK	OPEN	3/31/2017	2000	35.380683	-87.825	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.9
910A0710005	WAYNE	0A071	2.069	BEECH CREEK	OPEN	3/31/2017	1998	35.373333	-87.816417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
910A0710007	WAYNE	0A071	3.258	BEECH CREEK	OPEN	3/31/2017	2003	35.360833	-87.8025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
910A0900001	WAYNE	0A090	0.856	HARPER VALLEY BRANCH	OPEN	4/27/2017	2011	35.446717	-87.792983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
910A1060001	WAYNE	0A106	0.043	BIG OPOSSUM CREEK	OPEN	5/2/2017	1984	35.44805	-87.757483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A1060003	WAYNE	0A106	0.127	BIG OPOSSUM CREEK	OPEN	5/2/2017	2004	35.4481	-87.755967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
910A1060005	WAYNE	0A106	0.787	BRANCH	OPEN	5/2/2017	1986	35.4519	-87.74585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A1060007	WAYNE	0A106	1.884	BIG OPOSSUM CREEK	OPEN	5/2/2017	1996	35.4589	-87.729017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A1060009	WAYNE	0A106	3.592	BIG OPOSSUM CREEK	OPEN	5/2/2017	1987	35.477067	-87.710367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A1080001	WAYNE	0A108	0.969	GREEN RIVER	OPEN	4/27/2017	1994	35.430833	-87.7734	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.2
910A1090001	WAYNE	0A109	0.013	BUCK BRANCH	OPEN	4/27/2017	1984	35.428917	-87.77545	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A1130001	WAYNE	0A113	0.01	MILL CREEK	OPEN	5/3/2017	1984	35.4495	-87.700333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A1160001	WAYNE	0A116	2.971	TUCKER BRANCH	OPEN	5/3/2017	1979	35.452433	-87.662267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.5
910A1210001	WAYNE	0A121	1.098	FORTY EIGHT CREEK	OPEN	5/3/2017	1989	35.4343	-87.687367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
910A1320001	WAYNE	0A132	0.007	MOCCASIN CREEK	OPEN	4/27/2017	1983	35.430833	-87.742533	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96
910A1400001	WAYNE	0A140	0.197	SIMMONS BRANCH	OPEN	5/1/2017	1983	35.3614	-87.745833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
910A1400003	WAYNE	0A140	2.038	GREEN RIVER	OPEN	5/1/2017	1989	35.343083	-87.759133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
910A1410001	WAYNE	0A141	1.672	SIMMONS BRANCH	OPEN	5/1/2017	1999	35.3576	-87.717767	CONCRETE	CHANNEL BEAM	58.9
910A1590001	WAYNE	0A159	0.084	HURRICANE CREEK	OPEN	4/20/2017	1995	35.326883	-87.7553	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.5
910A1700001	WAYNE	0A170	0.168	LITTLE OPOSSUM CREEK	OPEN	5/3/2017	1984	35.478183	-87.80445	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
910A1790003	WAYNE	0A179	3.89	FURNANCE CREEK	OPEN	4/13/2017	1996	35.345267	-87.664283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A1830003	WAYNE	0A183	0.401	BOWSTRING BRANCH	OPEN	4/25/2017	2001	35.378617	-87.669783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
910A1830001	WAYNE	0A183	1.297	FORTY-EIGHT CREEK	OPEN	4/25/2017	1993	35.371117	-87.661233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
910A1850001	WAYNE	0A185	1.73	WEATHERFORD CREEK	OPEN	3/8/2017	1987	35.213067	-87.959433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.7
910A1870001	WAYNE	0A187	0.125	BLOWING SPRINGS CREEK	OPEN	4/25/2017	1995	35.364733	-87.6453	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A1870003	WAYNE	0A187	2.005	LITTLE FORTY-EIGHT CREEK	OPEN	4/25/2017	1983	35.345117	-87.62495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
910A1940001	WAYNE	0A194	1.955	BARNETT BRANCH	OPEN	3/29/2017	1983	35.312233	-87.612817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
910A1960001	WAYNE	0A196	1.265	BARNETT BRANCH	OPEN	3/29/2017	1984	35.314033	-87.62705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
910A2000001	WAYNE	0A200	0.76	LONG HOLLOW BRANCH	OPEN	4/20/2017	1997	35.311617	-87.7052	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.2
910A2020001	WAYNE	0A202	0.038	LONG HOLLOW BRANCH	WEIGHT POSTED	4/20/2017	1960	35.308017	-87.717717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.2
910A2100005	WAYNE	0A210	0.184	BRANCH	OPEN	4/25/2017	2013	35.290083	-87.761933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9
910A2100001	WAYNE	0A210	0.926	BRANCH	OPEN	4/18/2017	2001	35.2997	-87.7579	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
910A2100003	WAYNE	0A210	1.06	BRANCH	OPEN	4/18/2017	2002	35.302083	-87.757783	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	70.4
910A2110001	WAYNE	0A211	0.19	GREEN RIVER	OPEN	4/19/2017	1978	35.287767	-87.762733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.5
910A2110009	WAYNE	0A211	0.373	BRANCH	OPEN	4/19/2017	2013	35.287267	-87.75935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
910A2110003	WAYNE	0A211	0.494	BRANCH	OPEN	4/19/2017	1975	35.285967	-87.75835	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	59.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
910A2110007	WAYNE	0A211	0.94	BRANCH	OPEN	4/19/2017	2005	35.258917	-87.743133	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	87.2
910A2110005	WAYNE	0A211	2.826	GREEN RIVER	OPEN	4/19/2017	1997	35.258917	-87.743133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
910A2130001	WAYNE	0A213	0	GREEN RIVER	OPEN	4/18/2017	1997	35.297467	-87.758717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
910A2200003	WAYNE	0A220	0.064	BRANCH	OPEN	4/19/2017	1984	35.285417	-87.757233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
910A2200001	WAYNE	0A220	0.308	BRANCH	OPEN	4/19/2017	2013	35.283033	-87.754267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.6
910A2210001	WAYNE	0A221	0	BRANCH	OPEN	4/19/2017	2004	35.282367	-87.750517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8
910A2220001	WAYNE	0A222	2.301	GREEN RIVER	OPEN	4/19/2017	1997	35.253367	-87.73195	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	83
910A2220003	WAYNE	0A222	6.61	DOUBLE BRANCH	OPEN	3/24/2017	2015	35.216233	-87.6754	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
910A2220017	WAYNE	0A222	7.108	DOUBLE BRANCH	OPEN	3/24/2017	1991	35.213633	-87.667617	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.9
910A2220007	WAYNE	0A222	8.432	DOUBLE BRANCH	OPEN	4/10/2017	1986	35.208117	-87.645233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
910A2220009	WAYNE	0A222	8.616	DOUBLE BRANCH	WEIGHT POSTED	4/10/2017	1960	35.207667	-87.642267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.8
910A2220011	WAYNE	0A222	8.86	DOUBLE BRANCH	OPEN	4/10/2017	2011	35.204783	-87.639417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
910A2220013	WAYNE	0A222	9.672	DOUBLE BRANCH	OPEN	4/10/2017	1970	35.200333	-87.62735	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83.7
910A2220015	WAYNE	0A222	9.941	DOUBLE BRANCH	OPEN	4/10/2017	1998	35.200717	-87.622617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
910A2280001	WAYNE	0A228	2.976	SWEETWATER BRANCH	OPEN	4/13/2017	2004	35.251417	-87.648833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
910A2280003	WAYNE	0A228	3.311	SWEET WATER BRANCH	OPEN	4/13/2017	2004	35.250483	-87.643117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.7
910A2290001	WAYNE	0A229	0	FACTORY CREEK	WEIGHT POSTED	4/10/2017	1955	35.20335	-87.608817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.8
910A2330001	WAYNE	0A233	0.574	ADAMS BRANCH	OPEN	4/12/2017	1991	35.234467	-87.617583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
910A2450001	WAYNE	0A245	0.036	CALIFORNIA BRANCH	OPEN	3/16/2017	2000	35.155267	-87.584417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
910A2510001	WAYNE	0A251	0.11	KILBURN BRANCH	OPEN	3/20/2017	2015	35.188	-87.6613	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
910A2510003	WAYNE	0A251	0.32	KILBURN BRANCH	OPEN	3/20/2017	2015	35.189611	-87.664089	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
910A2520001	WAYNE	0A252	2.056	LITTLE SHAWNETTE CREEK	OPEN	3/20/2017	1970	35.193083	-87.686267	CONCRETE	CHANNEL BEAM	61.8
910A2520003	WAYNE	0A252	3.278	SHAWNETTE CREEK	OPEN	3/20/2017	1991	35.183767	-87.67025	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
910A2640001	WAYNE	0A264	6.386	MIDDLE BUTLER CREEK	OPEN	3/14/2017	1979	35.0981	-87.67365	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.6
910A2740001	WAYNE	0A274	3.376	BRANCH	OPEN	3/10/2017	1983	35.1274	-87.6726	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
910A2740003	WAYNE	0A274	8.238	SWANEKEN BRANCH	OPEN	3/10/2017	2002	35.068667	-87.63755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
910A2780001	WAYNE	0A278	1.593	LAST BUTLER CREEK	OPEN	3/10/2017	1998	35.128467	-87.678433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A2790001	WAYNE	0A279	3.076	MIDDLE BUTLER CREEK	OPEN	3/14/2017	1987	35.099367	-87.6815	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.9
910A2800001	WAYNE	0A280	0.225	BUTLER CREEK	OPEN	3/16/2017	1935	35.0806	-87.658783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.1
910A2830001	WAYNE	0A283	2.731	FIRST BUTLER CREEK	OPEN	3/14/2017	1984	35.11585	-87.757983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A2880001	WAYNE	0A288	0.911	FIRST BUTLER CREEK	OPEN	3/14/2017	1984	35.106467	-87.6943	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A2880003	WAYNE	0A288	1.602	BRANCH	OPEN	3/14/2017	1984	35.111267	-87.705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A2920001	WAYNE	0A292	1.287	STULTS BRANCH	OPEN	2/13/2017	1983	35.0428	-87.635317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
910A2920007	WAYNE	0A292	1.696	MILL BRANCH	OPEN	2/13/2017	1991	35.048517	-87.634567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
910A2920003	WAYNE	0A292	2.627	BUTLER CREEK	OPEN	3/10/2017	1986	35.061467	-87.638083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.1
910A2920009	WAYNE	0A292	2.846	SWANEGAN BRANCH	OPEN	3/10/2017	1991	35.064467	-87.63885	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.8
910A2920005	WAYNE	0A292	6.122	HOLLY CREEK	OPEN	3/15/2017	1991	35.092617	-87.602467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63
910A2960001	WAYNE	0A296	0.118	HOLLY CREEK	OPEN	3/15/2017	1983	35.13355	-87.635833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
910A2990001	WAYNE	0A299	3.94	CALIFORNIA BRANCH	OPEN	3/16/2017	1998	35.152433	-87.6123	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
910A3030001	WAYNE	0A303	0.14	HOLLY BRANCH	WEIGHT POSTED	3/10/2017	1965	35.056967	-87.60285	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.8
910A3060003	WAYNE	0A306	0.208	BUTLER CREEK	OPEN	2/13/2017	2007	35.048267	-87.631483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
910A3120001	WAYNE	0A312	0.099	CYPRESS CREEK	OPEN	2/16/2017	1960	35.047933	-87.816417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.8
910A3120005	WAYNE	0A312	3.249	MIDDLE CYPRESS CREEK	OPEN	2/14/2017	1991	35.0499	-87.764717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
910A3120003	WAYNE	0A312	7.736	LITTLE CYPRESS CREEK	OPEN	2/13/2017	1988	35.053267	-87.6971	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.3
910A3120007	WAYNE	0A312	9.307	STULTS BRANCH	OPEN	2/13/2017	2000	35.054717	-87.672417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
910A3160001	WAYNE	0A316	0.17	BRANCH	OPEN	4/20/2017	2003	35.287633	-87.703983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	92.9
910A3180001	WAYNE	0A318	0.794	LITTLE CYPRESS CREEK	OPEN	2/15/2017	1983	35.02525	-87.683183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.2
910A3180007	WAYNE	0A318	1.476	LITTLE DRY BRANCH	OPEN	2/15/2017	1995	35.0243	-87.694267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
910A3180005	WAYNE	0A318	2.233	DRY BRANCH	OPEN	2/15/2017	1986	35.019683	-87.7063	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
910A3180003	WAYNE	0A318	3.565	MIDDLE CYPRESS CREEK	OPEN	2/15/2017	1996	35.010367	-87.7257	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
910A3210001	WAYNE	0A321	5.99	LITTLE CYPRESS CREEK	OPEN	2/14/2017	1984	35.0803	-87.738383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
910A3270001	WAYNE	0A327	0.013	LITTLE CYPRESS CREEK	OPEN	2/14/2017	1999	35.069183	-87.717467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
910A3320001	WAYNE	0A332	0.745	LITTLE CYPRESS CREEK	OPEN	2/14/2017	1983	35.074883	-87.7235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
910A3350001	WAYNE	0A335	1.792	CYPRESS CREEK	OPEN	2/22/2017	1984	35.091467	-87.787533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
910A3380001	WAYNE	0A338	0.791	CYPRESS CREEK	OPEN	2/22/2017	2002	35.07905	-87.7921	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
910A3390001	WAYNE	0A339	0.136	CYPRESS BRANCH	WEIGHT POSTED	2/22/2017	1963	35.06775	-87.801033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.9
910A3490001	WAYNE	0A349	2.185	MAY BRANCH	OPEN	2/15/2017	1983	35.00835	-87.757067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
910A3530001	WAYNE	0A353	6.894	TALLY BRANCH	OPEN	3/9/2017	1997	35.016383	-87.923133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.2
910A3540001	WAYNE	0A354	2.922	CYPRESS CREEK	OPEN	2/16/2017	1965	35.011933	-87.818417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
910A3560001	WAYNE	0A356	0.253	COOPER BRANCH	OPEN	2/16/2017	1997	35.008717	-87.8282	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
910A3610001	WAYNE	0A361	1.015	MOORE BRANCH	OPEN	2/22/2017	1983	35.05505	-87.831267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A3650001	WAYNE	0A365	0.69	BRANCH	WEIGHT POSTED	3/3/2017	1975	35.045667	-87.908533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.2
910A3660001	WAYNE	0A366	0.342	SECOND CREEK	OPEN	3/9/2017	1998	35.035217	-87.965167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A3660003	WAYNE	0A366	2.988	GRASSY CREEK	OPEN	3/9/2017	1984	35.069783	-87.958333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A3670001	WAYNE	0A367	0.035	GRASSY CREEK	OPEN	3/9/2017	1984	35.039133	-87.969167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.9
910A3730003	WAYNE	0A373	0.046	NICHOLS BRANCH	OPEN	2/24/2017	2003	35.134667	-87.983417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.9
910A3780001	WAYNE	0A378	3.48	WEATHERFORD CREEK	OPEN	2/24/2017	1984	35.116267	-87.8941	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
910A3820001	WAYNE	0A382	5.801	RICH BRANCH	OPEN	2/23/2017	1983	35.091717	-87.851283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.2
910A3820003	WAYNE	0A382	5.93	WEATHERFORD CREEK	OPEN	2/23/2017	1983	35.090367	-87.852217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
910A3850001	WAYNE	0A385	6.851	BRANCH	OPEN	3/28/2017	1991	35.190417	-87.884167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A3850003	WAYNE	0A385	10.51	INDIAN CREEK	OPEN	4/4/2017	1985	35.234767	-87.915467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.2
910A3870001	WAYNE	0A387	0.062	BEAR CREEK	OPEN	3/28/2017	1976	35.136067	-87.8576	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.5
910A3890001	WAYNE	0A389	1.27	RICH BRANCH	OPEN	2/23/2017	1999	35.105433	-87.828567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
910A3920001	WAYNE	0A392	0.05	WEATHERFORD CREEK	WEIGHT POSTED	3/3/2017	1955	35.089483	-87.850883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17
910A4060001	WAYNE	0A406	0.034	BRANCH	OPEN	3/28/2017	1983	35.190683	-87.8863	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A4150001	WAYNE	0A415	0.025	INDIAN CREEK	OPEN	3/28/2017	2008	35.161533	-87.822033	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
910A4640001	WAYNE	0A464	0.01	INDIAN CREEK	WEIGHT POSTED	4/17/2017	1955	35.1955	-87.826433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22
910A4650001	WAYNE	0A465	0.488	DRY CREEK	OPEN	4/18/2017	1986	35.207767	-87.811167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74.2
910A4650003	WAYNE	0A465	0.87	WATERFALL CREEK	OPEN	4/18/2017	1994	35.210917	-87.805417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.2
910A4650005	WAYNE	0A465	1.065	DOWNING BRANCH	OPEN	4/18/2017	1950	35.2127	-87.80285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
910A4660003	WAYNE	0A466	4.18	WATERFALL CREEK BRANCH	OPEN	4/18/2017	2014	35.206783	-87.7869	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
910A4660001	WAYNE	0A466	5.079	WATERFALL CREEK	OPEN	4/18/2017	1998	35.209133	-87.8022	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A4680001	WAYNE	0A468	0.08	STAGGS BRANCH	OPEN	4/18/2017	1996	35.245767	-87.765117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
910A4680003	WAYNE	0A468	2.39	BRANCH	OPEN	4/18/2017	1985	35.220967	-87.7495	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
910A4720001	WAYNE	0A472	0.157	CHALK CREEK	OPEN	4/18/2017	2004	35.25525	-87.767433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.2
910A4730001	WAYNE	0A473	0.047	INDIAN CREEK	OPEN	4/17/2017	2008	35.218283	-87.83735	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.4
910A4750001	WAYNE	0A475	0.112	INDIAN CREEK	OPEN	4/17/2017	2012	35.23025	-87.856717	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.9
910A4760001	WAYNE	0A476	0.045	HOG CREEK	OPEN	4/18/2017	1984	35.283533	-87.787383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
910A4770001	WAYNE	0A477	0.212	ARNOLD BRANCH	OPEN	4/11/2017	1970	35.242883	-87.888667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
910A4770003	WAYNE	0A477	4.339	HOG CREEK	OPEN	4/26/2017	1992	35.2858	-87.848017	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73.2
910A4770005	WAYNE	0A477	4.842	SHAKERAG BRANCH	OPEN	4/26/2017	1993	35.291083	-87.853117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86
910A4910001	WAYNE	0A491	0.244	GREEN RIVER	OPEN	5/1/2017	1985	35.3079	-87.759483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.8
910A5330001	WAYNE	0A533	0.352	FORTY-EIGHT CREEK	OPEN	4/13/2017	1993	35.337333	-87.66025	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
910A5330003	WAYNE	0A533	0.851	FORTY-EIGHT CREEK	OPEN	4/13/2017	1985	35.3306	-87.658317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
910A5350001	WAYNE	0A535	0.31	FORTY-EIGHT CREEK	OPEN	3/29/2017	1997	35.298533	-87.651683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
910A5360001	WAYNE	0A536	0.791	SHAWNETTE CREEK	OPEN	3/22/2017	1987	35.18795	-87.617833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
910A5360013	WAYNE	0A536	1.94	BRANCH	OPEN	3/22/2017	2014	35.18745	-87.637183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
910A5360003	WAYNE	0A536	2.389	SHAWNETTE CREEK	OPEN	3/22/2017	1992	35.189033	-87.642317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.2
910A5360005	WAYNE	0A536	2.984	SHAWNETTE CREEK	OPEN	3/22/2017	1992	35.185283	-87.651217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.2
910A5360007	WAYNE	0A536	3.449	SHAWNETTE CREEK	OPEN	3/22/2017	2005	35.187433	-87.657167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
910A5360009	WAYNE	0A536	4.095	SHAWNETTE CREEK	OPEN	3/20/2017	1993	35.18365	-87.667217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
910A5360011	WAYNE	0A536	5.93	SHAWNETTE CREEK	OPEN	3/20/2017	1984	35.173167	-87.694583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
910A5340001	WAYNE	0A540	3.086	FORTY-EIGHT CREEK	CLOSED	7/7/2017	1955	35.395183	-87.667667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17
91S62280001	WAYNE	0A568	0.227	DAVIS BRANCH	OPEN	4/4/2017	2003	35.241167	-87.91725	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
91SR0130003	WAYNE	SR013	21.77	CHALK CREEK	OPEN	1/31/2017	1975	35.248617	-87.767483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
91SR0130005	WAYNE	SR013	26.15	MILL CREEK	OPEN	1/31/2017	1975	35.3113	-87.76325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
91SR0130007	WAYNE	SR013	38.47	BUFFALO RIVER	OPEN	1/24/2017	1988	35.455983	-87.776783	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92
91SR0150001	WAYNE	SR015	2.07	HARDIN CREEK	OPEN	2/1/2017	2011	35.369367	-87.9879	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.4
91SR0150002	WAYNE	SR015	2.07	HARDIN CREEK	OPEN	2/1/2017	2011	35.369367	-87.9879	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.4
91SR0150003	WAYNE	SR015	2.96	BRANCH	OPEN	2/1/2017	2011	35.309183	-87.938733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.5
91SR0150005	WAYNE	SR015	3.37	BRANCH	OPEN	2/1/2017	2011	35.309617	-87.931433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.5
91SR0150008	WAYNE	SR015	3.9	MOSIER BRANCH	OPEN	2/2/2017	2011	35.309483	-87.922233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.5
91SR0150007	WAYNE	SR015	3.9	MOSIER BRANCH	OPEN	2/2/2017	2011	35.309483	-87.922233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.5
91SR0150009	WAYNE	SR015	5.175	BLOODY BRANCH	OPEN	2/1/2017	2011	35.305883	-87.900383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
91SR0150011	WAYNE	SR015	6.31	MILL SPRINGS BRANCH	OPEN	2/2/2017	2014	35.302083	-87.881367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
91SR0150013	WAYNE	SR015	7.22	GUN HOLLOW BRANCH	OPEN	2/2/2017	2014	35.296417	-87.86705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
91SR0150015	WAYNE	SR015	7.62	BRANCH	OPEN	2/2/2017	2014	35.293133	-87.861333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
91SR0150017	WAYNE	SR015	8.485	ROSE BRANCH	OPEN	2/9/2017	2014	35.294283	-87.847233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
91SR0150020	WAYNE	SR015	8.95	PARKERS BRANCH	OPEN	2/9/2017	2015	35.296383	-87.83915	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
91SR0150019	WAYNE	SR015	8.96	PARKERS BRANCH	OPEN	2/9/2017	1998	35.296183	-87.839417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
91SR0130011	WAYNE	SR015	14.47	SR13 AND GREEN RIVER	OPEN	2/9/2017	1999	35.328167	-87.764483	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.3
91SR0150023	WAYNE	SR015	15.46	HURRICANE CREEK	OPEN	2/9/2017	1963	35.323067	-87.7487	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.5
91SR0150025	WAYNE	SR015	19.6	FURNACE BRANCH	OPEN	2/3/2017	2012	35.335583	-87.683067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.5
91SR0150029	WAYNE	SR015	19.66	BRANCH	OPEN	2/3/2017	2012	35.336133	-87.68205	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
91SR0150027	WAYNE	SR015	20.94	FORTY-EIGHT CREEK	OPEN	2/3/2017	1969	35.34305	-87.66115	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
91SR0150028	WAYNE	SR015	20.94	FORTY-EIGHT CREEK	OPEN	2/3/2017	2012	35.34315	-87.66175	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.5
91SR0690001	WAYNE	SR069	3.66	SECOND CREEK	OPEN	1/30/2017	1990	35.015017	-87.985533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78
91S63150001	WAYNE	SR099	8.7	FORTY-EIGHT CREEK	OPEN	1/31/2017	1958	35.410117	-87.673133	CONCRETE	TEE BEAM	71.6
91SR1140001	WAYNE	SR114	2.54	BRANCH	OPEN	1/20/2017	1983	35.336233	-87.971433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9
91SR1140003	WAYNE	SR114	2.75	EAGLE CREEK	OPEN	1/20/2017	1983	35.3391	-87.9725	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.7
91SR1140007	WAYNE	SR114	5.28	BRANCH	OPEN	1/20/2017	2001	35.3739	-87.98105	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.3
91SR1140005	WAYNE	SR114	6.48	ROACH CREEK	OPEN	1/20/2017	1996	35.375833	-88.001783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.4
91SR1280001	WAYNE	SR128	5.5	BRANCH	OPEN	1/30/2017	1970	35.419683	-87.964783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7
91S61740001	WAYNE	SR128	6.05	BEECH CREEK	OPEN	1/30/2017	1962	35.427583	-87.964767	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
91S61740003	WAYNE	SR128	7.2	FLIPPO BRANCH	OPEN	1/30/2017	1960	35.4435	-87.968067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
91S61940001	WAYNE	SR203	3.5	WEATHERFORD CREEK	OPEN	1/25/2017	1963	35.152383	-87.934533	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	86.8
91S61940003	WAYNE	SR203	3.8	BEAR CREEK	OPEN	1/25/2017	1962	35.153683	-87.929483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	54.4
91SR2030007	WAYNE	SR203	7.9	BRANCH	OPEN	1/25/2017	1970	35.142033	-87.8656	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
91S61940005	WAYNE	SR203	12.03	INDIAN CREEK	OPEN	1/25/2017	2012	35.138167	-87.803283	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.6
91S62270037	WAYNE	SR227	1.4	DULIN BRANCH	OPEN	1/23/2017	1966	35.016917	-87.801017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
91S62270031	WAYNE	SR227	3.42	MAY BRANCH	OPEN	1/23/2017	1955	35.020867	-87.7665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
91S62270033	WAYNE	SR227	5.26	MIDDLE CYPRESS CREEK	OPEN	1/23/2017	1958	35.02895	-87.7366	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
91S62270035	WAYNE	SR227	8.36	CYPRESS CREEK	OPEN	1/23/2017	1962	35.04165	-87.687317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
91S61970001	WAYNE	SR227	11.48	BUTLER CREEK	OPEN	1/23/2017	1960	35.02695	-87.631717	CONCRETE	TEE BEAM	62.1
91S63820001	WAYNE	SR228	3.31	MORRISON CREEK	OPEN	1/24/2017	1987	35.398217	-87.918417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.9
91S63820003	WAYNE	SR228	4.8	BEECH CREEK	OPEN	1/24/2017	1987	35.410133	-87.898717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
91S62260009	WAYNE	SR228	6.98	PIGG BRANCH	OPEN	1/24/2017	1940	35.401017	-87.865967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
91S62260011	WAYNE	SR228	9.68	LEFT PRONG SMITH BRANCH	OPEN	1/24/2017	1937	35.397567	-87.82415	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
92S80110001	WEAKLEY	00815	1.61	CANE CREEK	OPEN	11/7/2016	1960	36.346306	-88.7995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
92S80110003	WEAKLEY	00815	5.71	OVERFLOW	OPEN	11/2/2016	2004	36.399883	-88.7895	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.2
92S80110005	WEAKLEY	00815	5.96	OVERFLOW	OPEN	11/2/2016	1990	36.403472	-88.789972	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.4
92S80110007	WEAKLEY	00815	6.1	NORTH FORK OBION RIVER	OPEN	11/2/2016	1956	36.405444	-88.790278	CONCRETE	TEE BEAM	63.3
92S80110009	WEAKLEY	00815	6.25	OBION RIVER OVERFLOW	OPEN	11/2/2016	1990	36.407111	-88.790611	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91.8
92002670015	WEAKLEY	00815	7.28	TOMMY CREEK	OPEN	11/2/2016	1956	36.4225	-88.790472	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	74.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
92S80110013	WEAKLEY	00815	9.2	RICHLAND CREEK	OPEN	11/2/2016	1996	36.447333	-88.803111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.6
92S82210001	WEAKLEY	00855	2.51	OVERFLOW	OPEN	11/21/2016	1963	36.265778	-88.893472	CONCRETE	CHANNEL BEAM	80.3
92S82210003	WEAKLEY	00855	2.62	OVERFLOW	OPEN	11/21/2016	2007	36.267	-88.894611	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
92S82210005	WEAKLEY	00855	2.67	MUD CREEK	OPEN	11/21/2016	1996	36.267472	-88.895417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.9
92008590001	WEAKLEY	00859	1.78	SPRING CREEK BRANCH	OPEN	11/17/2016	1950	36.160944	-88.547667	CONCRETE	TEE BEAM	64.1
92008590003	WEAKLEY	00859	3.78	SPRING CREEK	OPEN	11/17/2016	1935	36.181083	-88.57275	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.3
92008590007	WEAKLEY	00859	7.99	DRY CREEK	OPEN	11/21/2016	1960	36.225333	-88.625722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.5
92008590009	WEAKLEY	00859	10.15	OVERFLOW	OPEN	11/30/2016	1950	36.248306	-88.652056	CONCRETE	TEE BEAM	79.7
92008590011	WEAKLEY	00859	10.31	MIDDLE FORK OBION RIVER	WEIGHT POSTED	11/30/2016	1938	36.250306	-88.653694	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	21.5
92008590013	WEAKLEY	00859	10.48	OVERFLOW	OPEN	11/21/2016	1940	36.252194	-88.655139	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	36.3
92008590015	WEAKLEY	00859	10.65	OVERFLOW	OPEN	11/21/2016	1940	36.254111	-88.657056	CONCRETE	TEE BEAM	39.8
92008590017	WEAKLEY	00859	11.31	ATKINSON BRANCH	OPEN	11/21/2016	1998	36.261583	-88.664528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
92S82560001	WEAKLEY	00864	0.41	CUPP BRANCH	OPEN	11/22/2016	1993	36.402167	-88.576694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
92S82560003	WEAKLEY	00864	1.65	OVERFLOW	OPEN	11/22/2016	1969	36.39925	-88.556111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9
92S82560005	WEAKLEY	00864	1.72	BRANCH	OPEN	11/22/2016	1969	36.399222	-88.554778	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9
92S82560007	WEAKLEY	00864	1.76	CANE CREEK	OPEN	11/22/2016	1969	36.399222	-88.554139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.7
92S82560009	WEAKLEY	00864	1.8	OVERFLOW	OPEN	11/22/2016	1969	36.39925	-88.553389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9
92S82560011	WEAKLEY	00864	1.86	OVERFLOW	OPEN	11/22/2016	1969	36.399222	-88.552306	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9
92S82560013	WEAKLEY	00864	2.65	BRANCH	OPEN	11/22/2016	1969	36.396806	-88.539889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9
92S82560015	WEAKLEY	00864	2.7	OVERFLOW	OPEN	11/22/2016	1969	35.396083	-88.539639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9
92S82560017	WEAKLEY	00864	2.74	OVERFLOW	OPEN	11/22/2016	1969	36.395556	-88.539472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
920A6290001	WEAKLEY	01518	1.82	MUD CREEK	OPEN	11/9/2016	1988	36.271222	-88.811278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.3
920A6290003	WEAKLEY	01518	2.12	BRANCH	OPEN	11/9/2016	1982	36.271667	-88.816722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
92SR2160013	WEAKLEY	01537	3.81	PUBLIC WELLS RD. / SR-43	OPEN	10/26/2016	1994	36.321778	-88.805611	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
920A3950003	WEAKLEY	01542	6.4	PITTMAN BRANCH	OPEN	11/16/2016	1984	36.10425	-88.739389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
920A3950005	WEAKLEY	01542	6.82	CANE BRANCH	OPEN	11/16/2016	1999	36.098333	-88.73925	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A2720003	WEAKLEY	01560	1.52	BRANCH	OPEN	11/21/2016	2005	36.25525	-88.611417	CONCRETE CONTINUOUS	SLAB	84.6
920A2720007	WEAKLEY	01560	1.71	MIDDLE FORK OBION RIVER	OPEN	11/21/2016	2004	36.257583	-88.609722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.9
920A2720009	WEAKLEY	01560	1.81	OVERFLOW	OPEN	11/21/2016	1993	36.257861	-88.607972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
92015970001	WEAKLEY	01597	0.64	BEAR CREEK	OPEN	11/16/2016	1994	36.103278	-88.696833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.4
92S80150001	WEAKLEY	01599	0.71	OVERFLOW	OPEN	11/16/2016	1989	36.167833	-88.709389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.8
92S80150003	WEAKLEY	01599	0.85	SPRING CREEK	OPEN	11/16/2016	1996	36.169778	-88.709583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
92S80150005	WEAKLEY	01599	0.95	OVERFLOW	OPEN	11/16/2016	2003	35.171167	-88.70975	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.1
92016020001	WEAKLEY	01602	0.05	S. FORK OBION RIVER	OPEN	11/16/2016	1976	36.096972	-88.746444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
92016020003	WEAKLEY	01602	2.47	BEAR CREEK	OPEN	11/16/2016	1997	36.096278	-88.703972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
92S81910001	WEAKLEY	01605	3.09	WRIGHT BRANCH	OPEN	11/29/2016	1989	36.340306	-88.674417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.2
92016050003	WEAKLEY	01605	4.57	OVERFLOW	OPEN	11/29/2016	1984	36.355972	-88.660278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.9
92016050005	WEAKLEY	01605	4.68	CYPRESS CREEK	OPEN	11/29/2016	1986	36.357333	-88.65975	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.1
92016050009	WEAKLEY	01605	10.78	OVERFLOW	OPEN	11/30/2016	1996	36.43425	-88.619389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.8
92016050013	WEAKLEY	01605	10.9	NORTH FORK OBION RIVER	OPEN	11/30/2016	1988	36.435556	-88.617778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.8
92016050015	WEAKLEY	01605	11	OVERFLOW	OPEN	11/30/2016	1999	36.436139	-88.616361	CONCRETE CONTINUOUS	SLAB	96
92016050017	WEAKLEY	01605	11.09	OVERFLOW	OPEN	11/30/2016	1999	36.437083	-88.615139	CONCRETE CONTINUOUS	SLAB	88.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
92016050019	WEAKLEY	01605	11.2	BRANCH	OPEN	11/30/2016	1996	36.438111	-88.613556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
92016070001	WEAKLEY	01607	1.25	CYPRESS CREEK	OPEN	11/15/2016	1995	36.340722	-88.932028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
92016070003	WEAKLEY	01607	3.08	BRANCH	OPEN	11/15/2016	1991	36.367361	-88.930306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
92016070005	WEAKLEY	01607	3.19	LITTLE CYPRESS CREEK	OPEN	11/15/2016	1991	36.368917	-88.930278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
92582360001	WEAKLEY	01608	3.29	BRANCH	OPEN	11/21/2016	1965	36.239667	-88.652222	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.9
92016100001	WEAKLEY	01610	2.89	TERRELL BRANCH	OPEN	11/9/2016	1975	36.249722	-88.746	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	18.1
92016120001	WEAKLEY	01612	3.09	BRANCH	OPEN	11/7/2016	1997	36.372992	-88.761928	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81
92016120003	WEAKLEY	01612	3.15	BRANCH	OPEN	11/7/2016	1983	36.372861	-88.761611	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.9
92016160001	WEAKLEY	01616	1.56	CUPP BRANCH	OPEN	11/28/2016	1970	36.415506	-88.563925	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.5
92016160003	WEAKLEY	01616	1.78	CANE CREEK	WEIGHT POSTED	11/28/2016	1975	36.416806	-88.560167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	47.7
92016160005	WEAKLEY	01616	1.86	OVERFLOW	OPEN	11/28/2016	2005	36.417242	-88.558997	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
92016200001	WEAKLEY	01620	3.17	BLACKAMORE CREEK	OPEN	11/30/2016	1975	36.480889	-88.666556	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	96.9
92016200003	WEAKLEY	01620	4.72	BRANCH	OPEN	11/30/2016	2004	36.488611	-88.64525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
92016200013	WEAKLEY	01620	4.88	OLD KNOB CREEK	OPEN	11/30/2016	2004	36.488983	-88.64325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
92016200005	WEAKLEY	01620	4.92	OVERFLOW	OPEN	11/30/2016	2004	36.488944	-88.641972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
92016200007	WEAKLEY	01620	5.65	POWELL CREEK	OPEN	11/30/2016	2007	36.49035	-88.6329	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.5
92016200011	WEAKLEY	01620	10.98	BRANCH	OPEN	11/30/2016	2008	36.468944	-88.582028	CONCRETE CONTINUOUS	SLAB	90.6
92016220003	WEAKLEY	01622	0.46	BRANCH	OPEN	11/30/2016	1984	36.482111	-88.641417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
92016220005	WEAKLEY	01622	0.63	POWELL CREEK	OPEN	11/30/2016	2013	36.480139	-88.639639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
92019350001	WEAKLEY	01935	3.81	BRANCH	OPEN	11/9/2016	2003	36.318722	-88.733917	CONCRETE CONTINUOUS	SLAB	85.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
920A0990001	WEAKLEY	01935	6.32	MUD CREEK	OPEN	11/17/2016	1995	36.295111	-88.709639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
92019540001	WEAKLEY	01954	0.42	BRANCH	OPEN	11/21/2016	1975	36.274389	-88.888194	CONCRETE	CHANNEL BEAM	78.6
92019540003	WEAKLEY	01954	2.18	BRANCH	OPEN	11/21/2016	1992	36.272444	-88.857028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
92SR0220039	WEAKLEY	03031	1.82	SR 22	OPEN	10/27/2016	1987	36.354222	-88.827861	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.3
92030320001	WEAKLEY	03032	0.42	CANE CREEK	OPEN	11/7/2016	2002	36.330889	-88.876778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.5
92M30380001	WEAKLEY	03038	0.39	BRANCH	OPEN	11/7/2016	1985	36.332611	-88.862278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
92SR0430023	WEAKLEY	05732	0.2	CANE CREEK	OPEN	11/7/2016	1979	36.328833	-88.86975	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
92SR0430025	WEAKLEY	05732	1.46	BRANCH	OPEN	11/7/2016	1979	36.346778	-88.872667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
92SR0430027	WEAKLEY	05732	1.9	ABD. CSX RAILROAD	OPEN	11/7/2016	1979	36.35325	-88.872417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.5
92SR0220069	WEAKLEY	05732	2.84	SKYHAWK PKWY / SR-22	OPEN	10/24/2016	1987	36.366	-88.868111	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87.6
92SR0220070	WEAKLEY	05732	2.84	SKYHAWK PKWY / SR-22	OPEN	10/24/2016	1987	36.365917	-88.868444	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	87.6
920A0060001	WEAKLEY	0A006	0.701	LITTLE CYPRESS CREEK	OPEN	11/15/2016	1987	36.369778	-88.903861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
92SR0220051	WEAKLEY	0A008	0.113	SR 22	OPEN	10/24/2016	1987	36.361889	-88.894417	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.8
920A0080001	WEAKLEY	0A008	0.945	LITTLE CYPRESS CREEK	OPEN	11/15/2016	1984	36.373889	-88.893556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
920A0150005	WEAKLEY	0A015	1.462	BRANCH	OPEN	11/3/2016	1985	36.355	-88.860667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A0160001	WEAKLEY	0A016	1.136	BRANCH	OPEN	11/7/2016	1993	36.361806	-88.856111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
920A0190001	WEAKLEY	0A019	1.221	CAPPS BRANCH	OPEN	11/22/2016	2005	36.324222	-88.524556	CONCRETE CONTINUOUS	SLAB	97
920A0210001	WEAKLEY	0A021	1.713	CANE CREEK	OPEN	11/29/2016	1997	36.379861	-88.531389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
920A0260001	WEAKLEY	0A026	0.058	BRANCH	OPEN	11/15/2016	1992	36.391417	-88.854083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A0430001	WEAKLEY	0A043	1.557	CANE CREEK	OPEN	11/7/2016	2006	36.341139	-88.821167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
920A0480001	WEAKLEY	0A048	1.767	BRANCH	OPEN	11/7/2016	2002	36.394528	-88.823639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
920A0480003	WEAKLEY	0A048	2.606	VOWELL BRANCH	OPEN	11/7/2016	1984	36.398028	-88.810167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
920A0480005	WEAKLEY	0A048	3.3	JONES CREEK	OPEN	11/7/2016	1994	36.39675	-88.798028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.7
920A0560001	WEAKLEY	0A056	0.958	RICHLAND CREEK	OPEN	11/3/2016	1999	36.457389	-88.791694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
920A0580001	WEAKLEY	0A058	0.174	TROUBLE CREEK	OPEN	11/3/2016	1999	36.467889	-88.803667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.9
920A0600001	WEAKLEY	0A060	1.271	RICHLAND CREEK	OPEN	11/3/2016	1979	36.466556	-88.774583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	83.9
920A0620001	WEAKLEY	0A062	0.451	JONES BRANCH	OPEN	11/3/2016	2004	36.473278	-88.7685	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A0670001	WEAKLEY	0A067	2.027	RICHLAND CREEK	OPEN	11/3/2016	1988	36.469	-88.762	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A0700001	WEAKLEY	0A070	1.397	RICHLAND CREEK	OPEN	11/3/2016	1983	36.474778	-88.739778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A0740001	WEAKLEY	0A074	1.534	BRANCH	OPEN	11/16/2016	1984	36.076222	-88.678694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
920A0780001	WEAKLEY	0A078	0.165	TOMMY CREEK	OPEN	11/3/2016	2002	36.431611	-88.781389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	98
920A0820001	WEAKLEY	0A082	2.798	SANDY BRANCH	OPEN	11/7/2016	1988	36.418694	-88.770917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A0890001	WEAKLEY	0A089	1.139	CAMP GROUND CREEK	WEIGHT POSTED	11/3/2016	1975	36.391806	-88.771139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	61.9
920A0910001	WEAKLEY	0A091	0.625	BRANCH	OPEN	11/3/2016	1987	36.376611	-88.771722	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	91
920A0920001	WEAKLEY	0A092	0.84	BRANCH	OPEN	11/7/2016	1997	36.370417	-88.775472	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.9
920A0940003	WEAKLEY	0A094	0.667	CAMPGROUND CREEK	OPEN	11/9/2016	2004	36.360867	-88.756983	CONCRETE	SLAB	84.7
920A0940001	WEAKLEY	0A094	0.825	CAMP GROUND CREEK	OPEN	11/9/2016	1984	36.360861	-88.754083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.2
920A0970001	WEAKLEY	0A097	1.093	BRANCH	OPEN	11/9/2016	2003	36.349833	-88.758278	CONCRETE CONTINUOUS	SLAB	97
920A1050001	WEAKLEY	0A105	1.5	BRANCH	OPEN	11/9/2016	1983	36.316028	-88.785694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
920A1110001	WEAKLEY	0A111	2.049	MUD CREEK	OPEN	11/9/2016	2004	36.292306	-88.72075	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.1
920A1170001	WEAKLEY	0A117	0.203	MUD CREEK	OPEN	11/30/2016	2004	36.2543	-88.681133	CONCRETE	SLAB	84.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
920A1220001	WEAKLEY	0A122	0.014	BRANCH	OPEN	11/29/2016	1988	36.304667	-88.675361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A1230001	WEAKLEY	0A123	0.786	MUD CREEK	OPEN	11/17/2016	1982	36.296639	-88.703917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
920A1314001	WEAKLEY	0A131	0.455	BRANCH	OPEN	11/29/2016	2004	36.35	-88.634972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
920A1420001	WEAKLEY	0A142	0.769	STEPHENS CREEK	OPEN	11/22/2016	2000	36.410167	-88.669417	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
920A1420003	WEAKLEY	0A142	4.141	BRUNDIGE BRANCH	OPEN	11/22/2016	2009	36.448733	-88.661717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A1440001	WEAKLEY	0A144	0.324	STEPHENS CREEK	OPEN	11/22/2016	2009	36.4067	-88.6676	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A1480001	WEAKLEY	0A148	1.553	WORKMAN BRANCH	OPEN	11/30/2016	2006	36.367883	-88.67185	CONCRETE	SLAB	89.5
920A1510001	WEAKLEY	0A151	1.736	CYPRESS CREEK	OPEN	11/30/2016	1994	36.357778	-88.617556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A1540001	WEAKLEY	0A154	1.95	BRANCH	OPEN	11/30/2016	1998	36.392083	-88.611194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A1610001	WEAKLEY	0A161	0.233	LEA BRANCH	OPEN	11/22/2016	1982	36.438333	-88.670278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A1640001	WEAKLEY	0A164	0.652	OVERFLOW BRANCH	OPEN	11/22/2016	1992	36.447083	-88.613056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A1640003	WEAKLEY	0A164	0.698	OVERFLOW BRANCH	OPEN	11/22/2016	1993	36.447556	-88.6135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A1640005	WEAKLEY	0A164	0.761	BIGGS CREEK	OPEN	11/22/2016	1983	36.448611	-88.613944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A1700001	WEAKLEY	0A170	0.851	BRANCH	OPEN	11/22/2016	2011	36.454472	-88.707056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
920A1710001	WEAKLEY	0A171	1.803	RACoon CREEK	OPEN	11/30/2016	1983	36.484278	-88.679333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A1730001	WEAKLEY	0A173	0.513	BLACKAMORE CREEK	OPEN	11/30/2016	2009	36.484278	-88.679333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.7
920A1880001	WEAKLEY	0A188	0.951	HURRICANE CREEK	OPEN	11/29/2016	1999	36.469389	-88.560306	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
920A1960001	WEAKLEY	0A196	2.46	BRANCH	OPEN	11/28/2016	2015	36.401472	-88.526833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
920A2040001	WEAKLEY	0A204	1.186	KENNEDY BRANCH	OPEN	11/29/2016	2003	36.374944	-88.539111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A2300001	WEAKLEY	0A230	0.092	CYPRESS CREEK	OPEN	11/29/2016	1984	36.334806	-88.607139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
920A2350001	WEAKLEY	0A235	0.229	THOMPSON CREEK	WEIGHT POSTED	11/30/2016	1970	36.3145	-88.567	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	39.9
920A2390001	WEAKLEY	0A239	1.16	CAPPS BRANCH	OPEN	11/29/2016	1994	36.303833	-88.541639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A2480001	WEAKLEY	0A248	0.781	ARNOLD BRANCH	OPEN	11/22/2016	1984	36.227222	-88.560556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
920A2500001	WEAKLEY	0A250	0.431	ARNOLD BRANCH	OPEN	11/22/2016	2004	36.242778	-88.566778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.7
920A2590001	WEAKLEY	0A259	1.436	BRANCH	OPEN	11/17/2016	2007	36.151683	-88.5304	CONCRETE CONTINUOUS	SLAB	91.4
920A2600001	WEAKLEY	0A260	3.19	BRANCH	OPEN	11/17/2016	2005	36.190083	-88.559861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.2
920A2640001	WEAKLEY	0A264	0.935	SPRING CREEK	OPEN	11/17/2016	2005	36.175611	-88.542472	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95
920A2680001	WEAKLEY	0A268	1.747	SUMMERS CREEK	OPEN	11/21/2016	2008	36.233	-88.587306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93
920A2680003	WEAKLEY	0A268	2.663	SUMMERS CREEK	OPEN	11/22/2016	2001	36.237278	-88.587778	CONCRETE CONTINUOUS	SLAB	97
920A2740001	WEAKLEY	0A274	0.411	THOMPSON CREEK	OPEN	11/21/2016	2008	36.265967	-88.6095	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.9
920A2770001	WEAKLEY	0A277	0.251	THOMPSON CREEK	WEIGHT POSTED	11/22/2016	1970	36.291556	-88.576306	CONCRETE	CHANNEL BEAM	62.7
920A2880001	WEAKLEY	0A288	1.664	PRITCHETT BRANCH	OPEN	11/21/2016	2007	36.256833	-88.689867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
920A2950001	WEAKLEY	0A295	1.414	BRANCH	OPEN	11/21/2016	1997	36.226889	-88.647361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.7
920A3290001	WEAKLEY	0A329	2.378	BRANCH	OPEN	11/17/2016	1993	36.176056	-88.612972	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A3290003	WEAKLEY	0A329	3.156	BRANCH	OPEN	11/17/2016	2007	36.17275	-88.622833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A3400001	WEAKLEY	0A340	0.586	BRANCH	OPEN	11/17/2016	2004	36.164833	-88.619583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A3400003	WEAKLEY	0A340	0.797	OVERFLOW	OPEN	11/17/2016	2001	36.163583	-88.618583	CONCRETE	SLAB	93
920A3400005	WEAKLEY	0A340	0.845	SPRING CREEK	OPEN	11/17/2016	2001	36.163	-88.618333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
920A3400007	WEAKLEY	0A340	0.925	BOOTH BRANCH	OPEN	11/17/2016	2001	36.161833	-88.618056	CONCRETE CONTINUOUS	SLAB	92
920A3410003	WEAKLEY	0A341	2.154	SPRING CREEK	OPEN	11/21/2016	1984	36.177028	-88.591111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	95.5
920A3410005	WEAKLEY	0A341	2.282	BRANCH	OPEN	11/21/2016	1984	36.178833	-88.591028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A3480001	WEAKLEY	0A348	0.223	SPRING CREEK BRANCH	OPEN	11/17/2016	2005	36.158306	-88.548389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
920A3570001	WEAKLEY	0A357	0.854	BRANCH	OPEN	11/21/2016	2004	36.141278	-88.625861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
920A3690001	WEAKLEY	0A369	1.042	BEAR CREEK	OPEN	11/16/2016	1999	36.113889	-88.6815	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96
920A3700001	WEAKLEY	0A370	2.511	BRANCH	OPEN	11/16/2016	2006	36.078217	-88.675467	CONCRETE CONTINUOUS	SLAB	79.2
920A3710001	WEAKLEY	0A371	0.792	BRANCH	OPEN	11/16/2016	2004	36.10565	-88.682361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87
920A3850001	WEAKLEY	0A385	5.452	MOSLEY BRANCH	OPEN	11/16/2016	2003	36.141444	-88.786889	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
920A3900001	WEAKLEY	0A390	0.629	BRANCH	OPEN	11/16/2016	1998	36.163806	-88.764028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A3960001	WEAKLEY	0A396	1.526	COTTNELL BRANCH	OPEN	11/16/2016	2003	36.129972	-88.781972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.7
920A4200001	WEAKLEY	0A420	1.246	BUCKOR DITCH	OPEN	11/16/2016	1984	36.167444	-88.818722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
920A4200003	WEAKLEY	0A420	2.094	LIPSCOMB DITCH	OPEN	11/16/2016	1984	36.168528	-88.833722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
920A4560001	WEAKLEY	0A456	1.058	LIPSCOMB DITCH	OPEN	11/16/2016	1997	36.190028	-88.835139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A4600001	WEAKLEY	0A460	0.047	CAPPS BRANCH	OPEN	11/16/2016	2003	36.180556	-88.873444	CONCRETE CONTINUOUS	SLAB	97
920A4690001	WEAKLEY	0A469	0.999	MIDDLE FORK OBION RIVER	OPEN	11/17/2016	1970	36.195361	-88.869	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
920A4690003	WEAKLEY	0A469	1.331	BRANCH	OPEN	11/17/2016	1970	36.200333	-88.869	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.4
920A4710001	WEAKLEY	0A471	0.41	BUCKOR DITCH	OPEN	11/16/2016	2002	36.185306	-88.819583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.5
920A4710003	WEAKLEY	0A471	0.446	BRANCH	OPEN	11/16/2016	2001	36.185472	-88.818972	CONCRETE CONTINUOUS	SLAB	83.2
920A4720001	WEAKLEY	0A472	2.451	DOLAND BRANCH	OPEN	11/17/2016	1975	36.174944	-88.756444	CONCRETE	CHANNEL BEAM	77.5
920A4770001	WEAKLEY	0A477	1.535	SPRING CREEK	OPEN	11/17/2016	1997	36.182333	-88.746917	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97
920A4790001	WEAKLEY	0A479	2.177	BRANCH	OPEN	11/17/2016	2006	36.207833	-88.740817	CONCRETE CONTINUOUS	SLAB	87.2
920A4990001	WEAKLEY	0A499	0.624	BRANCH	OPEN	11/17/2016	1983	36.218611	-88.877778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
92S82210007	WEAKLEY	0A502	1.832	BRANCH	OPEN	11/3/2016	1960	36.319417	-88.891861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.4
920A5150001	WEAKLEY	0A515	0.298	BRANCH	OPEN	11/30/2016	2006	36.2594	-88.872833	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99
920A5160001	WEAKLEY	0A516	1.759	BRANCH	OPEN	11/30/2016	2003	36.254389	-88.849611	CONCRETE	SLAB	83.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
920A5160003	WEAKLEY	0A516	4.242	BRANCH	OPEN	11/9/2016	2004	36.259	-88.809778	CONCRETE	SLAB	91.4
920A5320001	WEAKLEY	0A532	0.118	BOAZ CREEK	OPEN	11/17/2016	1970	36.171611	-88.529361	CONCRETE	CHANNEL BEAM	89.5
920A5390001	WEAKLEY	0A539	1.015	BRANCH	OPEN	11/17/2016	2005	36.187833	-88.530778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A5560001	WEAKLEY	0A556	1.015	BRANCH	OPEN	11/9/2016	1994	36.253833	-88.80525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A5660001	WEAKLEY	0A566	4.233	TUMBLING CREEK	OPEN	11/22/2016	1994	36.237778	-88.543889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	92.2
92SR0220037	WEAKLEY	0A582	0.821	NFA A582 / SR 22	OPEN	10/27/2016	1987	36.343889	-88.816972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.4
920A6120001	WEAKLEY	0A612	1.187	BRANCH	OPEN	11/9/2016	2005	36.294306	-88.788361	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A6120003	WEAKLEY	0A612	3.236	MUD CREEK	OPEN	11/9/2016	1993	36.297333	-88.755389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97
920A6200001	WEAKLEY	0A620	2.297	BRANCH	OPEN	11/9/2016	2005	36.310472	-88.843722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
920A6220001	WEAKLEY	0A622	0.316	CANE CREEK	OPEN	11/9/2016	1987	36.327639	-88.844639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
92SR2160009	WEAKLEY	0A624	0.402	SR-43	OPEN	10/25/2016	1993	36.316056	-88.833611	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.6
920A6310001	WEAKLEY	0A631	0.173	BRANCH	OPEN	11/21/2016	1997	36.275667	-88.853833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
920A6340001	WEAKLEY	0A634	0.768	BRANCH	OPEN	11/7/2016	2001	36.325472	-88.8525	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.2
920A6360003	WEAKLEY	0A636	0.613	BRANCH	OPEN	11/9/2016	1997	36.317333	-88.862444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.7
920A6360001	WEAKLEY	0A636	1.331	CANE CREEK	OPEN	11/3/2016	1992	36.327444	-88.860111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.8
920A6380001	WEAKLEY	0A638	0.31	BRANCH	OPEN	11/7/2016	2004	36.321222	-88.882167	CONCRETE CONTINUOUS	SLAB	87.6
920A6510001	WEAKLEY	0A651	1.184	OVERFLOW	OPEN	11/21/2016	1984	36.307417	-88.921861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
920A6510003	WEAKLEY	0A651	1.249	OVERFLOW	WEIGHT POSTED	11/30/2016	1970	36.306639	-88.921194	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.2
920A6510005	WEAKLEY	0A651	1.287	CANE CREEK	OPEN	11/30/2016	1995	36.306194	-88.920833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92
920A6580001	WEAKLEY	0A658	0.459	CANE CREEK	OPEN	11/30/2016	1986	36.298944	-88.941417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9
920A6650001	WEAKLEY	0A665	1.059	CYPRESS CREEK	OPEN	11/15/2016	1975	36.354	-88.943611	CONCRETE	CHANNEL BEAM	76.5
920A6660001	WEAKLEY	0A666	0.385	CYPRESS CREEK	WEIGHT POSTED	11/15/2016	1983	36.336861	-88.924139	CONCRETE	CHANNEL BEAM	47.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
920A6670001	WEAKLEY	0A667	0.323	BRANCH	OPEN	11/7/2016	1984	36.341667	-88.878111	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
920A7860001	WEAKLEY	0A786	0.17	LITTLE CYPRESS CREEK	OPEN	11/15/2016	2007	36.369367	-88.917583	CONCRETE CONTINUOUS	SLAB	91.2
92SR0220055	WEAKLEY	0A786	0.383	HAZELWOOD RD. / SR-22	OPEN	10/24/2016	1991	36.372389	-88.9175	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82
92SR0220057	WEAKLEY	0A786	2.512	TERRELL EXT. / SR-22	OPEN	10/24/2016	1991	36.383722	-88.938583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.9
920A7900001	WEAKLEY	0A790	1.115	BRANCH	OPEN	11/15/2016	1988	36.383417	-88.855917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.9
920A7970001	WEAKLEY	0A797	1.994	BRANCH	OPEN	11/29/2016	2000	36.336889	-88.638028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
920A7990001	WEAKLEY	0A799	2.912	CYPRESS CREEK	OPEN	11/30/2016	1997	36.383528	-88.698667	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.7
920A5820001	WEAKLEY	0A834	0.131	CANE CREEK	OPEN	11/7/2016	1987	36.345583	-88.815611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.4
92016140001	WEAKLEY	0A926	0.727	BRANCH	OPEN	11/9/2016	1975	36.365	-88.84225	CONCRETE	CHANNEL BEAM	59.8
92SR0220041	WEAKLEY	0A926	0.889	SR 22	OPEN	10/27/2016	1987	36.367	-88.841056	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.4
92SR0223001	WEAKLEY	SR022	0.16	MORRIS BRANCH	OPEN	11/3/2016	1989	36.355917	-88.8864	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
92SR0220031	WEAKLEY	SR022	0.43	BOAZ CREEK	OPEN	10/20/2016	1945	36.174194	-88.534917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.5
92SR0220049	WEAKLEY	SR022	0.49	SR 22	OPEN	11/3/2016	1989	36.360111	-88.887944	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.1
92SR0220003	WEAKLEY	SR022	0.8	SPRING CREEK	OPEN	10/20/2016	1995	36.17775	-88.539722	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.5
92SR0220075	WEAKLEY	SR022	0.97	BRANCH	OPEN	10/20/2016	1997	36.179417	-88.541917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
92SR0220077	WEAKLEY	SR022	2.26	BRANCH	OPEN	10/20/2016	1997	36.192417	-88.558778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.9
92SR0220005	WEAKLEY	SR022	5.74	MORRIS BRANCH	OPEN	10/20/2016	1958	36.226972	-88.604139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.2
92SR0220007	WEAKLEY	SR022	6.96	DRY CREEK	OPEN	10/20/2016	1958	36.238889	-88.620083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.5
92SR0220065	WEAKLEY	SR022	8.46	MIDDLE FORK OBION RIVER	OPEN	10/20/2016	1999	36.253444	-88.639861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5
92SR0220009	WEAKLEY	SR022	8.57	MIDDLE FORK OBION RIVER	OPEN	10/24/2016	1996	36.2545	-88.641361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
92SR0220067	WEAKLEY	SR022	8.69	MIDDLE FORK OBION RIVER	OPEN	10/24/2016	1999	36.255778	-88.643056	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5
92SR0220011	WEAKLEY	SR022	8.87	COLEY BRANCH	OPEN	10/24/2016	1999	36.257528	-88.645361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.6
92SR0220013	WEAKLEY	SR022	9.26	OVERFLOW	OPEN	10/25/2016	1999	36.262	-88.650333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.4
92SR0220015	WEAKLEY	SR022	10.2	BRANCH	OPEN	10/20/2016	1999	36.270889	-88.663028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.5
92SR0220017	WEAKLEY	SR022	10.49	ATKINSON BRANCH	OPEN	10/25/2016	1999	36.272917	-88.667472	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
92SR0220021	WEAKLEY	SR022	15.7	MUD CREEK	OPEN	10/25/2016	1961	36.298333	-88.75	CONCRETE	TEE BEAM	72
92SR0220022	WEAKLEY	SR022	15.7	MUD CREEK	OPEN	10/25/2016	1984	36.298333	-88.75	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
92SR0220023	WEAKLEY	SR022	15.75	CHESTNUT BRANCH	OPEN	10/25/2016	1961	36.298333	-88.751667	CONCRETE	TEE BEAM	72
92SR0220024	WEAKLEY	SR022	15.75	CHESTNUT BRANCH	OPEN	10/25/2016	1984	36.298333	-88.751667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
92SR0220033	WEAKLEY	SR022	19.09	SR 22	OPEN	10/25/2016	1985	36.32475	-88.803083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
92SR0220071	WEAKLEY	SR022	19.27	TRAVIS RD - NFA A104	OPEN	10/27/2016	1994	36.327667	-88.804167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
92SR0220059	WEAKLEY	SR022	20.77	BRANCH	OPEN	10/27/2016	1987	36.345611	-88.817028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.4
92SR0220061	WEAKLEY	SR022	22.46	CANE CREEK	OPEN	10/27/2016	1987	36.364028	-88.837278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
92SR0220043	WEAKLEY	SR022	23.14	ICG RAILROAD	OPEN	10/20/2016	1987	36.370917	-88.846111	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.8
92SR0220044	WEAKLEY	SR022	23.14	ICG RAILROAD	OPEN	10/20/2016	1987	36.370639	-88.846	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.8
92SR0220045	WEAKLEY	SR022	23.39	SR-22 / N. LINDELL ST.	OPEN	10/24/2016	1987	36.370639	-88.850556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.5
92SR0220046	WEAKLEY	SR022	23.39	SR-22 / N. LINDELL ST.	OPEN	10/24/2016	1987	36.370472	-88.850556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.7
92SR0220063	WEAKLEY	SR022	25.95	BRANCH	OPEN	10/24/2016	1987	36.362444	-88.893389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.3
92SR0220053	WEAKLEY	SR022	26.83	LITTLE CYPRESS CREEK	OPEN	10/24/2016	1991	36.368861	-88.907278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.3
92SR0430001	WEAKLEY	SR043	0.07	SOUTH FORK OBION RIVER	OPEN	10/24/2016	1995	36.117389	-88.810778	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
92SR0430003	WEAKLEY	SR043	5.83	BUCKOR DITCH	OPEN	10/24/2016	1997	36.196472	-88.819083	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	67
92SR0430005	WEAKLEY	SR043	6.31	MIDDLE FORK OBION RIVER	OPEN	10/24/2016	1995	36.203139	-88.821389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	72
92SR0430007	WEAKLEY	SR043	6.59	OVERFLOW	OPEN	10/24/2016	1993	36.207	-88.8225	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	78.9
92SR0430031	WEAKLEY	SR043	8.66	SR 89	OPEN	10/24/2016	1996	36.233667	-88.838611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
92SR0430032	WEAKLEY	SR043	8.66	SR 89	OPEN	10/24/2016	1996	36.233722	-88.838861	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.8
92SR0430009	WEAKLEY	SR043	11.05	MUD CREEK	OPEN	10/25/2016	1994	36.265639	-88.8345	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.8
92SR0430010	WEAKLEY	SR043	11.05	MUD CREEK	OPEN	10/25/2016	1994	36.265639	-88.834833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.8
92SR2160005	WEAKLEY	SR043	14.7	NORFOLK SOUTHERN RWY	OPEN	10/25/2016	1993	36.316611	-88.846361	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
92SR3720001	WEAKLEY	SR043	14.71	NORFOLK SOUTHERN RWY	OPEN	10/25/2016	1993	36.315056	-88.845889	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
92SR2160008	WEAKLEY	SR043	14.72	NORFOLK SOUTHERN RWY	OPEN	10/25/2016	1993	36.315444	-88.845944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.3
92SR2160007	WEAKLEY	SR043	14.72	NORFOLK SOUTHERN RWY	OPEN	10/25/2016	1993	36.315222	-88.845917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.3
92SR2160011	WEAKLEY	SR043	15.94	SR-43 / PAIR RD.	OPEN	10/25/2016	1994	36.316944	-88.824167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
92SR2160012	WEAKLEY	SR043	15.94	SR-43 / PAIR RD.	OPEN	10/26/2016	1994	36.317167	-88.824167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.4
92SR0220073	WEAKLEY	SR043	17.275	SR-43 / SR-22 & SR-431	OPEN	10/26/2016	1994	36.324083	-88.80275	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.5
92SR2160047	WEAKLEY	SR043	17.31	SR-43 / SR-431 S.B.	OPEN	10/26/2016	1994	36.325	-88.803944	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.3
92SR0220035	WEAKLEY	SR043	17.53	SR-43 / TRAVIS RD.	OPEN	10/25/2016	1987	36.327667	-88.8035	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.2
92SR2160015	WEAKLEY	SR043	17.53	TRAVIS RD.	OPEN	10/25/2016	1994	36.327583	-88.802694	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
92SR0220036	WEAKLEY	SR043	17.53	SR-43 / TRAVIS RD.	OPEN	10/25/2016	1987	36.327667	-88.803806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.1
92SR0430029	WEAKLEY	SR043	20.13	BRANCH	OPEN	10/25/2016	1979	36.398056	-88.856389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
92SR0430033	WEAKLEY	SR043	20.505	OVERFLOW	OPEN	10/25/2016	1999	36.402222	-88.854361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
92SR0430034	WEAKLEY	SR043	20.505	OVERFLOW	OPEN	10/25/2016	1999	36.402222	-88.854611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
92SR0430019	WEAKLEY	SR043	20.665	NORTH FORK OBION RIVER	OPEN	10/26/2016	1999	36.404528	-88.854639	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
92SR0430020	WEAKLEY	SR043	20.665	NORTH FORK OBION RIVER	OPEN	10/26/2016	1999	36.404583	-88.854806	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
92SR0430022	WEAKLEY	SR043	20.895	BRANCH	OPEN	10/26/2016	1999	36.407722	-88.855333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
92SR0430021	WEAKLEY	SR043	20.895	BRANCH	OPEN	10/25/2016	1999	36.407889	-88.854972	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.9
92SR0540001	WEAKLEY	SR054	2.74	BRANCH	OPEN	10/26/2016	1929	35.182806	-88.771444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.5
92SR0540003	WEAKLEY	SR054	3.2	OVERFLOW	OPEN	10/26/2016	1999	36.188222	-88.766528	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
92SR0540005	WEAKLEY	SR054	3.35	SPRING CREEK	OPEN	11/1/2016	1999	36.189917	-88.764722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.1
92SR0540007	WEAKLEY	SR054	3.49	OVERFLOW	OPEN	11/2/2016	1985	36.191583	-88.763444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.9
92SR0540009	WEAKLEY	SR054	5.25	BRANCH	OPEN	10/26/2016	1963	36.209722	-88.741833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
92SR0540011	WEAKLEY	SR054	6.21	CANE CREEK	OPEN	10/31/2016	1997	36.220278	-88.730194	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.1
92SR0540013	WEAKLEY	SR054	8.28	BRANCH	OPEN	11/1/2016	1984	36.243528	-88.709833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.6
92SR0540015	WEAKLEY	SR054	8.44	MIDDLE FORK OBION RIVER	OPEN	11/2/2016	1997	36.246167	-88.710139	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
92SR0540039	WEAKLEY	SR054	15.66	BRANCH	OPEN	10/27/2016	1982	36.292861	-88.639333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
92SR0540019	WEAKLEY	SR054	16.04	STEEL BRANCH	OPEN	10/27/2016	1982	36.293139	-88.632806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
92SR0540023	WEAKLEY	SR054	17.53	DRY CREEK	OPEN	11/1/2016	1982	36.293944	-88.606083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.7
92SR0540025	WEAKLEY	SR054	19.05	BRANCH	OPEN	10/27/2016	1982	36.294694	-88.578778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
92SR0540027	WEAKLEY	SR054	19.34	BRANCH	OPEN	10/27/2016	1982	36.294889	-88.573639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
92SR0540029	WEAKLEY	SR054	19.45	THOMPSON CREEK	OPEN	11/2/2016	1982	36.294917	-88.571667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
92SR0540033	WEAKLEY	SR054	21.07	OVERFLOW	OPEN	10/27/2016	1982	36.295667	-88.542694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
92SR0540035	WEAKLEY	SR054	21.12	BRANCH	OPEN	10/27/2016	1982	36.295611	-88.54175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
92SR0540037	WEAKLEY	SR054	21.69	BRANCH	OPEN	10/27/2016	1982	36.294833	-88.531722	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
92008340001	WEAKLEY	SR089	5	BRANCH	OPEN	10/27/2016	1950	36.242611	-88.876083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
92SR0890001	WEAKLEY	SR089	12.34	BRANCH	OPEN	10/27/2016	1986	36.264611	-88.780861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
92SR0890003	WEAKLEY	SR089	17.14	BRANCH	OPEN	10/31/2016	1986	36.295083	-88.693167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
92SR0890005	WEAKLEY	SR089	18.29	MUD CREEK	OPEN	10/31/2016	1987	36.304056	-88.675861	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.1
92SR0890007	WEAKLEY	SR089	20.22	BRANCH	OPEN	10/31/2016	1986	36.322639	-88.650639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
92SR0890009	WEAKLEY	SR089	21.61	BRANCH	OPEN	10/31/2016	1986	36.338472	-88.635778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
92SR0890013	WEAKLEY	SR089	22.51	CYPRESS CREEK	OPEN	10/31/2016	1986	36.349361	-88.62675	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.7
92SR0890015	WEAKLEY	SR089	22.67	OVERFLOW	OPEN	10/31/2016	1986	36.351417	-88.617694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
92SR0890017	WEAKLEY	SR089	22.93	CYPRESS CREEK BRANCH	OPEN	10/31/2016	1986	36.354583	-88.622778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
92SR0890019	WEAKLEY	SR089	25.27	MAYO BRANCH	OPEN	10/31/2016	1986	36.38425	-88.601306	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
92SR0890021	WEAKLEY	SR089	28.03	OVERFLOW	OPEN	10/31/2016	1988	36.420361	-88.583361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.3
92SR0890023	WEAKLEY	SR089	28.11	CANE CREEK	OPEN	10/31/2016	1988	36.421472	-88.583333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.6
92SR0890025	WEAKLEY	SR089	28.91	OLD BED OBION RIVER	OPEN	11/1/2016	1988	36.433222	-88.582639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.1
92SR0890027	WEAKLEY	SR089	29.09	NORTH FORK OBION RIVER	OPEN	11/1/2016	1988	36.43575	-88.582528	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	96.1
92SR0890029	WEAKLEY	SR089	29.31	OVERFLOW	OPEN	11/1/2016	1988	36.438972	-88.582333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
92SR0890031	WEAKLEY	SR089	30.15	OVERFLOW	OPEN	11/1/2016	1987	36.451111	-88.581556	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.7
92SR0890033	WEAKLEY	SR089	30.34	HURRICANE CREEK	OPEN	11/1/2016	1987	36.453944	-88.581389	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.6
92SR0890035	WEAKLEY	SR089	31.76	BRANCH	OPEN	11/1/2016	1988	36.471833	-88.569833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
92SR0890037	WEAKLEY	SR089	32.7	BRANCH	OPEN	11/1/2016	1988	35.483194	-88.560444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
92SR0890039	WEAKLEY	SR089	33.61	HURRICANE CREEK	OPEN	11/1/2016	1987	36.494111	-88.551389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
92SR1180001	WEAKLEY	SR118	0.26	MUD CREEK	OPEN	10/26/2016	1954	36.295639	-88.707639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.5
92SR1180003	WEAKLEY	SR118	4.71	STRAWBERRY BRANCH	OPEN	10/26/2016	1954	36.359789	-88.713139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.1
92SR1180005	WEAKLEY	SR118	5.75	OWL BRANCH	OPEN	10/26/2016	1954	36.445556	-88.71625	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
92SR1180007	WEAKLEY	SR118	7.66	OVERFLOW	OPEN	10/26/2016	1954	36.401917	-88.718889	CONCRETE	TEE BEAM	79
92SR1180009	WEAKLEY	SR118	7.8	CYPRESS CREEK	OPEN	10/27/2016	1954	36.404056	-88.718611	CONCRETE	TEE BEAM	79
92SR1180011	WEAKLEY	SR118	8.06	OVERFLOW	OPEN	10/27/2016	1954	36.407694	-88.718167	CONCRETE	TEE BEAM	86.9
92SR1180013	WEAKLEY	SR118	9.73	OVERFLOW	OPEN	10/27/2016	1954	36.431056	-88.713806	CONCRETE	TEE BEAM	86
92SR1180015	WEAKLEY	SR118	9.96	NORTH FORK OBION RIVER	OPEN	10/27/2016	1955	36.433944	-88.715667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.6
92SR1180017	WEAKLEY	SR118	10.14	OVERFLOW	OPEN	10/27/2016	1954	36.436222	-88.717111	CONCRETE	TEE BEAM	87
92SR1240001	WEAKLEY	SR124	4.81	TODD BRANCH	OPEN	10/31/2016	1937	36.1585	-88.717556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
92SR1240003	WEAKLEY	SR124	6.11	BRANCH	OPEN	10/31/2016	1989	36.152083	-88.6965	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.2
92SR1240019	WEAKLEY	SR124	6.76	BRANCH	OPEN	10/31/2016	1989	36.148389	-88.685556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
92SR1240005	WEAKLEY	SR124	6.84	MANUS CREEK	OPEN	10/31/2016	2005	36.148	-88.684278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
92SR1240007	WEAKLEY	SR124	7.96	MORGAN CREEK	OPEN	10/31/2016	1939	36.150722	-88.665806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.1
92SR1240009	WEAKLEY	SR124	8.86	BRANCH	OPEN	10/31/2016	1939	36.152889	-88.6505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.9
92SR1240011	WEAKLEY	SR124	9.45	BRANCH	OPEN	10/31/2016	1939	36.149278	-88.640833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.6
92SR1240013	WEAKLEY	SR124	10.37	BRANCH	OPEN	10/31/2016	2003	36.148194	-88.624694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
92SR1240015	WEAKLEY	SR124	11.53	BOOTH BRANCH	OPEN	10/31/2016	2000	36.147111	-88.604	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	86.5
92S80950001	WEAKLEY	SR190	1.79	BEAR CREEK	OPEN	10/31/2016	1951	36.116861	-88.669333	CONCRETE	TEE BEAM	72.2
92S80180001	WEAKLEY	SR190	4.7	OVERFLOW	OPEN	11/1/2016	1987	36.1215	-88.661944	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
92S80180003	WEAKLEY	SR190	4.93	OVERFLOW	OPEN	11/1/2016	1987	36.158194	-88.662083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
92S80180005	WEAKLEY	SR190	4.97	SPRING CREEK	OPEN	11/1/2016	1987	36.158722	-88.662111	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.7
92S80180007	WEAKLEY	SR190	5.1	OVERFLOW	OPEN	11/1/2016	1987	36.160806	-88.662028	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
92S80180009	WEAKLEY	SR190	5.16	OVERFLOW	OPEN	11/1/2016	1987	36.161389	-88.662	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.7
92S80180011	WEAKLEY	SR190	6.51	BRANCH	OPEN	11/1/2016	1958	36.176639	-88.655556	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.1
92S80180013	WEAKLEY	SR190	8	BRANCH	OPEN	11/1/2016	1960	36.181306	-88.631194	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.7
92S80190001	WEAKLEY	SR190	11.35	BRANCH	OPEN	11/1/2016	1960	36.217333	-88.607778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.8
92S80190003	WEAKLEY	SR190	12.79	SUMMERS CREEK	OPEN	11/1/2016	1960	36.220361	-88.582917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
92S80190005	WEAKLEY	SR190	15.07	OVERFLOW	OPEN	11/1/2016	1985	36.247083	-88.572083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.3
92S80190007	WEAKLEY	SR190	15.26	MIDDLE FORK OBION RIVER	OPEN	11/1/2016	2003	36.249833	-88.571306	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.6
92S80190023	WEAKLEY	SR190	15.46	OVERFLOW	OPEN	11/1/2016	1985	36.252667	-88.570639	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.3
92S80190011	WEAKLEY	SR190	19.04	CAPPS BRANCH	OPEN	10/31/2016	1999	36.302139	-88.554167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
92S80190013	WEAKLEY	SR190	20.45	THOMPSON CREEK	OPEN	11/2/2016	1959	36.319778	-88.563139	CONCRETE	CHANNEL BEAM	59.9
92S80190015	WEAKLEY	SR190	20.81	THOMPSON CREEK BRANCH	OPEN	10/31/2016	2003	36.321	-88.568833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.8
92S80190017	WEAKLEY	SR190	25.04	LITTLE CANE CREEK	OPEN	10/31/2016	2008	36.367861	-88.560278	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.9
92S80190019	WEAKLEY	SR190	25.93	LITTLE CANE CREEK	OPEN	10/31/2016	1960	36.378167	-88.55525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
92S80190021	WEAKLEY	SR190	28.36	CUPP BRANCH	OPEN	10/31/2016	1960	36.39825	-88.58	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
92S80130005	WEAKLEY	SR190	30.6	MAYO BRANCH	OPEN	11/3/2016	1950	36.417917	-88.6065	CONCRETE	CHANNEL BEAM	74.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
92S80130003	WEAKLEY	SR190	30.72	BRANCH	OPEN	11/3/2016	1952	36.417917	-88.608556	CONCRETE	TEE BEAM	72.3
92S80130001	WEAKLEY	SR190	35.69	STEPHENS CREEK	OPEN	11/3/2016	1953	36.428389	-88.682194	CONCRETE	TEE BEAM	72.3
92016180001	WEAKLEY	SR190	38.08	SIMPSON BRANCH	OPEN	11/2/2016	2008	36.439889	-88.72625	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99.9
92S80090001	WEAKLEY	SR216	3.19	CANE CREEK	OPEN	11/3/2016	2012	36.324028	-88.899389	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.5
92SR2160004	WEAKLEY	SR216	6.38	SR-372	OPEN	11/3/2016	1993	36.31525	-88.8485	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
92SR2160003	WEAKLEY	SR216	6.38	SR-372	OPEN	11/3/2016	1993	36.315	-88.848417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
92002850001	WEAKLEY	SR217	2.2	MUD CREEK	OPEN	10/31/2016	2004	36.302111	-88.670806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.2
92SR0430011	WEAKLEY	SR372	0.48	BRANCH	OPEN	11/1/2016	1964	36.321861	-88.833389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
92SR0430013	WEAKLEY	SR372	0.79	CANE CREEK	OPEN	11/2/2016	1928	36.326389	-88.851194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86
92SR0430015	WEAKLEY	SR372	3.47	BRANCH	OPEN	11/2/2016	1929	36.364444	-88.850056	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	88.3
92SR0430017	WEAKLEY	SR372	5.07	BRANCH	OPEN	11/2/2016	1929	36.387556	-88.852444	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.2
92SR0220025	WEAKLEY	SR431	1.86	CANE CREEK	OPEN	11/2/2016	1927	36.336889	-88.831028	CONCRETE	TEE BEAM	89.8
92SR0220027	WEAKLEY	SR431	4.37	BRANCH	OPEN	11/2/2016	1925	36.347361	-88.871694	CONCRETE	TEE BEAM	98.3
92SR0220029	WEAKLEY	SR431	7.63	LITTLE CYPRESS CREEK	OPEN	11/2/2016	1929	36.369417	-88.922944	CONCRETE	TEE BEAM	57.7
92S80080003	WEAKLEY	SR445	0.07	OVERFLOW	OPEN	10/31/2016	1985	36.187722	-88.911056	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.9
92S80080005	WEAKLEY	SR445	5.65	BUCKOR DITCH	OPEN	10/31/2016	1960	36.176992	-88.820258	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.1
93S43660001	WHITE	01140	7.72	CALFKILLER RIVER	OPEN	4/14/2016	1973	35.867433	-85.472717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
93S42510001	WHITE	01159	0.87	CANEY FORK RIVER	OPEN	4/14/2016	1970	35.824367	-85.417283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
93S42510003	WHITE	01159	1.68	HICKORY VALLEY BRANCH	OPEN	2/4/2016	1952	35.832333	-85.42665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.2
93S42510005	WHITE	01159	2.49	HICKORY VALLEY BRANCH	OPEN	2/4/2016	1952	35.842567	-85.424917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.2
93S42510007	WHITE	01159	3.07	HICKORY VALLEY BRANCH	OPEN	2/4/2016	1952	35.850683	-85.422667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.2
93S42450001	WHITE	01163	0.68	CHERRY CREEK	OPEN	2/22/2016	1991	36.000567	-85.428517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
93S42450003	WHITE	01163	2.29	CHERRY CREEK	OPEN	2/18/2016	1986	36.016667	-85.445517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
93S42450005	WHITE	01163	6.06	POST OAK CREEK	OPEN	1/4/2016	1956	36.065883	-85.466517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
93S42450007	WHITE	01163	6.2	BRANCH	OPEN	2/18/2016	1952	36.067917	-85.4669	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
93021860001	WHITE	02186	0	CANEY FORK RIVER	OPEN	4/11/2016	1976	35.815	-85.51805	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	87.7
93021900001	WHITE	02190	1.405	CANEY FORK RIVER	OPEN	4/6/2016	2012	35.824017	-85.394067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	90.8
93021900003	WHITE	02190	5.62	LOST CREEK	OPEN	2/2/2016	1965	35.858967	-85.362083	CONCRETE	TEE BEAM	90.4
930A2380001	WHITE	02202	8.04	CLIFTY CREEK	OPEN	3/2/2016	1960	35.886117	-85.251267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.1
93022060005	WHITE	02206	1.35	WILDCAT CREEK	OPEN	2/23/2016	1987	35.944283	-85.428017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.8
93022060003	WHITE	02206	3.25	BLUE SPRING CREEK	OPEN	2/23/2016	1981	35.964067	-85.41215	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
93022060001	WHITE	02206	6.09	CALFKILLER RIVER	OPEN	4/19/2016	1989	35.990033	-85.393883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
93022080001	WHITE	02208	1.21	CALFKILLER RIVER	OPEN	3/7/2016	1988	35.971467	-85.416583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.4
93SR1110005	WHITE	02212	0.16	SR 135 / SR 111	OPEN	1/21/2016	1988	35.9854	-85.499267	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	97.8
93022140001	WHITE	02214	0.905	ZION BRANCH	OPEN	2/18/2016	1987	35.979483	-85.57405	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
93022140003	WHITE	02214	2.54	TAYLOR CREEK	OPEN	2/18/2016	1998	35.993867	-85.596433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
93022140005	WHITE	02214	3.25	BRANCH	OPEN	2/18/2016	1999	35.99765	-85.606167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
93022160001	WHITE	02216	5.09	FALLING WATER RIVER	OPEN	2/22/2016	1963	36.053667	-85.541967	CONCRETE	TEE BEAM	74.5
93SR1110007	WHITE	02218	0.24	SR 111	OPEN	1/21/2016	1986	36.017117	-85.508433	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.5
930A0070001	WHITE	0A007	0.054	CHERRY CREEK	OPEN	1/6/2016	1996	36.01205	-85.4398	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.8
93SR1110015	WHITE	0A017	0.009	SR 111	OPEN	1/13/2016	1986	36.07355	-85.506633	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
930A0290001	WHITE	0A029	2.164	FALLING WATER RIVER	OPEN	2/22/2016	1992	36.077	-85.5217	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	94.9
930A0430001	WHITE	0A043	0.03	TOWN CREEK	OPEN	2/17/2016	1973	36.0658	-85.5651	CONCRETE	SLAB	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
930A0710001	WHITE	0A071	0.195	TAYLOR CREEK	OPEN	4/6/2016	2010	35.997283	-85.615567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.6
930A0820001	WHITE	0A082	0.092	TAYLOR CREEK	OPEN	3/2/2016	1960	35.99515	-85.605883	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.9
930A1360001	WHITE	0A136	0.672	POST OAK CREEK	OPEN	2/11/2016	1984	36.0641	-85.489983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
930A1640001	WHITE	0A164	0.042	CHERRY CREEK	OPEN	2/11/2016	1987	36.00455	-85.433033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
930A1740001	WHITE	0A174	0.021	CALFKILLER RIVER	OPEN	2/23/2016	1988	36.03185	-85.335983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	77.8
930A1780001	WHITE	0A178	0.164	CALFKILLER RIVER	OPEN	3/7/2016	1985	36.012633	-85.359317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	86.1
930A1790001	WHITE	0A179	2.466	SIMMS BRANCH	OPEN	2/11/2016	1960	35.98645	-85.38005	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.8
93022020001	WHITE	0A238	3.72	CLIFTY CREEK	OPEN	3/2/2016	2008	35.9139	-85.272983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.1
930A2790001	WHITE	0A279	3.113	FOX HOLLOW CREEK	OPEN	2/2/2016	1984	35.835883	-85.403583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
930A2850001	WHITE	0A285	0.943	LOST CREEK	OPEN	2/2/2016	1994	35.872067	-85.347767	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84.7
930A3110001	WHITE	0A311	0.037	CANEY FORK RIVER	OPEN	4/12/2016	1974	35.79675	-85.54005	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	96.9
930A4150001	WHITE	0A415	0.188	CANEY FORK & WESTERN RR	OPEN	3/7/2016	1987	35.8057	-85.606917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	89
920A4640001	WHITE	0A461	0.308	CAPP BRANCH	OPEN	11/16/2016	2002	36.176667	-88.856611	CONCRETE CONTINUOUS	SLAB	97
930A4730001	WHITE	0A473	0.682	SMALL BRANCH	OPEN	3/7/2016	2001	35.911383	-85.51075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
930A7100001	WHITE	0A710	1.09	CLIFF CREEK	OPEN	2/18/2016	1984	35.869817	-85.611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
93SR0420001	WHITE	0A966	5.3	POST OAK CREEK	OPEN	4/18/2016	1942	36.066533	-85.5068	CONCRETE	TEE BEAM	47.8
93SR0420003	WHITE	0A966	6.34	FALLING WATER RIVER	OPEN	4/18/2016	1935	36.08155	-85.5059	CONCRETE	TEE BEAM	36.9
93SR0010010	WHITE	SR001	7.03	CALFKILLER RV & DEMPS RD	OPEN	4/13/2016	1996	35.868	-85.474533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
93SR0010009	WHITE	SR001	7.03	CALFKILLER RV & DEMPS RD	OPEN	4/13/2016	1996	35.867883	-85.474183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.7
93SR0010003	WHITE	SR001	8.22	TOWN CREEK	OPEN	1/7/2016	1923	35.92495	-85.48	CONCRETE	TEE BEAM	44.9
93SR0010007	WHITE	SR001	9.35	CALFKILLER RIVER	OPEN	3/15/2016	1949	35.926667	-85.466667	CONCRETE	TEE BEAM	81.7
93SR0260001	WHITE	SR026	5.06	BRANCH	OPEN	1/4/2016	1951	35.953333	-85.575	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
93SR0260003	WHITE	SR026	9.49	TOWN CREEK	OPEN	1/4/2016	1951	35.938333	-85.496667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4
93SR0260005	WHITE	SR026	10.19	SR 111	OPEN	1/5/2016	1975	35.938333	-85.486667	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.4
93SR0840001	WHITE	SR084	1.58	CALFKILLER RIVER	OPEN	8/8/2016	1976	35.943783	-85.449933	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.8
93SR0840003	WHITE	SR084	5.75	CHERRY CREEK	OPEN	1/4/2016	1963	35.99335	-85.41905	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
93SR0840005	WHITE	SR084	7.09	PLUM CREEK	OPEN	1/4/2016	1966	36.00035	-85.398183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
93SR0840007	WHITE	SR084	8.67	FLATT BRANCH	OPEN	1/4/2016	1966	36.007367	-85.372283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.1
93SR0010011	WHITE	SR111	3.54	SR 1	OPEN	4/19/2016	1996	35.871867	-85.4709	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
93SR1110001	WHITE	SR111	6.37	CALFKILLER RIVER	OPEN	3/8/2016	1971	35.91115	-85.475033	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
93SR0010001	WHITE	SR111	6.95	SR 1 (US 70S) & NFA 2727	OPEN	1/14/2016	1971	35.917517	-85.482367	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88
93SR1110019	WHITE	SR111	8.26	TOWN CREEK	OPEN	1/6/2016	1975	35.934383	-85.484933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.3
93SR1110009	WHITE	SR111	15.23	SR 111 / NFA A119	OPEN	3/22/2016	1988	36.031367	-85.507917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.2
93SR1110010	WHITE	SR111	15.23	SR 111 / NFA A119	OPEN	3/22/2016	1988	36.022667	-85.508517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.9
93SR1110014	WHITE	SR111	17.67	POST OAK CREEK	OPEN	1/19/2016	1988	36.0816	-85.506733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.1
93SR1110013	WHITE	SR111	17.67	POST OAK CREEK	OPEN	1/19/2016	1988	36.081533	-85.506333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.1
93SR1110018	WHITE	SR111	18.7	FALLING WATER RIVER	OPEN	1/27/2016	1988	36.081917	-85.506733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
93SR1110017	WHITE	SR111	18.7	FALLING WATER RIVER	OPEN	1/27/2016	1988	36.081517	-85.506267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
93SR1110021	WHITE	SR135	2.227	SR 135 / SR 111	OPEN	1/12/2016	2012	35.990583	-85.500517	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	99.4
93SR1360003	WHITE	SR136	13.81	RUM CREEK	OPEN	1/4/2016	1975	35.985683	-85.555483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
93SR1110011	WHITE	SR136	19.85	SR 136 / SR 111	OPEN	1/19/2016	1988	36.058117	-85.508117	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
93E00090001	WHITE	SR285	1.46	CALFKILLER RIVER	OPEN	3/15/2016	1971	35.842083	-85.482017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	74.2
93SR1110003	WHITE	SR289	2.61	SR 289 / SR 111	OPEN	1/5/2016	1988	35.965733	-85.48595	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.5
94S62510007	WILLIAMSON	00842	1.77	ALEXANDER BRANCH	OPEN	4/4/2017	1960	35.759033	-86.808917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
94S62510009	WILLIAMSON	00842	2.83	RUTHERFORD CREEK	OPEN	4/4/2017	1958	35.759583	-86.792	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.6
94S62510011	WILLIAMSON	00842	3.02	RUTHERFORD CREEK	OPEN	4/4/2017	1960	35.7587	-86.788983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
94S62510013	WILLIAMSON	00842	3.94	RUTHERFORD CREEK	OPEN	4/4/2017	1958	35.756983	-86.773017	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89
94S61830003	WILLIAMSON	00842	8.84	COVE BRANCH	OPEN	4/12/2017	1960	35.752867	-86.702267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79
94S61830001	WILLIAMSON	00842	9.08	CSX RAILROAD	OPEN	4/12/2017	1985	35.7522	-86.69825	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.6
94F00390003	WILLIAMSON	00974	4.66	BURNS BRANCH	OPEN	5/16/2017	1941	35.855967	-87.03545	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.5
94F00390001	WILLIAMSON	00974	6.02	GARRISON CREEK	OPEN	5/11/2017	1941	35.87455	-87.0295	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
94F00340001	WILLIAMSON	00978	1.87	FLAT CREEK	OPEN	5/8/2017	1941	35.7206	-86.727783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.6
94F00340003	WILLIAMSON	00978	2.62	FLAT CREEK	OPEN	5/1/2017	1971	35.71665	-86.739533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
94F00340005	WILLIAMSON	00978	3.12	FLAT CREEK	OPEN	5/1/2017	1950	35.7144	-86.747517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.7
94F00340007	WILLIAMSON	00978	4.31	BOONE CREEK	OPEN	5/8/2017	2017	35.7136	-86.766983	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88
94F00340009	WILLIAMSON	00978	4.95	WALLACE CREEK	OPEN	5/8/2017	1941	35.71385	-86.778367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.5
94S63080001	WILLIAMSON	00980	6.17	BRANCH	OPEN	4/7/2017	1940	35.803433	-86.744083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
94F00290001	WILLIAMSON	00980	6.34	MCCLORYS BRANCH	OPEN	4/7/2017	1941	35.803183	-86.741017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.7
94F00290003	WILLIAMSON	00980	8.56	HURRICANE BRANCH	WEIGHT POSTED	4/17/2017	1941	35.790983	-86.7097	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.8
94F00290005	WILLIAMSON	00980	10.79	GROVE CREEK	OPEN	4/17/2017	1951	35.787267	-86.670717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94F00290007	WILLIAMSON	00980	11.29	HARPETH RIVER	OPEN	4/17/2017	1941	35.7863	-86.661083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.3
94S61820003	WILLIAMSON	00984	5.4	BRANCH	OPEN	4/18/2017	1950	35.9397	-86.679983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.3
94S61820005	WILLIAMSON	00984	5.66	BRANCH	OPEN	4/18/2017	1950	35.94045	-86.6753	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
94S63230003	WILLIAMSON	00990	0.355	TRACE CREEK	OPEN	7/3/2017	1939	36.030683	-86.956583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
94S63230007	WILLIAMSON	00990	0.415	BRANCH	OPEN	7/3/2017	1960	36.03045	-86.955483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
94S63230005	WILLIAMSON	00990	2.225	HARPETH RIVER	OPEN	7/14/2015	1962	36.028733	-86.92395	CONCRETE	TEE BEAM	72
94009920001	WILLIAMSON	00992	1.47	BEECH CREEK	OPEN	7/10/2017	1983	36.025333	-86.850767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
94009920003	WILLIAMSON	00992	2.15	BRANCH	OPEN	7/10/2017	1986	36.016583	-86.846417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
94009940001	WILLIAMSON	00994	0.35	LEIPERS FORK CREEK	OPEN	5/9/2017	1986	35.89705	-86.985983	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.6
94F00080003	WILLIAMSON	00994	1.43	WEST HARPETH RIVER	OPEN	5/9/2017	2009	35.898883	-86.96725	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82.1
94F00360001	WILLIAMSON	00996	1.07	ALEXANDER BRANCH	OPEN	4/5/2017	1971	35.771567	-86.805767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.9
94F00360003	WILLIAMSON	00996	3.48	WEST HARPETH RIVER	OPEN	4/5/2017	1981	35.786883	-86.833817	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.3
94F00040005	WILLIAMSON	01001	1.81	HUNTING CAMP CREEK	OPEN	6/13/2017	2007	35.9545	-87.07875	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.4
94F00040001	WILLIAMSON	01001	3.17	ALLEN BRANCH	OPEN	6/13/2017	1988	35.962633	-87.089233	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	81.9
94F00040003	WILLIAMSON	01001	4.32	SOUTH HARPETH RIVER	OPEN	6/13/2017	1968	35.9545	-87.07875	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.9
94010010005	WILLIAMSON	01001	10.85	BRANCH	OPEN	5/10/2017	1984	35.91415	-87.022533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
94010010007	WILLIAMSON	01001	12.11	DOBBINS BRANCH	OPEN	5/10/2017	1980	35.9048	-87.004683	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.8
94S61830015	WILLIAMSON	01003	2.08	HARPETH RIVER	OPEN	4/27/2017	1975	35.878417	-86.790633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.5
94S61830013	WILLIAMSON	01003	2.86	TOWN CREEK	OPEN	4/27/2017	1975	35.870533	-86.785067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
94S61830011	WILLIAMSON	01003	5.67	STARNERS CREEK	OPEN	4/11/2017	2012	35.845517	-86.747217	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94S61830009	WILLIAMSON	01003	7.58	BRANCH	OPEN	4/11/2017	2008	35.820767	-86.7379	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97.9
94S61830007	WILLIAMSON	01003	8.85	BRANCH	OPEN	4/7/2017	2008	35.803983	-86.741567	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.9
94010070001	WILLIAMSON	01007	0.64	HARPETH RIVER	OPEN	7/7/2017	1950	36.024767	-86.819017	CONCRETE	SLAB	80.3
94F00160001	WILLIAMSON	01009	3.08	BRANCH	OPEN	7/21/2015	1950	35.979333	-86.828883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.5
94019110001	WILLIAMSON	01911	0.78	SHOAL BRANCH	OPEN	6/20/2017	1995	35.85215	-87.183317	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.2
94019130001	WILLIAMSON	01913	0.34	TURNER CREEK	OPEN	5/8/2017	1940	35.7109	-86.79335	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.9
94SR8400015	WILLIAMSON	01917	0.54	NFA 1917 PEWITT / I840	OPEN	3/10/2017	2006	35.894267	-87.130767	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
94019170001	WILLIAMSON	01917	3.76	SOUTH HARPETH CREEK	OPEN	6/26/2017	1960	35.925533	-87.094617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.9
94019170003	WILLIAMSON	01917	4.75	SOUTH HARPETH CREEK	OPEN	6/26/2017	1987	35.9314	-87.08055	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87
94019190001	WILLIAMSON	01919	3.45	EAST FORK CREEK	OPEN	5/11/2017	1991	35.944883	-87.015983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.1
94019190005	WILLIAMSON	01919	4.57	EAST FORK CREEK	OPEN	5/11/2017	1984	35.959917	-87.165783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
94019190003	WILLIAMSON	01919	6.33	EAST FORK CREEK	OPEN	5/11/2017	1984	35.983817	-87.019167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.6
94019210001	WILLIAMSON	01921	1.79	SOUTH HARPETH RIVER	OPEN	6/16/2017	1985	35.974667	-87.061733	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.2
94019210005	WILLIAMSON	01921	2.72	BRANCH	OPEN	6/16/2017	1995	35.986317	-87.054983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.8
94019210003	WILLIAMSON	01921	3.26	SOUTH HARPETH RIVER	OPEN	6/16/2017	1985	35.99245	-87.049217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	79.9
94019220001	WILLIAMSON	01922	1.23	LICK CREEK	OPEN	6/20/2017	1994	35.838683	-87.164017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.1
94019220007	WILLIAMSON	01922	1.84	BRANCH	OPEN	6/20/2017	1987	35.838633	-87.153767	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.3
94019220003	WILLIAMSON	01922	1.9	SOUTH FORK OF LICK CREEK	OPEN	6/20/2017	1960	35.838533	-87.152717	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	71.3
94019220005	WILLIAMSON	01922	8.54	GARRISON BRANCH	OPEN	6/5/2017	2013	35.871583	-87.056617	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.5
94019230001	WILLIAMSON	01923	0.96	BIG TURNBULL CREEK	OPEN	6/26/2017	1960	35.966167	-87.19825	CONCRETE	TEE BEAM	71.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94019230003	WILLIAMSON	01923	3.16	LITTLE TURNBULL CREEK	OPEN	7/6/2017	1940	35.988217	-87.17215	CONCRETE	TEE BEAM	79.5
94I00650003	WILLIAMSON	01928	0.97	NFA 1928 / I65	OPEN	2/1/2017	1961	35.7945	-86.964933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	54.4
94019280001	WILLIAMSON	01928	8.12	MURFREES FORK CREEK	OPEN	5/15/2017	1950	35.827383	-86.962117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.8
94019280003	WILLIAMSON	01928	8.275	W PRONG MURFREE'S FRK CR	OPEN	5/15/2017	2003	35.827833	-86.964983	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.9
94019290001	WILLIAMSON	01929	0.53	MURRAY BRANCH	OPEN	7/8/2015	1984	35.9802	-86.931267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
94019300001	WILLIAMSON	01930	0.84	MCCRORY'S BRANCH	OPEN	4/11/2017	1997	35.825917	-86.72335	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.4
94019300003	WILLIAMSON	01930	3.71	HURRICANE BRANCH	OPEN	4/17/2017	1983	35.798133	-86.697617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
94019320001	WILLIAMSON	01932	5.11	BRANCH	OPEN	4/7/2017	2000	35.814767	-86.774133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.1
94019340001	WILLIAMSON	01934	1.28	BRANCH	OPEN	4/13/2017	1930	35.83165	-86.64235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.8
94019360001	WILLIAMSON	01936	3.92	BURKE CREEK	OPEN	4/18/2017	1983	35.899933	-86.70955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.6
94019360003	WILLIAMSON	01936	4.39	BURKE BRANCH	OPEN	4/18/2017	1982	35.900467	-86.71715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
94019360005	WILLIAMSON	01936	5.04	BURKE BRANCH	OPEN	4/18/2017	1983	35.899817	-86.728683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
94019380001	WILLIAMSON	01938	2.4	BRANCH	OPEN	7/15/2015	1997	35.975483	-86.871033	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	95.8
94019380003	WILLIAMSON	01938	2.83	BRANCH	OPEN	7/15/2015	1997	35.977383	-86.878967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
94019400001	WILLIAMSON	01940	4	BRANCH	OPEN	4/19/2017	2010	35.9524	-86.727367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
94019400005	WILLIAMSON	01940	5.965	LITTLE HARPETH RIVER	OPEN	4/19/2017	2009	35.949767	-86.759283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.4
940A1540001	WILLIAMSON	04527	0.09	CSX RAILROAD	OPEN	8/10/2015	1990	35.977333	-86.7739	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.3
940A1540003	WILLIAMSON	04527	2.34	OWL CREEK	OPEN	8/10/2015	1979	35.985283	-86.73875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
94047390001	WILLIAMSON	04739	0.67	WATSON BRANCH	OPEN	7/24/2015	1989	35.907617	-86.83465	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94047440001	WILLIAMSON	04744	0.23	BRANCH	OPEN	7/27/2015	1987	35.940883	-87.835467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66
94I00650023	WILLIAMSON	04744	1.65	COOL SPRINGS BLVD. / I65	OPEN	2/3/2017	1991	35.947533	-86.814917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
940A1750001	WILLIAMSON	04745	0.49	WATSON BRANCH	OPEN	7/24/2015	1965	35.9071	-86.82425	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.3
940B1500001	WILLIAMSON	04746	1.92	SPENCER CREEK	OPEN	8/5/2015	1990	35.9531	-86.817567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
94047480001	WILLIAMSON	04748	0.9	OVERFLOW W. HARPETH RIV.	OPEN	7/8/2015	1999	35.965733	-86.9192	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.1
94019270001	WILLIAMSON	04748	1.01	WEST HARPETH RIVER	OPEN	7/8/2015	1950	35.9642	-86.918483	CONCRETE	TEE BEAM	56.9
940A0710001	WILLIAMSON	04748	2.66	HARPETH RIVER	OPEN	7/8/2015	1950	35.967317	-86.900867	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.7
94048380001	WILLIAMSON	04838	0.4	BRANCH	OPEN	8/10/2015	1983	35.982283	-86.761383	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.8
940A3110001	WILLIAMSON	05505	2.04	BRANCH	OPEN	5/5/2017	1930	35.871883	-86.847167	CONCRETE	SLAB	57.1
940A1440007	WILLIAMSON	05521	0.09	BRANCH	OPEN	8/11/2015	1976	35.983583	-86.7246	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
940A1440005	WILLIAMSON	05521	0.55	BRANCH	OPEN	8/11/2015	1970	35.976433	-86.725617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.7
940A1440003	WILLIAMSON	05521	0.9	OWL CREEK	OPEN	8/11/2015	1972	35.971467	-86.726367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
940A1440001	WILLIAMSON	05521	1.73	EDMONDSON BRANCH	OPEN	8/11/2015	1972	35.968933	-86.71285	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
940A1500001	WILLIAMSON	05522	1.4	BRANCH	OPEN	8/11/2015	1965	35.964917	-86.7281	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.4
940A5970001	WILLIAMSON	05702	0.947	BRANCH	OPEN	8/7/2015	1992	35.966533	-87.1217	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	88.6
94I00650051	WILLIAMSON	06070	0.93	NFA A164 / I-65	OPEN	2/2/2017	2007	35.961	-86.811433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93
940A0020001	WILLIAMSON	0A002	0.6	BRANCH	OPEN	6/15/2017	1983	36.0173	-87.158933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
94SR8400011	WILLIAMSON	0A013	0.3	DEER RIDGE RD / I840	OPEN	3/10/2017	2009	35.91195	-87.163017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
940A0140001	WILLIAMSON	0A014	2.381	OVERBY BRANCH	OPEN	6/8/2017	1992	35.954	-87.181117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	98
940A0140003	WILLIAMSON	0A014	2.743	BIG TURNBULL CREEK	OPEN	6/8/2017	1997	35.956483	-87.186517	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
940A0140005	WILLIAMSON	0A014	2.835	NAOMI BRANCH	OPEN	6/8/2017	1997	35.957467	-87.18765	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.9
940A0170001	WILLIAMSON	0A017	0.163	BRUSH CREEK	OPEN	6/23/2017	1992	36.018583	-87.092367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.7
94SR8400007	WILLIAMSON	0A024	1.41	UNION VALLEY RD / I840	OPEN	3/10/2017	2006	35.922533	-87.1736	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
940A0250005	WILLIAMSON	0A025	0.28	TIDWELL BRANCH	OPEN	6/12/2017	2005	35.935733	-87.178683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	100
940A0250003	WILLIAMSON	0A025	0.637	TURNBULL CREEK	OPEN	6/12/2017	1991	35.935733	-87.178683	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	97
940A0250001	WILLIAMSON	0A025	1.048	BIG TURNBULL CREEK	OPEN	6/12/2017	1972	35.933783	-87.1726	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
94SR8400009	WILLIAMSON	0A027	0.9	VALLEY RD / I840	OPEN	3/10/2017	2006	35.841917	-86.629567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
940A0340001	WILLIAMSON	0A034	0.189	BRANCH	OPEN	6/12/2017	2001	35.9367	-87.1568	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	99
94SR8400013	WILLIAMSON	0A038	0.28	SO. HARPETH RD. / I840	OPEN	3/10/2017	2009	35.902283	-87.1465	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
940A0380001	WILLIAMSON	0A038	1.63	SOUTH HARPETH CREEK	OPEN	6/26/2017	2008	35.911467	-87.131417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
940A0440001	WILLIAMSON	0A044	0.577	BRANCH	OPEN	5/3/2017	1965	35.921767	-86.96135	CONCRETE	TEE BEAM	76.7
940A0440003	WILLIAMSON	0A044	1.094	BRANCH	OPEN	5/3/2017	1965	35.918017	-87.956317	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.5
940A0530001	WILLIAMSON	0A053	2.317	WILKIE BRANCH	OPEN	5/10/2017	1984	35.894833	-87.0159	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.5
940A0540001	WILLIAMSON	0A054	1.764	CSX RAILROAD	OPEN	4/12/2017	1920	35.732567	-86.699117	CONCRETE	ARCH - DECK	58.5
940A0570001	WILLIAMSON	0A057	3.177	BRANCH	OPEN	5/3/2017	1960	35.9407	-86.973717	CONCRETE	TEE BEAM	77.6
940A0570003	WILLIAMSON	0A057	3.363	BRANCH	OPEN	5/3/2017	1980	35.938983	-86.9718	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
940A0620001	WILLIAMSON	0A062	3.29	HUNTING CAMP BRANCH	OPEN	4/19/2016	2016	35.84665	-87.145483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
940A0650001	WILLIAMSON	0A065	2.378	NORTH LICK CREEK	OPEN	6/7/2017	1997	35.855983	-87.131883	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.9
940A0660001	WILLIAMSON	0A066	0.638	HARPETH RIVER	OPEN	7/9/2015	1985	36.017267	-86.899567	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85
940A0750001	WILLIAMSON	0A075	0.413	LYNNWOOD BRANCH	OPEN	7/13/2015	1950	35.97275	-86.89325	CONCRETE	TEE BEAM	83.2
940A0810001	WILLIAMSON	0A081	0.299	BRANCH	OPEN	7/27/2015	1983	35.948083	-86.858583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
940A0850001	WILLIAMSON	0A085	1.949	BRANCH	OPEN	5/11/2017	1980	35.866183	-87.0036	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
940A0880007	WILLIAMSON	0A088	0.02	BRANCH	OPEN	7/9/2015	1990	36.011133	-86.887583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
940A0880005	WILLIAMSON	0A088	0.088	BRANCH	OPEN	7/9/2015	1985	36.010783	-86.88775	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
940A0880001	WILLIAMSON	0A088	1.307	FULTON CREEK	OPEN	7/13/2015	1955	36.0063	-86.86955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.8
940A0880003	WILLIAMSON	0A088	3.62	BEECH CREEK	OPEN	7/10/2017	1983	36.0323	-86.86325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
94SR8400023	WILLIAMSON	0A090	1.5	DAVIS HOLLOW RD / I840	OPEN	4/28/2017	2012	35.847033	-87.066517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
94SR8400019	WILLIAMSON	0A095	2.69	BENDING CHESTNUT /I840	OPEN	3/17/2017	2012	35.8633	-87.0921	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
940A1410001	WILLIAMSON	0A141	1.13	MILL CREEK	OPEN	4/24/2017	1970	35.936233	-86.6349	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2
940A1430001	WILLIAMSON	0A143	0.21	BRANCH	OPEN	4/19/2017	1970	35.95155	-86.673	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
940A1430003	WILLIAMSON	0A143	0.63	BRANCH	OPEN	4/19/2017	1915	35.951933	-86.681033	CONCRETE	SLAB	77.3
940A1460001	WILLIAMSON	0A146	0.143	MILL CREEK	OPEN	4/24/2017	1970	35.9589	-86.674983	CONCRETE	SLAB	71.6
940A1510003	WILLIAMSON	0A151	0.09	EDMONDSON BRANCH	OPEN	4/24/2017	1976	35.984033	-86.6997	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
940A1510001	WILLIAMSON	0A151	1.125	OWL CREEK	OPEN	4/24/2017	1979	35.981483	-86.715633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
940A1540005	WILLIAMSON	0A154	0.32	LICK CREEK	OPEN	6/20/2017	1997	35.840667	-87.180283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.9
940A1590001	WILLIAMSON	0A159	0.325	CARTWRIGHT CREEK	OPEN	7/9/2015	1984	36.011017	-86.891167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	92.9
940A1740001	WILLIAMSON	0A174	2.181	WATSON BRANCH	OPEN	7/24/2015	1970	35.90655	-87.825917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
940A1790001	WILLIAMSON	0A179	0.135	BRANCH	OPEN	4/21/2017	1980	35.874017	-86.755667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	84.4
940A1790003	WILLIAMSON	0A179	1.388	MAYES CREEK	OPEN	4/21/2017	1991	35.880217	-86.775117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
940A1800001	WILLIAMSON	0A180	0.316	BURKE BRANCH	OPEN	4/21/2017	1992	35.90155	-86.747117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.6
940A1800003	WILLIAMSON	0A180	3.393	HARPETH RIVER	WEIGHT POSTED	4/27/2017	1960	35.862167	-86.763233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
940A1830001	WILLIAMSON	0A183	1.649	BRANCH	OPEN	4/20/2017	1970	35.884767	-86.69245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.3
940A1830003	WILLIAMSON	0A183	3.293	ARRINGTON CREEK	OPEN	4/20/2017	1970	35.889617	-86.66785	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
940A1910001	WILLIAMSON	0A191	1.701	BRANCH	OPEN	4/20/2017	1950	35.888967	-86.634367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.7
940A1910003	WILLIAMSON	0A191	4.241	ARRINGTON CREEK	OPEN	4/20/2017	1940	35.9149	-86.638383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.5
940A1930001	WILLIAMSON	0A193	0.476	BRANCH	OPEN	7/3/2017	2005	36.026617	-86.954767	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.5
940A2100001	WILLIAMSON	0A210	0.424	CARTWRIGHT CREEK	OPEN	7/13/2015	1986	36.0045	-86.8781	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.2
940A2110001	WILLIAMSON	0A211	1.71	TURNBULL CREEK	OPEN	7/6/2017	1982	35.97855	-87.158717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	95.1
940A2180001	WILLIAMSON	0A218	2.013	SUGAR CAMP CREEK	OPEN	6/15/2017	1984	35.967567	-87.19665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
940A2190001	WILLIAMSON	0A219	1.689	BRANCH	OPEN	4/17/2017	1983	35.809067	-86.681683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
940A2310001	WILLIAMSON	0A231	0.226	BRANCH	OPEN	4/13/2017	1982	35.837067	-86.668483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
940A2310003	WILLIAMSON	0A231	1.437	NELSON CREEK	OPEN	4/13/2017	1930	35.840683	-86.68885	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.9
940A2320001	WILLIAMSON	0A232	0.162	HARPETH RIVER	OPEN	4/11/2017	1981	35.83225	-86.698783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.4
940A2320003	WILLIAMSON	0A232	1.504	MCCLORY BRANCH	OPEN	4/11/2017	1982	35.839067	-86.71845	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.4
940A2320005	WILLIAMSON	0A232	3.798	STARNES CREEK	OPEN	4/6/2017	1982	35.837317	-86.757467	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.9
940A2320007	WILLIAMSON	0A232	3.839	STARNES CREEK	OPEN	4/6/2017	1982	35.83805	-86.758083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.6
940A2350001	WILLIAMSON	0A235	0.807	HARPETH RIVER	OPEN	4/21/2017	1984	35.851733	-86.734367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	85.9
940A2450001	WILLIAMSON	0A245	0.6	FIVE MILE CREEK	OPEN	5/5/2017	1950	35.868883	-86.835533	CONCRETE	SLAB	91.6
940A2460001	WILLIAMSON	0A246	2.268	LITTLE TURNBULL CREEK	OPEN	6/15/2017	1986	36.0061	-87.187133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96.2
940A2460003	WILLIAMSON	0A246	5.927	QUINN BRANCH	OPEN	6/15/2017	1940	35.989617	-87.171067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.6
940A2470001	WILLIAMSON	0A247	3.59	TOWN CREEK	OPEN	4/6/2017	1978	35.854217	-86.782983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
940A2550001	WILLIAMSON	0A255	0.054	BRANCH	OPEN	7/15/2015	1988	35.979033	-86.87585	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
940A2560001	WILLIAMSON	0A256	0.109	FIVE MILE CREEK	WEIGHT POSTED	4/6/2017	1950	35.8487	-86.826883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.2
940A2590001	WILLIAMSON	0A259	0.028	BRANCH OF KENNEDY CREEK	OPEN	4/5/2017	1977	35.810733	-86.845167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.6
940A2590003	WILLIAMSON	0A259	0.231	KENNEDY BRANCH	OPEN	4/5/2017	1977	35.810317	-86.84175	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
940A2600001	WILLIAMSON	0A260	0.162	BRANCH	OPEN	7/15/2015	1987	35.98035	-86.874983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
940A2630001	WILLIAMSON	0A263	0.757	ADEN BRANCH	OPEN	7/6/2017	1938	35.968967	-87.164767	CONCRETE	TEE BEAM	69.3
940A2660001	WILLIAMSON	0A266	0.074	RUTHERFORD CREEK	OPEN	4/5/2017	1984	35.750983	-86.81745	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.3
940A2710003	WILLIAMSON	0A271	0.335	BRANCH	OPEN	4/7/2017	1983	35.80775	-86.779517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
940A2730001	WILLIAMSON	0A273	0.31	COVE BRANCH	OPEN	4/10/2017	1983	35.752167	-86.717733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
940A2730003	WILLIAMSON	0A273	2.744	NORTH FORK OF FLAT CREEK	WEIGHT POSTED	5/1/2017	1940	35.72625	-86.73235	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.6
940A2730005	WILLIAMSON	0A273	3.21	SOUTH FORK OF FLAT CREEK	OPEN	5/1/2017	1940	35.720067	-86.735533	CONCRETE CONTINUOUS	TEE BEAM	73.2
940A2790001	WILLIAMSON	0A279	1.353	BOONE CREEK	OPEN	5/8/2017	1984	35.733367	-86.75885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.8
940A2790003	WILLIAMSON	0A279	2.901	RUTHERFORD CREEK	OPEN	4/10/2017	2008	35.752417	-86.763683	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	80.7
940A2800001	WILLIAMSON	0A280	0.031	NORTH FORK OF FLAT CREEK	OPEN	4/10/2017	1976	35.732567	-86.731417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
940A2860001	WILLIAMSON	0A286	2.931	COMSTOCK CREEK	OPEN	5/8/2017	1993	35.727083	-86.78535	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	96.1
940A3060001	WILLIAMSON	0A306	0.044	WEST HARPETH RIVER	OPEN	5/4/2017	1975	35.807383	-86.85245	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
940A3190001	WILLIAMSON	0A319	2.334	BRANCH	OPEN	5/5/2017	1950	35.874567	-86.90035	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	61
940A3210001	WILLIAMSON	0A321	0.764	BEECH CREEK	OPEN	7/10/2017	1992	36.017733	-86.847	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.5
940A3220001	WILLIAMSON	0A322	1.536	BRANCH	OPEN	5/4/2017	1994	35.862317	-86.884267	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	96.9
940A3240001	WILLIAMSON	0A324	1.235	WEST HARPETH RIVER	OPEN	5/4/2017	1982	35.842433	-86.902667	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82.3

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR8400041	WILLIAMSON	0A325	5.12	SEDBERRY RD. / I840	OPEN	3/21/2017	2004	35.823617	-86.912333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
940A3270001	WILLIAMSON	0A327	0.18	MURFREES FORK CREEK	WEIGHT POSTED	5/15/2017	1950	35.819333	-86.959483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.6
940A3280001	WILLIAMSON	0A328	0.013	MURFREE'S FORK CREEK	OPEN	7/23/2015	1978	35.816217	-86.955367	CONCRETE	CHANNEL BEAM	78.4
940A3290001	WILLIAMSON	0A329	3.199	MURFREES FORK CREEK	OPEN	7/23/2015	1975	35.80715	-86.932517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.3
940A3370001	WILLIAMSON	0A337	2.802	W FORK MURFEES FORK CR	WEIGHT POSTED	5/15/2017	1930	35.809367	-86.983167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.4
940A3400001	WILLIAMSON	0A340	2.465	ROBINSON BRANCH	OPEN	5/16/2017	1981	35.82475	-87.021867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
940A3420001	WILLIAMSON	0A342	1.204	LEIPERS CREEK	OPEN	6/5/2017	1981	35.8078	-87.069433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
940A3450001	WILLIAMSON	0A345	9.49	MURFREES FORK CREEK	OPEN	5/9/2017	1993	35.865833	-86.960683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.3
940A3480001	WILLIAMSON	0A348	0.119	LEIPERS FORK CREEK	OPEN	5/16/2017	1970	35.8444	-87.033	CONCRETE	SLAB	59.6
940A3490001	WILLIAMSON	0A349	0.313	BEAR CREEK	OPEN	5/16/2017	2007	35.8582	-86.9666	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.4
940A3500001	WILLIAMSON	0A350	1.894	MURFREES FORK CREEK	OPEN	5/9/2017	1940	35.881067	-87.962683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.3
940A3510001	WILLIAMSON	0A351	3.371	LEIPERS FORK CREEK	OPEN	5/9/2017	2000	35.894883	-86.995033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	98.9
940A3520001	WILLIAMSON	0A352	0.487	LEIPERS FORK CREEK	OPEN	5/10/2017	1982	35.88615	-87.005183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	87.6
940A3520003	WILLIAMSON	0A352	0.959	BRANCH	OPEN	5/10/2017	1980	35.881	-87.0002	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	74
940A3560001	WILLIAMSON	0A356	0.055	GARRISON CREEK	OPEN	6/5/2017	1978	35.871983	-87.05345	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
940A3630003	WILLIAMSON	0A363	0.582	KELLY BRANCH	OPEN	6/6/2017	1980	35.835067	-87.107	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
940A3630005	WILLIAMSON	0A363	0.84	BRANCH	OPEN	6/6/2017	2008	35.837917	-87.109583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
940A3630001	WILLIAMSON	0A363	1.006	SOUTH FORK OF LICK CREEK	OPEN	6/6/2017	2008	35.838667	-87.112067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
940A3640001	WILLIAMSON	0A364	0.01	SMITH BRANCH	OPEN	6/7/2017	1930	35.864083	-87.119383	CONCRETE	TEE BEAM	89.4
940A3690001	WILLIAMSON	0A369	1.167	NORTH FORK OF LICK CREEK	OPEN	6/7/2017	2003	35.84665	-87.145483	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	100

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
940A3690003	WILLIAMSON	0A369	3.022	NORTH FORK OF LICK CREEK	OPEN	6/7/2017	1998	35.86215	-87.120483	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	98
940A3810001	WILLIAMSON	0A381	0.531	MCCANDLES BRANCH	OPEN	4/20/2017	1992	35.883617	-86.661883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
940A3890001	WILLIAMSON	0A389	0.65	CANEY FORK CREEK	OPEN	6/1/2017	1980	35.923367	-87.138583	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.9
940A3890003	WILLIAMSON	0A389	0.948	CANEY FORK CREEK	OPEN	6/1/2017	1950	35.926133	-87.1348	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	59.4
940A3890005	WILLIAMSON	0A389	2.053	CANEY FORK CREEK	OPEN	6/1/2017	1999	35.9341	-87.12035	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
940A3890007	WILLIAMSON	0A389	2.309	CANEY FORK CREEK	OPEN	6/2/2017	1999	35.935783	-87.116567	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	100
940A3890009	WILLIAMSON	0A389	2.527	CANEY FORK CREEK	OPEN	6/2/2017	2012	35.935117	-87.112933	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	100
940A3890011	WILLIAMSON	0A389	2.897	CANEY FORK CREEK	OPEN	6/2/2017	1999	35.939067	-87.108733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
940A3890013	WILLIAMSON	0A389	2.984	CANEY FORK CREEK	OPEN	6/2/2017	1984	35.93895	-87.107517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
940A3900001	WILLIAMSON	0A390	1.66	BRANCH	OPEN	6/9/2017	1980	35.934667	-87.137733	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.5
940A3900003	WILLIAMSON	0A390	1.814	BRANCH	OPEN	6/9/2017	1960	35.93335	-87.1356	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	42.2
940A3900005	WILLIAMSON	0A390	2.074	BRANCH	OPEN	6/9/2017	1988	35.930383	-87.132783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.7
940A3960001	WILLIAMSON	0A396	0.078	BRANCH	OPEN	6/9/2017	1980	35.936033	-87.1388	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.6
940A4020001	WILLIAMSON	0A402	0.489	SOUTH HARPETH CREEK	OPEN	6/26/2017	1960	35.922133	-87.1011	CONCRETE	TEE BEAM	67.1
940A4020003	WILLIAMSON	0A402	1.419	SOUTH HARPETH CREEK	OPEN	6/26/2017	1970	35.919933	-87.116683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
940A4040001	WILLIAMSON	0A404	0.182	OVERBY BRANCH	OPEN	6/8/2017	1984	35.953167	-87.175367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
940A4270001	WILLIAMSON	0A427	0.314	LITTLE HARPETH RIVER	OPEN	7/7/2017	1970	35.041567	-86.925017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	50
94SR8400069	WILLIAMSON	0A436	0.907	NATHAN SMITH RD / 1840	OPEN	3/29/2017	2001	35.82075	-86.752533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	100
940A4370001	WILLIAMSON	0A437	0.426	BRANCH	OPEN	7/7/2017	1960	36.03625	-86.8262	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR8400087	WILLIAMSON	0A440	0.917	HALEY LANE / I840	OPEN	3/30/2017	1999	35.841917	-86.629567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98
940A4530001	WILLIAMSON	0A453	0.611	BRANCH	OPEN	7/7/2017	1950	36.029717	-86.8022	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.8
940A4690001	WILLIAMSON	0A469	0.581	BRANCH	OPEN	8/3/2015	1970	36.012033	-86.778333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
940A4810001	WILLIAMSON	0A481	0.154	BRANCH	OPEN	8/3/2015	1950	35.99145	-86.7947	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
940A4840001	WILLIAMSON	0A484	0.02	WEST FORK OF SPRING CR	OPEN	4/12/2017	1950	35.713233	-86.6974	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
940A4870001	WILLIAMSON	0A487	0.146	GROVE CREEK	OPEN	4/12/2017	1940	35.77005	-86.68205	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.5
940A4930001	WILLIAMSON	0A493	0.083	FIVE MILE CREEK	OPEN	4/6/2017	1983	35.8415	-86.81665	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
940A5150001	WILLIAMSON	0A515	0.562	BRANCH	OPEN	8/10/2015	1965	35.989967	-86.801467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
940A5250001	WILLIAMSON	0A525	1.706	BRUSH CREEK	OPEN	6/23/2017	1945	36.018817	-87.089533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.8
940A5290001	WILLIAMSON	0A529	0.707	WEST FORK OF BRUSH CREEK	OPEN	6/23/2017	1970	36.032017	-87.143767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.4
940A5290003	WILLIAMSON	0A529	0.808	BR OF WEST FORK BRUSH CR	OPEN	6/23/2017	1983	36.031583	-87.142133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
940A5540001	WILLIAMSON	0A554	0.915	BRANCH	OPEN	5/4/2017	1954	35.82405	-86.861167	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	90.7
940A5650001	WILLIAMSON	0A565	0.49	BEDFORD CREEK	OPEN	6/16/2017	1994	35.97235	-87.054017	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.1
940A5990001	WILLIAMSON	0A599	0.149	BRANCH	OPEN	7/15/2015	1984	35.975033	-86.876517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.3
940A6080001	WILLIAMSON	0A608	0.042	CARTWRIGHT CREEK	OPEN	7/13/2015	1965	36.003933	-86.8705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.8
940A6130001	WILLIAMSON	0A613	0.062	BRANCH	OPEN	7/21/2015	1960	35.99895	-86.884567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
940A6540001	WILLIAMSON	0A654	0.453	BRANCH	OPEN	5/5/2017	1970	35.883767	-86.857333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.8
940A7540001	WILLIAMSON	0A754	0.205	BRANCH	OPEN	7/28/2015	1970	35.896317	-86.87225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75
940A7570001	WILLIAMSON	0A757	0.443	BRANCH	OPEN	7/7/2017	1992	36.0196	-86.802917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
940A8460001	WILLIAMSON	0A846	3.463	NELSON CREEK	OPEN	4/13/2017	1972	35.845683	-86.699167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.5
940A8460003	WILLIAMSON	0A846	5.065	ARRINGTON CREEK	OPEN	4/13/2017	1972	35.865467	-86.707667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.5
940A8480001	WILLIAMSON	0A848	0.107	WEST HARPETH RIVER	OPEN	5/3/2017	1992	35.925183	-86.969683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	86.6
940A5220001	WILLIAMSON	0A910	0.94	BRANCH	OPEN	6/23/2017	1991	36.0014	-87.129717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
940A9530001	WILLIAMSON	0A953	0.082	BRANCH	OPEN	7/21/2015	1987	35.99725	-86.88515	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.9
940B0930001	WILLIAMSON	0B093	0.33	BRANCH	OPEN	8/5/2015	1990	35.95895	-86.8221	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
940B1260001	WILLIAMSON	0B126	0.168	BRANCH	OPEN	8/4/2015	1993	36.00485	-86.722233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.4
940C4460001	WILLIAMSON	0B137	1.169	MILL CREEK	OPEN	4/24/2017	1999	35.971183	-86.681117	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	92.5
940B1530001	WILLIAMSON	0B153	0.11	BRANCH	OPEN	5/5/2017	1984	35.874767	-86.876817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
940B1690001	WILLIAMSON	0B169	0.075	BRANCH	OPEN	4/18/2017	1988	35.936883	-86.687133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.2
940B1820001	WILLIAMSON	0B182	0.093	BRANCH	OPEN	8/4/2015	1991	36.00705	-86.721717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
940B2240001	WILLIAMSON	0B224	0.146	BRANCH	OPEN	7/10/2015	1990	36.046317	-86.907067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76
940B2470001	WILLIAMSON	0B247	0	BEECH CREEK	OPEN	7/10/2017	1985	36.004483	-86.841717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.6
940B3680001	WILLIAMSON	0B368	0.076	BRANCH	OPEN	8/7/2015	1993	35.957817	-86.770833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
940B3710001	WILLIAMSON	0B371	0.275	BRANCH	OPEN	8/7/2015	1998	35.959017	-86.771317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
940B3750001	WILLIAMSON	0B375	0.273	BRANCH	OPEN	7/16/2015	1990	35.919733	-86.890883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
940B3750003	WILLIAMSON	0B375	0.631	BRANCH	OPEN	7/16/2015	1992	35.9201	-86.892983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
940B3960001	WILLIAMSON	0B396	0.227	BRANCH	OPEN	7/28/2015	1992	35.920867	-86.846083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
940B4170001	WILLIAMSON	0B417	0.394	FIVE MILE CREEK	OPEN	8/3/2015	1992	35.877167	-86.8384	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	97.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
940B4200001	WILLIAMSON	0B420	0.233	BRANCH	OPEN	4/21/2017	1992	35.884333	-86.807283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
94S63230001	WILLIAMSON	0B647	1.632	LITTLE HARPETH RIVER	OPEN	7/10/2015	1962	36.049283	-86.9033	CONCRETE	TEE BEAM	63.5
940B9530001	WILLIAMSON	0B953	0.096	TRACE CREEK	OPEN	7/3/2017	1990	36.029467	-86.959183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
94I00650049	WILLIAMSON	0B964	0.3	BAKERS BRIDGE RD / I-65	OPEN	2/3/2017	1996	35.961	-86.811433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.4
940B9650001	WILLIAMSON	0B965	0.262	BRANCH	OPEN	8/5/2015	1991	35.9605	-86.82235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
940B9690001	WILLIAMSON	0B969	0.031	BRANCH	OPEN	8/3/2015	1990	35.9984	-86.7771	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	89.7
94S61830005	WILLIAMSON	0B980	0.868	MC CLORY CREEK	OPEN	4/10/2017	1960	35.791817	-86.747767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
94M32310001	WILLIAMSON	0B990	0.355	SPARKS BRANCH	OPEN	7/28/2015	1950	35.9244	-86.8759	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.6
94S62500003	WILLIAMSON	0B992	0.05	SPARKS BRANCH	OPEN	7/16/2015	2005	35.922567	-86.880117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	94.9
940B9980001	WILLIAMSON	0B998	1.4	BRANCH	OPEN	8/5/2015	2000	35.9605	-86.82235	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
940A1600003	WILLIAMSON	0C130	0.23	S. PRONG SPENCER CREEK	OPEN	7/27/2015	1977	35.942033	-86.824683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
940C4470001	WILLIAMSON	0C447	0.313	HUNTING CAMP CREEK	OPEN	6/13/2017	2001	35.963967	-87.078933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.1
94E00250001	WILLIAMSON	0D002	0.07	MILL CREEK	OPEN	4/24/2017	1988	35.952767	-86.668183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	76.9
940A1640001	WILLIAMSON	0D188	1.545	CSX RAILROAD	OPEN	4/19/2017	2014	35.93755	-86.768617	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	97.6
940A5970003	WILLIAMSON	0D244	0.36	FIVE MILE CREEK	OPEN	6/29/2016	2016	35.862133	-86.834833	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.9
940A2740001	WILLIAMSON	0D274	0.016	COVE BRANCH	OPEN	4/10/2017	1995	35.751317	-86.715017	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	89.8
940B1290001	WILLIAMSON	0H197	0.155	BRANCH	OPEN	8/4/2015	1992	36.003683	-86.7239	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.4
94I00400002	WILLIAMSON	I0040	0.02	I40 / CO RD	OPEN	1/31/2017	1960	36.023867	-87.18775	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	81.3
94I00400001	WILLIAMSON	I0040	0.02	I40 / CO RD	OPEN	1/31/2017	1960	36.023067	-87.1879	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94I00650041	WILLIAMSON	I0065	0.37	BRANCH	OPEN	2/1/2017	1989	35.742733	-86.87435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
94I00650006	WILLIAMSON	I0065	4.79	I65 / SR106 & HARPETH RV	OPEN	2/1/2017	1963	35.8054	-86.850617	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	76.1
94I00650005	WILLIAMSON	I0065	4.79	I65 / SR106 & HARPETH RV	OPEN	2/1/2017	1963	35.804817	-86.850817	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	75.3
94I00650007	WILLIAMSON	I0065	5.21	BRANCH	OPEN	2/1/2017	1963	35.810517	-86.846317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
94I00650009	WILLIAMSON	I0065	8.24	BRANCH	OPEN	2/23/2017	1963	35.851683	-86.8321	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43
94I00650013	WILLIAMSON	I0065	11	HARPETH RIVER	OPEN	2/2/2017	2012	35.890183	-86.829317	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.9
94I00650015	WILLIAMSON	I0065	12.06	BRANCH	OPEN	2/2/2017	1962	35.9071	-86.82505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84
94I00650021	WILLIAMSON	I0065	13.41	I65 / LIBERTY PIKE	OPEN	2/2/2017	1997	35.926067	-86.8212	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.5
94I00650031	WILLIAMSON	I0065	18.97	LITTLE HARPETH RIVER	OPEN	2/3/2017	1965	36.002667	-86.792167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66
94I00650034	WILLIAMSON	I0065	19.54	CSX RAILROAD	OPEN	2/3/2017	1965	36.0091	-86.78565	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94I00650033	WILLIAMSON	I0065	19.54	CSX RAILROAD	OPEN	2/3/2017	1965	36.009083	-86.785633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
94I00650035	WILLIAMSON	I0065	21.25	I65 / SR 252	OPEN	2/3/2017	1993	36.0333	-86.78305	STEEL	STRINGER/MULTI-BEAM OR GIRDER	84
94SR8400002	WILLIAMSON	I0840	0.21	I840/957 SPENCER MILL	OPEN	3/13/2017	2001	35.949617	-87.201017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7
94SR8400001	WILLIAMSON	I0840	0.21	I840/957 SPENCER MILL	OPEN	3/13/2017	2001	35.949217	-87.2011	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.7
94SR8400003	WILLIAMSON	I0840	0.92	BIG TURNBULL CREEK	OPEN	3/13/2017	2001	35.9425	-88.1919	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74
94SR8400005	WILLIAMSON	I0840	1.13	I840 / SR 100	OPEN	3/13/2017	2009	35.939733	-87.190367	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64.7
94SR8400006	WILLIAMSON	I0840	1.13	I840 / SR 100	OPEN	3/13/2017	2009	35.9398	-87.19005	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64.7
94SR8400095	WILLIAMSON	I0840	4.88	TRIBUTARY TO S HARPETH C	OPEN	3/16/2017	2009	35.901333	-87.144	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
94SR8400096	WILLIAMSON	I0840	4.89	TRIBUTARY TO S HARPETH C	OPEN	3/16/2017	2009	35.9015	-87.143667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR8400097	WILLIAMSON	I0840	6.38	COPPERAS BRANCH	OPEN	3/16/2017	2009	35.890083	-87.1213	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
94SR8400098	WILLIAMSON	I0840	6.38	COPPERAS BRANCH	OPEN	3/16/2017	2009	35.89145	-87.120683	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6
94SR8400100	WILLIAMSON	I0840	7.41	TRI. TO KELLEY CREEK	OPEN	3/17/2017	2009	35.884033	-87.104383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6
94SR8400099	WILLIAMSON	I0840	7.41	TRI. TO KELLEY CREEK	OPEN	3/17/2017	2009	35.8838	-87.104567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6
94SR8400102	WILLIAMSON	I0840	7.575	TRI. TO KELLEY CREEK	OPEN	3/17/2017	2009	35.882833	-87.1024	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.6
94SR8400101	WILLIAMSON	I0840	7.575	TRI. TO KELLEY CREEK	OPEN	3/17/2017	2009	35.882417	-87.102383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.6
94SR8400021	WILLIAMSON	I0840	9.49	I840/GARRISON CR	OPEN	3/20/2017	2012	35.8599	-87.082633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400022	WILLIAMSON	I0840	9.49	I840/GARRISON CR	OPEN	3/20/2017	2012	35.8599	-87.082633	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400103	WILLIAMSON	I0840	10.01	I840/ BRANCH	OPEN	3/20/2017	2012	35.8553	-87.07555	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400104	WILLIAMSON	I0840	10.01	I840/ BRANCH	OPEN	3/20/2017	2012	35.855433	-87.075383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400106	WILLIAMSON	I0840	10.33	I840/ S GARRISON BRANC	OPEN	4/28/2017	2012	35.852083	-87.071167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.4
94SR8400105	WILLIAMSON	I0840	10.33	I840/ S GARRISON BRANC	OPEN	4/28/2017	2012	35.852083	-87.071167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400028	WILLIAMSON	I0840	11.35	NATCHEZ TRACE & BURNS BR	OPEN	4/28/2017	2012	35.839383	-87.062067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
94SR8400027	WILLIAMSON	I0840	11.35	NATCHEZ TRACE & BURNS BR	OPEN	4/28/2017	2012	35.8393	-87.062383	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
94SR8400108	WILLIAMSON	I0840	11.65	BURNS BRANCH	OPEN	4/27/2017	2011	35.8838	-87.104567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400107	WILLIAMSON	I0840	11.65	BURNS BRANCH	OPEN	4/27/2017	2011	35.835111	-87.06095	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.2
94SR8400109	WILLIAMSON	I0840	11.99	BRANCH	OPEN	5/30/2017	2011	35.830433	-87.05905	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400110	WILLIAMSON	I0840	11.99	BRANCH	OPEN	5/30/2017	2011	35.830433	-87.05905	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400029	WILLIAMSON	I0840	12.265	LEIPERS CR RD & BRANCH	OPEN	5/30/2017	2011	35.827433	-87.056267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR8400030	WILLIAMSON	I0840	12.265	LEIPERS CR RD & BRANCH	OPEN	5/30/2017	2011	35.827767	-87.056367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400032	WILLIAMSON	I0840	13.58	I840-LL/BOSTON THETA RD	OPEN	5/19/2017	2011	35.819333	-87.035583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400031	WILLIAMSON	I0840	13.6	I840-RL/BOSTON THETA RD	OPEN	5/19/2017	2001	35.819	-87.035583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400034	WILLIAMSON	I0840	14.495	I840/ROBINSON RD & BR	OPEN	5/19/2017	2011	35.817067	-87.021333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400033	WILLIAMSON	I0840	14.495	I840/ROBINSON RD & BR	OPEN	5/19/2017	2011	35.816933	-87.021267	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400036	WILLIAMSON	I0840	15.72	I840/JOHNSON HOLLOW RD	OPEN	5/23/2017	2011	35.817683	-86.999617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400035	WILLIAMSON	I0840	15.72	I840/JOHNSON HOLLOW RD	OPEN	5/23/2017	2011	35.817683	-86.999617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400112	WILLIAMSON	I0840	15.935	I840 / SYCAMORE CREEK	OPEN	5/23/2017	2011	35.817417	-86.992983	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400111	WILLIAMSON	I0840	15.935	I840 / SYCAMORE CREEK	OPEN	5/23/2017	2011	35.817167	-86.9959	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.2
94SR8400114	WILLIAMSON	I0840	16.38	I840-LL / SYCAMORE CR.	OPEN	5/23/2017	2011	35.817167	-86.9959	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
94SR8400113	WILLIAMSON	I0840	16.405	I840-RL / SYCAMORE CR.	OPEN	5/23/2017	2011	35.817167	-86.9959	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
94SR8400037	WILLIAMSON	I0840	16.7	I840-RL /CARTERS CR. RD	OPEN	5/18/2017	2011	35.815417	-86.982517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
94SR8400038	WILLIAMSON	I0840	16.7	I840-LL /CARTERS CR. RD	OPEN	5/18/2017	2011	35.815417	-86.982517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88.2
94SR8400125	WILLIAMSON	I0840	17.28	W PRONG MURFRESS FRK CRK	OPEN	5/18/2017	2011	35.814733	-86.978317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
94SR8400115	WILLIAMSON	I0840	17.9	I840-RL / FRY ROAD	OPEN	5/18/2017	2011	35.818617	-86.962233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
94SR8400116	WILLIAMSON	I0840	17.9	I840-LL / FRY ROAD	OPEN	5/18/2017	2011	35.818617	-86.962233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400093	WILLIAMSON	I0840	18.03	MURFREES FORK CREEK	OPEN	5/17/2017	2011	35.819722	-86.960433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
94SR8400094	WILLIAMSON	I0840	18.03	MURFREES FORK CREEK	OPEN	5/17/2017	2011	35.819944	-86.9606	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
94SR8400039	WILLIAMSON	I0840	18.2	I8/ THOMPSON STATION RD	OPEN	5/17/2017	2011	35.820833	-86.957733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR8400040	WILLIAMSON	I0840	18.2	840/ THOMPSON STATION RD	OPEN	5/17/2017	2011	35.8211	-86.9579	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
94SR8400127	WILLIAMSON	I0840	18.895	BRANCH	OPEN	5/17/2017	2011	35.822017	-86.945433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
94SR8400043	WILLIAMSON	I0840	21.555	I840-RL / CSX RR	OPEN	3/21/2017	2001	35.822683	-86.898333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
94SR8400044	WILLIAMSON	I0840	21.555	I 840-LL / CSX RR	OPEN	3/21/2017	2001	35.822817	-86.898283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
94SR8400045	WILLIAMSON	I0840	21.68	BRANCH	OPEN	3/21/2017	2004	35.822483	-87.89605	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.8
94SR8400046	WILLIAMSON	I0840	21.68	BRANCH	OPEN	3/21/2017	2004	35.82265	-86.895917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.8
94SR8400050	WILLIAMSON	I0840	22.82	TRIBUTARY W. HARPETH RV	OPEN	3/22/2017	2004	35.821083	-86.87575	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
94SR8400049	WILLIAMSON	I0840	22.82	TRIBUTARY W. HARPETH RV	OPEN	3/22/2017	2004	35.820817	-86.8758	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
94SR8400051	WILLIAMSON	I0840	23.39	I840 / WEST HARPETH RV	OPEN	3/22/2017	2004	35.821217	-86.8659	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
94SR8400052	WILLIAMSON	I0840	23.39	I840 / WEST HARPETH RV	OPEN	3/22/2017	2004	35.82145	-86.866017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
94SR8400053	WILLIAMSON	I0840	23.545	TRIBUTARY W. HARPETH RV.	OPEN	3/23/2017	2004	35.821583	-86.862833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.3
94SR8400054	WILLIAMSON	I0840	23.545	TRIBUTARY W. HARPETH RV.	OPEN	3/23/2017	2004	35.8219	-86.8628	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
94SR8400056	WILLIAMSON	I0840	23.61	I 840-LL / ANDERSON RD.	OPEN	3/23/2017	2004	35.822	-86.861733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.7
94SR8400055	WILLIAMSON	I0840	23.61	I840-RL / ANDERSON RD.	OPEN	3/23/2017	2004	35.821767	-86.8584	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83.7
94SR8400058	WILLIAMSON	I0840	24.2	I840-LL / SR 106	OPEN	3/23/2017	2001	35.821667	-86.851217	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.4
94SR8400057	WILLIAMSON	I0840	24.2	I840-RL / SR 106	OPEN	3/23/2017	2001	35.821367	-86.851317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.4
94I00650045	WILLIAMSON	I0840	24.71	I840 RP O / I65	OPEN	3/24/2017	2001	35.819083	-86.841167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.6
94I00650043	WILLIAMSON	I0840	24.77	I840 RP Q / I65	OPEN	3/24/2017	2001	35.818833	-86.841733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
94I00650048	WILLIAMSON	I0840	24.86	I840 / I65	OPEN	3/24/2017	2001	35.821883	-86.839283	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94I00650047	WILLIAMSON	I0840	24.86	I840 / I65	OPEN	3/24/2017	2001	35.821583	-86.839533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81.6
94SR8400063	WILLIAMSON	I0840	25.06	I840-R/RMPS "O" & "Q"	OPEN	3/24/2017	2001	35.821667	-86.836083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
94SR8400064	WILLIAMSON	I0840	25.06	I840-L / RMPS "O"&"Q"	OPEN	3/24/2017	2001	35.822067	-86.835567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
94SR8400066	WILLIAMSON	I0840	26	I840-LL / CAMPBELL RD.	OPEN	3/27/2017	2001	35.82125	-86.819783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400065	WILLIAMSON	I0840	26	I840-RL / CAMPBELL RD.	OPEN	3/27/2017	2001	35.820833	-86.8196	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400067	WILLIAMSON	I0840	28.67	I840/PEYTON - TRINITY	OPEN	3/27/2017	2001	35.8142	-86.774283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400068	WILLIAMSON	I0840	28.67	I840/PEYTON - TRINITY	OPEN	3/27/2017	2001	35.8142	-86.774317	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400072	WILLIAMSON	I0840	30.9	I840-LL / ARNO RD.	OPEN	3/28/2017	2001	35.82745	-86.739067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400071	WILLIAMSON	I0840	30.9	I840-RL / ARNO RD.	OPEN	3/28/2017	2001	35.82715	-86.738883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400073	WILLIAMSON	I0840	31.955	I840 / MCCLORY BRANCH	OPEN	3/28/2017	2001	35.8336	-86.7227	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400074	WILLIAMSON	I0840	31.955	I840 / MCCLORY BRANCH	OPEN	3/28/2017	2001	35.83405	-86.722617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400076	WILLIAMSON	I0840	32.47	I840-LL / MCDANIEL RD.	OPEN	3/28/2017	2001	35.8389	-86.716133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400075	WILLIAMSON	I0840	32.47	I840-RL / MCDANIEL RD.	OPEN	3/28/2017	2001	35.8386	-86.715933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400077	WILLIAMSON	I0840	33.065	I840 /CSX RR&HARPETH	OPEN	3/29/2017	2001	35.843767	-86.708333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72
94SR8400078	WILLIAMSON	I0840	33.065	I840 /CSX RR&HARPETH	OPEN	3/29/2017	2001	35.84425	-86.707717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400080	WILLIAMSON	I0840	33.57	I840-LL / COX RD	OPEN	3/29/2017	2001	35.843033	-86.69925	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400079	WILLIAMSON	I0840	33.57	I840-RL / COX RD	OPEN	3/29/2017	2001	35.84705	-86.6998	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400081	WILLIAMSON	I0840	34.22	WILSON BRANCH	OPEN	3/30/2017	2001	35.84715	-86.688333	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
94SR8400082	WILLIAMSON	I0840	34.22	WILSON BRANCH	OPEN	3/30/2017	2001	35.847367	-86.68775	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR8400083	WILLIAMSON	I0840	35.72	I840-RL / SR 11	OPEN	3/30/2017	1999	35.846067	-86.661433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400084	WILLIAMSON	I0840	35.72	I 840-LL / SR 11	OPEN	3/30/2017	1999	35.846167	-86.66125	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83
94SR8400091	WILLIAMSON	I0840	36.19	BRANCH	OPEN	3/30/2017	1999	35.8456	-86.655433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
94SR0060001	WILLIAMSON	SR006	0.17	CROOKED CREEK	OPEN	2/7/2017	1928	35.75755	-86.9237	CONCRETE	TEE BEAM	48.4
94SR0060003	WILLIAMSON	SR006	4.66	BRANCH	OPEN	2/7/2017	1932	35.815717	-87.892317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
94SR8400047	WILLIAMSON	SR006	5.06	COLUMBIA PK / I 840	OPEN	2/7/2017	2004	35.821433	-86.8877	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85.1
94SR0060005	WILLIAMSON	SR006	5.72	WEST HARPETH RIVER	OPEN	2/13/2017	1928	35.82945	-86.882833	CONCRETE	TEE BEAM	39.4
94SR0060007	WILLIAMSON	SR006	8.11	BRANCH	OPEN	2/13/2017	1928	35.863983	-86.883917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
94SR0060009	WILLIAMSON	SR006	8.89	CSX RAILROAD	OPEN	2/13/2017	1930	35.875367	-86.8824	CONCRETE	TEE BEAM	20.9
94SR0060011	WILLIAMSON	SR006	10.34	BRANCH	OPEN	2/13/2017	1961	35.895467	-86.876567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.9
94SR0060013	WILLIAMSON	SR006	12.51	HARPETH RIVER	OPEN	2/13/2017	1929	35.928033	-86.865567	CONCRETE	TEE BEAM	49
94SR0060015	WILLIAMSON	SR006	13.78	SPENCER CREEK	OPEN	2/13/2017	1929	35.943433	-86.854783	CONCRETE	TEE BEAM	64.2
94SR0060017	WILLIAMSON	SR006	19.77	LITTLE HARPETH RIVER	OPEN	2/13/2017	1982	36.015	-86.79905	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82
94SR0110001	WILLIAMSON	SR011	0.59	BRANCH	OPEN	2/15/2017	1932	35.715867	-86.697983	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.3
94SR0110003	WILLIAMSON	SR011	0.87	BRANCH	OPEN	2/15/2017	1930	35.7663	-86.686983	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.5
94SR0110005	WILLIAMSON	SR011	1.51	BRANCH	OPEN	2/15/2017	1930	35.775067	-86.6828	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.8
94SR0110007	WILLIAMSON	SR011	3.5	HARPETH RIVER	OPEN	2/15/2017	1932	35.799333	-86.66465	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	64.4
94SR0110009	WILLIAMSON	SR011	4.58	BRANCH	OPEN	2/15/2017	1930	35.814533	-86.66225	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
94SR0110011	WILLIAMSON	SR011	6.04	NELSON CREEK	OPEN	2/15/2017	1932	35.835017	-86.664233	CONCRETE	TEE BEAM	71.3
94SR0110013	WILLIAMSON	SR011	6.35	BRANCH	OPEN	2/15/2017	1945	35.83935	-86.663167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
94SR0110015	WILLIAMSON	SR011	7.75	WILSON BRANCH	OPEN	2/17/2017	1930	35.859067	-86.608483	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	77.4
94SR0110017	WILLIAMSON	SR011	9.46	MC CANLESS BRANCH	OPEN	2/17/2017	1930	35.884167	-86.6621	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	30.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR0110019	WILLIAMSON	SR011	9.91	ARRINGTON CREEK	OPEN	2/17/2017	1932	35.889767	-86.664733	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64.3
94SR0110021	WILLIAMSON	SR011	13.79	BRANCH	OPEN	2/17/2017	1932	35.944367	-86.664483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.2
94SR0110023	WILLIAMSON	SR011	14.78	MILL CREEK	OPEN	2/27/2017	1930	35.956983	-86.6716	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	31.5
94SR0110025	WILLIAMSON	SR011	16.23	BRANCH	OPEN	2/27/2017	1932	35.977267	-86.6781	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.8
94S61480013	WILLIAMSON	SR046	1.41	HARPETH RIVER	OPEN	2/27/2017	1957	35.993667	-86.90225	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	49.6
94S61480011	WILLIAMSON	SR046	5.69	BRANCH	OPEN	2/6/2017	1950	35.948333	-86.949233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
94S61480009	WILLIAMSON	SR046	7.02	POORHOUSE CREEK	OPEN	2/6/2017	1950	35.934217	-86.964717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.3
94S61480007	WILLIAMSON	SR046	8.36	PARKER BRANCH	OPEN	2/6/2017	1940	35.9188	-86.97885	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
94S61480003	WILLIAMSON	SR046	10.18	DOBBINS BRANCH	OPEN	2/6/2017	1993	35.896117	-86.993833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
94S61480005	WILLIAMSON	SR046	11.36	PINEWOOD BRANCH	OPEN	2/6/2017	1980	35.8896	-87.0133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.4
94S61480001	WILLIAMSON	SR046	11.51	PINEWOOD BRANCH	OPEN	2/6/2017	1993	35.889633	-87.014883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
94S61480015	WILLIAMSON	SR046	12.3	PINEWOOD BRANCH	OPEN	2/9/2017	1993	35.893933	-87.027817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.1
94SR8400017	WILLIAMSON	SR046	16.96	SR 46./I840	OPEN	2/9/2017	2006	35.878167	-87.098397	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	98.9
94003480017	WILLIAMSON	SR046	24.74	DEADFALL BRANCH	OPEN	2/9/2017	1960	35.935	-87.196667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.5
94I00400003	WILLIAMSON	SR096	0.52	SR-96 / I-40	OPEN	2/16/2017	1960	36.027533	-87.178517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94
94SR0960005	WILLIAMSON	SR096	1.65	BRANCH	OPEN	2/16/2017	1970	35.985367	-86.9911	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
94SR0960033	WILLIAMSON	SR096	4.13	BRANCH	OPEN	2/16/2017	1970	35.959133	-86.962667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
94SR0960007	WILLIAMSON	SR096	5.64	WEST HARPETH RIVER	OPEN	2/16/2017	1963	35.944533	-86.944433	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65.8
94SR0960009	WILLIAMSON	SR096	7.48	BRANCH	OPEN	2/16/2017	1963	35.985367	-86.9911	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR0960011	WILLIAMSON	SR096	9.74	SHARPS BRANCH	OPEN	2/16/2017	1973	35.923767	-86.878517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
94SR0960013	WILLIAMSON	SR096	10.74	HARPETH RIVER	OPEN	2/23/2017	1958	35.920533	-86.865317	CONCRETE	TEE BEAM	52
94I00650017	WILLIAMSON	SR096	13.11	SR 96 / I65	OPEN	2/23/2017	1962	35.914183	-86.824667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.3
94SR0960015	WILLIAMSON	SR096	13.85	WATSON BRANCH	OPEN	2/22/2017	1995	35.910217	-86.813183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
94SR0960017	WILLIAMSON	SR096	16.72	BRANCH	OPEN	2/22/2017	1948	35.892667	-86.7675	CONCRETE	TEE BEAM	65.7
94SR0960019	WILLIAMSON	SR096	16.76	MAYES CREEK	OPEN	2/22/2017	1948	35.892467	-86.767117	CONCRETE	TEE BEAM	38
94SR0960021	WILLIAMSON	SR096	19.07	BRANCH	OPEN	2/22/2017	1948	35.874183	-86.733233	CONCRETE	TEE BEAM	65.7
94SR0960023	WILLIAMSON	SR096	19.47	CSX RAILROAD	OPEN	2/22/2017	1985	35.871483	-86.726433	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68.7
94SR0960025	WILLIAMSON	SR096	20.38	BRANCH	OPEN	2/24/2017	1950	35.7014	-86.711733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.5
94SR0960027	WILLIAMSON	SR096	21.2	BRANCH	OPEN	2/24/2017	1942	35.8674	-86.69725	CONCRETE	TEE BEAM	53.5
94SR0960029	WILLIAMSON	SR096	21.3	ARRINGTON CREEK	OPEN	2/24/2017	1942	35.866933	-86.695483	CONCRETE	TEE BEAM	48.7
94SR0960031	WILLIAMSON	SR096	23.17	WILSON BRANCH	OPEN	2/24/2017	1942	35.856133	-86.665633	CONCRETE	TEE BEAM	51.2
94SR8400089	WILLIAMSON	SR096	26.11	SR 96/I 840	OPEN	2/24/2017	1999	35.849783	-86.614833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
94SR1000001	WILLIAMSON	SR100	0.54	LITTLE TURNBULL CREEK	OPEN	2/9/2017	2001	35.938617	-87.193117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.9
94SR1000003	WILLIAMSON	SR100	0.89	BIG TURNBULL CREEK	OPEN	2/9/2017	2001	35.94045	-87.1869	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.9
94SR0960002	WILLIAMSON	SR100	6.62	SR 100 LL / SR 96	OPEN	2/9/2017	1957	35.984017	-87.1151	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82
94SR0960001	WILLIAMSON	SR100	6.62	SR 100 RL / SR 96	OPEN	2/9/2017	1957	35.983967	-87.1149	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	82
94SR1060001	WILLIAMSON	SR106	1.3	RUTHERFORD CREEK	OPEN	2/21/2017	1966	35.742817	-86.838867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.4
94SR1060025	WILLIAMSON	SR106	2.66	BRANCH	OPEN	2/21/2017	1948	35.760633	-86.838133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.9
94SR1060003	WILLIAMSON	SR106	2.86	MUD CREEK	OPEN	2/21/2017	1966	35.763717	-86.839617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.7
94SR1060005	WILLIAMSON	SR106	5.09	WEST HARPETH RIVER	OPEN	2/21/2017	2013	35.795783	-86.843283	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	82.9
94SR1060007	WILLIAMSON	SR106	6.2	KENNEDY BRANCH	OPEN	2/21/2017	1966	35.8096	-86.852067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR1060009	WILLIAMSON	SR106	9.76	GOOSE CREEK	OPEN	2/21/2017	1966	35.861633	-86.8466	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
94SR1060029	WILLIAMSON	SR106	10.56	BRANCH	OPEN	2/21/2017	1948	35.872333	-86.84495	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.5
94SR1060011	WILLIAMSON	SR106	11.92	BRANCH	OPEN	2/21/2017	1999	35.891433	-86.850017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.4
94SR1060013	WILLIAMSON	SR106	15.11	SHARPS BRANCH	OPEN	3/3/2017	1938	35.928617	-86.874867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59
94SR1060015	WILLIAMSON	SR106	16.48	HARPETH RIVER	OPEN	3/3/2017	1998	35.94725	-86.881383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
94SR1060017	WILLIAMSON	SR106	18.39	LYNNWOOD BRANCH	OPEN	3/3/2017	2001	35.974267	-86.886267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
94SR1060019	WILLIAMSON	SR106	20.82	CARTWRIGHT CREEK	OPEN	3/3/2017	1938	36.007367	-86.88705	CONCRETE	TEE BEAM	47.9
94SR1060021	WILLIAMSON	SR106	23.12	BEECH CREEK	OPEN	3/3/2017	2011	36.036217	-86.872067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.9
94SR1060023	WILLIAMSON	SR106	23.67	LITTLE HARPETH RIVER	OPEN	3/3/2017	2011	36.0428	-86.866633	CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
94S61810001	WILLIAMSON	SR246	2.95	BRANCH	OPEN	3/2/2017	2010	35.813483	-86.982733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.8
94S62490007	WILLIAMSON	SR246	5.33	BRANCH	OPEN	3/2/2017	1970	35.842467	-86.962233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
94S62490001	WILLIAMSON	SR246	5.48	MURFREES FORK CREEK	OPEN	3/2/2017	1965	35.844967	-86.96075	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.7
94S62490009	WILLIAMSON	SR246	5.64	RATTLESNAKE BRANCH	OPEN	3/2/2017	1970	35.84625	-86.959367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.9
94S62490003	WILLIAMSON	SR246	8.26	WEST HARPETH RIVER	OPEN	3/2/2017	1963	35.876433	-86.942083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68.3
94S62490005	WILLIAMSON	SR246	9.15	POLK CREEK	OPEN	3/2/2017	1946	35.88895	-86.9348	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.6
94S62510001	WILLIAMSON	SR247	1.05	GRASSY BRANCH	OPEN	2/8/2017	1979	35.7526	-86.89365	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.4
94S62510003	WILLIAMSON	SR247	2.11	AENON CREEK	OPEN	2/8/2017	1979	35.752783	-86.8744	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.3
94I00650001	WILLIAMSON	SR247	2.38	SR 247 / I65	OPEN	2/8/2017	1961	35.751683	-86.870483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	49.3
94S62510005	WILLIAMSON	SR247	4.14	MUD CREEK	OPEN	2/8/2017	1979	35.746617	-86.8404	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5
94FA0061001	WILLIAMSON	SR248	3.455	FIVE MILE CREEK	OPEN	3/9/2017	2016	35.8599	-86.8354	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94I00650011	WILLIAMSON	SR248	3.635	SR 248 / I65	OPEN	3/9/2017	2015	35.859217	-86.832533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.7
94S62480005	WILLIAMSON	SR252	2.5	BURKE BRANCH	OPEN	3/6/2017	1988	35.897167	-86.734217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
94SR2520009	WILLIAMSON	SR252	4.74	BRANCH	OPEN	3/6/2017	2010	35.912664	-86.7667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
94SR2520007	WILLIAMSON	SR252	6.85	BRANCH	OPEN	3/6/2017	2002	35.946217	-86.7667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.1
94SR2520005	WILLIAMSON	SR252	7.24	BRANCH	OPEN	3/6/2017	2002	35.952067	-86.766133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.1
94SR2520003	WILLIAMSON	SR252	8	CSX RAILROAD	OPEN	3/6/2017	2003	35.959433	-86.768417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	99.1
94S62480011	WILLIAMSON	SR252	9.8	CSX RAILROAD	OPEN	3/8/2017	1986	35.987833	-86.777983	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.5
94SR2520001	WILLIAMSON	SR252	11.54	BRANCH	OPEN	3/8/2017	1976	36.01185	-86.780817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.3
94S62480015	WILLIAMSON	SR252	13.18	CSX RAILROAD	OPEN	3/8/2017	1970	36.033417	-86.785167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.8
94SR2530001	WILLIAMSON	SR253	0.5	CSX RAILROAD	OPEN	3/8/2017	1988	35.997917	-86.800733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79
94I00650029	WILLIAMSON	SR253	0.68	CONCORD RD / I65	OPEN	3/8/2017	1989	35.997617	-86.79745	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
94SR2530011	WILLIAMSON	SR253	1.14	BRANCH	OPEN	3/8/2017	2000	35.999583	-86.7896	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
94SR2530003	WILLIAMSON	SR253	1.26	LITTLE HARPETH RIVER	OPEN	3/8/2017	1998	35.996267	-86.78715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.5
94SR2530005	WILLIAMSON	SR253	1.6	CSX RAILROAD	OPEN	3/8/2017	1999	35.995583	-86.781417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.4
94SR2530007	WILLIAMSON	SR253	6.67	OWL CREEK	OPEN	2/27/2017	1965	35.993233	-86.6982	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
94SR2530009	WILLIAMSON	SR253	7.03	MILL CREEK	OPEN	2/27/2017	1972	35.994333	-86.692883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.9
94SR3970001	WILLIAMSON	SR397	0.31	CSX RAILROAD	OPEN	3/14/2017	1986	35.890533	-86.871917	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.6
94SR3970003	WILLIAMSON	SR397	2	HARPETH RIVER	OPEN	3/14/2017	1986	35.900483	-86.846433	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.1
94SR3970005	WILLIAMSON	SR397	2.14	OVERFLOW HARPETH RIVER	OPEN	3/14/2017	1986	35.901967	-86.84475	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR3970007	WILLIAMSON	SR397	2.56	WATSON BRANCH	OPEN	3/14/2017	1986	35.9078	-86.844467	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.1
94SR3970009	WILLIAMSON	SR397	3.55	BRANCH	OPEN	3/14/2017	1988	35.921967	-86.843683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
94SR3970011	WILLIAMSON	SR397	5.21	SPENCER CREEK	OPEN	3/15/2017	1988	35.943333	-86.843967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
94SR3970012	WILLIAMSON	SR397	5.21	SPENCER CREEK	OPEN	3/15/2017	2013	35.943283	-86.8449	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
94SR3970013	WILLIAMSON	SR397	5.38	CSX RAILROAD	OPEN	3/15/2017	1988	35.944383	-86.8464	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.9
94SR3970014	WILLIAMSON	SR397	5.38	CSX RAILROAD	OPEN	3/15/2017	2013	35.944583	-86.8471	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.9
94SR3970017	WILLIAMSON	SR397	6.1	BRANCH	OPEN	3/15/2017	1989	35.947767	-86.85845	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.2
94SR3970015	WILLIAMSON	SR397	6.82	HARPETH RIVER	OPEN	3/15/2017	1989	35.946417	-86.8708	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
94SR3970016	WILLIAMSON	SR397	6.82	HARPETH RIVER	OPEN	3/15/2017	1989	35.94615	-86.870967	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	91.8
94I00650037	WILLIAMSON	SR441	1.49	RAMP C/RAMP B COOL SPNG	OPEN	3/9/2017	1991	35.965267	-86.810067	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.7
94I00650028	WILLIAMSON	SR441	1.52	MOORE'S LN LL / I65	OPEN	3/9/2017	1960	35.966417	-86.8081	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.6
94I00650027	WILLIAMSON	SR441	1.52	MOORE'S LN RL / I65	OPEN	3/9/2017	1960	35.966183	-86.8083	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.9
94S63750001	WILLIAMSON	SR441	3.46	OVERFLOW	OPEN	3/9/2017	2000	35.968683	-86.776967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
94S63750003	WILLIAMSON	SR441	3.47	LITTLE HARPETH RIVER	OPEN	3/9/2017	2000	35.96905	-86.776733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.2
95F00010001	WILSON	01006	1.65	OLD HICKORY LAKE	OPEN	7/26/2016	1945	36.245633	-86.57185	STEEL	STRINGER/MULTI-BEAM OR GIRDER	74.5
95SR8400001	WILSON	01050	1.85	COUCHVILLE PIKE / I840	OPEN	4/8/2016	1994	36.06895	-86.430733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.7
95SR8400003	WILSON	01050	4.66	MCCREARY RD / I840	OPEN	4/8/2016	1994	36.099867	-86.41615	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	88.2
95020210003	WILSON	01050	4.83	OVERFLOW	OPEN	6/8/2016	1960	36.102583	-86.4158	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.4
95020210001	WILSON	01050	5.09	BRANCH	WEIGHT POSTED	6/8/2016	1935	36.10625	-86.4153	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	46.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
950A7350001	WILSON	01050	12.42	BARTONS CREEK	OPEN	6/20/2016	1985	36.177917	-86.3431	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
950A7350003	WILSON	01050	13.31	BRANCH	OPEN	7/18/2016	2001	36.180533	-86.32835	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.9
95F00300001	WILSON	01052	2.97	SINKING CREEK	OPEN	6/8/2016	1945	36.109483	-86.398433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
95010520001	WILSON	01052	3.66	BRANCH	OPEN	6/8/2016	1994	36.112417	-86.410217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.7
95F00300003	WILSON	01052	3.72	BRANCH	OPEN	6/8/2016	1940	36.1125	-86.41105	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.8
95F00300005	WILSON	01052	8.32	SUGGS CREEK	OPEN	6/21/2016	1950	36.117967	-86.49215	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.7
95F00360001	WILSON	01056	3.5	CEDAR CREEK	OPEN	7/11/2016	2007	36.195417	-86.45985	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	81.4
95S63000005	WILSON	01058	4.22	BRANCH	OPEN	4/19/2016	1955	36.275717	-86.3724	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.3
95S63000007	WILSON	01058	5.55	BARTON CREEK	OPEN	4/20/2016	1928	36.271633	-86.349717	CONCRETE	ARCH - DECK	88.6
95S63000009	WILSON	01058	8.38	WALKER BRANCH	OPEN	4/20/2016	1965	36.247233	-86.314367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.8
95F00480001	WILSON	01060	2.66	BRANCH	OPEN	4/20/2016	1955	36.27305	-86.293283	CONCRETE	TEE BEAM	70.8
95010620001	WILSON	01062	0.56	WILBORN BRANCH	OPEN	4/22/2016	1988	36.28325	-86.263	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
95S63000001	WILSON	01065	2.42	LITTLE CREEK	OPEN	7/25/2016	1955	36.2654	-86.496367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.5
95S63000003	WILSON	01065	6.52	SPENCER CREEK	OPEN	7/25/2016	1955	36.2812	-86.45455	STEEL	STRINGER/MULTI-BEAM OR GIRDER	95
95F00080001	WILSON	01067	3.42	YOUNG'S BRANCH	OPEN	5/3/2016	1950	36.250833	-86.180117	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	70.4
95F00080003	WILSON	01067	3.63	SPRING BRANCH	OPEN	5/3/2016	1950	36.24795	-86.178817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
95F00080005	WILSON	01067	5.525	BRANCH	OPEN	5/3/2016	1950	36.223117	-86.174367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.1
95I00400041	WILSON	01067	7.79	LINWOOD ROAD / I40	OPEN	2/3/2016	2012	36.190983	-86.17725	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97.6
95F00080007	WILSON	01067	9.395	W. PRONG JENNING FK CREE	OPEN	5/9/2016	1970	36.170733	-86.183883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
95F00080009	WILSON	01067	11.825	E. PRONG JENNING FK CREE	OPEN	5/10/2016	1960	36.139733	-86.1768	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95F00080011	WILSON	01067	13.99	LICK CREEK	OPEN	5/10/2016	2016	36.113933	-86.163367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	80.7
950A4170001	WILSON	01362	2.65	SUGGS CREEK	OPEN	6/21/2016	1981	36.104867	-86.455883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.4
95013660001	WILSON	01366	1.33	ANTHONY BRANCH	OPEN	6/21/2016	1993	36.13175	-86.452333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
950A4880001	WILSON	01368	0.165	NORTH FORK SUGGS CREEK	OPEN	6/22/2016	1960	36.148533	-86.463917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.6
95100400007	WILSON	01368	2.39	BECKWITH RD./140	OPEN	1/14/2016	2006	36.177833	-86.45665	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.2
95013680001	WILSON	01368	4.35	E. DIVISION ST/ N.E.R.R.	OPEN	6/6/2017	2017	36.193817	-86.478667	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	88.5
950A4350001	WILSON	01372	0.74	BRANCH	OPEN	6/20/2016	1950	36.137633	-86.33705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
950A4350003	WILSON	01372	2.65	BARTON'S CREEK	OPEN	6/20/2016	1950	36.129717	-86.365983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
950A3450001	WILSON	01373	3.2	BRANCH	OPEN	6/20/2016	1960	36.153	-86.282517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
950A3530001	WILSON	01373	4.72	SINKING CREEK	OPEN	6/20/2016	1955	36.16645	-86.301367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.8
950A3520001	WILSON	01390	2.53	DEDMAN BRANCH	OPEN	6/20/2016	1960	36.131983	-86.2779	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.4
950A3430001	WILSON	01397	0.41	SHOP SPRINGS BRANCH	OPEN	6/3/2016	1930	36.128517	-86.22005	STEEL	STRINGER/MULTI-BEAM OR GIRDER	71.4
950A3430003	WILSON	01397	1.66	SHOP SPRINGS BRANCH	WEIGHT POSTED	6/3/2016	1970	36.130833	-86.242317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.6
95013980001	WILSON	01398	2.53	BRANCH	OPEN	6/9/2016	1992	36.026017	-86.315683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
95013980003	WILSON	01398	4.6	BRANCH	OPEN	6/9/2016	1998	36.026517	-86.28095	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.4
950A3920003	WILSON	01398	4.74	FALL CREEK	OPEN	6/9/2016	1930	36.025433	-86.279	CONCRETE	ARCH - DECK	63.4
950A3920001	WILSON	01398	6.13	FLORIDA CREEK	OPEN	6/9/2016	1974	36.017033	-86.260167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88
950A3200005	WILSON	01404	0.99	BRANCH	OPEN	6/6/2016	1925	36.0442	-86.15545	CONCRETE	ARCH - DECK	72.1
950A3200003	WILSON	01404	5.72	BRANCH	OPEN	6/7/2016	1970	36.027183	-86.22555	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.5
950A3200001	WILSON	01404	6.39	JUG CREEK	OPEN	6/6/2016	1965	36.026367	-86.235633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
950A2790001	WILSON	01433	3.07	OAKLEY BRANCH	OPEN	6/1/2016	1960	36.031567	-86.105433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.1
95014610001	WILSON	01461	0.57	BRANCH	OPEN	5/9/2016	1995	36.15655	-86.175433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
950A7200001	WILSON	01461	0.7	E. PRG. JENNINGS FORK CR	OPEN	5/9/2016	1995	36.156233	-86.173033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.8
950A2410003	WILSON	01484	1.12	JENNINGS FORK CREEK	OPEN	5/10/2016	1984	36.163867	-86.205533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.4
950A2410001	WILSON	01484	3.23	SPRING CREEK	OPEN	5/10/2016	1978	36.164583	-86.240833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	84.8
950A2170001	WILSON	01486	3.48	DRY FORK CREEK	OPEN	5/5/2016	1984	36.17465	-86.117533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.8
95100400047	WILSON	01486	3.88	NFA 1486 / I40	OPEN	2/17/2016	1962	36.16945	-86.113433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
950A2130001	WILSON	01494	2.45	BRANCH	OPEN	5/4/2016	1965	36.220817	-86.12085	CONCRETE	TEE BEAM	88.4
950A2130005	WILSON	01494	3.17	BRANCH	OPEN	5/4/2016	1986	36.2132	-86.127217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.6
950A2130003	WILSON	01494	4.13	JENNINGS CREEK	OPEN	5/4/2016	1925	36.199317	-86.127217	CONCRETE	ARCH - DECK	86.4
95020170001	WILSON	02017	1.89	DRY FORK CREEK	OPEN	6/9/2016	1950	35.9972	-86.2899	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.9
95020170007	WILSON	02017	3.27	FALL CREEK	OPEN	6/9/2016	1990	36.015967	-86.29445	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	97
95020170003	WILSON	02017	8.62	HURRICANE CR. (COLSP)	WEIGHT POSTED	6/10/2016	1940	36.070917	-86.3027	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
95020170005	WILSON	02017	10.08	CAVE CREEK (COLSP)	OPEN	6/10/2016	1990	36.083867	-86.322467	CONCRETE	SLAB	98
95020190003	WILSON	02019	0.5	BRANCH	OPEN	6/2/2016	1930	35.964667	-86.176117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.7
95020190001	WILSON	02019	4.09	BRANCH	OPEN	6/2/2016	1965	35.998833	-86.197367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.3
95020210005	WILSON	02021	1.05	HURRICANE CREEK	OPEN	6/8/2016	1970	36.054517	-86.422167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.1
95020250011	WILSON	02025	0.39	PURTLE CREEK	OPEN	5/13/2016	1960	35.992	-86.044667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
95020250001	WILSON	02025	1.13	PURTLE CREEK	OPEN	5/13/2016	1995	36.0155	-86.044783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
95020250009	WILSON	02025	1.94	PURTLE CREEK	OPEN	5/13/2016	1960	36.012633	-86.043	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95020250007	WILSON	02025	3.41	BRANCH	OPEN	5/13/2016	1965	36.030083	-86.050983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.2
95020250005	WILSON	02025	5.74	GOOSE CREEK	OPEN	5/13/2016	1965	36.064433	-86.05995	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
95020250003	WILSON	02025	6.5	GOOSE CREEK	OPEN	5/13/2016	1960	36.06445	-86.05995	CONCRETE CONTINUOUS	TEE BEAM	74.7
95020290003	WILSON	02029	1.95	LITTLE CANEY BRANCH	OPEN	5/9/2016	1929	36.151133	-86.1316	CONCRETE	TEE BEAM	74.4
95020290001	WILSON	02029	3.35	DRY FORK CREEK	OPEN	5/5/2016	1928	36.169017	-86.1262	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
95020320009	WILSON	02032	0.04	SMITH FORK CREEK	OPEN	6/1/2016	1927	36.0201	-86.124717	CONCRETE	ARCH - DECK	62.4
95020320007	WILSON	02032	0.12	SMITH FORK CREEK	OPEN	6/1/2016	1928	36.019633	-86.1259	CONCRETE	ARCH - DECK	60.7
95020320005	WILSON	02032	1.46	BRANCH	OPEN	6/1/2016	1965	36.0088	-86.143117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
95020320003	WILSON	02032	6.32	WILLIAMS BRANCH	OPEN	6/2/2016	1970	36.004	-86.22065	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.9
95020320001	WILSON	02032	7.41	BRANCH	OPEN	6/2/2016	1975	36.0026	-86.23935	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.4
95020340001	WILSON	02034	2.32	HURRICANE CREEK	OPEN	6/8/2016	1975	36.06165	-86.3829	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.5
95020350001	WILSON	02035	3.33	SPENCER CREEK	OPEN	4/19/2016	1978	36.239017	-86.400783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.3
95020360007	WILSON	02036	1.09	BRANCH	OPEN	6/7/2016	1930	36.054917	-86.22325	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.3
95020360005	WILSON	02036	5.27	BRANCH	OPEN	5/23/2016	1970	36.083183	-86.182717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.2
95020360003	WILSON	02036	6.49	BEECH LOG CREEK	OPEN	5/23/2016	1970	36.088167	-86.16355	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.8
95020360013	WILSON	02036	7.06	THORN CREEK	OPEN	5/23/2016	1987	36.0958	-86.160717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.3
95020360001	WILSON	02036	8.66	ROUND LICK CREEK	OPEN	7/19/2016	1921	36.10025	-86.1313	CONCRETE	ARCH - DECK	71.5
95020360011	WILSON	02036	11.19	HALEY BRANCH	OPEN	5/11/2016	1965	36.119167	-86.10075	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88.5
95020380005	WILSON	02038	0.41	JENNINGS FORK CREEK	OPEN	5/5/2016	1977	36.18865	-86.1703	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.5
95020380007	WILSON	02038	3.41	DRY FORK CREEK	OPEN	4/5/2016	1965	36.170267	-86.122317	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	83.2
95020380009	WILSON	02038	5.3	BIG CANEY CREEK	OPEN	5/9/2016	1965	36.15255	-86.10755	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95020380011	WILSON	02038	9.29	LICK CREEK	OPEN	5/11/2016	1965	36.11485	-86.135117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	73.3
950A0950001	WILSON	02039	1.77	CEDAR CREEK	WEIGHT POSTED	4/22/2016	1965	36.301217	-86.219467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.9
95I00400057	WILSON	04285	1.59	NFA 4285 / I40	OPEN	1/28/2016	2002	36.182633	-86.325883	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.2
95042850003	WILSON	04285	1.73	BRANCH	OPEN	1/28/2016	2002	36.183433	-86.329133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.1
95042850005	WILSON	04285	2.32	BARTONS CREEK	OPEN	7/18/2016	2002	36.192267	-86.32905	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
950A1580001	WILSON	04285	5.73	BARTONS CREEK	OPEN	7/18/2016	1962	36.235367	-86.31505	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.2
950A5390001	WILSON	04450	3.34	STONES CREEK	OPEN	7/21/2016	1970	36.1917	-86.516917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
950A6410001	WILSON	04855	1.25	STONES CREEK	OPEN	7/21/2016	1970	36.170917	-86.491433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.1
950A0160001	WILSON	04861	0.78	BRANCH	OPEN	4/18/2016	1970	36.240533	-86.561933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	79.8
95F00360003	WILSON	05364	0.68	BARTON CREEK	OPEN	7/18/2016	1981	36.195933	-86.32965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.3
950A9880001	WILSON	05364	2.75	SINKING CREEK	OPEN	7/19/2016	1930	36.200083	-86.293167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	95.9
950A4480003	WILSON	05518	0.72	BRANCH	OPEN	6/22/2016	1940	36.19915	-86.400983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.6
950A4480001	WILSON	05518	1.59	BRANCH	OPEN	6/22/2016	1950	36.20155	-86.386	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.5
95I00400023	WILSON	05520	0.38	NFA 5520 / I40	OPEN	2/4/2016	1963	36.18235	-86.306483	CONCRETE CONTINUOUS	TEE BEAM	79.5
950A4890001	WILSON	06100	0.198	WRIGHT BRANCH	OPEN	6/22/2016	1987	36.151783	-86.495883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.6
950A4890003	WILSON	06100	1.65	STONES CREEK	OPEN	7/21/2016	2007	36.167	-86.486083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
950A5190001	WILSON	06101	0.02	CEDAR CREEK	OPEN	7/11/2016	2002	36.212817	-86.499183	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93.4
950A0700001	WILSON	0A070	0.989	KENNEDY CREEK	OPEN	5/18/2016	1940	35.967483	-86.13965	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63
950A0700003	WILSON	0A070	1.95	KENNEDY CREEK	OPEN	5/18/2016	1975	35.972817	-86.12515	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	86.1
950A0820001	WILSON	0A082	0.346	LANE BRANCH	OPEN	7/26/2016	1940	36.28915	-86.49825	STEEL	STRINGER/MULTI-BEAM OR GIRDER	87.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
950A0890001	WILSON	0A089	0.832	BRANCH	OPEN	4/22/2016	1985	36.29875	-86.159917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.3
950A0970001	WILSON	0A097	0.298	SPENCER CREEK	OPEN	4/18/2016	1975	36.265233	-86.4449	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.5
950A0970003	WILSON	0A097	1.04	BRANCH	OPEN	4/18/2016	1960	36.267383	-86.457917	CONCRETE CONTINUOUS	TEE BEAM	70.3
950A0980001	WILSON	0A098	0.138	DRY FORK CREEK	OPEN	4/19/2016	1984	36.279233	-86.440817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
950A0980003	WILSON	0A098	1.217	BRANCH	OPEN	4/19/2016	1978	36.276733	-86.421767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
950A1010001	WILSON	0A101	0.284	BRANCH	OPEN	4/18/2016	1940	36.29965	-86.446133	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	58.5
950A1190001	WILSON	0A119	1.275	DRY FORK BRANCH	OPEN	4/19/2016	1975	36.274167	-86.4275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76
950A1210001	WILSON	0A121	1.134	DRY FORK BRANCH	OPEN	4/19/2016	1950	36.263433	-86.4133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.8
950A1340001	WILSON	0A134	0.084	MCCARMEL BRANCH	OPEN	7/19/2016	1970	36.245033	-86.290233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.2
950A1410003	WILSON	0A141	1.039	BRANCH	OPEN	4/19/2016	1960	36.262733	-86.37875	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.1
950A1470001	WILSON	0A147	2.412	BRANCH	OPEN	7/14/2016	1960	36.219633	-86.337167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
950A1490001	WILSON	0A149	0.397	BRANCH	OPEN	4/20/2016	1960	36.2652	-86.3435	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.9
950A1500001	WILSON	0A150	2.47	BRUNLEY BRANCH	OPEN	4/20/2016	1960	36.29195	-86.3584	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98
950A1500003	WILSON	0A150	4.081	BRANCH	OPEN	4/20/2016	1987	36.300883	-86.341333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.2
950A1500005	WILSON	0A150	4.234	BRANCH	OPEN	4/20/2016	1987	36.300367	-86.338683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86
95020330001	WILSON	0A158	2.518	BARTONS CREEK	OPEN	4/20/2016	1973	36.252967	-86.331467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.3
950A1860001	WILSON	0A186	1.418	BRANCH	OPEN	4/22/2016	1993	36.290233	-86.207217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.2
950A1950001	WILSON	0A195	3.321	CLENDENON BRANCH	OPEN	4/22/2016	1965	36.277483	-86.185983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
950A1950003	WILSON	0A195	5.9	CLENDENON BRANCH	OPEN	4/22/2016	1950	36.282533	-86.156617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.8
950A1970003	WILSON	0A197	1.802	GRISSIM BRANCH	OPEN	5/3/2016	1996	36.243483	-86.18635	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
950A1970001	WILSON	0A197	2.28	CEDAR CREEK	OPEN	5/3/2016	1996	36.247917	-86.17975	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.6
950A1970005	WILSON	0A197	2.566	GRISSIM BRANCH	OPEN	5/3/2016	1999	36.249817	-86.17525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
950A2010001	WILSON	0A201	1.199	JENNINGS CREEK	WEIGHT POSTED	5/9/2016	1950	36.172967	-86.177583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60
950A2040001	WILSON	0A204	0.723	BRANCH	OPEN	5/9/2016	1932	36.142433	-86.088467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.2
950A2060001	WILSON	0A206	1.607	BRANCH	OPEN	5/5/2016	1983	36.1788	-86.1184	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	92.8
950A2060005	WILSON	0A206	1.773	BRANCH	OPEN	5/5/2016	1995	36.178483	-86.115367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
950A2060003	WILSON	0A206	1.925	DRY FORK CREEK	OPEN	5/5/2016	1960	36.179683	-86.113283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.8
950A2110003	WILSON	0A211	0	BRANCH	OPEN	6/2/2016	1994	35.969333	-86.216883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
950A2110001	WILSON	0A211	0.147	BRANCH	OPEN	6/2/2016	1950	35.969283	-86.214217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.7
950A2110005	WILSON	0A211	0.23	BRANCH	OPEN	6/2/2016	2005	35.96725	-86.246633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.9
950A2120001	WILSON	0A212	0.077	CEDAR CREEK	OPEN	5/3/2016	1955	36.229683	-86.1781	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.4
950A2350003	WILSON	0A235	0.25	W. PRONG JENNINGS FK CK	OPEN	5/10/2016	1993	36.167217	-86.200517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.8
950A2350005	WILSON	0A235	1.539	BRANCH	OPEN	5/10/2016	1993	36.176233	-86.21645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
950A2350001	WILSON	0A235	2.965	SPRING CREEK	OPEN	5/10/2016	1970	36.180433	-86.241083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66
950A2530001	WILSON	0A253	0.75	LICK CREEK	OPEN	5/11/2016	1993	36.112833	-86.139317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
950A2650001	WILSON	0A265	1.337	ROUND LICK CREEK	OPEN	5/9/2016	1915	36.138883	-86.0994	CONCRETE	ARCH - DECK	61
950A2760003	WILSON	0A276	0.575	BRANCH	OPEN	5/13/2016	1960	36.07455	-86.074533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.4
950A2760001	WILSON	0A276	0.743	EAVENS BRANCH	OPEN	5/13/2016	1960	36.0725	-86.0735	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.9
950A2820001	WILSON	0A282	0.009	BRANCH	OPEN	5/11/2016	1960	36.09845	-86.129067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.6
950A2820003	WILSON	0A282	0.225	NEAL BRANCH	OPEN	5/11/2016	1915	36.0954	-86.129733	CONCRETE	ARCH - DECK	58.2
950A2820005	WILSON	0A282	0.425	NEAL BRANCH	OPEN	5/11/2016	1940	36.092667	-86.128883	CONCRETE	TEE BEAM	45.5

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
950A2840001	WILSON	0A284	0.868	PATTON HOLLOW BRANCH	OPEN	5/23/2016	1940	36.070617	-86.128	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.3
950A2840003	WILSON	0A284	3.867	WEBB BRANCH	OPEN	5/18/2016	1960	36.043033	-86.098717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.2
950A2870001	WILSON	0A287	2.489	JOHNSON CREEK	OPEN	5/18/2016	1950	36.013817	-86.06265	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.2
950A2880001	WILSON	0A288	0.021	ROUND LICK CREEK	OPEN	5/23/2016	1935	36.073967	-86.140283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.5
950A2940001	WILSON	0A294	1.799	BRANCH	OPEN	5/18/2016	1955	35.989117	-86.061683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77
950A2970001	WILSON	0A297	0.678	GRAVES BRANCH	OPEN	4/20/2016	1986	36.291417	-86.295633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
950A2970003	WILSON	0A297	2.112	BRANCH	OPEN	4/20/2016	1980	36.2848	-86.279	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.8
950A3050001	WILSON	0A305	0.023	SMITH FORK CREEK	OPEN	6/1/2016	1986	36.0166	-86.11595	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	95.2
950A3060001	WILSON	0A306	0.011	SUNSET CREEK	OPEN	6/1/2016	1960	36.010483	-86.137167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.2
950A3180005	WILSON	0A318	0.093	JUG CREEK	OPEN	6/7/2016	1970	36.028783	-86.208383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
950A3180003	WILSON	0A318	2.965	CLEVER CREEK	OPEN	6/6/2016	1945	36.027617	-86.164167	CONCRETE CONTINUOUS	TEE BEAM	70.6
950A3180001	WILSON	0A318	5.356	ROCKY BRANCH	OPEN	6/1/2016	1995	36.0261	-86.1269	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
950A3190003	WILSON	0A319	0.479	BRANCH	OPEN	6/6/2016	2005	36.0136	-86.208383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
950A3190001	WILSON	0A319	1.195	GOOSE CREEK	OPEN	6/6/2016	1950	36.01865	-86.198	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.2
950A3210001	WILSON	0A321	0.15	BRANCH	OPEN	6/7/2016	2005	35.053053	-86.240275	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
950A3280001	WILSON	0A328	0.132	BEECH LOG CREEK	OPEN	5/23/2016	1914	36.095383	-86.14045	CONCRETE	ARCH - DECK	76.6
950A3280003	WILSON	0A328	1.249	BRANCH	OPEN	5/23/2016	1984	36.080317	-86.140083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
950A3320001	WILSON	0A332	0.055	ROUND LICK CREEK	OPEN	5/23/2016	1984	36.0793	-86.1388	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
950A3330001	WILSON	0A333	0.005	PURTLE CREEK	OPEN	5/13/2016	1950	36.023867	-86.043233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
950A3330003	WILSON	0A333	0.258	BRANCH	OPEN	5/13/2016	1950	36.023867	-86.038317	CONCRETE CONTINUOUS	TEE BEAM	70.3
950A3360003	WILSON	0A336	0.351	PEMBERTON BRANCH	OPEN	6/3/2016	1977	36.088767	-86.2308	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.9

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
950A3360001	WILSON	0A336	0.549	SPRING CREEK	OPEN	6/3/2016	1977	36.088267	-86.227333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
950A3420001	WILSON	0A342	0.133	SHOP SPRINGS BRANCH	OPEN	6/3/2016	2016	36.1259	-86.2151	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	100
950A3420003	WILSON	0A342	1.66	SHOP SPRINGS BRANCH	OPEN	6/3/2016	2005	36.10785	-86.2204	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
950A3470001	WILSON	0A347	1.432	YOUNG BRANCH	OPEN	5/4/2016	1980	36.233567	-86.152733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.9
950A3470003	WILSON	0A347	2.351	BRANCH	OPEN	5/4/2016	1980	36.221817	-86.156467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
950A3540001	WILSON	0A354	2.601	SINKING CREEK	OPEN	6/20/2016	1960	36.142733	-86.301317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
950A3570001	WILSON	0A357	2.53	BRANCH	OPEN	5/10/2016	1985	36.13405	-86.213783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85.4
950A2480001	WILSON	0A374	0.963	BIG CRANEY CREEK	OPEN	5/11/2016	1955	36.131517	-86.148033	CONCRETE CONTINUOUS	TEE BEAM	69.4
950A2520001	WILSON	0A376	0.047	ROUND LICK CREEK	WEIGHT POSTED	5/11/2016	1960	36.114383	-86.131617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.4
950A3780001	WILSON	0A378	1.066	CEDAR BRANCH	OPEN	6/10/2016	1970	36.030317	-86.260983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.3
950A3780003	WILSON	0A378	2.268	BRANCH	OPEN	6/10/2016	1998	36.035	-86.2449	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.2
950A3980001	WILSON	0A398	1.656	BRANCH	OPEN	6/6/2016	1985	36.0118	-86.220333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
950A3980003	WILSON	0A398	1.923	GOOSE CREEK	OPEN	6/6/2016	2005	36.0104	-86.21615	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	100
950A4100001	WILSON	0A410	0.098	DRY CREEK	OPEN	6/8/2016	1984	36.107767	-86.393817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.1
950A4120001	WILSON	0A412	4.37	CAVE CREEK	OPEN	6/10/2016	1960	36.0796	-86.332367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95.1
950A4120003	WILSON	0A412	5.832	HURRICANE CREEK	OPEN	6/10/2016	1950	36.067833	-86.31265	CONCRETE	TEE BEAM	96.8
950A4130001	WILSON	0A413	0.472	SUGGS CREEK	OPEN	6/21/2016	2005	36.126017	-86.520583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.3
950A4190001	WILSON	0A419	0.35	BRANCH	OPEN	6/7/2016	2005	36.037847	-86.243008	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
950A4190003	WILSON	0A419	0.46	FALL CREEK	OPEN	6/7/2016	2005	36.037542	-86.226522	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
950A4200001	WILSON	0A420	0.446	SUGGS CREEK	OPEN	6/21/2016	1995	36.11035	-86.480117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
950A4220001	WILSON	0A422	0.41	SPRINGCREEK	OPEN	6/3/2016	2005	36.078117	-86.213483	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
950A4260001	WILSON	0A426	0.937	NORTH FORK SUGGS CREEK	OPEN	6/21/2016	1970	36.12935	-86.482867	CONCRETE CONTINUOUS	TEE BEAM	66.8
950A4300001	WILSON	0A430	0.013	KNIGHT CREEK	OPEN	6/1/2016	1985	35.997383	-86.143967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	73.6
950A4320001	WILSON	0A432	1.04	BRANCH	OPEN	6/7/2016	2005	36.061406	-86.223203	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96
950A4330001	WILSON	0A433	0.972	NORTH FORK SUGGS CREEK	OPEN	6/22/2016	1970	36.1456	-86.467217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.8
950A4360001	WILSON	0A436	2.722	BRANCH	OPEN	6/20/2016	1951	36.166683	-86.3607	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	90.5
950A4530001	WILSON	0A453	0.319	BRANCH	WEIGHT POSTED	7/14/2016	1955	36.207583	-86.341217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	78.1
950A4670001	WILSON	0A467	1.635	BRANCH	OPEN	6/10/2016	1985	36.106667	-86.268467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
950A4740001	WILSON	0A474	1.126	BRANCH	OPEN	7/14/2016	1975	36.2197	-86.34525	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.5
950A4880003	WILSON	0A488	0.855	CEDAR CREEK	OPEN	7/11/2016	1960	36.193567	-86.45635	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	82.7
950A4950003	WILSON	0A495	0.603	BRANCH	OPEN	7/11/2016	1988	36.20035	-86.457633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.3
950A4950001	WILSON	0A495	1.237	BRANCH	OPEN	7/11/2016	1950	36.2062	-86.46065	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
950A4990001	WILSON	0A499	0.7	MARTHA BRANCH	OPEN	6/22/2016	1992	36.218867	-86.4143	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	95
950A4990003	WILSON	0A499	2.91	CEDAR CREEK	OPEN	7/13/2016	1927	36.187667	-86.4187	CONCRETE	ARCH - DECK	52.5
950A5060001	WILSON	0A506	0.152	BRANCH	OPEN	6/22/2016	1992	36.22335	-86.41075	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	91.9
950A5130001	WILSON	0A513	0.976	MIDDLE FORK CREEK	OPEN	6/20/2016	1970	36.183517	-86.392417	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	82.8
950A5150001	WILSON	0A515	0.71	WILSON CREEK	OPEN	7/11/2016	1988	36.1761	-86.43505	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.6
950A5280001	WILSON	0A528	0.168	NORTH FORK SUGGS CREEK	OPEN	6/21/2016	1988	36.127867	-86.485583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.1
950A5820001	WILSON	0A582	0.182	BRANCH	OPEN	7/14/2016	1988	36.2276	-86.380217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.4
950A6480001	WILSON	0A648	0.029	STONES CREEK	OPEN	7/21/2016	1970	36.167833	-86.486833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
950A6480003	WILSON	0A648	0.23	STONES CREEK	OPEN	7/21/2016	1970	36.169183	-86.488867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97
950A6580001	WILSON	0A658	0.14	STONERS CREEK	OPEN	7/20/2016	1985	36.2035	-86.541033	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	82.2
950A7170001	WILSON	0A717	0.123	BRANCH	OPEN	4/20/2016	1984	36.2759	-86.296183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	88
950A7170003	WILSON	0A717	0.301	SPRING CREEK	OPEN	4/20/2016	1927	36.277967	-86.297883	CONCRETE	ARCH - DECK	68
950A7180001	WILSON	0A718	2.066	BRANCH	OPEN	4/22/2016	1960	36.290717	-86.235633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89.5
950A7180003	WILSON	0A718	2.92	NANCY BRANCH	WEIGHT POSTED	4/22/2016	1945	36.2919	-86.223317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.4
950A7190001	WILSON	0A719	1.46	CEDAR CREEK	OPEN	4/22/2016	1986	36.2751	-86.202133	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.6
950A7210001	WILSON	0A721	0.825	BIG CANEY BRANCH	OPEN	5/9/2016	1950	36.149817	-86.116917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
950A7250001	WILSON	0A725	0.295	BRANCH	OPEN	7/20/2016	1927	36.228633	-86.517367	CONCRETE	ARCH - DECK	75.7
950A7300001	WILSON	0A730	0.329	SINKING CREEK	OPEN	7/19/2016	1920	36.207	-86.291933	CONCRETE	SLAB	73.1
950A7310001	WILSON	0A731	0.033	BRANCH	OPEN	7/19/2016	1914	36.2029	-86.2925	CONCRETE	ARCH - DECK	72.1
95020380001	WILSON	0A852	2.238	SPRING CREEK	OPEN	5/4/2016	2000	36.20055	-86.242567	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	93.6
95020380003	WILSON	0A852	3.076	BRANCH	OPEN	5/4/2016	1950	36.19485	-86.229583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4
95F00510001	WILSON	0A886	0.07	JENNINGS FORK CREEK	OPEN	5/4/2016	1985	36.205833	-86.098133	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	78.6
950A9690001	WILSON	0A969	0.119	TARVER BRANCH	OPEN	7/18/2016	1958	36.210783	-86.30105	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	88.5
950A9740001	WILSON	0A974	0.48	SINKING CREEK	OPEN	7/14/2016	1997	36.21725	-86.3005	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91
95K33400001	WILSON	0A987	0.36	SINKING CREEK	OPEN	7/18/2016	1955	36.212017	-86.295417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	72.3
95M33440001	WILSON	0A991	0.01	TOWN CREEK	OPEN	7/19/2016	1955	36.204917	-86.291933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	84.3
950A4600001	WILSON	0A991	1.859	BARTONS CREEK	OPEN	7/14/2016	1960	36.206233	-86.321117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62
950B0400001	WILSON	0B040	0.35	SCHUTES BRANCH	OPEN	4/18/2016	1988	36.2368	-86.565717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
950B1270001	WILSON	0B127	0.054	BRANCH	OPEN	7/11/2016	1989	36.210167	-86.551667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	84.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
950B1430001	WILSON	0B143	0.049	STONERS CREEK	OPEN	7/20/2016	1989	36.204683	-86.535983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
950B2380001	WILSON	0B238	0.425	STONES CREEK	OPEN	7/11/2016	1988	36.183983	-86.504833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81.2
950B3400001	WILSON	0B340	0.064	SPRING CREEK	OPEN	7/20/2016	1988	36.23015	-86.503017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.6
950B2700001	WILSON	0B481	0.241	MIDDLE FORK CEDAR CREEK	OPEN	7/13/2016	2003	36.1873	-86.413	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
950B2700005	WILSON	0B481	0.648	CEDAR CREEK	OPEN	7/13/2016	2003	36.1863	-86.420417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
950B2700007	WILSON	0B481	1.069	BRANCH	OPEN	7/13/2016	2003	36.18555	-86.428067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
950B2700009	WILSON	0B481	1.798	WILSON CREEK	OPEN	7/13/2016	2003	36.18545	-86.440983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
950B2710001	WILSON	0B483	0.153	MIDDLE FORK CEDAR CREEK	OPEN	7/13/2016	2003	36.18665	-86.410567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.8
950B4850001	WILSON	0B485	0.43	N.E.R.R	OPEN	7/14/2016	2000	36.238917	-86.383733	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89
95M33410001	WILSON	0B706	0.41	SINKING CREEK	OPEN	7/18/2016	1970	36.208767	-86.292283	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	85.2
950A3970003	WILSON	0B970	1.62	BRANCH	OPEN	6/9/2016	1992	36.004517	-86.327317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.9
950A3970001	WILSON	0B970	2.487	DRY FORK CREEK	OPEN	6/9/2016	1987	36.011317	-86.319867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
950A4760001	WILSON	0C004	0.254	FALL CREEK	WEIGHT POSTED	6/10/2016	1919	36.014183	-86.364367	CONCRETE	ARCH - DECK	55
950C1020001	WILSON	0C102	0.205	SPENCER CREEK	OPEN	4/18/2016	2010	36.251872	-86.439692	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.9
95I00400005	WILSON	I0040	4.21	STONER CREEK	OPEN	2/18/2016	1965	36.173533	-86.493167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
95I00400009	WILSON	I0040	6.49	BRANCH	OPEN	2/18/2016	1965	36.1786	-86.4534	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
95I00400011	WILSON	I0040	7.435	WILSON CREEK	OPEN	2/18/2016	1965	36.18085	-86.4366	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
95I00400013	WILSON	I0040	8.82	SOUTH FORK CREEK	OPEN	2/18/2016	1965	36.183767	-86.411267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
95I00400017	WILSON	I0040	9.42	MIDDLE FORK CREEK	OPEN	2/18/2016	1965	36.184467	-86.4017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67
95I00400020	WILSON	I0040	12.95	BARTONS CREEK	OPEN	2/2/2016	1965	36.183367	-86.337917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.4

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95I00400019	WILSON	I0040	12.95	BARTONS CREEK	OPEN	2/2/2016	1965	36.183117	-86.338167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.4
95I00400059	WILSON	I0040	13.52	BRANCH	OPEN	1/28/2016	2002	36.1824	-86.328867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
95I00400026	WILSON	I0040	14.94	SINKING CREEK	OPEN	2/2/2016	1965	36.1824	-86.302167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.9
95I00400025	WILSON	I0040	14.94	SINKING CREEK	OPEN	2/2/2016	1965	36.182717	-86.302433	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.9
95I00400033	WILSON	I0040	16.76	CSX RAILROAD	OPEN	2/4/2016	1964	36.18765	-86.270567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	79.8
95I00400034	WILSON	I0040	16.76	CSX RAILROAD	OPEN	2/4/2016	1964	36.18795	-86.2708	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.8
95I00400036	WILSON	I0040	16.82	I40 / SR 26	OPEN	2/3/2016	1964	36.186667	-86.27	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
95I00400035	WILSON	I0040	16.82	I40 / SR 26	OPEN	2/3/2016	1964	36.18795	-86.269417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	96
95I00400037	WILSON	I0040	18.61	SPRING CREEK	OPEN	2/2/2016	1964	36.193483	-86.238383	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.4
95I00400038	WILSON	I0040	18.61	SPRING CREEK	OPEN	2/2/2016	1964	36.193733	-86.238083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.4
95I00400040	WILSON	I0040	19.16	BRANCH AND NFA A852	OPEN	2/17/2016	1964	36.1939	-86.228817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.3
95I00400039	WILSON	I0040	19.16	BRANCH AND NFA A852	OPEN	2/17/2016	1964	36.193733	-86.228533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.3
95I00400044	WILSON	I0040	22.52	JENNINGS FORK CREEK	OPEN	2/19/2016	1962	36.189317	-86.168617	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
95I00400043	WILSON	I0040	22.52	JENNINGS FORK CREEK	OPEN	2/19/2016	1962	36.1891	-86.1688	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
95I00400045	WILSON	I0040	25.47	BRANCH	OPEN	2/19/2016	1964	36.1706	-86.122017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
95I00400050	WILSON	I0040	27.3	ROUND LICK CREEK	OPEN	2/19/2016	1964	36.170117	-86.091133	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.5
95I00400049	WILSON	I0040	27.3	ROUND LICK CREEK	OPEN	2/19/2016	1964	36.169933	-86.091117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.5
95SR8400019	WILSON	I0840	1.1	BRANCH	OPEN	4/8/2016	1994	36.0648	-86.430533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
95SR8400005	WILSON	I0840	3.83	SINKING CREEK	OPEN	4/11/2016	1994	36.101	-86.414617	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95SR8400006	WILSON	I0840	3.83	SINKING CREEK	OPEN	4/11/2016	1994	36.10125	-86.414833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	84
95SR8400007	WILSON	I0840	4.65	I840/STEWARTS FERRY PK	OPEN	4/11/2016	1994	36.111633	-86.408967	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
95SR8400008	WILSON	I0840	4.65	I840/STEWARTS FERRY PK	OPEN	4/11/2016	1994	36.111717	-86.409233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
95SR8400015	WILSON	I0840	5.01	BRANCH	OPEN	4/11/2016	1994	36.1169	-86.407467	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68
95SR8400011	WILSON	I0840	8.09	I840 / OAK GROVE RD	OPEN	4/12/2016	1994	36.146183	-86.369183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87
95SR8400012	WILSON	I0840	8.09	I840 / OAK GROVE RD	OPEN	4/12/2016	1994	36.146617	-86.3691	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87
95SR8400017	WILSON	I0840	9.6	BRANCH	OPEN	4/12/2016	1994	36.16485	-86.356133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.4
95SR8400014	WILSON	I0840	10.31	I840 / FRANKLIN RD	OPEN	4/12/2016	1994	36.1745	-86.352233	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.2
95SR8400013	WILSON	I0840	10.31	I840 / FRANKLIN RD	OPEN	4/12/2016	1994	36.174767	-86.351783	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	81.2
95I00400053	WILSON	I0840	10.89	C-D ROAD 1 I840 / I40	OPEN	1/27/2016	1994	36.183133	-86.352017	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.7
95I00400055	WILSON	I0840	10.89	RAMP 2 I840 / I40	OPEN	1/27/2016	1994	36.1833	-86.353917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	88
95SR0100001	WILSON	SR010	0.27	FALL CREEK	OPEN	3/2/2016	1956	36.01415	-86.363383	CONCRETE	TEE BEAM	63
95SR0100003	WILSON	SR010	3.81	HURRICANE CREEK	OPEN	3/2/2016	1955	36.0633	-86.345833	CONCRETE	TEE BEAM	63
95SR0100005	WILSON	SR010	6.78	BRANCH	OPEN	3/2/2016	1955	36.1042	-86.33065	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60
95SR0100007	WILSON	SR010	11.67	SINKING CREEK	OPEN	3/2/2016	1958	36.17115	-86.3036	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52
95I00400027	WILSON	SR010	12.46	SR 10 / I-40	OPEN	2/17/2016	1965	36.18	-86.3	CONCRETE CONTINUOUS	TEE BEAM	86.8
95SR0100009	WILSON	SR010	12.82	SINKING CREEK	OPEN	3/2/2016	1958	36.186917	-86.2968	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
95SR0100012	WILSON	SR010	13.56	TOWN CREEK	OPEN	3/7/2016	1959	36.197167	-86.292633	CONCRETE	TEE BEAM	48.1
95SR0100011	WILSON	SR010	13.56	TOWN CREEK	OPEN	3/7/2016	1959	36.1971	-86.292483	CONCRETE	TEE BEAM	48.1
95SR0100013	WILSON	SR010	16.17	WALKER BRANCH	OPEN	3/7/2016	1955	36.23475	-86.28955	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.3
95SR0100015	WILSON	SR010	19.475	SPRING CREEK	OPEN	3/7/2016	1955	36.280533	-86.275233	CONCRETE	TEE BEAM	63.9
95SR0100017	WILSON	SR010	20.91	CUMBERLAND RIVER	OPEN	3/29/2016	1991	36.2987	-86.263467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	55.1

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95SR0240027	WILSON	SR024	0.51	BRANCH	OPEN	3/8/2016	1999	36.2168	-86.582583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	81
95SR0240001	WILSON	SR024	4.5	CEDAR CREEK	OPEN	3/8/2016	1999	36.230883	-86.506833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83
95SR0240003	WILSON	SR024	5.11	BRANCH	OPEN	3/8/2016	1932	36.231933	-86.496083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
95SR0240005	WILSON	SR024	5.35	BRANCH	OPEN	3/8/2016	1930	36.231817	-86.491667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72
95SR0240023	WILSON	SR024	8.91	SR 24/SR109	OPEN	3/8/2016	2007	36.232717	-86.4293	CONCRETE CONTINUOUS	TEE BEAM	100
95SR0240007	WILSON	SR024	9.05	COOKS BRANCH	OPEN	3/8/2016	2007	36.232833	-86.426833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
95SR0240009	WILSON	SR024	9.16	OVERFLOW	OPEN	3/8/2016	2007	36.233833	-86.424833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
95SR0240011	WILSON	SR024	9.29	SPENCE CREEK	OPEN	3/8/2016	2007	36.23455	-86.422783	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
95SR0240029	WILSON	SR024	10.32	BRANCH	OPEN	3/9/2016	2007	36.2168	-86.582583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	85
95SR0240013	WILSON	SR024	11.2	SPENCE CREEK	OPEN	3/9/2016	2007	36.235483	-86.39035	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
95SR0240031	WILSON	SR024	13.14	BRANCH	OPEN	3/9/2016	2006	36.22645	-86.358583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
95SR0240033	WILSON	SR024	14.14	BRANCH	OPEN	3/9/2016	2006	36.220433	-86.342383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82
95SR0240035	WILSON	SR024	14.51	BRANCH	OPEN	3/9/2016	2006	36.218133	-86.3363	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
95SR0240015	WILSON	SR024	15.47	BARTON CREEK	OPEN	3/9/2016	1932	36.212783	-86.320267	CONCRETE	TEE BEAM	46.5
95SR0240037	WILSON	SR024	17.1	SINKING CREEK	OPEN	3/9/2016	1931	36.208217	-86.291933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	68.5
95SR0240017	WILSON	SR024	20.275	SPRING CREEK	OPEN	3/7/2016	1931	36.221	-86.2384	CONCRETE	TEE BEAM	54.8
95SR0240019	WILSON	SR024	23.71	CEDAR CREEK	OPEN	3/7/2016	1931	36.236233	-86.179817	CONCRETE	TEE BEAM	43.5
95SR0240021	WILSON	SR024	24.785	CANEY CREEK	OPEN	3/7/2016	1931	36.24095	-86.161667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60
95FA0243001	WILSON	SR026	1.29	BARTONS CREEK	OPEN	3/10/2016	1963	36.21855	-86.3133	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	75.4
95FA0243003	WILSON	SR026	2.33	SINKING CREEK	OPEN	3/10/2016	1960	36.213067	-86.296167	CONCRETE	TEE BEAM	76
95FA0243004	WILSON	SR026	2.33	SINKING CREEK	OPEN	3/10/2016	1960	36.213017	-86.296133	CONCRETE	TEE BEAM	63.6
95SR0260001	WILSON	SR026	6.42	BLACK BRANCH	OPEN	3/10/2016	1946	36.171483	-86.255683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95SR0260003	WILSON	SR026	8.13	SPRING CREEK	OPEN	3/10/2016	1940	36.150783	-86.23895	CONCRETE	TEE BEAM	83
95SR0260005	WILSON	SR026	8.45	BRANCH	OPEN	3/10/2016	1940	36.147133	-86.2362	CONCRETE	TEE BEAM	83.8
95SR0260007	WILSON	SR026	9.3	BRANCH	OPEN	3/15/2016	1940	36.13875	-86.224433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.7
95SR0260009	WILSON	SR026	14.45	THORN CREEK	OPEN	3/15/2016	1956	36.09615	-86.156533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
95SR0260011	WILSON	SR026	14.62	BEECH CREEK	OPEN	3/15/2016	1956	36.09565	-86.153683	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83.8
95SR0260013	WILSON	SR026	14.9	BEECH CREEK	OPEN	3/15/2016	1956	36.096217	-86.1486	CONCRETE	TEE BEAM	71.8
95SR0260015	WILSON	SR026	15.95	ROUND LICK CREEK	OPEN	3/15/2016	1956	36.098467	-86.130067	CONCRETE	TEE BEAM	83.8
95SR0260017	WILSON	SR026	19.62	BRANCH	OPEN	3/16/2016	1956	36.091033	-86.070717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	82.8
95SR0260019	WILSON	SR026	20.31	EAVENS CREEK	OPEN	3/16/2016	1953	36.085117	-86.060517	CONCRETE	TEE BEAM	68.8
95SR0960001	WILSON	SR096	0.21	KENNEDY CREEK	OPEN	3/16/2016	1956	35.967833	-86.07705	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	75.9
95SR0960003	WILSON	SR096	0.93	SAUNDERS FORK CREEK	OPEN	3/16/2016	1963	35.976567	-86.070667	CONCRETE	TEE BEAM	84.2
95SR0960007	WILSON	SR096	2.03	BRANCH	OPEN	3/16/2016	1963	35.981983	-86.0533	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
95SR0960005	WILSON	SR096	2.91	SMITH FORK CREEK	OPEN	3/16/2016	1956	35.9886	-86.0402	STEEL	STRINGER/MULTI-BEAM OR GIRDER	85.3
95SR8400010	WILSON	SR109	0	CENTRAL PIKE / I840	OPEN	3/17/2016	1994	36.129933	-86.397717	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.8
95SR8400009	WILSON	SR109	0	CENTRAL PIKE / I840	OPEN	3/17/2016	1994	36.1301	-86.397417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.3
95SR1090013	WILSON	SR109	3.02	BRANCH	OPEN	3/17/2016	2001	36.17185	-86.39985	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
95SR1090015	WILSON	SR109	3.4	BRANCH	OPEN	3/17/2016	2001	36.177283	-86.402717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.6
95I00400016	WILSON	SR109	3.96	SR 109 / I40	OPEN	1/14/2016	1998	36.184767	-86.407367	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84
95I00400015	WILSON	SR109	3.96	SR 109 / I40	OPEN	1/14/2016	1998	36.184717	-86.407117	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82
95SR1090001	WILSON	SR109	4.08	MIDDLE FORK CEDAR CREEK	OPEN	3/17/2016	1965	36.186183	-86.407617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	83
95SR1090011	WILSON	SR109	4.4	NORTH FORK CEDAR CREEK	OPEN	3/18/2016	1999	36.1904	-86.41	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68
95SR1090017	WILSON	SR109	7.02	N.E.R.R.	OPEN	3/18/2016	2012	36.00375	-86.0071	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95SR1090003	WILSON	SR109	7.31	BRANCH	OPEN	3/18/2016	2007	36.228333	-86.428333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
95SR1090005	WILSON	SR109	8.16	BRANCH	OPEN	3/18/2016	1955	36.24165	-86.432267	CONCRETE	TEE BEAM	65.8
95SR1090007	WILSON	SR109	11.35	DRY FORK CREEK	OPEN	3/18/2016	1955	36.287083	-86.443683	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	83.8
95SR1090009	WILSON	SR109	14.82	CUMBERLAND RIVER	OPEN	7/27/2016	2014	36.337067	-86.436367	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	84.8
95SR1410001	WILSON	SR141	0.825	BRANCH	OPEN	3/22/2016	1938	36.315883	-86.17865	CONCRETE	ARCH - DECK	93.3
95SR1410003	WILSON	SR141	3.26	BRANCH	OPEN	3/22/2016	2016	36.289917	-86.206167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.4
95SR1410005	WILSON	SR141	3.375	CEDAR CREEK	OPEN	3/22/2016	2016	36.289183	-86.20785	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	90.4
95SR1410019	WILSON	SR141	6.13	BRANCH	OPEN	3/22/2016	2009	36.261017	-86.2406	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.3
95SR1410007	WILSON	SR141	6.76	SPRING CREEK	OPEN	3/22/2016	1973	36.253	-86.246517	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.9
95SR1410009	WILSON	SR141	12.975	SPRING CREEK	OPEN	4/4/2016	1962	36.207883	-86.2315	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	87.1
95SR1410011	WILSON	SR141	15.955	CEDAR CREEK	OPEN	4/4/2016	1947	36.199833	-86.182367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.3
95SR1410013	WILSON	SR141	17.37	JENNINGS FORK CREEK	OPEN	4/4/2016	1984	36.200967	-86.157367	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.7
95SR1410015	WILSON	SR141	17.815	BRANCH	OPEN	4/4/2016	1999	36.201183	-86.149667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
95SR1410017	WILSON	SR141	18.54	JENNINGS FORK CREEK	OPEN	4/4/2016	1999	36.199433	-86.136867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	97.3
95SR1710003	WILSON	SR171	1.05	BRANCH	OPEN	3/21/2016	1985	36.118183	-86.52135	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.5
95F00340001	WILSON	SR171	1.88	SUGGS CREEK	OPEN	3/21/2016	1955	36.129783	-86.5194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	92.3
95SR1710001	WILSON	SR171	2.87	WRIGHT BRANCH	OPEN	3/21/2016	1988	36.1438	-86.51645	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
95I00400003	WILSON	SR171	4.79	MT. JULIET RD./ I40	OPEN	1/27/2016	1963	36.171183	-86.5131	CONCRETE CONTINUOUS	TEE BEAM	91.3
95I00400061	WILSON	SR171	4.85	I-40 RAMP "E"	OPEN	1/27/2016	2008	36.1706	-86.510233	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	85
95S61600001	WILSON	SR171	5.91	STONES CREEK	OPEN	3/21/2016	2002	36.18695	-86.511733	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
95S61600003	WILSON	SR171	8.91	BRANCH	OPEN	3/21/2016	1938	36.227967	-86.513883	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	91.2

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95I00400001	WILSON	SR265	2.24	SR 265 / I40	OPEN	1/14/2016	1963	36.167483	-86.53205	CONCRETE CONTINUOUS	TEE BEAM	50.9
95S61590001	WILSON	SR265	2.99	NORTH CREEK	OPEN	4/5/2016	1930	36.15855	-86.524367	CONCRETE	ARCH - DECK	69.4
95S61590003	WILSON	SR265	4.49	WRIGHT BRANCH	OPEN	4/5/2016	1920	36.149667	-86.50085	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	87.1
95S61590005	WILSON	SR265	7.09	NORTH FORK SUGGS CREEK	OPEN	4/5/2016	1950	36.146233	-86.45515	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.7
95S61590007	WILSON	SR265	10.87	BRANCH	OPEN	4/5/2016	1955	36.127933	-86.391717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.9
95S61590009	WILSON	SR265	11.74	WEST FORK SINKING CREEK	OPEN	4/5/2016	1955	36.126367	-86.376333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	79.8
95S61590011	WILSON	SR265	13.69	DRY CREEK	OPEN	4/5/2016	1955	36.110617	-86.348133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	74.8
95S61590013	WILSON	SR265	18.6	WEST FORK SPRING CREEK	OPEN	4/6/2016	1950	36.10375	-86.26945	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	98.6
95S61590015	WILSON	SR265	18.79	BRANCH	OPEN	4/6/2016	1955	36.105883	-86.26715	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	80.9
95S61590017	WILSON	SR265	19.4	WEST FORK SPRING CREEK	OPEN	4/6/2016	1955	36.1091	-86.257717	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99.6
95S61590019	WILSON	SR265	20.54	MIDDLE FORK SPRING CREEK	OPEN	4/6/2016	1960	36.108283	-86.2376	CONCRETE	TEE BEAM	77.2
95S61590021	WILSON	SR265	22.14	DRY CREEK	OPEN	4/6/2016	1955	36.108417	-86.211083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	89
95S63020001	WILSON	SR266	1.54	BRANCH	OPEN	4/7/2016	1955	35.989533	-86.247433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	91.7
95S63020003	WILSON	SR266	2.5	FLORIDA CREEK	OPEN	4/7/2016	1959	36.002417	-86.242983	CONCRETE	TEE BEAM	87.5
95S63020005	WILSON	SR266	4.6	JUG CREEK	OPEN	4/7/2016	1960	36.03135	-86.241517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	86.5
95S63020007	WILSON	SR266	4.76	FALL CREEK	OPEN	4/7/2016	1959	36.033667	-86.24095	CONCRETE	TEE BEAM	87.5
95S63020009	WILSON	SR266	9.79	MIDDLE FORK SPRING CREEK	OPEN	4/7/2016	1955	36.1029	-86.243167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	96.3
95S63020011	WILSON	SR266	10.84	WEST FORK SPRING CREEK	OPEN	4/7/2016	1957	36.117367	-86.2444	CONCRETE	TEE BEAM	72.9
95S63020013	WILSON	SR266	12.62	DEDMAN BRANCH	OPEN	4/7/2016	1955	36.138033	-86.258983	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	94.2
95I00400031	WILSON	SR266	16.24	SR 266 / I40	WEIGHT POSTED	2/17/2016	1964	36.186333	-86.276467	CONCRETE CONTINUOUS	TEE BEAM	64.1
95S61610001	WILSON	SR267	0.55	SMITH FORK CREEK	OPEN	4/13/2016	1953	35.984233	-86.073917	CONCRETE	TEE BEAM	69
95S61610003	WILSON	SR267	3.65	WEBB BRANCH	OPEN	4/13/2016	1993	36.019117	-86.104667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76

Tennessee Highway Bridge Report



BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
95S61610005	WILSON	SR267	7.12	BRANCH	OPEN	4/13/2016	1955	36.048983	-86.142433	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	76.2
95S61610007	WILSON	SR267	9.38	PATTON HOLLOW BRANCH	OPEN	4/13/2016	1950	36.079217	-86.137617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	77.1
95S61610009	WILSON	SR267	10.53	ROUND LICK CREEK	OPEN	4/13/2016	1948	36.094317	-86.133233	CONCRETE	TEE BEAM	64.9
95S61610011	WILSON	SR267	10.71	BEECH LOG CREEK	OPEN	4/13/2016	1948	36.0969	-86.133233	CONCRETE	TEE BEAM	73
95SR4520001	WILSON	SR452	0.92	BRANCH	OPEN	4/8/2016	2001	36.0228	-86.3697	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	99
95SR4520003	WILSON	SR452	1.33	BRANCH	OPEN	4/8/2016	2001	36.022433	-86.362283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	93.8