

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**TENNESSEE**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	1,801	13.2
NOT MARRIED	11,295	82.5
UNKNOWN	595	4.3
TOTAL	13,691	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	8,000	58.4
1	3,441	25.1
2	1,351	9.9
3	463	3.4
4+	286	2.1
UNKNOWN	150	1.1
TOTAL	13,691	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	4,343	31.7
7-8	4,405	32.2
9-10	2,263	16.5
11-12	1,680	12.3
13-14	523	3.8
15-16	177	1.3
17-20	45	0.3
UNKNOWN	255	1.9
TOTAL	13,691	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	13,584	1,450,130	9.4	6,458	1,139,949	5.7	6,680	310,181	21.5
10-14	57	196,135	0.3	25	149,090	0.2	31	47,045	0.7
15-17	676	123,216	5.5	309	95,695	3.2	349	27,521	12.7
18-19	1,375	86,201	16.0	676	65,908	10.3	654	20,293	32.2
20-24	4,529	206,207	22.0	2,172	160,467	13.5	2,235	45,740	48.9
25-29	3,454	203,928	16.9	1,592	159,732	10.0	1,733	44,196	39.2
30-34	1,978	204,399	9.7	897	161,321	5.6	1,000	43,078	23.2
35-39	1,188	211,939	5.6	610	170,349	3.6	542	41,590	13.0
40-44	327	218,105	1.5	177	177,387	1.0	136	40,718	3.3

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	13,584	81,974	165.7	6,458	61,007	105.9	6,680	20,288	329.3
10-14	57	121	471.1	25	70	357.1	31	51	607.8
15-17	676	2,955	228.8	309	1,818	170.0	349	1,119	311.9
18-19	1,375	7,406	185.7	676	5,017	134.7	654	2,343	279.1
20-24	4,529	24,027	188.5	2,172	17,175	126.5	2,235	6,650	336.1
25-29	3,454	23,216	148.8	1,592	17,844	89.2	1,733	5,164	335.6
30-34	1,978	15,835	124.9	897	12,565	71.4	1,000	3,143	318.2
35-39	1,188	7,079	167.8	610	5,503	110.8	542	1,514	358.0
40-44	327	1,335	244.9	177	1,015	174.4	136	304	447.4

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state. The total number of recorded induced terminations of pregnancy in Tennessee was 17,474.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**EAST TENNESSEE**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	158	18.7
NOT MARRIED	655	77.6
UNKNOWN	31	3.7
TOTAL	844	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	562	66.6
1	182	21.6
2	74	8.8
3	13	1.5
4+	4	0.5
UNKNOWN	9	1.1
TOTAL	844	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	290	34.4
7-8	290	34.4
9-10	111	13.2
11-12	84	10.0
13-14	40	4.7
15-16	20	2.4
17-20	0	0.0
UNKNOWN	9	1.1
TOTAL	844	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	839	165,126	5.1	775	159,544	4.9	55	5,582	9.9
10-14	3	21,845	0.1	2	20,898	0.1	1	947	1.1
15-17	47	14,974	3.1	42	14,391	2.9	4	583	6.9
18-19	101	9,599	10.5	99	9,217	10.7	1	382	2.6
20-24	278	22,247	12.5	254	21,465	11.8	24	782	30.7
25-29	185	22,245	8.3	167	21,548	7.8	14	697	20.1
30-34	107	23,018	4.6	101	22,356	4.5	4	662	6.0
35-39	94	24,777	3.8	87	24,069	3.6	6	708	8.5
40-44	24	26,421	0.9	23	25,600	0.9	1	821	1.2

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	839	8,218	102.1	775	7,808	99.3	55	341	161.3
10-14	3	16	187.5	2	16	125.0	1	0	-
15-17	47	320	146.9	42	298	140.9	4	21	190.5
18-19	101	881	114.6	99	848	116.7	1	25	40.0
20-24	278	2,702	102.9	254	2,564	99.1	24	111	216.2
25-29	185	2,224	83.2	167	2,121	78.7	14	83	168.7
30-34	107	1,357	78.9	101	1,287	78.5	4	66	60.6
35-39	94	623	150.9	87	584	149.0	6	31	193.5
40-44	24	95	252.6	23	90	255.6	1	4	250.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**NORTHEAST TN**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	42	16.5
NOT MARRIED	195	76.8
UNKNOWN	17	6.7
TOTAL	254	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	179	70.5
1	48	18.9
2	18	7.1
3	6	2.4
4+	1	0.4
UNKNOWN	2	0.8
TOTAL	254	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	74	29.1
7-8	79	31.1
9-10	51	20.1
11-12	31	12.2
13-14	11	4.3
15-16	4	1.6
17-20	2	0.8
UNKNOWN	2	0.8
TOTAL	254	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	251	78,003	3.2	234	75,191	3.1	16	2,812	5.7
10-14	2	9,771	0.2	2	9,362	0.2	0	409	0.0
15-17	7	6,352	1.1	7	6,130	1.1	0	222	0.0
18-19	31	4,561	6.8	31	4,365	7.1	0	196	0.0
20-24	94	11,236	8.4	86	10,805	8.0	7	431	16.2
25-29	57	10,857	5.3	53	10,444	5.1	4	413	9.7
30-34	31	10,993	2.8	29	10,597	2.7	2	396	5.1
35-39	21	11,939	1.8	20	11,564	1.7	1	375	2.7
40-44	8	12,294	0.7	6	11,924	0.5	2	370	5.4

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	251	3,653	68.7	234	3,462	67.6	16	139	115.1
10-14	2	3	666.7	2	3	666.7	0	0	-
15-17	7	130	53.8	7	122	57.4	0	5	0.0
18-19	31	372	83.3	31	356	87.1	0	14	0.0
20-24	94	1,134	82.9	86	1,082	79.5	7	33	212.1
25-29	57	1,012	56.3	53	961	55.2	4	35	114.3
30-34	31	690	44.9	29	647	44.8	2	35	57.1
35-39	21	258	81.4	20	241	83.0	1	14	71.4
40-44	8	54	148.1	6	50	120.0	2	3	666.7

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**MID-CUMBERLAND**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	335	17.2
NOT MARRIED	1,473	75.7
UNKNOWN	137	7.0
TOTAL	1,945	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,236	63.5
1	450	23.1
2	156	8.0
3	38	2.0
4+	39	2.0
UNKNOWN	26	1.3
TOTAL	1,945	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	709	36.5
7-8	609	31.3
9-10	266	13.7
11-12	152	7.8
13-14	88	4.5
15-16	28	1.4
17-20	9	0.5
UNKNOWN	84	4.3
TOTAL	1,945	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	1,928	256,334	7.5	1,351	225,430	6.0	478	30,904	15.5
10-14	9	35,372	0.3	8	30,914	0.3	0	4,458	0.0
15-17	108	23,087	4.7	74	20,462	3.6	29	2,625	11.0
18-19	213	14,297	14.9	154	12,354	12.5	44	1,943	22.6
20-24	645	35,608	18.1	463	31,074	14.9	160	4,534	35.3
25-29	438	34,132	12.8	312	29,630	10.5	105	4,502	23.3
30-34	285	34,701	8.2	184	30,315	6.1	81	4,386	18.5
35-39	178	38,792	4.6	123	34,628	3.6	46	4,164	11.0
40-44	52	40,345	1.3	33	36,053	0.9	13	4,292	3.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	1,928	14,625	131.8	1,351	12,416	108.8	478	2,083	229.5
10-14	9	11	818.2	8	10	800.0	0	1	0.0
15-17	108	359	300.8	74	287	257.8	29	71	408.5
18-19	213	1,019	209.0	154	837	184.0	44	173	254.3
20-24	645	3,852	167.4	463	3,178	145.7	160	630	254.0
25-29	438	4,398	99.6	312	3,775	82.6	105	586	179.2
30-34	285	3,226	88.3	184	2,822	65.2	81	388	208.8
35-39	178	1,494	119.1	123	1,283	95.9	46	196	234.7
40-44	52	266	195.5	33	224	147.3	13	38	342.1

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**SOUTH CENTRAL**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	78	16.3
NOT MARRIED	379	79.1
UNKNOWN	22	4.6
TOTAL	479	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	297	62.0
1	102	21.3
2	45	9.4
3	16	3.3
4+	13	2.7
UNKNOWN	6	1.3
TOTAL	479	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	170	35.5
7-8	132	27.6
9-10	78	16.3
11-12	50	10.4
13-14	18	3.8
15-16	8	1.7
17-20	7	1.5
UNKNOWN	16	3.3
TOTAL	479	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	474	86,863	5.5	385	79,331	4.9	73	7,532	9.7
10-14	1	12,186	0.1	1	10,987	0.1	0	1,199	0.0
15-17	24	8,224	2.9	19	7,450	2.6	3	774	3.9
18-19	50	4,980	10.0	41	4,518	9.1	9	462	19.5
20-24	140	12,125	11.5	113	10,971	10.3	21	1,154	18.2
25-29	119	12,020	9.9	104	11,015	9.4	12	1,005	11.9
30-34	80	11,697	6.8	54	10,775	5.0	22	922	23.9
35-39	48	12,399	3.9	41	11,450	3.6	6	949	6.3
40-44	12	13,232	0.9	12	12,165	1.0	0	1,067	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	474	4,847	97.8	385	4,275	90.1	73	436	167.4
10-14	1	9	111.1	1	8	125.0	0	1	0.0
15-17	24	175	137.1	19	147	129.3	3	27	111.1
18-19	50	513	97.5	41	468	87.6	9	44	204.5
20-24	140	1,610	87.0	113	1,399	80.8	21	177	118.6
25-29	119	1,346	88.4	104	1,200	86.7	12	101	118.8
30-34	80	822	97.3	54	729	74.1	22	55	400.0
35-39	48	319	150.5	41	283	144.9	6	23	260.9
40-44	12	53	226.4	12	41	292.7	0	8	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**SOUTHEAST**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	48	19.5
NOT MARRIED	190	77.2
UNKNOWN	8	3.3
TOTAL	246	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	171	69.5
1	56	22.8
2	11	4.5
3	6	2.4
4+	0	0.0
UNKNOWN	2	0.8
TOTAL	246	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	71	28.9
7-8	79	32.1
9-10	51	20.7
11-12	25	10.2
13-14	9	3.7
15-16	6	2.4
17-20	1	0.4
UNKNOWN	4	1.6
TOTAL	246	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	246	73,514	3.3	215	69,946	3.1	26	3,568	7.3
10-14	0	9,848	0.0	0	9,260	0.0	0	588	0.0
15-17	14	6,230	2.2	12	5,904	2.0	2	326	6.1
18-19	32	4,692	6.8	28	4,422	6.3	4	270	14.8
20-24	92	10,126	9.1	79	9,638	8.2	8	488	16.4
25-29	43	10,354	4.2	37	9,877	3.7	6	477	12.6
30-34	35	10,717	3.3	32	10,259	3.1	3	458	6.6
35-39	25	10,612	2.4	22	10,166	2.2	3	446	6.7
40-44	5	10,935	0.5	5	10,420	0.5	0	515	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	246	3,607	68.2	215	3,388	63.5	26	197	132.0
10-14	0	6	0.0	0	6	0.0	0	0	-
15-17	14	146	95.9	12	138	87.0	2	6	333.3
18-19	32	405	79.0	28	376	74.5	4	26	153.8
20-24	92	1,217	75.6	79	1,144	69.1	8	67	119.4
25-29	43	959	44.8	37	905	40.9	6	47	127.7
30-34	35	557	62.8	32	527	60.7	3	26	115.4
35-39	25	266	94.0	22	245	89.8	3	21	142.9
40-44	5	51	98.0	5	47	106.4	0	4	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**UPPER CUMBERLAND**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	56	19.9
NOT MARRIED	215	76.5
UNKNOWN	10	3.6
TOTAL	281	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	190	67.6
1	59	21.0
2	20	7.1
3	5	1.8
4+	4	1.4
UNKNOWN	3	1.1
TOTAL	281	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	97	34.5
7-8	82	29.2
9-10	53	18.9
11-12	21	7.5
13-14	17	6.0
15-16	4	1.4
17-20	2	0.7
UNKNOWN	5	1.8
TOTAL	281	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	280	74,615	3.8	265	72,941	3.6	12	1,674	7.2
10-14	1	9,988	0.1	1	9,711	0.1	0	277	0.0
15-17	19	6,562	2.9	19	6,420	3.0	0	142	0.0
18-19	32	4,537	7.1	31	4,418	7.0	1	119	8.4
20-24	93	11,100	8.4	91	10,793	8.4	2	307	6.5
25-29	66	10,088	6.5	62	9,859	6.3	2	229	8.7
30-34	46	9,933	4.6	38	9,741	3.9	7	192	36.5
35-39	17	10,793	1.6	17	10,592	1.6	0	201	0.0
40-44	6	11,614	0.5	6	11,407	0.5	0	207	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	280	3,884	72.1	265	3,759	70.5	12	112	107.1
10-14	1	7	142.9	1	6	166.7	0	1	0.0
15-17	19	132	143.9	19	129	147.3	0	3	0.0
18-19	32	421	76.0	31	407	76.2	1	14	71.4
20-24	93	1,317	70.6	91	1,279	71.1	2	34	58.8
25-29	66	1,104	59.8	62	1,064	58.3	2	35	57.1
30-34	46	609	75.5	38	590	64.4	7	15	466.7
35-39	17	246	69.1	17	237	71.7	0	9	0.0
40-44	6	48	125.0	6	47	127.7	0	1	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**NORTHWEST**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	28	10.6
NOT MARRIED	229	87.1
UNKNOWN	6	2.3
TOTAL	263	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	179	68.1
1	53	20.2
2	21	8.0
3	6	2.3
4+	4	1.5
UNKNOWN	0	0.0
TOTAL	263	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	97	36.9
7-8	72	27.4
9-10	46	17.5
11-12	33	12.5
13-14	8	3.0
15-16	3	1.1
17-20	2	0.8
UNKNOWN	2	0.8
TOTAL	263	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	263	56,184	4.7	177	47,666	3.7	79	8,518	9.3
10-14	0	7,806	0.0	0	6,571	0.0	0	1,235	0.0
15-17	24	5,337	4.5	16	4,500	3.6	8	837	9.6
18-19	31	3,738	8.3	24	3,062	7.8	7	676	10.4
20-24	88	8,355	10.5	52	6,879	7.6	30	1,476	20.3
25-29	67	7,464	9.0	48	6,371	7.5	18	1,093	16.5
30-34	27	7,279	3.7	18	6,266	2.9	9	1,013	8.9
35-39	19	7,833	2.4	15	6,777	2.2	4	1,056	3.8
40-44	7	8,372	0.8	4	7,240	0.6	3	1,132	2.7

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	263	3,039	86.5	177	2,488	71.1	79	501	157.7
10-14	0	7	0.0	0	4	0.0	0	3	0.0
15-17	24	130	184.6	16	97	164.9	8	32	250.0
18-19	31	346	89.6	24	277	86.6	7	65	107.7
20-24	88	1,072	82.1	52	859	60.5	30	201	149.3
25-29	67	856	78.3	48	725	66.2	18	113	159.3
30-34	27	423	63.8	18	359	50.1	9	56	160.7
35-39	19	179	106.1	15	144	104.2	4	29	137.9
40-44	7	26	269.2	4	23	173.9	3	2	1,500.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.



**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**SOUTHWEST**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	65	15.5
NOT MARRIED	346	82.4
UNKNOWN	9	2.1
TOTAL	420	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	254	60.5
1	109	26.0
2	38	9.0
3	12	2.9
4+	4	1.0
UNKNOWN	3	0.7
TOTAL	420	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	149	35.5
7-8	123	29.3
9-10	78	18.6
11-12	47	11.2
13-14	15	3.6
15-16	6	1.4
17-20	0	0.0
UNKNOWN	2	0.5
TOTAL	420	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	419	64,340	6.5	198	48,499	4.1	218	15,841	13.8
10-14	5	8,941	0.6	1	6,670	0.1	4	2,271	1.8
15-17	23	6,181	3.7	12	4,519	2.7	11	1,662	6.6
18-19	42	4,020	10.4	25	2,938	8.5	15	1,082	13.9
20-24	129	9,187	14.0	59	6,720	8.8	70	2,467	28.4
25-29	111	8,633	12.9	46	6,484	7.1	65	2,149	30.2
30-34	62	8,569	7.2	27	6,556	4.1	34	2,013	16.9
35-39	39	8,869	4.4	24	6,999	3.4	15	1,870	8.0
40-44	8	9,940	0.8	4	7,613	0.5	4	2,327	1.7

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	419	3,487	120.2	198	2,529	78.3	218	917	237.7
10-14	5	2	2,500.0	1	0	-	4	2	2,000.0
15-17	23	168	136.9	12	107	112.1	11	61	180.3
18-19	42	371	113.2	25	250	100.0	15	117	128.2
20-24	129	1,154	111.8	59	796	74.1	70	349	200.6
25-29	111	981	113.1	46	753	61.1	65	215	302.3
30-34	62	536	115.7	27	419	64.4	34	108	314.8
35-39	39	233	167.4	24	170	141.2	15	58	258.6
40-44	8	42	190.5	4	34	117.6	4	7	571.4

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**SHELBY**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	519	10.5
NOT MARRIED	4,290	86.9
UNKNOWN	128	2.6
TOTAL	4,937	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	2,547	51.6
1	1,354	27.4
2	609	12.3
3	231	4.7
4+	140	2.8
UNKNOWN	56	1.1
TOTAL	4,937	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	1,256	25.4
7-8	1,667	33.8
9-10	942	19.1
11-12	853	17.3
13-14	147	3.0
15-16	29	0.6
17-20	8	0.2
UNKNOWN	35	0.7
TOTAL	4,937	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	4,893	228,293	21.4	787	88,879	8.9	4,001	139,414	28.7
10-14	25	33,562	0.7	5	12,118	0.4	20	21,444	0.9
15-17	234	20,267	11.5	27	7,107	3.8	205	13,160	15.6
18-19	480	13,015	36.9	61	4,464	13.7	405	8,551	47.4
20-24	1,632	32,728	49.9	269	12,339	21.8	1,339	20,389	65.7
25-29	1,297	32,690	39.7	213	13,316	16.0	1,047	19,374	54.0
30-34	715	32,044	22.3	116	12,934	9.0	578	19,110	30.2
35-39	402	32,396	12.4	67	13,160	5.1	329	19,236	17.1
40-44	108	31,591	3.4	29	13,441	2.2	78	18,150	4.3

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	4,893	14,384	340.2	787	5,013	157.0	4,001	9,260	432.1
10-14	25	34	735.3	5	6	833.3	20	28	714.3
15-17	234	744	314.5	27	113	238.9	205	623	329.1
18-19	480	1,403	342.1	61	230	265.2	405	1,163	348.2
20-24	1,632	4,243	384.6	269	1,097	245.2	1,339	3,110	430.5
25-29	1,297	3,817	339.8	213	1,527	139.5	1,047	2,263	462.7
30-34	715	2,646	270.2	116	1,309	88.6	578	1,319	438.2
35-39	402	1,246	322.6	67	610	109.8	329	626	525.6
40-44	108	251	430.3	29	121	239.7	78	128	609.4

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**DAVIDSON**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	255	10.8
NOT MARRIED	1,953	82.3
UNKNOWN	164	6.9
TOTAL	2,372	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,358	57.3
1	599	25.3
2	237	10.0
3	97	4.1
4+	55	2.3
UNKNOWN	26	1.1
TOTAL	2,372	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	832	35.1
7-8	794	33.5
9-10	318	13.4
11-12	197	8.3
13-14	102	4.3
15-16	43	1.8
17-20	12	0.5
UNKNOWN	74	3.1
TOTAL	2,372	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	2,356	140,349	16.8	935	88,077	10.6	1,247	52,272	23.9
10-14	6	17,500	0.3	3	9,661	0.3	3	7,839	0.4
15-17	91	8,051	11.3	28	4,442	6.3	57	3,609	15.8
18-19	196	7,917	24.8	63	4,288	14.7	120	3,629	33.1
20-24	752	18,811	40.0	298	11,289	26.4	407	7,522	54.1
25-29	673	23,536	28.6	277	15,287	18.1	339	8,249	41.1
30-34	377	23,905	15.8	153	15,848	9.7	194	8,057	24.1
35-39	203	21,251	9.6	90	14,193	6.3	99	7,058	14.0
40-44	58	19,378	3.0	23	13,069	1.8	28	6,309	4.4

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	2,356	9,754	241.5	935	6,045	154.7	1,247	3,674	339.4
10-14	6	12	500.0	3	3	1,000.0	3	9	333.3
15-17	91	239	380.8	28	117	239.3	57	121	471.1
18-19	196	627	312.6	63	280	225.0	120	343	349.9
20-24	752	2,351	319.9	298	1,283	232.3	407	1,064	382.5
25-29	673	2,922	230.3	277	1,887	146.8	339	1,023	331.4
30-34	377	2,292	164.5	153	1,593	96.0	194	688	282.0
35-39	203	1,086	186.9	90	736	122.3	99	348	284.5
40-44	58	225	257.8	23	146	157.5	28	78	359.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**KNOX**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	138	13.7
NOT MARRIED	835	82.8
UNKNOWN	36	3.6
TOTAL	1,009	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	628	62.2
1	253	25.1
2	83	8.2
3	20	2.0
4+	13	1.3
UNKNOWN	12	1.2
TOTAL	1,009	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	403	39.9
7-8	268	26.6
9-10	163	16.2
11-12	108	10.7
13-14	39	3.9
15-16	17	1.7
17-20	2	0.2
UNKNOWN	9	0.9
TOTAL	1,009	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	1,002	99,875	10.0	756	86,899	8.7	231	12,976	17.8
10-14	2	12,440	0.2	1	10,425	0.1	1	2,015	0.5
15-17	51	7,372	6.9	34	6,416	5.3	15	956	15.7
18-19	91	7,245	12.6	67	6,232	10.8	24	1,013	23.7
20-24	375	16,984	22.1	286	15,076	19.0	83	1,908	43.5
25-29	245	13,896	17.6	187	11,969	15.6	56	1,927	29.1
30-34	129	13,399	9.6	90	11,588	7.8	38	1,811	21.0
35-39	90	13,874	6.5	74	12,177	6.1	12	1,697	7.1
40-44	19	14,665	1.3	17	13,016	1.3	2	1,649	1.2

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	1,002	5,313	188.6	756	4,517	167.4	231	788	293.1
10-14	2	2	1,000.0	1	2	500.0	1	0	-
15-17	51	144	354.2	34	101	336.6	15	43	348.8
18-19	91	360	252.8	67	274	244.5	24	86	279.1
20-24	375	1,274	294.3	286	1,068	267.8	83	201	412.9
25-29	245	1,585	154.6	187	1,366	136.9	56	217	258.1
30-34	129	1,291	99.9	90	1,130	79.6	38	160	237.5
35-39	90	554	162.5	74	484	152.9	12	70	171.4
40-44	19	103	184.5	17	92	184.8	2	11	181.8

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**HAMILTON**

MARITAL STATUS		
	FREQ	PCNT
MARRIED	45	13.0
NOT MARRIED	283	81.8
UNKNOWN	18	5.2
TOTAL	346	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	233	67.3
1	86	24.9
2	14	4.0
3	7	2.0
4+	2	0.6
UNKNOWN	4	1.2
TOTAL	346	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	87	25.1
7-8	121	35.0
9-10	53	15.3
11-12	50	14.5
13-14	19	5.5
15-16	5	1.4
17-20	0	0.0
UNKNOWN	11	3.2
TOTAL	346	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	342	70,592	4.8	246	51,835	4.7	93	18,757	5.0
10-14	1	9,252	0.1	1	6,455	0.2	0	2,797	0.0
15-17	17	5,700	3.0	12	4,020	3.0	5	1,680	3.0
18-19	45	4,199	10.7	35	2,932	11.9	10	1,267	7.9
20-24	118	10,072	11.7	84	7,264	11.6	32	2,808	11.4
25-29	75	10,245	7.3	55	7,644	7.2	19	2,601	7.3
30-34	48	10,403	4.6	35	7,768	4.5	13	2,635	4.9
35-39	28	10,152	2.8	16	7,666	2.1	12	2,486	4.8
40-44	10	10,569	0.9	8	8,086	1.0	2	2,483	0.8

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	342	4,208	81.3	246	3,027	81.3	93	1,170	79.5
10-14	1	6	166.7	1	2	500.0	0	4	0.0
15-17	17	144	118.1	12	87	137.9	5	57	87.7
18-19	45	379	118.7	35	207	169.1	10	171	58.5
20-24	118	1,185	99.6	84	746	112.6	32	437	73.2
25-29	75	1,198	62.6	55	906	60.7	19	287	66.2
30-34	48	862	55.7	35	715	49.0	13	144	90.3
35-39	28	358	78.2	16	300	53.3	12	58	206.9
40-44	10	76	131.6	8	64	125.0	2	12	166.7

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**MADISON**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	20	9.4
NOT MARRIED	185	87.3
UNKNOWN	7	3.3
TOTAL	212	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	113	53.3
1	69	32.5
2	20	9.4
3	3	1.4
4+	7	3.3
UNKNOWN	0	0.0
TOTAL	212	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	79	37.3
7-8	69	32.5
9-10	37	17.5
11-12	22	10.4
13-14	2	0.9
15-16	1	0.5
17-20	0	0.0
UNKNOWN	2	0.9
TOTAL	212	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	210	23684	8.9	62	14,413	4.3	144	9,271	15.5
10-14	2	3234	0.6	0	1,845	0.0	2	1,389	1.4
15-17	11	1915	5.7	1	1,066	0.9	10	849	11.8
18-19	20	1617	12.4	6	974	6.2	14	643	21.8
20-24	74	3330	22.2	21	2,007	10.5	50	1,323	37.8
25-29	59	3555	16.6	18	2,233	8.1	41	1,322	31.0
30-34	25	3492	7.2	10	2,203	4.5	15	1,289	11.6
35-39	12	3205	3.7	2	1,992	1.0	9	1,213	7.4
40-44	7	3336	2.1	4	2,093	1.9	3	1,243	2.4

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	210	1,364	154.0	62	749	82.8	144	612	235.3
10-14	2	5	400.0	0	3	0.0	2	2	1,000.0
15-17	11	60	183.3	1	15	66.7	10	45	222.2
18-19	20	152	131.6	6	56	107.1	14	96	145.8
20-24	74	407	181.8	21	185	113.5	50	222	225.2
25-29	59	386	152.8	18	244	73.8	41	141	290.8
30-34	25	230	108.7	10	159	62.9	15	70	214.3
35-39	12	104	115.4	2	76	26.3	9	28	321.4
40-44	7	20	350.0	4	11	363.6	3	8	375.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2009**

**SULLIVAN**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	14	16.9
NOT MARRIED	67	80.7
UNKNOWN	2	2.4
TOTAL	83	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	53	63.9
1	21	25.3
2	5	6.0
3	3	3.6
4+	0	0.0
UNKNOWN	1	1.2
TOTAL	83	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	29	34.9
7-8	20	24.1
9-10	16	19.3
11-12	7	8.4
13-14	8	9.6
15-16	3	3.6
17-20	0	0.0
UNKNOWN	0	0.0
TOTAL	83	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	81	32,358	2.5	72	31,298	2.3	7	1,060	6.6
10-14	0	4,390	0.0	0	4,213	0.0	0	177	0.0
15-17	6	2,964	2.0	6	2,868	2.1	0	96	0.0
18-19	11	1,784	6.2	11	1,724	6.4	0	80	0.0
20-24	19	4,298	4.4	17	4,147	4.1	2	151	13.2
25-29	19	4,213	4.5	13	4,055	3.2	5	158	31.6
30-34	11	4,249	2.6	10	4,115	2.4	0	134	0.0
35-39	12	5,047	2.4	12	4,916	2.4	0	131	0.0
40-44	3	5,413	0.6	3	5,260	0.6	0	153	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	81	1,591	50.9	72	1,531	47.0	7	58	120.7
10-14	0	1	0.0	0	1	0.0	0	0	-
15-17	6	64	93.8	6	60	100.0	0	4	0.0
18-19	11	157	70.1	11	151	72.8	0	6	0.0
20-24	19	509	37.3	17	495	34.3	2	14	142.9
25-29	19	428	44.4	13	410	31.7	5	18	277.8
30-34	11	294	37.4	10	279	35.8	0	13	0.0
35-39	12	113	106.2	12	110	109.1	0	3	0.0
40-44	3	25	120.0	3	25	120.0	0	0	-

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.