

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

TENNESSEE

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	1,789	14.5
NOT MARRIED	9,758	78.9
UNKNOWN	821	6.6
TOTAL	12,368	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	6,995	56.6
1	3,083	24.9
2	1,284	10.4
3	531	4.3
4+	338	2.7
UNKNOWN	137	1.1
TOTAL	12,368	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	4,300	34.8
7-8	3,865	31.3
9-10	1,933	15.6
11-12	1,295	10.5
13-14	594	4.8
15-16	185	1.5
17-20	23	0.2
UNKNOWN	173	1.4
TOTAL	12,368	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	12,258	1,482,873	8.3	5,729	1,126,853	5.1	6,125	356,020	17.2
10-14	43	205,724	0.2	16	152,638	0.1	25	53,086	0.5
15-17	473	123,785	3.8	237	90,505	2.6	227	33,280	6.8
18-19	1,045	84,248	12.4	520	61,841	8.4	500	22,407	22.3
20-24	4,158	220,956	18.8	1,886	165,082	11.4	2,131	55,874	38.1
25-29	3,147	211,712	14.9	1,469	161,772	9.1	1,570	49,940	31.4
30-34	1,975	210,237	9.4	876	160,699	5.5	1,036	49,538	20.9
35-39	1,059	205,811	5.1	528	159,980	3.3	493	45,831	10.8
40-44	358	220,400	1.6	197	174,336	1.1	143	46,064	3.1

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	12,258	79,348	154.5	5,729	60,185	95.2	6,125	18,465	331.7
10-14	43	102	421.6	16	50	320.0	25	52	480.8
15-17	473	2,287	206.8	237	1,467	161.6	227	801	283.4
18-19	1,045	6,200	168.5	520	4,295	121.1	500	1,861	268.7
20-24	4,158	22,695	183.2	1,886	16,307	115.7	2,131	6,207	343.3
25-29	3,147	23,051	136.5	1,469	18,061	81.3	1,570	4,777	328.7
30-34	1,975	16,751	117.9	876	13,464	65.1	1,036	3,124	331.6
35-39	1,059	6,807	155.6	528	5,410	97.6	493	1,339	368.2
40-44	358	1,455	246.0	197	1,131	174.2	143	304	470.4

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state. The total number of recorded induced terminations of pregnancy in Tennessee were 16,115.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

EAST TENNESSEE

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	155	20.3
NOT MARRIED	567	74.2
UNKNOWN	42	5.5
TOTAL	764	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	513	67.1
1	168	22.0
2	46	6.0
3	13	1.7
4+	11	1.4
UNKNOWN	13	1.7
TOTAL	764	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	292	38.2
7-8	226	29.6
9-10	106	13.9
11-12	61	8.0
13-14	43	5.6
15-16	19	2.5
17-20	0	0.0
UNKNOWN	17	2.2
TOTAL	764	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	755	156,005	4.8	684	147,692	4.6	46	8,313	5.5
10-14	4	23,013	0.2	4	21,449	0.2	0	1,564	0.0
15-17	39	13,463	2.9	36	12,555	2.9	1	908	1.1
18-19	90	8,795	10.2	84	8,238	10.2	5	557	9.0
20-24	242	21,287	11.4	222	20,159	11.0	14	1,128	12.4
25-29	162	19,772	8.2	143	18,751	7.6	11	1,021	10.8
30-34	117	21,078	5.6	104	20,028	5.2	11	1,050	10.5
35-39	71	22,838	3.1	66	21,817	3.0	2	1,021	2.0
40-44	30	25,759	1.2	25	24,695	1.0	2	1,064	1.9

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	755	7,960	94.8	684	7,616	89.8	46	229	200.9
10-14	4	9	444.4	4	9	444.4	0	0	-
15-17	39	258	151.2	36	244	147.5	1	7	142.9
18-19	90	769	117.0	84	735	114.3	5	18	277.8
20-24	242	2,581	93.8	222	2,480	89.5	14	68	205.9
25-29	162	2,286	70.9	143	2,196	65.1	11	60	183.3
30-34	117	1,371	85.3	104	1,296	80.2	11	55	200.0
35-39	71	564	125.9	66	541	122.0	2	16	125.0
40-44	30	122	245.9	25	115	217.4	2	5	400.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

NORTHEAST TN

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	18	14.2
NOT MARRIED	100	78.7
UNKNOWN	9	7.1
TOTAL	127	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	89	70.1
1	27	21.3
2	4	3.1
3	2	1.6
4+	1	0.8
UNKNOWN	4	3.1
TOTAL	127	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	48	37.8
7-8	31	24.4
9-10	20	15.7
11-12	13	10.2
13-14	7	5.5
15-16	4	3.1
17-20	1	0.8
UNKNOWN	3	2.4
TOTAL	127	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	126	75,189	1.7	116	71,099	1.6	9	4,090	2.2
10-14	0	10,103	0.0	0	9,414	0.0	0	689	0.0
15-17	10	6,231	1.6	9	5,804	1.6	1	427	2.3
18-19	9	4,333	2.1	9	4,042	2.2	0	291	0.0
20-24	37	11,801	3.1	32	11,006	2.9	4	795	5.0
25-29	26	9,979	2.6	24	9,503	2.5	2	476	4.2
30-34	25	10,038	2.5	24	9,541	2.5	1	497	2.0
35-39	14	10,803	1.3	13	10,384	1.3	1	419	2.4
40-44	5	11,901	0.4	5	11,405	0.4	0	496	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	126	3,422	36.8	116	3,225	36.0	9	149	60.4
10-14	0	3	0.0	0	3	0.0	0	0	-
15-17	10	111	90.1	9	106	84.9	1	5	200.0
18-19	9	315	28.6	9	301	29.9	0	12	0.0
20-24	37	1,022	36.2	32	976	32.8	4	39	102.6
25-29	26	979	26.6	24	928	25.9	2	36	55.6
30-34	25	691	36.2	24	643	37.3	1	32	31.3
35-39	14	251	55.8	13	225	57.8	1	19	52.6
40-44	5	50	100.0	5	43	116.3	0	6	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

MID-CUMBERLAND

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	375	20.3
NOT MARRIED	1,290	69.8
UNKNOWN	184	10.0
TOTAL	1,849	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,138	61.5
1	426	23.0
2	138	7.5
3	70	3.8
4+	53	2.9
UNKNOWN	24	1.3
TOTAL	1,849	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	747	40.4
7-8	563	30.4
9-10	255	13.8
11-12	126	6.8
13-14	85	4.6
15-16	29	1.6
17-20	4	0.2
UNKNOWN	40	2.2
TOTAL	1,849	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	1,829	272,809	6.7	1,253	228,804	5.5	472	44,005	10.7
10-14	2	40,993	0.0	2	33,842	0.1	0	7,151	0.0
15-17	81	22,817	3.5	54	18,714	2.9	22	4,103	5.4
18-19	156	14,788	10.5	98	12,149	8.1	46	2,639	17.4
20-24	638	36,336	17.6	448	30,117	14.9	153	6,219	24.6
25-29	451	37,061	12.2	312	31,334	10.0	115	5,727	20.1
30-34	269	38,899	6.9	170	32,670	5.2	83	6,229	13.3
35-39	170	39,736	4.3	123	33,636	3.7	39	6,100	6.4
40-44	62	42,179	1.5	46	36,342	1.3	14	5,837	2.4

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	1,829	14,397	127.0	1,253	12,366	101.3	472	1,921	245.7
10-14	2	6	333.3	2	4	500.0	0	2	0.0
15-17	81	278	291.4	54	220	245.5	22	58	379.3
18-19	156	875	178.3	98	732	133.9	46	138	333.3
20-24	638	3,517	181.4	448	2,945	152.1	153	543	281.8
25-29	451	4,394	102.6	312	3,830	81.5	115	523	219.9
30-34	269	3,550	75.8	170	3,112	54.6	83	414	200.5
35-39	170	1,443	117.8	123	1,234	99.7	39	202	193.1
40-44	62	334	185.6	46	289	159.2	14	41	341.5

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

SOUTH CENTRAL

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	69	18.5
NOT MARRIED	280	75.1
UNKNOWN	24	6.4
TOTAL	373	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	241	64.6
1	75	20.1
2	30	8.0
3	13	3.5
4+	11	2.9
UNKNOWN	3	0.8
TOTAL	373	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	133	35.7
7-8	91	24.4
9-10	77	20.6
11-12	35	9.4
13-14	11	2.9
15-16	11	2.9
17-20	4	1.1
UNKNOWN	11	2.9
TOTAL	373	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	370	82,482	4.5	291	74,207	3.9	55	8,275	6.6
10-14	1	12,556	0.1	1	11,086	0.1	0	1,470	0.0
15-17	21	6,964	3.0	16	6,145	2.6	5	819	6.1
18-19	45	4,533	9.9	41	4,015	10.2	3	518	5.8
20-24	124	11,285	11.0	95	10,095	9.4	19	1,190	16.0
25-29	89	11,153	8.0	63	10,086	6.2	16	1,067	15.0
30-34	49	11,763	4.2	41	10,670	3.8	6	1,093	5.5
35-39	35	11,673	3.0	28	10,651	2.6	6	1,022	5.9
40-44	6	12,555	0.5	6	11,459	0.5	0	1,096	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	370	4,592	80.6	291	4,117	70.7	55	343	160.3
10-14	1	5	200.0	1	4	250.0	0	1	0.0
15-17	21	152	138.2	16	133	120.3	5	19	263.2
18-19	45	378	119.0	41	352	116.5	3	24	125.0
20-24	124	1,533	80.9	95	1,367	69.5	19	132	143.9
25-29	89	1,336	66.6	63	1,189	53.0	16	98	163.3
30-34	49	828	59.2	41	750	54.7	6	47	127.7
35-39	35	298	117.4	28	269	104.1	6	15	400.0
40-44	6	62	96.8	6	53	113.2	0	7	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

SOUTHEAST

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	42	17.9
NOT MARRIED	180	76.6
UNKNOWN	13	5.5
TOTAL	235	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	173	73.6
1	46	19.6
2	9	3.8
3	5	2.1
4+	1	0.4
UNKNOWN	1	0.4
TOTAL	235	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	80	34.0
7-8	72	30.6
9-10	35	14.9
11-12	23	9.8
13-14	8	3.4
15-16	5	2.1
17-20	3	1.3
UNKNOWN	9	3.8
TOTAL	235	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	234	70,096	3.3	213	65,334	3.3	19	4,762	4.0
10-14	0	10,341	0.0	0	9,452	0.0	0	889	0.0
15-17	15	6,209	2.4	15	5,701	2.6	0	508	0.0
18-19	27	4,163	6.5	23	3,838	6.0	3	325	9.2
20-24	70	10,566	6.6	65	9,783	6.6	5	783	6.4
25-29	62	8,565	7.2	55	8,014	6.9	7	551	12.7
30-34	42	9,509	4.4	38	8,969	4.2	3	540	5.6
35-39	11	10,021	1.1	11	9,448	1.2	0	573	0.0
40-44	7	10,722	0.7	6	10,129	0.6	1	593	1.7

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	234	3,504	66.8	213	3,324	64.1	19	166	114.5
10-14	0	7	0.0	0	7	0.0	0	0	-
15-17	15	107	140.2	15	103	145.6	0	4	0.0
18-19	27	391	69.1	23	367	62.7	3	22	136.4
20-24	70	1,223	57.2	65	1,166	55.7	5	55	90.9
25-29	62	965	64.2	55	912	60.3	7	46	152.2
30-34	42	556	75.5	38	526	72.2	3	27	111.1
35-39	11	216	50.9	11	208	52.9	0	8	0.0
40-44	7	39	179.5	6	35	171.4	1	4	250.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

UPPER CUMBERLAND

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	57	21.2
NOT MARRIED	197	73.2
UNKNOWN	15	5.6
TOTAL	269	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	184	68.4
1	47	17.5
2	25	9.3
3	6	2.2
4+	3	1.1
UNKNOWN	4	1.5
TOTAL	269	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	92	34.2
7-8	95	35.3
9-10	34	12.6
11-12	24	8.9
13-14	14	5.2
15-16	4	1.5
17-20	1	0.4
UNKNOWN	5	1.9
TOTAL	269	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	269	70,961	3.8	248	68,089	3.6	10	2,872	3.5
10-14	3	10,428	0.3	3	9,883	0.3	0	545	0.0
15-17	8	6,266	1.3	8	5,941	1.3	0	325	0.0
18-19	21	4,210	5.0	21	4,004	5.2	0	206	0.0
20-24	94	10,703	8.8	83	10,253	8.1	4	450	8.9
25-29	72	9,114	7.9	70	8,757	8.0	1	357	2.8
30-34	41	9,500	4.3	35	9,172	3.8	3	328	9.1
35-39	21	9,807	2.1	19	9,449	2.0	2	358	5.6
40-44	9	10,933	0.8	9	10,630	0.8	0	303	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	269	3,865	69.6	248	3,765	65.9	10	89	112.4
10-14	3	3	1,000.0	3	3	1,000.0	0	0	-
15-17	8	111	72.1	8	106	75.5	0	5	0.0
18-19	21	378	55.6	21	372	56.5	0	5	0.0
20-24	94	1,276	73.7	83	1,255	66.1	4	20	200.0
25-29	72	1,126	63.9	70	1,095	63.9	1	28	35.7
30-34	41	652	62.9	35	625	56.0	3	22	136.4
35-39	21	260	80.8	19	253	75.1	2	6	333.3
40-44	9	59	152.5	9	56	160.7	0	3	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

NORTHWEST

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	42	17.1
NOT MARRIED	196	80.0
UNKNOWN	7	2.9
TOTAL	245	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	153	62.4
1	59	24.1
2	24	9.8
3	4	1.6
4+	5	2.0
UNKNOWN	0	0.0
TOTAL	245	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	88	35.9
7-8	76	31.0
9-10	40	16.3
11-12	24	9.8
13-14	13	5.3
15-16	3	1.2
17-20	0	0.0
UNKNOWN	1	0.4
TOTAL	245	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	243	54,583	4.5	157	45,825	3.4	84	8,758	9.6
10-14	2	8,129	0.2	2	6,728	0.3	0	1,401	0.0
15-17	12	5,026	2.4	4	4,062	1.0	8	964	8.3
18-19	27	3,341	8.1	17	2,705	6.3	9	636	14.2
20-24	84	8,122	10.3	57	6,715	8.5	26	1,407	18.5
25-29	51	7,027	7.3	30	5,964	5.0	21	1,063	19.8
30-34	40	7,192	5.6	28	6,104	4.6	12	1,088	11.0
35-39	23	7,494	3.1	15	6,439	2.3	8	1,055	7.6
40-44	4	8,252	0.5	4	7,108	0.6	0	1,144	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	243	2,929	83.0	157	2,432	64.6	84	456	184.2
10-14	2	2	1,000.0	2	0	-	0	2	0.0
15-17	12	115	104.3	4	94	42.6	8	21	381.0
18-19	27	262	103.1	17	215	79.1	9	47	191.5
20-24	84	1,094	76.8	57	893	63.8	26	196	132.7
25-29	51	845	60.4	30	717	41.8	21	110	190.9
30-34	40	433	92.4	28	362	77.3	12	55	218.2
35-39	23	151	152.3	15	129	116.3	8	21	381.0
40-44	4	27	148.1	4	22	181.8	0	4	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

SOUTHWEST

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	51	13.5
NOT MARRIED	309	81.5
UNKNOWN	19	5.0
TOTAL	379	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	224	59.1
1	93	24.5
2	45	11.9
3	9	2.4
4+	6	1.6
UNKNOWN	2	0.5
TOTAL	379	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	138	36.4
7-8	106	28.0
9-10	57	15.0
11-12	50	13.2
13-14	23	6.1
15-16	4	1.1
17-20	0	0.0
UNKNOWN	1	0.3
TOTAL	379	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	377	60,562	6.2	177	45,351	3.9	197	15,211	13.0
10-14	3	9,427	0.3	1	6,832	0.1	1	2,595	0.4
15-17	12	5,503	2.2	8	4,007	2.0	4	1,496	2.7
18-19	42	3,524	11.9	30	2,579	11.6	12	945	12.7
20-24	110	8,121	13.5	35	5,988	5.8	74	2,133	34.7
25-29	102	7,734	13.2	49	5,818	8.4	53	1,916	27.7
30-34	74	8,503	8.7	35	6,339	5.5	39	2,164	18.0
35-39	25	8,328	3.0	11	6,515	1.7	13	1,813	7.2
40-44	9	9,422	1.0	8	7,273	1.1	1	2,149	0.5

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	377	3,176	118.7	177	2,365	74.8	197	776	253.9
10-14	3	8	375.0	1	4	250.0	1	4	250.0
15-17	12	104	115.4	8	62	129.0	4	39	102.6
18-19	42	293	143.3	30	180	166.7	12	109	110.1
20-24	110	1,073	102.5	35	768	45.6	74	299	247.5
25-29	102	935	109.1	49	758	64.6	53	169	313.6
30-34	74	541	136.8	35	419	83.5	39	112	348.2
35-39	25	182	137.4	11	141	78.0	13	38	342.1
40-44	9	40	225.0	8	33	242.4	1	6	166.7

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

SHELBY

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	455	9.9
NOT MARRIED	3,961	86.2
UNKNOWN	179	3.9
TOTAL	4,595	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	2,232	48.6
1	1,289	28.1
2	630	13.7
3	263	5.7
4+	143	3.1
UNKNOWN	38	0.8
TOTAL	4,595	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	1,331	29.0
7-8	1,481	32.2
9-10	833	18.1
11-12	642	14.0
13-14	237	5.2
15-16	60	1.3
17-20	0	0.0
UNKNOWN	11	0.2
TOTAL	4,595	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	4,560	235,947	19.3	822	88,384	9.3	3,677	147,563	24.9
10-14	19	33,613	0.6	1	11,754	0.1	18	21,859	0.8
15-17	166	20,976	7.9	28	7,097	3.9	138	13,879	9.9
18-19	348	14,082	24.7	55	4,818	11.4	293	9,264	31.6
20-24	1,541	34,920	44.1	246	12,536	19.6	1,273	22,384	56.9
25-29	1,204	34,738	34.7	242	13,997	17.3	944	20,741	45.5
30-34	786	33,373	23.6	142	12,888	11.0	637	20,485	31.1
35-39	372	31,289	11.9	79	11,981	6.6	283	19,308	14.7
40-44	124	32,956	3.8	29	13,313	2.2	91	19,643	4.6

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	4,560	13,971	326.4	822	5,172	158.9	3,677	8,669	424.2
10-14	19	38	500.0	1	7	142.9	18	31	580.6
15-17	166	568	292.3	28	107	261.7	138	453	304.6
18-19	348	1,234	282.0	55	212	259.4	293	1,014	289.0
20-24	1,541	4,084	377.3	246	988	249.0	1,273	3,051	417.2
25-29	1,204	3,736	322.3	242	1,599	151.3	944	2,108	447.8
30-34	786	2,851	275.7	142	1,509	94.1	637	1,316	484.0
35-39	372	1,192	312.1	79	624	126.6	283	558	507.2
40-44	124	268	462.7	29	126	230.2	91	138	659.4

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

DAVIDSON

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	308	14.3
NOT MARRIED	1,590	73.6
UNKNOWN	263	12.2
TOTAL	2,161	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,192	55.2
1	513	23.7
2	232	10.7
3	108	5.0
4+	83	3.8
UNKNOWN	33	1.5
TOTAL	2,161	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	818	37.9
7-8	676	31.3
9-10	302	14.0
11-12	191	8.8
13-14	92	4.3
15-16	26	1.2
17-20	8	0.4
UNKNOWN	48	2.2
TOTAL	2,161	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	2,135	165,683	12.9	867	103,699	8.4	1,134	61,984	18.3
10-14	3	16,968	0.2	0	9,096	0.0	2	7,872	0.3
15-17	61	10,513	5.8	25	5,440	4.6	34	5,073	6.7
18-19	164	8,213	20.0	59	4,561	12.9	98	3,652	26.8
20-24	724	27,588	26.2	287	17,183	16.7	395	10,405	38.0
25-29	588	32,582	18.0	258	22,273	11.6	292	10,309	28.3
30-34	334	27,264	12.3	126	17,980	7.0	184	9,284	19.8
35-39	196	21,839	9.0	81	13,885	5.8	103	7,954	12.9
40-44	65	20,716	3.1	31	13,281	2.3	26	7,435	3.5

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	2,135	9,586	222.7	867	6,300	137.6	1,134	3,260	347.9
10-14	3	5	600.0	0	2	0.0	2	3	666.7
15-17	61	183	333.3	25	98	255.1	34	84	404.8
18-19	164	522	314.2	59	269	219.3	98	252	388.9
20-24	724	2,105	343.9	287	1,160	247.4	395	936	422.0
25-29	588	2,904	202.5	258	1,921	134.3	292	981	297.7
30-34	334	2,535	131.8	126	1,864	67.6	184	663	277.5
35-39	196	1,121	174.8	81	834	97.1	103	285	361.4
40-44	65	211	308.1	31	152	203.9	26	56	464.3

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

KNOX

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	140	16.6
NOT MARRIED	658	78.0
UNKNOWN	46	5.5
TOTAL	844	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	534	63.3
1	205	24.3
2	58	6.9
3	22	2.6
4+	14	1.7
UNKNOWN	11	1.3
TOTAL	844	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	335	39.7
7-8	269	31.9
9-10	100	11.8
11-12	67	7.9
13-14	38	4.5
15-16	15	1.8
17-20	1	0.1
UNKNOWN	19	2.3
TOTAL	844	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	836	105,281	7.9	617	89,229	6.9	194	16,052	12.1
10-14	1	12,741	0.1	1	10,510	0.1	0	2,231	0.0
15-17	32	8,462	3.8	24	7,036	3.4	8	1,426	5.6
18-19	68	6,342	10.7	53	5,293	10.0	14	1,049	13.3
20-24	304	19,259	15.8	216	16,135	13.4	79	3,124	25.3
25-29	208	15,317	13.6	154	13,145	11.7	47	2,172	21.6
30-34	121	14,646	8.3	92	12,452	7.4	24	2,194	10.9
35-39	79	13,861	5.7	60	11,853	5.1	17	2,008	8.5
40-44	23	14,653	1.6	17	12,805	1.3	5	1,848	2.7

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	836	5,138	162.7	617	4,405	140.1	194	714	271.7
10-14	1	7	142.9	1	4	250.0	0	3	0.0
15-17	32	105	304.8	24	76	315.8	8	29	275.9
18-19	68	300	226.7	53	238	222.7	14	61	229.5
20-24	304	1,215	250.2	216	979	220.6	79	230	343.5
25-29	208	1,566	132.8	154	1,380	111.6	47	182	258.2
30-34	121	1,283	94.3	92	1,151	79.9	24	130	184.6
35-39	79	548	144.2	60	482	124.5	17	61	278.7
40-44	23	114	201.8	17	95	178.9	5	18	277.8

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

HAMILTON

MARITAL STATUS		
	FREQ	PCNT
MARRIED	48	15.7
NOT MARRIED	246	80.4
UNKNOWN	12	3.9
TOTAL	306	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	201	65.7
1	71	23.2
2	20	6.5
3	6	2.0
4+	5	1.6
UNKNOWN	3	1.0
TOTAL	306	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	113	36.9
7-8	111	36.3
9-10	46	15.0
11-12	15	4.9
13-14	12	3.9
15-16	1	0.3
17-20	0	0.0
UNKNOWN	8	2.6
TOTAL	306	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	305	77,718	3.9	202	55,994	3.6	95	21,724	4.4
10-14	2	9,681	0.2	1	6,619	0.2	1	3,062	0.3
15-17	9	6,414	1.4	5	4,369	1.1	4	2,045	2.0
18-19	31	4,582	6.8	22	3,154	7.0	8	1,428	5.6
20-24	118	12,665	9.3	73	8,929	8.2	40	3,736	10.7
25-29	75	11,372	6.6	49	8,438	5.8	26	2,934	8.9
30-34	37	11,065	3.3	28	8,069	3.5	8	2,996	2.7
35-39	25	10,411	2.4	17	7,722	2.2	7	2,689	2.6
40-44	8	11,528	0.7	7	8,694	0.8	1	2,834	0.4

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	305	4,042	75.5	202	3,009	67.1	95	1,025	92.7
10-14	2	6	333.3	1	2	500.0	1	4	250.0
15-17	9	98	91.8	5	52	96.2	4	46	87.0
18-19	31	235	131.9	22	144	152.8	8	90	88.9
20-24	118	1,093	108.0	73	719	101.5	40	373	107.2
25-29	75	1,190	63.0	49	930	52.7	26	257	101.2
30-34	37	961	38.5	28	791	35.4	8	169	47.3
35-39	25	380	65.8	17	305	55.7	7	74	94.6
40-44	8	79	101.3	7	66	106.1	1	12	83.3

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

MADISON

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	26	13.8
NOT MARRIED	155	82.4
UNKNOWN	7	3.7
TOTAL	188	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	102	54.3
1	52	27.7
2	22	11.7
3	10	5.3
4+	2	1.1
UNKNOWN	0	0.0
TOTAL	188	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	76	40.4
7-8	58	30.9
9-10	26	13.8
11-12	18	9.6
13-14	8	4.3
15-16	1	0.5
17-20	1	0.5
UNKNOWN	0	0.0
TOTAL	188	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	187	23575	7.9	52	12,720	4.1	132	10,855	12.2
10-14	3	3042	1.0	0	1,574	0.0	3	1,468	2.0
15-17	6	2238	2.7	4	1,109	3.6	2	1,129	1.8
18-19	14	1582	8.8	5	795	6.3	9	787	11.4
20-24	61	4051	15.1	17	2,147	7.9	44	1,904	23.1
25-29	48	3276	14.7	12	1,872	6.4	35	1,404	24.9
30-34	36	3194	11.3	9	1,791	5.0	25	1,403	17.8
35-39	15	2939	5.1	3	1,607	1.9	12	1,332	9.0
40-44	4	3253	1.2	2	1,825	1.1	2	1,428	1.4

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	187	1,269	147.4	52	654	79.5	132	610	216.4
10-14	3	2	1,500.0	0	0	-	3	2	1,500.0
15-17	6	44	136.4	4	17	235.3	2	27	74.1
18-19	14	104	134.6	5	41	122.0	9	62	145.2
20-24	61	435	140.2	17	184	92.4	44	250	176.0
25-29	48	365	131.5	12	198	60.6	35	164	213.4
30-34	36	214	168.2	9	141	63.8	25	73	342.5
35-39	15	87	172.4	3	58	51.7	12	29	413.8
40-44	4	18	222.2	2	15	133.3	2	3	666.7

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

SULLIVAN

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	3	9.1
NOT MARRIED	29	87.9
UNKNOWN	1	3.0
TOTAL	33	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	19	57.6
1	12	36.4
2	1	3.0
3	0	0.0
4+	0	0.0
UNKNOWN	1	3.0
TOTAL	33	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	9	27.3
7-8	10	30.3
9-10	2	6.1
11-12	6	18.2
13-14	3	9.1
15-16	3	9.1
17-20	0	0.0
UNKNOWN	0	0.0
TOTAL	33	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	32	31,982	1.0	30	30,426	1.0	1	1,556	0.6
10-14	0	4,689	0.0	0	4,399	0.0	0	290	0.0
15-17	1	2,703	0.4	1	2,525	0.4	0	178	0.0
18-19	3	1,760	1.7	3	1,650	1.8	0	110	0.0
20-24	11	4,252	2.6	10	4,036	2.5	1	216	4.6
25-29	9	4,022	2.2	8	3,820	2.1	0	202	0.0
30-34	4	4,213	0.9	4	4,026	1.0	0	187	0.0
35-39	2	4,772	0.4	2	4,593	0.4	0	179	0.0
40-44	2	5,571	0.4	2	5,377	0.4	0	194	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	32	1,497	21.4	30	1,435	20.9	1	58	17.2
10-14	0	1	0.0	0	1	0.0	0	0	-
15-17	1	53	18.9	1	49	20.4	0	4	0.0
18-19	3	144	20.8	3	137	21.9	0	7	0.0
20-24	11	444	24.8	10	427	23.4	1	15	66.7
25-29	9	424	21.2	8	408	19.6	0	15	0.0
30-34	4	285	14.0	4	275	14.5	0	9	0.0
35-39	2	114	17.5	2	107	18.7	0	7	0.0
40-44	2	32	62.5	2	31	64.5	0	1	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.