

TENNESSEE

2012 Core Variables Report

Behavioral Risk Factor Surveillance System

July 5, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7036	4,951,024	903	15.4	14.0-16.8	1966	30.5	28.9-32.1	2308	33.0	31.4-34.6	1096	12.9	11.9-13.9	763	8.2	07.4-09.0
Male	2517	2,377,817	359	16.4	14.2-18.6	691	31.0	28.5-33.5	842	32.9	30.4-35.4	358	11.4	09.8-13.0	267	8.3	06.9-09.7
Female	4519	2,573,207	544	14.4	12.8-16.0	1275	30.1	28.1-32.1	1466	33.1	31.1-35.1	738	14.2	12.8-15.6	496	8.2	07.2-09.2
White/Non-Hisp	5780	3,789,190	758	14.8	13.4-16.2	1652	31.2	29.4-33.0	1842	32.7	30.9-34.5	876	12.8	11.6-14.0	652	8.5	07.5-09.5
Black or Afr. Am./Non-Hisp	966	773,253	97	15.6	11.7-19.5	232	26.2	22.1-30.3	378	36.0	31.7-40.3	184	15.0	11.9-18.1	75	7.2	05.0-09.4
Oth. Race/Non-Hisp.	97	132,497	15	16.8	06.2-27.4	26	35.2	22.1-48.3	31	29.4	17.8-41.0	9	5.5	01.2-09.8	16	13.1	04.7-21.5
MultiRacial/Non-Hisp.	68	90,353	11	31.1	13.7-48.5	21	27.7	14.0-41.4	21	27.9	13.8-42.0	7	5.0	00.3-09.7	8	8.3	00.7-15.9
Hispanic	70	128,638	10	15.3	05.3-25.3	22	34.5	20.6-48.4	24	35.9	21.8-50.0	9	12.2	02.6-21.8	5	2.1	00.0-04.3
18-24	301	618,971	66	25.0	18.9-31.1	114	35.7	29.4-42.0	95	31.4	25.1-37.7	17	5.3	02.6-08.0	9	2.6	00.8-04.4
25-34	641	821,183	134	22.1	18.2-26.0	243	37.8	33.3-42.3	197	30.1	25.8-34.4	54	8.0	05.5-10.5	13	2.0	00.6-03.4
35-44	809	815,676	140	16.9	13.8-20.0	282	35.2	31.1-39.3	251	32.5	28.4-36.6	87	10.0	07.5-12.5	49	5.4	03.6-07.2
45-54	1263	906,361	151	11.9	09.4-14.4	352	29.3	26.0-32.6	409	33.9	30.6-37.2	203	13.7	11.3-16.1	148	11.1	08.9-13.3
55-64	1596	810,197	188	11.1	09.3-12.9	376	23.6	20.9-26.3	512	32.6	29.7-35.5	298	19.2	16.5-21.9	222	13.5	11.1-15.9
65+	2361	937,072	212	8.5	07.1-09.9	580	23.8	21.4-26.2	820	36.2	33.5-38.9	430	18.6	16.4-20.8	319	12.9	10.9-14.9
Less Than H.S.	920	822,493	37	8.0	04.5-11.5	116	14.1	10.6-17.6	277	34.5	29.6-39.4	232	23.0	19.1-26.9	258	20.5	17.0-24.0
H.S. or G.E.D.	2333	1,655,632	219	12.4	10.2-14.6	575	28.6	25.9-31.3	836	36.1	33.4-38.8	411	14.1	12.3-15.9	292	8.7	07.3-10.1
Some Post-H.S.	1915	1,408,991	236	16.5	14.0-19.0	566	34.6	31.7-37.5	673	33.6	30.9-36.3	295	10.4	08.8-12.0	145	4.9	03.7-06.1
College Graduate	1834	1,043,354	406	24.1	21.4-26.8	701	41.2	38.1-44.3	513	26.2	23.5-28.9	152	6.2	05.0-07.4	62	2.2	01.4-03.0
Less than \$15,000	884	543,833	48	8.2	05.1-11.3	130	17.2	13.5-20.9	261	30.6	26.1-35.1	206	21.5	17.6-25.4	239	22.5	18.6-26.4
\$15,000- 24,999	1301	909,525	92	9.9	07.2-12.6	275	22.3	19.0-25.6	449	36.0	32.1-39.9	300	20.2	17.3-23.1	185	11.6	09.2-14.0
\$25,000- 34,999	687	479,548	57	9.6	06.3-12.9	221	37.1	31.8-42.4	236	35.1	30.2-40.0	117	12.8	09.7-15.9	56	5.4	03.6-07.2
\$35,000- 49,999	762	597,232	114	16.3	12.6-20.0	261	36.5	31.8-41.2	268	35.6	31.1-40.1	92	9.1	06.7-11.5	27	2.4	01.2-03.6
\$50,000- 74,999	698	537,931	126	18.0	14.5-21.5	266	39.9	35.2-44.6	239	33.1	28.6-37.6	49	6.9	04.4-09.4	18	2.1	00.9-03.3
\$75,000+	968	787,312	250	25.8	21.9-29.7	384	40.1	36.0-44.2	261	27.1	23.4-30.8	53	4.8	03.2-06.4	20	2.2	01.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2517	2,377,817	359	16.4	14.2-18.6	691	31.0	28.5-33.5	842	32.9	30.4-35.4	358	11.4	09.8-13.0	267	8.3	06.9-09.7
White/Non-Hisp	2090	1,811,993	291	15.2	13.0-17.4	582	31.1	28.4-33.8	689	33.1	30.4-35.8	301	11.9	10.1-13.7	227	8.6	07.2-10.0
Black or Afr. Am./Non-Hisp	305	344,268	42	18.0	11.5-24.5	76	29.5	22.2-36.8	115	33.9	26.8-41.0	45	10.9	06.4-15.4	27	7.7	04.0-11.4
18-24	125	314,540	29	23.1	14.9-31.3	47	35.9	26.3-45.5	37	32.7	23.1-42.3	9	6.5	02.0-11.0	3	1.8	00.0-04.0
25-34	254	407,626	57	23.7	17.4-30.0	99	39.5	32.6-46.4	77	29.0	22.3-35.7	17	6.1	02.2-10.0	4	1.6	00.0-03.2
35-44	291	406,635	56	17.6	12.7-22.5	101	36.0	29.3-42.7	97	35.2	28.7-41.7	24	7.5	04.2-10.8	13	3.7	01.3-06.1
45-54	489	440,651	65	13.7	09.2-18.2	145	31.3	26.0-36.6	154	32.1	26.8-37.4	74	13.0	09.5-16.5	51	9.9	06.6-13.2
55-64	609	389,472	75	12.1	09.0-15.2	134	22.1	18.0-26.2	189	29.0	24.5-33.5	113	19.0	14.9-23.1	98	17.8	13.5-22.1
65+	738	404,886	76	9.6	07.1-12.1	162	21.2	17.5-24.9	282	39.3	34.6-44.0	121	15.8	12.3-19.3	97	14.1	10.6-17.6
Less Than H.S.	271	375,433	15	9.8	03.7-15.9	29	11.1	05.6-16.6	81	37.1	28.7-45.5	64	21.1	14.8-27.4	82	20.9	15.2-26.6
H.S. or G.E.D.	846	817,088	94	13.9	10.6-17.2	202	29.4	25.1-33.7	306	36.0	31.7-40.3	136	12.1	09.6-14.6	108	8.6	06.6-10.6
Some Post-H.S.	699	674,469	92	18.1	14.0-22.2	211	36.5	31.6-41.4	247	30.9	26.6-35.2	98	9.4	07.0-11.8	51	5.0	03.0-07.0
College Graduate	689	496,809	155	22.6	18.7-26.5	247	41.3	36.4-46.2	204	27.7	23.4-32.0	60	5.9	04.1-07.7	23	2.5	01.1-03.9
Less than \$15,000	235	224,233	17	12.5	05.8-19.2	30	16.5	09.6-23.4	67	29.2	21.0-37.4	54	18.3	11.4-25.2	67	23.4	16.5-30.3
\$15,000- 24,999	427	431,848	36	11.1	06.4-15.8	80	20.3	15.0-25.6	149	35.7	29.0-42.4	98	21.6	16.5-26.7	64	11.3	07.8-14.8
\$25,000- 34,999	264	225,756	20	11.3	05.2-17.4	76	37.3	28.5-46.1	93	31.2	23.8-38.6	49	14.4	08.9-19.9	26	5.8	03.1-08.5
\$35,000- 49,999	322	309,908	48	15.6	10.3-20.9	102	37.9	30.8-45.0	118	36.1	29.4-42.8	38	8.0	04.9-11.1	16	2.5	00.9-04.1
\$50,000- 74,999	307	277,167	57	18.1	12.8-23.4	103	36.7	29.8-43.6	116	37.1	30.4-43.8	20	5.7	02.8-08.6	11	2.5	00.5-04.5
\$75,000+	424	426,925	99	21.7	16.8-26.6	163	41.8	35.7-47.9	123	29.2	23.3-35.1	30	4.8	02.8-06.8	9	2.5	00.5-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4519	2,573,207	544	14.4	12.8-16.0	1275	30.1	28.1-32.1	1466	33.1	31.1-35.1	738	14.2	12.8-15.6	496	8.2	07.2-09.2
White/Non-Hisp	3690	1,977,198	467	14.5	12.7-16.3	1070	31.2	29.0-33.4	1153	32.2	30.0-34.4	575	13.6	12.2-15.0	425	8.5	07.3-09.7
Black or Afr. Am./Non-Hisp	661	428,984	55	13.7	09.0-18.4	156	23.5	19.0-28.0	263	37.7	32.6-42.8	139	18.3	14.2-22.4	48	6.8	04.1-09.5
Oth. Race/Non-Hisp.	60	69,633	8	19.3	02.8-35.8	15	27.9	13.2-42.6	20	31.7	16.2-47.2	6	7.4	00.3-14.5	11	13.7	01.5-25.9
18-24	176	304,432	37	26.9	18.1-35.7	67	35.5	27.5-43.5	58	30.1	22.3-37.9	8	4.2	01.1-07.3	6	3.4	00.5-06.3
25-34	387	413,556	77	20.5	15.8-25.2	144	36.2	30.7-41.7	120	31.2	25.7-36.7	37	9.7	06.4-13.0	9	2.3	00.3-04.3
35-44	518	409,041	84	16.3	12.4-20.2	181	34.4	29.3-39.5	154	29.8	24.9-34.7	63	12.5	08.8-16.2	36	7.0	04.3-09.7
45-54	774	465,710	86	10.2	07.7-12.7	207	27.5	23.4-31.6	255	35.6	31.3-39.9	129	14.4	11.5-17.3	97	12.3	09.2-15.4
55-64	987	420,725	113	10.1	07.9-12.3	242	25.0	21.5-28.5	323	36.0	32.1-39.9	185	19.3	15.8-22.8	124	9.6	07.4-11.8
65+	1623	532,187	136	7.6	06.0-09.2	418	25.9	23.2-28.6	538	33.8	30.7-36.9	309	20.7	18.0-23.4	222	12.0	10.0-14.0
Less Than H.S.	649	447,060	22	6.4	02.5-10.3	87	16.6	12.1-21.1	196	32.4	26.9-37.9	168	24.5	20.0-29.0	176	20.1	16.0-24.2
H.S. or G.E.D.	1487	838,543	125	11.0	08.3-13.7	373	27.8	24.5-31.1	530	36.3	32.8-39.8	275	16.1	13.6-18.6	184	8.9	07.1-10.7
Some Post-H.S.	1216	734,522	144	15.0	11.7-18.3	355	32.9	29.2-36.6	426	36.1	32.4-39.8	197	11.3	09.3-13.3	94	4.7	03.3-06.1
College Graduate	1145	546,545	251	25.4	21.9-28.9	454	41.2	37.5-44.9	309	24.9	21.8-28.0	92	6.5	04.7-08.3	39	2.0	01.2-02.8
Less than \$15,000	649	319,600	31	5.2	02.8-07.6	100	17.7	13.4-22.0	194	31.6	26.5-36.7	152	23.6	18.9-28.3	172	21.8	17.3-26.3
\$15,000- 24,999	874	477,676	56	8.8	05.7-11.9	195	24.1	20.0-28.2	300	36.3	31.8-40.8	202	18.9	15.6-22.2	121	11.9	09.0-14.8
\$25,000- 34,999	423	253,792	37	8.1	04.8-11.4	145	37.1	30.6-43.6	143	38.6	32.1-45.1	68	11.3	08.0-14.6	30	4.9	02.5-07.3
\$35,000- 49,999	440	287,324	66	17.1	12.2-22.0	159	34.9	29.0-40.8	150	35.2	29.1-41.3	54	10.4	07.1-13.7	11	2.4	00.8-04.0
\$50,000- 74,999	391	260,764	69	17.9	13.0-22.8	163	43.4	37.1-49.7	123	28.8	22.9-34.7	29	8.2	04.3-12.1	7	1.7	00.3-03.1
\$75,000+	544	360,387	151	30.6	24.5-36.7	221	38.0	32.7-43.3	138	24.7	20.0-29.4	23	4.8	02.4-07.2	11	1.9	00.5-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6828	4,828,647	4235	65.7	64.1-67.3	529	8.6	07.6-09.6	626	8.4	07.6-09.2	615	8.1	07.1-09.1	823	9.3	08.5-10.1
Male	2475	2,334,727	1633	68.8	66.4-71.2	180	7.8	06.4-09.2	197	7.4	06.0-08.8	172	6.6	05.2-08.0	293	9.4	08.0-10.8
Female	4353	2,493,920	2602	62.7	60.7-64.7	349	9.4	08.0-10.8	429	9.3	08.1-10.5	443	9.5	08.3-10.7	530	9.1	08.1-10.1
White/Non-Hisp	5607	3,697,225	3447	64.4	62.6-66.2	454	9.0	08.0-10.0	504	8.6	07.6-09.6	508	8.4	07.4-09.4	694	9.7	08.7-10.7
Black or Afr. Am./Non-Hisp	937	748,916	603	68.7	64.6-72.8	55	6.8	04.4-09.2	100	8.7	06.5-10.9	87	8.2	05.7-10.7	92	7.6	05.4-09.8
Oth. Race/Non-Hisp.	97	129,465	66	70.5	58.9-82.1	8	9.6	02.0-17.2	4	3.9	00.0-09.0	5	5.0	00.1-09.9	14	10.9	03.6-18.2
MultiRacial/Non-Hisp.	65	88,706	41	71.4	57.1-85.7	2	4.9	00.0-13.1	6	6.3	00.0-12.6	9	13.6	02.6-24.6	7	3.9	00.0-08.0
Hispanic	69	127,392	41	70.2	57.5-82.9	6	11.1	02.1-20.1	11	8.9	01.3-16.5	3	1.3	00.0-03.1	8	8.4	01.0-15.8
18-24	297	614,445	217	74.9	69.4-80.4	35	12.1	07.8-16.4	23	6.1	03.4-08.8	14	4.4	01.9-06.9	8	2.4	00.4-04.4
25-34	636	806,799	455	72.6	68.5-76.7	52	7.8	05.4-10.2	63	9.2	06.7-11.7	37	6.5	04.1-08.9	29	4.0	02.2-05.8
35-44	799	806,017	519	68.0	64.1-71.9	79	9.1	06.7-11.5	81	9.4	06.9-11.9	60	6.4	04.4-08.4	60	7.0	05.0-09.0
45-54	1232	882,673	702	60.4	56.9-63.9	114	10.1	07.9-12.3	122	8.1	06.3-09.9	136	10.6	08.2-13.0	158	10.7	08.7-12.7
55-64	1547	785,767	869	55.9	52.6-59.2	122	8.0	06.2-09.8	165	9.9	07.9-11.9	160	11.0	08.8-13.2	231	15.2	12.7-17.7
65+	2255	893,148	1431	64.2	61.5-66.9	120	5.3	03.9-06.7	165	7.3	05.9-08.7	207	8.9	07.3-10.5	332	14.2	12.2-16.2
Less Than H.S.	854	773,065	421	55.3	50.4-60.2	40	6.6	04.1-09.1	68	6.5	04.3-08.7	117	14.6	11.1-18.1	208	17.1	13.8-20.4
H.S. or G.E.D.	2252	1,615,982	1350	65.9	63.4-68.4	152	7.1	05.5-08.7	204	8.3	06.7-09.9	230	8.6	07.2-10.0	316	10.1	08.7-11.5
Some Post-H.S.	1877	1,387,655	1156	65.0	62.1-67.9	167	11.0	09.0-13.0	195	9.7	07.9-11.5	169	7.3	05.7-08.9	190	7.0	05.6-08.4
College Graduate	1814	1,031,937	1293	74.1	71.6-76.6	166	9.3	07.5-11.1	155	8.1	06.5-09.7	97	3.6	02.6-04.6	103	4.8	03.4-06.2
Less than \$15,000	829	507,721	346	46.8	41.7-51.9	52	8.4	05.3-11.5	90	8.4	06.0-10.8	141	18.0	14.1-21.9	200	18.4	14.9-21.9
\$15,000- 24,999	1259	875,221	696	58.2	54.3-62.1	84	8.8	06.3-11.3	133	9.5	07.1-11.9	158	11.1	08.7-13.5	188	12.4	10.0-14.8
\$25,000- 34,999	676	471,423	418	66.6	61.7-71.5	62	8.6	05.7-11.5	72	10.1	07.2-13.0	43	5.5	03.1-07.9	81	9.1	06.6-11.6
\$35,000- 49,999	751	589,606	506	68.6	64.3-72.9	64	8.7	06.2-11.2	75	9.4	06.7-12.1	47	7.4	04.7-10.1	59	6.0	04.0-08.0
\$50,000- 74,999	687	530,736	494	73.5	69.4-77.6	56	9.0	06.3-11.7	62	7.7	05.2-10.2	35	4.8	02.8-06.8	40	5.0	03.2-06.8
\$75,000+	959	782,181	708	76.1	72.6-79.6	99	9.1	06.9-11.3	82	7.8	05.8-09.8	33	3.3	01.7-04.9	37	3.7	01.9-05.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2475	2,334,727	1633	68.8	66.4-71.2	180	7.8	06.4-09.2	197	7.4	06.0-08.8	172	6.6	05.2-08.0	293	9.4	08.0-10.8
White/Non-Hisp	2056	1,781,916	1340	67.5	65.0-70.0	155	7.9	06.3-09.5	160	7.6	06.0-09.2	147	6.9	05.5-08.3	254	10.1	08.5-11.7
Black or Afr. Am./Non-Hisp	298	331,469	204	71.3	64.4-78.2	18	6.5	02.6-10.4	31	7.6	04.3-10.9	20	7.7	03.2-12.2	25	7.0	03.7-10.3
18-24	124	312,495	93	75.9	67.7-84.1	15	11.8	05.7-17.9	7	5.0	01.1-08.9	5	4.3	00.4-08.2	4	3.1	00.0-06.2
25-34	252	397,012	188	75.0	68.7-81.3	14	4.8	02.1-07.5	25	9.5	05.2-13.8	16	7.2	03.1-11.3	9	3.5	00.8-06.2
35-44	290	403,361	210	73.7	68.0-79.4	28	9.7	06.0-13.4	24	7.6	04.1-11.1	9	2.8	00.6-05.0	19	6.1	03.2-09.0
45-54	481	432,963	303	66.2	60.9-71.5	50	10.5	07.2-13.8	43	7.2	04.5-09.9	34	7.3	04.2-10.4	51	8.9	06.0-11.8
55-64	598	384,484	350	56.0	50.9-61.1	40	6.3	03.9-08.7	43	7.3	04.6-10.0	62	11.4	08.1-14.7	103	18.9	14.4-23.4
65+	719	390,406	481	66.3	61.8-70.8	32	4.2	02.2-06.2	54	7.4	05.0-09.8	46	6.6	04.1-09.1	106	15.6	12.1-19.1
Less Than H.S.	259	356,353	124	54.7	46.5-62.9	13	6.0	02.3-09.7	19	6.6	02.7-10.5	33	13.7	08.2-19.2	70	19.0	13.3-24.7
H.S. or G.E.D.	830	804,515	527	70.6	66.7-74.5	51	6.1	03.9-08.3	67	6.9	04.5-09.3	64	6.5	04.3-08.7	121	9.9	07.7-12.1
Some Post-H.S.	691	667,175	463	68.2	63.7-72.7	55	10.4	07.3-13.5	61	8.7	06.0-11.4	48	5.8	03.6-08.0	64	6.9	04.7-09.1
College Graduate	684	492,934	514	77.3	73.4-81.2	59	8.1	05.6-10.6	49	7.0	04.6-09.4	26	2.7	01.5-03.9	36	4.8	02.6-07.0
Less than \$15,000	226	211,812	95	47.2	38.2-56.2	15	10.9	04.4-17.4	21	7.1	03.2-11.0	38	16.4	09.5-23.3	57	18.4	12.1-24.7
\$15,000- 24,999	415	416,837	232	60.1	53.6-66.6	28	7.4	04.1-10.7	41	8.9	05.0-12.8	46	9.4	05.9-12.9	68	14.2	10.1-18.3
\$25,000- 34,999	259	222,982	176	71.1	63.5-78.7	20	7.0	02.5-11.5	20	7.8	03.5-12.1	13	6.1	01.8-10.4	30	7.9	04.2-11.6
\$35,000- 49,999	318	305,949	219	71.1	64.6-77.6	21	6.1	03.0-09.2	32	10.5	06.0-15.0	18	6.3	02.4-10.2	28	6.0	03.1-08.9
\$50,000- 74,999	305	275,584	220	74.8	68.9-80.7	25	9.7	05.4-14.0	24	5.8	02.9-08.7	10	3.4	01.0-05.8	26	6.2	03.5-08.9
\$75,000+	423	426,758	324	77.7	72.8-82.6	39	7.9	05.0-10.8	30	7.1	04.2-10.0	13	3.2	01.2-05.2	17	4.1	01.4-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4353	2,493,920	2602	62.7	60.7-64.7	349	9.4	08.0-10.8	429	9.3	08.1-10.5	443	9.5	08.3-10.7	530	9.1	08.1-10.1
White/Non-Hisp	3551	1,915,310	2107	61.5	59.3-63.7	299	10.0	08.6-11.4	344	9.5	08.1-10.9	361	9.7	08.3-11.1	440	9.3	08.1-10.5
Black or Afr. Am./Non-Hisp	639	417,447	399	66.6	61.7-71.5	37	7.1	04.4-09.8	69	9.6	06.7-12.5	67	8.5	05.8-11.2	67	8.1	05.6-10.6
Oth. Race/Non-Hisp.	60	66,602	39	69.1	53.4-84.8	5	8.6	00.0-17.8	3	5.2	00.0-13.6	3	4.8	00.0-11.5	10	12.3	01.7-22.9
18-24	173	301,950	124	73.9	66.5-81.3	20	12.5	06.6-18.4	16	7.2	03.5-10.9	9	4.6	01.3-07.9	4	1.8	00.0-03.8
25-34	384	409,788	267	70.2	64.9-75.5	38	10.8	06.9-14.7	38	8.9	05.8-12.0	21	5.7	03.2-08.2	20	4.4	02.0-06.8
35-44	509	402,656	309	62.4	57.3-67.5	51	8.5	05.8-11.2	57	11.1	07.6-14.6	51	10.1	07.0-13.2	41	7.9	05.2-10.6
45-54	751	449,710	399	54.8	50.3-59.3	64	9.7	07.0-12.4	79	9.1	06.7-11.5	102	13.9	10.6-17.2	107	12.5	09.8-15.2
55-64	949	401,283	519	55.7	51.6-59.8	82	9.6	07.2-12.0	122	12.3	09.8-14.8	98	10.7	07.8-13.6	128	11.7	09.2-14.2
65+	1536	502,743	950	62.7	59.4-66.0	88	6.2	04.4-08.0	111	7.3	05.5-09.1	161	10.7	08.5-12.9	226	13.1	10.9-15.3
Less Than H.S.	595	416,711	297	55.8	49.9-61.7	27	7.1	03.6-10.6	49	6.3	03.9-08.7	84	15.4	11.1-19.7	138	15.4	11.9-18.9
H.S. or G.E.D.	1422	811,467	823	61.2	57.7-64.7	101	8.1	05.9-10.3	137	9.8	07.6-12.0	166	10.7	08.7-12.7	195	10.3	08.3-12.3
Some Post-H.S.	1186	720,481	693	62.1	58.4-65.8	112	11.5	09.0-14.0	134	10.6	08.2-13.0	121	8.7	06.5-10.9	126	7.1	05.3-08.9
College Graduate	1130	539,003	779	71.2	67.9-74.5	107	10.5	08.1-12.9	106	9.1	06.9-11.3	71	4.5	03.1-05.9	67	4.8	03.2-06.4
Less than \$15,000	603	295,909	251	46.6	40.9-52.3	37	6.6	03.7-09.5	69	9.3	06.4-12.2	103	19.1	14.6-23.6	143	18.4	14.3-22.5
\$15,000- 24,999	844	458,384	464	56.5	51.8-61.2	56	10.0	06.3-13.7	92	10.1	07.4-12.8	112	12.6	09.7-15.5	120	10.7	08.2-13.2
\$25,000- 34,999	417	248,441	242	62.5	56.4-68.6	42	10.1	06.4-13.8	52	12.2	08.3-16.1	30	4.9	02.7-07.1	51	10.2	06.7-13.7
\$35,000- 49,999	433	283,657	287	65.9	60.0-71.8	43	11.4	07.3-15.5	43	8.1	05.4-10.8	29	8.5	04.6-12.4	31	6.0	03.5-08.5
\$50,000- 74,999	382	255,152	274	72.1	66.4-77.8	31	8.2	04.9-11.5	38	9.7	05.8-13.6	25	6.4	03.5-09.3	14	3.6	01.4-05.8
\$75,000+	536	355,424	384	74.1	69.4-78.8	60	10.7	07.4-14.0	52	8.5	05.8-11.2	20	3.5	01.3-05.7	20	3.2	01.6-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6908	4,883,086	4976	70.3	68.7-71.9	371	6.2	05.4-07.0	462	7.6	06.6-08.6	547	8.2	07.2-09.2	552	7.7	06.7-08.7
Male	2478	2,346,756	1895	74.4	72.0-76.8	117	5.6	04.2-07.0	144	7.0	05.4-08.6	162	6.9	05.5-08.3	160	6.1	04.9-07.3
Female	4430	2,536,330	3081	66.5	64.5-68.5	254	6.7	05.5-07.9	318	8.1	06.9-09.3	385	9.5	08.3-10.7	392	9.1	07.9-10.3
White/Non-Hisp	5669	3,732,122	4106	70.9	69.3-72.5	296	5.9	04.9-06.9	361	7.2	06.2-08.2	441	8.2	07.2-09.2	465	7.8	06.8-08.8
Black or Afr. Am./Non-Hisp	954	765,790	679	68.9	64.6-73.2	56	6.7	04.3-09.1	74	7.9	05.2-10.6	83	8.9	06.2-11.6	62	7.5	05.0-10.0
Oth. Race/Non-Hisp.	97	131,076	58	57.1	43.8-70.4	7	11.0	00.0-22.0	13	14.6	05.4-23.8	9	8.6	01.9-15.3	10	8.7	01.6-15.8
MultiRacial/Non-Hisp.	67	89,887	43	64.8	48.3-81.3	6	6.2	00.7-11.7	3	11.7	00.0-25.8	7	11.8	00.2-23.4	8	5.5	00.6-10.4
Hispanic	69	127,573	51	79.1	68.1-90.1	3	4.4	00.0-10.3	10	7.2	01.5-12.9	2	3.0	00.0-07.1	3	6.3	00.0-13.4
18-24	298	613,144	196	64.2	57.7-70.7	32	11.5	07.0-16.0	29	11.2	06.7-15.7	29	9.0	05.3-12.7	12	4.2	01.7-06.7
25-34	629	807,363	410	67.5	63.2-71.8	61	8.8	06.3-11.3	58	9.7	07.0-12.4	62	8.0	05.6-10.4	38	5.9	03.7-08.1
35-44	801	810,374	537	70.3	66.4-74.2	46	4.3	02.7-05.9	61	6.4	04.4-08.4	82	9.6	07.2-12.0	75	9.2	06.7-11.7
45-54	1246	896,464	811	65.8	62.5-69.1	76	6.3	04.5-08.1	106	8.5	06.5-10.5	127	9.5	07.5-11.5	126	9.8	07.6-12.0
55-64	1565	797,330	1045	67.3	64.2-70.4	87	4.9	03.5-06.3	113	6.8	05.2-08.4	145	9.7	07.5-11.9	175	11.3	09.1-13.5
65+	2305	917,917	1923	82.9	80.7-85.1	67	3.0	01.8-04.2	92	4.3	03.1-05.5	100	4.5	03.3-05.7	123	5.2	03.8-06.6
Less Than H.S.	888	809,583	586	62.8	58.1-67.5	28	4.2	02.2-06.2	58	7.5	04.8-10.2	94	10.6	07.7-13.5	122	14.8	11.5-18.1
H.S. or G.E.D.	2285	1,625,956	1643	71.7	69.2-74.2	98	4.5	03.3-05.7	143	6.6	05.0-08.2	188	8.9	07.3-10.5	213	8.3	06.7-09.9
Some Post-H.S.	1891	1,395,413	1335	68.1	65.2-71.0	124	8.3	06.1-10.5	138	9.5	07.5-11.5	156	8.0	06.4-09.6	138	6.0	04.6-07.4
College Graduate	1812	1,032,130	1387	76.7	74.2-79.2	120	7.5	05.9-09.1	122	6.7	05.3-08.1	107	5.6	04.2-07.0	76	3.5	02.5-04.5
Less than \$15,000	848	525,769	488	58.3	53.4-63.2	37	4.8	02.3-07.3	76	9.4	06.7-12.1	104	12.0	08.9-15.1	143	15.5	12.2-18.8
\$15,000- 24,999	1278	895,912	827	62.8	58.9-66.7	76	6.4	04.4-08.4	97	8.9	06.5-11.3	139	10.7	08.3-13.1	139	11.2	08.7-13.7
\$25,000- 34,999	682	473,405	511	73.0	67.9-78.1	32	3.8	02.2-05.4	46	10.6	06.3-14.9	51	8.0	05.3-10.7	42	4.6	02.8-06.4
\$35,000- 49,999	756	593,151	569	73.2	68.9-77.5	48	7.0	04.6-09.4	51	6.8	04.4-09.2	47	6.8	04.3-09.3	41	6.2	03.7-08.7
\$50,000- 74,999	690	532,742	519	72.7	68.4-77.0	59	9.5	06.8-12.2	45	6.4	04.0-08.8	37	7.1	04.6-09.6	30	4.4	02.2-06.6
\$75,000+	963	784,948	763	79.0	75.5-82.5	59	6.9	04.4-09.4	64	6.7	04.7-08.7	53	5.3	03.5-07.1	24	2.1	01.1-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2478	2,346,756	1895	74.4	72.0-76.8	117	5.6	04.2-07.0	144	7.0	05.4-08.6	162	6.9	05.5-08.3	160	6.1	04.9-07.3
White/Non-Hisp	2056	1,785,116	1577	75.2	72.7-77.7	93	5.0	03.8-06.2	119	6.9	05.3-08.5	131	6.9	05.5-08.3	136	6.0	04.6-07.4
Black or Afr. Am./Non-Hisp	304	342,503	239	74.8	67.5-82.1	16	6.0	02.5-09.5	13	5.6	00.7-10.5	20	6.3	02.8-09.8	16	7.3	02.8-11.8
18-24	124	310,752	81	63.8	54.0-73.6	13	11.0	04.5-17.5	14	14.3	06.5-22.1	13	9.0	03.7-14.3	3	1.9	00.0-04.1
25-34	251	402,874	176	72.7	66.4-79.0	21	7.2	03.9-10.5	22	9.0	04.9-13.1	21	6.9	03.4-10.4	11	4.1	01.2-07.0
35-44	290	405,284	217	76.0	70.3-81.7	12	3.7	01.5-05.9	18	5.6	02.5-08.7	24	7.5	04.4-10.6	19	7.2	03.3-11.1
45-54	481	434,107	356	73.2	68.1-78.3	27	5.8	03.3-08.3	35	7.5	04.6-10.4	28	6.3	03.6-09.0	35	7.2	04.3-10.1
55-64	598	384,359	433	73.3	68.8-77.8	25	3.7	01.9-05.5	32	4.2	02.4-06.0	53	8.7	06.0-11.4	55	10.1	06.8-13.4
65+	723	395,375	622	84.6	80.9-88.3	18	3.2	01.0-05.4	23	3.1	01.5-04.7	23	3.6	01.8-05.4	37	5.5	03.1-07.9
Less Than H.S.	265	372,146	182	67.2	59.6-74.8	9	3.6	00.7-06.5	14	7.1	02.4-11.8	27	8.8	04.5-13.1	33	13.3	08.0-18.6
H.S. or G.E.D.	831	804,808	635	75.1	71.0-79.2	23	3.8	02.0-05.6	42	6.0	03.5-08.5	64	8.4	05.9-10.9	67	6.7	04.5-08.9
Some Post-H.S.	692	667,293	510	71.0	66.3-75.7	49	8.7	05.6-11.8	54	10.3	07.0-13.6	37	5.3	03.1-07.5	42	4.7	02.7-06.7
College Graduate	680	489,041	559	82.9	79.4-86.4	36	5.8	03.4-08.2	34	4.4	02.6-06.2	33	5.1	03.1-07.1	18	1.8	00.8-02.8
Less than \$15,000	225	216,544	142	67.4	59.2-75.6	7	3.9	00.0-08.0	16	7.1	03.0-11.2	29	12.4	06.7-18.1	31	9.3	05.0-13.6
\$15,000- 24,999	419	424,325	282	65.9	59.6-72.2	24	6.3	03.2-09.4	32	9.3	05.0-13.6	38	7.9	04.8-11.0	43	10.5	06.6-14.4
\$25,000- 34,999	261	223,915	205	71.9	63.3-80.5	7	1.8	00.0-03.6	17	13.7	05.7-21.7	16	8.3	03.4-13.2	16	4.3	01.4-07.2
\$35,000- 49,999	318	306,871	251	76.5	70.2-82.8	19	6.9	03.4-10.4	18	5.9	02.4-09.4	18	5.3	02.4-08.2	12	5.4	01.3-09.5
\$50,000- 74,999	304	273,538	236	76.3	70.2-82.4	26	9.9	05.6-14.2	14	3.9	01.2-06.6	13	5.7	02.2-09.2	15	4.1	01.4-06.8
\$75,000+	424	426,925	364	86.7	83.0-90.4	15	3.1	01.1-05.1	24	5.9	03.4-08.4	16	3.7	01.5-05.9	5	0.7	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4430	2,536,330	3081	66.5	64.5-68.5	254	6.7	05.5-07.9	318	8.1	06.9-09.3	385	9.5	08.3-10.7	392	9.1	07.9-10.3
White/Non-Hisp	3613	1,947,005	2529	66.9	64.7-69.1	203	6.7	05.3-08.1	242	7.5	06.3-08.7	310	9.3	07.9-10.7	329	9.5	08.1-10.9
Black or Afr. Am./Non-Hisp	650	423,287	440	64.1	58.6-69.6	40	7.3	04.4-10.2	61	9.9	06.8-13.0	63	11.0	07.1-14.9	46	7.7	04.8-10.6
Oth. Race/Non-Hisp.	61	69,779	37	63.8	47.3-80.3	5	6.0	00.0-13.4	7	13.4	01.6-25.2	5	5.2	00.0-11.5	7	11.7	00.0-23.7
18-24	174	302,393	115	64.6	56.0-73.2	19	12.0	05.7-18.3	15	7.9	03.6-12.2	16	9.0	03.9-14.1	9	6.5	01.8-11.2
25-34	378	404,489	234	62.3	56.6-68.0	40	10.4	06.9-13.9	36	10.5	06.8-14.2	41	9.1	06.0-12.2	27	7.7	04.4-11.0
35-44	511	405,090	320	64.7	59.6-69.8	34	5.0	02.8-07.2	43	7.3	04.8-09.8	58	11.8	08.3-15.3	56	11.3	07.8-14.8
45-54	765	462,357	455	58.9	54.4-63.4	49	6.9	04.5-09.3	71	9.4	06.7-12.1	99	12.5	09.6-15.4	91	12.4	09.3-15.5
55-64	967	412,971	612	61.7	57.6-65.8	62	6.1	04.1-08.1	81	9.2	06.8-11.6	92	10.6	07.5-13.7	120	12.4	09.7-15.1
65+	1582	522,542	1301	81.7	79.2-84.2	49	2.9	01.9-03.9	69	5.3	03.7-06.9	77	5.2	03.6-06.8	86	4.9	03.5-06.3
Less Than H.S.	623	437,437	404	59.0	53.1-64.9	19	4.8	02.1-07.5	44	7.9	05.0-10.8	67	12.2	08.1-16.3	89	16.1	11.8-20.4
H.S. or G.E.D.	1454	821,148	1008	68.3	65.0-71.6	75	5.1	03.5-06.7	101	7.3	05.5-09.1	124	9.5	07.3-11.7	146	9.8	07.6-12.0
Some Post-H.S.	1199	728,120	825	65.5	61.6-69.4	75	8.0	05.3-10.7	84	8.8	06.4-11.2	119	10.6	08.2-13.0	96	7.2	05.4-09.0
College Graduate	1132	543,088	828	71.2	67.7-74.7	84	9.0	06.8-11.2	88	8.8	06.4-11.2	74	6.0	04.2-07.8	58	5.0	03.4-06.6
Less than \$15,000	623	309,225	346	52.0	46.3-57.7	30	5.5	02.4-08.6	60	11.0	07.7-14.3	75	11.8	08.5-15.1	112	19.8	15.1-24.5
\$15,000- 24,999	859	471,588	545	59.9	55.2-64.6	52	6.5	04.1-08.9	65	8.5	06.0-11.0	101	13.2	09.9-16.5	96	11.8	08.5-15.1
\$25,000- 34,999	421	249,490	306	74.1	68.8-79.4	25	5.5	03.0-08.0	29	7.8	04.3-11.3	35	7.8	04.7-10.9	26	4.8	02.4-07.2
\$35,000- 49,999	438	286,279	318	69.6	63.7-75.5	29	7.1	04.0-10.2	33	7.7	04.4-11.0	29	8.5	04.2-12.8	29	7.1	04.0-10.2
\$50,000- 74,999	386	259,205	283	68.8	62.7-74.9	33	9.0	05.3-12.7	31	9.1	05.4-12.8	24	8.5	04.8-12.2	15	4.7	01.4-08.0
\$75,000+	539	358,024	399	69.8	64.1-75.5	44	11.4	06.5-16.3	40	7.8	04.9-10.7	37	7.2	04.7-09.7	19	3.8	01.8-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3484	2,402,817	1793	54.2	51.8-56.6	273	9.4	08.0-10.8	391	10.7	09.3-12.1	510	13.7	12.1-15.3	517	12.1	10.7-13.5
Male	1111	1,045,150	561	55.4	51.5-59.3	104	10.0	07.6-12.4	120	9.9	07.5-12.3	137	11.2	08.8-13.6	189	13.4	10.9-15.9
Female	2373	1,357,667	1232	53.2	50.5-55.9	169	8.9	07.1-10.7	271	11.3	09.5-13.1	373	15.6	13.4-17.8	328	11.0	09.4-12.6
White/Non-Hisp	2880	1,861,986	1480	53.6	51.1-56.1	224	9.3	07.7-10.9	321	11.1	09.5-12.7	422	13.6	12.0-15.2	433	12.4	10.8-14.0
Black or Afr. Am./Non-Hisp	465	371,976	246	56.8	50.3-63.3	42	11.5	07.4-15.6	56	9.4	06.3-12.5	70	13.7	08.8-18.6	51	8.6	05.7-11.5
18-24	147	301,202	94	66.6	57.8-75.4	20	11.2	06.1-16.3	15	8.8	03.7-13.9	12	9.1	03.4-14.8	6	4.2	00.5-07.9
25-34	316	390,399	194	62.6	56.1-69.1	41	13.2	08.9-17.5	37	10.9	06.8-15.0	32	9.8	05.9-13.7	12	3.5	01.0-06.0
35-44	409	378,013	205	50.3	44.2-56.4	49	13.5	09.4-17.6	50	10.6	07.3-13.9	57	14.0	10.1-17.9	48	11.6	07.7-15.5
45-54	682	474,185	308	48.7	43.8-53.6	57	7.9	05.2-10.6	84	12.0	09.1-14.9	131	16.9	13.4-20.4	102	14.5	11.2-17.8
55-64	870	441,306	399	45.9	41.4-50.4	59	7.2	05.0-09.4	108	12.0	09.1-14.9	142	16.9	13.2-20.6	162	18.1	14.6-21.6
65+	1035	404,487	575	55.3	51.2-59.4	45	4.3	02.7-05.9	96	9.2	06.8-11.6	135	14.0	11.1-16.9	184	17.3	14.0-20.6
Less Than H.S.	556	478,049	257	49.1	42.8-55.4	19	5.7	02.8-08.6	51	8.8	05.5-12.1	92	17.7	12.8-22.6	137	18.7	14.4-23.0
H.S. or G.E.D.	1178	778,241	584	51.7	47.8-55.6	73	7.1	05.1-09.1	128	10.6	08.2-13.0	205	16.4	13.7-19.1	188	14.2	11.7-16.7
Some Post-H.S.	973	717,488	500	57.7	53.4-62.0	95	11.8	09.1-14.5	113	10.9	08.4-13.4	131	11.0	08.5-13.5	134	8.7	06.7-10.7
College Graduate	760	419,511	442	58.6	54.1-63.1	85	13.9	10.4-17.4	99	13.0	10.1-15.9	80	8.4	06.0-10.8	54	6.2	03.7-08.7
Less than \$15,000	594	351,416	229	42.9	36.8-49.0	27	5.4	02.9-07.9	66	9.3	06.4-12.2	127	20.9	16.2-25.6	145	21.5	17.0-26.0
\$15,000- 24,999	748	512,597	347	47.0	41.9-52.1	49	8.6	05.5-11.7	82	11.1	07.8-14.4	149	18.9	15.0-22.8	121	14.5	11.0-18.0
\$25,000- 34,999	333	225,202	189	59.3	51.9-66.7	22	7.1	03.8-10.4	45	11.6	06.9-16.3	32	12.1	06.8-17.4	45	9.8	06.3-13.3
\$35,000- 49,999	342	274,724	201	57.7	50.8-64.6	35	12.1	07.4-16.8	42	12.8	08.3-17.3	38	11.9	07.4-16.4	26	5.5	02.8-08.2
\$50,000- 74,999	290	227,214	176	65.9	59.2-72.6	26	8.7	04.6-12.8	38	11.0	06.9-15.1	31	8.8	05.1-12.5	19	5.5	02.8-08.2
\$75,000+	375	298,327	227	61.2	54.7-67.7	60	16.5	11.6-21.4	40	9.3	06.0-12.6	28	7.7	04.2-11.2	20	5.4	01.9-08.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1111	1,045,150	561	55.4	51.5-59.3	104	10.0	07.6-12.4	120	9.9	07.5-12.3	137	11.2	08.8-13.6	189	13.4	10.9-15.9
White/Non-Hisp	934	810,137	460	53.1	49.0-57.2	90	10.6	08.1-13.1	100	10.7	08.0-13.4	121	11.4	08.9-13.9	163	14.3	11.6-17.0
Black or Afr. Am./Non-Hisp	123	145,139	71	62.2	50.6-73.8	12	12.6	04.8-20.4	16	8.4	03.5-13.3	11	9.8	02.5-17.1	13	7.0	02.3-11.7
18-24	62	157,782	38	64.9	52.0-77.8	12	14.5	06.1-22.9	6	9.9	01.9-17.9	4	6.6	00.0-13.3	2	4.0	00.0-09.7
25-34	108	170,328	69	68.7	58.5-78.9	16	11.5	05.6-17.4	9	8.2	01.3-15.1	8	8.0	01.5-14.5	6	3.7	00.0-07.4
35-44	120	159,374	63	53.8	43.6-64.0	17	16.0	08.6-23.4	9	6.7	02.0-11.4	14	10.7	04.8-16.6	17	12.8	05.7-19.9
45-54	233	203,394	115	54.1	46.3-61.9	23	8.4	03.9-12.9	29	11.9	07.2-16.6	31	11.1	06.4-15.8	35	14.5	09.0-20.0
55-64	305	194,715	132	42.4	35.1-49.7	23	7.8	04.3-11.3	32	10.7	06.2-15.2	51	17.5	11.6-23.4	67	21.7	15.6-27.8
65+	279	158,191	141	51.0	43.2-58.8	13	2.9	01.1-04.7	35	11.2	06.9-15.5	29	12.5	07.0-18.0	61	22.4	15.9-28.9
Less Than H.S.	161	209,891	74	53.4	43.2-63.6	4	3.5	00.0-07.4	16	9.8	03.7-15.9	25	14.2	07.3-21.1	42	19.1	11.8-26.4
H.S. or G.E.D.	387	345,900	186	53.1	46.4-59.8	26	7.2	03.9-10.5	39	8.2	04.7-11.7	60	15.5	10.8-20.2	76	16.0	11.7-20.3
Some Post-H.S.	309	312,044	161	59.7	52.6-66.8	37	13.5	08.6-18.4	36	11.3	06.8-15.8	27	6.4	03.3-09.5	48	9.1	05.8-12.4
College Graduate	248	171,472	137	55.8	48.0-63.6	37	17.6	11.3-23.9	29	10.9	06.4-15.4	23	6.6	03.3-09.9	22	9.1	03.6-14.6
Less than \$15,000	151	135,137	58	46.6	35.0-58.2	5	3.6	00.0-07.7	18	10.9	05.0-16.8	30	18.3	10.1-26.5	40	20.5	12.9-28.1
\$15,000- 24,999	235	227,908	99	43.7	35.1-52.3	18	9.6	04.5-14.7	23	9.8	04.3-15.3	49	19.1	12.6-25.6	46	17.7	11.4-24.0
\$25,000- 34,999	110	97,716	60	60.6	47.5-73.7	9	6.1	01.4-10.8	14	9.6	02.0-17.2	8	12.7	02.7-22.7	19	11.0	04.7-17.3
\$35,000- 49,999	140	137,994	81	62.4	52.2-72.6	19	13.6	06.5-20.7	15	11.5	04.8-18.2	11	6.4	01.7-11.1	14	6.1	01.8-10.4
\$50,000- 74,999	120	106,511	75	70.6	61.0-80.2	9	7.2	01.1-13.3	16	9.1	03.8-14.4	8	5.6	00.7-10.5	12	7.6	02.7-12.5
\$75,000+	135	129,360	78	55.7	45.5-65.9	27	22.1	13.5-30.7	12	8.7	03.2-14.2	11	6.2	01.9-10.5	7	7.4	00.1-14.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2373	1,357,667	1232	53.2	50.5-55.9	169	8.9	07.1-10.7	271	11.3	09.5-13.1	373	15.6	13.4-17.8	328	11.0	09.4-12.6
White/Non-Hisp	1946	1,051,849	1020	54.1	51.0-57.2	134	8.4	06.6-10.2	221	11.4	09.6-13.2	301	15.2	13.0-17.4	270	10.9	09.1-12.7
Black or Afr. Am./Non-Hisp	342	226,837	175	53.4	46.0-60.8	30	10.9	06.2-15.6	40	10.0	06.1-13.9	59	16.1	09.8-22.4	38	9.7	05.8-13.6
18-24	85	143,421	56	68.5	56.9-80.1	8	7.5	01.8-13.2	9	7.6	01.9-13.3	8	11.9	02.5-21.3	4	4.5	00.0-09.0
25-34	208	220,072	125	57.8	49.8-65.8	25	14.5	08.4-20.6	28	13.1	07.8-18.4	24	11.1	06.4-15.8	6	3.4	00.1-06.7
35-44	289	218,639	142	47.8	40.5-55.1	32	11.7	07.0-16.4	41	13.4	08.7-18.1	43	16.4	11.1-21.7	31	10.7	06.2-15.2
45-54	449	270,790	193	44.6	38.7-50.5	34	7.6	04.3-10.9	55	12.1	08.2-16.0	100	21.2	16.1-26.3	67	14.5	10.6-18.4
55-64	565	246,590	267	48.6	43.1-54.1	36	6.7	04.2-09.2	76	13.0	09.3-16.7	91	16.4	11.9-20.9	95	15.2	11.3-19.1
65+	756	246,296	434	58.0	53.3-62.7	32	5.2	02.8-07.6	61	7.8	05.3-10.3	106	14.9	11.4-18.4	123	14.1	11.0-17.2
Less Than H.S.	395	268,158	183	45.7	38.4-53.0	15	7.5	03.2-11.8	35	7.9	04.2-11.6	67	20.5	13.8-27.2	95	18.3	13.2-23.4
H.S. or G.E.D.	791	432,341	398	50.7	45.8-55.6	47	6.9	04.4-09.4	89	12.4	09.1-15.7	145	17.2	13.9-20.5	112	12.8	09.9-15.7
Some Post-H.S.	664	405,444	339	56.1	50.8-61.4	58	10.4	07.3-13.5	77	10.6	07.7-13.5	104	14.5	11.0-18.0	86	8.4	06.0-10.8
College Graduate	512	248,040	305	60.5	55.0-66.0	48	11.3	07.4-15.2	70	14.4	10.5-18.3	57	9.6	06.5-12.7	32	4.2	02.2-06.2
Less than \$15,000	443	216,279	171	40.5	33.8-47.2	22	6.4	03.1-09.7	48	8.3	05.2-11.4	97	22.5	17.0-28.0	105	22.2	16.5-27.9
\$15,000- 24,999	513	284,689	248	49.6	43.3-55.9	31	7.7	04.0-11.4	59	12.0	07.9-16.1	100	18.8	14.3-23.3	75	11.9	08.4-15.4
\$25,000- 34,999	223	127,486	129	58.3	49.9-66.7	13	8.0	03.3-12.7	31	13.1	07.2-19.0	24	11.7	06.2-17.2	26	9.0	04.9-13.1
\$35,000- 49,999	202	136,731	120	52.9	43.9-61.9	16	10.5	04.4-16.6	27	14.1	07.8-20.4	27	17.5	09.9-25.1	12	5.0	01.7-08.3
\$50,000- 74,999	170	120,704	101	61.8	52.8-70.8	17	10.1	04.8-15.4	22	12.7	06.4-19.0	23	11.6	06.1-17.1	7	3.7	00.6-06.8
\$75,000+	240	168,967	149	65.4	57.6-73.2	33	12.2	07.1-17.3	28	9.7	05.6-13.8	17	8.9	03.8-14.0	13	3.8	01.3-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7044	4,953,510	6108	82.0	80.6-83.4	936	18.0	16.6-19.4
Male	2524	2,382,070	2147	79.6	77.2-82.0	377	20.4	18.0-22.8
Female	4520	2,571,440	3961	84.2	82.6-85.8	559	15.8	14.2-17.4
White/Non-Hisp	5787	3,790,127	5095	84.3	82.9-85.7	692	15.7	14.3-17.1
Black or Afr. Am./Non-Hisp	967	774,732	778	74.4	70.1-78.7	189	25.6	21.3-29.9
Oth. Race/Non-Hisp.	98	132,643	77	77.5	67.1-87.9	21	22.5	12.1-32.9
MultiRacial/Non-Hisp.	68	90,353	58	79.4	64.3-94.5	10	20.6	05.5-35.7
Hispanic	70	128,638	52	63.6	49.1-78.1	18	36.4	21.9-50.9
18-24	299	614,523	227	75.0	69.3-80.7	72	25.0	19.3-30.7
25-34	643	823,869	484	72.8	68.5-77.1	159	27.2	22.9-31.5
35-44	810	817,263	646	77.4	73.5-81.3	164	22.6	18.7-26.5
45-54	1266	907,719	1021	78.9	75.8-82.0	245	21.1	18.0-24.2
55-64	1598	811,711	1353	85.6	83.4-87.8	245	14.4	12.2-16.6
65+	2364	936,937	2320	98.3	97.5-99.1	44	1.7	00.9-02.5
Less Than H.S.	922	823,126	738	68.8	63.9-73.7	184	31.2	26.3-36.1
H.S. or G.E.D.	2338	1,657,980	1950	78.9	76.4-81.4	388	21.1	18.6-23.6
Some Post-H.S.	1918	1,409,989	1660	84.3	81.9-86.7	258	15.7	13.3-18.1
College Graduate	1833	1,041,936	1729	94.0	92.4-95.6	104	6.0	04.4-07.6
Less than \$15,000	885	544,477	653	66.1	61.4-70.8	232	33.9	29.2-38.6
\$15,000- 24,999	1304	909,588	1019	69.3	65.2-73.4	285	30.7	26.6-34.8
\$25,000- 34,999	689	479,902	601	83.3	79.2-87.4	88	16.7	12.6-20.8
\$35,000- 49,999	761	596,585	691	88.7	85.6-91.8	70	11.3	08.2-14.4
\$50,000- 74,999	698	537,931	667	92.6	89.3-95.9	31	7.4	04.1-10.7
\$75,000+	968	787,312	943	94.7	91.8-97.6	25	5.3	02.4-08.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2524	2,382,070	2147	79.6	77.2-82.0	377	20.4	18.0-22.8
White/Non-Hisp	2096	1,816,009	1825	83.5	81.1-85.9	271	16.5	14.1-18.9
Black or Afr. Am./Non-Hisp	306	344,505	227	66.2	58.6-73.8	79	33.8	26.2-41.4
18-24	124	313,215	92	72.7	63.7-81.7	32	27.3	18.3-36.3
25-34	255	409,758	172	65.1	57.8-72.4	83	34.9	27.6-42.2
35-44	291	406,635	232	76.6	70.5-82.7	59	23.4	17.3-29.5
45-54	491	441,705	394	77.2	71.9-82.5	97	22.8	17.5-28.1
55-64	611	390,986	521	86.3	83.0-89.6	90	13.7	10.4-17.0
65+	741	405,766	725	98.2	97.0-99.4	16	1.8	00.6-03.0
Less Than H.S.	274	379,469	200	60.4	52.0-68.8	74	39.6	31.2-48.0
H.S. or G.E.D.	850	818,068	688	76.5	72.4-80.6	162	23.5	19.4-27.6
Some Post-H.S.	700	675,032	595	82.7	79.0-86.4	105	17.3	13.6-21.0
College Graduate	688	495,484	652	94.7	92.5-96.9	36	5.3	03.1-07.5
Less than \$15,000	237	224,848	158	64.8	56.4-73.2	79	35.2	26.8-43.6
\$15,000- 24,999	427	430,760	313	62.8	55.9-69.7	114	37.2	30.3-44.1
\$25,000- 34,999	264	225,756	228	81.5	74.8-88.2	36	18.5	11.8-25.2
\$35,000- 49,999	322	309,908	290	88.8	84.3-93.3	32	11.2	06.7-15.7
\$50,000- 74,999	307	277,167	291	91.3	86.2-96.4	16	8.7	03.6-13.8
\$75,000+	424	426,925	408	92.2	87.3-97.1	16	7.8	02.9-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4520	2,571,440	3961	84.2	82.6-85.8	559	15.8	14.2-17.4
White/Non-Hisp	3691	1,974,117	3270	85.1	83.3-86.9	421	14.9	13.1-16.7
Black or Afr. Am./Non-Hisp	661	430,227	551	81.0	76.7-85.3	110	19.0	14.7-23.3
Oth. Race/Non-Hisp.	61	69,779	49	81.8	69.6-94.0	12	18.2	06.0-30.4
18-24	175	301,309	135	77.5	70.4-84.6	40	22.5	15.4-29.6
25-34	388	414,111	312	80.4	75.7-85.1	76	19.6	14.9-24.3
35-44	519	410,628	414	78.1	73.6-82.6	105	21.9	17.4-26.4
45-54	775	466,014	627	80.4	76.9-83.9	148	19.6	16.1-23.1
55-64	987	420,725	832	84.9	82.0-87.8	155	15.1	12.2-18.0
65+	1623	531,171	1595	98.4	97.6-99.2	28	1.6	00.8-02.4
Less Than H.S.	648	443,657	538	75.9	70.8-81.0	110	24.1	19.0-29.2
H.S. or G.E.D.	1488	839,912	1262	81.2	78.3-84.1	226	18.8	15.9-21.7
Some Post-H.S.	1218	734,957	1065	85.8	83.1-88.5	153	14.2	11.5-16.9
College Graduate	1145	546,453	1077	93.3	91.1-95.5	68	6.7	04.5-08.9
Less than \$15,000	648	319,629	495	67.1	61.8-72.4	153	32.9	27.6-38.2
\$15,000- 24,999	877	478,828	706	75.1	70.8-79.4	171	24.9	20.6-29.2
\$25,000- 34,999	425	254,146	373	85.0	80.3-89.7	52	15.0	10.3-19.7
\$35,000- 49,999	439	286,677	401	88.6	84.3-92.9	38	11.4	07.1-15.7
\$50,000- 74,999	391	260,764	376	93.9	89.8-98.0	15	6.1	02.0-10.2
\$75,000+	544	360,387	535	97.7	95.3-0100	9	2.3	00.0-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7035	4,944,515	5788	76.2	74.6-77.8	231	2.7	02.3-03.1	1016	21.2	19.6-22.8
Male	2518	2,375,802	1935	70.3	67.8-72.8	87	2.5	01.9-03.1	496	27.3	24.8-29.8
Female	4517	2,568,713	3853	81.7	79.9-83.5	144	2.8	02.2-03.4	520	15.5	13.9-17.1
White/Non-Hisp	5783	3,784,837	4826	78.6	77.0-80.2	199	2.8	02.2-03.4	758	18.5	16.9-20.1
Black or Afr. Am./Non-Hisp	964	773,383	749	69.4	64.9-73.9	23	1.9	00.9-02.9	192	28.7	24.2-33.2
Oth. Race/Non-Hisp.	98	132,643	67	70.5	58.9-82.1	4	3.3	00.0-07.0	27	26.2	15.0-37.4
MultiRacial/Non-Hisp.	68	90,353	54	68.2	51.5-84.9	3	1.5	00.0-03.5	11	30.3	13.6-47.0
Hispanic	69	126,347	48	55.9	41.0-70.8	2	2.0	00.0-05.5	19	42.1	27.2-57.0
18-24	299	613,440	188	60.8	54.1-67.5	4	1.3	00.0-02.7	107	37.9	31.4-44.4
25-34	640	820,143	403	60.6	55.9-65.3	13	1.8	00.8-02.8	224	37.5	33.0-42.0
35-44	808	816,068	608	73.1	69.2-77.0	15	1.7	00.7-02.7	185	25.2	21.3-29.1
45-54	1265	906,564	1022	80.4	77.5-83.3	40	2.8	01.6-04.0	203	16.8	14.1-19.5
55-64	1595	811,097	1355	84.4	81.9-86.9	53	3.1	02.1-04.1	187	12.5	10.1-14.9
65+	2366	936,937	2157	90.9	89.1-92.7	106	4.7	03.5-05.9	103	4.4	03.0-05.8
Less Than H.S.	921	822,037	730	68.9	64.0-73.8	42	3.5	01.9-05.1	149	27.6	22.7-32.5
H.S. or G.E.D.	2334	1,654,294	1866	73.0	70.3-75.7	70	2.5	01.7-03.3	398	24.5	21.8-27.2
Some Post-H.S.	1917	1,407,066	1608	80.1	77.6-82.6	60	2.3	01.5-03.1	249	17.6	15.1-20.1
College Graduate	1831	1,040,704	1557	81.5	79.0-84.0	57	2.6	01.8-03.4	217	15.9	13.4-18.4
Less than \$15,000	884	543,334	655	63.4	58.3-68.5	38	4.2	02.4-06.0	191	32.4	27.5-37.3
\$15,000- 24,999	1303	906,465	1038	72.7	68.8-76.6	42	2.2	01.2-03.2	223	25.1	21.4-28.8
\$25,000- 34,999	689	479,902	556	75.1	70.2-80.0	25	2.6	01.4-03.8	108	22.2	17.3-27.1
\$35,000- 49,999	760	596,195	628	77.2	72.9-81.5	25	3.0	01.4-04.6	107	19.8	15.7-23.9
\$50,000- 74,999	697	537,785	605	84.2	80.5-87.9	18	2.5	01.1-03.9	74	13.3	09.8-16.8
\$75,000+	967	786,157	856	84.9	81.4-88.4	21	1.5	00.7-02.3	90	13.6	10.1-17.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2518	2,375,802	1935	70.3	67.8-72.8	87	2.5	01.9-03.1	496	27.3	24.8-29.8
White/Non-Hisp	2092	1,812,110	1641	73.5	70.8-76.2	79	2.9	02.1-03.7	372	23.6	21.1-26.1
Black or Afr. Am./Non-Hisp	305	344,427	215	61.7	54.1-69.3	4	0.9	00.0-01.9	86	37.4	29.8-45.0
18-24	123	309,008	71	56.1	45.9-66.3	2	1.0	00.0-02.6	50	42.8	32.6-53.0
25-34	254	409,638	130	48.6	41.3-55.9	3	0.7	00.0-01.5	121	50.6	43.3-57.9
35-44	291	406,635	203	67.7	61.2-74.2	5	1.7	00.1-03.3	83	30.5	24.0-37.0
45-54	490	440,550	373	74.8	69.7-79.9	18	3.1	01.3-04.9	99	22.1	17.2-27.0
55-64	609	390,762	497	81.7	77.8-85.6	18	2.7	01.1-04.3	94	15.6	11.9-19.3
65+	740	405,202	651	89.0	85.9-92.1	41	5.3	03.1-07.5	48	5.7	03.3-08.1
Less Than H.S.	273	376,229	197	58.3	49.9-66.7	12	2.8	00.8-04.8	64	38.9	30.5-47.3
H.S. or G.E.D.	849	817,991	620	67.0	62.5-71.5	24	2.0	01.0-03.0	205	31.0	26.5-35.5
Some Post-H.S.	698	673,314	552	75.5	71.2-79.8	24	2.5	01.1-03.9	122	22.0	17.9-26.1
College Graduate	686	494,251	557	77.2	72.9-81.5	26	2.8	01.4-04.2	103	20.0	15.7-24.3
Less than \$15,000	236	224,728	158	57.5	48.5-66.5	11	4.2	01.1-07.3	67	38.3	29.1-47.5
\$15,000- 24,999	428	432,085	307	65.0	58.5-71.5	16	2.1	00.5-03.7	105	32.9	26.4-39.4
\$25,000- 34,999	264	225,756	208	71.3	62.7-79.9	12	3.0	01.0-05.0	44	25.8	17.2-34.4
\$35,000- 49,999	322	309,908	243	70.3	63.6-77.0	13	3.2	01.0-05.4	66	26.5	19.8-33.2
\$50,000- 74,999	306	277,021	258	82.0	76.3-87.7	11	3.3	00.9-05.7	37	14.7	09.4-20.0
\$75,000+	423	425,770	360	80.0	74.1-85.9	8	1.1	00.3-01.9	55	18.9	13.2-24.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4517	2,568,713	3853	81.7	79.9-83.5	144	2.8	02.2-03.4	520	15.5	13.9-17.1
White/Non-Hisp	3691	1,972,727	3185	83.3	81.5-85.1	120	2.8	02.2-03.4	386	13.9	12.3-15.5
Black or Afr. Am./Non-Hisp	659	428,956	534	75.6	70.7-80.5	19	2.8	01.2-04.4	106	21.7	16.8-26.6
Oth. Race/Non-Hisp.	61	69,779	49	86.4	76.0-96.8	2	2.8	00.0-06.9	10	10.8	01.2-20.4
18-24	176	304,432	117	65.6	57.4-73.8	2	1.5	00.0-03.7	57	32.9	24.7-41.1
25-34	386	410,505	273	72.6	67.5-77.7	10	2.9	00.9-04.9	103	24.4	19.5-29.3
35-44	517	409,433	405	78.3	74.0-82.6	10	1.7	00.3-03.1	102	19.9	15.8-24.0
45-54	775	466,014	649	85.7	83.0-88.4	22	2.6	01.2-04.0	104	11.7	09.2-14.2
55-64	986	420,335	858	86.9	83.8-90.0	35	3.5	02.1-04.9	93	9.6	06.9-12.3
65+	1626	531,735	1506	92.4	90.6-94.2	65	4.2	03.0-05.4	55	3.5	02.1-04.9
Less Than H.S.	648	445,809	533	77.8	72.5-83.1	30	4.2	02.0-06.4	85	18.0	12.9-23.1
H.S. or G.E.D.	1485	836,304	1246	78.9	75.8-82.0	46	2.9	01.7-04.1	193	18.2	15.3-21.1
Some Post-H.S.	1219	733,752	1056	84.4	81.7-87.1	36	2.1	01.1-03.1	127	13.5	10.8-16.2
College Graduate	1145	546,453	1000	85.4	82.7-88.1	31	2.4	01.4-03.4	114	12.2	09.7-14.7
Less than \$15,000	648	318,606	497	67.6	62.1-73.1	27	4.2	02.2-06.2	124	28.2	22.9-33.5
\$15,000- 24,999	875	474,380	731	79.8	75.7-83.9	26	2.2	00.8-03.6	118	18.0	13.9-22.1
\$25,000- 34,999	425	254,146	348	78.6	73.3-83.9	13	2.3	00.7-03.9	64	19.1	14.0-24.2
\$35,000- 49,999	438	286,287	385	84.6	79.5-89.7	12	2.8	00.6-05.0	41	12.6	07.9-17.3
\$50,000- 74,999	391	260,764	347	86.5	81.8-91.2	7	1.7	00.3-03.1	37	11.9	07.4-16.4
\$75,000+	544	360,387	496	90.8	87.7-93.9	13	1.9	00.7-03.1	35	7.3	04.4-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7038	4,949,296	1174	19.2	17.8-20.6	5864	80.8	79.4-82.2
Male	2520	2,376,554	413	19.1	16.9-21.3	2107	80.9	78.7-83.1
Female	4518	2,572,742	761	19.3	17.7-20.9	3757	80.7	79.1-82.3
White/Non-Hisp	5785	3,791,648	882	17.4	16.0-18.8	4903	82.6	81.2-84.0
Black or Afr. Am./Non-Hisp	965	772,349	232	26.2	22.1-30.3	733	73.8	69.7-77.9
Oth. Race/Non-Hisp.	98	132,643	21	15.1	07.1-23.1	77	84.9	76.9-92.9
MultiRacial/Non-Hisp.	67	87,066	12	24.1	07.4-40.8	55	75.9	59.2-92.6
Hispanic	70	128,638	17	31.1	17.0-45.2	53	68.9	54.8-83.0
18-24	301	618,971	62	20.4	14.9-25.9	239	79.6	74.1-85.1
25-34	643	823,869	152	23.7	19.6-27.8	491	76.3	72.2-80.4
35-44	806	811,392	200	24.4	20.7-28.1	606	75.6	71.9-79.3
45-54	1263	904,886	294	23.1	20.2-26.0	969	76.9	74.0-79.8
55-64	1592	809,795	304	18.3	15.8-20.8	1288	81.7	79.2-84.2
65+	2369	938,722	150	6.4	05.0-07.8	2219	93.6	92.2-95.0
Less Than H.S.	922	825,501	216	26.9	22.6-31.2	706	73.1	68.8-77.4
H.S. or G.E.D.	2337	1,657,615	447	21.5	19.0-24.0	1890	78.5	76.0-81.0
Some Post-H.S.	1917	1,404,345	332	18.5	16.1-20.9	1585	81.5	79.1-83.9
College Graduate	1831	1,041,517	173	10.1	08.3-11.9	1658	89.9	88.1-91.7
Less than \$15,000	884	542,797	270	35.6	30.9-40.3	614	64.4	59.7-69.1
\$15,000- 24,999	1306	911,227	331	28.9	25.2-32.6	975	71.1	67.4-74.8
\$25,000- 34,999	687	478,626	124	21.7	16.8-26.6	563	78.3	73.4-83.2
\$35,000- 49,999	761	596,585	97	15.0	11.5-18.5	664	85.0	81.5-88.5
\$50,000- 74,999	696	537,280	53	10.0	06.9-13.1	643	90.0	86.9-93.1
\$75,000+	968	787,312	44	4.9	03.1-06.7	924	95.1	93.3-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2520	2,376,554	413	19.1	16.9-21.3	2107	80.9	78.7-83.1
White/Non-Hisp	2095	1,816,413	303	16.4	14.2-18.6	1792	83.6	81.4-85.8
Black or Afr. Am./Non-Hisp	304	341,872	86	30.7	23.3-38.1	218	69.3	61.9-76.7
18-24	125	314,540	27	22.6	14.0-31.2	98	77.4	68.8-86.0
25-34	255	409,758	62	25.2	18.5-31.9	193	74.8	68.1-81.5
35-44	290	403,348	63	21.4	15.9-26.9	227	78.6	73.1-84.1
45-54	490	439,149	101	22.0	17.3-26.7	389	78.0	73.3-82.7
55-64	608	389,986	111	16.5	12.8-20.2	497	83.5	79.8-87.2
65+	741	405,766	46	6.3	03.9-08.7	695	93.7	91.3-96.1
Less Than H.S.	274	379,469	67	26.6	19.3-33.9	207	73.4	66.1-80.7
H.S. or G.E.D.	849	817,991	174	23.0	18.9-27.1	675	77.0	72.9-81.1
Some Post-H.S.	698	669,190	122	18.5	14.6-22.4	576	81.5	77.6-85.4
College Graduate	687	495,887	47	7.5	05.0-10.0	640	92.5	90.0-95.0
Less than \$15,000	237	224,848	78	34.4	26.0-42.8	159	65.6	57.2-74.0
\$15,000- 24,999	428	432,085	130	32.4	26.1-38.7	298	67.6	61.3-73.9
\$25,000- 34,999	263	225,303	35	19.3	11.1-27.5	228	80.7	72.5-88.9
\$35,000- 49,999	322	309,908	34	11.9	07.6-16.2	288	88.1	83.8-92.4
\$50,000- 74,999	306	276,698	24	10.1	05.4-14.8	282	89.9	85.2-94.6
\$75,000+	424	426,925	19	4.6	01.9-07.3	405	95.4	92.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4518	2,572,742	761	19.3	17.7-20.9	3757	80.7	79.1-82.3
White/Non-Hisp	3690	1,975,235	579	18.4	16.6-20.2	3111	81.6	79.8-83.4
Black or Afr. Am./Non-Hisp	661	430,477	146	22.7	18.2-27.2	515	77.3	72.8-81.8
Oth. Race/Non-Hisp.	61	69,779	16	20.7	08.4-33.0	45	79.3	67.0-91.6
18-24	176	304,432	35	18.2	11.9-24.5	141	81.8	75.5-88.1
25-34	388	414,111	90	22.2	17.3-27.1	298	77.8	72.9-82.7
35-44	516	408,044	137	27.5	22.6-32.4	379	72.5	67.6-77.4
45-54	773	465,737	193	24.0	20.3-27.7	580	76.0	72.3-79.7
55-64	984	419,808	193	19.9	16.4-23.4	791	80.1	76.6-83.6
65+	1628	532,956	104	6.5	04.9-08.1	1524	93.5	91.9-95.1
Less Than H.S.	648	446,032	149	27.2	21.9-32.5	499	72.8	67.5-78.1
H.S. or G.E.D.	1488	839,624	273	20.1	17.2-23.0	1215	79.9	77.0-82.8
Some Post-H.S.	1219	735,155	210	18.6	15.7-21.5	1009	81.4	78.5-84.3
College Graduate	1144	545,630	126	12.4	09.9-14.9	1018	87.6	85.1-90.1
Less than \$15,000	647	317,949	192	36.4	30.9-41.9	455	63.6	58.1-69.1
\$15,000- 24,999	878	479,142	201	25.7	21.6-29.8	677	74.3	70.2-78.4
\$25,000- 34,999	424	253,323	89	23.8	18.1-29.5	335	76.2	70.5-81.9
\$35,000- 49,999	439	286,677	63	18.4	12.9-23.9	376	81.6	76.1-87.1
\$50,000- 74,999	390	260,582	29	9.9	05.4-14.4	361	90.1	85.6-94.6
\$75,000+	544	360,387	25	5.2	02.8-07.6	519	94.8	92.4-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6955	4,894,705	5667	75.4	73.8-77.0	581	10.7	09.5-11.9	294	5.6	04.8-06.4	376	7.4	06.4-08.4	37	0.9	00.5-01.3
Male	2485	2,345,014	1912	70.3	67.8-72.8	220	11.6	09.8-13.4	140	6.8	05.4-08.2	189	10.0	08.2-11.8	24	1.3	00.5-02.1
Female	4470	2,549,691	3755	80.1	78.3-81.9	361	9.9	08.5-11.3	154	4.4	03.6-05.2	187	5.0	04.0-06.0	13	0.6	00.2-01.0
White/Non-Hisp	5714	3,742,261	4640	75.8	74.2-77.4	479	10.2	09.0-11.4	241	5.5	04.5-06.5	323	7.7	06.7-08.7	31	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	958	770,953	817	79.3	75.4-83.2	72	11.7	08.4-15.0	35	4.4	02.6-06.2	33	4.5	02.7-06.3	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	97	132,276	67	67.4	55.2-79.6	13	14.0	05.4-22.6	5	7.4	00.3-14.5	9	6.7	00.4-13.0	3	4.5	00.0-10.2
MultiRacial/Non-Hisp.	67	87,823	55	68.2	50.2-86.2	3	3.2	00.0-07.3	4	9.2	00.0-19.4	5	19.4	01.4-37.4			
Hispanic	68	124,984	47	51.7	36.8-66.6	9	23.7	09.0-38.4	6	9.4	01.4-17.4	4	10.4	00.0-20.8	2	4.9	00.0-11.8
18-24	292	600,760	181	61.2	54.5-67.9	49	16.6	11.7-21.5	26	8.9	05.0-12.8	33	12.1	07.6-16.6	3	1.2	00.0-02.8
25-34	629	809,129	434	66.1	61.6-70.6	78	13.8	10.5-17.1	59	9.1	06.6-11.6	53	9.6	06.7-12.5	5	1.4	00.0-02.8
35-44	803	810,824	589	70.6	66.5-74.7	102	13.5	10.6-16.4	49	5.7	03.7-07.7	59	9.1	06.4-11.8	4	1.1	00.0-02.3
45-54	1252	901,058	952	74.3	71.2-77.4	126	10.6	08.4-12.8	67	6.0	04.2-07.8	97	8.1	06.1-10.1	10	1.0	00.2-01.8
55-64	1584	804,204	1327	81.7	79.2-84.2	119	8.2	06.4-10.0	52	3.7	02.3-05.1	78	5.9	04.3-07.5	8	0.5	00.0-01.1
65+	2334	927,683	2130	91.6	90.0-93.2	103	4.2	03.2-05.2	41	1.7	00.7-02.7	53	2.0	01.2-02.8	7	0.5	00.1-00.9
Less Than H.S.	908	815,507	731	70.9	66.0-75.8	67	10.6	07.3-13.9	30	4.9	02.4-07.4	68	11.0	07.7-14.3	12	2.7	00.9-04.5
H.S. or G.E.D.	2307	1,633,795	1852	75.3	72.8-77.8	189	9.5	07.7-11.3	114	5.9	04.5-07.3	142	8.8	07.0-10.6	10	0.6	00.2-01.0
Some Post-H.S.	1892	1,394,987	1522	74.0	71.1-76.9	174	12.3	10.1-14.5	81	5.8	04.2-07.4	106	7.1	05.3-08.9	9	0.7	00.1-01.3
College Graduate	1820	1,030,999	1536	80.6	77.9-83.3	149	10.6	08.4-12.8	69	5.3	03.7-06.9	60	3.1	02.1-04.1	6	0.4	00.0-00.8
Less than \$15,000	867	537,095	656	64.7	59.6-69.8	68	12.8	08.9-16.7	50	8.5	05.6-11.4	88	13.0	09.5-16.5	5	1.0	00.0-02.2
\$15,000- 24,999	1285	901,830	1038	75.6	72.1-79.1	109	10.1	07.7-12.5	62	5.4	03.6-07.2	71	7.9	05.4-10.4	5	0.9	00.0-02.1
\$25,000- 34,999	684	475,553	555	76.2	71.5-80.9	57	9.5	06.4-12.6	27	5.4	02.7-08.1	42	8.6	05.5-11.7	3	0.3	00.0-00.7
\$35,000- 49,999	753	584,074	608	74.6	70.1-79.1	69	12.3	09.0-15.6	32	4.9	02.5-07.3	40	7.4	04.7-10.1	4	0.8	00.0-01.8
\$50,000- 74,999	693	535,129	570	79.9	76.2-83.6	67	9.5	07.0-12.0	24	5.1	02.7-07.5	30	5.1	02.9-07.3	2	0.4	00.0-01.0
\$75,000+	962	780,424	830	82.0	78.1-85.9	66	8.1	05.6-10.6	32	4.6	02.2-07.0	27	4.2	02.0-06.4	7	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1))

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2485	2,345,014	1912	70.3	67.8-72.8	220	11.6	09.8-13.4	140	6.8	05.4-08.2	189	10.0	08.2-11.8	24	1.3	00.5-02.1
White/Non-Hisp	2062	1,782,206	1597	71.8	69.1-74.5	177	10.7	08.9-12.5	109	6.5	04.9-08.1	160	9.9	07.9-11.9	19	1.0	00.4-01.6
Black or Afr. Am./Non-Hisp	303	342,163	233	72.7	65.8-79.6	28	13.6	07.7-19.5	23	7.0	03.7-10.3	18	6.4	03.1-09.7	1	0.3	00.0-00.9
18-24	121	303,218	65	53.5	43.3-63.7	22	17.0	09.6-24.4	15	12.9	06.0-19.8	18	15.5	08.1-22.9	1	1.1	00.0-03.3
25-34	248	399,739	150	58.5	51.2-65.8	31	15.1	09.4-20.8	29	9.7	05.8-13.6	34	14.4	09.1-19.7	4	2.4	00.0-05.1
35-44	288	401,935	185	62.0	55.3-68.7	44	16.9	11.6-22.2	21	6.2	03.3-09.1	36	13.7	08.6-18.8	2	1.2	00.0-03.0
45-54	486	440,042	345	69.7	64.4-75.0	46	9.9	06.8-13.0	36	8.5	05.2-11.8	51	10.2	06.7-13.7	8	1.7	00.3-03.1
55-64	602	385,588	494	82.1	78.4-85.8	43	8.2	05.5-10.9	27	3.2	01.8-04.6	33	6.0	03.6-08.4	5	0.6	00.0-01.4
65+	729	400,485	664	91.4	88.7-94.1	33	4.2	02.4-06.0	12	1.8	00.0-03.6	16	1.9	00.5-03.3	4	0.7	00.0-01.5
Less Than H.S.	270	373,387	193	60.3	51.9-68.7	29	14.4	08.3-20.5	12	6.3	01.4-11.2	28	15.4	08.9-21.9	8	3.6	00.5-06.7
H.S. or G.E.D.	833	800,779	618	70.5	66.4-74.6	76	10.4	07.5-13.3	57	6.8	04.6-09.0	75	11.5	08.4-14.6	7	0.9	00.1-01.7
Some Post-H.S.	689	668,972	539	71.3	66.6-76.0	50	10.2	07.1-13.3	38	7.2	04.5-09.9	57	10.0	06.7-13.3	5	1.3	00.0-02.7
College Graduate	682	487,942	552	75.6	70.9-80.3	64	13.4	09.3-17.5	33	6.9	04.2-09.6	29	3.7	01.9-05.5	4	0.3	00.0-00.7
Less than \$15,000	232	222,249	154	54.6	45.6-63.6	20	15.0	07.4-22.6	20	11.3	05.4-17.2	35	17.5	10.4-24.6	3	1.5	00.0-04.0
\$15,000- 24,999	421	427,578	313	69.3	63.0-75.6	41	11.4	07.3-15.5	30	6.2	03.3-09.1	33	11.2	06.5-15.9	4	1.9	00.0-04.3
\$25,000- 34,999	262	223,973	214	73.9	66.1-81.7	14	8.2	03.3-13.1	13	7.1	02.4-11.8	21	10.9	05.4-16.4			
\$35,000- 49,999	316	303,037	239	71.3	64.6-78.0	29	12.8	07.5-18.1	18	4.9	01.8-08.0	27	9.9	05.6-14.2	3	1.0	00.0-02.4
\$50,000- 74,999	306	276,805	249	78.7	73.0-84.4	29	9.8	05.9-13.7	8	3.9	00.8-07.0	19	7.1	03.4-10.8	1	0.5	00.0-01.5
\$75,000+	421	421,091	348	76.3	70.0-82.6	32	9.6	05.3-13.9	19	6.6	02.5-10.7	16	5.5	01.8-09.2	6	1.9	00.1-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4470	2,549,691	3755	80.1	78.3-81.9	361	9.9	08.5-11.3	154	4.4	03.6-05.2	187	5.0	04.0-06.0	13	0.6	00.2-01.0
White/Non-Hisp	3652	1,960,056	3043	79.5	77.5-81.5	302	9.7	08.3-11.1	132	4.5	03.5-05.5	163	5.6	04.4-06.8	12	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	655	428,790	584	84.5	80.2-88.8	44	10.2	06.5-13.9	12	2.4	00.8-04.0	15	2.9	00.9-04.9			
Oth. Race/Non-Hisp.	61	69,779	43	69.0	53.3-84.7	8	19.1	05.4-32.8	3	5.1	00.0-11.2	6	5.5	00.0-12.9	1	1.3	00.0-03.8
18-24	171	297,542	116	69.1	61.3-76.9	27	16.1	09.6-22.6	11	4.7	01.8-07.6	15	8.7	04.0-13.4	2	1.4	00.0-03.6
25-34	381	409,390	284	73.6	68.3-78.9	47	12.5	08.6-16.4	30	8.6	05.3-11.9	19	4.9	02.4-07.4	1	0.4	00.0-01.2
35-44	515	408,889	404	79.1	74.8-83.4	58	10.3	07.4-13.2	28	5.3	03.1-07.5	23	4.6	02.2-07.0	2	0.9	00.0-02.3
45-54	766	461,016	607	78.7	75.2-82.2	80	11.3	08.4-14.2	31	3.6	02.0-05.2	46	6.1	04.1-08.1	2	0.3	00.0-00.7
55-64	982	418,616	833	81.2	77.5-84.9	76	8.2	06.0-10.4	25	4.1	01.7-06.5	45	5.9	03.7-08.1	3	0.5	00.0-01.1
65+	1605	527,198	1466	91.8	90.0-93.6	70	4.2	02.8-05.6	29	1.6	00.8-02.4	37	2.0	01.2-02.8	3	0.4	00.0-00.8
Less Than H.S.	638	442,119	538	79.8	74.7-84.9	38	7.3	03.8-10.8	18	3.7	01.3-06.1	40	7.3	04.4-10.2	4	1.9	00.0-03.9
H.S. or G.E.D.	1474	833,016	1234	79.9	77.0-82.8	113	8.7	06.7-10.7	57	5.1	03.5-06.7	67	6.1	04.1-08.1	3	0.3	00.0-00.7
Some Post-H.S.	1203	726,014	983	76.6	73.3-79.9	124	14.1	11.4-16.8	43	4.6	03.0-06.2	49	4.4	02.6-06.2	4	0.3	00.1-00.5
College Graduate	1138	543,058	984	85.1	82.4-87.8	85	8.2	06.0-10.4	36	3.9	02.3-05.5	31	2.4	01.4-03.4	2	0.4	00.0-01.0
Less than \$15,000	635	314,846	502	71.8	66.5-77.1	48	11.2	07.3-15.1	30	6.5	03.6-09.4	53	9.8	06.5-13.1	2	0.7	00.0-01.7
\$15,000- 24,999	864	474,252	725	81.3	77.8-84.8	68	8.9	06.4-11.4	32	4.7	02.7-06.7	38	4.9	02.9-06.9	1	0.1	00.0-00.3
\$25,000- 34,999	422	251,580	341	78.2	72.7-83.7	43	10.6	06.7-14.5	14	4.0	01.3-06.7	21	6.6	03.1-10.1	3	0.6	00.0-01.4
\$35,000- 49,999	437	281,036	369	78.2	72.5-83.9	40	11.8	07.5-16.1	14	4.8	01.3-08.3	13	4.6	01.5-07.7	1	0.6	00.0-01.8
\$50,000- 74,999	387	258,324	321	81.1	76.2-86.0	38	9.2	05.9-12.5	16	6.4	02.9-09.9	11	2.9	00.7-05.1	1	0.4	00.0-01.2
\$75,000+	541	359,333	482	88.6	85.3-91.9	34	6.3	03.8-08.8	13	2.2	00.8-03.6	11	2.7	00.5-04.9	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7048	4,955,934	4756	71.4	70.0-72.8	2292	28.6	27.2-30.0
Male	2524	2,382,498	1788	74.4	72.0-76.8	736	25.6	23.2-28.0
Female	4524	2,573,436	2968	68.6	66.6-70.6	1556	31.4	29.4-33.4
White/Non-Hisp	5792	3,792,411	3938	71.7	70.1-73.3	1854	28.3	26.7-29.9
Black or Afr. Am./Non-Hisp	967	774,936	616	69.2	65.3-73.1	351	30.8	26.9-34.7
Oth. Race/Non-Hisp.	98	132,643	69	75.2	64.2-86.2	29	24.8	13.8-35.8
MultiRacial/Non-Hisp.	68	90,353	48	71.2	55.5-86.9	20	28.8	13.1-44.5
Hispanic	70	128,638	50	67.9	53.6-82.2	20	32.1	17.8-46.4
18-24	301	618,971	248	82.6	77.7-87.5	53	17.4	12.5-22.3
25-34	641	820,848	517	79.5	75.6-83.4	124	20.5	16.6-24.4
35-44	809	817,122	614	75.9	72.2-79.6	195	24.1	20.4-27.8
45-54	1266	907,719	834	67.8	64.5-71.1	432	32.2	28.9-35.5
55-64	1598	811,711	1027	63.3	60.2-66.4	571	36.7	33.6-39.8
65+	2369	937,902	1468	63.4	60.7-66.1	901	36.6	33.9-39.3
Less Than H.S.	925	826,895	436	55.3	50.6-60.0	489	44.7	40.0-49.4
H.S. or G.E.D.	2338	1,655,386	1394	64.5	61.8-67.2	944	35.5	32.8-38.2
Some Post-H.S.	1920	1,410,369	1380	77.6	75.1-80.1	540	22.4	19.9-24.9
College Graduate	1833	1,042,871	1528	86.7	84.7-88.7	305	13.3	11.3-15.3
Less than \$15,000	886	544,258	456	55.7	50.8-60.6	430	44.3	39.4-49.2
\$15,000- 24,999	1306	911,227	786	63.6	59.9-67.3	520	36.4	32.7-40.1
\$25,000- 34,999	689	479,902	470	70.4	65.7-75.1	219	29.6	24.9-34.3
\$35,000- 49,999	761	596,585	568	77.6	73.9-81.3	193	22.4	18.7-26.1
\$50,000- 74,999	698	537,931	555	80.9	77.2-84.6	143	19.1	15.4-22.8
\$75,000+	968	787,312	816	85.4	82.7-88.1	152	14.6	11.9-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2524	2,382,498	1788	74.4	72.0-76.8	736	25.6	23.2-28.0
White/Non-Hisp	2096	1,816,437	1480	74.5	72.1-76.9	616	25.5	23.1-27.9
Black or Afr. Am./Non-Hisp	306	344,505	220	76.2	70.1-82.3	86	23.8	17.7-29.9
18-24	125	314,540	112	87.4	80.5-94.3	13	12.6	05.7-19.5
25-34	255	409,758	205	80.6	74.7-86.5	50	19.4	13.5-25.3
35-44	291	406,635	229	78.0	72.3-83.7	62	22.0	16.3-27.7
45-54	491	441,705	338	72.0	67.1-76.9	153	28.0	23.1-32.9
55-64	611	390,986	400	62.7	57.6-67.8	211	37.3	32.2-42.4
65+	740	404,868	495	68.3	64.0-72.6	245	31.7	27.4-36.0
Less Than H.S.	274	379,469	142	61.9	54.3-69.5	132	38.1	30.5-45.7
H.S. or G.E.D.	849	817,171	534	67.3	63.2-71.4	315	32.7	28.6-36.8
Some Post-H.S.	700	675,032	520	80.2	76.3-84.1	180	19.8	15.9-23.7
College Graduate	689	496,809	584	87.6	84.7-90.5	105	12.4	09.5-15.3
Less than \$15,000	237	224,848	117	57.7	49.1-66.3	120	42.3	33.7-50.9
\$15,000- 24,999	428	432,085	273	67.9	61.8-74.0	155	32.1	26.0-38.2
\$25,000- 34,999	264	225,756	169	69.0	61.6-76.4	95	31.0	23.6-38.4
\$35,000- 49,999	322	309,908	240	78.6	73.1-84.1	82	21.4	15.9-26.9
\$50,000- 74,999	307	277,167	245	81.5	76.2-86.8	62	18.5	13.2-23.8
\$75,000+	424	426,925	360	85.5	81.4-89.6	64	14.5	10.4-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4524	2,573,436	2968	68.6	66.6-70.6	1556	31.4	29.4-33.4
White/Non-Hisp	3696	1,975,974	2458	69.2	67.2-71.2	1238	30.8	28.8-32.8
Black or Afr. Am./Non-Hisp	661	430,431	396	63.6	58.5-68.7	265	36.4	31.3-41.5
Oth. Race/Non-Hisp.	61	69,779	41	71.7	56.0-87.4	20	28.3	12.6-44.0
18-24	176	304,432	136	77.7	70.6-84.8	40	22.3	15.2-29.4
25-34	386	411,090	312	78.3	73.4-83.2	74	21.7	16.8-26.6
35-44	518	410,488	385	73.8	69.1-78.5	133	26.2	21.5-30.9
45-54	775	466,014	496	63.9	59.6-68.2	279	36.1	31.8-40.4
55-64	987	420,725	627	63.9	60.0-67.8	360	36.1	32.2-40.0
65+	1629	533,034	973	59.6	56.5-62.7	656	40.4	37.3-43.5
Less Than H.S.	651	447,426	294	49.6	43.9-55.3	357	50.4	44.7-56.1
H.S. or G.E.D.	1489	838,215	860	61.9	58.6-65.2	629	38.1	34.8-41.4
Some Post-H.S.	1220	735,337	860	75.3	72.0-78.6	360	24.7	21.4-28.0
College Graduate	1144	546,062	944	85.8	83.4-88.2	200	14.2	11.8-16.6
Less than \$15,000	649	319,410	339	54.2	48.7-59.7	310	45.8	40.3-51.3
\$15,000- 24,999	878	479,142	513	59.8	55.1-64.5	365	40.2	35.5-44.9
\$25,000- 34,999	425	254,146	301	71.8	66.1-77.5	124	28.2	22.5-33.9
\$35,000- 49,999	439	286,677	328	76.4	71.3-81.5	111	23.6	18.5-28.7
\$50,000- 74,999	391	260,764	310	80.3	75.2-85.4	81	19.7	14.6-24.8
\$75,000+	544	360,387	456	85.3	81.6-89.0	88	14.7	11.0-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	50
17 MALES ONLY	51
18 FEMALES ONLY	52
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	53
20 MALES ONLY	54
21 FEMALES ONLY	55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22	MALES AND FEMALES	56
23	MALES ONLY	57
24	FEMALES ONLY	58
	(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25	MALES AND FEMALES	59
26	MALES ONLY	60
27	FEMALES ONLY	61
	(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28	MALES AND FEMALES	62
29	MALES ONLY	63
30	FEMALES ONLY	64
	(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31	MALES AND FEMALES	65
32	MALES ONLY	66
33	FEMALES ONLY	67
	DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)	
34	MALES AND FEMALES	68
35	MALES ONLY	69
36	FEMALES ONLY	70
	(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
37	MALES AND FEMALES	71
38	MALES ONLY	72
39	FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7038	4,954,646	620	6.7	05.9-07.5	6418	93.3	92.5-94.1
Male	2520	2,381,283	299	9.2	07.8-10.6	2221	90.8	89.4-92.2
Female	4518	2,573,363	321	4.4	03.8-05.0	4197	95.6	95.0-96.2
White/Non-Hisp	5785	3,792,626	536	7.4	06.6-08.2	5249	92.6	91.8-93.4
Black or Afr. Am./Non-Hisp	966	773,780	64	4.4	02.0-06.8	902	95.6	93.2-98.0
Oth. Race/Non-Hisp.	98	132,643	7	3.5	00.2-06.8	91	96.5	93.2-99.8
MultiRacial/Non-Hisp.	68	90,353	6	8.1	00.8-15.4	62	91.9	84.6-99.2
Hispanic	70	128,638	2	0.9	00.0-02.5	68	99.1	97.5-0100
18-24	301	618,971	1	0.3	00.0-00.9	300	99.7	99.1-0100
25-34	642	823,479	5	0.4	00.0-00.8	637	99.6	99.2-0100
35-44	806	814,442	11	1.2	00.4-02.0	795	98.8	98.0-99.6
45-54	1265	907,168	90	7.6	05.2-10.0	1175	92.4	90.0-94.8
55-64	1597	811,204	154	10.9	08.5-13.3	1443	89.1	86.7-91.5
65+	2364	937,786	355	16.6	14.4-18.8	2009	83.4	81.2-85.6
Less Than H.S.	923	826,271	141	11.4	08.5-14.3	782	88.6	85.7-91.5
H.S. or G.E.D.	2336	1,656,954	218	7.2	06.0-08.4	2118	92.8	91.6-94.0
Some Post-H.S.	1919	1,409,262	167	5.8	04.6-07.0	1752	94.2	93.0-95.4
College Graduate	1831	1,042,390	89	3.2	02.4-04.0	1742	96.8	96.0-97.6
Less than \$15,000	884	542,645	102	9.1	06.6-11.6	782	90.9	88.4-93.4
\$15,000- 24,999	1303	909,818	155	10.3	07.8-12.8	1148	89.7	87.2-92.2
\$25,000- 34,999	689	479,902	64	7.1	04.9-09.3	625	92.9	90.7-95.1
\$35,000- 49,999	761	596,585	57	5.2	03.4-07.0	704	94.8	93.0-96.6
\$50,000- 74,999	698	537,931	42	5.7	03.7-07.7	656	94.3	92.3-96.3
\$75,000+	968	787,312	35	2.6	01.6-03.6	933	97.4	96.4-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2520	2,381,283	299	9.2	07.8-10.6	2221	90.8	89.4-92.2
White/Non-Hisp	2093	1,815,504	263	10.1	08.5-11.7	1830	89.9	88.3-91.5
Black or Afr. Am./Non-Hisp	306	344,505	27	6.6	01.9-11.3	279	93.4	88.7-98.1
18-24	125	314,540	1	0.5	00.0-01.5	124	99.5	98.5-0100
25-34	255	409,758	1	0.2	00.0-00.6	254	99.8	99.4-0100
35-44	290	405,528	7	1.9	00.3-03.5	283	98.1	96.5-99.7
45-54	490	441,154	37	9.1	04.8-13.4	453	90.9	86.6-95.2
55-64	611	390,986	90	17.3	13.0-21.6	521	82.7	78.4-87.0
65+	739	405,376	163	24.7	20.6-28.8	576	75.3	71.2-79.4
Less Than H.S.	274	379,469	60	16.9	11.0-22.8	214	83.1	77.2-89.0
H.S. or G.E.D.	848	817,410	108	9.9	07.7-12.1	740	90.1	87.9-92.3
Some Post-H.S.	699	673,925	85	7.5	05.3-09.7	614	92.5	90.3-94.7
College Graduate	688	496,743	45	4.4	02.8-06.0	643	95.6	94.0-97.2
Less than \$15,000	236	223,741	38	13.5	08.0-19.0	198	86.5	81.0-92.0
\$15,000- 24,999	427	431,978	73	14.8	09.9-19.7	354	85.2	80.3-90.1
\$25,000- 34,999	264	225,756	40	10.9	06.8-15.0	224	89.1	85.0-93.2
\$35,000- 49,999	322	309,908	35	6.8	03.9-09.7	287	93.2	90.3-96.1
\$50,000- 74,999	307	277,167	32	9.2	05.7-12.7	275	90.8	87.3-94.3
\$75,000+	424	426,925	23	3.5	01.7-05.3	401	96.5	94.7-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4518	2,573,363	321	4.4	03.8-05.0	4197	95.6	95.0-96.2
White/Non-Hisp	3692	1,977,122	273	5.0	04.2-05.8	3419	95.0	94.2-95.8
Black or Afr. Am./Non-Hisp	660	429,274	37	2.6	01.2-04.0	623	97.4	96.0-98.8
Oth. Race/Non-Hisp.	61	69,779	4	1.4	00.0-03.0	57	98.6	97.0-0100
18-24	176	304,432				176	100.0	0100-0100
25-34	387	413,720	4	0.6	00.0-01.4	383	99.4	98.6-0100
35-44	516	408,915	4	0.5	00.1-00.9	512	99.5	99.1-99.9
45-54	775	466,014	53	6.1	04.1-08.1	722	93.9	91.9-95.9
55-64	986	420,218	64	5.0	03.4-06.6	922	95.0	93.4-96.6
65+	1625	532,410	192	10.4	08.4-12.4	1433	89.6	87.6-91.6
Less Than H.S.	649	446,803	81	6.8	04.6-09.0	568	93.2	91.0-95.4
H.S. or G.E.D.	1488	839,544	110	4.6	03.4-05.8	1378	95.4	94.2-96.6
Some Post-H.S.	1220	735,337	82	4.2	03.0-05.4	1138	95.8	94.6-97.0
College Graduate	1143	545,646	44	2.2	01.4-03.0	1099	97.8	97.0-98.6
Less than \$15,000	648	318,904	64	6.0	04.0-08.0	584	94.0	92.0-96.0
\$15,000- 24,999	876	477,841	82	6.2	04.2-08.2	794	93.8	91.8-95.8
\$25,000- 34,999	425	254,146	24	3.6	01.8-05.4	401	96.4	94.6-98.2
\$35,000- 49,999	439	286,677	22	3.3	01.7-04.9	417	96.7	95.1-98.3
\$50,000- 74,999	391	260,764	10	2.0	00.4-03.6	381	98.0	96.4-99.6
\$75,000+	544	360,387	12	1.4	00.4-02.4	532	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7004	4,933,956	664	7.2	06.4-08.0	6340	92.8	92.0-93.6
Male	2507	2,370,038	287	8.5	07.1-09.9	2220	91.5	90.1-92.9
Female	4497	2,563,918	377	6.0	05.0-07.0	4120	94.0	93.0-95.0
White/Non-Hisp	5758	3,777,993	567	7.4	06.6-08.2	5191	92.6	91.8-93.4
Black or Afr. Am./Non-Hisp	962	771,362	66	5.6	03.2-08.0	896	94.4	92.0-96.8
Oth. Race/Non-Hisp.	95	129,247	9	7.2	01.1-13.3	86	92.8	86.7-98.9
MultiRacial/Non-Hisp.	68	90,353	8	12.3	01.9-22.7	60	87.7	77.3-98.1
Hispanic	69	128,331	6	7.9	00.1-15.7	63	92.1	84.3-99.9
18-24	301	618,971				301	100.0	0100-0100
25-34	642	823,510	6	1.4	00.0-02.8	636	98.6	97.2-0100
35-44	808	815,344	24	2.4	01.2-03.6	784	97.6	96.4-98.8
45-54	1255	898,753	81	6.3	04.1-08.5	1174	93.7	91.5-95.9
55-64	1594	809,295	167	11.9	09.5-14.3	1427	88.1	85.7-90.5
65+	2340	926,422	378	18.0	15.6-20.4	1962	82.0	79.6-84.4
Less Than H.S.	911	817,574	137	11.4	08.3-14.5	774	88.6	85.5-91.7
H.S. or G.E.D.	2321	1,649,024	224	7.6	06.2-09.0	2097	92.4	91.0-93.8
Some Post-H.S.	1914	1,407,132	184	6.5	05.3-07.7	1730	93.5	92.3-94.7
College Graduate	1829	1,042,171	113	4.3	03.3-05.3	1716	95.7	94.7-96.7
Less than \$15,000	874	538,212	107	8.8	06.4-11.2	767	91.2	88.8-93.6
\$15,000- 24,999	1300	909,432	166	10.5	08.0-13.0	1134	89.5	87.0-92.0
\$25,000- 34,999	681	473,869	72	7.7	05.3-10.1	609	92.3	89.9-94.7
\$35,000- 49,999	761	596,585	54	6.0	03.6-08.4	707	94.0	91.6-96.4
\$50,000- 74,999	697	537,846	42	6.1	03.9-08.3	655	93.9	91.7-96.1
\$75,000+	967	787,038	44	3.9	02.5-05.3	923	96.1	94.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2507	2,370,038	287	8.5	07.1-09.9	2220	91.5	90.1-92.9
White/Non-Hisp	2086	1,810,798	246	8.9	07.5-10.3	1840	91.1	89.7-92.5
Black or Afr. Am./Non-Hisp	303	341,193	26	6.3	01.6-11.0	277	93.7	89.0-98.4
18-24	125	314,540				125	100.0	0100-0100
25-34	254	409,399	3	1.8	00.0-04.2	251	98.2	95.8-0100
35-44	290	404,857	7	1.6	00.2-03.0	283	98.4	97.0-99.8
45-54	487	436,765	25	6.2	02.3-10.1	462	93.8	89.9-97.7
55-64	608	388,661	93	17.1	13.0-21.2	515	82.9	78.8-87.0
65+	732	401,810	157	23.5	19.4-27.6	575	76.5	72.4-80.6
Less Than H.S.	270	375,389	44	12.1	06.6-17.6	226	87.9	82.4-93.4
H.S. or G.E.D.	843	813,059	91	8.7	06.5-10.9	752	91.3	89.1-93.5
Some Post-H.S.	697	673,621	89	8.1	05.9-10.3	608	91.9	89.7-94.1
College Graduate	687	496,012	61	6.0	04.2-07.8	626	94.0	92.2-95.8
Less than \$15,000	234	223,245	31	7.9	04.4-11.4	203	92.1	88.6-95.6
\$15,000- 24,999	427	431,051	65	13.0	08.1-17.9	362	87.0	82.1-91.9
\$25,000- 34,999	259	223,180	41	11.0	06.9-15.1	218	89.0	84.9-93.1
\$35,000- 49,999	322	309,908	34	7.0	04.1-09.9	288	93.0	90.1-95.9
\$50,000- 74,999	306	277,083	30	8.8	05.3-12.3	276	91.2	87.7-94.7
\$75,000+	423	426,651	32	5.6	03.2-08.0	391	94.4	92.0-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4497	2,563,918	377	6.0	05.0-07.0	4120	94.0	93.0-95.0
White/Non-Hisp	3672	1,967,195	321	6.0	05.2-06.8	3351	94.0	93.2-94.8
Black or Afr. Am./Non-Hisp	659	430,169	40	5.1	02.7-07.5	619	94.9	92.5-97.3
Oth. Race/Non-Hisp.	60	69,303	6	8.0	00.0-17.4	54	92.0	82.6-0100
18-24	176	304,432				176	100.0	0100-0100
25-34	388	414,111	3	1.0	00.0-02.6	385	99.0	97.4-0100
35-44	518	410,488	17	3.2	01.4-05.0	501	96.8	95.0-98.6
45-54	768	461,988	56	6.5	04.3-08.7	712	93.5	91.3-95.7
55-64	986	420,634	74	7.2	04.7-09.7	912	92.8	90.3-95.3
65+	1608	524,612	221	13.9	11.5-16.3	1387	86.1	83.7-88.5
Less Than H.S.	641	442,186	93	10.7	07.4-14.0	548	89.3	86.0-92.6
H.S. or G.E.D.	1478	835,965	133	6.5	04.9-08.1	1345	93.5	91.9-95.1
Some Post-H.S.	1217	733,511	95	5.0	03.6-06.4	1122	95.0	93.6-96.4
College Graduate	1142	546,160	52	2.7	01.7-03.7	1090	97.3	96.3-98.3
Less than \$15,000	640	314,967	76	9.5	06.4-12.6	564	90.5	87.4-93.6
\$15,000- 24,999	873	478,382	101	8.1	05.9-10.3	772	91.9	89.7-94.1
\$25,000- 34,999	422	250,689	31	4.8	02.4-07.2	391	95.2	92.8-97.6
\$35,000- 49,999	439	286,677	20	5.0	01.5-08.5	419	95.0	91.5-98.5
\$50,000- 74,999	391	260,764	12	3.3	00.9-05.7	379	96.7	94.3-99.1
\$75,000+	544	360,387	12	2.0	00.6-03.4	532	98.0	96.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7035	4,951,856	393	3.8	03.2-04.4	6642	96.2	95.6-96.8
Male	2521	2,380,100	126	3.7	02.9-04.5	2395	96.3	95.5-97.1
Female	4514	2,571,756	267	3.9	03.3-04.5	4247	96.1	95.5-96.7
White/Non-Hisp	5785	3,792,545	307	3.5	02.9-04.1	5478	96.5	95.9-97.1
Black or Afr. Am./Non-Hisp	963	771,251	68	4.8	03.2-06.4	895	95.2	93.6-96.8
Oth. Race/Non-Hisp.	98	132,643	8	5.0	00.9-09.1	90	95.0	90.9-99.1
MultiRacial/Non-Hisp.	68	90,353	5	6.9	00.0-14.7	63	93.1	85.3-0100
Hispanic	69	128,393	2	1.8	00.0-04.7	67	98.2	95.3-0100
18-24	301	618,971				301	100.0	0100-0100
25-34	642	823,714	4	0.5	00.0-01.1	638	99.5	98.9-0100
35-44	807	814,237	10	0.8	00.2-01.4	797	99.2	98.6-99.8
45-54	1260	904,614	56	3.9	02.5-05.3	1204	96.1	94.7-97.5
55-64	1595	811,008	92	6.4	04.6-08.2	1503	93.6	91.8-95.4
65+	2366	937,650	228	9.3	07.7-10.9	2138	90.7	89.1-92.3
Less Than H.S.	923	826,447	100	7.3	05.3-09.3	823	92.7	90.7-94.7
H.S. or G.E.D.	2336	1,656,249	132	3.8	03.0-04.6	2204	96.2	95.4-97.0
Some Post-H.S.	1918	1,408,909	112	3.3	02.5-04.1	1806	96.7	95.9-97.5
College Graduate	1830	1,042,291	44	1.6	00.8-02.4	1786	98.4	97.6-99.2
Less than \$15,000	884	543,086	101	8.5	06.1-10.9	783	91.5	89.1-93.9
\$15,000- 24,999	1304	910,478	91	5.0	03.4-06.6	1213	95.0	93.4-96.6
\$25,000- 34,999	689	479,902	36	3.3	01.9-04.7	653	96.7	95.3-98.1
\$35,000- 49,999	760	596,429	20	1.7	00.7-02.7	740	98.3	97.3-99.3
\$50,000- 74,999	698	537,931	24	2.5	01.3-03.7	674	97.5	96.3-98.7
\$75,000+	966	785,650	11	1.1	00.3-01.9	955	98.9	98.1-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2521	2,380,100	126	3.7	02.9-04.5	2395	96.3	95.5-97.1
White/Non-Hisp	2095	1,816,099	103	3.5	02.7-04.3	1992	96.5	95.7-97.3
Black or Afr. Am./Non-Hisp	305	342,727	17	4.3	01.9-06.7	288	95.7	93.3-98.1
18-24	125	314,540				125	100.0	0100-0100
25-34	255	409,758				255	100.0	0100-0100
35-44	289	403,750	2	0.6	00.0-01.6	287	99.4	98.4-0100
45-54	490	441,576	19	3.5	01.5-05.5	471	96.5	94.5-98.5
55-64	611	390,986	38	7.9	05.2-10.6	573	92.1	89.4-94.8
65+	740	405,484	67	9.6	06.7-12.5	673	90.4	87.5-93.3
Less Than H.S.	274	379,469	29	7.6	04.3-10.9	245	92.4	89.1-95.7
H.S. or G.E.D.	849	817,939	41	3.4	02.2-04.6	808	96.6	95.4-97.8
Some Post-H.S.	699	673,925	38	3.1	01.9-04.3	661	96.9	95.7-98.1
College Graduate	689	496,809	17	2.0	00.8-03.2	672	98.0	96.8-99.2
Less than \$15,000	235	223,612	26	9.7	05.2-14.2	209	90.3	85.8-94.8
\$15,000- 24,999	428	432,085	28	4.7	02.3-07.1	400	95.3	92.9-97.7
\$25,000- 34,999	264	225,756	19	4.7	02.0-07.4	245	95.3	92.6-98.0
\$35,000- 49,999	322	309,908	11	2.4	00.6-04.2	311	97.6	95.8-99.4
\$50,000- 74,999	307	277,167	14	3.3	01.1-05.5	293	96.7	94.5-98.9
\$75,000+	424	426,925	5	1.3	00.1-02.5	419	98.7	97.5-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4514	2,571,756	267	3.9	03.3-04.5	4247	96.1	95.5-96.7
White/Non-Hisp	3690	1,976,446	204	3.6	03.0-04.2	3486	96.4	95.8-97.0
Black or Afr. Am./Non-Hisp	658	428,524	51	5.1	02.7-07.5	607	94.9	92.5-97.3
Oth. Race/Non-Hisp.	61	69,779	6	5.3	00.0-10.8	55	94.7	89.2-0100
18-24	176	304,432				176	100.0	0100-0100
25-34	387	413,955	4	1.0	00.0-02.2	383	99.0	97.8-0100
35-44	518	410,488	8	1.1	00.1-02.1	510	98.9	97.9-99.9
45-54	770	463,038	37	4.3	02.5-06.1	733	95.7	93.9-97.5
55-64	984	420,023	54	5.0	03.0-07.0	930	95.0	93.0-97.0
65+	1626	532,167	161	9.1	07.1-11.1	1465	90.9	88.9-92.9
Less Than H.S.	649	446,978	71	7.1	04.7-09.5	578	92.9	90.5-95.3
H.S. or G.E.D.	1487	838,309	91	4.1	02.9-05.3	1396	95.9	94.7-97.1
Some Post-H.S.	1219	734,984	74	3.6	02.4-04.8	1145	96.4	95.2-97.6
College Graduate	1141	545,483	27	1.3	00.5-02.1	1114	98.7	97.9-99.5
Less than \$15,000	649	319,474	75	7.6	05.2-10.0	574	92.4	90.0-94.8
\$15,000- 24,999	876	478,393	63	5.3	03.3-07.3	813	94.7	92.7-96.7
\$25,000- 34,999	425	254,146	17	2.1	00.9-03.3	408	97.9	96.7-99.1
\$35,000- 49,999	438	286,521	9	0.9	00.1-01.7	429	99.1	98.3-99.9
\$50,000- 74,999	391	260,764	10	1.8	00.4-03.2	381	98.2	96.8-99.6
\$75,000+	542	358,725	6	1.0	00.2-01.8	536	99.0	98.2-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7036	4,951,303	736	11.0	09.8-12.2	6300	89.0	87.8-90.2
Male	2522	2,380,758	222	10.1	08.3-11.9	2300	89.9	88.1-91.7
Female	4514	2,570,545	514	11.9	10.5-13.3	4000	88.1	86.7-89.5
White/Non-Hisp	5784	3,790,077	611	10.8	09.6-12.0	5173	89.2	88.0-90.4
Black or Afr. Am./Non-Hisp	963	772,640	88	8.5	06.0-11.0	875	91.5	89.0-94.0
Oth. Race/Non-Hisp.	98	132,643	14	22.0	08.9-35.1	84	78.0	64.9-91.1
MultiRacial/Non-Hisp.	68	90,353	11	19.4	06.9-31.9	57	80.6	68.1-93.1
Hispanic	70	128,638	5	14.7	01.6-27.8	65	85.3	72.2-98.4
18-24	301	618,971	35	15.3	09.6-21.0	266	84.7	79.0-90.4
25-34	642	821,586	64	9.9	07.2-12.6	578	90.1	87.4-92.8
35-44	808	815,344	86	9.0	06.8-11.2	722	91.0	88.8-93.2
45-54	1265	907,589	162	12.8	10.3-15.3	1103	87.2	84.7-89.7
55-64	1594	809,803	170	10.2	08.2-12.2	1424	89.8	87.8-91.8
65+	2362	936,349	211	9.8	08.0-11.6	2151	90.2	88.4-92.0
Less Than H.S.	921	825,910	139	16.6	12.7-20.5	782	83.4	79.5-87.3
H.S. or G.E.D.	2334	1,656,349	235	10.3	08.5-12.1	2099	89.7	87.9-91.5
Some Post-H.S.	1918	1,407,731	216	10.7	08.5-12.9	1702	89.3	87.1-91.5
College Graduate	1833	1,042,976	143	8.2	06.2-10.2	1690	91.8	89.8-93.8
Less than \$15,000	885	544,185	162	18.4	14.7-22.1	723	81.6	77.9-85.3
\$15,000- 24,999	1301	908,664	156	13.3	10.2-16.4	1145	86.7	83.6-89.8
\$25,000- 34,999	689	479,902	64	9.9	06.8-13.0	625	90.1	87.0-93.2
\$35,000- 49,999	759	594,082	64	8.0	05.5-10.5	695	92.0	89.5-94.5
\$50,000- 74,999	698	537,931	45	6.7	04.3-09.1	653	93.3	90.9-95.7
\$75,000+	967	787,026	70	8.2	05.1-11.3	897	91.8	88.7-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2522	2,380,758	222	10.1	08.3-11.9	2300	89.9	88.1-91.7
White/Non-Hisp	2095	1,816,476	187	10.0	08.0-12.0	1908	90.0	88.0-92.0
Black or Afr. Am./Non-Hisp	305	342,727	19	5.1	02.0-08.2	286	94.9	91.8-98.0
18-24	125	314,540	20	19.2	10.6-27.8	105	80.8	72.2-89.4
25-34	255	409,758	21	8.5	04.2-12.8	234	91.5	87.2-95.8
35-44	290	404,857	28	7.3	04.2-10.4	262	92.7	89.6-95.8
45-54	491	441,705	40	9.7	05.8-13.6	451	90.3	86.4-94.2
55-64	611	390,986	52	7.8	05.3-10.3	559	92.2	89.7-94.7
65+	739	404,907	60	9.9	06.8-13.0	679	90.1	87.0-93.2
Less Than H.S.	273	379,120	42	17.8	10.9-24.7	231	82.2	75.3-89.1
H.S. or G.E.D.	849	817,558	74	8.6	06.2-11.0	775	91.4	89.0-93.8
Some Post-H.S.	700	675,032	64	9.2	06.1-12.3	636	90.8	87.7-93.9
College Graduate	689	496,809	42	8.1	04.6-11.6	647	91.9	88.4-95.4
Less than \$15,000	237	224,848	41	17.3	11.0-23.6	196	82.7	76.4-89.0
\$15,000- 24,999	426	431,226	44	14.0	08.5-19.5	382	86.0	80.5-91.5
\$25,000- 34,999	264	225,756	21	8.8	03.7-13.9	243	91.2	86.1-96.3
\$35,000- 49,999	322	309,908	26	6.9	03.6-10.2	296	93.1	89.8-96.4
\$50,000- 74,999	307	277,167	20	6.7	03.2-10.2	287	93.3	89.8-96.8
\$75,000+	424	426,925	22	5.6	01.9-09.3	402	94.4	90.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4514	2,570,545	514	11.9	10.5-13.3	4000	88.1	86.7-89.5
White/Non-Hisp	3689	1,973,601	424	11.6	10.0-13.2	3265	88.4	86.8-90.0
Black or Afr. Am./Non-Hisp	658	429,913	69	11.2	07.5-14.9	589	88.8	85.1-92.5
Oth. Race/Non-Hisp.	61	69,779	10	27.5	09.7-45.3	51	72.5	54.7-90.3
18-24	176	304,432	15	11.2	03.9-18.5	161	88.8	81.5-96.1
25-34	387	411,828	43	11.4	07.7-15.1	344	88.6	84.9-92.3
35-44	518	410,488	58	10.7	07.4-14.0	460	89.3	86.0-92.6
45-54	774	465,884	122	15.8	12.5-19.1	652	84.2	80.9-87.5
55-64	983	418,817	118	12.4	09.3-15.5	865	87.6	84.5-90.7
65+	1623	531,443	151	9.7	07.7-11.7	1472	90.3	88.3-92.3
Less Than H.S.	648	446,789	97	15.7	11.2-20.2	551	84.3	79.8-88.8
H.S. or G.E.D.	1485	838,791	161	12.0	09.5-14.5	1324	88.0	85.5-90.5
Some Post-H.S.	1218	732,699	152	12.2	09.3-15.1	1066	87.8	84.9-90.7
College Graduate	1144	546,167	101	8.4	06.4-10.4	1043	91.6	89.6-93.6
Less than \$15,000	648	319,337	121	19.2	14.9-23.5	527	80.8	76.5-85.1
\$15,000- 24,999	875	477,438	112	12.7	09.8-15.6	763	87.3	84.4-90.2
\$25,000- 34,999	425	254,146	43	10.8	06.7-14.9	382	89.2	85.1-93.3
\$35,000- 49,999	437	284,174	38	9.1	05.2-13.0	399	90.9	87.0-94.8
\$50,000- 74,999	391	260,764	25	6.6	03.5-09.7	366	93.4	90.3-96.5
\$75,000+	543	360,101	48	11.3	06.0-16.6	495	88.7	83.4-94.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	723	533,028	550	71.4	65.9-76.9	173	28.6	23.1-34.1
Male	216	231,212	151	64.6	55.2-74.0	65	35.4	26.0-44.8
Female	507	301,816	399	76.6	69.7-83.5	108	23.4	16.5-30.3
White/Non-Hisp	602	403,916	461	73.0	67.3-78.7	141	27.0	21.3-32.7
Black or Afr. Am./Non-Hisp	86	62,612	68	84.4	75.6-93.2	18	15.6	06.8-24.4
25-34	63	79,191	45	70.8	57.7-83.9	18	29.2	16.1-42.3
35-44	84	71,719	65	79.7	69.9-89.5	19	20.3	10.5-30.1
45-54	159	114,555	119	66.4	55.4-77.4	40	33.6	22.6-44.6
55-64	168	81,843	143	84.3	74.9-93.7	25	15.7	06.3-25.1
65+	209	91,122	155	79.7	73.0-86.4	54	20.3	13.6-27.0
Less Than H.S.	138	136,943	113	75.8	63.6-88.0	25	24.2	12.0-36.4
H.S. or G.E.D.	230	165,178	181	78.0	69.6-86.4	49	22.0	13.6-30.4
Some Post-H.S.	213	147,957	155	62.2	50.6-73.8	58	37.8	26.2-49.4
College Graduate	139	82,679	99	67.3	56.1-78.5	40	32.7	21.5-43.9
Less than \$15,000	160	99,659	135	78.1	67.9-88.3	25	21.9	11.7-32.1
\$15,000- 24,999	152	115,970	124	82.5	72.5-92.5	28	17.5	07.5-27.5
\$25,000- 34,999	63	46,826	46	73.9	59.6-88.2	17	26.1	11.8-40.4
\$35,000- 49,999	64	47,295	39	59.0	42.3-75.7	25	41.0	24.3-57.7
\$75,000+	67	61,414	49	61.7	39.0-84.4	18	38.3	15.6-61.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	216	231,212	151	64.6	55.4-73.8	65	35.4	26.2-44.6
White/Non-Hisp	184	178,297	128	64.9	55.5-74.3	56	35.1	25.7-44.5
55-64	52	30,557	44	85.3	75.1-95.5	8	14.7	04.5-24.9
65+	59	39,904	43	74.7	61.8-87.6	16	25.3	12.4-38.2
H.S. or G.E.D.	71	66,379	58	83.2	73.4-93.0	13	16.8	07.0-26.6
Some Post-H.S.	63	59,916	35	48.3	29.9-66.7	28	51.7	33.3-70.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	507	301,816	399	76.6	69.7-83.5	108	23.4	16.5-30.3
White/Non-Hisp	418	225,620	333	79.4	72.3-86.5	85	20.6	13.5-27.7
Black or Afr. Am./Non-Hisp	69	48,245	54	85.7	76.5-94.9	15	14.3	05.1-23.5
35-44	56	42,210	45	86.3	76.9-95.7	11	13.7	04.3-23.1
45-54	120	72,561	95	77.0	67.2-86.8	25	23.0	13.2-32.8
55-64	116	51,286	99	83.7	70.0-97.4	17	16.3	02.6-30.0
65+	150	51,218	112	83.6	77.1-90.1	38	16.4	09.9-22.9
Less Than H.S.	96	69,463	79	83.0	69.7-96.3	17	17.0	03.7-30.3
H.S. or G.E.D.	159	98,798	123	74.6	62.6-86.6	36	25.4	13.4-37.4
Some Post-H.S.	150	88,041	120	71.7	56.8-86.6	30	28.3	13.4-43.2
College Graduate	99	45,242	75	80.8	70.8-90.8	24	19.2	09.2-29.2
Less than \$15,000	119	60,778	103	85.0	74.4-95.6	16	15.0	04.4-25.6
\$15,000- 24,999	110	58,758	93	92.7	88.4-97.0	17	7.3	03.0-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7040	4,954,019	739	7.7	06.9-08.5	6301	92.3	91.5-93.1
Male	2521	2,380,940	301	8.5	07.3-09.7	2220	91.5	90.3-92.7
Female	4519	2,573,079	438	6.9	06.1-07.7	4081	93.1	92.3-93.9
White/Non-Hisp	5788	3,794,067	718	9.6	08.6-10.6	5070	90.4	89.4-91.4
Black or Afr. Am./Non-Hisp	963	771,365	6	0.7	00.0-01.5	957	99.3	98.5-0100
Oth. Race/Non-Hisp.	98	132,643	4	3.3	00.0-07.4	94	96.7	92.6-0100
MultiRacial/Non-Hisp.	68	90,353	5	4.3	00.0-10.8	63	95.7	89.2-0100
Hispanic	70	128,638	2	0.3	00.0-00.9	68	99.7	99.1-0100
18-24	300	617,395	2	0.7	00.0-01.7	298	99.3	98.3-0100
25-34	642	823,747	7	0.9	00.3-01.5	635	99.1	98.5-99.7
35-44	807	814,743	24	3.5	01.7-05.3	783	96.5	94.7-98.3
45-54	1264	907,061	75	6.0	04.4-07.6	1189	94.0	92.4-95.6
55-64	1596	811,219	166	10.8	08.8-12.8	1430	89.2	87.2-91.2
65+	2367	938,193	462	21.1	18.7-23.5	1905	78.9	76.5-81.3
Less Than H.S.	925	826,895	116	9.1	06.7-11.5	809	90.9	88.5-93.3
H.S. or G.E.D.	2335	1,656,601	247	7.6	06.4-08.8	2088	92.4	91.2-93.6
Some Post-H.S.	1918	1,409,206	198	7.8	06.4-09.2	1720	92.2	90.8-93.6
College Graduate	1833	1,043,076	177	6.5	05.3-07.7	1656	93.5	92.3-94.7
Less than \$15,000	880	541,172	85	7.4	05.2-09.6	795	92.6	90.4-94.8
\$15,000- 24,999	1306	911,227	152	8.2	06.2-10.2	1154	91.8	89.8-93.8
\$25,000- 34,999	689	479,902	85	8.3	05.9-10.7	604	91.7	89.3-94.1
\$35,000- 49,999	761	596,585	76	7.2	05.2-09.2	685	92.8	90.8-94.8
\$50,000- 74,999	698	537,931	64	7.5	05.3-09.7	634	92.5	90.3-94.7
\$75,000+	968	787,312	93	8.0	06.0-10.0	875	92.0	90.0-94.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2521	2,380,940	301	8.5	07.3-09.7	2220	91.5	90.3-92.7
White/Non-Hisp	2094	1,816,657	292	10.6	09.0-12.2	1802	89.4	87.8-91.0
Black or Afr. Am./Non-Hisp	305	342,727	3	0.8	00.0-02.2	302	99.2	97.8-0100
18-24	125	314,540	2	1.3	00.0-03.1	123	98.7	96.9-0100
25-34	255	409,758				255	100.0	0100-0100
35-44	290	404,857	10	4.2	01.3-07.1	280	95.8	92.9-98.7
45-54	491	441,705	26	5.0	02.8-07.2	465	95.0	92.8-97.2
55-64	609	390,493	71	12.6	09.1-16.1	538	87.4	83.9-90.9
65+	740	405,580	191	27.0	22.7-31.3	549	73.0	68.7-77.3
Less Than H.S.	274	379,469	45	11.7	07.4-16.0	229	88.3	84.0-92.6
H.S. or G.E.D.	848	817,576	98	8.2	06.2-10.2	750	91.8	89.8-93.8
Some Post-H.S.	700	675,032	78	8.1	05.9-10.3	622	91.9	89.7-94.1
College Graduate	688	496,623	80	7.3	05.3-09.3	608	92.7	90.7-94.7
Less than \$15,000	235	224,356	25	8.3	04.2-12.4	210	91.7	87.6-95.8
\$15,000- 24,999	428	432,085	49	8.6	05.3-11.9	379	91.4	88.1-94.7
\$25,000- 34,999	264	225,756	39	9.6	05.5-13.7	225	90.4	86.3-94.5
\$35,000- 49,999	322	309,908	40	7.8	04.9-10.7	282	92.2	89.3-95.1
\$50,000- 74,999	307	277,167	34	8.7	05.4-12.0	273	91.3	88.0-94.6
\$75,000+	424	426,925	44	8.9	05.8-12.0	380	91.1	88.0-94.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4519	2,573,079	438	6.9	06.1-07.7	4081	93.1	92.3-93.9
White/Non-Hisp	3694	1,977,410	426	8.7	07.7-09.7	3268	91.3	90.3-92.3
Black or Afr. Am./Non-Hisp	658	428,638	3	0.6	00.0-01.4	655	99.4	98.6-0100
Oth. Race/Non-Hisp.	61	69,779	3	3.0	00.0-07.5	58	97.0	92.5-0100
18-24	175	302,856				175	100.0	0100-0100
25-34	387	413,989	7	1.7	00.3-03.1	380	98.3	96.9-99.7
35-44	517	409,886	14	2.8	01.0-04.6	503	97.2	95.4-99.0
45-54	773	465,357	49	6.9	04.5-09.3	724	93.1	90.7-95.5
55-64	987	420,725	95	9.0	06.8-11.2	892	91.0	88.8-93.2
65+	1627	532,613	271	16.6	14.2-19.0	1356	83.4	81.0-85.8
Less Than H.S.	651	447,426	71	6.9	04.7-09.1	580	93.1	90.9-95.3
H.S. or G.E.D.	1487	839,025	149	7.1	05.7-08.5	1338	92.9	91.5-94.3
Some Post-H.S.	1218	734,174	120	7.5	05.7-09.3	1098	92.5	90.7-94.3
College Graduate	1145	546,453	97	5.9	04.3-07.5	1048	94.1	92.5-95.7
Less than \$15,000	645	316,816	60	6.7	04.5-08.9	585	93.3	91.1-95.5
\$15,000- 24,999	878	479,142	103	7.8	05.8-09.8	775	92.2	90.2-94.2
\$25,000- 34,999	425	254,146	46	7.1	04.6-09.6	379	92.9	90.4-95.4
\$35,000- 49,999	439	286,677	36	6.5	04.0-09.0	403	93.5	91.0-96.0
\$50,000- 74,999	391	260,764	30	6.2	03.3-09.1	361	93.8	90.9-96.7
\$75,000+	544	360,387	49	7.0	04.6-09.4	495	93.0	90.6-95.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7040	4,951,000	680	6.9	06.1-07.7	6360	93.1	92.3-93.9
Male	2519	2,377,562	216	5.7	04.7-06.7	2303	94.3	93.3-95.3
Female	4521	2,573,437	464	8.0	07.0-09.0	4057	92.0	91.0-93.0
White/Non-Hisp	5787	3,790,973	612	7.8	07.0-08.6	5175	92.2	91.4-93.0
Black or Afr. Am./Non-Hisp	964	771,440	43	3.0	01.8-04.2	921	97.0	95.8-98.2
Oth. Race/Non-Hisp.	98	132,643	10	9.9	02.1-17.7	88	90.1	82.3-97.9
MultiRacial/Non-Hisp.	68	90,353	2	6.9	00.0-16.1	66	93.1	83.9-0100
Hispanic	70	128,638	6	2.2	00.0-05.3	64	97.8	94.7-0100
18-24	301	618,971	4	1.3	00.0-02.7	297	98.7	97.3-0100
25-34	639	819,646	21	2.9	01.3-04.5	618	97.1	95.5-98.7
35-44	808	815,344	29	3.4	01.8-05.0	779	96.6	95.0-98.2
45-54	1265	907,624	82	5.5	03.9-07.1	1183	94.5	92.9-96.1
55-64	1595	809,390	153	8.9	07.1-10.7	1442	91.1	89.3-92.9
65+	2368	938,364	386	17.0	14.8-19.2	1982	83.0	80.8-85.2
Less Than H.S.	923	824,576	108	8.6	06.2-11.0	815	91.4	89.0-93.8
H.S. or G.E.D.	2336	1,657,156	235	6.7	05.5-07.9	2101	93.3	92.1-94.5
Some Post-H.S.	1920	1,410,369	176	6.9	05.5-08.3	1744	93.1	91.7-94.5
College Graduate	1832	1,041,980	160	6.0	04.8-07.2	1672	94.0	92.8-95.2
Less than \$15,000	883	543,344	82	7.4	05.0-09.8	801	92.6	90.2-95.0
\$15,000- 24,999	1305	910,286	142	7.9	06.1-09.7	1163	92.1	90.3-93.9
\$25,000- 34,999	689	479,902	70	6.5	04.5-08.5	619	93.5	91.5-95.5
\$35,000- 49,999	759	593,792	66	6.3	04.3-08.3	693	93.7	91.7-95.7
\$50,000- 74,999	696	535,990	49	5.4	03.4-07.4	647	94.6	92.6-96.6
\$75,000+	968	787,312	61	4.9	03.3-06.5	907	95.1	93.5-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2519	2,377,562	216	5.7	04.7-06.7	2303	94.3	93.3-95.3
White/Non-Hisp	2093	1,814,902	188	6.3	05.1-07.5	1905	93.7	92.5-94.9
Black or Afr. Am./Non-Hisp	304	341,104	18	3.0	01.2-04.8	286	97.0	95.2-98.8
18-24	125	314,540	2	1.7	00.0-04.1	123	98.3	95.9-0100
25-34	254	408,136	1	0.4	00.0-01.2	253	99.6	98.8-0100
35-44	290	404,857	8	2.4	00.4-04.4	282	97.6	95.6-99.6
45-54	491	441,705	15	2.5	01.1-03.9	476	97.5	96.1-98.9
55-64	608	388,665	44	6.9	04.2-09.6	564	93.1	90.4-95.8
65+	740	405,654	144	19.8	15.9-23.7	596	80.2	76.3-84.1
Less Than H.S.	273	377,640	25	5.8	02.7-08.9	248	94.2	91.1-97.3
H.S. or G.E.D.	848	817,576	69	4.7	03.1-06.3	779	95.3	93.7-96.9
Some Post-H.S.	700	675,032	55	6.2	04.0-08.4	645	93.8	91.6-96.0
College Graduate	688	496,697	67	6.6	04.6-08.6	621	93.4	91.4-95.4
Less than \$15,000	235	224,356	15	5.2	01.7-08.7	220	94.8	91.3-98.3
\$15,000- 24,999	428	432,085	36	5.0	02.6-07.4	392	95.0	92.6-97.4
\$25,000- 34,999	264	225,756	29	6.7	03.6-09.8	235	93.3	90.2-96.4
\$35,000- 49,999	321	308,285	30	5.5	03.1-07.9	291	94.5	92.1-96.9
\$50,000- 74,999	305	275,226	21	5.7	02.8-08.6	284	94.3	91.4-97.2
\$75,000+	424	426,925	24	4.4	02.2-06.6	400	95.6	93.4-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4521	2,573,437	464	8.0	07.0-09.0	4057	92.0	91.0-93.0
White/Non-Hisp	3694	1,976,071	424	9.1	07.9-10.3	3270	90.9	89.7-92.1
Black or Afr. Am./Non-Hisp	660	430,336	25	3.1	01.5-04.7	635	96.9	95.3-98.5
Oth. Race/Non-Hisp.	61	69,779	8	13.6	01.1-26.1	53	86.4	73.9-98.9
18-24	176	304,432	2	0.9	00.0-02.1	174	99.1	97.9-0100
25-34	385	411,510	20	5.3	02.4-08.2	365	94.7	91.8-97.6
35-44	518	410,488	21	4.3	02.1-06.5	497	95.7	93.5-97.9
45-54	774	465,919	67	8.3	05.8-10.8	707	91.7	89.2-94.2
55-64	987	420,725	109	10.7	08.2-13.2	878	89.3	86.8-91.8
65+	1628	532,710	242	14.9	12.5-17.3	1386	85.1	82.7-87.5
Less Than H.S.	650	446,937	83	10.9	07.6-14.2	567	89.1	85.8-92.4
H.S. or G.E.D.	1488	839,580	166	8.7	06.9-10.5	1322	91.3	89.5-93.1
Some Post-H.S.	1220	735,337	121	7.6	05.8-09.4	1099	92.4	90.6-94.2
College Graduate	1144	545,283	93	5.5	04.1-06.9	1051	94.5	93.1-95.9
Less than \$15,000	648	318,988	67	8.9	05.8-12.0	581	91.1	88.0-94.2
\$15,000- 24,999	877	478,201	106	10.6	07.9-13.3	771	89.4	86.7-92.1
\$25,000- 34,999	425	254,146	41	6.3	03.9-08.7	384	93.7	91.3-96.1
\$35,000- 49,999	438	285,507	36	7.2	04.3-10.1	402	92.8	89.9-95.7
\$50,000- 74,999	391	260,764	28	5.1	02.6-07.6	363	94.9	92.4-97.4
\$75,000+	544	360,387	37	5.5	03.3-07.7	507	94.5	92.3-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7033	4,945,928	797	9.4	08.4-10.4	6236	90.6	89.6-91.6
Male	2516	2,375,219	241	8.8	07.2-10.4	2275	91.2	89.6-92.8
Female	4517	2,570,709	556	9.9	08.7-11.1	3961	90.1	88.9-91.3
White/Non-Hisp	5785	3,789,628	703	10.3	09.3-11.3	5082	89.7	88.7-90.7
Black or Afr. Am./Non-Hisp	962	772,707	56	5.9	03.4-08.4	906	94.1	91.6-96.6
Oth. Race/Non-Hisp.	97	130,261	12	7.2	02.3-12.1	85	92.8	87.9-97.7
MultiRacial/Non-Hisp.	68	90,353	12	14.2	04.4-24.0	56	85.8	76.0-95.6
Hispanic	68	126,027	4	0.7	00.0-01.5	64	99.3	98.5-0100
18-24	301	618,971	10	3.4	00.7-06.1	291	96.6	93.9-99.3
25-34	642	822,166	24	4.7	02.5-06.9	618	95.3	93.1-97.5
35-44	805	810,869	48	6.1	03.9-08.3	757	93.9	91.7-96.1
45-54	1262	904,951	157	10.9	08.7-13.1	1105	89.1	86.9-91.3
55-64	1596	810,313	229	14.2	11.8-16.6	1367	85.8	83.4-88.2
65+	2363	936,997	322	14.5	12.5-16.5	2041	85.5	83.5-87.5
Less Than H.S.	921	820,274	205	18.1	14.6-21.6	716	81.9	78.4-85.4
H.S. or G.E.D.	2334	1,655,949	305	10.6	08.8-12.4	2029	89.4	87.6-91.2
Some Post-H.S.	1917	1,409,180	181	6.6	05.2-08.0	1736	93.4	92.0-94.8
College Graduate	1831	1,041,985	102	4.2	03.2-05.2	1729	95.8	94.8-96.8
Less than \$15,000	883	541,422	199	19.4	15.7-23.1	684	80.6	76.9-84.3
\$15,000- 24,999	1301	907,462	218	15.5	12.8-18.2	1083	84.5	81.8-87.2
\$25,000- 34,999	687	479,050	79	9.8	06.3-13.3	608	90.2	86.7-93.7
\$35,000- 49,999	761	596,585	53	6.0	03.8-08.2	708	94.0	91.8-96.2
\$50,000- 74,999	698	537,931	37	4.7	02.9-06.5	661	95.3	93.5-97.1
\$75,000+	968	787,312	26	2.0	01.0-03.0	942	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2516	2,375,219	241	8.8	07.2-10.4	2275	91.2	89.6-92.8
White/Non-Hisp	2093	1,813,917	210	9.2	07.6-10.8	1883	90.8	89.2-92.4
Black or Afr. Am./Non-Hisp	303	342,436	17	7.4	02.3-12.5	286	92.6	87.5-97.7
18-24	125	314,540	2	3.0	00.0-07.7	123	97.0	92.3-0100
25-34	254	408,055	10	5.2	01.7-08.7	244	94.8	91.3-98.3
35-44	290	404,857	16	6.4	02.9-09.9	274	93.6	90.1-97.1
45-54	488	439,032	40	9.1	05.6-12.6	448	90.9	87.4-94.4
55-64	609	389,588	72	13.2	09.5-16.9	537	86.8	83.1-90.5
65+	739	405,141	99	14.9	11.4-18.4	640	85.1	81.6-88.6
Less Than H.S.	272	376,780	62	19.0	13.1-24.9	210	81.0	75.1-86.9
H.S. or G.E.D.	847	816,074	87	9.2	06.7-11.7	760	90.8	88.3-93.3
Some Post-H.S.	699	674,530	59	6.6	04.2-09.0	640	93.4	91.0-95.8
College Graduate	687	495,597	31	3.2	01.8-04.6	656	96.8	95.4-98.2
Less than \$15,000	235	224,281	46	17.7	11.2-24.2	189	82.3	75.8-88.8
\$15,000- 24,999	426	430,156	65	16.3	11.4-21.2	361	83.7	78.8-88.6
\$25,000- 34,999	263	225,448	32	10.5	03.8-17.2	231	89.5	82.8-96.2
\$35,000- 49,999	322	309,908	22	6.5	03.0-10.0	300	93.5	90.0-97.0
\$50,000- 74,999	307	277,167	13	4.2	01.7-06.7	294	95.8	93.3-98.3
\$75,000+	424	426,925	7	1.1	00.0-02.3	417	98.9	97.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4517	2,570,709	556	9.9	08.7-11.1	3961	90.1	88.9-91.3
White/Non-Hisp	3692	1,975,711	493	11.3	09.9-12.7	3199	88.7	87.3-90.1
Black or Afr. Am./Non-Hisp	659	430,271	39	4.7	02.9-06.5	620	95.3	93.5-97.1
Oth. Race/Non-Hisp.	61	69,779	9	7.3	01.0-13.6	52	92.7	86.4-99.0
18-24	176	304,432	8	3.9	01.0-06.8	168	96.1	93.2-99.0
25-34	388	414,111	14	4.3	01.9-06.7	374	95.7	93.3-98.1
35-44	515	406,012	32	5.7	03.5-07.9	483	94.3	92.1-96.5
45-54	774	465,919	117	12.6	09.9-15.3	657	87.4	84.7-90.1
55-64	987	420,725	157	15.1	12.2-18.0	830	84.9	82.0-87.8
65+	1624	531,856	223	14.2	11.8-16.6	1401	85.8	83.4-88.2
Less Than H.S.	649	443,494	143	17.5	13.6-21.4	506	82.5	78.6-86.4
H.S. or G.E.D.	1487	839,875	218	11.8	09.6-14.0	1269	88.2	86.0-90.4
Some Post-H.S.	1218	734,651	122	6.6	05.0-08.2	1096	93.4	91.8-95.0
College Graduate	1144	546,388	71	5.0	03.6-06.4	1073	95.0	93.6-96.4
Less than \$15,000	648	317,141	153	20.6	16.3-24.9	495	79.4	75.1-83.7
\$15,000- 24,999	875	477,306	153	14.8	11.9-17.7	722	85.2	82.3-88.1
\$25,000- 34,999	424	253,602	47	9.1	06.0-12.2	377	90.9	87.8-94.0
\$35,000- 49,999	439	286,677	31	5.4	03.0-07.8	408	94.6	92.2-97.0
\$50,000- 74,999	391	260,764	24	5.2	02.7-07.7	367	94.8	92.3-97.3
\$75,000+	544	360,387	19	2.9	01.3-04.5	525	97.1	95.5-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7031	4,944,464	2761	29.8	28.4-31.2	4270	70.2	68.8-71.6
Male	2519	2,375,840	874	27.1	24.9-29.3	1645	72.9	70.7-75.1
Female	4512	2,568,624	1887	32.2	30.4-34.0	2625	67.8	66.0-69.6
White/Non-Hisp	5783	3,787,636	2318	31.3	29.7-32.9	3465	68.7	67.1-70.3
Black or Afr. Am./Non-Hisp	959	768,242	350	26.7	23.0-30.4	609	73.3	69.6-77.0
Oth. Race/Non-Hisp.	98	132,643	25	18.1	09.1-27.1	73	81.9	72.9-90.9
MultiRacial/Non-Hisp.	68	90,353	29	31.3	17.8-44.8	39	68.7	55.2-82.2
Hispanic	70	128,638	20	17.4	07.6-27.2	50	82.6	72.8-92.4
18-24	300	615,183	14	4.8	02.1-07.5	286	95.2	92.5-97.9
25-34	641	822,186	73	12.1	09.0-15.2	568	87.9	84.8-91.0
35-44	805	812,702	173	18.5	15.6-21.4	632	81.5	78.6-84.4
45-54	1262	904,585	452	34.7	31.2-38.2	810	65.3	61.8-68.8
55-64	1594	810,454	726	44.3	41.0-47.6	868	55.7	52.4-59.0
65+	2365	937,693	1300	54.0	51.3-56.7	1065	46.0	43.3-48.7
Less Than H.S.	920	823,432	527	44.9	40.2-49.6	393	55.1	50.4-59.8
H.S. or G.E.D.	2334	1,655,749	982	30.7	28.3-33.1	1352	69.3	66.9-71.7
Some Post-H.S.	1916	1,405,479	721	25.5	23.1-27.9	1195	74.5	72.1-76.9
College Graduate	1830	1,041,169	520	21.9	19.5-24.3	1310	78.1	75.7-80.5
Less than \$15,000	886	544,403	460	41.3	36.6-46.0	426	58.7	54.0-63.4
\$15,000- 24,999	1300	905,208	604	36.4	32.7-40.1	696	63.6	59.9-67.3
\$25,000- 34,999	687	478,846	280	31.0	26.5-35.5	407	69.0	64.5-73.5
\$35,000- 49,999	761	596,585	248	24.7	21.0-28.4	513	75.3	71.6-79.0
\$50,000- 74,999	697	537,569	209	25.8	21.9-29.7	488	74.2	70.3-78.1
\$75,000+	968	787,312	238	18.5	15.6-21.4	730	81.5	78.6-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2519	2,375,840	874	27.1	24.9-29.3	1645	72.9	70.7-75.1
White/Non-Hisp	2093	1,812,513	738	28.3	25.9-30.7	1355	71.7	69.3-74.1
Black or Afr. Am./Non-Hisp	304	341,771	102	26.0	19.5-32.5	202	74.0	67.5-80.5
18-24	124	310,752	5	4.4	00.3-08.5	119	95.6	91.5-99.7
25-34	254	408,802	30	13.1	08.2-18.0	224	86.9	82.0-91.8
35-44	290	404,857	53	15.2	10.9-19.5	237	84.8	80.5-89.1
45-54	490	441,530	154	30.7	25.4-36.0	336	69.3	64.0-74.6
55-64	610	390,489	262	43.6	38.5-48.7	348	56.4	51.3-61.5
65+	740	405,403	364	51.0	46.3-55.7	376	49.0	44.3-53.7
Less Than H.S.	273	378,972	146	41.4	33.6-49.2	127	58.6	50.8-66.4
H.S. or G.E.D.	849	817,894	303	26.5	23.0-30.0	546	73.5	70.0-77.0
Some Post-H.S.	698	670,882	237	23.5	19.8-27.2	461	76.5	72.8-80.2
College Graduate	688	495,853	184	22.1	18.4-25.8	504	77.9	74.2-81.6
Less than \$15,000	237	224,848	103	34.9	26.9-42.9	134	65.1	57.1-73.1
\$15,000- 24,999	426	430,632	183	35.1	28.8-41.4	243	64.9	58.6-71.2
\$25,000- 34,999	264	225,756	101	29.7	22.8-36.6	163	70.3	63.4-77.2
\$35,000- 49,999	322	309,908	100	22.3	17.2-27.4	222	77.7	72.6-82.8
\$50,000- 74,999	306	276,805	95	27.3	21.4-33.2	211	72.7	66.8-78.6
\$75,000+	424	426,925	94	16.7	12.8-20.6	330	83.3	79.4-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4512	2,568,624	1887	32.2	30.4-34.0	2625	67.8	66.0-69.6
White/Non-Hisp	3690	1,975,123	1580	34.0	32.0-36.0	2110	66.0	64.0-68.0
Black or Afr. Am./Non-Hisp	655	426,470	248	27.3	23.0-31.6	407	72.7	68.4-77.0
Oth. Race/Non-Hisp.	61	69,779	16	20.1	07.0-33.2	45	79.9	66.8-93.0
18-24	176	304,432	9	5.2	01.7-08.7	167	94.8	91.3-98.3
25-34	387	413,384	43	11.1	07.4-14.8	344	88.9	85.2-92.6
35-44	515	407,845	120	21.8	17.7-25.9	395	78.2	74.1-82.3
45-54	772	463,054	298	38.5	34.2-42.8	474	61.5	57.2-65.8
55-64	984	419,965	464	45.0	40.9-49.1	520	55.0	50.9-59.1
65+	1625	532,290	936	56.3	53.0-59.6	689	43.7	40.4-47.0
Less Than H.S.	647	444,460	381	47.8	42.1-53.5	266	52.2	46.5-57.9
H.S. or G.E.D.	1485	837,855	679	34.9	31.8-38.0	806	65.1	62.0-68.2
Some Post-H.S.	1218	734,597	484	27.4	24.3-30.5	734	72.6	69.5-75.7
College Graduate	1142	545,316	336	21.8	19.1-24.5	806	78.2	75.5-80.9
Less than \$15,000	649	319,555	357	45.9	40.4-51.4	292	54.1	48.6-59.6
\$15,000- 24,999	874	474,576	421	37.6	33.3-41.9	453	62.4	58.1-66.7
\$25,000- 34,999	423	253,090	179	32.1	26.4-37.8	244	67.9	62.2-73.6
\$35,000- 49,999	439	286,677	148	27.3	22.2-32.4	291	72.7	67.6-77.8
\$50,000- 74,999	391	260,764	114	24.2	19.1-29.3	277	75.8	70.7-80.9
\$75,000+	544	360,387	144	20.6	16.5-24.7	400	79.4	75.3-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7023	4,940,195	1489	20.2	18.8-21.6	5534	79.8	78.4-81.2
Male	2516	2,373,678	429	16.0	14.2-17.8	2087	84.0	82.2-85.8
Female	4507	2,566,517	1060	24.1	22.3-25.9	3447	75.9	74.1-77.7
White/Non-Hisp	5775	3,782,896	1265	21.3	19.9-22.7	4510	78.7	77.3-80.1
Black or Afr. Am./Non-Hisp	962	769,546	162	16.6	13.3-19.9	800	83.4	80.1-86.7
Oth. Race/Non-Hisp.	97	132,167	21	20.0	10.2-29.8	76	80.0	70.2-89.8
MultiRacial/Non-Hisp.	68	90,353	18	21.2	08.1-34.3	50	78.8	65.7-91.9
Hispanic	70	128,638	8	7.1	00.4-13.8	62	92.9	86.2-99.6
18-24	298	611,400	48	14.3	09.8-18.8	250	85.7	81.2-90.2
25-34	643	823,869	115	16.0	12.9-19.1	528	84.0	80.9-87.1
35-44	807	814,535	172	19.5	16.2-22.8	635	80.5	77.2-83.8
45-54	1262	906,451	363	27.9	24.8-31.0	899	72.1	69.0-75.2
55-64	1593	809,809	446	28.8	25.7-31.9	1147	71.2	68.1-74.3
65+	2359	933,850	340	13.9	11.9-15.9	2019	86.1	84.1-88.1
Less Than H.S.	918	822,810	275	31.2	26.7-35.7	643	68.8	64.3-73.3
H.S. or G.E.D.	2334	1,653,045	514	19.8	17.6-22.0	1820	80.2	78.0-82.4
Some Post-H.S.	1913	1,403,994	415	19.3	16.9-21.7	1498	80.7	78.3-83.1
College Graduate	1830	1,042,163	280	13.2	11.2-15.2	1550	86.8	84.8-88.8
Less than \$15,000	881	540,182	330	37.6	32.9-42.3	551	62.4	57.7-67.1
\$15,000- 24,999	1303	910,319	341	24.8	21.5-28.1	962	75.2	71.9-78.5
\$25,000- 34,999	689	479,902	123	17.6	13.9-21.3	566	82.4	78.7-86.1
\$35,000- 49,999	760	596,456	118	14.7	11.4-18.0	642	85.3	82.0-88.6
\$50,000- 74,999	698	537,931	116	15.5	12.2-18.8	582	84.5	81.2-87.8
\$75,000+	968	787,312	133	12.1	09.6-14.6	835	87.9	85.4-90.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2516	2,373,678	429	16.0	14.2-17.8	2087	84.0	82.2-85.8
White/Non-Hisp	2090	1,809,677	360	16.6	14.4-18.8	1730	83.4	81.2-85.6
Black or Afr. Am./Non-Hisp	305	342,727	44	13.1	08.4-17.8	261	86.9	82.2-91.6
18-24	123	308,544	14	10.2	04.5-15.9	109	89.8	84.1-95.5
25-34	255	409,758	32	10.8	06.7-14.9	223	89.2	85.1-93.3
35-44	290	404,857	47	14.6	10.1-19.1	243	85.4	80.9-89.9
45-54	491	441,705	109	20.9	16.4-25.4	382	79.1	74.6-83.6
55-64	608	389,913	149	26.6	21.9-31.3	459	73.4	68.7-78.1
65+	738	404,894	77	11.7	08.4-15.0	661	88.3	85.0-91.6
Less Than H.S.	273	378,717	65	23.6	17.1-30.1	208	76.4	69.9-82.9
H.S. or G.E.D.	847	815,624	153	16.2	13.1-19.3	694	83.8	80.7-86.9
Some Post-H.S.	697	670,571	119	14.6	11.3-17.9	578	85.4	82.1-88.7
College Graduate	689	496,809	89	11.4	08.7-14.1	600	88.6	85.9-91.3
Less than \$15,000	236	224,366	81	31.9	23.9-39.9	155	68.1	60.1-76.1
\$15,000- 24,999	426	431,786	102	21.7	16.6-26.8	324	78.3	73.2-83.4
\$25,000- 34,999	264	225,756	35	13.3	08.0-18.6	229	86.7	81.4-92.0
\$35,000- 49,999	321	309,779	40	10.9	07.0-14.8	281	89.1	85.2-93.0
\$50,000- 74,999	307	277,167	37	10.9	06.6-15.2	270	89.1	84.8-93.4
\$75,000+	424	426,925	47	9.9	06.4-13.4	377	90.1	86.6-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4507	2,566,517	1060	24.1	22.3-25.9	3447	75.9	74.1-77.7
White/Non-Hisp	3685	1,973,219	905	25.6	23.6-27.6	2780	74.4	72.4-76.4
Black or Afr. Am./Non-Hisp	657	426,819	118	19.4	14.9-23.9	539	80.6	76.1-85.1
Oth. Race/Non-Hisp.	60	69,303	12	20.3	06.4-34.2	48	79.7	65.8-93.6
18-24	175	302,856	34	18.4	11.5-25.3	141	81.6	74.7-88.5
25-34	388	414,111	83	21.1	16.4-25.8	305	78.9	74.2-83.6
35-44	517	409,678	125	24.3	19.8-28.8	392	75.7	71.2-80.2
45-54	771	464,746	254	34.6	30.3-38.9	517	65.4	61.1-69.7
55-64	985	419,896	297	30.8	26.9-34.7	688	69.2	65.3-73.1
65+	1621	528,956	263	15.5	13.1-17.9	1358	84.5	82.1-86.9
Less Than H.S.	645	444,093	210	37.6	31.9-43.3	435	62.4	56.7-68.1
H.S. or G.E.D.	1487	837,421	361	23.3	20.4-26.2	1126	76.7	73.8-79.6
Some Post-H.S.	1216	733,423	296	23.6	20.5-26.7	920	76.4	73.3-79.5
College Graduate	1141	545,354	191	14.9	12.4-17.4	950	85.1	82.6-87.6
Less than \$15,000	645	315,816	249	41.6	36.1-47.1	396	58.4	52.9-63.9
\$15,000- 24,999	877	478,532	239	27.6	23.3-31.9	638	72.4	68.1-76.7
\$25,000- 34,999	425	254,146	88	21.5	16.4-26.6	337	78.5	73.4-83.6
\$35,000- 49,999	439	286,677	78	18.8	13.7-23.9	361	81.2	76.1-86.3
\$50,000- 74,999	391	260,764	79	20.5	15.4-25.6	312	79.5	74.4-84.6
\$75,000+	544	360,387	86	14.8	11.3-18.3	458	85.2	81.7-88.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7031	4,944,655	231	2.5	02.1-02.9	6800	97.5	97.1-97.9
Male	2517	2,373,620	93	2.8	02.0-03.6	2424	97.2	96.4-98.0
Female	4514	2,571,035	138	2.2	01.6-02.8	4376	97.8	97.2-98.4
White/Non-Hisp	5782	3,786,591	192	2.5	02.1-02.9	5590	97.5	97.1-97.9
Black or Afr. Am./Non-Hisp	963	770,656	31	2.6	01.4-03.8	932	97.4	96.2-98.6
Oth. Race/Non-Hisp.	98	132,643	3	4.5	00.0-09.8	95	95.5	90.2-0100
MultiRacial/Non-Hisp.	68	90,353	3	2.4	00.0-05.9	65	97.6	94.1-0100
Hispanic	70	128,638	1	0.2	00.0-00.6	69	99.8	99.4-0100
18-24	300	615,183	2	0.5	00.0-01.1	298	99.5	98.9-0100
25-34	642	822,824	3	0.8	00.0-01.8	639	99.2	98.2-0100
35-44	807	813,757	13	1.5	00.5-02.5	794	98.5	97.5-99.5
45-54	1263	905,494	33	2.1	01.1-03.1	1230	97.9	96.9-98.9
55-64	1595	809,961	60	3.6	02.4-04.8	1535	96.4	95.2-97.6
65+	2361	935,851	118	5.5	04.1-06.9	2243	94.5	93.1-95.9
Less Than H.S.	923	826,748	54	3.9	02.3-05.5	869	96.1	94.5-97.7
H.S. or G.E.D.	2331	1,653,637	76	2.2	01.6-02.8	2255	97.8	97.2-98.4
Some Post-H.S.	1916	1,404,620	56	2.4	01.6-03.2	1860	97.6	96.8-98.4
College Graduate	1832	1,042,125	44	1.9	01.1-02.7	1788	98.1	97.3-98.9
Less than \$15,000	884	543,033	46	4.3	02.3-06.3	838	95.7	93.7-97.7
\$15,000- 24,999	1304	910,372	65	3.7	02.5-04.9	1239	96.3	95.1-97.5
\$25,000- 34,999	688	479,528	15	1.2	00.6-01.8	673	98.8	98.2-99.4
\$35,000- 49,999	760	596,365	20	1.5	00.7-02.3	740	98.5	97.7-99.3
\$50,000- 74,999	696	536,307	11	1.4	00.4-02.4	685	98.6	97.6-99.6
\$75,000+	968	787,312	18	1.7	00.7-02.7	950	98.3	97.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2517	2,373,620	93	2.8	02.0-03.6	2424	97.2	96.4-98.0
White/Non-Hisp	2091	1,810,372	76	2.8	02.0-03.6	2015	97.2	96.4-98.0
Black or Afr. Am./Non-Hisp	305	342,727	13	3.0	00.8-05.2	292	97.0	94.8-99.2
18-24	124	310,752	1	0.5	00.0-01.5	123	99.5	98.5-0100
25-34	255	409,758	1	0.3	00.0-00.9	254	99.7	99.1-0100
35-44	290	404,857	5	1.7	00.0-03.5	285	98.3	96.5-0100
45-54	488	439,480	17	2.7	01.1-04.3	471	97.3	95.7-98.9
55-64	609	389,482	29	4.7	02.5-06.9	580	95.3	93.1-97.5
65+	740	405,284	40	6.6	04.1-09.1	700	93.4	90.9-95.9
Less Than H.S.	274	379,469	17	3.7	01.3-06.1	257	96.3	93.9-98.7
H.S. or G.E.D.	849	817,324	26	2.1	01.1-03.1	823	97.9	96.9-98.9
Some Post-H.S.	696	669,282	23	3.0	01.4-04.6	673	97.0	95.4-98.6
College Graduate	688	496,340	27	3.1	01.7-04.5	661	96.9	95.5-98.3
Less than \$15,000	237	224,848	15	4.3	01.6-07.0	222	95.7	93.0-98.4
\$15,000- 24,999	427	431,341	17	2.9	01.1-04.7	410	97.1	95.3-98.9
\$25,000- 34,999	264	225,756	8	1.4	00.4-02.4	256	98.6	97.6-99.6
\$35,000- 49,999	322	309,908	11	1.8	00.6-03.0	311	98.2	97.0-99.4
\$50,000- 74,999	305	275,544	9	2.6	00.6-04.6	296	97.4	95.4-99.4
\$75,000+	424	426,925	12	2.2	00.8-03.6	412	97.8	96.4-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4514	2,571,035	138	2.2	01.6-02.8	4376	97.8	97.2-98.4
White/Non-Hisp	3691	1,976,219	116	2.1	01.5-02.7	3575	97.9	97.3-98.5
Black or Afr. Am./Non-Hisp	658	427,929	18	2.2	00.8-03.6	640	97.8	96.4-99.2
Oth. Race/Non-Hisp.	61	69,779	1	4.4	00.0-12.8	60	95.6	87.2-0100
18-24	176	304,432	1	0.5	00.0-01.5	175	99.5	98.5-0100
25-34	387	413,066	2	1.2	00.0-03.0	385	98.8	97.0-0100
35-44	517	408,900	8	1.3	00.1-02.5	509	98.7	97.5-99.9
45-54	775	466,014	16	1.6	00.6-02.6	759	98.4	97.4-99.4
55-64	986	420,478	31	2.5	01.3-03.7	955	97.5	96.3-98.7
65+	1621	530,567	78	4.6	03.2-06.0	1543	95.4	94.0-96.8
Less Than H.S.	649	447,279	37	4.0	01.8-06.2	612	96.0	93.8-98.2
H.S. or G.E.D.	1482	836,313	50	2.3	01.5-03.1	1432	97.7	96.9-98.5
Some Post-H.S.	1220	735,337	33	1.8	01.0-02.6	1187	98.2	97.4-99.0
College Graduate	1144	545,785	17	0.9	00.3-01.5	1127	99.1	98.5-99.7
Less than \$15,000	647	318,185	31	4.3	01.8-06.8	616	95.7	93.2-98.2
\$15,000- 24,999	877	479,031	48	4.5	02.9-06.1	829	95.5	93.9-97.1
\$25,000- 34,999	424	253,772	7	1.0	00.2-01.8	417	99.0	98.2-99.8
\$35,000- 49,999	438	286,457	9	1.3	00.3-02.3	429	98.7	97.7-99.7
\$50,000- 74,999	391	260,764	2	0.2	00.0-00.4	389	99.8	99.6-0100
\$75,000+	544	360,387	6	1.2	00.0-02.4	538	98.8	97.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 34: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7031	4,943,748	1414	18.0	16.8-19.2	5595	81.7	80.5-82.9	22	0.3	0.1-0.5
Male	2514	2,370,886	457	17.1	15.1-19.1	2049	82.5	80.5-84.5	8	0.4	0.0-0.8
Female	4517	2,572,862	957	18.7	17.1-20.3	3546	81.0	79.4-82.6	14	0.2	0.0-0.4
White/Non-Hisp	5783	3,789,775	1143	17.8	16.4-19.2	4625	82.0	80.6-83.4	15	0.2	0.0-0.4
Black or Afr. Am./Non-Hisp	963	770,891	213	19.3	16.0-22.6	747	80.4	76.9-83.9	3	0.3	0.0-0.7
Oth. Race/Non-Hisp.	98	132,643	28	26.2	15.2-37.2	69	71.9	60.5-83.3	1	1.9	0.0-0.5
MultiRacial/Non-Hisp.	68	90,353	14	19.9	04.8-35.0	53	79.9	64.8-95.0	1	0.2	0.0-0.6
Hispanic	69	128,095	9	9.1	02.2-16.0	58	89.8	82.7-96.9	2	1.1	0.0-0.2
18-24	301	618,971	32	12.1	07.6-16.6	268	87.5	83.0-92.0	1	0.3	0.0-0.9
25-34	643	823,869	61	8.8	06.3-11.3	579	90.8	88.1-93.5	3	0.4	0.0-0.1
35-44	807	813,757	109	12.2	09.7-14.7	698	87.8	85.3-90.3			
45-54	1260	905,008	316	25.9	22.8-29.0	940	73.6	70.5-76.7	4	0.5	0.0-0.1
55-64	1595	808,472	359	22.3	19.6-25.0	1233	77.4	74.7-80.1	3	0.3	0.0-0.7
65+	2365	937,413	526	23.4	21.0-25.8	1828	76.3	73.9-78.7	11	0.3	0.1-0.5
Less Than H.S.	923	826,696	308	29.1	24.8-33.4	607	70.5	66.2-74.8	8	0.4	0.0-0.8
H.S. or G.E.D.	2336	1,655,529	489	18.5	16.3-20.7	1843	81.5	79.3-83.7	4	0.0	0.0-0.0
Some Post-H.S.	1915	1,405,994	368	15.4	13.2-17.6	1539	83.9	81.7-86.1	8	0.7	0.1-0.1
College Graduate	1830	1,041,950	241	11.5	09.7-13.3	1587	88.4	86.6-90.2	2	0.1	0.0-0.3
Less than \$15,000	887	544,649	311	33.6	29.1-38.1	573	66.1	61.6-70.6	3	0.3	0.0-0.7
\$15,000- 24,999	1304	910,831	325	21.2	18.3-24.1	974	78.6	75.7-81.5	5	0.2	0.0-0.4
\$25,000- 34,999	688	479,317	128	16.5	12.8-20.2	559	83.0	79.1-86.9	1	0.5	0.0-0.1
\$35,000- 49,999	759	595,677	116	13.7	10.6-16.8	643	86.3	83.2-89.4			
\$50,000- 74,999	696	534,541	106	16.6	13.1-20.1	587	82.9	79.2-86.6	3	0.5	0.0-0.1
\$75,000+	968	787,312	103	9.5	07.3-11.7	863	90.4	88.2-92.6	2	0.1	0.0-0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 35: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2514	2,370,886	457	17.1	15.1-19.1	2049	82.5	80.5-84.5	8	0.4	00.0-00.8
White/Non-Hisp	2091	1,812,617	366	15.9	13.9-17.9	1721	83.8	81.8-85.8	4	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	304	342,142	68	23.0	16.7-29.3	235	76.7	70.4-83.0	1	0.3	00.0-00.9
18-24	125	314,540	11	10.8	04.1-17.5	113	88.5	81.8-95.2	1	0.7	00.0-01.9
25-34	255	409,758	22	8.6	04.5-12.7	232	90.8	86.5-95.1	1	0.6	00.0-01.8
35-44	290	404,857	29	9.2	05.7-12.7	261	90.8	87.3-94.3			
45-54	487	439,165	113	26.3	21.2-31.4	371	73.2	68.1-78.3	3	0.5	00.0-01.1
55-64	609	387,867	138	24.0	19.5-28.5	470	75.6	71.1-80.1	1	0.4	00.0-01.2
65+	738	404,543	140	21.5	17.4-25.6	596	78.1	74.0-82.2	2	0.4	00.0-01.0
Less Than H.S.	274	379,469	88	29.1	22.2-36.0	183	70.4	63.3-77.5	3	0.6	00.0-01.4
H.S. or G.E.D.	849	817,748	169	17.9	14.6-21.2	680	82.1	78.8-85.4			
Some Post-H.S.	696	670,732	119	14.1	10.8-17.4	573	84.9	81.4-88.4	4	1.0	00.0-02.0
College Graduate	686	495,584	79	10.5	07.8-13.2	606	89.3	86.6-92.0	1	0.2	00.0-00.6
Less than \$15,000	237	224,848	88	36.2	27.8-44.6	148	63.3	54.9-71.7	1	0.5	00.0-01.5
\$15,000- 24,999	427	431,765	103	20.9	16.0-25.8	323	79.0	74.1-83.9	1	0.1	00.0-00.3
\$25,000- 34,999	263	225,171	48	17.7	11.2-24.2	214	81.2	74.3-88.1	1	1.1	00.0-03.3
\$35,000- 49,999	320	309,000	40	12.2	07.9-16.5	280	87.8	83.5-92.1			
\$50,000- 74,999	305	273,777	48	15.7	10.6-20.8	256	83.6	78.3-88.9	1	0.7	00.0-02.1
\$75,000+	424	426,925	37	8.0	05.1-10.9	385	91.8	88.7-94.9	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 36: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4517	2,572,862	957	18.7	17.1-20.3	3546	81.0	79.4-82.6	14	0.2	00.0-00.4
White/Non-Hisp	3692	1,977,158	777	19.4	17.6-21.2	2904	80.3	78.5-82.1	11	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	659	428,748	145	16.2	12.7-19.7	512	83.5	80.0-87.0	2	0.3	00.0-00.9
Oth. Race/Non-Hisp.	61	69,779	17	24.0	09.7-38.3	44	76.0	61.7-90.3			
18-24	176	304,432	21	13.5	07.2-19.8	155	86.5	80.2-92.8			
25-34	388	414,111	39	9.1	05.8-12.4	347	90.7	87.4-94.0	2	0.2	00.0-00.4
35-44	517	408,900	80	15.1	11.4-18.8	437	84.9	81.2-88.6			
45-54	773	465,843	203	25.5	21.6-29.4	569	74.0	70.1-77.9	1	0.5	00.0-01.5
55-64	986	420,604	221	20.7	17.4-24.0	763	79.1	75.8-82.4	2	0.3	00.0-00.9
65+	1627	532,870	386	24.7	21.8-27.6	1232	74.9	72.0-77.8	9	0.3	00.1-00.5
Less Than H.S.	649	447,227	220	29.2	24.1-34.3	424	70.5	65.4-75.6	5	0.3	00.1-00.5
H.S. or G.E.D.	1487	837,781	320	19.0	16.5-21.5	1163	80.9	78.4-83.4	4	0.1	00.1-00.1
Some Post-H.S.	1219	735,262	249	16.6	13.9-19.3	966	82.9	80.2-85.6	4	0.5	00.0-01.3
College Graduate	1144	546,366	162	12.4	10.0-14.8	981	87.6	85.2-90.0	1	0.1	00.0-00.3
Less than \$15,000	650	319,801	223	31.9	26.8-37.0	425	68.0	62.9-73.1	2	0.2	00.0-00.6
\$15,000- 24,999	877	479,067	222	21.5	17.8-25.2	651	78.2	74.5-81.9	4	0.4	00.0-00.8
\$25,000- 34,999	425	254,146	80	15.4	11.3-19.5	345	84.6	80.5-88.7			
\$35,000- 49,999	439	286,677	76	15.4	11.3-19.5	363	84.6	80.5-88.7			
\$50,000- 74,999	391	260,764	58	17.6	12.5-22.7	331	82.2	77.1-87.3	2	0.2	00.0-00.4
\$75,000+	544	360,387	66	11.2	07.9-14.5	478	88.8	85.5-92.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 37: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7031	4,938,986	1115	11.9	10.9-12.9	52	0.6	00.4-00.8	5657	85.0	84.0-86.0	207	2.4	02.0-02.8
Male	2513	2,368,818	423	12.1	10.5-13.7				2024	85.9	84.3-87.5	66	2.0	01.4-02.6
Female	4518	2,570,169	692	11.8	10.6-13.0	52	1.2	00.8-01.6	3633	84.1	82.7-85.5	141	2.8	02.2-03.4
White/Non-Hisp	5783	3,786,628	896	12.2	11.2-13.2	43	0.7	00.5-00.9	4668	84.5	83.3-85.7	176	2.5	01.9-03.1
Black or Afr. Am./Non-Hisp	963	768,859	180	12.4	09.5-15.3	6	0.3	00.0-00.7	754	85.3	82.2-88.4	23	1.9	00.9-02.9
Oth. Race/Non-Hisp.	98	132,643	13	7.1	02.2-12.0				81	90.7	85.2-96.2	4	2.2	00.0-04.9
MultiRacial/Non-Hisp.	68	90,353	7	9.2	00.0-18.4	3	1.1	00.0-02.7	56	84.7	73.5-95.9	2	4.9	00.0-11.6
Hispanic	70	128,638	9	8.0	00.9-15.1				59	89.9	82.1-97.7	2	2.1	00.0-06.0
18-24	299	615,350	5	1.1	00.0-02.3	3	0.7	00.0-01.5	285	96.2	93.8-98.6	6	1.9	00.1-03.7
25-34	642	822,978	21	2.9	01.5-04.3	9	0.9	00.3-01.5	599	94.5	92.7-96.3	13	1.6	00.6-02.6
35-44	806	812,369	60	6.1	04.3-07.9	11	0.9	00.3-01.5	717	90.5	88.1-92.9	18	2.5	01.1-03.9
45-54	1265	906,719	178	13.7	11.0-16.4	12	0.7	00.3-01.1	1037	83.1	80.2-86.0	38	2.4	01.4-03.4
55-64	1592	806,881	299	19.6	16.9-22.3	4	0.1	00.0-00.3	1244	77.6	74.9-80.3	45	2.7	01.7-03.7
65+	2366	937,081	544	24.0	21.6-26.4	13	0.4	00.2-00.6	1722	72.3	69.9-74.7	87	3.3	02.3-04.3
Less Than H.S.	924	825,978	213	17.5	14.0-21.0	2	0.1	00.0-00.3	674	78.9	75.2-82.6	35	3.5	01.9-05.1
H.S. or G.E.D.	2334	1,652,420	383	11.8	10.2-13.4	14	0.5	00.1-00.9	1865	85.2	83.4-87.0	72	2.4	01.6-03.2
Some Post-H.S.	1915	1,405,462	317	11.5	09.9-13.1	20	0.9	00.5-01.3	1529	85.5	83.7-87.3	49	2.1	01.3-02.9
College Graduate	1831	1,041,578	195	8.1	06.5-09.7	16	0.9	00.3-01.5	1570	88.9	87.1-90.7	50	2.1	01.3-02.9
Less than \$15,000	884	541,698	198	17.5	14.2-20.8	6	0.4	00.0-01.0	658	80.0	76.5-83.5	22	2.0	00.8-03.2
\$15,000- 24,999	1305	911,111	257	16.7	13.8-19.6	3	0.3	00.0-00.7	1005	80.1	77.0-83.2	40	2.9	01.5-04.3
\$25,000- 34,999	688	479,678	99	11.1	08.4-13.8	6	0.6	00.0-01.2	561	84.7	81.4-88.0	22	3.6	01.6-05.6
\$35,000- 49,999	761	596,585	107	10.6	08.1-13.1	4	0.2	00.0-00.4	628	87.1	84.4-89.8	22	2.1	00.9-03.3
\$50,000- 74,999	697	536,543	91	11.5	08.8-14.2	10	1.1	00.3-01.9	576	84.8	81.7-87.9	20	2.6	01.0-04.2
\$75,000+	966	785,957	87	7.4	05.4-09.4	7	0.6	00.0-01.2	848	90.1	87.9-92.3	24	1.9	00.9-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 38: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2513	2,368,818	423	12.1	10.5-13.7	2024	85.9	84.3-87.5	66	2.0	01.4-02.6
White/Non-Hisp	2088	1,809,421	353	12.5	10.9-14.1	1676	85.2	83.4-87.0	59	2.3	01.5-03.1
Black or Afr. Am./Non-Hisp	305	342,727	52	12.3	07.0-17.6	248	87.0	81.7-92.3	5	0.7	00.0-01.5
18-24	124	312,495				122	98.1	95.4-0100	2	1.9	00.0-04.6
25-34	254	408,867	7	1.7	00.3-03.1	244	97.3	95.5-99.1	3	1.0	00.0-02.4
35-44	289	403,469	18	5.6	02.7-08.5	264	92.0	88.5-95.5	7	2.4	00.4-04.4
45-54	491	441,705	65	14.1	09.6-18.6	415	84.5	79.8-89.2	11	1.4	00.4-02.4
55-64	608	388,080	133	21.4	17.1-25.7	458	75.8	71.3-80.3	17	2.7	01.1-04.3
65+	737	404,047	199	27.3	23.2-31.4	512	69.9	65.8-74.0	26	2.8	01.4-04.2
Less Than H.S.	273	378,552	51	14.2	08.7-19.7	215	83.6	77.7-89.5	7	2.2	00.0-04.6
H.S. or G.E.D.	848	816,197	140	11.2	08.8-13.6	684	87.0	84.5-89.5	24	1.8	00.8-02.8
Some Post-H.S.	696	671,260	126	12.2	09.7-14.7	552	85.4	82.5-88.3	18	2.4	01.0-03.8
College Graduate	687	495,454	103	11.3	08.6-14.0	568	87.0	84.1-89.9	16	1.7	00.5-02.9
Less than \$15,000	236	223,932	41	14.7	08.8-20.6	190	84.7	78.6-90.8	5	0.6	00.0-01.4
\$15,000- 24,999	427	431,969	87	16.8	12.1-21.5	327	80.5	75.4-85.6	13	2.7	00.5-04.9
\$25,000- 34,999	263	225,533	51	12.2	08.1-16.3	204	85.2	80.5-89.9	8	2.6	00.4-04.8
\$35,000- 49,999	322	309,908	51	9.9	06.6-13.2	262	88.4	84.9-91.9	9	1.7	00.1-03.3
\$50,000- 74,999	306	275,779	56	16.2	11.5-20.9	243	80.6	75.3-85.9	7	3.2	00.7-05.7
\$75,000+	422	425,570	53	9.1	06.2-12.0	360	89.2	85.9-92.5	9	1.8	00.2-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 5: CHRONIC HEALTH CONDITIONS
 TABLE 39: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4518	2,570,169	692	11.8	10.6-13.0	52	1.2	0.8-01.6	3633	84.1	82.7-85.5	141	2.8	02.2-03.4
White/Non-Hisp	3695	1,977,207	543	11.9	10.5-13.3	43	1.4	0.8-02.0	2992	83.9	82.3-85.5	117	2.8	02.2-03.4
Black or Afr. Am./Non-Hisp	658	426,132	128	12.5	09.4-15.6	6	0.6	0.0-01.2	506	83.9	80.4-87.4	18	2.9	01.1-04.7
Oth. Race/Non-Hisp.	61	69,779	7	3.9	00.6-07.2				50	91.8	85.7-97.9	4	4.2	00.0-09.3
18-24	175	302,856	5	2.3	00.0-04.8	3	1.4	00.0-03.2	163	94.3	90.6-98.0	4	2.0	00.0-04.2
25-34	388	414,111	14	4.1	01.7-06.5	9	1.8	00.4-03.2	355	91.8	88.7-94.9	10	2.3	00.7-03.9
35-44	517	408,900	42	6.6	04.2-09.0	11	1.8	00.6-03.0	453	89.0	85.9-92.1	11	2.7	00.9-04.5
45-54	774	465,014	113	13.4	10.5-16.3	12	1.4	00.4-02.4	622	81.8	78.5-85.1	27	3.4	01.8-05.0
55-64	984	418,801	166	17.9	14.6-21.2	4	0.2	00.0-00.4	786	79.2	75.7-82.7	28	2.7	01.5-03.9
65+	1629	533,034	345	21.4	18.7-24.1	13	0.7	00.3-01.1	1210	74.1	71.2-77.0	61	3.7	02.5-04.9
Less Than H.S.	651	447,426	162	20.4	16.1-24.7	2	0.2	00.0-00.6	459	74.9	70.2-79.6	28	4.6	02.2-07.0
H.S. or G.E.D.	1486	836,222	243	12.4	10.4-14.4	14	0.9	00.3-01.5	1181	83.5	81.1-85.9	48	3.1	01.9-04.3
Some Post-H.S.	1219	734,202	191	10.9	08.9-12.9	20	1.8	00.8-02.8	977	85.6	83.2-88.0	31	1.8	01.0-02.6
College Graduate	1144	546,123	92	5.2	03.8-06.6	16	1.7	00.7-02.7	1002	90.7	88.7-92.7	34	2.5	01.5-03.5
Less than \$15,000	648	317,766	157	19.5	15.4-23.6	6	0.8	00.0-01.6	468	76.8	72.5-81.1	17	3.0	01.2-04.8
\$15,000- 24,999	878	479,142	170	16.6	13.3-19.9	3	0.6	00.0-01.4	678	79.7	76.2-83.2	27	3.1	01.5-04.7
\$25,000- 34,999	425	254,146	48	10.1	06.4-13.8	6	1.1	00.0-02.3	357	84.3	79.6-89.0	14	4.6	01.5-07.7
\$35,000- 49,999	439	286,677	56	11.3	07.2-15.4	4	0.5	00.0-01.1	366	85.7	81.4-90.0	13	2.5	00.7-04.3
\$50,000- 74,999	391	260,764	35	6.6	04.1-09.1	10	2.2	00.6-03.8	333	89.2	85.9-92.5	13	2.0	00.6-03.4
\$75,000+	544	360,387	34	5.5	03.3-07.7	7	1.3	00.1-02.5	488	91.2	88.7-93.7	15	2.0	00.8-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	71
2	MALES ONLY	72
3	FEMALES ONLY	73
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	74
5	MALES ONLY	75
6	FEMALES ONLY	76

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6921	4,880,591	4208	61.4	59.8-63.0	791	12.3	11.1-13.5	614	8.9	07.9-09.9	1267	16.7	15.5-17.9	41	0.7	00.3-01.1
Male	2484	2,343,059	1488	60.8	58.3-63.3	303	12.8	11.0-14.6	222	8.3	06.9-09.7	457	17.2	15.2-19.2	14	0.8	00.2-01.4
Female	4437	2,537,531	2720	62.0	60.0-64.0	488	11.9	10.5-13.3	392	9.4	08.2-10.6	810	16.1	14.5-17.7	27	0.7	00.3-01.1
White/Non-Hisp	5703	3,750,258	3530	62.2	60.4-64.0	614	11.9	10.7-13.1	483	8.6	07.6-09.6	1046	16.8	15.4-18.2	30	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	943	753,278	519	57.7	53.2-62.2	138	14.6	11.5-17.7	105	11.0	08.5-13.5	175	16.3	12.8-19.8	6	0.4	00.0-00.8
Oth. Race/Non-Hisp.	94	127,725	51	58.3	45.4-71.2	15	13.3	05.3-21.3	9	6.9	00.2-13.6	18	20.1	09.7-30.5	1	1.4	00.0-04.1
MultiRacial/Non-Hisp.	68	90,353	42	71.2	57.5-84.9	10	11.0	03.0-19.0	3	1.0	00.0-02.4	13	16.8	05.2-28.4			
Hispanic	70	128,638	37	56.4	42.3-70.5	12	13.5	04.9-22.1	9	11.5	03.5-19.5	9	10.7	02.3-19.1	3	7.8	00.0-16.4
18-24	296	611,223	186	66.4	60.1-72.7	44	12.6	08.5-16.7	38	10.8	07.1-14.5	26	9.7	05.4-14.0	2	0.5	00.0-01.3
25-34	635	816,097	387	61.7	57.2-66.2	81	12.7	09.6-15.8	65	9.4	06.9-11.9	98	15.1	11.8-18.4	4	1.1	00.0-02.3
35-44	794	803,493	508	62.7	58.4-67.0	116	16.2	12.9-19.5	64	8.0	05.8-10.2	100	12.3	09.6-15.0	6	0.9	00.0-01.9
45-54	1251	895,092	739	58.8	55.3-62.3	160	12.9	10.5-15.3	120	10.4	08.2-12.6	227	17.5	14.8-20.2	5	0.4	00.0-00.8
55-64	1578	799,732	970	60.5	57.4-63.6	173	11.0	09.0-13.0	144	8.2	06.6-09.8	285	19.6	16.9-22.3	6	0.7	00.0-01.5
65+	2310	918,674	1377	59.8	57.1-62.5	211	8.9	07.3-10.5	179	7.1	05.7-08.5	526	23.5	21.0-26.0	17	0.7	00.3-01.1
Less Than H.S.	887	806,029	270	36.2	31.1-41.3	95	13.8	10.1-17.5	95	10.2	07.5-12.9	411	37.4	32.9-41.9	16	2.4	00.8-04.0
H.S. or G.E.D.	2288	1,626,891	1224	57.4	54.7-60.1	299	12.2	10.4-14.0	256	11.0	09.2-12.8	497	18.9	16.7-21.1	12	0.4	00.2-00.6
Some Post-H.S.	1902	1,398,309	1226	66.0	63.1-68.9	243	14.0	11.8-16.2	160	8.1	06.5-09.7	265	11.5	09.7-13.3	8	0.4	00.0-00.8
College Graduate	1823	1,037,505	1476	81.0	78.6-83.4	153	9.2	07.4-11.0	100	5.4	04.0-06.8	90	4.0	02.8-05.2	4	0.4	00.0-00.8
Less than \$15,000	859	531,148	268	35.1	30.2-40.0	120	14.0	10.7-17.3	110	12.4	09.3-15.5	350	36.8	32.1-41.5	11	1.7	00.3-03.1
\$15,000- 24,999	1285	898,544	578	45.2	41.3-49.1	190	15.8	12.7-18.9	166	12.8	10.3-15.3	341	24.8	21.5-28.1	10	1.3	00.1-02.5
\$25,000- 34,999	681	475,870	414	56.5	51.2-61.8	89	15.4	11.5-19.3	69	9.8	07.1-12.5	104	17.2	12.7-21.7	5	1.1	00.0-02.3
\$35,000- 49,999	755	593,295	547	71.6	67.3-75.9	78	11.1	08.2-14.0	58	7.8	05.3-10.3	69	9.1	06.6-11.6	3	0.5	00.0-01.1
\$50,000- 74,999	694	533,535	540	74.2	70.1-78.3	63	11.9	08.6-15.2	39	5.3	03.3-07.3	51	8.4	05.7-11.1	1	0.1	00.0-00.3
\$75,000+	965	783,453	844	86.0	83.3-88.7	62	6.5	04.5-08.5	31	4.3	02.5-06.1	27	3.2	01.8-04.6	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2484	2,343,059	1488	60.8	58.3-63.3	303	12.8	11.0-14.6	222	8.3	06.9-09.7	457	17.2	15.2-19.2	14	0.8	00.2-01.4
White/Non-Hisp	2067	1,795,586	1246	61.4	58.7-64.1	249	12.7	10.7-14.7	183	8.3	06.7-09.9	381	17.2	15.0-19.4	8	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	298	331,171	172	58.7	51.1-66.3	39	14.2	08.9-19.5	32	10.9	06.6-15.2	52	15.9	10.0-21.8	3	0.3	00.0-00.7
18-24	122	307,608	88	73.1	63.9-82.3	13	9.4	03.1-15.7	9	7.0	02.3-11.7	12	10.5	03.8-17.2			
25-34	250	404,148	140	57.4	50.3-64.5	43	16.6	11.3-21.9	26	9.0	05.3-12.7	38	15.2	10.1-20.3	3	1.9	00.0-04.3
35-44	288	402,224	184	62.5	55.8-69.2	46	17.9	12.6-23.2	24	7.3	04.2-10.4	32	11.1	06.8-15.4	2	1.1	00.0-02.9
45-54	485	436,222	277	58.6	53.1-64.1	64	11.7	08.4-15.0	53	11.6	08.1-15.1	89	17.9	13.6-22.2	2	0.2	00.0-00.4
55-64	601	383,328	348	56.7	51.6-61.8	67	11.5	08.4-14.6	55	7.8	05.3-10.3	128	22.8	18.3-27.3	3	1.1	00.0-02.9
65+	728	399,374	444	59.5	54.8-64.2	68	8.5	06.1-10.9	55	6.8	04.6-09.0	157	24.8	20.3-29.3	4	0.4	00.0-00.8
Less Than H.S.	268	372,908	81	37.3	28.9-45.7	33	14.8	08.3-21.3	25	7.6	03.9-11.3	122	36.8	29.2-44.4	7	3.5	00.2-06.8
H.S. or G.E.D.	831	802,365	414	54.9	50.4-59.4	124	14.0	11.1-16.9	101	10.7	08.2-13.2	189	20.1	16.6-23.6	3	0.3	00.0-00.7
Some Post-H.S.	692	666,835	438	67.0	62.5-71.5	87	12.7	09.6-15.8	60	8.3	05.8-10.8	106	11.9	09.0-14.8	1	0.1	00.0-00.3
College Graduate	684	493,598	549	79.6	75.7-83.5	59	9.7	06.8-12.6	36	5.1	02.9-07.3	38	5.0	02.8-07.2	2	0.5	00.0-01.3
Less than \$15,000	230	220,433	72	40.6	31.4-49.8	35	14.1	08.2-20.0	29	9.6	04.9-14.3	90	33.5	25.3-41.7	4	2.2	00.0-05.1
\$15,000- 24,999	425	426,731	174	42.7	36.0-49.4	66	17.0	11.5-22.5	55	11.5	08.0-15.0	126	26.7	21.0-32.4	4	2.0	00.0-04.5
\$25,000- 34,999	259	222,577	139	50.5	41.9-59.1	39	16.1	10.0-22.2	35	11.2	06.7-15.7	45	21.5	13.3-29.7	1	0.8	00.0-02.4
\$35,000- 49,999	321	309,758	221	69.8	63.5-76.1	33	10.5	06.2-14.8	28	9.0	05.1-12.9	37	10.0	06.3-13.7	2	0.7	00.0-01.9
\$50,000- 74,999	305	273,440	226	71.1	64.6-77.6	29	12.2	07.3-17.1	17	3.9	01.7-06.1	32	12.6	07.9-17.3	1	0.2	00.0-00.6
\$75,000+	421	423,066	356	83.0	78.5-87.5	31	7.9	04.8-11.0	17	5.6	02.9-08.3	17	3.5	01.5-05.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4437	2,537,531	2720	62.0	60.0-64.0	488	11.9	10.5-13.3	392	9.4	08.2-10.6	810	16.1	14.5-17.7	27	0.7	00.3-01.1
White/Non-Hisp	3636	1,954,672	2284	63.0	60.8-65.2	365	11.1	09.7-12.5	300	8.9	07.5-10.3	665	16.5	14.9-18.1	22	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	645	422,107	347	57.0	51.5-62.5	99	14.9	11.2-18.6	73	11.0	07.9-14.1	123	16.6	12.3-20.9	3	0.5	00.0-01.1
Oth. Race/Non-Hisp.	58	65,228	33	63.6	47.1-80.1	11	14.4	04.2-24.6	7	7.7	00.0-16.7	7	14.2	01.5-26.9			
18-24	174	303,615	98	59.6	51.2-68.0	31	15.9	10.2-21.6	29	14.7	08.8-20.6	14	8.8	03.5-14.1	2	1.0	00.0-02.6
25-34	385	411,949	247	65.9	60.4-71.4	38	8.9	05.8-12.0	39	9.9	06.6-13.2	60	15.0	10.9-19.1	1	0.3	00.0-00.9
35-44	506	401,269	324	63.0	57.7-68.3	70	14.5	10.6-18.4	40	8.6	05.5-11.7	68	13.4	09.7-17.1	4	0.6	00.0-01.2
45-54	766	458,870	462	59.0	54.5-63.5	96	14.0	10.7-17.3	67	9.2	06.7-11.7	138	17.1	13.6-20.6	3	0.7	00.0-01.5
55-64	977	416,404	622	64.0	60.1-67.9	106	10.6	08.1-13.1	89	8.5	06.3-10.7	157	16.5	13.4-19.6	3	0.3	00.0-00.7
65+	1582	519,300	933	60.1	56.8-63.4	143	9.2	07.2-11.2	124	7.3	05.7-08.9	369	22.5	19.8-25.2	13	0.9	00.1-01.7
Less Than H.S.	619	433,121	189	35.2	29.3-41.1	62	12.9	08.8-17.0	70	12.6	08.7-16.5	289	37.8	32.3-43.3	9	1.5	00.3-02.7
H.S. or G.E.D.	1457	824,527	810	59.9	56.4-63.4	175	10.5	08.5-12.5	155	11.3	08.9-13.7	308	17.7	15.2-20.2	9	0.5	00.1-00.9
Some Post-H.S.	1210	731,474	788	65.0	61.3-68.7	156	15.2	12.3-18.1	100	8.0	06.0-10.0	159	11.2	08.8-13.6	7	0.7	00.0-01.5
College Graduate	1139	543,906	927	82.4	79.7-85.1	94	8.6	06.4-10.8	64	5.6	03.8-07.4	52	3.1	01.9-04.3	2	0.3	00.0-00.7
Less than \$15,000	629	310,715	196	31.2	25.9-36.5	85	14.0	09.9-18.1	81	14.3	10.4-18.2	260	39.2	33.9-44.5	7	1.4	00.2-02.6
\$15,000- 24,999	860	471,813	404	47.5	42.8-52.2	124	14.7	11.6-17.8	111	14.1	10.6-17.6	215	23.0	19.1-26.9	6	0.6	00.0-01.2
\$25,000- 34,999	422	253,293	275	61.8	55.5-68.1	50	14.7	09.8-19.6	34	8.6	05.3-11.9	59	13.5	09.2-17.8	4	1.4	00.0-03.2
\$35,000- 49,999	434	283,537	326	73.5	67.8-79.2	45	11.8	07.7-15.9	30	6.5	03.4-09.6	32	8.1	04.6-11.6	1	0.2	00.0-00.6
\$50,000- 74,999	389	260,095	314	77.5	72.2-82.8	34	11.6	07.5-15.7	22	6.8	03.7-09.9	19	4.0	01.6-06.4			
\$75,000+	544	360,387	488	89.5	86.4-92.6	31	4.8	02.8-06.8	14	2.8	01.2-04.4	10	2.7	00.5-04.9	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6880	4,873,900	2148	29.5	27.9-31.1	1225	14.5	13.3-15.7	953	9.6	08.8-10.4	2554	46.4	44.6-48.2
Male	2467	2,343,725	772	28.6	26.2-31.0	443	15.0	13.2-16.8	308	8.9	07.5-10.3	944	47.6	44.9-50.3
Female	4413	2,530,174	1376	30.4	28.4-32.4	782	14.2	12.8-15.6	645	10.2	09.0-11.4	1610	45.3	43.1-47.5
White/Non-Hisp	5667	3,739,137	1728	28.4	26.8-30.0	980	14.6	13.4-15.8	809	10.5	09.5-11.5	2150	46.5	44.7-48.3
Black or Afr. Am./Non-Hisp	939	759,895	328	34.1	29.8-38.4	202	16.5	13.6-19.4	120	6.5	04.7-08.3	289	42.9	38.2-47.6
Oth. Race/Non-Hisp.	96	129,004	38	39.6	26.5-52.7	17	11.4	04.5-18.3	4	1.8	00.0-04.3	37	47.3	34.0-60.6
MultiRacial/Non-Hisp.	67	88,773	18	24.5	11.8-37.2	9	5.7	01.2-10.2	12	17.7	05.4-30.0	28	52.2	35.7-68.7
Hispanic	70	128,638	23	29.7	16.4-43.0	9	10.2	01.6-18.8	4	2.3	00.0-05.8	34	57.9	43.6-72.2
18-24	301	618,971	45	13.6	09.3-17.9	3	0.3	00.0-00.9	1	0.7	00.0-02.1	252	85.4	80.9-89.9
25-34	640	819,970	149	22.7	18.8-26.6	26	4.4	02.4-06.4	8	1.2	00.2-02.2	457	71.7	67.4-76.0
35-44	800	809,273	263	36.4	32.1-40.7	80	9.7	07.0-12.4	18	1.7	00.7-02.7	439	52.2	47.9-56.5
45-54	1248	894,258	422	33.6	30.3-36.9	235	19.9	17.0-22.8	104	8.3	06.3-10.3	487	38.1	34.6-41.6
55-64	1562	793,793	537	33.7	30.8-36.6	323	23.1	20.2-26.0	245	17.2	14.5-19.9	457	26.0	23.3-28.7
65+	2276	904,915	713	32.5	30.0-35.0	554	25.4	22.9-27.9	575	24.8	22.3-27.3	434	17.3	15.3-19.3
Less Than H.S.	901	813,144	192	23.7	19.6-27.8	257	25.7	21.6-29.8	340	25.4	21.7-29.1	112	25.1	20.0-30.2
H.S. or G.E.D.	2265	1,620,390	758	32.3	29.6-35.0	501	16.9	14.9-18.9	366	10.2	08.8-11.6	640	40.6	37.7-43.5
Some Post-H.S.	1886	1,397,634	647	31.9	29.2-34.6	315	12.1	10.3-13.9	191	5.4	04.4-06.4	733	50.6	47.5-53.7
College Graduate	1811	1,033,910	543	26.4	23.9-28.9	151	5.5	04.3-06.7	54	1.7	01.1-02.3	1063	66.5	63.8-69.2
Less than \$15,000	861	528,186	245	27.4	23.1-31.7	235	24.3	20.2-28.4	202	15.4	12.5-18.3	179	32.8	27.7-37.9
\$15,000- 24,999	1285	902,351	383	29.4	25.9-32.9	303	20.8	17.7-23.9	268	14.6	12.2-17.0	331	35.2	31.1-39.3
\$25,000- 34,999	679	472,981	227	26.8	22.5-31.1	136	17.0	13.5-20.5	93	10.9	08.0-13.8	223	45.2	39.7-50.7
\$35,000- 49,999	751	591,024	301	37.9	33.4-42.4	104	10.5	08.0-13.0	57	6.9	04.4-09.4	289	44.7	39.8-49.6
\$50,000- 74,999	689	532,689	236	33.2	28.7-37.7	76	9.1	06.6-11.6	29	3.5	01.9-05.1	348	54.2	49.5-58.9
\$75,000+	961	785,095	256	24.7	21.4-28.0	70	6.0	04.2-07.8	23	2.2	01.0-03.4	612	67.1	63.4-70.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2467	2,343,725	772	28.6	26.2-31.0	443	15.0	13.2-16.8	308	8.9	07.5-10.3	944	47.6	44.9-50.3
White/Non-Hisp	2052	1,790,756	619	26.7	24.3-29.1	363	15.6	13.6-17.6	274	10.1	08.5-11.7	796	47.6	44.9-50.3
Black or Afr. Am./Non-Hisp	297	338,593	112	33.9	26.8-41.0	64	16.1	11.4-20.8	27	5.0	02.5-07.5	94	45.0	37.0-53.0
18-24	125	314,540	18	13.9	06.8-21.0	2	0.6	00.0-01.8	1	1.4	00.0-04.1	104	84.0	76.6-91.4
25-34	254	408,055	56	22.4	16.3-28.5	13	4.6	01.3-07.9	3	1.3	00.0-02.9	182	71.8	65.1-78.5
35-44	289	403,575	92	34.0	27.3-40.7	29	11.1	06.6-15.6	4	0.8	00.0-01.8	164	54.1	47.2-61.0
45-54	486	437,877	165	34.3	29.0-39.6	86	19.0	14.5-23.5	36	8.2	04.9-11.5	199	38.5	32.8-44.2
55-64	592	378,889	205	32.1	27.4-36.8	133	27.4	22.5-32.3	99	16.7	12.6-20.8	155	23.9	19.8-28.0
65+	711	390,635	232	31.8	27.3-36.3	179	25.0	20.9-29.1	164	24.3	20.0-28.6	136	18.9	15.2-22.6
Less Than H.S.	270	374,960	58	20.8	14.1-27.5	79	25.8	18.9-32.7	92	23.7	17.6-29.8	41	29.6	21.0-38.2
H.S. or G.E.D.	826	802,161	267	31.2	27.1-35.3	183	17.2	14.3-20.1	122	9.5	07.3-11.7	254	42.1	37.6-46.6
Some Post-H.S.	686	668,348	225	30.9	26.4-35.4	117	12.7	10.0-15.4	74	5.4	03.8-07.0	270	51.0	46.1-55.9
College Graduate	678	492,270	218	26.6	22.5-30.7	64	6.3	04.3-08.3	19	1.5	00.7-02.3	377	65.6	61.3-69.9
Less than \$15,000	231	219,020	56	21.5	14.4-28.6	76	28.5	20.9-36.1	42	9.8	05.7-13.9	57	40.2	30.8-49.6
\$15,000- 24,999	423	428,025	121	27.0	21.3-32.7	98	21.0	15.7-26.3	82	14.2	10.1-18.3	122	37.8	31.1-44.5
\$25,000- 34,999	261	224,821	84	23.7	17.2-30.2	65	21.4	15.3-27.5	43	11.1	06.8-15.4	69	43.8	35.0-52.6
\$35,000- 49,999	318	306,113	131	39.6	32.5-46.7	45	9.0	06.1-11.9	28	6.9	03.6-10.2	114	44.5	37.2-51.8
\$50,000- 74,999	301	272,893	117	35.2	28.5-41.9	38	10.5	06.6-14.4	18	5.3	02.6-08.0	128	49.0	41.9-56.1
\$75,000+	420	425,829	118	24.2	19.3-29.1	37	6.9	04.4-09.4	10	2.3	00.5-04.1	255	66.6	61.1-72.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4413	2,530,174	1376	30.4	28.4-32.4	782	14.2	12.8-15.6	645	10.2	09.0-11.4	1610	45.3	43.1-47.5
White/Non-Hisp	3615	1,948,381	1109	29.9	27.9-31.9	617	13.8	12.4-15.2	535	10.9	09.7-12.1	1354	45.4	43.2-47.6
Black or Afr. Am./Non-Hisp	642	421,302	216	34.3	29.2-39.4	138	16.9	13.4-20.4	93	7.7	05.3-10.1	195	41.1	35.4-46.8
Oth. Race/Non-Hisp.	59	66,140	21	27.9	13.6-42.2	12	15.7	04.1-27.3	4	3.5	00.0-08.4	22	53.0	35.6-70.4
18-24	176	304,432	27	13.2	08.1-18.3	1	0.0	00.0-00.0				148	86.8	81.7-91.9
25-34	386	411,914	93	23.1	18.0-28.2	13	4.1	01.7-06.5	5	1.2	00.0-02.6	275	71.6	66.3-76.9
35-44	511	405,699	171	38.8	33.5-44.1	51	8.3	05.4-11.2	14	2.6	01.0-04.2	275	50.3	45.0-55.6
45-54	762	456,381	257	33.0	28.7-37.3	149	20.8	17.1-24.5	68	8.4	06.0-10.8	288	37.7	33.4-42.0
55-64	970	414,904	332	35.2	31.3-39.1	190	19.2	15.9-22.5	146	17.7	14.0-21.4	302	27.9	24.4-31.4
65+	1565	514,280	481	33.0	29.9-36.1	375	25.8	22.9-28.7	411	25.2	22.3-28.1	298	16.1	13.9-18.3
Less Than H.S.	631	438,184	134	26.1	21.0-31.2	178	25.7	21.0-30.4	248	26.9	22.4-31.4	71	21.3	15.4-27.2
H.S. or G.E.D.	1439	818,229	491	33.3	30.0-36.6	318	16.6	14.2-19.0	244	11.0	09.0-13.0	386	39.2	35.5-42.9
Some Post-H.S.	1200	729,286	422	32.8	29.3-36.3	198	11.5	09.3-13.7	117	5.4	04.0-06.8	463	50.3	46.4-54.2
College Graduate	1133	541,640	325	26.2	22.9-29.5	87	4.7	03.5-05.9	35	1.8	01.0-02.6	686	67.3	63.8-70.8
Less than \$15,000	630	309,166	189	31.6	26.3-36.9	159	21.3	17.2-25.4	160	19.4	15.5-23.3	122	27.7	22.4-33.0
\$15,000- 24,999	862	474,326	262	31.6	27.3-35.9	205	20.5	17.0-24.0	186	14.9	12.0-17.8	209	32.9	28.2-37.6
\$25,000- 34,999	418	248,160	143	29.7	23.8-35.6	71	13.0	09.3-16.7	50	10.8	06.9-14.7	154	46.5	39.8-53.2
\$35,000- 49,999	433	284,911	170	36.0	30.3-41.7	59	12.3	08.2-16.4	29	6.9	03.4-10.4	175	44.9	38.6-51.2
\$50,000- 74,999	388	259,796	119	31.1	25.0-37.2	38	7.5	04.6-10.4	11	1.7	00.5-02.9	220	59.7	53.4-66.0
\$75,000+	541	359,266	138	25.4	20.7-30.1	33	4.9	02.9-06.9	13	2.0	00.8-03.2	357	67.8	62.7-72.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	80
2 MALES ONLY	81
3 FEMALES ONLY	82
ARE YOU HISPANIC OR LATINO? (HISpanic2)	
4 MALES AND FEMALES	83
5 MALES ONLY	84
6 FEMALES ONLY	85
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	86
8 MALES ONLY	87
9 FEMALES ONLY	88
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	89
11 MALES ONLY	90
12 FEMALES ONLY	91
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)	
13 MALES AND FEMALES	92
14 MALES ONLY	93
15 FEMALES ONLY	94
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	95
17 MALES ONLY	96
18 FEMALES ONLY	97
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	98
20 MALES ONLY	99
21 FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	101
23 MALES ONLY	102
24 FEMALES ONLY	103
ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25 MALES AND FEMALES	104
26 MALES ONLY	105
27 FEMALES ONLY	106
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	107
29 MALES ONLY	108
30 FEMALES ONLY	109
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	110
32 MALES ONLY	111
33 FEMALES ONLY	112
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	113
35 MALES ONLY	114
36 FEMALES ONLY	115
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37 MALES AND FEMALES	116
38 MALES ONLY	117
39 FEMALES ONLY	118
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40 MALES AND FEMALES	119
41 MALES ONLY	120
42 FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	122
44	MALES ONLY	123
45	FEMALES ONLY	124
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	125
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47	FEMALES ONLY	126
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52	MALES AND FEMALES	131
53	MALES ONLY	132
54	FEMALES ONLY	133
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
55	MALES AND FEMALES	134
56	MALES ONLY	135
57	FEMALES ONLY	136
	INDICATE SEX OF RESPONDENT. (SEX)	
58	MALES AND FEMALES	137
59	MALES ONLY	138
60	FEMALES ONLY	139
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61	MALES AND FEMALES	140
62	MALES ONLY	141
63	FEMALES ONLY	142
	85	
64	MALES AND FEMALES	143
65	MALES ONLY	144
66	FEMALES ONLY	145
	89	
67	MALES AND FEMALES	146
68	MALES ONLY	147

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE
69 FEMALES ONLY

PAGE
148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6989	4,918,980	301	12.6	11.0-14.2	643	16.7	15.3-18.1	810	16.6	15.2-18.0	1266	18.5	17.3-19.7	1598	16.5	15.5-17.5	2371	19.1	18.1-20.1
Male	2514	2,369,389	125	13.3	10.9-15.7	255	17.3	15.1-19.5	291	17.2	15.0-19.4	491	18.6	16.6-20.6	611	16.5	14.9-18.1	741	17.1	15.5-18.7
Female	4475	2,549,592	176	11.9	09.9-13.9	388	16.2	14.4-18.0	519	16.1	14.5-17.7	775	18.3	16.7-19.9	987	16.5	15.1-17.9	1630	20.9	19.5-22.3
White/Non-Hisp	5761	3,778,119	209	10.8	09.2-12.4	468	15.3	13.9-16.7	639	16.3	14.9-17.7	1016	18.4	17.0-19.8	1332	17.6	16.4-18.8	2097	21.6	20.4-22.8
Black or Afr. Am./Non-Hisp	955	764,677	66	17.2	12.9-21.5	131	19.2	15.5-22.9	122	17.4	13.7-21.1	201	20.7	17.0-24.4	222	14.5	12.0-17.0	213	11.1	08.9-13.3
Oth. Race/Non-Hisp.	97	131,298	5	16.7	03.4-30.0	20	30.5	18.3-42.7	16	15.0	06.6-23.4	23	19.7	10.5-28.9	16	9.8	03.9-15.7	17	8.4	02.1-14.7
MultiRacial/Non-Hisp.	66	88,403	8	23.8	06.9-40.7	8	20.8	05.7-35.9	13	16.5	05.7-27.3	15	15.7	06.3-25.1	7	9.2	00.0-18.8	15	13.9	04.3-23.5
Hispanic	70	128,638	11	24.6	10.9-38.3	12	25.2	11.9-38.5	15	24.6	12.4-36.8	7	9.1	00.7-17.5	7	5.8	01.1-10.5	18	10.7	04.2-17.2
Less Than H.S.	924	826,807	30	12.5	08.0-17.0	38	10.0	06.5-13.5	57	11.5	08.0-15.0	151	19.6	15.7-23.5	203	18.9	15.6-22.2	445	27.4	23.9-30.9
H.S. or G.E.D.	2324	1,647,173	113	13.6	11.1-16.1	197	16.6	14.2-19.0	216	14.4	12.2-16.6	453	19.6	17.4-21.8	513	16.0	14.2-17.8	832	19.8	18.0-21.6
Some Post-H.S.	1904	1,397,730	113	15.9	13.0-18.8	180	16.6	14.1-19.1	252	18.3	15.8-20.8	336	17.7	15.5-19.9	432	15.6	13.8-17.4	591	15.9	14.1-17.7
College Graduate	1815	1,034,525	45	6.7	04.3-09.1	226	22.4	19.7-25.1	283	21.9	19.4-24.4	323	16.8	14.6-19.0	443	16.4	14.6-18.2	495	15.8	14.0-17.6
Less than \$15,000	883	541,877	53	18.0	13.5-22.5	74	13.9	10.0-17.8	72	12.0	08.7-15.3	196	22.5	18.8-26.2	213	17.0	13.9-20.1	275	16.7	13.8-19.6
\$15,000- 24,999	1303	909,431	65	13.2	09.9-16.5	122	18.1	14.8-21.4	137	14.6	11.7-17.5	210	17.8	14.7-20.9	264	14.4	12.0-16.8	505	22.0	19.3-24.7
\$25,000- 34,999	687	478,857	28	11.7	06.8-16.6	89	23.7	18.8-28.6	80	15.1	11.2-19.0	92	13.4	10.3-16.5	123	12.8	09.9-15.7	275	23.3	19.6-27.0
\$35,000- 49,999	760	595,291	22	7.5	04.4-10.6	89	21.5	17.2-25.8	102	18.1	14.2-22.0	146	18.2	14.7-21.7	180	17.5	14.4-20.6	221	17.2	14.5-19.9
\$50,000- 74,999	696	534,032	16	4.4	02.0-06.8	77	18.4	14.3-22.5	102	20.7	16.6-24.8	156	20.8	17.1-24.5	182	20.7	17.2-24.2	163	14.9	12.2-17.6
\$75,000+	967	786,821	18	7.7	03.8-11.6	95	16.0	12.7-19.3	186	24.1	20.4-27.8	242	24.4	21.1-27.7	271	18.2	15.7-20.7	155	9.6	07.6-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2514	2,369,389	125	13.3	10.9-15.7	255	17.3	15.1-19.5	291	17.2	15.0-19.4	491	18.6	16.6-20.6	611	16.5	14.9-18.1	741	17.1	15.5-18.7
White/Non-Hisp	2091	1,810,962	90	11.6	09.2-14.0	180	15.1	12.7-17.5	242	17.8	15.4-20.2	402	18.2	16.2-20.2	514	17.6	15.8-19.4	663	19.6	17.8-21.4
Black or Afr. Am./Non-Hisp	303	342,306	22	16.3	09.4-23.2	50	21.9	15.4-28.4	29	13.6	07.9-19.3	71	24.7	18.0-31.4	77	15.3	11.0-19.6	54	8.1	05.2-11.0
Less Than H.S.	274	379,469	12	12.8	05.7-19.9	16	13.2	06.7-19.7	19	12.5	06.4-18.6	50	19.3	12.8-25.8	80	21.5	15.8-27.2	97	20.6	15.1-26.1
H.S. or G.E.D.	847	814,552	46	14.1	10.0-18.2	89	18.2	14.3-22.1	93	15.9	12.4-19.4	204	21.2	17.9-24.5	188	14.9	12.4-17.4	227	15.8	13.3-18.3
Some Post-H.S.	696	670,533	47	16.9	12.2-21.6	70	16.4	12.5-20.3	80	17.6	13.7-21.5	130	17.6	14.3-20.9	168	15.7	12.8-18.6	201	15.8	13.1-18.5
College Graduate	686	494,669	20	7.7	03.8-11.6	78	19.8	15.5-24.1	97	22.0	17.7-26.3	107	15.7	12.4-19.0	171	16.3	13.4-19.2	213	18.6	15.7-21.5
Less than \$15,000	237	224,848	21	22.3	13.9-30.7	18	11.7	04.6-18.8	18	11.8	05.9-17.7	67	24.5	17.4-31.6	70	20.1	14.0-26.2	43	9.5	05.4-13.6
\$15,000- 24,999	428	432,085	28	13.8	08.5-19.1	49	18.9	13.2-24.6	45	15.1	10.2-20.0	72	18.5	13.2-23.8	102	15.6	11.7-19.5	132	18.1	14.0-22.2
\$25,000- 34,999	263	225,534	8	12.1	03.7-20.5	36	24.0	16.6-31.4	23	13.1	06.8-19.4	37	13.2	08.5-17.9	49	12.7	08.2-17.2	110	24.8	18.9-30.7
\$35,000- 49,999	322	309,908	9	6.5	02.2-10.8	45	25.1	18.4-31.8	43	20.0	13.9-26.1	60	17.9	12.6-23.2	68	13.7	09.8-17.6	97	16.8	12.7-20.9
\$50,000- 74,999	306	274,091	6	2.9	00.2-05.6	30	17.0	10.9-23.1	43	21.0	14.9-27.1	69	20.4	14.9-25.9	67	19.4	14.3-24.5	91	19.2	14.7-23.7
\$75,000+	424	426,925	8	6.9	01.6-12.2	41	16.0	11.1-20.9	77	24.2	18.9-29.5	107	25.3	20.2-30.4	115	16.9	13.2-20.6	76	10.6	07.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 7: DEMOGRAPHICS
 TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4475	2,549,592	176	11.9	10.1-13.7	388	16.2	14.6-17.8	519	16.1	14.5-17.7	775	18.3	16.7-19.9	987	16.5	15.1-17.9	1630	20.9	19.5-22.3
White/Non-Hisp	3670	1,967,157	119	10.1	08.1-12.1	288	15.5	13.7-17.3	397	14.8	13.2-16.4	614	18.6	16.8-20.4	818	17.6	16.2-19.0	1434	23.3	21.7-24.9
Black or Afr. Am./Non-Hisp	652	422,371	44	17.9	12.4-23.4	81	17.0	12.9-21.1	93	20.4	15.7-25.1	130	17.5	14.0-21.0	145	13.8	10.7-16.9	159	13.5	10.6-16.4
Oth. Race/Non-Hisp.	60	68,435	2	12.7	00.0-29.4	10	29.6	13.1-46.1	11	19.4	06.5-32.3	15	21.0	07.9-34.1	10	9.3	02.4-16.2	12	8.0	01.9-14.1
Less Than H.S.	650	447,338	18	12.3	06.6-18.0	22	7.3	04.0-10.6	38	10.7	07.0-14.4	101	19.9	15.4-24.4	123	16.6	12.9-20.3	348	33.2	28.5-37.9
H.S. or G.E.D.	1477	832,622	67	13.1	09.8-16.4	108	15.1	12.2-18.0	123	13.0	10.5-15.5	249	18.0	15.5-20.5	325	17.2	14.8-19.6	605	23.7	21.3-26.1
Some Post-H.S.	1208	727,197	66	15.0	11.3-18.7	110	16.8	13.7-19.9	172	18.9	15.8-22.0	206	17.8	15.1-20.5	264	15.6	13.2-18.0	390	15.9	13.7-18.1
College Graduate	1129	539,856	25	5.8	03.3-08.3	148	24.7	21.0-28.4	186	21.8	18.5-25.1	216	17.9	15.2-20.6	272	16.6	14.2-19.0	282	13.3	11.3-15.3
Less than \$15,000	646	317,029	32	14.9	09.8-20.0	56	15.3	11.0-19.6	54	12.1	08.2-16.0	129	21.1	17.0-25.2	143	14.8	11.5-18.1	232	21.8	18.1-25.5
\$15,000- 24,999	875	477,346	37	12.7	08.6-16.8	73	17.3	13.4-21.2	92	14.0	10.7-17.3	138	17.2	13.7-20.7	162	13.3	10.8-15.8	373	25.5	22.2-28.8
\$25,000- 34,999	424	253,323	20	11.2	06.3-16.1	53	23.4	17.1-29.7	57	16.8	11.7-21.9	55	13.7	09.4-18.0	74	12.9	09.2-16.6	165	21.9	17.4-26.4
\$35,000- 49,999	438	285,383	13	8.6	03.7-13.5	44	17.7	12.4-23.0	59	16.0	11.5-20.5	86	18.6	14.1-23.1	112	21.6	16.7-26.5	124	17.5	13.8-21.2
\$50,000- 74,999	390	259,941	10	6.0	02.1-09.9	47	19.9	14.2-25.6	59	20.3	14.6-26.0	87	21.3	16.4-26.2	115	22.1	17.4-26.8	72	10.4	07.5-13.3
\$75,000+	543	359,897	10	8.5	02.6-14.4	54	16.0	11.5-20.5	109	23.9	19.2-28.6	135	23.4	18.9-27.9	156	19.7	16.2-23.2	79	8.5	06.3-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7036	4,946,242	70	2.6	01.8-03.4	6966	97.4	96.6-98.2
Male	2522	2,375,635	33	3.3	01.9-04.7	2489	96.7	95.3-98.1
Female	4514	2,570,606	37	1.9	01.1-02.7	4477	98.1	97.3-98.9
18-24	300	616,097	11	5.1	01.8-08.4	289	94.9	91.6-98.2
25-34	642	822,525	12	3.9	01.5-06.3	630	96.1	93.7-98.5
35-44	809	816,989	15	3.9	01.7-06.1	794	96.1	93.9-98.3
45-54	1266	907,719	7	1.3	00.1-02.5	1259	98.7	97.5-99.9
55-64	1596	810,393	7	0.9	00.1-01.7	1589	99.1	98.3-99.9
65+	2369	939,249	18	1.5	00.7-02.3	2351	98.5	97.7-99.3
Less Than H.S.	923	823,887	14	3.3	01.1-05.5	909	96.7	94.5-98.9
H.S. or G.E.D.	2339	1,657,450	23	2.7	01.3-04.1	2316	97.3	95.9-98.7
Some Post-H.S.	1919	1,410,096	19	2.3	01.1-03.5	1900	97.7	96.5-98.9
College Graduate	1833	1,042,436	14	2.4	00.6-04.2	1819	97.6	95.8-99.4
Less than \$15,000	886	541,775	10	3.3	00.8-05.8	876	96.7	94.2-99.2
\$15,000- 24,999	1306	911,227	17	3.7	01.5-05.9	1289	96.3	94.1-98.5
\$25,000- 34,999	686	478,141	7	2.3	00.5-04.1	679	97.7	95.9-99.5
\$35,000- 49,999	762	597,232	9	2.3	00.5-04.1	753	97.7	95.9-99.5
\$50,000- 74,999	698	537,931	2	0.6	00.0-01.6	696	99.4	98.4-0100
\$75,000+	968	787,312	6	1.9	00.0-03.9	962	98.1	96.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2522	2,375,635	33	3.3	01.9-04.7	2489	96.7	95.3-98.1
18-24	124	311,666	4	5.1	00.0-10.4	120	94.9	89.6-0100
25-34	255	409,758	8	6.1	01.8-10.4	247	93.9	89.6-98.2
35-44	291	406,635	7	4.4	01.1-07.7	284	95.6	92.3-98.9
45-54	491	441,705	4	2.2	00.0-04.7	487	97.8	95.3-0100
55-64	610	389,951	3	1.1	00.0-02.5	607	98.9	97.5-0100
65+	741	405,766	7	1.6	00.2-03.0	734	98.4	97.0-99.8
Less Than H.S.	273	376,595	7	4.9	00.8-09.0	266	95.1	91.0-99.2
H.S. or G.E.D.	850	818,068	9	3.2	01.0-05.4	841	96.8	94.6-99.0
Some Post-H.S.	700	675,032	11	3.0	01.0-05.0	689	97.0	95.0-99.0
College Graduate	689	496,809	6	2.9	00.0-06.0	683	97.1	94.0-0100
Less than \$15,000	236	221,974	3	4.7	00.0-09.8	233	95.3	90.2-0100
\$15,000- 24,999	428	432,085	8	5.5	01.4-09.6	420	94.5	90.4-98.6
\$25,000- 34,999	264	225,756	4	2.3	00.0-04.7	260	97.7	95.3-0100
\$35,000- 49,999	322	309,908	4	1.8	00.0-03.8	318	98.2	96.2-0100
\$50,000- 74,999	307	277,167	1	0.8	00.0-02.2	306	99.2	97.8-0100
\$75,000+	424	426,925	4	2.5	00.0-05.8	420	97.5	94.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4514	2,570,606	37	1.9	01.1-02.7	4477	98.1	97.3-98.9
18-24	176	304,432	7	5.2	01.3-09.1	169	94.8	90.9-98.7
25-34	387	412,766	4	1.8	00.0-03.6	383	98.2	96.4-0100
35-44	518	410,355	8	3.4	00.9-05.9	510	96.6	94.1-99.1
45-54	775	466,014	3	0.4	00.0-01.0	772	99.6	99.0-0100
55-64	986	420,443	4	0.8	00.0-01.6	982	99.2	98.4-0100
65+	1628	533,483	11	1.4	00.2-02.6	1617	98.6	97.4-99.8
Less Than H.S.	650	447,292	7	2.0	00.2-03.8	643	98.0	96.2-99.8
H.S. or G.E.D.	1489	839,382	14	2.1	00.7-03.5	1475	97.9	96.5-99.3
Some Post-H.S.	1219	735,064	8	1.6	00.2-03.0	1211	98.4	97.0-99.8
College Graduate	1144	545,627	8	2.0	00.4-03.6	1136	98.0	96.4-99.6
Less than \$15,000	650	319,801	7	2.3	00.1-04.5	643	97.7	95.5-99.9
\$15,000- 24,999	878	479,142	9	2.1	00.3-03.9	869	97.9	96.1-99.7
\$25,000- 34,999	422	252,385	3	2.3	00.0-04.8	419	97.7	95.2-0100
\$35,000- 49,999	440	287,324	5	2.8	00.1-05.5	435	97.2	94.5-99.9
\$50,000- 74,999	391	260,764	1	0.5	00.0-01.5	390	99.5	98.5-0100
\$75,000+	544	360,387	2	1.2	00.0-03.0	542	98.8	97.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7056	4,960,846	6986	98.1	97.5-98.7	70	1.9	01.3-02.5
Male	2525	2,383,395	2495	97.6	96.4-98.8	30	2.4	01.2-03.6
Female	4531	2,577,451	4491	98.6	98.0-99.2	40	1.4	00.8-02.0
18-24	301	618,971	293	96.6	93.7-99.5	8	3.4	00.5-06.3
25-34	643	823,869	634	97.3	95.3-99.3	9	2.7	00.7-04.7
35-44	810	817,263	797	98.2	97.0-99.4	13	1.8	00.6-03.0
45-54	1266	907,719	1251	98.5	97.5-99.5	15	1.5	00.5-02.5
55-64	1598	811,711	1590	98.9	97.7-0100	8	1.1	00.0-02.3
65+	2371	939,447	2356	98.7	97.7-99.7	15	1.3	00.3-02.3
Less Than H.S.	925	826,895	913	98.2	96.8-99.6	12	1.8	00.4-03.2
H.S. or G.E.D.	2341	1,659,055	2324	98.5	97.5-99.5	17	1.5	00.5-02.5
Some Post-H.S.	1920	1,410,369	1894	97.2	95.8-98.6	26	2.8	01.4-04.2
College Graduate	1835	1,043,909	1820	98.4	97.4-99.4	15	1.6	00.6-02.6
Less than \$15,000	887	544,649	873	97.6	95.8-99.4	14	2.4	00.6-04.2
\$15,000- 24,999	1306	911,227	1292	98.0	96.6-99.4	14	2.0	00.6-03.4
\$25,000- 34,999	689	479,902	684	99.2	98.2-0100	5	0.8	00.0-01.8
\$35,000- 49,999	762	597,232	756	97.9	95.9-99.9	6	2.1	00.1-04.1
\$50,000- 74,999	698	537,931	689	98.4	97.2-99.6	9	1.6	00.4-02.8
\$75,000+	968	787,312	957	97.4	95.4-99.4	11	2.6	00.6-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2525	2,383,395	2495	97.6	96.4-98.8	30	2.4	01.2-03.6
18-24	125	314,540	120	94.9	89.8-0100	5	5.1	00.0-10.2
25-34	255	409,758	250	96.6	93.1-0100	5	3.4	00.0-06.9
35-44	291	406,635	286	97.6	95.2-0100	5	2.4	00.0-04.8
45-54	491	441,705	486	98.8	97.4-0100	5	1.2	00.0-02.6
55-64	611	390,986	608	99.2	98.0-0100	3	0.8	00.0-02.0
65+	741	405,766	735	97.9	95.9-99.9	6	2.1	00.1-04.1
Less Than H.S.	274	379,469	272	98.7	96.9-0100	2	1.3	00.0-03.1
H.S. or G.E.D.	850	818,068	841	97.8	95.8-99.8	9	2.2	00.2-04.2
Some Post-H.S.	700	675,032	687	96.0	93.3-98.7	13	4.0	01.3-06.7
College Graduate	689	496,809	683	98.4	96.8-0100	6	1.6	00.0-03.2
Less than \$15,000	237	224,848	234	97.2	93.5-0100	3	2.8	00.0-06.5
\$15,000- 24,999	428	432,085	420	97.0	94.5-99.5	8	3.0	00.5-05.5
\$25,000- 34,999	264	225,756	264	100.0	0100-0100			
\$35,000- 49,999	322	309,908	321	99.4	98.2-0100	1	0.6	00.0-01.8
\$50,000- 74,999	307	277,167	301	97.9	96.1-99.7	6	2.1	00.3-03.9
\$75,000+	424	426,925	418	96.6	93.3-99.9	6	3.4	00.1-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4531	2,577,451	4491	98.6	98.0-99.2	40	1.4	00.8-02.0
18-24	176	304,432	173	98.3	95.9-0100	3	1.7	00.0-04.1
25-34	388	414,111	384	98.1	96.1-0100	4	1.9	00.0-03.9
35-44	519	410,628	511	98.8	97.8-99.8	8	1.2	00.2-02.2
45-54	775	466,014	765	98.1	96.9-99.3	10	1.9	00.7-03.1
55-64	987	420,725	982	98.6	96.6-0100	5	1.4	00.0-03.4
65+	1630	533,681	1621	99.3	98.7-99.9	9	0.7	00.1-01.3
Less Than H.S.	651	447,426	641	97.8	95.8-99.8	10	2.2	00.2-04.2
H.S. or G.E.D.	1491	840,986	1483	99.3	98.5-0100	8	0.7	00.0-01.5
Some Post-H.S.	1220	735,337	1207	98.3	97.1-99.5	13	1.7	00.5-02.9
College Graduate	1146	547,100	1137	98.5	97.5-99.5	9	1.5	00.5-02.5
Less than \$15,000	650	319,801	639	97.9	96.3-99.5	11	2.1	00.5-03.7
\$15,000- 24,999	878	479,142	872	98.9	97.7-0100	6	1.1	00.0-02.3
\$25,000- 34,999	425	254,146	420	98.5	96.7-0100	5	1.5	00.0-03.3
\$35,000- 49,999	440	287,324	435	96.2	92.3-0100	5	3.8	00.0-07.7
\$50,000- 74,999	391	260,764	388	98.9	97.7-0100	3	1.1	00.0-02.3
\$75,000+	544	360,387	539	98.3	96.7-99.9	5	1.7	00.1-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Asian			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	69	93,775	26	39.5	23.8-55.2	27	32.7	19.0-46.4	4	6.1	00.0-12.6	8	19.4	04.1-34.7	4	2.4	00.0-04.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7039	4,948,542	919	12.6	11.6-13.6	6120	87.4	86.4-88.4
Male	2521	2,374,703	822	24.0	22.0-26.0	1699	76.0	74.0-78.0
Female	4518	2,573,839	97	2.2	01.6-02.8	4421	97.8	97.2-98.4
18-24	301	618,971	11	3.6	01.2-06.0	290	96.4	94.0-98.8
25-34	642	821,841	32	6.6	04.1-09.1	610	93.4	90.9-95.9
35-44	809	815,485	63	9.2	06.7-11.7	746	90.8	88.3-93.3
45-54	1265	907,561	111	9.5	07.5-11.5	1154	90.5	88.5-92.5
55-64	1597	810,676	227	17.1	14.6-19.6	1370	82.9	80.4-85.4
65+	2369	938,966	466	25.8	23.3-28.3	1903	74.2	71.7-76.7
Less Than H.S.	924	826,737	55	6.3	03.9-08.7	869	93.7	91.3-96.1
H.S. or G.E.D.	2340	1,658,638	274	12.7	10.9-14.5	2066	87.3	85.5-89.1
Some Post-H.S.	1920	1,410,369	304	14.9	12.7-17.1	1616	85.1	82.9-87.3
College Graduate	1835	1,043,909	284	14.5	12.5-16.5	1551	85.5	83.5-87.5
Less than \$15,000	886	544,491	67	6.3	04.3-08.3	819	93.7	91.7-95.7
\$15,000- 24,999	1305	909,199	156	10.4	08.2-12.6	1149	89.6	87.4-91.8
\$25,000- 34,999	689	479,902	125	17.3	13.4-21.2	564	82.7	78.8-86.6
\$35,000- 49,999	762	597,232	113	14.1	10.8-17.4	649	85.9	82.6-89.2
\$50,000- 74,999	698	537,931	130	18.9	15.4-22.4	568	81.1	77.6-84.6
\$75,000+	968	787,312	139	13.9	11.2-16.6	829	86.1	83.4-88.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2521	2,374,703	822	24.0	22.0-26.0	1699	76.0	74.0-78.0
18-24	125	314,540	8	5.6	01.3-09.9	117	94.4	90.1-98.7
25-34	254	407,730	26	11.9	07.2-16.6	228	88.1	83.4-92.8
35-44	290	404,857	48	14.8	10.3-19.3	242	85.2	80.7-89.7
45-54	491	441,705	89	17.0	13.1-20.9	402	83.0	79.1-86.9
55-64	610	389,951	201	33.2	28.3-38.1	409	66.8	61.9-71.7
65+	741	405,766	445	57.7	53.0-62.4	296	42.3	37.6-47.0
Less Than H.S.	274	379,469	53	13.0	08.3-17.7	221	87.0	82.3-91.7
H.S. or G.E.D.	850	818,068	252	24.2	20.7-27.7	598	75.8	72.3-79.3
Some Post-H.S.	700	675,032	273	27.9	24.0-31.8	427	72.1	68.2-76.0
College Graduate	689	496,809	243	26.6	22.7-30.5	446	73.4	69.5-77.3
Less than \$15,000	237	224,848	55	12.8	08.3-17.3	182	87.2	82.7-91.7
\$15,000- 24,999	427	430,057	136	20.5	16.0-25.0	291	79.5	75.0-84.0
\$25,000- 34,999	264	225,756	116	33.9	26.5-41.3	148	66.1	58.7-73.5
\$35,000- 49,999	322	309,908	105	24.9	19.2-30.6	217	75.1	69.4-80.8
\$50,000- 74,999	307	277,167	116	33.1	26.8-39.4	191	66.9	60.6-73.2
\$75,000+	424	426,925	120	23.1	18.4-27.8	304	76.9	72.2-81.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4518	2,573,839	97	2.2	01.6-02.8	4421	97.8	97.2-98.4
18-24	176	304,432	3	1.5	00.0-03.3	173	98.5	96.7-0100
25-34	388	414,111	6	1.3	00.1-02.5	382	98.7	97.5-99.9
35-44	519	410,628	15	3.7	01.3-06.1	504	96.3	93.9-98.7
45-54	774	465,856	22	2.3	01.1-03.5	752	97.7	96.5-98.9
55-64	987	420,725	26	2.3	01.3-03.3	961	97.7	96.7-98.7
65+	1628	533,200	21	1.6	00.8-02.4	1607	98.4	97.6-99.2
Less Than H.S.	650	447,268	2	0.6	00.0-01.6	648	99.4	98.4-0100
H.S. or G.E.D.	1490	840,570	22	1.5	00.7-02.3	1468	98.5	97.7-99.3
Some Post-H.S.	1220	735,337	31	3.0	01.6-04.4	1189	97.0	95.6-98.4
College Graduate	1146	547,100	41	3.6	02.2-05.0	1105	96.4	95.0-97.8
Less than \$15,000	649	319,643	12	1.8	00.4-03.2	637	98.2	96.8-99.6
\$15,000- 24,999	878	479,142	20	1.3	00.5-02.1	858	98.7	97.9-99.5
\$25,000- 34,999	425	254,146	9	2.6	00.2-05.0	416	97.4	95.0-99.8
\$35,000- 49,999	440	287,324	8	2.5	00.3-04.7	432	97.5	95.3-99.7
\$50,000- 74,999	391	260,764	14	3.8	01.3-06.3	377	96.2	93.7-98.7
\$75,000+	544	360,387	19	2.9	01.3-04.5	525	97.1	95.5-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7020	4,942,446	3425	51.6	50.0-53.2	1223	12.1	11.1-13.1	1164	7.7	07.1-08.3	188	2.7	02.1-03.3	953	24.0	22.2-25.8	67	1.9	01.3-02.5
Male	2514	2,371,575	1398	53.2	50.5-55.9	436	11.9	10.3-13.5	188	3.4	02.8-04.0	56	2.1	01.3-02.9	405	27.0	24.3-29.7	31	2.3	01.3-03.3
Female	4506	2,570,871	2027	50.1	48.1-52.1	787	12.2	11.0-13.4	976	11.7	10.7-12.7	132	3.2	02.4-04.0	548	21.2	19.2-23.2	36	1.5	00.9-02.1
White/Non-Hisp	5781	3,792,192	3043	57.4	55.6-59.2	987	12.4	11.4-13.4	1015	8.3	07.5-09.1	117	1.9	01.3-02.5	566	18.2	16.4-20.0	53	1.8	01.2-02.4
Black or Afr. Am./Non-Hisp	964	772,600	255	26.5	22.6-30.4	193	12.7	10.3-15.1	119	5.9	04.5-07.3	57	4.7	03.1-06.3	329	48.1	43.4-52.8	11	2.2	00.6-03.8
Oth. Race/Non-Hisp.	98	132,643	40	39.4	27.1-51.7	23	13.7	06.1-21.3	9	4.6	00.5-08.7	4	3.9	00.0-09.0	21	37.3	23.6-51.0	1	1.0	00.0-03.0
MultiRacial/Non-Hisp.	67	89,887	27	37.6	22.5-52.7	10	7.4	00.9-13.9	9	9.9	00.5-19.3	5	8.0	00.0-16.6	16	37.1	19.5-54.7			
Hispanic	70	128,638	36	52.8	38.1-67.5	5	2.6	00.1-05.1	8	4.5	00.2-08.8	4	7.1	00.0-14.7	16	28.5	14.6-42.4	1	4.5	00.0-13.1
18-24	301	618,971	38	9.0	05.9-12.1	9	2.4	00.4-04.4				4	0.6	00.0-01.4	236	84.1	79.8-88.4	14	3.9	01.7-06.1
25-34	640	820,332	308	46.6	42.1-51.1	49	6.5	04.3-08.7	1	0.1	00.0-00.3	32	5.2	03.0-07.4	233	38.4	33.9-42.9	17	3.2	01.2-05.2
35-44	807	815,349	497	63.5	59.4-67.6	127	11.8	09.3-14.3	12	1.0	00.2-01.8	33	3.7	02.1-05.3	125	17.7	14.2-21.2	13	2.3	00.9-03.7
45-54	1261	906,485	692	60.0	56.5-63.5	295	19.6	16.9-22.3	49	2.8	01.8-03.8	45	2.6	01.4-03.8	167	13.3	10.6-16.0	13	1.8	00.4-03.2
55-64	1594	810,639	899	65.8	62.9-68.7	371	17.1	14.7-19.5	150	7.1	05.3-08.9	53	2.8	01.8-03.8	112	6.1	04.5-07.7	9	1.0	00.0-02.0
65+	2366	938,503	964	53.7	51.0-56.4	367	12.0	10.4-13.6	943	30.6	28.2-33.0	18	0.7	00.3-01.1	73	2.9	01.9-03.9	1	0.1	00.0-00.3
Less Than H.S.	925	826,895	325	41.6	36.9-46.3	177	14.0	11.1-16.9	265	13.6	11.2-16.0	44	4.9	02.9-06.9	108	24.4	19.3-29.5	6	1.5	00.1-02.9
H.S. or G.E.D.	2337	1,657,844	1093	51.2	48.3-54.1	385	11.9	10.3-13.5	437	7.9	06.9-08.9	81	3.4	02.4-04.4	320	23.8	20.9-26.7	21	1.8	00.8-02.8
Some Post-H.S.	1917	1,407,841	904	50.0	46.9-53.1	385	13.4	11.6-15.2	299	6.9	05.7-08.1	38	1.7	00.9-02.5	270	25.7	22.6-28.8	21	2.3	01.1-03.5
College Graduate	1821	1,040,225	1097	62.4	59.3-65.5	273	9.1	07.7-10.5	160	3.9	03.1-04.7	22	0.9	00.5-01.3	250	21.8	18.7-24.9	19	1.9	00.9-02.9
Less than \$15,000	885	544,113	136	19.1	15.4-22.8	284	24.3	20.6-28.0	204	11.2	09.0-13.4	67	7.1	04.7-09.5	190	37.1	32.0-42.2	4	1.2	00.0-02.6
\$15,000- 24,999	1305	909,199	456	39.3	35.4-43.2	273	15.5	13.0-18.0	299	10.9	09.1-12.7	47	3.3	01.9-04.7	209	27.4	23.3-31.5	21	3.5	01.9-05.1
\$25,000- 34,999	688	478,557	304	45.1	39.8-50.4	124	12.9	10.0-15.8	130	9.7	07.3-12.1	12	2.1	00.3-03.9	111	28.7	23.2-34.2	7	1.5	00.3-02.7
\$35,000- 49,999	762	597,232	434	59.7	55.0-64.4	132	11.9	09.2-14.6	70	5.7	03.7-07.7	12	2.1	00.5-03.7	104	18.4	14.3-22.5	10	2.1	00.5-03.7
\$50,000- 74,999	697	537,670	489	73.0	68.7-77.3	97	8.8	06.4-11.2	40	2.8	01.6-04.0	8	1.0	00.2-01.8	57	12.4	08.9-15.9	6	2.0	00.2-03.8
\$75,000+	966	786,761	786	77.0	72.7-81.3	69	5.0	03.4-06.6	28	1.5	00.7-02.3	9	1.0	00.2-01.8	64	14.1	09.8-18.4	10	1.5	00.5-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 7: DEMOGRAPHICS
 TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2514	2,371,575	1398	53.2	50.5-55.9	436	11.9	10.3-13.5	188	3.4	02.8-04.0	56	2.1	01.3-02.9	405	27.0	24.3-29.7	31	2.3	01.3-03.3
White/Non-Hisp	2092	1,814,138	1236	58.3	55.4-61.2	359	12.5	10.7-14.3	169	3.9	03.1-04.7	33	1.4	00.8-02.0	273	22.1	19.4-24.8	22	1.8	00.8-02.8
Black or Afr. Am./Non-Hisp	304	342,508	100	28.4	21.9-34.9	65	12.7	08.8-16.6	11	1.4	00.4-02.4	18	4.8	02.1-07.5	103	48.6	40.8-56.4	7	4.0	00.7-07.3
18-24	125	314,540	8	4.0	00.9-07.1	1	1.3	00.0-03.7				1	0.0	00.0-00.0	111	92.0	87.3-96.7	4	2.8	00.1-05.5
25-34	254	407,730	118	43.6	36.5-50.7	15	5.6	02.5-08.7				12	4.6	01.7-07.5	101	42.4	35.1-49.7	8	3.9	00.6-07.2
35-44	290	404,857	192	66.0	59.5-72.5	39	11.5	07.4-15.6	1	0.3	00.0-00.9	7	2.1	00.0-04.3	44	17.0	11.7-22.3	7	3.1	00.7-05.5
45-54	490	441,522	275	58.4	52.7-64.1	117	20.5	16.2-24.8	6	1.0	00.0-02.0	11	2.1	00.3-03.9	74	15.3	10.6-20.0	7	2.7	00.2-05.2
55-64	609	390,435	369	67.8	63.1-72.5	141	17.5	13.8-21.2	25	3.4	01.6-05.2	17	2.6	01.0-04.2	52	7.2	04.7-09.7	5	1.4	00.0-03.2
65+	739	405,018	430	68.6	64.5-72.7	123	12.3	09.6-15.0	156	15.5	12.4-18.6	8	0.8	00.2-01.4	22	2.8	01.2-04.4			
Less Than H.S.	274	379,469	125	45.0	36.8-53.2	64	15.1	10.2-20.0	26	5.0	02.5-07.5	10	3.2	00.5-05.9	45	29.2	20.6-37.8	4	2.6	00.0-05.3
H.S. or G.E.D.	847	816,928	452	51.9	47.4-56.4	153	12.9	10.4-15.4	63	3.0	02.0-04.0	27	3.4	01.8-05.0	142	26.7	22.2-31.2	10	2.1	00.3-03.9
Some Post-H.S.	698	672,569	363	51.0	46.1-55.9	142	12.9	10.2-15.6	57	3.5	02.3-04.7	9	1.0	00.0-02.0	116	28.6	23.7-33.5	11	3.1	01.1-05.1
College Graduate	687	496,531	455	64.6	59.7-69.5	75	6.4	04.4-08.4	42	3.0	01.8-04.2	8	0.5	00.1-00.9	101	24.1	19.2-29.0	6	1.4	00.2-02.6
Less than \$15,000	236	224,382	46	16.8	10.5-23.1	83	26.1	19.0-33.2	20	4.5	01.6-07.4	14	5.5	02.0-09.0	71	45.4	36.4-54.4	2	1.6	00.0-04.5
\$15,000- 24,999	427	430,057	182	42.2	35.7-48.7	98	14.8	10.7-18.9	36	4.3	02.3-06.3	15	3.1	00.7-05.5	86	31.4	24.5-38.3	10	4.3	01.6-07.0
\$25,000- 34,999	264	225,756	133	45.1	36.9-53.3	47	11.8	07.7-15.9	36	7.0	04.1-09.9	3	2.3	00.0-05.6	44	33.8	24.8-42.8	1	0.1	00.0-00.3
\$35,000- 49,999	322	309,908	190	62.3	55.4-69.2	49	11.0	06.9-15.1	23	3.3	01.7-04.9	6	1.3	00.0-02.7	50	20.6	14.5-26.7	4	1.5	00.0-03.3
\$50,000- 74,999	307	277,167	220	73.7	67.4-80.0	41	7.7	04.6-10.8	13	1.6	00.4-02.8	4	0.7	00.0-01.5	26	13.8	08.3-19.3	3	2.5	00.0-05.6
\$75,000+	422	426,374	339	75.3	69.0-81.6	34	5.8	03.4-08.2	13	1.7	00.5-02.9	3	0.9	00.0-01.9	27	14.1	07.8-20.4	6	2.2	00.4-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 7: DEMOGRAPHICS
 TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4506	2,570,871	2027	50.1	48.1-52.1	787	12.2	11.0-13.4	976	11.7	10.7-12.7	132	3.2	02.4-04.0	548	21.2	19.2-23.2	36	1.5	00.9-02.1
White/Non-Hisp	3689	1,978,053	1807	56.6	54.4-58.8	628	12.2	11.0-13.4	846	12.4	11.2-13.6	84	2.4	01.6-03.2	293	14.6	12.6-16.6	31	1.8	01.0-02.6
Black or Afr. Am./Non-Hisp	660	430,092	155	25.0	20.3-29.7	128	12.6	09.7-15.5	108	9.4	07.0-11.8	39	4.7	02.9-06.5	226	47.6	42.1-53.1	4	0.7	00.0-01.5
Oth. Race/Non-Hisp.	61	69,779	23	33.6	18.5-48.7	17	18.7	06.5-30.9	7	6.0	00.0-12.3	3	7.0	00.0-16.4	10	32.8	14.8-50.8	1	1.9	00.0-05.6
18-24	176	304,432	30	14.1	08.6-19.6	8	3.6	00.7-06.5				3	1.2	00.0-02.8	125	76.0	69.1-82.9	10	5.0	01.7-08.3
25-34	386	412,602	190	49.6	43.7-55.5	34	7.5	04.6-10.4	1	0.1	00.0-00.3	20	5.9	02.8-09.0	132	34.4	28.7-40.1	9	2.6	00.8-04.4
35-44	517	410,492	305	61.0	55.9-66.1	88	12.1	09.0-15.2	11	1.6	00.4-02.8	26	5.2	02.8-07.6	81	18.4	14.1-22.7	6	1.6	00.2-03.0
45-54	771	464,963	417	61.5	57.2-65.8	178	18.7	15.4-22.0	43	4.5	02.9-06.1	34	3.1	01.7-04.5	93	11.4	08.5-14.3	6	0.9	00.1-01.7
55-64	985	420,204	530	64.0	60.1-67.9	230	16.7	14.0-19.4	125	10.6	07.9-13.3	36	3.0	01.6-04.4	60	5.1	03.5-06.7	4	0.6	00.0-01.2
65+	1627	533,485	534	42.4	39.1-45.7	244	11.7	09.7-13.7	787	42.1	39.0-45.2	10	0.7	00.1-01.3	51	2.9	01.9-03.9	1	0.1	00.0-00.3
Less Than H.S.	651	447,426	200	38.8	33.3-44.3	113	13.0	09.7-16.3	239	21.0	17.3-24.7	34	6.4	03.7-09.1	63	20.3	14.4-26.2	2	0.5	00.0-01.3
H.S. or G.E.D.	1490	840,917	641	50.6	47.1-54.1	232	10.8	09.0-12.6	374	12.6	10.8-14.4	54	3.4	02.0-04.8	178	21.0	17.5-24.5	11	1.5	00.5-02.5
Some Post-H.S.	1219	735,271	541	49.2	45.3-53.1	243	13.8	11.4-16.2	242	10.1	08.3-11.9	29	2.3	01.1-03.5	154	23.0	19.1-26.9	10	1.6	00.4-02.8
College Graduate	1134	543,693	642	60.3	56.6-64.0	198	11.7	09.7-13.7	118	4.7	03.5-05.9	14	1.3	00.5-02.1	149	19.8	16.3-23.3	13	2.3	00.9-03.7
Less than \$15,000	649	319,731	90	20.7	16.0-25.4	201	23.0	18.9-27.1	184	15.9	12.8-19.0	53	8.3	05.0-11.6	119	31.2	25.7-36.7	2	0.9	00.0-02.1
\$15,000- 24,999	878	479,142	274	36.8	32.3-41.3	175	16.2	12.9-19.5	263	16.9	14.4-19.4	32	3.5	01.9-05.1	123	23.8	19.3-28.3	11	2.8	01.0-04.6
\$25,000- 34,999	424	252,801	171	45.1	38.6-51.6	77	13.9	10.0-17.8	94	12.2	08.5-15.9	9	2.0	00.4-03.6	67	24.1	17.6-30.6	6	2.7	00.3-05.1
\$35,000- 49,999	440	287,324	244	57.0	50.7-63.3	83	12.8	09.3-16.3	47	8.3	04.8-11.8	6	3.0	00.0-06.1	54	16.1	11.0-21.2	6	2.7	00.2-05.2
\$50,000- 74,999	390	260,503	269	72.2	66.5-77.9	56	10.0	06.7-13.3	27	4.0	02.0-06.0	4	1.3	00.0-02.9	31	10.9	06.4-15.4	3	1.5	00.0-03.3
\$75,000+	544	360,387	447	79.0	73.1-84.9	35	4.2	02.4-06.0	15	1.2	00.4-02.0	6	1.0	00.0-02.0	37	14.0	08.1-19.9	4	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7021	4,937,818	716	14.0	12.8-15.2	532	10.7	09.7-11.7	222	4.7	03.9-05.5	62	1.6	01.0-02.2	36	0.7	00.3-01.1	5453	68.3	66.7-69.9
Male	2512	2,369,733	218	12.1	10.1-14.1	177	9.2	07.6-10.8	77	4.1	02.9-05.3	21	1.7	00.9-02.5	8	0.5	00.1-00.9	2011	72.4	69.9-74.9
Female	4509	2,568,085	498	15.7	14.1-17.3	355	12.0	10.6-13.4	145	5.2	04.2-06.2	41	1.6	01.0-02.2	28	1.0	00.6-01.4	3442	64.6	62.4-66.8
White/Non-Hisp	5784	3,790,392	552	13.3	11.9-14.7	420	10.4	09.2-11.6	151	4.0	03.2-04.8	49	1.5	00.9-02.1	27	0.6	00.2-01.0	4585	70.1	68.3-71.9
Black or Afr. Am./Non-Hisp	963	770,900	129	18.2	14.5-21.9	79	9.6	07.1-12.1	56	6.2	04.0-08.4	8	1.6	00.4-02.8	8	1.3	00.0-02.7	683	63.1	58.6-67.6
Oth. Race/Non-Hisp.	96	131,339	6	3.4	00.3-06.5	11	13.3	04.7-21.9	9	12.6	04.0-21.2				1	1.2	00.0-03.6	69	69.4	57.6-81.2
MultiRacial/Non-Hisp.	67	89,887	12	19.4	06.9-31.9	8	15.7	04.5-26.9				2	2.7	00.0-07.0				45	62.2	46.5-77.9
Hispanic	70	128,638	10	15.4	05.2-25.6	11	16.0	06.2-25.8	3	8.6	00.0-18.6	3	7.0	00.0-14.6				43	53.1	38.6-67.6
18-24	301	618,971	69	22.6	16.9-28.3	30	8.6	05.1-12.1	8	2.3	00.3-04.3	2	1.0	00.0-02.4	1	0.6	00.0-01.8	191	64.9	58.6-71.2
25-34	641	821,479	129	17.8	14.5-21.1	136	21.0	17.3-24.7	72	10.5	07.6-13.4	22	3.6	01.8-05.4	12	1.4	00.6-02.2	270	45.7	41.0-50.4
35-44	805	812,525	170	19.2	15.9-22.5	223	25.4	21.7-29.1	83	10.8	08.1-13.5	27	4.3	02.3-06.3	9	1.4	00.0-02.8	293	39.0	34.7-43.3
45-54	1264	907,126	229	20.6	17.5-23.7	93	6.6	05.0-08.2	35	2.7	01.5-03.9	5	0.8	00.0-01.6	8	0.5	00.1-00.9	894	68.9	65.6-72.2
55-64	1592	809,051	79	5.3	03.9-06.7	33	2.6	01.4-03.8	13	0.7	00.3-01.1	5	0.4	00.0-00.8	6	0.6	00.0-01.2	1456	90.5	88.5-92.5
65+	2367	938,698	33	1.5	00.9-02.1	13	1.1	00.5-01.7	10	1.1	00.3-01.9	1	0.1	00.0-00.3				2310	96.2	95.0-97.4
Less Than H.S.	925	826,895	68	12.3	08.6-16.0	40	7.1	04.4-09.8	20	3.8	01.8-05.8	7	1.6	00.2-03.0	5	1.4	00.0-02.8	785	73.8	69.1-78.5
H.S. or G.E.D.	2335	1,655,885	243	14.8	12.6-17.0	135	10.1	08.1-12.1	72	5.1	03.7-06.5	25	2.0	01.0-03.0	13	0.8	00.2-01.4	1847	67.3	64.6-70.0
Some Post-H.S.	1915	1,406,779	218	14.1	11.7-16.5	166	12.1	09.9-14.3	67	4.6	03.2-06.0	19	1.8	00.8-02.8	9	0.4	00.0-00.8	1436	67.0	64.1-69.9
College Graduate	1827	1,040,653	184	13.9	11.5-16.3	190	12.4	10.4-14.4	63	4.8	03.4-06.2	11	1.0	00.4-01.6	9	0.4	00.0-00.8	1370	67.5	64.6-70.4
Less than \$15,000	886	544,183	89	11.9	09.0-14.8	41	7.5	04.8-10.2	32	4.6	02.4-06.8	6	1.4	00.0-03.0	10	1.0	00.2-01.8	708	73.6	69.3-77.9
\$15,000- 24,999	1303	907,812	123	14.3	11.2-17.4	95	10.0	07.6-12.4	47	4.8	03.2-06.4	12	2.3	00.7-03.9	3	0.4	00.0-01.0	1023	68.1	64.2-72.0
\$25,000- 34,999	689	479,902	73	15.2	10.7-19.7	44	9.3	06.0-12.6	19	4.1	01.9-06.3	9	2.3	00.5-04.1	4	0.6	00.0-01.2	540	68.5	63.2-73.8
\$35,000- 49,999	760	596,140	75	13.4	09.9-16.9	64	13.2	09.7-16.7	22	3.7	01.9-05.5	10	1.9	00.7-03.1	3	1.0	00.0-02.8	586	66.8	62.1-71.5
\$50,000- 74,999	698	537,931	99	17.0	13.3-20.7	68	12.5	09.2-15.8	19	4.8	02.4-07.2	8	1.4	00.2-02.6	4	0.7	00.0-01.5	500	63.6	58.9-68.3
\$75,000+	967	786,856	142	17.9	14.4-21.4	138	15.2	12.3-18.1	42	5.9	03.7-08.1	9	1.6	00.2-03.0	4	0.3	00.0-00.7	632	59.1	54.8-63.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2512	2,369,733	218	12.1	10.1-14.1	177	9.2	07.6-10.8	77	4.1	02.9-05.3	21	1.7	00.9-02.5	8	0.5	00.1-00.9	2011	72.4	69.9-74.9
White/Non-Hisp	2091	1,813,327	165	10.5	08.5-12.5	147	9.4	07.6-11.2	56	3.9	02.7-05.1	17	1.6	00.8-02.4	6	0.3	00.1-00.5	1700	74.3	71.8-76.8
Black or Afr. Am./Non-Hisp	304	342,593	38	20.0	13.3-26.7	15	4.3	01.4-07.2	15	3.9	01.5-06.3	3	1.8	00.0-04.0	2	1.6	00.0-04.5	231	68.4	61.0-75.8
18-24	125	314,540	17	15.4	07.4-23.4	9	6.0	01.7-10.3	3	2.1	00.0-04.8	1	1.0	00.0-03.0				95	75.5	66.7-84.3
25-34	253	407,368	38	13.5	09.0-18.0	42	15.7	10.6-20.8	21	8.1	03.8-12.4	5	2.9	00.4-05.4	1	0.1	00.0-00.3	146	59.8	52.7-66.9
35-44	289	403,575	50	16.8	11.7-21.9	76	23.6	18.1-29.1	28	9.3	05.6-13.0	10	4.3	01.4-07.2	1	1.3	00.0-03.7	124	44.8	37.9-51.7
45-54	490	441,522	80	20.7	15.8-25.6	34	6.7	04.2-09.2	17	3.6	01.6-05.6	3	1.2	00.0-02.8	4	0.8	00.0-01.6	352	67.0	61.5-72.5
55-64	608	389,345	23	4.3	02.3-06.3	9	1.4	00.2-02.6	6	0.8	00.0-01.6	2	0.4	00.0-01.0	2	0.6	00.0-01.6	566	92.5	89.8-95.2
65+	738	405,081	9	1.6	00.4-02.8	7	1.5	00.1-02.9	2	0.4	00.0-01.2							720	96.4	94.4-98.4
Less Than H.S.	274	379,469	18	11.1	05.0-17.2	13	6.7	02.4-11.0	3	1.2	00.0-02.6	2	1.7	00.0-04.1	2	1.8	00.0-04.5	236	77.5	70.1-84.9
H.S. or G.E.D.	847	816,996	87	13.6	10.3-16.9	53	8.7	06.2-11.2	33	5.4	03.0-07.8	8	1.8	00.4-03.2	3	0.3	00.0-00.7	663	70.2	65.9-74.5
Some Post-H.S.	697	672,683	60	9.9	07.0-12.8	54	11.2	08.1-14.3	20	3.7	01.7-05.7	5	1.8	00.0-03.6	3	0.3	00.0-00.7	555	73.1	68.6-77.6
College Graduate	687	496,543	52	13.3	09.6-17.0	56	9.5	06.8-12.2	21	4.9	02.5-07.3	6	1.3	00.1-02.5				552	71.0	66.3-75.7
Less than \$15,000	236	224,382	10	3.5	00.8-06.2	6	3.6	00.1-07.1	8	2.0	00.2-03.8	1	1.5	00.0-04.4	2	0.4	00.0-01.0	209	89.1	83.8-94.4
\$15,000- 24,999	427	430,057	31	12.5	07.2-17.8	26	6.9	03.8-10.0	12	3.5	01.3-05.7	4	2.5	00.0-05.0	2	0.6	00.0-01.6	352	74.0	67.7-80.3
\$25,000- 34,999	264	225,756	25	14.7	07.1-22.3	12	6.1	01.8-10.4	5	2.9	00.0-06.0	2	1.4	00.0-03.4	1	0.6	00.0-01.8	219	74.2	65.8-82.6
\$35,000- 49,999	321	309,758	24	11.4	06.7-16.1	26	13.3	07.8-18.8	8	3.3	00.9-05.7	3	1.4	00.0-03.0	1	1.6	00.0-04.7	259	69.0	61.9-76.1
\$50,000- 74,999	307	277,167	33	13.2	08.1-18.3	30	12.5	07.8-17.2	8	4.8	01.3-08.3	5	2.4	00.2-04.6	1	0.3	00.0-00.9	230	66.8	59.9-73.7
\$75,000+	423	426,469	62	17.8	13.1-22.5	53	13.7	09.6-17.8	18	5.1	02.4-07.8	5	2.3	00.0-04.7				285	61.1	55.0-67.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4509	2,568,085	498	15.7	14.1-17.3	355	12.0	10.6-13.4	145	5.2	04.2-06.2	41	1.6	01.0-02.2	28	1.0	00.6-01.4	3442	64.6	62.4-66.8
White/Non-Hisp	3693	1,977,065	387	15.8	13.8-17.8	273	11.4	09.8-13.0	95	4.2	03.2-05.2	32	1.4	00.8-02.0	21	0.9	00.3-01.5	2885	66.3	63.9-68.7
Black or Afr. Am./Non-Hisp	659	428,307	91	16.8	12.7-20.9	64	13.9	10.0-17.8	41	8.0	04.9-11.1	5	1.4	00.0-02.8	6	1.1	00.1-02.1	452	58.9	53.4-64.4
Oth. Race/Non-Hisp.	60	68,838	5	4.8	00.0-09.9	7	11.8	01.6-22.0	5	13.8	01.5-26.1				1	2.3	00.0-06.6	42	67.4	51.7-83.1
18-24	176	304,432	52	30.0	22.0-38.0	21	11.3	06.0-16.6	5	2.6	00.1-05.1	1	1.0	00.0-03.0	1	1.1	00.0-03.3	96	54.0	45.2-62.8
25-34	388	414,111	91	22.0	17.1-26.9	94	26.3	21.0-31.6	51	12.9	09.0-16.8	17	4.3	01.9-06.7	11	2.7	00.9-04.5	124	31.8	26.5-37.1
35-44	516	408,951	120	21.5	17.2-25.8	147	27.2	22.5-31.9	55	12.3	08.4-16.2	17	4.3	01.9-06.7	8	1.5	00.1-02.9	169	33.2	28.1-38.3
45-54	774	465,603	149	20.4	16.7-24.1	59	6.5	04.5-08.5	18	2.0	01.0-03.0	2	0.3	00.0-00.9	4	0.2	00.0-00.4	542	70.6	66.5-74.7
55-64	984	419,706	56	6.2	04.0-08.4	24	3.8	01.8-05.8	7	0.5	00.0-01.1	3	0.3	00.0-00.7	4	0.6	00.0-01.4	890	88.6	85.7-91.5
65+	1629	533,617	24	1.5	00.7-02.3	6	0.7	00.1-01.3	8	1.6	00.2-03.0	1	0.1	00.0-00.3				1590	96.0	94.4-97.6
Less Than H.S.	651	447,426	50	13.4	08.9-17.9	27	7.5	04.2-10.8	17	6.0	02.9-09.1	5	1.6	00.0-03.2	3	1.0	00.0-02.4	549	70.6	64.9-76.3
H.S. or G.E.D.	1488	838,889	156	16.0	13.1-18.9	82	11.5	08.8-14.2	39	4.7	02.9-06.5	17	2.1	00.9-03.3	10	1.3	00.3-02.3	1184	64.4	60.7-68.1
Some Post-H.S.	1218	734,096	158	17.8	14.5-21.1	112	12.9	10.2-15.6	47	5.5	03.5-07.5	14	1.8	00.6-03.0	6	0.6	00.0-01.2	881	61.3	57.4-65.2
College Graduate	1140	544,110	132	14.4	11.7-17.1	134	15.1	12.2-18.0	42	4.8	03.0-06.6	5	0.6	00.0-01.2	9	0.8	00.0-01.6	818	64.3	60.6-68.0
Less than \$15,000	650	319,801	79	17.9	13.4-22.4	35	10.2	06.3-14.1	24	6.4	03.1-09.7	5	1.3	00.0-02.9	8	1.5	00.3-02.7	499	62.7	57.0-68.4
\$15,000- 24,999	876	477,756	92	16.0	12.1-19.9	69	12.8	09.1-16.5	35	6.0	03.6-08.4	8	2.2	00.4-04.0	1	0.3	00.0-00.9	671	62.8	57.9-67.7
\$25,000- 34,999	425	254,146	48	15.5	10.6-20.4	32	12.1	07.0-17.2	14	5.2	02.1-08.3	7	3.1	00.4-05.8	3	0.5	00.0-01.1	321	63.5	56.8-70.2
\$35,000- 49,999	439	286,382	51	15.6	10.5-20.7	38	13.1	08.4-17.8	14	4.1	01.6-06.6	7	2.5	00.5-04.5	2	0.3	00.0-00.9	327	64.4	58.1-70.7
\$50,000- 74,999	391	260,764	66	21.1	15.6-26.6	38	12.5	08.0-17.0	11	4.8	01.5-08.1	3	0.4	00.0-00.8	3	1.1	00.0-02.5	270	60.1	53.6-66.6
\$75,000+	544	360,387	80	17.9	12.6-23.2	85	17.0	12.9-21.1	24	6.8	03.5-10.1	4	0.8	00.0-01.8	4	0.7	00.0-01.7	347	56.7	50.8-62.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7021	4,940,227	13	0.4	00.2-00.6	327	4.1	03.5-04.7	585	12.3	10.9-13.7	2341	33.6	32.0-35.2	1920	28.5	26.9-30.1	1835	21.1	19.9-22.3
Male	2513	2,369,378	3	0.4	00.0-01.0	90	3.9	02.9-04.9	181	11.7	09.5-13.9	850	34.5	32.0-37.0	700	28.5	26.1-30.9	689	21.0	19.0-23.0
Female	4508	2,570,849	10	0.4	00.0-00.8	237	4.2	03.4-05.0	404	12.8	11.0-14.6	1491	32.7	30.7-34.7	1220	28.6	26.6-30.6	1146	21.3	19.7-22.9
White/Non-Hisp	5784	3,791,607	10	0.4	00.0-00.8	279	4.1	03.5-04.7	445	11.3	09.9-12.7	1927	34.0	32.2-35.8	1559	28.4	26.8-30.0	1564	21.8	20.4-23.2
Black or Afr. Am./Non-Hisp	961	770,480	1	0.1	00.0-00.3	34	3.8	02.0-05.6	119	17.9	13.6-22.2	344	34.2	29.9-38.5	281	28.5	24.6-32.4	182	15.5	12.8-18.2
Oth. Race/Non-Hisp.	98	132,643				4	3.3	00.0-08.0	5	8.4	00.6-16.2	20	21.8	10.6-33.0	27	28.9	16.2-41.6	42	37.5	25.5-49.5
MultiRacial/Non-Hisp.	68	90,353				4	2.4	00.0-04.9	7	12.7	01.5-23.9	17	26.7	11.0-42.4	25	40.0	23.5-56.5	15	18.2	07.8-28.6
Hispanic	70	128,638	2	3.9	00.0-10.2	4	5.0	00.0-10.9	8	12.3	02.1-22.5	23	34.3	20.4-48.2	19	24.9	13.1-36.7	14	19.5	07.2-31.8
18-24	301	618,971				3	0.8	00.0-01.8	27	16.0	10.1-21.9	113	36.1	29.8-42.4	113	35.9	29.6-42.2	45	11.2	07.3-15.1
25-34	641	820,218	2	1.0	00.0-02.4	2	0.7	00.0-01.7	34	8.4	05.3-11.5	197	33.3	28.8-37.8	180	28.3	24.2-32.4	226	28.2	24.5-31.9
35-44	808	814,203	1	0.3	00.0-00.9	7	1.1	00.0-02.3	49	10.3	07.0-13.6	216	29.1	25.2-33.0	252	31.4	27.5-35.3	283	27.8	24.3-31.3
45-54	1263	906,810	1	0.3	00.0-00.9	29	2.6	01.4-03.8	121	15.0	11.7-18.3	453	35.6	32.3-38.9	336	27.3	24.2-30.4	323	19.2	16.7-21.7
55-64	1591	808,330	4	0.2	00.0-00.4	77	7.2	05.2-09.2	122	11.9	09.2-14.6	513	32.7	29.8-35.6	432	27.0	24.1-29.9	443	21.0	18.6-23.4
65+	2363	937,702	5	0.5	00.0-01.1	209	10.5	08.5-12.5	231	13.1	10.9-15.3	832	34.7	32.2-37.2	591	23.6	21.2-26.0	495	17.4	15.4-19.4
Less than \$15,000	885	544,237				102	11.7	08.8-14.6	168	26.6	21.7-31.5	365	35.5	31.0-40.0	187	21.3	17.4-25.2	63	4.9	03.1-06.7
\$15,000- 24,999	1305	909,199	3	0.8	00.0-01.8	81	6.8	04.8-08.8	173	22.4	18.3-26.5	552	38.6	34.9-42.3	349	24.1	21.0-27.2	147	7.3	05.7-08.9
\$25,000- 34,999	688	479,610				20	2.3	00.9-03.7	45	7.9	05.0-10.8	269	44.1	38.8-49.4	224	30.1	25.4-34.8	130	15.6	12.3-18.9
\$35,000- 49,999	760	595,342	3	1.3	00.0-02.9	6	0.6	00.0-01.2	29	6.8	03.7-09.9	226	32.3	27.8-36.8	250	35.2	30.7-39.7	246	23.8	20.3-27.3
\$50,000- 74,999	698	537,931				2	0.3	00.0-00.7	10	2.9	00.7-05.1	164	27.4	23.1-31.7	219	36.1	31.4-40.8	303	33.3	29.2-37.4
\$75,000+	968	787,312	2	0.3	00.0-00.7	3	0.6	00.0-01.4	9	2.1	00.1-04.1	139	18.8	15.3-22.3	249	29.7	25.8-33.6	566	48.5	44.2-52.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2513	2,369,378	3	0.4	00.0-01.0	90	3.9	02.9-04.9	181	11.7	09.5-13.9	850	34.5	32.0-37.0	700	28.5	26.1-30.9	689	21.0	19.0-23.0
White/Non-Hisp	2093	1,814,092	2	0.3	00.0-00.7	76	3.8	02.8-04.8	145	11.0	08.6-13.4	707	34.9	32.2-37.6	568	28.2	25.7-30.7	595	21.9	19.7-24.1
Black or Afr. Am./Non-Hisp	302	340,927				12	5.3	02.0-08.6	27	16.2	08.9-23.5	114	36.6	29.2-44.0	91	27.3	20.8-33.8	58	14.6	10.3-18.9
18-24	125	314,540				1	0.9	00.0-02.7	11	14.6	06.2-23.0	46	36.4	26.8-46.0	47	36.0	26.6-45.4	20	12.1	05.8-18.4
25-34	253	406,107	2	2.0	00.0-04.7	2	1.4	00.0-03.4	12	8.9	03.6-14.2	89	36.4	29.3-43.5	70	27.1	20.8-33.4	78	24.1	18.6-29.6
35-44	289	403,575				2	1.4	00.0-03.4	17	10.4	04.9-15.9	93	32.0	25.7-38.3	80	29.3	23.2-35.4	97	26.9	21.4-32.4
45-54	491	441,705				5	1.2	00.0-02.4	45	15.3	10.0-20.6	204	39.2	33.9-44.5	130	26.7	21.8-31.6	107	17.5	13.6-21.4
55-64	607	388,555				37	9.7	06.2-13.2	43	11.3	07.2-15.4	188	31.2	26.5-35.9	168	27.0	22.5-31.5	171	20.7	17.2-24.2
65+	738	404,741	1	0.4	00.0-01.2	43	8.7	05.4-12.0	53	10.2	06.7-13.7	227	31.7	27.4-36.0	201	26.2	22.1-30.3	213	22.7	19.2-26.2
Less than \$15,000	237	224,848				25	13.0	07.1-18.9	44	25.8	17.0-34.6	96	32.4	24.6-40.2	56	24.6	17.2-32.0	16	4.3	01.6-07.0
\$15,000- 24,999	427	430,057	1	0.9	00.0-02.7	27	7.4	04.1-10.7	67	27.4	20.3-34.5	171	34.9	29.0-40.8	113	22.1	17.2-27.0	48	7.3	04.8-09.8
\$25,000- 34,999	264	225,756				5	1.5	00.0-03.1	16	5.9	01.8-10.0	126	56.4	48.2-64.6	77	24.2	17.3-31.1	40	12.0	07.3-16.7
\$35,000- 49,999	320	308,018	1	1.4	00.0-04.1	4	0.6	00.0-01.2	13	6.9	02.2-11.6	111	37.5	30.6-44.4	103	32.0	25.3-38.7	88	21.6	16.3-26.9
\$50,000- 74,999	307	277,167							4	3.7	00.0-07.6	79	27.2	21.1-33.3	100	38.5	31.6-45.4	124	30.6	24.5-36.7
\$75,000+	424	426,925	1	0.4	00.0-01.2	1	0.5	00.0-01.5	6	3.4	00.0-07.1	66	19.9	14.8-25.0	108	28.4	22.9-33.9	242	47.3	41.2-53.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4508	2,570,849	10	0.4	00.0-00.8	237	4.2	03.4-05.0	404	12.8	11.0-14.6	1491	32.7	30.7-34.7	1220	28.6	26.6-30.6	1146	21.3	19.7-22.9
White/Non-Hisp	3691	1,977,515	8	0.4	00.0-00.8	203	4.4	03.6-05.2	300	11.6	09.8-13.4	1220	33.2	31.0-35.4	991	28.7	26.5-30.9	969	21.6	20.0-23.2
Black or Afr. Am./Non-Hisp	659	429,553	1	0.1	00.0-00.3	22	2.6	01.0-04.2	92	19.2	13.9-24.5	230	32.4	27.3-37.5	190	29.5	24.8-34.2	124	16.2	12.7-19.7
Oth. Race/Non-Hisp.	61	69,779				4	6.3	00.0-15.1	3	7.4	00.0-16.8	13	26.6	09.5-43.7	15	21.0	07.7-34.3	26	38.6	22.7-54.5
18-24	176	304,432				2	0.6	00.0-01.4	16	17.4	09.4-25.4	67	35.8	27.6-44.0	66	35.9	27.7-44.1	25	10.3	05.8-14.8
25-34	388	414,111							22	7.9	04.4-11.4	108	30.3	24.8-35.8	110	29.5	24.2-34.8	148	32.2	27.1-37.3
35-44	519	410,628	1	0.6	00.0-01.8	5	0.9	00.0-01.9	32	10.1	06.2-14.0	123	26.3	21.4-31.2	172	33.4	28.3-38.5	186	28.6	24.3-32.9
45-54	772	465,106	1	0.5	00.0-01.5	24	4.0	01.8-06.2	76	14.6	10.9-18.3	249	32.2	28.1-36.3	206	27.8	23.9-31.7	216	20.8	17.7-23.9
55-64	984	419,775	4	0.5	00.0-01.1	40	4.9	03.1-06.7	79	12.4	08.9-15.9	325	34.1	30.2-38.0	264	26.9	23.4-30.4	272	21.3	18.4-24.2
65+	1625	532,961	4	0.6	00.0-01.2	166	12.0	09.6-14.4	178	15.3	12.6-18.0	605	37.0	33.9-40.1	390	21.7	19.2-24.2	282	13.4	11.4-15.4
Less than \$15,000	648	319,389				77	10.9	07.8-14.0	124	27.1	21.6-32.6	269	37.7	32.6-42.8	131	19.0	14.9-23.1	47	5.4	03.2-07.6
\$15,000- 24,999	878	479,142	2	0.7	00.0-01.9	54	6.3	03.9-08.7	106	17.9	13.8-22.0	381	42.0	37.5-46.5	236	25.9	22.0-29.8	99	7.2	05.2-09.2
\$25,000- 34,999	424	253,854				15	3.0	01.0-05.0	29	9.7	05.4-14.0	143	33.2	26.9-39.5	147	35.4	29.1-41.7	90	18.8	13.9-23.7
\$35,000- 49,999	440	287,324	2	1.2	00.0-03.0	2	0.6	00.0-01.6	16	6.7	02.6-10.8	115	26.8	21.3-32.3	147	38.5	32.2-44.8	158	26.2	21.3-31.1
\$50,000- 74,999	391	260,764				2	0.6	00.0-01.4	6	2.1	00.1-04.1	85	27.6	21.3-33.9	119	33.5	27.4-39.6	179	36.2	30.3-42.1
\$75,000+	544	360,387	1	0.2	00.0-00.6	2	0.6	00.0-01.4	3	0.5	00.0-01.3	73	17.5	12.6-22.4	141	31.3	25.6-37.0	324	49.9	44.0-55.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7000	4,927,547	2955	53.5	51.9-55.1	388	6.6	05.6-07.6	380	5.6	04.8-06.4	135	4.7	03.7-05.7	2230	19.0	18.0-20.0	912	10.7	09.7-11.7
Male	2505	2,363,421	1243	59.9	57.4-62.4	150	6.5	05.1-07.9	6	0.5	00.0-01.1	53	5.2	03.6-06.8	741	17.5	15.9-19.1	312	10.4	08.8-12.0
Female	4495	2,564,126	1712	47.5	45.3-49.7	238	6.7	05.5-07.9	374	10.4	09.0-11.8	82	4.2	03.0-05.4	1489	20.3	18.9-21.7	600	10.9	09.7-12.1
White/Non-Hisp	5767	3,781,237	2369	52.3	50.5-54.1	277	5.4	04.6-06.2	337	6.2	05.2-07.2	97	4.0	03.0-05.0	1964	21.2	20.0-22.4	723	10.9	09.9-11.9
Black or Afr. Am./Non-Hisp	958	768,318	442	56.1	51.6-60.6	101	14.1	10.4-17.8	24	2.2	01.0-03.4	22	4.3	01.8-06.8	218	12.0	09.6-14.4	151	11.4	08.9-13.9
Oth. Race/Non-Hisp.	96	132,052	51	57.0	43.7-70.3	4	4.1	00.0-09.2	7	5.5	00.8-10.2	5	15.4	02.5-28.3	16	9.8	02.9-16.7	13	8.2	01.9-14.5
MultiRacial/Non-Hisp.	68	90,353	30	56.3	40.4-72.2	3	2.0	00.0-04.5	3	1.9	00.0-05.0	6	10.5	00.9-20.1	12	16.1	04.9-27.3	14	13.3	04.1-22.5
Hispanic	68	126,353	37	64.8	50.7-78.9	1	3.0	00.0-08.7	6	8.4	01.3-15.5	5	13.5	01.2-25.8	14	8.4	02.7-14.1	5	1.9	00.0-04.1
18-24	299	615,264	151	51.1	44.4-57.8	36	10.7	06.8-14.6	15	4.4	01.9-06.9	91	32.4	25.9-38.9	1	0.0	00.0-00.0	5	1.5	00.0-03.1
25-34	642	822,314	474	77.4	73.7-81.1	56	6.7	04.5-08.9	53	8.3	05.8-10.8	21	2.2	01.0-03.4	1	0.2	00.0-00.6	37	5.1	03.1-07.1
35-44	805	812,483	571	74.4	70.9-77.9	80	9.9	07.4-12.4	63	6.7	04.7-08.7	11	0.8	00.2-01.4	2	0.4	00.0-01.0	78	7.7	05.7-09.7
45-54	1257	904,857	782	64.4	60.9-67.9	92	7.7	05.3-10.1	65	5.0	03.4-06.6	7	0.5	00.1-00.9	25	2.2	01.0-03.4	286	20.2	17.5-22.9
55-64	1591	806,815	695	45.0	41.9-48.1	98	5.3	03.9-06.7	69	4.2	03.0-05.4	2	0.1	00.0-00.3	373	24.0	21.3-26.7	354	21.3	18.6-24.0
65+	2354	933,319	259	12.1	10.3-13.9	24	1.2	00.6-01.8	110	4.7	03.5-05.9	2	0.1	00.0-00.3	1811	76.0	73.6-78.4	148	5.9	04.5-07.3
Less Than H.S.	920	825,843	170	32.1	27.0-37.2	50	8.6	05.5-11.7	68	7.9	05.2-10.6	8	2.4	00.4-04.4	346	23.7	20.2-27.2	278	25.3	21.4-29.2
H.S. or G.E.D.	2331	1,651,580	874	51.7	49.0-54.4	149	7.1	05.7-08.5	145	6.3	04.9-07.7	36	4.8	02.8-06.8	766	18.9	17.1-20.7	361	11.2	09.6-12.8
Some Post-H.S.	1907	1,401,284	830	56.6	53.7-59.5	124	7.2	05.6-08.8	92	4.5	03.3-05.7	69	7.4	05.4-09.4	595	17.3	15.5-19.1	197	6.9	05.5-08.3
College Graduate	1827	1,040,513	1076	69.0	66.3-71.7	65	3.6	02.4-04.8	75	4.2	03.0-05.4	22	2.7	01.1-04.3	518	17.5	15.5-19.5	71	3.0	01.8-04.2
Less than \$15,000	885	542,788	149	25.3	20.6-30.0	103	15.4	11.7-19.1	39	5.0	02.8-07.2	29	6.8	04.1-09.5	241	15.6	12.7-18.5	324	31.8	27.5-36.1
\$15,000- 24,999	1305	909,311	413	43.8	39.7-47.9	96	9.4	06.9-11.9	77	6.7	04.5-08.9	22	3.3	01.5-05.1	472	20.8	18.3-23.3	225	15.8	13.1-18.5
\$25,000- 34,999	689	479,902	310	58.4	53.3-63.5	27	4.2	02.0-06.4	23	4.6	02.4-06.8	16	4.9	01.6-08.2	262	23.1	19.4-26.8	51	4.9	03.1-06.7
\$35,000- 49,999	760	594,947	428	66.1	61.8-70.4	31	3.7	02.1-05.3	32	3.6	02.0-05.2	8	2.7	00.7-04.7	228	19.7	16.6-22.8	33	4.3	02.5-06.1
\$50,000- 74,999	697	537,492	432	69.3	65.2-73.4	15	1.9	00.7-03.1	51	8.0	05.5-10.5	3	0.7	00.0-01.5	175	17.1	14.2-20.0	21	3.0	01.4-04.6
\$75,000+	965	784,919	707	78.5	75.0-82.0	20	2.3	00.7-03.9	50	3.9	02.5-05.3	8	2.6	00.2-05.0	157	10.4	08.4-12.4	23	2.3	00.9-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2505	2,363,421	1243	59.9	57.4-62.4	150	6.5	05.1-07.9	6	0.5	00.0-01.1	53	5.2	03.6-06.8	741	17.5	15.9-19.1	312	10.4	08.8-12.0
White/Non-Hisp	2086	1,807,455	1016	58.9	56.2-61.6	115	5.8	04.4-07.2	4	0.4	00.0-01.0	37	4.2	02.6-05.8	652	19.7	17.9-21.5	262	11.0	09.2-12.8
Black or Afr. Am./Non-Hisp	301	340,300	155	61.0	53.4-68.6	30	12.1	06.2-18.0				8	6.0	00.7-11.3	68	10.6	07.1-14.1	40	10.3	06.0-14.6
18-24	123	310,832	67	52.7	42.5-62.9	9	6.9	02.2-11.6	1	0.9	00.0-02.7	42	36.9	26.9-46.9	1	0.0	00.0-00.0	3	2.6	00.0-05.7
25-34	255	409,758	209	86.1	81.2-91.0	28	7.3	04.2-10.4	1	1.3	00.0-03.8	7	1.5	00.1-02.9	1	0.4	00.0-01.2	9	3.5	00.8-06.2
35-44	288	402,928	233	82.7	77.8-87.6	28	9.1	05.2-13.0	3	0.6	00.0-01.4	1	0.4	00.0-01.2	1	0.5	00.0-01.5	22	6.7	03.6-09.8
45-54	488	440,742	341	72.8	67.5-78.1	38	8.4	04.3-12.5				2	0.2	00.0-00.6	11	2.0	00.6-03.4	96	16.6	12.5-20.7
55-64	606	387,386	285	46.6	41.5-51.7	38	5.8	03.6-08.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3	138	22.3	18.2-26.4	143	25.2	20.5-29.9
65+	737	402,293	105	14.6	11.3-17.9	9	1.5	00.3-02.7							585	77.7	73.8-81.6	38	6.2	03.7-08.7
Less Than H.S.	273	379,177	75	41.6	33.2-50.0	13	6.4	01.5-11.3	2	2.1	00.0-05.0	5	4.1	00.4-07.8	89	19.6	14.3-24.9	89	26.3	19.8-32.8
H.S. or G.E.D.	847	815,139	411	61.4	57.1-65.7	65	7.8	05.4-10.2	1	0.1	00.0-00.3	12	4.5	01.8-07.2	233	16.6	14.1-19.1	125	9.7	07.5-11.9
Some Post-H.S.	694	668,609	341	60.4	55.7-65.1	43	7.0	04.6-09.4	2	0.2	00.0-00.6	27	8.3	04.8-11.8	208	16.5	13.8-19.2	73	7.4	05.2-09.6
College Graduate	685	494,929	413	70.9	66.6-75.2	29	3.8	02.2-05.4	1	0.1	00.0-00.3	9	3.2	00.1-06.3	209	18.7	15.8-21.6	24	3.3	01.3-05.3
Less than \$15,000	236	223,057	45	27.4	18.8-36.0	36	15.4	08.9-21.9	1	1.3	00.0-03.8	10	8.5	03.2-13.8	50	11.8	07.1-16.5	94	35.7	27.3-44.1
\$15,000- 24,999	427	430,169	152	50.5	43.8-57.2	40	10.4	05.9-14.9	1	1.2	00.0-03.6	10	3.4	00.9-05.9	132	17.8	13.7-21.9	92	16.7	12.4-21.0
\$25,000- 34,999	264	225,756	119	60.6	52.4-68.8	8	4.0	00.5-07.5				5	5.0	00.0-11.5	117	26.8	20.5-33.1	15	3.6	01.4-05.8
\$35,000- 49,999	321	309,178	189	70.5	64.6-76.4	16	4.1	01.7-06.5				5	3.4	00.5-06.3	98	18.0	13.7-22.3	13	4.2	01.3-07.1
\$50,000- 74,999	306	276,728	196	74.8	69.5-80.1	3	0.9	00.0-02.1				1	0.2	00.0-00.6	94	20.6	15.9-25.3	12	3.5	01.1-05.9
\$75,000+	422	425,437	337	83.2	78.3-88.1	9	2.2	00.2-04.2	2	0.3	00.0-00.7	3	2.6	00.0-05.9	61	9.0	06.3-11.7	10	2.6	00.2-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4495	2,564,126	1712	47.5	45.5-49.5	238	6.7	05.5-07.9	374	10.4	09.0-11.8	82	4.2	03.0-05.4	1489	20.3	18.9-21.7	600	10.9	09.7-12.1
White/Non-Hisp	3681	1,973,782	1353	46.2	44.0-48.4	162	5.1	04.1-06.1	333	11.5	09.9-13.1	60	3.8	02.6-05.0	1312	22.6	21.0-24.2	461	10.8	09.4-12.2
Black or Afr. Am./Non-Hisp	657	428,019	287	52.3	46.8-57.8	71	15.7	11.0-20.4	24	3.9	01.9-05.9	14	2.9	01.1-04.7	150	13.1	10.2-16.0	111	12.2	09.1-15.3
Oth. Race/Non-Hisp.	60	69,462	28	52.1	34.7-69.5	3	5.5	00.0-14.1	7	10.4	01.8-19.0	2	12.5	00.0-29.0	10	8.0	01.3-14.7	10	11.5	01.1-21.9
18-24	176	304,432	84	49.4	40.6-58.2	27	14.5	08.2-20.8	14	7.9	03.2-12.6	49	27.8	20.0-35.6				2	0.4	00.0-01.0
25-34	387	412,556	265	68.8	63.3-74.3	28	6.2	03.5-08.9	52	15.3	11.0-19.6	14	3.0	01.2-04.8				28	6.7	03.8-09.6
35-44	517	409,555	338	66.3	61.4-71.2	52	10.6	07.3-13.9	60	12.8	09.3-16.3	10	1.3	00.3-02.3	1	0.3	00.0-00.9	56	8.8	06.1-11.5
45-54	769	464,115	441	56.4	51.9-60.9	54	7.1	04.9-09.3	65	9.7	06.8-12.6	5	0.7	00.1-01.3	14	2.5	00.9-04.1	190	23.5	19.6-27.4
55-64	985	419,428	410	43.6	39.5-47.7	60	4.9	03.3-06.5	68	8.1	05.7-10.5	1	0.2	00.0-00.6	235	25.5	21.8-29.2	211	17.8	14.7-20.9
65+	1617	531,026	154	10.3	08.3-12.3	15	1.0	00.2-01.8	110	8.2	06.2-10.2	2	0.2	00.0-00.6	1226	74.6	71.7-77.5	110	5.6	04.2-07.0
Less Than H.S.	647	446,666	95	24.1	18.6-29.6	37	10.4	06.1-14.7	66	12.7	08.6-16.8	3	1.0	00.0-02.4	257	27.2	22.9-31.5	189	24.5	20.0-29.0
H.S. or G.E.D.	1484	836,440	463	42.1	38.6-45.6	84	6.4	04.6-08.2	144	12.4	09.9-14.9	24	5.2	02.7-07.7	533	21.1	18.7-23.5	236	12.8	10.6-15.0
Some Post-H.S.	1213	732,675	489	53.2	49.3-57.1	81	7.4	05.4-09.4	90	8.4	06.2-10.6	42	6.6	04.4-08.8	387	18.0	15.6-20.4	124	6.4	05.0-07.8
College Graduate	1142	545,584	663	67.4	64.1-70.7	36	3.4	01.6-05.2	74	7.9	05.7-10.1	13	2.1	00.9-03.3	309	16.4	14.0-18.8	47	2.7	01.7-03.7
Less than \$15,000	649	319,731	104	23.9	18.8-29.0	67	15.4	10.9-19.9	38	7.6	04.5-10.7	19	5.7	02.8-08.6	191	18.3	14.6-22.0	230	29.1	24.6-33.6
\$15,000- 24,999	878	479,142	261	37.8	33.3-42.3	56	8.6	05.9-11.3	76	11.7	08.2-15.2	12	3.2	00.8-05.6	340	23.5	20.4-26.6	133	15.1	11.8-18.4
\$25,000- 34,999	425	254,146	191	56.4	50.1-62.7	19	4.4	01.7-07.1	23	8.6	04.5-12.7	11	4.7	01.8-07.6	145	19.7	15.6-23.8	36	6.0	03.5-08.5
\$35,000- 49,999	439	285,769	239	61.4	55.5-67.3	15	3.2	01.2-05.2	32	7.5	04.4-10.6	3	1.9	00.0-04.4	130	21.6	16.9-26.3	20	4.4	02.2-06.6
\$50,000- 74,999	391	260,764	236	63.6	57.5-69.7	12	2.9	01.1-04.7	51	16.5	11.4-21.6	2	1.2	00.0-03.0	81	13.3	09.8-16.8	9	2.4	00.6-04.2
\$75,000+	543	359,482	370	72.9	67.8-78.0	11	2.4	00.0-04.8	48	8.2	05.5-10.9	5	2.6	00.0-05.9	96	12.0	09.1-14.9	13	1.9	00.7-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5310	3,858,252	397	7.4	06.4-08.4	490	6.7	05.7-07.7	621	11.1	09.9-12.3	685	12.5	11.1-13.9	689	12.4	11.2-13.6	2428	49.8	47.8-51.8
Male	1982	1,896,689	118	6.8	05.2-08.4	119	5.1	03.7-06.5	186	9.9	08.1-11.7	242	12.9	10.7-15.1	264	11.9	09.9-13.9	1053	53.5	50.6-56.4
Female	3328	1,961,564	279	8.0	06.8-09.2	371	8.3	07.1-09.5	435	12.3	10.7-13.9	443	12.1	10.5-13.7	425	13.0	11.4-14.6	1375	46.3	43.9-48.7
White/Non-Hisp	4355	2,956,011	273	5.9	04.9-06.9	382	6.3	05.3-07.3	480	10.1	08.9-11.3	560	12.2	10.8-13.6	558	12.1	10.7-13.5	2102	53.5	51.5-55.5
Black or Afr. Am./Non-Hisp	750	616,517	102	13.4	10.1-16.7	88	8.5	05.8-11.2	113	14.2	10.9-17.5	108	15.8	11.9-19.7	100	13.9	10.2-17.6	239	34.3	29.6-39.0
Oth. Race/Non-Hisp.	73	97,311	10	8.7	01.3-16.1	7	6.1	00.8-11.4	4	6.0	00.0-13.1	9	11.0	01.6-20.4	13	18.9	07.1-30.7	30	49.2	34.5-63.9
MultiRacial/Non-Hisp.	57	72,396	5	3.2	00.0-06.9	8	13.1	01.3-24.9	10	16.0	03.8-28.2	3	4.4	00.0-10.1	5	5.3	00.0-11.2	26	58.0	41.3-74.7
Hispanic	51	94,824	5	14.2	01.9-26.5	5	4.5	00.0-09.8	12	25.4	10.7-40.1	5	10.3	00.0-21.9	7	11.7	02.7-20.7	17	33.8	17.3-50.3
18-24	202	402,105	37	17.5	11.8-23.2	16	6.8	03.1-10.5	33	13.8	08.9-18.7	32	16.1	10.0-22.2	28	13.9	08.0-19.8	56	32.0	24.0-40.0
25-34	546	705,132	44	5.7	03.5-07.9	30	4.9	02.5-07.3	58	12.2	08.7-15.7	64	11.2	08.1-14.3	89	16.1	12.6-19.6	261	50.0	45.1-54.9
35-44	679	677,086	39	5.9	03.5-08.3	33	3.6	02.0-05.2	68	10.0	07.1-12.9	69	9.5	06.8-12.2	80	10.7	07.8-13.6	390	60.2	55.5-64.9
45-54	1042	760,384	101	8.4	06.4-10.4	95	7.6	05.6-09.6	112	10.2	07.8-12.6	98	11.1	08.0-14.2	92	8.5	06.5-10.5	544	54.2	50.3-58.1
55-64	1233	642,142	95	6.4	04.8-08.0	118	7.9	05.7-10.1	123	8.3	06.3-10.3	141	12.1	09.6-14.6	123	9.6	07.4-11.8	633	55.7	52.0-59.4
65+	1594	659,460	81	4.4	03.0-05.8	194	9.3	07.5-11.1	225	13.6	11.2-16.0	280	16.7	14.2-19.2	275	16.9	14.4-19.4	539	39.1	36.0-42.2
Less Than H.S.	656	622,764	117	16.4	12.5-20.3	153	17.0	13.1-20.9	140	23.4	18.5-28.3	117	20.4	15.5-25.3	65	7.9	05.4-10.4	64	14.8	10.3-19.3
H.S. or G.E.D.	1715	1,243,921	157	8.1	06.5-09.7	208	7.4	06.0-08.8	262	13.3	11.1-15.5	290	15.0	12.8-17.2	269	17.0	14.3-19.7	529	39.2	35.9-42.5
Some Post-H.S.	1478	1,116,616	99	6.4	04.6-08.2	88	3.9	02.7-05.1	158	8.3	06.5-10.1	191	11.3	09.1-13.5	224	12.9	10.7-15.1	718	57.1	53.8-60.4
College Graduate	1455	870,330	24	1.2	00.6-01.8	39	1.8	01.0-02.6	60	2.8	01.8-03.8	87	4.8	03.4-06.2	130	8.6	06.6-10.6	1115	80.8	78.3-83.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1982	1,896,689	118	6.8	05.2-08.4	119	5.1	03.7-06.5	186	9.9	08.1-11.7	242	12.9	10.7-15.1	264	11.9	09.9-13.9	1053	53.5	50.6-56.4			
White/Non-Hisp	1655	1,459,114	89	5.6	04.0-07.2	96	5.0	03.6-06.4	146	9.0	07.0-11.0	198	11.5	09.3-13.7	212	11.2	09.2-13.2	914	57.7	54.6-60.8			
Black or Afr. Am./Non-Hisp	238	278,219	23	10.9	05.6-16.2	18	5.8	01.3-10.3	27	11.2	06.1-16.3	34	19.8	12.4-27.2	41	16.1	09.2-23.0	95	36.2	28.2-44.2			
18-24	80	194,722	16	19.6	10.4-28.8	5	6.2	00.7-11.7	14	13.5	06.1-20.9	14	17.0	07.2-26.8	8	14.1	04.1-24.1	23	29.6	17.6-41.6			
25-34	219	354,995	10	3.5	00.6-06.4	8	4.0	00.3-07.7	23	12.2	06.7-17.7	26	10.9	06.2-15.6	36	15.3	10.0-20.6	116	54.3	46.7-61.9			
35-44	249	344,556	9	4.9	01.6-08.2	9	2.8	00.6-05.0	21	9.1	04.4-13.8	24	9.9	05.6-14.2	23	8.6	04.3-12.9	163	64.7	57.4-72.0			
45-54	412	384,402	38	8.7	05.4-12.0	29	5.6	02.9-08.3	35	7.7	04.6-10.8	37	13.1	07.8-18.4	37	7.8	05.1-10.5	236	57.1	50.8-63.4			
55-64	471	309,123	33	6.6	03.9-09.3	37	8.1	04.4-11.8	47	8.5	05.6-11.4	55	13.3	09.0-17.6	49	9.3	06.2-12.4	250	54.3	48.4-60.2			
65+	549	305,593	12	2.3	00.3-04.3	31	4.6	02.2-07.0	46	10.1	06.2-14.0	86	15.5	11.4-19.6	110	18.3	14.2-22.4	264	49.1	43.6-54.6			
Less Than H.S.	215	313,776	36	15.1	09.0-21.2	33	12.6	06.7-18.5	45	23.7	15.9-31.5	50	25.3	16.7-33.9	21	5.4	02.3-08.5	30	17.9	10.3-25.5			
H.S. or G.E.D.	649	626,266	48	6.7	04.3-09.1	48	5.0	02.8-07.2	68	9.6	06.9-12.3	103	14.4	11.1-17.7	126	20.3	16.0-24.6	256	44.1	39.2-49.0			
Some Post-H.S.	557	531,271	28	6.5	03.8-09.2	28	3.9	01.9-05.9	52	7.7	05.2-10.2	61	10.2	07.1-13.3	77	10.3	07.2-13.4	311	61.5	56.4-66.6			
College Graduate	558	421,458	6	1.0	00.0-02.0	10	1.2	00.0-02.4	20	2.5	01.1-03.9	28	5.0	02.6-07.4	40	6.4	03.9-08.9	454	83.8	80.1-87.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3328	1,961,564	279	8.0	06.8-09.2	371	8.3	07.1-09.5	435	12.3	10.7-13.9	443	12.1	10.5-13.7	425	13.0	11.4-14.6	1375	46.3	43.9-48.7			
White/Non-Hisp	2700	1,496,897	184	6.2	05.0-07.4	286	7.6	06.4-08.8	334	11.1	09.5-12.7	362	12.8	11.0-14.6	346	12.9	11.1-14.7	1188	49.3	46.8-51.8			
Black or Afr. Am./Non-Hisp	512	338,299	79	15.5	11.2-19.8	70	10.7	07.4-14.0	86	16.6	12.3-20.9	74	12.5	08.8-16.2	59	12.1	08.2-16.0	144	32.7	27.0-38.4			
18-24	122	207,383	21	15.5	08.8-22.2	11	7.3	02.4-12.2	19	14.0	07.3-20.7	18	15.2	07.6-22.8	20	13.7	07.4-20.0	33	34.2	23.6-44.8			
25-34	327	350,137	34	8.0	04.7-11.3	22	5.9	03.2-08.6	35	12.1	07.8-16.4	38	11.5	07.6-15.4	53	16.9	12.0-21.8	145	45.6	39.3-51.9			
35-44	430	332,531	30	7.0	04.1-09.9	24	4.5	02.1-06.9	47	11.0	07.3-14.7	45	9.2	06.1-12.3	57	12.8	08.9-16.7	227	55.5	49.6-61.4			
45-54	630	375,982	63	8.1	05.6-10.6	66	9.6	06.9-12.3	77	12.8	09.3-16.3	61	9.1	06.4-11.8	55	9.2	06.3-12.1	308	51.2	46.3-56.1			
55-64	762	333,019	62	6.3	04.3-08.3	81	7.7	05.3-10.1	76	8.0	05.5-10.5	86	11.0	08.3-13.7	74	9.8	07.1-12.5	383	57.1	52.6-61.6			
65+	1045	353,868	69	6.3	04.1-08.5	163	13.3	10.6-16.0	179	16.6	13.7-19.5	194	17.8	14.9-20.7	165	15.7	12.8-18.6	275	30.4	26.7-34.1			
Less Than H.S.	441	308,988	81	17.8	12.7-22.9	120	21.5	16.4-26.6	95	23.1	17.4-28.8	67	15.5	10.6-20.4	44	10.4	06.5-14.3	34	11.7	07.2-16.2			
H.S. or G.E.D.	1066	617,655	109	9.5	07.1-11.9	160	9.9	07.7-12.1	194	17.0	14.1-19.9	187	15.6	12.7-18.5	143	13.6	10.7-16.5	273	34.3	30.2-38.4			
Some Post-H.S.	921	585,345	71	6.4	04.4-08.4	60	4.0	02.6-05.4	106	8.9	06.5-11.3	130	12.3	09.6-15.0	147	15.3	12.2-18.4	407	53.1	48.8-57.4			
College Graduate	897	448,872	18	1.4	00.6-02.2	29	2.4	01.2-03.6	40	3.0	01.8-04.2	59	4.7	03.1-06.3	90	10.6	07.9-13.3	661	77.9	74.4-81.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6666	4,731,589	58	0.8	00.4-01.2	2026	27.5	25.9-29.1	2887	43.5	41.7-45.3	1292	21.2	19.8-22.6	400	6.9	06.1-07.7	3	0.1	00.0-00.3
Male	2482	2,338,559	1	0.0	00.0-00.0	235	11.6	09.6-13.6	1195	48.8	46.1-51.5	777	28.9	26.5-31.3	272	10.5	08.9-12.1	2	0.2	00.0-00.4
Female	4184	2,393,030	57	1.6	01.0-02.2	1791	43.0	40.8-45.2	1692	38.3	36.3-40.3	515	13.7	12.1-15.3	128	3.4	02.6-04.2	1	0.1	00.0-00.3
White/Non-Hisp	5495	3,625,669	49	0.9	00.5-01.3	1765	29.3	27.5-31.1	2345	42.4	40.6-44.2	1022	20.4	18.8-22.0	314	7.0	06.0-08.0			
Black or Afr. Am./Non-Hisp	904	736,196	5	0.2	00.0-00.4	174	19.4	15.5-23.3	427	46.0	41.3-50.7	223	26.0	21.7-30.3	75	8.3	05.8-10.8			
Oth. Race/Non-Hisp.	97	132,043	4	3.9	00.0-08.4	40	38.0	25.1-50.9	33	36.0	23.3-48.7	14	16.8	07.2-26.4	4	2.8	00.0-06.1	2	2.7	00.0-06.4
MultiRacial/Non-Hisp.	65	85,337				18	18.1	07.7-28.5	30	58.2	42.3-74.1	13	20.4	07.9-32.9	4	3.2	00.0-06.7			
Hispanic	68	124,792				20	20.3	10.1-30.5	35	57.6	43.3-71.9	11	18.6	07.6-29.6	2	3.5	00.0-09.4			
18-24	293	609,375	4	1.5	00.0-03.3	121	41.2	34.5-47.9	119	41.9	35.2-48.6	44	13.6	09.3-17.9	5	1.7	00.0-03.5			
25-34	614	791,145	7	1.3	00.1-02.5	200	29.3	25.0-33.6	233	40.1	35.4-44.8	127	20.7	17.0-24.4	44	7.9	05.2-10.6	3	0.6	00.0-01.4
35-44	765	776,817	6	0.5	00.1-00.9	204	22.8	19.3-26.3	306	41.4	37.1-45.7	182	25.5	21.6-29.4	67	9.8	07.1-12.5			
45-54	1193	866,204	4	0.5	00.1-00.9	284	21.2	18.3-24.1	504	43.0	39.3-46.7	302	26.7	23.4-30.0	99	8.6	06.6-10.6			
55-64	1494	758,787	10	0.6	00.2-01.0	397	23.1	20.4-25.8	668	45.6	42.3-48.9	306	21.7	19.0-24.4	113	9.1	06.9-11.3			
65+	2272	906,786	27	0.6	00.4-00.8	802	29.9	27.4-32.4	1044	48.0	45.3-50.7	327	17.6	15.2-20.0	72	3.9	02.7-05.1			
Less Than H.S.	874	783,986	11	1.1	00.0-02.3	289	31.0	26.3-35.7	379	43.3	38.2-48.4	138	17.4	13.5-21.3	57	7.2	04.7-09.7			
H.S. or G.E.D.	2217	1,583,137	23	1.1	00.5-01.7	678	27.9	25.2-30.6	970	43.1	40.2-46.0	409	20.3	17.9-22.7	137	7.6	06.0-09.2			
Some Post-H.S.	1814	1,351,246	18	0.7	00.1-01.3	492	23.9	21.4-26.4	779	43.5	40.4-46.6	402	24.1	21.4-26.8	122	7.7	05.9-09.5	1	0.1	00.0-00.3
College Graduate	1747	1,004,195	6	0.2	00.0-00.4	565	29.0	26.3-31.7	751	44.1	41.0-47.2	340	21.8	19.1-24.5	83	4.5	03.3-05.7	2	0.3	00.0-00.7
Less than \$15,000	839	525,801	12	0.8	00.0-01.6	269	34.3	29.4-39.2	356	39.6	34.7-44.5	146	17.5	13.8-21.2	56	7.8	04.7-10.9			
\$15,000- 24,999	1262	878,315	14	1.4	00.2-02.6	385	25.2	21.9-28.5	544	45.7	41.6-49.8	232	20.9	17.4-24.4	87	6.8	05.0-08.6			
\$25,000- 34,999	655	459,274	2	0.4	00.0-01.0	177	25.2	20.5-29.9	297	42.2	36.9-47.5	132	24.3	19.4-29.2	46	7.6	04.9-10.3	1	0.3	00.0-00.9
\$35,000- 49,999	734	575,453	3	0.7	00.0-01.5	194	25.6	21.3-29.9	326	44.4	39.7-49.1	161	20.2	16.5-23.9	48	8.5	05.6-11.4	2	0.6	00.0-01.4
\$50,000- 74,999	665	516,423	3	0.8	00.0-02.0	167	23.4	19.3-27.5	295	43.8	39.1-48.5	157	24.1	20.0-28.2	43	7.8	04.9-10.7			
\$75,000+	937	769,279	3	0.1	00.0-00.3	274	25.0	21.3-28.7	400	42.1	37.8-46.4	209	25.8	22.1-29.5	51	7.0	04.8-09.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2482	2,338,559	1	0.0	00.0-00.0	235	11.6	09.6-13.6	1195	48.8	46.1-51.5	777	28.9	26.5-31.3	272	10.5	08.9-12.1	2	0.2	00.0-00.4
White/Non-Hisp	2065	1,787,571	1	0.0	00.0-00.0	196	12.5	10.3-14.7	996	47.5	44.6-50.4	643	28.9	26.4-31.4	229	11.0	09.2-12.8			
Black or Afr. Am./Non-Hisp	300	337,127				28	8.5	04.2-12.8	140	50.3	42.5-58.1	97	29.6	22.5-36.7	35	11.6	06.7-16.5			
18-24	124	312,248				32	26.7	17.7-35.7	65	54.9	44.9-64.9	23	15.2	08.5-21.9	4	3.2	00.0-06.5			
25-34	252	403,620				31	14.4	08.9-19.9	113	46.1	38.8-53.4	75	26.6	20.5-32.7	31	12.0	07.1-16.9	2	0.9	00.0-02.1
35-44	287	401,095				20	7.5	04.0-11.0	127	45.2	38.3-52.1	99	33.2	26.9-39.5	41	14.1	09.4-18.8			
45-54	483	436,297				40	7.6	04.5-10.7	211	47.1	41.4-52.8	169	33.7	28.2-39.2	63	11.7	08.4-15.0			
55-64	596	377,796				50	8.0	05.3-10.7	272	46.5	41.4-51.6	193	31.3	26.6-36.0	81	14.2	10.5-17.9			
65+	731	400,423	1	0.1	00.0-00.3	61	8.9	05.8-12.0	402	54.2	49.5-58.9	215	30.2	25.9-34.5	52	6.7	04.5-08.9			
Less Than H.S.	265	370,064				49	22.9	15.5-30.3	135	51.4	43.0-59.8	51	15.9	09.8-22.0	30	9.8	05.1-14.5			
H.S. or G.E.D.	838	804,912	1	0.0	00.0-00.0	74	11.8	08.5-15.1	405	47.1	42.6-51.6	257	28.5	24.6-32.4	101	12.6	09.7-15.5			
Some Post-H.S.	688	664,115				59	8.6	05.9-11.3	307	47.2	42.3-52.1	242	32.9	28.4-37.4	79	11.0	08.1-13.9	1	0.3	00.0-00.9
College Graduate	685	493,322				52	6.9	04.5-09.3	344	51.3	46.4-56.2	227	34.4	29.7-39.1	61	7.0	04.8-09.2	1	0.4	00.0-01.2
Less than \$15,000	234	221,373				42	25.5	17.3-33.7	111	45.0	36.2-53.8	54	18.9	12.4-25.4	27	10.6	04.1-17.1			
\$15,000- 24,999	423	427,051				48	12.3	07.6-17.0	210	52.3	45.6-59.0	113	25.1	19.2-31.0	52	10.2	06.9-13.5			
\$25,000- 34,999	262	224,541				26	10.0	04.9-15.1	119	44.7	36.1-53.3	85	33.0	25.0-41.0	32	12.3	07.2-17.4			
\$35,000- 49,999	316	304,093				20	9.3	04.6-14.0	149	47.6	40.5-54.7	106	28.0	21.9-34.1	39	14.0	08.9-19.1	2	1.2	00.0-02.8
\$50,000- 74,999	305	272,007				17	5.3	02.4-08.2	142	48.1	41.2-55.0	116	35.0	28.5-41.5	30	11.6	06.7-16.5			
\$75,000+	422	425,862				22	5.7	02.0-09.4	197	44.6	38.3-50.9	161	39.2	33.3-45.1	42	10.5	06.8-14.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	4184	2,393,030	57	1.6	01.0-02.2	1791	43.0	40.8-45.2	1692	38.3	36.3-40.3	515	13.7	12.1-15.3	128	3.4	02.6-04.2	1	0.1	00.0-00.3			
White/Non-Hisp	3430	1,838,099	48	1.7	00.9-02.5	1569	45.5	43.1-47.9	1349	37.4	35.2-39.6	379	12.2	10.6-13.8	85	3.1	02.1-04.1						
Black or Afr. Am./Non-Hisp	604	399,069	5	0.5	00.0-01.1	146	28.7	23.0-34.4	287	42.4	36.9-47.9	126	22.9	17.8-28.0	40	5.6	03.4-07.8						
Oth. Race/Non-Hisp.	60	69,180	4	7.4	00.0-15.8	37	60.8	44.3-77.3	16	29.5	14.2-44.8	1	1.1	00.0-03.3	2	1.3	00.0-03.1						
18-24	169	297,127	4	3.1	00.0-06.6	89	56.5	47.7-65.3	54	28.4	20.6-36.2	21	11.9	06.2-17.6	1	0.2	00.0-00.6						
25-34	362	387,525	7	2.7	00.5-04.9	169	44.8	38.7-50.9	120	33.9	28.2-39.6	52	14.6	10.3-18.9	13	3.6	01.4-05.8	1	0.3	00.0-00.9			
35-44	478	375,722	6	1.1	00.1-02.1	184	39.1	33.6-44.6	179	37.3	32.0-42.6	83	17.2	12.9-21.5	26	5.3	02.6-08.0						
45-54	710	429,907	4	0.9	00.0-01.9	244	35.0	30.5-39.5	293	38.9	34.4-43.4	133	19.7	15.8-23.6	36	5.5	03.3-07.7						
55-64	898	380,990	10	1.1	00.1-02.1	347	38.0	33.9-42.1	396	44.6	40.3-48.9	113	12.3	09.6-15.0	32	4.0	02.2-05.8						
65+	1541	506,362	26	1.1	00.7-01.5	741	46.6	43.3-49.9	642	43.1	39.8-46.4	112	7.6	05.6-09.6	20	1.6	00.4-02.8						
Less Than H.S.	609	413,922	11	2.1	00.0-04.5	240	38.3	32.4-44.2	244	36.0	30.5-41.5	87	18.6	13.5-23.7	27	4.9	02.5-07.3						
H.S. or G.E.D.	1379	778,225	22	2.2	01.0-03.4	604	44.6	40.9-48.3	565	38.9	35.4-42.4	152	11.8	09.4-14.2	36	2.5	01.3-03.7						
Some Post-H.S.	1126	687,131	18	1.4	00.4-02.4	433	38.7	34.8-42.6	472	39.8	35.9-43.7	160	15.6	12.7-18.5	43	4.5	02.7-06.3						
College Graduate	1062	510,873	6	0.5	00.0-01.1	513	50.3	46.4-54.2	407	37.1	33.4-40.8	113	9.7	07.5-11.9	22	2.1	00.9-03.3	1	0.3	00.0-00.9			
Less than \$15,000	605	304,428	12	1.4	00.2-02.6	227	40.6	34.9-46.3	245	35.7	30.4-41.0	92	16.5	12.2-20.8	29	5.8	03.3-08.3						
\$15,000- 24,999	839	451,264	14	2.7	00.3-05.1	337	37.4	32.7-42.1	334	39.3	34.6-44.0	119	17.0	13.3-20.7	35	3.6	02.0-05.2						
\$25,000- 34,999	393	234,733	2	0.8	00.0-02.0	151	39.7	33.0-46.4	178	39.8	33.3-46.3	47	16.0	10.5-21.5	14	3.2	01.2-05.2	1	0.6	00.0-01.8			
\$35,000- 49,999	418	271,360	3	1.5	00.0-03.3	174	44.0	37.5-50.5	177	40.7	34.4-47.0	55	11.4	07.7-15.1	9	2.4	00.6-04.2						
\$50,000- 74,999	360	244,416	3	1.7	00.0-04.1	150	43.6	36.9-50.3	153	39.0	32.5-45.5	41	12.1	07.8-16.4	13	3.6	01.1-06.1						
\$75,000+	515	343,417	3	0.2	00.0-00.4	252	49.0	43.1-54.9	203	39.0	33.1-44.9	48	9.2	05.9-12.5	9	2.7	00.9-04.5						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6968	4,912,507	320	3.5	02.9-04.1	3395	41.1	39.5-42.7	2655	42.8	41.0-44.6	586	12.3	11.1-13.5	10	0.2	00.0-00.4	2	0.1	00.0-00.3
Male	2508	2,363,391	6	0.2	00.0-00.4	215	9.6	08.0-11.2	1696	64.1	61.6-66.6	579	25.3	22.9-27.7	10	0.5	00.1-00.9	2	0.2	00.0-00.6
Female	4460	2,549,115	314	6.5	05.5-07.5	3180	70.3	68.3-72.3	959	23.0	21.2-24.8	7	0.1	00.0-00.3						
White/Non-Hisp	5746	3,775,011	267	3.3	02.7-03.9	2781	40.6	38.8-42.4	2202	43.3	41.5-45.1	486	12.5	11.1-13.9	10	0.3	00.1-00.5			
Black or Afr. Am./Non-Hisp	949	763,037	34	3.3	01.7-04.9	492	45.7	41.2-50.2	343	39.6	34.9-44.3	80	11.4	08.5-14.3						
Oth. Race/Non-Hisp.	97	132,393	11	12.4	04.4-20.4	45	41.0	28.1-53.9	32	36.3	23.6-49.0	8	9.0	01.4-16.6				1	1.3	00.0-03.8
MultiRacial/Non-Hisp.	68	90,353	5	2.9	00.0-06.2	28	25.6	13.6-37.6	29	60.9	46.0-75.8	6	10.6	01.6-19.6						
Hispanic	68	123,432	2	1.7	00.0-04.1	34	45.0	30.3-59.7	26	35.8	21.9-49.7	5	14.1	01.2-27.0				1	3.3	00.0-09.6
18-24	298	613,473	8	2.3	00.5-04.1	125	37.9	31.4-44.4	130	44.3	37.6-51.0	34	15.1	09.8-20.4	1	0.4	00.0-01.2			
25-34	637	816,345	23	3.3	01.7-04.9	272	38.2	33.7-42.7	253	42.5	37.8-47.2	85	14.8	11.5-18.1	2	0.5	00.0-01.1	2	0.7	00.0-01.7
35-44	803	813,159	29	3.2	01.8-04.6	350	36.5	32.6-40.4	342	46.3	42.0-50.6	80	13.7	10.4-17.0	2	0.4	00.0-01.0			
45-54	1259	904,555	57	3.8	02.4-05.2	583	40.7	37.2-44.2	494	43.0	39.5-46.5	124	12.5	10.0-15.0	1	0.0	00.0-00.0			
55-64	1586	804,837	57	2.8	01.8-03.8	785	44.6	41.5-47.7	610	42.3	39.0-45.6	131	10.1	07.9-12.3	3	0.2	00.0-00.4			
65+	2342	929,484	143	4.8	03.8-05.8	1259	47.4	44.7-50.1	810	39.5	36.8-42.2	129	8.3	06.5-10.1	1	0.0	00.0-00.0			
Less Than H.S.	915	821,886	65	5.0	03.2-06.8	506	48.6	43.7-53.5	300	38.0	33.1-42.9	42	7.9	04.8-11.0	1	0.0	00.0-00.0	1	0.5	00.0-01.5
H.S. or G.E.D.	2311	1,640,493	115	3.9	02.9-04.9	1152	42.2	39.5-44.9	853	41.2	38.3-44.1	189	12.4	10.2-14.6	2	0.3	00.0-00.7			
Some Post-H.S.	1907	1,402,407	85	2.7	01.9-03.5	890	37.6	34.7-40.5	743	45.2	42.1-48.3	184	14.2	11.8-16.6	4	0.2	00.0-00.4	1	0.1	00.0-00.3
College Graduate	1819	1,038,333	53	2.6	01.4-03.8	840	38.5	35.6-41.4	754	45.8	42.7-48.9	170	13.0	10.6-15.4	2	0.2	00.0-00.4			
Less than \$15,000	876	540,303	67	7.0	04.6-09.4	488	48.9	44.0-53.8	273	35.0	30.3-39.7	47	8.7	05.4-12.0	1	0.4	00.0-01.2			
\$15,000- 24,999	1299	905,808	59	3.4	02.2-04.6	667	43.2	39.3-47.1	464	40.7	36.8-44.6	106	12.2	09.3-15.1	2	0.1	00.0-00.3	1	0.5	00.0-01.3
\$25,000- 34,999	688	479,672	26	2.7	01.3-04.1	327	42.2	37.1-47.3	274	42.7	37.4-48.0	60	12.3	08.6-16.0	1	0.1	00.0-00.3			
\$35,000- 49,999	759	595,871	20	1.6	00.6-02.6	338	38.0	33.5-42.5	324	47.3	42.6-52.0	74	12.4	09.1-15.7	2	0.4	00.0-01.2	1	0.3	00.0-00.9
\$50,000- 74,999	697	537,670	22	3.1	01.5-04.7	293	35.6	31.3-39.9	300	44.7	40.0-49.4	81	16.2	12.3-20.1	1	0.4	00.0-01.2			
\$75,000+	965	785,970	20	1.7	00.5-02.9	417	34.6	30.9-38.3	408	47.2	42.9-51.5	118	16.3	12.8-19.8	2	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2508	2,363,391	6	0.2	00.0-00.4	215	9.6	08.0-11.2	1696	64.1	61.6-66.6	579	25.3	22.9-27.7	10	0.5	00.1-00.9	2	0.2	00.0-00.6
White/Non-Hisp	2087	1,809,833	5	0.2	00.0-00.4	167	8.5	06.9-10.1	1425	64.6	61.9-67.3	480	26.0	23.5-28.5	10	0.6	00.2-01.0			
Black or Afr. Am./Non-Hisp	303	339,462	1	0.0	00.0-00.0	36	14.0	08.1-19.9	187	60.6	53.0-68.2	79	25.4	19.1-31.7						
18-24	124	312,248	1	0.2	00.0-00.6	10	7.8	02.7-12.9	78	61.6	51.8-71.4	34	29.8	20.4-39.2	1	0.7	00.0-02.1			
25-34	252	405,017				18	10.2	04.9-15.5	146	57.8	50.7-64.9	84	29.6	23.3-35.9	2	0.9	00.0-02.3	2	1.4	00.0-03.6
35-44	290	404,857				25	9.5	05.4-13.6	183	62.2	55.5-68.9	80	27.5	21.4-33.6	2	0.8	00.0-02.0			
45-54	490	441,256	2	0.8	00.0-02.0	45	9.1	06.0-12.2	319	64.5	59.2-69.8	123	25.6	20.7-30.5	1	0.1	00.0-00.3			
55-64	607	385,795	1	0.0	00.0-00.0	57	10.7	07.2-14.2	417	68.2	63.3-73.1	129	20.7	16.6-24.8	3	0.4	00.0-00.8			
65+	736	404,128	2	0.1	00.0-00.3	60	10.5	07.2-13.8	547	70.5	66.0-75.0	126	18.9	15.0-22.8	1	0.0	00.0-00.0			
Less Than H.S.	272	377,515	3	0.8	00.0-02.2	49	19.5	13.0-26.0	176	61.3	53.1-69.5	42	17.1	10.4-23.8	1	0.1	00.0-00.3	1	1.1	00.0-03.3
H.S. or G.E.D.	846	813,770	2	0.1	00.0-00.3	78	10.1	07.4-12.8	578	64.4	60.1-68.7	186	24.8	20.9-28.7	2	0.6	00.0-01.4			
Some Post-H.S.	697	671,318				47	5.9	03.7-08.1	462	64.0	59.3-68.7	183	29.4	24.9-33.9	4	0.4	00.0-01.0	1	0.3	00.0-00.9
College Graduate	686	494,375				39	6.3	03.9-08.7	478	66.1	61.4-70.8	167	27.2	22.7-31.7	2	0.4	00.0-01.0			
Less than \$15,000	235	222,840	2	1.1	00.0-03.3	30	16.7	08.9-24.5	155	60.2	51.0-69.4	47	21.0	13.6-28.4	1	1.0	00.0-03.0			
\$15,000- 24,999	428	432,085	1	0.0	00.0-00.0	47	12.3	08.0-16.6	273	61.3	54.8-67.8	104	25.2	19.3-31.1	2	0.2	00.0-00.6	1	0.9	00.0-02.7
\$25,000- 34,999	264	225,756				23	8.8	04.3-13.3	180	64.9	56.9-72.9	60	26.1	18.7-33.5	1	0.3	00.0-00.9			
\$35,000- 49,999	321	309,830				19	6.7	03.4-10.0	226	68.4	61.7-75.1	73	23.5	17.4-29.6	2	0.8	00.0-02.4	1	0.6	00.0-01.8
\$50,000- 74,999	307	277,167				13	3.0	01.0-05.0	212	64.9	58.0-71.8	81	31.4	24.5-38.3	1	0.7	00.0-02.1			
\$75,000+	423	426,392				27	5.9	03.4-08.4	279	63.8	57.9-69.7	115	29.9	24.0-35.8	2	0.4	00.0-01.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4460	2,549,115	314	6.5	05.5-07.5	3180	70.3	68.3-72.3	959	23.0	21.2-24.8	7	0.1	00.0-00.3
White/Non-Hisp	3659	1,965,178	262	6.1	05.1-07.1	2614	70.2	68.0-72.4	777	23.6	21.6-25.6	6	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	646	423,575	33	5.9	03.2-08.6	456	71.1	66.2-76.0	156	22.7	18.4-27.0	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	60	69,529	11	23.6	09.5-37.7	40	63.7	47.6-79.8	9	12.6	02.4-22.8			
18-24	174	301,225	7	4.4	00.9-07.9	115	69.1	61.1-77.1	52	26.4	18.8-34.0			
25-34	385	411,328	23	6.5	03.4-09.6	254	65.7	60.2-71.2	107	27.5	22.4-32.6	1	0.3	00.0-00.9
35-44	513	408,303	29	6.3	03.6-09.0	325	63.2	57.9-68.5	159	30.5	25.6-35.4			
45-54	769	463,300	55	6.6	04.4-08.8	538	70.9	66.8-75.0	175	22.5	18.8-26.2	1	0.0	00.0-00.0
55-64	979	419,042	56	5.4	03.6-07.2	728	75.8	72.3-79.3	193	18.5	15.4-21.6	2	0.4	00.0-01.0
65+	1606	525,356	141	8.4	06.6-10.2	1199	75.9	73.2-78.6	263	15.6	13.2-18.0	3	0.1	00.0-00.3
Less Than H.S.	643	444,371	62	8.5	05.6-11.4	457	73.3	68.4-78.2	124	18.2	13.9-22.5			
H.S. or G.E.D.	1465	826,722	113	7.6	05.8-09.4	1074	73.7	70.6-76.8	275	18.5	15.8-21.2	3	0.2	00.0-00.4
Some Post-H.S.	1210	731,089	85	5.2	03.6-06.8	843	66.8	62.9-70.7	281	27.8	24.1-31.5	1	0.2	00.0-00.6
College Graduate	1133	543,958	53	4.9	02.9-06.9	801	67.7	64.0-71.4	276	27.3	23.8-30.8	3	0.1	00.0-00.3
Less than \$15,000	641	317,464	65	11.2	07.7-14.7	458	71.5	66.6-76.4	118	17.3	13.2-21.4			
\$15,000- 24,999	871	473,723	58	6.5	04.1-08.9	620	71.3	67.2-75.4	191	21.9	18.2-25.6	2	0.3	00.0-00.7
\$25,000- 34,999	424	253,916	26	5.2	02.7-07.7	304	71.8	66.1-77.5	94	23.0	17.7-28.3			
\$35,000- 49,999	438	286,040	20	3.2	01.2-05.2	319	72.0	66.1-77.9	98	24.4	18.7-30.1	1	0.4	00.0-01.2
\$50,000- 74,999	390	260,503	22	6.5	03.2-09.8	280	70.3	64.2-76.4	88	23.3	17.8-28.8			
\$75,000+	542	359,579	20	3.7	01.2-06.2	390	68.6	62.7-74.5	129	27.4	21.7-33.1	3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6924	4,795,176	6877	99.2	98.8-99.6	8	0.2	00.0-00.4	39	0.6	00.2-01.0
Male	2459	2,284,391	2440	99.0	98.4-99.6	4	0.3	00.0-00.7	15	0.7	00.1-01.3
Female	4465	2,510,785	4437	99.4	99.0-99.8	4	0.1	00.1-00.1	24	0.6	00.2-01.0
White/Non-Hisp	5690	3,678,903	5663	99.5	99.1-99.9	4	0.2	00.0-00.4	23	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	962	767,647	953	98.8	97.8-99.8	3	0.2	00.0-00.4	6	1.1	00.1-02.1
Oth. Race/Non-Hisp.	91	121,005	91	100.0	0100-0100						
MultiRacial/Non-Hisp.	62	77,586	61	99.8	99.4-0100				1	0.2	00.0-00.6
Hispanic	64	114,223	63	99.3	97.9-0100				1	0.7	00.0-02.1
18-24	279	581,070	276	98.6	96.8-0100	1	0.7	00.0-02.1	2	0.7	00.0-01.7
25-34	596	751,070	592	99.2	98.4-0100	1	0.2	00.0-00.6	3	0.6	00.0-01.2
35-44	786	788,936	782	99.3	98.5-0100	1	0.1	00.0-00.3	3	0.6	00.0-01.4
45-54	1250	897,640	1245	99.6	99.0-0100				5	0.4	00.0-01.0
55-64	1583	801,318	1576	99.5	99.1-99.9	1	0.0	00.0-00.0	6	0.5	00.1-00.9
65+	2363	933,276	2349	99.6	99.4-99.8	3	0.1	00.0-00.3	11	0.3	00.1-00.5
Less Than H.S.	921	812,905	913	98.7	97.3-0100	2	0.5	00.0-01.5	6	0.8	00.0-01.8
H.S. or G.E.D.	2308	1,609,992	2295	99.6	99.2-0100	3	0.1	00.0-00.3	10	0.3	00.1-00.5
Some Post-H.S.	1888	1,371,189	1878	99.5	99.1-99.9	1	0.1	00.0-00.3	9	0.4	00.0-00.8
College Graduate	1772	980,472	1764	99.2	98.4-0100	1	0.1	00.0-00.3	7	0.8	00.0-01.6
Less than \$15,000	874	530,292	871	99.0	97.8-0100	1	0.3	00.0-00.9	2	0.7	00.0-01.9
\$15,000- 24,999	1282	877,602	1276	99.4	98.6-0100	1	0.0	00.0-00.0	5	0.6	00.0-01.4
\$25,000- 34,999	675	464,480	672	99.7	99.1-0100				3	0.3	00.0-00.9
\$35,000- 49,999	743	569,828	740	99.6	99.0-0100				3	0.4	00.0-01.0
\$50,000- 74,999	679	515,636	677	99.7	99.3-0100				2	0.3	00.0-00.7
\$75,000+	938	751,770	935	99.7	99.3-0100				3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2459	2,284,391	2440	99.0	98.4-99.6	4	0.3	00.0-00.7	15	0.7	00.1-01.3
White/Non-Hisp	2046	1,752,437	2033	99.2	98.6-99.8	3	0.4	00.0-01.0	10	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	302	338,027	299	99.2	97.8-0100	1	0.0	00.0-00.0	2	0.8	00.0-02.2
18-24	115	294,975	113	98.2	95.5-0100	1	1.3	00.0-03.8	1	0.4	00.0-01.4
25-34	233	365,031	231	99.0	97.6-0100	1	0.5	00.0-01.5	1	0.6	00.0-01.8
35-44	278	389,156	276	99.0	97.6-0100				2	1.0	00.0-02.4
45-54	485	437,468	484	99.5	98.5-0100				1	0.5	00.0-01.5
55-64	600	382,197	595	99.2	98.4-0100	1	0.0	00.0-00.0	4	0.7	00.0-01.5
65+	737	401,558	731	99.6	99.2-0100	1	0.2	00.0-00.6	5	0.2	00.0-00.4
Less Than H.S.	272	371,704	267	98.1	95.7-0100	1	1.1	00.0-03.3	4	0.9	00.0-02.3
H.S. or G.E.D.	828	781,545	825	99.7	99.3-0100	2	0.2	00.0-00.6	1	0.0	00.0-00.0
Some Post-H.S.	681	648,581	677	99.7	99.3-0100	1	0.1	00.0-00.3	3	0.2	00.0-00.4
College Graduate	666	468,543	661	98.7	97.3-0100				5	1.3	00.0-02.7
Less than \$15,000	233	220,621	232	99.2	97.6-0100	1	0.8	00.0-02.4			
\$15,000- 24,999	414	408,294	412	98.9	97.5-0100				2	1.1	00.0-02.5
\$25,000- 34,999	258	216,780	256	99.8	99.4-0100				2	0.2	00.0-00.6
\$35,000- 49,999	310	291,223	308	99.5	98.5-0100				2	0.5	00.0-01.5
\$50,000- 74,999	298	263,649	298	100.0	0100-0100						
\$75,000+	409	403,765	407	99.6	99.0-0100				2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4465	2,510,785	4437	99.4	99.0-99.8	4	0.1	00.1-00.1	24	0.6	00.2-01.0
White/Non-Hisp	3644	1,926,466	3630	99.7	99.5-99.9	1	0.0	00.0-00.0	13	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	660	429,619	654	98.4	96.8-0100	2	0.3	00.0-00.7	4	1.3	00.0-02.7
Oth. Race/Non-Hisp.	57	63,727	57	100.0	0100-0100						
18-24	164	286,095	163	99.0	97.0-0100				1	1.0	00.0-03.0
25-34	363	386,039	361	99.4	98.6-0100				2	0.6	00.0-01.4
35-44	508	399,780	506	99.6	99.0-0100	1	0.2	00.0-00.6	1	0.2	00.0-00.6
45-54	765	460,173	761	99.7	99.3-0100				4	0.3	00.0-00.7
55-64	983	419,122	981	99.7	99.1-0100				2	0.3	00.0-00.9
65+	1626	531,718	1618	99.5	99.1-99.9	2	0.1	00.0-00.3	6	0.4	00.0-00.8
Less Than H.S.	649	441,201	646	99.2	97.8-0100	1	0.1	00.0-00.3	2	0.7	00.0-01.9
H.S. or G.E.D.	1480	828,447	1470	99.5	99.1-99.9	1	0.0	00.0-00.0	9	0.5	00.1-00.9
Some Post-H.S.	1207	722,608	1201	99.4	98.8-0100				6	0.6	00.0-01.2
College Graduate	1106	511,929	1103	99.6	99.0-0100	1	0.2	00.0-00.6	2	0.2	00.0-00.6
Less than \$15,000	641	309,671	639	98.8	97.0-0100				2	1.2	00.0-03.0
\$15,000- 24,999	868	469,309	864	99.8	99.4-0100	1	0.0	00.0-00.0	3	0.2	00.0-00.6
\$25,000- 34,999	417	247,700	416	99.5	98.5-0100				1	0.5	00.0-01.5
\$35,000- 49,999	433	278,605	432	99.6	98.8-0100				1	0.4	00.0-01.2
\$50,000- 74,999	381	251,987	379	99.4	98.4-0100				2	0.6	00.0-01.6
\$75,000+	529	348,006	528	99.9	99.7-0100				1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7056	4,960,846	6777	96.2	95.6-96.8	1	0.0	00.0-00.0	108	1.3	00.9-01.7	170	2.5	01.9-03.1
Male	2525	2,383,395	2428	95.8	94.8-96.8				38	1.4	00.8-02.0	59	2.8	01.8-03.8
Female	4531	2,577,451	4349	96.6	95.8-97.4	1	0.0	00.0-00.0	70	1.3	00.9-01.7	111	2.1	01.5-02.7
White/Non-Hisp	5796	3,796,977	5594	96.6	96.0-97.2				80	1.1	00.7-01.5	122	2.3	01.7-02.9
Black or Afr. Am./Non-Hisp	968	775,077	922	96.3	94.7-97.9				17	1.7	00.7-02.7	29	2.0	00.8-03.2
Oth. Race/Non-Hisp.	98	132,643	91	93.9	88.2-99.6	1	0.5	00.0-01.5	4	3.5	00.0-08.0	2	2.1	00.0-05.4
MultiRacial/Non-Hisp.	68	90,353	66	97.4	93.1-0100				1	2.1	00.0-06.2	1	0.5	00.0-01.5
Hispanic	70	128,638	64	92.0	84.7-99.3				4	4.6	00.0-10.3	2	3.4	00.0-08.1
18-24	301	618,971	287	95.7	93.3-98.1				6	1.6	00.2-03.0	8	2.7	00.9-04.5
25-34	643	823,869	623	96.3	94.5-98.1				5	0.8	00.0-01.6	15	3.0	01.4-04.6
35-44	810	817,263	771	94.7	92.7-96.7	1	0.1	00.0-00.3	11	2.1	00.7-03.5	27	3.1	01.7-04.5
45-54	1266	907,719	1238	98.2	97.2-99.2				9	0.7	00.1-01.3	19	1.2	00.4-02.0
55-64	1598	811,711	1553	97.8	97.0-98.6				12	0.5	00.1-00.9	33	1.7	00.9-02.5
65+	2371	939,447	2263	95.9	94.7-97.1				61	2.3	01.3-03.3	47	1.7	01.1-02.3
Less Than H.S.	925	826,895	872	95.8	94.2-97.4				33	2.9	01.5-04.3	20	1.4	00.6-02.2
H.S. or G.E.D.	2341	1,659,055	2256	96.4	95.4-97.4				34	1.1	00.5-01.7	51	2.4	01.6-03.2
Some Post-H.S.	1920	1,410,369	1857	96.4	95.2-97.6				19	0.7	00.1-01.3	44	2.9	01.7-04.1
College Graduate	1835	1,043,909	1776	97.1	95.9-98.3	1	0.1	00.0-00.3	18	1.0	00.4-01.6	40	1.9	00.9-02.9
Less than \$15,000	887	544,649	858	95.8	93.8-97.8				13	1.7	00.5-02.9	16	2.5	00.9-04.1
\$15,000- 24,999	1306	911,227	1271	96.7	95.1-98.3				18	1.4	00.4-02.4	17	1.9	00.7-03.1
\$25,000- 34,999	689	479,902	676	98.5	97.1-99.9				6	1.0	00.0-02.2	7	0.5	00.0-01.1
\$35,000- 49,999	762	597,232	748	97.9	96.5-99.3	1	0.1	00.0-00.3	6	1.0	00.0-02.0	7	0.9	00.0-01.9
\$50,000- 74,999	698	537,931	689	98.7	97.5-99.9							9	1.3	00.1-02.5
\$75,000+	968	787,312	942	97.0	95.6-98.4				7	0.8	00.0-01.6	19	2.2	01.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2525	2,383,395	2428	95.8	94.8-96.8	38	1.4	00.8-02.0	59	2.8	01.8-03.8
White/Non-Hisp	2097	1,817,335	2031	96.3	95.1-97.5	22	0.9	00.3-01.5	44	2.8	01.8-03.8
Black or Afr. Am./Non-Hisp	306	344,505	286	95.8	93.3-98.3	11	2.7	00.7-04.7	9	1.6	00.0-03.2
18-24	125	314,540	118	95.5	92.2-98.8	2	0.8	00.0-02.0	5	3.6	00.5-06.7
25-34	255	409,758	243	95.1	92.2-98.0	3	1.0	00.0-02.4	9	3.9	01.2-06.6
35-44	291	406,635	271	92.8	89.5-96.1	7	3.1	00.6-05.6	13	4.1	01.6-06.6
45-54	491	441,705	483	98.3	96.7-99.9	2	0.3	00.0-00.7	6	1.4	00.0-02.8
55-64	611	390,986	595	97.6	96.2-99.0	5	0.7	00.0-01.5	11	1.7	00.5-02.9
65+	741	405,766	709	96.4	94.6-98.2	19	2.4	00.8-04.0	13	1.2	00.2-02.2
Less Than H.S.	274	379,469	257	95.1	92.2-98.0	10	3.3	00.8-05.8	7	1.6	00.2-03.0
H.S. or G.E.D.	850	818,068	820	96.6	95.0-98.2	14	1.3	00.3-02.3	16	2.1	00.9-03.3
Some Post-H.S.	700	675,032	676	95.9	93.7-98.1	6	0.4	00.0-00.8	18	3.7	01.7-05.7
College Graduate	689	496,809	668	96.4	94.4-98.4	6	1.1	00.1-02.1	15	2.6	00.8-04.4
Less than \$15,000	237	224,848	229	95.4	91.9-98.9	2	1.2	00.0-03.4	6	3.4	00.5-06.3
\$15,000- 24,999	428	432,085	412	95.9	93.4-98.4	10	1.9	00.1-03.7	6	2.2	00.2-04.2
\$25,000- 34,999	264	225,756	261	99.4	98.4-0100	1	0.5	00.0-01.5	2	0.1	00.0-00.3
\$35,000- 49,999	322	309,908	315	97.6	95.2-0100	4	1.2	00.0-02.8	3	1.2	00.0-03.2
\$50,000- 74,999	307	277,167	304	98.2	95.8-0100				3	1.8	00.0-04.2
\$75,000+	424	426,925	409	96.3	94.1-98.5	3	0.6	00.0-01.4	12	3.1	01.1-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4531	2,577,451	4349	96.6	95.8-97.4	1	0.0	00.0-00.0	70	1.3	00.9-01.7	111	2.1	01.5-02.7
White/Non-Hisp	3699	1,979,643	3563	96.9	96.1-97.7				58	1.2	00.8-01.6	78	1.9	01.3-02.5
Black or Afr. Am./Non-Hisp	662	430,572	636	96.7	94.9-98.5				6	0.9	00.0-01.9	20	2.4	00.8-04.0
Oth. Race/Non-Hisp.	61	69,779	58	95.0	87.6-0100	1	0.9	00.0-02.7	2	4.0	00.0-11.3			
18-24	176	304,432	169	95.9	93.0-98.8				4	2.4	00.0-04.8	3	1.7	00.0-03.7
25-34	388	414,111	380	97.4	95.4-99.4				2	0.5	00.0-01.3	6	2.0	00.0-04.0
35-44	519	410,628	500	96.7	94.7-98.7	1	0.2	00.0-00.6	4	1.0	00.0-02.4	14	2.1	00.7-03.5
45-54	775	466,014	755	98.0	96.8-99.2				7	1.1	00.1-02.1	13	1.0	00.4-01.6
55-64	987	420,725	958	97.9	96.9-98.9				7	0.4	00.0-01.0	22	1.7	00.9-02.5
65+	1630	533,681	1554	95.6	94.2-97.0				42	2.3	01.3-03.3	34	2.1	01.3-02.9
Less Than H.S.	651	447,426	615	96.3	94.5-98.1				23	2.5	00.9-04.1	13	1.2	00.4-02.0
H.S. or G.E.D.	1491	840,986	1436	96.3	94.9-97.7				20	1.0	00.4-01.6	35	2.7	01.5-03.9
Some Post-H.S.	1220	735,337	1181	96.8	95.4-98.2				13	1.0	00.0-02.0	26	2.2	01.0-03.4
College Graduate	1146	547,100	1108	97.7	96.5-98.9	1	0.1	00.0-00.3	12	0.9	00.1-01.7	25	1.3	00.7-01.9
Less than \$15,000	650	319,801	629	96.2	94.0-98.4				11	2.0	00.6-03.4	10	1.9	00.1-03.7
\$15,000- 24,999	878	479,142	859	97.5	95.9-99.1				8	0.9	00.0-01.9	11	1.6	00.2-03.0
\$25,000- 34,999	425	254,146	415	97.8	95.4-0100				5	1.4	00.0-03.6	5	0.8	00.0-01.8
\$35,000- 49,999	440	287,324	433	98.2	96.6-99.8	1	0.2	00.0-00.6	2	0.9	00.0-02.3	4	0.7	00.0-01.5
\$50,000- 74,999	391	260,764	385	99.3	98.7-99.9							6	0.7	00.1-01.3
\$75,000+	544	360,387	533	97.9	96.3-99.5				4	1.0	00.0-02.2	7	1.1	00.1-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5356	2,851,494	265	4.5	03.7-05.3	5091	95.5	94.7-96.3
Male	1768	1,238,514	97	4.9	03.5-06.3	1671	95.1	93.7-96.5
Female	3588	1,612,980	168	4.3	03.3-05.3	3420	95.7	94.7-96.7
White/Non-Hisp	4518	2,314,372	222	4.6	03.8-05.4	4296	95.4	94.6-96.2
Black or Afr. Am./Non-Hisp	672	388,213	32	3.5	01.7-05.3	640	96.5	94.7-98.3
Oth. Race/Non-Hisp.	59	54,795	3	6.5	00.0-14.7	56	93.5	85.3-0100
18-24	74	137,855	3	2.1	00.0-04.6	71	97.9	95.4-0100
25-34	260	235,537	11	5.3	01.6-09.0	249	94.7	91.0-98.4
35-44	498	407,221	15	3.5	01.1-05.9	483	96.5	94.1-98.9
45-54	940	585,272	53	5.4	03.4-07.4	887	94.6	92.6-96.6
55-64	1363	641,822	67	3.2	02.2-04.2	1296	96.8	95.8-97.8
65+	2189	829,758	113	5.4	04.0-06.8	2076	94.6	93.2-96.0
Less Than H.S.	766	518,966	28	3.8	01.8-05.8	738	96.2	94.2-98.2
H.S. or G.E.D.	1799	940,515	65	3.6	02.4-04.8	1734	96.4	95.2-97.6
Some Post-H.S.	1414	763,410	68	4.9	03.3-06.5	1346	95.1	93.5-96.7
College Graduate	1367	623,920	104	6.1	04.5-07.7	1263	93.9	92.3-95.5
Less than \$15,000	654	264,109	13	2.2	00.4-04.0	641	97.8	96.0-99.6
\$15,000- 24,999	1004	509,327	38	3.1	01.5-04.7	966	96.9	95.3-98.5
\$25,000- 34,999	536	284,221	21	3.5	01.5-05.5	515	96.5	94.5-98.5
\$35,000- 49,999	554	322,533	29	4.6	02.4-06.8	525	95.4	93.2-97.6
\$50,000- 74,999	530	333,547	35	5.4	02.7-08.1	495	94.6	91.9-97.3
\$75,000+	722	497,128	64	7.0	04.6-09.4	658	93.0	90.6-95.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,238,514	97	4.9	03.5-06.3	1671	95.1	93.7-96.5
White/Non-Hisp	1521	1,002,103	84	5.1	03.7-06.5	1437	94.9	93.5-96.3
Black or Afr. Am./Non-Hisp	184	156,453	8	3.3	00.2-06.4	176	96.7	93.6-99.8
25-34	77	87,201	1	3.3	00.0-09.6	76	96.7	90.4-0100
35-44	154	174,473	3	1.6	00.0-04.0	151	98.4	96.0-0100
45-54	342	258,099	21	7.3	03.6-11.0	321	92.7	89.0-96.4
55-64	489	285,411	22	2.7	01.3-04.1	467	97.3	95.9-98.7
65+	668	345,409	48	7.5	05.0-10.0	620	92.5	90.0-95.0
Less Than H.S.	209	222,199	7	2.4	00.0-04.8	202	97.6	95.2-0100
H.S. or G.E.D.	591	412,254	23	4.0	01.8-06.2	568	96.0	93.8-98.2
Some Post-H.S.	469	317,318	24	6.1	03.0-09.2	445	93.9	90.8-97.0
College Graduate	497	284,839	43	6.7	04.3-09.1	454	93.3	90.9-95.7
Less than \$15,000	155	94,446	5	3.1	00.0-07.0	150	96.9	93.0-0100
\$15,000- 24,999	291	218,488	8	2.7	00.0-05.4	283	97.3	94.6-0100
\$25,000- 34,999	197	121,706	7	2.2	00.6-03.8	190	97.8	96.2-99.4
\$35,000- 49,999	214	144,902	13	5.5	02.0-09.0	201	94.5	91.0-98.0
\$50,000- 74,999	221	157,181	17	6.8	02.5-11.1	204	93.2	88.9-97.5
\$75,000+	290	237,139	34	9.4	05.5-13.3	256	90.6	86.7-94.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3588	1,612,980	168	4.3	03.3-05.3	3420	95.7	94.7-96.7
White/Non-Hisp	2997	1,312,269	138	4.3	03.3-05.3	2859	95.7	94.7-96.7
Black or Afr. Am./Non-Hisp	488	231,761	24	3.7	01.7-05.7	464	96.3	94.3-98.3
25-34	183	148,336	10	6.5	01.8-11.2	173	93.5	88.8-98.2
35-44	344	232,748	12	4.9	01.2-08.6	332	95.1	91.4-98.8
45-54	598	327,173	32	4.0	02.2-05.8	566	96.0	94.2-97.8
55-64	874	356,411	45	3.6	02.2-05.0	829	96.4	95.0-97.8
65+	1521	484,349	65	3.9	02.7-05.1	1456	96.1	94.9-97.3
Less Than H.S.	557	296,767	21	4.9	02.0-07.8	536	95.1	92.2-98.0
H.S. or G.E.D.	1208	528,262	42	3.3	01.9-04.7	1166	96.7	95.3-98.1
Some Post-H.S.	945	446,092	44	4.0	02.4-05.6	901	96.0	94.4-97.6
College Graduate	870	339,081	61	5.7	03.7-07.7	809	94.3	92.3-96.3
Less than \$15,000	499	169,663	8	1.7	00.1-03.3	491	98.3	96.7-99.9
\$15,000- 24,999	713	290,839	30	3.4	01.8-05.0	683	96.6	95.0-98.2
\$25,000- 34,999	339	162,515	14	4.6	01.5-07.7	325	95.4	92.3-98.5
\$35,000- 49,999	340	177,631	16	3.9	01.5-06.3	324	96.1	93.7-98.5
\$50,000- 74,999	309	176,365	18	4.1	01.0-07.2	291	95.9	92.8-99.0
\$75,000+	432	259,990	30	4.8	02.4-07.2	402	95.2	92.8-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	261	128,221	155	73.2	66.5-79.9	92	24.1	17.6-30.6	14	2.7	00.9-04.5
Male	96	59,854	62	75.7	65.7-85.7	29	21.4	12.0-30.8	5	3.0	00.0-06.1
Female	165	68,366	93	71.1	62.1-80.1	63	26.4	17.8-35.0	9	2.4	00.4-04.4
White/Non-Hisp	218	105,977	134	75.1	68.0-82.2	72	21.9	15.2-28.6	12	3.0	00.8-05.2
45-54	53	31,815	33	75.3	61.0-89.6	17	23.7	09.4-38.0	3	1.0	00.0-02.2
55-64	63	19,675	33	65.1	51.4-78.8	29	34.0	20.3-47.7	1	0.9	00.0-02.7
65+	113	44,820	70	73.7	64.7-82.7	35	21.1	13.1-29.1	8	5.2	00.9-09.5
H.S. or G.E.D.	64	33,631	41	76.2	63.7-88.7	19	21.6	09.3-33.9	4	2.2	00.0-04.7
Some Post-H.S.	66	36,658	41	73.8	61.1-86.5	21	22.7	10.5-34.9	4	3.6	00.0-07.9
College Graduate	104	38,145	51	61.4	49.8-73.0	48	36.4	25.0-47.8	5	2.3	00.0-04.8
\$75,000+	64	34,871	31	60.4	44.5-76.3	32	39.4	23.5-55.3	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	96	59,854	62	75.7	65.7-85.7	29	21.4	11.6-31.2	5	3.0	00.0-06.1
White/Non-Hisp	83	50,404	55	77.4	67.4-87.4	23	19.1	10.1-28.1	5	3.5	00.0-07.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	165	68,366	93	71.1	62.3-79.9	63	26.4	17.8-35.0	9	2.4	00.4-04.4
White/Non-Hisp	135	55,573	79	73.1	63.1-83.1	49	24.3	14.7-33.9	7	2.5	00.1-04.9
65+	65	18,918	39	75.4	64.4-86.4	22	19.2	10.0-28.4	4	5.4	00.0-11.5
College Graduate	61	19,159	27	59.8	43.7-75.9	31	38.4	22.5-54.3	3	1.7	00.0-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5345	2,849,924	4053	89.5	88.7-90.3	1292	10.5	09.7-11.3
Male	1763	1,236,876	1336	89.9	88.5-91.3	427	10.1	08.7-11.5
Female	3582	1,613,048	2717	89.2	88.2-90.2	865	10.8	09.8-11.8
White/Non-Hisp	4512	2,313,508	3464	89.7	88.9-90.5	1048	10.3	09.5-11.1
Black or Afr. Am./Non-Hisp	667	387,335	468	88.5	86.1-90.9	199	11.5	09.1-13.9
Oth. Race/Non-Hisp.	59	54,795	40	89.7	83.6-95.8	19	10.3	04.2-16.4
18-24	74	137,855	59	94.3	89.6-99.0	15	5.7	01.0-10.4
25-34	260	235,537	197	88.9	85.2-92.6	63	11.1	07.4-14.8
35-44	497	406,539	413	91.3	88.9-93.7	84	8.7	06.3-11.1
45-54	939	585,640	746	91.7	90.1-93.3	193	8.3	06.7-09.9
55-64	1360	640,946	1055	89.3	87.7-90.9	305	10.7	09.1-12.3
65+	2182	829,171	1559	86.5	85.1-87.9	623	13.5	12.1-14.9
Less Than H.S.	764	519,223	424	79.3	76.2-82.4	340	20.7	17.6-23.8
H.S. or G.E.D.	1794	939,914	1274	88.4	87.0-89.8	520	11.6	10.2-13.0
Some Post-H.S.	1412	762,642	1140	92.6	91.2-94.0	272	7.4	06.0-08.8
College Graduate	1365	623,463	1207	95.8	94.8-96.8	158	4.2	03.2-05.2
Less than \$15,000	652	263,935	366	77.5	73.8-81.2	286	22.5	18.8-26.2
\$15,000- 24,999	1004	509,754	677	84.5	82.0-87.0	327	15.5	13.0-18.0
\$25,000- 34,999	534	283,965	422	90.8	88.3-93.3	112	9.2	06.7-11.7
\$35,000- 49,999	554	322,533	469	93.1	91.1-95.1	85	6.9	04.9-08.9
\$50,000- 74,999	531	334,075	478	95.5	93.9-97.1	53	4.5	02.9-06.1
\$75,000+	722	497,128	682	97.5	96.5-98.5	40	2.5	01.5-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1763	1,236,876	1336	89.9	88.5-91.3	427	10.1	08.7-11.5
White/Non-Hisp	1517	1,000,669	1150	89.2	87.6-90.8	367	10.8	09.2-12.4
Black or Afr. Am./Non-Hisp	182	156,007	135	93.2	90.3-96.1	47	6.8	03.9-09.7
25-34	77	87,201	56	90.2	84.5-95.9	21	9.8	04.1-15.5
35-44	153	173,790	124	89.3	84.8-93.8	29	10.7	06.2-15.2
45-54	340	257,938	259	91.4	88.9-93.9	81	8.6	06.1-11.1
55-64	488	284,778	359	87.7	85.0-90.4	129	12.3	09.6-15.0
65+	667	345,248	505	89.4	87.4-91.4	162	10.6	08.6-12.6
Less Than H.S.	210	222,730	126	83.2	78.3-88.1	84	16.8	11.9-21.7
H.S. or G.E.D.	589	411,983	413	88.6	86.2-91.0	176	11.4	09.0-13.8
Some Post-H.S.	467	316,331	368	91.6	89.1-94.1	99	8.4	05.9-10.9
College Graduate	495	283,927	427	94.9	93.3-96.5	68	5.1	03.5-06.7
Less than \$15,000	154	94,350	81	79.0	71.9-86.1	73	21.0	13.9-28.1
\$15,000- 24,999	292	219,019	195	86.5	82.6-90.4	97	13.5	09.6-17.4
\$25,000- 34,999	196	121,641	148	89.6	85.3-93.9	48	10.4	06.1-14.7
\$35,000- 49,999	214	144,902	169	91.6	88.1-95.1	45	8.4	04.9-11.9
\$50,000- 74,999	221	157,181	194	94.7	92.3-97.1	27	5.3	02.9-07.7
\$75,000+	290	237,139	263	95.8	93.8-97.8	27	4.2	02.2-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3582	1,613,048	2717	89.2	88.2-90.2	865	10.8	09.8-11.8
White/Non-Hisp	2995	1,312,839	2314	90.1	89.1-91.1	681	9.9	08.9-10.9
Black or Afr. Am./Non-Hisp	485	231,328	333	85.4	82.1-88.7	152	14.6	11.3-17.9
25-34	183	148,336	141	88.2	83.3-93.1	42	11.8	06.9-16.7
35-44	344	232,748	289	92.9	90.4-95.4	55	7.1	04.6-09.6
45-54	599	327,702	487	91.9	89.9-93.9	112	8.1	06.1-10.1
55-64	872	356,168	696	90.7	88.9-92.5	176	9.3	07.5-11.1
65+	1515	483,924	1054	84.4	82.6-86.2	461	15.6	13.8-17.4
Less Than H.S.	554	296,493	298	76.4	72.5-80.3	256	23.6	19.7-27.5
H.S. or G.E.D.	1205	527,931	861	88.2	86.4-90.0	344	11.8	10.0-13.6
Some Post-H.S.	945	446,310	772	93.3	91.9-94.7	173	6.7	05.3-08.1
College Graduate	870	339,535	780	96.6	95.6-97.6	90	3.4	02.4-04.4
Less than \$15,000	498	169,585	285	76.7	72.4-81.0	213	23.3	19.0-27.6
\$15,000- 24,999	712	290,735	482	82.9	80.0-85.8	230	17.1	14.2-20.0
\$25,000- 34,999	338	162,324	274	91.6	88.7-94.5	64	8.4	05.5-11.3
\$35,000- 49,999	340	177,631	300	94.3	92.1-96.5	40	5.7	03.5-07.9
\$50,000- 74,999	310	176,894	284	96.2	94.4-98.0	26	3.8	02.0-05.6
\$75,000+	432	259,990	419	99.1	98.5-99.7	13	0.9	00.3-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 52: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	ZERO		1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3721	2,352,350	263	5.5	04.7-06.3	1534	40.3	38.1-42.5	279	7.7	06.5-08.9	609	18.0	16.2-19.8	452	14.7	12.9-16.5	584	13.9	12.3-15.5
Male	1225	1,024,503	81	4.8	03.4-06.2	451	37.1	33.4-40.8	94	7.5	05.5-09.5	225	20.8	17.5-24.1	158	15.2	12.1-18.3	216	14.5	12.1-16.9
Female	2496	1,327,848	182	6.0	04.8-07.2	1083	42.8	40.1-45.5	185	7.8	06.4-09.2	384	15.8	13.8-17.8	294	14.3	12.1-16.5	368	13.4	11.6-15.2
White/Non-Hisp	3185	1,912,637	233	5.9	04.9-06.9	1328	42.2	39.8-44.6	238	7.3	06.1-08.5	531	17.8	16.0-19.6	375	13.4	11.6-15.2	480	13.4	11.8-15.0
Black or Afr. Am./Non-Hisp	426	312,388	26	3.5	01.9-05.1	171	35.2	28.7-41.7	35	11.2	06.3-16.1	62	16.9	10.4-23.4	59	20.2	13.5-26.9	73	12.9	08.8-17.0
18-24	57	125,816	1	1.0	00.0-03.0	15	35.0	17.8-52.2	4	7.2	00.0-15.0	5	9.5	00.0-20.7	10	26.8	10.5-43.1	22	20.6	09.6-31.6
25-34	190	198,396	3	1.5	00.0-03.3	29	19.6	11.4-27.8	9	3.7	01.2-06.2	32	18.9	11.3-26.5	32	18.7	11.6-25.8	85	37.6	29.0-46.2
35-44	402	358,756	4	0.9	00.0-01.9	78	22.0	16.9-27.1	25	6.8	03.7-09.9	78	20.2	14.9-25.5	82	24.5	18.4-30.6	135	25.7	20.6-30.8
45-54	697	501,676	31	3.7	02.1-05.3	228	35.7	31.0-40.4	55	9.3	06.4-12.2	121	19.9	15.4-24.4	115	17.7	14.0-21.4	147	13.7	11.0-16.4
55-64	973	523,849	47	5.5	03.3-07.7	388	43.1	39.0-47.2	88	9.5	07.0-12.0	187	21.4	17.9-24.9	139	12.1	09.6-14.6	124	8.4	06.4-10.4
65+	1384	632,590	175	11.7	09.5-13.9	786	59.2	55.9-62.5	95	6.7	04.9-08.5	184	13.8	11.4-16.2	73	5.4	03.8-07.0	71	3.2	02.2-04.2
Less Than H.S.	371	363,211	35	6.7	03.6-09.8	207	54.3	47.0-61.6	31	8.8	05.1-12.5	39	13.1	07.2-19.0	17	7.9	03.4-12.4	42	9.2	05.5-12.9
H.S. or G.E.D.	1143	747,110	106	6.8	05.2-08.4	544	44.4	40.5-48.3	84	8.5	06.3-10.7	159	15.6	12.9-18.3	99	12.8	09.5-16.1	151	11.8	09.3-14.3
Some Post-H.S.	1051	663,741	67	4.9	03.3-06.5	446	39.6	35.5-43.7	67	5.9	03.9-07.9	192	21.2	17.7-24.7	121	13.4	10.3-16.5	158	15.0	12.1-17.9
College Graduate	1149	574,519	53	3.7	02.5-04.9	334	26.7	23.4-30.0	96	8.1	05.9-10.3	219	20.5	16.8-24.2	214	22.9	19.2-26.6	233	18.2	15.3-21.1
Less than \$15,000	328	181,217	41	10.2	06.3-14.1	180	53.6	45.8-61.4	21	5.9	02.8-09.0	37	14.4	07.9-20.9	17	6.0	01.7-10.3	32	9.8	05.3-14.3
\$15,000- 24,999	621	398,375	61	6.0	04.2-07.8	316	50.9	44.8-57.0	37	7.3	04.4-10.2	83	15.8	10.7-20.9	51	9.8	05.7-13.9	73	10.2	06.7-13.7
\$25,000- 34,999	395	242,102	32	7.9	04.4-11.4	184	44.6	37.5-51.7	31	6.0	03.3-08.7	60	13.0	08.9-17.1	39	15.0	07.9-22.1	49	13.4	08.9-17.9
\$35,000- 49,999	450	288,100	23	6.0	02.7-09.3	162	36.7	30.8-42.6	42	9.1	05.6-12.6	95	22.8	17.3-28.3	59	13.6	09.5-17.7	69	11.8	08.1-15.5
\$50,000- 74,999	457	305,385	19	4.1	01.9-06.3	158	33.3	27.8-38.8	33	7.5	04.4-10.6	81	21.1	16.0-26.2	69	16.8	11.9-21.7	97	17.3	12.8-21.8
\$75,000+	651	463,270	9	1.1	00.1-02.1	140	22.8	18.1-27.5	57	8.8	05.9-11.7	138	22.5	17.8-27.2	138	22.6	18.1-27.1	169	22.2	18.1-26.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 53: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	ZERO			1-20%			21-40%			41-60%			61-80%			81-100%	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1225	1,024,503	81	4.8	03.4-06.2	451	37.1	33.4-40.8	94	7.5	05.5-09.5	225	20.8	17.5-24.1	158	15.2	12.1-18.3	216	14.5	12.0-17.0
White/Non-Hisp	1055	819,480	72	5.6	04.0-07.2	396	39.6	35.5-43.7	80	7.0	05.0-09.0	193	19.1	16.0-22.2	135	14.5	11.4-17.6	179	14.2	11.7-16.7
Black or Afr. Am./Non-Hisp	123	134,556	8	2.7	00.5-04.9	44	31.9	21.1-42.7	10	12.6	03.6-21.6	24	26.2	13.3-39.1	14	13.7	02.7-24.7	23	13.0	05.6-20.4
25-34	53	71,681				10	27.9	11.0-44.8	4	4.1	00.0-08.6	10	25.9	09.2-42.6	5	10.7	00.1-21.3	24	31.3	16.2-46.4
35-44	122	152,894	1	0.5	00.0-01.5	22	20.2	11.8-28.6	2	1.7	00.0-04.1	25	23.6	13.6-33.6	25	22.3	12.3-32.3	47	31.6	22.2-41.0
45-54	240	219,239	10	2.8	00.4-05.2	74	30.6	23.3-37.9	19	10.7	05.4-16.0	41	23.1	14.5-31.7	44	18.7	12.4-25.0	52	14.2	09.3-19.1
55-64	322	219,344	17	6.1	02.8-09.4	104	35.8	29.1-42.5	31	9.2	05.1-13.3	65	24.1	18.0-30.2	51	13.9	09.4-18.4	54	10.8	07.3-14.3
65+	457	281,143	52	9.9	06.8-13.0	231	55.1	49.4-60.8	35	7.0	04.3-09.7	83	17.0	12.9-21.1	27	6.5	03.6-09.4	29	4.4	02.6-06.2
Less Than H.S.	113	167,257	6	3.6	00.5-06.7	55	50.5	38.0-63.0	10	7.9	02.0-13.8	16	17.7	06.3-29.1	8	10.1	01.9-18.3	18	10.3	03.8-16.8
H.S. or G.E.D.	369	327,114	23	4.4	02.2-06.6	144	39.6	33.1-46.1	33	9.8	05.7-13.9	64	18.9	13.8-24.0	38	14.5	08.6-20.4	67	12.8	09.1-16.5
Some Post-H.S.	332	268,110	26	6.4	03.5-09.3	128	35.2	28.7-41.7	22	6.3	02.8-09.8	65	22.3	16.2-28.4	38	13.0	07.1-18.9	53	16.8	11.5-22.1
College Graduate	409	260,117	25	4.6	02.4-06.8	123	26.9	21.6-32.2	29	5.7	03.2-08.2	80	23.8	17.1-30.5	74	21.9	16.0-27.8	78	17.1	12.4-21.8
Less than \$15,000	72	67,524	4	5.2	00.0-10.9	43	55.2	39.9-70.5	3	4.2	00.0-10.1	11	17.9	04.6-31.2	3	7.3	00.0-16.7	8	10.0	01.4-18.6
\$15,000- 24,999	176	174,654	17	4.5	02.0-07.0	86	51.7	40.3-63.1	11	6.6	01.9-11.3	32	20.4	10.4-30.4	15	10.5	03.1-17.9	15	6.3	01.6-11.0
\$25,000- 34,999	136	102,263	13	8.2	02.9-13.5	65	43.3	31.5-55.1	12	4.9	01.8-08.0	18	12.6	05.5-19.7	9	16.1	01.8-30.4	19	14.9	06.5-23.3
\$35,000- 49,999	160	124,470	11	5.2	01.9-08.5	54	32.6	23.4-41.8	10	5.6	01.1-10.1	42	32.3	22.3-42.3	21	15.9	08.1-23.7	22	8.4	03.5-13.3
\$50,000- 74,999	182	139,912	12	6.2	02.3-10.1	60	33.0	24.8-41.2	19	11.0	04.9-17.1	30	20.4	12.8-28.0	18	9.9	04.8-15.0	43	19.5	12.2-26.8
\$75,000+	253	216,778	7	1.9	00.0-03.9	45	16.7	11.2-22.2	20	8.9	04.2-13.6	54	26.2	17.8-34.6	59	22.4	15.5-29.3	68	23.9	17.4-30.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 54: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO		1-20%			21-40%			41-60%			61-80%			81-100%			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2496	1,327,848	182	6.0	04.8-07.2	1083	42.8	40.1-45.5	185	7.8	06.4-09.2	384	15.8	13.8-17.8	294	14.3	12.1-16.5	368	13.4	11.6-15.2
White/Non-Hisp	2130	1,093,157	161	6.2	05.0-07.4	932	44.2	41.3-47.1	158	7.5	06.1-08.9	338	16.7	14.5-18.9	240	12.7	10.7-14.7	301	12.8	10.8-14.8
Black or Afr. Am./Non-Hisp	303	177,832	18	4.1	01.7-06.5	127	37.7	30.3-45.1	25	10.2	04.9-15.5	38	9.9	05.8-14.0	45	25.2	17.0-33.4	50	12.9	08.4-17.4
25-34	137	126,714	3	2.3	00.0-05.0	19	14.9	06.5-23.3	5	3.5	00.4-06.6	22	14.9	07.8-22.0	27	23.3	14.3-32.3	61	41.2	31.0-51.4
35-44	280	205,862	3	1.1	00.0-02.5	56	23.4	16.9-29.9	23	10.5	05.4-15.6	53	17.7	12.4-23.0	57	26.1	18.7-33.5	88	21.3	16.0-26.6
45-54	457	282,437	21	4.4	02.2-06.6	154	39.6	33.7-45.5	36	8.2	05.1-11.3	80	17.5	13.0-22.0	71	17.0	12.5-21.5	95	13.4	10.3-16.5
55-64	651	304,505	30	5.0	02.1-07.9	284	48.3	43.2-53.4	57	9.6	06.3-12.9	122	19.5	15.6-23.4	88	10.8	08.1-13.5	70	6.7	04.7-08.7
65+	927	351,447	123	13.2	10.5-15.9	555	62.4	58.5-66.3	60	6.5	04.3-08.7	101	11.1	08.4-13.8	46	4.5	02.9-06.1	42	2.3	01.3-03.3
Less Than H.S.	258	195,954	29	9.4	04.3-14.5	152	57.6	49.8-65.4	21	9.5	04.6-14.4	23	9.2	04.7-13.7	9	6.1	01.6-10.6	24	8.3	04.2-12.4
H.S. or G.E.D.	774	419,996	83	8.8	06.4-11.2	400	48.2	43.5-52.9	51	7.4	04.9-09.9	95	13.1	10.0-16.2	61	11.5	07.8-15.2	84	11.1	07.8-14.4
Some Post-H.S.	719	395,631	41	3.9	02.5-05.3	318	42.7	37.4-48.0	45	5.6	03.4-07.8	127	20.3	16.2-24.4	83	13.6	09.9-17.3	105	13.9	10.6-17.2
College Graduate	740	314,402	28	2.9	01.5-04.3	211	26.5	22.4-30.6	67	10.0	06.9-13.1	139	17.8	14.3-21.3	140	23.7	19.2-28.2	155	19.0	15.3-22.7
Less than \$15,000	256	113,693	37	13.2	07.9-18.5	137	52.6	44.2-61.0	18	6.9	03.2-10.6	26	12.3	05.8-18.8	14	5.2	01.1-09.3	24	9.6	04.7-14.5
\$15,000- 24,999	445	223,721	44	7.1	04.7-09.5	230	50.3	44.0-56.6	26	7.9	04.2-11.6	51	12.3	08.2-16.4	36	9.3	05.0-13.6	58	13.1	08.0-18.2
\$25,000- 34,999	259	139,839	19	7.7	03.0-12.4	119	45.6	37.2-54.0	19	6.8	02.7-10.9	42	13.3	08.2-18.4	30	14.2	07.9-20.5	30	12.3	07.2-17.4
\$35,000- 49,999	290	163,630	12	6.6	01.3-11.9	108	39.9	32.5-47.3	32	11.7	06.6-16.8	53	15.6	10.7-20.5	38	11.8	07.5-16.1	47	14.4	09.1-19.7
\$50,000- 74,999	275	165,473	7	2.3	00.3-04.3	98	33.6	26.3-40.9	14	4.5	01.8-07.2	51	21.7	15.0-28.4	51	22.6	15.2-30.0	54	15.4	09.9-20.9
\$75,000+	398	246,492	2	0.5	00.0-01.3	95	28.2	21.1-35.3	37	8.7	05.2-12.2	84	19.2	14.5-23.9	79	22.7	16.6-28.8	101	20.7	15.6-25.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 55: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6824	4,838,704	4986	72.2	70.6-73.8	1430	20.8	19.4-22.2	408	6.9	05.9-07.9
Male	2443	2,317,479	1786	71.2	68.7-73.7	500	21.1	18.9-23.3	157	7.7	06.1-09.3
Female	4381	2,521,225	3200	73.2	71.4-75.0	930	20.6	19.0-22.2	251	6.2	05.2-07.2
18-24	291	593,599	60	30.6	23.5-37.7	149	42.8	36.3-49.3	82	26.7	21.0-32.4
25-34	635	815,842	300	57.4	52.9-61.9	270	34.2	30.1-38.3	65	8.4	06.0-10.8
35-44	792	798,917	512	71.8	68.1-75.5	233	23.7	20.2-27.2	47	4.5	02.9-06.1
45-54	1233	892,886	889	80.8	78.3-83.3	287	16.1	13.7-18.5	57	3.1	02.1-04.1
55-64	1552	795,831	1238	86.3	84.1-88.5	250	11.0	09.0-13.0	64	2.7	01.9-03.5
65+	2279	913,659	1955	92.1	90.9-93.3	233	5.5	04.5-06.5	91	2.5	01.7-03.3
Less Than H.S.	890	805,293	535	63.2	58.5-67.9	279	29.3	24.8-33.8	76	7.5	05.0-10.0
H.S. or G.E.D.	2265	1,613,316	1571	68.5	66.0-71.0	526	23.1	20.7-25.5	168	8.4	06.8-10.0
Some Post-H.S.	1878	1,393,498	1375	73.7	71.0-76.4	388	18.6	16.2-21.0	115	7.7	05.7-09.7
College Graduate	1784	1,022,462	1499	83.1	80.6-85.6	237	13.7	11.3-16.1	48	3.2	01.8-04.6
Less than \$15,000	868	537,572	383	40.7	36.0-45.4	364	43.2	38.3-48.1	121	16.1	12.4-19.8
\$15,000- 24,999	1284	894,693	803	60.0	56.1-63.9	402	34.3	30.6-38.0	79	5.7	03.9-07.5
\$25,000- 34,999	679	477,663	485	69.1	64.4-73.8	160	24.4	20.1-28.7	34	6.5	04.0-09.0
\$35,000- 49,999	754	592,440	631	82.4	78.7-86.1	98	14.2	10.9-17.5	25	3.4	01.6-05.2
\$50,000- 74,999	693	536,705	618	91.1	88.6-93.6	63	7.5	05.1-09.9	12	1.3	00.3-02.3
\$75,000+	956	782,489	876	90.7	88.0-93.4	59	6.1	03.7-08.5	21	3.2	01.6-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 56: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2443	2,317,479	1786	71.2	68.8-73.6	500	21.1	18.9-23.3	157	7.7	06.1-09.3
18-24	119	296,229	23	28.7	18.1-39.3	55	38.9	29.3-48.5	41	32.5	23.1-41.9
25-34	252	406,216	117	56.6	49.5-63.7	107	35.0	28.3-41.7	28	8.5	05.0-12.0
35-44	282	395,483	187	71.6	65.7-77.5	81	24.7	19.0-30.4	14	3.7	01.5-05.9
45-54	481	436,424	343	80.1	76.2-84.0	112	16.4	12.7-20.1	26	3.5	01.9-05.1
55-64	590	380,666	471	86.0	82.7-89.3	93	11.4	08.3-14.5	26	2.6	01.4-03.8
65+	713	394,957	639	93.2	91.0-95.4	52	4.7	02.9-06.5	22	2.0	01.0-03.0
Less Than H.S.	265	369,108	158	62.9	54.9-70.9	83	29.6	22.2-37.0	24	7.5	03.2-11.8
H.S. or G.E.D.	823	796,286	557	67.1	63.0-71.2	192	23.0	19.3-26.7	74	9.9	07.2-12.6
Some Post-H.S.	685	666,570	502	72.5	68.2-76.8	139	18.6	15.1-22.1	44	8.9	05.6-12.2
College Graduate	668	482,610	567	82.4	77.9-86.9	86	14.9	10.8-19.0	15	2.7	00.7-04.7
Less than \$15,000	230	222,912	100	44.1	35.1-53.1	94	37.7	29.1-46.3	36	18.2	11.1-25.3
\$15,000- 24,999	421	423,375	245	55.6	49.1-62.1	150	38.7	32.2-45.2	26	5.7	02.8-08.6
\$25,000- 34,999	260	224,555	180	67.2	59.6-74.8	65	26.4	19.3-33.5	15	6.5	02.8-10.2
\$35,000- 49,999	318	306,496	258	80.3	75.0-85.6	45	15.1	10.6-19.6	15	4.6	01.7-07.5
\$50,000- 74,999	306	276,794	266	89.7	85.8-93.6	34	8.9	05.2-12.6	6	1.3	00.0-02.9
\$75,000+	418	423,902	379	89.0	84.3-93.7	29	7.5	03.4-11.6	10	3.5	01.0-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 57: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4381	2,521,225	3200	73.2	71.4-75.0	930	20.6	19.0-22.2	251	6.2	05.2-07.2
18-24	172	297,370	37	32.5	23.1-41.9	94	46.6	38.0-55.2	41	20.9	14.4-27.4
25-34	383	409,626	183	58.2	52.5-63.9	163	33.4	28.1-38.7	37	8.4	05.3-11.5
35-44	510	403,434	325	72.0	67.5-76.5	152	22.8	18.7-26.9	33	5.2	03.0-07.4
45-54	752	456,461	546	81.5	78.4-84.6	175	15.9	13.0-18.8	31	2.6	01.4-03.8
55-64	962	415,166	767	86.6	83.9-89.3	157	10.6	08.1-13.1	38	2.7	01.5-03.9
65+	1566	518,702	1316	91.2	89.6-92.8	181	6.1	04.9-07.3	69	2.8	01.8-03.8
Less Than H.S.	625	436,184	377	63.5	57.8-69.2	196	29.0	23.7-34.3	52	7.5	04.4-10.6
H.S. or G.E.D.	1442	817,030	1014	69.9	66.6-73.2	334	23.2	20.3-26.1	94	6.9	05.1-08.7
Some Post-H.S.	1193	726,928	873	74.8	71.5-78.1	249	18.7	15.8-21.6	71	6.5	04.5-08.5
College Graduate	1116	539,851	932	83.7	81.0-86.4	151	12.7	10.3-15.1	33	3.6	02.0-05.2
Less than \$15,000	638	314,660	283	38.3	33.2-43.4	270	47.1	41.6-52.6	85	14.5	10.4-18.6
\$15,000- 24,999	863	471,317	558	63.9	59.4-68.4	252	30.4	26.1-34.7	53	5.8	03.6-08.0
\$25,000- 34,999	419	253,108	305	70.9	65.0-76.8	95	22.6	17.3-27.9	19	6.5	03.0-10.0
\$35,000- 49,999	436	285,944	373	84.6	79.5-89.7	53	13.3	08.4-18.2	10	2.1	00.3-03.9
\$50,000- 74,999	387	259,911	352	92.6	89.7-95.5	29	6.0	03.5-08.5	6	1.4	00.0-02.8
\$75,000+	538	358,587	497	92.8	90.3-95.3	30	4.4	02.6-06.2	11	2.8	01.0-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7056	4,960,846	2525	48.0	46.2-49.8	4531	52.0	50.2-53.8
White/Non-Hisp	5796	3,796,977	2097	47.9	46.1-49.7	3699	52.1	50.3-53.9
Black or Afr. Am./Non-Hisp	968	775,077	306	44.4	39.7-49.1	662	55.6	50.9-60.3
Oth. Race/Non-Hisp.	98	132,643	37	47.4	34.3-60.5	61	52.6	39.5-65.7
MultiRacial/Non-Hisp.	68	90,353	29	60.5	45.2-75.8	39	39.5	24.2-54.8
Hispanic	70	128,638	33	61.4	48.1-74.7	37	38.6	25.3-51.9
18-24	301	618,971	125	50.8	44.1-57.5	176	49.2	42.5-55.9
25-34	643	823,869	255	49.7	45.0-54.4	388	50.3	45.6-55.0
35-44	810	817,263	291	49.8	45.5-54.1	519	50.2	45.9-54.5
45-54	1266	907,719	491	48.7	45.2-52.2	775	51.3	47.8-54.8
55-64	1598	811,711	611	48.2	44.9-51.5	987	51.8	48.5-55.1
65+	2371	939,447	741	43.2	40.5-45.9	1630	56.8	54.1-59.5
Less Than H.S.	925	826,895	274	45.9	40.8-51.0	651	54.1	49.0-59.2
H.S. or G.E.D.	2341	1,659,055	850	49.3	46.4-52.2	1491	50.7	47.8-53.6
Some Post-H.S.	1920	1,410,369	700	47.9	44.8-51.0	1220	52.1	49.0-55.2
College Graduate	1835	1,043,909	689	47.6	44.5-50.7	1146	52.4	49.3-55.5
Less than \$15,000	887	544,649	237	41.3	36.2-46.4	650	58.7	53.6-63.8
\$15,000- 24,999	1306	911,227	428	47.4	43.3-51.5	878	52.6	48.5-56.7
\$25,000- 34,999	689	479,902	264	47.0	41.7-52.3	425	53.0	47.7-58.3
\$35,000- 49,999	762	597,232	322	51.9	47.2-56.6	440	48.1	43.4-52.8
\$50,000- 74,999	698	537,931	307	51.5	46.8-56.2	391	48.5	43.8-53.2
\$75,000+	968	787,312	424	54.2	50.1-58.3	544	45.8	41.7-49.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1063	1,107,176	36	4.7	02.9-06.5	1027	95.3	93.5-97.1
White/Non-Hisp	791	779,528	27	4.3	02.5-06.1	764	95.7	93.9-97.5
Black or Afr. Am./Non-Hisp	212	226,998	5	5.2	00.0-10.7	207	94.8	89.3-0100
18-24	170	294,727	15	9.3	04.0-14.6	155	90.7	85.4-96.0
25-34	382	408,117	18	5.8	02.9-08.7	364	94.2	91.3-97.1
35-44	511	404,332	3	0.4	00.0-00.8	508	99.6	99.2-0100
Less Than H.S.	77	134,024	5	9.8	00.4-19.2	72	90.2	80.8-99.6
H.S. or G.E.D.	286	326,633	9	4.5	01.4-07.6	277	95.5	92.4-98.6
Some Post-H.S.	343	364,514	6	2.2	00.2-04.2	337	97.8	95.8-99.8
College Graduate	357	282,005	16	5.9	02.6-09.2	341	94.1	90.8-97.4
Less than \$15,000	138	128,970	4	5.4	00.0-10.9	134	94.6	89.1-0100
\$15,000- 24,999	196	204,500	6	4.0	00.5-07.5	190	96.0	92.5-99.5
\$25,000- 34,999	129	130,060	5	5.0	00.3-09.7	124	95.0	90.3-99.7
\$35,000- 49,999	116	120,779	1	2.8	00.0-08.3	115	97.2	91.7-0100
\$50,000- 74,999	116	120,044	2	3.1	00.0-07.4	114	96.9	92.6-0100
\$75,000+	172	173,212	10	6.2	01.7-10.7	162	93.8	89.3-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 8: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	146
2	MALES ONLY	147
3	FEMALES ONLY	148
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	149
5	MALES ONLY	150
6	FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6827	4,840,610	1997	23.1	21.7-24.5	4830	76.9	75.5-78.3
Male	2446	2,325,057	683	22.6	20.4-24.8	1763	77.4	75.2-79.6
Female	4381	2,515,553	1314	23.5	21.9-25.1	3067	76.5	74.9-78.1
White/Non-Hisp	5637	3,716,088	1706	24.9	23.3-26.5	3931	75.1	73.5-76.7
Black or Afr. Am./Non-Hisp	924	753,207	218	16.3	13.4-19.2	706	83.7	80.8-86.6
Oth. Race/Non-Hisp.	95	127,931	26	17.6	08.8-26.4	69	82.4	73.6-91.2
MultiRacial/Non-Hisp.	64	88,397	22	26.0	12.5-39.5	42	74.0	60.5-87.5
Hispanic	69	128,187	17	16.8	07.2-26.4	52	83.2	73.6-92.8
18-24	293	603,048	17	5.5	02.6-08.4	276	94.5	91.6-97.4
25-34	633	813,418	79	12.2	09.1-15.3	554	87.8	84.7-90.9
35-44	788	796,738	149	16.5	13.6-19.4	639	83.5	80.6-86.4
45-54	1242	894,636	408	29.5	26.4-32.6	834	70.5	67.4-73.6
55-64	1552	790,651	581	36.9	33.8-40.0	971	63.1	60.0-66.2
65+	2274	911,742	755	32.3	29.8-34.8	1519	67.7	65.2-70.2
Less Than H.S.	883	800,588	419	38.0	33.5-42.5	464	62.0	57.5-66.5
H.S. or G.E.D.	2262	1,611,931	692	23.4	21.2-25.6	1570	76.6	74.4-78.8
Some Post-H.S.	1881	1,391,830	553	20.7	18.3-23.1	1328	79.3	76.9-81.7
College Graduate	1790	1,028,079	328	14.0	12.0-16.0	1462	86.0	84.0-88.0
Less than \$15,000	863	533,551	445	42.2	37.5-46.9	418	57.8	53.1-62.5
\$15,000- 24,999	1275	889,100	489	32.0	28.5-35.5	786	68.0	64.5-71.5
\$25,000- 34,999	675	476,345	190	20.5	16.8-24.2	485	79.5	75.8-83.2
\$35,000- 49,999	754	592,957	157	17.4	14.1-20.7	597	82.6	79.3-85.9
\$50,000- 74,999	688	532,824	130	16.0	12.9-19.1	558	84.0	80.9-87.1
\$75,000+	955	778,853	112	10.6	08.1-13.1	843	89.4	86.9-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2446	2,325,057	683	22.6	20.4-24.8	1763	77.4	75.2-79.6
White/Non-Hisp	2036	1,774,804	593	24.3	21.9-26.7	1443	75.7	73.3-78.1
Black or Afr. Am./Non-Hisp	293	335,864	60	15.6	10.7-20.5	233	84.4	79.5-89.3
18-24	123	310,124	6	5.2	00.9-09.5	117	94.8	90.5-99.1
25-34	252	404,383	33	12.0	07.1-16.9	219	88.0	83.1-92.9
35-44	281	395,008	51	17.0	12.1-21.9	230	83.0	78.1-87.9
45-54	483	436,171	129	24.7	20.0-29.4	354	75.3	70.6-80.0
55-64	586	375,982	228	40.5	35.4-45.6	358	59.5	54.4-64.6
65+	712	393,452	234	34.0	29.3-38.7	478	66.0	61.3-70.7
Less Than H.S.	263	369,649	122	36.1	28.5-43.7	141	63.9	56.3-71.5
H.S. or G.E.D.	819	795,858	254	23.0	19.7-26.3	565	77.0	73.7-80.3
Some Post-H.S.	687	666,500	188	21.1	17.4-24.8	499	78.9	75.2-82.6
College Graduate	672	486,800	117	13.5	10.4-16.6	555	86.5	83.4-89.6
Less than \$15,000	230	223,302	119	42.1	33.5-50.7	111	57.9	49.3-66.5
\$15,000- 24,999	418	423,186	171	34.2	28.1-40.3	247	65.8	59.7-71.9
\$25,000- 34,999	259	224,637	71	19.1	13.6-24.6	188	80.9	75.4-86.4
\$35,000- 49,999	317	306,750	76	17.6	12.7-22.5	241	82.4	77.5-87.3
\$50,000- 74,999	302	274,147	58	16.3	11.4-21.2	244	83.7	78.8-88.6
\$75,000+	417	421,040	49	11.2	07.5-14.9	368	88.8	85.1-92.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4381	2,515,553	1314	23.5	21.9-25.1	3067	76.5	74.9-78.1
White/Non-Hisp	3601	1,941,284	1113	25.3	23.5-27.1	2488	74.7	72.9-76.5
Black or Afr. Am./Non-Hisp	631	417,343	158	16.9	13.4-20.4	473	83.1	79.6-86.6
Oth. Race/Non-Hisp.	58	65,068	16	16.0	04.6-27.4	42	84.0	72.6-95.4
18-24	170	292,924	11	5.8	01.9-09.7	159	94.2	90.3-98.1
25-34	381	409,035	46	12.3	08.4-16.2	335	87.7	83.8-91.6
35-44	507	401,731	98	16.0	12.5-19.5	409	84.0	80.5-87.5
45-54	759	458,465	279	34.0	29.9-38.1	480	66.0	61.9-70.1
55-64	966	414,669	353	33.7	29.8-37.6	613	66.3	62.4-70.2
65+	1562	518,289	521	31.1	28.0-34.2	1041	68.9	65.8-72.0
Less Than H.S.	620	430,939	297	39.5	34.0-45.0	323	60.5	55.0-66.0
H.S. or G.E.D.	1443	816,073	438	23.9	21.2-26.6	1005	76.1	73.4-78.8
Some Post-H.S.	1194	725,329	365	20.4	17.7-23.1	829	79.6	76.9-82.3
College Graduate	1118	541,279	211	14.4	12.0-16.8	907	85.6	83.2-88.0
Less than \$15,000	633	310,250	326	42.3	37.0-47.6	307	57.7	52.4-63.0
\$15,000- 24,999	857	465,914	318	30.0	25.9-34.1	539	70.0	65.9-74.1
\$25,000- 34,999	416	251,709	119	21.9	17.0-26.8	297	78.1	73.2-83.0
\$35,000- 49,999	437	286,207	81	17.1	12.4-21.8	356	82.9	78.2-87.6
\$50,000- 74,999	386	258,677	72	15.6	11.5-19.7	314	84.4	80.3-88.5
\$75,000+	538	357,813	63	9.8	06.7-12.9	475	90.2	87.1-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6835	4,844,247	934	9.3	08.5-10.1	5901	90.7	89.9-91.5
Male	2447	2,324,537	310	9.5	08.1-10.9	2137	90.5	89.1-91.9
Female	4388	2,519,711	624	9.1	08.1-10.1	3764	90.9	89.9-91.9
White/Non-Hisp	5646	3,718,469	765	9.5	08.5-10.5	4881	90.5	89.5-91.5
Black or Afr. Am./Non-Hisp	923	753,427	135	9.7	07.3-12.1	788	90.3	87.9-92.7
Oth. Race/Non-Hisp.	95	128,815	13	5.1	01.6-08.6	82	94.9	91.4-98.4
MultiRacial/Non-Hisp.	64	88,397	11	13.2	02.6-23.8	53	86.8	76.2-97.4
Hispanic	70	128,638	7	4.2	00.0-08.5	63	95.8	91.5-0100
18-24	293	603,048	3	1.6	00.0-03.6	290	98.4	96.4-0100
25-34	633	812,130	15	1.7	00.7-02.7	618	98.3	97.3-99.3
35-44	787	797,963	41	4.6	03.0-06.2	746	95.4	93.8-97.0
45-54	1244	895,768	167	12.5	10.1-14.9	1077	87.5	85.1-89.9
55-64	1555	792,015	248	14.4	12.0-16.8	1307	85.6	83.2-88.0
65+	2276	910,551	455	17.6	15.4-19.8	1821	82.4	80.2-84.6
Less Than H.S.	886	803,361	232	17.7	14.4-21.0	654	82.3	79.0-85.6
H.S. or G.E.D.	2263	1,612,879	303	7.9	06.7-09.1	1960	92.1	90.9-93.3
Some Post-H.S.	1882	1,391,052	265	8.9	07.3-10.5	1617	91.1	89.5-92.7
College Graduate	1794	1,029,056	131	5.1	03.7-06.5	1663	94.9	93.5-96.3
Less than \$15,000	865	533,955	237	20.5	17.0-24.0	628	79.5	76.0-83.0
\$15,000- 24,999	1276	891,532	235	12.5	10.3-14.7	1041	87.5	85.3-89.7
\$25,000- 34,999	675	475,139	76	6.5	04.5-08.5	599	93.5	91.5-95.5
\$35,000- 49,999	754	593,468	55	6.0	03.8-08.2	699	94.0	91.8-96.2
\$50,000- 74,999	688	532,758	40	5.8	03.6-08.0	648	94.2	92.0-96.4
\$75,000+	956	779,112	33	2.9	01.5-04.3	923	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2447	2,324,537	310	9.5	08.1-10.9	2137	90.5	89.1-91.9
White/Non-Hisp	2038	1,774,616	263	10.0	08.4-11.6	1775	90.0	88.4-91.6
Black or Afr. Am./Non-Hisp	292	335,555	34	8.8	05.1-12.5	258	91.2	87.5-94.9
18-24	123	310,124	3	3.1	00.0-06.8	120	96.9	93.2-0100
25-34	251	402,980	7	1.7	00.1-03.3	244	98.3	96.7-99.9
35-44	281	396,506	14	4.3	01.8-06.8	267	95.7	93.2-98.2
45-54	483	436,171	64	13.0	09.1-16.9	419	87.0	83.1-90.9
55-64	587	375,979	100	16.7	12.6-20.8	487	83.3	79.2-87.4
65+	713	392,840	121	17.1	13.4-20.8	592	82.9	79.2-86.6
Less Than H.S.	265	370,144	69	19.9	14.2-25.6	196	80.1	74.4-85.8
H.S. or G.E.D.	817	794,753	104	7.2	05.4-09.0	713	92.8	91.0-94.6
Some Post-H.S.	687	666,076	89	9.2	06.7-11.7	598	90.8	88.3-93.3
College Graduate	674	487,596	47	5.4	03.2-07.6	627	94.6	92.4-96.8
Less than \$15,000	230	222,950	60	21.3	14.6-28.0	170	78.7	72.0-85.4
\$15,000- 24,999	418	422,057	82	14.0	10.1-17.9	336	86.0	82.1-89.9
\$25,000- 34,999	257	223,247	34	6.8	03.7-09.9	223	93.2	90.1-96.3
\$35,000- 49,999	318	307,399	22	5.2	02.3-08.1	296	94.8	91.9-97.7
\$50,000- 74,999	302	274,080	23	7.0	03.5-10.5	279	93.0	89.5-96.5
\$75,000+	418	421,298	16	3.5	01.1-05.9	402	96.5	94.1-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4388	2,519,711	624	9.1	08.1-10.1	3764	90.9	89.9-91.9
White/Non-Hisp	3608	1,943,853	502	9.0	08.0-10.0	3106	91.0	90.0-92.0
Black or Afr. Am./Non-Hisp	631	417,871	101	10.4	07.7-13.1	530	89.6	86.9-92.3
Oth. Race/Non-Hisp.	58	65,951	9	5.0	01.1-08.9	49	95.0	91.1-98.9
18-24	170	292,924				170	100.0	0100-0100
25-34	382	409,150	8	1.7	00.3-03.1	374	98.3	96.9-99.7
35-44	506	401,457	27	4.9	02.9-06.9	479	95.1	93.1-97.1
45-54	761	459,597	103	12.0	09.3-14.7	658	88.0	85.3-90.7
55-64	968	416,036	148	12.4	09.5-15.3	820	87.6	84.7-90.5
65+	1563	517,712	334	18.1	15.6-20.6	1229	81.9	79.4-84.4
Less Than H.S.	621	433,217	163	15.8	12.3-19.3	458	84.2	80.7-87.7
H.S. or G.E.D.	1446	818,126	199	8.6	07.0-10.2	1247	91.4	89.8-93.0
Some Post-H.S.	1195	724,976	176	8.7	06.9-10.5	1019	91.3	89.5-93.1
College Graduate	1120	541,460	84	4.8	03.4-06.2	1036	95.2	93.8-96.6
Less than \$15,000	635	311,005	177	19.9	16.2-23.6	458	80.1	76.4-83.8
\$15,000- 24,999	858	469,475	153	11.1	08.7-13.5	705	88.9	86.5-91.3
\$25,000- 34,999	418	251,892	42	6.2	03.7-08.7	376	93.8	91.3-96.3
\$35,000- 49,999	436	286,069	33	6.8	03.5-10.1	403	93.2	89.9-96.5
\$50,000- 74,999	386	258,677	17	4.5	02.1-06.9	369	95.5	93.1-97.9
\$75,000+	538	357,813	17	2.2	01.0-03.4	521	97.8	96.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	153
2 MALES ONLY	154
3 FEMALES ONLY	155
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	156
5 MALES ONLY	157
6 FEMALES ONLY	158
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	159
8 MALES ONLY	160
9 FEMALES ONLY	161
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	162
11 MALES ONLY	163
12 FEMALES ONLY	164
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	165
14 MALES ONLY	166
15 FEMALES ONLY	167

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6790	4,805,460	3304	49.1	47.3-50.9	3486	50.9	49.1-52.7
Male	2426	2,301,675	1426	56.1	53.4-58.8	1000	43.9	41.2-46.6
Female	4364	2,503,785	1878	42.8	40.6-45.0	2486	57.2	55.0-59.4
White/Non-Hisp	5607	3,689,525	2821	51.4	49.6-53.2	2786	48.6	46.8-50.4
Black or Afr. Am./Non-Hisp	916	743,296	359	40.1	35.4-44.8	557	59.9	55.2-64.6
Oth. Race/Non-Hisp.	96	131,109	41	34.4	22.4-46.4	55	65.6	53.6-77.6
MultiRacial/Non-Hisp.	64	88,397	32	50.6	33.7-67.5	32	49.4	32.5-66.3
Hispanic	69	126,335	32	51.6	36.9-66.3	37	48.4	33.7-63.1
18-24	292	601,316	93	33.4	26.9-39.9	199	66.6	60.1-73.1
25-34	627	799,510	276	46.8	42.1-51.5	351	53.2	48.5-57.9
35-44	782	791,417	354	49.4	45.1-53.7	428	50.6	46.3-54.9
45-54	1237	892,670	664	53.2	49.5-56.9	573	46.8	43.1-50.5
55-64	1544	786,837	824	55.8	52.5-59.1	720	44.2	40.9-47.5
65+	2262	902,095	1078	52.2	49.5-54.9	1184	47.8	45.1-50.5
Less Than H.S.	882	793,544	536	64.0	59.1-68.9	346	36.0	31.1-40.9
H.S. or G.E.D.	2244	1,597,755	1203	55.5	52.6-58.4	1041	44.5	41.6-47.4
Some Post-H.S.	1869	1,381,122	931	45.3	42.2-48.4	938	54.7	51.6-57.8
College Graduate	1786	1,025,917	630	32.8	29.9-35.7	1156	67.2	64.3-70.1
Less than \$15,000	860	523,172	525	61.5	56.8-66.2	335	38.5	33.8-43.2
\$15,000- 24,999	1272	887,855	683	56.2	52.1-60.3	589	43.8	39.7-47.9
\$25,000- 34,999	668	471,430	350	53.5	48.2-58.8	318	46.5	41.2-51.8
\$35,000- 49,999	747	585,630	346	46.3	41.6-51.0	401	53.7	49.0-58.4
\$50,000- 74,999	684	531,206	293	44.2	39.5-48.9	391	55.8	51.1-60.5
\$75,000+	953	777,417	354	38.2	33.9-42.5	599	61.8	57.5-66.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2426	2,301,675	1426	56.1	53.4-58.8	1000	43.9	41.2-46.6
White/Non-Hisp	2020	1,758,877	1210	57.1	54.2-60.0	810	42.9	40.0-45.8
Black or Afr. Am./Non-Hisp	289	328,409	154	54.7	46.9-62.5	135	45.3	37.5-53.1
18-24	123	310,124	45	40.3	30.1-50.5	78	59.7	49.5-69.9
25-34	246	391,083	125	52.8	45.5-60.1	121	47.2	39.9-54.5
35-44	278	393,855	143	54.8	47.9-61.7	135	45.2	38.3-52.1
45-54	479	432,960	266	55.9	50.2-61.6	213	44.1	38.4-49.8
55-64	582	373,549	373	63.5	58.4-68.6	209	36.5	31.4-41.6
65+	709	390,167	470	66.5	62.0-71.0	239	33.5	29.0-38.0
Less Than H.S.	262	362,630	207	75.0	67.2-82.8	55	25.0	17.2-32.8
H.S. or G.E.D.	811	788,226	528	63.2	58.7-67.7	283	36.8	32.3-41.3
Some Post-H.S.	680	659,828	400	49.1	44.2-54.0	280	50.9	46.0-55.8
College Graduate	668	484,741	288	39.8	34.9-44.7	380	60.2	55.3-65.1
Less than \$15,000	227	214,653	165	66.7	58.1-75.3	62	33.3	24.7-41.9
\$15,000- 24,999	415	419,536	277	64.1	57.4-70.8	138	35.9	29.2-42.6
\$25,000- 34,999	255	222,357	166	62.9	54.7-71.1	89	37.1	28.9-45.3
\$35,000- 49,999	313	301,268	182	54.0	46.7-61.3	131	46.0	38.7-53.3
\$50,000- 74,999	299	272,712	158	51.5	44.4-58.6	141	48.5	41.4-55.6
\$75,000+	417	421,040	182	44.3	38.0-50.6	235	55.7	49.4-62.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4364	2,503,785	1878	42.8	40.6-45.0	2486	57.2	55.0-59.4
White/Non-Hisp	3587	1,930,648	1611	46.1	43.7-48.5	1976	53.9	51.5-56.3
Black or Afr. Am./Non-Hisp	627	414,886	205	28.6	23.5-33.7	422	71.4	66.3-76.5
Oth. Race/Non-Hisp.	59	68,245	26	36.4	20.3-52.5	33	63.6	47.5-79.7
18-24	169	291,192	48	26.0	18.6-33.4	121	74.0	66.6-81.4
25-34	381	408,427	151	41.0	35.1-46.9	230	59.0	53.1-64.9
35-44	504	397,562	211	44.1	38.6-49.6	293	55.9	50.4-61.4
45-54	758	459,711	398	50.8	46.3-55.3	360	49.2	44.7-53.7
55-64	962	413,288	451	48.8	44.7-52.9	511	51.2	47.1-55.3
65+	1553	511,927	608	41.3	38.0-44.6	945	58.7	55.4-62.0
Less Than H.S.	620	430,914	329	54.8	48.9-60.7	291	45.2	39.3-51.1
H.S. or G.E.D.	1433	809,529	675	48.0	44.3-51.7	758	52.0	48.3-55.7
Some Post-H.S.	1189	721,293	531	41.9	38.0-45.8	658	58.1	54.2-62.0
College Graduate	1118	541,176	342	26.6	23.5-29.7	776	73.4	70.3-76.5
Less than \$15,000	633	308,519	360	57.9	52.4-63.4	273	42.1	36.6-47.6
\$15,000- 24,999	857	468,318	406	49.2	44.5-53.9	451	50.8	46.1-55.5
\$25,000- 34,999	413	249,073	184	45.2	38.7-51.7	229	54.8	48.3-61.3
\$35,000- 49,999	434	284,363	164	38.1	31.8-44.4	270	61.9	55.6-68.2
\$50,000- 74,999	385	258,493	135	36.5	30.2-42.8	250	63.5	57.2-69.8
\$75,000+	536	356,377	172	31.0	25.9-36.1	364	69.0	63.9-74.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3294	2,352,488	1125	38.3	35.9-40.7	356	12.4	10.6-14.2	1813	49.3	46.9-51.7
Male	1423	1,289,752	452	35.8	32.3-39.3	133	12.7	10.2-15.2	838	51.5	48.0-55.0
Female	1871	1,062,736	673	41.3	38.2-44.4	223	12.0	10.0-14.0	975	46.7	43.6-49.8
White/Non-Hisp	2813	1,893,545	972	39.6	37.1-42.1	269	10.1	08.5-11.7	1572	50.3	47.8-52.8
Black or Afr. Am./Non-Hisp	357	291,586	120	38.3	30.7-45.9	67	25.2	18.1-32.3	170	36.5	29.4-43.6
18-24	92	195,305	53	56.3	44.1-68.5	19	18.9	09.9-27.9	20	24.9	13.9-35.9
25-34	276	373,782	138	47.8	40.7-54.9	48	20.2	14.1-26.3	90	32.1	25.6-38.6
35-44	354	391,159	172	46.9	40.4-53.4	43	10.4	06.5-14.3	139	42.6	36.1-49.1
45-54	660	473,199	300	44.7	39.8-49.6	92	13.5	10.4-16.6	268	41.7	36.8-46.6
55-64	824	438,733	268	30.1	26.0-34.2	80	10.1	07.2-13.0	476	59.9	55.4-64.4
65+	1073	470,068	191	17.6	14.5-20.7	73	6.3	04.5-08.1	809	76.1	72.6-79.6
Less Than H.S.	535	502,466	232	50.8	44.7-56.9	59	10.2	06.5-13.9	244	39.0	33.3-44.7
H.S. or G.E.D.	1200	885,487	467	40.5	36.6-44.4	139	13.7	10.8-16.6	594	45.8	41.9-49.7
Some Post-H.S.	929	625,709	304	33.9	29.8-38.0	104	13.8	10.5-17.1	521	52.3	48.0-56.6
College Graduate	626	335,671	120	21.6	17.3-25.9	54	9.7	06.4-13.0	452	68.7	63.6-73.8
Less than \$15,000	524	321,515	242	47.9	41.6-54.2	84	18.6	13.7-23.5	198	33.5	27.6-39.4
\$15,000- 24,999	682	497,950	273	45.6	40.1-51.1	91	16.1	12.0-20.2	318	38.4	33.5-43.3
\$25,000- 34,999	350	252,396	117	38.3	30.7-45.9	37	10.8	06.1-15.5	196	50.9	43.3-58.5
\$35,000- 49,999	346	271,066	104	35.1	28.4-41.8	22	7.7	03.4-12.0	220	57.2	50.1-64.3
\$50,000- 74,999	292	234,776	73	27.9	20.6-35.2	28	11.2	06.9-15.5	191	61.0	53.6-68.4
\$75,000+	353	297,177	72	25.2	18.3-32.1	28	8.9	04.6-13.2	253	65.9	58.6-73.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1423	1,289,752	452	35.8	32.3-39.3	133	12.7	10.2-15.2	838	51.5	48.0-55.0
White/Non-Hisp	1207	1,004,032	387	37.4	33.5-41.3	95	9.3	06.9-11.7	725	53.3	49.4-57.2
Black or Afr. Am./Non-Hisp	154	179,484	53	36.9	26.3-47.5	32	30.5	20.1-40.9	69	32.5	22.7-42.3
25-34	125	206,308	58	46.2	35.8-56.6	26	23.5	14.1-32.9	41	30.3	21.3-39.3
35-44	143	215,899	59	40.5	30.9-50.1	15	11.2	05.1-17.3	69	48.4	38.6-58.2
45-54	265	241,691	114	42.9	35.5-50.3	33	13.6	08.5-18.7	118	43.5	36.2-50.8
55-64	373	237,209	118	28.1	22.2-34.0	26	7.4	03.9-10.9	229	64.5	58.2-70.8
65+	468	259,028	79	17.2	12.5-21.9	21	4.3	02.1-06.5	368	78.5	73.4-83.6
Less Than H.S.	207	272,046	93	51.9	42.7-61.1	19	10.3	04.6-16.0	95	37.8	29.2-46.4
H.S. or G.E.D.	528	498,522	192	37.6	31.9-43.3	51	13.1	08.6-17.6	285	49.3	43.6-55.0
Some Post-H.S.	399	323,674	115	28.5	22.6-34.4	44	16.2	10.9-21.5	240	55.3	48.8-61.8
College Graduate	286	192,571	50	20.3	14.0-26.6	19	9.3	04.6-14.0	217	70.4	63.1-77.7
Less than \$15,000	165	143,229	80	45.9	35.3-56.5	29	20.2	11.6-28.8	56	33.8	23.6-44.0
\$15,000- 24,999	277	268,852	110	44.6	36.4-52.8	37	18.6	12.1-25.1	130	36.8	29.4-44.2
\$25,000- 34,999	166	139,829	51	36.8	25.0-48.6	13	10.5	03.2-17.8	102	52.8	41.2-64.4
\$35,000- 49,999	182	162,662	55	35.3	26.5-44.1	9	6.3	01.2-11.4	118	58.4	49.2-67.6
\$50,000- 74,999	157	140,363	36	28.7	18.7-38.7	12	9.5	04.0-15.0	109	61.8	51.6-72.0
\$75,000+	182	186,630	33	24.0	14.6-33.4	13	9.1	03.4-14.8	136	66.9	56.9-76.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1871	1,062,736	673	41.3	38.2-44.4	223	12.0	10.0-14.0	975	46.7	43.6-49.8
White/Non-Hisp	1606	889,513	585	42.2	38.9-45.5	174	11.0	09.0-13.0	847	46.9	43.8-50.0
Black or Afr. Am./Non-Hisp	203	112,102	67	40.6	30.6-50.6	35	16.6	10.1-23.1	101	42.8	33.2-52.4
25-34	151	167,474	80	49.7	40.5-58.9	22	16.1	09.0-23.2	49	34.2	25.2-43.2
35-44	211	175,260	113	54.9	46.5-63.3	28	9.6	05.5-13.7	70	35.5	27.3-43.7
45-54	395	231,508	186	46.6	40.1-53.1	59	13.5	09.6-17.4	150	39.9	33.6-46.2
55-64	451	201,524	150	32.4	26.5-38.3	54	13.2	08.3-18.1	247	54.3	48.0-60.6
65+	605	211,040	112	18.1	14.0-22.2	52	8.9	06.2-11.6	441	73.0	68.3-77.7
Less Than H.S.	328	230,419	139	49.5	41.9-57.1	40	10.1	05.6-14.6	149	40.4	33.1-47.7
H.S. or G.E.D.	672	386,965	275	44.4	39.3-49.5	88	14.4	10.9-17.9	309	41.2	36.1-46.3
Some Post-H.S.	530	302,035	189	39.6	33.9-45.3	60	11.3	07.8-14.8	281	49.1	43.4-54.8
College Graduate	340	143,100	70	23.4	17.3-29.5	35	10.3	06.2-14.4	235	66.3	59.6-73.0
Less than \$15,000	359	178,286	162	49.5	42.2-56.8	55	17.2	11.9-22.5	142	33.3	26.6-40.0
\$15,000- 24,999	405	229,098	163	46.7	40.0-53.4	54	13.1	08.6-17.6	188	40.1	33.8-46.4
\$25,000- 34,999	184	112,567	66	40.2	30.8-49.6	24	11.2	05.9-16.5	94	48.6	39.2-58.0
\$35,000- 49,999	164	108,404	49	34.7	24.5-44.9	13	9.8	02.4-17.2	102	55.5	44.7-66.3
\$50,000- 74,999	135	94,413	37	26.6	16.4-36.8	16	13.7	06.6-20.8	82	59.7	48.9-70.5
\$75,000+	171	110,546	39	27.2	18.4-36.0	15	8.7	02.6-14.8	117	64.1	54.5-73.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1480	1,192,424	885	62.1	58.6-65.6	595	37.9	34.4-41.4
Male	585	626,045	338	62.0	56.7-67.3	247	38.0	32.7-43.3
Female	895	566,379	547	62.3	58.0-66.6	348	37.7	33.4-42.0
White/Non-Hisp	1240	941,045	712	58.9	55.2-62.6	528	41.1	37.4-44.8
Black or Afr. Am./Non-Hisp	187	185,262	143	82.2	75.1-89.3	44	17.8	10.7-24.9
18-24	72	146,759	47	67.6	55.1-80.1	25	32.4	19.9-44.9
25-34	185	253,614	130	72.9	65.3-80.5	55	27.1	19.5-34.7
35-44	215	224,456	124	55.6	47.0-64.2	91	44.4	35.8-53.0
45-54	392	275,760	228	57.9	51.4-64.4	164	42.1	35.6-48.6
55-64	348	176,136	206	61.6	54.5-68.7	142	38.4	31.3-45.5
65+	264	112,564	148	54.9	46.5-63.3	116	45.1	36.7-53.5
Less Than H.S.	291	306,390	178	65.5	57.7-73.3	113	34.5	26.7-42.3
H.S. or G.E.D.	606	480,162	363	60.7	55.2-66.2	243	39.3	33.8-44.8
Some Post-H.S.	407	298,057	240	61.4	55.1-67.7	167	38.6	32.3-44.9
College Graduate	174	105,158	102	60.0	50.8-69.2	72	40.0	30.8-49.2
Less than \$15,000	326	213,679	204	64.2	56.9-71.5	122	35.8	28.5-43.1
\$15,000- 24,999	363	306,586	228	64.6	57.5-71.7	135	35.4	28.3-42.5
\$25,000- 34,999	154	123,936	86	60.0	48.8-71.2	68	40.0	28.8-51.2
\$35,000- 49,999	126	115,908	69	54.2	43.2-65.2	57	45.8	34.8-56.8
\$50,000- 74,999	101	91,663	56	67.8	57.2-78.4	45	32.2	21.6-42.8
\$75,000+	100	101,381	58	61.3	48.6-74.0	42	38.7	26.0-51.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	585	626,045	338	62.0	56.7-67.3	247	38.0	32.7-43.3
White/Non-Hisp	482	468,635	262	57.8	51.7-63.9	220	42.2	36.1-48.3
Black or Afr. Am./Non-Hisp	85	121,116	67	82.7	72.9-92.5	18	17.3	07.5-27.1
25-34	84	143,816	64	76.5	65.3-87.7	20	23.5	12.3-34.7
35-44	74	111,496	38	48.9	35.4-62.4	36	51.1	37.6-64.6
45-54	147	136,666	84	58.9	49.1-68.7	63	41.1	31.3-50.9
55-64	144	84,129	80	60.0	49.4-70.6	64	40.0	29.4-50.6
65+	100	55,623	51	53.3	39.8-66.8	49	46.7	33.2-60.2
Less Than H.S.	112	169,116	67	65.5	53.7-77.3	45	34.5	22.7-46.3
H.S. or G.E.D.	243	252,705	137	60.1	51.7-68.5	106	39.9	31.5-48.3
Some Post-H.S.	159	144,612	93	61.5	51.5-71.5	66	38.5	28.5-48.5
College Graduate	69	56,954	39	59.3	45.2-73.4	30	40.7	26.6-54.8
Less than \$15,000	109	94,795	65	68.1	56.7-79.5	44	31.9	20.5-43.3
\$15,000- 24,999	147	169,785	87	62.3	51.5-73.1	60	37.7	26.9-48.5
\$25,000- 34,999	64	66,045	38	68.0	51.9-84.1	26	32.0	15.9-48.1
\$35,000- 49,999	64	67,667	36	50.9	36.4-65.4	28	49.1	34.6-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	895	566,379	547	62.3	58.0-66.6	348	37.7	33.4-42.0
White/Non-Hisp	758	472,410	450	60.0	55.3-64.7	308	40.0	35.3-44.7
Black or Afr. Am./Non-Hisp	102	64,146	76	81.2	72.6-89.8	26	18.8	10.2-27.4
25-34	101	109,798	66	68.1	57.9-78.3	35	31.9	21.7-42.1
35-44	141	112,961	86	62.3	52.3-72.3	55	37.7	27.7-47.7
45-54	245	139,095	144	56.9	48.7-65.1	101	43.1	34.9-51.3
55-64	204	92,007	126	63.0	53.6-72.4	78	37.0	27.6-46.4
65+	164	56,941	97	56.5	46.3-66.7	67	43.5	33.3-53.7
Less Than H.S.	179	137,274	111	65.5	55.7-75.3	68	34.5	24.7-44.3
H.S. or G.E.D.	363	227,456	226	61.4	54.7-68.1	137	38.6	31.9-45.3
Some Post-H.S.	248	153,445	147	61.3	53.5-69.1	101	38.7	30.9-46.5
College Graduate	105	48,204	63	60.8	49.0-72.6	42	39.2	27.4-51.0
Less than \$15,000	217	118,884	139	61.2	52.0-70.4	78	38.8	29.6-48.0
\$15,000- 24,999	216	136,801	141	67.5	58.9-76.1	75	32.5	23.9-41.1
\$25,000- 34,999	90	57,891	48	50.8	37.3-64.3	42	49.2	35.7-62.7
\$35,000- 49,999	62	48,241	33	58.7	42.6-74.8	29	41.3	25.2-57.4
\$50,000- 74,999	53	38,061	31	69.1	54.8-83.4	22	30.9	16.6-45.2
\$75,000+	54	39,634	32	62.7	46.6-78.8	22	37.3	21.2-53.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1801	1,153,857	181	14.0	11.6-16.4	315	23.1	20.2-26.0	164	9.3	07.5-11.1	1141	53.6	50.5-56.7
Male	836	661,751	79	13.6	10.3-16.9	143	24.0	19.5-28.5	76	9.3	06.6-12.0	538	53.1	48.6-57.6
Female	965	492,106	102	14.6	11.1-18.1	172	21.8	18.1-25.5	88	9.4	07.0-11.8	603	54.2	49.9-58.5
White/Non-Hisp	1563	947,418	146	12.5	10.1-14.9	266	21.8	18.9-24.7	137	9.2	07.2-11.2	1014	56.5	53.2-59.8
Black or Afr. Am./Non-Hisp	168	105,919	24	17.8	08.6-27.0	30	22.9	11.9-33.9	18	8.7	03.6-13.8	96	50.6	39.2-62.0
25-34	90	119,831	24	30.5	18.9-42.1	48	49.5	37.5-61.5	9	8.5	02.4-14.6	9	11.5	03.5-19.5
35-44	136	164,444	29	17.0	10.1-23.9	40	34.9	24.5-45.3	27	17.3	10.0-24.6	40	30.8	21.2-40.4
45-54	266	194,919	46	16.3	10.8-21.8	57	21.3	15.2-27.4	33	12.4	07.3-17.5	130	50.1	42.7-57.5
55-64	474	262,225	35	9.7	05.8-13.6	90	19.9	15.0-24.8	52	9.5	06.4-12.6	297	60.9	55.0-66.8
65+	804	356,787	35	3.7	02.1-05.3	70	9.1	06.6-11.6	42	5.2	03.0-07.4	657	82.1	78.6-85.6
Less Than H.S.	243	195,784	28	17.9	10.1-25.7	44	22.3	14.3-30.3	17	6.9	02.8-11.0	154	52.8	43.8-61.8
H.S. or G.E.D.	587	403,157	68	14.7	10.6-18.8	119	26.8	21.5-32.1	51	8.5	05.6-11.4	349	50.1	44.6-55.6
Some Post-H.S.	519	325,481	46	11.6	07.5-15.7	97	23.4	18.3-28.5	48	10.5	06.8-14.2	328	54.5	48.8-60.2
College Graduate	450	228,938	39	12.7	07.6-17.8	55	16.8	10.1-23.5	48	11.4	07.3-15.5	308	59.1	52.0-66.2
Less than \$15,000	196	107,466	33	30.0	18.8-41.2	41	22.8	14.4-31.2	21	10.6	04.5-16.7	101	36.7	26.9-46.5
\$15,000- 24,999	317	190,913	40	18.4	11.9-24.9	63	25.9	18.6-33.2	23	5.6	02.7-08.5	191	50.1	42.5-57.7
\$25,000- 34,999	195	127,742	17	6.7	02.8-10.6	35	26.4	17.0-35.8	18	11.3	05.2-17.4	125	55.6	46.0-65.2
\$35,000- 49,999	219	153,788	22	12.8	05.7-19.9	32	21.1	11.9-30.3	24	11.1	06.0-16.2	141	55.0	45.6-64.4
\$50,000- 74,999	190	141,449	16	11.5	05.0-18.0	42	27.2	19.2-35.2	17	10.3	04.2-16.4	115	50.9	42.1-59.7
\$75,000+	252	194,939	20	11.0	05.3-16.7	38	21.9	13.5-30.3	30	12.2	06.9-17.5	164	54.9	46.3-63.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	836	661,751	79	13.6	10.3-16.9	143	24.0	19.7-28.3	76	9.3	06.6-12.0	538	53.1	48.6-57.6
White/Non-Hisp	724	533,734	61	11.3	08.0-14.6	117	21.9	17.6-26.2	62	8.8	05.9-11.7	484	57.9	53.2-62.6
Black or Afr. Am./Non-Hisp	68	58,076	10	20.8	05.9-35.7	15	30.6	13.0-48.2	8	8.6	01.0-16.2	35	40.0	23.7-56.3
35-44	69	104,404	13	15.5	06.7-24.3	23	39.8	25.7-53.9	13	16.4	06.6-26.2	20	28.2	16.0-40.4
45-54	117	103,362	21	17.8	09.4-26.2	29	23.2	14.4-32.0	12	11.7	03.7-19.7	55	47.3	36.3-58.3
55-64	228	152,788	20	12.0	05.9-18.1	39	20.6	13.5-27.7	25	8.0	03.9-12.1	144	59.5	51.3-67.7
65+	368	203,405	11	2.9	00.9-04.9	24	6.7	03.6-09.8	20	5.1	02.2-08.0	313	85.2	80.7-89.7
Less Than H.S.	94	102,638	15	24.8	12.3-37.3	14	18.6	06.3-30.9	4	4.3	00.0-09.4	61	52.3	38.6-66.0
H.S. or G.E.D.	285	245,817	31	13.4	08.3-18.5	64	29.0	21.6-36.4	26	8.7	04.6-12.8	164	48.9	41.5-56.3
Some Post-H.S.	239	177,398	19	9.2	03.9-14.5	43	25.7	18.3-33.1	26	12.3	06.4-18.2	151	52.8	44.6-61.0
College Graduate	217	135,616	14	11.1	04.0-18.2	22	17.1	06.9-27.3	20	10.2	04.1-16.3	161	61.7	51.1-72.3
Less than \$15,000	56	48,434	13	43.7	24.5-62.9	12	20.7	06.2-35.2	7	10.2	00.0-20.8	24	25.4	10.3-40.5
\$15,000- 24,999	130	99,067	18	19.5	09.9-29.1	23	23.9	13.1-34.7	9	5.1	01.0-09.2	80	51.6	39.8-63.4
\$25,000- 34,999	102	73,784	7	5.2	00.9-09.5	13	22.6	09.3-35.9	12	14.0	05.0-23.0	70	58.2	44.9-71.5
\$35,000- 49,999	118	94,995	12	11.5	03.5-19.5	15	21.1	08.9-33.3	9	8.1	01.8-14.4	82	59.3	46.8-71.8
\$50,000- 74,999	108	85,097	7	8.6	01.2-16.0	27	32.4	21.4-43.4	8	8.4	00.6-16.2	66	50.7	38.9-62.5
\$75,000+	136	124,883	9	10.1	02.7-17.5	24	26.0	14.0-38.0	15	12.3	04.9-19.7	88	51.5	39.9-63.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	965	492,106	102	14.6	11.1-18.1	172	21.8	18.1-25.5	88	9.4	07.0-11.8	603	54.2	49.9-58.5
White/Non-Hisp	839	413,684	85	14.1	10.6-17.6	149	21.7	17.8-25.6	75	9.7	07.0-12.4	530	54.6	50.1-59.1
Black or Afr. Am./Non-Hisp	100	47,843	14	14.1	05.7-22.5	15	13.6	05.2-22.0	10	8.8	02.5-15.1	61	63.5	51.0-76.0
35-44	67	60,040	16	19.6	09.2-30.0	17	26.4	13.5-39.3	14	18.9	08.5-29.3	20	35.2	20.1-50.3
45-54	149	91,557	25	14.7	08.2-21.2	28	19.1	10.7-27.5	21	13.1	06.8-19.4	75	53.1	43.3-62.9
55-64	246	109,436	15	6.5	02.4-10.6	51	19.0	12.7-25.3	27	11.7	06.6-16.8	153	62.8	55.2-70.4
65+	436	153,382	24	4.7	02.3-07.1	46	12.1	07.8-16.4	22	5.2	02.1-08.3	344	78.0	72.7-83.3
Less Than H.S.	149	93,145	13	10.4	02.2-18.6	30	26.4	16.4-36.4	13	9.8	03.5-16.1	93	53.4	42.2-64.6
H.S. or G.E.D.	302	157,340	37	16.7	10.0-23.4	55	23.4	16.1-30.7	25	8.1	04.0-12.2	185	51.8	43.8-59.8
Some Post-H.S.	280	148,083	27	14.6	08.3-20.9	54	20.6	13.9-27.3	22	8.3	04.2-12.4	177	56.5	48.7-64.3
College Graduate	233	93,322	25	15.1	08.4-21.8	33	16.5	10.0-23.0	28	13.1	07.8-18.4	147	55.3	47.1-63.5
Less than \$15,000	140	59,032	20	18.7	07.7-29.7	29	24.5	14.7-34.3	14	10.9	03.8-18.0	77	45.9	34.1-57.7
\$15,000- 24,999	187	91,846	22	17.2	08.8-25.6	40	28.1	18.7-37.5	14	6.2	02.1-10.3	111	48.6	39.0-58.2
\$25,000- 34,999	93	53,957	10	8.9	02.0-15.8	22	31.6	18.7-44.5	6	7.5	00.1-14.9	55	52.0	38.7-65.3
\$35,000- 49,999	101	58,793	10	14.8	02.3-27.3	17	21.2	07.3-35.1	15	16.0	07.2-24.8	59	48.0	34.1-61.9
\$50,000- 74,999	82	56,351	9	16.1	04.5-27.7	15	19.4	08.4-30.4	9	13.3	03.7-22.9	49	51.3	37.6-65.0
\$75,000+	116	70,056	11	12.5	04.5-20.5	14	14.5	06.3-22.7	15	12.0	05.5-18.5	76	61.0	49.8-72.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6808	4,818,124	161	3.2	02.6-03.8	95	1.8	01.4-02.2	6552	95.0	94.2-95.8
Male	2440	2,309,701	140	6.3	04.9-07.7	63	2.9	02.1-03.7	2237	90.8	89.2-92.4
Female	4368	2,508,423	21	0.4	00.2-00.6	32	0.8	00.4-01.2	4315	98.8	98.4-99.2
White/Non-Hisp	5623	3,704,569	146	3.6	02.8-04.4	74	1.7	01.1-02.3	5403	94.6	93.6-95.6
Black or Afr. Am./Non-Hisp	917	740,714	11	1.3	00.3-02.3	16	2.2	01.0-03.4	890	96.6	95.0-98.2
Oth. Race/Non-Hisp.	96	131,109				1	0.4	00.0-01.2	95	99.6	98.8-0100
MultiRacial/Non-Hisp.	64	88,397	2	6.6	00.0-15.8	1	1.8	00.0-05.3	61	91.6	81.8-0100
Hispanic	69	126,279	1	2.6	00.0-07.7	3	3.1	00.0-06.8	65	94.3	88.0-0100
18-24	292	597,428	7	3.9	01.0-06.8	9	2.8	01.0-04.6	276	93.3	90.0-96.6
25-34	630	803,047	22	3.8	02.0-05.6	17	2.9	01.3-04.5	591	93.3	90.9-95.7
35-44	787	797,610	29	4.9	02.9-06.9	10	1.7	00.3-03.1	748	93.4	91.2-95.6
45-54	1239	892,273	32	2.7	01.7-03.7	11	1.0	00.2-01.8	1196	96.3	94.9-97.7
55-64	1550	790,318	34	2.3	01.3-03.3	21	1.4	00.6-02.2	1495	96.3	95.1-97.5
65+	2263	904,676	37	2.2	01.0-03.4	25	1.3	00.7-01.9	2201	96.5	95.3-97.7
Less Than H.S.	883	789,017	21	2.9	01.1-04.7	21	2.0	00.6-03.4	841	95.1	92.9-97.3
H.S. or G.E.D.	2251	1,604,892	81	5.0	03.6-06.4	34	2.1	01.3-02.9	2136	92.9	91.3-94.5
Some Post-H.S.	1876	1,389,198	38	2.8	01.6-04.0	25	2.1	01.1-03.1	1813	95.1	93.7-96.5
College Graduate	1789	1,027,895	21	1.4	00.6-02.2	14	0.8	00.2-01.4	1754	97.8	96.8-98.8
Less than \$15,000	856	522,688	20	4.0	01.6-06.4	9	1.4	00.2-02.6	827	94.6	92.1-97.1
\$15,000- 24,999	1275	889,173	30	2.8	01.4-04.2	21	2.0	00.8-03.2	1224	95.2	93.4-97.0
\$25,000- 34,999	672	473,716	17	3.3	01.3-05.3	15	3.2	01.0-05.4	640	93.5	90.6-96.4
\$35,000- 49,999	753	592,819	19	3.7	01.7-05.7	12	2.4	00.8-04.0	722	93.9	91.5-96.3
\$50,000- 74,999	686	532,445	13	2.3	00.9-03.7	10	2.1	00.5-03.7	663	95.7	93.7-97.7
\$75,000+	954	778,410	31	4.3	02.5-06.1	10	1.3	00.3-02.3	913	94.4	92.4-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2440	2,309,701	140	6.3	04.9-07.7	63	2.9	02.1-03.7	2237	90.8	89.2-92.4
White/Non-Hisp	2032	1,767,535	129	7.3	05.7-08.9	53	3.0	02.0-04.0	1850	89.7	87.9-91.5
Black or Afr. Am./Non-Hisp	291	329,878	7	1.8	00.0-03.6	5	2.1	00.1-04.1	279	96.1	93.6-98.6
18-24	123	310,124	7	7.5	02.0-13.0	8	5.0	01.5-08.5	108	87.6	81.3-93.9
25-34	248	393,897	19	7.3	03.8-10.8	11	4.2	01.5-06.9	218	88.5	84.2-92.8
35-44	281	396,506	27	9.4	05.7-13.1	7	2.7	00.3-05.1	247	87.9	83.6-92.2
45-54	480	431,420	29	5.2	03.0-07.4	9	1.9	00.3-03.5	442	92.9	90.4-95.4
55-64	587	376,261	25	3.9	01.9-05.9	16	2.5	01.1-03.9	546	93.6	91.2-96.0
65+	712	391,556	33	4.9	02.5-07.3	12	1.6	00.6-02.6	667	93.4	90.9-95.9
Less Than H.S.	262	361,341	14	5.7	02.0-09.4	10	2.5	00.1-04.9	238	91.8	87.5-96.1
H.S. or G.E.D.	815	789,397	72	9.5	06.8-12.2	23	3.3	01.7-04.9	720	87.2	84.1-90.3
Some Post-H.S.	685	665,300	34	5.4	03.0-07.8	22	4.0	02.2-05.8	629	90.6	87.7-93.5
College Graduate	673	487,414	20	2.9	01.3-04.5	8	1.1	00.3-01.9	645	96.0	94.2-97.8
Less than \$15,000	226	212,444	13	8.7	03.0-14.4	4	1.9	00.0-04.1	209	89.4	83.3-95.5
\$15,000- 24,999	417	419,698	24	5.0	02.3-07.7	11	2.3	00.5-04.1	382	92.7	89.6-95.8
\$25,000- 34,999	257	223,247	14	6.1	02.0-10.2	12	6.1	01.6-10.6	231	87.8	81.9-93.7
\$35,000- 49,999	317	306,750	19	7.1	03.4-10.8	9	3.9	01.0-06.8	289	89.0	84.5-93.5
\$50,000- 74,999	302	274,080	12	4.3	01.6-07.0	9	4.0	01.1-06.9	281	91.8	87.9-95.7
\$75,000+	418	421,298	30	7.8	04.5-11.1	9	2.3	00.5-04.1	379	89.9	86.2-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4368	2,508,423	21	0.4	00.2-00.6	32	0.8	00.4-01.2	4315	98.8	98.4-99.2
White/Non-Hisp	3591	1,937,034	17	0.3	00.1-00.5	21	0.6	00.2-01.0	3553	99.1	98.7-99.5
Black or Afr. Am./Non-Hisp	626	410,835	4	0.8	00.0-01.6	11	2.2	00.6-03.8	611	96.9	95.1-98.7
Oth. Race/Non-Hisp.	59	68,245							59	100.0	0100-0100
18-24	169	287,304				1	0.5	00.0-01.5	168	99.5	98.5-0100
25-34	382	409,150	3	0.5	00.0-01.1	6	1.7	00.1-03.3	373	97.9	96.3-99.5
35-44	506	401,104	2	0.4	00.0-01.2	3	0.8	00.0-02.0	501	98.8	97.4-0100
45-54	759	460,853	3	0.4	00.0-00.8	2	0.2	00.0-00.4	754	99.5	98.9-0100
55-64	963	414,057	9	0.9	00.1-01.7	5	0.4	00.0-01.0	949	98.6	97.6-99.6
65+	1551	513,120	4	0.2	00.0-00.4	13	1.0	00.2-01.8	1534	98.8	98.0-99.6
Less Than H.S.	621	427,676	7	0.4	00.0-00.8	11	1.7	00.3-03.1	603	97.9	96.5-99.3
H.S. or G.E.D.	1436	815,495	9	0.6	00.2-01.0	11	1.0	00.2-01.8	1416	98.5	97.5-99.5
Some Post-H.S.	1191	723,898	4	0.4	00.0-00.8	3	0.3	00.0-00.7	1184	99.3	98.7-99.9
College Graduate	1116	540,482	1	0.1	00.0-00.3	6	0.6	00.0-01.2	1109	99.4	98.8-0100
Less than \$15,000	630	310,244	7	0.8	00.0-01.6	5	1.1	00.0-02.3	618	98.1	96.7-99.5
\$15,000- 24,999	858	469,475	6	0.8	00.0-01.6	10	1.7	00.3-03.1	842	97.5	95.9-99.1
\$25,000- 34,999	415	250,470	3	0.8	00.0-01.8	3	0.6	00.0-01.4	409	98.6	97.4-99.8
\$35,000- 49,999	436	286,069				3	0.8	00.0-01.8	433	99.2	98.2-0100
\$50,000- 74,999	384	258,365	1	0.1	00.0-00.3	1	0.0	00.0-00.0	382	99.8	99.4-0100
\$75,000+	536	357,111	1	0.1	00.0-00.3	1	0.1	00.0-00.3	534	99.8	99.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	169
2 MALES ONLY	170
3 FEMALES ONLY	171
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	172
5 MALES ONLY	173
6 FEMALES ONLY	174
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	175
8 MALES ONLY	176
9 FEMALES ONLY	177
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	178
11 MALES ONLY	179
12 FEMALES ONLY	180

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6688	4,712,101	467	8.0	07.0-09.0	47	0.6	00.4-00.8	1310	24.6	23.0-26.2	328	5.4	04.6-06.2	4536	61.4	59.6-63.2
Male	2385	2,246,552	205	9.0	07.4-10.6	28	0.8	00.4-01.2	565	28.5	26.0-31.0	192	7.8	06.4-09.2	1395	53.8	51.1-56.5
Female	4303	2,465,549	262	7.0	05.8-08.2	19	0.4	00.2-00.6	745	21.1	19.3-22.9	136	3.2	02.4-04.0	3141	68.3	66.3-70.3
White/Non-Hisp	5529	3,624,351	391	8.1	07.1-09.1	46	0.7	00.5-00.9	1042	23.2	21.6-24.8	278	5.3	04.5-06.1	3772	62.6	60.8-64.4
Black or Afr. Am./Non-Hisp	895	722,235	57	7.7	05.2-10.2	1	0.3	00.0-00.9	210	30.9	26.2-35.6	32	4.0	02.2-05.8	595	57.2	52.5-61.9
Oth. Race/Non-Hisp.	96	131,109	6	5.7	00.2-11.2				18	19.1	09.1-29.1	5	4.7	00.0-10.0	67	70.5	58.9-82.1
MultiRacial/Non-Hisp.	63	85,110	5	9.3	00.0-19.5				11	17.2	03.7-30.7	4	9.0	00.0-18.2	43	64.5	48.0-81.0
Hispanic	68	123,064	6	7.2	00.5-13.9				22	39.3	24.4-54.2	5	12.6	00.3-24.9	35	41.0	26.9-55.1
18-24	284	576,706	25	9.1	05.2-13.0	3	0.7	00.0-01.7	88	29.0	23.1-34.9	5	2.3	00.0-04.8	163	58.9	52.2-65.6
25-34	613	780,674	63	11.4	08.5-14.3	4	0.5	00.0-01.1	215	35.9	31.4-40.4	33	6.7	04.2-09.2	298	45.5	40.8-50.2
35-44	772	776,333	65	8.1	05.7-10.5				223	32.3	28.0-36.6	38	6.0	03.8-08.2	446	53.6	49.1-58.1
45-54	1220	881,430	113	9.3	07.3-11.3	11	0.9	00.1-01.7	274	24.4	21.1-27.7	70	6.0	04.4-07.6	752	59.5	55.8-63.2
55-64	1523	776,329	104	6.2	04.4-08.0	9	0.6	00.0-01.2	283	18.5	16.0-21.0	77	5.4	04.0-06.8	1050	69.3	66.2-72.4
65+	2233	892,702	95	4.6	03.4-05.8	20	0.8	00.4-01.2	221	10.9	09.1-12.7	104	5.2	04.0-06.4	1793	78.5	76.1-80.9
Less Than H.S.	871	775,284	32	5.7	03.2-08.2	2	0.4	00.0-01.0	81	15.2	10.9-19.5	14	2.4	00.8-04.0	742	76.3	71.4-81.2
H.S. or G.E.D.	2212	1,567,076	117	6.2	04.8-07.6	15	0.7	00.3-01.1	346	22.6	20.1-25.1	66	3.5	02.3-04.7	1668	67.0	64.1-69.9
Some Post-H.S.	1839	1,352,764	139	9.8	07.8-11.8	18	0.7	00.3-01.1	372	24.5	21.8-27.2	96	6.5	04.9-08.1	1214	58.5	55.4-61.6
College Graduate	1759	1,010,435	179	10.2	08.4-12.0	12	0.6	00.0-01.2	510	35.2	32.1-38.3	152	9.1	06.9-11.3	906	45.0	41.9-48.1
Less than \$15,000	845	509,241	38	4.9	02.7-07.1	6	0.8	00.0-01.6	103	17.6	13.7-21.5	21	2.8	01.0-04.6	677	73.9	69.4-78.4
\$15,000- 24,999	1257	880,928	66	6.9	04.7-09.1	7	0.4	00.0-01.0	201	22.4	18.5-26.3	40	4.1	02.3-05.9	943	66.1	62.0-70.2
\$25,000- 34,999	658	463,452	55	9.9	06.6-13.2	4	0.4	00.0-00.8	123	22.6	17.9-27.3	24	4.0	01.6-06.4	452	63.2	57.9-68.5
\$35,000- 49,999	742	584,018	62	10.4	07.1-13.7	7	0.5	00.0-01.1	174	26.5	22.2-30.8	36	5.3	03.3-07.3	463	57.3	52.4-62.2
\$50,000- 74,999	677	523,471	53	7.7	05.2-10.2	7	0.5	00.1-00.9	179	29.6	24.9-34.3	42	7.5	05.0-10.0	396	54.8	49.9-59.7
\$75,000+	940	757,615	103	10.7	08.2-13.2	10	0.9	00.3-01.5	310	36.2	32.1-40.3	111	11.3	08.6-14.0	406	40.9	36.8-45.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2385	2,246,552	205	9.0	07.4-10.6	28	0.8	00.4-01.2	565	28.5	26.0-31.0	192	7.8	06.4-09.2	1395	53.8	51.1-56.5
White/Non-Hisp	1989	1,720,410	172	9.3	07.5-11.1	27	1.0	00.4-01.6	441	26.2	23.7-28.7	167	8.0	06.4-09.6	1182	55.6	52.7-58.5
Black or Afr. Am./Non-Hisp	282	320,638	25	10.8	06.1-15.5	1	0.6	00.0-01.8	94	39.2	31.2-47.2	16	5.4	02.3-08.5	146	44.0	36.2-51.8
18-24	116	290,978	11	8.9	03.4-14.4	2	0.7	00.0-02.1	42	34.3	24.9-43.7	5	4.5	00.0-09.6	56	51.5	41.1-61.9
25-34	240	382,953	31	12.8	08.3-17.3	3	0.7	00.0-01.7	86	38.6	31.3-45.9	23	10.7	06.0-15.4	97	37.2	30.1-44.3
35-44	276	384,755	24	8.9	05.0-12.8				90	35.8	28.9-42.7	26	9.2	05.5-12.9	136	46.1	39.2-53.0
45-54	474	429,157	51	10.8	07.3-14.3	7	1.4	00.0-03.0	119	29.2	23.5-34.9	38	7.2	04.7-09.7	259	51.3	45.6-57.0
55-64	571	365,620	43	6.1	03.7-08.5	7	1.1	00.0-02.3	124	19.2	15.3-23.1	42	7.0	04.5-09.5	355	66.5	61.6-71.4
65+	700	386,227	45	6.5	04.1-08.9	9	1.0	00.0-02.0	102	14.8	11.7-17.9	57	7.3	04.9-09.7	487	70.4	66.1-74.7
Less Than H.S.	256	351,570	16	7.2	03.3-11.1	2	0.8	00.0-02.2	42	23.6	15.4-31.8	10	3.4	00.5-06.3	186	65.0	56.4-73.6
H.S. or G.E.D.	798	767,935	61	7.6	05.2-10.0	10	1.1	00.3-01.9	171	26.5	22.2-30.8	42	5.5	03.5-07.5	514	59.3	54.8-63.8
Some Post-H.S.	669	644,603	61	10.9	07.6-14.2	12	1.1	00.3-01.9	160	27.4	22.9-31.9	57	9.1	06.4-11.8	379	51.5	46.6-56.4
College Graduate	658	476,476	67	10.3	07.4-13.2	4	0.3	00.0-00.7	191	36.6	31.7-41.5	83	13.1	09.2-17.0	313	39.7	35.0-44.4
Less than \$15,000	221	205,012	15	6.7	02.4-11.0	5	1.5	00.0-03.5	35	18.4	11.3-25.5	12	4.0	00.7-07.3	154	69.4	61.2-77.6
\$15,000- 24,999	410	417,686	32	8.5	05.0-12.0	4	0.6	00.0-01.8	102	31.0	24.1-37.9	26	6.3	03.2-09.4	246	53.6	46.7-60.5
\$25,000- 34,999	250	217,102	23	10.2	05.3-15.1	3	0.7	00.0-01.7	52	26.0	18.0-34.0	16	6.8	02.3-11.3	156	56.3	47.5-65.1
\$35,000- 49,999	312	301,466	24	9.9	05.2-14.6	5	0.8	00.0-01.8	88	31.2	24.3-38.1	24	8.6	04.9-12.3	171	49.5	42.2-56.8
\$50,000- 74,999	298	268,350	26	9.2	05.1-13.3	5	0.8	00.0-01.6	78	29.9	23.0-36.8	25	10.8	06.3-15.3	164	49.3	42.2-56.4
\$75,000+	410	405,765	41	9.9	06.4-13.4	2	0.7	00.0-01.7	128	36.7	30.6-42.8	62	14.0	09.3-18.7	177	38.6	32.7-44.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4303	2,465,549	262	7.0	05.8-08.2	19	0.4	00.2-00.6	745	21.1	19.3-22.9	136	3.2	02.4-04.0	3141	68.3	66.3-70.3
White/Non-Hisp	3540	1,903,941	219	7.1	05.7-08.5	19	0.5	00.1-00.9	601	20.6	18.6-22.6	111	2.9	02.3-03.5	2590	68.9	66.7-71.1
Black or Afr. Am./Non-Hisp	613	401,597	32	5.2	03.0-07.4				116	24.2	19.1-29.3	16	2.8	01.0-04.6	449	67.8	62.5-73.1
Oth. Race/Non-Hisp.	59	68,245	4	5.4	00.0-12.5				12	21.5	07.8-35.2	5	9.1	00.0-19.1	38	63.9	47.4-80.4
18-24	168	285,728	14	9.4	03.9-14.9	1	0.7	00.0-02.1	46	23.5	16.6-30.4				107	66.4	58.2-74.6
25-34	373	397,721	32	10.1	06.2-14.0	1	0.3	00.0-00.9	129	33.2	27.7-38.7	10	2.9	00.9-04.9	201	53.5	47.6-59.4
35-44	496	391,578	41	7.2	04.8-09.6				133	28.8	23.7-33.9	12	2.9	00.9-04.9	310	61.1	55.8-66.4
45-54	746	452,273	62	7.8	05.6-10.0	4	0.4	00.0-00.8	155	19.8	16.3-23.3	32	4.7	02.5-06.9	493	67.2	63.1-71.3
55-64	952	410,708	61	6.2	03.8-08.6	2	0.2	00.0-00.4	159	17.9	14.8-21.0	35	4.0	02.4-05.6	695	71.8	67.9-75.7
65+	1533	506,475	50	3.1	02.1-04.1	11	0.7	00.3-01.1	119	8.0	06.2-09.8	47	3.5	02.3-04.7	1306	84.6	82.2-87.0
Less Than H.S.	615	423,713	16	4.5	01.4-07.6				39	8.2	04.9-11.5	4	1.5	00.0-03.3	556	85.8	81.1-90.5
H.S. or G.E.D.	1414	799,141	56	4.9	03.1-06.7	5	0.3	00.0-00.7	175	18.8	15.7-21.9	24	1.7	00.9-02.5	1154	74.4	71.1-77.7
Some Post-H.S.	1170	708,161	78	8.7	06.3-11.1	6	0.3	00.1-00.5	212	21.9	18.6-25.2	39	4.1	02.5-05.7	835	64.9	61.0-68.8
College Graduate	1101	533,959	112	10.0	07.6-12.4	8	0.9	00.1-01.7	319	33.9	30.2-37.6	69	5.5	03.9-07.1	593	49.7	45.8-53.6
Less than \$15,000	624	304,229	23	3.7	01.9-05.5	1	0.3	00.0-00.9	68	17.1	12.6-21.6	9	2.0	00.2-03.8	523	77.0	72.1-81.9
\$15,000- 24,999	847	463,242	34	5.4	02.7-08.1	3	0.3	00.0-00.7	99	14.7	11.2-18.2	14	2.2	00.4-04.0	697	77.4	73.1-81.7
\$25,000- 34,999	408	246,350	32	9.5	05.0-14.0	1	0.1	00.0-00.3	71	19.5	14.2-24.8	8	1.5	00.0-03.1	296	69.4	63.1-75.7
\$35,000- 49,999	430	282,552	38	10.9	06.2-15.6	2	0.2	00.0-00.4	86	21.4	16.1-26.7	12	1.9	00.7-03.1	292	65.7	59.4-72.0
\$50,000- 74,999	379	255,121	27	6.1	03.2-09.0	2	0.2	00.0-00.4	101	29.2	22.9-35.5	17	4.0	01.6-06.4	232	60.5	54.0-67.0
\$75,000+	530	351,850	62	11.6	08.1-15.1	8	1.1	00.3-01.9	182	35.7	30.0-41.4	49	8.1	05.4-10.8	229	43.5	37.6-49.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2082	1,761,724	968	39.3	36.6-42.0	660	31.8	29.1-34.5	207	11.7	09.7-13.7	90	6.5	04.7-08.3	157	10.7	08.7-12.7
Male	949	994,234	345	31.3	27.4-35.2	321	33.2	29.3-37.1	113	12.3	09.8-14.8	57	7.6	05.1-10.1	113	15.7	12.4-19.0
Female	1133	767,490	623	49.7	45.8-53.6	339	30.1	26.6-33.6	94	10.9	08.2-13.6	33	5.1	02.9-07.3	44	4.2	02.6-05.8
White/Non-Hisp	1705	1,313,810	808	39.7	36.8-42.6	533	31.5	28.6-34.4	158	11.2	09.2-13.2	71	6.3	04.5-08.1	135	11.3	09.1-13.5
Black or Afr. Am./Non-Hisp	284	294,908	121	39.4	31.4-47.4	100	35.8	28.4-43.2	37	15.1	09.4-20.8	12	3.7	01.2-06.2	14	6.0	02.1-09.9
18-24	118	230,934	29	23.2	14.8-31.6	33	27.8	18.2-37.4	15	11.5	05.2-17.8	14	12.8	06.1-19.5	27	24.7	15.7-33.7
25-34	306	412,086	107	30.3	24.4-36.2	101	32.5	26.4-38.6	43	13.7	09.4-18.0	25	10.7	05.6-15.8	30	12.8	08.1-17.5
35-44	313	346,921	131	39.3	32.4-46.2	101	31.4	24.9-37.9	44	15.8	10.5-21.1	17	6.8	03.3-10.3	20	6.7	03.4-10.0
45-54	448	342,638	196	45.0	38.7-51.3	154	33.6	28.1-39.1	45	8.9	06.0-11.8	14	2.4	01.0-03.8	39	10.2	06.3-14.1
55-64	460	232,605	238	49.0	43.1-54.9	149	33.4	27.7-39.1	38	11.6	06.9-16.3	14	2.5	00.9-04.1	21	3.6	01.6-05.6
65+	428	187,246	265	57.8	51.7-63.9	116	28.5	23.0-34.0	22	6.0	03.1-08.9	6	1.8	00.0-03.6	19	5.9	02.8-09.0
Less Than H.S.	121	175,295	40	36.7	24.0-49.4	34	25.5	14.7-36.3	19	13.4	06.0-20.8	6	3.5	00.0-07.6	22	20.9	10.5-31.3
H.S. or G.E.D.	524	501,596	215	35.3	30.2-40.4	161	29.7	24.6-34.8	62	13.7	09.6-17.8	30	9.8	05.3-14.3	56	11.4	07.9-14.9
Some Post-H.S.	605	542,837	266	35.4	30.7-40.1	204	37.0	31.9-42.1	60	10.0	07.1-12.9	27	6.1	03.4-08.8	48	11.4	07.9-14.9
College Graduate	831	539,967	447	47.9	43.4-52.4	260	30.3	26.0-34.6	66	11.0	08.1-13.9	27	4.8	02.8-06.8	31	6.0	03.3-08.7
Less than \$15,000	157	126,524	49	25.3	16.7-33.9	49	35.1	24.9-45.3	20	13.8	07.3-20.3	8	7.1	01.8-12.4	31	18.8	10.4-27.2
\$15,000- 24,999	302	290,207	140	42.0	34.0-50.0	85	26.2	19.1-33.3	28	9.9	05.4-14.4	16	6.7	02.6-10.8	33	15.3	09.2-21.4
\$25,000- 34,999	203	167,065	85	28.2	20.8-35.6	64	34.5	25.3-43.7	30	21.4	13.0-29.8	9	5.8	00.5-11.1	15	10.1	04.4-15.8
\$35,000- 49,999	272	243,678	112	32.6	25.3-39.9	99	35.2	27.9-42.5	29	12.9	07.4-18.4	13	8.7	03.6-13.8	19	10.6	05.3-15.9
\$50,000- 74,999	272	231,166	133	45.9	38.3-53.5	91	32.3	25.2-39.4	23	9.6	05.3-13.9	12	5.6	01.9-09.3	13	6.6	02.1-11.1
\$75,000+	521	434,661	269	45.6	39.9-51.3	169	31.9	26.6-37.2	45	10.0	06.7-13.3	14	5.3	01.8-08.8	24	7.2	03.7-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	949	994,234	345	31.3	27.4-35.2	321	33.2	29.3-37.1	113	12.3	09.8-14.8	57	7.6	05.1-10.1	113	15.7	12.6-18.8
White/Non-Hisp	776	731,367	286	30.3	26.4-34.2	259	33.0	28.7-37.3	88	12.3	09.4-15.2	47	7.9	05.4-10.4	96	16.5	12.8-20.2
Black or Afr. Am./Non-Hisp	127	169,232	44	36.1	24.5-47.7	45	35.0	24.2-45.8	22	17.7	09.5-25.9	6	2.0	00.0-04.2	10	9.2	02.7-15.7
18-24	58	135,892	12	16.3	06.9-25.7	16	31.5	17.4-45.6	4	6.3	00.0-13.2	8	12.0	03.6-20.4	18	33.8	20.3-47.3
25-34	138	231,183	29	20.3	12.7-27.9	47	33.1	24.3-41.9	23	13.0	07.3-18.7	15	13.6	05.8-21.4	24	20.1	12.3-27.9
35-44	132	197,928	36	28.7	19.5-37.9	44	32.1	22.5-41.7	25	20.1	12.1-28.1	11	8.6	03.3-13.9	16	10.4	04.7-16.1
45-54	204	197,594	74	41.2	32.0-50.4	68	31.4	23.6-39.2	27	11.6	06.9-16.3	8	1.9	00.5-03.3	27	14.0	08.1-19.9
55-64	207	117,739	82	39.1	30.9-47.3	78	40.0	31.4-48.6	23	11.5	05.8-17.2	11	4.0	01.3-06.7	13	5.3	01.6-09.0
65+	207	110,983	111	51.4	43.0-59.8	66	31.7	23.9-39.5	11	6.8	02.3-11.3	4	2.1	00.0-04.8	15	8.0	03.1-12.9
Less Than H.S.	63	115,181	15	34.8	17.7-51.9	22	28.0	13.3-42.7	8	9.3	01.7-16.9	3	0.7	00.0-01.5	15	27.3	12.8-41.8
H.S. or G.E.D.	272	300,721	88	27.2	20.9-33.5	88	30.4	23.5-37.3	38	15.8	09.9-21.7	21	12.1	05.6-18.6	37	14.5	09.4-19.6
Some Post-H.S.	280	300,697	94	27.2	20.9-33.5	104	40.2	32.9-47.5	28	8.3	04.8-11.8	16	6.9	03.0-10.8	38	17.5	11.6-23.4
College Graduate	333	275,607	148	39.0	32.3-45.7	106	30.2	23.3-37.1	39	14.2	09.3-19.1	17	6.4	03.1-09.7	23	10.3	05.2-15.4
Less than \$15,000	64	59,249	10	14.9	03.1-26.7	28	45.6	29.1-62.1	6	9.7	01.3-18.1	3	3.1	00.0-07.2	17	26.8	11.7-41.9
\$15,000- 24,999	156	188,304	60	36.9	26.1-47.7	46	27.1	17.5-36.7	14	9.0	03.3-14.7	12	8.1	02.6-13.6	24	18.8	10.2-27.4
\$25,000- 34,999	93	93,504	31	22.9	13.3-32.5	28	33.2	19.7-46.7	18	25.6	13.1-38.1	4	3.6	00.0-07.7	12	14.7	05.7-23.7
\$35,000- 49,999	137	148,267	44	29.0	19.0-39.0	48	33.6	23.8-43.4	20	13.6	07.1-20.1	7	6.7	01.2-12.2	18	17.2	08.8-25.6
\$50,000- 74,999	128	130,867	49	36.2	26.0-46.4	45	34.5	24.3-44.7	16	11.2	05.3-17.1	8	7.6	01.5-13.7	10	10.5	03.1-17.9
\$75,000+	224	237,772	92	34.3	26.7-41.9	77	33.2	25.0-41.4	24	11.8	06.7-16.9	11	8.5	02.2-14.8	20	12.1	06.0-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1133	767,490	623	49.7	45.8-53.6	339	30.1	26.6-33.6	94	10.9	08.2-13.6	33	5.1	02.9-07.3	44	4.2	02.6-05.8
White/Non-Hisp	929	582,443	522	51.5	47.2-55.8	274	29.7	26.0-33.4	70	9.8	07.1-12.5	24	4.3	01.9-06.7	39	4.7	02.9-06.5
Black or Afr. Am./Non-Hisp	157	125,676	77	44.0	33.6-54.4	55	36.8	27.0-46.6	15	11.5	04.4-18.6	6	6.0	00.7-11.3	4	1.8	00.0-04.0
18-24	60	95,042	17	33.0	18.7-47.3	17	22.5	11.5-33.5	11	18.8	07.6-30.0	6	14.0	03.0-25.0	9	11.6	03.6-19.6
25-34	168	180,904	78	43.2	34.6-51.8	54	31.7	23.7-39.7	20	14.6	08.1-21.1	10	7.0	01.7-12.3	6	3.5	00.4-06.6
35-44	181	148,993	95	53.4	44.2-62.6	57	30.4	22.2-38.6	19	10.1	04.6-15.6	6	4.5	00.2-08.8	4	1.6	00.0-03.4
45-54	244	145,044	122	50.1	42.3-57.9	86	36.6	29.0-44.2	18	5.2	02.5-07.9	6	3.1	00.4-05.8	12	5.0	00.5-09.5
55-64	253	114,866	156	59.1	50.7-67.5	71	26.6	19.7-33.5	15	11.6	04.2-19.0	3	0.9	00.0-02.1	8	1.8	00.4-03.2
65+	221	76,263	154	67.1	59.3-74.9	50	23.7	16.6-30.8	11	5.0	01.7-08.3	2	1.4	00.0-03.4	4	2.8	00.0-05.7
Less Than H.S.	58	60,113	25	40.5	22.3-58.7	12	20.6	06.9-34.3	11	21.1	05.8-36.4	3	9.0	00.0-20.6	7	8.8	00.0-19.2
H.S. or G.E.D.	252	200,875	127	47.4	39.4-55.4	73	28.7	21.6-35.8	24	10.7	05.8-15.6	9	6.4	01.1-11.7	19	6.9	03.2-10.6
Some Post-H.S.	325	242,141	172	45.6	38.5-52.7	100	33.1	26.4-39.8	32	12.1	07.0-17.2	11	5.3	01.6-09.0	10	3.9	01.2-06.6
College Graduate	498	264,361	299	57.2	51.5-62.9	154	30.4	25.3-35.5	27	7.7	04.2-11.2	10	3.1	00.9-05.3	8	1.5	00.1-02.9
Less than \$15,000	93	67,275	39	34.4	22.4-46.4	21	25.9	14.1-37.7	14	17.3	07.7-26.9	5	10.6	01.6-19.6	14	11.7	04.3-19.1
\$15,000- 24,999	146	101,903	80	51.4	40.0-62.8	39	24.4	15.2-33.6	14	11.6	04.2-19.0	4	4.0	00.0-09.9	9	8.7	01.3-16.1
\$25,000- 34,999	110	73,562	54	34.9	23.5-46.3	36	36.3	24.1-48.5	12	16.0	05.6-26.4	5	8.5	00.0-19.3	3	4.3	00.0-09.8
\$35,000- 49,999	135	95,411	68	38.2	27.6-48.8	51	37.6	26.8-48.4	9	11.8	01.4-22.2	6	12.0	02.2-21.8	1	0.4	00.0-01.2
\$50,000- 74,999	144	100,299	84	58.6	48.2-69.0	46	29.4	20.0-38.8	7	7.6	01.7-13.5	4	3.0	00.1-05.9	3	1.4	00.0-03.6
\$75,000+	297	196,889	177	59.1	52.0-66.2	92	30.4	23.7-37.1	21	7.9	04.2-11.6	3	1.4	00.0-03.4	4	1.2	00.0-02.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2088	1,759,614	176	9.9	07.9-11.9	111	7.0	05.2-08.8	44	3.0	01.8-04.2	44	2.9	01.7-04.1	104	7.0	05.4-08.6	1609	70.2	67.3-73.1
Male	954	1,001,424	86	10.6	07.9-13.3	62	8.3	05.6-11.0	30	4.2	02.4-06.0	26	3.9	01.9-05.9	69	9.5	07.0-12.0	681	63.4	59.1-67.7
Female	1134	758,190	90	9.0	06.8-11.2	49	5.3	03.5-07.1	14	1.4	00.4-02.4	18	1.6	00.8-02.4	35	3.7	02.1-05.3	928	79.1	76.0-82.2
White/Non-Hisp	1707	1,315,166	143	9.8	07.8-11.8	83	5.7	04.1-07.3	37	3.3	01.9-04.7	40	3.3	01.9-04.7	84	7.0	05.2-08.8	1320	70.9	68.0-73.8
Black or Afr. Am./Non-Hisp	288	297,022	25	11.1	05.2-17.0	20	8.7	03.8-13.6	6	1.9	00.1-03.7	2	0.2	00.0-00.4	14	5.3	01.6-09.0	221	72.7	65.1-80.3
18-24	116	226,595	18	15.8	08.5-23.1	13	12.9	04.7-21.1	3	3.4	00.0-07.1	5	3.6	00.0-07.5	16	15.7	08.1-23.3	61	48.6	38.2-59.0
25-34	304	410,033	43	12.7	08.6-16.8	27	10.3	05.8-14.8	11	4.7	01.6-07.8	8	4.7	01.2-08.2	17	7.0	03.5-10.5	198	60.7	54.0-67.4
35-44	320	350,794	31	11.4	06.9-15.9	17	6.3	03.0-09.6	13	4.3	01.4-07.2	8	2.9	00.7-05.1	13	5.8	02.1-09.5	238	69.2	62.7-75.7
45-54	448	342,969	34	7.5	02.8-12.2	25	4.3	02.1-06.5	6	1.4	00.2-02.6	14	2.7	01.1-04.3	35	8.9	05.2-12.6	334	75.2	69.5-80.9
55-64	463	234,085	32	6.5	04.0-09.0	22	4.9	02.4-07.4	7	2.0	00.0-04.0	8	1.8	00.2-03.4	13	1.3	00.5-02.1	381	83.5	79.2-87.8
65+	428	185,845	16	2.2	00.8-03.6	7	1.8	00.0-03.6	4	0.9	00.0-01.9	1	0.2	00.0-00.6	10	2.8	00.8-04.8	390	92.2	89.3-95.1
Less Than H.S.	121	172,645	7	9.8	00.0-19.8	11	9.2	02.1-16.3	3	3.3	00.0-08.0	7	2.6	00.0-05.3	13	14.7	05.3-24.1	80	60.3	47.4-73.2
H.S. or G.E.D.	522	496,365	41	8.5	05.6-11.4	40	9.7	05.8-13.6	15	3.7	01.3-06.1	11	2.7	00.2-05.2	28	6.3	03.6-09.0	387	69.0	63.5-74.5
Some Post-H.S.	607	543,066	62	11.4	08.1-14.7	21	4.3	02.1-06.5	16	3.1	01.3-04.9	14	4.2	01.7-06.7	35	7.3	04.4-10.2	459	69.7	64.8-74.6
College Graduate	837	545,509	66	9.7	07.0-12.4	38	6.2	03.3-09.1	10	2.3	00.5-04.1	12	1.9	00.7-03.1	28	4.9	02.7-07.1	683	75.0	70.7-79.3
Less than \$15,000	155	123,181	14	10.2	04.1-16.3	10	6.4	01.5-11.3	3	1.2	00.0-03.2	4	2.3	00.0-05.4	18	11.1	04.0-18.2	106	68.9	59.3-78.5
\$15,000- 24,999	303	286,616	32	14.5	07.8-21.2	22	8.1	03.8-12.4	8	3.5	00.2-06.8	9	3.4	00.7-06.1	18	9.2	04.1-14.3	214	61.3	53.1-69.5
\$25,000- 34,999	201	161,816	22	11.4	05.9-16.9	12	7.2	01.3-13.1	5	6.8	00.5-13.1	2	0.4	00.0-01.0	12	10.1	03.4-16.8	148	64.1	54.5-73.7
\$35,000- 49,999	267	235,566	24	11.1	06.0-16.2	14	5.8	02.1-09.5	7	3.1	00.6-05.6	7	3.9	00.2-07.6	12	4.3	01.2-07.4	203	71.9	64.6-79.2
\$50,000- 74,999	275	233,554	20	6.3	02.4-10.2	12	6.4	02.3-10.5	6	2.5	00.0-05.2	5	3.2	00.3-06.1	9	4.5	01.0-08.0	223	77.1	70.2-84.0
\$75,000+	527	443,870	42	9.5	06.0-13.0	25	7.8	03.3-12.3	10	2.3	00.7-03.9	9	2.0	00.4-03.6	24	6.8	03.7-09.9	417	71.6	65.9-77.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	954	1,001,424	86	10.6	07.9-13.3	62	8.3	05.6-11.0	30	4.2	02.4-06.0	26	3.9	01.9-05.9	69	9.5	07.0-12.0	681	63.4	59.1-67.7
White/Non-Hisp	779	737,964	72	10.6	07.7-13.5	44	6.2	03.8-08.6	25	4.6	02.4-06.8	23	4.4	02.2-06.6	58	9.7	06.8-12.6	557	64.6	60.1-69.1
Black or Afr. Am./Non-Hisp	129	172,451	11	12.1	02.7-21.5	12	11.0	03.6-18.4	4	2.4	00.0-05.1	1	0.2	00.0-00.6	6	6.5	00.6-12.4	95	67.8	56.4-79.2
18-24	59	137,217	9	14.7	05.3-24.1	6	13.9	01.6-26.2	2	4.0	00.0-09.5	3	5.6	00.0-12.1	13	21.4	10.2-32.6	26	40.4	26.7-54.1
25-34	138	233,768	20	12.6	06.7-18.5	15	12.5	05.4-19.6	7	6.1	01.0-11.2	7	7.5	01.4-13.6	13	10.0	04.3-15.7	76	51.3	41.7-60.9
35-44	137	200,739	19	14.8	07.9-21.7	8	6.6	01.7-11.5	12	7.5	02.6-12.4	7	4.9	01.0-08.8	10	8.4	02.3-14.5	81	57.9	48.1-67.7
45-54	202	197,711	15	8.1	00.7-15.5	16	5.9	02.4-09.4	4	1.6	00.0-03.4	4	1.6	00.0-03.2	19	10.1	04.8-15.4	144	72.7	63.9-81.5
55-64	211	120,207	17	7.1	03.2-11.0	12	6.4	02.1-10.7	4	3.1	00.0-06.8	4	0.8	00.0-01.6	8	1.7	00.3-03.1	166	81.0	74.3-87.7
65+	204	108,867	5	1.3	00.0-02.7	5	2.2	00.0-04.7	1	0.8	00.0-02.4	1	0.3	00.0-00.9	6	3.3	00.4-06.2	186	92.2	87.9-96.5
Less Than H.S.	63	112,465	5	14.6	00.0-29.3	7	11.7	01.5-21.9	2	4.8	00.0-12.1	3	2.4	00.0-06.1	9	16.3	03.8-28.8	37	50.2	33.1-67.3
H.S. or G.E.D.	271	302,575	25	10.0	05.7-14.3	25	11.4	05.7-17.1	9	4.6	00.9-08.3	7	4.0	00.0-08.1	16	7.4	03.3-11.5	189	62.6	55.0-70.2
Some Post-H.S.	282	303,104	27	9.8	05.5-14.1	10	4.4	01.3-07.5	12	4.4	01.7-07.1	10	6.2	02.1-10.3	23	10.3	05.4-15.2	200	64.9	57.8-72.0
College Graduate	337	281,252	29	10.5	05.8-15.2	19	7.2	01.9-12.5	7	3.4	00.5-06.3	6	2.1	00.1-04.1	21	8.2	04.3-12.1	255	68.5	61.4-75.6
Less than \$15,000	60	57,350	4	7.2	00.0-15.6	2	0.8	00.0-02.2				2	3.9	00.0-10.4	10	15.4	02.5-28.3	42	72.7	57.4-88.0
\$15,000- 24,999	155	183,644	15	15.0	05.4-24.6	14	10.5	04.0-17.0	6	5.2	00.1-10.3	7	4.9	00.6-09.2	13	9.5	03.0-16.0	100	54.8	43.6-66.0
\$25,000- 34,999	93	93,273	9	10.6	02.8-18.4	6	8.4	00.0-17.8	4	9.8	00.0-20.0	2	0.7	00.0-01.9	10	16.5	05.5-27.5	62	53.8	40.1-67.5
\$35,000- 49,999	134	143,433	13	11.2	04.7-17.7	7	6.1	01.0-11.2	7	5.1	01.0-09.2	4	4.8	00.0-10.5	8	5.9	01.0-10.8	95	67.0	57.0-77.0
\$50,000- 74,999	131	133,910	9	6.1	00.0-12.2	10	9.7	03.0-16.4	3	3.5	00.0-08.0	3	4.0	00.0-08.5	6	5.2	00.1-10.3	100	71.5	61.3-81.7
\$75,000+	231	248,217	23	11.0	05.7-16.3	15	10.4	03.0-17.8	7	3.2	00.7-05.7	4	2.0	00.0-04.2	15	9.8	04.5-15.1	167	63.7	55.1-72.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1134	758,190	90	9.0	06.8-11.2	49	5.3	03.5-07.1	14	1.4	00.4-02.4	18	1.6	00.8-02.4	35	3.7	02.1-05.3	928	79.1	76.0-82.2
White/Non-Hisp	928	577,202	71	8.7	06.2-11.2	39	5.1	03.1-07.1	12	1.6	00.4-02.8	17	2.0	00.8-03.2	26	3.5	01.7-05.3	763	79.0	75.5-82.5
Black or Afr. Am./Non-Hisp	159	124,570	14	9.7	04.0-15.4	8	5.6	00.9-10.3	2	1.2	00.0-03.2	1	0.2	00.0-00.6	8	3.6	00.5-06.7	126	79.7	71.9-87.5
18-24	57	89,378	9	17.5	06.1-28.9	7	11.4	03.0-19.8	1	2.3	00.0-06.8	2	0.7	00.0-01.9	3	6.9	00.0-14.9	35	61.2	46.9-75.5
25-34	166	176,266	23	12.8	07.5-18.1	12	7.3	03.0-11.6	4	2.7	00.0-05.6	1	0.9	00.0-02.7	4	3.1	00.2-06.0	122	73.2	65.8-80.6
35-44	183	150,055	12	6.9	02.4-11.4	9	6.0	01.7-10.3	1	0.2	00.0-00.6	1	0.4	00.0-01.2	3	2.3	00.0-05.0	157	84.3	77.8-90.8
45-54	246	145,259	19	6.8	03.3-10.3	9	2.0	00.4-03.6	2	1.2	00.0-03.0	10	4.2	01.3-07.1	16	7.2	02.3-12.1	190	78.6	72.1-85.1
55-64	252	113,878	15	5.8	02.3-09.3	10	3.5	01.1-05.9	3	0.9	00.0-02.1	4	2.8	00.0-05.9	5	1.0	00.0-02.0	215	86.1	80.8-91.4
65+	224	76,977	11	3.5	01.1-05.9	2	1.2	00.0-03.0	3	1.0	00.0-02.4				4	2.0	00.0-04.2	204	92.3	88.6-96.0
Less Than H.S.	58	60,180	2	0.9	00.0-02.1	4	4.6	00.0-11.5	1	0.5	00.0-01.5	4	3.1	00.0-06.4	4	11.6	00.0-25.1	43	79.3	64.4-94.2
H.S. or G.E.D.	251	193,791	16	6.2	02.7-09.7	15	7.1	03.2-11.0	6	2.2	00.0-04.6	4	0.9	00.0-01.9	12	4.7	01.6-07.8	198	79.1	73.0-85.2
Some Post-H.S.	325	239,962	35	13.4	08.1-18.7	11	4.2	01.3-07.1	4	1.4	00.0-03.0	4	1.7	00.0-03.7	12	3.5	01.0-06.0	259	75.9	69.6-82.2
College Graduate	500	264,258	37	8.9	05.8-12.0	19	5.1	02.4-07.8	3	1.1	00.0-02.7	6	1.6	00.0-03.2	7	1.4	00.0-02.8	428	81.9	77.4-86.4
Less than \$15,000	95	65,831	10	12.8	04.2-21.4	8	11.2	02.6-19.8	3	2.2	00.0-05.7	2	0.8	00.0-02.2	8	7.3	01.2-13.4	64	65.7	53.5-77.9
\$15,000- 24,999	148	102,972	17	13.7	06.1-21.3	8	3.7	01.0-06.4	2	0.6	00.0-01.4	2	0.7	00.0-01.9	5	8.5	00.0-17.1	114	72.7	62.1-83.3
\$25,000- 34,999	108	68,543	13	12.5	05.1-19.9	6	5.5	00.2-10.8	1	2.7	00.0-07.8				2	1.3	00.0-03.7	86	78.0	68.0-88.0
\$35,000- 49,999	133	92,133	11	10.9	02.7-19.1	7	5.4	00.1-10.7				3	2.4	00.0-05.9	4	1.7	00.0-03.9	108	79.5	69.7-89.3
\$50,000- 74,999	144	99,643	11	6.6	02.1-11.1	2	1.9	00.0-05.4	3	1.2	00.0-02.8	2	2.1	00.0-05.4	3	3.7	00.0-07.8	123	84.6	77.2-92.0
\$75,000+	296	195,653	19	7.6	03.3-11.9	10	4.6	01.5-07.7	3	1.2	00.0-02.8	5	2.1	00.1-04.1	9	3.0	00.6-05.4	250	81.5	75.6-87.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2031	1,703,810	685	28.5	26.0-31.0	620	27.3	24.8-29.8	281	15.1	12.9-17.3	138	7.1	05.5-08.7	307	22.0	19.3-24.7
Male	920	956,927	237	22.0	18.5-25.5	259	24.8	21.3-28.3	144	15.5	12.6-18.4	61	6.7	04.5-08.9	219	31.0	26.9-35.1
Female	1111	746,883	448	36.8	33.1-40.5	361	30.5	27.0-34.0	137	14.6	11.7-17.5	77	7.7	05.7-09.7	88	10.5	07.8-13.2
White/Non-Hisp	1668	1,278,238	573	28.3	25.6-31.0	509	27.8	25.1-30.5	213	13.8	11.6-16.0	115	7.3	05.7-08.9	258	22.9	20.0-25.8
Black or Afr. Am./Non-Hisp	273	279,340	87	32.9	24.9-40.9	87	28.7	21.6-35.8	49	19.4	12.9-25.9	17	5.5	02.2-08.8	33	13.5	07.8-19.2
18-24	111	220,689	20	17.6	09.6-25.6	20	15.5	08.2-22.8	15	13.1	06.0-20.2	14	8.7	04.0-13.4	42	45.0	34.2-55.8
25-34	293	389,449	63	18.7	13.6-23.8	73	23.0	17.5-28.5	57	19.1	14.0-24.2	26	9.8	05.5-14.1	74	29.4	22.9-35.9
35-44	307	336,377	102	29.7	23.6-35.8	92	28.1	21.6-34.6	40	14.6	09.5-19.7	19	5.9	02.8-09.0	54	21.7	15.8-27.6
45-54	432	330,476	123	31.9	25.4-38.4	142	30.0	24.7-35.3	64	14.8	10.7-18.9	28	6.3	03.6-09.0	75	16.9	12.4-21.4
55-64	454	230,784	171	36.2	30.5-41.9	144	31.5	26.0-37.0	62	15.3	10.8-19.8	30	6.1	03.6-08.6	47	11.0	06.5-15.5
65+	425	186,741	204	44.5	38.6-50.4	145	37.0	31.1-42.9	42	10.6	06.9-14.3	21	4.9	02.2-07.6	13	3.0	01.0-05.0
Less Than H.S.	115	160,895	35	32.3	19.4-45.2	26	20.4	10.0-30.8	18	13.6	05.6-21.6	7	4.6	00.3-08.9	29	29.0	16.8-41.2
H.S. or G.E.D.	508	482,098	175	27.8	23.1-32.5	135	26.5	21.6-31.4	68	14.3	10.4-18.2	29	6.1	03.0-09.2	101	25.3	20.0-30.6
Some Post-H.S.	590	522,690	187	25.4	21.1-29.7	178	28.8	24.1-33.5	85	16.2	12.1-20.3	50	7.8	05.3-10.3	90	21.7	17.0-26.4
College Graduate	817	536,098	288	31.0	26.9-35.1	280	28.3	24.6-32.0	110	15.1	11.8-18.4	52	8.3	05.8-10.8	87	17.3	13.0-21.6
Less than \$15,000	152	123,105	36	19.4	11.6-27.2	42	26.7	17.3-36.1	26	18.0	10.2-25.8	13	12.9	05.5-20.3	35	23.0	14.0-32.0
\$15,000- 24,999	288	269,300	110	34.1	26.1-42.1	66	19.7	13.4-26.0	37	12.9	07.8-18.0	22	5.3	02.4-08.2	53	28.0	20.2-35.8
\$25,000- 34,999	197	159,117	64	21.1	14.4-27.8	51	23.9	16.3-31.5	33	21.6	13.6-29.6	12	5.2	01.9-08.5	37	28.2	18.4-38.0
\$35,000- 49,999	264	233,530	73	21.5	15.2-27.8	97	33.4	26.1-40.7	33	14.2	07.9-20.5	15	5.8	01.9-09.7	46	25.1	17.7-32.5
\$50,000- 74,999	277	232,735	97	33.1	25.8-40.4	88	27.6	20.9-34.3	43	17.4	11.9-22.9	14	5.5	02.2-08.8	35	16.4	10.3-22.5
\$75,000+	513	429,445	167	29.4	24.3-34.5	174	29.5	24.6-34.4	61	11.6	08.3-14.9	48	9.6	06.3-12.9	63	19.9	14.2-25.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	920	956,927	237	22.0	18.5-25.5	259	24.8	21.3-28.3	144	15.5	12.6-18.4	61	6.7	04.5-08.9	219	31.0	26.9-35.1
White/Non-Hisp	757	712,726	194	20.5	17.2-23.8	215	25.7	21.8-29.6	111	14.5	11.4-17.6	50	6.7	04.5-08.9	187	32.6	28.1-37.1
Black or Afr. Am./Non-Hisp	119	156,412	32	30.4	18.8-42.0	32	24.1	14.5-33.7	26	21.5	11.7-31.3	8	5.3	01.0-09.6	21	18.6	09.4-27.8
18-24	55	133,676	9	12.0	03.8-20.2	7	12.5	03.1-21.9	5	10.8	01.6-20.0	5	5.4	00.5-10.3	29	59.3	45.2-73.4
25-34	130	214,859	17	12.0	05.5-18.5	24	18.8	11.4-26.2	25	16.7	09.6-23.8	10	10.3	03.4-17.2	54	42.2	32.4-52.0
35-44	130	188,107	29	20.8	13.2-28.4	27	22.1	13.3-30.9	23	18.0	10.0-26.0	7	4.8	00.5-09.1	44	34.3	24.7-43.9
45-54	197	190,423	47	30.7	21.1-40.3	57	26.3	19.0-33.6	35	16.3	10.4-22.2	11	6.0	02.1-09.9	47	20.8	14.1-27.5
55-64	205	117,567	54	24.8	17.4-32.2	68	37.1	28.7-45.5	31	16.2	09.5-22.9	18	7.1	03.0-11.2	34	14.8	08.7-20.9
65+	200	109,380	81	38.8	30.8-46.8	75	39.5	31.3-47.7	24	12.3	06.6-18.0	10	5.5	01.2-09.8	10	3.9	01.0-06.8
Less Than H.S.	60	102,212	14	28.6	11.2-46.0	14	20.2	05.9-34.5	9	13.0	02.2-23.8	4	4.3	00.0-09.6	19	33.8	17.3-50.3
H.S. or G.E.D.	263	288,567	62	18.7	13.4-24.0	71	25.2	18.7-31.7	40	15.1	09.6-20.6	14	6.2	01.5-10.9	76	34.7	27.1-42.3
Some Post-H.S.	273	291,859	69	20.5	14.8-26.2	76	26.2	19.7-32.7	44	16.2	10.5-21.9	19	5.7	02.6-08.8	65	31.4	24.1-38.7
College Graduate	323	272,261	92	24.9	19.0-30.8	97	24.0	18.7-29.3	51	16.1	11.0-21.2	24	9.3	05.0-13.6	59	25.8	18.5-33.1
Less than \$15,000	61	58,797	7	6.8	00.3-13.3	17	27.2	12.1-42.3	15	24.2	10.3-38.1	5	12.1	01.1-23.1	17	29.7	14.2-45.2
\$15,000- 24,999	148	172,385	49	31.3	20.3-42.3	30	18.1	09.5-26.7	19	10.8	04.5-17.1	9	3.4	00.3-06.5	41	36.4	25.6-47.2
\$25,000- 34,999	90	87,847	23	18.3	09.5-27.1	20	17.8	08.2-27.4	19	23.5	11.9-35.1	2	2.1	00.0-05.0	26	38.2	24.3-52.1
\$35,000- 49,999	130	138,513	26	17.0	08.8-25.2	43	27.9	18.7-37.1	17	16.1	07.3-24.9	8	5.9	00.8-11.0	36	33.1	22.7-43.5
\$50,000- 74,999	132	132,591	34	24.7	15.7-33.7	42	28.1	18.9-37.3	24	19.1	11.1-27.1	5	3.8	00.0-07.7	27	24.3	14.7-33.9
\$75,000+	218	235,699	54	22.5	15.8-29.2	65	24.5	17.8-31.2	27	11.4	06.5-16.3	27	11.6	06.5-16.7	45	29.9	20.9-38.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1111	746,883	448	36.8	33.1-40.5	361	30.5	27.0-34.0	137	14.6	11.7-17.5	77	7.7	05.7-09.7	88	10.5	07.8-13.2
White/Non-Hisp	911	565,512	379	38.0	33.9-42.1	294	30.4	26.7-34.1	102	12.9	10.0-15.8	65	8.1	05.7-10.5	71	10.6	07.5-13.7
Black or Afr. Am./Non-Hisp	154	122,928	55	36.0	25.4-46.6	55	34.5	24.3-44.7	23	16.7	08.7-24.7	9	5.7	00.6-10.8	12	7.0	02.3-11.7
18-24	56	87,014	11	26.3	11.6-41.0	13	20.0	08.8-31.2	10	16.8	05.6-28.0	9	13.8	04.8-22.8	13	23.1	10.6-35.6
25-34	163	174,590	46	26.9	18.9-34.9	49	28.2	20.2-36.2	32	22.1	14.5-29.7	16	9.3	04.4-14.2	20	13.6	07.1-20.1
35-44	177	148,270	73	41.0	31.8-50.2	65	35.7	26.7-44.7	17	10.3	04.6-16.0	12	7.4	02.5-12.3	10	5.7	01.8-09.6
45-54	235	140,053	76	33.7	26.1-41.3	85	35.1	27.7-42.5	29	12.8	07.3-18.3	17	6.8	03.1-10.5	28	11.6	05.9-17.3
55-64	249	113,217	117	48.1	39.9-56.3	76	25.6	19.1-32.1	31	14.3	08.6-20.0	12	5.0	01.9-08.1	13	7.0	00.1-13.9
65+	225	77,361	123	52.6	44.4-60.8	70	33.4	25.6-41.2	18	8.2	03.9-12.5	11	4.1	01.4-06.8	3	1.7	00.0-03.7
Less Than H.S.	55	58,684	21	38.7	20.1-57.3	12	20.8	06.9-34.7	9	14.6	03.0-26.2	3	5.3	00.0-12.6	10	20.7	03.5-37.9
H.S. or G.E.D.	245	193,531	113	41.3	33.3-49.3	64	28.3	20.7-35.9	28	13.2	07.7-18.7	15	5.8	02.3-09.3	25	11.3	05.6-17.0
Some Post-H.S.	317	230,831	118	31.7	25.2-38.2	102	32.1	25.6-38.6	41	16.3	10.6-22.0	31	10.4	05.9-14.9	25	9.4	04.9-13.9
College Graduate	494	263,837	196	37.4	31.7-43.1	183	32.8	27.7-37.9	59	14.1	10.0-18.2	28	7.3	04.4-10.2	28	8.5	05.2-11.8
Less than \$15,000	91	64,309	29	30.9	18.6-43.2	25	26.3	14.7-37.9	11	12.4	04.6-20.2	8	13.5	03.5-23.5	18	16.9	07.7-26.1
\$15,000- 24,999	140	96,915	61	39.1	27.7-50.5	36	22.5	13.7-31.3	18	16.5	07.5-25.5	13	8.8	03.1-14.5	12	13.1	03.7-22.5
\$25,000- 34,999	107	71,270	41	24.6	14.6-34.6	31	31.4	19.4-43.4	14	19.2	08.0-30.4	10	9.0	02.7-15.3	11	15.9	03.9-27.9
\$35,000- 49,999	134	95,018	47	28.0	18.6-37.4	54	41.3	29.9-52.7	16	11.6	03.6-19.6	7	5.6	00.0-11.7	10	13.4	03.2-23.6
\$50,000- 74,999	145	100,144	63	44.3	33.3-55.3	46	27.0	17.8-36.2	19	15.1	07.7-22.5	9	7.8	01.9-13.7	8	5.9	01.4-10.4
\$75,000+	295	193,747	113	37.8	30.5-45.1	109	35.7	28.6-42.8	34	11.8	07.5-16.1	21	7.1	03.6-10.6	18	7.6	03.7-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)	
1 MALES AND FEMALES	182
2 MALES ONLY	183
3 FEMALES ONLY	184
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	185
5 MALES ONLY	186
6 FEMALES ONLY	187
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7 MALES AND FEMALES	188
8 MALES ONLY	189
9 FEMALES ONLY	190
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	191
11 MALES ONLY	192
12 FEMALES ONLY	193

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6727	4,738,940	3433	43.4	41.8-45.0	3294	56.6	55.0-58.2
Male	2408	2,267,714	1164	40.7	38.2-43.2	1244	59.3	56.8-61.8
Female	4319	2,471,226	2269	45.9	43.7-48.1	2050	54.1	51.9-56.3
White/Non-Hisp	5563	3,659,409	2990	46.8	45.0-48.6	2573	53.2	51.4-55.0
Black or Afr. Am./Non-Hisp	900	713,375	336	31.6	27.5-35.7	564	68.4	64.3-72.5
Oth. Race/Non-Hisp.	95	130,954	35	38.9	26.2-51.6	60	61.1	48.4-73.8
MultiRacial/Non-Hisp.	64	88,397	29	36.7	21.4-52.0	35	63.3	48.0-78.6
Hispanic	66	119,748	23	21.2	10.4-32.0	43	78.8	68.0-89.6
18-24	285	574,190	89	29.8	23.7-35.9	196	70.2	64.1-76.3
25-34	620	785,554	186	29.6	25.3-33.9	434	70.4	66.1-74.7
35-44	780	791,154	274	31.8	27.9-35.7	506	68.2	64.3-72.1
45-54	1220	879,412	513	38.9	35.4-42.4	707	61.1	57.6-64.6
55-64	1538	785,486	805	53.7	50.4-57.0	733	46.3	43.0-49.6
65+	2240	896,542	1541	69.9	67.4-72.4	699	30.1	27.6-32.6
Less Than H.S.	872	776,433	446	41.6	36.7-46.5	426	58.4	53.5-63.3
H.S. or G.E.D.	2220	1,572,815	1094	42.1	39.4-44.8	1126	57.9	55.2-60.6
Some Post-H.S.	1854	1,362,323	911	41.6	38.7-44.5	943	58.4	55.5-61.3
College Graduate	1773	1,020,545	977	49.2	46.1-52.3	796	50.8	47.7-53.9
Less than \$15,000	844	509,371	363	34.8	30.3-39.3	481	65.2	60.7-69.7
\$15,000- 24,999	1258	868,817	632	43.1	39.2-47.0	626	56.9	53.0-60.8
\$25,000- 34,999	662	459,469	322	41.4	36.3-46.5	340	58.6	53.5-63.7
\$35,000- 49,999	749	589,971	382	44.9	40.2-49.6	367	55.1	50.4-59.8
\$50,000- 74,999	680	527,248	347	45.4	40.7-50.1	333	54.6	49.9-59.3
\$75,000+	946	773,528	519	47.6	43.3-51.9	427	52.4	48.1-56.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2408	2,267,714	1164	40.7	38.2-43.2	1244	59.3	56.8-61.8
White/Non-Hisp	2009	1,750,503	1007	43.4	40.7-46.1	1002	56.6	53.9-59.3
Black or Afr. Am./Non-Hisp	284	309,899	109	33.0	25.9-40.1	175	67.0	59.9-74.1
18-24	118	290,221	39	29.4	20.4-38.4	79	70.6	61.6-79.6
25-34	246	389,322	59	23.2	17.1-29.3	187	76.8	70.7-82.9
35-44	279	393,908	77	25.9	20.0-31.8	202	74.1	68.2-80.0
45-54	474	428,438	183	36.4	31.1-41.7	291	63.6	58.3-68.9
55-64	583	375,065	305	55.5	50.4-60.6	278	44.5	39.4-49.6
65+	701	385,751	497	72.3	68.0-76.6	204	27.7	23.4-32.0
Less Than H.S.	259	354,299	126	39.4	31.4-47.4	133	60.6	52.6-68.6
H.S. or G.E.D.	805	773,140	358	38.4	34.1-42.7	447	61.6	57.3-65.9
Some Post-H.S.	673	649,795	309	39.1	34.4-43.8	364	60.9	56.2-65.6
College Graduate	666	484,230	368	47.5	42.6-52.4	298	52.5	47.6-57.4
Less than \$15,000	222	205,916	83	31.7	23.7-39.7	139	68.3	60.3-76.3
\$15,000- 24,999	410	408,314	191	38.1	31.8-44.4	219	61.9	55.6-68.2
\$25,000- 34,999	253	213,118	118	38.9	30.9-46.9	135	61.1	53.1-69.1
\$35,000- 49,999	317	306,750	163	47.4	40.3-54.5	154	52.6	45.5-59.7
\$50,000- 74,999	298	270,520	149	45.2	38.3-52.1	149	54.8	47.9-61.7
\$75,000+	416	420,040	207	41.4	35.3-47.5	209	58.6	52.5-64.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4319	2,471,226	2269	45.9	43.9-47.9	2050	54.1	52.1-56.1
White/Non-Hisp	3554	1,908,906	1983	49.9	47.5-52.3	1571	50.1	47.7-52.5
Black or Afr. Am./Non-Hisp	616	403,476	227	30.6	25.7-35.5	389	69.4	64.5-74.3
Oth. Race/Non-Hisp.	58	68,090	24	47.5	30.1-64.9	34	52.5	35.1-69.9
18-24	167	283,968	50	30.2	22.2-38.2	117	69.8	61.8-77.8
25-34	374	396,232	127	35.8	30.1-41.5	247	64.2	58.5-69.9
35-44	501	397,245	197	37.6	32.3-42.9	304	62.4	57.1-67.7
45-54	746	450,973	330	41.2	36.7-45.7	416	58.8	54.3-63.3
55-64	955	410,420	500	52.2	48.1-56.3	455	47.8	43.7-51.9
65+	1539	510,791	1044	68.1	65.0-71.2	495	31.9	28.8-35.0
Less Than H.S.	613	422,134	320	43.5	37.8-49.2	293	56.5	50.8-62.2
H.S. or G.E.D.	1415	799,675	736	45.6	42.1-49.1	679	54.4	50.9-57.9
Some Post-H.S.	1181	712,528	602	43.8	39.9-47.7	579	56.2	52.3-60.1
College Graduate	1107	536,315	609	50.8	46.9-54.7	498	49.2	45.3-53.1
Less than \$15,000	622	303,455	280	36.8	31.7-41.9	342	63.2	58.1-68.3
\$15,000- 24,999	848	460,503	441	47.6	42.9-52.3	407	52.4	47.7-57.1
\$25,000- 34,999	409	246,350	204	43.7	37.2-50.2	205	56.3	49.8-62.8
\$35,000- 49,999	432	283,221	219	42.3	36.2-48.4	213	57.7	51.6-63.8
\$50,000- 74,999	382	256,728	198	45.7	39.2-52.2	184	54.3	47.8-60.8
\$75,000+	530	353,488	312	54.9	49.0-60.8	218	45.1	39.2-51.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2169	1,247,873	9	0.3	00.1-00.5	28	1.8	01.0-02.6	2132	97.9	97.1-98.7
Male	718	546,274	4	0.4	00.0-01.0	13	2.0	00.8-03.2	701	97.6	96.2-99.0
Female	1451	701,599	5	0.2	00.0-00.4	15	1.7	00.7-02.7	1431	98.2	97.2-99.2
White/Non-Hisp	1920	1,067,351	9	0.3	00.1-00.5	24	1.6	00.8-02.4	1887	98.0	97.2-98.8
Black or Afr. Am./Non-Hisp	187	116,302				4	4.4	00.0-09.1	183	95.6	90.9-0100
25-34	109	130,993	1	0.3	00.0-00.9	2	2.4	00.0-05.9	106	97.3	93.6-0100
35-44	175	152,287				4	3.5	00.0-07.0	171	96.5	93.0-0100
45-54	320	214,942	4	0.9	00.0-02.1	4	1.2	00.0-02.6	312	97.9	96.1-99.7
55-64	511	261,006	3	0.4	00.0-00.8	8	2.0	00.4-03.6	500	97.6	96.0-99.2
65+	998	412,280	1	0.0	00.0-00.0	6	0.6	00.0-01.2	991	99.3	98.7-99.9
Less Than H.S.	253	181,460				2	0.8	00.0-02.0	251	99.2	98.0-0100
H.S. or G.E.D.	692	399,720	2	0.0	00.0-00.0	10	2.2	00.6-03.8	680	97.7	96.1-99.3
Some Post-H.S.	569	334,146	5	0.9	00.1-01.7	8	2.2	00.4-04.0	556	96.9	94.9-98.9
College Graduate	653	331,198	2	0.1	00.0-00.3	8	1.5	00.3-02.7	643	98.4	97.2-99.6
Less than \$15,000	220	107,913							220	100.0	0100-0100
\$15,000- 24,999	385	224,805	2	0.2	00.0-00.6	7	3.1	00.6-05.6	376	96.7	94.2-99.2
\$25,000- 34,999	202	103,282	1	0.3	00.0-00.9	4	1.5	00.0-03.3	197	98.2	96.4-0100
\$35,000- 49,999	248	148,979	2	0.4	00.0-01.0	1	0.1	00.0-00.3	245	99.5	98.9-0100
\$50,000- 74,999	227	161,153	1	0.1	00.0-00.3	3	1.8	00.0-04.2	223	98.0	95.5-0100
\$75,000+	362	245,826	1	0.5	00.0-01.5	8	2.5	00.7-04.3	353	96.9	94.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	718	546,274	4	0.4	00.0-01.0	13	2.0	00.8-03.2	701	97.6	96.2-99.0
White/Non-Hisp	634	472,246	4	0.5	00.0-01.1	13	2.3	00.9-03.7	617	97.2	95.6-98.8
Black or Afr. Am./Non-Hisp	54	42,096							54	100.0	0100-0100
35-44	52	64,940				2	3.0	00.0-07.1	50	97.0	92.9-0100
45-54	116	96,151	1	1.3	00.0-03.8				115	98.7	96.2-0100
55-64	187	126,438	2	0.4	00.0-01.2	5	3.1	00.2-06.0	180	96.5	93.4-99.6
65+	312	180,772				4	1.3	00.0-02.7	308	98.7	97.3-0100
Less Than H.S.	76	82,526				1	0.9	00.0-02.7	75	99.1	97.3-0100
H.S. or G.E.D.	209	169,066	1	0.0	00.0-00.0	4	2.0	00.0-04.2	204	98.0	95.8-0100
Some Post-H.S.	190	145,723	3	1.5	00.0-03.5	5	3.3	00.0-06.8	182	95.2	91.3-99.1
College Graduate	242	147,678				3	1.4	00.0-03.0	239	98.6	97.0-0100
\$15,000- 24,999	117	91,237	1	0.4	00.0-01.2	2	1.8	00.0-04.7	114	97.7	94.6-0100
\$25,000- 34,999	71	40,293				2	2.0	00.0-05.1	69	98.0	94.9-0100
\$35,000- 49,999	95	74,840							95	100.0	0100-0100
\$50,000- 74,999	97	82,501				2	1.3	00.0-03.1	95	98.7	96.9-0100
\$75,000+	139	114,575	1	1.1	00.0-03.3	4	2.9	00.0-05.8	134	96.0	92.5-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1451	701,599	5	0.2	00.0-00.4	15	1.7	00.7-02.7	1431	98.2	97.2-99.2
White/Non-Hisp	1286	595,104	5	0.2	00.0-00.4	11	1.1	00.3-01.9	1270	98.7	97.9-99.5
Black or Afr. Am./Non-Hisp	133	74,206				4	6.9	00.0-14.2	129	93.1	85.8-0100
25-34	76	83,343				1	1.1	00.0-03.3	75	98.9	96.7-0100
35-44	123	87,347				2	3.9	00.0-09.2	121	96.1	90.8-0100
45-54	204	118,791	3	0.6	00.0-01.2	4	2.2	00.0-04.6	197	97.2	94.8-99.6
55-64	324	134,568	1	0.3	00.0-00.9	3	1.0	00.0-02.4	320	98.7	97.3-0100
65+	686	231,508	1	0.0	00.0-00.0	2	0.1	00.0-00.3	683	99.9	99.7-0100
Less Than H.S.	177	98,934				1	0.7	00.0-02.1	176	99.3	97.9-0100
H.S. or G.E.D.	483	230,653	1	0.0	00.0-00.0	6	2.4	00.0-04.8	476	97.6	95.2-0100
Some Post-H.S.	379	188,423	2	0.4	00.0-01.0	3	1.4	00.0-03.4	374	98.2	96.2-0100
College Graduate	411	183,521	2	0.2	00.0-00.6	5	1.5	00.0-03.1	404	98.3	96.7-99.9
Less than \$15,000	174	70,896							174	100.0	0100-0100
\$15,000- 24,999	268	133,568	1	0.1	00.0-00.3	5	3.9	00.2-07.6	262	96.0	92.3-99.7
\$25,000- 34,999	131	62,990	1	0.5	00.0-01.5	2	1.2	00.0-03.4	128	98.4	96.0-0100
\$35,000- 49,999	153	74,139	2	0.8	00.0-02.0	1	0.1	00.0-00.3	150	99.1	97.9-0100
\$50,000- 74,999	130	78,652	1	0.3	00.0-00.9	1	2.4	00.0-06.9	128	97.3	92.6-0100
\$75,000+	223	131,251				4	2.2	00.0-04.4	219	97.8	95.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3400	2,030,661	1744	47.7	45.3-50.1	283	9.9	08.3-11.5	19	0.2	00.0-00.4	765	20.8	19.0-22.6	582	21.3	19.3-23.3	7	0.2	00.0-00.4
Male	1153	914,793	600	48.0	44.1-51.9	104	10.4	07.7-13.1	7	0.3	00.1-00.5	244	20.1	17.2-23.0	195	21.1	17.8-24.4	3	0.2	00.0-00.4
Female	2247	1,115,868	1144	47.4	44.5-50.3	179	9.4	07.4-11.4	12	0.2	00.0-00.4	521	21.4	19.2-23.6	387	21.4	18.9-23.9	4	0.2	00.0-00.4
White/Non-Hisp	2965	1,693,832	1511	46.8	44.3-49.3	235	9.1	07.3-10.9	16	0.2	00.0-00.4	694	21.9	19.9-23.9	503	21.8	19.6-24.0	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	332	221,547	184	54.2	46.6-61.8	36	12.5	07.4-17.6	2	0.3	00.0-00.7	49	13.2	08.5-17.9	60	19.5	13.0-26.0	1	0.3	00.0-00.9
18-24	84	157,390	36	36.4	25.2-47.6	16	21.8	10.2-33.4				12	13.9	05.9-21.9	20	27.9	16.7-39.1			
25-34	184	230,544	62	31.8	24.0-39.6	21	15.2	08.7-21.7	1	0.2	00.0-00.6	32	16.9	10.8-23.0	68	36.0	27.6-44.4			
35-44	272	249,707	102	40.3	33.0-47.6	21	6.1	02.8-09.4				45	15.9	11.0-20.8	104	37.7	30.6-44.8			
45-54	508	337,897	221	42.4	36.9-47.9	41	8.3	04.8-11.8				92	18.7	14.4-23.0	153	30.4	25.5-35.3	1	0.2	00.0-00.6
55-64	799	420,844	402	52.4	47.7-57.1	78	11.4	08.3-14.5	1	0.0	00.0-00.0	154	18.5	15.0-22.0	162	17.6	14.5-20.7	2	0.1	00.0-00.3
65+	1530	624,307	911	59.1	55.8-62.4	101	6.3	04.7-07.9	17	0.6	00.2-01.0	425	28.5	25.6-31.4	72	5.2	03.4-07.0	4	0.4	00.0-00.8
Less Than H.S.	442	319,417	291	62.2	55.1-69.3	39	13.0	06.9-19.1	5	0.3	00.1-00.5	86	17.8	13.1-22.5	20	6.6	02.3-10.9	1	0.2	00.0-00.6
H.S. or G.E.D.	1081	650,127	621	50.7	46.6-54.8	102	10.7	08.0-13.4	5	0.2	00.0-00.4	223	18.7	15.8-21.6	128	19.6	15.9-23.3	2	0.0	00.0-00.0
Some Post-H.S.	903	560,833	442	44.8	40.3-49.3	74	10.7	07.6-13.8	7	0.3	00.0-00.7	215	21.7	18.0-25.4	162	22.2	18.3-26.1	3	0.3	00.0-00.7
College Graduate	969	496,815	388	37.5	33.6-41.4	67	5.7	03.9-07.5	2	0.0	00.0-00.0	239	24.6	21.1-28.1	272	32.0	28.1-35.9	1	0.2	00.0-00.6
Less than \$15,000	358	172,444	235	63.1	55.7-70.5	39	11.8	07.3-16.3	3	0.4	00.0-01.0	67	18.4	12.5-24.3	13	5.7	01.4-10.0	1	0.4	00.0-01.2
\$15,000- 24,999	626	371,657	364	58.3	52.6-64.0	53	11.7	07.2-16.2	2	0.1	00.0-00.3	147	19.1	15.2-23.0	59	10.6	06.9-14.3	1	0.1	00.0-00.3
\$25,000- 34,999	322	190,397	179	47.6	40.0-55.2	33	14.4	08.5-20.3	2	0.4	00.0-01.0	63	18.7	12.6-24.8	45	18.9	11.8-26.0			
\$35,000- 49,999	377	261,076	155	39.1	32.4-45.8	25	7.3	03.6-11.0				92	20.6	15.5-25.7	104	32.9	26.0-39.8	1	0.1	00.0-00.3
\$50,000- 74,999	347	239,632	142	41.7	35.0-48.4	16	4.6	02.1-07.1	1	0.4	00.0-01.2	81	21.8	16.3-27.3	106	31.1	25.0-37.2	1	0.5	00.0-01.5
\$75,000+	514	361,995	196	35.0	29.7-40.3	32	7.5	03.2-11.8	3	0.1	00.0-00.3	116	22.5	18.0-27.0	166	34.8	29.3-40.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1153	914,793	600	48.0	44.3-51.7	104	10.4	07.7-13.1	7	0.3	00.1-00.5	244	20.1	17.2-23.0	195	21.1	17.8-24.4	3	0.2	00.0-00.4
White/Non-Hisp	998	753,362	513	46.9	42.8-51.0	80	8.4	05.7-11.1	6	0.3	00.1-00.5	224	21.8	18.7-24.9	172	22.5	18.8-26.2	3	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	108	100,355	65	59.9	47.6-72.2	16	18.0	08.2-27.8				8	3.9	00.8-07.0	19	18.3	08.1-28.5			
25-34	59	90,517	14	20.4	08.6-32.2	10	23.5	10.2-36.8	1	0.4	00.0-01.2	11	17.7	06.9-28.5	23	38.0	23.3-52.7			
35-44	77	102,039	31	43.5	30.8-56.2	5	2.6	00.1-05.1				13	16.4	07.4-25.4	28	37.5	25.5-49.5			
45-54	180	152,854	81	41.8	33.0-50.6	11	7.3	02.4-12.2				38	21.4	14.3-28.5	50	29.5	21.5-37.5			
55-64	302	207,352	162	53.8	46.5-61.1	35	13.5	08.4-18.6				54	19.5	13.6-25.4	50	13.2	08.5-17.9	1	0.0	00.0-00.0
65+	494	278,337	296	61.5	56.0-67.0	36	6.0	03.5-08.5	6	0.7	00.0-01.5	123	25.1	20.2-30.0	31	6.2	03.1-09.3	2	0.5	00.0-01.3
Less Than H.S.	126	139,464	89	64.3	51.8-76.8	14	12.6	02.2-23.0	1	0.2	00.0-00.8	18	13.0	05.7-20.3	4	9.8	00.8-18.8			
H.S. or G.E.D.	353	291,868	208	50.3	43.4-57.2	30	10.6	06.3-14.9	2	0.2	00.0-00.6	60	16.7	11.8-21.6	51	22.1	15.8-28.4	2	0.1	00.0-00.3
Some Post-H.S.	306	253,209	157	46.2	38.8-53.6	32	12.9	07.6-18.2	3	0.5	00.0-01.3	65	21.7	15.6-27.8	49	18.7	12.6-24.8			
College Graduate	365	227,066	144	36.9	30.8-43.0	27	5.6	03.1-08.1	1	0.0	00.0-00.0	101	27.2	21.5-32.9	91	29.7	23.6-35.8	1	0.5	00.0-01.5
Less than \$15,000	81	62,557	57	63.2	48.3-78.1	7	8.2	01.1-15.3				15	20.5	07.6-33.4	2	8.0	00.0-18.6			
\$15,000- 24,999	190	155,202	115	61.6	52.2-71.0	18	10.4	03.9-16.9	1	0.2	00.0-00.6	40	17.4	11.1-23.7	16	10.5	03.8-17.2			
\$25,000- 34,999	118	82,802	75	56.2	43.3-69.1	14	14.2	04.4-24.0	1	0.8	00.0-02.4	18	17.8	07.4-28.2	10	11.1	01.1-21.1			
\$35,000- 49,999	159	141,646	75	41.3	31.3-51.3	10	10.1	03.4-16.8				34	16.1	09.6-22.6	39	32.3	22.1-42.5	1	0.2	00.0-00.6
\$50,000- 74,999	149	122,343	67	42.1	32.5-51.7	10	6.6	02.3-10.9	1	0.7	00.0-02.1	38	26.1	17.3-34.9	32	23.6	15.2-32.0	1	0.9	00.0-02.7
\$75,000+	207	173,986	78	32.4	24.6-40.2	17	11.3	02.9-19.7	1	0.0	00.0-00.0	43	21.4	14.5-28.3	68	35.0	26.6-43.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2247	1,115,868	1144	47.4	44.5-50.3	179	9.4	07.4-11.4	12	0.2	00.0-00.4	521	21.4	19.2-23.6	387	21.4	18.9-23.9	4	0.2	00.0-00.4
White/Non-Hisp	1967	940,470	998	46.7	43.8-49.6	155	9.7	07.5-11.9	10	0.2	00.0-00.4	470	22.1	19.7-24.5	331	21.2	18.7-23.7	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	224	121,193	119	49.5	39.9-59.1	20	8.0	03.5-12.5	2	0.5	00.0-01.3	41	20.9	13.1-28.7	41	20.6	12.4-28.8	1	0.6	00.0-01.8
25-34	125	140,027	48	39.1	28.9-49.3	11	9.8	03.9-15.7				21	16.4	09.1-23.7	45	34.7	24.7-44.7			
35-44	195	147,667	71	38.0	29.8-46.2	16	8.6	03.3-13.9				32	15.5	10.0-21.0	76	37.9	29.5-46.3			
45-54	328	185,044	140	42.8	35.9-49.7	30	9.2	04.3-14.1				54	16.5	11.4-21.6	103	31.1	25.0-37.2	1	0.4	00.0-01.2
55-64	497	213,491	240	50.9	45.2-56.6	43	9.4	05.9-12.9	1	0.1	00.0-00.3	100	17.5	13.6-21.4	112	22.0	17.7-26.3	1	0.2	00.0-00.6
65+	1036	345,970	615	57.1	53.2-61.0	65	6.5	04.5-08.5	11	0.5	00.1-00.9	302	31.3	27.6-35.0	41	4.3	02.5-06.1	2	0.3	00.0-00.7
Less Than H.S.	316	179,953	202	60.6	52.6-68.6	25	13.3	06.2-20.4	4	0.3	00.0-00.7	68	21.4	15.1-27.7	16	4.1	01.4-06.8	1	0.3	00.0-00.9
H.S. or G.E.D.	728	358,259	413	51.1	46.0-56.2	72	10.9	07.4-14.4	3	0.3	00.0-00.7	163	20.3	16.6-24.0	77	17.5	13.0-22.0			
Some Post-H.S.	597	307,624	285	43.7	38.2-49.2	42	8.8	05.5-12.1	4	0.1	00.0-00.3	150	21.7	17.2-26.2	113	25.1	20.0-30.2	3	0.5	00.0-01.1
College Graduate	604	269,749	244	37.9	32.8-43.0	40	5.7	03.3-08.1	1	0.1	00.0-00.3	138	22.4	18.1-26.7	181	33.9	28.8-39.0			
Less than \$15,000	277	109,887	178	63.1	55.3-70.9	32	13.9	08.0-19.8	3	0.7	00.0-01.7	52	17.2	11.5-22.9	11	4.4	01.3-07.5	1	0.7	00.0-02.1
\$15,000- 24,999	436	216,456	249	56.0	49.1-62.9	35	12.7	06.4-19.0	1	0.0	00.0-00.0	107	20.3	15.4-25.2	43	10.7	06.6-14.8	1	0.2	00.0-00.6
\$25,000- 34,999	204	107,596	104	41.0	32.0-50.0	19	14.5	07.4-21.6	1	0.1	00.0-00.3	45	19.4	12.1-26.7	35	24.9	15.3-34.5			
\$35,000- 49,999	218	119,429	80	36.5	27.9-45.1	15	3.9	01.4-06.4				58	25.9	18.3-33.5	65	33.7	24.7-42.7			
\$50,000- 74,999	198	117,289	75	41.2	32.2-50.2	6	2.6	00.2-05.0				43	17.3	10.8-23.8	74	38.9	30.5-47.3			
\$75,000+	307	188,009	118	37.4	30.5-44.3	15	4.0	01.6-06.4	2	0.2	00.0-00.6	73	23.6	17.7-29.5	98	34.7	27.8-41.6	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6492	4,506,598	2578	29.6	28.2-31.0	3914	70.4	69.0-71.8
Male	2286	2,117,168	848	28.9	26.5-31.3	1438	71.1	68.7-73.5
Female	4206	2,389,430	1730	30.1	28.3-31.9	2476	69.9	68.1-71.7
White/Non-Hisp	5374	3,474,605	2252	31.6	30.0-33.2	3122	68.4	66.8-70.0
Black or Afr. Am./Non-Hisp	868	683,801	244	21.3	17.8-24.8	624	78.7	75.2-82.2
Oth. Race/Non-Hisp.	90	125,519	26	26.3	13.6-39.0	64	73.7	61.0-86.4
MultiRacial/Non-Hisp.	61	80,897	22	32.1	15.6-48.6	39	67.9	51.4-84.4
Hispanic	64	117,618	19	19.1	08.3-29.9	45	80.9	70.1-91.7
18-24	254	514,229	33	14.3	08.6-20.0	221	85.7	80.0-91.4
25-34	583	732,621	76	11.9	09.0-14.8	507	88.1	85.2-91.0
35-44	741	741,378	121	15.8	12.5-19.1	620	84.2	80.9-87.5
45-54	1185	858,063	278	21.2	18.3-24.1	907	78.8	75.9-81.7
55-64	1491	760,200	512	33.4	30.3-36.5	979	66.6	63.5-69.7
65+	2197	874,539	1538	69.6	66.9-72.3	659	30.4	27.7-33.1
Less Than H.S.	846	744,462	415	35.8	31.3-40.3	431	64.2	59.7-68.7
H.S. or G.E.D.	2149	1,483,508	898	30.5	28.1-32.9	1251	69.5	67.1-71.9
Some Post-H.S.	1800	1,316,549	691	28.7	25.8-31.6	1109	71.3	68.4-74.2
College Graduate	1689	955,255	568	24.1	21.7-26.5	1121	75.9	73.5-78.3
Less than \$15,000	814	485,668	359	34.5	30.0-39.0	455	65.5	61.0-70.0
\$15,000- 24,999	1226	847,390	548	31.9	28.4-35.4	678	68.1	64.6-71.6
\$25,000- 34,999	645	444,453	267	30.5	26.0-35.0	378	69.5	65.0-74.0
\$35,000- 49,999	722	560,878	247	24.9	21.2-28.6	475	75.1	71.4-78.8
\$50,000- 74,999	665	507,658	206	27.2	23.1-31.3	459	72.8	68.7-76.9
\$75,000+	899	717,585	230	20.3	16.8-23.8	669	79.7	76.2-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2286	2,117,168	848	28.9	26.5-31.3	1438	71.1	68.7-73.5
White/Non-Hisp	1903	1,624,197	735	30.0	27.5-32.5	1168	70.0	67.5-72.5
Black or Afr. Am./Non-Hisp	272	295,093	74	22.5	16.2-28.8	198	77.5	71.2-83.8
18-24	100	247,066	17	18.9	09.5-28.3	83	81.1	71.7-90.5
25-34	230	358,343	35	13.4	08.5-18.3	195	86.6	81.7-91.5
35-44	258	361,215	41	16.3	11.0-21.6	217	83.7	78.4-89.0
45-54	455	415,248	95	20.2	15.7-24.7	360	79.8	75.3-84.3
55-64	556	357,418	193	34.7	29.6-39.8	363	65.3	60.2-70.4
65+	680	372,871	461	66.6	61.9-71.3	219	33.4	28.7-38.1
Less Than H.S.	250	334,699	115	34.8	27.2-42.4	135	65.2	57.6-72.8
H.S. or G.E.D.	761	706,089	263	26.1	22.6-29.6	498	73.9	70.4-77.4
Some Post-H.S.	647	622,835	238	29.7	25.0-34.4	409	70.3	65.6-75.0
College Graduate	623	447,295	228	27.4	23.3-31.5	395	72.6	68.5-76.7
Less than \$15,000	210	190,355	78	32.9	24.3-41.5	132	67.1	58.5-75.7
\$15,000- 24,999	394	395,218	159	28.6	22.9-34.3	235	71.4	65.7-77.1
\$25,000- 34,999	242	203,575	104	31.4	24.1-38.7	138	68.6	61.3-75.9
\$35,000- 49,999	303	289,170	105	26.1	20.2-32.0	198	73.9	68.0-79.8
\$50,000- 74,999	288	256,230	110	33.6	27.1-40.1	178	66.4	59.9-72.9
\$75,000+	387	378,525	103	19.9	15.4-24.4	284	80.1	75.6-84.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4206	2,389,430	1730	30.1	28.3-31.9	2476	69.9	68.1-71.7
White/Non-Hisp	3471	1,850,408	1517	33.1	31.1-35.1	1954	66.9	64.9-68.9
Black or Afr. Am./Non-Hisp	596	388,708	170	20.4	16.3-24.5	426	79.6	75.5-83.7
Oth. Race/Non-Hisp.	53	62,655	15	16.3	05.5-27.1	38	83.7	72.9-94.5
18-24	154	267,163	16	10.0	03.5-16.5	138	90.0	83.5-96.5
25-34	353	374,278	41	10.5	07.0-14.0	312	89.5	86.0-93.0
35-44	483	380,163	80	15.3	11.4-19.2	403	84.7	80.8-88.6
45-54	730	442,815	183	22.2	18.5-25.9	547	77.8	74.1-81.5
55-64	935	402,783	319	32.2	28.3-36.1	616	67.8	63.9-71.7
65+	1517	501,668	1077	71.8	68.9-74.7	440	28.2	25.3-31.1
Less Than H.S.	596	409,763	300	36.6	31.3-41.9	296	63.4	58.1-68.7
H.S. or G.E.D.	1388	777,419	635	34.5	31.4-37.6	753	65.5	62.4-68.6
Some Post-H.S.	1153	693,713	453	27.8	24.3-31.3	700	72.2	68.7-75.7
College Graduate	1066	507,961	340	21.2	18.5-23.9	726	78.8	76.1-81.5
Less than \$15,000	604	295,314	281	35.5	30.4-40.6	323	64.5	59.4-69.6
\$15,000- 24,999	832	452,172	389	34.7	30.4-39.0	443	65.3	61.0-69.6
\$25,000- 34,999	403	240,878	163	29.8	24.1-35.5	240	70.2	64.5-75.9
\$35,000- 49,999	419	271,708	142	23.6	18.9-28.3	277	76.4	71.7-81.1
\$50,000- 74,999	377	251,427	96	20.6	15.7-25.5	281	79.4	74.5-84.3
\$75,000+	512	339,060	127	20.7	15.6-25.8	385	79.3	74.2-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 12: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	195
2	MALES ONLY	196
3	FEMALES ONLY	197
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	198
5	MALES ONLY	199
6	FEMALES ONLY	200

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4999	2,571,808	610	11.9	10.7-13.1	330	6.9	05.9-07.9	145	2.6	02.0-03.2	79	1.3	00.9-01.7	205	4.1	03.3-04.9	3630	73.1	71.5-74.7
Male	1748	1,186,076	191	10.8	08.8-12.8	103	5.8	04.4-07.2	41	2.3	01.5-03.1	30	1.5	00.7-02.3	79	5.1	03.7-06.5	1304	74.5	71.8-77.2
Female	3251	1,385,732	419	12.9	11.3-14.5	227	7.8	06.4-09.2	104	2.9	02.1-03.7	49	1.2	00.8-01.6	126	3.2	02.4-04.0	2326	72.0	69.8-74.2
White/Non-Hisp	4251	2,098,748	526	12.0	10.8-13.2	293	7.4	06.4-08.4	128	2.8	02.2-03.4	63	1.2	00.8-01.6	178	4.0	03.2-04.8	3063	72.6	70.8-74.4
Black or Afr. Am./Non-Hisp	602	342,830	67	12.3	08.6-16.0	34	6.2	03.5-08.9	13	1.6	00.4-02.8	12	2.0	00.6-03.4	21	3.1	01.5-04.7	455	74.8	69.9-79.7
Oth. Race/Non-Hisp.	55	50,731	9	14.8	00.5-29.1				1	3.1	00.0-09.2	1	0.7	00.0-02.1	5	9.6	00.4-18.8	39	71.8	55.5-88.1
45-54	1210	868,524	147	11.6	09.2-14.0	75	6.1	04.5-07.7	39	3.0	01.8-04.2	18	1.2	00.4-02.0	53	3.4	02.2-04.6	878	74.6	71.7-77.5
55-64	1527	776,791	156	9.7	07.9-11.5	115	8.1	06.1-10.1	40	2.6	01.6-03.6	26	1.7	00.7-02.7	77	5.2	03.6-06.8	1113	72.7	69.8-75.6
65+	2218	891,794	303	14.6	12.4-16.8	136	6.8	05.2-08.4	65	2.3	01.7-02.9	35	1.2	00.6-01.8	73	3.0	02.2-03.8	1606	72.1	69.6-74.6
Less Than H.S.	738	511,203	103	13.6	10.1-17.1	76	10.5	07.4-13.6	29	3.7	02.1-05.3	16	1.8	00.4-03.2	35	4.6	02.8-06.4	479	65.8	60.9-70.7
H.S. or G.E.D.	1710	874,122	177	10.1	08.3-11.9	106	6.3	04.7-07.9	53	2.7	01.7-03.7	30	1.7	00.9-02.5	76	4.8	03.4-06.2	1268	74.3	71.6-77.0
Some Post-H.S.	1321	678,545	157	12.2	09.8-14.6	80	6.1	04.5-07.7	39	1.9	01.1-02.7	26	1.0	00.6-01.4	55	3.3	02.3-04.3	964	75.4	72.5-78.3
College Graduate	1222	502,021	172	13.0	10.6-15.4	67	5.4	03.8-07.0	23	2.1	01.1-03.1	7	0.7	00.1-01.3	35	2.4	01.4-03.4	918	76.4	73.5-79.3
Less than \$15,000	635	283,933	77	10.6	07.5-13.7	60	9.1	06.0-12.2	43	7.2	04.5-09.9	16	2.1	00.7-03.5	60	9.9	06.6-13.2	379	61.1	55.8-66.4
\$15,000- 24,999	938	470,734	124	13.4	10.1-16.7	69	9.0	06.3-11.7	28	2.6	01.2-04.0	22	2.1	00.9-03.3	47	5.3	03.5-07.1	648	67.7	63.4-72.0
\$25,000- 34,999	469	230,405	63	12.6	08.7-16.5	41	9.4	05.9-12.9	15	2.6	01.0-04.2	6	1.1	00.0-02.3	13	2.7	00.7-04.7	331	71.7	66.4-77.0
\$35,000- 49,999	539	311,132	63	9.9	07.2-12.6	23	5.3	02.9-07.7	11	2.2	00.2-04.2	5	0.5	00.0-01.1	11	2.0	00.6-03.4	426	80.0	75.9-84.1
\$50,000- 74,999	488	299,959	63	12.3	08.8-15.8	20	4.7	02.5-06.9	10	1.9	00.5-03.3	5	1.6	00.0-03.2	13	2.8	00.4-05.2	377	76.7	72.0-81.4
\$75,000+	649	399,728	72	11.4	08.5-14.3	32	4.1	02.5-05.7	6	0.8	00.0-01.6	4	0.5	00.0-01.1	10	1.3	00.3-02.3	525	81.8	78.3-85.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1748	1,186,076	191	10.8	08.8-12.8	103	5.8	04.4-07.2	41	2.3	01.5-03.1	30	1.5	00.7-02.3	79	5.1	03.7-06.5	1304	74.5	71.8-77.2
White/Non-Hisp	1498	957,202	167	10.6	08.6-12.6	93	6.5	04.9-08.1	37	2.4	01.4-03.4	23	1.1	00.5-01.7	68	5.0	03.4-06.6	1110	74.2	71.5-76.9
Black or Afr. Am./Non-Hisp	190	157,236	19	12.2	05.9-18.5	10	4.3	00.6-08.0	2	1.1	00.0-02.7	5	2.5	00.0-05.0	7	2.7	00.2-05.2	147	77.1	69.3-84.9
45-54	466	418,410	47	10.0	06.7-13.3	19	3.6	01.8-05.4	12	2.5	00.7-04.3	7	1.0	00.2-01.8	17	3.0	01.2-04.8	364	79.9	75.6-84.2
55-64	579	368,828	54	9.2	06.5-11.9	43	7.0	04.3-09.7	16	2.9	01.1-04.7	12	2.7	00.7-04.7	35	6.8	04.1-09.5	419	71.3	66.6-76.0
65+	693	385,050	90	13.5	10.0-17.0	39	7.3	04.6-10.0	13	1.5	00.5-02.5	11	1.0	00.4-01.6	25	4.1	02.3-05.9	515	72.6	68.1-77.1
Less Than H.S.	212	216,647	24	11.1	05.2-17.0	22	10.1	05.0-15.2	10	4.0	01.1-06.9	5	2.8	00.3-05.3	11	5.7	02.2-09.2	140	66.4	58.0-74.8
H.S. or G.E.D.	578	396,399	53	9.4	06.5-12.3	37	5.7	03.5-07.9	11	2.1	00.5-03.7	14	1.9	00.5-03.3	32	6.7	04.0-09.4	431	74.2	69.7-78.7
Some Post-H.S.	482	324,141	50	11.2	07.7-14.7	23	5.1	02.7-07.5	11	1.2	00.2-02.2	6	0.5	00.1-00.9	22	3.4	01.8-05.0	370	78.7	74.2-83.2
College Graduate	472	243,642	64	12.4	09.1-15.7	21	3.4	01.8-05.0	8	2.1	00.3-03.9	5	1.3	00.1-02.5	11	2.5	00.7-04.3	363	78.3	73.8-82.8
Less than \$15,000	165	111,176	15	7.7	02.8-12.6	19	9.4	04.1-14.7	7	5.8	00.7-10.9	4	2.7	00.0-05.6	19	12.7	06.0-19.4	101	61.7	51.7-71.7
\$15,000- 24,999	292	212,654	30	11.5	05.8-17.2	20	7.6	03.5-11.7	9	2.5	00.5-04.5	11	2.0	00.4-03.6	23	7.2	03.9-10.5	199	69.1	61.7-76.5
\$25,000- 34,999	185	109,037	19	9.9	04.6-15.2	13	6.8	02.7-10.9	5	2.5	00.0-05.0	2	1.0	00.0-02.8	5	3.3	00.0-06.8	141	76.5	69.1-83.9
\$35,000- 49,999	220	146,495	29	11.3	06.8-15.8	7	4.1	00.8-07.4	4	2.2	00.0-05.3	2	0.4	00.0-01.0	6	2.5	00.1-04.9	172	79.4	72.9-85.9
\$50,000- 74,999	220	160,662	22	9.3	04.8-13.8	9	4.6	01.3-07.9	3	1.5	00.0-03.5	4	2.6	00.0-05.3	6	3.4	00.0-07.3	176	78.6	71.7-85.5
\$75,000+	287	216,379	36	13.4	08.7-18.1	14	3.6	01.4-05.8	2	0.5	00.0-01.3				3	0.9	00.0-01.9	232	81.6	76.3-86.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3251	1,385,732	419	12.9	11.3-14.5	227	7.8	06.4-09.2	104	2.9	02.1-03.7	49	1.2	00.8-01.6	126	3.2	02.4-04.0	2326	72.0	69.8-74.2
White/Non-Hisp	2753	1,141,546	359	13.1	11.5-14.7	200	8.1	06.7-09.5	91	3.1	02.3-03.9	40	1.2	00.6-01.8	110	3.2	02.4-04.0	1953	71.3	69.1-73.5
Black or Afr. Am./Non-Hisp	412	185,595	48	12.3	07.8-16.8	24	7.8	03.7-11.9	11	2.1	00.3-03.9	7	1.5	00.0-03.1	14	3.4	01.4-05.4	308	72.9	66.8-79.0
45-54	744	450,115	100	13.1	10.2-16.0	56	8.5	06.0-11.0	27	3.5	01.9-05.1	11	1.4	00.2-02.6	36	3.7	02.3-05.1	514	69.7	65.6-73.8
55-64	948	407,963	102	10.1	07.7-12.5	72	9.1	06.4-11.8	24	2.3	01.1-03.5	14	0.8	00.4-01.2	42	3.8	02.2-05.4	694	73.9	70.2-77.6
65+	1525	506,744	213	15.4	12.9-17.9	97	6.4	04.8-08.0	52	2.8	01.8-03.8	24	1.4	00.6-02.2	48	2.3	01.5-03.1	1091	71.8	68.7-74.9
Less Than H.S.	526	294,556	79	15.5	11.2-19.8	54	10.8	06.9-14.7	19	3.4	01.4-05.4	11	1.1	00.0-02.3	24	3.8	02.0-05.6	339	65.3	59.6-71.0
H.S. or G.E.D.	1132	477,723	124	10.7	08.3-13.1	69	6.9	04.9-08.9	42	3.2	01.8-04.6	16	1.6	00.6-02.6	44	3.2	02.0-04.4	837	74.4	71.1-77.7
Some Post-H.S.	839	354,404	107	13.2	10.1-16.3	57	7.0	04.8-09.2	28	2.6	01.4-03.8	20	1.5	00.7-02.3	33	3.3	01.9-04.7	594	72.3	68.4-76.2
College Graduate	750	258,379	108	13.6	10.7-16.5	46	7.4	04.9-09.9	15	2.1	00.7-03.5	2	0.1	00.0-00.3	24	2.2	01.0-03.4	555	74.7	70.8-78.6
Less than \$15,000	470	172,757	62	12.4	08.5-16.3	41	8.9	05.0-12.8	36	8.2	05.1-11.3	12	1.8	00.6-03.0	41	8.1	05.0-11.2	278	60.7	54.6-66.8
\$15,000- 24,999	646	258,081	94	15.0	11.1-18.9	49	10.1	06.2-14.0	19	2.8	01.0-04.6	11	2.1	00.5-03.7	24	3.6	02.0-05.2	449	66.4	61.1-71.7
\$25,000- 34,999	284	121,368	44	15.0	09.3-20.7	28	11.7	06.4-17.0	10	2.7	00.5-04.9	4	1.2	00.0-02.6	8	2.1	00.1-04.1	190	67.4	60.0-74.8
\$35,000- 49,999	319	164,636	34	8.7	05.2-12.2	16	6.4	02.9-09.9	7	2.2	00.0-04.6	3	0.6	00.0-01.4	5	1.6	00.0-03.2	254	80.5	75.0-86.0
\$50,000- 74,999	268	139,296	41	15.8	10.5-21.1	11	4.7	01.8-07.6	7	2.3	00.3-04.3	1	0.5	00.0-01.5	7	2.2	00.0-04.4	201	74.5	68.2-80.8
\$75,000+	362	183,349	36	9.1	05.8-12.4	18	4.7	02.3-07.1	4	1.1	00.0-02.3	4	1.1	00.0-02.7	7	1.8	00.0-03.6	293	82.1	77.6-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 12: FALLS

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1335	680,001	304	24.4	21.1-27.7	71	4.7	03.3-06.1	27	2.0	01.0-03.0	8	0.4	00.0-00.8	34	2.9	01.3-04.5	891	65.6	62.1-69.1
Male	430	297,232	80	19.7	14.6-24.8	15	2.9	01.1-04.7	12	2.5	00.7-04.3	1	0.1	00.0-00.3	13	4.5	01.0-08.0	309	70.3	64.4-76.2
Female	905	382,769	224	28.0	23.9-32.1	56	6.2	04.0-08.4	15	1.6	00.6-02.6	7	0.5	00.0-01.1	21	1.7	00.7-02.7	582	62.0	57.7-66.3
White/Non-Hisp	1161	565,512	264	25.0	21.5-28.5	62	4.9	03.3-06.5	26	2.2	01.2-03.2	7	0.4	00.0-00.8	26	2.0	00.6-03.4	776	65.6	61.9-69.3
Black or Afr. Am./Non-Hisp	140	84,559	35	20.6	12.0-29.2	8	5.3	01.2-09.4	1	1.6	00.0-04.7	1	0.2	00.0-00.6	5	2.8	00.0-05.7	90	69.4	59.6-79.2
45-54	322	216,292	75	23.1	17.4-28.8	23	6.3	03.4-09.2	9	2.9	00.5-05.3	3	0.3	00.0-00.7	12	3.5	01.1-05.9	200	63.9	57.4-70.4
55-64	404	210,003	91	24.5	18.6-30.4	26	5.9	03.2-08.6	12	2.9	00.9-04.9	2	0.4	00.0-01.2	9	0.9	00.1-01.7	264	65.4	59.1-71.7
65+	598	244,191	137	26.3	21.0-31.6	22	2.6	01.0-04.2	5	0.5	00.1-00.9	3	0.4	00.0-01.0	11	1.4	00.4-02.4	420	68.9	63.4-74.4
Less Than H.S.	257	173,929	70	28.7	20.9-36.5	14	4.0	01.1-06.9	7	3.8	00.7-06.9	3	0.5	00.0-01.3	7	1.7	00.3-03.1	156	61.3	53.1-69.5
H.S. or G.E.D.	426	219,282	96	22.8	17.5-28.1	26	5.4	02.9-07.9	8	1.3	00.3-02.3	3	0.3	00.0-00.7	11	3.6	00.5-06.7	282	66.7	60.8-72.6
Some Post-H.S.	347	164,107	77	24.8	18.5-31.1	16	5.4	02.3-08.5	8	1.9	00.3-03.5	2	0.6	00.0-01.6	8	1.6	00.2-03.0	236	65.8	59.1-72.5
College Graduate	300	117,344	58	20.3	14.4-26.2	15	4.0	01.6-06.4	4	1.0	00.0-02.2				6	2.0	00.0-04.7	217	72.6	66.1-79.1
Less than \$15,000	248	107,742	57	23.5	15.9-31.1	18	5.0	01.9-08.1	11	4.9	01.0-08.8	4	1.3	00.0-02.9	12	5.8	01.7-09.9	146	59.5	51.1-67.9
\$15,000- 24,999	285	150,278	64	25.8	18.2-33.4	20	5.7	02.4-09.0	9	4.1	01.0-07.2	1	0.1	00.0-00.3	4	1.2	00.0-02.6	187	63.1	55.1-71.1
\$25,000- 34,999	136	65,015	33	26.9	16.5-37.3	5	3.6	00.0-07.5	1	0.4	00.0-01.2	1	1.2	00.0-03.4	1	0.3	00.0-00.9	95	67.8	57.2-78.4
\$35,000- 49,999	111	61,610	34	27.6	17.4-37.8	7	7.1	01.6-12.6	7	7.1	01.6-12.6	1	1.1	00.0-03.3	1	1.1	00.0-03.3	69	64.3	53.5-75.1
\$50,000- 74,999	111	69,859	21	20.1	10.9-29.3	5	7.6	01.1-14.1	2	0.7	00.0-01.7				3	5.1	00.0-13.3	80	66.5	54.7-78.3
\$75,000+	122	71,897	25	22.5	13.1-31.9	4	2.3	00.0-04.8							1	0.6	00.0-01.8	92	74.5	64.9-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 12: FALLS

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	430	297,232	80	19.7	14.6-24.8	15	2.9	01.3-04.5	12	2.5	00.7-04.3	1	0.1	00.0-00.3	13	4.5	01.0-08.0	309	70.3	64.4-76.2
White/Non-Hisp	376	241,857	72	20.5	15.0-26.0	12	3.0	01.0-05.0	12	3.1	00.9-05.3	1	0.2	00.0-00.6	11	3.3	00.6-06.0	268	69.9	63.8-76.0
45-54	97	81,807	19	16.7	07.7-25.7	4	3.0	00.0-06.3	3	3.3	00.0-07.6	1	0.5	00.0-01.5	3	3.7	00.0-08.2	67	72.8	62.4-83.2
55-64	155	104,427	26	18.8	11.0-26.6	7	4.0	00.7-07.3	7	4.0	00.5-07.5				5	1.4	00.0-03.2	110	71.9	63.1-80.7
65+	174	103,783	34	24.2	14.6-33.8	4	1.9	00.0-04.1	2	0.7	00.0-01.7				3	1.8	00.0-04.0	131	71.3	61.7-80.9
Less Than H.S.	71	72,122	21	27.3	13.8-40.8				3	5.6	00.0-11.9				1	0.7	00.0-02.1	46	66.4	52.3-80.5
H.S. or G.E.D.	139	99,389	23	16.5	09.1-23.9	10	6.4	02.1-10.7	4	1.7	00.0-03.7	1	0.4	00.0-01.2	4	5.0	00.0-11.3	97	69.9	60.5-79.3
Some Post-H.S.	109	67,954	17	16.8	07.4-26.2	4	2.5	00.0-05.4	4	2.5	00.0-05.4				4	2.8	00.0-05.9	80	75.5	65.3-85.7
College Graduate	109	52,881	18	18.8	10.0-27.6	1	1.0	00.0-03.0	1	0.2	00.0-00.6				3	4.0	00.0-09.9	86	76.0	65.8-86.2
Less than \$15,000	60	40,536	15	21.5	08.4-34.6	2	1.3	00.0-03.5	3	6.7	00.0-15.5	1	0.9	00.0-02.7	4	7.7	00.0-16.5	35	61.7	46.0-77.4
\$15,000- 24,999	91	64,941	15	19.1	06.6-31.6	4	3.4	00.0-07.1	4	4.6	00.0-09.7				3	2.0	00.0-04.7	65	70.9	57.8-84.0
\$75,000+	55	39,904	11	26.5	12.0-41.0										1	1.2	00.0-03.6	43	72.3	57.8-86.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 12: FALLS

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	905	382,769	224	28.0	23.9-32.1	56	6.2	04.0-08.4	15	1.6	00.6-02.6	7	0.5	00.0-01.1	21	1.7	00.7-02.7	582	62.0	57.7-66.3
White/Non-Hisp	785	323,655	192	28.4	23.9-32.9	50	6.3	04.1-08.5	14	1.5	00.5-02.5	6	0.6	00.0-01.2	15	1.0	00.2-01.8	508	62.3	57.8-66.8
Black or Afr. Am./Non-Hisp	99	49,004	28	24.9	13.1-36.7	5	6.4	00.1-12.7	1	2.8	00.0-08.3	1	0.4	00.0-01.2	5	4.8	00.0-09.7	59	60.7	47.6-73.8
45-54	225	134,485	56	27.0	19.7-34.3	19	8.2	03.9-12.5	6	2.6	00.1-05.1	2	0.2	00.0-00.6	9	3.4	00.9-05.9	133	58.5	50.5-66.5
55-64	249	105,576	65	30.2	21.6-38.8	19	7.8	03.5-12.1	5	1.9	00.1-03.7	2	0.8	00.0-02.2	4	0.4	00.0-00.8	154	59.0	50.4-67.6
65+	424	140,408	103	27.8	21.7-33.9	18	3.1	00.9-05.3	3	0.3	00.0-00.7	3	0.6	00.0-01.6	8	1.1	00.1-02.1	289	67.0	60.7-73.3
Less Than H.S.	186	101,807	49	29.6	20.4-38.8	14	6.9	02.2-11.6	4	2.6	00.0-05.7	3	0.9	00.0-02.3	6	2.4	00.2-04.6	110	57.7	47.9-67.5
H.S. or G.E.D.	287	119,893	73	27.9	20.6-35.2	16	4.4	01.7-07.1	4	0.9	00.0-01.9	2	0.2	00.0-00.4	7	2.5	00.1-04.9	185	64.1	56.7-71.5
Some Post-H.S.	238	96,153	60	30.4	22.4-38.4	12	7.4	02.7-12.1	4	1.6	00.0-03.6	2	1.0	00.0-02.6	4	0.7	00.0-01.5	156	58.9	50.5-67.3
College Graduate	191	64,463	40	21.6	13.8-29.4	14	6.5	02.6-10.4	3	1.7	00.0-03.9				3	0.4	00.0-00.8	131	69.9	61.3-78.5
Less than \$15,000	188	67,206	42	24.6	15.2-34.0	16	7.3	02.6-12.0	8	3.8	00.5-07.1	3	1.5	00.0-03.7	8	4.7	00.6-08.8	111	58.1	48.3-67.9
\$15,000- 24,999	194	85,337	49	30.9	21.5-40.3	16	7.5	02.4-12.6	5	3.7	00.0-07.4	1	0.1	00.0-00.3	1	0.6	00.0-01.8	122	57.2	47.4-67.0
\$25,000- 34,999	93	39,547	26	35.6	21.7-49.5	4	5.0	00.0-11.1				1	1.9	00.0-05.6	1	0.4	00.0-01.2	61	57.1	43.2-71.0
\$35,000- 49,999	65	32,099	22	33.1	18.2-48.0	5	8.5	00.5-16.5										38	58.4	43.3-73.5
\$50,000- 74,999	67	35,478	17	29.0	15.5-42.5	3	9.0	00.0-18.8							2	1.3	00.0-03.5	45	60.7	46.2-75.2
\$75,000+	67	31,993	14	17.5	07.3-27.7	4	5.2	00.0-10.9										49	77.3	66.1-88.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	202
2	MALES ONLY	203
3	FEMALES ONLY	204

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6703	4,715,808	5950	85.9	84.7-87.1	389	6.9	05.9-07.9	188	3.8	03.0-04.6	69	1.5	01.1-01.9	94	1.8	01.2-02.4	13	0.1	00.1-00.1
Male	2401	2,253,447	2003	81.0	78.8-83.2	190	8.5	06.9-10.1	103	5.8	04.4-07.2	38	1.6	01.0-02.2	62	3.0	02.0-04.0	5	0.1	00.1-00.1
Female	4302	2,462,361	3947	90.4	89.0-91.8	199	5.4	04.4-06.4	85	2.0	01.4-02.6	31	1.3	00.5-02.1	32	0.8	00.4-01.2	8	0.1	00.0-00.3
White/Non-Hisp	5550	3,643,999	4911	85.2	83.8-86.6	329	7.4	06.4-08.4	160	4.0	03.2-04.8	59	1.5	01.1-01.9	83	1.9	01.3-02.5	8	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	893	711,289	803	88.1	84.8-91.4	47	4.9	03.1-06.7	23	3.8	01.8-05.8	9	1.5	00.0-03.1	7	1.3	00.0-02.7	4	0.3	00.0-00.7
Oth. Race/Non-Hisp.	94	127,776	88	93.1	86.6-99.6	4	5.5	00.0-11.6	1	1.0	00.0-03.0				1	0.4	00.0-01.2			
MultiRacial/Non-Hisp.	62	84,897	55	86.8	75.2-98.4	2	5.3	00.0-12.6	3	3.4	00.0-07.9	1	4.5	00.0-13.1				1	0.1	00.0-00.3
Hispanic	67	121,411	62	89.1	79.5-98.7	2	4.9	00.0-11.6	1	3.1	00.0-09.2				2	2.9	00.0-07.0			
18-24	285	568,248	230	78.8	73.3-84.3	22	7.8	04.5-11.1	24	9.4	05.5-13.3	4	2.5	00.0-05.0	5	1.6	00.0-03.2			
25-34	621	788,142	530	84.9	81.6-88.2	49	7.5	05.1-09.9	16	2.5	01.1-03.9	11	1.8	00.6-03.0	14	3.1	01.3-04.9	1	0.1	00.0-00.3
35-44	775	781,549	676	84.7	81.2-88.2	55	8.5	05.8-11.2	26	4.6	02.4-06.8	9	1.3	00.1-02.5	9	0.9	00.1-01.7			
45-54	1217	872,845	1059	86.4	84.0-88.8	71	6.2	04.6-07.8	46	3.8	02.6-05.0	12	1.0	00.2-01.8	24	2.4	01.2-03.6	5	0.2	00.0-00.4
55-64	1532	782,887	1363	86.6	84.2-89.0	90	6.6	05.0-08.2	38	3.4	01.8-05.0	21	1.8	00.8-02.8	18	1.5	00.5-02.5	2	0.1	00.1-00.1
65+	2230	894,300	2053	91.1	89.3-92.9	99	5.3	03.9-06.7	37	1.2	00.6-01.8	12	0.7	00.1-01.3	24	1.5	00.7-02.3	5	0.2	00.0-00.4
Less Than H.S.	865	760,872	755	82.2	78.1-86.3	34	5.3	02.9-07.7	35	5.8	03.3-08.3	13	2.4	00.4-04.4	21	3.7	01.7-05.7	7	0.4	00.0-00.8
H.S. or G.E.D.	2212	1,565,651	1932	84.0	81.6-86.4	131	6.6	05.2-08.0	81	5.3	03.7-06.9	22	1.6	00.8-02.4	41	2.5	01.5-03.5	5	0.0	00.0-00.0
Some Post-H.S.	1850	1,366,123	1630	86.7	84.5-88.9	135	8.4	06.6-10.2	47	2.9	01.9-03.9	17	1.1	00.5-01.7	20	0.9	00.3-01.5	1	0.0	00.0-00.0
College Graduate	1767	1,016,244	1626	90.7	88.7-92.7	87	6.3	04.5-08.1	25	1.4	00.6-02.2	17	0.9	00.3-01.5	12	0.7	00.1-01.3			
Less than \$15,000	838	506,214	750	84.5	80.2-88.8	36	5.6	03.2-08.0	23	4.0	01.6-06.4	8	1.7	00.0-03.7	14	3.5	01.0-06.0	7	0.7	00.1-01.3
\$15,000- 24,999	1252	869,149	1098	84.5	81.4-87.6	67	6.4	04.2-08.6	50	5.9	03.7-08.1	14	1.1	00.3-01.9	19	2.1	00.9-03.3	4	0.1	00.1-00.1
\$25,000- 34,999	663	461,340	578	84.5	80.4-88.6	51	8.6	05.7-11.5	14	3.4	01.0-05.8	7	1.6	00.2-03.0	13	2.0	00.6-03.4			
\$35,000- 49,999	744	582,537	633	84.6	81.1-88.1	65	8.4	05.9-10.9	27	3.9	01.9-05.9	12	1.5	00.5-02.5	7	1.6	00.2-03.0			
\$50,000- 74,999	683	527,787	603	86.3	83.0-89.6	46	7.6	05.1-10.1	22	4.2	02.2-06.2	5	1.0	00.0-02.2	7	0.9	00.0-01.9			
\$75,000+	945	765,311	862	88.2	85.3-91.1	49	7.6	05.1-10.1	12	1.6	00.4-02.8	11	1.5	00.5-02.5	11	1.1	00.3-01.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2401	2,253,447	2003	81.0	78.8-83.2	190	8.5	06.9-10.1	103	5.8	04.4-07.2	38	1.6	01.0-02.2	62	3.0	02.0-04.0	5	0.1	00.1-00.1
White/Non-Hisp	2003	1,737,254	1661	79.8	77.4-82.2	161	9.3	07.5-11.1	90	6.0	04.4-07.6	32	1.6	01.0-02.2	56	3.2	02.2-04.2	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	284	310,718	241	83.1	77.2-89.0	23	6.5	03.2-09.8	9	6.0	01.9-10.1	5	1.3	00.0-02.7	5	2.9	00.0-06.0	1	0.2	00.0-00.6
18-24	118	285,798	89	74.6	66.0-83.2	7	5.7	01.4-10.0	16	14.7	07.4-22.0	2	2.0	00.0-04.9	4	3.0	00.1-05.9			
25-34	246	389,322	203	82.8	77.5-88.1	18	7.9	04.2-11.6	8	2.5	00.5-04.5	5	1.5	00.0-03.1	12	5.3	02.0-08.6			
35-44	276	388,748	222	78.1	72.0-84.2	28	12.7	07.6-17.8	19	7.8	03.9-11.7	5	0.9	00.0-01.9	2	0.6	00.0-01.4			
45-54	472	424,547	384	81.7	77.6-85.8	35	7.1	04.4-09.8	25	5.5	03.1-07.9	7	1.6	00.2-03.0	16	3.6	01.6-05.6	5	0.5	00.0-01.1
55-64	580	371,785	482	79.9	75.6-84.2	52	9.5	06.6-12.4	22	5.5	02.6-08.4	12	2.5	00.9-04.1	12	2.6	00.8-04.4			
65+	701	386,385	616	86.9	83.4-90.4	49	7.5	04.8-10.2	13	1.4	00.4-02.4	7	1.3	00.1-02.5	16	2.9	00.9-04.9			
Less Than H.S.	257	346,248	200	74.9	67.5-82.3	19	6.9	02.6-11.2	19	10.5	05.2-15.8	6	1.5	00.0-03.1	11	5.9	02.0-09.8	2	0.3	00.0-00.7
H.S. or G.E.D.	802	767,694	648	78.1	74.2-82.0	64	8.1	05.7-10.5	46	7.6	04.9-10.3	13	2.1	00.7-03.5	29	4.2	02.4-06.0	2	0.0	00.0-00.0
Some Post-H.S.	673	653,088	556	82.6	79.1-86.1	64	10.3	07.4-13.2	28	4.2	02.4-06.0	11	1.4	00.4-02.4	13	1.5	00.5-02.5	1	0.1	00.0-00.3
College Graduate	663	480,073	595	88.0	84.5-91.5	41	7.8	04.9-10.7	10	1.9	00.5-03.3	8	1.3	00.3-02.3	9	1.1	00.1-02.1			
Less than \$15,000	221	205,125	182	76.9	68.7-85.1	15	6.9	02.6-11.2	10	6.1	01.2-11.0	3	2.3	00.0-06.0	9	7.2	01.5-12.9	2	0.6	00.0-01.4
\$15,000- 24,999	410	410,915	335	80.4	74.9-85.9	29	6.8	03.1-10.5	25	7.9	04.2-11.6	8	1.5	00.3-02.7	11	3.4	01.2-05.6	2	0.1	00.0-00.3
\$25,000- 34,999	253	213,118	206	76.9	69.5-84.3	24	11.9	06.2-17.6	8	5.3	00.6-10.0	5	2.1	00.0-04.3	10	3.9	01.2-06.6			
\$35,000- 49,999	311	298,915	242	77.0	70.9-83.1	36	11.1	06.8-15.4	19	6.7	02.8-10.6	8	2.2	00.4-04.0	6	3.0	00.5-05.5			
\$50,000- 74,999	299	269,423	252	81.5	76.0-87.0	26	10.3	06.0-14.6	12	5.6	02.3-08.9	3	0.9	00.0-02.1	6	1.7	00.0-03.5			
\$75,000+	415	412,233	366	85.1	80.4-89.8	29	9.4	05.3-13.5	7	2.5	00.5-04.5	5	1.3	00.1-02.5	8	1.7	00.1-03.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4302	2,462,361	3947	90.4	89.0-91.8	199	5.4	04.4-06.4	85	2.0	01.4-02.6	31	1.3	00.5-02.1	32	0.8	00.4-01.2	8	0.1	00.0-00.3
White/Non-Hisp	3547	1,906,745	3250	90.1	88.5-91.7	168	5.6	04.4-06.8	70	2.2	01.4-03.0	27	1.3	00.5-02.1	27	0.8	00.4-01.2	5	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	609	400,571	562	91.9	88.4-95.4	24	3.7	01.7-05.7	14	2.1	00.7-03.5	4	1.8	00.0-04.5	2	0.2	00.0-00.4	3	0.4	00.0-01.0
Oth. Race/Non-Hisp.	57	64,912	53	92.3	82.9-0100	3	7.0	00.0-16.4						1	0.7	00.0-02.1				
18-24	167	282,450	141	83.0	76.1-89.9	15	9.9	04.8-15.0	8	4.0	00.9-07.1	2	3.1	00.0-07.4	1	0.0	00.0-00.0			
25-34	375	398,820	327	87.0	82.9-91.1	31	7.2	04.3-10.1	8	2.6	00.6-04.6	6	2.1	00.1-04.1	2	0.9	00.0-02.3	1	0.1	00.0-00.3
35-44	499	392,800	454	91.2	88.1-94.3	27	4.4	02.4-06.4	7	1.4	00.2-02.6	4	1.7	00.0-03.9	7	1.2	00.0-02.6			
45-54	745	448,298	675	90.8	88.3-93.3	36	5.2	03.2-07.2	21	2.2	01.0-03.4	5	0.5	00.1-00.9	8	1.3	00.1-02.5			
55-64	952	411,102	881	92.7	90.5-94.9	38	3.9	02.3-05.5	16	1.6	00.6-02.6	9	1.1	00.3-01.9	6	0.6	00.0-01.2	2	0.1	00.0-00.3
65+	1529	507,915	1437	94.2	92.6-95.8	50	3.5	02.1-04.9	24	1.1	00.5-01.7	5	0.4	00.0-00.8	8	0.4	00.0-00.8	5	0.3	00.0-00.7
Less Than H.S.	608	414,624	555	88.3	84.0-92.6	15	4.0	01.6-06.4	16	1.9	00.7-03.1	7	3.2	00.0-06.5	10	2.0	00.2-03.8	5	0.5	00.0-01.1
H.S. or G.E.D.	1410	797,956	1284	89.6	87.2-92.0	67	5.1	03.5-06.7	35	3.1	01.7-04.5	9	1.2	00.2-02.2	12	0.9	00.1-01.7	3	0.0	00.0-00.0
Some Post-H.S.	1177	713,035	1074	90.4	88.0-92.8	71	6.8	04.6-09.0	19	1.6	00.6-02.6	6	0.8	00.0-01.6	7	0.3	00.1-00.5			
College Graduate	1104	536,171	1031	93.1	91.1-95.1	46	4.9	03.1-06.7	15	1.0	00.2-01.8	9	0.7	00.1-01.3	3	0.3	00.0-00.7			
Less than \$15,000	617	301,089	568	89.6	85.5-93.7	21	4.7	02.0-07.4	13	2.6	00.4-04.8	5	1.4	00.0-03.4	5	1.1	00.0-02.7	5	0.7	00.0-01.5
\$15,000- 24,999	842	458,234	763	88.1	84.8-91.4	38	6.0	03.5-08.5	25	4.0	01.8-06.2	6	0.8	00.0-01.6	8	1.0	00.0-02.0	2	0.1	00.0-00.3
\$25,000- 34,999	410	248,222	372	91.0	87.5-94.5	27	5.7	03.2-08.2	6	1.9	00.0-03.9	2	1.1	00.0-02.9	3	0.3	00.0-00.7			
\$35,000- 49,999	433	283,623	391	92.6	90.1-95.1	29	5.6	03.2-08.0	8	0.9	00.1-01.7	4	0.7	00.0-01.5	1	0.2	00.0-00.6			
\$50,000- 74,999	384	258,365	351	91.2	87.5-94.9	20	4.9	02.4-07.4	10	2.7	00.7-04.7	2	1.2	00.0-03.4	1	0.1	00.0-00.3			
\$75,000+	530	353,078	496	91.9	88.6-95.2	20	5.5	02.8-08.2	5	0.6	00.0-01.2	6	1.7	00.0-03.5	3	0.4	00.0-00.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 14: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	206
2	MALES ONLY	207
3	FEMALES ONLY	208

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2245	1,880,859	25	1.7	00.9-02.5	17	0.8	00.4-01.2	2	0.2	00.0-00.4	1	0.0	00.0-00.0	36	1.5	00.7-02.3	2164	95.8	94.6-97.0
Male	1023	1,067,338	17	2.3	01.1-03.5	14	1.2	00.4-02.0	2	0.3	00.0-00.7				14	1.3	00.3-02.3	976	94.9	93.1-96.7
Female	1222	813,521	8	0.9	00.3-01.5	3	0.3	00.0-00.7				1	0.1	00.0-00.3	22	1.7	00.5-02.9	1188	97.0	95.6-98.4
White/Non-Hisp	1836	1,412,552	17	1.6	00.8-02.4	13	0.7	00.3-01.1	2	0.2	00.0-00.6	1	0.1	00.0-00.3	24	1.4	00.6-02.2	1779	96.1	94.9-97.3
Black or Afr. Am./Non-Hisp	314	315,818	6	2.6	00.4-04.8	3	0.9	00.0-01.9							9	1.9	00.0-03.9	296	94.6	91.5-97.7
18-24	125	239,468	5	3.2	00.3-06.1	2	1.5	00.0-03.5	1	0.6	00.0-01.8				2	1.8	00.0-04.3	115	93.0	88.5-97.5
25-34	327	439,548	6	2.4	00.4-04.4	6	1.4	00.2-02.6	1	0.5	00.0-01.5				4	1.8	00.0-03.6	310	94.0	91.1-96.9
35-44	333	372,545	4	1.4	00.0-02.8	2	0.6	00.0-01.4				1	0.2	00.0-00.6				326	97.8	96.0-99.6
45-54	472	356,667	5	1.6	00.0-03.2										5	1.5	00.0-03.3	462	96.9	94.5-99.3
55-64	496	250,297	4	1.2	00.0-02.6	6	1.1	00.0-02.3							9	1.0	00.2-01.8	477	96.7	94.7-98.7
65+	478	208,582				1	0.1	00.0-00.3							13	2.3	00.7-03.9	464	97.6	96.0-99.2
Less Than H.S.	135	179,922													4	3.5	00.0-07.4	131	96.5	92.6-0100
H.S. or G.E.D.	573	543,514	6	1.2	00.2-02.2	6	1.1	00.1-02.1				1	0.2	00.0-00.6	12	2.5	00.5-04.5	548	95.1	92.7-97.5
Some Post-H.S.	655	588,046	9	2.6	00.8-04.4	6	1.0	00.0-02.0							8	0.9	00.1-01.7	632	95.5	93.3-97.7
College Graduate	877	566,798	10	1.9	00.7-03.1	5	0.6	00.0-01.2	2	0.6	00.0-01.4				8	0.5	00.1-00.9	852	96.5	94.9-98.1
Less than \$15,000	175	143,129	3	3.2	00.0-06.9	1	0.6	00.0-01.8							6	5.5	00.2-10.8	165	90.6	84.1-97.1
\$15,000- 24,999	323	294,778	6	3.1	00.4-05.8	2	1.0	00.0-02.4	1	0.4	00.0-01.2	1	0.3	00.0-00.9	5	1.8	00.0-03.8	308	93.4	89.7-97.1
\$25,000- 34,999	216	176,263	3	1.3	00.0-02.9	4	1.9	00.0-04.1							1	0.1	00.0-00.3	208	96.7	94.0-99.4
\$35,000- 49,999	285	251,621	4	2.8	00.1-05.5										1	0.3	00.0-00.9	280	97.0	94.3-99.7
\$50,000- 74,999	290	246,574	2	0.9	00.0-02.3	1	0.1	00.0-00.3							2	1.7	00.0-04.2	285	97.2	94.3-0100
\$75,000+	539	454,975	4	1.0	00.0-02.2	4	0.9	00.0-01.9	1	0.4	00.0-01.2				2	0.3	00.0-00.9	528	97.3	95.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1023	1,067,338	17	2.3	01.1-03.5	14	1.2	00.4-02.0	2	0.3	00.0-00.7	14	1.3	00.3-02.3	976	94.9	93.1-96.7
White/Non-Hisp	840	792,797	11	2.1	00.7-03.5	12	1.2	00.4-02.0	2	0.4	00.0-01.0	12	1.4	00.4-02.4	803	94.9	92.9-96.9
Black or Afr. Am./Non-Hisp	136	177,004	5	4.0	00.3-07.7	1	0.5	00.0-01.5				1	0.6	00.0-01.8	129	94.8	90.7-98.9
18-24	62	139,253	2	3.0	00.0-07.1	2	2.5	00.0-06.0	1	1.0	00.0-03.0				57	93.6	87.9-99.3
25-34	150	248,108	6	4.2	00.7-07.7	4	1.7	00.0-03.7	1	0.8	00.0-02.4	2	1.4	00.0-03.4	137	92.0	87.3-96.7
35-44	142	214,828	3	1.9	00.0-04.1	2	1.0	00.0-02.6							137	97.1	94.6-99.6
45-54	215	208,019	2	1.7	00.0-04.1							3	1.8	00.0-04.2	210	96.6	93.3-99.9
55-64	227	130,700	3	1.7	00.0-03.9	5	1.7	00.0-03.7				4	1.0	00.0-02.4	215	95.6	92.5-98.7
65+	223	120,439				1	0.2	00.0-00.6				4	2.3	00.0-04.7	218	97.4	94.9-99.9
Less Than H.S.	70	114,418													70	100.0	0100-0100
H.S. or G.E.D.	293	327,241	3	1.0	00.0-02.4	5	1.5	00.0-03.1				7	3.1	00.4-05.8	278	94.4	91.1-97.7
Some Post-H.S.	301	329,448	9	4.7	01.6-07.8	5	1.4	00.0-03.0				4	0.8	00.0-01.8	283	93.1	89.6-96.6
College Graduate	358	294,203	5	2.1	00.1-04.1	4	1.0	00.0-02.2	2	1.1	00.0-02.7	3	0.5	00.0-01.3	344	95.3	92.6-98.0
Less than \$15,000	69	65,709	1	3.4	00.0-09.9							2	2.9	00.0-08.0	66	93.8	85.8-0100
\$15,000- 24,999	165	190,326	5	4.4	00.3-08.5	2	1.5	00.0-03.7	1	0.7	00.0-02.1	3	1.7	00.0-04.2	154	91.7	86.4-97.0
\$25,000- 34,999	98	98,424	2	1.4	00.0-03.6	3	2.4	00.0-05.7							93	96.3	92.4-0100
\$35,000- 49,999	144	153,642	4	4.5	00.0-09.0							1	0.4	00.0-01.2	139	95.0	90.5-99.5
\$50,000- 74,999	139	142,750	1	0.9	00.0-02.7	1	0.2	00.0-00.6				2	2.9	00.0-07.2	135	96.0	91.3-0100
\$75,000+	238	255,902	3	1.6	00.0-03.6	3	1.4	00.0-03.2	1	0.8	00.0-02.4	1	0.4	00.0-01.2	230	95.7	92.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1222	813,521	8	0.9	00.3-01.5	3	0.3	00.0-00.7	1	0.1	00.0-00.3	22	1.7	00.5-02.9	1188	97.0	95.6-98.4
White/Non-Hisp	996	619,755	6	0.9	00.1-01.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	12	1.4	00.2-02.6	976	97.5	96.1-98.9
Black or Afr. Am./Non-Hisp	178	138,814	1	0.8	00.0-02.4	2	1.4	00.0-03.4				8	3.5	00.0-07.6	167	94.4	89.7-99.1
18-24	63	100,215	3	3.5	00.0-07.4							2	4.3	00.0-10.4	58	92.3	85.2-99.4
25-34	177	191,441				2	1.0	00.0-02.4				2	2.3	00.0-05.4	173	96.7	93.2-0100
35-44	191	157,718	1	0.7	00.0-02.1				1	0.6	00.0-01.8				189	98.8	97.0-0100
45-54	257	148,649	3	1.4	00.0-03.0							2	1.2	00.0-03.4	252	97.4	94.7-0100
55-64	269	119,596	1	0.7	00.0-02.1	1	0.4	00.0-01.2				5	1.1	00.0-02.3	262	97.8	95.8-99.8
65+	255	88,143										9	2.2	00.6-03.8	246	97.8	96.2-99.4
Less Than H.S.	65	65,505										4	9.5	00.0-19.7	61	90.5	80.3-0100
H.S. or G.E.D.	280	216,273	3	1.4	00.0-03.0	1	0.4	00.0-01.2	1	0.4	00.0-01.2	5	1.6	00.0-04.0	270	96.2	93.1-99.3
Some Post-H.S.	354	258,598	1	0.4	00.0-01.2	1	0.4	00.0-01.2				4	1.0	00.0-02.4	349	98.6	97.0-0100
College Graduate	519	272,596	5	1.6	00.2-03.0	1	0.2	00.0-00.6				5	0.4	00.0-00.8	508	97.8	96.2-99.4
Less than \$15,000	106	77,420	2	3.2	00.0-07.5	1	1.1	00.0-03.3				4	7.8	00.0-16.4	99	88.0	78.6-97.4
\$15,000- 24,999	158	104,452	1	0.8	00.0-02.4				1	0.9	00.0-02.7	2	1.9	00.0-05.2	154	96.5	92.6-0100
\$25,000- 34,999	118	77,839	1	1.3	00.0-03.8	1	1.4	00.0-03.9				1	0.1	00.0-00.3	115	97.2	93.5-0100
\$35,000- 49,999	141	97,980													141	100.0	0100-0100
\$50,000- 74,999	151	103,824	1	1.0	00.0-03.0										150	99.0	97.0-0100
\$75,000+	301	199,073	1	0.3	00.0-00.9	1	0.2	00.0-00.6				1	0.2	00.0-00.6	298	99.3	98.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	210
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	211
3 A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	212
4 HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	213
5 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	214
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	215
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4286	2,455,157	3451	66.5	64.3-68.7	835	33.5	31.3-35.7
White/Non-Hisp	3538	1,903,275	2897	69.2	66.8-71.6	641	30.8	28.4-33.2
Black or Afr. Am./Non-Hisp	603	397,665	454	60.2	54.5-65.9	149	39.8	34.1-45.5
Oth. Race/Non-Hisp.	56	64,085	34	40.7	24.2-57.2	22	59.3	42.8-75.8
18-24	167	282,450	22	11.3	06.2-16.4	145	88.7	83.6-93.8
25-34	374	398,557	68	16.9	12.6-21.2	306	83.1	78.8-87.4
35-44	500	394,171	316	61.8	56.5-67.1	184	38.2	32.9-43.5
45-54	744	447,858	674	91.1	88.6-93.6	70	8.9	06.4-11.4
55-64	946	407,899	893	93.6	91.1-96.1	53	6.4	03.9-08.9
65+	1520	503,247	1450	96.0	94.8-97.2	70	4.0	02.8-05.2
Less Than H.S.	599	410,765	508	74.4	68.3-80.5	91	25.6	19.5-31.7
H.S. or G.E.D.	1405	797,107	1130	65.6	61.7-69.5	275	34.4	30.5-38.3
Some Post-H.S.	1177	711,592	949	64.5	60.4-68.6	228	35.5	31.4-39.6
College Graduate	1102	535,118	861	64.3	60.4-68.2	241	35.7	31.8-39.6
Less than \$15,000	617	301,190	493	65.7	59.8-71.6	124	34.3	28.4-40.2
\$15,000- 24,999	839	456,665	668	65.7	60.8-70.6	171	34.3	29.4-39.2
\$25,000- 34,999	410	248,222	316	60.8	53.9-67.7	94	39.2	32.3-46.1
\$35,000- 49,999	431	281,884	331	62.1	55.4-68.8	100	37.9	31.2-44.6
\$50,000- 74,999	380	256,901	303	69.3	62.8-75.8	77	30.7	24.2-37.2
\$75,000+	530	353,078	432	69.1	62.8-75.4	98	30.9	24.6-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3395	1,610,449	2122	61.0	58.8-63.2	601	18.8	17.0-20.6	244	7.2	06.0-08.4	144	4.3	03.3-05.3	284	8.7	07.3-10.1
White/Non-Hisp	2853	1,301,935	1782	60.4	58.0-62.8	497	18.7	16.7-20.7	208	7.3	06.1-08.5	122	4.5	03.3-05.7	244	9.0	07.6-10.4
Black or Afr. Am./Non-Hisp	442	232,417	279	62.3	56.0-68.6	93	21.9	16.8-27.0	26	6.2	02.7-09.7	15	3.0	01.0-05.0	29	6.6	03.5-09.7
25-34	67	66,909	23	36.6	23.1-50.1	14	21.2	10.0-32.4	10	13.5	04.1-22.9	10	16.0	05.6-26.4	10	12.7	04.7-20.7
35-44	311	238,884	179	60.1	53.4-66.8	57	15.8	11.3-20.3	24	7.3	04.0-10.6	15	5.2	01.9-08.5	36	11.6	07.1-16.1
45-54	668	404,637	406	57.9	53.2-62.6	127	22.9	18.6-27.2	47	6.6	04.4-08.8	32	5.2	03.0-07.4	56	7.4	05.0-09.8
55-64	886	379,565	584	65.7	61.6-69.8	151	17.2	14.1-20.3	54	6.1	04.1-08.1	31	2.7	01.5-03.9	66	8.4	05.9-10.9
65+	1417	474,610	900	62.9	59.6-66.2	243	18.3	15.6-21.0	106	7.5	05.5-09.5	54	2.9	01.9-03.9	114	8.5	06.5-10.5
Less Than H.S.	487	297,697	257	53.0	46.9-59.1	84	18.2	13.5-22.9	41	9.6	05.9-13.3	29	4.5	02.1-06.9	76	14.7	10.4-19.0
H.S. or G.E.D.	1112	518,086	682	62.5	58.8-66.2	202	18.4	15.3-21.5	82	6.1	04.3-07.9	45	4.1	02.5-05.7	101	8.9	06.7-11.1
Some Post-H.S.	939	452,624	585	59.6	55.3-63.9	188	22.4	18.7-26.1	70	7.2	05.0-09.4	33	4.3	02.1-06.5	63	6.5	04.3-08.7
College Graduate	854	341,468	597	67.5	63.4-71.6	126	15.2	12.1-18.3	51	6.9	04.5-09.3	36	4.4	02.6-06.2	44	6.0	03.6-08.4
Less than \$15,000	474	191,867	233	49.5	43.2-55.8	85	17.2	12.7-21.7	51	8.9	05.8-12.0	31	6.8	03.9-09.7	74	17.6	12.9-22.3
\$15,000- 24,999	653	295,116	368	54.2	48.9-59.5	124	20.7	16.4-25.0	55	9.2	06.1-12.3	34	4.8	02.6-07.0	72	11.1	08.0-14.2
\$25,000- 34,999	315	149,905	196	57.2	49.6-64.8	59	18.5	13.0-24.0	24	9.5	04.2-14.8	10	4.9	00.8-09.0	26	9.9	05.2-14.6
\$35,000- 49,999	328	172,564	225	65.4	58.5-72.3	57	20.0	14.1-25.9	16	5.1	02.2-08.0	8	2.0	00.0-04.0	22	7.4	03.5-11.3
\$50,000- 74,999	302	177,284	204	70.0	63.3-76.7	53	16.1	10.8-21.4	23	6.8	03.3-10.3	10	1.9	00.3-03.5	12	5.2	01.7-08.7
\$75,000+	431	243,789	314	70.4	64.9-75.9	72	17.9	13.2-22.6	19	5.4	02.9-07.9	10	2.8	00.4-05.2	16	3.6	01.2-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4264	2,444,681	3833	87.9	86.3-89.5	431	12.1	10.5-13.7
White/Non-Hisp	3520	1,894,373	3175	88.9	87.3-90.5	345	11.1	09.5-12.7
Black or Afr. Am./Non-Hisp	600	396,318	535	87.6	83.9-91.3	65	12.4	08.7-16.1
Oth. Race/Non-Hisp.	55	63,857	43	65.8	47.2-84.4	12	34.2	15.6-52.8
18-24	166	281,484	115	66.6	58.0-75.2	51	33.4	24.8-42.0
25-34	375	398,820	338	89.3	85.6-93.0	37	10.7	07.0-14.4
35-44	498	392,817	459	91.6	88.5-94.7	39	8.4	05.3-11.5
45-54	740	445,942	685	92.1	89.7-94.5	55	7.9	05.5-10.3
55-64	945	407,745	863	90.5	87.8-93.2	82	9.5	06.8-12.2
65+	1506	498,055	1341	89.5	87.3-91.7	165	10.5	08.3-12.7
Less Than H.S.	592	406,792	489	80.1	74.8-85.4	103	19.9	14.6-25.2
H.S. or G.E.D.	1395	792,756	1221	85.7	82.8-88.6	174	14.3	11.4-17.2
Some Post-H.S.	1174	710,525	1076	90.0	87.6-92.4	98	10.0	07.6-12.4
College Graduate	1100	534,034	1044	94.3	92.1-96.5	56	5.7	03.5-07.9
Less than \$15,000	613	299,290	510	79.4	74.5-84.3	103	20.6	15.7-25.5
\$15,000- 24,999	832	453,502	727	85.6	82.1-89.1	105	14.4	10.9-17.9
\$25,000- 34,999	409	247,935	371	89.1	84.8-93.4	38	10.9	06.6-15.2
\$35,000- 49,999	430	281,194	401	91.5	87.2-95.8	29	8.5	04.2-12.8
\$50,000- 74,999	380	256,199	363	93.0	89.1-96.9	17	7.0	03.1-10.9
\$75,000+	529	352,222	498	92.7	88.8-96.6	31	7.3	03.4-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3770	2,123,989	2550	68.8	66.8-70.8	554	14.7	13.1-16.3	231	6.1	05.1-07.1	135	3.1	02.5-03.7	300	7.3	06.1-08.5
White/Non-Hisp	3122	1,664,603	2074	67.3	65.1-69.5	459	14.8	13.0-16.6	199	6.5	05.3-07.7	120	3.4	02.6-04.2	270	8.0	06.6-09.4
Black or Afr. Am./Non-Hisp	525	341,993	386	74.1	69.0-79.2	84	15.7	11.6-19.8	21	3.8	01.4-06.2	10	1.8	00.4-03.2	24	4.7	02.2-07.2
18-24	114	187,421	87	77.2	68.6-85.8	15	12.6	05.7-19.5	9	7.2	02.1-12.3	1	0.6	00.0-01.8	2	2.3	00.0-05.6
25-34	337	354,426	249	75.9	70.8-81.0	37	9.9	06.4-13.4	16	5.0	02.5-07.5	21	4.9	02.5-07.3	14	4.3	01.9-06.7
35-44	457	357,496	310	67.3	62.0-72.6	78	16.3	12.4-20.2	26	5.6	03.1-08.1	16	2.8	01.2-04.4	27	7.9	04.4-11.4
45-54	676	406,473	461	66.9	62.4-71.4	94	16.7	12.8-20.6	41	5.7	03.7-07.7	26	3.7	01.9-05.5	54	7.1	04.7-09.5
55-64	857	366,415	582	66.5	62.4-70.6	134	16.7	13.4-20.0	47	5.4	03.4-07.4	25	2.4	01.2-03.6	69	9.0	06.3-11.7
65+	1299	432,343	841	64.4	60.9-67.9	191	14.5	12.0-17.0	91	7.9	05.9-09.9	43	3.0	01.6-04.4	133	10.2	07.8-12.6
Less Than H.S.	472	318,312	264	56.0	49.5-62.5	81	19.6	14.3-24.9	37	6.4	03.5-09.3	18	2.6	00.8-04.4	72	15.3	10.8-19.8
H.S. or G.E.D.	1199	670,437	787	69.0	65.5-72.5	175	13.2	10.7-15.7	82	6.7	04.7-08.7	50	4.1	02.7-05.5	105	7.0	05.2-08.8
Some Post-H.S.	1056	631,720	698	68.6	64.9-72.3	185	17.2	14.3-20.1	63	5.3	03.5-07.1	35	2.7	01.5-03.9	75	6.2	04.2-08.2
College Graduate	1040	502,945	800	76.9	73.6-80.2	112	10.6	08.2-13.0	49	6.0	04.0-08.0	31	2.6	01.4-03.8	48	3.9	02.3-05.5
Less than \$15,000	498	234,889	287	55.3	49.2-61.4	76	15.6	11.1-20.1	46	11.0	06.7-15.3	24	4.4	02.0-06.8	65	13.8	09.5-18.1
\$15,000- 24,999	708	382,052	437	66.0	61.3-70.7	115	16.5	12.8-20.2	50	6.2	04.0-08.4	31	3.5	01.9-05.1	75	7.9	05.4-10.4
\$25,000- 34,999	369	219,412	245	67.1	60.6-73.6	55	14.4	09.7-19.1	28	7.1	03.8-10.4	13	4.2	01.5-06.9	28	7.2	03.7-10.7
\$35,000- 49,999	392	251,156	273	66.2	59.9-72.5	61	17.5	12.4-22.6	15	5.0	02.1-07.9	14	2.4	00.8-04.0	29	8.9	04.8-13.0
\$50,000- 74,999	362	238,032	263	75.0	69.5-80.5	53	12.4	08.3-16.5	20	5.4	02.7-08.1	9	2.5	00.3-04.7	17	4.8	01.9-07.7
\$75,000+	497	325,891	397	81.1	77.0-85.2	57	10.9	07.8-14.0	19	3.9	01.9-05.9	11	2.3	00.7-03.9	13	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4259	2,440,834	3927	91.7	90.3-93.1	332	8.3	06.9-09.7
White/Non-Hisp	3514	1,890,539	3235	92.0	90.4-93.6	279	8.0	06.4-09.6
Black or Afr. Am./Non-Hisp	601	396,394	558	92.2	89.1-95.3	43	7.8	04.7-10.9
Oth. Race/Non-Hisp.	55	63,767	51	86.2	73.1-99.3	4	13.8	00.7-26.9
18-24	167	282,450	130	73.9	65.3-82.5	37	26.1	17.5-34.7
25-34	375	398,820	365	96.7	94.3-99.1	10	3.3	00.9-05.7
35-44	499	393,045	479	95.5	93.1-97.9	20	4.5	02.1-06.9
45-54	741	444,359	713	96.2	94.4-98.0	28	3.8	02.0-05.6
55-64	944	406,504	884	92.3	89.6-95.0	60	7.7	05.0-10.4
65+	1499	495,838	1325	90.2	88.2-92.2	174	9.8	07.8-11.8
Less Than H.S.	590	404,786	511	85.8	80.9-90.7	79	14.2	09.3-19.1
H.S. or G.E.D.	1393	790,542	1271	92.2	90.0-94.4	122	7.8	05.6-10.0
Some Post-H.S.	1172	710,405	1091	91.8	89.1-94.5	81	8.2	05.5-10.9
College Graduate	1101	534,527	1052	95.3	93.3-97.3	49	4.7	02.7-06.7
Less than \$15,000	611	296,952	543	89.0	85.5-92.5	68	11.0	07.5-14.5
\$15,000- 24,999	830	452,370	750	89.6	86.3-92.9	80	10.4	07.1-13.7
\$25,000- 34,999	409	247,567	387	94.9	91.8-98.0	22	5.1	02.0-08.2
\$35,000- 49,999	430	281,194	403	93.6	89.9-97.3	27	6.4	02.7-10.1
\$50,000- 74,999	380	256,935	367	94.7	91.2-98.2	13	5.3	01.8-08.8
\$75,000+	529	352,487	513	94.8	90.3-99.3	16	5.2	00.7-09.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3854	2,211,457	1988	58.6	56.4-60.8	609	15.8	14.2-17.4	304	7.1	06.1-08.1	203	4.0	03.2-04.8	750	14.5	13.1-15.9
White/Non-Hisp	3172	1,716,082	1573	56.4	54.0-58.8	507	16.1	14.3-17.9	259	7.6	06.4-08.8	176	4.2	03.4-05.0	657	15.7	14.1-17.3
Black or Afr. Am./Non-Hisp	550	363,092	346	69.2	64.1-74.3	87	14.6	10.7-18.5	28	3.7	01.9-05.5	20	2.8	01.2-04.4	69	9.7	06.4-13.0
Oth. Race/Non-Hisp.	50	54,778	22	50.7	31.3-70.1	5	18.3	00.0-37.5	5	4.8	00.0-10.9	4	8.0	00.0-17.0	14	18.2	05.7-30.7
18-24	130	208,788	101	74.5	65.5-83.5	22	20.1	11.5-28.7	5	3.1	00.2-06.0	1	0.8	00.0-02.4	1	1.4	00.0-04.1
25-34	363	383,300	272	77.3	72.6-82.0	47	11.0	07.5-14.5	20	6.0	03.3-08.7	9	1.9	00.5-03.3	15	3.8	01.6-06.0
35-44	475	370,569	307	64.7	59.4-70.0	90	18.1	14.0-22.2	27	5.7	03.2-08.2	21	3.3	01.5-05.1	30	8.2	04.7-11.7
45-54	708	424,826	416	59.5	55.0-64.0	115	18.0	14.1-21.9	37	6.1	03.7-08.5	38	4.5	02.7-06.3	102	12.0	09.3-14.7
55-64	876	372,480	471	53.8	49.5-58.1	144	15.5	12.6-18.4	72	8.9	06.4-11.4	46	4.7	02.9-06.5	143	17.1	13.8-20.4
65+	1273	432,364	405	31.7	28.4-35.0	186	14.0	11.5-16.5	142	11.2	08.8-13.6	87	7.1	05.1-09.1	453	36.0	32.5-39.5
Less Than H.S.	493	335,525	167	43.0	36.5-49.5	66	15.7	11.0-20.4	50	8.5	05.4-11.6	34	5.1	02.9-07.3	176	27.7	22.4-33.0
H.S. or G.E.D.	1246	722,907	604	56.4	52.7-60.1	192	15.4	12.5-18.3	108	7.7	05.7-09.7	79	5.1	03.7-06.5	263	15.3	12.9-17.7
Some Post-H.S.	1074	645,983	550	60.6	56.7-64.5	205	17.9	15.0-20.8	85	6.9	05.1-08.7	43	2.5	01.5-03.5	191	12.0	09.6-14.4
College Graduate	1039	506,684	667	69.4	65.9-72.9	146	13.8	11.3-16.3	60	5.7	03.9-07.5	46	3.5	02.1-04.9	120	7.7	05.9-09.5
Less than \$15,000	532	257,877	223	48.2	42.1-54.3	72	14.1	09.6-18.6	48	8.6	05.3-11.9	35	5.1	02.9-07.3	154	23.9	19.2-28.6
\$15,000- 24,999	732	399,956	323	55.8	50.9-60.7	107	15.9	12.2-19.6	70	7.6	05.1-10.1	50	4.7	02.9-06.5	182	16.0	13.1-18.9
\$25,000- 34,999	384	234,528	197	58.3	51.6-65.0	71	16.5	11.8-21.2	29	6.2	03.1-09.3	26	5.5	02.8-08.2	61	13.5	09.0-18.0
\$35,000- 49,999	399	261,765	213	52.7	46.2-59.2	82	21.5	16.0-27.0	31	8.5	05.0-12.0	16	2.7	01.1-04.3	57	14.6	09.9-19.3
\$50,000- 74,999	365	242,298	232	69.0	63.1-74.9	59	13.6	09.5-17.7	24	6.9	03.6-10.2	10	2.5	00.5-04.5	40	7.9	04.8-11.0
\$75,000+	509	331,848	338	71.3	66.2-76.4	75	14.3	10.0-18.6	30	4.9	02.7-07.1	20	2.6	01.2-04.0	46	6.8	04.4-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2012
 SECTION 15: BREAST/CERVICAL CANCER SCREENING
 TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4231	2,398,627	1593	28.2	26.6-29.8	2638	71.8	70.2-73.4
White/Non-Hisp	3497	1,863,041	1346	29.8	27.8-31.8	2151	70.2	68.2-72.2
Black or Afr. Am./Non-Hisp	595	388,995	199	24.4	20.1-28.7	396	75.6	71.3-79.9
Oth. Race/Non-Hisp.	53	60,894	19	20.5	08.5-32.5	34	79.5	67.5-91.5
18-24	153	260,673	1	0.2	00.0-00.6	152	99.8	99.4-0100
25-34	356	375,076	13	2.5	00.9-04.1	343	97.5	95.9-99.1
35-44	496	391,490	71	10.9	08.0-13.8	425	89.1	86.2-92.0
45-54	741	444,726	264	35.4	31.1-39.7	477	64.6	60.3-68.9
55-64	944	407,203	409	44.3	40.2-48.4	535	55.7	51.6-59.8
65+	1509	500,498	825	55.7	52.4-59.0	684	44.3	41.0-47.6
Less Than H.S.	591	398,768	287	40.4	34.9-45.9	304	59.6	54.1-65.1
H.S. or G.E.D.	1389	779,753	581	31.1	28.2-34.0	808	68.9	66.0-71.8
Some Post-H.S.	1166	702,053	434	24.1	21.4-26.8	732	75.9	73.2-78.6
College Graduate	1082	517,480	288	19.6	16.9-22.3	794	80.4	77.7-83.1
Less than \$15,000	609	290,306	268	33.6	28.7-38.5	341	66.4	61.5-71.3
\$15,000- 24,999	829	446,836	351	31.9	27.8-36.0	478	68.1	64.0-72.2
\$25,000- 34,999	404	241,626	145	25.1	20.0-30.2	259	74.9	69.8-80.0
\$35,000- 49,999	430	278,484	125	27.3	22.0-32.6	305	72.7	67.4-78.0
\$50,000- 74,999	377	252,525	109	20.7	16.2-25.2	268	79.3	74.8-83.8
\$75,000+	519	342,317	139	20.9	16.8-25.0	380	79.1	75.0-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD1)	
1	MALES ONLY	218
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)	
2	MALES ONLY	219
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)	
3	MALES ONLY	220
	HAVE YOU EVER HAD A PSA TEST? (PSATEST1)	
4	MALES ONLY	221
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
5	MALES ONLY	222
	WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)	
6	MALES ONLY	223

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	1,363,060	1205	60.4	57.5-63.3	636	39.6	36.7-42.5
White/Non-Hisp	1584	1,108,825	1039	60.5	57.4-63.6	545	39.5	36.4-42.6
Black or Afr. Am./Non-Hisp	192	176,175	125	63.0	53.6-72.4	67	37.0	27.6-46.4
35-44	157	218,440	46	31.5	22.9-40.1	111	68.5	59.9-77.1
45-54	452	410,969	234	53.2	47.3-59.1	218	46.8	40.9-52.7
55-64	560	363,157	377	64.7	59.6-69.8	183	35.3	30.2-40.4
65+	672	370,494	548	81.1	77.2-85.0	124	18.9	15.0-22.8
Less Than H.S.	215	237,434	112	49.8	40.8-58.8	103	50.2	41.2-59.2
H.S. or G.E.D.	603	449,194	360	55.0	49.9-60.1	243	45.0	39.9-50.1
Some Post-H.S.	512	379,889	348	64.6	59.3-69.9	164	35.4	30.1-40.7
College Graduate	509	295,227	383	71.3	66.2-76.4	126	28.7	23.6-33.8
Less than \$15,000	171	130,363	71	34.6	25.0-44.2	100	65.4	55.8-75.0
\$15,000- 24,999	293	224,290	175	54.1	46.1-62.1	118	45.9	37.9-53.9
\$25,000- 34,999	196	126,795	136	61.8	52.6-71.0	60	38.2	29.0-47.4
\$35,000- 49,999	234	171,352	162	61.6	53.4-69.8	72	38.4	30.2-46.6
\$50,000- 74,999	240	189,810	167	66.2	58.6-73.8	73	33.8	26.2-41.4
\$75,000+	332	279,410	240	68.0	61.7-74.3	92	32.0	25.7-38.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	1,350,050	788	41.0	38.1-43.9	1039	59.0	56.1-61.9
White/Non-Hisp	1576	1,099,292	670	40.3	37.2-43.4	906	59.7	56.6-62.8
Black or Afr. Am./Non-Hisp	188	173,147	89	44.9	34.7-55.1	99	55.1	44.9-65.3
35-44	153	208,762	32	22.2	14.6-29.8	121	77.8	70.2-85.4
45-54	450	410,588	158	36.8	30.9-42.7	292	63.2	57.3-69.1
55-64	558	361,146	239	42.7	37.4-48.0	319	57.3	52.0-62.6
65+	666	369,554	359	54.5	49.6-59.4	307	45.5	40.6-50.4
Less Than H.S.	217	239,328	82	35.3	26.7-43.9	135	64.7	56.1-73.3
H.S. or G.E.D.	599	443,276	236	39.0	34.1-43.9	363	61.0	56.1-65.9
Some Post-H.S.	502	373,647	210	41.4	35.9-46.9	292	58.6	53.1-64.1
College Graduate	507	292,482	258	47.8	42.3-53.3	249	52.2	46.7-57.7
Less than \$15,000	174	132,555	58	25.3	16.9-33.7	116	74.7	66.3-83.1
\$15,000- 24,999	293	227,140	103	36.1	28.1-44.1	190	63.9	55.9-71.9
\$25,000- 34,999	195	126,339	85	40.4	31.6-49.2	110	59.6	50.8-68.4
\$35,000- 49,999	235	171,503	103	40.0	32.0-48.0	132	60.0	52.0-68.0
\$50,000- 74,999	238	185,705	111	44.8	37.0-52.6	127	55.2	47.4-63.0
\$75,000+	326	270,931	159	46.7	40.0-53.4	167	53.3	46.6-60.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	1,363,112	1120	55.7	52.8-58.6	721	44.3	41.4-47.2
White/Non-Hisp	1583	1,106,544	966	55.6	52.5-58.7	617	44.4	41.3-47.5
Black or Afr. Am./Non-Hisp	192	175,239	116	59.5	49.9-69.1	76	40.5	30.9-50.1
35-44	157	218,440	36	24.3	16.5-32.1	121	75.7	67.9-83.5
45-54	456	413,844	213	45.8	39.9-51.7	243	54.2	48.3-60.1
55-64	556	359,815	353	63.5	58.4-68.6	203	36.5	31.4-41.6
65+	672	371,014	518	77.6	73.3-81.9	154	22.4	18.1-26.7
Less Than H.S.	217	241,343	105	45.4	36.4-54.4	112	54.6	45.6-63.6
H.S. or G.E.D.	600	446,360	335	52.3	47.2-57.4	265	47.7	42.6-52.8
Some Post-H.S.	509	376,221	311	56.6	51.1-62.1	198	43.4	37.9-48.9
College Graduate	513	297,871	368	67.8	62.5-73.1	145	32.2	26.9-37.5
Less than \$15,000	174	131,963	71	36.4	26.6-46.2	103	63.6	53.8-73.4
\$15,000- 24,999	296	226,641	166	52.4	44.4-60.4	130	47.6	39.6-55.6
\$25,000- 34,999	195	124,902	127	55.7	46.3-65.1	68	44.3	34.9-53.7
\$35,000- 49,999	235	172,677	152	58.2	50.0-66.4	83	41.8	33.6-50.0
\$50,000- 74,999	240	189,030	150	56.7	48.7-64.7	90	43.3	35.3-51.3
\$75,000+	331	278,658	219	59.8	53.3-66.3	112	40.2	33.7-46.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1115	754,133	1040	91.1	88.6-93.6	75	8.9	06.4-11.4
White/Non-Hisp	962	613,080	905	92.4	89.9-94.9	57	7.6	05.1-10.1
Black or Afr. Am./Non-Hisp	115	101,734	102	87.6	80.0-95.2	13	12.4	04.8-20.0
45-54	213	189,441	181	84.4	77.9-90.9	32	15.6	09.1-22.1
55-64	351	225,496	327	90.9	86.4-95.4	24	9.1	04.6-13.6
65+	516	287,265	504	97.3	95.1-99.5	12	2.7	00.5-04.9
Less Than H.S.	103	106,542	94	87.0	77.2-96.8	9	13.0	03.2-22.8
H.S. or G.E.D.	334	232,168	302	88.3	83.6-93.0	32	11.7	07.0-16.4
Some Post-H.S.	310	212,868	290	93.7	90.4-97.0	20	6.3	03.0-09.6
College Graduate	367	201,520	353	93.7	90.0-97.4	14	6.3	02.6-10.0
Less than \$15,000	71	48,053	63	88.8	76.1-0100	8	11.2	00.0-23.9
\$15,000- 24,999	164	115,012	153	91.0	84.3-97.7	11	9.0	02.3-15.7
\$25,000- 34,999	126	69,129	119	92.2	85.5-98.9	7	7.8	01.1-14.5
\$35,000- 49,999	151	100,278	140	88.4	79.8-97.0	11	11.6	03.0-20.2
\$50,000- 74,999	149	106,752	142	94.8	90.3-99.3	7	5.2	00.7-09.7
\$75,000+	219	166,653	205	92.3	87.6-97.0	14	7.7	03.0-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1123	759,828	767	68.6	65.1-72.1	177	15.6	12.9-18.3	68	5.6	03.8-07.4	42	4.2	02.6-05.8	69	6.0	04.2-07.8
White/Non-Hisp	970	620,116	659	68.4	64.7-72.1	155	16.1	13.2-19.0	59	5.3	03.7-06.9	36	3.9	02.1-05.7	61	6.3	04.3-08.3
Black or Afr. Am./Non-Hisp	121	109,010	80	64.5	52.7-76.3	22	17.4	08.6-26.2	9	8.9	01.3-16.5	5	5.1	00.2-10.0	5	4.1	00.0-08.2
45-54	209	192,152	128	63.5	55.3-71.7	35	16.6	10.3-22.9	16	5.9	02.4-09.4	11	6.7	02.0-11.4	19	7.3	03.2-11.4
55-64	352	220,694	240	67.8	61.5-74.1	55	17.4	12.1-22.7	21	4.7	02.2-07.2	14	3.2	01.0-05.4	22	7.0	03.7-10.3
65+	528	294,069	377	72.4	67.5-77.3	81	14.0	10.3-17.7	29	5.7	03.3-08.1	15	3.0	01.2-04.8	26	4.9	02.4-07.4
Less Than H.S.	100	104,497	69	72.3	60.7-83.9	13	11.8	03.2-20.4	6	5.7	00.4-11.0	2	0.5	00.0-01.3	10	9.6	02.2-17.0
H.S. or G.E.D.	336	231,686	215	62.5	56.0-69.0	55	17.8	12.5-23.1	24	6.1	03.2-09.0	19	6.0	02.7-09.3	23	7.5	04.0-11.0
Some Post-H.S.	313	222,628	216	70.1	63.6-76.6	58	17.2	12.1-22.3	15	5.1	01.4-08.8	12	4.3	01.4-07.2	12	3.3	00.9-05.7
College Graduate	372	199,700	266	72.3	66.4-78.2	50	13.0	08.9-17.1	23	5.5	02.8-08.2	9	3.8	00.5-07.1	24	5.4	02.9-07.9
Less than \$15,000	71	49,817	41	50.6	34.5-66.7	11	20.0	05.7-34.3	7	9.0	01.4-16.6	1	0.5	00.0-01.5	11	19.9	05.6-34.2
\$15,000- 24,999	167	117,673	105	65.0	55.2-74.8	33	18.4	11.0-25.8	7	4.6	00.3-08.9	12	6.5	02.0-11.0	10	5.5	01.2-09.8
\$25,000- 34,999	124	69,549	85	69.3	58.9-79.7	19	16.4	07.8-25.0	8	5.8	01.1-10.5	4	2.3	00.0-05.0	8	6.3	01.2-11.4
\$35,000- 49,999	151	95,250	112	75.8	67.2-84.4	17	11.4	04.9-17.9	8	2.8	00.6-05.0	8	6.9	01.2-12.6	6	3.1	00.0-06.2
\$50,000- 74,999	160	118,376	110	71.9	63.7-80.1	23	14.3	07.8-20.8	14	6.3	02.4-10.2	5	2.5	00.0-05.2	8	5.0	01.3-08.7
\$75,000+	224	166,408	155	67.6	59.6-75.6	35	16.3	10.2-22.4	13	6.5	01.4-11.6	8	6.3	01.4-11.2	13	3.3	01.3-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1145	770,999	894	78.8	75.7-81.9	112	8.8	06.6-11.0	39	3.5	02.1-04.9	47	4.1	02.5-05.7	53	4.8	03.2-06.4
White/Non-Hisp	986	629,222	776	79.2	75.9-82.5	94	9.0	06.6-11.4	33	3.7	02.1-05.3	40	3.9	02.5-05.3	43	4.3	02.7-05.9
Black or Afr. Am./Non-Hisp	123	109,333	92	77.2	67.6-86.8	15	9.4	02.9-15.9	4	2.3	00.0-05.6	5	4.1	00.0-08.8	7	7.1	01.8-12.4
45-54	212	192,943	171	83.8	77.9-89.7	14	5.1	01.4-08.8	9	2.4	00.4-04.4				18	8.7	04.4-13.0
55-64	360	224,467	295	79.8	74.3-85.3	29	8.1	04.4-11.8	14	4.7	01.8-07.6	5	2.5	00.0-05.2	17	4.8	02.1-07.5
65+	539	300,676	399	73.4	68.5-78.3	66	11.3	07.8-14.8	14	3.3	01.1-05.5	42	8.7	05.6-11.8	18	3.2	01.4-05.0
Less Than H.S.	104	107,043	75	75.5	64.9-86.1	15	11.9	04.3-19.5	1	1.5	00.0-04.4	7	7.8	01.1-14.5	6	3.3	00.2-06.4
H.S. or G.E.D.	339	230,977	259	75.0	69.3-80.7	26	6.8	03.5-10.1	17	6.3	03.0-09.6	17	4.2	01.7-06.7	20	7.6	04.1-11.1
Some Post-H.S.	323	228,796	244	77.8	71.9-83.7	43	12.1	07.4-16.8	13	3.2	01.0-05.4	7	2.0	00.2-03.8	16	4.9	02.0-07.8
College Graduate	377	202,867	314	85.7	81.6-89.8	28	5.6	03.1-08.1	8	1.8	00.2-03.4	16	4.5	01.8-07.2	11	2.3	00.7-03.9
Less than \$15,000	73	50,844	53	72.0	57.5-86.5	10	9.5	00.0-19.7	4	9.6	00.0-19.8				6	8.9	00.9-16.9
\$15,000- 24,999	170	119,997	127	77.0	68.8-85.2	21	10.2	04.7-15.7	6	3.2	00.1-06.3	10	7.2	01.7-12.7	6	2.4	00.2-04.6
\$25,000- 34,999	128	70,886	98	76.5	67.1-85.9	18	12.9	06.0-19.8	1	1.7	00.0-05.0	5	4.6	00.0-10.3	6	4.3	00.0-08.6
\$35,000- 49,999	153	96,754	117	77.7	69.5-85.9	18	9.9	03.8-16.0	4	2.6	00.0-05.9	10	6.7	02.2-11.2	4	3.1	00.0-06.4
\$50,000- 74,999	162	121,469	130	82.4	75.7-89.1	11	6.1	02.0-10.2	7	4.1	00.8-07.4	8	4.5	00.8-08.2	6	3.0	00.3-05.7
\$75,000+	225	166,798	194	85.6	79.9-91.3	9	4.9	01.4-08.4	8	2.6	00.6-04.6	4	2.1	00.0-04.8	10	4.8	01.3-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	225
2	MALES ONLY	226
3	FEMALES ONLY	227
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	228
5	MALES ONLY	229
6	FEMALES ONLY	230
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	231
8	MALES ONLY	232
9	FEMALES ONLY	233
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10	MALES AND FEMALES	234
11	MALES ONLY	235
12	FEMALES ONLY	236
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	237
14	MALES ONLY	238
15	FEMALES ONLY	239

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4361	2,132,371	1594	34.1	32.1-36.1	2767	65.9	63.9-67.9
Male	1488	966,179	485	29.0	26.1-31.9	1003	71.0	68.1-73.9
Female	2873	1,166,192	1109	38.3	35.9-40.7	1764	61.7	59.3-64.1
White/Non-Hisp	3759	1,776,151	1407	35.5	33.5-37.5	2352	64.5	62.5-66.5
Black or Afr. Am./Non-Hisp	485	261,042	152	26.8	21.5-32.1	333	73.2	67.9-78.5
45-54	704	501,575	149	21.6	17.9-25.3	555	78.4	74.7-82.1
55-64	1495	765,848	505	32.3	29.2-35.4	990	67.7	64.6-70.8
65+	2162	864,948	940	42.9	40.2-45.6	1222	57.1	54.4-59.8
Less Than H.S.	658	431,048	206	27.5	22.8-32.2	452	72.5	67.8-77.2
H.S. or G.E.D.	1477	717,755	509	32.2	29.3-35.1	968	67.8	64.9-70.7
Some Post-H.S.	1162	561,831	432	35.3	31.6-39.0	730	64.7	61.0-68.4
College Graduate	1059	419,847	445	42.3	38.6-46.0	614	57.7	54.0-61.4
Less than \$15,000	565	235,775	175	27.3	22.0-32.6	390	72.7	67.4-78.0
\$15,000- 24,999	843	408,582	302	30.8	26.5-35.1	541	69.2	64.9-73.5
\$25,000- 34,999	421	198,813	166	37.2	31.1-43.3	255	62.8	56.7-68.9
\$35,000- 49,999	465	258,627	167	34.2	28.7-39.7	298	65.8	60.3-71.3
\$50,000- 74,999	416	246,100	158	36.9	31.0-42.8	258	63.1	57.2-69.0
\$75,000+	536	309,823	204	35.2	30.3-40.1	332	64.8	59.9-69.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1488	966,179	485	29.0	26.1-31.9	1003	71.0	68.1-73.9
White/Non-Hisp	1292	797,980	425	30.2	27.1-33.3	867	69.8	66.7-72.9
Black or Afr. Am./Non-Hisp	148	115,770	45	22.1	14.1-30.1	103	77.9	69.9-85.9
45-54	248	230,175	45	19.5	13.4-25.6	203	80.5	74.4-86.6
55-64	562	361,109	172	26.4	21.9-30.9	390	73.6	69.1-78.1
65+	678	374,894	268	37.3	32.6-42.0	410	62.7	58.0-67.4
Less Than H.S.	186	186,687	44	17.0	10.5-23.5	142	83.0	76.5-89.5
H.S. or G.E.D.	472	312,242	128	25.4	20.7-30.1	344	74.6	69.9-79.3
Some Post-H.S.	411	257,634	143	32.2	26.5-37.9	268	67.8	62.1-73.5
College Graduate	417	208,299	169	41.3	35.4-47.2	248	58.7	52.8-64.6
Less than \$15,000	138	93,426	33	17.0	09.0-25.0	105	83.0	75.0-91.0
\$15,000- 24,999	257	180,063	72	23.8	17.1-30.5	185	76.2	69.5-82.9
\$25,000- 34,999	168	95,190	70	37.9	28.7-47.1	98	62.1	52.9-71.3
\$35,000- 49,999	185	119,749	57	27.3	19.7-34.9	128	72.7	65.1-80.3
\$50,000- 74,999	185	128,306	69	37.0	28.4-45.6	116	63.0	54.4-71.6
\$75,000+	238	165,924	83	31.7	24.4-39.0	155	68.3	61.0-75.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2873	1,166,192	1109	38.3	35.9-40.7	1764	61.7	59.3-64.1
White/Non-Hisp	2467	978,171	982	39.8	37.3-42.3	1485	60.2	57.7-62.7
Black or Afr. Am./Non-Hisp	337	145,272	107	30.5	23.6-37.4	230	69.5	62.6-76.4
45-54	456	271,400	104	23.3	18.6-28.0	352	76.7	72.0-81.4
55-64	933	404,738	333	37.5	33.4-41.6	600	62.5	58.4-66.6
65+	1484	490,054	672	47.1	43.8-50.4	812	52.9	49.6-56.2
Less Than H.S.	472	244,361	162	35.6	29.5-41.7	310	64.4	58.3-70.5
H.S. or G.E.D.	1005	405,512	381	37.4	33.5-41.3	624	62.6	58.7-66.5
Some Post-H.S.	751	304,197	289	38.0	33.5-42.5	462	62.0	57.5-66.5
College Graduate	642	211,548	276	43.2	38.3-48.1	366	56.8	51.9-61.7
Less than \$15,000	427	142,349	142	34.1	27.6-40.6	285	65.9	59.4-72.4
\$15,000- 24,999	586	228,518	230	36.3	31.2-41.4	356	63.7	58.6-68.8
\$25,000- 34,999	253	103,624	96	36.6	28.6-44.6	157	63.4	55.4-71.4
\$35,000- 49,999	280	138,878	110	40.1	32.7-47.5	170	59.9	52.5-67.3
\$50,000- 74,999	231	117,794	89	36.9	29.1-44.7	142	63.1	55.3-70.9
\$75,000+	298	143,899	121	39.1	32.4-45.8	177	60.9	54.2-67.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1511	686,816	499	33.1	30.0-36.2	228	13.7	11.5-15.9	183	11.5	09.5-13.5	155	10.5	08.3-12.7	446	31.2	28.1-34.3
Male	461	265,365	173	35.5	30.0-41.0	79	15.2	11.3-19.1	45	9.2	05.9-12.5	44	10.3	07.0-13.6	120	29.8	24.3-35.3
Female	1050	421,452	326	31.6	27.9-35.3	149	12.7	10.2-15.2	138	13.0	10.5-15.5	111	10.6	07.9-13.3	326	32.1	28.4-35.8
White/Non-Hisp	1331	594,070	427	32.3	29.0-35.6	202	13.8	11.4-16.2	164	11.8	09.6-14.0	134	9.9	07.7-12.1	404	32.2	28.9-35.5
Black or Afr. Am./Non-Hisp	146	68,452	59	37.4	27.2-47.6	21	13.1	06.2-20.0	16	12.7	04.1-21.3	17	15.5	06.5-24.5	33	21.3	12.9-29.7
45-54	141	102,724	47	33.3	23.7-42.9	19	12.1	06.2-18.0	17	12.1	05.2-19.0	22	15.9	08.8-23.0	36	26.6	17.8-35.4
55-64	490	239,433	169	34.0	28.7-39.3	71	12.7	09.4-16.0	61	10.5	07.6-13.4	52	11.9	07.8-16.0	137	30.8	25.5-36.1
65+	880	344,659	283	32.5	28.4-36.6	138	14.8	11.7-17.9	105	12.1	09.2-15.0	81	7.8	05.6-10.0	273	32.8	28.5-37.1
Less Than H.S.	191	107,153	65	35.4	26.0-44.8	31	15.3	08.8-21.8	29	15.0	07.9-22.1	13	7.5	01.6-13.4	53	26.8	18.4-35.2
H.S. or G.E.D.	480	216,644	158	33.2	27.7-38.7	72	13.2	09.5-16.9	67	13.5	09.8-17.2	52	9.9	06.6-13.2	131	30.2	24.7-35.7
Some Post-H.S.	413	190,829	131	33.2	27.1-39.3	64	12.5	08.4-16.6	39	6.7	04.3-09.1	44	12.6	08.1-17.1	135	34.9	28.6-41.2
College Graduate	425	171,692	144	31.5	26.0-37.0	61	14.6	10.7-18.5	48	12.3	08.0-16.6	46	10.7	07.0-14.4	126	31.0	25.1-36.9
Less than \$15,000	167	60,790	48	27.0	17.4-36.6	26	13.3	06.8-19.8	23	15.5	06.3-24.7	21	15.8	05.8-25.8	49	28.4	18.6-38.2
\$15,000- 24,999	287	118,976	96	40.3	32.5-48.1	47	15.2	09.9-20.5	29	10.0	05.5-14.5	31	9.5	05.0-14.0	84	25.1	18.8-31.4
\$25,000- 34,999	157	67,094	53	29.8	20.6-39.0	29	18.2	10.4-26.0	21	16.0	08.2-23.8	17	9.5	04.2-14.8	37	26.5	17.3-35.7
\$35,000- 49,999	159	85,149	61	33.4	24.8-42.0	19	11.4	05.3-17.5	21	14.3	07.8-20.8	11	10.3	03.0-17.6	47	30.6	21.6-39.6
\$50,000- 74,999	153	89,410	50	33.0	23.6-42.4	20	13.2	06.7-19.7	17	7.1	03.2-11.0	13	8.5	03.4-13.6	53	38.2	28.4-48.0
\$75,000+	194	101,889	56	31.6	23.2-40.0	29	13.3	08.2-18.4	19	7.6	03.5-11.7	25	12.4	07.1-17.7	65	35.1	26.9-43.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	461	265,365	173	35.5	30.0-41.0	79	15.2	11.3-19.1	45	9.2	05.9-12.5	44	10.3	06.8-13.8	120	29.8	24.3-35.3
White/Non-Hisp	402	226,420	144	33.9	28.0-39.8	72	16.2	11.9-20.5	42	9.7	06.2-13.2	33	8.5	05.2-11.8	111	31.7	25.8-37.6
55-64	165	90,150	71	41.1	31.9-50.3	24	13.0	06.9-19.1	17	8.4	03.9-12.9	16	10.0	04.3-15.7	37	27.4	18.4-36.4
65+	255	134,013	89	32.1	25.0-39.2	48	17.1	11.4-22.8	26	10.0	05.7-14.3	19	6.8	03.3-10.3	73	33.9	26.3-41.5
H.S. or G.E.D.	121	74,966	51	38.4	28.0-48.8	28	20.8	12.4-29.2	11	9.2	03.5-14.9	10	8.7	02.6-14.8	21	22.8	12.8-32.8
Some Post-H.S.	138	81,146	50	36.3	26.1-46.5	26	13.7	06.3-21.1	12	5.9	02.4-09.4	13	10.0	03.9-16.1	37	34.0	23.6-44.4
College Graduate	162	83,363	54	27.4	19.4-35.4	20	13.6	07.5-19.7	18	11.2	04.9-17.5	18	12.6	06.3-18.9	52	35.3	25.9-44.7
\$15,000- 24,999	67	41,018	29	49.3	33.4-65.2	15	15.7	06.1-25.3	7	8.5	01.1-15.9	9	13.9	03.5-24.3	7	12.6	02.4-22.8
\$25,000- 34,999	65	32,633	27	36.5	21.2-51.8	15	23.0	09.9-36.1	6	12.8	00.6-25.0	4	5.9	00.0-11.8	13	21.8	08.9-34.7
\$35,000- 49,999	56	32,608	20	29.8	16.7-42.9	10	19.6	06.5-32.7	8	14.0	04.4-23.6	3	8.3	00.0-17.7	15	28.3	14.2-42.4
\$50,000- 74,999	68	47,377	24	30.4	17.5-43.3	10	14.8	05.0-24.6	5	5.8	00.3-11.3	5	7.3	00.4-14.2	24	41.8	27.7-55.9
\$75,000+	77	47,832	24	33.5	21.5-45.5	11	10.1	03.4-16.8	5	3.7	00.2-07.2	11	15.8	06.6-25.0	26	36.9	24.0-49.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1050	421,452	326	31.6	27.9-35.3	149	12.7	10.3-15.1	138	13.0	10.5-15.5	111	10.6	07.9-13.3	326	32.1	28.4-35.8
White/Non-Hisp	929	367,649	283	31.3	27.4-35.2	130	12.4	09.9-14.9	122	13.0	10.3-15.7	101	10.8	08.1-13.5	293	32.5	28.4-36.6
Black or Afr. Am./Non-Hisp	102	43,120	40	38.4	25.7-51.1	14	12.2	04.6-19.8	13	14.4	03.4-25.4	8	9.9	00.0-20.3	27	25.0	14.0-36.0
45-54	100	61,523	34	32.5	21.5-43.5	12	11.0	03.9-18.1	15	14.5	06.5-22.5	13	11.8	04.5-19.1	26	30.3	19.1-41.5
55-64	325	149,283	98	29.7	23.4-36.0	47	12.6	08.7-16.5	44	11.8	07.9-15.7	36	13.1	07.4-18.8	100	32.9	26.2-39.6
65+	625	210,646	194	32.8	27.9-37.7	90	13.3	09.8-16.8	79	13.4	09.7-17.1	62	8.5	05.8-11.2	200	32.0	27.1-36.9
Less Than H.S.	152	81,544	48	30.7	20.9-40.5	26	17.3	09.5-25.1	25	15.4	08.0-22.8	10	7.3	00.2-14.4	43	29.3	19.3-39.3
H.S. or G.E.D.	359	141,679	107	30.5	24.2-36.8	44	9.2	06.1-12.3	56	15.7	11.2-20.2	42	10.5	06.4-14.6	110	34.1	27.6-40.6
Some Post-H.S.	275	109,683	81	30.9	23.8-38.0	38	11.6	07.1-16.1	27	7.4	04.1-10.7	31	14.6	08.5-20.7	98	35.6	28.0-43.2
College Graduate	263	88,329	90	35.4	28.0-42.8	41	15.6	10.3-20.9	30	13.3	07.6-19.0	28	8.9	04.8-13.0	74	26.9	19.8-34.0
Less than \$15,000	136	46,836	35	22.8	13.2-32.4	23	14.7	07.1-22.3	18	12.6	05.7-19.5	17	16.5	04.9-28.1	43	33.4	21.6-45.2
\$15,000- 24,999	220	77,958	67	35.6	27.0-44.2	32	14.9	08.4-21.4	22	10.7	05.2-16.2	22	7.2	03.3-11.1	77	31.7	23.9-39.5
\$25,000- 34,999	92	34,461	26	23.4	13.4-33.4	14	13.6	04.8-22.4	15	19.1	09.1-29.1	13	13.0	04.4-21.6	24	30.8	18.1-43.5
\$35,000- 49,999	103	52,541	41	35.7	24.3-47.1	9	6.3	01.2-11.4	13	14.5	05.9-23.1	8	11.5	01.5-21.5	32	32.0	20.0-44.0
\$50,000- 74,999	85	42,033	26	35.9	22.6-49.2	10	11.4	03.6-19.2	12	8.6	03.1-14.1	8	9.9	02.3-17.5	29	34.2	21.3-47.1
\$75,000+	117	54,057	32	29.9	19.5-40.3	18	16.2	08.6-23.8	14	11.1	04.2-18.0	14	9.4	03.5-15.3	39	33.5	23.5-43.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4377	2,143,794	3055	67.8	65.8-69.8	1322	32.2	30.2-34.2
Male	1502	976,849	998	64.5	61.2-67.8	504	35.5	32.2-38.8
Female	2875	1,166,945	2057	70.5	68.1-72.9	818	29.5	27.1-31.9
White/Non-Hisp	3772	1,782,418	2655	69.1	67.1-71.1	1117	30.9	28.9-32.9
Black or Afr. Am./Non-Hisp	486	264,419	327	61.2	54.3-68.1	159	38.8	31.9-45.7
45-54	702	500,995	372	51.4	46.5-56.3	330	48.6	43.7-53.5
55-64	1503	769,138	1017	67.5	64.4-70.6	486	32.5	29.4-35.6
65+	2172	873,661	1666	77.4	75.0-79.8	506	22.6	20.2-25.0
Less Than H.S.	657	433,283	389	57.2	51.5-62.9	268	42.8	37.1-48.5
H.S. or G.E.D.	1482	720,261	998	65.8	62.7-68.9	484	34.2	31.1-37.3
Some Post-H.S.	1166	564,564	837	71.0	67.5-74.5	329	29.0	25.5-32.5
College Graduate	1067	423,796	827	77.5	74.2-80.8	240	22.5	19.2-25.8
Less than \$15,000	563	234,692	333	53.8	47.7-59.9	230	46.2	40.1-52.3
\$15,000- 24,999	837	406,150	554	61.0	55.7-66.3	283	39.0	33.7-44.3
\$25,000- 34,999	423	200,413	289	69.2	63.3-75.1	134	30.8	24.9-36.7
\$35,000- 49,999	468	262,386	317	69.9	64.6-75.2	151	30.1	24.8-35.4
\$50,000- 74,999	419	248,868	313	71.6	65.9-77.3	106	28.4	22.7-34.1
\$75,000+	539	311,665	417	74.3	69.4-79.2	122	25.7	20.8-30.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1502	976,849	998	64.5	61.2-67.8	504	35.5	32.2-38.8
White/Non-Hisp	1304	804,745	876	66.5	63.2-69.8	428	33.5	30.2-36.8
Black or Afr. Am./Non-Hisp	149	118,091	90	52.0	40.2-63.8	59	48.0	36.2-59.8
45-54	249	232,730	120	47.9	39.7-56.1	129	52.1	43.9-60.3
55-64	568	363,865	365	63.8	58.7-68.9	203	36.2	31.1-41.3
65+	685	380,254	513	75.4	71.1-79.7	172	24.6	20.3-28.9
Less Than H.S.	187	188,534	104	50.4	40.6-60.2	83	49.6	39.8-59.4
H.S. or G.E.D.	477	313,252	284	61.3	55.8-66.8	193	38.7	33.2-44.2
Some Post-H.S.	414	262,151	280	67.5	61.6-73.4	134	32.5	26.6-38.4
College Graduate	422	211,596	328	77.7	72.6-82.8	94	22.3	17.2-27.4
Less than \$15,000	139	93,732	63	43.1	31.9-54.3	76	56.9	45.7-68.1
\$15,000- 24,999	257	179,775	166	57.3	47.9-66.7	91	42.7	33.3-52.1
\$25,000- 34,999	172	97,903	106	65.1	56.1-74.1	66	34.9	25.9-43.9
\$35,000- 49,999	186	120,248	123	67.9	59.3-76.5	63	32.1	23.5-40.7
\$50,000- 74,999	185	129,607	137	68.9	60.3-77.5	48	31.1	22.5-39.7
\$75,000+	240	167,783	189	75.7	68.6-82.8	51	24.3	17.2-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	1,166,945	2057	70.5	68.1-72.9	818	29.5	27.1-31.9
White/Non-Hisp	2468	977,673	1779	71.2	68.8-73.6	689	28.8	26.4-31.2
Black or Afr. Am./Non-Hisp	337	146,328	237	68.6	61.3-75.9	100	31.4	24.1-38.7
45-54	453	268,265	252	54.4	48.7-60.1	201	45.6	39.9-51.3
55-64	935	405,272	652	70.9	67.2-74.6	283	29.1	25.4-32.8
65+	1487	493,408	1153	79.0	76.3-81.7	334	21.0	18.3-23.7
Less Than H.S.	470	244,749	285	62.4	56.3-68.5	185	37.6	31.5-43.7
H.S. or G.E.D.	1005	407,009	714	69.2	65.5-72.9	291	30.8	27.1-34.5
Some Post-H.S.	752	302,412	557	74.1	70.0-78.2	195	25.9	21.8-30.0
College Graduate	645	212,200	499	77.2	73.1-81.3	146	22.8	18.7-26.9
Less than \$15,000	424	140,960	270	60.9	54.4-67.4	154	39.1	32.6-45.6
\$15,000- 24,999	580	226,375	388	63.9	58.4-69.4	192	36.1	30.6-41.6
\$25,000- 34,999	251	102,510	183	73.1	65.5-80.7	68	26.9	19.3-34.5
\$35,000- 49,999	282	142,138	194	71.7	65.2-78.2	88	28.3	21.8-34.8
\$50,000- 74,999	234	119,261	176	74.7	67.6-81.8	58	25.3	18.2-32.4
\$75,000+	299	143,882	228	72.6	65.9-79.3	71	27.4	20.7-34.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3023	1,438,816	80	2.6	01.8-03.4	2943	97.4	96.6-98.2
Male	988	623,410	28	2.1	01.1-03.1	960	97.9	96.9-98.9
Female	2035	815,407	52	2.9	01.7-04.1	1983	97.1	95.9-98.3
White/Non-Hisp	2628	1,219,402	70	2.6	01.8-03.4	2558	97.4	96.6-98.2
Black or Afr. Am./Non-Hisp	323	161,411	6	2.3	00.0-05.0	317	97.7	95.0-0100
45-54	372	257,364	9	1.7	00.3-03.1	363	98.3	96.9-99.7
55-64	1012	516,676	19	1.5	00.5-02.5	993	98.5	97.5-99.5
65+	1639	664,777	52	3.7	02.3-05.1	1587	96.3	94.9-97.7
Less Than H.S.	380	243,149	10	3.0	00.6-05.4	370	97.0	94.6-99.4
H.S. or G.E.D.	987	470,971	21	2.3	01.1-03.5	966	97.7	96.5-98.9
Some Post-H.S.	829	397,340	28	2.7	01.3-04.1	801	97.3	95.9-98.7
College Graduate	823	325,757	21	2.5	01.1-03.9	802	97.5	96.1-98.9
Less than \$15,000	329	125,625	11	2.4	00.6-04.2	318	97.6	95.8-99.4
\$15,000- 24,999	542	241,743	15	3.2	01.2-05.2	527	96.8	94.8-98.8
\$25,000- 34,999	285	136,995	14	5.5	02.0-09.0	271	94.5	91.0-98.0
\$35,000- 49,999	316	183,378	7	3.1	00.4-05.8	309	96.9	94.2-99.6
\$50,000- 74,999	309	175,859	8	2.3	00.5-04.1	301	97.7	95.9-99.5
\$75,000+	417	231,481	6	0.7	00.0-01.5	411	99.3	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	988	623,410	28	2.1	01.1-03.1	960	97.9	96.9-98.9
White/Non-Hisp	868	530,679	27	2.3	01.3-03.3	841	97.7	96.7-98.7
Black or Afr. Am./Non-Hisp	89	61,334				89	100.0	0100-0100
45-54	120	111,362	1	0.2	00.0-00.6	119	99.8	99.4-0100
55-64	363	230,022	5	0.4	00.0-00.8	358	99.6	99.2-0100
65+	505	282,026	22	4.2	02.2-06.2	483	95.8	93.8-97.8
Less Than H.S.	101	93,256	3	1.9	00.0-04.3	98	98.1	95.7-0100
H.S. or G.E.D.	283	191,694	4	1.1	00.0-02.3	279	98.9	97.7-0100
Some Post-H.S.	275	174,294	11	2.3	00.5-04.1	264	97.7	95.9-99.5
College Graduate	327	162,849	10	3.1	00.9-05.3	317	96.9	94.7-99.1
Less than \$15,000	63	40,442	2	1.1	00.0-02.9	61	98.9	97.1-0100
\$15,000- 24,999	161	101,149	6	2.9	00.2-05.6	155	97.1	94.4-99.8
\$25,000- 34,999	104	62,776	4	4.3	00.0-08.8	100	95.7	91.2-0100
\$35,000- 49,999	123	81,647	3	1.4	00.0-03.2	120	98.6	96.8-0100
\$50,000- 74,999	136	87,678	4	2.4	00.0-04.9	132	97.6	95.1-0100
\$75,000+	189	126,993	3	0.6	00.0-01.4	186	99.4	98.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	815,407	52	2.9	01.7-04.1	1983	97.1	95.9-98.3
White/Non-Hisp	1760	688,723	43	2.8	01.6-04.0	1717	97.2	96.0-98.4
Black or Afr. Am./Non-Hisp	234	100,076	6	3.7	00.0-08.0	228	96.3	92.0-0100
45-54	252	146,002	8	2.9	00.5-05.3	244	97.1	94.7-99.5
55-64	649	286,654	14	2.4	00.6-04.2	635	97.6	95.8-99.4
65+	1134	382,751	30	3.3	01.5-05.1	1104	96.7	94.9-98.5
Less Than H.S.	279	149,893	7	3.7	00.2-07.2	272	96.3	92.8-99.8
H.S. or G.E.D.	704	279,277	17	3.0	01.0-05.0	687	97.0	95.0-99.0
Some Post-H.S.	554	223,046	17	3.1	01.3-04.9	537	96.9	95.1-98.7
College Graduate	496	162,908	11	1.8	00.4-03.2	485	98.2	96.8-99.6
Less than \$15,000	266	85,183	9	3.1	00.7-05.5	257	96.9	94.5-99.3
\$15,000- 24,999	381	140,594	9	3.4	00.7-06.1	372	96.6	93.9-99.3
\$25,000- 34,999	181	74,219	10	6.5	01.4-11.6	171	93.5	88.4-98.6
\$35,000- 49,999	193	101,731	4	4.4	00.0-09.1	189	95.6	90.9-0100
\$50,000- 74,999	173	88,181	4	2.2	00.0-04.7	169	97.8	95.3-0100
\$75,000+	228	104,489	3	0.9	00.0-02.3	225	99.1	97.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2973	1,421,182	680	23.6	21.6-25.6	543	19.1	17.1-21.1	541	17.6	15.8-19.4	648	21.1	19.1-23.1	399	13.6	12.0-15.2	162	5.1	04.1-06.1
Male	979	619,586	256	26.4	22.9-29.9	182	19.5	16.2-22.8	160	14.5	11.8-17.2	203	21.0	17.7-24.3	132	13.7	11.0-16.4	46	5.0	03.2-06.8
Female	1994	801,597	424	21.4	19.0-23.8	361	18.8	16.4-21.2	381	19.9	17.5-22.3	445	21.2	18.8-23.6	267	13.6	11.6-15.6	116	5.1	03.7-06.5
White/Non-Hisp	2582	1,201,845	567	22.8	20.6-25.0	447	18.5	16.5-20.5	484	18.0	16.0-20.0	570	21.1	18.9-23.3	366	14.6	12.8-16.4	148	5.1	03.9-06.3
Black or Afr. Am./Non-Hisp	319	159,854	96	29.4	22.3-36.5	80	24.8	18.1-31.5	47	13.9	08.8-19.0	57	17.2	12.1-22.3	28	9.7	05.6-13.8	11	5.0	01.3-08.7
45-54	367	254,573	117	33.0	26.9-39.1	82	21.2	15.9-26.5	56	15.4	10.5-20.3	53	13.8	09.3-18.3	38	11.1	07.0-15.2	21	5.5	02.8-08.2
55-64	1005	514,981	215	21.6	18.3-24.9	176	18.6	15.5-21.7	194	18.3	15.2-21.4	213	19.9	16.8-23.0	164	16.8	13.9-19.7	43	4.8	02.8-06.8
65+	1601	651,628	348	21.4	18.7-24.1	285	18.6	16.1-21.1	291	17.9	15.4-20.4	382	24.9	22.0-27.8	197	12.1	09.9-14.3	98	5.1	03.7-06.5
Less Than H.S.	370	238,577	99	25.5	19.6-31.4	82	21.0	15.7-26.3	69	18.8	13.1-24.5	59	16.6	10.9-22.3	44	11.4	06.7-16.1	17	6.7	03.0-10.4
H.S. or G.E.D.	965	462,964	228	23.7	20.2-27.2	172	17.8	14.7-20.9	169	17.0	13.9-20.1	217	22.8	19.3-26.3	124	13.4	10.5-16.3	55	5.4	03.6-07.2
Some Post-H.S.	818	393,257	176	23.7	19.8-27.6	143	19.3	15.4-23.2	154	18.0	14.5-21.5	185	21.2	17.7-24.7	115	14.2	11.3-17.1	45	3.7	02.1-05.3
College Graduate	816	324,785	176	21.9	18.2-25.6	145	19.1	15.6-22.6	149	17.0	13.9-20.1	185	21.9	18.4-25.4	116	15.0	11.9-18.1	45	5.1	03.1-07.1
Less than \$15,000	318	122,063	67	22.6	15.9-29.3	51	16.4	10.9-21.9	65	19.8	13.1-26.5	68	22.5	15.2-29.8	38	9.1	05.6-12.6	29	9.6	04.5-14.7
\$15,000- 24,999	541	241,797	138	26.0	20.9-31.1	91	19.0	14.3-23.7	77	14.0	10.1-17.9	128	22.1	17.2-27.0	66	10.9	07.6-14.2	41	8.0	04.9-11.1
\$25,000- 34,999	278	133,622	65	25.7	18.6-32.8	49	21.9	15.0-28.8	60	19.8	13.7-25.9	58	17.9	12.4-23.4	36	11.3	07.0-15.6	10	3.5	00.2-06.8
\$35,000- 49,999	314	182,320	73	21.7	16.2-27.2	60	18.2	12.1-24.3	58	18.8	12.7-24.9	72	25.6	19.1-32.1	36	10.6	06.1-15.1	15	5.0	02.1-07.9
\$50,000- 74,999	305	175,830	68	21.5	15.6-27.4	64	23.8	17.7-29.9	50	18.1	12.4-23.8	58	16.7	12.0-21.4	52	15.3	10.4-20.2	13	4.6	01.7-07.5
\$75,000+	416	230,922	89	24.3	18.8-29.8	78	17.7	13.4-22.0	74	15.7	11.6-19.8	92	23.0	18.1-27.9	69	17.5	12.8-22.2	14	1.8	00.6-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	979	619,586	256	26.4	22.9-29.9	182	19.5	16.2-22.8	160	14.5	11.8-17.2	203	21.0	17.7-24.3	132	13.7	11.0-16.4	46	5.0	03.2-06.8
White/Non-Hisp	860	526,433	213	24.5	20.8-28.2	157	19.6	16.1-23.1	151	15.8	12.7-18.9	173	20.4	16.9-23.9	124	14.8	11.7-17.9	42	4.9	03.1-06.7
Black or Afr. Am./Non-Hisp	88	60,277	35	43.4	29.7-57.1	22	24.2	13.0-35.4	5	5.3	00.0-10.6	19	15.9	08.1-23.7	5	7.7	00.8-14.6	2	3.4	00.0-08.9
45-54	119	110,978	42	35.7	25.3-46.1	27	22.1	12.7-31.5	15	12.4	05.0-19.8	18	14.3	06.5-22.1	11	10.7	03.8-17.6	6	4.8	00.7-08.9
55-64	364	231,696	94	26.6	20.7-32.5	65	20.0	14.7-25.3	70	14.5	10.2-18.8	64	16.8	12.5-21.1	54	15.9	11.0-20.8	17	6.2	02.7-09.7
65+	496	276,911	120	22.4	17.9-26.9	90	18.1	13.8-22.4	75	15.5	11.4-19.6	121	27.2	21.9-32.5	67	13.0	09.1-16.9	23	4.0	01.8-06.2
Less Than H.S.	99	92,007	36	34.7	22.9-46.5	22	16.3	07.9-24.7	14	13.9	04.9-22.9	16	19.6	08.4-30.8	7	9.4	00.6-18.2	4	6.2	00.0-12.5
H.S. or G.E.D.	279	190,272	75	25.8	19.5-32.1	50	16.9	11.6-22.2	42	14.5	09.2-19.8	58	21.8	15.7-27.9	37	14.7	09.2-20.2	17	6.3	03.0-09.6
Some Post-H.S.	276	173,565	73	27.5	20.4-34.6	52	23.9	16.6-31.2	46	14.5	09.6-19.4	59	20.5	14.8-26.2	35	11.0	06.7-15.3	11	2.6	00.4-04.8
College Graduate	323	162,426	72	21.3	15.6-27.0	57	19.2	13.7-24.7	58	15.2	10.5-19.9	69	21.4	16.3-26.5	53	17.9	13.0-22.8	14	5.2	01.9-08.5
Less than \$15,000	61	39,001	19	31.9	16.2-47.6	6	11.7	00.9-22.5	15	22.4	06.7-38.1	9	18.3	03.6-33.0	4	4.1	00.0-08.8	8	11.7	01.1-22.3
\$15,000- 24,999	165	102,113	53	29.9	20.9-38.9	30	22.4	13.8-31.0	19	9.9	03.8-16.0	36	23.5	14.5-32.5	17	6.9	02.8-11.0	10	7.4	01.9-12.9
\$25,000- 34,999	102	62,111	28	23.4	13.4-33.4	22	26.7	15.1-38.3	20	22.5	11.9-33.1	17	13.8	06.2-21.4	12	10.4	03.7-17.1	3	3.1	00.0-07.4
\$35,000- 49,999	122	80,981	33	23.3	14.5-32.1	21	17.6	07.6-27.6	24	16.2	08.4-24.0	26	27.7	16.5-38.9	12	10.5	03.4-17.6	6	4.8	00.3-09.3
\$50,000- 74,999	134	88,024	36	25.4	16.2-34.6	25	21.2	12.4-30.0	18	13.5	06.1-20.9	23	16.9	09.5-24.3	26	17.8	10.2-25.4	6	5.2	00.3-10.1
\$75,000+	189	126,993	41	26.8	18.4-35.2	38	17.0	10.9-23.1	31	13.6	07.7-19.5	44	24.4	17.0-31.8	30	16.8	09.9-23.7	5	1.4	00.0-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1994	801,597	424	21.4	19.0-23.8	361	18.8	16.4-21.2	381	19.9	17.5-22.3	445	21.2	18.8-23.6	267	13.6	11.6-15.6	116	5.1	03.7-06.5
White/Non-Hisp	1722	675,412	354	21.4	18.9-23.9	290	17.6	15.2-20.0	333	19.8	17.4-22.2	397	21.6	19.1-24.1	242	14.4	12.2-16.6	106	5.2	03.8-06.6
Black or Afr. Am./Non-Hisp	231	99,577	61	20.9	14.6-27.2	58	25.2	17.0-33.4	42	19.1	11.8-26.4	38	17.9	11.0-24.8	23	10.9	05.6-16.2	9	5.9	01.0-10.8
45-54	248	143,594	75	30.8	23.4-38.2	55	20.6	14.9-26.3	41	17.7	11.4-24.0	35	13.4	08.3-18.5	27	11.4	06.3-16.5	15	6.1	02.4-09.8
55-64	641	283,285	121	17.6	14.1-21.1	111	17.5	13.6-21.4	124	21.4	16.9-25.9	149	22.5	18.2-26.8	110	17.5	13.8-21.2	26	3.6	01.8-05.4
65+	1105	374,718	228	20.7	17.6-23.8	195	19.1	16.0-22.2	216	19.7	16.6-22.8	261	23.2	19.9-26.5	130	11.4	09.0-13.8	75	5.9	03.9-07.9
Less Than H.S.	271	146,570	63	19.7	13.4-26.0	60	23.9	17.0-30.8	55	21.9	14.6-29.2	43	14.7	08.8-20.6	37	12.7	07.4-18.0	13	7.1	02.4-11.8
H.S. or G.E.D.	686	272,692	153	22.3	18.4-26.2	122	18.4	14.7-22.1	127	18.8	15.1-22.5	159	23.4	19.3-27.5	87	12.4	09.5-15.3	38	4.7	02.9-06.5
Some Post-H.S.	542	219,693	103	20.6	16.1-25.1	91	15.6	11.5-19.7	108	20.8	16.1-25.5	126	21.8	17.5-26.1	80	16.6	12.5-20.7	34	4.5	02.3-06.7
College Graduate	493	162,360	104	22.4	17.7-27.1	88	19.0	14.7-23.3	91	18.8	14.5-23.1	116	22.5	17.8-27.2	63	12.2	08.9-15.5	31	5.0	02.8-07.2
Less than \$15,000	257	83,062	48	18.2	11.9-24.5	45	18.6	12.3-24.9	50	18.6	12.1-25.1	59	24.5	16.3-32.7	34	11.5	07.0-16.0	21	8.7	03.2-14.2
\$15,000- 24,999	376	139,683	85	23.1	17.4-28.8	61	16.6	11.7-21.5	58	17.0	11.7-22.3	92	21.0	15.9-26.1	49	13.8	09.1-18.5	31	8.5	04.8-12.2
\$25,000- 34,999	176	71,511	37	27.7	18.1-37.3	27	17.7	09.7-25.7	40	17.3	11.2-23.4	41	21.5	13.7-29.3	24	12.0	06.3-17.7	7	3.8	00.0-08.7
\$35,000- 49,999	192	101,339	40	20.5	13.4-27.6	39	18.7	11.1-26.3	34	20.9	12.1-29.7	46	24.0	16.6-31.4	24	10.8	05.1-16.5	9	5.2	01.3-09.1
\$50,000- 74,999	171	87,806	32	17.6	10.3-24.9	39	26.3	18.1-34.5	32	22.7	14.3-31.1	35	16.6	10.5-22.7	26	12.8	06.5-19.1	7	4.0	00.7-07.3
\$75,000+	227	103,929	48	21.1	14.8-27.4	40	18.5	12.6-24.4	43	18.3	12.4-24.2	48	21.4	14.9-27.9	39	18.4	12.3-24.5	9	2.3	00.5-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	241
2	MALES ONLY	242
3	FEMALES ONLY	243
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	244
5	MALES ONLY	245
6	FEMALES ONLY	246
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)	
7	MALES AND FEMALES	247
8	MALES ONLY	248
9	FEMALES ONLY	249

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6162	4,391,794	2061	40.6	38.8-42.4	4101	59.4	57.6-61.2
Male	2205	2,102,612	776	39.6	36.9-42.3	1429	60.4	57.7-63.1
Female	3957	2,289,182	1285	41.5	39.3-43.7	2672	58.5	56.3-60.7
White/Non-Hisp	5076	3,364,624	1485	35.2	33.4-37.0	3591	64.8	63.0-66.6
Black or Afr. Am./Non-Hisp	844	683,117	468	65.9	61.6-70.2	376	34.1	29.8-38.4
Oth. Race/Non-Hisp.	88	123,682	37	41.9	28.8-55.0	51	58.1	45.0-71.2
MultiRacial/Non-Hisp.	61	86,404	32	42.3	25.8-58.8	29	57.7	41.2-74.2
Hispanic	60	109,479	26	43.2	28.1-58.3	34	56.8	41.7-71.9
18-24	271	545,757	116	39.9	33.2-46.6	155	60.1	53.4-66.8
25-34	590	744,277	356	60.6	55.9-65.3	234	39.4	34.7-44.1
35-44	728	737,297	432	59.3	54.8-63.8	296	40.7	36.2-45.2
45-54	1126	814,226	469	41.2	37.5-44.9	657	58.8	55.1-62.5
55-64	1416	721,551	402	29.4	26.3-32.5	1014	70.6	67.5-73.7
65+	1989	802,007	271	14.4	12.2-16.6	1718	85.6	83.4-87.8
Less Than H.S.	795	719,360	207	35.3	30.0-40.6	588	64.7	59.4-70.0
H.S. or G.E.D.	2043	1,458,272	644	39.6	36.7-42.5	1399	60.4	57.5-63.3
Some Post-H.S.	1697	1,265,437	616	43.3	40.0-46.6	1081	56.7	53.4-60.0
College Graduate	1619	941,902	593	42.7	39.4-46.0	1026	57.3	54.0-60.6
Less than \$15,000	787	486,935	305	44.6	39.5-49.7	482	55.4	50.3-60.5
\$15,000- 24,999	1156	809,191	395	42.9	38.6-47.2	761	57.1	52.8-61.4
\$25,000- 34,999	614	436,503	199	44.1	38.6-49.6	415	55.9	50.4-61.4
\$35,000- 49,999	687	540,818	238	40.4	35.3-45.5	449	59.6	54.5-64.7
\$50,000- 74,999	633	494,857	227	41.1	36.2-46.0	406	58.9	54.0-63.8
\$75,000+	866	709,615	320	40.0	35.7-44.3	546	60.0	55.7-64.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2205	2,102,612	776	39.6	36.9-42.3	1429	60.4	57.7-63.1
White/Non-Hisp	1832	1,610,079	575	34.9	32.0-37.8	1257	65.1	62.2-68.0
Black or Afr. Am./Non-Hisp	270	301,076	158	68.3	61.2-75.4	112	31.7	24.6-38.8
18-24	115	277,305	37	32.5	22.9-42.1	78	67.5	57.9-77.1
25-34	234	364,222	121	53.9	46.5-61.3	113	46.1	38.7-53.5
35-44	258	363,816	140	54.0	46.9-61.1	118	46.0	38.9-53.1
45-54	435	401,867	182	42.1	36.0-48.2	253	57.9	51.8-64.0
55-64	539	343,916	170	32.0	26.9-37.1	369	68.0	62.9-73.1
65+	616	344,626	122	18.8	14.9-22.7	494	81.2	77.3-85.1
Less Than H.S.	238	334,873	68	36.2	27.6-44.8	170	63.8	55.2-72.4
H.S. or G.E.D.	738	709,109	265	41.0	36.3-45.7	473	59.0	54.3-63.7
Some Post-H.S.	626	609,680	227	39.9	34.8-45.0	399	60.1	55.0-65.2
College Graduate	598	442,701	215	39.6	34.5-44.7	383	60.4	55.3-65.5
Less than \$15,000	207	199,078	79	37.9	28.7-47.1	128	62.1	52.9-71.3
\$15,000- 24,999	378	384,349	139	41.9	34.8-49.0	239	58.1	51.0-65.2
\$25,000- 34,999	234	201,822	77	44.6	35.8-53.4	157	55.4	46.6-64.2
\$35,000- 49,999	286	279,083	96	38.7	31.1-46.3	190	61.3	53.7-68.9
\$50,000- 74,999	278	257,070	98	41.2	33.9-48.5	180	58.8	51.5-66.1
\$75,000+	383	385,009	149	39.0	32.9-45.1	234	61.0	54.9-67.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3957	2,289,182	1285	41.5	39.3-43.7	2672	58.5	56.3-60.7
White/Non-Hisp	3244	1,754,545	910	35.5	33.1-37.9	2334	64.5	62.1-66.9
Black or Afr. Am./Non-Hisp	574	382,041	310	64.1	58.6-69.6	264	35.9	30.4-41.4
Oth. Race/Non-Hisp.	54	63,698	25	53.6	35.4-71.8	29	46.4	28.2-64.6
18-24	156	268,452	79	47.5	38.3-56.7	77	52.5	43.3-61.7
25-34	356	380,055	235	67.1	61.4-72.8	121	32.9	27.2-38.6
35-44	470	373,481	292	64.5	59.2-69.8	178	35.5	30.2-40.8
45-54	691	412,359	287	40.3	35.8-44.8	404	59.7	55.2-64.2
55-64	877	377,636	232	27.0	22.9-31.1	645	73.0	68.9-77.1
65+	1373	457,381	149	11.1	08.7-13.5	1224	88.9	86.5-91.3
Less Than H.S.	557	384,486	139	34.4	28.1-40.7	418	65.6	59.3-71.9
H.S. or G.E.D.	1305	749,163	379	38.2	34.5-41.9	926	61.8	58.1-65.5
Some Post-H.S.	1071	655,757	389	46.5	42.4-50.6	682	53.5	49.4-57.6
College Graduate	1021	499,201	378	45.4	41.3-49.5	643	54.6	50.5-58.7
Less than \$15,000	580	287,857	226	49.2	43.5-54.9	354	50.8	45.1-56.5
\$15,000- 24,999	778	424,841	256	43.8	38.7-48.9	522	56.2	51.1-61.3
\$25,000- 34,999	380	234,680	122	43.7	36.8-50.6	258	56.3	49.4-63.2
\$35,000- 49,999	401	261,736	142	42.2	35.5-48.9	259	57.8	51.1-64.5
\$50,000- 74,999	355	237,788	129	41.1	34.4-47.8	226	58.9	52.2-65.6
\$75,000+	483	324,606	171	41.2	35.1-47.3	312	58.8	52.7-64.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1046	981,270	33	1.9	00.9-02.9	40	2.5	01.5-03.5	81	6.5	04.7-08.3	134	10.7	08.3-13.1	547	56.9	53.0-60.8	211	21.4	18.1-24.7
Male	383	458,342	11	2.1	00.5-03.7	16	2.7	01.1-04.3	20	3.9	01.7-06.1	41	9.6	06.1-13.1	216	59.1	52.8-65.4	79	22.5	17.0-28.0
Female	663	522,928	22	1.8	00.8-02.8	24	2.4	01.2-03.6	61	8.8	05.9-11.7	93	11.6	08.7-14.5	331	55.0	50.1-59.9	132	20.4	16.5-24.3
White/Non-Hisp	692	594,933	32	3.1	01.5-04.7	38	4.1	02.5-05.7	62	7.4	05.0-09.8	111	13.5	10.4-16.6	336	52.1	47.2-57.0	113	19.7	15.6-23.8
Black or Afr. Am./Non-Hisp	298	313,427				2	0.1	00.0-00.3	11	3.3	00.6-06.0	17	5.7	02.2-09.2	182	66.9	60.0-73.8	86	24.1	18.2-30.0
18-24	78	150,583										1	2.0	00.0-05.9	53	68.0	56.0-80.0	24	30.0	18.2-41.8
25-34	246	296,793				1	0.2	00.0-00.6	16	5.6	02.3-08.9	21	8.9	04.6-13.2	152	64.1	56.8-71.4	56	21.2	15.1-27.3
35-44	231	227,845	3	2.0	00.0-04.7	9	3.8	01.1-06.5	21	10.4	05.1-15.7	44	15.7	10.2-21.2	110	48.2	40.4-56.0	44	19.8	13.5-26.1
45-54	238	175,458	16	5.5	02.0-09.0	9	2.7	00.5-04.9	19	7.8	03.7-11.9	33	14.9	08.8-21.0	121	52.1	43.3-60.9	40	17.0	10.7-23.3
55-64	170	91,259	6	1.5	00.1-02.9	15	8.3	03.2-13.4	16	8.3	02.6-14.0	22	9.2	04.3-14.1	80	49.7	39.9-59.5	31	22.8	13.8-31.8
65+	78	33,231	8	10.0	02.2-17.8	6	10.2	01.4-19.0	9	5.9	01.2-10.6	13	16.0	05.8-26.2	28	43.4	29.5-57.3	14	14.5	05.9-23.1
Less Than H.S.	92	130,601	2	0.6	00.0-01.6	2	1.2	00.0-03.2	4	3.9	00.0-08.4	12	5.6	01.5-09.7	53	62.1	48.8-75.4	19	26.6	14.1-39.1
H.S. or G.E.D.	318	322,430	16	4.1	01.6-06.6	9	1.9	00.3-03.5	24	8.0	04.1-11.9	32	8.1	04.6-11.6	162	54.1	47.0-61.2	75	23.8	17.7-29.9
Some Post-H.S.	312	292,511	4	0.5	00.0-01.1	12	2.2	00.6-03.8	17	5.0	01.9-08.1	43	14.3	09.2-19.4	169	56.2	49.1-63.3	67	21.7	15.8-27.6
College Graduate	324	235,729	11	1.5	00.3-02.7	17	4.5	02.0-07.0	36	7.7	04.6-10.8	47	12.7	08.2-17.2	163	58.6	52.1-65.1	50	15.0	10.5-19.5
Less than \$15,000	139	119,512	3	0.4	00.0-00.8	3	1.7	00.0-04.1	8	3.3	00.4-06.2	6	2.5	00.0-05.0	81	62.6	52.2-73.0	38	29.6	19.6-39.6
\$15,000- 24,999	215	210,378	5	1.1	00.0-02.3	6	1.5	00.0-03.1	11	1.6	00.6-02.6	26	7.8	04.1-11.5	127	67.1	58.9-75.3	40	20.9	13.3-28.5
\$25,000- 34,999	114	115,593	2	2.7	00.0-07.6	4	3.0	00.0-06.3	13	11.3	04.0-18.6	8	5.6	00.5-10.7	57	49.2	37.4-61.0	30	28.3	16.9-39.7
\$35,000- 49,999	132	127,011	5	3.1	00.0-06.2	3	1.0	00.0-02.2	9	7.6	01.5-13.7	22	14.4	07.0-21.8	62	48.1	36.9-59.3	31	25.7	15.7-35.7
\$50,000- 74,999	108	100,518	4	0.8	00.0-01.8	6	3.4	00.1-06.7	18	15.0	06.8-23.2	16	17.7	08.1-27.3	52	50.8	39.0-62.6	12	12.1	03.9-20.3
\$75,000+	166	153,304	9	3.6	00.9-06.3	14	5.5	02.0-09.0	14	9.6	03.3-15.9	25	12.7	06.4-19.0	82	56.1	46.7-65.5	22	12.5	06.6-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	383	458,342	11	2.1	00.5-03.7	16	2.7	01.1-04.3	20	3.9	01.7-06.1	41	9.6	06.1-13.1	216	59.1	52.6-65.6	79	22.5	17.0-28.0
White/Non-Hisp	268	281,870	11	3.4	00.9-05.9	16	4.4	02.0-06.8	15	3.9	01.4-06.4	32	10.8	06.3-15.3	140	53.9	46.1-61.7	54	23.5	16.4-30.6
Black or Afr. Am./Non-Hisp	92	136,387							3	2.6	00.0-05.7	6	6.8	00.5-13.1	62	68.7	57.1-80.3	21	21.9	11.9-31.9
25-34	80	131,170							5	5.2	00.1-10.3	6	8.8	01.7-15.9	54	65.9	53.7-78.1	15	20.2	09.8-30.6
35-44	73	96,893	1	3.0	00.0-08.7	4	4.4	00.0-09.1	5	5.1	00.0-10.4	9	13.0	04.0-22.0	37	49.1	36.0-62.2	17	25.4	14.0-36.8
45-54	95	90,505	5	4.4	00.0-08.9				5	5.0	00.1-09.9	11	14.4	04.4-24.4	59	60.7	47.0-74.4	15	15.6	05.8-25.4
55-64	71	49,345	1	0.5	00.0-01.5	8	11.2	02.8-19.6	3	2.5	00.0-05.4	8	5.8	00.9-10.7	37	53.4	38.9-67.9	14	26.6	12.3-40.9
H.S. or G.E.D.	132	165,936	8	4.9	00.6-09.2	3	2.0	00.0-04.4	8	5.7	01.0-10.4	16	9.7	03.8-15.6	69	53.4	42.4-64.4	28	24.2	14.4-34.0
Some Post-H.S.	103	129,885	1	0.5	00.0-01.5	2	1.4	00.0-03.6	2	2.1	00.0-05.2	9	10.2	02.8-17.6	66	63.3	51.9-74.7	23	22.5	12.5-32.5
College Graduate	115	101,861	2	0.6	00.0-01.4	10	6.7	01.8-11.6	10	5.8	01.9-09.7	12	12.3	04.1-20.5	63	60.0	49.6-70.4	18	14.7	07.6-21.8
\$15,000- 24,999	82	105,385	1	0.7	00.0-02.1	2	0.8	00.0-02.0	4	1.0	00.0-02.0	10	6.7	01.4-12.0	49	68.8	56.3-81.3	16	22.0	10.4-33.6
\$35,000- 49,999	51	63,558	3	4.5	00.0-10.0	1	0.8	00.0-02.6	1	1.3	00.0-03.8	7	12.6	02.0-23.2	25	49.6	32.2-67.0	14	31.1	14.4-47.8
\$75,000+	77	81,423	3	2.9	00.0-06.6	7	5.8	00.3-11.3	5	6.5	00.0-13.0	6	11.2	01.4-21.0	44	58.0	44.7-71.3	12	15.5	05.9-25.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	663	522,928	22	1.8	00.8-02.8	24	2.4	01.2-03.6	61	8.8	05.9-11.7	93	11.6	08.7-14.5	331	55.0	50.1-59.9	132	20.4	16.5-24.3
White/Non-Hisp	424	313,063	21	2.9	01.1-04.7	22	3.9	01.9-05.9	47	10.6	06.9-14.3	79	15.8	11.5-20.1	196	50.4	44.3-56.5	59	16.3	11.6-21.0
Black or Afr. Am./Non-Hisp	206	177,040				2	0.2	00.0-00.6	8	3.7	00.0-08.0	11	4.8	01.1-08.5	120	65.4	57.4-73.4	65	25.8	18.9-32.7
18-24	51	81,199										1	3.7	00.0-10.8	34	67.2	52.3-82.1	16	29.1	14.8-43.4
25-34	166	165,623				1	0.4	00.0-01.2	11	6.0	01.7-10.3	15	8.9	03.8-14.0	98	62.6	54.0-71.2	41	22.1	14.8-29.4
35-44	158	130,951	2	1.3	00.0-03.3	5	3.3	00.2-06.4	16	14.4	06.4-22.4	35	17.8	11.1-24.5	73	47.6	38.0-57.2	27	15.6	08.9-22.3
45-54	143	84,953	11	6.7	01.4-12.0	9	5.6	01.3-09.9	14	10.8	04.5-17.1	22	15.4	08.5-22.3	62	43.0	33.2-52.8	25	18.5	11.1-25.9
55-64	99	41,914	5	2.8	00.0-05.7	7	4.9	00.8-09.0	13	15.3	04.1-26.5	14	13.2	04.6-21.8	43	45.4	32.3-58.5	17	18.4	08.2-28.6
Less Than H.S.	59	69,941	2	1.1	00.0-02.9	1	1.6	00.0-04.7	4	7.3	00.0-15.7	8	7.2	00.3-14.1	35	60.2	43.7-76.7	9	22.6	06.9-38.3
H.S. or G.E.D.	186	156,494	8	3.2	00.3-06.1	6	1.8	00.0-03.8	16	10.5	04.2-16.8	16	6.3	02.8-09.8	93	54.9	46.1-63.7	47	23.2	16.1-30.3
Some Post-H.S.	209	162,625	3	0.5	00.0-01.1	10	2.9	00.7-05.1	15	7.4	02.5-12.3	34	17.6	10.7-24.5	103	50.6	42.0-59.2	44	21.1	14.4-27.8
College Graduate	209	133,868	9	2.3	00.3-04.3	7	2.8	00.4-05.2	26	9.2	04.7-13.7	35	12.9	07.8-18.0	100	57.6	49.4-65.8	32	15.3	09.4-21.2
Less than \$15,000	104	84,699	2	0.4	00.0-01.0	3	2.4	00.0-05.5	5	3.4	00.0-07.1	4	2.1	00.0-04.8	61	59.7	47.7-71.7	29	31.9	20.3-43.5
\$15,000- 24,999	133	104,993	4	1.4	00.0-03.0	4	2.2	00.0-04.9	7	2.2	00.4-04.0	16	8.9	03.6-14.2	78	65.3	54.5-76.1	24	19.8	09.6-30.0
\$25,000- 34,999	74	58,955	1	0.4	00.0-01.2	1	0.8	00.0-02.4	11	16.4	05.2-27.6	5	8.0	00.0-16.8	34	47.3	33.2-61.4	22	27.2	15.0-39.4
\$35,000- 49,999	81	63,453	2	1.7	00.0-04.6	2	1.2	00.0-03.0	8	13.8	02.8-24.8	15	16.2	05.6-26.8	37	46.7	32.8-60.6	17	20.4	09.8-31.0
\$50,000- 74,999	67	49,331	3	1.3	00.0-03.1	5	4.9	00.0-10.4	15	21.0	08.7-33.3	9	15.4	04.2-26.6	30	52.5	37.8-67.2	5	4.9	00.0-09.8
\$75,000+	89	71,881	6	4.3	00.4-08.2	7	5.2	00.7-09.7	9	13.2	02.2-24.2	19	14.4	07.0-21.8	38	53.8	40.5-67.1	10	9.1	03.0-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6388	4,545,764	127	3.5	02.7-04.3	6261	96.5	95.7-97.3
Male	2292	2,173,614	53	3.8	02.6-05.0	2239	96.2	95.0-97.4
Female	4096	2,372,150	74	3.2	02.2-04.2	4022	96.8	95.8-97.8
White/Non-Hisp	5301	3,521,515	88	3.0	02.2-03.8	5213	97.0	96.2-97.8
Black or Afr. Am./Non-Hisp	848	685,373	32	6.3	03.6-09.0	816	93.7	91.0-96.4
Oth. Race/Non-Hisp.	86	119,819	2	0.5	00.0-01.3	84	99.5	98.7-0100
MultiRacial/Non-Hisp.	62	86,417				62	100.0	0100-0100
Hispanic	60	108,706	4	8.2	00.0-17.4	56	91.8	82.6-0100
18-24	280	557,934	28	10.2	06.1-14.3	252	89.8	85.7-93.9
25-34	607	765,735	45	8.3	05.6-11.0	562	91.7	89.0-94.4
35-44	760	763,900	21	2.3	01.1-03.5	739	97.7	96.5-98.9
45-54	1173	847,410	14	1.4	00.4-02.4	1159	98.6	97.6-99.6
55-64	1468	753,430	13	0.9	00.3-01.5	1455	99.1	98.5-99.7
65+	2059	831,129	6	0.2	00.0-00.4	2053	99.8	99.6-0100
Less Than H.S.	810	733,062	18	4.3	01.8-06.8	792	95.7	93.2-98.2
H.S. or G.E.D.	2103	1,501,170	40	3.7	02.3-05.1	2063	96.3	94.9-97.7
Some Post-H.S.	1773	1,319,214	38	3.5	02.1-04.9	1735	96.5	95.1-97.9
College Graduate	1695	985,776	31	2.5	01.5-03.5	1664	97.5	96.5-98.5
Less than \$15,000	804	488,027	21	3.0	01.2-04.8	783	97.0	95.2-98.8
\$15,000- 24,999	1210	841,034	30	4.3	02.3-06.3	1180	95.7	93.7-97.7
\$25,000- 34,999	633	446,446	19	5.7	02.6-08.8	614	94.3	91.2-97.4
\$35,000- 49,999	722	570,209	12	3.5	01.3-05.7	710	96.5	94.3-98.7
\$50,000- 74,999	662	517,640	9	2.3	00.7-03.9	653	97.7	96.1-99.3
\$75,000+	921	753,512	11	1.7	00.5-02.9	910	98.3	97.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2292	2,173,614	53	3.8	02.6-05.0	2239	96.2	95.0-97.4
White/Non-Hisp	1921	1,682,259	41	3.6	02.2-05.0	1880	96.4	95.0-97.8
Black or Afr. Am./Non-Hisp	270	301,075	10	5.4	02.1-08.7	260	94.6	91.3-97.9
18-24	117	284,007	11	8.4	03.1-13.7	106	91.6	86.3-96.9
25-34	240	373,746	21	9.9	05.4-14.4	219	90.1	85.6-94.6
35-44	269	378,605	5	1.6	00.0-03.2	264	98.4	96.8-100
45-54	456	412,295	7	2.5	00.5-04.5	449	97.5	95.5-99.5
55-64	552	355,650	6	1.3	00.1-02.5	546	98.7	97.5-99.9
65+	651	362,903	3	0.1	00.0-00.3	648	99.9	99.7-100
Less Than H.S.	243	338,005	6	3.4	00.0-06.9	237	96.6	93.1-100
H.S. or G.E.D.	767	734,954	17	4.4	02.2-06.6	750	95.6	93.4-97.8
Some Post-H.S.	643	628,596	19	4.5	02.3-06.7	624	95.5	93.3-97.7
College Graduate	635	466,091	11	2.1	00.7-03.5	624	97.9	96.5-99.3
Less than \$15,000	211	200,357	3	2.3	00.0-05.0	208	97.7	95.0-100
\$15,000- 24,999	397	400,543	15	5.8	02.3-09.3	382	94.2	90.7-97.7
\$25,000- 34,999	244	208,275	10	7.0	02.3-11.7	234	93.0	88.3-97.7
\$35,000- 49,999	301	291,405	7	4.1	01.0-07.2	294	95.9	92.8-99.0
\$50,000- 74,999	290	264,460	4	2.0	00.0-04.2	286	98.0	95.8-100
\$75,000+	405	406,845	5	1.2	00.0-02.4	400	98.8	97.6-100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4096	2,372,150	74	3.2	02.2-04.2	4022	96.8	95.8-97.8
White/Non-Hisp	3380	1,839,255	47	2.4	01.4-03.4	3333	97.6	96.6-98.6
Black or Afr. Am./Non-Hisp	578	384,298	22	7.1	03.0-11.2	556	92.9	88.8-97.0
Oth. Race/Non-Hisp.	52	59,271	2	1.0	00.0-02.4	50	99.0	97.6-0100
18-24	163	273,927	17	12.0	05.7-18.3	146	88.0	81.7-94.3
25-34	367	391,989	24	6.8	03.5-10.1	343	93.2	89.9-96.5
35-44	491	385,295	16	3.0	01.2-04.8	475	97.0	95.2-98.8
45-54	717	435,115	7	0.4	00.0-00.8	710	99.6	99.2-0100
55-64	916	397,780	7	0.6	00.0-01.2	909	99.4	98.8-0100
65+	1408	468,227	3	0.3	00.0-00.7	1405	99.7	99.3-0100
Less Than H.S.	567	395,056	12	5.0	01.3-08.7	555	95.0	91.3-98.7
H.S. or G.E.D.	1336	766,217	23	3.0	01.4-04.6	1313	97.0	95.4-98.6
Some Post-H.S.	1130	690,618	19	2.7	01.1-04.3	1111	97.3	95.7-98.9
College Graduate	1060	519,685	20	3.0	01.4-04.6	1040	97.0	95.4-98.6
Less than \$15,000	593	287,670	18	3.5	01.3-05.7	575	96.5	94.3-98.7
\$15,000- 24,999	813	440,491	15	2.9	00.9-04.9	798	97.1	95.1-99.1
\$25,000- 34,999	389	238,171	9	4.5	00.4-08.6	380	95.5	91.4-99.6
\$35,000- 49,999	421	278,804	5	2.8	00.0-05.7	416	97.2	94.3-0100
\$50,000- 74,999	372	253,180	5	2.6	00.1-05.1	367	97.4	94.9-99.9
\$75,000+	516	346,667	6	2.4	00.0-04.8	510	97.6	95.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2012**

End of Core Data Report