

# TENNESSEE

## 2017 Calculated Variables Report

### Behavioral Risk Factor Surveillance System

August 29, 2018



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5833	5,221,341	4415	78.7	77.3-80.1	1418	21.3	19.9-22.7
Male	2537	2,513,477	1975	79.5	77.3-81.7	562	20.5	18.3-22.7
Female	3296	2,707,864	2440	78.1	76.3-79.9	856	21.9	20.1-23.7
White/Non-Hisp	4716	3,901,058	3596	78.6	77.0-80.2	1120	21.4	19.8-23.0
Black or Afr. Am./Non-Hisp	649	819,680	473	77.9	73.6-82.2	176	22.1	17.8-26.4
Oth. Race/Non-Hisp.	144	156,070	107	79.7	71.1-88.3	37	20.3	11.7-28.9
MultiRacial/Non-Hisp.	94	65,088	61	71.5	58.4-84.6	33	28.5	15.4-41.6
Hispanic	117	186,628	98	91.9	87.2-96.6	19	8.1	3.4-12.8
18-24	335	634,728	309	93.5	90.4-96.6	26	6.5	3.4- 9.6
25-34	654	884,042	579	89.9	86.8-93.0	75	10.1	7.0-13.2
35-44	734	838,185	621	85.3	82.0-88.6	113	14.7	11.4-18.0
45-54	1044	878,491	774	74.5	70.8-78.2	270	25.5	21.8-29.2
55-64	1199	877,667	826	68.5	65.0-72.0	373	31.5	28.0-35.0
65+	1867	1,108,228	1306	67.9	65.0-70.8	561	32.1	29.2-35.0
Less Than H.S.	578	734,258	253	52.2	46.3-58.1	325	47.8	41.9-53.7
H.S. or G.E.D.	1877	1,727,833	1320	75.7	73.2-78.2	557	24.3	21.8-26.8
Some Post-H.S.	1509	1,534,435	1178	84.5	82.3-86.7	331	15.5	13.3-17.7
College Graduate	1850	1,210,747	1651	92.0	90.6-93.4	199	8.0	6.6- 9.4
Less than \$15,000	643	567,911	304	51.8	45.9-57.7	339	48.2	42.3-54.1
\$15,000- 24,999	970	823,813	626	67.4	63.5-71.3	344	32.6	28.7-36.5
\$25,000- 34,999	557	510,406	415	76.0	70.9-81.1	142	24.0	18.9-29.1
\$35,000- 49,999	644	587,562	533	84.3	80.8-87.8	111	15.7	12.2-19.2
\$50,000- 74,999	775	701,258	676	90.1	87.6-92.6	99	9.9	7.4-12.4
\$75,000+	1186	1,105,189	1108	94.0	92.2-95.8	78	6.0	4.2- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2537	2,513,477	1975	79.5	77.3-81.7	562	20.5	18.3-22.7
White/Non-Hisp	2057	1,869,031	1627	80.0	77.6-82.4	430	20.0	17.6-22.4
Black or Afr. Am./Non-Hisp	246	371,406	172	74.2	66.8-81.6	74	25.8	18.4-33.2
Oth. Race/Non-Hisp.	73	91,230	56	84.3	74.3-94.3	17	15.7	5.7-25.7
Hispanic	55	95,057	47	92.1	85.2-99.0	8	7.9	1.0-14.8
18-24	168	324,483	156	93.2	88.3-98.1	12	6.8	1.9-11.7
25-34	311	439,477	287	93.0	88.5-97.5	24	7.0	2.5-11.5
35-44	327	412,322	278	85.7	80.6-90.8	49	14.3	9.2-19.4
45-54	462	429,790	349	74.7	69.0-80.4	113	25.3	19.6-31.0
55-64	526	416,633	356	64.6	58.9-70.3	170	35.4	29.7-41.1
65+	743	490,772	549	69.8	65.3-74.3	194	30.2	25.7-34.7
Less Than H.S.	248	371,481	117	53.5	44.5-62.5	131	46.5	37.5-55.5
H.S. or G.E.D.	825	866,816	606	78.1	74.6-81.6	219	21.9	18.4-25.4
Some Post-H.S.	608	689,858	484	84.4	80.9-87.9	124	15.6	12.1-19.1
College Graduate	847	580,393	762	92.3	90.1-94.5	85	7.7	5.5- 9.9
Less than \$15,000	218	217,287	102	46.7	36.3-57.1	116	53.3	42.9-63.7
\$15,000- 24,999	364	331,846	231	65.1	58.6-71.6	133	34.9	28.4-41.4
\$25,000- 34,999	245	261,883	179	73.2	64.8-81.6	66	26.8	18.4-35.2
\$35,000- 49,999	325	313,940	273	84.5	79.2-89.8	52	15.5	10.2-20.8
\$50,000- 74,999	388	381,166	344	91.1	87.6-94.6	44	8.9	5.4-12.4
\$75,000+	611	613,010	564	93.1	90.6-95.6	47	6.9	4.4- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3296	2,707,864	2440	78.1	76.3-79.9	856	21.9	20.1-23.7
White/Non-Hisp	2659	2,032,027	1969	77.3	75.3-79.3	690	22.7	20.7-24.7
Black or Afr. Am./Non-Hisp	403	448,274	301	80.9	76.2-85.6	102	19.1	14.4-23.8
Oth. Race/Non-Hisp.	71	64,840	51	73.3	59.4-87.2	20	26.7	12.8-40.6
MultiRacial/Non-Hisp.	54	34,045	34	62.3	43.3-81.3	20	37.7	18.7-56.7
Hispanic	62	91,571	51	91.6	84.9-98.3	11	8.4	1.7-15.1
18-24	167	310,245	153	93.9	90.4-97.4	14	6.1	2.6- 9.6
25-34	343	444,565	292	86.8	82.3-91.3	51	13.2	8.7-17.7
35-44	407	425,863	343	85.0	80.9-89.1	64	15.0	10.9-19.1
45-54	582	448,701	425	74.3	69.6-79.0	157	25.7	21.0-30.4
55-64	673	461,034	470	72.1	67.8-76.4	203	27.9	23.6-32.2
65+	1124	617,455	757	66.3	62.6-70.0	367	33.7	30.0-37.4
Less Than H.S.	330	362,776	136	50.8	43.4-58.2	194	49.2	41.8-56.6
H.S. or G.E.D.	1052	861,018	714	73.3	70.0-76.6	338	26.7	23.4-30.0
Some Post-H.S.	901	844,577	694	84.5	81.8-87.2	207	15.5	12.8-18.2
College Graduate	1003	630,354	889	91.7	89.7-93.7	114	8.3	6.3-10.3
Less than \$15,000	425	350,624	202	54.9	47.8-62.0	223	45.1	38.0-52.2
\$15,000- 24,999	606	491,967	395	68.9	63.8-74.0	211	31.1	26.0-36.2
\$25,000- 34,999	312	248,523	236	79.0	73.5-84.5	76	21.0	15.5-26.5
\$35,000- 49,999	319	273,621	260	84.1	79.4-88.8	59	15.9	11.2-20.6
\$50,000- 74,999	387	320,092	332	88.9	85.4-92.4	55	11.1	7.6-14.6
\$75,000+	575	492,179	544	95.1	92.9-97.3	31	4.9	2.7- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 2: HEALTHY DAYS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5637	5,074,906	3322	59.9	58.1-61.7	1374	25.8	24.2-27.4	941	14.3	13.1-15.5
Male	2468	2,452,587	1606	65.1	62.4-67.8	536	23.7	21.3-26.1	326	11.2	9.6-12.8
Female	3169	2,622,319	1716	55.1	52.7-57.5	838	27.8	25.6-30.0	615	17.1	15.3-18.9
White/Non-Hisp	4565	3,791,100	2705	59.6	57.6-61.6	1099	25.7	23.9-27.5	761	14.7	13.3-16.1
Black or Afr. Am./Non-Hisp	625	796,035	369	60.8	55.3-66.3	165	27.2	22.1-32.3	91	12.0	8.5-15.5
Oth. Race/Non-Hisp.	142	154,436	80	61.3	49.1-73.5	30	19.8	11.2-28.4	32	18.9	10.3-27.5
MultiRacial/Non-Hisp.	86	60,930	37	47.3	31.6-63.0	25	32.7	17.2-48.2	24	20.0	8.6-31.4
Hispanic	116	185,832	73	68.2	56.2-80.2	29	25.7	13.9-37.5	14	6.1	2.2-10.0
18-24	328	618,797	210	64.1	57.4-70.8	103	32.0	25.5-38.5	15	3.9	1.4- 6.4
25-34	644	876,070	437	68.3	63.4-73.2	157	24.2	19.7-28.7	50	7.5	4.8-10.2
35-44	722	829,179	466	64.3	59.8-68.8	181	26.1	21.8-30.4	75	9.6	7.1-12.1
45-54	1021	857,322	572	54.8	50.7-58.9	256	27.8	23.9-31.7	193	17.3	14.2-20.4
55-64	1153	851,757	614	51.6	47.7-55.5	278	25.4	22.1-28.7	261	23.0	19.7-26.3
65+	1769	1,041,782	1023	57.9	54.8-61.0	399	22.0	19.5-24.5	347	20.1	17.6-22.6
Less Than H.S.	535	691,032	206	44.9	38.6-51.2	139	24.5	19.4-29.6	190	30.7	25.4-36.0
H.S. or G.E.D.	1793	1,666,236	999	59.4	56.3-62.5	424	24.7	22.0-27.4	370	15.9	13.9-17.9
Some Post-H.S.	1470	1,507,693	844	58.8	55.3-62.3	383	29.2	25.9-32.5	243	12.0	10.0-14.0
College Graduate	1822	1,198,096	1263	70.7	68.0-73.4	425	24.1	21.4-26.8	134	5.2	4.0- 6.4
Less than \$15,000	614	550,593	214	38.5	32.4-44.6	146	25.2	19.7-30.7	254	36.3	30.6-42.0
\$15,000- 24,999	938	798,926	474	51.3	46.8-55.8	234	27.6	23.5-31.7	230	21.1	17.6-24.6
\$25,000- 34,999	534	494,810	316	60.5	54.4-66.6	144	26.2	20.7-31.7	74	13.3	9.6-17.0
\$35,000- 49,999	627	570,367	396	63.5	58.4-68.6	147	24.1	19.4-28.8	84	12.4	9.1-15.7
\$50,000- 74,999	760	692,310	512	67.4	62.9-71.9	182	25.5	21.4-29.6	66	7.1	4.9- 9.3
\$75,000+	1176	1,099,158	852	70.9	67.2-74.6	275	25.6	22.1-29.1	49	3.5	2.3- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 2: HEALTHY DAYS**

**TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2468	2,452,587	1606	65.1	62.4-67.8	536	23.7	21.3-26.1	326	11.2	9.6-12.8
White/Non-Hisp	2006	1,821,252	1314	65.2	62.5-67.9	434	23.5	21.0-26.0	258	11.3	9.5-13.1
Black or Afr. Am./Non-Hisp	238	364,467	154	63.2	54.6-71.8	53	26.9	18.7-35.1	31	9.9	5.2-14.6
Oth. Race/Non-Hisp.	72	89,962	45	70.8	55.9-85.7	14	15.7	4.9-26.5	13	13.5	4.1-22.9
Hispanic	54	94,260	40	77.7	62.4-93.0	11	20.2	5.1-35.3	3	2.1	0.0- 4.8
18-24	165	311,996	113	68.4	59.4-77.4	48	30.3	21.3-39.3	4	1.2	0.0- 2.4
25-34	306	436,067	231	76.4	69.7-83.1	66	21.5	14.8-28.2	9	2.1	0.5- 3.7
35-44	320	408,787	225	70.9	64.4-77.4	68	21.9	15.8-28.0	27	7.2	4.3-10.1
45-54	453	422,954	288	60.5	54.4-66.6	97	26.4	20.7-32.1	68	13.2	9.1-17.3
55-64	511	405,709	298	52.8	46.9-58.7	102	21.8	16.9-26.7	111	25.4	19.9-30.9
65+	713	467,075	451	62.1	57.4-66.8	155	22.1	18.2-26.0	107	15.9	12.4-19.4
Less Than H.S.	237	360,679	106	50.8	41.4-60.2	58	23.1	15.5-30.7	73	26.2	18.8-33.6
H.S. or G.E.D.	787	832,566	491	65.7	61.2-70.2	174	22.9	18.8-27.0	122	11.3	8.9-13.7
Some Post-H.S.	597	681,290	384	64.3	59.2-69.4	133	26.6	21.7-31.5	80	9.1	6.6-11.6
College Graduate	839	574,964	620	74.2	70.3-78.1	170	21.8	18.1-25.5	49	4.0	2.6- 5.4
Less than \$15,000	211	213,738	78	34.1	24.1-44.1	46	27.0	16.8-37.2	87	38.9	29.1-48.7
\$15,000- 24,999	352	317,097	190	54.3	47.4-61.2	88	28.6	21.9-35.3	74	17.2	12.3-22.1
\$25,000- 34,999	237	256,408	145	61.2	51.6-70.8	59	25.4	16.8-34.0	33	13.4	7.9-18.9
\$35,000- 49,999	315	306,355	222	72.6	65.9-79.3	63	18.5	12.8-24.2	30	8.9	4.8-13.0
\$50,000- 74,999	382	375,764	282	74.7	69.0-80.4	70	18.8	13.7-23.9	30	6.6	3.7- 9.5
\$75,000+	607	611,357	453	72.7	67.8-77.6	133	25.2	20.3-30.1	21	2.0	1.0- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3169	2,622,319	1716	55.1	52.7-57.5	838	27.8	25.6-30.0	615	17.1	15.3-18.9
White/Non-Hisp	2559	1,969,848	1391	54.5	51.8-57.2	665	27.7	25.2-30.2	503	17.9	15.9-19.9
Black or Afr. Am./Non-Hisp	387	431,569	215	58.8	51.9-65.7	112	27.5	21.2-33.8	60	13.7	8.8-18.6
Oth. Race/Non-Hisp.	70	64,475	35	48.0	31.7-64.3	16	25.4	12.1-38.7	19	26.5	12.2-40.8
MultiRacial/Non-Hisp.	50	31,733	19	45.1	25.7-64.5	17	36.2	17.0-55.4	14	18.7	5.8-31.6
Hispanic	62	91,571	33	58.5	41.1-75.9	18	31.3	14.1-48.5	11	10.3	2.9-17.7
18-24	163	306,801	97	59.8	50.2-69.4	55	33.7	24.5-42.9	11	6.6	1.9-11.3
25-34	338	440,004	206	60.3	53.4-67.2	91	26.8	20.7-32.9	41	12.9	7.8-18.0
35-44	402	420,392	241	57.8	51.5-64.1	113	30.2	24.3-36.1	48	12.0	8.1-15.9
45-54	568	434,368	284	49.3	43.8-54.8	159	29.3	24.2-34.4	125	21.4	16.9-25.9
55-64	642	446,048	316	50.5	45.4-55.6	176	28.6	23.9-33.3	150	20.8	16.9-24.7
65+	1056	574,707	572	54.4	50.5-58.3	244	21.9	18.6-25.2	240	23.6	20.1-27.1
Less Than H.S.	298	330,353	100	38.5	30.7-46.3	81	26.0	19.5-32.5	117	35.6	28.2-43.0
H.S. or G.E.D.	1006	833,670	508	53.1	49.0-57.2	250	26.4	22.7-30.1	248	20.5	17.4-23.6
Some Post-H.S.	873	826,402	460	54.3	49.6-59.0	250	31.3	26.8-35.8	163	14.4	11.5-17.3
College Graduate	983	623,132	643	67.4	63.5-71.3	255	26.1	22.4-29.8	85	6.4	4.6- 8.2
Less than \$15,000	403	336,854	136	41.3	33.9-48.7	100	24.1	18.0-30.2	167	34.6	27.9-41.3
\$15,000- 24,999	586	481,829	284	49.3	43.4-55.2	146	27.0	21.7-32.3	156	23.7	19.0-28.4
\$25,000- 34,999	297	238,403	171	59.8	52.4-67.2	85	27.1	20.2-34.0	41	13.1	8.2-18.0
\$35,000- 49,999	312	264,012	174	53.1	45.7-60.5	84	30.5	23.2-37.8	54	16.4	11.3-21.5
\$50,000- 74,999	378	316,546	230	58.8	51.9-65.7	112	33.5	26.8-40.2	36	7.7	4.8-10.6
\$75,000+	569	487,801	399	68.5	63.2-73.8	142	26.1	21.0-31.2	28	5.4	3.0- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5704	5,097,925	3767	65.0	63.2-66.8	1141	21.3	19.7-22.9	796	13.7	12.3-15.1
Male	2492	2,469,382	1816	72.4	69.9-74.9	410	17.1	15.1-19.1	266	10.5	8.7-12.3
Female	3212	2,628,542	1951	58.0	55.6-60.4	731	25.2	23.0-27.4	530	16.7	14.9-18.5
White/Non-Hisp	4610	3,803,727	3044	64.4	62.4-66.4	925	21.5	19.9-23.1	641	14.1	12.7-15.5
Black or Afr. Am./Non-Hisp	638	806,887	430	68.0	62.9-73.1	138	22.1	17.6-26.6	70	9.9	7.0-12.8
Oth. Race/Non-Hisp.	143	153,168	95	62.0	47.3-76.7	26	19.3	10.5-28.1	22	18.7	3.2-34.2
MultiRacial/Non-Hisp.	92	64,675	54	59.1	44.4-73.8	11	14.8	4.2-25.4	27	26.1	13.2-39.0
Hispanic	114	183,790	74	69.7	58.1-81.3	26	20.5	11.1-29.9	14	9.8	1.8-17.8
18-24	329	622,753	159	49.9	42.8-57.0	109	31.1	24.8-37.4	61	19.0	12.9-25.1
25-34	644	876,015	381	62.1	57.2-67.0	166	24.5	20.4-28.6	97	13.4	10.1-16.7
35-44	722	820,898	430	63.9	59.4-68.4	175	22.1	18.2-26.0	117	14.0	10.9-17.1
45-54	1020	856,623	629	63.0	58.9-67.1	196	19.6	16.3-22.9	195	17.4	14.3-20.5
55-64	1178	857,913	774	66.2	62.7-69.7	235	20.6	17.5-23.7	169	13.2	10.8-15.6
65+	1811	1,063,722	1394	77.6	75.1-80.1	260	14.3	12.1-16.5	157	8.2	6.6-9.8
Less Than H.S.	548	694,380	304	55.6	49.5-61.7	123	21.6	16.9-26.3	121	22.9	17.4-28.4
H.S. or G.E.D.	1818	1,678,025	1199	66.8	63.9-69.7	317	17.9	15.5-20.3	302	15.3	13.1-17.5
Some Post-H.S.	1484	1,511,173	940	64.0	60.7-67.3	311	23.1	20.0-26.2	233	12.9	10.7-15.1
College Graduate	1836	1,202,119	1314	69.1	66.2-72.0	387	23.7	21.0-26.4	135	7.2	5.6-8.8
Less than \$15,000	622	550,540	286	45.5	39.4-51.6	144	25.8	20.5-31.1	192	28.7	23.4-34.0
\$15,000- 24,999	940	791,170	537	55.9	51.6-60.2	208	23.4	19.5-27.3	195	20.7	17.2-24.2
\$25,000- 34,999	550	502,398	361	64.3	58.0-70.6	111	19.1	14.8-23.4	78	16.6	10.5-22.7
\$35,000- 49,999	637	582,665	451	67.9	62.8-73.0	135	24.8	20.1-29.5	51	7.3	4.8-9.8
\$50,000- 74,999	771	698,068	531	66.7	62.0-71.4	167	24.9	20.6-29.2	73	8.4	6.0-10.8
\$75,000+	1179	1,097,654	902	76.0	72.7-79.3	210	18.0	15.1-20.9	67	6.0	4.0-8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 2: HEALTHY DAYS**

**TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2492	2,469,382	1816	72.4	69.9-74.9	410	17.1	15.1-19.1	266	10.5	8.7-12.3
White/Non-Hisp	2022	1,835,567	1493	72.6	69.9-75.3	330	17.3	15.1-19.5	199	10.2	8.4-12.0
Black or Afr. Am./Non-Hisp	243	367,342	162	72.1	64.7-79.5	50	19.6	12.7-26.5	31	8.3	4.6-12.0
Oth. Race/Non-Hisp.	74	91,450	53	64.7	42.2-87.2	11	13.7	3.9-23.5	10	21.6	0.0-46.1
Hispanic	53	93,325	43	84.2	73.0-95.4	6	12.0	1.6-22.4	4	3.8	0.0- 7.9
18-24	167	318,434	93	57.5	47.3-67.7	46	22.9	15.1-30.7	28	19.5	9.9-29.1
25-34	308	436,679	207	73.8	67.7-79.9	68	19.2	13.7-24.7	33	7.1	4.2-10.0
35-44	323	408,252	216	71.1	64.8-77.4	65	18.4	13.1-23.7	42	10.5	6.4-14.6
45-54	451	421,113	318	71.3	65.6-77.0	73	15.4	10.9-19.9	60	13.3	9.0-17.6
55-64	517	405,646	379	71.8	66.5-77.1	80	18.5	13.6-23.4	58	9.7	6.6-12.8
65+	726	479,258	603	83.6	80.1-87.1	78	10.6	7.9-13.3	45	5.9	3.7- 8.1
Less Than H.S.	242	366,601	152	61.7	52.5-70.9	48	19.2	12.9-25.5	42	19.1	10.7-27.5
H.S. or G.E.D.	799	838,367	567	71.2	66.9-75.5	125	17.0	13.3-20.7	107	11.8	8.9-14.7
Some Post-H.S.	599	683,150	427	75.0	70.5-79.5	108	17.4	13.5-21.3	64	7.7	5.3-10.1
College Graduate	844	578,176	665	78.0	74.3-81.7	128	15.6	12.5-18.7	51	6.4	4.0- 8.8
Less than \$15,000	212	210,224	101	48.7	38.1-59.3	57	29.4	20.2-38.6	54	21.9	14.5-29.3
\$15,000- 24,999	356	321,874	227	62.8	56.1-69.5	67	20.9	15.2-26.6	62	16.3	11.6-21.0
\$25,000- 34,999	242	258,086	172	70.5	60.3-80.7	37	12.6	7.5-17.7	33	16.9	6.5-27.3
\$35,000- 49,999	321	311,742	249	77.5	71.2-83.8	50	17.1	11.4-22.8	22	5.4	2.7- 8.1
\$50,000- 74,999	387	379,813	293	74.9	69.2-80.6	66	19.0	13.5-24.5	28	6.0	3.6- 8.4
\$75,000+	607	609,680	493	82.6	78.5-86.7	87	12.8	9.3-16.3	27	4.7	2.3- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3212	2,628,542	1951	58.0	55.6-60.4	731	25.2	23.0-27.4	530	16.7	14.9-18.5
White/Non-Hisp	2588	1,968,160	1551	56.8	54.1-59.5	595	25.4	23.0-27.8	442	17.8	15.6-20.0
Black or Afr. Am./Non-Hisp	395	439,544	268	64.6	57.7-71.5	88	24.2	17.9-30.5	39	11.2	6.7-15.7
Oth. Race/Non-Hisp.	69	61,719	42	58.1	42.0-74.2	15	27.5	12.8-42.2	12	14.5	5.3-23.7
MultiRacial/Non-Hisp.	54	34,045	33	56.8	37.8-75.8	7	16.8	1.1-32.5	14	26.4	9.2-43.6
Hispanic	61	90,465	31	54.7	37.1-72.3	20	29.3	14.0-44.6	10	16.1	1.0-31.2
18-24	162	304,319	66	41.9	31.9-51.9	63	39.7	30.1-49.3	33	18.4	11.3-25.5
25-34	336	439,337	174	50.6	43.7-57.5	98	29.7	23.4-36.0	64	19.7	13.8-25.6
35-44	399	412,646	214	56.9	50.6-63.2	110	25.7	20.2-31.2	75	17.5	12.8-22.2
45-54	569	435,510	311	54.9	49.4-60.4	123	23.8	18.9-28.7	135	21.3	16.8-25.8
55-64	661	452,267	395	61.2	56.5-65.9	155	22.5	18.4-26.6	111	16.3	12.6-20.0
65+	1085	584,465	791	72.7	69.2-76.2	182	17.3	14.2-20.4	112	10.1	7.9-12.3
Less Than H.S.	306	327,779	152	48.7	40.9-56.5	75	24.2	17.3-31.1	79	27.1	20.0-34.2
H.S. or G.E.D.	1019	839,658	632	62.5	58.6-66.4	192	18.7	15.6-21.8	195	18.8	15.7-21.9
Some Post-H.S.	885	828,023	513	55.0	50.3-59.7	203	27.8	23.5-32.1	169	17.2	13.7-20.7
College Graduate	992	623,943	649	60.8	56.5-65.1	259	31.3	27.2-35.4	84	7.9	5.7-10.1
Less than \$15,000	410	340,317	185	43.5	36.2-50.8	87	23.6	16.9-30.3	138	32.8	25.9-39.7
\$15,000- 24,999	584	469,296	310	51.2	45.5-56.9	141	25.1	20.0-30.2	133	23.8	18.9-28.7
\$25,000- 34,999	308	244,312	189	57.8	50.4-65.2	74	25.9	19.4-32.4	45	16.2	10.3-22.1
\$35,000- 49,999	316	270,923	202	56.9	49.5-64.3	85	33.7	26.4-41.0	29	9.4	4.9-13.9
\$50,000- 74,999	384	318,256	238	56.8	49.9-63.7	101	32.0	25.1-38.9	45	11.2	7.3-15.1
\$75,000+	572	487,974	409	67.7	62.4-73.0	123	24.5	19.6-29.4	40	7.7	4.8-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3871	4,029,131	3275	82.2	80.4-84.0	596	17.8	16.0-19.6
Male	1750	1,984,730	1434	78.8	75.9-81.7	316	21.2	18.3-24.1
Female	2121	2,044,401	1841	85.4	83.2-87.6	280	14.6	12.4-16.8
White/Non-Hisp	3057	2,911,863	2639	85.3	83.5-87.1	418	14.7	12.9-16.5
Black or Afr. Am./Non-Hisp	479	686,533	393	76.3	70.4-82.2	86	23.7	17.8-29.6
Oth. Race/Non-Hisp.	99	133,080	78	72.2	54.8-89.6	21	27.8	10.4-45.2
MultiRacial/Non-Hisp.	68	54,506	51	81.0	68.8-93.2	17	19.0	6.8-31.2
Hispanic	111	184,045	72	63.9	51.7-76.1	39	36.1	23.9-48.3
18-24	331	629,150	274	78.7	72.0-85.4	57	21.3	14.6-28.0
25-34	650	877,755	534	80.4	76.1-84.7	116	19.6	15.3-23.9
35-44	730	835,719	613	80.3	76.2-84.4	117	19.7	15.6-23.8
45-54	976	820,018	838	85.2	82.1-88.3	138	14.8	11.7-17.9
55-64	1184	866,488	1016	85.4	82.9-87.9	168	14.6	12.1-17.1
Less Than H.S.	343	522,438	226	59.5	51.7-67.3	117	40.5	32.7-48.3
H.S. or G.E.D.	1217	1,322,881	953	78.1	75.0-81.2	264	21.9	18.8-25.0
Some Post-H.S.	1039	1,207,831	901	86.7	83.8-89.6	138	13.3	10.4-16.2
College Graduate	1268	973,242	1192	94.4	92.8-96.0	76	5.6	4.0-7.2
Less than \$15,000	445	465,924	301	60.6	53.3-67.9	144	39.4	32.1-46.7
\$15,000- 24,999	597	592,429	452	74.8	69.9-79.7	145	25.2	20.3-30.1
\$25,000- 34,999	339	369,827	266	71.7	63.3-80.1	73	28.3	19.9-36.7
\$35,000- 49,999	426	452,380	375	89.5	86.0-93.0	51	10.5	7.0-14.0
\$50,000- 74,999	559	579,934	513	89.6	86.1-93.1	46	10.4	6.9-13.9
\$75,000+	957	959,039	922	95.1	92.9-97.3	35	4.9	2.7-7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1750	1,984,730	1434	78.8	75.9-81.7	316	21.2	18.3-24.1
White/Non-Hisp	1382	1,422,481	1170	83.9	81.4-86.4	212	16.1	13.6-18.6
Black or Afr. Am./Non-Hisp	191	321,523	142	66.8	57.2-76.4	49	33.2	23.6-42.8
Oth. Race/Non-Hisp.	56	81,870	44	65.7	40.4-91.0	12	34.3	9.0-59.6
Hispanic	53	93,857	33	59.1	40.3-77.9	20	40.9	22.1-59.7
18-24	164	318,905	133	76.1	65.9-86.3	31	23.9	13.7-34.1
25-34	309	436,903	241	74.8	67.7-81.9	68	25.2	18.1-32.3
35-44	327	412,322	262	74.8	68.1-81.5	65	25.2	18.5-31.9
45-54	428	402,375	373	86.9	82.8-91.0	55	13.1	9.0-17.2
55-64	522	414,224	425	81.4	76.9-85.9	97	18.6	14.1-23.1
Less Than H.S.	161	281,686	96	54.0	42.4-65.6	65	46.0	34.4-57.6
H.S. or G.E.D.	600	714,279	443	73.5	68.8-78.2	157	26.5	21.8-31.2
Some Post-H.S.	440	541,820	376	85.3	80.6-90.0	64	14.7	10.0-19.4
College Graduate	548	446,784	518	95.2	92.8-97.6	30	4.8	2.4- 7.2
Less than \$15,000	165	189,150	105	55.8	43.8-67.8	60	44.2	32.2-56.2
\$15,000- 24,999	237	239,635	162	64.6	56.2-73.0	75	35.4	27.0-43.8
\$25,000- 34,999	159	200,520	116	62.3	49.2-75.4	43	37.7	24.6-50.8
\$35,000- 49,999	210	237,205	173	85.3	79.4-91.2	37	14.7	8.8-20.6
\$50,000- 74,999	276	309,084	250	88.6	83.3-93.9	26	11.4	6.1-16.7
\$75,000+	479	525,948	461	94.7	91.8-97.6	18	5.3	2.4- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2121	2,044,401	1841	85.4	83.2-87.6	280	14.6	12.4-16.8
White/Non-Hisp	1675	1,489,382	1469	86.8	84.4-89.2	206	13.2	10.8-15.6
Black or Afr. Am./Non-Hisp	288	365,010	251	84.7	78.0-91.4	37	15.3	8.6-22.0
Hispanic	58	90,188	39	68.8	54.1-83.5	19	31.2	16.5-45.9
18-24	167	310,245	141	81.4	73.2-89.6	26	18.6	10.4-26.8
25-34	341	440,852	293	86.0	81.3-90.7	48	14.0	9.3-18.7
35-44	403	423,397	351	85.7	81.2-90.2	52	14.3	9.8-18.8
45-54	548	417,644	465	83.6	79.3-87.9	83	16.4	12.1-20.7
55-64	662	452,264	591	89.1	86.2-92.0	71	10.9	8.0-13.8
Less Than H.S.	182	240,752	130	65.9	56.1-75.7	52	34.1	24.3-43.9
H.S. or G.E.D.	617	608,602	510	83.5	79.8-87.2	107	16.5	12.8-20.2
Some Post-H.S.	599	666,011	525	87.7	84.2-91.2	74	12.3	8.8-15.8
College Graduate	720	526,458	674	93.8	91.6-96.0	46	6.2	4.0- 8.4
Less than \$15,000	280	276,774	196	63.9	55.1-72.7	84	36.1	27.3-44.9
\$15,000- 24,999	360	352,794	290	81.7	76.4-87.0	70	18.3	13.0-23.6
\$25,000- 34,999	180	169,307	150	82.7	75.1-90.3	30	17.3	9.7-24.9
\$35,000- 49,999	216	215,174	202	94.1	90.2-98.0	14	5.9	2.0- 9.8
\$50,000- 74,999	283	270,850	263	90.8	86.1-95.5	20	9.2	4.5-13.9
\$75,000+	478	433,091	461	95.5	92.8-98.2	17	4.5	1.8- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 4: HYPERTENSION AWARENESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5821	5,205,238	3183	61.3	59.5-63.1	2638	38.7	36.9-40.5
Male	2529	2,503,609	1364	59.8	57.1-62.5	1165	40.2	37.5-42.9
Female	3292	2,701,629	1819	62.8	60.6-65.0	1473	37.2	35.0-39.4
White/Non-Hisp	4706	3,890,439	2618	61.1	59.1-63.1	2088	38.9	36.9-40.9
Black or Afr. Am./Non-Hisp	649	815,419	302	58.2	53.1-63.3	347	41.8	36.7-46.9
Oth. Race/Non-Hisp.	144	155,618	71	59.8	45.7-73.9	73	40.2	26.1-54.3
MultiRacial/Non-Hisp.	92	62,926	48	64.9	51.0-78.8	44	35.1	21.2-49.0
Hispanic	117	186,628	87	87.1	81.0-93.2	30	12.9	6.8-19.0
18-24	334	632,028	293	86.0	80.3-91.7	41	14.0	8.3-19.7
25-34	652	880,386	569	87.6	84.3-90.9	83	12.4	9.1-15.7
35-44	730	830,518	519	71.4	67.1-75.7	211	28.6	24.3-32.9
45-54	1042	876,281	603	59.2	55.1-63.3	439	40.8	36.7-44.9
55-64	1202	880,345	541	43.7	40.0-47.4	661	56.3	52.6-60.0
65+	1861	1,105,680	658	34.6	31.7-37.5	1203	65.4	62.5-68.3
Less Than H.S.	573	727,518	204	41.9	35.8-48.0	369	58.1	52.0-64.2
H.S. or G.E.D.	1875	1,725,951	948	57.7	54.8-60.6	927	42.3	39.4-45.2
Some Post-H.S.	1507	1,528,689	853	66.8	63.7-69.9	654	33.2	30.1-36.3
College Graduate	1847	1,209,013	1166	71.2	68.7-73.7	681	28.8	26.3-31.3
Less than \$15,000	642	565,272	262	52.4	46.5-58.3	380	47.6	41.7-53.5
\$15,000- 24,999	971	824,642	451	54.2	49.9-58.5	520	45.8	41.5-50.1
\$25,000- 34,999	556	509,254	290	54.5	48.0-61.0	266	45.5	39.0-52.0
\$35,000- 49,999	645	587,820	363	64.4	59.5-69.3	282	35.6	30.7-40.5
\$50,000- 74,999	772	698,155	484	67.5	63.0-72.0	288	32.5	28.0-37.0
\$75,000+	1185	1,104,508	789	70.8	67.5-74.1	396	29.2	25.9-32.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2529	2,503,609	1364	59.8	57.1-62.5	1165	40.2	37.5-42.9
White/Non-Hisp	2049	1,862,117	1115	59.5	56.6-62.4	934	40.5	37.6-43.4
Black or Afr. Am./Non-Hisp	246	367,145	116	56.9	48.5-65.3	130	43.1	34.7-51.5
Oth. Race/Non-Hisp.	73	91,145	36	56.4	35.0-77.8	37	43.6	22.2-65.0
Hispanic	55	95,057	43	87.3	78.3-96.3	12	12.7	3.7-21.7
18-24	167	321,783	142	80.1	70.3-89.9	25	19.9	10.1-29.7
25-34	310	438,467	265	86.5	81.4-91.6	45	13.5	8.4-18.6
35-44	324	406,592	219	70.0	63.5-76.5	105	30.0	23.5-36.5
45-54	461	428,446	252	55.8	49.7-61.9	209	44.2	38.1-50.3
55-64	527	418,508	210	36.8	31.5-42.1	317	63.2	57.9-68.5
65+	740	489,813	276	37.3	32.6-42.0	464	62.7	58.0-67.4
Less Than H.S.	246	367,808	89	42.6	33.2-52.0	157	57.4	48.0-66.8
H.S. or G.E.D.	822	864,751	435	59.4	54.9-63.9	387	40.6	36.1-45.1
Some Post-H.S.	607	687,237	343	64.6	59.7-69.5	264	35.4	30.5-40.3
College Graduate	845	578,884	493	65.8	61.7-69.9	352	34.2	30.1-38.3
Less than \$15,000	219	218,560	87	52.1	41.9-62.3	132	47.9	37.7-58.1
\$15,000- 24,999	364	332,184	167	51.3	44.2-58.4	197	48.7	41.6-55.8
\$25,000- 34,999	244	260,730	124	49.8	39.8-59.8	120	50.2	40.2-60.2
\$35,000- 49,999	325	313,940	173	59.9	52.5-67.3	152	40.1	32.7-47.5
\$50,000- 74,999	386	378,289	237	65.3	58.8-71.8	149	34.7	28.2-41.2
\$75,000+	610	612,329	366	66.0	61.1-70.9	244	34.0	29.1-38.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE5)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3292	2,701,629	1819	62.8	60.6-65.0	1473	37.2	35.0-39.4
White/Non-Hisp	2657	2,028,322	1503	62.6	60.2-65.0	1154	37.4	35.0-39.8
Black or Afr. Am./Non-Hisp	403	448,274	186	59.3	52.8-65.8	217	40.7	34.2-47.2
Oth. Race/Non-Hisp.	71	64,472	35	64.4	50.1-78.7	36	35.6	21.3-49.9
MultiRacial/Non-Hisp.	52	31,883	27	61.7	42.7-80.7	25	38.3	19.3-57.3
Hispanic	62	91,571	44	86.8	78.6-95.0	18	13.2	5.0-21.4
18-24	167	310,245	151	92.1	88.0-96.2	16	7.9	3.8-12.0
25-34	342	441,919	304	88.6	84.1-93.1	38	11.4	6.9-15.9
35-44	406	423,927	300	72.7	66.8-78.6	106	27.3	21.4-33.2
45-54	581	447,835	351	62.4	57.1-67.7	230	37.6	32.3-42.9
55-64	675	461,837	331	50.0	45.1-54.9	344	50.0	45.1-54.9
65+	1121	615,867	382	32.4	28.7-36.1	739	67.6	63.9-71.3
Less Than H.S.	327	359,710	115	41.2	33.6-48.8	212	58.8	51.2-66.4
H.S. or G.E.D.	1053	861,200	513	56.1	52.2-60.0	540	43.9	40.0-47.8
Some Post-H.S.	900	841,452	510	68.6	64.7-72.5	390	31.4	27.5-35.3
College Graduate	1002	630,128	673	76.2	72.9-79.5	329	23.8	20.5-27.1
Less than \$15,000	423	346,711	175	52.6	45.3-59.9	248	47.4	40.1-54.7
\$15,000- 24,999	607	492,459	284	56.1	50.6-61.6	323	43.9	38.4-49.4
\$25,000- 34,999	312	248,523	166	59.5	52.4-66.6	146	40.5	33.4-47.6
\$35,000- 49,999	320	273,879	190	69.5	63.2-75.8	130	30.5	24.2-36.8
\$50,000- 74,999	386	319,866	247	70.0	63.7-76.3	139	30.0	23.7-36.3
\$75,000+	575	492,179	423	76.8	72.3-81.3	152	23.2	18.7-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCH1)**  
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5528	4,841,470	5043	89.0	87.8-90.2	192	3.5	2.9- 4.1	293	7.5	6.3- 8.7
Male	2388	2,328,092	2099	85.7	83.7-87.7	117	4.6	3.6- 5.6	172	9.7	7.9-11.5
Female	3140	2,513,378	2944	92.0	90.4-93.6	75	2.5	1.7- 3.3	121	5.5	4.1- 6.9
White/Non-Hisp	4470	3,624,228	4069	88.7	87.3-90.1	163	3.8	3.0- 4.6	238	7.4	6.2- 8.6
Black or Afr. Am./Non-Hisp	622	768,857	592	92.8	89.5-96.1	10	1.6	0.2- 3.0	20	5.6	2.5- 8.7
Oth. Race/Non-Hisp.	139	144,898	125	88.6	81.0-96.2	6	2.5	0.1- 4.9	8	8.9	1.6-16.2
MultiRacial/Non-Hisp.	84	54,579	73	87.1	76.7-97.5	5	5.2	0.0-12.3	6	7.7	0.0-15.9
Hispanic	109	163,296	87	76.0	64.8-87.2	5	5.0	0.0-10.1	17	19.0	8.6-29.4
18-24	258	483,899	192	74.8	68.1-81.5	14	3.7	1.5- 5.9	52	21.5	15.0-28.0
25-34	584	779,082	444	77.5	73.2-81.8	29	4.9	2.7- 7.1	111	17.6	13.7-21.5
35-44	696	798,771	617	87.6	84.3-90.9	34	4.9	2.7- 7.1	45	7.5	4.8-10.2
45-54	1005	843,944	927	92.6	90.6-94.6	41	3.3	1.9- 4.7	37	4.1	2.5- 5.7
55-64	1174	859,686	1098	94.1	92.3-95.9	44	3.4	2.0- 4.8	32	2.5	1.3- 3.7
65+	1811	1,076,088	1765	97.8	97.0-98.6	30	1.5	0.9- 2.1	16	0.7	0.3- 1.1
Less Than H.S.	539	681,014	488	89.8	86.5-93.1	21	3.5	1.7- 5.3	30	6.7	3.8- 9.6
H.S. or G.E.D.	1777	1,607,763	1578	86.1	83.7-88.5	78	4.3	3.1- 5.5	121	9.6	7.4-11.8
Some Post-H.S.	1420	1,399,425	1307	89.5	87.0-92.0	41	3.3	1.9- 4.7	72	7.2	5.0- 9.4
College Graduate	1776	1,143,125	1658	92.0	90.2-93.8	51	2.6	1.8- 3.4	67	5.4	3.8- 7.0
Less than \$15,000	598	512,331	539	89.1	85.4-92.8	29	4.7	2.5- 6.9	30	6.2	3.1- 9.3
\$15,000- 24,999	918	765,122	828	87.7	84.4-91.0	38	4.5	2.5- 6.5	52	7.8	5.1-10.5
\$25,000- 34,999	539	486,143	484	87.4	82.9-91.9	24	5.4	2.5- 8.3	31	7.2	3.7-10.7
\$35,000- 49,999	616	555,755	557	88.1	84.6-91.6	20	3.4	1.6- 5.2	39	8.5	5.4-11.6
\$50,000- 74,999	741	660,245	670	88.6	85.5-91.7	22	2.4	1.0- 3.8	49	9.0	6.1-11.9
\$75,000+	1148	1,060,132	1088	93.0	90.6-95.4	27	2.6	1.2- 4.0	33	4.5	2.5- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCH1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2388	2,328,092	2099	85.7	83.7-87.7	117	4.6	3.6- 5.6	172	9.7	7.9-11.5
White/Non-Hisp	1941	1,728,270	1700	85.1	82.7-87.5	102	5.2	4.0- 6.4	139	9.7	7.7-11.7
Black or Afr. Am./Non-Hisp	231	346,675	215	91.4	86.3-96.5	5	2.0	0.0- 4.2	11	6.6	1.9-11.3
Oth. Race/Non-Hisp.	68	82,797	57	84.1	71.6-96.6	4	2.9	0.0- 6.2	7	13.0	1.0-25.0
Hispanic	52	90,808	39	71.0	53.6-88.4	4	8.0	0.0-17.0	9	20.9	5.0-36.8
18-24	127	248,867	90	69.5	59.1-79.9	10	5.7	2.0- 9.4	27	24.8	14.8-34.8
25-34	276	393,330	188	72.0	65.3-78.7	19	5.8	2.5- 9.1	69	22.2	16.1-28.3
35-44	307	389,233	257	83.5	78.0-89.0	19	5.5	2.4- 8.6	31	11.0	6.1-15.9
45-54	445	413,383	406	92.1	89.2-95.0	21	3.7	1.7- 5.7	18	4.3	1.9- 6.7
55-64	512	407,781	463	91.5	88.4-94.6	30	5.4	2.9- 7.9	19	3.2	1.2- 5.2
65+	721	475,499	695	96.8	95.2-98.4	18	2.4	1.0- 3.8	8	0.8	0.2- 1.4
Less Than H.S.	227	346,958	195	87.3	82.2-92.4	13	4.4	1.7- 7.1	19	8.2	3.7-12.7
H.S. or G.E.D.	779	803,105	652	80.7	76.6-84.8	49	5.8	3.6- 8.0	78	13.5	9.8-17.2
Some Post-H.S.	562	625,306	501	87.9	84.2-91.6	26	4.3	2.1- 6.5	35	7.8	4.5-11.1
College Graduate	812	548,444	746	89.4	86.5-92.3	28	3.3	1.9- 4.7	38	7.3	4.6-10.0
Less than \$15,000	204	203,294	172	87.0	81.1-92.9	16	6.1	2.6- 9.6	16	6.9	2.2-11.6
\$15,000- 24,999	340	303,105	290	84.1	78.8-89.4	21	6.5	2.8-10.2	29	9.4	5.3-13.5
\$25,000- 34,999	233	248,463	196	79.9	71.9-87.9	17	9.2	3.7-14.7	20	10.8	4.3-17.3
\$35,000- 49,999	308	296,863	269	84.3	78.6-90.0	16	5.7	2.4- 9.0	23	10.1	5.0-15.2
\$50,000- 74,999	366	353,990	322	87.7	83.2-92.2	17	2.6	1.2- 4.0	27	9.7	5.4-14.0
\$75,000+	593	587,051	559	92.6	89.5-95.7	14	2.0	0.6- 3.4	20	5.5	2.8- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 5: CHOLESTEROL AWARENESS  
 TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCH1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3140	2,513,378	2944	92.0	90.4-93.6	75	2.5	1.7- 3.3	121	5.5	4.1- 6.9
White/Non-Hisp	2529	1,895,958	2369	92.0	90.4-93.6	61	2.6	1.6- 3.6	99	5.4	4.0- 6.8
Black or Afr. Am./Non-Hisp	391	422,182	377	94.1	89.8-98.4	5	1.2	0.0- 3.0	9	4.7	0.6- 8.8
Oth. Race/Non-Hisp.	71	62,101	68	94.6	87.3- 100	2	2.1	0.0- 5.4	1	3.3	0.0- 9.8
Hispanic	57	72,488	48	82.3	70.1-94.5	1	1.2	0.0- 3.6	8	16.5	4.5-28.5
18-24	131	235,031	102	80.3	71.9-88.7	4	1.6	0.0- 3.4	25	18.1	9.9-26.3
25-34	308	385,753	256	83.1	77.6-88.6	10	4.1	1.2- 7.0	42	12.9	8.0-17.8
35-44	389	409,538	360	91.5	87.4-95.6	15	4.3	1.2- 7.4	14	4.1	1.2- 7.0
45-54	560	430,561	521	93.1	90.2-96.0	20	3.0	1.2- 4.8	19	3.8	1.4- 6.2
55-64	662	451,905	635	96.4	94.8-98.0	14	1.6	0.6- 2.6	13	2.0	0.6- 3.4
65+	1090	600,589	1070	98.6	97.8-99.4	12	0.8	0.2- 1.4	8	0.7	0.1- 1.3
Less Than H.S.	312	334,056	293	92.3	87.8-96.8	8	2.6	0.2- 5.0	11	5.1	1.0- 9.2
H.S. or G.E.D.	998	804,658	926	91.4	88.9-93.9	29	2.9	1.5- 4.3	43	5.7	3.5- 7.9
Some Post-H.S.	858	774,119	806	90.8	87.5-94.1	15	2.5	0.7- 4.3	37	6.8	3.9- 9.7
College Graduate	964	594,681	912	94.4	92.4-96.4	23	1.9	0.9- 2.9	29	3.6	1.8- 5.4
Less than \$15,000	394	309,036	367	90.6	85.7-95.5	13	3.7	1.0- 6.4	14	5.7	1.6- 9.8
\$15,000- 24,999	578	462,017	538	90.1	86.0-94.2	17	3.1	0.9- 5.3	23	6.8	3.1-10.5
\$25,000- 34,999	306	237,680	288	95.3	92.4-98.2	7	1.4	0.0- 3.0	11	3.4	0.9- 5.9
\$35,000- 49,999	308	258,893	288	92.5	88.8-96.2	4	0.8	0.0- 1.8	16	6.7	3.0-10.4
\$50,000- 74,999	375	306,255	348	89.6	84.9-94.3	5	2.1	0.0- 4.5	22	8.2	4.1-12.3
\$75,000+	555	473,081	529	93.4	89.9-96.9	13	3.3	0.8- 5.8	13	3.3	0.8- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL1)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5188	4,437,128	3006	63.5	61.7-65.3	2182	36.5	34.7-38.3
Male	2192	2,081,535	1286	63.4	60.5-66.3	906	36.6	33.7-39.5
Female	2996	2,355,593	1720	63.7	61.3-66.1	1276	36.3	33.9-38.7
White/Non-Hisp	4197	3,326,177	2396	61.4	59.4-63.4	1801	38.6	36.6-40.6
Black or Afr. Am./Non-Hisp	598	721,414	363	71.5	66.8-76.2	235	28.5	23.8-33.2
Oth. Race/Non-Hisp.	128	129,650	76	63.4	46.9-79.9	52	36.6	20.1-53.1
MultiRacial/Non-Hisp.	76	48,254	40	65.1	49.6-80.6	36	34.9	19.4-50.4
Hispanic	92	132,321	68	76.2	61.9-90.5	24	23.8	9.5-38.1
18-24	204	377,781	194	93.4	86.1- 100	10	6.6	0.0-13.9
25-34	471	640,130	405	85.9	81.2-90.6	66	14.1	9.4-18.8
35-44	648	737,013	480	73.4	68.9-77.9	168	26.6	22.1-31.1
45-54	960	802,597	592	63.2	59.1-67.3	368	36.8	32.7-40.9
55-64	1131	830,726	567	49.7	45.8-53.6	564	50.3	46.4-54.2
65+	1774	1,048,881	768	43.5	40.4-46.6	1006	56.5	53.4-59.6
Less Than H.S.	498	624,793	214	44.9	38.4-51.4	284	55.1	48.6-61.6
H.S. or G.E.D.	1641	1,442,699	908	62.9	59.8-66.0	733	37.1	34.0-40.2
Some Post-H.S.	1338	1,287,132	795	67.5	64.4-70.6	543	32.5	29.4-35.6
College Graduate	1698	1,074,025	1080	70.4	67.7-73.1	618	29.6	26.9-32.3
Less than \$15,000	562	475,427	256	54.2	47.9-60.5	306	45.8	39.5-52.1
\$15,000- 24,999	858	697,711	463	59.7	55.2-64.2	395	40.3	35.8-44.8
\$25,000- 34,999	504	447,041	293	60.2	53.3-67.1	211	39.8	32.9-46.7
\$35,000- 49,999	573	506,257	324	63.0	57.7-68.3	249	37.0	31.7-42.3
\$50,000- 74,999	690	598,939	426	67.5	62.6-72.4	264	32.5	27.6-37.4
\$75,000+	1111	1,008,697	751	72.4	69.1-75.7	360	27.6	24.3-30.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL1)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2192	2,081,535	1286	63.4	60.5-66.3	906	36.6	33.7-39.5
White/Non-Hisp	1786	1,548,685	1039	61.8	58.9-64.7	747	38.2	35.3-41.1
Black or Afr. Am./Non-Hisp	217	320,054	128	70.1	62.1-78.1	89	29.9	21.9-37.9
Oth. Race/Non-Hisp.	60	71,025	34	53.8	28.5-79.1	26	46.2	20.9-71.5
18-24	100	187,149	95	89.8	76.1-100	5	10.2	0.0-23.9
25-34	206	304,840	174	82.6	74.6-90.6	32	17.4	9.4-25.4
35-44	273	344,459	192	70.5	63.4-77.6	81	29.5	22.4-36.6
45-54	421	390,109	262	63.4	56.9-69.9	159	36.6	30.1-43.1
55-64	486	390,511	237	50.5	44.4-56.6	249	49.5	43.4-55.6
65+	706	464,466	326	45.7	40.8-50.6	380	54.3	49.4-59.2
Less Than H.S.	204	314,544	98	46.5	36.3-56.7	106	53.5	43.3-63.7
H.S. or G.E.D.	695	691,747	405	66.2	61.7-70.7	290	33.8	29.3-38.3
Some Post-H.S.	522	569,713	317	66.2	61.1-71.3	205	33.8	28.7-38.9
College Graduate	765	501,575	461	66.7	62.6-70.8	304	33.3	29.2-37.4
Less than \$15,000	184	185,914	83	51.8	40.4-63.2	101	48.2	36.8-59.6
\$15,000- 24,999	309	272,009	169	60.9	53.6-68.2	140	39.1	31.8-46.4
\$25,000- 34,999	209	217,363	106	49.6	38.4-60.8	103	50.4	39.2-61.6
\$35,000- 49,999	282	265,407	164	63.5	55.9-71.1	118	36.5	28.9-44.1
\$50,000- 74,999	338	319,035	222	68.3	60.7-75.9	116	31.7	24.1-39.3
\$75,000+	569	551,081	359	70.2	65.5-74.9	210	29.8	25.1-34.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL1)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2996	2,355,593	1720	63.7	61.3-66.1	1276	36.3	33.9-38.7
White/Non-Hisp	2411	1,777,491	1357	61.0	58.5-63.5	1054	39.0	36.5-41.5
Black or Afr. Am./Non-Hisp	381	401,359	235	72.6	66.9-78.3	146	27.4	21.7-33.1
Oth. Race/Non-Hisp.	68	58,625	42	74.9	62.2-87.6	26	25.1	12.4-37.8
18-24	104	190,632	99	96.9	93.8-100	5	3.1	0.0-6.2
25-34	265	335,290	231	88.9	84.2-93.6	34	11.1	6.4-15.8
35-44	375	392,554	288	76.0	70.3-81.7	87	24.0	18.3-29.7
45-54	539	412,488	330	63.0	57.5-68.5	209	37.0	31.5-42.5
55-64	645	440,215	330	48.9	43.8-54.0	315	51.1	46.0-56.2
65+	1068	584,415	442	41.8	37.9-45.7	626	58.2	54.3-62.1
Less Than H.S.	294	310,249	116	43.2	35.4-51.0	178	56.8	49.0-64.6
H.S. or G.E.D.	946	750,951	503	59.9	55.8-64.0	443	40.1	36.0-44.2
Some Post-H.S.	816	717,419	478	68.6	64.5-72.7	338	31.4	27.3-35.5
College Graduate	933	572,451	619	73.6	70.1-77.1	314	26.4	22.9-29.9
Less than \$15,000	378	289,513	173	55.8	48.5-63.1	205	44.2	36.9-51.5
\$15,000- 24,999	549	425,703	294	58.9	53.2-64.6	255	41.1	35.4-46.8
\$25,000- 34,999	295	229,678	187	70.2	63.7-76.7	108	29.8	23.3-36.3
\$35,000- 49,999	291	240,850	160	62.6	55.3-69.9	131	37.4	30.1-44.7
\$50,000- 74,999	352	279,905	204	66.6	60.3-72.9	148	33.4	27.1-39.7
\$75,000+	542	457,616	392	75.1	70.4-79.8	150	24.9	20.2-29.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	29
2 MALES ONLY	30
3 FEMALES ONLY	31
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	32
5 MALES ONLY	33
6 FEMALES ONLY	34
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	35
8 MALES ONLY	36
9 FEMALES ONLY	37
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	38
11 MALES ONLY	39
12 FEMALES ONLY	40
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	41
14 MALES ONLY	42
15 FEMALES ONLY	43



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICH)**  
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5780	5,179,951	613	8.5	7.5- 9.5	5167	91.5	90.5-92.5
Male	2519	2,500,754	314	10.2	8.6-11.8	2205	89.8	88.2-91.4
Female	3261	2,679,197	299	6.9	5.7- 8.1	2962	93.1	91.9-94.3
White/Non-Hisp	4675	3,871,396	499	9.0	8.0-10.0	4176	91.0	90.0-92.0
Black or Afr. Am./Non-Hisp	644	814,560	55	6.2	3.8- 8.6	589	93.8	91.4-96.2
Oth. Race/Non-Hisp.	143	154,242	21	10.0	3.7-16.3	122	90.0	83.7-96.3
MultiRacial/Non-Hisp.	93	64,998	18	13.4	3.2-23.6	75	86.6	76.4-96.8
Hispanic	115	184,011	3	0.8	0.0- 1.8	112	99.2	98.2- 100
18-24	334	633,291	2	0.4	0.0- 1.0	332	99.6	99.0- 100
25-34	653	882,764	6	0.5	0.1- 0.9	647	99.5	99.1-99.9
35-44	726	828,655	20	2.3	1.1- 3.5	706	97.7	96.5-98.9
45-54	1034	869,022	69	7.8	5.3-10.3	965	92.2	89.7-94.7
55-64	1193	875,899	155	14.6	11.7-17.5	1038	85.4	82.5-88.3
65+	1840	1,090,320	361	20.2	17.7-22.7	1479	79.8	77.3-82.3
Less Than H.S.	555	712,372	128	20.3	16.0-24.6	427	79.7	75.4-84.0
H.S. or G.E.D.	1862	1,719,385	208	8.5	6.9-10.1	1654	91.5	89.9-93.1
Some Post-H.S.	1497	1,526,273	140	6.1	4.7- 7.5	1357	93.9	92.5-95.3
College Graduate	1847	1,207,853	136	4.7	3.5- 5.9	1711	95.3	94.1-96.5
Less than \$15,000	625	552,503	116	16.1	12.0-20.2	509	83.9	79.8-88.0
\$15,000- 24,999	957	817,443	142	14.0	11.1-16.9	815	86.0	83.1-88.9
\$25,000- 34,999	556	508,917	65	8.8	6.1-11.5	491	91.2	88.5-93.9
\$35,000- 49,999	643	586,948	55	7.8	5.1-10.5	588	92.2	89.5-94.9
\$50,000- 74,999	770	696,785	61	6.2	4.0- 8.4	709	93.8	91.6-96.0
\$75,000+	1184	1,104,086	52	3.1	1.9- 4.3	1132	96.9	95.7-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2519	2,500,754	314	10.2	8.6-11.8	2205	89.8	88.2-91.4
White/Non-Hisp	2041	1,857,973	256	10.5	8.9-12.1	1785	89.5	87.9-91.1
Black or Afr. Am./Non-Hisp	246	370,994	26	8.1	3.8-12.4	220	91.9	87.6-96.2
Oth. Race/Non-Hisp.	72	89,282	10	9.0	1.7-16.3	62	91.0	83.7-98.3
Hispanic	55	95,057	1	0.5	0.0- 1.7	54	99.5	98.3- 100
18-24	168	324,483	1	0.4	0.0- 1.2	167	99.6	98.8- 100
25-34	311	439,477	2	0.3	0.0- 0.7	309	99.7	99.3- 100
35-44	324	408,560	10	2.3	0.7- 3.9	314	97.7	96.1-99.3
45-54	459	427,249	23	5.8	2.7- 8.9	436	94.2	91.1-97.3
55-64	522	415,512	92	21.3	16.0-26.6	430	78.7	73.4-84.0
65+	735	485,473	186	26.8	22.5-31.1	549	73.2	68.9-77.5
Less Than H.S.	244	370,124	63	21.8	15.1-28.5	181	78.2	71.5-84.9
H.S. or G.E.D.	817	860,929	105	10.0	7.5-12.5	712	90.0	87.5-92.5
Some Post-H.S.	603	686,317	66	7.3	4.9- 9.7	537	92.7	90.3-95.1
College Graduate	846	578,455	80	6.7	4.7- 8.7	766	93.3	91.3-95.3
Less than \$15,000	213	213,730	44	20.3	12.3-28.3	169	79.7	71.7-87.7
\$15,000- 24,999	361	330,414	65	17.6	12.7-22.5	296	82.4	77.5-87.3
\$25,000- 34,999	244	260,393	43	13.0	8.1-17.9	201	87.0	82.1-91.9
\$35,000- 49,999	325	313,940	38	10.4	5.9-14.9	287	89.6	85.1-94.1
\$50,000- 74,999	384	377,536	34	7.6	4.1-11.1	350	92.4	88.9-95.9
\$75,000+	610	612,547	36	4.0	2.2- 5.8	574	96.0	94.2-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3261	2,679,197	299	6.9	5.7- 8.1	2962	93.1	91.9-94.3
White/Non-Hisp	2634	2,013,422	243	7.6	6.2- 9.0	2391	92.4	91.0-93.8
Black or Afr. Am./Non-Hisp	398	443,565	29	4.5	2.3- 6.7	369	95.5	93.3-97.7
Oth. Race/Non-Hisp.	71	64,960	11	11.3	0.9-21.7	60	88.7	78.3-99.1
MultiRacial/Non-Hisp.	53	33,956	10	10.2	1.0-19.4	43	89.8	80.6-99.0
Hispanic	60	88,954	2	1.1	0.0- 2.7	58	98.9	97.3- 100
18-24	166	308,808	1	0.4	0.0- 1.2	165	99.6	98.8- 100
25-34	342	443,287	4	0.6	0.0- 1.2	338	99.4	98.8- 100
35-44	402	420,096	10	2.3	0.5- 4.1	392	97.7	95.9-99.5
45-54	575	441,773	46	9.7	5.8-13.6	529	90.3	86.4-94.2
55-64	671	460,387	63	8.5	5.8-11.2	608	91.5	88.8-94.2
65+	1105	604,847	175	15.0	12.3-17.7	930	85.0	82.3-87.7
Less Than H.S.	311	342,248	65	18.7	12.8-24.6	246	81.3	75.4-87.2
H.S. or G.E.D.	1045	858,456	103	7.1	5.3- 8.9	942	92.9	91.1-94.7
Some Post-H.S.	894	839,956	74	5.0	3.4- 6.6	820	95.0	93.4-96.6
College Graduate	1001	629,398	56	2.9	1.9- 3.9	945	97.1	96.1-98.1
Less than \$15,000	412	338,772	72	13.5	9.0-18.0	340	86.5	82.0-91.0
\$15,000- 24,999	596	487,029	77	11.5	8.0-15.0	519	88.5	85.0-92.0
\$25,000- 34,999	312	248,523	22	4.4	2.0- 6.8	290	95.6	93.2-98.0
\$35,000- 49,999	318	273,008	17	4.7	1.8- 7.6	301	95.3	92.4-98.2
\$50,000- 74,999	386	319,250	27	4.6	2.2- 7.0	359	95.4	93.0-97.8
\$75,000+	574	491,539	16	2.0	0.8- 3.2	558	98.0	96.8-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5825	5,215,200	4910	83.5	82.1-84.9	915	16.5	15.1-17.9
Male	2532	2,511,824	2201	84.4	82.2-86.6	331	15.6	13.4-17.8
Female	3293	2,703,376	2709	82.6	80.6-84.6	584	17.4	15.4-19.4
White/Non-Hisp	4705	3,892,665	3977	83.6	82.0-85.2	728	16.4	14.8-18.0
Black or Afr. Am./Non-Hisp	650	819,842	559	86.1	82.4-89.8	91	13.9	10.2-17.6
Oth. Race/Non-Hisp.	146	156,548	119	74.7	59.4-90.0	27	25.3	10.0-40.6
MultiRacial/Non-Hisp.	94	65,088	65	72.1	59.4-84.8	29	27.9	15.2-40.6
Hispanic	117	186,628	92	79.9	69.7-90.1	25	20.1	9.9-30.3
18-24	335	634,728	262	74.3	67.4-81.2	73	25.7	18.8-32.6
25-34	652	883,163	537	81.7	77.8-85.6	115	18.3	14.4-22.2
35-44	732	835,370	599	81.6	77.9-85.3	133	18.4	14.7-22.1
45-54	1039	875,672	897	88.3	85.8-90.8	142	11.7	9.2-14.2
55-64	1201	879,183	1026	86.6	84.2-89.0	175	13.4	11.0-15.8
65+	1866	1,107,085	1589	85.2	83.0-87.4	277	14.8	12.6-17.0
Less Than H.S.	576	732,218	442	77.4	72.1-82.7	134	22.6	17.3-27.9
H.S. or G.E.D.	1873	1,725,361	1576	83.4	81.0-85.8	297	16.6	14.2-19.0
Some Post-H.S.	1511	1,534,483	1265	83.3	80.6-86.0	246	16.7	14.0-19.4
College Graduate	1846	1,209,069	1611	87.4	85.2-89.6	235	12.6	10.4-14.8
Less than \$15,000	643	566,778	484	70.7	65.2-76.2	159	29.3	23.8-34.8
\$15,000- 24,999	970	823,820	799	83.6	80.5-86.7	171	16.4	13.3-19.5
\$25,000- 34,999	556	508,999	465	79.2	72.7-85.7	91	20.8	14.3-27.3
\$35,000- 49,999	644	587,411	549	84.5	80.6-88.4	95	15.5	11.6-19.4
\$50,000- 74,999	775	701,258	682	89.1	86.4-91.8	93	10.9	8.2-13.6
\$75,000+	1183	1,104,098	1058	90.1	87.7-92.5	125	9.9	7.5-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2532	2,511,824	2201	84.4	82.2-86.6	331	15.6	13.4-17.8
White/Non-Hisp	2050	1,865,384	1792	84.5	82.1-86.9	258	15.5	13.1-17.9
Black or Afr. Am./Non-Hisp	247	371,568	218	90.0	85.3-94.7	29	10.0	5.3-14.7
Oth. Race/Non-Hisp.	74	91,450	59	65.4	42.5-88.3	15	34.6	11.7-57.5
Hispanic	55	95,057	44	84.3	72.7-95.9	11	15.7	4.1-27.3
18-24	168	324,483	129	73.2	63.2-83.2	39	26.8	16.8-36.8
25-34	310	439,213	256	81.4	75.7-87.1	54	18.6	12.9-24.3
35-44	326	411,437	278	84.0	78.7-89.3	48	16.0	10.7-21.3
45-54	459	428,997	415	90.2	86.5-93.9	44	9.8	6.1-13.5
55-64	527	417,572	469	88.9	85.2-92.6	58	11.1	7.4-14.8
65+	742	490,123	654	86.1	82.6-89.6	88	13.9	10.4-17.4
Less Than H.S.	248	372,733	197	77.3	68.9-85.7	51	22.7	14.3-31.1
H.S. or G.E.D.	822	864,839	707	83.7	80.0-87.4	115	16.3	12.6-20.0
Some Post-H.S.	609	690,078	530	85.7	82.0-89.4	79	14.3	10.6-18.0
College Graduate	844	579,246	759	88.5	85.6-91.4	85	11.5	8.6-14.4
Less than \$15,000	220	219,579	166	72.0	63.0-81.0	54	28.0	19.0-37.0
\$15,000- 24,999	364	331,925	310	83.6	78.3-88.9	54	16.4	11.1-21.7
\$25,000- 34,999	245	261,223	212	77.9	67.1-88.7	33	22.1	11.3-32.9
\$35,000- 49,999	324	313,532	278	83.1	77.0-89.2	46	16.9	10.8-23.0
\$50,000- 74,999	388	381,166	351	89.9	86.0-93.8	37	10.1	6.2-14.0
\$75,000+	609	612,450	550	90.3	87.2-93.4	59	9.7	6.6-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3293	2,703,376	2709	82.6	80.6-84.6	584	17.4	15.4-19.4
White/Non-Hisp	2655	2,027,281	2185	82.9	80.9-84.9	470	17.1	15.1-19.1
Black or Afr. Am./Non-Hisp	403	448,274	341	82.9	77.2-88.6	62	17.1	11.4-22.8
Oth. Race/Non-Hisp.	72	65,099	60	87.9	79.9-95.9	12	12.1	4.1-20.1
MultiRacial/Non-Hisp.	54	34,045	34	61.9	43.5-80.3	20	38.1	19.7-56.5
Hispanic	62	91,571	48	75.4	59.1-91.7	14	24.6	8.3-40.9
18-24	167	310,245	133	75.6	66.4-84.8	34	24.4	15.2-33.6
25-34	342	443,950	281	82.0	76.7-87.3	61	18.0	12.7-23.3
35-44	406	423,933	321	79.3	74.2-84.4	85	20.7	15.6-25.8
45-54	580	446,675	482	86.5	83.2-89.8	98	13.5	10.2-16.8
55-64	674	461,611	557	84.6	81.3-87.9	117	15.4	12.1-18.7
65+	1124	616,962	935	84.4	81.9-86.9	189	15.6	13.1-18.1
Less Than H.S.	328	359,486	245	77.5	71.2-83.8	83	22.5	16.2-28.8
H.S. or G.E.D.	1051	860,522	869	83.2	80.1-86.3	182	16.8	13.7-19.9
Some Post-H.S.	902	844,406	735	81.4	77.5-85.3	167	18.6	14.7-22.5
College Graduate	1002	629,823	852	86.3	83.4-89.2	150	13.7	10.8-16.6
Less than \$15,000	423	347,199	318	69.9	62.8-77.0	105	30.1	23.0-37.2
\$15,000- 24,999	606	491,895	489	83.6	79.9-87.3	117	16.4	12.7-20.1
\$25,000- 34,999	311	247,776	253	80.6	73.7-87.5	58	19.4	12.5-26.3
\$35,000- 49,999	320	273,879	271	86.0	81.1-90.9	49	14.0	9.1-18.9
\$50,000- 74,999	387	320,092	331	88.1	84.2-92.0	56	11.9	8.0-15.8
\$75,000+	574	491,648	508	89.9	86.8-93.0	66	10.1	7.0-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5793	5,192,005	5200	90.0	88.8-91.2	593	10.0	8.8-11.2
Male	2518	2,499,373	2339	92.1	90.3-93.9	179	7.9	6.1- 9.7
Female	3275	2,692,632	2861	88.1	86.5-89.7	414	11.9	10.3-13.5
White/Non-Hisp	4681	3,874,467	4204	90.2	89.0-91.4	477	9.8	8.6-11.0
Black or Afr. Am./Non-Hisp	648	819,131	591	91.8	88.9-94.7	57	8.2	5.3-11.1
Oth. Race/Non-Hisp.	145	155,770	130	81.4	65.5-97.3	15	18.6	2.7-34.5
MultiRacial/Non-Hisp.	91	62,692	72	82.4	71.0-93.8	19	17.6	6.2-29.0
Hispanic	116	185,889	101	88.8	80.2-97.4	15	11.2	2.6-19.8
18-24	333	631,063	294	85.8	79.9-91.7	39	14.2	8.3-20.1
25-34	643	875,423	599	92.6	89.9-95.3	44	7.4	4.7-10.1
35-44	729	833,525	648	90.2	87.7-92.7	81	9.8	7.3-12.3
45-54	1037	873,284	927	91.0	88.6-93.4	110	9.0	6.6-11.4
55-64	1199	877,658	1071	90.2	88.0-92.4	128	9.8	7.6-12.0
65+	1852	1,101,052	1661	89.3	87.3-91.3	191	10.7	8.7-12.7
Less Than H.S.	570	726,647	460	83.0	78.3-87.7	110	17.0	12.3-21.7
H.S. or G.E.D.	1866	1,720,610	1667	89.9	87.9-91.9	199	10.1	8.1-12.1
Some Post-H.S.	1501	1,526,276	1353	91.0	88.8-93.2	148	9.0	6.8-11.2
College Graduate	1837	1,204,403	1702	93.2	91.6-94.8	135	6.8	5.2- 8.4
Less than \$15,000	640	562,980	518	80.4	75.9-84.9	122	19.6	15.1-24.1
\$15,000- 24,999	965	820,632	855	89.2	86.7-91.7	110	10.8	8.3-13.3
\$25,000- 34,999	555	508,516	491	84.4	78.1-90.7	64	15.6	9.3-21.9
\$35,000- 49,999	644	587,411	584	92.1	89.6-94.6	60	7.9	5.4-10.4
\$50,000- 74,999	767	697,937	720	95.7	94.1-97.3	47	4.3	2.7- 5.9
\$75,000+	1180	1,101,803	1107	94.4	92.6-96.2	73	5.6	3.8- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2518	2,499,373	2339	92.1	90.3-93.9	179	7.9	6.1- 9.7
White/Non-Hisp	2039	1,854,406	1901	92.6	91.0-94.2	138	7.4	5.8- 9.0
Black or Afr. Am./Non-Hisp	247	371,568	234	95.1	91.4-98.8	13	4.9	1.2- 8.6
Oth. Race/Non-Hisp.	74	91,450	64	71.6	47.5-95.7	10	28.4	4.3-52.5
Hispanic	55	95,057	49	95.6	91.7-99.5	6	4.4	0.5- 8.3
18-24	166	320,818	152	88.7	79.7-97.7	14	11.3	2.3-20.3
25-34	304	434,785	291	95.5	92.2-98.8	13	4.5	1.2- 7.8
35-44	323	409,592	298	93.5	90.6-96.4	25	6.5	3.6- 9.4
45-54	458	427,141	425	92.2	88.7-95.7	33	7.8	4.3-11.3
55-64	527	417,572	489	92.4	89.3-95.5	38	7.6	4.5-10.7
65+	740	489,465	684	89.9	86.8-93.0	56	10.1	7.0-13.2
Less Than H.S.	247	370,877	203	82.0	74.0-90.0	44	18.0	10.0-26.0
H.S. or G.E.D.	820	863,533	751	90.8	87.9-93.7	69	9.2	6.3-12.1
Some Post-H.S.	603	684,422	572	96.0	94.2-97.8	31	4.0	2.2- 5.8
College Graduate	839	575,612	805	96.1	94.3-97.9	34	3.9	2.1- 5.7
Less than \$15,000	219	217,724	183	84.6	77.7-91.5	36	15.4	8.5-22.3
\$15,000- 24,999	362	330,067	326	89.2	84.9-93.5	36	10.8	6.5-15.1
\$25,000- 34,999	244	260,740	225	84.1	73.3-94.9	19	15.9	5.1-26.7
\$35,000- 49,999	324	313,532	299	92.6	89.1-96.1	25	7.4	3.9-10.9
\$50,000- 74,999	385	379,566	372	97.5	95.7-99.3	13	2.5	0.7- 4.3
\$75,000+	606	610,155	579	95.6	93.2-98.0	27	4.4	2.0- 6.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3275	2,692,632	2861	88.1	86.5-89.7	414	11.9	10.3-13.5
White/Non-Hisp	2642	2,020,061	2303	88.0	86.2-89.8	339	12.0	10.2-13.8
Black or Afr. Am./Non-Hisp	401	447,562	357	88.9	84.6-93.2	44	11.1	6.8-15.4
Oth. Race/Non-Hisp.	71	64,320	66	95.2	90.1- 100	5	4.8	0.0- 9.9
MultiRacial/Non-Hisp.	53	32,750	40	78.0	61.5-94.5	13	22.0	5.5-38.5
Hispanic	61	90,832	52	81.8	65.7-97.9	9	18.2	2.1-34.3
18-24	167	310,245	142	82.9	75.1-90.7	25	17.1	9.3-24.9
25-34	339	440,637	308	89.7	85.4-94.0	31	10.3	6.0-14.6
35-44	406	423,933	350	87.0	82.9-91.1	56	13.0	8.9-17.1
45-54	579	446,143	502	89.9	87.0-92.8	77	10.1	7.2-13.0
55-64	672	460,086	582	88.3	85.6-91.0	90	11.7	9.0-14.4
65+	1112	611,587	977	88.8	86.4-91.2	135	11.2	8.8-13.6
Less Than H.S.	323	355,770	257	84.1	79.4-88.8	66	15.9	11.2-20.6
H.S. or G.E.D.	1046	857,077	916	88.9	86.5-91.3	130	11.1	8.7-13.5
Some Post-H.S.	898	841,854	781	86.9	83.4-90.4	117	13.1	9.6-16.6
College Graduate	998	628,791	897	90.6	88.1-93.1	101	9.4	6.9-11.9
Less than \$15,000	421	345,257	335	77.7	71.6-83.8	86	22.3	16.2-28.4
\$15,000- 24,999	603	490,565	529	89.2	85.9-92.5	74	10.8	7.5-14.1
\$25,000- 34,999	311	247,776	266	84.8	78.5-91.1	45	15.2	8.9-21.5
\$35,000- 49,999	320	273,879	285	91.5	87.8-95.2	35	8.5	4.8-12.2
\$50,000- 74,999	382	318,370	348	93.4	90.5-96.3	34	6.6	3.7- 9.5
\$75,000+	574	491,648	528	93.0	90.5-95.5	46	7.0	4.5- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 10: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5793	5,192,005	593	10.0	8.8-11.2	290	6.2	5.2- 7.2	4910	83.8	82.4-85.2
Male	2518	2,499,373	179	7.9	6.1- 9.7	138	7.3	5.7- 8.9	2201	84.8	82.6-87.0
Female	3275	2,692,632	414	11.9	10.3-13.5	152	5.2	4.0- 6.4	2709	82.9	80.9-84.9
White/Non-Hisp	4681	3,874,467	477	9.8	8.6-11.0	227	6.2	5.0- 7.4	3977	84.0	82.4-85.6
Black or Afr. Am./Non-Hisp	648	819,131	57	8.2	5.3-11.1	32	5.6	2.9- 8.3	559	86.2	82.3-90.1
Oth. Race/Non-Hisp.	145	155,770	15	18.6	2.7-34.5	11	6.2	1.7-10.7	119	75.1	59.8-90.4
MultiRacial/Non-Hisp.	91	62,692	19	17.6	6.2-29.0	7	7.6	0.7-14.5	65	74.8	62.1-87.5
Hispanic	116	185,889	15	11.2	2.6-19.8	9	8.6	2.3-14.9	92	80.3	70.1-90.5
18-24	333	631,063	39	14.2	8.3-20.1	32	11.0	6.5-15.5	262	74.8	67.9-81.7
25-34	643	875,423	44	7.4	4.7-10.1	62	10.2	7.1-13.3	537	82.4	78.5-86.3
35-44	729	833,525	81	9.8	7.3-12.3	49	8.5	5.6-11.4	599	81.8	78.1-85.5
45-54	1037	873,284	110	9.0	6.6-11.4	30	2.4	1.4- 3.4	897	88.6	86.1-91.1
55-64	1199	877,658	128	9.8	7.6-12.0	45	3.5	2.1- 4.9	1026	86.8	84.4-89.2
65+	1852	1,101,052	191	10.7	8.7-12.7	72	3.7	2.5- 4.9	1589	85.7	83.5-87.9
Less Than H.S.	570	726,647	110	17.0	12.3-21.7	18	5.0	1.9- 8.1	442	78.0	72.7-83.3
H.S. or G.E.D.	1866	1,720,610	199	10.1	8.1-12.1	91	6.2	4.4- 8.0	1576	83.7	81.3-86.1
Some Post-H.S.	1501	1,526,276	148	9.0	6.8-11.2	88	7.2	5.2- 9.2	1265	83.8	81.1-86.5
College Graduate	1837	1,204,403	135	6.8	5.2- 8.4	91	5.5	3.9- 7.1	1611	87.7	85.5-89.9
Less than \$15,000	640	562,980	122	19.6	15.1-24.1	34	9.2	5.1-13.3	484	71.2	65.7-76.7
\$15,000- 24,999	965	820,632	110	10.8	8.3-13.3	56	5.3	3.5- 7.1	799	83.9	80.8-87.0
\$25,000- 34,999	555	508,516	64	15.6	9.3-21.9	26	5.2	2.3- 8.1	465	79.3	72.8-85.8
\$35,000- 49,999	644	587,411	60	7.9	5.4-10.4	35	7.7	4.4-11.0	549	84.5	80.6-88.4
\$50,000- 74,999	767	697,937	47	4.3	2.7- 5.9	38	6.1	3.7- 8.5	682	89.5	86.8-92.2
\$75,000+	1180	1,101,803	73	5.6	3.8- 7.4	49	4.1	2.5- 5.7	1058	90.3	88.1-92.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 11: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2518	2,499,373	179	7.9	6.1- 9.7	138	7.3	5.7- 8.9	2201	84.8	82.6-87.0
White/Non-Hisp	2039	1,854,406	138	7.4	5.8- 9.0	109	7.7	5.7- 9.7	1792	85.0	82.6-87.4
Black or Afr. Am./Non-Hisp	247	371,568	13	4.9	1.2- 8.6	16	5.1	2.0- 8.2	218	90.0	85.3-94.7
Oth. Race/Non-Hisp.	74	91,450	10	28.4	4.3-52.5	5	6.2	0.0-12.7	59	65.4	42.5-88.3
Hispanic	55	95,057	6	4.4	0.5- 8.3	5	11.3	0.5-22.1	44	84.3	72.7-95.9
18-24	166	320,818	14	11.3	2.3-20.3	23	14.6	7.7-21.5	129	74.0	64.0-84.0
25-34	304	434,785	13	4.5	1.2- 7.8	35	13.2	8.1-18.3	256	82.2	76.3-88.1
35-44	323	409,592	25	6.5	3.6- 9.4	20	9.2	4.5-13.9	278	84.3	79.0-89.6
45-54	458	427,141	33	7.8	4.3-11.3	10	1.6	0.4- 2.8	415	90.6	86.9-94.3
55-64	527	417,572	38	7.6	4.5-10.7	20	3.5	1.3- 5.7	469	88.9	85.2-92.6
65+	740	489,465	56	10.1	7.0-13.2	30	3.7	1.9- 5.5	654	86.2	82.7-89.7
Less Than H.S.	247	370,877	44	18.0	10.0-26.0	6	4.3	0.2- 8.4	197	77.7	69.3-86.1
H.S. or G.E.D.	820	863,533	69	9.2	6.3-12.1	44	7.0	4.3- 9.7	707	83.8	80.1-87.5
Some Post-H.S.	603	684,422	31	4.0	2.2- 5.8	42	9.6	6.3-12.9	530	86.5	82.8-90.2
College Graduate	839	575,612	34	3.9	2.1- 5.7	46	7.0	4.5- 9.5	759	89.1	86.2-92.0
Less than \$15,000	219	217,724	36	15.4	8.5-22.3	17	12.0	4.9-19.1	166	72.6	63.6-81.6
\$15,000- 24,999	362	330,067	36	10.8	6.5-15.1	16	5.2	1.7- 8.7	310	84.1	78.8-89.4
\$25,000- 34,999	244	260,740	19	15.9	5.1-26.7	13	6.0	1.3-10.7	212	78.0	67.0-89.0
\$35,000- 49,999	324	313,532	25	7.4	3.9-10.9	21	9.5	4.2-14.8	278	83.1	77.0-89.2
\$50,000- 74,999	385	379,566	13	2.5	0.7- 4.3	21	7.2	3.7-10.7	351	90.3	86.4-94.2
\$75,000+	606	610,155	27	4.4	2.0- 6.8	29	5.0	2.6- 7.4	550	90.6	87.5-93.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 12: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3275	2,692,632	414	11.9	10.3-13.5	152	5.2	4.0- 6.4	2709	82.9	80.9-84.9
White/Non-Hisp	2642	2,020,061	339	12.0	10.2-13.8	118	4.8	3.6- 6.0	2185	83.2	81.2-85.2
Black or Afr. Am./Non-Hisp	401	447,562	44	11.1	6.8-15.4	16	5.9	1.8-10.0	341	83.0	77.3-88.7
Oth. Race/Non-Hisp.	71	64,320	5	4.8	0.0- 9.9	6	6.3	0.4-12.2	60	88.9	81.1-96.7
MultiRacial/Non-Hisp.	53	32,750	13	22.0	5.5-38.5	6	13.6	1.1-26.1	34	64.4	46.0-82.8
Hispanic	61	90,832	9	18.2	2.1-34.3	4	5.7	0.0-11.8	48	76.0	59.5-92.5
18-24	167	310,245	25	17.1	9.3-24.9	9	7.3	1.2-13.4	133	75.6	66.4-84.8
25-34	339	440,637	31	10.3	6.0-14.6	27	7.1	3.6-10.6	281	82.6	77.3-87.9
35-44	406	423,933	56	13.0	8.9-17.1	29	7.8	4.3-11.3	321	79.3	74.2-84.4
45-54	579	446,143	77	10.1	7.2-13.0	20	3.2	1.6- 4.8	482	86.6	83.3-89.9
55-64	672	460,086	90	11.7	9.0-14.4	25	3.4	1.6- 5.2	557	84.9	81.8-88.0
65+	1112	611,587	135	11.2	8.8-13.6	42	3.6	2.2- 5.0	935	85.2	82.7-87.7
Less Than H.S.	323	355,770	66	15.9	11.2-20.6	12	5.7	1.0-10.4	245	78.3	72.0-84.6
H.S. or G.E.D.	1046	857,077	130	11.1	8.7-13.5	47	5.4	3.2- 7.6	869	83.6	80.5-86.7
Some Post-H.S.	898	841,854	117	13.1	9.6-16.6	46	5.3	3.3- 7.3	735	81.6	77.7-85.5
College Graduate	998	628,791	101	9.4	6.9-11.9	45	4.2	2.6- 5.8	852	86.4	83.5-89.3
Less than \$15,000	421	345,257	86	22.3	16.2-28.4	17	7.4	2.3-12.5	318	70.3	63.2-77.4
\$15,000- 24,999	603	490,565	74	10.8	7.5-14.1	40	5.4	3.4- 7.4	489	83.8	80.1-87.5
\$25,000- 34,999	311	247,776	45	15.2	8.9-21.5	13	4.3	0.8- 7.8	253	80.6	73.7-87.5
\$35,000- 49,999	320	273,879	35	8.5	4.8-12.2	14	5.5	2.2- 8.8	271	86.0	81.1-90.9
\$50,000- 74,999	382	318,370	34	6.6	3.7- 9.5	17	4.8	2.1- 7.5	331	88.6	84.7-92.5
\$75,000+	574	491,648	46	7.0	4.5- 9.5	20	3.1	1.1- 5.1	508	89.9	86.8-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5809	5,199,639	2141	30.2	28.6-31.8	3668	69.8	68.2-71.4
Male	2524	2,503,264	784	25.6	23.4-27.8	1740	74.4	72.2-76.6
Female	3285	2,696,375	1357	34.4	32.2-36.6	1928	65.6	63.4-67.8
White/Non-Hisp	4695	3,883,346	1782	32.9	31.1-34.7	2913	67.1	65.3-68.9
Black or Afr. Am./Non-Hisp	645	814,792	195	22.1	18.2-26.0	450	77.9	74.0-81.8
Oth. Race/Non-Hisp.	145	155,554	54	21.1	13.1-29.1	91	78.9	70.9-86.9
MultiRacial/Non-Hisp.	94	65,088	45	33.0	19.9-46.1	49	67.0	53.9-80.1
Hispanic	117	186,628	19	7.6	2.7-12.5	98	92.4	87.5-97.3
18-24	334	633,527	17	4.2	1.7-6.7	317	95.8	93.3-98.3
25-34	645	871,363	77	9.5	7.0-12.0	568	90.5	88.0-93.0
35-44	733	837,276	141	20.1	16.2-24.0	592	79.9	76.0-83.8
45-54	1038	875,278	354	32.0	28.3-35.7	684	68.0	64.3-71.7
55-64	1200	877,613	548	45.9	42.2-49.6	652	54.1	50.4-57.8
65+	1859	1,104,584	1004	55.0	52.1-57.9	855	45.0	42.1-47.9
Less Than H.S.	577	735,007	307	45.8	39.9-51.7	270	54.2	48.3-60.1
H.S. or G.E.D.	1868	1,717,666	749	30.2	27.7-32.7	1119	69.8	67.3-72.3
Some Post-H.S.	1501	1,524,525	602	31.4	28.5-34.3	899	68.6	65.7-71.5
College Graduate	1844	1,208,374	478	19.2	17.0-21.4	1366	80.8	78.6-83.0
Less than \$15,000	643	569,463	335	44.1	38.4-49.8	308	55.9	50.2-61.6
\$15,000- 24,999	969	823,925	447	36.4	32.5-40.3	522	63.6	59.7-67.5
\$25,000- 34,999	557	510,305	218	32.6	27.3-37.9	339	67.4	62.1-72.7
\$35,000- 49,999	643	583,834	246	32.2	27.5-36.9	397	67.8	63.1-72.5
\$50,000- 74,999	771	696,367	239	24.9	21.2-28.6	532	75.1	71.4-78.8
\$75,000+	1184	1,103,574	257	18.9	16.0-21.8	927	81.1	78.2-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2524	2,503,264	784	25.6	23.4-27.8	1740	74.4	72.2-76.6
White/Non-Hisp	2046	1,859,652	646	27.4	24.9-29.9	1400	72.6	70.1-75.1
Black or Afr. Am./Non-Hisp	244	369,932	70	20.1	14.0-26.2	174	79.9	73.8-86.0
Oth. Race/Non-Hisp.	73	90,455	20	16.1	6.5-25.7	53	83.9	74.3-93.5
Hispanic	55	95,057	9	9.6	1.0-18.2	46	90.4	81.8-99.0
18-24	168	324,483	4	1.6	0.0- 3.4	164	98.4	96.6- 100
25-34	307	434,345	32	8.1	4.8-11.4	275	91.9	88.6-95.2
35-44	327	412,322	58	17.5	12.0-23.0	269	82.5	77.0-88.0
45-54	458	427,921	138	27.5	22.2-32.8	320	72.5	67.2-77.8
55-64	524	415,047	221	43.6	37.9-49.3	303	56.4	50.7-62.1
65+	740	489,147	331	46.8	42.1-51.5	409	53.2	48.5-57.9
Less Than H.S.	248	372,298	109	39.5	31.1-47.9	139	60.5	52.1-68.9
H.S. or G.E.D.	818	860,797	273	23.2	19.9-26.5	545	76.8	73.5-80.1
Some Post-H.S.	605	686,356	201	26.7	22.4-31.0	404	73.3	69.0-77.6
College Graduate	844	578,884	198	18.7	15.6-21.8	646	81.3	78.2-84.4
Less than \$15,000	220	219,579	102	46.2	36.0-56.4	118	53.8	43.6-64.0
\$15,000- 24,999	364	332,456	154	34.6	28.5-40.7	210	65.4	59.3-71.5
\$25,000- 34,999	245	261,782	84	29.6	21.6-37.6	161	70.4	62.4-78.4
\$35,000- 49,999	324	312,917	108	26.9	20.6-33.2	216	73.1	66.8-79.4
\$50,000- 74,999	386	378,664	109	21.6	16.7-26.5	277	78.4	73.5-83.3
\$75,000+	610	612,015	125	16.1	12.6-19.6	485	83.9	80.4-87.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3285	2,696,375	1357	34.4	32.2-36.6	1928	65.6	63.4-67.8
White/Non-Hisp	2649	2,023,694	1136	38.0	35.6-40.4	1513	62.0	59.6-64.4
Black or Afr. Am./Non-Hisp	401	444,860	125	23.7	18.4-29.0	276	76.3	71.0-81.6
Oth. Race/Non-Hisp.	72	65,099	34	28.1	15.8-40.4	38	71.9	59.6-84.2
MultiRacial/Non-Hisp.	54	34,045	32	46.8	28.2-65.4	22	53.2	34.6-71.8
Hispanic	62	91,571	10	5.4	1.5- 9.3	52	94.6	90.7-98.5
18-24	166	309,044	13	6.9	2.2-11.6	153	93.1	88.4-97.8
25-34	338	437,018	45	10.9	7.0-14.8	293	89.1	85.2-93.0
35-44	406	424,954	83	22.6	17.1-28.1	323	77.4	71.9-82.9
45-54	580	447,357	216	36.4	31.1-41.7	364	63.6	58.3-68.9
55-64	676	462,566	327	48.0	43.1-52.9	349	52.0	47.1-56.9
65+	1119	615,437	673	61.6	57.9-65.3	446	38.4	34.7-42.1
Less Than H.S.	329	362,709	198	52.3	44.7-59.9	131	47.7	40.1-55.3
H.S. or G.E.D.	1050	856,869	476	37.2	33.5-40.9	574	62.8	59.1-66.5
Some Post-H.S.	896	838,168	401	35.3	31.2-39.4	495	64.7	60.6-68.8
College Graduate	1000	629,490	280	19.6	16.7-22.5	720	80.4	77.5-83.3
Less than \$15,000	423	349,883	233	42.8	35.9-49.7	190	57.2	50.3-64.1
\$15,000- 24,999	605	491,469	293	37.7	32.6-42.8	312	62.3	57.2-67.4
\$25,000- 34,999	312	248,523	134	35.7	28.8-42.6	178	64.3	57.4-71.2
\$35,000- 49,999	319	270,917	138	38.3	31.2-45.4	181	61.7	54.6-68.8
\$50,000- 74,999	385	317,703	130	28.8	23.1-34.5	255	71.2	65.5-76.9
\$75,000+	574	491,559	132	22.5	17.8-27.2	442	77.5	72.8-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 7: ARTHRITIS BURDEN CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	45
2	MALES ONLY	46
3	FEMALES ONLY	47
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	48
5	MALES ONLY	49
6	FEMALES ONLY	50
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	51
8	MALES ONLY	52
9	FEMALES ONLY	53



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 7: ARTHRITIS BURDEN**

**TABLE 1: LIMITED USUAL ACTIVITIES (\_LMTACT1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5793	5,186,830	1208	16.9	15.7-18.1	917	13.1	11.9-14.3	3668	70.0	68.4-71.6
Male	2518	2,497,266	419	13.4	11.8-15.0	359	12.0	10.4-13.6	1740	74.6	72.4-76.8
Female	3275	2,689,564	789	20.2	18.4-22.0	558	14.1	12.5-15.7	1928	65.7	63.5-67.9
White/Non-Hisp	4685	3,876,687	993	18.2	16.8-19.6	779	14.6	13.2-16.0	2913	67.2	65.4-69.0
Black or Afr. Am./Non-Hisp	642	809,702	110	12.5	9.4-15.6	82	9.1	6.4-11.8	450	78.4	74.5-82.3
Oth. Race/Non-Hisp.	144	155,415	38	16.7	9.4-24.0	15	4.3	1.6- 7.0	91	79.0	71.0-87.0
MultiRacial/Non-Hisp.	94	65,088	33	22.7	11.7-33.7	12	10.3	2.1-18.5	49	67.0	53.9-80.1
Hispanic	117	186,628	9	2.7	0.7- 4.7	10	4.9	0.6- 9.2	98	92.4	87.5-97.3
18-24	334	633,527	9	2.5	0.5- 4.5	8	1.6	0.0- 3.2	317	95.8	93.3-98.3
25-34	645	871,363	43	5.5	3.5- 7.5	34	4.1	2.5- 5.7	568	90.5	88.0-93.0
35-44	733	837,276	91	11.8	8.9-14.7	50	8.3	5.4-11.2	592	79.9	76.0-83.8
45-54	1036	872,914	227	21.5	18.2-24.8	125	10.4	8.2-12.6	684	68.2	64.5-71.9
55-64	1195	874,171	350	28.5	25.2-31.8	193	17.2	14.3-20.1	652	54.3	50.6-58.0
65+	1850	1,097,579	488	25.4	22.9-27.9	507	29.3	26.4-32.2	855	45.2	42.3-48.1
Less Than H.S.	575	733,928	214	32.0	26.9-37.1	91	13.8	10.1-17.5	270	54.3	48.4-60.2
H.S. or G.E.D.	1863	1,711,021	432	17.4	15.4-19.4	312	12.5	10.7-14.3	1119	70.1	67.6-72.6
Some Post-H.S.	1495	1,520,323	341	16.6	14.2-19.0	255	14.7	12.3-17.1	899	68.8	65.9-71.7
College Graduate	1842	1,207,867	219	7.7	6.3- 9.1	257	11.4	9.6-13.2	1366	80.9	78.7-83.1
Less than \$15,000	640	568,298	251	33.7	28.4-39.0	81	10.3	7.2-13.4	308	56.0	50.1-61.9
\$15,000- 24,999	966	820,709	281	24.2	20.7-27.7	163	12.0	9.6-14.4	522	63.8	59.9-67.7
\$25,000- 34,999	557	510,305	124	18.7	14.6-22.8	94	13.9	10.2-17.6	339	67.4	62.1-72.7
\$35,000- 49,999	642	582,278	125	15.9	12.4-19.4	120	16.2	12.7-19.7	397	68.0	63.3-72.7
\$50,000- 74,999	770	694,303	102	11.2	8.7-13.7	136	13.5	10.8-16.2	532	75.4	71.7-79.1
\$75,000+	1183	1,103,208	102	7.0	5.2- 8.8	154	11.9	9.5-14.3	927	81.1	78.2-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 7: ARTHRITIS BURDEN**

**TABLE 2: LIMITED USUAL ACTIVITIES (\_LMTACT1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2518	2,497,266	419	13.4	11.8-15.0	359	12.0	10.4-13.6	1740	74.6	72.4-76.8
White/Non-Hisp	2043	1,857,098	336	14.0	12.0-16.0	307	13.4	11.6-15.2	1400	72.7	70.2-75.2
Black or Afr. Am./Non-Hisp	242	367,267	39	11.1	6.6-15.6	29	8.5	4.2-12.8	174	80.4	74.3-86.5
Oth. Race/Non-Hisp.	73	90,455	15	13.2	4.6-21.8	5	2.9	0.0- 6.0	53	83.9	74.3-93.5
Hispanic	55	95,057	4	2.8	0.0- 5.9	5	6.8	0.0-14.8	46	90.4	81.8-99.0
18-24	168	324,483	3	1.5	0.0- 3.3	1	0.1	0.0- 0.3	164	98.4	96.6- 100
25-34	307	434,345	16	4.1	1.9- 6.3	16	4.0	1.6- 6.4	275	91.9	88.6-95.2
35-44	327	412,322	31	8.8	4.9-12.7	27	8.7	4.6-12.8	269	82.5	77.0-88.0
45-54	457	425,857	86	18.1	13.4-22.8	51	9.0	6.1-11.9	320	72.9	67.8-78.0
55-64	521	412,109	129	25.1	20.0-30.2	89	18.0	13.5-22.5	303	56.8	51.1-62.5
65+	738	488,150	154	19.6	15.9-23.3	175	27.1	22.6-31.6	409	53.3	48.6-58.0
Less Than H.S.	247	371,519	72	25.8	18.7-32.9	36	13.5	8.0-19.0	139	60.6	52.2-69.0
H.S. or G.E.D.	815	856,425	149	12.3	9.8-14.8	121	10.5	8.3-12.7	545	77.2	73.9-80.5
Some Post-H.S.	603	685,509	114	13.5	10.4-16.6	85	13.0	9.7-16.3	404	73.4	69.1-77.7
College Graduate	844	578,884	82	6.8	5.0- 8.6	116	12.0	9.3-14.7	646	81.3	78.2-84.4
Less than \$15,000	218	218,553	73	32.6	23.4-41.8	27	13.4	6.5-20.3	118	54.0	43.8-64.2
\$15,000- 24,999	364	332,456	107	23.8	18.7-28.9	47	10.8	7.1-14.5	210	65.4	59.3-71.5
\$25,000- 34,999	245	261,782	50	14.7	9.4-20.0	34	15.0	8.7-21.3	161	70.4	62.4-78.4
\$35,000- 49,999	323	311,360	53	11.8	7.9-15.7	54	14.7	9.6-19.8	216	73.5	67.2-79.8
\$50,000- 74,999	385	376,600	36	8.4	5.3-11.5	72	12.7	9.2-16.2	277	78.9	74.2-83.6
\$75,000+	610	612,015	44	5.4	3.4- 7.4	81	10.7	7.8-13.6	485	83.9	80.4-87.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 7: ARTHRITIS BURDEN**

**TABLE 3: LIMITED USUAL ACTIVITIES (\_LMTACT1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3275	2,689,564	789	20.2	18.4-22.0	558	14.1	12.5-15.7	1928	65.7	63.5-67.9
White/Non-Hisp	2642	2,019,589	657	22.1	19.9-24.3	472	15.7	13.9-17.5	1513	62.2	59.8-64.6
Black or Afr. Am./Non-Hisp	400	442,434	71	13.6	9.5-17.7	53	9.6	5.9-13.3	276	76.8	71.5-82.1
Oth. Race/Non-Hisp.	71	64,960	23	21.6	10.2-33.0	10	6.3	1.8-10.8	38	72.1	59.8-84.4
MultiRacial/Non-Hisp.	54	34,045	22	28.3	12.6-44.0	10	18.4	3.7-33.1	22	53.2	34.6-71.8
Hispanic	62	91,571	5	2.5	0.0- 5.0	5	2.9	0.2- 5.6	52	94.6	90.7-98.5
18-24	166	309,044	6	3.6	0.1- 7.1	7	3.2	0.0- 6.5	153	93.1	88.4-97.8
25-34	338	437,018	27	6.8	3.5-10.1	18	4.1	1.7- 6.5	293	89.1	85.2-93.0
35-44	406	424,954	60	14.7	10.2-19.2	23	7.9	3.8-12.0	323	77.4	71.9-82.9
45-54	579	447,057	141	24.7	19.8-29.6	74	11.6	8.3-14.9	364	63.7	58.4-69.0
55-64	674	462,062	221	31.4	26.9-35.9	104	16.5	12.8-20.2	349	52.1	47.2-57.0
65+	1112	609,429	334	30.1	26.6-33.6	332	31.1	27.4-34.8	446	38.8	34.9-42.7
Less Than H.S.	328	362,409	142	38.2	31.1-45.3	55	14.1	9.2-19.0	131	47.7	40.1-55.3
H.S. or G.E.D.	1048	854,596	283	22.4	19.3-25.5	191	14.6	12.1-17.1	574	63.0	59.3-66.7
Some Post-H.S.	892	834,814	227	19.1	15.8-22.4	170	16.0	12.9-19.1	495	64.9	60.8-69.0
College Graduate	998	628,983	137	8.5	6.5-10.5	141	11.0	8.6-13.4	720	80.5	77.6-83.4
Less than \$15,000	422	349,744	178	34.4	27.9-40.9	54	8.4	5.5-11.3	190	57.3	50.4-64.2
\$15,000- 24,999	602	488,253	174	24.5	19.8-29.2	116	12.8	9.9-15.7	312	62.7	57.6-67.8
\$25,000- 34,999	312	248,523	74	23.0	17.1-28.9	60	12.7	8.6-16.8	178	64.3	57.4-71.2
\$35,000- 49,999	319	270,917	72	20.5	14.6-26.4	66	17.8	12.7-22.9	181	61.7	54.6-68.8
\$50,000- 74,999	385	317,703	66	14.4	10.1-18.7	64	14.4	10.1-18.7	255	71.2	65.5-76.9
\$75,000+	573	491,193	58	8.9	5.8-12.0	73	13.5	9.6-17.4	442	77.6	72.9-82.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 7: ARTHRITIS BURDEN**

**TABLE 4: LIMITED WORK ACTIVITIES (\_LMTWRK1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5780	5,185,919	892	13.2	12.0-14.4	1220	16.8	15.6-18.0	3668	70.0	68.4-71.6
Male	2513	2,497,490	309	10.4	8.8-12.0	464	15.0	13.2-16.8	1740	74.6	72.4-76.8
Female	3267	2,688,428	583	15.7	14.1-17.3	756	18.5	16.7-20.3	1928	65.8	63.6-68.0
White/Non-Hisp	4671	3,870,867	715	14.3	12.9-15.7	1043	18.4	17.0-19.8	2913	67.3	65.5-69.1
Black or Afr. Am./Non-Hisp	643	814,136	88	8.7	6.3-11.1	105	13.3	10.0-16.6	450	78.0	74.1-81.9
Oth. Race/Non-Hisp.	144	155,290	33	13.8	7.5-20.1	20	7.2	2.9-11.5	91	79.0	71.0-87.0
MultiRacial/Non-Hisp.	93	64,977	27	18.7	8.5-28.9	17	14.3	4.9-23.7	49	67.1	54.0-80.2
Hispanic	117	186,628	10	3.2	0.8- 5.6	9	4.4	0.3- 8.5	98	92.4	87.5-97.3
18-24	334	633,527	7	2.0	0.0- 4.0	10	2.2	0.4- 4.0	317	95.8	93.3-98.3
25-34	644	870,635	43	5.8	3.6- 8.0	33	3.7	2.1- 5.3	568	90.6	88.1-93.1
35-44	732	835,346	84	11.1	8.2-14.0	56	8.8	5.9-11.7	592	80.1	76.2-84.0
45-54	1036	874,832	175	16.1	13.2-19.0	177	15.9	13.0-18.8	684	68.0	64.3-71.7
55-64	1194	874,378	272	23.1	20.0-26.2	270	22.6	19.5-25.7	652	54.3	50.6-58.0
65+	1840	1,097,201	311	16.8	14.4-19.2	674	37.9	35.0-40.8	855	45.3	42.2-48.4
Less Than H.S.	573	731,414	177	25.5	20.8-30.2	126	20.1	15.8-24.4	270	54.4	48.5-60.3
H.S. or G.E.D.	1859	1,713,341	362	14.9	12.9-16.9	378	15.1	13.1-17.1	1119	70.0	67.5-72.5
Some Post-H.S.	1491	1,520,205	248	13.2	11.0-15.4	344	18.0	15.6-20.4	899	68.8	65.9-71.7
College Graduate	1839	1,207,268	104	3.4	2.6- 4.2	369	15.7	13.7-17.7	1366	80.9	78.7-83.1
Less than \$15,000	637	565,222	218	29.2	24.1-34.3	111	14.5	10.8-18.2	308	56.3	50.4-62.2
\$15,000- 24,999	966	822,493	229	19.7	16.6-22.8	215	16.6	13.7-19.5	522	63.7	59.8-67.6
\$25,000- 34,999	557	510,305	95	16.1	12.0-20.2	123	16.4	12.7-20.1	339	67.4	62.1-72.7
\$35,000- 49,999	637	581,448	97	12.9	9.8-16.0	143	19.1	15.2-23.0	397	68.1	63.4-72.8
\$50,000- 74,999	769	695,360	64	7.5	5.3- 9.7	173	17.2	14.1-20.3	532	75.2	71.5-78.9
\$75,000+	1183	1,103,386	42	3.8	2.2- 5.4	214	15.1	12.6-17.6	927	81.1	78.2-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 7: ARTHRITIS BURDEN**

**TABLE 5: LIMITED WORK ACTIVITIES (\_LMTWRK1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2513	2,497,490	309	10.4	8.8-12.0	464	15.0	13.2-16.8	1740	74.6	72.4-76.8
White/Non-Hisp	2036	1,854,479	241	10.9	9.1-12.7	395	16.3	14.3-18.3	1400	72.8	70.3-75.3
Black or Afr. Am./Non-Hisp	243	369,331	31	8.5	4.6-12.4	38	11.5	6.6-16.4	174	80.0	73.9-86.1
Oth. Race/Non-Hisp.	73	90,455	13	9.4	2.5-16.3	7	6.6	0.7-12.5	53	83.9	74.3-93.5
Hispanic	55	95,057	5	3.9	0.2- 7.6	4	5.7	0.0-13.3	46	90.4	81.8-99.0
18-24	168	324,483	2	0.7	0.0- 1.7	2	0.9	0.0- 2.5	164	98.4	96.6- 100
25-34	307	434,345	16	4.0	1.6- 6.4	16	4.1	1.7- 6.5	275	91.9	88.6-95.2
35-44	327	412,322	29	8.4	4.3-12.5	29	9.1	5.0-13.2	269	82.5	77.0-88.0
45-54	458	427,921	64	13.4	9.5-17.3	74	14.1	10.0-18.2	320	72.5	67.2-77.8
55-64	521	413,231	102	21.5	16.6-26.4	116	21.9	17.2-26.6	303	56.7	51.0-62.4
65+	732	485,189	96	12.4	9.3-15.5	227	33.9	29.2-38.6	409	53.6	48.9-58.3
Less Than H.S.	247	371,548	58	20.1	13.8-26.4	50	19.2	12.7-25.7	139	60.6	52.2-69.0
H.S. or G.E.D.	815	858,763	136	11.6	9.1-14.1	134	11.4	9.0-13.8	545	77.0	73.7-80.3
Some Post-H.S.	601	684,226	78	10.3	7.6-13.0	119	16.1	12.6-19.6	404	73.6	69.3-77.9
College Graduate	841	578,026	36	2.6	1.6- 3.6	159	16.0	13.1-18.9	646	81.4	78.3-84.5
Less than \$15,000	218	217,911	60	27.0	18.4-35.6	40	18.8	11.0-26.6	118	54.2	44.0-64.4
\$15,000- 24,999	363	332,399	83	18.9	14.2-23.6	70	15.7	11.2-20.2	210	65.4	59.3-71.5
\$25,000- 34,999	245	261,782	42	14.4	8.7-20.1	42	15.2	9.3-21.1	161	70.4	62.4-78.4
\$35,000- 49,999	322	311,988	40	9.3	5.8-12.8	66	17.4	12.1-22.7	216	73.3	67.0-79.6
\$50,000- 74,999	385	377,913	24	5.9	3.2- 8.6	84	15.5	11.4-19.6	277	78.6	73.9-83.3
\$75,000+	609	611,827	19	2.9	1.1- 4.7	105	13.1	10.0-16.2	485	84.0	80.5-87.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 7: ARTHRITIS BURDEN**

**TABLE 6: LIMITED WORK ACTIVITIES (\_LMTWRK1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3267	2,688,428	583	15.7	14.1-17.3	756	18.5	16.7-20.3	1928	65.8	63.6-68.0
White/Non-Hisp	2635	2,016,389	474	17.5	15.5-19.5	648	20.3	18.3-22.3	1513	62.3	59.8-64.8
Black or Afr. Am./Non-Hisp	400	444,805	57	8.9	6.0-11.8	67	14.8	10.3-19.3	276	76.3	71.0-81.6
Oth. Race/Non-Hisp.	71	64,835	20	19.9	9.1-30.7	13	7.9	2.0-13.8	38	72.2	59.9-84.5
MultiRacial/Non-Hisp.	53	33,934	19	29.3	12.4-46.2	12	17.3	5.0-29.6	22	53.4	34.8-72.0
Hispanic	62	91,571	5	2.5	0.0- 5.0	5	2.9	0.2- 5.6	52	94.6	90.7-98.5
18-24	166	309,044	5	3.4	0.0- 7.1	8	3.5	0.4- 6.6	153	93.1	88.4-97.8
25-34	337	436,290	27	7.5	4.0-11.0	17	3.2	1.2- 5.2	293	89.2	85.3-93.1
35-44	405	423,024	55	13.7	9.4-18.0	27	8.5	4.4-12.6	323	77.8	72.3-83.3
45-54	578	446,911	111	18.8	14.5-23.1	103	17.6	13.3-21.9	364	63.7	58.4-69.0
55-64	673	461,147	170	24.6	20.5-28.7	154	23.2	19.1-27.3	349	52.2	47.3-57.1
65+	1108	612,012	215	20.3	17.2-23.4	447	41.1	37.2-45.0	446	38.6	34.7-42.5
Less Than H.S.	326	359,867	119	31.1	24.4-37.8	76	20.9	15.0-26.8	131	48.0	40.4-55.6
H.S. or G.E.D.	1044	854,578	226	18.1	15.2-21.0	244	18.9	16.0-21.8	574	63.0	59.3-66.7
Some Post-H.S.	890	835,980	170	15.6	12.5-18.7	225	19.6	16.3-22.9	495	64.8	60.7-68.9
College Graduate	998	629,242	68	4.2	2.8- 5.6	210	15.4	12.7-18.1	720	80.5	77.6-83.4
Less than \$15,000	419	347,311	158	30.5	24.2-36.8	71	11.8	8.3-15.3	190	57.7	50.8-64.6
\$15,000- 24,999	603	490,093	146	20.3	16.2-24.4	145	17.2	13.5-20.9	312	62.5	57.2-67.8
\$25,000- 34,999	312	248,523	53	18.0	12.3-23.7	81	17.7	13.0-22.4	178	64.3	57.4-71.2
\$35,000- 49,999	315	269,460	57	17.0	11.7-22.3	77	21.0	15.3-26.7	181	62.0	54.9-69.1
\$50,000- 74,999	384	317,447	40	9.5	6.0-13.0	89	19.2	14.5-23.9	255	71.3	65.6-77.0
\$75,000+	574	491,559	23	5.0	2.3- 7.7	109	17.4	13.3-21.5	442	77.5	72.8-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 7: ARTHRITIS BURDEN**

**TABLE 7: LIMITED SOCIAL ACTIVITIES (\_LMTSCL1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5798	5,194,261	571	8.1	7.1- 9.1	598	8.3	7.3- 9.3	961	13.6	12.4-14.8	3668	69.9	68.3-71.5
Male	2521	2,500,671	175	5.9	4.7- 7.1	200	6.8	5.6- 8.0	406	12.8	11.2-14.4	1740	74.5	72.3-76.7
Female	3277	2,693,590	396	10.2	8.8-11.6	398	9.8	8.4-11.2	555	14.4	12.8-16.0	1928	65.6	63.4-67.8
White/Non-Hisp	4687	3,878,635	450	8.7	7.7- 9.7	491	8.8	7.8- 9.8	833	15.3	13.9-16.7	2913	67.2	65.4-69.0
Black or Afr. Am./Non-Hisp	644	814,420	66	6.1	4.1- 8.1	56	7.1	4.6- 9.6	72	8.8	6.1-11.5	450	78.0	74.1-81.9
Oth. Race/Non-Hisp.	144	155,400	18	9.0	3.7-14.3	24	9.3	4.6-14.0	11	2.8	0.6- 5.0	91	79.0	71.0-87.0
MultiRacial/Non-Hisp.	94	65,088	19	9.8	3.9-15.7	14	11.0	2.2-19.8	12	12.3	3.3-21.3	49	67.0	53.9-80.1
Hispanic	117	186,628	5	1.5	0.1- 2.9	5	1.3	0.0- 2.7	9	4.8	0.5- 9.1	98	92.4	87.5-97.3
18-24	334	633,527	2	0.1	0.0- 0.3	5	1.9	0.0- 3.9	10	2.1	0.5- 3.7	317	95.8	93.3-98.3
25-34	645	871,363	14	1.5	0.5- 2.5	31	4.5	2.7- 6.3	32	3.6	2.0- 5.2	568	90.5	88.0-93.0
35-44	732	836,825	46	6.7	4.2- 9.2	46	6.2	3.8- 8.6	48	7.1	4.6- 9.6	592	80.0	76.1-83.9
45-54	1037	874,312	124	11.1	8.6-13.6	96	8.5	6.1-10.9	133	12.3	9.8-14.8	684	68.0	64.3-71.7
55-64	1198	877,087	185	16.1	13.2-19.0	144	11.0	8.6-13.4	217	18.8	15.9-21.7	652	54.1	50.4-57.8
65+	1852	1,101,148	200	10.3	8.5-12.1	276	14.4	12.2-16.6	521	30.2	27.3-33.1	855	45.1	42.2-48.0
Less Than H.S.	575	733,670	125	19.2	14.9-23.5	79	10.7	7.6-13.8	101	15.8	12.1-19.5	270	54.3	48.4-60.2
H.S. or G.E.D.	1863	1,715,807	207	7.6	6.2- 9.0	224	9.7	8.1-11.3	313	12.8	11.0-14.6	1119	69.9	67.4-72.4
Some Post-H.S.	1498	1,522,484	166	7.9	6.3- 9.5	173	8.9	7.1-10.7	260	14.5	12.3-16.7	899	68.7	65.8-71.6
College Graduate	1843	1,208,232	71	2.3	1.5- 3.1	121	4.3	3.3- 5.3	285	12.5	10.7-14.3	1366	80.8	78.6-83.0
Less than \$15,000	641	568,844	177	23.2	18.5-27.9	73	9.8	6.5-13.1	83	11.0	7.7-14.3	308	56.0	50.1-61.9
\$15,000- 24,999	965	822,563	143	13.3	10.6-16.0	141	10.2	8.0-12.4	159	12.8	10.3-15.3	522	63.7	59.8-67.6
\$25,000- 34,999	557	510,305	42	7.1	4.2-10.0	75	12.3	8.8-15.8	101	13.2	10.1-16.3	339	67.4	62.1-72.7
\$35,000- 49,999	643	583,834	50	6.9	4.5- 9.3	71	8.3	5.6-11.0	125	17.0	13.3-20.7	397	67.8	63.1-72.5
\$50,000- 74,999	770	694,985	29	3.2	1.6- 4.8	70	7.2	5.2- 9.2	139	14.3	11.4-17.2	532	75.3	71.6-79.0
\$75,000+	1184	1,103,574	20	1.5	0.7- 2.3	55	4.4	2.8- 6.0	182	13.0	10.6-15.4	927	81.1	78.2-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 7: ARTHRITIS BURDEN**

**TABLE 8: LIMITED SOCIAL ACTIVITIES (\_LMTSCL1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2521	2,500,671	175	5.9	4.7- 7.1	200	6.8	5.6- 8.0	406	12.8	11.2-14.4	1740	74.5	72.3-76.7
White/Non-Hisp	2043	1,857,059	130	6.0	4.6- 7.4	157	6.8	5.4- 8.2	356	14.6	12.6-16.6	1400	72.7	70.2-75.2
Black or Afr. Am./Non-Hisp	244	369,932	23	4.4	1.9- 6.9	23	8.4	3.9-12.9	24	7.4	3.7-11.1	174	79.9	73.8-86.0
Oth. Race/Non-Hisp.	73	90,455	7	6.5	0.6-12.4	9	6.9	1.0-12.8	4	2.7	0.0- 5.8	53	83.9	74.3-93.5
Hispanic	55	95,057	1	0.7	0.0- 2.1	3	2.1	0.0- 4.8	5	6.8	0.0-14.8	46	90.4	81.8-99.0
18-24	168	324,483				2	0.7	0.0- 1.7	2	0.9	0.0- 2.5	164	98.4	96.6- 100
25-34	307	434,345	5	0.8	0.0- 1.6	10	3.3	1.1- 5.5	17	4.0	1.6- 6.4	275	91.9	88.6-95.2
35-44	327	412,322	14	5.3	1.4- 9.2	18	5.2	2.3- 8.1	26	6.9	3.8-10.0	269	82.5	77.0-88.0
45-54	457	426,955	37	6.4	4.0- 8.8	42	8.7	5.6-11.8	58	12.2	8.3-16.1	320	72.7	67.4-78.0
55-64	524	415,047	63	14.8	10.3-19.3	51	9.6	6.1-13.1	107	19.2	14.9-23.5	303	56.4	50.7-62.1
65+	738	487,519	56	6.8	4.6- 9.0	77	11.1	8.0-14.2	196	28.8	24.3-33.3	409	53.4	48.7-58.1
Less Than H.S.	247	371,333	40	15.5	9.6-21.4	29	9.9	5.4-14.4	39	13.9	8.6-19.2	139	60.7	52.3-69.1
H.S. or G.E.D.	818	860,797	68	4.9	3.5- 6.3	73	6.7	4.7- 8.7	132	11.5	9.0-14.0	545	76.8	73.5-80.1
Some Post-H.S.	603	684,728	42	5.3	3.1- 7.5	56	7.6	5.2-10.0	101	13.6	10.3-16.9	404	73.5	69.2-77.8
College Graduate	844	578,884	24	1.8	1.0- 2.6	42	3.8	2.2- 5.4	132	13.1	10.4-15.8	646	81.3	78.2-84.4
Less than \$15,000	219	219,333	53	23.2	15.0-31.4	19	8.7	3.2-14.2	29	14.4	7.5-21.3	118	53.8	43.6-64.0
\$15,000- 24,999	364	332,456	48	11.5	7.6-15.4	53	9.6	6.7-12.5	53	13.5	9.0-18.0	210	65.4	59.3-71.5
\$25,000- 34,999	245	261,782	14	6.9	1.8-12.0	27	10.2	5.5-14.9	43	12.5	7.8-17.2	161	70.4	62.4-78.4
\$35,000- 49,999	324	312,917	20	4.5	2.0- 7.0	26	7.3	3.6-11.0	62	15.1	10.4-19.8	216	73.1	66.8-79.4
\$50,000- 74,999	385	377,283	11	1.9	0.3- 3.5	25	6.0	3.5- 8.5	72	13.4	9.5-17.3	277	78.7	74.0-83.4
\$75,000+	610	612,015	6	0.8	0.0- 1.6	18	2.6	1.2- 4.0	101	12.7	9.6-15.8	485	83.9	80.4-87.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 7: ARTHRITIS BURDEN**

**TABLE 9: LIMITED SOCIAL ACTIVITIES (\_LMTSCL1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3277	2,693,590	396	10.2	8.8-11.6	398	9.8	8.4-11.2	555	14.4	12.8-16.0	1928	65.6	63.4-67.8
White/Non-Hisp	2644	2,021,576	320	11.1	9.5-12.7	334	10.7	9.1-12.3	477	16.0	14.2-17.8	1513	62.1	59.7-64.5
Black or Afr. Am./Non-Hisp	400	444,488	43	7.5	4.6-10.4	33	6.1	3.4- 8.8	48	10.1	6.2-14.0	276	76.4	71.1-81.7
Oth. Race/Non-Hisp.	71	64,945	11	12.5	3.1-21.9	15	12.6	5.2-20.0	7	2.9	0.4- 5.4	38	72.1	59.8-84.4
MultiRacial/Non-Hisp.	54	34,045	12	12.3	2.9-21.7	11	19.3	3.6-35.0	9	15.2	3.2-27.2	22	53.2	34.6-71.8
Hispanic	62	91,571	4	2.4	0.0- 4.9	2	0.5	0.0- 1.3	4	2.6	0.0- 5.3	52	94.6	90.7-98.5
18-24	166	309,044	2	0.3	0.0- 0.7	3	3.2	0.0- 6.9	8	3.4	0.5- 6.3	153	93.1	88.4-97.8
25-34	338	437,018	9	2.1	0.1- 4.1	21	5.7	2.8- 8.6	15	3.1	1.1- 5.1	293	89.1	85.2-93.0
35-44	405	424,503	32	8.1	4.8-11.4	28	7.2	3.7-10.7	22	7.2	3.5-10.9	323	77.5	71.8-83.2
45-54	580	447,357	87	15.7	11.4-20.0	54	8.3	5.2-11.4	75	12.4	9.1-15.7	364	63.6	58.3-68.9
55-64	674	462,040	122	17.3	13.8-20.8	93	12.2	9.1-15.3	110	18.5	14.6-22.4	349	52.1	47.2-57.0
65+	1114	613,629	144	13.0	10.3-15.7	199	17.1	14.2-20.0	325	31.4	27.7-35.1	446	38.5	34.8-42.2
Less Than H.S.	328	362,337	85	23.1	17.0-29.2	50	11.4	7.1-15.7	62	17.8	12.5-23.1	131	47.7	40.1-55.3
H.S. or G.E.D.	1045	855,010	139	10.4	8.2-12.6	151	12.6	10.1-15.1	181	14.0	11.5-16.5	574	63.0	59.3-66.7
Some Post-H.S.	895	837,756	124	10.1	7.7-12.5	117	10.0	7.5-12.5	159	15.3	12.4-18.2	495	64.7	60.6-68.8
College Graduate	999	629,348	47	2.8	1.8- 3.8	79	4.8	3.4- 6.2	153	12.0	9.5-14.5	720	80.5	77.6-83.4
Less than \$15,000	422	349,511	124	23.2	17.7-28.7	54	10.5	6.6-14.4	54	9.0	6.1-11.9	190	57.3	50.4-64.2
\$15,000- 24,999	601	490,107	95	14.5	10.6-18.4	88	10.7	7.8-13.6	106	12.3	9.2-15.4	312	62.5	57.2-67.8
\$25,000- 34,999	312	248,523	28	7.2	4.3-10.1	48	14.6	9.5-19.7	58	13.9	9.4-18.4	178	64.3	57.4-71.2
\$35,000- 49,999	319	270,917	30	9.8	5.7-13.9	45	9.5	5.8-13.2	63	19.1	13.4-24.8	181	61.7	54.6-68.8
\$50,000- 74,999	385	317,703	18	4.8	2.1- 7.5	45	8.6	5.7-11.5	67	15.4	11.1-19.7	255	71.2	65.5-76.9
\$75,000+	574	491,559	14	2.5	0.9- 4.1	37	6.6	3.3- 9.9	81	13.3	9.6-17.0	442	77.5	72.8-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	57
2 MALES ONLY	58
3 FEMALES ONLY	59
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	60
5 MALES ONLY	61
6 FEMALES ONLY	62
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	63
8 MALES ONLY	64
9 FEMALES ONLY	65
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	66
11 MALES ONLY	67
12 FEMALES ONLY	68
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	69
14 MALES ONLY	70
15 FEMALES ONLY	71
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	72
17 MALES ONLY	73
18 FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	75
20 MALES ONLY	76
21 FEMALES ONLY	77
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	78
23 MALES ONLY	79
24 FEMALES ONLY	80
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	81
26 MALES ONLY	82
27 FEMALES ONLY	83
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	84
29 MALES ONLY	85
30 FEMALES ONLY	86
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	87
32 MALES ONLY	88
33 FEMALES ONLY	89
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	90
35 MALES ONLY	91
36 FEMALES ONLY	92
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	93
38 MALES ONLY	94
39 FEMALES ONLY	95

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	96
41	MALES ONLY	97
42	FEMALES ONLY	98
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	99
44	MALES ONLY	100
45	FEMALES ONLY	101
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	102
47	MALES ONLY	103
48	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE1).  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5748	5,130,188	4871	79.3	77.7-80.9	672	16.4	15.0-17.8	81	1.7	1.1- 2.3	34	0.8	0.4- 1.2	12	0.4	0.0- 0.8	78	1.4	1.0- 1.8
Male	2483	2,458,800	2129	79.8	77.3-82.3	254	15.3	12.9-17.7	33	1.8	0.6- 3.0	21	0.9	0.3- 1.5	8	0.6	0.0- 1.2	38	1.5	0.9- 2.1
Female	3265	2,671,388	2742	78.9	76.7-81.1	418	17.4	15.4-19.4	48	1.7	1.1- 2.3	13	0.6	0.2- 1.0	4	0.1	0.0- 0.3	40	1.3	0.7- 1.9
18-24	330	619,204	258	70.8	63.7-77.9	55	21.6	15.5-27.7	6	4.0	0.0- 8.5	4	1.4	0.0- 2.8	3	1.5	0.0- 3.9	4	0.7	0.0- 1.5
25-34	645	870,222	530	76.8	72.1-81.5	87	18.5	14.0-23.0	9	1.0	0.2- 1.8	6	1.2	0.0- 2.4	4	0.8	0.0- 1.6	9	1.7	0.3- 3.1
35-44	717	814,625	592	77.6	73.3-81.9	99	17.8	13.7-21.9	7	1.1	0.1- 2.1	6	1.1	0.0- 2.3				13	2.4	0.8- 4.0
45-54	1021	861,166	848	76.7	73.0-80.4	126	18.2	14.7-21.7	18	2.0	0.8- 3.2	8	0.8	0.0- 1.6	4	0.3	0.0- 0.9	17	2.0	1.0- 3.0
55-64	1191	872,715	1005	82.4	79.3-85.5	146	14.7	11.8-17.6	19	1.8	0.6- 3.0	6	0.4	0.0- 0.8				15	0.8	0.2- 1.4
65+	1844	1,092,256	1638	87.0	84.6-89.4	159	10.8	8.6-13.0	22	1.3	0.7- 1.9	4	0.1	0.0- 0.3	1	0.0	0.0- 0.0	20	0.8	0.2- 1.4
Less Than H.S.	562	715,365	456	74.6	68.5-80.7	72	18.0	12.7-23.3	22	4.9	1.0- 8.8							12	2.5	0.7- 4.3
H.S. or G.E.D.	1858	1,709,785	1561	80.0	77.3-82.7	234	16.2	13.7-18.7	29	1.7	0.9- 2.5	6	0.5	0.0- 1.1	3	0.2	0.0- 0.6	25	1.4	0.6- 2.2
Some Post-H.S.	1488	1,504,117	1245	76.9	73.6-80.2	197	20.2	17.1-23.3	18	0.8	0.4- 1.2	5	0.5	0.0- 1.1	4	0.7	0.0- 1.7	19	0.8	0.2- 1.4
College Graduate	1824	1,188,466	1597	84.1	81.7-86.5	166	11.0	9.0-13.0	12	1.0	0.2- 1.8	23	2.0	1.0- 3.0	5	0.3	0.0- 0.7	21	1.6	0.6- 2.6
Less than \$15,000	635	555,184	481	66.6	60.3-72.9	123	28.1	21.8-34.4	17	2.9	1.1- 4.7	3	1.3	0.0- 3.1	1	0.0	0.0- 0.0	10	1.1	0.1- 2.1
\$15,000- 24,999	961	813,823	769	72.9	68.6-77.2	137	20.5	16.6-24.4	24	2.2	1.0- 3.4	6	0.4	0.0- 0.8	4	0.8	0.0- 1.6	21	3.1	1.3- 4.9
\$25,000- 34,999	547	499,625	453	77.9	71.4-84.4	74	16.4	11.7-21.1	8	4.3	0.0- 9.8	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	8	0.8	0.2- 1.4
\$35,000- 49,999	639	582,931	543	75.3	70.0-80.6	71	19.7	14.8-24.6	11	1.4	0.4- 2.4	2	0.4	0.0- 1.0	2	1.3	0.0- 3.7	10	1.8	0.2- 3.4
\$50,000- 74,999	761	688,168	684	86.8	83.3-90.3	65	11.3	8.0-14.6	2	0.4	0.0- 1.0	3	0.6	0.0- 1.4				7	0.9	0.1- 1.7
\$75,000+	1173	1,093,635	1064	87.5	84.8-90.2	85	10.0	7.5-12.5	4	0.6	0.0- 1.4	10	0.9	0.1- 1.7	2	0.1	0.0- 0.3	8	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE1).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2483	2,458,800	2129	79.8	77.3-82.3	254	15.3	13.1-17.5	33	1.8	0.6- 3.0	21	0.9	0.3- 1.5	8	0.6	0.0- 1.2	38	1.5	0.9- 2.1
18-24	164	316,691	131	73.4	63.0-83.8	24	16.6	9.3-23.9	4	5.8	0.0-14.2	2	1.4	0.0- 3.4	2	2.5	0.0- 7.0	1	0.3	0.0- 0.9
25-34	304	430,274	263	79.9	72.8-87.0	27	15.6	8.7-22.5	5	1.1	0.0- 2.3	2	0.4	0.0- 1.0	3	1.3	0.0- 2.9	4	1.7	0.0- 3.7
35-44	316	399,673	263	78.6	72.1-85.1	37	15.9	10.0-21.8	3	1.2	0.0- 2.6	6	2.2	0.0- 4.4				7	2.2	0.0- 4.4
45-54	447	417,121	365	73.0	66.9-79.1	55	21.1	15.2-27.0	7	1.3	0.1- 2.5	6	1.3	0.0- 2.7	3	0.6	0.0- 1.6	11	2.7	0.9- 4.5
55-64	521	412,784	445	81.6	76.7-86.5	58	15.7	11.0-20.4	7	1.2	0.0- 2.4	2	0.3	0.0- 0.7				9	1.2	0.2- 2.2
65+	731	482,257	662	89.2	85.9-92.5	53	8.6	5.7-11.5	7	1.2	0.2- 2.2	3	0.2	0.0- 0.4				6	0.8	0.0- 2.0
Less Than H.S.	239	363,297	194	73.4	63.8-83.0	29	18.6	10.6-26.6	8	5.4	0.0-12.7							8	2.6	0.2- 5.0
H.S. or G.E.D.	811	850,962	675	78.4	74.3-82.5	99	16.5	12.8-20.2	16	2.1	0.9- 3.3	4	0.8	0.0- 1.8	3	0.5	0.0- 1.1	14	1.7	0.5- 2.9
Some Post-H.S.	593	674,918	503	78.0	72.9-83.1	70	18.6	13.9-23.3	7	0.9	0.1- 1.7	1	0.2	0.0- 0.6	2	1.4	0.0- 3.6	10	1.0	0.0- 2.0
College Graduate	833	565,665	751	88.1	85.0-91.2	56	7.7	5.2-10.2	2	0.2	0.0- 0.6	16	2.4	0.8- 4.0	3	0.5	0.0- 1.3	5	1.1	0.0- 2.3
Less than \$15,000	214	209,735	161	65.2	54.0-76.4	45	31.2	19.8-42.6	3	1.3	0.0- 3.3	2	1.5	0.0- 4.2				3	0.8	0.0- 2.0
\$15,000- 24,999	357	324,441	289	73.6	66.7-80.5	40	17.2	10.7-23.7	10	3.0	0.8- 5.2	2	0.3	0.0- 0.7	3	1.6	0.0- 3.6	13	4.3	1.4- 7.2
\$25,000- 34,999	239	254,522	199	76.2	65.2-87.2	28	14.9	7.8-22.0	4	6.9	0.0-17.1	3	1.1	0.0- 2.5	1	0.3	0.0- 0.9	4	0.6	0.0- 1.4
\$35,000- 49,999	322	311,898	277	76.4	68.8-84.0	33	17.4	10.7-24.1	4	0.9	0.0- 2.1	1	0.3	0.0- 0.9	1	2.3	0.0- 6.8	6	2.6	0.0- 5.3
\$50,000- 74,999	379	372,012	344	86.8	81.9-91.7	28	10.8	6.3-15.3	1	0.6	0.0- 1.8	3	1.0	0.0- 2.4				3	0.8	0.0- 2.0
\$75,000+	600	602,539	547	88.3	84.6-92.0	39	9.7	6.2-13.2	2	0.2	0.0- 0.6	7	0.9	0.1- 1.7	1	0.0	0.0- 0.0	4	0.9	0.0- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE1).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3265	2,671,388	2742	78.9	76.7-81.1	418	17.4	15.4-19.4	48	1.7	1.1- 2.3	13	0.6	0.2- 1.0	4	0.1	0.0- 0.3	40	1.3	0.7- 1.9
18-24	166	302,513	127	68.0	58.4-77.6	31	26.8	17.4-36.2	2	2.1	0.0- 5.0	2	1.5	0.0- 3.7	1	0.5	0.0- 1.5	3	1.2	0.0- 2.6
25-34	341	439,948	267	73.8	67.5-80.1	60	21.4	15.5-27.3	4	0.8	0.0- 1.6	4	1.9	0.0- 4.1	1	0.3	0.0- 0.9	5	1.8	0.0- 3.8
35-44	401	414,952	329	76.7	70.8-82.6	62	19.6	14.1-25.1	4	1.0	0.0- 2.2							6	2.7	0.5- 4.9
45-54	574	444,045	483	80.2	75.7-84.7	71	15.5	11.2-19.8	11	2.6	0.6- 4.6	2	0.4	0.0- 1.0	1	0.0	0.0- 0.0	6	1.3	0.1- 2.5
55-64	670	459,932	560	83.1	79.2-87.0	88	13.8	10.3-17.3	12	2.3	0.5- 4.1	4	0.4	0.0- 1.0				6	0.4	0.0- 0.8
65+	1113	609,999	976	85.2	82.1-88.3	106	12.5	9.6-15.4	15	1.3	0.5- 2.1	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	14	0.9	0.3- 1.5
Less Than H.S.	323	352,068	262	75.8	68.4-83.2	43	17.3	10.2-24.4	14	4.5	1.6- 7.4							4	2.5	0.0- 5.2
H.S. or G.E.D.	1047	858,823	886	81.6	78.3-84.9	135	15.8	12.7-18.9	13	1.4	0.4- 2.4	2	0.2	0.0- 0.4				11	1.0	0.2- 1.8
Some Post-H.S.	895	829,199	742	76.1	71.8-80.4	127	21.6	17.3-25.9	11	0.8	0.2- 1.4	4	0.8	0.0- 1.8	2	0.2	0.0- 0.6	9	0.6	0.0- 1.2
College Graduate	991	622,802	846	80.5	76.8-84.2	110	14.1	11.0-17.2	10	1.7	0.1- 3.3	7	1.5	0.1- 2.9	2	0.2	0.0- 0.6	16	2.0	0.6- 3.4
Less than \$15,000	421	345,449	320	67.4	59.8-75.0	78	26.2	18.8-33.6	14	3.9	1.2- 6.6	1	1.1	0.0- 3.3	1	0.0	0.0- 0.0	7	1.3	0.0- 2.7
\$15,000- 24,999	604	489,382	480	72.5	67.2-77.8	97	22.7	17.6-27.8	14	1.8	0.4- 3.2	4	0.5	0.0- 1.1	1	0.3	0.0- 0.9	8	2.3	0.3- 4.3
\$25,000- 34,999	308	245,103	254	79.6	73.3-85.9	46	17.9	11.6-24.2	4	1.6	0.0- 3.4							4	0.9	0.0- 2.1
\$35,000- 49,999	317	271,033	266	74.1	66.7-81.5	38	22.3	14.9-29.7	7	2.0	0.0- 4.0	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	4	0.9	0.0- 1.9
\$50,000- 74,999	382	316,156	340	86.9	81.8-92.0	37	11.9	7.0-16.8	1	0.3	0.0- 0.9							4	0.9	0.0- 2.1
\$75,000+	573	491,096	517	86.6	82.7-90.5	46	10.3	6.8-13.8	2	1.0	0.0- 2.6	3	1.0	0.0- 2.2	1	0.2	0.0- 0.6	4	0.9	0.0- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5748	5,130,188	4818	78.6	77.0-80.2	656	16.1	14.7-17.5	69	1.6	1.0- 2.2	33	0.8	0.4- 1.2	10	0.3	0.0- 0.7	162	2.7	2.1- 3.3
Male	2483	2,458,800	2104	78.8	76.3-81.3	250	15.2	12.8-17.6	29	1.7	0.5- 2.9	20	0.9	0.3- 1.5	7	0.6	0.0- 1.2	73	2.8	1.8- 3.8
Female	3265	2,671,388	2714	78.4	76.2-80.6	406	16.9	14.9-18.9	40	1.5	0.9- 2.1	13	0.6	0.2- 1.0	3	0.1	0.1- 0.1	89	2.6	1.8- 3.4
18-24	330	619,204	256	69.8	62.7-76.9	52	20.1	14.2-26.0	6	4.0	0.0- 8.5	4	1.4	0.0- 2.8	2	1.3	0.0- 3.7	10	3.5	1.0- 6.0
25-34	645	870,222	522	75.9	71.2-80.6	83	18.1	13.6-22.6	6	0.7	0.1- 1.3	6	1.2	0.0- 2.4	4	0.8	0.0- 1.6	24	3.4	1.6- 5.2
35-44	717	814,625	584	76.6	72.3-80.9	96	17.6	13.5-21.7	6	1.0	0.0- 2.0	6	1.1	0.0- 2.3				25	3.7	1.7- 5.7
45-54	1021	861,166	842	76.3	72.6-80.0	125	18.2	14.7-21.7	15	1.8	0.8- 2.8	8	0.8	0.0- 1.6	3	0.0	0.0- 0.0	28	2.9	1.5- 4.3
55-64	1191	872,715	993	81.6	78.5-84.7	142	14.4	11.5-17.3	17	1.7	0.7- 2.7	6	0.4	0.0- 0.8				33	1.9	0.9- 2.9
65+	1844	1,092,256	1621	86.6	84.2-89.0	158	10.7	8.5-12.9	19	1.2	0.6- 1.8	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0	42	1.4	0.6- 2.2
Less Than H.S.	562	715,365	449	73.9	67.8-80.0	69	17.5	12.2-22.8	20	4.8	0.9- 8.7							24	3.8	1.8- 5.8
H.S. or G.E.D.	1858	1,709,785	1546	79.4	76.7-82.1	231	15.9	13.4-18.4	27	1.7	0.9- 2.5	6	0.5	0.0- 1.1	2	0.1	0.0- 0.3	46	2.4	1.4- 3.4
Some Post-H.S.	1488	1,504,117	1226	75.8	72.5-79.1	190	19.7	16.6-22.8	12	0.5	0.1- 0.9	5	0.5	0.0- 1.1	3	0.6	0.0- 1.6	52	2.9	1.7- 4.1
College Graduate	1824	1,188,466	1585	83.7	81.2-86.2	163	10.9	8.9-12.9	10	0.9	0.1- 1.7	22	1.9	0.9- 2.9	5	0.3	0.0- 0.7	39	2.2	1.2- 3.2
Less than \$15,000	635	555,184	468	65.4	59.1-71.7	121	28.0	21.7-34.3	15	2.6	0.8- 4.4	3	1.3	0.0- 3.1	1	0.0	0.0- 0.0	27	2.7	1.3- 4.1
\$15,000- 24,999	961	813,823	758	72.2	67.9-76.5	134	19.9	16.0-23.8	22	2.2	1.0- 3.4	6	0.4	0.0- 0.8	2	0.4	0.0- 1.0	39	4.9	2.9- 6.9
\$25,000- 34,999	547	499,625	447	77.3	70.8-83.8	72	16.1	11.4-20.8	6	4.0	0.0- 9.5	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	18	1.8	0.8- 2.8
\$35,000- 49,999	639	582,931	540	74.2	68.7-79.7	70	19.6	14.7-24.5	10	1.4	0.4- 2.4	2	0.4	0.0- 1.0	2	1.3	0.0- 3.7	15	3.1	0.7- 5.5
\$50,000- 74,999	761	688,168	677	85.9	82.4-89.4	61	10.3	7.2-13.4	2	0.4	0.0- 1.0	2	0.5	0.0- 1.3				19	2.8	0.8- 4.8
\$75,000+	1173	1,093,635	1060	87.5	84.8-90.2	84	9.9	7.4-12.4	3	0.5	0.0- 1.3	10	0.9	0.1- 1.7	2	0.1	0.0- 0.3	14	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2483	2,458,800	2104	78.8	76.3-81.3	250	15.2	13.0-17.4	29	1.7	0.5- 2.9	20	0.9	0.3- 1.5	7	0.6	0.0- 1.2	73	2.8	1.8- 3.8
18-24	164	316,691	130	71.8	61.2-82.4	24	16.6	9.3-23.9	4	5.8	0.0-14.2	2	1.4	0.0- 3.4	2	2.5	0.0- 7.0	2	1.9	0.0- 5.0
25-34	304	430,274	258	79.0	71.9-86.1	25	15.2	8.3-22.1	4	1.1	0.0- 2.3	2	0.4	0.0- 1.0	3	1.3	0.0- 2.9	12	3.0	0.8- 5.2
35-44	316	399,673	258	76.7	70.0-83.4	36	15.7	9.8-21.6	3	1.2	0.0- 2.6	6	2.2	0.0- 4.4				13	4.1	1.0- 7.2
45-54	447	417,121	362	72.5	66.4-78.6	55	21.1	15.2-27.0	6	1.2	0.0- 2.4	6	1.3	0.0- 2.7	2	0.1	0.0- 0.3	16	3.8	1.6- 6.0
55-64	521	412,784	441	80.6	75.5-85.7	57	15.3	10.6-20.0	6	1.1	0.0- 2.3	2	0.3	0.0- 0.7				15	2.7	0.7- 4.7
65+	731	482,257	655	88.9	85.6-92.2	53	8.6	5.7-11.5	6	1.1	0.1- 2.1	2	0.1	0.0- 0.3				15	1.3	0.0- 2.7
Less Than H.S.	239	363,297	192	73.3	63.7-82.9	29	18.6	10.6-26.6	6	5.0	0.0-12.3							12	3.1	0.7- 5.5
H.S. or G.E.D.	811	850,962	668	77.5	73.4-81.6	98	16.4	12.7-20.1	16	2.1	0.9- 3.3	4	0.8	0.0- 1.8	2	0.2	0.0- 0.4	23	3.0	1.2- 4.8
Some Post-H.S.	593	674,918	495	76.2	71.1-81.3	68	18.3	13.6-23.0	6	0.8	0.0- 1.6	1	0.2	0.0- 0.6	2	1.4	0.0- 3.6	21	3.1	0.9- 5.3
College Graduate	833	565,665	743	87.4	84.3-90.5	55	7.5	5.1- 9.9	1	0.2	0.0- 0.6	15	2.4	0.8- 4.0	3	0.5	0.0- 1.3	16	2.0	0.6- 3.4
Less than \$15,000	214	209,735	158	64.8	53.6-76.0	45	31.2	19.8-42.6	3	1.3	0.0- 3.3	2	1.5	0.0- 4.2				6	1.3	0.0- 2.7
\$15,000- 24,999	357	324,441	286	72.8	65.9-79.7	40	17.2	10.7-23.7	10	3.0	0.8- 5.2	2	0.3	0.0- 0.7	2	0.9	0.0- 2.3	17	5.8	2.3- 9.3
\$25,000- 34,999	239	254,522	197	75.5	64.7-86.3	27	14.6	7.5-21.7	3	6.6	0.0-16.8	3	1.1	0.0- 2.5	1	0.3	0.0- 0.9	8	1.9	0.3- 3.5
\$35,000- 49,999	322	311,898	275	74.5	66.5-82.5	33	17.4	10.7-24.1	4	0.9	0.0- 2.1	1	0.3	0.0- 0.9	1	2.3	0.0- 6.8	8	4.5	0.4- 8.6
\$50,000- 74,999	379	372,012	337	85.1	80.0-90.2	27	10.3	5.8-14.8	1	0.6	0.0- 1.8	2	1.0	0.0- 2.4				12	2.9	0.5- 5.3
\$75,000+	600	602,539	545	88.2	84.5-91.9	38	9.5	6.0-13.0	1	0.2	0.0- 0.6	7	0.9	0.1- 1.7	1	0.0	0.0- 0.0	8	1.2	0.0- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3265	2,671,388	2714	78.4	76.2-80.6	406	16.9	14.9-18.9	40	1.5	0.9- 2.1	13	0.6	0.2- 1.0	3	0.1	0.1- 0.1	89	2.6	1.8- 3.4
18-24	166	302,513	126	67.6	58.0-77.2	28	23.8	14.6-33.0	2	2.1	0.0- 5.0	2	1.5	0.0- 3.7				8	5.1	1.0- 9.2
25-34	341	439,948	264	72.8	66.5-79.1	58	20.9	15.0-26.8	2	0.4	0.0- 1.0	4	1.9	0.0- 4.1	1	0.3	0.0- 0.9	12	3.7	1.2- 6.2
35-44	401	414,952	326	76.4	70.5-82.3	60	19.4	13.9-24.9	3	0.9	0.0- 2.1							12	3.3	0.9- 5.7
45-54	574	444,045	480	79.8	75.1-84.5	70	15.4	11.1-19.7	9	2.3	0.5- 4.1	2	0.4	0.0- 1.0	1	0.0	0.0- 0.0	12	2.1	0.7- 3.5
55-64	670	459,932	552	82.6	78.7-86.5	85	13.6	10.1-17.1	11	2.2	0.4- 4.0	4	0.4	0.0- 1.0				18	1.2	0.6- 1.8
65+	1113	609,999	966	84.8	81.7-87.9	105	12.4	9.5-15.3	13	1.2	0.4- 2.0	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	27	1.5	0.7- 2.3
Less Than H.S.	323	352,068	257	74.6	67.2-82.0	40	16.4	9.3-23.5	14	4.5	1.6- 7.4							12	4.6	1.3- 7.9
H.S. or G.E.D.	1047	858,823	878	81.2	77.9-84.5	133	15.4	12.3-18.5	11	1.3	0.3- 2.3	2	0.2	0.0- 0.4				23	1.9	0.9- 2.9
Some Post-H.S.	895	829,199	731	75.4	71.1-79.7	122	20.8	16.7-24.9	6	0.3	0.1- 0.5	4	0.8	0.0- 1.8	1	0.0	0.0- 0.0	31	2.7	1.3- 4.1
College Graduate	991	622,802	842	80.4	76.7-84.1	108	13.9	10.8-17.0	9	1.6	0.0- 3.2	7	1.5	0.1- 2.9	2	0.2	0.0- 0.6	23	2.3	0.9- 3.7
Less than \$15,000	421	345,449	310	65.8	58.2-73.4	76	26.1	18.7-33.5	12	3.4	0.9- 5.9	1	1.1	0.0- 3.3	1	0.0	0.0- 0.0	21	3.6	1.4- 5.8
\$15,000- 24,999	604	489,382	472	71.9	66.6-77.2	94	21.6	16.5-26.7	12	1.6	0.4- 2.8	4	0.5	0.0- 1.1				22	4.3	1.8- 6.8
\$25,000- 34,999	308	245,103	250	79.2	72.7-85.7	45	17.6	11.5-23.7	3	1.3	0.0- 2.9							10	1.8	0.4- 3.2
\$35,000- 49,999	317	271,033	265	73.8	66.4-81.2	37	22.1	14.7-29.5	6	2.0	0.0- 4.0	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	7	1.5	0.3- 2.7
\$50,000- 74,999	382	316,156	340	86.9	81.8-92.0	34	10.2	6.1-14.3	1	0.3	0.0- 0.9							7	2.6	0.0- 5.7
\$75,000+	573	491,096	515	86.6	82.7-90.5	46	10.3	6.8-13.8	2	1.0	0.0- 2.6	3	1.0	0.0- 2.2	1	0.2	0.0- 0.6	6	1.0	0.0- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (\_RACE).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5729	5,132,253	4722	76.1	74.3-77.9	650	16.0	14.6-17.4	72	1.8	1.0- 2.6	33	0.8	0.4- 1.2	135	1.8	1.4- 2.2	117	3.6	2.6- 4.6
Male	2474	2,459,113	2058	76.0	73.3-78.7	247	15.1	12.7-17.5	34	2.2	0.8- 3.6	20	0.9	0.3- 1.5	60	1.9	1.1- 2.7	55	3.9	2.5- 5.3
Female	3255	2,673,140	2664	76.1	73.9-78.3	403	16.8	14.8-18.8	38	1.4	0.8- 2.0	13	0.6	0.2- 1.0	75	1.7	1.1- 2.3	62	3.4	2.2- 4.6
18-24	331	626,119	247	66.2	58.9-73.5	52	19.9	14.0-25.8	7	5.0	0.1- 9.9	4	1.4	0.0- 2.8	7	1.6	0.4- 2.8	14	6.0	2.1- 9.9
25-34	649	876,519	499	69.5	64.2-74.8	83	17.9	13.4-22.4	8	1.3	0.3- 2.3	6	1.2	0.0- 2.4	19	2.2	1.0- 3.4	34	7.9	4.2-11.6
35-44	723	829,376	573	73.5	69.0-78.0	94	17.0	13.1-20.9	5	0.9	0.1- 1.7	6	1.1	0.0- 2.3	16	1.7	0.5- 2.9	29	5.8	3.4- 8.2
45-54	1017	857,385	822	74.5	70.6-78.4	124	18.2	14.7-21.7	17	1.8	0.8- 2.8	8	0.8	0.0- 1.6	20	2.0	0.8- 3.2	26	2.7	1.5- 3.9
55-64	1182	862,308	980	81.1	78.0-84.2	140	14.5	11.6-17.4	16	1.5	0.5- 2.5	6	0.4	0.0- 0.8	31	1.8	0.8- 2.8	9	0.7	0.1- 1.3
65+	1827	1,080,547	1601	86.4	84.0-88.8	157	10.8	8.6-13.0	19	1.2	0.6- 1.8	3	0.1	0.0- 0.3	42	1.4	0.6- 2.2	5	0.2	0.0- 0.4
Less Than H.S.	550	706,781	423	68.1	61.6-74.6	67	17.5	12.0-23.0	20	4.8	0.7- 8.9	18	2.4	1.0- 3.8	22	7.2	3.3-11.1			
H.S. or G.E.D.	1853	1,710,146	1517	77.2	74.5-79.9	231	15.9	13.4-18.4	28	1.7	0.9- 2.5	6	0.5	0.0- 1.1	37	1.6	0.8- 2.4	34	3.1	1.9- 4.3
Some Post-H.S.	1487	1,513,595	1204	73.3	69.8-76.8	188	19.4	16.3-22.5	12	1.0	0.0- 2.0	5	0.5	0.0- 1.1	45	1.9	1.1- 2.7	33	3.9	1.9- 5.9
College Graduate	1824	1,189,452	1567	82.6	80.1-85.1	161	10.8	8.8-12.8	12	1.1	0.1- 2.1	22	1.9	0.9- 2.9	34	1.5	0.7- 2.3	28	2.1	1.1- 3.1
Less than \$15,000	627	552,982	452	61.9	55.6-68.2	118	27.8	21.5-34.1	15	2.6	0.8- 4.4	3	1.3	0.0- 3.1	25	2.3	0.9- 3.7	14	4.1	1.7- 6.5
\$15,000- 24,999	958	814,172	732	68.7	64.4-73.0	134	19.8	15.9-23.7	23	2.5	1.3- 3.7	6	0.4	0.0- 0.8	28	2.7	1.3- 4.1	35	5.8	3.4- 8.2
\$25,000- 34,999	545	497,899	437	74.4	67.7-81.1	71	16.0	11.3-20.7	7	4.2	0.0- 9.7	3	0.6	0.0- 1.4	15	1.4	0.6- 2.2	12	3.4	0.7- 6.1
\$35,000- 49,999	635	580,941	532	73.5	68.0-79.0	69	19.4	14.5-24.3	8	2.0	0.0- 4.5	2	0.4	0.0- 1.0	13	1.6	0.4- 2.8	11	3.0	0.6- 5.4
\$50,000- 74,999	763	689,602	669	83.1	78.8-87.4	61	10.3	7.2-13.4	2	0.4	0.0- 1.0	2	0.5	0.0- 1.3	14	1.5	0.3- 2.7	15	4.2	0.9- 7.5
\$75,000+	1174	1,094,705	1047	86.1	83.2-89.0	84	9.9	7.4-12.4	5	0.7	0.0- 1.5	10	0.9	0.1- 1.7	12	0.7	0.1- 1.3	16	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (\_RACE).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2474	2,459,113	2058	76.0	73.3-78.7	247	15.1	12.9-17.3	34	2.2	0.8- 3.6	20	0.9	0.3- 1.5	60	1.9	1.1- 2.7	55	3.9	2.5- 5.3
18-24	165	317,700	126	69.1	58.5-79.7	24	16.5	9.2-23.8	5	7.8	0.0-17.0	2	1.4	0.0- 3.4	1	0.3	0.0- 0.9	7	4.9	0.2- 9.6
25-34	308	436,571	249	71.5	63.5-79.5	25	15.0	8.1-21.9	6	2.2	0.4- 4.0	2	0.4	0.0- 1.0	11	2.2	0.4- 4.0	15	8.7	2.8-14.6
35-44	319	407,608	252	73.2	66.3-80.1	35	15.3	9.4-21.2	3	1.1	0.0- 2.5	6	2.2	0.0- 4.4	9	2.2	0.0- 4.4	14	6.0	2.3- 9.7
45-54	446	416,872	350	70.4	64.3-76.5	55	21.1	15.2-27.0	8	1.3	0.1- 2.5	6	1.3	0.0- 2.7	11	2.6	0.6- 4.6	16	3.3	1.3- 5.3
55-64	513	403,047	434	80.0	74.9-85.1	56	15.6	10.9-20.3	6	1.1	0.0- 2.3	2	0.3	0.0- 0.7	13	2.4	0.6- 4.2	2	0.6	0.0- 1.4
65+	723	477,314	647	88.8	85.5-92.1	52	8.5	5.6-11.4	6	1.1	0.1- 2.1	2	0.1	0.0- 0.3	15	1.3	0.0- 2.7	1	0.2	0.0- 0.6
Less Than H.S.	228	353,257	174	65.5	55.3-75.7	27	18.8	10.6-27.0	6	5.2	0.0-12.6				7	1.3	0.1- 2.5	14	9.2	2.3-16.1
H.S. or G.E.D.	813	856,799	658	75.2	70.9-79.5	98	16.3	12.6-20.0	18	2.3	1.1- 3.5	4	0.8	0.0- 1.8	19	2.0	0.6- 3.4	16	3.4	1.4- 5.4
Some Post-H.S.	593	678,030	485	73.9	68.6-79.2	68	18.2	13.5-22.9	6	1.9	0.0- 4.1	1	0.2	0.0- 0.6	18	2.2	0.8- 3.6	15	3.7	1.2- 6.2
College Graduate	834	567,245	736	86.3	83.2-89.4	54	7.4	5.0- 9.8	4	0.7	0.0- 1.7	15	2.4	0.8- 4.0	15	1.8	0.6- 3.0	10	1.5	0.5- 2.5
Less than \$15,000	209	205,257	152	61.5	50.1-72.9	42	31.0	19.4-42.6	3	1.3	0.0- 3.3	2	1.5	0.0- 4.2	6	1.3	0.0- 2.7	4	3.4	0.0- 7.3
\$15,000- 24,999	356	326,226	277	69.5	62.4-76.6	40	17.1	10.6-23.6	12	3.9	1.4- 6.4	2	0.3	0.0- 0.7	10	2.7	0.5- 4.9	15	6.5	2.6-10.4
\$25,000- 34,999	240	255,744	191	70.3	59.3-81.3	27	14.6	7.5-21.7	4	6.8	0.0-17.0	3	1.1	0.0- 2.5	6	1.4	0.0- 2.8	9	5.8	0.5-11.1
\$35,000- 49,999	319	310,557	269	73.8	65.8-81.8	33	17.5	10.8-24.2	4	2.8	0.0- 7.3	1	0.3	0.0- 0.9	6	1.8	0.0- 3.6	6	3.9	0.0- 7.8
\$50,000- 74,999	381	375,086	333	80.8	74.1-87.5	27	10.3	5.8-14.8	1	0.6	0.0- 1.8	2	1.0	0.0- 2.4	11	2.6	0.4- 4.8	7	4.8	0.0-10.3
\$75,000+	601	603,659	539	86.5	82.4-90.6	38	9.5	6.0-13.0	2	0.2	0.0- 0.6	7	0.9	0.1- 1.7	7	1.0	0.0- 2.2	8	2.0	0.2- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (\_RACE).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3255	2,673,140	2664	76.1	73.9-78.3	403	16.8	14.8-18.8	38	1.4	0.8- 2.0	13	0.6	0.2- 1.0	75	1.7	1.1- 2.3	62	3.4	2.2- 4.6
18-24	166	308,419	121	63.2	53.4-73.0	28	23.3	14.3-32.3	2	2.0	0.0- 4.9	2	1.4	0.0- 3.6	6	2.8	0.3- 5.3	7	7.1	1.0-13.2
25-34	341	439,948	250	67.4	60.7-74.1	58	20.9	15.0-26.8	2	0.4	0.0- 1.0	4	1.9	0.0- 4.1	8	2.2	0.4- 4.0	19	7.2	2.9-11.5
35-44	404	421,768	321	73.7	67.8-79.6	59	18.7	13.2-24.2	2	0.7	0.0- 1.7				7	1.2	0.0- 2.4	15	5.7	2.6- 8.8
45-54	571	440,513	472	78.3	73.6-83.0	69	15.5	11.2-19.8	9	2.3	0.5- 4.1	2	0.4	0.0- 1.0	9	1.5	0.3- 2.7	10	2.0	0.4- 3.6
55-64	669	459,260	546	82.1	78.2-86.0	84	13.5	10.0-17.0	10	1.9	0.1- 3.7	4	0.4	0.0- 1.0	18	1.2	0.6- 1.8	7	0.8	0.2- 1.4
65+	1104	603,233	954	84.4	81.3-87.5	105	12.6	9.5-15.7	13	1.2	0.4- 2.0	1	0.1	0.0- 0.3	27	1.5	0.7- 2.3	4	0.2	0.0- 0.4
Less Than H.S.	322	353,524	249	70.6	63.0-78.2	40	16.3	9.2-23.4	14	4.5	1.6- 7.4				11	3.4	0.9- 5.9	8	5.3	1.6- 9.0
H.S. or G.E.D.	1040	853,347	859	79.2	75.7-82.7	133	15.5	12.4-18.6	10	1.2	0.4- 2.0	2	0.2	0.0- 0.4	18	1.2	0.4- 2.0	18	2.7	1.3- 4.1
Some Post-H.S.	894	835,565	719	72.9	68.4-77.4	120	20.4	16.3-24.5	6	0.3	0.1- 0.5	4	0.8	0.0- 1.8	27	1.7	0.9- 2.5	18	4.0	1.3- 6.7
College Graduate	990	622,207	831	79.2	75.5-82.9	107	13.9	10.8-17.0	8	1.5	0.0- 3.1	7	1.5	0.1- 2.9	19	1.2	0.4- 2.0	18	2.6	1.0- 4.2
Less than \$15,000	418	347,725	300	62.1	54.7-69.5	76	25.9	18.5-33.3	12	3.4	0.9- 5.9	1	1.1	0.0- 3.3	19	2.9	0.9- 4.9	10	4.5	1.6- 7.4
\$15,000- 24,999	602	487,946	455	68.2	62.7-73.7	94	21.7	16.6-26.8	11	1.6	0.4- 2.8	4	0.5	0.0- 1.1	18	2.7	0.9- 4.5	20	5.3	2.6- 8.0
\$25,000- 34,999	305	242,155	246	78.8	72.3-85.3	44	17.6	11.3-23.9	3	1.4	0.0- 3.0				9	1.3	0.3- 2.3	3	1.0	0.0- 2.2
\$35,000- 49,999	316	270,384	263	73.3	65.9-80.7	36	21.5	14.1-28.9	4	1.1	0.0- 2.7	1	0.5	0.0- 1.5	7	1.5	0.3- 2.7	5	2.1	0.1- 4.1
\$50,000- 74,999	382	314,515	336	85.8	80.5-91.1	34	10.3	6.2-14.4	1	0.3	0.0- 0.9				3	0.2	0.0- 0.4	8	3.5	0.0- 7.0
\$75,000+	573	491,046	508	85.7	81.6-89.8	46	10.3	6.8-13.8	3	1.2	0.0- 2.8	3	1.0	0.0- 2.2	5	0.4	0.0- 0.8	8	1.5	0.1- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5729	5,132,253	4722	76.1	74.3-77.9	1007	23.9	22.1-25.7
Male	2474	2,459,113	2058	76.0	73.3-78.7	416	24.0	21.3-26.7
Female	3255	2,673,140	2664	76.1	73.9-78.3	591	23.9	21.7-26.1
18-24	331	626,119	247	66.2	58.9-73.5	84	33.8	26.5-41.1
25-34	649	876,519	499	69.5	64.2-74.8	150	30.5	25.2-35.8
35-44	723	829,376	573	73.5	69.0-78.0	150	26.5	22.0-31.0
45-54	1017	857,385	822	74.5	70.6-78.4	195	25.5	21.6-29.4
55-64	1182	862,308	980	81.1	78.0-84.2	202	18.9	15.8-22.0
65+	1827	1,080,547	1601	86.4	84.0-88.8	226	13.6	11.2-16.0
Less Than H.S.	550	706,781	423	68.1	61.6-74.6	127	31.9	25.4-38.4
H.S. or G.E.D.	1853	1,710,146	1517	77.2	74.5-79.9	336	22.8	20.1-25.5
Some Post-H.S.	1487	1,513,595	1204	73.3	69.8-76.8	283	26.7	23.2-30.2
College Graduate	1824	1,189,452	1567	82.6	80.1-85.1	257	17.4	14.9-19.9
Less than \$15,000	627	552,982	452	61.9	55.6-68.2	175	38.1	31.8-44.4
\$15,000- 24,999	958	814,172	732	68.7	64.4-73.0	226	31.3	27.0-35.6
\$25,000- 34,999	545	497,899	437	74.4	67.7-81.1	108	25.6	18.9-32.3
\$35,000- 49,999	635	580,941	532	73.5	68.0-79.0	103	26.5	21.0-32.0
\$50,000- 74,999	763	689,602	669	83.1	78.8-87.4	94	16.9	12.6-21.2
\$75,000+	1174	1,094,705	1047	86.1	83.2-89.0	127	13.9	11.0-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2474	2,459,113	2058	76.0	73.3-78.7	416	24.0	21.3-26.7
18-24	165	317,700	126	69.1	58.5-79.7	39	30.9	20.3-41.5
25-34	308	436,571	249	71.5	63.5-79.5	59	28.5	20.5-36.5
35-44	319	407,608	252	73.2	66.3-80.1	67	26.8	19.9-33.7
45-54	446	416,872	350	70.4	64.3-76.5	96	29.6	23.5-35.7
55-64	513	403,047	434	80.0	74.9-85.1	79	20.0	14.9-25.1
65+	723	477,314	647	88.8	85.5-92.1	76	11.2	7.9-14.5
Less Than H.S.	228	353,257	174	65.5	55.3-75.7	54	34.5	24.3-44.7
H.S. or G.E.D.	813	856,799	658	75.2	70.9-79.5	155	24.8	20.5-29.1
Some Post-H.S.	593	678,030	485	73.9	68.6-79.2	108	26.1	20.8-31.4
College Graduate	834	567,245	736	86.3	83.2-89.4	98	13.7	10.6-16.8
Less than \$15,000	209	205,257	152	61.5	50.1-72.9	57	38.5	27.1-49.9
\$15,000- 24,999	356	326,226	277	69.5	62.4-76.6	79	30.5	23.4-37.6
\$25,000- 34,999	240	255,744	191	70.3	59.3-81.3	49	29.7	18.7-40.7
\$35,000- 49,999	319	310,557	269	73.8	65.8-81.8	50	26.2	18.2-34.2
\$50,000- 74,999	381	375,086	333	80.8	74.1-87.5	48	19.2	12.5-25.9
\$75,000+	601	603,659	539	86.5	82.4-90.6	62	13.5	9.4-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3255	2,673,140	2664	76.1	73.9-78.3	591	23.9	21.7-26.1
18-24	166	308,419	121	63.2	53.4-73.0	45	36.8	27.0-46.6
25-34	341	439,948	250	67.4	60.7-74.1	91	32.6	25.9-39.3
35-44	404	421,768	321	73.7	67.8-79.6	83	26.3	20.4-32.2
45-54	571	440,513	472	78.3	73.6-83.0	99	21.7	17.0-26.4
55-64	669	459,260	546	82.1	78.2-86.0	123	17.9	14.0-21.8
65+	1104	603,233	954	84.4	81.3-87.5	150	15.6	12.5-18.7
Less Than H.S.	322	353,524	249	70.6	63.0-78.2	73	29.4	21.8-37.0
H.S. or G.E.D.	1040	853,347	859	79.2	75.7-82.7	181	20.8	17.3-24.3
Some Post-H.S.	894	835,565	719	72.9	68.4-77.4	175	27.1	22.6-31.6
College Graduate	990	622,207	831	79.2	75.5-82.9	159	20.8	17.1-24.5
Less than \$15,000	418	347,725	300	62.1	54.7-69.5	118	37.9	30.5-45.3
\$15,000- 24,999	602	487,946	455	68.2	62.7-73.7	147	31.8	26.3-37.3
\$25,000- 34,999	305	242,155	246	78.8	72.3-85.3	59	21.2	14.7-27.7
\$35,000- 49,999	316	270,384	263	73.3	65.9-80.7	53	26.7	19.3-34.1
\$50,000- 74,999	382	314,515	336	85.8	80.5-91.1	46	14.2	8.9-19.5
\$75,000+	573	491,046	508	85.7	81.6-89.8	65	14.3	10.2-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS  
 TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5729	5,132,253	4722	76.1	74.3-77.9	650	16.0	14.6-17.4	146	3.1	2.3-3.9	94	1.3	0.9-1.7	117	3.6	2.6-4.6
Male	2474	2,459,113	2058	76.0	73.3-78.7	247	15.1	12.7-17.5	74	3.7	2.1-5.3	40	1.3	0.7-1.9	55	3.9	2.5-5.3
Female	3255	2,673,140	2664	76.1	73.9-78.3	403	16.8	14.8-18.8	72	2.4	1.6-3.2	54	1.3	0.9-1.7	62	3.4	2.2-4.6
18-24	331	626,119	247	66.2	58.9-73.5	52	19.9	14.0-25.8	12	6.5	1.4-11.6	6	1.4	0.2-2.6	14	6.0	2.1-9.9
25-34	649	876,519	499	69.5	64.2-74.8	83	17.9	13.4-22.4	17	3.0	1.4-4.6	16	1.6	0.6-2.6	34	7.9	4.2-11.6
35-44	723	829,376	573	73.5	69.0-78.0	94	17.0	13.1-20.9	13	2.2	0.8-3.6	14	1.5	0.3-2.7	29	5.8	3.4-8.2
45-54	1017	857,385	822	74.5	70.6-78.4	124	18.2	14.7-21.7	32	3.7	2.1-5.3	13	1.0	0.2-1.8	26	2.7	1.5-3.9
55-64	1182	862,308	980	81.1	78.0-84.2	140	14.5	11.6-17.4	33	2.4	1.2-3.6	20	1.2	0.4-2.0	9	0.7	0.1-1.3
65+	1827	1,080,547	1601	86.4	84.0-88.8	157	10.8	8.6-13.0	39	1.7	0.9-2.5	25	1.0	0.4-1.6	5	0.2	0.0-0.4
Less Than H.S.	550	706,781	423	68.1	61.6-74.6	67	17.5	12.0-23.0	24	5.4	1.3-9.5	14	1.8	0.6-3.0	22	7.2	3.3-11.1
H.S. or G.E.D.	1853	1,710,146	1517	77.2	74.5-79.9	231	15.9	13.4-18.4	46	2.6	1.6-3.6	25	1.2	0.4-2.0	34	3.1	1.9-4.3
Some Post-H.S.	1487	1,513,595	1204	73.3	69.8-76.8	188	19.4	16.3-22.5	27	1.8	0.6-3.0	35	1.6	0.8-2.4	33	3.9	1.9-5.9
College Graduate	1824	1,189,452	1567	82.6	80.1-85.1	161	10.8	8.8-12.8	48	3.9	2.5-5.3	20	0.7	0.3-1.1	28	2.1	1.1-3.1
Less than \$15,000	627	552,982	452	61.9	55.6-68.2	118	27.8	21.5-34.1	23	4.3	1.8-6.8	20	1.9	0.7-3.1	14	4.1	1.7-6.5
\$15,000- 24,999	958	814,172	732	68.7	64.4-73.0	134	19.8	15.9-23.7	37	3.7	2.3-5.1	20	1.9	0.7-3.1	35	5.8	3.4-8.2
\$25,000- 34,999	545	497,899	437	74.4	67.7-81.1	71	16.0	11.3-20.7	15	5.0	0.0-10.5	10	1.1	0.3-1.9	12	3.4	0.7-6.1
\$35,000- 49,999	635	580,941	532	73.5	68.0-79.0	69	19.4	14.5-24.3	18	3.6	0.9-6.3	5	0.4	0.0-0.8	11	3.0	0.6-5.4
\$50,000- 74,999	763	689,602	669	83.1	78.8-87.4	61	10.3	7.2-13.4	7	1.3	0.1-2.5	11	1.2	0.2-2.2	15	4.2	0.9-7.5
\$75,000+	1174	1,094,705	1047	86.1	83.2-89.0	84	9.9	7.4-12.4	18	1.6	0.6-2.6	9	0.6	0.0-1.2	16	1.8	0.6-3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2474	2,459,113	2058	76.0	73.3-78.7	247	15.1	12.9-17.3	74	3.7	2.1- 5.3	40	1.3	0.7- 1.9	55	3.9	2.5- 5.3
18-24	165	317,700	126	69.1	58.5-79.7	24	16.5	9.2-23.8	8	9.5	0.3-18.7				7	4.9	0.2- 9.6
25-34	308	436,571	249	71.5	63.5-79.5	25	15.0	8.1-21.9	10	3.4	1.0- 5.8	9	1.3	0.1- 2.5	15	8.7	2.8-14.6
35-44	319	407,608	252	73.2	66.3-80.1	35	15.3	9.4-21.2	10	3.4	0.9- 5.9	8	2.2	0.0- 4.4	14	6.0	2.3- 9.7
45-54	446	416,872	350	70.4	64.3-76.5	55	21.1	15.2-27.0	19	4.1	1.9- 6.3	6	1.1	0.0- 2.3	16	3.3	1.3- 5.3
55-64	513	403,047	434	80.0	74.9-85.1	56	15.6	10.9-20.3	14	2.1	0.5- 3.7	7	1.7	0.0- 3.5	2	0.6	0.0- 1.4
65+	723	477,314	647	88.8	85.5-92.1	52	8.5	5.6-11.4	13	1.4	0.4- 2.4	10	1.1	0.0- 2.5	1	0.2	0.0- 0.6
Less Than H.S.	228	353,257	174	65.5	55.3-75.7	27	18.8	10.6-27.0	9	6.0	0.0-13.6	4	0.5	0.0- 1.1	14	9.2	2.3-16.1
H.S. or G.E.D.	813	856,799	658	75.2	70.9-79.5	98	16.3	12.6-20.0	30	3.8	2.0- 5.6	11	1.3	0.1- 2.5	16	3.4	1.4- 5.4
Some Post-H.S.	593	678,030	485	73.9	68.6-79.2	68	18.2	13.5-22.9	11	2.3	0.0- 4.7	14	1.9	0.5- 3.3	15	3.7	1.2- 6.2
College Graduate	834	567,245	736	86.3	83.2-89.4	54	7.4	5.0- 9.8	23	3.9	1.9- 5.9	11	0.9	0.1- 1.7	10	1.5	0.5- 2.5
Less than \$15,000	209	205,257	152	61.5	50.1-72.9	42	31.0	19.4-42.6	7	3.6	0.1- 7.1	4	0.5	0.0- 1.1	4	3.4	0.0- 7.3
\$15,000- 24,999	356	326,226	277	69.5	62.4-76.6	40	17.1	10.6-23.6	19	5.4	2.7- 8.1	5	1.6	0.0- 3.4	15	6.5	2.6-10.4
\$25,000- 34,999	240	255,744	191	70.3	59.3-81.3	27	14.6	7.5-21.7	9	8.1	0.0-18.3	4	1.2	0.0- 2.6	9	5.8	0.5-11.1
\$35,000- 49,999	319	310,557	269	73.8	65.8-81.8	33	17.5	10.8-24.2	9	4.5	0.0- 9.4	2	0.4	0.0- 1.0	6	3.9	0.0- 7.8
\$50,000- 74,999	381	375,086	333	80.8	74.1-87.5	27	10.3	5.8-14.8	5	2.1	0.1- 4.1	9	2.1	0.1- 4.1	7	4.8	0.0-10.3
\$75,000+	601	603,659	539	86.5	82.4-90.6	38	9.5	6.0-13.0	10	1.1	0.3- 1.9	6	0.9	0.0- 2.1	8	2.0	0.2- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3255	2,673,140	2664	76.1	73.9-78.3	403	16.8	14.8-18.8	72	2.4	1.6- 3.2	54	1.3	0.9- 1.7	62	3.4	2.2- 4.6
18-24	166	308,419	121	63.2	53.4-73.0	28	23.3	14.3-32.3	4	3.5	0.0- 7.0	6	2.8	0.3- 5.3	7	7.1	1.0-13.2
25-34	341	439,948	250	67.4	60.7-74.1	58	20.9	15.0-26.8	7	2.6	0.2- 5.0	7	1.9	0.3- 3.5	19	7.2	2.9-11.5
35-44	404	421,768	321	73.7	67.8-79.6	59	18.7	13.2-24.2	3	1.0	0.0- 2.2	6	0.9	0.0- 1.9	15	5.7	2.6- 8.8
45-54	571	440,513	472	78.3	73.6-83.0	69	15.5	11.2-19.8	13	3.3	1.1- 5.5	7	0.9	0.0- 1.9	10	2.0	0.4- 3.6
55-64	669	459,260	546	82.1	78.2-86.0	84	13.5	10.0-17.0	19	2.7	0.9- 4.5	13	0.8	0.2- 1.4	7	0.8	0.2- 1.4
65+	1104	603,233	954	84.4	81.3-87.5	105	12.6	9.5-15.7	26	1.9	0.9- 2.9	15	0.9	0.3- 1.5	4	0.2	0.0- 0.4
Less Than H.S.	322	353,524	249	70.6	63.0-78.2	40	16.3	9.2-23.4	15	4.8	1.9- 7.7	10	3.1	0.6- 5.6	8	5.3	1.6- 9.0
H.S. or G.E.D.	1040	853,347	859	79.2	75.7-82.7	133	15.5	12.4-18.6	16	1.5	0.5- 2.5	14	1.0	0.2- 1.8	18	2.7	1.3- 4.1
Some Post-H.S.	894	835,565	719	72.9	68.4-77.4	120	20.4	16.3-24.5	16	1.4	0.4- 2.4	21	1.4	0.6- 2.2	18	4.0	1.3- 6.7
College Graduate	990	622,207	831	79.2	75.5-82.9	107	13.9	10.8-17.0	25	3.8	1.6- 6.0	9	0.5	0.1- 0.9	18	2.6	1.0- 4.2
Less than \$15,000	418	347,725	300	62.1	54.7-69.5	76	25.9	18.5-33.3	16	4.8	1.5- 8.1	16	2.6	0.6- 4.6	10	4.5	1.6- 7.4
\$15,000- 24,999	602	487,946	455	68.2	62.7-73.7	94	21.7	16.6-26.8	18	2.6	1.0- 4.2	15	2.1	0.5- 3.7	20	5.3	2.6- 8.0
\$25,000- 34,999	305	242,155	246	78.8	72.3-85.3	44	17.6	11.3-23.9	6	1.8	0.0- 3.6	6	0.9	0.1- 1.7	3	1.0	0.0- 2.2
\$35,000- 49,999	316	270,384	263	73.3	65.9-80.7	36	21.5	14.1-28.9	9	2.6	0.4- 4.8	3	0.5	0.0- 1.3	5	2.1	0.1- 4.1
\$50,000- 74,999	382	314,515	336	85.8	80.5-91.1	34	10.3	6.2-14.4	2	0.3	0.0- 0.9	2	0.1	0.0- 0.3	8	3.5	0.0- 7.0
\$75,000+	573	491,046	508	85.7	81.6-89.8	46	10.3	6.8-13.8	8	2.3	0.3- 4.3	3	0.2	0.0- 0.6	8	1.5	0.1- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5741	5,143,901	651	20.8	19.0-22.6	726	17.4	15.8-19.0	789	14.4	13.2-15.6	1097	17.0	15.6-18.4	1295	16.5	15.3-17.7	1183	13.9	12.9-14.9
Male	2498	2,481,735	323	21.9	19.2-24.6	332	18.1	15.7-20.5	343	14.4	12.4-16.4	491	17.2	15.2-19.2	557	16.5	14.7-18.3	452	12.1	10.7-13.5
Female	3243	2,662,166	328	19.8	17.4-22.2	394	16.8	14.8-18.8	446	14.5	12.9-16.1	606	16.8	15.0-18.6	738	16.6	15.0-18.2	731	15.5	14.1-16.9
White/Non-Hisp	4653	3,845,982	484	18.7	16.9-20.5	560	16.1	14.5-17.7	626	14.3	12.9-15.7	873	16.9	15.5-18.3	1095	18.6	17.2-20.0	1015	15.4	14.2-16.6
Black or Afr. Am./Non-Hisp	641	810,253	91	24.3	19.0-29.6	96	19.9	15.2-24.6	102	16.4	12.5-20.3	125	17.1	13.4-20.8	130	12.6	9.7-15.5	97	9.6	6.9-12.3
Oth. Race/Non-Hisp.	139	152,283	20	36.3	20.4-52.2	19	17.6	8.6-26.6	11	8.3	2.4-14.2	40	21.6	13.0-30.2	23	6.7	1.8-11.6	26	9.5	4.4-14.6
MultiRacial/Non-Hisp.	92	61,765	18	30.6	16.5-44.7	11	18.2	4.5-31.9	12	15.4	5.2-25.6	19	20.6	8.1-33.1	20	8.6	3.9-13.3	12	6.6	1.1-12.1
Hispanic	117	186,628	32	38.2	25.3-51.1	34	36.3	23.4-49.2	23	13.0	6.3-19.7	21	10.1	4.8-15.4	5	1.6	0.0-3.4	2	0.8	0.0-2.0
Less Than H.S.	573	730,265	30	10.7	5.6-15.8	51	16.3	11.0-21.6	63	12.7	8.8-16.6	129	21.5	17.0-26.0	129	16.5	12.8-20.2	171	22.4	18.3-26.5
H.S. or G.E.D.	1862	1,715,452	212	21.8	18.7-24.9	197	14.7	12.3-17.1	236	12.9	10.9-14.9	376	18.9	16.5-21.3	407	16.4	14.4-18.4	434	15.4	13.6-17.2
Some Post-H.S.	1489	1,507,956	210	25.8	22.3-29.3	207	17.7	15.0-20.4	206	14.6	12.2-17.0	251	14.1	11.9-16.3	367	17.2	15.0-19.4	248	10.6	8.8-12.4
College Graduate	1808	1,185,749	198	19.1	16.4-21.8	271	21.8	19.1-24.5	284	17.5	15.1-19.9	340	15.2	13.2-17.2	388	15.7	13.7-17.7	327	10.7	9.1-12.3
Less than \$15,000	637	566,612	70	21.5	15.8-27.2	67	18.2	12.7-23.7	70	11.2	7.7-14.7	151	20.5	16.2-24.8	153	16.0	12.3-19.7	126	12.5	9.8-15.2
\$15,000- 24,999	960	817,604	113	21.4	17.1-25.7	98	14.1	10.8-17.4	115	12.8	10.1-15.5	163	15.7	12.6-18.8	250	19.2	16.3-22.1	221	16.7	13.8-19.6
\$25,000- 34,999	554	508,081	86	27.9	21.0-34.8	55	11.7	8.0-15.4	66	13.0	9.1-16.9	75	11.8	7.9-15.7	127	16.5	12.8-20.2	145	19.1	15.0-23.2
\$35,000- 49,999	643	586,373	66	19.5	14.4-24.6	103	20.0	15.5-24.5	78	13.7	10.0-17.4	117	15.8	12.3-19.3	134	16.5	13.0-20.0	145	14.6	11.5-17.7
\$50,000- 74,999	769	696,629	94	18.5	14.6-22.4	123	23.7	18.8-28.6	124	16.3	13.0-19.6	144	17.2	13.9-20.5	172	15.2	12.3-18.1	112	9.2	7.0-11.4
\$75,000+	1178	1,092,049	96	15.2	11.9-18.5	200	21.3	18.0-24.6	253	21.3	18.2-24.4	286	21.1	18.2-24.0	226	15.0	12.6-17.4	117	6.1	4.7-7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2498	2,481,735	323	21.9	19.2-24.6	332	18.1	15.7-20.5	343	14.4	12.4-16.4	491	17.2	15.2-19.2	557	16.5	14.7-18.3	452	12.1	10.7-13.5
White/Non-Hisp	2026	1,846,980	249	20.7	18.0-23.4	257	16.4	14.0-18.8	272	14.6	12.4-16.8	379	15.9	13.9-17.9	477	18.6	16.6-20.6	392	13.8	12.2-15.4
Black or Afr. Am./Non-Hisp	246	368,312	37	21.8	14.2-29.4	30	20.0	12.0-28.0	38	15.5	9.6-21.4	62	22.8	16.1-29.5	49	12.8	7.9-17.7	30	7.2	3.7-10.7
Oth. Race/Non-Hisp.	72	90,491	13	42.4	20.1-64.7	14	22.6	8.9-36.3	7	6.4	0.0-12.9	21	19.5	8.3-30.7	8	2.8	0.3- 5.3	9	6.2	0.5-11.9
Hispanic	55	95,057	13	31.8	13.2-50.4	19	42.3	22.9-61.7	12	13.1	3.1-23.1	9	10.7	2.9-18.5	1	1.2	0.0- 3.6	1	1.0	0.0- 3.0
Less Than H.S.	246	371,212	13	10.3	2.3-18.3	27	19.1	10.5-27.7	26	12.3	6.4-18.2	64	22.2	15.3-29.1	57	18.7	12.4-25.0	59	17.3	12.0-22.6
H.S. or G.E.D.	821	863,745	120	26.2	21.3-31.1	97	14.7	11.2-18.2	115	14.2	11.1-17.3	184	20.2	16.7-23.7	169	14.2	11.7-16.7	136	10.6	8.4-12.8
Some Post-H.S.	596	673,692	100	26.3	21.0-31.6	94	20.4	15.7-25.1	78	12.5	9.0-16.0	103	13.4	10.1-16.7	135	17.3	13.8-20.8	86	10.2	7.5-12.9
College Graduate	832	572,118	90	17.6	13.7-21.5	114	19.8	15.9-23.7	124	18.1	14.6-21.6	139	13.9	11.2-16.6	195	17.4	14.5-20.3	170	13.1	10.7-15.5
Less than \$15,000	217	218,451	24	16.6	8.8-24.4	14	17.1	6.3-27.9	22	12.9	5.8-20.0	65	24.0	16.2-31.8	60	20.8	13.4-28.2	32	8.6	4.9-12.3
\$15,000- 24,999	361	330,109	47	21.6	14.7-28.5	32	10.4	6.1-14.7	40	11.3	7.0-15.6	73	19.7	14.4-25.0	102	22.2	16.9-27.5	67	14.8	10.5-19.1
\$25,000- 34,999	246	262,045	48	33.5	22.5-44.5	30	12.2	6.7-17.7	21	9.3	4.0-14.6	30	11.1	5.0-17.2	51	15.6	9.9-21.3	66	18.2	12.3-24.1
\$35,000- 49,999	325	313,940	41	23.0	15.4-30.6	53	19.5	13.2-25.8	39	12.5	7.2-17.8	52	13.5	8.8-18.2	62	15.0	9.9-20.1	78	16.5	11.8-21.2
\$50,000- 74,999	384	377,417	50	16.8	11.7-21.9	58	23.2	15.9-30.5	66	18.0	13.1-22.9	72	17.6	12.7-22.5	84	15.2	11.1-19.3	54	9.2	6.1-12.3
\$75,000+	609	609,697	52	16.1	11.2-21.0	106	22.6	17.9-27.3	123	20.2	16.1-24.3	139	20.2	16.1-24.3	118	13.6	10.7-16.5	71	7.3	5.1- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3243	2,662,166	328	19.8	17.4-22.2	394	16.8	14.8-18.8	446	14.5	12.9-16.1	606	16.8	15.0-18.6	738	16.6	15.0-18.2	731	15.5	14.1-16.9
White/Non-Hisp	2627	1,999,002	235	16.8	14.4-19.2	303	15.9	13.7-18.1	354	14.0	12.2-15.8	494	17.9	15.9-19.9	618	18.5	16.7-20.3	623	16.9	15.3-18.5
Black or Afr. Am./Non-Hisp	395	441,940	54	26.4	19.1-33.7	66	19.8	14.1-25.5	64	17.2	12.1-22.3	63	12.4	8.5-16.3	81	12.5	9.0-16.0	67	11.6	7.7-15.5
Oth. Race/Non-Hisp.	67	61,792	7	27.3	9.7-44.9	5	10.4	0.2-20.6	4	11.1	0.3-21.9	19	24.6	12.1-37.1	15	12.3	1.7-22.9	17	14.3	5.7-22.9
MultiRacial/Non-Hisp.	53	33,820	11	42.3	22.9-61.7	3	8.4	0.0-20.7	8	18.1	3.6-32.6	10	11.9	2.3-21.5	14	10.4	3.7-17.1	7	8.9	0.0-18.1
Hispanic	62	91,571	19	44.8	27.2-62.4	15	30.1	13.4-46.8	11	12.8	4.2-21.4	12	9.6	2.3-16.9	4	2.1	0.0- 4.8	1	0.6	0.0- 1.8
Less Than H.S.	327	359,054	17	11.1	4.6-17.6	24	13.3	7.6-19.0	37	13.1	8.2-18.0	65	20.7	14.6-26.8	72	14.1	10.0-18.2	112	27.6	21.5-33.7
H.S. or G.E.D.	1041	851,707	92	17.4	13.5-21.3	100	14.7	11.4-18.0	121	11.5	9.1-13.9	192	17.5	14.6-20.4	238	18.6	15.7-21.5	298	20.2	17.5-22.9
Some Post-H.S.	893	834,264	110	25.4	20.7-30.1	113	15.5	12.0-19.0	128	16.3	13.0-19.6	148	14.7	11.8-17.6	232	17.2	14.5-19.9	162	10.8	8.6-13.0
College Graduate	976	613,631	108	20.5	16.6-24.4	157	23.6	19.5-27.7	160	16.9	13.8-20.0	201	16.4	13.7-19.1	193	14.2	11.7-16.7	157	8.4	6.6-10.2
Less than \$15,000	420	348,161	46	24.6	17.0-32.2	53	18.8	12.7-24.9	48	10.2	6.3-14.1	86	18.4	13.3-23.5	93	13.0	9.3-16.7	94	15.0	11.1-18.9
\$15,000- 24,999	599	487,495	66	21.2	15.7-26.7	66	16.6	11.9-21.3	75	13.8	10.1-17.5	90	13.1	9.4-16.8	148	17.2	13.7-20.7	154	18.1	14.2-22.0
\$25,000- 34,999	308	246,036	38	21.9	14.6-29.2	25	11.1	6.0-16.2	45	16.9	11.0-22.8	45	12.6	7.9-17.3	76	17.4	12.7-22.1	79	20.0	14.3-25.7
\$35,000- 49,999	318	272,433	25	15.4	8.9-21.9	50	20.6	14.1-27.1	39	15.1	9.8-20.4	65	18.3	12.8-23.8	72	18.2	13.3-23.1	67	12.4	8.5-16.3
\$50,000- 74,999	385	319,212	44	20.5	14.2-26.8	65	24.2	17.7-30.7	58	14.2	9.9-18.5	72	16.8	12.3-21.3	88	15.1	11.0-19.2	58	9.2	5.9-12.5
\$75,000+	569	482,352	44	14.1	9.6-18.6	94	19.6	15.1-24.1	130	22.6	17.9-27.3	147	22.2	17.9-26.5	108	16.8	13.1-20.5	46	4.6	2.8- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5741	5,143,901	3894	78.7	77.5-79.9	1847	21.3	20.1-22.5
Male	2498	2,481,735	1761	80.4	78.6-82.2	737	19.6	17.8-21.4
Female	3243	2,662,166	2133	77.1	75.3-78.9	1110	22.9	21.1-24.7
White/Non-Hisp	4653	3,845,982	3069	76.0	74.6-77.4	1584	24.0	22.6-25.4
Black or Afr. Am./Non-Hisp	641	810,253	484	85.7	82.6-88.8	157	14.3	11.2-17.4
Oth. Race/Non-Hisp.	139	152,283	103	88.6	83.3-93.9	36	11.4	6.1-16.7
MultiRacial/Non-Hisp.	92	61,765	68	88.2	81.5-94.9	24	11.8	5.1-18.5
Hispanic	117	186,628	112	98.8	97.6- 100	5	1.2	0.0- 2.4
Less Than H.S.	573	730,265	346	71.9	67.4-76.4	227	28.1	23.6-32.6
H.S. or G.E.D.	1862	1,715,452	1227	77.5	75.3-79.7	635	22.5	20.3-24.7
Some Post-H.S.	1489	1,507,956	1043	80.5	78.1-82.9	446	19.5	17.1-21.9
College Graduate	1808	1,185,749	1273	82.3	80.3-84.3	535	17.7	15.7-19.7
Less than \$15,000	637	566,612	449	82.6	79.3-85.9	188	17.4	14.1-20.7
\$15,000- 24,999	960	817,604	602	72.8	69.3-76.3	358	27.2	23.7-30.7
\$25,000- 34,999	554	508,081	341	73.0	68.3-77.7	213	27.0	22.3-31.7
\$35,000- 49,999	643	586,373	427	77.2	73.3-81.1	216	22.8	18.9-26.7
\$50,000- 74,999	769	696,629	559	83.2	80.3-86.1	210	16.8	13.9-19.7
\$75,000+	1178	1,092,049	960	88.4	86.4-90.4	218	11.6	9.6-13.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 20: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2498	2,481,735	1761	80.4	78.6-82.2	737	19.6	17.8-21.4
White/Non-Hisp	2026	1,846,980	1385	77.1	75.1-79.1	641	22.9	20.9-24.9
Black or Afr. Am./Non-Hisp	246	368,312	194	89.0	84.9-93.1	52	11.0	6.9-15.1
Oth. Race/Non-Hisp.	72	90,491	59	92.5	86.4-98.6	13	7.5	1.4-13.6
Hispanic	55	95,057	54	99.0	97.0- 100	1	1.0	0.0- 3.0
Less Than H.S.	246	371,212	163	76.5	70.2-82.8	83	23.5	17.2-29.8
H.S. or G.E.D.	821	863,745	606	83.2	80.5-85.9	215	16.8	14.1-19.5
Some Post-H.S.	596	673,692	441	80.9	77.4-84.4	155	19.1	15.6-22.6
College Graduate	832	572,118	549	78.2	75.3-81.1	283	21.8	18.9-24.7
Less than \$15,000	217	218,451	165	86.6	81.7-91.5	52	13.4	8.5-18.3
\$15,000- 24,999	361	330,109	241	73.5	67.8-79.2	120	26.5	20.8-32.2
\$25,000- 34,999	246	262,045	160	76.6	69.9-83.3	86	23.4	16.7-30.1
\$35,000- 49,999	325	313,940	210	75.6	69.9-81.3	115	24.4	18.7-30.1
\$50,000- 74,999	384	377,417	276	81.9	77.6-86.2	108	18.1	13.8-22.4
\$75,000+	609	609,697	480	86.8	84.1-89.5	129	13.2	10.5-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 21: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3243	2,662,166	2133	77.1	75.5-78.7	1110	22.9	21.3-24.5
White/Non-Hisp	2627	1,999,002	1684	74.9	72.9-76.9	943	25.1	23.1-27.1
Black or Afr. Am./Non-Hisp	395	441,940	290	82.9	78.4-87.4	105	17.1	12.6-21.6
Oth. Race/Non-Hisp.	67	61,792	44	83.0	73.8-92.2	23	17.0	7.8-26.2
MultiRacial/Non-Hisp.	53	33,820	38	84.6	74.0-95.2	15	15.4	4.8-26.0
Hispanic	62	91,571	58	98.5	96.7- 100	4	1.5	0.0- 3.3
Less Than H.S.	327	359,054	183	67.2	60.7-73.7	144	32.8	26.3-39.3
H.S. or G.E.D.	1041	851,707	621	71.7	68.6-74.8	420	28.3	25.2-31.4
Some Post-H.S.	893	834,264	602	80.3	77.4-83.2	291	19.7	16.8-22.6
College Graduate	976	613,631	724	86.1	83.7-88.5	252	13.9	11.5-16.3
Less than \$15,000	420	348,161	284	80.1	75.6-84.6	136	19.9	15.4-24.4
\$15,000- 24,999	599	487,495	361	72.4	67.9-76.9	238	27.6	23.1-32.1
\$25,000- 34,999	308	246,036	181	69.0	62.5-75.5	127	31.0	24.5-37.5
\$35,000- 49,999	318	272,433	217	79.2	74.1-84.3	101	20.8	15.7-25.9
\$50,000- 74,999	385	319,212	283	84.8	80.9-88.7	102	15.2	11.3-19.1
\$75,000+	569	482,352	480	90.5	88.0-93.0	89	9.5	7.0-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5649	5,046,201	2	0.0	0.0- 0.0	241	4.0	3.2- 4.8	2458	40.1	38.3-41.9	2372	44.4	42.4-46.4	575	11.4	10.2-12.6	1	0.0	0.0- 0.0	
Male	2463	2,438,001				2	0.1	0.0- 0.3	208	8.9	7.3-10.5	1686	68.0	65.5-70.5	566	23.0	20.6-25.4	1	0.1	0.0- 0.3	
Female	3186	2,608,200	2	0.0	0.0- 0.0	239	7.8	6.4- 9.2	2250	69.2	66.8-71.6	686	22.4	20.4-24.4	9	0.6	0.0- 1.2				
White/Non-Hisp	4598	3,812,135				179	3.2	2.6- 3.8	1990	39.8	37.8-41.8	1947	45.1	43.1-47.1	481	11.8	10.4-13.2	1	0.0	0.0- 0.0	
Black or Afr. Am./Non-Hisp	613	773,340	1	0.1	0.0- 0.3	29	5.2	2.7- 7.7	291	42.3	36.8-47.8	231	40.2	34.7-45.7	61	12.2	8.3-16.1				
Oth. Race/Non-Hisp.	137	144,854	1	0.1	0.0- 0.3	13	14.1	4.7-23.5	49	26.8	16.6-37.0	68	55.6	42.1-69.1	6	3.5	0.4- 6.6				
MultiRacial/Non-Hisp.	94	65,088				8	5.3	0.2-10.4	38	41.7	27.0-56.4	38	34.2	20.3-48.1	10	18.9	4.6-33.2				
Hispanic	106	166,502				8	7.5	1.8-13.2	50	47.6	33.7-61.5	43	38.9	25.0-52.8	5	6.0	0.0-12.7				
18-24	326	617,088				10	4.4	1.3- 7.5	126	39.2	32.3-46.1	147	41.9	34.8-49.0	43	14.6	9.5-19.7				
25-34	639	862,132				34	4.9	2.7- 7.1	245	37.7	32.8-42.6	267	44.6	39.3-49.9	93	12.8	9.7-15.9				
35-44	709	811,612				16	1.9	0.5- 3.3	277	35.1	30.6-39.6	312	48.6	43.7-53.5	104	14.4	11.1-17.7				
45-54	992	826,323	1	0.1	0.0- 0.3	25	2.3	1.1- 3.5	418	38.9	34.8-43.0	442	46.8	42.5-51.1	105	11.8	8.9-14.7	1	0.2	0.0- 0.6	
55-64	1173	857,378	1	0.0	0.0- 0.0	62	4.9	3.3- 6.5	505	42.4	38.7-46.1	487	42.2	38.5-45.9	118	10.4	8.0-12.8				
65+	1810	1,071,668				94	5.4	4.0- 6.8	887	45.3	42.4-48.2	717	42.6	39.5-45.7	112	6.7	5.1- 8.3				
Less Than H.S.	550	699,728				39	6.6	3.9- 9.3	274	43.5	37.6-49.4	194	41.4	35.1-47.7	43	8.6	5.1-12.1				
H.S. or G.E.D.	1825	1,671,394	1	0.0	0.0- 0.0	90	4.2	3.0- 5.4	809	38.9	36.0-41.8	739	44.9	41.8-48.0	185	11.9	9.7-14.1	1	0.1	0.0- 0.3	
Some Post-H.S.	1459	1,488,838				65	3.8	2.4- 5.2	650	41.7	38.2-45.2	609	43.9	40.4-47.4	135	10.5	8.3-12.7				
College Graduate	1806	1,180,685	1	0.0	0.0- 0.0	47	2.6	1.4- 3.8	721	37.6	34.7-40.5	825	46.3	43.2-49.4	212	13.5	11.3-15.7				
Less than \$15,000	637	559,565				48	9.6	5.7-13.5	321	46.3	40.4-52.2	227	35.7	30.0-41.4	41	8.4	4.3-12.5				
\$15,000- 24,999	955	806,756	2	0.1	0.0- 0.3	57	5.2	3.4- 7.0	483	49.8	45.3-54.3	339	35.5	31.4-39.6	74	9.3	6.6-12.0				
\$25,000- 34,999	548	502,961				21	3.4	1.6- 5.2	229	38.4	32.3-44.5	252	49.0	42.5-55.5	46	9.2	5.7-12.7				
\$35,000- 49,999	636	576,940				20	2.5	0.9- 4.1	262	38.9	33.8-44.0	272	45.2	39.7-50.7	82	13.3	9.8-16.8				
\$50,000- 74,999	770	695,519				18	2.0	0.8- 3.2	293	33.5	29.0-38.0	351	49.9	45.0-54.8	107	14.5	11.2-17.8	1	0.2	0.0- 0.6	
\$75,000+	1177	1,094,742				26	2.2	1.0- 3.4	405	31.6	28.1-35.1	594	51.2	47.3-55.1	152	14.9	12.2-17.6				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2463	2,438,001	2	0.1	0.0- 0.3	208	8.9	7.3-10.5	1686	68.0	65.5-70.5	566	23.0	20.6-25.4	1	0.1	0.0- 0.3
White/Non-Hisp	2010	1,832,784	1	0.0	0.0- 0.0	154	7.7	6.1- 9.3	1377	67.8	65.1-70.5	477	24.4	21.9-26.9	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	236	352,570				23	10.3	4.6-16.0	157	66.5	58.3-74.7	56	23.2	15.9-30.5			
Oth. Race/Non-Hisp.	69	84,459				8	11.8	1.6-22.0	55	82.3	70.3-94.3	6	5.9	0.4-11.4			
18-24	163	315,901				20	12.9	6.4-19.4	101	61.1	51.3-70.9	42	26.0	17.4-34.6			
25-34	302	427,199				18	6.0	1.7-10.3	191	68.1	61.2-75.0	93	25.8	19.7-31.9			
35-44	317	401,010				24	7.1	3.4-10.8	194	65.0	58.3-71.7	99	27.8	21.7-33.9			
45-54	439	407,049				35	8.3	5.0-11.6	299	67.5	61.6-73.4	104	23.9	18.4-29.4	1	0.3	0.0- 0.9
55-64	516	407,437	2	0.4	0.0- 1.0	45	11.6	7.3-15.9	352	66.2	60.5-71.9	117	21.8	17.1-26.5			
65+	726	479,404				66	8.5	6.0-11.0	549	76.7	72.8-80.6	111	14.8	11.5-18.1			
Less Than H.S.	240	357,651	1	0.4	0.0- 1.2	36	15.8	8.9-22.7	161	69.3	61.1-77.5	42	14.5	8.8-20.2			
H.S. or G.E.D.	804	839,578	1	0.0	0.0- 0.0	81	9.1	6.6-11.6	538	67.1	62.6-71.6	183	23.6	19.5-27.7	1	0.2	0.0- 0.6
Some Post-H.S.	588	670,247				47	8.6	5.5-11.7	407	68.2	63.1-73.3	134	23.2	18.5-27.9			
College Graduate	827	568,098				44	4.7	2.9- 6.5	576	67.9	63.8-72.0	207	27.4	23.3-31.5			
Less than \$15,000	219	219,171				19	15.1	6.7-23.5	160	67.0	57.0-77.0	40	17.9	10.1-25.7			
\$15,000- 24,999	360	324,835	2	0.5	0.0- 1.3	48	12.0	7.5-16.5	237	64.6	57.7-71.5	73	23.0	16.7-29.3			
\$25,000- 34,999	242	259,596				25	12.0	5.5-18.5	171	70.2	61.4-79.0	46	17.8	10.9-24.7			
\$35,000- 49,999	320	305,529				36	11.2	6.3-16.1	202	63.6	56.2-71.0	82	25.2	18.7-31.7			
\$50,000- 74,999	384	375,853				18	4.8	2.4- 7.2	261	69.1	63.0-75.2	104	25.8	20.1-31.5	1	0.3	0.0- 0.9
\$75,000+	608	608,548				30	5.0	2.6- 7.4	429	68.5	63.4-73.6	149	26.5	21.8-31.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3186	2,608,200	2	0.0	0.0- 0.0	239	7.8	6.4- 9.2	2250	69.2	66.8-71.6	686	22.4	20.4-24.4	9	0.6	0.0- 1.2	
White/Non-Hisp	2588	1,979,351				178	6.2	5.0- 7.4	1836	69.5	67.0-72.0	570	24.1	21.7-26.5	4	0.1	0.0- 0.3	
Black or Afr. Am./Non-Hisp	377	420,770	1	0.1	0.0- 0.3	29	9.6	4.9-14.3	268	69.0	62.1-75.9	74	18.2	13.1-23.3	5	3.1	0.0- 6.8	
Oth. Race/Non-Hisp.	68	60,395	1	0.1	0.0- 0.3	13	33.8	16.2-51.4	41	47.8	31.3-64.3	13	18.3	6.1-30.5				
MultiRacial/Non-Hisp.	54	34,045				8	10.1	0.7-19.5	36	75.3	61.0-89.6	10	14.7	3.5-25.9				
Hispanic	57	81,783				7	13.6	2.6-24.6	39	74.7	61.2-88.2	11	11.6	3.2-20.0				
18-24	163	301,187				10	9.0	2.9-15.1	106	66.7	57.3-76.1	46	21.7	14.3-29.1	1	2.6	0.0- 7.7	
25-34	337	434,932				34	9.7	5.6-13.8	227	68.7	62.2-75.2	76	21.6	15.9-27.3				
35-44	392	410,602				16	3.8	1.3- 6.3	253	62.4	56.1-68.7	118	32.5	26.4-38.6	5	1.4	0.0- 2.8	
45-54	553	419,274	1	0.1	0.0- 0.3	25	4.5	2.0- 7.0	383	68.5	63.4-73.6	143	26.7	21.8-31.6	1	0.1	0.0- 0.3	
55-64	657	449,941	1	0.0	0.0- 0.0	60	9.1	6.2-12.0	460	70.4	65.9-74.9	135	20.4	16.5-24.3	1	0.1	0.0- 0.3	
65+	1084	592,264				94	9.8	7.4-12.2	821	75.1	71.6-78.6	168	15.0	12.1-17.9	1	0.1	0.0- 0.3	
Less Than H.S.	310	342,077				38	13.0	7.5-18.5	238	72.5	65.1-79.9	33	12.2	7.1-17.3	1	2.3	0.0- 6.8	
H.S. or G.E.D.	1021	831,816	1	0.1	0.0- 0.3	89	8.4	6.2-10.6	728	69.0	65.1-72.9	201	22.4	18.7-26.1	2	0.1	0.0- 0.3	
Some Post-H.S.	871	818,591				65	7.0	4.5- 9.5	603	68.8	64.5-73.1	202	24.0	20.1-27.9	1	0.2	0.0- 0.6	
College Graduate	979	612,587	1	0.0	0.0- 0.0	47	5.0	2.8- 7.2	677	68.1	64.0-72.2	249	26.2	22.5-29.9	5	0.7	0.0- 1.5	
Less than \$15,000	418	340,394				48	15.9	9.8-22.0	302	66.3	58.9-73.7	67	15.5	10.6-20.4	1	2.3	0.0- 6.8	
\$15,000- 24,999	595	481,921	2	0.1	0.0- 0.3	55	8.4	5.5-11.3	435	75.3	70.6-80.0	102	15.9	12.0-19.8	1	0.2	0.0- 0.6	
\$25,000- 34,999	306	243,365				21	7.0	3.3-10.7	204	66.6	59.5-73.7	81	26.4	19.7-33.1				
\$35,000- 49,999	316	271,411				20	5.3	1.8- 8.8	226	70.1	63.0-77.2	70	24.6	17.9-31.3				
\$50,000- 74,999	386	319,666				18	4.3	1.8- 6.8	275	67.2	60.5-73.9	90	27.3	20.8-33.8	3	1.2	0.0- 2.8	
\$75,000+	569	486,193				26	5.0	2.5- 7.5	375	65.0	59.7-70.3	165	29.6	24.5-34.7	3	0.4	0.0- 1.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5651	5,046,915	2	0.0	0.0- 0.0	241	4.0	3.2- 4.8	2459	40.1	38.3-41.9	2372	44.4	42.4-46.4	576	11.4	10.2-12.6	1	0.0	0.0- 0.0
Male	2463	2,438,001				2	0.1	0.0- 0.3	208	8.9	7.3-10.5	1686	68.0	65.5-70.5	566	23.0	20.6-25.4	1	0.1	0.0- 0.3
Female	3188	2,608,915	2	0.0	0.0- 0.0	239	7.8	6.4- 9.2	2251	69.2	66.8-71.6	686	22.4	20.4-24.4	10	0.6	0.0- 1.2			
White/Non-Hisp	4598	3,812,135				179	3.2	2.6- 3.8	1990	39.8	37.8-41.8	1947	45.1	43.1-47.1	481	11.8	10.4-13.2	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	614	773,411	1	0.1	0.0- 0.3	29	5.2	2.7- 7.7	291	42.2	36.7-47.7	231	40.2	34.7-45.7	62	12.2	8.3-16.1			
Oth. Race/Non-Hisp.	137	144,854	1	0.1	0.0- 0.3	13	14.1	4.7-23.5	49	26.8	16.6-37.0	68	55.6	42.1-69.1	6	3.5	0.4- 6.6			
MultiRacial/Non-Hisp.	94	65,088				8	5.3	0.2-10.4	38	41.7	27.0-56.4	38	34.2	20.3-48.1	10	18.9	4.6-33.2			
Hispanic	107	167,146				8	7.5	1.8-13.2	51	47.8	33.9-61.7	43	38.8	24.9-52.7	5	6.0	0.0-12.7			
18-24	326	617,088				10	4.4	1.3- 7.5	126	39.2	32.3-46.1	147	41.9	34.8-49.0	43	14.6	9.5-19.7			
25-34	639	862,132				34	4.9	2.7- 7.1	245	37.7	32.8-42.6	267	44.6	39.3-49.9	93	12.8	9.7-15.9			
35-44	709	811,612				16	1.9	0.5- 3.3	277	35.1	30.6-39.6	312	48.6	43.7-53.5	104	14.4	11.1-17.7			
45-54	992	826,323	1	0.1	0.0- 0.3	25	2.3	1.1- 3.5	418	38.9	34.8-43.0	442	46.8	42.5-51.1	105	11.8	8.9-14.7	1	0.2	0.0- 0.6
55-64	1175	858,093	1	0.0	0.0- 0.0	62	4.9	3.3- 6.5	506	42.5	38.8-46.2	487	42.1	38.4-45.8	119	10.4	8.0-12.8			
65+	1810	1,071,668				94	5.4	4.0- 6.8	887	45.3	42.4-48.2	717	42.6	39.5-45.7	112	6.7	5.1- 8.3			
Less Than H.S.	550	699,728				39	6.6	3.9- 9.3	274	43.5	37.6-49.4	194	41.4	35.1-47.7	43	8.6	5.1-12.1			
H.S. or G.E.D.	1825	1,671,394	1	0.0	0.0- 0.0	90	4.2	3.0- 5.4	809	38.9	36.0-41.8	739	44.9	41.8-48.0	185	11.9	9.7-14.1	1	0.1	0.0- 0.3
Some Post-H.S.	1461	1,489,552				65	3.8	2.4- 5.2	651	41.7	38.2-45.2	609	43.9	40.4-47.4	136	10.5	8.3-12.7			
College Graduate	1806	1,180,685	1	0.0	0.0- 0.0	47	2.6	1.4- 3.8	721	37.6	34.7-40.5	825	46.3	43.2-49.4	212	13.5	11.3-15.7			
Less than \$15,000	637	559,565				48	9.6	5.7-13.5	321	46.3	40.4-52.2	227	35.7	30.0-41.4	41	8.4	4.3-12.5			
\$15,000- 24,999	957	807,470	2	0.1	0.0- 0.3	57	5.2	3.4- 7.0	484	49.9	45.4-54.4	339	35.5	31.4-39.6	75	9.3	6.6-12.0			
\$25,000- 34,999	548	502,961				21	3.4	1.6- 5.2	229	38.4	32.3-44.5	252	49.0	42.5-55.5	46	9.2	5.7-12.7			
\$35,000- 49,999	636	576,940				20	2.5	0.9- 4.1	262	38.9	33.8-44.0	272	45.2	39.7-50.7	82	13.3	9.8-16.8			
\$50,000- 74,999	770	695,519				18	2.0	0.8- 3.2	293	33.5	29.0-38.0	351	49.9	45.0-54.8	107	14.5	11.2-17.8	1	0.2	0.0- 0.6
\$75,000+	1177	1,094,742				26	2.2	1.0- 3.4	405	31.6	28.1-35.1	594	51.2	47.3-55.1	152	14.9	12.2-17.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2463	2,438,001	2	0.1	0.0- 0.3	208	8.9	7.3-10.5	1686	68.0	65.5-70.5	566	23.0	20.6-25.4	1	0.1	0.0- 0.3
White/Non-Hisp	2010	1,832,784	1	0.0	0.0- 0.0	154	7.7	6.1- 9.3	1377	67.8	65.1-70.5	477	24.4	21.9-26.9	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	236	352,570				23	10.3	4.6-16.0	157	66.5	58.3-74.7	56	23.2	15.9-30.5			
Oth. Race/Non-Hisp.	69	84,459				8	11.8	1.6-22.0	55	82.3	70.3-94.3	6	5.9	0.4-11.4			
18-24	163	315,901				20	12.9	6.4-19.4	101	61.1	51.3-70.9	42	26.0	17.4-34.6			
25-34	302	427,199				18	6.0	1.7-10.3	191	68.1	61.2-75.0	93	25.8	19.7-31.9			
35-44	317	401,010				24	7.1	3.4-10.8	194	65.0	58.3-71.7	99	27.8	21.7-33.9			
45-54	439	407,049				35	8.3	5.0-11.6	299	67.5	61.6-73.4	104	23.9	18.4-29.4	1	0.3	0.0- 0.9
55-64	516	407,437	2	0.4	0.0- 1.0	45	11.6	7.3-15.9	352	66.2	60.5-71.9	117	21.8	17.1-26.5			
65+	726	479,404				66	8.5	6.0-11.0	549	76.7	72.8-80.6	111	14.8	11.5-18.1			
Less Than H.S.	240	357,651	1	0.4	0.0- 1.2	36	15.8	8.9-22.7	161	69.3	61.1-77.5	42	14.5	8.8-20.2			
H.S. or G.E.D.	804	839,578	1	0.0	0.0- 0.0	81	9.1	6.6-11.6	538	67.1	62.6-71.6	183	23.6	19.5-27.7	1	0.2	0.0- 0.6
Some Post-H.S.	588	670,247				47	8.6	5.5-11.7	407	68.2	63.1-73.3	134	23.2	18.5-27.9			
College Graduate	827	568,098				44	4.7	2.9- 6.5	576	67.9	63.8-72.0	207	27.4	23.3-31.5			
Less than \$15,000	219	219,171				19	15.1	6.7-23.5	160	67.0	57.0-77.0	40	17.9	10.1-25.7			
\$15,000- 24,999	360	324,835	2	0.5	0.0- 1.3	48	12.0	7.5-16.5	237	64.6	57.7-71.5	73	23.0	16.7-29.3			
\$25,000- 34,999	242	259,596				25	12.0	5.5-18.5	171	70.2	61.4-79.0	46	17.8	10.9-24.7			
\$35,000- 49,999	320	305,529				36	11.2	6.3-16.1	202	63.6	56.2-71.0	82	25.2	18.7-31.7			
\$50,000- 74,999	384	375,853				18	4.8	2.4- 7.2	261	69.1	63.0-75.2	104	25.8	20.1-31.5	1	0.3	0.0- 0.9
\$75,000+	608	608,548				30	5.0	2.6- 7.4	429	68.5	63.4-73.6	149	26.5	21.8-31.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3188	2,608,915	2	0.0	0.0- 0.0	239	7.8	6.4- 9.2	2251	69.2	66.8-71.6	686	22.4	20.4-24.4	10	0.6	0.0- 1.2
White/Non-Hisp	2588	1,979,351				178	6.2	5.0- 7.4	1836	69.5	67.0-72.0	570	24.1	21.7-26.5	4	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	378	420,841	1	0.1	0.0- 0.3	29	9.6	4.9-14.3	268	69.0	62.1-75.9	74	18.2	13.1-23.3	6	3.1	0.0- 6.8
Oth. Race/Non-Hisp.	68	60,395	1	0.1	0.0- 0.3	13	33.8	16.2-51.4	41	47.8	31.3-64.3	13	18.3	6.1-30.5			
MultiRacial/Non-Hisp.	54	34,045				8	10.1	0.7-19.5	36	75.3	61.0-89.6	10	14.7	3.5-25.9			
Hispanic	58	82,427				7	13.5	2.7-24.3	40	74.9	61.4-88.4	11	11.6	3.2-20.0			
18-24	163	301,187				10	9.0	2.9-15.1	106	66.7	57.3-76.1	46	21.7	14.3-29.1	1	2.6	0.0- 7.7
25-34	337	434,932				34	9.7	5.6-13.8	227	68.7	62.2-75.2	76	21.6	15.9-27.3			
35-44	392	410,602				16	3.8	1.3- 6.3	253	62.4	56.1-68.7	118	32.5	26.4-38.6	5	1.4	0.0- 2.8
45-54	553	419,274	1	0.1	0.0- 0.3	25	4.5	2.0- 7.0	383	68.5	63.4-73.6	143	26.7	21.8-31.6	1	0.1	0.0- 0.3
55-64	659	450,655	1	0.0	0.0- 0.0	60	9.1	6.2-12.0	461	70.4	65.9-74.9	135	20.4	16.5-24.3	2	0.1	0.0- 0.3
65+	1084	592,264				94	9.8	7.4-12.2	821	75.1	71.6-78.6	168	15.0	12.1-17.9	1	0.1	0.0- 0.3
Less Than H.S.	310	342,077				38	13.0	7.5-18.5	238	72.5	65.1-79.9	33	12.2	7.1-17.3	1	2.3	0.0- 6.8
H.S. or G.E.D.	1021	831,816	1	0.1	0.0- 0.3	89	8.4	6.2-10.6	728	69.0	65.1-72.9	201	22.4	18.7-26.1	2	0.1	0.0- 0.3
Some Post-H.S.	873	819,306				65	7.0	4.5- 9.5	604	68.8	64.5-73.1	202	24.0	20.1-27.9	2	0.2	0.0- 0.6
College Graduate	979	612,587	1	0.0	0.0- 0.0	47	5.0	2.8- 7.2	677	68.1	64.0-72.2	249	26.2	22.5-29.9	5	0.7	0.0- 1.5
Less than \$15,000	418	340,394				48	15.9	9.8-22.0	302	66.3	58.9-73.7	67	15.5	10.6-20.4	1	2.3	0.0- 6.8
\$15,000- 24,999	597	482,635	2	0.1	0.0- 0.3	55	8.4	5.5-11.3	436	75.3	70.6-80.0	102	15.9	12.0-19.8	2	0.2	0.0- 0.6
\$25,000- 34,999	306	243,365				21	7.0	3.3-10.7	204	66.6	59.5-73.7	81	26.4	19.7-33.1			
\$35,000- 49,999	316	271,411				20	5.3	1.8- 8.8	226	70.1	63.0-77.2	70	24.6	17.9-31.3			
\$50,000- 74,999	386	319,666				18	4.3	1.8- 6.8	275	67.2	60.5-73.9	90	27.3	20.8-33.8	3	1.2	0.0- 2.8
\$75,000+	569	486,193				26	5.0	2.5- 7.5	375	65.0	59.7-70.3	165	29.6	24.5-34.7	3	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5420	4,870,630	49	0.8	0.4- 1.2	1468	27.3	25.5-29.1	2348	42.5	40.5-44.5	1136	21.2	19.6-22.8	322	6.1	5.3- 6.9	97	2.1	1.5- 2.7
Male	2434	2,408,977				233	11.2	9.2-13.2	1139	46.3	43.6-49.0	765	30.6	28.1-33.1	229	8.8	7.2-10.4	68	3.2	2.2- 4.2
Female	2986	2,461,653	49	1.6	1.0- 2.2	1235	43.0	40.5-45.5	1209	38.9	36.5-41.3	371	12.1	10.5-13.7	93	3.4	2.4- 4.4	29	1.0	0.4- 1.6
White/Non-Hisp	4396	3,651,427	39	0.8	0.4- 1.2	1227	27.7	25.9-29.5	1890	42.2	40.2-44.2	913	21.4	19.6-23.2	253	5.9	4.9- 6.9	74	2.0	1.4- 2.6
Black or Afr. Am./Non-Hisp	590	750,614	3	0.7	0.0- 1.9	122	21.6	16.7-26.5	272	44.8	39.1-50.5	135	22.8	17.9-27.7	45	7.6	4.9-10.3	13	2.5	0.7- 4.3
Oth. Race/Non-Hisp.	132	140,339	4	1.2	0.0- 2.6	39	32.9	19.6-46.2	57	46.5	31.6-61.4	21	12.1	5.2-19.0	8	4.4	0.9- 7.9	3	2.9	0.0- 6.8
MultiRacial/Non-Hisp.	92	64,221				26	29.8	16.1-43.5	33	30.5	17.8-43.2	23	25.2	11.3-39.1	6	10.6	0.0-22.8	4	3.8	0.0- 8.9
Hispanic	112	180,919	1	0.4	0.0- 1.2	34	40.7	27.6-53.8	46	38.5	25.4-51.6	27	18.6	9.6-27.6	3	1.2	0.0- 2.6	1	0.7	0.0- 2.1
18-24	317	599,122	5	2.0	0.0- 4.0	116	41.0	33.7-48.3	130	40.8	33.5-48.1	49	12.5	8.2-16.8	12	2.7	0.9- 4.5	5	0.8	0.0- 1.6
25-34	621	841,842	4	0.7	0.0- 1.7	172	28.9	24.2-33.6	255	41.3	36.2-46.4	134	19.8	15.5-24.1	41	6.7	4.2- 9.2	15	2.6	0.8- 4.4
35-44	690	800,666				137	18.5	14.8-22.2	305	44.9	40.0-49.8	172	26.9	22.4-31.4	57	7.3	4.9- 9.7	19	2.4	1.0- 3.8
45-54	937	785,650	5	0.3	0.1- 0.5	207	22.2	18.7-25.7	394	41.7	37.4-46.0	238	27.2	23.3-31.1	74	6.4	4.4- 8.4	19	2.3	1.1- 3.5
55-64	1104	808,309	14	0.9	0.3- 1.5	267	23.8	20.5-27.1	476	42.0	38.1-45.9	242	21.4	18.1-24.7	80	8.7	6.2-11.2	25	3.1	1.5- 4.7
65+	1751	1,035,041	21	1.1	0.5- 1.7	569	31.2	28.3-34.1	788	43.8	40.7-46.9	301	18.5	16.0-21.0	58	4.2	2.8- 5.6	14	1.2	0.4- 2.0
Less Than H.S.	540	686,853	11	1.5	0.5- 2.5	157	27.5	22.2-32.8	242	43.3	37.0-49.6	91	19.4	14.3-24.5	31	6.4	3.7- 9.1	8	1.9	0.3- 3.5
H.S. or G.E.D.	1740	1,609,822	17	0.8	0.2- 1.4	494	27.1	24.2-30.0	715	41.5	38.4-44.6	357	21.8	19.1-24.5	119	6.1	4.7- 7.5	38	2.6	1.6- 3.6
Some Post-H.S.	1406	1,438,842	11	0.9	0.1- 1.7	342	25.7	22.4-29.0	611	41.9	38.4-45.4	326	22.5	19.6-25.4	88	6.7	4.9- 8.5	28	2.3	1.1- 3.5
College Graduate	1726	1,129,918	10	0.2	0.0- 0.4	473	29.2	26.3-32.1	776	44.3	41.2-47.4	360	20.0	17.5-22.5	84	5.1	3.7- 6.5	23	1.2	0.6- 1.8
Less than \$15,000	626	550,494	10	1.5	0.0- 3.1	199	33.0	27.1-38.9	261	38.9	33.0-44.8	98	16.0	11.1-20.9	41	7.2	4.1-10.3	17	3.4	1.2- 5.6
\$15,000- 24,999	925	787,702	15	1.3	0.3- 2.3	266	28.5	24.4-32.6	365	39.0	34.5-43.5	197	23.0	19.1-26.9	62	5.7	3.7- 7.7	20	2.4	1.0- 3.8
\$25,000- 34,999	535	494,223	5	1.0	0.0- 2.2	121	20.6	15.9-25.3	268	51.8	45.3-58.3	108	20.0	14.9-25.1	23	3.8	1.8- 5.8	10	2.8	0.3- 5.3
\$35,000- 49,999	609	558,666	3	0.9	0.0- 2.3	128	23.7	18.6-28.8	276	41.9	36.6-47.2	140	21.6	17.3-25.9	50	10.1	6.6-13.6	12	1.8	0.4- 3.2
\$50,000- 74,999	744	673,925	5	0.4	0.0- 1.0	161	23.1	18.8-27.4	335	44.0	38.9-49.1	181	24.2	20.1-28.3	53	7.2	4.7- 9.7	9	1.1	0.1- 2.1
\$75,000+	1146	1,067,947	3	0.1	0.0- 0.3	281	23.5	20.2-26.8	515	45.0	41.1-48.9	274	24.1	20.8-27.4	56	5.1	3.5- 6.7	17	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2434	2,408,977	233	11.2	9.2-13.2	1139	46.3	43.6-49.0	765	30.6	28.1-33.1	229	8.8	7.2-10.4	68	3.2	2.2- 4.2
White/Non-Hisp	1982	1,804,660	189	11.3	9.3-13.3	927	45.5	42.6-48.4	627	30.9	28.2-33.6	188	9.5	7.7-11.3	51	2.8	1.8- 3.8
Black or Afr. Am./Non-Hisp	233	345,509	21	8.9	3.6-14.2	104	45.6	36.8-54.4	78	34.8	26.2-43.4	23	6.2	2.9- 9.5	7	4.5	0.8- 8.2
Oth. Race/Non-Hisp.	68	83,757	9	17.0	0.3-33.7	33	54.6	33.8-75.4	15	16.1	5.1-27.1	8	7.3	1.0-13.6	3	4.9	0.0-11.6
Hispanic	52	91,144	5	11.8	0.0-24.3	30	61.5	43.1-79.9	16	25.2	9.9-40.5				1	1.5	0.0- 4.4
18-24	159	304,143	30	22.2	13.6-30.8	85	54.9	44.7-65.1	31	17.5	10.2-24.8	9	4.1	1.0- 7.2	4	1.4	0.0- 2.8
25-34	301	423,713	34	10.9	6.2-15.6	142	50.1	42.3-57.9	87	26.4	19.3-33.5	28	9.3	5.0-13.6	10	3.3	0.4- 6.2
35-44	318	401,645	26	6.9	3.2-10.6	137	45.1	37.8-52.4	110	35.8	28.9-42.7	33	9.0	5.3-12.7	12	3.3	0.9- 5.7
45-54	430	400,073	31	10.1	6.0-14.2	175	40.4	34.1-46.7	159	37.1	30.8-43.4	52	9.1	5.8-12.4	13	3.4	1.0- 5.8
55-64	506	404,894	39	8.0	4.7-11.3	217	40.4	34.7-46.1	169	32.5	27.0-38.0	61	13.5	9.2-17.8	20	5.7	2.6- 8.8
65+	720	474,510	73	11.5	8.2-14.8	383	48.2	43.3-53.1	209	31.4	26.9-35.9	46	7.1	4.6- 9.6	9	1.7	0.3- 3.1
Less Than H.S.	237	357,968	30	12.1	6.6-17.6	119	48.2	38.6-57.8	60	27.5	19.1-35.9	22	9.8	4.7-14.9	6	2.4	0.0- 4.8
H.S. or G.E.D.	797	835,453	96	13.7	10.4-17.0	356	45.5	40.8-50.2	232	28.5	24.2-32.8	87	8.2	6.0-10.4	26	4.0	2.0- 6.0
Some Post-H.S.	582	657,468	45	10.0	6.1-13.9	249	41.7	36.2-47.2	212	34.9	29.8-40.0	57	9.7	6.6-12.8	19	3.6	1.6- 5.6
College Graduate	815	556,021	62	8.0	5.5-10.5	414	51.6	47.1-56.1	259	30.6	26.5-34.7	63	8.0	5.6-10.4	17	1.8	0.6- 3.0
Less than \$15,000	219	218,980	33	14.8	7.5-22.1	113	47.1	36.9-57.3	44	23.6	13.4-33.8	20	10.0	3.7-16.3	9	4.4	0.7- 8.1
\$15,000- 24,999	356	326,312	52	16.8	11.7-21.9	147	38.5	31.6-45.4	105	32.0	25.3-38.7	38	8.0	4.5-11.5	14	4.7	1.8- 7.6
\$25,000- 34,999	240	256,954	22	8.9	4.4-13.4	130	54.5	44.5-64.5	66	26.5	17.9-35.1	16	5.9	2.2- 9.6	6	4.1	0.0- 9.0
\$35,000- 49,999	318	301,855	24	15.0	7.7-22.3	150	44.4	36.8-52.0	104	27.8	21.3-34.3	31	10.7	6.0-15.4	9	2.0	0.2- 3.8
\$50,000- 74,999	378	368,227	21	6.3	3.0- 9.6	171	46.0	38.9-53.1	131	33.6	27.1-40.1	48	12.4	7.9-16.9	7	1.7	0.1- 3.3
\$75,000+	603	602,556	37	6.0	3.5- 8.5	280	47.3	41.8-52.8	223	35.8	30.7-40.9	47	7.4	4.9- 9.9	16	3.5	1.3- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	2,461,653	49	1.6	1.0- 2.2	1235	43.0	40.5-45.5	1209	38.9	36.5-41.3	371	12.1	10.5-13.7	93	3.4	2.4- 4.4	29	1.0	0.4- 1.6
White/Non-Hisp	2414	1,846,767	39	1.6	0.8- 2.4	1038	43.7	41.0-46.4	963	38.9	36.2-41.6	286	12.2	10.2-14.2	65	2.4	1.6- 3.2	23	1.2	0.6- 1.8
Black or Afr. Am./Non-Hisp	357	405,105	3	1.2	0.0- 3.2	101	32.5	25.2-39.8	168	44.2	36.9-51.5	57	12.5	8.2-16.8	22	8.8	4.3-13.3	6	0.8	0.0- 1.6
Oth. Race/Non-Hisp.	64	56,583	4	2.9	0.0- 6.2	30	56.4	40.1-72.7	24	34.4	19.1-49.7	6	6.3	0.0-12.8						
MultiRacial/Non-Hisp.	53	33,807				21	46.9	27.9-65.9	22	41.9	23.5-60.3	8	10.1	0.1-20.1	2	1.2	0.0- 3.0			
Hispanic	60	89,775	1	0.7	0.0- 2.1	29	70.0	56.5-83.5	16	15.0	5.6-24.4	11	11.9	3.1-20.7	3	2.3	0.0- 5.2			
18-24	158	294,979	5	4.1	0.0- 8.2	86	60.5	51.1-69.9	45	26.3	18.1-34.5	18	7.5	3.4-11.6	3	1.3	0.0- 2.9	1	0.2	0.0- 0.6
25-34	320	418,130	4	1.4	0.0- 3.2	138	47.2	40.1-54.3	113	32.3	25.8-38.8	47	13.1	8.6-17.6	13	4.1	1.2- 7.0	5	1.8	0.0- 4.0
35-44	372	399,021				111	30.3	24.2-36.4	168	44.7	38.2-51.2	62	18.0	12.7-23.3	24	5.6	2.7- 8.5	7	1.4	0.2- 2.6
45-54	507	385,577	5	0.6	0.0- 1.2	176	34.7	29.2-40.2	219	43.1	37.2-49.0	79	16.9	12.2-21.6	22	3.7	1.5- 5.9	6	1.0	0.0- 2.0
55-64	598	403,415	14	1.7	0.5- 2.9	228	39.7	34.6-44.8	259	43.7	38.6-48.8	73	10.4	7.5-13.3	19	4.0	1.8- 6.2	5	0.6	0.0- 1.2
65+	1031	560,531	21	2.0	0.8- 3.2	496	47.9	43.8-52.0	405	40.0	36.1-43.9	92	7.5	5.7- 9.3	12	1.7	0.3- 3.1	5	0.8	0.0- 1.8
Less Than H.S.	303	328,885	11	3.1	0.9- 5.3	127	44.2	36.2-52.2	123	37.9	30.5-45.3	31	10.5	5.8-15.2	9	2.7	0.5- 4.9	2	1.4	0.0- 3.8
H.S. or G.E.D.	943	774,369	17	1.7	0.5- 2.9	398	41.6	37.3-45.9	359	37.3	33.2-41.4	125	14.7	11.6-17.8	32	3.8	2.0- 5.6	12	1.0	0.4- 1.6
Some Post-H.S.	824	781,373	11	1.7	0.1- 3.3	297	38.9	34.0-43.8	362	42.1	37.4-46.8	114	12.0	9.1-14.9	31	4.2	2.2- 6.2	9	1.1	0.1- 2.1
College Graduate	911	573,897	10	0.4	0.2- 0.6	411	49.8	45.3-54.3	362	37.3	33.0-41.6	101	9.7	7.2-12.2	21	2.2	1.0- 3.4	6	0.6	0.0- 1.2
Less than \$15,000	407	331,515	10	2.4	0.0- 4.9	166	45.0	37.4-52.6	148	33.5	26.6-40.4	54	11.0	7.1-14.9	21	5.4	2.1- 8.7	8	2.7	0.0- 5.4
\$15,000- 24,999	569	461,390	15	2.3	0.5- 4.1	214	36.9	31.2-42.6	218	39.4	33.7-45.1	92	16.6	12.1-21.1	24	4.1	1.7- 6.5	6	0.8	0.0- 1.6
\$25,000- 34,999	295	237,269	5	2.1	0.0- 4.3	99	33.3	25.9-40.7	138	48.8	41.0-56.6	42	13.0	8.1-17.9	7	1.4	0.2- 2.6	4	1.3	0.0- 2.7
\$35,000- 49,999	291	256,811	3	1.9	0.0- 5.0	104	34.0	26.6-41.4	126	38.9	31.6-46.2	36	14.3	8.4-20.2	19	9.4	4.3-14.5	3	1.5	0.0- 3.5
\$50,000- 74,999	366	305,698	5	0.8	0.0- 2.0	140	43.4	36.3-50.5	164	41.5	34.6-48.4	50	13.0	8.3-17.7	5	0.8	0.0- 1.8	2	0.4	0.0- 1.0
\$75,000+	543	465,390	3	0.3	0.0- 0.7	244	46.2	40.5-51.9	235	42.1	36.6-47.6	51	9.0	5.5-12.5	9	2.1	0.7- 3.5	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5354	4,788,252	77	1.5	1.1- 1.9	1583	30.3	28.5-32.1	1888	35.4	33.6-37.2	1052	18.9	17.3-20.5	754	13.8	12.4-15.2
Male	2418	2,390,625	26	1.2	0.6- 1.8	574	25.8	23.3-28.3	1000	39.8	37.1-42.5	516	20.7	18.3-23.1	302	12.4	10.6-14.2
Female	2936	2,397,627	51	1.8	1.2- 2.4	1009	34.8	32.3-37.3	888	31.1	28.7-33.5	536	17.1	15.3-18.9	452	15.3	13.5-17.1
White/Non-Hisp	4352	3,609,197	63	1.4	1.0- 1.8	1337	31.3	29.3-33.3	1556	36.4	34.4-38.4	814	17.7	16.1-19.3	582	13.2	11.8-14.6
Black or Afr. Am./Non-Hisp	579	729,630	5	1.3	0.0- 2.7	119	22.2	17.3-27.1	195	31.8	26.5-37.1	150	25.8	20.7-30.9	110	18.9	14.6-23.2
Oth. Race/Non-Hisp.	132	140,339	4	2.4	0.0- 4.9	44	42.9	27.2-58.6	46	32.4	20.4-44.4	20	11.7	4.8-18.6	18	10.6	4.3-16.9
MultiRacial/Non-Hisp.	92	64,221	1	2.2	0.0- 6.5	27	30.5	16.8-44.2	24	31.7	17.0-46.4	21	18.2	6.6-29.8	19	17.4	6.0-28.8
Hispanic	104	164,411	1	0.8	0.0- 2.4	26	35.6	21.5-49.7	34	36.6	22.5-50.7	33	23.1	12.9-33.3	10	3.9	1.0- 6.8
18-24	301	573,595	8	2.3	0.5- 4.1	138	50.5	43.2-57.8	96	31.8	25.1-38.5	33	9.7	6.0-13.4	26	5.7	3.2- 8.2
25-34	606	823,470	10	1.6	0.2- 3.0	199	33.6	28.7-38.5	203	33.6	28.5-38.7	102	16.0	11.9-20.1	92	15.1	11.4-18.8
35-44	678	782,308	2	0.5	0.0- 1.1	179	24.1	20.0-28.2	225	36.7	31.8-41.6	148	22.0	17.9-26.1	124	16.7	13.2-20.2
45-54	929	776,868	12	1.8	0.6- 3.0	228	23.6	19.9-27.3	332	36.4	32.3-40.5	197	21.4	17.7-25.1	160	16.9	13.6-20.2
55-64	1101	805,749	16	1.5	0.5- 2.5	280	24.4	21.1-27.7	390	35.6	31.9-39.3	242	22.1	18.8-25.4	173	16.4	13.3-19.5
65+	1739	1,026,262	29	1.6	0.8- 2.4	559	30.9	28.0-33.8	642	37.0	34.1-39.9	330	19.6	17.1-22.1	179	10.9	8.9-12.9
Less Than H.S.	526	658,580	17	2.8	1.2- 4.4	132	23.3	17.8-28.8	192	38.3	32.2-44.4	111	20.6	15.3-25.9	74	14.9	10.8-19.0
H.S. or G.E.D.	1717	1,585,698	35	1.9	1.1- 2.7	511	30.3	27.2-33.4	572	34.5	31.4-37.6	322	17.6	15.2-20.0	277	15.7	13.3-18.1
Some Post-H.S.	1392	1,423,922	14	1.1	0.3- 1.9	368	29.0	25.5-32.5	477	33.6	30.3-36.9	313	21.9	19.0-24.8	220	14.5	12.0-17.0
College Graduate	1711	1,114,856	11	0.8	0.2- 1.4	569	36.2	33.1-39.3	645	37.4	34.3-40.5	303	15.8	13.6-18.0	183	9.8	8.0-11.6
Less than \$15,000	619	535,982	15	2.1	0.7- 3.5	185	27.7	22.4-33.0	202	34.1	28.4-39.8	106	18.3	13.0-23.6	111	17.7	13.2-22.2
\$15,000- 24,999	914	775,974	19	2.1	0.9- 3.3	250	26.7	22.6-30.8	292	32.2	27.9-36.5	180	19.8	16.3-23.3	173	19.3	15.8-22.8
\$25,000- 34,999	529	488,922	13	2.0	0.6- 3.4	151	30.7	24.0-37.4	185	35.7	29.6-41.8	100	18.9	14.0-23.8	80	12.7	8.8-16.6
\$35,000- 49,999	603	550,098	5	1.3	0.0- 2.9	162	31.7	26.0-37.4	212	31.6	26.7-36.5	139	20.2	16.1-24.3	85	15.2	11.1-19.3
\$50,000- 74,999	739	665,866	5	1.3	0.0- 2.7	198	29.0	24.5-33.5	270	36.9	32.0-41.8	167	19.9	16.2-23.6	99	13.0	9.7-16.3
\$75,000+	1137	1,055,560	5	0.8	0.0- 1.6	353	30.4	26.9-33.9	440	38.1	34.2-42.0	229	20.2	16.9-23.5	110	10.5	8.1-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2418	2,390,625	26	1.2	0.6- 1.8	574	25.8	23.3-28.3	1000	39.8	37.1-42.5	516	20.7	18.3-23.1	302	12.4	10.6-14.2
White/Non-Hisp	1973	1,796,664	23	1.4	0.6- 2.2	465	25.4	22.7-28.1	842	41.8	38.9-44.7	402	19.0	16.6-21.4	241	12.4	10.4-14.4
Black or Afr. Am./Non-Hisp	231	343,523	1	0.7	0.0- 2.1	50	22.4	14.8-30.0	82	33.3	25.1-41.5	69	31.2	22.6-39.8	29	12.5	6.8-18.2
Oth. Race/Non-Hisp.	68	83,757	1	1.1	0.0- 3.3	24	51.9	30.9-72.9	23	26.2	11.7-40.7	8	8.8	1.0-16.6	12	12.1	2.7-21.5
18-24	159	304,143	2	0.9	0.0- 2.1	71	50.8	40.4-61.2	58	34.3	24.7-43.9	15	9.1	3.8-14.4	13	5.1	2.0- 8.2
25-34	298	419,256	7	1.9	0.0- 3.9	85	28.8	21.9-35.7	118	39.6	32.0-47.2	50	17.8	11.3-24.3	38	12.0	7.1-16.9
35-44	314	397,793	1	0.4	0.0- 1.2	70	20.6	14.7-26.5	123	42.2	34.9-49.5	77	23.3	17.0-29.6	43	13.4	8.7-18.1
45-54	426	395,396	3	1.8	0.0- 4.0	85	21.6	16.3-26.9	169	37.8	31.7-43.9	102	25.3	19.4-31.2	67	13.5	9.4-17.6
55-64	505	402,858	9	2.1	0.5- 3.7	89	15.5	11.4-19.6	210	39.6	33.9-45.3	119	23.7	18.6-28.8	78	19.0	14.1-23.9
65+	716	471,179	4	0.4	0.0- 0.8	174	23.9	19.8-28.0	322	43.4	38.7-48.1	153	22.1	18.0-26.2	63	10.2	7.1-13.3
Less Than H.S.	234	350,931	7	2.4	0.2- 4.6	48	20.6	11.8-29.4	97	41.2	31.8-50.6	55	23.2	15.0-31.4	27	12.5	7.0-18.0
H.S. or G.E.D.	789	826,801	12	1.5	0.3- 2.7	202	29.1	24.6-33.6	304	39.4	34.7-44.1	158	17.2	13.9-20.5	113	12.9	10.0-15.8
Some Post-H.S.	577	654,805	4	1.1	0.0- 2.3	122	23.1	18.2-28.0	226	35.5	30.4-40.6	144	26.1	21.2-31.0	81	14.4	10.5-18.3
College Graduate	815	556,021	3	0.4	0.0- 1.0	201	27.6	23.5-31.7	373	44.8	40.3-49.3	157	17.8	14.5-21.1	81	9.4	6.9-11.9
Less than \$15,000	218	218,571	4	2.4	0.0- 5.1	64	24.8	16.4-33.2	89	38.7	28.9-48.5	34	21.2	10.6-31.8	27	12.9	6.6-19.2
\$15,000- 24,999	353	319,888	5	1.4	0.0- 2.8	89	27.4	20.9-33.9	128	31.7	25.2-38.2	78	24.8	18.5-31.1	53	14.7	9.8-19.6
\$25,000- 34,999	238	256,227	4	0.9	0.0- 1.9	64	32.2	21.6-42.8	101	39.7	30.1-49.3	36	14.1	7.0-21.2	33	13.0	6.7-19.3
\$35,000- 49,999	317	301,105	1	0.6	0.0- 1.8	73	32.6	24.4-40.8	125	34.2	27.1-41.3	84	22.6	16.5-28.7	34	10.0	5.5-14.5
\$50,000- 74,999	378	368,227	1	1.0	0.0- 3.0	72	19.5	14.2-24.8	167	44.6	37.5-51.7	85	20.2	14.9-25.5	53	14.6	9.7-19.5
\$75,000+	602	601,511	3	1.1	0.0- 2.5	127	21.5	17.0-26.0	269	43.2	37.7-48.7	138	22.4	17.9-26.9	65	11.8	8.5-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2936	2,397,627	51	1.8	1.2- 2.4	1009	34.8	32.3-37.3	888	31.1	28.7-33.5	536	17.1	15.3-18.9	452	15.3	13.5-17.1
White/Non-Hisp	2379	1,812,533	40	1.5	0.9- 2.1	872	37.1	34.4-39.8	714	31.0	28.5-33.5	412	16.4	14.4-18.4	341	14.0	12.0-16.0
Black or Afr. Am./Non-Hisp	348	386,107	4	1.8	0.0- 4.2	69	22.0	15.7-28.3	113	30.6	23.7-37.5	81	21.1	15.2-27.0	81	24.5	18.2-30.8
Oth. Race/Non-Hisp.	64	56,583	3	4.3	0.0- 9.6	20	29.5	13.2-45.8	23	41.8	24.7-58.9	12	16.1	4.5-27.7	6	8.3	0.7-15.9
MultiRacial/Non-Hisp.	53	33,807	1	4.2	0.0-12.2	19	44.8	25.6-64.0	10	23.2	6.3-40.1	13	14.4	4.0-24.8	10	13.4	2.6-24.2
Hispanic	55	79,691	1	1.7	0.0- 5.0	17	47.5	28.1-66.9	15	28.9	13.0-44.8	14	16.3	5.5-27.1	8	5.7	1.0-10.4
18-24	142	269,452	6	3.8	0.1- 7.5	67	50.3	39.9-60.7	38	29.1	19.7-38.5	18	10.4	4.9-15.9	13	6.4	2.3-10.5
25-34	308	404,214	3	1.4	0.0- 3.4	114	38.7	31.6-45.8	85	27.5	21.0-34.0	52	14.1	9.4-18.8	54	18.3	12.6-24.0
35-44	364	384,515	1	0.6	0.0- 1.8	109	27.6	21.9-33.3	102	31.0	24.7-37.3	71	20.6	14.9-26.3	81	20.2	14.9-25.5
45-54	503	381,472	9	1.7	0.3- 3.1	143	25.6	20.7-30.5	163	34.9	29.2-40.6	95	17.4	13.1-21.7	93	20.4	15.1-25.7
55-64	596	402,891	7	0.9	0.1- 1.7	191	33.3	28.4-38.2	180	31.7	26.8-36.6	123	20.4	16.3-24.5	95	13.7	10.2-17.2
65+	1023	555,083	25	2.6	1.2- 4.0	385	36.9	33.0-40.8	320	31.5	27.8-35.2	177	17.5	14.4-20.6	116	11.5	8.8-14.2
Less Than H.S.	292	307,650	10	3.2	0.8- 5.6	84	26.4	19.7-33.1	95	35.1	27.5-42.7	56	17.6	11.7-23.5	47	17.7	11.4-24.0
H.S. or G.E.D.	928	758,896	23	2.4	1.0- 3.8	309	31.7	27.6-35.8	268	29.3	25.4-33.2	164	17.9	14.8-21.0	164	18.7	15.2-22.2
Some Post-H.S.	815	769,117	10	1.1	0.0- 2.3	246	34.0	29.1-38.9	251	32.0	27.5-36.5	169	18.3	14.8-21.8	139	14.7	11.4-18.0
College Graduate	896	558,835	8	1.2	0.2- 2.2	368	44.8	40.3-49.3	272	30.0	25.9-34.1	146	13.9	11.0-16.8	102	10.1	7.6-12.6
Less than \$15,000	401	317,412	11	1.9	0.5- 3.3	121	29.6	22.9-36.3	113	31.0	23.9-38.1	72	16.4	11.3-21.5	84	21.1	15.0-27.2
\$15,000- 24,999	561	456,086	14	2.6	0.6- 4.6	161	26.1	21.0-31.2	164	32.5	26.8-38.2	102	16.3	12.4-20.2	120	22.4	17.3-27.5
\$25,000- 34,999	291	232,695	9	3.2	0.7- 5.7	87	28.9	21.6-36.2	84	31.2	23.8-38.6	64	24.2	17.5-30.9	47	12.5	8.0-17.0
\$35,000- 49,999	286	248,993	4	2.1	0.0- 5.4	89	30.6	23.2-38.0	87	28.6	21.9-35.3	55	17.3	12.0-22.6	51	21.5	14.6-28.4
\$50,000- 74,999	361	297,638	4	1.6	0.0- 3.6	126	40.8	33.7-47.9	103	27.3	21.2-33.4	82	19.4	14.1-24.7	46	10.9	6.6-15.2
\$75,000+	535	454,049	2	0.4	0.0- 1.0	226	42.2	36.5-47.9	171	31.3	26.2-36.4	91	17.3	12.8-21.8	45	8.8	5.7-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5354	4,788,252	103	2.0	1.4- 2.6	1551	29.8	28.0-31.6	1890	35.4	33.6-37.2	1810	32.8	31.0-34.6
Male	2418	2,390,625	33	1.5	0.9- 2.1	561	25.3	22.8-27.8	1003	39.8	37.1-42.5	821	33.3	30.6-36.0
Female	2936	2,397,627	70	2.4	1.6- 3.2	990	34.2	31.7-36.7	887	31.0	28.6-33.4	989	32.4	30.0-34.8
White/Non-Hisp	4352	3,609,197	87	2.0	1.4- 2.6	1307	30.6	28.6-32.6	1558	36.4	34.4-38.4	1400	31.0	29.0-33.0
Black or Afr. Am./Non-Hisp	579	729,630	6	1.3	0.0- 2.7	118	22.1	17.2-27.0	195	31.8	26.5-37.1	260	44.7	39.0-50.4
Oth. Race/Non-Hisp.	132	140,339	4	2.4	0.0- 4.9	44	42.9	27.2-58.6	46	32.4	20.4-44.4	38	22.3	12.9-31.7
MultiRacial/Non-Hisp.	92	64,221	1	2.2	0.0- 6.5	27	30.5	16.8-44.2	24	31.7	17.0-46.4	40	35.6	21.1-50.1
Hispanic	104	164,411	2	1.9	0.0- 4.6	25	34.5	20.4-48.6	34	36.6	22.5-50.7	43	27.0	16.4-37.6
18-24	301	573,595	14	4.3	1.8- 6.8	131	48.3	40.9-55.7	96	31.8	25.1-38.5	60	15.6	11.1-20.1
25-34	606	823,470	14	2.1	0.7- 3.5	193	32.7	27.8-37.6	205	34.0	28.9-39.1	194	31.1	26.2-36.0
35-44	678	782,308	2	0.5	0.0- 1.1	179	24.1	20.0-28.2	224	36.6	31.7-41.5	273	38.9	34.2-43.6
45-54	929	776,868	15	1.9	0.5- 3.3	224	23.3	19.6-27.0	332	36.2	32.1-40.3	358	38.5	34.2-42.8
55-64	1101	805,749	21	1.9	0.9- 2.9	275	24.1	20.8-27.4	390	35.6	31.9-39.3	415	38.4	34.5-42.3
65+	1739	1,026,262	37	1.8	1.0- 2.6	549	30.7	27.8-33.6	643	37.0	34.1-39.9	510	30.6	27.7-33.5
Less Than H.S.	526	658,580	19	3.0	1.4- 4.6	130	23.1	17.6-28.6	192	38.3	32.2-44.4	185	35.6	29.5-41.7
H.S. or G.E.D.	1717	1,585,698	48	2.7	1.7- 3.7	496	29.5	26.4-32.6	572	34.5	31.4-37.6	601	33.4	30.5-36.3
Some Post-H.S.	1392	1,423,922	18	1.3	0.3- 2.3	362	28.6	25.1-32.1	478	33.6	30.3-36.9	534	36.5	33.0-40.0
College Graduate	1711	1,114,856	18	1.2	0.4- 2.0	560	35.5	32.4-38.6	646	37.5	34.4-40.6	487	25.8	23.1-28.5
Less than \$15,000	619	535,982	18	2.2	0.8- 3.6	182	27.5	22.2-32.8	202	34.1	28.4-39.8	217	36.1	30.0-42.2
\$15,000- 24,999	914	775,974	22	2.4	1.0- 3.8	247	26.4	22.3-30.5	291	32.1	27.8-36.4	354	39.1	34.6-43.6
\$25,000- 34,999	529	488,922	16	3.0	1.0- 5.0	148	29.7	23.0-36.4	184	35.4	29.3-41.5	181	31.9	26.0-37.8
\$35,000- 49,999	603	550,098	6	1.4	0.0- 3.0	160	31.5	25.8-37.2	213	31.7	26.8-36.6	224	35.4	30.3-40.5
\$50,000- 74,999	739	665,866	9	2.1	0.3- 3.9	193	28.0	23.5-32.5	271	37.1	32.2-42.0	266	32.8	28.3-37.3
\$75,000+	1137	1,055,560	12	1.2	0.2- 2.2	342	29.6	26.1-33.1	442	38.2	34.3-42.1	341	31.0	27.3-34.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2418	2,390,625	33	1.5	0.9- 2.1	561	25.3	22.8-27.8	1003	39.8	37.1-42.5	821	33.3	30.8-35.8
White/Non-Hisp	1973	1,796,664	29	1.7	0.9- 2.5	453	24.8	22.1-27.5	845	41.9	39.0-44.8	646	31.7	29.0-34.4
Black or Afr. Am./Non-Hisp	231	343,523	2	0.8	0.0- 2.2	49	22.3	14.7-29.9	82	33.3	25.1-41.5	98	43.7	34.9-52.5
Oth. Race/Non-Hisp.	68	83,757	1	1.1	0.0- 3.3	24	51.9	30.9-72.9	23	26.2	11.7-40.7	20	20.9	8.2-33.6
18-24	159	304,143	5	2.4	0.0- 4.8	67	48.8	38.2-59.4	58	34.2	24.6-43.8	29	14.6	8.5-20.7
25-34	298	419,256	9	2.1	0.1- 4.1	81	27.7	21.0-34.4	120	40.4	32.8-48.0	88	29.8	22.4-37.2
35-44	314	397,793	1	0.4	0.0- 1.2	70	20.6	14.7-26.5	122	41.9	34.6-49.2	121	37.1	30.0-44.2
45-54	426	395,396	4	1.8	0.0- 4.0	83	21.4	16.1-26.7	169	37.5	31.4-43.6	170	39.3	33.0-45.6
55-64	505	402,858	9	2.1	0.5- 3.7	89	15.5	11.4-19.6	210	39.6	33.9-45.3	197	42.8	36.9-48.7
65+	716	471,179	5	0.5	0.1- 0.9	171	23.8	19.7-27.9	324	43.5	38.8-48.2	216	32.3	27.6-37.0
Less Than H.S.	234	350,931	7	2.4	0.2- 4.6	48	20.6	11.8-29.4	97	41.2	31.8-50.6	82	35.7	26.7-44.7
H.S. or G.E.D.	789	826,801	17	2.1	0.7- 3.5	195	28.3	23.8-32.8	305	39.4	34.7-44.1	272	30.3	26.2-34.4
Some Post-H.S.	577	654,805	4	1.1	0.0- 2.3	120	22.9	18.0-27.8	227	35.5	30.4-40.6	226	40.6	35.1-46.1
College Graduate	815	556,021	5	0.6	0.0- 1.2	197	26.8	22.7-30.9	374	45.0	40.5-49.5	239	27.6	23.7-31.5
Less than \$15,000	218	218,571	4	2.4	0.0- 5.1	64	24.8	16.4-33.2	89	38.7	28.9-48.5	61	34.1	23.3-44.9
\$15,000- 24,999	353	319,888	7	1.9	0.3- 3.5	87	26.9	20.4-33.4	128	31.7	25.2-38.2	131	39.5	32.4-46.6
\$25,000- 34,999	238	256,227	5	2.1	0.0- 4.6	63	31.1	20.5-41.7	100	39.2	29.6-48.8	70	27.7	18.9-36.5
\$35,000- 49,999	317	301,105	2	0.8	0.0- 2.0	71	32.3	24.1-40.5	126	34.2	27.1-41.3	118	32.6	25.7-39.5
\$50,000- 74,999	378	368,227	1	1.0	0.0- 3.0	71	19.1	13.8-24.4	168	45.0	37.9-52.1	138	34.9	28.4-41.4
\$75,000+	602	601,511	5	1.2	0.0- 2.6	121	20.7	16.2-25.2	271	43.4	37.9-48.9	205	34.7	29.6-39.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2936	2,397,627	70	2.4	1.6- 3.2	990	34.2	31.7-36.7	887	31.0	28.6-33.4	989	32.4	30.0-34.8
White/Non-Hisp	2379	1,812,533	58	2.3	1.5- 3.1	854	36.3	33.6-39.0	713	31.0	28.5-33.5	754	30.4	27.9-32.9
Black or Afr. Am./Non-Hisp	348	386,107	4	1.8	0.0- 4.2	69	22.0	15.7-28.3	113	30.6	23.7-37.5	162	45.6	38.3-52.9
Oth. Race/Non-Hisp.	64	56,583	3	4.3	0.0- 9.6	20	29.5	13.2-45.8	23	41.8	24.7-58.9	18	24.4	11.1-37.7
MultiRacial/Non-Hisp.	53	33,807	1	4.2	0.0-12.2	19	44.8	25.6-64.0	10	23.2	6.3-40.1	23	27.8	13.1-42.5
Hispanic	55	79,691	2	3.9	0.0- 9.4	16	45.2	25.6-64.8	15	28.9	13.0-44.8	22	22.0	9.8-34.2
18-24	142	269,452	9	6.4	1.7-11.1	64	47.7	37.3-58.1	38	29.1	19.7-38.5	31	16.8	10.1-23.5
25-34	308	404,214	5	2.1	0.0- 4.3	112	37.9	30.8-45.0	85	27.5	21.0-34.0	106	32.4	25.7-39.1
35-44	364	384,515	1	0.6	0.0- 1.8	109	27.6	21.9-33.3	102	31.0	24.7-37.3	152	40.8	34.1-47.5
45-54	503	381,472	11	2.0	0.6- 3.4	141	25.3	20.4-30.2	163	34.9	29.2-40.6	188	37.8	31.9-43.7
55-64	596	402,891	12	1.6	0.4- 2.8	186	32.6	27.7-37.5	180	31.7	26.8-36.6	218	34.1	29.2-39.0
65+	1023	555,083	32	2.9	1.5- 4.3	378	36.6	32.7-40.5	319	31.4	27.7-35.1	294	29.1	25.4-32.8
Less Than H.S.	292	307,650	12	3.7	1.2- 6.2	82	25.9	19.2-32.6	95	35.1	27.5-42.7	103	35.4	27.8-43.0
H.S. or G.E.D.	928	758,896	31	3.3	1.7- 4.9	301	30.8	26.7-34.9	267	29.2	25.3-33.1	329	36.7	32.4-41.0
Some Post-H.S.	815	769,117	14	1.5	0.3- 2.7	242	33.5	28.6-38.4	251	32.0	27.5-36.5	308	32.9	28.6-37.2
College Graduate	896	558,835	13	1.8	0.4- 3.2	363	44.1	39.6-48.6	272	30.0	25.9-34.1	248	24.0	20.3-27.7
Less than \$15,000	401	317,412	14	2.1	0.7- 3.5	118	29.4	22.7-36.1	113	31.0	23.9-38.1	156	37.4	30.3-44.5
\$15,000- 24,999	561	456,086	15	2.7	0.7- 4.7	160	26.1	21.0-31.2	163	32.4	26.7-38.1	223	38.8	33.1-44.5
\$25,000- 34,999	291	232,695	11	3.9	1.2- 6.6	85	28.2	20.9-35.5	84	31.2	23.8-38.6	111	36.6	29.2-44.0
\$35,000- 49,999	286	248,993	4	2.1	0.0- 5.4	89	30.6	23.2-38.0	87	28.6	21.9-35.3	106	38.8	31.2-46.4
\$50,000- 74,999	361	297,638	8	3.4	0.5- 6.3	122	39.0	31.9-46.1	103	27.3	21.2-33.4	128	30.3	24.0-36.6
\$75,000+	535	454,049	7	1.3	0.1- 2.5	221	41.4	35.7-47.1	171	31.3	26.2-36.4	136	26.0	20.9-31.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5354	4,788,252	1654	31.7	29.9-33.5	3700	68.3	66.5-70.1
Male	2418	2,390,625	594	26.8	24.3-29.3	1824	73.2	70.7-75.7
Female	2936	2,397,627	1060	36.6	34.1-39.1	1876	63.4	60.9-65.9
White/Non-Hisp	4352	3,609,197	1394	32.6	30.6-34.6	2958	67.4	65.4-69.4
Black or Afr. Am./Non-Hisp	579	729,630	124	23.5	18.6-28.4	455	76.5	71.6-81.4
Oth. Race/Non-Hisp.	132	140,339	48	45.2	29.9-60.5	84	54.8	39.5-70.1
MultiRacial/Non-Hisp.	92	64,221	28	32.7	18.8-46.6	64	67.3	53.4-81.2
Hispanic	104	164,411	27	36.4	22.3-50.5	77	63.6	49.5-77.7
18-24	301	573,595	145	52.6	45.3-59.9	156	47.4	40.1-54.7
25-34	606	823,470	207	34.9	29.8-40.0	399	65.1	60.0-70.2
35-44	678	782,308	181	24.5	20.4-28.6	497	75.5	71.4-79.6
45-54	929	776,868	239	25.3	21.6-29.0	690	74.7	71.0-78.4
55-64	1101	805,749	296	25.9	22.6-29.2	805	74.1	70.8-77.4
65+	1739	1,026,262	586	32.5	29.6-35.4	1153	67.5	64.6-70.4
Less Than H.S.	526	658,580	149	26.1	20.4-31.8	377	73.9	68.2-79.6
H.S. or G.E.D.	1717	1,585,698	544	32.1	29.0-35.2	1173	67.9	64.8-71.0
Some Post-H.S.	1392	1,423,922	380	29.9	26.4-33.4	1012	70.1	66.6-73.6
College Graduate	1711	1,114,856	578	36.7	33.6-39.8	1133	63.3	60.2-66.4
Less than \$15,000	619	535,982	200	29.8	24.5-35.1	419	70.2	64.9-75.5
\$15,000- 24,999	914	775,974	269	28.8	24.7-32.9	645	71.2	67.1-75.3
\$25,000- 34,999	529	488,922	164	32.7	26.0-39.4	365	67.3	60.6-74.0
\$35,000- 49,999	603	550,098	166	32.9	27.2-38.6	437	67.1	61.4-72.8
\$50,000- 74,999	739	665,866	202	30.1	25.4-34.8	537	69.9	65.2-74.6
\$75,000+	1137	1,055,560	354	30.8	27.1-34.5	783	69.2	65.5-72.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2418	2,390,625	594	26.8	24.3-29.3	1824	73.2	70.7-75.7
White/Non-Hisp	1973	1,796,664	482	26.5	23.8-29.2	1491	73.5	70.8-76.2
Black or Afr. Am./Non-Hisp	231	343,523	51	23.0	15.4-30.6	180	77.0	69.4-84.6
Oth. Race/Non-Hisp.	68	83,757	25	53.0	32.2-73.8	43	47.0	26.2-67.8
18-24	159	304,143	72	51.2	40.8-61.6	87	48.8	38.4-59.2
25-34	298	419,256	90	29.8	22.9-36.7	208	70.2	63.3-77.1
35-44	314	397,793	71	21.0	15.1-26.9	243	79.0	73.1-84.9
45-54	426	395,396	87	23.3	17.8-28.8	339	76.7	71.2-82.2
55-64	505	402,858	98	17.7	13.4-22.0	407	82.3	78.0-86.6
65+	716	471,179	176	24.2	20.1-28.3	540	75.8	71.7-79.9
Less Than H.S.	234	350,931	55	23.1	14.3-31.9	179	76.9	68.1-85.7
H.S. or G.E.D.	789	826,801	212	30.4	25.9-34.9	577	69.6	65.1-74.1
Some Post-H.S.	577	654,805	124	23.9	18.8-29.0	453	76.1	71.0-81.2
College Graduate	815	556,021	202	27.4	23.3-31.5	613	72.6	68.5-76.7
Less than \$15,000	218	218,571	68	27.2	18.6-35.8	150	72.8	64.2-81.4
\$15,000- 24,999	353	319,888	94	28.8	22.1-35.5	259	71.2	64.5-77.9
\$25,000- 34,999	238	256,227	68	33.2	22.6-43.8	170	66.8	56.2-77.4
\$35,000- 49,999	317	301,105	73	33.1	24.9-41.3	244	66.9	58.7-75.1
\$50,000- 74,999	378	368,227	72	20.1	14.6-25.6	306	79.9	74.4-85.4
\$75,000+	602	601,511	126	21.9	17.4-26.4	476	78.1	73.6-82.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2936	2,397,627	1060	36.6	34.1-39.1	1876	63.4	60.9-65.9
White/Non-Hisp	2379	1,812,533	912	38.6	35.9-41.3	1467	61.4	58.7-64.1
Black or Afr. Am./Non-Hisp	348	386,107	73	23.8	17.3-30.3	275	76.2	69.7-82.7
Oth. Race/Non-Hisp.	64	56,583	23	33.8	17.3-50.3	41	66.2	49.7-82.7
MultiRacial/Non-Hisp.	53	33,807	20	49.0	30.0-68.0	33	51.0	32.0-70.0
Hispanic	55	79,691	18	49.1	29.9-68.3	37	50.9	31.7-70.1
18-24	142	269,452	73	54.1	43.9-64.3	69	45.9	35.7-56.1
25-34	308	404,214	117	40.1	32.8-47.4	191	59.9	52.6-67.2
35-44	364	384,515	110	28.2	22.3-34.1	254	71.8	65.9-77.7
45-54	503	381,472	152	27.3	22.2-32.4	351	72.7	67.6-77.8
55-64	596	402,891	198	34.2	29.1-39.3	398	65.8	60.7-70.9
65+	1023	555,083	410	39.5	35.6-43.4	613	60.5	56.6-64.4
Less Than H.S.	292	307,650	94	29.6	22.7-36.5	198	70.4	63.5-77.3
H.S. or G.E.D.	928	758,896	332	34.1	30.0-38.2	596	65.9	61.8-70.0
Some Post-H.S.	815	769,117	256	35.1	30.2-40.0	559	64.9	60.0-69.8
College Graduate	896	558,835	376	45.9	41.4-50.4	520	54.1	49.6-58.6
Less than \$15,000	401	317,412	132	31.6	24.9-38.3	269	68.4	61.7-75.1
\$15,000- 24,999	561	456,086	175	28.8	23.5-34.1	386	71.2	65.9-76.5
\$25,000- 34,999	291	232,695	96	32.1	24.7-39.5	195	67.9	60.5-75.3
\$35,000- 49,999	286	248,993	93	32.7	25.1-40.3	193	67.3	59.7-74.9
\$50,000- 74,999	361	297,638	130	42.4	35.3-49.5	231	57.6	50.5-64.7
\$75,000+	535	454,049	228	42.6	36.9-48.3	307	57.4	51.7-63.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5806	5,192,204	4147	64.1	62.3-65.9	745	15.2	13.8-16.6	564	12.2	10.8-13.6	228	5.6	4.6- 6.6	78	2.0	1.4- 2.6	44	0.9	0.5- 1.3
Male	2523	2,502,177	1815	65.5	62.8-68.2	315	14.3	12.3-16.3	254	12.5	10.5-14.5	92	5.3	3.9- 6.7	31	1.7	0.9- 2.5	16	0.8	0.4- 1.2
Female	3283	2,690,026	2332	62.8	60.4-65.2	430	16.1	14.1-18.1	310	12.0	10.2-13.8	136	5.9	4.5- 7.3	47	2.2	1.2- 3.2	28	1.1	0.5- 1.7
White/Non-Hisp	4696	3,885,403	3426	66.8	64.8-68.8	569	14.1	12.7-15.5	445	12.0	10.6-13.4	172	5.0	4.0- 6.0	51	1.2	0.8- 1.6	33	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	646	811,178	408	56.2	50.7-61.7	111	19.2	14.9-23.5	71	11.5	8.0-15.0	34	7.6	4.5-10.7	13	3.9	1.0- 6.8	9	1.6	0.2- 3.0
Oth. Race/Non-Hisp.	143	151,941	105	65.6	52.7-78.5	16	13.8	3.6-24.0	11	9.5	2.8-16.2	8	9.2	1.6-16.8	2	0.6	0.0- 1.6	1	1.3	0.0- 3.8
MultiRacial/Non-Hisp.	94	65,088	68	62.7	48.2-77.2	14	22.4	9.7-35.1	5	7.7	0.0-16.3	5	3.4	0.0- 7.5	2	3.9	0.0- 9.8			
Hispanic	115	184,238	47	30.1	19.7-40.5	25	23.9	12.5-35.3	25	27.1	14.2-40.0	9	9.4	1.8-17.0	9	9.4	1.4-17.4			
18-24	333	631,444	218	60.1	53.0-67.2	62	21.3	15.2-27.4	40	13.8	8.9-18.7	10	2.8	0.6- 5.0	3	2.0	0.0- 4.5			
25-34	646	874,424	277	40.3	35.4-45.2	131	19.4	15.5-23.3	127	20.8	16.3-25.3	67	12.0	8.5-15.5	32	5.4	2.9- 7.9	12	2.1	0.7- 3.5
35-44	729	833,342	219	32.6	28.1-37.1	183	23.0	19.1-26.9	193	25.8	21.7-29.9	89	12.5	9.2-15.8	25	3.7	1.7- 5.7	20	2.4	1.0- 3.8
45-54	1033	869,925	650	62.1	58.2-66.0	201	19.6	16.3-22.9	127	11.9	9.4-14.4	37	4.7	2.7- 6.7	11	0.9	0.3- 1.5	7	0.9	0.1- 1.7
55-64	1201	880,551	1033	86.6	84.1-89.1	93	7.9	5.7-10.1	49	3.5	2.3- 4.7	16	1.6	0.4- 2.8	6	0.3	0.1- 0.5	4	0.1	0.0- 0.3
65+	1864	1,102,518	1750	92.6	90.8-94.4	75	5.0	3.6- 6.4	28	1.5	0.9- 2.1	9	0.8	0.2- 1.4	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0
Less Than H.S.	577	734,711	450	69.9	64.0-75.8	50	10.9	7.2-14.6	45	10.3	6.2-14.4	19	4.1	1.6- 6.6	11	4.5	1.2- 7.8	2	0.4	0.0- 1.0
H.S. or G.E.D.	1875	1,722,372	1366	63.8	60.7-66.9	234	15.9	13.4-18.4	160	10.8	8.6-13.0	83	7.5	5.5- 9.5	20	1.3	0.5- 2.1	12	0.7	0.3- 1.1
Some Post-H.S.	1500	1,519,636	1040	61.6	58.1-65.1	211	16.4	13.7-19.1	152	13.6	10.9-16.3	58	5.2	3.4- 7.0	20	1.6	0.6- 2.6	19	1.6	0.6- 2.6
College Graduate	1840	1,203,646	1280	64.0	61.1-66.9	249	15.4	13.0-17.8	205	13.7	11.3-16.1	68	4.4	3.0- 5.8	27	1.8	1.0- 2.6	11	0.7	0.1- 1.3
Less than \$15,000	645	569,856	499	66.3	60.2-72.4	70	15.4	10.7-20.1	45	8.6	5.3-11.9	23	6.2	2.9- 9.5	7	3.4	0.0- 6.9	1	0.0	0.0- 0.0
\$15,000- 24,999	973	825,662	698	63.1	58.6-67.6	124	15.4	12.1-18.7	83	11.3	8.2-14.4	44	6.9	4.4- 9.4	15	2.0	0.8- 3.2	9	1.2	0.2- 2.2
\$25,000- 34,999	558	510,568	422	68.7	62.8-74.6	59	11.4	7.7-15.1	44	11.2	6.9-15.5	19	5.1	2.4- 7.8	9	2.5	0.0- 5.0	5	0.9	0.0- 1.9
\$35,000- 49,999	645	587,820	450	63.0	57.7-68.3	82	14.0	10.1-17.9	67	12.5	8.8-16.2	29	6.9	3.8-10.0	8	2.1	0.1- 4.1	9	1.5	0.5- 2.5
\$50,000- 74,999	773	697,100	546	64.5	59.6-69.4	103	13.2	10.1-16.3	72	13.8	9.5-18.1	34	5.9	3.4- 8.4	13	1.7	0.5- 2.9	5	1.0	0.0- 2.2
\$75,000+	1184	1,102,752	707	55.1	51.2-59.0	200	18.7	15.6-21.8	190	17.3	14.4-20.2	58	5.9	3.7- 8.1	18	1.7	0.7- 2.7	11	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2523	2,502,177	1815	65.5	62.8-68.2	315	14.3	12.3-16.3	254	12.5	10.5-14.5	92	5.3	3.9- 6.7	31	1.7	0.9- 2.5	16	0.8	0.4- 1.2
White/Non-Hisp	2047	1,864,820	1495	67.5	64.6-70.4	237	13.5	11.3-15.7	209	12.5	10.3-14.7	71	4.5	3.1- 5.9	21	1.1	0.5- 1.7	14	0.9	0.3- 1.5
Black or Afr. Am./Non-Hisp	245	366,793	167	62.3	53.9-70.7	42	16.1	10.0-22.2	17	9.9	4.4-15.4	14	9.6	4.1-15.1	5	2.1	0.0- 4.6			
Oth. Race/Non-Hisp.	72	89,250	51	64.8	46.0-83.6	9	17.2	1.1-33.3	8	10.4	2.2-18.6	3	5.4	0.0-13.8				1	2.2	0.0- 6.5
Hispanic	53	92,667	18	23.7	10.6-36.8	14	23.5	8.4-38.6	14	31.8	11.6-52.0	4	8.9	0.0-20.7	3	12.0	0.0-26.5			
18-24	168	324,483	115	63.3	53.5-73.1	26	20.1	11.5-28.7	19	12.0	5.5-18.5	7	4.3	0.4- 8.2	1	0.4	0.0- 1.2			
25-34	308	435,007	168	49.7	42.1-57.3	48	14.0	8.9-19.1	53	21.8	14.9-28.7	23	8.9	4.4-13.4	12	4.0	0.9- 7.1	4	1.6	0.0- 3.6
35-44	325	410,968	114	37.1	30.0-44.2	73	19.9	14.6-25.2	85	25.5	19.4-31.6	35	11.4	6.7-16.1	11	4.4	1.3- 7.5	7	1.8	0.2- 3.4
45-54	453	423,040	265	59.0	52.9-65.1	91	20.9	15.8-26.0	72	13.5	9.8-17.2	16	4.6	1.7- 7.5	6	1.2	0.2- 2.2	3	0.9	0.0- 2.1
55-64	528	419,578	458	86.4	82.5-90.3	43	8.0	5.1-10.9	16	2.9	1.1- 4.7	9	2.5	0.3- 4.7				2	0.2	0.0- 0.4
65+	741	489,102	695	92.4	89.7-95.1	34	5.9	3.4- 8.4	9	1.1	0.3- 1.9	2	0.6	0.0- 1.4	1	0.0	0.0- 0.0			
Less Than H.S.	248	372,445	200	75.3	66.9-83.7	19	7.3	3.2-11.4	16	9.4	2.9-15.9	7	3.8	0.0- 7.7	5	3.9	0.0- 8.0	1	0.4	0.0- 1.2
H.S. or G.E.D.	824	865,217	585	62.2	57.5-66.9	108	16.1	12.2-20.0	78	11.7	8.6-14.8	42	8.5	5.6-11.4	8	1.2	0.4- 2.0	3	0.4	0.0- 1.0
Some Post-H.S.	603	681,965	423	63.4	58.1-68.7	81	16.1	11.8-20.4	65	14.5	10.4-18.6	19	3.1	1.3- 4.9	7	1.1	0.0- 2.3	8	1.8	0.2- 3.4
College Graduate	843	578,928	602	66.3	62.0-70.6	107	14.4	11.3-17.5	95	13.3	10.2-16.4	24	4.0	2.0- 6.0	11	1.6	0.6- 2.6	4	0.4	0.0- 0.8
Less than \$15,000	219	218,976	189	82.4	74.2-90.6	18	6.2	2.9- 9.5	6	3.7	0.0- 7.6	5	6.0	0.0-12.5	1	1.7	0.0- 5.0			
\$15,000- 24,999	365	332,810	280	72.5	66.0-79.0	43	13.3	8.6-18.0	24	7.7	3.4-12.0	14	5.2	2.1- 8.3	3	1.0	0.0- 2.2	1	0.3	0.0- 0.9
\$25,000- 34,999	246	262,045	192	70.1	60.9-79.3	20	6.9	2.4-11.4	20	13.1	6.0-20.2	7	4.9	0.8- 9.0	6	4.2	0.0- 9.1	1	0.7	0.0- 2.1
\$35,000- 49,999	325	313,940	232	64.4	56.6-72.2	38	12.7	7.0-18.4	34	14.1	8.2-20.0	15	6.8	2.5-11.1	2	0.6	0.0- 1.6	4	1.4	0.0- 2.8
\$50,000- 74,999	387	379,085	276	63.7	56.6-70.8	52	12.9	8.8-17.0	35	16.0	9.3-22.7	13	4.4	1.5- 7.3	7	1.3	0.3- 2.3	4	1.6	0.0- 3.8
\$75,000+	611	613,010	356	52.9	47.6-58.2	103	21.3	16.4-26.2	110	18.2	14.1-22.3	28	5.1	2.6- 7.6	9	1.6	0.4- 2.8	5	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3283	2,690,026	2332	62.8	60.4-65.2	430	16.1	14.1-18.1	310	12.0	10.2-13.8	136	5.9	4.5- 7.3	47	2.2	1.2- 3.2	28	1.1	0.5- 1.7
White/Non-Hisp	2649	2,020,583	1931	66.1	63.6-68.6	332	14.7	12.7-16.7	236	11.5	9.7-13.3	101	5.5	4.1- 6.9	30	1.3	0.7- 1.9	19	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	401	444,384	241	51.1	44.0-58.2	69	21.7	15.6-27.8	54	12.9	8.4-17.4	20	6.0	2.5- 9.5	8	5.5	0.8-10.2	9	2.9	0.4- 5.4
Oth. Race/Non-Hisp.	71	62,691	54	66.8	50.1-83.5	7	9.0	0.0-18.2	3	8.1	0.0-19.7	5	14.7	1.0-28.4	2	1.5	0.0- 3.9			
MultiRacial/Non-Hisp.	54	34,045	37	51.5	32.7-70.3	7	24.2	7.7-40.7	4	12.0	0.0-26.9	5	6.5	0.0-14.1	1	5.7	0.0-16.5			
Hispanic	62	91,571	29	36.6	20.9-52.3	11	24.2	7.5-40.9	11	22.3	6.6-38.0	5	10.0	0.0-20.0	6	6.9	0.2-13.6			
18-24	165	306,961	103	56.8	46.8-66.8	36	22.6	14.0-31.2	21	15.6	8.2-23.0	3	1.3	0.0- 2.9	2	3.6	0.0- 8.9			
25-34	338	439,417	109	31.0	24.9-37.1	83	24.6	18.7-30.5	74	19.8	14.1-25.5	44	15.1	9.8-20.4	20	6.9	3.0-10.8	8	2.5	0.3- 4.7
35-44	404	422,373	105	28.1	22.2-34.0	110	26.0	20.5-31.5	108	26.1	20.6-31.6	54	13.6	8.9-18.3	14	3.1	0.7- 5.5	13	3.1	0.9- 5.3
45-54	580	446,885	385	65.0	59.7-70.3	110	18.4	14.3-22.5	55	10.5	6.8-14.2	21	4.7	2.2- 7.2	5	0.6	0.0- 1.2	4	0.9	0.0- 1.9
55-64	673	460,973	575	86.8	83.5-90.1	50	7.8	4.9-10.7	33	4.0	2.4- 5.6	7	0.7	0.0- 1.5	6	0.6	0.0- 1.2	2	0.1	0.0- 0.3
65+	1123	613,416	1055	92.7	90.5-94.9	41	4.3	2.5- 6.1	19	1.9	0.9- 2.9	7	1.0	0.2- 1.8				1	0.0	0.0- 0.0
Less Than H.S.	329	362,266	250	64.4	56.6-72.2	31	14.6	8.5-20.7	29	11.1	6.4-15.8	12	4.4	1.3- 7.5	6	5.1	0.0-10.4	1	0.4	0.0- 1.2
H.S. or G.E.D.	1051	857,154	781	65.5	61.4-69.6	126	15.7	12.6-18.8	82	9.9	7.2-12.6	41	6.5	4.1- 8.9	12	1.4	0.2- 2.6	9	1.0	0.2- 1.8
Some Post-H.S.	897	837,672	617	60.1	55.4-64.8	130	16.7	13.0-20.4	87	12.9	9.4-16.4	39	6.8	4.1- 9.5	13	1.9	0.5- 3.3	11	1.5	0.3- 2.7
College Graduate	997	624,718	678	61.8	57.5-66.1	142	16.3	13.2-19.4	110	14.0	10.7-17.3	44	4.7	2.7- 6.7	16	2.1	0.7- 3.5	7	1.0	0.0- 2.0
Less than \$15,000	426	350,879	310	56.3	48.7-63.9	52	21.1	14.0-28.2	39	11.7	6.8-16.6	18	6.3	2.8- 9.8	6	4.5	0.0- 9.8	1	0.1	0.0- 0.3
\$15,000- 24,999	608	492,852	418	56.8	51.1-62.5	81	16.9	12.2-21.6	59	13.8	9.5-18.1	30	8.0	4.5-11.5	12	2.7	0.7- 4.7	8	1.9	0.3- 3.5
\$25,000- 34,999	312	248,523	230	67.3	60.0-74.6	39	16.2	10.3-22.1	24	9.3	5.0-13.6	12	5.4	1.7- 9.1	3	0.7	0.0- 1.5	4	1.1	0.0- 2.3
\$35,000- 49,999	320	273,879	218	61.4	54.1-68.7	44	15.5	10.2-20.8	33	10.6	6.5-14.7	14	7.0	2.7-11.3	6	3.8	0.0- 7.9	5	1.7	0.1- 3.3
\$50,000- 74,999	386	318,014	270	65.4	58.7-72.1	51	13.4	8.9-17.9	37	11.2	6.7-15.7	21	7.6	3.3-11.9	6	2.1	0.1- 4.1	1	0.2	0.0- 0.6
\$75,000+	573	489,742	351	57.8	52.3-63.3	97	15.4	11.7-19.1	80	16.2	11.9-20.5	30	6.9	3.4-10.4	9	1.9	0.3- 3.5	6	1.9	0.1- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5824	5,213,074	579	14.1	12.5-15.7	1881	33.2	31.4-35.0	1513	29.5	27.7-31.3	1851	23.2	21.8-24.6
Male	2532	2,511,967	249	14.9	12.5-17.3	826	34.5	32.0-37.0	609	27.5	25.0-30.0	848	23.1	21.1-25.1
Female	3292	2,701,107	330	13.4	11.6-15.2	1055	31.9	29.7-34.1	904	31.3	28.9-33.7	1003	23.3	21.5-25.1
White/Non-Hisp	4711	3,893,648	423	12.4	11.0-13.8	1517	33.9	31.9-35.9	1204	28.5	26.7-30.3	1567	25.2	23.6-26.8
Black or Afr. Am./Non-Hisp	647	818,224	67	15.2	10.5-19.9	231	33.3	28.4-38.2	188	35.9	30.6-41.2	161	15.7	12.6-18.8
Oth. Race/Non-Hisp.	145	156,387	24	24.4	9.1-39.7	46	28.8	18.2-39.4	27	17.4	6.8-28.0	48	29.4	18.6-40.2
MultiRacial/Non-Hisp.	94	65,088	14	19.1	6.8-31.4	25	30.6	15.9-45.3	35	37.8	23.3-52.3	20	12.5	4.9-20.1
Hispanic	117	186,628	22	27.4	14.7-40.1	34	28.1	17.5-38.7	33	31.3	18.8-43.8	28	13.3	7.2-19.4
18-24	334	633,387	14	8.2	2.7-13.7	126	38.2	31.5-44.9	122	38.8	31.9-45.7	72	14.8	10.7-18.9
25-34	654	884,042	38	10.1	6.0-14.2	178	28.6	24.1-33.1	182	31.5	26.6-36.4	256	29.8	25.7-33.9
35-44	734	838,185	52	13.1	9.2-17.0	218	29.1	24.8-33.4	196	29.4	24.9-33.9	268	28.3	24.4-32.2
45-54	1038	870,928	108	15.7	12.2-19.2	302	31.8	27.9-35.7	267	27.7	24.0-31.4	361	24.8	21.7-27.9
55-64	1200	879,880	138	16.0	12.9-19.1	415	37.0	33.3-40.7	294	25.5	22.2-28.8	353	21.5	18.8-24.2
65+	1864	1,106,652	229	18.8	16.1-21.5	642	35.1	32.4-37.8	452	27.0	24.3-29.7	541	19.2	17.2-21.2
Less Than H.S.	579	736,331	579	100.0	100.0- 100									
H.S. or G.E.D.	1881	1,730,087				1881	100.0	100.0- 100						
Some Post-H.S.	1513	1,535,747							1513	100.0	100.0- 100			
College Graduate	1851	1,210,908										1851	100.0	100.0- 100
Less than \$15,000	644	569,205	195	44.5	38.4-50.6	234	29.2	24.3-34.1	143	19.4	14.9-23.9	72	6.9	4.5- 9.3
\$15,000- 24,999	971	824,425	147	20.1	16.4-23.8	449	43.1	38.8-47.4	249	27.3	23.2-31.4	126	9.5	7.3-11.7
\$25,000- 34,999	558	510,568	51	18.4	11.7-25.1	234	43.8	37.5-50.1	162	26.4	21.3-31.5	111	11.4	8.5-14.3
\$35,000- 49,999	645	587,820	17	5.0	2.1- 7.9	221	33.5	28.6-38.4	229	42.9	37.4-48.4	178	18.6	15.1-22.1
\$50,000- 74,999	774	700,444	22	5.0	1.9- 8.1	189	31.1	26.4-35.8	234	33.2	28.7-37.7	329	30.7	26.6-34.8
\$75,000+	1185	1,105,028	12	1.7	0.5- 2.9	165	17.3	14.2-20.4	241	30.5	26.6-34.4	767	50.6	46.7-54.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2532	2,511,967	249	14.9	12.5-17.3	826	34.5	32.0-37.0	609	27.5	25.0-30.0	848	23.1	21.1-25.1
White/Non-Hisp	2053	1,866,375	174	12.4	10.2-14.6	658	34.5	31.6-37.4	485	26.9	24.2-29.6	736	26.2	23.8-28.6
Black or Afr. Am./Non-Hisp	247	371,568	27	17.9	10.1-25.7	98	37.7	29.7-45.7	68	33.2	25.2-41.2	54	11.3	7.4-15.2
Oth. Race/Non-Hisp.	73	91,289	9	23.2	0.0-47.7	30	35.5	18.6-52.4	11	17.1	1.4-32.8	23	24.3	11.0-37.6
Hispanic	55	95,057	14	34.2	14.0-54.4	16	30.5	14.0-47.0	15	26.2	10.1-42.3	10	9.1	2.8-15.4
18-24	168	324,483	5	6.8	0.0-15.2	73	47.0	37.0-57.0	58	34.6	25.4-43.8	32	11.6	6.7-16.5
25-34	311	439,477	22	13.3	6.0-20.6	89	28.1	21.4-34.8	87	31.4	24.3-38.5	113	27.2	21.3-33.1
35-44	327	412,322	24	13.9	7.8-20.0	118	35.4	28.5-42.3	80	26.1	19.8-32.4	105	24.6	19.1-30.1
45-54	457	425,995	45	14.6	9.5-19.7	139	36.1	30.0-42.2	111	23.6	18.5-28.7	162	25.8	21.1-30.5
55-64	527	419,514	70	20.5	15.0-26.0	191	34.9	29.6-40.2	115	23.8	18.9-28.7	151	20.8	16.9-24.7
65+	742	490,176	83	17.8	13.7-21.9	216	29.7	25.4-34.0	158	27.0	22.5-31.5	285	25.5	22.0-29.0
Less Than H.S.	249	373,555	249	100.0	100.0- 100									
H.S. or G.E.D.	826	867,780				826	100.0	100.0- 100						
Some Post-H.S.	609	690,078							609	100.0	100.0- 100			
College Graduate	848	580,555										848	100.0	100.0- 100
Less than \$15,000	218	218,326	70	49.4	39.0-59.8	73	24.9	17.1-32.7	43	15.9	9.6-22.2	32	9.7	4.8-14.6
\$15,000- 24,999	365	332,810	68	23.1	17.2-29.0	174	44.8	37.9-51.7	77	22.7	16.4-29.0	46	9.4	5.7-13.1
\$25,000- 34,999	246	262,045	32	26.6	15.2-38.0	102	42.3	32.7-51.9	58	19.2	12.7-25.7	54	11.9	7.8-16.0
\$35,000- 49,999	325	313,940	11	5.5	1.0-10.0	118	37.3	29.9-44.7	104	38.6	30.8-46.4	92	18.7	13.8-23.6
\$50,000- 74,999	387	380,352	14	6.9	1.4-12.4	115	36.0	29.3-42.7	116	33.0	26.5-39.5	142	24.1	19.2-29.0
\$75,000+	610	612,849	11	2.9	0.7- 5.1	98	19.5	14.8-24.2	124	30.9	25.4-36.4	377	46.7	41.4-52.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3292	2,701,107	330	13.4	11.6-15.2	1055	31.9	29.7-34.1	904	31.3	28.9-33.7	1003	23.3	21.5-25.1
White/Non-Hisp	2658	2,027,272	249	12.3	10.3-14.3	859	33.3	30.8-35.8	719	30.0	27.5-32.5	831	24.3	22.3-26.3
Black or Afr. Am./Non-Hisp	400	446,655	40	12.9	7.2-18.6	133	29.7	23.6-35.8	120	38.1	31.2-45.0	107	19.3	14.6-24.0
Oth. Race/Non-Hisp.	72	65,099	15	26.2	12.1-40.3	16	19.4	8.0-30.8	16	17.8	5.3-30.3	25	36.6	20.5-52.7
MultiRacial/Non-Hisp.	54	34,045	10	31.7	11.9-51.5	14	25.9	9.8-42.0	21	33.6	16.9-50.3	9	8.8	0.8-16.8
Hispanic	62	91,571	8	20.3	6.6-34.0	18	25.6	12.5-38.7	18	36.5	17.9-55.1	18	17.6	7.2-28.0
18-24	166	308,904	9	9.6	2.3-16.9	53	29.1	20.7-37.5	64	43.3	33.5-53.1	40	18.1	11.8-24.4
25-34	343	444,565	16	6.8	2.7-10.9	89	29.2	22.9-35.5	95	31.7	25.2-38.2	143	32.4	26.5-38.3
35-44	407	425,863	28	12.4	7.7-17.1	100	23.0	17.9-28.1	116	32.7	26.4-39.0	163	31.9	26.4-37.4
45-54	581	444,932	63	16.8	11.9-21.7	163	27.7	23.0-32.4	156	31.7	26.4-37.0	199	23.8	19.9-27.7
55-64	673	460,366	68	11.9	8.8-15.0	224	38.8	33.9-43.7	179	27.1	22.8-31.4	202	22.1	18.6-25.6
65+	1122	616,477	146	19.5	15.8-23.2	426	39.4	35.7-43.1	294	26.9	23.4-30.4	256	14.2	12.0-16.4
Less Than H.S.	330	362,776	330	100.0	100.0- 100									
H.S. or G.E.D.	1055	862,307				1055	100.0	100.0- 100						
Some Post-H.S.	904	845,670							904	100.0	100.0- 100			
College Graduate	1003	630,354										1003	100.0	100.0- 100
Less than \$15,000	426	350,879	125	41.4	34.0-48.8	161	31.9	25.8-38.0	100	21.6	15.7-27.5	40	5.1	2.7- 7.5
\$15,000- 24,999	606	491,615	79	18.0	13.3-22.7	275	41.9	36.4-47.4	172	30.5	25.0-36.0	80	9.6	6.9-12.3
\$25,000- 34,999	312	248,523	19	9.8	4.9-14.7	132	45.3	37.7-52.9	104	34.0	26.7-41.3	57	10.9	7.0-14.8
\$35,000- 49,999	320	273,879	6	4.4	0.7- 8.1	103	29.1	22.6-35.6	125	47.8	40.4-55.2	86	18.6	13.7-23.5
\$50,000- 74,999	387	320,092	8	2.8	0.6- 5.0	74	25.2	18.7-31.7	118	33.4	26.9-39.9	187	38.6	32.1-45.1
\$75,000+	575	492,179	1	0.2	0.0- 0.6	67	14.6	10.5-18.7	117	29.9	24.4-35.4	390	55.4	49.9-60.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4783	4,300,956	646	13.3	11.9-14.7	973	19.2	17.6-20.8	558	11.9	10.5-13.3	645	13.7	12.3-15.1	1961	42.0	40.0-44.0
Male	2155	2,122,551	220	10.3	8.3-12.3	365	15.7	13.7-17.7	246	12.3	9.9-14.7	325	14.8	12.6-17.0	999	46.8	43.9-49.7
Female	2628	2,178,405	426	16.1	13.9-18.3	608	22.6	20.4-24.8	312	11.4	9.8-13.0	320	12.6	10.8-14.4	962	37.3	34.8-39.8
White/Non-Hisp	3869	3,215,357	452	10.6	9.2-12.0	732	17.4	15.8-19.0	437	11.5	10.1-12.9	532	13.3	11.9-14.7	1716	47.1	44.9-49.3
Black or Afr. Am./Non-Hisp	537	686,467	118	22.4	16.7-28.1	134	23.5	18.6-28.4	71	11.6	8.1-15.1	69	16.4	11.9-20.9	145	26.1	21.2-31.0
Oth. Race/Non-Hisp.	118	126,904	23	18.9	8.3-29.5	37	23.9	13.7-34.1	15	19.8	1.4-38.2	18	16.5	4.5-28.5	25	21.0	10.4-31.6
MultiRacial/Non-Hisp.	75	48,682	20	21.1	8.6-33.6	20	32.1	16.0-48.2	10	11.0	2.8-19.2	5	5.3	0.0-10.8	20	30.5	14.2-46.8
Hispanic	103	152,891	14	14.9	6.5-23.3	35	30.9	19.3-42.5	12	11.2	2.4-20.0	11	11.5	3.1-19.9	31	31.5	17.6-45.4
18-24	250	468,402	37	16.1	9.8-22.4	50	19.9	13.6-26.2	49	17.7	10.6-24.8	30	13.7	8.0-19.4	84	32.7	25.4-40.0
25-34	566	764,785	59	12.1	8.0-16.2	116	19.8	15.5-24.1	57	10.1	6.6-13.6	84	14.1	10.6-17.6	250	43.9	38.4-49.4
35-44	671	756,487	69	12.3	8.8-15.8	94	12.5	9.6-15.4	66	10.5	7.4-13.6	96	14.3	10.8-17.8	346	50.5	45.6-55.4
45-54	879	737,550	121	12.7	9.8-15.6	155	18.0	14.7-21.3	72	8.1	5.4-10.8	95	11.2	8.5-13.9	436	50.0	45.5-54.5
55-64	1004	732,018	169	15.9	12.8-19.0	197	17.7	14.8-20.6	99	10.0	7.5-12.5	124	12.5	9.8-15.2	415	43.9	39.8-48.0
65+	1413	841,714	191	11.9	9.7-14.1	361	26.6	23.5-29.7	215	16.4	13.9-18.9	216	15.9	13.4-18.4	430	29.3	26.2-32.4
Less Than H.S.	444	595,703	195	42.5	35.6-49.4	147	27.8	22.3-33.3	51	15.8	9.7-21.9	17	4.9	2.0- 7.8	34	9.0	4.7-13.3
H.S. or G.E.D.	1492	1,350,405	234	12.3	10.1-14.5	449	26.3	23.4-29.2	234	16.5	13.8-19.2	221	14.6	12.2-17.0	354	30.3	27.0-33.6
Some Post-H.S.	1258	1,291,903	143	8.6	6.6-10.6	249	17.4	14.5-20.3	162	10.4	8.2-12.6	229	19.5	16.4-22.6	475	44.0	40.3-47.7
College Graduate	1583	1,059,480	72	3.7	2.5- 4.9	126	7.4	5.6- 9.2	111	5.5	4.1- 6.9	178	10.3	8.3-12.3	1096	73.1	70.2-76.0
Less than \$15,000	646	570,459	646	100.0	100.0- 100												
\$15,000- 24,999	973	825,662				973	100.0	100.0- 100									
\$25,000- 34,999	558	510,568							558	100.0	100.0- 100						
\$35,000- 49,999	645	587,820										645	100.0	100.0- 100			
\$50,000- 74,999	775	701,258													775	100.0	100.0- 100
\$75,000+	1186	1,105,189													1186	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2155	2,122,551	220	10.3	8.3-12.3	365	15.7	13.7-17.7	246	12.3	9.9-14.7	325	14.8	12.6-17.0	999	46.8	43.9-49.7
White/Non-Hisp	1761	1,587,092	152	8.0	6.2- 9.8	277	14.3	12.3-16.3	191	11.3	9.1-13.5	269	14.4	12.2-16.6	872	52.0	48.9-55.1
Black or Afr. Am./Non-Hisp	207	306,803	42	20.7	11.9-29.5	40	18.2	10.9-25.5	27	12.1	6.0-18.2	33	17.7	10.6-24.8	65	31.3	22.9-39.7
Oth. Race/Non-Hisp.	59	73,840	7	10.0	0.0-20.4	19	23.7	9.2-38.2	9	28.2	0.0-56.8	9	18.9	0.0-37.9	15	19.3	5.8-32.8
18-24	129	241,599	16	12.0	4.9-19.1	22	17.1	8.7-25.5	24	18.9	7.3-30.5	20	17.3	8.3-26.3	47	34.7	23.9-45.5
25-34	266	382,374	13	7.0	1.1-12.9	42	13.5	8.4-18.6	38	14.5	8.4-20.6	43	14.8	9.5-20.1	130	50.1	41.9-58.3
35-44	300	364,656	23	9.8	4.7-14.9	34	8.9	5.2-12.6	24	9.2	4.7-13.7	51	16.7	11.0-22.4	168	55.4	48.0-62.8
45-54	388	363,008	40	9.5	5.6-13.4	60	15.3	10.6-20.0	25	6.6	2.5-10.7	49	11.9	7.8-16.0	214	56.7	50.0-63.4
55-64	459	363,580	75	17.6	12.3-22.9	86	17.5	13.2-21.8	49	11.6	7.5-15.7	47	9.5	5.6-13.4	202	43.8	37.7-49.9
65+	613	407,334	53	7.2	4.8- 9.6	121	21.6	17.1-26.1	86	15.0	11.3-18.7	115	18.8	14.7-22.9	238	37.3	32.4-42.2
Less Than H.S.	206	315,551	70	34.2	24.4-44.0	68	24.3	17.2-31.4	32	22.1	11.9-32.3	11	5.5	1.0-10.0	25	13.9	6.3-21.5
H.S. or G.E.D.	680	687,708	73	7.9	5.4-10.4	174	21.7	17.8-25.6	102	16.1	12.2-20.0	118	17.0	13.1-20.9	213	37.3	32.2-42.4
Some Post-H.S.	522	596,975	43	5.8	3.4- 8.2	77	12.7	9.0-16.4	58	8.4	5.7-11.1	104	20.3	15.4-25.2	240	52.8	47.1-58.5
College Graduate	743	520,089	32	4.1	2.1- 6.1	46	6.0	3.6- 8.4	54	6.0	4.0- 8.0	92	11.3	8.4-14.2	519	72.6	68.5-76.7
Less than \$15,000	220	219,579	220	100.0	100.0- 100												
\$15,000- 24,999	365	332,810				365	100.0	100.0- 100									
\$25,000- 34,999	246	262,045							246	100.0	100.0- 100						
\$35,000- 49,999	325	313,940										325	100.0	100.0- 100			
\$50,000- 74,999	388	381,166													388	100.0	100.0- 100
\$75,000+	611	613,010													611	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 8: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2628	2,178,405	426	16.1	13.9-18.3	608	22.6	20.2-25.0	312	11.4	9.8-13.0	320	12.6	10.8-14.4	962	37.3	34.8-39.8
White/Non-Hisp	2108	1,628,265	300	13.3	11.3-15.3	455	20.4	18.0-22.8	246	11.7	9.7-13.7	263	12.2	10.4-14.0	844	42.4	39.7-45.1
Black or Afr. Am./Non-Hisp	330	379,664	76	23.7	16.4-31.0	94	27.9	21.2-34.6	44	11.2	6.9-15.5	36	15.3	9.4-21.2	80	21.8	16.1-27.5
Oth. Race/Non-Hisp.	59	53,064	16	31.4	13.8-49.0	18	24.2	10.7-37.7	6	8.1	0.3-15.9	9	13.1	2.5-23.7	10	23.2	6.7-39.7
Hispanic	54	68,072	10	23.2	9.3-37.1	20	38.3	21.8-54.8	3	3.4	0.0- 7.5	5	8.3	0.9-15.7	16	26.8	10.9-42.7
18-24	121	226,803	21	20.4	10.2-30.6	28	22.8	13.4-32.2	25	16.4	8.8-24.0	10	9.9	3.2-16.6	37	30.5	20.7-40.3
25-34	300	382,411	46	17.2	11.1-23.3	74	26.1	19.4-32.8	19	5.6	2.7- 8.5	41	13.4	8.7-18.1	120	37.6	30.7-44.5
35-44	371	391,831	46	14.5	9.6-19.4	60	15.8	11.1-20.5	42	11.7	7.4-16.0	45	12.0	7.7-16.3	178	46.0	39.3-52.7
45-54	491	374,542	81	15.8	11.3-20.3	95	20.7	15.8-25.6	47	9.5	6.0-13.0	46	10.5	6.6-14.4	222	43.5	37.6-49.4
55-64	545	368,438	94	14.2	10.7-17.7	111	18.0	13.9-22.1	50	8.5	5.6-11.4	77	15.4	11.5-19.3	213	43.9	38.4-49.4
65+	800	434,380	138	16.2	12.9-19.5	240	31.2	26.7-35.7	129	17.7	14.0-21.4	101	13.1	10.0-16.2	192	21.7	18.0-25.4
Less Than H.S.	238	280,152	125	51.8	43.0-60.6	79	31.6	23.6-39.6	19	8.7	4.2-13.2	6	4.3	0.6- 8.0	9	3.5	1.0- 6.0
H.S. or G.E.D.	812	662,697	161	16.9	13.6-20.2	275	31.1	26.8-35.4	132	17.0	13.5-20.5	103	12.0	9.1-14.9	141	23.0	18.7-27.3
Some Post-H.S.	736	694,929	100	10.9	7.8-14.0	172	21.5	17.4-25.6	104	12.1	9.0-15.2	125	18.8	14.9-22.7	235	36.5	31.6-41.4
College Graduate	840	539,391	40	3.3	1.7- 4.9	80	8.8	6.3-11.3	57	5.0	3.0- 7.0	86	9.5	7.0-12.0	577	73.5	69.6-77.4
Less than \$15,000	426	350,879	426	100.0	100.0- 100												
\$15,000- 24,999	608	492,852				608	100.0	100.0- 100									
\$25,000- 34,999	312	248,523							312	100.0	100.0- 100						
\$35,000- 49,999	320	273,879										320	100.0	100.0- 100			
\$50,000- 74,999	387	320,092													387	100.0	100.0- 100
\$75,000+	575	492,179													575	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 9: TOBACCO USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5567	4,946,481	848	15.9	14.5-17.3	325	6.7	5.5- 7.9	1485	23.8	22.2-25.4	2909	53.6	51.8-55.4
Male	2423	2,395,705	389	17.1	14.9-19.3	136	7.2	5.4- 9.0	779	28.3	25.9-30.7	1119	47.4	44.7-50.1
Female	3144	2,550,776	459	14.8	13.0-16.6	189	6.2	5.0- 7.4	706	19.6	17.8-21.4	1790	59.4	57.0-61.8
White/Non-Hisp	4534	3,731,113	695	16.2	14.6-17.8	240	5.7	4.7- 6.7	1277	25.9	24.1-27.7	2322	52.2	50.2-54.2
Black or Afr. Am./Non-Hisp	596	751,986	68	13.0	8.7-17.3	56	10.3	6.6-14.0	112	14.8	11.1-18.5	360	61.8	56.1-67.5
Oth. Race/Non-Hisp.	135	144,754	23	13.6	6.5-20.7	9	15.7	0.0-32.6	31	15.5	8.1-22.9	72	55.1	40.4-69.8
MultiRacial/Non-Hisp.	91	64,212	27	34.5	20.0-49.0	7	6.8	0.5-13.1	16	29.5	13.4-45.6	41	29.2	17.6-40.8
Hispanic	110	170,466	16	15.9	6.9-24.9	5	2.8	0.0- 5.7	21	23.0	9.7-36.3	68	58.3	44.8-71.8
18-24	312	585,042	41	14.3	9.0-19.6	12	4.6	0.0- 9.3	29	8.3	4.8-11.8	230	72.8	65.9-79.7
25-34	624	837,441	112	16.6	12.7-20.5	48	9.2	5.9-12.5	102	17.0	12.9-21.1	362	57.3	52.0-62.6
35-44	706	807,761	148	21.1	17.2-25.0	47	6.9	4.4- 9.4	153	21.2	17.3-25.1	358	50.8	45.9-55.7
45-54	985	824,243	192	20.3	16.8-23.8	72	8.4	5.7-11.1	198	19.7	16.4-23.0	523	51.6	47.3-55.9
55-64	1152	840,595	211	17.5	14.8-20.2	74	6.8	4.8- 8.8	317	28.2	24.7-31.7	550	47.5	43.8-51.2
65+	1788	1,051,399	144	7.8	6.0- 9.6	72	4.3	3.1- 5.5	686	39.4	36.5-42.3	886	48.4	45.3-51.5
Less Than H.S.	539	687,160	164	31.4	25.7-37.1	57	12.3	7.0-17.6	145	26.2	20.7-31.7	173	30.1	24.6-35.6
H.S. or G.E.D.	1784	1,612,810	371	21.5	18.8-24.2	119	6.8	5.2- 8.4	487	24.1	21.6-26.6	807	47.5	44.4-50.6
Some Post-H.S.	1447	1,474,533	227	12.5	10.3-14.7	91	6.6	4.8- 8.4	418	24.2	21.5-26.9	711	56.7	53.2-60.2
College Graduate	1784	1,161,143	86	3.6	2.6- 4.6	55	3.2	2.0- 4.4	432	21.3	18.8-23.8	1211	71.9	69.2-74.6
Less than \$15,000	623	545,464	183	34.0	28.1-39.9	75	12.8	8.5-17.1	148	19.6	15.1-24.1	217	33.5	27.8-39.2
\$15,000- 24,999	932	775,734	204	21.9	18.2-25.6	65	8.5	6.0-11.0	246	23.0	19.5-26.5	417	46.6	42.1-51.1
\$25,000- 34,999	538	494,345	99	18.5	13.8-23.2	43	11.4	5.1-17.7	146	26.1	20.6-31.6	250	44.0	37.7-50.3
\$35,000- 49,999	626	568,379	89	14.4	10.7-18.1	35	6.1	3.6- 8.6	196	26.7	22.2-31.2	306	52.9	47.6-58.2
\$50,000- 74,999	756	683,076	100	14.0	10.7-17.3	42	5.4	3.2- 7.6	196	26.1	21.6-30.6	418	54.5	49.6-59.4
\$75,000+	1162	1,077,307	59	4.6	3.2- 6.0	22	2.4	1.0- 3.8	287	22.1	19.0-25.2	794	70.8	67.5-74.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2423	2,395,705	389	17.1	14.9-19.3	136	7.2	5.4- 9.0	779	28.3	25.9-30.7	1119	47.4	44.7-50.1
White/Non-Hisp	1977	1,798,363	303	16.7	14.3-19.1	92	5.2	3.8- 6.6	670	30.7	28.2-33.2	912	47.3	44.4-50.2
Black or Afr. Am./Non-Hisp	230	344,429	40	19.5	11.9-27.1	27	13.4	6.7-20.1	51	15.0	9.1-20.9	112	52.0	43.0-61.0
Oth. Race/Non-Hisp.	67	80,897	14	16.7	5.1-28.3	6	24.4	0.0-51.4	17	14.0	4.4-23.6	30	44.8	23.4-66.2
Hispanic	51	89,531	7	14.0	2.0-26.0	2	3.2	0.0- 8.1	12	34.8	13.4-56.2	30	48.0	28.0-68.0
18-24	158	303,438	21	13.1	6.0-20.2	6	6.2	0.0-14.8	12	6.5	2.4-10.6	119	74.2	63.8-84.6
25-34	296	418,528	61	18.8	12.5-25.1	21	10.2	5.1-15.3	63	23.6	16.5-30.7	151	47.5	39.7-55.3
35-44	315	400,754	67	23.8	17.5-30.1	16	5.2	1.7- 8.7	83	22.6	17.1-28.1	149	48.4	41.1-55.7
45-54	439	406,968	84	20.4	15.3-25.5	30	9.5	4.8-14.2	95	21.5	16.4-26.6	230	48.6	42.3-54.9
55-64	500	393,870	96	18.9	14.4-23.4	33	7.1	4.0-10.2	172	35.1	29.2-41.0	199	39.0	33.3-44.7
65+	715	472,147	60	8.5	5.8-11.2	30	4.8	2.6- 7.0	354	51.3	46.4-56.2	271	35.4	30.9-39.9
Less Than H.S.	232	353,908	77	31.1	22.7-39.5	20	13.8	4.8-22.8	84	35.0	26.0-44.0	51	20.1	13.4-26.8
H.S. or G.E.D.	781	809,603	173	23.0	18.9-27.1	47	5.6	3.4- 7.8	270	30.0	25.9-34.1	291	41.4	36.5-46.3
Some Post-H.S.	584	670,721	99	13.8	10.3-17.3	39	7.4	4.5-10.3	191	25.6	21.3-29.9	255	53.2	47.9-58.5
College Graduate	819	556,868	40	3.9	2.5- 5.3	28	4.7	2.5- 6.9	232	24.4	20.7-28.1	519	66.9	62.8-71.0
Less than \$15,000	214	214,431	64	36.0	25.4-46.6	26	14.7	6.5-22.9	65	25.4	16.8-34.0	59	23.9	16.1-31.7
\$15,000- 24,999	351	320,474	91	25.2	19.1-31.3	24	8.8	4.7-12.9	119	28.6	22.7-34.5	117	37.4	30.3-44.5
\$25,000- 34,999	239	257,662	48	20.5	13.1-27.9	18	13.8	2.8-24.8	79	31.0	22.2-39.8	94	34.7	25.9-43.5
\$35,000- 49,999	316	298,188	51	17.6	11.7-23.5	15	5.7	2.0- 9.4	120	32.5	25.6-39.4	130	44.1	36.1-52.1
\$50,000- 74,999	375	371,084	55	16.8	11.5-22.1	27	7.1	3.8-10.4	108	29.2	22.5-35.9	185	46.9	39.8-54.0
\$75,000+	598	594,315	37	5.7	3.5- 7.9	11	2.7	0.7- 4.7	170	24.3	20.0-28.6	380	67.3	62.6-72.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3144	2,550,776	459	14.8	13.0-16.6	189	6.2	5.0- 7.4	706	19.6	17.8-21.4	1790	59.4	57.0-61.8
White/Non-Hisp	2557	1,932,750	392	15.8	13.8-17.8	148	6.1	4.7- 7.5	607	21.3	19.1-23.5	1410	56.8	54.3-59.3
Black or Afr. Am./Non-Hisp	366	407,556	28	7.6	3.5-11.7	29	7.7	3.8-11.6	61	14.6	9.9-19.3	248	70.1	63.4-76.8
Oth. Race/Non-Hisp.	68	63,858	9	9.7	2.4-17.0	3	4.7	0.0-11.4	14	17.5	5.9-29.1	42	68.1	54.0-82.2
MultiRacial/Non-Hisp.	52	33,695	16	44.3	24.7-63.9	5	11.5	0.1-22.9	5	8.1	0.0-17.7	26	36.1	19.4-52.8
Hispanic	59	80,935	9	18.1	5.0-31.2	3	2.3	0.0- 5.0	9	9.9	1.5-18.3	38	69.8	54.9-84.7
18-24	154	281,604	20	15.5	7.9-23.1	6	2.9	0.0- 5.8	17	10.2	4.7-15.7	111	71.4	62.4-80.4
25-34	328	418,912	51	14.4	9.9-18.9	27	8.2	4.1-12.3	39	10.4	6.3-14.5	211	67.0	60.5-73.5
35-44	391	407,007	81	18.4	13.9-22.9	31	8.5	4.8-12.2	70	19.8	14.5-25.1	209	53.3	46.8-59.8
45-54	546	417,274	108	20.2	15.5-24.9	42	7.4	4.5-10.3	103	17.9	13.8-22.0	293	54.5	48.8-60.2
55-64	652	446,726	115	16.3	12.8-19.8	41	6.5	4.0- 9.0	145	22.2	18.1-26.3	351	55.0	50.1-59.9
65+	1073	579,252	84	7.3	5.3- 9.3	42	3.9	2.5- 5.3	332	29.8	26.3-33.3	615	59.1	55.2-63.0
Less Than H.S.	307	333,252	87	31.7	24.3-39.1	37	10.6	6.1-15.1	61	17.0	11.5-22.5	122	40.7	32.9-48.5
H.S. or G.E.D.	1003	803,207	198	20.0	16.7-23.3	72	8.1	5.7-10.5	217	18.2	15.3-21.1	516	53.7	49.6-57.8
Some Post-H.S.	863	803,812	128	11.4	8.9-13.9	52	5.9	3.7- 8.1	227	23.0	19.3-26.7	456	59.6	55.1-64.1
College Graduate	965	604,274	46	3.3	2.1- 4.5	27	1.9	1.1- 2.7	200	18.4	15.1-21.7	692	76.5	73.0-80.0
Less than \$15,000	409	331,032	119	32.7	25.6-39.8	49	11.6	6.9-16.3	83	15.9	10.8-21.0	158	39.8	32.4-47.2
\$15,000- 24,999	581	455,261	113	19.6	15.1-24.1	41	8.3	5.0-11.6	127	19.1	14.8-23.4	300	53.0	47.3-58.7
\$25,000- 34,999	299	236,683	51	16.4	10.9-21.9	25	8.8	4.5-13.1	67	20.8	14.9-26.7	156	54.0	46.4-61.6
\$35,000- 49,999	310	270,191	38	10.8	6.3-15.3	20	6.4	3.1- 9.7	76	20.3	15.0-25.6	176	62.5	55.6-69.4
\$50,000- 74,999	381	311,992	45	10.7	6.8-14.6	15	3.4	1.2- 5.6	88	22.4	16.9-27.9	233	63.5	57.2-69.8
\$75,000+	564	482,993	22	3.4	1.8- 5.0	11	1.9	0.0- 3.9	117	19.5	15.2-23.8	414	75.1	70.4-79.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 9: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5567	4,946,481	4394	77.4	75.8-79.0	1173	22.6	21.0-24.2
Male	2423	2,395,705	1898	75.7	73.2-78.2	525	24.3	21.8-26.8
Female	3144	2,550,776	2496	78.9	76.9-80.9	648	21.1	19.1-23.1
White/Non-Hisp	4534	3,731,113	3599	78.1	76.3-79.9	935	21.9	20.1-23.7
Black or Afr. Am./Non-Hisp	596	751,986	472	76.7	71.6-81.8	124	23.3	18.2-28.4
Oth. Race/Non-Hisp.	135	144,754	103	70.6	54.7-86.5	32	29.4	13.5-45.3
MultiRacial/Non-Hisp.	91	64,212	57	58.7	43.8-73.6	34	41.3	26.4-56.2
Hispanic	110	170,466	89	81.3	72.1-90.5	21	18.7	9.5-27.9
18-24	312	585,042	259	81.1	74.6-87.6	53	18.9	12.4-25.4
25-34	624	837,441	464	74.2	69.5-78.9	160	25.8	21.1-30.5
35-44	706	807,761	511	72.0	67.7-76.3	195	28.0	23.7-32.3
45-54	985	824,243	721	71.3	67.4-75.2	264	28.7	24.8-32.6
55-64	1152	840,595	867	75.8	72.5-79.1	285	24.2	20.9-27.5
65+	1788	1,051,399	1572	87.9	85.9-89.9	216	12.1	10.1-14.1
Less Than H.S.	539	687,160	318	56.3	50.0-62.6	221	43.7	37.4-50.0
H.S. or G.E.D.	1784	1,612,810	1294	71.7	68.8-74.6	490	28.3	25.4-31.2
Some Post-H.S.	1447	1,474,533	1129	80.9	78.2-83.6	318	19.1	16.4-21.8
College Graduate	1784	1,161,143	1643	93.2	91.8-94.6	141	6.8	5.4- 8.2
Less than \$15,000	623	545,464	365	53.1	47.0-59.2	258	46.9	40.8-53.0
\$15,000- 24,999	932	775,734	663	69.6	65.5-73.7	269	30.4	26.3-34.5
\$25,000- 34,999	538	494,345	396	70.1	63.4-76.8	142	29.9	23.2-36.6
\$35,000- 49,999	626	568,379	502	79.6	75.3-83.9	124	20.4	16.1-24.7
\$50,000- 74,999	756	683,076	614	80.6	76.9-84.3	142	19.4	15.7-23.1
\$75,000+	1162	1,077,307	1081	93.0	91.0-95.0	81	7.0	5.0- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 9: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2423	2,395,705	1898	75.7	73.2-78.2	525	24.3	21.8-26.8
White/Non-Hisp	1977	1,798,363	1582	78.0	75.5-80.5	395	22.0	19.5-24.5
Black or Afr. Am./Non-Hisp	230	344,429	163	67.1	58.3-75.9	67	32.9	24.1-41.7
Oth. Race/Non-Hisp.	67	80,897	47	58.9	35.0-82.8	20	41.1	17.2-65.0
Hispanic	51	89,531	42	82.8	70.1-95.5	9	17.2	4.5-29.9
18-24	158	303,438	131	80.7	70.5-90.9	27	19.3	9.1-29.5
25-34	296	418,528	214	71.1	63.8-78.4	82	28.9	21.6-36.2
35-44	315	400,754	232	71.0	64.3-77.7	83	29.0	22.3-35.7
45-54	439	406,968	325	70.2	64.1-76.3	114	29.8	23.7-35.9
55-64	500	393,870	371	74.1	69.0-79.2	129	25.9	20.8-31.0
65+	715	472,147	625	86.7	83.4-90.0	90	13.3	10.0-16.6
Less Than H.S.	232	353,908	135	55.1	45.3-64.9	97	44.9	35.1-54.7
H.S. or G.E.D.	781	809,603	561	71.4	67.1-75.7	220	28.6	24.3-32.9
Some Post-H.S.	584	670,721	446	78.8	74.5-83.1	138	21.2	16.9-25.5
College Graduate	819	556,868	751	91.4	88.9-93.9	68	8.6	6.1-11.1
Less than \$15,000	214	214,431	124	49.3	38.7-59.9	90	50.7	40.1-61.3
\$15,000- 24,999	351	320,474	236	66.0	59.1-72.9	115	34.0	27.1-40.9
\$25,000- 34,999	239	257,662	173	65.7	54.9-76.5	66	34.3	23.5-45.1
\$35,000- 49,999	316	298,188	250	76.6	69.9-83.3	66	23.4	16.7-30.1
\$50,000- 74,999	375	371,084	293	76.1	70.2-82.0	82	23.9	18.0-29.8
\$75,000+	598	594,315	550	91.6	88.7-94.5	48	8.4	5.5-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 9: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3144	2,550,776	2496	78.9	76.9-80.9	648	21.1	19.1-23.1
White/Non-Hisp	2557	1,932,750	2017	78.1	75.9-80.3	540	21.9	19.7-24.1
Black or Afr. Am./Non-Hisp	366	407,556	309	84.8	79.5-90.1	57	15.2	9.9-20.5
Oth. Race/Non-Hisp.	68	63,858	56	85.5	75.9-95.1	12	14.5	4.9-24.1
MultiRacial/Non-Hisp.	52	33,695	31	44.2	26.0-62.4	21	55.8	37.6-74.0
Hispanic	59	80,935	47	79.7	66.4-93.0	12	20.3	7.0-33.6
18-24	154	281,604	128	81.6	73.6-89.6	26	18.4	10.4-26.4
25-34	328	418,912	250	77.4	71.7-83.1	78	22.6	16.9-28.3
35-44	391	407,007	279	73.0	67.5-78.5	112	27.0	21.5-32.5
45-54	546	417,274	396	72.4	67.3-77.5	150	27.6	22.5-32.7
55-64	652	446,726	496	77.2	73.1-81.3	156	22.8	18.7-26.9
65+	1073	579,252	947	88.9	86.5-91.3	126	11.1	8.7-13.5
Less Than H.S.	307	333,252	183	57.7	49.9-65.5	124	42.3	34.5-50.1
H.S. or G.E.D.	1003	803,207	733	71.9	68.2-75.6	270	28.1	24.4-31.8
Some Post-H.S.	863	803,812	683	82.6	79.3-85.9	180	17.4	14.1-20.7
College Graduate	965	604,274	892	94.9	93.3-96.5	73	5.1	3.5- 6.7
Less than \$15,000	409	331,032	241	55.6	48.2-63.0	168	44.4	37.0-51.8
\$15,000- 24,999	581	455,261	427	72.1	67.0-77.2	154	27.9	22.8-33.0
\$25,000- 34,999	299	236,683	223	74.8	68.3-81.3	76	25.2	18.7-31.7
\$35,000- 49,999	310	270,191	252	82.8	77.5-88.1	58	17.2	11.9-22.5
\$50,000- 74,999	381	311,992	321	85.8	81.5-90.1	60	14.2	9.9-18.5
\$75,000+	564	482,993	531	94.7	92.2-97.2	33	5.3	2.8- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 10: E-CIGARETTES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)	
1	MALES AND FEMALES	113
2	MALES ONLY	114
3	FEMALES ONLY	115
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)	
4	MALES AND FEMALES	116
5	MALES ONLY	117
6	FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 10: E-CIGARETTES**

**TABLE 1: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (\_ECIGSTS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5503	4,887,621	85	2.0	1.4-2.6	167	3.9	3.1-4.7	901	19.0	17.4-20.6	4350	75.2	73.4-77.0
Male	2395	2,360,497	38	1.8	1.0-2.6	71	3.4	2.4-4.4	409	20.5	18.0-23.0	1877	74.3	71.6-77.0
Female	3108	2,527,124	47	2.1	1.3-2.9	96	4.3	3.1-5.5	492	17.5	15.5-19.5	2473	76.1	73.9-78.3
White/Non-Hisp	4481	3,695,080	80	2.5	1.7-3.3	143	4.1	3.1-5.1	720	18.2	16.6-19.8	3538	75.3	73.5-77.1
Black or Afr. Am./Non-Hisp	587	733,994	13	3.5	1.0-6.0	88	17.9	13.2-22.6	486	78.6	73.5-83.7			
Oth. Race/Non-Hisp.	133	140,224	2	1.8	0.0-4.3	2	1.2	0.0-3.4	28	38.4	22.1-54.7	101	58.7	42.8-74.6
MultiRacial/Non-Hisp.	92	64,450	1	3.2	0.0-9.5	6	7.6	0.0-15.6	26	30.8	17.5-44.1	59	58.4	43.5-73.3
Hispanic	110	171,271	1	0.3	0.0-0.9	2	3.0	0.0-8.3	22	19.1	8.7-29.5	85	77.5	66.3-88.7
18-24	308	582,571	19	5.5	2.6-8.4	26	9.0	4.7-13.3	98	30.9	23.8-38.0	165	54.6	47.3-61.9
25-34	618	825,966	17	2.6	1.2-4.0	27	4.8	2.6-7.0	171	27.6	22.7-32.5	403	65.0	59.9-70.1
35-44	693	790,631	11	2.1	0.3-3.9	29	3.9	2.3-5.5	145	20.2	16.3-24.1	508	73.7	69.4-78.0
45-54	978	822,776	15	1.6	0.6-2.6	33	3.8	1.4-6.2	192	18.7	15.4-22.0	738	75.9	72.2-79.6
55-64	1135	824,549	15	1.3	0.5-2.1	34	2.8	1.6-4.0	189	17.4	14.5-20.3	897	78.5	75.4-81.6
65+	1771	1,041,128	8	0.3	0.1-0.5	18	1.2	0.6-1.8	106	5.8	4.2-7.4	1639	92.8	91.2-94.4
Less Than H.S.	538	680,944	6	1.4	0.0-3.0	20	4.6	1.7-7.5	121	25.2	19.3-31.1	391	68.9	62.8-75.0
H.S. or G.E.D.	1757	1,589,955	27	2.0	1.0-3.0	65	4.9	3.3-6.5	333	19.8	17.3-22.3	1332	73.3	70.4-76.2
Some Post-H.S.	1431	1,452,109	41	3.4	2.0-4.8	56	4.1	2.7-5.5	287	21.9	18.8-25.0	1047	70.6	67.3-73.9
College Graduate	1763	1,153,396	11	0.5	0.1-0.9	26	1.8	0.8-2.8	159	10.5	8.5-12.5	1567	87.1	84.9-89.3
Less than \$15,000	618	535,987	15	2.2	0.8-3.6	36	6.7	3.4-10.0	145	25.7	20.0-31.4	422	65.5	59.4-71.6
\$15,000- 24,999	917	765,776	10	1.8	0.4-3.2	36	5.0	2.6-7.4	172	21.5	17.6-25.4	699	71.8	67.5-76.1
\$25,000- 34,999	534	485,760	9	2.2	0.0-4.6	16	4.4	1.3-7.5	111	26.3	19.8-32.8	398	67.1	60.2-74.0
\$35,000- 49,999	620	563,853	14	1.9	0.7-3.1	20	3.7	1.7-5.7	100	19.2	14.5-23.9	486	75.1	70.0-80.2
\$50,000- 74,999	750	679,473	12	2.4	0.8-4.0	25	4.2	2.0-6.4	125	20.5	16.4-24.6	588	72.9	68.4-77.4
\$75,000+	1147	1,059,036	15	2.1	0.7-3.5	12	1.2	0.2-2.2	100	9.4	7.2-11.6	1020	87.3	84.8-89.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 10: E-CIGARETTES**

**TABLE 2: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (\_ECIGSTS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2395	2,360,497	38	1.8	1.0- 2.6	71	3.4	2.4- 4.4	409	20.5	18.0-23.0	1877	74.3	71.6-77.0
White/Non-Hisp	1956	1,774,457	35	2.2	1.4- 3.0	61	3.7	2.5- 4.9	314	18.9	16.4-21.4	1546	75.2	72.5-77.9
Black or Afr. Am./Non-Hisp	224	334,676				5	2.8	0.0- 5.9	45	22.1	14.3-29.9	174	75.1	66.9-83.3
Oth. Race/Non-Hisp.	66	79,521	1	1.8	0.0- 5.3	2	2.0	0.0- 5.7	17	53.3	31.9-74.7	46	42.9	22.7-63.1
Hispanic	51	90,336	1	0.6	0.0- 1.8				9	12.6	2.4-22.8	41	86.9	76.7-97.1
18-24	157	302,516	13	6.5	2.4-10.6	14	7.9	2.8-13.0	51	32.3	21.7-42.9	79	53.2	42.6-63.8
25-34	292	408,791	12	3.2	1.2- 5.2	13	3.4	1.2- 5.6	99	34.5	27.1-41.9	168	58.9	51.3-66.5
35-44	310	391,094	3	0.9	0.0- 1.9	13	4.0	1.6- 6.4	60	20.7	14.8-26.6	234	74.5	68.2-80.8
45-54	435	406,403	4	1.0	0.0- 2.2	9	3.2	0.0- 6.5	72	16.3	11.8-20.8	350	79.5	74.2-84.8
55-64	493	385,616	5	0.6	0.0- 1.2	12	1.9	0.5- 3.3	88	18.6	13.9-23.3	388	78.9	74.2-83.6
65+	708	466,078	1	0.1	0.0- 0.3	10	1.4	0.2- 2.6	39	5.5	3.1- 7.9	658	93.0	90.5-95.5
Less Than H.S.	230	347,221	1	0.4	0.0- 1.2	7	3.4	0.0- 7.3	51	26.2	16.6-35.8	171	69.9	60.1-79.7
H.S. or G.E.D.	769	799,422	14	2.3	0.9- 3.7	26	4.2	2.0- 6.4	147	20.5	16.4-24.6	582	73.0	68.5-77.5
Some Post-H.S.	575	655,927	18	3.2	1.4- 5.0	22	3.1	1.5- 4.7	133	24.8	19.9-29.7	402	68.9	63.8-74.0
College Graduate	814	553,321	5	0.4	0.0- 0.8	16	2.6	1.0- 4.2	77	11.8	8.7-14.9	716	85.3	82.0-88.6
Less than \$15,000	213	212,390	2	0.9	0.0- 2.3	9	4.5	0.0- 9.0	48	25.5	15.3-35.7	154	69.1	58.7-79.5
\$15,000- 24,999	346	317,813	5	1.9	0.0- 3.9	21	6.1	3.0- 9.2	65	22.7	16.0-29.4	255	69.2	62.1-76.3
\$25,000- 34,999	237	250,819	4	1.1	0.0- 2.3	8	6.5	0.6-12.4	54	30.0	19.0-41.0	171	62.4	51.4-73.4
\$35,000- 49,999	311	294,414	4	1.3	0.0- 2.7	11	3.7	1.2- 6.2	60	23.4	16.1-30.7	236	71.6	64.2-79.0
\$50,000- 74,999	373	369,463	7	2.6	0.4- 4.8	14	3.4	1.2- 5.6	66	21.7	15.8-27.6	286	72.4	66.1-78.7
\$75,000+	592	581,319	9	2.3	0.5- 4.1	7	1.7	0.1- 3.3	54	9.5	6.6-12.4	522	86.5	83.0-90.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 10: E-CIGARETTES**

**TABLE 3: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (\_ECIGSTS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3108	2,527,124	47	2.1	1.3- 2.9	96	4.3	3.1- 5.5	492	17.5	15.5-19.5	2473	76.1	73.9-78.3
White/Non-Hisp	2525	1,920,624	45	2.7	1.5- 3.9	82	4.4	3.0- 5.8	406	17.5	15.3-19.7	1992	75.4	72.9-77.9
Black or Afr. Am./Non-Hisp	363	399,318				8	4.2	0.5- 7.9	43	14.4	9.1-19.7	312	81.5	75.4-87.6
Oth. Race/Non-Hisp.	67	60,702	1	1.8	0.0- 5.1				11	18.8	5.1-32.5	55	79.4	65.5-93.3
MultiRacial/Non-Hisp.	53	33,933				4	5.5	0.0-13.5	14	36.7	17.7-55.7	35	57.8	38.6-77.0
Hispanic	59	80,935				2	6.4	0.0-17.4	13	26.5	9.1-43.9	44	67.1	48.9-85.3
18-24	151	280,055	6	4.4	0.1- 8.7	12	10.1	3.0-17.2	47	29.4	20.6-38.2	86	56.1	46.1-66.1
25-34	326	417,175	5	2.0	0.0- 4.2	14	6.1	2.2-10.0	72	20.8	14.9-26.7	235	71.1	64.4-77.8
35-44	383	399,538	8	3.4	0.1- 6.7	16	3.7	1.5- 5.9	85	19.8	14.7-24.9	274	73.0	67.1-78.9
45-54	543	416,373	11	2.1	0.5- 3.7	24	4.4	1.5- 7.3	120	21.1	16.4-25.8	388	72.4	67.1-77.7
55-64	642	438,933	10	1.9	0.3- 3.5	22	3.6	1.4- 5.8	101	16.4	12.7-20.1	509	78.1	74.0-82.2
65+	1063	575,050	7	0.4	0.0- 0.8	8	0.9	0.1- 1.7	67	6.0	4.0- 8.0	981	92.6	90.6-94.6
Less Than H.S.	308	333,723	5	2.4	0.0- 5.3	13	5.7	1.2-10.2	70	24.0	17.5-30.5	220	67.9	60.5-75.3
H.S. or G.E.D.	988	790,532	13	1.7	0.5- 2.9	39	5.6	3.1- 8.1	186	19.1	15.8-22.4	750	73.6	69.7-77.5
Some Post-H.S.	856	796,182	23	3.6	1.4- 5.8	34	4.8	2.4- 7.2	154	19.4	15.5-23.3	645	72.1	67.6-76.6
College Graduate	949	600,075	6	0.6	0.0- 1.4	10	1.1	0.1- 2.1	82	9.4	6.9-11.9	851	88.8	86.1-91.5
Less than \$15,000	405	323,597	13	3.0	1.0- 5.0	27	8.1	3.4-12.8	97	25.8	19.3-32.3	268	63.1	55.8-70.4
\$15,000- 24,999	571	447,963	5	1.6	0.0- 3.4	15	4.2	1.1- 7.3	107	20.6	15.9-25.3	444	73.6	68.1-79.1
\$25,000- 34,999	297	234,940	5	3.4	0.0- 7.9	8	2.3	0.5- 4.1	57	22.3	15.8-28.8	227	72.1	64.8-79.4
\$35,000- 49,999	309	269,439	10	2.6	0.8- 4.4	9	3.7	0.6- 6.8	40	14.7	8.8-20.6	250	79.0	72.5-85.5
\$50,000- 74,999	377	310,009	5	2.1	0.0- 4.3	11	5.2	1.3- 9.1	59	19.2	13.5-24.9	302	73.5	67.0-80.0
\$75,000+	555	477,717	6	1.9	0.0- 4.1	5	0.7	0.0- 1.5	46	9.2	5.9-12.5	498	88.2	84.3-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 10: E-CIGARETTES**

**TABLE 4: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECIG)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5503	4,887,621	5251	94.2	93.2-95.2	252	5.8	4.8- 6.8
Male	2395	2,360,497	2286	94.8	93.6-96.0	109	5.2	4.0- 6.4
Female	3108	2,527,124	2965	93.6	92.0-95.2	143	6.4	4.8- 8.0
White/Non-Hisp	4481	3,695,080	4258	93.5	92.3-94.7	223	6.5	5.3- 7.7
Black or Afr. Am./Non-Hisp	587	733,994	574	96.5	94.0-99.0	13	3.5	1.0- 6.0
Oth. Race/Non-Hisp.	133	140,224	129	97.1	93.8- 100	4	2.9	0.0- 6.2
MultiRacial/Non-Hisp.	92	64,450	85	89.2	79.4-99.0	7	10.8	1.0-20.6
Hispanic	110	171,271	107	96.7	91.2- 100	3	3.3	0.0- 8.8
18-24	308	582,571	263	85.5	80.4-90.6	45	14.5	9.4-19.6
25-34	618	825,966	574	92.6	90.1-95.1	44	7.4	4.9- 9.9
35-44	693	790,631	653	94.0	91.6-96.4	40	6.0	3.6- 8.4
45-54	978	822,776	930	94.6	92.2-97.0	48	5.4	3.0- 7.8
55-64	1135	824,549	1086	95.9	94.3-97.5	49	4.1	2.5- 5.7
65+	1771	1,041,128	1745	98.6	98.0-99.2	26	1.4	0.8- 2.0
Less Than H.S.	538	680,944	512	94.1	90.8-97.4	26	5.9	2.6- 9.2
H.S. or G.E.D.	1757	1,589,955	1665	93.1	91.3-94.9	92	6.9	5.1- 8.7
Some Post-H.S.	1431	1,452,109	1334	92.5	90.5-94.5	97	7.5	5.5- 9.5
College Graduate	1763	1,153,396	1726	97.7	96.7-98.7	37	2.3	1.3- 3.3
Less than \$15,000	618	535,987	567	91.2	87.7-94.7	51	8.8	5.3-12.3
\$15,000- 24,999	917	765,776	871	93.2	90.7-95.7	46	6.8	4.3- 9.3
\$25,000- 34,999	534	485,760	509	93.4	89.5-97.3	25	6.6	2.7-10.5
\$35,000- 49,999	620	563,853	586	94.4	92.0-96.8	34	5.6	3.2- 8.0
\$50,000- 74,999	750	679,473	713	93.4	90.9-95.9	37	6.6	4.1- 9.1
\$75,000+	1147	1,059,036	1120	96.7	95.1-98.3	27	3.3	1.7- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 10: E-CIGARETTES**

**TABLE 5: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECIG)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2395	2,360,497	2286	94.8	93.6-96.0	109	5.2	4.0- 6.4
White/Non-Hisp	1956	1,774,457	1860	94.1	92.5-95.7	96	5.9	4.3- 7.5
Black or Afr. Am./Non-Hisp	224	334,676	219	97.2	94.1- 100	5	2.8	0.0- 5.9
Oth. Race/Non-Hisp.	66	79,521	63	96.2	90.9- 100	3	3.8	0.0- 9.1
Hispanic	51	90,336	50	99.4	98.2- 100	1	0.6	0.0- 1.8
18-24	157	302,516	130	85.6	79.3-91.9	27	14.4	8.1-20.7
25-34	292	408,791	267	93.4	90.5-96.3	25	6.6	3.7- 9.5
35-44	310	391,094	294	95.2	92.7-97.7	16	4.8	2.3- 7.3
45-54	435	406,403	422	95.8	92.3-99.3	13	4.2	0.7- 7.7
55-64	493	385,616	476	97.5	96.1-98.9	17	2.5	1.1- 3.9
65+	708	466,078	697	98.5	97.3-99.7	11	1.5	0.3- 2.7
Less Than H.S.	230	347,221	222	96.2	92.3- 100	8	3.8	0.0- 7.7
H.S. or G.E.D.	769	799,422	729	93.5	91.0-96.0	40	6.5	4.0- 9.0
Some Post-H.S.	575	655,927	535	93.6	91.4-95.8	40	6.4	4.2- 8.6
College Graduate	814	553,321	793	97.0	95.4-98.6	21	3.0	1.4- 4.6
Less than \$15,000	213	212,390	202	94.6	89.9-99.3	11	5.4	0.7-10.1
\$15,000- 24,999	346	317,813	320	91.9	88.2-95.6	26	8.1	4.4-11.8
\$25,000- 34,999	237	250,819	225	92.4	86.3-98.5	12	7.6	1.5-13.7
\$35,000- 49,999	311	294,414	296	95.0	92.3-97.7	15	5.0	2.3- 7.7
\$50,000- 74,999	373	369,463	352	94.0	91.1-96.9	21	6.0	3.1- 8.9
\$75,000+	592	581,319	576	96.0	93.6-98.4	16	4.0	1.6- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 10: E-CIGARETTES**

**TABLE 6: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECIG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3108	2,527,124	2965	93.6	92.0-95.2	143	6.4	4.8- 8.0
White/Non-Hisp	2525	1,920,624	2398	92.9	91.1-94.7	127	7.1	5.3- 8.9
Black or Afr. Am./Non-Hisp	363	399,318	355	95.8	92.1-99.5	8	4.2	0.5- 7.9
Oth. Race/Non-Hisp.	67	60,702	66	98.2	94.9- 100	1	1.8	0.0- 5.1
MultiRacial/Non-Hisp.	53	33,933	49	94.5	86.5- 100	4	5.5	0.0-13.5
Hispanic	59	80,935	57	93.6	82.6- 100	2	6.4	0.0-17.4
18-24	151	280,055	133	85.5	77.7-93.3	18	14.5	6.7-22.3
25-34	326	417,175	307	91.9	87.6-96.2	19	8.1	3.8-12.4
35-44	383	399,538	359	92.8	88.9-96.7	24	7.2	3.3-11.1
45-54	543	416,373	508	93.4	90.1-96.7	35	6.6	3.3- 9.9
55-64	642	438,933	610	94.4	91.9-96.9	32	5.6	3.1- 8.1
65+	1063	575,050	1048	98.6	97.8-99.4	15	1.4	0.6- 2.2
Less Than H.S.	308	333,723	290	91.9	86.6-97.2	18	8.1	2.8-13.4
H.S. or G.E.D.	988	790,532	936	92.7	90.0-95.4	52	7.3	4.6-10.0
Some Post-H.S.	856	796,182	799	91.6	88.7-94.5	57	8.4	5.5-11.3
College Graduate	949	600,075	933	98.3	97.1-99.5	16	1.7	0.5- 2.9
Less than \$15,000	405	323,597	365	88.9	84.0-93.8	40	11.1	6.2-16.0
\$15,000- 24,999	571	447,963	551	94.2	90.7-97.7	20	5.8	2.3- 9.3
\$25,000- 34,999	297	234,940	284	94.4	89.7-99.1	13	5.6	0.9-10.3
\$35,000- 49,999	309	269,439	290	93.7	90.2-97.2	19	6.3	2.8- 9.8
\$50,000- 74,999	377	310,009	361	92.7	88.2-97.2	16	7.3	2.8-11.8
\$75,000+	555	477,717	544	97.4	95.2-99.6	11	2.6	0.4- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017**

**SECTION 11: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE		PAGE
	ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1	MALES AND FEMALES	120
2	MALES ONLY	121
3	FEMALES ONLY	122
	DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4	MALES AND FEMALES	123
5	MALES ONLY	124
6	FEMALES ONLY	125
	BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7	MALES AND FEMALES	126
8	MALES ONLY	127
9	FEMALES ONLY	128
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10	MALES AND FEMALES	129
11	MALES ONLY	130
12	FEMALES ONLY	131
	HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13	MALES AND FEMALES	132
14	MALES ONLY	133
15	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5455	4,838,412	2284	46.3	44.3-48.3	3171	53.7	51.7-55.7
Male	2373	2,334,879	1174	52.7	49.8-55.6	1199	47.3	44.4-50.2
Female	3082	2,503,533	1110	40.4	38.0-42.8	1972	59.6	57.2-62.0
White/Non-Hisp	4452	3,663,764	1855	44.9	42.9-46.9	2597	55.1	53.1-57.1
Black or Afr. Am./Non-Hisp	572	718,402	261	54.7	49.0-60.4	311	45.3	39.6-51.0
Oth. Race/Non-Hisp.	133	140,900	53	39.7	26.6-52.8	80	60.3	47.2-73.4
MultiRacial/Non-Hisp.	91	62,514	32	52.5	37.2-67.8	59	47.5	32.2-62.8
Hispanic	111	172,079	51	48.0	34.7-61.3	60	52.0	38.7-65.3
18-24	307	577,990	189	57.6	50.2-65.0	118	42.4	35.0-49.8
25-34	612	817,372	368	61.9	56.8-67.0	244	38.1	33.0-43.2
35-44	684	777,833	359	54.4	49.5-59.3	325	45.6	40.7-50.5
45-54	973	821,085	425	44.5	40.4-48.6	548	55.5	51.4-59.6
55-64	1125	815,735	434	39.8	36.1-43.5	691	60.2	56.5-63.9
65+	1754	1,028,397	509	28.1	25.4-30.8	1245	71.9	69.2-74.6
Less Than H.S.	529	669,612	98	26.1	20.0-32.2	431	73.9	67.8-80.0
H.S. or G.E.D.	1741	1,570,008	559	37.9	34.8-41.0	1182	62.1	59.0-65.2
Some Post-H.S.	1419	1,441,878	624	50.9	47.4-54.4	795	49.1	45.6-52.6
College Graduate	1754	1,146,251	998	64.1	61.2-67.0	756	35.9	33.0-38.8
Less than \$15,000	608	523,951	158	36.8	30.3-43.3	450	63.2	56.7-69.7
\$15,000- 24,999	910	758,245	269	34.9	30.4-39.4	641	65.1	60.6-69.6
\$25,000- 34,999	527	478,976	195	38.9	32.8-45.0	332	61.1	55.0-67.2
\$35,000- 49,999	617	560,766	292	49.6	44.1-55.1	325	50.4	44.9-55.9
\$50,000- 74,999	751	680,803	391	58.0	53.3-62.7	360	42.0	37.3-46.7
\$75,000+	1139	1,052,285	709	62.1	58.2-66.0	430	37.9	34.0-41.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2373	2,334,879	1174	52.7	50.0-55.4	1199	47.3	44.6-50.0
White/Non-Hisp	1940	1,752,743	952	51.6	48.7-54.5	988	48.4	45.5-51.3
Black or Afr. Am./Non-Hisp	221	331,342	125	63.1	54.7-71.5	96	36.9	28.5-45.3
Oth. Race/Non-Hisp.	67	80,360	30	37.8	19.0-56.6	37	62.2	43.4-81.0
Hispanic	52	91,144	26	48.9	29.1-68.7	26	51.1	31.3-70.9
18-24	156	297,935	104	60.4	49.6-71.2	52	39.6	28.8-50.4
25-34	289	403,718	190	66.7	59.4-74.0	99	33.3	26.0-40.6
35-44	306	385,298	176	61.3	54.2-68.4	130	38.7	31.6-45.8
45-54	432	404,158	217	50.5	44.2-56.8	215	49.5	43.2-55.8
55-64	489	381,357	223	46.5	40.6-52.4	266	53.5	47.6-59.4
65+	701	462,412	264	35.3	30.6-40.0	437	64.7	60.0-69.4
Less Than H.S.	227	343,091	69	36.4	26.8-46.0	158	63.6	54.0-73.2
H.S. or G.E.D.	758	787,228	309	46.0	41.1-50.9	449	54.0	49.1-58.9
Some Post-H.S.	571	650,567	299	57.2	51.7-62.7	272	42.8	37.3-48.3
College Graduate	811	549,565	493	66.8	62.7-70.9	318	33.2	29.1-37.3
Less than \$15,000	206	204,749	76	49.0	38.0-60.0	130	51.0	40.0-62.0
\$15,000- 24,999	343	314,530	127	41.0	33.7-48.3	216	59.0	51.7-66.3
\$25,000- 34,999	233	248,571	98	38.2	28.8-47.6	135	61.8	52.4-71.2
\$35,000- 49,999	311	294,414	158	52.6	44.6-60.6	153	47.4	39.4-55.4
\$50,000- 74,999	373	369,175	206	62.5	56.0-69.0	167	37.5	31.0-44.0
\$75,000+	588	575,321	375	64.1	58.8-69.4	213	35.9	30.6-41.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3082	2,503,533	1110	40.4	38.0-42.8	1972	59.6	57.2-62.0
White/Non-Hisp	2512	1,911,021	903	38.8	36.3-41.3	1609	61.2	58.7-63.7
Black or Afr. Am./Non-Hisp	351	387,059	136	47.4	40.0-54.8	215	52.6	45.2-60.0
Oth. Race/Non-Hisp.	66	60,540	23	42.2	25.5-58.9	43	57.8	41.1-74.5
MultiRacial/Non-Hisp.	52	31,996	15	48.0	28.6-67.4	37	52.0	32.6-71.4
Hispanic	59	80,935	25	47.1	29.7-64.5	34	52.9	35.5-70.3
18-24	151	280,055	85	54.6	44.4-64.8	66	45.4	35.2-55.6
25-34	323	413,653	178	57.3	50.4-64.2	145	42.7	35.8-49.6
35-44	378	392,535	183	47.7	41.0-54.4	195	52.3	45.6-59.0
45-54	541	416,927	208	38.7	33.2-44.2	333	61.3	55.8-66.8
55-64	636	434,378	211	33.9	29.2-38.6	425	66.1	61.4-70.8
65+	1053	565,985	245	22.2	19.1-25.3	808	77.8	74.7-80.9
Less Than H.S.	302	326,521	29	15.3	8.6-22.0	273	84.7	78.0-91.4
H.S. or G.E.D.	983	782,780	250	29.7	25.6-33.8	733	70.3	66.2-74.4
Some Post-H.S.	848	791,311	325	45.6	40.9-50.3	523	54.4	49.7-59.1
College Graduate	943	596,686	505	61.7	57.6-65.8	438	38.3	34.2-42.4
Less than \$15,000	402	319,202	82	29.0	21.6-36.4	320	71.0	63.6-78.4
\$15,000- 24,999	567	443,715	142	30.7	25.0-36.4	425	69.3	63.6-75.0
\$25,000- 34,999	294	230,405	97	39.7	31.9-47.5	197	60.3	52.5-68.1
\$35,000- 49,999	306	266,352	134	46.2	38.8-53.6	172	53.8	46.4-61.2
\$50,000- 74,999	378	311,627	185	52.6	45.7-59.5	193	47.4	40.5-54.3
\$75,000+	551	476,963	334	59.7	54.0-65.4	217	40.3	34.6-46.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 11: ALCOHOL CONSUMPTION  
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5455	4,838,412	1375	28.1	26.3-29.9	483	10.3	9.1-11.5	145	2.9	2.3- 3.5	281	5.1	4.3- 5.9	3171	53.7	51.7-55.7
Male	2373	2,334,879	637	29.5	26.8-32.2	267	12.2	10.2-14.2	85	3.6	2.6- 4.6	185	7.4	6.0- 8.8	1199	47.3	44.4-50.2
Female	3082	2,503,533	738	26.8	24.6-29.0	216	8.5	6.9-10.1	60	2.1	1.3- 2.9	96	2.9	2.1- 3.7	1972	59.6	57.2-62.0
White/Non-Hisp	4452	3,663,764	1087	26.1	24.3-27.9	398	10.0	8.8-11.2	131	3.3	2.5- 4.1	239	5.5	4.5- 6.5	2597	55.1	53.1-57.1
Black or Afr. Am./Non-Hisp	572	718,402	170	34.9	29.2-40.6	59	13.9	9.6-18.2	10	1.9	0.3- 3.5	22	4.0	1.8- 6.2	311	45.3	39.6-51.0
Oth. Race/Non-Hisp.	133	140,900	34	27.0	15.8-38.2	9	8.3	2.0-14.6	1	0.4	0.0- 1.2	9	3.9	0.2- 7.6	80	60.3	47.2-73.4
MultiRacial/Non-Hisp.	91	62,514	23	38.4	23.1-53.7	2	5.6	0.0-15.0				7	8.5	0.0-17.3	59	47.5	32.2-62.8
Hispanic	111	172,079	37	37.4	23.9-50.9	9	6.9	0.8-13.0	2	1.8	0.0- 5.1	3	1.9	0.0- 4.3	60	52.0	38.7-65.3
18-24	307	577,990	130	38.8	31.9-45.7	41	12.7	7.8-17.6	9	2.9	0.5- 5.3	9	3.1	0.9- 5.3	118	42.4	35.0-49.8
25-34	612	817,372	212	35.7	30.4-41.0	105	17.3	13.4-21.2	20	3.5	1.7- 5.3	31	5.5	3.1- 7.9	244	38.1	33.0-43.2
35-44	684	777,833	230	34.3	29.6-39.0	78	11.9	8.8-15.0	23	4.0	2.2- 5.8	28	4.2	2.2- 6.2	325	45.6	40.7-50.5
45-54	973	821,085	269	27.7	24.0-31.4	85	8.9	6.5-11.3	23	2.5	1.1- 3.9	48	5.4	3.4- 7.4	548	55.5	51.4-59.6
55-64	1125	815,735	254	23.8	20.5-27.1	79	7.0	5.0- 9.0	32	2.7	1.5- 3.9	69	6.3	4.5- 8.1	691	60.2	56.5-63.9
65+	1754	1,028,397	280	15.2	13.0-17.4	95	5.9	4.3- 7.5	38	1.9	1.1- 2.7	96	5.1	3.9- 6.3	1245	71.9	69.2-74.6
Less Than H.S.	529	669,612	54	16.1	10.6-21.6	16	5.0	1.9- 8.1	4	0.6	0.0- 1.2	24	4.3	2.3- 6.3	431	73.9	67.8-80.0
H.S. or G.E.D.	1741	1,570,008	370	24.7	21.8-27.6	102	7.2	5.2- 9.2	25	2.1	0.9- 3.3	62	3.9	2.5- 5.3	1182	62.1	59.0-65.2
Some Post-H.S.	1419	1,441,878	382	32.2	28.7-35.7	133	11.7	9.2-14.2	33	2.3	1.3- 3.3	76	4.6	3.2- 6.0	795	49.1	45.6-52.6
College Graduate	1754	1,146,251	565	34.6	31.7-37.5	232	16.0	13.6-18.4	83	5.9	4.3- 7.5	118	7.6	5.8- 9.4	756	35.9	33.0-38.8
Less than \$15,000	608	523,951	102	25.3	19.2-31.4	23	7.6	3.5-11.7	9	1.4	0.4- 2.4	24	2.5	1.1- 3.9	450	63.2	56.7-69.7
\$15,000- 24,999	910	758,245	184	22.9	19.0-26.8	45	6.8	3.9- 9.7	8	0.9	0.1- 1.7	32	4.3	2.5- 6.1	641	65.1	60.6-69.6
\$25,000- 34,999	527	478,976	113	23.5	18.2-28.8	42	8.4	5.3-11.5	7	0.7	0.1- 1.3	33	6.4	3.5- 9.3	332	61.1	55.0-67.2
\$35,000- 49,999	617	560,766	163	27.4	22.5-32.3	66	12.7	9.0-16.4	22	3.9	1.7- 6.1	41	5.5	3.3- 7.7	325	50.4	44.9-55.9
\$50,000- 74,999	751	680,803	228	36.7	31.6-41.8	96	12.5	9.6-15.4	25	3.1	1.5- 4.7	42	5.7	3.3- 8.1	360	42.0	37.3-46.7
\$75,000+	1139	1,052,285	419	35.5	31.8-39.2	160	14.6	11.9-17.3	58	6.3	4.1- 8.5	72	5.7	3.9- 7.5	430	37.9	34.0-41.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 11: ALCOHOL CONSUMPTION  
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2373	2,334,879	637	29.5	26.8-32.2	267	12.2	10.2-14.2	85	3.6	2.6- 4.6	185	7.4	6.0- 8.8	1199	47.3	44.6-50.0
White/Non-Hisp	1940	1,752,743	502	27.6	24.9-30.3	218	11.7	9.7-13.7	77	4.4	3.2- 5.6	155	8.0	6.4- 9.6	988	48.4	45.5-51.3
Black or Afr. Am./Non-Hisp	221	331,342	69	36.1	27.1-45.1	31	17.6	10.2-25.0	7	2.4	0.0- 4.8	18	7.0	2.9-11.1	96	36.9	28.5-45.3
Oth. Race/Non-Hisp.	67	80,360	19	22.6	8.9-36.3	6	10.6	0.6-20.6				5	4.6	0.0-10.3	37	62.2	43.4-81.0
Hispanic	52	91,144	18	40.0	19.8-60.2	5	5.3	0.0-10.6				3	3.6	0.0- 7.9	26	51.1	31.3-70.9
18-24	156	297,935	68	39.2	29.4-49.0	23	12.5	6.0-19.0	6	4.0	0.1- 7.9	7	4.6	0.9- 8.3	52	39.6	28.8-50.4
25-34	289	403,718	101	38.0	30.0-46.0	56	17.6	11.9-23.3	10	2.7	0.7- 4.7	23	8.4	4.1-12.7	99	33.3	26.0-40.6
35-44	306	385,298	105	35.2	27.9-42.5	40	14.9	9.4-20.4	16	5.7	2.6- 8.8	15	5.5	2.2- 8.8	130	38.7	31.6-45.8
45-54	432	404,158	121	27.7	22.2-33.2	53	12.6	8.3-16.9	13	3.4	1.0- 5.8	30	6.8	3.9- 9.7	215	49.5	43.2-55.8
55-64	489	381,357	115	25.2	19.7-30.7	38	7.7	4.8-10.6	18	3.4	1.2- 5.6	52	10.2	6.9-13.5	266	53.5	47.6-59.4
65+	701	462,412	127	16.1	12.6-19.6	57	8.3	5.6-11.0	22	2.9	1.3- 4.5	58	8.0	5.6-10.4	437	64.7	60.0-69.4
Less Than H.S.	227	343,091	34	22.0	12.8-31.2	13	7.4	2.1-12.7	4	1.2	0.0- 2.6	18	5.7	2.6- 8.8	158	63.6	54.0-73.2
H.S. or G.E.D.	758	787,228	191	28.7	24.2-33.2	56	7.8	5.1-10.5	19	3.2	1.2- 5.2	43	6.3	3.9- 8.7	449	54.0	49.1-58.9
Some Post-H.S.	571	650,567	153	31.1	26.0-36.2	80	15.4	11.3-19.5	17	3.1	1.3- 4.9	49	7.7	5.0-10.4	272	42.8	37.3-48.3
College Graduate	811	549,565	256	33.1	28.8-37.4	118	17.8	14.1-21.5	45	6.4	4.0- 8.8	74	9.5	6.8-12.2	318	33.2	29.1-37.3
Less than \$15,000	206	204,749	41	30.4	19.0-41.8	11	10.4	2.6-18.2	7	3.0	0.5- 5.5	17	5.1	1.6- 8.6	130	51.0	40.0-62.0
\$15,000- 24,999	343	314,530	75	22.5	16.6-28.4	25	9.8	3.7-15.9	4	1.1	0.0- 2.3	23	7.6	4.1-11.1	216	59.0	51.7-66.3
\$25,000- 34,999	233	248,571	48	19.9	12.5-27.3	25	9.8	4.9-14.7	4	0.5	0.1- 0.9	21	8.0	3.3-12.7	135	61.8	52.4-71.2
\$35,000- 49,999	311	294,414	80	27.3	20.2-34.4	39	14.5	9.0-20.0	14	4.6	1.5- 7.7	25	6.2	3.5- 8.9	153	47.4	39.4-55.4
\$50,000- 74,999	373	369,175	107	37.9	30.6-45.2	57	13.0	9.3-16.7	14	3.1	1.1- 5.1	28	8.5	4.4-12.6	167	37.5	31.0-44.0
\$75,000+	588	575,321	210	34.5	29.4-39.6	86	15.1	11.2-19.0	34	7.9	4.6-11.2	45	6.6	4.1- 9.1	213	35.9	30.6-41.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 11: ALCOHOL CONSUMPTION  
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3082	2,503,533	738	26.8	24.6-29.0	216	8.5	6.9-10.1	60	2.1	1.3- 2.9	96	2.9	2.1- 3.7	1972	59.6	57.2-62.0
White/Non-Hisp	2512	1,911,021	585	24.8	22.4-27.2	180	8.5	6.9-10.1	54	2.3	1.5- 3.1	84	3.2	2.2- 4.2	1609	61.2	58.7-63.7
Black or Afr. Am./Non-Hisp	351	387,059	101	33.9	26.8-41.0	28	10.7	5.8-15.6	3	1.5	0.0- 3.5	4	1.4	0.0- 3.0	215	52.6	45.2-60.0
Oth. Race/Non-Hisp.	66	60,540	15	33.0	16.3-49.7	3	5.4	0.0-11.7	1	1.0	0.0- 3.0	4	2.8	0.0- 6.9	43	57.8	41.1-74.5
MultiRacial/Non-Hisp.	52	31,996	10	36.0	16.6-55.4	1	1.3	0.0- 3.8				4	10.7	0.0-26.2	37	52.0	32.6-71.4
Hispanic	59	80,935	19	34.5	17.1-51.9	4	8.6	0.0-20.0	2	3.9	0.0-11.0				34	52.9	35.5-70.3
18-24	151	280,055	62	38.4	28.8-48.0	18	12.9	5.8-20.0	3	1.7	0.0- 3.7	2	1.6	0.0- 3.8	66	45.4	35.2-55.6
25-34	323	413,653	111	33.4	26.7-40.1	49	17.0	11.3-22.7	10	4.2	1.3- 7.1	8	2.7	0.5- 4.9	145	42.7	35.8-49.6
35-44	378	392,535	125	33.4	27.3-39.5	38	9.0	5.7-12.3	7	2.3	0.3- 4.3	13	3.0	0.8- 5.2	195	52.3	45.6-59.0
45-54	541	416,927	148	27.7	22.6-32.8	32	5.3	2.9- 7.7	10	1.7	0.3- 3.1	18	4.0	1.6- 6.4	333	61.3	55.8-66.8
55-64	636	434,378	139	22.6	18.5-26.7	41	6.4	4.0- 8.8	14	2.1	0.7- 3.5	17	2.8	1.2- 4.4	425	66.1	61.4-70.8
65+	1053	565,985	153	14.4	11.7-17.1	38	3.9	2.3- 5.5	16	1.1	0.5- 1.7	38	2.8	1.8- 3.8	808	77.8	74.7-80.9
Less Than H.S.	302	326,521	20	10.0	4.5-15.5	3	2.4	0.0- 5.9				6	2.9	0.2- 5.6	273	84.7	78.0-91.4
H.S. or G.E.D.	983	782,780	179	20.6	17.1-24.1	46	6.6	3.9- 9.3	6	1.0	0.0- 2.0	19	1.5	0.5- 2.5	733	70.3	66.2-74.4
Some Post-H.S.	848	791,311	229	33.1	28.4-37.8	53	8.7	5.8-11.6	16	1.7	0.7- 2.7	27	2.1	1.1- 3.1	523	54.4	49.7-59.1
College Graduate	943	596,686	309	36.1	31.8-40.4	114	14.3	11.2-17.4	38	5.5	3.1- 7.9	44	5.8	3.6- 8.0	438	38.3	34.2-42.4
Less than \$15,000	402	319,202	61	22.0	15.1-28.9	12	5.8	1.3-10.3	2	0.3	0.0- 0.7	7	0.9	0.1- 1.7	320	71.0	63.6-78.4
\$15,000- 24,999	567	443,715	109	23.2	17.7-28.7	20	4.7	2.2- 7.2	4	0.8	0.0- 1.8	9	1.9	0.3- 3.5	425	69.3	63.6-75.0
\$25,000- 34,999	294	230,405	65	27.3	20.0-34.6	17	6.8	2.9-10.7	3	0.9	0.0- 2.1	12	4.8	1.3- 8.3	197	60.3	52.5-68.1
\$35,000- 49,999	306	266,352	83	27.5	20.6-34.4	27	10.7	5.6-15.8	8	3.1	0.4- 5.8	16	4.9	1.6- 8.2	172	53.8	46.4-61.2
\$50,000- 74,999	378	311,627	121	35.2	28.7-41.7	39	11.9	7.0-16.8	11	3.1	0.6- 5.6	14	2.4	0.8- 4.0	193	47.4	40.5-54.3
\$75,000+	551	476,963	209	36.6	31.3-41.9	74	14.1	10.2-18.0	24	4.4	2.0- 6.8	27	4.6	2.4- 6.8	217	40.3	34.6-46.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5406	4,773,172	4845	86.9	85.5-88.3	561	13.1	11.7-14.5
Male	2345	2,288,558	2010	82.7	80.3-85.1	335	17.3	14.9-19.7
Female	3061	2,484,613	2835	90.7	89.1-92.3	226	9.3	7.7-10.9
White/Non-Hisp	4417	3,622,968	3970	86.9	85.5-88.3	447	13.1	11.7-14.5
Black or Afr. Am./Non-Hisp	561	695,538	496	86.3	82.2-90.4	65	13.7	9.6-17.8
Oth. Race/Non-Hisp.	132	140,714	121	91.6	85.7-97.5	11	8.4	2.5-14.3
MultiRacial/Non-Hisp.	89	61,119	80	89.3	81.1-97.5	9	10.7	2.5-18.9
Hispanic	111	172,079	93	82.6	70.6-94.6	18	17.4	5.4-29.4
18-24	299	564,379	231	79.2	73.7-84.7	68	20.8	15.3-26.3
25-34	605	808,554	472	77.4	72.9-81.9	133	22.6	18.1-27.1
35-44	677	758,593	561	82.5	78.8-86.2	116	17.5	13.8-21.2
45-54	965	810,916	858	87.7	85.0-90.4	107	12.3	9.6-15.0
55-64	1114	806,052	1023	91.7	89.5-93.9	91	8.3	6.1-10.5
65+	1746	1,024,678	1700	97.3	96.3-98.3	46	2.7	1.7- 3.7
Less Than H.S.	523	657,510	476	86.9	82.0-91.8	47	13.1	8.2-18.0
H.S. or G.E.D.	1723	1,545,595	1560	87.9	85.5-90.3	163	12.1	9.7-14.5
Some Post-H.S.	1405	1,421,366	1248	86.9	84.5-89.3	157	13.1	10.7-15.5
College Graduate	1743	1,138,037	1550	85.3	82.9-87.7	193	14.7	12.3-17.1
Less than \$15,000	598	512,373	551	88.7	84.2-93.2	47	11.3	6.8-15.8
\$15,000- 24,999	906	747,849	829	89.3	86.4-92.2	77	10.7	7.8-13.6
\$25,000- 34,999	524	474,977	462	84.2	79.5-88.9	62	15.8	11.1-20.5
\$35,000- 49,999	614	557,011	527	83.3	79.2-87.4	87	16.7	12.6-20.8
\$50,000- 74,999	746	677,446	663	86.3	82.4-90.2	83	13.7	9.8-17.6
\$75,000+	1129	1,038,701	980	85.0	82.1-87.9	149	15.0	12.1-17.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2345	2,288,558	2010	82.7	80.3-85.1	335	17.3	14.9-19.7
White/Non-Hisp	1921	1,724,939	1655	82.8	80.4-85.2	266	17.2	14.8-19.6
Black or Afr. Am./Non-Hisp	213	313,012	176	81.7	74.4-89.0	37	18.3	11.0-25.6
Oth. Race/Non-Hisp.	66	80,174	58	88.3	78.7-97.9	8	11.7	2.1-21.3
Hispanic	52	91,144	43	77.6	57.8-97.4	9	22.4	2.6-42.2
18-24	152	288,346	109	74.1	65.5-82.7	43	25.9	17.3-34.5
25-34	285	397,187	206	72.1	64.8-79.4	79	27.9	20.6-35.2
35-44	301	368,915	233	77.3	71.0-83.6	68	22.7	16.4-29.0
45-54	428	399,584	367	84.2	79.5-88.9	61	15.8	11.1-20.5
55-64	481	373,425	424	88.1	84.0-92.2	57	11.9	7.8-16.0
65+	698	461,101	671	96.0	94.2-97.8	27	4.0	2.2- 5.8
Less Than H.S.	221	330,989	186	81.1	72.9-89.3	35	18.9	10.7-27.1
H.S. or G.E.D.	749	769,262	646	82.7	78.8-86.6	103	17.3	13.4-21.2
Some Post-H.S.	564	639,213	464	81.8	77.7-85.9	100	18.2	14.1-22.3
College Graduate	805	544,665	709	84.8	81.5-88.1	96	15.2	11.9-18.5
Less than \$15,000	198	194,713	176	85.2	77.0-93.4	22	14.8	6.6-23.0
\$15,000- 24,999	340	306,532	299	86.6	81.5-91.7	41	13.4	8.3-18.5
\$25,000- 34,999	233	247,593	192	80.5	73.1-87.9	41	19.5	12.1-26.9
\$35,000- 49,999	310	292,703	258	81.1	75.0-87.2	52	18.9	12.8-25.0
\$50,000- 74,999	370	366,712	311	80.9	74.2-87.6	59	19.1	12.4-25.8
\$75,000+	581	563,449	496	82.2	77.9-86.5	85	17.8	13.5-22.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3061	2,484,613	2835	90.7	89.1-92.3	226	9.3	7.7-10.9
White/Non-Hisp	2496	1,898,030	2315	90.7	89.1-92.3	181	9.3	7.7-10.9
Black or Afr. Am./Non-Hisp	348	382,526	320	90.1	85.4-94.8	28	9.9	5.2-14.6
Oth. Race/Non-Hisp.	66	60,540	63	96.0	90.7- 100	3	4.0	0.0- 9.3
MultiRacial/Non-Hisp.	50	30,601	46	88.1	74.8- 100	4	11.9	0.0-25.2
Hispanic	59	80,935	50	88.2	77.8-98.6	9	11.8	1.4-22.2
18-24	147	276,033	122	84.5	77.8-91.2	25	15.5	8.8-22.2
25-34	320	411,366	266	82.6	77.1-88.1	54	17.4	11.9-22.9
35-44	376	389,678	328	87.3	83.0-91.6	48	12.7	8.4-17.0
45-54	537	411,332	491	91.0	87.7-94.3	46	9.0	5.7-12.3
55-64	633	432,627	599	94.8	92.6-97.0	34	5.2	3.0- 7.4
65+	1048	563,577	1029	98.4	97.6-99.2	19	1.6	0.8- 2.4
Less Than H.S.	302	326,521	290	92.7	87.8-97.6	12	7.3	2.4-12.2
H.S. or G.E.D.	974	776,333	914	93.1	90.9-95.3	60	6.9	4.7- 9.1
Some Post-H.S.	841	782,153	784	91.0	88.3-93.7	57	9.0	6.3-11.7
College Graduate	938	593,372	841	85.7	82.4-89.0	97	14.3	11.0-17.6
Less than \$15,000	400	317,661	375	90.8	85.7-95.9	25	9.2	4.1-14.3
\$15,000- 24,999	566	441,317	530	91.2	87.7-94.7	36	8.8	5.3-12.3
\$25,000- 34,999	291	227,384	270	88.2	82.3-94.1	21	11.8	5.9-17.7
\$35,000- 49,999	304	264,308	269	85.6	79.9-91.3	35	14.4	8.7-20.1
\$50,000- 74,999	376	310,734	352	92.7	89.4-96.0	24	7.3	4.0-10.6
\$75,000+	548	475,252	484	88.4	84.9-91.9	64	11.6	8.1-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5404	4,779,859	865	16.4	15.0-17.8	289	6.2	5.2- 7.2	465	9.8	8.6-11.0	312	7.1	6.1- 8.1	302	6.2	5.2- 7.2	3171	54.3	52.3-56.3
Male	2345	2,294,948	352	15.3	13.1-17.5	150	6.8	5.4- 8.2	239	11.6	9.6-13.6	184	8.4	6.8-10.0	221	9.8	8.2-11.4	1199	48.2	45.3-51.1
Female	3059	2,484,911	513	17.5	15.5-19.5	139	5.7	4.5- 6.9	226	8.1	6.7- 9.5	128	5.8	4.4- 7.2	81	2.8	2.0- 3.6	1972	60.1	57.6-62.6
White/Non-Hisp	4418	3,624,119	693	15.5	14.1-16.9	229	5.5	4.5- 6.5	380	9.6	8.4-10.8	269	7.3	6.1- 8.5	250	6.3	5.3- 7.3	2597	55.7	53.7-57.7
Black or Afr. Am./Non-Hisp	565	706,615	105	21.7	16.6-26.8	37	8.3	5.2-11.4	51	10.3	6.8-13.8	28	6.7	3.6- 9.8	33	7.0	4.1- 9.9	311	46.1	40.2-52.0
Oth. Race/Non-Hisp.	127	137,123	22	15.5	6.7-24.3	5	5.5	0.0-11.0	8	7.4	1.9-12.9	8	6.3	0.4-12.2	4	3.4	0.0- 7.1	80	62.0	48.9-75.1
MultiRacial/Non-Hisp.	89	61,683	10	17.0	4.7-29.3	5	13.2	1.4-25.0	8	9.1	1.8-16.4	2	9.4	0.0-21.6	5	3.2	0.0- 6.7	59	48.1	32.6-63.6
Hispanic	110	170,466	21	15.1	7.1-23.1	7	7.9	0.0-16.1	12	14.8	2.5-27.1	4	6.0	0.0-12.3	6	3.9	0.6- 7.2	60	52.5	39.2-65.8
18-24	300	561,940	58	18.8	13.3-24.3	27	8.7	5.0-12.4	46	13.1	8.6-17.6	28	8.7	5.0-12.4	23	7.1	3.8-10.4	118	43.6	36.2-51.0
25-34	604	807,275	109	17.7	13.6-21.8	53	7.9	5.2-10.6	90	15.5	11.4-19.6	58	12.4	8.7-16.1	50	8.0	5.3-10.7	244	38.6	33.5-43.7
35-44	676	764,001	125	18.1	14.2-22.0	56	8.2	5.5-10.9	72	11.5	8.2-14.8	53	8.3	5.8-10.8	45	7.4	4.9- 9.9	325	46.4	41.5-51.3
45-54	965	813,818	173	16.5	13.6-19.4	56	6.9	4.7- 9.1	84	9.1	6.7-11.5	41	4.3	2.5- 6.1	63	7.3	5.1- 9.5	548	56.0	51.7-60.3
55-64	1114	807,942	175	16.9	13.8-20.0	49	4.2	2.8- 5.6	84	7.3	5.3- 9.3	53	5.3	3.5- 7.1	62	5.5	3.7- 7.3	691	60.8	57.1-64.5
65+	1745	1,024,882	225	12.4	10.4-14.4	48	3.0	1.8- 4.2	89	4.7	3.5- 5.9	79	4.7	3.3- 6.1	59	3.0	2.0- 4.0	1245	72.2	69.5-74.9
Less Than H.S.	521	657,890	32	8.9	4.8-13.0	7	2.1	0.1- 4.1	13	5.0	0.9- 9.1	14	4.9	2.0- 7.8	24	3.8	2.0- 5.6	431	75.2	69.1-81.3
H.S. or G.E.D.	1725	1,547,248	227	13.7	11.3-16.1	66	4.8	3.4- 6.2	106	7.6	5.8- 9.4	67	5.0	3.4- 6.6	77	5.9	4.1- 7.7	1182	63.1	60.0-66.2
Some Post-H.S.	1403	1,424,319	238	19.4	16.5-22.3	77	6.8	4.8- 8.8	129	10.7	8.3-13.1	80	7.1	5.1- 9.1	84	6.3	4.5- 8.1	795	49.8	46.3-53.3
College Graduate	1743	1,139,738	364	20.6	18.1-23.1	139	9.9	7.9-11.9	217	14.5	12.1-16.9	151	11.2	9.0-13.4	116	7.8	6.0- 9.6	756	36.1	33.2-39.0
Less than \$15,000	602	519,892	65	16.1	10.4-21.8	16	3.3	1.3- 5.3	25	5.9	2.4- 9.4	23	8.4	4.1-12.7	23	2.7	1.1- 4.3	450	63.7	57.2-70.2
\$15,000- 24,999	901	745,383	114	12.8	9.7-15.9	31	3.8	1.8- 5.8	50	6.7	4.3- 9.1	28	5.5	2.8- 8.2	37	4.9	2.9- 6.9	641	66.2	61.7-70.7
\$25,000- 34,999	523	471,712	66	11.6	8.1-15.1	21	5.2	2.5- 7.9	46	8.5	5.4-11.6	25	5.3	2.8- 7.8	33	7.4	4.1-10.7	332	62.0	55.9-68.1
\$35,000- 49,999	614	557,111	100	15.9	12.0-19.8	33	5.8	3.3- 8.3	65	11.5	8.0-15.0	45	8.0	5.1-10.9	46	8.0	5.1-10.9	325	50.8	45.3-56.3
\$50,000- 74,999	744	673,088	149	21.1	17.0-25.2	50	8.3	5.6-11.0	73	12.3	8.2-16.4	57	7.1	4.7- 9.5	55	8.7	6.0-11.4	360	42.5	37.6-47.4
\$75,000+	1133	1,049,229	262	21.7	18.6-24.8	107	9.5	7.3-11.7	152	13.3	10.8-15.8	100	9.9	7.5-12.3	82	7.6	5.4- 9.8	430	38.0	34.1-41.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2345	2,294,948	352	15.3	13.1-17.5	150	6.8	5.4- 8.2	239	11.6	9.6-13.6	184	8.4	6.8-10.0	221	9.8	8.2-11.4	1199	48.2	45.3-51.1
White/Non-Hisp	1923	1,724,623	283	14.6	12.4-16.8	117	6.2	4.8- 7.6	194	11.0	9.0-13.0	160	9.0	7.2-10.8	181	10.1	8.3-11.9	988	49.2	46.3-52.1
Black or Afr. Am./Non-Hisp	217	325,102	31	18.0	9.8-26.2	23	11.8	5.9-17.7	25	13.6	6.9-20.3	16	7.1	2.4-11.8	26	11.9	6.2-17.6	96	37.6	29.0-46.2
Oth. Race/Non-Hisp.	63	77,961	12	12.1	2.7-21.5	2	1.1	0.0- 2.9	4	7.6	0.0-15.6	5	10.4	0.0-21.0	3	4.7	0.0-10.8	37	64.1	45.5-82.7
Hispanic	51	89,531	11	16.2	4.0-28.4	2	2.4	0.0- 5.7	6	20.3	0.0-40.9	1	2.8	0.0- 8.3	5	6.3	0.2-12.4	26	52.0	31.8-72.2
18-24	153	285,031	27	16.5	9.4-23.6	15	9.5	4.2-14.8	24	12.5	6.6-18.4	16	8.3	3.2-13.4	19	11.7	5.6-17.8	52	41.4	30.4-52.4
25-34	284	396,491	40	15.0	8.7-21.3	27	7.1	3.8-10.4	47	19.7	12.6-26.8	32	11.8	7.1-16.5	39	12.4	7.5-17.3	99	33.9	26.5-41.3
35-44	303	377,935	52	18.1	12.2-24.0	27	8.7	4.6-12.8	32	12.1	6.8-17.4	34	11.0	6.7-15.3	28	10.6	6.1-15.1	130	39.5	32.4-46.6
45-54	427	400,192	69	13.9	10.0-17.8	31	8.7	5.0-12.4	48	11.5	7.8-15.2	23	5.6	2.3- 8.9	41	10.2	6.5-13.9	215	50.0	43.5-56.5
55-64	481	374,474	73	17.9	12.8-23.0	21	3.5	1.7- 5.3	41	8.2	5.1-11.3	29	5.9	3.4- 8.4	51	10.0	6.5-13.5	266	54.4	48.3-60.5
65+	697	460,825	91	11.4	8.3-14.5	29	4.2	2.2- 6.2	47	6.4	4.0- 8.8	50	7.9	5.2-10.6	43	5.2	3.4- 7.0	437	64.9	60.2-69.6
Less Than H.S.	220	332,594	19	11.4	4.5-18.3	5	3.3	0.0- 6.8	10	9.4	1.8-17.0	8	4.8	1.1- 8.5	20	5.5	2.8- 8.2	158	65.7	55.9-75.5
H.S. or G.E.D.	749	768,274	109	15.8	12.1-19.5	37	4.9	2.9- 6.9	53	7.2	4.8- 9.6	41	6.8	4.3- 9.3	60	10.0	6.9-13.1	449	55.3	50.4-60.2
Some Post-H.S.	563	642,515	75	15.5	11.4-19.6	41	7.8	4.9-10.7	62	13.2	9.3-17.1	47	8.5	5.4-11.6	66	11.7	8.2-15.2	272	43.3	37.8-48.8
College Graduate	807	547,137	146	16.2	13.1-19.3	67	10.4	7.5-13.3	114	17.3	13.6-21.0	88	13.0	9.9-16.1	74	9.8	7.1-12.5	318	33.3	29.2-37.4
Less than \$15,000	201	201,008	24	19.6	8.6-30.6	4	1.7	0.0- 3.7	13	10.1	2.1-18.1	13	11.2	3.9-18.5	17	5.5	2.0- 9.0	130	52.0	40.8-63.2
\$15,000- 24,999	339	305,903	43	11.1	6.8-15.4	14	4.6	1.5- 7.7	20	6.8	3.1-10.5	18	7.5	2.8-12.2	28	9.5	5.2-13.8	216	60.7	53.6-67.8
\$25,000- 34,999	231	242,484	26	8.5	4.0-13.0	10	3.6	0.7- 6.5	21	8.8	3.9-13.7	17	7.4	3.3-11.5	22	8.3	3.6-13.0	135	63.4	54.2-72.6
\$35,000- 49,999	308	290,759	38	11.7	7.0-16.4	22	7.8	3.5-12.1	35	13.0	7.7-18.3	27	9.0	4.9-13.1	33	10.6	5.9-15.3	153	48.0	40.0-56.0
\$50,000- 74,999	371	367,612	62	20.2	14.3-26.1	24	7.6	3.9-11.3	36	13.0	6.7-19.3	36	7.6	4.5-10.7	46	13.8	9.1-18.5	167	37.6	31.1-44.1
\$75,000+	587	574,295	117	18.7	14.6-22.8	57	9.6	6.7-12.5	90	15.6	11.7-19.5	56	9.9	6.8-13.0	54	10.2	6.7-13.7	213	36.0	30.7-41.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3059	2,484,911	513	17.5	15.5-19.5	139	5.7	4.5- 6.9	226	8.1	6.7- 9.5	128	5.8	4.4- 7.2	81	2.8	2.0- 3.6	1972	60.1	57.7-62.5
White/Non-Hisp	2495	1,899,496	410	16.3	14.3-18.3	112	5.0	3.8- 6.2	186	8.4	6.8-10.0	109	5.8	4.4- 7.2	69	3.0	2.0- 4.0	1609	61.6	59.1-64.1
Black or Afr. Am./Non-Hisp	348	381,513	74	24.8	18.1-31.5	14	5.3	2.2- 8.4	26	7.4	4.1-10.7	12	6.4	1.9-10.9	7	2.8	0.4- 5.2	215	53.3	45.9-60.7
Oth. Race/Non-Hisp.	64	59,161	10	19.9	4.8-35.0	3	11.1	0.0-23.1	4	7.1	0.0-14.4	3	0.8	0.0- 2.0	1	1.8	0.0- 5.3	43	59.2	42.3-76.1
MultiRacial/Non-Hisp.	51	31,824	4	12.9	0.0-26.0	2	13.0	0.0-29.3	4	11.1	0.0-22.7	1	8.5	0.0-24.0	3	2.3	0.0- 5.4	37	52.3	32.7-71.9
Hispanic	59	80,935	10	13.8	3.8-23.8	5	14.0	0.0-30.1	6	8.6	0.0-19.8	3	9.4	0.0-21.0	1	1.2	0.0- 3.6	34	52.9	35.5-70.3
18-24	147	276,909	31	21.1	12.9-29.3	12	7.8	2.7-12.9	22	13.8	6.7-20.9	12	9.1	3.4-14.8	4	2.3	0.0- 4.8	66	45.9	35.7-56.1
25-34	320	410,784	69	20.3	14.8-25.8	26	8.7	4.2-13.2	43	11.5	7.4-15.6	26	12.9	7.4-18.4	11	3.6	1.2- 6.0	145	43.0	36.1-49.9
35-44	373	386,066	73	18.1	13.2-23.0	29	7.8	4.5-11.1	40	10.9	7.0-14.8	19	5.7	2.6- 8.8	17	4.3	1.8- 6.8	195	53.2	46.5-59.9
45-54	538	413,626	104	19.0	14.7-23.3	25	5.1	2.6- 7.6	36	6.7	4.0- 9.4	18	3.0	1.2- 4.8	22	4.4	1.9- 6.9	333	61.8	56.3-67.3
55-64	633	433,468	102	16.1	12.4-19.8	28	4.9	2.7- 7.1	43	6.5	4.0- 9.0	24	4.8	2.6- 7.0	11	1.6	0.4- 2.8	425	66.2	61.5-70.9
65+	1048	564,058	134	13.1	10.4-15.8	19	2.1	0.9- 3.3	42	3.4	2.2- 4.6	29	2.1	1.3- 2.9	16	1.2	0.6- 1.8	808	78.1	75.0-81.2
Less Than H.S.	301	325,296	13	6.2	1.7-10.7	2	0.9	0.0- 2.3	3	0.5	0.0- 1.1	6	5.1	0.4- 9.8	4	2.1	0.0- 4.5	273	85.1	78.4-91.8
H.S. or G.E.D.	976	778,974	118	11.6	9.1-14.1	29	4.6	2.6- 6.6	53	8.0	5.3-10.7	26	3.4	1.6- 5.2	17	1.8	0.6- 3.0	733	70.7	66.6-74.8
Some Post-H.S.	840	781,805	163	22.6	18.5-26.7	36	5.9	3.4- 8.4	67	8.7	6.2-11.2	33	5.9	3.4- 8.4	18	1.8	0.8- 2.8	523	55.1	50.4-59.8
College Graduate	936	592,602	218	24.7	20.8-28.6	72	9.4	6.7-12.1	103	11.9	9.2-14.6	63	9.5	6.6-12.4	42	5.9	3.5- 8.3	438	38.6	34.5-42.7
Less than \$15,000	401	318,883	41	13.8	7.9-19.7	12	4.2	1.3- 7.1	12	3.3	1.1- 5.5	10	6.7	1.4-12.0	6	0.9	0.1- 1.7	320	71.1	63.7-78.5
\$15,000- 24,999	562	439,480	71	14.0	9.5-18.5	17	3.3	0.9- 5.7	30	6.7	3.6- 9.8	10	4.2	1.1- 7.3	9	1.8	0.4- 3.2	425	70.0	64.3-75.7
\$25,000- 34,999	292	229,228	40	14.9	9.6-20.2	11	6.7	2.0-11.4	25	8.2	4.3-12.1	8	3.1	0.4- 5.8	11	6.4	1.9-10.9	197	60.6	52.8-68.4
\$35,000- 49,999	306	266,352	62	20.6	14.3-26.9	11	3.6	1.1- 6.1	30	10.0	5.5-14.5	18	6.9	3.0-10.8	13	5.1	1.4- 8.8	172	53.8	46.4-61.2
\$50,000- 74,999	373	305,476	87	22.2	16.5-27.9	26	9.2	5.1-13.3	37	11.4	6.7-16.1	21	6.4	3.1- 9.7	9	2.5	0.5- 4.5	193	48.4	41.5-55.3
\$75,000+	546	474,934	145	25.3	20.6-30.0	50	9.4	6.3-12.5	62	10.6	7.5-13.7	44	9.8	6.1-13.5	28	4.4	2.2- 6.6	217	40.5	34.8-46.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5403	4,779,477	5164	94.8	94.0-95.6	239	5.2	4.4- 6.0
Male	2344	2,294,566	2217	93.9	92.5-95.3	127	6.1	4.7- 7.5
Female	3059	2,484,911	2947	95.7	94.7-96.7	112	4.3	3.3- 5.3
White/Non-Hisp	4417	3,623,737	4219	94.8	93.8-95.8	198	5.2	4.2- 6.2
Black or Afr. Am./Non-Hisp	565	706,615	537	93.3	90.2-96.4	28	6.7	3.6- 9.8
Oth. Race/Non-Hisp.	127	137,123	126	99.2	97.6- 100	1	0.8	0.0- 2.4
MultiRacial/Non-Hisp.	89	61,683	84	96.8	93.3- 100	5	3.2	0.0- 6.7
Hispanic	110	170,466	105	95.4	90.9-99.9	5	4.6	0.1- 9.1
18-24	300	561,940	284	94.9	92.0-97.8	16	5.1	2.2- 8.0
25-34	604	807,275	563	92.3	89.4-95.2	41	7.7	4.8-10.6
35-44	676	764,001	636	93.3	90.8-95.8	40	6.7	4.2- 9.2
45-54	965	813,818	914	94.4	92.4-96.4	51	5.6	3.6- 7.6
55-64	1113	807,561	1064	95.2	93.6-96.8	49	4.8	3.2- 6.4
65+	1745	1,024,882	1703	97.9	97.1-98.7	42	2.1	1.3- 2.9
Less Than H.S.	521	657,890	501	95.8	93.4-98.2	20	4.2	1.8- 6.6
H.S. or G.E.D.	1725	1,547,248	1666	95.6	94.0-97.2	59	4.4	2.8- 6.0
Some Post-H.S.	1403	1,424,319	1335	94.9	93.3-96.5	68	5.1	3.5- 6.7
College Graduate	1742	1,139,357	1651	93.1	91.3-94.9	91	6.9	5.1- 8.7
Less than \$15,000	602	519,892	581	96.5	94.0-99.0	21	3.5	1.0- 6.0
\$15,000- 24,999	901	745,383	872	95.7	93.7-97.7	29	4.3	2.3- 6.3
\$25,000- 34,999	523	471,712	496	93.4	90.3-96.5	27	6.6	3.5- 9.7
\$35,000- 49,999	614	557,111	576	92.6	89.7-95.5	38	7.4	4.5-10.3
\$50,000- 74,999	744	673,088	705	94.1	91.9-96.3	39	5.9	3.7- 8.1
\$75,000+	1133	1,049,229	1066	93.5	91.3-95.7	67	6.5	4.3- 8.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV5)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2344	2,294,566	2217	93.9	92.5-95.3	127	6.1	4.7- 7.5
White/Non-Hisp	1922	1,724,242	1819	94.0	92.4-95.6	103	6.0	4.4- 7.6
Black or Afr. Am./Non-Hisp	217	325,102	200	90.8	85.5-96.1	17	9.2	3.9-14.5
Oth. Race/Non-Hisp.	63	77,961	63	100.0	100.0- 100			
Hispanic	51	89,531	48	95.8	90.7- 100	3	4.2	0.0- 9.3
18-24	153	285,031	142	92.6	87.5-97.7	11	7.4	2.3-12.5
25-34	284	396,491	264	93.0	89.1-96.9	20	7.0	3.1-10.9
35-44	303	377,935	284	92.1	88.0-96.2	19	7.9	3.8-12.0
45-54	427	400,192	404	94.0	90.9-97.1	23	6.0	2.9- 9.1
55-64	480	374,093	448	93.4	90.7-96.1	32	6.6	3.9- 9.3
65+	697	460,825	675	97.2	95.8-98.6	22	2.8	1.4- 4.2
Less Than H.S.	220	332,594	205	95.5	93.0-98.0	15	4.5	2.0- 7.0
H.S. or G.E.D.	749	768,274	713	93.6	90.9-96.3	36	6.4	3.7- 9.1
Some Post-H.S.	563	642,515	520	92.4	89.5-95.3	43	7.6	4.7-10.5
College Graduate	806	546,755	774	95.2	93.2-97.2	32	4.8	2.8- 6.8
Less than \$15,000	201	201,008	188	95.3	91.8-98.8	13	4.7	1.2- 8.2
\$15,000- 24,999	339	305,903	321	93.4	89.5-97.3	18	6.6	2.7-10.5
\$25,000- 34,999	231	242,484	216	93.3	88.8-97.8	15	6.7	2.2-11.2
\$35,000- 49,999	308	290,759	287	92.1	87.8-96.4	21	7.9	3.6-12.2
\$50,000- 74,999	371	367,612	347	92.7	89.2-96.2	24	7.3	3.8-10.8
\$75,000+	587	574,295	561	94.4	91.5-97.3	26	5.6	2.7- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3059	2,484,911	2947	95.7	94.7-96.7	112	4.3	3.3- 5.3
White/Non-Hisp	2495	1,899,496	2400	95.6	94.4-96.8	95	4.4	3.2- 5.6
Black or Afr. Am./Non-Hisp	348	381,513	337	95.4	91.7-99.1	11	4.6	0.9- 8.3
Oth. Race/Non-Hisp.	64	59,161	63	98.2	94.7- 100	1	1.8	0.0- 5.3
MultiRacial/Non-Hisp.	51	31,824	48	97.7	94.6- 100	3	2.3	0.0- 5.4
Hispanic	59	80,935	57	95.1	87.7- 100	2	4.9	0.0-12.3
18-24	147	276,909	142	97.2	94.5-99.9	5	2.8	0.1- 5.5
25-34	320	410,784	299	91.7	87.4-96.0	21	8.3	4.0-12.6
35-44	373	386,066	352	94.4	91.3-97.5	21	5.6	2.5- 8.7
45-54	538	413,626	510	94.8	92.3-97.3	28	5.2	2.7- 7.7
55-64	633	433,468	616	96.8	95.0-98.6	17	3.2	1.4- 5.0
65+	1048	564,058	1028	98.5	97.7-99.3	20	1.5	0.7- 2.3
Less Than H.S.	301	325,296	296	96.2	92.3- 100	5	3.8	0.0- 7.7
H.S. or G.E.D.	976	778,974	953	97.5	96.1-98.9	23	2.5	1.1- 3.9
Some Post-H.S.	840	781,805	815	97.1	95.7-98.5	25	2.9	1.5- 4.3
College Graduate	936	592,602	877	91.2	88.5-93.9	59	8.8	6.1-11.5
Less than \$15,000	401	318,883	393	97.2	93.9- 100	8	2.8	0.0- 6.1
\$15,000- 24,999	562	439,480	551	97.4	95.6-99.2	11	2.6	0.8- 4.4
\$25,000- 34,999	292	229,228	280	93.5	89.0-98.0	12	6.5	2.0-11.0
\$35,000- 49,999	306	266,352	289	93.2	89.1-97.3	17	6.8	2.7-10.9
\$50,000- 74,999	373	305,476	358	95.8	93.3-98.3	15	4.2	1.7- 6.7
\$75,000+	546	474,934	505	92.4	89.5-95.3	41	7.6	4.7-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017**

**SECTION 12: FRUITS AND VEGETABLES CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	136
2 MALES ONLY	137
3 FEMALES ONLY	138
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	139
5 MALES ONLY	140
6 FEMALES ONLY	141
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)	
7 MALES AND FEMALES	142
8 MALES ONLY	143
9 FEMALES ONLY	144
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	145
11 MALES ONLY	146
12 FEMALES ONLY	147
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	148
14 MALES ONLY	149
15 FEMALES ONLY	150
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	151
17 MALES ONLY	152
18 FEMALES ONLY	153

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES**

**TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5298	4,703,121	2247	43.8	41.8-45.8	884	16.8	15.2-18.4	46	1.3	0.7- 1.9	23	0.7	0.1- 1.3	1	0.0	0.0- 0.0	2097	37.3	35.5-39.1
Male	2295	2,251,777	1071	47.5	44.6-50.4	414	18.6	16.2-21.0	18	1.0	0.4- 1.6	11	1.0	0.0- 2.2				781	31.8	29.3-34.3
Female	3003	2,451,343	1176	40.5	38.0-43.0	470	15.1	13.3-16.9	28	1.6	0.6- 2.6	12	0.5	0.1- 0.9	1	0.0	0.0- 0.0	1316	42.4	39.9-44.9
White/Non-Hisp	4333	3,572,650	1804	43.7	41.7-45.7	668	14.3	12.9-15.7	30	0.7	0.3- 1.1	19	0.4	0.2- 0.6				1812	40.9	38.9-42.9
Black or Afr. Am./Non-Hisp	553	689,451	266	45.1	39.2-51.0	130	26.0	20.9-31.1	10	4.7	1.2- 8.2	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	144	23.6	18.9-28.3
Oth. Race/Non-Hisp.	128	138,350	56	38.0	25.1-50.9	27	23.5	11.5-35.5	1	0.5	0.0- 1.5	1	10.1	0.0-28.1				43	27.9	16.7-39.1
MultiRacial/Non-Hisp.	86	61,572	37	42.6	26.9-58.3	21	19.7	8.3-31.1	1	2.1	0.0- 6.2	1	1.8	0.0- 5.3				26	33.8	18.5-49.1
Hispanic	104	162,078	47	44.8	31.1-58.5	22	26.1	12.2-40.0	3	1.9	0.0- 4.6							32	27.1	15.9-38.3
18-24	302	569,344	168	51.4	44.0-58.8	42	14.4	9.3-19.5	7	3.8	0.1- 7.5	3	2.8	0.0- 7.5				82	27.6	21.3-33.9
25-34	591	798,178	292	47.6	42.1-53.1	107	18.3	14.0-22.6	7	2.1	0.3- 3.9	3	0.7	0.0- 1.7	1	0.1	0.0- 0.3	181	31.3	26.4-36.2
35-44	667	751,138	327	50.3	45.4-55.2	103	17.1	13.2-21.0	2	0.3	0.0- 0.7	5	0.6	0.0- 1.2				230	31.8	27.3-36.3
45-54	938	785,371	404	43.5	39.2-47.8	123	14.1	11.0-17.2	9	0.7	0.1- 1.3	5	0.5	0.0- 1.1				397	41.1	36.8-45.4
55-64	1102	800,515	433	37.2	33.5-40.9	155	14.3	11.4-17.2	9	0.6	0.2- 1.0	3	0.4	0.0- 1.0				502	47.6	43.7-51.5
65+	1698	998,574	623	37.1	34.0-40.2	354	20.8	18.3-23.3	12	1.2	0.2- 2.2	4	0.2	0.0- 0.4				705	40.7	37.6-43.8
Less Than H.S.	503	641,595	186	35.6	29.5-41.7	88	21.6	15.9-27.3	5	2.9	0.0- 6.0	4	2.4	0.0- 6.5				220	37.5	31.6-43.4
H.S. or G.E.D.	1690	1,534,568	714	44.3	41.0-47.6	287	16.5	14.1-18.9	19	1.2	0.4- 2.0	9	0.8	0.2- 1.4	1	0.0	0.0- 0.0	660	37.1	34.0-40.2
Some Post-H.S.	1379	1,390,779	611	48.2	44.5-51.9	225	16.4	13.7-19.1	14	1.6	0.6- 2.6	3	0.2	0.0- 0.4				526	33.7	30.4-37.0
College Graduate	1713	1,125,139	727	42.4	39.3-45.5	283	15.0	12.8-17.2	8	0.3	0.0- 0.7	7	0.4	0.0- 0.8				688	41.8	38.7-44.9
Less than \$15,000	586	504,327	240	40.6	34.3-46.9	78	16.5	11.4-21.6	8	4.0	0.1- 7.9	4	0.6	0.0- 1.4				256	38.3	32.4-44.2
\$15,000- 24,999	881	729,187	377	43.4	38.7-48.1	158	18.1	14.6-21.6	7	1.1	0.0- 2.5	6	1.0	0.0- 2.2				333	36.5	32.0-41.0
\$25,000- 34,999	514	471,058	243	49.3	42.6-56.0	96	17.7	12.8-22.6	3	0.6	0.0- 1.4	5	3.5	0.0- 9.2				167	28.9	23.4-34.4
\$35,000- 49,999	603	553,930	243	43.0	37.5-48.5	116	19.8	15.1-24.5	5	0.6	0.0- 1.4	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	236	36.0	30.7-41.3
\$50,000- 74,999	736	665,219	320	43.8	38.9-48.7	130	18.6	14.3-22.9	5	0.7	0.0- 1.5	2	0.2	0.0- 0.4				279	36.7	32.0-41.4
\$75,000+	1116	1,024,345	499	46.2	42.3-50.1	153	12.3	9.8-14.8	5	0.4	0.0- 0.8							459	41.1	37.2-45.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2295	2,251,777	1071	47.5	44.6-50.4	414	18.6	16.2-21.0	18	1.0	0.4- 1.6	11	1.0	0.0- 2.2	781	31.8	29.3-34.3
White/Non-Hisp	1886	1,703,510	868	48.3	45.2-51.4	325	16.3	14.1-18.5	15	0.9	0.3- 1.5	9	0.4	0.0- 0.8	669	34.1	31.2-37.0
Black or Afr. Am./Non-Hisp	205	305,960	102	46.5	36.9-56.1	49	28.2	19.6-36.8	2	2.0	0.0- 4.7	1	0.7	0.0- 2.1	51	22.7	15.1-30.3
Oth. Race/Non-Hisp.	64	78,661	35	35.5	17.7-53.3	11	21.9	3.5-40.3				1	17.8	0.0-47.0	17	24.8	9.5-40.1
18-24	153	291,617	91	52.6	41.8-63.4	23	15.4	7.8-23.0	2	1.6	0.0- 3.8	2	5.1	0.0-14.1	35	25.3	16.3-34.3
25-34	275	387,931	130	47.0	38.8-55.2	55	20.9	13.5-28.3	3	1.9	0.0- 4.1	2	0.4	0.0- 1.0	85	29.8	22.7-36.9
35-44	298	370,195	163	55.9	48.5-63.3	48	17.6	11.5-23.7				2	0.3	0.0- 0.7	85	26.2	19.9-32.5
45-54	418	387,032	201	50.2	43.7-56.7	58	15.5	10.8-20.2	5	1.0	0.0- 2.0	1	0.5	0.0- 1.5	153	32.7	26.8-38.6
55-64	475	369,312	205	41.1	35.2-47.0	80	18.5	13.4-23.6	5	0.8	0.0- 1.6	2	0.7	0.0- 1.7	183	38.8	32.9-44.7
65+	676	445,690	281	40.4	35.5-45.3	150	22.4	18.1-26.7	3	1.1	0.0- 2.5	2	0.3	0.0- 0.7	240	35.8	30.9-40.7
Less Than H.S.	211	319,673	82	34.9	25.5-44.3	43	27.4	17.8-37.0				2	4.6	0.0-12.8	84	33.1	24.5-41.7
H.S. or G.E.D.	739	768,278	354	49.0	44.1-53.9	127	16.9	13.2-20.6	10	1.4	0.4- 2.4	6	0.9	0.1- 1.7	242	31.8	27.1-36.5
Some Post-H.S.	552	621,184	279	53.8	48.1-59.5	86	16.5	12.0-21.0	5	1.6	0.0- 3.2				182	28.0	23.3-32.7
College Graduate	787	538,213	351	45.1	40.6-49.6	158	18.5	15.2-21.8	3	0.6	0.0- 1.4	3	0.4	0.0- 0.8	272	35.5	31.0-40.0
Less than \$15,000	197	196,238	93	43.6	32.6-54.6	25	16.3	7.1-25.5	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	77	39.6	29.0-50.2
\$15,000- 24,999	330	299,082	148	44.7	37.3-52.1	59	19.5	13.8-25.2	1	0.6	0.0- 1.8	1	0.2	0.0- 0.6	121	34.9	27.8-42.0
\$25,000- 34,999	226	240,981	114	46.0	35.6-56.4	42	19.6	11.6-27.6	1	0.2	0.0- 0.6	4	6.8	0.0-17.6	65	27.4	19.0-35.8
\$35,000- 49,999	301	288,587	134	46.6	38.6-54.6	64	21.2	14.1-28.3	2	0.7	0.0- 1.9	2	0.9	0.0- 2.5	99	30.6	23.3-37.9
\$50,000- 74,999	364	356,759	170	45.1	38.0-52.2	68	21.1	14.4-27.8	4	1.3	0.0- 2.7	1	0.2	0.0- 0.6	121	32.3	26.0-38.6
\$75,000+	574	557,704	283	53.2	47.7-58.7	98	15.7	11.8-19.6	3	0.3	0.0- 0.7				190	30.8	25.7-35.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3003	2,451,343	1176	40.5	38.0-43.0	470	15.1	13.3-16.9	28	1.6	0.6- 2.6	12	0.5	0.1- 0.9	1	0.0	0.0- 0.0	1316	42.4	39.9-44.9
White/Non-Hisp	2447	1,869,140	936	39.5	36.8-42.2	343	12.5	10.7-14.3	15	0.5	0.1- 0.9	10	0.4	0.0- 0.8				1143	47.0	44.3-49.7
Black or Afr. Am./Non-Hisp	348	383,491	164	44.1	36.7-51.5	81	24.2	18.1-30.3	8	6.9	1.0-12.8	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	93	24.3	18.4-30.2
Oth. Race/Non-Hisp.	64	59,688	21	41.3	24.2-58.4	16	25.6	11.9-39.3	1	1.2	0.0- 3.6							26	31.9	16.8-47.0
Hispanic	55	75,708	22	45.6	27.4-63.8	11	17.9	5.7-30.1	2	1.4	0.0- 3.4							20	35.1	19.0-51.2
18-24	149	277,727	77	50.1	39.9-60.3	19	13.3	6.6-20.0	5	6.1	0.0-13.0	1	0.4	0.0- 1.2				47	30.1	21.3-38.9
25-34	316	410,246	162	48.2	41.1-55.3	52	15.8	11.1-20.5	4	2.3	0.0- 5.0	1	0.9	0.0- 2.7	1	0.1	0.0- 0.3	96	32.6	25.9-39.3
35-44	369	380,943	164	44.8	38.1-51.5	55	16.5	11.2-21.8	2	0.6	0.0- 1.6	3	0.8	0.0- 1.8				145	37.2	30.9-43.5
45-54	520	398,339	203	37.0	31.5-42.5	65	12.7	8.6-16.8	4	0.5	0.1- 0.9	4	0.5	0.0- 1.1				244	49.3	43.4-55.2
55-64	627	431,203	228	33.8	29.1-38.5	75	10.7	7.8-13.6	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3				319	55.0	50.1-59.9
65+	1022	552,885	342	34.5	30.6-38.4	204	19.5	16.4-22.6	9	1.4	0.0- 2.8	2	0.1	0.1- 0.1				465	44.6	40.5-48.7
Less Than H.S.	292	321,922	104	36.3	28.7-43.9	45	15.8	9.7-21.9	5	5.7	0.0-12.0	2	0.3	0.0- 0.7				136	41.9	34.3-49.5
H.S. or G.E.D.	951	766,290	360	39.5	35.2-43.8	160	16.2	13.1-19.3	9	1.1	0.1- 2.1	3	0.6	0.0- 1.6	1	0.1	0.0- 0.3	418	42.5	38.2-46.8
Some Post-H.S.	827	769,594	332	43.6	38.7-48.5	139	16.2	12.9-19.5	9	1.5	0.1- 2.9	3	0.3	0.0- 0.7				344	38.4	33.9-42.9
College Graduate	926	586,926	376	40.0	35.7-44.3	125	11.8	9.1-14.5	5	0.1	0.0- 0.3	4	0.4	0.0- 1.0				416	47.6	43.1-52.1
Less than \$15,000	389	308,088	147	38.7	31.1-46.3	53	16.7	10.6-22.8	7	6.3	0.0-12.8	3	0.8	0.0- 2.0				179	37.5	30.6-44.4
\$15,000- 24,999	551	430,106	229	42.5	36.4-48.6	99	17.1	12.8-21.4	6	1.4	0.0- 3.6	5	1.5	0.0- 3.3				212	37.5	31.8-43.2
\$25,000- 34,999	288	230,077	129	52.7	44.9-60.5	54	15.7	10.6-20.8	2	1.0	0.0- 2.6	1	0.0	0.0- 0.0				102	30.5	23.4-37.6
\$35,000- 49,999	302	265,343	109	39.1	31.7-46.5	52	18.3	12.4-24.2	3	0.5	0.0- 1.1				1	0.2	0.0- 0.6	137	41.9	34.5-49.3
\$50,000- 74,999	372	308,459	150	42.3	35.4-49.2	62	15.8	10.7-20.9	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3				158	41.8	35.1-48.5
\$75,000+	542	466,641	216	37.8	32.3-43.3	55	8.1	5.4-10.8	2	0.6	0.0- 1.6							269	53.5	47.8-59.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5277	4,670,975	2331	44.7	42.7-46.7	2340	43.7	41.7-45.7	312	5.9	4.9- 6.9	112	2.1	1.5- 2.7	1	0.0	0.0- 0.0	181	3.5	2.7- 4.3
Male	2297	2,251,360	1112	49.7	46.8-52.6	936	39.9	37.0-42.8	125	5.1	3.9- 6.3	48	1.8	1.2- 2.4				76	3.5	2.5- 4.5
Female	2980	2,419,615	1219	40.1	37.6-42.6	1404	47.3	44.8-49.8	187	6.7	5.3- 8.1	64	2.4	1.4- 3.4	1	0.0	0.0- 0.0	105	3.5	2.5- 4.5
White/Non-Hisp	4313	3,545,384	1863	43.9	41.9-45.9	1949	44.9	42.9-46.9	254	5.6	4.6- 6.6	91	2.0	1.4- 2.6	1	0.0	0.0- 0.0	155	3.6	2.8- 4.4
Black or Afr. Am./Non-Hisp	554	689,758	275	49.5	43.6-55.4	223	39.0	33.3-44.7	34	6.5	3.6- 9.4	13	2.7	0.3- 5.1				9	2.3	0.1- 4.5
Oth. Race/Non-Hisp.	128	134,983	59	50.1	35.0-65.2	56	39.0	25.1-52.9	8	6.5	1.0-12.0	1	1.4	0.0- 4.1				4	2.9	0.0- 6.2
MultiRacial/Non-Hisp.	87	60,298	46	49.9	34.0-65.8	32	37.6	22.1-53.1	3	5.1	0.0-13.5	2	0.5	0.0- 1.3				4	6.8	0.0-15.0
Hispanic	104	162,336	48	37.1	24.6-49.6	42	46.4	32.5-60.3	5	7.4	0.0-16.0	4	3.9	0.0- 8.8				5	5.3	0.0-10.8
18-24	297	549,322	142	46.0	38.6-53.4	113	37.8	30.7-44.9	22	8.6	4.5-12.7	5	2.7	0.0- 5.8				15	4.8	1.7- 7.9
25-34	585	785,809	273	45.1	39.6-50.6	250	45.3	39.8-50.8	33	5.2	2.7- 7.7	14	1.6	0.6- 2.6				15	2.8	1.0- 4.6
35-44	671	765,435	298	45.0	40.1-49.9	288	43.2	38.3-48.1	42	6.2	3.8- 8.6	15	2.1	0.7- 3.5				28	3.4	1.8- 5.0
45-54	941	789,066	438	48.6	44.3-52.9	394	40.6	36.3-44.9	54	5.2	3.4- 7.0	23	2.4	1.2- 3.6				32	3.2	1.6- 4.8
55-64	1095	791,584	484	42.3	38.4-46.2	477	45.2	41.3-49.1	62	5.5	3.7- 7.3	25	2.4	1.2- 3.6	1	0.1	0.0- 0.3	46	4.6	3.0- 6.2
65+	1688	989,758	696	42.2	39.1-45.3	818	47.4	44.3-50.5	99	5.8	4.4- 7.2	30	1.7	0.9- 2.5				45	2.8	1.6- 4.0
Less Than H.S.	496	632,019	249	50.5	44.0-57.0	180	35.6	29.3-41.9	25	4.2	2.2- 6.2	5	2.0	0.0- 4.5	1	0.1	0.0- 0.3	36	7.6	4.3-10.9
H.S. or G.E.D.	1666	1,506,659	840	49.8	46.5-53.1	649	39.3	36.2-42.4	81	5.1	3.7- 6.5	30	1.8	1.0- 2.6				66	4.1	2.7- 5.5
Some Post-H.S.	1379	1,398,745	626	44.9	41.4-48.4	589	43.0	39.5-46.5	71	6.5	4.5- 8.5	37	2.5	1.5- 3.5				56	3.0	2.0- 4.0
College Graduate	1724	1,125,614	612	34.5	31.6-37.4	917	55.1	52.0-58.2	134	7.3	5.7- 8.9	38	1.9	1.1- 2.7				23	1.1	0.5- 1.7
Less than \$15,000	583	496,360	331	54.2	47.7-60.7	176	30.3	24.6-36.0	22	4.0	1.6- 6.4	12	3.6	0.1- 7.1				42	7.8	4.1-11.5
\$15,000- 24,999	875	719,387	410	47.1	42.4-51.8	362	40.1	35.6-44.6	47	6.0	3.6- 8.4	14	1.5	0.5- 2.5				42	5.3	3.3- 7.3
\$25,000- 34,999	512	464,213	242	51.3	44.6-58.0	214	39.5	33.2-45.8	26	4.0	2.0- 6.0	10	1.3	0.3- 2.3				20	3.8	1.6- 6.0
\$35,000- 49,999	605	553,095	279	44.6	39.1-50.1	260	43.8	38.1-49.5	32	6.6	3.9- 9.3	14	1.9	0.5- 3.3				20	3.2	1.2- 5.2
\$50,000- 74,999	739	669,317	319	46.3	41.4-51.2	344	45.3	40.4-50.2	44	4.0	2.4- 5.6	19	2.8	1.0- 4.6				13	1.5	0.3- 2.7
\$75,000+	1122	1,041,384	410	38.3	34.4-42.2	591	52.1	48.2-56.0	78	6.0	4.2- 7.8	27	2.2	1.2- 3.2				16	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2\_)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2297	2,251,360	1112	49.7	46.8-52.6	936	39.9	37.0-42.8	125	5.1	3.9- 6.3	48	1.8	1.2- 2.4	76	3.5	2.5- 4.5
White/Non-Hisp	1887	1,701,083	890	48.6	45.5-51.7	782	40.3	37.4-43.2	107	5.4	4.0- 6.8	43	1.9	1.3- 2.5	65	3.8	2.6- 5.0
Black or Afr. Am./Non-Hisp	205	306,742	118	56.6	47.2-66.0	74	35.9	26.9-44.9	10	5.8	1.5-10.1	1	0.1	0.0- 0.3	2	1.6	0.0- 4.0
Oth. Race/Non-Hisp.	63	76,068	32	55.8	33.5-78.1	27	36.8	15.8-57.8	2	2.9	0.0- 7.2	1	2.6	0.0- 7.7	1	2.0	0.0- 5.9
Hispanic	51	90,114	26	39.5	21.3-57.7	18	46.0	25.4-66.6	2	1.8	0.0- 4.7	2	6.1	0.0-14.7	3	6.7	0.0-15.3
18-24	151	284,612	85	59.4	49.2-69.6	48	28.3	19.1-37.5	9	7.2	1.9-12.5	2	0.9	0.0- 2.1	7	4.2	0.5- 7.9
25-34	274	385,464	154	53.3	45.1-61.5	95	40.1	31.9-48.3	14	3.2	1.2- 5.2	5	1.6	0.0- 3.2	6	1.7	0.1- 3.3
35-44	298	376,300	135	41.2	33.9-48.5	121	44.5	37.1-51.9	23	7.6	3.7-11.5	8	3.2	0.7- 5.7	11	3.5	1.0- 6.0
45-54	421	392,781	210	52.0	45.5-58.5	168	39.0	32.7-45.3	20	3.9	1.9- 5.9	12	2.2	0.8- 3.6	11	2.8	0.3- 5.3
55-64	475	365,489	230	46.9	40.8-53.0	186	40.9	34.8-47.0	25	4.4	2.2- 6.6	9	1.3	0.3- 2.3	25	6.6	3.5- 9.7
65+	678	446,715	298	47.8	42.9-52.7	318	43.1	38.2-48.0	34	4.9	2.7- 7.1	12	1.4	0.4- 2.4	16	2.8	0.8- 4.8
Less Than H.S.	207	315,121	116	55.6	45.4-65.8	66	34.2	24.4-44.0	10	3.1	0.7- 5.5	1	0.4	0.0- 1.2	14	6.7	2.4-11.0
H.S. or G.E.D.	735	758,368	401	53.9	49.0-58.8	255	34.8	30.1-39.5	38	5.7	3.3- 8.1	15	1.6	0.6- 2.6	26	4.0	2.0- 6.0
Some Post-H.S.	556	638,626	282	51.6	45.9-57.3	214	38.6	33.1-44.1	24	4.4	2.2- 6.6	13	2.3	0.7- 3.9	23	3.1	1.5- 4.7
College Graduate	793	534,816	311	38.1	33.8-42.4	398	51.8	47.3-56.3	53	6.3	3.9- 8.7	18	2.3	1.1- 3.5	13	1.5	0.5- 2.5
Less than \$15,000	197	190,685	119	56.9	45.9-67.9	53	28.1	18.3-37.9	6	3.2	0.1- 6.3	5	3.3	0.0- 7.4	14	8.4	2.3-14.5
\$15,000- 24,999	324	290,929	171	52.6	45.2-60.0	118	35.4	28.3-42.5	16	5.2	1.9- 8.5	2	0.8	0.0- 2.0	17	6.0	2.7- 9.3
\$25,000- 34,999	226	241,300	116	58.3	48.5-68.1	85	33.4	24.2-42.6	11	3.6	1.2- 6.0	6	1.3	0.1- 2.5	8	3.4	0.5- 6.3
\$35,000- 49,999	307	290,386	156	49.1	41.1-57.1	120	41.2	33.0-49.4	15	4.7	2.0- 7.4	6	1.4	0.0- 2.8	10	3.6	0.5- 6.7
\$50,000- 74,999	367	361,610	175	52.3	45.2-59.4	159	40.3	33.2-47.4	17	3.6	1.4- 5.8	8	1.9	0.3- 3.5	8	1.8	0.0- 3.6
\$75,000+	578	568,614	242	43.7	38.2-49.2	274	46.8	41.3-52.3	38	5.5	3.0- 8.0	13	2.0	0.8- 3.2	11	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2980	2,419,615	1219	40.1	37.7-42.5	1404	47.3	44.8-49.8	187	6.7	5.3- 8.1	64	2.4	1.4- 3.4	1	0.0	0.0- 0.0	105	3.5	2.5- 4.5
White/Non-Hisp	2426	1,844,301	973	39.6	36.9-42.3	1167	49.1	46.4-51.8	147	5.8	4.6- 7.0	48	2.1	1.3- 2.9	1	0.0	0.0- 0.0	90	3.4	2.4- 4.4
Black or Afr. Am./Non-Hisp	349	383,015	157	43.9	36.5-51.3	149	41.4	34.1-48.7	24	7.1	3.2-11.0	12	4.8	0.5- 9.1				7	2.8	0.0- 6.1
Oth. Race/Non-Hisp.	65	58,915	27	42.8	25.9-59.7	29	41.9	25.6-58.2	6	11.2	0.2-22.2							3	4.1	0.0- 9.4
MultiRacial/Non-Hisp.	50	31,130	26	39.7	21.5-57.9	18	38.3	19.3-57.3	2	9.4	0.0-25.3	2	1.0	0.0- 2.6				2	11.6	0.0-26.5
Hispanic	53	72,222	22	34.1	17.6-50.6	24	46.9	28.7-65.1	3	14.3	0.0-32.1	2	1.2	0.0- 3.0				2	3.5	0.0- 9.0
18-24	146	264,711	57	31.7	22.9-40.5	65	48.0	37.8-58.2	13	10.1	4.0-16.2	3	4.8	0.0-11.3				8	5.4	0.3-10.5
25-34	311	400,345	119	37.2	30.3-44.1	155	50.4	43.1-57.7	19	7.0	2.7-11.3	9	1.5	0.3- 2.7				9	3.9	0.8- 7.0
35-44	373	389,136	163	48.7	42.0-55.4	167	42.1	35.6-48.6	19	4.9	2.0- 7.8	7	1.0	0.2- 1.8				17	3.4	1.2- 5.6
45-54	520	396,285	228	45.3	39.4-51.2	226	42.2	36.5-47.9	34	6.4	3.7- 9.1	11	2.5	0.7- 4.3				21	3.6	1.6- 5.6
55-64	620	426,095	254	38.4	33.5-43.3	291	48.9	43.8-54.0	37	6.4	3.7- 9.1	16	3.4	1.4- 5.4	1	0.1	0.0- 0.3	21	2.9	1.5- 4.3
65+	1010	543,044	398	37.7	33.8-41.6	500	51.0	46.9-55.1	65	6.6	4.6- 8.6	18	1.9	0.7- 3.1				29	2.8	1.4- 4.2
Less Than H.S.	289	316,898	133	45.4	37.4-53.4	114	36.9	29.5-44.3	15	5.3	2.2- 8.4	4	3.6	0.0- 8.5	1	0.2	0.0- 0.6	22	8.6	3.5-13.7
H.S. or G.E.D.	931	748,291	439	45.5	41.2-49.8	394	43.9	39.6-48.2	43	4.5	2.9- 6.1	15	1.9	0.5- 3.3				40	4.1	2.3- 5.9
Some Post-H.S.	823	760,119	344	39.4	34.7-44.1	375	46.7	42.0-51.4	47	8.3	5.2-11.4	24	2.8	1.4- 4.2				33	2.9	1.7- 4.1
College Graduate	931	590,797	301	31.3	27.2-35.4	519	58.1	53.8-62.4	81	8.2	5.8-10.6	20	1.7	0.9- 2.5				10	0.8	0.0- 1.6
Less than \$15,000	386	305,675	212	52.6	44.8-60.4	123	31.6	24.5-38.7	16	4.5	1.4- 7.6	7	3.8	0.0- 8.9				28	7.5	2.6-12.4
\$15,000- 24,999	551	428,459	239	43.3	37.4-49.2	244	43.2	37.1-49.3	31	6.6	3.3- 9.9	12	2.0	0.6- 3.4				25	4.9	2.4- 7.4
\$25,000- 34,999	286	222,914	126	43.7	35.9-51.5	129	46.2	38.4-54.0	15	4.4	1.5- 7.3	4	1.3	0.0- 2.7				12	4.3	1.0- 7.6
\$35,000- 49,999	298	262,709	123	39.6	32.3-46.9	140	46.5	38.9-54.1	17	8.6	3.7-13.5	8	2.4	0.0- 4.8				10	2.8	0.6- 5.0
\$50,000- 74,999	372	307,707	144	39.2	32.5-45.9	185	51.2	44.3-58.1	27	4.6	2.4- 6.8	11	3.8	0.5- 7.1				5	1.1	0.0- 2.3
\$75,000+	544	472,770	168	31.8	26.5-37.1	317	58.4	52.7-64.1	40	6.5	4.0- 9.0	14	2.4	0.8- 4.0				5	0.9	0.0- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES**

**TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1\_)**  
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5293	4,692,026	3671	68.7	66.9-70.5	1094	20.4	18.8-22.0	42	1.2	0.8- 1.6	46	0.8	0.4- 1.2	1	0.0	0.0- 0.0	439	8.9	7.7-10.1
Male	2295	2,254,494	1604	69.4	66.7-72.1	424	17.8	15.4-20.2	14	0.8	0.2- 1.4	18	0.7	0.3- 1.1				235	11.4	9.4-13.4
Female	2998	2,437,533	2067	68.0	65.6-70.4	670	22.8	20.6-25.0	28	1.5	0.7- 2.3	28	1.0	0.4- 1.6	1	0.0	0.0- 0.0	204	6.6	5.2- 8.0
White/Non-Hisp	4327	3,557,797	3024	70.1	68.1-72.1	883	19.7	18.1-21.3	28	1.0	0.4- 1.6	37	0.7	0.3- 1.1				355	8.5	7.3- 9.7
Black or Afr. Am./Non-Hisp	553	696,542	383	66.9	61.2-72.6	115	20.7	15.8-25.6	4	1.2	0.0- 2.4	5	1.6	0.0- 3.6	1	0.1	0.0- 0.3	45	9.6	5.9-13.3
Oth. Race/Non-Hisp.	128	136,202	76	56.3	42.0-70.6	34	28.0	15.5-40.5	3	2.4	0.0- 5.9	1	0.4	0.0- 1.2				14	12.9	4.9-20.9
MultiRacial/Non-Hisp.	89	62,926	58	66.6	52.5-80.7	22	22.5	9.8-35.2	1	0.4	0.0- 1.2							8	10.5	1.7-19.3
Hispanic	104	162,082	66	58.2	44.3-72.1	24	27.3	13.6-41.0	3	3.0	0.0- 6.7	1	0.4	0.0- 1.2				10	11.2	3.6-18.8
18-24	300	561,750	204	66.6	59.5-73.7	47	17.9	12.0-23.8	2	1.2	0.0- 3.2	1	0.7	0.0- 2.1				46	13.6	8.9-18.3
25-34	595	803,068	406	67.0	61.9-72.1	110	17.8	13.5-22.1	3	1.0	0.0- 2.2	6	1.5	0.0- 3.1				70	12.6	8.9-16.3
35-44	671	759,832	452	65.5	60.8-70.2	152	24.4	20.1-28.7	10	2.0	0.2- 3.8	7	0.7	0.1- 1.3				50	7.4	5.0- 9.8
45-54	936	786,830	657	69.7	65.6-73.8	195	20.6	17.1-24.1	10	1.4	0.4- 2.4	8	0.7	0.1- 1.3				66	7.6	4.9-10.3
55-64	1098	795,219	761	71.2	67.9-74.5	220	18.9	16.0-21.8	10	1.0	0.2- 1.8	10	0.8	0.2- 1.4	1	0.1	0.0- 0.3	96	8.0	6.0-10.0
65+	1693	985,327	1191	70.8	67.9-73.7	370	21.9	19.4-24.4	7	0.6	0.0- 1.2	14	0.5	0.1- 0.9				111	6.2	4.8- 7.6
Less Than H.S.	502	638,111	337	62.5	56.0-69.0	79	18.5	13.0-24.0	5	1.0	0.0- 2.2	3	1.0	0.0- 2.8				78	17.0	12.1-21.9
H.S. or G.E.D.	1674	1,515,385	1196	71.4	68.5-74.3	273	15.9	13.5-18.3	9	0.7	0.0- 1.5	9	0.3	0.1- 0.5				187	11.6	9.4-13.8
Some Post-H.S.	1386	1,400,396	967	69.2	65.9-72.5	287	21.6	18.5-24.7	12	1.5	0.3- 2.7	13	1.0	0.2- 1.8				107	6.8	5.0- 8.6
College Graduate	1719	1,127,454	1164	67.9	65.0-70.8	452	25.9	23.2-28.6	15	1.5	0.5- 2.5	21	1.2	0.4- 2.0	1	0.0	0.0- 0.0	66	3.4	2.2- 4.6
Less than \$15,000	593	512,338	404	60.5	54.0-67.0	94	18.8	13.5-24.1	7	1.8	0.2- 3.4	1	1.1	0.0- 3.3				87	17.8	12.7-22.9
\$15,000- 24,999	884	732,253	629	69.7	65.4-74.0	152	16.7	13.4-20.0	4	1.3	0.0- 2.9	7	1.1	0.0- 2.3				92	11.2	8.1-14.3
\$25,000- 34,999	511	464,853	364	72.4	66.7-78.1	95	16.8	12.3-21.3	4	1.0	0.0- 2.0	2	0.2	0.0- 0.4				46	9.6	5.5-13.7
\$35,000- 49,999	609	556,208	428	68.8	63.5-74.1	120	19.3	14.6-24.0	5	1.3	0.0- 2.7	8	1.0	0.2- 1.8				48	9.6	6.1-13.1
\$50,000- 74,999	736	666,942	521	72.2	67.5-76.9	155	19.6	15.3-23.9	8	1.3	0.3- 2.3	12	1.0	0.2- 1.8				40	5.9	3.7- 8.1
\$75,000+	1118	1,028,318	761	67.3	63.6-71.0	302	27.2	23.7-30.7	8	1.1	0.0- 2.3	10	0.9	0.1- 1.7	1	0.0	0.0- 0.0	36	3.5	1.9- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES**

**TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2295	2,254,494	1604	69.4	66.7-72.1	424	17.8	15.4-20.2	14	0.8	0.2- 1.4	18	0.7	0.3- 1.1	235	11.4	9.4-13.4
White/Non-Hisp	1883	1,702,105	1331	71.0	68.1-73.9	342	16.5	14.3-18.7	11	0.9	0.1- 1.7	15	0.6	0.2- 1.0	184	11.0	8.8-13.2
Black or Afr. Am./Non-Hisp	208	312,350	145	66.8	57.8-75.8	33	16.6	9.5-23.7	1	0.8	0.0- 2.4	1	1.3	0.0- 3.8	28	14.5	8.0-21.0
Oth. Race/Non-Hisp.	64	76,371	35	56.3	34.2-78.4	19	31.4	11.2-51.6	1	0.2	0.0- 0.6	1	0.8	0.0- 2.4	8	11.3	1.5-21.1
18-24	152	294,503	103	66.5	56.5-76.5	21	16.1	8.1-24.1	1	0.4	0.0- 1.2	1	1.4	0.0- 4.1	26	15.6	8.3-22.9
25-34	279	394,713	189	66.8	59.0-74.6	39	15.7	9.0-22.4				2	0.5	0.0- 1.1	49	17.0	11.1-22.9
35-44	298	369,825	199	65.9	58.6-73.2	62	21.9	15.2-28.6	3	1.9	0.0- 4.6	3	0.4	0.0- 1.0	31	9.8	5.9-13.7
45-54	417	387,357	302	71.4	65.3-77.5	79	17.7	13.0-22.4	4	1.1	0.0- 2.3	4	0.7	0.0- 1.5	28	9.0	4.1-13.9
55-64	477	369,015	335	72.0	66.7-77.3	84	15.6	11.7-19.5	4	1.2	0.0- 2.8	2	0.5	0.0- 1.3	52	10.8	7.1-14.5
65+	672	439,079	476	72.7	68.4-77.0	139	19.1	15.2-23.0	2	0.4	0.0- 1.0	6	0.5	0.0- 1.1	49	7.3	4.8- 9.8
Less Than H.S.	207	317,586	133	62.4	52.4-72.4	30	16.7	8.3-25.1	2	1.2	0.0- 3.0				42	19.7	11.9-27.5
H.S. or G.E.D.	734	759,416	517	71.3	66.8-75.8	107	14.0	10.7-17.3	2	0.7	0.0- 2.1	4	0.2	0.0- 0.4	104	13.8	10.3-17.3
Some Post-H.S.	556	632,744	398	69.8	64.5-75.1	94	17.9	13.2-22.6	3	0.4	0.0- 1.0	6	1.2	0.0- 2.6	55	10.7	7.2-14.2
College Graduate	793	540,679	553	70.7	66.6-74.8	192	23.3	19.6-27.0	6	1.1	0.1- 2.1	8	1.0	0.2- 1.8	34	3.9	2.3- 5.5
Less than \$15,000	198	197,342	123	58.7	47.7-69.7	29	15.6	7.6-23.6	3	1.4	0.0- 3.8				43	24.3	14.9-33.7
\$15,000- 24,999	330	299,110	237	70.3	63.4-77.2	50	13.5	8.8-18.2	1	0.6	0.0- 1.8	3	1.6	0.0- 4.3	39	14.0	8.5-19.5
\$25,000- 34,999	224	241,276	152	71.3	62.3-80.3	36	12.2	6.1-18.3	1	0.6	0.0- 1.8	2	0.3	0.0- 0.9	33	15.6	8.3-22.9
\$35,000- 49,999	308	291,417	225	67.6	59.6-75.6	49	19.4	12.1-26.7	1	0.1	0.0- 0.3	4	0.9	0.0- 1.9	29	11.9	6.4-17.4
\$50,000- 74,999	364	358,362	266	72.7	65.8-79.6	69	18.5	12.0-25.0	3	0.9	0.0- 2.1	2	0.5	0.0- 1.3	24	7.4	3.9-10.9
\$75,000+	574	557,147	403	69.3	64.0-74.6	135	23.2	18.5-27.9	4	1.5	0.0- 3.5	4	0.5	0.0- 1.1	28	5.4	2.7- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2998	2,437,533	2067	68.0	65.6-70.4	670	22.8	20.6-25.0	28	1.5	0.7- 2.3	28	1.0	0.4- 1.6	1	0.0	0.0- 0.0	204	6.6	5.2- 8.0
White/Non-Hisp	2444	1,855,692	1693	69.2	66.7-71.7	541	22.7	20.3-25.1	17	1.0	0.2- 1.8	22	0.9	0.3- 1.5				171	6.2	5.0- 7.4
Black or Afr. Am./Non-Hisp	345	384,192	238	66.9	59.6-74.2	82	24.0	17.5-30.5	3	1.5	0.0- 3.3	4	1.8	0.0- 4.5	1	0.1	0.0- 0.3	17	5.7	1.6- 9.8
Oth. Race/Non-Hisp.	64	59,831	41	56.2	39.7-72.7	15	23.8	10.9-36.7	2	5.1	0.0-12.9							6	15.0	2.1-27.9
MultiRacial/Non-Hisp.	51	32,538	33	66.3	48.3-84.3	14	26.0	9.5-42.5	1	0.7	0.0- 2.1							3	7.0	0.0-17.0
Hispanic	55	76,106	37	57.0	39.6-74.4	9	20.1	6.6-33.6	3	6.3	0.0-14.1	1	0.8	0.0- 2.6				5	15.8	2.5-29.1
18-24	148	267,247	101	66.6	56.8-76.4	26	19.9	11.3-28.5	1	2.0	0.0- 5.9							20	11.4	5.1-17.7
25-34	316	408,355	217	67.1	60.2-74.0	71	19.9	14.6-25.2	3	2.1	0.0- 4.5	4	2.6	0.0- 5.7				21	8.4	4.1-12.7
35-44	373	390,007	253	65.1	58.8-71.4	90	26.8	20.9-32.7	7	2.1	0.1- 4.1	4	0.9	0.0- 1.9				19	5.1	2.4- 7.8
45-54	519	399,472	355	68.0	62.5-73.5	116	23.3	18.2-28.4	6	1.7	0.1- 3.3	4	0.7	0.0- 1.7				38	6.3	3.8- 8.8
55-64	621	426,204	426	70.5	66.0-75.0	136	21.9	17.8-26.0	6	0.9	0.1- 1.7	8	1.1	0.3- 1.9	1	0.1	0.0- 0.3	44	5.6	3.6- 7.6
65+	1021	546,248	715	69.4	65.7-73.1	231	24.1	20.6-27.6	5	0.9	0.1- 1.7	8	0.4	0.0- 0.8				62	5.2	3.6- 6.8
Less Than H.S.	295	320,525	204	62.7	54.7-70.7	49	20.3	13.4-27.2	3	0.8	0.0- 2.2	3	1.9	0.0- 5.2				36	14.3	8.4-20.2
H.S. or G.E.D.	940	755,969	679	71.5	67.6-75.4	166	17.9	14.6-21.2	7	0.7	0.1- 1.3	5	0.4	0.0- 0.8				83	9.4	6.7-12.1
Some Post-H.S.	830	767,652	569	68.7	64.4-73.0	193	24.6	20.5-28.7	9	2.4	0.4- 4.4	7	0.8	0.0- 1.6				52	3.5	2.3- 4.7
College Graduate	926	586,776	611	65.4	61.1-69.7	260	28.3	24.4-32.2	9	1.9	0.3- 3.5	13	1.4	0.2- 2.6	1	0.1	0.0- 0.3	32	3.0	1.4- 4.6
Less than \$15,000	395	314,996	281	61.6	53.8-69.4	65	20.8	13.9-27.7	4	2.1	0.0- 4.3	1	1.7	0.0- 5.0				44	13.8	8.1-19.5
\$15,000- 24,999	554	433,144	392	69.3	63.6-75.0	102	19.0	14.3-23.7	3	1.8	0.0- 4.3	4	0.7	0.0- 1.5				53	9.2	5.7-12.7
\$25,000- 34,999	287	223,576	212	73.5	66.6-80.4	59	21.8	15.1-28.5	3	1.5	0.0- 3.3							13	3.2	0.8- 5.6
\$35,000- 49,999	301	264,790	203	70.1	63.2-77.0	71	19.2	13.7-24.7	4	2.5	0.0- 5.4	4	1.1	0.0- 2.3				19	7.1	2.8-11.4
\$50,000- 74,999	372	308,580	255	71.6	65.7-77.5	86	21.0	15.7-26.3	5	1.6	0.0- 3.4	10	1.6	0.2- 3.0				16	4.2	1.8- 6.6
\$75,000+	544	471,171	358	64.8	59.3-70.3	167	32.0	26.7-37.3	4	0.5	0.0- 1.1	6	1.3	0.0- 2.9	1	0.1	0.0- 0.3	8	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5300	4,702,104	4277	81.7	80.1-83.3	295	6.5	5.5- 7.5	12	0.3	0.1- 0.5	11	0.3	0.1- 0.5	705	11.2	10.0-12.4
Male	2307	2,266,415	1895	82.5	80.3-84.7	173	8.3	6.7- 9.9	6	0.3	0.1- 0.5	7	0.4	0.0- 0.8	226	8.5	6.9-10.1
Female	2993	2,435,689	2382	80.9	78.9-82.9	122	4.9	3.7- 6.1	6	0.3	0.1- 0.5	4	0.2	0.0- 0.6	479	13.7	12.1-15.3
White/Non-Hisp	4328	3,567,623	3506	81.9	80.3-83.5	237	6.5	5.3- 7.7	9	0.3	0.1- 0.5	8	0.3	0.1- 0.5	568	11.1	9.9-12.3
Black or Afr. Am./Non-Hisp	552	688,451	434	80.1	75.4-84.8	36	7.7	4.2-11.2				2	0.6	0.0- 1.8	80	11.6	8.1-15.1
Oth. Race/Non-Hisp.	131	139,754	106	84.1	76.3-91.9	5	3.1	0.0- 6.4	1	0.1	0.0- 0.3				19	12.6	5.5-19.7
MultiRacial/Non-Hisp.	89	62,426	64	72.6	58.7-86.5	6	7.9	0.0-17.5	1	2.7	0.0- 8.0				18	16.7	5.9-27.5
Hispanic	106	166,053	86	86.6	79.5-93.7	7	5.0	0.7- 9.3				1	0.1	0.0- 0.3	12	8.2	2.5-13.9
18-24	298	566,335	245	81.5	75.8-87.2	33	10.5	6.0-15.0	1	0.3	0.0- 0.9	3	1.1	0.0- 2.7	16	6.6	2.9-10.3
25-34	591	793,923	502	84.6	80.9-88.3	43	7.1	4.4- 9.8	2	0.2	0.0- 0.6	2	0.2	0.0- 0.6	42	7.9	5.0-10.8
35-44	674	765,808	559	81.5	77.4-85.6	45	8.8	5.5-12.1	2	0.5	0.0- 1.3	1	0.5	0.0- 1.5	67	8.7	6.2-11.2
45-54	942	792,889	768	82.6	79.5-85.7	52	5.4	3.6- 7.2	3	0.3	0.0- 0.9	2	0.1	0.0- 0.3	117	11.5	8.8-14.2
55-64	1101	799,029	877	80.4	77.3-83.5	63	4.8	3.2- 6.4	2	0.3	0.0- 0.7	1	0.0	0.0- 0.0	158	14.5	11.8-17.2
65+	1694	984,119	1326	80.0	77.5-82.5	59	4.3	2.7- 5.9	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	305	15.4	13.2-17.6
Less Than H.S.	505	638,219	388	78.3	73.2-83.4	51	9.1	5.6-12.6	2	0.4	0.0- 1.0	2	0.7	0.0- 1.9	62	11.5	7.8-15.2
H.S. or G.E.D.	1675	1,524,933	1363	81.0	78.5-83.5	111	7.8	5.8- 9.8	4	0.4	0.0- 0.8	4	0.2	0.0- 0.4	193	10.5	8.5-12.5
Some Post-H.S.	1387	1,401,281	1110	81.9	79.2-84.6	80	6.6	4.6- 8.6	2	0.2	0.0- 0.6	3	0.4	0.0- 1.0	192	10.9	8.7-13.1
College Graduate	1721	1,126,905	1406	84.3	82.1-86.5	52	3.3	2.1- 4.5	4	0.1	0.0- 0.3	2	0.0	0.0- 0.0	257	12.3	10.3-14.3
Less than \$15,000	590	509,707	452	76.3	71.0-81.6	46	9.5	5.4-13.6	1	0.0	0.0- 0.0	1	0.8	0.0- 2.4	90	13.5	9.8-17.2
\$15,000- 24,999	878	723,075	693	80.4	76.9-83.9	50	7.0	4.6- 9.4	1	0.3	0.0- 0.9	1	0.0	0.0- 0.0	133	12.2	9.5-14.9
\$25,000- 34,999	519	474,349	423	82.0	77.3-86.7	36	7.6	4.1-11.1	2	0.7	0.0- 1.7				58	9.8	6.3-13.3
\$35,000- 49,999	605	551,582	493	86.7	83.6-89.8	33	3.9	2.3- 5.5	1	0.0	0.0- 0.0	2	0.4	0.0- 1.0	76	9.0	6.3-11.7
\$50,000- 74,999	737	669,429	619	85.2	81.7-88.7	40	6.5	4.0- 9.0				3	0.3	0.0- 0.7	75	8.0	5.6-10.4
\$75,000+	1115	1,028,328	934	81.5	78.2-84.8	46	5.9	3.5- 8.3	2	0.3	0.0- 0.7	2	0.5	0.0- 1.3	131	11.8	9.1-14.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA\_)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2307	2,266,415	1895	82.5	80.3-84.7	173	8.3	6.7- 9.9	6	0.3	0.1- 0.5	7	0.4	0.0- 0.8	226	8.5	6.9-10.1
White/Non-Hisp	1889	1,707,782	1555	82.6	80.2-85.0	139	8.3	6.5-10.1	5	0.4	0.0- 0.8	7	0.5	0.0- 1.1	183	8.3	6.5-10.1
Black or Afr. Am./Non-Hisp	210	312,323	166	78.7	71.1-86.3	19	10.4	4.7-16.1							25	10.9	5.0-16.8
Oth. Race/Non-Hisp.	66	79,668	54	88.6	80.0-97.2	5	5.4	0.0-11.3	1	0.2	0.0- 0.6				6	5.7	0.0-11.4
Hispanic	50	88,501	42	90.8	83.0-98.6	4	4.2	0.0- 8.9							4	5.0	0.0-11.3
18-24	152	294,343	123	79.6	71.4-87.8	18	10.0	4.9-15.1				3	2.2	0.0- 5.3	8	8.2	1.9-14.5
25-34	280	394,433	234	84.2	78.5-89.9	23	7.6	3.5-11.7	2	0.5	0.0- 1.1				21	7.8	3.7-11.9
35-44	297	370,635	246	80.6	74.3-86.9	30	13.5	7.6-19.4							21	6.0	3.1- 8.9
45-54	422	391,600	360	86.7	82.4-91.0	26	6.4	3.7- 9.1	2	0.6	0.0- 1.8	2	0.2	0.0- 0.6	32	6.0	2.9- 9.1
55-64	478	370,841	383	80.1	75.2-85.0	44	7.9	5.0-10.8	1	0.4	0.0- 1.2				50	11.6	7.5-15.7
65+	678	444,563	549	83.0	79.3-86.7	32	5.6	2.9- 8.3	1	0.2	0.0- 0.6	2	0.3	0.0- 0.9	94	10.9	8.0-13.8
Less Than H.S.	210	319,418	160	79.8	72.7-86.9	28	9.8	5.1-14.5	2	0.8	0.0- 2.0				20	9.7	4.2-15.2
H.S. or G.E.D.	736	767,811	600	80.9	76.8-85.0	73	10.6	7.5-13.7	2	0.4	0.0- 1.0	3	0.3	0.0- 0.7	58	7.8	4.9-10.7
Some Post-H.S.	558	633,295	456	82.0	77.5-86.5	44	9.1	5.8-12.4				3	0.9	0.0- 2.3	55	8.0	5.1-10.9
College Graduate	797	541,463	673	87.0	84.1-89.9	28	3.5	1.7- 5.3	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	93	9.3	6.9-11.7
Less than \$15,000	200	197,256	156	79.8	71.8-87.8	20	10.5	4.8-16.2	1	0.1	0.0- 0.3				23	9.6	3.5-15.7
\$15,000- 24,999	326	298,787	264	82.0	76.7-87.3	25	9.0	4.9-13.1	1	0.8	0.0- 2.4	1	0.1	0.0- 0.3	35	8.2	4.9-11.5
\$25,000- 34,999	231	245,448	183	81.5	74.6-88.4	22	8.6	3.9-13.3	1	0.6	0.0- 1.8				25	9.3	4.2-14.4
\$35,000- 49,999	305	288,613	249	87.4	83.3-91.5	26	6.1	3.4- 8.8				1	0.3	0.0- 0.9	29	6.2	3.1- 9.3
\$50,000- 74,999	367	362,169	315	85.3	80.2-90.4	23	7.8	3.7-11.9				2	0.6	0.0- 1.4	27	6.2	3.1- 9.3
\$75,000+	573	557,631	491	82.3	77.4-87.2	30	7.4	3.7-11.1	1	0.2	0.0- 0.6	2	0.9	0.0- 2.5	49	9.2	5.5-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	2,435,689	2382	80.9	78.9-82.9	122	4.9	3.7- 6.1	6	0.3	0.1- 0.5	4	0.2	0.0- 0.6	479	13.7	12.1-15.3
White/Non-Hisp	2439	1,859,842	1951	81.2	79.0-83.4	98	4.9	3.5- 6.3	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	385	13.7	11.9-15.5
Black or Afr. Am./Non-Hisp	342	376,128	268	81.2	75.1-87.3	17	5.4	0.9- 9.9				2	1.2	0.0- 3.4	55	12.2	7.9-16.5
Oth. Race/Non-Hisp.	65	60,086	52	78.1	65.0-91.2										13	21.9	8.8-35.0
MultiRacial/Non-Hisp.	51	32,538	32	65.6	47.6-83.6	3	4.3	0.0- 9.6	1	5.2	0.0-15.0				15	25.0	8.7-41.3
Hispanic	56	77,552	44	81.9	69.9-93.9	3	6.0	0.0-13.3				1	0.2	0.0- 0.6	8	11.9	2.1-21.7
18-24	146	271,992	122	83.6	75.6-91.6	15	10.9	3.6-18.2	1	0.6	0.0- 1.8				8	4.8	0.9- 8.7
25-34	311	399,489	268	85.0	79.9-90.1	20	6.6	3.1-10.1				2	0.4	0.0- 1.0	21	8.0	4.1-11.9
35-44	377	395,174	313	82.4	77.1-87.7	15	4.4	1.5- 7.3	2	1.0	0.0- 2.4	1	1.0	0.0- 3.0	46	11.2	7.1-15.3
45-54	520	401,289	408	78.6	73.9-83.3	26	4.5	2.3- 6.7	1	0.1	0.0- 0.3				85	16.9	12.6-21.2
55-64	623	428,188	494	80.7	76.8-84.6	19	2.1	1.1- 3.1	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	108	17.1	13.4-20.8
65+	1016	539,556	777	77.5	74.4-80.6	27	3.3	1.7- 4.9	1	0.0	0.0- 0.0				211	19.2	16.3-22.1
Less Than H.S.	295	318,801	228	76.7	69.6-83.8	23	8.5	3.2-13.8				2	1.4	0.0- 3.9	42	13.4	8.3-18.5
H.S. or G.E.D.	939	757,122	763	81.1	77.8-84.4	38	5.0	3.0- 7.0	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6	135	13.3	10.6-16.0
Some Post-H.S.	829	767,987	654	81.8	78.3-85.3	36	4.5	2.3- 6.7	2	0.4	0.0- 1.0				137	13.3	10.4-16.2
College Graduate	924	585,443	733	81.8	78.5-85.1	24	3.1	1.3- 4.9	2	0.1	0.1- 0.1	1	0.0	0.0- 0.0	164	15.0	12.1-17.9
Less than \$15,000	390	312,452	296	74.0	66.9-81.1	26	8.8	3.1-14.5				1	1.3	0.0- 3.8	67	15.9	11.0-20.8
\$15,000- 24,999	552	424,289	429	79.3	74.8-83.8	25	5.6	2.9- 8.3							98	15.1	11.2-19.0
\$25,000- 34,999	288	228,902	240	82.6	76.1-89.1	14	6.5	1.4-11.6	1	0.7	0.0- 2.1				33	10.2	5.7-14.7
\$35,000- 49,999	300	262,970	244	85.9	81.2-90.6	7	1.5	0.3- 2.7	1	0.1	0.0- 0.3	1	0.5	0.0- 1.5	47	12.1	7.6-16.6
\$50,000- 74,999	370	307,261	304	85.1	80.6-89.6	17	4.9	2.0- 7.8				1	0.1	0.0- 0.3	48	10.0	6.3-13.7
\$75,000+	542	470,697	443	80.5	76.0-85.0	16	4.1	1.6- 6.6	1	0.5	0.0- 1.5				82	14.9	11.0-18.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 13: POTATO SERVINGS PER DAY (POTADA1\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5233	4,650,002	4390	82.9	81.3-84.5	290	6.0	5.0- 7.0	11	0.2	0.0- 0.4	13	0.1	0.1- 0.1	529	10.8	9.6-12.0
Male	2277	2,232,211	1897	82.6	80.4-84.8	139	6.3	4.9- 7.7	6	0.2	0.0- 0.4	5	0.1	0.0- 0.3	230	10.8	9.0-12.6
Female	2956	2,417,791	2493	83.1	81.1-85.1	151	5.7	4.3- 7.1	5	0.1	0.0- 0.3	8	0.2	0.0- 0.4	299	10.9	9.3-12.5
White/Non-Hisp	4271	3,530,980	3597	83.6	82.0-85.2	244	6.3	5.3- 7.3	11	0.2	0.0- 0.4	11	0.2	0.0- 0.4	408	9.7	8.5-10.9
Black or Afr. Am./Non-Hisp	547	677,034	445	79.2	74.1-84.3	26	5.9	2.4- 9.4							76	14.9	10.6-19.2
Oth. Race/Non-Hisp.	127	135,997	101	79.5	69.7-89.3	7	3.7	0.2- 7.2							19	16.8	7.6-26.0
MultiRacial/Non-Hisp.	86	59,887	73	76.2	61.1-91.3	8	6.8	1.3-12.3							5	17.0	1.9-32.1
Hispanic	107	167,006	91	85.8	77.6-94.0	1	1.6	0.0- 4.7				1	0.1	0.0- 0.3	14	12.5	4.7-20.3
18-24	296	562,043	234	78.8	72.9-84.7	20	8.1	3.6-12.6	1	0.1	0.0- 0.3	2	0.4	0.0- 1.0	39	12.6	8.1-17.1
25-34	585	791,547	474	79.5	75.2-83.8	34	5.7	3.3- 8.1				2	0.2	0.0- 0.4	75	14.6	10.7-18.5
35-44	666	756,759	561	83.0	79.3-86.7	33	5.3	2.9- 7.7	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3	69	11.5	8.4-14.6
45-54	937	789,602	774	83.8	80.7-86.9	50	5.3	3.3- 7.3	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	111	10.7	8.2-13.2
55-64	1083	771,894	926	84.8	81.9-87.7	60	5.5	3.7- 7.3	4	0.3	0.0- 0.7	2	0.1	0.0- 0.3	91	9.2	6.8-11.6
65+	1666	978,159	1421	85.6	83.4-87.8	93	6.4	4.6- 8.2	4	0.3	0.0- 0.7	4	0.1	0.0- 0.3	144	7.6	6.0- 9.2
Less Than H.S.	487	622,943	391	81.2	76.1-86.3	45	8.5	4.8-12.2	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	49	9.9	6.2-13.6
H.S. or G.E.D.	1650	1,503,498	1369	82.4	79.9-84.9	102	6.2	4.6- 7.8	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	175	11.2	9.0-13.4
Some Post-H.S.	1378	1,395,460	1161	83.2	80.5-85.9	75	6.2	4.4- 8.0	4	0.1	0.0- 0.3	5	0.2	0.0- 0.4	133	10.2	8.0-12.4
College Graduate	1706	1,117,334	1457	84.0	81.5-86.5	68	4.0	2.8- 5.2	4	0.2	0.0- 0.4	5	0.1	0.0- 0.3	172	11.7	9.3-14.1
Less than \$15,000	589	507,003	461	73.8	67.9-79.7	45	10.2	5.7-14.7				1	0.1	0.0- 0.3	82	16.0	11.3-20.7
\$15,000- 24,999	864	712,163	715	82.7	79.2-86.2	59	6.4	4.4- 8.4	2	0.3	0.0- 0.7	2	0.1	0.0- 0.3	86	10.5	7.4-13.6
\$25,000- 34,999	510	466,697	440	86.2	82.1-90.3	19	3.0	1.4- 4.6	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	47	10.2	6.5-13.9
\$35,000- 49,999	605	552,392	500	82.1	77.8-86.4	37	5.3	3.1- 7.5				2	0.2	0.0- 0.6	66	12.4	8.7-16.1
\$50,000- 74,999	734	665,973	622	84.9	81.4-88.4	37	5.1	2.7- 7.5	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	72	9.8	7.1-12.5
\$75,000+	1101	1,016,988	952	85.4	82.5-88.3	41	4.5	2.7- 6.3	2	0.1	0.1- 0.1	4	0.2	0.0- 0.4	102	9.8	7.4-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 12: FRUITS AND VEGETABLES  
TABLE 14: POTATO SERVINGS PER DAY (POTADA1\_)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2277	2,232,211	1897	82.6	80.4-84.8	139	6.3	4.9- 7.7	6	0.2	0.0- 0.4	5	0.1	0.0- 0.3	230	10.8	9.0-12.6
White/Non-Hisp	1865	1,685,071	1555	83.1	80.7-85.5	120	7.0	5.4- 8.6	6	0.3	0.1- 0.5	5	0.1	0.0- 0.3	179	9.5	7.7-11.3
Black or Afr. Am./Non-Hisp	208	305,249	169	78.9	71.1-86.7	10	5.1	1.4- 8.8							29	16.0	8.7-23.3
Oth. Race/Non-Hisp.	64	76,881	50	81.1	67.8-94.4	6	6.1	0.0-12.4							8	12.8	1.4-24.2
Hispanic	50	88,501	44	88.1	76.5-99.7										6	11.9	0.3-23.5
18-24	151	292,632	117	79.5	71.7-87.3	10	5.1	1.6- 8.6	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	22	14.9	7.8-22.0
25-34	274	390,082	224	79.9	73.2-86.6	16	5.9	2.2- 9.6							34	14.3	8.4-20.2
35-44	294	364,336	246	81.7	75.6-87.8	18	6.9	2.6-11.2				1	0.1	0.0- 0.3	29	11.2	6.5-15.9
45-54	418	388,608	350	86.8	82.9-90.7	24	5.5	3.0- 8.0				1	0.1	0.0- 0.3	43	7.5	4.6-10.4
55-64	469	354,543	393	82.2	77.3-87.1	33	7.5	4.4-10.6	3	0.6	0.0- 1.4				40	9.7	5.8-13.6
65+	671	442,010	567	84.6	81.1-88.1	38	6.5	4.0- 9.0	2	0.4	0.0- 1.0	2	0.1	0.0- 0.3	62	8.5	6.0-11.0
Less Than H.S.	202	306,636	155	82.2	75.3-89.1	22	6.0	2.9- 9.1	1	0.5	0.0- 1.5				24	11.3	5.2-17.4
H.S. or G.E.D.	727	753,416	595	81.8	77.9-85.7	47	6.6	4.1- 9.1	2	0.2	0.0- 0.6	2	0.2	0.0- 0.4	81	11.2	8.1-14.3
Some Post-H.S.	554	631,309	472	83.2	78.7-87.7	32	7.6	4.5-10.7	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	46	9.0	5.5-12.5
College Graduate	788	536,421	669	83.2	79.7-86.7	38	4.4	2.8- 6.0	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	79	12.2	8.9-15.5
Less than \$15,000	198	195,105	147	71.8	62.0-81.6	19	9.5	4.0-15.0							32	18.7	9.7-27.7
\$15,000- 24,999	324	295,426	260	79.9	73.8-86.0	25	6.6	3.7- 9.5	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	37	13.0	7.3-18.7
\$25,000- 34,999	224	238,615	191	86.9	81.0-92.8	8	2.3	0.5- 4.1	3	0.9	0.0- 2.3	1	0.1	0.0- 0.3	21	9.7	4.2-15.2
\$35,000- 49,999	304	287,856	251	80.8	74.3-87.3	20	6.6	2.9-10.3				1	0.1	0.0- 0.3	32	12.5	6.8-18.2
\$50,000- 74,999	365	360,664	309	84.9	80.2-89.6	19	5.7	2.4- 9.0				1	0.3	0.0- 0.9	36	9.0	5.5-12.5
\$75,000+	568	551,906	495	86.0	81.9-90.1	28	5.7	2.8- 8.6	1	0.1	0.0- 0.3				44	8.3	5.2-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 12: FRUITS AND VEGETABLES  
 TABLE 15: POTATO SERVINGS PER DAY (POTADA1\_)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2956	2,417,791	2493	83.1	81.1-85.1	151	5.7	4.3- 7.1	5	0.1	0.0- 0.3	8	0.2	0.0- 0.4	299	10.9	9.3-12.5
White/Non-Hisp	2406	1,845,909	2042	84.1	81.9-86.3	124	5.6	4.2- 7.0	5	0.1	0.0- 0.3	6	0.2	0.0- 0.4	229	9.9	8.1-11.7
Black or Afr. Am./Non-Hisp	339	371,785	276	79.5	72.8-86.2	16	6.5	1.0-12.0				47	14.0	9.1-18.9			
Oth. Race/Non-Hisp.	63	59,116	51	77.4	63.5-91.3	1	0.5	0.0- 1.5				11	22.1	8.2-36.0			
MultiRacial/Non-Hisp.	50	30,849	42	83.4	70.5-96.3	6	10.8	1.0-20.6				2	5.8	0.0-14.8			
Hispanic	57	78,505	47	83.3	71.5-95.1	1	3.4	0.0- 9.9				1	0.2	0.0- 0.6	8	13.1	2.9-23.3
18-24	145	269,411	117	78.1	69.1-87.1	10	11.3	3.1-19.5				1	0.4	0.0- 1.2	17	10.2	4.9-15.5
25-34	311	401,465	250	79.1	73.2-85.0	18	5.5	2.4- 8.6				2	0.3	0.0- 0.9	41	15.0	9.7-20.3
35-44	372	392,423	315	84.3	79.6-89.0	15	3.7	1.5- 5.9	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	40	11.8	7.5-16.1
45-54	519	400,994	424	81.0	76.5-85.5	26	5.2	2.7- 7.7	1	0.1	0.0- 0.3				68	13.8	9.9-17.7
55-64	614	417,350	533	87.1	83.8-90.4	27	3.8	2.0- 5.6	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	51	8.8	5.9-11.7
65+	995	536,149	854	86.5	83.8-89.2	55	6.3	4.1- 8.5	2	0.3	0.0- 0.7	2	0.1	0.0- 0.3	82	6.8	5.0- 8.6
Less Than H.S.	285	316,307	236	80.3	73.0-87.6	23	11.0	4.5-17.5				1	0.1	0.0- 0.3	25	8.6	4.3-12.9
H.S. or G.E.D.	923	750,082	774	83.0	79.7-86.3	55	5.8	3.6- 8.0				94	11.2	8.3-14.1			
Some Post-H.S.	824	764,151	689	83.2	79.7-86.7	43	5.0	3.0- 7.0	2	0.2	0.0- 0.4	3	0.3	0.0- 0.7	87	11.2	8.3-14.1
College Graduate	918	580,914	788	84.6	81.3-87.9	30	3.6	1.8- 5.4	3	0.2	0.0- 0.4	4	0.2	0.0- 0.4	93	11.4	8.3-14.5
Less than \$15,000	391	311,898	314	75.0	67.4-82.6	26	10.6	3.9-17.3				1	0.1	0.0- 0.3	50	14.2	8.9-19.5
\$15,000- 24,999	540	416,737	455	84.7	80.4-89.0	34	6.3	3.6- 9.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	49	8.8	5.3-12.3
\$25,000- 34,999	286	228,081	249	85.5	80.0-91.0	11	3.8	1.1- 6.5							26	10.7	5.6-15.8
\$35,000- 49,999	301	264,536	249	83.5	78.2-88.8	17	3.9	1.5- 6.3				1	0.4	0.0- 1.2	34	12.2	7.3-17.1
\$50,000- 74,999	369	305,309	313	84.8	79.7-89.9	18	4.3	1.2- 7.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	36	10.7	6.4-15.0
\$75,000+	533	465,081	457	84.6	80.5-88.7	13	3.2	1.2- 5.2	1	0.1	0.0- 0.3	4	0.4	0.0- 0.8	58	11.7	8.0-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2\_)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5239	4,656,614	2344	45.9	43.9-47.9	2538	46.7	44.7-48.7	169	3.6	2.6- 4.6	78	1.4	1.0- 1.8	110	2.4	1.8- 3.0
Male	2271	2,225,342	1178	52.7	49.8-55.6	948	40.3	37.4-43.2	61	3.1	1.5- 4.7	22	0.9	0.3- 1.5	62	3.0	1.8- 4.2
Female	2968	2,431,272	1166	39.7	37.2-42.2	1590	52.7	50.2-55.2	108	4.0	2.8- 5.2	56	1.9	1.1- 2.7	48	1.8	1.0- 2.6
White/Non-Hisp	4281	3,547,238	1859	44.2	42.0-46.4	2139	49.0	46.8-51.2	134	3.2	2.4- 4.0	65	1.5	0.9- 2.1	84	2.1	1.5- 2.7
Black or Afr. Am./Non-Hisp	541	663,740	291	52.5	46.4-58.6	217	40.3	34.4-46.2	16	2.8	1.0- 4.6	7	1.1	0.1- 2.1	10	3.3	0.4- 6.2
Oth. Race/Non-Hisp.	128	137,684	62	48.4	33.7-63.1	57	36.1	22.8-49.4	7	14.3	0.0-32.1	1	0.3	0.0- 0.9	1	0.9	0.0- 2.7
MultiRacial/Non-Hisp.	89	62,426	33	40.5	25.0-56.0	46	51.6	36.1-67.1	3	3.2	0.0- 7.3	2	0.6	0.0- 1.4	5	4.2	0.0- 9.7
Hispanic	106	166,014	56	58.4	45.3-71.5	36	29.7	18.1-41.3	5	6.4	0.0-14.6	2	0.6	0.0- 1.6	7	4.9	0.6- 9.2
18-24	294	557,333	158	49.8	42.4-57.2	107	38.1	30.8-45.4	15	7.2	1.7-12.7	1	0.8	0.0- 2.4	13	4.1	1.4- 6.8
25-34	583	785,489	263	46.2	40.7-51.7	272	45.0	39.7-50.3	24	3.5	1.3- 5.7	8	2.0	0.4- 3.6	16	3.3	0.9- 5.7
35-44	668	760,436	308	48.1	43.0-53.2	309	45.1	40.2-50.0	27	3.9	1.9- 5.9	12	1.3	0.3- 2.3	12	1.7	0.5- 2.9
45-54	937	790,307	424	45.3	41.0-49.6	435	46.4	42.1-50.7	37	3.3	1.9- 4.7	18	2.1	0.9- 3.3	23	2.9	1.1- 4.7
55-64	1088	782,093	465	44.4	40.5-48.3	547	49.4	45.5-53.3	32	3.1	1.7- 4.5	20	1.6	0.8- 2.4	24	1.5	0.7- 2.3
65+	1669	980,957	726	43.4	40.3-46.5	868	52.4	49.3-55.5	34	2.1	1.1- 3.1	19	0.7	0.3- 1.1	22	1.4	0.6- 2.2
Less Than H.S.	492	632,365	251	46.9	40.4-53.4	196	41.7	35.2-48.2	14	4.3	0.0- 8.6	4	0.3	0.1- 0.5	27	6.8	3.3-10.3
H.S. or G.E.D.	1662	1,515,230	843	51.5	48.2-54.8	742	43.8	40.5-47.1	25	1.3	0.7- 1.9	12	0.9	0.3- 1.5	40	2.5	1.3- 3.7
Some Post-H.S.	1360	1,370,661	581	44.5	40.8-48.2	683	47.3	43.6-51.0	49	4.9	2.9- 6.9	22	1.9	0.7- 3.1	25	1.5	0.7- 2.3
College Graduate	1712	1,127,318	663	39.4	36.3-42.5	910	52.8	49.7-55.9	81	4.8	3.4- 6.2	40	2.2	1.2- 3.2	18	0.7	0.3- 1.1
Less than \$15,000	579	500,827	301	45.5	39.0-52.0	236	44.8	38.3-51.3	11	1.5	0.3- 2.7	3	0.4	0.0- 1.0	28	7.7	3.4-12.0
\$15,000- 24,999	868	716,208	401	49.9	45.2-54.6	406	43.9	39.4-48.4	23	1.9	0.9- 2.9	13	1.4	0.2- 2.6	25	3.0	1.6- 4.4
\$25,000- 34,999	512	472,912	273	55.2	48.5-61.9	212	35.6	29.7-41.5	17	7.5	1.4-13.6	2	0.3	0.0- 0.7	8	1.4	0.2- 2.6
\$35,000- 49,999	600	550,064	262	43.0	37.5-48.5	304	50.6	44.9-56.3	17	3.1	1.3- 4.9	7	1.8	0.2- 3.4	10	1.6	0.2- 3.0
\$50,000- 74,999	728	664,924	307	46.4	41.3-51.5	374	48.7	43.6-53.8	21	2.5	0.9- 4.1	17	1.5	0.5- 2.5	9	0.8	0.2- 1.4
\$75,000+	1110	1,023,509	441	41.3	37.4-45.2	592	51.8	47.9-55.7	49	4.0	2.4- 5.6	18	1.8	0.6- 3.0	10	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2271	2,225,342	1178	52.7	49.8-55.6	948	40.3	37.4-43.2	61	3.1	1.5- 4.7	22	0.9	0.3- 1.5	62	3.0	1.8- 4.2
White/Non-Hisp	1865	1,694,574	941	50.7	47.6-53.8	807	42.7	39.6-45.8	51	2.7	1.7- 3.7	19	1.0	0.4- 1.6	47	2.8	1.6- 4.0
Black or Afr. Am./Non-Hisp	200	286,644	128	60.8	51.2-70.4	61	31.4	22.4-40.4	2	1.5	0.0- 4.2	2	0.9	0.0- 2.5	7	5.3	0.2-10.4
Oth. Race/Non-Hisp.	65	78,701	36	48.0	25.9-70.1	25	30.9	11.5-50.3	4	21.1	0.0-49.5						
18-24	147	284,400	84	53.2	42.2-64.2	49	34.5	24.5-44.5	7	8.3	0.0-17.9	1	1.6	0.0- 4.7	6	2.5	0.3- 4.7
25-34	273	383,147	153	58.0	50.0-66.0	99	34.5	27.1-41.9	11	2.7	0.5- 4.9	1	0.3	0.0- 0.9	9	4.4	0.3- 8.5
35-44	295	367,527	156	52.8	45.2-60.4	119	40.8	33.4-48.2	11	3.6	0.7- 6.5	2	0.5	0.0- 1.3	7	2.3	0.1- 4.5
45-54	419	389,728	216	50.0	43.5-56.5	168	40.5	34.2-46.8	15	2.9	1.1- 4.7	7	2.1	0.3- 3.9	13	4.4	1.1- 7.7
55-64	472	362,175	240	52.1	46.0-58.2	204	43.0	36.9-49.1	9	2.3	0.3- 4.3	6	0.8	0.0- 1.6	13	1.8	0.6- 3.0
65+	665	438,364	329	50.5	45.4-55.6	309	46.3	41.2-51.4	8	0.6	0.2- 1.0	5	0.3	0.1- 0.5	14	2.3	0.7- 3.9
Less Than H.S.	208	315,212	115	51.3	40.9-61.7	69	33.4	24.4-42.4	7	6.3	0.0-14.7				17	9.0	3.3-14.7
H.S. or G.E.D.	726	756,946	415	59.9	55.0-64.8	271	35.3	30.6-40.0	11	1.2	0.4- 2.0	6	0.8	0.0- 1.6	23	2.8	1.2- 4.4
Some Post-H.S.	541	607,579	277	49.7	44.0-55.4	237	43.7	38.0-49.4	14	3.6	1.1- 6.1	4	1.1	0.0- 2.7	9	1.8	0.4- 3.2
College Graduate	790	541,177	368	46.9	42.4-51.4	368	47.1	42.6-51.6	29	3.5	1.9- 5.1	12	1.4	0.4- 2.4	13	1.1	0.3- 1.9
Less than \$15,000	194	193,046	118	50.2	39.0-61.4	57	36.2	25.4-47.0	5	1.5	0.1- 2.9				14	12.1	3.7-20.5
\$15,000- 24,999	326	294,561	176	59.5	52.6-66.4	125	34.3	27.6-41.0	7	1.3	0.3- 2.3	4	1.0	0.0- 2.4	14	3.9	1.5- 6.3
\$25,000- 34,999	227	242,729	135	60.5	49.7-71.3	80	29.0	20.4-37.6	7	8.7	0.0-19.5	1	0.3	0.0- 0.9	4	1.4	0.0- 3.4
\$35,000- 49,999	301	287,066	156	51.2	43.2-59.2	132	44.1	36.1-52.1	5	1.6	0.0- 3.4	2	1.2	0.0- 3.0	6	2.0	0.0- 4.4
\$50,000- 74,999	359	358,362	185	54.2	47.1-61.3	154	41.5	34.6-48.4	9	2.3	0.1- 4.5	5	0.9	0.1- 1.7	6	1.1	0.1- 2.1
\$75,000+	570	553,067	262	46.0	40.5-51.5	277	47.9	42.4-53.4	18	3.5	1.3- 5.7	7	1.5	0.0- 3.3	6	1.0	0.0- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2968	2,431,272	1166	39.7	37.2-42.2	1590	52.7	50.2-55.2	108	4.0	2.8- 5.2	56	1.9	1.1- 2.7	48	1.8	1.0- 2.6
White/Non-Hisp	2416	1,852,665	918	38.3	35.6-41.0	1332	54.8	52.1-57.5	83	3.6	2.4- 4.8	46	1.9	1.1- 2.7	37	1.5	0.7- 2.3
Black or Afr. Am./Non-Hisp	341	377,096	163	46.2	38.8-53.6	156	47.0	39.4-54.6	14	3.7	1.3- 6.1	5	1.3	0.0- 2.7	3	1.8	0.0- 4.9
Oth. Race/Non-Hisp.	63	58,983	26	48.8	31.7-65.9	32	43.0	26.7-59.3	3	5.3	0.0-13.1	1	0.8	0.0- 2.4	1	2.1	0.0- 6.2
MultiRacial/Non-Hisp.	51	32,538	15	32.7	14.3-51.1	30	54.4	35.0-73.8	3	6.2	0.0-14.0	1	0.7	0.0- 2.1	2	6.0	0.0-16.0
Hispanic	57	78,505	27	43.6	26.4-60.8	21	35.8	19.9-51.7	3	12.5	0.0-29.0	2	1.4	0.0- 3.4	4	6.8	0.0-14.4
18-24	147	272,933	74	46.2	36.0-56.4	58	41.9	31.7-52.1	8	6.1	0.8-11.4				7	5.8	0.7-10.9
25-34	310	402,342	110	35.0	28.1-41.9	173	55.1	47.8-62.4	13	4.2	0.5- 7.9	7	3.6	0.5- 6.7	7	2.2	0.0- 4.6
35-44	373	392,908	152	43.7	37.0-50.4	190	49.2	42.5-55.9	16	4.1	1.7- 6.5	10	2.0	0.4- 3.6	5	1.1	0.0- 2.3
45-54	518	400,578	208	40.6	34.9-46.3	267	52.2	46.3-58.1	22	3.7	1.7- 5.7	11	2.1	0.3- 3.9	10	1.4	0.2- 2.6
55-64	616	419,918	225	37.8	32.7-42.9	343	55.0	49.9-60.1	23	3.8	2.0- 5.6	14	2.2	0.6- 3.8	11	1.3	0.5- 2.1
65+	1004	542,592	397	37.6	33.7-41.5	559	57.3	53.2-61.4	26	3.4	1.8- 5.0	14	1.0	0.4- 1.6	8	0.7	0.1- 1.3
Less Than H.S.	284	317,153	136	42.6	34.8-50.4	127	49.8	41.6-58.0	7	2.3	0.3- 4.3	4	0.6	0.0- 1.2	10	4.7	0.6- 8.8
H.S. or G.E.D.	936	758,284	428	43.0	38.7-47.3	471	52.4	48.1-56.7	14	1.5	0.7- 2.3	6	0.9	0.0- 1.9	17	2.2	0.6- 3.8
Some Post-H.S.	819	763,082	304	40.3	35.6-45.0	446	50.1	45.2-55.0	35	5.8	2.9- 8.7	18	2.5	0.9- 4.1	16	1.3	0.5- 2.1
College Graduate	922	586,141	295	32.6	28.3-36.9	542	58.0	53.5-62.5	52	6.0	4.0- 8.0	28	3.0	1.4- 4.6	5	0.4	0.0- 0.8
Less than \$15,000	385	307,780	183	42.5	34.9-50.1	179	50.2	42.4-58.0	6	1.6	0.0- 3.4	3	0.7	0.0- 1.5	14	5.0	0.7- 9.3
\$15,000- 24,999	542	421,647	225	43.1	37.0-49.2	281	50.5	44.4-56.6	16	2.3	0.9- 3.7	9	1.7	0.0- 3.5	11	2.4	0.6- 4.2
\$25,000- 34,999	285	230,184	138	49.6	41.6-57.6	132	42.5	34.7-50.3	10	6.3	1.0-11.6	1	0.2	0.0- 0.6	4	1.4	0.0- 3.0
\$35,000- 49,999	299	262,998	106	34.2	26.9-41.5	172	57.7	50.3-65.1	12	4.7	1.6- 7.8	5	2.4	0.0- 4.9	4	1.1	0.0- 2.5
\$50,000- 74,999	369	306,562	122	37.3	30.4-44.2	220	57.2	50.3-64.1	12	2.8	0.6- 5.0	12	2.3	0.5- 4.1	3	0.4	0.0- 0.8
\$75,000+	540	470,442	179	35.8	30.3-41.3	315	56.3	50.6-62.0	31	4.5	2.5- 6.5	11	2.2	0.4- 4.0	4	1.3	0.0- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	155
2	MALES ONLY	156
3	FEMALES ONLY	157

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5272	4,675,199	3599	69.4	67.6-71.2	1673	30.6	28.8-32.4
Male	2292	2,239,239	1663	71.5	69.0-74.0	629	28.5	26.0-31.0
Female	2980	2,435,960	1936	67.5	65.1-69.9	1044	32.5	30.1-34.9
White/Non-Hisp	4303	3,561,126	2949	70.1	68.3-71.9	1354	29.9	28.1-31.7
Black or Afr. Am./Non-Hisp	547	675,466	377	68.1	62.6-73.6	170	31.9	26.4-37.4
Oth. Race/Non-Hisp.	131	139,211	98	77.6	66.0-89.2	33	22.4	10.8-34.0
MultiRacial/Non-Hisp.	89	62,397	51	61.7	47.0-76.4	38	38.3	23.6-53.0
Hispanic	106	156,707	62	58.9	46.6-71.2	44	41.1	28.8-53.4
18-24	295	564,804	224	76.3	70.2-82.4	71	23.7	17.6-29.8
25-34	587	780,575	455	75.8	71.3-80.3	132	24.2	19.7-28.7
35-44	666	757,915	489	72.9	68.4-77.4	177	27.1	22.6-31.6
45-54	943	796,627	612	66.4	62.3-70.5	331	33.6	29.5-37.7
55-64	1091	787,457	702	63.6	59.9-67.3	389	36.4	32.7-40.1
65+	1690	987,821	1117	65.0	61.9-68.1	573	35.0	31.9-38.1
Less Than H.S.	509	640,392	255	56.8	50.7-62.9	254	43.2	37.1-49.3
H.S. or G.E.D.	1663	1,511,166	1015	63.4	60.3-66.5	648	36.6	33.5-39.7
Some Post-H.S.	1377	1,389,235	926	69.6	66.3-72.9	451	30.4	27.1-33.7
College Graduate	1710	1,123,366	1397	84.8	82.6-87.0	313	15.2	13.0-17.4
Less than \$15,000	587	508,740	322	58.4	52.3-64.5	265	41.6	35.5-47.7
\$15,000- 24,999	872	714,264	514	58.4	53.9-62.9	358	41.6	37.1-46.1
\$25,000- 34,999	513	472,182	321	67.5	61.8-73.2	192	32.5	26.8-38.2
\$35,000- 49,999	598	545,265	414	67.8	62.3-73.3	184	32.2	26.7-37.7
\$50,000- 74,999	728	654,649	541	73.8	69.7-77.9	187	26.2	22.1-30.3
\$75,000+	1107	1,022,120	912	82.6	79.5-85.7	195	17.4	14.3-20.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2292	2,239,239	1663	71.5	69.0-74.0	629	28.5	26.0-31.0
White/Non-Hisp	1877	1,701,256	1375	73.0	70.3-75.7	502	27.0	24.3-29.7
Black or Afr. Am./Non-Hisp	207	301,590	150	67.1	57.9-76.3	57	32.9	23.7-42.1
Oth. Race/Non-Hisp.	66	79,668	50	75.6	57.4-93.8	16	24.4	6.2-42.6
18-24	150	293,139	117	74.2	64.8-83.6	33	25.8	16.4-35.2
25-34	275	377,891	216	75.4	68.3-82.5	59	24.6	17.5-31.7
35-44	295	368,063	223	75.6	69.3-81.9	72	24.4	18.1-30.7
45-54	423	394,788	286	67.8	61.9-73.7	137	32.2	26.3-38.1
55-64	472	363,664	323	65.5	59.6-71.4	149	34.5	28.6-40.4
65+	677	441,693	498	71.4	66.9-75.9	179	28.6	24.1-33.1
Less Than H.S.	215	315,096	106	57.1	47.7-66.5	109	42.9	33.5-52.3
H.S. or G.E.D.	733	759,726	481	66.4	61.7-71.1	252	33.6	28.9-38.3
Some Post-H.S.	549	621,534	389	70.8	65.5-76.1	160	29.2	23.9-34.5
College Graduate	789	538,455	685	88.3	85.6-91.0	104	11.7	9.0-14.4
Less than \$15,000	196	195,642	118	60.5	49.7-71.3	78	39.5	28.7-50.3
\$15,000- 24,999	329	297,296	201	58.8	51.5-66.1	128	41.2	33.9-48.5
\$25,000- 34,999	230	243,764	154	70.0	61.6-78.4	76	30.0	21.6-38.4
\$35,000- 49,999	300	283,520	208	67.1	59.1-75.1	92	32.9	24.9-40.9
\$50,000- 74,999	361	349,184	280	74.4	68.3-80.5	81	25.6	19.5-31.7
\$75,000+	570	555,017	485	84.7	80.8-88.6	85	15.3	11.4-19.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2980	2,435,960	1936	67.5	65.1-69.9	1044	32.5	30.1-34.9
White/Non-Hisp	2426	1,859,871	1574	67.3	64.8-69.8	852	32.7	30.2-35.2
Black or Afr. Am./Non-Hisp	340	373,876	227	68.8	62.1-75.5	113	31.2	24.5-37.9
Oth. Race/Non-Hisp.	65	59,543	48	80.2	68.4-92.0	17	19.8	8.0-31.6
MultiRacial/Non-Hisp.	51	32,538	28	56.7	37.5-75.9	23	43.3	24.1-62.5
Hispanic	57	78,505	36	64.2	48.3-80.1	21	35.8	19.9-51.7
18-24	145	271,665	107	78.6	71.0-86.2	38	21.4	13.8-29.0
25-34	312	402,684	239	76.1	70.0-82.2	73	23.9	17.8-30.0
35-44	371	389,852	266	70.4	64.3-76.5	105	29.6	23.5-35.7
45-54	520	401,839	326	65.1	59.4-70.8	194	34.9	29.2-40.6
55-64	619	423,793	379	61.9	57.0-66.8	240	38.1	33.2-43.0
65+	1013	546,128	619	59.8	55.7-63.9	394	40.2	36.1-44.3
Less Than H.S.	294	325,297	149	56.5	48.7-64.3	145	43.5	35.7-51.3
H.S. or G.E.D.	930	751,440	534	60.5	56.4-64.6	396	39.5	35.4-43.6
Some Post-H.S.	828	767,701	537	68.6	64.3-72.9	291	31.4	27.1-35.7
College Graduate	921	584,911	712	81.5	78.2-84.8	209	18.5	15.2-21.8
Less than \$15,000	391	313,098	204	57.2	49.8-64.6	187	42.8	35.4-50.2
\$15,000- 24,999	543	416,968	313	58.1	52.2-64.0	230	41.9	36.0-47.8
\$25,000- 34,999	283	228,418	167	64.8	57.5-72.1	116	35.2	27.9-42.5
\$35,000- 49,999	298	261,746	206	68.6	61.3-75.9	92	31.4	24.1-38.7
\$50,000- 74,999	367	305,465	261	73.1	67.4-78.8	106	26.9	21.2-32.6
\$75,000+	537	467,103	427	80.2	75.5-84.9	110	19.8	15.1-24.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 14: SEATBELT USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	159
2	MALES ONLY	160
3	FEMALES ONLY	161
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	162
5	MALES ONLY	163
6	FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5155	4,580,999	4888	93.9	92.9-94.9	267	6.1	5.1- 7.1
Male	2243	2,195,350	2068	91.2	89.4-93.0	175	8.8	7.0-10.6
Female	2912	2,385,648	2820	96.4	95.2-97.6	92	3.6	2.4- 4.8
White/Non-Hisp	4210	3,492,998	4000	94.4	93.4-95.4	210	5.6	4.6- 6.6
Black or Afr. Am./Non-Hisp	533	660,693	508	92.2	87.9-96.5	25	7.8	3.5-12.1
Oth. Race/Non-Hisp.	127	130,879	119	94.2	89.3-99.1	8	5.8	0.9-10.7
MultiRacial/Non-Hisp.	88	62,036	79	89.4	79.0-99.8	9	10.6	0.2-21.0
Hispanic	106	156,707	96	90.7	84.0-97.4	10	9.3	2.6-16.0
18-24	287	544,445	268	91.0	86.3-95.7	19	9.0	4.3-13.7
25-34	571	767,128	534	93.0	90.1-95.9	37	7.0	4.1- 9.9
35-44	645	740,459	591	91.0	88.1-93.9	54	9.0	6.1-11.9
45-54	924	785,239	880	95.7	93.9-97.5	44	4.3	2.5- 6.1
55-64	1070	774,737	1012	94.4	92.4-96.4	58	5.6	3.6- 7.6
65+	1658	968,991	1603	96.6	95.2-98.0	55	3.4	2.0- 4.8
Less Than H.S.	493	625,610	455	90.3	86.0-94.6	38	9.7	5.4-14.0
H.S. or G.E.D.	1635	1,488,969	1527	92.0	89.8-94.2	108	8.0	5.8-10.2
Some Post-H.S.	1338	1,351,234	1285	95.7	94.1-97.3	53	4.3	2.7- 5.9
College Graduate	1676	1,104,145	1609	96.5	95.5-97.5	67	3.5	2.5- 4.5
Less than \$15,000	571	498,030	536	91.1	86.2-96.0	35	8.9	4.0-13.8
\$15,000- 24,999	853	702,720	792	92.6	90.2-95.0	61	7.4	5.0- 9.8
\$25,000- 34,999	505	465,751	486	94.7	91.4-98.0	19	5.3	2.0- 8.6
\$35,000- 49,999	586	529,822	556	95.8	93.8-97.8	30	4.2	2.2- 6.2
\$50,000- 74,999	714	641,575	681	93.8	91.1-96.5	33	6.2	3.5- 8.9
\$75,000+	1084	1,006,071	1031	93.6	91.4-95.8	53	6.4	4.2- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 14: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2243	2,195,350	2068	91.2	89.4-93.0	175	8.8	7.0-10.6
White/Non-Hisp	1841	1,674,457	1699	91.4	89.4-93.4	142	8.6	6.6-10.6
Black or Afr. Am./Non-Hisp	202	294,997	186	89.1	82.2-96.0	16	10.9	4.0-17.8
Oth. Race/Non-Hisp.	63	71,488	59	95.0	88.9- 100	4	5.0	0.0-11.1
18-24	148	284,962	135	89.7	83.4-96.0	13	10.3	4.0-16.6
25-34	269	372,257	245	89.9	84.6-95.2	24	10.1	4.8-15.4
35-44	289	360,684	250	86.8	81.5-92.1	39	13.2	7.9-18.5
45-54	411	388,391	381	93.8	90.9-96.7	30	6.2	3.3- 9.1
55-64	461	355,336	420	90.6	86.7-94.5	41	9.4	5.5-13.3
65+	665	433,721	637	95.2	92.7-97.7	28	4.8	2.3- 7.3
Less Than H.S.	205	305,845	182	88.7	82.6-94.8	23	11.3	5.2-17.4
H.S. or G.E.D.	721	751,481	647	88.2	84.5-91.9	74	11.8	8.1-15.5
Some Post-H.S.	534	602,381	498	92.2	89.1-95.3	36	7.8	4.7-10.9
College Graduate	777	531,215	736	96.1	94.5-97.7	41	3.9	2.3- 5.5
Less than \$15,000	189	190,961	172	90.6	83.2-98.0	17	9.4	2.0-16.8
\$15,000- 24,999	320	290,300	284	89.1	84.6-93.6	36	10.9	6.4-15.4
\$25,000- 34,999	225	239,581	212	91.2	84.9-97.5	13	8.8	2.5-15.1
\$35,000- 49,999	293	270,375	270	94.4	91.5-97.3	23	5.6	2.7- 8.5
\$50,000- 74,999	358	347,390	333	90.7	86.0-95.4	25	9.3	4.6-14.0
\$75,000+	561	547,409	519	90.4	86.7-94.1	42	9.6	5.9-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 14: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2912	2,385,648	2820	96.4	95.2-97.6	92	3.6	2.4- 4.8
White/Non-Hisp	2369	1,818,541	2301	97.1	96.1-98.1	68	2.9	1.9- 3.9
Black or Afr. Am./Non-Hisp	331	365,696	322	94.6	89.3-99.9	9	5.4	0.1-10.7
Oth. Race/Non-Hisp.	64	59,391	60	93.2	85.4- 100	4	6.8	0.0-14.6
MultiRacial/Non-Hisp.	51	32,538	47	92.7	82.5- 100	4	7.3	0.0-17.5
Hispanic	57	78,505	52	91.4	82.8- 100	5	8.6	0.0-17.2
18-24	139	259,483	133	92.5	85.1-99.9	6	7.5	0.1-14.9
25-34	302	394,871	289	96.0	93.3-98.7	13	4.0	1.3- 6.7
35-44	356	379,775	341	95.0	92.3-97.7	15	5.0	2.3- 7.7
45-54	513	396,848	499	97.5	95.7-99.3	14	2.5	0.7- 4.3
55-64	609	419,401	592	97.6	96.2-99.0	17	2.4	1.0- 3.8
65+	993	535,270	966	97.7	96.7-98.7	27	2.3	1.3- 3.3
Less Than H.S.	288	319,765	273	91.8	85.5-98.1	15	8.2	1.9-14.5
H.S. or G.E.D.	914	737,488	880	95.8	94.0-97.6	34	4.2	2.4- 6.0
Some Post-H.S.	804	748,853	787	98.5	97.5-99.5	17	1.5	0.5- 2.5
College Graduate	899	572,931	873	96.9	95.3-98.5	26	3.1	1.5- 4.7
Less than \$15,000	382	307,070	364	91.5	85.0-98.0	18	8.5	2.0-15.0
\$15,000- 24,999	533	412,420	508	95.0	92.3-97.7	25	5.0	2.3- 7.7
\$25,000- 34,999	280	226,170	274	98.4	96.8- 100	6	1.6	0.0- 3.2
\$35,000- 49,999	293	259,447	286	97.3	95.1-99.5	7	2.7	0.5- 4.9
\$50,000- 74,999	356	294,185	348	97.4	95.2-99.6	8	2.6	0.4- 4.8
\$75,000+	523	458,662	512	97.5	95.9-99.1	11	2.5	0.9- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 14: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5155	4,580,999	4531	86.3	84.9-87.7	624	13.7	12.3-15.1
Male	2243	2,195,350	1858	81.5	79.1-83.9	385	18.5	16.1-20.9
Female	2912	2,385,648	2673	90.6	89.0-92.2	239	9.4	7.8-11.0
White/Non-Hisp	4210	3,492,998	3708	87.0	85.6-88.4	502	13.0	11.6-14.4
Black or Afr. Am./Non-Hisp	533	660,693	473	84.1	79.0-89.2	60	15.9	10.8-21.0
Oth. Race/Non-Hisp.	127	130,879	108	85.4	77.6-93.2	19	14.6	6.8-22.4
MultiRacial/Non-Hisp.	88	62,036	73	72.9	57.0-88.8	15	27.1	11.2-43.0
Hispanic	106	156,707	87	81.5	72.1-90.9	19	18.5	9.1-27.9
18-24	287	544,445	236	83.1	77.4-88.8	51	16.9	11.2-22.6
25-34	571	767,128	476	81.5	77.2-85.8	95	18.5	14.2-22.8
35-44	645	740,459	530	80.6	76.5-84.7	115	19.4	15.3-23.5
45-54	924	785,239	824	88.7	86.0-91.4	100	11.3	8.6-14.0
55-64	1070	774,737	942	88.3	85.8-90.8	128	11.7	9.2-14.2
65+	1658	968,991	1523	92.6	91.0-94.2	135	7.4	5.8- 9.0
Less Than H.S.	493	625,610	425	83.8	78.9-88.7	68	16.2	11.3-21.1
H.S. or G.E.D.	1635	1,488,969	1403	84.3	81.8-86.8	232	15.7	13.2-18.2
Some Post-H.S.	1338	1,351,234	1188	87.0	84.5-89.5	150	13.0	10.5-15.5
College Graduate	1676	1,104,145	1504	89.5	87.5-91.5	172	10.5	8.5-12.5
Less than \$15,000	571	498,030	497	84.2	78.7-89.7	74	15.8	10.3-21.3
\$15,000- 24,999	853	702,720	746	85.3	81.8-88.8	107	14.7	11.2-18.2
\$25,000- 34,999	505	465,751	458	89.4	85.5-93.3	47	10.6	6.7-14.5
\$35,000- 49,999	586	529,822	497	86.6	83.1-90.1	89	13.4	9.9-16.9
\$50,000- 74,999	714	641,575	628	85.9	82.2-89.6	86	14.1	10.4-17.8
\$75,000+	1084	1,006,071	953	85.5	82.4-88.6	131	14.5	11.4-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 14: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2243	2,195,350	1858	81.5	79.1-83.9	385	18.5	16.1-20.9
White/Non-Hisp	1841	1,674,457	1525	81.8	79.3-84.3	316	18.2	15.7-20.7
Black or Afr. Am./Non-Hisp	202	294,997	170	80.1	72.1-88.1	32	19.9	11.9-27.9
Oth. Race/Non-Hisp.	63	71,488	50	80.6	67.7-93.5	13	19.4	6.5-32.3
18-24	148	284,962	115	81.4	74.1-88.7	33	18.6	11.3-25.9
25-34	269	372,257	213	76.7	69.8-83.6	56	23.3	16.4-30.2
35-44	289	360,684	212	74.1	67.2-81.0	77	25.9	19.0-32.8
45-54	411	388,391	343	82.9	78.0-87.8	68	17.1	12.2-22.0
55-64	461	355,336	377	81.9	77.2-86.6	84	18.1	13.4-22.8
65+	665	433,721	598	90.4	87.3-93.5	67	9.6	6.5-12.7
Less Than H.S.	205	305,845	166	81.7	74.6-88.8	39	18.3	11.2-25.4
H.S. or G.E.D.	721	751,481	568	77.5	73.2-81.8	153	22.5	18.2-26.8
Some Post-H.S.	534	602,381	445	81.0	76.5-85.5	89	19.0	14.5-23.5
College Graduate	777	531,215	674	87.8	84.9-90.7	103	12.2	9.3-15.1
Less than \$15,000	189	190,961	153	83.0	74.8-91.2	36	17.0	8.8-25.2
\$15,000- 24,999	320	290,300	259	78.4	72.1-84.7	61	21.6	15.3-27.9
\$25,000- 34,999	225	239,581	194	84.0	76.7-91.3	31	16.0	8.7-23.3
\$35,000- 49,999	293	270,375	236	84.9	79.8-90.0	57	15.1	10.0-20.2
\$50,000- 74,999	358	347,390	301	82.2	76.5-87.9	57	17.8	12.1-23.5
\$75,000+	561	547,409	467	80.9	76.2-85.6	94	19.1	14.4-23.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 14: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2912	2,385,648	2673	90.6	89.0-92.2	239	9.4	7.8-11.0
White/Non-Hisp	2369	1,818,541	2183	91.7	90.1-93.3	186	8.3	6.7- 9.9
Black or Afr. Am./Non-Hisp	331	365,696	303	87.4	81.1-93.7	28	12.6	6.3-18.9
Oth. Race/Non-Hisp.	64	59,391	58	91.2	82.8-99.6	6	8.8	0.4-17.2
MultiRacial/Non-Hisp.	51	32,538	43	78.3	60.7-95.9	8	21.7	4.1-39.3
Hispanic	57	78,505	48	81.5	68.0-95.0	9	18.5	5.0-32.0
18-24	139	259,483	121	85.1	76.5-93.7	18	14.9	6.3-23.5
25-34	302	394,871	263	86.0	80.9-91.1	39	14.0	8.9-19.1
35-44	356	379,775	318	86.9	82.4-91.4	38	13.1	8.6-17.6
45-54	513	396,848	481	94.2	91.7-96.7	32	5.8	3.3- 8.3
55-64	609	419,401	565	93.7	91.3-96.1	44	6.3	3.9- 8.7
65+	993	535,270	925	94.3	92.5-96.1	68	5.7	3.9- 7.5
Less Than H.S.	288	319,765	259	85.8	78.7-92.9	29	14.2	7.1-21.3
H.S. or G.E.D.	914	737,488	835	91.1	88.6-93.6	79	8.9	6.4-11.4
Some Post-H.S.	804	748,853	743	91.8	89.1-94.5	61	8.2	5.5-10.9
College Graduate	899	572,931	830	91.2	88.5-93.9	69	8.8	6.1-11.5
Less than \$15,000	382	307,070	344	84.9	77.5-92.3	38	15.1	7.7-22.5
\$15,000- 24,999	533	412,420	487	90.1	86.4-93.8	46	9.9	6.2-13.6
\$25,000- 34,999	280	226,170	264	95.1	92.2-98.0	16	4.9	2.0- 7.8
\$35,000- 49,999	293	259,447	261	88.2	83.3-93.1	32	11.8	6.9-16.7
\$50,000- 74,999	356	294,185	327	90.2	85.9-94.5	29	9.8	5.5-14.1
\$75,000+	523	458,662	486	91.1	87.8-94.4	37	8.9	5.6-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 15: IMMUNIZATION CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	166
2	MALES ONLY	167
3	FEMALES ONLY	168
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	169
5	MALES ONLY	170
6	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 15: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
 Denominator excludes: Respondents with do not know/refused/missing responses  
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1638	953,490	903	54.3	51.2-57.4	735	45.7	42.6-48.8
Male	659	428,966	354	52.4	47.5-57.3	305	47.6	42.7-52.5
Female	979	524,524	549	55.9	51.8-60.0	430	44.1	40.0-48.2
White/Non-Hisp	1410	812,848	790	55.6	52.3-58.9	620	44.4	41.1-47.7
Black or Afr. Am./Non-Hisp	135	97,420	63	43.6	31.8-55.4	72	56.4	44.6-68.2
65+	1638	953,490	903	54.3	51.2-57.4	735	45.7	42.6-48.8
Less Than H.S.	194	173,086	106	55.9	46.9-64.9	88	44.1	35.1-53.1
H.S. or G.E.D.	548	325,141	287	50.3	45.0-55.6	261	49.7	44.4-55.0
Some Post-H.S.	394	258,679	223	54.6	48.1-61.1	171	45.4	38.9-51.9
College Graduate	498	195,002	284	59.0	53.3-64.7	214	41.0	35.3-46.7
Less than \$15,000	169	86,073	88	46.8	37.2-56.4	81	53.2	43.6-62.8
\$15,000- 24,999	322	197,879	183	56.7	49.4-64.0	139	43.3	36.0-50.6
\$25,000- 34,999	196	124,298	110	55.4	46.0-64.8	86	44.6	35.2-54.0
\$35,000- 49,999	201	123,155	102	52.6	43.2-62.0	99	47.4	38.0-56.8
\$50,000- 74,999	198	108,984	108	51.8	42.6-61.0	90	48.2	39.0-57.4
\$75,000+	201	116,060	121	59.1	50.5-67.7	80	40.9	32.3-49.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 15: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	659	428,966	354	52.4	47.5-57.3	305	47.6	42.7-52.5
White/Non-Hisp	578	378,127	316	53.7	48.4-59.0	262	46.3	41.0-51.6
65+	659	428,966	354	52.4	47.5-57.3	305	47.6	42.7-52.5
Less Than H.S.	68	71,141	32	48.2	33.5-62.9	36	51.8	37.1-66.5
H.S. or G.E.D.	190	127,115	90	43.6	34.8-52.4	100	56.4	47.6-65.2
Some Post-H.S.	133	111,050	78	58.4	47.6-69.2	55	41.6	30.8-52.4
College Graduate	267	119,009	153	58.5	51.1-65.9	114	41.5	34.1-48.9
\$15,000- 24,999	108	80,835	58	51.1	38.8-63.4	50	48.9	36.6-61.2
\$25,000- 34,999	79	55,343	46	58.1	43.4-72.8	33	41.9	27.2-56.6
\$35,000- 49,999	107	69,951	49	48.8	35.7-61.9	58	51.2	38.1-64.3
\$50,000- 74,999	103	64,661	57	51.4	38.9-63.9	46	48.6	36.1-61.1
\$75,000+	120	74,341	73	61.9	51.5-72.3	47	38.1	27.7-48.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
 SECTION 15: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	979	524,524	549	55.9	51.8-60.0	430	44.1	40.0-48.2
White/Non-Hisp	832	434,721	474	57.3	52.8-61.8	358	42.7	38.2-47.2
Black or Afr. Am./Non-Hisp	90	62,697	46	46.6	32.1-61.1	44	53.4	38.9-67.9
65+	979	524,524	549	55.9	51.8-60.0	430	44.1	40.0-48.2
Less Than H.S.	126	101,945	74	61.3	50.3-72.3	52	38.7	27.7-49.7
H.S. or G.E.D.	358	198,026	197	54.5	48.0-61.0	161	45.5	39.0-52.0
Some Post-H.S.	261	147,628	145	51.8	43.8-59.8	116	48.2	40.2-56.2
College Graduate	231	75,993	131	60.0	51.6-68.4	100	40.0	31.6-48.4
Less than \$15,000	125	62,007	68	49.6	38.2-61.0	57	50.4	39.0-61.8
\$15,000- 24,999	214	117,044	125	60.5	51.9-69.1	89	39.5	30.9-48.1
\$25,000- 34,999	117	68,955	64	53.2	40.9-65.5	53	46.8	34.5-59.1
\$35,000- 49,999	94	53,204	53	57.6	44.9-70.3	41	42.4	29.7-55.1
\$50,000- 74,999	95	44,324	51	52.4	38.9-65.9	44	47.6	34.1-61.1
\$75,000+	81	41,720	48	54.1	40.0-68.2	33	45.9	31.8-60.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 15: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1604	939,875	1229	75.7	73.0-78.4	375	24.3	21.6-27.0
Male	640	419,178	482	74.6	70.3-78.9	158	25.4	21.1-29.7
Female	964	520,697	747	76.6	72.9-80.3	217	23.4	19.7-27.1
White/Non-Hisp	1382	802,532	1063	76.3	73.4-79.2	319	23.7	20.8-26.6
Black or Afr. Am./Non-Hisp	131	94,996	93	67.4	56.0-78.8	38	32.6	21.2-44.0
65+	1604	939,875	1229	75.7	73.0-78.4	375	24.3	21.6-27.0
Less Than H.S.	187	170,409	141	77.7	70.4-85.0	46	22.3	15.0-29.6
H.S. or G.E.D.	537	318,589	411	77.4	72.9-81.9	126	22.6	18.1-27.1
Some Post-H.S.	390	257,811	291	70.4	64.3-76.5	99	29.6	23.5-35.7
College Graduate	486	191,484	383	78.0	73.1-82.9	103	22.0	17.1-26.9
Less than \$15,000	166	83,376	125	70.1	60.3-79.9	41	29.9	20.1-39.7
\$15,000- 24,999	313	193,852	240	75.0	68.5-81.5	73	25.0	18.5-31.5
\$25,000- 34,999	192	121,799	137	75.3	67.7-82.9	55	24.7	17.1-32.3
\$35,000- 49,999	197	122,273	143	66.3	57.1-75.5	54	33.7	24.5-42.9
\$50,000- 74,999	194	107,760	155	78.5	70.7-86.3	39	21.5	13.7-29.3
\$75,000+	196	113,820	160	81.6	74.9-88.3	36	18.4	11.7-25.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 15: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	640	419,178	482	74.6	70.3-78.9	158	25.4	21.1-29.7
White/Non-Hisp	563	369,809	429	76.1	71.6-80.6	134	23.9	19.4-28.4
65+	640	419,178	482	74.6	70.3-78.9	158	25.4	21.1-29.7
Less Than H.S.	64	68,318	44	72.3	59.6-85.0	20	27.7	15.0-40.4
H.S. or G.E.D.	184	123,089	143	78.3	70.7-85.9	41	21.7	14.1-29.3
Some Post-H.S.	133	110,967	95	70.0	60.0-80.0	38	30.0	20.0-40.0
College Graduate	258	116,153	199	76.1	69.4-82.8	59	23.9	17.2-30.6
\$15,000- 24,999	103	77,727	71	71.4	60.2-82.6	32	28.6	17.4-39.8
\$25,000- 34,999	76	53,137	58	78.7	66.9-90.5	18	21.3	9.5-33.1
\$35,000- 49,999	105	69,391	76	68.1	55.6-80.6	29	31.9	19.4-44.4
\$50,000- 74,999	101	63,946	80	76.0	64.6-87.4	21	24.0	12.6-35.4
\$75,000+	116	72,392	94	81.7	73.3-90.1	22	18.3	9.9-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 15: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	964	520,697	747	76.6	73.1-80.1	217	23.4	19.9-26.9
White/Non-Hisp	819	432,723	634	76.5	72.6-80.4	185	23.5	19.6-27.4
Black or Afr. Am./Non-Hisp	88	60,867	66	70.9	57.8-84.0	22	29.1	16.0-42.2
65+	964	520,697	747	76.6	73.1-80.1	217	23.4	19.9-26.9
Less Than H.S.	123	102,090	97	81.4	73.0-89.8	26	18.6	10.2-27.0
H.S. or G.E.D.	353	195,500	268	76.9	71.4-82.4	85	23.1	17.6-28.6
Some Post-H.S.	257	146,844	196	70.6	62.8-78.4	61	29.4	21.6-37.2
College Graduate	228	75,330	184	80.8	73.7-87.9	44	19.2	12.1-26.3
Less than \$15,000	123	59,781	96	72.9	61.5-84.3	27	27.1	15.7-38.5
\$15,000- 24,999	210	116,126	169	77.4	69.6-85.2	41	22.6	14.8-30.4
\$25,000- 34,999	116	68,662	79	72.6	62.2-83.0	37	27.4	17.0-37.8
\$35,000- 49,999	92	52,882	67	63.9	50.2-77.6	25	36.1	22.4-49.8
\$50,000- 74,999	93	43,814	75	82.1	72.5-91.7	18	17.9	8.3-27.5
\$75,000+	80	41,428	66	81.6	71.0-92.2	14	18.4	7.8-29.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 16: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4893	4,328,901	1635	37.7	35.7-39.7	3258	62.3	60.3-64.3
Male	2135	2,080,677	722	38.1	35.2-41.0	1413	61.9	59.0-64.8
Female	2758	2,248,224	913	37.3	34.8-39.8	1845	62.7	60.2-65.2
White/Non-Hisp	4000	3,304,116	1189	31.7	29.7-33.7	2811	68.3	66.3-70.3
Black or Afr. Am./Non-Hisp	511	636,100	276	62.3	56.4-68.2	235	37.7	31.8-43.6
Oth. Race/Non-Hisp.	118	110,391	40	35.0	23.8-46.2	78	65.0	53.8-76.2
MultiRacial/Non-Hisp.	80	57,712	45	60.0	43.9-76.1	35	40.0	23.9-56.1
Hispanic	101	149,424	51	49.9	36.6-63.2	50	50.1	36.8-63.4
18-24	270	497,107	96	32.2	25.3-39.1	174	67.8	60.9-74.7
25-34	537	730,482	273	54.1	48.6-59.6	264	45.9	40.4-51.4
35-44	619	709,328	356	57.4	52.3-62.5	263	42.6	37.5-47.7
45-54	881	752,604	398	43.3	38.8-47.8	483	56.7	52.2-61.2
55-64	1008	720,407	290	29.3	25.6-33.0	718	70.7	67.0-74.4
65+	1578	918,972	222	14.3	11.9-16.7	1356	85.7	83.3-88.1
Less Than H.S.	463	580,301	130	32.2	25.9-38.5	333	67.8	61.5-74.1
H.S. or G.E.D.	1547	1,402,533	448	34.8	31.5-38.1	1099	65.2	61.9-68.5
Some Post-H.S.	1273	1,280,799	492	40.7	37.0-44.4	781	59.3	55.6-63.0
College Graduate	1599	1,054,883	563	41.0	37.7-44.3	1036	59.0	55.7-62.3
Less than \$15,000	541	473,960	233	48.9	42.2-55.6	308	51.1	44.4-57.8
\$15,000- 24,999	804	661,189	271	36.2	31.5-40.9	533	63.8	59.1-68.5
\$25,000- 34,999	485	422,763	155	36.2	30.1-42.3	330	63.8	57.7-69.9
\$35,000- 49,999	557	500,305	202	41.9	36.2-47.6	355	58.1	52.4-63.8
\$50,000- 74,999	681	612,632	224	37.5	32.6-42.4	457	62.5	57.6-67.4
\$75,000+	1034	962,664	358	38.2	34.1-42.3	676	61.8	57.7-65.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 16: HIV/AIDS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2135	2,080,677	722	38.1	35.2-41.0	1413	61.9	59.0-64.8
White/Non-Hisp	1754	1,600,933	514	30.8	27.9-33.7	1240	69.2	66.3-72.1
Black or Afr. Am./Non-Hisp	195	279,205	117	69.8	61.2-78.4	78	30.2	21.6-38.8
Oth. Race/Non-Hisp.	56	53,268	25	46.9	30.8-63.0	31	53.1	37.0-69.2
18-24	141	262,264	37	25.5	16.5-34.5	104	74.5	65.5-83.5
25-34	256	357,615	111	50.1	41.9-58.3	145	49.9	41.7-58.1
35-44	281	347,825	154	54.0	46.4-61.6	127	46.0	38.4-53.6
45-54	393	373,773	187	50.0	43.3-56.7	206	50.0	43.3-56.7
55-64	435	329,234	131	32.6	26.5-38.7	304	67.4	61.3-73.5
65+	629	409,965	102	15.7	12.0-19.4	527	84.3	80.6-88.0
Less Than H.S.	191	273,274	59	37.1	27.1-47.1	132	62.9	52.9-72.9
H.S. or G.E.D.	683	712,901	229	39.1	33.8-44.4	454	60.9	55.6-66.2
Some Post-H.S.	508	575,694	198	39.5	33.8-45.2	310	60.5	54.8-66.2
College Graduate	747	514,380	235	35.9	31.4-40.4	512	64.1	59.6-68.6
Less than \$15,000	182	179,920	87	55.9	44.9-66.9	95	44.1	33.1-55.1
\$15,000- 24,999	300	273,144	109	39.5	31.9-47.1	191	60.5	52.9-68.1
\$25,000- 34,999	216	212,186	65	32.2	23.2-41.2	151	67.8	58.8-76.8
\$35,000- 49,999	280	260,483	111	42.6	34.4-50.8	169	57.4	49.2-65.6
\$50,000- 74,999	346	338,181	112	37.5	30.6-44.4	234	62.5	55.6-69.4
\$75,000+	539	529,580	174	37.1	31.4-42.8	365	62.9	57.2-68.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017  
SECTION 16: HIV/AIDS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2758	2,248,224	913	37.3	34.8-39.8	1845	62.7	60.2-65.2
White/Non-Hisp	2246	1,703,183	675	32.6	29.9-35.3	1571	67.4	64.7-70.1
Black or Afr. Am./Non-Hisp	316	356,896	159	56.5	48.9-64.1	157	43.5	35.9-51.1
Oth. Race/Non-Hisp.	62	57,123	15	23.9	8.8-39.0	47	76.1	61.0-91.2
Hispanic	54	76,243	25	46.4	28.4-64.4	29	53.6	35.6-71.6
18-24	129	234,843	59	39.8	29.2-50.4	70	60.2	49.6-70.8
25-34	281	372,867	162	58.0	50.7-65.3	119	42.0	34.7-49.3
35-44	338	361,503	202	60.8	54.1-67.5	136	39.2	32.5-45.9
45-54	488	378,832	211	36.7	31.2-42.2	277	63.3	57.8-68.8
55-64	573	391,173	159	26.5	22.0-31.0	414	73.5	69.0-78.0
65+	949	509,006	120	13.1	10.2-16.0	829	86.9	84.0-89.8
Less Than H.S.	272	307,028	71	27.9	20.3-35.5	201	72.1	64.5-79.7
H.S. or G.E.D.	864	689,632	219	30.3	26.0-34.6	645	69.7	65.4-74.0
Some Post-H.S.	765	705,105	294	41.8	36.9-46.7	471	58.2	53.3-63.1
College Graduate	852	540,503	328	45.9	41.2-50.6	524	54.1	49.4-58.8
Less than \$15,000	359	294,039	146	44.7	36.7-52.7	213	55.3	47.3-63.3
\$15,000- 24,999	504	388,045	162	33.8	27.9-39.7	342	66.2	60.3-72.1
\$25,000- 34,999	269	210,577	90	40.3	32.1-48.5	179	59.7	51.5-67.9
\$35,000- 49,999	277	239,822	91	41.1	33.3-48.9	186	58.9	51.1-66.7
\$50,000- 74,999	335	274,451	112	37.5	30.4-44.6	223	62.5	55.4-69.6
\$75,000+	495	433,083	184	39.4	33.7-45.1	311	60.6	54.9-66.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2017**

End of Calculated Variable Data Report