

# TENNESSEE

## 2017 ADULT LandLine Cellphone Module Variables Report

### Behavioral Risk Factor Surveillance System

August 29, 2018



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 03: Respiratory Health (COPD Symptoms) CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
DURING THE PAST 3 MONTHS, DID YOU HAVE A COUGH ON MOST DAYS? (COPDCOGH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
DURING THE PAST 3 MONTHS, DID YOU COUGH UP PHLEGM [FLEM] OR MUCUS ON MOST DAYS? (COPDFLEM)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
DO YOU HAVE SHORTNESS OF BREATH EITHER WHEN HURRYING ON LEVEL GROUND OR WHEN WALKING UP A SLIGHT HILL OR STAIRS? (COPDBRTH)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE BREATHING PROBLEMS? (COPDBTST)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
OVER YOUR LIFETIME, HOW MANY YEARS HAVE YOU SMOKED TOBACCO PRODUCTS? (COPDSMOK)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 1: DURING THE PAST 3 MONTHS, DID YOU HAVE A COUGH ON MOST DAYS? (COPDCOGH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4698	4,023,264	1159	22.8	21.2-24.4	3539	77.2	75.6-78.8
Male	2009	1,884,254	447	22.0	19.5-24.5	1562	78.0	75.5-80.5
Female	2689	2,139,010	712	23.5	21.3-25.7	1977	76.5	74.3-78.7
White/Non-Hisp	3854	3,091,386	964	23.8	22.0-25.6	2890	76.2	74.4-78.0
Black or Afr. Am./Non-Hisp	494	595,618	108	19.4	14.7-24.1	386	80.6	75.9-85.3
Oth. Race/Non-Hisp.	114	102,144	30	27.0	16.4-37.6	84	73.0	62.4-83.6
MultiRacial/Non-Hisp.	74	53,187	24	26.6	12.3-40.9	50	73.4	59.1-87.7
Hispanic	82	114,431	13	6.5	02.4-10.6	69	93.5	89.4-97.6
18-24	225	408,668	29	14.7	08.2-21.2	196	85.3	78.8-91.8
25-34	457	608,255	75	16.6	12.3-20.9	382	83.4	79.1-87.7
35-44	562	629,102	102	17.8	13.9-21.7	460	82.2	78.3-86.1
45-54	854	724,494	216	24.1	20.2-28.0	638	75.9	72.0-79.8
55-64	1006	718,897	274	26.3	22.8-29.8	732	73.7	70.2-77.2
65+	1594	933,848	463	30.1	27.0-33.2	1131	69.9	66.8-73.0
Less Than H.S.	461	557,744	198	35.7	30.0-41.4	263	64.3	58.6-70.0
H.S. or G.E.D.	1536	1,360,684	441	25.9	23.0-28.8	1095	74.1	71.2-77.0
Some Post-H.S.	1220	1,201,403	280	20.4	17.5-23.3	940	79.6	76.7-82.5
College Graduate	1469	892,667	238	13.5	11.1-15.9	1231	86.5	84.1-88.9
Less than \$15,000	536	445,037	210	34.7	28.8-40.6	326	65.3	59.4-71.2
\$15,000- 24,999	787	635,228	249	33.0	28.3-37.7	538	67.0	62.3-71.7
\$25,000- 34,999	465	405,805	144	29.4	23.5-35.3	321	70.6	64.7-76.5
\$35,000- 49,999	537	462,936	112	21.5	16.6-26.4	425	78.5	73.6-83.4
\$50,000- 74,999	649	559,236	123	16.2	12.7-19.7	526	83.8	80.3-87.3
\$75,000+	951	851,310	108	10.2	07.7-12.7	843	89.8	87.3-92.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 2: DURING THE PAST 3 MONTHS, DID YOU HAVE A COUGH ON MOST DAYS? (COPDCOGH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2009	1,884,254	447	22.0	19.5-24.5	1562	78.0	75.5-80.5
White/Non-Hisp	1654	1,445,966	364	22.1	19.4-24.8	1290	77.9	75.2-80.6
Black or Afr. Am./Non-Hisp	185	264,939	43	22.9	14.5-31.3	142	77.1	68.7-85.5
Oth. Race/Non-Hisp.	54	47,460	17	32.6	16.9-48.3	37	67.4	51.7-83.1
18-24	116	211,266	17	17.9	08.1-27.7	99	82.1	72.3-91.9
25-34	202	276,061	33	16.4	09.7-23.1	169	83.6	76.9-90.3
35-44	251	304,499	39	16.4	10.5-22.3	212	83.6	77.7-89.5
45-54	367	347,522	85	23.0	17.1-28.9	282	77.0	71.1-82.9
55-64	432	327,560	113	25.6	19.9-31.3	319	74.4	68.7-80.1
65+	641	417,347	160	28.4	23.5-33.3	481	71.6	66.7-76.5
Less Than H.S.	191	267,046	66	29.7	21.5-37.9	125	70.3	62.1-78.5
H.S. or G.E.D.	668	676,544	177	24.3	19.8-28.8	491	75.7	71.2-80.2
Some Post-H.S.	472	511,395	101	22.4	17.3-27.5	371	77.6	72.5-82.7
College Graduate	672	424,841	103	13.4	10.1-16.7	569	86.6	83.3-89.9
Less than \$15,000	181	175,128	61	29.9	20.1-39.7	120	70.1	60.3-79.9
\$15,000- 24,999	286	255,213	86	34.2	26.6-41.8	200	65.8	58.2-73.4
\$25,000- 34,999	203	202,845	62	31.9	22.5-41.3	141	68.1	58.7-77.5
\$35,000- 49,999	268	227,927	62	26.7	19.1-34.3	206	73.3	65.7-80.9
\$50,000- 74,999	323	302,475	49	13.1	08.6-17.6	274	86.9	82.4-91.4
\$75,000+	488	459,310	61	11.4	07.7-15.1	427	88.6	84.9-92.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 3: DURING THE PAST 3 MONTHS, DID YOU HAVE A COUGH ON MOST DAYS? (COPDCOGH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2689	2,139,010	712	23.5	21.3-25.7	1977	76.5	74.3-78.7
White/Non-Hisp	2200	1,645,420	600	25.3	22.8-27.8	1600	74.7	72.2-77.2
Black or Afr. Am./Non-Hisp	309	330,679	65	16.5	11.2-21.8	244	83.5	78.2-88.8
Oth. Race/Non-Hisp.	60	54,684	13	22.1	08.2-36.0	47	77.9	64.0-91.8
18-24	109	197,402	12	11.3	03.1-19.5	97	88.7	80.5-96.9
25-34	255	332,194	42	16.7	10.8-22.6	213	83.3	77.4-89.2
35-44	311	324,602	63	19.2	13.7-24.7	248	80.8	75.3-86.3
45-54	487	376,972	131	25.1	19.8-30.4	356	74.9	69.6-80.2
55-64	574	391,338	161	26.8	22.3-31.3	413	73.2	68.7-77.7
65+	953	516,502	303	31.5	27.6-35.4	650	68.5	64.6-72.4
Less Than H.S.	270	290,698	132	41.2	33.4-49.0	138	58.8	51.0-66.6
H.S. or G.E.D.	868	684,140	264	27.4	23.3-31.5	604	72.6	68.5-76.7
Some Post-H.S.	748	690,008	179	18.9	15.4-22.4	569	81.1	77.6-84.6
College Graduate	797	467,826	135	13.6	10.5-16.7	662	86.4	83.3-89.5
Less than \$15,000	355	269,910	149	37.8	30.4-45.2	206	62.2	54.8-69.6
\$15,000- 24,999	501	380,015	163	32.2	26.3-38.1	338	67.8	61.9-73.7
\$25,000- 34,999	262	202,959	82	26.8	19.7-33.9	180	73.2	66.1-80.3
\$35,000- 49,999	269	235,009	50	16.3	10.4-22.2	219	83.7	77.8-89.6
\$50,000- 74,999	326	256,761	74	19.8	14.3-25.3	252	80.2	74.7-85.7
\$75,000+	463	392,000	47	8.8	05.5-12.1	416	91.2	87.9-94.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 4: DURING THE PAST 3 MONTHS, DID YOU COUGH UP PHLEGM [FLEM] OR MUCUS ON MOST DAYS? (COPDFLEM)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4687	4,007,056	1033	21.6	19.8-23.4	3654	78.4	76.6-80.2	
Male	2000	1,869,903	428	22.1	19.4-24.8	1572	77.9	75.2-80.6	
Female	2687	2,137,153	605	21.1	18.9-23.3	2082	78.9	76.7-81.1	
White/Non-Hisp	3846	3,085,608	859	22.2	20.4-24.0	2987	77.8	76.0-79.6	
Black or Afr. Am./Non-Hisp	492	589,141	88	18.3	13.0-23.6	404	81.7	76.4-87.0	
Oth. Race/Non-Hisp.	114	102,144	30	26.5	16.1-36.9	84	73.5	63.1-83.9	
MultiRacial/Non-Hisp.	73	53,047	23	28.1	13.6-42.6	50	71.9	57.4-86.4	
Hispanic	82	114,431	16	11.5	04.1-18.9	66	88.5	81.1-95.9	
18-24	225	408,668	36	16.6	10.1-23.1	189	83.4	76.9-89.9	
25-34	457	607,476	90	21.0	15.7-26.3	367	79.0	73.7-84.3	
35-44	559	623,768	88	15.2	11.3-19.1	471	84.8	80.9-88.7	
45-54	852	724,119	195	23.5	19.6-27.4	657	76.5	72.6-80.4	
55-64	1005	713,301	235	22.7	19.4-26.0	770	77.3	74.0-80.6	
65+	1589	929,724	389	26.1	23.2-29.0	1200	73.9	71.0-76.8	
Less Than H.S.	459	549,059	164	33.7	27.6-39.8	295	66.3	60.2-72.4	
H.S. or G.E.D.	1533	1,359,390	411	26.0	22.9-29.1	1122	74.0	70.9-77.1	
Some Post-H.S.	1216	1,196,680	258	18.9	16.0-21.8	958	81.1	78.2-84.0	
College Graduate	1467	891,161	197	10.9	08.7-13.1	1270	89.1	86.9-91.3	
Less than \$15,000	535	441,504	188	34.2	27.9-40.5	347	65.8	59.5-72.1	
\$15,000- 24,999	784	633,821	233	30.1	25.6-34.6	551	69.9	65.4-74.4	
\$25,000- 34,999	463	404,598	123	24.2	18.7-29.7	340	75.8	70.3-81.3	
\$35,000- 49,999	536	461,805	95	18.2	13.5-22.9	441	81.8	77.1-86.5	
\$50,000- 74,999	648	558,353	112	16.7	12.8-20.6	536	83.3	79.4-87.2	
\$75,000+	948	846,875	96	10.0	07.3-12.7	852	90.0	87.3-92.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 5: DURING THE PAST 3 MONTHS, DID YOU COUGH UP PHLEGM [FLEM] OR MUCUS ON MOST DAYS? (COPDFLEM)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2000	1,869,903	428	22.1	19.4-24.8	1572	77.9	75.2-80.6
White/Non-Hisp	1648	1,440,908	354	22.5	19.6-25.4	1294	77.5	74.6-80.4
Black or Afr. Am./Non-Hisp	183	259,745	32	20.6	11.2-30.0	151	79.4	70.0-88.8
Oth. Race/Non-Hisp.	54	47,460	16	28.7	14.0-43.4	38	71.3	56.6-86.0
18-24	116	211,266	17	17.8	08.2-27.4	99	82.2	72.6-91.8
25-34	202	275,282	47	25.2	16.4-34.0	155	74.8	66.0-83.6
35-44	249	299,306	35	14.3	08.6-20.0	214	85.7	80.0-91.4
45-54	366	347,392	78	23.2	17.1-29.3	288	76.8	70.7-82.9
55-64	429	322,189	95	21.0	15.7-26.3	334	79.0	73.7-84.3
65+	638	414,467	156	27.9	23.0-32.8	482	72.1	67.2-77.0
Less Than H.S.	189	258,523	59	30.0	20.6-39.4	130	70.0	60.6-79.4
H.S. or G.E.D.	667	675,661	180	27.6	22.9-32.3	487	72.4	67.7-77.1
Some Post-H.S.	469	508,441	98	20.4	15.5-25.3	371	79.6	74.7-84.5
College Graduate	669	422,850	90	10.7	07.8-13.6	579	89.3	86.4-92.2
Less than \$15,000	180	171,027	62	32.2	20.6-43.8	118	67.8	56.2-79.4
\$15,000- 24,999	284	254,599	84	32.9	25.3-40.5	200	67.1	59.5-74.7
\$25,000- 34,999	202	202,310	59	28.3	19.3-37.3	143	71.7	62.7-80.7
\$35,000- 49,999	267	226,795	54	22.7	15.3-30.1	213	77.3	69.9-84.7
\$50,000- 74,999	322	301,592	50	15.8	10.5-21.1	272	84.2	78.9-89.5
\$75,000+	486	456,645	57	11.5	07.6-15.4	429	88.5	84.6-92.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 6: DURING THE PAST 3 MONTHS, DID YOU COUGH UP PHLEGM [FLEM] OR MUCUS ON MOST DAYS? (COPDFLEM)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2687	2,137,153	605	21.1	18.9-23.3	2082	78.9	76.7-81.1	
White/Non-Hisp	2198	1,644,700	505	21.9	19.5-24.3	1693	78.1	75.7-80.5	
Black or Afr. Am./Non-Hisp	309	329,395	56	16.5	11.0-22.0	253	83.5	78.0-89.0	
Oth. Race/Non-Hisp.	60	54,684	14	24.6	10.1-39.1	46	75.4	60.9-89.9	
18-24	109	197,402	19	15.2	06.4-24.0	90	84.8	76.0-93.6	
25-34	255	332,194	43	17.6	11.5-23.7	212	82.4	76.3-88.5	
35-44	310	324,462	53	15.9	10.6-21.2	257	84.1	78.8-89.4	
45-54	486	376,727	117	23.8	18.5-29.1	369	76.2	70.9-81.5	
55-64	576	391,111	140	24.1	19.6-28.6	436	75.9	71.4-80.4	
65+	951	515,258	233	24.6	20.9-28.3	718	75.4	71.7-79.1	
Less Than H.S.	270	290,536	105	37.0	29.2-44.8	165	63.0	55.2-70.8	
H.S. or G.E.D.	866	683,729	231	24.5	20.6-28.4	635	75.5	71.6-79.4	
Some Post-H.S.	747	688,239	160	17.8	14.3-21.3	587	82.2	78.7-85.7	
College Graduate	798	468,311	107	11.2	08.1-14.3	691	88.8	85.7-91.9	
Less than \$15,000	355	270,477	126	35.5	28.2-42.8	229	64.5	57.2-71.8	
\$15,000- 24,999	500	379,221	149	28.3	22.8-33.8	351	71.7	66.2-77.2	
\$25,000- 34,999	261	202,288	64	20.2	13.9-26.5	197	79.8	73.5-86.1	
\$35,000- 49,999	269	235,009	41	13.9	08.4-19.4	228	86.1	80.6-91.6	
\$50,000- 74,999	326	256,761	62	17.8	12.1-23.5	264	82.2	76.5-87.9	
\$75,000+	462	390,231	39	8.4	04.7-12.1	423	91.6	87.9-95.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 7: DO YOU HAVE SHORTNESS OF BREATH EITHER WHEN HURRYING ON LEVEL GROUND OR WHEN WALKING UP A SLIGHT HILL OR STAIRS? (COPDBRTH)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4674	4,000,170	1540	29.9	28.1-31.7	3134	70.1	68.3-71.9	
Male	1996	1,866,263	519	25.0	22.3-27.7	1477	75.0	72.3-77.7	
Female	2678	2,133,906	1021	34.1	31.6-36.6	1657	65.9	63.4-68.4	
White/Non-Hisp	3836	3,079,369	1281	30.4	28.4-32.4	2555	69.6	67.6-71.6	
Black or Afr. Am./Non-Hisp	490	588,973	140	28.4	22.3-34.5	350	71.6	65.5-77.7	
Oth. Race/Non-Hisp.	114	102,144	39	31.4	20.6-42.2	75	68.6	57.8-79.4	
MultiRacial/Non-Hisp.	74	53,187	32	39.4	23.1-55.7	42	60.6	44.3-76.9	
Hispanic	80	111,641	19	12.2	05.1-19.3	61	87.8	80.7-94.9	
18-24	224	408,391	34	15.6	09.5-21.7	190	84.4	78.3-90.5	
25-34	456	606,473	92	21.9	16.4-27.4	364	78.1	72.6-83.6	
35-44	560	622,154	121	21.9	17.4-26.4	439	78.1	73.6-82.6	
45-54	849	719,481	267	28.8	24.7-32.9	582	71.2	67.1-75.3	
55-64	1004	715,918	380	36.4	32.5-40.3	624	63.6	59.7-67.5	
65+	1581	927,753	646	42.5	39.2-45.8	935	57.5	54.2-60.8	
Less Than H.S.	460	553,457	272	53.1	46.6-59.6	188	46.9	40.4-53.4	
H.S. or G.E.D.	1526	1,352,135	581	31.9	28.8-35.0	945	68.1	65.0-71.2	
Some Post-H.S.	1209	1,191,738	409	28.3	25.0-31.6	800	71.7	68.4-75.0	
College Graduate	1467	892,074	274	14.5	12.3-16.7	1193	85.5	83.3-87.7	
Less than \$15,000	534	442,197	299	51.5	44.8-58.2	235	48.5	41.8-55.2	
\$15,000- 24,999	783	630,952	339	40.6	35.9-45.3	444	59.4	54.7-64.1	
\$25,000- 34,999	464	405,266	157	33.7	27.6-39.8	307	66.3	60.2-72.4	
\$35,000- 49,999	532	458,788	156	30.1	24.6-35.6	376	69.9	64.4-75.4	
\$50,000- 74,999	647	558,182	139	16.3	13.0-19.6	508	83.7	80.4-87.0	
\$75,000+	948	850,685	149	14.4	11.5-17.3	799	85.6	82.7-88.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 8: DO YOU HAVE SHORTNESS OF BREATH EITHER WHEN HURRYING ON LEVEL GROUND OR WHEN WALKING UP A SLIGHT HILL OR STAIRS? (COPDBRTH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1996	1,866,263	519	25.0	22.5-27.5	1477	75.0	72.5-77.5	
White/Non-Hisp	1645	1,437,118	431	25.3	22.6-28.0	1214	74.7	72.0-77.4	
Black or Afr. Am./Non-Hisp	184	260,516	40	23.3	13.9-32.7	144	76.7	67.3-86.1	
Oth. Race/Non-Hisp.	54	47,460	16	33.4	17.5-49.3	38	66.6	50.7-82.5	
18-24	116	211,266	12	12.1	04.1-20.1	104	87.9	79.9-95.9	
25-34	201	274,279	29	16.4	08.2-24.6	172	83.6	75.4-91.8	
35-44	249	297,552	39	15.9	10.2-21.6	210	84.1	78.4-89.8	
45-54	365	344,221	88	22.6	17.1-28.1	277	77.4	71.9-82.9	
55-64	428	323,341	135	33.5	27.2-39.8	293	66.5	60.2-72.8	
65+	637	415,604	216	39.2	33.9-44.5	421	60.8	55.5-66.1	
Less Than H.S.	189	261,873	101	49.8	39.8-59.8	88	50.2	40.2-60.2	
H.S. or G.E.D.	665	671,459	199	26.3	21.8-30.8	466	73.7	69.2-78.2	
Some Post-H.S.	466	504,685	112	20.8	16.1-25.5	354	79.2	74.5-83.9	
College Graduate	670	423,818	104	12.5	09.6-15.4	566	87.5	84.6-90.4	
Less than \$15,000	180	173,197	86	43.5	31.7-55.3	94	56.5	44.7-68.3	
\$15,000- 24,999	283	251,184	103	39.4	31.6-47.2	180	60.6	52.8-68.4	
\$25,000- 34,999	203	202,845	54	32.6	23.2-42.0	149	67.4	58.0-76.8	
\$35,000- 49,999	265	224,973	74	27.8	20.2-35.4	191	72.2	64.6-79.8	
\$50,000- 74,999	321	301,421	55	13.1	09.0-17.2	266	86.9	82.8-91.0	
\$75,000+	486	459,032	62	11.5	08.2-14.8	424	88.5	85.2-91.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 9: DO YOU HAVE SHORTNESS OF BREATH EITHER WHEN HURRYING ON LEVEL GROUND OR WHEN WALKING UP A SLIGHT HILL OR STAIRS? (COPDBRTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2678	2,133,906	1021	34.1	31.6-36.6	1657	65.9	63.4-68.4	
White/Non-Hisp	2191	1,642,251	850	34.8	32.1-37.5	1341	65.2	62.5-67.9	
Black or Afr. Am./Non-Hisp	306	328,457	100	32.4	24.8-40.0	206	67.6	60.0-75.2	
Oth. Race/Non-Hisp.	60	54,684	23	29.7	15.2-44.2	37	70.3	55.8-84.8	
18-24	108	197,125	22	19.3	09.9-28.7	86	80.7	71.3-90.1	
25-34	255	332,194	63	26.5	19.2-33.8	192	73.5	66.2-80.8	
35-44	311	324,602	82	27.4	20.7-34.1	229	72.6	65.9-79.3	
45-54	484	375,259	179	34.6	28.7-40.5	305	65.4	59.5-71.3	
55-64	576	392,577	245	38.7	33.8-43.6	331	61.3	56.4-66.2	
65+	944	512,149	430	45.2	40.9-49.5	514	54.8	50.5-59.1	
Less Than H.S.	271	291,584	171	56.1	47.9-64.3	100	43.9	35.7-52.1	
H.S. or G.E.D.	861	680,676	382	37.4	33.1-41.7	479	62.6	58.3-66.9	
Some Post-H.S.	743	687,053	297	33.8	29.3-38.3	446	66.2	61.7-70.7	
College Graduate	797	468,256	170	16.4	13.1-19.7	627	83.6	80.3-86.9	
Less than \$15,000	354	269,000	213	56.7	48.7-64.7	141	43.3	35.3-51.3	
\$15,000- 24,999	500	379,768	236	41.5	35.4-47.6	264	58.5	52.4-64.6	
\$25,000- 34,999	261	202,420	103	34.7	27.3-42.1	158	65.3	57.9-72.7	
\$35,000- 49,999	267	233,814	82	32.3	24.5-40.1	185	67.7	59.9-75.5	
\$50,000- 74,999	326	256,761	84	20.0	14.5-25.5	242	80.0	74.5-85.5	
\$75,000+	462	391,653	87	17.9	13.2-22.6	375	82.1	77.4-86.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 10: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE BREATHING PROBLEMS? (COPDBTST)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4623	3,945,124	1549	31.2	29.4-33.0	3074	68.8	67.0-70.6	
Male	1974	1,834,146	677	33.1	30.2-36.0	1297	66.9	64.0-69.8	
Female	2649	2,110,977	872	29.5	27.1-31.9	1777	70.5	68.1-72.9	
White/Non-Hisp	3787	3,035,662	1265	31.4	29.4-33.4	2522	68.6	66.6-70.6	
Black or Afr. Am./Non-Hisp	491	578,350	153	28.9	23.2-34.6	338	71.1	65.4-76.8	
Oth. Race/Non-Hisp.	113	99,737	40	28.2	18.0-38.4	73	71.8	61.6-82.0	
MultiRacial/Non-Hisp.	72	52,399	35	37.5	21.4-53.6	37	62.5	46.4-78.6	
Hispanic	79	112,189	25	32.2	15.7-48.7	54	67.8	51.3-84.3	
18-24	217	398,414	43	22.1	15.0-29.2	174	77.9	70.8-85.0	
25-34	453	595,497	105	25.8	20.1-31.5	348	74.2	68.5-79.9	
35-44	554	617,216	133	25.4	20.5-30.3	421	74.6	69.7-79.5	
45-54	844	716,373	233	24.8	20.9-28.7	611	75.2	71.3-79.1	
55-64	999	712,418	362	36.2	32.3-40.1	637	63.8	59.9-67.7	
65+	1556	905,205	673	43.9	40.6-47.2	883	56.1	52.8-59.4	
Less Than H.S.	448	526,843	205	42.7	36.4-49.0	243	57.3	51.0-63.6	
H.S. or G.E.D.	1510	1,334,339	520	28.5	25.6-31.4	990	71.5	68.6-74.4	
Some Post-H.S.	1201	1,190,645	421	33.8	30.1-37.5	780	66.2	62.5-69.9	
College Graduate	1452	882,531	399	25.0	22.1-27.9	1053	75.0	72.1-77.9	
Less than \$15,000	526	422,822	234	41.9	35.4-48.4	292	58.1	51.6-64.6	
\$15,000- 24,999	775	627,163	290	32.9	28.6-37.2	485	67.1	62.8-71.4	
\$25,000- 34,999	455	397,306	167	36.3	29.8-42.8	288	63.7	57.2-70.2	
\$35,000- 49,999	529	458,618	179	34.2	28.5-39.9	350	65.8	60.1-71.5	
\$50,000- 74,999	640	553,966	189	25.6	21.3-29.9	451	74.4	70.1-78.7	
\$75,000+	945	847,540	236	24.4	20.7-28.1	709	75.6	71.9-79.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 11: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE BREATHING PROBLEMS? (COPDBTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1974	1,834,146	677	33.1	30.2-36.0	1297	66.9	64.0-69.8	
White/Non-Hisp	1626	1,412,693	543	31.8	28.9-34.7	1083	68.2	65.3-71.1	
Black or Afr. Am./Non-Hisp	182	250,735	68	35.6	26.0-45.2	114	64.4	54.8-74.0	
Oth. Race/Non-Hisp.	54	47,460	23	41.9	25.2-58.6	31	58.1	41.4-74.8	
18-24	113	205,284	25	24.1	13.7-34.5	88	75.9	65.5-86.3	
25-34	199	264,146	53	29.4	20.6-38.2	146	70.6	61.8-79.4	
35-44	245	293,215	59	24.8	17.7-31.9	186	75.2	68.1-82.3	
45-54	362	341,637	101	25.7	19.6-31.8	261	74.3	68.2-80.4	
55-64	429	323,209	164	39.8	33.3-46.3	265	60.2	53.7-66.7	
65+	626	406,655	275	47.0	41.9-52.1	351	53.0	47.9-58.1	
Less Than H.S.	184	246,728	80	44.4	34.6-54.2	104	55.6	45.8-65.4	
H.S. or G.E.D.	655	658,539	224	28.4	23.9-32.9	431	71.6	67.1-76.1	
Some Post-H.S.	466	507,442	181	39.8	33.9-45.7	285	60.2	54.3-66.1	
College Graduate	663	417,009	190	25.9	21.6-30.2	473	74.1	69.8-78.4	
Less than \$15,000	176	155,572	82	47.4	36.4-58.4	94	52.6	41.6-63.6	
\$15,000- 24,999	282	251,745	103	34.7	27.6-41.8	179	65.3	58.2-72.4	
\$25,000- 34,999	197	196,945	80	42.2	32.0-52.4	117	57.8	47.6-68.0	
\$35,000- 49,999	265	225,348	102	42.9	34.3-51.5	163	57.1	48.5-65.7	
\$50,000- 74,999	318	299,204	100	27.1	21.0-33.2	218	72.9	66.8-79.0	
\$75,000+	483	455,710	135	26.5	21.2-31.8	348	73.5	68.2-78.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 12: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE BREATHING PROBLEMS? (COPDBTST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2649	2,110,977	872	29.5	27.1-31.9	1777	70.5	68.1-72.9	
White/Non-Hisp	2161	1,622,969	722	31.1	28.4-33.8	1439	68.9	66.2-71.6	
Black or Afr. Am./Non-Hisp	309	327,615	85	23.7	17.2-30.2	224	76.3	69.8-82.8	
Oth. Race/Non-Hisp.	59	52,277	17	15.6	06.4-24.8	42	84.4	75.2-93.6	
18-24	104	193,130	18	19.9	10.3-29.5	86	80.1	70.5-89.7	
25-34	254	331,351	52	22.9	15.6-30.2	202	77.1	69.8-84.4	
35-44	309	324,001	74	26.0	19.3-32.7	235	74.0	67.3-80.7	
45-54	482	374,736	132	24.0	19.1-28.9	350	76.0	71.1-80.9	
55-64	570	389,209	198	33.2	28.3-38.1	372	66.8	61.9-71.7	
65+	930	498,550	398	41.3	37.2-45.4	532	58.7	54.6-62.8	
Less Than H.S.	264	280,115	125	41.3	33.3-49.3	139	58.7	50.7-66.7	
H.S. or G.E.D.	855	675,800	296	28.6	24.7-32.5	559	71.4	67.5-75.3	
Some Post-H.S.	735	683,203	240	29.3	24.6-34.0	495	70.7	66.0-75.4	
College Graduate	789	465,522	209	24.2	20.1-28.3	580	75.8	71.7-79.9	
Less than \$15,000	350	267,250	152	38.7	31.1-46.3	198	61.3	53.7-68.9	
\$15,000- 24,999	493	375,419	187	31.7	26.2-37.2	306	68.3	62.8-73.8	
\$25,000- 34,999	258	200,361	87	30.5	22.9-38.1	171	69.5	61.9-77.1	
\$35,000- 49,999	264	233,270	77	25.9	19.0-32.8	187	74.1	67.2-81.0	
\$50,000- 74,999	322	254,762	89	24.0	17.9-30.1	233	76.0	69.9-82.1	
\$75,000+	462	391,830	101	22.0	16.7-27.3	361	78.0	72.7-83.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 13: OVER YOUR LIFETIME, HOW MANY YEARS HAVE YOU SMOKED TOBACCO PRODUCTS? (COPDSMOK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 yrs			14-26 yrs			27-39 yrs			40-52 yrs			53-76 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3359	3,088,530	1943	64.9	62.7-67.1	680	17.2	15.6-18.8	361	9.1	07.7-10.5	321	7.6	06.4-08.8	54	1.0	00.6-01.4
Male	1614	1,633,266	940	65.9	62.8-69.0	326	16.1	13.9-18.3	157	8.6	06.6-10.6	158	8.0	06.4-09.6	33	1.3	00.7-01.9
Female	1745	1,455,265	1003	63.8	60.9-66.7	354	18.6	16.2-21.0	204	9.7	07.9-11.5	163	7.2	05.6-08.8	21	0.7	00.3-01.1
White/Non-Hisp	2711	2,283,118	1512	61.1	58.7-63.5	561	18.2	16.4-20.0	310	10.5	08.9-12.1	284	9.1	07.7-10.5	44	1.2	00.8-01.6
Black or Afr. Am./Non-Hisp	358	475,184	249	77.5	71.8-83.2	66	13.3	09.0-17.6	22	5.3	02.2-08.4	18	3.2	01.0-05.4	3	0.6	00.0-01.6
Oth. Race/Non-Hisp.	92	101,790	50	70.7	57.6-83.8	24	19.0	08.8-29.2	8	3.3	00.4-06.2	7	5.5	00.0-11.0	3	1.5	00.0-03.5
MultiRacial/Non-Hisp.	60	49,572	33	64.7	48.0-81.4	12	21.6	07.3-35.9	5	7.5	00.0-16.7	6	3.8	00.0-07.7	4	2.5	00.0-05.2
Hispanic	71	119,922	56	85.1	75.1-95.1	8	11.1	01.5-20.7	5	2.7	00.0-05.4	2	1.2	00.0-03.2			
18-24	184	352,578	181	99.0	97.8-0100	3	1.0	00.0-02.2									
25-34	410	562,321	356	88.3	84.4-92.2	54	11.7	07.8-15.6									
35-44	445	516,087	298	69.1	63.6-74.6	128	25.8	20.9-30.7	19	5.1	02.0-08.2						
45-54	597	516,455	290	49.2	43.7-54.7	137	20.8	16.7-24.9	130	21.8	17.3-26.3	40	8.2	04.7-11.7			
55-64	693	514,582	319	46.7	41.6-51.8	133	18.5	14.6-22.4	113	16.1	12.2-20.0	124	18.2	14.3-22.1	4	0.5	00.0-01.1
65+	1030	626,508	499	49.2	45.1-53.3	225	20.4	17.3-23.5	99	9.7	07.3-12.1	157	15.9	12.8-19.0	50	4.7	02.9-06.5
Less Than H.S.	398	539,362	179	52.2	45.1-59.3	90	20.1	15.0-25.2	65	15.7	10.8-20.6	49	9.3	05.8-12.8	15	2.7	00.9-04.5
H.S. or G.E.D.	1148	1,059,043	570	59.8	56.1-63.5	266	19.5	16.8-22.2	156	10.0	08.0-12.0	139	9.9	07.7-12.1	17	0.8	00.4-01.2
Some Post-H.S.	910	891,506	554	68.1	64.2-72.0	176	16.3	13.4-19.2	83	7.8	05.4-10.2	85	6.9	04.9-08.9	12	0.8	00.2-01.4
College Graduate	892	592,873	632	80.9	78.0-83.8	147	12.0	09.6-14.4	56	3.7	02.5-04.9	47	3.0	02.0-04.0	10	0.4	00.2-00.6
Less than \$15,000	436	398,848	193	57.4	50.5-64.3	107	21.3	15.8-26.8	60	10.6	06.7-14.5	67	9.9	06.4-13.4	9	0.9	00.1-01.7
\$15,000- 24,999	617	546,926	330	59.7	54.6-64.8	132	17.5	13.8-21.2	76	11.1	08.0-14.2	70	10.7	07.2-14.2	9	1.0	00.2-01.8
\$25,000- 34,999	336	333,511	160	57.3	49.5-65.1	87	22.0	16.1-27.9	44	10.5	05.8-15.2	34	7.0	04.1-09.9	11	3.2	00.5-05.9
\$35,000- 49,999	392	352,431	218	64.0	57.7-70.3	86	18.1	13.4-22.8	51	11.8	07.3-16.3	27	4.9	02.5-07.3	10	1.2	00.4-02.0
\$50,000- 74,999	418	402,949	245	65.3	59.4-71.2	82	18.2	13.3-23.1	54	9.5	06.4-12.6	34	6.3	03.8-08.8	3	0.7	00.0-01.7
\$75,000+	551	528,393	391	74.7	70.0-79.4	100	14.3	11.0-17.6	32	5.8	02.9-08.7	27	5.0	02.6-07.4	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 14: OVER YOUR LIFETIME, HOW MANY YEARS HAVE YOU SMOKED TOBACCO PRODUCTS? (COPDSMOK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 yrs			14-26 yrs			27-39 yrs			40-52 yrs			53-76 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1614	1,633,266	940	65.9	63.0-68.8	326	16.1	13.9-18.3	157	8.6	06.6-10.6	158	8.0	06.4-09.6	33	1.3	00.7-01.9
White/Non-Hisp	1296	1,190,932	734	61.8	58.5-65.1	269	17.7	15.2-20.2	128	9.5	07.3-11.7	138	9.5	07.5-11.5	27	1.4	00.6-02.2
Black or Afr. Am./Non-Hisp	158	245,841	105	78.2	70.2-86.2	31	11.1	06.0-16.2	11	6.4	00.9-11.9	8	3.1	00.0-06.4	3	1.2	00.0-03.2
Oth. Race/Non-Hisp.	56	74,283	31	77.0	62.7-91.3	14	13.6	03.4-23.8	4	1.5	00.0-03.3	5	6.7	00.0-14.3	2	1.4	00.0-03.9
18-24	89	171,603	87	98.9	97.3-0100	2	1.1	00.0-02.7									
25-34	221	324,568	196	92.5	88.8-96.2	25	7.5	03.8-11.2									
35-44	204	267,613	139	70.4	62.6-78.2	54	24.3	17.0-31.6	11	5.3	01.4-09.2						
45-54	271	263,590	140	51.6	43.4-59.8	63	21.1	15.0-27.2	50	19.4	12.5-26.3	18	7.9	03.0-12.8			
55-64	342	278,392	153	46.7	39.6-53.8	65	18.4	12.9-23.9	55	15.5	09.8-21.2	65	18.6	13.1-24.1	4	0.9	00.0-01.9
65+	487	327,500	225	46.6	40.7-52.5	117	19.6	15.3-23.9	41	10.0	06.3-13.7	75	17.9	13.2-22.6	29	5.8	02.9-08.7
Less Than H.S.	191	301,777	95	58.6	48.8-68.4	40	15.2	09.1-21.3	25	13.6	06.7-20.5	24	9.8	04.7-14.9	7	2.8	00.3-05.3
H.S. or G.E.D.	563	573,833	283	60.8	55.7-65.9	131	17.9	14.0-21.8	66	9.6	06.9-12.3	73	10.7	07.6-13.8	10	1.0	00.2-01.8
Some Post-H.S.	416	449,868	255	68.4	62.7-74.1	80	16.9	12.4-21.4	35	6.9	03.8-10.0	36	6.3	03.6-09.0	10	1.5	00.1-02.9
College Graduate	438	305,221	303	79.5	75.4-83.6	74	12.0	08.7-15.3	31	4.5	02.5-06.5	24	3.7	01.9-05.5	6	0.3	00.1-00.5
Less than \$15,000	156	162,375	70	59.7	47.9-71.5	41	17.2	09.6-24.8	14	10.5	02.9-18.1	27	11.6	04.9-18.3	4	1.0	00.0-02.0
\$15,000- 24,999	272	246,749	144	57.0	49.4-64.6	52	14.5	09.8-19.2	37	12.7	07.8-17.6	34	14.3	09.0-19.6	5	1.5	00.0-03.1
\$25,000- 34,999	165	192,168	80	60.8	49.6-72.0	36	16.7	09.8-23.6	26	13.3	05.5-21.1	16	5.6	01.9-09.3	7	3.6	00.0-07.5
\$35,000- 49,999	221	221,507	129	69.8	62.2-77.4	46	15.0	09.5-20.5	26	9.4	04.1-14.7	12	4.2	00.9-07.5	8	1.6	00.4-02.8
\$50,000- 74,999	232	234,324	136	63.2	55.0-71.4	50	21.0	13.9-28.1	27	9.2	05.1-13.3	17	5.9	02.6-09.2	2	0.7	00.0-02.1
\$75,000+	307	322,125	209	74.4	68.5-80.3	60	14.3	10.0-18.6	16	4.6	01.3-07.9	21	6.4	03.1-09.7	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 03: Respiratory Health (COPD Symptoms)**

**TABLE 15: OVER YOUR LIFETIME, HOW MANY YEARS HAVE YOU SMOKED TOBACCO PRODUCTS? (COPDSMOK)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 yrs			14-26 yrs			27-39 yrs			40-52 yrs			53-76 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1745	1,455,265	1003	63.8	60.9-66.7	354	18.6	16.2-21.0	204	9.7	07.9-11.5	163	7.2	05.6-08.8	21	0.7	00.3-01.1
White/Non-Hisp	1415	1,092,186	778	60.4	57.1-63.7	292	18.7	16.2-21.2	182	11.5	09.3-13.7	146	8.6	06.6-10.6	17	0.8	00.2-01.4
Black or Afr. Am./Non-Hisp	200	229,343	144	76.9	69.1-84.7	35	15.6	08.5-22.7	11	4.2	01.1-07.3	10	3.4	00.5-06.3			
18-24	95	180,976	94	99.1	97.3-0100	1	0.9	00.0-02.7									
25-34	189	237,752	160	82.6	75.3-89.9	29	17.4	10.1-24.7									
35-44	241	248,474	159	67.8	60.4-75.2	74	27.4	20.7-34.1	8	4.8	00.0-09.7						
45-54	326	252,865	150	46.7	39.4-54.0	74	20.5	14.8-26.2	80	24.3	18.2-30.4	22	8.6	03.5-13.7			
55-64	351	236,189	166	46.8	39.9-53.7	68	18.7	13.4-24.0	58	16.8	11.7-21.9	59	17.7	12.4-23.0			
65+	543	299,008	274	52.1	46.6-57.6	108	21.2	16.5-25.9	58	9.5	06.8-12.2	82	13.7	10.2-17.2	21	3.5	01.3-05.7
Less Than H.S.	207	237,585	84	44.0	34.6-53.4	50	26.4	18.2-34.6	40	18.3	11.4-25.2	25	8.8	03.7-13.9	8	2.5	00.1-04.9
H.S. or G.E.D.	585	485,210	287	58.7	53.6-63.8	135	21.4	17.3-25.5	90	10.4	07.9-12.9	66	8.9	06.2-11.6	7	0.6	00.0-01.2
Some Post-H.S.	494	441,638	299	67.8	62.3-73.3	96	15.7	11.6-19.8	48	8.8	05.5-12.1	49	7.6	04.7-10.5	2	0.2	00.0-00.4
College Graduate	454	287,652	329	82.5	78.6-86.4	73	12.0	08.5-15.5	25	2.8	01.4-04.2	23	2.4	01.2-03.6	4	0.4	00.0-00.8
Less than \$15,000	280	236,473	123	55.7	47.3-64.1	66	24.1	16.7-31.5	46	10.6	06.7-14.5	40	8.7	05.0-12.4	5	0.9	00.0-01.9
\$15,000- 24,999	345	300,177	186	61.8	54.9-68.7	80	20.1	14.8-25.4	39	9.8	06.1-13.5	36	7.8	03.7-11.9	4	0.5	00.0-01.1
\$25,000- 34,999	171	141,343	80	52.6	42.6-62.6	51	29.2	20.2-38.2	18	6.8	02.9-10.7	18	8.9	04.0-13.8	4	2.6	00.0-05.9
\$35,000- 49,999	171	130,924	89	54.0	44.2-63.8	40	23.5	15.5-31.5	25	15.9	07.7-24.1	15	5.9	02.4-09.4	2	0.6	00.0-01.4
\$50,000- 74,999	186	168,625	109	68.1	60.1-76.1	32	14.3	08.4-20.2	27	9.9	05.2-14.6	17	6.9	02.8-11.0	1	0.7	00.0-02.1
\$75,000+	244	206,269	182	75.2	67.8-82.6	40	14.2	08.7-19.7	16	7.8	02.5-13.1	6	2.8	00.0-05.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 4: CARDIOVASCULAR HEALTH CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)	
1 MALES AND FEMALES	19
2 MALES ONLY	20
3 FEMALES ONLY	21
FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)	
4 MALES AND FEMALES	22
5 MALES ONLY	23
6 FEMALES ONLY	24
DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)	
7 MALES AND FEMALES	25
8 MALES ONLY	26
9 FEMALES ONLY	27
DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)	
10 MALES AND FEMALES	28
11 MALES ONLY	29
12 FEMALES ONLY	30
DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)	
13 MALES AND FEMALES	31
14 MALES ONLY	32
15 FEMALES ONLY	33
DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)	
16 MALES AND FEMALES	34
17 MALES ONLY	35
18 FEMALES ONLY	36
DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)	
19 MALES AND FEMALES	37
20 MALES ONLY	38
21 FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 1: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	336	249,307	120	31.5	24.8-38.2	216	68.5	61.8-75.2
Male	197	156,307	88	36.2	27.0-45.4	109	63.8	54.6-73.0
Female	139	93,000	32	23.6	14.4-32.8	107	76.4	67.2-85.6
White/Non-Hisp	275	199,391	103	33.8	26.2-41.4	172	66.2	58.6-73.8
55-64	81	69,993	25	30.0	16.5-43.5	56	70.0	56.5-83.5
65+	194	118,340	79	33.1	24.9-41.3	115	66.9	58.7-75.1
Less Than H.S.	71	70,754	19	21.8	12.2-31.4	52	78.2	68.6-87.8
H.S. or G.E.D.	127	94,076	41	30.5	19.3-41.7	86	69.5	58.3-80.7
Some Post-H.S.	71	55,052	26	38.5	22.6-54.4	45	61.5	45.6-77.4
College Graduate	67	29,426	34	45.1	28.6-61.6	33	54.9	38.4-71.4
Less than \$15,000	64	42,691	15	27.4	11.3-43.5	49	72.6	56.5-88.7
\$15,000- 24,999	78	63,507	26	29.4	18.4-40.4	52	70.6	59.6-81.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 2: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	197	156,307	88	36.2	27.2-45.2	109	63.8	54.8-72.8
White/Non-Hisp	158	120,340	77	40.9	30.1-51.7	81	59.1	48.3-69.9
55-64	54	51,684	21	34.4	17.2-51.6	33	65.6	48.4-82.8
65+	115	75,455	59	38.6	26.8-50.4	56	61.4	49.6-73.2
H.S. or G.E.D.	70	58,781	26	32.9	18.2-47.6	44	67.1	52.4-81.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 3: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED “REHAB.” (HAREHAB1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	139	93,000	32	23.6	14.0-33.2	107	76.4	66.8-86.0
White/Non-Hisp	117	79,051	26	23.0	12.4-33.6	91	77.0	66.4-87.6
65+	79	42,884	20	23.4	14.2-32.6	59	76.6	67.4-85.8
H.S. or G.E.D.	57	35,295	15	26.4	11.5-41.3	42	73.6	58.7-88.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 4: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)**  
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	258	186,252	69	24.5	17.2-31.8	189	75.5	68.2-82.8
Male	99	85,458	32	34.2	21.3-47.1	67	65.8	52.9-78.7
Female	159	100,794	37	16.3	10.0-22.6	122	83.7	77.4-90.0
White/Non-Hisp	201	135,772	51	23.0	15.6-30.4	150	77.0	69.6-84.4
55-64	63	45,563	18	24.8	10.7-38.9	45	75.2	61.1-89.3
65+	145	86,989	42	28.0	18.2-37.8	103	72.0	62.2-81.8
Less Than H.S.	55	65,142	13	15.3	05.5-25.1	42	84.7	74.9-94.5
H.S. or G.E.D.	107	63,834	31	33.0	19.9-46.1	76	67.0	53.9-80.1
Some Post-H.S.	60	44,135	13	23.2	07.3-39.1	47	76.8	60.9-92.7
Less than \$15,000	58	50,709	11	21.4	04.7-38.1	47	78.6	61.9-95.3
\$15,000- 24,999	61	39,784	19	32.5	16.6-48.4	42	67.5	51.6-83.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 5: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED “REHAB.” (STREHAB1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	99	85,458	32	34.2	21.5-46.9	67	65.8	53.1-78.5
White/Non-Hisp	68	58,511	24	36.2	21.5-50.9	44	63.8	49.1-78.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 6: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED “REHAB.” (STREHAB1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	159	100,794	37	16.3	10.4-22.2	122	83.7	77.8-89.6
White/Non-Hisp	133	77,261	27	13.0	08.1-17.9	106	87.0	82.1-91.9
65+	103	57,409	27	21.8	12.4-31.2	76	78.2	68.8-87.6
H.S. or G.E.D.	70	33,558	18	19.9	12.5-27.3	52	80.1	72.7-87.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 7: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 35 years of age

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4664	3,989,770	1521	27.3	25.5-29.1	3143	72.7	70.9-74.5
Male	1990	1,862,821	706	29.5	26.8-32.2	1284	70.5	67.8-73.2
Female	2674	2,126,949	815	25.4	23.2-27.6	1859	74.6	72.4-76.8
White/Non-Hisp	3827	3,071,616	1273	28.6	26.6-30.6	2554	71.4	69.4-73.4
Black or Afr. Am./Non-Hisp	491	585,581	154	23.1	18.2-28.0	337	76.9	72.0-81.8
Oth. Race/Non-Hisp.	114	102,144	32	21.0	12.2-29.8	82	79.0	70.2-87.8
MultiRacial/Non-Hisp.	72	50,977	19	26.4	11.1-41.7	53	73.6	58.3-88.9
Hispanic	81	114,002	12	11.6	04.0-19.2	69	88.4	80.8-96.0
18-24	222	406,776	11	5.2	01.5-08.9	211	94.8	91.1-98.5
25-34	453	602,331	28	5.9	03.4-08.4	425	94.1	91.6-96.6
35-44	555	616,592	61	10.2	07.1-13.3	494	89.8	86.7-92.9
45-54	847	718,901	219	29.4	24.9-33.9	628	70.6	66.1-75.1
55-64	1003	718,464	357	34.4	30.5-38.3	646	65.6	61.7-69.5
65+	1584	926,706	845	55.3	52.0-58.6	739	44.7	41.4-48.0
Less Than H.S.	455	542,219	198	42.3	36.0-48.6	257	57.7	51.4-64.0
H.S. or G.E.D.	1526	1,354,333	541	28.4	25.5-31.3	985	71.6	68.7-74.5
Some Post-H.S.	1207	1,192,534	356	22.7	19.8-25.6	851	77.3	74.4-80.2
College Graduate	1464	889,919	423	22.7	20.2-25.2	1041	77.3	74.8-79.8
Less than \$15,000	533	441,053	187	31.0	25.1-36.9	346	69.0	63.1-74.9
\$15,000- 24,999	778	627,235	297	34.7	30.2-39.2	481	65.3	60.8-69.8
\$25,000- 34,999	463	405,241	167	30.3	24.4-36.2	296	69.7	63.8-75.6
\$35,000- 49,999	531	459,281	185	27.8	22.9-32.7	346	72.2	67.3-77.1
\$50,000- 74,999	647	557,230	189	22.5	18.6-26.4	458	77.5	73.6-81.4
\$75,000+	947	849,374	238	20.9	17.6-24.2	709	79.1	75.8-82.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 8: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	1,862,821	706	29.5	27.0-32.0	1284	70.5	68.0-73.0
White/Non-Hisp	1641	1,432,931	594	30.8	27.9-33.7	1047	69.2	66.3-72.1
Black or Afr. Am./Non-Hisp	184	260,516	65	25.8	17.6-34.0	119	74.2	66.0-82.4
Oth. Race/Non-Hisp.	54	47,460	14	20.5	08.0-33.0	40	79.5	67.0-92.0
18-24	115	210,044	6	5.2	00.1-10.3	109	94.8	89.7-99.9
25-34	200	272,199	10	3.9	01.2-06.6	190	96.1	93.4-98.8
35-44	247	295,480	33	11.9	06.8-17.0	214	88.1	83.0-93.2
45-54	363	343,418	106	31.6	24.7-38.5	257	68.4	61.5-75.3
55-64	430	326,982	191	45.5	39.0-52.0	239	54.5	48.0-61.0
65+	635	414,698	360	56.8	51.7-61.9	275	43.2	38.1-48.3
Less Than H.S.	184	254,117	69	39.9	30.1-49.7	115	60.1	50.3-69.9
H.S. or G.E.D.	660	669,993	233	28.7	24.2-33.2	427	71.3	66.8-75.8
Some Post-H.S.	471	511,008	154	24.5	19.8-29.2	317	75.5	70.8-80.2
College Graduate	669	423,274	247	30.3	26.0-34.6	422	69.7	65.4-74.0
Less than \$15,000	179	171,502	70	30.7	20.5-40.9	109	69.3	59.1-79.5
\$15,000- 24,999	279	249,289	110	39.6	32.2-47.0	169	60.4	53.0-67.8
\$25,000- 34,999	202	202,442	78	32.9	23.7-42.1	124	67.1	57.9-76.3
\$35,000- 49,999	267	226,795	106	32.0	24.6-39.4	161	68.0	60.6-75.4
\$50,000- 74,999	323	302,475	101	25.4	19.3-31.5	222	74.6	68.5-80.7
\$75,000+	486	458,648	156	25.6	20.7-30.5	330	74.4	69.5-79.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 9: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2674	2,126,949	815	25.4	23.2-27.6	1859	74.6	72.4-76.8
White/Non-Hisp	2186	1,638,685	679	26.7	24.3-29.1	1507	73.3	70.9-75.7
Black or Afr. Am./Non-Hisp	307	325,066	89	21.0	15.3-26.7	218	79.0	73.3-84.7
Oth. Race/Non-Hisp.	60	54,684	18	21.4	09.1-33.7	42	78.6	66.3-90.9
18-24	107	196,732	5	5.1	00.0-10.8	102	94.9	89.2-0100
25-34	253	330,132	18	7.5	03.6-11.4	235	92.5	88.6-96.4
35-44	308	321,112	28	8.7	04.8-12.6	280	91.3	87.4-95.2
45-54	484	375,483	113	27.4	21.5-33.3	371	72.6	66.7-78.5
55-64	573	391,482	166	25.1	20.8-29.4	407	74.9	70.6-79.2
65+	949	512,008	485	54.0	49.7-58.3	464	46.0	41.7-50.3
Less Than H.S.	271	288,102	129	44.5	36.3-52.7	142	55.5	47.3-63.7
H.S. or G.E.D.	866	684,339	308	28.1	24.4-31.8	558	71.9	68.2-75.6
Some Post-H.S.	736	681,526	202	21.3	17.6-25.0	534	78.7	75.0-82.4
College Graduate	795	466,644	176	15.9	13.0-18.8	619	84.1	81.2-87.0
Less than \$15,000	354	269,551	117	31.2	23.9-38.5	237	68.8	61.5-76.1
\$15,000- 24,999	499	377,946	187	31.4	25.9-36.9	312	68.6	63.1-74.1
\$25,000- 34,999	261	202,799	89	27.6	20.5-34.7	172	72.4	65.3-79.5
\$35,000- 49,999	264	232,485	79	23.8	17.1-30.5	185	76.2	69.5-82.9
\$50,000- 74,999	324	254,755	88	18.9	13.8-24.0	236	81.1	76.0-86.2
\$75,000+	461	390,726	82	15.3	11.4-19.2	379	84.7	80.8-88.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 10: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 35 years of age and those that take aspirin daily/every other day

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3124	2,884,924	202	5.3	04.3-06.3	134	3.7	02.9-04.5	2788	91.1	89.9-92.3
Male	1281	1,314,055	65	4.8	03.2-06.4	33	2.0	01.2-02.8	1183	93.1	91.3-94.9
Female	1843	1,570,869	137	5.6	04.4-06.8	101	5.1	03.7-06.5	1605	89.3	87.5-91.1
White/Non-Hisp	2541	2,184,707	166	5.7	04.5-06.9	108	3.9	02.9-04.9	2267	90.4	88.8-92.0
Black or Afr. Am./Non-Hisp	333	441,528	20	3.7	01.5-05.9	14	3.4	01.0-05.8	299	92.9	89.8-96.0
Oth. Race/Non-Hisp.	81	80,501	5	3.1	00.0-06.2	3	3.3	00.0-07.0	73	93.6	88.7-98.5
MultiRacial/Non-Hisp.	54	39,598	6	11.6	00.0-24.1	6	3.2	00.0-06.5	42	85.1	72.2-98.0
Hispanic	69	100,758	3	3.0	00.0-07.3	2	1.4	00.0-03.6	64	95.7	91.0-0100
18-24	209	382,586	5	2.5	00.0-05.6	2	1.2	00.0-03.4	202	96.2	92.5-99.9
25-34	424	564,110	10	3.1	00.7-05.5	10	1.7	00.5-02.9	404	95.1	92.6-97.6
35-44	495	557,349	17	2.3	01.1-03.5	13	1.8	00.6-03.0	465	95.9	94.1-97.7
45-54	625	505,233	32	4.3	02.5-06.1	21	3.4	01.6-05.2	572	92.3	89.8-94.8
55-64	641	467,733	53	8.3	05.4-11.2	41	6.4	04.0-08.8	547	85.2	81.7-88.7
65+	730	407,914	85	12.6	09.5-15.7	47	8.3	05.0-11.6	598	79.1	74.8-83.4
Less Than H.S.	255	310,480	30	9.4	05.5-13.3	19	7.3	03.0-11.6	206	83.4	77.7-89.1
H.S. or G.E.D.	981	969,406	57	5.0	03.2-06.8	48	3.7	02.3-05.1	876	91.3	89.1-93.5
Some Post-H.S.	847	914,345	52	4.9	03.3-06.5	37	3.4	01.8-05.0	758	91.6	89.4-93.8
College Graduate	1032	682,742	62	4.3	02.7-05.9	30	2.3	01.3-03.3	940	93.4	91.4-95.4
Less than \$15,000	340	297,624	46	12.4	07.9-16.9	29	5.1	02.7-07.5	265	82.5	77.4-87.6
\$15,000- 24,999	479	407,591	31	6.0	03.3-08.7	18	3.8	01.3-06.3	430	90.2	86.7-93.7
\$25,000- 34,999	296	279,372	22	8.2	03.3-13.1	10	3.9	00.8-07.0	264	87.9	82.2-93.6
\$35,000- 49,999	343	329,452	19	4.4	01.9-06.9	17	5.6	02.3-08.9	307	90.0	85.9-94.1
\$50,000- 74,999	454	430,398	19	3.7	01.5-05.9	14	2.3	00.7-03.9	421	93.9	91.4-96.4
\$75,000+	709	672,005	28	2.7	01.1-04.3	17	1.7	00.7-02.7	664	95.5	93.7-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 11: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1281	1,314,055	65	4.8	03.2-06.4	33	2.0	01.2-02.8	1183	93.1	91.3-94.9
White/Non-Hisp	1044	991,374	54	5.4	03.4-07.4	27	2.3	01.1-03.5	963	92.3	90.1-94.5
Black or Afr. Am./Non-Hisp	119	193,245	4	2.0	00.0-04.4				115	98.0	95.6-0100
18-24	108	198,027	2	3.6	00.0-09.3				106	96.4	90.7-0100
25-34	190	263,113	2	0.9	00.0-02.5	3	0.8	00.0-01.6	185	98.3	96.5-0100
35-44	216	264,713	4	1.4	00.0-02.8	6	1.6	00.2-03.0	206	97.0	95.0-99.0
45-54	255	232,587	8	2.9	00.7-05.1	6	1.9	00.1-03.7	241	95.2	92.5-97.9
55-64	238	176,834	21	11.5	05.4-17.6	8	3.8	00.5-07.1	209	84.7	78.0-91.4
65+	274	178,782	28	12.9	07.2-18.6	10	5.0	00.9-09.1	236	82.1	75.6-88.6
Less Than H.S.	114	153,986	12	8.2	02.7-13.7	6	5.6	00.7-10.5	96	86.2	78.9-93.5
H.S. or G.E.D.	425	478,268	19	4.9	02.0-07.8	8	1.5	00.1-02.9	398	93.5	90.2-96.8
Some Post-H.S.	316	384,608	10	4.1	01.4-06.8	8	1.1	00.3-01.9	298	94.7	91.8-97.6
College Graduate	423	295,580	24	3.9	02.1-05.7	11	2.1	00.7-03.5	388	94.1	91.7-96.5
Less than \$15,000	107	117,234	17	14.9	06.1-23.7	3	0.9	00.0-02.1	87	84.1	75.1-93.1
\$15,000- 24,999	169	150,520	6	3.7	00.4-07.0	4	2.2	00.0-04.4	159	94.1	90.2-98.0
\$25,000- 34,999	124	135,894	10	10.5	01.5-19.5	3	2.9	00.0-07.2	111	86.6	76.8-96.4
\$35,000- 49,999	160	153,261	6	3.5	01.1-05.9	6	2.9	00.4-05.4	148	93.7	90.2-97.2
\$50,000- 74,999	222	225,552	6	2.9	00.4-05.4	5	2.0	00.0-04.0	211	95.1	91.8-98.4
\$75,000+	330	341,220	15	3.4	01.2-05.6	5	0.8	00.0-01.6	310	95.9	93.7-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 12: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1843	1,570,869	137	5.6	04.4-06.8	101	5.1	03.7-06.5	1605	89.3	87.5-91.1
White/Non-Hisp	1497	1,193,333	112	5.9	04.3-07.5	81	5.2	03.6-06.8	1304	88.8	86.8-90.8
Black or Afr. Am./Non-Hisp	214	248,283	16	5.0	01.9-08.1	14	6.0	01.7-10.3	184	89.0	83.9-94.1
18-24	101	184,559	3	1.4	00.0-03.4	2	2.5	00.0-06.8	96	96.1	91.4-0100
25-34	234	300,997	8	5.0	01.1-08.9	7	2.6	00.4-04.8	219	92.4	87.9-96.9
35-44	279	292,635	13	3.1	01.1-05.1	7	2.0	00.2-03.8	259	94.9	92.4-97.4
45-54	370	272,646	24	5.4	02.7-08.1	15	4.7	01.6-07.8	331	89.9	86.0-93.8
55-64	403	290,899	32	6.4	03.5-09.3	33	8.0	04.9-11.1	338	85.6	81.5-89.7
65+	456	229,133	57	12.3	08.6-16.0	37	10.8	05.9-15.7	362	76.9	71.2-82.6
Less Than H.S.	141	156,494	18	10.5	05.0-16.0	13	8.9	02.0-15.8	110	80.6	72.2-89.0
H.S. or G.E.D.	556	491,138	38	5.0	02.8-07.2	40	5.8	03.6-08.0	478	89.2	86.1-92.3
Some Post-H.S.	531	529,737	42	5.5	03.5-07.5	29	5.1	02.6-07.6	460	89.4	86.3-92.5
College Graduate	609	387,162	38	4.6	02.2-07.0	19	2.5	01.1-03.9	552	92.9	90.2-95.6
Less than \$15,000	233	180,391	29	10.8	06.1-15.5	26	7.7	03.8-11.6	178	81.5	75.4-87.6
\$15,000- 24,999	310	257,072	25	7.4	03.5-11.3	14	4.7	01.0-08.4	271	87.9	82.6-93.2
\$25,000- 34,999	172	143,478	12	5.9	02.2-09.6	7	4.9	00.4-09.4	153	89.2	83.3-95.1
\$35,000- 49,999	183	176,192	13	5.2	01.7-08.7	11	7.9	02.0-13.8	159	86.9	80.2-93.6
\$50,000- 74,999	232	204,845	13	4.6	01.1-08.1	9	2.7	00.3-05.1	210	92.6	88.5-96.7
\$75,000+	379	330,785	13	2.1	00.0-04.3	12	2.7	00.9-04.5	354	95.2	92.5-97.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 13: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1518	1,087,994	310	24.4	21.3-27.5	1208	75.6	72.5-78.7
Male	705	548,863	143	24.0	19.5-28.5	562	76.0	71.5-80.5
Female	813	539,131	167	24.9	20.6-29.2	646	75.1	70.8-79.4
White/Non-Hisp	1271	878,424	245	23.1	19.8-26.4	1026	76.9	73.6-80.2
Black or Afr. Am./Non-Hisp	153	135,010	41	28.9	18.1-39.7	112	71.1	60.3-81.9
35-44	61	62,911	24	47.2	30.5-63.9	37	52.8	36.1-69.5
45-54	219	211,344	63	31.3	22.9-39.7	156	68.7	60.3-77.1
55-64	355	245,489	77	23.6	17.7-29.5	278	76.4	70.5-82.3
65+	844	511,773	120	14.9	11.8-18.0	724	85.1	82.0-88.2
Less Than H.S.	197	229,090	56	28.3	20.1-36.5	141	71.7	63.5-79.9
H.S. or G.E.D.	541	384,595	110	24.2	19.3-29.1	431	75.8	70.9-80.7
Some Post-H.S.	356	270,614	75	25.2	18.9-31.5	281	74.8	68.5-81.1
College Graduate	421	200,880	69	19.8	14.5-25.1	352	80.2	74.9-85.5
Less than \$15,000	186	136,296	52	34.6	24.0-45.2	134	65.4	54.8-76.0
\$15,000- 24,999	297	217,498	72	27.2	20.1-34.3	225	72.8	65.7-79.9
\$25,000- 34,999	167	122,594	33	23.8	14.4-33.2	134	76.2	66.8-85.6
\$35,000- 49,999	185	127,719	37	23.6	15.4-31.8	148	76.4	68.2-84.6
\$50,000- 74,999	189	125,182	27	15.3	08.8-21.8	162	84.7	78.2-91.2
\$75,000+	237	176,522	35	18.7	11.6-25.8	202	81.3	74.2-88.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 14: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	705	548,863	143	24.0	19.5-28.5	562	76.0	71.5-80.5
White/Non-Hisp	593	440,677	114	23.2	18.5-27.9	479	76.8	72.1-81.5
Black or Afr. Am./Non-Hisp	65	67,271	19	30.0	13.3-46.7	46	70.0	53.3-86.7
45-54	106	108,588	27	27.8	16.0-39.6	79	72.2	60.4-84.0
55-64	190	147,860	40	23.2	15.0-31.4	150	76.8	68.6-85.0
65+	360	235,742	52	15.4	10.5-20.3	308	84.6	79.7-89.5
Less Than H.S.	69	101,328	22	29.5	15.8-43.2	47	70.5	56.8-84.2
H.S. or G.E.D.	233	192,144	46	22.8	15.4-30.2	187	77.2	69.8-84.6
Some Post-H.S.	154	125,279	33	25.0	15.6-34.4	121	75.0	65.6-84.4
College Graduate	246	127,297	42	21.1	14.2-28.0	204	78.9	72.0-85.8
Less than \$15,000	70	52,624	16	34.2	15.6-52.8	54	65.8	47.2-84.4
\$15,000- 24,999	110	98,670	29	26.3	15.7-36.9	81	73.7	63.1-84.3
\$25,000- 34,999	78	66,548	17	22.7	09.8-35.6	61	77.3	64.4-90.2
\$35,000- 49,999	106	72,497	21	22.4	12.6-32.2	85	77.6	67.8-87.4
\$50,000- 74,999	101	76,923	14	14.3	05.9-22.7	87	85.7	77.3-94.1
\$75,000+	155	116,581	26	19.8	11.0-28.6	129	80.2	71.4-89.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 15: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	813	539,131	167	24.9	20.6-29.2	646	75.1	70.8-79.4
White/Non-Hisp	678	437,747	131	23.0	18.5-27.5	547	77.0	72.5-81.5
Black or Afr. Am./Non-Hisp	88	67,739	22	27.8	14.1-41.5	66	72.2	58.5-85.9
45-54	113	102,755	36	34.9	22.7-47.1	77	65.1	52.9-77.3
55-64	165	97,630	37	24.3	15.9-32.7	128	75.7	67.3-84.1
65+	484	276,031	68	14.5	10.4-18.6	416	85.5	81.4-89.6
Less Than H.S.	128	127,762	34	27.4	17.4-37.4	94	72.6	62.6-82.6
H.S. or G.E.D.	308	192,452	64	25.6	19.1-32.1	244	74.4	67.9-80.9
Some Post-H.S.	202	145,335	42	25.5	16.7-34.3	160	74.5	65.7-83.3
College Graduate	175	73,583	27	17.5	09.7-25.3	148	82.5	74.7-90.3
Less than \$15,000	116	83,672	36	34.9	22.2-47.6	80	65.1	52.4-77.8
\$15,000- 24,999	187	118,828	43	27.9	18.7-37.1	144	72.1	62.9-81.3
\$25,000- 34,999	89	56,046	16	25.2	11.7-38.7	73	74.8	61.3-88.3
\$35,000- 49,999	79	55,222	16	25.2	11.3-39.1	63	74.8	60.9-88.7
\$50,000- 74,999	88	48,259	13	16.8	06.4-27.2	75	83.2	72.8-93.6
\$75,000+	82	59,941	9	16.6	04.8-28.4	73	83.4	71.6-95.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 16: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1478	1,061,416	1245	82.3	79.6-85.0	233	17.7	15.0-20.4
Male	686	533,997	595	86.2	82.7-89.7	91	13.8	10.3-17.3
Female	792	527,419	650	78.5	74.4-82.6	142	21.5	17.4-25.6
White/Non-Hisp	1235	854,606	1049	83.9	81.2-86.6	186	16.1	13.4-18.8
Black or Afr. Am./Non-Hisp	151	133,048	125	78.6	68.6-88.6	26	21.4	11.4-31.4
35-44	60	62,388	40	65.3	49.6-81.0	20	34.7	19.0-50.4
45-54	217	207,796	181	85.0	78.7-91.3	36	15.0	08.7-21.3
55-64	348	238,282	302	85.6	80.7-90.5	46	14.4	09.5-19.3
65+	814	496,473	712	88.0	85.1-90.9	102	12.0	09.1-14.9
Less Than H.S.	192	220,439	156	79.8	72.2-87.4	36	20.2	12.6-27.8
H.S. or G.E.D.	527	377,270	432	78.6	73.9-83.3	95	21.4	16.7-26.1
Some Post-H.S.	342	263,871	299	87.0	82.5-91.5	43	13.0	08.5-17.5
College Graduate	414	197,020	356	86.3	81.8-90.8	58	13.7	09.2-18.2
Less than \$15,000	180	130,337	151	79.6	69.6-89.6	29	20.4	10.4-30.4
\$15,000- 24,999	290	214,438	236	79.8	73.7-85.9	54	20.2	14.1-26.3
\$25,000- 34,999	162	116,619	142	86.6	79.2-94.0	20	13.4	06.0-20.8
\$35,000- 49,999	179	124,464	152	84.5	77.6-91.4	27	15.5	08.6-22.4
\$50,000- 74,999	187	124,400	168	88.5	82.6-94.4	19	11.5	05.6-17.4
\$75,000+	233	174,327	198	85.0	79.5-90.5	35	15.0	09.5-20.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 17: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	686	533,997	595	86.2	82.7-89.7	91	13.8	10.3-17.3
White/Non-Hisp	576	427,017	503	87.7	84.2-91.2	73	12.3	08.8-15.8
Black or Afr. Am./Non-Hisp	63	66,065	56	82.9	68.8-97.0	7	17.1	03.0-31.2
45-54	105	107,760	87	84.8	75.6-94.0	18	15.2	06.0-24.4
55-64	184	141,139	162	86.1	79.4-92.8	22	13.9	07.2-20.6
65+	349	228,947	317	91.3	87.4-95.2	32	8.7	04.8-12.6
Less Than H.S.	66	95,952	58	88.2	79.4-97.0	8	11.8	03.0-20.6
H.S. or G.E.D.	229	189,249	194	81.8	74.7-88.9	35	18.2	11.1-25.3
Some Post-H.S.	147	121,481	129	89.2	83.3-95.1	18	10.8	04.9-16.7
College Graduate	241	124,500	212	88.6	83.9-93.3	29	11.4	06.7-16.1
Less than \$15,000	67	50,390	55	85.4	75.0-95.8	12	14.6	04.2-25.0
\$15,000- 24,999	109	98,318	95	89.4	83.3-95.5	14	10.6	04.5-16.7
\$25,000- 34,999	73	60,574	67	88.3	77.5-99.1	6	11.7	00.9-22.5
\$35,000- 49,999	104	71,352	89	85.1	76.9-93.3	15	14.9	06.7-23.1
\$50,000- 74,999	100	76,334	90	90.3	83.4-97.2	10	9.7	02.8-16.6
\$75,000+	151	114,386	132	88.8	82.7-94.9	19	11.2	05.1-17.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 18: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	792	527,419	650	78.5	74.4-82.6	142	21.5	17.4-25.6
White/Non-Hisp	659	427,589	546	80.1	75.8-84.4	113	19.9	15.6-24.2
Black or Afr. Am./Non-Hisp	88	66,983	69	74.3	60.6-88.0	19	25.7	12.0-39.4
45-54	112	100,036	94	85.1	76.9-93.3	18	14.9	06.7-23.1
55-64	164	97,144	140	84.9	77.8-92.0	24	15.1	08.0-22.2
65+	465	267,525	395	85.1	81.0-89.2	70	14.9	10.8-19.0
Less Than H.S.	126	124,487	98	73.3	61.9-84.7	28	26.7	15.3-38.1
H.S. or G.E.D.	298	188,021	238	75.4	68.9-81.9	60	24.6	18.1-31.1
Some Post-H.S.	195	142,391	170	85.1	78.4-91.8	25	14.9	08.2-21.6
College Graduate	173	72,520	144	82.2	73.4-91.0	29	17.8	09.0-26.6
Less than \$15,000	113	79,947	96	76.0	61.5-90.5	17	24.0	09.5-38.5
\$15,000- 24,999	181	116,119	141	71.6	62.4-80.8	40	28.4	19.2-37.6
\$25,000- 34,999	89	56,046	75	84.8	74.4-95.2	14	15.2	04.8-25.6
\$35,000- 49,999	75	53,111	63	83.7	72.1-95.3	12	16.3	04.7-27.9
\$50,000- 74,999	87	48,065	78	85.6	75.0-96.2	9	14.4	03.8-25.0
\$75,000+	82	59,941	66	77.7	66.7-88.7	16	22.3	11.3-33.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 19: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1393	989,173	963	66.6	63.3-69.9	430	33.4	30.1-36.7
Male	650	494,347	441	65.9	60.8-71.0	209	34.1	29.0-39.2
Female	743	494,826	522	67.4	62.7-72.1	221	32.6	27.9-37.3
White/Non-Hisp	1164	800,822	823	68.9	65.4-72.4	341	31.1	27.6-34.6
Black or Afr. Am./Non-Hisp	143	127,486	89	59.1	47.5-70.7	54	40.9	29.3-52.5
35-44	56	58,545	30	56.1	39.4-72.8	26	43.9	27.2-60.6
45-54	213	204,118	139	67.8	59.4-76.2	74	32.2	23.8-40.6
55-64	333	218,388	239	69.4	62.9-75.9	94	30.6	24.1-37.1
65+	753	453,042	545	71.0	66.7-75.3	208	29.0	24.7-33.3
Less Than H.S.	178	195,143	120	68.6	59.4-77.8	58	31.4	22.2-40.6
H.S. or G.E.D.	494	354,509	327	60.9	55.2-66.6	167	39.1	33.4-44.8
Some Post-H.S.	321	244,908	232	71.4	64.9-77.9	89	28.6	22.1-35.1
College Graduate	397	191,797	283	69.1	63.0-75.2	114	30.9	24.8-37.0
Less than \$15,000	169	123,649	121	65.7	54.3-77.1	48	34.3	22.9-45.7
\$15,000- 24,999	278	202,736	189	64.5	56.9-72.1	89	35.5	27.9-43.1
\$25,000- 34,999	158	112,099	107	68.3	58.3-78.3	51	31.7	21.7-41.7
\$35,000- 49,999	166	104,952	121	70.1	60.7-79.5	45	29.9	20.5-39.3
\$50,000- 74,999	182	119,930	127	69.4	60.2-78.6	55	30.6	21.4-39.8
\$75,000+	220	165,923	155	70.4	62.8-78.0	65	29.6	22.0-37.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 20: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	650	494,347	441	65.9	61.0-70.8	209	34.1	29.2-39.0
White/Non-Hisp	547	399,274	375	67.7	62.6-72.8	172	32.3	27.2-37.4
Black or Afr. Am./Non-Hisp	59	62,332	41	62.4	44.4-80.4	18	37.6	19.6-55.6
45-54	103	105,912	65	64.0	52.0-76.0	38	36.0	24.0-48.0
55-64	176	124,623	125	69.9	61.1-78.7	51	30.1	21.3-38.9
65+	324	208,342	228	66.7	59.6-73.8	96	33.3	26.2-40.4
Less Than H.S.	62	82,721	39	69.7	56.6-82.8	23	30.3	17.2-43.4
H.S. or G.E.D.	214	176,115	145	62.8	54.2-71.4	69	37.2	28.6-45.8
Some Post-H.S.	138	110,737	95	66.9	56.9-76.9	43	33.1	23.1-43.1
College Graduate	233	121,958	161	66.9	59.1-74.7	72	33.1	25.3-40.9
Less than \$15,000	60	43,454	41	67.9	50.8-85.0	19	32.1	15.0-49.2
\$15,000- 24,999	106	92,950	71	64.3	52.3-76.3	35	35.7	23.7-47.7
\$25,000- 34,999	71	59,246	54	74.6	62.1-87.1	17	25.4	12.9-37.9
\$35,000- 49,999	97	59,255	70	68.0	55.8-80.2	27	32.0	19.8-44.2
\$50,000- 74,999	99	74,083	63	66.0	53.5-78.5	36	34.0	21.5-46.5
\$75,000+	141	107,115	102	73.3	63.9-82.7	39	26.7	17.3-36.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 4: CARDIOVASCULAR HEALTH**

**TABLE 21: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	743	494,826	522	67.4	62.7-72.1	221	32.6	27.9-37.3
White/Non-Hisp	617	401,548	448	70.1	65.0-75.2	169	29.9	24.8-35.0
Black or Afr. Am./Non-Hisp	84	65,153	48	55.9	41.0-70.8	36	44.1	29.2-59.0
45-54	110	98,206	74	71.9	61.3-82.5	36	28.1	17.5-38.7
55-64	157	93,766	114	68.6	59.2-78.0	43	31.4	22.0-40.8
65+	429	244,700	317	74.7	69.4-80.0	112	25.3	20.0-30.6
Less Than H.S.	116	112,422	81	67.9	55.7-80.1	35	32.1	19.9-44.3
H.S. or G.E.D.	280	178,394	182	59.0	51.6-66.4	98	41.0	33.6-48.4
Some Post-H.S.	183	134,171	137	75.1	66.7-83.5	46	24.9	16.5-33.3
College Graduate	164	69,839	122	73.0	63.4-82.6	42	27.0	17.4-36.6
Less than \$15,000	109	80,196	80	64.5	50.2-78.8	29	35.5	21.2-49.8
\$15,000- 24,999	172	109,786	118	64.7	54.7-74.7	54	35.3	25.3-45.3
\$25,000- 34,999	87	52,853	53	61.3	47.8-74.8	34	38.7	25.2-52.2
\$35,000- 49,999	69	45,697	51	72.7	58.4-87.0	18	27.3	13.0-41.6
\$50,000- 74,999	83	45,847	64	74.8	61.7-87.9	19	25.2	12.1-38.3
\$75,000+	79	58,808	53	65.0	51.7-78.3	26	35.0	21.7-48.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 09: Sleep Disorder CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1 MALES AND FEMALES	41
2 MALES ONLY	42
3 FEMALES ONLY	43
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)	
4 MALES AND FEMALES	44
5 MALES ONLY	45
6 FEMALES ONLY	46
OVER THE LAST 2 WEEKS, HOW MANY DAYS DID YOU UNINTENTIONALLY FALL ASLEEP DURING THE DAY? (SLEPDAY1)	
7 MALES AND FEMALES	47
8 MALES ONLY	48
9 FEMALES ONLY	49
HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)	
10 MALES AND FEMALES	50
11 MALES ONLY	51
12 FEMALES ONLY	52
HAS ANYONE EVER OBSERVED THAT YOU STOP BREATHING DURING YOUR SLEEP? (SLEPBRTH)	
13 MALES AND FEMALES	53
14 MALES ONLY	54
15 FEMALES ONLY	55



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4584	3,934,741	1575	36.3	34.3-38.3	2811	59.5	57.5-61.5	198	4.2	03.4-05.0
Male	1969	1,847,849	690	37.3	34.4-40.2	1203	58.8	55.7-61.9	76	3.9	02.5-05.3
Female	2615	2,086,892	885	35.4	32.7-38.1	1608	60.0	57.3-62.7	122	4.6	03.4-05.8
White/Non-Hisp	3774	3,042,066	1238	34.4	32.2-36.6	2391	62.0	59.8-64.2	145	3.6	02.8-04.4
Black or Afr. Am./Non-Hisp	470	566,354	199	44.4	37.9-50.9	237	49.0	42.5-55.5	34	6.5	03.4-09.6
Oth. Race/Non-Hisp.	113	100,073	47	43.0	30.7-55.3	63	54.3	42.0-66.6	3	2.7	00.0-06.0
MultiRacial/Non-Hisp.	72	52,868	30	44.6	27.7-61.5	38	52.8	35.7-69.9	4	2.6	00.0-05.3
Hispanic	81	114,002	27	30.6	15.7-45.5	47	59.0	43.3-74.7	7	10.5	01.5-19.5
18-24	222	406,776	84	38.7	30.5-46.9	129	57.0	48.8-65.2	9	4.3	01.2-07.4
25-34	451	601,347	170	38.7	32.6-44.8	264	57.7	51.6-63.8	17	3.6	01.2-06.0
35-44	548	611,060	222	40.9	35.4-46.4	308	55.2	49.7-60.7	18	4.0	01.6-06.4
45-54	831	708,944	345	40.6	36.1-45.1	461	55.6	50.9-60.3	25	3.9	01.5-06.3
55-64	989	704,720	368	37.6	33.7-41.5	574	58.3	54.2-62.4	47	4.0	02.2-05.8
65+	1543	901,894	386	26.0	23.1-28.9	1075	68.6	65.5-71.7	82	5.3	03.7-06.9
Less Than H.S.	439	526,359	171	35.5	29.4-41.6	229	54.8	48.3-61.3	39	9.7	05.4-14.0
H.S. or G.E.D.	1485	1,327,995	549	37.9	34.4-41.4	862	58.0	54.5-61.5	74	4.1	02.9-05.3
Some Post-H.S.	1193	1,183,302	445	39.0	35.1-42.9	696	57.4	53.5-61.3	52	3.6	02.2-05.0
College Graduate	1456	886,700	406	30.8	27.5-34.1	1017	67.0	63.7-70.3	33	2.1	01.1-03.1
Less than \$15,000	511	421,460	216	43.0	36.3-49.7	261	49.6	42.7-56.5	34	7.3	03.6-11.0
\$15,000- 24,999	772	624,549	297	40.6	35.5-45.7	430	53.4	48.3-58.5	45	5.9	03.5-08.3
\$25,000- 34,999	459	402,482	161	37.3	31.0-43.6	269	57.2	50.7-63.7	29	5.5	02.0-09.0
\$35,000- 49,999	527	455,704	179	34.8	29.1-40.5	329	61.1	55.2-67.0	19	4.1	01.6-06.6
\$50,000- 74,999	645	555,359	217	34.2	29.3-39.1	417	64.0	59.1-68.9	11	1.8	00.4-03.2
\$75,000+	944	847,337	274	31.7	27.6-35.8	657	66.7	62.4-71.0	13	1.6	00.4-02.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1969	1,847,849	690	37.3	34.4-40.2	1203	58.8	55.7-61.9	76	3.9	02.5-05.3
White/Non-Hisp	1627	1,427,929	541	35.3	32.2-38.4	1029	61.2	57.9-64.5	57	3.5	02.1-04.9
Black or Afr. Am./Non-Hisp	177	252,639	78	46.3	35.9-56.7	86	46.5	35.9-57.1	13	7.2	01.7-12.7
Oth. Race/Non-Hisp.	54	47,460	23	46.2	29.1-63.3	30	53.1	36.0-70.2	1	0.6	00.0-01.8
18-24	115	210,044	49	41.2	29.8-52.6	63	54.8	43.2-66.4	3	4.0	00.0-08.9
25-34	199	271,769	84	39.8	30.4-49.2	110	58.9	49.5-68.3	5	1.4	00.0-02.8
35-44	247	297,759	111	45.4	37.2-53.6	128	51.0	42.8-59.2	8	3.6	00.3-06.9
45-54	357	340,110	147	41.6	34.5-48.7	197	54.5	47.4-61.6	13	3.9	00.0-07.8
55-64	428	322,659	161	38.2	32.1-44.3	251	57.9	51.6-64.2	16	3.9	00.8-07.0
65+	623	405,508	138	23.4	18.9-27.9	454	70.9	66.2-75.6	31	5.7	03.2-08.2
Less Than H.S.	179	246,907	58	30.7	21.5-39.9	103	57.4	47.2-67.6	18	11.9	04.5-19.3
H.S. or G.E.D.	649	664,588	251	40.4	35.1-45.7	371	56.4	51.1-61.7	27	3.2	01.6-04.8
Some Post-H.S.	469	510,468	193	41.3	35.2-47.4	260	56.0	49.9-62.1	16	2.8	00.8-04.8
College Graduate	666	421,459	185	31.4	26.7-36.1	466	67.0	62.3-71.7	15	1.6	00.6-02.6
Less than \$15,000	170	162,804	76	43.9	31.9-55.9	78	44.7	32.5-56.9	16	11.4	03.4-19.4
\$15,000- 24,999	280	250,705	96	38.6	30.6-46.6	171	58.2	50.2-66.2	13	3.2	01.2-05.2
\$25,000- 34,999	201	201,959	79	42.9	32.9-52.9	108	49.9	39.7-60.1	14	7.2	00.5-13.9
\$35,000- 49,999	265	225,578	90	34.3	26.3-42.3	168	63.3	55.1-71.5	7	2.3	00.0-04.7
\$50,000- 74,999	322	301,252	112	36.5	29.4-43.6	204	61.3	54.2-68.4	6	2.2	00.0-04.4
\$75,000+	484	457,709	158	34.5	28.6-40.4	320	63.9	58.0-69.8	6	1.6	00.0-03.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2615	2,086,892	885	35.4	32.7-38.1	1608	60.0	57.3-62.7	122	4.6	03.4-05.8
White/Non-Hisp	2147	1,614,137	697	33.5	30.6-36.4	1362	62.7	59.8-65.6	88	3.8	02.8-04.8
Black or Afr. Am./Non-Hisp	293	313,715	121	42.9	34.9-50.9	151	51.1	43.1-59.1	21	6.0	02.3-09.7
Oth. Race/Non-Hisp.	59	52,613	24	40.1	22.7-57.5	33	55.4	37.8-73.0	2	4.5	00.0-10.8
18-24	107	196,732	35	36.1	24.1-48.1	66	59.4	47.4-71.4	6	4.5	00.8-08.2
25-34	252	329,578	86	37.9	29.9-45.9	154	56.7	48.5-64.9	12	5.5	01.6-09.4
35-44	301	313,301	111	36.6	29.3-43.9	180	59.1	51.8-66.4	10	4.3	01.0-07.6
45-54	474	368,834	198	39.7	33.6-45.8	264	56.5	50.4-62.6	12	3.8	01.3-06.3
55-64	561	382,061	207	37.2	32.1-42.3	323	58.7	53.4-64.0	31	4.1	02.3-05.9
65+	920	496,386	248	28.2	24.3-32.1	621	66.8	62.9-70.7	51	5.0	03.2-06.8
Less Than H.S.	260	279,453	113	39.7	31.5-47.9	126	52.6	44.2-61.0	21	7.7	03.4-12.0
H.S. or G.E.D.	836	663,408	298	35.4	30.9-39.9	491	59.6	55.1-64.1	47	5.0	03.2-06.8
Some Post-H.S.	724	672,835	252	37.3	32.2-42.4	436	58.5	53.4-63.6	36	4.2	02.0-06.4
College Graduate	790	465,241	221	30.3	25.8-34.8	551	67.0	62.3-71.7	18	2.6	01.0-04.2
Less than \$15,000	341	258,656	140	42.5	34.5-50.5	183	52.7	44.5-60.9	18	4.8	01.9-07.7
\$15,000- 24,999	492	373,843	201	42.0	35.5-48.5	259	50.3	43.8-56.8	32	7.8	04.1-11.5
\$25,000- 34,999	258	200,523	82	31.7	24.1-39.3	161	64.5	56.7-72.3	15	3.8	01.4-06.2
\$35,000- 49,999	262	230,126	89	35.3	27.3-43.3	161	58.8	50.6-67.0	12	5.9	01.4-10.4
\$50,000- 74,999	323	254,107	105	31.6	24.9-38.3	213	67.1	60.4-73.8	5	1.3	00.1-02.5
\$75,000+	460	389,628	116	28.5	22.6-34.4	337	69.9	63.8-76.0	7	1.6	00.2-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 4: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4569	3,914,157	543	11.6	10.2-13.0	404	8.4	07.2-09.6	365	8.1	06.9-09.3	168	3.8	03.0-04.6	746	16.3	14.7-17.9	2343	51.8	49.8-53.8
Male	1965	1,844,789	227	11.4	09.4-13.4	134	7.5	05.9-09.1	127	6.2	04.6-07.8	60	3.0	01.8-04.2	258	13.1	11.1-15.1	1159	58.8	55.7-61.9
Female	2604	2,069,368	316	11.8	10.0-13.6	270	9.2	07.8-10.6	238	9.8	08.2-11.4	108	4.5	03.3-05.7	488	19.1	16.9-21.3	1184	45.6	42.9-48.3
White/Non-Hisp	3753	3,016,176	455	11.8	10.4-13.2	338	8.8	07.6-10.0	295	8.2	07.0-09.4	138	3.8	03.0-04.6	619	17.0	15.2-18.8	1908	50.4	48.2-52.6
Black or Afr. Am./Non-Hisp	478	572,150	60	13.5	09.0-18.0	41	8.8	05.5-12.1	40	8.0	04.5-11.5	19	2.8	01.0-04.6	57	11.7	07.6-15.8	261	55.2	48.7-61.7
Oth. Race/Non-Hisp.	109	95,523	15	8.9	03.0-14.8	7	5.2	00.9-09.5	12	7.8	02.3-13.3	2	1.7	00.0-04.2	18	17.4	08.4-26.4	55	59.0	47.0-71.0
MultiRacial/Non-Hisp.	72	52,428	2	8.1	00.0-22.4	8	5.2	00.3-10.1	8	10.0	00.0-20.4	4	3.9	00.0-08.0	22	39.3	22.6-56.0	28	33.6	17.3-49.9
Hispanic	82	114,431	11	7.4	01.7-13.1	2	0.9	00.0-02.1	4	4.4	00.0-10.1	2	8.3	00.0-20.3	14	6.8	02.7-10.9	49	72.1	58.6-85.6
18-24	222	406,776	27	11.8	06.5-17.1	24	10.6	05.3-15.9	22	9.0	04.7-13.3	11	4.7	01.6-07.8	37	17.1	10.6-23.6	101	46.8	38.4-55.2
25-34	448	594,771	64	11.8	08.3-15.3	40	7.9	04.8-11.0	40	8.0	04.7-11.3	18	4.2	01.3-07.1	74	16.8	12.3-21.3	212	51.4	45.1-57.7
35-44	548	607,238	61	13.1	09.0-17.2	55	10.0	06.9-13.1	37	7.8	04.5-11.1	23	3.4	01.6-05.2	94	16.0	11.9-20.1	278	49.6	43.9-55.3
45-54	832	704,113	94	12.6	09.3-15.9	69	6.8	04.8-08.8	68	7.9	05.5-10.3	32	3.7	01.9-05.5	185	20.3	16.8-23.8	384	48.7	44.0-53.4
55-64	988	710,269	120	10.9	08.5-13.3	88	8.3	06.1-10.5	90	9.0	06.6-11.4	38	4.2	02.4-06.0	172	17.4	14.3-20.5	480	50.4	46.3-54.5
65+	1531	890,989	177	10.2	08.2-12.2	128	8.1	06.3-09.9	108	7.6	05.6-09.6	46	3.1	01.9-04.3	184	11.6	09.6-13.6	888	59.4	56.1-62.7
Less Than H.S.	442	528,303	36	7.6	04.1-11.1	33	5.9	03.4-08.4	41	9.5	05.6-13.4	18	4.1	01.7-06.5	104	22.2	16.9-27.5	210	50.6	44.1-57.1
H.S. or G.E.D.	1480	1,317,096	149	10.2	08.0-12.4	122	8.1	06.1-10.1	131	8.2	06.4-10.0	61	4.6	03.0-06.2	270	18.3	15.6-21.0	747	50.6	47.1-54.1
Some Post-H.S.	1187	1,178,503	141	12.2	09.7-14.7	119	9.7	07.5-11.9	99	8.4	06.2-10.6	38	3.4	01.8-05.0	219	16.0	13.3-18.7	571	50.3	46.4-54.2
College Graduate	1448	879,489	216	15.4	12.9-17.9	129	8.7	06.7-10.7	93	6.7	04.9-08.5	51	3.1	01.9-04.3	149	9.8	07.8-11.8	810	56.4	52.9-59.9
Less than \$15,000	513	424,010	44	7.6	04.1-11.1	53	9.6	06.1-13.1	61	12.9	08.2-17.6	27	3.6	02.0-05.2	151	28.2	22.1-34.3	177	38.2	31.3-45.1
\$15,000- 24,999	768	616,777	75	9.8	06.7-12.9	66	8.2	05.7-10.7	75	9.0	06.5-11.5	27	5.1	02.6-07.6	162	21.2	17.1-25.3	363	46.7	41.8-51.6
\$25,000- 34,999	454	396,065	49	10.3	06.6-14.0	35	6.1	03.4-08.8	35	7.9	04.6-11.2	27	5.7	02.8-08.6	74	15.4	11.3-19.5	234	54.7	48.2-61.2
\$35,000- 49,999	523	451,586	70	13.8	09.3-18.3	48	10.7	07.0-14.4	46	10.2	06.7-13.7	14	1.9	00.7-03.1	70	13.9	09.8-18.0	275	49.4	43.3-55.5
\$50,000- 74,999	641	551,333	77	11.7	08.6-14.8	64	8.9	06.2-11.6	53	7.8	04.9-10.7	20	3.0	01.2-04.8	71	11.0	07.7-14.3	356	57.5	52.4-62.6
\$75,000+	938	840,928	150	14.7	11.8-17.6	69	6.5	04.3-08.7	51	5.5	03.3-07.7	23	2.4	01.2-03.6	82	9.9	07.2-12.6	563	61.0	56.7-65.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 5: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1965	1,844,789	227	11.4	09.4-13.4	134	7.5	05.9-09.1	127	6.2	04.6-07.8	60	3.0	01.8-04.2	258	13.1	11.1-15.1	1159	58.8	55.7-61.9
White/Non-Hisp	1621	1,419,746	197	11.3	09.1-13.5	110	8.1	06.1-10.1	106	6.3	04.7-07.9	46	3.0	01.8-04.2	214	13.9	11.5-16.3	948	57.4	54.1-60.7
Black or Afr. Am./Non-Hisp	180	255,294	18	14.4	06.6-22.2	14	6.8	02.3-11.3	11	7.2	01.3-13.1	9	2.8	00.0-05.9	17	7.1	02.8-11.4	111	61.7	51.5-71.9
Oth. Race/Non-Hisp.	54	47,460	5	7.4	00.0-16.4	2	1.6	00.0-04.0	5	6.9	00.0-14.9				8	20.2	06.1-34.3	34	63.9	47.8-80.0
18-24	115	210,044	16	14.8	06.6-23.0	13	12.9	04.9-20.9	12	8.8	02.9-14.7	5	4.8	00.0-09.7	13	10.3	03.0-17.6	56	48.5	36.9-60.1
25-34	198	271,342	35	13.8	07.9-19.7	20	9.5	04.4-14.6	12	7.2	01.7-12.7	7	3.5	00.0-07.0	28	12.5	07.2-17.8	96	53.5	44.1-62.9
35-44	246	294,743	24	13.5	06.8-20.2	18	6.1	02.8-09.4	15	4.6	01.7-07.5	8	2.0	00.4-03.6	37	15.7	09.6-21.8	144	58.0	49.8-66.2
45-54	359	341,036	43	10.7	06.6-14.8	18	4.6	02.1-07.1	23	6.1	03.0-09.2	11	2.8	00.4-05.2	66	17.3	12.2-22.4	198	58.5	51.6-65.4
55-64	427	325,453	39	8.3	05.0-11.6	30	6.7	03.8-09.6	29	7.0	03.9-10.1	15	3.2	00.7-05.7	65	15.7	11.0-20.4	249	59.2	52.9-65.5
65+	620	402,171	70	9.8	07.1-12.5	35	7.5	04.6-10.4	36	4.9	02.9-06.9	14	2.4	00.8-04.0	49	7.4	04.9-09.9	416	68.1	63.4-72.8
Less Than H.S.	182	255,198	17	9.6	03.9-15.3	13	5.5	02.0-09.0	11	5.8	00.7-10.9	5	3.0	00.0-06.3	37	20.2	12.6-27.8	99	55.9	45.9-65.9
H.S. or G.E.D.	646	656,584	60	10.0	06.5-13.5	41	6.5	03.8-09.2	44	6.2	03.7-08.7	26	4.5	02.0-07.0	100	16.0	12.1-19.9	375	56.8	51.5-62.1
Some Post-H.S.	466	506,521	58	13.9	09.6-18.2	40	10.3	06.4-14.2	33	6.6	03.9-09.3	12	1.7	00.5-02.9	64	9.4	06.5-12.3	259	58.1	52.2-64.0
College Graduate	665	422,058	91	11.9	09.0-14.8	40	7.0	04.3-09.7	39	6.2	03.7-08.7	17	2.3	00.9-03.7	54	8.2	05.5-10.9	424	64.4	59.7-69.1
Less than \$15,000	174	168,864	15	8.1	02.0-14.2	16	8.9	03.6-14.2	21	13.4	05.0-21.8	11	3.8	01.3-06.3	46	24.6	14.8-34.4	65	41.1	28.9-53.3
\$15,000- 24,999	280	250,880	34	13.3	07.2-19.4	21	7.8	03.7-11.9	22	6.0	03.1-08.9	10	6.5	01.6-11.4	45	16.9	10.6-23.2	148	49.5	41.7-57.3
\$25,000- 34,999	197	196,904	17	7.7	03.2-12.2	9	4.5	00.0-09.0	15	6.7	02.4-11.0	14	6.4	01.3-11.5	33	16.2	09.7-22.7	109	58.6	48.8-68.4
\$35,000- 49,999	265	225,935	32	14.5	07.2-21.8	23	12.4	06.5-18.3	16	7.4	03.1-11.7	3	0.5	00.0-01.1	34	12.6	07.5-17.7	157	52.6	44.0-61.2
\$50,000- 74,999	320	298,426	37	10.1	06.4-13.8	22	5.5	02.8-08.2	23	5.4	02.3-08.5	4	0.7	00.0-01.5	25	7.8	04.1-11.5	209	70.4	64.1-76.7
\$75,000+	484	457,454	69	12.5	08.6-16.4	25	5.6	02.7-08.5	20	3.7	01.7-05.7	10	1.8	00.6-03.0	40	9.0	05.5-12.5	320	67.5	61.8-73.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 6: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2604	2,069,368	316	11.8	10.0-13.6	270	9.2	07.8-10.6	238	9.8	08.2-11.4	108	4.5	03.3-05.7	488	19.1	16.9-21.3	1184	45.6	42.9-48.3
White/Non-Hisp	2132	1,596,430	258	12.2	10.2-14.2	228	9.4	07.8-11.0	189	10.0	08.0-12.0	92	4.5	03.3-05.7	405	19.7	17.3-22.1	960	44.2	41.3-47.1
Black or Afr. Am./Non-Hisp	298	316,856	42	12.8	07.7-17.9	27	10.5	05.6-15.4	29	8.6	04.5-12.7	10	2.8	00.6-05.0	40	15.5	09.0-22.0	150	50.0	42.0-58.0
Oth. Race/Non-Hisp.	55	48,063	10	10.3	02.3-18.3	5	8.7	00.3-17.1	7	8.8	01.0-16.6	2	3.4	00.0-08.3	10	14.7	03.7-25.7	21	54.1	36.1-72.1
18-24	107	196,732	11	8.6	02.5-14.7	11	8.2	01.9-14.5	10	9.3	02.8-15.8	6	4.6	00.7-08.5	24	24.3	13.5-35.1	45	45.1	32.9-57.3
25-34	250	323,429	29	10.1	05.8-14.4	20	6.5	03.0-10.0	28	8.7	04.6-12.8	11	4.8	00.3-09.3	46	20.3	13.4-27.2	116	49.6	41.4-57.8
35-44	302	312,495	37	12.8	07.7-17.9	37	13.8	08.7-18.9	22	10.9	05.2-16.6	15	4.8	01.7-07.9	57	16.3	10.8-21.8	134	41.5	34.2-48.8
45-54	473	363,077	51	14.3	09.4-19.2	51	8.8	05.9-11.7	45	9.6	06.1-13.1	21	4.5	02.0-07.0	119	23.2	18.1-28.3	186	39.6	33.7-45.5
55-64	561	384,817	81	13.0	09.7-16.3	58	9.6	06.7-12.5	61	10.6	07.3-13.9	23	5.1	02.6-07.6	107	18.8	14.7-22.9	231	42.9	37.6-48.2
65+	911	488,818	107	10.5	08.0-13.0	93	8.7	06.5-10.9	72	9.7	06.6-12.8	32	3.7	02.1-05.3	135	15.1	12.2-18.0	472	52.3	48.0-56.6
Less Than H.S.	260	273,105	19	5.8	01.7-09.9	20	6.3	02.6-10.0	30	13.0	07.3-18.7	13	5.1	01.8-08.4	67	24.1	17.0-31.2	111	45.7	37.3-54.1
H.S. or G.E.D.	834	660,513	89	10.4	07.7-13.1	81	9.7	06.8-12.6	87	10.2	07.7-12.7	35	4.6	02.6-06.6	170	20.5	16.6-24.4	372	44.5	40.0-49.0
Some Post-H.S.	721	671,981	83	10.9	07.8-14.0	79	9.4	06.9-11.9	66	9.7	06.4-13.0	26	4.7	02.0-07.4	155	21.0	16.9-25.1	312	44.3	39.2-49.4
College Graduate	783	457,432	125	18.7	14.8-22.6	89	10.2	07.5-12.9	54	7.2	04.5-09.9	34	3.8	02.0-05.6	95	11.3	08.4-14.2	386	48.9	44.0-53.8
Less than \$15,000	339	255,146	29	7.2	02.9-11.5	37	10.0	05.5-14.5	40	12.6	07.3-17.9	16	3.4	01.2-05.6	105	30.5	23.1-37.9	112	36.3	28.3-44.3
\$15,000- 24,999	488	365,897	41	7.3	04.0-10.6	45	8.5	05.2-11.8	53	11.1	07.2-15.0	17	4.1	01.7-06.5	117	24.2	18.9-29.5	215	44.7	38.4-51.0
\$25,000- 34,999	257	199,161	32	12.9	06.8-19.0	26	7.6	04.3-10.9	20	9.1	04.2-14.0	13	5.0	01.7-08.3	41	14.7	09.4-20.0	125	50.8	42.4-59.2
\$35,000- 49,999	258	225,650	38	13.0	07.5-18.5	25	9.1	04.8-13.4	30	13.0	07.3-18.7	11	3.4	01.2-05.6	36	15.3	09.0-21.6	118	46.3	37.9-54.7
\$50,000- 74,999	321	252,906	40	13.6	08.5-18.7	42	13.0	08.1-17.9	30	10.5	05.2-15.8	16	5.8	02.1-09.5	46	14.8	09.3-20.3	147	42.3	34.9-49.7
\$75,000+	454	383,473	81	17.4	13.1-21.7	44	7.6	04.7-10.5	31	7.7	03.8-11.6	13	3.1	00.7-05.5	42	10.9	06.6-15.2	243	53.3	47.0-59.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 7: OVER THE LAST 2 WEEKS, HOW MANY DAYS DID YOU UNINTENTIONALLY FALL ASLEEP DURING THE DAY? (SLEPDAY1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4587	3,929,649	586	12.1	10.7-13.5	284	6.0	05.0-07.0	149	3.0	02.2-03.8	56	1.3	00.9-01.7	160	3.1	02.5-03.7	3352	74.5	72.7-76.3
Male	1962	1,845,129	241	11.1	09.3-12.9	123	6.4	04.8-08.0	62	3.0	01.8-04.2	26	1.3	00.7-01.9	64	3.1	02.1-04.1	1446	75.1	72.6-77.6
Female	2625	2,084,520	345	12.9	11.1-14.7	161	5.6	04.4-06.8	87	3.1	02.1-04.1	30	1.2	00.6-01.8	96	3.2	02.4-04.0	1906	73.9	71.5-76.3
White/Non-Hisp	3770	3,027,569	449	11.3	09.9-12.7	216	5.5	04.5-06.5	120	2.8	02.0-03.6	48	1.4	00.8-02.0	132	3.0	02.2-03.8	2805	75.9	74.1-77.7
Black or Afr. Am./Non-Hisp	475	572,021	81	14.5	10.4-18.6	36	7.1	03.6-10.6	21	4.8	01.7-07.9	7	1.0	00.2-01.8	19	4.0	01.6-06.4	311	68.7	62.8-74.6
Oth. Race/Non-Hisp.	112	99,294	18	14.4	06.6-22.2	11	8.2	02.5-13.9	2	0.9	00.0-02.3				6	5.7	01.0-10.4	75	70.8	60.4-81.2
MultiRacial/Non-Hisp.	72	52,715	11	19.3	05.6-33.0	8	15.5	01.6-29.4							1	0.3	00.0-00.9	52	65.0	47.9-82.1
Hispanic	82	114,431	14	7.9	03.2-12.6	5	2.7	00.0-05.6	3	1.5	00.0-03.5				2	2.5	00.0-06.0	58	85.4	78.1-92.7
18-24	222	406,776	32	13.2	07.5-18.9	12	5.4	01.5-09.3	2	1.6	00.0-04.0	1	0.2	00.0-00.6	8	2.8	00.4-05.2	167	76.8	69.7-83.9
25-34	450	598,397	50	11.2	07.5-14.9	14	3.7	01.2-06.2	10	2.9	00.4-05.4	4	1.6	00.0-03.4	6	1.1	00.1-02.1	366	79.5	74.4-84.6
35-44	548	610,833	50	8.6	05.7-11.5	31	5.0	02.8-07.2	12	2.3	00.5-04.1	7	1.2	00.2-02.2	12	2.4	00.8-04.0	436	80.5	76.4-84.6
45-54	828	700,860	89	12.0	08.9-15.1	46	5.7	03.3-08.1	21	2.1	00.9-03.3	4	0.5	00.0-01.1	16	1.8	00.6-03.0	652	77.9	74.0-81.8
55-64	997	713,481	121	11.2	08.7-13.7	60	6.5	04.3-08.7	39	4.6	02.4-06.8	11	0.9	00.3-01.5	35	4.0	02.2-05.8	731	72.8	69.1-76.5
65+	1542	899,303	244	15.2	12.8-17.6	121	8.2	06.2-10.2	65	3.9	02.7-05.1	29	2.5	01.3-03.7	83	5.5	03.9-07.1	1000	64.7	61.6-67.8
Less Than H.S.	438	527,438	61	12.9	09.0-16.8	42	8.5	05.0-12.0	22	6.0	02.3-09.7	11	2.6	00.6-04.6	24	3.5	01.5-05.5	278	66.5	60.4-72.6
H.S. or G.E.D.	1492	1,328,622	189	12.3	09.9-14.7	114	7.0	05.2-08.8	55	2.9	01.9-03.9	18	1.0	00.4-01.6	61	3.8	02.6-05.0	1055	73.1	70.2-76.0
Some Post-H.S.	1191	1,180,307	165	13.0	10.5-15.5	63	5.4	03.6-07.2	44	3.1	01.7-04.5	17	1.5	00.5-02.5	39	3.0	01.6-04.4	863	73.9	70.6-77.2
College Graduate	1454	882,517	169	9.9	07.9-11.9	64	3.8	02.6-05.0	28	1.5	00.7-02.3	10	0.6	00.0-01.2	36	2.2	01.2-03.2	1147	82.1	79.6-84.6
Less than \$15,000	514	425,018	77	12.9	09.0-16.8	42	9.9	05.4-14.4	28	6.9	02.8-11.0	12	1.9	00.1-03.7	33	5.3	02.9-07.7	322	63.1	56.4-69.8
\$15,000- 24,999	768	615,596	110	14.3	11.0-17.6	74	9.2	06.5-11.9	34	4.6	02.4-06.8	15	1.7	00.7-02.7	30	4.2	02.2-06.2	505	66.0	61.5-70.5
\$25,000- 34,999	458	402,570	65	12.7	08.8-16.6	26	6.3	03.0-09.6	11	2.5	00.5-04.5	4	1.0	00.0-02.2	15	2.3	00.5-04.1	337	75.2	69.7-80.7
\$35,000- 49,999	526	453,963	74	12.6	08.7-16.5	26	4.1	02.1-06.1	22	4.9	02.0-07.8	7	2.5	00.1-04.9	15	3.2	01.0-05.4	382	72.7	67.2-78.2
\$50,000- 74,999	643	553,775	72	8.5	06.0-11.0	32	3.9	02.1-05.7	16	1.4	00.6-02.2	6	1.2	00.2-02.2	17	2.2	00.4-04.0	500	82.8	79.3-86.3
\$75,000+	944	844,097	84	8.3	06.1-10.5	33	3.7	01.7-05.7	8	0.8	00.2-01.4	3	0.4	00.0-00.8	14	1.4	00.4-02.4	802	85.4	82.5-88.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 8: OVER THE LAST 2 WEEKS, HOW MANY DAYS DID YOU UNINTENTIONALLY FALL ASLEEP DURING THE DAY? (SLEPDAY1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1962	1,845,129	241	11.1	09.3-12.9	123	6.4	04.8-08.0	62	3.0	01.8-04.2	26	1.3	00.7-01.9	64	3.1	02.1-04.1	1446	75.1	72.6-77.6
White/Non-Hisp	1620	1,417,261	188	10.8	08.8-12.8	90	5.8	04.2-07.4	49	2.6	01.6-03.6	22	1.5	00.7-02.3	53	3.0	01.8-04.2	1218	76.3	73.6-79.0
Black or Afr. Am./Non-Hisp	178	257,787	24	11.5	05.4-17.6	19	7.5	02.6-12.4	10	4.9	00.0-09.8	3	1.2	00.0-02.8	7	3.9	00.2-07.6	115	70.9	61.9-79.9
Oth. Race/Non-Hisp.	54	47,460	10	13.5	03.9-23.1	6	11.9	02.1-21.7	1	1.3	00.0-03.8				3	6.7	00.0-14.3	34	66.6	51.7-81.5
18-24	115	210,044	12	10.2	02.9-17.5	5	4.3	00.0-09.0	1	0.8	00.0-02.4	1	0.4	00.0-01.2	2	1.9	00.0-04.8	94	82.4	73.6-91.2
25-34	200	274,015	17	6.8	02.9-10.7	7	4.7	00.6-08.8	3	2.6	00.0-07.1	1	0.5	00.0-01.5	3	1.1	00.0-02.7	169	84.3	77.4-91.2
35-44	244	297,435	23	10.0	05.1-14.9	12	4.4	01.3-07.5	5	1.0	00.0-02.0	4	1.7	00.0-03.5	2	1.6	00.0-03.8	198	81.3	75.2-87.4
45-54	354	336,207	38	10.1	06.0-14.2	26	7.4	03.5-11.3	7	1.4	00.0-02.8	1	0.2	00.0-00.6	7	2.5	00.1-04.9	275	78.4	72.5-84.3
55-64	426	323,675	54	10.9	07.2-14.6	16	4.8	01.9-07.7	21	7.1	03.0-11.2	3	0.5	00.0-01.1	20	5.4	02.1-08.7	312	71.2	65.1-77.3
65+	623	403,753	97	16.3	12.4-20.2	57	10.6	07.3-13.9	25	3.8	01.8-05.8	16	3.6	01.2-06.0	30	4.6	02.4-06.8	398	61.1	56.0-66.2
Less Than H.S.	178	250,605	18	9.9	04.4-15.4	17	7.5	03.0-12.0	9	8.3	01.4-15.2	7	3.2	00.5-05.9	8	3.7	00.2-07.2	119	67.5	58.1-76.9
H.S. or G.E.D.	648	661,674	77	10.1	07.0-13.2	51	7.5	04.8-10.2	20	2.1	00.9-03.3	12	1.4	00.4-02.4	22	3.0	01.2-04.8	466	75.8	71.5-80.1
Some Post-H.S.	465	506,922	65	12.9	09.0-16.8	26	6.7	03.6-09.8	18	2.6	01.2-04.0	5	1.3	00.0-02.7	14	3.1	00.9-05.3	337	73.4	68.1-78.7
College Graduate	665	421,500	81	11.2	08.1-14.3	28	3.6	01.8-05.4	15	1.8	00.6-03.0	2	0.1	00.0-00.3	20	2.8	01.2-04.4	519	80.4	76.5-84.3
Less than \$15,000	171	166,026	19	6.4	02.7-10.1	14	8.6	02.3-14.9	10	9.9	01.1-18.7	2	0.8	00.0-02.0	9	5.2	00.5-09.9	117	69.1	58.1-80.1
\$15,000- 24,999	276	246,659	37	13.9	08.4-19.4	30	12.3	07.0-17.6	12	3.5	01.1-05.9	7	2.6	00.2-05.0	13	6.0	02.1-09.9	177	61.7	53.9-69.5
\$25,000- 34,999	199	200,885	34	17.6	10.5-24.7	13	6.7	01.4-12.0	7	2.1	00.0-04.3	4	2.0	00.0-04.2	6	2.8	00.0-05.9	135	68.8	59.8-77.8
\$35,000- 49,999	264	223,950	34	8.6	05.1-12.1	15	5.9	02.4-09.4	12	5.2	00.7-09.7	3	1.8	00.0-04.5	11	4.4	00.9-07.9	189	74.1	66.8-81.4
\$50,000- 74,999	320	299,668	41	9.8	06.1-13.5	16	4.0	01.6-06.4	10	1.8	00.4-03.2	3	1.2	00.0-02.6	7	1.8	00.0-04.2	243	81.4	76.3-86.5
\$75,000+	485	457,984	48	9.0	05.9-12.1	19	4.7	01.6-07.8	3	0.6	00.2-01.0	1	0.2	00.0-00.6	9	1.4	00.2-02.6	405	84.1	79.8-88.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 9: OVER THE LAST 2 WEEKS, HOW MANY DAYS DID YOU UNINTENTIONALLY FALL ASLEEP DURING THE DAY? (SLEPDAY1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2625	2,084,520	345	12.9	11.1-14.7	161	5.6	04.4-06.8	87	3.1	02.1-04.1	30	1.2	00.6-01.8	96	3.2	02.4-04.0	1906	73.9	71.5-76.3
White/Non-Hisp	2150	1,610,307	261	11.8	10.0-13.6	126	5.3	04.1-06.5	71	3.0	02.0-04.0	26	1.4	00.6-02.2	79	3.1	02.1-04.1	1587	75.4	73.0-77.8
Black or Afr. Am./Non-Hisp	297	314,235	57	16.9	11.0-22.8	17	6.7	01.8-11.6	11	4.7	00.6-08.8	4	0.9	00.0-01.9	12	4.0	01.1-06.9	196	66.9	59.1-74.7
Oth. Race/Non-Hisp.	58	51,834	8	15.2	03.0-27.4	5	4.8	00.0-10.7	1	0.5	00.0-01.5				3	4.8	00.0-10.3	41	74.6	60.3-88.9
18-24	107	196,732	20	16.5	07.9-25.1	7	6.6	00.0-13.3	1	2.4	00.0-06.9				6	3.8	00.3-07.3	73	70.8	59.8-81.8
25-34	250	324,382	33	14.9	09.0-20.8	7	2.9	00.0-06.0	7	3.1	00.2-06.0	3	2.5	00.0-05.6	3	1.1	00.0-02.5	197	75.4	68.1-82.7
35-44	304	313,398	27	7.3	04.0-10.6	19	5.6	02.7-08.5	7	3.5	00.2-06.8	3	0.7	00.0-01.7	10	3.2	01.0-05.4	238	79.7	74.0-85.4
45-54	474	364,653	51	13.8	09.3-18.3	20	4.2	01.8-06.6	14	2.7	00.7-04.7	3	0.8	00.0-01.8	9	1.1	00.1-02.1	377	77.5	72.4-82.6
55-64	571	389,806	67	11.4	08.1-14.7	44	7.9	05.0-10.8	18	2.5	01.1-03.9	8	1.2	00.2-02.2	15	2.9	01.1-04.7	419	74.2	69.7-78.7
65+	919	495,549	147	14.2	11.5-16.9	64	6.3	04.3-08.3	40	3.9	02.3-05.5	13	1.6	00.4-02.8	53	6.3	03.9-08.7	602	67.7	63.8-71.6
Less Than H.S.	260	276,833	43	15.6	10.1-21.1	25	9.5	04.0-15.0	13	3.9	00.8-07.0	4	2.1	00.0-04.8	16	3.3	01.5-05.1	159	65.6	57.8-73.4
H.S. or G.E.D.	844	666,948	112	14.4	11.1-17.7	63	6.6	04.6-08.6	35	3.6	02.0-05.2	6	0.6	00.0-01.2	39	4.5	02.7-06.3	589	70.3	66.2-74.4
Some Post-H.S.	726	673,385	100	13.1	09.8-16.4	37	4.3	02.1-06.5	26	3.6	01.4-05.8	12	1.7	00.3-03.1	25	3.0	01.4-04.6	526	74.3	69.8-78.8
College Graduate	789	461,017	88	8.7	06.3-11.1	36	3.9	02.3-05.5	13	1.2	00.4-02.0	8	1.0	00.0-02.0	16	1.6	00.4-02.8	628	83.5	80.4-86.6
Less than \$15,000	343	258,992	58	17.2	11.3-23.1	28	10.6	04.5-16.7	18	5.0	01.5-08.5	10	2.5	00.0-05.4	24	5.4	02.9-07.9	205	59.2	51.2-67.2
\$15,000- 24,999	492	368,937	73	14.5	10.4-18.6	44	7.2	04.5-09.9	22	5.3	02.2-08.4	8	1.1	00.3-01.9	17	3.0	01.2-04.8	328	68.9	63.4-74.4
\$25,000- 34,999	259	201,685	31	7.8	04.3-11.3	13	5.8	01.5-10.1	4	3.0	00.0-06.3				9	1.7	00.3-03.1	202	81.7	75.4-88.0
\$35,000- 49,999	262	230,014	40	16.4	09.7-23.1	11	2.3	00.7-03.9	10	4.6	00.5-08.7	4	3.2	00.0-07.1	4	2.1	00.0-04.5	193	71.3	63.3-79.3
\$50,000- 74,999	323	254,107	31	7.1	03.8-10.4	16	3.6	01.2-06.0	6	1.1	00.1-02.1	3	1.1	00.0-02.5	10	2.7	00.2-05.2	257	84.4	79.5-89.3
\$75,000+	459	386,114	36	7.5	04.6-10.4	14	2.6	00.6-04.6	5	1.0	00.0-02.0	2	0.6	00.0-01.4	5	1.3	00.0-02.7	397	87.1	83.2-91.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 10: HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4622	3,963,996	2069	43.5	41.5-45.5	2553	56.5	54.5-58.5
Male	1974	1,856,183	1060	51.8	48.7-54.9	914	48.2	45.1-51.3
Female	2648	2,107,813	1009	36.2	33.7-38.7	1639	63.8	61.3-66.3
White/Non-Hisp	3790	3,049,422	1705	44.2	42.0-46.4	2085	55.8	53.6-58.0
Black or Afr. Am./Non-Hisp	488	585,049	206	42.1	35.8-48.4	282	57.9	51.6-64.2
Oth. Race/Non-Hisp.	112	99,912	52	41.0	29.2-52.8	60	59.0	47.2-70.8
MultiRacial/Non-Hisp.	72	51,813	36	38.9	22.6-55.2	36	61.1	44.8-77.4
Hispanic	81	112,350	38	37.3	22.6-52.0	43	62.7	48.0-77.4
18-24	220	402,542	50	23.2	16.1-30.3	170	76.8	69.7-83.9
25-34	452	601,842	149	37.3	31.0-43.6	303	62.7	56.4-69.0
35-44	551	612,740	225	40.3	34.8-45.8	326	59.7	54.2-65.2
45-54	841	717,260	429	50.7	46.0-55.4	412	49.3	44.6-54.0
55-64	999	716,988	531	53.0	48.9-57.1	468	47.0	42.9-51.1
65+	1559	912,625	685	45.5	42.2-48.8	874	54.5	51.2-57.8
Less Than H.S.	452	540,998	217	48.0	41.5-54.5	235	52.0	45.5-58.5
H.S. or G.E.D.	1508	1,339,959	664	43.7	40.2-47.2	844	56.3	52.8-59.8
Some Post-H.S.	1194	1,184,887	562	45.1	41.2-49.0	632	54.9	51.0-58.8
College Graduate	1457	887,548	623	38.4	35.1-41.7	834	61.6	58.3-64.9
Less than \$15,000	524	436,428	239	42.9	36.2-49.6	285	57.1	50.4-63.8
\$15,000- 24,999	772	624,689	353	45.0	40.1-49.9	419	55.0	50.1-59.9
\$25,000- 34,999	461	400,464	206	46.6	39.9-53.3	255	53.4	46.7-60.1
\$35,000- 49,999	525	453,612	234	41.8	35.9-47.7	291	58.2	52.3-64.1
\$50,000- 74,999	643	553,934	322	48.3	43.0-53.6	321	51.7	46.4-57.0
\$75,000+	941	846,870	404	41.5	37.2-45.8	537	58.5	54.2-62.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 11: HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1974	1,856,183	1060	51.8	48.7-54.9	914	48.2	45.1-51.3
White/Non-Hisp	1626	1,426,404	877	52.2	48.9-55.5	749	47.8	44.5-51.1
Black or Afr. Am./Non-Hisp	183	260,136	97	51.3	40.9-61.7	86	48.7	38.3-59.1
Oth. Race/Non-Hisp.	53	47,299	30	53.3	36.2-70.4	23	46.7	29.6-63.8
18-24	114	207,055	30	26.3	16.1-36.5	84	73.7	63.5-83.9
25-34	199	271,710	92	53.2	43.6-62.8	107	46.8	37.2-56.4
35-44	247	297,886	120	46.8	38.6-55.0	127	53.2	45.0-61.4
45-54	360	342,337	223	60.6	53.7-67.5	137	39.4	32.5-46.3
55-64	427	326,330	248	59.7	53.4-66.0	179	40.3	34.0-46.6
65+	627	410,865	347	53.6	48.5-58.7	280	46.4	41.3-51.5
Less Than H.S.	183	256,033	97	54.4	44.4-64.4	86	45.6	35.6-55.6
H.S. or G.E.D.	653	664,709	324	46.9	41.6-52.2	329	53.1	47.8-58.4
Some Post-H.S.	465	508,155	267	56.0	49.9-62.1	198	44.0	37.9-50.1
College Graduate	668	423,019	369	52.5	47.6-57.4	299	47.5	42.6-52.4
Less than \$15,000	176	170,515	79	43.8	31.6-56.0	97	56.2	44.0-68.4
\$15,000- 24,999	279	250,364	150	52.5	44.5-60.5	129	47.5	39.5-55.5
\$25,000- 34,999	201	199,452	105	55.0	45.0-65.0	96	45.0	35.0-55.0
\$35,000- 49,999	262	223,198	140	49.6	40.8-58.4	122	50.4	41.6-59.2
\$50,000- 74,999	321	300,022	190	57.7	50.4-65.0	131	42.3	35.0-49.6
\$75,000+	483	457,497	268	51.9	45.8-58.0	215	48.1	42.0-54.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 12: HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2648	2,107,813	1009	36.2	33.7-38.7	1639	63.8	61.3-66.3
White/Non-Hisp	2164	1,623,018	828	37.1	34.4-39.8	1336	62.9	60.2-65.6
Black or Afr. Am./Non-Hisp	305	324,912	109	34.7	27.3-42.1	196	65.3	57.9-72.7
Oth. Race/Non-Hisp.	59	52,613	22	29.8	15.1-44.5	37	70.2	55.5-84.9
18-24	106	195,487	20	19.8	10.2-29.4	86	80.2	70.6-89.8
25-34	253	330,132	57	24.2	17.3-31.1	196	75.8	68.9-82.7
35-44	304	314,854	105	34.1	26.8-41.4	199	65.9	58.6-73.2
45-54	481	374,922	206	41.6	35.5-47.7	275	58.4	52.3-64.5
55-64	572	390,657	283	47.4	42.1-52.7	289	52.6	47.3-57.9
65+	932	501,760	338	38.9	34.6-43.2	594	61.1	56.8-65.4
Less Than H.S.	269	284,965	120	42.1	34.1-50.1	149	57.9	49.9-65.9
H.S. or G.E.D.	855	675,249	340	40.5	36.0-45.0	515	59.5	55.0-64.0
Some Post-H.S.	729	676,732	295	37.0	32.1-41.9	434	63.0	58.1-67.9
College Graduate	789	464,529	254	25.6	21.7-29.5	535	74.4	70.5-78.3
Less than \$15,000	348	265,913	160	42.3	34.5-50.1	188	57.7	49.9-65.5
\$15,000- 24,999	493	374,325	203	40.0	33.9-46.1	290	60.0	53.9-66.1
\$25,000- 34,999	260	201,012	101	38.3	30.3-46.3	159	61.7	53.7-69.7
\$35,000- 49,999	263	230,414	94	34.2	26.6-41.8	169	65.8	58.2-73.4
\$50,000- 74,999	322	253,913	132	37.2	29.9-44.5	190	62.8	55.5-70.1
\$75,000+	458	389,373	136	29.3	23.4-35.2	322	70.7	64.8-76.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 13: HAS ANYONE EVER OBSERVED THAT YOU STOP BREATHING DURING YOUR SLEEP? (SLEPBRTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4609	3,955,413	804	15.9	14.5-17.3	3805	84.1	82.7-85.5
Male	1960	1,846,326	430	20.5	18.1-22.9	1530	79.5	77.1-81.9
Female	2649	2,109,088	374	11.8	10.2-13.4	2275	88.2	86.6-89.8
White/Non-Hisp	3788	3,048,051	664	16.5	14.9-18.1	3124	83.5	81.9-85.1
Black or Afr. Am./Non-Hisp	480	580,087	75	12.9	09.0-16.8	405	87.1	83.2-91.0
Oth. Race/Non-Hisp.	110	97,145	23	15.6	07.6-23.6	87	84.4	76.4-92.4
MultiRacial/Non-Hisp.	71	51,237	22	31.4	15.1-47.7	49	68.6	52.3-84.9
Hispanic	81	113,443	7	4.7	00.6-08.8	74	95.3	91.2-99.4
18-24	219	401,423	14	6.9	02.8-11.0	205	93.1	89.0-97.2
25-34	451	602,108	41	8.3	05.4-11.2	410	91.7	88.8-94.6
35-44	550	612,681	81	14.6	10.9-18.3	469	85.4	81.7-89.1
45-54	835	712,371	188	21.5	17.8-25.2	647	78.5	74.8-82.2
55-64	992	713,368	209	21.0	17.7-24.3	783	79.0	75.7-82.3
65+	1562	913,462	271	17.2	14.7-19.7	1291	82.8	80.3-85.3
Less Than H.S.	448	539,343	90	18.0	13.3-22.7	358	82.0	77.3-86.7
H.S. or G.E.D.	1499	1,334,902	271	16.5	14.0-19.0	1228	83.5	81.0-86.0
Some Post-H.S.	1197	1,185,949	218	16.2	13.5-18.9	979	83.8	81.1-86.5
College Graduate	1454	884,834	223	13.2	11.0-15.4	1231	86.8	84.6-89.0
Less than \$15,000	518	430,478	115	20.7	15.4-26.0	403	79.3	74.0-84.6
\$15,000- 24,999	769	622,830	160	19.2	15.5-22.9	609	80.8	77.1-84.5
\$25,000- 34,999	458	401,251	68	13.4	09.3-17.5	390	86.6	82.5-90.7
\$35,000- 49,999	526	454,674	95	16.6	12.5-20.7	431	83.4	79.3-87.5
\$50,000- 74,999	642	553,972	99	15.0	11.3-18.7	543	85.0	81.3-88.7
\$75,000+	944	847,353	145	14.2	11.5-16.9	799	85.8	83.1-88.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 14: HAS ANYONE EVER OBSERVED THAT YOU STOP BREATHING DURING YOUR SLEEP? (SLEPBRTH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1960	1,846,326	430	20.5	18.1-22.9	1530	79.5	77.1-81.9
White/Non-Hisp	1619	1,420,111	363	21.9	19.2-24.6	1256	78.1	75.4-80.8
Black or Afr. Am./Non-Hisp	178	258,044	34	15.7	09.0-22.4	144	84.3	77.6-91.0
Oth. Race/Non-Hisp.	52	45,311	12	15.1	04.7-25.5	40	84.9	74.5-95.3
18-24	113	205,936	6	5.8	00.5-11.1	107	94.2	88.9-99.5
25-34	198	271,976	23	9.3	05.0-13.6	175	90.7	86.4-95.0
35-44	246	297,391	52	21.9	15.2-28.6	194	78.1	71.4-84.8
45-54	355	338,753	111	29.5	23.0-36.0	244	70.5	64.0-77.0
55-64	422	323,693	105	27.0	21.1-32.9	317	73.0	67.1-78.9
65+	626	408,577	133	21.8	17.5-26.1	493	78.2	73.9-82.5
Less Than H.S.	180	252,671	46	23.7	15.5-31.9	134	76.3	68.1-84.5
H.S. or G.E.D.	644	659,568	138	19.4	15.3-23.5	506	80.6	76.5-84.7
Some Post-H.S.	466	508,384	104	20.6	16.1-25.1	362	79.4	74.9-83.9
College Graduate	664	421,275	140	20.3	16.6-24.0	524	79.7	76.0-83.4
Less than \$15,000	170	166,059	45	26.4	16.0-36.8	125	73.6	63.2-84.0
\$15,000- 24,999	275	246,762	71	23.8	16.9-30.7	204	76.2	69.3-83.1
\$25,000- 34,999	198	198,937	36	17.7	10.6-24.8	162	82.3	75.2-89.4
\$35,000- 49,999	264	224,971	60	22.1	15.4-28.8	204	77.9	71.2-84.6
\$50,000- 74,999	320	300,973	66	20.2	14.7-25.7	254	79.8	74.3-85.3
\$75,000+	484	457,514	109	20.8	16.3-25.3	375	79.2	74.7-83.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 09: Sleep Disorder**

**TABLE 15: HAS ANYONE EVER OBSERVED THAT YOU STOP BREATHING DURING YOUR SLEEP? (SLEPBRTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2649	2,109,088	374	11.8	10.2-13.4	2275	88.2	86.6-89.8
White/Non-Hisp	2169	1,627,940	301	11.8	10.0-13.6	1868	88.2	86.4-90.0
Black or Afr. Am./Non-Hisp	302	322,044	41	10.6	06.1-15.1	261	89.4	84.9-93.9
Oth. Race/Non-Hisp.	58	51,834	11	15.9	03.9-27.9	47	84.1	72.1-96.1
18-24	106	195,487	8	8.1	02.0-14.2	98	91.9	85.8-98.0
25-34	253	330,132	18	7.5	03.4-11.6	235	92.5	88.4-96.6
35-44	304	315,289	29	7.7	04.2-11.2	275	92.3	88.8-95.8
45-54	480	373,618	77	14.2	10.1-18.3	403	85.8	81.7-89.9
55-64	570	389,675	104	16.1	12.4-19.8	466	83.9	80.2-87.6
65+	936	504,886	138	13.5	10.8-16.2	798	86.5	83.8-89.2
Less Than H.S.	268	286,672	44	13.0	08.1-17.9	224	87.0	82.1-91.9
H.S. or G.E.D.	855	675,335	133	13.7	10.8-16.6	722	86.3	83.4-89.2
Some Post-H.S.	731	677,566	114	12.9	09.8-16.0	617	87.1	84.0-90.2
College Graduate	790	463,559	83	6.7	04.7-08.7	707	93.3	91.3-95.3
Less than \$15,000	348	264,419	70	17.0	11.5-22.5	278	83.0	77.5-88.5
\$15,000- 24,999	494	376,068	89	16.2	11.9-20.5	405	83.8	79.5-88.1
\$25,000- 34,999	260	202,315	32	9.3	05.2-13.4	228	90.7	86.6-94.8
\$35,000- 49,999	262	229,703	35	11.1	06.0-16.2	227	88.9	83.8-94.0
\$50,000- 74,999	322	253,000	33	8.7	04.4-13.0	289	91.3	87.0-95.6
\$75,000+	460	389,839	36	6.4	03.5-09.3	424	93.6	90.7-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 11: Alcohol Screening & Brief Intervention (ASBI) CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HEALTHCARE PROVIDERS MAY ASK DURING ROUTINE CHECKUPS ABOUT BEHAVIORS LIKE ALCOHOL USE, WHETHER YOU DRINK OR NOT. WE WANT TO KNOW ABOUT THEIR QUESTIONS. YOU TOLD ME EARLIER THAT YOUR LAST ROUTINE CHECKUP WAS [WITHIN THE PAST YEAR/WITHIN THE PAST 2 YEARS]. AT THAT CHECKUP, WERE YOU ASKED IN PERSON OR ON A FORM IF YOU DRINK ALCOHOL? (ASBIALCH)	
1 MALES AND FEMALES	57
2 MALES ONLY	58
3 FEMALES ONLY	59
DID THE HEALTH CARE PROVIDER ASK YOU IN PERSON OR ON A FORM HOW MUCH YOU DRINK? (ASBIDRNK)	
4 MALES AND FEMALES	60
5 MALES ONLY	61
6 FEMALES ONLY	62
DID THE HEALTHCARE PROVIDER SPECIFICALLY ASK WHETHER YOU DRANK [5 FOR MEN /4 FOR WOMEN] OR MORE ALCOHOLIC DRINKS ON AN OCCASION? (ASBIBING)	
7 MALES AND FEMALES	63
8 MALES ONLY	64
9 FEMALES ONLY	65
WERE YOU OFFERED ADVICE ABOUT WHAT LEVEL OF DRINKING IS HARMFUL OR RISKY FOR YOUR HEALTH? (ASBIADVC)	
10 MALES AND FEMALES	66
11 MALES ONLY	67
12 FEMALES ONLY	68
HEALTHCARE PROVIDERS MAY ALSO ADVISE PATIENTS TO DRINK LESS FOR VARIOUS REASONS. AT YOUR LAST ROUTINE CHECKUP, WERE YOU ADVISED TO REDUCE OR QUIT YOUR DRINKING? (ASBIRDUC)	
13 MALES AND FEMALES	69
14 MALES ONLY	70
15 FEMALES ONLY	71



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 1: HEALTHCARE PROVIDERS MAY ASK DURING ROUTINE CHECKUPS ABOUT BEHAVIORS LIKE ALCOHOL USE, WHETHER YOU DRINK OR NOT. WE WANT TO KNOW ABOUT THEIR QUESTIONS. YOU TOLD ME EARLIER THAT YOUR LAST ROUTINE CHECKUP WAS [WITHIN THE PAST YEAR/WITHIN THE PAST 2 YEARS]. AT THAT CHECKUP, WERE YOU ASKED IN PERSON OR ON A FORM IF YOU DRINK ALCOHOL? (ASBIALCH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3591	3,002,306	2621	75.0	73.0-77.0	970	25.0	23.0-27.0
Male	1482	1,358,120	1092	76.9	74.0-79.8	390	23.1	20.2-26.0
Female	2109	1,644,186	1529	73.5	70.8-76.2	580	26.5	23.8-29.2
White/Non-Hisp	2927	2,286,730	2142	75.7	73.5-77.9	785	24.3	22.1-26.5
Black or Afr. Am./Non-Hisp	414	475,184	299	73.9	68.0-79.8	115	26.1	20.2-32.0
Oth. Race/Non-Hisp.	86	76,186	65	78.3	66.3-90.3	21	21.7	09.7-33.7
Hispanic	58	80,915	39	67.8	50.6-85.0	19	32.2	15.0-49.4
18-24	141	260,858	110	73.1	63.3-82.9	31	26.9	17.1-36.7
25-34	288	381,357	262	91.5	87.2-95.8	26	8.5	04.2-12.8
35-44	420	466,833	355	83.0	77.9-88.1	65	17.0	11.9-22.1
45-54	651	559,289	539	81.1	76.6-85.6	112	18.9	14.4-23.4
55-64	791	571,255	592	74.1	70.2-78.0	199	25.9	22.0-29.8
65+	1300	762,713	763	58.9	55.4-62.4	537	41.1	37.6-44.6
Less Than H.S.	361	427,630	221	65.0	58.1-71.9	140	35.0	28.1-41.9
H.S. or G.E.D.	1146	984,333	776	71.0	67.5-74.5	370	29.0	25.5-32.5
Some Post-H.S.	932	904,154	701	77.1	73.4-80.8	231	22.9	19.2-26.6
College Graduate	1144	680,828	917	84.3	81.8-86.8	227	15.7	13.2-18.2
Less than \$15,000	409	318,077	263	66.5	59.6-73.4	146	33.5	26.6-40.4
\$15,000- 24,999	601	491,100	422	71.9	67.0-76.8	179	28.1	23.2-33.0
\$25,000- 34,999	346	302,885	250	72.8	65.9-79.7	96	27.2	20.3-34.1
\$35,000- 49,999	411	353,402	313	80.3	74.8-85.8	98	19.7	14.2-25.2
\$50,000- 74,999	506	425,075	386	79.0	74.1-83.9	120	21.0	16.1-25.9
\$75,000+	757	655,524	615	81.7	77.8-85.6	142	18.3	14.4-22.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 2: HEALTHCARE PROVIDERS MAY ASK DURING ROUTINE CHECKUPS ABOUT BEHAVIORS LIKE ALCOHOL USE, WHETHER YOU DRINK OR NOT. WE WANT TO KNOW ABOUT THEIR QUESTIONS. YOU TOLD ME EARLIER THAT YOUR LAST ROUTINE CHECKUP WAS [WITHIN THE PAST YEAR/WITHIN THE PAST 2 YEARS]. AT THAT CHECKUP, WERE YOU ASKED IN PERSON OR ON A FORM IF YOU DRINK ALCOHOL? (ASBIALCH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1482	1,358,120	1092	76.9	74.0-79.8	390	23.1	20.2-26.0
White/Non-Hisp	1212	1,035,691	885	76.3	73.0-79.6	327	23.7	20.4-27.0
Black or Afr. Am./Non-Hisp	146	196,059	115	82.0	73.8-90.2	31	18.0	09.8-26.2
18-24	69	129,411	57	74.7	60.8-88.6	12	25.3	11.4-39.2
25-34	110	154,364	103	95.5	92.0-99.0	7	4.5	01.0-08.0
35-44	171	202,266	142	83.3	76.0-90.6	29	16.7	09.4-24.0
45-54	266	259,404	214	79.5	72.2-86.8	52	20.5	13.2-27.8
55-64	339	263,527	243	72.6	66.3-78.9	96	27.4	21.1-33.7
65+	527	349,147	333	66.9	61.8-72.0	194	33.1	28.0-38.2
Less Than H.S.	137	190,737	87	68.1	57.7-78.5	50	31.9	21.5-42.3
H.S. or G.E.D.	481	470,104	323	71.9	66.6-77.2	158	28.1	22.8-33.4
Some Post-H.S.	348	380,194	275	82.6	77.5-87.7	73	17.4	12.3-22.5
College Graduate	512	313,619	404	82.4	78.5-86.3	108	17.6	13.7-21.5
Less than \$15,000	131	119,179	90	73.2	62.6-83.8	41	26.8	16.2-37.4
\$15,000- 24,999	206	183,915	144	71.7	63.9-79.5	62	28.3	20.5-36.1
\$25,000- 34,999	147	147,646	99	67.7	56.5-78.9	48	32.3	21.1-43.5
\$35,000- 49,999	200	160,498	154	85.4	79.9-90.9	46	14.6	09.1-20.1
\$50,000- 74,999	242	224,666	186	80.6	74.1-87.1	56	19.4	12.9-25.9
\$75,000+	381	349,418	300	80.3	74.8-85.8	81	19.7	14.2-25.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 3: HEALTHCARE PROVIDERS MAY ASK DURING ROUTINE CHECKUPS ABOUT BEHAVIORS LIKE ALCOHOL USE, WHETHER YOU DRINK OR NOT. WE WANT TO KNOW ABOUT THEIR QUESTIONS. YOU TOLD ME EARLIER THAT YOUR LAST ROUTINE CHECKUP WAS [WITHIN THE PAST YEAR/WITHIN THE PAST 2 YEARS]. AT THAT CHECKUP, WERE YOU ASKED IN PERSON OR ON A FORM IF YOU DRINK ALCOHOL? (ASBIALCH)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2109	1,644,186	1529	73.5	70.8-76.2	580	26.5	23.8-29.2
White/Non-Hisp	1715	1,251,040	1257	75.2	72.5-77.9	458	24.8	22.1-27.5
Black or Afr. Am./Non-Hisp	268	279,125	184	68.1	60.1-76.1	84	31.9	23.9-39.9
18-24	72	131,447	53	71.4	57.5-85.3	19	28.6	14.7-42.5
25-34	178	226,993	159	88.8	82.3-95.3	19	11.2	04.7-17.7
35-44	249	264,567	213	82.7	75.8-89.6	36	17.3	10.4-24.2
45-54	385	299,885	325	82.5	77.0-88.0	60	17.5	12.0-23.0
55-64	452	307,728	349	75.4	70.1-80.7	103	24.6	19.3-29.9
65+	773	413,566	430	52.0	47.3-56.7	343	48.0	43.3-52.7
Less Than H.S.	224	236,893	134	62.5	53.7-71.3	90	37.5	28.7-46.3
H.S. or G.E.D.	665	514,229	453	70.2	65.7-74.7	212	29.8	25.3-34.3
Some Post-H.S.	584	523,961	426	73.1	67.8-78.4	158	26.9	21.6-32.2
College Graduate	632	367,209	513	85.9	82.6-89.2	119	14.1	10.8-17.4
Less than \$15,000	278	198,898	173	62.5	53.7-71.3	105	37.5	28.7-46.3
\$15,000- 24,999	395	307,185	278	72.0	65.9-78.1	117	28.0	21.9-34.1
\$25,000- 34,999	199	155,238	151	77.7	69.9-85.5	48	22.3	14.5-30.1
\$35,000- 49,999	211	192,904	159	75.9	67.5-84.3	52	24.1	15.7-32.5
\$50,000- 74,999	264	200,409	200	77.2	69.8-84.6	64	22.8	15.4-30.2
\$75,000+	376	306,106	315	83.2	77.7-88.7	61	16.8	11.3-22.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 4: DID THE HEALTH CARE PROVIDER ASK YOU IN PERSON OR ON A FORM HOW MUCH YOU DRINK? (ASBIDRNK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3612	3,001,056	2247	64.1	61.9-66.3	1365	35.9	33.7-38.1
Male	1471	1,341,583	937	65.6	62.1-69.1	534	34.4	30.9-37.9
Female	2141	1,659,474	1310	62.8	59.9-65.7	831	37.2	34.3-40.1
White/Non-Hisp	2952	2,286,246	1831	64.2	61.8-66.6	1121	35.8	33.4-38.2
Black or Afr. Am./Non-Hisp	411	478,849	254	65.2	58.7-71.7	157	34.8	28.3-41.3
Oth. Race/Non-Hisp.	88	77,004	63	72.8	60.1-85.5	25	27.2	14.5-39.9
Hispanic	57	79,221	35	57.1	38.5-75.7	22	42.9	24.3-61.5
18-24	142	261,107	91	56.6	46.0-67.2	51	43.4	32.8-54.0
25-34	287	382,098	233	78.7	72.0-85.4	54	21.3	14.6-28.0
35-44	419	462,903	337	78.5	73.0-84.0	82	21.5	16.0-27.0
45-54	640	548,018	457	69.3	64.4-74.2	183	30.7	25.8-35.6
55-64	781	562,995	510	65.4	61.1-69.7	271	34.6	30.3-38.9
65+	1343	783,935	619	46.3	42.8-49.8	724	53.7	50.2-57.2
Less Than H.S.	361	422,147	169	52.1	45.0-59.2	192	47.9	40.8-55.0
H.S. or G.E.D.	1161	996,022	660	58.9	55.0-62.8	501	41.1	37.2-45.0
Some Post-H.S.	925	893,741	595	65.9	61.6-70.2	330	34.1	29.8-38.4
College Graduate	1158	684,167	818	76.7	73.8-79.6	340	23.3	20.4-26.2
Less than \$15,000	412	324,146	218	56.1	48.8-63.4	194	43.9	36.6-51.2
\$15,000- 24,999	609	495,791	355	60.3	54.8-65.8	254	39.7	34.2-45.2
\$25,000- 34,999	351	299,727	218	61.5	54.1-68.9	133	38.5	31.1-45.9
\$35,000- 49,999	404	346,089	266	69.6	63.3-75.9	138	30.4	24.1-36.7
\$50,000- 74,999	507	424,649	333	67.7	62.0-73.4	174	32.3	26.6-38.0
\$75,000+	751	644,480	560	74.5	70.0-79.0	191	25.5	21.0-30.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 5: DID THE HEALTH CARE PROVIDER ASK YOU IN PERSON OR ON A FORM HOW MUCH YOU DRINK? (ASBIDRNK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1471	1,341,583	937	65.6	62.1-69.1	534	34.4	30.9-37.9
White/Non-Hisp	1203	1,021,900	759	65.2	61.5-68.9	444	34.8	31.1-38.5
Black or Afr. Am./Non-Hisp	148	199,154	93	69.2	59.2-79.2	55	30.8	20.8-40.8
18-24	71	134,992	45	51.9	37.2-66.6	26	48.1	33.4-62.8
25-34	104	149,409	86	78.4	66.6-90.2	18	21.6	09.8-33.4
35-44	170	199,672	129	78.0	70.0-86.0	41	22.0	14.0-30.0
45-54	261	252,911	184	69.4	61.8-77.0	77	30.6	23.0-38.2
55-64	334	261,280	224	67.6	60.7-74.5	110	32.4	25.5-39.3
65+	531	343,319	269	53.9	48.2-59.6	262	46.1	40.4-51.8
Less Than H.S.	135	183,878	70	53.7	42.1-65.3	65	46.3	34.7-57.9
H.S. or G.E.D.	481	470,190	285	61.6	55.3-67.9	196	38.4	32.1-44.7
Some Post-H.S.	340	373,791	231	69.8	63.1-76.5	109	30.2	23.5-36.9
College Graduate	511	310,257	349	74.1	69.4-78.8	162	25.9	21.2-30.6
Less than \$15,000	133	120,674	73	59.6	47.3-71.9	60	40.4	28.1-52.7
\$15,000- 24,999	203	179,465	127	62.9	53.9-71.9	76	37.1	28.1-46.1
\$25,000- 34,999	144	141,763	81	56.6	44.4-68.8	63	43.4	31.2-55.6
\$35,000- 49,999	194	155,045	126	72.8	64.6-81.0	68	27.2	19.0-35.4
\$50,000- 74,999	244	226,891	164	68.0	59.8-76.2	80	32.0	23.8-40.2
\$75,000+	372	340,465	267	72.7	66.2-79.2	105	27.3	20.8-33.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 6: DID THE HEALTH CARE PROVIDER ASK YOU IN PERSON OR ON A FORM HOW MUCH YOU DRINK? (ASBIDRNK)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2141	1,659,474	1310	62.8	59.9-65.7	831	37.2	34.3-40.1
White/Non-Hisp	1749	1,264,346	1072	63.4	60.3-66.5	677	36.6	33.5-39.7
Black or Afr. Am./Non-Hisp	263	279,694	161	62.4	54.2-70.6	102	37.6	29.4-45.8
18-24	71	126,115	46	61.7	46.6-76.8	25	38.3	23.2-53.4
25-34	183	232,689	147	78.9	70.9-86.9	36	21.1	13.1-29.1
35-44	249	263,231	208	78.8	71.4-86.2	41	21.2	13.8-28.6
45-54	379	295,107	273	69.1	62.6-75.6	106	30.9	24.4-37.4
55-64	447	301,715	286	63.5	57.8-69.2	161	36.5	30.8-42.2
65+	812	440,617	350	40.4	35.9-44.9	462	59.6	55.1-64.1
Less Than H.S.	226	238,269	99	50.8	41.8-59.8	127	49.2	40.2-58.2
H.S. or G.E.D.	680	525,832	375	56.5	51.4-61.6	305	43.5	38.4-48.6
Some Post-H.S.	585	519,950	364	63.1	57.6-68.6	221	36.9	31.4-42.4
College Graduate	647	373,909	469	78.8	75.1-82.5	178	21.2	17.5-24.9
Less than \$15,000	279	203,473	145	54.0	45.0-63.0	134	46.0	37.0-55.0
\$15,000- 24,999	406	316,326	228	58.9	52.2-65.6	178	41.1	34.4-47.8
\$25,000- 34,999	207	157,964	137	65.9	57.1-74.7	70	34.1	25.3-42.9
\$35,000- 49,999	210	191,044	140	67.0	58.0-76.0	70	33.0	24.0-42.0
\$50,000- 74,999	263	197,759	169	67.4	59.6-75.2	94	32.6	24.8-40.4
\$75,000+	379	304,015	293	76.5	70.4-82.6	86	23.5	17.4-29.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 7: DID THE HEALTHCARE PROVIDER SPECIFICALLY ASK WHETHER YOU DRANK [5 FOR MEN /4 FOR WOMEN] OR MORE ALCOHOLIC DRINKS ON AN OCCASION? (ASBIBING)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3267	2,693,684	927	30.6	28.2-33.0	2340	69.4	67.0-71.8
Male	1334	1,215,127	418	33.7	30.0-37.4	916	66.3	62.6-70.0
Female	1933	1,478,557	509	28.1	25.2-31.0	1424	71.9	69.0-74.8
White/Non-Hisp	2648	2,019,370	704	28.7	26.3-31.1	1944	71.3	68.9-73.7
Black or Afr. Am./Non-Hisp	388	451,856	134	35.6	28.7-42.5	254	64.4	57.5-71.3
Oth. Race/Non-Hisp.	83	72,835	30	41.5	26.8-56.2	53	58.5	43.8-73.2
Hispanic	54	77,734	24	41.1	23.7-58.5	30	58.9	41.5-76.3
18-24	130	239,494	41	25.8	16.8-34.8	89	74.2	65.2-83.2
25-34	233	325,197	108	46.4	38.0-54.8	125	53.6	45.2-62.0
35-44	350	380,796	154	42.8	35.9-49.7	196	57.2	50.3-64.1
45-54	573	499,137	210	35.9	30.4-41.4	363	64.1	58.6-69.6
55-64	711	504,542	213	29.4	24.9-33.9	498	70.6	66.1-75.1
65+	1270	744,519	201	16.3	13.6-19.0	1069	83.7	81.0-86.4
Less Than H.S.	352	413,213	104	32.6	25.5-39.7	248	67.4	60.3-74.5
H.S. or G.E.D.	1076	913,140	298	27.6	23.9-31.3	778	72.4	68.7-76.1
Some Post-H.S.	843	790,089	252	32.1	27.8-36.4	591	67.9	63.6-72.2
College Graduate	988	571,882	270	31.8	27.7-35.9	718	68.2	64.1-72.3
Less than \$15,000	391	303,763	126	37.4	29.8-45.0	265	62.6	55.0-70.2
\$15,000- 24,999	578	467,788	187	34.8	29.1-40.5	391	65.2	59.5-70.9
\$25,000- 34,999	321	275,353	98	31.1	23.5-38.7	223	68.9	61.3-76.5
\$35,000- 49,999	369	315,862	98	29.6	23.1-36.1	271	70.4	63.9-76.9
\$50,000- 74,999	440	365,581	120	27.5	22.0-33.0	320	72.5	67.0-78.0
\$75,000+	629	526,358	190	31.8	26.9-36.7	439	68.2	63.3-73.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 8: DID THE HEALTHCARE PROVIDER SPECIFICALLY ASK WHETHER YOU DRANK [5 FOR MEN /4 FOR WOMEN] OR MORE ALCOHOLIC DRINKS ON AN OCCASION? (ASBIBING)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1334	1,215,127	418	33.7	30.0-37.4	916	66.3	62.6-70.0
White/Non-Hisp	1086	918,924	325	31.9	28.0-35.8	761	68.1	64.2-72.0
Black or Afr. Am./Non-Hisp	139	184,238	49	42.4	30.4-54.4	90	57.6	45.6-69.6
18-24	63	123,305	21	23.0	11.8-34.2	42	77.0	65.8-88.2
25-34	86	133,686	48	54.2	40.1-68.3	38	45.8	31.7-59.9
35-44	142	160,952	71	53.6	43.0-64.2	71	46.4	35.8-57.0
45-54	239	235,738	91	35.7	27.1-44.3	148	64.3	55.7-72.9
55-64	302	231,302	96	33.6	26.0-41.2	206	66.4	58.8-74.0
65+	502	330,144	91	18.2	13.7-22.7	411	81.8	77.3-86.3
Less Than H.S.	131	180,543	43	38.0	26.0-50.0	88	62.0	50.0-74.0
H.S. or G.E.D.	440	430,541	134	30.0	23.9-36.1	306	70.0	63.9-76.1
Some Post-H.S.	305	325,349	104	33.9	27.0-40.8	201	66.1	59.2-73.0
College Graduate	454	275,229	136	36.5	30.6-42.4	318	63.5	57.6-69.4
Less than \$15,000	121	109,385	40	44.0	29.5-58.5	81	56.0	41.5-70.5
\$15,000- 24,999	196	173,651	74	38.8	29.6-48.0	122	61.2	52.0-70.4
\$25,000- 34,999	133	138,787	35	30.6	18.1-43.1	98	69.4	56.9-81.9
\$35,000- 49,999	179	138,349	52	29.6	20.2-39.0	127	70.4	61.0-79.8
\$50,000- 74,999	212	198,089	62	30.9	22.7-39.1	150	69.1	60.9-77.3
\$75,000+	328	296,098	116	36.5	29.6-43.4	212	63.5	56.6-70.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 9: DID THE HEALTHCARE PROVIDER SPECIFICALLY ASK WHETHER YOU DRANK [5 FOR MEN /4 FOR WOMEN] OR MORE ALCOHOLIC DRINKS ON AN OCCASION? (ASBIBING)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1933	1,478,557	509	28.1	25.2-31.0	1424	71.9	69.0-74.8
White/Non-Hisp	1562	1,100,446	379	26.0	22.9-29.1	1183	74.0	70.9-77.1
Black or Afr. Am./Non-Hisp	249	267,618	85	30.9	23.3-38.5	164	69.1	61.5-76.7
18-24	67	116,190	20	28.8	14.9-42.7	47	71.2	57.3-85.1
25-34	147	191,511	60	40.9	30.3-51.5	87	59.1	48.5-69.7
35-44	208	219,844	83	34.9	26.5-43.3	125	65.1	56.7-73.5
45-54	334	263,398	119	36.0	28.9-43.1	215	64.0	56.9-71.1
55-64	409	273,239	117	25.9	20.8-31.0	292	74.1	69.0-79.2
65+	768	414,375	110	14.8	11.5-18.1	658	85.2	81.9-88.5
Less Than H.S.	221	232,670	61	28.5	20.5-36.5	160	71.5	63.5-79.5
H.S. or G.E.D.	636	482,599	164	25.5	21.0-30.0	472	74.5	70.0-79.0
Some Post-H.S.	538	464,740	148	30.8	25.3-36.3	390	69.2	63.7-74.7
College Graduate	534	296,653	134	27.5	22.0-33.0	400	72.5	67.0-78.0
Less than \$15,000	270	194,378	86	33.7	25.3-42.1	184	66.3	57.9-74.7
\$15,000- 24,999	382	294,136	113	32.5	25.4-39.6	269	67.5	60.4-74.6
\$25,000- 34,999	188	136,566	63	31.6	22.8-40.4	125	68.4	59.6-77.2
\$35,000- 49,999	190	177,513	46	29.6	20.6-38.6	144	70.4	61.4-79.4
\$50,000- 74,999	228	167,492	58	23.6	16.5-30.7	170	76.4	69.3-83.5
\$75,000+	301	230,260	74	25.8	18.9-32.7	227	74.2	67.3-81.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 10: WERE YOU OFFERED ADVICE ABOUT WHAT LEVEL OF DRINKING IS HARMFUL OR RISKY FOR YOUR HEALTH? (ASBIADVC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3758	3,115,198	638	18.3	16.5-20.1	3120	81.7	79.9-83.5
Male	1517	1,380,513	323	23.4	20.5-26.3	1194	76.6	73.7-79.5
Female	2241	1,734,685	315	14.3	12.1-16.5	1926	85.7	83.5-87.9
White/Non-Hisp	3072	2,379,315	485	16.8	15.0-18.6	2587	83.2	81.4-85.0
Black or Afr. Am./Non-Hisp	433	496,631	95	24.6	18.5-30.7	338	75.4	69.3-81.5
Oth. Race/Non-Hisp.	91	78,935	22	22.0	11.0-33.0	69	78.0	67.0-89.0
Hispanic	54	77,024	13	25.5	10.4-40.6	41	74.5	59.4-89.6
18-24	144	264,352	40	21.5	13.7-29.3	104	78.5	70.7-86.3
25-34	285	372,873	77	27.1	20.2-34.0	208	72.9	66.0-79.8
35-44	420	462,542	95	23.1	17.8-28.4	325	76.9	71.6-82.2
45-54	684	596,408	134	19.4	15.3-23.5	550	80.6	76.5-84.7
55-64	831	601,208	130	15.6	12.3-18.9	701	84.4	81.1-87.7
65+	1394	817,815	162	11.8	09.4-14.2	1232	88.2	85.8-90.6
Less Than H.S.	371	439,178	85	25.8	19.3-32.3	286	74.2	67.7-80.7
H.S. or G.E.D.	1196	1,028,455	199	15.8	13.1-18.5	997	84.2	81.5-86.9
Some Post-H.S.	963	924,896	182	19.8	16.3-23.3	781	80.2	76.7-83.7
College Graduate	1218	713,847	171	15.6	12.9-18.3	1047	84.4	81.7-87.1
Less than \$15,000	416	322,016	94	27.0	20.1-33.9	322	73.0	66.1-79.9
\$15,000- 24,999	627	501,405	131	22.2	17.3-27.1	496	77.8	72.9-82.7
\$25,000- 34,999	356	311,116	65	22.7	15.8-29.6	291	77.3	70.4-84.2
\$35,000- 49,999	423	359,100	75	19.8	14.5-25.1	348	80.2	74.9-85.5
\$50,000- 74,999	533	453,776	80	15.5	11.6-19.4	453	84.5	80.6-88.4
\$75,000+	791	669,390	111	14.7	11.6-17.8	680	85.3	82.2-88.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 11: WERE YOU OFFERED ADVICE ABOUT WHAT LEVEL OF DRINKING IS HARMFUL OR RISKY FOR YOUR HEALTH? (ASBIADVC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1517	1,380,513	323	23.4	20.3-26.5	1194	76.6	73.5-79.7
White/Non-Hisp	1241	1,050,458	252	21.4	18.3-24.5	989	78.6	75.5-81.7
Black or Afr. Am./Non-Hisp	154	207,683	42	33.8	23.0-44.6	112	66.2	55.4-77.0
18-24	71	132,486	27	28.8	17.0-40.6	44	71.2	59.4-83.0
25-34	105	147,652	38	34.2	22.4-46.0	67	65.8	54.0-77.6
35-44	169	196,774	47	29.5	20.5-38.5	122	70.5	61.5-79.5
45-54	275	271,767	66	25.3	17.9-32.7	209	74.7	67.3-82.1
55-64	348	270,316	65	20.2	14.1-26.3	283	79.8	73.7-85.9
65+	549	361,518	80	14.6	10.7-18.5	469	85.4	81.5-89.3
Less Than H.S.	141	196,179	36	27.8	17.2-38.4	105	72.2	61.6-82.8
H.S. or G.E.D.	489	481,742	93	18.5	13.8-23.2	396	81.5	76.8-86.2
Some Post-H.S.	347	373,993	100	30.2	23.9-36.5	247	69.8	63.5-76.1
College Graduate	535	324,774	94	20.4	15.9-24.9	441	79.6	75.1-84.1
Less than \$15,000	132	120,652	33	33.4	20.7-46.1	99	66.6	53.9-79.3
\$15,000- 24,999	208	178,750	48	25.3	16.7-33.9	160	74.7	66.1-83.3
\$25,000- 34,999	142	144,673	32	34.0	21.7-46.3	110	66.0	53.7-78.3
\$35,000- 49,999	203	162,795	47	24.8	16.6-33.0	156	75.2	67.0-83.4
\$50,000- 74,999	256	240,628	53	20.3	14.0-26.6	203	79.7	73.4-86.0
\$75,000+	393	352,963	74	19.5	14.6-24.4	319	80.5	75.6-85.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 12: WERE YOU OFFERED ADVICE ABOUT WHAT LEVEL OF DRINKING IS HARMFUL OR RISKY FOR YOUR HEALTH? (ASBIADVC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2241	1,734,685	315	14.3	12.1-16.5	1926	85.7	83.5-87.9
White/Non-Hisp	1831	1,328,857	233	13.1	10.9-15.3	1598	86.9	84.7-89.1
Black or Afr. Am./Non-Hisp	279	288,949	53	18.0	11.5-24.5	226	82.0	75.5-88.5
Oth. Race/Non-Hisp.	50	42,550	11	11.3	02.3-20.3	39	88.7	79.7-97.7
18-24	73	131,866	13	14.2	03.8-24.6	60	85.8	75.4-96.2
25-34	180	225,221	39	22.4	14.0-30.8	141	77.6	69.2-86.0
35-44	251	265,767	48	18.3	12.2-24.4	203	81.7	75.6-87.8
45-54	409	324,641	68	14.6	10.3-18.9	341	85.4	81.1-89.7
55-64	483	330,893	65	11.9	08.4-15.4	418	88.1	84.6-91.6
65+	845	456,297	82	9.5	06.6-12.4	763	90.5	87.6-93.4
Less Than H.S.	230	242,998	49	24.1	15.9-32.3	181	75.9	67.7-84.1
H.S. or G.E.D.	707	546,713	106	13.4	10.1-16.7	601	86.6	83.3-89.9
Some Post-H.S.	616	550,904	82	12.7	09.0-16.4	534	87.3	83.6-91.0
College Graduate	683	389,073	77	11.6	08.3-14.9	606	88.4	85.1-91.7
Less than \$15,000	284	201,363	61	23.1	15.3-30.9	223	76.9	69.1-84.7
\$15,000- 24,999	419	322,655	83	20.4	14.5-26.3	336	79.6	73.7-85.5
\$25,000- 34,999	214	166,443	33	12.8	07.3-18.3	181	87.2	81.7-92.7
\$35,000- 49,999	220	196,305	28	15.7	08.6-22.8	192	84.3	77.2-91.4
\$50,000- 74,999	277	213,148	27	10.1	05.6-14.6	250	89.9	85.4-94.4
\$75,000+	398	316,427	37	9.3	05.6-13.0	361	90.7	87.0-94.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 13: HEALTHCARE PROVIDERS MAY ALSO ADVISE PATIENTS TO DRINK LESS FOR VARIOUS REASONS. AT YOUR LAST ROUTINE CHECKUP, WERE YOU ADVISED TO REDUCE OR QUIT YOUR DRINKING? (ASBIRDUC)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2728	2,336,696	176	6.6	05.2-08.0	2552	93.4	92.0-94.8
Male	1137	1,081,672	93	8.6	06.2-11.0	1044	91.4	89.0-93.8
Female	1591	1,255,024	83	5.0	03.6-06.4	1508	95.0	93.6-96.4
White/Non-Hisp	2223	1,798,818	126	5.7	04.3-07.1	2097	94.3	92.9-95.7
Black or Afr. Am./Non-Hisp	310	359,426	37	12.4	06.9-17.9	273	87.6	82.1-93.1
Oth. Race/Non-Hisp.	72	65,024	3	3.5	00.0-07.8	69	96.5	92.2-0100
18-24	111	195,040	6	4.7	00.2-09.2	105	95.3	90.8-99.8
25-34	268	353,738	18	5.7	02.2-09.2	250	94.3	90.8-97.8
35-44	365	396,297	24	8.5	04.6-12.4	341	91.5	87.6-95.4
45-54	551	477,347	51	9.2	05.9-12.5	500	90.8	87.5-94.1
55-64	609	433,911	38	6.6	03.7-09.5	571	93.4	90.5-96.3
65+	824	480,362	39	4.1	02.5-05.7	785	95.9	94.3-97.5
Less Than H.S.	231	290,090	40	14.5	08.6-20.4	191	85.5	79.6-91.4
H.S. or G.E.D.	811	727,810	60	7.3	04.8-09.8	751	92.7	90.2-95.2
Some Post-H.S.	729	723,955	45	5.6	03.4-07.8	684	94.4	92.2-96.6
College Graduate	951	590,022	30	3.3	01.7-04.9	921	96.7	95.1-98.3
Less than \$15,000	285	224,491	36	11.2	05.7-16.7	249	88.8	83.3-94.3
\$15,000- 24,999	434	357,432	47	10.8	06.9-14.7	387	89.2	85.3-93.1
\$25,000- 34,999	266	233,196	20	10.9	04.6-17.2	246	89.1	82.8-95.4
\$35,000- 49,999	322	288,437	10	4.3	01.0-07.6	312	95.7	92.4-99.0
\$50,000- 74,999	402	351,883	22	5.6	02.7-08.5	380	94.4	91.5-97.3
\$75,000+	636	554,512	23	3.4	01.6-05.2	613	96.6	94.8-98.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 14: HEALTHCARE PROVIDERS MAY ALSO ADVISE PATIENTS TO DRINK LESS FOR VARIOUS REASONS. AT YOUR LAST ROUTINE CHECKUP, WERE YOU ADVISED TO REDUCE OR QUIT YOUR DRINKING? (ASBIRDUC)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1137	1,081,672	93	8.6	06.2-11.0	1044	91.4	89.0-93.8
White/Non-Hisp	920	819,826	66	7.3	05.1-09.5	854	92.7	90.5-94.9
Black or Afr. Am./Non-Hisp	118	163,448	18	17.3	06.9-27.7	100	82.7	72.3-93.1
18-24	55	94,548	3	4.6	00.0-10.3	52	95.4	89.7-0100
25-34	105	148,844	10	9.8	02.0-17.6	95	90.2	82.4-98.0
35-44	145	172,313	15	12.9	05.5-20.3	130	87.1	79.7-94.5
45-54	221	225,885	21	9.0	03.7-14.3	200	91.0	85.7-96.3
55-64	252	197,569	23	10.5	04.4-16.6	229	89.5	83.4-95.6
65+	359	242,512	21	4.4	02.0-06.8	338	95.6	93.2-98.0
Less Than H.S.	93	137,385	17	15.9	06.1-25.7	76	84.1	74.3-93.9
H.S. or G.E.D.	342	355,432	31	8.7	04.4-13.0	311	91.3	87.0-95.6
Some Post-H.S.	281	320,582	24	8.6	04.3-12.9	257	91.4	87.1-95.7
College Graduate	418	264,968	20	4.5	02.0-07.0	398	95.5	93.0-98.0
Less than \$15,000	96	91,966	14	14.2	03.0-25.4	82	85.8	74.6-97.0
\$15,000- 24,999	150	134,990	22	15.9	07.3-24.5	128	84.1	75.5-92.7
\$25,000- 34,999	104	106,921	9	11.9	01.5-22.3	95	88.1	77.7-98.5
\$35,000- 49,999	158	135,519	8	6.2	00.7-11.7	150	93.8	88.3-99.3
\$50,000- 74,999	196	188,685	14	7.6	02.7-12.5	182	92.4	87.5-97.3
\$75,000+	309	291,428	18	4.5	02.0-07.0	291	95.5	93.0-98.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 11: Alcohol Screening & Brief Intervention (ASBI)**

**TABLE 15: HEALTHCARE PROVIDERS MAY ALSO ADVISE PATIENTS TO DRINK LESS FOR VARIOUS REASONS. AT YOUR LAST ROUTINE CHECKUP, WERE YOU ADVISED TO REDUCE OR QUIT YOUR DRINKING? (ASBIRDUC)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1591	1,255,024	83	5.0	03.6-06.4	1508	95.0	93.6-96.4
White/Non-Hisp	1303	978,992	60	4.4	02.8-06.0	1243	95.6	94.0-97.2
Black or Afr. Am./Non-Hisp	192	195,978	19	8.3	03.8-12.8	173	91.7	87.2-96.2
18-24	56	100,492	3	4.8	00.0-11.9	53	95.2	88.1-0100
25-34	163	204,894	8	2.8	00.6-05.0	155	97.2	95.0-99.4
35-44	220	223,984	9	5.0	01.5-08.5	211	95.0	91.5-98.5
45-54	330	251,462	30	9.5	05.2-13.8	300	90.5	86.2-94.8
55-64	357	236,342	15	3.3	01.3-05.3	342	96.7	94.7-98.7
65+	465	237,851	18	3.8	01.8-05.8	447	96.2	94.2-98.2
Less Than H.S.	138	152,705	23	13.3	06.8-19.8	115	86.7	80.2-93.2
H.S. or G.E.D.	469	372,378	29	5.8	02.9-08.7	440	94.2	91.3-97.1
Some Post-H.S.	448	403,373	21	3.1	01.5-04.7	427	96.9	95.3-98.5
College Graduate	533	325,055	10	2.4	00.4-04.4	523	97.6	95.6-99.6
Less than \$15,000	189	132,525	22	9.0	04.3-13.7	167	91.0	86.3-95.7
\$15,000- 24,999	284	222,442	25	7.7	04.2-11.2	259	92.3	88.8-95.8
\$25,000- 34,999	162	126,274	11	10.0	02.6-17.4	151	90.0	82.6-97.4
\$35,000- 49,999	164	152,918	2	2.5	00.0-06.6	162	97.5	93.4-0100
\$50,000- 74,999	206	163,198	8	3.3	00.2-06.4	198	96.7	93.6-99.8
\$75,000+	327	263,084	5	2.2	00.0-04.6	322	97.8	95.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 15: MARIJUANA USE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR HASHISH? (MARIJANA)	
1 MALES AND FEMALES	73
2 MALES ONLY	74
3 FEMALES ONLY	75
DURING THE PAST 30 DAYS, WHAT WAS THE PRIMARY MODE YOU USED MARIJUANA? PLEASE SELECT ONE. DID YOU... (USEMRJN1)	
4 MALES AND FEMALES	76
5 MALES ONLY	77
6 FEMALES ONLY	78
WHEN YOU USED MARIJUANA OR HASHISH DURING THE PAST 30 DAYS, WAS IT FOR MEDICAL REASONS TO TREAT OR DECREASE SYMPTOMS OF A HEALTH CONDITION, OR WAS IT FOR NON-MEDICAL REASONS TO GET PLEASURE OR SATISFACTION (SUCH AS: EXCITEMENT, TO "FIT IN" WITH A GROUP, INCREASED AWARENESS, TO FORGET WORRIES, FOR FUN AT A SOCIAL GATHERING). (RSNMRJNA)	
7 MALES AND FEMALES	79
8 MALES ONLY	80
9 FEMALES ONLY	81



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 15: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR HASHISH? (MARIJANA)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	%	C.I. (95%)	1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4582	3,912,863	4381	93.4	92.2-94.6	25	0.9	0.0-0.1.3	53	1.6	0.1-0.2.2	11	0.2	0.0-0.0.4	30	1.2	0.0-0.1.8	82	2.7	0.1-0.3.5
Male	1949	1,818,763	1818	91.4	89.4-93.4	16	1.2	0.0-0.2.0	38	2.1	0.1-0.3.1	5	0.1	0.0-0.0.3	15	1.0	0.0-0.1.8	57	4.2	0.2-0.5.6
Female	2633	2,094,100	2563	95.2	93.6-96.8	9	0.6	0.0-0.1.2	15	1.2	0.0-0.2.2	6	0.2	0.0-0.0.4	15	1.4	0.0-0.2.4	25	1.3	0.0-0.2.1
White/Non-Hisp	3772	3,031,760	3624	94.7	93.5-95.9	18	0.8	0.0-0.1.4	33	1.0	0.0-0.1.4	11	0.2	0.0-0.0.4	22	0.9	0.0-0.1.5	64	2.4	0.1-0.3.2
Black or Afr. Am./Non-Hisp	473	558,133	439	88.2	83.3-93.1	5	1.3	0.0-0.2.7	11	3.4	0.0-0.6.3				5	2.4	0.0-0.4.9	13	4.7	0.1-0.7.8
Oth. Race/Non-Hisp.	112	99,217	105	91.7	84.8-98.6	1	1.2	0.0-0.3.6	4	4.7	0.0-0.9.8							2	2.4	0.0-0.6.3
MultiRacial/Non-Hisp.	69	48,758	65	88.3	76.5-0100				1	2.3	0.0-0.6.8				2	5.4	0.0-0.13.8	1	4.0	0.0-0.11.6
Hispanic	80	111,183	74	86.4	72.7-0100	1	0.6	0.0-0.1.8	2	7.2	0.0-0.19.0				1	4.3	0.0-0.12.5	2	1.5	0.0-0.3.7
18-24	215	396,922	176	81.6	74.7-88.5	4	2.0	0.0-0.4.4	6	3.7	0.0-0.7.4	2	0.4	0.0-0.1.0	10	4.2	0.0-0.9.7.5	17	8.1	0.3-2.13.0
25-34	447	597,771	391	86.4	81.9-90.9	7	1.7	0.0-0.3.1	19	4.5	0.1-0.7.4	1	0.1	0.0-0.0.3	8	3.0	0.0-0.3.5.7	21	4.3	0.2-1.06.5
35-44	544	605,920	506	90.7	87.2-94.2	3	1.2	0.0-0.3.0	9	1.8	0.0-0.3.6	2	0.3	0.0-0.0.7	4	1.1	0.0-0.2.3	20	5.0	0.2-0.7.5
45-54	829	705,777	804	96.4	94.6-98.2	6	1.0	0.0-0.2.0	3	0.6	0.0-0.1.4	2	0.2	0.0-0.0.4	4	0.5	0.0-0.1.1	10	1.4	0.0-0.2.6
55-64	984	698,064	958	98.2	97.4-99.0	4	0.3	0.0-0.0.7	11	0.8	0.0-0.1.4	1	0.1	0.0-0.0.3	3	0.3	0.0-0.0.9	7	0.4	0.0-0.0.8
65+	1563	908,410	1546	99.1	98.7-99.5	1	0.1	0.0-0.0.3	5	0.2	0.0-0.0.4	3	0.1	0.0-0.0.3	1	0.1	0.0-0.0.3	7	0.4	0.0-0.0.8
Less Than H.S.	445	526,268	422	92.0	87.7-96.3	4	1.5	0.0-0.3.5	4	2.4	0.0-0.5.3	3	0.3	0.0-0.0.7	1	1.0	0.0-0.3.0	11	2.9	0.0-0.4.9
H.S. or G.E.D.	1495	1,324,074	1433	94.1	92.1-96.1	3	0.2	0.0-0.0.4	20	1.6	0.0-0.2.6	3	0.1	0.0-0.0.3	9	0.6	0.0-0.2.1.0	27	3.3	0.1-0.7.4.9
Some Post-H.S.	1188	1,175,679	1111	91.0	88.5-93.5	7	1.2	0.0-0.2.2	19	1.8	0.0-0.3.2	3	0.2	0.0-0.0.4	15	2.4	0.0-0.4.0	33	3.4	0.1-0.8.5.0
College Graduate	1442	876,077	1404	96.6	95.2-98.0	11	1.2	0.0-0.2.0	10	0.9	0.0-0.1.5	2	0.1	0.0-0.0.3	4	0.7	0.0-0.1.3	11	0.5	0.0-0.1.0.9
Less than \$15,000	523	428,329	489	88.6	83.3-93.9	7	3.3	0.0-0.4.6.2	10	3.0	0.0-0.6.1	2	0.3	0.0-0.0.7	5	1.7	0.0-0.4.2	10	3.1	0.0-0.4.5.8
\$15,000- 24,999	767	614,967	729	92.9	89.8-96.0	5	0.4	0.0-0.0.8	7	0.8	0.0-0.1.8	3	0.4	0.0-0.0.8	5	1.2	0.0-0.2.6	18	4.3	0.1-0.6.7.0
\$25,000- 34,999	460	402,631	442	95.9	93.5-98.3				2	0.2	0.0-0.0.4	3	0.5	0.0-0.1.1	3	0.7	0.0-0.1.9	10	2.6	0.0-0.4.6
\$35,000- 49,999	521	446,286	494	92.7	89.2-96.2	3	0.5	0.0-0.1.1	10	3.3	0.0-0.5.8	2	0.2	0.0-0.0.4	3	1.1	0.0-0.2.7	9	2.3	0.0-0.5.4.1
\$50,000- 74,999	636	548,669	602	92.5	89.4-95.6	4	0.7	0.0-0.1.5	7	0.9	0.0-0.1.7	1	0.1	0.0-0.0.3	8	3.2	0.0-0.5.9.9	14	2.6	0.1-0.4.2
\$75,000+	934	838,900	913	95.8	93.6-98.0	5	1.3	0.0-0.2.5	6	0.7	0.0-0.1.7				3	0.5	0.0-0.1.1	7	1.7	0.0-0.3.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 15: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR HASHISH? (MARIJANA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1949	1,818,763	1818	91.4	89.4-93.4	16	1.2	00.4-02.0	38	2.1	01.1-03.1	5	0.1	00.0-00.3	15	1.0	00.2-01.8	57	4.2	02.8-05.6
White/Non-Hisp	1616	1,412,463	1520	92.8	90.8-94.8	12	1.1	00.3-01.9	23	1.5	00.7-02.3	5	0.1	00.0-00.3	13	1.1	00.3-01.9	43	3.4	02.0-04.8
Black or Afr. Am./Non-Hisp	172	240,285	149	82.7	74.3-91.1	4	2.4	00.0-05.3	8	4.5	00.0-09.4				11	10.4	03.5-17.3			
Oth. Race/Non-Hisp.	54	47,460	49	86.0	73.5-98.5				4	9.9	00.0-20.3				1	4.1	00.0-11.9			
18-24	111	203,630	89	81.6	72.4-90.8	2	1.0	00.0-02.6	2	2.7	00.0-06.8	1	0.2	00.0-00.6	5	1.9	00.1-03.7	12	12.5	04.1-20.9
25-34	195	268,221	155	82.4	75.9-88.9	4	2.1	00.0-04.5	15	5.5	02.0-09.0				4	3.5	00.0-07.6	17	6.5	03.0-10.0
35-44	241	289,955	216	85.9	79.4-92.4	3	2.4	00.0-05.9	8	3.6	00.1-07.1	1	0.2	00.0-00.6	1	0.2	00.0-00.6	12	7.6	02.7-12.5
45-54	356	338,484	342	95.0	91.9-98.1	4	1.5	00.0-03.5	2	1.0	00.0-02.6				3	0.9	00.0-02.1	5	1.6	00.2-03.0
55-64	419	314,577	400	97.3	95.9-98.7	2	0.4	00.0-01.0	8	1.2	00.2-02.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3	7	0.9	00.1-01.7
65+	627	403,896	616	98.7	97.7-99.7	1	0.2	00.0-00.6	3	0.2	00.0-00.4	2	0.1	00.0-00.3	1	0.1	00.0-00.3	4	0.6	00.0-01.4
Less Than H.S.	179	243,812	168	92.2	86.1-98.3	2	2.3	00.0-06.2	3	2.6	00.0-06.7	1	0.2	00.0-00.6				5	2.8	00.3-05.3
H.S. or G.E.D.	643	651,300	598	90.8	87.3-94.3	2	0.4	00.0-01.0	17	2.8	01.0-04.6	2	0.1	00.0-00.3	5	0.7	00.0-01.5	19	5.1	02.2-08.0
Some Post-H.S.	463	503,973	418	88.9	84.8-93.0	4	1.2	00.0-02.6	10	1.7	00.3-03.1	1	0.1	00.0-00.3	7	1.8	00.0-04.0	23	6.3	03.4-09.2
College Graduate	658	415,249	629	95.0	92.6-97.4	8	1.8	00.2-03.4	8	1.3	00.1-02.5	1	0.1	00.0-00.3	2	0.7	00.0-01.7	10	1.0	00.2-01.8
Less than \$15,000	175	161,594	159	88.5	80.3-96.7	3	4.6	00.0-10.9	4	1.5	00.0-03.1	1	0.2	00.0-00.6	3	1.0	00.0-02.2	5	4.1	00.0-09.6
\$15,000- 24,999	275	241,927	256	91.0	85.1-96.9	3	0.5	00.1-00.9	6	2.0	00.0-04.4				3	1.5	00.0-03.5	7	5.0	00.0-10.1
\$25,000- 34,999	199	200,725	186	94.1	90.2-98.0				2	0.4	00.0-01.0	1	0.2	00.0-00.6	2	0.4	00.0-01.0	8	4.9	01.2-08.6
\$35,000- 49,999	259	218,013	239	89.3	83.2-95.4	3	1.0	00.0-02.2	7	5.1	00.0-10.2	2	0.3	00.0-00.9	1	0.3	00.0-00.9	7	4.0	00.5-07.5
\$50,000- 74,999	319	298,792	293	90.6	86.1-95.1	2	0.4	00.0-01.0	5	1.4	00.0-02.8	1	0.1	00.0-00.3	5	3.2	00.0-06.7	13	4.3	01.6-07.0
\$75,000+	478	453,107	461	93.7	90.2-97.2	4	1.8	00.0-03.8	6	1.4	00.0-03.2				1	0.4	00.0-01.2	6	2.7	00.2-05.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 15: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR HASHISH? (MARIJANA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2633	2,094,100	2563	95.2	93.6-96.8	9	0.6	00.0-01.2	15	1.2	00.2-02.2	6	0.2	00.0-00.4	15	1.4	00.4-02.4	25	1.3	00.5-02.1
White/Non-Hisp	2156	1,619,297	2104	96.4	95.0-97.8	6	0.6	00.0-01.2	10	0.5	00.1-00.9	6	0.3	00.1-00.5	9	0.7	00.1-01.3	21	1.5	00.5-02.5
Black or Afr. Am./Non-Hisp	301	317,848	290	92.4	86.7-98.1	1	0.5	00.0-01.5	3	2.6	00.0-06.5				5	4.2	00.0-08.5	2	0.4	00.0-01.0
Oth. Race/Non-Hisp.	58	51,757	56	96.9	92.0-0100	1	2.4	00.0-07.1										1	0.8	00.0-02.4
18-24	104	193,291	87	81.6	71.6-91.6	2	3.1	00.0-07.4	4	4.7	00.0-11.0	1	0.6	00.0-01.8	5	6.7	00.2-13.2	5	3.4	00.0-07.5
25-34	252	329,550	236	89.6	83.5-95.7	3	1.4	00.0-03.0	4	3.7	00.0-08.2	1	0.2	00.0-00.6	4	2.7	00.0-06.0	4	2.4	00.0-05.1
35-44	303	315,965	290	95.1	92.0-98.2				1	0.2	00.0-00.6	1	0.3	00.0-00.9	3	1.9	00.0-04.3	8	2.5	00.5-04.5
45-54	473	367,293	462	97.8	95.8-99.8	2	0.4	00.0-01.0	1	0.2	00.0-00.6	2	0.3	00.0-00.7	1	0.0	00.0-00.0	5	1.3	00.0-03.1
55-64	565	383,487	558	98.9	97.7-0100	2	0.2	00.0-00.4	3	0.4	00.0-01.0				2	0.5	00.0-01.5			
65+	936	504,513	930	99.5	99.1-99.9				2	0.1	00.0-00.3	1	0.1	00.0-00.3				3	0.2	00.0-00.4
Less Than H.S.	266	282,456	254	91.8	85.7-97.9	2	0.8	00.0-02.0	1	2.2	00.0-06.5	2	0.4	00.0-01.0	1	1.9	00.0-05.6	6	2.9	00.2-05.6
H.S. or G.E.D.	852	672,774	835	97.3	95.7-98.9	1	0.1	00.0-00.3	3	0.4	00.0-01.0	1	0.2	00.0-00.6	4	0.4	00.0-00.8	8	1.6	00.2-03.0
Some Post-H.S.	725	671,706	693	92.5	89.0-96.0	3	1.1	00.0-02.5	9	2.0	00.0-04.2	2	0.3	00.0-00.7	8	2.8	00.6-05.0	10	1.3	00.1-02.5
College Graduate	784	460,828	775	98.1	96.7-99.5	3	0.6	00.0-01.6	2	0.5	00.0-01.3	1	0.2	00.0-00.6	2	0.6	00.0-01.4	1	0.1	00.0-00.3
Less than \$15,000	348	266,735	330	88.7	81.8-95.6	4	2.5	00.0-05.6	6	3.9	00.0-08.6	1	0.3	00.0-00.9	2	2.1	00.0-06.0	5	2.4	00.0-04.9
\$15,000- 24,999	492	373,041	473	94.0	90.3-97.7	2	0.4	00.0-01.0	1	0.1	00.0-00.3	3	0.7	00.0-01.5	2	1.0	00.0-02.8	11	3.9	00.8-07.0
\$25,000- 34,999	261	201,906	256	97.8	95.3-0100							2	0.7	00.0-01.9	1	1.1	00.0-03.3	2	0.4	00.0-01.0
\$35,000- 49,999	262	228,274	255	95.9	92.2-99.6				3	1.5	00.0-03.3				2	1.9	00.0-05.0	2	0.6	00.0-01.6
\$50,000- 74,999	317	249,877	309	94.7	90.2-99.2	2	1.1	00.0-02.7	2	0.4	00.0-01.0				3	3.2	00.0-07.3	1	0.6	00.0-01.8
\$75,000+	456	385,793	452	98.3	96.5-0100	1	0.6	00.0-01.8							2	0.7	00.0-01.7	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 15: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, WHAT WAS THE PRIMARY MODE YOU USED MARIJUANA? PLEASE SELECT ONE. DID YOU... (USEMRJN1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Vaporize It			Dab It			Used some other way Multiple Uses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	200	256,112	180	89.2	82.7-95.7	6	2.5	00.1-04.9	8	2.6	00.6-04.6	5	5.1	00.0-11.0	1	0.5	00.0-01.5
Male	130	155,664	116	90.2	84.5-95.9	4	2.4	00.0-04.9	6	3.4	00.5-06.3	4	3.9	00.0-08.2			
Female	70	100,447	64	87.7	74.2-0100	2	2.6	00.0-06.7	2	1.4	00.0-03.2	1	7.0	00.0-19.9	1	1.3	00.0-03.8
White/Non-Hisp	148	160,372	132	90.5	85.6-95.4	5	3.6	00.1-07.1	8	4.2	01.3-07.1	3	1.8	00.0-03.8			
25-34	56	81,385	47	80.3	63.6-97.0	4	6.3	00.0-13.2	2	1.9	00.0-04.4	2	9.9	00.0-26.0	1	1.7	00.0-05.0
H.S. or G.E.D.	62	77,901	58	93.6	87.3-99.9				2	3.2	00.0-07.7	1	1.5	00.0-04.4	1	1.7	00.0-05.0
Some Post-H.S.	77	105,993	69	86.2	72.7-99.7	2	1.5	00.0-03.7	3	1.7	00.0-03.5	3	10.6	00.0-23.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 15: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, WHAT WAS THE PRIMARY MODE YOU USED MARIJUANA? PLEASE SELECT ONE. DID YOU... (USEMRJN1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Vaporize It			Dab It		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	130	155,664	116	90.2	84.5-95.9	4	2.4	00.0-04.9	6	3.4	00.5-06.3	4	3.9	00.0-08.2
White/Non-Hisp	96	101,293	84	88.9	82.4-95.4	3	3.1	00.0-06.6	6	5.3	00.8-09.8	3	2.8	00.0-05.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 15: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, WHAT WAS THE PRIMARY MODE YOU USED MARIJUANA? PLEASE SELECT ONE. DID YOU... (USEMRJN1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Smoke It		N	Eat It		N	Vaporize It		N	Dab It		Used some other way Multiple Uses		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
Female	70	100,447	64	87.7	73.4-0100	2	2.6	00.0-06.7	2	1.4	00.0-03.2	1	7.0	00.0-20.3	1	1.3	00.0-04.0
White/Non-Hisp	52	59,079	48	93.2	85.8-0100	2	4.4	00.0-11.3	2	2.3	00.0-05.2						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 15: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR HASHISH DURING THE PAST 30 DAYS, WAS IT FOR MEDICAL REASONS TO TREAT OR DECREASE SYMPTOMS OF A HEALTH CONDITION, OR WAS IT FOR NON-MEDICAL REASONS TO GET PLEASURE OR SATISFACTION (SUCH AS: EXCITEMENT, TO “FIT IN” WITH A GROUP, INCREASED AWARENESS, TO FORGET WORRIES, FOR FUN AT A SOCIAL GATHERING). (RSNMRJNA)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only for medical reasons treat or decrease symptoms			Only for non-medical purposes get pleasure or satisfaction			Both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	197	248,899	79	34.7	25.7-43.7	87	49.8	40.0-59.6	31	15.5	07.7-23.3
Male	128	152,167	45	35.6	23.8-47.4	63	51.3	39.1-63.5	20	13.1	05.3-20.9
Female	69	96,733	34	33.3	19.2-47.4	24	47.4	30.7-64.1	11	19.3	04.2-34.4
White/Non-Hisp	146	156,385	61	42.2	31.0-53.4	60	43.0	32.2-53.8	25	14.8	07.9-21.7
25-34	55	77,670	22	35.1	19.8-50.4	24	46.7	28.5-64.9	9	18.2	01.0-35.4
H.S. or G.E.D.	61	74,187	26	43.8	26.6-61.0	24	46.0	28.9-63.1	11	10.2	03.3-17.1
Some Post-H.S.	75	102,495	36	35.6	21.7-49.5	28	48.2	32.3-64.1	11	16.2	02.3-30.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 15: MARIJUANA USE**

**TABLE 8: WHEN YOU USED MARIJUANA OR HASHISH DURING THE PAST 30 DAYS, WAS IT FOR MEDICAL REASONS TO TREAT OR DECREASE SYMPTOMS OF A HEALTH CONDITION, OR WAS IT FOR NON-MEDICAL REASONS TO GET PLEASURE OR SATISFACTION (SUCH AS: EXCITEMENT, TO “FIT IN” WITH A GROUP, INCREASED AWARENESS, TO FORGET WORRIES, FOR FUN AT A SOCIAL GATHERING). (RSNMRJNA)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only for medical reasons treat or decrease symptoms			Only for non-medical purposes get pleasure or satisfaction			Both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	128	152,167	45	35.6	23.6-47.6	63	51.3	39.0-63.6	20	13.1	05.3-20.9
White/Non-Hisp	95	101,021	34	40.3	26.0-54.6	46	48.4	34.5-62.3	15	11.4	04.7-18.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 15: MARIJUANA USE**

**TABLE 9: WHEN YOU USED MARIJUANA OR HASHISH DURING THE PAST 30 DAYS, WAS IT FOR MEDICAL REASONS TO TREAT OR DECREASE SYMPTOMS OF A HEALTH CONDITION, OR WAS IT FOR NON-MEDICAL REASONS TO GET PLEASURE OR SATISFACTION (SUCH AS: EXCITEMENT, TO “FIT IN” WITH A GROUP, INCREASED AWARENESS, TO FORGET WORRIES, FOR FUN AT A SOCIAL GATHERING). (RSNMRJNA)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only for medical reasons treat or decrease symptoms			Only for non-medical purposes get pleasure or satisfaction			Both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	69	96,733	34	33.3	20.6-46.0	24	47.4	30.0-64.8	11	19.3	03.0-35.6
White/Non-Hisp	51	55,365	27	45.8	27.0-64.6	14	33.2	16.1-50.3	10	21.0	05.5-36.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017

MODULE 18: Adult Human Papilloma Virus (HPV) CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR H.P.V. INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, H.P.V. SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE H.P.V. VACCINATION? (HPVADVC2)	
1	MALES AND FEMALES	83
2	MALES ONLY	84
3	FEMALES ONLY	85
	HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4	MALES AND FEMALES	86
5	MALES ONLY	87
6	FEMALES ONLY	88

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 18: Adult Human Papilloma Virus (HPV)**

**TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR H.P.V. INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, H.P.V. SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE H.P.V. VACCINATION? (HPVADVC2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1500	1,765,284	181	14.1	11.6-16.6	1319	85.9	83.4-88.4
Male	663	821,648	29	4.7	02.5-06.9	634	95.3	93.1-97.5
Female	837	943,636	152	22.4	18.3-26.5	685	77.6	73.5-81.7
White/Non-Hisp	1186	1,281,826	133	13.2	10.5-15.9	1053	86.8	84.1-89.5
Black or Afr. Am./Non-Hisp	183	309,184	26	15.4	08.1-22.7	157	84.6	77.3-91.9
Hispanic	58	92,825	11	21.3	07.0-35.6	47	78.7	64.4-93.0
18-24	196	334,148	85	44.2	35.2-53.2	111	55.8	46.8-64.8
25-34	434	568,117	73	14.1	10.0-18.2	361	85.9	81.8-90.0
35-44	537	598,608	22	3.5	01.7-05.3	515	96.5	94.7-98.3
45-54	333	264,412	1	0.3	00.0-00.9	332	99.7	99.1-0100
Less Than H.S.	97	174,331	4	10.5	00.5-20.5	93	89.5	79.5-99.5
H.S. or G.E.D.	453	571,342	54	15.3	10.6-20.0	399	84.7	80.0-89.4
Some Post-H.S.	438	592,708	59	14.7	10.2-19.2	379	85.3	80.8-89.8
College Graduate	511	425,562	64	13.3	09.4-17.2	447	86.7	82.8-90.6
Less than \$15,000	148	177,471	23	17.8	08.0-27.6	125	82.2	72.4-92.0
\$15,000- 24,999	220	255,095	32	18.2	10.4-26.0	188	81.8	74.0-89.6
\$25,000- 34,999	146	172,714	26	16.5	08.9-24.1	120	83.5	75.9-91.1
\$35,000- 49,999	177	213,412	18	11.5	05.4-17.6	159	88.5	82.4-94.6
\$50,000- 74,999	252	292,993	26	11.1	05.6-16.6	226	88.9	83.4-94.4
\$75,000+	384	410,933	25	6.0	03.3-08.7	359	94.0	91.3-96.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 18: Adult Human Papilloma Virus (HPV)**

**TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR H.P.V. INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, H.P.V. SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE H.P.V. VACCINATION? (HPVADVC2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	663	821,648	29	4.7	02.5-06.9	634	95.3	93.1-97.5
White/Non-Hisp	529	611,613	20	4.7	02.2-07.2	509	95.3	92.8-97.8
Black or Afr. Am./Non-Hisp	62	125,517	3	2.0	00.0-04.7	59	98.0	95.3-0100
18-24	94	154,471	21	21.2	11.2-31.2	73	78.8	68.8-88.8
25-34	193	256,093	6	1.7	00.3-03.1	187	98.3	96.9-99.7
35-44	239	286,835	1	0.2	00.0-00.6	238	99.8	99.4-0100
45-54	137	124,248	1	0.6	00.0-01.8	136	99.4	98.2-0100
H.S. or G.E.D.	228	310,155	13	7.7	03.0-12.4	215	92.3	87.6-97.0
Some Post-H.S.	181	243,887	9	3.4	00.9-05.9	172	96.6	94.1-99.1
College Graduate	209	181,769	7	3.4	00.5-06.3	202	96.6	93.7-99.5
\$15,000- 24,999	77	90,475	4	6.5	00.0-13.8	73	93.5	86.2-0100
\$25,000- 34,999	68	87,011	6	4.8	00.7-08.9	62	95.2	91.1-99.3
\$35,000- 49,999	96	103,616	2	2.5	00.0-06.4	94	97.5	93.6-0100
\$50,000- 74,999	123	153,511	5	2.4	00.2-04.6	118	97.6	95.4-99.8
\$75,000+	186	219,766	2	1.4	00.0-03.6	184	98.6	96.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 18: Adult Human Papilloma Virus (HPV)**

**TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR H.P.V. INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, H.P.V. SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE H.P.V. VACCINATION? (HPVADV2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	837	943,636	152	22.4	18.3-26.5	685	77.6	73.5-81.7
White/Non-Hisp	657	670,213	113	21.0	16.3-25.7	544	79.0	74.3-83.7
Black or Afr. Am./Non-Hisp	121	183,667	23	24.5	13.3-35.7	98	75.5	64.3-86.7
18-24	102	179,676	64	64.0	52.0-76.0	38	36.0	24.0-48.0
25-34	241	312,024	67	24.3	17.4-31.2	174	75.7	68.8-82.6
35-44	298	311,773	21	6.5	03.4-09.6	277	93.5	90.4-96.6
45-54	196	140,163				196	100.0	0100-0100
Less Than H.S.	52	88,493	4	20.6	03.0-38.2	48	79.4	61.8-97.0
H.S. or G.E.D.	225	261,187	41	24.4	16.2-32.6	184	75.6	67.4-83.8
Some Post-H.S.	257	348,821	50	22.5	15.4-29.6	207	77.5	70.4-84.6
College Graduate	302	243,793	57	20.7	14.6-26.8	245	79.3	73.2-85.4
Less than \$15,000	105	115,673	17	20.6	07.5-33.7	88	79.4	66.3-92.5
\$15,000- 24,999	143	164,620	28	24.7	13.9-35.5	115	75.3	64.5-86.1
\$25,000- 34,999	78	85,702	20	28.5	15.2-41.8	58	71.5	58.2-84.8
\$35,000- 49,999	81	109,796	16	20.0	09.2-30.8	65	80.0	69.2-90.8
\$50,000- 74,999	129	139,482	21	20.7	10.3-31.1	108	79.3	68.9-89.7
\$75,000+	198	191,167	23	11.2	05.9-16.5	175	88.8	83.5-94.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 18: Adult Human Papilloma Virus (HPV)**

**TABLE 4: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	151	210,558	32	24.0	14.8-33.2	23	15.1	07.8-22.4	96	60.9	51.5-70.3
Female	133	186,381	27	24.5	14.3-34.7	20	15.3	07.3-23.3	86	60.1	49.7-70.5
White/Non-Hisp	111	140,427	20	19.8	10.4-29.2	11	5.8	01.1-10.5	80	74.5	64.7-84.3
18-24	71	121,277	17	26.4	13.5-39.3	8	7.1	00.6-13.6	46	66.5	53.8-79.2
25-34	62	72,334	13	22.4	08.1-36.7	11	23.8	07.5-40.1	38	53.8	36.7-70.9
Some Post-H.S.	50	79,177	10	18.5	06.2-30.8	9	17.4	05.4-29.4	31	64.0	48.5-79.5
College Graduate	56	49,596	10	18.1	04.6-31.6	9	16.3	03.8-28.8	37	65.5	49.8-81.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 18: Adult Human Papilloma Virus (HPV)  
TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)**  
**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 18: Adult Human Papilloma Virus (HPV)**

**TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	133	186,381	27	24.5	14.3-34.7	20	15.3	07.3-23.3	86	60.1	49.9-70.3
White/Non-Hisp	100	122,709	17	20.4	09.8-31.0	11	6.6	01.3-11.9	72	73.0	62.2-83.8
18-24	57	100,110	13	28.0	12.7-43.3	7	7.2	00.0-14.6	37	64.8	49.9-79.7
25-34	58	69,324	12	22.3	07.6-37.0	9	22.3	05.4-39.2	37	55.5	37.7-73.3
College Graduate	51	44,392	8	17.5	03.0-32.0	8	16.0	02.7-29.3	35	66.5	49.8-83.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE MODULE QUESTIONS DATA REPORT, 2017**

End of Module Data Report