

TENNESSEE

2020 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 6, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4654	5,387,350	3817	83.1	81.7-84.5	837	16.9	15.5-18.3
Male	2108	2,597,246	1764	84.6	82.4-86.8	344	15.4	13.2-17.6
Female	2546	2,790,104	2053	81.7	79.5-83.9	493	18.3	16.1-20.5
White/Non-Hisp	3759	3,970,381	3105	84.3	82.7-85.9	654	15.7	14.1-17.3
Black or Afr. Am./Non-Hisp	465	833,053	360	77.1	71.8-82.4	105	22.9	17.6-28.2
Oth. Race/Non-Hisp.	130	126,090	107	86.6	80.5-92.7	23	13.4	7.3-19.5
MultiRacial/Non-Hisp.	75	64,641	57	79.8	69.2-90.4	18	20.2	9.6-30.8
Hispanic	136	269,086	119	88.6	82.1-95.1	17	11.4	4.9-17.9
18-24	338	627,625	313	91.2	87.1-95.3	25	8.8	4.7-12.9
25-34	585	935,026	545	92.0	88.9-95.1	40	8.0	4.9-11.1
35-44	651	855,096	586	89.3	86.0-92.6	65	10.7	7.4-14.0
45-54	781	868,081	644	83.2	79.7-86.7	137	16.8	13.3-20.3
55-64	868	894,728	665	75.9	72.2-79.6	203	24.1	20.4-27.8
65+	1431	1,206,793	1064	72.9	69.8-76.0	367	27.1	24.0-30.2
Less Than H.S.	369	677,435	214	63.8	57.1-70.5	155	36.2	29.5-42.9
H.S. or G.E.D.	1447	1,731,649	1152	83.2	80.8-85.6	295	16.8	14.4-19.2
Some Post-H.S.	1189	1,575,073	967	83.2	80.5-85.9	222	16.8	14.1-19.5
College Graduate	1594	1,331,418	1436	92.4	90.8-94.0	158	7.6	6.0- 9.2
Less than \$15,000	396	481,703	224	56.5	49.1-63.9	172	43.5	36.1-50.9
\$15,000- 24,999	651	736,999	447	71.7	67.0-76.4	204	28.3	23.6-33.0
\$25,000- 34,999	386	451,804	295	83.1	78.6-87.6	91	16.9	12.4-21.4
\$35,000- 49,999	540	643,841	462	85.5	81.2-89.8	78	14.5	10.2-18.8
\$50,000- 74,999	598	702,423	539	90.2	86.9-93.5	59	9.8	6.5-13.1
\$75,000+	1193	1,395,947	1129	94.7	92.9-96.5	64	5.3	3.5- 7.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2108	2,597,246	1764	84.6	82.6-86.6	344	15.4	13.4-17.4
White/Non-Hisp	1716	1,910,280	1444	85.4	83.2-87.6	272	14.6	12.4-16.8
Black or Afr. Am./Non-Hisp	166	346,128	134	80.9	73.3-88.5	32	19.1	11.5-26.7
Oth. Race/Non-Hisp.	72	70,849	60	89.4	82.9-95.9	12	10.6	4.1-17.1
Hispanic	71	163,693	61	88.1	79.7-96.5	10	11.9	3.5-20.3
18-24	179	320,548	165	92.3	87.8-96.8	14	7.7	3.2-12.2
25-34	277	467,348	263	94.7	91.0-98.4	14	5.3	1.6- 9.0
35-44	298	420,917	276	91.3	86.4-96.2	22	8.7	3.8-13.6
45-54	364	426,214	301	83.8	78.9-88.7	63	16.2	11.3-21.1
55-64	389	426,817	309	77.9	72.4-83.4	80	22.1	16.6-27.6
65+	601	535,401	450	72.1	67.0-77.2	151	27.9	22.8-33.0
Less Than H.S.	173	340,669	107	65.6	56.6-74.6	66	34.4	25.4-43.4
H.S. or G.E.D.	667	865,157	557	87.4	84.5-90.3	110	12.6	9.7-15.5
Some Post-H.S.	510	711,657	414	82.8	78.7-86.9	96	17.2	13.1-21.3
College Graduate	731	636,304	663	93.2	91.2-95.2	68	6.8	4.8- 8.8
Less than \$15,000	145	183,265	79	53.4	42.4-64.4	66	46.6	35.6-57.6
\$15,000- 24,999	257	336,088	177	73.7	66.8-80.6	80	26.3	19.4-33.2
\$25,000- 34,999	158	191,077	123	85.2	79.3-91.1	35	14.8	8.9-20.7
\$35,000- 49,999	250	336,887	218	86.4	80.3-92.5	32	13.6	7.5-19.7
\$50,000- 74,999	290	362,091	253	88.3	83.4-93.2	37	11.7	6.8-16.6
\$75,000+	621	737,013	590	95.4	93.2-97.6	31	4.6	2.4- 6.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2546	2,790,104	2053	81.7	79.7-83.7	493	18.3	16.3-20.3
White/Non-Hisp	2043	2,060,100	1661	83.2	81.2-85.2	382	16.8	14.8-18.8
Black or Afr. Am./Non-Hisp	299	486,925	226	74.4	67.3-81.5	73	25.6	18.5-32.7
Oth. Race/Non-Hisp.	58	55,241	47	82.9	71.5-94.3	11	17.1	5.7-28.5
Hispanic	65	105,393	58	89.3	79.3-99.3	7	10.7	0.7-20.7
18-24	159	307,077	148	90.1	83.2-97.0	11	9.9	3.0-16.8
25-34	308	467,678	282	89.2	84.3-94.1	26	10.8	5.9-15.7
35-44	353	434,179	310	87.4	82.7-92.1	43	12.6	7.9-17.3
45-54	417	441,867	343	82.7	77.4-88.0	74	17.3	12.0-22.6
55-64	479	467,911	356	74.0	68.9-79.1	123	26.0	20.9-31.1
65+	830	671,392	614	73.5	69.4-77.6	216	26.5	22.4-30.6
Less Than H.S.	196	336,765	107	61.9	52.3-71.5	89	38.1	28.5-47.7
H.S. or G.E.D.	780	866,491	595	79.1	75.4-82.8	185	20.9	17.2-24.6
Some Post-H.S.	679	863,416	553	83.6	80.1-87.1	126	16.4	12.9-19.9
College Graduate	863	695,114	773	91.7	89.5-93.9	90	8.3	6.1-10.5
Less than \$15,000	251	298,438	145	58.4	49.0-67.8	106	41.6	32.2-51.0
\$15,000- 24,999	394	400,910	270	69.9	63.4-76.4	124	30.1	23.6-36.6
\$25,000- 34,999	228	260,727	172	81.6	75.3-87.9	56	18.4	12.1-24.7
\$35,000- 49,999	290	306,954	244	84.4	78.5-90.3	46	15.6	9.7-21.5
\$50,000- 74,999	308	340,332	286	92.1	87.8-96.4	22	7.9	3.6-12.2
\$75,000+	572	658,934	539	93.8	91.3-96.3	33	6.2	3.7- 8.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4530	5,247,511	3082	69.5	67.7-71.3	878	19.7	18.1-21.3	570	10.8	9.6-12.0
Male	2056	2,528,725	1493	72.3	69.6-75.0	332	17.4	15.0-19.8	231	10.3	8.5-12.1
Female	2474	2,718,785	1589	66.9	64.4-69.4	546	21.9	19.5-24.3	339	11.2	9.6-12.8
White/Non-Hisp	3666	3,887,653	2502	69.6	67.6-71.6	695	19.6	17.8-21.4	469	10.8	9.6-12.0
Black or Afr. Am./Non-Hisp	454	807,406	288	65.8	59.9-71.7	111	22.8	17.7-27.9	55	11.4	7.5-15.3
Oth. Race/Non-Hisp.	125	121,469	84	68.0	57.4-78.6	25	18.8	10.4-27.2	16	13.1	5.5-20.7
MultiRacial/Non-Hisp.	72	63,013	51	68.3	54.6-82.0	11	12.8	3.8-21.8	10	18.9	6.4-31.4
Hispanic	131	258,062	102	79.6	70.2-89.0	23	16.1	7.3-24.9	6	4.3	0.0- 8.6
18-24	335	624,035	247	73.8	67.1-80.5	75	22.5	16.0-29.0	13	3.7	1.3- 6.1
25-34	576	914,534	437	75.1	70.4-79.8	117	20.8	16.3-25.3	22	4.1	1.9- 6.3
35-44	639	836,892	459	72.9	68.4-77.4	125	17.7	14.0-21.4	55	9.4	6.1-12.7
45-54	758	838,190	513	71.2	66.9-75.5	143	18.0	14.3-21.7	102	10.8	8.1-13.5
55-64	852	875,003	531	61.8	57.5-66.1	174	20.6	16.9-24.3	147	17.6	14.3-20.9
65+	1370	1,158,857	895	64.9	61.6-68.2	244	19.4	16.5-22.3	231	15.8	13.3-18.3
Less Than H.S.	349	638,073	177	57.5	50.1-64.9	88	25.1	18.2-32.0	84	17.4	12.7-22.1
H.S. or G.E.D.	1385	1,672,668	897	69.7	66.6-72.8	267	18.1	15.4-20.8	221	12.2	10.2-14.2
Some Post-H.S.	1168	1,548,408	782	68.3	64.8-71.8	233	20.4	17.3-23.5	153	11.3	8.9-13.7
College Graduate	1575	1,319,702	1183	75.7	73.0-78.4	283	18.7	16.2-21.2	109	5.6	4.2- 7.0
Less than \$15,000	383	458,198	161	46.9	39.3-54.5	93	25.8	18.4-33.2	129	27.3	21.2-33.4
\$15,000- 24,999	623	708,013	342	62.4	57.1-67.7	142	19.8	15.5-24.1	139	17.8	14.1-21.5
\$25,000- 34,999	377	440,626	227	64.5	57.8-71.2	98	27.1	20.6-33.6	52	8.4	5.3-11.5
\$35,000- 49,999	528	627,068	368	66.4	60.7-72.1	110	24.1	18.8-29.4	50	9.4	5.9-12.9
\$50,000- 74,999	590	696,567	430	71.1	66.0-76.2	110	19.2	14.7-23.7	50	9.7	6.2-13.2
\$75,000+	1186	1,387,001	950	80.8	77.9-83.7	190	15.7	13.0-18.4	46	3.5	2.1- 4.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2056	2,528,725	1493	72.3	69.8-74.8	332	17.4	15.0-19.8	231	10.3	8.5-12.1
White/Non-Hisp	1678	1,873,751	1222	73.4	70.7-76.1	268	16.9	14.5-19.3	188	9.7	7.9-11.5
Black or Afr. Am./Non-Hisp	160	331,835	105	64.7	54.9-74.5	36	21.9	13.5-30.3	19	13.4	6.3-20.5
Oth. Race/Non-Hisp.	71	70,034	54	73.7	60.0-87.4	9	13.5	3.1-23.9	8	12.8	1.8-23.8
Hispanic	68	155,525	51	74.0	59.9-88.1	13	19.6	6.5-32.7	4	6.4	0.0-13.3
18-24	178	319,567	134	77.8	70.5-85.1	36	17.8	11.3-24.3	8	4.4	0.9- 7.9
25-34	273	462,078	210	73.9	66.6-81.2	52	22.2	15.1-29.3	11	3.9	1.0- 6.8
35-44	294	409,906	231	75.3	68.2-82.4	44	14.5	9.0-20.0	19	10.2	4.7-15.7
45-54	352	409,707	259	75.4	69.7-81.1	54	14.3	9.8-18.8	39	10.3	6.0-14.6
55-64	381	412,965	253	64.3	58.0-70.6	66	18.9	13.6-24.2	62	16.8	11.9-21.7
65+	578	514,501	406	69.0	63.9-74.1	80	16.4	12.1-20.7	92	14.6	11.1-18.1
Less Than H.S.	165	314,567	96	63.4	54.2-72.6	28	18.1	10.8-25.4	41	18.5	11.6-25.4
H.S. or G.E.D.	641	838,899	447	72.8	68.3-77.3	100	16.5	12.4-20.6	94	10.7	8.0-13.4
Some Post-H.S.	502	703,880	361	70.7	65.4-76.0	81	17.4	13.1-21.7	60	11.8	8.1-15.5
College Graduate	723	631,036	569	77.4	73.1-81.7	118	17.9	14.0-21.8	36	4.7	2.5- 6.9
Less than \$15,000	141	169,079	66	49.3	38.3-60.3	26	21.3	13.1-29.5	49	29.4	19.6-39.2
\$15,000- 24,999	244	320,050	145	66.3	58.7-73.9	45	14.6	8.9-20.3	54	19.1	13.0-25.2
\$25,000- 34,999	154	185,479	101	68.5	58.5-78.5	32	23.7	14.1-33.3	21	7.8	3.9-11.7
\$35,000- 49,999	245	329,708	182	67.8	59.4-76.2	42	22.9	15.1-30.7	21	9.3	4.0-14.6
\$50,000- 74,999	285	358,415	209	68.0	60.2-75.8	49	20.5	13.4-27.6	27	11.5	6.0-17.0
\$75,000+	618	735,236	509	82.0	77.9-86.1	87	14.3	10.6-18.0	22	3.6	1.6- 5.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2474	2,718,785	1589	66.9	64.4-69.4	546	21.9	19.5-24.3	339	11.2	9.6-12.8
White/Non-Hisp	1988	2,013,902	1280	66.0	63.1-68.9	427	22.1	19.6-24.6	281	11.9	10.1-13.7
Black or Afr. Am./Non-Hisp	294	475,571	183	66.6	59.3-73.9	75	23.4	16.7-30.1	36	10.0	5.7-14.3
Oth. Race/Non-Hisp.	54	51,435	30	60.3	42.1-78.5	16	26.1	11.2-41.0	8	13.6	3.0-24.2
Hispanic	63	102,537	51	88.0	79.2-96.8	10	10.9	2.3-19.5	2	1.1	0.0- 3.1
18-24	157	304,468	113	69.6	58.6-80.6	39	27.5	16.7-38.3	5	2.9	0.0- 6.0
25-34	303	452,455	227	76.3	70.4-82.2	65	19.3	14.0-24.6	11	4.4	1.5- 7.3
35-44	345	426,986	228	70.5	64.6-76.4	81	20.8	15.5-26.1	36	8.7	5.2-12.2
45-54	406	428,483	254	67.2	61.1-73.3	89	21.6	15.9-27.3	63	11.2	7.7-14.7
55-64	471	462,038	278	59.6	53.9-65.3	108	22.2	17.5-26.9	85	18.3	13.6-23.0
65+	792	644,356	489	61.6	57.1-66.1	164	21.8	17.9-25.7	139	16.6	13.3-19.9
Less Than H.S.	184	323,505	81	51.7	40.7-62.7	60	31.9	21.3-42.5	43	16.4	10.1-22.7
H.S. or G.E.D.	744	833,769	450	66.6	62.3-70.9	167	19.7	16.2-23.2	127	13.7	10.8-16.6
Some Post-H.S.	666	844,528	421	66.3	61.6-71.0	152	22.9	18.8-27.0	93	10.9	8.0-13.8
College Graduate	852	688,665	614	74.2	70.5-77.9	165	19.5	16.0-23.0	73	6.4	4.4- 8.4
Less than \$15,000	242	289,119	95	45.5	35.5-55.5	67	28.4	18.2-38.6	80	26.0	18.6-33.4
\$15,000- 24,999	379	387,963	197	59.2	51.9-66.5	97	24.1	18.0-30.2	85	16.8	12.1-21.5
\$25,000- 34,999	223	255,147	126	61.6	52.6-70.6	66	29.6	21.0-38.2	31	8.9	4.2-13.6
\$35,000- 49,999	283	297,360	186	65.0	57.6-72.4	68	25.4	18.7-32.1	29	9.6	5.1-14.1
\$50,000- 74,999	305	338,152	221	74.3	68.0-80.6	61	17.9	12.6-23.2	23	7.8	3.7-11.9
\$75,000+	568	651,765	441	79.4	75.3-83.5	103	17.2	13.3-21.1	24	3.4	1.8- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4572	5,262,304	2858	61.1	59.1-63.1	1001	22.8	21.2-24.4	713	16.1	14.5-17.7
Male	2076	2,546,386	1473	68.6	65.9-71.3	326	17.3	14.9-19.7	277	14.2	12.0-16.4
Female	2496	2,715,917	1385	54.1	51.4-56.8	675	28.0	25.6-30.4	436	17.8	15.6-20.0
White/Non-Hisp	3694	3,881,873	2339	61.7	59.5-63.9	798	22.3	20.5-24.1	557	16.0	14.2-17.8
Black or Afr. Am./Non-Hisp	461	820,688	276	57.0	50.9-63.1	122	28.9	23.2-34.6	63	14.1	9.6-18.6
Oth. Race/Non-Hisp.	126	122,684	68	57.5	45.9-69.1	30	21.3	12.1-30.5	28	21.2	12.6-29.8
MultiRacial/Non-Hisp.	75	64,641	40	49.7	35.8-63.6	13	17.3	6.1-28.5	22	33.0	19.5-46.5
Hispanic	133	261,496	83	69.1	58.9-79.3	25	15.1	7.8-22.4	25	15.7	7.9-23.5
18-24	332	609,557	153	44.0	36.9-51.1	106	30.9	24.4-37.4	73	25.2	18.5-31.9
25-34	575	914,268	277	50.2	44.7-55.7	176	30.3	25.6-35.0	122	19.5	15.4-23.6
35-44	645	844,815	366	59.6	54.7-64.5	155	22.6	18.7-26.5	124	17.8	13.9-21.7
45-54	765	849,712	453	62.1	57.6-66.6	188	23.6	19.5-27.7	124	14.2	11.1-17.3
55-64	855	877,379	549	64.2	60.1-68.3	162	18.9	15.4-22.4	144	16.9	13.4-20.4
65+	1400	1,166,573	1060	76.6	73.7-79.5	214	15.3	12.8-17.8	126	8.1	6.3- 9.9
Less Than H.S.	354	631,975	205	61.5	54.2-68.8	68	17.6	12.5-22.7	81	20.9	14.4-27.4
H.S. or G.E.D.	1416	1,690,071	922	65.0	61.7-68.3	267	19.8	17.1-22.5	227	15.2	12.7-17.7
Some Post-H.S.	1175	1,561,665	711	57.1	53.4-60.8	252	24.0	20.7-27.3	212	18.9	16.0-21.8
College Graduate	1574	1,310,434	982	60.1	57.0-63.2	403	27.9	25.0-30.8	189	12.0	9.8-14.2
Less than \$15,000	386	459,354	178	46.8	39.4-54.2	79	19.0	13.7-24.3	129	34.2	26.4-42.0
\$15,000- 24,999	640	713,609	359	59.9	54.8-65.0	139	20.8	16.5-25.1	142	19.2	15.3-23.1
\$25,000- 34,999	377	442,142	237	63.6	56.7-70.5	83	23.9	17.6-30.2	57	12.6	8.1-17.1
\$35,000- 49,999	535	634,145	324	58.2	52.5-63.9	117	20.0	15.5-24.5	94	21.8	16.5-27.1
\$50,000- 74,999	593	698,301	369	56.0	50.5-61.5	156	30.5	25.4-35.6	68	13.5	9.4-17.6
\$75,000+	1184	1,384,871	788	64.6	61.1-68.1	285	24.7	21.6-27.8	111	10.7	8.3-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2076	2,546,386	1473	68.6	65.9-71.3	326	17.3	15.1-19.5	277	14.2	12.0-16.4
White/Non-Hisp	1691	1,876,151	1219	70.3	67.4-73.2	255	15.8	13.4-18.2	217	14.0	11.8-16.2
Black or Afr. Am./Non-Hisp	166	346,128	114	64.7	55.1-74.3	39	26.1	17.5-34.7	13	9.1	3.0-15.2
Oth. Race/Non-Hisp.	70	68,753	43	58.1	43.4-72.8	15	25.5	12.2-38.8	12	16.4	5.8-27.0
Hispanic	69	157,328	48	70.4	56.3-84.5	8	10.3	1.1-19.5	13	19.2	7.2-31.2
18-24	177	318,314	95	52.3	42.9-61.7	48	28.6	19.8-37.4	34	19.1	12.0-26.2
25-34	274	462,219	158	60.8	53.2-68.4	65	22.1	15.8-28.4	51	17.1	11.0-23.2
35-44	294	413,071	194	66.3	59.2-73.4	53	17.1	11.8-22.4	47	16.6	10.7-22.5
45-54	356	417,818	249	70.8	64.7-76.9	59	16.7	11.8-21.6	48	12.5	8.0-17.0
55-64	385	416,318	288	71.0	64.9-77.1	47	14.5	9.4-19.6	50	14.5	10.0-19.0
65+	590	518,647	489	83.6	79.7-87.5	54	8.8	5.9-11.7	47	7.6	4.9-10.3
Less Than H.S.	168	321,333	105	66.2	57.2-75.2	24	12.6	6.5-18.7	39	21.3	13.9-28.7
H.S. or G.E.D.	655	853,692	480	73.9	69.4-78.4	82	12.6	9.3-15.9	93	13.5	10.0-17.0
Some Post-H.S.	505	706,581	341	61.7	56.0-67.4	87	21.5	16.6-26.4	77	16.8	12.3-21.3
College Graduate	723	624,937	526	69.5	65.0-74.0	131	21.4	17.3-25.5	66	9.1	6.2-12.0
Less than \$15,000	143	174,959	74	51.0	40.0-62.0	19	14.2	6.2-22.2	50	34.8	24.6-45.0
\$15,000- 24,999	252	330,849	157	66.4	58.8-74.0	46	16.2	10.5-21.9	49	17.3	11.2-23.4
\$25,000- 34,999	155	185,524	123	75.8	65.6-86.0	19	15.9	7.1-24.7	13	8.3	1.6-15.0
\$35,000- 49,999	246	327,399	171	66.3	58.3-74.3	36	16.2	10.3-22.1	39	17.5	10.6-24.4
\$50,000- 74,999	287	359,868	196	60.1	52.1-68.1	58	25.2	17.9-32.5	33	14.8	8.7-20.9
\$75,000+	616	729,351	466	73.4	68.7-78.1	101	16.9	13.0-20.8	49	9.7	6.6-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2496	2,715,917	1385	54.1	51.4-56.8	675	28.0	25.6-30.4	436	17.8	15.6-20.0
White/Non-Hisp	2003	2,005,721	1120	53.7	50.8-56.6	543	28.4	25.9-30.9	340	17.9	15.5-20.3
Black or Afr. Am./Non-Hisp	295	474,559	162	51.4	43.6-59.2	83	31.0	23.7-38.3	50	17.7	11.2-24.2
Oth. Race/Non-Hisp.	56	53,931	25	56.8	38.2-75.4	15	15.8	4.8-26.8	16	27.5	12.4-42.6
Hispanic	64	104,168	35	67.2	52.9-81.5	17	22.3	10.1-34.5	12	10.5	2.7-18.3
18-24	155	291,243	58	34.8	24.6-45.0	58	33.4	23.6-43.2	39	31.8	20.8-42.8
25-34	301	452,049	119	39.5	32.4-46.6	111	38.7	31.8-45.6	71	21.9	16.0-27.8
35-44	351	431,744	172	53.1	46.4-59.8	102	27.9	22.0-33.8	77	19.0	13.7-24.3
45-54	409	431,894	204	53.8	47.3-60.3	129	30.4	24.3-36.5	76	15.8	11.3-20.3
55-64	470	461,061	261	58.1	52.4-63.8	115	22.8	18.1-27.5	94	19.1	14.6-23.6
65+	810	647,926	571	71.1	67.0-75.2	160	20.5	16.6-24.4	79	8.5	6.1-10.9
Less Than H.S.	186	310,642	100	56.7	45.9-67.5	44	22.9	14.7-31.1	42	20.4	10.4-30.4
H.S. or G.E.D.	761	836,378	442	56.0	51.3-60.7	185	27.1	22.8-31.4	134	16.9	13.4-20.4
Some Post-H.S.	670	855,083	370	53.2	48.3-58.1	165	26.1	21.8-30.4	135	20.6	16.5-24.7
College Graduate	851	685,496	456	51.5	47.2-55.8	272	33.8	29.7-37.9	123	14.6	11.5-17.7
Less than \$15,000	243	284,396	104	44.3	34.5-54.1	60	21.9	14.8-29.0	79	33.8	23.2-44.4
\$15,000- 24,999	388	382,760	202	54.3	47.2-61.4	93	24.8	18.7-30.9	93	20.9	15.8-26.0
\$25,000- 34,999	222	256,618	114	54.8	45.4-64.2	64	29.6	21.0-38.2	44	15.6	9.7-21.5
\$35,000- 49,999	289	306,746	153	49.6	41.8-57.4	81	24.0	17.7-30.3	55	26.4	18.8-34.0
\$50,000- 74,999	306	338,434	173	51.6	44.2-59.0	98	36.2	28.9-43.5	35	12.1	6.8-17.4
\$75,000+	568	655,521	322	54.8	49.5-60.1	184	33.3	28.2-38.4	62	11.8	8.3-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3137	4,065,152	2661	83.7	81.7-85.7	476	16.3	14.3-18.3
Male	1459	1,993,400	1191	80.5	77.6-83.4	268	19.5	16.6-22.4
Female	1678	2,071,753	1470	86.8	84.4-89.2	208	13.2	10.8-15.6
White/Non-Hisp	2450	2,858,860	2131	87.8	86.0-89.6	319	12.2	10.4-14.0
Black or Afr. Am./Non-Hisp	349	710,372	281	77.8	72.1-83.5	68	22.2	16.5-27.9
Oth. Race/Non-Hisp.	103	109,330	75	70.7	57.8-83.6	28	29.3	16.4-42.2
MultiRacial/Non-Hisp.	62	55,459	55	81.9	68.0-95.8	7	18.1	4.2-32.0
Hispanic	124	257,686	80	59.9	47.7-72.1	44	40.1	27.9-52.3
18-24	329	608,706	272	82.8	76.9-88.7	57	17.2	11.3-23.1
25-34	582	932,600	477	80.3	75.6-85.0	105	19.7	15.0-24.4
35-44	640	834,527	527	82.2	78.3-86.1	113	17.8	13.9-21.7
45-54	722	798,351	624	85.4	81.7-89.1	98	14.6	10.9-18.3
55-64	864	890,970	761	87.9	85.0-90.8	103	12.1	9.2-15.0
Less Than H.S.	213	453,559	144	63.5	54.1-72.9	69	36.5	27.1-45.9
H.S. or G.E.D.	976	1,321,762	764	79.6	76.3-82.9	212	20.4	17.1-23.7
Some Post-H.S.	784	1,182,785	669	87.1	84.2-90.0	115	12.9	10.0-15.8
College Graduate	1134	1,064,389	1054	93.0	91.0-95.0	80	7.0	5.0- 9.0
Less than \$15,000	281	365,344	193	69.5	61.5-77.5	88	30.5	22.5-38.5
\$15,000- 24,999	401	525,274	298	69.7	62.8-76.6	103	30.3	23.4-37.2
\$25,000- 34,999	230	310,119	180	78.2	70.8-85.6	50	21.8	14.4-29.2
\$35,000- 49,999	357	487,467	302	84.8	79.9-89.7	55	15.2	10.3-20.1
\$50,000- 74,999	436	559,842	399	91.9	88.4-95.4	37	8.1	4.6-11.6
\$75,000+	956	1,197,489	903	94.5	92.5-96.5	53	5.5	3.5- 7.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1459	1,993,400	1191	80.5	77.6-83.4	268	19.5	16.6-22.4
White/Non-Hisp	1148	1,400,954	961	84.9	82.2-87.6	187	15.1	12.4-17.8
Black or Afr. Am./Non-Hisp	130	296,417	99	69.5	59.1-79.9	31	30.5	20.1-40.9
Oth. Race/Non-Hisp.	58	61,821	43	76.1	63.4-88.8	15	23.9	11.2-36.6
Hispanic	63	153,826	39	64.1	48.4-79.8	24	35.9	20.2-51.6
18-24	173	308,695	141	81.0	72.8-89.2	32	19.0	10.8-27.2
25-34	274	464,922	209	76.1	68.8-83.4	65	23.9	16.6-31.2
35-44	294	409,235	231	78.4	72.1-84.7	63	21.6	15.3-27.9
45-54	331	385,343	271	80.0	74.3-85.7	60	20.0	14.3-25.7
55-64	387	425,205	339	87.5	82.8-92.2	48	12.5	7.8-17.2
Less Than H.S.	106	232,864	68	55.1	42.2-68.0	38	44.9	32.0-57.8
H.S. or G.E.D.	492	696,964	363	76.2	71.5-80.9	129	23.8	19.1-28.5
Some Post-H.S.	347	556,834	287	86.1	81.6-90.6	60	13.9	9.4-18.4
College Graduate	502	486,163	461	91.6	88.5-94.7	41	8.4	5.3-11.5
Less than \$15,000	104	136,232	61	56.4	43.5-69.3	43	43.6	30.7-56.5
\$15,000- 24,999	163	245,189	111	63.6	53.2-74.0	52	36.4	26.0-46.8
\$25,000- 34,999	88	127,497	61	66.0	51.7-80.3	27	34.0	19.7-48.3
\$35,000- 49,999	174	258,955	141	83.1	76.0-90.2	33	16.9	9.8-24.0
\$50,000- 74,999	207	287,100	184	91.6	87.1-96.1	23	8.4	3.9-12.9
\$75,000+	495	630,999	456	93.3	90.6-96.0	39	6.7	4.0- 9.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1678	2,071,753	1470	86.8	84.4-89.2	208	13.2	10.8-15.6
White/Non-Hisp	1302	1,457,906	1170	90.6	88.6-92.6	132	9.4	7.4-11.4
Black or Afr. Am./Non-Hisp	219	413,954	182	83.8	77.7-89.9	37	16.2	10.1-22.3
Hispanic	61	103,860	41	53.6	35.6-71.6	20	46.4	28.4-64.4
18-24	156	300,010	131	84.6	76.6-92.6	25	15.4	7.4-23.4
25-34	308	467,678	268	84.5	78.6-90.4	40	15.5	9.6-21.4
35-44	346	425,292	296	85.8	81.1-90.5	50	14.2	9.5-18.9
45-54	391	413,007	353	90.4	85.9-94.9	38	9.6	5.1-14.1
55-64	477	465,765	422	88.2	84.5-91.9	55	11.8	8.1-15.5
Less Than H.S.	107	220,695	76	72.5	59.6-85.4	31	27.5	14.6-40.4
H.S. or G.E.D.	484	624,798	401	83.4	79.1-87.7	83	16.6	12.3-20.9
Some Post-H.S.	437	625,951	382	87.9	84.0-91.8	55	12.1	8.2-16.0
College Graduate	632	578,225	593	94.2	91.8-96.6	39	5.8	3.4- 8.2
Less than \$15,000	177	229,112	132	77.2	67.8-86.6	45	22.8	13.4-32.2
\$15,000- 24,999	238	280,085	187	75.0	66.0-84.0	51	25.0	16.0-34.0
\$25,000- 34,999	142	182,623	119	86.7	80.2-93.2	23	13.3	6.8-19.8
\$35,000- 49,999	183	228,512	161	86.9	80.2-93.6	22	13.1	6.4-19.8
\$50,000- 74,999	229	272,742	215	92.1	86.8-97.4	14	7.9	2.6-13.2
\$75,000+	461	566,490	447	95.9	93.4-98.4	14	4.1	1.6- 6.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4652	5,389,325	3474	75.5	73.7-77.3	1178	24.5	22.7-26.3
Male	2108	2,598,437	1644	78.7	76.3-81.1	464	21.3	18.9-23.7
Female	2544	2,790,888	1830	72.5	70.1-74.9	714	27.5	25.1-29.9
White/Non-Hisp	3761	3,975,225	2820	76.2	74.4-78.0	941	23.8	22.0-25.6
Black or Afr. Am./Non-Hisp	463	831,158	322	69.7	64.0-75.4	141	30.3	24.6-36.0
Oth. Race/Non-Hisp.	130	126,090	104	84.0	76.9-91.1	26	16.0	8.9-23.1
MultiRacial/Non-Hisp.	74	64,131	55	78.3	67.5-89.1	19	21.7	10.9-32.5
Hispanic	136	269,086	100	71.9	61.7-82.1	36	28.1	17.9-38.3
18-24	338	627,766	286	86.0	81.3-90.7	52	14.0	9.3-18.7
25-34	585	935,026	497	85.4	81.7-89.1	88	14.6	10.9-18.3
35-44	650	854,647	521	78.9	74.6-83.2	129	21.1	16.8-25.4
45-54	781	870,077	575	73.7	69.6-77.8	206	26.3	22.2-30.4
55-64	867	894,263	593	66.5	62.2-70.8	274	33.5	29.2-37.8
65+	1431	1,207,546	1002	67.7	64.4-71.0	429	32.3	29.0-35.6
Less Than H.S.	368	675,979	202	60.4	53.5-67.3	166	39.6	32.7-46.5
H.S. or G.E.D.	1449	1,736,696	953	69.2	66.1-72.3	496	30.8	27.7-33.9
Some Post-H.S.	1187	1,573,618	901	77.5	74.4-80.6	286	22.5	19.4-25.6
College Graduate	1593	1,331,256	1368	88.1	86.1-90.1	225	11.9	9.9-13.9
Less than \$15,000	395	481,998	204	52.4	45.0-59.8	191	47.6	40.2-55.0
\$15,000- 24,999	651	736,694	408	64.7	59.6-69.8	243	35.3	30.2-40.4
\$25,000- 34,999	386	451,804	258	70.9	64.6-77.2	128	29.1	22.8-35.4
\$35,000- 49,999	540	643,841	418	77.1	72.2-82.0	122	22.9	18.0-27.8
\$50,000- 74,999	598	702,423	480	82.4	78.3-86.5	118	17.6	13.5-21.7
\$75,000+	1192	1,395,437	1060	88.2	85.8-90.6	132	11.8	9.4-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2108	2,598,437	1644	78.7	76.3-81.1	464	21.3	18.9-23.7
White/Non-Hisp	1717	1,911,981	1338	78.6	76.1-81.1	379	21.4	18.9-23.9
Black or Afr. Am./Non-Hisp	166	346,128	125	74.7	66.1-83.3	41	25.3	16.7-33.9
Oth. Race/Non-Hisp.	72	70,849	56	84.6	76.2-93.0	16	15.4	7.0-23.8
Hispanic	71	163,693	56	78.2	66.6-89.8	15	21.8	10.2-33.4
18-24	179	320,689	155	88.7	83.2-94.2	24	11.3	5.8-16.8
25-34	277	467,348	243	89.4	84.9-93.9	34	10.6	6.1-15.1
35-44	297	420,468	250	82.7	76.6-88.8	47	17.3	11.2-23.4
45-54	364	426,214	272	75.2	69.5-80.9	92	24.8	19.1-30.5
55-64	389	426,817	278	68.3	62.0-74.6	111	31.7	25.4-38.0
65+	602	536,900	446	71.2	66.3-76.1	156	28.8	23.9-33.7
Less Than H.S.	173	340,669	103	66.5	57.7-75.3	70	33.5	24.7-42.3
H.S. or G.E.D.	668	866,638	469	73.2	68.9-77.5	199	26.8	22.5-31.1
Some Post-H.S.	510	711,530	407	81.0	76.5-85.5	103	19.0	14.5-23.5
College Graduate	730	636,142	640	89.1	86.2-92.0	90	10.9	8.0-13.8
Less than \$15,000	145	184,382	82	59.6	48.8-70.4	63	40.4	29.6-51.2
\$15,000- 24,999	256	335,639	164	67.7	60.3-75.1	92	32.3	24.9-39.7
\$25,000- 34,999	158	191,077	104	66.9	56.7-77.1	54	33.1	22.9-43.3
\$35,000- 49,999	250	336,887	201	76.4	69.0-83.8	49	23.6	16.2-31.0
\$50,000- 74,999	290	362,091	229	81.5	75.4-87.6	61	18.5	12.4-24.6
\$75,000+	620	736,503	560	89.3	86.0-92.6	60	10.7	7.4-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2544	2,790,888	1830	72.5	70.1-74.9	714	27.5	25.1-29.9
White/Non-Hisp	2044	2,063,244	1482	74.0	71.6-76.4	562	26.0	23.6-28.4
Black or Afr. Am./Non-Hisp	297	485,030	197	66.2	58.9-73.5	100	33.8	26.5-41.1
Oth. Race/Non-Hisp.	58	55,241	48	83.2	71.4-95.0	10	16.8	5.0-28.6
Hispanic	65	105,393	44	62.2	45.0-79.4	21	37.8	20.6-55.0
18-24	159	307,077	131	83.2	75.6-90.8	28	16.8	9.2-24.4
25-34	308	467,678	254	81.4	75.3-87.5	54	18.6	12.5-24.7
35-44	353	434,179	271	75.2	69.3-81.1	82	24.8	18.9-30.7
45-54	417	443,863	303	72.3	66.2-78.4	114	27.7	21.6-33.8
55-64	478	467,446	315	64.9	59.4-70.4	163	35.1	29.6-40.6
65+	829	670,645	556	64.9	60.4-69.4	273	35.1	30.6-39.6
Less Than H.S.	195	335,310	99	54.2	43.8-64.6	96	45.8	35.4-56.2
H.S. or G.E.D.	781	870,058	484	65.1	60.8-69.4	297	34.9	30.6-39.2
Some Post-H.S.	677	862,088	494	74.5	70.4-78.6	183	25.5	21.4-29.6
College Graduate	863	695,114	728	87.1	84.4-89.8	135	12.9	10.2-15.6
Less than \$15,000	250	297,616	122	47.9	38.1-57.7	128	52.1	42.3-61.9
\$15,000- 24,999	395	401,054	244	62.3	55.2-69.4	151	37.7	30.6-44.8
\$25,000- 34,999	228	260,727	154	73.7	66.3-81.1	74	26.3	18.9-33.7
\$35,000- 49,999	290	306,954	217	77.9	71.8-84.0	73	22.1	16.0-28.2
\$50,000- 74,999	308	340,332	251	83.3	78.0-88.6	57	16.7	11.4-22.0
\$75,000+	572	658,934	500	86.9	83.4-90.4	72	13.1	9.6-16.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4608	5,324,671	462	7.9	6.9- 8.9	4146	92.1	91.1-93.1
Male	2082	2,561,666	245	9.4	7.8-11.0	1837	90.6	89.0-92.2
Female	2526	2,763,005	217	6.5	5.3- 7.7	2309	93.5	92.3-94.7
White/Non-Hisp	3726	3,943,937	384	8.5	7.5- 9.5	3342	91.5	90.5-92.5
Black or Afr. Am./Non-Hisp	460	820,212	38	5.8	3.4- 8.2	422	94.2	91.8-96.6
Oth. Race/Non-Hisp.	129	125,740	16	7.7	3.4-12.0	113	92.3	88.0-96.6
MultiRacial/Non-Hisp.	75	64,641	8	7.1	0.4-13.8	67	92.9	86.2-99.6
Hispanic	132	248,638	4	2.4	0.0- 4.9	128	97.6	95.1- 100
18-24	337	618,304	4	0.7	0.0- 1.5	333	99.3	98.5- 100
25-34	583	927,407	5	0.9	0.1- 1.7	578	99.1	98.3-99.9
35-44	646	839,455	20	2.2	1.0- 3.4	626	97.8	96.6-99.0
45-54	771	862,439	53	6.5	4.1- 8.9	718	93.5	91.1-95.9
55-64	862	890,489	102	10.9	8.2-13.6	760	89.1	86.4-91.8
65+	1409	1,186,577	278	19.8	17.1-22.5	1131	80.2	77.5-82.9
Less Than H.S.	360	649,266	67	12.7	9.0-16.4	293	87.3	83.6-91.0
H.S. or G.E.D.	1427	1,708,529	159	8.4	6.8-10.0	1268	91.6	90.0-93.2
Some Post-H.S.	1185	1,571,278	122	8.0	6.2- 9.8	1063	92.0	90.2-93.8
College Graduate	1582	1,324,973	108	5.0	3.8- 6.2	1474	95.0	93.8-96.2
Less than \$15,000	390	477,515	67	12.8	8.7-16.9	323	87.2	83.1-91.3
\$15,000- 24,999	640	715,558	99	11.0	8.3-13.7	541	89.0	86.3-91.7
\$25,000- 34,999	381	444,222	55	9.8	6.3-13.3	326	90.2	86.7-93.7
\$35,000- 49,999	536	636,478	48	8.1	5.2-11.0	488	91.9	89.0-94.8
\$50,000- 74,999	596	701,380	43	5.8	3.4- 8.2	553	94.2	91.8-96.6
\$75,000+	1188	1,391,779	57	4.0	2.8- 5.2	1131	96.0	94.8-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2082	2,561,666	245	9.4	8.0-10.8	1837	90.6	89.2-92.0
White/Non-Hisp	1697	1,891,730	208	10.3	8.5-12.1	1489	89.7	87.9-91.5
Black or Afr. Am./Non-Hisp	163	339,931	15	6.9	2.6-11.2	148	93.1	88.8-97.4
Oth. Race/Non-Hisp.	72	70,849	8	7.8	1.9-13.7	64	92.2	86.3-98.1
Hispanic	69	154,306	3	3.2	0.0- 7.1	66	96.8	92.9- 100
18-24	180	321,199	3	0.9	0.0- 2.1	177	99.1	97.9- 100
25-34	277	467,348	2	0.9	0.0- 2.1	275	99.1	97.9- 100
35-44	293	405,276	7	1.5	0.3- 2.7	286	98.5	97.3-99.7
45-54	359	422,613	28	7.3	4.4-10.2	331	92.7	89.8-95.6
55-64	386	424,443	57	13.3	9.0-17.6	329	86.7	82.4-91.0
65+	587	520,787	148	26.7	21.8-31.6	439	73.3	68.4-78.2
Less Than H.S.	167	323,730	37	15.5	9.6-21.4	130	84.5	78.6-90.4
H.S. or G.E.D.	656	852,021	74	8.8	6.3-11.3	582	91.2	88.7-93.7
Some Post-H.S.	508	709,244	63	9.8	6.9-12.7	445	90.2	87.3-93.1
College Graduate	724	633,213	67	6.6	4.6- 8.6	657	93.4	91.4-95.4
Less than \$15,000	141	180,012	32	16.4	9.3-23.5	109	83.6	76.5-90.7
\$15,000- 24,999	250	328,378	46	13.6	8.7-18.5	204	86.4	81.5-91.3
\$25,000- 34,999	155	184,384	27	11.9	6.0-17.8	128	88.1	82.2-94.0
\$35,000- 49,999	247	330,442	26	9.9	6.0-13.8	221	90.1	86.2-94.0
\$50,000- 74,999	289	361,348	29	7.7	3.6-11.8	260	92.3	88.2-96.4
\$75,000+	617	733,417	40	5.1	3.1- 7.1	577	94.9	92.9-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2526	2,763,005	217	6.5	5.3- 7.7	2309	93.5	92.3-94.7
White/Non-Hisp	2029	2,052,207	176	6.9	5.5- 8.3	1853	93.1	91.7-94.5
Black or Afr. Am./Non-Hisp	297	480,281	23	5.0	2.1- 7.9	274	95.0	92.1-97.9
Oth. Race/Non-Hisp.	57	54,891	8	7.6	1.5-13.7	49	92.4	86.3-98.5
Hispanic	63	94,333	1	1.1	0.0- 3.3	62	98.9	96.7- 100
18-24	157	297,105	1	0.5	0.0- 1.5	156	99.5	98.5- 100
25-34	306	460,059	3	1.0	0.0- 2.2	303	99.0	97.8- 100
35-44	353	434,179	13	2.8	1.0- 4.6	340	97.2	95.4-99.0
45-54	412	439,826	25	5.8	2.9- 8.7	387	94.2	91.3-97.1
55-64	476	466,046	45	8.8	5.5-12.1	431	91.2	87.9-94.5
65+	822	665,790	130	14.4	11.5-17.3	692	85.6	82.7-88.5
Less Than H.S.	193	325,536	30	9.8	5.3-14.3	163	90.2	85.7-94.7
H.S. or G.E.D.	771	856,509	85	8.0	5.8-10.2	686	92.0	89.8-94.2
Some Post-H.S.	677	862,034	59	6.5	4.5- 8.5	618	93.5	91.5-95.5
College Graduate	858	691,761	41	3.4	1.8- 5.0	817	96.6	95.0-98.2
Less than \$15,000	249	297,503	35	10.6	5.9-15.3	214	89.4	84.7-94.1
\$15,000- 24,999	390	387,181	53	8.8	5.9-11.7	337	91.2	88.3-94.1
\$25,000- 34,999	226	259,838	28	8.3	4.0-12.6	198	91.7	87.4-96.0
\$35,000- 49,999	289	306,035	22	6.1	3.0- 9.2	267	93.9	90.8-97.0
\$50,000- 74,999	307	340,033	14	3.8	1.4- 6.2	293	96.2	93.8-98.6
\$75,000+	571	658,362	17	2.7	1.1- 4.3	554	97.3	95.7-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4641	5,375,368	3919	84.3	82.9-85.7	722	15.7	14.3-17.1
Male	2103	2,591,664	1846	87.6	85.6-89.6	257	12.4	10.4-14.4
Female	2538	2,783,704	2073	81.2	79.0-83.4	465	18.8	16.6-21.0
White/Non-Hisp	3753	3,964,862	3185	84.8	83.2-86.4	568	15.2	13.6-16.8
Black or Afr. Am./Non-Hisp	464	830,849	375	79.0	73.9-84.1	89	21.0	15.9-26.1
Oth. Race/Non-Hisp.	127	125,041	112	89.2	82.9-95.5	15	10.8	4.5-17.1
MultiRacial/Non-Hisp.	74	63,215	55	74.8	61.7-87.9	19	25.2	12.1-38.3
Hispanic	136	269,086	117	90.9	85.8-96.0	19	9.1	4.0-14.2
18-24	338	626,850	266	79.4	73.3-85.5	72	20.6	14.5-26.7
25-34	582	930,456	492	87.1	84.0-90.2	90	12.9	9.8-16.0
35-44	650	854,552	549	84.7	81.0-88.4	101	15.3	11.6-19.0
45-54	778	868,174	655	82.6	78.9-86.3	123	17.4	13.7-21.1
55-64	865	891,233	732	84.9	81.8-88.0	133	15.1	12.0-18.2
65+	1428	1,204,103	1225	85.1	82.6-87.6	203	14.9	12.4-17.4
Less Than H.S.	368	676,205	288	79.2	73.3-85.1	80	20.8	14.9-26.7
H.S. or G.E.D.	1447	1,733,844	1212	83.4	80.9-85.9	235	16.6	14.1-19.1
Some Post-H.S.	1185	1,567,945	998	84.9	82.4-87.4	187	15.1	12.6-17.6
College Graduate	1588	1,327,294	1373	86.8	84.6-89.0	215	13.2	11.0-15.4
Less than \$15,000	395	479,290	297	76.7	70.8-82.6	98	23.3	17.4-29.2
\$15,000- 24,999	650	735,470	515	76.3	71.2-81.4	135	23.7	18.6-28.8
\$25,000- 34,999	386	451,804	326	86.2	81.5-90.9	60	13.8	9.1-18.5
\$35,000- 49,999	540	643,841	453	84.8	80.9-88.7	87	15.2	11.3-19.1
\$50,000- 74,999	595	698,731	519	85.9	82.0-89.8	76	14.1	10.2-18.0
\$75,000+	1191	1,394,806	1051	88.1	85.7-90.5	140	11.9	9.5-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2103	2,591,664	1846	87.6	85.6-89.6	257	12.4	10.4-14.4
White/Non-Hisp	1714	1,908,872	1515	88.9	87.1-90.7	199	11.1	9.3-12.9
Black or Afr. Am./Non-Hisp	165	343,924	131	77.6	69.2-86.0	34	22.4	14.0-30.8
Oth. Race/Non-Hisp.	71	70,305	64	89.9	81.7-98.1	7	10.1	1.9-18.3
Hispanic	71	163,693	64	92.1	85.2-99.0	7	7.9	1.0-14.8
18-24	179	319,773	149	84.4	77.7-91.1	30	15.6	8.9-22.3
25-34	275	465,124	235	87.7	83.0-92.4	40	12.3	7.6-17.0
35-44	297	420,373	259	87.4	81.9-92.9	38	12.6	7.1-18.1
45-54	362	425,051	319	89.1	85.2-93.0	43	10.9	7.0-14.8
55-64	389	426,817	342	87.8	83.5-92.1	47	12.2	7.9-16.5
65+	601	534,526	542	88.1	84.6-91.6	59	11.9	8.4-15.4
Less Than H.S.	172	339,483	146	86.7	80.4-93.0	26	13.3	7.0-19.6
H.S. or G.E.D.	667	865,306	579	86.5	83.0-90.0	88	13.5	10.0-17.0
Some Post-H.S.	509	708,797	446	87.3	83.4-91.2	63	12.7	8.8-16.6
College Graduate	729	635,164	651	89.4	86.7-92.1	78	10.6	7.9-13.3
Less than \$15,000	144	181,933	108	72.5	61.9-83.1	36	27.5	16.9-38.1
\$15,000- 24,999	257	336,088	221	84.0	77.9-90.1	36	16.0	9.9-22.1
\$25,000- 34,999	158	191,077	133	84.1	76.1-92.1	25	15.9	7.9-23.9
\$35,000- 49,999	250	336,887	220	89.9	85.2-94.6	30	10.1	5.4-14.8
\$50,000- 74,999	289	361,053	253	86.2	80.7-91.7	36	13.8	8.3-19.3
\$75,000+	619	735,873	566	91.7	89.0-94.4	53	8.3	5.6-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2538	2,783,704	2073	81.2	79.0-83.4	465	18.8	16.6-21.0
White/Non-Hisp	2039	2,055,990	1670	81.1	78.7-83.5	369	18.9	16.5-21.3
Black or Afr. Am./Non-Hisp	299	486,925	244	80.0	73.7-86.3	55	20.0	13.7-26.3
Oth. Race/Non-Hisp.	56	54,735	48	88.2	78.4-98.0	8	11.8	2.0-21.6
Hispanic	65	105,393	53	89.1	81.7-96.5	12	10.9	3.5-18.3
18-24	159	307,077	117	74.1	64.1-84.1	42	25.9	15.9-35.9
25-34	307	465,332	257	86.6	82.3-90.9	50	13.4	9.1-17.7
35-44	353	434,179	290	82.2	77.1-87.3	63	17.8	12.7-22.9
45-54	416	443,123	336	76.3	70.2-82.4	80	23.7	17.6-29.8
55-64	476	464,416	390	82.2	77.7-86.7	86	17.8	13.3-22.3
65+	827	669,577	683	82.7	79.2-86.2	144	17.3	13.8-20.8
Less Than H.S.	196	336,722	142	71.6	61.8-81.4	54	28.4	18.6-38.2
H.S. or G.E.D.	780	868,538	633	80.3	76.6-84.0	147	19.7	16.0-23.4
Some Post-H.S.	676	859,148	552	83.0	79.3-86.7	124	17.0	13.3-20.7
College Graduate	859	692,130	722	84.5	81.4-87.6	137	15.5	12.4-18.6
Less than \$15,000	251	297,357	189	79.2	72.3-86.1	62	20.8	13.9-27.7
\$15,000- 24,999	393	399,382	294	69.8	62.4-77.2	99	30.2	22.8-37.6
\$25,000- 34,999	228	260,727	193	87.7	82.0-93.4	35	12.3	6.6-18.0
\$35,000- 49,999	290	306,954	233	79.3	72.8-85.8	57	20.7	14.2-27.2
\$50,000- 74,999	306	337,678	266	85.5	80.0-91.0	40	14.5	9.0-20.0
\$75,000+	572	658,934	485	84.0	80.1-87.9	87	16.0	12.1-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4615	5,348,737	4137	89.7	88.5-90.9	478	10.3	9.1-11.5
Male	2091	2,580,682	1957	93.5	92.1-94.9	134	6.5	5.1- 7.9
Female	2524	2,768,055	2180	86.1	84.1-88.1	344	13.9	11.9-15.9
White/Non-Hisp	3737	3,946,692	3363	90.1	88.7-91.5	374	9.9	8.5-11.3
Black or Afr. Am./Non-Hisp	460	827,370	398	85.6	81.3-89.9	62	14.4	10.1-18.7
Oth. Race/Non-Hisp.	125	124,016	116	94.0	89.7-98.3	9	6.0	1.7-10.3
MultiRacial/Non-Hisp.	72	61,334	62	90.1	81.1-99.1	10	9.9	0.9-18.9
Hispanic	135	268,389	122	94.4	90.9-97.9	13	5.6	2.1- 9.1
18-24	337	626,153	296	88.0	83.1-92.9	41	12.0	7.1-16.9
25-34	578	926,353	520	92.4	90.0-94.8	58	7.6	5.2-10.0
35-44	647	850,604	586	90.3	87.2-93.4	61	9.7	6.6-12.8
45-54	772	861,405	684	86.0	82.5-89.5	88	14.0	10.5-17.5
55-64	861	887,219	767	90.1	87.7-92.5	94	9.9	7.5-12.3
65+	1420	1,197,003	1284	90.3	88.1-92.5	136	9.7	7.5-11.9
Less Than H.S.	362	669,975	299	82.8	77.1-88.5	63	17.2	11.5-22.9
H.S. or G.E.D.	1444	1,730,499	1293	89.6	87.6-91.6	151	10.4	8.4-12.4
Some Post-H.S.	1172	1,554,900	1045	90.3	88.1-92.5	127	9.7	7.5-11.9
College Graduate	1584	1,323,283	1449	92.0	90.4-93.6	135	8.0	6.4- 9.6
Less than \$15,000	389	473,638	319	83.1	77.8-88.4	70	16.9	11.6-22.2
\$15,000- 24,999	645	730,831	541	81.4	76.5-86.3	104	18.6	13.7-23.5
\$25,000- 34,999	385	450,824	344	91.2	87.5-94.9	41	8.8	5.1-12.5
\$35,000- 49,999	532	635,398	486	92.3	89.4-95.2	46	7.7	4.8-10.6
\$50,000- 74,999	594	698,316	549	92.8	90.3-95.3	45	7.2	4.7- 9.7
\$75,000+	1189	1,391,875	1104	92.1	89.9-94.3	85	7.9	5.7-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2091	2,580,682	1957	93.5	92.1-94.9	134	6.5	5.1- 7.9
White/Non-Hisp	1707	1,902,302	1602	93.9	92.5-95.3	105	6.1	4.7- 7.5
Black or Afr. Am./Non-Hisp	163	342,119	146	89.6	83.5-95.7	17	10.4	4.3-16.5
Oth. Race/Non-Hisp.	70	69,580	66	95.3	90.0- 100	4	4.7	0.0-10.0
Hispanic	71	163,693	68	97.0	93.5- 100	3	3.0	0.0- 6.5
18-24	179	319,773	166	92.8	88.5-97.1	13	7.2	2.9-11.5
25-34	272	463,039	253	95.6	93.2-98.0	19	4.4	2.0- 6.8
35-44	296	419,958	277	91.7	86.8-96.6	19	8.3	3.4-13.2
45-54	359	421,300	332	92.9	89.6-96.2	27	7.1	3.8-10.4
55-64	386	424,266	359	93.5	90.8-96.2	27	6.5	3.8- 9.2
65+	599	532,347	570	94.0	91.3-96.7	29	6.0	3.3- 8.7
Less Than H.S.	171	338,401	150	89.0	82.9-95.1	21	11.0	4.9-17.1
H.S. or G.E.D.	666	864,326	626	94.0	91.8-96.2	40	6.0	3.8- 8.2
Some Post-H.S.	502	702,509	468	93.5	90.8-96.2	34	6.5	3.8- 9.2
College Graduate	726	632,532	687	94.8	92.8-96.8	39	5.2	3.2- 7.2
Less than \$15,000	142	180,430	119	81.6	72.0-91.2	23	18.4	8.8-28.0
\$15,000- 24,999	256	335,005	236	91.2	86.7-95.7	20	8.8	4.3-13.3
\$25,000- 34,999	157	190,097	143	91.5	85.8-97.2	14	8.5	2.8-14.2
\$35,000- 49,999	245	332,114	235	97.0	94.8-99.2	10	3.0	0.8- 5.2
\$50,000- 74,999	288	360,638	273	94.4	91.3-97.5	15	5.6	2.5- 8.7
\$75,000+	618	734,404	590	95.1	92.7-97.5	28	4.9	2.5- 7.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2524	2,768,055	2180	86.1	84.1-88.1	344	13.9	11.9-15.9
White/Non-Hisp	2030	2,044,390	1761	86.6	84.4-88.8	269	13.4	11.2-15.6
Black or Afr. Am./Non-Hisp	297	485,251	252	82.7	76.6-88.8	45	17.3	11.2-23.4
Oth. Race/Non-Hisp.	55	54,436	50	92.3	85.2-99.4	5	7.7	0.6-14.8
Hispanic	64	104,696	54	90.3	83.2-97.4	10	9.7	2.6-16.8
18-24	158	306,380	130	83.0	74.2-91.8	28	17.0	8.2-25.8
25-34	306	463,314	267	89.1	85.2-93.0	39	10.9	7.0-14.8
35-44	351	430,647	309	89.0	84.7-93.3	42	11.0	6.7-15.3
45-54	413	440,105	352	79.3	73.4-85.2	61	20.7	14.8-26.6
55-64	475	462,953	408	87.0	83.3-90.7	67	13.0	9.3-16.7
65+	821	664,656	714	87.4	84.3-90.5	107	12.6	9.5-15.7
Less Than H.S.	191	331,574	149	76.6	67.2-86.0	42	23.4	14.0-32.8
H.S. or G.E.D.	778	866,173	667	85.1	81.8-88.4	111	14.9	11.6-18.2
Some Post-H.S.	670	852,390	577	87.7	84.6-90.8	93	12.3	9.2-15.4
College Graduate	858	690,751	762	89.5	87.0-92.0	96	10.5	8.0-13.0
Less than \$15,000	247	293,208	200	84.0	77.9-90.1	47	16.0	9.9-22.1
\$15,000- 24,999	389	395,826	305	73.1	65.7-80.5	84	26.9	19.5-34.3
\$25,000- 34,999	228	260,727	201	91.0	86.1-95.9	27	9.0	4.1-13.9
\$35,000- 49,999	287	303,284	251	87.2	81.9-92.5	36	12.8	7.5-18.1
\$50,000- 74,999	306	337,678	276	91.1	87.2-95.0	30	8.9	5.0-12.8
\$75,000+	571	657,471	514	88.8	85.3-92.3	57	11.2	7.7-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4615	5,348,737	478	10.3	9.1-11.5	218	5.0	4.2- 5.8	3919	84.7	83.3-86.1
Male	2091	2,580,682	134	6.5	5.1- 7.9	111	5.6	4.2- 7.0	1846	88.0	86.0-90.0
Female	2524	2,768,055	344	13.9	11.9-15.9	107	4.4	3.2- 5.6	2073	81.7	79.5-83.9
White/Non-Hisp	3737	3,946,692	374	9.9	8.5-11.3	178	4.9	3.9- 5.9	3185	85.2	83.6-86.8
Black or Afr. Am./Non-Hisp	460	827,370	62	14.4	10.1-18.7	23	6.2	3.1- 9.3	375	79.3	74.2-84.4
Oth. Race/Non-Hisp.	125	124,016	9	6.0	1.7-10.3	4	4.0	0.0- 8.7	112	89.9	83.6-96.2
MultiRacial/Non-Hisp.	72	61,334	10	9.9	0.9-18.9	7	13.0	2.0-24.0	55	77.1	64.0-90.2
Hispanic	135	268,389	13	5.6	2.1- 9.1	5	3.2	0.0- 6.9	117	91.2	86.1-96.3
18-24	337	626,153	41	12.0	7.1-16.9	30	8.5	4.6-12.4	266	79.5	73.4-85.6
25-34	578	926,353	58	7.6	5.2-10.0	28	4.8	2.4- 7.2	492	87.5	84.4-90.6
35-44	647	850,604	61	9.7	6.6-12.8	37	5.2	3.0- 7.4	549	85.1	81.4-88.8
45-54	772	861,405	88	14.0	10.5-17.5	29	2.8	1.6- 4.0	655	83.2	79.5-86.9
55-64	861	887,219	94	9.9	7.5-12.3	35	4.8	2.6- 7.0	732	85.3	82.2-88.4
65+	1420	1,197,003	136	9.7	7.5-11.9	59	4.7	3.1- 6.3	1225	85.6	83.1-88.1
Less Than H.S.	362	669,975	63	17.2	11.5-22.9	11	2.9	0.5- 5.3	288	79.9	74.0-85.8
H.S. or G.E.D.	1444	1,730,499	151	10.4	8.4-12.4	81	6.0	4.2- 7.8	1212	83.6	81.1-86.1
Some Post-H.S.	1172	1,554,900	127	9.7	7.5-11.9	47	4.7	2.9- 6.5	998	85.6	83.1-88.1
College Graduate	1584	1,323,283	135	8.0	6.4- 9.6	76	4.9	3.5- 6.3	1373	87.1	84.9-89.3
Less than \$15,000	389	473,638	70	16.9	11.6-22.2	22	5.5	2.4- 8.6	297	77.6	71.7-83.5
\$15,000- 24,999	645	730,831	104	18.6	13.7-23.5	26	4.6	2.2- 7.0	515	76.8	71.7-81.9
\$25,000- 34,999	385	450,824	41	8.8	5.1-12.5	18	4.8	1.7- 7.9	326	86.4	81.7-91.1
\$35,000- 49,999	532	635,398	46	7.7	4.8-10.6	33	6.3	3.4- 9.2	453	86.0	82.1-89.9
\$50,000- 74,999	594	698,316	45	7.2	4.7- 9.7	30	6.9	3.8-10.0	519	85.9	82.0-89.8
\$75,000+	1189	1,391,875	85	7.9	5.7-10.1	53	3.9	2.7- 5.1	1051	88.3	85.9-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2091	2,580,682	134	6.5	5.1- 7.9	111	5.6	4.2- 7.0	1846	88.0	86.0-90.0
White/Non-Hisp	1707	1,902,302	105	6.1	4.7- 7.5	87	4.7	3.5- 5.9	1515	89.2	87.4-91.0
Black or Afr. Am./Non-Hisp	163	342,119	17	10.4	4.3-16.5	15	11.6	4.7-18.5	131	78.0	69.6-86.4
Oth. Race/Non-Hisp.	70	69,580	4	4.7	0.0-10.0	2	4.4	0.0-10.7	64	90.9	82.9-98.9
Hispanic	71	163,693	3	3.0	0.0- 6.5	4	4.9	0.0-11.0	64	92.1	85.2-99.0
18-24	179	319,773	13	7.2	2.9-11.5	17	8.4	3.1-13.7	149	84.4	77.7-91.1
25-34	272	463,039	19	4.4	2.0- 6.8	18	7.5	3.2-11.8	235	88.1	83.4-92.8
35-44	296	419,958	19	8.3	3.4-13.2	18	4.3	1.6- 7.0	259	87.5	82.0-93.0
45-54	359	421,300	27	7.1	3.8-10.4	13	3.0	1.0- 5.0	319	89.9	86.2-93.6
55-64	386	424,266	27	6.5	3.8- 9.2	17	5.1	1.8- 8.4	342	88.4	84.1-92.7
65+	599	532,347	29	6.0	3.3- 8.7	28	5.5	3.0- 8.0	542	88.5	85.0-92.0
Less Than H.S.	171	338,401	21	11.0	4.9-17.1	4	2.0	0.0- 4.0	146	87.0	80.7-93.3
H.S. or G.E.D.	666	864,326	40	6.0	3.8- 8.2	47	7.5	4.8-10.2	579	86.6	83.1-90.1
Some Post-H.S.	502	702,509	34	6.5	3.8- 9.2	22	5.5	2.6- 8.4	446	88.1	84.4-91.8
College Graduate	726	632,532	39	5.2	3.2- 7.2	36	5.0	3.0- 7.0	651	89.8	87.1-92.5
Less than \$15,000	142	180,430	23	18.4	8.8-28.0	11	8.5	2.0-15.0	108	73.2	62.6-83.8
\$15,000- 24,999	256	335,005	20	8.8	4.3-13.3	15	7.0	2.5-11.5	221	84.2	78.1-90.3
\$25,000- 34,999	157	190,097	14	8.5	2.8-14.2	10	6.9	0.6-13.2	133	84.5	76.5-92.5
\$35,000- 49,999	245	332,114	10	3.0	0.8- 5.2	15	5.8	1.7- 9.9	220	91.2	86.7-95.7
\$50,000- 74,999	288	360,638	15	5.6	2.5- 8.7	20	8.1	3.2-13.0	253	86.3	80.8-91.8
\$75,000+	618	734,404	28	4.9	2.5- 7.3	24	3.2	1.6- 4.8	566	91.9	89.2-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2524	2,768,055	344	13.9	11.9-15.9	107	4.4	3.2- 5.6	2073	81.7	79.5-83.9
White/Non-Hisp	2030	2,044,390	269	13.4	11.2-15.6	91	5.0	3.6- 6.4	1670	81.5	79.1-83.9
Black or Afr. Am./Non-Hisp	297	485,251	45	17.3	11.2-23.4	8	2.4	0.2- 4.6	244	80.3	74.0-86.6
Oth. Race/Non-Hisp.	55	54,436	5	7.7	0.6-14.8	2	3.6	0.0-10.5	48	88.7	78.9-98.5
Hispanic	64	104,696	10	9.7	2.6-16.8	1	0.7	0.0- 2.1	53	89.7	82.4-97.0
18-24	158	306,380	28	17.0	8.2-25.8	13	8.7	2.6-14.8	117	74.3	64.3-84.3
25-34	306	463,314	39	10.9	7.0-14.8	10	2.2	0.6- 3.8	257	86.9	82.6-91.2
35-44	351	430,647	42	11.0	6.7-15.3	19	6.2	2.9- 9.5	290	82.8	77.7-87.9
45-54	413	440,105	61	20.7	14.8-26.6	16	2.5	1.1- 3.9	336	76.8	70.7-82.9
55-64	475	462,953	67	13.0	9.3-16.7	18	4.6	1.9- 7.3	390	82.4	77.9-86.9
65+	821	664,656	107	12.6	9.5-15.7	31	4.0	2.2- 5.8	683	83.3	79.8-86.8
Less Than H.S.	191	331,574	42	23.4	14.0-32.8	7	3.9	0.0- 8.0	142	72.7	62.9-82.5
H.S. or G.E.D.	778	866,173	111	14.9	11.6-18.2	34	4.5	2.5- 6.5	633	80.6	76.9-84.3
Some Post-H.S.	670	852,390	93	12.3	9.2-15.4	25	4.0	2.0- 6.0	552	83.6	80.1-87.1
College Graduate	858	690,751	96	10.5	8.0-13.0	40	4.9	3.1- 6.7	722	84.6	81.5-87.7
Less than \$15,000	247	293,208	47	16.0	9.9-22.1	11	3.7	0.8- 6.6	189	80.3	73.6-87.0
\$15,000- 24,999	389	395,826	84	26.9	19.5-34.3	11	2.7	0.5- 4.9	294	70.4	62.8-78.0
\$25,000- 34,999	228	260,727	27	9.0	4.1-13.9	8	3.3	0.4- 6.2	193	87.7	82.0-93.4
\$35,000- 49,999	287	303,284	36	12.8	7.5-18.1	18	6.9	2.8-11.0	233	80.3	74.0-86.6
\$50,000- 74,999	306	337,678	30	8.9	5.0-12.8	10	5.7	1.6- 9.8	266	85.5	80.0-91.0
\$75,000+	571	657,471	57	11.2	7.7-14.7	29	4.7	2.7- 6.7	485	84.2	80.3-88.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4639	5,360,485	1612	29.6	27.8-31.4	3027	70.4	68.6-72.2
Male	2097	2,577,117	589	23.5	21.1-25.9	1508	76.5	74.1-78.9
Female	2542	2,783,368	1023	35.2	32.8-37.6	1519	64.8	62.4-67.2
White/Non-Hisp	3750	3,958,406	1336	32.3	30.3-34.3	2414	67.7	65.7-69.7
Black or Afr. Am./Non-Hisp	464	830,627	157	25.3	20.4-30.2	307	74.7	69.8-79.6
Oth. Race/Non-Hisp.	130	126,090	41	25.5	16.7-34.3	89	74.5	65.7-83.3
MultiRacial/Non-Hisp.	74	63,215	29	26.6	15.2-38.0	45	73.4	62.0-84.8
Hispanic	135	265,489	19	5.9	2.6- 9.2	116	94.1	90.8-97.4
18-24	336	623,045	14	4.1	1.4- 6.8	322	95.9	93.2-98.6
25-34	584	933,689	56	8.7	6.0-11.4	528	91.3	88.6-94.0
35-44	648	847,103	127	18.0	14.3-21.7	521	82.0	78.3-85.7
45-54	777	867,248	237	29.9	25.6-34.2	540	70.1	65.8-74.4
55-64	865	886,008	394	42.4	38.3-46.5	471	57.6	53.5-61.7
65+	1429	1,203,393	784	57.4	54.1-60.7	645	42.6	39.3-45.9
Less Than H.S.	367	667,670	194	41.2	34.3-48.1	173	58.8	51.9-65.7
H.S. or G.E.D.	1447	1,730,180	535	30.3	27.4-33.2	912	69.7	66.8-72.6
Some Post-H.S.	1183	1,564,122	438	30.7	27.4-34.0	745	69.3	66.0-72.6
College Graduate	1589	1,328,021	428	22.3	19.8-24.8	1161	77.7	75.2-80.2
Less than \$15,000	392	468,414	208	44.5	37.2-51.8	184	55.5	48.2-62.8
\$15,000- 24,999	652	737,143	315	39.9	34.8-45.0	337	60.1	55.0-65.2
\$25,000- 34,999	384	451,368	146	29.2	23.1-35.3	238	70.8	64.7-76.9
\$35,000- 49,999	538	639,327	183	29.2	24.1-34.3	355	70.8	65.7-75.9
\$50,000- 74,999	596	698,467	174	28.6	23.7-33.5	422	71.4	66.5-76.3
\$75,000+	1190	1,393,874	282	20.1	17.4-22.8	908	79.9	77.2-82.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2097	2,577,117	589	23.5	21.3-25.7	1508	76.5	74.3-78.7
White/Non-Hisp	1710	1,903,890	502	26.5	24.0-29.0	1208	73.5	71.0-76.0
Black or Afr. Am./Non-Hisp	165	343,701	37	17.2	10.5-23.9	128	82.8	76.1-89.5
Oth. Race/Non-Hisp.	72	70,849	19	19.8	9.8-29.8	53	80.2	70.2-90.2
Hispanic	70	160,096	6	3.9	0.0- 7.8	64	96.1	92.2- 100
18-24	177	315,968	7	2.7	0.5- 4.9	170	97.3	95.1-99.5
25-34	277	467,348	22	6.9	3.4-10.4	255	93.1	89.6-96.6
35-44	296	415,420	36	11.2	6.5-15.9	260	88.8	84.1-93.5
45-54	361	424,944	97	24.2	18.7-29.7	264	75.8	70.3-81.3
55-64	386	418,097	145	34.7	29.0-40.4	241	65.3	59.6-71.0
65+	600	535,339	282	50.5	45.2-55.8	318	49.5	44.2-54.8
Less Than H.S.	171	330,916	80	38.0	29.0-47.0	91	62.0	53.0-71.0
H.S. or G.E.D.	665	861,435	198	24.2	20.3-28.1	467	75.8	71.9-79.7
Some Post-H.S.	508	707,384	143	21.2	17.1-25.3	365	78.8	74.7-82.9
College Graduate	727	634,057	161	18.3	15.0-21.6	566	81.7	78.4-85.0
Less than \$15,000	142	170,939	69	45.2	34.4-56.0	73	54.8	44.0-65.6
\$15,000- 24,999	257	336,088	109	34.1	26.8-41.4	148	65.9	58.6-73.2
\$25,000- 34,999	156	190,641	47	20.6	13.2-28.0	109	79.4	72.0-86.8
\$35,000- 49,999	248	332,374	71	23.9	17.2-30.6	177	76.1	69.4-82.8
\$50,000- 74,999	289	361,980	78	25.7	18.8-32.6	211	74.3	67.4-81.2
\$75,000+	619	736,068	123	16.4	13.1-19.7	496	83.6	80.3-86.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2542	2,783,368	1023	35.2	32.8-37.6	1519	64.8	62.4-67.2
White/Non-Hisp	2040	2,054,516	834	37.6	34.9-40.3	1206	62.4	59.7-65.1
Black or Afr. Am./Non-Hisp	299	486,925	120	31.0	24.1-37.9	179	69.0	62.1-75.9
Oth. Race/Non-Hisp.	58	55,241	22	32.9	17.0-48.8	36	67.1	51.2-83.0
Hispanic	65	105,393	13	8.9	3.2-14.6	52	91.1	85.4-96.8
18-24	159	307,077	7	5.6	0.7-10.5	152	94.4	89.5-99.3
25-34	307	466,341	34	10.5	6.2-14.8	273	89.5	85.2-93.8
35-44	352	431,683	91	24.6	18.9-30.3	261	75.4	69.7-81.1
45-54	416	442,303	140	35.5	29.2-41.8	276	64.5	58.2-70.8
55-64	479	467,911	249	49.2	43.3-55.1	230	50.8	44.9-56.7
65+	829	668,054	502	63.0	58.7-67.3	327	37.0	32.7-41.3
Less Than H.S.	196	336,754	114	44.3	34.3-54.3	82	55.7	45.7-65.7
H.S. or G.E.D.	782	868,745	337	36.4	32.1-40.7	445	63.6	59.3-67.9
Some Post-H.S.	675	856,739	295	38.5	33.8-43.2	380	61.5	56.8-66.2
College Graduate	862	693,964	267	25.9	22.2-29.6	595	74.1	70.4-77.8
Less than \$15,000	250	297,476	139	44.2	35.0-53.4	111	55.8	46.6-65.0
\$15,000- 24,999	395	401,054	206	44.7	37.6-51.8	189	55.3	48.2-62.4
\$25,000- 34,999	228	260,727	99	35.5	26.9-44.1	129	64.5	55.9-73.1
\$35,000- 49,999	290	306,954	112	35.0	27.7-42.3	178	65.0	57.7-72.3
\$50,000- 74,999	307	336,487	96	31.8	24.9-38.7	211	68.2	61.3-75.1
\$75,000+	571	657,806	159	24.4	20.1-28.7	412	75.6	71.3-79.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1 MALES AND FEMALES	38
2 MALES ONLY	39
3 FEMALES ONLY	40
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4 MALES AND FEMALES	41
5 MALES ONLY	42
6 FEMALES ONLY	43
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7 MALES AND FEMALES	44
8 MALES ONLY	45
9 FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4508	5,201,439	2262	55.0	53.0-57.0	2246	45.0	43.0-47.0
Male	2053	2,523,236	1053	54.6	51.7-57.5	1000	45.4	42.5-48.3
Female	2455	2,678,203	1209	55.4	52.9-57.9	1246	44.6	42.1-47.1
White/Non-Hisp	3648	3,838,867	1813	53.8	51.6-56.0	1835	46.2	44.0-48.4
Black or Afr. Am./Non-Hisp	448	801,558	208	53.4	47.3-59.5	240	46.6	40.5-52.7
Oth. Race/Non-Hisp.	123	121,836	67	62.1	50.9-73.3	56	37.9	26.7-49.1
MultiRacial/Non-Hisp.	75	64,641	42	71.3	59.9-82.7	33	28.7	17.3-40.1
Hispanic	133	265,335	96	73.8	63.8-83.8	37	26.2	16.2-36.2
18-24	335	609,425	301	89.9	85.8-94.0	34	10.1	6.0-14.2
25-34	581	925,958	442	77.3	73.0-81.6	139	22.7	18.4-27.0
35-44	640	837,558	390	61.5	56.4-66.6	250	38.5	33.4-43.6
45-54	761	848,736	394	52.2	47.5-56.9	367	47.8	43.1-52.5
55-64	839	850,857	348	39.7	35.4-44.0	491	60.3	56.0-64.6
65+	1352	1,128,906	387	26.6	23.5-29.7	965	73.4	70.3-76.5
Less Than H.S.	342	615,004	88	39.1	31.5-46.7	254	60.9	53.3-68.5
H.S. or G.E.D.	1397	1,676,525	560	48.0	44.5-51.5	837	52.0	48.5-55.5
Some Post-H.S.	1148	1,524,472	549	55.2	51.5-58.9	599	44.8	41.1-48.5
College Graduate	1570	1,317,343	1034	70.6	67.7-73.5	536	29.4	26.5-32.3
Less than \$15,000	380	434,860	93	31.1	24.0-38.2	287	68.9	61.8-76.0
\$15,000- 24,999	618	703,820	215	42.9	37.0-48.8	403	57.1	51.2-63.0
\$25,000- 34,999	377	440,316	149	47.3	40.0-54.6	228	52.7	45.4-60.0
\$35,000- 49,999	528	634,941	267	53.6	47.9-59.3	261	46.4	40.7-52.1
\$50,000- 74,999	586	690,307	324	57.1	51.6-62.6	262	42.9	37.4-48.4
\$75,000+	1177	1,376,623	810	71.7	68.6-74.8	367	28.3	25.2-31.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2053	2,523,236	1053	54.6	51.7-57.5	1000	45.4	42.5-48.3
White/Non-Hisp	1677	1,863,504	848	53.7	50.6-56.8	829	46.3	43.2-49.4
Black or Afr. Am./Non-Hisp	159	331,551	70	47.8	37.6-58.0	89	52.2	42.0-62.4
Oth. Race/Non-Hisp.	68	67,731	40	61.9	47.4-76.4	28	38.1	23.6-52.6
Hispanic	69	161,007	48	66.6	51.9-81.3	21	33.4	18.7-48.1
18-24	178	317,504	165	92.2	87.1-97.3	13	7.8	2.7-12.9
25-34	277	467,348	209	74.0	67.1-80.9	68	26.0	19.1-32.9
35-44	292	411,215	183	58.4	50.8-66.0	109	41.6	34.0-49.2
45-54	356	418,457	184	53.7	47.0-60.4	172	46.3	39.6-53.0
55-64	370	393,412	149	36.6	30.3-42.9	221	63.4	57.1-69.7
65+	580	515,300	163	25.3	20.8-29.8	417	74.7	70.2-79.2
Less Than H.S.	161	311,888	48	41.9	31.1-52.7	113	58.1	47.3-68.9
H.S. or G.E.D.	651	844,801	270	46.8	41.7-51.9	381	53.2	48.1-58.3
Some Post-H.S.	498	696,353	247	57.2	51.5-62.9	251	42.8	37.1-48.5
College Graduate	719	629,266	474	67.8	63.3-72.3	245	32.2	27.7-36.7
Less than \$15,000	140	166,307	36	27.1	17.5-36.7	104	72.9	63.3-82.5
\$15,000- 24,999	241	317,078	90	48.1	39.5-56.7	151	51.9	43.3-60.5
\$25,000- 34,999	155	187,155	60	46.8	35.6-58.0	95	53.2	42.0-64.4
\$35,000- 49,999	244	331,667	117	47.3	39.1-55.5	127	52.7	44.5-60.9
\$50,000- 74,999	285	354,675	152	54.1	46.1-62.1	133	45.9	37.9-53.9
\$75,000+	616	732,096	409	69.3	64.6-74.0	207	30.7	26.0-35.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2455	2,678,203	1209	55.4	52.9-57.9	1246	44.6	42.1-47.1
White/Non-Hisp	1971	1,975,363	965	53.8	51.1-56.5	1006	46.2	43.5-48.9
Black or Afr. Am./Non-Hisp	289	470,008	138	57.4	49.8-65.0	151	42.6	35.0-50.2
Oth. Race/Non-Hisp.	55	54,105	27	62.4	45.2-79.6	28	37.6	20.4-54.8
Hispanic	64	104,328	48	84.9	75.7-94.1	16	15.1	5.9-24.3
18-24	157	291,921	136	87.5	80.8-94.2	21	12.5	5.8-19.2
25-34	304	458,610	233	80.8	75.7-85.9	71	19.2	14.1-24.3
35-44	348	426,343	207	64.4	58.1-70.7	141	35.6	29.3-41.9
45-54	405	430,279	210	50.6	43.9-57.3	195	49.4	42.7-56.1
55-64	469	457,445	199	42.4	36.5-48.3	270	57.6	51.7-63.5
65+	772	613,606	224	27.7	23.6-31.8	548	72.3	68.2-76.4
Less Than H.S.	181	303,116	40	36.2	25.0-47.4	141	63.8	52.6-75.0
H.S. or G.E.D.	746	831,724	290	49.2	44.5-53.9	456	50.8	46.1-55.5
Some Post-H.S.	650	828,119	302	53.6	48.7-58.5	348	46.4	41.5-51.3
College Graduate	851	688,077	560	73.1	69.6-76.6	291	26.9	23.4-30.4
Less than \$15,000	240	268,553	57	33.5	23.9-43.1	183	66.5	56.9-76.1
\$15,000- 24,999	377	386,742	125	38.6	30.8-46.4	252	61.4	53.6-69.2
\$25,000- 34,999	222	253,161	89	47.7	38.3-57.1	133	52.3	42.9-61.7
\$35,000- 49,999	284	303,274	150	60.4	53.0-67.8	134	39.6	32.2-47.0
\$50,000- 74,999	301	335,632	172	60.2	52.9-67.5	129	39.8	32.5-47.1
\$75,000+	561	644,527	401	74.4	69.9-78.9	160	25.6	21.1-30.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1329	1,112,335	1095	80.8	77.9-83.7	234	19.2	16.3-22.1
Male	577	513,612	477	81.5	77.2-85.8	100	18.5	14.2-22.8
Female	752	598,723	618	80.2	75.9-84.5	134	19.8	15.5-24.1
White/Non-Hisp	1168	963,160	967	81.7	78.8-84.6	201	18.3	15.4-21.2
Black or Afr. Am./Non-Hisp	98	99,261	81	79.6	66.1-93.1	17	20.4	6.9-33.9
65+	1329	1,112,335	1095	80.8	77.9-83.7	234	19.2	16.3-22.1
Less Than H.S.	134	186,167	88	67.9	57.1-78.7	46	32.1	21.3-42.9
H.S. or G.E.D.	416	348,615	309	75.9	70.6-81.2	107	24.1	18.8-29.4
Some Post-H.S.	353	337,412	298	82.7	77.4-88.0	55	17.3	12.0-22.6
College Graduate	409	226,883	384	95.3	93.1-97.5	25	4.7	2.5- 6.9
Less than \$15,000	106	98,598	70	68.8	57.6-80.0	36	31.2	20.0-42.4
\$15,000- 24,999	230	193,058	158	66.7	57.5-75.9	72	33.3	24.1-42.5
\$25,000- 34,999	142	119,941	121	80.0	70.2-89.8	21	20.0	10.2-29.8
\$35,000- 49,999	171	148,346	155	87.9	80.1-95.7	16	12.1	4.3-19.9
\$50,000- 74,999	147	127,970	133	90.1	83.2-97.0	14	9.9	3.0-16.8
\$75,000+	212	171,646	204	96.3	93.6-99.0	8	3.7	1.0- 6.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	577	513,612	477	81.5	77.2-85.8	100	18.5	14.2-22.8
White/Non-Hisp	514	448,662	423	80.5	75.8-85.2	91	19.5	14.8-24.2
65+	577	513,612	477	81.5	77.2-85.8	100	18.5	14.2-22.8
Less Than H.S.	60	91,778	44	82.2	71.2-93.2	16	17.8	6.8-28.8
H.S. or G.E.D.	154	145,155	108	69.8	60.2-79.4	46	30.2	20.6-39.8
Some Post-H.S.	148	136,698	122	78.9	69.9-87.9	26	21.1	12.1-30.1
College Graduate	207	131,806	195	95.4	92.7-98.1	12	4.6	1.9- 7.3
\$15,000- 24,999	89	83,222	62	75.2	64.0-86.4	27	24.8	13.6-36.0
\$25,000- 34,999	67	58,110	57	75.8	60.5-91.1	10	24.2	8.9-39.5
\$35,000- 49,999	73	75,781	66	83.5	69.6-97.4	7	16.5	2.6-30.4
\$50,000- 74,999	79	69,528	71	86.9	75.9-97.9	8	13.1	2.1-24.1
\$75,000+	116	95,697	110	95.3	91.6-99.0	6	4.7	1.0- 8.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	752	598,723	618	80.2	75.9-84.5	134	19.8	15.5-24.1
White/Non-Hisp	654	514,498	544	82.7	79.0-86.4	110	17.3	13.6-21.0
Black or Afr. Am./Non-Hisp	66	57,179	54	74.0	54.6-93.4	12	26.0	6.6-45.4
65+	752	598,723	618	80.2	75.9-84.5	134	19.8	15.5-24.1
Less Than H.S.	74	94,389	44	54.0	38.1-69.9	30	46.0	30.1-61.9
H.S. or G.E.D.	262	203,460	201	80.3	74.4-86.2	61	19.7	13.8-25.6
Some Post-H.S.	205	200,714	176	85.3	79.0-91.6	29	14.7	8.4-21.0
College Graduate	202	95,077	189	95.2	92.1-98.3	13	4.8	1.7- 7.9
Less than \$15,000	68	60,231	43	62.3	47.0-77.6	25	37.7	22.4-53.0
\$15,000- 24,999	141	109,836	96	60.3	47.4-73.2	45	39.7	26.8-52.6
\$25,000- 34,999	75	61,832	64	84.0	71.7-96.3	11	16.0	3.7-28.3
\$35,000- 49,999	98	72,565	89	92.4	85.5-99.3	9	7.6	0.7-14.5
\$50,000- 74,999	68	58,442	62	93.8	86.7- 100	6	6.2	0.0-13.3
\$75,000+	96	75,949	94	97.5	93.8- 100	2	2.5	0.0- 6.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4582	5,276,435	2772	59.7	57.7-61.7	1810	40.3	38.3-42.3
Male	2076	2,532,761	1215	58.5	55.6-61.4	861	41.5	38.6-44.4
Female	2506	2,743,674	1557	60.8	58.1-63.5	949	39.2	36.5-41.9
White/Non-Hisp	3715	3,917,282	2293	61.6	59.4-63.8	1422	38.4	36.2-40.6
Black or Afr. Am./Non-Hisp	453	809,332	264	56.6	50.5-62.7	189	43.4	37.3-49.5
Oth. Race/Non-Hisp.	127	119,441	62	47.7	36.3-59.1	65	52.3	40.9-63.7
MultiRacial/Non-Hisp.	71	61,133	33	47.5	33.2-61.8	38	52.5	38.2-66.8
Hispanic	133	261,238	67	45.5	33.9-57.1	66	54.5	42.9-66.1
18-24	333	613,995	205	56.9	49.5-64.3	128	43.1	35.7-50.5
25-34	580	912,900	314	55.1	49.8-60.4	266	44.9	39.6-50.2
35-44	639	829,134	384	61.5	56.6-66.4	255	38.5	33.6-43.4
45-54	772	863,464	467	62.5	58.0-67.0	305	37.5	33.0-42.0
55-64	856	876,516	520	59.1	54.8-63.4	336	40.9	36.6-45.2
65+	1402	1,180,427	882	62.0	58.7-65.3	520	38.0	34.7-41.3
Less Than H.S.	351	643,531	117	36.7	29.3-44.1	234	63.3	55.9-70.7
H.S. or G.E.D.	1420	1,689,914	726	53.2	49.9-56.5	694	46.8	43.5-50.1
Some Post-H.S.	1175	1,548,834	721	62.3	58.6-66.0	454	37.7	34.0-41.4
College Graduate	1583	1,323,665	1167	75.0	72.3-77.7	416	25.0	22.3-27.7
Less than \$15,000	386	470,826	110	28.2	21.9-34.5	276	71.8	65.5-78.1
\$15,000- 24,999	646	729,004	263	40.6	35.1-46.1	383	59.4	53.9-64.9
\$25,000- 34,999	380	444,232	205	56.1	49.0-63.2	175	43.9	36.8-51.0
\$35,000- 49,999	529	622,319	320	60.1	54.4-65.8	209	39.9	34.2-45.6
\$50,000- 74,999	595	694,295	398	64.6	59.3-69.9	197	35.4	30.1-40.7
\$75,000+	1187	1,387,267	926	75.9	72.6-79.2	261	24.1	20.8-27.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2076	2,532,761	1215	58.5	55.6-61.4	861	41.5	38.6-44.4
White/Non-Hisp	1698	1,877,682	1021	60.8	57.9-63.7	677	39.2	36.3-42.1
Black or Afr. Am./Non-Hisp	162	338,028	85	54.6	44.8-64.4	77	45.4	35.6-55.2
Oth. Race/Non-Hisp.	71	70,570	36	47.8	33.3-62.3	35	52.2	37.7-66.7
Hispanic	69	156,684	33	43.4	27.7-59.1	36	56.6	40.9-72.3
18-24	176	312,150	110	59.4	49.8-69.0	66	40.6	31.0-50.2
25-34	275	458,484	140	53.5	45.5-61.5	135	46.5	38.5-54.5
35-44	290	401,720	175	63.5	56.4-70.6	115	36.5	29.4-43.6
45-54	359	422,051	221	63.4	57.1-69.7	138	36.6	30.3-42.9
55-64	382	413,799	217	55.2	48.7-61.7	165	44.8	38.3-51.3
65+	594	524,558	352	57.0	51.7-62.3	242	43.0	37.7-48.3
Less Than H.S.	166	318,727	47	34.3	24.1-44.5	119	65.7	55.5-75.9
H.S. or G.E.D.	656	844,613	324	52.2	47.1-57.3	332	47.8	42.7-52.9
Some Post-H.S.	501	692,769	288	59.5	53.8-65.2	213	40.5	34.8-46.2
College Graduate	727	633,327	533	75.5	71.6-79.4	194	24.5	20.6-28.4
Less than \$15,000	142	176,343	31	21.2	12.4-30.0	111	78.8	70.0-87.6
\$15,000- 24,999	253	328,706	96	34.3	26.7-41.9	157	65.7	58.1-73.3
\$25,000- 34,999	157	186,565	69	50.9	40.1-61.7	88	49.1	38.3-59.9
\$35,000- 49,999	244	319,651	143	59.4	51.2-67.6	101	40.6	32.4-48.8
\$50,000- 74,999	289	361,801	172	57.7	49.7-65.7	117	42.3	34.3-50.3
\$75,000+	617	732,534	470	75.6	70.9-80.3	147	24.4	19.7-29.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2506	2,743,674	1557	60.8	58.1-63.5	949	39.2	36.5-41.9
White/Non-Hisp	2017	2,039,599	1272	62.3	59.4-65.2	745	37.7	34.8-40.6
Black or Afr. Am./Non-Hisp	291	471,304	179	58.0	50.2-65.8	112	42.0	34.2-49.8
Oth. Race/Non-Hisp.	56	48,870	26	47.5	29.1-65.9	30	52.5	34.1-70.9
Hispanic	64	104,553	34	48.6	31.4-65.8	30	51.4	34.2-68.6
18-24	157	301,845	95	54.4	43.0-65.8	62	45.6	34.2-57.0
25-34	305	454,416	174	56.7	49.6-63.8	131	43.3	36.2-50.4
35-44	349	427,414	209	59.6	52.9-66.3	140	40.4	33.7-47.1
45-54	413	441,413	246	61.5	55.0-68.0	167	38.5	32.0-45.0
55-64	474	462,717	303	62.5	56.8-68.2	171	37.5	31.8-43.2
65+	808	655,869	530	65.9	61.4-70.4	278	34.1	29.6-38.6
Less Than H.S.	185	324,804	70	39.0	28.4-49.6	115	61.0	50.4-71.6
H.S. or G.E.D.	764	845,301	402	54.2	49.5-58.9	362	45.8	41.1-50.5
Some Post-H.S.	674	856,065	433	64.5	59.8-69.2	241	35.5	30.8-40.2
College Graduate	856	690,338	634	74.6	70.9-78.3	222	25.4	21.7-29.1
Less than \$15,000	244	294,482	79	32.4	23.8-41.0	165	67.6	59.0-76.2
\$15,000- 24,999	393	400,298	167	45.8	38.4-53.2	226	54.2	46.8-61.6
\$25,000- 34,999	223	257,667	136	59.8	50.6-69.0	87	40.2	31.0-49.4
\$35,000- 49,999	285	302,668	177	60.9	53.3-68.5	108	39.1	31.5-46.7
\$50,000- 74,999	306	332,494	226	72.2	65.5-78.9	80	27.8	21.1-34.5
\$75,000+	570	654,733	456	76.3	71.6-81.0	114	23.7	19.0-28.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
RACE/ETHNICITY CATEGORIES (_RACEPRV).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
WHITE/HISPANIC RACE GROUP (_RACEG21).	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN INCHES (HTIN4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED HEIGHT IN METERS (HTM4).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
40 MALES AND FEMALES	89
41 MALES ONLY	90
42 FEMALES ONLY	91
RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
43 MALES AND FEMALES	92
44 MALES ONLY	93
45 FEMALES ONLY	94
RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).	
46 MALES AND FEMALES	95
47 MALES ONLY	96
48 FEMALES ONLY	97
RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).	
49 MALES AND FEMALES	98
50 MALES ONLY	99
51 FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4581	5,279,860	3898	79.3	77.5-81.1	486	16.5	14.9-18.1	61	1.1	0.7- 1.5	53	1.2	0.8- 1.6	9	0.2	0.0- 0.4	74	1.7	1.1- 2.3
Male	2070	2,520,077	1785	80.4	77.9-82.9	177	14.7	12.2-17.2	37	1.6	1.0- 2.2	31	1.5	0.9- 2.1	3	0.1	0.0- 0.3	37	1.7	0.9- 2.5
Female	2511	2,759,783	2113	78.3	75.9-80.7	309	18.1	15.7-20.5	24	0.6	0.2- 1.0	22	1.0	0.4- 1.6	6	0.2	0.0- 0.4	37	1.7	0.9- 2.5
18-24	333	607,153	267	75.5	69.0-82.0	41	19.7	13.4-26.0	9	1.7	0.3- 3.1	9	1.5	0.3- 2.7	1	0.3	0.0- 0.9	6	1.4	0.2- 2.6
25-34	581	927,220	469	74.9	69.8-80.0	65	18.3	13.4-23.2	9	1.2	0.2- 2.2	17	2.8	1.0- 4.6	3	0.3	0.0- 0.7	18	2.5	0.7- 4.3
35-44	639	834,241	509	72.6	67.7-77.5	88	20.6	15.9-25.3	11	1.5	0.3- 2.7	16	2.1	0.9- 3.3	1	0.3	0.0- 0.9	14	3.0	1.0- 5.0
45-54	757	837,904	645	79.0	74.7-83.3	82	17.8	13.7-21.9	14	1.4	0.6- 2.2	7	0.6	0.0- 1.2	1	0.0	0.0- 0.0	8	1.2	0.2- 2.2
55-64	858	882,617	736	80.0	75.9-84.1	100	17.2	13.3-21.1	6	0.6	0.0- 1.2	3	0.7	0.0- 1.9				13	1.5	0.5- 2.5
65+	1413	1,190,725	1272	89.1	86.7-91.5	110	9.2	6.8-11.6	12	0.6	0.2- 1.0	1	0.1	0.0- 0.3	3	0.1	0.0- 0.3	15	0.9	0.3- 1.5
Less Than H.S.	363	655,788	287	73.1	66.4-79.8	48	19.8	13.5-26.1	10	1.8	0.2- 3.4	4	1.9	0.0- 3.9	1	0.4	0.0- 1.2	13	3.1	1.1- 5.1
H.S. or G.E.D.	1437	1,722,429	1211	78.9	75.8-82.0	178	17.2	14.3-20.1	20	1.4	0.6- 2.2	9	0.8	0.0- 1.6				19	1.6	0.6- 2.6
Some Post-H.S.	1164	1,535,976	992	80.3	77.0-83.6	116	16.1	13.0-19.2	18	0.9	0.3- 1.5	12	0.6	0.2- 1.0	3	0.2	0.0- 0.4	23	1.8	0.8- 2.8
College Graduate	1572	1,313,857	1370	81.7	78.8-84.6	139	14.5	11.8-17.2	12	0.6	0.2- 1.0	27	2.0	1.0- 3.0	5	0.2	0.0- 0.4	19	1.1	0.5- 1.7
Less than \$15,000	388	471,928	284	60.7	53.3-68.1	82	35.2	27.8-42.6	9	1.4	0.4- 2.4	6	1.0	0.0- 2.2				7	1.7	0.3- 3.1
\$15,000- 24,999	645	721,405	524	76.9	72.2-81.6	92	19.0	14.5-23.5	14	1.6	0.4- 2.8	1	0.3	0.0- 0.9	2	0.3	0.0- 0.7	12	1.9	0.5- 3.3
\$25,000- 34,999	381	442,683	315	73.2	66.1-80.3	55	23.9	16.8-31.0	6	0.9	0.0- 1.9	1	1.1	0.0- 3.3				4	0.9	0.0- 2.3
\$35,000- 49,999	535	636,825	459	80.0	74.7-85.3	57	15.8	10.9-20.7	5	0.9	0.0- 1.9	2	0.4	0.0- 1.2	2	0.3	0.0- 0.7	10	2.6	0.1- 5.1
\$50,000- 74,999	593	694,904	521	80.1	75.0-85.2	51	16.2	11.3-21.1	2	0.9	0.0- 2.3	11	1.7	0.0- 3.5	1	0.2	0.0- 0.6	7	0.9	0.1- 1.7
\$75,000+	1181	1,380,987	1070	87.4	84.7-90.1	65	9.0	6.5-11.5	11	0.8	0.2- 1.4	19	1.9	0.9- 2.9	2	0.0	0.0- 0.0	14	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	2,520,077	1785	80.4	77.9-82.9	177	14.7	12.3-17.1	37	1.6	1.0- 2.2	31	1.5	0.9- 2.1	3	0.1	0.0- 0.3	37	1.7	0.9- 2.5
18-24	175	300,972	149	82.1	74.5-89.7	16	14.4	7.0-21.8	4	1.4	0.0- 2.8	4	1.6	0.0- 3.6				2	0.5	0.0- 1.3
25-34	275	461,796	226	74.8	67.2-82.4	21	16.3	9.0-23.6	7	2.3	0.1- 4.5	10	2.7	0.7- 4.7	2	0.5	0.0- 1.3	9	3.3	0.2- 6.4
35-44	288	400,835	233	74.1	66.8-81.4	32	18.1	11.0-25.2	7	2.4	0.0- 4.9	11	3.7	1.2- 6.2				5	1.7	0.1- 3.3
45-54	350	402,891	303	82.6	76.9-88.3	29	12.9	7.6-18.2	9	2.0	0.4- 3.6	3	0.8	0.0- 1.8	1	0.0	0.0- 0.0	5	1.6	0.0- 3.4
55-64	387	423,521	329	77.2	70.9-83.5	45	19.9	13.6-26.2	4	1.0	0.0- 2.0	2	0.2	0.0- 0.6				7	1.7	0.1- 3.3
65+	595	530,062	545	89.7	86.2-93.2	34	8.3	5.0-11.6	6	0.6	0.0- 1.2	1	0.1	0.0- 0.3				9	1.3	0.3- 2.3
Less Than H.S.	168	320,082	131	74.0	64.8-83.2	22	18.9	10.1-27.7	6	2.5	0.0- 5.2	3	2.3	0.0- 4.8				6	2.3	0.1- 4.5
H.S. or G.E.D.	664	859,012	572	79.5	75.0-84.0	64	15.7	11.4-20.0	12	1.9	0.5- 3.3	5	0.8	0.0- 1.6				11	2.1	0.3- 3.9
Some Post-H.S.	497	685,606	428	83.4	78.7-88.1	40	12.7	8.2-17.2	10	1.4	0.4- 2.4	7	0.7	0.1- 1.3	1	0.1	0.0- 0.3	11	1.8	0.4- 3.2
College Graduate	722	629,998	637	80.9	76.4-85.4	51	14.1	9.8-18.4	8	1.0	0.2- 1.8	15	2.9	1.1- 4.7	2	0.3	0.0- 0.7	9	0.9	0.3- 1.5
Less than \$15,000	143	178,765	105	60.2	48.6-71.8	28	34.2	22.2-46.2	4	2.0	0.0- 4.2	3	2.0	0.0- 4.7				3	1.7	0.0- 3.7
\$15,000- 24,999	254	324,216	201	73.0	65.6-80.4	38	21.9	14.8-29.0	8	2.6	0.1- 5.1	1	0.7	0.0- 2.1				6	1.7	0.0- 3.5
\$25,000- 34,999	155	183,675	134	73.6	62.0-85.2	16	23.1	11.5-34.7	3	1.5	0.0- 3.7							2	1.8	0.0- 4.7
\$35,000- 49,999	249	332,264	217	79.9	72.1-87.7	22	15.0	7.9-22.1	3	1.4	0.0- 3.0	1	0.7	0.0- 2.1	1	0.3	0.0- 0.9	5	2.8	0.0- 6.7
\$50,000- 74,999	287	357,388	254	80.7	73.4-88.0	20	15.2	8.1-22.3	2	1.8	0.0- 4.3	6	0.9	0.1- 1.7	1	0.4	0.0- 1.2	4	1.1	0.0- 2.3
\$75,000+	613	724,243	554	88.9	85.4-92.4	27	6.3	3.4- 9.2	9	1.0	0.2- 1.8	16	3.1	1.3- 4.9	1	0.0	0.0- 0.0	6	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2511	2,759,783	2113	78.3	75.9-80.7	309	18.1	15.9-20.3	24	0.6	0.2- 1.0	22	1.0	0.4- 1.6	6	0.2	0.0- 0.4	37	1.7	0.9- 2.5
18-24	158	306,181	118	69.0	58.8-79.2	25	24.8	15.0-34.6	5	2.0	0.0- 4.2	5	1.5	0.0- 3.1	1	0.5	0.0- 1.5	4	2.2	0.0- 4.4
25-34	306	465,424	243	74.9	68.2-81.6	44	20.2	13.7-26.7	2	0.1	0.0- 0.3	7	2.9	0.0- 5.8	1	0.2	0.0- 0.6	9	1.7	0.3- 3.1
35-44	351	433,406	276	71.2	64.7-77.7	56	22.9	16.6-29.2	4	0.7	0.0- 1.5	5	0.5	0.0- 1.1	1	0.6	0.0- 1.8	9	4.2	0.9- 7.5
45-54	407	435,014	342	75.6	69.3-81.9	53	22.4	16.1-28.7	5	0.7	0.0- 1.5	4	0.4	0.0- 0.8				3	0.8	0.0- 2.2
55-64	471	459,096	407	82.6	77.5-87.7	55	14.8	10.1-19.5	2	0.2	0.0- 0.6	1	1.1	0.0- 3.3				6	1.4	0.2- 2.6
65+	818	660,662	727	88.7	85.6-91.8	76	10.0	6.9-13.1	6	0.6	0.0- 1.2				3	0.2	0.0- 0.6	6	0.6	0.0- 1.2
Less Than H.S.	195	335,705	156	72.2	62.8-81.6	26	20.6	12.0-29.2	4	1.1	0.0- 2.5	1	1.5	0.0- 4.4	1	0.8	0.0- 2.4	7	3.9	0.6- 7.2
H.S. or G.E.D.	773	863,416	639	78.4	74.1-82.7	114	18.7	14.6-22.8	8	0.9	0.1- 1.7	4	0.9	0.0- 2.3				8	1.1	0.1- 2.1
Some Post-H.S.	667	850,370	564	77.7	73.0-82.4	76	18.9	14.4-23.4	8	0.6	0.2- 1.0	5	0.6	0.0- 1.2	2	0.3	0.0- 0.7	12	1.8	0.4- 3.2
College Graduate	850	683,860	733	82.4	78.7-86.1	88	14.8	11.3-18.3	4	0.1	0.0- 0.3	12	1.3	0.3- 2.3	3	0.2	0.0- 0.4	10	1.2	0.2- 2.2
Less than \$15,000	245	293,163	179	60.9	51.5-70.3	54	35.8	26.4-45.2	5	1.1	0.0- 2.3	3	0.5	0.0- 1.1				4	1.7	0.0- 3.7
\$15,000- 24,999	391	397,190	323	80.1	74.2-86.0	54	16.6	10.9-22.3	6	0.8	0.0- 1.6				2	0.5	0.0- 1.3	6	2.1	0.1- 4.1
\$25,000- 34,999	226	259,008	181	72.9	63.9-81.9	39	24.4	15.8-33.0	3	0.5	0.0- 1.3	1	1.9	0.0- 5.6				2	0.3	0.0- 0.7
\$35,000- 49,999	286	304,560	242	80.1	73.0-87.2	35	16.8	10.1-23.5	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	5	2.4	0.0- 5.3
\$50,000- 74,999	306	337,516	267	79.6	72.3-86.9	31	17.2	10.5-23.9				5	2.5	0.0- 6.0				3	0.7	0.0- 1.7
\$75,000+	568	656,743	516	85.7	81.4-90.0	38	11.9	7.8-16.0	2	0.6	0.0- 1.6	3	0.5	0.0- 1.3	1	0.0	0.0- 0.0	8	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4581	5,279,860	3858	78.7	76.9-80.5	474	16.3	14.7-17.9	54	0.9	0.5- 1.3	51	1.2	0.8- 1.6	8	0.1	0.0- 0.3	136	2.8	2.2- 3.4
Male	2070	2,520,077	1761	79.5	77.0-82.0	171	14.5	12.1-16.9	32	1.3	0.7- 1.9	30	1.4	0.8- 2.0	2	0.0	0.0- 0.0	74	3.2	2.2- 4.2
Female	2511	2,759,783	2097	77.9	75.5-80.3	303	18.0	15.6-20.4	22	0.5	0.3- 0.7	21	0.9	0.3- 1.5	6	0.2	0.0- 0.4	62	2.4	1.6- 3.2
18-24	333	607,153	262	74.2	67.7-80.7	39	19.2	12.9-25.5	7	1.1	0.3- 1.9	8	1.4	0.2- 2.6	1	0.3	0.0- 0.9	16	3.8	1.6- 6.0
25-34	581	927,220	464	74.4	69.3-79.5	62	18.0	13.1-22.9	6	0.8	0.0- 1.6	17	2.8	1.0- 4.6	2	0.2	0.0- 0.4	30	3.8	1.8- 5.8
35-44	639	834,241	507	72.2	67.3-77.1	87	20.3	15.6-25.0	11	1.5	0.3- 2.7	15	2.0	0.8- 3.2	1	0.3	0.0- 0.9	18	3.6	1.6- 5.6
45-54	757	837,904	637	78.3	74.0-82.6	81	17.8	13.7-21.9	13	1.1	0.5- 1.7	7	0.6	0.0- 1.2	1	0.0	0.0- 0.0	18	2.2	0.8- 3.6
55-64	858	882,617	726	79.4	75.3-83.5	96	16.9	13.0-20.8	6	0.6	0.0- 1.2	3	0.7	0.0- 1.9				27	2.4	1.2- 3.6
65+	1413	1,190,725	1262	88.4	86.0-90.8	109	9.2	6.8-11.6	11	0.6	0.2- 1.0	1	0.1	0.0- 0.3	3	0.1	0.0- 0.3	27	1.6	0.8- 2.4
Less Than H.S.	363	655,788	282	72.1	65.4-78.8	47	19.5	13.2-25.8	9	1.7	0.1- 3.3	4	1.9	0.0- 3.9	1	0.4	0.0- 1.2	20	4.5	2.1- 6.9
H.S. or G.E.D.	1437	1,722,429	1201	78.4	75.3-81.5	172	16.9	14.0-19.8	17	1.0	0.4- 1.6	8	0.8	0.0- 1.6				39	3.0	1.8- 4.2
Some Post-H.S.	1164	1,535,976	977	79.5	76.2-82.8	116	16.1	13.0-19.2	15	0.8	0.4- 1.2	12	0.6	0.2- 1.0	3	0.2	0.0- 0.4	41	2.7	1.5- 3.9
College Graduate	1572	1,313,857	1360	81.2	78.3-84.1	134	14.2	11.5-16.9	12	0.6	0.2- 1.0	26	2.0	1.0- 3.0	4	0.1	0.0- 0.3	36	1.9	1.1- 2.7
Less than \$15,000	388	471,928	278	59.7	52.3-67.1	82	35.2	27.8-42.6	9	1.4	0.4- 2.4	6	1.0	0.0- 2.2				13	2.7	1.1- 4.3
\$15,000- 24,999	645	721,405	517	76.1	71.4-80.8	90	18.6	14.1-23.1	13	1.6	0.4- 2.8	1	0.3	0.0- 0.9	2	0.3	0.0- 0.7	22	3.2	1.6- 4.8
\$25,000- 34,999	381	442,683	314	73.1	66.0-80.2	52	23.1	16.0-30.2	5	0.5	0.0- 1.1	1	1.1	0.0- 3.3				9	2.1	0.3- 3.9
\$35,000- 49,999	535	636,825	455	79.5	74.2-84.8	57	15.8	10.9-20.7	4	0.6	0.0- 1.2	2	0.4	0.0- 1.2	2	0.3	0.0- 0.7	15	3.4	0.9- 5.9
\$50,000- 74,999	593	694,904	515	79.3	74.2-84.4	50	16.2	11.3-21.1	2	0.9	0.0- 2.3	11	1.7	0.0- 3.5				15	2.0	0.8- 3.2
\$75,000+	1181	1,380,987	1062	87.0	84.3-89.7	62	8.8	6.3-11.3	10	0.6	0.2- 1.0	18	1.8	0.8- 2.8	2	0.0	0.0- 0.0	27	1.8	1.0- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	2,520,077	1761	79.5	77.0-82.0	171	14.5	12.1-16.9	32	1.3	0.7- 1.9	30	1.4	0.8- 2.0	2	0.0	0.0- 0.0	74	3.2	2.2- 4.2
18-24	175	300,972	145	79.7	71.7-87.7	14	13.5	6.1-20.9	3	1.1	0.0- 2.5	4	1.6	0.0- 3.6				9	4.1	1.2- 7.0
25-34	275	461,796	223	74.3	66.7-81.9	20	16.1	8.8-23.4	5	1.5	0.0- 3.3	10	2.7	0.7- 4.7	1	0.2	0.0- 0.6	16	5.1	1.6- 8.6
35-44	288	400,835	233	74.1	66.8-81.4	31	17.6	10.5-24.7	7	2.4	0.0- 4.9	10	3.5	1.0- 6.0				7	2.4	0.4- 4.4
45-54	350	402,891	297	81.5	75.8-87.2	28	12.8	7.5-18.1	8	1.4	0.2- 2.6	3	0.8	0.0- 1.8	1	0.0	0.0- 0.0	13	3.4	1.0- 5.8
55-64	387	423,521	325	76.6	70.3-82.9	44	19.9	13.6-26.2	4	1.0	0.0- 2.0	2	0.2	0.0- 0.6				12	2.3	0.7- 3.9
65+	595	530,062	538	88.7	85.2-92.2	34	8.3	5.0-11.6	5	0.5	0.0- 1.1	1	0.1	0.0- 0.3				17	2.4	1.0- 3.8
Less Than H.S.	168	320,082	127	72.1	62.7-81.5	21	18.3	9.5-27.1	5	2.3	0.0- 5.0	3	2.3	0.0- 4.8				12	5.0	1.9- 8.1
H.S. or G.E.D.	664	859,012	566	78.7	74.0-83.4	60	15.3	11.0-19.6	10	1.3	0.3- 2.3	5	0.8	0.0- 1.6				23	3.8	1.8- 5.8
Some Post-H.S.	497	685,606	419	82.4	77.7-87.1	40	12.7	8.2-17.2	8	1.0	0.2- 1.8	7	0.7	0.1- 1.3	1	0.1	0.0- 0.3	22	3.2	1.6- 4.8
College Graduate	722	629,998	632	80.4	75.9-84.9	50	14.1	9.8-18.4	8	1.0	0.2- 1.8	14	2.7	1.1- 4.3	1	0.0	0.0- 0.0	17	1.7	0.7- 2.7
Less than \$15,000	143	178,765	103	58.9	47.3-70.5	28	34.2	22.2-46.2	4	2.0	0.0- 4.2	3	2.0	0.0- 4.7				5	2.9	0.4- 5.4
\$15,000- 24,999	254	324,216	197	71.6	64.2-79.0	37	21.3	14.2-28.4	8	2.6	0.1- 5.1	1	0.7	0.0- 2.1				11	3.7	1.0- 6.4
\$25,000- 34,999	155	183,675	134	73.6	62.0-85.2	14	21.7	10.1-33.3	2	0.6	0.0- 1.6							5	4.1	0.2- 8.0
\$35,000- 49,999	249	332,264	214	78.9	71.1-86.7	22	15.0	7.9-22.1	2	0.8	0.0- 2.0	1	0.7	0.0- 2.1	1	0.3	0.0- 0.9	9	4.3	0.0- 8.6
\$50,000- 74,999	287	357,388	249	79.4	72.1-86.7	19	15.1	8.0-22.2	2	1.8	0.0- 4.3	6	0.9	0.1- 1.7				11	2.8	0.8- 4.8
\$75,000+	613	724,243	549	88.5	85.0-92.0	27	6.3	3.4- 9.2	9	1.0	0.2- 1.8	15	3.0	1.2- 4.8	1	0.0	0.0- 0.0	12	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2511	2,759,783	2097	77.9	75.5-80.3	303	18.0	15.8-20.2	22	0.5	0.3- 0.7	21	0.9	0.3- 1.5	6	0.2	0.0- 0.4	62	2.4	1.6- 3.2
18-24	158	306,181	117	68.8	58.6-79.0	25	24.8	15.0-34.6	4	1.1	0.0- 2.3	4	1.3	0.0- 2.9	1	0.5	0.0- 1.5	7	3.5	0.6- 6.4
25-34	306	465,424	241	74.6	67.9-81.3	42	19.8	13.3-26.3	1	0.1	0.0- 0.3	7	2.9	0.0- 5.8	1	0.2	0.0- 0.6	14	2.6	1.0- 4.2
35-44	351	433,406	274	70.5	64.0-77.0	56	22.9	16.6-29.2	4	0.7	0.0- 1.5	5	0.5	0.0- 1.1	1	0.6	0.0- 1.8	11	4.8	1.5- 8.1
45-54	407	435,014	340	75.4	69.1-81.7	53	22.4	16.1-28.7	5	0.7	0.0- 1.5	4	0.4	0.0- 0.8				5	1.1	0.0- 2.5
55-64	471	459,096	401	82.1	77.0-87.2	52	14.2	9.5-18.9	2	0.2	0.0- 0.6	1	1.1	0.0- 3.3				15	2.4	0.8- 4.0
65+	818	660,662	724	88.2	84.9-91.5	75	10.0	6.9-13.1	6	0.6	0.0- 1.2				3	0.2	0.0- 0.6	10	1.0	0.2- 1.8
Less Than H.S.	195	335,705	155	72.0	62.6-81.4	26	20.6	12.0-29.2	4	1.1	0.0- 2.5	1	1.5	0.0- 4.4	1	0.8	0.0- 2.4	8	4.0	0.7- 7.3
H.S. or G.E.D.	773	863,416	635	78.0	73.7-82.3	112	18.5	14.4-22.6	7	0.6	0.2- 1.0	3	0.8	0.0- 2.2				16	2.1	0.9- 3.3
Some Post-H.S.	667	850,370	558	77.2	72.5-81.9	76	18.9	14.4-23.4	7	0.6	0.2- 1.0	5	0.6	0.0- 1.2	2	0.3	0.0- 0.7	19	2.4	1.0- 3.8
College Graduate	850	683,860	728	81.9	78.2-85.6	84	14.4	10.9-17.9	4	0.1	0.0- 0.3	12	1.3	0.3- 2.3	3	0.2	0.0- 0.4	19	2.1	0.7- 3.5
Less than \$15,000	245	293,163	175	60.1	50.7-69.5	54	35.8	26.4-45.2	5	1.1	0.0- 2.3	3	0.5	0.0- 1.1				8	2.5	0.3- 4.7
\$15,000- 24,999	391	397,190	320	79.7	73.8-85.6	53	16.4	10.7-22.1	5	0.7	0.0- 1.5				2	0.5	0.0- 1.3	11	2.7	0.7- 4.7
\$25,000- 34,999	226	259,008	180	72.8	63.8-81.8	38	24.1	15.5-32.7	3	0.5	0.0- 1.3	1	1.9	0.0- 5.6				4	0.7	0.0- 1.5
\$35,000- 49,999	286	304,560	241	80.0	72.9-87.1	35	16.8	10.1-23.5	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	6	2.4	0.0- 5.3
\$50,000- 74,999	306	337,516	266	79.2	71.9-86.5	31	17.2	10.5-23.9				5	2.5	0.0- 6.0				4	1.1	0.0- 2.3
\$75,000+	568	656,743	513	85.3	81.0-89.6	35	11.5	7.4-15.6	1	0.2	0.0- 0.6	3	0.5	0.0- 1.3	1	0.0	0.0- 0.0	15	2.6	1.0- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4572	5,270,457	3766	75.5	73.7-77.3	465	15.8	14.2-17.4	50	0.7	0.5- 0.9	50	1.1	0.7- 1.5	105	1.8	1.4- 2.2	136	5.1	3.9- 6.3
Male	2070	2,533,067	1719	75.5	72.8-78.2	166	13.7	11.3-16.1	28	0.9	0.5- 1.3	29	1.3	0.7- 1.9	57	2.1	1.5- 2.7	71	6.5	4.5- 8.5
Female	2502	2,737,390	2047	75.4	72.9-77.9	299	17.8	15.4-20.2	22	0.6	0.4- 0.8	21	1.0	0.4- 1.6	48	1.4	0.8- 2.0	65	3.9	2.5- 5.3
18-24	335	620,250	243	65.2	57.9-72.5	36	18.0	11.9-24.1	6	1.0	0.0- 2.0	8	1.4	0.2- 2.6	14	3.1	1.3- 4.9	28	11.2	5.7-16.7
25-34	581	926,470	442	68.7	63.2-74.2	62	18.0	13.1-22.9	7	0.8	0.0- 1.6	17	2.8	1.0- 4.6	21	2.1	1.1- 3.1	32	7.7	4.2-11.2
35-44	642	843,179	492	68.1	63.0-73.2	85	18.9	14.4-23.4	8	0.7	0.1- 1.3	14	1.7	0.5- 2.9	10	1.6	0.4- 2.8	33	9.1	5.6-12.6
45-54	754	834,191	625	77.0	72.7-81.3	79	17.6	13.5-21.7	12	0.9	0.3- 1.5	7	0.6	0.0- 1.2	14	1.3	0.5- 2.1	17	2.7	1.1- 4.3
55-64	852	867,065	711	78.3	74.2-82.4	95	16.5	12.8-20.2	5	0.5	0.1- 0.9	3	0.7	0.0- 1.9	23	1.8	0.8- 2.8	15	2.2	0.8- 3.6
65+	1408	1,179,303	1253	88.3	85.9-90.7	108	8.9	6.7-11.1	12	0.6	0.2- 1.0	1	0.1	0.0- 0.3	23	1.2	0.6- 1.8	11	0.9	0.1- 1.7
Less Than H.S.	360	650,383	270	65.8	58.5-73.1	44	17.7	11.6-23.8	8	1.1	0.3- 1.9	3	1.5	0.0- 3.3	16	3.2	1.2- 5.2	19	10.7	5.2-16.2
H.S. or G.E.D.	1435	1,720,691	1167	74.9	71.6-78.2	170	16.6	13.7-19.5	13	0.7	0.1- 1.3	8	0.8	0.0- 1.6	28	1.8	1.0- 2.6	49	5.3	3.3- 7.3
Some Post-H.S.	1163	1,535,811	959	77.4	73.9-80.9	115	16.0	12.9-19.1	14	0.7	0.3- 1.1	12	0.6	0.2- 1.0	32	1.6	0.8- 2.4	31	3.6	1.8- 5.4
College Graduate	1568	1,309,908	1333	78.8	75.7-81.9	131	13.6	10.9-16.3	14	0.6	0.2- 1.0	26	2.0	1.0- 3.0	29	1.2	0.6- 1.8	35	3.7	2.1- 5.3
Less than \$15,000	389	467,045	268	55.4	48.0-62.8	78	31.8	24.5-39.1	7	1.0	0.2- 1.8	5	0.5	0.0- 1.1	10	1.8	0.4- 3.2	21	9.4	4.3-14.5
\$15,000- 24,999	641	722,633	500	70.7	65.2-76.2	88	18.2	13.7-22.7	12	1.6	0.4- 2.8	1	0.3	0.0- 0.9	15	1.7	0.5- 2.9	25	7.4	3.1-11.7
\$25,000- 34,999	381	441,460	303	68.6	61.3-75.9	52	23.2	16.1-30.3	5	0.5	0.0- 1.1	1	1.1	0.0- 3.3	9	2.1	0.3- 3.9	11	4.4	1.3- 7.5
\$35,000- 49,999	536	637,423	442	76.2	70.5-81.9	56	15.1	10.4-19.8	4	0.5	0.0- 1.1	2	0.4	0.0- 1.2	11	1.2	0.2- 2.2	21	6.6	2.9-10.3
\$50,000- 74,999	592	694,388	504	75.7	70.2-81.2	50	16.2	11.3-21.1				11	1.7	0.0- 3.5	13	1.8	0.6- 3.0	14	4.6	1.5- 7.7
\$75,000+	1178	1,378,333	1047	84.8	81.7-87.9	61	8.7	6.2-11.2	11	0.5	0.1- 0.9	18	1.8	0.8- 2.8	20	1.1	0.5- 1.7	21	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	2,533,067	1719	75.5	72.8-78.2	166	13.7	11.3-16.1	28	0.9	0.5- 1.3	29	1.3	0.7- 1.9	57	2.1	1.5- 2.7	71	6.5	4.5- 8.5
18-24	176	313,173	134	69.1	59.5-78.7	12	12.1	4.8-19.4	2	0.7	0.0- 1.7	4	1.5	0.0- 3.5	9	3.9	1.2- 6.6	15	12.7	4.7-20.7
25-34	274	459,982	211	67.6	59.4-75.8	20	16.2	8.9-23.5	5	1.4	0.0- 3.0	10	2.7	0.7- 4.7	10	2.6	0.6- 4.6	18	9.5	3.8-15.2
35-44	292	411,152	229	68.8	61.0-76.6	29	14.7	8.4-21.0	5	0.8	0.0- 1.8	9	2.8	0.6- 5.0	5	1.5	0.0- 3.1	15	11.4	5.1-17.7
45-54	347	400,419	290	79.5	73.6-85.4	28	12.9	7.6-18.2	8	1.2	0.2- 2.2	3	0.8	0.0- 1.8	10	2.1	0.3- 3.9	8	3.4	0.7- 6.1
55-64	386	417,365	320	76.0	69.9-82.1	43	18.7	12.8-24.6	3	0.7	0.0- 1.5	2	0.2	0.0- 0.6	10	1.7	0.3- 3.1	8	2.6	0.2- 5.0
65+	595	530,977	535	88.0	84.3-91.7	34	8.2	4.9-11.5	5	0.5	0.0- 1.1	1	0.1	0.0- 0.3	13	1.5	0.5- 2.5	7	1.7	0.1- 3.3
Less Than H.S.	170	332,569	123	66.5	56.5-76.5	19	15.1	7.1-23.1	4	1.0	0.0- 2.0	2	1.5	0.0- 3.5	11	4.0	1.3- 6.7	11	11.9	4.1-19.7
H.S. or G.E.D.	663	858,177	550	74.4	69.5-79.3	58	14.7	10.4-19.0	8	1.0	0.0- 2.0	5	0.8	0.0- 1.6	15	2.1	0.9- 3.3	27	7.0	3.7-10.3
Some Post-H.S.	498	686,681	411	78.8	73.5-84.1	40	12.6	8.1-17.1	7	0.7	0.1- 1.3	7	0.7	0.1- 1.3	18	2.2	1.0- 3.4	15	5.1	1.6- 8.6
College Graduate	719	628,408	619	78.1	73.4-82.8	49	13.2	9.1-17.3	8	0.9	0.1- 1.7	14	2.7	1.1- 4.3	13	1.2	0.4- 2.0	16	3.8	1.3- 6.3
Less than \$15,000	143	175,869	98	53.1	41.9-64.3	26	28.2	17.2-39.2	3	1.4	0.0- 3.2	2	0.6	0.0- 1.6	4	2.3	0.0- 4.7	10	14.4	4.8-24.0
\$15,000- 24,999	254	333,810	190	65.8	57.4-74.2	35	19.8	12.9-26.7	8	2.6	0.2- 5.0	1	0.7	0.0- 2.1	7	2.2	0.0- 4.4	13	8.9	2.0-15.8
\$25,000- 34,999	157	189,703	130	66.4	54.8-78.0	14	21.0	9.6-32.4	2	0.6	0.0- 1.6				5	4.0	0.1- 7.9	6	8.0	1.1-14.9
\$35,000- 49,999	249	332,264	207	74.7	66.3-83.1	21	13.5	6.6-20.4	2	0.6	0.0- 1.4	1	0.7	0.0- 2.1	7	2.0	0.2- 3.8	11	8.5	2.2-14.8
\$50,000- 74,999	286	356,872	245	75.7	67.7-83.7	19	15.2	8.1-22.3				6	0.9	0.1- 1.7	9	2.5	0.5- 4.5	7	5.8	0.7-10.9
\$75,000+	611	723,169	540	85.9	81.6-90.2	27	6.4	3.5- 9.3	9	0.9	0.1- 1.7	15	3.0	1.2- 4.8	10	0.8	0.2- 1.4	10	3.0	0.1- 5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2502	2,737,390	2047	75.4	72.9-77.9	299	17.8	15.6-20.0	22	0.6	0.4- 0.8	21	1.0	0.4- 1.6	48	1.4	0.8- 2.0	65	3.9	2.5- 5.3
18-24	159	307,077	109	61.3	50.5-72.1	24	24.1	14.3-33.9	4	1.3	0.0- 2.7	4	1.3	0.0- 2.9	5	2.2	0.0- 4.6	13	9.8	2.5-17.1
25-34	307	466,488	231	69.7	62.6-76.8	42	19.7	13.2-26.2	2	0.3	0.0- 0.7	7	2.9	0.0- 5.8	11	1.6	0.6- 2.6	14	5.9	1.8-10.0
35-44	350	432,027	263	67.5	60.8-74.2	56	22.9	16.6-29.2	3	0.6	0.0- 1.4	5	0.5	0.0- 1.1	5	1.6	0.0- 3.6	18	6.9	3.2-10.6
45-54	407	433,772	335	74.7	68.4-81.0	51	21.9	15.6-28.2	4	0.6	0.0- 1.2	4	0.4	0.0- 0.8	4	0.4	0.0- 0.8	9	2.0	0.4- 3.6
55-64	466	449,700	391	80.4	75.1-85.7	52	14.5	9.8-19.2	2	0.2	0.0- 0.6	1	1.1	0.0- 3.3	13	2.0	0.6- 3.4	7	1.8	0.2- 3.4
65+	813	648,326	718	88.6	85.5-91.7	74	9.5	6.6-12.4	7	0.6	0.0- 1.2				10	1.1	0.3- 1.9	4	0.2	0.0- 0.6
Less Than H.S.	190	317,814	147	65.0	54.4-75.6	25	20.5	11.7-29.3	4	1.2	0.0- 2.6	1	1.6	0.0- 4.5	5	2.4	0.0- 5.1	8	9.3	1.5-17.1
H.S. or G.E.D.	772	862,514	617	75.3	71.0-79.6	112	18.5	14.4-22.6	5	0.4	0.0- 0.8	3	0.8	0.0- 2.2	13	1.4	0.4- 2.4	22	3.6	1.8- 5.4
Some Post-H.S.	665	849,130	548	76.3	71.6-81.0	75	18.7	14.2-23.2	7	0.8	0.2- 1.4	5	0.6	0.0- 1.2	14	1.2	0.4- 2.0	16	2.3	0.7- 3.9
College Graduate	849	681,500	714	79.5	75.6-83.4	82	14.0	10.5-17.5	6	0.3	0.0- 0.7	12	1.3	0.3- 2.3	16	1.2	0.4- 2.0	19	3.7	1.7- 5.7
Less than \$15,000	246	291,176	170	56.8	47.2-66.4	52	34.0	24.6-43.4	4	0.7	0.0- 1.5	3	0.5	0.0- 1.1	6	1.5	0.0- 3.1	11	6.5	0.6-12.4
\$15,000- 24,999	387	388,823	310	75.0	67.9-82.1	53	16.7	10.8-22.6	4	0.8	0.0- 1.8				8	1.4	0.4- 2.4	12	6.1	0.8-11.4
\$25,000- 34,999	224	251,757	173	70.3	61.1-79.5	38	24.8	16.0-33.6	3	0.5	0.0- 1.3	1	2.0	0.0- 5.7	4	0.7	0.0- 1.5	5	1.7	0.0- 3.7
\$35,000- 49,999	287	305,159	235	77.8	70.5-85.1	35	16.8	10.1-23.5	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	4	0.3	0.0- 0.7	10	4.6	1.1- 8.1
\$50,000- 74,999	306	337,516	259	75.8	68.4-83.2	31	17.2	10.5-23.9				5	2.5	0.0- 6.0	4	1.1	0.0- 2.3	7	3.4	0.3- 6.5
\$75,000+	567	655,164	507	83.6	79.1-88.1	34	11.3	7.2-15.4	2	0.2	0.0- 0.6	3	0.6	0.0- 1.4	10	1.4	0.2- 2.6	11	3.0	1.0- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 10: RACE/ETHNICITY CATEGORIES (_RACEPRV).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4661	5,394,556	3850	75.8	74.0-77.6	468	15.7	14.1-17.3	50	0.7	0.5- 0.9	50	1.1	0.7- 1.5	107	1.8	1.4- 2.2	136	5.0	3.8- 6.2
Male	2111	2,599,558	1757	75.8	73.1-78.5	167	13.6	11.2-16.0	28	0.9	0.5- 1.3	29	1.3	0.7- 1.9	59	2.1	1.5- 2.7	71	6.3	4.3- 8.3
Female	2550	2,794,998	2093	75.7	73.2-78.2	301	17.6	15.2-20.0	22	0.5	0.3- 0.7	21	0.9	0.3- 1.5	48	1.4	0.8- 2.0	65	3.8	2.6- 5.0
18-24	339	628,276	247	65.7	58.4-73.0	36	17.8	11.7-23.9	6	1.0	0.0- 2.0	8	1.4	0.2- 2.6	14	3.1	1.3- 4.9	28	11.1	5.8-16.4
25-34	585	935,026	446	69.0	63.5-74.5	62	17.8	13.1-22.5	7	0.8	0.0- 1.6	17	2.8	1.0- 4.6	21	2.1	1.1- 3.1	32	7.6	4.1-11.1
35-44	651	855,096	501	68.5	63.4-73.6	85	18.6	14.3-22.9	8	0.7	0.1- 1.3	14	1.6	0.6- 2.6	10	1.6	0.4- 2.8	33	8.9	5.4-12.4
45-54	782	870,795	651	77.7	73.6-81.8	80	17.0	13.1-20.9	12	0.8	0.2- 1.4	7	0.6	0.0- 1.2	15	1.3	0.5- 2.1	17	2.6	1.0- 4.2
55-64	868	894,728	726	78.2	74.1-82.3	96	16.7	12.8-20.6	5	0.4	0.0- 0.8	3	0.7	0.0- 1.9	23	1.8	0.8- 2.8	15	2.1	0.7- 3.5
65+	1436	1,210,635	1279	88.2	85.8-90.6	109	9.0	6.6-11.4	12	0.5	0.1- 0.9	1	0.1	0.0- 0.3	24	1.3	0.7- 1.9	11	0.9	0.3- 1.5
Less Than H.S.	370	677,579	278	65.7	58.4-73.0	46	18.5	12.4-24.6	8	1.0	0.2- 1.8	3	1.5	0.0- 3.3	16	3.1	1.3- 4.9	19	10.2	4.9-15.5
H.S. or G.E.D.	1452	1,738,328	1183	75.1	71.8-78.4	170	16.4	13.5-19.3	13	0.7	0.1- 1.3	8	0.8	0.0- 1.6	29	1.8	1.0- 2.6	49	5.2	3.4- 7.0
Some Post-H.S.	1190	1,575,455	986	78.0	74.5-81.5	115	15.6	12.5-18.7	14	0.7	0.3- 1.1	12	0.6	0.2- 1.0	32	1.6	1.0- 2.2	31	3.5	1.7- 5.3
College Graduate	1594	1,331,418	1357	79.0	75.9-82.1	132	13.5	10.8-16.2	14	0.5	0.1- 0.9	26	2.0	1.0- 3.0	30	1.3	0.7- 1.9	35	3.7	2.1- 5.3
Less than \$15,000	398	483,724	275	54.9	47.5-62.3	80	32.8	25.5-40.1	7	1.0	0.2- 1.8	5	0.5	0.1- 0.9	10	1.7	0.3- 3.1	21	9.1	4.0-14.2
\$15,000- 24,999	652	737,143	510	71.2	65.7-76.7	88	17.8	13.5-22.1	12	1.6	0.4- 2.8	1	0.3	0.0- 0.9	16	1.8	0.6- 3.0	25	7.3	3.2-11.4
\$25,000- 34,999	386	451,804	308	69.3	62.0-76.6	52	22.6	15.7-29.5	5	0.5	0.0- 1.1	1	1.1	0.0- 3.3	9	2.1	0.3- 3.9	11	4.3	1.2- 7.4
\$35,000- 49,999	540	643,841	446	76.4	70.9-81.9	56	14.9	10.2-19.6	4	0.5	0.0- 1.1	2	0.4	0.0- 1.2	11	1.1	0.1- 2.1	21	6.6	2.9-10.3
\$50,000- 74,999	598	702,423	509	75.9	70.4-81.4	50	16.0	11.1-20.9				11	1.7	0.0- 3.5	14	1.9	0.7- 3.1	14	4.6	1.5- 7.7
\$75,000+	1193	1,395,947	1061	84.9	81.8-88.0	62	8.7	6.2-11.2	11	0.5	0.1- 0.9	18	1.8	0.8- 2.8	20	1.1	0.5- 1.7	21	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 11: RACE/ETHNICITY CATEGORIES (_RACEPRV).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2111	2,599,558	1757	75.8	73.1-78.5	167	13.6	11.2-16.0	28	0.9	0.5- 1.3	29	1.3	0.7- 1.9	59	2.1	1.5- 2.7	71	6.3	4.3- 8.3
18-24	180	321,199	138	69.8	60.4-79.2	12	11.8	4.7-18.9	2	0.7	0.0- 1.7	4	1.5	0.0- 3.3	9	3.8	1.1- 6.5	15	12.4	4.6-20.2
25-34	277	467,348	214	68.1	60.1-76.1	20	15.9	8.6-23.2	5	1.4	0.0- 3.0	10	2.7	0.7- 4.7	10	2.6	0.8- 4.4	18	9.3	3.6-15.0
35-44	298	420,917	235	69.5	61.9-77.1	29	14.3	8.2-20.4	5	0.8	0.0- 1.6	9	2.8	0.6- 5.0	5	1.5	0.1- 2.9	15	11.1	5.0-17.2
45-54	364	426,214	306	80.6	74.9-86.3	28	12.1	7.2-17.0	8	1.1	0.1- 2.1	3	0.8	0.0- 1.8	11	2.1	0.5- 3.7	8	3.2	0.7- 5.7
55-64	389	426,817	322	75.1	68.8-81.4	44	19.7	13.4-26.0	3	0.7	0.0- 1.5	2	0.2	0.0- 0.6	10	1.7	0.5- 2.9	8	2.6	0.4- 4.8
65+	603	537,063	542	87.9	84.2-91.6	34	8.1	4.8-11.4	5	0.5	0.0- 1.1	1	0.1	0.0- 0.3	14	1.6	0.6- 2.6	7	1.6	0.2- 3.0
Less Than H.S.	173	340,669	125	65.5	55.5-75.5	20	16.6	8.2-25.0	4	1.0	0.0- 2.0	2	1.4	0.0- 3.4	11	3.9	1.2- 6.6	11	11.7	4.1-19.3
H.S. or G.E.D.	669	867,087	555	74.6	69.7-79.5	58	14.5	10.4-18.6	8	1.0	0.0- 2.0	5	0.8	0.0- 1.6	16	2.2	1.0- 3.4	27	6.9	3.6-10.2
Some Post-H.S.	511	712,039	424	79.5	74.2-84.8	40	12.2	7.9-16.5	7	0.6	0.0- 1.2	7	0.6	0.0- 1.2	18	2.1	0.9- 3.3	15	4.9	1.6- 8.2
College Graduate	731	636,304	630	78.3	73.6-83.0	49	13.1	9.0-17.2	8	0.9	0.1- 1.7	14	2.7	1.1- 4.3	14	1.3	0.5- 2.1	16	3.7	1.2- 6.2
Less than \$15,000	146	184,545	100	52.0	40.8-63.2	27	30.2	18.8-41.6	3	1.3	0.0- 3.1	2	0.6	0.0- 1.6	4	2.2	0.0- 4.4	10	13.7	4.5-22.9
\$15,000- 24,999	257	336,088	192	65.8	57.4-74.2	35	19.7	12.8-26.6	8	2.5	0.1- 4.9	1	0.7	0.0- 2.1	8	2.4	0.2- 4.6	13	8.9	2.2-15.6
\$25,000- 34,999	158	191,077	131	66.6	55.0-78.2	14	20.8	9.4-32.2	2	0.6	0.0- 1.6				5	4.0	0.1- 7.9	6	8.0	1.1-14.9
\$35,000- 49,999	250	336,887	208	75.1	66.9-83.3	21	13.3	6.6-20.0	2	0.6	0.0- 1.4	1	0.7	0.0- 2.1	7	1.9	0.1- 3.7	11	8.4	2.1-14.7
\$50,000- 74,999	290	362,091	248	75.9	68.1-83.7	19	14.9	8.0-21.8				6	0.9	0.1- 1.7	10	2.6	0.6- 4.6	7	5.7	0.6-10.8
\$75,000+	621	737,013	550	86.2	82.1-90.3	27	6.2	3.3- 9.1	9	0.9	0.3- 1.5	15	3.0	1.4- 4.6	10	0.8	0.2- 1.4	10	2.9	0.2- 5.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 8: DEMOGRAPHICS**

TABLE12: RACE/ETHNICITY CATEGORIES (_RACEPRV).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2550	2,794,998	2093	75.7	73.3-78.1	301	17.6	15.4-19.8	22	0.5	0.3- 0.7	21	0.9	0.3- 1.5	48	1.4	0.8- 2.0	65	3.8	2.6- 5.0
18-24	159	307,077	109	61.3	50.5-72.1	24	24.1	14.3-33.9	4	1.3	0.0- 2.7	4	1.3	0.0- 2.9	5	2.2	0.0- 4.6	13	9.8	2.5-17.1
25-34	308	467,678	232	69.8	62.7-76.9	42	19.7	13.2-26.2	2	0.3	0.0- 0.7	7	2.9	0.0- 5.8	11	1.6	0.6- 2.6	14	5.9	1.8-10.0
35-44	353	434,179	266	67.6	60.9-74.3	56	22.8	16.5-29.1	3	0.6	0.0- 1.4	5	0.5	0.0- 1.1	5	1.6	0.0- 3.6	18	6.8	3.1-10.5
45-54	418	444,581	345	75.0	68.9-81.1	52	21.7	15.6-27.8	4	0.6	0.0- 1.2	4	0.4	0.0- 0.8	4	0.4	0.0- 0.8	9	1.9	0.3- 3.5
55-64	479	467,911	404	81.1	76.0-86.2	52	14.0	9.3-18.7	2	0.2	0.0- 0.6	1	1.1	0.0- 3.3	13	1.9	0.5- 3.3	7	1.7	0.1- 3.3
65+	833	673,572	737	88.4	85.3-91.5	75	9.8	6.7-12.9	7	0.6	0.0- 1.2				10	1.0	0.2- 1.8	4	0.2	0.0- 0.6
Less Than H.S.	197	336,909	153	65.8	55.4-76.2	26	20.5	11.9-29.1	4	1.1	0.0- 2.5	1	1.5	0.0- 4.4	5	2.3	0.0- 4.8	8	8.8	1.4-16.2
H.S. or G.E.D.	783	871,241	628	75.6	71.3-79.9	112	18.3	14.2-22.4	5	0.4	0.0- 0.8	3	0.8	0.0- 2.2	13	1.4	0.4- 2.4	22	3.5	1.7- 5.3
Some Post-H.S.	679	863,416	562	76.7	72.2-81.2	75	18.4	13.9-22.9	7	0.7	0.1- 1.3	5	0.6	0.0- 1.2	14	1.2	0.4- 2.0	16	2.3	0.9- 3.7
College Graduate	863	695,114	727	79.7	75.8-83.6	83	13.9	10.4-17.4	6	0.3	0.0- 0.7	12	1.3	0.3- 2.3	16	1.2	0.4- 2.0	19	3.6	1.6- 5.6
Less than \$15,000	252	299,180	175	56.6	47.0-66.2	53	34.4	25.2-43.6	4	0.7	0.0- 1.5	3	0.5	0.0- 1.1	6	1.5	0.0- 3.1	11	6.3	0.6-12.0
\$15,000- 24,999	395	401,054	318	75.7	68.8-82.6	53	16.2	10.5-21.9	4	0.8	0.0- 1.8				8	1.3	0.3- 2.3	12	5.9	0.8-11.0
\$25,000- 34,999	228	260,727	177	71.3	62.3-80.3	38	24.0	15.4-32.6	3	0.5	0.0- 1.3	1	1.9	0.0- 5.6	4	0.7	0.0- 1.5	5	1.7	0.0- 3.7
\$35,000- 49,999	290	306,954	238	77.9	70.8-85.0	35	16.7	10.0-23.4	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	4	0.3	0.0- 0.7	10	4.6	1.1- 8.1
\$50,000- 74,999	308	340,332	261	76.0	68.6-83.4	31	17.1	10.4-23.8				5	2.4	0.0- 5.9	4	1.1	0.0- 2.3	7	3.3	0.2- 6.4
\$75,000+	572	658,934	511	83.5	79.0-88.0	35	11.4	7.3-15.5	2	0.2	0.0- 0.6	3	0.5	0.0- 1.3	10	1.4	0.2- 2.6	11	3.0	1.0- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 13: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4572	5,270,457	3766	75.5	73.7-77.3	806	24.5	22.7-26.3
Male	2070	2,533,067	1719	75.5	72.8-78.2	351	24.5	21.8-27.2
Female	2502	2,737,390	2047	75.4	72.9-77.9	455	24.6	22.1-27.1
18-24	335	620,250	243	65.2	57.9-72.5	92	34.8	27.5-42.1
25-34	581	926,470	442	68.7	63.2-74.2	139	31.3	25.8-36.8
35-44	642	843,179	492	68.1	63.0-73.2	150	31.9	26.8-37.0
45-54	754	834,191	625	77.0	72.7-81.3	129	23.0	18.7-27.3
55-64	852	867,065	711	78.3	74.2-82.4	141	21.7	17.6-25.8
65+	1408	1,179,303	1253	88.3	85.9-90.7	155	11.7	9.3-14.1
Less Than H.S.	360	650,383	270	65.8	58.5-73.1	90	34.2	26.9-41.5
H.S. or G.E.D.	1435	1,720,691	1167	74.9	71.6-78.2	268	25.1	21.8-28.4
Some Post-H.S.	1163	1,535,811	959	77.4	73.9-80.9	204	22.6	19.1-26.1
College Graduate	1568	1,309,908	1333	78.8	75.7-81.9	235	21.2	18.1-24.3
Less than \$15,000	389	467,045	268	55.4	48.0-62.8	121	44.6	37.2-52.0
\$15,000- 24,999	641	722,633	500	70.7	65.2-76.2	141	29.3	23.8-34.8
\$25,000- 34,999	381	441,460	303	68.6	61.3-75.9	78	31.4	24.1-38.7
\$35,000- 49,999	536	637,423	442	76.2	70.5-81.9	94	23.8	18.1-29.5
\$50,000- 74,999	592	694,388	504	75.7	70.2-81.2	88	24.3	18.8-29.8
\$75,000+	1178	1,378,333	1047	84.8	81.7-87.9	131	15.2	12.1-18.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 14: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	2,533,067	1719	75.5	72.8-78.2	351	24.5	21.8-27.2
18-24	176	313,173	134	69.1	59.5-78.7	42	30.9	21.3-40.5
25-34	274	459,982	211	67.6	59.4-75.8	63	32.4	24.2-40.6
35-44	292	411,152	229	68.8	61.0-76.6	63	31.2	23.4-39.0
45-54	347	400,419	290	79.5	73.6-85.4	57	20.5	14.6-26.4
55-64	386	417,365	320	76.0	69.9-82.1	66	24.0	17.9-30.1
65+	595	530,977	535	88.0	84.3-91.7	60	12.0	8.3-15.7
Less Than H.S.	170	332,569	123	66.5	56.5-76.5	47	33.5	23.5-43.5
H.S. or G.E.D.	663	858,177	550	74.4	69.5-79.3	113	25.6	20.7-30.5
Some Post-H.S.	498	686,681	411	78.8	73.5-84.1	87	21.2	15.9-26.5
College Graduate	719	628,408	619	78.1	73.4-82.8	100	21.9	17.2-26.6
Less than \$15,000	143	175,869	98	53.1	41.9-64.3	45	46.9	35.7-58.1
\$15,000- 24,999	254	333,810	190	65.8	57.4-74.2	64	34.2	25.8-42.6
\$25,000- 34,999	157	189,703	130	66.4	54.8-78.0	27	33.6	22.0-45.2
\$35,000- 49,999	249	332,264	207	74.7	66.3-83.1	42	25.3	16.9-33.7
\$50,000- 74,999	286	356,872	245	75.7	67.7-83.7	41	24.3	16.3-32.3
\$75,000+	611	723,169	540	85.9	81.6-90.2	71	14.1	9.8-18.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 15: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2502	2,737,390	2047	75.4	72.9-77.9	455	24.6	22.1-27.1
18-24	159	307,077	109	61.3	50.5-72.1	50	38.7	27.9-49.5
25-34	307	466,488	231	69.7	62.6-76.8	76	30.3	23.2-37.4
35-44	350	432,027	263	67.5	60.8-74.2	87	32.5	25.8-39.2
45-54	407	433,772	335	74.7	68.4-81.0	72	25.3	19.0-31.6
55-64	466	449,700	391	80.4	75.1-85.7	75	19.6	14.3-24.9
65+	813	648,326	718	88.6	85.5-91.7	95	11.4	8.3-14.5
Less Than H.S.	190	317,814	147	65.0	54.4-75.6	43	35.0	24.4-45.6
H.S. or G.E.D.	772	862,514	617	75.3	71.0-79.6	155	24.7	20.4-29.0
Some Post-H.S.	665	849,130	548	76.3	71.6-81.0	117	23.7	19.0-28.4
College Graduate	849	681,500	714	79.5	75.6-83.4	135	20.5	16.6-24.4
Less than \$15,000	246	291,176	170	56.8	47.2-66.4	76	43.2	33.6-52.8
\$15,000- 24,999	387	388,823	310	75.0	67.9-82.1	77	25.0	17.9-32.1
\$25,000- 34,999	224	251,757	173	70.3	61.1-79.5	51	29.7	20.5-38.9
\$35,000- 49,999	287	305,159	235	77.8	70.5-85.1	52	22.2	14.9-29.5
\$50,000- 74,999	306	337,516	259	75.8	68.4-83.2	47	24.2	16.8-31.6
\$75,000+	567	655,164	507	83.6	79.1-88.1	60	16.4	11.9-20.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 16: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4572	5,270,457	3766	75.5	73.7-77.3	465	15.8	14.2-17.4	130	2.4	1.8- 3.0	75	1.2	0.8- 1.6	136	5.1	3.9- 6.3
Male	2070	2,533,067	1719	75.5	72.8-78.2	166	13.7	11.3-16.1	72	2.8	2.0- 3.6	42	1.6	1.0- 2.2	71	6.5	4.5- 8.5
Female	2502	2,737,390	2047	75.4	72.9-77.9	299	17.8	15.4-20.2	58	2.0	1.2- 2.8	33	0.9	0.5- 1.3	65	3.9	2.5- 5.3
18-24	335	620,250	243	65.2	57.9-72.5	36	18.0	11.9-24.1	15	2.6	1.0- 4.2	13	2.9	1.1- 4.7	28	11.2	5.7-16.7
25-34	581	926,470	442	68.7	63.2-74.2	62	18.0	13.1-22.9	29	4.1	2.1- 6.1	16	1.6	0.8- 2.4	32	7.7	4.2-11.2
35-44	642	843,179	492	68.1	63.0-73.2	85	18.9	14.4-23.4	25	3.1	1.5- 4.7	7	0.8	0.2- 1.4	33	9.1	5.6-12.6
45-54	754	834,191	625	77.0	72.7-81.3	79	17.6	13.5-21.7	22	1.7	0.9- 2.5	11	1.1	0.3- 1.9	17	2.7	1.1- 4.3
55-64	852	867,065	711	78.3	74.2-82.4	95	16.5	12.8-20.2	15	2.1	0.7- 3.5	16	0.9	0.3- 1.5	15	2.2	0.8- 3.6
65+	1408	1,179,303	1253	88.3	85.9-90.7	108	8.9	6.7-11.1	24	1.2	0.6- 1.8	12	0.7	0.1- 1.3	11	0.9	0.1- 1.7
Less Than H.S.	360	650,383	270	65.8	58.5-73.1	44	17.7	11.6-23.8	20	4.4	1.9- 6.9	7	1.4	0.2- 2.6	19	10.7	5.2-16.2
H.S. or G.E.D.	1435	1,720,691	1167	74.9	71.6-78.2	170	16.6	13.7-19.5	28	1.9	0.9- 2.9	21	1.4	0.6- 2.2	49	5.3	3.3- 7.3
Some Post-H.S.	1163	1,535,811	959	77.4	73.9-80.9	115	16.0	12.9-19.1	33	1.8	1.0- 2.6	25	1.2	0.6- 1.8	31	3.6	1.8- 5.4
College Graduate	1568	1,309,908	1333	78.8	75.7-81.9	131	13.6	10.9-16.3	47	2.8	1.8- 3.8	22	1.0	0.4- 1.6	35	3.7	2.1- 5.3
Less than \$15,000	389	467,045	268	55.4	48.0-62.8	78	31.8	24.5-39.1	16	2.3	0.9- 3.7	6	1.0	0.0- 2.0	21	9.4	4.3-14.5
\$15,000- 24,999	641	722,633	500	70.7	65.2-76.2	88	18.2	13.7-22.7	18	2.3	0.9- 3.7	10	1.3	0.3- 2.3	25	7.4	3.1-11.7
\$25,000- 34,999	381	441,460	303	68.6	61.3-75.9	52	23.2	16.1-30.3	9	2.4	0.0- 4.9	6	1.3	0.1- 2.5	11	4.4	1.3- 7.5
\$35,000- 49,999	536	637,423	442	76.2	70.5-81.9	56	15.1	10.4-19.8	9	1.2	0.2- 2.2	8	1.0	0.2- 1.8	21	6.6	2.9-10.3
\$50,000- 74,999	592	694,388	504	75.7	70.2-81.2	50	16.2	11.3-21.1	13	2.1	0.1- 4.1	11	1.4	0.4- 2.4	14	4.6	1.5- 7.7
\$75,000+	1178	1,378,333	1047	84.8	81.7-87.9	61	8.7	6.2-11.2	32	2.6	1.6- 3.6	17	0.9	0.3- 1.5	21	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 17: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	2,533,067	1719	75.5	72.8-78.2	166	13.7	11.3-16.1	72	2.8	2.0- 3.6	42	1.6	1.0- 2.2	71	6.5	4.5- 8.5
18-24	176	313,173	134	69.1	59.5-78.7	12	12.1	4.8-19.4	7	2.6	0.2- 5.0	8	3.6	0.9- 6.3	15	12.7	4.7-20.7
25-34	274	459,982	211	67.6	59.4-75.8	20	16.2	8.9-23.5	17	4.8	2.1- 7.5	8	1.9	0.5- 3.3	18	9.5	3.8-15.2
35-44	292	411,152	229	68.8	61.0-76.6	29	14.7	8.4-21.0	15	4.2	1.7- 6.7	4	1.0	0.0- 2.2	15	11.4	5.1-17.7
45-54	347	400,419	290	79.5	73.6-85.4	28	12.9	7.6-18.2	13	2.4	0.8- 4.0	8	1.8	0.2- 3.4	8	3.4	0.7- 6.1
55-64	386	417,365	320	76.0	69.9-82.1	43	18.7	12.8-24.6	8	1.9	0.5- 3.3	7	0.8	0.0- 1.6	8	2.6	0.2- 5.0
65+	595	530,977	535	88.0	84.3-91.7	34	8.2	4.9-11.5	12	1.2	0.4- 2.0	7	1.0	0.2- 1.8	7	1.7	0.1- 3.3
Less Than H.S.	170	332,569	123	66.5	56.5-76.5	19	15.1	7.1-23.1	11	3.9	1.2- 6.6	6	2.5	0.1- 4.9	11	11.9	4.1-19.7
H.S. or G.E.D.	663	858,177	550	74.4	69.5-79.3	58	14.7	10.4-19.0	16	2.2	0.8- 3.6	12	1.7	0.7- 2.7	27	7.0	3.7-10.3
Some Post-H.S.	498	686,681	411	78.8	73.5-84.1	40	12.6	8.1-17.1	18	1.9	0.7- 3.1	14	1.6	0.6- 2.6	15	5.1	1.6- 8.6
College Graduate	719	628,408	619	78.1	73.4-82.8	49	13.2	9.1-17.3	25	3.9	2.1- 5.7	10	1.0	0.2- 1.8	16	3.8	1.3- 6.3
Less than \$15,000	143	175,869	98	53.1	41.9-64.3	26	28.2	17.2-39.2	7	3.0	0.5- 5.5	2	1.3	0.0- 3.1	10	14.4	4.8-24.0
\$15,000- 24,999	254	333,810	190	65.8	57.4-74.2	35	19.8	12.9-26.7	12	3.7	1.0- 6.4	4	1.7	0.0- 3.7	13	8.9	2.0-15.8
\$25,000- 34,999	157	189,703	130	66.4	54.8-78.0	14	21.0	9.6-32.4	3	2.1	0.0- 5.0	4	2.5	0.0- 5.0	6	8.0	1.1-14.9
\$35,000- 49,999	249	332,264	207	74.7	66.3-83.1	21	13.5	6.6-20.4	5	1.6	0.0- 3.4	5	1.6	0.0- 3.2	11	8.5	2.2-14.8
\$50,000- 74,999	286	356,872	245	75.7	67.7-83.7	19	15.2	8.1-22.3	8	1.7	0.3- 3.1	7	1.7	0.3- 3.1	7	5.8	0.7-10.9
\$75,000+	611	723,169	540	85.9	81.6-90.2	27	6.4	3.5- 9.3	24	3.9	2.1- 5.7	10	0.8	0.2- 1.4	10	3.0	0.1- 5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 18: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2502	2,737,390	2047	75.4	72.9-77.9	299	17.8	15.6-20.0	58	2.0	1.2- 2.8	33	0.9	0.5- 1.3	65	3.9	2.5- 5.3
18-24	159	307,077	109	61.3	50.5-72.1	24	24.1	14.3-33.9	8	2.6	0.4- 4.8	5	2.2	0.0- 4.6	13	9.8	2.5-17.1
25-34	307	466,488	231	69.7	62.6-76.8	42	19.7	13.2-26.2	12	3.4	0.5- 6.3	8	1.3	0.3- 2.3	14	5.9	1.8-10.0
35-44	350	432,027	263	67.5	60.8-74.2	56	22.9	16.6-29.2	10	2.2	0.2- 4.2	3	0.6	0.0- 1.4	18	6.9	3.2-10.6
45-54	407	433,772	335	74.7	68.4-81.0	51	21.9	15.6-28.2	9	1.0	0.2- 1.8	3	0.4	0.0- 0.8	9	2.0	0.4- 3.6
55-64	466	449,700	391	80.4	75.1-85.7	52	14.5	9.8-19.2	7	2.3	0.0- 4.7	9	1.0	0.2- 1.8	7	1.8	0.2- 3.4
65+	813	648,326	718	88.6	85.5-91.7	74	9.5	6.6-12.4	12	1.1	0.3- 1.9	5	0.5	0.0- 1.1	4	0.2	0.0- 0.6
Less Than H.S.	190	317,814	147	65.0	54.4-75.6	25	20.5	11.7-29.3	9	5.0	0.7- 9.3	1	0.2	0.0- 0.6	8	9.3	1.5-17.1
H.S. or G.E.D.	772	862,514	617	75.3	71.0-79.6	112	18.5	14.4-22.6	12	1.5	0.0- 3.1	9	1.1	0.1- 2.1	22	3.6	1.8- 5.4
Some Post-H.S.	665	849,130	548	76.3	71.6-81.0	75	18.7	14.2-23.2	15	1.7	0.7- 2.7	11	0.9	0.3- 1.5	16	2.3	0.7- 3.9
College Graduate	849	681,500	714	79.5	75.6-83.4	82	14.0	10.5-17.5	22	1.8	0.8- 2.8	12	1.0	0.2- 1.8	19	3.7	1.7- 5.7
Less than \$15,000	246	291,176	170	56.8	47.2-66.4	52	34.0	24.6-43.4	9	1.9	0.1- 3.7	4	0.8	0.0- 1.8	11	6.5	0.6-12.4
\$15,000- 24,999	387	388,823	310	75.0	67.9-82.1	53	16.7	10.8-22.6	6	1.1	0.1- 2.1	6	1.0	0.0- 2.0	12	6.1	0.8-11.4
\$25,000- 34,999	224	251,757	173	70.3	61.1-79.5	38	24.8	16.0-33.6	6	2.7	0.0- 6.6	2	0.4	0.0- 1.0	5	1.7	0.0- 3.7
\$35,000- 49,999	287	305,159	235	77.8	70.5-85.1	35	16.8	10.1-23.5	4	0.7	0.0- 1.5	3	0.2	0.0- 0.4	10	4.6	1.1- 8.1
\$50,000- 74,999	306	337,516	259	75.8	68.4-83.2	31	17.2	10.5-23.9	5	2.5	0.0- 6.0	4	1.1	0.0- 2.3	7	3.4	0.3- 6.5
\$75,000+	567	655,164	507	83.6	79.1-88.1	34	11.3	7.2-15.4	8	1.1	0.1- 2.1	7	1.0	0.0- 2.0	11	3.0	1.0- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 19: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4567	5,292,612	622	19.3	17.5-21.1	620	18.0	16.4-19.6	657	14.4	13.0-15.8	804	17.1	15.7-18.5	927	15.7	14.3-17.1	937	15.4	14.2-16.6
Male	2072	2,553,205	320	20.6	18.1-23.1	286	18.4	15.9-20.9	293	14.2	12.2-16.2	377	17.5	15.3-19.7	401	14.7	12.9-16.5	395	14.6	12.8-16.4
Female	2495	2,739,407	302	18.2	15.7-20.7	334	17.7	15.5-19.9	364	14.6	12.8-16.4	427	16.7	14.7-18.7	526	16.7	14.9-18.5	542	16.2	14.4-18.0
White/Non-Hisp	3700	3,908,516	450	17.0	15.2-18.8	485	17.1	15.3-18.9	502	13.1	11.7-14.5	654	17.3	15.7-18.9	782	17.2	15.8-18.6	827	18.3	16.7-19.9
Black or Afr. Am./Non-Hisp	458	825,040	61	20.3	14.8-25.8	76	22.2	16.7-27.7	83	18.7	14.0-23.4	81	16.7	12.4-21.0	96	15.7	11.6-19.8	61	6.5	4.3- 8.7
Oth. Race/Non-Hisp.	126	122,306	33	36.5	24.2-48.8	21	14.5	7.4-21.6	24	17.5	8.7-26.3	20	17.6	8.0-27.2	11	4.6	1.3- 7.9	17	9.2	4.1-14.3
MultiRacial/Non-Hisp.	74	63,809	23	40.5	26.4-54.6	7	11.8	3.0-20.6	9	12.0	3.6-20.4	11	13.9	3.7-24.1	21	16.8	8.2-25.4	3	5.1	0.0-11.4
Hispanic	135	268,030	49	40.5	28.7-52.3	27	27.3	16.3-38.3	26	18.5	9.9-27.1	17	8.0	3.1-12.9	8	2.5	0.3- 4.7	8	3.2	0.3- 6.1
Less Than H.S.	365	668,637	22	13.4	6.3-20.5	38	16.6	10.5-22.7	44	12.3	8.0-16.6	72	20.1	14.4-25.8	83	14.8	10.7-18.9	106	22.7	17.2-28.2
H.S. or G.E.D.	1431	1,713,739	232	22.6	19.5-25.7	194	17.7	15.0-20.4	158	11.5	9.3-13.7	253	16.7	14.2-19.2	283	16.0	13.6-18.4	311	15.5	13.3-17.7
Some Post-H.S.	1165	1,550,020	179	21.8	18.5-25.1	137	15.5	12.6-18.4	164	14.6	11.9-17.3	196	16.2	13.5-18.9	243	16.7	14.2-19.2	246	15.3	12.9-17.7
College Graduate	1557	1,299,360	188	15.9	13.4-18.4	247	22.3	19.4-25.2	280	18.4	15.9-20.9	273	16.8	14.4-19.2	307	15.1	13.1-17.1	262	11.5	9.7-13.3
Less than \$15,000	395	482,062	45	19.3	11.9-26.7	47	17.5	11.4-23.6	52	12.7	7.8-17.6	84	15.6	10.9-20.3	91	19.7	14.6-24.8	76	15.3	10.8-19.8
\$15,000- 24,999	648	733,152	99	21.5	16.0-27.0	71	14.5	10.6-18.4	69	11.8	8.5-15.1	100	15.7	11.8-19.6	148	18.0	14.3-21.7	161	18.5	14.8-22.2
\$25,000- 34,999	381	444,814	63	25.1	18.4-31.8	45	16.0	10.3-21.7	39	8.8	5.1-12.5	48	12.6	7.7-17.5	77	16.5	11.6-21.4	109	21.0	15.7-26.3
\$35,000- 49,999	536	641,416	99	24.3	19.0-29.6	72	18.5	13.6-23.4	59	11.1	7.6-14.6	80	15.2	11.3-19.1	113	15.3	11.8-18.8	113	15.7	12.0-19.4
\$50,000- 74,999	590	692,804	92	21.7	16.8-26.6	101	19.1	15.0-23.2	92	14.7	10.8-18.6	94	16.2	12.1-20.3	117	16.2	12.5-19.9	94	12.1	8.8-15.4
\$75,000+	1179	1,383,066	117	13.9	11.0-16.8	214	23.9	20.4-27.4	248	19.2	16.5-21.9	263	21.7	18.8-24.6	208	12.5	10.3-14.7	129	8.8	6.8-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 20: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2072	2,553,205	320	20.6	18.1-23.1	286	18.4	15.9-20.9	293	14.2	12.2-16.2	377	17.5	15.3-19.7	401	14.7	12.9-16.5	395	14.6	12.8-16.4
White/Non-Hisp	1691	1,881,974	238	18.4	15.9-20.9	231	17.6	14.9-20.3	223	13.2	11.0-15.4	307	17.7	15.3-20.1	342	15.8	13.8-17.8	350	17.3	15.1-19.5
Black or Afr. Am./Non-Hisp	165	345,923	19	17.7	9.5-25.9	24	22.1	12.9-31.3	32	16.1	9.2-23.0	33	17.8	10.9-24.7	36	18.8	11.5-26.1	21	7.6	3.3-11.9
Oth. Race/Non-Hisp.	70	67,994	17	37.0	21.7-52.3	12	16.4	6.8-26.0	14	17.6	6.8-28.4	11	16.1	6.1-26.1	7	5.8	0.9-10.7	9	7.2	1.9-12.5
Hispanic	70	162,637	27	40.2	24.5-55.9	12	25.3	10.8-39.8	13	19.5	7.2-31.8	8	8.0	1.3-14.7	5	2.6	0.0-5.3	5	4.4	0.0-9.1
Less Than H.S.	171	337,314	11	10.1	2.8-17.4	22	22.7	12.9-32.5	21	13.8	7.1-20.5	34	17.3	10.2-24.4	42	14.5	9.8-19.2	41	21.5	13.9-29.1
H.S. or G.E.D.	660	859,949	129	24.5	19.8-29.2	88	17.1	13.0-21.2	77	12.1	8.8-15.4	134	18.3	14.8-21.8	126	15.6	12.3-18.9	106	12.4	9.5-15.3
Some Post-H.S.	504	702,132	98	26.3	20.8-31.8	58	15.2	10.7-19.7	67	13.5	9.6-17.4	82	17.2	13.1-21.3	91	13.3	9.8-16.8	108	14.5	11.2-17.8
College Graduate	715	620,121	82	15.5	11.8-19.2	117	21.9	17.4-26.4	123	17.3	13.6-21.0	121	16.0	12.7-19.3	139	15.8	12.7-18.9	133	13.4	10.7-16.1
Less than \$15,000	145	183,501	18	17.0	8.0-26.0	14	15.2	5.8-24.6	18	10.8	3.4-18.2	38	21.2	12.4-30.0	37	24.0	16.2-31.8	20	11.7	5.2-18.2
\$15,000- 24,999	255	333,140	40	21.9	14.1-29.7	21	13.0	6.7-19.3	31	15.2	9.3-21.1	47	16.3	10.8-21.8	61	16.9	11.6-22.2	55	16.7	11.0-22.4
\$25,000- 34,999	157	188,629	28	29.0	18.2-39.8	19	17.1	7.9-26.3	10	4.1	1.2-7.0	17	9.8	4.1-15.5	36	18.0	9.8-26.2	47	22.0	14.2-29.8
\$35,000- 49,999	250	336,887	52	26.6	18.6-34.6	40	19.4	12.7-26.1	25	10.3	5.0-15.6	32	13.4	8.3-18.5	51	14.2	9.3-19.1	50	16.1	10.4-21.8
\$50,000- 74,999	287	357,101	51	22.4	15.3-29.5	52	20.0	13.7-26.3	40	14.7	8.6-20.8	37	13.4	7.7-19.1	52	15.4	10.1-20.7	55	14.1	9.0-19.2
\$75,000+	615	730,664	72	15.3	11.4-19.2	106	23.3	18.2-28.4	123	18.0	14.3-21.7	143	23.4	19.1-27.7	96	10.3	7.8-12.8	75	9.7	7.0-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 21: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2495	2,739,407	302	18.2	15.7-20.7	334	17.7	15.5-19.9	364	14.6	12.8-16.4	427	16.7	14.7-18.7	526	16.7	14.9-18.5	542	16.2	14.4-18.0
White/Non-Hisp	2009	2,026,541	212	15.7	13.2-18.2	254	16.6	14.2-19.0	279	13.0	11.2-14.8	347	16.9	14.7-19.1	440	18.6	16.4-20.8	477	19.1	16.9-21.3
Black or Afr. Am./Non-Hisp	293	479,117	42	22.1	15.0-29.2	52	22.2	15.5-28.9	51	20.5	14.4-26.6	48	15.9	10.4-21.4	60	13.6	8.9-18.3	40	5.7	3.3- 8.1
Oth. Race/Non-Hisp.	56	54,312	16	35.9	15.7-56.1	9	12.2	2.0-22.4	10	17.4	2.7-32.1	9	19.6	2.2-37.0	4	3.1	0.0- 7.4	8	11.8	2.2-21.4
Hispanic	65	105,393	22	40.9	23.5-58.3	15	30.4	13.7-47.1	13	16.9	5.9-27.9	9	8.2	1.5-14.9	3	2.4	0.0- 6.1	3	1.3	0.0- 3.3
Less Than H.S.	194	331,323	11	16.8	5.0-28.6	16	10.4	3.7-17.1	23	10.8	5.3-16.3	38	22.9	14.3-31.5	41	15.1	9.0-21.2	65	24.0	16.4-31.6
H.S. or G.E.D.	771	853,790	103	20.8	16.7-24.9	106	18.4	14.5-22.3	81	10.9	8.2-13.6	119	15.1	11.8-18.4	157	16.4	13.3-19.5	205	18.5	15.4-21.6
Some Post-H.S.	661	847,888	81	18.0	13.9-22.1	79	15.8	11.9-19.7	97	15.4	11.9-18.9	114	15.4	12.1-18.7	152	19.4	15.9-22.9	138	15.9	12.8-19.0
College Graduate	842	679,239	106	16.3	12.8-19.8	130	22.6	18.7-26.5	157	19.3	15.8-22.8	152	17.6	14.3-20.9	168	14.4	11.9-16.9	129	9.8	7.6-12.0
Less than \$15,000	250	298,561	27	20.7	10.1-31.3	33	18.9	11.1-26.7	34	13.8	7.5-20.1	46	12.2	7.5-16.9	54	17.0	11.1-22.9	56	17.4	11.5-23.3
\$15,000- 24,999	393	400,012	59	21.1	13.7-28.5	50	15.8	10.7-20.9	38	9.0	5.5-12.5	53	15.2	9.9-20.5	87	18.9	13.6-24.2	106	20.0	14.9-25.1
\$25,000- 34,999	224	256,185	35	22.3	14.1-30.5	26	15.2	7.9-22.5	29	12.3	6.4-18.2	31	14.6	7.3-21.9	41	15.4	9.5-21.3	62	20.3	13.2-27.4
\$35,000- 49,999	286	304,529	47	21.6	14.7-28.5	32	17.4	10.5-24.3	34	11.9	7.0-16.8	48	17.1	11.2-23.0	62	16.6	11.7-21.5	63	15.3	10.6-20.0
\$50,000- 74,999	303	335,703	41	21.0	14.1-27.9	49	18.0	12.5-23.5	52	14.7	9.8-19.6	57	19.1	13.0-25.2	65	17.1	12.0-22.2	39	10.0	6.1-13.9
\$75,000+	564	652,403	45	12.3	8.2-16.4	108	24.6	19.9-29.3	125	20.5	16.4-24.6	120	19.9	15.8-24.0	112	15.0	11.7-18.3	54	7.8	5.3-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 8: DEMOGRAPHICS**

TABLE 22: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4567	5,292,612	3159	77.5	76.1-78.9	1408	22.5	21.1-23.9
Male	2072	2,553,205	1473	79.1	76.9-81.3	599	20.9	18.7-23.1
Female	2495	2,739,407	1686	76.0	74.0-78.0	809	24.0	22.0-26.0
White/Non-Hisp	3700	3,908,516	2467	73.7	71.9-75.5	1233	26.3	24.5-28.1
Black or Afr. Am./Non-Hisp	458	825,040	352	87.3	84.0-90.6	106	12.7	9.4-16.0
Oth. Race/Non-Hisp.	126	122,306	104	89.6	84.3-94.9	22	10.4	5.1-15.7
MultiRacial/Non-Hisp.	74	63,809	62	86.9	77.9-95.9	12	13.1	4.1-22.1
Hispanic	135	268,030	124	96.1	93.0-99.2	11	3.9	0.8- 7.0
Less Than H.S.	365	668,637	217	69.4	63.3-75.5	148	30.6	24.5-36.7
H.S. or G.E.D.	1431	1,713,739	986	78.0	75.5-80.5	445	22.0	19.5-24.5
Some Post-H.S.	1165	1,550,020	788	76.7	74.0-79.4	377	23.3	20.6-26.0
College Graduate	1557	1,299,360	1137	82.1	79.9-84.3	420	17.9	15.7-20.1
Less than \$15,000	395	482,062	283	77.2	71.9-82.5	112	22.8	17.5-28.1
\$15,000- 24,999	648	733,152	405	72.5	68.0-77.0	243	27.5	23.0-32.0
\$25,000- 34,999	381	444,814	231	70.7	64.8-76.6	150	29.3	23.4-35.2
\$35,000- 49,999	536	641,416	357	76.0	71.5-80.5	179	24.0	19.5-28.5
\$50,000- 74,999	590	692,804	437	80.9	77.2-84.6	153	19.1	15.4-22.8
\$75,000+	1179	1,383,066	957	86.7	84.5-88.9	222	13.3	11.1-15.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 23: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2072	2,553,205	1473	79.1	77.1-81.1	599	20.9	18.9-22.9
White/Non-Hisp	1691	1,881,974	1160	75.3	72.9-77.7	531	24.7	22.3-27.1
Black or Afr. Am./Non-Hisp	165	345,923	131	87.3	82.0-92.6	34	12.7	7.4-18.0
Oth. Race/Non-Hisp.	70	67,994	58	90.9	85.0-96.8	12	9.1	3.2-15.0
Hispanic	70	162,637	63	94.6	89.7-99.5	7	5.4	0.5-10.3
Less Than H.S.	171	337,314	109	72.0	63.8-80.2	62	28.0	19.8-36.2
H.S. or G.E.D.	660	859,949	498	82.0	78.7-85.3	162	18.0	14.7-21.3
Some Post-H.S.	504	702,132	350	79.9	76.2-83.6	154	20.1	16.4-23.8
College Graduate	715	620,121	503	78.5	75.2-81.8	212	21.5	18.2-24.8
Less than \$15,000	145	183,501	106	77.9	69.5-86.3	39	22.1	13.7-30.5
\$15,000- 24,999	255	333,140	164	74.5	68.0-81.0	91	25.5	19.0-32.0
\$25,000- 34,999	157	188,629	88	67.6	58.4-76.8	69	32.4	23.2-41.6
\$35,000- 49,999	250	336,887	174	76.9	70.4-83.4	76	23.1	16.6-29.6
\$50,000- 74,999	287	357,101	207	80.4	74.9-85.9	80	19.6	14.1-25.1
\$75,000+	615	730,664	495	86.4	83.5-89.3	120	13.6	10.7-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 24: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2495	2,739,407	1686	76.0	74.0-78.0	809	24.0	22.0-26.0
White/Non-Hisp	2009	2,026,541	1307	72.2	69.8-74.6	702	27.8	25.4-30.2
Black or Afr. Am./Non-Hisp	293	479,117	221	87.3	83.2-91.4	72	12.7	8.6-16.8
Oth. Race/Non-Hisp.	56	54,312	46	88.0	78.4-97.6	10	12.0	2.4-21.6
Hispanic	65	105,393	61	98.5	96.3- 100	4	1.5	0.0- 3.7
Less Than H.S.	194	331,323	108	66.7	57.7-75.7	86	33.3	24.3-42.3
H.S. or G.E.D.	771	853,790	488	74.0	70.5-77.5	283	26.0	22.5-29.5
Some Post-H.S.	661	847,888	438	74.0	70.1-77.9	223	26.0	22.1-29.9
College Graduate	842	679,239	634	85.4	82.9-87.9	208	14.6	12.1-17.1
Less than \$15,000	250	298,561	177	76.7	69.8-83.6	73	23.3	16.4-30.2
\$15,000- 24,999	393	400,012	241	70.8	64.7-76.9	152	29.2	23.1-35.3
\$25,000- 34,999	224	256,185	143	72.9	65.1-80.7	81	27.1	19.3-34.9
\$35,000- 49,999	286	304,529	183	75.0	68.9-81.1	103	25.0	18.9-31.1
\$50,000- 74,999	303	335,703	230	81.5	76.4-86.6	73	18.5	13.4-23.6
\$75,000+	564	652,403	462	87.1	84.0-90.2	102	12.9	9.8-16.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4395	5,052,967	1	0.0	0.0- 0.0	207	4.2	3.4- 5.0	1883	41.3	39.3-43.3	1866	44.1	42.1-46.1	438	10.4	9.2-11.6	
Male	1984	2,421,591				9	0.3	0.1- 0.5	173	9.1	7.3-10.9	1372	69.4	66.7-72.1	430	21.2	18.8-23.6	
Female	2411	2,631,376	1	0.0	0.0- 0.0	198	7.8	6.2- 9.4	1710	70.9	68.4-73.4	494	20.8	18.4-23.2	8	0.5	0.1- 0.9	
White/Non-Hisp	3575	3,768,844	1	0.0	0.0- 0.0	158	4.0	3.2- 4.8	1518	41.3	39.1-43.5	1526	44.1	41.9-46.3	372	10.6	9.2-12.0	
Black or Afr. Am./Non-Hisp	433	769,104				28	4.5	2.1- 6.9	206	42.7	36.6-48.8	164	42.3	36.0-48.6	35	10.5	6.4-14.6	
Oth. Race/Non-Hisp.	121	120,782				7	5.9	0.0-12.6	44	36.6	24.4-48.8	58	47.1	34.9-59.3	12	10.4	3.7-17.1	
MultiRacial/Non-Hisp.	73	61,415				2	2.5	0.0- 6.0	27	32.2	19.5-44.9	36	53.1	39.2-67.0	8	12.2	2.6-21.8	
Hispanic	121	234,326				6	5.6	0.0-12.5	54	40.3	28.5-52.1	59	50.0	37.7-62.3	2	4.1	0.0- 9.8	
18-24	320	584,068				11	3.9	1.0- 6.8	107	34.5	27.2-41.8	162	49.0	41.6-56.4	40	12.6	8.1-17.1	
25-34	558	872,066				21	4.3	1.8- 6.8	220	38.8	33.5-44.1	249	44.2	38.7-49.7	68	12.7	9.0-16.4	
35-44	613	803,457				33	5.5	3.1- 7.9	248	39.0	34.1-43.9	248	41.7	36.6-46.8	84	13.8	10.3-17.3	
45-54	718	798,350				20	2.5	1.1- 3.9	322	43.0	38.1-47.9	303	44.6	39.7-49.5	73	9.9	7.0-12.8	
55-64	834	857,020				31	3.3	1.7- 4.9	361	42.5	38.0-47.0	364	45.3	40.8-49.8	78	8.9	6.4-11.4	
65+	1352	1,138,006	1	0.1	0.0- 0.3	91	5.2	3.8- 6.6	625	46.2	42.7-49.7	540	42.0	38.5-45.5	95	6.5	4.9- 8.1	
Less Than H.S.	347	608,980	1	0.1	0.0- 0.3	28	7.7	3.6-11.8	156	42.3	34.9-49.7	133	41.6	34.2-49.0	29	8.3	4.8-11.8	
H.S. or G.E.D.	1352	1,612,694				87	4.5	3.1- 5.9	598	42.3	38.8-45.8	542	42.6	39.1-46.1	125	10.7	8.3-13.1	
Some Post-H.S.	1129	1,499,982				39	2.9	1.7- 4.1	495	42.2	38.5-45.9	492	45.9	42.2-49.6	103	9.1	6.9-11.3	
College Graduate	1520	1,271,459				51	3.7	2.5- 4.9	612	38.8	35.7-41.9	680	45.1	41.8-48.4	177	12.4	10.0-14.8	
Less than \$15,000	381	462,298				31	7.9	3.4-12.4	182	46.2	38.6-53.8	136	34.1	27.2-41.0	32	11.7	6.4-17.0	
\$15,000- 24,999	631	707,719				49	5.8	3.6- 8.0	296	42.7	37.4-48.0	242	42.9	37.2-48.6	44	8.6	5.5-11.7	
\$25,000- 34,999	378	435,244	1	0.1	0.0- 0.3	23	4.5	2.1- 6.9	166	42.9	35.8-50.0	162	46.4	39.3-53.5	26	5.9	2.6- 9.2	
\$35,000- 49,999	532	630,662				18	3.5	1.5- 5.5	244	42.4	36.7-48.1	221	46.1	40.2-52.0	49	7.9	5.0-10.8	
\$50,000- 74,999	586	691,666				16	2.0	0.8- 3.2	249	43.5	38.0-49.0	257	42.2	36.7-47.7	64	12.3	8.6-16.0	
\$75,000+	1176	1,377,105				26	2.0	1.0- 3.0	422	35.5	32.0-39.0	566	49.0	45.3-52.7	162	13.6	11.1-16.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1984	2,421,591	9	0.3	0.1- 0.5	173	9.1	7.3-10.9	1372	69.4	66.7-72.1	430	21.2	18.8-23.6
White/Non-Hisp	1629	1,804,833	8	0.4	0.0- 0.8	124	7.8	6.0- 9.6	1132	70.0	67.1-72.9	365	21.8	19.3-24.3
Black or Afr. Am./Non-Hisp	150	308,656	17	7.2	2.9-11.5	17	7.2	2.9-11.5	99	68.1	58.5-77.7	34	24.7	15.5-33.9
Oth. Race/Non-Hisp.	68	68,688	1	1.0	0.0- 3.0	9	10.7	3.4-18.0	46	70.0	57.3-82.7	12	18.3	7.3-29.3
Hispanic	64	148,584	16	26.5	12.2-40.8	16	26.5	12.2-40.8	46	67.1	51.4-82.8	2	6.5	0.0-15.3
18-24	172	303,396	15	12.5	4.9-20.1	15	12.5	4.9-20.1	118	64.8	55.4-74.2	39	22.8	15.0-30.6
25-34	263	425,121	1	0.1	0.0- 0.3	23	9.1	4.6-13.6	173	65.5	57.9-73.1	66	25.4	18.5-32.3
35-44	278	392,619	1	0.4	0.0- 1.2	22	8.6	3.9-13.3	174	63.7	56.3-71.1	81	27.2	20.3-34.1
45-54	329	381,607	2	0.5	0.0- 1.3	36	8.4	5.1-11.7	219	70.5	64.2-76.8	72	20.5	14.8-26.2
55-64	373	408,795	2	0.5	0.0- 1.3	28	7.0	3.7-10.3	265	73.7	68.4-79.0	78	18.8	14.3-23.3
65+	569	510,053	3	0.2	0.0- 0.6	49	9.8	6.3-13.3	423	75.5	70.8-80.2	94	14.4	10.9-17.9
Less Than H.S.	162	299,953	2	0.8	0.0- 2.0	27	13.3	6.8-19.8	104	69.1	60.7-77.5	29	16.9	10.8-23.0
H.S. or G.E.D.	624	813,794	3	0.1	0.0- 0.3	69	11.1	7.8-14.4	428	67.8	62.9-72.7	124	21.0	16.7-25.3
Some Post-H.S.	483	669,660	2	0.3	0.0- 0.9	34	7.7	4.2-11.2	348	72.9	67.6-78.2	99	19.1	14.6-23.6
College Graduate	694	605,139	2	0.3	0.0- 0.7	41	6.3	3.8- 8.8	477	67.7	62.8-72.6	174	25.7	21.0-30.4
Less than \$15,000	140	177,633	2	0.5	0.0- 1.3	17	10.5	4.0-17.0	92	62.4	51.6-73.2	29	26.5	16.5-36.5
\$15,000- 24,999	249	324,798	3	1.0	0.0- 2.4	31	11.1	6.4-15.8	172	69.5	62.1-76.9	43	18.4	11.9-24.9
\$25,000- 34,999	152	179,965	1	0.4	0.0- 1.2	11	7.9	1.6-14.2	114	77.3	68.1-86.5	26	14.4	6.8-22.0
\$35,000- 49,999	247	329,295	27	13.1	6.6-19.6	27	13.1	6.6-19.6	173	72.0	64.4-79.6	47	14.8	9.3-20.3
\$50,000- 74,999	288	360,720	30	11.1	5.8-16.4	30	11.1	5.8-16.4	196	66.1	58.5-73.7	62	22.8	16.1-29.5
\$75,000+	611	724,585	2	0.3	0.0- 0.7	35	5.7	3.2- 8.2	412	68.2	63.3-73.1	162	25.8	21.3-30.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 27: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2411	2,631,376	1	0.0	0.0- 0.0	198	7.8	6.2- 9.4	1710	70.9	68.4-73.4	494	20.8	18.4-23.2	8	0.5	0.1- 0.9	
White/Non-Hisp	1946	1,964,011	1	0.0	0.0- 0.0	150	7.3	5.7- 8.9	1394	72.0	69.3-74.7	394	20.3	17.9-22.7	7	0.4	0.0- 0.8	
Black or Afr. Am./Non-Hisp	283	460,448				28	7.5	3.6-11.4	189	66.5	58.9-74.1	65	25.0	17.9-32.1	1	1.0	0.0- 3.0	
Oth. Race/Non-Hisp.	53	52,094				6	12.5	0.0-27.0	35	70.7	53.1-88.3	12	16.9	4.7-29.1				
Hispanic	57	85,742				6	15.4	0.0-32.5	38	64.2	46.4-82.0	13	20.4	7.9-32.9				
18-24	148	280,672				11	8.2	2.1-14.3	92	58.3	46.9-69.7	44	31.9	20.9-42.9	1	1.6	0.0- 4.7	
25-34	295	446,945				20	8.3	3.6-13.0	197	67.2	60.3-74.1	76	24.0	18.1-29.9	2	0.6	0.0- 1.4	
35-44	335	410,837				32	10.3	6.0-14.6	226	68.0	61.5-74.5	74	20.7	15.2-26.2	3	1.0	0.0- 2.2	
45-54	389	416,743				18	4.3	1.8- 6.8	286	74.7	69.0-80.4	84	20.9	15.6-26.2	1	0.1	0.0- 0.3	
55-64	461	448,225				29	5.8	3.3- 8.3	333	74.8	69.9-79.7	99	19.4	14.9-23.9				
65+	783	627,953	1	0.1	0.0- 0.3	88	9.3	6.9-11.7	576	75.8	71.9-79.7	117	14.8	11.7-17.9	1	0.1	0.0- 0.3	
Less Than H.S.	185	309,027	1	0.2	0.0- 0.6	26	14.5	6.9-22.1	129	70.5	60.3-80.7	29	14.9	6.7-23.1				
H.S. or G.E.D.	728	798,900				84	9.0	6.5-11.5	529	74.0	69.7-78.3	114	16.9	13.2-20.6	1	0.1	0.0- 0.3	
Some Post-H.S.	646	830,322				37	4.9	2.9- 6.9	461	70.0	65.3-74.7	144	24.1	19.6-28.6	4	1.1	0.0- 2.3	
College Graduate	826	666,320				49	6.8	4.6- 9.0	571	68.3	64.2-72.4	203	24.6	20.9-28.3	3	0.3	0.0- 0.7	
Less than \$15,000	241	284,665				29	12.5	5.4-19.6	165	68.5	59.3-77.7	44	16.5	9.8-23.2	3	2.5	0.0- 5.8	
\$15,000- 24,999	382	382,921				46	9.8	5.9-13.7	265	69.5	62.4-76.6	70	20.4	13.5-27.3	1	0.3	0.0- 0.9	
\$25,000- 34,999	226	255,279	1	0.2	0.0- 0.6	22	7.5	4.0-11.0	155	67.6	58.8-76.4	48	24.7	16.3-33.1				
\$35,000- 49,999	285	301,367				18	7.3	3.2-11.4	217	74.4	67.5-81.3	48	17.9	11.8-24.0	2	0.4	0.0- 1.0	
\$50,000- 74,999	298	330,946				16	4.2	1.8- 6.6	219	78.9	73.4-84.4	61	16.2	11.3-21.1	2	0.8	0.0- 2.0	
\$75,000+	565	652,521				24	3.9	1.9- 5.9	387	68.5	63.6-73.4	154	27.7	22.8-32.6				

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4401	5,067,084	1	0.0	0.0- 0.0	207	4.2	3.4- 5.0	1883	41.2	39.2-43.2	1869	44.1	42.1-46.1	441	10.5	9.3-11.7
Male	1990	2,435,708				9	0.3	0.1- 0.5	173	9.1	7.3-10.9	1375	69.3	66.6-72.0	433	21.3	18.9-23.7
Female	2411	2,631,376	1	0.0	0.0- 0.0	198	7.8	6.2- 9.4	1710	70.9	68.4-73.4	494	20.8	18.4-23.2	8	0.5	0.1- 0.9
White/Non-Hisp	3577	3,770,969	1	0.0	0.0- 0.0	158	4.0	3.2- 4.8	1518	41.3	39.1-43.5	1527	44.1	41.9-46.3	373	10.6	9.2-12.0
Black or Afr. Am./Non-Hisp	435	777,245				28	4.4	2.0- 6.8	206	42.3	36.2-48.4	165	42.2	35.9-48.5	36	11.1	6.8-15.4
Oth. Race/Non-Hisp.	121	120,782				7	5.9	0.0-12.6	44	36.6	24.4-48.8	58	47.1	34.9-59.3	12	10.4	3.7-17.1
MultiRacial/Non-Hisp.	73	61,415				2	2.5	0.0- 6.0	27	32.2	19.5-44.9	36	53.1	39.2-67.0	8	12.2	2.6-21.8
Hispanic	122	237,553				6	5.6	0.0-12.3	54	39.7	28.1-51.3	60	50.7	38.4-63.0	2	4.1	0.0- 9.6
18-24	321	586,903				11	3.9	1.0- 6.8	107	34.3	27.0-41.6	163	49.2	41.8-56.6	40	12.5	8.0-17.0
25-34	558	872,066				21	4.3	1.8- 6.8	220	38.8	33.5-44.1	249	44.2	38.7-49.7	68	12.7	9.0-16.4
35-44	614	808,764				33	5.4	3.0- 7.8	248	38.8	33.9-43.7	248	41.4	36.3-46.5	85	14.4	10.7-18.1
45-54	721	803,963				20	2.5	1.1- 3.9	322	42.7	37.8-47.6	305	44.9	40.0-49.8	74	9.9	7.0-12.8
55-64	834	857,020				31	3.3	1.7- 4.9	361	42.5	38.0-47.0	364	45.3	40.8-49.8	78	8.9	6.4-11.4
65+	1353	1,138,369	1	0.1	0.0- 0.3	91	5.2	3.8- 6.6	625	46.2	42.7-49.7	540	42.0	38.5-45.5	96	6.5	4.9- 8.1
Less Than H.S.	349	617,514	1	0.1	0.0- 0.3	28	7.6	3.5-11.7	156	41.7	34.3-49.1	134	41.5	34.1-48.9	30	9.0	5.1-12.9
H.S. or G.E.D.	1353	1,613,056				87	4.5	3.1- 5.9	598	42.2	38.7-45.7	542	42.6	39.1-46.1	126	10.7	8.3-13.1
Some Post-H.S.	1130	1,500,606				39	2.9	1.7- 4.1	495	42.1	38.4-45.8	492	45.9	42.2-49.6	104	9.2	7.0-11.4
College Graduate	1522	1,276,057				51	3.7	2.5- 4.9	612	38.7	35.6-41.8	682	45.3	42.0-48.6	177	12.4	10.0-14.8
Less than \$15,000	382	462,660				31	7.9	3.4-12.4	182	46.2	38.6-53.8	136	34.1	27.2-41.0	33	11.8	6.5-17.1
\$15,000- 24,999	634	714,404				49	5.7	3.5- 7.9	296	42.3	37.0-47.6	244	43.4	37.7-49.1	45	8.6	5.5-11.7
\$25,000- 34,999	378	435,244	1	0.1	0.0- 0.3	23	4.5	2.1- 6.9	166	42.9	35.8-50.0	162	46.4	39.3-53.5	26	5.9	2.6- 9.2
\$35,000- 49,999	532	630,662				18	3.5	1.5- 5.5	244	42.4	36.7-48.1	221	46.1	40.2-52.0	49	7.9	5.0-10.8
\$50,000- 74,999	586	691,666				16	2.0	0.8- 3.2	249	43.5	38.0-49.0	257	42.2	36.7-47.7	64	12.3	8.6-16.0
\$75,000+	1176	1,377,105				26	2.0	1.0- 3.0	422	35.5	32.0-39.0	566	49.0	45.3-52.7	162	13.6	11.1-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	2,435,708	9	0.3	0.1- 0.5	173	9.1	7.3-10.9	1375	69.3	66.6-72.0	433	21.3	18.9-23.7
White/Non-Hisp	1631	1,806,958	8	0.4	0.0- 0.8	124	7.8	6.0- 9.6	1133	70.0	67.1-72.9	366	21.8	19.3-24.3
Black or Afr. Am./Non-Hisp	152	316,798	17	7.0	2.9-11.1	17	7.0	2.9-11.1	100	67.2	57.6-76.8	35	25.7	16.5-34.9
Oth. Race/Non-Hisp.	68	68,688	1	1.0	0.0- 3.0	9	10.7	3.4-18.0	46	70.0	57.3-82.7	12	18.3	7.3-29.3
Hispanic	65	151,811	16	25.9	11.8-40.0	16	25.9	11.8-40.0	47	67.8	52.5-83.1	2	6.4	0.0-15.0
18-24	173	306,231	15	12.4	5.0-19.8	15	12.4	5.0-19.8	119	65.1	55.7-74.5	39	22.5	14.7-30.3
25-34	263	425,121	1	0.1	0.0- 0.3	23	9.1	4.6-13.6	173	65.5	57.9-73.1	66	25.4	18.5-32.3
35-44	279	397,926	1	0.4	0.0- 1.2	22	8.5	3.8-13.2	174	62.9	55.3-70.5	82	28.2	21.1-35.3
45-54	332	387,220	2	0.5	0.0- 1.3	36	8.3	5.0-11.6	221	70.8	64.7-76.9	73	20.4	14.7-26.1
55-64	373	408,795	2	0.5	0.0- 1.3	28	7.0	3.7-10.3	265	73.7	68.4-79.0	78	18.8	14.3-23.3
65+	570	510,415	3	0.2	0.0- 0.6	49	9.8	6.3-13.3	423	75.5	70.8-80.2	95	14.5	11.0-18.0
Less Than H.S.	164	308,487	2	0.8	0.0- 2.0	27	12.9	6.6-19.2	105	68.2	59.6-76.8	30	18.1	11.4-24.8
H.S. or G.E.D.	625	814,156	3	0.1	0.0- 0.3	69	11.1	7.8-14.4	428	67.8	62.9-72.7	125	21.0	16.7-25.3
Some Post-H.S.	484	670,284	2	0.3	0.0- 0.9	34	7.7	4.2-11.2	348	72.8	67.5-78.1	100	19.2	14.7-23.7
College Graduate	696	609,737	2	0.3	0.0- 0.7	41	6.3	3.8- 8.8	479	67.9	63.0-72.8	174	25.5	21.0-30.0
Less than \$15,000	141	177,995	2	0.5	0.0- 1.3	17	10.5	4.0-17.0	92	62.3	51.5-73.1	30	26.6	16.6-36.6
\$15,000- 24,999	252	331,483	3	1.0	0.0- 2.4	31	10.9	6.4-15.4	174	69.9	62.5-77.3	44	18.2	11.7-24.7
\$25,000- 34,999	152	179,965	1	0.4	0.0- 1.2	11	7.9	1.6-14.2	114	77.3	68.1-86.5	26	14.4	6.8-22.0
\$35,000- 49,999	247	329,295	27	13.1	6.6-19.6	27	13.1	6.6-19.6	173	72.0	64.4-79.6	47	14.8	9.3-20.3
\$50,000- 74,999	288	360,720	30	11.1	5.8-16.4	30	11.1	5.8-16.4	196	66.1	58.5-73.7	62	22.8	16.1-29.5
\$75,000+	611	724,585	2	0.3	0.0- 0.7	35	5.7	3.2- 8.2	412	68.2	63.3-73.1	162	25.8	21.3-30.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2411	2,631,376	1	0.0	0.0- 0.0	198	7.8	6.2- 9.4	1710	70.9	68.4-73.4	494	20.8	18.4-23.2	8	0.5	0.1- 0.9
White/Non-Hisp	1946	1,964,011	1	0.0	0.0- 0.0	150	7.3	5.7- 8.9	1394	72.0	69.3-74.7	394	20.3	17.9-22.7	7	0.4	0.0- 0.8
Black or Afr. Am./Non-Hisp	283	460,448				28	7.5	3.6-11.4	189	66.5	58.9-74.1	65	25.0	17.9-32.1	1	1.0	0.0- 3.0
Oth. Race/Non-Hisp.	53	52,094				6	12.5	0.0-27.0	35	70.7	53.1-88.3	12	16.9	4.7-29.1			
Hispanic	57	85,742				6	15.4	0.0-32.5	38	64.2	46.4-82.0	13	20.4	7.9-32.9			
18-24	148	280,672				11	8.2	2.1-14.3	92	58.3	46.9-69.7	44	31.9	20.9-42.9	1	1.6	0.0- 4.7
25-34	295	446,945				20	8.3	3.6-13.0	197	67.2	60.3-74.1	76	24.0	18.1-29.9	2	0.6	0.0- 1.4
35-44	335	410,837				32	10.3	6.0-14.6	226	68.0	61.5-74.5	74	20.7	15.2-26.2	3	1.0	0.0- 2.2
45-54	389	416,743				18	4.3	1.8- 6.8	286	74.7	69.0-80.4	84	20.9	15.6-26.2	1	0.1	0.0- 0.3
55-64	461	448,225				29	5.8	3.3- 8.3	333	74.8	69.9-79.7	99	19.4	14.9-23.9			
65+	783	627,953	1	0.1	0.0- 0.3	88	9.3	6.9-11.7	576	75.8	71.9-79.7	117	14.8	11.7-17.9	1	0.1	0.0- 0.3
Less Than H.S.	185	309,027	1	0.2	0.0- 0.6	26	14.5	6.9-22.1	129	70.5	60.3-80.7	29	14.9	6.7-23.1			
H.S. or G.E.D.	728	798,900				84	9.0	6.5-11.5	529	74.0	69.7-78.3	114	16.9	13.2-20.6	1	0.1	0.0- 0.3
Some Post-H.S.	646	830,322				37	4.9	2.9- 6.9	461	70.0	65.3-74.7	144	24.1	19.6-28.6	4	1.1	0.0- 2.3
College Graduate	826	666,320				49	6.8	4.6- 9.0	571	68.3	64.2-72.4	203	24.6	20.9-28.3	3	0.3	0.0- 0.7
Less than \$15,000	241	284,665				29	12.5	5.4-19.6	165	68.5	59.3-77.7	44	16.5	9.8-23.2	3	2.5	0.0- 5.8
\$15,000- 24,999	382	382,921				46	9.8	5.9-13.7	265	69.5	62.4-76.6	70	20.4	13.5-27.3	1	0.3	0.0- 0.9
\$25,000- 34,999	226	255,279	1	0.2	0.0- 0.6	22	7.5	4.0-11.0	155	67.6	58.8-76.4	48	24.7	16.3-33.1			
\$35,000- 49,999	285	301,367				18	7.3	3.2-11.4	217	74.4	67.5-81.3	48	17.9	11.8-24.0	2	0.4	0.0- 1.0
\$50,000- 74,999	298	330,946				16	4.2	1.8- 6.6	219	78.9	73.4-84.4	61	16.2	11.3-21.1	2	0.8	0.0- 2.0
\$75,000+	565	652,521				24	3.9	1.9- 5.9	387	68.5	63.6-73.4	154	27.7	22.8-32.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 31: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4223	4,889,962	26	0.7	0.3- 1.1	1075	25.1	23.3-26.9	1851	43.5	41.5-45.5	921	22.3	20.5-24.1	257	6.4	5.4- 7.4	93	2.0	1.4- 2.6
Male	1974	2,419,309	2	0.1	0.0- 0.3	188	11.1	9.1-13.1	952	48.2	45.3-51.1	583	28.3	25.6-31.0	182	9.1	7.5-10.7	67	3.1	1.9- 4.3
Female	2249	2,470,654	24	1.2	0.4- 2.0	887	38.8	36.1-41.5	899	38.9	36.2-41.6	338	16.4	14.2-18.6	75	3.8	2.6- 5.0	26	1.0	0.4- 1.6
White/Non-Hisp	3437	3,633,069	21	0.6	0.2- 1.0	891	25.7	23.7-27.7	1503	43.4	41.2-45.6	751	22.5	20.5-24.5	201	6.1	5.1- 7.1	70	1.7	1.1- 2.3
Black or Afr. Am./Non-Hisp	414	744,076	2	0.1	0.0- 0.3	73	18.8	13.7-23.9	198	46.4	40.1-52.7	98	23.3	18.0-28.6	30	7.3	4.0-10.6	13	4.1	1.2- 7.0
Oth. Race/Non-Hisp.	115	112,798				39	33.0	20.8-45.2	49	46.1	33.6-58.6	17	13.6	6.3-20.9	5	4.2	0.1- 8.3	5	3.1	0.0- 7.0
MultiRacial/Non-Hisp.	71	59,167				19	27.6	15.1-40.1	29	40.4	26.5-54.3	14	15.6	6.2-25.0	8	15.0	3.4-26.6	1	1.4	0.0- 4.1
Hispanic	123	249,628	2	3.9	0.0-11.2	33	25.3	14.9-35.7	52	41.7	29.7-53.7	26	21.5	10.3-32.7	7	6.1	1.2-11.0	3	1.5	0.0- 3.3
18-24	311	575,650	2	1.9	0.0- 5.2	115	36.2	29.1-43.3	110	35.1	27.8-42.4	59	20.9	14.0-27.8	20	5.3	2.4- 8.2	5	0.7	0.1- 1.3
25-34	547	861,714				157	28.3	23.4-33.2	232	43.9	38.4-49.4	114	20.7	16.4-25.0	34	4.2	2.6- 5.8	10	2.8	0.4- 5.2
35-44	592	780,771	3	0.5	0.0- 1.1	132	21.0	16.9-25.1	242	40.3	35.2-45.4	148	27.8	22.9-32.7	50	8.0	5.3-10.7	17	2.4	0.8- 4.0
45-54	669	746,136	1	0.2	0.0- 0.6	136	20.3	16.2-24.4	285	43.3	38.4-48.2	171	24.7	20.4-29.0	54	9.2	6.1-12.3	22	2.4	1.0- 3.8
55-64	797	819,079	8	0.8	0.2- 1.4	155	17.5	14.2-20.8	354	46.4	41.9-50.9	201	23.6	19.9-27.3	61	10.0	7.1-12.9	18	1.7	0.7- 2.7
65+	1307	1,106,612	12	0.9	0.1- 1.7	380	28.5	25.2-31.8	628	47.9	44.2-51.6	228	17.7	14.8-20.6	38	3.1	1.9- 4.3	21	1.9	0.7- 3.1
Less Than H.S.	337	603,291	6	2.4	0.0- 5.5	87	24.3	18.0-30.6	144	43.3	35.7-50.9	69	20.6	14.1-27.1	23	8.2	4.3-12.1	8	1.1	0.3- 1.9
H.S. or G.E.D.	1310	1,557,290	5	0.4	0.0- 0.8	344	27.1	23.8-30.4	555	40.3	36.8-43.8	283	22.4	19.3-25.5	85	6.9	5.1- 8.7	38	2.9	1.7- 4.1
Some Post-H.S.	1082	1,450,241	6	0.5	0.1- 0.9	254	23.6	20.3-26.9	477	43.9	40.0-47.8	260	24.1	20.8-27.4	67	6.3	4.3- 8.3	18	1.6	0.6- 2.6
College Graduate	1448	1,219,031	9	0.4	0.0- 0.8	380	24.7	22.0-27.4	647	46.8	43.5-50.1	303	21.1	18.4-23.8	80	5.0	3.6- 6.4	29	2.0	0.6- 3.4
Less than \$15,000	374	452,596	5	0.5	0.0- 1.1	99	31.2	23.9-38.5	145	40.8	33.0-48.6	77	15.6	11.3-19.9	30	8.4	3.9-12.9	18	3.5	1.3- 5.7
\$15,000- 24,999	618	702,717	8	3.0	0.1- 5.9	157	24.4	19.9-28.9	265	36.7	31.6-41.8	125	24.8	19.1-30.5	46	9.3	6.2-12.4	17	1.8	0.8- 2.8
\$25,000- 34,999	370	432,507	1	0.3	0.0- 0.9	95	22.4	16.5-28.3	168	51.2	43.9-58.5	80	18.4	13.3-23.5	20	5.8	2.3- 9.3	6	1.9	0.0- 4.1
\$35,000- 49,999	515	615,159	2	0.3	0.0- 0.7	124	23.8	18.9-28.7	238	42.6	36.9-48.3	113	25.5	20.0-31.0	33	6.4	3.7- 9.1	5	1.4	0.0- 3.0
\$50,000- 74,999	570	677,780				122	22.2	17.5-26.9	278	48.8	43.1-54.5	122	20.2	15.5-24.9	38	7.2	4.5- 9.9	10	1.6	0.0- 3.2
\$75,000+	1139	1,338,559	3	0.1	0.0- 0.3	265	22.8	19.7-25.9	503	44.6	40.7-48.5	285	25.2	21.9-28.5	64	5.2	3.6- 6.8	19	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 32: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1974	2,419,309	2	0.1	0.0- 0.3	188	11.1	9.1-13.1	952	48.2	45.3-51.1	583	28.3	25.6-31.0	182	9.1	7.5-10.7	67	3.1	1.9- 4.3
White/Non-Hisp	1618	1,789,837	2	0.1	0.0- 0.3	137	9.5	7.5-11.5	779	48.4	45.3-51.5	497	29.9	27.0-32.8	150	9.6	7.8-11.4	53	2.6	1.6- 3.6
Black or Afr. Am./Non-Hisp	151	316,776				19	12.5	5.6-19.4	76	51.3	41.1-61.5	39	23.8	15.6-32.0	11	5.3	1.6- 9.0	6	7.1	1.0-13.2
Oth. Race/Non-Hisp.	69	68,998				10	16.5	5.3-27.7	37	57.6	43.3-71.9	13	15.2	6.0-24.4	4	5.6	0.0-11.9	5	5.1	0.0-11.4
Hispanic	66	154,536				11	16.8	5.4-28.2	35	49.3	32.8-65.8	13	25.0	8.7-41.3	5	6.9	0.0-13.8	2	2.0	0.0- 4.7
18-24	170	296,662				43	30.0	21.0-39.0	74	39.4	30.2-48.6	35	21.7	12.7-30.7	16	8.2	3.7-12.7	2	0.7	0.0- 1.7
25-34	264	434,579				39	13.0	8.1-17.9	127	51.8	43.8-59.8	65	23.9	17.2-30.6	25	6.2	3.5- 8.9	8	5.2	0.7- 9.7
35-44	278	399,046				21	9.2	4.3-14.1	120	42.7	35.1-50.3	101	39.2	31.4-47.0	27	6.9	4.0- 9.8	9	1.9	0.3- 3.5
45-54	321	374,993	1	0.3	0.0- 0.9	16	5.2	1.9- 8.5	140	46.3	39.2-53.4	110	31.5	25.0-38.0	37	13.0	8.3-17.7	17	3.7	1.2- 6.2
55-64	369	402,796				22	6.6	2.7-10.5	167	45.9	39.2-52.6	121	28.8	23.1-34.5	48	16.2	11.3-21.1	11	2.5	0.7- 4.3
65+	572	511,232	1	0.1	0.0- 0.3	47	8.0	4.9-11.1	324	58.0	52.7-63.3	151	24.5	20.0-29.0	29	5.6	3.1- 8.1	20	3.9	1.5- 6.3
Less Than H.S.	161	302,590				23	16.2	8.4-24.0	75	46.5	36.3-56.7	42	24.1	15.1-33.1	15	11.3	5.8-16.8	6	2.0	0.2- 3.8
H.S. or G.E.D.	620	801,294	1	0.0	0.0- 0.0	84	15.2	11.3-19.1	280	41.4	36.3-46.5	163	28.0	23.1-32.9	63	10.7	7.6-13.8	29	4.6	2.2- 7.0
Some Post-H.S.	477	670,814				38	9.0	5.5-12.5	226	50.2	44.3-56.1	160	31.5	26.0-37.0	44	7.4	5.0- 9.8	9	1.8	0.2- 3.4
College Graduate	694	609,712	1	0.2	0.0- 0.6	42	5.9	3.7- 8.1	356	55.0	50.1-59.9	214	27.8	23.7-31.9	58	7.6	5.2-10.0	23	3.4	0.9- 5.9
Less than \$15,000	141	174,872				20	21.7	10.5-32.9	66	45.3	34.3-56.3	29	16.1	9.6-22.6	13	9.7	5.4-14.0	13	7.3	2.2-12.4
\$15,000- 24,999	253	328,593	1	0.4	0.0- 1.2	35	14.4	8.7-20.1	113	39.8	32.0-47.6	66	28.4	20.0-36.8	28	14.7	8.8-20.6	10	2.3	0.7- 3.9
\$25,000- 34,999	154	188,046				19	15.2	6.6-23.8	78	57.3	46.7-67.9	38	17.5	10.4-24.6	15	8.1	2.6-13.6	4	1.8	0.0- 4.0
\$35,000- 49,999	243	321,936				21	9.2	4.3-14.1	119	48.2	39.8-56.6	76	32.1	24.1-40.1	24	8.8	5.3-12.3	3	1.6	0.0- 4.1
\$50,000- 74,999	286	359,515				17	7.7	3.2-12.2	153	53.5	45.5-61.5	78	26.3	18.9-33.7	29	9.6	5.5-13.7	9	2.9	0.0- 5.8
\$75,000+	612	727,842				39	6.7	4.0- 9.4	286	48.2	42.9-53.5	215	33.6	28.7-38.5	53	7.6	5.1-10.1	19	3.9	1.4- 6.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 33: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2249	2,470,654	24	1.2	0.4- 2.0	887	38.8	36.1-41.5	899	38.9	36.2-41.6	338	16.4	14.2-18.6	75	3.8	2.6- 5.0	26	1.0	0.4- 1.6
White/Non-Hisp	1819	1,843,231	19	1.0	0.4- 1.6	754	41.5	38.6-44.4	724	38.6	35.7-41.5	254	15.4	13.0-17.8	51	2.7	1.7- 3.7	17	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	263	427,299	2	0.2	0.0- 0.6	54	23.4	16.3-30.5	122	42.8	34.8-50.8	59	22.9	15.8-30.0	19	8.9	4.0-13.8	7	1.9	0.0- 4.1
Hispanic	57	95,091	2	10.2	0.0-28.2	22	39.1	20.7-57.5	17	29.4	14.1-44.7	13	15.7	5.3-26.1	2	4.8	0.0-11.5	1	0.7	0.0- 2.1
18-24	141	278,987	2	3.9	0.0-10.6	72	42.9	31.7-54.1	36	30.4	18.6-42.2	24	19.9	9.7-30.1	4	2.3	0.0- 5.6	3	0.7	0.0- 1.5
25-34	283	427,135				118	44.0	36.6-51.4	105	36.0	29.1-42.9	49	17.4	11.9-22.9	9	2.3	0.5- 4.1	2	0.4	0.0- 1.0
35-44	314	381,725	3	1.0	0.0- 2.2	111	33.3	26.8-39.8	122	37.8	30.9-44.7	47	15.8	10.7-20.9	23	9.2	4.5-13.9	8	2.9	0.2- 5.6
45-54	348	371,143				120	35.7	28.8-42.6	145	40.2	33.3-47.1	61	17.8	12.3-23.3	17	5.3	2.0- 8.6	5	1.0	0.0- 2.2
55-64	428	416,283	8	1.5	0.3- 2.7	133	27.9	22.6-33.2	187	46.9	40.6-53.2	80	18.6	13.9-23.3	13	4.0	1.3- 6.7	7	1.0	0.0- 2.0
65+	735	595,380	11	1.6	0.2- 3.0	333	46.1	41.2-51.0	304	39.2	34.5-43.9	77	11.9	8.4-15.4	9	0.9	0.1- 1.7	1	0.2	0.0- 0.6
Less Than H.S.	176	300,701	6	4.8	0.0-11.1	64	32.4	22.4-42.4	69	40.1	28.7-51.5	27	17.2	8.0-26.4	8	5.1	0.8- 9.4	2	0.3	0.0- 0.9
H.S. or G.E.D.	690	755,996	4	0.7	0.0- 1.5	260	39.8	34.9-44.7	275	39.2	34.5-43.9	120	16.4	12.7-20.1	22	2.9	1.3- 4.5	9	1.0	0.0- 2.0
Some Post-H.S.	605	779,427	6	0.9	0.1- 1.7	216	36.1	31.2-41.0	251	38.5	33.6-43.4	100	17.7	13.6-21.8	23	5.4	2.7- 8.1	9	1.5	0.1- 2.9
College Graduate	754	609,318	8	0.6	0.0- 1.4	338	43.4	38.9-47.9	291	38.7	34.2-43.2	89	14.4	10.9-17.9	22	2.3	1.1- 3.5	6	0.5	0.0- 1.1
Less than \$15,000	233	277,724	5	0.9	0.0- 1.9	79	37.2	27.4-47.0	79	38.0	27.4-48.6	48	15.2	9.7-20.7	17	7.7	2.2-13.2	5	1.0	0.0- 2.2
\$15,000- 24,999	365	374,124	7	5.2	0.0-10.5	122	33.3	26.6-40.0	152	34.0	27.5-40.5	59	21.5	13.9-29.1	18	4.6	1.9- 7.3	7	1.4	0.2- 2.6
\$25,000- 34,999	216	244,461	1	0.6	0.0- 1.8	76	28.0	20.0-36.0	90	46.5	36.9-56.1	42	19.1	12.0-26.2	5	3.9	0.0- 8.6	2	1.9	0.0- 5.2
\$35,000- 49,999	272	293,223	2	0.6	0.0- 1.4	103	39.8	32.0-47.6	119	36.5	29.2-43.8	37	18.2	11.3-25.1	9	3.7	0.4- 7.0	2	1.2	0.0- 3.2
\$50,000- 74,999	284	318,266				105	38.5	30.9-46.1	125	43.6	36.0-51.2	44	13.2	8.3-18.1	9	4.6	1.1- 8.1	1	0.1	0.0- 0.3
\$75,000+	527	610,717	3	0.2	0.0- 0.6	226	41.9	36.4-47.4	217	40.2	34.9-45.5	70	15.2	11.1-19.3	11	2.4	0.8- 4.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 34: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4152	4,782,921	38	1.2	0.6- 1.8	1196	28.9	26.9-30.9	1435	34.6	32.6-36.6	821	18.6	17.0-20.2	662	16.8	15.2-18.4
Male	1958	2,395,373	12	1.1	0.3- 1.9	490	26.4	23.9-28.9	768	38.3	35.4-41.2	411	19.7	17.3-22.1	277	14.5	12.3-16.7
Female	2194	2,387,549	26	1.4	0.6- 2.2	706	31.3	28.8-33.8	667	30.8	28.1-33.5	410	17.4	15.2-19.6	385	19.2	16.8-21.6
White/Non-Hisp	3391	3,578,485	31	1.0	0.6- 1.4	996	30.0	28.0-32.0	1205	35.0	32.8-37.2	657	19.0	17.2-20.8	502	15.0	13.4-16.6
Black or Afr. Am./Non-Hisp	402	717,473	5	2.0	0.0- 4.2	81	21.7	16.2-27.2	126	33.8	27.7-39.9	92	17.9	13.2-22.6	98	24.7	19.0-30.4
Oth. Race/Non-Hisp.	111	110,927				47	42.7	30.4-55.0	34	30.5	18.0-43.0	19	17.4	7.6-27.2	11	9.4	2.7-16.1
MultiRacial/Non-Hisp.	70	58,880				23	34.4	20.9-47.9	13	21.7	9.2-34.2	22	24.4	13.4-35.4	12	19.5	7.5-31.5
Hispanic	115	225,931				29	24.9	13.9-35.9	41	40.8	28.1-53.5	20	11.9	5.4-18.4	25	22.4	10.8-34.0
18-24	300	544,757	8	4.2	1.1- 7.3	134	40.4	33.1-47.7	85	30.4	23.1-37.7	29	10.5	4.6-16.4	44	14.5	8.8-20.2
25-34	523	819,263				187	35.2	29.9-40.5	164	33.2	27.7-38.7	88	16.3	12.4-20.2	84	15.3	11.4-19.2
35-44	581	767,987	2	0.2	0.0- 0.4	161	27.0	22.3-31.7	185	32.4	27.3-37.5	124	21.0	16.7-25.3	109	19.4	15.1-23.7
45-54	664	741,430	7	1.9	0.1- 3.7	139	21.4	17.3-25.5	238	35.7	30.8-40.6	150	21.2	17.3-25.1	130	19.8	15.7-23.9
55-64	792	814,750	8	1.3	0.0- 2.9	179	19.5	16.2-22.8	263	35.5	31.0-40.0	192	24.4	20.3-28.5	150	19.2	15.7-22.7
65+	1292	1,094,736	13	0.8	0.2- 1.4	396	31.7	28.2-35.2	500	37.6	34.1-41.1	238	16.4	13.9-18.9	145	13.5	10.8-16.2
Less Than H.S.	330	584,132	11	3.0	0.5- 5.5	81	25.9	19.4-32.4	109	31.6	24.3-38.9	68	20.4	13.7-27.1	61	19.0	13.1-24.9
H.S. or G.E.D.	1288	1,524,085	9	1.2	0.2- 2.2	355	26.7	23.6-29.8	424	34.9	31.4-38.4	257	18.6	15.9-21.3	243	18.6	15.7-21.5
Some Post-H.S.	1065	1,422,836	8	1.1	0.1- 2.1	290	28.4	24.9-31.9	373	34.4	30.7-38.1	219	18.5	15.6-21.4	175	17.6	14.7-20.5
College Graduate	1424	1,193,612	10	0.6	0.2- 1.0	457	33.6	30.5-36.7	511	35.5	32.2-38.8	266	17.4	14.9-19.9	180	12.9	10.5-15.3
Less than \$15,000	362	436,186	9	4.2	0.5- 7.9	96	31.0	23.6-38.4	97	25.9	19.4-32.4	72	18.8	11.5-26.1	88	20.1	14.6-25.6
\$15,000- 24,999	606	682,541	7	1.5	0.1- 2.9	158	27.0	22.3-31.7	190	30.8	25.5-36.1	133	19.4	15.3-23.5	118	21.4	16.5-26.3
\$25,000- 34,999	358	401,794	2	0.4	0.0- 1.0	102	27.7	21.0-34.4	118	34.1	27.0-41.2	75	21.0	14.9-27.1	61	16.7	11.2-22.2
\$35,000- 49,999	510	608,199	4	1.0	0.0- 2.4	143	27.9	22.6-33.2	172	30.6	25.3-35.9	119	22.4	17.5-27.3	72	18.1	13.4-22.8
\$50,000- 74,999	563	667,341	2	0.9	0.0- 2.5	141	25.4	20.5-30.3	212	37.6	32.1-43.1	113	18.1	14.0-22.2	95	17.9	13.4-22.4
\$75,000+	1132	1,330,175	5	0.5	0.0- 1.1	344	30.5	27.0-34.0	421	37.3	33.6-41.0	219	18.3	15.4-21.2	143	13.4	10.7-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 35: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1958	2,395,373	12	1.1	0.3- 1.9	490	26.4	23.9-28.9	768	38.3	35.4-41.2	411	19.7	17.3-22.1	277	14.5	12.3-16.7
White/Non-Hisp	1609	1,780,449	10	0.8	0.2- 1.4	391	26.0	23.3-28.7	648	38.9	35.8-42.0	336	20.8	18.3-23.3	224	13.6	11.4-15.8
Black or Afr. Am./Non-Hisp	148	308,654	1	1.8	0.0- 5.3	40	27.5	18.1-36.9	55	38.3	28.3-48.3	32	18.1	10.7-25.5	20	14.4	7.1-21.7
Oth. Race/Non-Hisp.	67	68,023				27	48.5	33.6-63.4	20	27.8	14.1-41.5	13	16.0	6.8-25.2	7	7.7	0.1-15.3
Hispanic	64	149,085				15	20.7	8.5-32.9	25	45.0	28.1-61.9	13	12.1	3.7-20.5	11	22.2	6.3-38.1
18-24	170	296,662	5	4.9	0.0- 9.8	76	44.2	34.6-53.8	52	29.9	21.3-38.5	17	7.3	3.4-11.2	20	13.7	5.3-22.1
25-34	261	423,369				90	32.3	25.0-39.6	91	38.7	30.5-46.9	49	17.8	11.9-23.7	31	11.2	6.1-16.3
35-44	276	395,033				70	27.1	20.0-34.2	102	35.5	28.1-42.9	63	23.9	17.2-30.6	41	13.5	8.0-19.0
45-54	319	373,275	2	0.5	0.0- 1.3	50	16.9	11.2-22.6	132	41.0	34.1-47.9	79	25.2	19.1-31.3	56	16.4	11.3-21.5
55-64	367	400,951	2	1.7	0.0- 4.6	64	15.9	11.4-20.4	143	40.0	33.3-46.7	92	23.5	18.2-28.8	66	18.9	13.8-24.0
65+	565	506,082	3	0.4	0.0- 1.0	140	25.8	21.1-30.5	248	41.8	36.5-47.1	111	18.4	14.1-22.7	63	13.5	9.4-17.6
Less Than H.S.	158	296,069	5	3.0	0.0- 7.1	44	30.1	20.7-39.5	51	30.2	20.6-39.8	32	19.2	12.1-26.3	26	17.5	8.9-26.1
H.S. or G.E.D.	617	798,859	3	1.0	0.0- 2.4	163	25.5	21.2-29.8	220	35.9	30.8-41.0	124	19.3	15.4-23.2	107	18.3	14.2-22.4
Some Post-H.S.	475	663,975	2	0.8	0.0- 2.0	107	23.6	18.5-28.7	198	42.5	36.6-48.4	109	21.5	16.6-26.4	59	11.6	8.3-14.9
College Graduate	687	603,426	2	0.5	0.0- 1.3	172	29.5	24.8-34.2	287	40.2	35.5-44.9	143	18.7	15.2-22.2	83	11.1	7.8-14.4
Less than \$15,000	138	170,147	3	4.7	0.0-11.8	41	36.0	24.4-47.6	38	25.9	16.7-35.1	27	16.9	10.8-23.0	29	16.5	9.2-23.8
\$15,000- 24,999	250	326,558	3	0.6	0.0- 1.4	63	25.9	18.8-33.0	84	32.8	25.2-40.4	57	19.5	13.2-25.8	43	21.2	13.4-29.0
\$25,000- 34,999	152	179,965				44	31.7	21.1-42.3	59	42.5	31.5-53.5	28	15.6	8.2-23.0	21	10.2	4.7-15.7
\$35,000- 49,999	243	321,936	1	1.3	0.0- 3.8	62	23.7	16.8-30.6	85	33.2	25.2-41.2	64	28.0	20.2-35.8	31	13.7	8.4-19.0
\$50,000- 74,999	286	359,515	1	1.6	0.0- 4.5	65	23.9	17.4-30.4	119	40.5	32.9-48.1	56	17.0	11.3-22.7	45	17.0	10.1-23.9
\$75,000+	609	723,244	1	0.3	0.0- 0.9	145	25.7	21.2-30.2	251	39.6	34.3-44.9	135	21.5	17.2-25.8	77	12.9	9.2-16.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 36: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18						> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2194	2,387,549	26	1.4	0.6- 2.2	706	31.3	28.8-33.8	667	30.8	28.1-33.5	410	17.4	15.2-19.6	385	19.2	16.8-21.6			
White/Non-Hisp	1782	1,798,036	21	1.3	0.5- 2.1	605	33.9	31.0-36.8	557	31.2	28.3-34.1	321	17.2	14.7-19.7	278	16.5	14.1-18.9			
Black or Afr. Am./Non-Hisp	254	408,819	4	2.1	0.0- 4.8	41	17.3	11.0-23.6	71	30.4	22.6-38.2	60	17.7	11.8-23.6	78	32.5	24.7-40.3			
Hispanic	51	76,845				14	33.1	12.9-53.3	16	32.7	15.6-49.8	7	11.5	2.1-20.9	14	22.7	9.0-36.4			
18-24	130	248,095	3	3.2	0.0- 7.3	58	35.9	25.1-46.7	33	31.0	18.8-43.2	12	14.4	2.8-26.0	24	15.5	7.9-23.1			
25-34	262	395,894				97	38.3	30.7-45.9	73	27.3	20.6-34.0	39	14.6	9.3-19.9	53	19.8	13.7-25.9			
35-44	305	372,954	2	0.3	0.0- 0.9	91	26.8	20.9-32.7	83	29.2	22.5-35.9	61	18.0	12.9-23.1	68	25.6	18.9-32.3			
45-54	345	368,155	5	3.4	0.1- 6.7	89	25.9	19.8-32.0	106	30.3	23.8-36.8	71	17.2	12.3-22.1	74	23.2	16.9-29.5			
55-64	425	413,799	6	1.0	0.0- 2.0	115	23.0	18.3-27.7	120	31.1	25.2-37.0	100	25.4	19.7-31.1	84	19.6	14.7-24.5			
65+	727	588,653	10	1.1	0.3- 1.9	256	36.7	31.8-41.6	252	34.1	29.4-38.8	127	14.7	11.6-17.8	82	13.4	9.7-17.1			
Less Than H.S.	172	288,063	6	2.9	0.0- 5.8	37	21.7	12.9-30.5	58	33.1	22.3-43.9	36	21.7	10.9-32.5	35	20.6	12.4-28.8			
H.S. or G.E.D.	671	725,227	6	1.4	0.0- 2.8	192	28.0	23.5-32.5	204	33.8	28.9-38.7	133	17.9	14.4-21.4	136	18.9	15.0-22.8			
Some Post-H.S.	590	758,861	6	1.3	0.0- 2.7	183	32.6	27.7-37.5	175	27.3	22.8-31.8	110	15.8	12.3-19.3	116	23.0	18.3-27.7			
College Graduate	737	590,186	8	0.7	0.1- 1.3	285	37.8	33.3-42.3	224	30.7	26.2-35.2	123	16.0	12.7-19.3	97	14.8	11.3-18.3			
Less than \$15,000	224	266,039	6	3.9	0.0- 8.2	55	27.8	18.6-37.0	59	25.8	17.0-34.6	45	20.1	9.7-30.5	59	22.4	14.8-30.0			
\$15,000- 24,999	356	355,983	4	2.2	0.0- 4.7	95	28.1	21.8-34.4	106	28.9	21.6-36.2	76	19.2	13.9-24.5	75	21.6	15.5-27.7			
\$25,000- 34,999	206	221,829	2	0.7	0.0- 1.9	58	24.6	16.4-32.8	59	27.3	18.9-35.7	47	25.4	16.4-34.4	40	21.9	13.5-30.3			
\$35,000- 49,999	267	286,263	3	0.7	0.0- 1.7	81	32.5	24.9-40.1	87	27.6	20.9-34.3	55	16.1	11.0-21.2	41	23.1	15.3-30.9			
\$50,000- 74,999	277	307,827	1	0.2	0.0- 0.6	76	27.2	20.1-34.3	93	34.3	26.5-42.1	57	19.5	13.6-25.4	50	18.9	12.8-25.0			
\$75,000+	523	606,931	4	0.8	0.0- 1.8	199	36.1	30.8-41.4	170	34.4	29.1-39.7	84	14.6	10.9-18.3	66	14.0	10.3-17.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 37: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4152	4,782,921	57	1.6	1.0- 2.2	1175	28.4	26.6-30.2	1431	34.4	32.4-36.4	1489	35.6	33.6-37.6
Male	1958	2,395,373	19	1.5	0.5- 2.5	481	25.9	23.4-28.4	766	38.1	35.2-41.0	692	34.4	31.5-37.3
Female	2194	2,387,549	38	1.7	0.9- 2.5	694	30.9	28.4-33.4	665	30.7	28.0-33.4	797	36.7	34.0-39.4
White/Non-Hisp	3391	3,578,485	46	1.4	0.8- 2.0	979	29.5	27.5-31.5	1202	34.8	32.6-37.0	1164	34.2	32.0-36.4
Black or Afr. Am./Non-Hisp	402	717,473	6	2.0	0.0- 4.2	80	21.6	16.1-27.1	126	33.8	27.7-39.9	190	42.6	36.3-48.9
Oth. Race/Non-Hisp.	111	110,927	1	2.1	0.0- 6.2	46	40.5	28.3-52.7	34	30.5	18.0-43.0	30	26.8	15.6-38.0
MultiRacial/Non-Hisp.	70	58,880	2	2.5	0.0- 6.0	21	31.9	18.6-45.2	13	21.7	9.2-34.2	34	43.9	29.8-58.0
Hispanic	115	225,931				29	24.9	13.9-35.9	41	40.8	28.1-53.5	45	34.3	22.1-46.5
18-24	300	544,757	11	5.2	1.7- 8.7	131	39.4	32.1-46.7	84	30.1	22.8-37.4	74	25.3	17.9-32.7
25-34	523	819,263	4	0.4	0.0- 0.8	183	34.8	29.5-40.1	163	33.0	27.5-38.5	173	31.8	26.7-36.9
35-44	581	767,987	4	0.5	0.0- 1.1	158	26.6	21.9-31.3	186	32.5	27.4-37.6	233	40.4	35.1-45.7
45-54	664	741,430	8	2.0	0.2- 3.8	138	21.3	17.2-25.4	237	35.6	30.7-40.5	281	41.1	36.2-46.0
55-64	792	814,750	10	1.4	0.0- 3.0	177	19.4	16.1-22.7	263	35.5	31.0-40.0	342	43.7	39.2-48.2
65+	1292	1,094,736	20	1.4	0.6- 2.2	388	31.1	27.6-34.6	498	37.3	33.8-40.8	386	30.3	26.8-33.8
Less Than H.S.	330	584,132	14	3.3	0.8- 5.8	78	25.7	19.2-32.2	108	31.6	24.3-38.9	130	39.5	31.9-47.1
H.S. or G.E.D.	1288	1,524,085	19	2.0	0.8- 3.2	345	25.8	22.7-28.9	423	34.8	31.3-38.3	501	37.4	33.9-40.9
Some Post-H.S.	1065	1,422,836	11	1.3	0.3- 2.3	287	28.2	24.7-31.7	371	34.1	30.4-37.8	396	36.4	32.7-40.1
College Graduate	1424	1,193,612	13	0.7	0.1- 1.3	452	33.4	30.3-36.5	511	35.4	32.1-38.7	448	30.5	27.4-33.6
Less than \$15,000	362	436,186	14	5.5	1.4- 9.6	91	29.7	22.4-37.0	96	25.8	19.3-32.3	161	39.0	31.2-46.8
\$15,000- 24,999	606	682,541	9	1.9	0.3- 3.5	156	26.7	22.0-31.4	190	30.8	25.5-36.1	251	40.7	35.2-46.2
\$25,000- 34,999	358	401,794	3	0.6	0.0- 1.4	100	27.4	20.7-34.1	119	34.2	27.1-41.3	136	37.7	30.4-45.0
\$35,000- 49,999	510	608,199	5	1.2	0.0- 2.6	142	27.7	22.4-33.0	172	30.6	25.3-35.9	191	40.6	34.7-46.5
\$50,000- 74,999	563	667,341	2	0.9	0.0- 2.5	141	25.4	20.5-30.3	210	37.0	31.5-42.5	210	36.6	31.1-42.1
\$75,000+	1132	1,330,175	10	0.9	0.3- 1.5	338	30.0	26.5-33.5	419	37.0	33.3-40.7	365	32.0	28.5-35.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 38: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1958	2,395,373	19	1.5	0.5- 2.5	481	25.9	23.4-28.4	766	38.1	35.2-41.0	692	34.4	31.7-37.1
White/Non-Hisp	1609	1,780,449	15	1.2	0.4- 2.0	384	25.5	22.8-28.2	646	38.7	35.6-41.8	564	34.7	31.6-37.8
Black or Afr. Am./Non-Hisp	148	308,654	1	1.8	0.0- 5.3	40	27.5	18.1-36.9	55	38.3	28.3-48.3	52	32.5	23.1-41.9
Oth. Race/Non-Hisp.	67	68,023	1	3.5	0.0-10.2	26	45.0	30.1-59.9	20	27.8	14.1-41.5	20	23.7	12.3-35.1
Hispanic	64	149,085				15	20.7	8.5-32.9	25	45.0	28.1-61.9	24	34.3	17.8-50.8
18-24	170	296,662	7	6.6	1.3-11.9	74	42.6	33.2-52.0	51	29.3	20.7-37.9	38	21.5	12.7-30.3
25-34	261	423,369	3	0.6	0.0- 1.4	87	31.7	24.4-39.0	90	38.3	30.1-46.5	81	29.4	22.1-36.7
35-44	276	395,033	1	0.6	0.0- 1.8	68	26.4	19.3-33.5	103	35.6	28.2-43.0	104	37.4	29.8-45.0
45-54	319	373,275	2	0.5	0.0- 1.3	50	16.9	11.2-22.6	131	40.9	34.0-47.8	136	41.8	34.9-48.7
55-64	367	400,951	2	1.7	0.0- 4.6	64	15.9	11.4-20.4	143	40.0	33.3-46.7	158	42.4	35.9-48.9
65+	565	506,082	4	0.6	0.0- 1.2	138	25.6	20.9-30.3	248	41.6	36.3-46.9	175	32.2	26.9-37.5
Less Than H.S.	158	296,069	6	3.3	0.0- 7.4	43	29.8	20.4-39.2	51	30.2	20.6-39.8	58	36.7	26.9-46.5
H.S. or G.E.D.	617	798,859	9	2.2	0.4- 4.0	157	24.2	19.9-28.5	220	35.9	30.8-41.0	231	37.6	32.5-42.7
Some Post-H.S.	475	663,975	2	0.8	0.0- 2.0	107	23.6	18.5-28.7	196	42.0	36.1-47.9	170	33.6	28.1-39.1
College Graduate	687	603,426	2	0.5	0.0- 1.3	170	29.3	24.6-34.0	287	40.0	35.3-44.7	228	30.2	25.7-34.7
Less than \$15,000	138	170,147	5	7.3	0.0-15.3	39	33.4	21.8-45.0	38	25.9	16.7-35.1	56	33.4	24.2-42.6
\$15,000- 24,999	250	326,558	4	0.9	0.0- 1.9	62	25.6	18.5-32.7	84	32.8	25.2-40.4	100	40.7	32.3-49.1
\$25,000- 34,999	152	179,965				43	31.4	20.8-42.0	60	42.7	31.7-53.7	49	25.8	17.0-34.6
\$35,000- 49,999	243	321,936	2	1.6	0.0- 4.1	61	23.5	16.6-30.4	85	33.2	25.2-41.2	95	41.7	33.5-49.9
\$50,000- 74,999	286	359,515	1	1.6	0.0- 4.5	65	23.9	17.4-30.4	118	40.0	32.4-47.6	102	34.5	26.7-42.3
\$75,000+	609	723,244	4	0.9	0.0- 1.9	141	25.1	20.6-29.6	249	39.2	33.9-44.5	215	34.9	29.8-40.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 39: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2194	2,387,549	38	1.7	0.9- 2.5	694	30.9	28.4-33.4	665	30.7	28.0-33.4	797	36.7	34.0-39.4
White/Non-Hisp	1782	1,798,036	31	1.7	0.9- 2.5	595	33.5	30.6-36.4	556	31.0	28.1-33.9	600	33.8	30.9-36.7
Black or Afr. Am./Non-Hisp	254	408,819	5	2.2	0.0- 4.9	40	17.2	10.9-23.5	71	30.4	22.6-38.2	138	50.2	41.8-58.6
Hispanic	51	76,845				14	33.1	12.9-53.3	16	32.7	15.6-49.8	21	34.2	18.1-50.3
18-24	130	248,095	4	3.5	0.0- 7.6	57	35.6	24.8-46.4	33	31.0	18.8-43.2	36	29.9	17.6-42.2
25-34	262	395,894	1	0.2	0.0- 0.6	96	38.1	30.5-45.7	73	27.3	20.6-34.0	92	34.4	27.1-41.7
35-44	305	372,954	3	0.4	0.0- 1.0	90	26.8	20.9-32.7	83	29.2	22.5-35.9	129	43.6	36.5-50.7
45-54	345	368,155	6	3.5	0.2- 6.8	88	25.8	19.7-31.9	106	30.3	23.8-36.8	145	40.4	33.5-47.3
55-64	425	413,799	8	1.2	0.2- 2.2	113	22.8	18.1-27.5	120	31.1	25.2-37.0	184	45.0	38.7-51.3
65+	727	588,653	16	2.0	0.8- 3.2	250	35.8	30.9-40.7	250	33.6	28.9-38.3	211	28.6	24.1-33.1
Less Than H.S.	172	288,063	8	3.2	0.1- 6.3	35	21.4	12.6-30.2	57	33.1	22.3-43.9	72	42.3	30.9-53.7
H.S. or G.E.D.	671	725,227	10	1.8	0.2- 3.4	188	27.5	23.0-32.0	203	33.5	28.6-38.4	270	37.2	32.3-42.1
Some Post-H.S.	590	758,861	9	1.8	0.2- 3.4	180	32.2	27.3-37.1	175	27.3	22.8-31.8	226	38.8	33.7-43.9
College Graduate	737	590,186	11	0.8	0.0- 1.6	282	37.6	33.1-42.1	224	30.7	26.2-35.2	220	30.8	26.5-35.1
Less than \$15,000	224	266,039	9	4.3	0.0- 8.6	52	27.3	18.1-36.5	58	25.8	17.0-34.6	105	42.6	32.0-53.2
\$15,000- 24,999	356	355,983	5	2.7	0.0- 5.4	94	27.6	21.3-33.9	106	28.9	21.6-36.2	151	40.8	33.5-48.1
\$25,000- 34,999	206	221,829	3	1.1	0.0- 2.7	57	24.1	15.9-32.3	59	27.3	18.9-35.7	87	47.4	37.4-57.4
\$35,000- 49,999	267	286,263	3	0.7	0.0- 1.7	81	32.5	24.9-40.1	87	27.6	20.9-34.3	96	39.2	31.2-47.2
\$50,000- 74,999	277	307,827	1	0.2	0.0- 0.6	76	27.2	20.1-34.3	92	33.5	25.9-41.1	108	39.2	31.6-46.8
\$75,000+	523	606,931	6	1.0	0.0- 2.0	197	35.9	30.6-41.2	170	34.4	29.1-39.7	150	28.6	23.7-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4152	4,782,921	1232	30.0	28.0-32.0	2920	70.0	68.0-72.0
Male	1958	2,395,373	500	27.4	24.7-30.1	1458	72.6	69.9-75.3
Female	2194	2,387,549	732	32.7	30.0-35.4	1462	67.3	64.6-70.0
White/Non-Hisp	3391	3,578,485	1025	31.0	28.8-33.2	2366	69.0	66.8-71.2
Black or Afr. Am./Non-Hisp	402	717,473	86	23.6	17.9-29.3	316	76.4	70.7-82.1
Oth. Race/Non-Hisp.	111	110,927	47	42.7	30.4-55.0	64	57.3	45.0-69.6
MultiRacial/Non-Hisp.	70	58,880	23	34.4	20.9-47.9	47	65.6	52.1-79.1
Hispanic	115	225,931	29	24.9	13.9-35.9	86	75.1	64.1-86.1
18-24	300	544,757	142	44.6	37.2-52.0	158	55.4	48.0-62.8
25-34	523	819,263	187	35.2	29.9-40.5	336	64.8	59.5-70.1
35-44	581	767,987	162	27.1	22.4-31.8	419	72.9	68.2-77.6
45-54	664	741,430	146	23.3	19.0-27.6	518	76.7	72.4-81.0
55-64	792	814,750	187	20.8	17.3-24.3	605	79.2	75.7-82.7
65+	1292	1,094,736	408	32.4	28.9-35.9	884	67.6	64.1-71.1
Less Than H.S.	330	584,132	92	28.9	22.0-35.8	238	71.1	64.2-78.0
H.S. or G.E.D.	1288	1,524,085	364	27.8	24.7-30.9	924	72.2	69.1-75.3
Some Post-H.S.	1065	1,422,836	298	29.5	26.0-33.0	767	70.5	67.0-74.0
College Graduate	1424	1,193,612	465	34.1	30.8-37.4	959	65.9	62.6-69.2
Less than \$15,000	362	436,186	105	35.2	27.6-42.8	257	64.8	57.2-72.4
\$15,000- 24,999	606	682,541	165	28.5	23.6-33.4	441	71.5	66.6-76.4
\$25,000- 34,999	358	401,794	103	28.0	21.3-34.7	255	72.0	65.3-78.7
\$35,000- 49,999	510	608,199	147	28.9	23.6-34.2	363	71.1	65.8-76.4
\$50,000- 74,999	563	667,341	143	26.4	21.5-31.3	420	73.6	68.7-78.5
\$75,000+	1132	1,330,175	348	30.9	27.4-34.4	784	69.1	65.6-72.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1958	2,395,373	500	27.4	24.7-30.1	1458	72.6	69.9-75.3
White/Non-Hisp	1609	1,780,449	399	26.7	24.0-29.4	1210	73.3	70.6-76.0
Black or Afr. Am./Non-Hisp	148	308,654	41	29.3	19.7-38.9	107	70.7	61.1-80.3
Oth. Race/Non-Hisp.	67	68,023	27	48.5	33.6-63.4	40	51.5	36.6-66.4
Hispanic	64	149,085	15	20.7	8.5-32.9	49	79.3	67.1-91.5
18-24	170	296,662	81	49.2	39.4-59.0	89	50.8	41.0-60.6
25-34	261	423,369	90	32.3	25.0-39.6	171	67.7	60.4-75.0
35-44	276	395,033	69	27.0	19.9-34.1	207	73.0	65.9-80.1
45-54	319	373,275	52	17.4	11.7-23.1	267	82.6	76.9-88.3
55-64	367	400,951	66	17.6	12.3-22.9	301	82.4	77.1-87.7
65+	565	506,082	142	26.2	21.5-30.9	423	73.8	69.1-78.5
Less Than H.S.	158	296,069	49	33.1	23.5-42.7	109	66.9	57.3-76.5
H.S. or G.E.D.	617	798,859	166	26.4	21.9-30.9	451	73.6	69.1-78.1
Some Post-H.S.	475	663,975	109	24.4	19.3-29.5	366	75.6	70.5-80.7
College Graduate	687	603,426	172	29.8	25.1-34.5	515	70.2	65.5-74.9
Less than \$15,000	138	170,147	44	40.7	28.9-52.5	94	59.3	47.5-71.1
\$15,000- 24,999	250	326,558	66	26.5	19.2-33.8	184	73.5	66.2-80.8
\$25,000- 34,999	152	179,965	43	31.4	20.8-42.0	109	68.6	58.0-79.2
\$35,000- 49,999	243	321,936	63	25.0	17.9-32.1	180	75.0	67.9-82.1
\$50,000- 74,999	286	359,515	66	25.5	18.6-32.4	220	74.5	67.6-81.4
\$75,000+	609	723,244	145	25.9	21.4-30.4	464	74.1	69.6-78.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2194	2,387,549	732	32.7	30.0-35.4	1462	67.3	64.6-70.0
White/Non-Hisp	1782	1,798,036	626	35.2	32.3-38.1	1156	64.8	61.9-67.7
Black or Afr. Am./Non-Hisp	254	408,819	45	19.4	12.7-26.1	209	80.6	73.9-87.3
Hispanic	51	76,845	14	33.1	12.9-53.3	37	66.9	46.7-87.1
18-24	130	248,095	61	39.1	27.7-50.5	69	60.9	49.5-72.3
25-34	262	395,894	97	38.3	30.7-45.9	165	61.7	54.1-69.3
35-44	305	372,954	93	27.2	21.3-33.1	212	72.8	66.9-78.7
45-54	345	368,155	94	29.3	22.6-36.0	251	70.7	64.0-77.4
55-64	425	413,799	121	24.0	19.1-28.9	304	76.0	71.1-80.9
65+	727	588,653	266	37.8	32.9-42.7	461	62.2	57.3-67.1
Less Than H.S.	172	288,063	43	24.6	15.4-33.8	129	75.4	66.2-84.6
H.S. or G.E.D.	671	725,227	198	29.4	24.9-33.9	473	70.6	66.1-75.1
Some Post-H.S.	590	758,861	189	33.9	28.8-39.0	401	66.1	61.0-71.2
College Graduate	737	590,186	293	38.5	34.0-43.0	444	61.5	57.0-66.0
Less than \$15,000	224	266,039	61	31.7	21.9-41.5	163	68.3	58.5-78.1
\$15,000- 24,999	356	355,983	99	30.3	23.6-37.0	257	69.7	63.0-76.4
\$25,000- 34,999	206	221,829	60	25.3	17.1-33.5	146	74.7	66.5-82.9
\$35,000- 49,999	267	286,263	84	33.2	25.6-40.8	183	66.8	59.2-74.4
\$50,000- 74,999	277	307,827	77	27.4	20.3-34.5	200	72.6	65.5-79.7
\$75,000+	523	606,931	203	36.9	31.6-42.2	320	63.1	57.8-68.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4532	5,223,646	3177	64.2	62.2-66.2	581	15.8	14.2-17.4	452	11.4	10.0-12.8	222	6.0	5.0- 7.0	67	1.9	1.3- 2.5	33	0.7	0.3- 1.1
Male	2039	2,494,744	1480	67.8	64.9-70.7	226	14.2	11.8-16.6	196	10.5	8.7-12.3	93	5.3	3.9- 6.7	29	1.8	0.8- 2.8	15	0.5	0.3- 0.7
Female	2493	2,728,902	1697	60.9	58.2-63.6	355	17.2	15.0-19.4	256	12.2	10.2-14.2	129	6.6	5.0- 8.2	38	2.0	1.2- 2.8	18	0.9	0.3- 1.5
White/Non-Hisp	3676	3,869,662	2608	65.3	63.1-67.5	461	15.2	13.6-16.8	368	11.7	10.1-13.3	166	5.5	4.3- 6.7	52	1.8	1.2- 2.4	21	0.6	0.4- 0.8
Black or Afr. Am./Non-Hisp	450	806,735	313	62.7	56.6-68.8	59	18.4	13.3-23.5	42	9.7	6.2-13.2	23	5.9	2.8- 9.0	8	2.0	0.2- 3.8	5	1.3	0.0- 2.7
Oth. Race/Non-Hisp.	129	124,013	80	59.7	47.7-71.7	23	15.7	8.1-23.3	10	5.9	1.4-10.4	11	11.9	1.9-21.9	5	6.8	0.0-14.1			
MultiRacial/Non-Hisp.	73	62,479	58	80.1	69.7-90.5	3	3.5	0.0- 7.4	6	7.8	1.1-14.5	5	7.5	0.2-14.8				1	1.2	0.0- 3.6
Hispanic	129	258,894	67	48.2	36.2-60.2	21	18.5	8.7-28.3	20	17.1	7.5-26.7	15	12.6	4.0-21.2	2	1.7	0.0- 4.4	4	2.0	0.0- 4.4
18-24	333	611,936	232	65.4	58.1-72.7	50	17.4	11.7-23.1	32	10.8	5.9-15.7	11	5.2	1.3- 9.1	5	0.9	0.0- 1.9	3	0.3	0.0- 0.7
25-34	568	898,880	266	43.3	38.0-48.6	105	20.3	16.0-24.6	115	19.1	15.0-23.2	59	12.4	8.3-16.5	18	3.9	1.7- 6.1	5	1.0	0.0- 2.2
35-44	628	826,614	190	31.1	26.4-35.8	133	23.2	18.7-27.7	162	24.6	20.3-28.9	96	13.2	10.1-16.3	31	5.4	3.0- 7.8	16	2.5	1.1- 3.9
45-54	746	827,622	451	57.8	53.1-62.5	156	22.7	18.6-26.8	94	13.3	10.0-16.6	34	4.6	2.8- 6.4	4	1.0	0.0- 2.4	7	0.7	0.1- 1.3
55-64	848	872,466	727	84.8	81.5-88.1	70	10.2	7.1-13.3	27	2.4	1.4- 3.4	15	1.8	0.8- 2.8	7	0.6	0.0- 1.2	2	0.2	0.0- 0.6
65+	1409	1,186,128	1311	91.8	89.8-93.8	67	5.6	3.8- 7.4	22	2.0	1.0- 3.0	7	0.5	0.1- 0.9	2	0.0	0.0- 0.0			
Less Than H.S.	361	643,541	267	66.1	58.8-73.4	48	15.0	9.9-20.1	19	7.3	2.6-12.0	11	6.4	1.9-10.9	12	4.2	1.5- 6.9	4	1.0	0.0- 2.0
H.S. or G.E.D.	1405	1,681,945	981	64.0	60.5-67.5	183	15.6	13.1-18.1	131	10.6	8.4-12.8	80	7.0	5.0- 9.0	20	2.0	0.8- 3.2	10	0.8	0.2- 1.4
Some Post-H.S.	1161	1,535,242	811	62.4	58.7-66.1	165	18.2	14.9-21.5	113	12.0	9.5-14.5	50	5.1	3.3- 6.9	12	1.5	0.5- 2.5	10	0.8	0.2- 1.4
College Graduate	1556	1,301,069	1083	66.1	63.0-69.2	179	13.4	11.0-15.8	185	13.6	11.2-16.0	77	5.2	3.8- 6.6	23	1.2	0.6- 1.8	9	0.5	0.1- 0.9
Less than \$15,000	397	482,289	298	69.7	62.4-77.0	42	12.8	7.3-18.3	29	9.7	4.8-14.6	23	6.4	3.1- 9.7	1	0.0	0.0- 0.0	4	1.4	0.0- 3.4
\$15,000- 24,999	651	735,189	460	63.9	58.4-69.4	82	15.5	11.6-19.4	60	11.1	7.2-15.0	36	6.9	3.6-10.2	10	2.0	0.4- 3.6	3	0.6	0.0- 1.2
\$25,000- 34,999	385	451,001	272	63.6	56.5-70.7	45	14.2	9.1-19.3	36	10.5	6.0-15.0	18	7.9	3.4-12.4	10	3.3	0.8- 5.8	4	0.6	0.0- 1.2
\$35,000- 49,999	538	640,772	381	66.7	61.0-72.4	76	16.8	12.3-21.3	50	10.0	6.5-13.5	17	4.1	1.4- 6.8	9	1.6	0.0- 3.2	5	0.8	0.0- 1.6
\$50,000- 74,999	596	698,938	406	63.1	57.6-68.6	87	17.6	13.1-22.1	58	9.7	6.4-13.0	35	7.1	4.0-10.2	7	1.8	0.0- 3.6	3	0.7	0.0- 1.5
\$75,000+	1188	1,389,764	739	56.8	53.1-60.5	177	17.7	14.8-20.6	175	17.1	14.2-20.0	71	5.9	3.9- 7.9	17	1.9	0.7- 3.1	9	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2039	2,494,744	1480	67.8	64.9-70.7	226	14.2	12.0-16.4	196	10.5	8.7-12.3	93	5.3	3.9- 6.7	29	1.8	0.8- 2.8	15	0.5	0.3- 0.7
White/Non-Hisp	1670	1,852,370	1217	66.9	63.8-70.0	184	14.4	12.0-16.8	164	11.3	9.1-13.5	73	5.4	3.6- 7.2	22	1.6	0.6- 2.6	10	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	159	328,440	125	78.7	70.5-86.9	13	9.6	3.1-16.1	12	5.6	1.9- 9.3	4	2.5	0.0- 5.4	3	2.6	0.0- 5.9	2	0.9	0.0- 2.1
Oth. Race/Non-Hisp.	71	68,773	46	63.0	48.9-77.1	12	18.0	6.6-29.4	5	7.1	0.0-14.5	6	8.3	1.2-15.4	2	3.6	0.0-10.1			
Hispanic	67	156,936	39	55.1	38.8-71.4	9	19.6	5.3-33.9	10	13.5	2.1-24.9	6	8.6	0.8-16.4	2	2.7	0.0- 7.2	1	0.5	0.0- 1.5
18-24	176	308,852	128	71.5	62.9-80.1	21	16.1	8.5-23.7	16	8.4	3.7-13.1	4	2.4	0.0- 5.3	4	1.0	0.0- 2.0	3	0.6	0.0- 1.4
25-34	267	439,852	157	55.3	47.3-63.3	38	17.6	10.9-24.3	46	13.5	8.8-18.2	20	10.3	4.4-16.2	4	2.8	0.0- 5.7	2	0.4	0.0- 1.0
35-44	285	403,643	108	39.1	31.5-46.7	52	19.6	13.3-25.9	62	23.2	16.5-29.9	42	11.4	7.1-15.7	15	5.3	1.8- 8.8	6	1.3	0.1- 2.5
45-54	341	400,390	211	58.9	52.0-65.8	59	19.3	14.0-24.6	51	14.4	9.7-19.1	17	5.7	2.6- 8.8	1	1.4	0.0- 4.1	2	0.4	0.0- 1.0
55-64	378	413,755	324	85.1	80.4-89.8	31	9.9	5.6-14.2	11	2.5	0.7- 4.3	6	1.6	0.0- 3.2	4	0.4	0.0- 0.8	2	0.5	0.0- 1.3
65+	592	528,252	552	91.1	88.0-94.2	25	5.4	2.9- 7.9	10	2.7	0.7- 4.7	4	0.8	0.0- 1.8	1	0.0	0.0- 0.0			
Less Than H.S.	168	314,100	126	68.1	58.5-77.7	20	14.4	7.3-21.5	7	3.7	0.6- 6.8	7	7.8	0.9-14.7	6	5.4	0.7-10.1	2	0.7	0.0- 1.7
H.S. or G.E.D.	645	839,362	462	67.9	63.0-72.8	74	13.6	9.9-17.3	64	11.4	8.1-14.7	31	5.1	2.7- 7.5	9	1.5	0.1- 2.9	5	0.5	0.0- 1.1
Some Post-H.S.	493	683,579	364	64.6	58.7-70.5	61	17.8	12.5-23.1	43	10.7	7.0-14.4	19	5.1	2.4- 7.8	5	1.6	0.0- 3.4	1	0.2	0.0- 0.6
College Graduate	711	623,021	513	71.5	67.2-75.8	67	10.6	7.7-13.5	80	12.0	8.7-15.3	35	4.4	2.8- 6.0	9	0.7	0.1- 1.3	7	0.9	0.3- 1.5
Less than \$15,000	146	184,545	124	82.7	73.1-92.3	9	8.4	0.6-16.2	7	7.1	0.4-13.8	4	1.5	0.0- 3.1	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9
\$15,000- 24,999	257	336,088	193	67.5	59.7-75.3	25	12.9	7.2-18.6	21	10.1	5.4-14.8	11	5.8	1.9- 9.7	6	3.3	0.2- 6.4	1	0.3	0.0- 0.9
\$25,000- 34,999	158	191,077	125	79.3	70.7-87.9	12	5.8	1.5-10.1	11	6.8	1.5-12.1	8	7.4	1.1-13.7				2	0.7	0.0- 1.9
\$35,000- 49,999	248	333,818	190	73.4	65.8-81.0	28	15.0	8.5-21.5	15	5.5	1.8- 9.2	8	4.5	0.6- 8.4	4	1.0	0.0- 2.0	3	0.6	0.0- 1.2
\$50,000- 74,999	288	358,606	204	63.6	55.4-71.8	35	15.9	9.2-22.6	25	10.2	4.7-15.7	19	7.9	3.6-12.2	4	2.1	0.0- 4.8	1	0.3	0.0- 0.9
\$75,000+	617	731,990	391	58.4	53.1-63.7	82	16.3	12.0-20.6	96	17.3	13.4-21.2	34	5.2	2.3- 8.1	9	2.2	0.2- 4.2	5	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2493	2,728,902	1697	60.9	58.2-63.6	355	17.2	15.0-19.4	256	12.2	10.2-14.2	129	6.6	5.0- 8.2	38	2.0	1.2- 2.8	18	0.9	0.3- 1.5
White/Non-Hisp	2006	2,017,293	1391	63.8	60.9-66.7	277	15.9	13.7-18.1	204	12.1	9.9-14.3	93	5.5	4.1- 6.9	30	2.0	1.0- 3.0	11	0.7	0.3- 1.1
Black or Afr. Am./Non-Hisp	291	478,295	188	51.7	44.1-59.3	46	24.4	17.3-31.5	30	12.5	7.4-17.6	19	8.2	3.5-12.9	5	1.6	0.0- 3.6	3	1.6	0.0- 3.6
Oth. Race/Non-Hisp.	58	55,241	34	55.6	35.6-75.6	11	12.9	3.5-22.3	5	4.3	0.2- 8.4	5	16.3	0.0-35.9	3	10.9	0.0-24.6			
Hispanic	62	101,958	28	37.5	21.4-53.6	12	16.8	5.6-28.0	10	22.7	6.2-39.2	9	18.6	1.4-35.8				3	4.4	0.0-10.1
18-24	157	303,084	104	59.2	48.0-70.4	29	18.8	10.6-27.0	16	13.2	4.8-21.6	7	7.9	0.6-15.2	1	0.8	0.0- 2.4			
25-34	301	459,028	109	31.7	25.4-38.0	67	22.8	16.9-28.7	69	24.5	18.0-31.0	39	14.5	8.8-20.2	14	5.0	1.7- 8.3	3	1.5	0.0- 3.5
35-44	343	422,971	82	23.5	17.8-29.2	81	26.6	20.3-32.9	100	25.9	20.2-31.6	54	15.0	10.3-19.7	16	5.4	2.1- 8.7	10	3.6	1.2- 6.0
45-54	405	427,232	240	56.8	50.3-63.3	97	25.8	20.1-31.5	43	12.2	7.5-16.9	17	3.6	1.6- 5.6	3	0.6	0.0- 1.4	5	0.9	0.0- 1.9
55-64	470	458,711	403	84.5	79.8-89.2	39	10.4	6.1-14.7	16	2.3	1.1- 3.5	9	1.9	0.5- 3.3	3	0.8	0.0- 1.8			
65+	817	657,876	759	92.5	90.1-94.9	42	5.8	3.6- 8.0	12	1.4	0.4- 2.4	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0			
Less Than H.S.	193	329,441	141	64.2	53.4-75.0	28	15.7	8.1-23.3	12	10.7	2.1-19.3	4	5.0	0.0-11.1	6	3.1	0.2- 6.0	2	1.3	0.0- 3.1
H.S. or G.E.D.	760	842,583	519	60.1	55.4-64.8	109	17.6	13.9-21.3	67	9.7	7.0-12.4	49	8.9	5.8-12.0	11	2.6	0.8- 4.4	5	1.1	0.0- 2.3
Some Post-H.S.	668	851,664	447	60.7	55.8-65.6	104	18.5	14.6-22.4	70	13.0	9.5-16.5	31	5.1	2.7- 7.5	7	1.3	0.1- 2.5	9	1.4	0.4- 2.4
College Graduate	845	678,048	570	61.1	56.8-65.4	112	16.1	12.6-19.6	105	15.0	11.7-18.3	42	6.0	4.0- 8.0	14	1.7	0.5- 2.9	2	0.1	0.0- 0.3
Less than \$15,000	251	297,744	174	61.7	52.1-71.3	33	15.5	8.1-22.9	22	11.3	4.4-18.2	19	9.4	4.1-14.7				3	2.1	0.0- 5.2
\$15,000- 24,999	394	399,100	267	60.9	53.3-68.5	57	17.6	12.1-23.1	39	12.1	6.0-18.2	25	7.8	2.7-12.9	4	0.9	0.0- 1.9	2	0.8	0.0- 1.8
\$25,000- 34,999	227	259,924	147	52.0	42.8-61.2	33	20.3	12.5-28.1	25	13.2	6.5-19.9	10	8.3	2.2-14.4	10	5.7	1.6- 9.8	2	0.4	0.0- 1.2
\$35,000- 49,999	290	306,954	191	59.3	51.5-67.1	48	18.7	12.8-24.6	35	14.9	9.0-20.8	9	3.7	0.2- 7.2	5	2.4	0.0- 5.3	2	1.1	0.0- 2.7
\$50,000- 74,999	308	340,332	202	62.5	55.1-69.9	52	19.3	13.2-25.4	33	9.2	5.3-13.1	16	6.3	1.8-10.8	3	1.6	0.0- 4.0	2	1.1	0.0- 2.7
\$75,000+	571	657,774	348	55.0	49.7-60.3	95	19.3	15.0-23.6	79	16.9	12.8-21.0	37	6.7	4.3- 9.1	8	1.7	0.3- 3.1	4	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4606	5,322,780	370	12.7	10.9-14.5	1452	32.7	30.9-34.5	1190	29.6	27.8-31.4	1594	25.0	23.4-26.6
Male	2084	2,556,100	173	13.3	10.9-15.7	669	33.9	31.2-36.6	511	27.9	25.2-30.6	731	24.9	22.7-27.1
Female	2522	2,766,680	197	12.2	9.8-14.6	783	31.5	29.0-34.0	679	31.2	28.7-33.7	863	25.1	23.1-27.1
White/Non-Hisp	3729	3,937,784	270	10.9	9.1-12.7	1167	32.7	30.7-34.7	959	30.2	28.2-32.2	1333	26.2	24.6-27.8
Black or Afr. Am./Non-Hisp	460	825,322	44	14.0	9.1-18.9	170	34.6	28.9-40.3	115	29.8	24.1-35.5	131	21.6	17.1-26.1
Oth. Race/Non-Hisp.	128	125,103	20	23.0	12.0-34.0	28	25.5	14.1-36.9	33	22.1	13.5-30.7	47	29.4	19.4-39.4
MultiRacial/Non-Hisp.	75	64,641	7	13.9	2.9-24.9	21	37.7	23.8-51.6	25	28.5	16.9-40.1	22	19.9	10.3-29.5
Hispanic	134	263,943	19	26.3	14.3-38.3	49	34.3	23.5-45.1	31	20.9	11.3-30.5	35	18.6	10.8-26.4
18-24	338	627,050	21	14.1	6.7-21.5	135	37.4	30.7-44.1	106	34.4	27.7-41.1	76	14.1	10.2-18.0
25-34	583	928,397	16	6.5	2.6-10.4	187	35.1	30.0-40.2	144	28.2	23.3-33.1	236	30.2	25.7-34.7
35-44	644	843,520	47	12.6	8.5-16.7	185	28.5	24.0-33.0	152	27.7	23.0-32.4	260	31.2	26.9-35.5
45-54	765	842,161	62	11.4	7.9-14.9	222	32.9	28.4-37.4	178	27.1	22.8-31.4	303	28.7	25.0-32.4
55-64	859	887,281	74	13.4	9.7-17.1	271	31.2	27.3-35.1	224	30.3	26.2-34.4	290	25.0	21.7-28.3
65+	1417	1,194,372	150	17.4	14.3-20.5	452	32.1	29.0-35.2	386	30.7	27.6-33.8	429	19.8	17.4-22.2
Less Than H.S.	370	677,579	370	100.0	100.0- 100									
H.S. or G.E.D.	1452	1,738,328				1452	100.0	100.0- 100						
Some Post-H.S.	1190	1,575,455							1190	100.0	100.0- 100			
College Graduate	1594	1,331,418										1594	100.0	100.0- 100
Less than \$15,000	395	481,648	107	36.7	28.9-44.5	164	38.5	31.6-45.4	78	18.1	13.0-23.2	46	6.7	3.6- 9.8
\$15,000- 24,999	649	735,361	100	26.4	20.5-32.3	277	38.6	33.5-43.7	171	25.9	21.4-30.4	101	9.2	6.8-11.6
\$25,000- 34,999	385	448,514	26	11.8	6.5-17.1	156	39.6	32.7-46.5	132	37.0	30.1-43.9	71	11.6	7.9-15.3
\$35,000- 49,999	537	640,359	27	7.8	4.5-11.1	190	40.8	35.1-46.5	156	32.1	26.6-37.6	164	19.3	15.4-23.2
\$50,000- 74,999	591	694,156	14	4.6	1.7- 7.5	153	30.3	25.0-35.6	165	33.7	28.4-39.0	259	31.4	26.9-35.9
\$75,000+	1170	1,365,619	10	1.9	0.1- 3.7	185	19.0	16.1-21.9	259	30.4	26.7-34.1	716	48.7	45.0-52.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2084	2,556,100	173	13.3	10.9-15.7	669	33.9	31.2-36.6	511	27.9	25.2-30.6	731	24.9	22.7-27.1
White/Non-Hisp	1703	1,891,490	123	11.7	9.2-14.2	550	33.8	30.9-36.7	411	28.6	25.7-31.5	619	26.0	23.6-28.4
Black or Afr. Am./Non-Hisp	166	346,128	19	14.5	6.7-22.3	58	36.4	26.8-46.0	40	25.1	16.5-33.7	49	24.0	16.2-31.8
Oth. Race/Non-Hisp.	70	69,863	11	18.7	7.1-30.3	16	27.5	13.8-41.2	18	18.7	8.1-29.3	25	35.1	21.4-48.8
Hispanic	69	158,550	11	25.1	10.2-40.0	27	37.8	22.5-53.1	15	22.2	8.5-35.9	16	15.0	5.0-25.0
18-24	180	321,199	10	10.3	2.9-17.7	77	41.0	31.8-50.2	58	34.8	25.8-43.8	35	13.9	8.6-19.2
25-34	276	464,347	12	10.1	3.4-16.8	93	34.9	27.3-42.5	68	27.4	20.1-34.7	103	27.6	21.1-34.1
35-44	295	415,995	22	15.4	8.7-22.1	85	29.2	22.3-36.1	63	25.1	18.4-31.8	125	30.3	24.0-36.6
45-54	353	403,413	32	11.3	6.6-16.0	118	37.2	30.5-43.9	75	26.5	20.2-32.8	128	25.1	20.0-30.2
55-64	386	424,113	34	13.2	8.5-17.9	132	34.2	28.1-40.3	93	28.4	22.1-34.7	127	24.2	19.3-29.1
65+	594	527,035	63	18.1	13.0-23.2	164	29.7	24.8-34.6	154	26.8	22.3-31.3	213	25.4	21.3-29.5
Less Than H.S.	173	340,669	173	100.0	100.0- 100									
H.S. or G.E.D.	669	867,087				669	100.0	100.0- 100						
Some Post-H.S.	511	712,039							511	100.0	100.0- 100			
College Graduate	731	636,304										731	100.0	100.0- 100
Less than \$15,000	145	184,251	43	36.9	26.1-47.7	53	35.3	24.7-45.9	27	15.9	9.2-22.6	22	11.9	4.8-19.0
\$15,000- 24,999	257	336,088	52	30.4	22.0-38.8	114	39.0	31.2-46.8	53	21.7	15.0-28.4	38	8.8	5.3-12.3
\$25,000- 34,999	157	187,787	14	14.0	6.2-21.8	67	44.7	33.7-55.7	50	28.2	18.8-37.6	26	13.0	6.5-19.5
\$35,000- 49,999	250	336,887	14	9.4	3.7-15.1	102	46.0	37.6-54.4	59	25.3	18.0-32.6	75	19.3	13.6-25.0
\$50,000- 74,999	287	356,221	11	6.6	2.1-11.1	83	34.9	26.9-42.9	85	34.1	26.5-41.7	108	24.3	18.6-30.0
\$75,000+	611	723,553	8	3.3	0.2- 6.4	112	21.0	16.7-25.3	134	30.2	24.9-35.5	357	45.4	40.3-50.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2522	2,766,680	197	12.2	9.8-14.6	783	31.5	29.1-33.9	679	31.2	28.7-33.7	863	25.1	23.1-27.1
White/Non-Hisp	2026	2,046,294	147	10.1	7.7-12.5	617	31.7	29.0-34.4	548	31.7	29.0-34.4	714	26.5	24.1-28.9
Black or Afr. Am./Non-Hisp	294	479,194	25	13.6	7.5-19.7	112	33.3	26.0-40.6	75	33.2	25.8-40.6	82	19.9	14.6-25.2
Oth. Race/Non-Hisp.	58	55,241	9	28.5	8.7-48.3	12	23.0	3.6-42.4	15	26.3	11.8-40.8	22	22.2	9.5-34.9
Hispanic	65	105,393	8	28.1	8.7-47.5	22	29.1	15.2-43.0	16	18.9	7.3-30.5	19	23.9	11.2-36.6
18-24	158	305,851	11	18.2	5.7-30.7	58	33.5	24.3-42.7	48	34.0	24.0-44.0	41	14.2	8.7-19.7
25-34	307	464,050	4	2.9	0.0- 6.4	94	35.4	28.3-42.5	76	28.9	22.2-35.6	133	32.8	26.7-38.9
35-44	349	427,525	25	9.8	5.3-14.3	100	27.8	21.9-33.7	89	30.3	23.8-36.8	135	32.0	26.1-37.9
45-54	412	438,748	30	11.5	6.4-16.6	104	28.9	22.8-35.0	103	27.6	21.7-33.5	175	32.0	26.5-37.5
55-64	473	463,168	40	13.7	8.6-18.8	139	28.5	23.4-33.6	131	32.1	26.6-37.6	163	25.8	21.3-30.3
65+	823	667,337	87	16.8	12.5-21.1	288	34.0	29.7-38.3	232	33.8	29.3-38.3	216	15.4	12.9-17.9
Less Than H.S.	197	336,909	197	100.0	100.0- 100									
H.S. or G.E.D.	783	871,241				783	100.0	100.0- 100						
Some Post-H.S.	679	863,416							679	100.0	100.0- 100			
College Graduate	863	695,114										863	100.0	100.0- 100
Less than \$15,000	250	297,396	64	36.6	26.0-47.2	111	40.4	31.4-49.4	51	19.4	12.3-26.5	24	3.6	1.4- 5.8
\$15,000- 24,999	392	399,273	48	23.0	14.6-31.4	163	38.2	31.3-45.1	118	29.4	23.3-35.5	63	9.4	6.5-12.3
\$25,000- 34,999	228	260,727	12	10.3	2.9-17.7	89	35.9	27.5-44.3	82	43.3	33.9-52.7	45	10.5	6.6-14.4
\$35,000- 49,999	287	303,472	13	6.0	2.7- 9.3	88	35.0	27.4-42.6	97	39.8	32.2-47.4	89	19.2	14.1-24.3
\$50,000- 74,999	304	337,934	3	2.5	0.0- 5.8	70	25.3	18.4-32.2	80	33.3	26.0-40.6	151	38.9	32.0-45.8
\$75,000+	559	642,066	2	0.2	0.0- 0.6	73	16.7	12.6-20.8	125	30.6	25.3-35.9	359	52.4	47.1-57.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 49: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3767	4,414,882	398	11.0	9.4-12.6	652	16.7	14.9-18.5	386	10.2	8.8-11.6	540	14.6	13.0-16.2	1791	47.5	45.3-49.7
Male	1722	2,147,702	146	8.6	6.6-10.6	257	15.6	13.2-18.0	158	8.9	7.1-10.7	250	15.7	13.3-18.1	911	51.2	48.1-54.3
Female	2045	2,267,180	252	13.2	10.8-15.6	395	17.7	15.3-20.1	228	11.5	9.5-13.5	290	13.5	11.5-15.5	880	44.1	41.2-47.0
White/Non-Hisp	3064	3,253,675	268	8.0	6.6- 9.4	500	15.7	13.9-17.5	303	9.3	7.9-10.7	442	14.9	13.1-16.7	1551	52.1	49.7-54.5
Black or Afr. Am./Non-Hisp	385	709,819	78	20.9	15.4-26.4	88	18.5	13.8-23.2	52	14.4	9.5-19.3	56	13.5	9.0-18.0	111	32.7	26.6-38.8
Oth. Race/Non-Hisp.	97	95,742	16	11.4	4.5-18.3	18	17.7	7.7-27.7	9	11.3	0.3-22.3	9	7.7	1.4-14.0	45	51.9	38.0-65.8
MultiRacial/Non-Hisp.	58	49,196	6	9.4	1.2-17.6	10	19.6	6.1-33.1	6	12.0	1.8-22.2	8	12.4	2.0-22.8	28	46.5	30.8-62.2
Hispanic	113	232,850	21	18.9	8.9-28.9	25	23.0	11.0-35.0	11	8.4	2.3-14.5	21	18.2	8.4-28.0	35	31.4	19.4-43.4
18-24	253	486,067	24	12.6	5.3-19.9	60	23.4	15.6-31.2	30	13.4	7.9-18.9	49	16.0	10.5-21.5	90	34.6	26.8-42.4
25-34	527	843,288	39	7.8	4.7-10.9	78	12.7	9.4-16.0	57	11.5	7.8-15.2	84	17.5	13.0-22.0	269	50.5	45.0-56.0
35-44	564	727,020	55	12.5	8.4-16.6	62	10.8	7.5-14.1	46	6.9	4.4- 9.4	73	12.9	9.4-16.4	328	56.9	51.6-62.2
45-54	622	683,532	67	8.4	5.7-11.1	92	16.7	12.6-20.8	35	5.4	3.0- 7.8	61	11.2	7.9-14.5	367	58.4	53.1-63.7
55-64	729	753,500	99	13.0	9.7-16.3	116	16.1	12.8-19.4	64	9.0	5.7-12.3	93	12.4	9.5-15.3	357	49.5	44.6-54.4
65+	1072	921,474	114	12.1	9.4-14.8	244	21.9	18.6-25.2	154	14.7	11.8-17.6	180	16.8	13.7-19.9	380	34.6	30.9-38.3
Less Than H.S.	284	531,166	107	33.3	25.3-41.3	100	36.5	28.3-44.7	26	10.0	5.3-14.7	27	9.4	5.3-13.5	24	10.8	5.3-16.3
H.S. or G.E.D.	1125	1,377,490	164	13.4	10.9-15.9	277	20.6	17.7-23.5	156	12.9	10.4-15.4	190	19.0	15.9-22.1	338	34.1	30.4-37.8
Some Post-H.S.	961	1,298,519	78	6.7	4.7- 8.7	171	14.7	12.0-17.4	132	12.8	10.1-15.5	156	15.8	12.7-18.9	424	50.0	45.9-54.1
College Graduate	1357	1,158,482	46	2.8	1.4- 4.2	101	5.8	4.4- 7.2	71	4.5	3.1- 5.9	164	10.7	8.5-12.9	975	76.2	73.3-79.1
Less than \$15,000	398	483,724	398	100.0	100.0- 100												
\$15,000- 24,999	652	737,143				652	100.0	100.0- 100									
\$25,000- 34,999	386	451,804							386	100.0	100.0- 100						
\$35,000- 49,999	540	643,841										540	100.0	100.0- 100			
\$50,000- 74,999	598	702,423													598	100.0	100.0- 100
\$75,000+	1193	1,395,947													1193	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 50: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1722	2,147,702	146	8.6	6.8-10.4	257	15.6	13.2-18.0	158	8.9	7.1-10.7	250	15.7	13.3-18.1	911	51.2	48.1-54.3
White/Non-Hisp	1410	1,578,746	98	5.9	4.5- 7.3	190	13.9	11.5-16.3	130	8.0	6.2- 9.8	207	15.7	13.2-18.2	785	56.5	53.2-59.8
Black or Afr. Am./Non-Hisp	142	300,375	26	16.5	8.9-24.1	35	22.0	14.0-30.0	14	13.2	5.2-21.2	21	14.9	7.3-22.5	46	33.3	23.3-43.3
Oth. Race/Non-Hisp.	59	61,300	7	8.7	1.4-16.0	12	20.4	6.7-34.1	3	6.4	0.0-15.4	5	8.8	0.0-17.6	32	55.7	39.8-71.6
Hispanic	57	140,927	10	17.9	5.4-30.4	13	21.2	6.1-36.3	6	10.8	1.4-20.2	11	20.1	5.8-34.4	17	30.0	13.3-46.7
18-24	129	242,036	8	7.4	1.3-13.5	27	22.5	12.3-32.7	18	15.3	7.3-23.3	26	18.2	10.2-26.2	50	36.7	26.1-47.3
25-34	247	415,100	15	4.8	1.9- 7.7	25	10.4	5.5-15.3	20	9.4	4.5-14.3	39	18.4	11.5-25.3	148	57.1	48.9-65.3
35-44	259	365,310	19	9.9	4.0-15.8	20	11.0	5.5-16.5	17	4.9	1.8- 8.0	41	15.9	10.2-21.6	162	58.4	50.4-66.4
45-54	287	334,778	27	7.4	4.1-10.7	48	18.4	12.5-24.3	13	4.5	1.6- 7.4	23	9.6	5.3-13.9	176	60.2	52.9-67.5
55-64	323	354,815	37	12.6	7.9-17.3	46	14.7	9.8-19.6	21	6.0	1.9-10.1	45	13.6	8.7-18.5	174	53.1	46.0-60.2
65+	477	435,663	40	9.5	5.8-13.2	91	19.5	14.6-24.4	69	14.0	9.9-18.1	76	17.9	13.0-22.8	201	39.1	33.2-45.0
Less Than H.S.	142	275,700	43	24.7	16.3-33.1	52	37.0	26.6-47.4	14	9.6	4.1-15.1	14	11.5	4.6-18.4	19	17.3	8.1-26.5
H.S. or G.E.D.	531	711,849	53	9.1	5.8-12.4	114	18.4	14.3-22.5	67	11.8	7.9-15.7	102	21.8	17.1-26.5	195	38.9	33.4-44.4
Some Post-H.S.	408	580,771	27	5.1	2.9- 7.3	53	12.6	8.5-16.7	50	9.1	5.8-12.4	59	14.7	10.2-19.2	219	58.6	52.3-64.9
College Graduate	626	556,468	22	3.9	1.5- 6.3	38	5.3	3.1- 7.5	26	4.4	2.2- 6.6	75	11.7	8.4-15.0	465	74.6	69.9-79.3
Less than \$15,000	146	184,545	146	100.0	100.0- 100												
\$15,000- 24,999	257	336,088				257	100.0	100.0- 100									
\$25,000- 34,999	158	191,077							158	100.0	100.0- 100						
\$35,000- 49,999	250	336,887										250	100.0	100.0- 100			
\$50,000- 74,999	290	362,091													290	100.0	100.0- 100
\$75,000+	621	737,013													621	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 51: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2045	2,267,180	252	13.2	10.8-15.6	395	17.7	15.3-20.1	228	11.5	9.5-13.5	290	13.5	11.5-15.5	880	44.1	41.2-47.0
White/Non-Hisp	1654	1,674,930	170	9.9	7.5-12.3	310	17.4	14.9-19.9	173	10.6	8.6-12.6	235	14.2	12.0-16.4	766	48.0	44.9-51.1
Black or Afr. Am./Non-Hisp	243	409,445	52	24.2	16.8-31.6	53	15.9	10.2-21.6	38	15.3	9.2-21.4	35	12.5	7.2-17.8	65	32.2	24.4-40.0
Hispanic	56	91,924	11	20.5	3.8-37.2	12	25.9	6.9-44.9	5	4.7	0.0-10.0	10	15.3	3.7-26.9	18	33.7	17.0-50.4
18-24	124	244,031	16	17.7	5.2-30.2	33	24.3	12.5-36.1	12	11.5	4.1-18.9	23	13.9	6.8-21.0	40	32.6	21.2-44.0
25-34	280	428,188	24	10.7	5.2-16.2	53	15.0	10.3-19.7	37	13.5	8.2-18.8	45	16.7	11.0-22.4	121	44.2	36.9-51.5
35-44	305	361,711	36	15.2	9.5-20.9	42	10.7	6.6-14.8	29	9.0	4.7-13.3	32	9.8	5.5-14.1	166	55.3	48.2-62.4
45-54	335	348,754	40	9.3	5.0-13.6	44	15.0	9.1-20.9	22	6.2	2.9- 9.5	38	12.7	7.6-17.8	191	56.7	49.3-64.1
55-64	406	398,686	62	13.3	9.2-17.4	70	17.3	12.6-22.0	43	11.7	6.8-16.6	48	11.4	7.9-14.9	183	46.3	40.0-52.6
65+	595	485,811	74	14.3	10.2-18.4	153	24.1	19.2-29.0	85	15.2	10.9-19.5	104	15.8	12.1-19.5	179	30.5	25.6-35.4
Less Than H.S.	142	255,466	64	42.6	29.7-55.5	48	35.9	23.2-48.6	12	10.5	2.7-18.3	13	7.1	2.8-11.4	5	3.9	0.0- 8.6
H.S. or G.E.D.	594	665,641	111	18.1	14.0-22.2	163	22.9	18.8-27.0	89	14.1	10.4-17.8	88	16.0	11.9-20.1	143	29.0	24.1-33.9
Some Post-H.S.	553	717,748	51	8.0	5.1-10.9	118	16.3	12.8-19.8	82	15.7	11.4-20.0	97	16.8	12.9-20.7	205	43.1	37.6-48.6
College Graduate	731	602,014	24	1.8	0.8- 2.8	63	6.3	4.3- 8.3	45	4.6	3.0- 6.2	89	9.7	7.2-12.2	510	77.7	74.2-81.2
Less than \$15,000	252	299,180	252	100.0	100.0- 100												
\$15,000- 24,999	395	401,054				395	100.0	100.0- 100									
\$25,000- 34,999	228	260,727							228	100.0	100.0- 100						
\$35,000- 49,999	290	306,954										290	100.0	100.0- 100			
\$50,000- 74,999	308	340,332													308	100.0	100.0- 100
\$75,000+	572	658,934													572	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 10: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	102
2	MALES ONLY	103
3	FEMALES ONLY	104
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	105
5	MALES ONLY	106
6	FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4341	5,001,316	633	15.1	13.5-16.7	190	4.4	3.6- 5.2	1131	25.1	23.3-26.9	2387	55.4	53.4-57.4
Male	1958	2,389,374	293	16.0	13.6-18.4	88	4.6	3.4- 5.8	601	29.7	27.0-32.4	976	49.7	46.8-52.6
Female	2383	2,611,942	340	14.3	12.1-16.5	102	4.2	3.2- 5.2	530	20.9	18.7-23.1	1411	60.5	57.8-63.2
White/Non-Hisp	3517	3,694,135	514	15.7	13.9-17.5	150	4.4	3.4- 5.4	988	28.1	26.1-30.1	1865	51.8	49.6-54.0
Black or Afr. Am./Non-Hisp	429	763,710	56	13.2	8.9-17.5	21	5.0	2.3- 7.7	67	13.7	9.6-17.8	285	68.1	62.2-74.0
Oth. Race/Non-Hisp.	120	118,880	22	14.6	7.5-21.7	6	2.2	0.2- 4.2	22	28.8	16.6-41.0	70	54.3	42.0-66.6
MultiRacial/Non-Hisp.	72	59,612	16	21.7	9.4-34.0	6	7.3	0.0-14.6	14	17.7	7.9-27.5	36	53.4	39.3-67.5
Hispanic	128	256,785	17	11.9	4.3-19.5	6	4.0	0.3- 7.7	23	16.5	7.1-25.9	82	67.6	56.2-79.0
18-24	315	580,057	17	7.0	1.5-12.5	19	6.4	3.1- 9.7	21	6.8	2.7-10.9	258	79.8	72.9-86.7
25-34	553	874,361	89	15.9	12.2-19.6	28	4.8	2.4- 7.2	100	20.9	16.2-25.6	336	58.5	53.2-63.8
35-44	599	782,399	118	16.9	13.2-20.6	30	4.6	2.6- 6.6	142	24.8	20.1-29.5	309	53.7	48.4-59.0
45-54	715	799,891	141	19.5	15.6-23.4	34	4.3	2.5- 6.1	169	24.3	20.2-28.4	371	51.9	47.0-56.8
55-64	818	838,652	142	19.2	15.3-23.1	39	4.6	2.8- 6.4	222	26.8	22.9-30.7	415	49.3	44.8-53.8
65+	1341	1,125,956	126	11.2	8.7-13.7	40	2.8	1.6- 4.0	477	37.5	34.0-41.0	698	48.5	44.8-52.2
Less Than H.S.	340	615,487	109	29.4	22.3-36.5	25	5.9	3.0- 8.8	103	30.2	23.3-37.1	103	34.4	27.0-41.8
H.S. or G.E.D.	1340	1,604,942	259	19.4	16.5-22.3	84	6.0	4.4- 7.6	380	26.2	23.1-29.3	617	48.5	45.0-52.0
Some Post-H.S.	1101	1,455,097	185	14.4	11.9-16.9	45	4.2	2.6- 5.8	298	25.5	22.4-28.6	573	55.9	52.2-59.6
College Graduate	1510	1,260,598	77	4.0	2.8- 5.2	36	2.1	1.3- 2.9	338	21.0	18.3-23.7	1059	72.9	70.0-75.8
Less than \$15,000	378	463,266	100	25.7	18.3-33.1	39	10.3	6.2-14.4	95	21.3	16.0-26.6	144	42.7	35.1-50.3
\$15,000- 24,999	624	706,051	154	25.0	20.3-29.7	43	7.1	4.6- 9.6	157	25.0	19.9-30.1	270	42.9	37.2-48.6
\$25,000- 34,999	374	429,676	80	23.2	17.1-29.3	8	1.7	0.3- 3.1	100	26.0	19.7-32.3	186	49.0	41.7-56.3
\$35,000- 49,999	522	623,264	74	13.2	9.5-16.9	27	6.0	3.1- 8.9	140	26.4	21.1-31.7	281	54.3	48.4-60.2
\$50,000- 74,999	577	681,565	60	12.7	8.4-17.0	15	1.9	0.7- 3.1	163	25.6	21.1-30.1	339	59.9	54.4-65.4
\$75,000+	1156	1,340,481	80	7.1	5.3- 8.9	28	2.7	1.5- 3.9	306	26.3	23.0-29.6	742	63.9	60.2-67.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1958	2,389,374	293	16.0	13.8-18.2	88	4.6	3.4- 5.8	601	29.7	27.0-32.4	976	49.7	46.8-52.6
White/Non-Hisp	1599	1,758,992	235	16.1	13.7-18.5	67	4.2	2.8- 5.6	526	33.1	30.0-36.2	771	46.6	43.5-49.7
Black or Afr. Am./Non-Hisp	152	315,299	25	16.9	9.3-24.5	9	6.8	1.5-12.1	31	18.9	11.3-26.5	87	57.4	47.4-67.4
Oth. Race/Non-Hisp.	68	66,920	14	17.3	7.3-27.3	3	2.4	0.0- 5.1	14	27.2	13.1-41.3	37	53.0	38.1-67.9
Hispanic	67	156,139	8	12.9	1.5-24.3	5	6.3	0.0-12.6	12	20.1	5.6-34.6	42	60.7	44.4-77.0
18-24	168	300,109	8	6.2	1.1-11.3	13	8.7	3.2-14.2	16	11.6	4.2-19.0	131	73.4	64.0-82.8
25-34	263	426,707	43	18.3	12.2-24.4	18	6.4	2.5-10.3	59	24.0	16.7-31.3	143	51.2	43.2-59.2
35-44	272	382,030	50	15.6	9.9-21.3	11	3.7	1.0- 6.4	74	29.8	22.5-37.1	137	51.0	43.0-59.0
45-54	325	381,066	68	19.9	14.4-25.4	18	4.1	1.9- 6.3	91	30.3	23.6-37.0	148	45.7	38.6-52.8
55-64	366	399,127	65	22.3	16.2-28.4	14	2.8	1.0- 4.6	104	27.3	21.6-33.0	183	47.6	40.9-54.3
65+	564	500,334	59	12.1	8.4-15.8	14	2.8	0.6- 5.0	257	46.9	41.4-52.4	234	38.1	32.8-43.4
Less Than H.S.	158	300,715	58	30.2	21.8-38.6	13	7.7	2.8-12.6	51	35.0	24.8-45.2	36	27.1	17.7-36.5
H.S. or G.E.D.	615	800,881	127	22.5	18.0-27.0	34	5.0	2.8- 7.2	204	30.3	25.6-35.0	250	42.2	36.9-47.5
Some Post-H.S.	468	650,172	72	13.3	9.4-17.2	19	4.2	1.7- 6.7	154	29.2	24.1-34.3	223	53.3	47.4-59.2
College Graduate	693	599,220	34	3.6	2.4- 4.8	22	3.0	1.4- 4.6	183	26.7	22.4-31.0	454	66.8	62.3-71.3
Less than \$15,000	142	180,773	43	27.6	18.0-37.2	13	11.0	3.6-18.4	34	19.2	12.1-26.3	52	42.1	30.7-53.5
\$15,000- 24,999	248	322,942	64	26.8	19.7-33.9	18	7.2	3.1-11.3	81	31.8	23.6-40.0	85	34.3	26.5-42.1
\$25,000- 34,999	152	179,695	34	25.4	15.4-35.4	1	0.2	0.0- 0.6	55	28.9	19.9-37.9	62	45.5	34.3-56.7
\$35,000- 49,999	242	323,839	40	15.1	9.4-20.8	15	7.4	2.5-12.3	73	28.2	20.6-35.8	114	49.4	40.8-58.0
\$50,000- 74,999	283	352,821	35	16.3	9.2-23.4	8	2.2	0.2- 4.2	91	31.3	24.0-38.6	149	50.2	42.2-58.2
\$75,000+	603	711,019	38	6.9	4.4- 9.4	20	3.0	1.4- 4.6	186	31.6	26.5-36.7	359	58.5	53.2-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2383	2,611,942	340	14.3	12.1-16.5	102	4.2	3.2- 5.2	530	20.9	18.7-23.1	1411	60.5	57.8-63.2
White/Non-Hisp	1918	1,935,144	279	15.2	12.8-17.6	83	4.6	3.4- 5.8	462	23.6	21.1-26.1	1094	56.5	53.6-59.4
Black or Afr. Am./Non-Hisp	277	448,411	31	10.6	5.7-15.5	12	3.7	1.2- 6.2	36	10.0	5.3-14.7	198	75.6	68.9-82.3
Oth. Race/Non-Hisp.	52	51,960	8	11.2	2.2-20.2	3	1.9	0.0- 4.4	8	31.0	10.2-51.8	33	56.0	35.4-76.6
Hispanic	61	100,646	9	10.2	2.2-18.2	1	0.5	0.0- 1.5	11	10.9	3.3-18.5	40	78.3	67.1-89.5
18-24	147	279,948	9	7.9	0.0-17.9	6	3.8	0.7- 6.9	5	1.7	0.0- 3.5	127	86.5	76.3-96.7
25-34	290	447,654	46	13.6	9.1-18.1	10	3.2	1.0- 5.4	41	17.8	11.9-23.7	193	65.4	58.5-72.3
35-44	327	400,369	68	18.2	13.3-23.1	19	5.6	2.7- 8.5	68	20.0	14.3-25.7	172	56.2	49.3-63.1
45-54	390	418,825	73	19.1	13.4-24.8	16	4.4	1.7- 7.1	78	18.8	13.9-23.7	223	57.6	50.9-64.3
55-64	452	439,525	77	16.5	12.0-21.0	25	6.2	3.3- 9.1	118	26.4	20.9-31.9	232	51.0	45.1-56.9
65+	777	625,623	67	10.4	7.1-13.7	26	2.8	1.2- 4.4	220	30.0	25.5-34.5	464	56.8	51.9-61.7
Less Than H.S.	182	314,772	51	28.6	17.8-39.4	12	4.3	1.4- 7.2	52	25.7	17.1-34.3	67	41.4	30.2-52.6
H.S. or G.E.D.	725	804,061	132	16.3	13.0-19.6	50	6.9	4.5- 9.3	176	22.2	18.3-26.1	367	54.7	50.0-59.4
Some Post-H.S.	633	804,925	113	15.2	11.7-18.7	26	4.2	2.2- 6.2	144	22.5	18.4-26.6	350	58.0	53.1-62.9
College Graduate	817	661,378	43	4.5	2.7- 6.3	14	1.2	0.2- 2.2	155	15.9	13.0-18.8	605	78.4	75.1-81.7
Less than \$15,000	236	282,493	57	24.4	14.2-34.6	26	9.9	5.2-14.6	61	22.6	15.2-30.0	92	43.1	33.1-53.1
\$15,000- 24,999	376	383,108	90	23.5	17.2-29.8	25	7.0	3.7-10.3	76	19.2	13.5-24.9	185	50.2	42.6-57.8
\$25,000- 34,999	222	249,981	46	21.7	14.1-29.3	7	2.8	0.3- 5.3	45	23.9	15.3-32.5	124	51.5	42.1-60.9
\$35,000- 49,999	280	299,425	34	11.1	6.4-15.8	12	4.6	1.5- 7.7	67	24.6	17.7-31.5	167	59.7	52.1-67.3
\$50,000- 74,999	294	328,744	25	8.9	4.4-13.4	7	1.6	0.4- 2.8	72	19.4	14.1-24.7	190	70.2	63.7-76.7
\$75,000+	553	629,463	42	7.3	4.8- 9.8	8	2.4	0.6- 4.2	120	20.2	15.9-24.5	383	70.1	65.2-75.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4341	5,001,316	3518	80.5	78.7-82.3	823	19.5	17.7-21.3
Male	1958	2,389,374	1577	79.5	77.0-82.0	381	20.5	18.0-23.0
Female	2383	2,611,942	1941	81.5	79.3-83.7	442	18.5	16.3-20.7
White/Non-Hisp	3517	3,694,135	2853	79.9	77.9-81.9	664	20.1	18.1-22.1
Black or Afr. Am./Non-Hisp	429	763,710	352	81.8	76.9-86.7	77	18.2	13.3-23.1
Oth. Race/Non-Hisp.	120	118,880	92	83.2	75.9-90.5	28	16.8	9.5-24.1
MultiRacial/Non-Hisp.	72	59,612	50	71.1	58.0-84.2	22	28.9	15.8-42.0
Hispanic	128	256,785	105	84.1	75.7-92.5	23	15.9	7.5-24.3
18-24	315	580,057	279	86.6	80.5-92.7	36	13.4	7.3-19.5
25-34	553	874,361	436	79.4	75.1-83.7	117	20.6	16.3-24.9
35-44	599	782,399	451	78.4	74.3-82.5	148	21.6	17.5-25.7
45-54	715	799,891	540	76.2	71.9-80.5	175	23.8	19.5-28.1
55-64	818	838,652	637	76.2	72.1-80.3	181	23.8	19.7-27.9
65+	1341	1,125,956	1175	86.0	83.3-88.7	166	14.0	11.3-16.7
Less Than H.S.	340	615,487	206	64.7	57.4-72.0	134	35.3	28.0-42.6
H.S. or G.E.D.	1340	1,604,942	997	74.7	71.6-77.8	343	25.3	22.2-28.4
Some Post-H.S.	1101	1,455,097	871	81.4	78.5-84.3	230	18.6	15.7-21.5
College Graduate	1510	1,260,598	1397	93.9	92.5-95.3	113	6.1	4.7- 7.5
Less than \$15,000	378	463,266	239	64.0	56.4-71.6	139	36.0	28.4-43.6
\$15,000- 24,999	624	706,051	427	67.9	62.8-73.0	197	32.1	27.0-37.2
\$25,000- 34,999	374	429,676	286	75.0	68.9-81.1	88	25.0	18.9-31.1
\$35,000- 49,999	522	623,264	421	80.8	76.3-85.3	101	19.2	14.7-23.7
\$50,000- 74,999	577	681,565	502	85.4	80.9-89.9	75	14.6	10.1-19.1
\$75,000+	1156	1,340,481	1048	90.2	88.0-92.4	108	9.8	7.6-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1958	2,389,374	1577	79.5	77.0-82.0	381	20.5	18.0-23.0
White/Non-Hisp	1599	1,758,992	1297	79.7	77.0-82.4	302	20.3	17.6-23.0
Black or Afr. Am./Non-Hisp	152	315,299	118	76.3	67.5-85.1	34	23.7	14.9-32.5
Oth. Race/Non-Hisp.	68	66,920	51	80.2	69.8-90.6	17	19.8	9.4-30.2
Hispanic	67	156,139	54	80.8	68.3-93.3	13	19.2	6.7-31.7
18-24	168	300,109	147	85.0	77.7-92.3	21	15.0	7.7-22.3
25-34	263	426,707	202	75.3	68.4-82.2	61	24.7	17.8-31.6
35-44	272	382,030	211	80.7	74.4-87.0	61	19.3	13.0-25.6
45-54	325	381,066	239	76.0	70.1-81.9	86	24.0	18.1-29.9
55-64	366	399,127	287	74.9	68.8-81.0	79	25.1	19.0-31.2
65+	564	500,334	491	85.0	80.9-89.1	73	15.0	10.9-19.1
Less Than H.S.	158	300,715	87	62.1	52.7-71.5	71	37.9	28.5-47.3
H.S. or G.E.D.	615	800,881	454	72.5	67.6-77.4	161	27.5	22.6-32.4
Some Post-H.S.	468	650,172	377	82.5	78.0-87.0	91	17.5	13.0-22.0
College Graduate	693	599,220	637	93.5	91.5-95.5	56	6.5	4.5- 8.5
Less than \$15,000	142	180,773	86	61.4	50.6-72.2	56	38.6	27.8-49.4
\$15,000- 24,999	248	322,942	166	66.1	58.3-73.9	82	33.9	26.1-41.7
\$25,000- 34,999	152	179,695	117	74.4	64.4-84.4	35	25.6	15.6-35.6
\$35,000- 49,999	242	323,839	187	77.6	70.5-84.7	55	22.4	15.3-29.5
\$50,000- 74,999	283	352,821	240	81.6	74.3-88.9	43	18.4	11.1-25.7
\$75,000+	603	711,019	545	90.1	87.2-93.0	58	9.9	7.0-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2383	2,611,942	1941	81.5	79.3-83.7	442	18.5	16.3-20.7
White/Non-Hisp	1918	1,935,144	1556	80.1	77.6-82.6	362	19.9	17.4-22.4
Black or Afr. Am./Non-Hisp	277	448,411	234	85.6	80.3-90.9	43	14.4	9.1-19.7
Oth. Race/Non-Hisp.	52	51,960	41	87.0	77.4-96.6	11	13.0	3.4-22.6
Hispanic	61	100,646	51	89.3	81.1-97.5	10	10.7	2.5-18.9
18-24	147	279,948	132	88.2	78.2-98.2	15	11.8	1.8-21.8
25-34	290	447,654	234	83.3	78.4-88.2	56	16.7	11.8-21.6
35-44	327	400,369	240	76.2	70.7-81.7	87	23.8	18.3-29.3
45-54	390	418,825	301	76.4	70.3-82.5	89	23.6	17.5-29.7
55-64	452	439,525	350	77.3	72.2-82.4	102	22.7	17.6-27.8
65+	777	625,623	684	86.8	83.1-90.5	93	13.2	9.5-16.9
Less Than H.S.	182	314,772	119	67.1	56.3-77.9	63	32.9	22.1-43.7
H.S. or G.E.D.	725	804,061	543	76.9	73.0-80.8	182	23.1	19.2-27.0
Some Post-H.S.	633	804,925	494	80.5	76.6-84.4	139	19.5	15.6-23.4
College Graduate	817	661,378	760	94.3	92.3-96.3	57	5.7	3.7- 7.7
Less than \$15,000	236	282,493	153	65.7	55.5-75.9	83	34.3	24.1-44.5
\$15,000- 24,999	376	383,108	261	69.5	62.6-76.4	115	30.5	23.6-37.4
\$25,000- 34,999	222	249,981	169	75.4	67.6-83.2	53	24.6	16.8-32.4
\$35,000- 49,999	280	299,425	234	84.3	78.8-89.8	46	15.7	10.2-21.2
\$50,000- 74,999	294	328,744	262	89.6	84.9-94.3	32	10.4	5.7-15.1
\$75,000+	553	629,463	503	90.3	87.2-93.4	50	9.7	6.6-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	109
2 MALES ONLY	110
3 FEMALES ONLY	111
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	112
5 MALES ONLY	113
6 FEMALES ONLY	114
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	115
8 MALES ONLY	116
9 FEMALES ONLY	117
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	118
11 MALES ONLY	119
12 FEMALES ONLY	120
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	121
14 MALES ONLY	122
15 FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4270	4,904,480	1863	46.8	44.8-48.8	2407	53.2	51.2-55.2
Male	1919	2,339,588	971	54.3	51.4-57.2	948	45.7	42.8-48.6
Female	2351	2,564,892	892	39.9	37.2-42.6	1459	60.1	57.4-62.8
White/Non-Hisp	3466	3,638,302	1489	45.5	43.3-47.7	1977	54.5	52.3-56.7
Black or Afr. Am./Non-Hisp	422	744,700	198	52.5	46.2-58.8	224	47.5	41.2-53.8
Oth. Race/Non-Hisp.	116	113,500	54	43.4	31.4-55.4	62	56.6	44.6-68.6
MultiRacial/Non-Hisp.	70	57,881	31	56.5	42.8-70.2	39	43.5	29.8-57.2
Hispanic	126	253,510	60	44.6	32.6-56.6	66	55.4	43.4-67.4
18-24	309	568,493	152	48.4	40.8-56.0	157	51.6	44.0-59.2
25-34	542	852,540	330	61.1	55.8-66.4	212	38.9	33.6-44.2
35-44	590	771,335	322	55.3	50.0-60.6	268	44.7	39.4-50.0
45-54	705	787,476	351	50.0	45.1-54.9	354	50.0	45.1-54.9
55-64	800	816,120	313	38.9	34.6-43.2	487	61.1	56.8-65.4
65+	1324	1,108,516	395	32.6	29.1-36.1	929	67.4	63.9-70.9
Less Than H.S.	336	600,741	91	33.2	25.4-41.0	245	66.8	59.0-74.6
H.S. or G.E.D.	1324	1,576,480	446	37.4	33.9-40.9	878	62.6	59.1-66.1
Some Post-H.S.	1085	1,432,972	475	49.0	45.1-52.9	610	51.0	47.1-54.9
College Graduate	1476	1,229,803	828	62.7	59.6-65.8	648	37.3	34.2-40.4
Less than \$15,000	372	447,775	101	30.1	22.5-37.7	271	69.9	62.3-77.5
\$15,000- 24,999	617	693,250	222	41.2	35.5-46.9	395	58.8	53.1-64.5
\$25,000- 34,999	362	418,993	135	37.9	30.8-45.0	227	62.1	55.0-69.2
\$35,000- 49,999	516	611,841	226	49.2	43.3-55.1	290	50.8	44.9-56.7
\$50,000- 74,999	568	674,849	285	53.4	47.9-58.9	283	46.6	41.1-52.1
\$75,000+	1140	1,322,410	686	62.2	58.5-65.9	454	37.8	34.1-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	2,339,588	971	54.3	51.4-57.2	948	45.7	42.8-48.6
White/Non-Hisp	1570	1,727,972	784	52.4	49.3-55.5	786	47.6	44.5-50.7
Black or Afr. Am./Non-Hisp	148	309,542	80	62.2	52.4-72.0	68	37.8	28.0-47.6
Oth. Race/Non-Hisp.	65	61,550	32	57.5	43.4-71.6	33	42.5	28.4-56.6
Hispanic	67	156,139	34	51.6	35.3-67.9	33	48.4	32.1-64.7
18-24	163	292,401	86	54.4	44.4-64.4	77	45.6	35.6-55.6
25-34	256	414,674	168	67.6	60.0-75.2	88	32.4	24.8-40.0
35-44	269	381,241	170	62.3	54.5-70.1	99	37.7	29.9-45.5
45-54	319	374,273	186	59.6	52.5-66.7	133	40.4	33.3-47.5
55-64	358	386,970	158	45.4	38.7-52.1	200	54.6	47.9-61.3
65+	554	490,030	203	39.9	34.4-45.4	351	60.1	54.6-65.6
Less Than H.S.	156	290,659	56	42.1	31.7-52.5	100	57.9	47.5-68.3
H.S. or G.E.D.	606	786,923	260	48.1	42.8-53.4	346	51.9	46.6-57.2
Some Post-H.S.	458	636,344	241	55.8	49.7-61.9	217	44.2	38.1-50.3
College Graduate	676	587,985	403	67.7	63.6-71.8	273	32.3	28.2-36.4
Less than \$15,000	138	172,703	49	39.4	28.2-50.6	89	60.6	49.4-71.8
\$15,000- 24,999	246	315,385	102	47.4	39.0-55.8	144	52.6	44.2-61.0
\$25,000- 34,999	151	179,504	60	41.2	30.2-52.2	91	58.8	47.8-69.8
\$35,000- 49,999	238	316,257	124	58.5	50.3-66.7	114	41.5	33.3-49.7
\$50,000- 74,999	277	349,512	159	62.2	54.6-69.8	118	37.8	30.2-45.4
\$75,000+	593	701,095	378	66.3	61.2-71.4	215	33.7	28.6-38.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2351	2,564,892	892	39.9	37.2-42.6	1459	60.1	57.4-62.8
White/Non-Hisp	1896	1,910,329	705	39.3	36.4-42.2	1191	60.7	57.8-63.6
Black or Afr. Am./Non-Hisp	274	435,158	118	45.7	37.7-53.7	156	54.3	46.3-62.3
Oth. Race/Non-Hisp.	51	51,950	22	26.7	12.2-41.2	29	73.3	58.8-87.8
Hispanic	59	97,371	26	33.5	18.2-48.8	33	66.5	51.2-81.8
18-24	146	276,093	66	42.1	30.1-54.1	80	57.9	45.9-69.9
25-34	286	437,867	162	55.0	47.7-62.3	124	45.0	37.7-52.3
35-44	321	390,094	152	48.5	41.4-55.6	169	51.5	44.4-58.6
45-54	386	413,202	165	41.3	34.6-48.0	221	58.7	52.0-65.4
55-64	442	429,150	155	33.0	27.5-38.5	287	67.0	61.5-72.5
65+	770	618,486	192	26.8	22.3-31.3	578	73.2	68.7-77.7
Less Than H.S.	180	310,082	35	24.8	13.2-36.4	145	75.2	63.6-86.8
H.S. or G.E.D.	718	789,558	186	26.8	22.5-31.1	532	73.2	68.9-77.5
Some Post-H.S.	627	796,628	234	43.6	38.5-48.7	393	56.4	51.3-61.5
College Graduate	800	641,818	425	58.1	53.8-62.4	375	41.9	37.6-46.2
Less than \$15,000	234	275,072	52	24.3	13.9-34.7	182	75.7	65.3-86.1
\$15,000- 24,999	371	377,865	120	36.1	28.5-43.7	251	63.9	56.3-71.5
\$25,000- 34,999	211	239,488	75	35.3	26.1-44.5	136	64.7	55.5-73.9
\$35,000- 49,999	278	295,584	102	39.2	31.4-47.0	176	60.8	53.0-68.6
\$50,000- 74,999	291	325,336	126	44.0	36.4-51.6	165	56.0	48.4-63.6
\$75,000+	547	621,315	308	57.6	52.3-62.9	239	42.4	37.1-47.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4270	4,904,480	1063	27.1	25.1-29.1	397	9.5	8.3-10.7	131	3.8	2.8- 4.8	272	6.3	5.3- 7.3	2407	53.2	51.2-55.2
Male	1919	2,339,588	512	29.3	26.6-32.0	205	10.3	8.5-12.1	76	5.3	3.7- 6.9	178	9.4	7.6-11.2	948	45.7	42.8-48.6
Female	2351	2,564,892	551	25.2	22.7-27.7	192	8.8	7.0-10.6	55	2.5	1.7- 3.3	94	3.6	2.6- 4.6	1459	60.1	57.4-62.8
White/Non-Hisp	3466	3,638,302	831	25.7	23.7-27.7	317	9.3	7.9-10.7	111	3.9	2.9- 4.9	230	6.6	5.4- 7.8	1977	54.5	52.3-56.7
Black or Afr. Am./Non-Hisp	422	744,700	125	35.0	28.7-41.3	48	10.7	7.2-14.2	13	3.6	1.2- 6.0	12	3.2	1.0- 5.4	224	47.5	41.2-53.8
Oth. Race/Non-Hisp.	116	113,500	34	27.7	17.3-38.1	6	2.3	0.1- 4.5	3	2.3	0.0- 5.2	11	11.1	3.5-18.7	62	56.6	44.6-68.6
MultiRacial/Non-Hisp.	70	57,881	23	43.3	28.8-57.8	3	4.1	0.0- 9.0	2	4.3	0.0-10.6	3	4.8	0.0-11.7	39	43.5	29.8-57.2
Hispanic	126	253,510	28	15.5	8.4-22.6	18	14.4	5.8-23.0	2	5.2	0.0-12.3	12	9.5	3.0-16.0	66	55.4	43.4-67.4
18-24	309	568,493	103	32.6	25.3-39.9	30	8.3	3.8-12.8	4	2.9	0.0- 6.0	15	4.7	2.0- 7.4	157	51.6	44.0-59.2
25-34	542	852,540	192	33.8	28.7-38.9	68	12.7	9.2-16.2	31	7.9	4.4-11.4	39	6.7	4.0- 9.4	212	38.9	33.6-44.2
35-44	590	771,335	197	33.8	28.9-38.7	65	11.1	7.6-14.6	24	4.2	2.0- 6.4	36	6.2	3.5- 8.9	268	44.7	39.4-50.0
45-54	705	787,476	208	29.4	24.9-33.9	73	9.8	6.9-12.7	26	3.9	1.9- 5.9	44	6.9	4.4- 9.4	354	50.0	45.1-54.9
55-64	800	816,120	171	21.3	17.6-25.0	76	9.2	6.7-11.7	21	2.2	1.0- 3.4	45	6.1	3.9- 8.3	487	61.1	56.8-65.4
65+	1324	1,108,516	192	17.3	14.2-20.4	85	6.6	4.8- 8.4	25	2.0	1.0- 3.0	93	6.8	5.0- 8.6	929	67.4	63.9-70.9
Less Than H.S.	336	600,741	51	19.4	12.7-26.1	13	4.7	0.6- 8.8	8	3.2	0.0- 6.5	19	5.9	2.6- 9.2	245	66.8	59.0-74.6
H.S. or G.E.D.	1324	1,576,480	266	21.3	18.4-24.2	93	8.0	5.8-10.2	22	2.9	1.3- 4.5	65	5.2	3.6- 6.8	878	62.6	59.1-66.1
Some Post-H.S.	1085	1,432,972	299	32.2	28.5-35.9	79	7.0	5.0- 9.0	31	3.4	1.8- 5.0	66	6.5	4.5- 8.5	610	51.0	47.1-54.9
College Graduate	1476	1,229,803	431	32.1	29.0-35.2	209	16.8	14.1-19.5	68	5.8	4.2- 7.4	120	8.0	6.2- 9.8	648	37.3	34.2-40.4
Less than \$15,000	372	447,775	59	19.4	12.0-26.8	19	5.1	1.8- 8.4	8	1.8	0.4- 3.2	15	3.8	1.4- 6.2	271	69.9	62.3-77.5
\$15,000- 24,999	617	693,250	150	27.2	22.1-32.3	32	6.9	3.0-10.8	8	1.6	0.0- 3.2	32	5.6	3.1- 8.1	395	58.8	53.1-64.5
\$25,000- 34,999	362	418,993	80	25.0	18.3-31.7	33	7.6	4.5-10.7	5	1.9	0.0- 4.1	17	3.3	1.1- 5.5	227	62.1	55.0-69.2
\$35,000- 49,999	516	611,841	139	30.6	25.1-36.1	44	9.1	5.6-12.6	15	3.7	0.6- 6.8	28	5.7	2.6- 8.8	290	50.8	44.9-56.7
\$50,000- 74,999	568	674,849	163	30.4	25.1-35.7	54	10.3	6.8-13.8	24	6.0	3.1- 8.9	44	6.7	4.2- 9.2	283	46.6	41.1-52.1
\$75,000+	1140	1,322,410	357	32.6	29.1-36.1	166	14.4	11.9-16.9	61	6.3	4.1- 8.5	102	8.9	6.7-11.1	454	37.8	34.1-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	2,339,588	512	29.3	26.6-32.0	205	10.3	8.5-12.1	76	5.3	3.7- 6.9	178	9.4	7.6-11.2	948	45.7	42.8-48.6
White/Non-Hisp	1570	1,727,972	408	28.2	25.3-31.1	160	9.1	7.3-10.9	62	5.0	3.2- 6.8	154	10.0	8.0-12.0	786	47.6	44.5-50.7
Black or Afr. Am./Non-Hisp	148	309,542	44	37.2	27.2-47.2	24	14.5	7.8-21.2	7	6.0	0.9-11.1	5	4.5	0.0- 9.0	68	37.8	28.0-47.6
Oth. Race/Non-Hisp.	65	61,550	19	33.3	18.8-47.8	2	2.0	0.0- 4.9	3	4.2	0.0- 9.7	8	18.0	5.3-30.7	33	42.5	28.4-56.6
Hispanic	67	156,139	12	12.3	3.7-20.9	13	19.9	6.8-33.0	2	8.5	0.0-19.7	7	10.8	1.6-20.0	33	48.4	32.1-64.7
18-24	163	292,401	57	35.5	26.1-44.9	15	6.4	2.7-10.1	4	5.6	0.0-11.5	10	6.9	2.2-11.6	77	45.6	35.6-55.6
25-34	256	414,674	93	34.7	27.1-42.3	30	10.8	6.3-15.3	19	11.5	4.8-18.2	26	10.6	5.7-15.5	88	32.4	24.8-40.0
35-44	269	381,241	96	34.9	27.5-42.3	37	13.8	7.9-19.7	14	4.8	1.7- 7.9	23	8.8	3.9-13.7	99	37.7	29.9-45.5
45-54	319	374,273	107	33.7	27.0-40.4	36	11.5	6.8-16.2	11	3.6	1.1- 6.1	32	10.8	6.1-15.5	133	40.4	33.3-47.5
55-64	358	386,970	71	21.8	16.1-27.5	45	11.8	7.7-15.9	12	3.3	1.1- 5.5	30	8.5	4.8-12.2	200	54.6	47.9-61.3
65+	554	490,030	88	19.4	14.7-24.1	42	7.4	4.5-10.3	16	3.2	1.4- 5.0	57	9.9	6.8-13.0	351	60.1	54.6-65.6
Less Than H.S.	156	290,659	26	20.5	12.3-28.7	8	4.7	0.8- 8.6	7	6.4	0.0-13.1	15	10.6	4.1-17.1	100	57.9	47.5-68.3
H.S. or G.E.D.	606	786,923	146	26.0	21.3-30.7	56	10.3	6.8-13.8	14	4.8	1.7- 7.9	44	7.1	4.4- 9.8	346	51.9	46.6-57.2
Some Post-H.S.	458	636,344	140	34.8	28.9-40.7	40	6.8	4.3- 9.3	14	3.2	0.8- 5.6	47	11.0	7.1-14.9	217	44.2	38.1-50.3
College Graduate	676	587,985	194	32.6	27.7-37.5	99	17.1	13.2-21.0	40	7.7	5.0-10.4	70	10.3	7.4-13.2	273	32.3	28.2-36.4
Less than \$15,000	138	172,703	29	23.4	13.6-33.2	7	7.5	0.1-14.9	5	3.9	0.4- 7.4	8	4.5	0.8- 8.2	89	60.6	49.4-71.8
\$15,000- 24,999	246	315,385	59	29.6	21.8-37.4	19	7.6	3.1-12.1	2	1.7	0.0- 4.4	22	8.4	3.9-12.9	144	52.6	44.2-61.0
\$25,000- 34,999	151	179,504	32	23.0	13.2-32.8	14	9.1	3.2-15.0	3	3.5	0.0- 8.2	11	5.7	1.0-10.4	91	58.8	47.8-69.8
\$35,000- 49,999	238	316,257	68	32.4	24.4-40.4	26	10.4	5.5-15.3	11	6.7	0.8-12.6	19	8.9	3.4-14.4	114	41.5	33.3-49.7
\$50,000- 74,999	277	349,512	86	32.8	25.0-40.6	30	11.3	5.8-16.8	15	8.0	2.9-13.1	28	10.1	5.4-14.8	118	37.8	30.2-45.4
\$75,000+	593	701,095	189	34.2	29.1-39.3	82	12.8	9.5-16.1	35	7.5	4.0-11.0	72	11.9	8.4-15.4	215	33.7	28.6-38.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2351	2,564,892	551	25.2	22.7-27.7	192	8.8	7.0-10.6	55	2.5	1.7- 3.3	94	3.6	2.6- 4.6	1459	60.1	57.4-62.8
White/Non-Hisp	1896	1,910,329	423	23.3	20.6-26.0	157	9.5	7.5-11.5	49	2.8	1.8- 3.8	76	3.6	2.6- 4.6	1191	60.7	57.8-63.6
Black or Afr. Am./Non-Hisp	274	435,158	81	33.5	25.9-41.1	24	8.0	4.3-11.7	6	1.9	0.0- 4.1	7	2.2	0.0- 4.4	156	54.3	46.3-62.3
Oth. Race/Non-Hisp.	51	51,950	15	21.0	7.9-34.1	4	2.6	0.0- 5.9				3	3.1	0.0- 7.4	29	73.3	58.8-87.8
Hispanic	59	97,371	16	20.5	8.3-32.7	5	5.6	0.0-11.9				5	7.3	0.0-14.7	33	66.5	51.2-81.8
18-24	146	276,093	46	29.6	18.2-41.0	15	10.2	1.8-18.6				5	2.3	0.0- 4.8	80	57.9	45.9-69.9
25-34	286	437,867	99	33.0	26.3-39.7	38	14.4	9.1-19.7	12	4.5	1.8- 7.2	13	3.0	0.8- 5.2	124	45.0	37.7-52.3
35-44	321	390,094	101	32.7	26.0-39.4	28	8.5	4.8-12.2	10	3.6	0.9- 6.3	13	3.7	1.2- 6.2	169	51.5	44.4-58.6
45-54	386	413,202	101	25.4	19.7-31.1	37	8.3	4.8-11.8	15	4.1	1.2- 7.0	12	3.3	0.8- 5.8	221	58.7	52.0-65.4
55-64	442	429,150	100	20.8	16.1-25.5	31	6.9	4.0- 9.8	9	1.3	0.3- 2.3	15	4.0	1.6- 6.4	287	67.0	61.5-72.5
65+	770	618,486	104	15.6	11.5-19.7	43	5.9	3.7- 8.1	9	1.0	0.2- 1.8	36	4.3	2.7- 5.9	578	73.2	68.7-77.7
Less Than H.S.	180	310,082	25	18.5	8.1-28.9	5	4.7	0.0-12.0	1	0.2	0.0- 0.6	4	1.5	0.0- 3.3	145	75.2	63.6-86.8
H.S. or G.E.D.	718	789,558	120	16.6	13.1-20.1	37	5.8	3.4- 8.2	8	1.0	0.0- 2.0	21	3.3	1.5- 5.1	532	73.2	68.9-77.5
Some Post-H.S.	627	796,628	159	30.1	25.2-35.0	39	7.1	4.4- 9.8	17	3.5	1.5- 5.5	19	2.9	1.3- 4.5	393	56.4	51.3-61.5
College Graduate	800	641,818	237	31.7	27.4-36.0	110	16.6	13.1-20.1	28	4.0	2.0- 6.0	50	5.9	3.9- 7.9	375	41.9	37.6-46.2
Less than \$15,000	234	275,072	30	16.8	6.4-27.2	12	3.6	1.2- 6.0	3	0.5	0.0- 1.1	7	3.3	0.4- 6.2	182	75.7	65.3-86.1
\$15,000- 24,999	371	377,865	91	25.2	18.7-31.7	13	6.3	0.2-12.4	6	1.5	0.0- 3.1	10	3.1	0.6- 5.6	251	63.9	56.3-71.5
\$25,000- 34,999	211	239,488	48	26.6	17.6-35.6	19	6.5	3.0-10.0	2	0.8	0.0- 2.2	6	1.5	0.1- 2.9	136	64.7	55.5-73.9
\$35,000- 49,999	278	295,584	71	28.7	21.4-36.0	18	7.6	2.5-12.7	4	0.6	0.0- 1.2	9	2.3	0.0- 4.7	176	60.8	53.0-68.6
\$50,000- 74,999	291	325,336	77	27.8	20.9-34.7	24	9.3	4.8-13.8	9	3.8	1.1- 6.5	16	3.1	1.3- 4.9	165	56.0	48.4-63.6
\$75,000+	547	621,315	168	30.8	25.9-35.7	84	16.1	12.2-20.0	26	5.1	2.7- 7.5	30	5.6	3.2- 8.0	239	42.4	37.1-47.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4208	4,823,970	3725	85.9	84.3-87.5	483	14.1	12.5-15.7
Male	1880	2,287,305	1588	81.1	78.6-83.6	292	18.9	16.4-21.4
Female	2328	2,536,665	2137	90.3	88.5-92.1	191	9.7	7.9-11.5
White/Non-Hisp	3422	3,596,758	3037	86.3	84.5-88.1	385	13.7	11.9-15.5
Black or Afr. Am./Non-Hisp	412	720,046	365	86.4	81.7-91.1	47	13.6	8.9-18.3
Oth. Race/Non-Hisp.	115	113,192	102	86.9	78.9-94.9	13	13.1	5.1-21.1
MultiRacial/Non-Hisp.	69	56,473	64	88.1	77.3-98.9	5	11.9	1.1-22.7
Hispanic	121	243,464	98	80.6	70.8-90.4	23	19.4	9.6-29.2
18-24	306	566,709	238	76.7	70.0-83.4	68	23.3	16.6-30.0
25-34	533	835,510	406	73.5	68.4-78.6	127	26.5	21.4-31.6
35-44	582	763,412	480	81.6	77.3-85.9	102	18.4	14.1-22.7
45-54	685	761,739	596	88.2	85.1-91.3	89	11.8	8.7-14.9
55-64	791	803,953	733	91.8	89.4-94.2	58	8.2	5.8-10.6
65+	1311	1,092,647	1272	97.3	96.1-98.5	39	2.7	1.5-3.9
Less Than H.S.	330	591,570	297	88.9	83.6-94.2	33	11.1	5.8-16.4
H.S. or G.E.D.	1297	1,544,485	1174	87.7	85.0-90.4	123	12.3	9.6-15.0
Some Post-H.S.	1069	1,407,899	939	84.8	81.7-87.9	130	15.2	12.1-18.3
College Graduate	1465	1,219,688	1272	83.3	80.6-86.0	193	16.7	14.0-19.4
Less than \$15,000	368	442,562	333	90.9	87.0-94.8	35	9.1	5.2-13.0
\$15,000- 24,999	603	673,824	553	90.0	85.7-94.3	50	10.0	5.7-14.3
\$25,000- 34,999	357	411,399	322	88.8	84.1-93.5	35	11.2	6.5-15.9
\$35,000- 49,999	507	593,714	449	83.6	78.5-88.7	58	16.4	11.3-21.5
\$50,000- 74,999	560	666,110	487	83.8	79.1-88.5	73	16.2	11.5-20.9
\$75,000+	1133	1,313,386	943	79.8	76.7-82.9	190	20.2	17.1-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1880	2,287,305	1588	81.1	78.6-83.6	292	18.9	16.4-21.4
White/Non-Hisp	1543	1,703,179	1304	81.6	78.9-84.3	239	18.4	15.7-21.1
Black or Afr. Am./Non-Hisp	142	295,303	125	84.2	75.8-92.6	17	15.8	7.4-24.2
Oth. Race/Non-Hisp.	65	61,550	56	80.8	67.7-93.9	9	19.2	6.1-32.3
Hispanic	63	146,847	48	74.1	59.2-89.0	15	25.9	11.0-40.8
18-24	161	290,971	119	70.3	60.9-79.7	42	29.7	20.3-39.1
25-34	250	406,449	177	66.2	58.2-74.2	73	33.8	25.8-41.8
35-44	264	377,409	208	77.9	70.8-85.0	56	22.1	15.0-29.2
45-54	307	356,815	254	84.7	79.8-89.6	53	15.3	10.4-20.2
55-64	351	376,298	312	87.5	83.2-91.8	39	12.5	8.2-16.8
65+	547	479,364	518	94.9	92.5-97.3	29	5.1	2.7- 7.5
Less Than H.S.	151	282,215	129	85.1	77.7-92.5	22	14.9	7.5-22.3
H.S. or G.E.D.	586	765,178	507	82.0	77.5-86.5	79	18.0	13.5-22.5
Some Post-H.S.	451	626,342	371	79.8	74.7-84.9	80	20.2	15.1-25.3
College Graduate	670	579,183	562	79.0	74.5-83.5	108	21.0	16.5-25.5
Less than \$15,000	136	170,394	115	86.3	78.7-93.9	21	13.7	6.1-21.3
\$15,000- 24,999	238	303,825	214	88.6	83.3-93.9	24	11.4	6.1-16.7
\$25,000- 34,999	146	171,911	130	87.6	80.2-95.0	16	12.4	5.0-19.8
\$35,000- 49,999	235	307,483	198	79.4	71.6-87.2	37	20.6	12.8-28.4
\$50,000- 74,999	270	341,082	225	76.8	68.8-84.8	45	23.2	15.2-31.2
\$75,000+	588	696,467	467	75.3	70.4-80.2	121	24.7	19.8-29.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2328	2,536,665	2137	90.3	88.5-92.1	191	9.7	7.9-11.5
White/Non-Hisp	1879	1,893,579	1733	90.5	88.3-92.7	146	9.5	7.3-11.7
Black or Afr. Am./Non-Hisp	270	424,744	240	87.9	82.6-93.2	30	12.1	6.8-17.4
Oth. Race/Non-Hisp.	50	51,642	46	94.2	88.1- 100	4	5.8	0.0-11.9
Hispanic	58	96,617	50	90.4	82.4-98.4	8	9.6	1.6-17.6
18-24	145	275,738	119	83.6	74.2-93.0	26	16.4	7.0-25.8
25-34	283	429,061	229	80.4	74.3-86.5	54	19.6	13.5-25.7
35-44	318	386,003	272	85.1	80.2-90.0	46	14.9	10.0-19.8
45-54	378	404,925	342	91.2	87.3-95.1	36	8.8	4.9-12.7
55-64	440	427,655	421	95.6	93.4-97.8	19	4.4	2.2- 6.6
65+	764	613,283	754	99.1	98.3-99.9	10	0.9	0.1- 1.7
Less Than H.S.	179	309,355	168	92.5	84.9- 100	11	7.5	0.0-15.1
H.S. or G.E.D.	711	779,307	667	93.3	90.8-95.8	44	6.7	4.2- 9.2
Some Post-H.S.	618	781,558	568	88.7	85.0-92.4	50	11.3	7.6-15.0
College Graduate	795	640,505	710	87.2	84.1-90.3	85	12.8	9.7-15.9
Less than \$15,000	232	272,168	218	93.8	89.7-97.9	14	6.2	2.1-10.3
\$15,000- 24,999	365	369,999	339	91.1	84.8-97.4	26	8.9	2.6-15.2
\$25,000- 34,999	211	239,488	192	89.6	83.5-95.7	19	10.4	4.3-16.5
\$35,000- 49,999	272	286,230	251	88.1	81.8-94.4	21	11.9	5.6-18.2
\$50,000- 74,999	290	325,028	262	91.1	87.0-95.2	28	8.9	4.8-13.0
\$75,000+	545	616,920	476	84.8	80.7-88.9	69	15.2	11.1-19.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	>0, <=1		N	>1, <=2		N	>2, <=5		N	>5, <=10		N	>10		N	None	
				%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	4217	4,839,744	599	15.2	13.6-16.8	235	5.7	4.7- 6.7	392	9.8	8.6-11.0	292	7.7	6.5- 8.9	274	7.4	6.2- 8.6	2425	54.2	52.0-56.4
Male	1887	2,299,566	242	13.7	11.5-15.9	110	5.9	4.5- 7.3	205	11.4	9.4-13.4	172	10.0	8.0-12.0	202	12.2	10.0-14.4	956	46.7	43.6-49.8
Female	2330	2,540,178	357	16.5	14.1-18.9	125	5.6	4.4- 6.8	187	8.3	6.7- 9.9	120	5.6	4.0- 7.2	72	3.0	2.0- 4.0	1469	61.0	58.3-63.7
White/Non-Hisp	3430	3,601,988	458	13.6	12.0-15.2	194	5.9	4.9- 6.9	322	10.1	8.7-11.5	249	8.4	7.0- 9.8	217	6.6	5.4- 7.8	1990	55.3	53.1-57.5
Black or Afr. Am./Non-Hisp	411	725,777	83	24.6	18.9-30.3	22	5.6	2.7- 8.5	37	8.4	5.3-11.5	23	6.0	3.1- 8.9	20	6.5	3.0-10.0	226	48.8	42.3-55.3
Oth. Race/Non-Hisp.	113	110,885	19	13.0	5.7-20.3	6	4.8	0.5- 9.1	10	7.3	1.8-12.8	3	1.3	0.0- 3.1	12	13.5	5.1-21.9	63	60.1	48.3-71.9
MultiRacial/Non-Hisp.	70	57,881	10	11.6	3.2-20.0	6	13.5	1.9-25.1	6	12.2	2.6-21.8	2	3.5	0.0-10.0	5	12.7	1.3-24.1	41	46.5	32.6-60.4
Hispanic	125	250,283	18	10.3	4.2-16.4	4	1.9	0.0- 3.9	12	9.2	1.9-16.5	7	4.9	0.4- 9.4	18	17.6	8.0-27.2	66	56.1	43.9-68.3
18-24	306	564,857	40	13.3	7.2-19.4	25	7.1	3.8-10.4	33	8.1	4.6-11.6	29	11.1	5.6-16.6	22	8.5	4.2-12.8	157	51.9	44.3-59.5
25-34	535	843,900	87	15.7	11.8-19.6	50	7.7	5.2-10.2	80	15.7	11.4-20.0	49	10.8	7.5-14.1	55	10.4	6.9-13.9	214	39.6	34.1-45.1
35-44	582	763,922	96	16.6	12.7-20.5	45	7.9	5.0-10.8	75	13.3	9.8-16.8	42	7.4	4.7-10.1	52	9.4	5.9-12.9	272	45.4	40.1-50.7
45-54	691	765,249	116	16.8	12.9-20.7	40	5.7	3.5- 7.9	72	9.7	7.0-12.4	55	8.3	5.4-11.2	52	7.7	5.2-10.2	356	51.7	46.6-56.8
55-64	792	805,899	120	15.8	12.5-19.1	33	3.7	2.1- 5.3	61	7.2	5.0- 9.4	48	5.4	3.4- 7.4	37	5.4	3.2- 7.6	493	62.4	58.1-66.7
65+	1311	1,095,918	140	13.1	10.2-16.0	42	3.3	1.9- 4.7	71	5.7	3.9- 7.5	69	5.1	3.5- 6.7	56	4.2	2.8- 5.6	933	68.6	65.1-72.1
Less Than H.S.	332	593,881	33	14.7	8.2-21.2	4	1.4	0.0- 3.0	15	4.6	1.1- 8.1	10	4.7	0.2- 9.2	24	6.9	3.6-10.2	246	67.7	59.9-75.5
H.S. or G.E.D.	1303	1,555,952	143	11.7	9.3-14.1	52	4.1	2.7- 5.5	89	7.7	5.5- 9.9	60	5.6	3.8- 7.4	77	7.4	5.2- 9.6	882	63.5	60.0-67.0
Some Post-H.S.	1063	1,403,981	165	16.8	13.7-19.9	59	6.9	4.7- 9.1	99	10.1	7.7-12.5	66	7.2	5.0- 9.4	59	6.5	4.3- 8.7	615	52.5	48.6-56.4
College Graduate	1470	1,221,446	246	17.7	15.0-20.4	118	8.4	6.6-10.2	185	14.7	12.2-17.2	154	12.7	10.3-15.1	111	8.4	6.4-10.4	656	38.1	35.0-41.2
Less than \$15,000	366	440,818	32	13.4	6.0-20.8	15	2.5	0.9- 4.1	13	4.7	1.4- 8.0	11	3.5	1.0- 6.0	23	4.8	2.4- 7.2	272	71.1	63.3-78.9
\$15,000- 24,999	607	678,032	86	15.7	11.6-19.8	29	6.0	3.3- 8.7	39	6.6	3.9- 9.3	24	4.9	1.2- 8.6	30	6.4	3.7- 9.1	399	60.4	54.7-66.1
\$25,000- 34,999	360	417,818	47	15.8	9.9-21.7	12	2.2	0.6- 3.8	39	9.5	5.4-13.6	14	4.1	1.2- 7.0	19	5.7	2.4- 9.0	229	62.7	55.6-69.8
\$35,000- 49,999	510	603,323	76	17.0	12.3-21.7	23	3.8	1.8- 5.8	51	10.6	6.9-14.3	36	8.1	4.6-11.6	31	8.4	4.3-12.5	293	52.1	46.0-58.2
\$50,000- 74,999	559	667,735	95	18.0	13.5-22.5	34	5.7	3.3- 8.1	58	10.8	7.5-14.1	51	10.1	6.6-13.6	36	7.9	4.4-11.4	285	47.4	41.7-53.1
\$75,000+	1135	1,314,486	190	15.6	12.9-18.3	93	8.9	6.7-11.1	159	15.2	12.3-18.1	127	12.4	9.9-14.9	108	9.8	7.4-12.2	458	38.2	34.5-41.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1887	2,299,566	242	13.7	11.5-15.9	110	5.9	4.5- 7.3	205	11.4	9.4-13.4	172	10.0	8.2-11.8	202	12.2	10.0-14.4	956	46.7	43.8-49.6
White/Non-Hisp	1544	1,701,972	189	12.4	10.2-14.6	91	6.3	4.7- 7.9	168	11.3	9.1-13.5	144	10.4	8.2-12.6	161	11.0	8.8-13.2	791	48.5	45.2-51.8
Black or Afr. Am./Non-Hisp	146	304,338	26	23.8	14.4-33.2	9	4.9	1.0- 8.8	15	10.6	4.7-16.5	16	11.4	5.3-17.5	12	10.8	3.5-18.1	68	38.5	28.5-48.5
Oth. Race/Non-Hisp.	64	59,617	9	12.3	2.5-22.1	3	6.1	0.0-13.2	7	10.0	1.2-18.8				11	23.7	9.6-37.8	34	48.0	33.1-62.9
Hispanic	66	152,912	8	8.7	1.3-16.1	1	0.6	0.0- 1.8	6	10.0	0.0-20.8	6	6.6	0.0-13.5	12	24.6	10.1-39.1	33	49.4	32.9-65.9
18-24	161	291,064	20	10.8	5.1-16.5	12	6.3	2.6-10.0	16	9.7	4.0-15.4	19	12.8	5.9-19.7	17	14.6	7.0-22.2	77	45.8	35.8-55.8
25-34	252	409,731	34	13.3	7.8-18.8	25	7.3	3.8-10.8	35	15.5	8.6-22.4	28	13.1	7.8-18.4	41	17.4	11.1-23.7	89	33.4	25.8-41.0
35-44	263	376,732	39	15.1	9.6-20.6	20	7.2	2.9-11.5	36	14.1	8.4-19.8	30	10.5	6.0-15.0	37	14.7	8.4-21.0	101	38.3	30.5-46.1
45-54	311	360,612	52	16.4	11.1-21.7	20	7.2	3.5-10.9	38	11.4	7.1-15.7	30	11.7	6.6-16.8	36	10.8	6.5-15.1	135	42.5	35.4-49.6
55-64	356	382,669	39	13.5	8.4-18.6	16	3.8	1.6- 6.0	40	10.8	6.9-14.7	31	7.3	4.2-10.4	28	9.2	5.3-13.1	202	55.5	48.8-62.2
65+	544	478,757	58	12.9	8.6-17.2	17	3.9	1.5- 6.3	40	7.3	4.6-10.0	34	6.3	3.6- 9.0	43	8.0	5.1-10.9	352	61.6	56.1-67.1
Less Than H.S.	152	283,799	12	11.8	4.7-18.9	4	2.9	0.0- 6.0	10	8.0	0.9-15.1	7	5.3	0.4-10.2	19	12.6	6.1-19.1	100	59.3	48.7-69.9
H.S. or G.E.D.	591	773,709	69	13.0	9.3-16.7	27	4.2	2.2- 6.2	49	9.3	5.8-12.8	39	8.2	5.1-11.3	59	12.4	8.5-16.3	348	52.8	47.5-58.1
Some Post-H.S.	448	621,918	65	14.6	10.3-18.9	32	9.1	5.6-12.6	48	10.6	6.9-14.3	40	9.5	6.0-13.0	43	10.6	6.5-14.7	220	45.7	39.6-51.8
College Graduate	673	582,463	93	15.1	11.4-18.8	46	6.3	4.1- 8.5	94	16.4	12.5-20.3	85	15.6	11.7-19.5	79	13.5	9.8-17.2	276	33.2	28.9-37.5
Less than \$15,000	135	169,634	11	11.7	3.1-20.3	8	4.6	0.7- 8.5	7	8.3	0.7-15.9	7	7.3	1.2-13.4	13	6.3	2.2-10.4	89	61.7	50.3-73.1
\$15,000- 24,999	242	309,903	27	13.2	7.7-18.7	15	9.2	3.7-14.7	20	9.1	3.8-14.4	12	3.8	1.1- 6.5	22	10.7	5.4-16.0	146	53.9	45.3-62.5
\$25,000- 34,999	149	178,329	15	13.3	4.3-22.3	6	2.4	0.0- 4.8	18	9.4	4.1-14.7	4	4.2	0.0- 9.5	15	11.6	4.5-18.7	91	59.1	48.1-70.1
\$35,000- 49,999	236	312,510	29	15.0	8.7-21.3	15	5.0	1.9- 8.1	26	10.8	5.1-16.5	23	11.3	6.0-16.6	27	14.7	7.4-22.0	116	43.1	34.7-51.5
\$50,000- 74,999	270	343,367	46	17.6	11.1-24.1	16	5.3	2.4- 8.2	30	11.5	6.6-16.4	31	13.0	7.1-18.9	28	14.0	7.3-20.7	119	38.6	30.8-46.4
\$75,000+	589	694,749	86	13.8	10.3-17.3	43	7.2	4.7- 9.7	86	16.3	12.0-20.6	77	14.3	10.4-18.2	79	14.1	10.4-17.8	218	34.3	29.2-39.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2330	2,540,178	357	16.5	14.1-18.9	125	5.6	4.4- 6.8	187	8.3	6.7- 9.9	120	5.6	4.2- 7.0	72	3.0	2.0- 4.0	1469	61.0	58.3-63.7
White/Non-Hisp	1886	1,900,017	269	14.7	12.3-17.1	103	5.5	4.1- 6.9	154	9.0	7.2-10.8	105	6.6	4.8- 8.4	56	2.7	1.7- 3.7	1199	61.4	58.5-64.3
Black or Afr. Am./Non-Hisp	265	421,439	57	25.2	17.9-32.5	13	6.1	2.0-10.2	22	6.9	3.4-10.4	7	2.1	0.0- 4.5	8	3.5	0.6- 6.4	158	56.3	48.3-64.3
Hispanic	59	97,371	10	12.9	2.9-22.9	3	3.8	0.0- 8.3	6	7.8	0.2-15.4	1	2.2	0.0- 6.5	6	6.8	0.1-13.5	33	66.5	51.2-81.8
18-24	145	273,792	20	15.9	4.9-26.9	13	8.0	2.5-13.5	17	6.4	2.9- 9.9	10	9.3	0.7-17.9	5	2.0	0.0- 4.2	80	58.4	46.4-70.4
25-34	283	434,169	53	18.0	12.5-23.5	25	8.2	4.7-11.7	45	15.8	10.3-21.3	21	8.7	4.4-13.0	14	3.9	1.4- 6.4	125	45.5	38.1-52.9
35-44	319	387,189	57	18.1	12.8-23.4	25	8.6	4.5-12.7	39	12.4	7.9-16.9	12	4.4	1.3- 7.5	15	4.3	1.6- 7.0	171	52.2	45.1-59.3
45-54	380	404,637	64	17.2	12.1-22.3	20	4.4	2.2- 6.6	34	8.1	4.6-11.6	25	5.3	2.6- 8.0	16	4.9	1.6- 8.2	221	60.0	53.3-66.7
55-64	436	423,229	81	17.9	13.4-22.4	17	3.7	1.5- 5.9	21	4.1	2.1- 6.1	17	3.8	1.4- 6.2	9	2.0	0.4- 3.6	291	68.7	63.2-74.2
65+	767	617,161	82	13.3	9.2-17.4	25	2.8	1.4- 4.2	31	4.5	2.5- 6.5	35	4.2	2.6- 5.8	13	1.2	0.4- 2.0	581	74.0	69.5-78.5
Less Than H.S.	180	310,082	21	17.3	6.9-27.7				5	1.4	0.0- 3.0	3	4.2	0.0-11.5	5	1.7	0.0- 3.7	146	75.4	63.8-87.0
H.S. or G.E.D.	712	782,243	74	10.3	7.6-13.0	25	4.1	2.1- 6.1	40	6.1	3.7- 8.5	21	3.0	1.4- 4.6	18	2.5	1.1- 3.9	534	74.0	69.7-78.3
Some Post-H.S.	615	782,063	100	18.6	14.5-22.7	27	5.1	2.6- 7.6	51	9.7	6.6-12.8	26	5.4	2.9- 7.9	16	3.2	1.2- 5.2	395	57.9	52.8-63.0
College Graduate	797	638,984	153	20.0	16.3-23.7	72	10.4	7.7-13.1	91	13.2	10.1-16.3	69	10.0	7.3-12.7	32	3.8	2.2- 5.4	380	42.6	38.3-46.9
Less than \$15,000	231	271,184	21	14.4	3.8-25.0	7	1.1	0.1- 2.1	6	2.4	0.2- 4.6	4	1.2	0.0- 2.6	10	3.9	1.0- 6.8	183	77.0	66.4-87.6
\$15,000- 24,999	365	368,130	59	17.9	11.8-24.0	14	3.3	1.3- 5.3	19	4.4	1.9- 6.9	12	5.9	0.0-12.2	8	2.7	0.3- 5.1	253	65.8	58.0-73.6
\$25,000- 34,999	211	239,488	32	17.6	9.8-25.4	6	2.1	0.1- 4.1	21	9.6	3.9-15.3	10	4.0	0.5- 7.5	4	1.4	0.0- 3.0	138	65.3	56.1-74.5
\$35,000- 49,999	274	290,814	47	19.2	12.9-25.5	8	2.5	0.3- 4.7	25	10.3	5.4-15.2	13	4.6	0.3- 8.9	4	1.6	0.0- 3.8	177	61.9	54.1-69.7
\$50,000- 74,999	289	324,368	49	18.5	12.2-24.8	18	6.1	2.8- 9.4	28	10.1	5.8-14.4	20	7.1	3.2-11.0	8	1.5	0.1- 2.9	166	56.7	49.1-64.3
\$75,000+	546	619,737	104	17.5	13.6-21.4	50	10.8	7.3-14.3	73	13.9	10.2-17.6	50	10.2	6.9-13.5	29	5.0	2.8- 7.2	240	42.6	37.3-47.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4217	4,839,744	3995	94.3	93.3-95.3	222	5.7	4.7- 6.7
Male	1887	2,299,566	1774	93.3	91.7-94.9	113	6.7	5.1- 8.3
Female	2330	2,540,178	2221	95.2	93.8-96.6	109	4.8	3.4- 6.2
White/Non-Hisp	3430	3,601,988	3251	94.4	93.2-95.6	179	5.6	4.4- 6.8
Black or Afr. Am./Non-Hisp	411	725,777	392	94.7	91.6-97.8	19	5.3	2.2- 8.4
Oth. Race/Non-Hisp.	113	110,885	105	91.4	84.1-98.7	8	8.6	1.3-15.9
MultiRacial/Non-Hisp.	70	57,881	67	93.3	85.7- 100	3	6.7	0.0-14.3
Hispanic	125	250,283	113	91.2	84.5-97.9	12	8.8	2.1-15.5
18-24	306	564,857	286	91.0	85.7-96.3	20	9.0	3.7-14.3
25-34	535	843,900	489	91.7	88.8-94.6	46	8.3	5.4-11.2
35-44	582	763,922	547	94.4	92.0-96.8	35	5.6	3.2- 8.0
45-54	691	765,249	641	93.2	90.7-95.7	50	6.8	4.3- 9.3
55-64	792	805,899	760	95.8	94.0-97.6	32	4.2	2.4- 6.0
65+	1311	1,095,918	1272	97.6	96.6-98.6	39	2.4	1.4- 3.4
Less Than H.S.	332	593,881	312	93.5	89.0-98.0	20	6.5	2.0-11.0
H.S. or G.E.D.	1303	1,555,952	1246	95.3	93.7-96.9	57	4.7	3.1- 6.3
Some Post-H.S.	1063	1,403,981	1014	94.4	92.4-96.4	49	5.6	3.6- 7.6
College Graduate	1470	1,221,446	1376	93.1	91.1-95.1	94	6.9	4.9- 8.9
Less than \$15,000	366	440,818	346	95.5	93.1-97.9	20	4.5	2.1- 6.9
\$15,000- 24,999	607	678,032	581	93.5	89.6-97.4	26	6.5	2.6-10.4
\$25,000- 34,999	360	417,818	343	95.1	92.0-98.2	17	4.9	1.8- 8.0
\$35,000- 49,999	510	603,323	487	95.5	92.8-98.2	23	4.5	1.8- 7.2
\$50,000- 74,999	559	667,735	530	94.3	91.4-97.2	29	5.7	2.8- 8.6
\$75,000+	1135	1,314,486	1052	92.3	90.1-94.5	83	7.7	5.5- 9.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1887	2,299,566	1774	93.3	91.7-94.9	113	6.7	5.1- 8.3
White/Non-Hisp	1544	1,701,972	1456	94.0	92.4-95.6	88	6.0	4.4- 7.6
Black or Afr. Am./Non-Hisp	146	304,338	137	92.4	86.1-98.7	9	7.6	1.3-13.9
Oth. Race/Non-Hisp.	64	59,617	57	85.3	73.0-97.6	7	14.7	2.4-27.0
Hispanic	66	152,912	60	89.8	79.8-99.8	6	10.2	0.2-20.2
18-24	161	291,064	150	89.8	82.9-96.7	11	10.2	3.3-17.1
25-34	252	409,731	228	89.5	84.4-94.6	24	10.5	5.4-15.6
35-44	263	376,732	247	95.3	92.4-98.2	16	4.7	1.8- 7.6
45-54	311	360,612	288	93.0	89.5-96.5	23	7.0	3.5-10.5
55-64	356	382,669	339	94.4	91.3-97.5	17	5.6	2.5- 8.7
65+	544	478,757	522	96.6	94.8-98.4	22	3.4	1.6- 5.2
Less Than H.S.	152	283,799	139	92.6	87.7-97.5	13	7.4	2.5-12.3
H.S. or G.E.D.	591	773,709	557	93.4	90.7-96.1	34	6.6	3.9- 9.3
Some Post-H.S.	448	621,918	426	94.3	91.2-97.4	22	5.7	2.6- 8.8
College Graduate	673	582,463	630	92.3	89.2-95.4	43	7.7	4.6-10.8
Less than \$15,000	135	169,634	126	94.8	90.9-98.7	9	5.2	1.3- 9.1
\$15,000- 24,999	242	309,903	229	93.2	88.7-97.7	13	6.8	2.3-11.3
\$25,000- 34,999	149	178,329	142	94.6	89.5-99.7	7	5.4	0.3-10.5
\$35,000- 49,999	236	312,510	220	93.2	88.3-98.1	16	6.8	1.9-11.7
\$50,000- 74,999	270	343,367	253	91.4	86.1-96.7	17	8.6	3.3-13.9
\$75,000+	589	694,749	552	92.9	90.0-95.8	37	7.1	4.2-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2330	2,540,178	2221	95.2	93.8-96.6	109	4.8	3.4- 6.2
White/Non-Hisp	1886	1,900,017	1795	94.8	93.0-96.6	91	5.2	3.4- 7.0
Black or Afr. Am./Non-Hisp	265	421,439	255	96.3	93.4-99.2	10	3.7	0.8- 6.6
Hispanic	59	97,371	53	93.2	86.5-99.9	6	6.8	0.1-13.5
18-24	145	273,792	136	92.2	83.8- 100	9	7.8	0.0-16.2
25-34	283	434,169	261	93.7	90.6-96.8	22	6.3	3.2- 9.4
35-44	319	387,189	300	93.6	89.9-97.3	19	6.4	2.7-10.1
45-54	380	404,637	353	93.5	90.0-97.0	27	6.5	3.0-10.0
55-64	436	423,229	421	97.0	95.2-98.8	15	3.0	1.2- 4.8
65+	767	617,161	750	98.4	97.4-99.4	17	1.6	0.6- 2.6
Less Than H.S.	180	310,082	173	94.4	87.1- 100	7	5.6	0.0-12.9
H.S. or G.E.D.	712	782,243	689	97.2	95.8-98.6	23	2.8	1.4- 4.2
Some Post-H.S.	615	782,063	588	94.5	92.0-97.0	27	5.5	3.0- 8.0
College Graduate	797	638,984	746	93.9	91.7-96.1	51	6.1	3.9- 8.3
Less than \$15,000	231	271,184	220	96.0	93.1-98.9	11	4.0	1.1- 6.9
\$15,000- 24,999	365	368,130	352	93.7	87.4- 100	13	6.3	0.0-12.6
\$25,000- 34,999	211	239,488	201	95.5	91.8-99.2	10	4.5	0.8- 8.2
\$35,000- 49,999	274	290,814	267	98.1	95.9- 100	7	1.9	0.0- 4.1
\$50,000- 74,999	289	324,368	277	97.4	95.4-99.4	12	2.6	0.6- 4.6
\$75,000+	546	619,737	500	91.6	88.7-94.5	46	8.4	5.5-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 12: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1304	1,092,258	840	62.1	58.6-65.6	464	37.9	34.4-41.4
Male	554	484,337	353	60.4	54.9-65.9	201	39.6	34.1-45.1
Female	750	607,922	487	63.4	58.7-68.1	263	36.6	31.9-41.3
White/Non-Hisp	1146	949,407	754	63.8	60.1-67.5	392	36.2	32.5-39.9
Black or Afr. Am./Non-Hisp	101	98,211	56	55.3	41.6-69.0	45	44.7	31.0-58.4
65+	1304	1,092,258	840	62.1	58.6-65.6	464	37.9	34.4-41.4
Less Than H.S.	129	179,165	82	61.8	50.8-72.8	47	38.2	27.2-49.2
H.S. or G.E.D.	412	344,548	239	56.7	50.4-63.0	173	43.3	37.0-49.6
Some Post-H.S.	353	340,018	237	64.8	58.3-71.3	116	35.2	28.7-41.7
College Graduate	394	215,630	268	64.8	58.5-71.1	126	35.2	28.9-41.5
Less than \$15,000	106	101,963	65	65.2	53.6-76.8	41	34.8	23.2-46.4
\$15,000- 24,999	229	193,408	137	54.3	45.1-63.5	92	45.7	36.5-54.9
\$25,000- 34,999	141	122,643	90	64.3	53.7-74.9	51	35.7	25.1-46.3
\$35,000- 49,999	173	146,177	125	69.3	59.9-78.7	48	30.7	21.3-40.1
\$50,000- 74,999	145	122,047	92	60.3	49.7-70.9	53	39.7	29.1-50.3
\$75,000+	214	172,882	150	64.5	55.9-73.1	64	35.5	26.9-44.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	554	484,337	353	60.4	54.9-65.9	201	39.6	34.1-45.1
White/Non-Hisp	495	425,014	322	62.1	56.4-67.8	173	37.9	32.2-43.6
65+	554	484,337	353	60.4	54.9-65.9	201	39.6	34.1-45.1
Less Than H.S.	55	82,905	36	66.0	50.3-81.7	19	34.0	18.3-49.7
H.S. or G.E.D.	150	140,820	82	51.1	40.7-61.5	68	48.9	38.5-59.3
Some Post-H.S.	145	131,741	97	64.1	53.9-74.3	48	35.9	25.7-46.1
College Graduate	196	120,695	131	61.4	52.8-70.0	65	38.6	30.0-47.2
\$15,000- 24,999	88	82,360	51	49.0	34.9-63.1	37	51.0	36.9-65.1
\$25,000- 34,999	64	55,572	44	68.0	52.9-83.1	20	32.0	16.9-47.1
\$35,000- 49,999	74	71,461	53	65.3	50.0-80.6	21	34.7	19.4-50.0
\$50,000- 74,999	76	63,280	50	64.9	51.0-78.8	26	35.1	21.2-49.0
\$75,000+	115	94,179	76	57.0	45.0-69.0	39	43.0	31.0-55.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	750	607,922	487	63.4	58.7-68.1	263	36.6	31.9-41.3
White/Non-Hisp	651	524,392	432	65.2	60.5-69.9	219	34.8	30.1-39.5
Black or Afr. Am./Non-Hisp	69	58,454	36	53.9	36.7-71.1	33	46.1	28.9-63.3
65+	750	607,922	487	63.4	58.7-68.1	263	36.6	31.9-41.3
Less Than H.S.	74	96,259	46	58.1	42.8-73.4	28	41.9	26.6-57.2
H.S. or G.E.D.	262	203,727	157	60.6	53.0-68.2	105	39.4	31.8-47.0
Some Post-H.S.	208	208,277	140	65.2	57.0-73.4	68	34.8	26.6-43.0
College Graduate	198	94,935	137	69.0	61.0-77.0	61	31.0	23.0-39.0
Less than \$15,000	68	61,937	40	60.9	46.0-75.8	28	39.1	24.2-54.0
\$15,000- 24,999	141	111,048	86	58.3	46.1-70.5	55	41.7	29.5-53.9
\$25,000- 34,999	77	67,071	46	61.2	46.7-75.7	31	38.8	24.3-53.3
\$35,000- 49,999	99	74,716	72	73.2	62.0-84.4	27	26.8	15.6-38.0
\$50,000- 74,999	69	58,767	42	55.3	39.4-71.2	27	44.7	28.8-60.6
\$75,000+	99	78,703	74	73.5	61.9-85.1	25	26.5	14.9-38.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1253	1,043,010	924	73.9	70.8-77.0	329	26.1	23.0-29.2
Male	530	455,968	367	70.1	65.0-75.2	163	29.9	24.8-35.0
Female	723	587,043	557	76.9	72.8-81.0	166	23.1	19.0-27.2
White/Non-Hisp	1102	908,839	819	75.0	71.7-78.3	283	25.0	21.7-28.3
Black or Afr. Am./Non-Hisp	95	89,987	68	65.6	51.7-79.5	27	34.4	20.5-48.3
65+	1253	1,043,010	924	73.9	70.8-77.0	329	26.1	23.0-29.2
Less Than H.S.	129	177,201	93	71.4	61.4-81.4	36	28.6	18.6-38.6
H.S. or G.E.D.	394	328,715	282	70.5	64.6-76.4	112	29.5	23.6-35.4
Some Post-H.S.	338	320,978	250	76.5	71.0-82.0	88	23.5	18.0-29.0
College Graduate	376	203,218	285	77.0	71.7-82.3	91	23.0	17.7-28.3
Less than \$15,000	104	99,447	70	55.1	42.2-68.0	34	44.9	32.0-57.8
\$15,000- 24,999	218	184,320	154	71.9	63.9-79.9	64	28.1	20.1-36.1
\$25,000- 34,999	135	116,588	106	83.3	75.3-91.3	29	16.7	8.7-24.7
\$35,000- 49,999	169	139,544	125	77.7	70.1-85.3	44	22.3	14.7-29.9
\$50,000- 74,999	142	119,273	109	75.4	66.2-84.6	33	24.6	15.4-33.8
\$75,000+	203	162,415	151	74.8	66.8-82.8	52	25.2	17.2-33.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	530	455,968	367	70.1	65.0-75.2	163	29.9	24.8-35.0
White/Non-Hisp	474	402,142	336	72.9	67.8-78.0	138	27.1	22.0-32.2
65+	530	455,968	367	70.1	65.0-75.2	163	29.9	24.8-35.0
Less Than H.S.	54	80,754	39	73.8	59.7-87.9	15	26.2	12.1-40.3
H.S. or G.E.D.	145	132,437	93	63.7	53.7-73.7	52	36.3	26.3-46.3
Some Post-H.S.	135	121,443	95	71.9	62.1-81.7	40	28.1	18.3-37.9
College Graduate	188	113,158	133	71.7	63.9-79.5	55	28.3	20.5-36.1
\$15,000- 24,999	86	81,643	55	65.1	52.0-78.2	31	34.9	21.8-48.0
\$25,000- 34,999	62	54,274	49	84.0	73.8-94.2	13	16.0	5.8-26.2
\$35,000- 49,999	71	65,202	51	76.7	65.1-88.3	20	23.3	11.7-34.9
\$50,000- 74,999	74	61,275	59	79.1	66.9-91.3	15	20.9	8.7-33.1
\$75,000+	107	85,912	70	66.1	53.9-78.3	37	33.9	21.7-46.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	723	587,043	557	76.9	72.8-81.0	166	23.1	19.0-27.2
White/Non-Hisp	628	506,697	483	76.7	72.2-81.2	145	23.3	18.8-27.8
Black or Afr. Am./Non-Hisp	65	55,271	51	76.2	61.3-91.1	14	23.8	8.9-38.7
65+	723	587,043	557	76.9	72.8-81.0	166	23.1	19.0-27.2
Less Than H.S.	75	96,447	54	69.3	55.6-83.0	21	30.7	17.0-44.4
H.S. or G.E.D.	249	196,278	189	75.1	68.0-82.2	60	24.9	17.8-32.0
Some Post-H.S.	203	199,534	155	79.4	72.7-86.1	48	20.6	13.9-27.3
College Graduate	188	90,060	152	83.7	77.2-90.2	36	16.3	9.8-22.8
Less than \$15,000	67	61,573	47	58.7	42.4-75.0	20	41.3	25.0-57.6
\$15,000- 24,999	132	102,677	99	77.3	67.7-86.9	33	22.7	13.1-32.3
\$25,000- 34,999	73	62,313	57	82.7	70.9-94.5	16	17.3	5.5-29.1
\$35,000- 49,999	98	74,342	74	78.6	68.6-88.6	24	21.4	11.4-31.4
\$50,000- 74,999	68	57,998	50	71.5	57.8-85.2	18	28.5	14.8-42.2
\$75,000+	96	76,503	81	84.5	75.5-93.5	15	15.5	6.5-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	132
2	MALES ONLY	133
3	FEMALES ONLY	134
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	135
5	MALES ONLY	136
6	FEMALES ONLY	137
	DRINKING AND DRIVING (_DRNKDRV)	
7	MALES AND FEMALES	138
8	MALES ONLY	139
9	FEMALES ONLY	140

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4258	4,899,269	4030	94.0	92.8-95.2	228	6.0	4.8- 7.2
Male	1911	2,327,277	1774	92.1	90.3-93.9	137	7.9	6.1- 9.7
Female	2347	2,571,992	2256	95.8	94.4-97.2	91	4.2	2.8- 5.6
White/Non-Hisp	3455	3,632,987	3285	94.6	93.4-95.8	170	5.4	4.2- 6.6
Black or Afr. Am./Non-Hisp	418	739,206	390	93.4	90.3-96.5	28	6.6	3.5- 9.7
Oth. Race/Non-Hisp.	117	116,829	111	96.1	92.4-99.8	6	3.9	0.2- 7.6
MultiRacial/Non-Hisp.	69	56,102	63	91.2	81.6- 100	6	8.8	0.0-18.4
Hispanic	125	251,119	113	89.8	81.2-98.4	12	10.2	1.6-18.8
18-24	310	573,264	286	88.0	81.7-94.3	24	12.0	5.7-18.3
25-34	537	853,206	507	94.3	91.8-96.8	30	5.7	3.2- 8.2
35-44	588	769,307	559	94.5	91.8-97.2	29	5.5	2.8- 8.2
45-54	703	779,589	676	96.4	94.6-98.2	27	3.6	1.8- 5.4
55-64	805	823,286	764	95.8	93.8-97.8	41	4.2	2.2- 6.2
65+	1315	1,100,617	1238	93.7	91.9-95.5	77	6.3	4.5- 8.1
Less Than H.S.	335	602,873	297	87.8	81.9-93.7	38	12.2	6.3-18.1
H.S. or G.E.D.	1314	1,578,442	1231	93.5	91.5-95.5	83	6.5	4.5- 8.5
Some Post-H.S.	1077	1,419,442	1009	93.9	91.9-95.9	68	6.1	4.1- 8.1
College Graduate	1483	1,236,026	1445	97.6	96.6-98.6	38	2.4	1.4- 3.4
Less than \$15,000	377	456,558	352	93.6	89.7-97.5	25	6.4	2.5-10.3
\$15,000- 24,999	608	694,316	556	88.7	83.8-93.6	52	11.3	6.4-16.2
\$25,000- 34,999	364	416,645	343	93.4	89.3-97.5	21	6.6	2.5-10.7
\$35,000- 49,999	512	607,547	476	92.3	89.0-95.6	36	7.7	4.4-11.0
\$50,000- 74,999	559	656,566	537	95.5	92.8-98.2	22	4.5	1.8- 7.2
\$75,000+	1143	1,323,378	1097	96.0	94.4-97.6	46	4.0	2.4- 5.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1911	2,327,277	1774	92.1	90.3-93.9	137	7.9	6.1- 9.7
White/Non-Hisp	1564	1,719,014	1456	92.5	90.5-94.5	108	7.5	5.5- 9.5
Black or Afr. Am./Non-Hisp	147	303,817	137	93.9	89.2-98.6	10	6.1	1.4-10.8
Oth. Race/Non-Hisp.	66	65,093	64	98.2	95.5- 100	2	1.8	0.0- 4.5
Hispanic	64	150,702	56	87.3	74.0- 100	8	12.7	0.0-26.0
18-24	162	292,168	149	86.1	77.1-95.1	13	13.9	4.9-22.9
25-34	250	407,753	232	93.1	89.2-97.0	18	6.9	3.0-10.8
35-44	269	382,210	251	92.6	88.1-97.1	18	7.4	2.9-11.9
45-54	319	368,814	305	96.7	94.5-98.9	14	3.3	1.1- 5.5
55-64	362	395,477	332	92.9	89.2-96.6	30	7.1	3.4-10.8
65+	549	480,855	505	90.0	86.5-93.5	44	10.0	6.5-13.5
Less Than H.S.	155	292,133	129	82.9	74.1-91.7	26	17.1	8.3-25.9
H.S. or G.E.D.	603	789,716	552	91.7	88.6-94.8	51	8.3	5.2-11.4
Some Post-H.S.	455	625,824	419	91.8	88.5-95.1	36	8.2	4.9-11.5
College Graduate	675	583,925	651	96.9	95.5-98.3	24	3.1	1.7- 4.5
Less than \$15,000	141	179,211	129	92.4	85.3-99.5	12	7.6	0.5-14.7
\$15,000- 24,999	243	317,866	217	86.3	79.0-93.6	26	13.7	6.4-21.0
\$25,000- 34,999	149	175,179	140	93.3	86.8-99.8	9	6.7	0.2-13.2
\$35,000- 49,999	236	312,031	213	88.9	83.4-94.4	23	11.1	5.6-16.6
\$50,000- 74,999	270	333,223	252	93.1	88.2-98.0	18	6.9	2.0-11.8
\$75,000+	593	701,667	556	93.6	90.9-96.3	37	6.4	3.7- 9.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2347	2,571,992	2256	95.8	94.4-97.2	91	4.2	2.8- 5.6
White/Non-Hisp	1891	1,913,973	1829	96.5	94.9-98.1	62	3.5	1.9- 5.1
Black or Afr. Am./Non-Hisp	271	435,389	253	93.0	88.7-97.3	18	7.0	2.7-11.3
Oth. Race/Non-Hisp.	51	51,736	47	93.6	86.0- 100	4	6.4	0.0-14.0
Hispanic	61	100,417	57	93.4	86.5- 100	4	6.6	0.0-13.5
18-24	148	281,097	137	90.0	81.2-98.8	11	10.0	1.2-18.8
25-34	287	445,453	275	95.5	92.2-98.8	12	4.5	1.2- 7.8
35-44	319	387,097	308	96.3	93.4-99.2	11	3.7	0.8- 6.6
45-54	384	410,775	371	96.1	93.2-99.0	13	3.9	1.0- 6.8
55-64	443	427,809	432	98.5	97.5-99.5	11	1.5	0.5- 2.5
65+	766	619,762	733	96.5	95.1-97.9	33	3.5	2.1- 4.9
Less Than H.S.	180	310,740	168	92.5	85.1-99.9	12	7.5	0.1-14.9
H.S. or G.E.D.	711	788,726	679	95.3	92.9-97.7	32	4.7	2.3- 7.1
Some Post-H.S.	622	793,619	590	95.6	93.6-97.6	32	4.4	2.4- 6.4
College Graduate	808	652,101	794	98.2	96.8-99.6	14	1.8	0.4- 3.2
Less than \$15,000	236	277,347	223	94.4	90.1-98.7	13	5.6	1.3- 9.9
\$15,000- 24,999	365	376,451	339	90.7	84.2-97.2	26	9.3	2.8-15.8
\$25,000- 34,999	215	241,466	203	93.4	88.1-98.7	12	6.6	1.3-11.9
\$35,000- 49,999	276	295,517	263	95.8	92.7-98.9	13	4.2	1.1- 7.3
\$50,000- 74,999	289	323,344	285	98.1	96.1- 100	4	1.9	0.0- 3.9
\$75,000+	550	621,711	541	98.7	97.5-99.9	9	1.3	0.1- 2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 14: SEATBELT USE

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4258	4,899,269	3758	87.1	85.5-88.7	500	12.9	11.3-14.5
Male	1911	2,327,277	1610	83.0	80.5-85.5	301	17.0	14.5-19.5
Female	2347	2,571,992	2148	90.7	88.9-92.5	199	9.3	7.5-11.1
White/Non-Hisp	3455	3,632,987	3058	87.5	85.9-89.1	397	12.5	10.9-14.1
Black or Afr. Am./Non-Hisp	418	739,206	364	86.9	82.4-91.4	54	13.1	8.6-17.6
Oth. Race/Non-Hisp.	117	116,829	107	91.0	84.3-97.7	10	9.0	2.3-15.7
MultiRacial/Non-Hisp.	69	56,102	57	82.9	71.7-94.1	12	17.1	5.9-28.3
Hispanic	125	251,119	106	80.9	69.9-91.9	19	19.1	8.1-30.1
18-24	310	573,264	256	79.5	72.6-86.4	54	20.5	13.6-27.4
25-34	537	853,206	461	83.0	78.3-87.7	76	17.0	12.3-21.7
35-44	588	769,307	505	85.7	82.0-89.4	83	14.3	10.6-18.0
45-54	703	779,589	631	90.5	87.8-93.2	72	9.5	6.8-12.2
55-64	805	823,286	727	92.4	90.0-94.8	78	7.6	5.2-10.0
65+	1315	1,100,617	1178	88.7	86.2-91.2	137	11.3	8.8-13.8
Less Than H.S.	335	602,873	280	80.4	73.5-87.3	55	19.6	12.7-26.5
H.S. or G.E.D.	1314	1,578,442	1122	86.4	83.9-88.9	192	13.6	11.1-16.1
Some Post-H.S.	1077	1,419,442	942	85.4	82.3-88.5	135	14.6	11.5-17.7
College Graduate	1483	1,236,026	1366	92.3	90.5-94.1	117	7.7	5.9-9.5
Less than \$15,000	377	456,558	323	86.7	81.8-91.6	54	13.3	8.4-18.2
\$15,000- 24,999	608	694,316	520	84.1	79.0-89.2	88	15.9	10.8-21.0
\$25,000- 34,999	364	416,645	319	85.0	79.5-90.5	45	15.0	9.5-20.5
\$35,000- 49,999	512	607,547	439	83.1	78.4-87.8	73	16.9	12.2-21.6
\$50,000- 74,999	559	656,566	507	90.8	87.5-94.1	52	9.2	5.9-12.5
\$75,000+	1143	1,323,378	1028	87.6	84.5-90.7	115	12.4	9.3-15.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1911	2,327,277	1610	83.0	80.5-85.5	301	17.0	14.5-19.5
White/Non-Hisp	1564	1,719,014	1318	83.4	80.9-85.9	246	16.6	14.1-19.1
Black or Afr. Am./Non-Hisp	147	303,817	127	86.4	79.3-93.5	20	13.6	6.5-20.7
Oth. Race/Non-Hisp.	66	65,093	61	90.4	80.4- 100	5	9.6	0.0-19.6
Hispanic	64	150,702	49	72.6	55.9-89.3	15	27.4	10.7-44.1
18-24	162	292,168	132	77.2	67.8-86.6	30	22.8	13.4-32.2
25-34	250	407,753	208	77.8	70.0-85.6	42	22.2	14.4-30.0
35-44	269	382,210	215	81.0	74.9-87.1	54	19.0	12.9-25.1
45-54	319	368,814	277	89.5	85.6-93.4	42	10.5	6.6-14.4
55-64	362	395,477	307	88.0	83.7-92.3	55	12.0	7.7-16.3
65+	549	480,855	471	83.4	78.9-87.9	78	16.6	12.1-21.1
Less Than H.S.	155	292,133	118	70.3	59.7-80.9	37	29.7	19.1-40.3
H.S. or G.E.D.	603	789,716	483	82.9	79.0-86.8	120	17.1	13.2-21.0
Some Post-H.S.	455	625,824	385	82.1	77.0-87.2	70	17.9	12.8-23.0
College Graduate	675	583,925	601	89.4	86.5-92.3	74	10.6	7.7-13.5
Less than \$15,000	141	179,211	111	85.3	77.5-93.1	30	14.7	6.9-22.5
\$15,000- 24,999	243	317,866	201	79.8	72.0-87.6	42	20.2	12.4-28.0
\$25,000- 34,999	149	175,179	130	85.3	76.7-93.9	19	14.7	6.1-23.3
\$35,000- 49,999	236	312,031	184	74.1	66.3-81.9	52	25.9	18.1-33.7
\$50,000- 74,999	270	333,223	234	85.4	79.3-91.5	36	14.6	8.5-20.7
\$75,000+	593	701,667	507	84.2	79.5-88.9	86	15.8	11.1-20.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2347	2,571,992	2148	90.7	88.9-92.5	199	9.3	7.5-11.1
White/Non-Hisp	1891	1,913,973	1740	91.1	89.1-93.1	151	8.9	6.9-10.9
Black or Afr. Am./Non-Hisp	271	435,389	237	87.2	81.5-92.9	34	12.8	7.1-18.5
Oth. Race/Non-Hisp.	51	51,736	46	91.7	83.1- 100	5	8.3	0.0-16.9
Hispanic	61	100,417	57	93.4	86.5- 100	4	6.6	0.0-13.5
18-24	148	281,097	124	81.8	72.0-91.6	24	18.2	8.4-28.0
25-34	287	445,453	253	87.7	82.8-92.6	34	12.3	7.4-17.2
35-44	319	387,097	290	90.2	85.7-94.7	29	9.8	5.3-14.3
45-54	384	410,775	354	91.4	87.5-95.3	30	8.6	4.7-12.5
55-64	443	427,809	420	96.5	94.7-98.3	23	3.5	1.7- 5.3
65+	766	619,762	707	92.9	90.5-95.3	59	7.1	4.7- 9.5
Less Than H.S.	180	310,740	162	90.0	82.2-97.8	18	10.0	2.2-17.8
H.S. or G.E.D.	711	788,726	639	90.0	86.9-93.1	72	10.0	6.9-13.1
Some Post-H.S.	622	793,619	557	88.0	84.5-91.5	65	12.0	8.5-15.5
College Graduate	808	652,101	765	94.9	92.9-96.9	43	5.1	3.1- 7.1
Less than \$15,000	236	277,347	212	87.5	81.0-94.0	24	12.5	6.0-19.0
\$15,000- 24,999	365	376,451	319	87.6	81.1-94.1	46	12.4	5.9-18.9
\$25,000- 34,999	215	241,466	189	84.7	77.3-92.1	26	15.3	7.9-22.7
\$35,000- 49,999	276	295,517	255	92.7	88.8-96.6	21	7.3	3.4-11.2
\$50,000- 74,999	289	323,344	273	96.5	94.3-98.7	16	3.5	1.3- 5.7
\$75,000+	550	621,711	521	91.4	87.7-95.1	29	8.6	4.9-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 7: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1870	2,297,378	38	1.9	1.1- 2.7	1832	98.1	97.3-98.9
Male	973	1,265,716	29	2.7	1.5- 3.9	944	97.3	96.1-98.5
Female	897	1,031,662	9	1.0	0.2- 1.8	888	99.0	98.2-99.8
White/Non-Hisp	1492	1,660,935	31	1.9	1.1- 2.7	1461	98.1	97.3-98.9
Black or Afr. Am./Non-Hisp	197	381,924	2	0.5	0.0- 1.3	195	99.5	98.7- 100
Oth. Race/Non-Hisp.	55	52,153	1	0.7	0.0- 2.1	54	99.3	97.9- 100
Hispanic	61	112,887	3	6.8	0.0-15.2	58	93.2	84.8- 100
18-24	155	281,242	4	1.1	0.0- 2.3	151	98.9	97.7- 100
25-34	328	522,210	13	3.1	1.1- 5.1	315	96.9	94.9-98.9
35-44	322	425,543	7	2.7	0.2- 5.2	315	97.3	94.8-99.8
45-54	349	384,827	10	2.4	0.4- 4.4	339	97.6	95.6-99.6
55-64	319	325,286	4	1.2	0.0- 2.4	315	98.8	97.6- 100
65+	397	358,270				397	100.0	100.0- 100
Less Than H.S.	91	203,270	3	4.3	0.0- 9.4	88	95.7	90.6- 100
H.S. or G.E.D.	445	593,253	8	1.7	0.5- 2.9	437	98.3	97.1-99.5
Some Post-H.S.	477	697,344	9	1.7	0.3- 3.1	468	98.3	96.9-99.7
College Graduate	834	772,628	18	1.7	0.7- 2.7	816	98.3	97.3-99.3
Less than \$15,000	106	146,045	4	2.1	0.0- 4.5	102	97.9	95.5- 100
\$15,000- 24,999	219	288,106	5	2.3	0.1- 4.5	214	97.7	95.5-99.9
\$25,000- 34,999	137	156,641	3	1.0	0.0- 2.2	134	99.0	97.8- 100
\$35,000- 49,999	223	294,794	2	0.7	0.0- 1.7	221	99.3	98.3- 100
\$50,000- 74,999	280	349,216	6	3.6	0.3- 6.9	274	96.4	93.1-99.7
\$75,000+	690	821,673	16	1.7	0.7- 2.7	674	98.3	97.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 8: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	973	1,265,716	29	2.7	1.5- 3.9	944	97.3	96.1-98.5
White/Non-Hisp	787	905,809	26	3.0	1.6- 4.4	761	97.0	95.6-98.4
Black or Afr. Am./Non-Hisp	78	183,967				78	100.0	100.0- 100
18-24	87	159,921	2	1.3	0.0- 3.1	85	98.7	96.9- 100
25-34	166	279,990	11	5.0	1.5- 8.5	155	95.0	91.5-98.5
35-44	170	237,804	6	3.7	0.0- 7.6	164	96.3	92.4- 100
45-54	187	218,226	7	3.0	0.3- 5.7	180	97.0	94.3-99.7
55-64	162	182,361	3	1.4	0.0- 3.2	159	98.6	96.8- 100
65+	201	187,415				201	100.0	100.0- 100
Less Than H.S.	57	126,678	2	4.8	0.0-11.7	55	95.2	88.3- 100
H.S. or G.E.D.	259	382,679	6	1.8	0.2- 3.4	253	98.2	96.6-99.8
Some Post-H.S.	245	351,960	8	3.0	0.5- 5.5	237	97.0	94.5-99.5
College Graduate	401	389,477	13	2.6	1.0- 4.2	388	97.4	95.8-99.0
Less than \$15,000	52	74,530	4	4.1	0.0- 8.8	48	95.9	91.2- 100
\$15,000- 24,999	101	152,621	2	1.7	0.0- 4.2	99	98.3	95.8- 100
\$25,000- 34,999	58	69,931	2	1.1	0.0- 2.7	56	98.9	97.3- 100
\$35,000- 49,999	122	178,481	1	0.4	0.0- 1.2	121	99.6	98.8- 100
\$50,000- 74,999	155	207,755	6	6.0	0.5-11.5	149	94.0	88.5-99.5
\$75,000+	378	462,408	13	2.9	1.1- 4.7	365	97.1	95.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 14: SEATBELT USE**

TABLE 9: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	897	1,031,662	9	1.0	0.2- 1.8	888	99.0	98.2-99.8
White/Non-Hisp	705	755,126	5	0.6	0.0- 1.2	700	99.4	98.8- 100
Black or Afr. Am./Non-Hisp	119	197,958	2	1.0	0.0- 2.4	117	99.0	97.6- 100
18-24	68	121,321	2	0.9	0.0- 2.5	66	99.1	97.5- 100
25-34	162	242,220	2	0.9	0.0- 2.3	160	99.1	97.7- 100
35-44	152	187,739	1	1.4	0.0- 4.1	151	98.6	95.9- 100
45-54	162	166,602	3	1.6	0.0- 4.0	159	98.4	96.0- 100
55-64	157	142,926	1	0.8	0.0- 2.4	156	99.2	97.6- 100
65+	196	170,854				196	100.0	100.0- 100
H.S. or G.E.D.	186	210,574	2	1.4	0.0- 3.4	184	98.6	96.6- 100
Some Post-H.S.	232	345,384	1	0.4	0.0- 1.2	231	99.6	98.8- 100
College Graduate	433	383,150	5	0.8	0.0- 1.8	428	99.2	98.2- 100
Less than \$15,000	54	71,515				54	100.0	100.0- 100
\$15,000- 24,999	118	135,485	3	3.0	0.0- 6.5	115	97.0	93.5- 100
\$25,000- 34,999	79	86,710	1	0.9	0.0- 2.7	78	99.1	97.3- 100
\$35,000- 49,999	101	116,313	1	1.3	0.0- 3.8	100	98.7	96.2- 100
\$50,000- 74,999	125	141,462				125	100.0	100.0- 100
\$75,000+	312	359,265	3	0.3	0.0- 0.7	309	99.7	99.3- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)	
1	FEMALES ONLY	142
	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)	
2	FEMALES ONLY	143
	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP35)	
3	FEMALES ONLY	144

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1670	1,580,676	1201	72.0	69.1-74.9	469	28.0	25.1-30.9
White/Non-Hisp	1393	1,243,477	1002	71.8	68.7-74.9	391	28.2	25.1-31.3
Black or Afr. Am./Non-Hisp	175	230,475	136	76.8	67.6-86.0	39	23.2	14.0-32.4
40-44	158	190,504	75	51.3	41.3-61.3	83	48.7	38.7-58.7
45-54	352	378,666	238	69.4	62.9-75.9	114	30.6	24.1-37.1
55-64	433	416,157	339	78.0	72.7-83.3	94	22.0	16.7-27.3
65+	727	595,349	549	76.0	71.9-80.1	178	24.0	19.9-28.1
Less Than H.S.	143	213,232	99	66.7	55.9-77.5	44	33.3	22.5-44.1
H.S. or G.E.D.	499	465,482	335	68.9	63.8-74.0	164	31.1	26.0-36.2
Some Post-H.S.	448	503,580	327	72.9	67.6-78.2	121	27.1	21.8-32.4
College Graduate	559	381,114	429	78.9	74.6-83.2	130	21.1	16.8-25.4
Less than \$15,000	169	158,550	107	62.2	51.8-72.6	62	37.8	27.4-48.2
\$15,000- 24,999	254	231,543	151	62.4	54.0-70.8	103	37.6	29.2-46.0
\$25,000- 34,999	151	143,850	107	69.8	58.8-80.8	44	30.2	19.2-41.2
\$35,000- 49,999	190	172,718	143	75.5	67.7-83.3	47	24.5	16.7-32.3
\$50,000- 74,999	197	190,134	142	72.8	64.4-81.2	55	27.2	18.8-35.6
\$75,000+	395	388,116	318	80.3	75.4-85.2	77	19.7	14.8-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1055	970,939	818	77.3	73.8-80.8	237	22.7	19.2-26.2
White/Non-Hisp	883	777,195	694	78.6	75.1-82.1	189	21.4	17.9-24.9
Black or Afr. Am./Non-Hisp	111	136,091	90	79.0	67.8-90.2	21	21.0	9.8-32.2
50-54	188	212,776	125	68.9	59.7-78.1	63	31.1	21.9-40.3
55-64	433	416,157	339	78.0	72.7-83.3	94	22.0	16.7-27.3
65+	434	342,006	354	81.7	77.0-86.4	80	18.3	13.6-23.0
Less Than H.S.	89	131,717	62	65.4	50.9-79.9	27	34.6	20.1-49.1
H.S. or G.E.D.	305	283,420	226	75.8	69.9-81.7	79	24.2	18.3-30.1
Some Post-H.S.	306	320,740	238	79.2	73.7-84.7	68	20.8	15.3-26.3
College Graduate	343	228,033	286	84.7	80.0-89.4	57	15.3	10.6-20.0
Less than \$15,000	107	86,538	76	70.5	58.9-82.1	31	29.5	17.9-41.1
\$15,000- 24,999	160	149,092	108	66.8	56.0-77.6	52	33.2	22.4-44.0
\$25,000- 34,999	91	81,396	67	71.4	56.9-85.9	24	28.6	14.1-43.1
\$35,000- 49,999	135	121,487	109	83.8	76.7-90.9	26	16.2	9.1-23.3
\$50,000- 74,999	124	120,518	97	76.3	65.3-87.3	27	23.7	12.7-34.7
\$75,000+	257	247,877	220	84.5	78.8-90.2	37	15.5	9.8-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP35)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1132	1,391,221	887	78.1	74.8-81.4	245	21.9	18.6-25.2
White/Non-Hisp	882	978,976	693	77.0	73.1-80.9	189	23.0	19.1-26.9
Black or Afr. Am./Non-Hisp	142	259,416	119	84.4	76.8-92.0	23	15.6	8.0-23.2
18-24	90	155,075	59	63.7	48.4-79.0	31	36.3	21.0-51.6
25-34	251	385,001	215	85.4	80.1-90.7	36	14.6	9.3-19.9
35-44	260	317,305	204	78.4	72.1-84.7	56	21.6	15.3-27.9
45-54	252	260,097	196	77.5	71.0-84.0	56	22.5	16.0-29.0
55-64	254	258,180	199	76.7	69.6-83.8	55	23.3	16.2-30.4
Less Than H.S.	54	122,951	31	59.9	41.1-78.7	23	40.1	21.3-58.9
H.S. or G.E.D.	304	394,736	224	76.1	70.2-82.0	80	23.9	18.0-29.8
Some Post-H.S.	280	409,863	218	79.2	73.1-85.3	62	20.8	14.7-26.9
College Graduate	480	443,283	407	85.1	81.2-89.0	73	14.9	11.0-18.8
Less than \$15,000	95	124,881	68	79.4	69.4-89.4	27	20.6	10.6-30.6
\$15,000- 24,999	171	199,007	117	70.0	58.8-81.2	54	30.0	18.8-41.2
\$25,000- 34,999	91	119,998	75	75.7	62.6-88.8	16	24.3	11.2-37.4
\$35,000- 49,999	137	171,872	99	72.0	62.2-81.8	38	28.0	18.2-37.8
\$50,000- 74,999	155	186,249	126	81.3	73.3-89.3	29	18.7	10.7-26.7
\$75,000+	350	439,762	307	86.0	81.3-90.7	43	14.0	9.3-18.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA23)	
1 MALES ONLY	146

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA23)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1218	1,297,095	457	32.9	29.6-36.2	761	67.1	63.8-70.4
White/Non-Hisp	1022	1,013,621	410	36.7	33.0-40.4	612	63.3	59.6-67.0
Black or Afr. Am./Non-Hisp	96	165,576	26	22.7	12.3-33.1	70	77.3	66.9-87.7
40-44	129	191,464	9	7.1	0.6-13.6	120	92.9	86.4-99.4
45-54	280	320,606	58	20.2	14.7-25.7	222	79.8	74.3-85.3
55-64	326	359,318	143	41.7	34.8-48.6	183	58.3	51.4-65.2
65+	483	425,706	247	46.7	41.0-52.4	236	53.3	47.6-59.0
Less Than H.S.	118	194,711	16	10.0	4.3-15.7	102	90.0	84.3-95.7
H.S. or G.E.D.	353	400,712	110	27.1	21.6-32.6	243	72.9	67.4-78.4
Some Post-H.S.	293	348,420	100	34.2	27.3-41.1	193	65.8	58.9-72.7
College Graduate	436	328,621	220	50.8	44.7-56.9	216	49.2	43.1-55.3
Less than \$15,000	97	99,049	11	11.0	3.7-18.3	86	89.0	81.7-96.3
\$15,000- 24,999	165	194,799	39	17.1	10.8-23.4	126	82.9	76.6-89.2
\$25,000- 34,999	93	86,241	31	33.3	20.2-46.4	62	66.7	53.6-79.8
\$35,000- 49,999	135	158,469	54	35.6	25.6-45.6	81	64.4	54.4-74.4
\$50,000- 74,999	159	178,042	65	30.4	21.2-39.6	94	69.6	60.4-78.8
\$75,000+	397	411,598	180	43.5	37.2-49.8	217	56.5	50.2-62.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)	
1	MALES AND FEMALES	149
2	MALES ONLY	150
3	FEMALES ONLY	151
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)	
4	MALES AND FEMALES	152
5	MALES ONLY	153
6	FEMALES ONLY	154
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)	
7	MALES AND FEMALES	155
8	MALES ONLY	156
9	FEMALES ONLY	157
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLDS4)	
10	MALES AND FEMALES	158
11	MALES ONLY	159
12	FEMALES ONLY	160
	RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)	
13	MALES AND FEMALES	161
14	MALES ONLY	162
15	FEMALES ONLY	163
	RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)	
16	MALES AND FEMALES	164
17	MALES ONLY	165
18	FEMALES ONLY	166
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)	
19	MALES AND FEMALES	167
20	MALES ONLY	168
21	FEMALES ONLY	169
	RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)	
22	MALES AND FEMALES	170

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
23	MALES ONLY	171
24	FEMALES ONLY	172

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1950	1,881,855	1320	67.3	64.4-70.2	127	5.3	4.1- 6.5	503	27.4	24.7-30.1
Male	870	892,161	574	66.9	62.8-71.0	57	4.8	3.2- 6.4	239	28.3	24.2-32.4
Female	1080	989,694	746	67.7	63.8-71.6	70	5.7	3.9- 7.5	264	26.6	22.9-30.3
White/Non-Hisp	1642	1,502,519	1117	68.3	65.4-71.2	106	5.5	4.1- 6.9	419	26.2	23.3-29.1
Black or Afr. Am./Non-Hisp	183	257,263	136	71.4	61.8-81.0	7	1.6	0.0- 3.4	40	26.9	17.3-36.5
50-54	343	405,476	138	42.8	35.7-49.9	21	5.0	1.9- 8.1	184	52.2	44.9-59.5
55-64	776	794,909	547	70.7	66.4-75.0	49	5.0	3.4- 6.6	180	24.3	20.0-28.6
65+	831	681,470	635	77.9	74.2-81.6	57	5.8	3.8- 7.8	139	16.3	13.0-19.6
Less Than H.S.	183	272,834	106	59.3	49.5-69.1	12	4.9	1.4- 8.4	65	35.7	26.1-45.3
H.S. or G.E.D.	581	587,516	382	66.5	61.4-71.6	37	4.1	2.3- 5.9	162	29.4	24.3-34.5
Some Post-H.S.	521	560,161	346	67.1	61.8-72.4	29	5.4	2.9- 7.9	146	27.5	22.4-32.6
College Graduate	641	439,149	472	74.8	70.5-79.1	48	6.8	4.4- 9.2	121	18.4	14.7-22.1
Less than \$15,000	196	181,171	116	64.8	55.8-73.8	15	4.0	1.5- 6.5	65	31.2	22.4-40.0
\$15,000- 24,999	293	279,909	169	60.0	52.4-67.6	28	7.5	3.8-11.2	96	32.5	25.1-39.9
\$25,000- 34,999	158	144,692	103	56.2	44.4-68.0	9	4.5	1.4- 7.6	46	39.4	27.2-51.6
\$35,000- 49,999	231	227,639	161	71.3	63.5-79.1	17	8.0	3.3-12.7	53	20.6	13.7-27.5
\$50,000- 74,999	238	243,104	175	66.9	58.1-75.7	11	4.6	1.3- 7.9	52	28.5	19.9-37.1
\$75,000+	520	518,516	372	69.6	64.3-74.9	32	5.3	2.9- 7.7	116	25.1	20.0-30.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	870	892,161	574	66.9	62.8-71.0	57	4.8	3.2- 6.4	239	28.3	24.4-32.2
White/Non-Hisp	737	709,248	490	68.7	64.4-73.0	51	5.5	3.5- 7.5	196	25.8	21.9-29.7
Black or Afr. Am./Non-Hisp	69	118,144	48	63.7	48.4-79.0	1	0.7	0.0- 2.1	20	35.6	20.3-50.9
50-54	156	193,750	58	38.4	28.6-48.2	11	5.9	0.8-11.0	87	55.7	45.7-65.7
55-64	346	376,463	245	73.8	67.9-79.7	19	4.1	1.9- 6.3	82	22.1	16.4-27.8
65+	368	321,948	271	75.9	70.4-81.4	27	4.9	2.7- 7.1	70	19.2	13.9-24.5
Less Than H.S.	91	136,968	48	64.0	51.8-76.2	6	5.2	0.0-10.7	37	30.8	19.4-42.2
H.S. or G.E.D.	264	293,418	159	61.2	53.4-69.0	20	4.8	2.1- 7.5	85	34.0	26.4-41.6
Some Post-H.S.	211	236,780	137	67.1	59.3-74.9	7	1.7	0.1- 3.3	67	31.2	23.6-38.8
College Graduate	292	210,881	222	77.3	71.4-83.2	23	7.7	4.0-11.4	47	15.0	10.1-19.9
Less than \$15,000	84	87,988	41	59.5	47.0-72.0	7	4.1	0.2- 8.0	36	36.4	24.1-48.7
\$15,000- 24,999	126	125,705	69	60.5	49.9-71.1	14	8.5	2.2-14.8	43	31.0	21.2-40.8
\$25,000- 34,999	65	61,138	40	54.9	37.1-72.7	2	4.0	0.0- 9.5	23	41.1	23.1-59.1
\$35,000- 49,999	96	107,632	67	70.4	59.8-81.0	7	7.9	1.0-14.8	22	21.6	13.0-30.2
\$50,000- 74,999	109	118,744	85	70.0	57.1-82.9	3	3.4	0.0- 7.5	21	26.6	13.7-39.5
\$75,000+	264	272,302	191	71.2	63.9-78.5	16	4.0	1.6- 6.4	57	24.7	17.4-32.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1080	989,694	746	67.7	63.8-71.6	70	5.7	3.9- 7.5	264	26.6	22.9-30.3
White/Non-Hisp	905	793,271	627	67.9	63.8-72.0	55	5.6	3.6- 7.6	223	26.5	22.6-30.4
Black or Afr. Am./Non-Hisp	114	139,119	88	78.0	66.6-89.4	6	2.4	0.0- 5.3	20	19.6	8.4-30.8
50-54	187	211,727	80	46.9	36.9-56.9	10	4.1	0.6- 7.6	97	49.0	39.0-59.0
55-64	430	418,446	302	68.0	62.1-73.9	30	5.7	3.3- 8.1	98	26.3	20.4-32.2
65+	463	359,522	364	79.7	74.8-84.6	30	6.5	3.4- 9.6	69	13.8	9.7-17.9
Less Than H.S.	92	135,866	58	54.6	40.3-68.9	6	4.7	1.8- 7.6	28	40.7	26.0-55.4
H.S. or G.E.D.	317	294,098	223	71.8	65.5-78.1	17	3.4	1.4- 5.4	77	24.8	18.5-31.1
Some Post-H.S.	310	323,381	209	67.1	60.4-73.8	22	8.1	4.0-12.2	79	24.8	18.7-30.9
College Graduate	349	228,269	250	72.5	66.4-78.6	25	6.0	3.1- 8.9	74	21.6	15.9-27.3
Less than \$15,000	112	93,182	75	69.8	58.8-80.8	8	3.9	0.8- 7.0	29	26.3	15.5-37.1
\$15,000- 24,999	167	154,205	100	59.7	49.1-70.3	14	6.6	2.9-10.3	53	33.7	23.1-44.3
\$25,000- 34,999	93	83,555	63	57.1	41.2-73.0	7	4.8	0.9- 8.7	23	38.1	21.6-54.6
\$35,000- 49,999	135	120,007	94	72.1	62.5-81.7	10	8.1	1.8-14.4	31	19.8	11.8-27.8
\$50,000- 74,999	129	124,361	90	63.9	52.9-74.9	8	5.8	0.7-10.9	31	30.3	19.7-40.9
\$75,000+	256	246,214	181	67.8	60.2-75.4	16	6.7	2.6-10.8	59	25.5	18.1-32.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1842	1,793,986	62	3.4	2.4- 4.4	114	6.6	5.0- 8.2	1666	89.9	87.9-91.9
Male	819	854,197	30	4.2	2.4- 6.0	48	6.3	3.9- 8.7	741	89.5	86.6-92.4
Female	1023	939,789	32	2.7	1.5- 3.9	66	7.0	4.8- 9.2	925	90.3	87.8-92.8
White/Non-Hisp	1552	1,428,712	47	3.0	2.0- 4.0	99	7.1	5.3- 8.9	1406	90.0	87.8-92.2
Black or Afr. Am./Non-Hisp	172	251,121	12	7.0	2.1-11.9	8	4.4	0.1- 8.7	152	88.5	82.2-94.8
50-54	337	402,372	4	2.3	0.0- 4.8	10	3.9	0.8- 7.0	323	93.9	90.0-97.8
55-64	728	758,877	30	4.9	2.9- 6.9	40	6.2	3.7- 8.7	658	88.9	85.8-92.0
65+	777	632,738	28	2.4	1.4- 3.4	64	8.9	6.2-11.6	685	88.7	85.8-91.6
Less Than H.S.	166	259,133	6	2.3	0.3- 4.3	5	3.8	0.0- 7.7	155	93.9	89.6-98.2
H.S. or G.E.D.	539	554,871	16	2.5	0.9- 4.1	31	5.8	3.1- 8.5	492	91.7	88.6-94.8
Some Post-H.S.	490	531,122	20	4.7	2.2- 7.2	37	9.1	5.4-12.8	433	86.2	81.9-90.5
College Graduate	623	426,465	19	4.0	1.8- 6.2	40	6.3	3.9- 8.7	564	89.7	86.6-92.8
Less than \$15,000	178	165,528	6	3.1	0.4- 5.8	8	3.8	0.3- 7.3	164	93.1	88.8-97.4
\$15,000- 24,999	275	267,406	12	6.6	2.5-10.7	14	4.7	1.8- 7.6	249	88.7	83.8-93.6
\$25,000- 34,999	148	133,010	5	1.6	0.0- 3.2	10	6.5	1.2-11.8	133	91.9	86.4-97.4
\$35,000- 49,999	225	225,777	7	2.6	0.4- 4.8	17	10.3	4.2-16.4	201	87.1	80.6-93.6
\$50,000- 74,999	234	239,883	8	4.2	0.3- 8.1	17	10.2	3.7-16.7	209	85.6	78.3-92.9
\$75,000+	497	499,340	8	1.4	0.2- 2.6	32	6.2	3.5- 8.9	457	92.4	89.5-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 5: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	819	854,197	30	4.2	2.4- 6.0	48	6.3	3.9- 8.7	741	89.5	86.8-92.2
White/Non-Hisp	695	675,021	20	3.2	1.6- 4.8	41	6.2	3.7- 8.7	634	90.5	87.8-93.2
Black or Afr. Am./Non-Hisp	62	116,079	7	11.1	1.9-20.3	3	5.5	0.0-13.7	52	83.4	72.0-94.8
50-54	151	191,268	4	4.8	0.0-10.1	7	5.2	0.1-10.3	140	90.0	82.9-97.1
55-64	321	360,112	19	6.3	3.2- 9.4	17	5.7	2.2- 9.2	285	88.0	83.5-92.5
65+	347	302,817	7	1.5	0.3- 2.7	24	7.6	3.7-11.5	316	90.9	86.8-95.0
Less Than H.S.	79	125,450	3	2.7	0.0- 6.0	4	6.3	0.0-13.6	72	90.9	83.1-98.7
H.S. or G.E.D.	241	273,255	7	3.2	0.7- 5.7	11	3.7	0.8- 6.6	223	93.2	89.5-96.9
Some Post-H.S.	201	231,206	10	5.9	1.4-10.4	11	7.5	1.8-13.2	180	86.6	79.7-93.5
College Graduate	287	210,466	10	4.9	1.4- 8.4	21	7.9	4.0-11.8	256	87.2	82.1-92.3
Less than \$15,000	77	82,026	5	5.8	0.5-11.1	3	2.8	0.0- 6.5	69	91.5	85.0-98.0
\$15,000- 24,999	116	119,905	7	9.4	2.3-16.5	6	4.7	0.6- 8.8	103	86.0	78.0-94.0
\$25,000- 34,999	62	58,599				4	5.5	0.0-12.8	58	94.5	87.2- 100
\$35,000- 49,999	92	105,743	1	1.0	0.0- 3.0	7	8.8	1.2-16.4	84	90.2	82.4-98.0
\$50,000- 74,999	105	116,745	5	6.4	0.0-13.8	7	10.1	0.1-20.1	93	83.4	71.6-95.2
\$75,000+	255	265,880	5	1.5	0.0- 3.1	15	6.2	2.1-10.3	235	92.3	88.0-96.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1023	939,789	32	2.7	1.5- 3.9	66	7.0	4.8- 9.2	925	90.3	87.9-92.7
White/Non-Hisp	857	753,691	27	2.7	1.3- 4.1	58	7.8	5.3-10.3	772	89.4	86.7-92.1
Black or Afr. Am./Non-Hisp	110	135,042	5	3.5	0.0- 7.6	5	3.5	0.0- 7.6	100	93.0	87.3-98.7
50-54	186	211,104				3	2.7	0.0- 6.6	183	97.3	93.4- 100
55-64	407	398,765	11	3.7	1.2- 6.2	23	6.7	4.0- 9.4	373	89.7	86.0-93.4
65+	430	329,921	21	3.2	1.4- 5.0	40	10.1	6.0-14.2	369	86.6	82.3-90.9
Less Than H.S.	87	133,683	3	1.8	0.0- 4.2	1	1.5	0.0- 4.4	83	96.6	92.9- 100
H.S. or G.E.D.	298	281,616	9	1.8	0.4- 3.2	20	7.9	3.2-12.6	269	90.3	85.6-95.0
Some Post-H.S.	289	299,916	10	3.7	1.0- 6.4	26	10.4	6.3-14.5	253	85.9	81.0-90.8
College Graduate	336	215,999	9	3.1	0.4- 5.8	19	4.7	2.2- 7.2	308	92.2	88.5-95.9
Less than \$15,000	101	83,503	1	0.4	0.0- 1.2	5	4.9	0.0-10.6	95	94.7	89.0- 100
\$15,000- 24,999	159	147,501	5	4.3	0.0- 9.0	8	4.8	0.7- 8.9	146	90.9	84.8-97.0
\$25,000- 34,999	86	74,411	5	2.8	0.1- 5.5	6	7.3	0.0-14.9	75	89.9	81.9-97.9
\$35,000- 49,999	133	120,034	6	4.1	0.4- 7.8	10	11.6	2.6-20.6	117	84.4	75.0-93.8
\$50,000- 74,999	129	123,138	3	2.1	0.0- 5.0	10	10.3	4.8-15.8	116	87.6	81.3-93.9
\$75,000+	242	233,460	3	1.2	0.0- 2.8	17	6.2	2.7- 9.7	222	92.6	88.9-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1842	1,793,986	91	5.5	3.9- 7.1	85	4.5	3.1- 5.9	1666	89.9	87.9-91.9
Male	819	854,197	42	6.4	4.0- 8.8	36	4.1	2.3- 5.9	741	89.5	86.6-92.4
Female	1023	939,789	49	4.7	2.9- 6.5	49	5.0	3.2- 6.8	925	90.3	87.8-92.8
White/Non-Hisp	1552	1,428,712	70	4.8	3.4- 6.2	76	5.2	3.6- 6.8	1406	90.0	87.8-92.2
Black or Afr. Am./Non-Hisp	172	251,121	15	9.8	3.7-15.9	5	1.6	0.0- 3.6	152	88.5	82.2-94.8
50-54	337	402,372	7	4.5	0.8- 8.2	7	1.7	0.0- 3.5	323	93.9	90.0-97.8
55-64	728	758,877	41	7.2	4.7- 9.7	29	4.0	2.0- 6.0	658	88.9	85.8-92.0
65+	777	632,738	43	4.2	2.6- 5.8	49	7.1	4.6- 9.6	685	88.7	85.8-91.6
Less Than H.S.	166	259,133	8	4.0	0.9- 7.1	3	2.1	0.0- 5.2	155	93.9	89.6-98.2
H.S. or G.E.D.	539	554,871	27	4.8	2.4- 7.2	20	3.4	1.4- 5.4	492	91.7	88.6-94.8
Some Post-H.S.	490	531,122	31	7.6	4.1-11.1	26	6.2	3.3- 9.1	433	86.2	81.9-90.5
College Graduate	623	426,465	24	5.1	2.6- 7.6	35	5.2	3.2- 7.2	564	89.7	86.6-92.8
Less than \$15,000	178	165,528	8	4.7	1.0- 8.4	6	2.2	0.0- 4.4	164	93.1	88.8-97.4
\$15,000- 24,999	275	267,406	19	9.4	4.7-14.1	7	2.0	0.2- 3.8	249	88.7	83.8-93.6
\$25,000- 34,999	148	133,010	6	2.0	0.2- 3.8	9	6.1	0.8-11.4	133	91.9	86.4-97.4
\$35,000- 49,999	225	225,777	11	5.7	1.0-10.4	13	7.2	2.5-11.9	201	87.1	80.6-93.6
\$50,000- 74,999	234	239,883	12	7.1	1.6-12.6	13	7.3	2.0-12.6	209	85.6	78.3-92.9
\$75,000+	497	499,340	14	3.3	1.1- 5.5	26	4.3	2.3- 6.3	457	92.4	89.5-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	819	854,197	42	6.4	4.0- 8.8	36	4.1	2.3- 5.9	741	89.5	86.8-92.2
White/Non-Hisp	695	675,021	28	4.7	2.5- 6.9	33	4.7	2.5- 6.9	634	90.5	87.8-93.2
Black or Afr. Am./Non-Hisp	62	116,079	9	15.3	3.7-26.9	1	1.4	0.0- 4.1	52	83.4	72.0-94.8
50-54	151	191,268	5	6.6	0.3-12.9	6	3.4	0.0- 7.1	140	90.0	82.9-97.1
55-64	321	360,112	25	9.1	4.8-13.4	11	2.9	0.9- 4.9	285	88.0	83.5-92.5
65+	347	302,817	12	3.1	0.7- 5.5	19	6.0	2.5- 9.5	316	90.9	86.8-95.0
Less Than H.S.	79	125,450	4	4.7	0.0- 9.8	3	4.4	0.0-10.9	72	90.9	83.1-98.7
H.S. or G.E.D.	241	273,255	10	3.8	1.1- 6.5	8	3.0	0.3- 5.7	223	93.2	89.5-96.9
Some Post-H.S.	201	231,206	15	11.1	4.4-17.8	6	2.3	0.1- 4.5	180	86.6	79.7-93.5
College Graduate	287	210,466	13	6.1	2.2-10.0	18	6.7	3.0-10.4	256	87.2	82.1-92.3
Less than \$15,000	77	82,026	5	5.8	0.5-11.1	3	2.8	0.0- 6.5	69	91.5	85.0-98.0
\$15,000- 24,999	116	119,905	9	11.7	4.1-19.3	4	2.3	0.0- 4.8	103	86.0	78.0-94.0
\$25,000- 34,999	62	58,599	1	0.9	0.0- 2.7	3	4.6	0.0-11.7	58	94.5	87.2- 100
\$35,000- 49,999	92	105,743	2	3.3	0.0- 8.2	6	6.5	0.0-13.2	84	90.2	82.4-98.0
\$50,000- 74,999	105	116,745	8	11.1	0.9-21.3	4	5.5	0.0-12.4	93	83.4	71.6-95.2
\$75,000+	255	265,880	8	4.0	0.5- 7.5	12	3.7	1.2- 6.2	235	92.3	88.0-96.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1023	939,789	49	4.7	2.9- 6.5	49	5.0	3.4- 6.6	925	90.3	87.9-92.7
White/Non-Hisp	857	753,691	42	4.9	2.9- 6.9	43	5.6	3.6- 7.6	772	89.4	86.7-92.1
Black or Afr. Am./Non-Hisp	110	135,042	6	5.1	0.0-10.2	4	1.9	0.0- 4.4	100	93.0	87.3-98.7
50-54	186	211,104	2	2.5	0.0- 6.4	1	0.1	0.0- 0.3	183	97.3	93.4- 100
55-64	407	398,765	16	5.4	2.5- 8.3	18	4.9	2.7- 7.1	373	89.7	86.0-93.4
65+	430	329,921	31	5.3	2.9- 7.7	30	8.1	4.4-11.8	369	86.6	82.3-90.9
Less Than H.S.	87	133,683	4	3.4	0.0- 7.1				83	96.6	92.9- 100
H.S. or G.E.D.	298	281,616	17	5.8	1.9- 9.7	12	3.8	0.9- 6.7	269	90.3	85.6-95.0
Some Post-H.S.	289	299,916	16	4.9	2.0- 7.8	20	9.2	5.3-13.1	253	85.9	81.0-90.8
College Graduate	336	215,999	11	4.0	0.9- 7.1	17	3.8	1.8- 5.8	308	92.2	88.5-95.9
Less than \$15,000	101	83,503	3	3.6	0.0- 8.9	3	1.7	0.0- 4.1	95	94.7	89.0- 100
\$15,000- 24,999	159	147,501	10	7.4	1.7-13.1	3	1.7	0.0- 4.1	146	90.9	84.8-97.0
\$25,000- 34,999	86	74,411	5	2.8	0.1- 5.5	6	7.3	0.0-14.9	75	89.9	81.9-97.9
\$35,000- 49,999	133	120,034	9	7.8	0.5-15.1	7	7.8	0.9-14.7	117	84.4	75.0-93.8
\$50,000- 74,999	129	123,138	4	3.2	0.0- 6.9	9	9.1	4.0-14.2	116	87.6	81.3-93.9
\$75,000+	242	233,460	6	2.5	0.1- 4.9	14	4.9	1.8- 8.0	222	92.6	88.9-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1927	1,860,046	203	10.0	8.2-11.8	419	21.1	18.7-23.5	1305	68.9	66.2-71.6
Male	858	878,188	84	9.7	7.0-12.4	188	20.4	16.9-23.9	586	69.9	65.8-74.0
Female	1069	981,858	119	10.2	7.8-12.6	231	21.7	18.4-25.0	719	68.1	64.4-71.8
White/Non-Hisp	1623	1,484,633	166	9.8	7.8-11.8	345	20.1	17.7-22.5	1112	70.1	67.2-73.0
Black or Afr. Am./Non-Hisp	179	253,417	24	9.8	4.7-14.9	51	30.5	21.1-39.9	104	59.7	49.9-69.5
50-54	340	400,009	22	4.7	2.3- 7.1	37	13.3	8.0-18.6	281	82.0	76.3-87.7
55-64	767	787,463	69	9.3	6.4-12.2	167	22.0	18.3-25.7	531	68.7	64.4-73.0
65+	820	672,573	112	13.9	10.6-17.2	215	24.7	20.8-28.6	493	61.4	56.9-65.9
Less Than H.S.	182	275,269	18	12.8	5.4-20.2	47	21.7	14.1-29.3	117	65.5	56.1-74.9
H.S. or G.E.D.	576	577,505	64	10.4	7.3-13.5	117	19.9	15.6-24.2	395	69.7	64.8-74.6
Some Post-H.S.	512	551,624	63	9.5	6.6-12.4	119	23.0	18.3-27.7	330	67.5	62.4-72.6
College Graduate	634	434,911	56	8.5	6.0-11.0	130	19.3	15.2-23.4	448	72.2	67.7-76.7
Less than \$15,000	195	182,174	22	18.9	9.7-28.1	51	23.7	16.3-31.1	122	57.4	47.6-67.2
\$15,000- 24,999	293	283,060	38	7.3	4.6-10.0	67	20.5	14.0-27.0	188	72.1	65.2-79.0
\$25,000- 34,999	157	142,458	21	15.8	7.2-24.4	34	17.9	10.3-25.5	102	66.3	55.7-76.9
\$35,000- 49,999	227	221,493	21	12.1	5.6-18.6	56	23.4	16.3-30.5	150	64.5	56.1-72.9
\$50,000- 74,999	237	243,675	21	7.4	3.5-11.3	46	23.7	15.5-31.9	170	68.9	60.5-77.3
\$75,000+	514	511,343	41	6.1	3.9- 8.3	101	18.8	14.5-23.1	372	75.1	70.4-79.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	858	878,188	84	9.7	7.2-12.2	188	20.4	17.1-23.7	586	69.9	66.0-73.8
White/Non-Hisp	726	698,065	67	9.7	7.0-12.4	156	19.5	16.0-23.0	503	70.8	66.7-74.9
Black or Afr. Am./Non-Hisp	69	115,894	11	11.6	2.8-20.4	18	27.4	13.9-40.9	40	61.0	46.3-75.7
50-54	154	188,525	9	5.1	1.0- 9.2	15	13.0	5.7-20.3	130	81.9	74.1-89.7
55-64	341	371,560	28	8.8	5.9-11.7	75	18.7	13.8-23.6	238	72.5	67.0-78.0
65+	363	318,103	47	13.6	8.3-18.9	98	26.8	20.9-32.7	218	59.6	52.9-66.3
Less Than H.S.	89	136,965	9	14.4	6.0-22.8	17	11.4	5.3-17.5	63	74.3	64.1-84.5
H.S. or G.E.D.	261	286,080	30	11.7	6.6-16.8	53	19.4	13.3-25.5	178	68.9	61.6-76.2
Some Post-H.S.	207	232,786	23	7.1	3.8-10.4	51	26.0	18.6-33.4	133	66.9	59.1-74.7
College Graduate	291	210,194	22	7.6	4.1-11.1	64	20.3	14.6-26.0	205	72.1	65.8-78.4
Less than \$15,000	83	88,712	11	23.9	12.9-34.9	20	18.5	9.7-27.3	52	57.6	44.9-70.3
\$15,000- 24,999	127	128,607	14	6.2	2.5- 9.9	29	17.6	9.4-25.8	84	76.2	67.4-85.0
\$25,000- 34,999	64	59,335	8	13.0	2.6-23.4	12	17.8	4.3-31.3	44	69.3	53.4-85.2
\$35,000- 49,999	94	103,166	9	13.9	2.7-25.1	25	24.3	15.7-32.9	60	61.7	49.5-73.9
\$50,000- 74,999	109	119,766	8	6.7	1.6-11.8	25	29.2	16.9-41.5	76	64.2	51.5-76.9
\$75,000+	260	267,318	18	5.4	2.5- 8.3	54	16.7	11.4-22.0	188	77.9	72.0-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1069	981,858	119	10.2	7.8-12.6	231	21.7	18.4-25.0	719	68.1	64.4-71.8
White/Non-Hisp	897	786,568	99	9.9	7.5-12.3	189	20.6	17.3-23.9	609	69.5	65.6-73.4
Black or Afr. Am./Non-Hisp	110	137,523	13	8.2	2.3-14.1	33	33.2	20.5-45.9	64	58.7	45.8-71.6
50-54	186	211,485	13	4.4	1.9- 6.9	22	13.5	6.6-20.4	151	82.1	74.8-89.4
55-64	426	415,903	41	9.7	6.0-13.4	92	25.0	19.5-30.5	293	65.3	59.2-71.4
65+	457	354,470	65	14.2	9.9-18.5	117	22.8	17.7-27.9	275	63.0	56.9-69.1
Less Than H.S.	93	138,303	9	11.3	2.3-20.3	30	31.9	19.2-44.6	54	56.7	43.0-70.4
H.S. or G.E.D.	315	291,425	34	9.2	5.7-12.7	64	20.5	14.6-26.4	217	70.4	63.9-76.9
Some Post-H.S.	305	318,838	40	11.3	7.0-15.6	68	20.8	15.3-26.3	197	67.9	61.4-74.4
College Graduate	343	224,717	34	9.3	5.6-13.0	66	18.5	12.8-24.2	243	72.2	65.7-78.7
Less than \$15,000	112	93,461	11	14.2	4.2-24.2	31	28.7	18.3-39.1	70	57.2	45.0-69.4
\$15,000- 24,999	166	154,453	24	8.2	4.1-12.3	38	23.0	13.4-32.6	104	68.8	58.8-78.8
\$25,000- 34,999	93	83,123	13	17.8	5.3-30.3	22	18.1	9.1-27.1	58	64.1	50.0-78.2
\$35,000- 49,999	133	118,327	12	10.6	3.5-17.7	31	22.6	13.8-31.4	90	66.9	56.7-77.1
\$50,000- 74,999	128	123,909	13	8.1	2.2-14.0	21	18.4	7.6-29.2	94	73.5	62.3-84.7
\$75,000+	254	244,025	23	6.9	3.6-10.2	47	21.1	14.2-28.0	184	72.0	64.7-79.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1922	1,858,274	94	5.7	4.1- 7.3	45	1.6	1.0- 2.2	1783	92.6	90.8-94.4
Male	858	881,558	44	5.7	3.5- 7.9	22	1.9	0.9- 2.9	792	92.4	90.0-94.8
Female	1064	976,716	50	5.7	3.5- 7.9	23	1.4	0.6- 2.2	991	92.9	90.5-95.3
White/Non-Hisp	1618	1,483,698	77	5.7	3.9- 7.5	35	1.6	1.0- 2.2	1506	92.7	90.9-94.5
Black or Afr. Am./Non-Hisp	181	256,662	8	3.4	0.5- 6.3	9	2.6	0.8- 4.4	164	94.0	90.5-97.5
50-54	343	403,201	11	4.4	1.1- 7.7	6	1.4	0.0- 2.8	326	94.2	90.7-97.7
55-64	758	777,034	32	6.3	3.4- 9.2	18	1.6	0.8- 2.4	708	92.1	89.2-95.0
65+	821	678,039	51	5.9	3.9- 7.9	21	1.8	0.8- 2.8	749	92.3	90.1-94.5
Less Than H.S.	179	272,194	15	11.2	3.8-18.6	4	1.1	0.0- 2.3	160	87.8	80.4-95.2
H.S. or G.E.D.	576	578,735	33	5.2	3.0- 7.4	17	1.9	0.7- 3.1	526	92.9	90.5-95.3
Some Post-H.S.	510	551,754	29	5.8	3.1- 8.5	14	1.8	0.6- 3.0	467	92.4	89.5-95.3
College Graduate	632	432,902	17	3.2	1.4- 5.0	10	1.5	0.3- 2.7	605	95.4	93.2-97.6
Less than \$15,000	190	177,843	16	14.6	6.0-23.2	11	5.1	1.4- 8.8	163	80.4	71.4-89.4
\$15,000- 24,999	289	279,240	23	7.0	3.5-10.5	16	4.4	1.9- 6.9	250	88.7	84.4-93.0
\$25,000- 34,999	158	143,800	7	7.4	0.0-16.4	1	0.3	0.0- 0.9	150	92.3	83.3- 100
\$35,000- 49,999	228	223,953	5	2.6	0.0- 5.3	3	0.6	0.0- 1.4	220	96.8	93.9-99.7
\$50,000- 74,999	239	244,717	7	3.2	0.5- 5.9	2	0.5	0.0- 1.3	230	96.3	93.4-99.2
\$75,000+	512	511,736	18	4.3	1.8- 6.8	3	0.6	0.0- 1.4	491	95.1	92.4-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	858	881,558	44	5.7	3.9- 7.5	22	1.9	0.9- 2.9	792	92.4	90.4-94.4
White/Non-Hisp	725	699,002	33	5.7	3.7- 7.7	17	1.9	0.7- 3.1	675	92.4	90.0-94.8
Black or Afr. Am./Non-Hisp	70	118,730	6	4.6	0.3- 8.9	4	2.3	0.0- 4.7	60	93.0	87.9-98.1
50-54	155	190,183	7	5.4	0.7-10.1	5	2.8	0.1- 5.5	143	91.9	86.4-97.4
55-64	338	368,761	18	7.0	4.1- 9.9	9	1.5	0.3- 2.7	311	91.5	88.6-94.4
65+	365	322,613	19	4.5	2.1- 6.9	8	1.9	0.3- 3.5	338	93.6	90.9-96.3
Less Than H.S.	89	137,444	8	12.8	5.9-19.7	2	1.4	0.0- 3.4	79	85.8	78.5-93.1
H.S. or G.E.D.	260	284,954	17	5.3	2.4- 8.2	8	2.0	0.2- 3.8	235	92.7	89.4-96.0
Some Post-H.S.	208	233,863	10	3.9	1.0- 6.8	5	1.6	0.0- 3.2	193	94.4	91.3-97.5
College Graduate	289	211,182	9	4.1	1.0- 7.2	7	2.6	0.2- 5.0	273	93.3	89.4-97.2
Less than \$15,000	83	88,384	10	19.0	10.6-27.4	6	6.6	0.5-12.7	67	74.3	64.3-84.3
\$15,000- 24,999	125	125,948	11	8.9	2.2-15.6	7	4.4	0.7- 8.1	107	86.7	79.3-94.1
\$25,000- 34,999	65	60,435	2	3.9	0.0-10.2	1	0.7	0.0- 2.1	62	95.4	88.9- 100
\$35,000- 49,999	93	102,629	2	1.7	0.0- 4.4	1	0.6	0.0- 1.8	90	97.7	94.8- 100
\$50,000- 74,999	109	119,766	5	5.0	0.0-10.1	2	1.0	0.0- 2.4	102	94.0	88.7-99.3
\$75,000+	261	272,078	7	2.3	0.3- 4.3	2	0.9	0.0- 2.1	252	96.8	94.4-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1064	976,716	50	5.7	3.5- 7.9	23	1.4	0.6- 2.2	991	92.9	90.5-95.3
White/Non-Hisp	893	784,695	44	5.7	3.5- 7.9	18	1.2	0.4- 2.0	831	93.0	90.6-95.4
Black or Afr. Am./Non-Hisp	111	137,931	2	2.4	0.0- 6.3	5	2.8	0.1- 5.5	104	94.8	89.9-99.7
50-54	188	213,017	4	3.4	0.0- 7.9	1	0.2	0.0- 0.6	183	96.4	91.7- 100
55-64	420	408,273	14	5.6	1.7- 9.5	9	1.7	0.3- 3.1	397	92.7	88.6-96.8
65+	456	355,426	32	7.1	4.0-10.2	13	1.7	0.5- 2.9	411	91.1	87.8-94.4
Less Than H.S.	90	134,750	7	9.5	0.0-19.7	2	0.8	0.0- 2.0	81	89.7	79.5-99.9
H.S. or G.E.D.	316	293,781	16	5.2	2.5- 7.9	9	1.8	0.2- 3.4	291	93.0	89.9-96.1
Some Post-H.S.	302	317,891	19	7.1	2.8-11.4	9	2.0	0.4- 3.6	274	90.9	86.4-95.4
College Graduate	343	221,720	8	2.3	0.5- 4.1	3	0.4	0.0- 1.0	332	97.3	95.3-99.3
Less than \$15,000	107	89,459	6	10.2	2.0-18.4	5	3.5	0.0- 7.8	96	86.3	77.3-95.3
\$15,000- 24,999	164	153,292	12	5.4	1.9- 8.9	9	4.3	1.0- 7.6	143	90.3	85.4-95.2
\$25,000- 34,999	93	83,364	5	9.9	0.0-24.4				88	90.1	75.6- 100
\$35,000- 49,999	135	121,324	3	3.3	0.0- 8.0	2	0.6	0.0- 1.4	130	96.1	91.4- 100
\$50,000- 74,999	130	124,951	2	1.6	0.0- 3.8				128	98.4	96.2- 100
\$75,000+	251	239,657	11	6.7	1.8-11.6	1	0.2	0.0- 0.6	239	93.1	88.2-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1895	1,822,981	55	3.3	2.1- 4.5	27	1.7	0.9- 2.5	1813	95.0	93.6-96.4
Male	827	838,516	23	4.0	1.8- 6.2	14	2.2	0.8- 3.6	790	93.8	91.3-96.3
Female	1068	984,465	32	2.7	1.5- 3.9	13	1.3	0.5- 2.1	1023	96.0	94.6-97.4
White/Non-Hisp	1600	1,456,167	35	2.2	1.2- 3.2	19	1.4	0.6- 2.2	1546	96.4	95.2-97.6
Black or Afr. Am./Non-Hisp	173	248,320	13	7.1	2.6-11.6	5	3.4	0.0- 7.1	155	89.5	83.8-95.2
50-54	340	399,620	2	0.1	0.0- 0.3	3	1.5	0.0- 3.7	335	98.5	96.3- 100
55-64	755	767,041	22	3.6	1.4- 5.8	11	1.5	0.5- 2.5	722	94.9	92.5-97.3
65+	800	656,320	31	4.9	2.7- 7.1	13	2.1	0.7- 3.5	756	93.0	90.5-95.5
Less Than H.S.	173	255,411	13	9.3	3.0-15.6	2	1.3	0.0- 3.1	158	89.4	82.9-95.9
H.S. or G.E.D.	563	569,108	18	2.6	1.0- 4.2	10	1.6	0.4- 2.8	535	95.8	93.8-97.8
Some Post-H.S.	506	544,391	11	2.5	0.7- 4.3	5	1.5	0.0- 3.3	490	96.1	93.7-98.5
College Graduate	628	431,383	12	1.6	0.4- 2.8	10	2.5	0.7- 4.3	606	95.9	93.7-98.1
Less than \$15,000	191	171,744	12	11.1	3.1-19.1	5	2.4	0.0- 4.8	174	86.5	78.3-94.7
\$15,000- 24,999	275	261,502	10	3.7	0.4- 7.0	5	2.8	0.1- 5.5	260	93.4	89.3-97.5
\$25,000- 34,999	155	140,808	6	6.7	0.0-13.4				149	93.3	86.6- 100
\$35,000- 49,999	228	224,709	6	2.9	0.2- 5.6	3	1.1	0.0- 2.7	219	96.0	92.9-99.1
\$50,000- 74,999	233	239,476	3	0.6	0.0- 1.4	4	3.4	0.0- 7.3	226	96.0	92.1-99.9
\$75,000+	510	508,000	5	0.8	0.0- 1.8	9	1.5	0.3- 2.7	496	97.6	96.2-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	827	838,516	23	4.0	1.6- 6.4	14	2.2	0.8- 3.6	790	93.8	91.3-96.3
White/Non-Hisp	701	664,057	16	3.1	1.1- 5.1	10	1.9	0.7- 3.1	675	95.0	92.6-97.4
Black or Afr. Am./Non-Hisp	64	110,967	3	4.6	0.0-11.1	4	5.6	0.0-13.0	57	89.8	80.2-99.4
50-54	152	186,982	1	0.1	0.0- 0.3	1	2.2	0.0- 6.5	150	97.7	93.4- 100
55-64	328	351,381	13	6.0	1.7-10.3	7	1.9	0.3- 3.5	308	92.1	87.6-96.6
65+	347	300,153	9	4.1	0.6- 7.6	6	2.6	0.4- 4.8	332	93.3	89.2-97.4
Less Than H.S.	82	118,722	4	11.9	0.1-23.7	2	2.7	0.0- 6.4	76	85.3	73.3-97.3
H.S. or G.E.D.	249	275,045	5	2.7	0.0- 5.4	5	1.7	0.1- 3.3	239	95.6	92.3-98.9
Some Post-H.S.	201	224,827	5	3.2	0.0- 6.7	2	2.2	0.0- 5.7	194	94.6	89.7-99.5
College Graduate	283	205,808	9	2.3	0.1- 4.5	5	2.8	0.1- 5.5	269	94.9	91.4-98.4
Less than \$15,000	81	79,414	4	13.4	0.0-28.3	1	0.9	0.0- 2.7	76	85.7	71.0- 100
\$15,000- 24,999	112	110,190	3	4.2	0.0-10.5	4	4.7	0.0- 9.6	105	91.1	83.5-98.7
\$25,000- 34,999	61	57,048	4	13.8	0.0-28.7				57	86.2	71.3- 100
\$35,000- 49,999	90	100,863	2	2.6	0.0- 7.3				88	97.4	92.7- 100
\$50,000- 74,999	105	116,458	3	1.1	0.0- 2.7	3	6.3	0.0-13.9	99	92.6	85.0- 100
\$75,000+	257	263,796	3	0.9	0.0- 2.3	5	1.6	0.0- 3.2	249	97.5	95.5-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1068	984,465	32	2.7	1.5- 3.9	13	1.3	0.5- 2.1	1023	96.0	94.6-97.4
White/Non-Hisp	899	792,110	19	1.4	0.6- 2.2	9	0.9	0.1- 1.7	871	97.6	96.4-98.8
Black or Afr. Am./Non-Hisp	109	137,353	10	9.1	2.6-15.6	1	1.6	0.0- 4.7	98	89.2	81.9-96.5
50-54	188	212,638	1	0.1	0.0- 0.3	2	0.8	0.0- 2.0	185	99.1	97.9- 100
55-64	427	415,659	9	1.6	0.2- 3.0	4	1.1	0.0- 2.3	414	97.3	95.5-99.1
65+	453	356,168	22	5.6	2.7- 8.5	7	1.7	0.1- 3.3	424	92.7	89.6-95.8
Less Than H.S.	91	136,689	9	7.0	1.3-12.7				82	93.0	87.3-98.7
H.S. or G.E.D.	314	294,062	13	2.5	0.7- 4.3	5	1.5	0.0- 3.1	296	96.0	93.8-98.2
Some Post-H.S.	305	319,564	6	1.9	0.1- 3.7	3	1.0	0.0- 2.4	296	97.1	94.7-99.5
College Graduate	345	225,576	3	0.9	0.0- 2.1	5	2.2	0.0- 4.4	337	96.9	94.4-99.4
Less than \$15,000	110	92,329	8	9.2	1.8-16.6	4	3.6	0.0- 7.7	98	87.2	78.8-95.6
\$15,000- 24,999	163	151,312	7	3.3	0.0- 6.6	1	1.5	0.0- 4.4	155	95.2	90.9-99.5
\$25,000- 34,999	94	83,760	2	1.8	0.0- 4.3				92	98.2	95.7- 100
\$35,000- 49,999	138	123,846	4	3.1	0.0- 6.2	3	2.0	0.0- 4.7	131	94.9	90.8-99.0
\$50,000- 74,999	128	123,018				1	0.7	0.0- 2.1	127	99.3	97.9- 100
\$75,000+	253	244,204	2	0.7	0.0- 1.9	4	1.5	0.0- 3.1	247	97.8	95.8-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 19: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2201	2,131,155	15	0.6	0.2- 1.0	1058	47.8	45.1-50.5	1128	51.6	48.9-54.3
Male	997	1,031,925	7	0.6	0.0- 1.2	482	48.1	44.0-52.2	508	51.2	47.1-55.3
Female	1204	1,099,229	8	0.5	0.1- 0.9	576	47.6	43.9-51.3	620	51.9	48.2-55.6
White/Non-Hisp	1846	1,689,018	9	0.5	0.1- 0.9	881	47.0	44.1-49.9	956	52.4	49.5-55.3
Black or Afr. Am./Non-Hisp	212	303,677	4	0.7	0.0- 1.7	118	56.1	47.1-65.1	90	43.1	34.1-52.1
50-54	393	466,942	1	0.6	0.0- 1.8	124	32.9	26.6-39.2	268	66.5	60.2-72.8
55-64	867	894,523	5	0.5	0.1- 0.9	406	48.2	43.9-52.5	456	51.3	47.0-55.6
65+	941	769,690	9	0.7	0.1- 1.3	528	56.5	52.4-60.6	404	42.9	38.8-47.0
Less Than H.S.	206	297,481	1	0.4	0.0- 1.2	101	45.3	36.1-54.5	104	54.3	45.1-63.5
H.S. or G.E.D.	673	675,839	4	0.9	0.0- 1.9	334	47.1	42.2-52.0	335	52.0	47.1-56.9
Some Post-H.S.	580	637,476	8	0.8	0.0- 1.6	290	51.9	46.6-57.2	282	47.2	41.9-52.5
College Graduate	714	492,167	1	0.0	0.0- 0.0	321	44.7	40.0-49.4	392	55.2	50.5-59.9
Less than \$15,000	211	198,429	2	0.9	0.0- 2.1	101	52.6	43.2-62.0	108	46.5	37.1-55.9
\$15,000- 24,999	321	303,036	2	0.4	0.0- 1.0	160	44.0	36.6-51.4	159	55.6	48.2-63.0
\$25,000- 34,999	175	164,398				89	51.3	40.5-62.1	86	48.7	37.9-59.5
\$35,000- 49,999	253	250,038	1	0.4	0.0- 1.2	124	52.7	44.7-60.7	128	46.9	38.9-54.9
\$50,000- 74,999	263	266,864	2	0.5	0.0- 1.5	112	46.8	38.4-55.2	149	52.7	44.3-61.1
\$75,000+	558	561,057	2	0.3	0.0- 0.9	224	38.3	33.2-43.4	332	61.4	56.3-66.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 20: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	997	1,031,925	7	0.6	0.0- 1.2	482	48.1	44.0-52.2	508	51.2	47.1-55.3
White/Non-Hisp	837	807,529	3	0.6	0.0- 1.4	400	46.7	42.4-51.0	434	52.8	48.5-57.1
Black or Afr. Am./Non-Hisp	85	147,465	2	0.5	0.0- 1.5	50	60.7	47.6-73.8	33	38.8	25.7-51.9
50-54	186	234,583	1	1.2	0.0- 3.6	66	38.2	29.2-47.2	119	60.6	51.6-69.6
55-64	388	426,612	3	0.7	0.0- 1.5	182	45.5	39.2-51.8	203	53.9	47.6-60.2
65+	423	370,731	3	0.3	0.0- 0.7	234	57.5	51.2-63.8	186	42.3	36.0-48.6
Less Than H.S.	101	148,883	1	0.7	0.0- 2.1	46	41.6	29.8-53.4	54	57.7	45.9-69.5
H.S. or G.E.D.	314	346,230	2	1.1	0.0- 2.7	162	48.8	41.7-55.9	150	50.1	43.0-57.2
Some Post-H.S.	237	277,080	3	0.5	0.0- 1.3	116	52.1	44.1-60.1	118	47.4	39.4-55.4
College Graduate	331	240,474	1	0.1	0.0- 0.3	151	45.6	38.9-52.3	179	54.3	47.6-61.0
Less than \$15,000	89	96,586	2	1.8	0.0- 4.3	38	49.0	36.3-61.7	49	49.2	36.5-61.9
\$15,000- 24,999	139	138,459				72	44.1	33.5-54.7	67	55.9	45.3-66.5
\$25,000- 34,999	73	70,344				32	43.8	27.9-59.7	41	56.2	40.3-72.1
\$35,000- 49,999	107	120,551	1	0.9	0.0- 2.7	55	55.0	42.8-67.2	51	44.2	32.2-56.2
\$50,000- 74,999	120	130,533				55	52.7	40.4-65.0	65	47.3	35.0-59.6
\$75,000+	288	298,028				120	36.8	29.7-43.9	168	63.2	56.1-70.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 21: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1204	1,099,229	8	0.5	0.1- 0.9	576	47.6	43.9-51.3	620	51.9	48.2-55.6
White/Non-Hisp	1009	881,489	6	0.5	0.0- 1.1	481	47.4	43.3-51.5	522	52.1	48.0-56.2
Black or Afr. Am./Non-Hisp	127	156,212	2	0.9	0.0- 2.7	68	51.9	39.6-64.2	57	47.2	34.9-59.5
50-54	207	232,360				58	27.5	19.3-35.7	149	72.5	64.3-80.7
55-64	479	467,911	2	0.4	0.0- 1.0	224	50.7	45.0-56.4	253	48.9	43.2-54.6
65+	518	398,959	6	1.1	0.1- 2.1	294	55.5	49.8-61.2	218	43.4	37.7-49.1
Less Than H.S.	105	148,598				55	49.0	35.7-62.3	50	51.0	37.7-64.3
H.S. or G.E.D.	359	329,608	2	0.6	0.0- 1.6	172	45.4	38.5-52.3	185	54.0	47.1-60.9
Some Post-H.S.	343	360,396	5	1.0	0.0- 2.2	174	51.8	45.1-58.5	164	47.1	40.4-53.8
College Graduate	383	251,693				170	44.0	37.5-50.5	213	56.0	49.5-62.5
Less than \$15,000	122	101,843				63	56.1	44.5-67.7	59	43.9	32.3-55.5
\$15,000- 24,999	182	164,577	2	0.7	0.0- 1.7	88	43.9	33.5-54.3	92	55.4	45.0-65.8
\$25,000- 34,999	102	94,054				57	57.0	42.7-71.3	45	43.0	28.7-57.3
\$35,000- 49,999	146	129,487				69	50.6	40.0-61.2	77	49.4	38.8-60.0
\$50,000- 74,999	143	136,332	2	1.1	0.0- 3.1	57	41.1	30.5-51.7	84	57.9	47.3-68.5
\$75,000+	270	263,028	2	0.6	0.0- 1.8	104	40.1	32.7-47.5	164	59.3	51.9-66.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 22: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1915	1,853,957	1442	74.9	72.2-77.6	142	7.1	5.3- 8.9	331	18.0	15.6-20.4
Male	849	875,712	634	74.4	70.5-78.3	61	6.5	4.1- 8.9	154	19.1	15.6-22.6
Female	1066	978,245	808	75.4	71.9-78.9	81	7.6	5.2-10.0	177	17.0	13.9-20.1
White/Non-Hisp	1614	1,477,410	1222	75.8	73.1-78.5	118	6.6	5.0- 8.2	274	17.6	15.1-20.1
Black or Afr. Am./Non-Hisp	181	258,807	145	76.3	66.9-85.7	9	7.2	0.7-13.7	27	16.6	8.8-24.4
50-54	333	394,538	161	50.1	42.7-57.5	26	8.3	3.8-12.8	146	41.5	34.4-48.6
55-64	761	785,027	596	78.5	74.6-82.4	54	7.5	4.8-10.2	111	14.0	10.9-17.1
65+	821	674,392	685	85.3	82.4-88.2	62	5.8	3.8- 7.8	74	8.8	6.3-11.3
Less Than H.S.	178	269,940	119	69.7	60.5-78.9	16	7.2	2.3-12.1	43	23.1	14.7-31.5
H.S. or G.E.D.	566	578,521	420	73.8	68.9-78.7	34	5.3	2.8- 7.8	112	20.9	16.4-25.4
Some Post-H.S.	514	549,958	387	75.4	70.5-80.3	39	8.8	5.1-12.5	88	15.8	11.9-19.7
College Graduate	634	435,002	500	79.9	76.0-83.8	50	6.7	4.3- 9.1	84	13.5	10.2-16.8
Less than \$15,000	192	177,590	130	76.5	69.2-83.8	19	5.6	2.3- 8.9	43	17.9	11.4-24.4
\$15,000- 24,999	288	278,470	195	67.9	60.5-75.3	30	8.1	4.6-11.6	63	24.0	16.9-31.1
\$25,000- 34,999	155	139,752	117	73.8	63.2-84.4	10	4.3	1.4- 7.2	28	21.8	11.2-32.4
\$35,000- 49,999	225	225,158	171	77.3	70.0-84.6	16	9.2	3.3-15.1	38	13.5	8.6-18.4
\$50,000- 74,999	236	242,050	186	70.7	61.9-79.5	16	12.9	5.3-20.5	34	16.5	10.0-23.0
\$75,000+	512	510,231	399	76.2	71.1-81.3	33	6.3	3.4- 9.2	80	17.4	12.7-22.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 23: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	849	875,712	634	74.4	70.5-78.3	61	6.5	4.3- 8.7	154	19.1	15.6-22.6
White/Non-Hisp	718	692,215	541	76.5	72.6-80.4	52	5.6	3.6- 7.6	125	17.8	14.3-21.3
Black or Afr. Am./Non-Hisp	69	120,216	54	72.0	57.1-86.9	2	7.8	0.0-18.0	13	20.1	7.2-33.0
50-54	149	184,912	69	46.2	36.0-56.4	13	11.2	4.7-17.7	67	42.7	32.5-52.9
55-64	337	372,246	269	80.6	74.9-86.3	19	5.0	1.9- 8.1	49	14.4	9.3-19.5
65+	363	318,553	296	83.6	78.9-88.3	29	5.5	3.1- 7.9	38	10.9	6.8-15.0
Less Than H.S.	87	134,064	54	71.4	59.8-83.0	8	4.8	1.1- 8.5	25	23.8	12.6-35.0
H.S. or G.E.D.	253	286,132	180	70.0	62.4-77.6	14	5.8	1.5-10.1	59	24.3	17.0-31.6
Some Post-H.S.	210	235,516	154	73.5	66.2-80.8	18	8.2	3.7-12.7	38	18.4	12.1-24.7
College Graduate	288	207,544	238	84.5	79.6-89.4	19	5.7	2.6- 8.8	31	9.8	5.9-13.7
Less than \$15,000	83	87,525	48	70.4	59.6-81.2	11	8.3	2.0-14.6	24	21.3	12.1-30.5
\$15,000- 24,999	122	124,674	84	72.0	62.6-81.4	11	6.0	2.1- 9.9	27	22.0	13.2-30.8
\$25,000- 34,999	63	59,229	44	63.2	44.6-81.8	3	3.6	0.0- 8.3	16	33.2	14.4-52.0
\$35,000- 49,999	92	105,857	71	76.7	67.1-86.3	7	11.0	4.3-17.7	14	12.4	5.1-19.7
\$50,000- 74,999	107	117,543	90	75.3	62.2-88.4	5	11.3	0.7-21.9	12	13.4	3.2-23.6
\$75,000+	259	266,956	205	77.2	70.1-84.3	16	4.0	1.6- 6.4	38	18.8	11.9-25.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 24: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1066	978,245	808	75.4	71.9-78.9	81	7.6	5.4- 9.8	177	17.0	13.9-20.1
White/Non-Hisp	896	785,195	681	75.2	71.5-78.9	66	7.4	5.2- 9.6	149	17.4	13.9-20.9
Black or Afr. Am./Non-Hisp	112	138,591	91	79.9	68.5-91.3	7	6.6	0.0-14.8	14	13.4	4.4-22.4
50-54	184	209,626	92	53.6	43.4-63.8	13	5.8	1.1-10.5	79	40.5	30.5-50.5
55-64	424	412,781	327	76.6	71.5-81.7	35	9.8	6.1-13.5	62	13.7	9.8-17.6
65+	458	355,838	389	86.8	82.9-90.7	33	6.1	3.2- 9.0	36	7.0	4.1- 9.9
Less Than H.S.	91	135,876	65	67.9	54.4-81.4	8	9.7	1.1-18.3	18	22.4	10.1-34.7
H.S. or G.E.D.	313	292,390	240	77.6	71.5-83.7	20	4.9	1.8- 8.0	53	17.5	12.0-23.0
Some Post-H.S.	304	314,441	233	76.9	71.2-82.6	21	9.3	5.0-13.6	50	13.8	9.3-18.3
College Graduate	346	227,458	262	75.6	69.7-81.5	31	7.5	4.2-10.8	53	16.8	11.3-22.3
Less than \$15,000	109	90,066	82	82.5	74.5-90.5	8	3.0	0.6- 5.4	19	14.6	7.0-22.2
\$15,000- 24,999	166	153,796	111	64.5	53.9-75.1	19	9.8	4.9-14.7	36	25.7	15.3-36.1
\$25,000- 34,999	92	80,523	73	81.6	70.8-92.4	7	4.9	1.0- 8.8	12	13.5	3.1-23.9
\$35,000- 49,999	133	119,300	100	77.8	69.4-86.2	9	7.6	1.7-13.5	24	14.5	8.0-21.0
\$50,000- 74,999	129	124,507	96	66.3	55.3-77.3	11	14.4	5.0-23.8	22	19.3	10.9-27.7
\$75,000+	253	243,275	194	75.2	67.9-82.5	17	8.9	3.6-14.2	42	15.9	10.0-21.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	174
2	MALES ONLY	175
3	FEMALES ONLY	176

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3877	4,508,556	1357	38.6	36.4-40.8	2520	61.4	59.2-63.6
Male	1755	2,160,579	593	36.8	33.7-39.9	1162	63.2	60.1-66.3
Female	2122	2,347,977	764	40.2	37.3-43.1	1358	59.8	56.9-62.7
White/Non-Hisp	3141	3,329,188	980	33.0	30.8-35.2	2161	67.0	64.8-69.2
Black or Afr. Am./Non-Hisp	385	686,600	213	60.1	53.6-66.6	172	39.9	33.4-46.4
Oth. Race/Non-Hisp.	107	108,485	42	39.1	26.8-51.4	65	60.9	48.6-73.2
MultiRacial/Non-Hisp.	65	54,318	34	45.4	30.9-59.9	31	54.6	40.1-69.1
Hispanic	118	242,140	64	52.2	39.5-64.9	54	47.8	35.1-60.5
18-24	295	550,983	77	24.0	17.9-30.1	218	76.0	69.9-82.1
25-34	505	808,864	227	49.3	43.6-55.0	278	50.7	45.0-56.4
35-44	550	716,464	285	54.3	48.8-59.8	265	45.7	40.2-51.2
45-54	639	706,178	281	48.9	43.6-54.2	358	51.1	45.8-56.4
55-64	731	747,924	268	37.6	32.9-42.3	463	62.4	57.7-67.1
65+	1157	978,144	219	19.8	16.7-22.9	938	80.2	77.1-83.3
Less Than H.S.	301	566,187	99	30.8	23.9-37.7	202	69.2	62.3-76.1
H.S. or G.E.D.	1195	1,462,758	396	37.5	33.8-41.2	799	62.5	58.8-66.2
Some Post-H.S.	966	1,279,807	371	42.3	38.2-46.4	595	57.7	53.6-61.8
College Graduate	1369	1,143,554	480	40.1	36.6-43.6	889	59.9	56.4-63.4
Less than \$15,000	340	421,971	159	50.3	42.1-58.5	181	49.7	41.5-57.9
\$15,000- 24,999	560	650,952	232	40.7	35.0-46.4	328	59.3	53.6-65.0
\$25,000- 34,999	331	376,437	113	38.1	30.5-45.7	218	61.9	54.3-69.5
\$35,000- 49,999	477	566,514	167	41.1	34.8-47.4	310	58.9	52.6-65.2
\$50,000- 74,999	526	625,948	164	36.6	30.7-42.5	362	63.4	57.5-69.3
\$75,000+	1057	1,219,740	379	39.8	35.9-43.7	678	60.2	56.3-64.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1755	2,160,579	593	36.8	33.7-39.9	1162	63.2	60.1-66.3
White/Non-Hisp	1439	1,601,070	445	31.7	28.6-34.8	994	68.3	65.2-71.4
Black or Afr. Am./Non-Hisp	135	279,714	70	55.4	44.6-66.2	65	44.6	33.8-55.4
Oth. Race/Non-Hisp.	60	58,775	23	45.5	29.4-61.6	37	54.5	38.4-70.6
Hispanic	60	143,779	27	50.5	33.3-67.7	33	49.5	32.3-66.7
18-24	155	283,407	34	21.5	13.3-29.7	121	78.5	70.3-86.7
25-34	250	410,929	104	44.5	36.1-52.9	146	55.5	47.1-63.9
35-44	256	358,967	109	45.5	37.3-53.7	147	54.5	46.3-62.7
45-54	287	328,690	116	47.6	40.2-55.0	171	52.4	45.0-59.8
55-64	323	347,363	124	38.5	31.6-45.4	199	61.5	54.6-68.4
65+	484	431,221	106	22.8	17.9-27.7	378	77.2	72.3-82.1
Less Than H.S.	143	271,396	43	31.7	22.1-41.3	100	68.3	58.7-77.9
H.S. or G.E.D.	554	737,137	179	35.8	30.3-41.3	375	64.2	58.7-69.7
Some Post-H.S.	410	570,267	157	39.9	33.6-46.2	253	60.1	53.8-66.4
College Graduate	627	551,840	211	38.6	33.3-43.9	416	61.4	56.1-66.7
Less than \$15,000	130	167,300	59	52.9	41.1-64.7	71	47.1	35.3-58.9
\$15,000- 24,999	221	295,192	88	38.7	30.3-47.1	133	61.3	52.9-69.7
\$25,000- 34,999	136	161,648	41	33.6	22.2-45.0	95	66.4	55.0-77.8
\$35,000- 49,999	219	294,434	78	40.5	31.7-49.3	141	59.5	50.7-68.3
\$50,000- 74,999	260	326,793	86	39.6	31.2-48.0	174	60.4	52.0-68.8
\$75,000+	547	645,203	186	35.6	30.1-41.1	361	64.4	58.9-69.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2122	2,347,977	764	40.2	37.3-43.1	1358	59.8	56.9-62.7
White/Non-Hisp	1702	1,728,118	535	34.2	31.1-37.3	1167	65.8	62.7-68.9
Black or Afr. Am./Non-Hisp	250	406,886	143	63.3	55.3-71.3	107	36.7	28.7-44.7
Hispanic	58	98,361	37	54.8	36.0-73.6	21	45.2	26.4-64.0
18-24	140	267,576	43	26.7	17.3-36.1	97	73.3	63.9-82.7
25-34	255	397,934	123	54.2	46.6-61.8	132	45.8	38.2-53.4
35-44	294	357,497	176	63.1	56.2-70.0	118	36.9	30.0-43.8
45-54	352	377,488	165	49.9	42.8-57.0	187	50.1	43.0-57.2
55-64	408	400,560	144	36.8	30.5-43.1	264	63.2	56.9-69.5
65+	673	546,923	113	17.3	13.6-21.0	560	82.7	79.0-86.4
Less Than H.S.	158	294,791	56	29.9	20.5-39.3	102	70.1	60.7-79.5
H.S. or G.E.D.	641	725,621	217	39.1	34.0-44.2	424	60.9	55.8-66.0
Some Post-H.S.	556	709,540	214	44.2	38.7-49.7	342	55.8	50.3-61.3
College Graduate	742	591,714	269	41.4	36.7-46.1	473	58.6	53.9-63.3
Less than \$15,000	210	254,672	100	48.6	37.8-59.4	110	51.4	40.6-62.2
\$15,000- 24,999	339	355,760	144	42.4	34.8-50.0	195	57.6	50.0-65.2
\$25,000- 34,999	195	214,789	72	41.6	31.4-51.8	123	58.4	48.2-68.6
\$35,000- 49,999	258	272,080	89	41.8	33.4-50.2	169	58.2	49.8-66.6
\$50,000- 74,999	266	299,155	78	33.3	25.5-41.1	188	66.7	58.9-74.5
\$75,000+	510	574,538	193	44.4	38.9-49.9	317	55.6	50.1-61.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2020**

End of Calculated Variable Data Report