


TENNESSEE

2019 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 31, 2020



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	5	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8
	9	
7	MALES AND FEMALES	9
8	MALES ONLY	10
9	FEMALES ONLY	11

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6222	5,323,128	4649	78.4	77.0-79.8	1573	21.6	20.2-23.0
Male	2725	2,563,845	2073	80.5	78.5-82.5	652	19.5	17.5-21.5
Female	3497	2,759,282	2576	76.4	74.4-78.4	921	23.6	21.6-25.6
White/Non-Hisp	4976	3,955,328	3777	78.8	77.2-80.4	1199	21.2	19.6-22.8
Black or Afr. Am./Non-Hisp	719	825,582	505	74.7	70.6-78.8	214	25.3	21.2-29.4
Oth. Race/Non-Hisp.	167	147,285	118	79.5	71.3-87.7	49	20.5	12.3-28.7
MultiRacial/Non-Hisp.	104	48,339	59	71.7	60.9-82.5	45	28.3	17.5-39.1
Hispanic	134	244,065	110	87.1	80.6-93.6	24	12.9	6.4-19.4
18-24	373	629,002	352	94.9	92.4-97.4	21	5.1	2.6-7.6
25-34	676	920,059	589	86.8	83.5-90.1	87	13.2	9.9-16.5
35-44	709	843,967	580	84.2	80.7-87.7	129	15.8	12.3-19.3
45-54	1089	874,083	807	74.1	70.6-77.6	282	25.9	22.4-29.4
55-64	1316	889,129	886	67.6	64.3-70.9	430	32.4	29.1-35.7
65+	2059	1,166,888	1435	70.0	67.5-72.5	624	30.0	27.5-32.5
Less Than H.S.	593	704,983	272	55.3	49.8-60.8	321	44.7	39.2-50.2
H.S. or G.E.D.	1942	1,742,833	1324	75.0	72.5-77.5	618	25.0	22.5-27.5
Some Post-H.S.	1643	1,561,959	1255	82.1	79.7-84.5	388	17.9	15.5-20.3
College Graduate	2019	1,295,085	1780	90.8	89.2-92.4	239	9.2	7.6-10.8
Less than \$15,000	642	476,126	295	52.8	47.3-58.3	347	47.2	41.7-52.7
\$15,000- 24,999	966	778,598	594	65.0	60.9-69.1	372	35.0	30.9-39.1
\$25,000- 34,999	493	428,771	348	73.7	68.4-79.0	145	26.3	21.0-31.6
\$35,000- 49,999	753	639,776	603	82.3	78.8-85.8	150	17.7	14.2-21.2
\$50,000- 74,999	748	684,158	636	87.0	83.7-90.3	112	13.0	9.7-16.3
\$75,000+	1421	1,298,881	1309	92.9	91.1-94.7	112	7.1	5.3-8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2725	2,563,845	2073	80.5	78.5-82.5	652	19.5	17.5-21.5
White/Non-Hisp	2201	1,909,027	1713	80.8	78.6-83.0	488	19.2	17.0-21.4
Black or Afr. Am./Non-Hisp	264	358,851	184	77.3	70.8-83.8	80	22.7	16.2-29.2
Oth. Race/Non-Hisp.	101	96,730	71	84.0	76.2-91.8	30	16.0	8.2-23.8
Hispanic	62	125,352	47	87.7	79.7-95.7	15	12.3	4.3-20.3
18-24	182	321,859	173	96.2	93.7-98.7	9	3.8	1.3- 6.3
25-34	320	459,893	284	89.0	84.9-93.1	36	11.0	6.9-15.1
35-44	304	414,037	262	89.3	85.0-93.6	42	10.7	6.4-15.0
45-54	512	427,936	390	77.4	72.5-82.3	122	22.6	17.7-27.5
55-64	583	422,570	387	67.5	62.4-72.6	196	32.5	27.4-37.6
65+	824	517,550	577	69.5	65.2-73.8	247	30.5	26.2-34.8
Less Than H.S.	265	365,928	131	60.5	52.5-68.5	134	39.5	31.5-47.5
H.S. or G.E.D.	837	844,542	585	78.2	74.9-81.5	252	21.8	18.5-25.1
Some Post-H.S.	665	692,473	520	84.0	80.7-87.3	145	16.0	12.7-19.3
College Graduate	948	654,017	832	91.3	89.1-93.5	116	8.7	6.5-10.9
Less than \$15,000	222	192,850	99	52.8	43.8-61.8	123	47.2	38.2-56.2
\$15,000- 24,999	361	332,616	204	63.0	56.3-69.7	157	37.0	30.3-43.7
\$25,000- 34,999	207	195,368	143	75.0	67.0-83.0	64	25.0	17.0-33.0
\$35,000- 49,999	344	325,371	276	85.8	81.3-90.3	68	14.2	9.7-18.7
\$50,000- 74,999	386	382,995	323	88.1	83.8-92.4	63	11.9	7.6-16.2
\$75,000+	766	738,820	706	93.1	90.9-95.3	60	6.9	4.7- 9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3497	2,759,282	2576	76.4	74.4-78.4	921	23.6	21.6-25.6
White/Non-Hisp	2775	2,046,302	2064	76.9	74.7-79.1	711	23.1	20.9-25.3
Black or Afr. Am./Non-Hisp	455	466,731	321	72.7	67.2-78.2	134	27.3	21.8-32.8
Oth. Race/Non-Hisp.	66	50,555	47	70.8	53.4-88.2	19	29.2	11.8-46.6
MultiRacial/Non-Hisp.	59	21,642	35	69.9	55.0-84.8	24	30.1	15.2-45.0
Hispanic	72	118,713	63	86.5	76.5-96.5	9	13.5	3.5-23.5
18-24	191	307,143	179	93.5	89.2-97.8	12	6.5	2.2-10.8
25-34	356	460,166	305	84.6	79.5-89.7	51	15.4	10.3-20.5
35-44	405	429,930	318	79.3	74.0-84.6	87	20.7	15.4-26.0
45-54	577	446,147	417	70.9	66.0-75.8	160	29.1	24.2-34.0
55-64	733	466,558	499	67.7	63.2-72.2	234	32.3	27.8-36.8
65+	1235	649,338	858	70.5	67.2-73.8	377	29.5	26.2-32.8
Less Than H.S.	328	339,055	141	49.7	42.3-57.1	187	50.3	42.9-57.7
H.S. or G.E.D.	1105	898,291	739	72.0	68.5-75.5	366	28.0	24.5-31.5
Some Post-H.S.	978	869,486	735	80.7	77.6-83.8	243	19.3	16.2-22.4
College Graduate	1071	641,067	948	90.3	88.1-92.5	123	9.7	7.5-11.9
Less than \$15,000	420	283,276	196	52.9	46.0-59.8	224	47.1	40.2-54.0
\$15,000- 24,999	605	445,981	390	66.6	61.3-71.9	215	33.4	28.1-38.7
\$25,000- 34,999	286	233,402	205	72.6	65.7-79.5	81	27.4	20.5-34.3
\$35,000- 49,999	409	314,405	327	78.8	73.3-84.3	82	21.2	15.7-26.7
\$50,000- 74,999	362	301,163	313	85.5	80.2-90.8	49	14.5	9.2-19.8
\$75,000+	655	560,061	603	92.6	90.1-95.1	52	7.4	4.9-9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	13
2	MALES ONLY	14
3	FEMALES ONLY	15
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	16
5	MALES ONLY	17
6	FEMALES ONLY	18

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6024	5,178,605	3447	60.0	58.2-61.8	1478	25.0	23.4-26.6	1099	15.1	13.9-16.3
Male	2655	2,505,539	1630	64.8	62.3-67.3	592	22.2	19.8-24.6	433	13.0	11.4-14.6
Female	3369	2,673,066	1817	55.5	53.1-57.9	886	27.5	25.3-29.7	666	17.0	15.2-18.8
White/Non-Hisp	4829	3,855,065	2801	59.8	57.8-61.8	1146	24.4	22.6-26.2	882	15.8	14.4-17.2
Black or Afr. Am./Non-Hisp	691	796,449	379	60.0	55.1-64.9	200	27.0	22.7-31.3	112	13.0	9.9-16.1
Oth. Race/Non-Hisp.	161	145,628	85	59.5	48.3-70.7	43	28.1	17.7-38.5	33	12.4	6.1-18.7
MultiRacial/Non-Hisp.	96	42,887	41	55.8	42.1-69.5	27	27.6	16.2-39.0	28	16.6	8.8-24.4
Hispanic	131	238,861	87	67.7	57.1-78.3	29	24.5	14.7-34.3	15	7.8	2.3-13.3
18-24	368	623,370	246	66.4	60.1-72.7	99	27.9	22.0-33.8	23	5.7	3.0- 8.4
25-34	661	898,965	424	65.7	61.0-70.4	183	27.3	22.8-31.8	54	7.1	4.7- 9.5
35-44	704	835,921	428	62.6	57.9-67.3	182	24.3	20.2-28.4	94	13.1	9.6-16.6
45-54	1062	855,022	584	56.4	52.5-60.3	277	27.4	23.7-31.1	201	16.2	13.5-18.9
55-64	1276	862,571	671	54.2	50.7-57.7	303	22.8	19.9-25.7	302	23.0	20.1-25.9
65+	1953	1,102,756	1094	57.0	54.1-59.9	434	21.7	19.3-24.1	425	21.3	18.9-23.7
Less Than H.S.	550	662,294	219	46.3	40.2-52.4	141	29.0	23.3-34.7	190	24.7	20.2-29.2
H.S. or G.E.D.	1851	1,680,555	998	59.3	56.2-62.4	455	24.0	21.3-26.7	398	16.7	14.5-18.9
Some Post-H.S.	1616	1,540,866	904	60.2	57.1-63.3	393	24.4	21.5-27.3	319	15.4	13.2-17.6
College Graduate	1984	1,277,479	1312	67.6	64.9-70.3	486	24.9	22.4-27.4	186	7.5	6.1- 8.9
Less than \$15,000	606	451,280	205	42.8	36.9-48.7	160	25.7	20.8-30.6	241	31.5	26.6-36.4
\$15,000- 24,999	931	751,763	425	48.3	43.8-52.8	258	28.7	24.6-32.8	248	23.0	19.5-26.5
\$25,000- 34,999	476	417,296	246	56.1	49.8-62.4	135	30.7	24.6-36.8	95	13.2	9.9-16.5
\$35,000- 49,999	734	624,982	439	61.6	56.7-66.5	183	24.8	20.3-29.3	112	13.6	10.5-16.7
\$50,000- 74,999	738	679,159	483	65.5	60.6-70.4	177	23.3	18.8-27.8	78	11.2	8.1-14.3
\$75,000+	1408	1,286,463	991	69.7	66.4-73.0	320	23.3	20.2-26.4	97	7.0	5.0- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2655	2,505,539	1630	64.8	62.3-67.3	592	22.2	19.8-24.6	433	13.0	11.4-14.6
White/Non-Hisp	2147	1,868,714	1340	64.2	61.5-66.9	464	22.2	19.7-24.7	343	13.5	11.7-15.3
Black or Afr. Am./Non-Hisp	257	349,750	152	66.6	59.2-74.0	65	21.3	15.0-27.6	40	12.1	7.2-17.0
Oth. Race/Non-Hisp.	99	96,362	57	70.0	57.8-82.2	24	20.6	9.6-31.6	18	9.4	3.5-15.3
Hispanic	60	120,719	37	68.7	53.4-84.0	13	23.4	8.7-38.1	10	7.9	1.6-14.2
18-24	179	317,458	123	69.1	60.5-77.7	46	27.0	18.6-35.4	10	3.8	1.1- 6.5
25-34	316	452,521	209	70.8	64.3-77.3	82	22.8	16.7-28.9	25	6.4	3.3- 9.5
35-44	303	412,510	215	72.6	66.1-79.1	54	18.3	12.4-24.2	34	9.0	5.3-12.7
45-54	501	422,644	299	60.8	54.9-66.7	130	27.5	22.0-33.0	72	11.6	8.3-14.9
55-64	564	411,040	312	57.8	52.5-63.1	130	20.5	16.2-24.8	122	21.7	17.2-26.2
65+	792	489,366	472	59.1	54.6-63.6	150	18.6	15.1-22.1	170	22.3	18.4-26.2
Less Than H.S.	249	348,469	114	48.1	39.3-56.9	57	29.3	20.5-38.1	78	22.7	16.4-29.0
H.S. or G.E.D.	807	821,905	475	65.7	61.4-70.0	178	20.6	16.9-24.3	154	13.7	11.0-16.4
Some Post-H.S.	654	681,515	392	64.5	59.6-69.4	146	22.5	18.2-26.8	116	13.0	10.1-15.9
College Graduate	935	646,766	644	72.9	69.2-76.6	210	20.3	17.0-23.6	81	6.7	4.7- 8.7
Less than \$15,000	212	184,415	79	42.6	33.2-52.0	50	26.3	18.1-34.5	83	31.1	23.1-39.1
\$15,000- 24,999	349	319,584	156	50.7	43.4-58.0	91	24.6	18.3-30.9	102	24.7	18.8-30.6
\$25,000- 34,999	200	191,092	110	63.3	54.1-72.5	56	25.1	16.7-33.5	34	11.7	6.8-16.6
\$35,000- 49,999	333	314,738	211	65.9	58.8-73.0	74	23.2	16.5-29.9	48	10.9	7.0-14.8
\$50,000- 74,999	378	378,526	245	66.9	60.0-73.8	88	22.8	16.3-29.3	45	10.3	6.6-14.0
\$75,000+	762	734,473	563	74.6	70.3-78.9	153	19.9	15.8-24.0	46	5.5	3.5- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3369	2,673,066	1817	55.5	53.1-57.9	886	27.5	25.3-29.7	666	17.0	15.2-18.8
White/Non-Hisp	2682	1,986,352	1461	55.7	53.2-58.2	682	26.4	24.0-28.8	539	18.0	16.0-20.0
Black or Afr. Am./Non-Hisp	434	446,699	227	54.9	48.6-61.2	135	31.4	25.5-37.3	72	13.7	9.6-17.8
Oth. Race/Non-Hisp.	62	49,266	28	38.8	21.7-55.9	19	42.8	23.6-62.0	15	18.3	4.2-32.4
MultiRacial/Non-Hisp.	55	19,932	22	46.1	25.9-66.3	15	32.8	15.7-49.9	18	21.1	8.4-33.8
Hispanic	71	118,142	50	66.7	52.6-80.8	16	25.6	12.9-38.3	5	7.8	0.0-17.0
18-24	189	305,913	123	63.6	54.6-72.6	53	28.8	20.4-37.2	13	7.6	2.7-12.5
25-34	345	446,444	215	60.4	53.7-67.1	101	31.8	25.3-38.3	29	7.7	4.2-11.2
35-44	401	423,411	213	52.9	46.2-59.6	128	30.1	24.2-36.0	60	17.0	11.3-22.7
45-54	561	432,377	285	52.1	46.8-57.4	147	27.2	22.5-31.9	129	20.7	16.4-25.0
55-64	712	451,532	359	51.0	46.3-55.7	173	24.9	20.8-29.0	180	24.1	20.0-28.2
65+	1161	613,390	622	55.4	51.7-59.1	284	24.1	21.0-27.2	255	20.5	17.6-23.4
Less Than H.S.	301	313,824	105	44.3	36.3-52.3	84	28.7	22.0-35.4	112	27.0	20.9-33.1
H.S. or G.E.D.	1044	858,650	523	53.1	48.8-57.4	277	27.3	23.4-31.2	244	19.6	16.3-22.9
Some Post-H.S.	962	859,351	512	56.7	52.4-61.0	247	26.0	22.3-29.7	203	17.3	14.2-20.4
College Graduate	1049	630,714	668	62.2	58.1-66.3	276	29.5	25.6-33.4	105	8.2	6.0-10.4
Less than \$15,000	394	266,865	126	43.0	35.6-50.4	110	25.3	19.4-31.2	158	31.7	25.4-38.0
\$15,000- 24,999	582	432,180	269	46.5	40.8-52.2	167	31.8	26.3-37.3	146	21.7	17.4-26.0
\$25,000- 34,999	276	226,204	136	49.9	41.7-58.1	79	35.6	27.4-43.8	61	14.5	9.8-19.2
\$35,000- 49,999	401	310,244	228	57.2	50.7-63.7	109	26.5	20.6-32.4	64	16.3	11.4-21.2
\$50,000- 74,999	360	300,633	238	63.8	56.7-70.9	89	23.8	17.9-29.7	33	12.3	6.8-17.8
\$75,000+	646	551,990	428	63.1	58.0-68.2	167	27.9	23.4-32.4	51	9.0	5.3-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6096	5,231,570	3753	59.1	57.3-60.9	1377	25.1	23.5-26.7	966	15.8	14.4-17.2
Male	2685	2,520,686	1823	66.5	64.0-69.0	504	20.6	18.4-22.8	358	12.8	11.0-14.6
Female	3411	2,710,884	1930	52.2	49.8-54.6	873	29.2	27.0-31.4	608	18.6	16.6-20.6
White/Non-Hisp	4885	3,895,015	3029	59.1	57.1-61.1	1092	25.2	23.4-27.0	764	15.8	14.4-17.2
Black or Afr. Am./Non-Hisp	703	812,508	427	59.8	54.9-64.7	174	25.4	21.1-29.7	102	14.8	11.3-18.3
Oth. Race/Non-Hisp.	165	145,910	98	63.3	52.5-74.1	37	22.3	13.1-31.5	30	14.4	7.0-21.8
MultiRacial/Non-Hisp.	95	42,780	46	50.0	35.9-64.1	21	26.4	14.2-38.6	28	23.7	13.7-33.7
Hispanic	131	235,735	79	58.5	47.3-69.7	36	27.2	17.6-36.8	16	14.3	5.3-23.3
18-24	367	617,578	138	37.8	31.3-44.3	142	40.7	34.0-47.4	87	21.5	16.2-26.8
25-34	663	907,949	325	52.1	47.2-57.0	220	31.3	26.8-35.8	118	16.6	12.9-20.3
35-44	706	832,798	378	58.0	53.1-62.9	185	23.9	20.0-27.8	143	18.1	14.4-21.8
45-54	1075	863,906	621	58.7	54.8-62.6	261	25.4	21.9-28.9	193	15.9	13.2-18.6
55-64	1284	873,156	791	62.6	59.1-66.1	279	21.5	18.6-24.4	214	15.9	13.4-18.4
65+	2001	1,136,183	1500	74.7	72.2-77.2	290	14.9	12.7-17.1	211	10.3	8.5-12.1
Less Than H.S.	560	670,758	301	51.5	45.6-57.4	117	24.9	19.4-30.4	142	23.6	18.7-28.5
H.S. or G.E.D.	1887	1,708,614	1132	60.6	57.5-63.7	393	22.4	19.7-25.1	362	17.0	14.6-19.4
Some Post-H.S.	1621	1,544,565	951	56.9	53.6-60.2	391	26.5	23.6-29.4	279	16.6	14.2-19.0
College Graduate	2004	1,289,539	1354	63.7	60.8-66.6	472	27.1	24.4-29.8	178	9.1	7.3-10.9
Less than \$15,000	613	458,690	266	43.0	37.3-48.7	143	24.6	19.5-29.7	204	32.5	27.2-37.8
\$15,000- 24,999	940	761,023	488	52.1	47.6-56.6	226	25.3	21.4-29.2	226	22.7	19.0-26.4
\$25,000- 34,999	486	420,411	272	54.2	47.7-60.7	124	27.3	21.6-33.0	90	18.5	13.0-24.0
\$35,000- 49,999	742	628,058	457	59.0	54.1-63.9	179	27.5	23.0-32.0	106	13.5	10.4-16.6
\$50,000- 74,999	744	678,509	502	63.4	58.3-68.5	162	23.1	18.8-27.4	80	13.5	9.8-17.2
\$75,000+	1412	1,291,024	980	66.4	62.9-69.9	339	26.8	23.5-30.1	93	6.8	5.0- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2685	2,520,686	1823	66.5	64.0-69.0	504	20.6	18.4-22.8	358	12.8	11.0-14.6
White/Non-Hisp	2174	1,884,006	1493	66.4	63.7-69.1	401	20.9	18.4-23.4	280	12.6	10.8-14.4
Black or Afr. Am./Non-Hisp	259	350,934	171	67.1	59.5-74.7	55	20.2	13.7-26.7	33	12.7	7.2-18.2
Oth. Race/Non-Hisp.	99	96,055	69	76.2	65.0-87.4	19	18.5	7.7-29.3	11	5.3	1.6- 9.0
Hispanic	61	118,555	36	65.1	49.0-81.2	15	21.0	8.3-33.7	10	13.8	0.9-26.7
18-24	177	311,062	81	45.9	36.5-55.3	60	37.0	27.8-46.2	36	17.0	10.1-23.9
25-34	313	454,914	173	62.7	56.0-69.4	91	24.6	18.7-30.5	49	12.8	8.7-16.9
35-44	302	403,544	188	67.3	60.6-74.0	62	17.3	12.2-22.4	52	15.3	10.0-20.6
45-54	507	425,666	323	64.6	58.9-70.3	110	23.0	17.7-28.3	74	12.5	9.0-16.0
55-64	574	419,595	398	70.0	65.1-74.9	95	16.1	12.2-20.0	81	13.9	10.4-17.4
65+	812	505,904	660	80.7	77.0-84.4	86	11.5	8.4-14.6	66	7.8	5.4-10.2
Less Than H.S.	251	343,979	146	56.7	48.1-65.3	46	23.3	15.7-30.9	59	20.0	13.5-26.5
H.S. or G.E.D.	824	832,978	536	67.9	63.6-72.2	143	17.5	14.0-21.0	145	14.5	11.4-17.6
Some Post-H.S.	656	683,193	439	65.5	60.6-70.4	138	23.3	18.8-27.8	79	11.2	8.1-14.3
College Graduate	944	653,651	697	71.2	67.3-75.1	176	20.5	17.0-24.0	71	8.3	5.9-10.7
Less than \$15,000	212	184,337	94	43.3	34.1-52.5	43	22.1	14.3-29.9	75	34.6	25.8-43.4
\$15,000- 24,999	353	325,854	193	57.3	50.2-64.4	80	24.3	17.8-30.8	80	18.4	13.5-23.3
\$25,000- 34,999	204	188,391	123	56.9	46.7-67.1	48	24.3	16.1-32.5	33	18.8	9.2-28.4
\$35,000- 49,999	340	316,724	240	68.0	61.3-74.7	64	21.9	15.8-28.0	36	10.1	6.2-14.0
\$50,000- 74,999	382	378,296	284	73.4	66.9-79.9	65	18.1	12.4-23.8	33	8.5	4.8-12.2
\$75,000+	765	738,301	583	74.5	70.0-79.0	140	19.8	15.7-23.9	42	5.7	3.5- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3411	2,710,884	1930	52.2	49.8-54.6	873	29.2	27.0-31.4	608	18.6	16.6-20.6
White/Non-Hisp	2711	2,011,009	1536	52.2	49.7-54.7	691	29.2	26.7-31.7	484	18.7	16.5-20.9
Black or Afr. Am./Non-Hisp	444	461,575	256	54.3	48.0-60.6	119	29.3	23.4-35.2	69	16.4	11.9-20.9
Oth. Race/Non-Hisp.	66	49,854	29	38.4	20.8-56.0	18	29.5	12.8-46.2	19	32.1	14.3-49.9
MultiRacial/Non-Hisp.	55	18,829	23	31.8	17.1-46.5	14	35.4	17.4-53.4	18	32.8	17.3-48.3
Hispanic	70	117,180	43	51.7	36.6-66.8	21	33.5	19.4-47.6	6	14.8	2.1-27.5
18-24	190	306,516	57	29.6	21.4-37.8	82	44.4	35.0-53.8	51	25.9	17.9-33.9
25-34	350	453,035	152	41.4	34.7-48.1	129	38.1	31.6-44.6	69	20.5	14.6-26.4
35-44	404	429,254	190	49.2	42.5-55.9	123	30.2	24.3-36.1	91	20.6	15.5-25.7
45-54	568	438,239	298	53.0	47.7-58.3	151	27.7	23.0-32.4	119	19.3	15.2-23.4
55-64	710	453,561	393	55.6	50.9-60.3	184	26.5	22.2-30.8	133	17.9	14.4-21.4
65+	1189	630,279	840	69.9	66.4-73.4	204	17.8	14.9-20.7	145	12.3	9.9-14.7
Less Than H.S.	309	326,779	155	46.0	38.6-53.4	71	26.6	19.0-34.2	83	27.5	20.4-34.6
H.S. or G.E.D.	1063	875,636	596	53.7	49.4-58.0	250	27.0	23.1-30.9	217	19.3	16.0-22.6
Some Post-H.S.	965	861,373	512	50.0	45.7-54.3	253	29.0	25.1-32.9	200	20.9	17.4-24.4
College Graduate	1060	635,888	657	56.1	52.0-60.2	296	33.9	30.0-37.8	107	10.0	7.5-12.5
Less than \$15,000	401	274,353	172	42.8	35.7-49.9	100	26.2	19.5-32.9	129	31.0	24.3-37.7
\$15,000- 24,999	587	435,169	295	48.2	42.5-53.9	146	26.0	20.9-31.1	146	25.8	20.7-30.9
\$25,000- 34,999	282	232,020	149	52.0	43.8-60.2	76	29.8	21.8-37.8	57	18.2	12.3-24.1
\$35,000- 49,999	402	311,334	217	49.9	43.2-56.6	115	33.1	26.6-39.6	70	17.0	12.1-21.9
\$50,000- 74,999	362	300,213	218	50.7	43.4-58.0	97	29.4	22.9-35.9	47	19.8	12.9-26.7
\$75,000+	647	552,723	397	55.6	50.3-60.9	199	36.1	31.0-41.2	51	8.3	5.4-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	20
2	MALES ONLY	21
3	FEMALES ONLY	22

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4069	4,065,304	3428	82.1	80.3-83.9	641	17.9	16.1-19.7
Male	1866	2,006,847	1510	77.6	74.9-80.3	356	22.4	19.7-25.1
Female	2203	2,058,457	1918	86.5	84.5-88.5	285	13.5	11.5-15.5
White/Non-Hisp	3147	2,905,494	2676	83.6	81.6-85.6	471	16.4	14.4-18.4
Black or Afr. Am./Non-Hisp	533	692,666	444	82.2	77.9-86.5	89	17.8	13.5-22.1
Oth. Race/Non-Hisp.	122	130,692	99	77.4	67.0-87.8	23	22.6	12.2-33.0
MultiRacial/Non-Hisp.	86	44,174	71	82.7	70.7-94.7	15	17.3	5.3-29.3
Hispanic	122	231,049	89	66.1	54.5-77.7	33	33.9	22.3-45.5
18-24	364	614,735	301	80.8	75.3-86.3	63	19.2	13.7-24.7
25-34	678	921,601	553	80.2	76.3-84.1	125	19.8	15.9-23.7
35-44	701	826,164	579	79.5	75.2-83.8	122	20.5	16.2-24.8
45-54	1022	822,971	858	82.8	79.7-85.9	164	17.2	14.1-20.3
55-64	1304	879,832	1137	86.9	84.5-89.3	167	13.1	10.7-15.5
Less Than H.S.	339	482,720	243	66.8	59.5-74.1	96	33.2	25.9-40.5
H.S. or G.E.D.	1233	1,305,627	972	78.5	75.4-81.6	261	21.5	18.4-24.6
Some Post-H.S.	1134	1,252,260	953	83.6	80.7-86.5	181	16.4	13.5-19.3
College Graduate	1357	1,018,565	1255	92.3	90.3-94.3	102	7.7	5.7- 9.7
Less than \$15,000	420	358,585	301	73.3	67.4-79.2	119	26.7	20.8-32.6
\$15,000- 24,999	585	547,532	421	69.2	63.9-74.5	164	30.8	25.5-36.1
\$25,000- 34,999	294	313,053	229	70.8	62.8-78.8	65	29.2	21.2-37.2
\$35,000- 49,999	514	517,872	447	82.3	77.2-87.4	67	17.7	12.6-22.8
\$50,000- 74,999	516	539,838	458	85.3	80.6-90.0	58	14.7	10.0-19.4
\$75,000+	1122	1,126,778	1061	94.1	92.1-96.1	61	5.9	3.9- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1866	2,006,847	1510	77.6	74.9-80.3	356	22.4	19.7-25.1
White/Non-Hisp	1465	1,438,111	1204	79.9	77.0-82.8	261	20.1	17.2-23.0
Black or Afr. Am./Non-Hisp	198	306,203	147	72.8	64.8-80.8	51	27.2	19.2-35.2
Oth. Race/Non-Hisp.	77	89,081	60	76.4	63.9-88.9	17	23.6	11.1-36.1
Hispanic	57	119,433	42	62.2	44.4-80.0	15	37.8	20.0-55.6
18-24	177	310,909	138	77.8	69.8-85.8	39	22.2	14.2-30.2
25-34	320	459,893	247	73.9	67.4-80.4	73	26.1	19.6-32.6
35-44	306	412,858	233	72.2	64.9-79.5	73	27.8	20.5-35.1
45-54	485	405,978	393	79.8	74.5-85.1	92	20.2	14.9-25.5
55-64	578	417,209	499	84.8	80.9-88.7	79	15.2	11.3-19.1
Less Than H.S.	173	273,072	119	59.5	48.9-70.1	54	40.5	29.9-51.1
H.S. or G.E.D.	590	674,704	439	73.6	68.7-78.5	151	26.4	21.5-31.3
Some Post-H.S.	474	550,408	381	80.3	75.6-85.0	93	19.7	15.0-24.4
College Graduate	629	508,663	571	89.7	86.4-93.0	58	10.3	7.0-13.6
Less than \$15,000	156	151,903	103	66.0	55.8-76.2	53	34.0	23.8-44.2
\$15,000- 24,999	235	232,246	145	59.4	50.8-68.0	90	40.6	32.0-49.2
\$25,000- 34,999	130	151,794	89	55.6	43.1-68.1	41	44.4	31.9-56.9
\$35,000- 49,999	240	269,865	200	78.0	70.0-86.0	40	22.0	14.0-30.0
\$50,000- 74,999	266	300,206	230	80.9	73.5-88.3	36	19.1	11.7-26.5
\$75,000+	592	634,714	550	92.1	89.2-95.0	42	7.9	5.0-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2203	2,058,457	1918	86.5	84.5-88.5	285	13.5	11.5-15.5
White/Non-Hisp	1682	1,467,384	1472	87.1	84.7-89.5	210	12.9	10.5-15.3
Black or Afr. Am./Non-Hisp	335	386,463	297	89.6	85.5-93.7	38	10.4	6.3-14.5
Hispanic	65	111,616	47	70.3	56.0-84.6	18	29.7	15.4-44.0
18-24	187	303,827	163	83.9	76.5-91.3	24	16.1	8.7-23.5
25-34	358	461,708	306	86.4	81.7-91.1	52	13.6	8.9-18.3
35-44	395	413,306	346	86.8	82.1-91.5	49	13.2	8.5-17.9
45-54	537	416,993	465	85.7	82.0-89.4	72	14.3	10.6-18.0
55-64	726	462,623	638	88.8	86.1-91.5	88	11.2	8.5-13.9
Less Than H.S.	166	209,648	124	76.4	67.4-85.4	42	23.6	14.6-32.6
H.S. or G.E.D.	643	630,923	533	83.6	79.7-87.5	110	16.4	12.5-20.3
Some Post-H.S.	660	701,852	572	86.2	82.7-89.7	88	13.8	10.3-17.3
College Graduate	728	509,902	684	94.9	92.7-97.1	44	5.1	2.9- 7.3
Less than \$15,000	264	206,682	198	78.6	72.1-85.1	66	21.4	14.9-27.9
\$15,000- 24,999	350	315,286	276	76.5	70.2-82.8	74	23.5	17.2-29.8
\$25,000- 34,999	164	161,259	140	85.2	77.8-92.6	24	14.8	7.4-22.2
\$35,000- 49,999	274	248,007	247	87.1	81.4-92.8	27	12.9	7.2-18.6
\$50,000- 74,999	250	239,632	228	90.8	85.7-95.9	22	9.2	4.1-14.3
\$75,000+	530	492,064	511	96.8	95.0-98.6	19	3.2	1.4- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	24
2	MALES ONLY	25
3	FEMALES ONLY	26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6225	5,322,690	3326	60.7	59.1-62.3	2899	39.3	37.7-40.9
Male	2727	2,560,290	1386	58.2	55.7-60.7	1341	41.8	39.3-44.3
Female	3498	2,762,399	1940	63.1	60.9-65.3	1558	36.9	34.7-39.1
White/Non-Hisp	4981	3,959,624	2676	60.8	59.0-62.6	2305	39.2	37.4-41.0
Black or Afr. Am./Non-Hisp	716	820,478	333	53.6	48.7-58.5	383	46.4	41.5-51.3
Oth. Race/Non-Hisp.	168	147,675	96	71.2	61.4-81.0	72	28.8	19.0-38.6
MultiRacial/Non-Hisp.	105	48,566	58	65.9	53.7-78.1	47	34.1	21.9-46.3
Hispanic	134	244,065	104	80.2	71.8-88.6	30	19.8	11.4-28.2
18-24	372	625,118	327	91.0	87.9-94.1	45	9.0	5.9-12.1
25-34	676	917,778	567	83.4	79.9-86.9	109	16.6	13.1-20.1
35-44	711	844,780	505	71.7	67.4-76.0	206	28.3	24.0-32.6
45-54	1086	872,621	616	55.4	51.5-59.3	470	44.6	40.7-48.5
55-64	1317	890,802	595	45.3	41.8-48.8	722	54.7	51.2-58.2
65+	2063	1,171,591	716	34.5	31.8-37.2	1347	65.5	62.8-68.2
Less Than H.S.	595	706,462	220	46.9	41.0-52.8	375	53.1	47.2-59.0
H.S. or G.E.D.	1944	1,744,041	944	58.5	55.6-61.4	1000	41.5	38.6-44.4
Some Post-H.S.	1646	1,563,912	926	63.7	60.8-66.6	720	36.3	33.4-39.2
College Graduate	2016	1,290,382	1224	67.8	65.3-70.3	792	32.2	29.7-34.7
Less than \$15,000	643	477,099	261	45.0	39.3-50.7	382	55.0	49.3-60.7
\$15,000- 24,999	965	775,393	450	54.0	49.7-58.3	515	46.0	41.7-50.3
\$25,000- 34,999	494	428,829	243	60.9	55.0-66.8	251	39.1	33.2-45.0
\$35,000- 49,999	752	640,919	426	62.7	58.0-67.4	326	37.3	32.6-42.0
\$50,000- 74,999	749	681,773	421	63.5	58.8-68.2	328	36.5	31.8-41.2
\$75,000+	1420	1,298,269	901	70.0	66.9-73.1	519	30.0	26.9-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2727	2,560,290	1386	58.2	55.7-60.7	1341	41.8	39.3-44.3
White/Non-Hisp	2204	1,909,767	1119	57.6	54.9-60.3	1085	42.4	39.7-45.1
Black or Afr. Am./Non-Hisp	261	353,930	126	53.1	45.1-61.1	135	46.9	38.9-54.9
Oth. Race/Non-Hisp.	101	96,730	55	70.5	58.0-83.0	46	29.5	17.0-42.0
Hispanic	62	125,352	41	75.3	62.0-88.6	21	24.7	11.4-38.0
18-24	181	317,975	152	87.0	81.5-92.5	29	13.0	7.5-18.5
25-34	318	456,070	258	83.2	78.1-88.3	60	16.8	11.7-21.9
35-44	306	414,850	205	67.2	60.1-74.3	101	32.8	25.7-39.9
45-54	511	427,126	265	51.3	45.4-57.2	246	48.7	42.8-54.6
55-64	584	424,427	228	39.8	34.5-45.1	356	60.2	54.9-65.5
65+	827	519,842	278	31.9	27.8-36.0	549	68.1	64.0-72.2
Less Than H.S.	265	366,247	101	47.8	39.2-56.4	164	52.2	43.6-60.8
H.S. or G.E.D.	839	844,350	390	56.1	51.6-60.6	449	43.9	39.4-48.4
Some Post-H.S.	667	693,163	357	59.5	54.6-64.4	310	40.5	35.6-45.4
College Graduate	946	649,646	534	65.4	61.5-69.3	412	34.6	30.7-38.5
Less than \$15,000	223	193,735	77	38.1	29.1-47.1	146	61.9	52.9-70.9
\$15,000- 24,999	360	329,411	151	47.3	40.0-54.6	209	52.7	45.4-60.0
\$25,000- 34,999	207	195,037	97	57.6	48.0-67.2	110	42.4	32.8-52.0
\$35,000- 49,999	343	324,900	180	62.0	54.9-69.1	163	38.0	30.9-45.1
\$50,000- 74,999	386	379,458	213	63.1	56.4-69.8	173	36.9	30.2-43.6
\$75,000+	766	738,868	444	66.7	62.4-71.0	322	33.3	29.0-37.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3498	2,762,399	1940	63.1	60.9-65.3	1558	36.9	34.7-39.1
White/Non-Hisp	2777	2,049,857	1557	63.7	61.3-66.1	1220	36.3	33.9-38.7
Black or Afr. Am./Non-Hisp	455	466,548	207	53.9	47.8-60.0	248	46.1	40.0-52.2
Oth. Race/Non-Hisp.	67	50,945	41	72.5	57.4-87.6	26	27.5	12.4-42.6
MultiRacial/Non-Hisp.	59	21,642	36	72.6	58.1-87.1	23	27.4	12.9-41.9
Hispanic	72	118,713	63	85.4	75.0-95.8	9	14.6	4.2-25.0
18-24	191	307,143	175	95.1	92.4-97.8	16	4.9	2.2-7.6
25-34	358	461,708	309	83.6	78.5-88.7	49	16.4	11.3-21.5
35-44	405	429,930	300	76.0	70.9-81.1	105	24.0	18.9-29.1
45-54	575	445,494	351	59.3	54.2-64.4	224	40.7	35.6-45.8
55-64	733	466,375	367	50.4	45.7-55.1	366	49.6	44.9-54.3
65+	1236	651,749	438	36.6	33.1-40.1	798	63.4	59.9-66.9
Less Than H.S.	330	340,215	119	45.9	38.3-53.5	211	54.1	46.5-61.7
H.S. or G.E.D.	1105	899,691	554	60.8	56.9-64.7	551	39.2	35.3-43.1
Some Post-H.S.	979	870,749	569	67.0	63.3-70.7	410	33.0	29.3-36.7
College Graduate	1070	640,736	690	70.3	66.8-73.8	380	29.7	26.2-33.2
Less than \$15,000	420	283,364	184	49.7	42.6-56.8	236	50.3	43.2-57.4
\$15,000- 24,999	605	445,981	299	59.0	53.7-64.3	306	41.0	35.7-46.3
\$25,000- 34,999	287	233,792	146	63.7	56.6-70.8	141	36.3	29.2-43.4
\$35,000- 49,999	409	316,019	246	63.4	57.1-69.7	163	36.6	30.3-42.9
\$50,000- 74,999	363	302,315	208	64.1	57.6-70.6	155	35.9	29.4-42.4
\$75,000+	654	559,401	457	74.5	70.2-78.8	197	25.5	21.2-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)	
1	MALES AND FEMALES	28
2	MALES ONLY	29
3	FEMALES ONLY	30
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)	
4	MALES AND FEMALES	31
5	MALES ONLY	32
6	FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5844	4,899,014	5371	89.6	88.4-90.8	205	4.0	3.2- 4.8	268	6.3	5.3- 7.3
Male	2568	2,392,799	2284	86.4	84.4-88.4	121	5.0	3.8- 6.2	163	8.7	6.9-10.5
Female	3276	2,506,216	3087	92.8	91.4-94.2	84	3.1	2.1- 4.1	105	4.1	3.1- 5.1
White/Non-Hisp	4678	3,649,424	4306	89.6	88.2-91.0	171	4.3	3.5- 5.1	201	6.2	5.2- 7.2
Black or Afr. Am./Non-Hisp	678	754,230	636	91.9	88.8-95.0	12	2.7	0.7- 4.7	30	5.4	2.9- 7.9
Oth. Race/Non-Hisp.	158	140,800	136	87.0	79.6-94.4	10	5.4	0.0-10.9	12	7.6	2.1-13.1
MultiRacial/Non-Hisp.	97	42,453	83	85.4	77.2-93.6	4	4.6	0.0- 9.3	10	10.0	3.1-16.9
Hispanic	124	221,584	109	84.9	75.7-94.1	3	3.4	0.0- 7.3	12	11.7	3.1-20.3
18-24	279	465,873	196	70.6	63.7-77.5	14	5.4	2.1- 8.7	69	24.0	17.5-30.5
25-34	586	802,642	468	79.9	75.8-84.0	36	6.6	4.1- 9.1	82	13.5	10.0-17.0
35-44	665	794,347	575	89.5	87.0-92.0	51	5.9	3.9- 7.9	39	4.5	2.5- 6.5
45-54	1055	847,014	969	92.9	90.9-94.9	51	4.3	2.7- 5.9	35	2.8	1.6- 4.0
55-64	1275	864,943	1212	94.5	92.7-96.3	35	3.1	1.7- 4.5	28	2.5	1.3- 3.7
65+	1984	1,124,196	1951	98.4	97.6-99.2	18	0.8	0.2- 1.4	15	0.8	0.2- 1.4
Less Than H.S.	551	632,796	500	89.7	86.4-93.0	24	4.8	2.6- 7.0	27	5.5	2.8- 8.2
H.S. or G.E.D.	1800	1,586,209	1642	87.5	85.0-90.0	63	4.4	2.8- 6.0	95	8.0	5.8-10.2
Some Post-H.S.	1534	1,427,575	1408	90.5	88.5-92.5	45	3.2	2.0- 4.4	81	6.2	4.4- 8.0
College Graduate	1937	1,234,702	1801	91.3	89.5-93.1	71	3.9	2.7- 5.1	65	4.8	3.4- 6.2
Less than \$15,000	593	428,172	546	89.7	85.8-93.6	17	3.3	1.1- 5.5	30	7.0	3.7-10.3
\$15,000- 24,999	902	719,917	824	90.4	87.7-93.1	29	3.2	1.6- 4.8	49	6.4	4.0- 8.8
\$25,000- 34,999	462	394,618	411	86.4	81.3-91.5	24	4.7	2.3- 7.1	27	8.9	4.2-13.6
\$35,000- 49,999	703	582,166	643	88.3	84.8-91.8	31	5.5	3.1- 7.9	29	6.2	3.5- 8.9
\$50,000- 74,999	714	641,224	665	92.7	90.3-95.1	22	3.0	1.4- 4.6	27	4.3	2.5- 6.1
\$75,000+	1379	1,239,261	1270	89.3	86.8-91.8	50	4.4	2.8- 6.0	59	6.3	4.3- 8.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2568	2,392,799	2284	86.4	84.4-88.4	121	5.0	3.8- 6.2	163	8.7	6.9-10.5
White/Non-Hisp	2072	1,779,129	1842	86.0	83.8-88.2	100	5.2	3.8- 6.6	130	8.8	6.8-10.8
Black or Afr. Am./Non-Hisp	255	343,458	238	90.1	84.6-95.6	6	4.5	0.6- 8.4	11	5.5	1.4- 9.6
Oth. Race/Non-Hisp.	97	92,684	82	86.1	77.3-94.9	6	3.4	0.0- 7.1	9	10.4	2.4-18.4
Hispanic	56	111,472	47	80.6	65.5-95.7	2	3.4	0.0- 8.3	7	15.9	1.0-30.8
18-24	143	254,694	93	63.9	53.7-74.1	9	6.6	1.5-11.7	41	29.5	19.7-39.3
25-34	277	414,111	204	73.7	67.2-80.2	23	8.7	4.6-12.8	50	17.6	11.9-23.3
35-44	289	391,850	234	85.6	80.9-90.3	31	8.0	4.7-11.3	24	6.4	3.1- 9.7
45-54	499	419,665	442	91.3	88.4-94.2	31	4.2	2.4- 6.0	26	4.5	2.3- 6.7
55-64	563	412,050	528	94.0	91.6-96.4	17	3.2	1.2- 5.2	18	2.8	1.4- 4.2
65+	797	500,428	783	98.5	97.5-99.5	10	0.7	0.1- 1.3	4	0.8	0.0- 1.6
Less Than H.S.	251	344,496	217	86.8	81.3-92.3	15	5.7	2.4- 9.0	19	7.5	3.0-12.0
H.S. or G.E.D.	770	767,505	668	82.3	78.0-86.6	38	5.6	3.4- 7.8	64	12.1	8.2-16.0
Some Post-H.S.	626	645,032	556	87.5	84.0-91.0	24	4.2	2.0- 6.4	46	8.3	5.4-11.2
College Graduate	912	629,150	835	89.9	87.0-92.8	43	4.6	2.6- 6.6	34	5.5	3.1- 7.9
Less than \$15,000	202	176,835	179	83.2	75.4-91.0	9	6.0	1.3-10.7	14	10.8	3.9-17.7
\$15,000- 24,999	333	301,692	293	88.9	84.8-93.0	15	3.3	1.1- 5.5	25	7.8	4.1-11.5
\$25,000- 34,999	196	187,211	163	79.6	70.4-88.8	14	5.6	2.3- 8.9	19	14.8	5.8-23.8
\$35,000- 49,999	316	290,930	274	82.9	77.0-88.8	21	8.4	3.9-12.9	21	8.7	4.4-13.0
\$50,000- 74,999	370	371,253	337	91.4	88.1-94.7	12	2.6	0.8- 4.4	21	6.0	3.1- 8.9
\$75,000+	743	704,611	677	87.6	83.7-91.5	31	5.3	2.8- 7.8	35	7.2	4.1-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3276	2,506,216	3087	92.8	91.4-94.2	84	3.1	2.1- 4.1	105	4.1	3.1- 5.1
White/Non-Hisp	2606	1,870,294	2464	93.0	91.6-94.4	71	3.3	2.3- 4.3	71	3.7	2.7- 4.7
Black or Afr. Am./Non-Hisp	423	410,772	398	93.4	90.1-96.7	6	1.2	0.0- 2.6	19	5.4	2.3- 8.5
Oth. Race/Non-Hisp.	61	48,116	54	88.6	74.5- 100	4	9.2	0.0-23.3	3	2.2	0.0- 4.7
MultiRacial/Non-Hisp.	56	20,088	51	90.0	80.2-99.8				5	10.0	0.2-19.8
Hispanic	68	110,112	62	89.2	79.2-99.2	1	3.3	0.0- 9.8	5	7.5	0.0-15.5
18-24	136	211,179	103	78.6	70.6-86.6	5	3.9	0.0- 8.2	28	17.5	10.2-24.8
25-34	309	388,532	264	86.5	81.6-91.4	13	4.4	1.5- 7.3	32	9.1	5.0-13.2
35-44	376	402,496	341	93.3	90.8-95.8	20	4.0	2.0- 6.0	15	2.7	1.1- 4.3
45-54	556	427,349	527	94.5	92.0-97.0	20	4.3	1.9- 6.7	9	1.2	0.2- 2.2
55-64	712	452,893	684	94.9	92.2-97.6	18	2.9	0.9- 4.9	10	2.2	0.2- 4.2
65+	1187	623,767	1168	98.3	97.1-99.5	8	0.8	0.0- 1.8	11	0.8	0.2- 1.4
Less Than H.S.	300	288,300	283	93.2	89.7-96.7	9	3.6	1.1- 6.1	8	3.2	0.7- 5.7
H.S. or G.E.D.	1030	818,703	974	92.5	89.8-95.2	25	3.3	1.3- 5.3	31	4.2	2.2- 6.2
Some Post-H.S.	908	782,542	852	93.0	90.6-95.4	21	2.5	1.1- 3.9	35	4.5	2.5- 6.5
College Graduate	1025	605,552	966	92.8	90.6-95.0	28	3.2	1.8- 4.6	31	4.0	2.4- 5.6
Less than \$15,000	391	251,337	367	94.3	91.2-97.4	8	1.3	0.3- 2.3	16	4.4	1.5- 7.3
\$15,000- 24,999	569	418,224	531	91.6	88.1-95.1	14	3.1	0.9- 5.3	24	5.3	2.4- 8.2
\$25,000- 34,999	266	207,407	248	92.5	88.2-96.8	10	3.9	0.6- 7.2	8	3.6	0.9- 6.3
\$35,000- 49,999	387	291,235	369	93.8	90.1-97.5	10	2.5	0.5- 4.5	8	3.7	0.6- 6.8
\$50,000- 74,999	344	269,971	328	94.5	91.2-97.8	10	3.6	0.7- 6.5	6	1.9	0.1- 3.7
\$75,000+	636	534,650	593	91.6	88.7-94.5	19	3.3	1.5- 5.1	24	5.1	2.7- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5514	4,535,579	3205	63.8	62.0-65.6	2309	36.2	34.4-38.0
Male	2371	2,149,531	1349	62.2	59.5-64.9	1022	37.8	35.1-40.5
Female	3143	2,386,048	1856	65.3	63.1-67.5	1287	34.7	32.5-36.9
White/Non-Hisp	4423	3,383,438	2523	62.1	60.1-64.1	1900	37.9	35.9-39.9
Black or Afr. Am./Non-Hisp	644	707,524	393	65.0	60.1-69.9	251	35.0	30.1-39.9
Oth. Race/Non-Hisp.	145	128,960	91	73.0	62.8-83.2	54	27.0	16.8-37.2
MultiRacial/Non-Hisp.	87	38,187	46	60.2	44.9-75.5	41	39.8	24.5-55.1
Hispanic	112	195,586	89	82.9	74.9-90.9	23	17.1	9.1-25.1
18-24	207	347,085	188	92.6	88.7-96.5	19	7.4	3.5-11.3
25-34	502	687,756	449	89.6	86.1-93.1	53	10.4	6.9-13.9
35-44	622	756,630	463	74.4	69.7-79.1	159	25.6	20.9-30.3
45-54	1010	813,508	629	61.6	57.7-65.5	381	38.4	34.5-42.3
55-64	1239	835,812	601	48.1	44.4-51.8	638	51.9	48.2-55.6
65+	1934	1,094,787	875	44.8	41.9-47.7	1059	55.2	52.3-58.1
Less Than H.S.	516	585,936	230	48.2	42.1-54.3	286	51.8	45.7-57.9
H.S. or G.E.D.	1680	1,441,538	939	63.2	60.3-66.1	741	36.8	33.9-39.7
Some Post-H.S.	1444	1,327,585	845	66.0	62.9-69.1	599	34.0	30.9-37.1
College Graduate	1854	1,165,145	1179	69.9	67.4-72.4	675	30.1	27.6-32.6
Less than \$15,000	551	388,216	249	49.3	43.2-55.4	302	50.7	44.6-56.8
\$15,000- 24,999	844	668,202	467	57.8	53.1-62.5	377	42.2	37.5-46.9
\$25,000- 34,999	433	356,927	227	59.0	52.7-65.3	206	41.0	34.7-47.3
\$35,000- 49,999	669	540,934	385	66.7	62.2-71.2	284	33.3	28.8-37.8
\$50,000- 74,999	679	602,567	427	69.2	64.7-73.7	252	30.8	26.3-35.3
\$75,000+	1317	1,158,397	883	71.6	68.5-74.7	434	28.4	25.3-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2371	2,149,531	1349	62.2	59.5-64.9	1022	37.8	35.1-40.5
White/Non-Hisp	1913	1,596,608	1076	61.3	58.4-64.2	837	38.7	35.8-41.6
Black or Afr. Am./Non-Hisp	241	319,719	137	59.4	51.2-67.6	104	40.6	32.4-48.8
Oth. Race/Non-Hisp.	88	83,010	57	75.4	62.9-87.9	31	24.6	12.1-37.1
18-24	99	172,851	92	94.4	89.7-99.1	7	5.6	0.9-10.3
25-34	225	334,505	197	89.1	84.4-93.8	28	10.9	6.2-15.6
35-44	262	365,170	189	70.6	63.2-78.0	73	29.4	22.0-36.8
45-54	465	392,622	269	57.2	50.9-63.5	196	42.8	36.5-49.1
55-64	542	396,560	258	45.0	39.5-50.5	284	55.0	49.5-60.5
65+	778	487,822	344	44.0	39.5-48.5	434	56.0	51.5-60.5
Less Than H.S.	228	312,033	108	49.3	40.1-58.5	120	50.7	41.5-59.9
H.S. or G.E.D.	694	663,633	380	61.6	56.9-66.3	314	38.4	33.7-43.1
Some Post-H.S.	575	583,379	341	65.0	59.9-70.1	234	35.0	29.9-40.1
College Graduate	866	585,669	514	66.8	62.9-70.7	352	33.2	29.3-37.1
Less than \$15,000	184	152,545	76	38.4	28.8-48.0	108	61.6	52.0-71.2
\$15,000- 24,999	303	276,474	152	52.5	44.7-60.3	151	47.5	39.7-55.3
\$25,000- 34,999	175	156,892	89	56.6	46.2-67.0	86	43.4	33.0-53.8
\$35,000- 49,999	291	261,488	174	69.8	63.3-76.3	117	30.2	23.7-36.7
\$50,000- 74,999	341	337,611	206	68.3	61.6-75.0	135	31.7	25.0-38.4
\$75,000+	705	650,832	442	67.3	62.6-72.0	263	32.7	28.0-37.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3143	2,386,048	1856	65.3	63.1-67.5	1287	34.7	32.5-36.9
White/Non-Hisp	2510	1,786,830	1447	62.8	60.3-65.3	1063	37.2	34.7-39.7
Black or Afr. Am./Non-Hisp	403	387,805	256	69.7	63.8-75.6	147	30.3	24.4-36.2
Oth. Race/Non-Hisp.	57	45,949	34	68.7	51.5-85.9	23	31.3	14.1-48.5
MultiRacial/Non-Hisp.	51	18,087	26	61.1	42.3-79.9	25	38.9	20.1-57.7
Hispanic	63	101,867	56	89.4	81.0-97.8	7	10.6	2.2-19.0
18-24	108	174,234	96	90.7	84.6-96.8	12	9.3	3.2-15.4
25-34	277	353,251	252	90.0	84.9-95.1	25	10.0	4.9-15.1
35-44	360	391,461	274	77.9	72.4-83.4	86	22.1	16.6-27.6
45-54	545	420,886	360	65.7	60.6-70.8	185	34.3	29.2-39.4
55-64	697	439,252	343	50.9	46.2-55.6	354	49.1	44.4-53.8
65+	1156	606,965	531	45.4	41.7-49.1	625	54.6	50.9-58.3
Less Than H.S.	288	273,903	122	47.0	39.6-54.4	166	53.0	45.6-60.4
H.S. or G.E.D.	986	777,905	559	64.6	60.7-68.5	427	35.4	31.5-39.3
Some Post-H.S.	869	744,206	504	66.7	62.8-70.6	365	33.3	29.4-37.2
College Graduate	988	579,476	665	73.0	69.5-76.5	323	27.0	23.5-30.5
Less than \$15,000	367	235,670	173	56.4	49.3-63.5	194	43.6	36.5-50.7
\$15,000- 24,999	541	391,727	315	61.6	55.9-67.3	226	38.4	32.7-44.1
\$25,000- 34,999	258	200,035	138	60.9	53.1-68.7	120	39.1	31.3-46.9
\$35,000- 49,999	378	279,446	211	63.7	57.6-69.8	167	36.3	30.2-42.4
\$50,000- 74,999	338	264,956	221	70.4	64.3-76.5	117	29.6	23.5-35.7
\$75,000+	612	507,566	441	77.1	73.2-81.0	171	22.9	19.0-26.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6173	5,286,888	640	7.8	7.0- 8.6	5533	92.2	91.4-93.0
Male	2703	2,542,015	340	9.7	8.3-11.1	2363	90.3	88.9-91.7
Female	3470	2,744,873	300	6.2	5.2- 7.2	3170	93.8	92.8-94.8
White/Non-Hisp	4942	3,926,528	516	8.4	7.4- 9.4	4426	91.6	90.6-92.6
Black or Afr. Am./Non-Hisp	711	822,742	65	6.3	4.1- 8.5	646	93.7	91.5-95.9
Oth. Race/Non-Hisp.	167	147,557	21	6.8	3.5-10.1	146	93.2	89.9-96.5
MultiRacial/Non-Hisp.	103	48,231	16	14.8	5.6-24.0	87	85.2	76.0-94.4
Hispanic	134	244,065	4	1.2	0.0- 2.6	130	98.8	97.4- 100
18-24	373	629,002	4	0.7	0.0- 1.5	369	99.3	98.5- 100
25-34	677	913,141	9	1.1	0.1- 2.1	668	98.9	97.9-99.9
35-44	708	843,409	22	2.8	1.2- 4.4	686	97.2	95.6-98.8
45-54	1083	866,478	74	6.7	4.7- 8.7	1009	93.3	91.3-95.3
55-64	1304	881,485	169	12.8	10.4-15.2	1135	87.2	84.8-89.6
65+	2028	1,153,373	362	17.9	15.7-20.1	1666	82.1	79.9-84.3
Less Than H.S.	574	677,373	115	14.7	11.4-18.0	459	85.3	82.0-88.6
H.S. or G.E.D.	1929	1,740,224	236	8.4	7.0- 9.8	1693	91.6	90.2-93.0
Some Post-H.S.	1638	1,558,620	158	6.4	5.2- 7.6	1480	93.6	92.4-94.8
College Graduate	2010	1,295,121	128	5.2	4.0- 6.4	1882	94.8	93.6-96.0
Less than \$15,000	629	465,843	118	14.9	11.4-18.4	511	85.1	81.6-88.6
\$15,000- 24,999	955	769,371	151	11.8	9.3-14.3	804	88.2	85.7-90.7
\$25,000- 34,999	491	426,952	52	7.2	4.8- 9.6	439	92.8	90.4-95.2
\$35,000- 49,999	747	638,166	66	6.5	4.5- 8.5	681	93.5	91.5-95.5
\$50,000- 74,999	746	676,621	65	7.0	4.8- 9.2	681	93.0	90.8-95.2
\$75,000+	1418	1,298,878	64	3.6	2.4- 4.8	1354	96.4	95.2-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2703	2,542,015	340	9.7	8.3-11.1	2363	90.3	88.9-91.7
White/Non-Hisp	2186	1,891,607	277	10.4	8.8-12.0	1909	89.6	88.0-91.2
Black or Afr. Am./Non-Hisp	259	356,844	25	7.2	3.3-11.1	234	92.8	88.9-96.7
Oth. Race/Non-Hisp.	101	96,730	13	6.4	2.3-10.5	88	93.6	89.5-97.7
Hispanic	62	125,352	3	1.3	0.0- 3.1	59	98.7	96.9- 100
18-24	182	321,859	3	1.2	0.0- 2.6	179	98.8	97.4- 100
25-34	319	451,433	5	1.7	0.0- 3.5	314	98.3	96.5- 100
35-44	307	416,769	4	1.3	0.0- 3.3	303	98.7	96.7- 100
45-54	507	421,295	37	7.3	4.4-10.2	470	92.7	89.8-95.6
55-64	578	419,786	94	16.3	12.4-20.2	484	83.7	79.8-87.6
65+	810	510,872	197	25.2	21.3-29.1	613	74.8	70.9-78.7
Less Than H.S.	255	346,812	58	16.4	11.1-21.7	197	83.6	78.3-88.9
H.S. or G.E.D.	834	844,944	120	9.9	7.5-12.3	714	90.1	87.7-92.5
Some Post-H.S.	662	690,047	75	7.9	5.7-10.1	587	92.1	89.9-94.3
College Graduate	944	655,370	85	7.5	5.5- 9.5	859	92.5	90.5-94.5
Less than \$15,000	214	185,053	44	17.7	10.8-24.6	170	82.3	75.4-89.2
\$15,000- 24,999	359	331,487	76	16.0	11.3-20.7	283	84.0	79.3-88.7
\$25,000- 34,999	207	193,969	35	10.8	6.3-15.3	172	89.2	84.7-93.7
\$35,000- 49,999	340	323,899	42	8.7	5.4-12.0	298	91.3	88.0-94.6
\$50,000- 74,999	384	374,428	45	8.6	5.5-11.7	339	91.4	88.3-94.5
\$75,000+	766	740,645	45	5.0	3.2- 6.8	721	95.0	93.2-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3470	2,744,873	300	6.2	5.2- 7.2	3170	93.8	92.8-94.8
White/Non-Hisp	2756	2,034,920	239	6.5	5.5- 7.5	2517	93.5	92.5-94.5
Black or Afr. Am./Non-Hisp	452	465,897	40	5.6	3.4- 7.8	412	94.4	92.2-96.6
Oth. Race/Non-Hisp.	66	50,827	8	7.6	1.5-13.7	58	92.4	86.3-98.5
MultiRacial/Non-Hisp.	58	21,517	6	7.6	0.0-16.0	52	92.4	84.0- 100
Hispanic	72	118,713	1	1.1	0.0- 3.3	71	98.9	96.7- 100
18-24	191	307,143	1	0.1	0.0- 0.3	190	99.9	99.7- 100
25-34	358	461,708	4	0.5	0.0- 1.1	354	99.5	98.9- 100
35-44	401	426,640	18	4.2	2.0- 6.4	383	95.8	93.6-98.0
45-54	576	445,182	37	6.1	3.7- 8.5	539	93.9	91.5-96.3
55-64	726	461,699	75	9.6	6.9-12.3	651	90.4	87.7-93.1
65+	1218	642,500	165	12.1	9.7-14.5	1053	87.9	85.5-90.3
Less Than H.S.	319	330,561	57	12.9	8.8-17.0	262	87.1	83.0-91.2
H.S. or G.E.D.	1095	895,279	116	6.9	5.3- 8.5	979	93.1	91.5-94.7
Some Post-H.S.	976	868,573	83	5.2	3.6- 6.8	893	94.8	93.2-96.4
College Graduate	1066	639,751	43	2.9	1.7- 4.1	1023	97.1	95.9-98.3
Less than \$15,000	415	280,790	74	13.0	9.1-16.9	341	87.0	83.1-90.9
\$15,000- 24,999	596	437,884	75	8.7	6.2-11.2	521	91.3	88.8-93.8
\$25,000- 34,999	284	232,983	17	4.1	1.7- 6.5	267	95.9	93.5-98.3
\$35,000- 49,999	407	314,267	24	4.2	2.2- 6.2	383	95.8	93.8-97.8
\$50,000- 74,999	362	302,193	20	5.1	2.2- 8.0	342	94.9	92.0-97.8
\$75,000+	652	558,233	19	1.8	0.8- 2.8	633	98.2	97.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6215	5,307,273	5238	84.9	83.7-86.1	977	15.1	13.9-16.3
Male	2725	2,559,480	2384	87.8	86.2-89.4	341	12.2	10.6-13.8
Female	3490	2,747,792	2854	82.2	80.4-84.0	636	17.8	16.0-19.6
White/Non-Hisp	4975	3,954,394	4218	84.8	83.4-86.2	757	15.2	13.8-16.6
Black or Afr. Am./Non-Hisp	718	821,680	598	85.2	81.9-88.5	120	14.8	11.5-18.1
Oth. Race/Non-Hisp.	168	147,675	137	83.7	76.3-91.1	31	16.3	8.9-23.7
MultiRacial/Non-Hisp.	104	48,398	82	83.7	74.7-92.7	22	16.3	7.3-25.3
Hispanic	131	235,375	106	87.0	80.7-93.3	25	13.0	6.7-19.3
18-24	370	622,691	294	80.8	75.9-85.7	76	19.2	14.3-24.1
25-34	677	920,449	547	82.7	79.2-86.2	130	17.3	13.8-20.8
35-44	707	837,414	594	86.7	83.6-89.8	113	13.3	10.2-16.4
45-54	1086	869,238	910	84.5	81.8-87.2	176	15.5	12.8-18.2
55-64	1315	890,266	1107	84.8	82.3-87.3	208	15.2	12.7-17.7
65+	2060	1,167,214	1786	87.7	85.9-89.5	274	12.3	10.5-14.1
Less Than H.S.	593	703,682	459	81.4	77.5-85.3	134	18.6	14.7-22.5
H.S. or G.E.D.	1943	1,743,280	1621	84.7	82.5-86.9	322	15.3	13.1-17.5
Some Post-H.S.	1637	1,548,168	1369	84.5	82.1-86.9	268	15.5	13.1-17.9
College Graduate	2018	1,295,674	1767	87.3	85.3-89.3	251	12.7	10.7-14.7
Less than \$15,000	640	475,809	484	75.6	70.9-80.3	156	24.4	19.7-29.1
\$15,000- 24,999	964	776,697	784	81.9	78.6-85.2	180	18.1	14.8-21.4
\$25,000- 34,999	492	425,376	408	81.6	76.7-86.5	84	18.4	13.5-23.3
\$35,000- 49,999	753	639,617	673	89.7	86.8-92.6	80	10.3	7.4-13.2
\$50,000- 74,999	748	684,177	645	87.4	84.1-90.7	103	12.6	9.3-15.9
\$75,000+	1422	1,295,962	1239	87.8	85.6-90.0	183	12.2	10.0-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2725	2,559,480	2384	87.8	86.2-89.4	341	12.2	10.6-13.8
White/Non-Hisp	2204	1,909,535	1952	88.5	86.7-90.3	252	11.5	9.7-13.3
Black or Afr. Am./Non-Hisp	263	356,643	222	87.1	82.2-92.0	41	12.9	8.0-17.8
Oth. Race/Non-Hisp.	101	96,730	83	80.6	70.0-91.2	18	19.4	8.8-30.0
Hispanic	61	124,646	49	88.1	80.1-96.1	12	11.9	3.9-19.9
18-24	181	318,730	146	82.9	76.4-89.4	35	17.1	10.6-23.6
25-34	320	459,893	264	84.2	79.5-88.9	56	15.8	11.1-20.5
35-44	305	413,855	271	91.0	87.5-94.5	34	9.0	5.5-12.5
45-54	512	426,365	452	88.8	85.3-92.3	60	11.2	7.7-14.7
55-64	583	424,176	515	88.2	84.7-91.7	68	11.8	8.3-15.3
65+	824	516,462	736	90.0	87.3-92.7	88	10.0	7.3-12.7
Less Than H.S.	264	364,727	218	87.1	82.4-91.8	46	12.9	8.2-17.6
H.S. or G.E.D.	838	845,330	731	88.1	85.4-90.8	107	11.9	9.2-14.6
Some Post-H.S.	665	689,070	576	87.0	83.5-90.5	89	13.0	9.5-16.5
College Graduate	949	655,266	850	88.4	85.5-91.3	99	11.6	8.7-14.5
Less than \$15,000	220	192,498	181	79.7	71.9-87.5	39	20.3	12.5-28.1
\$15,000- 24,999	362	332,887	298	84.3	79.6-89.0	64	15.7	11.0-20.4
\$25,000- 34,999	207	193,969	181	88.8	83.7-93.9	26	11.2	6.1-16.3
\$35,000- 49,999	343	323,164	315	92.2	88.7-95.7	28	7.8	4.3-11.3
\$50,000- 74,999	387	383,342	338	87.0	82.1-91.9	49	13.0	8.1-17.9
\$75,000+	768	741,281	684	89.6	86.9-92.3	84	10.4	7.7-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3490	2,747,792	2854	82.2	80.4-84.0	636	17.8	16.0-19.6
White/Non-Hisp	2771	2,044,859	2266	81.3	79.3-83.3	505	18.7	16.7-20.7
Black or Afr. Am./Non-Hisp	455	465,038	376	83.8	79.3-88.3	79	16.2	11.7-20.7
Oth. Race/Non-Hisp.	67	50,945	54	89.6	82.5-96.7	13	10.4	3.3-17.5
MultiRacial/Non-Hisp.	59	21,642	45	78.3	62.8-93.8	14	21.7	6.2-37.2
Hispanic	70	110,729	57	85.8	75.8-95.8	13	14.2	4.2-24.2
18-24	189	303,960	148	78.7	71.3-86.1	41	21.3	13.9-28.7
25-34	357	460,556	283	81.1	76.0-86.2	74	18.9	13.8-24.0
35-44	402	423,559	323	82.4	77.5-87.3	79	17.6	12.7-22.5
45-54	574	442,874	458	80.4	76.3-84.5	116	19.6	15.5-23.7
55-64	732	466,091	592	81.7	78.2-85.2	140	18.3	14.8-21.8
65+	1236	650,753	1050	85.9	83.5-88.3	186	14.1	11.7-16.5
Less Than H.S.	329	338,955	241	75.3	69.2-81.4	88	24.7	18.6-30.8
H.S. or G.E.D.	1105	897,950	890	81.5	78.4-84.6	215	18.5	15.4-21.6
Some Post-H.S.	972	859,098	793	82.5	79.2-85.8	179	17.5	14.2-20.8
College Graduate	1069	640,407	917	86.3	83.6-89.0	152	13.7	11.0-16.4
Less than \$15,000	420	283,312	303	72.8	66.9-78.7	117	27.2	21.3-33.1
\$15,000- 24,999	602	443,810	486	80.1	75.4-84.8	116	19.9	15.2-24.6
\$25,000- 34,999	285	231,407	227	75.5	67.9-83.1	58	24.5	16.9-32.1
\$35,000- 49,999	410	316,454	358	87.0	82.5-91.5	52	13.0	8.5-17.5
\$50,000- 74,999	361	300,835	307	87.9	83.8-92.0	54	12.1	8.0-16.2
\$75,000+	654	554,681	555	85.5	82.0-89.0	99	14.5	11.0-18.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6178	5,277,262	5576	91.2	90.2-92.2	602	8.8	7.8- 9.8
Male	2710	2,545,435	2530	93.7	92.5-94.9	180	6.3	5.1- 7.5
Female	3468	2,731,827	3046	88.9	87.5-90.3	422	11.1	9.7-12.5
White/Non-Hisp	4942	3,926,777	4482	91.2	90.2-92.2	460	8.8	7.8- 9.8
Black or Afr. Am./Non-Hisp	717	821,410	640	90.8	88.1-93.5	77	9.2	6.5-11.9
Oth. Race/Non-Hisp.	167	147,367	150	91.2	85.7-96.7	17	8.8	3.3-14.3
MultiRacial/Non-Hisp.	103	48,243	84	85.0	76.0-94.0	19	15.0	6.0-24.0
Hispanic	130	233,715	115	94.4	91.1-97.7	15	5.6	2.3- 8.9
18-24	363	610,266	330	90.9	87.4-94.4	33	9.1	5.6-12.6
25-34	673	918,353	612	92.2	89.8-94.6	61	7.8	5.4-10.2
35-44	706	836,467	637	91.5	89.0-94.0	69	8.5	6.0-11.0
45-54	1080	864,378	960	89.9	87.5-92.3	120	10.1	7.7-12.5
55-64	1308	886,455	1163	89.4	87.2-91.6	145	10.6	8.4-12.8
65+	2048	1,161,342	1874	92.7	91.3-94.1	174	7.3	5.9- 8.7
Less Than H.S.	587	695,975	492	86.9	83.6-90.2	95	13.1	9.8-16.4
H.S. or G.E.D.	1931	1,734,801	1719	90.8	89.2-92.4	212	9.2	7.6-10.8
Some Post-H.S.	1630	1,542,415	1474	91.7	89.9-93.5	156	8.3	6.5-10.1
College Graduate	2006	1,287,602	1869	93.5	92.1-94.9	137	6.5	5.1- 7.9
Less than \$15,000	635	472,747	526	84.4	80.5-88.3	109	15.6	11.7-19.5
\$15,000- 24,999	957	771,567	832	87.7	84.8-90.6	125	12.3	9.4-15.2
\$25,000- 34,999	488	422,429	428	88.0	84.3-91.7	60	12.0	8.3-15.7
\$35,000- 49,999	751	636,970	705	95.3	93.7-96.9	46	4.7	3.1- 6.3
\$50,000- 74,999	745	681,146	690	92.8	90.1-95.5	55	7.2	4.5- 9.9
\$75,000+	1417	1,292,659	1333	94.5	92.9-96.1	84	5.5	3.9- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2710	2,545,435	2530	93.7	92.5-94.9	180	6.3	5.1- 7.5
White/Non-Hisp	2191	1,895,953	2063	94.2	92.8-95.6	128	5.8	4.4- 7.2
Black or Afr. Am./Non-Hisp	263	356,643	243	93.2	89.3-97.1	20	6.8	2.9-10.7
Oth. Race/Non-Hisp.	100	96,422	89	88.9	80.9-96.9	11	11.1	3.1-19.1
Hispanic	61	124,646	52	92.7	87.2-98.2	9	7.3	1.8-12.8
18-24	178	311,981	163	91.6	86.5-96.7	15	8.4	3.3-13.5
25-34	319	459,738	298	94.3	91.4-97.2	21	5.7	2.8- 8.6
35-44	305	413,855	288	94.9	92.2-97.6	17	5.1	2.4- 7.8
45-54	510	424,003	476	93.6	90.9-96.3	34	6.4	3.7- 9.1
55-64	580	422,501	532	91.4	88.3-94.5	48	8.6	5.5-11.7
65+	818	513,357	773	95.5	93.7-97.3	45	4.5	2.7- 6.3
Less Than H.S.	260	359,126	230	91.7	87.8-95.6	30	8.3	4.4-12.2
H.S. or G.E.D.	832	840,023	769	93.4	91.2-95.6	63	6.6	4.4- 8.8
Some Post-H.S.	664	687,522	620	93.8	91.3-96.3	44	6.2	3.7- 8.7
College Graduate	945	653,677	902	95.0	93.0-97.0	43	5.0	3.0- 7.0
Less than \$15,000	217	190,303	194	89.4	83.1-95.7	23	10.6	4.3-16.9
\$15,000- 24,999	359	331,389	317	89.8	85.7-93.9	42	10.2	6.1-14.3
\$25,000- 34,999	205	191,955	189	94.1	90.8-97.4	16	5.9	2.6- 9.2
\$35,000- 49,999	342	321,066	328	97.0	95.0-99.0	14	3.0	1.0- 5.0
\$50,000- 74,999	385	381,116	359	92.1	87.8-96.4	26	7.9	3.6-12.2
\$75,000+	767	740,990	739	95.8	94.0-97.6	28	4.2	2.4- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3468	2,731,827	3046	88.9	87.5-90.3	422	11.1	9.7-12.5
White/Non-Hisp	2751	2,030,824	2419	88.4	86.8-90.0	332	11.6	10.0-13.2
Black or Afr. Am./Non-Hisp	454	464,767	397	88.9	85.2-92.6	57	11.1	7.4-14.8
Oth. Race/Non-Hisp.	67	50,945	61	95.4	90.5- 100	6	4.6	0.0- 9.5
MultiRacial/Non-Hisp.	59	21,642	47	80.7	65.4-96.0	12	19.3	4.0-34.6
Hispanic	69	109,069	63	96.3	93.0-99.6	6	3.7	0.4- 7.0
18-24	185	298,286	167	90.2	85.1-95.3	18	9.8	4.7-14.9
25-34	354	458,615	314	90.2	86.5-93.9	40	9.8	6.1-13.5
35-44	401	422,612	349	88.2	83.9-92.5	52	11.8	7.5-16.1
45-54	570	440,375	484	86.3	82.8-89.8	86	13.7	10.2-17.2
55-64	728	463,954	631	87.6	84.7-90.5	97	12.4	9.5-15.3
65+	1230	647,985	1101	90.6	88.6-92.6	129	9.4	7.4-11.4
Less Than H.S.	327	336,849	262	81.9	76.6-87.2	65	18.1	12.8-23.4
H.S. or G.E.D.	1099	894,778	950	88.4	86.0-90.8	149	11.6	9.2-14.0
Some Post-H.S.	966	854,893	854	90.0	87.5-92.5	112	10.0	7.5-12.5
College Graduate	1061	633,925	967	92.0	89.8-94.2	94	8.0	5.8-10.2
Less than \$15,000	418	282,444	332	81.1	76.2-86.0	86	18.9	14.0-23.8
\$15,000- 24,999	598	440,179	515	86.1	82.0-90.2	83	13.9	9.8-18.0
\$25,000- 34,999	283	230,474	239	82.8	76.7-88.9	44	17.2	11.1-23.3
\$35,000- 49,999	409	315,904	377	93.5	90.8-96.2	32	6.5	3.8- 9.2
\$50,000- 74,999	360	300,030	331	93.8	90.9-96.7	29	6.2	3.3- 9.1
\$75,000+	650	551,670	594	92.7	90.2-95.2	56	7.3	4.8- 9.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6178	5,277,262	602	8.8	7.8- 9.8	338	5.9	5.1- 6.7	5238	85.3	84.1-86.5
Male	2710	2,545,435	180	6.3	5.1- 7.5	146	5.5	4.3- 6.7	2384	88.2	86.6-89.8
Female	3468	2,731,827	422	11.1	9.7-12.5	192	6.3	5.1- 7.5	2854	82.6	80.8-84.4
White/Non-Hisp	4942	3,926,777	460	8.8	7.8- 9.8	264	5.9	4.9- 6.9	4218	85.4	84.0-86.8
Black or Afr. Am./Non-Hisp	717	821,410	77	9.2	6.5-11.9	42	5.6	3.4- 7.8	598	85.2	81.9-88.5
Oth. Race/Non-Hisp.	167	147,367	17	8.8	3.3-14.3	13	7.3	2.0-12.6	137	83.9	76.5-91.3
MultiRacial/Non-Hisp.	103	48,243	19	15.0	6.0-24.0	2	1.1	0.0- 2.9	82	83.9	74.9-92.9
Hispanic	130	233,715	15	5.6	2.3- 8.9	9	6.8	1.5-12.1	106	87.6	81.3-93.9
18-24	363	610,266	33	9.1	5.6-12.6	36	8.4	4.9-11.9	294	82.5	77.6-87.4
25-34	673	918,353	61	7.8	5.4-10.2	65	9.3	6.6-12.0	547	82.9	79.4-86.4
35-44	706	836,467	69	8.5	6.0-11.0	43	4.8	3.0- 6.6	594	86.8	83.7-89.9
45-54	1080	864,378	120	10.1	7.7-12.5	50	4.8	3.2- 6.4	910	85.0	82.3-87.7
55-64	1308	886,455	145	10.6	8.4-12.8	56	4.3	2.9- 5.7	1107	85.1	82.6-87.6
65+	2048	1,161,342	174	7.3	5.9- 8.7	88	4.6	3.4- 5.8	1786	88.1	86.3-89.9
Less Than H.S.	587	695,975	95	13.1	9.8-16.4	33	4.6	2.6- 6.6	459	82.3	78.6-86.0
H.S. or G.E.D.	1931	1,734,801	212	9.2	7.6-10.8	98	5.7	4.1- 7.3	1621	85.1	82.9-87.3
Some Post-H.S.	1630	1,542,415	156	8.3	6.5-10.1	105	6.9	5.1- 8.7	1369	84.8	82.4-87.2
College Graduate	2006	1,287,602	137	6.5	5.1- 7.9	102	5.6	4.2- 7.0	1767	87.9	85.9-89.9
Less than \$15,000	635	472,747	109	15.6	11.7-19.5	42	8.4	5.3-11.5	484	76.0	71.3-80.7
\$15,000- 24,999	957	771,567	125	12.3	9.4-15.2	48	5.3	3.3- 7.3	784	82.4	79.1-85.7
\$25,000- 34,999	488	422,429	60	12.0	8.3-15.7	20	5.8	2.3- 9.3	408	82.1	77.2-87.0
\$35,000- 49,999	751	636,970	46	4.7	3.1- 6.3	32	5.2	2.7- 7.7	673	90.0	87.1-92.9
\$50,000- 74,999	745	681,146	55	7.2	4.5- 9.9	45	5.1	3.1- 7.1	645	87.8	84.5-91.1
\$75,000+	1417	1,292,659	84	5.5	3.9- 7.1	94	6.4	4.8- 8.0	1239	88.0	85.8-90.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2710	2,545,435	180	6.3	5.1- 7.5	146	5.5	4.3- 6.7	2384	88.2	86.6-89.8
White/Non-Hisp	2191	1,895,953	128	5.8	4.4- 7.2	111	5.1	3.9- 6.3	1952	89.1	87.3-90.9
Black or Afr. Am./Non-Hisp	263	356,643	20	6.8	2.9-10.7	21	6.1	3.0- 9.2	222	87.1	82.2-92.0
Oth. Race/Non-Hisp.	100	96,422	11	11.1	3.1-19.1	6	8.1	0.7-15.5	83	80.9	70.3-91.5
Hispanic	61	124,646	9	7.3	1.8-12.8	3	4.6	0.0-10.3	49	88.1	80.1-96.1
18-24	178	311,981	15	8.4	3.3-13.5	17	6.9	2.8-11.0	146	84.7	78.4-91.0
25-34	319	459,738	21	5.7	2.8- 8.6	34	10.0	6.1-13.9	264	84.3	79.6-89.0
35-44	305	413,855	17	5.1	2.4- 7.8	17	3.9	1.5- 6.3	271	91.0	87.5-94.5
45-54	510	424,003	34	6.4	3.7- 9.1	24	4.3	2.3- 6.3	452	89.3	86.0-92.6
55-64	580	422,501	48	8.6	5.5-11.7	17	2.8	1.0- 4.6	515	88.6	85.1-92.1
65+	818	513,357	45	4.5	2.7- 6.3	37	4.9	2.9- 6.9	736	90.6	88.1-93.1
Less Than H.S.	260	359,126	30	8.3	4.4-12.2	12	3.3	1.1- 5.5	218	88.4	83.9-92.9
H.S. or G.E.D.	832	840,023	63	6.6	4.4- 8.8	38	4.8	3.0- 6.6	731	88.6	85.9-91.3
Some Post-H.S.	664	687,522	44	6.2	3.7- 8.7	44	6.6	4.2- 9.0	576	87.2	83.7-90.7
College Graduate	945	653,677	43	5.0	3.0- 7.0	52	6.4	4.0- 8.8	850	88.6	85.7-91.5
Less than \$15,000	217	190,303	23	10.6	4.3-16.9	13	8.8	2.9-14.7	181	80.6	72.8-88.4
\$15,000- 24,999	359	331,389	42	10.2	6.1-14.3	19	5.1	2.4- 7.8	298	84.7	80.0-89.4
\$25,000- 34,999	205	191,955	16	5.9	2.6- 9.2	8	4.4	0.9- 7.9	181	89.7	84.8-94.6
\$35,000- 49,999	342	321,066	14	3.0	1.0- 5.0	13	4.2	1.3- 7.1	315	92.8	89.3-96.3
\$50,000- 74,999	385	381,116	26	7.9	3.6-12.2	21	4.6	2.1- 7.1	338	87.5	82.6-92.4
\$75,000+	767	740,990	28	4.2	2.4- 6.0	55	6.2	4.0- 8.4	684	89.6	86.9-92.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3468	2,731,827	422	11.1	9.7-12.5	192	6.3	5.1- 7.5	2854	82.6	80.8-84.4
White/Non-Hisp	2751	2,030,824	332	11.6	10.0-13.2	153	6.5	5.1- 7.9	2266	81.9	79.9-83.9
Black or Afr. Am./Non-Hisp	454	464,767	57	11.1	7.4-14.8	21	5.1	2.4- 7.8	376	83.8	79.3-88.3
Oth. Race/Non-Hisp.	67	50,945	6	4.6	0.0- 9.5	7	5.9	1.0-10.8	54	89.6	82.5-96.7
MultiRacial/Non-Hisp.	59	21,642	12	19.3	4.0-34.6	2	2.4	0.0- 6.3	45	78.3	62.8-93.8
Hispanic	69	109,069	6	3.7	0.4- 7.0	6	9.3	0.0-18.7	57	87.1	77.3-96.9
18-24	185	298,286	18	9.8	4.7-14.9	19	10.0	4.1-15.9	148	80.2	72.8-87.6
25-34	354	458,615	40	9.8	6.1-13.5	31	8.7	5.0-12.4	283	81.5	76.4-86.6
35-44	401	422,612	52	11.8	7.5-16.1	26	5.6	3.1- 8.1	323	82.6	77.7-87.5
45-54	570	440,375	86	13.7	10.2-17.2	26	5.4	2.9- 7.9	458	80.9	76.8-85.0
55-64	728	463,954	97	12.4	9.5-15.3	39	5.6	3.4- 7.8	592	82.0	78.5-85.5
65+	1230	647,985	129	9.4	7.4-11.4	51	4.4	3.0- 5.8	1050	86.2	83.8-88.6
Less Than H.S.	327	336,849	65	18.1	12.8-23.4	21	6.1	3.0- 9.2	241	75.7	69.8-81.6
H.S. or G.E.D.	1099	894,778	149	11.6	9.2-14.0	60	6.6	4.2- 9.0	890	81.8	78.7-84.9
Some Post-H.S.	966	854,893	112	10.0	7.5-12.5	61	7.1	4.7- 9.5	793	82.9	79.6-86.2
College Graduate	1061	633,925	94	8.0	5.8-10.2	50	4.9	3.3- 6.5	917	87.1	84.4-89.8
Less than \$15,000	418	282,444	86	18.9	14.0-23.8	29	8.1	4.4-11.8	303	73.0	67.1-78.9
\$15,000- 24,999	598	440,179	83	13.9	9.8-18.0	29	5.4	2.7- 8.1	486	80.7	76.0-85.4
\$25,000- 34,999	283	230,474	44	17.2	11.1-23.3	12	7.0	1.3-12.7	227	75.8	68.2-83.4
\$35,000- 49,999	409	315,904	32	6.5	3.8- 9.2	19	6.3	2.4-10.2	358	87.2	82.7-91.7
\$50,000- 74,999	360	300,030	29	6.2	3.3- 9.1	24	5.7	2.6- 8.8	307	88.1	84.0-92.2
\$75,000+	650	551,670	56	7.3	4.8- 9.8	39	6.7	4.2- 9.2	555	86.0	82.5-89.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6195	5,295,243	2343	30.7	29.1-32.3	3852	69.3	67.7-70.9
Male	2716	2,548,452	885	27.3	25.1-29.5	1831	72.7	70.5-74.9
Female	3479	2,746,791	1458	33.8	31.6-36.0	2021	66.2	64.0-68.4
White/Non-Hisp	4953	3,933,029	1889	32.0	30.2-33.8	3064	68.0	66.2-69.8
Black or Afr. Am./Non-Hisp	717	822,052	256	26.9	22.8-31.0	461	73.1	69.0-77.2
Oth. Race/Non-Hisp.	167	147,557	59	22.4	14.2-30.6	108	77.6	69.4-85.8
MultiRacial/Non-Hisp.	103	47,690	46	32.4	19.7-45.1	57	67.6	54.9-80.3
Hispanic	134	244,065	25	19.3	10.1-28.5	109	80.7	71.5-89.9
18-24	373	629,002	18	4.3	1.9- 6.7	355	95.7	93.3-98.1
25-34	673	910,144	81	11.7	8.8-14.6	592	88.3	85.4-91.2
35-44	708	840,782	180	23.2	19.1-27.3	528	76.8	72.7-80.9
45-54	1081	866,712	368	32.9	29.2-36.6	713	67.1	63.4-70.8
55-64	1309	885,511	598	43.6	40.1-47.1	711	56.4	52.9-59.9
65+	2051	1,163,092	1098	53.7	51.0-56.4	953	46.3	43.6-49.0
Less Than H.S.	594	697,333	313	44.3	38.8-49.8	281	55.7	50.2-61.2
H.S. or G.E.D.	1940	1,742,469	817	32.7	30.0-35.4	1123	67.3	64.6-70.0
Some Post-H.S.	1633	1,550,454	625	28.9	26.2-31.6	1008	71.1	68.4-73.8
College Graduate	2007	1,289,626	579	22.7	20.3-25.1	1428	77.3	74.9-79.7
Less than \$15,000	637	471,802	354	48.3	42.8-53.8	283	51.7	46.2-57.2
\$15,000- 24,999	960	774,946	461	43.3	39.0-47.6	499	56.7	52.4-61.0
\$25,000- 34,999	493	427,342	216	34.0	28.5-39.5	277	66.0	60.5-71.5
\$35,000- 49,999	753	641,685	264	28.2	24.1-32.3	489	71.8	67.7-75.9
\$50,000- 74,999	743	671,295	249	29.1	24.8-33.4	494	70.9	66.6-75.2
\$75,000+	1418	1,297,640	354	18.4	16.0-20.8	1064	81.6	79.2-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2716	2,548,452	885	27.3	25.1-29.5	1831	72.7	70.5-74.9
White/Non-Hisp	2191	1,894,806	704	27.9	25.5-30.3	1487	72.1	69.7-74.5
Black or Afr. Am./Non-Hisp	264	358,851	86	23.9	17.6-30.2	178	76.1	69.8-82.4
Oth. Race/Non-Hisp.	101	96,730	35	23.8	12.4-35.2	66	76.2	64.8-87.6
Hispanic	62	125,352	16	23.7	9.2-38.2	46	76.3	61.8-90.8
18-24	182	321,859	5	3.5	0.2-6.8	177	96.5	93.2-99.8
25-34	317	450,102	36	10.5	6.4-14.6	281	89.5	85.4-93.6
35-44	306	414,743	68	20.0	13.9-26.1	238	80.0	73.9-86.1
45-54	509	424,850	161	30.7	25.2-36.2	348	69.3	63.8-74.8
55-64	581	421,848	228	38.1	33.0-43.2	353	61.9	56.8-67.0
65+	821	515,049	387	51.1	46.6-55.6	434	48.9	44.4-53.4
Less Than H.S.	264	357,014	120	39.8	31.8-47.8	144	60.2	52.2-68.2
H.S. or G.E.D.	837	845,064	295	27.6	23.9-31.3	542	72.4	68.7-76.1
Some Post-H.S.	663	689,099	222	26.3	22.2-30.4	441	73.7	69.6-77.8
College Graduate	944	652,458	245	21.0	17.9-24.1	699	79.0	75.9-82.1
Less than \$15,000	222	193,599	93	39.8	31.0-48.6	129	60.2	51.4-69.0
\$15,000- 24,999	359	330,845	168	47.2	39.9-54.5	191	52.8	45.5-60.1
\$25,000- 34,999	207	193,969	80	31.5	22.9-40.1	127	68.5	59.9-77.1
\$35,000- 49,999	344	325,371	108	25.0	18.9-31.1	236	75.0	68.9-81.1
\$50,000- 74,999	383	371,008	119	28.3	22.2-34.4	264	71.7	65.6-77.8
\$75,000+	765	738,699	179	16.3	13.4-19.2	586	83.7	80.8-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3479	2,746,791	1458	33.8	31.8-35.8	2021	66.2	64.2-68.2
White/Non-Hisp	2762	2,038,223	1185	35.7	33.3-38.1	1577	64.3	61.9-66.7
Black or Afr. Am./Non-Hisp	453	463,201	170	29.3	24.0-34.6	283	70.7	65.4-76.0
Oth. Race/Non-Hisp.	66	50,827	24	19.7	9.7-29.7	42	80.3	70.3-90.3
MultiRacial/Non-Hisp.	57	20,766	28	43.9	24.3-63.5	29	56.1	36.5-75.7
Hispanic	72	118,713	9	14.6	3.6-25.6	63	85.4	74.4-96.4
18-24	191	307,143	13	5.1	1.8- 8.4	178	94.9	91.6-98.2
25-34	356	460,042	45	12.8	8.3-17.3	311	87.2	82.7-91.7
35-44	402	426,038	112	26.4	20.7-32.1	290	73.6	67.9-79.3
45-54	572	441,862	207	35.0	30.1-39.9	365	65.0	60.1-69.9
55-64	728	463,663	370	48.6	43.9-53.3	358	51.4	46.7-56.1
65+	1230	648,043	711	55.8	52.3-59.3	519	44.2	40.7-47.7
Less Than H.S.	330	340,318	193	48.9	41.5-56.3	137	51.1	43.7-58.5
H.S. or G.E.D.	1103	897,406	522	37.5	33.8-41.2	581	62.5	58.8-66.2
Some Post-H.S.	970	861,355	403	30.9	27.2-34.6	567	69.1	65.4-72.8
College Graduate	1063	637,168	334	24.5	21.2-27.8	729	75.5	72.2-78.8
Less than \$15,000	415	278,203	261	54.2	46.9-61.5	154	45.8	38.5-53.1
\$15,000- 24,999	601	444,101	293	40.4	35.1-45.7	308	59.6	54.3-64.9
\$25,000- 34,999	286	233,373	136	36.1	28.8-43.4	150	63.9	56.6-71.2
\$35,000- 49,999	409	316,314	156	31.5	25.8-37.2	253	68.5	62.8-74.2
\$50,000- 74,999	360	300,286	130	29.9	23.8-36.0	230	70.1	64.0-76.2
\$75,000+	653	558,940	175	21.2	17.3-25.1	478	78.8	74.9-82.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 7: ARTHRITIS BURDEN CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT2)	
1	MALES AND FEMALES	51
2	MALES ONLY	52
3	FEMALES ONLY	53
	LIMITED WORK ACTIVITIES (_LMTWRK2)	
4	MALES AND FEMALES	54
5	MALES ONLY	55
6	FEMALES ONLY	56

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6169	5,279,422	1083	13.6	12.6-14.6	1234	16.9	15.7-18.1	3852	69.5	67.9-71.1
Male	2707	2,543,359	390	11.7	10.1-13.3	486	15.4	13.6-17.2	1831	72.9	70.7-75.1
Female	3462	2,736,063	693	15.3	13.9-16.7	748	18.2	16.4-20.0	2021	66.5	64.5-68.5
White/Non-Hisp	4933	3,922,918	852	14.2	13.0-15.4	1017	17.6	16.2-19.0	3064	68.2	66.4-70.0
Black or Afr. Am./Non-Hisp	715	821,501	132	13.8	10.7-16.9	122	13.0	10.1-15.9	461	73.1	69.0-77.2
Oth. Race/Non-Hisp.	165	145,502	31	10.5	4.2-16.8	26	10.8	5.1-16.5	108	78.7	70.5-86.9
MultiRacial/Non-Hisp.	102	47,507	30	16.4	8.2-24.6	15	15.8	4.6-27.0	57	67.9	55.2-80.6
Hispanic	133	241,144	10	4.0	1.3- 6.7	14	14.3	5.3-23.3	109	81.7	72.5-90.9
18-24	373	629,002	8	1.2	0.2- 2.2	10	3.1	0.9- 5.3	355	95.7	93.3-98.1
25-34	673	910,144	37	4.9	3.1- 6.7	44	6.8	4.3- 9.3	592	88.3	85.4-91.2
35-44	707	840,410	85	9.3	6.8-11.8	94	13.9	10.4-17.4	528	76.8	72.7-80.9
45-54	1076	862,831	201	16.8	14.1-19.5	162	15.8	12.9-18.7	713	67.4	63.7-71.1
55-64	1303	882,220	302	22.3	19.4-25.2	290	21.1	18.2-24.0	711	56.6	53.1-60.1
65+	2037	1,154,815	450	21.3	18.9-23.7	634	32.1	29.4-34.8	953	46.6	43.7-49.5
Less Than H.S.	589	694,058	173	23.0	18.7-27.3	135	21.0	16.5-25.5	281	56.0	50.5-61.5
H.S. or G.E.D.	1931	1,737,099	391	14.7	12.9-16.5	417	17.8	15.6-20.0	1123	67.5	64.8-70.2
Some Post-H.S.	1626	1,544,538	293	12.2	10.4-14.0	325	16.4	14.0-18.8	1008	71.4	68.7-74.1
College Graduate	2003	1,288,919	221	8.6	7.0-10.2	354	14.0	12.2-15.8	1428	77.3	74.9-79.7
Less than \$15,000	634	471,048	224	27.9	23.2-32.6	127	20.3	16.0-24.6	283	51.8	46.3-57.3
\$15,000- 24,999	957	773,150	245	22.3	19.0-25.6	213	20.9	17.4-24.4	499	56.8	52.5-61.1
\$25,000- 34,999	489	425,722	102	14.9	11.4-18.4	110	18.8	14.1-23.5	277	66.2	60.7-71.7
\$35,000- 49,999	753	641,685	112	12.9	10.0-15.8	152	15.3	12.0-18.6	489	71.8	67.7-75.9
\$50,000- 74,999	740	670,474	94	11.0	8.1-13.9	152	18.0	14.3-21.7	494	71.0	66.7-75.3
\$75,000+	1414	1,294,728	105	5.3	3.9- 6.7	245	12.9	10.7-15.1	1064	81.8	79.4-84.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2707	2,543,359	390	11.7	10.1-13.3	486	15.4	13.6-17.2	1831	72.9	70.7-75.1
White/Non-Hisp	2185	1,891,947	302	12.2	10.4-14.0	396	15.6	13.6-17.6	1487	72.2	69.8-74.6
Black or Afr. Am./Non-Hisp	263	358,672	42	11.8	7.1-16.5	43	12.0	7.3-16.7	178	76.1	69.8-82.4
Oth. Race/Non-Hisp.	99	94,676	17	9.0	0.6-17.4	16	13.2	4.8-21.6	66	77.9	66.5-89.3
Hispanic	62	125,352	9	6.7	1.8-11.6	7	17.0	2.7-31.3	46	76.3	61.8-90.8
18-24	182	321,859	1	0.4	0.0- 1.2	4	3.1	0.0- 6.4	177	96.5	93.2-99.8
25-34	317	450,102	14	4.2	1.7- 6.7	22	6.3	3.0- 9.6	281	89.5	85.4-93.6
35-44	306	414,743	31	7.9	4.4-11.4	37	12.1	7.0-17.2	238	80.0	73.9-86.1
45-54	508	424,671	87	15.6	11.5-19.7	73	15.1	10.8-19.4	348	69.3	63.8-74.8
55-64	577	419,620	105	18.4	14.3-22.5	119	19.4	15.3-23.5	353	62.2	57.1-67.3
65+	817	512,363	152	20.0	16.3-23.7	231	30.8	26.5-35.1	434	49.2	44.7-53.7
Less Than H.S.	261	355,404	60	20.1	13.8-26.4	57	19.5	12.8-26.2	144	60.5	52.3-68.7
H.S. or G.E.D.	834	842,265	138	12.1	9.6-14.6	154	15.3	12.4-18.2	542	72.6	68.9-76.3
Some Post-H.S.	662	688,781	91	10.1	7.6-12.6	130	16.2	12.7-19.7	441	73.7	69.6-77.8
College Graduate	942	652,091	99	8.4	6.2-10.6	144	12.5	10.0-15.0	699	79.1	76.0-82.2
Less than \$15,000	221	193,420	56	23.1	15.7-30.5	36	16.7	9.8-23.6	129	60.2	51.4-69.0
\$15,000- 24,999	358	329,813	93	24.2	18.3-30.1	74	22.8	16.7-28.9	191	53.0	45.7-60.3
\$25,000- 34,999	205	192,797	35	13.1	7.8-18.4	43	18.0	10.6-25.4	127	68.9	60.3-77.5
\$35,000- 49,999	344	325,371	41	9.5	6.0-13.0	67	15.5	10.2-20.8	236	75.0	68.9-81.1
\$50,000- 74,999	382	370,517	52	10.9	7.0-14.8	66	17.3	12.0-22.6	264	71.8	65.7-77.9
\$75,000+	763	737,360	55	5.0	3.4- 6.6	122	11.2	8.8-13.6	586	83.8	80.9-86.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3462	2,736,063	693	15.3	13.9-16.7	748	18.2	16.4-20.0	2021	66.5	64.5-68.5
White/Non-Hisp	2748	2,030,971	550	16.1	14.5-17.7	621	19.4	17.4-21.4	1577	64.5	62.1-66.9
Black or Afr. Am./Non-Hisp	452	462,830	90	15.4	11.3-19.5	79	13.8	9.9-17.7	283	70.8	65.5-76.1
Oth. Race/Non-Hisp.	66	50,827	14	13.5	5.3-21.7	10	6.3	1.4-11.2	42	80.3	70.3-90.3
MultiRacial/Non-Hisp.	56	20,583	18	16.6	6.8-26.4	9	26.8	6.0-47.6	29	56.6	36.8-76.4
Hispanic	71	115,792	1	1.2	0.0-3.6	7	11.3	1.1-21.5	63	87.5	77.1-97.9
18-24	191	307,143	7	2.0	0.4-3.6	6	3.1	0.2-6.0	178	94.9	91.6-98.2
25-34	356	460,042	23	5.6	2.9-8.3	22	7.2	3.5-10.9	311	87.2	82.7-91.7
35-44	401	425,666	54	10.6	7.1-14.1	57	15.7	10.6-20.8	290	73.7	68.0-79.4
45-54	568	438,160	114	17.9	14.0-21.8	89	16.5	12.6-20.4	365	65.6	60.7-70.5
55-64	726	462,600	197	25.9	21.8-30.0	171	22.6	18.7-26.5	358	51.5	46.8-56.2
65+	1220	642,452	298	22.3	19.4-25.2	403	33.1	29.6-36.6	519	44.6	40.9-48.3
Less Than H.S.	328	338,654	113	26.0	20.1-31.9	78	22.7	16.8-28.6	137	51.3	43.9-58.7
H.S. or G.E.D.	1097	894,833	253	17.1	14.6-19.6	263	20.1	17.2-23.0	581	62.7	59.0-66.4
Some Post-H.S.	964	855,757	202	13.9	11.5-16.3	195	16.5	13.4-19.6	567	69.6	65.9-73.3
College Graduate	1061	636,828	122	8.9	6.7-11.1	210	15.6	12.9-18.3	729	75.6	72.3-78.9
Less than \$15,000	413	277,628	168	31.2	25.3-37.1	91	22.9	17.2-28.6	154	45.9	38.6-53.2
\$15,000- 24,999	599	443,337	152	20.9	17.0-24.8	139	19.4	15.1-23.7	308	59.7	54.4-65.0
\$25,000- 34,999	284	232,926	67	16.5	11.6-21.4	67	19.5	13.6-25.4	150	64.0	56.7-71.3
\$35,000- 49,999	409	316,314	71	16.4	11.9-20.9	85	15.1	11.2-19.0	253	68.5	62.8-74.2
\$50,000- 74,999	358	299,957	42	11.1	6.8-15.4	86	18.8	13.9-23.7	230	70.1	64.0-76.2
\$75,000+	651	557,368	50	5.8	3.8-7.8	123	15.2	11.7-18.7	478	79.0	75.1-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6154	5,264,240	954	13.2	12.0-14.4	1348	17.0	15.8-18.2	3852	69.7	68.1-71.3
Male	2706	2,539,300	360	11.4	9.8-13.0	515	15.6	13.8-17.4	1831	73.0	70.8-75.2
Female	3448	2,724,940	594	14.9	13.3-16.5	833	18.4	16.8-20.0	2021	66.7	64.7-68.7
White/Non-Hisp	4921	3,907,746	726	12.9	11.7-14.1	1131	18.6	17.2-20.0	3064	68.5	66.7-70.3
Black or Afr. Am./Non-Hisp	715	821,026	128	15.1	11.8-18.4	126	11.7	9.0-14.4	461	73.2	69.1-77.3
Oth. Race/Non-Hisp.	166	145,605	30	10.2	5.5-14.9	28	11.2	4.3-18.1	108	78.6	70.6-86.6
MultiRacial/Non-Hisp.	102	47,556	32	19.3	10.1-28.5	13	13.0	2.4-23.6	57	67.8	55.1-80.5
Hispanic	133	242,598	11	8.0	1.1-14.9	13	10.8	3.7-17.9	109	81.2	72.0-90.4
18-24	373	629,002	8	1.8	0.2- 3.4	10	2.4	0.6- 4.2	355	95.7	93.3-98.1
25-34	672	906,816	44	6.6	4.2- 9.0	36	4.8	2.8- 6.8	592	88.7	85.8-91.6
35-44	705	836,376	92	10.7	7.8-13.6	85	12.1	8.8-15.4	528	77.2	73.1-81.3
45-54	1078	865,575	202	17.9	15.0-20.8	163	14.9	12.0-17.8	713	67.2	63.5-70.9
55-64	1298	878,143	298	23.0	20.1-25.9	289	20.1	17.4-22.8	711	56.9	53.4-60.4
65+	2028	1,148,327	310	15.5	13.3-17.7	765	37.6	34.9-40.3	953	46.9	44.0-49.8
Less Than H.S.	587	691,335	171	25.3	20.6-30.0	135	18.5	14.6-22.4	281	56.2	50.7-61.7
H.S. or G.E.D.	1918	1,725,713	369	15.2	13.2-17.2	426	16.8	14.8-18.8	1123	68.0	65.3-70.7
Some Post-H.S.	1626	1,543,818	261	11.4	9.6-13.2	357	17.2	14.8-19.6	1008	71.4	68.7-74.1
College Graduate	2003	1,288,565	149	6.2	4.8- 7.6	426	16.5	14.5-18.5	1428	77.4	75.0-79.8
Less than \$15,000	626	464,488	208	31.0	25.9-36.1	135	16.4	12.9-19.9	283	52.5	47.0-58.0
\$15,000- 24,999	950	768,063	242	21.9	18.6-25.2	209	20.8	17.1-24.5	499	57.2	52.9-61.5
\$25,000- 34,999	490	424,989	90	13.1	9.6-16.6	123	20.6	15.9-25.3	277	66.3	60.8-71.8
\$35,000- 49,999	750	636,387	107	13.5	10.2-16.8	154	14.1	11.4-16.8	489	72.4	68.3-76.5
\$50,000- 74,999	742	668,750	79	10.7	7.6-13.8	169	18.1	14.6-21.6	494	71.2	66.9-75.5
\$75,000+	1415	1,296,401	68	3.7	2.5- 4.9	283	14.6	12.4-16.8	1064	81.7	79.3-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2706	2,539,300	360	11.4	9.8-13.0	515	15.6	13.8-17.4	1831	73.0	70.8-75.2
White/Non-Hisp	2184	1,888,700	269	11.0	9.4-12.6	428	16.7	14.7-18.7	1487	72.3	69.9-74.7
Black or Afr. Am./Non-Hisp	263	358,155	41	12.3	7.2-17.4	44	11.4	6.9-15.9	178	76.2	69.9-82.5
Oth. Race/Non-Hisp.	100	94,778	17	8.2	2.5-13.9	17	14.1	4.1-24.1	66	77.8	66.6-89.0
Hispanic	62	125,352	8	13.0	0.5-25.5	8	10.7	1.5-19.9	46	76.3	61.8-90.8
18-24	182	321,859	1	0.7	0.0- 2.1	4	2.8	0.0- 5.9	177	96.5	93.2-99.8
25-34	316	446,774	19	6.0	2.7- 9.3	16	3.8	1.4- 6.2	281	90.2	86.3-94.1
35-44	305	412,791	30	9.7	5.0-14.4	37	9.9	5.8-14.0	238	80.4	74.5-86.3
45-54	508	424,189	83	14.4	10.5-18.3	77	16.2	11.7-20.7	348	69.4	63.9-74.9
55-64	580	421,124	111	18.6	14.5-22.7	116	19.4	15.3-23.5	353	62.0	56.9-67.1
65+	815	512,562	116	15.8	12.3-19.3	265	35.0	30.7-39.3	434	49.2	44.7-53.7
Less Than H.S.	262	356,044	69	24.0	16.9-31.1	49	15.7	10.0-21.4	144	60.4	52.4-68.4
H.S. or G.E.D.	831	839,035	145	12.9	10.2-15.6	144	14.2	11.5-16.9	542	72.9	69.2-76.6
Some Post-H.S.	662	687,146	80	8.3	5.9-10.7	141	17.8	14.1-21.5	441	73.9	69.8-78.0
College Graduate	943	652,257	64	5.6	3.8- 7.4	180	15.3	12.6-18.0	699	79.0	75.9-82.1
Less than \$15,000	221	192,939	57	26.8	18.6-35.0	35	12.9	7.4-18.4	129	60.4	51.6-69.2
\$15,000- 24,999	356	327,474	100	24.0	18.3-29.7	65	22.7	16.2-29.2	191	53.3	46.0-60.6
\$25,000- 34,999	206	193,570	30	8.4	4.5-12.3	49	23.0	15.0-31.0	127	68.6	60.0-77.2
\$35,000- 49,999	343	322,043	44	12.0	6.9-17.1	63	12.2	8.7-15.7	236	75.8	69.9-81.7
\$50,000- 74,999	383	371,008	47	11.9	7.4-16.4	72	16.5	11.6-21.4	264	71.7	65.6-77.8
\$75,000+	764	738,498	36	3.3	1.9- 4.7	142	13.0	10.5-15.5	586	83.7	80.8-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3448	2,724,940	594	14.9	13.3-16.5	833	18.4	16.8-20.0	2021	66.7	64.7-68.7
White/Non-Hisp	2737	2,019,046	457	14.7	13.1-16.3	703	20.4	18.4-22.4	1577	64.9	62.5-67.3
Black or Afr. Am./Non-Hisp	452	462,871	87	17.3	12.8-21.8	82	11.9	8.6-15.2	283	70.8	65.5-76.1
Oth. Race/Non-Hisp.	66	50,827	13	13.9	5.3-22.5	11	5.8	1.7- 9.9	42	80.3	70.3-90.3
MultiRacial/Non-Hisp.	56	20,632	17	15.9	6.3-25.5	10	27.6	6.8-48.4	29	56.5	36.7-76.3
Hispanic	71	117,246	3	2.6	0.0- 5.7	5	11.0	0.4-21.6	63	86.4	75.4-97.4
18-24	191	307,143	7	3.1	0.2- 6.0	6	2.0	0.2- 3.8	178	94.9	91.6-98.2
25-34	356	460,042	25	7.1	3.8-10.4	20	5.7	2.6- 8.8	311	87.2	82.7-91.7
35-44	400	423,585	62	11.6	8.1-15.1	48	14.3	9.2-19.4	290	74.1	68.4-79.8
45-54	570	441,385	119	21.3	17.0-25.6	86	13.6	10.1-17.1	365	65.1	60.2-70.0
55-64	718	457,019	187	27.0	22.7-31.3	173	20.8	17.3-24.3	358	52.2	47.5-56.9
65+	1213	635,765	194	15.3	12.8-17.8	500	39.7	36.2-43.2	519	45.0	41.3-48.7
Less Than H.S.	325	335,291	102	26.7	20.6-32.8	86	21.5	16.0-27.0	137	51.8	44.4-59.2
H.S. or G.E.D.	1087	886,678	224	17.3	14.4-20.2	282	19.4	16.7-22.1	581	63.3	59.6-67.0
Some Post-H.S.	964	856,672	181	13.8	11.3-16.3	216	16.7	13.8-19.6	567	69.5	65.8-73.2
College Graduate	1060	636,308	85	6.8	5.0- 8.6	246	17.6	14.9-20.3	729	75.6	72.3-78.9
Less than \$15,000	405	271,549	151	34.1	27.6-40.6	100	19.0	14.3-23.7	154	47.0	39.7-54.3
\$15,000- 24,999	594	440,589	142	20.4	16.5-24.3	144	19.5	15.0-24.0	308	60.1	54.8-65.4
\$25,000- 34,999	284	231,419	60	17.0	11.7-22.3	74	18.5	13.2-23.8	150	64.5	57.2-71.8
\$35,000- 49,999	407	314,344	63	15.0	10.5-19.5	91	16.0	11.9-20.1	253	68.9	63.2-74.6
\$50,000- 74,999	359	297,742	32	9.2	5.5-12.9	97	20.1	15.0-25.2	230	70.7	64.6-76.8
\$75,000+	651	557,903	32	4.3	2.5- 6.1	141	16.8	13.3-20.3	478	78.9	75.0-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	60
2 MALES ONLY	61
3 FEMALES ONLY	62
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	63
5 MALES ONLY	64
6 FEMALES ONLY	65
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	66
8 MALES ONLY	67
9 FEMALES ONLY	68
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	69
11 MALES ONLY	70
12 FEMALES ONLY	71
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	72
14 MALES ONLY	73
15 FEMALES ONLY	74
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	75
17 MALES ONLY	76
18 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	78
20 MALES ONLY	79
21 FEMALES ONLY	80
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	81
23 MALES ONLY	82
24 FEMALES ONLY	83
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	84
26 MALES ONLY	85
27 FEMALES ONLY	86
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	87
29 MALES ONLY	88
30 FEMALES ONLY	89
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	90
32 MALES ONLY	91
33 FEMALES ONLY	92
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	93
35 MALES ONLY	94
36 FEMALES ONLY	95
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	96
38 MALES ONLY	97
39 FEMALES ONLY	98

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40 MALES AND FEMALES	99
41 MALES ONLY	100
42 FEMALES ONLY	101
RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43 MALES AND FEMALES	102
44 MALES ONLY	103
45 FEMALES ONLY	104
RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46 MALES AND FEMALES	105
47 MALES ONLY	106
48 FEMALES ONLY	107
Sex (_SEX) .	
49 MALES AND FEMALES	108
50 MALES ONLY	109
51 FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6152	5,249,829	5161	79.0	77.4-80.6	747	16.3	14.9-17.7	104	1.5	1.1- 1.9	41	1.2	0.8- 1.6	13	0.3	0.1- 0.5	86	1.6	1.0- 2.2
Male	2699	2,528,061	2288	79.3	76.9-81.7	275	14.7	12.7-16.7	55	1.9	1.3- 2.5	27	1.8	1.0- 2.6	5	0.1	0.0- 0.3	49	2.2	1.0- 3.4
Female	3453	2,721,767	2873	78.7	76.7-80.7	472	17.8	16.0-19.6	49	1.2	0.6- 1.8	14	0.8	0.2- 1.4	8	0.4	0.0- 0.8	37	1.1	0.7- 1.5
18-24	370	622,610	291	77.5	71.8-83.2	52	14.7	10.0-19.4	8	1.5	0.3- 2.7	6	2.0	0.2- 3.8	5	1.6	0.0- 3.6	8	2.8	0.1- 5.5
25-34	669	899,181	524	71.2	66.5-75.9	107	21.3	17.0-25.6	9	1.6	0.4- 2.8	14	3.7	1.5- 5.9	1	0.0	0.0- 0.0	14	2.3	0.7- 3.9
35-44	707	840,954	564	75.3	70.8-79.8	104	18.5	14.6-22.4	13	1.7	0.3- 3.1	5	0.4	0.0- 1.0	3	0.5	0.0- 1.1	18	3.6	1.2- 6.0
45-54	1065	852,183	881	77.4	73.7-81.1	141	18.6	15.1-22.1	23	2.0	0.8- 3.2	8	1.1	0.1- 2.1	1	0.0	0.0- 0.0	11	0.9	0.1- 1.7
55-64	1301	879,179	1088	81.3	78.4-84.2	168	15.7	12.8-18.6	24	1.6	0.8- 2.4	4	0.4	0.0- 0.8	1	0.0	0.0- 0.0	16	0.9	0.3- 1.5
65+	2040	1,155,721	1813	88.0	86.0-90.0	175	10.3	8.3-12.3	27	1.0	0.6- 1.4	4	0.2	0.0- 0.4	2	0.1	0.0- 0.3	19	0.3	0.1- 0.5
Less Than H.S.	581	690,872	456	73.3	68.0-78.6	97	21.6	16.7-26.5	16	1.7	0.3- 3.1	1	0.6	0.0- 1.8				11	2.8	0.4- 5.2
H.S. or G.E.D.	1932	1,735,946	1609	80.7	78.0-83.4	261	15.7	13.3-18.1	31	1.6	0.8- 2.4	3	0.2	0.0- 0.4	3	0.3	0.0- 0.9	25	1.5	0.3- 2.7
Some Post-H.S.	1626	1,532,699	1348	77.2	74.3-80.1	212	18.5	15.8-21.2	30	1.5	0.7- 2.3	9	1.0	0.2- 1.8	5	0.5	0.1- 0.9	22	1.3	0.5- 2.1
College Graduate	1997	1,280,469	1735	82.0	79.5-84.5	176	11.7	9.7-13.7	27	1.4	0.6- 2.2	28	3.3	1.7- 4.9	4	0.1	0.0- 0.3	27	1.5	0.5- 2.5
Less than \$15,000	633	468,565	467	63.9	58.2-69.6	136	33.0	27.3-38.7	21	2.1	0.9- 3.3	2	0.7	0.0- 1.9				7	0.4	0.0- 0.8
\$15,000- 24,999	956	771,414	771	75.1	71.0-79.2	140	18.9	15.2-22.6	21	2.4	0.8- 4.0	2	0.6	0.0- 1.6	3	1.0	0.0- 2.4	19	2.0	0.8- 3.2
\$25,000- 34,999	491	422,805	406	77.0	71.1-82.9	67	17.5	12.6-22.4	6	0.8	0.2- 1.4	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	8	4.2	0.1- 8.3
\$35,000- 49,999	746	632,912	641	80.4	75.9-84.9	74	14.0	10.3-17.7	12	1.3	0.3- 2.3	8	2.3	0.3- 4.3	3	0.3	0.0- 0.9	8	1.6	0.0- 3.8
\$50,000- 74,999	748	684,664	648	84.9	81.2-88.6	80	12.8	9.5-16.1	7	0.7	0.1- 1.3	3	0.4	0.0- 0.8	1	0.0	0.0- 0.0	9	1.2	0.0- 2.8
\$75,000+	1409	1,284,104	1259	85.1	82.2-88.0	111	10.8	8.3-13.3	15	1.3	0.3- 2.3	14	1.8	0.6- 3.0	2	0.0	0.0- 0.0	8	1.1	0.1- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2699	2,528,061	2288	79.3	76.9-81.7	275	14.7	12.7-16.7	55	1.9	1.3- 2.5	27	1.8	1.0- 2.6	5	0.1	0.0- 0.3	49	2.2	1.0- 3.4
18-24	182	321,859	154	83.2	75.8-90.6	13	7.1	2.0-12.2	5	2.2	0.0- 4.4	6	3.9	0.4- 7.4				4	3.7	0.0- 8.6
25-34	315	444,185	258	74.4	67.7-81.1	33	15.3	9.8-20.8	6	2.1	0.1- 4.1	8	4.4	0.9- 7.9				10	3.9	0.8- 7.0
35-44	305	413,389	248	73.0	65.9-80.1	40	19.9	13.6-26.2	7	1.6	0.0- 3.2	2	0.6	0.0- 1.8	1	0.5	0.0- 1.5	7	4.4	0.3- 8.5
45-54	502	415,161	421	76.0	70.1-81.9	55	19.6	13.9-25.3	13	2.5	0.3- 4.7	5	1.1	0.0- 2.5	1	0.0	0.0- 0.0	7	0.7	0.1- 1.3
55-64	578	419,668	480	80.3	75.8-84.8	70	15.4	11.1-19.7	13	2.2	0.6- 3.8	4	0.9	0.0- 1.9	1	0.1	0.0- 0.3	10	1.1	0.1- 2.1
65+	817	513,800	727	88.2	85.1-91.3	64	10.1	7.0-13.2	11	0.8	0.2- 1.4	2	0.3	0.0- 0.7	2	0.2	0.0- 0.6	11	0.4	0.2- 0.6
Less Than H.S.	260	359,694	208	74.7	67.1-82.3	39	19.1	12.2-26.0	8	2.0	0.0- 4.4	1	1.1	0.0- 3.3				4	3.1	0.0- 7.2
H.S. or G.E.D.	833	842,347	695	80.6	76.7-84.5	97	14.2	10.9-17.5	19	2.3	1.1- 3.5	3	0.4	0.0- 1.0	2	0.1	0.1- 0.1	17	2.5	0.3- 4.7
Some Post-H.S.	662	678,238	553	77.7	73.0-82.4	79	17.7	13.2-22.2	12	1.3	0.3- 2.3	6	1.4	0.0- 3.0	2	0.4	0.0- 1.0	10	1.5	0.3- 2.7
College Graduate	939	646,456	827	82.0	78.1-85.9	60	9.6	6.7-12.5	16	1.8	0.4- 3.2	17	4.2	1.7- 6.7	1	0.0	0.0- 0.0	18	2.3	0.5- 4.1
Less than \$15,000	218	190,380	165	65.7	56.3-75.1	41	29.4	19.8-39.0	9	3.0	0.6- 5.4	1	1.6	0.0- 4.5				2	0.2	0.0- 0.6
\$15,000- 24,999	360	332,260	288	75.1	68.6-81.6	53	18.2	12.5-23.9	8	2.9	0.0- 5.8	1	1.3	0.0- 3.8	2	0.7	0.0- 1.9	8	1.8	0.0- 3.6
\$25,000- 34,999	206	193,570	169	74.2	64.2-84.2	25	15.6	8.3-22.9	5	1.4	0.0- 2.8	2	0.5	0.0- 1.3	1	0.5	0.0- 1.5	4	7.8	0.0-16.4
\$35,000- 49,999	340	320,616	291	78.1	70.8-85.4	31	14.0	8.3-19.7	7	1.8	0.2- 3.4	5	3.6	0.0- 7.3	1	0.0	0.0- 0.0	5	2.5	0.0- 6.6
\$50,000- 74,999	386	382,563	345	86.8	81.5-92.1	28	10.1	5.6-14.6	5	0.9	0.0- 1.9	3	0.7	0.0- 1.5				5	1.4	0.0- 3.9
\$75,000+	763	728,940	686	84.4	80.3-88.5	55	11.5	7.8-15.2	8	1.1	0.3- 1.9	9	1.9	0.3- 3.5	1	0.0	0.0- 0.0	4	1.2	0.0- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3453	2,721,767	2873	78.7	76.7-80.7	472	17.8	16.0-19.6	49	1.2	0.6- 1.8	14	0.8	0.2- 1.4	8	0.4	0.0- 0.8	37	1.1	0.7- 1.5
18-24	188	300,751	137	71.4	63.0-79.8	39	22.9	15.1-30.7	3	0.7	0.0- 1.7				5	3.3	0.0- 7.2	4	1.8	0.0- 3.6
25-34	354	454,996	266	68.0	61.5-74.5	74	27.2	20.9-33.5	3	1.1	0.0- 2.7	6	3.0	0.3- 5.7	1	0.0	0.0- 0.0	4	0.7	0.0- 1.5
35-44	402	427,566	316	77.5	72.2-82.8	64	17.3	12.6-22.0	6	1.8	0.0- 4.3	3	0.2	0.0- 0.4	2	0.5	0.0- 1.3	11	2.8	0.8- 4.8
45-54	563	437,022	460	78.8	74.3-83.3	86	17.6	13.5-21.7	10	1.5	0.3- 2.7	3	1.0	0.0- 2.6				4	1.0	0.0- 2.4
55-64	723	459,511	608	82.3	78.4-86.2	98	16.0	12.1-19.9	11	1.1	0.3- 1.9							6	0.7	0.0- 1.5
65+	1223	641,922	1086	87.9	85.5-90.3	111	10.6	8.2-13.0	16	1.1	0.5- 1.7	2	0.2	0.0- 0.6				8	0.3	0.1- 0.5
Less Than H.S.	321	331,178	248	71.8	64.7-78.9	58	24.4	17.3-31.5	8	1.4	0.2- 2.6							7	2.4	0.4- 4.4
H.S. or G.E.D.	1099	893,599	914	80.9	77.4-84.4	164	17.2	13.9-20.5	12	0.9	0.1- 1.7				1	0.6	0.0- 1.8	8	0.5	0.1- 0.9
Some Post-H.S.	964	854,462	795	76.8	73.1-80.5	133	19.1	15.6-22.6	18	1.7	0.3- 3.1	3	0.7	0.0- 1.5	3	0.5	0.0- 1.1	12	1.2	0.2- 2.2
College Graduate	1058	634,013	908	82.0	78.7-85.3	116	13.7	11.0-16.4	11	0.9	0.1- 1.7	11	2.3	0.3- 4.3	3	0.2	0.0- 0.4	9	0.8	0.0- 1.6
Less than \$15,000	415	278,185	302	62.6	55.5-69.7	95	35.4	28.3-42.5	12	1.4	0.4- 2.4	1	0.1	0.0- 0.3				5	0.5	0.0- 1.1
\$15,000- 24,999	596	439,155	483	75.0	69.5-80.5	87	19.4	14.5-24.3	13	2.1	0.3- 3.9	1	0.1	0.0- 0.3	1	1.2	0.0- 3.6	11	2.2	0.6- 3.8
\$25,000- 34,999	285	229,234	237	79.4	72.7-86.1	42	19.1	12.6-25.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3				4	1.2	0.0- 2.6
\$35,000- 49,999	406	312,297	350	82.8	77.7-87.9	43	14.0	9.3-18.7	5	0.9	0.1- 1.7	3	1.1	0.0- 2.3	2	0.6	0.0- 1.6	3	0.7	0.0- 1.5
\$50,000- 74,999	362	302,101	303	82.4	77.1-87.7	52	16.1	11.0-21.2	2	0.5	0.0- 1.3				1	0.1	0.0- 0.3	4	0.9	0.0- 2.3
\$75,000+	646	555,164	573	86.0	82.1-89.9	56	9.9	7.0-12.8	7	1.5	0.0- 3.5	5	1.6	0.0- 3.4	1	0.1	0.0- 0.3	4	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6152	5,249,829	5096	78.4	76.8-80.0	732	16.1	14.7-17.5	91	1.5	1.1-1.9	40	1.2	0.8-1.6	12	0.3	0.1-0.5	181	2.6	2.0-3.2
Male	2699	2,528,061	2256	78.6	76.2-81.0	269	14.5	12.5-16.5	53	1.8	1.2-2.4	27	1.8	1.0-2.6	5	0.1	0.0-0.3	89	3.2	2.0-4.4
Female	3453	2,721,767	2840	78.3	76.3-80.3	463	17.5	15.7-19.3	38	1.1	0.5-1.7	13	0.7	0.1-1.3	7	0.4	0.0-0.8	92	2.0	1.4-2.6
18-24	370	622,610	285	76.7	71.0-82.4	48	14.2	9.5-18.9	8	1.5	0.3-2.7	6	2.0	0.2-3.8	4	1.5	0.0-3.5	19	4.1	1.2-7.0
25-34	669	899,181	507	69.9	65.2-74.6	104	20.7	16.6-24.8	8	1.5	0.3-2.7	13	3.6	1.4-5.8	1	0.0	0.0-0.0	36	4.3	2.3-6.3
35-44	707	840,954	560	75.1	70.6-79.6	100	18.3	14.4-22.2	11	1.6	0.2-3.0	5	0.4	0.0-1.0	3	0.5	0.0-1.1	28	4.1	1.7-6.5
45-54	1065	852,183	868	77.0	73.3-80.7	139	18.6	15.1-22.1	21	2.0	0.8-3.2	8	1.1	0.1-2.1	1	0.0	0.0-0.0	28	1.4	0.6-2.2
55-64	1301	879,179	1074	80.7	77.8-83.6	166	15.6	12.7-18.5	19	1.4	0.6-2.2	4	0.4	0.0-0.8	1	0.0	0.0-0.0	37	1.8	1.0-2.6
65+	2040	1,155,721	1802	87.8	85.8-89.8	175	10.3	8.3-12.3	24	0.9	0.5-1.3	4	0.2	0.0-0.4	2	0.1	0.0-0.3	33	0.6	0.4-0.8
Less Than H.S.	581	690,872	450	72.8	67.5-78.1	96	21.5	16.6-26.4	15	1.7	0.3-3.1	1	0.6	0.0-1.8				19	3.5	1.1-5.9
H.S. or G.E.D.	1932	1,735,946	1593	80.2	77.5-82.9	258	15.6	13.2-18.0	27	1.5	0.7-2.3	3	0.2	0.0-0.4	3	0.3	0.0-0.9	48	2.2	1.0-3.4
Some Post-H.S.	1626	1,532,699	1322	76.4	73.5-79.3	205	18.0	15.3-20.7	27	1.5	0.7-2.3	8	0.9	0.1-1.7	4	0.4	0.0-0.8	60	2.8	1.8-3.8
College Graduate	1997	1,280,469	1718	81.7	79.2-84.2	172	11.5	9.5-13.5	22	1.3	0.5-2.1	28	3.3	1.7-4.9	4	0.1	0.0-0.3	53	2.2	1.2-3.2
Less than \$15,000	633	468,565	455	63.3	57.6-69.0	135	32.9	27.2-38.6	17	1.8	0.8-2.8	2	0.7	0.0-1.9				24	1.4	0.6-2.2
\$15,000- 24,999	956	771,414	758	74.6	70.5-78.7	136	18.1	14.4-21.8	18	2.4	0.8-4.0	2	0.6	0.0-1.6	3	1.0	0.0-2.4	39	3.4	1.8-5.0
\$25,000- 34,999	491	422,805	400	76.4	70.5-82.3	66	17.4	12.5-22.3	6	0.8	0.2-1.4	3	0.3	0.0-0.7	1	0.2	0.0-0.6	15	4.9	0.8-9.0
\$35,000- 49,999	746	632,912	634	79.9	75.4-84.4	74	14.0	10.3-17.7	10	1.2	0.4-2.0	7	2.2	0.2-4.2	2	0.3	0.0-0.9	19	2.5	0.3-4.7
\$50,000- 74,999	748	684,664	641	84.2	80.5-87.9	76	12.4	9.1-15.7	7	0.7	0.1-1.3	3	0.4	0.0-0.8	1	0.0	0.0-0.0	20	2.2	0.4-4.0
\$75,000+	1409	1,284,104	1248	84.2	81.3-87.1	108	10.7	8.2-13.2	13	1.2	0.2-2.2	14	1.8	0.6-3.0	2	0.0	0.0-0.0	24	2.0	0.8-3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2699	2,528,061	2256	78.6	76.2-81.0	269	14.5	12.5-16.5	53	1.8	1.2- 2.4	27	1.8	1.0- 2.6	5	0.1	0.0- 0.3	89	3.2	2.0- 4.4
18-24	182	321,859	151	82.1	74.5-89.7	11	6.7	1.6-11.8	5	2.2	0.0- 4.4	6	3.9	0.4- 7.4				9	5.2	0.1-10.3
25-34	315	444,185	248	72.7	66.0-79.4	32	15.1	9.6-20.6	6	2.1	0.1- 4.1	8	4.4	0.9- 7.9				21	5.8	2.5- 9.1
35-44	305	413,389	246	72.7	65.6-79.8	38	19.6	13.3-25.9	7	1.6	0.0- 3.2	2	0.6	0.0- 1.8	1	0.5	0.0- 1.5	11	4.9	0.8- 9.0
45-54	502	415,161	411	75.2	69.3-81.1	55	19.6	13.9-25.3	13	2.5	0.3- 4.7	5	1.1	0.0- 2.5	1	0.0	0.0- 0.0	17	1.4	0.6- 2.2
55-64	578	419,668	475	79.6	74.9-84.3	69	15.3	11.0-19.6	11	1.9	0.3- 3.5	4	0.9	0.0- 1.9	1	0.1	0.0- 0.3	18	2.2	0.8- 3.6
65+	817	513,800	725	88.2	85.1-91.3	64	10.1	7.0-13.2	11	0.8	0.2- 1.4	2	0.3	0.0- 0.7	2	0.2	0.0- 0.6	13	0.5	0.3- 0.7
Less Than H.S.	260	359,694	203	73.8	66.0-81.6	39	19.1	12.2-26.0	8	2.0	0.0- 4.4	1	1.1	0.0- 3.3				9	4.0	0.0- 8.1
H.S. or G.E.D.	833	842,347	689	80.1	76.0-84.2	95	14.0	10.7-17.3	18	2.2	1.0- 3.4	3	0.4	0.0- 1.0	2	0.1	0.1- 0.1	26	3.3	0.9- 5.7
Some Post-H.S.	662	678,238	540	76.4	71.7-81.1	77	17.6	13.1-22.1	12	1.3	0.3- 2.3	6	1.4	0.0- 3.0	2	0.4	0.0- 1.0	25	2.9	1.3- 4.5
College Graduate	939	646,456	819	81.6	77.7-85.5	58	9.4	6.5-12.3	15	1.8	0.4- 3.2	17	4.2	1.7- 6.7	1	0.0	0.0- 0.0	29	2.8	0.8- 4.8
Less than \$15,000	218	190,380	161	65.3	55.9-74.7	40	29.3	19.7-38.9	8	2.5	0.3- 4.7	1	1.6	0.0- 4.5				8	1.4	0.0- 2.8
\$15,000- 24,999	360	332,260	283	74.8	68.3-81.3	52	18.0	12.3-23.7	8	2.9	0.0- 5.8	1	1.3	0.0- 3.8	2	0.7	0.0- 1.9	14	2.4	0.6- 4.2
\$25,000- 34,999	206	193,570	166	73.4	63.4-83.4	24	15.4	8.1-22.7	5	1.4	0.0- 2.8	2	0.5	0.0- 1.3	1	0.5	0.0- 1.5	8	8.8	0.2-17.4
\$35,000- 49,999	340	320,616	289	77.5	70.2-84.8	31	14.0	8.3-19.7	7	1.8	0.2- 3.4	5	3.6	0.0- 7.3	1	0.0	0.0- 0.0	7	3.1	0.0- 7.2
\$50,000- 74,999	386	382,563	341	85.9	80.6-91.2	26	9.8	5.3-14.3	5	0.9	0.0- 1.9	3	0.7	0.0- 1.5				11	2.6	0.0- 5.5
\$75,000+	763	728,940	678	83.3	79.2-87.4	55	11.5	7.8-15.2	7	1.0	0.2- 1.8	9	1.9	0.3- 3.5	1	0.0	0.0- 0.0	13	2.3	0.5- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3453	2,721,767	2840	78.3	76.3-80.3	463	17.5	15.7-19.3	38	1.1	0.5- 1.7	13	0.7	0.1- 1.3	7	0.4	0.0- 0.8	92	2.0	1.4- 2.6
18-24	188	300,751	134	70.9	62.5-79.3	37	22.2	14.4-30.0	3	0.7	0.0- 1.7				4	3.2	0.0- 7.1	10	3.0	0.8- 5.2
25-34	354	454,996	259	67.1	60.6-73.6	72	26.2	20.1-32.3	2	0.9	0.0- 2.5	5	2.8	0.3- 5.3	1	0.0	0.0- 0.0	15	3.0	0.8- 5.2
35-44	402	427,566	314	77.4	72.1-82.7	62	16.9	12.2-21.6	4	1.7	0.0- 4.2	3	0.2	0.0- 0.4	2	0.5	0.0- 1.3	17	3.4	1.4- 5.4
45-54	563	437,022	457	78.6	74.1-83.1	84	17.5	13.4-21.6	8	1.5	0.3- 2.7	3	1.0	0.0- 2.6				11	1.4	0.0- 2.8
55-64	723	459,511	599	81.8	77.9-85.7	97	15.9	12.0-19.8	8	0.9	0.1- 1.7							19	1.3	0.5- 2.1
65+	1223	641,922	1077	87.5	85.1-89.9	111	10.6	8.2-13.0	13	1.0	0.4- 1.6	2	0.2	0.0- 0.6				20	0.7	0.3- 1.1
Less Than H.S.	321	331,178	247	71.6	64.5-78.7	57	24.2	17.1-31.3	7	1.3	0.1- 2.5							10	2.9	0.9- 4.9
H.S. or G.E.D.	1099	893,599	904	80.3	76.8-83.8	163	17.1	13.8-20.4	9	0.8	0.0- 1.6				1	0.6	0.0- 1.8	22	1.2	0.4- 2.0
Some Post-H.S.	964	854,462	782	76.4	72.7-80.1	128	18.3	15.0-21.6	15	1.6	0.2- 3.0	2	0.6	0.0- 1.4	2	0.4	0.0- 1.0	35	2.7	1.3- 4.1
College Graduate	1058	634,013	899	81.7	78.4-85.0	114	13.6	10.9-16.3	7	0.7	0.1- 1.3	11	2.3	0.3- 4.3	3	0.2	0.0- 0.4	24	1.5	0.7- 2.3
Less than \$15,000	415	278,185	294	61.9	54.8-69.0	95	35.4	28.3-42.5	9	1.3	0.3- 2.3	1	0.1	0.0- 0.3				16	1.3	0.5- 2.1
\$15,000- 24,999	596	439,155	475	74.4	68.9-79.9	84	18.2	13.5-22.9	10	1.9	0.1- 3.7	1	0.1	0.0- 0.3	1	1.2	0.0- 3.6	25	4.1	1.7- 6.5
\$25,000- 34,999	285	229,234	234	79.0	72.3-85.7	42	19.1	12.6-25.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3				7	1.6	0.0- 3.2
\$35,000- 49,999	406	312,297	345	82.3	77.2-87.4	43	14.0	9.3-18.7	3	0.6	0.0- 1.2	2	0.8	0.0- 1.8	1	0.5	0.0- 1.5	12	1.8	0.6- 3.0
\$50,000- 74,999	362	302,101	300	82.1	76.8-87.4	50	15.7	10.6-20.8	2	0.5	0.0- 1.3				1	0.1	0.0- 0.3	9	1.7	0.1- 3.3
\$75,000+	646	555,164	570	85.5	81.6-89.4	53	9.7	6.8-12.6	6	1.5	0.0- 3.5	5	1.6	0.0- 3.4	1	0.1	0.0- 0.3	11	1.6	0.2- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6119	5,234,739	4992	75.8	74.2-77.4	720	15.8	14.4-17.2	84	1.3	0.9- 1.7	40	1.2	0.8- 1.6	149	1.3	1.1- 1.5	134	4.7	3.7- 5.7
Male	2683	2,524,523	2210	75.9	73.4-78.4	264	14.2	12.2-16.2	46	1.6	1.0- 2.2	27	1.8	1.0- 2.6	74	1.5	0.9- 2.1	62	5.0	3.4- 6.6
Female	3436	2,710,216	2782	75.7	73.5-77.9	456	17.2	15.4-19.0	38	0.9	0.5- 1.3	13	0.7	0.1- 1.3	75	1.0	0.6- 1.4	72	4.4	3.2- 5.6
18-24	371	624,602	270	71.9	65.8-78.0	47	13.9	9.2-18.6	8	1.3	0.3- 2.3	6	2.0	0.2- 3.8	14	2.0	0.6- 3.4	26	9.0	4.9-13.1
25-34	670	904,908	487	65.1	60.2-70.0	100	19.5	15.4-23.6	9	1.5	0.3- 2.7	13	3.6	1.4- 5.8	27	2.0	1.0- 3.0	34	8.3	5.0-11.6
35-44	703	835,189	543	71.5	66.8-76.2	100	18.4	14.5-22.3	9	1.1	0.1- 2.1	5	0.4	0.0- 1.0	18	1.1	0.5- 1.7	28	7.5	4.0-11.0
45-54	1060	850,067	850	74.9	71.2-78.6	139	18.6	15.1-22.1	18	1.7	0.5- 2.9	8	1.1	0.1- 2.1	23	0.8	0.4- 1.2	22	2.9	1.5- 4.3
55-64	1290	871,081	1060	80.0	76.9-83.1	161	15.1	12.2-18.0	16	1.3	0.5- 2.1	4	0.4	0.0- 0.8	34	1.4	0.8- 2.0	15	1.8	0.6- 3.0
65+	2025	1,148,892	1782	87.0	84.8-89.2	173	10.3	8.3-12.3	24	0.9	0.5- 1.3	4	0.2	0.0- 0.4	33	0.6	0.4- 0.8	9	0.9	0.1- 1.7
Less Than H.S.	574	686,102	439	70.6	65.1-76.1	94	21.2	16.3-26.1	14	1.6	0.2- 3.0	1	0.6	0.0- 1.8	12	0.9	0.3- 1.5	14	5.1	2.0- 8.2
H.S. or G.E.D.	1923	1,730,085	1556	77.2	74.3-80.1	252	15.2	12.8-17.6	25	1.3	0.7- 1.9	3	0.2	0.0- 0.4	41	1.2	0.6- 1.8	46	4.9	3.1- 6.7
Some Post-H.S.	1620	1,538,465	1298	72.9	69.8-76.0	203	17.8	15.1-20.5	25	1.3	0.7- 1.9	8	0.9	0.1- 1.7	51	1.8	1.0- 2.6	35	5.3	3.1- 7.5
College Graduate	1987	1,272,135	1686	80.2	77.5-82.9	170	11.2	9.2-13.2	20	1.1	0.3- 1.9	28	3.3	1.7- 4.9	45	0.9	0.5- 1.3	38	3.2	1.8- 4.6
Less than \$15,000	628	463,482	447	62.5	56.8-68.2	132	32.5	26.8-38.2	16	1.7	0.7- 2.7	2	0.7	0.0- 1.9	23	1.2	0.6- 1.8	8	1.3	0.3- 2.3
\$15,000- 24,999	948	765,054	738	71.4	66.9-75.9	133	17.7	14.0-21.4	18	2.6	0.8- 4.4	2	0.6	0.0- 1.8	31	1.8	0.8- 2.8	26	6.0	3.3- 8.7
\$25,000- 34,999	488	422,715	390	74.4	68.5-80.3	65	17.3	12.4-22.2	5	0.6	0.0- 1.2	3	0.3	0.0- 0.7	11	1.2	0.4- 2.0	14	6.2	1.9-10.5
\$35,000- 49,999	746	636,599	620	75.4	70.5-80.3	74	13.9	10.2-17.6	12	1.4	0.4- 2.4	7	2.2	0.2- 4.2	17	1.3	0.5- 2.1	16	5.7	2.2- 9.2
\$50,000- 74,999	747	683,552	631	81.8	77.7-85.9	75	12.2	8.9-15.5	7	0.6	0.0- 1.2	3	0.4	0.0- 0.8	16	1.0	0.2- 1.8	15	4.0	1.3- 6.7
\$75,000+	1408	1,290,171	1230	82.1	79.0-85.2	107	10.6	8.2-13.0	14	0.8	0.2- 1.4	14	1.8	0.6- 3.0	18	1.0	0.4- 1.6	25	3.7	1.7- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2683	2,524,523	2210	75.9	73.5-78.3	264	14.2	12.2-16.2	46	1.6	1.0- 2.2	27	1.8	1.0- 2.6	74	1.5	0.9- 2.1	62	5.0	3.4- 6.6
18-24	182	321,859	144	77.3	69.1-85.5	11	6.7	1.6-11.8	3	1.2	0.0- 2.6	6	3.9	0.4- 7.4	7	2.4	0.2- 4.6	11	8.5	2.2-14.8
25-34	317	453,887	242	68.2	61.1-75.3	30	13.8	8.5-19.1	6	2.0	0.0- 4.0	8	4.3	1.0- 7.6	15	2.2	0.6- 3.8	16	9.5	4.4-14.6
35-44	302	409,513	234	68.1	60.7-75.5	38	19.8	13.5-26.1	6	1.9	0.1- 3.7	2	0.7	0.0- 1.9	8	1.4	0.2- 2.6	14	8.1	2.6-13.6
45-54	498	412,933	405	73.9	68.0-79.8	55	19.7	14.0-25.4	11	2.3	0.1- 4.5	5	1.1	0.0- 2.5	14	1.0	0.4- 1.6	8	2.0	0.2- 3.8
55-64	572	415,254	467	79.0	74.3-83.7	67	14.6	10.3-18.9	9	1.8	0.2- 3.4	4	0.9	0.0- 1.9	17	1.9	0.7- 3.1	8	1.8	0.4- 3.2
65+	812	511,078	718	87.3	84.0-90.6	63	10.0	6.9-13.1	11	0.8	0.2- 1.4	2	0.3	0.0- 0.7	13	0.5	0.3- 0.7	5	1.2	0.0- 2.6
Less Than H.S.	259	359,625	200	72.0	64.0-80.0	38	18.3	11.6-25.0	7	1.9	0.0- 4.3	1	1.1	0.0- 3.3	7	1.1	0.1- 2.1	6	5.6	0.7-10.5
H.S. or G.E.D.	828	840,579	669	76.7	72.4-81.0	93	13.9	10.6-17.2	17	1.8	0.8- 2.8	3	0.4	0.0- 1.0	21	1.4	0.6- 2.2	25	5.9	2.8- 9.0
Some Post-H.S.	658	683,275	530	72.9	67.8-78.0	77	17.5	13.0-22.0	10	1.4	0.4- 2.4	6	1.4	0.0- 3.0	21	2.2	0.8- 3.6	14	4.6	1.3- 7.9
College Graduate	933	639,717	806	80.3	76.2-84.4	56	8.9	6.2-11.6	12	1.5	0.1- 2.9	17	4.3	1.8- 6.8	25	1.1	0.5- 1.7	17	3.9	1.7- 6.1
Less than \$15,000	215	186,820	156	64.1	54.7-73.5	38	28.2	18.6-37.8	7	2.3	0.1- 4.5	1	1.6	0.0- 4.7	8	1.5	0.1- 2.9	5	2.3	0.3- 4.3
\$15,000- 24,999	356	326,658	278	72.4	65.5-79.3	51	17.4	11.7-23.1	8	3.5	0.4- 6.6	1	1.3	0.0- 3.8	12	2.0	0.2- 3.8	6	3.4	0.0- 6.9
\$25,000- 34,999	204	192,868	160	70.6	60.6-80.6	24	15.4	8.1-22.7	4	1.1	0.0- 2.3	2	0.5	0.0- 1.3	5	1.5	0.0- 3.1	9	10.9	2.1-19.7
\$35,000- 49,999	340	324,302	281	72.7	65.1-80.3	31	13.8	8.1-19.5	8	1.8	0.2- 3.4	5	3.5	0.0- 7.2	5	0.8	0.0- 1.6	10	7.3	1.6-13.0
\$50,000- 74,999	385	381,450	335	82.8	76.5-89.1	26	9.8	5.3-14.3	4	0.7	0.0- 1.7	3	0.7	0.0- 1.5	10	1.3	0.1- 2.5	7	4.7	0.2- 9.2
\$75,000+	762	735,007	669	81.5	77.0-86.0	54	11.2	7.5-14.9	8	1.0	0.2- 1.8	9	1.9	0.3- 3.5	11	1.3	0.3- 2.3	11	3.1	0.6- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3436	2,710,216	2782	75.7	73.7-77.7	456	17.2	15.4-19.0	38	0.9	0.5- 1.3	13	0.7	0.1- 1.3	75	1.0	0.6- 1.4	72	4.4	3.2- 5.6
18-24	189	302,743	126	66.1	57.3-74.9	36	21.6	13.8-29.4	5	1.4	0.0- 3.0				7	1.5	0.1- 2.9	15	9.5	4.2-14.8
25-34	353	451,021	245	62.0	55.3-68.7	70	25.3	19.2-31.4	3	0.9	0.0- 2.5	5	2.9	0.2- 5.6	12	1.8	0.4- 3.2	18	7.1	3.0-11.2
35-44	401	425,676	309	74.7	68.8-80.6	62	17.0	12.3-21.7	3	0.4	0.0- 1.0	3	0.2	0.0- 0.4	10	0.8	0.2- 1.4	14	6.8	2.5-11.1
45-54	562	437,134	445	75.9	71.2-80.6	84	17.5	13.4-21.6	7	1.2	0.2- 2.2	3	1.0	0.0- 2.6	9	0.6	0.0- 1.2	14	3.8	1.4- 6.2
55-64	718	455,828	593	80.9	76.8-85.0	94	15.6	11.7-19.5	7	0.8	0.0- 1.6				17	0.9	0.3- 1.5	7	1.9	0.1- 3.7
65+	1213	637,814	1064	86.8	84.3-89.3	110	10.6	8.2-13.0	13	1.0	0.4- 1.6	2	0.2	0.0- 0.6	20	0.7	0.3- 1.1	4	0.6	0.0- 1.4
Less Than H.S.	315	326,476	239	69.1	61.7-76.5	56	24.3	17.2-31.4	7	1.4	0.2- 2.6				5	0.7	0.1- 1.3	8	4.5	1.0- 8.0
H.S. or G.E.D.	1095	889,506	887	77.7	74.0-81.4	159	16.5	13.2-19.8	8	0.8	0.0- 1.6				20	1.0	0.4- 1.6	21	4.0	1.8- 6.2
Some Post-H.S.	962	855,190	768	72.9	68.8-77.0	126	18.1	14.8-21.4	15	1.2	0.4- 2.0	2	0.6	0.0- 1.4	30	1.4	0.8- 2.0	21	5.9	3.2- 8.6
College Graduate	1054	632,418	880	80.1	76.8-83.4	114	13.6	10.9-16.3	8	0.7	0.1- 1.3	11	2.3	0.3- 4.3	20	0.8	0.4- 1.2	21	2.6	1.4- 3.8
Less than \$15,000	413	276,662	291	61.5	54.4-68.6	94	35.3	28.2-42.4	9	1.3	0.3- 2.3	1	0.1	0.0- 0.3	15	1.1	0.5- 1.7	3	0.7	0.0- 1.5
\$15,000- 24,999	592	438,396	460	70.6	64.9-76.3	82	17.9	13.2-22.6	10	1.9	0.1- 3.7	1	0.1	0.0- 0.3	19	1.6	0.6- 2.6	20	7.9	3.8-12.0
\$25,000- 34,999	284	229,847	230	77.6	70.9-84.3	41	18.9	12.4-25.4	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	6	0.9	0.1- 1.7	5	2.3	0.1- 4.5
\$35,000- 49,999	406	312,297	339	78.2	72.3-84.1	43	14.0	9.3-18.7	4	1.1	0.0- 2.3	2	0.8	0.0- 1.8	12	1.8	0.6- 3.0	6	4.1	0.0- 8.2
\$50,000- 74,999	362	302,101	296	80.5	75.0-86.0	49	15.2	10.1-20.3	3	0.5	0.0- 1.3				6	0.6	0.0- 1.2	8	3.1	0.7- 5.5
\$75,000+	646	555,164	561	82.9	78.6-87.2	53	9.7	6.8-12.6	6	0.6	0.0- 1.2	5	1.6	0.0- 3.4	7	0.7	0.0- 1.7	14	4.5	1.4- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6119	5,234,739	4992	75.8	74.2-77.4	1127	24.2	22.6-25.8
Male	2683	2,524,523	2210	75.9	73.4-78.4	473	24.1	21.6-26.6
Female	3436	2,710,216	2782	75.7	73.5-77.9	654	24.3	22.1-26.5
18-24	371	624,602	270	71.9	65.8-78.0	101	28.1	22.0-34.2
25-34	670	904,908	487	65.1	60.2-70.0	183	34.9	30.0-39.8
35-44	703	835,189	543	71.5	66.8-76.2	160	28.5	23.8-33.2
45-54	1060	850,067	850	74.9	71.2-78.6	210	25.1	21.4-28.8
55-64	1290	871,081	1060	80.0	76.9-83.1	230	20.0	16.9-23.1
65+	2025	1,148,892	1782	87.0	84.8-89.2	243	13.0	10.8-15.2
Less Than H.S.	574	686,102	439	70.6	65.1-76.1	135	29.4	23.9-34.9
H.S. or G.E.D.	1923	1,730,085	1556	77.2	74.3-80.1	367	22.8	19.9-25.7
Some Post-H.S.	1620	1,538,465	1298	72.9	69.8-76.0	322	27.1	24.0-30.2
College Graduate	1987	1,272,135	1686	80.2	77.5-82.9	301	19.8	17.1-22.5
Less than \$15,000	628	463,482	447	62.5	56.8-68.2	181	37.5	31.8-43.2
\$15,000- 24,999	948	765,054	738	71.4	66.9-75.9	210	28.6	24.1-33.1
\$25,000- 34,999	488	422,715	390	74.4	68.5-80.3	98	25.6	19.7-31.5
\$35,000- 49,999	746	636,599	620	75.4	70.5-80.3	126	24.6	19.7-29.5
\$50,000- 74,999	747	683,552	631	81.8	77.7-85.9	116	18.2	14.1-22.3
\$75,000+	1408	1,290,171	1230	82.1	79.0-85.2	178	17.9	14.8-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2683	2,524,523	2210	75.9	73.5-78.3	473	24.1	21.7-26.5
18-24	182	321,859	144	77.3	69.1-85.5	38	22.7	14.5-30.9
25-34	317	453,887	242	68.2	61.1-75.3	75	31.8	24.7-38.9
35-44	302	409,513	234	68.1	60.7-75.5	68	31.9	24.5-39.3
45-54	498	412,933	405	73.9	68.0-79.8	93	26.1	20.2-32.0
55-64	572	415,254	467	79.0	74.3-83.7	105	21.0	16.3-25.7
65+	812	511,078	718	87.3	84.0-90.6	94	12.7	9.4-16.0
Less Than H.S.	259	359,625	200	72.0	64.0-80.0	59	28.0	20.0-36.0
H.S. or G.E.D.	828	840,579	669	76.7	72.4-81.0	159	23.3	19.0-27.6
Some Post-H.S.	658	683,275	530	72.9	67.8-78.0	128	27.1	22.0-32.2
College Graduate	933	639,717	806	80.3	76.2-84.4	127	19.7	15.6-23.8
Less than \$15,000	215	186,820	156	64.1	54.7-73.5	59	35.9	26.5-45.3
\$15,000- 24,999	356	326,658	278	72.4	65.5-79.3	78	27.6	20.7-34.5
\$25,000- 34,999	204	192,868	160	70.6	60.6-80.6	44	29.4	19.4-39.4
\$35,000- 49,999	340	324,302	281	72.7	65.1-80.3	59	27.3	19.7-34.9
\$50,000- 74,999	385	381,450	335	82.8	76.5-89.1	50	17.2	10.9-23.5
\$75,000+	762	735,007	669	81.5	77.0-86.0	93	18.5	14.0-23.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3436	2,710,216	2782	75.7	73.7-77.7	654	24.3	22.3-26.3
18-24	189	302,743	126	66.1	57.3-74.9	63	33.9	25.1-42.7
25-34	353	451,021	245	62.0	55.3-68.7	108	38.0	31.3-44.7
35-44	401	425,676	309	74.7	68.8-80.6	92	25.3	19.4-31.2
45-54	562	437,134	445	75.9	71.2-80.6	117	24.1	19.4-28.8
55-64	718	455,828	593	80.9	76.8-85.0	125	19.1	15.0-23.2
65+	1213	637,814	1064	86.8	84.3-89.3	149	13.2	10.7-15.7
Less Than H.S.	315	326,476	239	69.1	61.7-76.5	76	30.9	23.5-38.3
H.S. or G.E.D.	1095	889,506	887	77.7	74.0-81.4	208	22.3	18.6-26.0
Some Post-H.S.	962	855,190	768	72.9	68.8-77.0	194	27.1	23.0-31.2
College Graduate	1054	632,418	880	80.1	76.8-83.4	174	19.9	16.6-23.2
Less than \$15,000	413	276,662	291	61.5	54.4-68.6	122	38.5	31.4-45.6
\$15,000- 24,999	592	438,396	460	70.6	64.9-76.3	132	29.4	23.7-35.1
\$25,000- 34,999	284	229,847	230	77.6	70.9-84.3	54	22.4	15.7-29.1
\$35,000- 49,999	406	312,297	339	78.2	72.3-84.1	67	21.8	15.9-27.7
\$50,000- 74,999	362	302,101	296	80.5	75.0-86.0	66	19.5	14.0-25.0
\$75,000+	646	555,164	561	82.9	78.6-87.2	85	17.1	12.8-21.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6119	5,234,739	4992	75.8	74.2-77.4	720	15.8	14.4-17.2	168	2.8	2.2-3.4	105	0.9	0.7-1.1	134	4.7	3.7-5.7
Male	2683	2,524,523	2210	75.9	73.4-78.4	264	14.2	12.2-16.2	101	3.8	2.6-5.0	46	1.1	0.7-1.5	62	5.0	3.4-6.6
Female	3436	2,710,216	2782	75.7	73.5-77.9	456	17.2	15.4-19.0	67	1.9	1.3-2.5	59	0.8	0.4-1.2	72	4.4	3.2-5.6
18-24	371	624,602	270	71.9	65.8-78.0	47	13.9	9.2-18.6	15	3.3	1.1-5.5	13	1.9	0.5-3.3	26	9.0	4.9-13.1
25-34	670	904,908	487	65.1	60.2-70.0	100	19.5	15.4-23.6	28	5.4	2.9-7.9	21	1.6	0.6-2.6	34	8.3	5.0-11.6
35-44	703	835,189	543	71.5	66.8-76.2	100	18.4	14.5-22.3	21	2.1	0.9-3.3	11	0.5	0.1-0.9	28	7.5	4.0-11.0
45-54	1060	850,067	850	74.9	71.2-78.6	139	18.6	15.1-22.1	30	2.9	1.3-4.5	19	0.7	0.3-1.1	22	2.9	1.5-4.3
55-64	1290	871,081	1060	80.0	76.9-83.1	161	15.1	12.2-18.0	30	2.2	1.2-3.2	24	0.9	0.3-1.5	15	1.8	0.6-3.0
65+	2025	1,148,892	1782	87.0	84.8-89.2	173	10.3	8.3-12.3	44	1.4	0.8-2.0	17	0.3	0.1-0.5	9	0.9	0.1-1.7
Less Than H.S.	574	686,102	439	70.6	65.1-76.1	94	21.2	16.3-26.1	19	2.5	0.7-4.3	8	0.7	0.1-1.3	14	5.1	2.0-8.2
H.S. or G.E.D.	1923	1,730,085	1556	77.2	74.3-80.1	252	15.2	12.8-17.6	39	1.7	0.9-2.5	30	0.9	0.5-1.3	46	4.9	3.1-6.7
Some Post-H.S.	1620	1,538,465	1298	72.9	69.8-76.0	203	17.8	15.1-20.5	44	2.6	1.6-3.6	40	1.4	0.8-2.0	35	5.3	3.1-7.5
College Graduate	1987	1,272,135	1686	80.2	77.5-82.9	170	11.2	9.2-13.2	66	4.8	3.0-6.6	27	0.6	0.4-0.8	38	3.2	1.8-4.6
Less than \$15,000	628	463,482	447	62.5	56.8-68.2	132	32.5	26.8-38.2	21	2.6	1.0-4.2	20	1.1	0.5-1.7	8	1.3	0.3-2.3
\$15,000- 24,999	948	765,054	738	71.4	66.9-75.9	133	17.7	14.0-21.4	27	3.5	1.5-5.5	24	1.4	0.6-2.2	26	6.0	3.3-8.7
\$25,000- 34,999	488	422,715	390	74.4	68.5-80.3	65	17.3	12.4-22.2	11	1.3	0.5-2.1	8	0.8	0.2-1.4	14	6.2	1.9-10.5
\$35,000- 49,999	746	636,599	620	75.4	70.5-80.3	74	13.9	10.2-17.6	25	4.1	1.9-6.3	11	0.8	0.2-1.4	16	5.7	2.2-9.2
\$50,000- 74,999	747	683,552	631	81.8	77.7-85.9	75	12.2	8.9-15.5	15	1.2	0.4-2.0	11	0.9	0.1-1.7	15	4.0	1.3-6.7
\$75,000+	1408	1,290,171	1230	82.1	79.0-85.2	107	10.6	8.2-13.0	30	2.7	1.3-4.1	16	0.9	0.3-1.5	25	3.7	1.7-5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2683	2,524,523	2210	75.9	73.5-78.3	264	14.2	12.2-16.2	101	3.8	2.6-5.0	46	1.1	0.7-1.5	62	5.0	3.4-6.6
18-24	182	321,859	144	77.3	69.1-85.5	11	6.7	1.6-11.8	10	5.2	1.5-8.9	6	2.3	0.1-4.5	11	8.5	2.2-14.8
25-34	317	453,887	242	68.2	61.1-75.3	30	13.8	8.5-19.1	18	6.7	2.8-10.6	11	1.8	0.4-3.2	16	9.5	4.4-14.6
35-44	302	409,513	234	68.1	60.7-75.5	38	19.8	13.5-26.1	12	3.4	1.0-5.8	4	0.5	0.0-1.1	14	8.1	2.6-13.6
45-54	498	412,933	405	73.9	68.0-79.8	55	19.7	14.0-25.4	19	3.6	1.1-6.1	11	0.8	0.2-1.4	8	2.0	0.2-3.8
55-64	572	415,254	467	79.0	74.3-83.7	67	14.6	10.3-18.9	19	3.3	1.3-5.3	11	1.3	0.3-2.3	8	1.8	0.4-3.2
65+	812	511,078	718	87.3	84.0-90.6	63	10.0	6.9-13.1	23	1.4	0.6-2.2	3	0.1	0.0-0.3	5	1.2	0.0-2.6
Less Than H.S.	259	359,625	200	72.0	64.0-80.0	38	18.3	11.6-25.0	10	3.2	0.1-6.3	5	0.9	0.0-1.9	6	5.6	0.7-10.5
H.S. or G.E.D.	828	840,579	669	76.7	72.4-81.0	93	13.9	10.6-17.2	27	2.7	1.3-4.1	14	0.9	0.1-1.7	25	5.9	2.8-9.0
Some Post-H.S.	658	683,275	530	72.9	67.8-78.0	77	17.5	13.0-22.0	21	3.2	1.2-5.2	16	1.8	0.6-3.0	14	4.6	1.3-7.9
College Graduate	933	639,717	806	80.3	76.2-84.4	56	8.9	6.2-11.6	43	6.3	3.6-9.0	11	0.6	0.2-1.0	17	3.9	1.7-6.1
Less than \$15,000	215	186,820	156	64.1	54.7-73.5	38	28.2	18.6-37.8	9	4.1	0.4-7.8	7	1.3	0.0-2.7	5	2.3	0.3-4.3
\$15,000- 24,999	356	326,658	278	72.4	65.5-79.3	51	17.4	11.7-23.1	13	5.3	1.2-9.4	8	1.5	0.0-3.1	6	3.4	0.0-6.9
\$25,000- 34,999	204	192,868	160	70.6	60.6-80.6	24	15.4	8.1-22.7	7	2.1	0.3-3.9	4	1.0	0.0-2.2	9	10.9	2.1-19.7
\$35,000- 49,999	340	324,302	281	72.7	65.1-80.3	31	13.8	8.1-19.5	16	5.6	1.7-9.5	2	0.5	0.0-1.3	10	7.3	1.6-13.0
\$50,000- 74,999	385	381,450	335	82.8	76.5-89.1	26	9.8	5.3-14.3	10	1.5	0.3-2.7	7	1.2	0.0-2.4	7	4.7	0.2-9.2
\$75,000+	762	735,007	669	81.5	77.0-86.0	54	11.2	7.5-14.9	19	3.1	1.3-4.9	9	1.1	0.1-2.1	11	3.1	0.6-5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3436	2,710,216	2782	75.7	73.7-77.7	456	17.2	15.4-19.0	67	1.9	1.3- 2.5	59	0.8	0.4- 1.2	72	4.4	3.2- 5.6
18-24	189	302,743	126	66.1	57.3-74.9	36	21.6	13.8-29.4	5	1.4	0.0- 3.0	7	1.5	0.1- 2.9	15	9.5	4.2-14.8
25-34	353	451,021	245	62.0	55.3-68.7	70	25.3	19.2-31.4	10	4.1	1.0- 7.2	10	1.4	0.2- 2.6	18	7.1	3.0-11.2
35-44	401	425,676	309	74.7	68.8-80.6	62	17.0	12.3-21.7	9	0.9	0.3- 1.5	7	0.6	0.2- 1.0	14	6.8	2.5-11.1
45-54	562	437,134	445	75.9	71.2-80.6	84	17.5	13.4-21.6	11	2.3	0.3- 4.3	8	0.6	0.0- 1.2	14	3.8	1.4- 6.2
55-64	718	455,828	593	80.9	76.8-85.0	94	15.6	11.7-19.5	11	1.1	0.3- 1.9	13	0.6	0.2- 1.0	7	1.9	0.1- 3.7
65+	1213	637,814	1064	86.8	84.3-89.3	110	10.6	8.2-13.0	21	1.4	0.6- 2.2	14	0.5	0.1- 0.9	4	0.6	0.0- 1.4
Less Than H.S.	315	326,476	239	69.1	61.7-76.5	56	24.3	17.2-31.4	9	1.7	0.5- 2.9	3	0.4	0.0- 1.0	8	4.5	1.0- 8.0
H.S. or G.E.D.	1095	889,506	887	77.7	74.0-81.4	159	16.5	13.2-19.8	12	0.9	0.1- 1.7	16	0.9	0.3- 1.5	21	4.0	1.8- 6.2
Some Post-H.S.	962	855,190	768	72.9	68.8-77.0	126	18.1	14.8-21.4	23	2.1	0.9- 3.3	24	1.0	0.4- 1.6	21	5.9	3.2- 8.6
College Graduate	1054	632,418	880	80.1	76.8-83.4	114	13.6	10.9-16.3	23	3.2	1.2- 5.2	16	0.6	0.2- 1.0	21	2.6	1.4- 3.8
Less than \$15,000	413	276,662	291	61.5	54.4-68.6	94	35.3	28.2-42.4	12	1.6	0.6- 2.6	13	0.9	0.3- 1.5	3	0.7	0.0- 1.5
\$15,000- 24,999	592	438,396	460	70.6	64.9-76.3	82	17.9	13.2-22.6	14	2.2	0.4- 4.0	16	1.4	0.6- 2.2	20	7.9	3.8-12.0
\$25,000- 34,999	284	229,847	230	77.6	70.9-84.3	41	18.9	12.4-25.4	4	0.6	0.0- 1.2	4	0.6	0.0- 1.2	5	2.3	0.1- 4.5
\$35,000- 49,999	406	312,297	339	78.2	72.3-84.1	43	14.0	9.3-18.7	9	2.6	0.8- 4.4	9	1.2	0.2- 2.2	6	4.1	0.0- 8.2
\$50,000- 74,999	362	302,101	296	80.5	75.0-86.0	49	15.2	10.1-20.3	5	0.8	0.0- 1.6	4	0.4	0.0- 0.8	8	3.1	0.7- 5.5
\$75,000+	646	555,164	561	82.9	78.6-87.2	53	9.7	6.8-12.6	11	2.2	0.4- 4.0	7	0.7	0.0- 1.7	14	4.5	1.4- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6137	5,252,831	703	20.1	18.5-21.7	686	17.3	15.7-18.9	815	14.8	13.4-16.2	1208	17.2	16.0-18.4	1296	15.5	14.5-16.5	1429	15.1	14.1-16.1
Male	2696	2,539,709	342	21.1	18.6-23.6	302	17.4	15.0-19.8	374	15.8	13.8-17.8	573	17.8	15.8-19.8	570	14.7	13.1-16.3	535	13.3	11.9-14.7
Female	3441	2,713,121	361	19.2	17.0-21.4	384	17.3	15.3-19.3	441	13.8	12.2-15.4	635	16.7	15.1-18.3	726	16.3	14.7-17.9	894	16.7	15.3-18.1
White/Non-Hisp	4928	3,919,048	507	18.2	16.4-20.0	512	16.0	14.4-17.6	632	14.1	12.7-15.5	963	17.7	16.3-19.1	1077	16.6	15.4-17.8	1237	17.4	16.2-18.6
Black or Afr. Am./Non-Hisp	705	810,581	96	21.6	17.1-26.1	95	18.7	14.6-22.8	110	18.1	14.2-22.0	154	18.7	15.2-22.2	135	14.3	11.2-17.4	115	8.6	6.6-10.6
Oth. Race/Non-Hisp.	167	147,179	30	29.6	18.4-40.8	25	25.0	14.2-35.8	19	13.2	5.8-20.6	37	15.9	8.6-23.2	28	9.0	4.1-13.9	28	7.3	3.8-10.8
MultiRacial/Non-Hisp.	104	48,441	23	41.6	26.9-56.3	17	18.3	7.3-29.3	15	11.6	4.3-18.9	17	9.4	2.7-16.1	22	14.3	6.5-22.1	10	4.8	1.1-8.5
Hispanic	132	242,122	43	39.4	28.2-50.6	29	28.1	17.1-39.1	24	16.3	8.1-24.5	18	7.3	3.0-11.6	13	5.9	1.8-10.0	5	3.1	0.0-6.6
Less Than H.S.	594	702,720	28	11.5	6.8-16.2	45	13.8	9.1-18.5	72	16.1	11.6-20.6	127	19.0	14.9-23.1	138	17.4	13.7-21.1	184	22.1	18.2-26.0
H.S. or G.E.D.	1921	1,724,430	228	22.6	19.5-25.7	181	14.7	12.2-17.2	215	12.4	10.2-14.6	382	17.3	15.1-19.5	429	16.6	14.6-18.6	486	16.4	14.6-18.2
Some Post-H.S.	1627	1,541,028	240	24.2	21.1-27.3	178	16.7	13.8-19.6	223	15.9	13.4-18.4	311	16.5	14.3-18.7	337	14.9	12.9-16.9	338	11.9	10.3-13.5
College Graduate	1981	1,275,832	207	16.6	14.1-19.1	281	23.5	20.6-26.4	305	16.0	13.8-18.2	386	17.0	15.0-19.0	384	13.5	11.9-15.1	418	13.3	11.7-14.9
Less than \$15,000	635	470,091	57	18.4	13.1-23.7	62	13.5	9.4-17.6	73	13.1	9.2-17.0	146	20.4	16.3-24.5	154	19.1	15.2-23.0	143	15.4	12.1-18.7
\$15,000- 24,999	959	773,308	111	20.4	16.3-24.5	103	15.4	11.9-18.9	101	11.5	8.8-14.2	160	14.8	11.9-17.7	211	17.3	14.4-20.2	273	20.5	17.4-23.6
\$25,000- 34,999	493	426,294	62	24.3	17.8-30.8	46	13.8	8.7-18.9	60	14.9	10.2-19.6	70	12.8	9.1-16.5	122	16.7	13.0-20.4	133	17.4	13.7-21.1
\$35,000- 49,999	753	641,354	104	22.7	18.2-27.2	89	20.6	15.9-25.3	100	13.5	10.4-16.6	120	14.3	11.2-17.4	163	15.1	12.4-17.8	177	13.9	11.4-16.4
\$50,000- 74,999	744	681,410	84	16.5	12.2-20.8	106	22.7	17.8-27.6	96	13.2	9.9-16.5	153	19.7	15.8-23.6	166	16.7	13.6-19.8	139	11.2	8.8-13.6
\$75,000+	1410	1,291,204	141	16.3	13.2-19.4	209	21.9	18.6-25.2	277	20.9	17.8-24.0	365	20.5	18.0-23.0	237	12.4	10.4-14.4	181	7.9	6.3-9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2696	2,539,709	342	21.1	18.7-23.5	302	17.4	15.0-19.8	374	15.8	13.8-17.8	573	17.8	15.8-19.8	570	14.7	13.1-16.3	535	13.3	11.9-14.7
White/Non-Hisp	2184	1,897,070	262	20.2	17.5-22.9	238	16.5	14.1-18.9	293	14.8	12.6-17.0	454	17.6	15.6-19.6	466	15.3	13.5-17.1	471	15.7	13.9-17.5
Black or Afr. Am./Non-Hisp	261	357,476	28	15.7	9.4-22.0	25	14.7	8.2-21.2	45	23.7	16.6-30.8	67	23.9	17.2-30.6	60	15.6	10.5-20.7	36	6.5	4.0- 9.0
Oth. Race/Non-Hisp.	100	96,234	20	35.0	20.1-49.9	15	23.0	10.7-35.3	9	9.9	1.9-17.9	26	19.3	8.9-29.7	17	8.2	2.1-14.3	13	4.7	1.4- 8.0
Hispanic	62	125,352	19	37.2	20.7-53.7	14	35.5	18.1-52.9	13	14.9	4.5-25.3	8	4.6	0.7- 8.5	5	3.7	0.0- 7.4	3	4.2	0.0-10.1
Less Than H.S.	266	366,812	13	9.6	4.1-15.1	22	17.0	9.0-25.0	35	18.1	11.0-25.2	74	23.9	17.0-30.8	64	17.2	11.9-22.5	58	14.2	9.3-19.1
H.S. or G.E.D.	831	839,655	118	27.0	22.1-31.9	78	12.3	9.2-15.4	114	14.6	11.3-17.9	189	18.8	15.5-22.1	174	14.4	11.7-17.1	158	12.8	10.3-15.3
Some Post-H.S.	663	686,604	113	23.7	19.0-28.4	79	19.5	14.6-24.4	96	16.1	12.2-20.0	120	14.6	11.3-17.9	141	14.5	11.6-17.4	114	11.5	9.0-14.0
College Graduate	931	644,988	98	17.1	13.2-21.0	123	22.0	17.9-26.1	129	15.8	12.7-18.9	190	16.4	13.7-19.1	186	13.5	11.1-15.9	205	15.2	12.7-17.7
Less than \$15,000	222	193,017	25	17.0	9.7-24.3	17	11.4	4.9-17.9	25	15.9	8.1-23.7	62	25.3	17.7-32.9	54	18.5	12.6-24.4	39	12.0	7.3-16.7
\$15,000- 24,999	359	330,251	42	20.8	14.1-27.5	42	13.8	8.9-18.7	40	10.9	6.8-15.0	69	16.5	11.2-21.8	93	21.1	15.8-26.4	73	16.8	11.7-21.9
\$25,000- 34,999	207	193,969	34	32.2	21.6-42.8	17	9.6	2.9-16.3	27	15.3	7.7-22.9	33	14.4	8.3-20.5	45	14.0	8.7-19.3	51	14.5	9.4-19.6
\$35,000- 49,999	343	324,900	54	25.9	18.8-33.0	38	21.1	13.8-28.4	45	13.6	8.9-18.3	55	14.3	9.6-19.0	75	12.6	9.1-16.1	76	12.5	9.0-16.0
\$50,000- 74,999	385	381,880	49	16.8	10.9-22.7	63	24.2	17.1-31.3	46	14.4	9.3-19.5	72	18.4	12.9-23.9	81	14.3	10.2-18.4	74	11.9	8.4-15.4
\$75,000+	761	737,688	75	17.6	13.1-22.1	101	21.7	17.0-26.4	137	19.7	15.6-23.8	208	19.7	16.4-23.0	129	11.6	9.1-14.1	111	9.8	7.4-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3441	2,713,121	361	19.2	17.0-21.4	384	17.3	15.3-19.3	441	13.8	12.2-15.4	635	16.7	15.1-18.3	726	16.3	14.9-17.7	894	16.7	15.3-18.1
White/Non-Hisp	2744	2,021,979	245	16.3	13.9-18.7	274	15.7	13.5-17.9	339	13.4	11.6-15.2	509	17.9	16.1-19.7	611	17.8	16.0-19.6	766	18.9	17.3-20.5
Black or Afr. Am./Non-Hisp	444	453,106	68	26.3	20.0-32.6	70	21.8	16.3-27.3	65	13.7	9.8-17.6	87	14.7	11.0-18.4	75	13.2	9.1-17.3	79	10.3	7.4-13.2
Oth. Race/Non-Hisp.	67	50,945	10	19.5	5.8-33.2	10	28.7	9.1-48.3	10	19.7	5.0-34.4	11	9.5	2.8-16.2	11	10.5	2.5-18.5	15	12.2	4.4-20.0
MultiRacial/Non-Hisp.	58	21,517	11	32.7	14.5-50.9	11	27.2	7.6-46.8	7	9.3	0.5-18.1	6	4.4	0.0-9.5	14	15.9	5.9-25.9	9	10.5	2.1-18.9
Hispanic	70	116,770	24	41.8	26.9-56.7	15	20.1	8.3-31.9	11	17.8	5.3-30.3	10	10.1	2.5-17.7	8	8.2	0.8-15.6	2	2.0	0.0- 5.7
Less Than H.S.	328	335,908	15	13.6	6.0-21.2	23	10.3	5.8-14.8	37	14.0	8.7-19.3	53	13.7	9.4-18.0	74	17.7	12.8-22.6	126	30.7	24.4-37.0
H.S. or G.E.D.	1090	884,775	110	18.5	14.6-22.4	103	17.0	13.3-20.7	101	10.2	7.7-12.7	193	16.0	13.3-18.7	255	18.6	15.7-21.5	328	19.7	17.0-22.4
Some Post-H.S.	964	854,424	127	24.5	20.2-28.8	99	14.4	11.1-17.7	127	15.6	12.3-18.9	191	18.0	15.1-20.9	196	15.1	12.6-17.6	224	12.3	10.3-14.3
College Graduate	1050	630,844	109	16.2	12.9-19.5	158	25.1	21.0-29.2	176	16.3	13.6-19.0	196	17.6	14.7-20.5	198	13.6	11.2-16.0	213	11.3	9.3-13.3
Less than \$15,000	413	277,074	32	19.4	12.0-26.8	45	15.0	9.7-20.3	48	11.2	7.5-14.9	84	17.0	12.5-21.5	100	19.6	14.5-24.7	104	17.8	13.3-22.3
\$15,000- 24,999	600	443,057	69	20.2	14.9-25.5	61	16.6	11.7-21.5	61	12.0	8.3-15.7	91	13.5	10.2-16.8	118	14.4	11.1-17.7	200	23.4	19.5-27.3
\$25,000- 34,999	286	232,325	28	17.7	10.1-25.3	29	17.4	10.1-24.7	33	14.5	9.0-20.0	37	11.5	7.0-16.0	77	19.0	13.9-24.1	82	19.8	14.3-25.3
\$35,000- 49,999	410	316,454	50	19.4	13.7-25.1	51	20.1	14.0-26.2	55	13.3	9.4-17.2	65	14.4	10.1-18.7	88	17.6	13.3-21.9	101	15.2	11.5-18.9
\$50,000- 74,999	359	299,530	35	16.1	10.0-22.2	43	20.7	13.8-27.6	50	11.6	7.5-15.7	81	21.4	16.1-26.7	85	19.9	14.8-25.0	65	10.3	7.0-13.6
\$75,000+	649	553,516	66	14.6	10.9-18.3	108	22.1	17.6-26.6	140	22.6	17.9-27.3	157	21.7	17.8-25.6	108	13.5	10.2-16.8	70	5.5	3.9- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6137	5,252,831	4092	77.9	76.7-79.1	2045	22.1	20.9-23.3
Male	2696	2,539,709	1876	79.7	77.9-81.5	820	20.3	18.5-22.1
Female	3441	2,713,121	2216	76.2	74.6-77.8	1225	23.8	22.2-25.4
White/Non-Hisp	4928	3,919,048	3165	74.8	73.4-76.2	1763	25.2	23.8-26.6
Black or Afr. Am./Non-Hisp	705	810,581	534	85.5	82.8-88.2	171	14.5	11.8-17.2
Oth. Race/Non-Hisp.	167	147,179	123	88.9	84.4-93.4	44	11.1	6.6-15.6
MultiRacial/Non-Hisp.	104	48,441	88	92.3	87.6-97.0	16	7.7	3.0-12.4
Hispanic	132	242,122	123	95.9	92.2-99.6	9	4.1	0.4-7.8
Less Than H.S.	594	702,720	342	69.4	64.7-74.1	252	30.6	25.9-35.3
H.S. or G.E.D.	1921	1,724,430	1246	76.5	74.3-78.7	675	23.5	21.3-25.7
Some Post-H.S.	1627	1,541,028	1138	81.8	79.8-83.8	489	18.2	16.2-20.2
College Graduate	1981	1,275,832	1360	79.9	77.9-81.9	621	20.1	18.1-22.1
Less than \$15,000	635	470,091	424	76.9	73.0-80.8	211	23.1	19.2-27.0
\$15,000- 24,999	959	773,308	586	70.9	67.2-74.6	373	29.1	25.4-32.8
\$25,000- 34,999	493	426,294	295	73.7	69.2-78.2	198	26.3	21.8-30.8
\$35,000- 49,999	753	641,354	514	80.7	77.6-83.8	239	19.3	16.2-22.4
\$50,000- 74,999	744	681,410	518	80.3	77.0-83.6	226	19.7	16.4-23.0
\$75,000+	1410	1,291,204	1125	87.4	85.6-89.2	285	12.6	10.8-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2696	2,539,709	1876	79.7	77.9-81.5	820	20.3	18.5-22.1
White/Non-Hisp	2184	1,897,070	1474	76.7	74.7-78.7	710	23.3	21.3-25.3
Black or Afr. Am./Non-Hisp	261	357,476	198	85.7	81.0-90.4	63	14.3	9.6-19.0
Oth. Race/Non-Hisp.	100	96,234	77	92.6	88.5-96.7	23	7.4	3.3-11.5
Hispanic	62	125,352	57	95.3	89.4- 100	5	4.7	0.0-10.6
Less Than H.S.	266	366,812	175	75.4	68.9-81.9	91	24.6	18.1-31.1
H.S. or G.E.D.	831	839,655	594	81.2	78.3-84.1	237	18.8	15.9-21.7
Some Post-H.S.	663	686,604	477	81.2	77.9-84.5	186	18.8	15.5-22.1
College Graduate	931	644,988	630	78.9	76.0-81.8	301	21.1	18.2-24.0
Less than \$15,000	222	193,017	158	79.6	73.5-85.7	64	20.4	14.3-26.5
\$15,000- 24,999	359	330,251	235	70.3	64.0-76.6	124	29.7	23.4-36.0
\$25,000- 34,999	207	193,969	131	78.8	72.7-84.9	76	21.2	15.1-27.3
\$35,000- 49,999	343	324,900	240	83.1	79.0-87.2	103	16.9	12.8-21.0
\$50,000- 74,999	385	381,880	268	80.6	76.1-85.1	117	19.4	14.9-23.9
\$75,000+	761	737,688	593	86.2	83.5-88.9	168	13.8	11.1-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3441	2,713,121	2216	76.2	74.6-77.8	1225	23.8	22.2-25.4
White/Non-Hisp	2744	2,021,979	1691	73.0	71.0-75.0	1053	27.0	25.0-29.0
Black or Afr. Am./Non-Hisp	444	453,106	336	85.4	81.9-88.9	108	14.6	11.1-18.1
Oth. Race/Non-Hisp.	67	50,945	46	81.9	71.7-92.1	21	18.1	7.9-28.3
MultiRacial/Non-Hisp.	58	21,517	45	85.4	75.6-95.2	13	14.6	4.8-24.4
Hispanic	70	116,770	66	96.5	92.0- 100	4	3.5	0.0- 8.0
Less Than H.S.	328	335,908	167	62.7	56.0-69.4	161	37.3	30.6-44.0
H.S. or G.E.D.	1090	884,775	652	72.0	68.9-75.1	438	28.0	24.9-31.1
Some Post-H.S.	964	854,424	661	82.3	79.8-84.8	303	17.7	15.2-20.2
College Graduate	1050	630,844	730	80.9	78.4-83.4	320	19.1	16.6-21.6
Less than \$15,000	413	277,074	266	75.1	69.8-80.4	147	24.9	19.6-30.2
\$15,000- 24,999	600	443,057	351	71.4	67.1-75.7	249	28.6	24.3-32.9
\$25,000- 34,999	286	232,325	164	69.4	62.9-75.9	122	30.6	24.1-37.1
\$35,000- 49,999	410	316,454	274	78.4	73.9-82.9	136	21.6	17.1-26.1
\$50,000- 74,999	359	299,530	250	80.0	75.1-84.9	109	20.0	15.1-24.9
\$75,000+	649	553,516	532	89.1	86.6-91.6	117	10.9	8.4-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5952	5,062,293	3	0.1	0.0-0.3	287	4.4	3.6-5.2	2574	41.4	39.6-43.2	2486	42.6	40.8-44.4	601	11.6	10.4-12.8	1	0.0	0.0-0.0	
Male	2627	2,458,443	1	0.1	0.0-0.3	5	0.2	0.0-0.4	252	11.4	9.4-13.4	1783	64.9	62.4-67.4	585	23.4	21.0-25.8	1	0.0	0.0-0.0	
Female	3325	2,603,851	2	0.0	0.0-0.0	282	8.4	7.0-9.8	2322	69.7	67.5-71.9	703	21.5	19.5-23.5	16	0.4	0.2-0.6				
White/Non-Hisp	4791	3,803,238	2	0.0	0.0-0.0	222	4.1	3.3-4.9	2050	40.7	38.7-42.7	2037	43.6	41.6-45.6	479	11.6	10.2-13.0	1	0.0	0.0-0.0	
Black or Afr. Am./Non-Hisp	679	769,317				39	5.3	3.1-7.5	314	42.0	37.1-46.9	258	41.3	36.2-46.4	68	11.4	7.9-14.9				
Oth. Race/Non-Hisp.	156	132,364				10	4.5	1.2-7.8	65	42.4	30.6-54.2	61	38.6	27.0-50.2	20	14.5	6.7-22.3				
MultiRacial/Non-Hisp.	105	48,566				3	2.0	0.0-4.9	43	36.8	23.9-49.7	46	43.6	29.7-57.5	13	17.5	5.5-29.5				
Hispanic	124	232,754				7	6.1	0.4-11.8	56	51.5	39.7-63.3	51	36.2	24.8-47.6	10	6.2	1.5-10.9				
18-24	355	603,378				16	5.1	2.0-8.2	143	38.6	31.9-45.3	145	41.0	34.3-47.7	51	15.3	10.6-20.0				
25-34	649	873,699	1	0.3	0.0-0.9	21	2.8	1.4-4.2	264	41.7	36.8-46.6	272	40.8	35.9-45.7	91	14.3	10.8-17.8				
35-44	678	796,372				32	4.2	2.2-6.2	286	39.6	34.5-44.7	268	41.5	36.4-46.6	92	14.7	11.2-18.2				
45-54	1035	820,395				42	4.2	2.4-6.0	414	39.8	35.9-43.7	467	45.1	41.0-49.2	112	10.8	8.4-13.2				
55-64	1263	855,464				47	2.8	1.8-3.8	544	42.6	39.1-46.1	559	44.6	41.1-48.1	113	10.0	7.8-12.2				
65+	1972	1,112,985	2	0.1	0.0-0.3	129	6.7	5.1-8.3	923	44.0	41.1-46.9	775	42.1	39.2-45.0	142	7.1	5.5-8.7	1	0.0	0.0-0.0	
Less Than H.S.	570	665,691	1	0.1	0.0-0.3	40	5.9	3.5-8.3	275	43.7	38.0-49.4	213	41.6	35.7-47.5	41	8.8	5.3-12.3				
H.S. or G.E.D.	1840	1,644,818	1	0.0	0.0-0.0	118	5.8	4.2-7.4	790	40.1	37.0-43.2	761	43.4	40.3-46.5	170	10.7	8.7-12.7				
Some Post-H.S.	1587	1,505,788				71	3.9	2.7-5.1	737	43.7	40.4-47.0	624	40.5	37.2-43.8	155	12.0	9.6-14.4				
College Graduate	1942	1,237,764	1	0.2	0.0-0.6	57	2.4	1.6-3.2	766	39.0	36.1-41.9	883	44.7	41.8-47.6	234	13.7	11.5-15.9	1	0.0	0.0-0.0	
Less than \$15,000	633	470,026				45	6.5	4.0-9.0	318	45.6	40.1-51.1	223	38.2	32.7-43.7	47	9.7	6.2-13.2				
\$15,000- 24,999	958	771,278	2	0.4	0.0-1.2	64	7.2	4.7-9.7	472	48.0	43.5-52.5	344	34.7	30.6-38.8	76	9.7	6.8-12.6				
\$25,000- 34,999	480	412,401				26	4.5	2.1-6.9	222	46.8	40.3-53.3	194	40.3	33.8-46.8	38	8.4	4.5-12.3				
\$35,000- 49,999	747	633,425				28	2.5	1.3-3.7	321	43.1	38.2-48.0	326	44.4	39.5-49.3	71	10.0	7.3-12.7	1	0.0	0.0-0.0	
\$50,000- 74,999	740	677,328				20	2.9	1.1-4.7	275	36.0	31.1-40.9	357	49.8	44.7-54.9	88	11.3	8.2-14.4				
\$75,000+	1412	1,292,306				33	2.2	1.2-3.2	490	32.9	29.6-36.2	678	48.2	44.5-51.9	211	16.7	14.0-19.4				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2627	2,458,443	1	0.1	0.0- 0.3	5	0.2	0.0- 0.4	252	11.4	9.4-13.4	1783	64.9	62.4-67.4	585	23.4	21.0-25.8	1	0.0	0.0- 0.0
White/Non-Hisp	2136	1,846,463				3	0.2	0.0- 0.4	183	9.0	7.2-10.8	1477	67.1	64.4-69.8	472	23.7	21.2-26.2	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	254	339,860							29	13.9	8.0-19.8	164	62.1	54.1-70.1	61	24.0	16.7-31.3			
Oth. Race/Non-Hisp.	90	84,936				1	0.2	0.0- 0.6	15	21.3	7.4-35.2	54	55.9	40.4-71.4	20	22.6	10.6-34.6			
Hispanic	60	123,554							12	33.1	16.2-50.0	38	55.2	38.1-72.3	10	11.7	2.9-20.5			
18-24	171	307,285							15	8.8	2.9-14.7	105	61.3	51.9-70.7	51	30.0	21.4-38.6			
25-34	309	437,255	1	0.7	0.0- 2.1				32	13.3	7.8-18.8	186	57.5	50.2-64.8	90	28.5	22.0-35.0			
35-44	294	398,347							30	12.4	7.1-17.7	176	59.5	52.1-66.9	88	28.1	21.4-34.8			
45-54	490	407,987				3	0.3	0.0- 0.7	50	12.2	7.7-16.7	329	66.3	60.6-72.0	108	21.2	16.7-25.7			
55-64	565	410,001							51	9.8	6.3-13.3	406	70.0	64.9-75.1	108	20.2	15.9-24.5			
65+	798	497,568				2	0.6	0.0- 1.6	74	11.0	7.7-14.3	581	72.8	68.7-76.9	140	15.6	12.5-18.7	1	0.0	0.0- 0.0
Less Than H.S.	254	347,952							44	18.5	11.6-25.4	171	65.7	57.5-73.9	39	15.7	9.2-22.2			
H.S. or G.E.D.	801	806,158				3	0.4	0.0- 1.0	72	9.6	6.5-12.7	561	68.5	64.0-73.0	165	21.5	17.6-25.4			
Some Post-H.S.	647	674,383							64	11.6	8.1-15.1	429	61.7	56.4-67.0	154	26.7	21.8-31.6			
College Graduate	920	626,730	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	72	9.5	6.4-12.6	619	63.6	59.3-67.9	226	26.4	22.5-30.3	1	0.0	0.0- 0.0
Less than \$15,000	218	188,723							30	14.3	7.6-21.0	144	63.9	54.9-72.9	44	21.8	14.2-29.4			
\$15,000- 24,999	359	330,111	1	0.9	0.0- 2.7	1	0.7	0.0- 2.1	40	13.6	8.1-19.1	243	62.6	55.3-69.9	74	22.2	15.9-28.5			
\$25,000- 34,999	202	186,635				1	0.3	0.0- 0.9	20	14.7	6.9-22.5	144	66.6	56.6-76.6	37	18.4	10.2-26.6			
\$35,000- 49,999	342	323,020							36	14.5	8.0-21.0	236	66.2	58.9-73.5	69	19.3	14.0-24.6	1	0.0	0.0- 0.0
\$50,000- 74,999	383	379,224							31	12.3	6.8-17.8	264	67.5	60.6-74.4	88	20.3	15.0-25.6			
\$75,000+	768	741,281							50	6.1	3.7- 8.5	511	65.1	60.4-69.8	207	28.8	24.3-33.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3325	2,603,851	2	0.0	0.0- 0.0	282	8.4	7.0- 9.8	2322	69.7	67.5-71.9	703	21.5	19.5-23.5	16	0.4	0.2- 0.6	
White/Non-Hisp	2655	1,956,775	2	0.0	0.0- 0.0	219	7.7	6.3- 9.1	1867	70.7	68.3-73.1	560	21.4	19.2-23.6	7	0.2	0.0- 0.4	
Black or Afr. Am./Non-Hisp	425	429,457				39	9.4	5.7-13.1	285	64.2	57.9-70.5	94	24.9	19.2-30.6	7	1.5	0.0- 3.1	
Oth. Race/Non-Hisp.	66	47,428				9	12.1	2.9-21.3	50	80.2	68.6-91.8	7	7.6	0.7-14.5				
MultiRacial/Non-Hisp.	59	21,642				3	4.5	0.0-11.0	39	74.3	58.2-90.4	16	20.4	5.3-35.5	1	0.8	0.0- 2.4	
Hispanic	64	109,201				7	13.0	1.4-24.6	44	72.3	59.0-85.6	13	14.7	6.3-23.1				
18-24	184	296,093				16	10.5	4.4-16.6	128	69.6	61.2-78.0	40	19.9	13.0-26.8				
25-34	340	436,444				21	5.7	2.8- 8.6	232	70.2	64.1-76.3	86	24.1	18.4-29.8	1	0.0	0.0- 0.0	
35-44	384	398,025				32	8.4	4.5-12.3	256	66.7	60.4-73.0	92	23.6	18.1-29.1	4	1.2	0.0- 2.8	
45-54	545	412,408				39	8.1	4.8-11.4	364	67.1	62.0-72.2	138	24.3	19.6-29.0	4	0.5	0.0- 1.1	
55-64	698	445,463				47	5.3	3.3- 7.3	493	72.8	68.7-76.9	153	21.2	17.3-25.1	5	0.7	0.1- 1.3	
65+	1174	615,417	2	0.1	0.0- 0.3	127	11.7	9.2-14.2	849	70.8	67.3-74.3	194	17.3	14.4-20.2	2	0.1	0.0- 0.3	
Less Than H.S.	316	317,739	1	0.1	0.0- 0.3	40	12.3	7.6-17.0	231	71.3	64.4-78.2	42	15.1	9.6-20.6	2	1.1	0.0- 2.9	
H.S. or G.E.D.	1039	838,660	1	0.1	0.0- 0.3	115	11.0	8.1-13.9	718	69.3	65.4-73.2	200	19.2	16.1-22.3	5	0.4	0.0- 0.8	
Some Post-H.S.	940	831,405				71	7.0	4.8- 9.2	673	69.7	65.8-73.6	195	23.2	19.5-26.9	1	0.1	0.0- 0.3	
College Graduate	1022	611,034				56	4.7	3.1- 6.3	694	69.3	65.6-73.0	264	25.4	21.9-28.9	8	0.6	0.2- 1.0	
Less than \$15,000	415	281,303				45	10.9	6.8-15.0	288	66.5	59.6-73.4	79	21.0	14.9-27.1	3	1.5	0.0- 3.7	
\$15,000- 24,999	599	441,166	1	0.1	0.0- 0.3	63	12.0	7.9-16.1	432	73.8	68.9-78.7	101	13.7	10.4-17.0	2	0.4	0.0- 1.0	
\$25,000- 34,999	278	225,766				25	8.1	4.0-12.2	202	73.3	66.2-80.4	50	18.6	12.3-24.9	1	0.1	0.0- 0.3	
\$35,000- 49,999	405	310,405				28	5.1	2.7- 7.5	285	72.9	67.0-78.8	90	21.7	16.2-27.2	2	0.3	0.0- 0.7	
\$50,000- 74,999	357	298,104				20	6.6	2.5-10.7	244	66.1	59.2-73.0	93	27.3	21.0-33.6				
\$75,000+	644	551,024				33	5.1	2.6- 7.6	440	69.1	64.4-73.8	167	25.4	21.1-29.7	4	0.4	0.0- 0.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5952	5,062,293	3	0.1	0.0-0.3	287	4.4	3.6-5.2	2574	41.4	39.6-43.2	2486	42.6	40.8-44.4	601	11.6	10.4-12.8	1	0.0	0.0-0.0
Male	2627	2,458,443	1	0.1	0.0-0.3	5	0.2	0.0-0.4	252	11.4	9.4-13.4	1783	64.9	62.4-67.4	585	23.4	21.0-25.8	1	0.0	0.0-0.0
Female	3325	2,603,851	2	0.0	0.0-0.0	282	8.4	7.0-9.8	2322	69.7	67.5-71.9	703	21.5	19.5-23.5	16	0.4	0.2-0.6			
White/Non-Hisp	4791	3,803,238	2	0.0	0.0-0.0	222	4.1	3.3-4.9	2050	40.7	38.7-42.7	2037	43.6	41.6-45.6	479	11.6	10.2-13.0	1	0.0	0.0-0.0
Black or Afr. Am./Non-Hisp	679	769,317				39	5.3	3.1-7.5	314	42.0	37.1-46.9	258	41.3	36.2-46.4	68	11.4	7.9-14.9			
Oth. Race/Non-Hisp.	156	132,364				10	4.5	1.2-7.8	65	42.4	30.6-54.2	61	38.6	27.0-50.2	20	14.5	6.7-22.3			
MultiRacial/Non-Hisp.	105	48,566				3	2.0	0.0-4.9	43	36.8	23.9-49.7	46	43.6	29.7-57.5	13	17.5	5.5-29.5			
Hispanic	124	232,754				7	6.1	0.4-11.8	56	51.5	39.7-63.3	51	36.2	24.8-47.6	10	6.2	1.5-10.9			
18-24	355	603,378				16	5.1	2.0-8.2	143	38.6	31.9-45.3	145	41.0	34.3-47.7	51	15.3	10.6-20.0			
25-34	649	873,699	1	0.3	0.0-0.9	21	2.8	1.4-4.2	264	41.7	36.8-46.6	272	40.8	35.9-45.7	91	14.3	10.8-17.8			
35-44	678	796,372				32	4.2	2.2-6.2	286	39.6	34.5-44.7	268	41.5	36.4-46.6	92	14.7	11.2-18.2			
45-54	1035	820,395				42	4.2	2.4-6.0	414	39.8	35.9-43.7	467	45.1	41.0-49.2	112	10.8	8.4-13.2			
55-64	1263	855,464				47	2.8	1.8-3.8	544	42.6	39.1-46.1	559	44.6	41.1-48.1	113	10.0	7.8-12.2			
65+	1972	1,112,985	2	0.1	0.0-0.3	129	6.7	5.1-8.3	923	44.0	41.1-46.9	775	42.1	39.2-45.0	142	7.1	5.5-8.7	1	0.0	0.0-0.0
Less Than H.S.	570	665,691	1	0.1	0.0-0.3	40	5.9	3.5-8.3	275	43.7	38.0-49.4	213	41.6	35.7-47.5	41	8.8	5.3-12.3			
H.S. or G.E.D.	1840	1,644,818	1	0.0	0.0-0.0	118	5.8	4.2-7.4	790	40.1	37.0-43.2	761	43.4	40.3-46.5	170	10.7	8.7-12.7			
Some Post-H.S.	1587	1,505,788				71	3.9	2.7-5.1	737	43.7	40.4-47.0	624	40.5	37.2-43.8	155	12.0	9.6-14.4			
College Graduate	1942	1,237,764	1	0.2	0.0-0.6	57	2.4	1.6-3.2	766	39.0	36.1-41.9	883	44.7	41.8-47.6	234	13.7	11.5-15.9	1	0.0	0.0-0.0
Less than \$15,000	633	470,026				45	6.5	4.0-9.0	318	45.6	40.1-51.1	223	38.2	32.7-43.7	47	9.7	6.2-13.2			
\$15,000- 24,999	958	771,278	2	0.4	0.0-1.2	64	7.2	4.7-9.7	472	48.0	43.5-52.5	344	34.7	30.6-38.8	76	9.7	6.8-12.6			
\$25,000- 34,999	480	412,401				26	4.5	2.1-6.9	222	46.8	40.3-53.3	194	40.3	33.8-46.8	38	8.4	4.5-12.3			
\$35,000- 49,999	747	633,425				28	2.5	1.3-3.7	321	43.1	38.2-48.0	326	44.4	39.5-49.3	71	10.0	7.3-12.7	1	0.0	0.0-0.0
\$50,000- 74,999	740	677,328				20	2.9	1.1-4.7	275	36.0	31.1-40.9	357	49.8	44.7-54.9	88	11.3	8.2-14.4			
\$75,000+	1412	1,292,306				33	2.2	1.2-3.2	490	32.9	29.6-36.2	678	48.2	44.5-51.9	211	16.7	14.0-19.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2627	2,458,443	1	0.1	0.0- 0.3	5	0.2	0.0- 0.4	252	11.4	9.4-13.4	1783	64.9	62.4-67.4	585	23.4	21.0-25.8	1	0.0	0.0- 0.0
White/Non-Hisp	2136	1,846,463				3	0.2	0.0- 0.4	183	9.0	7.2-10.8	1477	67.1	64.4-69.8	472	23.7	21.2-26.2	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	254	339,860							29	13.9	8.0-19.8	164	62.1	54.1-70.1	61	24.0	16.7-31.3			
Oth. Race/Non-Hisp.	90	84,936				1	0.2	0.0- 0.6	15	21.3	7.4-35.2	54	55.9	40.4-71.4	20	22.6	10.6-34.6			
Hispanic	60	123,554							12	33.1	16.2-50.0	38	55.2	38.1-72.3	10	11.7	2.9-20.5			
18-24	171	307,285							15	8.8	2.9-14.7	105	61.3	51.9-70.7	51	30.0	21.4-38.6			
25-34	309	437,255	1	0.7	0.0- 2.1				32	13.3	7.8-18.8	186	57.5	50.2-64.8	90	28.5	22.0-35.0			
35-44	294	398,347							30	12.4	7.1-17.7	176	59.5	52.1-66.9	88	28.1	21.4-34.8			
45-54	490	407,987				3	0.3	0.0- 0.7	50	12.2	7.7-16.7	329	66.3	60.6-72.0	108	21.2	16.7-25.7			
55-64	565	410,001							51	9.8	6.3-13.3	406	70.0	64.9-75.1	108	20.2	15.9-24.5			
65+	798	497,568				2	0.6	0.0- 1.6	74	11.0	7.7-14.3	581	72.8	68.7-76.9	140	15.6	12.5-18.7	1	0.0	0.0- 0.0
Less Than H.S.	254	347,952							44	18.5	11.6-25.4	171	65.7	57.5-73.9	39	15.7	9.2-22.2			
H.S. or G.E.D.	801	806,158				3	0.4	0.0- 1.0	72	9.6	6.5-12.7	561	68.5	64.0-73.0	165	21.5	17.6-25.4			
Some Post-H.S.	647	674,383							64	11.6	8.1-15.1	429	61.7	56.4-67.0	154	26.7	21.8-31.6			
College Graduate	920	626,730	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	72	9.5	6.4-12.6	619	63.6	59.3-67.9	226	26.4	22.5-30.3	1	0.0	0.0- 0.0
Less than \$15,000	218	188,723							30	14.3	7.6-21.0	144	63.9	54.9-72.9	44	21.8	14.2-29.4			
\$15,000- 24,999	359	330,111	1	0.9	0.0- 2.7	1	0.7	0.0- 2.1	40	13.6	8.1-19.1	243	62.6	55.3-69.9	74	22.2	15.9-28.5			
\$25,000- 34,999	202	186,635				1	0.3	0.0- 0.9	20	14.7	6.9-22.5	144	66.6	56.6-76.6	37	18.4	10.2-26.6			
\$35,000- 49,999	342	323,020							36	14.5	8.0-21.0	236	66.2	58.9-73.5	69	19.3	14.0-24.6	1	0.0	0.0- 0.0
\$50,000- 74,999	383	379,224							31	12.3	6.8-17.8	264	67.5	60.6-74.4	88	20.3	15.0-25.6			
\$75,000+	768	741,281							50	6.1	3.7- 8.5	511	65.1	60.4-69.8	207	28.8	24.3-33.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3325	2,603,851	2	0.0	0.0- 0.0	282	8.4	7.0- 9.8	2322	69.7	67.5-71.9	703	21.5	19.5-23.5	16	0.4	0.2- 0.6
White/Non-Hisp	2655	1,956,775	2	0.0	0.0- 0.0	219	7.7	6.3- 9.1	1867	70.7	68.3-73.1	560	21.4	19.2-23.6	7	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	425	429,457				39	9.4	5.7-13.1	285	64.2	57.9-70.5	94	24.9	19.2-30.6	7	1.5	0.0- 3.1
Oth. Race/Non-Hisp.	66	47,428				9	12.1	2.9-21.3	50	80.2	68.6-91.8	7	7.6	0.7-14.5			
MultiRacial/Non-Hisp.	59	21,642				3	4.5	0.0-11.0	39	74.3	58.2-90.4	16	20.4	5.3-35.5	1	0.8	0.0- 2.4
Hispanic	64	109,201				7	13.0	1.4-24.6	44	72.3	59.0-85.6	13	14.7	6.3-23.1			
18-24	184	296,093				16	10.5	4.4-16.6	128	69.6	61.2-78.0	40	19.9	13.0-26.8			
25-34	340	436,444				21	5.7	2.8- 8.6	232	70.2	64.1-76.3	86	24.1	18.4-29.8	1	0.0	0.0- 0.0
35-44	384	398,025				32	8.4	4.5-12.3	256	66.7	60.4-73.0	92	23.6	18.1-29.1	4	1.2	0.0- 2.8
45-54	545	412,408				39	8.1	4.8-11.4	364	67.1	62.0-72.2	138	24.3	19.6-29.0	4	0.5	0.0- 1.1
55-64	698	445,463				47	5.3	3.3- 7.3	493	72.8	68.7-76.9	153	21.2	17.3-25.1	5	0.7	0.1- 1.3
65+	1174	615,417	2	0.1	0.0- 0.3	127	11.7	9.2-14.2	849	70.8	67.3-74.3	194	17.3	14.4-20.2	2	0.1	0.0- 0.3
Less Than H.S.	316	317,739	1	0.1	0.0- 0.3	40	12.3	7.6-17.0	231	71.3	64.4-78.2	42	15.1	9.6-20.6	2	1.1	0.0- 2.9
H.S. or G.E.D.	1039	838,660	1	0.1	0.0- 0.3	115	11.0	8.1-13.9	718	69.3	65.4-73.2	200	19.2	16.1-22.3	5	0.4	0.0- 0.8
Some Post-H.S.	940	831,405				71	7.0	4.8- 9.2	673	69.7	65.8-73.6	195	23.2	19.5-26.9	1	0.1	0.0- 0.3
College Graduate	1022	611,034				56	4.7	3.1- 6.3	694	69.3	65.6-73.0	264	25.4	21.9-28.9	8	0.6	0.2- 1.0
Less than \$15,000	415	281,303				45	10.9	6.8-15.0	288	66.5	59.6-73.4	79	21.0	14.9-27.1	3	1.5	0.0- 3.7
\$15,000- 24,999	599	441,166	1	0.1	0.0- 0.3	63	12.0	7.9-16.1	432	73.8	68.9-78.7	101	13.7	10.4-17.0	2	0.4	0.0- 1.0
\$25,000- 34,999	278	225,766				25	8.1	4.0-12.2	202	73.3	66.2-80.4	50	18.6	12.3-24.9	1	0.1	0.0- 0.3
\$35,000- 49,999	405	310,405				28	5.1	2.7- 7.5	285	72.9	67.0-78.8	90	21.7	16.2-27.2	2	0.3	0.0- 0.7
\$50,000- 74,999	357	298,104				20	6.6	2.5-10.7	244	66.1	59.2-73.0	93	27.3	21.0-33.6			
\$75,000+	644	551,024				33	5.1	2.6- 7.6	440	69.1	64.4-73.8	167	25.4	21.1-29.7	4	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5740	4,911,470	61	0.9	0.5- 1.3	1477	25.6	24.0-27.2	2460	42.3	40.5-44.1	1249	22.8	21.2-24.4	361	5.7	4.9- 6.5	132	2.6	2.0- 3.2
Male	2607	2,435,587	3	0.2	0.0- 0.4	250	11.2	9.4-13.0	1163	44.1	41.4-46.8	846	32.1	29.6-34.6	250	8.6	7.2-10.0	95	3.9	2.9- 4.9
Female	3133	2,475,883	58	1.7	1.1- 2.3	1227	39.7	37.3-42.1	1297	40.6	38.2-43.0	403	13.7	11.9-15.5	111	3.0	2.2- 3.8	37	1.3	0.7- 1.9
White/Non-Hisp	4621	3,688,447	52	1.1	0.7- 1.5	1221	26.7	24.9-28.5	1978	42.2	40.2-44.2	993	22.3	20.5-24.1	282	5.6	4.8- 6.4	95	2.2	1.6- 2.8
Black or Afr. Am./Non-Hisp	653	751,069	3	0.2	0.0- 0.6	127	19.2	15.1-23.3	272	40.5	35.4-45.6	170	26.3	21.8-30.8	61	9.3	6.4-12.2	20	4.5	2.1- 6.9
Oth. Race/Non-Hisp.	151	124,909	2	0.7	0.0- 1.7	49	40.6	28.6-52.6	61	36.5	25.3-47.7	25	17.1	7.7-26.5	8	3.1	0.4- 5.8	6	2.1	0.0- 4.6
MultiRacial/Non-Hisp.	104	48,441	1	0.2	0.0- 0.8	25	22.7	11.1-34.3	50	53.4	39.5-67.3	18	18.5	8.7-28.3	7	3.3	0.4- 6.2	3	1.9	0.0- 4.4
Hispanic	123	228,121	37	25.2	15.8-34.6	58	49.9	37.9-61.9	20	19.8	9.4-30.2	3	0.9	0.0- 2.1	5	4.2	0.0- 9.1			
18-24	348	594,570	7	1.8	0.2- 3.4	119	36.5	29.8-43.2	155	43.2	36.5-49.9	53	14.7	10.0-19.4	9	2.1	0.7- 3.5	5	1.8	0.0- 4.0
25-34	640	858,566	8	1.0	0.2- 1.8	183	26.9	22.6-31.2	246	38.3	33.4-43.2	141	24.4	19.9-28.9	45	6.4	4.0- 8.8	17	2.8	1.2- 4.4
35-44	656	775,362	6	0.7	0.1- 1.3	143	22.8	18.5-27.1	272	40.2	35.1-45.3	150	25.5	20.8-30.2	60	7.2	4.8- 9.6	25	3.7	1.9- 5.5
45-54	982	780,283	6	0.4	0.0- 0.8	202	20.6	17.3-23.9	393	42.4	38.3-46.5	258	24.7	21.2-28.2	89	8.3	6.1-10.5	34	3.6	2.0- 5.2
55-64	1202	818,529	6	0.3	0.0- 0.7	262	21.0	18.1-23.9	520	42.8	39.1-46.5	287	26.2	22.9-29.5	91	6.3	4.5- 8.1	36	3.4	1.8- 5.0
65+	1912	1,084,160	28	1.4	0.8- 2.0	568	27.6	25.1-30.1	874	46.2	43.3-49.1	360	20.1	17.7-22.5	67	3.9	2.7- 5.1	15	0.8	0.4- 1.2
Less Than H.S.	562	654,680	11	1.2	0.4- 2.0	160	25.2	20.5-29.9	238	46.0	40.1-51.9	113	20.8	15.9-25.7	24	3.7	1.7- 5.7	16	3.2	1.2- 5.2
H.S. or G.E.D.	1787	1,601,087	25	1.0	0.4- 1.6	460	24.9	22.0-27.8	746	41.5	38.4-44.6	381	22.3	19.6-25.0	120	6.6	5.0- 8.2	55	3.8	2.4- 5.2
Some Post-H.S.	1517	1,452,269	21	1.2	0.4- 2.0	366	24.4	21.5-27.3	654	41.4	38.1-44.7	344	25.2	22.1-28.3	106	6.3	4.7- 7.9	26	1.6	0.8- 2.4
College Graduate	1864	1,199,254	4	0.3	0.0- 0.7	488	28.2	25.5-30.9	817	42.7	39.8-45.6	410	21.7	19.2-24.2	111	5.2	4.0- 6.4	34	1.9	1.1- 2.7
Less than \$15,000	619	460,791	8	1.7	0.3- 3.1	177	29.9	24.6-35.2	255	39.5	34.0-45.0	112	18.6	14.3-22.9	39	4.4	2.6- 6.2	28	5.9	3.0- 8.8
\$15,000- 24,999	929	744,619	11	0.7	0.1- 1.3	262	28.2	24.1-32.3	407	42.4	37.9-46.9	168	19.1	15.6-22.6	50	5.8	3.8- 7.8	31	3.9	1.9- 5.9
\$25,000- 34,999	474	413,649	3	0.9	0.0- 1.9	125	30.0	23.7-36.3	207	39.2	32.9-45.5	92	21.1	15.8-26.4	40	7.4	4.3-10.5	7	1.4	0.0- 2.8
\$35,000- 49,999	728	611,702	6	0.4	0.0- 0.8	170	20.9	17.0-24.8	309	43.4	38.3-48.5	178	26.6	22.3-30.9	49	5.4	3.6- 7.2	16	3.3	1.3- 5.3
\$50,000- 74,999	708	647,911	4	0.3	0.1- 0.5	141	19.1	15.0-23.2	339	45.0	39.7-50.3	160	25.9	21.0-30.8	51	7.5	4.8-10.2	13	2.2	0.6- 3.8
\$75,000+	1373	1,267,327	5	0.4	0.0- 0.8	312	22.6	19.7-25.5	578	43.1	39.4-46.8	363	26.0	22.7-29.3	89	5.9	4.3- 7.5	26	2.0	1.0- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2607	2,435,587	3	0.2	0.0- 0.4	250	11.2	9.4-13.0	1163	44.1	41.4-46.8	846	32.1	29.6-34.6	250	8.6	7.2-10.0	95	3.9	2.9- 4.9
White/Non-Hisp	2122	1,838,700	3	0.2	0.0- 0.4	198	11.1	9.1-13.1	951	44.6	41.7-47.5	698	32.1	29.4-34.8	203	8.6	7.0-10.2	69	3.4	2.4- 4.4
Black or Afr. Am./Non-Hisp	252	337,351				22	10.8	5.3-16.3	103	38.0	30.2-45.8	82	30.7	23.3-38.1	33	13.1	7.8-18.4	12	7.5	2.8-12.2
Oth. Race/Non-Hisp.	88	76,840				16	25.4	11.3-39.5	38	42.0	26.9-57.1	21	24.5	10.4-38.6	7	4.8	0.3- 9.3	6	3.4	0.0- 7.5
Hispanic	60	120,943				5	6.6	0.0-15.0	31	53.0	35.6-70.4	18	36.1	18.9-53.3	3	1.7	0.0- 3.9	3	2.6	0.0- 5.7
18-24	170	305,709				34	22.7	14.5-30.9	87	50.4	40.8-60.0	39	22.3	14.3-30.3	8	3.2	0.8- 5.6	2	1.3	0.0- 3.7
25-34	307	432,226	2	0.6	0.0- 1.4	37	12.5	7.8-17.2	135	42.7	35.4-50.0	87	29.7	22.8-36.6	31	9.3	5.2-13.4	15	5.2	2.1- 8.3
35-44	291	394,464	1	0.3	0.0- 0.9	23	8.2	4.5-11.9	124	41.2	33.6-48.8	91	36.2	28.6-43.8	36	9.8	5.7-13.9	16	4.3	1.8- 6.8
45-54	489	407,345				41	9.0	5.1-12.9	185	40.7	34.6-46.8	175	33.0	27.5-38.5	63	12.0	8.3-15.7	25	5.3	2.6- 8.0
55-64	559	405,955				47	9.1	5.8-12.4	225	38.0	32.7-43.3	201	37.9	32.6-43.2	61	9.3	6.4-12.2	25	5.8	2.9- 8.7
65+	791	489,887				68	8.9	6.2-11.6	407	51.5	47.0-56.0	253	31.4	27.3-35.5	51	6.7	4.3- 9.1	12	1.5	0.5- 2.5
Less Than H.S.	252	342,399				43	15.9	10.0-21.8	114	49.1	40.3-57.9	69	26.1	18.5-33.7	15	4.7	1.6- 7.8	11	4.2	1.1- 7.3
H.S. or G.E.D.	791	800,655	2	0.3	0.0- 0.7	81	11.8	8.5-15.1	338	42.1	37.4-46.8	256	32.0	27.5-36.5	84	9.1	6.6-11.6	30	4.6	2.6- 6.6
Some Post-H.S.	646	671,527				56	10.3	7.0-13.6	285	41.2	36.1-46.3	211	34.5	29.2-39.8	73	10.8	7.7-13.9	21	3.3	1.5- 5.1
College Graduate	914	619,651	1	0.2	0.0- 0.6	69	8.9	6.2-11.6	424	47.0	42.7-51.3	310	32.9	28.8-37.0	78	7.5	5.3- 9.7	32	3.5	1.9- 5.1
Less than \$15,000	219	188,595	1	0.7	0.0- 2.1	40	19.3	12.0-26.6	86	41.2	32.0-50.4	57	24.5	17.1-31.9	20	4.7	2.3- 7.1	15	9.5	3.6-15.4
\$15,000- 24,999	353	321,001	1	0.4	0.0- 1.2	45	13.1	8.2-18.0	159	44.0	36.9-51.1	98	28.6	22.1-35.1	32	9.1	5.2-13.0	18	4.8	2.1- 7.5
\$25,000- 34,999	202	190,396				22	13.3	5.9-20.7	99	46.3	36.1-56.5	52	26.6	17.6-35.6	23	11.0	4.9-17.1	6	2.8	0.0- 5.9
\$35,000- 49,999	341	319,081				34	10.6	5.9-15.3	153	46.1	38.5-53.7	109	30.9	24.2-37.6	32	7.3	4.4-10.2	13	5.2	1.9- 8.5
\$50,000- 74,999	383	379,224				31	12.6	7.1-18.1	179	41.6	34.5-48.7	123	32.9	26.0-39.8	39	9.3	5.4-13.2	11	3.6	0.9- 6.3
\$75,000+	765	737,840				41	6.6	3.9- 9.3	330	43.4	38.3-48.5	294	37.5	32.6-42.4	74	9.3	6.6-12.0	26	3.4	1.8- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3133	2,475,883	58	1.7	1.1- 2.3	1227	39.7	37.3-42.1	1297	40.6	38.2-43.0	403	13.7	11.9-15.5	111	3.0	2.2- 3.8	37	1.3	0.7- 1.9
White/Non-Hisp	2499	1,849,747	49	1.9	1.1- 2.7	1023	42.1	39.4-44.8	1027	39.9	37.2-42.6	295	12.6	10.8-14.4	79	2.5	1.7- 3.3	26	0.9	0.5- 1.3
Black or Afr. Am./Non-Hisp	401	413,718	3	0.4	0.0- 1.0	105	26.1	20.2-32.0	169	42.5	35.8-49.2	88	22.7	17.0-28.4	28	6.2	3.3- 9.1	8	2.1	0.3- 3.9
Oth. Race/Non-Hisp.	63	48,068	2	1.8	0.0- 4.3	33	64.9	48.0-81.8	23	27.7	12.0-43.4	4	5.2	0.0-11.1	1	0.3	0.0- 0.9			
MultiRacial/Non-Hisp.	58	21,517	1	0.6	0.0- 1.8	17	27.7	12.8-42.6	30	58.9	41.5-76.3	6	8.3	0.5-16.1	3	4.2	0.0- 9.9	1	0.4	0.0- 1.2
Hispanic	63	107,178				32	46.2	30.5-61.9	27	46.5	30.6-62.4	2	1.3	0.0- 3.3				2	6.0	0.0-15.6
18-24	178	288,861	7	3.7	0.4- 7.0	85	51.1	41.5-60.7	68	35.5	26.5-44.5	14	6.5	2.4-10.6	1	0.8	0.0- 2.4	3	2.4	0.0- 6.1
25-34	333	426,340	6	1.5	0.1- 2.9	146	41.6	34.9-48.3	111	33.8	27.1-40.5	54	19.1	13.2-25.0	14	3.5	1.0- 6.0	2	0.5	0.0- 1.1
35-44	365	380,898	5	1.0	0.0- 2.0	120	38.0	31.1-44.9	148	39.2	32.1-46.3	59	14.3	10.0-18.6	24	4.5	2.3- 6.7	9	3.0	0.6- 5.4
45-54	493	372,938	6	0.8	0.0- 1.6	161	33.2	27.9-38.5	208	44.3	38.6-50.0	83	15.8	11.9-19.7	26	4.3	2.3- 6.3	9	1.7	0.3- 3.1
55-64	643	412,574	6	0.6	0.0- 1.2	215	32.8	28.3-37.3	295	47.5	42.6-52.4	86	14.7	11.0-18.4	30	3.3	1.7- 4.9	11	1.0	0.2- 1.8
65+	1121	594,273	28	2.6	1.4- 3.8	500	42.9	39.2-46.6	467	41.9	38.2-45.6	107	10.8	8.3-13.3	16	1.6	0.6- 2.6	3	0.2	0.0- 0.4
Less Than H.S.	310	312,281	11	2.4	0.6- 4.2	117	35.4	28.3-42.5	124	42.5	34.7-50.3	44	14.9	9.0-20.8	9	2.6	0.6- 4.6	5	2.1	0.0- 4.3
H.S. or G.E.D.	996	800,433	23	1.8	0.8- 2.8	379	37.9	33.6-42.2	408	40.9	36.6-45.2	125	12.5	9.8-15.2	36	4.0	2.2- 5.8	25	2.9	1.1- 4.7
Some Post-H.S.	871	780,742	21	2.2	0.8- 3.6	310	36.5	32.0-41.0	369	41.5	37.0-46.0	133	17.3	13.8-20.8	33	2.3	1.3- 3.3	5	0.2	0.0- 0.4
College Graduate	950	579,602	3	0.5	0.0- 1.1	419	48.9	44.6-53.2	393	38.1	34.0-42.2	100	9.7	7.3-12.1	33	2.7	1.5- 3.9	2	0.1	0.0- 0.3
Less than \$15,000	400	272,196	7	2.4	0.2- 4.6	137	37.2	30.1-44.3	169	38.3	31.4-45.2	55	14.5	9.2-19.8	19	4.2	1.7- 6.7	13	3.4	0.7- 6.1
\$15,000- 24,999	576	423,618	10	0.9	0.3- 1.5	217	39.6	33.9-45.3	248	41.1	35.4-46.8	70	11.9	8.4-15.4	18	3.3	1.3- 5.3	13	3.2	0.5- 5.9
\$25,000- 34,999	272	223,252	3	1.6	0.0- 3.4	103	44.3	35.7-52.9	108	33.2	25.8-40.6	40	16.3	10.2-22.4	17	4.4	1.5- 7.3	1	0.2	0.0- 0.6
\$35,000- 49,999	387	292,621	6	0.9	0.1- 1.7	136	32.2	25.9-38.5	156	40.5	34.0-47.0	69	21.8	16.1-27.5	17	3.3	1.5- 5.1	3	1.2	0.0- 2.8
\$50,000- 74,999	325	268,688	4	0.6	0.0- 1.2	110	28.3	22.0-34.6	160	49.8	42.2-57.4	37	16.0	9.5-22.5	12	5.0	1.7- 8.3	2	0.3	0.0- 0.9
\$75,000+	608	529,487	5	0.9	0.1- 1.7	271	44.9	39.6-50.2	248	42.8	37.5-48.1	69	10.0	7.1-12.9	15	1.3	0.5- 2.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5673	4,831,410	78	1.3	0.9- 1.7	1600	29.3	27.5-31.1	1903	33.0	31.2-34.8	1212	21.4	19.8-23.0	880	15.0	13.6-16.4
Male	2592	2,419,501	30	1.2	0.6- 1.8	641	26.5	24.0-29.0	952	35.3	32.8-37.8	608	24.1	21.7-26.5	361	12.9	11.1-14.7
Female	3081	2,411,908	48	1.3	0.9- 1.7	959	32.2	29.8-34.6	951	30.7	28.3-33.1	604	18.8	16.8-20.8	519	17.0	15.0-19.0
White/Non-Hisp	4573	3,636,258	61	1.2	0.8- 1.6	1340	31.1	29.1-33.1	1547	33.1	31.1-35.1	963	21.1	19.5-22.7	662	13.5	12.1-14.9
Black or Afr. Am./Non-Hisp	645	736,505	9	1.7	0.0- 3.5	128	20.9	16.6-25.2	196	29.9	25.0-34.8	153	22.4	18.1-26.7	159	25.1	20.6-29.6
Oth. Race/Non-Hisp.	149	121,050	2	0.5	0.0- 1.3	53	43.9	31.7-56.1	45	32.0	20.6-43.4	29	12.5	6.8-18.2	20	11.2	3.4-19.0
MultiRacial/Non-Hisp.	103	48,160	2	5.5	0.0-15.3	31	27.7	15.9-39.5	35	33.8	20.5-47.1	19	24.0	11.3-36.7	16	9.0	3.7-14.3
Hispanic	119	223,724	2	0.5	0.0- 1.3	30	22.6	13.4-31.8	48	40.4	28.6-52.2	27	28.3	16.5-40.1	12	8.3	1.8-14.8
18-24	343	584,880	10	2.7	0.5- 4.9	150	46.5	39.6-53.4	107	29.7	23.4-36.0	51	14.8	10.1-19.5	25	6.3	3.2- 9.4
25-34	616	830,893	9	1.2	0.2- 2.2	215	33.2	28.5-37.9	164	26.8	22.1-31.5	124	20.6	16.3-24.9	104	18.1	14.0-22.2
35-44	646	758,150	5	0.8	0.0- 1.6	172	27.8	23.1-32.5	199	31.6	26.7-36.5	143	23.2	18.5-27.9	127	16.6	13.1-20.1
45-54	973	771,247	7	0.4	0.0- 0.8	217	23.3	19.6-27.0	309	33.8	29.7-37.9	223	21.8	18.5-25.1	217	20.7	17.4-24.0
55-64	1198	816,678	16	1.0	0.4- 1.6	290	22.3	19.4-25.2	398	35.2	31.7-38.7	284	25.0	21.7-28.3	210	16.5	13.8-19.2
65+	1897	1,069,561	31	1.7	0.9- 2.5	556	27.7	25.2-30.2	726	38.3	35.4-41.2	387	21.6	19.1-24.1	197	10.7	8.7-12.7
Less Than H.S.	552	639,469	16	2.1	0.9- 3.3	153	29.1	23.6-34.6	175	35.7	29.8-41.6	124	19.0	14.7-23.3	84	14.2	10.3-18.1
H.S. or G.E.D.	1768	1,582,341	30	1.3	0.7- 1.9	480	28.0	24.9-31.1	550	30.1	27.2-33.0	397	22.8	20.1-25.5	311	17.8	15.3-20.3
Some Post-H.S.	1502	1,432,618	15	1.2	0.2- 2.2	400	27.1	24.0-30.2	505	33.1	29.8-36.4	338	24.0	20.9-27.1	244	14.6	12.2-17.0
College Graduate	1841	1,172,801	17	0.8	0.2- 1.4	563	33.9	31.0-36.8	668	35.3	32.4-38.2	353	18.0	15.6-20.4	240	11.9	9.9-13.9
Less than \$15,000	614	456,610	20	2.6	1.2- 4.0	157	31.0	25.3-36.7	177	30.8	25.5-36.1	136	16.3	12.8-19.8	124	19.3	14.8-23.8
\$15,000- 24,999	922	736,365	12	0.9	0.1- 1.7	276	30.8	26.5-35.1	283	29.2	25.1-33.3	189	20.7	17.0-24.4	162	18.3	14.8-21.8
\$25,000- 34,999	467	402,418	3	0.9	0.0- 1.9	129	30.3	23.8-36.8	164	33.7	27.4-40.0	91	20.7	15.6-25.8	80	14.4	10.3-18.5
\$35,000- 49,999	722	606,766	7	0.7	0.0- 1.5	189	25.3	21.0-29.6	228	30.6	25.9-35.3	173	24.6	20.1-29.1	125	18.8	14.9-22.7
\$50,000- 74,999	704	644,834	3	0.7	0.0- 1.5	180	25.3	20.6-30.0	264	33.6	28.7-38.5	163	24.9	20.2-29.6	94	15.5	11.6-19.4
\$75,000+	1358	1,246,129	8	0.9	0.0- 1.9	383	29.5	26.2-32.8	503	36.4	32.9-39.9	284	21.3	18.2-24.4	180	11.9	9.5-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2592	2,419,501	30	1.2	0.6- 1.8	641	26.5	24.0-29.0	952	35.3	32.8-37.8	608	24.1	21.7-26.5	361	12.9	11.1-14.7	
White/Non-Hisp	2112	1,827,372	23	1.0	0.6- 1.4	527	27.1	24.4-29.8	791	36.8	33.9-39.7	494	23.8	21.3-26.3	277	11.3	9.7-12.9	
Black or Afr. Am./Non-Hisp	251	335,524	3	2.1	0.0- 5.2	54	24.0	16.9-31.1	82	27.9	20.6-35.2	64	23.8	17.1-30.5	48	22.1	15.0-29.2	
Oth. Race/Non-Hisp.	87	76,499	1	0.5	0.0- 1.5	27	43.4	27.7-59.1	28	30.5	16.8-44.2	16	11.7	4.4-19.0	15	13.9	2.3-25.5	
Hispanic	59	119,912	1	0.7	0.0- 2.1	11	15.4	3.8-27.0	22	35.9	19.2-52.6	17	38.5	20.7-56.3	8	9.6	0.8-18.4	
18-24	168	301,060	6	3.6	0.0- 7.5	73	44.3	34.7-53.9	53	30.8	21.8-39.8	26	16.6	9.2-24.0	10	4.7	0.8- 8.6	
25-34	305	429,077	4	1.1	0.0- 2.3	101	32.8	25.9-39.7	90	29.0	22.3-35.7	64	21.7	15.4-28.0	46	15.3	10.0-20.6	
35-44	291	394,464	2	0.6	0.0- 1.4	69	25.0	18.3-31.7	102	33.4	26.1-40.7	72	28.4	21.1-35.7	46	12.7	8.2-17.2	
45-54	483	402,768	2	0.2	0.0- 0.4	87	19.6	14.3-24.9	171	37.2	31.1-43.3	124	24.1	19.0-29.2	99	18.9	14.2-23.6	
55-64	557	405,379	8	1.3	0.3- 2.3	108	17.2	13.3-21.1	208	37.9	32.6-43.2	141	27.5	22.4-32.6	92	16.1	12.2-20.0	
65+	788	486,754	8	1.3	0.3- 2.3	203	24.7	20.8-28.6	328	41.2	36.7-45.7	181	24.5	20.6-28.4	68	8.4	6.0-10.8	
Less Than H.S.	249	337,027	8	2.0	0.4- 3.6	69	32.6	24.0-41.2	87	36.3	27.7-44.9	60	20.8	14.1-27.5	25	8.3	4.2-12.4	
H.S. or G.E.D.	785	795,506	9	1.0	0.2- 1.8	198	26.2	21.7-30.7	256	31.5	27.2-35.8	196	25.7	21.4-30.0	126	15.5	12.2-18.8	
Some Post-H.S.	642	669,316	5	1.5	0.0- 3.3	145	23.0	18.7-27.3	241	35.0	29.9-40.1	161	28.2	23.1-33.3	90	12.4	9.1-15.7	
College Graduate	912	616,297	8	0.8	0.0- 1.6	228	27.5	23.6-31.4	366	39.9	35.6-44.2	191	19.3	16.0-22.6	119	12.5	9.4-15.6	
Less than \$15,000	216	185,230	10	3.9	1.2- 6.6	61	37.6	28.0-47.2	64	25.2	17.6-32.8	47	17.7	11.4-24.0	34	15.5	9.0-22.0	
\$15,000- 24,999	352	320,766	3	1.5	0.0- 3.3	112	32.4	25.5-39.3	110	30.2	23.7-36.7	73	19.5	14.2-24.8	54	16.4	11.1-21.7	
\$25,000- 34,999	200	185,747	1	0.5	0.0- 1.5	58	26.7	17.5-35.9	73	38.2	28.0-48.4	38	22.3	13.9-30.7	30	12.3	6.4-18.2	
\$35,000- 49,999	340	318,739	4	1.0	0.0- 2.4	83	23.5	17.2-29.8	121	36.1	29.0-43.2	85	25.6	18.7-32.5	47	13.8	8.9-18.7	
\$50,000- 74,999	383	379,224	1	0.3	0.0- 0.9	83	25.6	18.7-32.5	156	34.2	27.5-40.9	96	28.2	21.3-35.1	47	11.6	7.3-15.9	
\$75,000+	765	737,840	5	1.1	0.0- 2.7	161	22.9	18.6-27.2	307	38.9	34.0-43.8	185	24.4	19.9-28.9	107	12.7	9.6-15.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3081	2,411,908	48	1.3	0.9- 1.7	959	32.2	29.8-34.6	951	30.7	28.3-33.1	604	18.8	16.8-20.8	519	17.0	15.0-19.0
White/Non-Hisp	2461	1,808,886	38	1.4	0.8- 2.0	813	35.2	32.5-37.9	756	29.4	26.9-31.9	469	18.4	16.2-20.6	385	15.7	13.7-17.7
Black or Afr. Am./Non-Hisp	394	400,981	6	1.4	0.0- 3.0	74	18.2	13.1-23.3	114	31.5	25.0-38.0	89	21.2	15.9-26.5	111	27.6	21.7-33.5
Oth. Race/Non-Hisp.	62	44,552	1	0.3	0.0- 0.9	26	44.9	26.1-63.7	17	34.4	15.0-53.8	13	13.9	5.1-22.7	5	6.4	0.0-13.5
MultiRacial/Non-Hisp.	57	21,237				17	34.1	16.1-52.1	18	24.4	11.1-37.7	13	30.6	10.2-51.0	9	11.0	2.0-20.0
Hispanic	60	103,811	1	0.2	0.0- 0.6	19	30.9	16.6-45.2	26	45.6	29.3-61.9	10	16.4	3.7-29.1	4	6.8	0.0-16.6
18-24	175	283,821	4	1.7	0.0- 3.7	77	48.9	39.3-58.5	54	28.5	19.7-37.3	25	12.9	7.2-18.6	15	8.0	3.1-12.9
25-34	311	401,817	5	1.4	0.0- 2.8	114	33.7	27.2-40.2	74	24.5	18.2-30.8	60	19.4	13.7-25.1	58	21.1	15.0-27.2
35-44	355	363,686	3	1.0	0.0- 2.2	103	30.9	24.2-37.6	97	29.8	23.1-36.5	71	17.5	12.2-22.8	81	20.8	15.1-26.5
45-54	490	368,479	5	0.7	0.0- 1.5	130	27.3	22.2-32.4	138	30.0	24.7-35.3	99	19.2	14.7-23.7	118	22.8	18.3-27.3
55-64	641	411,300	8	0.7	0.1- 1.3	182	27.4	23.1-31.7	190	32.6	27.7-37.5	143	22.5	18.4-26.6	118	16.8	13.1-20.5
65+	1109	582,806	23	2.1	0.9- 3.3	353	30.2	26.9-33.5	398	35.8	32.1-39.5	206	19.2	16.1-22.3	129	12.7	10.0-15.4
Less Than H.S.	303	302,442	8	2.3	0.5- 4.1	84	25.2	18.7-31.7	88	34.9	26.9-42.9	64	16.9	12.0-21.8	59	20.7	14.0-27.4
H.S. or G.E.D.	983	786,835	21	1.6	0.6- 2.6	282	29.8	25.7-33.9	294	28.7	24.8-32.6	201	19.7	16.4-23.0	185	20.2	16.5-23.9
Some Post-H.S.	860	763,302	10	1.0	0.2- 1.8	255	30.7	26.4-35.0	264	31.4	27.1-35.7	177	20.2	16.5-23.9	154	16.6	13.5-19.7
College Graduate	929	556,504	9	0.8	0.0- 1.6	335	41.1	36.8-45.4	302	30.3	26.4-34.2	162	16.6	13.5-19.7	121	11.1	8.6-13.6
Less than \$15,000	398	271,380	10	1.7	0.5- 2.9	96	26.5	19.8-33.2	113	34.6	27.5-41.7	89	15.3	11.4-19.2	90	21.9	16.0-27.8
\$15,000- 24,999	570	415,599	9	0.5	0.1- 0.9	164	29.6	24.3-34.9	173	28.5	23.4-33.6	116	21.6	16.7-26.5	108	19.8	15.1-24.5
\$25,000- 34,999	267	216,671	2	1.2	0.0- 2.8	71	33.4	24.6-42.2	91	29.9	22.6-37.2	53	19.3	13.0-25.6	50	16.2	10.5-21.9
\$35,000- 49,999	382	288,027	3	0.3	0.0- 0.7	106	27.3	21.2-33.4	107	24.4	18.9-29.9	88	23.5	17.8-29.2	78	24.4	18.5-30.3
\$50,000- 74,999	321	265,610	2	1.2	0.0- 3.0	97	24.9	19.0-30.8	108	32.7	25.6-39.8	67	20.2	14.3-26.1	47	21.0	13.7-28.3
\$75,000+	593	508,289	3	0.6	0.0- 1.4	222	39.0	33.7-44.3	196	32.6	27.5-37.7	99	16.9	12.8-21.0	73	10.9	7.4-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5673	4,831,410	113	1.9	1.3- 2.5	1557	28.6	26.8-30.4	1907	33.0	31.2-34.8	2096	36.5	34.7-38.3
Male	2592	2,419,501	39	1.7	0.9- 2.5	627	25.9	23.4-28.4	954	35.3	32.8-37.8	972	37.1	34.6-39.6
Female	3081	2,411,908	74	2.2	1.4- 3.0	930	31.2	28.8-33.6	953	30.6	28.2-33.0	1124	36.0	33.6-38.4
White/Non-Hisp	4573	3,636,258	91	2.0	1.4- 2.6	1302	30.2	28.2-32.2	1551	33.1	31.1-35.1	1629	34.7	32.7-36.7
Black or Afr. Am./Non-Hisp	645	736,505	12	2.0	0.2- 3.8	125	20.6	16.3-24.9	196	29.9	25.0-34.8	312	47.5	42.2-52.8
Oth. Race/Non-Hisp.	149	121,050	2	0.5	0.0- 1.3	53	43.9	31.7-56.1	45	32.0	20.6-43.4	49	23.7	14.5-32.9
MultiRacial/Non-Hisp.	103	48,160	3	5.8	0.0-15.6	30	27.5	15.7-39.3	35	33.8	20.5-47.1	35	33.0	19.9-46.1
Hispanic	119	223,724	3	1.0	0.0- 2.4	29	22.0	12.8-31.2	48	40.4	28.6-52.2	39	36.6	24.4-48.8
18-24	343	584,880	13	3.5	1.0- 6.0	147	45.7	38.8-52.6	107	29.7	23.4-36.0	76	21.1	15.6-26.6
25-34	616	830,893	16	2.9	1.1- 4.7	206	31.4	26.7-36.1	166	27.0	22.3-31.7	228	38.7	33.6-43.8
35-44	646	758,150	9	1.1	0.3- 1.9	168	27.4	22.7-32.1	199	31.6	26.7-36.5	270	39.8	34.7-44.9
45-54	973	771,247	12	0.9	0.3- 1.5	211	22.7	19.0-26.4	310	33.9	29.8-38.0	440	42.5	38.4-46.6
55-64	1198	816,678	22	1.3	0.7- 1.9	283	22.0	19.1-24.9	398	35.1	31.6-38.6	495	41.6	37.9-45.3
65+	1897	1,069,561	41	2.1	1.3- 2.9	542	27.2	24.7-29.7	727	38.0	35.1-40.9	587	32.7	30.0-35.4
Less Than H.S.	552	639,469	19	2.4	1.2- 3.6	150	28.8	23.3-34.3	173	35.0	29.1-40.9	210	33.8	28.3-39.3
H.S. or G.E.D.	1768	1,582,341	45	2.2	1.4- 3.0	461	26.9	23.8-30.0	554	30.2	27.3-33.1	708	40.6	37.5-43.7
Some Post-H.S.	1502	1,432,618	24	2.0	0.8- 3.2	389	26.3	23.2-29.4	507	33.1	29.8-36.4	582	38.6	35.3-41.9
College Graduate	1841	1,172,801	25	1.2	0.6- 1.8	553	33.4	30.5-36.3	668	35.4	32.5-38.3	595	30.0	27.3-32.7
Less than \$15,000	614	456,610	24	2.9	1.5- 4.3	152	30.5	24.8-36.2	176	30.1	25.0-35.2	262	36.5	31.2-41.8
\$15,000- 24,999	922	736,365	19	1.6	0.6- 2.6	268	30.0	25.9-34.1	284	29.3	25.2-33.4	351	39.0	34.5-43.5
\$25,000- 34,999	467	402,418	6	2.1	0.0- 4.3	125	29.0	22.7-35.3	165	33.8	27.5-40.1	171	35.1	29.0-41.2
\$35,000- 49,999	722	606,766	11	1.2	0.2- 2.2	183	24.6	20.3-28.9	229	30.5	25.8-35.2	299	43.6	38.5-48.7
\$50,000- 74,999	704	644,834	8	1.1	0.1- 2.1	175	24.9	20.2-29.6	264	33.6	28.7-38.5	257	40.4	35.1-45.7
\$75,000+	1358	1,246,129	12	1.1	0.1- 2.1	378	29.1	25.8-32.4	503	36.4	32.9-39.9	465	33.3	29.8-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2592	2,419,501	39	1.7	0.9- 2.5	627	25.9	23.4-28.4	954	35.3	32.8-37.8	972	37.1	34.6-39.6
White/Non-Hisp	2112	1,827,372	32	1.6	1.0- 2.2	513	26.3	23.6-29.0	793	36.9	34.0-39.8	774	35.2	32.5-37.9
Black or Afr. Am./Non-Hisp	251	335,524	3	2.1	0.0- 5.2	54	24.0	16.9-31.1	82	27.9	20.6-35.2	112	46.0	37.8-54.2
Oth. Race/Non-Hisp.	87	76,499	1	0.5	0.0- 1.5	27	43.4	27.7-59.1	28	30.5	16.8-44.2	31	25.6	12.7-38.5
Hispanic	59	119,912	1	0.7	0.0- 2.1	11	15.4	3.8-27.0	22	35.9	19.2-52.6	25	48.1	30.5-65.7
18-24	168	301,060	6	3.6	0.0- 7.5	73	44.3	34.7-53.9	53	30.8	21.8-39.8	36	21.3	13.3-29.3
25-34	305	429,077	9	3.2	0.8- 5.6	95	30.6	23.7-37.5	91	29.2	22.5-35.9	110	37.0	29.7-44.3
35-44	291	394,464	2	0.6	0.0- 1.4	69	25.0	18.3-31.7	102	33.4	26.1-40.7	118	41.1	33.5-48.7
45-54	483	402,768	4	0.4	0.0- 0.8	84	19.1	13.8-24.4	172	37.5	31.4-43.6	223	43.0	36.9-49.1
55-64	557	405,379	9	1.4	0.4- 2.4	107	17.1	13.2-21.0	207	37.6	32.3-42.9	234	43.8	38.3-49.3
65+	788	486,754	9	1.3	0.3- 2.3	199	24.3	20.4-28.2	329	41.3	36.8-45.8	251	33.0	28.7-37.3
Less Than H.S.	249	337,027	10	2.3	0.7- 3.9	67	32.2	23.6-40.8	86	36.2	27.6-44.8	86	29.2	21.8-36.6
H.S. or G.E.D.	785	795,506	13	1.8	0.6- 3.0	192	25.3	20.8-29.8	258	31.6	27.3-35.9	322	41.3	36.6-46.0
Some Post-H.S.	642	669,316	6	1.7	0.0- 3.5	143	22.7	18.4-27.0	242	35.0	29.9-40.1	251	40.6	35.3-45.9
College Graduate	912	616,297	10	1.2	0.4- 2.0	224	26.9	23.0-30.8	366	39.9	35.6-44.2	312	32.0	27.9-36.1
Less than \$15,000	216	185,230	10	3.9	1.2- 6.6	61	37.6	28.0-47.2	63	25.0	17.4-32.6	82	33.5	25.3-41.7
\$15,000- 24,999	352	320,766	5	1.8	0.0- 3.8	109	31.9	25.0-38.8	111	30.4	23.9-36.9	127	35.9	29.2-42.6
\$25,000- 34,999	200	185,747	1	0.5	0.0- 1.5	57	26.5	17.3-35.7	74	38.3	28.1-48.5	68	34.7	25.3-44.1
\$35,000- 49,999	340	318,739	6	1.9	0.0- 3.9	80	22.5	16.4-28.6	121	35.9	28.8-43.0	133	39.7	32.3-47.1
\$50,000- 74,999	383	379,224	3	0.8	0.0- 1.8	81	25.1	18.2-32.0	156	34.2	27.5-40.9	143	39.8	32.7-46.9
\$75,000+	765	737,840	6	1.3	0.0- 2.9	159	22.5	18.2-26.8	307	39.1	34.2-44.0	293	37.1	32.2-42.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3081	2,411,908	74	2.2	1.4- 3.0	930	31.2	28.8-33.6	953	30.6	28.2-33.0	1124	36.0	33.6-38.4
White/Non-Hisp	2461	1,808,886	59	2.3	1.5- 3.1	789	34.2	31.5-36.9	758	29.3	26.8-31.8	855	34.3	31.8-36.8
Black or Afr. Am./Non-Hisp	394	400,981	9	1.9	0.3- 3.5	71	17.8	12.7-22.9	114	31.5	25.0-38.0	200	48.8	42.1-55.5
Oth. Race/Non-Hisp.	62	44,552	1	0.3	0.0- 0.9	26	44.9	26.1-63.7	17	34.4	15.0-53.8	18	20.3	8.9-31.7
MultiRacial/Non-Hisp.	57	21,237	1	0.6	0.0- 1.8	16	33.5	15.5-51.5	18	24.4	11.1-37.7	22	41.5	21.9-61.1
Hispanic	60	103,811	2	1.4	0.0- 3.8	18	29.6	15.5-43.7	26	45.6	29.3-61.9	14	23.3	8.4-38.2
18-24	175	283,821	7	3.4	0.3- 6.5	74	47.2	37.4-57.0	54	28.5	19.7-37.3	40	21.0	13.7-28.3
25-34	311	401,817	7	2.7	0.3- 5.1	111	32.2	25.7-38.7	75	24.7	18.4-31.0	118	40.4	33.1-47.7
35-44	355	363,686	7	1.7	0.1- 3.3	99	30.1	23.4-36.8	97	29.8	23.1-36.5	152	38.4	31.5-45.3
45-54	490	368,479	8	1.4	0.2- 2.6	127	26.6	21.5-31.7	138	30.0	24.7-35.3	217	42.0	36.5-47.5
55-64	641	411,300	13	1.2	0.4- 2.0	176	26.8	22.5-31.1	191	32.7	27.8-37.6	261	39.4	34.5-44.3
65+	1109	582,806	32	2.7	1.5- 3.9	343	29.6	26.3-32.9	398	35.3	31.8-38.8	336	32.4	28.7-36.1
Less Than H.S.	303	302,442	9	2.4	0.6- 4.2	83	25.1	18.6-31.6	87	33.7	25.7-41.7	124	38.8	31.2-46.4
H.S. or G.E.D.	983	786,835	32	2.7	1.5- 3.9	269	28.6	24.5-32.7	296	28.8	24.9-32.7	386	39.9	35.6-44.2
Some Post-H.S.	860	763,302	18	2.3	0.7- 3.9	246	29.4	25.1-33.7	265	31.5	27.2-35.8	331	36.8	32.5-41.1
College Graduate	929	556,504	15	1.3	0.5- 2.1	329	40.6	36.3-44.9	302	30.3	26.4-34.2	283	27.8	24.1-31.5
Less than \$15,000	398	271,380	14	2.2	0.8- 3.6	91	25.7	19.0-32.4	113	33.5	26.6-40.4	180	38.5	31.6-45.4
\$15,000- 24,999	570	415,599	14	1.5	0.3- 2.7	159	28.5	23.4-33.6	173	28.5	23.4-33.6	224	41.4	35.5-47.3
\$25,000- 34,999	267	216,671	5	3.6	0.0- 7.5	68	31.1	22.5-39.7	91	29.9	22.6-37.2	103	35.5	27.7-43.3
\$35,000- 49,999	382	288,027	5	0.5	0.0- 1.1	103	27.0	20.9-33.1	108	24.5	19.0-30.0	166	47.9	41.2-54.6
\$50,000- 74,999	321	265,610	5	1.6	0.0- 3.6	94	24.6	18.7-30.5	108	32.7	25.6-39.8	114	41.2	33.4-49.0
\$75,000+	593	508,289	6	0.9	0.0- 1.9	219	38.7	33.4-44.0	196	32.6	27.5-37.7	172	27.7	22.8-32.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5673	4,831,410	1670	30.5	28.7-32.3	4003	69.5	67.7-71.3
Male	2592	2,419,501	666	27.6	25.1-30.1	1926	72.4	69.9-74.9
Female	3081	2,411,908	1004	33.4	31.0-35.8	2077	66.6	64.2-69.0
White/Non-Hisp	4573	3,636,258	1393	32.2	30.2-34.2	3180	67.8	65.8-69.8
Black or Afr. Am./Non-Hisp	645	736,505	137	22.6	18.1-27.1	508	77.4	72.9-81.9
Oth. Race/Non-Hisp.	149	121,050	55	44.4	32.4-56.4	94	55.6	43.6-67.6
MultiRacial/Non-Hisp.	103	48,160	33	33.2	19.9-46.5	70	66.8	53.5-80.1
Hispanic	119	223,724	32	23.0	13.8-32.2	87	77.0	67.8-86.2
18-24	343	584,880	160	49.2	42.3-56.1	183	50.8	43.9-57.7
25-34	616	830,893	222	34.3	29.6-39.0	394	65.7	61.0-70.4
35-44	646	758,150	177	28.6	23.9-33.3	469	71.4	66.7-76.1
45-54	973	771,247	223	23.6	19.9-27.3	750	76.4	72.7-80.1
55-64	1198	816,678	305	23.3	20.4-26.2	893	76.7	73.8-79.6
65+	1897	1,069,561	583	29.3	26.8-31.8	1314	70.7	68.2-73.2
Less Than H.S.	552	639,469	169	31.2	25.5-36.9	383	68.8	63.1-74.5
H.S. or G.E.D.	1768	1,582,341	506	29.2	26.1-32.3	1262	70.8	67.7-73.9
Some Post-H.S.	1502	1,432,618	413	28.3	25.2-31.4	1089	71.7	68.6-74.8
College Graduate	1841	1,172,801	578	34.6	31.7-37.5	1263	65.4	62.5-68.3
Less than \$15,000	614	456,610	176	33.4	27.7-39.1	438	66.6	60.9-72.3
\$15,000- 24,999	922	736,365	287	31.7	27.4-36.0	635	68.3	64.0-72.6
\$25,000- 34,999	467	402,418	131	31.1	24.6-37.6	336	68.9	62.4-75.4
\$35,000- 49,999	722	606,766	194	25.9	21.4-30.4	528	74.1	69.6-78.6
\$50,000- 74,999	704	644,834	183	26.0	21.3-30.7	521	74.0	69.3-78.7
\$75,000+	1358	1,246,129	390	30.3	27.0-33.6	968	69.7	66.4-73.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2592	2,419,501	666	27.6	25.1-30.1	1926	72.4	69.9-74.9
White/Non-Hisp	2112	1,827,372	545	27.9	25.2-30.6	1567	72.1	69.4-74.8
Black or Afr. Am./Non-Hisp	251	335,524	57	26.1	18.7-33.5	194	73.9	66.5-81.3
Oth. Race/Non-Hisp.	87	76,499	28	43.9	28.2-59.6	59	56.1	40.4-71.8
Hispanic	59	119,912	12	16.0	4.4-27.6	47	84.0	72.4-95.6
18-24	168	301,060	79	47.9	38.1-57.7	89	52.1	42.3-61.9
25-34	305	429,077	104	33.8	26.7-40.9	201	66.2	59.1-73.3
35-44	291	394,464	71	25.5	18.8-32.2	220	74.5	67.8-81.2
45-54	483	402,768	88	19.5	14.2-24.8	395	80.5	75.2-85.8
55-64	557	405,379	116	18.5	14.4-22.6	441	81.5	77.4-85.6
65+	788	486,754	208	25.7	21.8-29.6	580	74.3	70.4-78.2
Less Than H.S.	249	337,027	77	34.6	26.0-43.2	172	65.4	56.8-74.0
H.S. or G.E.D.	785	795,506	205	27.1	22.6-31.6	580	72.9	68.4-77.4
Some Post-H.S.	642	669,316	149	24.3	19.8-28.8	493	75.7	71.2-80.2
College Graduate	912	616,297	234	28.0	24.1-31.9	678	72.0	68.1-75.9
Less than \$15,000	216	185,230	71	41.5	32.1-50.9	145	58.5	49.1-67.9
\$15,000- 24,999	352	320,766	114	33.7	26.6-40.8	238	66.3	59.2-73.4
\$25,000- 34,999	200	185,747	58	27.0	17.8-36.2	142	73.0	63.8-82.2
\$35,000- 49,999	340	318,739	86	24.3	18.0-30.6	254	75.7	69.4-82.0
\$50,000- 74,999	383	379,224	84	25.9	19.0-32.8	299	74.1	67.2-81.0
\$75,000+	765	737,840	165	23.8	19.3-28.3	600	76.2	71.7-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3081	2,411,908	1004	33.4	31.0-35.8	2077	66.6	64.2-69.0
White/Non-Hisp	2461	1,808,886	848	36.5	33.8-39.2	1613	63.5	60.8-66.2
Black or Afr. Am./Non-Hisp	394	400,981	80	19.7	14.4-25.0	314	80.3	75.0-85.6
Oth. Race/Non-Hisp.	62	44,552	27	45.3	26.5-64.1	35	54.7	35.9-73.5
MultiRacial/Non-Hisp.	57	21,237	17	34.1	16.1-52.1	40	65.9	47.9-83.9
Hispanic	60	103,811	20	31.1	16.8-45.4	40	68.9	54.6-83.2
18-24	175	283,821	81	50.6	41.0-60.2	94	49.4	39.8-59.0
25-34	311	401,817	118	34.9	28.2-41.6	193	65.1	58.4-71.8
35-44	355	363,686	106	31.9	25.2-38.6	249	68.1	61.4-74.8
45-54	490	368,479	135	28.0	22.9-33.1	355	72.0	66.9-77.1
55-64	641	411,300	189	28.0	23.7-32.3	452	72.0	67.7-76.3
65+	1109	582,806	375	32.3	28.8-35.8	734	67.7	64.2-71.2
Less Than H.S.	303	302,442	92	27.4	20.9-33.9	211	72.6	66.1-79.1
H.S. or G.E.D.	983	786,835	301	31.3	27.0-35.6	682	68.7	64.4-73.0
Some Post-H.S.	860	763,302	264	31.7	27.4-36.0	596	68.3	64.0-72.6
College Graduate	929	556,504	344	41.9	37.6-46.2	585	58.1	53.8-62.4
Less than \$15,000	398	271,380	105	27.9	21.2-34.6	293	72.1	65.4-78.8
\$15,000- 24,999	570	415,599	173	30.1	24.8-35.4	397	69.9	64.6-75.2
\$25,000- 34,999	267	216,671	73	34.6	25.8-43.4	194	65.4	56.6-74.2
\$35,000- 49,999	382	288,027	108	27.6	21.5-33.7	274	72.4	66.3-78.5
\$50,000- 74,999	321	265,610	99	26.2	20.1-32.3	222	73.8	67.7-79.9
\$75,000+	593	508,289	225	39.6	34.3-44.9	368	60.4	55.1-65.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6092	5,184,424	4391	64.7	62.9-66.5	774	15.4	14.0-16.8	542	10.9	9.7-12.1	248	5.8	4.8- 6.8	91	2.3	1.7- 2.9	46	0.9	0.5- 1.3
Male	2664	2,492,254	1933	66.0	63.3-68.7	336	15.2	13.0-17.4	244	10.8	9.0-12.6	101	5.6	4.2- 7.0	34	1.8	1.0- 2.6	16	0.6	0.2- 1.0
Female	3428	2,692,170	2458	63.4	61.0-65.8	438	15.6	13.8-17.4	298	11.0	9.4-12.6	147	6.0	4.8- 7.2	57	2.8	1.8- 3.8	30	1.1	0.5- 1.7
White/Non-Hisp	4899	3,884,303	3615	67.3	65.3-69.3	611	15.2	13.6-16.8	405	9.9	8.7-11.1	174	4.9	3.9- 5.9	61	1.9	1.3- 2.5	33	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	697	793,616	463	58.0	52.9-63.1	100	16.6	12.7-20.5	75	13.2	9.9-16.5	40	7.5	4.8-10.2	15	3.8	1.4- 6.2	4	1.0	0.0- 2.4
Oth. Race/Non-Hisp.	158	134,571	103	52.4	40.4-64.4	23	20.9	10.3-31.5	18	11.7	5.0-18.4	9	11.8	2.8-20.8	3	2.3	0.0- 5.6	2	1.0	0.0- 2.6
MultiRacial/Non-Hisp.	103	45,505	64	60.0	45.9-74.1	13	8.4	2.3-14.5	14	16.7	5.3-28.1	4	8.5	0.0-19.1	6	4.3	0.0- 8.6	2	2.1	0.0- 5.2
Hispanic	130	240,001	63	49.4	37.8-61.0	20	16.6	7.6-25.6	24	18.4	9.8-27.0	16	11.8	4.2-19.4	4	2.0	0.0- 4.5	3	1.8	0.0- 4.2
18-24	358	606,179	229	61.5	54.8-68.2	71	22.5	16.6-28.4	38	9.1	5.6-12.6	10	3.0	0.8- 5.2	7	3.1	0.6- 5.6	3	0.7	0.0- 1.7
25-34	661	889,461	307	47.6	42.7-52.5	122	19.5	15.4-23.6	132	17.2	13.7-20.7	57	8.8	5.9-11.7	32	5.3	2.9- 7.7	11	1.6	0.2- 3.0
35-44	687	811,112	188	28.8	24.1-33.5	168	22.6	18.5-26.7	174	25.4	20.9-29.9	103	16.1	12.4-19.8	35	4.9	2.7- 7.1	19	2.1	0.9- 3.3
45-54	1053	846,724	650	60.8	56.9-64.7	216	20.4	17.1-23.7	121	11.1	8.6-13.6	47	6.0	3.8- 8.2	11	0.9	0.3- 1.5	8	0.8	0.0- 1.6
55-64	1297	877,123	1097	82.9	80.2-85.6	123	10.0	7.8-12.2	47	4.4	2.8- 6.0	21	2.0	0.8- 3.2	6	0.5	0.1- 0.9	3	0.2	0.0- 0.4
65+	2036	1,153,825	1920	93.7	92.1-95.3	74	4.0	2.8- 5.2	30	1.6	0.8- 2.4	10	0.6	0.2- 1.0				2	0.1	0.0- 0.3
Less Than H.S.	580	682,592	430	64.9	59.0-70.8	70	15.7	11.0-20.4	41	8.5	5.4-11.6	25	6.9	3.6-10.2	8	2.1	0.1- 4.1	6	1.9	0.1- 3.7
H.S. or G.E.D.	1900	1,694,568	1365	64.4	61.3-67.5	236	15.9	13.4-18.4	160	10.8	8.8-12.8	85	5.7	4.1- 7.3	32	2.0	1.0- 3.0	22	1.2	0.6- 1.8
Some Post-H.S.	1621	1,535,033	1145	62.3	59.0-65.6	213	15.6	13.1-18.1	152	11.7	9.3-14.1	69	6.4	4.6- 8.2	31	3.4	2.0- 4.8	11	0.6	0.2- 1.0
College Graduate	1977	1,262,881	1439	67.6	64.7-70.5	254	14.6	12.4-16.8	189	11.4	9.4-13.4	69	4.9	3.5- 6.3	20	1.4	0.6- 2.2	6	0.2	0.0- 0.4
Less than \$15,000	643	476,661	501	71.5	66.2-76.8	66	10.2	7.1-13.3	34	8.3	4.8-11.8	26	5.8	2.9- 8.7	12	2.6	0.6- 4.6	4	1.7	0.0- 3.9
\$15,000- 24,999	966	778,526	701	62.9	58.4-67.4	109	15.2	11.7-18.7	83	10.6	7.7-13.5	44	7.5	4.8-10.2	14	2.1	0.5- 3.7	15	1.7	0.7- 2.7
\$25,000- 34,999	494	427,761	375	68.4	61.9-74.9	50	12.8	7.3-18.3	40	11.2	6.9-15.5	20	4.8	2.3- 7.3	7	2.5	0.3- 4.7	2	0.3	0.0- 0.7
\$35,000- 49,999	750	635,871	533	63.7	58.8-68.6	107	17.5	13.6-21.4	66	10.7	7.4-14.0	32	5.9	3.2- 8.6	9	1.9	0.1- 3.7	3	0.3	0.0- 0.7
\$50,000- 74,999	749	685,055	510	60.2	55.1-65.3	108	16.0	12.1-19.9	77	12.6	8.9-16.3	32	7.1	4.0-10.2	16	3.5	1.1- 5.9	6	0.6	0.0- 1.2
\$75,000+	1419	1,297,959	910	60.6	57.1-64.1	230	16.9	14.2-19.6	178	13.6	11.1-16.1	74	6.5	4.5- 8.5	19	1.9	0.7- 3.1	8	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2664	2,492,254	1933	66.0	63.5-68.5	336	15.2	13.0-17.4	244	10.8	9.0-12.6	101	5.6	4.2- 7.0	34	1.8	1.0- 2.6	16	0.6	0.2- 1.0
White/Non-Hisp	2166	1,872,726	1590	67.6	64.9-70.3	280	15.5	13.1-17.9	188	10.1	8.3-11.9	74	4.9	3.5- 6.3	24	1.6	0.8- 2.4	10	0.4	0.0- 0.8
Black or Afr. Am./Non-Hisp	257	345,221	187	65.4	57.4-73.4	31	15.7	9.2-22.2	22	10.5	5.6-15.4	12	5.1	1.6- 8.6	4	3.0	0.0- 6.5	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	92	85,376	62	57.2	41.9-72.5	10	13.9	2.7-25.1	13	13.4	4.0-22.8	5	12.7	1.1-24.3	2	2.8	0.0- 7.7			
Hispanic	61	124,584	31	49.7	32.5-66.9	8	14.0	1.3-26.7	10	16.5	3.6-29.4	9	16.4	3.1-29.7	1	0.7	0.0- 2.1	2	2.7	0.0- 6.8
18-24	171	304,344	119	65.9	56.5-75.3	28	21.1	12.7-29.5	14	6.5	2.4-10.6	5	2.9	0.0- 5.8	3	2.4	0.0- 5.9	2	1.1	0.0- 2.9
25-34	311	441,765	176	57.5	50.2-64.8	55	19.0	13.1-24.9	54	14.1	9.6-18.6	18	7.5	3.0-12.0	7	1.8	0.2- 3.4	1	0.2	0.0- 0.6
35-44	297	402,695	96	32.8	25.5-40.1	61	21.6	15.3-27.9	74	23.6	17.1-30.1	44	14.7	9.4-20.0	16	5.7	2.2- 9.2	6	1.6	0.0- 3.2
45-54	491	413,953	302	59.4	53.3-65.5	98	18.7	13.8-23.6	61	13.6	9.5-17.7	22	7.2	3.5-10.9	4	0.5	0.0- 1.1	4	0.6	0.0- 1.2
55-64	576	417,486	475	80.7	76.4-85.0	59	10.3	7.0-13.6	26	5.8	3.1- 8.5	11	2.2	0.6- 3.8	4	0.9	0.0- 1.9	1	0.1	0.0- 0.3
65+	818	512,012	765	93.0	90.5-95.5	35	4.5	2.5- 6.5	15	2.1	0.5- 3.7	1	0.0	0.0- 0.0				2	0.3	0.0- 0.7
Less Than H.S.	256	352,662	190	64.4	55.8-73.0	34	18.1	10.7-25.5	17	8.6	3.9-13.3	10	7.2	1.5-12.9	4	1.4	0.0- 2.8	1	0.2	0.0- 0.6
H.S. or G.E.D.	817	819,954	587	68.0	63.5-72.5	101	14.1	10.6-17.6	77	11.1	8.2-14.0	31	4.5	2.3- 6.7	12	1.3	0.3- 2.3	9	1.0	0.2- 1.8
Some Post-H.S.	658	681,960	466	61.9	56.6-67.2	90	16.9	12.8-21.0	58	10.8	7.1-14.5	33	7.1	4.4- 9.8	9	2.9	0.5- 5.3	2	0.5	0.0- 1.3
College Graduate	927	634,183	685	68.7	64.6-72.8	111	13.2	10.1-16.3	92	11.6	8.7-14.5	27	4.7	2.5- 6.9	9	1.4	0.2- 2.6	3	0.2	0.0- 0.4
Less than \$15,000	222	193,017	185	77.7	69.5-85.9	16	8.5	3.2-13.8	11	9.6	2.9-16.3	6	2.5	0.3- 4.7	4	1.7	0.0- 3.7			
\$15,000- 24,999	362	332,887	284	71.7	64.8-78.6	34	13.8	7.9-19.7	26	7.5	4.0-11.0	11	5.1	1.4- 8.8	4	1.2	0.0- 2.6	3	0.7	0.0- 1.5
\$25,000- 34,999	207	193,969	161	68.5	57.9-79.1	24	19.4	8.8-30.0	11	7.1	1.8-12.4	6	2.7	0.3- 5.1	3	1.6	0.0- 3.6	2	0.6	0.0- 1.6
\$35,000- 49,999	341	320,021	249	65.1	57.7-72.5	45	17.4	11.5-23.3	32	10.2	5.9-14.5	13	5.8	1.1-10.5	1	1.5	0.0- 4.4	1	0.1	0.0- 0.3
\$50,000- 74,999	386	382,739	250	56.8	49.5-64.1	59	16.1	10.8-21.4	43	14.0	8.5-19.5	24	10.1	5.2-15.0	7	2.4	0.2- 4.6	3	0.6	0.0- 1.4
\$75,000+	765	738,262	500	61.4	56.5-66.3	122	16.1	12.4-19.8	94	13.3	10.0-16.6	34	6.4	3.7- 9.1	11	2.3	0.5- 4.1	4	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3428	2,692,170	2458	63.4	61.0-65.8	438	15.6	13.8-17.4	298	11.0	9.4-12.6	147	6.0	4.8- 7.2	57	2.8	1.8- 3.8	30	1.1	0.5- 1.7
White/Non-Hisp	2733	2,011,577	2025	67.0	64.5-69.5	331	14.9	12.9-16.9	217	9.8	8.0-11.6	100	5.0	3.8- 6.2	37	2.2	1.2- 3.2	23	1.1	0.5- 1.7
Black or Afr. Am./Non-Hisp	440	448,395	276	52.2	45.7-58.7	69	17.3	12.2-22.4	53	15.3	10.6-20.0	28	9.3	5.4-13.2	11	4.4	1.5- 7.3	3	1.5	0.0- 3.7
Oth. Race/Non-Hisp.	66	49,195	41	44.1	26.7-61.5	13	33.0	13.4-52.6	5	8.7	0.7-16.7	4	10.2	0.0-24.1	1	1.3	0.0- 3.8	2	2.7	0.0- 7.2
MultiRacial/Non-Hisp.	59	21,642	34	56.4	37.4-75.4	9	9.7	0.9-18.5	8	12.1	2.7-21.5	4	17.9	0.0-38.3	3	2.8	0.0- 6.1	1	1.1	0.0- 3.3
Hispanic	69	115,417	32	49.1	34.0-64.2	12	19.4	6.9-31.9	14	20.5	8.9-32.1	7	6.7	1.0-12.4	3	3.4	0.0- 8.3	1	0.8	0.0- 2.4
18-24	187	301,834	110	57.1	47.9-66.3	43	24.0	15.6-32.4	24	11.8	6.3-17.3	5	3.0	0.0- 6.3	4	3.8	0.1- 7.5	1	0.3	0.0- 0.9
25-34	350	447,696	131	37.9	31.4-44.4	67	20.0	14.3-25.7	78	20.3	15.2-25.4	39	10.0	6.3-13.7	25	8.8	4.5-13.1	10	3.0	0.5- 5.5
35-44	390	408,417	92	24.8	18.7-30.9	107	23.6	18.1-29.1	100	27.2	21.1-33.3	59	17.5	12.2-22.8	19	4.2	1.8- 6.6	13	2.6	1.0- 4.2
45-54	562	432,771	348	62.1	56.8-67.4	118	22.0	17.5-26.5	60	8.7	5.8-11.6	25	4.9	2.5- 7.3	7	1.4	0.2- 2.6	4	1.0	0.0- 2.2
55-64	721	459,638	622	84.9	81.6-88.2	64	9.8	7.1-12.5	21	3.0	1.4- 4.6	10	1.9	0.5- 3.3	2	0.1	0.1- 0.1	2	0.4	0.0- 1.0
65+	1218	641,814	1155	94.2	92.4-96.0	39	3.5	1.9- 5.1	15	1.2	0.4- 2.0	9	1.1	0.3- 1.9						
Less Than H.S.	324	329,930	240	65.4	57.8-73.0	36	13.1	7.6-18.6	24	8.5	4.2-12.8	15	6.5	2.8-10.2	4	2.8	0.0- 6.7	5	3.7	0.2- 7.2
H.S. or G.E.D.	1083	874,614	778	61.1	56.8-65.4	135	17.6	13.9-21.3	83	10.6	7.7-13.5	54	6.7	4.3- 9.1	20	2.7	1.1- 4.3	13	1.3	0.5- 2.1
Some Post-H.S.	963	853,073	679	62.6	58.3-66.9	123	14.5	11.4-17.6	94	12.5	9.4-15.6	36	5.9	3.5- 8.3	22	3.9	1.9- 5.9	9	0.6	0.2- 1.0
College Graduate	1050	628,698	754	66.4	62.5-70.3	143	15.9	12.8-19.0	97	11.1	8.4-13.8	42	5.0	3.2- 6.8	11	1.3	0.3- 2.3	3	0.2	0.0- 0.4
Less than \$15,000	421	283,644	316	67.2	60.3-74.1	50	11.4	7.5-15.3	23	7.4	3.9-10.9	20	8.0	3.3-12.7	8	3.1	0.2- 6.0	4	2.8	0.0- 6.3
\$15,000- 24,999	604	445,639	417	56.4	50.7-62.1	75	16.2	11.7-20.7	57	12.8	8.7-16.9	33	9.4	5.5-13.3	10	2.7	0.3- 5.1	12	2.4	0.8- 4.0
\$25,000- 34,999	287	233,792	214	68.4	60.6-76.2	26	7.3	4.0-10.6	29	14.6	8.1-21.1	14	6.5	2.2-10.8	4	3.2	0.0- 6.7			
\$35,000- 49,999	409	315,850	284	62.3	55.8-68.8	62	17.6	12.5-22.7	34	11.3	6.4-16.2	19	6.0	3.1- 8.9	8	2.4	0.4- 4.4	2	0.4	0.0- 1.0
\$50,000- 74,999	363	302,315	260	64.5	57.2-71.8	49	15.9	10.4-21.4	34	10.8	6.1-15.5	8	3.3	0.2- 6.4	9	5.0	0.5- 9.5	3	0.6	0.0- 1.2
\$75,000+	654	559,697	410	59.6	54.5-64.7	108	17.9	14.0-21.8	84	14.1	10.4-17.8	40	6.7	4.2- 9.2	8	1.5	0.3- 2.7	4	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6217	5,319,399	597	13.3	11.9-14.7	1951	32.9	31.3-34.5	1648	29.4	27.8-31.0	2021	24.4	23.0-25.8
Male	2726	2,565,225	266	14.3	12.1-16.5	842	33.1	30.6-35.6	668	27.0	24.6-29.4	950	25.6	23.6-27.6
Female	3491	2,754,174	331	12.4	10.6-14.2	1109	32.7	30.5-34.9	980	31.6	29.4-33.8	1071	23.3	21.5-25.1
White/Non-Hisp	4979	3,962,047	439	12.2	10.6-13.8	1556	33.7	31.9-35.5	1298	28.3	26.5-30.1	1686	25.7	24.1-27.3
Black or Afr. Am./Non-Hisp	719	825,775	94	17.6	13.5-21.7	252	31.9	27.4-36.4	203	33.2	28.5-37.9	170	17.3	14.2-20.4
Oth. Race/Non-Hisp.	168	147,675	19	11.5	3.9-19.1	39	20.4	12.0-28.8	44	27.0	17.2-36.8	66	41.1	29.7-52.5
MultiRacial/Non-Hisp.	105	48,566	8	9.7	2.1-17.3	30	32.0	18.3-45.7	40	43.0	28.9-57.1	27	15.3	7.9-22.7
Hispanic	133	242,723	14	14.3	5.9-22.7	46	35.0	24.0-46.0	35	33.8	22.6-45.0	38	16.9	10.0-23.8
18-24	373	629,002	10	6.4	2.1-10.7	139	43.2	36.5-49.9	144	37.4	31.1-43.7	80	12.9	9.4-16.4
25-34	678	921,601	37	9.2	5.7-12.7	187	29.6	25.1-34.1	182	29.1	24.6-33.6	272	32.0	27.7-36.3
35-44	710	843,467	64	15.1	10.8-19.4	184	26.4	22.1-30.7	189	30.2	25.5-34.9	273	28.3	24.4-32.2
45-54	1080	866,753	95	12.6	9.5-15.7	315	30.7	27.0-34.4	277	30.1	26.4-33.8	393	26.6	23.5-29.7
55-64	1314	886,842	139	14.7	12.0-17.4	439	34.3	31.0-37.6	362	29.3	26.0-32.6	374	21.7	19.2-24.2
65+	2062	1,171,734	252	18.4	15.9-20.9	687	35.2	32.5-37.9	494	24.3	21.9-26.7	629	22.2	20.0-24.4
Less Than H.S.	597	707,392	597	100.0	100.0- 100									
H.S. or G.E.D.	1951	1,750,186				1951	100.0	100.0- 100						
Some Post-H.S.	1648	1,564,339							1648	100.0	100.0- 100			
College Graduate	2021	1,297,482										2021	100.0	100.0- 100
Less than \$15,000	642	475,986	172	35.7	30.2-41.2	264	34.0	29.1-38.9	142	22.4	17.7-27.1	64	7.9	5.0-10.8
\$15,000- 24,999	966	778,186	172	24.9	20.8-29.0	443	43.0	38.7-47.3	245	24.5	20.8-28.2	106	7.5	5.3- 9.7
\$25,000- 34,999	494	427,761	41	13.4	8.3-18.5	199	40.0	33.7-46.3	165	35.8	29.7-41.9	89	10.7	7.6-13.8
\$35,000- 49,999	754	641,825	26	5.9	3.0- 8.8	252	37.3	32.6-42.0	248	36.6	31.7-41.5	228	20.2	16.7-23.7
\$50,000- 74,999	750	685,657	22	6.4	2.7-10.1	171	29.7	24.8-34.6	241	36.8	31.9-41.7	316	27.1	23.2-31.0
\$75,000+	1423	1,301,343	20	2.5	0.7- 4.3	190	19.2	15.9-22.5	300	27.1	23.8-30.4	913	51.2	47.5-54.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2726	2,565,225	266	14.3	12.1-16.5	842	33.1	30.6-35.6	668	27.0	24.6-29.4	950	25.6	23.6-27.6
White/Non-Hisp	2205	1,915,339	200	13.5	11.1-15.9	669	33.7	31.0-36.4	530	26.0	23.5-28.5	806	26.8	24.6-29.0
Black or Afr. Am./Non-Hisp	264	358,851	38	18.4	11.7-25.1	93	32.5	25.1-39.9	77	33.3	25.5-41.1	56	15.8	10.7-20.9
Oth. Race/Non-Hisp.	101	96,730	10	12.0	1.0-23.0	27	23.2	12.6-33.8	21	22.9	10.7-35.1	43	41.9	27.6-56.2
Hispanic	62	125,352	6	15.9	2.6-29.2	25	39.2	22.5-55.9	14	25.0	9.3-40.7	17	19.8	8.4-31.2
18-24	182	321,859	6	7.1	1.6-12.6	74	48.9	39.5-58.3	62	29.5	21.5-37.5	40	14.5	9.0-20.0
25-34	320	459,893	17	9.7	4.0-15.4	85	28.2	21.9-34.5	92	30.9	24.0-37.8	126	31.2	24.9-37.5
35-44	307	416,769	32	18.8	11.7-25.9	89	27.1	20.6-33.6	74	26.9	20.2-33.6	112	27.3	21.4-33.2
45-54	508	422,928	50	14.4	9.3-19.5	156	32.6	26.9-38.3	118	26.4	20.9-31.9	184	26.6	21.9-31.3
55-64	585	424,706	70	16.4	12.1-20.7	196	35.2	30.1-40.3	135	24.2	19.5-28.9	184	24.2	20.3-28.1
65+	824	519,070	91	17.4	13.3-21.5	242	31.2	27.1-35.3	187	25.0	21.1-28.9	304	26.5	23.0-30.0
Less Than H.S.	266	366,812	266	100.0	100.0- 100									
H.S. or G.E.D.	842	848,688				842	100.0	100.0- 100						
Some Post-H.S.	668	693,310							668	100.0	100.0- 100			
College Graduate	950	656,415										950	100.0	100.0- 100
Less than \$15,000	222	193,017	76	40.5	31.3-49.7	81	31.2	23.4-39.0	35	15.6	9.1-22.1	30	12.7	6.4-19.0
\$15,000- 24,999	362	332,887	73	28.4	21.3-35.5	171	43.3	36.4-50.2	75	18.4	13.1-23.7	43	9.9	5.6-14.2
\$25,000- 34,999	207	193,969	22	20.2	10.6-29.8	81	38.6	28.6-48.6	65	29.1	20.9-37.3	39	12.1	6.6-17.6
\$35,000- 49,999	344	325,371	18	9.1	3.6-14.6	127	40.8	33.5-48.1	112	34.4	27.3-41.5	87	15.7	11.2-20.2
\$50,000- 74,999	387	383,342	14	8.1	2.6-13.6	103	32.2	25.3-39.1	121	36.3	29.2-43.4	149	23.5	18.6-28.4
\$75,000+	768	741,281	14	4.0	1.1- 6.9	123	21.8	17.3-26.3	155	26.4	21.7-31.1	476	47.8	42.9-52.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3491	2,754,174	331	12.4	10.6-14.2	1109	32.7	30.5-34.9	980	31.6	29.4-33.8	1071	23.3	21.5-25.1
White/Non-Hisp	2774	2,046,708	239	11.0	9.2-12.8	887	33.8	31.3-36.3	768	30.5	28.1-32.9	880	24.7	22.7-26.7
Black or Afr. Am./Non-Hisp	455	466,925	56	17.0	11.7-22.3	159	31.5	25.8-37.2	126	33.1	27.2-39.0	114	18.4	14.3-22.5
Oth. Race/Non-Hisp.	67	50,945	9	10.7	2.9-18.5	12	15.1	1.2-29.0	23	34.7	18.0-51.4	23	39.5	21.1-57.9
MultiRacial/Non-Hisp.	59	21,642	3	6.7	0.0-14.5	16	35.7	16.1-55.3	24	40.7	22.7-58.7	16	16.9	5.7-28.1
Hispanic	71	117,371	8	12.5	2.9-22.1	21	30.5	16.8-44.2	21	43.2	28.1-58.3	21	13.8	6.7-20.9
18-24	191	307,143	4	5.8	0.0-12.3	65	37.2	28.2-46.2	82	45.7	36.5-54.9	40	11.3	7.2-15.4
25-34	358	461,708	20	8.7	4.2-13.2	102	31.0	24.7-37.3	90	27.4	21.5-33.3	146	32.9	27.0-38.8
35-44	403	426,698	32	11.4	6.9-15.9	95	25.7	19.6-31.8	115	33.6	27.1-40.1	161	29.3	24.0-34.6
45-54	572	443,825	45	11.0	7.5-14.5	159	28.9	24.2-33.6	159	33.6	28.5-38.7	209	26.5	22.4-30.6
55-64	729	462,136	69	13.1	9.6-16.6	243	33.6	29.1-38.1	227	34.1	29.6-38.6	190	19.3	16.0-22.6
65+	1238	652,664	161	19.2	15.9-22.5	445	38.4	34.9-41.9	307	23.7	20.8-26.6	325	18.8	16.3-21.3
Less Than H.S.	331	340,580	331	100.0	100.0- 100									
H.S. or G.E.D.	1109	901,498				1109	100.0	100.0- 100						
Some Post-H.S.	980	871,029							980	100.0	100.0- 100			
College Graduate	1071	641,067										1071	100.0	100.0- 100
Less than \$15,000	420	282,970	96	32.4	25.5-39.3	183	35.9	29.4-42.4	107	27.1	20.4-33.8	34	4.6	2.4- 6.8
\$15,000- 24,999	604	445,299	99	22.3	17.4-27.2	272	42.9	37.4-48.4	170	29.1	23.8-34.4	63	5.7	3.9- 7.5
\$25,000- 34,999	287	233,792	19	7.8	3.9-11.7	118	41.3	33.3-49.3	100	41.4	33.2-49.6	50	9.6	6.1-13.1
\$35,000- 49,999	410	316,454	8	2.6	0.6- 4.6	125	33.7	27.6-39.8	136	38.8	32.3-45.3	141	24.9	19.8-30.0
\$50,000- 74,999	363	302,315	8	4.3	0.0- 8.6	68	26.6	19.7-33.5	120	37.4	30.5-44.3	167	31.7	25.6-37.8
\$75,000+	655	560,061	6	0.6	0.0- 1.2	67	15.6	11.1-20.1	145	28.0	23.1-32.9	437	55.8	50.5-61.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5033	4,314,631	644	11.1	9.9-12.3	967	18.1	16.7-19.5	495	10.0	8.8-11.2	754	14.9	13.5-16.3	2173	46.1	44.1-48.1
Male	2292	2,172,383	223	8.9	7.3-10.5	362	15.3	13.3-17.3	208	9.0	7.2-10.8	344	15.0	12.8-17.2	1155	51.8	48.9-54.7
Female	2741	2,142,248	421	13.2	11.4-15.0	605	20.8	18.6-23.0	287	10.9	9.1-12.7	410	14.8	13.0-16.6	1018	40.3	37.8-42.8
White/Non-Hisp	4056	3,248,684	447	8.9	7.7-10.1	738	16.8	15.2-18.4	390	9.7	8.3-11.1	620	14.8	13.4-16.2	1861	49.8	47.6-52.0
Black or Afr. Am./Non-Hisp	586	667,365	132	22.5	17.8-27.2	133	20.3	16.0-24.6	65	11.0	7.9-14.1	74	13.3	9.8-16.8	182	32.9	27.8-38.0
Oth. Race/Non-Hisp.	129	113,503	21	10.6	4.1-17.1	27	23.7	11.7-35.7	11	4.8	1.7- 7.9	25	23.1	11.9-34.3	45	37.7	25.4-50.0
MultiRacial/Non-Hisp.	90	42,500	20	11.6	4.5-18.7	24	25.8	12.7-38.9	8	8.1	1.8-14.4	11	12.6	4.0-21.2	27	42.0	26.3-57.7
Hispanic	104	189,521	8	3.3	0.9- 5.7	26	24.1	13.5-34.7	14	13.8	4.4-23.2	16	19.2	8.2-30.2	40	39.6	26.5-52.7
18-24	277	448,860	38	13.8	8.7-18.9	58	18.9	13.2-24.6	35	15.3	9.2-21.4	43	14.4	9.3-19.5	103	37.7	30.3-45.1
25-34	588	796,170	52	6.6	4.2- 9.0	110	18.3	14.4-22.2	43	7.8	5.1-10.5	107	20.0	15.9-24.1	276	47.4	42.1-52.7
35-44	628	741,194	62	9.7	6.6-12.8	92	12.7	9.4-16.0	62	9.9	6.8-13.0	92	13.6	10.1-17.1	320	54.0	48.7-59.3
45-54	906	725,618	115	10.9	8.4-13.4	131	14.3	11.4-17.2	66	7.5	5.3- 9.7	110	11.6	8.9-14.3	484	55.8	51.5-60.1
55-64	1092	732,767	164	14.1	11.4-16.8	198	16.9	14.0-19.8	91	8.0	5.8-10.2	163	15.0	12.3-17.7	476	46.0	42.1-49.9
65+	1542	870,021	213	12.6	10.4-14.8	378	26.1	23.0-29.2	198	12.9	10.7-15.1	239	14.2	12.0-16.4	514	34.3	31.2-37.4
Less Than H.S.	453	536,485	172	31.7	26.0-37.4	172	36.2	30.1-42.3	41	10.7	6.6-14.8	26	7.1	3.6-10.6	42	14.4	8.5-20.3
H.S. or G.E.D.	1519	1,360,438	264	11.9	9.9-13.9	443	24.6	21.7-27.5	199	12.6	10.2-15.0	252	17.6	15.1-20.1	361	33.3	29.8-36.8
Some Post-H.S.	1341	1,289,738	142	8.3	6.3-10.3	245	14.8	12.3-17.3	165	11.9	9.5-14.3	248	18.2	15.5-20.9	541	46.9	43.2-50.6
College Graduate	1716	1,124,098	64	3.3	2.1- 4.5	106	5.2	3.6- 6.8	89	4.1	2.9- 5.3	228	11.5	9.5-13.5	1229	75.8	73.1-78.5
Less than \$15,000	644	477,378	644	100.0	100.0- 100												
\$15,000- 24,999	967	778,868				967	100.0	100.0- 100									
\$25,000- 34,999	495	429,559							495	100.0	100.0- 100						
\$35,000- 49,999	754	641,825										754	100.0	100.0- 100			
\$50,000- 74,999	750	685,657													750	100.0	100.0- 100
\$75,000+	1423	1,301,343													1423	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2292	2,172,383	223	8.9	7.3-10.5	362	15.3	13.3-17.3	208	9.0	7.2-10.8	344	15.0	12.8-17.2	1155	51.8	48.9-54.7
White/Non-Hisp	1879	1,642,916	156	7.3	5.9- 8.7	278	14.4	12.2-16.6	160	8.3	6.5-10.1	281	14.4	12.2-16.6	1004	55.7	52.6-58.8
Black or Afr. Am./Non-Hisp	224	303,988	38	17.3	10.4-24.2	51	18.7	12.4-25.0	24	9.8	5.1-14.5	31	14.8	8.7-20.9	80	39.4	30.8-48.0
Oth. Race/Non-Hisp.	74	75,524	9	10.1	1.1-19.1	13	22.9	7.6-38.2	7	5.3	1.0- 9.6	16	24.1	9.0-39.2	29	37.5	21.8-53.2
18-24	142	256,320	21	10.6	5.3-15.9	25	17.3	9.5-25.1	21	15.8	7.6-24.0	23	15.9	8.3-23.5	52	40.4	29.6-51.2
25-34	283	409,762	12	3.2	0.8- 5.6	41	13.8	8.9-18.7	18	6.1	2.8- 9.4	51	20.3	14.2-26.4	161	56.6	49.2-64.0
35-44	274	369,426	20	9.0	4.1-13.9	33	8.1	4.6-11.6	24	9.4	4.3-14.5	42	15.2	9.3-21.1	155	58.3	50.5-66.1
45-54	435	370,276	46	9.9	6.0-13.8	58	13.0	8.7-17.3	34	7.4	4.5-10.3	45	10.1	6.4-13.8	252	59.7	53.4-66.0
55-64	504	356,278	60	12.4	8.7-16.1	80	15.7	11.4-20.0	35	7.6	4.5-10.7	80	14.9	11.0-18.8	249	49.4	43.7-55.1
65+	654	410,321	64	9.6	6.7-12.5	125	24.0	19.1-28.9	76	10.0	7.5-12.5	103	13.4	10.3-16.5	286	43.0	38.1-47.9
Less Than H.S.	217	302,485	76	25.9	18.5-33.3	73	31.2	22.8-39.6	22	13.0	6.3-19.7	18	9.8	3.7-15.9	28	20.1	10.9-29.3
H.S. or G.E.D.	686	696,847	81	8.6	6.2-11.0	171	20.7	16.8-24.6	81	10.7	7.4-14.0	127	19.0	15.1-22.9	226	40.9	35.6-46.2
Some Post-H.S.	563	594,539	35	5.1	2.9- 7.3	75	10.3	7.2-13.4	65	9.5	6.8-12.2	112	18.8	14.5-23.1	276	56.3	50.8-61.8
College Graduate	824	575,996	30	4.2	2.0- 6.4	43	5.7	3.2- 8.2	39	4.1	2.1- 6.1	87	8.9	6.4-11.4	625	77.1	73.0-81.2
Less than \$15,000	223	193,735	223	100.0	100.0- 100												
\$15,000- 24,999	362	332,887				362	100.0	100.0- 100									
\$25,000- 34,999	208	195,767							208	100.0	100.0- 100						
\$35,000- 49,999	344	325,371										344	100.0	100.0- 100			
\$50,000- 74,999	387	383,342													387	100.0	100.0- 100
\$75,000+	768	741,281													768	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2741	2,142,248	421	13.2	11.4-15.0	605	20.8	18.6-23.0	287	10.9	9.1-12.7	410	14.8	13.0-16.6	1018	40.3	37.8-42.8
White/Non-Hisp	2177	1,605,768	291	10.6	9.0-12.2	460	19.3	17.1-21.5	230	11.1	9.1-13.1	339	15.2	13.2-17.2	857	43.8	41.1-46.5
Black or Afr. Am./Non-Hisp	362	363,377	94	26.9	20.4-33.4	82	21.6	15.7-27.5	41	12.0	7.7-16.3	43	12.0	7.9-16.1	102	27.5	21.6-33.4
Oth. Race/Non-Hisp.	55	37,979	12	11.7	3.7-19.7	14	25.3	7.1-43.5	4	3.8	0.0- 7.7	9	21.0	6.9-35.1	16	38.2	18.4-58.0
MultiRacial/Non-Hisp.	53	18,578	13	13.3	4.5-22.1	16	33.1	15.9-50.3	4	7.7	0.0-15.5	9	19.6	5.1-34.1	11	26.3	4.5-48.1
Hispanic	56	88,765	3	2.1	0.0- 4.6	20	38.9	22.0-55.8	5	5.9	0.2-11.6	6	14.5	1.0-28.0	22	38.6	21.7-55.5
18-24	135	192,540	17	18.1	8.7-27.5	33	20.9	12.5-29.3	14	14.5	5.7-23.3	20	12.4	6.1-18.7	51	34.1	24.5-43.7
25-34	305	386,408	40	10.1	6.0-14.2	69	23.0	16.7-29.3	25	9.7	5.2-14.2	56	19.6	13.9-25.3	115	37.5	30.6-44.4
35-44	354	371,768	42	10.4	6.7-14.1	59	17.4	11.9-22.9	38	10.5	6.6-14.4	50	12.1	7.8-16.4	165	49.7	42.6-56.8
45-54	471	355,342	69	11.9	8.6-15.2	73	15.7	11.6-19.8	32	7.5	4.4-10.6	65	13.1	9.4-16.8	232	51.7	46.0-57.4
55-64	588	376,489	104	15.6	11.9-19.3	118	18.0	14.3-21.7	56	8.4	5.7-11.1	83	15.1	11.4-18.8	227	42.8	37.5-48.1
65+	888	459,700	149	15.2	12.1-18.3	253	27.9	24.2-31.6	122	15.5	12.2-18.8	136	14.9	12.0-17.8	228	26.5	22.6-30.4
Less Than H.S.	236	234,000	96	39.2	31.0-47.4	99	42.5	34.3-50.7	19	7.8	3.9-11.7	8	3.6	1.1- 6.1	14	6.9	1.2-12.6
H.S. or G.E.D.	833	663,591	183	15.3	12.4-18.2	272	28.8	24.7-32.9	118	14.5	11.2-17.8	125	16.1	12.8-19.4	135	25.3	20.6-30.0
Some Post-H.S.	778	695,199	107	11.0	8.1-13.9	170	18.6	14.9-22.3	100	13.9	10.4-17.4	136	17.6	14.1-21.1	265	38.8	34.1-43.5
College Graduate	892	548,102	34	2.4	1.2- 3.6	63	4.7	3.3- 6.1	50	4.1	2.5- 5.7	141	14.4	11.3-17.5	604	74.5	71.0-78.0
Less than \$15,000	421	283,644	421	100.0	100.0- 100												
\$15,000- 24,999	605	445,981				605	100.0	100.0- 100									
\$25,000- 34,999	287	233,792							287	100.0	100.0- 100						
\$35,000- 49,999	410	316,454										410	100.0	100.0- 100			
\$50,000- 74,999	363	302,315													363	100.0	100.0- 100
\$75,000+	655	560,061													655	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 49: Sex (_SEX).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6242	5,337,666	2736	48.2	46.4-50.0	3506	51.8	50.0-53.6
Male	2736	2,572,110	2736	100.0	100.0- 100			
Female	3506	2,765,556				3506	100.0	100.0- 100
White/Non-Hisp	4992	3,968,483	2210	48.3	46.3-50.3	2782	51.7	49.7-53.7
Black or Afr. Am./Non-Hisp	720	825,950	264	43.4	38.5-48.3	456	56.6	51.7-61.5
Oth. Race/Non-Hisp.	168	147,675	101	65.5	55.1-75.9	67	34.5	24.1-44.9
MultiRacial/Non-Hisp.	105	48,566	46	55.4	41.7-69.1	59	44.6	30.9-58.3
Hispanic	134	244,065	62	51.4	40.0-62.8	72	48.6	37.2-60.0
18-24	373	629,002	182	51.2	44.5-57.9	191	48.8	42.1-55.5
25-34	678	921,601	320	49.9	45.0-54.8	358	50.1	45.2-55.0
35-44	712	846,699	307	49.2	44.3-54.1	405	50.8	45.9-55.7
45-54	1090	874,310	513	49.0	45.1-52.9	577	51.0	47.1-54.9
55-64	1319	891,632	585	47.6	44.1-51.1	734	52.4	48.9-55.9
65+	2070	1,174,422	829	44.3	41.4-47.2	1241	55.7	52.8-58.6
Less Than H.S.	597	707,392	266	51.9	46.2-57.6	331	48.1	42.4-53.8
H.S. or G.E.D.	1951	1,750,186	842	48.5	45.4-51.6	1109	51.5	48.4-54.6
Some Post-H.S.	1648	1,564,339	668	44.3	41.0-47.6	980	55.7	52.4-59.0
College Graduate	2021	1,297,482	950	50.6	47.7-53.5	1071	49.4	46.5-52.3
Less than \$15,000	644	477,378	223	40.6	35.1-46.1	421	59.4	53.9-64.9
\$15,000- 24,999	967	778,868	362	42.7	38.2-47.2	605	57.3	52.8-61.8
\$25,000- 34,999	495	429,559	208	45.6	39.1-52.1	287	54.4	47.9-60.9
\$35,000- 49,999	754	641,825	344	50.7	45.8-55.6	410	49.3	44.4-54.2
\$50,000- 74,999	750	685,657	387	55.9	50.8-61.0	363	44.1	39.0-49.2
\$75,000+	1423	1,301,343	768	57.0	53.5-60.5	655	43.0	39.5-46.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 9: TOBACCO USE CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	112
2	MALES ONLY	113
3	FEMALES ONLY	114
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	115
5	MALES ONLY	116
6	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5885	5,003,497	816	14.1	12.9-15.3	315	5.8	5.0- 6.6	1631	25.3	23.7-26.9	3123	54.8	53.0-56.6
Male	2586	2,414,715	369	14.9	12.9-16.9	140	6.0	4.6- 7.4	843	29.4	27.0-31.8	1234	49.6	46.9-52.3
Female	3299	2,588,782	447	13.3	11.7-14.9	175	5.6	4.4- 6.8	788	21.5	19.5-23.5	1889	59.7	57.3-62.1
White/Non-Hisp	4741	3,759,706	674	14.9	13.5-16.3	224	4.6	3.8- 5.4	1393	27.6	25.8-29.4	2450	53.0	51.0-55.0
Black or Afr. Am./Non-Hisp	663	760,407	72	10.7	7.6-13.8	60	9.6	6.5-12.7	122	17.4	13.5-21.3	409	62.4	57.5-67.3
Oth. Race/Non-Hisp.	155	126,580	20	12.6	5.2-20.0	8	3.7	0.6- 6.8	35	18.5	9.9-27.1	92	65.2	54.4-76.0
MultiRacial/Non-Hisp.	104	48,434	26	26.5	13.2-39.8	6	7.5	0.0-15.9	26	22.4	10.6-34.2	46	43.6	29.9-57.3
Hispanic	121	226,861	10	7.1	1.4-12.8	11	14.8	5.6-24.0	27	22.0	12.0-32.0	73	56.1	44.1-68.1
18-24	354	600,947	23	5.7	3.2- 8.2	21	5.4	2.7- 8.1	24	5.7	3.0- 8.4	286	83.2	78.7-87.7
25-34	631	843,833	100	15.2	11.7-18.7	45	8.2	5.3-11.1	110	17.6	13.5-21.7	376	59.1	54.0-64.2
35-44	665	785,209	138	23.2	18.7-27.7	41	6.6	3.9- 9.3	157	24.1	19.6-28.6	329	46.1	41.0-51.2
45-54	1028	816,337	177	16.9	13.8-20.0	66	6.2	4.4- 8.0	250	25.5	22.0-29.0	535	51.5	47.4-55.6
55-64	1255	852,569	201	14.4	12.0-16.8	82	5.8	4.2- 7.4	362	30.9	27.6-34.2	610	49.0	45.5-52.5
65+	1952	1,104,602	177	9.0	7.2-10.8	60	3.4	2.2- 4.6	728	38.4	35.5-41.3	987	49.2	46.3-52.1
Less Than H.S.	558	651,785	142	28.8	23.3-34.3	50	8.1	5.4-10.8	179	26.7	21.8-31.6	187	36.3	30.6-42.0
H.S. or G.E.D.	1829	1,641,465	348	16.0	13.8-18.2	123	6.6	5.0- 8.2	512	27.5	24.8-30.2	846	49.9	46.8-53.0
Some Post-H.S.	1560	1,473,672	216	12.9	10.7-15.1	99	6.7	4.7- 8.7	454	25.7	22.8-28.6	791	54.6	51.3-57.9
College Graduate	1925	1,227,695	110	5.2	3.8- 6.6	40	2.3	1.3- 3.3	482	21.1	18.7-23.5	1293	71.4	68.7-74.1
Less than \$15,000	629	465,754	148	20.9	16.6-25.2	56	9.1	5.8-12.4	180	26.0	21.3-30.7	245	43.9	38.2-49.6
\$15,000- 24,999	940	748,892	204	22.6	18.9-26.3	84	10.2	7.3-13.1	243	23.7	20.0-27.4	409	43.6	39.1-48.1
\$25,000- 34,999	471	405,434	90	20.3	14.8-25.8	27	6.1	3.0- 9.2	136	24.1	19.2-29.0	218	49.6	42.9-56.3
\$35,000- 49,999	745	627,198	82	10.5	7.8-13.2	46	7.8	4.7-10.9	221	26.9	22.8-31.0	396	54.8	49.9-59.7
\$50,000- 74,999	727	661,419	78	11.2	8.1-14.3	21	2.5	0.9- 4.1	223	31.5	26.6-36.4	405	54.8	49.7-59.9
\$75,000+	1388	1,274,355	92	8.3	5.9-10.7	31	2.8	1.4- 4.2	370	24.3	21.2-27.4	895	64.6	61.1-68.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2586	2,414,715	369	14.9	12.9-16.9	140	6.0	4.6- 7.4	843	29.4	27.0-31.8	1234	49.6	46.9-52.3
White/Non-Hisp	2101	1,812,397	302	15.5	13.1-17.9	91	3.9	2.9- 4.9	723	32.5	29.8-35.2	985	48.0	45.1-50.9
Black or Afr. Am./Non-Hisp	247	334,768	31	13.6	7.9-19.3	30	12.8	7.3-18.3	62	21.3	14.6-28.0	124	52.2	44.0-60.4
Oth. Race/Non-Hisp.	90	79,549	9	9.4	2.0-16.8	3	3.2	0.0- 7.5	22	16.4	7.0-25.8	56	70.9	58.6-83.2
Hispanic	59	122,672	7	8.0	0.4-15.6	8	18.3	4.8-31.8	13	21.5	6.8-36.2	31	52.1	34.7-69.5
18-24	171	306,972	12	6.8	2.7-10.9	15	8.3	3.2-13.4	13	6.6	2.5-10.7	131	78.2	70.9-85.5
25-34	298	427,528	46	16.6	10.9-22.3	20	7.9	3.8-12.0	60	20.9	14.2-27.6	172	54.6	47.2-62.0
35-44	286	385,703	68	26.0	18.9-33.1	19	6.2	2.5- 9.9	71	23.5	17.4-29.6	128	44.3	36.7-51.9
45-54	485	399,874	79	15.9	11.2-20.6	30	5.3	3.1- 7.5	145	32.3	26.6-38.0	231	46.5	40.4-52.6
55-64	558	404,413	82	14.1	10.4-17.8	36	5.7	3.3- 8.1	181	34.6	29.3-39.9	259	45.6	40.1-51.1
65+	788	490,224	82	9.8	7.1-12.5	20	3.5	1.5- 5.5	373	49.3	44.8-53.8	313	37.4	33.1-41.7
Less Than H.S.	248	337,836	76	34.8	26.2-43.4	22	6.8	3.1-10.5	88	29.5	21.9-37.1	62	28.9	20.7-37.1
H.S. or G.E.D.	792	799,755	161	16.6	13.5-19.7	53	6.9	4.4- 9.4	264	30.9	26.6-35.2	314	45.6	40.7-50.5
Some Post-H.S.	640	663,830	81	11.2	8.1-14.3	41	6.9	4.2- 9.6	223	31.5	26.6-36.4	295	50.3	45.0-55.6
College Graduate	901	610,076	51	5.9	3.5- 8.3	22	3.0	1.2- 4.8	267	25.4	21.9-28.9	561	65.7	61.6-69.8
Less than \$15,000	219	191,125	58	21.9	14.8-29.0	17	7.8	2.7-12.9	75	31.4	23.2-39.6	69	38.9	29.7-48.1
\$15,000- 24,999	351	319,781	94	26.5	20.2-32.8	34	10.6	5.9-15.3	103	27.2	20.9-33.5	120	35.6	28.5-42.7
\$25,000- 34,999	197	182,120	36	20.9	11.5-30.3	12	6.3	1.8-10.8	72	28.4	20.2-36.6	77	44.5	33.9-55.1
\$35,000- 49,999	339	315,589	37	10.6	6.5-14.7	27	9.0	4.1-13.9	108	29.9	23.4-36.4	167	50.4	43.0-57.8
\$50,000- 74,999	377	372,727	47	12.0	7.5-16.5	12	3.2	0.7- 5.7	130	34.4	27.3-41.5	188	50.4	43.0-57.8
\$75,000+	745	720,839	53	10.9	7.0-14.8	17	2.9	1.1- 4.7	235	26.8	22.5-31.1	440	59.4	54.3-64.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3299	2,588,782	447	13.3	11.7-14.9	175	5.6	4.4- 6.8	788	21.5	19.5-23.5	1889	59.7	57.3-62.1
White/Non-Hisp	2640	1,947,309	372	14.3	12.5-16.1	133	5.2	4.0- 6.4	670	22.9	20.7-25.1	1465	57.6	55.1-60.1
Black or Afr. Am./Non-Hisp	416	425,639	41	8.4	5.3-11.5	30	7.0	3.7-10.3	60	14.2	9.7-18.7	285	70.4	64.5-76.3
Oth. Race/Non-Hisp.	65	47,030	11	17.9	2.8-33.0	5	4.5	0.0- 9.0	13	21.9	5.8-38.0	36	55.7	37.5-73.9
MultiRacial/Non-Hisp.	59	21,642	13	22.2	8.9-35.5	2	3.5	0.0- 9.0	15	27.3	7.7-46.9	29	47.0	28.4-65.6
Hispanic	62	104,188	3	6.0	0.0-14.6	3	10.6	0.0-22.9	14	22.5	8.8-36.2	42	60.8	44.5-77.1
18-24	183	293,975	11	4.7	1.4- 8.0	6	2.3	0.5- 4.1	11	4.8	1.5- 8.1	155	88.3	83.4-93.2
25-34	333	416,304	54	13.8	9.3-18.3	25	8.4	4.3-12.5	50	14.2	9.5-18.9	204	63.7	57.0-70.4
35-44	379	399,506	70	20.5	14.8-26.2	22	6.9	3.0-10.8	86	24.7	18.2-31.2	201	47.9	41.0-54.8
45-54	543	416,463	98	17.7	13.6-21.8	36	7.1	4.2-10.0	105	18.9	14.8-23.0	304	56.3	51.0-61.6
55-64	697	448,156	119	14.6	11.5-17.7	46	5.8	3.6- 8.0	181	27.5	23.2-31.8	351	52.1	47.4-56.8
65+	1164	614,378	95	8.3	6.1-10.5	40	3.3	1.9- 4.7	355	29.7	26.2-33.2	674	58.7	55.0-62.4
Less Than H.S.	310	313,948	66	22.4	15.9-28.9	28	9.5	5.2-13.8	91	23.7	17.8-29.6	125	44.4	36.8-52.0
H.S. or G.E.D.	1037	841,709	187	15.3	12.6-18.0	70	6.3	4.3- 8.3	248	24.3	20.6-28.0	532	54.0	49.7-58.3
Some Post-H.S.	920	809,842	135	14.3	11.2-17.4	58	6.5	4.0- 9.0	231	21.0	17.7-24.3	496	58.2	53.9-62.5
College Graduate	1024	617,620	59	4.5	2.9- 6.1	18	1.5	0.5- 2.5	215	16.9	14.0-19.8	732	77.1	73.8-80.4
Less than \$15,000	410	274,629	90	20.2	15.1-25.3	39	10.1	5.8-14.4	105	22.3	16.6-28.0	176	47.4	40.1-54.7
\$15,000- 24,999	589	429,111	110	19.6	14.9-24.3	50	9.8	6.3-13.3	140	21.0	16.7-25.3	289	49.5	43.8-55.2
\$25,000- 34,999	274	223,314	54	19.8	13.7-25.9	15	5.9	1.8-10.0	64	20.6	14.5-26.7	141	53.7	45.5-61.9
\$35,000- 49,999	406	311,609	45	10.4	6.7-14.1	19	6.5	2.6-10.4	113	23.9	18.6-29.2	229	59.2	52.7-65.7
\$50,000- 74,999	350	288,692	31	10.3	5.8-14.8	9	1.5	0.3- 2.7	93	27.8	21.1-34.5	217	60.4	53.3-67.5
\$75,000+	643	553,516	39	4.9	3.1- 6.7	14	2.7	0.3- 5.1	135	21.1	16.4-25.8	455	71.3	66.4-76.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5885	5,003,497	4754	80.1	78.7-81.5	1131	19.9	18.5-21.3
Male	2586	2,414,715	2077	79.1	76.7-81.5	509	20.9	18.5-23.3
Female	3299	2,588,782	2677	81.1	79.3-82.9	622	18.9	17.1-20.7
White/Non-Hisp	4741	3,759,706	3843	80.5	78.9-82.1	898	19.5	17.9-21.1
Black or Afr. Am./Non-Hisp	663	760,407	531	79.7	75.6-83.8	132	20.3	16.2-24.4
Oth. Race/Non-Hisp.	155	126,580	127	83.7	75.7-91.7	28	16.3	8.3-24.3
MultiRacial/Non-Hisp.	104	48,434	72	66.0	51.9-80.1	32	34.0	19.9-48.1
Hispanic	121	226,861	100	78.1	67.9-88.3	21	21.9	11.7-32.1
18-24	354	600,947	310	88.9	85.2-92.6	44	11.1	7.4-14.8
25-34	631	843,833	486	76.6	72.3-80.9	145	23.4	19.1-27.7
35-44	665	785,209	486	70.2	65.3-75.1	179	29.8	24.9-34.7
45-54	1028	816,337	785	76.9	73.4-80.4	243	23.1	19.6-26.6
55-64	1255	852,569	972	79.9	77.2-82.6	283	20.1	17.4-22.8
65+	1952	1,104,602	1715	87.6	85.6-89.6	237	12.4	10.4-14.4
Less Than H.S.	558	651,785	366	63.1	57.4-68.8	192	36.9	31.2-42.6
H.S. or G.E.D.	1829	1,641,465	1358	77.4	74.9-79.9	471	22.6	20.1-25.1
Some Post-H.S.	1560	1,473,672	1245	80.4	77.7-83.1	315	19.6	16.9-22.3
College Graduate	1925	1,227,695	1775	92.5	90.9-94.1	150	7.5	5.9-9.1
Less than \$15,000	629	465,754	425	69.9	65.0-74.8	204	30.1	25.2-35.0
\$15,000- 24,999	940	748,892	652	67.2	62.9-71.5	288	32.8	28.5-37.1
\$25,000- 34,999	471	405,434	354	73.7	67.8-79.6	117	26.3	20.4-32.2
\$35,000- 49,999	745	627,198	617	81.7	77.8-85.6	128	18.3	14.4-22.2
\$50,000- 74,999	727	661,419	628	86.3	82.8-89.8	99	13.7	10.2-17.2
\$75,000+	1388	1,274,355	1265	88.9	86.2-91.6	123	11.1	8.4-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2586	2,414,715	2077	79.1	76.7-81.5	509	20.9	18.5-23.3
White/Non-Hisp	2101	1,812,397	1708	80.6	78.2-83.0	393	19.4	17.0-21.8
Black or Afr. Am./Non-Hisp	247	334,768	186	73.6	66.3-80.9	61	26.4	19.1-33.7
Oth. Race/Non-Hisp.	90	79,549	78	87.3	78.7-95.9	12	12.7	4.1-21.3
Hispanic	59	122,672	44	73.6	58.9-88.3	15	26.4	11.7-41.1
18-24	171	306,972	144	84.9	78.6-91.2	27	15.1	8.8-21.4
25-34	298	427,528	232	75.5	69.0-82.0	66	24.5	18.0-31.0
35-44	286	385,703	199	67.8	60.4-75.2	87	32.2	24.8-39.6
45-54	485	399,874	376	78.8	73.7-83.9	109	21.2	16.1-26.3
55-64	558	404,413	440	80.2	76.1-84.3	118	19.8	15.7-23.9
65+	788	490,224	686	86.7	83.4-90.0	102	13.3	10.0-16.6
Less Than H.S.	248	337,836	150	58.4	49.6-67.2	98	41.6	32.8-50.4
H.S. or G.E.D.	792	799,755	578	76.5	72.6-80.4	214	23.5	19.6-27.4
Some Post-H.S.	640	663,830	518	81.9	78.0-85.8	122	18.1	14.2-22.0
College Graduate	901	610,076	828	91.1	88.4-93.8	73	8.9	6.2-11.6
Less than \$15,000	219	191,125	144	70.3	62.3-78.3	75	29.7	21.7-37.7
\$15,000- 24,999	351	319,781	223	62.8	55.7-69.9	128	37.2	30.1-44.3
\$25,000- 34,999	197	182,120	149	72.8	63.0-82.6	48	27.2	17.4-37.0
\$35,000- 49,999	339	315,589	275	80.3	74.2-86.4	64	19.7	13.6-25.8
\$50,000- 74,999	377	372,727	318	84.8	79.7-89.9	59	15.2	10.1-20.3
\$75,000+	745	720,839	675	86.2	82.1-90.3	70	13.8	9.7-17.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3299	2,588,782	2677	81.1	79.3-82.9	622	18.9	17.1-20.7
White/Non-Hisp	2640	1,947,309	2135	80.5	78.5-82.5	505	19.5	17.5-21.5
Black or Afr. Am./Non-Hisp	416	425,639	345	84.6	80.1-89.1	71	15.4	10.9-19.9
Oth. Race/Non-Hisp.	65	47,030	49	77.6	62.3-92.9	16	22.4	7.1-37.7
MultiRacial/Non-Hisp.	59	21,642	44	74.3	60.2-88.4	15	25.7	11.6-39.8
Hispanic	62	104,188	56	83.4	69.3-97.5	6	16.6	2.5-30.7
18-24	183	293,975	166	93.1	89.4-96.8	17	6.9	3.2-10.6
25-34	333	416,304	254	77.8	72.1-83.5	79	22.2	16.5-27.9
35-44	379	399,506	287	72.5	66.2-78.8	92	27.5	21.2-33.8
45-54	543	416,463	409	75.1	70.4-79.8	134	24.9	20.2-29.6
55-64	697	448,156	532	79.6	76.1-83.1	165	20.4	16.9-23.9
65+	1164	614,378	1029	88.4	86.0-90.8	135	11.6	9.2-14.0
Less Than H.S.	310	313,948	216	68.1	61.0-75.2	94	31.9	24.8-39.0
H.S. or G.E.D.	1037	841,709	780	78.3	75.2-81.4	257	21.7	18.6-24.8
Some Post-H.S.	920	809,842	727	79.1	75.6-82.6	193	20.9	17.4-24.4
College Graduate	1024	617,620	947	94.0	92.2-95.8	77	6.0	4.2- 7.8
Less than \$15,000	410	274,629	281	69.7	63.4-76.0	129	30.3	24.0-36.6
\$15,000- 24,999	589	429,111	429	70.5	65.2-75.8	160	29.5	24.2-34.8
\$25,000- 34,999	274	223,314	205	74.3	67.2-81.4	69	25.7	18.6-32.8
\$35,000- 49,999	406	311,609	342	83.1	78.0-88.2	64	16.9	11.8-22.0
\$50,000- 74,999	350	288,692	310	88.2	83.5-92.9	40	11.8	7.1-16.5
\$75,000+	643	553,516	590	92.3	89.4-95.2	53	7.7	4.8-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	119
2 MALES ONLY	120
3 FEMALES ONLY	121
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	122
5 MALES ONLY	123
6 FEMALES ONLY	124
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	125
8 MALES ONLY	126
9 FEMALES ONLY	127
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	128
11 MALES ONLY	129
12 FEMALES ONLY	130
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	131
14 MALES ONLY	132
15 FEMALES ONLY	133

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5807	4,931,928	2332	44.7	42.9-46.5	3475	55.3	53.5-57.1
Male	2540	2,383,266	1211	51.3	48.6-54.0	1329	48.7	46.0-51.4
Female	3267	2,548,662	1121	38.6	36.2-41.0	2146	61.4	59.0-63.8
White/Non-Hisp	4693	3,730,312	1864	43.2	41.2-45.2	2829	56.8	54.8-58.8
Black or Afr. Am./Non-Hisp	643	730,612	274	49.7	44.4-55.0	369	50.3	45.0-55.6
Oth. Race/Non-Hisp.	151	123,120	52	34.7	23.5-45.9	99	65.3	54.1-76.5
MultiRacial/Non-Hisp.	103	47,978	47	60.3	47.6-73.0	56	39.7	27.0-52.4
Hispanic	120	223,600	59	56.5	44.9-68.1	61	43.5	31.9-55.1
18-24	349	595,865	188	49.6	42.7-56.5	161	50.4	43.5-57.3
25-34	624	832,078	356	56.9	51.8-62.0	268	43.1	38.0-48.2
35-44	653	772,380	310	52.3	47.2-57.4	343	47.7	42.6-52.8
45-54	1010	802,114	477	49.0	44.9-53.1	533	51.0	46.9-55.1
55-64	1241	842,347	460	38.2	34.7-41.7	781	61.8	58.3-65.3
65+	1930	1,087,144	541	29.4	26.7-32.1	1389	70.6	67.9-73.3
Less Than H.S.	551	637,704	123	29.8	23.9-35.7	428	70.2	64.3-76.1
H.S. or G.E.D.	1800	1,614,880	546	35.8	32.7-38.9	1254	64.2	61.1-67.3
Some Post-H.S.	1536	1,454,764	638	48.2	44.7-51.7	898	51.8	48.3-55.3
College Graduate	1910	1,218,953	1022	60.5	57.6-63.4	888	39.5	36.6-42.4
Less than \$15,000	617	456,677	149	29.8	24.3-35.3	468	70.2	64.7-75.7
\$15,000- 24,999	928	739,341	270	34.3	29.8-38.8	658	65.7	61.2-70.2
\$25,000- 34,999	470	403,023	176	43.4	36.7-50.1	294	56.6	49.9-63.3
\$35,000- 49,999	737	624,268	308	47.7	42.6-52.8	429	52.3	47.2-57.4
\$50,000- 74,999	724	653,239	321	48.1	42.8-53.4	403	51.9	46.6-57.2
\$75,000+	1376	1,264,645	816	60.5	56.8-64.2	560	39.5	35.8-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2540	2,383,266	1211	51.3	48.6-54.0	1329	48.7	46.0-51.4
White/Non-Hisp	2073	1,796,658	983	50.8	47.9-53.7	1090	49.2	46.3-52.1
Black or Afr. Am./Non-Hisp	238	326,449	123	56.8	48.4-65.2	115	43.2	34.8-51.6
Oth. Race/Non-Hisp.	86	76,090	29	26.9	15.1-38.7	57	73.1	61.3-84.9
Hispanic	58	122,467	31	55.3	38.1-72.5	27	44.7	27.5-61.9
18-24	168	302,677	93	52.6	42.8-62.4	75	47.4	37.6-57.2
25-34	298	427,497	193	60.4	53.0-67.8	105	39.6	32.2-47.0
35-44	279	382,286	146	59.3	51.9-66.7	133	40.7	33.3-48.1
45-54	478	394,845	257	55.8	49.7-61.9	221	44.2	38.1-50.3
55-64	548	398,034	243	44.6	39.1-50.1	305	55.4	49.9-60.9
65+	769	477,927	279	37.9	33.4-42.4	490	62.1	57.6-66.6
Less Than H.S.	239	331,801	77	40.9	31.7-50.1	162	59.1	49.9-68.3
H.S. or G.E.D.	776	784,933	304	42.3	37.4-47.2	472	57.7	52.8-62.6
Some Post-H.S.	630	659,258	312	56.2	50.9-61.5	318	43.8	38.5-49.1
College Graduate	892	606,164	516	63.3	59.2-67.4	376	36.7	32.6-40.8
Less than \$15,000	212	187,584	65	33.9	24.9-42.9	147	66.1	57.1-75.1
\$15,000- 24,999	344	313,488	128	40.4	33.1-47.7	216	59.6	52.3-66.9
\$25,000- 34,999	196	182,177	91	53.0	42.6-63.4	105	47.0	36.6-57.4
\$35,000- 49,999	338	318,452	158	51.8	44.4-59.2	180	48.2	40.8-55.6
\$50,000- 74,999	375	369,870	183	54.0	46.7-61.3	192	46.0	38.7-53.3
\$75,000+	738	715,122	459	63.7	58.6-68.8	279	36.3	31.2-41.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3267	2,548,662	1121	38.6	36.2-41.0	2146	61.4	59.0-63.8
White/Non-Hisp	2620	1,933,654	881	36.2	33.7-38.7	1739	63.8	61.3-66.3
Black or Afr. Am./Non-Hisp	405	404,163	151	44.0	37.3-50.7	254	56.0	49.3-62.7
Oth. Race/Non-Hisp.	65	47,030	23	47.3	28.9-65.7	42	52.7	34.3-71.1
MultiRacial/Non-Hisp.	59	21,642	20	55.5	37.9-73.1	39	44.5	26.9-62.1
Hispanic	62	101,133	28	57.9	42.8-73.0	34	42.1	27.0-57.2
18-24	181	293,188	95	46.4	37.0-55.8	86	53.6	44.2-63.0
25-34	326	404,582	163	53.2	46.3-60.1	163	46.8	39.9-53.7
35-44	374	390,094	164	45.4	38.5-52.3	210	54.6	47.7-61.5
45-54	532	407,269	220	42.4	36.9-47.9	312	57.6	52.1-63.1
55-64	693	444,312	217	32.4	27.9-36.9	476	67.6	63.1-72.1
65+	1161	609,218	262	22.8	19.7-25.9	899	77.2	74.1-80.3
Less Than H.S.	312	305,903	46	17.7	12.0-23.4	266	82.3	76.6-88.0
H.S. or G.E.D.	1024	829,947	242	29.6	25.5-33.7	782	70.4	66.3-74.5
Some Post-H.S.	906	795,506	326	41.6	37.1-46.1	580	58.4	53.9-62.9
College Graduate	1018	612,789	506	57.7	53.8-61.6	512	42.3	38.4-46.2
Less than \$15,000	405	269,093	84	27.0	19.9-34.1	321	73.0	65.9-80.1
\$15,000- 24,999	584	425,852	142	29.7	24.2-35.2	442	70.3	64.8-75.8
\$25,000- 34,999	274	220,846	85	35.6	27.8-43.4	189	64.4	56.6-72.2
\$35,000- 49,999	399	305,816	150	43.4	36.7-50.1	249	56.6	49.9-63.3
\$50,000- 74,999	349	283,370	138	40.4	33.3-47.5	211	59.6	52.5-66.7
\$75,000+	638	549,523	357	56.4	51.1-61.7	281	43.6	38.3-48.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5807	4,931,928	1364	25.9	24.3-27.5	491	9.7	8.5-10.9	186	4.0	3.2- 4.8	291	5.1	4.3- 5.9	3475	55.3	53.5-57.1
Male	2540	2,383,266	620	26.2	23.8-28.6	293	12.6	10.6-14.6	104	4.8	3.6- 6.0	194	7.7	6.1- 9.3	1329	48.7	46.0-51.4
Female	3267	2,548,662	744	25.7	23.5-27.9	198	7.1	5.7- 8.5	82	3.1	2.1- 4.1	97	2.7	2.1- 3.3	2146	61.4	59.0-63.8
White/Non-Hisp	4693	3,730,312	1064	23.8	22.0-25.6	404	10.1	8.7-11.5	160	4.3	3.5- 5.1	236	5.1	4.1- 6.1	2829	56.8	54.8-58.8
Black or Afr. Am./Non-Hisp	643	730,612	188	35.4	30.3-40.5	48	8.1	5.4-10.8	16	3.0	1.2- 4.8	22	3.3	1.5- 5.1	369	50.3	45.0-55.6
Oth. Race/Non-Hisp.	151	123,120	31	21.9	12.5-31.3	10	6.4	0.3-12.5	2	1.1	0.0- 2.7	9	5.4	0.9- 9.9	99	65.3	54.1-76.5
MultiRacial/Non-Hisp.	103	47,978	26	29.9	16.8-43.0	14	17.4	6.0-28.8	1	5.1	0.0-14.7	6	7.9	0.0-17.9	56	39.7	27.0-52.4
Hispanic	120	223,600	36	32.1	20.9-43.3	10	10.0	2.0-18.0	4	4.5	0.0- 9.8	9	9.9	1.7-18.1	61	43.5	31.9-55.1
18-24	349	595,865	109	28.8	22.9-34.7	50	13.5	8.8-18.2	21	3.8	1.8- 5.8	8	3.5	0.4- 6.6	161	50.4	43.5-57.3
25-34	624	832,078	208	32.4	27.7-37.1	87	13.6	10.1-17.1	29	5.9	3.5- 8.3	32	5.0	3.0- 7.0	268	43.1	38.0-48.2
35-44	653	772,380	205	32.2	27.3-37.1	60	11.1	7.6-14.6	20	4.4	2.0- 6.8	25	4.6	1.9- 7.3	343	47.7	42.6-52.8
45-54	1010	802,114	299	30.8	26.9-34.7	105	10.7	8.3-13.1	22	2.6	1.2- 4.0	51	4.9	3.1- 6.7	533	51.0	46.9-55.1
55-64	1241	842,347	273	22.0	19.1-24.9	92	7.5	5.5- 9.5	42	4.3	2.7- 5.9	53	4.4	2.8- 6.0	781	61.8	58.3-65.3
65+	1930	1,087,144	270	14.6	12.4-16.8	97	4.8	3.6- 6.0	52	3.0	2.0- 4.0	122	7.1	5.5- 8.7	1389	70.6	67.9-73.3
Less Than H.S.	551	637,704	76	16.7	12.4-21.0	21	5.6	1.9- 9.3	7	2.4	0.2- 4.6	19	5.0	1.7- 8.3	428	70.2	64.3-76.1
H.S. or G.E.D.	1800	1,614,880	331	21.9	19.2-24.6	103	6.5	4.7- 8.3	35	2.6	1.6- 3.6	77	4.8	3.2- 6.4	1254	64.2	61.1-67.3
Some Post-H.S.	1536	1,454,764	396	29.7	26.4-33.0	125	9.8	7.6-12.0	45	4.0	2.4- 5.6	72	4.8	3.4- 6.2	898	51.8	48.3-55.3
College Graduate	1910	1,218,953	559	31.8	28.9-34.7	241	16.2	13.8-18.6	99	6.6	5.0- 8.2	123	5.9	4.5- 7.3	888	39.5	36.6-42.4
Less than \$15,000	617	456,677	99	19.8	15.1-24.5	29	5.0	2.1- 7.9	5	1.6	0.0- 3.2	16	3.4	1.0- 5.8	468	70.2	64.7-75.7
\$15,000- 24,999	928	739,341	161	21.2	17.1-25.3	55	6.4	4.4- 8.4	16	2.5	0.9- 4.1	38	4.1	2.3- 5.9	658	65.7	61.2-70.2
\$25,000- 34,999	470	403,023	109	24.5	19.2-29.8	35	10.0	5.7-14.3	12	4.1	0.8- 7.4	20	4.9	0.8- 9.0	294	56.6	49.9-63.3
\$35,000- 49,999	737	624,268	179	28.7	24.0-33.4	62	10.1	6.8-13.4	17	2.9	1.1- 4.7	50	6.1	3.9- 8.3	429	52.3	47.2-57.4
\$50,000- 74,999	724	653,239	206	31.0	25.9-36.1	56	9.2	5.9-12.5	27	3.1	1.5- 4.7	32	4.8	2.8- 6.8	403	51.9	46.6-57.2
\$75,000+	1376	1,264,645	432	31.2	27.9-34.5	201	15.5	12.8-18.2	88	7.2	5.2- 9.2	95	6.7	4.7- 8.7	560	39.5	35.8-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2540	2,383,266	620	26.2	23.8-28.6	293	12.6	10.6-14.6	104	4.8	3.6- 6.0	194	7.7	6.1- 9.3	1329	48.7	46.0-51.4
White/Non-Hisp	2073	1,796,658	496	24.8	22.3-27.3	244	13.0	10.8-15.2	88	5.3	3.9- 6.7	155	7.7	5.9- 9.5	1090	49.2	46.3-52.1
Black or Afr. Am./Non-Hisp	238	326,449	75	37.3	29.1-45.5	23	10.2	5.3-15.1	10	4.1	1.0- 7.2	15	5.2	1.5- 8.9	115	43.2	34.8-51.6
Oth. Race/Non-Hisp.	86	76,090	13	13.6	4.8-22.4	7	4.3	1.2- 7.4	2	1.8	0.0- 4.3	7	7.3	0.4-14.2	57	73.1	61.3-84.9
Hispanic	58	122,467	17	25.5	10.8-40.2	7	16.0	2.1-29.9	1	1.1	0.0- 3.3	6	12.7	0.0-25.8	27	44.7	27.5-61.9
18-24	168	302,677	50	27.6	19.2-36.0	24	13.9	6.8-21.0	12	4.5	1.2- 7.8	7	6.6	0.7-12.5	75	47.4	37.6-57.2
25-34	298	427,497	96	28.5	22.0-35.0	53	16.2	10.7-21.7	20	7.7	4.0-11.4	24	8.0	4.5-11.5	105	39.6	32.2-47.0
35-44	279	382,286	75	29.2	21.9-36.5	39	16.7	10.4-23.0	12	5.4	1.7- 9.1	20	7.9	2.8-13.0	133	40.7	33.3-48.1
45-54	478	394,845	147	33.1	27.0-39.2	62	12.8	9.1-16.5	14	3.3	1.3- 5.3	34	6.6	3.5- 9.7	221	44.2	38.1-50.3
55-64	548	398,034	136	24.7	20.0-29.4	57	10.5	7.2-13.8	20	4.5	2.1- 6.9	30	4.9	2.5- 7.3	305	55.4	49.9-60.9
65+	769	477,927	116	16.3	12.8-19.8	58	6.9	4.7- 9.1	26	3.5	1.7- 5.3	79	11.2	8.1-14.3	490	62.1	57.6-66.6
Less Than H.S.	239	331,801	40	18.2	11.5-24.9	15	9.6	2.5-16.7	6	4.4	0.3- 8.5	16	8.8	2.7-14.9	162	59.1	49.9-68.3
H.S. or G.E.D.	776	784,933	157	22.0	17.9-26.1	69	9.3	6.2-12.4	22	3.7	1.7- 5.7	56	7.3	4.6-10.0	472	57.7	52.8-62.6
Some Post-H.S.	630	659,258	170	32.0	26.9-37.1	70	12.3	9.0-15.6	22	4.1	1.9- 6.3	50	7.7	5.0-10.4	318	43.8	38.5-49.1
College Graduate	892	606,164	252	29.6	25.5-33.7	138	18.9	15.2-22.6	54	7.3	4.9- 9.7	72	7.6	5.2-10.0	376	36.7	32.6-40.8
Less than \$15,000	212	187,584	36	19.4	12.0-26.8	13	4.3	1.4- 7.2	5	3.9	0.0- 7.8	11	6.3	0.8-11.8	147	66.1	57.1-75.1
\$15,000- 24,999	344	313,488	64	21.3	14.8-27.8	33	9.9	6.0-13.8	4	1.7	0.0- 3.7	27	7.5	3.8-11.2	216	59.6	52.3-66.9
\$25,000- 34,999	196	182,177	46	22.0	14.4-29.6	19	13.3	5.5-21.1	10	8.2	0.9-15.5	16	9.5	0.9-18.1	105	47.0	36.6-57.4
\$35,000- 49,999	338	318,452	79	28.2	21.1-35.3	35	11.3	6.0-16.6	11	3.9	1.2- 6.6	33	8.5	5.0-12.0	180	48.2	40.8-55.6
\$50,000- 74,999	375	369,870	108	33.4	26.1-40.7	37	10.5	5.4-15.6	17	4.3	1.9- 6.7	21	5.8	2.7- 8.9	192	46.0	38.7-53.3
\$75,000+	738	715,122	221	29.4	24.9-33.9	126	18.8	14.7-22.9	51	6.9	4.5- 9.3	61	8.6	5.5-11.7	279	36.3	31.2-41.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3267	2,548,662	744	25.7	23.5-27.9	198	7.1	5.7- 8.5	82	3.1	2.1- 4.1	97	2.7	2.1- 3.3	2146	61.4	59.0-63.8
White/Non-Hisp	2620	1,933,654	568	22.9	20.7-25.1	160	7.4	5.8- 9.0	72	3.3	2.3- 4.3	81	2.6	1.8- 3.4	1739	63.8	61.3-66.3
Black or Afr. Am./Non-Hisp	405	404,163	113	33.8	27.3-40.3	25	6.4	3.5- 9.3	6	2.1	0.1- 4.1	7	1.8	0.2- 3.4	254	56.0	49.3-62.7
Oth. Race/Non-Hisp.	65	47,030	18	35.3	17.3-53.3	3	9.8	0.0-24.3				2	2.2	0.0- 5.9	42	52.7	34.3-71.1
MultiRacial/Non-Hisp.	59	21,642	13	42.6	22.6-62.6	5	9.0	0.0-18.2				2	3.9	0.0- 9.6	39	44.5	26.9-62.1
Hispanic	62	101,133	19	40.1	24.0-56.2	3	2.8	0.0- 6.3	3	8.6	0.0-19.8	3	6.5	0.0-14.3	34	42.1	27.0-57.2
18-24	181	293,188	59	30.0	21.6-38.4	26	13.0	6.7-19.3	9	3.0	0.8- 5.2	1	0.4	0.0- 1.2	86	53.6	44.2-63.0
25-34	326	404,582	112	36.4	29.7-43.1	34	10.9	6.6-15.2	9	4.1	1.2- 7.0	8	1.8	0.4- 3.2	163	46.8	39.9-53.7
35-44	374	390,094	130	35.1	28.6-41.6	21	5.6	2.7- 8.5	8	3.4	0.3- 6.5	5	1.4	0.0- 2.8	210	54.6	47.7-61.5
45-54	532	407,269	152	28.5	23.6-33.4	43	8.7	5.6-11.8	8	2.0	0.2- 3.8	17	3.3	1.3- 5.3	312	57.6	52.1-63.1
55-64	693	444,312	137	19.6	15.9-23.3	35	4.8	2.8- 6.8	22	4.1	2.1- 6.1	23	3.9	1.7- 6.1	476	67.6	63.1-72.1
65+	1161	609,218	154	13.2	10.7-15.7	39	3.2	2.0- 4.4	26	2.5	1.3- 3.7	43	3.8	2.4- 5.2	899	77.2	74.1-80.3
Less Than H.S.	312	305,903	36	15.1	9.6-20.6	6	1.4	0.0- 2.8	1	0.2	0.0- 0.6	3	0.9	0.0- 1.9	266	82.3	76.6-88.0
H.S. or G.E.D.	1024	829,947	174	21.8	17.9-25.7	34	3.8	2.0- 5.6	13	1.6	0.6- 2.6	21	2.5	1.1- 3.9	782	70.4	66.3-74.5
Some Post-H.S.	906	795,506	226	27.8	23.7-31.9	55	7.6	5.1-10.1	23	3.8	1.8- 5.8	22	2.4	1.2- 3.6	580	58.4	53.9-62.9
College Graduate	1018	612,789	307	34.0	29.9-38.1	103	13.6	10.5-16.7	45	5.9	3.7- 8.1	51	4.2	2.8- 5.6	512	42.3	38.4-46.2
Less than \$15,000	405	269,093	63	20.2	13.9-26.5	16	5.4	1.1- 9.7				5	1.5	0.1- 2.9	321	73.0	65.9-80.1
\$15,000- 24,999	584	425,852	97	21.2	15.9-26.5	22	3.8	2.0- 5.6	12	3.1	0.9- 5.3	11	1.7	0.5- 2.9	442	70.3	64.8-75.8
\$25,000- 34,999	274	220,846	63	26.5	19.2-33.8	16	7.2	2.9-11.5	2	0.7	0.0- 1.9	4	1.1	0.0- 2.3	189	64.4	56.6-72.2
\$35,000- 49,999	399	305,816	100	29.2	22.9-35.5	27	8.8	4.5-13.1	6	1.8	0.0- 3.6	17	3.6	1.4- 5.8	249	56.6	49.9-63.3
\$50,000- 74,999	349	283,370	98	27.8	21.3-34.3	19	7.5	3.6-11.4	10	1.7	0.5- 2.9	11	3.5	1.1- 5.9	211	59.6	52.5-66.7
\$75,000+	638	549,523	211	33.5	28.6-38.4	75	11.1	8.0-14.2	37	7.5	4.4-10.6	34	4.3	2.3- 6.3	281	43.6	38.3-48.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5736	4,837,536	5135	85.6	84.2-87.0	601	14.4	13.0-15.8
Male	2500	2,320,393	2130	80.9	78.5-83.3	370	19.1	16.7-21.5
Female	3236	2,517,143	3005	90.0	88.4-91.6	231	10.0	8.4-11.6
White/Non-Hisp	4645	3,679,337	4177	86.2	84.6-87.8	468	13.8	12.2-15.4
Black or Afr. Am./Non-Hisp	629	705,120	564	87.6	84.1-91.1	65	12.4	8.9-15.9
Oth. Race/Non-Hisp.	149	121,280	132	88.0	80.4-95.6	17	12.0	4.4-19.6
MultiRacial/Non-Hisp.	101	45,757	84	70.4	55.5-85.3	17	29.6	14.7-44.5
Hispanic	119	216,559	96	73.2	61.8-84.6	23	26.8	15.4-38.2
18-24	341	574,089	242	75.3	69.4-81.2	99	24.7	18.8-30.6
25-34	613	818,131	491	78.3	74.0-82.6	122	21.7	17.4-26.0
35-44	649	759,858	549	78.8	74.1-83.5	100	21.2	16.5-25.9
45-54	994	781,055	864	86.3	83.4-89.2	130	13.7	10.8-16.6
55-64	1221	825,332	1130	92.0	90.0-94.0	91	8.0	6.0-10.0
65+	1918	1,079,072	1859	96.3	95.1-97.5	59	3.7	2.5- 4.9
Less Than H.S.	539	619,728	498	87.8	82.9-92.7	41	12.2	7.3-17.1
H.S. or G.E.D.	1771	1,582,943	1611	87.7	85.2-90.2	160	12.3	9.8-14.8
Some Post-H.S.	1515	1,416,874	1349	85.8	83.3-88.3	166	14.2	11.7-16.7
College Graduate	1901	1,212,364	1668	81.7	79.0-84.4	233	18.3	15.6-21.0
Less than \$15,000	607	447,683	557	88.0	83.7-92.3	50	12.0	7.7-16.3
\$15,000- 24,999	918	726,130	837	88.1	85.0-91.2	81	11.9	8.8-15.0
\$25,000- 34,999	465	397,267	417	83.6	77.5-89.7	48	16.4	10.3-22.5
\$35,000- 49,999	726	615,598	658	87.8	84.5-91.1	68	12.2	8.9-15.5
\$50,000- 74,999	717	636,838	638	85.2	80.9-89.5	79	14.8	10.5-19.1
\$75,000+	1363	1,250,569	1158	80.0	76.7-83.3	205	20.0	16.7-23.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2500	2,320,393	2130	80.9	78.5-83.3	370	19.1	16.7-21.5
White/Non-Hisp	2045	1,763,434	1752	81.1	78.6-83.6	293	18.9	16.4-21.4
Black or Afr. Am./Non-Hisp	231	310,650	202	86.1	80.2-92.0	29	13.9	8.0-19.8
Oth. Race/Non-Hisp.	86	76,090	72	87.7	79.7-95.7	14	12.3	4.3-20.3
Hispanic	57	115,426	42	67.5	50.4-84.6	15	32.5	15.4-49.6
18-24	164	292,293	104	67.4	58.2-76.6	60	32.6	23.4-41.8
25-34	292	417,934	220	75.6	69.1-82.1	72	24.4	17.9-30.9
35-44	275	369,764	215	70.7	62.9-78.5	60	29.3	21.5-37.1
45-54	470	381,550	386	81.7	77.0-86.4	84	18.3	13.6-23.0
55-64	536	385,365	485	89.7	86.4-93.0	51	10.3	7.0-13.6
65+	763	473,486	720	94.1	91.9-96.3	43	5.9	3.7- 8.1
Less Than H.S.	229	314,802	202	81.7	73.1-90.3	27	18.3	9.7-26.9
H.S. or G.E.D.	759	769,053	654	82.7	78.6-86.8	105	17.3	13.2-21.4
Some Post-H.S.	620	633,620	520	81.1	77.0-85.2	100	18.9	14.8-23.0
College Graduate	889	601,807	752	78.0	73.9-82.1	137	22.0	17.9-26.1
Less than \$15,000	205	180,124	180	85.9	79.0-92.8	25	14.1	7.2-21.0
\$15,000- 24,999	337	303,073	288	84.2	78.9-89.5	49	15.8	10.5-21.1
\$25,000- 34,999	194	180,018	161	72.0	60.6-83.4	33	28.0	16.6-39.4
\$35,000- 49,999	333	313,339	290	84.7	79.4-90.0	43	15.3	10.0-20.6
\$50,000- 74,999	371	355,852	318	82.3	76.0-88.6	53	17.7	11.4-24.0
\$75,000+	731	705,937	602	76.4	71.7-81.1	129	23.6	18.9-28.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3236	2,517,143	3005	90.0	88.4-91.6	231	10.0	8.4-11.6
White/Non-Hisp	2600	1,915,903	2425	90.9	89.3-92.5	175	9.1	7.5-10.7
Black or Afr. Am./Non-Hisp	398	394,470	362	88.8	84.7-92.9	36	11.2	7.1-15.3
Oth. Race/Non-Hisp.	63	45,190	60	88.6	73.1- 100	3	11.4	0.0-26.9
MultiRacial/Non-Hisp.	59	21,642	53	83.1	67.4-98.8	6	16.9	1.2-32.6
Hispanic	62	101,133	54	79.6	64.9-94.3	8	20.4	5.7-35.1
18-24	177	281,796	138	83.4	77.1-89.7	39	16.6	10.3-22.9
25-34	321	400,197	271	81.2	75.5-86.9	50	18.8	13.1-24.5
35-44	374	390,094	334	86.4	81.3-91.5	40	13.6	8.5-18.7
45-54	524	399,505	478	90.7	87.6-93.8	46	9.3	6.2-12.4
55-64	685	439,966	645	94.0	91.6-96.4	40	6.0	3.6- 8.4
65+	1155	605,586	1139	97.9	96.7-99.1	16	2.1	0.9- 3.3
Less Than H.S.	310	304,926	296	94.1	90.6-97.6	14	5.9	2.4- 9.4
H.S. or G.E.D.	1012	813,890	957	92.3	89.8-94.8	55	7.7	5.2-10.2
Some Post-H.S.	895	783,254	829	89.6	86.5-92.7	66	10.4	7.3-13.5
College Graduate	1012	610,557	916	85.3	81.8-88.8	96	14.7	11.2-18.2
Less than \$15,000	402	267,559	377	89.3	83.6-95.0	25	10.7	5.0-16.4
\$15,000- 24,999	581	423,057	549	90.9	87.0-94.8	32	9.1	5.2-13.0
\$25,000- 34,999	271	217,248	256	93.3	89.8-96.8	15	6.7	3.2-10.2
\$35,000- 49,999	393	302,259	368	91.0	86.7-95.3	25	9.0	4.7-13.3
\$50,000- 74,999	346	280,986	320	88.9	83.6-94.2	26	11.1	5.8-16.4
\$75,000+	632	544,633	556	84.5	80.4-88.6	76	15.5	11.4-19.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5726	4,839,525	829	15.1	13.7-16.5	255	5.0	4.2- 5.8	480	9.6	8.4-10.8	354	6.8	5.8- 7.8	333	7.1	6.1- 8.1	3475	56.3	54.5-58.1
Male	2495	2,330,728	336	14.2	12.2-16.2	117	4.4	3.2- 5.6	262	11.3	9.5-13.1	208	9.2	7.4-11.0	243	11.0	9.2-12.8	1329	49.8	47.1-52.5
Female	3231	2,508,797	493	16.0	14.2-17.8	138	5.6	4.4- 6.8	218	8.0	6.6- 9.4	146	4.6	3.6- 5.6	90	3.5	2.5- 4.5	2146	62.4	60.0-64.8
White/Non-Hisp	4644	3,678,738	644	13.6	12.2-15.0	206	4.9	4.1- 5.7	398	9.7	8.5-10.9	296	6.9	5.9- 7.9	271	7.4	6.2- 8.6	2829	57.6	55.6-59.6
Black or Afr. Am./Non-Hisp	626	703,143	127	23.0	18.5-27.5	28	6.4	3.5- 9.3	41	8.1	5.2-11.0	34	6.6	4.1- 9.1	27	3.7	1.7- 5.7	369	52.2	46.9-57.5
Oth. Race/Non-Hisp.	148	121,368	16	10.0	3.7-16.3	3	1.8	0.0- 4.3	12	12.6	3.6-21.6	10	4.5	1.4- 7.6	8	4.9	0.6- 9.2	99	66.2	55.0-77.4
MultiRacial/Non-Hisp.	101	47,548	13	15.9	4.5-27.3	5	3.3	0.2- 6.4	13	16.6	6.4-26.8	7	8.2	0.0-16.8	7	15.8	1.9-29.7	56	40.1	27.2-53.0
Hispanic	116	219,043	20	18.6	9.4-27.8	9	5.7	1.0-10.4	11	11.5	2.7-20.3	5	8.7	0.7-16.7	10	11.1	2.7-19.5	61	44.4	32.6-56.2
18-24	335	568,121	39	12.2	7.5-16.9	23	5.8	3.1- 8.5	49	12.3	7.8-16.8	26	6.7	3.8- 9.6	37	10.1	5.8-14.4	161	52.9	46.0-59.8
25-34	614	819,468	112	17.0	13.3-20.7	40	7.3	4.6-10.0	93	14.7	11.4-18.0	50	7.5	4.6-10.4	51	9.7	6.8-12.6	268	43.8	38.7-48.9
35-44	640	752,961	121	16.9	13.2-20.6	35	5.6	3.2- 8.0	61	12.7	8.8-16.6	43	8.1	5.0-11.2	37	7.8	4.5-11.1	343	49.0	43.7-54.3
45-54	1001	794,166	180	19.0	15.7-22.3	54	6.4	4.2- 8.6	100	9.5	7.1-11.9	74	8.0	5.8-10.2	60	5.6	3.6- 7.6	533	51.5	47.4-55.6
55-64	1225	828,859	187	15.8	13.1-18.5	47	3.2	2.0- 4.4	80	6.5	4.7- 8.3	68	6.3	4.5- 8.1	62	5.4	3.6- 7.2	781	62.8	59.3-66.3
65+	1911	1,075,950	190	10.5	8.7-12.3	56	3.0	2.0- 4.0	97	4.7	3.5- 5.9	93	4.9	3.7- 6.1	86	5.6	4.0- 7.2	1389	71.3	68.6-74.0
Less Than H.S.	543	623,969	54	11.5	8.0-15.0	7	1.6	0.0- 3.2	11	3.2	0.8- 5.6	21	5.4	1.9- 8.9	22	6.5	2.8-10.2	428	71.8	65.9-77.7
H.S. or G.E.D.	1772	1,587,764	194	12.7	10.3-15.1	51	3.1	2.1- 4.1	114	8.0	6.0-10.0	66	4.3	2.9- 5.7	93	6.7	4.9- 8.5	1254	65.3	62.0-68.6
Some Post-H.S.	1509	1,418,473	251	17.4	14.9-19.9	78	7.2	5.2- 9.2	100	8.2	6.0-10.4	96	7.1	5.3- 8.9	86	6.9	5.1- 8.7	898	53.1	49.6-56.6
College Graduate	1892	1,203,693	328	17.5	15.1-19.9	119	6.8	5.2- 8.4	255	16.8	14.3-19.3	171	10.4	8.4-12.4	131	8.3	6.5-10.1	888	40.0	37.1-42.9
Less than \$15,000	606	444,825	62	13.1	9.0-17.2	12	3.0	0.6- 5.4	26	4.0	2.2- 5.8	20	3.2	1.4- 5.0	18	4.8	1.5- 8.1	468	72.0	66.5-77.5
\$15,000- 24,999	910	718,214	96	13.0	9.5-16.5	32	3.8	2.0- 5.6	44	5.6	3.4- 7.8	39	3.9	2.3- 5.5	41	6.1	3.7- 8.5	658	67.7	63.2-72.2
\$25,000- 34,999	467	400,098	68	13.9	9.8-18.0	20	5.9	2.6- 9.2	29	7.2	3.3-11.1	27	6.5	3.8- 9.2	29	9.5	4.2-14.8	294	57.0	50.3-63.7
\$35,000- 49,999	725	613,757	122	18.8	14.7-22.9	31	6.2	3.3- 9.1	50	7.9	5.2-10.6	41	6.9	4.0- 9.8	52	7.0	4.6- 9.4	429	53.2	48.1-58.3
\$50,000- 74,999	718	649,543	123	17.1	13.2-21.0	36	5.3	3.1- 7.5	67	10.7	7.0-14.4	47	8.0	4.5-11.5	42	6.8	4.3- 9.3	403	52.2	46.9-57.5
\$75,000+	1365	1,249,982	249	16.4	13.9-18.9	85	6.1	4.5- 7.7	213	17.4	14.5-20.3	145	10.4	8.2-12.6	113	9.7	7.3-12.1	560	40.0	36.3-43.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2495	2,330,728	336	14.2	12.2-16.2	117	4.4	3.2- 5.6	262	11.3	9.5-13.1	208	9.2	7.4-11.0	243	11.0	9.2-12.8	1329	49.8	47.1-52.5
White/Non-Hisp	2043	1,763,135	271	13.2	11.2-15.2	98	4.6	3.4- 5.8	213	11.3	9.3-13.3	176	9.6	7.8-11.4	195	11.2	9.2-13.2	1090	50.1	47.2-53.0
Black or Afr. Am./Non-Hisp	231	312,833	50	25.5	17.9-33.1	11	4.9	1.0- 8.8	22	11.3	5.8-16.8	13	6.7	2.4-11.0	20	6.5	2.6-10.4	115	45.1	36.5-53.7
Oth. Race/Non-Hisp.	84	74,641	1	1.1	0.0- 3.3	3	2.9	0.0- 7.2	9	8.8	1.9-15.7	7	5.2	0.9- 9.5	7	7.5	0.4-14.6	57	74.5	62.7-86.3
Hispanic	55	120,830	6	8.2	0.2-16.2	3	2.6	0.0- 5.7	8	14.8	1.5-28.1	4	14.3	0.4-28.2	7	14.7	1.2-28.2	27	45.3	27.9-62.7
18-24	162	288,677	15	10.5	4.4-16.6	8	4.0	0.5- 7.5	28	15.4	8.1-22.7	13	8.0	3.1-12.9	23	12.4	5.7-19.1	75	49.7	39.7-59.7
25-34	294	422,724	48	15.6	10.3-20.9	19	4.7	1.8- 7.6	50	14.2	9.5-18.9	31	9.9	5.0-14.8	41	15.5	10.4-20.6	105	40.1	32.5-47.7
35-44	271	369,571	34	10.5	6.2-14.8	14	5.0	1.7- 8.3	34	16.5	10.0-23.0	26	12.1	6.2-18.0	30	13.8	7.5-20.1	133	42.1	34.5-49.7
45-54	471	391,290	77	19.5	14.2-24.8	26	5.7	2.8- 8.6	57	11.0	7.3-14.7	43	9.9	6.4-13.4	47	9.3	5.8-12.8	221	44.6	38.5-50.7
55-64	538	388,054	86	17.5	13.0-22.0	22	3.0	1.2- 4.8	45	7.8	4.9-10.7	44	9.5	6.2-12.8	36	5.4	3.2- 7.6	305	56.9	51.4-62.4
65+	759	470,412	76	11.0	8.1-13.9	28	4.1	2.1- 6.1	48	5.5	3.5- 7.5	51	6.1	4.1- 8.1	66	10.1	7.2-13.0	490	63.1	58.6-67.6
Less Than H.S.	232	318,347	24	11.6	6.1-17.1	4	1.0	0.0- 2.2	8	5.2	0.7- 9.7	15	8.6	1.9-15.3	19	12.1	5.0-19.2	162	61.6	52.2-71.0
H.S. or G.E.D.	761	775,321	79	10.9	7.8-14.0	27	3.3	1.7- 4.9	64	10.1	6.8-13.4	44	6.2	3.7- 8.7	75	11.0	7.9-14.1	472	58.4	53.5-63.3
Some Post-H.S.	618	640,338	98	17.7	13.6-21.8	32	7.1	4.0-10.2	53	9.4	5.9-12.9	61	11.4	8.1-14.7	56	9.4	6.5-12.3	318	45.1	39.6-50.6
College Graduate	881	595,611	134	16.1	12.8-19.4	54	4.8	3.2- 6.4	137	18.3	14.8-21.8	88	11.1	8.4-13.8	92	12.2	9.1-15.3	376	37.4	33.1-41.7
Less than \$15,000	207	180,653	17	11.7	4.8-18.6	4	2.1	0.0- 4.3	15	7.1	3.2-11.0	9	2.7	0.7- 4.7	15	7.7	2.2-13.2	147	68.7	59.9-77.5
\$15,000- 24,999	334	300,538	33	11.5	6.6-16.4	17	4.7	1.8- 7.6	21	7.2	3.3-11.1	18	5.5	2.6- 8.4	29	9.0	4.7-13.3	216	62.1	55.0-69.2
\$25,000- 34,999	195	181,920	23	9.6	4.9-14.3	8	4.6	0.5- 8.7	18	11.3	3.7-18.9	18	8.8	3.9-13.7	23	18.6	8.2-29.0	105	47.1	36.7-57.5
\$35,000- 49,999	329	310,807	49	17.1	11.0-23.2	15	6.2	1.7-10.7	22	6.8	3.1-10.5	24	8.8	3.5-14.1	39	11.6	7.3-15.9	180	49.4	41.8-57.0
\$50,000- 74,999	370	367,378	60	19.5	13.6-25.4	18	4.4	1.7- 7.1	36	9.6	4.9-14.3	31	10.4	4.9-15.9	33	9.8	5.7-13.9	192	46.3	39.0-53.6
\$75,000+	732	705,955	118	14.3	11.0-17.6	41	4.8	2.8- 6.8	123	18.7	14.6-22.8	91	12.6	9.5-15.7	80	12.7	9.0-16.4	279	36.8	31.7-41.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3231	2,508,797	493	16.0	14.2-17.8	138	5.6	4.4- 6.8	218	8.0	6.6- 9.4	146	4.6	3.6- 5.6	90	3.5	2.5- 4.5	2146	62.4	60.0-64.8
White/Non-Hisp	2601	1,915,602	373	13.9	12.1-15.7	108	5.1	3.9- 6.3	185	8.2	6.6- 9.8	120	4.5	3.5- 5.5	76	3.9	2.7- 5.1	1739	64.4	61.9-66.9
Black or Afr. Am./Non-Hisp	395	390,310	77	21.0	15.5-26.5	17	7.5	3.4-11.6	19	5.6	2.7- 8.5	21	6.4	3.1- 9.7	7	1.5	0.3- 2.7	254	58.0	51.3-64.7
Oth. Race/Non-Hisp.	64	46,727	15	24.2	9.3-39.1				3	18.6	0.0-37.8	3	3.5	0.0- 8.0	1	0.7	0.0- 2.1	42	53.0	34.4-71.6
MultiRacial/Non-Hisp.	58	21,380	7	24.4	3.8-45.0	3	4.1	0.0- 9.6	6	20.8	3.7-37.9	1	2.3	0.0- 6.8	2	3.3	0.0- 8.8	39	45.0	27.2-62.8
Hispanic	61	98,212	14	31.5	15.6-47.4	6	9.5	0.0-19.1	3	7.3	0.0-17.9	1	1.8	0.0- 5.3	3	6.6	0.0-14.6	34	43.3	27.8-58.8
18-24	173	279,444	24	14.0	6.9-21.1	15	7.6	3.5-11.7	21	9.2	4.5-13.9	13	5.3	2.2- 8.4	14	7.7	2.4-13.0	86	56.2	46.6-65.8
25-34	320	396,743	64	18.6	13.3-23.9	21	10.0	5.1-14.9	43	15.1	10.0-20.2	19	5.0	2.3- 7.7	10	3.6	0.9- 6.3	163	47.7	40.6-54.8
35-44	369	383,390	87	23.0	17.3-28.7	21	6.1	3.2- 9.0	27	9.1	4.4-13.8	17	4.2	1.7- 6.7	7	2.0	0.4- 3.6	210	55.6	48.7-62.5
45-54	530	402,876	103	18.6	14.5-22.7	28	7.1	3.8-10.4	43	8.0	5.1-10.9	31	6.1	3.7- 8.5	13	2.0	0.6- 3.4	312	58.2	52.7-63.7
55-64	687	440,806	101	14.4	11.1-17.7	25	3.3	1.7- 4.9	35	5.4	3.0- 7.8	24	3.4	1.8- 5.0	26	5.3	2.8- 7.8	476	68.1	63.6-72.6
65+	1152	605,538	114	10.1	7.9-12.3	28	2.1	1.1- 3.1	49	4.0	2.6- 5.4	42	4.0	2.4- 5.6	20	2.2	1.0- 3.4	899	77.6	74.5-80.7
Less Than H.S.	311	305,622	30	11.5	7.0-16.0	3	2.2	0.0- 5.3	3	1.1	0.0- 2.7	6	2.2	0.2- 4.2	3	0.7	0.0- 1.5	266	82.4	76.7-88.1
H.S. or G.E.D.	1011	812,442	115	14.3	10.8-17.8	24	2.9	1.5- 4.3	50	5.9	3.7- 8.1	22	2.5	1.3- 3.7	18	2.6	1.0- 4.2	782	71.9	67.8-76.0
Some Post-H.S.	891	778,135	153	17.2	13.9-20.5	46	7.3	4.8- 9.8	47	7.3	4.8- 9.8	35	3.6	2.2- 5.0	30	4.8	2.6- 7.0	580	59.7	55.2-64.2
College Graduate	1011	608,081	194	18.9	15.8-22.0	65	8.8	6.1-11.5	118	15.4	12.1-18.7	83	9.7	7.0-12.4	39	4.6	2.8- 6.4	512	42.7	38.8-46.6
Less than \$15,000	399	264,173	45	13.9	8.8-19.0	8	3.6	0.0- 7.3	11	1.8	0.4- 3.2	11	3.5	1.0- 6.0	3	2.8	0.0- 6.9	321	74.3	67.2-81.4
\$15,000- 24,999	576	417,676	63	14.0	9.1-18.9	15	3.1	0.9- 5.3	23	4.4	2.2- 6.6	21	2.8	1.4- 4.2	12	4.0	1.5- 6.5	442	71.6	66.1-77.1
\$25,000- 34,999	272	218,178	45	17.5	11.2-23.8	12	7.0	2.1-11.9	11	3.8	1.3- 6.3	9	4.6	1.5- 7.7	6	1.9	0.3- 3.5	189	65.2	57.4-73.0
\$35,000- 49,999	396	302,949	73	20.7	15.0-26.4	16	6.2	2.3-10.1	28	8.9	4.6-13.2	17	4.8	2.1- 7.5	13	2.3	0.7- 3.9	249	57.1	50.4-63.8
\$50,000- 74,999	348	282,165	63	14.1	9.8-18.4	18	6.4	2.7-10.1	31	12.1	6.4-17.8	16	4.9	2.0- 7.8	9	2.7	0.7- 4.7	211	59.8	52.7-66.9
\$75,000+	633	544,026	131	19.0	15.3-22.7	44	7.9	5.2-10.6	90	15.7	11.8-19.6	54	7.6	5.1-10.1	33	5.8	3.3- 8.3	281	44.1	38.8-49.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5726	4,839,525	5446	94.3	93.3-95.3	280	5.7	4.7- 6.7
Male	2495	2,330,728	2357	93.6	92.2-95.0	138	6.4	5.0- 7.8
Female	3231	2,508,797	3089	94.9	93.7-96.1	142	5.1	3.9- 6.3
White/Non-Hisp	4644	3,678,738	4416	94.0	93.0-95.0	228	6.0	5.0- 7.0
Black or Afr. Am./Non-Hisp	626	703,143	598	96.0	94.2-97.8	28	4.0	2.2- 5.8
Oth. Race/Non-Hisp.	148	121,368	142	96.0	91.9- 100	6	4.0	0.0- 8.1
MultiRacial/Non-Hisp.	101	47,548	95	83.8	69.7-97.9	6	16.2	2.1-30.3
Hispanic	116	219,043	110	95.2	90.9-99.5	6	4.8	0.5- 9.1
18-24	335	568,121	300	91.2	87.7-94.7	35	8.8	5.3-12.3
25-34	614	819,468	574	92.8	90.3-95.3	40	7.2	4.7- 9.7
35-44	640	752,961	602	92.8	89.7-95.9	38	7.2	4.1-10.3
45-54	1001	794,166	952	95.4	93.8-97.0	49	4.6	3.0- 6.2
55-64	1225	828,859	1168	95.2	93.6-96.8	57	4.8	3.2- 6.4
65+	1911	1,075,950	1850	96.5	95.5-97.5	61	3.5	2.5- 4.5
Less Than H.S.	543	623,969	525	94.9	91.4-98.4	18	5.1	1.6- 8.6
H.S. or G.E.D.	1772	1,587,764	1703	95.5	94.1-96.9	69	4.5	3.1- 5.9
Some Post-H.S.	1509	1,418,473	1436	94.1	92.3-95.9	73	5.9	4.1- 7.7
College Graduate	1892	1,203,693	1772	92.5	90.7-94.3	120	7.5	5.7- 9.3
Less than \$15,000	606	444,825	586	95.5	92.6-98.4	20	4.5	1.6- 7.4
\$15,000- 24,999	910	718,214	872	94.9	92.9-96.9	38	5.1	3.1- 7.1
\$25,000- 34,999	467	400,098	448	94.2	90.7-97.7	19	5.8	2.3- 9.3
\$35,000- 49,999	725	613,757	686	94.8	92.8-96.8	39	5.2	3.2- 7.2
\$50,000- 74,999	718	649,543	683	95.1	93.1-97.1	35	4.9	2.9- 6.9
\$75,000+	1365	1,249,982	1266	91.6	89.4-93.8	99	8.4	6.2-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2495	2,330,728	2357	93.6	92.2-95.0	138	6.4	5.0- 7.8
White/Non-Hisp	2043	1,763,135	1932	93.2	91.4-95.0	111	6.8	5.0- 8.6
Black or Afr. Am./Non-Hisp	231	312,833	220	97.0	94.6-99.4	11	3.0	0.6- 5.4
Oth. Race/Non-Hisp.	84	74,641	79	93.9	87.2- 100	5	6.1	0.0-12.8
Hispanic	55	120,830	52	96.7	92.4- 100	3	3.3	0.0- 7.6
18-24	162	288,677	146	91.8	87.3-96.3	16	8.2	3.7-12.7
25-34	294	422,724	270	91.3	87.6-95.0	24	8.7	5.0-12.4
35-44	271	369,571	248	89.2	83.3-95.1	23	10.8	4.9-16.7
45-54	471	391,290	447	95.1	92.7-97.5	24	4.9	2.5- 7.3
55-64	538	388,054	518	97.4	96.0-98.8	20	2.6	1.2- 4.0
65+	759	470,412	728	96.1	94.3-97.9	31	3.9	2.1- 5.7
Less Than H.S.	232	318,347	220	91.5	85.0-98.0	12	8.5	2.0-15.0
H.S. or G.E.D.	761	775,321	720	94.6	92.6-96.6	41	5.4	3.4- 7.4
Some Post-H.S.	618	640,338	588	94.4	91.9-96.9	30	5.6	3.1- 8.1
College Graduate	881	595,611	826	92.7	90.3-95.1	55	7.3	4.9- 9.7
Less than \$15,000	207	180,653	196	95.3	91.8-98.8	11	4.7	1.2- 8.2
\$15,000- 24,999	334	300,538	316	94.8	91.9-97.7	18	5.2	2.3- 8.1
\$25,000- 34,999	195	181,920	187	92.1	85.2-99.0	8	7.9	1.0-14.8
\$35,000- 49,999	329	310,807	309	93.8	90.7-96.9	20	6.2	3.1- 9.3
\$50,000- 74,999	370	367,378	350	94.4	91.5-97.3	20	5.6	2.7- 8.5
\$75,000+	732	705,955	682	91.7	88.4-95.0	50	8.3	5.0-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3231	2,508,797	3089	94.9	93.7-96.1	142	5.1	3.9- 6.3
White/Non-Hisp	2601	1,915,602	2484	94.7	93.5-95.9	117	5.3	4.1- 6.5
Black or Afr. Am./Non-Hisp	395	390,310	378	95.3	92.6-98.0	17	4.7	2.0- 7.4
Oth. Race/Non-Hisp.	64	46,727	63	99.3	97.9- 100	1	0.7	0.0- 2.1
MultiRacial/Non-Hisp.	58	21,380	55	94.4	87.3- 100	3	5.6	0.0-12.7
Hispanic	61	98,212	58	93.4	85.4- 100	3	6.6	0.0-14.6
18-24	173	279,444	154	90.5	85.0-96.0	19	9.5	4.0-15.0
25-34	320	396,743	304	94.4	91.1-97.7	16	5.6	2.3- 8.9
35-44	369	383,390	354	96.2	94.0-98.4	15	3.8	1.6- 6.0
45-54	530	402,876	505	95.7	93.7-97.7	25	4.3	2.3- 6.3
55-64	687	440,806	650	93.3	90.6-96.0	37	6.7	4.0- 9.4
65+	1152	605,538	1122	96.9	95.5-98.3	30	3.1	1.7- 4.5
Less Than H.S.	311	305,622	305	98.4	96.8- 100	6	1.6	0.0- 3.2
H.S. or G.E.D.	1011	812,442	983	96.5	94.7-98.3	28	3.5	1.7- 5.3
Some Post-H.S.	891	778,135	848	93.9	91.5-96.3	43	6.1	3.7- 8.5
College Graduate	1011	608,081	946	92.2	89.8-94.6	65	7.8	5.4-10.2
Less than \$15,000	399	264,173	390	95.7	91.4- 100	9	4.3	0.0- 8.6
\$15,000- 24,999	576	417,676	556	94.9	92.2-97.6	20	5.1	2.4- 7.8
\$25,000- 34,999	272	218,178	261	96.0	93.5-98.5	11	4.0	1.5- 6.5
\$35,000- 49,999	396	302,949	377	95.8	93.4-98.2	19	4.2	1.8- 6.6
\$50,000- 74,999	348	282,165	333	96.1	93.7-98.5	15	3.9	1.5- 6.3
\$75,000+	633	544,026	584	91.4	88.5-94.3	49	8.6	5.7-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	135
2 MALES ONLY	136
3 FEMALES ONLY	137
PHYSICAL ACTIVITY CATEGORIES (_PACAT2)	
4 MALES AND FEMALES	138
5 MALES ONLY	139
6 FEMALES ONLY	140
PHYSICAL ACTIVITY INDEX (_PAINDX2)	
7 MALES AND FEMALES	141
8 MALES ONLY	142
9 FEMALES ONLY	143
MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
10 MALES AND FEMALES	144
11 MALES ONLY	145
12 FEMALES ONLY	146
AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)	
13 MALES AND FEMALES	147
14 MALES ONLY	148
15 FEMALES ONLY	149
AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE2)	
16 MALES AND FEMALES	150
17 MALES ONLY	151
18 FEMALES ONLY	152

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5819	4,926,073	3962	69.9	68.3-71.5	1857	30.1	28.5-31.7
Male	2548	2,374,996	1842	73.3	70.9-75.7	706	26.7	24.3-29.1
Female	3271	2,551,077	2120	66.8	64.6-69.0	1151	33.2	31.0-35.4
White/Non-Hisp	4700	3,726,476	3213	70.3	68.5-72.1	1487	29.7	27.9-31.5
Black or Afr. Am./Non-Hisp	648	735,012	420	65.0	59.9-70.1	228	35.0	29.9-40.1
Oth. Race/Non-Hisp.	152	122,180	105	67.2	55.6-78.8	47	32.8	21.2-44.4
MultiRacial/Non-Hisp.	101	47,044	72	77.3	65.3-89.3	29	22.7	10.7-34.7
Hispanic	119	216,559	91	82.4	73.8-91.0	28	17.6	9.0-26.2
18-24	348	584,454	274	76.8	71.1-82.5	74	23.2	17.5-28.9
25-34	623	831,801	489	78.9	74.6-83.2	134	21.1	16.8-25.4
35-44	653	764,863	495	75.2	70.7-79.7	158	24.8	20.3-29.3
45-54	1014	805,781	678	67.2	63.3-71.1	336	32.8	28.9-36.7
55-64	1241	842,202	803	63.5	60.0-67.0	438	36.5	33.0-40.0
65+	1940	1,096,973	1223	62.7	60.0-65.4	717	37.3	34.6-40.0
Less Than H.S.	549	631,714	263	49.4	43.5-55.3	286	50.6	44.7-56.5
H.S. or G.E.D.	1805	1,624,308	1077	65.7	62.8-68.6	728	34.3	31.4-37.2
Some Post-H.S.	1541	1,443,146	1074	72.5	69.6-75.4	467	27.5	24.6-30.4
College Graduate	1913	1,218,822	1542	82.9	80.7-85.1	371	17.1	14.9-19.3
Less than \$15,000	618	456,484	309	52.2	46.5-57.9	309	47.8	42.1-53.5
\$15,000- 24,999	930	738,219	533	58.2	53.7-62.7	397	41.8	37.3-46.3
\$25,000- 34,999	470	404,186	297	67.6	61.7-73.5	173	32.4	26.5-38.3
\$35,000- 49,999	734	617,971	526	74.2	70.1-78.3	208	25.8	21.7-29.9
\$50,000- 74,999	721	648,753	520	71.3	66.6-76.0	201	28.7	24.0-33.4
\$75,000+	1380	1,265,394	1151	83.9	81.2-86.6	229	16.1	13.4-18.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2548	2,374,996	1842	73.3	70.9-75.7	706	26.7	24.3-29.1
White/Non-Hisp	2077	1,792,846	1503	73.0	70.5-75.5	574	27.0	24.5-29.5
Black or Afr. Am./Non-Hisp	242	328,847	174	69.6	61.8-77.4	68	30.4	22.6-38.2
Oth. Race/Non-Hisp.	87	75,149	63	76.0	63.1-88.9	24	24.0	11.1-36.9
Hispanic	57	115,426	43	87.4	78.4-96.4	14	12.6	3.6-21.6
18-24	169	299,546	144	81.5	73.9-89.1	25	18.5	10.9-26.1
25-34	296	421,703	238	80.3	74.2-86.4	58	19.7	13.6-25.8
35-44	278	374,292	215	76.2	69.5-82.9	63	23.8	17.1-30.5
45-54	478	395,667	340	71.3	65.8-76.8	138	28.7	23.2-34.2
55-64	549	397,279	367	63.7	58.2-69.2	182	36.3	30.8-41.8
65+	778	486,510	538	69.4	65.1-73.7	240	30.6	26.3-34.9
Less Than H.S.	239	326,905	120	50.9	41.9-59.9	119	49.1	40.1-58.1
H.S. or G.E.D.	779	791,085	492	70.4	66.3-74.5	287	29.6	25.5-33.7
Some Post-H.S.	631	649,294	468	75.6	71.1-80.1	163	24.4	19.9-28.9
College Graduate	895	604,738	761	86.7	83.8-89.6	134	13.3	10.4-16.2
Less than \$15,000	214	188,869	106	49.5	40.3-58.7	108	50.5	41.3-59.7
\$15,000- 24,999	347	312,030	204	61.0	54.1-67.9	143	39.0	32.1-45.9
\$25,000- 34,999	195	181,710	121	66.1	56.5-75.7	74	33.9	24.3-43.5
\$35,000- 49,999	335	315,825	242	77.3	71.4-83.2	93	22.7	16.8-28.6
\$50,000- 74,999	372	365,146	276	73.7	67.4-80.0	96	26.3	20.0-32.6
\$75,000+	743	715,143	641	85.9	82.4-89.4	102	14.1	10.6-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3271	2,551,077	2120	66.8	64.6-69.0	1151	33.2	31.0-35.4
White/Non-Hisp	2623	1,933,631	1710	67.8	65.4-70.2	913	32.2	29.8-34.6
Black or Afr. Am./Non-Hisp	406	406,165	246	61.2	54.7-67.7	160	38.8	32.3-45.3
Oth. Race/Non-Hisp.	65	47,030	42	53.2	34.6-71.8	23	46.8	28.2-65.4
MultiRacial/Non-Hisp.	57	20,420	38	77.2	64.5-89.9	19	22.8	10.1-35.5
Hispanic	62	101,133	48	76.6	62.1-91.1	14	23.4	8.9-37.9
18-24	179	284,908	130	72.0	63.4-80.6	49	28.0	19.4-36.6
25-34	327	410,098	251	77.5	71.6-83.4	76	22.5	16.6-28.4
35-44	375	390,571	280	74.2	67.9-80.5	95	25.8	19.5-32.1
45-54	536	410,115	338	63.3	58.0-68.6	198	36.7	31.4-42.0
55-64	692	444,922	436	63.4	58.7-68.1	256	36.6	31.9-41.3
65+	1162	610,463	685	57.4	53.7-61.1	477	42.6	38.9-46.3
Less Than H.S.	310	304,809	143	47.9	40.3-55.5	167	52.1	44.5-59.7
H.S. or G.E.D.	1026	833,223	585	61.3	57.2-65.4	441	38.7	34.6-42.8
Some Post-H.S.	910	793,852	606	70.0	66.1-73.9	304	30.0	26.1-33.9
College Graduate	1018	614,084	781	79.2	75.9-82.5	237	20.8	17.5-24.1
Less than \$15,000	404	267,616	203	54.1	47.0-61.2	201	45.9	38.8-53.0
\$15,000- 24,999	583	426,189	329	56.1	50.4-61.8	254	43.9	38.2-49.6
\$25,000- 34,999	275	222,476	176	68.7	61.6-75.8	99	31.3	24.2-38.4
\$35,000- 49,999	399	302,146	284	70.9	65.0-76.8	115	29.1	23.2-35.0
\$50,000- 74,999	349	283,607	244	68.2	61.5-74.9	105	31.8	25.1-38.5
\$75,000+	637	550,252	510	81.3	77.2-85.4	127	18.7	14.6-22.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5312	4,523,643	1627	30.0	28.2-31.8	806	16.0	14.6-17.4	943	19.5	17.9-21.1	1936	34.4	32.6-36.2
Male	2342	2,200,124	820	33.5	30.8-36.2	364	16.8	14.6-19.0	404	18.8	16.4-21.2	754	30.9	28.4-33.4
Female	2970	2,323,519	807	26.8	24.4-29.2	442	15.3	13.5-17.1	539	20.2	18.2-22.2	1182	37.7	35.3-40.1
White/Non-Hisp	4307	3,425,078	1356	31.3	29.3-33.3	651	15.6	14.0-17.2	753	19.1	17.3-20.9	1547	33.9	31.9-35.9
Black or Afr. Am./Non-Hisp	588	676,902	143	24.9	20.2-29.6	93	16.6	12.3-20.9	113	18.5	14.4-22.6	239	40.0	34.7-45.3
Oth. Race/Non-Hisp.	136	114,461	48	26.0	16.4-35.6	17	18.4	7.0-29.8	24	20.5	9.9-31.1	47	35.0	22.8-47.2
MultiRacial/Non-Hisp.	94	44,347	28	34.2	19.9-48.5	16	17.1	5.3-28.9	17	20.2	8.6-31.8	33	28.5	15.4-41.6
Hispanic	110	202,465	27	28.3	16.9-39.7	21	20.4	10.8-30.0	30	30.7	18.7-42.7	32	20.6	11.2-30.0
18-24	320	546,252	93	26.9	20.6-33.2	62	20.2	14.3-26.1	83	25.1	19.0-31.2	82	27.8	21.5-34.1
25-34	582	778,802	141	25.4	20.7-30.1	134	23.0	18.7-27.3	158	26.7	22.0-31.4	149	24.8	20.3-29.3
35-44	592	685,863	165	29.7	24.6-34.8	114	16.6	13.1-20.1	143	24.3	19.6-29.0	170	29.5	24.4-34.6
45-54	922	741,048	224	26.0	22.1-29.9	173	18.0	14.7-21.3	179	19.0	15.7-22.3	346	37.0	32.9-41.1
55-64	1148	784,288	331	29.8	26.5-33.1	157	13.1	10.6-15.6	210	17.1	14.4-19.8	450	40.0	36.3-43.7
65+	1748	987,391	673	39.0	36.1-41.9	166	8.6	7.0-10.2	170	9.8	8.0-11.6	739	42.6	39.5-45.7
Less Than H.S.	500	582,404	102	20.5	15.4-25.6	46	9.3	5.8-12.8	59	14.3	9.2-19.4	293	55.8	49.5-62.1
H.S. or G.E.D.	1624	1,481,214	442	30.2	26.9-33.5	187	14.6	12.1-17.1	240	15.8	13.3-18.3	755	39.4	36.1-42.7
Some Post-H.S.	1401	1,309,910	439	29.8	26.7-32.9	209	16.8	14.1-19.5	268	21.5	18.4-24.6	485	31.9	28.6-35.2
College Graduate	1778	1,144,455	641	34.8	31.9-37.7	364	20.6	18.1-23.1	375	24.8	21.9-27.7	398	19.8	17.3-22.3
Less than \$15,000	564	419,917	104	17.7	13.4-22.0	61	12.9	9.0-16.8	81	15.1	11.2-19.0	318	54.3	48.4-60.2
\$15,000- 24,999	850	672,498	232	26.5	22.6-30.4	98	12.5	9.4-15.6	117	14.6	11.3-17.9	403	46.4	41.7-51.1
\$25,000- 34,999	432	374,626	121	26.9	20.8-33.0	48	10.9	6.8-15.0	84	24.9	18.4-31.4	179	37.3	30.8-43.8
\$35,000- 49,999	692	587,164	224	32.3	27.4-37.2	113	18.7	14.4-23.0	134	19.0	15.1-22.9	221	30.0	25.3-34.7
\$50,000- 74,999	679	614,118	220	31.2	26.3-36.1	103	14.1	10.6-17.6	143	23.0	18.3-27.7	213	31.7	26.8-36.6
\$75,000+	1289	1,184,262	480	35.6	32.1-39.1	282	21.6	18.5-24.7	279	24.5	21.0-28.0	248	18.3	15.4-21.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2342	2,200,124	820	33.5	30.8-36.2	364	16.8	14.6-19.0	404	18.8	16.4-21.2	754	30.9	28.4-33.4
White/Non-Hisp	1922	1,671,531	686	34.1	31.2-37.0	300	16.7	14.3-19.1	325	18.2	15.7-20.7	611	31.1	28.2-34.0
Black or Afr. Am./Non-Hisp	216	303,732	73	33.4	25.2-41.6	30	13.7	7.8-19.6	40	17.7	11.0-24.4	73	35.2	26.8-43.6
Oth. Race/Non-Hisp.	78	69,382	27	27.4	14.1-40.7	12	24.7	7.6-41.8	15	21.9	7.2-36.6	24	26.0	12.1-39.9
Hispanic	51	104,058	11	28.1	10.9-45.3	11	24.5	8.8-40.2	13	32.4	14.0-50.8	16	15.1	4.9-25.3
18-24	159	284,401	52	25.8	17.8-33.8	32	23.2	14.4-32.0	45	28.1	18.9-37.3	30	23.0	14.6-31.4
25-34	284	404,976	78	27.6	20.9-34.3	65	23.6	17.1-30.1	73	25.6	18.5-32.7	68	23.1	16.6-29.6
35-44	250	331,517	74	33.0	25.0-41.0	53	17.7	12.2-23.2	49	18.9	12.2-25.6	74	30.4	22.8-38.0
45-54	434	364,966	116	29.6	23.5-35.7	94	20.7	15.6-25.8	79	17.0	11.9-22.1	145	32.6	26.7-38.5
55-64	515	375,298	165	31.7	26.6-36.8	65	11.6	7.9-15.3	95	17.1	13.0-21.2	190	39.7	34.0-45.4
65+	700	438,967	335	49.1	44.2-54.0	55	6.8	4.6- 9.0	63	9.4	6.7-12.1	247	34.7	30.0-39.4
Less Than H.S.	224	308,640	55	23.8	16.2-31.4	20	6.8	3.1-10.5	27	16.5	8.1-24.9	122	53.0	43.6-62.4
H.S. or G.E.D.	698	716,546	206	31.2	26.5-35.9	86	17.1	12.8-21.4	102	16.4	12.3-20.5	304	35.3	30.6-40.0
Some Post-H.S.	583	605,034	206	34.9	29.6-40.2	85	16.9	12.6-21.2	117	19.7	15.2-24.2	175	28.5	23.6-33.4
College Graduate	834	568,794	353	40.2	35.7-44.7	173	21.6	17.7-25.5	158	22.3	18.2-26.4	150	15.9	12.8-19.0
Less than \$15,000	199	178,807	33	17.7	10.3-25.1	24	13.7	7.2-20.2	30	13.5	7.8-19.2	112	55.1	45.7-64.5
\$15,000- 24,999	317	284,010	99	29.8	23.1-36.5	34	12.4	7.3-17.5	40	14.8	9.1-20.5	144	42.9	35.6-50.2
\$25,000- 34,999	180	172,155	55	29.8	20.2-39.4	16	6.6	1.5-11.7	33	24.1	13.7-34.5	76	39.5	28.9-50.1
\$35,000- 49,999	318	303,379	114	35.3	27.7-42.9	53	23.3	16.2-30.4	49	13.5	8.6-18.4	102	27.8	21.1-34.5
\$50,000- 74,999	351	347,464	125	33.8	26.9-40.7	51	13.5	8.8-18.2	70	22.9	16.0-29.8	105	29.7	23.0-36.4
\$75,000+	692	666,867	283	38.4	33.3-43.5	153	21.9	17.6-26.2	139	23.2	18.3-28.1	117	16.5	12.6-20.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2970	2,323,519	807	26.8	24.4-29.2	442	15.3	13.5-17.1	539	20.2	18.2-22.2	1182	37.7	35.3-40.1
White/Non-Hisp	2385	1,753,548	670	28.7	26.2-31.2	351	14.6	12.8-16.4	428	20.1	17.7-22.5	936	36.6	34.1-39.1
Black or Afr. Am./Non-Hisp	372	373,170	70	17.9	12.8-23.0	63	18.9	13.0-24.8	73	19.2	14.1-24.3	166	44.0	37.1-50.9
Oth. Race/Non-Hisp.	58	45,078	21	23.9	10.8-37.0	5	8.9	0.0-17.9	9	18.4	4.3-32.5	23	48.9	29.9-67.9
MultiRacial/Non-Hisp.	51	17,875	15	21.3	8.0-34.6	8	21.8	0.0-44.5	9	30.8	10.6-51.0	19	26.0	11.3-40.7
Hispanic	59	98,407	16	28.6	13.7-43.5	10	16.0	5.6-26.4	17	29.0	14.3-43.7	16	26.5	11.4-41.6
18-24	161	261,851	41	28.1	18.3-37.9	30	17.0	9.6-24.4	38	21.9	14.1-29.7	52	33.1	23.7-42.5
25-34	298	373,826	63	23.1	16.8-29.4	69	22.4	16.5-28.3	85	27.9	21.6-34.2	81	26.6	20.1-33.1
35-44	342	354,346	91	26.5	19.8-33.2	61	15.6	11.1-20.1	94	29.3	22.8-35.8	96	28.6	21.9-35.3
45-54	488	376,082	108	22.4	17.7-27.1	79	15.4	11.3-19.5	100	21.0	16.3-25.7	201	41.2	35.5-46.9
55-64	633	408,989	166	28.2	23.7-32.7	92	14.6	11.1-18.1	115	17.0	13.3-20.7	260	40.3	35.4-45.2
65+	1048	548,424	338	30.9	27.4-34.4	111	10.1	7.7-12.5	107	10.1	7.7-12.5	492	49.0	45.1-52.9
Less Than H.S.	276	273,765	47	16.9	10.2-23.6	26	12.2	6.1-18.3	32	11.8	7.1-16.5	171	59.1	51.1-67.1
H.S. or G.E.D.	926	764,668	236	29.3	24.8-33.8	101	12.1	9.2-15.0	138	15.3	12.2-18.4	451	43.3	38.8-47.8
Some Post-H.S.	818	704,876	233	25.5	21.6-29.4	124	16.6	13.1-20.1	151	23.0	18.7-27.3	310	34.9	30.4-39.4
College Graduate	944	575,660	288	29.3	25.4-33.2	191	19.6	16.3-22.9	217	27.3	23.4-31.2	248	23.7	20.0-27.4
Less than \$15,000	365	241,109	71	17.6	12.3-22.9	37	12.3	7.4-17.2	51	16.3	10.8-21.8	206	53.8	46.5-61.1
\$15,000- 24,999	533	388,487	133	24.2	19.3-29.1	64	12.6	8.5-16.7	77	14.4	10.5-18.3	259	48.9	43.0-54.8
\$25,000- 34,999	252	202,471	66	24.3	16.5-32.1	32	14.6	8.3-20.9	51	25.6	17.2-34.0	103	35.5	27.7-43.3
\$35,000- 49,999	374	283,786	110	29.1	23.0-35.2	60	13.8	9.3-18.3	85	24.8	18.7-30.9	119	32.2	25.9-38.5
\$50,000- 74,999	328	266,653	95	27.7	21.0-34.4	52	14.8	9.7-19.9	73	23.1	16.8-29.4	108	34.3	27.2-41.4
\$75,000+	597	517,395	197	32.1	27.0-37.2	129	21.1	17.0-25.2	140	26.2	21.3-31.1	131	20.5	16.2-24.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 7: PHYSICAL ACTIVITY INDEX (_PAIDX2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5383	4,581,667	2504	46.8	44.8-48.8	2879	53.2	51.2-55.2
Male	2373	2,222,314	1215	50.8	47.9-53.7	1158	49.2	46.3-52.1
Female	3010	2,359,353	1289	43.0	40.5-45.5	1721	57.0	54.5-59.5
White/Non-Hisp	4364	3,467,931	2064	47.6	45.4-49.8	2300	52.4	50.2-54.6
Black or Afr. Am./Non-Hisp	597	688,450	245	42.4	36.9-47.9	352	57.6	52.1-63.1
Oth. Race/Non-Hisp.	139	116,041	68	45.2	32.7-57.7	71	54.8	42.3-67.3
MultiRacial/Non-Hisp.	94	44,347	44	51.3	36.4-66.2	50	48.7	33.8-63.6
Hispanic	111	204,088	49	49.1	36.8-61.4	62	50.9	38.6-63.2
18-24	323	551,889	158	47.6	40.5-54.7	165	52.4	45.3-59.5
25-34	590	791,880	283	49.3	44.0-54.6	307	50.7	45.4-56.0
35-44	603	696,824	290	47.1	41.8-52.4	313	52.9	47.6-58.2
45-54	928	745,439	403	44.3	40.0-48.6	525	55.7	51.4-60.0
55-64	1164	793,400	504	43.6	39.9-47.3	660	56.4	52.7-60.1
65+	1775	1,002,235	866	48.4	45.3-51.5	909	51.6	48.5-54.7
Less Than H.S.	502	587,672	150	30.5	24.8-36.2	352	69.5	63.8-75.2
H.S. or G.E.D.	1649	1,501,894	654	45.5	42.0-49.0	995	54.5	51.0-58.0
Some Post-H.S.	1423	1,327,776	670	47.3	43.8-50.8	753	52.7	49.2-56.2
College Graduate	1800	1,158,666	1027	55.9	52.8-59.0	773	44.1	41.0-47.2
Less than \$15,000	570	426,615	171	31.6	26.1-37.1	399	68.4	62.9-73.9
\$15,000- 24,999	862	678,888	342	39.6	35.1-44.1	520	60.4	55.9-64.9
\$25,000- 34,999	439	380,070	176	38.7	32.0-45.4	263	61.3	54.6-68.0
\$35,000- 49,999	702	594,701	347	51.7	46.6-56.8	355	48.3	43.2-53.4
\$50,000- 74,999	685	618,816	329	45.7	40.4-51.0	356	54.3	49.0-59.6
\$75,000+	1306	1,198,019	779	57.7	54.0-61.4	527	42.3	38.6-46.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 8: PHYSICAL ACTIVITY INDEX (_PAINDX2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2373	2,222,314	1215	50.8	47.9-53.7	1158	49.2	46.3-52.1
White/Non-Hisp	1946	1,688,590	1010	51.3	48.2-54.4	936	48.7	45.6-51.8
Black or Afr. Am./Non-Hisp	221	306,353	108	47.6	39.0-56.2	113	52.4	43.8-61.0
Oth. Race/Non-Hisp.	79	70,269	40	52.7	35.8-69.6	39	47.3	30.4-64.2
Hispanic	52	105,681	23	53.3	34.9-71.7	29	46.7	28.3-65.1
18-24	160	286,024	85	49.2	39.2-59.2	75	50.8	40.8-60.8
25-34	287	410,074	146	51.9	44.3-59.5	141	48.1	40.5-55.7
35-44	253	334,629	130	51.2	43.0-59.4	123	48.8	40.6-57.0
45-54	438	367,229	214	50.7	44.2-57.2	224	49.3	42.8-55.8
55-64	521	377,937	236	43.6	38.1-49.1	285	56.4	50.9-61.9
65+	714	446,421	404	56.6	51.9-61.3	310	43.4	38.7-48.1
Less Than H.S.	224	308,640	75	30.6	22.4-38.8	149	69.4	61.2-77.6
H.S. or G.E.D.	710	727,677	304	49.2	44.1-54.3	406	50.8	45.7-55.9
Some Post-H.S.	593	610,387	301	52.2	46.7-57.7	292	47.8	42.3-53.3
College Graduate	843	574,500	535	62.2	57.7-66.7	308	37.8	33.3-42.3
Less than \$15,000	202	179,926	60	31.8	23.0-40.6	142	68.2	59.4-77.0
\$15,000- 24,999	320	285,645	136	42.6	35.3-49.9	184	57.4	50.1-64.7
\$25,000- 34,999	183	173,776	74	37.0	26.8-47.2	109	63.0	52.8-73.2
\$35,000- 49,999	321	306,037	170	59.0	51.6-66.4	151	41.0	33.6-48.4
\$50,000- 74,999	355	350,061	180	47.8	40.4-55.2	175	52.2	44.8-59.6
\$75,000+	701	674,399	445	60.7	55.4-66.0	256	39.3	34.0-44.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 9: PHYSICAL ACTIVITY INDEX (_PAINDX2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3010	2,359,353	1289	43.0	40.5-45.5	1721	57.0	54.5-59.5
White/Non-Hisp	2418	1,779,341	1054	44.1	41.4-46.8	1364	55.9	53.2-58.6
Black or Afr. Am./Non-Hisp	376	382,096	137	38.3	31.4-45.2	239	61.7	54.8-68.6
Oth. Race/Non-Hisp.	60	45,772	28	33.8	18.3-49.3	32	66.2	50.7-81.7
MultiRacial/Non-Hisp.	51	17,875	23	43.1	21.7-64.5	28	56.9	35.5-78.3
Hispanic	59	98,407	26	44.5	28.4-60.6	33	55.5	39.4-71.6
18-24	163	265,865	73	45.9	35.7-56.1	90	54.1	43.9-64.3
25-34	303	381,806	137	46.6	39.3-53.9	166	53.4	46.1-60.7
35-44	350	362,195	160	43.4	36.3-50.5	190	56.6	49.5-63.7
45-54	490	378,210	189	38.1	32.6-43.6	301	61.9	56.4-67.4
55-64	643	415,463	268	43.6	38.7-48.5	375	56.4	51.5-61.3
65+	1061	555,814	462	41.8	38.1-45.5	599	58.2	54.5-61.9
Less Than H.S.	278	279,033	75	30.4	22.2-38.6	203	69.6	61.4-77.8
H.S. or G.E.D.	939	774,216	350	42.1	37.6-46.6	589	57.9	53.4-62.4
Some Post-H.S.	830	717,388	369	43.2	38.7-47.7	461	56.8	52.3-61.3
College Graduate	957	584,167	492	49.7	45.4-54.0	465	50.3	46.0-54.6
Less than \$15,000	368	246,688	111	31.5	24.6-38.4	257	68.5	61.6-75.4
\$15,000- 24,999	542	393,243	206	37.5	31.8-43.2	336	62.5	56.8-68.2
\$25,000- 34,999	256	206,294	102	40.0	31.4-48.6	154	60.0	51.4-68.6
\$35,000- 49,999	381	288,664	177	43.9	37.2-50.6	204	56.1	49.4-62.8
\$50,000- 74,999	330	268,754	149	43.0	35.7-50.3	181	57.0	49.7-64.3
\$75,000+	605	523,620	334	53.8	48.3-59.3	271	46.2	40.7-51.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5479	4,644,455	1815	35.5	33.7-37.3	3664	64.5	62.7-66.3
Male	2402	2,245,461	913	39.5	36.8-42.2	1489	60.5	57.8-63.2
Female	3077	2,398,995	902	31.7	29.3-34.1	2175	68.3	65.9-70.7
White/Non-Hisp	4433	3,510,859	1434	34.5	32.5-36.5	2999	65.5	63.5-67.5
Black or Afr. Am./Non-Hisp	603	685,923	214	38.3	33.0-43.6	389	61.7	56.4-67.0
Oth. Race/Non-Hisp.	138	116,623	51	37.3	25.1-49.5	87	62.7	50.5-74.9
MultiRacial/Non-Hisp.	98	45,851	31	35.4	21.3-49.5	67	64.6	50.5-78.7
Hispanic	115	212,113	49	40.1	28.5-51.7	66	59.9	48.3-71.5
18-24	329	554,992	143	45.2	38.1-52.3	186	54.8	47.7-61.9
25-34	587	779,320	233	39.6	34.5-44.7	354	60.4	55.3-65.5
35-44	617	723,820	206	37.2	31.9-42.5	411	62.8	57.5-68.1
45-54	969	769,509	307	32.2	28.3-36.1	662	67.8	63.9-71.7
55-64	1160	791,536	353	32.3	28.8-35.8	807	67.7	64.2-71.2
65+	1817	1,025,278	573	30.8	28.1-33.5	1244	69.2	66.5-71.9
Less Than H.S.	506	587,633	151	33.9	27.8-40.0	355	66.1	60.0-72.2
H.S. or G.E.D.	1682	1,513,390	480	32.6	29.3-35.9	1202	67.4	64.1-70.7
Some Post-H.S.	1453	1,364,695	492	35.8	32.3-39.3	961	64.2	60.7-67.7
College Graduate	1827	1,170,283	688	39.6	36.5-42.7	1139	60.4	57.3-63.5
Less than \$15,000	577	426,262	162	30.9	25.4-36.4	415	69.1	63.6-74.6
\$15,000- 24,999	868	698,582	285	34.2	29.7-38.7	583	65.8	61.3-70.3
\$25,000- 34,999	445	376,475	124	30.0	23.9-36.1	321	70.0	63.9-76.1
\$35,000- 49,999	696	581,581	217	35.7	30.6-40.8	479	64.3	59.2-69.4
\$50,000- 74,999	691	621,318	231	32.7	27.8-37.6	460	67.3	62.4-72.2
\$75,000+	1325	1,215,675	500	41.3	37.6-45.0	825	58.7	55.0-62.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2402	2,245,461	913	39.5	36.8-42.2	1489	60.5	57.8-63.2
White/Non-Hisp	1960	1,690,030	728	38.3	35.4-41.2	1232	61.7	58.8-64.6
Black or Afr. Am./Non-Hisp	228	311,262	92	42.8	34.2-51.4	136	57.2	48.6-65.8
Oth. Race/Non-Hisp.	78	71,357	33	47.9	31.0-64.8	45	52.1	35.2-69.0
Hispanic	55	113,506	25	40.7	24.0-57.4	30	59.3	42.6-76.0
18-24	163	290,801	85	51.1	41.3-60.9	78	48.9	39.1-58.7
25-34	288	404,686	119	38.8	31.4-46.2	169	61.2	53.8-68.6
35-44	264	352,465	112	45.6	37.6-53.6	152	54.4	46.4-62.4
45-54	451	375,726	166	35.5	29.6-41.4	285	64.5	58.6-70.4
55-64	514	373,867	172	33.3	28.0-38.6	342	66.7	61.4-72.0
65+	722	447,914	259	36.5	31.8-41.2	463	63.5	58.8-68.2
Less Than H.S.	222	305,501	80	40.3	31.1-49.5	142	59.7	50.5-68.9
H.S. or G.E.D.	720	736,140	242	36.1	31.2-41.0	478	63.9	59.0-68.8
Some Post-H.S.	600	619,678	230	39.7	34.4-45.0	370	60.3	55.0-65.6
College Graduate	856	581,168	361	43.5	39.0-48.0	495	56.5	52.0-61.0
Less than \$15,000	199	174,460	67	33.1	24.1-42.1	132	66.9	57.9-75.9
\$15,000- 24,999	321	289,491	122	39.1	31.8-46.4	199	60.9	53.6-68.2
\$25,000- 34,999	186	173,685	56	30.8	21.2-40.4	130	69.2	59.6-78.8
\$35,000- 49,999	317	299,017	117	42.4	34.6-50.2	200	57.6	49.8-65.4
\$50,000- 74,999	362	355,859	130	33.4	26.7-40.1	232	66.6	59.9-73.3
\$75,000+	711	684,038	297	46.1	40.8-51.4	414	53.9	48.6-59.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3077	2,398,995	902	31.7	29.3-34.1	2175	68.3	65.9-70.7
White/Non-Hisp	2473	1,820,829	706	31.0	28.5-33.5	1767	69.0	66.5-71.5
Black or Afr. Am./Non-Hisp	375	374,661	122	34.5	27.8-41.2	253	65.5	58.8-72.2
Oth. Race/Non-Hisp.	60	45,266	18	20.6	7.9-33.3	42	79.4	66.7-92.1
MultiRacial/Non-Hisp.	55	19,379	12	21.6	4.9-38.3	43	78.4	61.7-95.1
Hispanic	60	98,607	24	39.5	23.6-55.4	36	60.5	44.6-76.4
18-24	166	264,191	58	38.8	29.0-48.6	108	61.2	51.4-71.0
25-34	299	374,634	114	40.5	33.2-47.8	185	59.5	52.2-66.8
35-44	353	371,355	94	29.3	22.6-36.0	259	70.7	64.0-77.4
45-54	518	393,783	141	29.1	24.0-34.2	377	70.9	65.8-76.0
55-64	646	417,669	181	31.4	26.7-36.1	465	68.6	63.9-73.3
65+	1095	577,364	314	26.3	23.0-29.6	781	73.7	70.4-77.0
Less Than H.S.	284	282,132	71	26.9	19.3-34.5	213	73.1	65.5-80.7
H.S. or G.E.D.	962	777,250	238	29.2	24.9-33.5	724	70.8	66.5-75.1
Some Post-H.S.	853	745,017	262	32.7	28.4-37.0	591	67.3	63.0-71.6
College Graduate	971	589,115	327	35.8	31.7-39.9	644	64.2	60.1-68.3
Less than \$15,000	378	251,802	95	29.4	22.3-36.5	283	70.6	63.5-77.7
\$15,000- 24,999	547	409,090	163	30.7	25.2-36.2	384	69.3	63.8-74.8
\$25,000- 34,999	259	202,790	68	29.4	21.6-37.2	191	70.6	62.8-78.4
\$35,000- 49,999	379	282,565	100	28.6	22.3-34.9	279	71.4	65.1-77.7
\$50,000- 74,999	329	265,459	101	31.9	24.8-39.0	228	68.1	61.0-75.2
\$75,000+	614	531,637	203	35.2	29.9-40.5	411	64.8	59.5-70.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5165	4,399,358	1053	21.8	20.2-23.4	1327	24.4	22.8-26.0	657	13.9	12.5-15.3	2128	39.9	37.9-41.9
Male	2280	2,140,891	538	24.3	21.9-26.7	620	25.8	23.3-28.3	334	15.6	13.4-17.8	788	34.3	31.6-37.0
Female	2885	2,258,466	515	19.4	17.2-21.6	707	23.1	21.1-25.1	323	12.3	10.5-14.1	1340	45.3	42.8-47.8
White/Non-Hisp	4191	3,326,507	833	21.0	19.2-22.8	1126	25.7	23.9-27.5	519	13.5	11.9-15.1	1713	39.7	37.5-41.9
Black or Afr. Am./Non-Hisp	568	654,667	125	23.3	18.4-28.2	111	19.5	15.0-24.0	78	15.0	10.9-19.1	254	42.2	36.7-47.7
Oth. Race/Non-Hisp.	129	112,101	30	24.4	13.2-35.6	31	19.6	9.8-29.4	17	13.5	4.7-22.3	51	42.5	29.6-55.4
MultiRacial/Non-Hisp.	93	43,775	16	20.3	7.6-33.0	27	30.3	16.2-44.4	15	16.8	5.8-27.8	35	32.6	18.9-46.3
Hispanic	109	201,979	30	27.8	17.2-38.4	18	20.9	10.1-31.7	17	13.3	5.3-21.3	44	37.9	25.7-50.1
18-24	312	530,426	84	27.8	21.3-34.3	66	18.4	12.7-24.1	52	18.4	12.7-24.1	110	35.4	28.5-42.3
25-34	566	755,006	120	22.3	17.8-26.8	149	26.8	22.1-31.5	104	16.7	12.8-20.6	193	34.3	29.0-39.6
35-44	582	677,044	120	22.6	17.9-27.3	156	24.0	19.5-28.5	76	14.8	10.5-19.1	230	38.6	33.3-43.9
45-54	901	721,875	169	20.0	16.5-23.5	221	23.9	20.2-27.6	114	12.4	9.7-15.1	397	43.7	39.4-48.0
55-64	1107	758,151	205	19.1	16.2-22.0	272	24.2	20.9-27.5	137	14.0	11.1-16.9	493	42.8	39.1-46.5
65+	1697	956,856	355	20.9	18.4-23.4	463	26.7	24.0-29.4	174	9.6	7.8-11.4	705	42.8	39.7-45.9
Less Than H.S.	471	559,264	56	13.0	8.5-17.5	81	16.8	11.9-21.7	83	20.7	15.2-26.2	251	49.5	43.0-56.0
H.S. or G.E.D.	1567	1,423,933	240	19.4	16.5-22.3	365	24.9	21.8-28.0	207	13.0	10.6-15.4	755	42.7	39.4-46.0
Some Post-H.S.	1367	1,281,001	287	22.8	19.7-25.9	352	24.2	21.3-27.1	177	13.7	11.2-16.2	551	39.3	35.8-42.8
College Graduate	1752	1,129,681	467	27.7	24.8-30.6	529	27.9	25.2-30.6	190	11.9	9.7-14.1	566	32.5	29.6-35.4
Less than \$15,000	543	407,206	66	13.2	8.9-17.5	91	17.2	12.7-21.7	84	18.0	13.1-22.9	302	51.5	45.4-57.6
\$15,000- 24,999	818	650,056	145	19.6	15.7-23.5	174	19.4	15.9-22.9	123	14.4	11.3-17.5	376	46.6	41.9-51.3
\$25,000- 34,999	425	363,204	67	15.9	11.0-20.8	102	21.3	16.0-26.6	52	14.4	9.5-19.3	204	48.3	41.4-55.2
\$35,000- 49,999	673	565,765	131	22.1	17.6-26.6	196	28.3	23.4-33.2	76	13.5	9.6-17.4	270	36.1	31.2-41.0
\$50,000- 74,999	663	598,530	133	20.2	16.1-24.3	185	25.2	20.7-29.7	84	11.5	8.6-14.4	261	43.1	37.6-48.6
\$75,000+	1275	1,174,129	354	28.6	25.1-32.1	401	28.8	25.5-32.1	132	13.3	10.2-16.4	388	29.3	25.8-32.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2280	2,140,891	538	24.3	21.9-26.7	620	25.8	23.3-28.3	334	15.6	13.4-17.8	788	34.3	31.6-37.0
White/Non-Hisp	1870	1,619,875	429	23.4	20.9-25.9	532	27.0	24.3-29.7	267	14.9	12.5-17.3	642	34.7	31.8-37.6
Black or Afr. Am./Non-Hisp	212	296,536	56	25.8	18.2-33.4	49	22.3	14.9-29.7	33	18.1	10.8-25.4	74	33.8	25.4-42.2
Oth. Race/Non-Hisp.	74	68,092	19	29.7	13.4-46.0	17	21.6	7.3-35.9	13	19.8	6.1-33.5	25	28.9	13.8-44.0
Hispanic	51	105,316	17	30.6	14.9-46.3	6	22.9	5.5-40.3	8	13.2	1.8-24.6	20	33.3	15.5-51.1
18-24	155	278,062	43	26.6	18.2-35.0	39	22.0	13.6-30.4	37	25.2	16.2-34.2	36	26.2	17.0-35.4
25-34	280	397,042	62	22.5	16.0-29.0	79	28.8	21.7-35.9	55	16.5	11.0-22.0	84	32.3	24.7-39.9
35-44	248	329,515	63	26.5	19.2-33.8	64	24.2	17.1-31.3	45	19.8	12.7-26.9	76	29.5	22.2-36.8
45-54	423	353,749	97	24.2	18.9-29.5	109	26.1	20.2-32.0	58	11.4	7.9-14.9	159	38.3	31.8-44.8
55-64	494	359,784	99	20.1	15.6-24.6	125	23.1	18.4-27.8	70	14.3	10.2-18.4	200	42.5	36.8-48.2
65+	680	422,739	174	26.5	22.2-30.8	204	28.8	24.3-33.3	69	9.8	6.9-12.7	233	34.8	30.1-39.5
Less Than H.S.	210	294,966	29	13.6	7.7-19.5	38	15.3	8.6-22.0	46	26.6	17.6-35.6	97	44.6	35.0-54.2
H.S. or G.E.D.	670	689,206	118	19.7	15.6-23.8	161	27.8	22.9-32.7	106	16.2	12.3-20.1	285	36.2	31.3-41.1
Some Post-H.S.	572	591,943	137	27.2	22.1-32.3	154	25.6	20.9-30.3	84	13.3	9.6-17.0	197	33.9	28.6-39.2
College Graduate	825	563,667	254	32.5	28.2-36.8	267	29.1	25.0-33.2	98	11.5	8.8-14.2	206	26.8	22.5-31.1
Less than \$15,000	191	170,523	29	16.3	9.0-23.6	27	14.6	7.5-21.7	36	17.0	9.9-24.1	99	52.1	42.3-61.9
\$15,000- 24,999	301	270,142	62	22.4	15.7-29.1	63	19.2	13.7-24.7	54	17.6	11.7-23.5	122	40.8	33.4-48.2
\$25,000- 34,999	176	166,334	33	16.5	9.1-23.9	37	19.7	11.1-28.3	21	15.2	7.0-23.4	85	48.6	37.4-59.8
\$35,000- 49,999	309	293,556	70	26.9	19.6-34.2	91	30.8	23.0-38.6	43	15.6	9.7-21.5	105	26.7	20.4-33.0
\$50,000- 74,999	348	342,262	71	18.7	13.4-24.0	104	28.4	21.7-35.1	53	13.7	9.2-18.2	120	39.3	31.7-46.9
\$75,000+	686	662,466	207	31.2	26.5-35.9	227	29.4	24.7-34.1	83	15.5	10.8-20.2	169	23.9	19.4-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2885	2,258,466	515	19.4	17.2-21.6	707	23.1	21.1-25.1	323	12.3	10.5-14.1	1340	45.3	42.8-47.8
White/Non-Hisp	2321	1,706,632	404	18.8	16.4-21.2	594	24.6	22.2-27.0	252	12.2	10.2-14.2	1071	44.4	41.7-47.1
Black or Afr. Am./Non-Hisp	356	358,131	69	21.2	15.1-27.3	62	17.2	11.7-22.7	45	12.4	8.1-16.7	180	49.2	42.1-56.3
Oth. Race/Non-Hisp.	55	44,008	11	16.2	4.2-28.2	14	16.5	5.7-27.3	4	3.8	0.0-9.1	26	63.5	46.8-80.2
MultiRacial/Non-Hisp.	50	17,304	5	5.2	0.3-10.1	17	36.1	13.8-58.4	7	19.0	0.8-37.2	21	39.8	20.2-59.4
Hispanic	58	96,664	13	24.8	10.5-39.1	12	18.8	6.8-30.8	9	13.5	1.9-25.1	24	43.0	26.5-59.5
18-24	157	252,364	41	29.1	19.5-38.7	27	14.5	7.4-21.6	15	10.9	4.6-17.2	74	45.5	35.3-55.7
25-34	286	357,964	58	22.1	15.6-28.6	70	24.5	18.2-30.8	49	16.9	11.4-22.4	109	36.5	29.4-43.6
35-44	334	347,529	57	19.0	12.7-25.3	92	23.9	18.2-29.6	31	10.0	5.5-14.5	154	47.2	39.9-54.5
45-54	478	368,125	72	16.0	11.7-20.3	112	21.8	17.3-26.3	56	13.4	9.3-17.5	238	48.9	43.2-54.6
55-64	613	398,367	106	18.2	14.3-22.1	147	25.2	20.7-29.7	67	13.6	9.7-17.5	293	43.0	37.9-48.1
65+	1017	534,117	181	16.4	13.5-19.3	259	25.0	21.7-28.3	105	9.4	7.2-11.6	472	49.2	45.3-53.1
Less Than H.S.	261	264,299	27	12.4	5.3-19.5	43	18.5	11.6-25.4	37	14.2	8.5-19.9	154	55.0	46.6-63.4
H.S. or G.E.D.	897	734,727	122	19.0	14.9-23.1	204	22.2	18.5-25.9	101	10.0	7.5-12.5	470	48.8	44.1-53.5
Some Post-H.S.	795	689,058	150	19.1	15.4-22.8	198	23.0	19.3-26.7	93	13.9	10.4-17.4	354	44.0	39.3-48.7
College Graduate	927	566,015	213	22.9	19.2-26.6	262	26.7	23.0-30.4	92	12.3	9.2-15.4	360	38.1	33.8-42.4
Less than \$15,000	352	236,683	37	11.0	5.9-16.1	64	19.1	13.4-24.8	48	18.8	12.5-25.1	203	51.1	43.5-58.7
\$15,000- 24,999	517	379,914	83	17.6	12.9-22.3	111	19.5	15.0-24.0	69	12.1	8.6-15.6	254	50.8	44.7-56.9
\$25,000- 34,999	249	196,869	34	15.5	9.2-21.8	65	22.7	16.0-29.4	31	13.8	7.7-19.9	119	48.1	39.7-56.5
\$35,000- 49,999	364	272,208	61	16.9	11.4-22.4	105	25.7	20.0-31.4	33	11.1	6.4-15.8	165	46.3	39.4-53.2
\$50,000- 74,999	315	256,268	62	22.3	15.6-29.0	81	21.0	15.3-26.7	31	8.6	4.7-12.5	141	48.1	40.5-55.7
\$75,000+	589	511,663	147	25.3	20.4-30.2	174	28.1	23.4-32.8	49	10.4	6.9-13.9	219	36.3	31.0-41.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5165	4,399,358	1053	21.8	20.2-23.4	4112	78.2	76.6-79.8
Male	2280	2,140,891	538	24.3	21.9-26.7	1742	75.7	73.3-78.1
Female	2885	2,258,466	515	19.4	17.2-21.6	2370	80.6	78.4-82.8
White/Non-Hisp	4191	3,326,507	833	21.0	19.2-22.8	3358	79.0	77.2-80.8
Black or Afr. Am./Non-Hisp	568	654,667	125	23.3	18.4-28.2	443	76.7	71.8-81.6
Oth. Race/Non-Hisp.	129	112,101	30	24.4	13.2-35.6	99	75.6	64.4-86.8
MultiRacial/Non-Hisp.	93	43,775	16	20.3	7.6-33.0	77	79.7	67.0-92.4
Hispanic	109	201,979	30	27.8	17.2-38.4	79	72.2	61.6-82.8
18-24	312	530,426	84	27.8	21.3-34.3	228	72.2	65.7-78.7
25-34	566	755,006	120	22.3	17.8-26.8	446	77.7	73.2-82.2
35-44	582	677,044	120	22.6	17.9-27.3	462	77.4	72.7-82.1
45-54	901	721,875	169	20.0	16.5-23.5	732	80.0	76.5-83.5
55-64	1107	758,151	205	19.1	16.2-22.0	902	80.9	78.0-83.8
65+	1697	956,856	355	20.9	18.4-23.4	1342	79.1	76.6-81.6
Less Than H.S.	471	559,264	56	13.0	8.5-17.5	415	87.0	82.5-91.5
H.S. or G.E.D.	1567	1,423,933	240	19.4	16.5-22.3	1327	80.6	77.7-83.5
Some Post-H.S.	1367	1,281,001	287	22.8	19.7-25.9	1080	77.2	74.1-80.3
College Graduate	1752	1,129,681	467	27.7	24.8-30.6	1285	72.3	69.4-75.2
Less than \$15,000	543	407,206	66	13.2	8.9-17.5	477	86.8	82.5-91.1
\$15,000- 24,999	818	650,056	145	19.6	15.7-23.5	673	80.4	76.5-84.3
\$25,000- 34,999	425	363,204	67	15.9	11.0-20.8	358	84.1	79.2-89.0
\$35,000- 49,999	673	565,765	131	22.1	17.6-26.6	542	77.9	73.4-82.4
\$50,000- 74,999	663	598,530	133	20.2	16.1-24.3	530	79.8	75.7-83.9
\$75,000+	1275	1,174,129	354	28.6	25.1-32.1	921	71.4	67.9-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2280	2,140,891	538	24.3	21.9-26.7	1742	75.7	73.3-78.1
White/Non-Hisp	1870	1,619,875	429	23.4	20.9-25.9	1441	76.6	74.1-79.1
Black or Afr. Am./Non-Hisp	212	296,536	56	25.8	18.2-33.4	156	74.2	66.6-81.8
Oth. Race/Non-Hisp.	74	68,092	19	29.7	13.4-46.0	55	70.3	54.0-86.6
Hispanic	51	105,316	17	30.6	14.9-46.3	34	69.4	53.7-85.1
18-24	155	278,062	43	26.6	18.2-35.0	112	73.4	65.0-81.8
25-34	280	397,042	62	22.5	16.0-29.0	218	77.5	71.0-84.0
35-44	248	329,515	63	26.5	19.2-33.8	185	73.5	66.2-80.8
45-54	423	353,749	97	24.2	18.9-29.5	326	75.8	70.5-81.1
55-64	494	359,784	99	20.1	15.6-24.6	395	79.9	75.4-84.4
65+	680	422,739	174	26.5	22.2-30.8	506	73.5	69.2-77.8
Less Than H.S.	210	294,966	29	13.6	7.7-19.5	181	86.4	80.5-92.3
H.S. or G.E.D.	670	689,206	118	19.7	15.6-23.8	552	80.3	76.2-84.4
Some Post-H.S.	572	591,943	137	27.2	22.1-32.3	435	72.8	67.7-77.9
College Graduate	825	563,667	254	32.5	28.2-36.8	571	67.5	63.2-71.8
Less than \$15,000	191	170,523	29	16.3	9.0-23.6	162	83.7	76.4-91.0
\$15,000- 24,999	301	270,142	62	22.4	15.7-29.1	239	77.6	70.9-84.3
\$25,000- 34,999	176	166,334	33	16.5	9.1-23.9	143	83.5	76.1-90.9
\$35,000- 49,999	309	293,556	70	26.9	19.6-34.2	239	73.1	65.8-80.4
\$50,000- 74,999	348	342,262	71	18.7	13.4-24.0	277	81.3	76.0-86.6
\$75,000+	686	662,466	207	31.2	26.5-35.9	479	68.8	64.1-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	154
2 MALES ONLY	155
3 FEMALES ONLY	156
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	157
5 MALES ONLY	158
6 FEMALES ONLY	159
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)	
7 MALES AND FEMALES	160
8 MALES ONLY	161
9 FEMALES ONLY	162
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	163
11 MALES ONLY	164
12 FEMALES ONLY	165
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	166
14 MALES ONLY	167
15 FEMALES ONLY	168
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	169
17 MALES ONLY	170
18 FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5436	4,595,674	2054	39.8	38.0-41.6	762	14.0	12.6-15.4	35	0.8	0.4- 1.2	23	0.7	0.3- 1.1	3	0.1	0.1- 0.1	2559	44.8	42.8-46.8
Male	2378	2,217,925	1007	43.5	40.8-46.2	335	13.9	11.9-15.9	16	0.9	0.3- 1.5	11	0.8	0.2- 1.4	1	0.0	0.0- 0.0	1008	40.9	38.2-43.6
Female	3058	2,377,749	1047	36.3	33.9-38.7	427	14.0	12.2-15.8	19	0.6	0.2- 1.0	12	0.6	0.0- 1.2	2	0.1	0.0- 0.3	1551	48.4	45.9-50.9
White/Non-Hisp	4418	3,505,559	1613	38.2	36.2-40.2	578	12.6	11.2-14.0	24	0.6	0.2- 1.0	16	0.8	0.2- 1.4	2	0.0	0.0- 0.0	2185	47.8	45.8-49.8
Black or Afr. Am./Non-Hisp	586	655,905	269	46.3	40.8-51.8	112	21.5	16.6-26.4	7	1.7	0.3- 3.1	6	0.8	0.0- 1.6	1	0.2	0.0- 0.6	191	29.5	24.6-34.4
Oth. Race/Non-Hisp.	143	118,277	56	40.6	28.1-53.1	20	12.9	4.1-21.7	1	0.9	0.0- 2.7							66	45.7	33.5-57.9
MultiRacial/Non-Hisp.	94	44,551	37	45.8	30.7-60.9	16	10.4	4.1-16.7										41	43.7	29.0-58.4
Hispanic	111	205,158	51	45.4	33.2-57.6	18	13.7	5.9-21.5										42	40.9	28.4-53.4
18-24	314	539,966	159	46.0	38.9-53.1	41	14.9	9.4-20.4				4	3.0	0.0- 6.3	1	0.2	0.0- 0.6	109	35.7	28.8-42.6
25-34	580	776,962	275	45.8	40.5-51.1	73	13.2	9.5-16.9	3	0.2	0.0- 0.6	3	0.6	0.0- 1.4				226	40.1	34.8-45.4
35-44	610	706,071	258	41.9	36.6-47.2	71	11.9	8.4-15.4	4	0.9	0.0- 2.1	2	0.3	0.0- 0.7				275	44.9	39.6-50.2
45-54	965	771,996	379	40.6	36.5-44.7	114	11.9	9.2-14.6	9	1.9	0.3- 3.5	2	0.3	0.0- 0.9				461	45.4	41.3-49.5
55-64	1155	784,604	420	36.5	32.8-40.2	144	13.2	10.5-15.9	9	0.6	0.2- 1.0	3	0.1	0.0- 0.3	1	0.1	0.0- 0.3	578	49.5	45.8-53.2
65+	1812	1,016,074	563	32.2	29.3-35.1	319	17.6	15.2-20.0	10	0.8	0.2- 1.4	9	0.6	0.2- 1.0	1	0.1	0.0- 0.3	910	48.8	45.9-51.7
Less Than H.S.	493	569,686	164	34.6	28.7-40.5	81	17.6	12.9-22.3	3	0.8	0.0- 2.0	4	2.2	0.0- 5.1				241	44.7	38.4-51.0
H.S. or G.E.D.	1675	1,509,289	622	39.6	36.3-42.9	224	14.4	11.9-16.9	15	0.8	0.2- 1.4	10	0.7	0.1- 1.3	2	0.1	0.0- 0.3	802	44.4	41.1-47.7
Some Post-H.S.	1447	1,350,380	579	41.6	38.1-45.1	213	15.0	12.5-17.5	10	1.0	0.2- 1.8	6	0.4	0.0- 1.0	1	0.1	0.0- 0.3	638	41.9	38.4-45.4
College Graduate	1812	1,159,208	686	40.2	37.1-43.3	242	10.5	8.9-12.1	7	0.5	0.1- 0.9	3	0.2	0.0- 0.6				874	48.6	45.5-51.7
Less than \$15,000	571	416,656	206	37.8	32.1-43.5	94	17.9	13.0-22.8	5	0.4	0.0- 0.8	2	0.2	0.0- 0.4				264	43.7	37.8-49.6
\$15,000- 24,999	867	688,384	323	39.9	35.4-44.4	138	17.6	14.1-21.1	7	0.9	0.1- 1.7	5	0.8	0.0- 1.6				394	40.8	36.3-45.3
\$25,000- 34,999	444	373,320	173	45.4	38.7-52.1	70	12.8	8.7-16.9	2	0.5	0.0- 1.3	1	0.3	0.0- 0.9				198	41.0	34.3-47.7
\$35,000- 49,999	692	578,028	295	44.7	39.4-50.0	86	12.8	9.3-16.3	2	0.2	0.0- 0.4	3	0.7	0.0- 1.7	2	0.4	0.0- 1.0	304	41.2	36.1-46.3
\$50,000- 74,999	685	615,935	268	38.9	33.8-44.0	88	12.6	9.3-15.9	4	0.9	0.0- 2.3	2	0.2	0.0- 0.6				323	47.4	42.1-52.7
\$75,000+	1309	1,203,970	506	39.1	35.4-42.8	148	11.3	8.6-14.0	5	0.6	0.0- 1.2	3	0.4	0.0- 1.0				647	48.6	44.9-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2378	2,217,925	1007	43.5	40.8-46.2	335	13.9	11.9-15.9	16	0.9	0.3- 1.5	11	0.8	0.2- 1.4	1	0.0	0.0- 0.0	1008	40.9	38.2-43.6
White/Non-Hisp	1956	1,691,930	799	41.3	38.4-44.2	264	13.3	11.1-15.5	11	0.7	0.1- 1.3	8	0.9	0.1- 1.7	1	0.0	0.0- 0.0	873	43.8	40.7-46.9
Black or Afr. Am./Non-Hisp	214	288,781	117	55.5	46.7-64.3	39	17.6	11.1-24.1	3	1.8	0.0- 4.2	3	1.2	0.0- 2.8				52	23.8	16.4-31.2
Oth. Race/Non-Hisp.	80	71,968	30	42.4	25.5-59.3	14	18.4	4.9-31.9										36	39.1	23.8-54.4
Hispanic	53	109,084	27	42.5	25.1-59.9	9	12.9	2.9-22.9										17	44.6	26.0-63.2
18-24	156	284,559	86	49.3	39.3-59.3	22	15.2	7.2-23.2				3	2.9	0.0- 6.4				45	32.5	22.7-42.3
25-34	287	404,815	161	55.0	47.4-62.6	32	10.3	6.0-14.6	1	0.1	0.0- 0.3	1	0.7	0.0- 2.1				92	33.9	26.3-41.5
35-44	255	331,754	112	39.1	31.3-46.9	26	11.2	6.1-16.3	2	1.4	0.0- 3.8	2	0.6	0.0- 1.4				113	47.7	39.5-55.9
45-54	449	380,305	195	43.0	36.7-49.3	57	14.1	9.4-18.8	4	2.5	0.0- 5.2	1	0.5	0.0- 1.5				192	39.9	33.8-46.0
55-64	512	373,936	201	40.1	34.4-45.8	63	11.8	8.3-15.3	6	0.9	0.1- 1.7	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	239	46.8	41.1-52.5
65+	719	442,556	252	35.8	31.1-40.5	135	19.8	15.9-23.7	3	0.7	0.0- 1.5	2	0.5	0.0- 1.3				327	43.4	38.7-48.1
Less Than H.S.	215	293,021	79	36.4	27.6-45.2	32	13.1	7.4-18.8	1	1.0	0.0- 3.0	2	1.3	0.0- 3.7				101	48.3	38.7-57.9
H.S. or G.E.D.	718	737,802	295	42.6	37.5-47.7	98	15.0	11.1-18.9	5	0.7	0.0- 1.7	6	1.1	0.0- 2.3				314	40.6	35.7-45.5
Some Post-H.S.	594	608,809	265	45.2	39.7-50.7	83	15.0	11.1-18.9	7	1.8	0.0- 3.6	2	0.7	0.0- 1.7	1	0.1	0.0- 0.3	236	37.1	31.8-42.4
College Graduate	848	575,905	366	46.2	41.7-50.7	121	11.6	9.1-14.1	3	0.3	0.0- 0.7	1	0.3	0.0- 0.9				357	41.6	37.1-46.1
Less than \$15,000	197	172,197	80	42.3	32.9-51.7	34	12.9	7.8-18.0	1	0.4	0.0- 1.2							82	44.3	34.9-53.7
\$15,000- 24,999	316	283,198	131	42.7	35.3-50.1	51	17.2	11.5-22.9	2	0.7	0.0- 1.9	2	1.3	0.0- 3.1				130	38.1	30.8-45.4
\$25,000- 34,999	187	170,799	76	48.7	37.9-59.5	30	9.8	5.5-14.1	1	0.5	0.0- 1.5	1	0.6	0.0- 1.8				79	40.4	29.4-51.4
\$35,000- 49,999	316	296,456	148	51.5	43.7-59.3	39	13.3	7.6-19.0	1	0.1	0.0- 0.3	2	1.3	0.0- 3.3	1	0.3	0.0- 0.9	125	33.5	26.4-40.6
\$50,000- 74,999	358	354,512	151	40.6	33.5-47.7	52	15.0	9.9-20.1	2	1.2	0.0- 3.4	1	0.3	0.0- 0.9				152	43.0	35.6-50.4
\$75,000+	703	678,291	309	42.0	36.9-47.1	87	13.3	9.2-17.4	3	0.7	0.0- 1.7	3	0.7	0.0- 1.9				301	43.3	38.0-48.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3058	2,377,749	1047	36.3	33.9-38.7	427	14.0	12.2-15.8	19	0.6	0.2- 1.0	12	0.6	0.0- 1.2	2	0.1	0.0- 0.3	1551	48.4	45.9-50.9
White/Non-Hisp	2462	1,813,629	814	35.2	32.5-37.9	314	12.1	10.3-13.9	13	0.4	0.2- 0.6	8	0.6	0.0- 1.4	1	0.0	0.0- 0.0	1312	51.6	48.9-54.3
Black or Afr. Am./Non-Hisp	372	367,123	152	39.0	32.3-45.7	73	24.6	17.7-31.5	4	1.6	0.0- 3.2	3	0.4	0.0- 1.0	1	0.3	0.0- 0.9	139	34.0	27.5-40.5
Oth. Race/Non-Hisp.	63	46,309	26	37.8	20.2-55.4	6	4.3	0.0- 8.8	1	2.2	0.0- 6.5							30	55.8	37.8-73.8
MultiRacial/Non-Hisp.	54	19,244	18	29.6	13.9-45.3	10	10.3	2.7-17.9										26	60.1	42.3-77.9
Hispanic	58	96,074	24	48.6	32.1-65.1	9	14.7	2.5-26.9										25	36.7	21.2-52.2
18-24	158	255,407	73	42.4	32.4-52.4	19	14.6	6.8-22.4				1	3.1	0.0- 9.2	1	0.5	0.0- 1.5	64	39.4	29.8-49.0
25-34	293	372,147	114	35.8	28.7-42.9	41	16.5	10.4-22.6	2	0.4	0.0- 1.0	2	0.4	0.0- 1.0				134	47.0	39.7-54.3
35-44	355	374,317	146	44.4	37.1-51.7	45	12.5	7.8-17.2	2	0.6	0.0- 1.4							162	42.5	35.6-49.4
45-54	516	391,692	184	38.2	32.7-43.7	57	9.7	6.6-12.8	5	1.3	0.0- 2.7	1	0.1	0.0- 0.3				269	50.7	45.2-56.2
55-64	643	410,668	219	33.3	28.6-38.0	81	14.4	10.5-18.3	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0				339	52.0	46.9-57.1
65+	1093	573,518	311	29.5	26.0-33.0	184	15.9	13.2-18.6	7	0.8	0.0- 1.6	7	0.6	0.0- 1.2	1	0.1	0.0- 0.3	583	53.0	49.1-56.9
Less Than H.S.	278	276,665	85	32.7	25.3-40.1	49	22.4	15.0-29.8	2	0.6	0.0- 1.6	2	3.2	0.0- 8.7				140	41.0	33.6-48.4
H.S. or G.E.D.	957	771,487	327	36.8	32.3-41.3	126	13.7	10.6-16.8	10	0.8	0.2- 1.4	4	0.3	0.0- 0.7	2	0.2	0.0- 0.6	488	48.1	43.6-52.6
Some Post-H.S.	853	741,571	314	38.6	33.9-43.3	130	14.9	11.6-18.2	3	0.4	0.0- 1.0	4	0.2	0.0- 0.4				402	45.8	41.3-50.3
College Graduate	964	583,303	320	34.3	30.2-38.4	121	9.5	7.3-11.7	4	0.7	0.0- 1.5	2	0.1	0.0- 0.3				517	55.4	51.1-59.7
Less than \$15,000	374	244,459	126	34.6	27.3-41.9	60	21.3	14.0-28.6	4	0.4	0.0- 0.8	2	0.3	0.0- 0.7				182	43.3	36.0-50.6
\$15,000- 24,999	551	405,186	192	37.9	32.0-43.8	87	17.8	13.1-22.5	5	1.0	0.0- 2.0	3	0.5	0.0- 1.1				264	42.7	37.0-48.4
\$25,000- 34,999	257	202,522	97	42.6	34.2-51.0	40	15.4	9.1-21.7	1	0.6	0.0- 1.8							119	41.4	33.2-49.6
\$35,000- 49,999	376	281,572	147	37.6	30.9-44.3	47	12.3	8.0-16.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2	179	49.3	42.4-56.2
\$50,000- 74,999	327	261,423	117	36.6	29.3-43.9	36	9.5	5.6-13.4	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3				171	53.3	45.9-60.7
\$75,000+	606	525,679	197	35.2	29.9-40.5	61	8.9	5.8-12.0	2	0.5	0.0- 1.1							346	55.4	49.9-60.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5422	4,611,235	2501	46.2	44.2-48.2	2172	39.7	37.9-41.5	338	6.2	5.2- 7.2	135	2.6	2.0- 3.2	3	0.0	0.0- 0.0	273	5.2	4.4- 6.0
Male	2377	2,229,330	1164	48.4	45.5-51.3	857	36.4	33.7-39.1	145	5.9	4.7- 7.1	54	2.4	1.4- 3.4	2	0.1	0.0- 0.3	155	6.8	5.2- 8.4
Female	3045	2,381,904	1337	44.2	41.7-46.7	1315	42.7	40.2-45.2	193	6.6	5.4- 7.8	81	2.8	1.8- 3.8	1	0.0	0.0- 0.0	118	3.8	2.8- 4.8
White/Non-Hisp	4398	3,503,268	2007	45.7	43.7-47.7	1792	40.2	38.2-42.2	263	6.1	5.1- 7.1	110	2.7	1.9- 3.5	1	0.0	0.0- 0.0	225	5.2	4.2- 6.2
Black or Afr. Am./Non-Hisp	591	673,492	296	48.7	43.2-54.2	207	36.8	31.3-42.3	43	6.2	3.8- 8.6	15	2.1	0.5- 3.7	1	0.0	0.0- 0.0	29	6.1	3.4- 8.8
Oth. Race/Non-Hisp.	139	117,376	64	48.2	35.7-60.7	58	40.0	28.0-52.0	9	4.0	0.5- 7.5	5	4.1	0.4- 7.8				3	3.7	0.0- 9.8
MultiRacial/Non-Hisp.	96	44,880	53	61.2	47.3-75.1	30	25.1	12.9-37.3	7	6.4	0.0-13.1	4	6.1	0.0-12.8				2	1.2	0.0- 2.8
Hispanic	113	207,024	45	43.1	30.9-55.3	52	41.4	29.2-53.6	10	9.6	2.7-16.5	1	1.3	0.0- 3.8	1	0.4	0.0- 1.2	4	4.1	0.0- 9.4
18-24	320	547,805	162	46.3	39.2-53.4	111	36.7	29.6-43.8	21	6.1	3.2- 9.0	10	5.1	1.0- 9.2	2	0.4	0.0- 1.0	14	5.4	2.1- 8.7
25-34	577	780,260	296	53.9	48.6-59.2	215	35.2	30.1-40.3	37	6.2	3.7- 8.7	11	1.8	0.6- 3.0				18	2.9	1.1- 4.7
35-44	609	718,042	271	41.8	36.5-47.1	252	41.8	36.5-47.1	36	6.5	4.0- 9.0	12	1.9	0.5- 3.3				38	8.0	4.9-11.1
45-54	954	761,783	487	48.6	44.3-52.9	350	39.5	35.4-43.6	44	5.4	3.2- 7.6	18	1.2	0.6- 1.8				55	5.3	3.5- 7.1
55-64	1163	789,109	545	46.0	42.3-49.7	430	37.7	34.0-41.4	88	7.6	5.6- 9.6	37	3.3	1.9- 4.7	1	0.0	0.0- 0.0	62	5.4	3.8- 7.0
65+	1799	1,014,237	740	41.7	38.8-44.6	814	45.0	42.1-47.9	112	5.7	4.3- 7.1	47	2.7	1.7- 3.7				86	4.8	3.4- 6.2
Less Than H.S.	495	577,435	227	43.9	37.6-50.2	176	37.1	31.0-43.2	29	6.3	3.6- 9.0	10	2.5	0.0- 5.2				53	10.2	6.5-13.9
H.S. or G.E.D.	1654	1,508,059	823	48.6	45.3-51.9	577	35.7	32.4-39.0	104	6.2	4.6- 7.8	34	2.4	1.2- 3.6	1	0.1	0.0- 0.3	115	7.0	5.2- 8.8
Some Post-H.S.	1447	1,354,678	697	48.6	45.1-52.1	565	39.0	35.5-42.5	90	6.1	4.5- 7.7	39	2.6	1.6- 3.6	1	0.1	0.0- 0.3	55	3.7	2.5- 4.9
College Graduate	1817	1,163,953	749	41.5	38.4-44.6	850	46.8	43.7-49.9	115	6.5	4.9- 8.1	52	2.9	1.9- 3.9	1	0.0	0.0- 0.0	50	2.3	1.5- 3.1
Less than \$15,000	568	416,455	277	47.1	41.2-53.0	198	35.3	29.4-41.2	36	6.9	3.8-10.0	18	3.4	1.4- 5.4				39	7.3	4.0-10.6
\$15,000- 24,999	869	694,991	414	49.0	44.3-53.7	326	36.8	32.5-41.1	53	5.3	3.5- 7.1	19	2.2	0.8- 3.6				57	6.8	4.3- 9.3
\$25,000- 34,999	442	376,056	214	47.3	40.6-54.0	158	36.5	29.8-43.2	33	6.7	3.8- 9.6	9	2.1	0.5- 3.7	1	0.3	0.0- 0.9	27	7.2	3.1-11.3
\$35,000- 49,999	691	584,625	339	48.6	43.3-53.9	274	41.1	35.8-46.4	35	5.7	3.2- 8.2	17	1.9	0.9- 2.9				26	2.7	1.3- 4.1
\$50,000- 74,999	685	615,361	323	50.5	45.2-55.8	265	36.6	31.5-41.7	46	5.0	2.8- 7.2	15	1.8	0.6- 3.0				36	6.1	3.6- 8.6
\$75,000+	1316	1,213,861	565	43.2	39.5-46.9	601	44.3	40.6-48.0	79	6.4	4.6- 8.2	32	2.8	1.4- 4.2	1	0.0	0.0- 0.0	38	3.2	1.8- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2377	2,229,330	1164	48.4	45.7-51.1	857	36.4	33.7-39.1	145	5.9	4.7- 7.1	54	2.4	1.4- 3.4	2	0.1	0.0- 0.3	155	6.8	5.2- 8.4
White/Non-Hisp	1950	1,689,972	937	48.1	45.0-51.2	717	36.4	33.5-39.3	121	5.9	4.5- 7.3	44	2.6	1.4- 3.8	1	0.1	0.0- 0.3	130	7.0	5.4- 8.6
Black or Afr. Am./Non-Hisp	216	297,111	115	48.7	39.9-57.5	72	37.4	28.8-46.0	11	4.2	1.1- 7.3	4	0.7	0.0- 1.5				14	9.0	3.5-14.5
Oth. Race/Non-Hisp.	77	71,255	37	56.1	40.0-72.2	33	39.2	23.5-54.9	3	1.2	0.0- 2.8	2	2.6	0.0- 6.5				2	0.9	0.0- 2.3
Hispanic	56	113,871	26	42.2	25.1-59.3	20	40.5	22.5-58.5	5	11.4	0.6-22.2	1	2.3	0.0- 6.8	1	0.8	0.0- 2.4	3	2.7	0.0- 6.6
18-24	161	290,756	83	49.8	39.8-59.8	53	33.6	24.0-43.2	11	6.0	2.1- 9.9	3	3.4	0.0- 7.9	2	0.7	0.0- 1.7	9	6.6	1.7-11.5
25-34	284	403,170	156	57.5	49.9-65.1	95	31.1	24.0-38.2	15	5.2	1.9- 8.5	7	2.8	0.4- 5.2				11	3.4	0.7- 6.1
35-44	257	344,342	121	40.7	33.1-48.3	90	38.8	30.8-46.8	11	4.4	1.1- 7.7	6	2.2	0.0- 4.4				29	13.8	7.7-19.9
45-54	444	373,719	244	52.6	46.1-59.1	144	36.0	29.7-42.3	23	6.0	2.7- 9.3	9	1.2	0.4- 2.0				24	4.2	2.0- 6.4
55-64	513	370,568	251	48.3	42.6-54.0	168	32.8	27.5-38.1	46	8.8	5.7-11.9	13	2.9	1.1- 4.7				35	7.2	4.5- 9.9
65+	718	446,775	309	41.9	37.2-46.6	307	44.6	39.9-49.3	39	5.0	3.0- 7.0	16	2.2	0.8- 3.6				47	6.2	4.0- 8.4
Less Than H.S.	219	302,529	104	46.8	37.4-56.2	70	34.1	25.1-43.1	11	4.9	1.4- 8.4	5	1.4	0.0- 2.8				29	12.8	6.7-18.9
H.S. or G.E.D.	710	732,033	377	50.2	45.1-55.3	205	31.8	26.9-36.7	47	6.5	4.1- 8.9	15	2.8	0.6- 5.0	1	0.1	0.0- 0.3	65	8.6	5.7-11.5
Some Post-H.S.	597	615,876	304	50.2	44.7-55.7	209	36.5	31.2-41.8	40	6.3	3.9- 8.7	12	1.6	0.4- 2.8	1	0.1	0.0- 0.3	31	5.2	2.8- 7.6
College Graduate	848	576,505	376	44.9	40.4-49.4	373	43.6	39.1-48.1	47	5.3	3.1- 7.5	22	3.3	1.5- 5.1				30	2.9	1.5- 4.3
Less than \$15,000	194	169,581	98	45.7	36.3-55.1	57	31.8	22.6-41.0	11	5.5	1.4- 9.6	7	3.9	0.6- 7.2				21	13.0	5.6-20.4
\$15,000- 24,999	323	287,755	166	52.3	44.9-59.7	98	32.0	24.9-39.1	22	5.4	2.7- 8.1	6	2.1	0.1- 4.1				31	8.2	4.9-11.5
\$25,000- 34,999	186	174,681	100	52.6	41.8-63.4	51	29.4	19.2-39.6	16	5.8	2.3- 9.3	2	0.8	0.0- 2.0	1	0.6	0.0- 1.8	16	10.9	3.1-18.7
\$35,000- 49,999	314	298,495	167	51.1	43.3-58.9	109	37.3	29.5-45.1	17	6.8	2.5-11.1	8	2.2	0.6- 3.8				13	2.6	0.6- 4.6
\$50,000- 74,999	352	348,421	170	49.9	42.5-57.3	130	36.8	29.7-43.9	22	4.7	2.0- 7.4	6	1.5	0.0- 3.1				24	7.2	3.1-11.3
\$75,000+	709	685,933	322	45.4	40.1-50.7	303	40.9	35.6-46.2	41	6.5	4.0- 9.0	15	3.0	0.6- 5.4				28	4.3	1.9- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3045	2,381,904	1337	44.2	41.7-46.7	1315	42.7	40.2-45.2	193	6.6	5.4- 7.8	81	2.8	1.8- 3.8	1	0.0	0.0- 0.0	118	3.8	2.8- 4.8
White/Non-Hisp	2448	1,813,297	1070	43.5	40.8-46.2	1075	43.8	41.1-46.5	142	6.3	4.9- 7.7	66	2.7	1.5- 3.9				95	3.6	2.6- 4.6
Black or Afr. Am./Non-Hisp	375	376,381	181	48.7	41.8-55.6	135	36.4	29.5-43.3	32	7.7	4.2-11.2	11	3.3	0.6- 6.0	1	0.1	0.0- 0.3	15	3.8	1.4- 6.2
Oth. Race/Non-Hisp.	62	46,121	27	35.9	18.7-53.1	25	41.2	23.0-59.4	6	8.4	0.0-16.8	3	6.6	0.0-14.0				1	7.9	0.0-22.6
MultiRacial/Non-Hisp.	55	19,379	25	54.5	35.1-73.9	22	34.6	16.4-52.8	5	6.8	0.0-13.9	1	1.4	0.0- 4.3				2	2.7	0.0- 6.4
Hispanic	57	93,153	19	44.2	27.1-61.3	32	42.6	26.5-58.7	5	7.5	0.1-14.9							1	5.7	0.0-16.5
18-24	159	257,049	79	42.3	32.5-52.1	58	40.1	30.1-50.1	10	6.3	1.8-10.8	7	7.1	0.2-14.0				5	4.1	0.0- 8.4
25-34	293	377,090	140	50.1	42.8-57.4	120	39.7	32.6-46.8	22	7.2	3.3-11.1	4	0.7	0.0- 1.5				7	2.4	0.0- 4.8
35-44	352	373,700	150	42.8	35.7-49.9	162	44.4	37.3-51.5	25	8.5	4.6-12.4	6	1.7	0.0- 3.5				9	2.6	0.6- 4.6
45-54	510	388,064	243	44.8	39.3-50.3	206	42.8	37.3-48.3	21	4.8	2.3- 7.3	9	1.3	0.3- 2.3				31	6.3	3.6- 9.0
55-64	650	418,541	294	44.0	39.1-48.9	262	42.0	37.1-46.9	42	6.5	4.3- 8.7	24	3.7	1.7- 5.7	1	0.1	0.0- 0.3	27	3.8	2.0- 5.6
65+	1081	567,462	431	41.6	37.7-45.5	507	45.3	41.4-49.2	73	6.2	4.2- 8.2	31	3.2	1.8- 4.6				39	3.7	2.1- 5.3
Less Than H.S.	276	274,906	123	40.6	32.8-48.4	106	40.4	32.4-48.4	18	7.9	3.6-12.2	5	3.7	0.0- 9.4				24	7.3	3.8-10.8
H.S. or G.E.D.	944	776,026	446	47.1	42.6-51.6	372	39.4	34.9-43.9	57	5.9	3.7- 8.1	19	2.1	0.9- 3.3				50	5.5	3.3- 7.7
Some Post-H.S.	850	738,801	393	47.2	42.5-51.9	356	41.1	36.6-45.6	50	5.9	3.7- 8.1	27	3.4	1.8- 5.0				24	2.4	1.2- 3.6
College Graduate	969	587,448	373	38.3	34.2-42.4	477	49.8	45.5-54.1	68	7.7	5.3-10.1	30	2.4	1.2- 3.6	1	0.1	0.0- 0.3	20	1.7	0.7- 2.7
Less than \$15,000	374	246,874	179	48.1	40.7-55.5	141	37.6	30.2-45.0	25	7.9	3.4-12.4	11	3.0	0.8- 5.2				18	3.3	1.3- 5.3
\$15,000- 24,999	546	407,236	248	46.6	40.7-52.5	228	40.2	34.5-45.9	31	5.2	2.7- 7.7	13	2.3	0.5- 4.1				26	5.8	2.3- 9.3
\$25,000- 34,999	256	201,375	114	42.6	34.2-51.0	107	42.7	34.1-51.3	17	7.5	3.2-11.8	7	3.2	0.5- 5.9				11	3.9	0.8- 7.0
\$35,000- 49,999	377	286,131	172	45.9	39.0-52.8	165	45.1	38.2-52.0	18	4.6	2.2- 7.0	9	1.7	0.3- 3.1				13	2.8	0.8- 4.8
\$50,000- 74,999	333	266,940	153	51.4	44.0-58.8	135	36.4	29.5-43.3	24	5.4	2.3- 8.5	9	2.1	0.3- 3.9				12	4.7	1.8- 7.6
\$75,000+	607	527,927	243	40.4	35.1-45.7	298	48.8	43.5-54.1	38	6.4	3.9- 8.9	17	2.6	1.0- 4.2	1	0.1	0.0- 0.3	10	1.8	0.4- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5428	4,590,892	3837	69.3	67.5-71.1	939	17.8	16.4-19.2	70	1.6	1.0- 2.2	52	0.9	0.5- 1.3	530	10.4	9.2-11.6
Male	2379	2,216,887	1693	69.8	67.3-72.3	360	15.4	13.2-17.6	27	1.3	0.7- 1.9	18	0.6	0.2- 1.0	281	12.8	10.8-14.8
Female	3049	2,374,005	2144	68.9	66.5-71.3	579	20.0	18.0-22.0	43	1.9	0.9- 2.9	34	1.1	0.7- 1.5	249	8.2	6.8- 9.6
White/Non-Hisp	4407	3,497,626	3141	69.3	67.3-71.3	752	17.7	16.1-19.3	54	1.6	0.8- 2.4	44	1.0	0.6- 1.4	416	10.3	9.1-11.5
Black or Afr. Am./Non-Hisp	591	665,660	408	69.0	63.9-74.1	99	16.2	12.3-20.1	9	2.0	0.6- 3.4	6	0.6	0.0- 1.4	69	12.1	8.6-15.6
Oth. Race/Non-Hisp.	139	110,430	82	65.0	53.4-76.6	38	21.1	12.1-30.1	2	1.1	0.0- 2.9	2	1.1	0.0- 2.9	17	12.8	4.2-21.4
MultiRacial/Non-Hisp.	93	44,139	70	74.1	60.8-87.4	11	11.1	3.3-18.9	2	0.6	0.0- 1.6				10	14.2	2.2-26.2
Hispanic	112	205,555	84	73.0	61.8-84.2	23	22.1	11.7-32.5	2	0.5	0.0- 1.3				3	4.3	0.0- 9.8
18-24	313	533,919	209	68.4	61.7-75.1	48	13.9	9.0-18.8	4	2.7	0.0- 5.8	1	0.1	0.0- 0.3	51	14.9	10.2-19.6
25-34	584	782,534	409	69.6	64.7-74.5	89	15.8	11.7-19.9	10	1.9	0.3- 3.5	5	1.0	0.0- 2.0	71	11.7	8.4-15.0
35-44	612	713,187	419	67.1	62.0-72.2	123	21.8	17.3-26.3	9	1.6	0.2- 3.0	10	1.2	0.4- 2.0	51	8.3	5.6-11.0
45-54	960	765,848	670	67.5	63.4-71.6	177	19.7	16.4-23.0	16	1.9	0.7- 3.1	12	0.9	0.3- 1.5	85	10.0	7.3-12.7
55-64	1158	782,304	823	70.7	67.2-74.2	195	16.8	14.1-19.5	14	1.0	0.2- 1.8	8	0.9	0.1- 1.7	118	10.5	8.1-12.9
65+	1801	1,013,101	1307	71.3	68.6-74.0	307	18.0	15.6-20.4	17	1.0	0.4- 1.6	16	0.9	0.3- 1.5	154	8.9	7.1-10.7
Less Than H.S.	493	572,847	310	63.9	58.0-69.8	74	14.6	10.5-18.7	7	2.8	0.0- 5.7	2	0.8	0.0- 2.0	100	18.0	13.5-22.5
H.S. or G.E.D.	1672	1,503,505	1201	69.2	66.1-72.3	227	15.6	13.1-18.1	19	1.6	0.6- 2.6	14	0.9	0.3- 1.5	211	12.8	10.4-15.2
Some Post-H.S.	1450	1,356,429	1039	70.0	66.7-73.3	248	18.2	15.3-21.1	22	1.6	0.6- 2.6	11	0.5	0.1- 0.9	130	9.7	7.7-11.7
College Graduate	1804	1,151,001	1282	71.2	68.5-73.9	387	21.8	19.3-24.3	22	1.1	0.5- 1.7	25	1.3	0.5- 2.1	88	4.6	3.4- 5.8
Less than \$15,000	563	413,390	376	67.2	61.7-72.7	84	14.3	10.2-18.4	4	1.2	0.0- 3.0	3	0.2	0.0- 0.6	96	17.1	12.8-21.4
\$15,000- 24,999	865	686,396	615	68.1	63.6-72.6	115	14.1	10.8-17.4	13	1.7	0.5- 2.9	6	0.8	0.0- 1.6	116	15.3	11.8-18.8
\$25,000- 34,999	439	366,388	315	69.9	63.8-76.0	65	14.9	10.4-19.4	3	0.7	0.0- 1.5	7	1.2	0.0- 2.4	49	13.3	8.8-17.8
\$35,000- 49,999	692	580,173	488	71.4	66.9-75.9	126	17.7	14.0-21.4	8	1.6	0.0- 3.2	7	1.2	0.0- 2.4	63	8.2	5.7-10.7
\$50,000- 74,999	689	623,999	519	74.3	69.6-79.0	109	15.8	11.9-19.7	11	1.6	0.0- 3.2	4	0.3	0.0- 0.7	46	8.0	4.9-11.1
\$75,000+	1315	1,210,623	942	70.0	66.5-73.5	277	21.9	18.6-25.2	20	1.7	0.7- 2.7	14	1.0	0.4- 1.6	62	5.5	3.7- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2379	2,216,887	1693	69.8	67.3-72.3	360	15.4	13.2-17.6	27	1.3	0.7- 1.9	18	0.6	0.2- 1.0	281	12.8	10.8-14.8
White/Non-Hisp	1955	1,689,460	1399	70.2	67.5-72.9	296	15.1	12.9-17.3	21	1.3	0.5- 2.1	18	0.8	0.4- 1.2	221	12.6	10.4-14.8
Black or Afr. Am./Non-Hisp	218	295,367	148	66.0	57.6-74.4	32	14.9	8.2-21.6	4	2.2	0.0- 4.4				34	16.9	10.4-23.4
Oth. Race/Non-Hisp.	76	63,725	51	74.1	61.2-87.0	14	12.6	4.6-20.6							11	13.4	2.8-24.0
Hispanic	55	112,402	42	72.5	56.0-89.0	11	25.1	8.8-41.4	1	0.2	0.0- 0.6				1	2.2	0.0- 6.5
18-24	158	283,260	104	69.2	60.4-78.0	22	13.4	6.5-20.3	2	1.3	0.0- 3.3	1	0.1	0.0- 0.3	29	16.0	9.5-22.5
25-34	287	404,536	191	66.7	59.4-74.0	39	14.2	8.1-20.3	6	1.7	0.1- 3.3	2	1.0	0.0- 2.4	49	16.4	11.1-21.7
35-44	258	339,384	176	68.1	60.7-75.5	43	18.1	11.8-24.4	4	1.7	0.0- 4.1	3	0.9	0.0- 2.1	32	11.2	6.3-16.1
45-54	442	375,054	324	69.3	63.2-75.4	60	15.8	11.1-20.5	7	2.1	0.0- 4.3	4	0.7	0.0- 1.7	47	12.2	7.5-16.9
55-64	513	369,980	363	72.2	67.3-77.1	80	13.9	10.2-17.6	4	0.6	0.0- 1.2	3	0.5	0.0- 1.1	63	12.9	9.0-16.8
65+	721	444,673	535	72.6	68.3-76.9	116	16.8	13.3-20.3	4	0.7	0.0- 1.7	5	0.5	0.1- 0.9	61	9.4	6.3-12.5
Less Than H.S.	216	297,504	139	67.2	58.8-75.6	27	11.4	6.3-16.5	1	1.2	0.0- 3.6				49	20.2	12.9-27.5
H.S. or G.E.D.	720	734,377	512	67.7	62.8-72.6	81	14.0	10.3-17.7	8	1.1	0.3- 1.9	4	0.5	0.0- 1.1	115	16.8	13.1-20.5
Some Post-H.S.	599	617,724	444	73.0	67.9-78.1	78	14.3	10.0-18.6	7	1.6	0.0- 3.2	2	0.1	0.0- 0.3	68	11.0	7.9-14.1
College Graduate	841	564,894	595	70.2	66.1-74.3	174	20.8	17.1-24.5	11	1.4	0.2- 2.6	12	1.7	0.5- 2.9	49	6.0	3.8- 8.2
Less than \$15,000	194	169,071	120	59.6	50.2-69.0	28	14.2	7.9-20.5	1	2.2	0.0- 6.3				45	24.0	15.8-32.2
\$15,000- 24,999	322	283,321	230	69.6	62.9-76.3	25	8.2	4.1-12.3	3	1.1	0.0- 2.5	2	0.8	0.0- 2.0	62	20.3	14.4-26.2
\$25,000- 34,999	184	164,923	131	72.5	63.7-81.3	21	11.0	4.7-17.3	1	0.6	0.0- 1.8	4	1.3	0.0- 2.7	27	14.5	7.6-21.4
\$35,000- 49,999	316	298,085	223	72.9	66.2-79.6	49	14.8	9.5-20.1	3	1.1	0.0- 2.7	4	1.1	0.0- 2.3	37	10.0	5.7-14.3
\$50,000- 74,999	358	358,018	263	71.7	64.8-78.6	59	15.6	10.3-20.9	5	1.6	0.0- 3.8				31	11.2	5.9-16.5
\$75,000+	703	681,196	507	69.4	64.3-74.5	136	21.0	16.3-25.7	12	1.7	0.5- 2.9	5	0.8	0.0- 1.6	43	7.0	4.5- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3049	2,374,005	2144	68.9	66.5-71.3	579	20.0	18.0-22.0	43	1.9	0.9- 2.9	34	1.1	0.7- 1.5	249	8.2	6.8- 9.6
White/Non-Hisp	2452	1,808,166	1742	68.6	66.1-71.1	456	20.2	17.8-22.6	33	2.0	0.8- 3.2	26	1.1	0.5- 1.7	195	8.1	6.5- 9.7
Black or Afr. Am./Non-Hisp	373	370,293	260	71.5	65.6-77.4	67	17.3	12.6-22.0	5	1.8	0.0- 3.8	6	1.1	0.0- 2.7	35	8.3	5.0-11.6
Oth. Race/Non-Hisp.	63	46,705	31	52.6	34.2-71.0	24	32.8	15.9-49.7	2	2.6	0.0- 6.9	2	2.6	0.0- 6.9	6	11.9	0.0-26.4
MultiRacial/Non-Hisp.	54	19,244	41	81.7	69.9-93.5	8	13.5	3.1-23.9	2	1.4	0.0- 3.8	3	3.4	0.0- 7.5	2	3.4	0.0- 7.5
Hispanic	57	93,153	42	73.6	59.1-88.1	12	18.6	7.0-30.2	1	0.9	0.0- 2.7				2	6.9	0.0-17.7
18-24	155	250,658	105	67.6	57.8-77.4	26	14.4	7.5-21.3	2	4.3	0.0-10.8				22	13.8	6.9-20.7
25-34	297	377,998	218	72.7	66.2-79.2	50	17.4	11.9-22.9	4	2.1	0.0- 4.6	3	1.1	0.0- 2.7	22	6.7	3.2-10.2
35-44	354	373,803	243	66.2	59.5-72.9	80	25.1	18.6-31.6	5	1.6	0.0- 3.4	7	1.4	0.2- 2.6	19	5.6	2.7- 8.5
45-54	518	390,795	346	65.8	60.5-71.1	117	23.3	18.4-28.2	9	1.8	0.6- 3.0	8	1.1	0.3- 1.9	38	8.0	5.1-10.9
55-64	645	412,324	460	69.4	64.7-74.1	115	19.4	15.3-23.5	10	1.5	0.1- 2.9	5	1.3	0.0- 2.9	55	8.4	5.5-11.3
65+	1080	568,428	772	70.3	66.8-73.8	191	18.9	15.8-22.0	13	1.1	0.3- 1.9	11	1.3	0.3- 2.3	93	8.4	6.2-10.6
Less Than H.S.	277	275,343	171	60.3	52.3-68.3	47	18.0	11.7-24.3	6	4.4	0.0-10.1	2	1.6	0.0- 3.8	51	15.6	10.5-20.7
H.S. or G.E.D.	952	769,128	689	70.7	66.6-74.8	146	17.1	13.6-20.6	11	2.0	0.4- 3.6	10	1.2	0.2- 2.2	96	8.9	6.4-11.4
Some Post-H.S.	851	738,705	595	67.6	63.3-71.9	170	21.4	17.5-25.3	15	1.6	0.4- 2.8	9	0.9	0.3- 1.5	62	8.6	5.9-11.3
College Graduate	963	586,107	687	72.2	68.5-75.9	213	22.7	19.2-26.2	11	0.8	0.2- 1.4	13	1.0	0.4- 1.6	39	3.2	1.8- 4.6
Less than \$15,000	369	244,319	256	72.4	65.9-78.9	56	14.4	8.9-19.9	3	0.6	0.0- 1.4	3	0.4	0.0- 1.0	51	12.3	8.2-16.4
\$15,000- 24,999	543	403,075	385	67.0	61.1-72.9	90	18.2	13.3-23.1	10	2.1	0.3- 3.9	4	0.9	0.0- 1.9	54	11.8	7.5-16.1
\$25,000- 34,999	255	201,466	184	67.6	59.6-75.6	44	18.1	11.6-24.6	2	0.7	0.0- 1.9	3	1.2	0.0- 3.0	22	12.4	6.3-18.5
\$35,000- 49,999	376	282,087	265	69.7	63.4-76.0	77	20.6	15.3-25.9	5	2.1	0.0- 4.8	3	1.2	0.0- 3.2	26	6.3	3.4- 9.2
\$50,000- 74,999	331	265,981	256	77.9	71.8-84.0	50	16.0	10.3-21.7	6	1.7	0.0- 3.9	4	0.7	0.0- 1.5	15	3.7	1.5- 5.9
\$75,000+	612	529,426	435	70.6	65.9-75.3	141	23.1	18.8-27.4	8	1.6	0.2- 3.0	9	1.1	0.3- 1.9	19	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5431	4,590,679	4206	79.0	77.6-80.4	281	5.6	4.8- 6.4	26	0.5	0.3- 0.7	24	0.6	0.2- 1.0	894	14.3	13.1-15.5
Male	2379	2,220,513	1908	81.1	78.9-83.3	151	5.9	4.7- 7.1	15	0.7	0.3- 1.1	13	0.7	0.1- 1.3	292	11.6	9.8-13.4
Female	3052	2,370,166	2298	77.1	75.1-79.1	130	5.3	4.1- 6.5	11	0.4	0.2- 0.6	11	0.4	0.2- 0.6	602	16.8	15.0-18.6
White/Non-Hisp	4413	3,497,691	3431	79.3	77.7-80.9	217	5.4	4.4- 6.4	23	0.6	0.2- 1.0	19	0.5	0.1- 0.9	723	14.2	12.8-15.6
Black or Afr. Am./Non-Hisp	587	663,232	457	80.0	75.9-84.1	34	6.5	3.8- 9.2	3	0.4	0.0- 0.8	4	0.9	0.0- 2.1	89	12.3	9.0-15.6
Oth. Race/Non-Hisp.	139	112,569	103	73.2	62.0-84.4	8	5.6	0.9-10.3				1	0.9	0.0- 2.7	27	20.3	9.7-30.9
MultiRacial/Non-Hisp.	93	43,928	72	79.0	66.5-91.5	5	8.0	0.0-18.8							16	13.0	4.6-21.4
Hispanic	113	207,024	90	81.0	72.6-89.4	7	4.8	1.1- 8.5							16	14.2	6.6-21.8
18-24	316	538,496	268	84.5	79.6-89.4	23	8.2	4.5-11.9	4	0.8	0.0- 1.8	1	0.6	0.0- 1.8	20	5.9	3.0- 8.8
25-34	578	773,415	476	83.8	80.1-87.5	33	5.0	2.8- 7.2	8	1.3	0.1- 2.5	6	0.8	0.0- 1.6	55	9.2	6.3-12.1
35-44	607	706,767	484	79.9	75.8-84.0	39	5.6	3.6- 7.6	3	0.5	0.0- 1.1	4	0.6	0.0- 1.2	77	13.4	9.9-16.9
45-54	959	767,802	744	77.4	73.9-80.9	63	6.8	4.8- 8.8	3	0.3	0.0- 0.7	5	0.7	0.0- 1.7	144	14.9	12.0-17.8
55-64	1160	785,124	910	78.8	75.7-81.9	52	4.7	2.9- 6.5	4	0.3	0.0- 0.7	4	0.5	0.0- 1.1	190	15.7	13.0-18.4
65+	1811	1,019,074	1324	73.3	70.6-76.0	71	4.6	3.2- 6.0	4	0.2	0.0- 0.4	4	0.2	0.0- 0.4	408	21.6	19.2-24.0
Less Than H.S.	495	575,642	357	75.9	71.0-80.8	40	6.6	4.1- 9.1	2	0.4	0.0- 1.0	4	1.5	0.0- 3.3	92	15.6	11.7-19.5
H.S. or G.E.D.	1659	1,494,636	1269	79.3	76.8-81.8	111	6.8	5.2- 8.4	8	0.6	0.0- 1.2	8	0.6	0.0- 1.2	263	12.7	10.7-14.7
Some Post-H.S.	1458	1,359,549	1139	79.0	76.3-81.7	72	6.3	4.5- 8.1	7	0.5	0.1- 0.9	5	0.2	0.0- 0.4	235	14.1	11.7-16.5
College Graduate	1811	1,154,425	1434	80.2	77.8-82.6	58	2.9	1.9- 3.9	9	0.6	0.0- 1.2	7	0.4	0.0- 0.8	303	15.9	13.7-18.1
Less than \$15,000	571	417,679	414	74.6	69.7-79.5	32	6.8	3.9- 9.7	4	0.9	0.0- 1.9	3	1.1	0.0- 2.9	118	16.6	12.7-20.5
\$15,000- 24,999	859	682,015	637	76.9	73.2-80.6	58	7.5	5.1- 9.9	5	0.7	0.0- 1.5	2	0.2	0.0- 0.4	157	14.7	11.8-17.6
\$25,000- 34,999	442	371,528	341	79.7	74.8-84.6	24	5.3	2.8- 7.8	2	0.6	0.0- 1.6	1	0.1	0.0- 0.3	74	14.4	10.1-18.7
\$35,000- 49,999	690	575,732	563	83.3	79.6-87.0	28	5.2	2.7- 7.7	2	0.3	0.0- 0.7	7	1.2	0.0- 2.4	90	10.0	7.3-12.7
\$50,000- 74,999	689	617,667	546	81.4	77.5-85.3	32	4.8	2.6- 7.0	4	0.3	0.1- 0.5	3	0.4	0.0- 1.0	104	13.2	9.7-16.7
\$75,000+	1314	1,209,439	1065	80.3	77.4-83.2	54	4.5	2.9- 6.1	6	0.8	0.0- 1.6	4	0.3	0.0- 0.7	185	14.0	11.5-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2379	2,220,513	1908	81.1	78.9-83.3	151	5.9	4.7- 7.1	15	0.7	0.3- 1.1	13	0.7	0.1- 1.3	292	11.6	9.8-13.4
White/Non-Hisp	1958	1,691,667	1570	81.0	78.6-83.4	122	6.0	4.6- 7.4	14	0.8	0.2- 1.4	12	0.7	0.1- 1.3	240	11.4	9.6-13.2
Black or Afr. Am./Non-Hisp	213	292,661	182	86.2	80.1-92.3	9	3.1	0.4- 5.8	1	0.4	0.0- 1.2	1	1.4	0.0- 3.9	20	8.9	4.0-13.8
Oth. Race/Non-Hisp.	76	65,983	58	73.3	57.0-89.6	6	7.3	0.0-14.6							12	19.4	3.5-35.3
Hispanic	56	113,871	43	78.5	66.0-91.0	6	7.7	1.0-14.4							7	13.8	2.8-24.8
18-24	159	287,688	133	82.3	75.0-89.6	12	8.7	3.2-14.2	3	1.4	0.0- 3.2	1	1.2	0.0- 3.6	10	6.5	1.8-11.2
25-34	281	396,303	230	82.8	77.1-88.5	14	3.7	1.3- 6.1	4	1.5	0.0- 3.3	4	0.6	0.0- 1.4	29	11.4	6.5-16.3
35-44	256	338,258	209	82.1	76.0-88.2	16	4.9	2.2- 7.6				3	1.0	0.0- 2.2	28	12.0	6.5-17.5
45-54	445	379,279	358	81.8	77.1-86.5	36	6.7	4.2- 9.2	2	0.4	0.0- 1.0	3	1.3	0.0- 3.5	46	9.8	6.1-13.5
55-64	515	371,098	404	79.9	75.6-84.2	35	6.3	3.8- 8.8	3	0.5	0.0- 1.3	1	0.5	0.0- 1.5	72	12.8	9.3-16.3
65+	723	447,888	574	78.4	74.5-82.3	38	6.0	3.6- 8.4	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	107	15.1	11.8-18.4
Less Than H.S.	217	298,331	172	81.3	74.6-88.0	21	6.1	3.2- 9.0	1	0.5	0.0- 1.5	3	2.6	0.0- 5.9	20	9.5	4.2-14.8
H.S. or G.E.D.	714	733,661	556	80.8	77.1-84.5	61	7.2	4.8- 9.6	5	1.0	0.0- 2.0	4	0.6	0.0- 1.2	88	10.4	7.7-13.1
Some Post-H.S.	601	617,830	485	80.8	76.5-85.1	35	6.3	3.8- 8.8	4	0.4	0.0- 0.8	3	0.2	0.0- 0.4	74	12.3	8.6-16.0
College Graduate	844	568,302	692	81.5	78.0-85.0	34	3.9	2.1- 5.7	5	0.7	0.0- 1.5	3	0.5	0.0- 1.1	110	13.5	10.4-16.6
Less than \$15,000	194	169,304	136	73.8	65.4-82.2	17	6.2	2.7- 9.7	2	1.6	0.0- 3.8	2	2.5	0.0- 7.0	37	15.9	9.0-22.8
\$15,000- 24,999	315	280,537	243	78.8	72.9-84.7	28	8.4	4.7-12.1	3	1.1	0.0- 2.5	1	0.1	0.0- 0.3	40	11.6	6.7-16.5
\$25,000- 34,999	186	170,164	150	82.8	75.5-90.1	12	5.9	1.8-10.0	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	22	11.0	4.9-17.1
\$35,000- 49,999	315	294,936	263	83.2	77.3-89.1	16	6.8	2.3-11.3	1	0.2	0.0- 0.6	3	1.0	0.0- 2.4	32	8.7	4.6-12.8
\$50,000- 74,999	359	356,733	295	82.6	77.1-88.1	21	5.1	2.4- 7.8	3	0.3	0.0- 0.7				40	12.0	7.1-16.9
\$75,000+	704	680,700	580	81.5	77.6-85.4	33	5.4	3.2- 7.6	4	1.1	0.0- 2.3	4	0.6	0.0- 1.2	83	11.5	8.4-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3052	2,370,166	2298	77.1	75.1-79.1	130	5.3	4.1- 6.5	11	0.4	0.2- 0.6	11	0.4	0.2- 0.6	602	16.8	15.0-18.6
White/Non-Hisp	2455	1,806,024	1861	77.7	75.5-79.9	95	4.8	3.6- 6.0	9	0.4	0.0- 0.8	7	0.4	0.0- 0.8	483	16.8	15.0-18.6
Black or Afr. Am./Non-Hisp	374	370,571	275	75.0	69.3-80.7	25	9.1	4.8-13.4	2	0.4	0.0- 1.0	3	0.5	0.0- 1.1	69	15.0	10.7-19.3
Oth. Race/Non-Hisp.	63	46,586	45	73.2	59.3-87.1	2	3.1	0.0- 7.4				1	2.2	0.0- 6.5	15	21.5	8.8-34.2
MultiRacial/Non-Hisp.	54	19,033	43	86.2	76.0-96.4	1	1.8	0.0- 5.3							10	12.0	2.6-21.4
Hispanic	57	93,153	47	84.1	73.3-94.9	1	1.2	0.0- 3.6							9	14.7	4.1-25.3
18-24	157	250,809	135	86.9	80.8-93.0	11	7.6	2.5-12.7	1	0.2	0.0- 0.6				10	5.2	1.7- 8.7
25-34	297	377,112	246	84.9	79.8-90.0	19	6.3	2.6-10.0	4	1.1	0.0- 2.3	2	1.0	0.0- 2.6	26	6.8	3.5-10.1
35-44	351	368,509	275	77.9	72.4-83.4	23	6.3	3.2- 9.4	3	1.0	0.0- 2.2	1	0.2	0.0- 0.6	49	14.6	9.9-19.3
45-54	514	388,524	386	73.1	68.0-78.2	27	6.8	3.7- 9.9	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	98	19.8	15.3-24.3
55-64	645	414,027	506	77.8	73.5-82.1	17	3.2	1.0- 5.4	1	0.1	0.0- 0.3	3	0.6	0.0- 1.2	118	18.3	14.4-22.2
65+	1088	571,186	750	69.4	65.9-72.9	33	3.5	2.1- 4.9	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7	301	26.7	23.4-30.0
Less Than H.S.	278	277,310	185	70.2	63.3-77.1	19	7.1	3.2-11.0	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	72	22.2	16.1-28.3
H.S. or G.E.D.	945	760,975	713	77.8	74.3-81.3	50	6.4	4.0- 8.8	3	0.2	0.0- 0.4	4	0.6	0.0- 1.4	175	15.0	12.3-17.7
Some Post-H.S.	857	741,719	654	77.4	73.7-81.1	37	6.2	3.8- 8.6	3	0.5	0.0- 1.1	2	0.2	0.0- 0.4	161	15.6	12.5-18.7
College Graduate	967	586,122	742	79.0	75.7-82.3	24	1.9	0.9- 2.9	4	0.6	0.0- 1.4	4	0.4	0.0- 0.8	193	18.1	15.0-21.2
Less than \$15,000	377	248,375	278	75.2	69.1-81.3	15	7.2	2.7-11.7	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	81	17.2	12.5-21.9
\$15,000- 24,999	544	401,478	394	75.6	70.9-80.3	30	6.9	3.8-10.0	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6	117	16.9	13.0-20.8
\$25,000- 34,999	256	201,364	191	77.1	70.2-84.0	12	4.7	1.2- 8.2	1	0.9	0.0- 2.7				52	17.3	11.2-23.4
\$35,000- 49,999	375	280,796	300	83.4	78.7-88.1	12	3.5	1.1- 5.9	1	0.3	0.0- 0.9	4	1.4	0.0- 3.4	58	11.4	7.7-15.1
\$50,000- 74,999	330	260,934	251	79.7	74.0-85.4	11	4.4	1.3- 7.5	1	0.2	0.0- 0.6	3	1.0	0.0- 2.2	64	14.7	10.0-19.4
\$75,000+	610	528,739	485	78.7	74.4-83.0	21	3.4	1.4- 5.4	2	0.5	0.0- 1.3				102	17.3	13.4-21.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 13: POTATO SERVINGS PER DAY (POTADA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5369	4,547,548	4226	78.3	76.7-79.9	290	5.2	4.4- 6.0	33	0.6	0.2- 1.0	22	0.6	0.2- 1.0	798	15.3	13.9-16.7
Male	2358	2,198,303	1861	80.0	77.8-82.2	130	5.1	3.9- 6.3	10	0.2	0.0- 0.4	12	0.9	0.3- 1.5	345	13.8	11.8-15.8
Female	3011	2,349,245	2365	76.7	74.5-78.9	160	5.4	4.2- 6.6	23	0.9	0.1- 1.7	10	0.3	0.1- 0.5	453	16.7	14.7-18.7
White/Non-Hisp	4367	3,466,782	3452	79.4	77.8-81.0	248	5.6	4.6- 6.6	28	0.6	0.0- 1.2	16	0.6	0.2- 1.0	623	13.8	12.4-15.2
Black or Afr. Am./Non-Hisp	577	653,406	452	74.5	69.4-79.6	20	2.9	1.3- 4.5	2	0.2	0.0- 0.6	3	0.8	0.0- 2.0	100	21.6	16.7-26.5
Oth. Race/Non-Hisp.	136	111,005	101	69.9	57.7-82.1	8	9.4	0.8-18.0	2	1.1	0.0- 2.9				25	19.6	9.2-30.0
MultiRacial/Non-Hisp.	91	41,294	73	86.5	78.3-94.7	7	3.3	0.4- 6.2	1	0.7	0.0- 2.1	1	2.7	0.0- 7.8	9	6.9	1.0-12.8
Hispanic	113	209,548	94	79.9	69.7-90.1	3	4.9	0.0-11.4				1	0.5	0.0- 1.5	15	14.7	6.1-23.3
18-24	308	520,073	244	79.5	73.4-85.6	12	3.2	1.0- 5.4	2	1.7	0.0- 4.6	4	1.3	0.0- 2.9	46	14.3	9.2-19.4
25-34	576	773,335	445	78.1	73.8-82.4	26	4.4	2.2- 6.6	6	0.5	0.0- 1.1	3	0.6	0.0- 1.4	96	16.4	12.5-20.3
35-44	596	700,587	458	76.8	72.1-81.5	35	5.7	3.2- 8.2	1	0.1	0.0- 0.3	2	0.5	0.0- 1.3	100	16.9	12.8-21.0
45-54	953	767,801	727	76.6	73.1-80.1	56	5.7	3.7- 7.7	8	0.6	0.2- 1.0	3	0.7	0.0- 1.7	159	16.4	13.5-19.3
55-64	1152	780,847	897	76.1	72.8-79.4	56	5.5	3.7- 7.3	6	0.3	0.1- 0.5	6	0.6	0.0- 1.2	187	17.6	14.7-20.5
65+	1784	1,004,905	1455	81.9	79.5-84.3	105	6.1	4.7- 7.5	10	0.5	0.1- 0.9	4	0.2	0.0- 0.4	210	11.4	9.4-13.4
Less Than H.S.	484	567,269	360	74.4	68.7-80.1	40	7.2	4.1-10.3	5	2.0	0.0- 4.7	3	1.4	0.0- 3.2	76	15.0	10.7-19.3
H.S. or G.E.D.	1637	1,488,266	1275	78.0	75.3-80.7	98	5.8	4.4- 7.2	9	0.2	0.0- 0.4	10	0.7	0.1- 1.3	245	15.4	12.9-17.9
Some Post-H.S.	1441	1,340,200	1133	78.6	75.7-81.5	88	5.7	4.1- 7.3	7	0.4	0.0- 0.8	5	0.5	0.1- 0.9	208	14.8	12.3-17.3
College Graduate	1799	1,145,385	1450	80.2	77.7-82.7	64	3.0	2.0- 4.0	12	0.5	0.1- 0.9	4	0.3	0.1- 0.5	269	16.0	13.6-18.4
Less than \$15,000	557	409,418	409	67.6	61.7-73.5	34	6.0	3.3- 8.7	6	0.7	0.1- 1.3	4	1.5	0.0- 3.5	104	24.1	18.6-29.6
\$15,000- 24,999	849	667,818	663	78.0	74.1-81.9	63	6.6	4.4- 8.8	5	0.3	0.0- 0.7	2	0.2	0.0- 0.6	116	14.9	11.2-18.6
\$25,000- 34,999	441	372,233	356	81.8	77.1-86.5	31	7.3	4.2-10.4	1	0.1	0.0- 0.3				53	10.8	7.1-14.5
\$35,000- 49,999	685	575,813	553	78.9	74.2-83.6	30	5.0	2.3- 7.7	5	0.4	0.0- 0.8	4	0.7	0.0- 1.7	93	15.0	11.1-18.9
\$50,000- 74,999	686	618,314	542	78.6	74.3-82.9	31	4.6	2.6- 6.6	5	0.4	0.0- 0.8	2	0.2	0.0- 0.6	106	16.2	12.3-20.1
\$75,000+	1300	1,198,943	1045	80.9	78.2-83.6	46	3.7	2.3- 5.1	7	0.4	0.0- 0.8	6	0.8	0.2- 1.4	196	14.2	11.8-16.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 14: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2358	2,198,303	1861	80.0	77.8-82.2	130	5.1	3.9- 6.3	10	0.2	0.0- 0.4	12	0.9	0.3- 1.5	345	13.8	11.8-15.8
White/Non-Hisp	1940	1,678,337	1528	80.1	77.7-82.5	111	5.1	3.9- 6.3	10	0.3	0.1- 0.5	8	0.8	0.2- 1.4	283	13.8	11.8-15.8
Black or Afr. Am./Non-Hisp	210	287,455	168	78.7	71.3-86.1	6	1.7	0.1- 3.3				2	1.5	0.0- 4.2	34	18.1	11.0-25.2
Oth. Race/Non-Hisp.	76	65,566	58	69.6	53.3-85.9	6	14.4	0.5-28.3							12	16.0	4.0-28.0
Hispanic	56	113,871	50	88.0	75.8- 100	3	9.0	0.0-20.8							3	2.9	0.0- 6.8
18-24	156	281,394	125	84.3	78.0-90.6	6	3.2	0.3- 6.1				3	2.3	0.0- 5.0	22	10.2	5.3-15.1
25-34	281	394,920	219	79.7	73.8-85.6	14	4.9	1.6- 8.2	1	0.2	0.0- 0.6				47	15.3	10.2-20.4
35-44	252	334,078	194	76.8	69.7-83.9	14	5.7	1.4-10.0				2	1.0	0.0- 2.6	42	16.5	10.4-22.6
45-54	443	376,782	347	79.3	74.4-84.2	25	4.9	2.5- 7.3	4	0.6	0.0- 1.2	1	1.1	0.0- 3.1	66	14.1	10.0-18.2
55-64	509	368,376	396	77.2	72.5-81.9	26	5.2	2.8- 7.6	4	0.4	0.0- 0.8	4	1.1	0.0- 2.3	79	16.2	11.9-20.5
65+	717	442,754	580	82.9	79.4-86.4	45	6.1	3.9- 8.3	1	0.0	0.0- 0.0	2	0.3	0.0- 0.7	89	10.7	8.0-13.4
Less Than H.S.	214	296,378	166	81.0	73.9-88.1	15	5.4	0.7-10.1				2	2.5	0.0- 5.8	31	11.1	6.4-15.8
H.S. or G.E.D.	707	726,671	546	78.8	75.1-82.5	43	5.5	3.7- 7.3	2	0.1	0.0- 0.3	4	0.7	0.0- 1.5	112	14.9	11.6-18.2
Some Post-H.S.	594	608,155	466	80.7	76.4-85.0	41	6.3	3.8- 8.8	4	0.4	0.0- 0.8	3	0.7	0.0- 1.7	80	11.9	8.4-15.4
College Graduate	840	564,711	680	80.2	76.5-83.9	31	3.1	1.7- 4.5	4	0.2	0.0- 0.4	3	0.4	0.0- 0.8	122	16.1	12.6-19.6
Less than \$15,000	189	166,318	138	68.0	58.4-77.6	9	4.0	0.9- 7.1	1	0.6	0.0- 1.8	2	3.0	0.0- 7.7	39	24.3	15.5-33.1
\$15,000- 24,999	315	274,704	242	80.1	74.6-85.6	24	6.3	3.0- 9.6							49	13.7	9.0-18.4
\$25,000- 34,999	186	170,301	149	84.1	77.6-90.6	12	5.0	1.5- 8.5	1	0.2	0.0- 0.6				24	10.8	5.3-16.3
\$35,000- 49,999	314	295,729	253	79.1	72.2-86.0	19	6.9	2.0-11.8	2	0.3	0.0- 0.7	2	0.3	0.0- 0.9	38	13.3	7.8-18.8
\$50,000- 74,999	357	353,567	283	80.9	75.4-86.4	15	4.5	1.8- 7.2	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	55	14.3	9.2-19.4
\$75,000+	696	674,196	561	81.4	77.5-85.3	26	4.2	2.0- 6.4	3	0.2	0.0- 0.4	6	1.4	0.2- 2.6	100	12.9	9.8-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 15: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3011	2,349,245	2365	76.7	74.5-78.9	160	5.4	4.2- 6.6	23	0.9	0.1- 1.7	10	0.3	0.1- 0.5	453	16.7	14.7-18.7
White/Non-Hisp	2427	1,788,444	1924	78.6	76.2-81.0	137	6.1	4.7- 7.5	18	1.0	0.0- 2.0	8	0.3	0.0- 0.7	340	13.9	12.1-15.7
Black or Afr. Am./Non-Hisp	367	365,951	284	71.1	64.2-78.0	14	4.0	1.5- 6.5	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6	66	24.2	17.5-30.9
Oth. Race/Non-Hisp.	60	45,440	43	70.4	52.6-88.2	2	2.2	0.0- 5.9	2	2.7	0.0- 7.2				13	24.7	7.1-42.3
MultiRacial/Non-Hisp.	52	18,664	40	82.4	69.5-95.3	5	4.3	0.0- 8.8	1	1.5	0.0- 4.4				6	11.8	0.0-23.6
Hispanic	57	95,677	44	70.2	54.1-86.3							1	1.0	0.0- 3.0	12	28.8	12.7-44.9
18-24	152	238,678	119	73.9	63.5-84.3	6	3.2	0.0- 6.5	2	3.6	0.0-10.1	1	0.2	0.0- 0.6	24	19.1	10.1-28.1
25-34	295	378,415	226	76.5	70.2-82.8	12	3.9	1.0- 6.8	5	0.8	0.0- 1.8	3	1.2	0.0- 2.8	49	17.6	11.9-23.3
35-44	344	366,509	264	76.8	70.9-82.7	21	5.8	2.7- 8.9	1	0.1	0.0- 0.3				58	17.2	11.7-22.7
45-54	510	391,019	380	73.9	69.0-78.8	31	6.5	3.6- 9.4	4	0.6	0.0- 1.4	2	0.4	0.0- 1.0	93	18.5	14.2-22.8
55-64	643	412,472	501	75.1	70.6-79.6	30	5.7	3.2- 8.2	2	0.3	0.0- 0.7	2	0.2	0.0- 0.4	108	18.8	14.7-22.9
65+	1067	562,152	875	81.1	77.8-84.4	60	6.0	4.0- 8.0	9	0.9	0.1- 1.7	2	0.1	0.0- 0.3	121	11.9	9.2-14.6
Less Than H.S.	270	270,891	194	67.2	58.8-75.6	25	9.1	4.8-13.4	5	4.2	0.0- 9.9	1	0.1	0.0- 0.3	45	19.4	12.3-26.5
H.S. or G.E.D.	930	761,595	729	77.2	73.3-81.1	55	6.1	4.1- 8.1	7	0.3	0.1- 0.5	6	0.7	0.0- 1.5	133	15.8	12.3-19.3
Some Post-H.S.	847	732,045	667	76.9	72.8-81.0	47	5.2	3.0- 7.4	3	0.4	0.0- 0.8	2	0.2	0.0- 0.6	128	17.3	13.6-21.0
College Graduate	959	580,674	770	80.1	76.8-83.4	33	2.9	1.3- 4.5	8	0.8	0.0- 1.6	1	0.2	0.0- 0.6	147	16.0	12.9-19.1
Less than \$15,000	368	243,100	271	67.3	59.9-74.7	25	7.4	3.3-11.5	5	0.8	0.0- 1.6	2	0.5	0.0- 1.3	65	24.0	16.9-31.1
\$15,000- 24,999	534	393,114	421	76.6	71.1-82.1	39	6.8	4.3- 9.3	5	0.5	0.0- 1.1	2	0.4	0.0- 1.0	67	15.7	10.6-20.8
\$25,000- 34,999	255	201,932	207	79.9	73.0-86.8	19	9.3	4.2-14.4							29	10.8	5.7-15.9
\$35,000- 49,999	371	280,084	300	78.7	72.4-85.0	11	2.9	0.7- 5.1	3	0.5	0.0- 1.1	2	1.1	0.0- 3.1	55	16.8	10.9-22.7
\$50,000- 74,999	329	264,747	259	75.6	68.9-82.3	16	4.8	1.7- 7.9	2	0.6	0.0- 1.4	1	0.3	0.0- 0.9	51	18.7	12.4-25.0
\$75,000+	604	524,747	484	80.3	76.4-84.2	20	3.1	1.3- 4.9	4	0.7	0.0- 1.5				96	15.9	12.2-19.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5357	4,531,842	2503	48.3	46.3-50.3	2470	43.9	41.9-45.9	122	2.4	1.8- 3.0	99	1.8	1.4- 2.2	1	0.0	0.0- 0.0	162	3.6	2.8- 4.4
Male	2348	2,191,898	1266	55.5	52.8-58.2	917	37.2	34.5-39.9	41	1.7	0.9- 2.5	32	1.2	0.6- 1.8				92	4.4	3.0- 5.8
Female	3009	2,339,944	1237	41.4	38.9-43.9	1553	50.2	47.7-52.7	81	3.1	2.1- 4.1	67	2.4	1.6- 3.2	1	0.0	0.0- 0.0	70	2.8	1.8- 3.8
White/Non-Hisp	4366	3,474,908	1989	46.3	44.1-48.5	2071	46.2	44.0-48.4	98	2.4	1.6- 3.2	77	1.6	1.2- 2.0	1	0.0	0.0- 0.0	130	3.5	2.5- 4.5
Black or Afr. Am./Non-Hisp	566	637,490	326	59.1	53.6-64.6	194	31.9	26.8-37.0	17	3.2	1.2- 5.2	12	2.2	0.6- 3.8				17	3.6	1.4- 5.8
Oth. Race/Non-Hisp.	139	112,775	55	38.6	26.4-50.8	75	54.4	42.1-66.7	1	2.3	0.0- 6.8	5	3.7	0.0- 8.2				3	1.1	0.0- 2.7
MultiRacial/Non-Hisp.	91	40,530	37	43.0	27.7-58.3	48	51.2	36.1-66.3	2	0.9	0.0- 2.3	2	3.4	0.0- 8.9				2	1.5	0.0- 3.9
Hispanic	112	200,879	57	56.9	44.7-69.1	46	32.9	21.9-43.9	2	0.7	0.0- 1.9	2	3.1	0.0- 7.8				5	6.4	0.0-13.5
18-24	311	528,638	189	60.8	53.7-67.9	93	28.4	21.9-34.9	10	4.3	0.8- 7.8	6	1.3	0.1- 2.5				13	5.2	1.9- 8.5
25-34	574	770,857	277	49.8	44.5-55.1	245	40.0	34.9-45.1	20	3.1	1.3- 4.9	14	2.5	0.7- 4.3				18	4.6	1.7- 7.5
35-44	593	687,790	253	43.1	37.8-48.4	293	49.4	43.9-54.9	14	1.9	0.5- 3.3	11	2.0	0.6- 3.4				22	3.6	1.6- 5.6
45-54	949	767,423	432	46.1	41.8-50.4	451	48.4	44.1-52.7	23	2.0	0.8- 3.2	18	1.8	0.8- 2.8	1	0.0	0.0- 0.0	24	1.7	0.9- 2.5
55-64	1152	778,145	538	48.9	45.2-52.6	523	42.8	39.1-46.5	32	2.5	1.3- 3.7	22	2.0	0.8- 3.2				37	3.8	2.2- 5.4
65+	1778	998,989	814	45.3	42.4-48.2	865	48.6	45.5-51.7	23	1.6	0.8- 2.4	28	1.3	0.7- 1.9				48	3.3	2.1- 4.5
Less Than H.S.	485	565,815	233	48.3	42.0-54.6	210	40.9	34.8-47.0	5	2.4	0.0- 5.3	2	0.7	0.0- 1.7				35	7.7	4.0-11.4
H.S. or G.E.D.	1638	1,485,844	828	50.2	46.9-53.5	685	41.0	37.7-44.3	34	2.5	1.3- 3.7	32	2.2	1.2- 3.2				59	4.1	2.5- 5.7
Some Post-H.S.	1431	1,329,959	683	50.6	47.1-54.1	658	43.3	39.8-46.8	25	1.8	0.8- 2.8	20	0.9	0.3- 1.5				45	3.4	2.2- 4.6
College Graduate	1794	1,143,113	755	43.0	39.9-46.1	912	49.7	46.6-52.8	58	3.1	2.1- 4.1	45	2.9	1.7- 4.1	1	0.0	0.0- 0.0	23	1.3	0.7- 1.9
Less than \$15,000	558	402,736	260	49.0	42.9-55.1	247	41.5	35.6-47.4	11	1.9	0.3- 3.5	8	1.1	0.3- 1.9	1	0.0	0.0- 0.0	31	6.5	3.4- 9.6
\$15,000- 24,999	848	672,775	414	47.1	42.4-51.8	367	44.0	39.5-48.5	20	2.4	0.8- 4.0	11	1.5	0.1- 2.9				36	5.0	2.6- 7.4
\$25,000- 34,999	428	363,057	203	57.2	50.7-63.7	193	36.2	30.1-42.3	8	1.6	0.4- 2.8	5	0.8	0.0- 1.6				19	4.3	1.9- 6.7
\$35,000- 49,999	678	570,308	342	52.0	46.7-57.3	295	41.5	36.4-46.6	15	2.3	0.9- 3.7	11	1.5	0.3- 2.7				15	2.7	0.7- 4.7
\$50,000- 74,999	686	619,273	310	47.1	41.8-52.4	330	44.6	39.3-49.9	14	2.6	0.6- 4.6	13	1.3	0.3- 2.3				19	4.4	1.3- 7.5
\$75,000+	1301	1,193,258	576	45.9	42.2-49.6	643	47.2	43.5-50.9	33	2.3	1.3- 3.3	32	2.6	1.4- 3.8				17	1.9	0.7- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2348	2,191,898	1266	55.5	52.8-58.2	917	37.2	34.5-39.9	41	1.7	0.9- 2.5	32	1.2	0.6- 1.8	92	4.4	3.0- 5.8
White/Non-Hisp	1934	1,677,918	1020	54.0	50.9-57.1	777	38.4	35.5-41.3	34	1.8	0.8- 2.8	29	1.2	0.6- 1.8	74	4.5	2.9- 6.1
Black or Afr. Am./Non-Hisp	209	282,716	139	66.1	57.7-74.5	56	26.9	18.9-34.9	4	2.1	0.0- 4.5	1	0.7	0.0- 2.1	9	4.1	0.6- 7.6
Oth. Race/Non-Hisp.	78	66,798	38	41.3	25.2-57.4	38	54.8	38.3-71.3				1	3.5	0.0-10.4	1	0.3	0.0- 0.9
Hispanic	56	113,871	34	64.9	48.4-81.4	18	29.0	13.5-44.5	1	0.3	0.0- 0.9				3	5.7	0.0-14.5
18-24	157	281,917	102	66.6	57.0-76.2	43	25.1	16.3-33.9	6	3.1	0.2- 6.0	2	1.1	0.0- 2.7	4	4.1	0.0- 8.2
25-34	283	399,962	167	58.4	50.8-66.0	95	31.6	24.7-38.5	6	2.5	0.1- 4.9	4	0.9	0.0- 1.9	11	6.6	1.3-11.9
35-44	247	324,445	117	47.9	39.7-56.1	111	45.7	37.5-53.9	2	1.6	0.0- 4.0	3	1.2	0.0- 2.8	14	3.7	1.5- 5.9
45-54	439	376,761	232	51.7	45.2-58.2	182	44.5	38.2-50.8	7	0.7	0.1- 1.3	7	1.4	0.2- 2.6	11	1.7	0.5- 2.9
55-64	512	370,838	275	58.9	53.6-64.2	199	33.8	28.7-38.9	10	0.8	0.2- 1.4	8	1.7	0.1- 3.3	20	4.7	2.3- 7.1
65+	710	437,975	373	51.9	47.0-56.8	287	40.3	35.6-45.0	10	1.7	0.3- 3.1	8	0.8	0.2- 1.4	32	5.3	2.9- 7.7
Less Than H.S.	209	292,772	124	58.2	48.8-67.6	61	29.0	20.6-37.4	1	0.9	0.0- 2.7				23	11.9	5.0-18.8
H.S. or G.E.D.	708	729,070	410	57.1	52.0-62.2	244	34.5	29.6-39.4	14	2.4	0.8- 4.0	11	1.7	0.5- 2.9	29	4.3	2.1- 6.5
Some Post-H.S.	592	606,603	332	58.1	52.8-63.4	224	36.1	30.8-41.4	7	1.3	0.0- 2.7	3	0.6	0.0- 1.4	26	3.9	1.9- 5.9
College Graduate	836	561,065	398	49.2	44.7-53.7	387	46.1	41.6-50.6	19	1.7	0.7- 2.7	18	1.8	0.8- 2.8	14	1.2	0.4- 2.0
Less than \$15,000	191	163,390	111	59.2	49.6-68.8	59	27.8	19.2-36.4	2	2.0	0.0- 5.1	1	0.7	0.0- 2.1	18	10.3	4.0-16.6
\$15,000- 24,999	310	275,314	170	52.4	45.0-59.8	111	39.1	31.7-46.5	8	2.0	0.4- 3.6	1	0.3	0.0- 0.9	20	6.2	2.9- 9.5
\$25,000- 34,999	181	167,689	101	70.0	62.0-78.0	62	22.7	15.6-29.8	3	1.0	0.0- 2.2	3	1.3	0.0- 2.9	12	5.0	1.9- 8.1
\$35,000- 49,999	310	291,112	192	64.8	57.4-72.2	103	29.3	22.4-36.2	3	1.8	0.0- 4.0	4	0.8	0.0- 1.6	8	3.2	0.0- 6.7
\$50,000- 74,999	355	353,824	168	46.0	38.7-53.3	164	44.3	37.0-51.6	5	2.5	0.0- 5.4	4	1.1	0.0- 2.5	14	6.1	1.0-11.2
\$75,000+	701	678,153	353	52.4	47.1-57.7	311	43.3	38.0-48.6	13	1.0	0.4- 1.6	13	1.6	0.4- 2.8	11	1.7	0.3- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3009	2,339,944	1237	41.4	38.9-43.9	1553	50.2	47.7-52.7	81	3.1	2.1- 4.1	67	2.4	1.6- 3.2	1	0.0	0.0- 0.0	70	2.8	1.8- 3.8
White/Non-Hisp	2432	1,796,989	969	39.1	36.4-41.8	1294	53.4	50.7-56.1	64	3.0	1.8- 4.2	48	2.0	1.2- 2.8	1	0.0	0.0- 0.0	56	2.6	1.6- 3.6
Black or Afr. Am./Non-Hisp	357	354,775	187	53.5	46.4-60.6	138	35.9	29.2-42.6	13	4.1	1.0- 7.2	11	3.4	0.9- 5.9				8	3.1	0.4- 5.8
Oth. Race/Non-Hisp.	61	45,976	17	34.5	15.5-53.5	37	53.8	35.0-72.6	1	5.7	0.0-16.5	4	3.8	0.0- 8.5				2	2.2	0.0- 5.9
MultiRacial/Non-Hisp.	53	18,110	20	42.9	21.5-64.3	31	55.2	34.0-76.4	1	0.3	0.0- 0.9	1	1.5	0.0- 4.6						
Hispanic	56	87,007	23	46.4	29.7-63.1	28	37.8	22.5-53.1	1	1.2	0.0- 3.6	2	7.2	0.0-17.6				2	7.4	0.0-19.0
18-24	154	246,721	87	54.1	43.7-64.5	50	32.2	22.6-41.8	4	5.6	0.0-12.5	4	1.5	0.0- 3.1				9	6.6	1.3-11.9
25-34	291	370,895	110	40.5	33.2-47.8	150	49.1	41.7-56.5	14	3.8	1.1- 6.5	10	4.2	0.9- 7.5				7	2.4	0.2- 4.6
35-44	346	363,345	136	38.8	31.9-45.7	182	52.7	45.4-60.0	12	2.3	0.9- 3.7	8	2.7	0.5- 4.9				8	3.5	0.2- 6.8
45-54	510	390,663	200	40.6	35.1-46.1	269	52.2	46.7-57.7	16	3.2	1.2- 5.2	11	2.1	0.5- 3.7	1	0.0	0.0- 0.0	13	1.8	0.6- 3.0
55-64	640	407,306	263	39.7	34.8-44.6	324	51.0	46.1-55.9	22	4.0	2.0- 6.0	14	2.3	0.7- 3.9				17	3.0	1.2- 4.8
65+	1068	561,015	441	40.1	36.4-43.8	578	55.2	51.3-59.1	13	1.4	0.4- 2.4	20	1.6	0.6- 2.6				16	1.7	0.7- 2.7
Less Than H.S.	276	273,043	109	37.6	29.6-45.6	149	53.7	45.5-61.9	4	4.0	0.0- 9.7	2	1.5	0.0- 3.7				12	3.1	1.1- 5.1
H.S. or G.E.D.	930	756,774	418	43.5	39.0-48.0	441	47.4	42.9-51.9	20	2.5	0.9- 4.1	21	2.7	1.1- 4.3				30	3.8	1.6- 6.0
Some Post-H.S.	839	723,356	351	44.4	39.7-49.1	434	49.3	44.6-54.0	18	2.3	0.9- 3.7	17	1.1	0.3- 1.9				19	2.9	1.3- 4.5
College Graduate	958	582,048	357	37.1	33.0-41.2	525	53.1	48.8-57.4	39	4.5	2.7- 6.3	27	3.9	1.9- 5.9	1	0.0	0.0- 0.0	9	1.4	0.2- 2.6
Less than \$15,000	367	239,346	149	42.0	34.6-49.4	188	50.8	43.2-58.4	9	1.8	0.4- 3.2	7	1.3	0.1- 2.5	1	0.1	0.0- 0.3	13	4.0	1.1- 6.9
\$15,000- 24,999	538	397,461	244	43.4	37.5-49.3	256	47.4	41.5-53.3	12	2.7	0.3- 5.1	10	2.3	0.0- 4.7				16	4.1	0.8- 7.4
\$25,000- 34,999	247	195,369	102	46.2	37.4-55.0	131	47.7	39.1-56.3	5	2.1	0.1- 4.1	2	0.4	0.0- 1.0				7	3.7	0.2- 7.2
\$35,000- 49,999	368	279,196	150	38.7	32.0-45.4	192	54.2	47.3-61.1	12	2.8	1.0- 4.6	7	2.2	0.0- 4.4				7	2.2	0.4- 4.0
\$50,000- 74,999	331	265,450	142	48.5	41.1-55.9	166	45.1	37.8-52.4	9	2.8	0.3- 5.3	9	1.5	0.3- 2.7				5	2.1	0.0- 4.3
\$75,000+	600	515,105	223	37.4	32.3-42.5	332	52.4	47.1-57.7	20	4.1	1.9- 6.3	19	4.0	1.8- 6.2				6	2.1	0.0- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 13: IMMUNIZATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	176
5	MALES ONLY	177
6	FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1813	1,018,183	1170	63.7	60.8-66.6	643	36.3	33.4-39.2
Male	719	443,006	460	62.4	57.7-67.1	259	37.6	32.9-42.3
Female	1094	575,177	710	64.7	61.0-68.4	384	35.3	31.6-39.0
White/Non-Hisp	1580	882,654	1029	63.8	60.7-66.9	551	36.2	33.1-39.3
Black or Afr. Am./Non-Hisp	138	87,993	87	64.4	54.0-74.8	51	35.6	25.2-46.0
65+	1813	1,018,183	1170	63.7	60.8-66.6	643	36.3	33.4-39.2
Less Than H.S.	210	174,582	115	58.1	49.7-66.5	95	41.9	33.5-50.3
H.S. or G.E.D.	598	360,259	375	63.0	57.9-68.1	223	37.0	31.9-42.1
Some Post-H.S.	442	252,260	277	61.8	56.1-67.5	165	38.2	32.5-43.9
College Graduate	561	230,145	401	70.9	66.0-75.8	160	29.1	24.2-34.0
Less than \$15,000	193	99,359	108	59.7	50.7-68.7	85	40.3	31.3-49.3
\$15,000- 24,999	342	201,683	208	59.0	51.9-66.1	134	41.0	33.9-48.1
\$25,000- 34,999	177	96,771	106	58.3	49.1-67.5	71	41.7	32.5-50.9
\$35,000- 49,999	223	114,466	148	67.4	59.6-75.2	75	32.6	24.8-40.4
\$50,000- 74,999	209	124,878	144	70.7	62.7-78.7	65	29.3	21.3-37.3
\$75,000+	262	147,537	194	70.5	62.9-78.1	68	29.5	21.9-37.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	719	443,006	460	62.4	57.7-67.1	259	37.6	32.9-42.3
White/Non-Hisp	635	390,948	409	62.4	57.5-67.3	226	37.6	32.7-42.5
65+	719	443,006	460	62.4	57.7-67.1	259	37.6	32.9-42.3
Less Than H.S.	69	67,166	37	56.6	41.3-71.9	32	43.4	28.1-58.7
H.S. or G.E.D.	207	137,439	129	63.2	54.8-71.6	78	36.8	28.4-45.2
Some Post-H.S.	170	117,384	104	60.0	51.2-68.8	66	40.0	31.2-48.8
College Graduate	272	120,762	189	66.9	59.6-74.2	83	33.1	25.8-40.4
Less than \$15,000	54	33,685	30	58.7	42.2-75.2	24	41.3	24.8-57.8
\$15,000- 24,999	111	84,988	65	55.1	42.2-68.0	46	44.9	32.0-57.8
\$25,000- 34,999	69	37,270	41	54.8	40.7-68.9	28	45.2	31.1-59.3
\$35,000- 49,999	94	48,371	57	61.3	49.0-73.6	37	38.7	26.4-51.0
\$50,000- 74,999	109	69,792	74	72.7	62.3-83.1	35	27.3	16.9-37.7
\$75,000+	153	91,067	110	67.5	57.1-77.9	43	32.5	22.1-42.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1094	575,177	710	64.7	61.0-68.4	384	35.3	31.6-39.0
White/Non-Hisp	945	491,706	620	64.9	61.0-68.8	325	35.1	31.2-39.0
Black or Afr. Am./Non-Hisp	92	53,296	58	68.1	56.1-80.1	34	31.9	19.9-43.9
65+	1094	575,177	710	64.7	61.0-68.4	384	35.3	31.6-39.0
Less Than H.S.	141	107,416	78	59.0	49.2-68.8	63	41.0	31.2-50.8
H.S. or G.E.D.	391	222,820	246	62.9	56.6-69.2	145	37.1	30.8-43.4
Some Post-H.S.	272	134,876	173	63.4	56.1-70.7	99	36.6	29.3-43.9
College Graduate	289	109,383	212	75.2	68.9-81.5	77	24.8	18.5-31.1
Less than \$15,000	139	65,675	78	60.3	49.7-70.9	61	39.7	29.1-50.3
\$15,000- 24,999	231	116,696	143	61.9	54.1-69.7	88	38.1	30.3-45.9
\$25,000- 34,999	108	59,501	65	60.4	48.6-72.2	43	39.6	27.8-51.4
\$35,000- 49,999	129	66,095	91	71.8	62.0-81.6	38	28.2	18.4-38.0
\$50,000- 74,999	100	55,085	70	68.2	55.3-81.1	30	31.8	18.9-44.7
\$75,000+	109	56,471	84	75.4	65.0-85.8	25	24.6	14.2-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1755	986,036	1311	73.0	70.3-75.7	444	27.0	24.3-29.7
Male	694	429,093	493	70.7	66.2-75.2	201	29.3	24.8-33.8
Female	1061	556,942	818	74.7	71.2-78.2	243	25.3	21.8-28.8
White/Non-Hisp	1530	853,730	1165	75.3	72.4-78.2	365	24.7	21.8-27.6
Black or Afr. Am./Non-Hisp	133	85,852	83	55.5	44.3-66.7	50	44.5	33.3-55.7
65+	1755	986,036	1311	73.0	70.3-75.7	444	27.0	24.3-29.7
Less Than H.S.	207	171,826	146	71.9	64.1-79.7	61	28.1	20.3-35.9
H.S. or G.E.D.	573	345,826	429	71.9	67.0-76.8	144	28.1	23.2-33.0
Some Post-H.S.	430	245,356	322	72.9	67.2-78.6	108	27.1	21.4-32.8
College Graduate	543	222,089	413	75.7	71.0-80.4	130	24.3	19.6-29.0
Less than \$15,000	185	96,490	136	71.5	62.7-80.3	49	28.5	19.7-37.3
\$15,000- 24,999	335	196,493	228	65.4	58.1-72.7	107	34.6	27.3-41.9
\$25,000- 34,999	171	92,877	122	70.8	62.0-79.6	49	29.2	20.4-38.0
\$35,000- 49,999	218	110,741	170	81.4	75.5-87.3	48	18.6	12.7-24.5
\$50,000- 74,999	202	120,091	149	73.2	65.0-81.4	53	26.8	18.6-35.0
\$75,000+	257	146,507	201	72.9	65.3-80.5	56	27.1	19.5-34.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	694	429,093	493	70.7	66.2-75.2	201	29.3	24.8-33.8
White/Non-Hisp	611	377,014	435	71.3	66.6-76.0	176	28.7	24.0-33.4
65+	694	429,093	493	70.7	66.2-75.2	201	29.3	24.8-33.8
Less Than H.S.	68	66,457	47	76.0	63.5-88.5	21	24.0	11.5-36.5
H.S. or G.E.D.	200	133,162	141	68.0	59.8-76.2	59	32.0	23.8-40.2
Some Post-H.S.	165	114,488	118	70.1	61.3-78.9	47	29.9	21.1-38.7
College Graduate	260	114,731	187	71.6	64.5-78.7	73	28.4	21.3-35.5
Less than \$15,000	53	32,693	34	63.0	46.1-79.9	19	37.0	20.1-53.9
\$15,000- 24,999	108	83,292	66	57.7	44.8-70.6	42	42.3	29.4-55.2
\$25,000- 34,999	65	34,766	48	76.1	63.9-88.3	17	23.9	11.7-36.1
\$35,000- 49,999	93	47,285	67	75.3	64.7-85.9	26	24.7	14.1-35.3
\$50,000- 74,999	104	65,523	74	75.3	65.3-85.3	30	24.7	14.7-34.7
\$75,000+	150	90,673	113	74.7	65.1-84.3	37	25.3	15.7-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1061	556,942	818	74.7	71.2-78.2	243	25.3	21.8-28.8
White/Non-Hisp	919	476,716	730	78.5	74.8-82.2	189	21.5	17.8-25.2
Black or Afr. Am./Non-Hisp	87	50,855	55	53.4	39.7-67.1	32	46.6	32.9-60.3
65+	1061	556,942	818	74.7	71.2-78.2	243	25.3	21.8-28.8
Less Than H.S.	139	105,369	99	69.3	59.5-79.1	40	30.7	20.9-40.5
H.S. or G.E.D.	373	212,665	288	74.3	68.2-80.4	85	25.7	19.6-31.8
Some Post-H.S.	265	130,868	204	75.2	68.1-82.3	61	24.8	17.7-31.9
College Graduate	283	107,358	226	80.1	74.0-86.2	57	19.9	13.8-26.0
Less than \$15,000	132	63,797	102	75.8	65.6-86.0	30	24.2	14.0-34.4
\$15,000- 24,999	227	113,201	162	71.0	63.2-78.8	65	29.0	21.2-36.8
\$25,000- 34,999	106	58,111	74	67.6	55.6-79.6	32	32.4	20.4-44.4
\$35,000- 49,999	125	63,456	103	86.0	79.3-92.7	22	14.0	7.3-20.7
\$50,000- 74,999	98	54,568	75	70.6	57.3-83.9	23	29.4	16.1-42.7
\$75,000+	107	55,834	88	70.0	57.5-82.5	19	30.0	17.5-42.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 14: HIV/AIDS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	180
2	MALES ONLY	181
3	FEMALES ONLY	182

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 14: HIV/AIDS

TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5110	4,350,093	1885	42.6	40.6-44.6	3225	57.4	55.4-59.4
Male	2245	2,120,116	821	41.8	38.9-44.7	1424	58.2	55.3-61.1
Female	2865	2,229,978	1064	43.2	40.7-45.7	1801	56.8	54.3-59.3
White/Non-Hisp	4132	3,292,180	1342	36.8	34.6-39.0	2790	63.2	61.0-65.4
Black or Afr. Am./Non-Hisp	565	650,045	343	66.8	61.7-71.9	222	33.2	28.1-38.3
Oth. Race/Non-Hisp.	135	109,570	60	48.6	35.9-61.3	75	51.4	38.7-64.1
MultiRacial/Non-Hisp.	88	39,632	48	69.8	58.0-81.6	40	30.2	18.4-42.0
Hispanic	107	191,839	53	47.7	35.0-60.4	54	52.3	39.6-65.0
18-24	304	519,595	115	38.4	31.3-45.5	189	61.6	54.5-68.7
25-34	545	739,516	296	58.6	53.3-63.9	249	41.4	36.1-46.7
35-44	570	667,967	340	63.2	58.1-68.3	230	36.8	31.7-41.9
45-54	911	732,282	458	50.5	46.2-54.8	453	49.5	45.2-53.8
55-64	1085	732,295	380	34.9	31.2-38.6	705	65.1	61.4-68.8
65+	1695	958,439	296	17.8	15.4-20.2	1399	82.2	79.8-84.6
Less Than H.S.	469	548,613	167	45.9	39.2-52.6	302	54.1	47.4-60.8
H.S. or G.E.D.	1573	1,439,123	540	39.5	36.0-43.0	1033	60.5	57.0-64.0
Some Post-H.S.	1364	1,271,464	566	46.1	42.4-49.8	798	53.9	50.2-57.6
College Graduate	1697	1,084,433	608	40.7	37.6-43.8	1089	59.3	56.2-62.4
Less than \$15,000	539	397,618	234	46.7	40.6-52.8	305	53.3	47.2-59.4
\$15,000- 24,999	815	639,457	328	48.3	43.4-53.2	487	51.7	46.8-56.6
\$25,000- 34,999	412	355,918	145	44.7	37.6-51.8	267	55.3	48.2-62.4
\$35,000- 49,999	651	546,674	242	43.5	38.2-48.8	409	56.5	51.2-61.8
\$50,000- 74,999	645	592,490	240	41.0	35.5-46.5	405	59.0	53.5-64.5
\$75,000+	1232	1,135,440	444	42.0	38.1-45.9	788	58.0	54.1-61.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2245	2,120,116	821	41.8	38.9-44.7	1424	58.2	55.3-61.1
White/Non-Hisp	1840	1,601,330	600	36.5	33.4-39.6	1240	63.5	60.4-66.6
Black or Afr. Am./Non-Hisp	206	291,102	130	67.5	59.1-75.9	76	32.5	24.1-40.9
Oth. Race/Non-Hisp.	74	63,931	29	39.7	22.6-56.8	45	60.3	43.2-77.4
Hispanic	54	112,051	28	46.6	28.8-64.4	26	53.4	35.6-71.2
18-24	153	276,866	57	39.2	29.4-49.0	96	60.8	51.0-70.6
25-34	272	388,482	124	51.6	43.8-59.4	148	48.4	40.6-56.2
35-44	241	326,636	126	56.2	48.0-64.4	115	43.8	35.6-52.0
45-54	425	363,090	201	48.9	42.4-55.4	224	51.1	44.6-57.6
55-64	481	344,488	163	34.7	29.0-40.4	318	65.3	59.6-71.0
65+	673	420,553	150	23.2	18.9-27.5	523	76.8	72.5-81.1
Less Than H.S.	206	292,371	80	51.1	41.5-60.7	126	48.9	39.3-58.5
H.S. or G.E.D.	683	707,175	244	38.3	33.2-43.4	439	61.7	56.6-66.8
Some Post-H.S.	564	583,357	239	47.4	41.7-53.1	325	52.6	46.9-58.3
College Graduate	789	534,824	256	35.2	30.7-39.7	533	64.8	60.3-69.3
Less than \$15,000	183	164,753	73	44.4	34.4-54.4	110	55.6	45.6-65.6
\$15,000- 24,999	301	265,884	127	47.1	39.5-54.7	174	52.9	45.3-60.5
\$25,000- 34,999	174	164,003	63	45.6	34.4-56.8	111	54.4	43.2-65.6
\$35,000- 49,999	297	281,241	103	43.6	35.4-51.8	194	56.4	48.2-64.6
\$50,000- 74,999	334	339,267	127	42.2	34.4-50.0	207	57.8	50.0-65.6
\$75,000+	668	651,570	228	39.8	34.3-45.3	440	60.2	54.7-65.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2865	2,229,978	1064	43.2	40.7-45.7	1801	56.8	54.3-59.3
White/Non-Hisp	2292	1,690,850	742	37.0	34.3-39.7	1550	63.0	60.3-65.7
Black or Afr. Am./Non-Hisp	359	358,942	213	66.2	59.9-72.5	146	33.8	27.5-40.1
Oth. Race/Non-Hisp.	61	45,639	31	61.0	43.4-78.6	30	39.0	21.4-56.6
MultiRacial/Non-Hisp.	51	17,762	28	72.0	57.1-86.9	23	28.0	13.1-42.9
Hispanic	53	79,788	25	49.1	31.9-66.3	28	50.9	33.7-68.1
18-24	151	242,729	58	37.5	27.5-47.5	93	62.5	52.5-72.5
25-34	273	351,034	172	66.4	59.3-73.5	101	33.6	26.5-40.7
35-44	329	341,331	214	69.8	63.7-75.9	115	30.2	24.1-36.3
45-54	486	369,192	257	52.1	46.4-57.8	229	47.9	42.2-53.6
55-64	604	387,806	217	35.2	30.3-40.1	387	64.8	59.9-69.7
65+	1022	537,885	146	13.6	11.1-16.1	876	86.4	83.9-88.9
Less Than H.S.	263	256,243	87	39.9	31.3-48.5	176	60.1	51.5-68.7
H.S. or G.E.D.	890	731,947	296	40.6	35.9-45.3	594	59.4	54.7-64.1
Some Post-H.S.	800	688,107	327	45.0	40.3-49.7	473	55.0	50.3-59.7
College Graduate	908	549,609	352	46.0	41.5-50.5	556	54.0	49.5-58.5
Less than \$15,000	356	232,865	161	48.3	40.5-56.1	195	51.7	43.9-59.5
\$15,000- 24,999	514	373,573	201	49.2	43.1-55.3	313	50.8	44.7-56.9
\$25,000- 34,999	238	191,915	82	44.0	35.2-52.8	156	56.0	47.2-64.8
\$35,000- 49,999	354	265,433	139	43.3	36.4-50.2	215	56.7	49.8-63.6
\$50,000- 74,999	311	253,223	113	39.5	31.9-47.1	198	60.5	52.9-68.1
\$75,000+	564	483,871	216	45.1	39.4-50.8	348	54.9	49.2-60.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2019**

End of Calculated Variable Data Report