

TENNESSEE

2022 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 18, 2023



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5254	5,504,584	4047	79.6	78.2-81.0	1207	20.4	19.0-21.8
Male	2517	2,651,048	1985	80.6	78.6-82.6	532	19.4	17.4-21.4
Female	2737	2,853,536	2062	78.6	76.6-80.6	675	21.4	19.4-23.4
White/Non-Hisp	4117	3,897,426	3166	79.0	77.4-80.6	951	21.0	19.4-22.6
Black or Afr. Am./Non-Hisp	622	803,438	474	78.5	74.4-82.6	148	21.5	17.4-25.6
Oth. Race/Non-Hisp.	112	182,966	89	80.1	71.1-89.1	23	19.9	10.9-28.9
MultiRacial/Non-Hisp.	96	138,483	63	74.7	64.3-85.1	33	25.3	14.9-35.7
Hispanic	175	347,677	154	90.8	85.7-95.9	21	9.2	04.1-14.3
18-24	356	626,445	317	90.3	86.8-93.8	39	9.7	06.2-13.2
25-34	600	955,402	529	87.3	84.0-90.6	71	12.7	09.4-16.0
35-44	657	879,098	551	85.0	81.9-88.1	106	15.0	11.9-18.1
45-54	846	856,762	670	79.8	76.3-83.3	176	20.2	16.7-23.7
55-64	1022	903,730	748	72.3	68.6-76.0	274	27.7	24.0-31.4
65+	1773	1,283,148	1232	69.9	66.8-73.0	541	30.1	27.0-33.2
Less Than H.S.	399	642,545	203	58.1	51.6-64.6	196	41.9	35.4-48.4
H.S. or G.E.D.	1511	1,773,862	1055	77.0	74.5-79.5	456	23.0	20.5-25.5
Some Post-H.S.	1476	1,604,818	1155	82.0	79.6-84.4	321	18.0	15.6-20.4
College Graduate	1845	1,451,861	1616	89.4	87.6-91.2	229	10.6	08.8-12.4
Less than \$15,000	351	318,975	156	51.7	44.6-58.8	195	48.3	41.2-55.4
\$15,000-24,999	516	513,304	302	63.0	57.5-68.5	214	37.0	31.5-42.5
\$25,000-34,999	547	583,523	385	73.6	68.9-78.3	162	26.4	21.7-31.1
\$35,000-49,999	657	672,000	523	79.8	75.5-84.1	134	20.2	15.9-24.5
\$50,000-99,999	1197	1,273,059	1029	86.2	83.7-88.7	168	13.8	11.3-16.3
\$100,000-199,999	715	773,520	666	93.2	91.0-95.4	49	6.8	04.6-09.0
\$200,000+	198	198,844	187	96.3	93.4-99.2	11	3.7	00.8-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2517	2,651,048	1985	80.6	78.6-82.6	532	19.4	17.4-21.4
White/Non-Hisp	1962	1,868,488	1546	80.3	78.1-82.5	416	19.7	17.5-21.9
Black or Afr. Am./Non-Hisp	252	332,638	191	75.9	68.8-83.0	61	24.1	17.0-31.2
Oth. Race/Non-Hisp.	74	108,328	59	74.0	61.1-86.9	15	26.0	13.1-38.9
MultiRacial/Non-Hisp.	53	74,256	40	83.9	72.7-95.1	13	16.1	04.9-27.3
Hispanic	98	187,133	88	94.6	90.3-98.9	10	5.4	01.1-09.7
18-24	185	320,956	168	91.5	86.8-96.2	17	8.5	03.8-13.2
25-34	308	476,035	285	91.2	87.3-95.1	23	8.8	04.9-12.7
35-44	331	432,311	291	87.3	83.2-91.4	40	12.7	08.6-16.8
45-54	400	420,654	321	79.5	74.0-85.0	79	20.5	15.0-26.0
55-64	491	431,101	361	71.2	65.9-76.5	130	28.8	23.5-34.1
65+	802	569,991	559	68.4	63.9-72.9	243	31.6	27.1-36.1
Less Than H.S.	212	349,396	119	61.5	53.3-69.7	93	38.5	30.3-46.7
H.S. or G.E.D.	728	873,058	517	76.8	73.1-80.5	211	23.2	19.5-26.9
Some Post-H.S.	655	715,752	519	83.0	79.7-86.3	136	17.0	13.7-20.3
College Graduate	911	694,890	822	92.3	90.1-94.5	89	7.7	05.5-09.9
Less than \$15,000	141	137,237	57	42.4	32.0-52.8	84	57.6	47.2-68.0
\$15,000- 24,999	231	242,832	126	61.2	52.8-69.6	105	38.8	30.4-47.2
\$25,000- 34,999	241	272,761	171	74.6	67.5-81.7	70	25.4	18.3-32.5
\$35,000- 49,999	315	322,138	247	77.3	71.0-83.6	68	22.7	16.4-29.0
\$50,000- 99,999	611	644,895	536	88.0	84.9-91.1	75	12.0	08.9-15.1
\$100,000 - 199,999	411	439,725	381	93.4	90.5-96.3	30	6.6	03.7-09.5
\$200,000+	125	118,522	118	95.5	91.0-0100	7	4.5	00.0-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2737	2,853,536	2062	78.6	76.6-80.6	675	21.4	19.4-23.4
White/Non-Hisp	2155	2,028,939	1620	77.8	75.4-80.2	535	22.2	19.8-24.6
Black or Afr. Am./Non-Hisp	370	470,800	283	80.3	75.6-85.0	87	19.7	15.0-24.4
Hispanic	77	160,544	66	86.5	76.9-96.1	11	13.5	03.9-23.1
18-24	171	305,489	149	88.9	83.4-94.4	22	11.1	05.6-16.6
25-34	292	479,367	244	83.4	78.1-88.7	48	16.6	11.3-21.9
35-44	326	446,787	260	82.8	78.3-87.3	66	17.2	12.7-21.7
45-54	446	436,108	349	80.1	75.6-84.6	97	19.9	15.4-24.4
55-64	531	472,629	387	73.3	68.4-78.2	144	26.7	21.8-31.6
65+	971	713,156	673	71.0	66.9-75.1	298	29.0	24.9-33.1
Less Than H.S.	187	293,150	84	54.0	43.6-64.4	103	46.0	35.6-56.4
H.S. or G.E.D.	783	900,805	538	77.2	73.9-80.5	245	22.8	19.5-26.1
Some Post-H.S.	821	889,066	636	81.2	77.7-84.7	185	18.8	15.3-22.3
College Graduate	934	756,971	794	86.8	84.1-89.5	140	13.2	10.5-15.9
Less than \$15,000	210	181,739	99	58.6	50.0-67.2	111	41.4	32.8-50.0
\$15,000- 24,999	285	270,472	176	64.6	57.5-71.7	109	35.4	28.3-42.5
\$25,000- 34,999	306	310,762	214	72.8	66.7-78.9	92	27.2	21.1-33.3
\$35,000- 49,999	342	349,862	276	82.1	76.4-87.8	66	17.9	12.2-23.6
\$50,000- 99,999	586	628,164	493	84.3	80.4-88.2	93	15.7	11.8-19.6
\$100,000 - 199,999	304	333,795	285	92.9	89.4-96.4	19	7.1	03.6-10.6
\$200,000+	73	80,322	69	97.4	94.9-99.9	4	2.6	00.1-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5127	5,401,725	2915	58.6	56.8-60.4	1344	26.0	24.4-27.6	868	15.5	14.3-16.7
Male	2459	2,594,244	1525	63.0	60.5-65.5	588	23.5	21.3-25.7	346	13.5	11.7-15.3
Female	2668	2,807,481	1390	54.5	52.0-57.0	756	28.2	25.8-30.6	522	17.3	15.5-19.1
White/Non-Hisp	4020	3,825,108	2267	57.8	55.8-59.8	1059	26.2	24.4-28.0	694	16.0	14.6-17.4
Black or Afr. Am./Non-Hisp	605	786,654	349	57.8	52.7-62.9	178	30.3	25.6-35.0	78	11.9	08.8-15.0
Oth. Race/Non-Hisp.	110	181,840	70	64.0	52.8-75.2	21	19.0	09.8-28.2	19	17.0	08.4-25.6
MultiRacial/Non-Hisp.	93	132,613	44	52.7	39.6-65.8	24	24.0	13.4-34.6	25	23.3	12.1-34.5
Hispanic	175	347,677	112	67.5	58.7-76.3	38	21.0	13.4-28.6	25	11.6	05.9-17.3
18-24	350	616,794	210	62.5	56.2-68.8	110	28.9	23.2-34.6	30	8.6	05.1-12.1
25-34	590	940,178	361	63.0	58.3-67.7	179	29.5	25.0-34.0	50	7.6	05.2-10.0
35-44	654	876,299	377	58.8	54.3-63.3	198	29.1	25.0-33.2	79	12.2	09.3-15.1
45-54	837	851,007	484	59.8	55.5-64.1	218	24.8	21.1-28.5	135	15.4	12.3-18.5
55-64	1003	885,154	544	53.7	49.6-57.8	243	23.5	20.2-26.8	216	22.7	19.0-26.4
65+	1693	1,232,292	939	55.6	52.3-58.9	396	22.2	19.5-24.9	358	22.2	19.5-24.9
Less Than H.S.	375	627,256	150	44.8	37.7-51.9	87	21.3	15.8-26.8	138	33.9	27.6-40.2
H.S. or G.E.D.	1462	1,727,435	823	61.8	58.7-64.9	345	22.5	19.8-25.2	294	15.8	13.6-18.0
Some Post-H.S.	1449	1,579,410	804	55.9	52.6-59.2	408	30.6	27.5-33.7	237	13.5	11.3-15.7
College Graduate	1819	1,436,832	1123	63.2	60.5-65.9	499	27.3	24.8-29.8	197	9.5	07.9-11.1
Less than \$15,000	337	310,708	107	30.5	24.2-36.8	93	29.5	22.8-36.2	137	40.0	33.1-46.9
\$15,000-24,999	504	509,573	223	47.6	41.7-53.5	131	25.5	20.4-30.6	150	26.9	21.8-32.0
\$25,000-34,999	533	566,534	276	51.3	45.8-56.8	152	28.3	23.4-33.2	105	20.4	15.9-24.9
\$35,000-49,999	644	655,565	364	59.2	54.1-64.3	181	28.3	23.6-33.0	99	12.5	09.6-15.4
\$50,000-99,999	1173	1,250,678	720	62.9	59.2-66.6	326	27.0	23.7-30.3	127	10.1	07.9-12.3
\$100,000-199,999	712	771,836	491	69.8	65.5-74.1	176	24.5	20.4-28.6	45	5.7	03.7-07.7
\$200,000+	197	198,050	149	74.8	67.4-82.2	40	21.5	14.2-28.8	8	3.7	01.0-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2459	2,594,244	1525	63.0	60.5-65.5	588	23.5	21.3-25.7	346	13.5	11.7-15.3
White/Non-Hisp	1920	1,830,951	1176	62.0	59.1-64.9	476	24.6	22.1-27.1	268	13.4	11.4-15.4
Black or Afr. Am./Non-Hisp	243	320,909	155	63.4	55.4-71.4	61	25.5	18.2-32.8	27	11.1	05.8-16.4
Oth. Race/Non-Hisp.	72	107,201	49	63.7	50.2-77.2	11	16.0	06.0-26.0	12	20.3	08.3-32.3
MultiRacial/Non-Hisp.	52	71,718	31	60.8	43.7-77.9	10	17.7	05.0-30.4	11	21.6	06.1-37.1
Hispanic	98	187,133	66	73.0	62.8-83.2	20	20.3	10.9-29.7	12	6.8	02.1-11.5
18-24	182	314,405	121	66.3	58.1-74.5	52	28.4	20.8-36.0	9	5.3	01.2-09.4
25-34	301	465,311	196	67.3	60.8-73.8	84	25.3	19.4-31.2	21	7.4	03.9-10.9
35-44	330	430,254	204	62.9	56.8-69.0	91	26.5	20.8-32.2	35	10.5	06.8-14.2
45-54	396	418,290	242	61.5	55.4-67.6	97	23.4	18.3-28.5	57	15.1	10.4-19.8
55-64	482	421,822	291	59.6	53.7-65.5	99	19.9	15.4-24.4	92	20.5	15.2-25.8
65+	768	544,162	471	61.0	56.3-65.7	165	19.7	15.8-23.6	132	19.2	15.5-22.9
Less Than H.S.	202	341,349	92	47.7	38.9-56.5	44	18.5	11.8-25.2	66	33.8	25.4-42.2
H.S. or G.E.D.	708	849,634	438	66.9	62.6-71.2	148	19.8	16.1-23.5	122	13.3	10.6-16.0
Some Post-H.S.	643	700,853	387	61.6	56.9-66.3	176	28.8	24.3-33.3	80	9.6	07.1-12.1
College Graduate	895	684,455	601	66.7	62.8-70.6	217	25.5	21.8-29.2	77	7.8	05.6-10.0
Less than \$15,000	137	134,208	44	30.1	20.5-39.7	42	26.2	17.4-35.0	51	43.7	32.7-54.7
\$15,000- 24,999	226	242,934	107	47.7	38.9-56.5	52	22.5	15.1-29.9	67	29.8	21.4-38.2
\$25,000- 34,999	233	259,671	146	64.5	56.7-72.3	49	18.6	12.5-24.7	38	17.0	10.7-23.3
\$35,000- 49,999	309	313,098	184	62.1	55.0-69.2	82	27.0	20.3-33.7	43	10.8	06.9-14.7
\$50,000- 99,999	597	630,532	392	67.7	62.8-72.6	148	23.6	19.3-27.9	57	8.7	06.0-11.4
\$100,000 - 199,999	408	438,041	289	69.0	63.1-74.9	95	26.2	20.5-31.9	24	4.8	02.4-07.2
\$200,000+	124	117,729	98	77.3	67.5-87.1	22	18.7	09.3-28.1	4	4.0	00.0-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2668	2,807,481	1390	54.5	52.0-57.0	756	28.2	25.8-30.6	522	17.3	15.5-19.1
White/Non-Hisp	2100	1,994,157	1091	54.0	51.3-56.7	583	27.7	25.2-30.2	426	18.4	16.2-20.6
Black or Afr. Am./Non-Hisp	362	465,745	194	54.0	47.5-60.5	117	33.5	27.4-39.6	51	12.5	08.4-16.6
Hispanic	77	160,544	46	61.1	46.0-76.2	18	21.8	09.5-34.1	13	17.1	06.3-27.9
18-24	168	302,389	89	58.7	48.9-68.5	58	29.3	20.7-37.9	21	12.0	06.3-17.7
25-34	289	474,867	165	58.8	51.9-65.7	95	33.5	27.0-40.0	29	7.7	04.6-10.8
35-44	324	446,044	173	54.7	48.2-61.2	107	31.5	25.4-37.6	44	13.8	09.3-18.3
45-54	441	432,717	242	58.2	52.1-64.3	121	26.1	20.4-31.8	78	15.7	11.6-19.8
55-64	521	463,333	253	48.4	42.7-54.1	144	26.9	21.8-32.0	124	24.8	19.7-29.9
65+	925	688,131	468	51.3	46.8-55.8	231	24.2	20.3-28.1	226	24.5	20.6-28.4
Less Than H.S.	173	285,907	58	41.3	30.1-52.5	43	24.7	15.7-33.7	72	34.0	24.6-43.4
H.S. or G.E.D.	754	877,801	385	56.9	52.2-61.6	197	25.0	20.9-29.1	172	18.1	14.8-21.4
Some Post-H.S.	806	878,557	417	51.3	46.8-55.8	232	32.1	27.8-36.4	157	16.6	13.5-19.7
College Graduate	924	752,377	522	60.0	56.1-63.9	282	29.0	25.3-32.7	120	11.0	08.5-13.5
Less than \$15,000	200	176,500	63	30.8	22.4-39.2	51	32.0	22.6-41.4	86	37.2	28.4-46.0
\$15,000- 24,999	278	266,638	116	47.5	39.9-55.1	79	28.1	21.0-35.2	83	24.4	18.3-30.5
\$25,000- 34,999	300	306,863	130	40.1	33.0-47.2	103	36.6	29.3-43.9	67	23.3	17.0-29.6
\$35,000- 49,999	335	342,467	180	56.5	49.2-63.8	99	29.5	22.6-36.4	56	14.0	09.5-18.5
\$50,000- 99,999	576	620,146	328	58.0	52.7-63.3	178	30.4	25.5-35.3	70	11.6	08.3-14.9
\$100,000 - 199,999	304	333,795	202	70.9	64.8-77.0	81	22.4	17.1-27.7	21	6.8	03.1-10.5
\$200,000+	73	80,322	51	71.2	59.4-83.0	18	25.6	14.2-37.0	4	3.2	00.0-06.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5152	5,408,152	2914	52.5	50.7-54.3	1308	27.2	25.6-28.8	930	20.3	18.7-21.9
Male	2464	2,595,677	1589	59.4	56.9-61.9	532	25.2	22.8-27.6	343	15.3	13.3-17.3
Female	2688	2,812,474	1325	46.1	43.6-48.6	776	29.1	26.7-31.5	587	24.8	22.4-27.2
White/Non-Hisp	4041	3,830,956	2320	53.5	51.5-55.5	1000	26.6	24.8-28.4	721	19.9	18.1-21.7
Black or Afr. Am./Non-Hisp	612	788,986	326	49.6	44.5-54.7	186	32.0	27.3-36.7	100	18.4	14.3-22.5
Oth. Race/Non-Hisp.	108	176,947	54	48.6	36.8-60.4	31	26.6	16.6-36.6	23	24.8	14.0-35.6
MultiRacial/Non-Hisp.	92	134,287	39	38.8	26.1-51.5	27	36.3	22.8-49.8	26	24.9	14.1-35.7
Hispanic	171	342,970	94	50.9	40.9-60.9	44	24.9	17.1-32.7	33	24.2	13.8-34.6
18-24	347	615,175	112	32.3	26.2-38.4	128	35.5	29.2-41.8	107	32.2	25.5-38.9
25-34	585	930,850	215	35.5	30.8-40.2	224	37.1	32.4-41.8	146	27.3	22.8-31.8
35-44	652	870,759	289	46.1	41.4-50.8	212	30.5	26.4-34.6	151	23.3	19.4-27.2
45-54	839	850,582	449	55.8	51.5-60.1	236	27.2	23.3-31.1	154	17.0	13.9-20.1
55-64	1002	888,862	609	62.5	58.4-66.6	225	20.4	17.1-23.7	168	17.1	13.8-20.4
65+	1727	1,251,923	1240	70.1	67.0-73.2	283	18.4	15.7-21.1	204	11.5	09.3-13.7
Less Than H.S.	384	629,842	196	46.8	39.9-53.7	83	22.9	17.2-28.6	105	30.3	23.4-37.2
H.S. or G.E.D.	1467	1,726,136	838	55.6	52.3-58.9	318	23.0	20.1-25.9	311	21.4	18.7-24.1
Some Post-H.S.	1444	1,577,591	796	50.7	47.4-54.0	360	28.0	24.9-31.1	288	21.3	18.6-24.0
College Graduate	1834	1,443,085	1069	53.0	50.1-55.9	544	33.4	30.7-36.1	221	13.6	11.4-15.8
Less than \$15,000	339	306,089	144	41.4	34.3-48.5	77	25.9	19.4-32.4	118	32.6	25.9-39.3
\$15,000-24,999	501	501,355	244	45.9	40.0-51.8	124	26.8	21.7-31.9	133	27.3	22.0-32.6
\$25,000-34,999	536	572,665	274	48.6	43.1-54.1	148	29.4	24.3-34.5	114	21.9	17.4-26.4
\$35,000-49,999	644	660,858	356	51.1	45.8-56.4	166	27.6	22.7-32.5	122	21.4	17.1-25.7
\$50,000-99,999	1185	1,258,914	697	54.7	51.0-58.4	308	26.6	23.3-29.9	180	18.7	15.6-21.8
\$100,000-199,999	714	773,335	428	55.1	50.4-59.8	208	31.5	27.0-36.0	78	13.4	10.1-16.7
\$200,000+	196	197,770	145	73.4	65.8-81.0	40	22.1	14.8-29.4	11	4.5	01.6-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2464	2,595,677	1589	59.4	56.9-61.9	532	25.2	22.8-27.6	343	15.3	13.3-17.3
White/Non-Hisp	1922	1,830,302	1258	60.0	57.1-62.9	408	25.0	22.3-27.7	256	14.9	12.7-17.1
Black or Afr. Am./Non-Hisp	247	324,624	157	59.9	51.9-67.9	60	25.7	18.8-32.6	30	14.5	08.4-20.6
Oth. Race/Non-Hisp.	71	103,236	40	55.1	41.6-68.6	19	26.0	14.0-38.0	12	18.9	07.5-30.3
MultiRacial/Non-Hisp.	53	74,256	27	45.8	29.1-62.5	14	34.2	17.3-51.1	12	20.0	07.1-32.9
Hispanic	95	183,227	55	58.1	46.3-69.9	26	30.2	19.0-41.4	14	11.7	05.4-18.0
18-24	177	310,224	75	41.2	32.8-49.6	65	39.8	31.2-48.4	37	19.0	12.7-25.3
25-34	297	462,336	129	41.1	34.2-48.0	118	40.1	33.2-47.0	50	18.8	12.9-24.7
35-44	330	429,696	176	55.8	49.3-62.3	95	26.7	21.0-32.4	59	17.6	13.1-22.1
45-54	394	413,936	248	60.3	54.0-66.6	86	24.3	18.6-30.0	60	15.4	10.9-19.9
55-64	480	421,678	328	69.8	64.3-75.3	80	14.9	11.0-18.8	72	15.3	10.6-20.0
65+	786	557,807	633	79.0	75.1-82.9	88	12.2	09.1-15.3	65	8.8	06.1-11.5
Less Than H.S.	203	337,706	115	54.4	45.6-63.2	37	20.4	13.0-27.8	51	25.2	17.4-33.0
H.S. or G.E.D.	705	848,312	460	64.4	59.9-68.9	133	20.4	16.5-24.3	112	15.2	11.9-18.5
Some Post-H.S.	638	699,093	399	55.4	50.5-60.3	143	27.8	23.1-32.5	96	16.8	13.1-20.5
College Graduate	907	692,614	608	59.9	55.8-64.0	218	30.9	26.8-35.0	81	9.2	06.8-11.6
Less than \$15,000	135	128,392	67	44.8	33.8-55.8	29	22.2	13.0-31.4	39	33.0	22.4-43.6
\$15,000- 24,999	223	238,311	126	48.2	39.2-57.2	41	24.2	16.6-31.8	56	27.6	19.2-36.0
\$25,000- 34,999	234	265,611	143	59.8	51.6-68.0	53	24.7	17.4-32.0	38	15.6	09.7-21.5
\$35,000- 49,999	307	315,535	195	57.0	49.6-64.4	73	30.0	22.6-37.4	39	12.9	08.2-17.6
\$50,000- 99,999	605	635,722	405	63.5	58.2-68.8	131	23.7	19.2-28.2	69	12.8	09.1-16.5
\$100,000 - 199,999	410	439,540	274	59.1	52.8-65.4	98	29.1	23.2-35.0	38	11.8	07.7-15.9
\$200,000+	124	117,786	95	74.9	65.1-84.7	22	19.4	10.2-28.6	7	5.7	01.2-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2688	2,812,474	1325	46.1	43.6-48.6	776	29.1	26.7-31.5	587	24.8	22.4-27.2
White/Non-Hisp	2119	2,000,654	1062	47.6	44.9-50.3	592	28.1	25.6-30.6	465	24.3	21.8-26.8
Black or Afr. Am./Non-Hisp	365	464,362	169	42.4	35.9-48.9	126	36.4	29.9-42.9	70	21.2	15.9-26.5
Hispanic	76	159,743	39	42.7	27.4-58.0	18	18.8	08.6-29.0	19	38.5	20.7-56.3
18-24	170	304,952	37	23.3	15.3-31.3	63	31.1	22.3-39.9	70	45.5	34.9-56.1
25-34	288	468,515	86	30.0	23.3-36.7	106	34.1	27.6-40.6	96	35.8	29.1-42.5
35-44	322	441,063	113	36.8	30.3-43.3	117	34.3	28.2-40.4	92	28.9	22.8-35.0
45-54	445	436,646	201	51.4	45.3-57.5	150	30.0	24.5-35.5	94	18.6	14.1-23.1
55-64	522	467,184	281	55.9	50.2-61.6	145	25.4	20.5-30.3	96	18.7	14.0-23.4
65+	941	694,116	607	63.0	58.5-67.5	195	23.4	19.3-27.5	139	13.7	10.8-16.6
Less Than H.S.	181	292,136	81	38.0	28.2-47.8	46	25.8	17.0-34.6	54	36.2	24.8-47.6
H.S. or G.E.D.	762	877,825	378	47.1	42.4-51.8	185	25.5	21.4-29.6	199	27.4	23.3-31.5
Some Post-H.S.	806	878,498	397	47.1	42.6-51.6	217	28.1	24.0-32.2	192	24.8	20.9-28.7
College Graduate	927	750,471	461	46.6	42.5-50.7	326	35.8	31.9-39.7	140	17.6	14.1-21.1
Less than \$15,000	204	177,697	77	39.0	29.8-48.2	48	28.6	19.8-37.4	79	32.4	24.0-40.8
\$15,000- 24,999	278	263,044	118	43.8	36.2-51.4	83	29.1	22.2-36.0	77	27.1	20.6-33.6
\$25,000- 34,999	302	307,054	131	39.0	31.9-46.1	95	33.6	26.5-40.7	76	27.4	20.7-34.1
\$35,000- 49,999	337	345,323	161	45.6	38.3-52.9	93	25.3	19.0-31.6	83	29.1	22.2-36.0
\$50,000- 99,999	580	623,192	292	45.7	40.4-51.0	177	29.6	24.9-34.3	111	24.7	19.8-29.6
\$100,000 - 199,999	304	333,795	154	49.9	42.5-57.3	110	34.6	27.7-41.5	40	15.5	10.0-21.0
\$200,000+	72	79,983	50	71.1	59.3-82.9	18	26.1	14.5-37.7	4	2.8	00.0-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)	
4	MALES AND FEMALES	17
5	MALES ONLY	18
6	FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4999	5,184,110	4594	89.4	88.2-90.6	405	10.6	09.4-11.8
Male	2402	2,509,490	2158	86.0	84.0-88.0	244	14.0	12.0-16.0
Female	2597	2,674,620	2436	92.6	91.2-94.0	161	7.4	06.0-08.8
White/Non-Hisp	3938	3,708,310	3666	91.7	90.5-92.9	272	8.3	07.1-09.5
Black or Afr. Am./Non-Hisp	595	756,847	539	89.4	86.1-92.7	56	10.6	07.3-13.9
Oth. Race/Non-Hisp.	104	172,881	92	82.3	72.1-92.5	12	17.7	07.5-27.9
MultiRacial/Non-Hisp.	84	117,088	75	85.1	73.7-96.5	9	14.9	03.5-26.3
Hispanic	167	318,938	125	68.4	59.4-77.4	42	31.6	22.6-40.6
18-24	297	507,274	250	82.0	76.5-87.5	47	18.0	12.5-23.5
25-34	578	921,637	493	84.0	80.3-87.7	85	16.0	12.3-19.7
35-44	637	856,293	567	87.3	84.0-90.6	70	12.7	09.4-16.0
45-54	816	822,048	724	87.6	84.3-90.9	92	12.4	09.1-15.7
55-64	985	867,549	888	90.1	87.6-92.6	97	9.9	07.4-12.4
65+	1686	1,209,310	1672	98.9	97.9-99.9	14	1.1	00.1-02.1
Less Than H.S.	369	578,734	313	80.1	74.4-85.8	56	19.9	14.2-25.6
H.S. or G.E.D.	1411	1,644,651	1240	84.9	82.4-87.4	171	15.1	12.6-17.6
Some Post-H.S.	1413	1,527,442	1299	91.3	89.3-93.3	114	8.7	06.7-10.7
College Graduate	1791	1,410,346	1730	96.7	95.7-97.7	61	3.3	02.3-04.3
Less than \$15,000	332	296,686	280	80.3	74.4-86.2	52	19.7	13.8-25.6
\$15,000-24,999	499	497,817	432	81.7	76.8-86.6	67	18.3	13.4-23.2
\$25,000-34,999	525	550,442	444	80.6	75.9-85.3	81	19.4	14.7-24.1
\$35,000-49,999	637	651,885	589	90.4	87.1-93.7	48	9.6	06.3-12.9
\$50,000-99,999	1159	1,218,186	1100	92.2	89.7-94.7	59	7.8	05.3-10.3
\$100,000-199,999	701	759,228	679	96.3	94.5-98.1	22	3.7	01.9-05.5
\$200,000+	198	198,844	196	99.3	98.1-0100	2	0.7	00.0-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2402	2,509,490	2158	86.0	84.0-88.0	244	14.0	12.0-16.0
White/Non-Hisp	1880	1,777,385	1724	90.1	88.3-91.9	156	9.9	08.1-11.7
Black or Afr. Am./Non-Hisp	242	314,088	209	82.4	75.7-89.1	33	17.6	10.9-24.3
Oth. Race/Non-Hisp.	69	102,875	59	79.1	66.2-92.0	10	20.9	08.0-33.8
MultiRacial/Non-Hisp.	50	68,654	44	82.3	67.2-97.4	6	17.7	02.6-32.8
Hispanic	93	178,945	63	56.1	43.6-68.6	30	43.9	31.4-56.4
18-24	151	268,345	120	75.3	66.9-83.7	31	24.7	16.3-33.1
25-34	299	465,353	246	78.9	73.0-84.8	53	21.1	15.2-27.0
35-44	321	418,208	276	82.7	77.4-88.0	45	17.3	12.0-22.6
45-54	381	400,943	326	83.0	77.3-88.7	55	17.0	11.3-22.7
55-64	474	414,802	424	90.9	88.0-93.8	50	9.1	06.2-12.0
65+	776	541,839	766	98.4	97.0-99.8	10	1.6	00.2-03.0
Less Than H.S.	203	330,485	163	74.6	66.6-82.6	40	25.4	17.4-33.4
H.S. or G.E.D.	683	816,574	572	78.8	74.5-83.1	111	21.2	16.9-25.5
Some Post-H.S.	624	670,075	565	90.3	87.4-93.2	59	9.7	06.8-12.6
College Graduate	884	678,185	851	96.2	94.6-97.8	33	3.8	02.2-05.4
Less than \$15,000	140	135,308	112	75.4	66.0-84.8	28	24.6	15.2-34.0
\$15,000- 24,999	223	232,236	181	73.2	64.8-81.6	42	26.8	18.4-35.2
\$25,000- 34,999	231	255,295	182	73.2	65.4-81.0	49	26.8	19.0-34.6
\$35,000- 49,999	304	310,222	277	90.6	86.5-94.7	27	9.4	05.3-13.5
\$50,000- 99,999	590	619,720	553	89.6	85.3-93.9	37	10.4	06.1-14.7
\$100,000 - 199,999	400	428,841	384	94.6	91.7-97.5	16	5.4	02.5-08.3
\$200,000+	125	118,522	124	98.9	96.7-0100	1	1.1	00.0-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2597	2,674,620	2436	92.6	91.2-94.0	161	7.4	06.0-08.8
White/Non-Hisp	2058	1,930,925	1942	93.3	91.9-94.7	116	6.7	05.3-08.1
Black or Afr. Am./Non-Hisp	353	442,758	330	94.3	91.4-97.2	23	5.7	02.8-08.6
Hispanic	74	139,993	62	84.2	74.4-94.0	12	15.8	06.0-25.6
18-24	146	238,929	130	89.5	83.8-95.2	16	10.5	04.8-16.2
25-34	279	456,284	247	89.1	85.0-93.2	32	10.9	06.8-15.0
35-44	316	438,085	291	91.7	88.0-95.4	25	8.3	04.6-12.0
45-54	435	421,105	398	92.1	89.0-95.2	37	7.9	04.8-11.0
55-64	511	452,746	464	89.4	85.5-93.3	47	10.6	06.7-14.5
65+	910	667,471	906	99.2	97.8-100.0	4	0.8	00.0-02.2
Less Than H.S.	166	248,249	150	87.5	80.2-94.8	16	12.5	05.2-19.8
H.S. or G.E.D.	728	828,077	668	90.9	88.4-93.4	60	9.1	06.6-11.6
Some Post-H.S.	789	857,367	734	92.1	89.6-94.6	55	7.9	05.4-10.4
College Graduate	907	732,162	879	97.1	95.7-98.5	28	2.9	01.5-04.3
Less than \$15,000	192	161,378	168	84.3	76.9-91.7	24	15.7	08.3-23.1
\$15,000- 24,999	276	265,581	251	89.2	84.1-94.3	25	10.8	05.7-15.9
\$25,000- 34,999	294	295,147	262	86.9	81.4-92.4	32	13.1	07.6-18.6
\$35,000- 49,999	333	341,663	312	90.3	85.4-95.2	21	9.7	04.8-14.6
\$50,000- 99,999	569	598,466	547	94.8	92.4-97.2	22	5.2	02.8-07.6
\$100,000 - 199,999	301	330,387	295	98.6	97.4-99.8	6	1.4	00.2-02.6
\$200,000+	73	80,322	72	99.9	99.7-100.0	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3251	3,903,975	2863	86.3	84.7-87.9	388	13.7	12.1-15.3
Male	1602	1,943,891	1369	82.4	79.9-84.9	233	17.6	15.1-20.1
Female	1649	1,960,084	1494	90.2	88.4-92.0	155	9.8	08.0-11.6
White/Non-Hisp	2422	2,658,635	2160	88.7	87.1-90.3	262	11.3	09.7-12.9
Black or Afr. Am./Non-Hisp	465	634,467	410	87.3	83.4-91.2	55	12.7	08.8-16.6
Oth. Race/Non-Hisp.	86	151,531	75	80.6	69.2-92.0	11	19.4	08.0-30.8
MultiRacial/Non-Hisp.	54	83,846	46	84.3	71.4-97.2	8	15.7	02.8-28.6
Hispanic	149	294,361	108	66.8	57.2-76.4	41	33.2	23.6-42.8
18-24	297	507,274	250	82.0	76.5-87.5	47	18.0	12.5-23.5
25-34	577	919,747	492	83.9	80.2-87.6	85	16.1	12.4-19.8
35-44	635	852,691	565	87.3	84.0-90.6	70	12.7	09.4-16.0
45-54	761	759,428	672	86.8	83.3-90.3	89	13.2	09.7-16.7
55-64	981	864,835	884	90.1	87.6-92.6	97	9.9	07.4-12.4
Less Than H.S.	191	360,873	141	70.8	62.6-79.0	50	29.2	21.0-37.4
H.S. or G.E.D.	912	1,264,008	747	80.5	77.2-83.8	165	19.5	16.2-22.8
Some Post-H.S.	938	1,170,075	827	88.9	86.5-91.3	111	11.1	08.7-13.5
College Graduate	1201	1,093,829	1142	95.7	94.3-97.1	59	4.3	02.9-05.7
Less than \$15,000	215	224,590	165	74.3	66.7-81.9	50	25.7	18.1-33.3
\$15,000-24,999	294	345,184	231	74.7	68.0-81.4	63	25.3	18.6-32.0
\$25,000-34,999	311	393,878	232	73.0	66.7-79.3	79	27.0	20.7-33.3
\$35,000-49,999	393	473,457	347	87.9	83.8-92.0	46	12.1	08.0-16.2
\$50,000-99,999	808	972,768	749	90.2	87.1-93.3	59	9.8	06.7-12.9
\$100,000-199,999	543	653,098	522	95.8	93.8-97.8	21	4.2	02.2-06.2
\$200,000+	163	179,670	161	99.2	97.8-0100	2	0.8	00.0-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1602	1,943,891	1369	82.4	79.9-84.9	233	17.6	15.1-20.1
White/Non-Hisp	1188	1,306,117	1038	86.8	84.4-89.2	150	13.2	10.8-15.6
Black or Afr. Am./Non-Hisp	191	269,927	159	79.6	72.0-87.2	32	20.4	12.8-28.0
Oth. Race/Non-Hisp.	59	93,094	50	78.2	64.1-92.3	9	21.8	07.7-35.9
Hispanic	82	167,793	53	55.0	41.9-68.1	29	45.0	31.9-58.1
18-24	151	268,345	120	75.3	66.9-83.7	31	24.7	16.3-33.1
25-34	298	463,463	245	78.8	72.7-84.9	53	21.2	15.1-27.3
35-44	320	417,726	275	82.7	77.4-88.0	45	17.3	12.0-22.6
45-54	359	379,555	305	82.2	76.1-88.3	54	17.8	11.7-23.9
55-64	474	414,802	424	90.9	88.2-93.6	50	9.1	06.4-11.8
Less Than H.S.	114	236,402	78	66.6	56.0-77.2	36	33.4	22.8-44.0
H.S. or G.E.D.	467	648,165	359	73.5	68.2-78.8	108	26.5	21.2-31.8
Some Post-H.S.	440	536,512	384	88.3	84.8-91.8	56	11.7	08.2-15.2
College Graduate	575	510,755	543	95.1	93.1-97.1	32	4.9	02.9-06.9
Less than \$15,000	93	104,237	65	68.1	56.3-79.9	28	31.9	20.1-43.7
\$15,000- 24,999	128	163,850	90	64.2	53.4-75.0	38	35.8	25.0-46.6
\$25,000- 34,999	134	177,072	87	61.7	51.3-72.1	47	38.3	27.9-48.7
\$35,000- 49,999	182	220,906	156	87.1	81.4-92.8	26	12.9	07.2-18.6
\$50,000- 99,999	412	505,516	375	87.3	82.0-92.6	37	12.7	07.4-18.0
\$100,000 - 199,999	305	362,278	289	93.6	90.1-97.1	16	6.4	02.9-09.9
\$200,000+	102	106,263	101	98.8	96.4-0100	1	1.2	00.0-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1649	1,960,084	1494	90.2	88.4-92.0	155	9.8	08.0-11.6
White/Non-Hisp	1234	1,352,519	1122	90.5	88.3-92.7	112	9.5	07.3-11.7
Black or Afr. Am./Non-Hisp	274	364,541	251	93.1	89.6-96.6	23	6.9	03.4-10.4
Hispanic	67	126,568	55	82.5	71.7-93.3	12	17.5	06.7-28.3
18-24	146	238,929	130	89.5	83.8-95.2	16	10.5	04.8-16.2
25-34	279	456,284	247	89.1	85.0-93.2	32	10.9	06.8-15.0
35-44	315	434,964	290	91.7	88.0-95.4	25	8.3	04.6-12.0
45-54	402	379,874	367	91.4	87.9-94.9	35	8.6	05.1-12.1
55-64	507	450,033	460	89.3	85.2-93.4	47	10.7	06.6-14.8
Less Than H.S.	77	124,471	63	79.0	66.8-91.2	14	21.0	08.8-33.2
H.S. or G.E.D.	445	615,843	388	87.9	84.4-91.4	57	12.1	08.6-15.6
Some Post-H.S.	498	633,562	443	89.3	86.0-92.6	55	10.7	07.4-14.0
College Graduate	626	583,074	599	96.3	94.7-97.9	27	3.7	02.1-05.3
Less than \$15,000	122	120,353	100	79.7	69.9-89.5	22	20.3	10.5-30.1
\$15,000- 24,999	166	181,334	141	84.1	77.0-91.2	25	15.9	08.8-23.0
\$25,000- 34,999	177	216,806	145	82.2	74.9-89.5	32	17.8	10.5-25.1
\$35,000- 49,999	211	252,551	191	88.6	82.7-94.5	20	11.4	05.5-17.3
\$50,000- 99,999	396	467,252	374	93.4	90.3-96.5	22	6.6	03.5-09.7
\$100,000 - 199,999	238	290,820	233	98.5	97.1-99.9	5	1.5	00.1-02.9
\$200,000+	61	73,407	60	99.9	99.7-0100	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	21
2	MALES ONLY	22
3	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 4: EXERCISE**

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5251	5,500,894	3729	72.3	70.7-73.9	1522	27.7	26.1-29.3
Male	2518	2,652,413	1930	77.3	75.1-79.5	588	22.7	20.5-24.9
Female	2733	2,848,481	1799	67.6	65.2-70.0	934	32.4	30.0-34.8
White/Non-Hisp	4114	3,892,782	2927	72.2	70.4-74.0	1187	27.8	26.0-29.6
Black or Afr. Am./Non-Hisp	622	806,183	414	68.8	64.3-73.3	208	31.2	26.7-35.7
Oth. Race/Non-Hisp.	111	180,559	83	75.2	65.6-84.8	28	24.8	15.2-34.4
MultiRacial/Non-Hisp.	96	138,483	63	71.2	59.8-82.6	33	28.8	17.4-40.2
Hispanic	175	346,954	134	77.1	69.5-84.7	41	22.9	15.3-30.5
18-24	356	628,177	301	83.8	79.1-88.5	55	16.2	11.5-20.9
25-34	600	959,051	492	82.7	79.2-86.2	108	17.3	13.8-20.8
35-44	654	873,130	496	75.2	71.3-79.1	158	24.8	20.9-28.7
45-54	849	860,820	629	74.6	70.9-78.3	220	25.4	21.7-29.1
55-64	1019	898,341	688	64.2	60.1-68.3	331	35.8	31.7-39.9
65+	1773	1,281,375	1123	61.1	58.0-64.2	650	38.9	35.8-42.0
Less Than H.S.	400	646,926	200	52.4	45.7-59.1	200	47.6	40.9-54.3
H.S. or G.E.D.	1508	1,771,114	946	68.3	65.4-71.2	562	31.7	28.8-34.6
Some Post-H.S.	1477	1,602,243	1050	74.4	71.7-77.1	427	25.6	22.9-28.3
College Graduate	1843	1,449,113	1520	83.9	81.7-86.1	323	16.1	13.9-18.3
Less than \$15,000	349	315,777	174	51.1	44.0-58.2	175	48.9	41.8-56.0
\$15,000-24,999	517	516,595	309	60.8	55.1-66.5	208	39.2	33.5-44.9
\$25,000-34,999	548	583,683	367	67.4	62.1-72.7	181	32.6	27.3-37.9
\$35,000-49,999	656	671,161	461	73.6	69.3-77.9	195	26.4	22.1-30.7
\$50,000-99,999	1195	1,269,017	894	75.0	71.7-78.3	301	25.0	21.7-28.3
\$100,000-199,999	714	772,050	593	82.8	79.3-86.3	121	17.2	13.7-20.7
\$200,000+	198	198,844	180	91.7	86.4-97.0	18	8.3	03.0-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 4: EXERCISE**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2518	2,652,413	1930	77.3	75.1-79.5	588	22.7	20.5-24.9
White/Non-Hisp	1963	1,868,890	1506	77.4	75.0-79.8	457	22.6	20.2-25.0
Black or Afr. Am./Non-Hisp	253	336,548	188	76.8	70.3-83.3	65	23.2	16.7-29.7
Oth. Race/Non-Hisp.	73	105,920	54	72.4	60.4-84.4	19	27.6	15.6-39.6
MultiRacial/Non-Hisp.	53	74,256	38	74.0	58.5-89.5	15	26.0	10.5-41.5
Hispanic	97	185,254	79	80.5	71.1-89.9	18	19.5	10.1-28.9
18-24	185	320,956	165	88.6	83.1-94.1	20	11.4	05.9-16.9
25-34	309	479,945	274	88.9	85.0-92.8	35	11.1	07.2-15.0
35-44	331	432,311	264	78.3	72.8-83.8	67	21.7	16.2-27.2
45-54	401	421,715	314	76.7	71.2-82.2	87	23.3	17.8-28.8
55-64	490	428,154	351	67.0	61.1-72.9	139	33.0	27.1-38.9
65+	802	569,332	562	68.7	64.2-73.2	240	31.3	26.8-35.8
Less Than H.S.	212	350,359	112	53.2	44.6-61.8	100	46.8	38.2-55.4
H.S. or G.E.D.	729	874,119	510	75.5	71.8-79.2	219	24.5	20.8-28.2
Some Post-H.S.	655	715,093	517	82.2	78.7-85.7	138	17.8	14.3-21.3
College Graduate	911	694,890	785	87.0	84.3-89.7	126	13.0	10.3-15.7
Less than \$15,000	141	134,548	81	57.4	46.6-68.2	60	42.6	31.8-53.4
\$15,000- 24,999	232	246,742	145	62.1	53.5-70.7	87	37.9	29.3-46.5
\$25,000- 34,999	241	272,761	180	75.2	67.8-82.6	61	24.8	17.4-32.2
\$35,000- 49,999	315	322,138	235	77.6	72.1-83.1	80	22.4	16.9-27.9
\$50,000- 99,999	611	644,895	481	78.3	74.0-82.6	130	21.7	17.4-26.0
\$100,000 - 199,999	411	439,725	355	88.0	84.1-91.9	56	12.0	08.1-15.9
\$200,000+	125	118,522	113	90.2	82.6-97.8	12	9.8	02.2-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 4: EXERCISE**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2733	2,848,481	1799	67.6	65.2-70.0	934	32.4	30.0-34.8
White/Non-Hisp	2151	2,023,892	1421	67.4	64.9-69.9	730	32.6	30.1-35.1
Black or Afr. Am./Non-Hisp	369	469,635	226	63.1	57.0-69.2	143	36.9	30.8-43.0
Hispanic	78	161,700	55	73.2	60.7-85.7	23	26.8	14.3-39.3
18-24	171	307,221	136	78.8	71.2-86.4	35	21.2	13.6-28.8
25-34	291	479,106	218	76.6	70.9-82.3	73	23.4	17.7-29.1
35-44	323	440,819	232	72.1	66.4-77.8	91	27.9	22.2-33.6
45-54	448	439,105	315	72.6	67.1-78.1	133	27.4	21.9-32.9
55-64	529	470,187	337	61.7	56.0-67.4	192	38.3	32.6-44.0
65+	971	712,042	561	54.9	50.6-59.2	410	45.1	40.8-49.4
Less Than H.S.	188	296,568	88	51.5	40.9-62.1	100	48.5	37.9-59.1
H.S. or G.E.D.	779	896,995	436	61.3	56.8-65.8	343	38.7	34.2-43.2
Some Post-H.S.	822	887,150	533	68.1	64.0-72.2	289	31.9	27.8-36.0
College Graduate	932	754,223	735	81.0	77.9-84.1	197	19.0	15.9-22.1
Less than \$15,000	208	181,228	93	46.4	37.2-55.6	115	53.6	44.4-62.8
\$15,000- 24,999	285	269,853	164	59.6	52.3-66.9	121	40.4	33.1-47.7
\$25,000- 34,999	307	310,922	187	60.5	53.2-67.8	120	39.5	32.2-46.8
\$35,000- 49,999	341	349,023	226	70.0	63.5-76.5	115	30.0	23.5-36.5
\$50,000- 99,999	584	624,122	413	71.6	66.9-76.3	171	28.4	23.7-33.1
\$100,000 - 199,999	303	332,325	238	75.9	69.4-82.4	65	24.1	17.6-30.6
\$200,000+	73	80,322	67	93.8	87.5-0100	6	6.2	00.0-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1	MALES AND FEMALES	25
2	MALES ONLY	26
3	FEMALES ONLY	27
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4	MALES AND FEMALES	28
5	MALES ONLY	29
6	FEMALES ONLY	30
	ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7	MALES AND FEMALES	31
8	MALES ONLY	32
9	FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5090	5,378,826	2501	53.5	51.7-55.3	2589	46.5	44.7-48.3
Male	2440	2,593,542	1237	54.3	51.8-56.8	1203	45.7	43.2-48.2
Female	2650	2,785,283	1264	52.8	50.3-55.3	1386	47.2	44.7-49.7
White/Non-Hisp	3986	3,794,519	1960	52.1	50.1-54.1	2026	47.9	45.9-49.9
Black or Afr. Am./Non-Hisp	602	795,233	258	50.8	45.7-55.9	344	49.2	44.1-54.3
Oth. Race/Non-Hisp.	108	176,296	52	54.1	42.5-65.7	56	45.9	34.3-57.5
MultiRacial/Non-Hisp.	93	134,009	48	63.4	51.4-75.4	45	36.6	24.6-48.6
Hispanic	174	347,958	117	71.6	63.2-80.0	57	28.4	20.0-36.8
18-24	353	625,175	319	92.5	89.6-95.4	34	7.5	04.6-10.4
25-34	596	953,175	448	72.9	68.4-77.4	148	27.1	22.6-31.6
35-44	649	868,884	393	59.9	55.4-64.4	256	40.1	35.6-44.6
45-54	827	833,647	430	48.9	44.4-53.4	397	51.1	46.6-55.6
55-64	989	874,603	398	37.0	33.1-40.9	591	63.0	59.1-66.9
65+	1676	1,223,342	513	28.8	25.9-31.7	1163	71.2	68.3-74.1
Less Than H.S.	374	615,592	71	26.8	19.7-33.9	303	73.2	66.1-80.3
H.S. or G.E.D.	1456	1,726,685	577	48.0	44.7-51.3	879	52.0	48.7-55.3
Some Post-H.S.	1444	1,580,556	687	55.6	52.3-58.9	757	44.4	41.1-47.7
College Graduate	1794	1,425,196	1153	69.0	66.3-71.7	641	31.0	28.3-33.7
Less than \$15,000	332	303,613	82	31.3	24.4-38.2	250	68.7	61.8-75.6
\$15,000-24,999	497	504,554	146	32.2	26.7-37.7	351	67.8	62.3-73.3
\$25,000-34,999	534	574,692	208	41.2	35.7-46.7	326	58.8	53.3-64.3
\$35,000-49,999	640	661,749	293	52.3	47.0-57.6	347	47.7	42.4-53.0
\$50,000-99,999	1172	1,254,947	666	62.8	59.3-66.3	506	37.2	33.7-40.7
\$100,000-199,999	703	765,224	460	66.7	62.2-71.2	243	33.3	28.8-37.8
\$200,000+	196	197,831	154	77.3	69.9-84.7	42	22.7	15.3-30.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2440	2,593,542	1237	54.3	51.8-56.8	1203	45.7	43.2-48.2
White/Non-Hisp	1906	1,823,699	974	53.1	50.2-56.0	932	46.9	44.0-49.8
Black or Afr. Am./Non-Hisp	240	329,342	100	51.4	43.4-59.4	140	48.6	40.6-56.6
Oth. Race/Non-Hisp.	70	101,658	33	51.2	37.5-64.9	37	48.8	35.1-62.5
MultiRacial/Non-Hisp.	51	73,385	26	60.5	44.2-76.8	25	39.5	23.2-55.8
Hispanic	97	186,396	66	69.7	58.3-81.1	31	30.3	18.9-41.7
18-24	182	319,870	164	91.8	87.5-96.1	18	8.2	03.9-12.5
25-34	305	474,545	240	74.3	67.8-80.8	65	25.7	19.2-32.2
35-44	326	423,507	207	60.4	53.9-66.9	119	39.6	33.1-46.1
45-54	392	411,600	207	47.1	40.8-53.4	185	52.9	46.6-59.2
55-64	477	420,155	198	37.7	32.0-43.4	279	62.3	56.6-68.0
65+	758	543,864	221	28.2	24.1-32.3	537	71.8	67.7-75.9
Less Than H.S.	195	333,432	39	24.7	16.7-32.7	156	75.3	67.3-83.3
H.S. or G.E.D.	707	856,212	294	50.2	45.5-54.9	413	49.8	45.1-54.5
Some Post-H.S.	642	704,305	316	57.0	52.3-61.7	326	43.0	38.3-47.7
College Graduate	885	681,641	580	70.3	66.6-74.0	305	29.7	26.0-33.4
Less than \$15,000	133	127,447	27	22.4	13.6-31.2	106	77.6	68.8-86.4
\$15,000- 24,999	217	235,244	74	35.4	26.8-44.0	143	64.6	56.0-73.2
\$25,000- 34,999	234	267,751	95	41.9	33.7-50.1	139	58.1	49.9-66.3
\$35,000- 49,999	306	316,334	130	43.2	35.9-50.5	176	56.8	49.5-64.1
\$50,000- 99,999	598	637,358	337	64.7	59.6-69.8	261	35.3	30.2-40.4
\$100,000 - 199,999	406	435,702	257	66.3	60.4-72.2	149	33.7	27.8-39.6
\$200,000+	123	117,509	100	77.7	67.9-87.5	23	22.3	12.5-32.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2650	2,785,283	1264	52.8	50.3-55.3	1386	47.2	44.7-49.7
White/Non-Hisp	2080	1,970,819	986	51.2	48.5-53.9	1094	48.8	46.1-51.5
Black or Afr. Am./Non-Hisp	362	465,891	158	50.4	43.9-56.9	204	49.6	43.1-56.1
Hispanic	77	161,562	51	73.8	61.6-86.0	26	26.2	14.0-38.4
18-24	171	305,304	155	93.2	89.3-97.1	16	6.8	02.9-10.7
25-34	291	478,630	208	71.5	65.4-77.6	83	28.5	22.4-34.6
35-44	323	445,377	186	59.4	53.1-65.7	137	40.6	34.3-46.9
45-54	435	422,047	223	50.7	44.4-57.0	212	49.3	43.0-55.6
55-64	512	454,448	200	36.4	30.9-41.9	312	63.6	58.1-69.1
65+	918	679,478	292	29.4	25.5-33.3	626	70.6	66.7-74.5
Less Than H.S.	179	282,160	32	29.1	17.1-41.1	147	70.9	58.9-82.9
H.S. or G.E.D.	749	870,474	283	45.8	41.1-50.5	466	54.2	49.5-58.9
Some Post-H.S.	802	876,251	371	54.6	50.1-59.1	431	45.4	40.9-49.9
College Graduate	909	743,555	573	67.8	63.9-71.7	336	32.2	28.3-36.1
Less than \$15,000	199	176,166	55	37.7	28.1-47.3	144	62.3	52.7-71.9
\$15,000- 24,999	280	269,310	72	29.4	22.3-36.5	208	70.6	63.5-77.7
\$25,000- 34,999	300	306,940	113	40.5	33.2-47.8	187	59.5	52.2-66.8
\$35,000- 49,999	334	345,415	163	60.7	53.8-67.6	171	39.3	32.4-46.2
\$50,000- 99,999	574	617,589	329	60.7	55.6-65.8	245	39.3	34.2-44.4
\$100,000 - 199,999	297	329,521	203	67.1	60.0-74.2	94	32.9	25.8-40.0
\$200,000+	73	80,322	54	76.7	65.5-87.9	19	23.3	12.1-34.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1660	1,212,819	1395	81.7	79.0-84.4	265	18.3	15.6-21.0
Male	753	541,426	618	78.2	73.7-82.7	135	21.8	17.3-26.3
Female	907	671,393	777	84.5	81.2-87.8	130	15.5	12.2-18.8
White/Non-Hisp	1441	992,973	1223	82.4	79.5-85.3	218	17.6	14.7-20.5
Black or Afr. Am./Non-Hisp	124	121,515	100	83.4	75.2-91.6	24	16.6	08.4-24.8
65+	1660	1,212,819	1395	81.7	79.0-84.4	265	18.3	15.6-21.0
Less Than H.S.	171	221,357	95	56.5	46.5-66.5	76	43.5	33.5-53.5
H.S. or G.E.D.	478	362,173	372	77.2	72.1-82.3	106	22.8	17.7-27.9
Some Post-H.S.	462	342,484	397	89.3	86.0-92.6	65	10.7	07.4-14.0
College Graduate	547	285,958	530	97.9	96.5-99.3	17	2.1	00.7-03.5
Less than \$15,000	112	72,972	71	65.4	52.3-78.5	41	34.6	21.5-47.7
\$15,000-24,999	193	145,070	139	73.8	65.8-81.8	54	26.2	18.2-34.2
\$25,000-34,999	211	160,667	169	70.1	60.1-80.1	42	29.9	19.9-39.9
\$35,000-49,999	228	168,528	202	84.8	77.2-92.4	26	15.2	07.6-22.8
\$50,000-99,999	334	231,340	308	93.1	89.8-96.4	26	6.9	03.6-10.2
\$100,000-199,999	149	100,379	144	97.6	95.2-0100	5	2.4	00.0-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	753	541,426	618	78.2	73.5-82.9	135	21.8	17.1-26.5
White/Non-Hisp	654	452,397	545	81.1	76.4-85.8	109	18.9	14.2-23.6
65+	753	541,426	618	78.2	73.5-82.9	135	21.8	17.1-26.5
Less Than H.S.	79	91,751	40	47.0	31.7-62.3	39	53.0	37.7-68.3
H.S. or G.E.D.	203	162,294	150	73.0	64.2-81.8	53	27.0	18.2-35.8
Some Post-H.S.	182	134,349	150	85.2	78.7-91.7	32	14.8	08.3-21.3
College Graduate	288	152,597	278	96.6	94.1-99.1	10	3.4	00.9-05.9
\$15,000- 24,999	83	61,319	64	79.8	69.0-90.6	19	20.2	09.4-31.0
\$25,000- 34,999	95	83,358	72	64.3	49.4-79.2	23	35.7	20.8-50.6
\$35,000- 49,999	114	85,391	96	72.9	59.8-86.0	18	27.1	14.0-40.2
\$50,000- 99,999	172	107,285	153	88.2	81.7-94.7	19	11.8	05.3-18.3
\$100,000 - 199,999	89	62,357	84	96.2	92.5-99.9	5	3.8	00.1-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	907	671,393	777	84.5	81.2-87.8	130	15.5	12.2-18.8
White/Non-Hisp	787	540,577	678	83.6	79.9-87.3	109	16.4	12.7-20.1
Black or Afr. Am./Non-Hisp	76	77,668	63	90.6	84.1-97.1	13	9.4	02.9-15.9
65+	907	671,393	777	84.5	81.2-87.8	130	15.5	12.2-18.8
Less Than H.S.	92	129,606	55	63.2	50.7-75.7	37	36.8	24.3-49.3
H.S. or G.E.D.	275	199,879	222	80.6	74.7-86.5	53	19.4	13.5-25.3
Some Post-H.S.	280	208,135	247	92.0	88.7-95.3	33	8.0	04.7-11.3
College Graduate	259	133,362	252	99.3	98.7-99.9	7	0.7	00.1-01.3
Less than \$15,000	69	44,765	50	69.7	52.5-86.9	19	30.3	13.1-47.5
\$15,000- 24,999	110	83,751	75	69.4	57.8-81.0	35	30.6	19.0-42.2
\$25,000- 34,999	116	77,309	97	76.5	63.8-89.2	19	23.5	10.8-36.2
\$35,000- 49,999	114	83,137	106	97.0	94.5-99.5	8	3.0	00.5-05.5
\$50,000- 99,999	162	124,054	155	97.3	95.1-99.5	7	2.7	00.5-04.9
\$100,000 - 199,999	60	38,022	60	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5186	5,407,137	3174	59.5	57.7-61.3	2012	40.5	38.7-42.3
Male	2482	2,608,794	1474	57.0	54.5-59.5	1008	43.0	40.5-45.5
Female	2704	2,798,342	1700	61.8	59.3-64.3	1004	38.2	35.7-40.7
White/Non-Hisp	4074	3,847,992	2506	59.5	57.5-61.5	1568	40.5	38.5-42.5
Black or Afr. Am./Non-Hisp	606	782,936	384	63.0	58.1-67.9	222	37.0	32.1-41.9
Oth. Race/Non-Hisp.	110	180,676	59	53.6	42.0-65.2	51	46.4	34.8-58.0
MultiRacial/Non-Hisp.	96	138,483	53	56.5	43.6-69.4	43	43.5	30.6-56.4
Hispanic	175	331,275	100	56.8	47.8-65.8	75	43.2	34.2-52.2
18-24	350	600,590	213	61.6	55.5-67.7	137	38.4	32.3-44.5
25-34	588	935,767	333	57.2	52.3-62.1	255	42.8	37.9-47.7
35-44	653	873,280	385	58.9	54.4-63.4	268	41.1	36.6-45.6
45-54	838	848,739	498	57.7	53.4-62.0	340	42.3	38.0-46.6
55-64	1006	886,312	604	59.0	54.9-63.1	402	41.0	36.9-45.1
65+	1751	1,262,449	1141	62.1	58.8-65.4	610	37.9	34.6-41.2
Less Than H.S.	387	604,082	117	30.5	24.6-36.4	270	69.5	63.6-75.4
H.S. or G.E.D.	1484	1,737,698	777	53.9	50.6-57.2	707	46.1	42.8-49.4
Some Post-H.S.	1463	1,591,199	905	62.9	59.8-66.0	558	37.1	34.0-40.2
College Graduate	1832	1,445,297	1362	74.5	72.0-77.0	470	25.5	23.0-28.0
Less than \$15,000	347	317,117	139	42.1	35.0-49.2	208	57.9	50.8-65.0
\$15,000-24,999	508	507,913	210	37.4	31.9-42.9	298	62.6	57.1-68.1
\$25,000-34,999	537	567,390	247	42.1	36.8-47.4	290	57.9	52.6-63.2
\$35,000-49,999	653	667,159	394	56.2	50.9-61.5	259	43.8	38.5-49.1
\$50,000-99,999	1189	1,256,819	827	67.7	64.2-71.2	362	32.3	28.8-35.8
\$100,000-199,999	714	772,607	544	75.7	71.8-79.6	170	24.3	20.4-28.2
\$200,000+	197	198,614	168	82.6	75.3-89.9	29	17.4	10.1-24.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2482	2,608,794	1474	57.0	54.5-59.5	1008	43.0	40.5-45.5
White/Non-Hisp	1941	1,845,390	1155	57.0	54.1-59.9	786	43.0	40.1-45.9
Black or Afr. Am./Non-Hisp	241	317,742	150	60.4	52.2-68.6	91	39.6	31.4-47.8
Oth. Race/Non-Hisp.	72	106,038	37	45.0	31.9-58.1	35	55.0	41.9-68.1
MultiRacial/Non-Hisp.	53	74,256	31	59.3	42.6-76.0	22	40.7	24.0-57.4
Hispanic	98	187,133	57	58.9	47.1-70.7	41	41.1	29.3-52.9
18-24	180	312,658	108	60.1	51.7-68.5	72	39.9	31.5-48.3
25-34	298	462,668	167	55.9	49.0-62.8	131	44.1	37.2-51.0
35-44	328	427,555	184	54.9	48.4-61.4	144	45.1	38.6-51.6
45-54	397	420,030	225	54.3	48.0-60.6	172	45.7	39.4-52.0
55-64	484	427,686	287	57.2	51.3-63.1	197	42.8	36.9-48.7
65+	795	558,197	503	59.8	55.1-64.5	292	40.2	35.5-44.9
Less Than H.S.	206	338,463	57	29.2	21.4-37.0	149	70.8	63.0-78.6
H.S. or G.E.D.	717	855,010	354	50.2	45.5-54.9	363	49.8	45.1-54.5
Some Post-H.S.	647	708,068	392	62.7	58.0-67.4	255	37.3	32.6-42.0
College Graduate	902	690,529	665	73.3	69.8-76.8	237	26.7	23.2-30.2
Less than \$15,000	142	138,528	49	34.1	23.9-44.3	93	65.9	55.7-76.1
\$15,000- 24,999	227	242,523	80	32.8	24.6-41.0	147	67.2	59.0-75.4
\$25,000- 34,999	233	258,783	106	42.3	34.3-50.3	127	57.7	49.7-65.7
\$35,000- 49,999	311	317,032	173	49.8	42.5-57.1	138	50.2	42.9-57.5
\$50,000- 99,999	605	632,802	399	63.4	58.1-68.7	206	36.6	31.3-41.9
\$100,000 - 199,999	410	438,811	302	74.8	69.7-79.9	108	25.2	20.1-30.3
\$200,000+	124	118,292	107	81.6	72.0-91.2	17	18.4	08.8-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2704	2,798,342	1700	61.8	59.4-64.2	1004	38.2	35.8-40.6
White/Non-Hisp	2133	2,002,602	1351	61.8	59.1-64.5	782	38.2	35.5-40.9
Black or Afr. Am./Non-Hisp	365	465,194	234	64.8	58.5-71.1	131	35.2	28.9-41.5
Hispanic	77	144,142	43	54.1	40.4-67.8	34	45.9	32.2-59.6
18-24	170	287,932	105	63.4	54.8-72.0	65	36.6	28.0-45.2
25-34	290	473,099	166	58.6	51.7-65.5	124	41.4	34.5-48.3
35-44	325	445,725	201	62.7	56.4-69.0	124	37.3	31.0-43.6
45-54	441	428,708	273	61.0	54.9-67.1	168	39.0	32.9-45.1
55-64	522	458,625	317	60.6	55.1-66.1	205	39.4	33.9-44.9
65+	956	704,253	638	63.9	59.4-68.4	318	36.1	31.6-40.6
Less Than H.S.	181	265,619	60	32.1	23.3-40.9	121	67.9	59.1-76.7
H.S. or G.E.D.	767	882,688	423	57.4	52.9-61.9	344	42.6	38.1-47.1
Some Post-H.S.	816	883,131	513	63.0	58.7-67.3	303	37.0	32.7-41.3
College Graduate	930	754,768	697	75.5	72.0-79.0	233	24.5	21.0-28.0
Less than \$15,000	205	178,589	90	48.4	39.0-57.8	115	51.6	42.2-61.0
\$15,000- 24,999	281	265,390	130	41.7	34.3-49.1	151	58.3	50.9-65.7
\$25,000- 34,999	304	308,607	141	42.0	34.7-49.3	163	58.0	50.7-65.3
\$35,000- 49,999	342	350,127	221	62.0	54.7-69.3	121	38.0	30.7-45.3
\$50,000- 99,999	584	624,017	428	72.0	67.3-76.7	156	28.0	23.3-32.7
\$100,000 - 199,999	304	333,795	242	76.9	70.4-83.4	62	23.1	16.6-29.6
\$200,000+	73	80,322	61	83.9	72.9-94.9	12	16.1	05.1-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5195	5,446,817	563	8.8	07.8-09.8	4632	91.2	90.2-92.2
Male	2482	2,615,373	322	10.8	09.2-12.4	2160	89.2	87.6-90.8
Female	2713	2,831,444	241	7.0	05.8-08.2	2472	93.0	91.8-94.2
White/Non-Hisp	4068	3,860,476	464	9.7	08.5-10.9	3604	90.3	89.1-91.5
Black or Afr. Am./Non-Hisp	620	796,677	48	6.2	03.8-08.6	572	93.8	91.4-96.2
Oth. Race/Non-Hisp.	109	178,245	10	6.3	01.4-11.2	99	93.7	88.8-98.6
MultiRacial/Non-Hisp.	93	130,821	16	13.1	05.1-21.1	77	86.9	78.9-94.9
Hispanic	175	346,834	12	5.0	01.3-08.7	163	95.0	91.3-98.7
18-24	355	624,427	1	0.3	00.0-00.9	354	99.7	99.1-0100
25-34	600	954,766	6	1.4	00.0-03.0	594	98.6	97.0-0100
35-44	652	869,455	18	2.6	01.2-04.0	634	97.4	96.0-98.8
45-54	839	847,531	57	6.4	04.2-08.6	782	93.6	91.4-95.8
55-64	1010	896,644	125	12.3	09.4-15.2	885	87.7	84.8-90.6
65+	1739	1,253,993	356	22.1	19.4-24.8	1383	77.9	75.2-80.6
Less Than H.S.	386	626,999	93	22.6	16.9-28.3	293	77.4	71.7-83.1
H.S. or G.E.D.	1486	1,743,644	170	7.8	06.2-09.4	1316	92.2	90.6-93.8
Some Post-H.S.	1467	1,600,612	167	8.7	07.1-10.3	1300	91.3	89.7-92.9
College Graduate	1834	1,445,338	130	4.4	03.4-05.4	1704	95.6	94.6-96.6
Less than \$15,000	345	313,555	68	18.7	13.0-24.4	277	81.3	75.6-87.0
\$15,000-24,999	503	501,077	90	16.2	11.9-20.5	413	83.8	79.5-88.1
\$25,000-34,999	541	575,829	77	12.0	08.5-15.5	464	88.0	84.5-91.5
\$35,000-49,999	647	656,569	67	8.7	05.8-11.6	580	91.3	88.4-94.2
\$50,000-99,999	1194	1,272,026	92	6.4	04.4-08.4	1102	93.6	91.6-95.6
\$100,000-199,999	710	770,681	40	4.1	02.5-05.7	670	95.9	94.3-97.5
\$200,000+	197	196,845	10	2.6	00.4-04.8	187	97.4	95.2-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2482	2,615,373	322	10.8	09.2-12.4	2160	89.2	87.6-90.8
White/Non-Hisp	1936	1,847,413	275	12.7	10.7-14.7	1661	87.3	85.3-89.3
Black or Afr. Am./Non-Hisp	250	325,877	18	5.1	02.0-08.2	232	94.9	91.8-98.0
Oth. Race/Non-Hisp.	71	103,607	8	9.5	01.7-17.3	63	90.5	82.7-98.3
MultiRacial/Non-Hisp.	52	73,967	8	13.0	02.0-24.0	44	87.0	76.0-98.0
Hispanic	97	185,134	7	4.2	00.1-08.3	90	95.8	91.7-99.9
18-24	184	318,529				184	100.0	0100-0100
25-34	308	475,399	5	2.7	00.0-05.8	303	97.3	94.2-0100
35-44	328	424,615	11	3.3	01.1-05.5	317	96.7	94.5-98.9
45-54	393	411,664	35	8.2	04.5-11.9	358	91.8	88.1-95.5
55-64	485	425,970	67	14.2	09.5-18.9	418	85.8	81.1-90.5
65+	784	559,196	204	29.0	24.5-33.5	580	71.0	66.5-75.5
Less Than H.S.	205	338,651	50	23.1	15.5-30.7	155	76.9	69.3-84.5
H.S. or G.E.D.	717	860,445	98	9.8	07.3-12.3	619	90.2	87.7-92.7
Some Post-H.S.	646	710,034	89	10.8	08.1-13.5	557	89.2	86.5-91.9
College Graduate	904	689,564	84	6.2	04.6-07.8	820	93.8	92.2-95.4
Less than \$15,000	137	134,222	29	17.8	09.8-25.8	108	82.2	74.2-90.2
\$15,000- 24,999	224	237,051	58	22.0	14.4-29.6	166	78.0	70.4-85.6
\$25,000- 34,999	238	267,002	45	16.2	10.1-22.3	193	83.8	77.7-89.9
\$35,000- 49,999	308	313,030	42	13.3	08.0-18.6	266	86.7	81.4-92.0
\$50,000- 99,999	609	644,218	59	8.0	04.9-11.1	550	92.0	88.9-95.1
\$100,000 - 199,999	408	437,227	32	5.9	03.4-08.4	376	94.1	91.6-96.6
\$200,000+	124	116,523	8	4.3	00.6-08.0	116	95.7	92.0-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2713	2,831,444	241	7.0	05.8-08.2	2472	93.0	91.8-94.2
White/Non-Hisp	2132	2,013,063	189	6.9	05.5-08.3	1943	93.1	91.7-94.5
Black or Afr. Am./Non-Hisp	370	470,800	30	7.0	03.9-10.1	340	93.0	89.9-96.1
Hispanic	78	161,700	5	5.8	00.0-12.5	73	94.2	87.5-0100
18-24	171	305,898	1	0.7	00.0-02.1	170	99.3	97.9-0100
25-34	292	479,367	1	0.2	00.0-00.6	291	99.8	99.4-0100
35-44	324	444,841	7	1.9	00.3-03.5	317	98.1	96.5-99.7
45-54	446	435,867	22	4.7	02.2-07.2	424	95.3	92.8-97.8
55-64	525	470,674	58	10.7	07.2-14.2	467	89.3	85.8-92.8
65+	955	694,797	152	16.6	13.1-20.1	803	83.4	79.9-86.9
Less Than H.S.	181	288,348	43	22.0	14.0-30.0	138	78.0	70.0-86.0
H.S. or G.E.D.	769	883,199	72	5.8	04.2-07.4	697	94.2	92.6-95.8
Some Post-H.S.	821	890,578	78	7.0	05.0-09.0	743	93.0	91.0-95.0
College Graduate	930	755,774	46	2.6	01.6-03.6	884	97.4	96.4-98.4
Less than \$15,000	208	179,333	39	19.4	11.8-27.0	169	80.6	73.0-88.2
\$15,000- 24,999	279	264,026	32	11.0	06.5-15.5	247	89.0	84.5-93.5
\$25,000- 34,999	303	308,827	32	8.4	04.3-12.5	271	91.6	87.5-95.7
\$35,000- 49,999	339	343,539	25	4.5	02.3-06.7	314	95.5	93.3-97.7
\$50,000- 99,999	585	627,808	33	4.8	02.6-07.0	552	95.2	93.0-97.4
\$100,000 - 199,999	302	333,454	8	1.7	00.3-03.1	294	98.3	96.9-99.7
\$200,000+	73	80,322	2	0.2	00.0-00.6	71	99.8	99.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5237	5,490,630	4297	81.1	79.7-82.5	940	18.9	17.5-20.3
Male	2504	2,641,874	2101	82.6	80.6-84.6	403	17.4	15.4-19.4
Female	2733	2,848,755	2196	79.7	77.5-81.9	537	20.3	18.1-22.5
White/Non-Hisp	4105	3,886,051	3389	81.4	79.8-83.0	716	18.6	17.0-20.2
Black or Afr. Am./Non-Hisp	623	807,348	498	78.4	74.3-82.5	125	21.6	17.5-25.7
Oth. Race/Non-Hisp.	110	180,257	94	89.1	82.8-95.4	16	10.9	04.6-17.2
MultiRacial/Non-Hisp.	95	137,045	68	69.3	57.0-81.6	27	30.7	18.4-43.0
Hispanic	176	348,833	144	82.6	75.3-89.9	32	17.4	10.1-24.7
18-24	354	626,743	265	73.1	67.4-78.8	89	26.9	21.2-32.6
25-34	599	955,213	485	81.2	77.3-85.1	114	18.8	14.9-22.7
35-44	656	877,596	525	80.5	77.0-84.0	131	19.5	16.0-23.0
45-54	846	856,738	693	82.5	79.2-85.8	153	17.5	14.2-20.8
55-64	1018	900,140	827	80.4	76.9-83.9	191	19.6	16.1-23.1
65+	1764	1,274,199	1502	84.8	82.3-87.3	262	15.2	12.7-17.7
Less Than H.S.	397	646,445	281	69.8	63.7-75.9	116	30.2	24.1-36.3
H.S. or G.E.D.	1500	1,759,068	1238	83.4	81.0-85.8	262	16.6	14.2-19.0
Some Post-H.S.	1477	1,606,288	1183	79.4	76.7-82.1	294	20.6	17.9-23.3
College Graduate	1841	1,448,605	1575	85.0	82.8-87.2	266	15.0	12.8-17.2
Less than \$15,000	352	319,726	242	68.2	61.7-74.7	110	31.8	25.3-38.3
\$15,000-24,999	514	514,734	385	74.8	69.7-79.9	129	25.2	20.1-30.3
\$25,000-34,999	547	582,245	439	79.5	75.0-84.0	108	20.5	16.0-25.0
\$35,000-49,999	657	671,721	533	78.3	73.8-82.8	124	21.7	17.2-26.2
\$50,000-99,999	1192	1,267,796	1008	83.9	81.0-86.8	184	16.1	13.2-19.0
\$100,000-199,999	715	773,520	622	85.4	81.9-88.9	93	14.6	11.1-18.1
\$200,000+	198	198,844	183	92.9	89.0-96.8	15	7.1	03.2-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2504	2,641,874	2101	82.6	80.6-84.6	403	17.4	15.4-19.4
White/Non-Hisp	1954	1,862,423	1650	83.2	81.0-85.4	304	16.8	14.6-19.0
Black or Afr. Am./Non-Hisp	253	336,548	203	78.2	71.3-85.1	50	21.8	14.9-28.7
Oth. Race/Non-Hisp.	72	105,618	62	87.4	79.2-95.6	10	12.6	04.4-20.8
MultiRacial/Non-Hisp.	52	72,818	37	61.2	43.8-78.6	15	38.8	21.4-56.2
Hispanic	98	187,133	84	87.0	79.4-94.6	14	13.0	05.4-20.6
18-24	182	317,836	140	75.7	68.4-83.0	42	24.3	17.0-31.6
25-34	308	479,037	252	80.2	74.5-85.9	56	19.8	14.1-25.5
35-44	330	430,809	270	81.1	76.2-86.0	60	18.9	14.0-23.8
45-54	399	419,165	336	85.2	80.9-89.5	63	14.8	10.5-19.1
55-64	489	429,326	406	82.5	77.6-87.4	83	17.5	12.6-22.4
65+	796	565,701	697	87.8	84.9-90.7	99	12.2	09.3-15.1
Less Than H.S.	210	350,725	156	74.6	67.0-82.2	54	25.4	17.8-33.0
H.S. or G.E.D.	721	866,668	606	84.9	81.6-88.2	115	15.1	11.8-18.4
Some Post-H.S.	654	714,579	535	80.3	76.4-84.2	119	19.7	15.8-23.6
College Graduate	909	693,224	794	85.7	82.6-88.8	115	14.3	11.2-17.4
Less than \$15,000	143	138,834	98	67.0	56.8-77.2	45	33.0	22.8-43.2
\$15,000- 24,999	228	243,716	175	73.9	65.7-82.1	53	26.1	17.9-34.3
\$25,000- 34,999	240	271,323	194	81.1	74.8-87.4	46	18.9	12.6-25.2
\$35,000- 49,999	314	320,703	262	80.5	74.2-86.8	52	19.5	13.2-25.8
\$50,000- 99,999	608	643,140	522	84.5	80.4-88.6	86	15.5	11.4-19.6
\$100,000 - 199,999	411	439,725	361	86.4	82.1-90.7	50	13.6	09.3-17.9
\$200,000+	125	118,522	117	94.8	90.5-99.1	8	5.2	00.9-09.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2733	2,848,755	2196	79.7	77.5-81.9	537	20.3	18.1-22.5
White/Non-Hisp	2151	2,023,628	1739	79.7	77.3-82.1	412	20.3	17.9-22.7
Black or Afr. Am./Non-Hisp	370	470,800	295	78.5	73.4-83.6	75	21.5	16.4-26.6
Hispanic	78	161,700	60	77.6	64.9-90.3	18	22.4	09.7-35.1
18-24	172	308,907	125	70.5	61.5-79.5	47	29.5	20.5-38.5
25-34	291	476,176	233	82.2	77.1-87.3	58	17.8	12.7-22.9
35-44	326	446,787	255	79.9	74.8-85.0	71	20.1	15.0-25.2
45-54	447	437,573	357	80.0	75.5-84.5	90	20.0	15.5-24.5
55-64	529	470,813	421	78.4	73.5-83.3	108	21.6	16.7-26.5
65+	968	708,498	805	82.5	78.8-86.2	163	17.5	13.8-21.2
Less Than H.S.	187	295,720	125	64.0	54.2-73.8	62	36.0	26.2-45.8
H.S. or G.E.D.	779	892,400	632	81.9	78.4-85.4	147	18.1	14.6-21.6
Some Post-H.S.	823	891,708	648	78.7	75.0-82.4	175	21.3	17.6-25.0
College Graduate	932	755,382	781	84.3	81.4-87.2	151	15.7	12.8-18.6
Less than \$15,000	209	180,891	144	69.1	60.7-77.5	65	30.9	22.5-39.3
\$15,000- 24,999	286	271,018	210	75.7	69.2-82.2	76	24.3	17.8-30.8
\$25,000- 34,999	307	310,922	245	78.1	71.8-84.4	62	21.9	15.6-28.2
\$35,000- 49,999	343	351,018	271	76.3	69.8-82.8	72	23.7	17.2-30.2
\$50,000- 99,999	584	624,655	486	83.3	79.2-87.4	98	16.7	12.6-20.8
\$100,000 - 199,999	304	333,795	261	84.0	78.5-89.5	43	16.0	10.5-21.5
\$200,000+	73	80,322	66	90.1	82.8-97.4	7	9.9	02.6-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5186	5,422,932	4590	88.3	87.1-89.5	596	11.7	10.5-12.9
Male	2481	2,604,060	2270	91.7	90.3-93.1	211	8.3	06.9-09.7
Female	2705	2,818,872	2320	85.1	83.1-87.1	385	14.9	12.9-16.9
White/Non-Hisp	4069	3,847,069	3610	88.3	86.9-89.7	459	11.7	10.3-13.1
Black or Afr. Am./Non-Hisp	616	789,702	535	85.7	82.2-89.2	81	14.3	10.8-17.8
Oth. Race/Non-Hisp.	107	176,402	98	95.7	92.6-98.8	9	4.3	01.2-07.4
MultiRacial/Non-Hisp.	94	132,481	75	79.9	69.3-90.5	19	20.1	09.5-30.7
Hispanic	174	347,242	159	91.7	86.0-97.4	15	8.3	02.6-14.0
18-24	345	606,466	303	87.1	82.6-91.6	42	12.9	08.4-17.4
25-34	588	936,378	533	90.3	87.4-93.2	55	9.7	06.8-12.6
35-44	653	874,614	577	89.1	86.4-91.8	76	10.9	08.2-13.6
45-54	840	853,093	736	87.5	84.6-90.4	104	12.5	09.6-15.4
55-64	1005	886,355	871	86.0	83.1-88.9	134	14.0	11.1-16.9
65+	1755	1,266,025	1570	88.9	86.7-91.1	185	11.1	08.9-13.3
Less Than H.S.	389	629,457	305	78.4	72.9-83.9	84	21.6	16.1-27.1
H.S. or G.E.D.	1485	1,735,564	1314	89.8	87.8-91.8	171	10.2	08.2-12.2
Some Post-H.S.	1462	1,586,849	1281	87.6	85.4-89.8	181	12.4	10.2-14.6
College Graduate	1828	1,440,837	1670	91.3	89.7-92.9	158	8.7	07.1-10.3
Less than \$15,000	341	309,427	256	74.7	68.6-80.8	85	25.3	19.2-31.4
\$15,000-24,999	511	510,921	412	81.0	76.3-85.7	99	19.0	14.3-23.7
\$25,000-34,999	543	575,196	468	85.5	81.6-89.4	75	14.5	10.6-18.4
\$35,000-49,999	650	661,200	581	87.7	84.2-91.2	69	12.3	08.8-15.8
\$50,000-99,999	1184	1,254,081	1080	91.1	88.7-93.5	104	8.9	06.5-11.3
\$100,000-199,999	711	770,878	662	92.8	90.3-95.3	49	7.2	04.7-09.7
\$200,000+	197	197,461	189	96.3	93.6-99.0	8	3.7	01.0-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2481	2,604,060	2270	91.7	90.3-93.1	211	8.3	06.9-09.7
White/Non-Hisp	1938	1,841,690	1774	91.7	90.1-93.3	164	8.3	06.7-09.9
Black or Afr. Am./Non-Hisp	251	329,456	226	89.4	84.3-94.5	25	10.6	05.5-15.7
Oth. Race/Non-Hisp.	70	102,065	65	95.2	90.7-99.7	5	4.8	00.3-09.3
MultiRacial/Non-Hisp.	51	68,254	43	80.2	65.5-94.9	8	19.8	05.1-34.5
Hispanic	97	185,655	92	96.5	93.0-0100	5	3.5	00.0-07.0
18-24	176	304,524	162	92.3	88.0-96.6	14	7.7	03.4-12.0
25-34	302	467,212	281	92.7	89.0-96.4	21	7.3	03.6-11.0
35-44	329	429,426	302	91.9	88.8-95.0	27	8.1	05.0-11.2
45-54	397	418,205	359	90.5	86.8-94.2	38	9.5	05.8-13.2
55-64	484	423,031	431	89.2	85.1-93.3	53	10.8	06.7-14.9
65+	793	561,661	735	93.3	91.3-95.3	58	6.7	04.7-08.7
Less Than H.S.	206	341,721	170	84.2	77.7-90.7	36	15.8	09.3-22.3
H.S. or G.E.D.	714	851,735	650	93.0	90.8-95.2	64	7.0	04.8-09.2
Some Post-H.S.	647	704,528	590	92.3	89.9-94.7	57	7.7	05.3-10.1
College Graduate	904	689,397	850	93.2	91.0-95.4	54	6.8	04.6-09.0
Less than \$15,000	138	131,559	104	75.6	66.2-85.0	34	24.4	15.0-33.8
\$15,000- 24,999	227	241,459	189	81.0	73.4-88.6	38	19.0	11.4-26.6
\$25,000- 34,999	237	264,402	215	92.3	88.2-96.4	22	7.7	03.6-11.8
\$35,000- 49,999	311	314,373	288	93.0	89.5-96.5	23	7.0	03.5-10.5
\$50,000- 99,999	605	636,350	564	93.5	90.8-96.2	41	6.5	03.8-09.2
\$100,000 - 199,999	410	439,332	386	94.5	92.0-97.0	24	5.5	03.0-08.0
\$200,000+	124	117,139	120	97.2	94.1-0100	4	2.8	00.0-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2705	2,818,872	2320	85.1	83.1-87.1	385	14.9	12.9-16.9
White/Non-Hisp	2131	2,005,379	1836	85.1	82.9-87.3	295	14.9	12.7-17.1
Black or Afr. Am./Non-Hisp	365	460,246	309	83.1	78.4-87.8	56	16.9	12.2-21.6
Hispanic	77	161,587	67	86.2	75.0-97.4	10	13.8	02.6-25.0
18-24	169	301,942	141	81.7	74.1-89.3	28	18.3	10.7-25.9
25-34	286	469,166	252	87.8	83.3-92.3	34	12.2	07.7-16.7
35-44	324	445,188	275	86.3	82.0-90.6	49	13.7	09.4-18.0
45-54	443	434,888	377	84.7	80.2-89.2	66	15.3	10.8-19.8
55-64	521	463,325	440	83.0	78.7-87.3	81	17.0	12.7-21.3
65+	962	704,364	835	85.4	81.7-89.1	127	14.6	10.9-18.3
Less Than H.S.	183	287,736	135	71.4	62.2-80.6	48	28.6	19.4-37.8
H.S. or G.E.D.	771	883,829	664	86.8	83.5-90.1	107	13.2	09.9-16.5
Some Post-H.S.	815	882,321	691	83.8	80.5-87.1	124	16.2	12.9-19.5
College Graduate	924	751,440	820	89.6	87.2-92.0	104	10.4	08.0-12.8
Less than \$15,000	203	177,868	152	74.0	66.0-82.0	51	26.0	18.0-34.0
\$15,000- 24,999	284	269,462	223	81.1	75.4-86.8	61	18.9	13.2-24.6
\$25,000- 34,999	306	310,793	253	79.8	73.7-85.9	53	20.2	14.1-26.3
\$35,000- 49,999	339	346,827	293	82.9	77.0-88.8	46	17.1	11.2-23.0
\$50,000- 99,999	579	617,731	516	88.7	85.0-92.4	63	11.3	07.6-15.0
\$100,000 - 199,999	301	331,546	276	90.5	85.8-95.2	25	9.5	04.8-14.2
\$200,000+	73	80,322	69	95.0	89.9-0100	4	5.0	00.0-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5186	5,422,932	596	11.7	10.5-12.9	293	6.2	05.2-07.2	4297	82.1	80.7-83.5
Male	2481	2,604,060	211	8.3	06.9-09.7	169	7.9	06.5-09.3	2101	83.8	81.8-85.8
Female	2705	2,818,872	385	14.9	12.9-16.9	124	4.5	03.5-05.5	2196	80.5	78.5-82.5
White/Non-Hisp	4069	3,847,069	459	11.7	10.3-13.1	221	6.1	05.1-07.1	3389	82.2	80.6-83.8
Black or Afr. Am./Non-Hisp	616	789,702	81	14.3	10.8-17.8	37	5.6	03.2-08.0	498	80.1	76.2-84.0
Oth. Race/Non-Hisp.	107	176,402	9	4.3	01.2-07.4	4	4.7	00.0-09.6	94	91.0	85.1-96.9
MultiRacial/Non-Hisp.	94	132,481	19	20.1	09.5-30.7	7	8.3	01.2-15.4	68	71.7	59.7-83.7
Hispanic	174	347,242	15	8.3	02.6-14.0	15	8.7	03.6-13.8	144	83.0	75.7-90.3
18-24	345	606,466	42	12.9	08.4-17.4	38	11.5	07.4-15.6	265	75.6	69.9-81.3
25-34	588	936,378	55	9.7	06.8-12.6	48	7.4	04.9-09.9	485	82.8	79.1-86.5
35-44	653	874,614	76	10.9	08.2-13.6	52	8.3	05.8-10.8	525	80.8	77.3-84.3
45-54	840	853,093	104	12.5	09.6-15.4	43	4.7	02.9-06.5	693	82.9	79.6-86.2
55-64	1005	886,355	134	14.0	11.1-16.9	44	4.3	02.7-05.9	827	81.6	78.3-84.9
65+	1755	1,266,025	185	11.1	08.9-13.3	68	3.5	02.3-04.7	1502	85.4	82.9-87.9
Less Than H.S.	389	629,457	84	21.6	16.1-27.1	24	6.7	03.6-09.8	281	71.6	65.5-77.7
H.S. or G.E.D.	1485	1,735,564	171	10.2	08.2-12.2	76	5.3	03.9-06.7	1238	84.5	82.1-86.9
Some Post-H.S.	1462	1,586,849	181	12.4	10.2-14.6	98	7.2	05.4-09.0	1183	80.4	77.7-83.1
College Graduate	1828	1,440,837	158	8.7	07.1-10.3	95	5.9	04.3-07.5	1575	85.4	83.2-87.6
Less than \$15,000	341	309,427	85	25.3	19.2-31.4	14	4.2	01.5-06.9	242	70.4	63.9-76.9
\$15,000-24,999	511	510,921	99	19.0	14.3-23.7	27	5.6	02.9-08.3	385	75.4	70.3-80.5
\$25,000-34,999	543	575,196	75	14.5	10.6-18.4	29	5.0	02.8-07.2	439	80.5	76.2-84.8
\$35,000-49,999	650	661,200	69	12.3	08.8-15.8	48	8.1	05.0-11.2	533	79.6	75.1-84.1
\$50,000-99,999	1184	1,254,081	104	8.9	06.5-11.3	72	6.3	04.5-08.1	1008	84.8	82.1-87.5
\$100,000-199,999	711	770,878	49	7.2	04.7-09.7	40	7.1	04.6-09.6	622	85.7	82.2-89.2
\$200,000+	197	197,461	8	3.7	01.0-06.4	6	2.7	00.2-05.2	183	93.6	89.9-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2481	2,604,060	211	8.3	06.9-09.7	169	7.9	06.5-09.3	2101	83.8	81.8-85.8
White/Non-Hisp	1938	1,841,690	164	8.3	06.7-09.9	124	7.6	06.0-09.2	1650	84.1	81.9-86.3
Black or Afr. Am./Non-Hisp	251	329,456	25	10.6	05.5-15.7	23	9.5	04.8-14.2	203	79.9	73.4-86.4
Oth. Race/Non-Hisp.	70	102,065	5	4.8	00.3-09.3	3	4.8	00.0-10.5	62	90.4	83.3-97.5
MultiRacial/Non-Hisp.	51	68,254	8	19.8	05.1-34.5	6	14.8	02.1-27.5	37	65.3	48.4-82.2
Hispanic	97	185,655	5	3.5	00.0-07.0	8	8.8	01.7-15.9	84	87.7	80.1-95.3
18-24	176	304,524	14	7.7	03.4-12.0	22	13.4	07.3-19.5	140	79.0	71.9-86.1
25-34	302	467,212	21	7.3	03.6-11.0	29	10.5	06.0-15.0	252	82.2	76.7-87.7
35-44	329	429,426	27	8.1	05.0-11.2	32	10.5	06.4-14.6	270	81.4	76.5-86.3
45-54	397	418,205	38	9.5	05.8-13.2	23	5.2	02.8-07.6	336	85.4	81.1-89.7
55-64	484	423,031	53	10.8	06.7-14.9	25	5.5	03.0-08.0	406	83.7	79.0-88.4
65+	793	561,661	58	6.7	04.7-08.7	38	4.9	02.9-06.9	697	88.5	85.8-91.2
Less Than H.S.	206	341,721	36	15.8	09.3-22.3	14	7.7	03.0-12.4	156	76.5	69.1-83.9
H.S. or G.E.D.	714	851,735	64	7.0	04.8-09.2	44	6.5	04.1-08.9	606	86.4	83.3-89.5
Some Post-H.S.	647	704,528	57	7.7	05.3-10.1	55	10.9	07.6-14.2	535	81.4	77.5-85.3
College Graduate	904	689,397	54	6.8	04.6-09.0	56	7.0	04.6-09.4	794	86.2	83.1-89.3
Less than \$15,000	138	131,559	34	24.4	15.0-33.8	6	4.9	00.4-09.4	98	70.7	60.7-80.7
\$15,000- 24,999	227	241,459	38	19.0	11.4-26.6	14	6.4	02.5-10.3	175	74.6	66.4-82.8
\$25,000- 34,999	237	264,402	22	7.7	03.6-11.8	21	9.0	04.7-13.3	194	83.2	77.5-88.9
\$35,000- 49,999	311	314,373	23	7.0	03.5-10.5	26	10.8	05.5-16.1	262	82.2	76.1-88.3
\$50,000- 99,999	605	636,350	41	6.5	03.8-09.2	42	8.1	05.2-11.0	522	85.4	81.5-89.3
\$100,000 - 199,999	410	439,332	24	5.5	03.0-08.0	25	8.0	04.3-11.7	361	86.5	82.2-90.8
\$200,000+	124	117,139	4	2.8	00.0-05.9	3	1.3	00.0-03.5	117	95.9	92.2-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2705	2,818,872	385	14.9	12.9-16.9	124	4.5	03.5-05.5	2196	80.5	78.5-82.5
White/Non-Hisp	2131	2,005,379	295	14.9	12.7-17.1	97	4.7	03.5-05.9	1739	80.4	78.0-82.8
Black or Afr. Am./Non-Hisp	365	460,246	56	16.9	12.2-21.6	14	2.8	01.0-04.6	295	80.3	75.4-85.2
Hispanic	77	161,587	10	13.8	02.6-25.0	7	8.6	01.3-15.9	60	77.6	64.9-90.3
18-24	169	301,942	28	18.3	10.7-25.9	16	9.6	04.3-14.9	125	72.2	63.4-81.0
25-34	286	469,166	34	12.2	07.7-16.7	19	4.4	02.0-06.8	233	83.5	78.6-88.4
35-44	324	445,188	49	13.7	09.4-18.0	20	6.2	03.3-09.1	255	80.1	75.0-85.2
45-54	443	434,888	66	15.3	10.8-19.8	20	4.2	01.7-06.7	357	80.5	76.0-85.0
55-64	521	463,325	81	17.0	12.7-21.3	19	3.3	01.5-05.1	421	79.7	75.2-84.2
65+	962	704,364	127	14.6	10.9-18.3	30	2.4	01.2-03.6	805	83.0	79.3-86.7
Less Than H.S.	183	287,736	48	28.6	19.4-37.8	10	5.6	01.5-09.7	125	65.8	56.2-75.4
H.S. or G.E.D.	771	883,829	107	13.2	09.9-16.5	32	4.1	02.3-05.9	632	82.7	79.2-86.2
Some Post-H.S.	815	882,321	124	16.2	12.9-19.5	43	4.3	02.5-06.1	648	79.5	76.0-83.0
College Graduate	924	751,440	104	10.4	08.0-12.8	39	4.9	02.9-06.9	781	84.7	81.8-87.6
Less than \$15,000	203	177,868	51	26.0	18.0-34.0	8	3.7	00.4-07.0	144	70.3	61.9-78.7
\$15,000- 24,999	284	269,462	61	18.9	13.2-24.6	13	4.9	01.4-08.4	210	76.2	69.7-82.7
\$25,000- 34,999	306	310,793	53	20.2	14.1-26.3	8	1.6	00.4-02.8	245	78.2	71.9-84.5
\$35,000- 49,999	339	346,827	46	17.1	11.2-23.0	22	5.7	02.6-08.8	271	77.2	70.7-83.7
\$50,000- 99,999	579	617,731	63	11.3	07.6-15.0	30	4.4	02.2-06.6	486	84.2	80.1-88.3
\$100,000 - 199,999	301	331,546	25	9.5	04.8-14.2	15	5.9	02.4-09.4	261	84.6	79.1-90.1
\$200,000+	73	80,322	4	5.0	00.0-10.1	3	4.8	00.0-10.3	66	90.1	82.8-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5231	5,482,976	2073	33.4	31.8-35.0	3158	66.6	65.0-68.2
Male	2508	2,642,937	859	29.5	27.1-31.9	1649	70.5	68.1-72.9
Female	2723	2,840,039	1214	37.0	34.6-39.4	1509	63.0	60.6-65.4
White/Non-Hisp	4098	3,877,429	1705	36.2	34.2-38.2	2393	63.8	61.8-65.8
Black or Afr. Am./Non-Hisp	621	803,454	224	30.2	25.7-34.7	397	69.8	65.3-74.3
Oth. Race/Non-Hisp.	112	182,966	34	29.5	19.1-39.9	78	70.5	60.1-80.9
MultiRacial/Non-Hisp.	96	138,483	39	29.5	18.3-40.7	57	70.5	59.3-81.7
Hispanic	175	347,784	32	15.8	08.9-22.7	143	84.2	77.3-91.1
18-24	352	623,152	19	5.3	02.4-08.2	333	94.7	91.8-97.6
25-34	598	955,701	62	12.2	08.7-15.7	536	87.8	84.3-91.3
35-44	656	878,904	148	22.6	18.7-26.5	508	77.4	73.5-81.3
45-54	844	855,082	298	33.3	29.2-37.4	546	66.7	62.6-70.8
55-64	1014	896,867	498	48.8	44.7-52.9	516	51.2	47.1-55.3
65+	1767	1,273,269	1048	59.7	56.6-62.8	719	40.3	37.2-43.4
Less Than H.S.	399	646,486	231	50.5	43.6-57.4	168	49.5	42.6-56.4
H.S. or G.E.D.	1496	1,757,202	636	32.5	29.6-35.4	860	67.5	64.6-70.4
Some Post-H.S.	1475	1,601,235	607	35.2	32.1-38.3	868	64.8	61.7-67.9
College Graduate	1839	1,447,861	595	25.2	22.8-27.6	1244	74.8	72.4-77.2
Less than \$15,000	352	320,448	195	48.9	41.8-56.0	157	51.1	44.0-58.2
\$15,000-24,999	513	513,057	277	47.5	41.6-53.4	236	52.5	46.6-58.4
\$25,000-34,999	543	577,727	250	40.3	35.0-45.6	293	59.7	54.4-65.0
\$35,000-49,999	654	665,802	275	34.1	29.4-38.8	379	65.9	61.2-70.6
\$50,000-99,999	1196	1,271,649	415	30.6	27.1-34.1	781	69.4	65.9-72.9
\$100,000-199,999	714	772,769	202	23.2	19.5-26.9	512	76.8	73.1-80.5
\$200,000+	198	198,844	50	19.8	13.1-26.5	148	80.2	73.5-86.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2508	2,642,937	859	29.5	27.3-31.7	1649	70.5	68.3-72.7
White/Non-Hisp	1955	1,857,942	709	33.2	30.5-35.9	1246	66.8	64.1-69.5
Black or Afr. Am./Non-Hisp	253	336,548	75	22.7	16.4-29.0	178	77.3	71.0-83.6
Oth. Race/Non-Hisp.	74	108,328	21	26.6	15.2-38.0	53	73.4	62.0-84.8
MultiRacial/Non-Hisp.	53	74,256	19	28.6	13.9-43.3	34	71.4	56.7-86.1
Hispanic	97	186,084	15	11.2	04.7-17.7	82	88.8	82.3-95.3
18-24	181	316,275	6	3.1	00.4-05.8	175	96.9	94.2-99.6
25-34	309	479,945	28	12.2	06.9-17.5	281	87.8	82.5-93.1
35-44	331	432,311	59	17.3	12.6-22.0	272	82.7	78.0-87.4
45-54	397	418,486	124	28.1	22.8-33.4	273	71.9	66.6-77.2
55-64	489	430,286	222	47.7	41.6-53.8	267	52.3	46.2-58.4
65+	801	565,633	420	55.4	50.9-59.9	381	44.6	40.1-49.1
Less Than H.S.	214	354,645	103	45.3	36.7-53.9	111	54.7	46.1-63.3
H.S. or G.E.D.	723	865,635	250	25.8	22.1-29.5	473	74.2	70.5-77.9
Some Post-H.S.	651	710,904	228	31.0	26.7-35.3	423	69.0	64.7-73.3
College Graduate	909	693,801	275	24.8	21.5-28.1	634	75.2	71.9-78.5
Less than \$15,000	142	138,710	63	36.4	26.4-46.4	79	63.6	53.6-73.6
\$15,000- 24,999	229	244,332	105	39.4	30.8-48.0	124	60.6	52.0-69.2
\$25,000- 34,999	240	271,520	101	38.2	30.4-46.0	139	61.8	54.0-69.6
\$35,000- 49,999	313	316,724	118	32.3	25.6-39.0	195	67.7	61.0-74.4
\$50,000- 99,999	611	644,895	191	26.6	21.9-31.3	420	73.4	68.7-78.1
\$100,000 - 199,999	411	439,725	112	22.6	17.7-27.5	299	77.4	72.5-82.3
\$200,000+	125	118,522	33	22.3	13.9-30.7	92	77.7	69.3-86.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2723	2,840,039	1214	37.0	34.6-39.4	1509	63.0	60.6-65.4
White/Non-Hisp	2143	2,019,486	996	38.9	36.2-41.6	1147	61.1	58.4-63.8
Black or Afr. Am./Non-Hisp	368	466,905	149	35.6	29.5-41.7	219	64.4	58.3-70.5
Hispanic	78	161,700	17	21.2	08.9-33.5	61	78.8	66.5-91.1
18-24	171	306,876	13	7.5	02.2-12.8	158	92.5	87.2-97.8
25-34	289	475,756	34	12.1	07.4-16.8	255	87.9	83.2-92.6
35-44	325	446,593	89	27.7	21.6-33.8	236	72.3	66.2-78.4
45-54	447	436,596	174	38.2	32.1-44.3	273	61.8	55.7-67.9
55-64	525	466,581	276	49.8	44.1-55.5	249	50.2	44.5-55.9
65+	966	707,636	628	63.1	58.8-67.4	338	36.9	32.6-41.2
Less Than H.S.	185	291,842	128	56.8	45.8-67.8	57	43.2	32.2-54.2
H.S. or G.E.D.	773	891,567	386	39.0	34.7-43.3	387	61.0	56.7-65.3
Some Post-H.S.	824	890,331	379	38.6	34.3-42.9	445	61.4	57.1-65.7
College Graduate	930	754,060	320	25.5	22.0-29.0	610	74.5	71.0-78.0
Less than \$15,000	210	181,739	132	58.4	49.4-67.4	78	41.6	32.6-50.6
\$15,000- 24,999	284	268,724	172	54.9	47.3-62.5	112	45.1	37.5-52.7
\$25,000- 34,999	303	306,206	149	42.1	34.8-49.4	154	57.9	50.6-65.2
\$35,000- 49,999	341	349,078	157	35.7	28.8-42.6	184	64.3	57.4-71.2
\$50,000- 99,999	585	626,754	224	34.7	29.6-39.8	361	65.3	60.2-70.4
\$100,000 - 199,999	303	333,044	90	24.0	17.9-30.1	213	76.0	69.9-82.1
\$200,000+	73	80,322	17	16.1	09.4-22.8	56	83.9	77.2-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE2).	
1 MALES AND FEMALES	53
2 MALES ONLY	54
3 FEMALES ONLY	55
MULTIRACIAL RACE CATEGORIZATION (_MRACE2)	
4 MALES AND FEMALES	56
5 MALES ONLY	57
6 FEMALES ONLY	58
RACE/ETHNICITY CATEGORIES (_RACE1)	
7 MALES AND FEMALES	59
8 MALES ONLY	60
9 FEMALES ONLY	61
WHITE/HISPANIC RACE GROUP (_RACEG22).	
10 MALES AND FEMALES	62
11 MALES ONLY	63
12 FEMALES ONLY	64
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)	
13 MALES AND FEMALES	65
14 MALES ONLY	66
15 FEMALES ONLY	67
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	68
17 MALES ONLY	69
18 FEMALES ONLY	70

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	71
20 MALES ONLY	72
21 FEMALES ONLY	73
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	74
23 MALES ONLY	75
24 FEMALES ONLY	76
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	77
26 MALES ONLY	78
27 FEMALES ONLY	79
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	80
29 MALES ONLY	81
30 FEMALES ONLY	82
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	83
32 MALES ONLY	84
33 FEMALES ONLY	85
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	86
35 MALES ONLY	87
36 FEMALES ONLY	88
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	89
38 MALES ONLY	90
39 FEMALES ONLY	91

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	92
41	MALES ONLY	93
42	FEMALES ONLY	94
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	95
44	MALES ONLY	96
45	FEMALES ONLY	97
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	98
47	MALES ONLY	99
48	FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE2).
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5123	5,335,986	4298	78.3	76.7-79.9	668	17.0	15.6-18.4	73	2.2	0.1-0.8	52	1.7	0.1-0.3	17	0.4	0.2-0.6	15	0.4	0.2-0.6
Male	2436	2,544,299	2060	79.3	77.1-81.5	276	14.8	12.8-16.8	46	2.7	0.1-0.7	33	2.1	0.1-0.9	11	0.6	0.2-0.1.0	10	0.5	0.1-0.9
Female	2687	2,791,687	2238	77.4	75.0-79.8	392	18.9	16.7-21.1	27	1.7	0.0-0.5	19	1.4	0.0-0.2	6	0.3	0.0-0.7	5	0.3	0.0-0.7
18-24	345	604,043	265	71.5	64.4-78.6	56	20.4	13.5-27.3	7	2.4	0.0-0.4	14	4.8	0.1-0.7	1	0.1	0.0-0.3	2	0.7	0.0-0.1.7
25-34	583	931,985	441	73.2	68.7-77.7	113	22.5	18.2-26.8	4	0.5	0.0-0.1	16	2.5	0.1-0.3	6	1.0	0.0-0.2	3	0.4	0.0-0.8
35-44	639	850,086	521	74.7	70.4-79.0	95	19.7	15.8-23.6	10	2.9	0.0-0.5	11	2.3	0.0-0.3	2	0.2	0.0-0.6			
45-54	817	816,780	669	78.3	74.4-82.2	124	16.9	13.6-20.2	15	3.4	0.1-0.5	4	0.6	0.0-0.1	3	0.5	0.0-0.1	2	0.3	0.0-0.7
55-64	990	870,492	818	79.4	75.9-82.9	142	15.7	12.8-18.6	18	2.5	0.0-0.4	5	1.4	0.0-0.3	4	0.7	0.0-0.1	3	0.3	0.0-0.7
65+	1749	1,262,599	1584	87.0	84.5-89.5	138	10.3	0.8-12.5	19	1.8	0.0-0.3	2	0.2	0.0-0.6	1	0.1	0.0-0.3	5	0.6	0.0-0.1.2
Less Than H.S.	381	610,115	306	74.3	67.2-81.4	51	16.3	0.9-22.8	19	7.4	0.3-11.3	1	0.6	0.0-0.1	1	0.1	0.0-0.3	3	1.2	0.0-0.2
H.S. or G.E.D.	1476	1,715,819	1249	79.3	76.4-82.2	193	16.9	14.2-19.6	19	1.6	0.0-0.2	9	1.7	0.0-0.2	3	0.3	0.0-0.7	3	0.2	0.0-0.4
Some Post-H.S.	1447	1,572,430	1213	78.9	76.0-81.8	203	18.0	15.3-20.7	15	1.5	0.0-0.5	4	0.5	0.0-0.9	7	0.7	0.0-0.1	5	0.4	0.0-0.8
College Graduate	1806	1,419,855	1520	78.1	75.4-80.8	221	16.3	13.9-18.7	19	1.3	0.0-0.2	37	3.6	0.2-0.5	6	0.4	0.0-0.8	3	0.2	0.0-0.4
Less than \$15,000	343	306,630	279	73.3	66.2-80.4	53	20.2	14.1-26.3	3	2.4	0.0-0.5	2	1.6	0.0-0.4	1	0.7	0.0-0.2	5	1.8	0.0-0.4
\$15,000-24,999	502	496,982	395	74.0	68.5-79.5	85	20.3	15.4-25.2	13	3.6	0.0-0.6	1	0.2	0.0-0.6	6	1.7	0.0-0.3	2	0.1	0.0-0.3
\$25,000-34,999	535	562,284	439	74.0	68.7-79.3	79	20.9	16.0-25.8	8	2.3	0.0-0.4	7	2.4	0.0-0.6				2	0.4	0.0-0.1
\$35,000-49,999	646	658,614	531	75.6	70.9-80.3	94	19.0	14.7-23.3	15	3.2	0.1-0.5	4	1.7	0.0-0.3	1	0.2	0.0-0.6	1	0.3	0.0-0.9
\$50,000-99,999	1177	1,241,147	1011	81.3	78.2-84.4	135	14.4	11.7-17.1	12	1.7	0.0-0.2	15	1.8	0.0-0.3	3	0.5	0.0-0.1	1	0.2	0.0-0.6
\$100,000-199,999	700	759,752	615	84.1	80.4-87.8	71	12.7	0.9-16.0	3	1.1	0.0-0.2	9	1.8	0.0-0.3	1	0.2	0.0-0.6	1	0.1	0.0-0.3
\$200,000+	193	193,903	173	86.9	80.4-93.4	16	10.4	0.4-16.5				2	1.5	0.0-0.3	1	0.3	0.0-0.9	1	1.0	0.0-0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2436	2,544,299	2060	79.3	77.1-81.5	276	14.8	12.8-16.8	46	2.7	01.7-03.7	33	2.1	01.3-02.9	11	0.6	00.2-01.0	10	0.5	00.1-00.9
18-24	181	313,881	137	71.4	63.4-79.4	29	19.1	12.0-26.2	3	1.9	00.0-04.3	9	6.0	01.9-10.1	1	0.2	00.0-00.6	2	1.4	00.0-03.4
25-34	300	460,971	230	73.3	66.8-79.8	53	22.2	15.9-28.5	3	0.9	00.0-01.9	10	2.8	01.0-04.6	1	0.2	00.0-00.6	3	0.7	00.0-01.5
35-44	317	408,699	272	79.4	73.5-85.3	29	13.3	08.2-18.4	7	3.6	00.7-06.5	7	3.1	00.7-05.5	2	0.5	00.0-01.3			
45-54	381	394,919	311	76.1	70.2-82.0	50	14.8	10.1-19.5	13	6.7	02.4-11.0	4	1.2	00.0-02.6	2	1.0	00.0-02.4	1	0.2	00.0-00.6
55-64	471	412,249	393	81.0	76.3-85.7	60	13.8	09.7-17.9	10	2.4	00.4-04.4	3	0.7	00.0-01.5	4	1.5	00.0-03.1	1	0.5	00.0-01.5
65+	786	553,580	717	89.8	86.9-92.7	55	8.3	05.4-11.2	10	1.5	00.5-02.5				1	0.2	00.0-00.6	3	0.2	00.0-00.4
Less Than H.S.	198	323,156	159	76.4	68.2-84.6	25	13.3	06.8-19.8	11	8.5	03.0-14.0	1	1.2	00.0-03.6	1	0.2	00.0-00.6	1	0.5	00.0-01.5
H.S. or G.E.D.	708	843,305	596	78.1	74.0-82.2	87	17.4	13.5-21.3	15	2.5	00.9-04.1	5	1.4	00.0-02.8	2	0.3	00.0-00.9	3	0.3	00.0-00.7
Some Post-H.S.	632	691,575	530	79.9	75.8-84.0	81	15.4	11.7-19.1	10	2.2	00.6-03.8	2	0.7	00.0-01.7	4	0.8	00.0-01.6	5	1.0	00.0-02.0
College Graduate	892	676,857	771	81.8	78.3-85.3	83	12.1	09.0-15.2	9	0.7	00.1-01.3	24	4.5	02.7-06.3	4	0.8	00.0-01.6	1	0.1	00.0-00.3
Less than \$15,000	137	130,582	117	78.5	68.3-88.7	14	12.4	04.2-20.6	1	1.8	00.0-05.3	2	3.8	00.0-09.7	1	1.8	00.0-05.1	2	1.7	00.0-04.2
\$15,000- 24,999	225	237,678	173	70.2	61.4-79.0	36	20.8	12.8-28.8	11	7.1	01.6-12.6				3	1.7	00.0-03.9	2	0.3	00.0-00.7
\$25,000- 34,999	231	254,740	187	72.6	64.4-80.8	33	20.8	13.2-28.4	5	2.5	00.0-05.2	4	3.2	00.0-06.7				2	0.8	00.0-02.0
\$35,000- 49,999	311	315,476	252	74.3	67.6-81.0	43	18.9	12.6-25.2	12	4.8	01.9-07.7	2	0.8	00.0-02.0	1	0.5	00.0-01.5	1	0.6	00.0-01.8
\$50,000- 99,999	593	614,255	516	81.6	76.9-86.3	58	13.3	09.2-17.4	6	2.1	00.0-04.3	11	2.2	00.8-03.6	1	0.4	00.0-01.2	1	0.5	00.0-01.5
\$100,000 - 199,999	401	431,004	356	85.7	81.2-90.2	36	11.2	07.1-15.3	2	0.8	00.0-02.2	5	1.8	00.2-03.4	1	0.3	00.0-00.9	1	0.1	00.0-00.3
\$200,000+	122	115,686	113	87.5	78.7-96.3	7	9.9	01.5-18.3				2	2.5	00.0-06.0						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2687	2,791,687	2238	77.4	75.0-79.8	392	18.9	16.7-21.1	27	1.7	00.9-02.5	19	1.4	00.6-02.2	6	0.3	00.0-00.7	5	0.3	00.0-00.7
18-24	164	290,162	128	71.7	60.1-83.3	27	21.8	10.0-33.6	4	2.9	00.0-05.8	5	3.6	00.0-07.5						
25-34	283	471,014	211	73.1	66.8-79.4	60	22.7	16.8-28.6	1	0.2	00.0-00.6	6	2.2	00.0-04.4	5	1.8	00.0-03.6			
35-44	322	441,387	249	70.4	64.1-76.7	66	25.7	19.8-31.6	3	2.3	00.0-05.2	4	1.6	00.0-03.4						
45-54	436	421,862	358	80.3	75.2-85.4	74	18.8	13.9-23.7	2	0.3	00.0-00.7				1	0.1	00.0-00.3	1	0.4	00.0-01.2
55-64	519	458,243	425	77.9	72.8-83.0	82	17.4	13.1-21.7	8	2.5	00.1-04.9	2	2.0	00.0-04.7				2	0.1	00.0-00.3
65+	963	709,019	867	84.8	81.3-88.3	83	11.9	09.0-14.8	9	2.0	00.0-04.0	2	0.4	00.0-01.2				2	0.9	00.0-02.1
Less Than H.S.	183	286,959	147	72.0	60.4-83.6	26	19.6	08.2-31.0	8	6.2	00.9-11.5							2	2.1	00.0-05.0
H.S. or G.E.D.	768	872,514	653	80.6	76.7-84.5	106	16.5	13.0-20.0	4	0.8	00.0-01.8	4	1.9	00.0-03.9	1	0.3	00.0-00.9			
Some Post-H.S.	815	880,855	683	78.1	74.2-82.0	122	20.1	16.2-24.0	5	0.9	00.0-02.1	2	0.3	00.0-00.7	3	0.6	00.0-01.4			
College Graduate	914	742,999	749	74.7	70.8-78.6	138	20.2	16.7-23.7	10	1.9	00.3-03.5	13	2.8	00.8-04.8	2	0.1	00.0-00.3	2	0.3	00.0-00.9
Less than \$15,000	206	176,047	162	69.4	60.0-78.8	39	26.0	17.4-34.6	2	2.7	00.0-07.6							3	1.9	00.0-05.0
\$15,000- 24,999	277	259,305	222	77.5	71.2-83.8	49	19.9	13.8-26.0	2	0.4	00.0-01.0	1	0.4	00.0-01.2	3	1.7	00.0-03.9			
\$25,000- 34,999	304	307,545	252	75.1	68.2-82.0	46	21.0	14.7-27.3	3	2.1	00.0-05.2	3	1.8	00.0-04.3						
\$35,000- 49,999	335	343,137	279	76.7	70.0-83.4	51	19.0	13.1-24.9	3	1.7	00.0-04.1	2	2.6	00.0-06.1						
\$50,000- 99,999	584	626,892	495	81.1	76.8-85.4	77	15.6	11.7-19.5	6	1.3	00.1-02.5	4	1.5	00.0-03.3	2	0.6	00.0-01.6			
\$100,000 - 199,999	299	328,747	259	82.1	76.0-88.2	35	14.7	09.2-20.2	1	1.4	00.0-04.1	4	1.8	00.0-03.6						
\$200,000+	71	78,217	60	85.9	76.5-95.3	9	11.0	02.6-19.4							1	0.7	00.0-02.1	1	2.4	00.0-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5123	5,335,986	4247	77.2	75.6-78.8	646	16.1	14.7-17.5	65	2.0	01.4-02.6	47	1.6	01.0-02.2	15	0.4	00.2-00.6	103	2.7	02.1-03.3
Male	2436	2,544,299	2032	78.1	75.7-80.5	266	14.0	12.0-16.0	42	2.5	01.5-03.5	30	1.8	01.0-02.6	10	0.5	00.1-00.9	56	3.0	02.0-04.0
Female	2687	2,791,687	2215	76.3	73.9-78.7	380	18.0	15.8-20.2	23	1.5	00.7-02.3	17	1.4	00.6-02.2	5	0.3	00.0-00.7	47	2.5	01.5-03.5
18-24	345	604,043	263	70.8	63.7-77.9	48	16.6	10.1-23.1	6	1.9	00.3-03.5	13	4.4	01.7-07.1	1	0.1	00.0-00.3	14	6.3	02.6-10.0
25-34	583	931,985	436	72.4	67.9-76.9	109	21.6	17.3-25.9	4	0.5	00.0-01.1	15	2.4	01.0-03.8	5	0.9	00.0-01.9	14	2.2	00.8-03.6
35-44	639	850,086	517	74.0	69.7-78.3	91	18.7	14.8-22.6	9	2.6	00.6-04.6	9	2.0	00.6-03.4	2	0.2	00.0-00.6	11	2.4	01.0-03.8
45-54	817	816,780	663	77.2	73.3-81.1	121	16.3	13.0-19.6	15	3.4	01.2-05.6	4	0.6	00.0-01.2	3	0.5	00.0-01.3	11	1.9	00.7-03.1
55-64	990	870,492	810	78.8	75.3-82.3	139	15.5	12.6-18.4	15	2.2	00.6-03.8	5	1.4	00.0-03.0	3	0.6	00.0-01.4	18	1.5	00.7-02.3
65+	1749	1,262,599	1558	84.7	82.2-87.2	138	10.3	08.1-12.5	16	1.7	00.5-02.9	1	0.2	00.0-00.6	1	0.1	00.0-00.3	35	3.0	01.6-04.4
Less Than H.S.	381	610,115	296	71.7	64.6-78.8	50	15.5	09.0-22.0	19	7.4	03.5-11.3	1	0.6	00.0-01.8				15	4.8	01.9-07.7
H.S. or G.E.D.	1476	1,715,819	1232	78.1	75.2-81.0	187	15.9	13.4-18.4	14	1.1	00.3-01.9	7	1.4	00.2-02.6	3	0.3	00.0-00.7	33	3.2	01.8-04.6
Some Post-H.S.	1447	1,572,430	1196	77.7	74.8-80.6	194	16.9	14.2-19.6	14	1.5	00.5-02.5	4	0.5	00.1-00.9	6	0.6	00.0-01.2	33	2.8	01.6-04.0
College Graduate	1806	1,419,855	1513	77.7	75.0-80.4	215	15.8	13.4-18.2	17	1.3	00.5-02.1	34	3.5	02.1-04.9	6	0.4	00.0-00.8	21	1.3	00.7-01.9
Less than \$15,000	343	306,630	275	72.6	65.5-79.7	53	20.2	14.1-26.3	3	2.4	00.0-05.5	2	1.6	00.0-04.1	1	0.7	00.0-02.1	9	2.5	00.3-04.7
\$15,000-24,999	502	496,982	389	72.9	67.4-78.4	84	20.1	15.2-25.0	12	3.4	00.7-06.1	1	0.2	00.0-00.6	5	1.5	00.0-03.1	11	1.8	00.6-03.0
\$25,000-34,999	535	562,284	432	72.1	66.8-77.4	76	19.5	14.8-24.2	8	2.3	00.1-04.5	5	1.8	00.0-03.6				14	4.2	01.5-06.9
\$35,000-49,999	646	658,614	524	74.0	69.1-78.9	90	18.0	13.9-22.1	14	2.8	01.0-04.6	4	1.7	00.0-03.7	1	0.2	00.0-00.6	13	3.3	01.1-05.5
\$50,000-99,999	1177	1,241,147	1004	80.3	77.2-83.4	129	13.4	10.7-16.1	10	1.5	00.3-02.7	14	1.8	00.6-03.0	3	0.5	00.0-01.1	17	2.5	01.1-03.9
\$100,000-199,999	700	759,752	609	83.1	79.4-86.8	70	12.6	09.3-15.9	3	1.1	00.0-02.5	9	1.8	00.6-03.0	1	0.2	00.0-00.6	8	1.3	00.3-02.3
\$200,000+	193	193,903	173	86.9	80.4-93.4	16	10.4	04.3-16.5				2	1.5	00.0-03.7	1	0.3	00.0-00.9	1	1.0	00.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2436	2,544,299	2032	78.1	75.9-80.3	266	14.0	12.0-16.0	42	2.5	01.5-03.5	30	1.8	01.0-02.6	10	0.5	00.1-00.9	56	3.0	02.0-04.0
18-24	181	313,881	137	71.4	63.4-79.4	24	15.0	08.7-21.3	3	1.9	00.0-04.3	8	5.1	01.2-09.0	1	0.2	00.0-00.6	8	6.4	01.7-11.1
25-34	300	460,971	226	71.9	65.4-78.4	50	20.9	14.8-27.0	3	0.9	00.0-01.9	9	2.7	00.9-04.5	1	0.2	00.0-00.6	11	3.5	01.0-06.0
35-44	317	408,699	270	78.7	72.8-84.6	29	13.3	08.2-18.4	6	3.0	00.3-05.7	6	2.6	00.4-04.8	2	0.5	00.0-01.3	4	2.0	00.0-04.0
45-54	381	394,919	308	74.8	68.7-80.9	48	14.0	09.5-18.5	13	6.7	02.4-11.0	4	1.2	00.0-02.6	2	1.0	00.0-02.4	6	2.3	00.3-04.3
55-64	471	412,249	389	80.4	75.7-85.1	60	13.8	09.7-17.9	8	1.9	00.1-03.7	3	0.7	00.0-01.5	3	1.3	00.0-02.9	8	1.8	00.4-03.2
65+	786	553,580	702	87.1	83.6-90.6	55	8.3	05.4-11.2	9	1.5	00.5-02.5				1	0.2	00.0-00.6	19	3.0	01.0-05.0
Less Than H.S.	198	323,156	154	73.6	65.2-82.0	24	11.9	05.8-18.0	11	8.5	03.0-14.0	1	1.2	00.0-03.6				8	4.9	00.8-09.0
H.S. or G.E.D.	708	843,305	585	76.6	72.3-80.9	83	16.5	12.6-20.4	12	1.9	00.5-03.3	3	0.8	00.0-01.8	2	0.3	00.0-00.9	23	3.8	02.0-05.6
Some Post-H.S.	632	691,575	522	78.7	74.6-82.8	77	14.1	10.6-17.6	10	2.2	00.6-03.8	2	0.7	00.0-01.7	4	0.8	00.0-01.6	17	3.5	01.5-05.5
College Graduate	892	676,857	767	81.4	77.9-84.9	82	11.9	08.8-15.0	8	0.7	00.1-01.3	23	4.4	02.6-06.2	4	0.8	00.0-01.6	8	0.7	00.1-01.3
Less than \$15,000	137	130,582	115	77.8	67.6-88.0	14	12.4	04.2-20.6	1	1.8	00.0-05.3	2	3.8	00.0-09.7	1	1.8	00.0-05.1	4	2.4	00.0-04.9
\$15,000- 24,999	225	237,678	171	69.4	60.6-78.2	35	20.4	12.4-28.4	10	6.8	01.3-12.3				3	1.7	00.0-03.9	6	1.8	00.2-03.4
\$25,000- 34,999	231	254,740	182	69.9	61.7-78.1	32	19.0	11.9-26.1	5	2.5	00.0-05.2	3	2.1	00.0-05.0				9	6.5	01.4-11.6
\$35,000- 49,999	311	315,476	247	72.6	65.7-79.5	42	17.9	11.8-24.0	11	3.9	01.4-06.4	2	0.8	00.0-02.0	1	0.5	00.0-01.5	8	4.2	00.9-07.5
\$50,000- 99,999	593	614,255	510	79.8	75.1-84.5	56	12.6	08.7-16.5	5	1.8	00.0-04.0	10	2.1	00.7-03.5	1	0.4	00.0-01.2	11	3.3	01.1-05.5
\$100,000 - 199,999	401	431,004	354	85.1	80.4-89.8	35	10.9	06.8-15.0	2	0.8	00.0-02.2	5	1.8	00.2-03.4	1	0.3	00.0-00.9	4	1.0	00.0-02.4
\$200,000+	122	115,686	113	87.5	78.7-96.3	7	9.9	01.5-18.3				2	2.5	00.0-06.0						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2687	2,791,687	2215	76.3	73.9-78.7	380	18.0	15.8-20.2	23	1.5	00.7-02.3	17	1.4	00.6-02.2	5	0.3	00.0-00.7	47	2.5	01.5-03.5
18-24	164	290,162	126	70.1	58.5-81.7	24	18.3	06.9-29.7	3	1.9	00.0-04.1	5	3.6	00.0-07.5				6	6.2	00.3-12.1
25-34	283	471,014	210	72.9	66.6-79.2	59	22.2	16.3-28.1	1	0.2	00.0-00.6	6	2.2	00.0-04.4	4	1.6	00.0-03.4	3	1.0	00.0-02.2
35-44	322	441,387	247	69.8	63.5-76.1	62	23.7	18.0-29.4	3	2.3	00.0-05.2	3	1.5	00.0-03.3				7	2.8	00.6-05.0
45-54	436	421,862	355	79.4	74.3-84.5	73	18.6	13.7-23.5	2	0.3	00.0-00.7				1	0.1	00.0-00.3	5	1.6	00.2-03.0
55-64	519	458,243	421	77.3	72.2-82.4	79	17.0	12.7-21.3	7	2.5	00.1-04.9	2	2.0	00.0-04.7				10	1.3	00.3-02.3
65+	963	709,019	856	82.9	79.0-86.8	83	11.9	09.0-14.8	7	1.9	00.1-03.7	1	0.4	00.0-01.2				16	3.0	01.0-05.0
Less Than H.S.	183	286,959	142	69.5	57.9-81.1	26	19.6	08.2-31.0	8	6.2	00.9-11.5							7	4.6	00.3-08.9
H.S. or G.E.D.	768	872,514	647	79.5	75.4-83.6	104	15.4	12.1-18.7	2	0.4	00.0-01.0	4	1.9	00.0-03.9	1	0.3	00.0-00.9	10	2.5	00.3-04.7
Some Post-H.S.	815	880,855	674	77.0	72.9-81.1	117	19.1	15.2-23.0	4	0.9	00.0-02.1	2	0.3	00.0-00.7	2	0.5	00.0-01.3	16	2.3	00.9-03.7
College Graduate	914	742,999	746	74.2	70.3-78.1	133	19.4	15.9-22.9	9	1.8	00.2-03.4	11	2.7	00.7-04.7	2	0.1	00.0-00.3	13	1.7	00.5-02.9
Less than \$15,000	206	176,047	160	68.7	59.3-78.1	39	26.0	17.4-34.6	2	2.7	00.0-07.6							5	2.6	00.0-05.9
\$15,000- 24,999	277	259,305	218	76.2	69.7-82.7	49	19.9	13.8-26.0	2	0.4	00.0-01.0	1	0.4	00.0-01.2	2	1.4	00.0-03.4	5	1.7	00.1-03.3
\$25,000- 34,999	304	307,545	250	74.0	67.1-80.9	44	19.9	13.8-26.0	3	2.1	00.0-05.2	2	1.5	00.0-03.9				5	2.4	00.0-04.9
\$35,000- 49,999	335	343,137	277	75.3	68.4-82.2	48	18.0	12.3-23.7	3	1.7	00.0-04.1	2	2.6	00.0-06.1				5	2.4	00.0-05.1
\$50,000- 99,999	584	626,892	494	80.9	76.6-85.2	73	14.1	10.4-17.8	5	1.2	00.0-02.4	4	1.5	00.0-03.3	2	0.6	00.0-01.6	6	1.8	00.2-03.4
\$100,000 - 199,999	299	328,747	255	80.5	74.2-86.8	35	14.7	09.2-20.2	1	1.4	00.0-04.1	4	1.8	00.0-03.6				4	1.6	00.0-03.2
\$200,000+	71	78,217	60	85.9	76.5-95.3	9	11.0	02.6-19.4							1	0.7	00.0-02.1	1	2.4	00.0-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5131	5,382,984	4124	72.5	70.7-74.3	623	15.0	13.6-16.4	67	1.8	0.1-0.2	45	1.6	0.1-0.2	96	2.6	0.2-0.3	176	6.5	0.5-0.7
Male	2442	2,576,350	1964	72.6	70.1-75.1	253	13.1	11.1-15.1	46	2.5	0.1-0.3	28	1.7	0.0-0.2	53	2.9	0.1-0.3	98	7.3	0.5-0.8
Female	2689	2,806,633	2160	72.5	70.0-75.0	370	16.8	14.8-18.8	21	1.3	0.0-0.2	17	1.4	0.0-0.2	43	2.3	0.1-0.3	78	5.8	0.4-0.7
18-24	352	625,037	238	58.4	51.5-65.3	45	12.7	0.8-16.8	4	1.0	0.0-0.2	13	4.2	0.1-0.6	14	6.1	0.2-0.9	38	17.6	1.0-2.4
25-34	585	937,865	414	67.8	63.1-72.5	104	20.4	16.3-24.5	8	1.2	0.0-0.2	14	2.2	0.0-0.3	12	1.9	0.0-0.3	33	6.5	0.4-0.8
35-44	647	864,704	486	66.0	61.3-70.7	87	17.2	13.5-20.9	9	2.3	0.0-0.4	9	2.0	0.0-0.3	11	2.3	0.0-0.3	45	10.2	0.6-1.3
45-54	816	821,916	646	73.5	69.2-77.8	115	15.4	12.1-18.7	15	2.8	0.1-0.4	3	0.5	0.0-0.1	8	1.5	0.0-0.2	29	6.3	0.3-0.9
55-64	990	873,953	800	77.3	73.6-81.0	138	15.3	12.4-18.2	16	2.6	0.1-0.4	5	1.4	0.0-0.3	17	1.5	0.0-0.2	14	1.9	0.0-0.3
65+	1741	1,259,509	1540	83.7	81.0-86.4	134	10.1	0.7-12.3	15	1.3	0.0-0.2	1	0.2	0.0-0.0	34	3.0	0.1-0.4	17	1.7	0.0-0.2
Less Than H.S.	385	625,600	285	66.7	59.6-73.8	47	11.4	0.7-15.5	15	4.7	0.2-0.7	1	0.6	0.0-0.1	14	4.4	0.1-0.7	23	12.2	0.5-1.8
H.S. or G.E.D.	1477	1,740,282	1200	73.2	70.1-76.3	178	14.9	12.4-17.4	15	1.2	0.0-0.2	7	1.4	0.0-0.2	31	3.0	0.1-0.4	46	6.3	0.4-0.8
Some Post-H.S.	1447	1,574,623	1160	73.5	70.4-76.6	190	16.7	14.0-19.4	17	1.8	0.0-0.2	4	0.5	0.0-0.0	30	2.5	0.1-0.3	46	5.1	0.3-0.6
College Graduate	1808	1,421,378	1469	73.3	70.6-76.0	208	15.1	12.7-17.5	19	1.3	0.0-0.2	32	3.4	0.2-0.4	21	1.3	0.0-0.1	59	5.7	0.4-0.7
Less than \$15,000	344	312,033	269	68.9	61.8-76.0	53	19.9	13.8-26.0	4	3.0	0.0-0.6	2	1.6	0.0-0.4	6	1.8	0.0-0.3	10	4.8	0.1-0.8
\$15,000-24,999	503	503,271	372	67.0	61.3-72.7	82	18.8	14.1-23.5	13	3.3	0.0-0.5	1	0.2	0.0-0.0	11	1.7	0.0-0.2	24	8.9	0.5-1.2
\$25,000-34,999	535	567,989	421	68.5	63.0-74.0	70	17.4	12.9-21.9	7	1.9	0.0-0.3	5	1.8	0.0-0.3	13	4.1	0.1-0.6	19	6.3	0.3-0.9
\$35,000-49,999	648	663,747	500	68.3	63.2-73.4	87	17.3	13.2-21.4	12	2.3	0.0-0.3	4	1.7	0.0-0.3	13	3.3	0.1-0.5	32	7.1	0.4-1.0
\$50,000-99,999	1179	1,251,985	981	75.7	72.2-79.2	126	12.9	10.2-15.6	10	1.2	0.0-0.2	12	1.6	0.0-0.2	17	2.5	0.1-0.3	33	6.1	0.3-0.8
\$100,000-199,999	702	761,099	598	80.3	76.2-84.4	70	12.5	0.9-15.8	4	1.3	0.0-0.2	9	1.8	0.0-0.3	6	0.9	0.0-0.1	15	3.2	0.1-0.5
\$200,000+	194	194,882	165	77.9	69.5-86.3	14	9.1	0.3-15.0	1	0.3	0.0-0.0	2	1.5	0.0-0.3	1	1.0	0.0-0.3	11	10.2	0.3-1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2442	2,576,350	1964	72.6	70.2-75.0	253	13.1	11.3-14.9	46	2.5	01.7-03.3	28	1.7	00.9-02.5	53	2.9	01.9-03.9	98	7.3	05.7-08.9
18-24	181	317,978	119	57.9	49.3-66.5	22	13.8	07.7-19.9	4	2.0	00.0-04.4	8	5.0	01.1-08.9	8	6.3	01.6-11.0	20	14.9	08.0-21.8
25-34	302	468,596	214	66.5	59.8-73.2	47	19.8	13.7-25.9	4	1.0	00.0-02.0	8	2.3	00.7-03.9	10	3.1	00.7-05.5	19	7.3	03.6-11.0
35-44	323	420,114	252	69.5	63.0-76.0	27	11.4	06.7-16.1	6	2.3	00.3-04.3	6	2.5	00.3-04.7	4	1.9	00.0-03.9	28	12.4	07.5-17.3
45-54	380	399,182	300	70.2	63.5-76.9	44	12.6	08.3-16.9	13	5.6	02.1-09.1	3	1.1	00.0-02.3	5	2.1	00.1-04.1	15	8.4	03.3-13.5
55-64	472	413,660	385	78.5	73.4-83.6	60	13.7	09.6-17.8	10	3.0	00.6-05.4	3	0.7	00.0-01.5	8	1.8	00.4-03.2	6	2.2	00.2-04.2
65+	784	556,820	694	85.7	82.2-89.2	53	8.1	05.2-11.0	9	1.4	00.4-02.4				18	2.9	01.1-04.7	10	1.9	00.5-03.3
Less Than H.S.	202	335,743	149	69.0	60.6-77.4	23	10.2	04.7-15.7	9	5.3	01.4-09.2	1	1.1	00.0-03.3	7	4.3	00.4-08.2	13	10.1	04.2-16.0
H.S. or G.E.D.	707	854,651	566	70.7	66.0-75.4	77	15.3	11.6-19.0	13	2.1	00.7-03.5	3	0.8	00.0-01.8	21	3.6	01.8-05.4	27	7.4	04.3-10.5
Some Post-H.S.	633	694,579	502	73.2	68.5-77.9	75	13.7	10.2-17.2	12	2.5	00.9-04.1	2	0.7	00.0-01.7	17	3.4	01.4-05.4	25	6.4	03.5-09.3
College Graduate	893	678,635	743	76.4	72.5-80.3	78	11.2	08.1-14.3	11	1.4	00.4-02.4	21	4.1	02.3-05.9	8	0.7	00.1-01.3	32	6.2	04.0-08.4
Less than \$15,000	139	133,760	112	72.3	61.7-82.9	14	12.1	04.1-20.1	2	3.5	00.0-08.2	2	3.7	00.0-09.4	2	0.9	00.0-02.1	7	7.5	01.8-13.2
\$15,000- 24,999	224	239,345	159	61.6	52.6-70.6	33	18.0	10.6-25.4	10	6.0	01.3-10.7				6	1.8	00.2-03.4	16	12.5	05.8-19.2
\$25,000- 34,999	231	260,444	177	65.6	57.2-74.0	28	16.0	09.3-22.7	5	2.5	00.0-05.2	3	2.1	00.0-04.8	8	6.0	01.1-10.9	10	7.8	02.7-12.9
\$35,000- 49,999	310	315,575	236	67.7	60.4-75.0	40	17.6	11.5-23.7	10	3.3	01.1-05.5	2	0.8	00.0-02.0	8	4.2	00.9-07.5	14	6.5	02.4-10.6
\$50,000- 99,999	596	627,457	495	73.5	68.0-79.0	55	12.0	08.1-15.9	5	1.3	00.0-02.7	8	1.7	00.5-02.9	11	3.2	01.0-05.4	22	8.3	04.2-12.4
\$100,000 - 199,999	403	432,352	350	82.1	77.0-87.2	35	10.9	06.8-15.0	3	1.1	00.0-02.7	5	1.8	00.2-03.4	4	1.0	00.0-02.4	6	3.0	00.3-05.7
\$200,000+	122	115,686	107	76.7	65.3-88.1	5	7.9	00.0-15.9				2	2.5	00.0-06.0				8	12.8	03.4-22.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2689	2,806,633	2160	72.5	70.0-75.0	370	16.8	15.0-18.6	21	1.3	0.5-2.1	17	1.4	0.6-2.2	43	2.3	0.1-3.3	78	5.8	0.4-10.6
18-24	171	307,059	119	59.0	48.0-70.0	23	11.6	0.9-17.3				5	3.4	0.0-7.1	6	5.8	0.3-11.3	18	20.3	0.9-31.7
25-34	283	469,269	200	69.2	62.7-75.7	57	21.0	15.1-26.9	4	1.3	0.0-2.9	6	2.2	0.0-4.4	2	0.7	0.0-1.9	14	5.6	0.2-10.7
35-44	324	444,589	234	62.6	55.9-69.3	60	22.8	17.1-28.5	3	2.3	0.0-5.2	3	1.5	0.0-3.3	7	2.7	0.5-4.9	17	8.1	0.4-12.2
45-54	436	422,735	346	76.6	71.3-81.9	71	18.0	13.1-22.9	2	0.2	0.0-0.4				3	0.9	0.0-1.9	14	4.2	0.1-9.9
55-64	518	460,292	415	76.1	70.8-81.4	78	16.8	12.5-21.1	6	2.3	0.0-4.7	2	2.0	0.0-4.7	9	1.2	0.2-2.2	8	1.7	0.0-3.5
65+	957	702,689	846	82.1	78.2-86.0	81	11.7	0.8-14.6	6	1.2	0.0-2.6	1	0.4	0.0-1.2	16	3.0	0.1-5.0	7	1.6	0.0-3.4
Less Than H.S.	183	289,856	136	64.0	52.4-75.6	24	12.9	0.6-19.0	6	4.1	0.0-8.2				7	4.5	0.2-8.8	10	14.5	0.2-26.1
H.S. or G.E.D.	770	885,630	634	75.6	71.3-79.9	101	14.5	11.4-17.6	2	0.4	0.0-1.0	4	1.9	0.0-3.9	10	2.5	0.5-4.5	19	5.1	0.2-10.8
Some Post-H.S.	814	880,044	658	73.7	69.4-78.0	115	19.0	15.1-22.9	5	1.3	0.0-2.7	2	0.3	0.0-0.7	13	1.8	0.6-3.0	21	4.0	0.1-8.6
College Graduate	915	742,743	726	70.5	66.4-74.6	130	18.7	15.4-22.0	8	1.2	0.0-2.6	11	2.7	0.7-4.7	13	1.7	0.5-2.9	27	5.3	0.3-10.3
Less than \$15,000	205	178,273	157	66.3	56.7-75.9	39	25.7	17.1-34.3	2	2.7	0.0-7.6				4	2.5	0.0-5.8	3	2.8	0.0-6.7
\$15,000- 24,999	279	263,926	213	71.8	64.7-78.9	49	19.6	13.5-25.7	3	0.9	0.0-1.9	1	0.4	0.0-1.2	5	1.7	0.1-3.3	8	5.7	0.1-10.4
\$25,000- 34,999	304	307,545	244	71.0	63.9-78.1	42	18.5	12.4-24.6	2	1.5	0.0-4.4	2	1.5	0.0-3.9	5	2.4	0.0-4.9	9	5.1	0.1-10.8
\$35,000- 49,999	338	348,172	264	68.9	61.6-76.2	47	17.1	11.4-22.8	2	1.4	0.0-3.6	2	2.5	0.0-6.0	5	2.4	0.0-5.1	18	7.6	0.3-11.7
\$50,000- 99,999	583	624,529	486	77.9	73.2-82.6	71	13.8	10.1-17.5	5	1.2	0.0-2.6	4	1.5	0.0-3.3	6	1.8	0.2-3.4	11	3.8	0.0-9.6
\$100,000 - 199,999	299	328,747	248	78.0	71.5-84.5	35	14.7	0.9-20.2	1	1.4	0.0-4.1	4	1.8	0.0-3.6	2	0.7	0.0-1.7	9	3.5	0.1-10.6
\$200,000+	72	79,196	58	79.7	67.9-91.5	9	10.9	0.2-19.3	1	0.7	0.0-2.1				1	2.4	0.0-7.1	3	6.4	0.0-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG22).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5131	5,382,984	4124	72.5	70.7-74.3	1007	27.5	25.7-29.3
Male	2442	2,576,350	1964	72.6	70.1-75.1	478	27.4	24.9-29.9
Female	2689	2,806,633	2160	72.5	70.0-75.0	529	27.5	25.0-30.0
18-24	352	625,037	238	58.4	51.5-65.3	114	41.6	34.7-48.5
25-34	585	937,865	414	67.8	63.1-72.5	171	32.2	27.5-36.9
35-44	647	864,704	486	66.0	61.3-70.7	161	34.0	29.3-38.7
45-54	816	821,916	646	73.5	69.2-77.8	170	26.5	22.2-30.8
55-64	990	873,953	800	77.3	73.6-81.0	190	22.7	19.0-26.4
65+	1741	1,259,509	1540	83.7	81.0-86.4	201	16.3	13.6-19.0
Less Than H.S.	385	625,600	285	66.7	59.6-73.8	100	33.3	26.2-40.4
H.S. or G.E.D.	1477	1,740,282	1200	73.2	70.1-76.3	277	26.8	23.7-29.9
Some Post-H.S.	1447	1,574,623	1160	73.5	70.4-76.6	287	26.5	23.4-29.6
College Graduate	1808	1,421,378	1469	73.3	70.6-76.0	339	26.7	24.0-29.4
Less than \$15,000	344	312,033	269	68.9	61.8-76.0	75	31.1	24.0-38.2
\$15,000-24,999	503	503,271	372	67.0	61.3-72.7	131	33.0	27.3-38.7
\$25,000-34,999	535	567,989	421	68.5	63.0-74.0	114	31.5	26.0-37.0
\$35,000-49,999	648	663,747	500	68.3	63.2-73.4	148	31.7	26.6-36.8
\$50,000-99,999	1179	1,251,985	981	75.7	72.2-79.2	198	24.3	20.8-27.8
\$100,000-199,999	702	761,099	598	80.3	76.2-84.4	104	19.7	15.6-23.8
\$200,000+	194	194,882	165	77.9	69.5-86.3	29	22.1	13.7-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG22).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2442	2,576,350	1964	72.6	70.2-75.0	478	27.4	25.0-29.8
18-24	181	317,978	119	57.9	49.3-66.5	62	42.1	33.5-50.7
25-34	302	468,596	214	66.5	59.8-73.2	88	33.5	26.8-40.2
35-44	323	420,114	252	69.5	63.0-76.0	71	30.5	24.0-37.0
45-54	380	399,182	300	70.2	63.5-76.9	80	29.8	23.1-36.5
55-64	472	413,660	385	78.5	73.4-83.6	87	21.5	16.4-26.6
65+	784	556,820	694	85.7	82.2-89.2	90	14.3	10.8-17.8
Less Than H.S.	202	335,743	149	69.0	60.6-77.4	53	31.0	22.6-39.4
H.S. or G.E.D.	707	854,651	566	70.7	66.0-75.4	141	29.3	24.6-34.0
Some Post-H.S.	633	694,579	502	73.2	68.5-77.9	131	26.8	22.1-31.5
College Graduate	893	678,635	743	76.4	72.5-80.3	150	23.6	19.7-27.5
Less than \$15,000	139	133,760	112	72.3	61.7-82.9	27	27.7	17.1-38.3
\$15,000- 24,999	224	239,345	159	61.6	52.6-70.6	65	38.4	29.4-47.4
\$25,000- 34,999	231	260,444	177	65.6	57.2-74.0	54	34.4	26.0-42.8
\$35,000- 49,999	310	315,575	236	67.7	60.4-75.0	74	32.3	25.0-39.6
\$50,000- 99,999	596	627,457	495	73.5	68.0-79.0	101	26.5	21.0-32.0
\$100,000 - 199,999	403	432,352	350	82.1	77.0-87.2	53	17.9	12.8-23.0
\$200,000+	122	115,686	107	76.7	65.3-88.1	15	23.3	11.9-34.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG22).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2689	2,806,633	2160	72.5	70.0-75.0	529	27.5	25.0-30.0
18-24	171	307,059	119	59.0	48.0-70.0	52	41.0	30.0-52.0
25-34	283	469,269	200	69.2	62.7-75.7	83	30.8	24.3-37.3
35-44	324	444,589	234	62.6	55.9-69.3	90	37.4	30.7-44.1
45-54	436	422,735	346	76.6	71.3-81.9	90	23.4	18.1-28.7
55-64	518	460,292	415	76.1	70.8-81.4	103	23.9	18.6-29.2
65+	957	702,689	846	82.1	78.2-86.0	111	17.9	14.0-21.8
Less Than H.S.	183	289,856	136	64.0	52.4-75.6	47	36.0	24.4-47.6
H.S. or G.E.D.	770	885,630	634	75.6	71.3-79.9	136	24.4	20.1-28.7
Some Post-H.S.	814	880,044	658	73.7	69.4-78.0	156	26.3	22.0-30.6
College Graduate	915	742,743	726	70.5	66.4-74.6	189	29.5	25.4-33.6
Less than \$15,000	205	178,273	157	66.3	56.7-75.9	48	33.7	24.1-43.3
\$15,000- 24,999	279	263,926	213	71.8	64.7-78.9	66	28.2	21.1-35.3
\$25,000- 34,999	304	307,545	244	71.0	63.9-78.1	60	29.0	21.9-36.1
\$35,000- 49,999	338	348,172	264	68.9	61.6-76.2	74	31.1	23.8-38.4
\$50,000- 99,999	583	624,529	486	77.9	73.2-82.6	97	22.1	17.4-26.8
\$100,000 - 199,999	299	328,747	248	78.0	71.5-84.5	51	22.0	15.5-28.5
\$200,000+	72	79,196	58	79.7	67.9-91.5	14	20.3	08.5-32.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS
 TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5131	5,382,984	4124	72.5	70.7-74.3	623	15.0	13.6-16.4	112	3.4	02.6-04.2	96	2.6	02.0-03.2	176	6.5	05.3-07.7
Male	2442	2,576,350	1964	72.6	70.1-75.1	253	13.1	11.1-15.1	74	4.2	03.0-05.4	53	2.9	01.9-03.9	98	7.3	05.7-08.9
Female	2689	2,806,633	2160	72.5	70.0-75.0	370	16.8	14.8-18.8	38	2.7	01.7-03.7	43	2.3	01.3-03.3	78	5.8	04.0-07.6
18-24	352	625,037	238	58.4	51.5-65.3	45	12.7	08.6-16.8	17	5.3	02.4-08.2	14	6.1	02.6-09.6	38	17.6	10.9-24.3
25-34	585	937,865	414	67.8	63.1-72.5	104	20.4	16.3-24.5	22	3.4	01.8-05.0	12	1.9	00.5-03.3	33	6.5	04.1-08.9
35-44	647	864,704	486	66.0	61.3-70.7	87	17.2	13.5-20.9	18	4.3	02.1-06.5	11	2.3	00.9-03.7	45	10.2	06.9-13.5
45-54	816	821,916	646	73.5	69.2-77.8	115	15.4	12.1-18.7	18	3.4	01.6-05.2	8	1.5	00.3-02.7	29	6.3	03.4-09.2
55-64	990	873,953	800	77.3	73.6-81.0	138	15.3	12.4-18.2	21	4.0	01.8-06.2	17	1.5	00.7-02.3	14	1.9	00.5-03.3
65+	1741	1,259,509	1540	83.7	81.0-86.4	134	10.1	07.9-12.3	16	1.5	00.5-02.5	34	3.0	01.6-04.4	17	1.7	00.5-02.9
Less Than H.S.	385	625,600	285	66.7	59.6-73.8	47	11.4	07.3-15.5	16	5.3	02.2-08.4	14	4.4	01.5-07.3	23	12.2	05.9-18.5
H.S. or G.E.D.	1477	1,740,282	1200	73.2	70.1-76.3	178	14.9	12.4-17.4	22	2.6	01.2-04.0	31	3.0	01.6-04.4	46	6.3	04.1-08.5
Some Post-H.S.	1447	1,574,623	1160	73.5	70.4-76.6	190	16.7	14.0-19.4	21	2.3	01.1-03.5	30	2.5	01.3-03.7	46	5.1	03.3-06.9
College Graduate	1808	1,421,378	1469	73.3	70.6-76.0	208	15.1	12.7-17.5	51	4.7	03.1-06.3	21	1.3	00.7-01.9	59	5.7	04.1-07.3
Less than \$15,000	344	312,033	269	68.9	61.8-76.0	53	19.9	13.8-26.0	6	4.6	00.5-08.7	6	1.8	00.0-03.8	10	4.8	01.5-08.1
\$15,000-24,999	503	503,271	372	67.0	61.3-72.7	82	18.8	14.1-23.5	14	3.5	01.1-05.9	11	1.7	00.5-02.9	24	8.9	05.0-12.8
\$25,000-34,999	535	567,989	421	68.5	63.0-74.0	70	17.4	12.9-21.9	12	3.7	01.0-06.4	13	4.1	01.4-06.8	19	6.3	03.4-09.2
\$35,000-49,999	648	663,747	500	68.3	63.2-73.4	87	17.3	13.2-21.4	16	4.0	01.6-06.4	13	3.3	01.1-05.5	32	7.1	04.2-10.0
\$50,000-99,999	1179	1,251,985	981	75.7	72.2-79.2	126	12.9	10.2-15.6	22	2.8	01.4-04.2	17	2.5	01.1-03.9	33	6.1	03.6-08.6
\$100,000-199,999	702	761,099	598	80.3	76.2-84.4	70	12.5	09.2-15.8	13	3.1	01.3-04.9	6	0.9	00.1-01.7	15	3.2	01.2-05.2
\$200,000+	194	194,882	165	77.9	69.5-86.3	14	9.1	03.2-15.0	3	1.8	00.0-04.0	1	1.0	00.0-03.0	11	10.2	03.5-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2442	2,576,350	1964	72.6	70.2-75.0	253	13.1	11.3-14.9	74	4.2	03.0-05.4	53	2.9	01.9-03.9	98	7.3	05.7-08.9
18-24	181	317,978	119	57.9	49.3-66.5	22	13.8	07.7-19.9	12	7.1	02.6-11.6	8	6.3	01.6-11.0	20	14.9	08.0-21.8
25-34	302	468,596	214	66.5	59.8-73.2	47	19.8	13.7-25.9	12	3.3	01.3-05.3	10	3.1	00.7-05.5	19	7.3	03.6-11.0
35-44	323	420,114	252	69.5	63.0-76.0	27	11.4	06.7-16.1	12	4.8	01.9-07.7	4	1.9	00.0-03.9	28	12.4	07.5-17.3
45-54	380	399,182	300	70.2	63.5-76.9	44	12.6	08.3-16.9	16	6.7	03.0-10.4	5	2.1	00.1-04.1	15	8.4	03.3-13.5
55-64	472	413,660	385	78.5	73.4-83.6	60	13.7	09.6-17.8	13	3.7	01.3-06.1	8	1.8	00.4-03.2	6	2.2	00.2-04.2
65+	784	556,820	694	85.7	82.2-89.2	53	8.1	05.2-11.0	9	1.4	00.4-02.4	18	2.9	01.1-04.7	10	1.9	00.5-03.3
Less Than H.S.	202	335,743	149	69.0	60.6-77.4	23	10.2	04.7-15.7	10	6.4	01.9-10.9	7	4.3	00.4-08.2	13	10.1	04.2-16.0
H.S. or G.E.D.	707	854,651	566	70.7	66.0-75.4	77	15.3	11.6-19.0	16	2.9	01.1-04.7	21	3.6	01.8-05.4	27	7.4	04.3-10.5
Some Post-H.S.	633	694,579	502	73.2	68.5-77.9	75	13.7	10.2-17.2	14	3.2	01.4-05.0	17	3.4	01.4-05.4	25	6.4	03.5-09.3
College Graduate	893	678,635	743	76.4	72.5-80.3	78	11.2	08.1-14.3	32	5.5	03.5-07.5	8	0.7	00.1-01.3	32	6.2	04.0-08.4
Less than \$15,000	139	133,760	112	72.3	61.7-82.9	14	12.1	04.1-20.1	4	7.2	00.0-14.5	2	0.9	00.0-02.1	7	7.5	01.8-13.2
\$15,000- 24,999	224	239,345	159	61.6	52.6-70.6	33	18.0	10.6-25.4	10	6.0	01.3-10.7	6	1.8	00.2-03.4	16	12.5	05.8-19.2
\$25,000- 34,999	231	260,444	177	65.6	57.2-74.0	28	16.0	09.3-22.7	8	4.5	00.8-08.2	8	6.0	01.1-10.9	10	7.8	02.7-12.9
\$35,000- 49,999	310	315,575	236	67.7	60.4-75.0	40	17.6	11.5-23.7	12	4.0	01.6-06.4	8	4.2	00.9-07.5	14	6.5	02.4-10.6
\$50,000- 99,999	596	627,457	495	73.5	68.0-79.0	55	12.0	08.1-15.9	13	3.0	01.2-04.8	11	3.2	01.0-05.4	22	8.3	04.2-12.4
\$100,000 - 199,999	403	432,352	350	82.1	77.0-87.2	35	10.9	06.8-15.0	8	3.0	00.8-05.2	4	1.0	00.0-02.4	6	3.0	00.3-05.7
\$200,000+	122	115,686	107	76.7	65.3-88.1	5	7.9	00.0-15.9	2	2.5	00.0-06.0				8	12.8	03.4-22.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2689	2,806,633	2160	72.5	70.0-75.0	370	16.8	15.0-18.6	38	2.7	01.7-03.7	43	2.3	01.3-03.3	78	5.8	04.0-07.6
18-24	171	307,059	119	59.0	48.0-70.0	23	11.6	05.9-17.3	5	3.4	00.0-07.1	6	5.8	00.3-11.3	18	20.3	08.9-31.7
25-34	283	469,269	200	69.2	62.7-75.7	57	21.0	15.1-26.9	10	3.5	00.8-06.2	2	0.7	00.0-01.9	14	5.6	02.5-08.7
35-44	324	444,589	234	62.6	55.9-69.3	60	22.8	17.1-28.5	6	3.7	00.4-07.0	7	2.7	00.5-04.9	17	8.1	04.0-12.2
45-54	436	422,735	346	76.6	71.3-81.9	71	18.0	13.1-22.9	2	0.2	00.0-00.4	3	0.9	00.0-01.9	14	4.2	01.5-06.9
55-64	518	460,292	415	76.1	70.8-81.4	78	16.8	12.5-21.1	8	4.2	00.7-07.7	9	1.2	00.2-02.2	8	1.7	00.0-03.5
65+	957	702,689	846	82.1	78.2-86.0	81	11.7	08.8-14.6	7	1.6	00.0-03.2	16	3.0	01.0-05.0	7	1.6	00.0-03.4
Less Than H.S.	183	289,856	136	64.0	52.4-75.6	24	12.9	06.8-19.0	6	4.1	00.0-08.2	7	4.5	00.2-08.8	10	14.5	02.9-26.1
H.S. or G.E.D.	770	885,630	634	75.6	71.3-79.9	101	14.5	11.4-17.6	6	2.3	00.3-04.3	10	2.5	00.5-04.5	19	5.1	02.4-07.8
Some Post-H.S.	814	880,044	658	73.7	69.4-78.0	115	19.0	15.1-22.9	7	1.6	00.2-03.0	13	1.8	00.6-03.0	21	4.0	01.8-06.2
College Graduate	915	742,743	726	70.5	66.4-74.6	130	18.7	15.4-22.0	19	3.9	01.5-06.3	13	1.7	00.5-02.9	27	5.3	03.3-07.3
Less than \$15,000	205	178,273	157	66.3	56.7-75.9	39	25.7	17.1-34.3	2	2.7	00.0-07.6	4	2.5	00.0-05.8	3	2.8	00.0-06.7
\$15,000- 24,999	279	263,926	213	71.8	64.7-78.9	49	19.6	13.5-25.7	4	1.3	00.0-02.7	5	1.7	00.1-03.3	8	5.7	01.0-10.4
\$25,000- 34,999	304	307,545	244	71.0	63.9-78.1	42	18.5	12.4-24.6	4	3.0	00.0-06.7	5	2.4	00.0-04.9	9	5.1	01.8-08.4
\$35,000- 49,999	338	348,172	264	68.9	61.6-76.2	47	17.1	11.4-22.8	4	3.9	00.0-08.0	5	2.4	00.0-05.1	18	7.6	03.5-11.7
\$50,000- 99,999	583	624,529	486	77.9	73.2-82.6	71	13.8	10.1-17.5	9	2.7	00.5-04.9	6	1.8	00.2-03.4	11	3.8	00.9-06.7
\$100,000 - 199,999	299	328,747	248	78.0	71.5-84.5	35	14.7	09.2-20.2	5	3.2	00.1-06.3	2	0.7	00.0-01.7	9	3.5	01.0-06.0
\$200,000+	72	79,196	58	79.7	67.9-91.5	9	10.9	02.5-19.3	1	0.7	00.0-02.1	1	2.4	00.0-07.1	3	6.4	00.0-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5170	5,423,150	663	20.1	18.5-21.7	616	16.8	15.4-18.2	673	14.9	13.5-16.3	932	16.3	14.9-17.7	1061	16.1	14.9-17.3	1225	15.8	14.6-17.0
Male	2483	2,623,981	339	20.6	18.2-23.0	321	17.7	15.5-19.9	325	15.2	13.2-17.2	446	16.8	14.8-18.8	502	15.4	13.6-17.2	550	14.3	12.7-15.9
Female	2687	2,799,169	324	19.7	17.3-22.1	295	15.9	13.9-17.9	348	14.6	12.8-16.4	486	15.9	14.1-17.7	559	16.7	14.9-18.5	675	17.2	15.6-18.8
White/Non-Hisp	4062	3,848,102	463	17.7	15.9-19.5	432	15.4	13.8-17.0	494	13.9	12.5-15.3	739	17.1	15.5-18.7	849	17.3	15.9-18.7	1085	18.6	17.2-20.0
Black or Afr. Am./Non-Hisp	613	796,149	89	21.4	16.9-25.9	98	19.7	15.4-24.0	96	17.5	13.6-21.4	120	15.7	12.4-19.0	137	17.5	14.0-21.0	73	8.2	05.7-10.7
Oth. Race/Non-Hisp.	108	177,868	30	26.8	16.6-37.0	18	19.4	10.0-28.8	15	14.7	06.7-22.7	19	22.0	11.6-32.4	15	11.1	04.4-17.8	11	6.0	01.1-10.9
MultiRacial/Non-Hisp.	95	138,189	20	34.1	20.6-47.6	10	11.6	03.8-19.4	12	14.4	06.0-22.8	10	7.0	01.9-12.1	18	8.3	03.4-13.2	25	24.6	13.4-35.8
Hispanic	174	345,230	51	38.1	27.7-48.5	43	25.8	17.8-33.8	38	18.9	11.8-26.0	16	8.4	03.5-13.3	16	5.1	01.4-08.8	10	3.8	00.9-06.7
Less Than H.S.	397	647,670	18	10.4	04.3-16.5	31	13.0	08.1-17.9	42	11.7	07.8-15.6	69	18.4	13.1-23.7	103	21.1	16.4-25.8	134	25.4	19.9-30.9
H.S. or G.E.D.	1491	1,749,114	233	25.0	21.9-28.1	152	15.2	12.5-17.9	156	12.4	10.0-14.8	279	16.4	14.0-18.8	305	15.5	13.3-17.7	366	15.5	13.5-17.5
Some Post-H.S.	1465	1,593,163	206	21.5	18.6-24.4	163	15.1	12.6-17.6	200	16.3	13.8-18.8	251	16.2	13.8-18.6	322	17.3	14.9-19.7	323	13.7	11.7-15.7
College Graduate	1803	1,414,072	203	16.6	14.2-19.0	269	22.4	19.7-25.1	274	18.1	15.7-20.5	329	15.4	13.4-17.4	327	13.2	11.4-15.0	401	14.3	12.5-16.1
Less than \$15,000	351	318,778	30	14.1	08.8-19.4	27	8.9	05.2-12.6	35	15.2	09.3-21.1	88	23.8	18.3-29.3	96	20.1	14.8-25.4	75	17.9	12.6-23.2
\$15,000-24,999	513	514,738	60	16.9	12.2-21.6	42	14.1	09.6-18.6	52	12.4	08.5-16.3	80	15.8	11.3-20.3	136	21.9	17.4-26.4	143	18.9	15.0-22.8
\$25,000-34,999	545	580,905	86	22.9	18.0-27.8	50	12.3	08.6-16.0	74	16.6	12.5-20.7	77	13.1	09.4-16.8	105	17.0	12.9-21.1	153	18.0	14.5-21.5
\$35,000-49,999	646	660,468	99	25.0	20.1-29.9	76	15.8	11.7-19.9	80	12.8	09.5-16.1	92	12.0	08.9-15.1	127	16.2	12.9-19.5	172	18.2	14.5-21.9
\$50,000-99,999	1189	1,263,767	158	20.8	17.5-24.1	192	22.5	19.2-25.8	164	15.4	12.7-18.1	211	15.0	12.5-17.5	228	14.0	11.8-16.2	236	12.4	10.2-14.6
\$100,000-199,999	706	765,692	65	13.8	10.1-17.5	123	25.7	21.2-30.2	129	18.1	14.6-21.6	176	22.6	18.7-26.5	124	11.9	09.2-14.6	89	7.9	05.9-09.9
\$200,000+	198	198,844	9	6.6	02.1-11.1	29	19.9	12.6-27.2	46	30.5	22.1-38.9	59	24.3	17.2-31.4	36	13.5	08.0-19.0	19	5.2	02.5-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2483	2,623,981	339	20.6	18.4-22.8	321	17.7	15.5-19.9	325	15.2	13.2-17.2	446	16.8	14.8-18.8	502	15.4	13.6-17.2	550	14.3	12.7-15.9
White/Non-Hisp	1937	1,847,264	232	17.8	15.4-20.2	231	16.5	14.1-18.9	234	13.9	11.9-15.9	358	17.7	15.5-19.9	395	16.7	14.7-18.7	487	17.4	15.4-19.4
Black or Afr. Am./Non-Hisp	253	336,548	41	25.7	18.1-33.3	40	20.4	13.7-27.1	37	15.4	09.3-21.5	45	14.5	09.6-19.4	62	18.7	12.8-24.6	28	5.3	02.6-08.0
Oth. Race/Non-Hisp.	71	103,681	19	29.8	17.1-42.5	9	12.2	04.4-20.0	14	20.9	09.9-31.9	13	23.8	11.3-36.3	9	7.9	01.6-14.2	7	5.4	01.1-09.7
MultiRacial/Non-Hisp.	52	73,962	13	36.1	19.0-53.2	7	15.4	03.1-27.7	6	14.3	02.7-25.9	4	6.1	00.0-13.0	10	9.3	01.9-16.7	12	18.8	06.1-31.5
Hispanic	97	186,651	28	32.1	20.9-43.3	26	28.6	17.8-39.4	21	22.4	11.8-33.0	9	10.1	02.7-17.5	7	2.7	00.3-05.1	6	4.1	00.6-07.6
Less Than H.S.	213	354,263	11	9.1	03.8-14.4	19	16.5	09.1-23.9	28	13.9	08.2-19.6	38	22.4	14.6-30.2	61	20.3	14.2-26.4	56	17.8	11.7-23.9
H.S. or G.E.D.	720	864,760	130	26.7	22.2-31.2	74	14.6	10.9-18.3	76	13.8	10.3-17.3	144	16.1	13.0-19.2	146	14.7	11.8-17.6	150	14.1	11.2-17.0
Some Post-H.S.	652	713,872	108	24.4	19.9-28.9	87	17.3	13.4-21.2	88	15.1	11.6-18.6	109	16.1	12.6-19.6	135	15.8	12.5-19.1	125	11.3	08.8-13.8
College Graduate	891	678,594	88	14.0	10.9-17.1	140	22.7	19.0-26.4	132	17.9	14.6-21.2	153	15.4	12.7-18.1	159	13.8	11.3-16.3	219	16.2	13.7-18.7
Less than \$15,000	143	138,834	14	14.6	06.4-22.8	9	7.2	02.1-12.3	14	13.5	05.1-21.9	44	30.8	21.2-40.4	36	19.5	11.5-27.5	26	14.3	07.0-21.6
\$15,000- 24,999	229	245,552	22	13.1	07.2-19.0	18	16.1	08.7-23.5	26	14.5	08.4-20.6	38	18.7	10.9-26.5	62	20.4	13.9-26.9	63	17.0	11.5-22.5
\$25,000- 34,999	240	271,742	40	22.3	15.0-29.6	25	12.7	07.4-18.0	35	18.0	11.5-24.5	26	10.9	05.8-16.0	50	18.3	11.8-24.8	64	17.8	12.3-23.3
\$35,000- 49,999	311	317,979	55	26.2	19.3-33.1	32	12.8	07.1-18.5	37	12.5	08.0-17.0	36	12.1	07.0-17.2	64	17.4	12.3-22.5	87	19.0	13.9-24.1
\$50,000- 99,999	607	639,489	86	23.3	18.2-28.4	105	22.5	17.8-27.2	82	16.3	12.0-20.6	97	13.6	10.3-16.9	106	11.8	08.9-14.7	131	12.5	09.6-15.4
\$100,000 - 199,999	405	434,125	38	13.9	09.0-18.8	75	27.6	21.5-33.7	71	17.7	13.0-22.4	94	19.6	14.9-24.3	73	12.4	08.9-15.9	54	8.8	06.1-11.5
\$200,000+	125	118,522	3	4.1	00.0-08.8	19	20.9	11.1-30.7	24	24.7	15.1-34.3	43	29.2	19.6-38.8	23	15.5	07.5-23.5	13	5.6	01.7-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2687	2,799,169	324	19.7	17.3-22.1	295	15.9	13.9-17.9	348	14.6	12.8-16.4	486	15.9	14.1-17.7	559	16.7	14.9-18.5	675	17.2	15.6-18.8
White/Non-Hisp	2125	2,000,838	231	17.6	15.2-20.0	201	14.4	12.2-16.6	260	13.9	11.9-15.9	381	16.5	14.5-18.5	454	17.8	15.8-19.8	598	19.8	17.8-21.8
Black or Afr. Am./Non-Hisp	360	459,601	48	18.2	12.7-23.7	58	19.3	13.8-24.8	59	19.0	13.7-24.3	75	16.5	11.8-21.2	75	16.6	12.1-21.1	45	10.4	06.5-14.3
Hispanic	77	158,579	23	45.2	28.1-62.3	17	22.5	10.9-34.1	17	14.7	06.5-22.9	7	6.5	00.2-12.8	9	7.8	00.2-15.4	4	3.3	00.0-07.4
Less Than H.S.	184	293,408	7	11.9	00.5-23.3	12	8.9	03.0-14.8	14	9.0	03.3-14.7	31	13.6	07.5-19.7	42	22.0	14.4-29.6	78	34.6	25.2-44.0
H.S. or G.E.D.	771	884,354	103	23.3	18.8-27.8	78	15.8	12.1-19.5	80	11.0	08.3-13.7	135	16.6	13.3-19.9	159	16.4	13.3-19.5	216	16.9	14.2-19.6
Some Post-H.S.	813	879,291	98	19.1	15.2-23.0	76	13.4	09.9-16.9	112	17.2	13.7-20.7	142	16.2	12.9-19.5	187	18.5	15.4-21.6	198	15.7	13.0-18.4
College Graduate	912	735,479	115	19.1	15.6-22.6	129	22.2	18.3-26.1	142	18.3	15.0-21.6	176	15.4	12.7-18.1	168	12.6	10.2-15.0	182	12.5	10.1-14.9
Less than \$15,000	208	179,944	16	13.7	06.8-20.6	18	10.3	05.0-15.6	21	16.4	08.4-24.4	44	18.4	12.3-24.5	60	20.5	13.4-27.6	49	20.7	13.3-28.1
\$15,000- 24,999	284	269,186	38	20.3	13.4-27.2	24	12.2	06.9-17.5	26	10.4	05.3-15.5	42	13.1	08.6-17.6	74	23.3	17.2-29.4	80	20.6	15.1-26.1
\$25,000- 34,999	305	309,163	46	23.5	17.0-30.0	25	12.0	06.9-17.1	39	15.5	10.2-20.8	51	15.1	09.8-20.4	55	15.8	10.3-21.3	89	18.1	13.4-22.8
\$35,000- 49,999	335	342,489	44	23.9	16.8-31.0	44	18.5	12.6-24.4	43	13.1	08.0-18.2	56	11.9	08.0-15.8	63	15.0	10.5-19.5	85	17.5	12.2-22.8
\$50,000- 99,999	582	624,278	72	18.1	13.6-22.6	87	22.5	17.6-27.4	82	14.3	10.8-17.8	114	16.5	12.8-20.2	122	16.2	12.9-19.5	105	12.3	09.4-15.2
\$100,000 - 199,999	301	331,567	27	13.6	07.9-19.3	48	23.2	16.3-30.1	58	18.7	13.6-23.8	82	26.6	20.1-33.1	51	11.3	07.0-15.6	35	6.6	03.7-09.5
\$200,000+	73	80,322	6	10.2	01.8-18.6	10	18.4	07.4-29.4	22	39.2	26.1-52.3	16	17.0	07.4-26.6	13	10.7	04.0-17.4	6	4.5	00.4-08.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5170	5,423,150	3413	76.5	75.1-77.9	1757	23.5	22.1-24.9
Male	2483	2,623,981	1686	78.4	76.4-80.4	797	21.6	19.6-23.6
Female	2687	2,799,169	1727	74.8	72.8-76.8	960	25.2	23.2-27.2
White/Non-Hisp	4062	3,848,102	2535	72.8	71.2-74.4	1527	27.2	25.6-28.8
Black or Afr. Am./Non-Hisp	613	796,149	482	84.5	81.2-87.8	131	15.5	12.2-18.8
Oth. Race/Non-Hisp.	108	177,868	92	89.3	82.8-95.8	16	10.7	04.2-17.2
MultiRacial/Non-Hisp.	95	138,189	62	73.3	62.1-84.5	33	26.7	15.5-37.9
Hispanic	174	345,230	157	93.7	89.6-97.8	17	6.3	02.2-10.4
Less Than H.S.	397	647,670	207	63.3	57.2-69.4	190	36.7	30.6-42.8
H.S. or G.E.D.	1491	1,749,114	981	78.0	75.6-80.4	510	22.0	19.6-24.4
Some Post-H.S.	1465	1,593,163	984	77.9	75.5-80.3	481	22.1	19.7-24.5
College Graduate	1803	1,414,072	1230	79.1	76.9-81.3	573	20.9	18.7-23.1
Less than \$15,000	351	318,778	227	74.9	69.2-80.6	124	25.1	19.4-30.8
\$15,000-24,999	513	514,738	307	70.4	65.5-75.3	206	29.6	24.7-34.5
\$25,000-34,999	545	580,905	324	71.4	66.7-76.1	221	28.6	23.9-33.3
\$35,000-49,999	646	660,468	407	73.9	69.8-78.0	239	26.1	22.0-30.2
\$50,000-99,999	1189	1,263,767	841	81.1	78.6-83.6	348	18.9	16.4-21.4
\$100,000-199,999	706	765,692	555	86.8	84.1-89.5	151	13.2	10.5-15.9
\$200,000+	198	198,844	163	90.4	86.7-94.1	35	9.6	05.9-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2483	2,623,981	1686	78.4	76.6-80.2	797	21.6	19.8-23.4
White/Non-Hisp	1937	1,847,264	1247	74.3	71.9-76.7	690	25.7	23.3-28.1
Black or Afr. Am./Non-Hisp	253	336,548	200	86.6	81.7-91.5	53	13.4	08.5-18.3
Oth. Race/Non-Hisp.	71	103,681	62	92.4	87.1-97.7	9	7.6	02.3-12.9
MultiRacial/Non-Hisp.	52	73,962	35	78.8	65.9-91.7	17	21.2	08.3-34.1
Hispanic	97	186,651	87	94.3	90.4-98.2	10	5.7	01.8-09.6
Less Than H.S.	213	354,263	120	70.5	63.4-77.6	93	29.5	22.4-36.6
H.S. or G.E.D.	720	864,760	507	80.6	77.3-83.9	213	19.4	16.1-22.7
Some Post-H.S.	652	713,872	465	80.8	77.3-84.3	187	19.2	15.7-22.7
College Graduate	891	678,594	588	76.7	73.8-79.6	303	23.3	20.4-26.2
Less than \$15,000	143	138,834	94	75.9	67.5-84.3	49	24.1	15.7-32.5
\$15,000- 24,999	229	245,552	137	72.6	65.3-79.9	92	27.4	20.1-34.7
\$25,000- 34,999	240	271,742	140	68.4	61.1-75.7	100	31.6	24.3-38.9
\$35,000- 49,999	311	317,979	191	72.5	66.4-78.6	120	27.5	21.4-33.6
\$50,000- 99,999	607	639,489	429	82.8	79.5-86.1	178	17.2	13.9-20.5
\$100,000 - 199,999	405	434,125	315	85.6	81.9-89.3	90	14.4	10.7-18.1
\$200,000+	125	118,522	102	89.7	84.6-94.8	23	10.3	05.2-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2687	2,799,169	1727	74.8	72.8-76.8	960	25.2	23.2-27.2
White/Non-Hisp	2125	2,000,838	1288	71.4	69.2-73.6	837	28.6	26.4-30.8
Black or Afr. Am./Non-Hisp	360	459,601	282	82.9	78.4-87.4	78	17.1	12.6-21.6
Hispanic	77	158,579	70	93.0	85.7-0100	7	7.0	00.0-14.3
Less Than H.S.	184	293,408	87	54.6	44.2-65.0	97	45.4	35.0-55.8
H.S. or G.E.D.	771	884,354	474	75.5	72.2-78.8	297	24.5	21.2-27.8
Some Post-H.S.	813	879,291	519	75.5	72.2-78.8	294	24.5	21.2-27.8
College Graduate	912	735,479	642	81.3	78.4-84.2	270	18.7	15.8-21.6
Less than \$15,000	208	179,944	133	74.1	66.3-81.9	75	25.9	18.1-33.7
\$15,000- 24,999	284	269,186	170	68.4	61.7-75.1	114	31.6	24.9-38.3
\$25,000- 34,999	305	309,163	184	74.0	68.1-79.9	121	26.0	20.1-31.9
\$35,000- 49,999	335	342,489	216	75.2	69.3-81.1	119	24.8	18.9-30.7
\$50,000- 99,999	582	624,278	412	79.3	75.6-83.0	170	20.7	17.0-24.4
\$100,000 - 199,999	301	331,567	240	88.4	84.5-92.3	61	11.6	07.7-15.5
\$200,000+	73	80,322	61	91.4	85.9-96.9	12	8.6	03.1-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4952	5,127,018	208	4.8	03.8-05.8	2022	40.1	38.3-41.9	2147	43.0	41.0-45.0	574	12.1	10.9-13.3	1	0.0	00.0-00.0
Male	2384	2,479,274	6	0.2	00.0-00.4	218	9.9	08.3-11.5	1595	65.4	62.9-67.9	564	24.4	22.0-26.8	1	0.1	00.0-00.3
Female	2568	2,647,743	202	9.1	07.3-10.9	1804	68.5	66.0-71.0	552	21.9	19.5-24.3	10	0.5	00.1-00.9			
White/Non-Hisp	3925	3,687,541	156	4.2	03.2-05.2	1609	40.6	38.6-42.6	1698	43.0	41.0-45.0	462	12.2	10.8-13.6			
Black or Afr. Am./Non-Hisp	578	752,176	25	3.9	02.1-05.7	259	44.4	39.1-49.7	235	39.8	34.7-44.9	59	11.9	08.4-15.4			
Oth. Race/Non-Hisp.	98	157,765	7	10.6	02.2-19.0	26	26.0	14.8-37.2	60	56.7	44.4-69.0	5	6.7	00.0-13.6			
MultiRacial/Non-Hisp.	89	124,912	6	15.8	02.9-28.7	29	25.2	14.4-36.0	39	40.3	27.2-53.4	15	18.6	07.6-29.6			
Hispanic	158	301,193	8	7.3	01.8-12.8	69	40.2	30.2-50.2	64	44.6	33.6-55.6	16	7.4	03.3-11.5	1	0.6	00.0-01.8
18-24	335	585,766	18	7.3	03.4-11.2	131	34.8	28.7-40.9	127	40.5	33.4-47.6	59	17.4	12.7-22.1			
25-34	565	908,257	24	5.6	03.1-08.1	195	34.8	30.1-39.5	255	43.7	38.8-48.6	90	15.7	12.0-19.4	1	0.2	00.0-00.6
35-44	617	813,453	17	3.6	01.6-05.6	233	38.1	33.4-42.8	279	46.3	41.6-51.0	88	12.0	09.3-14.7			
45-54	780	766,846	20	2.8	01.2-04.4	333	43.7	39.2-48.2	332	42.1	37.6-46.6	95	11.4	08.9-13.9			
55-64	964	845,823	31	2.9	01.5-04.3	382	40.5	36.4-44.6	441	44.9	40.6-49.2	110	11.6	08.9-14.3			
65+	1691	1,206,872	98	6.3	04.5-08.1	748	45.6	42.3-48.9	713	40.5	37.4-43.6	132	7.6	06.0-09.2			
Less Than H.S.	365	588,803	31	8.2	04.5-11.9	152	39.6	32.7-46.5	146	39.9	32.6-47.2	36	12.3	07.8-16.8			
H.S. or G.E.D.	1432	1,641,753	69	5.2	03.4-07.0	616	41.2	37.9-44.5	602	42.4	39.1-45.7	145	11.3	09.1-13.5			
Some Post-H.S.	1413	1,526,724	68	5.0	03.4-06.6	594	41.0	37.7-44.3	602	43.3	40.0-46.6	149	10.7	08.7-12.7			
College Graduate	1733	1,356,298	40	2.7	01.5-03.9	657	38.3	35.4-41.2	793	44.6	41.7-47.5	242	14.3	12.1-16.5	1	0.1	00.0-00.3
Less than \$15,000	342	307,425	26	8.6	04.7-12.5	151	42.2	35.1-49.3	130	39.0	31.9-46.1	35	10.1	06.2-14.0			
\$15,000-24,999	505	495,525	33	6.3	03.6-09.0	224	41.8	36.1-47.5	209	41.5	35.6-47.4	38	10.0	06.3-13.7	1	0.4	00.0-01.2
\$25,000-34,999	534	567,681	28	5.2	02.8-07.6	243	44.6	39.1-50.1	217	39.3	34.0-44.6	46	11.0	07.3-14.7			
\$35,000-49,999	644	660,273	27	4.5	02.0-07.0	266	40.3	35.2-45.4	284	44.9	39.6-50.2	67	10.3	07.4-13.2			
\$50,000-99,999	1177	1,243,630	37	4.5	02.5-06.5	441	37.4	33.7-41.1	551	45.3	41.4-49.2	148	12.7	10.2-15.2			
\$100,000-199,999	702	756,748	17	3.4	01.2-05.6	225	31.9	27.4-36.4	329	46.4	41.7-51.1	131	18.3	14.8-21.8			
\$200,000+	194	194,442	1	0.0	00.0-00.0	49	27.3	19.3-35.3	103	51.2	42.4-60.0	41	21.5	14.1-28.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2384	2,479,274	6	0.2	00.0-00.4	218	9.9	08.3-11.5	1595	65.4	62.9-67.9	564	24.4	22.0-26.8	1	0.1	00.0-00.3
White/Non-Hisp	1873	1,763,871	3	0.1	00.0-00.3	155	8.0	06.4-09.6	1258	66.5	63.8-69.2	457	25.4	22.9-27.9			
Black or Afr. Am./Non-Hisp	240	320,385	1	0.1	00.0-00.3	29	13.0	07.3-18.7	154	60.6	52.4-68.8	56	26.3	18.9-33.7			
Oth. Race/Non-Hisp.	64	91,595	1	0.9	00.0-02.7	6	11.7	01.1-22.3	53	80.8	68.5-93.1	4	6.7	00.0-14.3			
MultiRacial/Non-Hisp.	50	68,559				3	5.2	00.0-11.9	32	60.9	43.5-78.3	15	33.9	16.5-51.3			
Hispanic	90	165,321	1	0.9	00.0-02.7	19	22.9	12.3-33.5	54	62.3	50.3-74.3	15	12.8	05.7-19.9	1	1.1	00.0-03.3
18-24	172	296,246				20	10.3	05.0-15.6	93	55.2	46.6-63.8	59	34.5	26.3-42.7			
25-34	295	453,434	2	0.4	00.0-01.0	17	5.6	02.3-08.9	188	63.6	56.7-70.5	87	30.1	23.6-36.6	1	0.4	00.0-01.2
35-44	310	392,904				32	13.1	08.2-18.0	193	63.3	56.8-69.8	85	23.6	18.3-28.9			
45-54	372	387,601	1	0.2	00.0-00.6	41	11.7	07.2-16.2	236	65.7	59.6-71.8	94	22.4	17.5-27.3			
55-64	465	408,225	1	0.4	00.0-01.2	38	7.9	05.0-10.8	318	68.1	62.4-73.8	108	23.7	18.4-29.0			
65+	770	540,864	2	0.2	00.0-00.4	70	11.0	07.9-14.1	567	71.9	67.6-76.2	131	16.9	13.4-20.4			
Less Than H.S.	196	327,197	1	0.5	00.0-01.5	35	19.2	11.9-26.5	124	58.3	49.3-67.3	36	22.1	14.5-29.7			
H.S. or G.E.D.	692	807,836	3	0.3	00.0-00.7	78	11.5	08.4-14.6	469	66.0	61.5-70.5	142	22.2	18.3-26.1			
Some Post-H.S.	624	673,501	1	0.1	00.0-00.3	56	8.2	05.7-10.7	420	67.9	63.4-72.4	147	23.8	19.7-27.9			
College Graduate	866	659,333	1	0.1	00.0-00.3	48	5.0	03.2-06.8	579	66.1	62.2-70.0	237	28.6	24.7-32.5	1	0.3	00.0-00.9
Less than \$15,000	140	135,414	1	1.1	00.0-03.3	16	14.0	06.4-21.6	90	63.8	53.6-74.0	33	21.0	12.8-29.2			
\$15,000- 24,999	225	235,363				32	13.3	07.6-19.0	154	64.9	56.3-73.5	38	21.1	13.7-28.5	1	0.7	00.0-02.1
\$25,000- 34,999	236	264,255	2	0.4	00.0-01.0	28	13.8	07.9-19.7	162	62.9	54.7-71.1	44	22.9	15.5-30.3			
\$35,000- 49,999	312	319,264				31	10.6	05.7-15.5	214	68.1	61.2-75.0	67	21.3	15.6-27.0			
\$50,000- 99,999	603	631,469	1	0.1	00.0-00.3	44	10.2	06.5-13.9	412	65.4	60.1-70.7	146	24.3	19.8-28.8			
\$100,000 - 199,999	403	426,476				25	4.3	02.3-06.3	247	63.2	57.3-69.1	131	32.5	26.8-38.2			
\$200,000+	123	115,843				3	1.1	00.0-02.5	81	65.1	54.3-75.9	39	33.8	23.0-44.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2568	2,647,743	202	9.1	07.3-10.9	1804	68.5	66.0-71.0	552	21.9	19.5-24.3	10	0.5	00.1-00.9
White/Non-Hisp	2052	1,923,669	153	7.9	06.1-09.7	1454	70.4	67.9-72.9	440	21.5	19.1-23.9	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	338	431,791	24	6.8	03.9-09.7	230	67.7	61.4-74.0	81	24.4	18.5-30.3	3	1.1	00.0-02.5
Hispanic	68	135,872	7	15.0	03.2-26.8	50	61.2	41.2-81.2	10	23.1	01.3-44.9	1	0.7	00.0-02.1
18-24	163	289,520	18	14.8	07.0-22.6	111	59.8	48.4-71.2	34	25.4	14.0-36.8			
25-34	270	454,822	22	10.9	05.8-16.0	178	63.9	57.0-70.8	67	23.9	17.8-30.0	3	1.4	00.0-03.4
35-44	307	420,549	17	7.0	03.1-10.9	201	61.4	54.7-68.1	86	30.3	24.0-36.6	3	1.3	00.0-02.7
45-54	408	379,245	19	5.5	02.4-08.6	292	76.3	71.2-81.4	96	17.9	13.6-22.2	1	0.2	00.0-00.6
55-64	499	437,598	30	5.3	02.9-07.7	344	71.0	65.7-76.3	123	23.4	18.5-28.3	2	0.4	00.0-01.0
65+	921	666,009	96	11.3	08.2-14.4	678	73.7	69.8-77.6	146	15.0	12.1-17.9	1	0.0	00.0-00.0
Less Than H.S.	169	261,606	30	17.9	10.1-25.7	117	65.1	52.9-77.3	22	17.0	04.5-29.5			
H.S. or G.E.D.	740	833,917	66	9.9	06.6-13.2	538	69.9	65.4-74.4	133	19.5	15.6-23.4	3	0.7	00.0-01.7
Some Post-H.S.	789	853,222	67	8.8	06.1-11.5	538	66.9	62.6-71.2	182	23.9	20.0-27.8	2	0.4	00.0-01.0
College Graduate	867	696,965	39	5.2	02.8-07.6	609	69.8	65.9-73.7	214	24.3	20.8-27.8	5	0.7	00.1-01.3
Less than \$15,000	202	172,011	25	14.5	08.0-21.0	135	64.4	55.4-73.4	40	19.5	12.1-26.9	2	1.6	00.0-04.0
\$15,000- 24,999	280	260,162	33	11.9	06.8-17.0	192	67.6	60.3-74.9	55	20.4	14.3-26.5			
\$25,000- 34,999	298	303,426	26	9.3	05.0-13.6	215	71.4	64.5-78.3	55	18.7	12.8-24.6	2	0.6	00.0-01.6
\$35,000- 49,999	332	341,009	27	8.8	03.9-13.7	235	68.0	60.9-75.1	70	23.2	16.9-29.5			
\$50,000- 99,999	574	612,161	36	9.1	05.4-12.8	397	65.5	60.2-70.8	139	24.6	19.9-29.3	2	0.8	00.0-02.2
\$100,000 - 199,999	299	330,272	17	7.9	03.2-12.6	200	67.4	60.3-74.5	82	24.7	18.6-30.8			
\$200,000+	71	78,599	1	0.1	00.0-00.3	46	65.9	53.2-78.6	22	30.7	18.4-43.0	2	3.3	00.0-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4958	5,139,455	208	4.8	03.8-05.8	2023	40.1	38.3-41.9	2152	43.0	41.0-45.0	574	12.1	10.9-13.3	1	0.0	00.0-00.0
Male	2389	2,488,201	6	0.2	00.0-00.4	218	9.8	08.2-11.4	1600	65.6	63.1-68.1	564	24.3	21.9-26.7	1	0.1	00.0-00.3
Female	2569	2,651,254	202	9.1	07.3-10.9	1805	68.5	66.0-71.0	552	21.9	19.5-24.3	10	0.5	00.1-00.9			
White/Non-Hisp	3926	3,688,840	156	4.2	03.2-05.2	1609	40.6	38.6-42.6	1699	43.0	41.0-45.0	462	12.2	10.8-13.6			
Black or Afr. Am./Non-Hisp	578	752,176	25	3.9	02.1-05.7	259	44.4	39.1-49.7	235	39.8	34.7-44.9	59	11.9	08.4-15.4			
Oth. Race/Non-Hisp.	100	161,211	7	10.4	02.2-18.6	26	25.4	14.4-36.4	62	57.6	45.3-69.9	5	6.6	00.0-13.5			
MultiRacial/Non-Hisp.	89	124,912	6	15.8	02.9-28.7	29	25.2	14.4-36.0	39	40.3	27.2-53.4	15	18.6	07.6-29.6			
Hispanic	161	308,885	8	7.1	01.6-12.6	70	40.3	30.5-50.1	66	44.8	34.0-55.6	16	7.2	03.3-11.1	1	0.6	00.0-01.8
18-24	337	591,704	18	7.2	03.3-11.1	132	35.0	28.9-41.1	128	40.5	33.6-47.4	59	17.3	12.6-22.0			
25-34	566	911,199	24	5.6	03.1-08.1	195	34.6	29.9-39.3	256	43.9	39.0-48.8	90	15.6	11.9-19.3	1	0.2	00.0-00.6
35-44	619	815,711	17	3.6	01.6-05.6	233	38.0	33.5-42.5	281	46.4	41.7-51.1	88	12.0	09.3-14.7			
45-54	781	768,145	20	2.8	01.2-04.4	333	43.6	39.1-48.1	333	42.2	37.7-46.7	95	11.4	08.9-13.9			
55-64	964	845,823	31	2.9	01.5-04.3	382	40.5	36.4-44.6	441	44.9	40.6-49.2	110	11.6	08.9-14.3			
65+	1691	1,206,872	98	6.3	04.5-08.1	748	45.6	42.3-48.9	713	40.5	37.4-43.6	132	7.6	06.0-09.2			
Less Than H.S.	365	588,803	31	8.2	04.5-11.9	152	39.6	32.7-46.5	146	39.9	32.6-47.2	36	12.3	07.8-16.8			
H.S. or G.E.D.	1433	1,645,264	69	5.1	03.3-06.9	617	41.3	38.0-44.6	602	42.3	39.0-45.6	145	11.3	09.1-13.5			
Some Post-H.S.	1416	1,533,393	68	5.0	03.4-06.6	594	40.8	37.5-44.1	605	43.6	40.3-46.9	149	10.7	08.7-12.7			
College Graduate	1735	1,358,556	40	2.7	01.5-03.9	657	38.2	35.3-41.1	795	44.7	41.8-47.6	242	14.2	12.0-16.4	1	0.1	00.0-00.3
Less than \$15,000	342	307,425	26	8.6	04.7-12.5	151	42.2	35.1-49.3	130	39.0	31.9-46.1	35	10.1	06.2-14.0			
\$15,000-24,999	507	501,978	33	6.2	03.5-08.9	225	42.0	36.3-47.7	210	41.6	35.7-47.5	38	9.9	06.2-13.6	1	0.3	00.0-00.9
\$25,000-34,999	534	567,681	28	5.2	02.8-07.6	243	44.6	39.1-50.1	217	39.3	34.0-44.6	46	11.0	07.3-14.7			
\$35,000-49,999	645	661,292	27	4.5	02.0-07.0	266	40.2	35.1-45.3	285	45.0	39.7-50.3	67	10.3	07.4-13.2			
\$50,000-99,999	1177	1,243,630	37	4.5	02.5-06.5	441	37.4	33.7-41.1	551	45.3	41.4-49.2	148	12.7	10.2-15.2			
\$100,000-199,999	702	756,748	17	3.4	01.2-05.6	225	31.9	27.4-36.4	329	46.4	41.7-51.1	131	18.3	14.8-21.8			
\$200,000+	194	194,442	1	0.0	00.0-00.0	49	27.3	19.3-35.3	103	51.2	42.4-60.0	41	21.5	14.1-28.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2389	2,488,201	6	0.2	00.0-00.4	218	9.8	08.2-11.4	1600	65.6	63.1-68.1	564	24.3	21.9-26.7	1	0.1	00.0-00.3			
White/Non-Hisp	1874	1,765,171	3	0.1	00.0-00.3	155	8.0	06.4-09.6	1259	66.5	63.8-69.2	457	25.3	22.8-27.8						
Black or Afr. Am./Non-Hisp	240	320,385	1	0.1	00.0-00.3	29	13.0	07.3-18.7	154	60.6	52.4-68.8	56	26.3	18.9-33.7						
Oth. Race/Non-Hisp.	66	95,041	1	0.8	00.0-02.4	6	11.3	01.1-21.5	55	81.5	69.5-93.5	4	6.4	00.0-13.8						
MultiRacial/Non-Hisp.	50	68,559				3	5.2	00.0-11.9	32	60.9	43.5-78.3	15	33.9	16.5-51.3						
Hispanic	92	169,503	1	0.9	00.0-02.7	19	22.4	12.0-32.8	56	63.2	51.4-75.0	15	12.5	05.6-19.4	1	1.0	00.0-03.0			
18-24	173	298,674				20	10.2	04.9-15.5	94	55.6	47.0-64.2	59	34.2	26.0-42.4						
25-34	296	456,377	2	0.4	00.0-01.0	17	5.5	02.2-08.8	189	63.8	56.9-70.7	87	29.9	23.4-36.4	1	0.4	00.0-01.2			
35-44	312	395,161				32	13.0	08.1-17.9	195	63.5	57.2-69.8	85	23.4	18.1-28.7						
45-54	373	388,900	1	0.2	00.0-00.6	41	11.7	07.2-16.2	237	65.8	59.7-71.9	94	22.3	17.4-27.2						
55-64	465	408,225	1	0.4	00.0-01.2	38	7.9	05.0-10.8	318	68.1	62.4-73.8	108	23.7	18.4-29.0						
65+	770	540,864	2	0.2	00.0-00.4	70	11.0	07.9-14.1	567	71.9	67.6-76.2	131	16.9	13.4-20.4						
Less Than H.S.	196	327,197	1	0.5	00.0-01.5	35	19.2	11.9-26.5	124	58.3	49.3-67.3	36	22.1	14.5-29.7						
H.S. or G.E.D.	692	807,836	3	0.3	00.0-00.7	78	11.5	08.4-14.6	469	66.0	61.5-70.5	142	22.2	18.3-26.1						
Some Post-H.S.	627	680,171	1	0.1	00.0-00.3	56	8.1	05.7-10.5	423	68.3	63.8-72.8	147	23.5	19.4-27.6						
College Graduate	868	661,591	1	0.1	00.0-00.3	48	4.9	03.1-06.7	581	66.2	62.3-70.1	237	28.5	24.6-32.4	1	0.3	00.0-00.9			
Less than \$15,000	140	135,414	1	1.1	00.0-03.3	16	14.0	06.4-21.6	90	63.8	53.6-74.0	33	21.0	12.8-29.2						
\$15,000- 24,999	226	238,306				32	13.1	07.4-18.8	155	65.3	56.9-73.7	38	20.9	13.5-28.3	1	0.7	00.0-02.1			
\$25,000- 34,999	236	264,255	2	0.4	00.0-01.0	28	13.8	07.9-19.7	162	62.9	54.7-71.1	44	22.9	15.5-30.3						
\$35,000- 49,999	313	320,283				31	10.5	05.6-15.4	215	68.2	61.3-75.1	67	21.2	15.5-26.9						
\$50,000- 99,999	603	631,469	1	0.1	00.0-00.3	44	10.2	06.5-13.9	412	65.4	60.1-70.7	146	24.3	19.8-28.8						
\$100,000 - 199,999	403	426,476				25	4.3	02.3-06.3	247	63.2	57.3-69.1	131	32.5	26.8-38.2						
\$200,000+	123	115,843				3	1.1	00.0-02.5	81	65.1	54.3-75.9	39	33.8	23.0-44.6						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2569	2,651,254	202	9.1	07.3-10.9	1805	68.5	66.0-71.0	552	21.9	19.5-24.3	10	0.5	00.1-00.9
White/Non-Hisp	2052	1,923,669	153	7.9	06.1-09.7	1454	70.4	67.9-72.9	440	21.5	19.1-23.9	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	338	431,791	24	6.8	03.9-09.7	230	67.7	61.4-74.0	81	24.4	18.5-30.3	3	1.1	00.0-02.5
Hispanic	69	139,382	7	14.7	03.1-26.3	51	62.1	42.3-81.9	10	22.5	01.1-43.9	1	0.7	00.0-02.1
18-24	164	293,030	18	14.6	07.0-22.2	112	60.3	49.1-71.5	34	25.1	13.7-36.5			
25-34	270	454,822	22	10.9	05.8-16.0	178	63.9	57.0-70.8	67	23.9	17.8-30.0	3	1.4	00.0-03.4
35-44	307	420,549	17	7.0	03.1-10.9	201	61.4	54.7-68.1	86	30.3	24.0-36.6	3	1.3	00.0-02.7
45-54	408	379,245	19	5.5	02.4-08.6	292	76.3	71.2-81.4	96	17.9	13.6-22.2	1	0.2	00.0-00.6
55-64	499	437,598	30	5.3	02.9-07.7	344	71.0	65.7-76.3	123	23.4	18.5-28.3	2	0.4	00.0-01.0
65+	921	666,009	96	11.3	08.2-14.4	678	73.7	69.8-77.6	146	15.0	12.1-17.9	1	0.0	00.0-00.0
Less Than H.S.	169	261,606	30	17.9	10.1-25.7	117	65.1	52.9-77.3	22	17.0	04.5-29.5			
H.S. or G.E.D.	741	837,427	66	9.8	06.5-13.1	539	70.1	65.6-74.6	133	19.4	15.5-23.3	3	0.7	00.0-01.7
Some Post-H.S.	789	853,222	67	8.8	06.1-11.5	538	66.9	62.6-71.2	182	23.9	20.0-27.8	2	0.4	00.0-01.0
College Graduate	867	696,965	39	5.2	02.8-07.6	609	69.8	65.9-73.7	214	24.3	20.8-27.8	5	0.7	00.1-01.3
Less than \$15,000	202	172,011	25	14.5	08.0-21.0	135	64.4	55.4-73.4	40	19.5	12.1-26.9	2	1.6	00.0-04.0
\$15,000- 24,999	281	263,672	33	11.8	06.7-16.9	193	68.1	61.0-75.2	55	20.2	14.1-26.3			
\$25,000- 34,999	298	303,426	26	9.3	05.0-13.6	215	71.4	64.5-78.3	55	18.7	12.8-24.6	2	0.6	00.0-01.6
\$35,000- 49,999	332	341,009	27	8.8	03.9-13.7	235	68.0	60.9-75.1	70	23.2	16.9-29.5			
\$50,000- 99,999	574	612,161	36	9.1	05.4-12.8	397	65.5	60.2-70.8	139	24.6	19.9-29.3	2	0.8	00.0-02.2
\$100,000 - 199,999	299	330,272	17	7.9	03.2-12.6	200	67.4	60.3-74.5	82	24.7	18.6-30.8			
\$200,000+	71	78,599	1	0.1	00.0-00.3	46	65.9	53.2-78.6	22	30.7	18.4-43.0	2	3.3	00.0-08.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS
TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWWT.														
	TOTAL	WEIGHTED	>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2368	2,475,126	234	11.2	09.4-13.0	1096	45.8	43.1-48.5	718	28.7	26.3-31.1	251	11.4	09.6-13.2	69	2.9	02.1-03.7
White/Non-Hisp	1864	1,761,246	168	9.8	08.0-11.6	856	45.5	42.6-48.4	586	30.6	27.9-33.3	199	11.2	09.2-13.2	55	2.8	02.0-03.6
Black or Afr. Am./Non-Hisp	234	313,377	35	16.8	10.3-23.3	108	44.3	36.1-52.5	55	19.6	13.3-25.9	28	15.3	09.0-21.6	8	4.0	00.5-07.5
Oth. Race/Non-Hisp.	62	89,992	5	6.7	00.8-12.6	43	67.0	52.7-81.3	8	10.0	01.6-18.4	6	16.3	03.6-29.0			
Hispanic	92	171,907	9	12.1	03.3-20.9	40	44.1	31.8-56.4	31	35.2	23.0-47.4	10	6.2	02.3-10.1	2	2.4	00.0-06.3
18-24	170	299,023	38	22.2	14.8-29.6	80	44.4	35.6-53.2	37	24.2	16.8-31.6	12	7.6	02.3-12.9	3	1.7	00.0-03.7
25-34	294	453,559	38	13.9	08.8-19.0	133	44.0	37.1-50.9	81	28.6	22.3-34.9	31	10.0	05.5-14.5	11	3.6	00.9-06.3
35-44	310	392,770	25	8.2	04.5-11.9	151	50.9	44.2-57.6	89	27.1	21.4-32.8	35	10.4	06.5-14.3	10	3.3	00.9-05.7
45-54	370	387,763	24	8.8	04.7-12.9	158	41.9	35.4-48.4	121	31.5	25.2-37.8	49	12.5	08.2-16.8	18	5.2	02.5-07.9
55-64	461	407,223	41	8.5	05.6-11.4	189	40.0	33.7-46.3	154	32.0	26.5-37.5	61	16.7	11.4-22.0	16	2.8	01.0-04.6
65+	763	534,788	68	9.0	06.5-11.5	385	51.4	46.5-56.3	236	28.2	24.1-32.3	63	10.5	07.2-13.8	11	0.9	00.3-01.5
Less Than H.S.	198	330,301	41	20.2	12.9-27.5	88	43.4	34.2-52.6	39	16.0	10.3-21.7	23	17.5	09.7-25.3	7	2.9	00.4-05.4
H.S. or G.E.D.	686	804,023	72	12.2	08.9-15.5	316	44.6	39.7-49.5	197	28.4	23.9-32.9	79	11.2	08.1-14.3	22	3.5	01.7-05.3
Some Post-H.S.	622	680,472	65	11.1	08.0-14.2	289	46.4	41.5-51.3	182	30.2	25.7-34.7	69	9.2	06.5-11.9	17	3.1	01.3-04.9
College Graduate	855	647,897	56	5.9	04.1-07.7	401	48.2	43.9-52.5	297	33.9	30.0-37.8	78	10.2	07.5-12.9	23	1.9	00.9-02.9
Less than \$15,000	138	132,365	20	16.8	08.2-25.4	65	46.4	35.6-57.2	31	21.7	12.7-30.7	18	13.0	05.7-20.3	4	2.1	00.0-04.5
\$15,000- 24,999	226	242,022	30	13.1	07.2-19.0	108	48.0	39.0-57.0	56	23.1	16.0-30.2	21	11.6	05.1-18.1	11	4.2	01.3-07.1
\$25,000- 34,999	235	260,341	30	12.6	07.3-17.9	115	51.4	43.2-59.6	59	20.6	14.5-26.7	25	13.4	06.9-19.9	6	2.1	00.3-03.9
\$35,000- 49,999	309	315,540	25	11.6	06.1-17.1	149	45.3	37.9-52.7	82	27.2	20.5-33.9	36	11.4	06.7-16.1	17	4.5	01.6-07.4
\$50,000- 99,999	603	631,545	50	10.2	06.7-13.7	266	44.3	39.0-49.6	206	32.8	27.7-37.9	68	10.7	07.2-14.2	13	2.1	00.7-03.5
\$100,000 - 199,999	403	429,414	23	5.7	03.0-08.4	180	44.9	38.6-51.2	153	36.6	30.5-42.7	39	9.4	05.7-13.1	8	3.3	00.6-06.0
\$200,000+	122	114,129	5	4.6	00.3-08.9	50	39.8	28.4-51.2	50	41.5	30.7-52.3	13	11.0	04.5-17.5	4	3.1	00.0-07.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2350	2,445,013	28	1.1	00.5-01.7	562	25.2	22.8-27.6	932	38.7	36.2-41.2	501	20.3	18.1-22.5	327	14.7	12.7-16.7	
White/Non-Hisp	1854	1,745,928	19	0.9	00.3-01.5	428	24.1	21.6-26.6	746	39.8	36.9-42.7	409	21.4	18.9-23.9	252	13.8	11.6-16.0	
Black or Afr. Am./Non-Hisp	233	312,905	5	1.0	00.0-02.0	67	30.9	23.1-38.7	82	34.4	26.4-42.4	39	13.7	08.4-19.0	40	20.0	13.1-26.9	
Oth. Race/Non-Hisp.	60	84,563				24	35.5	21.8-49.2	22	34.9	21.2-48.6	8	14.0	02.8-25.2	6	15.6	02.7-28.5	
Hispanic	91	167,825	1	1.3	00.0-03.8	18	19.2	09.6-28.8	33	36.7	24.5-48.9	23	27.2	15.4-39.0	16	15.5	07.3-23.7	
18-24	166	288,646	10	5.1	01.6-08.6	63	36.2	27.8-44.6	61	39.2	30.6-47.8	17	8.6	04.1-13.1	15	10.9	04.8-17.0	
25-34	294	453,559	4	0.5	00.0-01.1	105	33.1	26.6-39.6	90	33.0	26.3-39.7	58	21.0	15.1-26.9	37	12.3	07.4-17.2	
35-44	306	383,433	1	0.6	00.0-01.8	78	25.5	19.6-31.4	117	38.7	32.0-45.4	64	19.3	14.2-24.4	46	15.9	11.0-20.8	
45-54	365	382,269	3	0.6	00.0-01.4	54	15.8	10.9-20.7	149	39.1	32.8-45.4	93	27.3	21.0-33.6	66	17.2	12.5-21.9	
55-64	459	404,298	5	0.6	00.0-01.2	82	17.9	13.4-22.4	187	39.6	33.5-45.7	109	23.1	18.0-28.2	76	18.8	13.3-24.3	
65+	760	532,809	5	0.5	00.1-00.9	180	24.6	20.5-28.7	328	42.4	37.7-47.1	160	19.7	16.0-23.4	87	12.8	09.3-16.3	
Less Than H.S.	194	322,762	4	0.8	00.0-01.6	56	31.2	22.6-39.8	67	31.1	22.7-39.5	31	15.5	09.4-21.6	36	21.4	13.4-29.4	
H.S. or G.E.D.	680	794,505	10	1.5	00.3-02.7	160	25.2	21.1-29.3	239	33.9	29.4-38.4	169	24.5	20.2-28.8	102	15.0	11.7-18.3	
Some Post-H.S.	618	670,250	8	1.5	00.3-02.7	153	24.7	20.6-28.8	252	42.6	37.5-47.7	124	18.3	14.6-22.0	81	12.8	09.5-16.1	
College Graduate	852	646,090	6	0.4	00.0-00.8	193	23.2	19.7-26.7	373	45.0	40.7-49.3	175	19.8	16.5-23.1	105	11.7	09.0-14.4	
Less than \$15,000	137	130,072	3	1.8	00.0-04.0	38	28.7	18.3-39.1	49	36.3	26.1-46.5	28	21.4	12.6-30.2	19	11.8	05.1-18.5	
\$15,000- 24,999	224	237,469	5	1.2	00.0-02.4	65	29.0	21.2-36.8	70	31.4	22.6-40.2	45	17.7	11.6-23.8	39	20.7	13.1-28.3	
\$25,000- 34,999	233	259,428	2	0.5	00.0-01.3	67	31.8	23.8-39.8	84	33.6	26.0-41.2	48	20.6	13.7-27.5	32	13.5	07.8-19.2	
\$35,000- 49,999	309	315,540	5	1.6	00.0-03.6	65	24.2	17.5-30.9	128	39.1	32.0-46.2	64	21.0	14.7-27.3	47	14.1	09.2-19.0	
\$50,000- 99,999	601	629,778	2	0.7	00.0-01.7	139	23.6	19.1-28.1	228	38.5	33.2-43.8	142	22.1	17.4-26.8	90	15.1	11.2-19.0	
\$100,000 - 199,999	399	419,615	2	0.2	00.0-00.6	75	18.0	13.5-22.5	184	46.4	40.1-52.7	96	24.6	19.1-30.1	42	10.8	06.7-14.9	
\$200,000+	122	114,129				25	23.3	13.1-33.5	53	43.1	31.9-54.3	28	20.3	11.9-28.7	16	13.2	05.9-20.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2360	2,418,062	28	1.4	00.8-02.0	729	31.1	28.6-33.6	660	24.8	22.4-27.2	497	22.4	20.0-24.8	446	20.3	18.1-22.5
White/Non-Hisp	1888	1,759,829	23	1.3	00.7-01.9	618	32.7	30.0-35.4	542	25.4	22.9-27.9	369	21.0	18.5-23.5	336	19.7	17.3-22.1
Black or Afr. Am./Non-Hisp	310	389,815	3	1.3	00.0-03.1	54	15.1	10.2-20.0	72	21.8	16.3-27.3	96	30.8	24.5-37.1	85	30.9	24.2-37.6
Hispanic	60	116,728				18	47.5	26.9-68.1	20	26.1	11.6-40.6	11	16.9	05.1-28.7	11	9.5	02.4-16.6
18-24	152	268,153	3	2.4	00.0-05.3	74	52.3	41.3-63.3	34	16.6	09.9-23.3	17	13.1	06.2-20.0	24	15.6	08.7-22.5
25-34	237	394,274	2	1.8	00.0-04.3	74	30.0	23.1-36.9	37	13.1	08.4-17.8	56	26.7	20.0-33.4	68	28.4	21.5-35.3
35-44	287	388,348	3	1.1	00.0-02.3	71	23.6	17.7-29.5	76	27.7	21.4-34.0	66	24.2	18.3-30.1	71	23.4	17.7-29.1
45-54	377	348,464	1	0.1	00.0-00.3	102	30.2	23.7-36.7	88	20.3	15.2-25.4	94	23.7	18.2-29.2	92	25.6	19.7-31.5
55-64	457	398,022	3	1.2	00.0-02.8	123	24.0	19.1-28.9	140	33.5	27.6-39.4	91	19.8	15.1-24.5	100	21.5	16.4-26.6
65+	850	620,801	16	1.7	00.7-02.7	285	32.6	28.3-36.9	285	30.9	26.6-35.2	173	23.5	19.2-27.8	91	11.4	08.5-14.3
Less Than H.S.	155	242,110	2	2.3	00.0-05.4	43	29.8	17.1-42.5	43	23.4	14.2-32.6	34	24.1	14.3-33.9	33	20.4	12.0-28.8
H.S. or G.E.D.	677	765,184	9	2.3	00.5-04.1	188	29.7	25.0-34.4	178	21.7	18.0-25.4	161	24.9	20.6-29.2	141	21.5	17.6-25.4
Some Post-H.S.	724	765,333	8	0.5	00.1-00.9	208	27.9	23.6-32.2	193	25.1	21.0-29.2	172	25.2	21.1-29.3	143	21.2	17.3-25.1
College Graduate	801	643,402	8	0.8	00.0-01.6	288	37.2	32.9-41.5	246	28.7	24.6-32.8	130	15.6	12.5-18.7	129	17.8	14.3-21.3
Less than \$15,000	186	157,066	2	0.2	00.0-00.4	47	22.6	15.2-30.0	45	24.2	15.2-33.2	45	28.7	19.7-37.7	47	24.3	16.1-32.5
\$15,000- 24,999	262	243,216	3	0.6	00.0-01.4	61	24.4	17.3-31.5	69	23.2	16.9-29.5	59	24.2	17.5-30.9	70	27.6	20.5-34.7
\$25,000- 34,999	281	287,120	3	1.4	00.0-03.4	88	29.7	23.0-36.4	83	25.8	18.9-32.7	59	22.4	15.9-28.9	48	20.7	14.2-27.2
\$35,000- 49,999	316	319,949	4	0.7	00.0-01.5	86	29.7	22.3-37.1	88	24.1	18.0-30.2	70	23.1	17.0-29.2	68	22.4	16.1-28.7
\$50,000- 99,999	540	570,589	2	1.1	00.0-02.7	146	26.9	22.0-31.8	161	25.5	21.0-30.0	130	26.1	21.0-31.2	101	20.4	16.1-24.7
\$100,000 - 199,999	275	306,653	2	0.5	00.0-01.5	94	31.3	24.2-38.4	76	26.9	20.0-33.8	49	17.5	11.8-23.2	54	23.8	16.9-30.7
\$200,000+	64	73,203	1	1.5	00.0-04.4	29	51.3	37.6-65.0	16	24.6	11.7-37.5	9	12.3	03.9-20.7	9	10.2	03.3-17.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4710	4,863,075	71	1.7	01.1-02.3	1269	27.4	25.6-29.2	1595	31.9	30.1-33.7	1775	38.9	36.9-40.9
Male	2350	2,445,013	35	1.5	00.9-02.1	549	24.4	22.0-26.8	935	39.0	36.5-41.5	831	35.1	32.6-37.6
Female	2360	2,418,062	36	1.9	00.9-02.9	720	30.5	28.0-33.0	660	24.8	22.4-27.2	944	42.7	40.0-45.4
White/Non-Hisp	3742	3,505,757	52	1.4	00.8-02.0	1032	28.0	26.0-30.0	1291	32.6	30.6-34.6	1367	38.0	35.8-40.2
Black or Afr. Am./Non-Hisp	543	702,720	9	1.5	00.3-02.7	118	21.1	16.6-25.6	154	27.9	23.0-32.8	262	49.5	44.2-54.8
Oth. Race/Non-Hisp.	91	148,797	1	3.0	00.0-08.7	41	39.8	27.6-52.0	29	35.6	23.3-47.9	20	21.6	11.2-32.0
MultiRacial/Non-Hisp.	87	123,624	4	5.3	00.0-11.2	21	34.3	20.0-48.6	35	30.9	19.1-42.7	27	29.4	17.1-41.7
Hispanic	151	284,553	3	3.7	00.0-08.4	34	27.9	16.1-39.7	53	32.4	22.8-42.0	61	36.0	26.0-46.0
18-24	318	556,798	17	6.1	02.6-09.6	132	41.5	34.2-48.8	96	28.4	22.5-34.3	73	24.0	18.3-29.7
25-34	531	847,833	8	1.5	00.1-02.9	175	30.9	26.2-35.6	129	24.1	19.8-28.4	219	43.5	38.4-48.6
35-44	593	771,781	4	0.8	00.0-01.6	148	24.2	20.1-28.3	194	33.5	28.8-38.2	247	41.4	36.7-46.1
45-54	742	730,733	5	0.5	00.1-00.9	155	22.6	18.5-26.7	236	29.7	25.6-33.8	346	47.2	42.5-51.9
55-64	916	802,320	9	1.0	00.2-01.8	203	20.3	17.0-23.6	326	36.9	32.6-41.2	378	41.8	37.5-46.1
65+	1610	1,153,610	28	1.6	00.8-02.4	456	28.2	25.3-31.1	614	36.3	33.2-39.4	512	33.8	30.5-37.1
Less Than H.S.	349	564,872	9	1.9	00.3-03.5	95	29.9	22.5-37.3	110	27.4	21.1-33.7	135	40.7	33.6-47.8
H.S. or G.E.D.	1357	1,559,688	23	2.7	01.3-04.1	343	26.4	23.3-29.5	417	28.0	24.9-31.1	574	42.9	39.4-46.4
Some Post-H.S.	1342	1,435,583	21	1.3	00.7-01.9	354	26.0	23.1-28.9	446	33.5	30.2-36.8	521	39.3	36.0-42.6
College Graduate	1653	1,289,492	17	0.9	00.3-01.5	475	29.4	26.7-32.1	621	37.2	34.3-40.1	540	32.5	29.6-35.4
Less than \$15,000	323	287,138	7	1.8	00.0-03.6	83	24.5	18.4-30.6	94	29.6	22.9-36.3	139	44.1	36.8-51.4
\$15,000-24,999	486	480,685	11	1.7	00.5-02.9	122	25.5	20.4-30.6	140	27.5	22.0-33.0	213	45.2	39.3-51.1
\$25,000-34,999	514	546,548	7	1.4	00.2-02.6	153	30.3	25.0-35.6	164	29.2	24.1-34.3	190	39.1	33.6-44.6
\$35,000-49,999	625	635,489	9	1.1	00.0-02.3	151	27.0	21.9-32.1	216	31.6	26.9-36.3	249	40.3	35.2-45.4
\$50,000-99,999	1141	1,200,367	9	1.7	00.3-03.1	278	24.1	20.8-27.4	391	32.6	29.1-36.1	463	41.7	37.8-45.6
\$100,000-199,999	674	726,267	5	0.8	00.0-01.8	167	23.1	19.2-27.0	261	38.2	33.5-42.9	241	37.9	33.0-42.8
\$200,000+	186	187,332	1	0.6	00.0-01.8	52	30.8	22.4-39.2	71	39.4	30.4-48.4	62	29.2	21.6-36.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2350	2,445,013	35	1.5	00.9-02.1	549	24.4	22.0-26.8	935	39.0	36.5-41.5	831	35.1	32.6-37.6
White/Non-Hisp	1854	1,745,928	23	1.2	00.6-01.8	420	23.5	21.0-26.0	749	39.9	37.0-42.8	662	35.4	32.5-38.3
Black or Afr. Am./Non-Hisp	233	312,905	6	1.8	00.0-03.6	65	28.9	21.1-36.7	82	35.6	27.4-43.8	80	33.7	25.9-41.5
Oth. Race/Non-Hisp.	60	84,563				23	33.3	20.0-46.6	23	37.1	23.2-51.0	14	29.6	14.7-44.5
Hispanic	91	167,825	2	2.4	00.0-05.7	17	18.2	08.8-27.6	33	36.7	24.5-48.9	39	42.7	30.2-55.2
18-24	166	288,646	13	7.3	02.8-11.8	59	33.7	25.5-41.9	62	39.5	30.9-48.1	32	19.5	12.4-26.6
25-34	294	453,559	5	0.9	00.0-01.9	102	32.1	25.6-38.6	92	33.7	27.0-40.4	95	33.3	26.6-40.0
35-44	306	383,433	1	0.6	00.0-01.8	77	24.8	18.9-30.7	118	39.4	32.7-46.1	110	35.2	28.9-41.5
45-54	365	382,269	3	0.6	00.0-01.4	54	15.8	10.9-20.7	148	38.2	31.9-44.5	160	45.4	38.7-52.1
55-64	459	404,298	6	0.8	00.0-01.6	80	16.8	12.5-21.1	187	40.6	34.3-46.9	186	41.9	35.6-48.2
65+	760	532,809	7	0.6	00.0-01.2	177	24.4	20.3-28.5	328	42.4	37.7-47.1	248	32.6	28.1-37.1
Less Than H.S.	194	322,762	5	0.9	00.0-01.9	55	31.1	22.5-39.7	66	30.0	21.8-38.2	68	38.0	29.0-47.0
H.S. or G.E.D.	680	794,505	13	2.3	00.7-03.9	156	24.0	19.9-28.1	239	34.1	29.4-38.8	272	39.5	34.6-44.4
Some Post-H.S.	618	670,250	9	1.6	00.4-02.8	150	24.3	20.2-28.4	253	42.9	37.8-48.0	206	31.2	26.7-35.7
College Graduate	852	646,090	8	0.7	00.1-01.3	188	21.9	18.6-25.2	376	45.9	41.6-50.2	280	31.5	27.6-35.4
Less than \$15,000	137	130,072	5	3.7	00.0-07.6	36	26.8	16.6-37.0	49	36.3	26.1-46.5	47	33.3	23.1-43.5
\$15,000- 24,999	224	237,469	7	2.3	00.3-04.3	63	27.8	20.2-35.4	70	31.4	22.6-40.2	84	38.4	29.8-47.0
\$25,000- 34,999	233	259,428	3	0.8	00.0-01.8	66	31.5	23.5-39.5	82	33.4	25.8-41.0	82	34.3	26.3-42.3
\$35,000- 49,999	309	315,540	5	1.6	00.0-03.6	65	24.2	17.5-30.9	128	39.1	32.0-46.2	111	35.1	28.0-42.2
\$50,000- 99,999	601	629,778	3	0.8	00.0-01.8	136	23.0	18.7-27.3	230	39.0	33.7-44.3	232	37.3	32.0-42.6
\$100,000 - 199,999	399	419,615	3	1.0	00.0-02.6	73	17.1	12.8-21.4	185	46.5	40.2-52.8	138	35.4	29.3-41.5
\$200,000+	122	114,129				23	17.6	09.6-25.6	55	48.8	37.6-60.0	44	33.5	23.3-43.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2360	2,418,062	36	1.9	01.1-02.7	720	30.5	28.0-33.0	660	24.8	22.4-27.2	944	42.7	40.0-45.4
White/Non-Hisp	1888	1,759,829	29	1.6	00.8-02.4	612	32.4	29.7-35.1	542	25.4	22.9-27.9	705	40.6	37.7-43.5
Black or Afr. Am./Non-Hisp	310	389,815	3	1.3	00.0-03.1	53	14.8	09.9-19.7	72	21.8	16.3-27.3	182	62.1	55.4-68.8
Hispanic	60	116,728	1	5.5	00.0-16.1	17	41.9	20.3-63.5	20	26.1	11.6-40.6	22	26.4	12.3-40.5
18-24	152	268,153	4	4.8	00.0-10.3	73	49.9	38.7-61.1	34	16.6	09.9-23.3	41	28.7	19.5-37.9
25-34	237	394,274	3	2.2	00.0-04.9	73	29.5	22.6-36.4	37	13.1	08.4-17.8	124	55.2	47.8-62.6
35-44	287	388,348	3	1.1	00.0-02.3	71	23.6	17.7-29.5	76	27.7	21.4-34.0	137	47.6	40.7-54.5
45-54	377	348,464	2	0.3	00.0-00.7	101	30.1	23.6-36.6	88	20.3	15.2-25.4	186	49.3	42.6-56.0
55-64	457	398,022	3	1.2	00.0-02.8	123	24.0	19.1-28.9	139	33.2	27.3-39.1	192	41.6	35.7-47.5
65+	850	620,801	21	2.5	01.1-03.9	279	31.5	27.2-35.8	286	31.1	26.8-35.4	264	34.9	30.2-39.6
Less Than H.S.	155	242,110	4	3.2	00.0-06.7	40	28.3	15.4-41.2	44	24.0	14.8-33.2	67	44.4	32.6-56.2
H.S. or G.E.D.	677	765,184	10	3.1	00.7-05.5	187	28.8	24.1-33.5	178	21.7	18.0-25.4	302	46.4	41.5-51.3
Some Post-H.S.	724	765,333	12	1.0	00.4-01.6	204	27.5	23.2-31.8	193	25.1	21.0-29.2	315	46.4	41.7-51.1
College Graduate	801	643,402	9	1.0	00.2-01.8	287	37.0	32.7-41.3	245	28.5	24.4-32.6	260	33.5	29.2-37.8
Less than \$15,000	186	157,066	2	0.2	00.0-00.4	47	22.6	15.2-30.0	45	24.2	15.2-33.2	92	53.0	43.2-62.8
\$15,000- 24,999	262	243,216	4	1.2	00.0-02.6	59	23.2	16.1-30.3	70	23.8	17.5-30.1	129	51.8	44.0-59.6
\$25,000- 34,999	281	287,120	4	2.0	00.0-04.2	87	29.2	22.5-35.9	82	25.3	18.4-32.2	108	43.5	35.9-51.1
\$35,000- 49,999	316	319,949	4	0.7	00.0-01.5	86	29.7	22.3-37.1	88	24.1	18.0-30.2	138	45.5	38.1-52.9
\$50,000- 99,999	540	570,589	6	2.7	00.0-05.4	142	25.4	20.7-30.1	161	25.5	21.0-30.0	231	46.5	41.0-52.0
\$100,000 - 199,999	275	306,653	2	0.5	00.0-01.5	94	31.3	24.2-38.4	76	26.9	20.0-33.8	103	41.3	33.7-48.9
\$200,000+	64	73,203	1	1.5	00.0-04.4	29	51.3	37.6-65.0	16	24.6	11.7-37.5	18	22.5	12.1-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4710	4,863,075	1340	29.1	27.3-30.9	3370	70.9	69.1-72.7
Male	2350	2,445,013	584	25.8	23.4-28.2	1766	74.2	71.8-76.6
Female	2360	2,418,062	756	32.5	30.0-35.0	1604	67.5	65.0-70.0
White/Non-Hisp	3742	3,505,757	1084	29.4	27.4-31.4	2658	70.6	68.6-72.6
Black or Afr. Am./Non-Hisp	543	702,720	127	22.6	18.1-27.1	416	77.4	72.9-81.9
Oth. Race/Non-Hisp.	91	148,797	42	42.8	30.3-55.3	49	57.2	44.7-69.7
MultiRacial/Non-Hisp.	87	123,624	25	39.7	25.4-54.0	62	60.3	46.0-74.6
Hispanic	151	284,553	37	31.6	19.8-43.4	114	68.4	56.6-80.2
18-24	318	556,798	149	47.6	40.5-54.7	169	52.4	45.3-59.5
25-34	531	847,833	183	32.4	27.7-37.1	348	67.6	62.9-72.3
35-44	593	771,781	152	25.1	21.0-29.2	441	74.9	70.8-79.0
45-54	742	730,733	160	23.1	19.0-27.2	582	76.9	72.8-81.0
55-64	916	802,320	212	21.3	18.0-24.6	704	78.7	75.4-82.0
65+	1610	1,153,610	484	29.8	26.7-32.9	1126	70.2	67.1-73.3
Less Than H.S.	349	564,872	104	31.8	24.4-39.2	245	68.2	60.8-75.6
H.S. or G.E.D.	1357	1,559,688	366	29.1	25.8-32.4	991	70.9	67.6-74.2
Some Post-H.S.	1342	1,435,583	375	27.2	24.3-30.1	967	72.8	69.9-75.7
College Graduate	1653	1,289,492	492	30.3	27.6-33.0	1161	69.7	67.0-72.4
Less than \$15,000	323	287,138	90	26.3	20.0-32.6	233	73.7	67.4-80.0
\$15,000-24,999	486	480,685	133	27.2	21.9-32.5	353	72.8	67.5-78.1
\$25,000-34,999	514	546,548	160	31.7	26.4-37.0	354	68.3	63.0-73.6
\$35,000-49,999	625	635,489	160	28.1	23.0-33.2	465	71.9	66.8-77.0
\$50,000-99,999	1141	1,200,367	287	25.8	22.5-29.1	854	74.2	70.9-77.5
\$100,000-199,999	674	726,267	172	23.9	19.8-28.0	502	76.1	72.0-80.2
\$200,000+	186	187,332	53	31.4	23.0-39.8	133	68.6	60.2-77.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2350	2,445,013	584	25.8	23.4-28.2	1766	74.2	71.8-76.6
White/Non-Hisp	1854	1,745,928	443	24.7	22.2-27.2	1411	75.3	72.8-77.8
Black or Afr. Am./Non-Hisp	233	312,905	71	30.7	22.9-38.5	162	69.3	61.5-77.1
Oth. Race/Non-Hisp.	60	84,563	23	33.3	20.0-46.6	37	66.7	53.4-80.0
Hispanic	91	167,825	19	20.6	10.8-30.4	72	79.4	69.6-89.2
18-24	166	288,646	72	41.0	32.4-49.6	94	59.0	50.4-67.6
25-34	294	453,559	107	33.0	26.5-39.5	187	67.0	60.5-73.5
35-44	306	383,433	78	25.4	19.5-31.3	228	74.6	68.7-80.5
45-54	365	382,269	57	16.4	11.5-21.3	308	83.6	78.7-88.5
55-64	459	404,298	86	17.5	13.2-21.8	373	82.5	78.2-86.8
65+	760	532,809	184	25.0	20.7-29.3	576	75.0	70.7-79.3
Less Than H.S.	194	322,762	60	32.0	23.4-40.6	134	68.0	59.4-76.6
H.S. or G.E.D.	680	794,505	169	26.3	22.2-30.4	511	73.7	69.6-77.8
Some Post-H.S.	618	670,250	159	25.9	21.6-30.2	459	74.1	69.8-78.4
College Graduate	852	646,090	196	22.6	19.3-25.9	656	77.4	74.1-80.7
Less than \$15,000	137	130,072	41	30.5	20.1-40.9	96	69.5	59.1-79.9
\$15,000- 24,999	224	237,469	70	30.2	22.4-38.0	154	69.8	62.0-77.6
\$25,000- 34,999	233	259,428	69	32.3	24.3-40.3	164	67.7	59.7-75.7
\$35,000- 49,999	309	315,540	70	25.8	19.1-32.5	239	74.2	67.5-80.9
\$50,000- 99,999	601	629,778	139	23.7	19.2-28.2	462	76.3	71.8-80.8
\$100,000 - 199,999	399	419,615	76	18.1	13.6-22.6	323	81.9	77.4-86.4
\$200,000+	122	114,129	23	17.6	09.6-25.6	99	82.4	74.4-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2360	2,418,062	756	32.5	30.0-35.0	1604	67.5	65.0-70.0
White/Non-Hisp	1888	1,759,829	641	34.0	31.3-36.7	1247	66.0	63.3-68.7
Black or Afr. Am./Non-Hisp	310	389,815	56	16.1	11.0-21.2	254	83.9	78.8-89.0
Hispanic	60	116,728	18	47.5	26.9-68.1	42	52.5	31.9-73.1
18-24	152	268,153	77	54.7	43.9-65.5	75	45.3	34.5-56.1
25-34	237	394,274	76	31.7	24.6-38.8	161	68.3	61.2-75.4
35-44	287	388,348	74	24.7	18.8-30.6	213	75.3	69.4-81.2
45-54	377	348,464	103	30.4	23.9-36.9	274	69.6	63.1-76.1
55-64	457	398,022	126	25.2	20.1-30.3	331	74.8	69.7-79.9
65+	850	620,801	300	34.0	29.7-38.3	550	66.0	61.7-70.3
Less Than H.S.	155	242,110	44	31.5	18.8-44.2	111	68.5	55.8-81.2
H.S. or G.E.D.	677	765,184	197	32.0	27.1-36.9	480	68.0	63.1-72.9
Some Post-H.S.	724	765,333	216	28.4	24.1-32.7	508	71.6	67.3-75.9
College Graduate	801	643,402	296	38.0	33.7-42.3	505	62.0	57.7-66.3
Less than \$15,000	186	157,066	49	22.8	15.4-30.2	137	77.2	69.8-84.6
\$15,000- 24,999	262	243,216	63	24.4	17.3-31.5	199	75.6	68.5-82.7
\$25,000- 34,999	281	287,120	91	31.2	24.3-38.1	190	68.8	61.9-75.7
\$35,000- 49,999	316	319,949	90	30.4	23.0-37.8	226	69.6	62.2-77.0
\$50,000- 99,999	540	570,589	148	28.0	22.9-33.1	392	72.0	66.9-77.1
\$100,000 - 199,999	275	306,653	96	31.8	24.7-38.9	179	68.2	61.1-75.3
\$200,000+	64	73,203	30	52.9	39.2-66.6	34	47.1	33.4-60.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5122	5,334,380	3709	65.7	63.9-67.5	670	15.1	13.7-16.5	451	11.6	10.2-13.0	176	4.1	03.3-04.9	78	2.0	01.4-02.6	38	1.4	00.8-02.0
Male	2451	2,571,126	1822	68.1	65.6-70.6	301	14.3	12.5-16.1	201	10.4	08.6-12.2	77	3.8	02.8-04.8	30	1.8	01.0-02.6	20	1.7	00.9-02.5
Female	2671	2,763,254	1887	63.5	61.0-66.0	369	15.9	13.9-17.9	250	12.8	11.0-14.6	99	4.4	03.2-05.6	48	2.2	01.4-03.0	18	1.2	00.4-02.0
White/Non-Hisp	4037	3,806,717	3016	68.7	66.7-70.7	502	14.3	12.7-15.9	330	11.1	09.7-12.5	115	3.4	02.6-04.2	54	1.8	01.2-02.4	20	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	599	780,482	384	58.4	53.3-63.5	94	17.1	13.0-21.2	69	13.4	09.7-17.1	32	6.3	03.8-08.8	12	2.6	00.8-04.4	8	2.3	00.5-04.1
Oth. Race/Non-Hisp.	108	178,733	68	63.4	52.2-74.6	12	9.6	04.1-15.1	15	17.0	07.4-26.6	8	6.3	01.2-11.4	2	0.7	00.0-01.7	3	3.0	00.0-07.1
MultiRacial/Non-Hisp.	92	131,049	65	66.2	53.9-78.5	13	15.3	06.7-23.9	7	7.3	00.6-14.0	4	3.8	00.0-07.7	1	2.1	00.0-06.2	2	5.4	00.0-12.8
Hispanic	170	318,781	93	50.1	40.9-59.3	34	23.0	15.2-30.8	22	13.1	07.0-19.2	9	5.5	01.2-09.8	7	3.3	00.6-06.0	5	5.0	00.3-09.7
18-24	343	594,534	228	63.6	57.3-69.9	67	20.4	15.1-25.7	26	10.0	05.9-14.1	17	3.9	01.5-06.3	3	0.9	00.0-02.1	2	1.0	00.0-02.6
25-34	580	926,523	293	45.6	40.7-50.5	103	17.5	13.8-21.2	117	23.8	19.3-28.3	41	6.3	03.9-08.7	12	3.0	00.8-05.2	14	3.8	01.6-06.0
35-44	638	848,971	221	33.2	28.9-37.5	158	25.5	21.4-29.6	146	22.4	18.5-26.3	71	11.6	08.5-14.7	32	5.5	03.3-07.7	10	1.8	00.4-03.2
45-54	813	818,397	477	60.9	56.6-65.2	188	21.6	17.9-25.3	96	11.0	08.5-13.5	30	3.2	01.8-04.6	15	1.8	00.4-03.2	7	1.4	00.0-02.8
55-64	998	882,136	861	86.2	83.3-89.1	84	9.0	06.5-11.5	35	3.4	02.0-04.8	8	0.7	00.1-01.3	8	0.6	00.0-01.2	2	0.0	00.0-00.0
65+	1750	1,263,819	1629	92.1	90.1-94.1	70	3.9	02.7-05.1	31	2.4	01.0-03.8	9	0.5	00.0-01.1	8	0.4	00.0-00.8	3	0.7	00.0-01.7
Less Than H.S.	393	621,650	294	66.9	60.4-73.4	37	11.6	07.1-16.1	34	11.1	06.8-15.4	9	1.9	00.3-03.5	11	3.7	01.0-06.4	8	4.9	01.6-08.2
H.S. or G.E.D.	1477	1,714,961	1092	66.5	63.2-69.8	194	15.2	12.7-17.7	118	11.8	09.4-14.2	42	3.3	02.1-04.5	19	1.8	00.8-02.8	12	1.4	00.6-02.2
Some Post-H.S.	1449	1,570,960	1046	66.0	62.7-69.3	198	16.2	13.7-18.7	115	10.1	07.9-12.3	63	5.5	03.9-07.1	21	1.7	00.7-02.7	6	0.6	00.0-01.2
College Graduate	1789	1,406,103	1266	64.0	61.1-66.9	240	15.4	13.2-17.6	184	13.6	11.4-15.8	61	4.4	03.0-05.8	27	1.8	01.0-02.6	11	0.7	00.1-01.3
Less than \$15,000	353	320,573	286	77.0	70.9-83.1	33	11.6	06.9-16.3	19	6.5	03.2-09.8	10	2.6	00.8-04.4	4	2.3	00.0-05.2	1	0.0	00.0-00.0
\$15,000-24,999	517	517,590	385	68.6	62.9-74.3	68	15.3	10.8-19.8	42	10.0	06.5-13.5	13	2.8	01.0-04.6	4	0.6	00.0-01.4	5	2.6	00.1-05.1
\$25,000-34,999	547	583,431	394	62.1	56.6-67.6	67	14.0	10.3-17.7	42	11.4	07.5-15.3	23	5.0	02.5-07.5	11	3.0	00.8-05.2	10	4.5	01.6-07.4
\$35,000-49,999	655	670,657	495	70.8	65.7-75.9	81	11.6	08.3-14.9	48	10.0	06.5-13.5	15	3.4	01.2-05.6	12	3.5	01.0-06.0	4	0.7	00.0-01.5
\$50,000-99,999	1190	1,264,192	827	64.0	60.3-67.7	173	15.6	12.9-18.3	118	12.5	09.8-15.2	46	5.2	03.2-07.2	19	1.8	00.8-02.8	7	0.9	00.1-01.7
\$100,000-199,999	711	768,654	453	56.7	52.0-61.4	118	18.6	14.9-22.3	89	17.2	13.1-21.3	29	4.1	02.3-05.9	16	2.3	00.9-03.7	6	1.1	00.1-02.1
\$200,000+	198	198,844	119	50.8	42.2-59.4	30	21.7	13.7-29.7	32	18.6	11.9-25.3	12	6.9	03.0-10.8	4	1.7	00.0-03.7	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2451	2,571,126	1822	68.1	65.6-70.6	301	14.3	12.5-16.1	201	10.4	08.6-12.2	77	3.8	02.8-04.8	30	1.8	01.0-02.6	20	1.7	00.9-02.5
White/Non-Hisp	1920	1,817,297	1455	69.9	67.0-72.8	231	14.1	11.9-16.3	150	10.2	08.2-12.2	57	3.8	02.6-05.0	19	1.5	00.5-02.5	8	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	243	322,475	174	64.6	56.4-72.8	28	11.6	06.7-16.5	24	11.6	05.7-17.5	8	4.7	00.8-08.6	3	2.3	00.0-05.4	6	5.1	00.8-09.4
Oth. Race/Non-Hisp.	71	104,968	43	61.6	48.7-74.5	10	12.7	04.9-20.5	9	14.0	04.4-23.6	5	5.7	00.2-11.2	2	1.1	00.0-02.9	2	4.9	00.0-11.8
MultiRacial/Non-Hisp.	51	71,271	38	67.1	50.0-84.2	7	13.7	03.1-24.3	3	7.5	00.0-17.9	1	1.4	00.0-04.1	1	4.0	00.0-11.6	1	6.4	00.0-18.4
Hispanic	96	181,828	59	60.4	48.6-72.2	18	22.3	12.3-32.3	9	9.3	02.2-16.4	3	1.7	00.0-03.7	4	2.3	00.0-04.8	3	4.0	00.0-08.9
18-24	178	312,787	127	71.6	63.8-79.4	28	13.9	08.2-19.6	13	9.4	04.1-14.7	8	3.4	00.3-06.5	1	0.3	00.0-00.9	1	1.5	00.0-04.2
25-34	299	458,669	177	55.3	48.2-62.4	48	14.2	09.9-18.5	49	18.2	12.3-24.1	15	5.4	02.1-08.7	3	2.4	00.0-05.5	7	4.5	01.2-07.8
35-44	321	413,139	129	36.9	30.6-43.2	77	28.5	22.4-34.6	59	17.1	12.2-22.0	35	9.9	06.0-13.8	13	4.9	02.0-07.8	8	2.6	00.4-04.8
45-54	384	405,136	233	61.4	55.1-67.7	77	19.6	14.5-24.7	51	12.6	08.7-16.5	11	2.7	00.9-04.5	9	2.7	00.2-05.2	3	0.9	00.0-02.1
55-64	478	420,369	422	85.9	81.2-90.6	34	8.4	04.3-12.5	15	4.0	01.5-06.5	5	1.3	00.0-02.7	2	0.3	00.0-00.9			
65+	791	561,025	734	91.1	88.0-94.2	37	4.4	02.6-06.2	14	3.0	00.6-05.4	3	0.8	00.0-01.8	2	0.2	00.0-00.4	1	0.5	00.0-01.5
Less Than H.S.	208	346,382	163	68.8	60.0-77.6	17	10.3	04.4-16.2	13	9.1	03.4-14.8	3	1.4	00.0-03.2	7	5.2	00.5-09.9	5	5.2	00.7-09.7
H.S. or G.E.D.	709	838,078	548	70.1	65.4-74.8	85	13.9	10.6-17.2	50	10.5	07.2-13.8	16	2.7	01.1-04.3	5	1.3	00.0-02.7	5	1.5	00.1-02.9
Some Post-H.S.	640	693,339	465	67.5	62.8-72.2	90	16.6	12.9-20.3	46	9.0	05.9-12.1	27	4.9	02.7-07.1	9	1.4	00.4-02.4	3	0.6	00.0-01.4
College Graduate	884	676,544	639	66.4	62.5-70.3	108	14.4	11.5-17.3	92	12.6	09.7-15.5	30	4.9	02.7-07.1	9	1.0	00.2-01.8	6	0.7	00.1-01.3
Less than \$15,000	143	138,834	129	86.9	78.7-95.1	8	5.4	00.9-09.9	4	3.3	00.0-07.0	1	1.1	00.0-03.3	1	3.3	00.0-09.6			
\$15,000- 24,999	232	246,742	192	73.9	65.3-82.5	23	14.3	07.0-21.6	11	5.9	02.0-09.8	2	1.5	00.0-03.5	1	0.2	00.0-00.6	3	4.2	00.0-09.1
\$25,000- 34,999	241	272,761	184	67.1	58.9-75.3	21	10.4	05.5-15.3	14	9.6	03.7-15.5	13	5.7	02.0-09.4	4	2.2	00.0-04.7	5	5.0	00.5-09.5
\$35,000- 49,999	314	320,969	247	73.4	66.1-80.7	37	13.3	07.8-18.8	18	5.8	02.7-08.9	4	1.9	00.0-04.3	8	5.6	00.7-10.5			
\$50,000- 99,999	609	640,336	434	65.0	59.7-70.3	82	16.5	12.6-20.4	57	10.8	07.3-14.3	25	5.5	02.8-08.2	6	0.9	00.0-01.9	5	1.3	00.0-02.7
\$100,000 - 199,999	407	434,859	255	57.0	50.7-63.3	69	18.1	13.4-22.8	57	18.7	13.2-24.2	15	3.8	01.6-06.0	7	1.6	00.2-03.0	4	0.9	00.0-01.9
\$200,000+	125	118,522	77	54.8	43.8-65.8	20	19.7	10.7-28.7	18	16.4	08.4-24.4	9	8.6	02.9-14.3				1	0.5	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2671	2,763,254	1887	63.5	61.0-66.0	369	15.9	13.9-17.9	250	12.8	11.0-14.6	99	4.4	03.2-05.6	48	2.2	01.4-03.0	18	1.2	00.4-02.0
White/Non-Hisp	2117	1,989,419	1561	67.6	64.9-70.3	271	14.4	12.4-16.4	180	12.0	09.8-14.2	58	2.9	01.9-03.9	35	2.0	01.2-02.8	12	1.1	00.3-01.9
Black or Afr. Am./Non-Hisp	356	458,008	210	54.0	47.3-60.7	66	21.0	15.1-26.9	45	14.7	10.0-19.4	24	7.4	03.9-10.9	9	2.8	00.6-05.0	2	0.2	00.0-00.6
Hispanic	74	136,953	34	36.5	23.8-49.2	16	23.9	11.2-36.6	13	18.2	07.6-28.8	6	10.4	01.0-19.8	3	4.6	00.0-09.7	2	6.4	00.0-15.0
18-24	165	281,746	101	54.9	45.7-64.1	39	27.7	19.1-36.3	13	10.8	04.7-16.9	9	4.5	00.8-08.2	2	1.6	00.0-04.0	1	0.6	00.0-01.8
25-34	281	467,855	116	36.0	29.5-42.5	55	20.8	14.9-26.7	68	29.3	22.6-36.0	26	7.1	04.0-10.2	9	3.6	00.9-06.3	7	3.1	00.6-05.6
35-44	317	435,831	92	29.7	23.6-35.8	81	22.6	17.3-27.9	87	27.5	21.6-33.4	36	13.2	08.5-17.9	19	6.0	03.1-08.9	2	0.9	00.0-02.7
45-54	429	413,261	244	60.4	54.5-66.3	111	23.5	18.4-28.6	45	9.5	06.4-12.6	19	3.7	01.7-05.7	6	1.0	00.0-02.0	4	1.9	00.0-04.3
55-64	520	461,766	439	86.5	83.0-90.0	50	9.5	06.2-12.8	20	2.9	01.3-04.5	3	0.2	00.0-00.4	6	0.9	00.1-01.7	2	0.1	00.1-00.1
65+	959	702,794	895	92.9	90.4-95.4	33	3.5	01.9-05.1	17	1.9	00.3-03.5	6	0.2	00.0-00.4	6	0.7	00.0-01.5	2	0.8	00.0-02.2
Less Than H.S.	185	275,268	131	64.5	55.3-73.7	20	13.2	06.5-19.9	21	13.7	06.8-20.6	6	2.4	00.0-05.1	4	1.7	00.0-03.7	3	4.5	00.0-09.4
H.S. or G.E.D.	768	876,883	544	63.1	58.4-67.8	109	16.4	12.7-20.1	68	13.0	09.5-16.5	26	3.9	01.9-05.9	14	2.3	00.9-03.7	7	1.3	00.3-02.3
Some Post-H.S.	809	877,621	581	64.8	60.3-69.3	108	15.9	12.4-19.4	69	10.8	07.9-13.7	36	5.9	03.5-08.3	12	1.9	00.5-03.3	3	0.6	00.0-01.4
College Graduate	905	729,560	627	61.8	57.7-65.9	132	16.4	13.3-19.5	92	14.6	11.3-17.9	31	3.9	02.3-05.5	18	2.6	01.0-04.2	5	0.7	00.0-01.7
Less than \$15,000	210	181,739	157	69.4	61.0-77.8	25	16.3	09.0-23.6	15	9.0	04.1-13.9	9	3.7	01.0-06.4	3	1.6	00.0-03.6	1	0.0	00.0-00.0
\$15,000- 24,999	285	270,848	193	63.8	56.4-71.2	45	16.3	10.4-22.2	31	13.7	08.2-19.2	11	3.9	01.2-06.6	3	1.1	00.0-02.5	2	1.2	00.0-03.4
\$25,000- 34,999	306	310,670	210	57.6	50.2-65.0	46	17.2	11.7-22.7	28	13.0	07.7-18.3	10	4.3	01.0-07.6	7	3.8	00.5-07.1	5	4.2	00.5-07.9
\$35,000- 49,999	341	349,688	248	68.5	61.4-75.6	44	10.1	06.2-14.0	30	13.9	08.0-19.8	11	4.7	01.2-08.2	4	1.6	00.0-03.2	4	1.3	00.0-02.9
\$50,000- 99,999	581	623,856	393	62.9	57.6-68.2	91	14.7	11.0-18.4	61	14.3	10.2-18.4	21	4.9	02.2-07.6	13	2.8	00.8-04.8	2	0.4	00.0-01.2
\$100,000 - 199,999	304	333,795	198	56.4	49.0-63.8	49	19.1	13.0-25.2	32	15.2	09.1-21.3	14	4.6	01.9-07.3	9	3.3	00.8-05.8	2	1.3	00.0-03.5
\$200,000+	73	80,322	42	44.9	32.0-57.8	10	24.6	12.4-36.8	14	21.9	10.5-33.3	3	4.3	00.0-09.4	4	4.3	00.0-09.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5241	5,487,419	402	11.9	10.5-13.3	1512	32.3	30.5-34.1	1482	29.3	27.7-30.9	1845	26.5	25.1-27.9
Male	2510	2,639,942	214	13.4	11.2-15.6	729	33.1	30.6-35.6	656	27.1	24.7-29.5	911	26.3	24.3-28.3
Female	2731	2,847,476	188	10.4	08.4-12.4	783	31.6	29.2-34.0	826	31.4	29.0-33.8	934	26.6	24.6-28.6
White/Non-Hisp	4114	3,890,159	285	10.7	09.1-12.3	1200	32.8	30.8-34.8	1160	29.7	27.9-31.5	1469	26.8	25.2-28.4
Black or Afr. Am./Non-Hisp	623	807,348	47	8.9	05.8-12.0	178	32.1	27.2-37.0	190	32.5	27.6-37.4	208	26.5	22.4-30.6
Oth. Race/Non-Hisp.	110	180,463	16	18.5	08.9-28.1	22	25.0	14.2-35.8	21	19.9	10.9-28.9	51	36.6	26.0-47.2
MultiRacial/Non-Hisp.	96	138,483	14	19.9	08.5-31.3	31	38.2	25.1-51.3	30	28.9	17.7-40.1	21	12.9	06.2-19.6
Hispanic	174	345,429	23	22.0	11.6-32.4	46	31.5	22.3-40.7	46	23.1	15.5-30.7	59	23.4	16.7-30.1
18-24	356	626,162	12	8.2	02.3-14.1	152	45.8	39.3-52.3	128	33.6	27.7-39.5	64	12.4	08.9-15.9
25-34	599	953,975	22	7.4	04.1-10.7	157	31.0	26.3-35.7	163	28.0	23.7-32.3	257	33.6	29.3-37.9
35-44	656	877,870	34	7.8	04.9-10.7	153	27.5	23.2-31.8	172	29.0	24.7-33.3	297	35.7	31.6-39.8
45-54	840	847,010	48	9.6	06.5-12.7	226	31.2	26.9-35.5	235	29.6	25.5-33.7	331	29.6	25.9-33.3
55-64	1018	900,365	93	15.6	11.9-19.3	309	32.9	29.0-36.8	301	30.4	26.7-34.1	315	21.1	18.2-24.0
65+	1772	1,282,037	193	18.7	15.6-21.8	515	30.4	27.5-33.3	483	27.5	24.8-30.2	581	23.4	21.0-25.8
Less Than H.S.	402	651,212	402	100.0	0100-0100									
H.S. or G.E.D.	1512	1,774,924				1512	100.0	0100-0100						
Some Post-H.S.	1482	1,609,422							1482	100.0	0100-0100			
College Graduate	1845	1,451,861										1845	100.0	0100-0100
Less than \$15,000	351	319,604	84	32.4	25.5-39.3	143	37.5	30.8-44.2	83	20.5	15.2-25.8	41	9.5	05.8-13.2
\$15,000-24,999	518	517,760	77	23.0	17.5-28.5	217	39.4	33.9-44.9	155	28.8	23.7-33.9	69	8.8	05.9-11.7
\$25,000-34,999	548	583,683	67	17.6	12.7-22.5	203	41.2	35.9-46.5	171	28.6	23.9-33.3	107	12.6	09.7-15.5
\$35,000-49,999	657	671,987	22	6.3	03.0-09.6	207	38.2	33.1-43.3	230	36.2	31.3-41.1	198	19.2	15.9-22.5
\$50,000-99,999	1193	1,263,116	31	5.3	02.9-07.7	258	26.6	23.1-30.1	385	36.3	32.6-40.0	519	31.9	28.8-35.0
\$100,000-199,999	714	772,340	8	1.4	00.4-02.4	107	21.5	17.0-26.0	158	25.4	21.1-29.7	441	51.7	47.0-56.4
\$200,000+	198	198,844				19	13.8	06.7-20.9	18	11.1	05.2-17.0	161	75.1	66.9-83.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2510	2,639,942	214	13.4	11.2-15.6	729	33.1	30.6-35.6	656	27.1	24.7-29.5	911	26.3	24.3-28.3
White/Non-Hisp	1960	1,863,183	149	12.4	10.0-14.8	566	32.4	29.7-35.1	502	27.3	24.8-29.8	743	27.8	25.4-30.2
Black or Afr. Am./Non-Hisp	253	336,548	23	10.2	04.9-15.5	77	39.0	31.0-47.0	75	28.4	21.3-35.5	78	22.5	16.4-28.6
Oth. Race/Non-Hisp.	72	105,825	10	20.4	07.9-32.9	16	23.4	11.4-35.4	14	20.8	10.0-31.6	32	35.4	23.4-47.4
MultiRacial/Non-Hisp.	53	74,256	7	19.4	03.9-34.9	21	41.6	25.1-58.1	17	32.2	16.7-47.7	8	6.8	00.7-12.9
Hispanic	97	183,797	13	18.4	08.4-28.4	27	34.5	22.3-46.7	25	24.3	14.3-34.3	32	22.7	14.3-31.1
18-24	184	317,255	7	7.3	02.0-12.6	84	47.1	38.7-55.5	67	35.6	27.6-43.6	26	10.0	05.7-14.3
25-34	308	476,610	14	10.0	04.5-15.5	80	31.3	24.6-38.0	86	26.8	20.9-32.7	128	31.9	26.0-37.8
35-44	330	431,083	22	10.7	05.8-15.6	80	29.2	22.9-35.5	81	27.5	21.6-33.4	147	32.6	27.1-38.1
45-54	395	413,643	29	13.0	07.9-18.1	112	32.7	26.4-39.0	107	26.7	21.2-32.2	147	27.7	22.6-32.8
55-64	491	431,260	48	18.3	12.4-24.2	158	33.7	28.2-39.2	128	25.4	20.5-30.3	157	22.6	18.3-26.9
65+	802	570,092	94	18.4	14.1-22.7	215	29.7	25.4-34.0	187	24.0	19.9-28.1	306	27.9	24.2-31.6
Less Than H.S.	214	354,645	214	100.0	0100-0100									
H.S. or G.E.D.	729	874,119				729	100.0	0100-0100						
Some Post-H.S.	656	716,289							656	100.0	0100-0100			
College Graduate	911	694,890										911	100.0	0100-0100
Less than \$15,000	143	138,834	41	37.4	26.8-48.0	59	39.8	29.2-50.4	28	15.9	09.2-22.6	15	6.9	02.8-11.0
\$15,000- 24,999	232	246,742	49	33.1	23.9-42.3	93	33.0	25.4-40.6	61	26.5	19.1-33.9	29	7.4	03.5-11.3
\$25,000- 34,999	241	272,761	35	23.6	15.4-31.8	101	45.6	37.4-53.8	69	21.6	15.7-27.5	36	9.2	05.7-12.7
\$35,000- 49,999	314	320,969	15	8.7	03.4-14.0	107	40.9	33.6-48.2	105	34.6	27.7-41.5	87	15.8	11.7-19.9
\$50,000- 99,999	607	634,952	24	8.7	04.6-12.8	149	30.4	25.1-35.7	177	30.9	26.0-35.8	257	30.0	25.7-34.3
\$100,000 - 199,999	410	438,545	7	2.0	00.4-03.6	65	20.0	14.5-25.5	89	26.5	20.6-32.4	249	51.5	45.2-57.8
\$200,000+	125	118,522				14	15.7	06.1-25.3	11	12.0	04.6-19.4	100	72.4	61.6-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2731	2,847,476	188	10.4	08.4-12.4	783	31.6	29.2-34.0	826	31.4	29.0-33.8	934	26.6	24.6-28.6
White/Non-Hisp	2154	2,026,975	136	9.1	07.1-11.1	634	33.0	30.3-35.7	658	32.0	29.5-34.5	726	25.8	23.6-28.0
Black or Afr. Am./Non-Hisp	370	470,800	24	7.9	04.2-11.6	101	27.2	21.5-32.9	115	35.5	29.0-42.0	130	29.4	23.9-34.9
Hispanic	77	161,632	10	26.1	07.5-44.7	19	28.1	14.4-41.8	21	21.6	10.0-33.2	27	24.2	13.6-34.8
18-24	172	308,907	5	9.2	00.0-20.0	68	44.5	34.5-54.5	61	31.4	22.8-40.0	38	14.9	09.2-20.6
25-34	291	477,366	8	4.8	01.1-08.5	77	30.7	24.2-37.2	77	29.2	22.7-35.7	129	35.3	29.2-41.4
35-44	326	446,787	12	4.9	01.8-08.0	73	26.0	19.9-32.1	91	30.5	24.4-36.6	150	38.6	32.5-44.7
45-54	445	433,367	19	6.3	02.6-10.0	114	29.7	24.0-35.4	128	32.5	26.8-38.2	184	31.5	26.2-36.8
55-64	527	469,105	45	13.1	08.8-17.4	151	32.2	26.7-37.7	173	35.0	29.5-40.5	158	19.7	16.0-23.4
65+	970	711,945	99	18.9	14.6-23.2	300	31.0	27.1-34.9	296	30.3	26.4-34.2	275	19.8	16.7-22.9
Less Than H.S.	188	296,568	188	100.0	0100-0100									
H.S. or G.E.D.	783	900,805				783	100.0	0100-0100						
Some Post-H.S.	826	893,133							826	100.0	0100-0100			
College Graduate	934	756,971										934	100.0	0100-0100
Less than \$15,000	208	180,769	43	28.6	19.4-37.8	84	35.8	27.6-44.0	55	24.0	16.2-31.8	26	11.5	05.6-17.4
\$15,000- 24,999	286	271,018	28	13.8	08.1-19.5	124	45.2	37.6-52.8	94	30.8	23.9-37.7	40	10.1	06.0-14.2
\$25,000- 34,999	307	310,922	32	12.4	07.1-17.7	102	37.4	30.3-44.5	102	34.6	27.7-41.5	71	15.6	11.1-20.1
\$35,000- 49,999	343	351,018	7	4.2	00.3-08.1	100	35.8	28.5-43.1	125	37.7	30.6-44.8	111	22.3	17.0-27.6
\$50,000- 99,999	586	628,164	7	1.9	00.0-03.9	109	22.6	17.9-27.3	208	41.7	36.4-47.0	262	33.7	29.2-38.2
\$100,000 - 199,999	304	333,795	1	0.5	00.0-01.5	42	23.6	16.3-30.9	69	23.9	17.6-30.2	192	52.0	44.6-59.4
\$200,000+	73	80,322				5	11.1	01.1-21.1	7	9.9	00.7-19.1	61	79.0	66.7-91.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS
 TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).**
 Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less thn \$25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4187	4,340,594	871	19.3	17.7-20.9	548	13.4	12.0-14.8	658	15.5	13.9-17.1	1197	29.3	27.5-31.1	715	17.8	16.2-19.4	198	4.6	03.8-05.4
Male	2078	2,183,617	375	17.7	15.5-19.9	241	12.5	10.5-14.5	315	14.8	12.8-16.8	611	29.5	27.0-32.0	411	20.1	17.7-22.5	125	5.4	04.2-06.6
Female	2109	2,156,976	496	21.0	18.8-23.2	307	14.4	12.4-16.4	343	16.3	14.1-18.5	586	29.1	26.6-31.6	304	15.5	13.3-17.7	73	3.7	02.7-04.7
White/Non-Hisp	3306	3,105,253	641	17.8	16.2-19.4	421	12.5	11.1-13.9	500	14.6	13.0-16.2	981	30.5	28.3-32.7	598	19.7	17.9-21.5	165	4.9	03.9-05.9
Black or Afr. Am./Non-Hisp	502	645,357	135	24.3	19.6-29.0	70	15.3	11.2-19.4	87	17.8	13.5-22.1	126	25.0	20.1-29.9	70	14.8	10.9-18.7	14	2.8	01.0-04.6
Oth. Race/Non-Hisp.	86	142,278	20	22.7	11.5-33.9	12	14.9	04.9-24.9	16	18.6	08.2-29.0	22	25.0	13.8-36.2	13	16.3	06.9-25.7	3	2.5	00.0-05.4
MultiRacial/Non-Hisp.	67	98,994	17	14.6	06.2-23.0	13	23.3	10.0-36.6	13	21.8	08.9-34.7	17	31.6	17.7-45.5	6	6.8	00.3-13.3	1	1.9	00.0-05.6
Hispanic	144	263,125	34	22.8	14.8-30.8	19	13.6	07.3-19.9	32	17.9	10.8-25.0	33	28.9	18.9-38.9	15	9.3	04.0-14.6	11	7.6	02.5-12.7
18-24	254	436,837	56	19.2	13.7-24.7	48	17.0	11.9-22.1	46	18.2	12.3-24.1	71	31.0	24.1-37.9	29	13.1	07.8-18.4	4	1.5	00.0-03.1
25-34	513	809,017	67	12.5	09.2-15.8	65	12.2	08.9-15.5	86	16.7	12.8-20.6	189	37.0	31.9-42.1	91	18.7	14.6-22.8	15	2.7	01.1-04.3
35-44	563	759,123	78	14.4	10.9-17.9	62	11.5	08.2-14.8	85	14.5	11.0-18.0	169	29.7	25.2-34.2	129	22.8	18.7-26.9	40	7.1	04.7-09.5
45-54	703	688,323	121	17.0	13.3-20.7	66	10.9	08.0-13.8	93	13.0	09.7-16.3	203	28.0	23.5-32.5	166	23.3	19.2-27.4	54	7.7	05.2-10.2
55-64	823	712,294	216	27.0	22.9-31.1	85	11.3	08.2-14.4	107	12.0	09.3-14.7	217	25.4	21.5-29.3	148	18.2	14.7-21.7	50	6.1	03.9-08.3
65+	1331	935,000	333	25.1	21.8-28.4	222	17.9	15.0-20.8	241	18.6	15.7-21.5	348	25.6	22.5-28.7	152	10.8	08.6-13.0	35	2.1	01.3-02.9
Less Than H.S.	289	445,885	161	50.0	42.6-57.4	67	23.1	16.6-29.6	22	9.5	04.6-14.4	31	15.1	09.0-21.2	8	2.3	00.5-04.1			
H.S. or G.E.D.	1154	1,350,637	360	24.0	21.1-26.9	203	17.8	15.1-20.5	207	19.0	16.1-21.9	258	24.8	21.5-28.1	107	12.3	09.6-15.0	19	2.0	00.8-03.2
Some Post-H.S.	1200	1,300,365	238	16.5	14.0-19.0	171	12.8	10.4-15.2	230	18.7	16.0-21.4	385	35.2	31.7-38.7	158	15.1	12.4-17.8	18	1.7	00.7-02.7
College Graduate	1536	1,230,445	110	6.2	04.6-07.8	107	6.0	04.6-07.4	198	10.5	08.7-12.3	519	32.7	29.8-35.6	441	32.5	29.4-35.6	161	12.1	09.9-14.3
Less than \$15,000	353	320,573	353	100.0	0100-0100															
\$15,000-24,999	518	517,760	518	100.0	0100-0100															
\$25,000-34,999	548	583,683				548	100.0	0100-0100												
\$35,000-49,999	658	673,155							658	100.0	0100-0100									
\$50,000-99,999	1197	1,273,059										1197	100.0	0100-0100						
\$100,000-199,999	715	773,520												715	100.0	0100-0100				
\$200,000+	198	198,844																198	100.0	0100-0100

NOTE: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.
 98 of 180 July 18, 2023

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Data was weighted using _LLCPWT.																				
			Less thn \$25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2078	2,183,617	375	17.7	15.5-19.9	241	12.5	10.5-14.5	315	14.8	12.8-16.8	611	29.5	27.0-32.0	411	20.1	17.9-22.3	125	5.4	04.2-06.6			
White/Non-Hisp	1636	1,533,543	271	15.9	13.5-18.3	177	11.1	09.1-13.1	236	13.9	11.7-16.1	495	30.1	27.2-33.0	350	23.1	20.4-25.8	107	5.8	04.4-07.2			
Black or Afr. Am./Non-Hisp	210	287,883	47	20.6	13.3-27.9	28	14.5	08.2-20.8	40	19.2	12.3-26.1	55	26.1	18.3-33.9	35	16.4	10.3-22.5	5	3.2	00.0-06.5			
Oth. Race/Non-Hisp.	57	83,244	14	29.0	14.1-43.9	8	14.2	03.0-25.4	12	15.4	06.6-24.2	13	22.5	10.2-34.8	8	15.4	04.8-26.0	2	3.5	00.0-08.4			
Hispanic	83	160,912	23	24.9	14.3-35.5	10	12.6	04.6-20.6	14	12.8	04.8-20.8	22	32.5	19.4-45.6	6	8.1	01.0-15.2	8	9.2	01.9-16.5			
18-24	132	239,406	25	17.6	10.3-24.9	23	15.4	08.5-22.3	27	18.1	10.7-25.5	39	33.8	24.2-43.4	15	13.0	05.6-20.4	3	2.0	00.0-04.4			
25-34	268	411,754	24	8.9	04.6-13.2	31	11.2	06.7-15.7	39	14.2	08.7-19.7	106	38.4	31.1-45.7	60	24.6	18.1-31.1	8	2.6	00.6-04.6			
35-44	286	374,582	35	14.3	09.2-19.4	26	10.1	05.4-14.8	43	12.7	08.6-16.8	90	31.8	25.3-38.3	72	24.4	18.5-30.3	20	6.8	03.5-10.1			
45-54	338	351,396	56	17.0	11.7-22.3	31	11.0	06.7-15.3	37	12.4	07.5-17.3	88	24.6	18.1-31.1	92	25.7	19.8-31.6	34	9.3	05.8-12.8			
55-64	400	346,636	93	26.8	20.5-33.1	30	7.9	04.2-11.6	48	11.8	07.9-15.7	110	26.0	20.5-31.5	82	18.2	13.7-22.7	37	9.4	05.5-13.3			
65+	654	459,844	142	21.9	17.4-26.4	100	18.7	14.2-23.2	121	19.2	14.9-23.5	178	23.9	19.4-28.4	90	13.6	10.3-16.9	23	2.7	01.3-04.1			
Less Than H.S.	171	289,561	90	46.1	36.5-55.7	35	22.2	14.0-30.4	15	9.6	03.7-15.5	24	19.0	10.6-27.4	7	3.0	00.5-05.5						
H.S. or G.E.D.	588	691,656	152	19.7	15.8-23.6	101	18.0	14.1-21.9	107	19.0	14.9-23.1	149	27.9	23.0-32.8	65	12.7	09.0-16.4	14	2.7	00.9-04.5			
Some Post-H.S.	540	583,741	89	15.0	11.3-18.7	69	10.1	07.4-12.8	105	19.0	14.9-23.1	177	33.6	28.5-38.7	89	19.9	15.2-24.6	11	2.4	00.8-04.0			
College Graduate	773	606,367	44	4.6	02.8-06.4	36	4.1	02.5-05.7	87	8.4	06.2-10.6	257	31.4	27.3-35.5	249	37.3	33.0-41.6	100	14.1	11.0-17.2			
Less than \$15,000	143	138,834	143	100.0	0100-0100																		
\$15,000- 24,999	232	246,742	232	100.0	0100-0100																		
\$25,000- 34,999	241	272,761				241	100.0	0100-0100															
\$35,000- 49,999	315	322,138							315	100.0	0100-0100												
\$50,000- 99,999	611	644,895										611	100.0	0100-0100									
\$100,000 - 199,999	411	439,725												411	100.0	0100-0100							
\$200,000+	125	118,522																125	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 9: DEMOGRAPHICS
 TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less thn \$25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2109	2,156,976	496	21.0	18.8-23.2	307	14.4	12.4-16.4	343	16.3	14.1-18.5	586	29.1	26.6-31.6	304	15.5	13.3-17.7	73	3.7	02.7-04.7			
White/Non-Hisp	1670	1,571,710	370	19.6	17.2-22.0	244	13.9	11.7-16.1	264	15.3	12.9-17.7	486	30.9	28.0-33.8	248	16.3	13.9-18.7	58	4.0	02.8-05.2			
Black or Afr. Am./Non-Hisp	292	357,474	88	27.3	21.0-33.6	42	15.9	10.6-21.2	47	16.7	11.0-22.4	71	24.2	18.1-30.3	35	13.5	08.2-18.8	9	2.4	00.4-04.4			
Hispanic	61	102,213	11	19.5	06.8-32.2	9	15.2	05.2-25.2	18	25.9	13.0-38.8	11	23.3	08.2-38.4	9	11.2	03.0-19.4	3	4.9	00.0-11.6			
18-24	122	197,431	31	21.2	13.0-29.4	25	18.9	11.1-26.7	19	18.2	09.2-27.2	32	27.6	17.8-37.4	14	13.3	05.9-20.7	1	0.9	00.0-02.7			
25-34	245	397,264	43	16.3	11.0-21.6	34	13.3	08.6-18.0	47	19.4	13.5-25.3	83	35.5	28.2-42.8	31	12.7	07.8-17.6	7	2.9	00.5-05.3			
35-44	277	384,541	43	14.4	09.5-19.3	36	12.9	08.4-17.4	42	16.2	10.5-21.9	79	27.8	21.5-34.1	57	21.2	15.3-27.1	20	7.5	04.0-11.0			
45-54	365	336,926	65	17.1	12.0-22.2	35	10.8	06.5-15.1	56	13.7	09.4-18.0	115	31.5	25.0-38.0	74	20.9	15.4-26.4	20	6.1	03.4-08.8			
55-64	423	365,658	123	27.2	21.9-32.5	55	14.6	09.7-19.5	59	12.2	08.5-15.9	107	24.8	19.5-30.1	66	18.3	13.2-23.4	13	3.0	01.0-05.0			
65+	677	475,156	191	28.1	23.4-32.8	122	17.1	13.4-20.8	120	18.0	13.9-22.1	170	27.2	22.7-31.7	62	8.2	05.5-10.9	12	1.5	00.5-02.5			
Less Than H.S.	118	156,324	71	57.1	44.9-69.3	32	24.6	14.6-34.6	7	9.4	00.8-18.0	7	7.8	00.5-15.1	1	1.1	00.0-03.3						
H.S. or G.E.D.	566	658,981	208	28.4	23.9-32.9	102	17.7	13.8-21.6	100	19.1	14.8-23.4	109	21.6	16.9-26.3	42	11.9	07.8-16.0	5	1.3	00.0-02.7			
Some Post-H.S.	660	716,624	149	17.7	14.2-21.2	102	15.0	11.5-18.5	125	18.5	14.6-22.4	208	36.6	31.7-41.5	69	11.1	08.0-14.2	7	1.1	00.0-02.3			
College Graduate	763	624,078	66	7.7	05.2-10.2	71	7.8	05.6-10.0	111	12.6	09.7-15.5	262	33.9	29.6-38.2	192	27.8	23.5-32.1	61	10.2	07.5-12.9			
Less than \$15,000	210	181,739	210	100.0	0100-0100																		
\$15,000- 24,999	286	271,018	286	100.0	0100-0100																		
\$25,000- 34,999	307	310,922				307	100.0	0100-0100															
\$35,000- 49,999	343	351,018							343	100.0	0100-0100												
\$50,000- 99,999	586	628,164										586	100.0	0100-0100									
\$100,000 - 199,999	304	333,795													304	100.0	0100-0100						
\$200,000+	73	80,322																73	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 10: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)	
1	FEMALES ONLY	102
	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)	
2	FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1889	1,615,105	1343	69.4	66.7-72.1	546	30.6	27.9-33.3
White/Non-Hisp	1562	1,231,225	1102	69.9	66.8-73.0	460	30.1	27.0-33.2
Black or Afr. Am./Non-Hisp	227	260,341	183	75.8	68.4-83.2	44	24.2	16.8-31.6
40-44	156	220,935	85	54.0	44.8-63.2	71	46.0	36.8-55.2
45-54	385	358,880	277	75.4	70.1-80.7	108	24.6	19.3-29.9
55-64	486	421,929	353	72.7	67.6-77.8	133	27.3	22.2-32.4
65+	862	613,362	628	69.1	64.6-73.6	234	30.9	26.4-35.4
Less Than H.S.	139	181,621	78	48.9	37.9-59.9	61	51.1	40.1-62.1
H.S. or G.E.D.	537	488,871	359	66.5	61.2-71.8	178	33.5	28.2-38.8
Some Post-H.S.	589	546,096	422	72.8	68.1-77.5	167	27.2	22.5-31.9
College Graduate	622	397,548	483	77.6	73.3-81.9	139	22.4	18.1-26.7
Less than \$15,000	160	125,781	96	61.2	50.8-71.6	64	38.8	28.4-49.2
\$15,000- 24,999	210	170,609	143	69.0	60.6-77.4	67	31.0	22.6-39.4
\$25,000- 34,999	223	192,196	152	65.3	56.3-74.3	71	34.7	25.7-43.7
\$35,000- 49,999	234	189,985	170	64.5	55.3-73.7	64	35.5	26.3-44.7
\$50,000- 99,999	413	360,435	309	71.8	66.1-77.5	104	28.2	22.5-33.9
\$100,000 - 199,999	217	200,771	174	81.2	74.7-87.7	43	18.8	12.3-25.3
\$200,000+	55	56,251	44	76.9	63.0-90.8	11	23.1	09.2-37.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received a mammogram within the past 2 years			Did not receive a mammogram within the past 2 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1180	985,051	897	75.1	71.8-78.4	283	24.9	21.6-28.2
White/Non-Hisp	962	755,393	725	74.8	71.1-78.5	237	25.2	21.5-28.9
Black or Afr. Am./Non-Hisp	159	167,755	136	82.4	74.2-90.6	23	17.6	09.4-25.8
50-54	220	201,757	168	79.4	72.7-86.1	52	20.6	13.9-27.3
55-64	486	421,929	353	72.7	67.6-77.8	133	27.3	22.2-32.4
65+	474	361,365	376	75.6	69.7-81.5	98	24.4	18.5-30.3
Less Than H.S.	79	98,996	49	55.4	41.3-69.5	30	44.6	30.5-58.7
H.S. or G.E.D.	337	320,939	256	76.2	70.3-82.1	81	23.8	17.9-29.7
Some Post-H.S.	372	332,777	279	76.7	71.0-82.4	93	23.3	17.6-29.0
College Graduate	390	231,370	312	79.7	74.4-85.0	78	20.3	15.0-25.6
Less than \$15,000	113	80,863	71	65.7	54.3-77.1	42	34.3	22.9-45.7
\$15,000- 24,999	135	108,380	98	74.0	64.6-83.4	37	26.0	16.6-35.4
\$25,000- 34,999	136	118,743	97	68.5	56.3-80.7	39	31.5	19.3-43.7
\$35,000- 49,999	146	110,370	115	75.8	66.6-85.0	31	24.2	15.0-33.4
\$50,000- 99,999	267	227,423	215	78.6	71.9-85.3	52	21.4	14.7-28.1
\$100,000 - 199,999	148	134,789	123	86.2	79.1-93.3	25	13.8	06.7-20.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)	
1 MALES AND FEMALES	106
2 MALES ONLY	107
3 FEMALES ONLY	108
RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)	
4 MALES AND FEMALES	109
5 MALES ONLY	110
6 FEMALES ONLY	111
HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)	
7 MALES AND FEMALES	112
8 MALES ONLY	113
9 FEMALES ONLY	114
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)	
10 MALES AND FEMALES	115
11 MALES ONLY	116
12 FEMALES ONLY	117
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)	
13 MALES AND FEMALES	118
14 MALES ONLY	119
15 FEMALES ONLY	120
RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBLDS5)	
16 MALES AND FEMALES	121
17 MALES ONLY	122
18 FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)	
19 MALES AND FEMALES	124
20 MALES ONLY	125
21 FEMALES ONLY	126
RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)	
22 MALES AND FEMALES	127
23 MALES ONLY	128
24 FEMALES ONLY	129
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTI1)	
25 MALES AND FEMALES	130
26 MALES ONLY	131
27 FEMALES ONLY	132
RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)	
28 MALES AND FEMALES	133
29 MALES ONLY	134
30 FEMALES ONLY	135

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING
TABLE 1: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3329	2,739,422	2359	67.5	65.3-69.7	970	32.5	30.3-34.7
Male	1568	1,311,073	1101	66.7	63.6-69.8	467	33.3	30.2-36.4
Female	1761	1,428,350	1258	68.2	65.1-71.3	503	31.8	28.7-34.9
White/Non-Hisp	2747	2,116,701	1998	70.7	68.3-73.1	749	29.3	26.9-31.7
Black or Afr. Am./Non-Hisp	341	336,156	243	71.3	65.0-77.6	98	28.7	22.4-35.0
Oth. Race/Non-Hisp.	50	73,368	24	36.0	19.9-52.1	26	64.0	47.9-80.1
MultiRacial/Non-Hisp.	55	59,425	34	57.4	39.8-75.0	21	42.6	25.0-60.2
Hispanic	54	77,584	25	37.8	21.3-54.3	29	62.2	45.7-78.7
45-54	769	764,553	313	39.5	35.0-44.0	456	60.5	56.0-65.0
55-64	931	811,750	690	74.0	70.3-77.7	241	26.0	22.3-29.7
65+	1626	1,157,626	1356	81.8	78.9-84.7	270	18.2	15.3-21.1
Less Than H.S.	291	395,988	175	55.2	47.6-62.8	116	44.8	37.2-52.4
H.S. or G.E.D.	939	845,353	654	67.8	63.7-71.9	285	32.2	28.1-36.3
Some Post-H.S.	938	796,970	666	69.1	65.2-73.0	272	30.9	27.0-34.8
College Graduate	1149	688,571	860	73.3	69.8-76.8	289	26.7	23.2-30.2
Less than \$15,000	255	203,104	162	60.4	52.0-68.8	93	39.6	31.2-48.0
\$15,000-24,999	365	304,471	243	64.4	57.5-71.3	122	35.6	28.7-42.5
\$25,000-34,999	342	290,978	237	65.4	58.3-72.5	105	34.6	27.5-41.7
\$35,000-49,999	418	330,721	308	69.9	63.6-76.2	110	30.1	23.8-36.4
\$50,000-99,999	745	599,570	546	68.9	64.0-73.8	199	31.1	26.2-36.0
\$100,000-199,999	448	375,478	317	69.0	63.5-74.5	131	31.0	25.5-36.5
\$200,000+	135	113,988	102	70.2	59.6-80.8	33	29.8	19.2-40.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 2: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1568	1,311,073	1101	66.7	63.6-69.8	467	33.3	30.2-36.4
White/Non-Hisp	1283	1,000,966	933	70.9	67.6-74.2	350	29.1	25.8-32.4
Black or Afr. Am./Non-Hisp	141	135,811	93	66.5	56.5-76.5	48	33.5	23.5-43.5
45-54	362	382,745	140	36.1	30.0-42.2	222	63.9	57.8-70.0
55-64	447	391,911	335	75.2	69.9-80.5	112	24.8	19.5-30.1
65+	757	534,046	626	82.8	79.3-86.3	131	17.2	13.7-20.7
Less Than H.S.	154	215,753	85	55.0	44.8-65.2	69	45.0	34.8-55.2
H.S. or G.E.D.	440	409,729	291	64.7	58.6-70.8	149	35.3	29.2-41.4
Some Post-H.S.	394	329,964	282	69.1	63.2-75.0	112	30.9	25.0-36.8
College Graduate	574	348,552	443	75.6	71.1-80.1	131	24.4	19.9-28.9
Less than \$15,000	106	94,122	57	53.1	40.4-65.8	49	46.9	34.2-59.6
\$15,000- 24,999	167	147,393	106	61.4	51.0-71.8	61	38.6	28.2-49.0
\$25,000- 34,999	148	139,401	99	64.0	54.2-73.8	49	36.0	26.2-45.8
\$35,000- 49,999	199	165,182	143	71.2	63.2-79.2	56	28.8	20.8-36.8
\$50,000- 99,999	366	282,635	272	68.2	60.6-75.8	94	31.8	24.2-39.4
\$100,000 - 199,999	254	207,140	186	68.9	61.5-76.3	68	31.1	23.7-38.5
\$200,000+	91	76,270	72	74.1	62.3-85.9	19	25.9	14.1-37.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 3: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1761	1,428,350	1258	68.2	65.1-71.3	503	31.8	28.7-34.9
White/Non-Hisp	1464	1,115,734	1065	70.4	67.1-73.7	399	29.6	26.3-32.9
Black or Afr. Am./Non-Hisp	200	200,345	150	74.6	66.6-82.6	50	25.4	17.4-33.4
45-54	407	381,809	173	42.8	36.5-49.1	234	57.2	50.9-63.5
55-64	484	419,839	355	72.9	67.6-78.2	129	27.1	21.8-32.4
65+	869	623,580	730	81.0	76.7-85.3	139	19.0	14.7-23.3
Less Than H.S.	137	180,236	90	55.4	43.8-67.0	47	44.6	33.0-56.2
H.S. or G.E.D.	499	435,623	363	70.8	65.5-76.1	136	29.2	23.9-34.5
Some Post-H.S.	544	467,006	384	69.0	63.7-74.3	160	31.0	25.7-36.3
College Graduate	575	340,018	417	70.9	66.0-75.8	158	29.1	24.2-34.0
Less than \$15,000	149	108,983	105	66.7	55.9-77.5	44	33.3	22.5-44.1
\$15,000- 24,999	198	157,078	137	67.1	58.3-75.9	61	32.9	24.1-41.7
\$25,000- 34,999	194	151,578	138	66.7	56.5-76.9	56	33.3	23.1-43.5
\$35,000- 49,999	219	165,539	165	68.7	59.3-78.1	54	31.3	21.9-40.7
\$50,000- 99,999	379	316,935	274	69.5	63.2-75.8	105	30.5	24.2-36.8
\$100,000 - 199,999	194	168,338	131	69.0	60.6-77.4	63	31.0	22.6-39.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2594	2,217,887	1629	60.4	57.9-62.9	142	5.0	04.0-06.0	823	34.6	32.1-37.1
Male	1240	1,084,397	779	59.4	55.7-63.1	58	4.6	03.0-06.2	403	36.0	32.5-39.5
Female	1354	1,133,490	850	61.3	57.8-64.8	84	5.4	04.0-06.8	420	33.3	29.8-36.8
White/Non-Hisp	2100	1,691,704	1342	63.1	60.4-65.8	123	5.0	03.8-06.2	635	31.9	29.2-34.6
Black or Afr. Am./Non-Hisp	304	301,406	206	65.8	58.5-73.1	10	4.8	00.9-08.7	88	29.4	22.7-36.1
45-54	715	703,822	265	36.2	31.7-40.7	23	2.4	01.2-03.6	427	61.4	56.9-65.9
55-64	915	796,324	625	69.0	65.1-72.9	52	4.9	03.3-06.5	238	26.1	22.4-29.8
65+	964	717,742	739	74.6	70.5-78.7	67	7.6	05.1-10.1	158	17.8	14.3-21.3
Less Than H.S.	204	288,592	104	47.0	38.0-56.0	10	3.6	01.1-06.1	90	49.4	40.4-58.4
H.S. or G.E.D.	720	682,813	451	61.1	56.4-65.8	32	4.1	02.3-05.9	237	34.8	30.1-39.5
Some Post-H.S.	753	675,467	466	60.6	56.1-65.1	47	6.2	03.8-08.6	240	33.2	28.9-37.5
College Graduate	909	563,916	604	66.4	62.5-70.3	53	5.4	03.4-07.4	252	28.2	24.7-31.7
Less than \$15,000	211	171,889	116	54.4	45.2-63.6	13	4.7	01.8-07.6	82	40.9	31.7-50.1
\$15,000-24,999	286	252,942	170	54.8	47.0-62.6	14	6.7	02.0-11.4	102	38.5	30.7-46.3
\$25,000-34,999	263	233,839	167	59.7	51.7-67.7	8	2.9	00.0-06.0	88	37.4	29.4-45.4
\$35,000-49,999	319	256,661	204	63.9	57.0-70.8	21	6.9	03.4-10.4	94	29.2	22.7-35.7
\$50,000-99,999	608	511,745	391	60.5	55.2-65.8	34	4.9	02.9-06.9	183	34.6	29.3-39.9
\$100,000-199,999	402	344,615	257	64.4	58.3-70.5	25	4.6	02.1-07.1	120	31.0	25.1-36.9
\$200,000+	127	107,716	89	66.8	56.8-76.8	5	1.7	00.0-03.5	33	31.5	21.7-41.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1240	1,084,397	779	59.4	55.7-63.1	58	4.6	03.0-06.2	403	36.0	32.5-39.5
White/Non-Hisp	994	809,007	646	63.7	60.0-67.4	48	4.3	02.9-05.7	300	32.0	28.3-35.7
Black or Afr. Am./Non-Hisp	129	127,305	78	56.9	45.1-68.7	6	7.8	00.0-16.0	45	35.3	24.7-45.9
45-54	336	355,891	122	34.3	28.0-40.6	6	1.0	00.0-02.0	208	64.6	58.3-70.9
55-64	441	385,644	311	71.3	65.8-76.8	18	3.6	01.8-05.4	112	25.2	19.9-30.5
65+	463	342,863	346	72.2	66.5-77.9	34	9.3	05.0-13.6	83	18.4	13.9-22.9
Less Than H.S.	117	171,294	52	46.6	34.8-58.4	4	2.9	00.0-06.0	61	50.5	38.9-62.1
H.S. or G.E.D.	353	342,491	216	59.3	52.4-66.2	13	3.8	01.3-06.3	124	36.9	30.0-43.8
Some Post-H.S.	321	283,537	199	58.2	51.1-65.3	20	7.5	03.2-11.8	102	34.3	27.6-41.0
College Graduate	445	282,847	312	69.6	64.3-74.9	21	3.6	01.6-05.6	112	26.8	21.7-31.9
Less than \$15,000	93	84,516	45	49.2	35.5-62.9	3	3.3	00.0-07.6	45	47.5	33.8-61.2
\$15,000- 24,999	130	127,471	73	50.2	39.4-61.0	7	7.6	00.0-15.6	50	42.2	31.4-53.0
\$25,000- 34,999	116	107,885	68	55.7	44.7-66.7	3	4.0	00.0-10.3	45	40.4	29.6-51.2
\$35,000- 49,999	148	131,256	88	61.3	51.1-71.5	10	6.5	02.2-10.8	50	32.2	22.6-41.8
\$50,000- 99,999	290	237,300	190	59.8	51.6-68.0	17	5.2	02.5-07.9	83	35.0	26.6-43.4
\$100,000 - 199,999	221	182,418	150	64.2	56.0-72.4	11	4.2	00.7-07.7	60	31.6	23.6-39.6
\$200,000+	84	71,001	62	70.9	58.4-83.4	3	1.3	00.0-02.9	19	27.8	15.3-40.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1354	1,133,490	850	61.3	57.8-64.8	84	5.4	04.0-06.8	420	33.3	29.8-36.8
White/Non-Hisp	1106	882,697	696	62.5	58.6-66.4	75	5.7	04.1-07.3	335	31.8	28.1-35.5
Black or Afr. Am./Non-Hisp	175	174,101	128	72.3	63.5-81.1	4	2.7	00.0-05.4	43	25.0	16.4-33.6
45-54	379	347,931	143	38.1	31.8-44.4	17	3.8	01.4-06.2	219	58.1	51.6-64.6
55-64	474	410,680	314	66.8	61.1-72.5	34	6.1	03.6-08.6	126	27.0	21.5-32.5
65+	501	374,879	393	76.8	71.1-82.5	33	6.0	03.3-08.7	75	17.2	11.7-22.7
Less Than H.S.	87	117,298	52	47.6	33.7-61.5	6	4.6	00.3-08.9	29	47.8	33.5-62.1
H.S. or G.E.D.	367	340,321	235	63.0	56.5-69.5	19	4.4	02.0-06.8	113	32.7	26.4-39.0
Some Post-H.S.	432	391,930	267	62.3	56.2-68.4	27	5.2	02.8-07.6	138	32.4	26.5-38.3
College Graduate	464	281,069	292	63.2	57.7-68.7	32	7.2	03.9-10.5	140	29.6	24.5-34.7
Less than \$15,000	118	87,373	71	59.4	47.4-71.4	10	6.0	01.9-10.1	37	34.5	22.5-46.5
\$15,000- 24,999	156	125,471	97	59.5	49.1-69.9	7	5.9	01.0-10.8	52	34.6	24.4-44.8
\$25,000- 34,999	147	125,954	99	63.3	51.7-74.9	5	2.0	00.0-04.2	43	34.8	23.2-46.4
\$35,000- 49,999	171	125,405	116	66.7	57.5-75.9	11	7.3	01.8-12.8	44	26.1	17.5-34.7
\$50,000- 99,999	318	274,445	201	61.2	54.1-68.3	17	4.6	01.7-07.5	100	34.2	27.3-41.1
\$100,000 - 199,999	181	162,197	107	64.5	55.7-73.3	14	5.2	01.7-08.7	60	30.3	21.9-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING
TABLE 7: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3329	2,739,422	374	10.8	09.4-12.2	2955	89.2	87.8-90.6
Male	1568	1,311,073	161	10.5	08.3-12.7	1407	89.5	87.3-91.7
Female	1761	1,428,350	213	11.1	09.1-13.1	1548	88.9	86.9-90.9
White/Non-Hisp	2747	2,116,701	304	11.0	09.2-12.8	2443	89.0	87.2-90.8
Black or Afr. Am./Non-Hisp	341	336,156	46	13.5	08.8-18.2	295	86.5	81.8-91.2
Oth. Race/Non-Hisp.	50	73,368	4	5.8	00.0-12.7	46	94.2	87.3-0100
MultiRacial/Non-Hisp.	55	59,425	9	8.1	01.4-14.8	46	91.9	85.2-98.6
Hispanic	54	77,584	2	3.2	00.0-08.1	52	96.8	91.9-0100
45-54	769	764,553	41	5.3	03.1-07.5	728	94.7	92.5-96.9
55-64	931	811,750	94	11.2	08.3-14.1	837	88.8	85.9-91.7
65+	1626	1,157,626	239	14.1	11.7-16.5	1387	85.9	83.5-88.3
Less Than H.S.	291	395,988	43	13.4	08.1-18.7	248	86.6	81.3-91.9
H.S. or G.E.D.	939	845,353	92	9.3	06.8-11.8	847	90.7	88.2-93.2
Some Post-H.S.	938	796,970	105	11.1	08.4-13.8	833	88.9	86.2-91.6
College Graduate	1149	688,571	132	10.5	08.1-12.9	1017	89.5	87.1-91.9
Less than \$15,000	255	203,104	34	13.8	08.1-19.5	221	86.2	80.5-91.9
\$15,000-24,999	365	304,471	38	9.9	04.8-15.0	327	90.1	85.0-95.2
\$25,000-34,999	342	290,978	51	12.6	08.1-17.1	291	87.4	82.9-91.9
\$35,000-49,999	418	330,721	49	10.0	05.7-14.3	369	90.0	85.7-94.3
\$50,000-99,999	745	599,570	76	9.2	06.5-11.9	669	90.8	88.1-93.5
\$100,000-199,999	448	375,478	36	7.6	04.7-10.5	412	92.4	89.5-95.3
\$200,000+	135	113,988	18	16.1	08.1-24.1	117	83.9	75.9-91.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 8: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1568	1,311,073	161	10.5	08.3-12.7	1407	89.5	87.3-91.7
White/Non-Hisp	1283	1,000,966	129	10.9	08.4-13.4	1154	89.1	86.6-91.6
Black or Afr. Am./Non-Hisp	141	135,811	18	11.2	04.9-17.5	123	88.8	82.5-95.1
45-54	362	382,745	18	5.2	01.7-08.7	344	94.8	91.3-98.3
55-64	447	391,911	46	12.3	07.6-17.0	401	87.7	83.0-92.4
65+	757	534,046	97	12.9	09.8-16.0	660	87.1	84.0-90.2
Less Than H.S.	154	215,753	19	12.9	05.3-20.5	135	87.1	79.5-94.7
H.S. or G.E.D.	440	409,729	44	10.1	06.2-14.0	396	89.9	86.0-93.8
Some Post-H.S.	394	329,964	38	9.6	05.9-13.3	356	90.4	86.7-94.1
College Graduate	574	348,552	60	10.4	07.5-13.3	514	89.6	86.7-92.5
Less than \$15,000	106	94,122	12	14.3	04.9-23.7	94	85.7	76.3-95.1
\$15,000- 24,999	167	147,393	16	12.8	03.0-22.6	151	87.2	77.4-97.0
\$25,000- 34,999	148	139,401	20	11.6	05.5-17.7	128	88.4	82.3-94.5
\$35,000- 49,999	199	165,182	16	8.3	01.4-15.2	183	91.7	84.8-98.6
\$50,000- 99,999	366	282,635	39	9.4	06.3-12.5	327	90.6	87.5-93.7
\$100,000 - 199,999	254	207,140	21	8.3	04.0-12.6	233	91.7	87.4-96.0
\$200,000+	91	76,270	11	14.9	05.3-24.5	80	85.1	75.5-94.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 9: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1761	1,428,350	213	11.1	09.1-13.1	1548	88.9	86.9-90.9
White/Non-Hisp	1464	1,115,734	175	11.0	08.8-13.2	1289	89.0	86.8-91.2
Black or Afr. Am./Non-Hisp	200	200,345	28	15.1	08.4-21.8	172	84.9	78.2-91.6
45-54	407	381,809	23	5.5	02.8-08.2	384	94.5	91.8-97.2
55-64	484	419,839	48	10.2	06.7-13.7	436	89.8	86.3-93.3
65+	869	623,580	142	15.2	11.9-18.5	727	84.8	81.5-88.1
Less Than H.S.	137	180,236	24	14.0	06.6-21.4	113	86.0	78.6-93.4
H.S. or G.E.D.	499	435,623	48	8.6	05.7-11.5	451	91.4	88.5-94.3
Some Post-H.S.	544	467,006	67	12.3	08.6-16.0	477	87.7	84.0-91.4
College Graduate	575	340,018	72	10.6	07.5-13.7	503	89.4	86.3-92.5
Less than \$15,000	149	108,983	22	13.3	06.6-20.0	127	86.7	80.0-93.4
\$15,000- 24,999	198	157,078	22	7.2	03.5-10.9	176	92.8	89.1-96.5
\$25,000- 34,999	194	151,578	31	13.6	07.1-20.1	163	86.4	79.9-92.9
\$35,000- 49,999	219	165,539	33	11.8	06.1-17.5	186	88.2	82.5-93.9
\$50,000- 99,999	379	316,935	37	9.1	05.2-13.0	342	90.9	87.0-94.8
\$100,000 - 199,999	194	168,338	15	6.8	02.5-11.1	179	93.2	88.9-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2598	2,228,199	151	5.7	04.5-06.9	80	2.8	02.0-03.6	2367	91.5	89.9-93.1
Male	1249	1,100,045	63	5.6	03.6-07.6	33	2.7	01.3-04.1	1153	91.7	89.3-94.1
Female	1349	1,128,154	88	5.8	04.2-07.4	47	2.9	01.7-04.1	1214	91.3	89.5-93.1
White/Non-Hisp	2113	1,710,407	113	5.7	04.3-07.1	73	3.3	02.1-04.5	1927	91.0	89.2-92.8
Black or Afr. Am./Non-Hisp	295	290,980	24	6.7	03.4-10.0	3	0.8	00.0-02.0	268	92.5	89.0-96.0
45-54	717	706,448	26	2.8	01.4-04.2	9	1.9	00.1-03.7	682	95.3	93.1-97.5
55-64	918	802,529	56	7.7	05.0-10.4	29	2.8	01.4-04.2	833	89.5	86.6-92.4
65+	963	719,222	69	6.3	04.5-08.1	42	3.7	02.1-05.3	852	90.0	87.6-92.4
Less Than H.S.	202	289,722	15	7.1	01.6-12.6	7	2.3	00.3-04.3	180	90.6	84.9-96.3
H.S. or G.E.D.	723	690,083	36	4.8	03.0-06.6	16	2.7	00.7-04.7	671	92.5	90.0-95.0
Some Post-H.S.	755	675,511	48	5.6	03.6-07.6	27	3.2	01.6-04.8	680	91.1	88.6-93.6
College Graduate	910	565,784	50	5.8	03.8-07.8	30	2.7	01.3-04.1	830	91.4	89.0-93.8
Less than \$15,000	210	169,720	20	9.3	04.4-14.2	5	2.5	00.0-05.4	185	88.2	82.5-93.9
\$15,000-24,999	284	252,191	17	6.5	00.8-12.2	6	1.9	00.3-03.5	261	91.6	85.7-97.5
\$25,000-34,999	265	240,848	26	9.3	04.8-13.8	11	3.1	00.6-05.6	228	87.7	82.6-92.8
\$35,000-49,999	320	256,846	16	5.0	01.7-08.3	13	4.5	00.0-09.0	291	90.6	85.3-95.9
\$50,000-99,999	605	506,523	30	3.9	02.3-05.5	15	2.5	00.9-04.1	560	93.6	91.4-95.8
\$100,000-199,999	401	344,547	13	3.5	01.3-05.7	16	3.1	00.9-05.3	372	93.4	90.5-96.3
\$200,000+	128	109,268	12	12.0	04.7-19.3	3	2.7	00.0-06.4	113	85.2	77.4-93.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 11: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1249	1,100,045	63	5.6	03.6-07.6	33	2.7	01.3-04.1	1153	91.7	89.3-94.1
White/Non-Hisp	1006	825,030	46	5.6	03.2-08.0	29	3.2	01.4-05.0	931	91.2	88.5-93.9
Black or Afr. Am./Non-Hisp	124	123,650	8	6.7	01.2-12.2	1	0.3	00.0-00.9	115	93.0	87.5-98.5
45-54	339	359,828	13	3.2	01.2-05.2	3	1.9	00.0-05.0	323	94.9	91.4-98.4
55-64	443	388,450	28	8.7	04.4-13.0	14	2.8	01.0-04.6	401	88.5	84.0-93.0
65+	467	351,766	22	4.6	02.1-07.1	16	3.4	01.2-05.6	429	91.9	88.6-95.2
Less Than H.S.	118	174,513	8	9.6	01.0-18.2	3	1.2	00.0-02.8	107	89.2	80.6-97.8
H.S. or G.E.D.	356	348,443	16	4.2	02.0-06.4	9	3.4	00.0-06.9	331	92.3	88.2-96.4
Some Post-H.S.	324	288,853	17	5.0	02.1-07.9	9	3.0	00.6-05.4	298	92.0	88.3-95.7
College Graduate	447	284,008	22	5.5	02.8-08.2	12	2.5	00.7-04.3	413	92.1	89.0-95.2
Less than \$15,000	91	80,596	6	6.9	00.2-13.6	1	2.8	00.0-08.3	84	90.3	81.9-98.7
\$15,000- 24,999	130	127,471	9	10.7	06.2-15.2	1	0.6	00.0-01.8	120	88.6	83.9-93.3
\$25,000- 34,999	118	114,895	10	7.4	01.5-13.3	3	2.2	00.0-04.9	105	90.4	84.1-96.7
\$35,000- 49,999	149	131,840	2	1.1	00.0-02.7	5	6.2	00.0-14.4	142	92.7	84.5-0100
\$50,000- 99,999	291	237,858	16	4.9	02.2-07.6	7	2.0	00.4-03.6	268	93.1	90.0-96.2
\$100,000 - 199,999	221	184,100	5	2.2	00.2-04.2	10	4.8	00.9-08.7	206	93.0	88.7-97.3
\$200,000+	85	72,554	7	12.7	02.9-22.5	2	1.3	00.0-03.1	76	86.0	76.0-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 12: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1349	1,128,154	88	5.8	04.2-07.4	47	2.9	01.7-04.1	1214	91.3	89.5-93.1
White/Non-Hisp	1107	885,377	67	5.8	04.0-07.6	44	3.4	02.0-04.8	996	90.9	88.7-93.1
Black or Afr. Am./Non-Hisp	171	167,330	16	6.6	02.5-10.7	2	1.2	00.0-03.2	153	92.2	87.7-96.7
45-54	378	346,620	13	2.4	00.8-04.0	6	1.8	00.2-03.4	359	95.8	93.4-98.2
55-64	475	414,079	28	6.8	03.7-09.9	15	2.8	00.8-04.8	432	90.4	86.9-93.9
65+	496	367,456	47	7.9	05.2-10.6	26	4.0	02.0-06.0	423	88.1	84.8-91.4
Less Than H.S.	84	115,208	7	3.3	00.4-06.2	4	3.9	00.0-08.0	73	92.8	87.5-98.1
H.S. or G.E.D.	367	341,640	20	5.4	02.5-08.3	7	1.9	00.3-03.5	340	92.7	89.4-96.0
Some Post-H.S.	431	386,659	31	6.1	03.4-08.8	18	3.4	01.2-05.6	382	90.5	87.0-94.0
College Graduate	463	281,775	28	6.2	03.5-08.9	18	3.0	01.0-05.0	417	90.8	87.5-94.1
Less than \$15,000	119	89,124	14	11.5	04.2-18.8	4	2.2	00.0-04.7	101	86.3	78.7-93.9
\$15,000- 24,999	154	124,720	8	2.2	00.4-04.0	5	3.2	00.3-06.1	141	94.6	91.3-97.9
\$25,000- 34,999	147	125,954	16	11.0	04.1-17.9	8	3.9	00.0-07.8	123	85.1	77.5-92.7
\$35,000- 49,999	171	125,006	14	9.1	02.6-15.6	8	2.7	00.0-05.4	149	88.2	81.3-95.1
\$50,000- 99,999	314	268,665	14	3.0	01.2-04.8	8	2.9	00.2-05.6	292	94.1	91.0-97.2
\$100,000 - 199,999	180	160,448	8	4.9	01.2-08.6	6	1.1	00.0-02.3	166	93.9	90.0-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2598	2,228,199	196	7.6	06.2-09.0	35	0.9	00.5-01.3	2367	91.5	89.9-93.1
Male	1249	1,100,045	82	7.3	05.1-09.5	14	1.0	00.4-01.6	1153	91.7	89.3-94.1
Female	1349	1,128,154	114	7.8	06.0-09.6	21	0.9	00.3-01.5	1214	91.3	89.5-93.1
White/Non-Hisp	2113	1,710,407	153	7.9	06.1-09.7	33	1.1	00.5-01.7	1927	91.0	89.2-92.8
Black or Afr. Am./Non-Hisp	295	290,980	25	6.8	03.5-10.1	2	0.7	00.0-01.9	268	92.5	89.0-96.0
45-54	717	706,448	33	4.4	02.2-06.6	2	0.2	00.0-00.6	682	95.3	93.1-97.5
55-64	918	802,529	73	9.8	06.9-12.7	12	0.7	00.1-01.3	833	89.5	86.6-92.4
65+	963	719,222	90	8.1	05.9-10.3	21	1.9	00.7-03.1	852	90.0	87.6-92.4
Less Than H.S.	202	289,722	18	8.2	02.7-13.7	4	1.2	00.0-02.6	180	90.6	84.9-96.3
H.S. or G.E.D.	723	690,083	48	7.2	04.7-09.7	4	0.2	00.0-00.4	671	92.5	90.0-95.0
Some Post-H.S.	755	675,511	64	7.9	05.5-10.3	11	1.0	00.0-02.0	680	91.1	88.6-93.6
College Graduate	910	565,784	64	6.9	04.7-09.1	16	1.6	00.6-02.6	830	91.4	89.0-93.8
Less than \$15,000	210	169,720	23	11.6	05.9-17.3	2	0.2	00.0-00.6	185	88.2	82.5-93.9
\$15,000-24,999	284	252,191	20	7.6	01.7-13.5	3	0.8	00.0-01.8	261	91.6	85.7-97.5
\$25,000-34,999	265	240,848	32	11.7	06.6-16.8	5	0.6	00.0-01.2	228	87.7	82.6-92.8
\$35,000-49,999	320	256,846	25	9.0	03.7-14.3	4	0.5	00.0-01.1	291	90.6	85.3-95.9
\$50,000-99,999	605	506,523	39	5.5	03.3-07.7	6	0.9	00.1-01.7	560	93.6	91.4-95.8
\$100,000-199,999	401	344,547	19	4.3	01.9-06.7	10	2.3	00.3-04.3	372	93.4	90.5-96.3
\$200,000+	128	109,268	14	14.4	06.6-22.2	1	0.4	00.0-01.2	113	85.2	77.4-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1249	1,100,045	82	7.3	05.1-09.5	14	1.0	00.4-01.6	1153	91.7	89.3-94.1
White/Non-Hisp	1006	825,030	61	7.5	04.8-10.2	14	1.3	00.3-02.3	931	91.2	88.5-93.9
Black or Afr. Am./Non-Hisp	124	123,650	9	7.0	01.5-12.5				115	93.0	87.5-98.5
45-54	339	359,828	15	4.9	01.4-08.4	1	0.2	00.0-00.6	323	94.9	91.4-98.4
55-64	443	388,450	37	10.8	06.3-15.3	5	0.7	00.1-01.3	401	88.5	84.0-93.0
65+	467	351,766	30	5.9	03.2-08.6	8	2.2	00.2-04.2	429	91.9	88.6-95.2
Less Than H.S.	118	174,513	10	10.7	02.1-19.3	1	0.2	00.0-00.6	107	89.2	80.6-97.8
H.S. or G.E.D.	356	348,443	22	7.2	03.1-11.3	3	0.4	00.0-01.0	331	92.3	88.2-96.4
Some Post-H.S.	324	288,853	23	6.6	03.3-09.9	3	1.5	00.0-03.5	298	92.0	88.3-95.7
College Graduate	447	284,008	27	6.2	03.3-09.1	7	1.7	00.3-03.1	413	92.1	89.0-95.2
Less than \$15,000	91	80,596	7	9.7	01.3-18.1				84	90.3	81.9-98.7
\$15,000- 24,999	130	127,471	9	10.7	06.2-15.2	1	0.6	00.0-01.8	120	88.6	83.9-93.3
\$25,000- 34,999	118	114,895	12	9.2	02.9-15.5	1	0.3	00.0-00.9	105	90.4	84.1-96.7
\$35,000- 49,999	149	131,840	5	6.6	00.0-14.8	2	0.7	00.0-01.7	142	92.7	84.5-0100
\$50,000- 99,999	291	237,858	21	6.2	03.3-09.1	2	0.8	00.0-02.0	268	93.1	90.0-96.2
\$100,000 - 199,999	221	184,100	9	3.6	01.1-06.1	6	3.4	00.0-06.9	206	93.0	88.7-97.3
\$200,000+	85	72,554	8	13.5	03.7-23.3	1	0.6	00.0-01.8	76	86.0	76.0-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1349	1,128,154	114	7.8	06.0-09.6	21	0.9	00.3-01.5	1214	91.3	89.5-93.1
White/Non-Hisp	1107	885,377	92	8.2	06.0-10.4	19	0.9	00.3-01.5	996	90.9	88.7-93.1
Black or Afr. Am./Non-Hisp	171	167,330	16	6.6	02.5-10.7	2	1.2	00.0-03.2	153	92.2	87.7-96.7
45-54	378	346,620	18	3.9	01.5-06.3	1	0.3	00.0-00.9	359	95.8	93.4-98.2
55-64	475	414,079	36	8.8	05.3-12.3	7	0.8	00.0-01.6	432	90.4	86.9-93.9
65+	496	367,456	60	10.2	07.1-13.3	13	1.6	00.4-02.8	423	88.1	84.8-91.4
Less Than H.S.	84	115,208	8	4.4	00.7-08.1	3	2.8	00.0-06.3	73	92.8	87.5-98.1
H.S. or G.E.D.	367	341,640	26	7.2	03.9-10.5	1	0.0	00.0-00.0	340	92.7	89.4-96.0
Some Post-H.S.	431	386,659	41	8.8	05.5-12.1	8	0.6	00.0-01.2	382	90.5	87.0-94.0
College Graduate	463	281,775	37	7.6	04.5-10.7	9	1.6	00.4-02.8	417	90.8	87.5-94.1
Less than \$15,000	119	89,124	16	13.2	05.6-20.8	2	0.5	00.0-01.1	101	86.3	78.7-93.9
\$15,000- 24,999	154	124,720	11	4.4	01.3-07.5	2	1.0	00.0-02.4	141	94.6	91.3-97.9
\$25,000- 34,999	147	125,954	20	14.0	06.4-21.6	4	0.9	00.0-01.9	123	85.1	77.5-92.7
\$35,000- 49,999	171	125,006	20	11.5	04.6-18.4	2	0.2	00.0-00.6	149	88.2	81.3-95.1
\$50,000- 99,999	314	268,665	18	5.0	02.1-07.9	4	0.9	00.0-01.9	292	94.1	91.0-97.2
\$100,000 - 199,999	180	160,448	10	5.1	01.4-08.8	4	1.0	00.0-02.2	166	93.9	90.0-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFB LDS5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	522	417,214	150	26.0	21.3-30.7	260	53.8	48.5-59.1	112	20.2	15.9-24.5
Male	237	182,749	59	21.1	15.2-27.0	125	55.9	48.5-63.3	53	22.9	16.4-29.4
Female	285	234,465	91	29.7	22.8-36.6	135	52.1	44.5-59.7	59	18.1	12.4-23.8
White/Non-Hisp	435	325,251	126	25.3	20.4-30.2	219	54.6	48.9-60.3	90	20.1	15.4-24.8
Black or Afr. Am./Non-Hisp	55	62,869	12	20.6	08.8-32.4	32	62.6	47.1-78.1	11	16.8	04.6-29.0
45-54	102	96,450	29	28.4	17.8-39.0	38	44.1	32.5-55.7	35	27.5	17.7-37.3
55-64	178	142,367	47	26.1	17.7-34.5	91	52.9	43.3-62.5	40	21.0	13.6-28.4
65+	242	178,397	74	24.6	18.1-31.1	131	59.7	51.9-67.5	37	15.7	09.2-22.2
H.S. or G.E.D.	130	120,361	33	22.4	13.4-31.4	69	57.8	47.4-68.2	28	19.8	11.6-28.0
Some Post-H.S.	151	125,296	42	24.9	16.9-32.9	79	50.8	40.8-60.8	30	24.3	15.3-33.3
College Graduate	205	124,475	63	29.2	21.4-37.0	94	50.1	41.7-58.5	48	20.7	14.0-27.4
Less than \$15,000	51	38,735	20	30.7	14.6-46.8	22	54.1	35.9-72.3	9	15.1	04.1-26.1
\$15,000-24,999	63	46,270	18	33.0	18.7-47.3	32	48.4	33.7-63.1	13	18.6	07.4-29.8
\$25,000-34,999	58	45,865	19	32.4	15.9-48.9	31	54.2	37.3-71.1	8	13.5	03.5-23.5
\$35,000-49,999	63	51,668	9	9.4	00.4-18.4	36	62.4	48.1-76.7	18	28.2	13.5-42.9
\$50,000-99,999	113	93,505	35	27.1	17.1-37.1	60	54.0	42.6-65.4	18	18.9	09.3-28.5
\$100,000-199,999	75	57,282	23	26.5	15.3-37.7	36	55.2	41.5-68.9	16	18.2	08.2-28.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 17: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBLD5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	237	182,749	59	21.1	15.2-27.0	125	55.9	48.8-63.0	53	22.9	16.6-29.2
White/Non-Hisp	195	142,916	49	19.5	13.4-25.6	104	58.5	50.9-66.1	42	22.0	15.3-28.7
55-64	84	60,680	16	18.1	07.7-28.5	46	57.5	44.6-70.4	22	24.5	13.9-35.1
65+	112	85,044	32	23.2	14.4-32.0	64	61.8	51.4-72.2	16	15.0	06.2-23.8
H.S. or G.E.D.	58	50,442	12	16.9	05.9-27.9	33	61.6	47.9-75.3	13	21.5	09.3-33.7
Some Post-H.S.	66	54,778	14	18.1	08.7-27.5	36	50.8	36.3-65.3	16	31.1	17.2-45.0
College Graduate	95	55,001	28	23.8	14.6-33.0	47	55.2	43.4-67.0	20	21.0	11.4-30.6
\$50,000- 99,999	51	40,748	14	22.2	10.0-34.4	28	58.9	43.8-74.0	9	18.9	06.2-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBlds5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	285	234,465	91	29.7	23.2-36.2	135	52.1	44.8-59.4	59	18.1	12.4-23.8
White/Non-Hisp	240	182,335	77	29.8	22.4-37.2	115	51.5	43.7-59.3	48	18.6	12.5-24.7
45-54	61	59,425	18	32.8	18.3-47.3	23	46.6	31.7-61.5	20	20.6	10.6-30.6
55-64	94	81,687	31	32.0	21.0-43.0	45	49.6	36.7-62.5	18	18.4	08.4-28.4
65+	130	93,353	42	25.8	16.6-35.0	67	57.8	46.4-69.2	21	16.4	07.0-25.8
H.S. or G.E.D.	72	69,919	21	26.3	15.7-36.9	36	55.1	42.0-68.2	15	18.6	08.0-29.2
Some Post-H.S.	85	70,518	28	30.3	18.1-42.5	43	50.7	36.8-64.6	14	19.0	07.2-30.8
College Graduate	110	69,474	35	33.5	21.5-45.5	47	46.0	34.0-58.0	28	20.5	11.3-29.7
\$50,000- 99,999	62	52,757	21	30.9	16.4-45.4	32	50.3	34.6-66.0	9	18.9	04.8-33.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 19: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	525	415,990	69	16.4	12.1-20.7	14	2.7	01.1-04.3	442	80.9	76.4-85.4
Male	242	185,878	23	13.7	08.2-19.2	8	3.4	00.9-05.9	211	83.0	77.1-88.9
Female	283	230,112	46	18.6	12.1-25.1	6	2.1	00.3-03.9	231	79.3	72.8-85.8
White/Non-Hisp	440	327,727	56	15.0	10.7-19.3	13	3.0	01.2-04.8	371	82.1	77.6-86.6
Black or Afr. Am./Non-Hisp	53	60,328	8	24.2	07.1-41.3	1	2.3	00.0-06.8	44	73.5	56.3-90.7
45-54	102	96,593	15	16.2	07.2-25.2	2	1.6	00.0-03.8	85	82.2	73.0-91.4
55-64	180	140,014	25	19.4	10.6-28.2	4	2.6	00.0-05.3	151	78.0	69.2-86.8
65+	243	179,383	29	14.2	08.7-19.7	8	3.3	00.9-05.7	206	82.5	76.6-88.4
H.S. or G.E.D.	126	114,511	14	13.0	07.5-18.5	2	1.4	00.0-03.4	110	85.6	79.7-91.5
Some Post-H.S.	152	126,781	20	15.8	07.6-24.0	4	2.9	00.0-06.0	128	81.4	72.8-90.0
College Graduate	209	125,488	26	13.9	07.2-20.6	5	2.6	00.2-05.0	178	83.5	76.4-90.6
Less than \$15,000	51	38,781	9	22.4	03.8-41.0	1	3.5	00.0-10.4	41	74.1	55.1-93.1
\$15,000-24,999	64	48,629	9	16.5	04.7-28.3				55	83.5	71.7-95.3
\$25,000-34,999	55	39,813	6	15.2	00.7-29.7	4	7.4	00.3-14.5	45	77.4	62.1-92.7
\$35,000-49,999	66	55,404	8	20.0	10.2-29.8	2	3.0	00.0-07.5	56	77.0	66.4-87.6
\$50,000-99,999	115	93,664	12	13.1	03.7-22.5	2	1.7	00.0-04.1	101	85.1	75.5-94.7
\$100,000-199,999	75	57,444	11	12.5	03.9-21.1	1	0.9	00.0-02.7	63	86.6	77.8-95.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 20: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	242	185,878	23	13.7	08.2-19.2	8	3.4	00.9-05.9	211	83.0	77.1-88.9
White/Non-Hisp	199	143,507	19	13.9	08.2-19.6	8	4.4	01.3-07.5	172	81.8	75.3-88.3
55-64	86	61,818	10	19.5	06.8-32.2	3	3.6	00.0-07.9	73	76.9	64.0-89.8
65+	116	87,567	12	14.4	07.9-20.9	5	4.6	00.3-08.9	99	81.0	73.6-88.4
H.S. or G.E.D.	58	50,430	4	13.9	07.6-20.2	1	1.7	00.0-05.0	53	84.3	77.2-91.4
Some Post-H.S.	67	56,263	3	7.8	00.0-17.6	2	2.9	00.0-07.4	62	89.3	78.7-99.9
College Graduate	98	56,024	10	7.8	01.3-14.3	3	3.2	00.0-06.9	85	89.0	81.7-96.3
\$50,000- 99,999	52	40,475	1	0.9	00.0-02.7	1	2.1	00.0-06.2	50	97.1	92.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 21: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	283	230,112	46	18.6	12.3-24.9	6	2.1	00.3-03.9	231	79.3	72.8-85.8
White/Non-Hisp	241	184,220	37	15.8	09.9-21.7	5	1.9	00.1-03.7	199	82.3	76.2-88.4
45-54	62	60,100	14	24.8	11.3-38.3	2	2.6	00.0-06.1	46	72.6	58.9-86.3
55-64	94	78,196	15	19.3	07.5-31.1	1	1.8	00.0-05.3	78	78.9	66.9-90.9
65+	127	91,816	17	14.0	05.4-22.6	3	2.1	00.0-04.6	107	83.9	75.1-92.7
H.S. or G.E.D.	68	64,081	10	12.3	04.3-20.3	1	1.2	00.0-03.6	57	86.5	78.1-94.9
Some Post-H.S.	85	70,518	17	22.1	09.9-34.3	2	2.8	00.0-06.9	66	75.0	62.5-87.5
College Graduate	111	69,464	16	18.8	08.2-29.4	2	2.1	00.0-05.0	93	79.1	68.3-89.9
\$50,000- 99,999	63	53,189	11	22.5	06.8-38.2	1	1.5	00.0-04.4	51	76.0	60.3-91.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 22: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	492	378,151	65	13.5	09.8-17.2	11	2.3	00.5-04.1	416	84.2	80.1-88.3
Male	229	168,418	33	16.6	10.5-22.7	7	2.5	00.7-04.3	189	80.9	74.6-87.2
Female	263	209,733	32	11.1	06.4-15.8	4	2.1	00.0-05.0	227	86.8	81.5-92.1
White/Non-Hisp	415	302,170	45	11.6	07.7-15.5	10	2.4	00.2-04.6	360	86.0	81.7-90.3
45-54	101	93,509	8	5.6	01.1-10.1				93	94.4	89.9-98.9
55-64	167	128,019	22	16.4	09.1-23.7	3	3.2	00.0-07.9	142	80.4	72.4-88.4
65+	224	156,622	35	15.9	09.8-22.0	8	2.9	00.9-04.9	181	81.2	74.9-87.5
H.S. or G.E.D.	115	102,440	18	17.2	09.0-25.4	1	0.5	00.0-01.5	96	82.3	74.1-90.5
Some Post-H.S.	142	116,211	18	12.0	05.7-18.3	4	3.9	00.0-08.8	120	84.1	76.5-91.7
College Graduate	201	116,755	21	8.5	04.4-12.6	5	2.5	00.0-05.0	175	89.0	84.3-93.7
\$15,000-24,999	59	46,615	16	29.8	14.7-44.9	1	1.0	00.0-03.0	42	69.2	54.1-84.3
\$25,000-34,999	56	41,599	12	19.6	08.2-31.0	5	12.1	00.0-25.8	39	68.3	52.8-83.8
\$35,000-49,999	58	45,006	5	8.7	00.0-17.7				53	91.3	82.3-0100
\$50,000-99,999	111	84,160	8	5.9	01.4-10.4	2	1.1	00.0-02.9	101	93.0	88.1-97.9
\$100,000-199,999	67	49,161	4	5.4	00.0-11.1	1	2.5	01.7-03.3	62	92.2	86.3-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 23: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	229	168,418	33	16.6	10.3-22.9	7	2.5	01.5-03.5	189	80.9	74.6-87.2
White/Non-Hisp	190	132,656	22	14.9	08.0-21.8	6	2.2	00.8-03.6	162	82.9	76.0-89.8
55-64	81	56,758	13	22.7	10.5-34.9	1	1.1	00.0-03.3	67	76.2	63.9-88.5
65+	107	74,635	18	18.4	08.8-28.0	6	4.7	02.9-06.5	83	76.9	67.3-86.5
H.S. or G.E.D.	54	43,982	12	24.1	10.0-38.2	1	1.1	00.0-03.3	41	74.8	60.7-88.9
Some Post-H.S.	64	52,260	9	13.4	03.6-23.2	2	2.7	01.7-03.7	53	83.9	74.1-93.7
College Graduate	93	51,422	9	10.1	03.2-17.0	3	3.2	01.6-04.8	81	86.7	79.8-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 24: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	263	209,733	32	11.1	06.4-15.8	4	2.1	00.0-04.8	227	86.8	81.5-92.1
White/Non-Hisp	225	169,514	23	9.0	04.7-13.3	4	2.6	00.0-06.1	198	88.4	82.9-93.9
45-54	60	56,483	6	6.9	00.2-13.6				54	93.1	86.4-99.8
55-64	86	71,262	9	11.3	02.5-20.1	2	4.9	00.0-12.9	75	83.8	72.8-94.8
65+	117	81,988	17	13.6	05.6-21.6	2	1.2	00.0-03.2	98	85.2	77.2-93.2
H.S. or G.E.D.	61	58,458	6	12.0	02.4-21.6				55	88.0	78.4-97.6
Some Post-H.S.	78	63,951	9	10.8	02.4-19.2	2	5.0	00.0-13.8	67	84.2	73.2-95.2
College Graduate	108	65,333	12	7.2	02.3-12.1	2	1.9	00.0-04.6	94	90.9	85.2-96.6
\$50,000- 99,999	63	48,742	3	1.6	00.0-03.6	1	1.6	00.0-04.7	59	96.8	93.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 25: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2872	2,508,150	8	0.1	00.0-00.3	2765	97.1	96.5-97.7	99	2.8	02.2-03.4
Male	1365	1,205,850	5	0.2	00.0-00.4	1315	96.8	95.8-97.8	45	3.0	02.0-04.0
Female	1507	1,302,300	3	0.1	00.0-00.3	1450	97.3	96.5-98.1	54	2.6	01.8-03.4
White/Non-Hisp	2306	1,893,761	6	0.1	00.0-00.3	2220	96.9	96.1-97.7	80	3.0	02.2-03.8
Black or Afr. Am./Non-Hisp	348	353,919				339	98.3	97.1-99.5	9	1.7	00.5-02.9
Hispanic	52	79,383				51	98.3	95.0-0100	1	1.7	00.0-05.0
45-54	782	785,753				751	96.9	95.5-98.3	31	3.1	01.7-04.5
55-64	1019	902,356	3	0.1	00.0-00.3	981	97.3	96.3-98.3	35	2.6	01.6-03.6
65+	1071	820,042	5	0.3	00.1-00.5	1033	97.0	95.8-98.2	33	2.7	01.5-03.9
Less Than H.S.	243	352,101	1	0.1	00.0-00.3	237	98.8	97.6-0100	5	1.1	00.0-02.3
H.S. or G.E.D.	817	781,468	1	0.0	00.0-00.0	791	97.6	96.4-98.8	25	2.4	01.2-03.6
Some Post-H.S.	826	754,123	1	0.1	00.0-00.3	799	96.7	95.3-98.1	26	3.2	01.8-04.6
College Graduate	976	611,593	5	0.4	00.0-00.8	928	95.9	94.5-97.3	43	3.8	02.4-05.2
Less than \$15,000	235	187,106	2	0.4	00.0-01.0	225	97.0	94.8-99.2	8	2.6	00.4-04.8
\$15,000-24,999	303	268,914				290	96.8	94.6-99.0	13	3.2	01.0-05.4
\$25,000-34,999	294	271,304	2	0.2	00.0-00.6	286	98.0	96.4-99.6	6	1.8	00.2-03.4
\$35,000-49,999	337	269,804				322	96.4	94.2-98.6	15	3.6	01.4-05.8
\$50,000-99,999	634	526,116	3	0.3	00.0-00.7	615	97.1	95.5-98.7	16	2.6	01.2-04.0
\$100,000-199,999	419	361,601	1	0.1	00.0-00.3	403	97.3	95.7-98.9	15	2.6	01.0-04.2
\$200,000+	131	110,888				123	95.9	92.2-99.6	8	4.1	00.4-07.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 26: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1365	1,205,850	5	0.2	00.0-00.4	1315	96.8	95.8-97.8	45	3.0	02.0-04.0
White/Non-Hisp	1089	899,438	4	0.2	00.0-00.4	1049	96.7	95.5-97.9	36	3.1	01.9-04.3
Black or Afr. Am./Non-Hisp	145	144,100				142	98.2	96.2-0100	3	1.8	00.0-03.8
45-54	371	392,905				360	97.0	95.0-99.0	11	3.0	01.0-05.0
55-64	492	432,440	3	0.2	00.0-00.4	470	96.8	95.2-98.4	19	2.9	01.3-04.5
65+	502	380,505	2	0.3	00.0-00.9	485	96.6	94.4-98.8	15	3.1	01.1-05.1
Less Than H.S.	133	194,117				129	98.7	97.1-0100	4	1.3	00.0-02.9
H.S. or G.E.D.	399	386,613	1	0.1	00.0-00.3	386	97.4	95.6-99.2	12	2.5	00.7-04.3
Some Post-H.S.	350	317,074				336	95.2	92.5-97.9	14	4.8	02.1-07.5
College Graduate	479	303,818	4	0.6	00.0-01.2	460	96.5	94.7-98.3	15	2.9	01.1-04.7
Less than \$15,000	100	89,244	1	0.4	00.0-01.2	98	98.8	97.0-0100	1	0.8	00.0-02.4
\$15,000- 24,999	138	132,513				133	97.5	94.6-0100	5	2.5	00.0-05.4
\$25,000- 34,999	131	127,492	1	0.2	00.0-00.6	125	97.2	94.7-99.7	5	2.6	00.2-05.0
\$35,000- 49,999	156	138,743				151	97.4	94.7-0100	5	2.6	00.0-05.3
\$50,000- 99,999	305	243,665	2	0.5	00.0-01.3	295	96.4	93.9-98.9	8	3.0	00.6-05.4
\$100,000 - 199,999	231	193,341	1	0.2	00.0-00.6	222	97.5	95.5-99.5	8	2.3	00.5-04.1
\$200,000+	87	73,577				83	95.6	90.5-0100	4	4.4	00.0-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 27: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1507	1,302,300	3	0.1	00.1-00.1	1450	97.3	96.5-98.1	54	2.6	01.8-03.4
White/Non-Hisp	1217	994,322	2	0.1	00.1-00.1	1171	97.1	96.1-98.1	44	2.9	01.9-03.9
Black or Afr. Am./Non-Hisp	203	209,819				197	98.3	96.7-99.9	6	1.7	00.1-03.3
45-54	411	392,848				391	96.9	95.3-98.5	20	3.1	01.5-04.7
55-64	527	469,916				511	97.7	96.5-98.9	16	2.3	01.1-03.5
65+	569	439,537	3	0.3	00.1-00.5	548	97.3	95.7-98.9	18	2.4	00.8-04.0
Less Than H.S.	110	157,984	1	0.3	00.0-00.9	108	98.9	97.1-0100	1	0.8	00.0-02.4
H.S. or G.E.D.	418	394,855				405	97.8	96.4-99.2	13	2.2	00.8-03.6
Some Post-H.S.	476	437,049	1	0.1	00.0-00.3	463	97.8	96.4-99.2	12	2.1	00.7-03.5
College Graduate	497	307,775	1	0.1	00.0-00.3	468	95.3	93.1-97.5	28	4.6	02.4-06.8
Less than \$15,000	135	97,862	1	0.5	00.0-01.5	127	95.3	91.6-99.0	7	4.2	00.5-07.9
\$15,000- 24,999	165	136,401				157	96.2	93.3-99.1	8	3.8	00.9-06.7
\$25,000- 34,999	163	143,813	1	0.3	00.0-00.9	161	98.7	96.5-0100	1	1.0	00.0-03.0
\$35,000- 49,999	181	131,060				171	95.5	92.0-99.0	10	4.5	01.0-08.0
\$50,000- 99,999	329	282,451	1	0.1	00.0-00.3	320	97.6	95.8-99.4	8	2.3	00.5-04.1
\$100,000 - 199,999	188	168,260				181	97.1	94.6-99.6	7	2.9	00.4-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 28: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2872	2,508,150	1735	57.0	54.5-59.5	1105	42.1	39.6-44.6	32	0.8	00.4-01.2
Male	1365	1,205,850	822	56.6	53.1-60.1	531	42.5	39.0-46.0	12	0.9	00.3-01.5
Female	1507	1,302,300	913	57.5	54.0-61.0	574	41.7	38.2-45.2	20	0.8	00.4-01.2
White/Non-Hisp	2306	1,893,761	1426	59.7	57.0-62.4	858	39.6	36.9-42.3	22	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	348	353,919	218	60.1	53.2-67.0	128	39.4	32.5-46.3	2	0.5	00.0-01.1
Hispanic	52	79,383	19	29.4	14.1-44.7	32	69.0	53.5-84.5	1	1.7	00.0-05.0
45-54	782	785,753	293	35.6	31.3-39.9	469	62.5	58.2-66.8	20	1.9	00.9-02.9
55-64	1019	902,356	659	64.9	61.0-68.8	355	34.7	30.8-38.6	5	0.4	00.0-00.8
65+	1071	820,042	783	69.0	64.9-73.1	281	30.8	26.7-34.9	7	0.3	00.1-00.5
Less Than H.S.	243	352,101	114	43.0	35.0-51.0	127	56.8	48.8-64.8	2	0.2	00.0-00.6
H.S. or G.E.D.	817	781,468	478	56.5	52.0-61.0	331	42.9	38.4-47.4	8	0.5	00.1-00.9
Some Post-H.S.	826	754,123	497	57.8	53.5-62.1	321	41.3	37.0-45.6	8	1.0	00.2-01.8
College Graduate	976	611,593	641	65.1	61.4-68.8	321	33.5	29.8-37.2	14	1.4	00.6-02.2
Less than \$15,000	235	187,106	131	57.0	48.4-65.6	100	41.8	33.2-50.4	4	1.2	00.0-02.6
\$15,000-24,999	303	268,914	184	56.4	48.8-64.0	114	42.6	35.0-50.2	5	0.9	00.0-01.9
\$25,000-34,999	294	271,304	183	56.3	48.5-64.1	110	43.6	35.8-51.4	1	0.1	00.0-00.3
\$35,000-49,999	337	269,804	211	62.9	56.2-69.6	120	35.9	29.2-42.6	6	1.2	00.0-02.4
\$50,000-99,999	634	526,116	412	62.2	56.9-67.5	219	37.3	32.0-42.6	3	0.6	00.0-01.2
\$100,000-199,999	419	361,601	272	64.3	58.2-70.4	143	35.1	29.2-41.0	4	0.7	00.0-01.5
\$200,000+	131	110,888	94	71.4	62.4-80.4	34	26.7	18.1-35.3	3	1.9	00.0-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 29: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1365	1,205,850	822	56.6	53.1-60.1	531	42.5	39.0-46.0	12	0.9	00.3-01.5
White/Non-Hisp	1089	899,438	680	60.3	56.6-64.0	403	39.1	35.4-42.8	6	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	145	144,100	82	53.0	42.0-64.0	63	47.0	36.0-58.0			
45-54	371	392,905	132	33.1	27.2-39.0	231	64.8	58.7-70.9	8	2.1	00.5-03.7
55-64	492	432,440	322	66.4	60.9-71.9	168	33.1	27.8-38.4	2	0.4	00.0-01.0
65+	502	380,505	368	69.5	63.6-75.4	132	30.3	24.4-36.2	2	0.1	00.0-00.3
Less Than H.S.	133	194,117	57	45.2	34.2-56.2	74	54.5	43.5-65.5	2	0.4	00.0-01.0
H.S. or G.E.D.	399	386,613	226	54.9	48.4-61.4	171	44.8	38.3-51.3	2	0.3	00.0-00.7
Some Post-H.S.	350	317,074	212	55.7	49.0-62.4	133	42.2	35.5-48.9	5	2.0	00.0-04.0
College Graduate	479	303,818	326	67.1	62.0-72.2	150	32.0	26.9-37.1	3	0.9	00.0-01.9
Less than \$15,000	100	89,244	50	52.4	39.3-65.5	49	46.8	33.7-59.9	1	0.8	00.0-02.4
\$15,000- 24,999	138	132,513	79	54.0	43.4-64.6	58	45.7	35.1-56.3	1	0.4	00.0-01.2
\$25,000- 34,999	131	127,492	75	50.4	39.4-61.4	55	49.4	38.4-60.4	1	0.2	00.0-00.6
\$35,000- 49,999	156	138,743	92	60.8	50.8-70.8	62	38.0	28.2-47.8	2	1.2	00.0-03.2
\$50,000- 99,999	305	243,665	197	60.3	52.3-68.3	107	39.1	31.1-47.1	1	0.5	00.0-01.5
\$100,000 - 199,999	231	193,341	158	63.4	55.4-71.4	71	35.8	27.8-43.8	2	0.7	00.0-01.7
\$200,000+	87	73,577	63	72.2	60.6-83.8	22	25.1	13.9-36.3	2	2.7	00.0-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 30: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1507	1,302,300	913	57.5	54.2-60.8	574	41.7	38.4-45.0	20	0.8	00.4-01.2
White/Non-Hisp	1217	994,322	746	59.2	55.5-62.9	455	40.1	36.4-43.8	16	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	203	209,819	136	65.0	56.2-73.8	65	34.2	25.4-43.0	2	0.8	00.0-01.8
45-54	411	392,848	161	38.1	32.0-44.2	238	60.2	54.1-66.3	12	1.7	00.5-02.9
55-64	527	469,916	337	63.4	57.7-69.1	187	36.1	30.4-41.8	3	0.4	00.0-01.0
65+	569	439,537	415	68.5	62.8-74.2	149	31.1	25.4-36.8	5	0.3	00.0-00.7
Less Than H.S.	110	157,984	57	40.3	28.7-51.9	53	59.7	48.1-71.3			
H.S. or G.E.D.	418	394,855	252	58.1	51.8-64.4	160	41.1	34.8-47.4	6	0.8	00.0-01.6
Some Post-H.S.	476	437,049	285	59.2	53.5-64.9	188	40.6	34.9-46.3	3	0.2	00.0-00.6
College Graduate	497	307,775	315	63.1	57.8-68.4	171	35.0	29.7-40.3	11	1.9	00.5-03.3
Less than \$15,000	135	97,862	81	61.2	50.2-72.2	51	37.3	26.5-48.1	3	1.5	00.0-03.5
\$15,000- 24,999	165	136,401	105	58.8	48.4-69.2	56	39.7	29.3-50.1	4	1.5	00.0-03.1
\$25,000- 34,999	163	143,813	108	61.5	50.7-72.3	55	38.5	27.7-49.3			
\$35,000- 49,999	181	131,060	119	65.1	55.9-74.3	58	33.6	24.6-42.6	4	1.2	00.0-02.6
\$50,000- 99,999	329	282,451	215	63.7	56.8-70.6	112	35.7	28.8-42.6	2	0.6	00.0-01.4
\$100,000 - 199,999	188	168,260	114	65.2	56.4-74.0	72	34.2	25.4-43.0	2	0.5	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 12: TOBACCO USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	137
2	MALES ONLY	138
3	FEMALES ONLY	139
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	140
5	MALES ONLY	141
6	FEMALES ONLY	142
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)	
7	MALES AND FEMALES	143
8	MALES ONLY	144
9	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 12: TOBACCO USE

TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4848	5,042,922	659	13.9	12.5-15.3	212	4.7	03.9-05.5	1369	26.4	24.8-28.0	2608	55.0	53.0-57.0
Male	2343	2,453,559	334	15.3	13.3-17.3	113	5.2	04.0-06.4	748	30.0	27.6-32.4	1148	49.6	46.9-52.3
Female	2505	2,589,363	325	12.5	10.7-14.3	99	4.2	03.2-05.2	621	23.1	20.9-25.3	1460	60.2	57.7-62.7
White/Non-Hisp	3824	3,586,841	515	13.7	12.1-15.3	158	4.3	03.5-05.1	1169	29.9	27.9-31.9	1982	52.1	49.9-54.3
Black or Afr. Am./Non-Hisp	562	734,500	65	11.5	08.2-14.8	34	6.1	03.6-08.6	87	14.5	10.6-18.4	376	68.0	62.9-73.1
Oth. Race/Non-Hisp.	99	166,223	17	18.2	08.6-27.8	2	1.0	00.0-02.6	17	15.4	07.4-23.4	63	65.5	54.1-76.9
MultiRacial/Non-Hisp.	90	127,007	20	24.6	13.0-36.2	6	7.0	00.0-14.6	24	22.5	12.1-32.9	40	45.9	32.2-59.6
Hispanic	157	306,591	18	10.5	04.8-16.2	6	6.1	00.6-11.6	36	21.0	12.6-29.4	97	62.5	52.5-72.5
18-24	332	589,349	12	2.8	00.8-04.8	10	3.8	00.7-06.9	28	8.1	04.8-11.4	282	85.3	80.6-90.0
25-34	556	888,678	66	13.5	10.0-17.0	29	4.6	02.6-06.6	125	24.3	19.8-28.8	336	57.6	52.5-62.7
35-44	612	806,870	117	19.5	15.8-23.2	39	6.8	04.4-09.2	163	26.1	22.0-30.2	293	47.6	42.9-52.3
45-54	777	774,839	134	16.2	12.9-19.5	41	4.8	03.0-06.6	215	28.4	24.1-32.7	387	50.6	46.1-55.1
55-64	935	818,874	193	22.3	18.6-26.0	42	4.7	02.9-06.5	247	26.3	22.6-30.0	453	46.7	42.4-51.0
65+	1636	1,164,312	137	8.4	06.4-10.4	51	3.6	02.2-05.0	591	36.4	33.1-39.7	857	51.6	48.1-55.1
Less Than H.S.	360	583,611	106	30.5	24.0-37.0	27	7.5	04.2-10.8	115	28.0	21.9-34.1	112	34.0	26.7-41.3
H.S. or G.E.D.	1377	1,607,686	253	17.2	14.7-19.7	67	4.9	03.3-06.5	418	28.4	25.3-31.5	639	49.5	46.0-53.0
Some Post-H.S.	1379	1,489,568	185	11.4	09.4-13.4	70	5.2	03.6-06.8	432	28.7	25.8-31.6	692	54.7	51.4-58.0
College Graduate	1717	1,340,940	114	5.5	04.3-06.7	47	2.6	01.6-03.6	402	21.2	18.8-23.6	1154	70.7	68.0-73.4
Less than \$15,000	335	308,622	96	31.4	24.7-38.1	21	5.5	02.0-09.0	88	21.3	15.8-26.8	130	41.8	34.7-48.9
\$15,000-24,999	492	491,929	115	24.6	19.3-29.9	29	7.0	03.5-10.5	155	29.1	23.8-34.4	193	39.4	33.5-45.3
\$25,000-34,999	519	555,128	97	21.7	16.8-26.6	32	7.7	04.4-11.0	149	25.8	21.1-30.5	241	44.7	39.2-50.2
\$35,000-49,999	632	647,373	81	12.2	08.9-15.5	18	2.8	01.0-04.6	190	28.6	23.9-33.3	343	56.4	51.1-61.7
\$50,000-99,999	1147	1,215,607	139	12.3	09.8-14.8	45	4.5	02.9-06.1	325	27.0	23.5-30.5	638	56.1	52.2-60.0
\$100,000-199,999	692	742,649	46	6.5	04.3-08.7	27	3.7	01.9-05.5	199	27.1	22.8-31.4	420	62.7	58.2-67.2
\$200,000+	191	190,713	5	3.7	00.0-08.4	4	2.8	00.0-05.7	43	24.1	16.5-31.7	139	69.4	61.0-77.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2343	2,453,559	334	15.3	13.3-17.3	113	5.2	04.0-06.4	748	30.0	27.6-32.4	1148	49.6	46.9-52.3
White/Non-Hisp	1835	1,732,450	245	14.2	11.8-16.6	79	4.5	03.3-05.7	633	33.1	30.4-35.8	878	48.2	45.3-51.1
Black or Afr. Am./Non-Hisp	233	315,668	37	15.2	09.1-21.3	19	7.4	03.1-11.7	42	18.2	11.5-24.9	135	59.2	51.0-67.4
Oth. Race/Non-Hisp.	66	95,629	12	17.9	07.5-28.3	2	1.7	00.0-04.2	13	21.5	09.9-33.1	39	58.9	45.0-72.8
MultiRacial/Non-Hisp.	50	68,559	11	30.8	13.7-47.9	5	12.4	00.0-25.9	14	24.4	10.5-38.3	20	32.5	16.6-48.4
Hispanic	90	166,658	11	12.5	04.1-20.9	5	8.2	00.0-16.4	22	25.7	13.5-37.9	52	53.6	40.9-66.3
18-24	174	301,267	5	3.2	00.1-06.3	7	5.3	00.4-10.2	15	9.0	04.1-13.9	147	82.5	75.4-89.6
25-34	292	446,945	33	14.6	09.1-20.1	19	5.1	02.6-07.6	70	27.1	20.4-33.8	170	53.2	46.1-60.3
35-44	308	392,605	66	22.7	16.8-28.6	18	6.4	03.1-09.7	94	31.0	24.7-37.3	130	39.9	33.4-46.4
45-54	369	390,776	66	18.1	13.0-23.2	17	3.6	01.6-05.6	104	29.5	23.2-35.8	182	48.8	42.1-55.5
55-64	449	391,614	86	21.5	16.0-27.0	23	5.7	02.8-08.6	136	30.1	24.6-35.6	204	42.7	36.6-48.8
65+	751	530,352	78	10.7	07.4-14.0	29	5.1	02.4-07.8	329	43.8	39.1-48.5	315	40.5	35.8-45.2
Less Than H.S.	195	326,990	65	36.3	27.3-45.3	14	6.7	02.2-11.2	64	26.9	19.1-34.7	52	30.1	21.5-38.7
H.S. or G.E.D.	669	797,495	130	17.6	14.1-21.1	39	6.3	03.8-08.8	231	31.6	26.9-36.3	269	44.5	39.6-49.4
Some Post-H.S.	617	667,765	85	11.7	08.8-14.6	34	5.3	02.9-07.7	217	32.6	28.1-37.1	281	50.4	45.5-55.3
College Graduate	853	645,659	53	5.6	03.8-07.4	25	3.0	01.6-04.4	235	27.4	23.5-31.3	540	64.0	59.9-68.1
Less than \$15,000	137	135,001	48	36.7	26.1-47.3	9	4.2	00.9-07.5	37	21.6	13.6-29.6	43	37.5	26.5-48.5
\$15,000- 24,999	220	237,236	55	27.1	18.5-35.7	16	8.2	02.5-13.9	75	29.5	21.7-37.3	74	35.3	26.7-43.9
\$25,000- 34,999	232	261,049	46	23.4	15.8-31.0	14	8.9	03.4-14.4	70	24.4	17.7-31.1	102	43.2	35.0-51.4
\$35,000- 49,999	309	315,849	43	15.1	09.4-20.8	8	1.9	00.3-03.5	108	35.7	28.4-43.0	150	47.3	39.9-54.7
\$50,000- 99,999	592	624,009	79	14.5	10.6-18.4	27	5.4	02.9-07.9	190	30.4	25.3-35.5	296	49.6	44.1-55.1
\$100,000 - 199,999	397	418,076	28	6.7	04.0-09.4	18	4.3	01.8-06.8	135	33.7	27.6-39.8	216	55.3	49.0-61.6
\$200,000+	120	112,697	5	6.3	00.0-13.9	3	3.8	00.0-08.1	32	26.0	16.6-35.4	80	64.0	53.0-75.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2505	2,589,363	325	12.5	10.7-14.3	99	4.2	03.2-05.2	621	23.1	20.9-25.3	1460	60.2	57.7-62.7
White/Non-Hisp	1989	1,854,391	270	13.3	11.3-15.3	79	4.2	03.0-05.4	536	26.9	24.4-29.4	1104	55.7	52.8-58.6
Black or Afr. Am./Non-Hisp	329	418,832	28	8.6	04.9-12.3	15	5.1	02.0-08.2	45	11.7	07.2-16.2	241	74.5	68.4-80.6
Hispanic	67	139,932	7	8.1	01.4-14.8	1	3.6	00.0-10.5	14	15.3	05.1-25.5	45	73.1	59.6-86.6
18-24	158	288,083	7	2.3	00.1-04.5	3	2.3	00.0-05.8	13	7.2	03.1-11.3	135	88.1	82.4-93.8
25-34	264	441,733	33	12.4	07.7-17.1	10	4.1	01.2-07.0	55	21.5	15.6-27.4	166	62.1	55.0-69.2
35-44	304	414,265	51	16.4	11.7-21.1	21	7.2	03.7-10.7	69	21.4	15.9-26.9	163	55.0	48.3-61.7
45-54	408	384,063	68	14.4	10.3-18.5	24	6.0	03.1-08.9	111	27.3	21.4-33.2	205	52.4	45.9-58.9
55-64	486	427,259	107	23.1	18.0-28.2	19	3.7	01.7-05.7	111	22.8	17.9-27.7	249	50.4	44.5-56.3
65+	885	633,960	59	6.6	04.1-09.1	22	2.4	01.0-03.8	262	30.2	25.7-34.7	542	60.9	56.2-65.6
Less Than H.S.	165	256,621	41	23.1	14.3-31.9	13	8.5	03.2-13.8	51	29.4	19.4-39.4	60	38.9	26.7-51.1
H.S. or G.E.D.	708	810,191	123	16.8	13.5-20.1	28	3.5	01.9-05.1	187	25.3	21.2-29.4	370	54.5	49.6-59.4
Some Post-H.S.	762	821,803	100	11.1	08.4-13.8	36	5.2	02.8-07.6	215	25.5	21.8-29.2	411	58.1	53.6-62.6
College Graduate	864	695,281	61	5.5	03.7-07.3	22	2.3	01.1-03.5	167	15.5	12.6-18.4	614	76.8	73.5-80.1
Less than \$15,000	198	173,621	48	27.3	18.7-35.9	12	6.5	01.0-12.0	51	21.1	13.5-28.7	87	45.1	35.7-54.5
\$15,000- 24,999	272	254,693	60	22.2	16.1-28.3	13	5.9	02.0-09.8	80	28.7	21.6-35.8	119	43.2	35.6-50.8
\$25,000- 34,999	287	294,079	51	20.2	13.7-26.7	18	6.7	03.0-10.4	79	27.0	20.3-33.7	139	46.1	38.7-53.5
\$35,000- 49,999	323	331,525	38	9.4	05.7-13.1	10	3.7	00.4-07.0	82	21.8	15.9-27.7	193	65.0	57.9-72.1
\$50,000- 99,999	555	591,597	60	10.0	06.9-13.1	18	3.5	01.7-05.3	135	23.4	18.9-27.9	342	63.0	57.7-68.3
\$100,000 - 199,999	295	324,572	18	6.4	02.9-09.9	9	2.8	00.6-05.0	64	18.5	13.4-23.6	204	72.3	66.0-78.6
\$200,000+	71	78,017				1	1.4	00.0-04.1	11	21.4	10.8-32.0	59	77.1	66.3-87.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4848	5,042,922	3977	81.5	79.9-83.1	871	18.5	16.9-20.1
Male	2343	2,453,559	1896	79.5	77.1-81.9	447	20.5	18.1-22.9
Female	2505	2,589,363	2081	83.3	81.3-85.3	424	16.7	14.7-18.7
White/Non-Hisp	3824	3,586,841	3151	81.9	80.3-83.5	673	18.1	16.5-19.7
Black or Afr. Am./Non-Hisp	562	734,500	463	82.5	78.4-86.6	99	17.5	13.4-21.6
Oth. Race/Non-Hisp.	99	166,223	80	80.8	71.2-90.4	19	19.2	09.6-28.8
MultiRacial/Non-Hisp.	90	127,007	64	68.4	55.7-81.1	26	31.6	18.9-44.3
Hispanic	157	306,591	133	83.4	76.0-90.8	24	16.6	09.2-24.0
18-24	332	589,349	310	93.4	89.9-96.9	22	6.6	03.1-10.1
25-34	556	888,678	461	81.9	78.0-85.8	95	18.1	14.2-22.0
35-44	612	806,870	456	73.7	69.6-77.8	156	26.3	22.2-30.4
45-54	777	774,839	602	79.0	75.5-82.5	175	21.0	17.5-24.5
55-64	935	818,874	700	73.0	69.1-76.9	235	27.0	23.1-30.9
65+	1636	1,164,312	1448	87.9	85.5-90.3	188	12.1	09.7-14.5
Less Than H.S.	360	583,611	227	62.0	55.1-68.9	133	38.0	31.1-44.9
H.S. or G.E.D.	1377	1,607,686	1057	77.9	75.2-80.6	320	22.1	19.4-24.8
Some Post-H.S.	1379	1,489,568	1124	83.4	80.9-85.9	255	16.6	14.1-19.1
College Graduate	1717	1,340,940	1556	91.9	90.3-93.5	161	8.1	06.5-09.7
Less than \$15,000	335	308,622	218	63.1	56.0-70.2	117	36.9	29.8-44.0
\$15,000-24,999	492	491,929	348	68.4	62.7-74.1	144	31.6	25.9-37.3
\$25,000-34,999	519	555,128	390	70.6	65.1-76.1	129	29.4	23.9-34.9
\$35,000-49,999	632	647,373	533	85.0	81.3-88.7	99	15.0	11.3-18.7
\$50,000-99,999	1147	1,215,607	963	83.2	80.3-86.1	184	16.8	13.9-19.7
\$100,000-199,999	692	742,649	619	89.8	87.1-92.5	73	10.2	07.5-12.9
\$200,000+	191	190,713	182	93.5	88.2-98.8	9	6.5	01.2-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2343	2,453,559	1896	79.5	77.1-81.9	447	20.5	18.1-22.9
White/Non-Hisp	1835	1,732,450	1511	81.3	78.8-83.8	324	18.7	16.2-21.2
Black or Afr. Am./Non-Hisp	233	315,668	177	77.4	70.3-84.5	56	22.6	15.5-29.7
Oth. Race/Non-Hisp.	66	95,629	52	80.5	69.7-91.3	14	19.5	08.7-30.3
MultiRacial/Non-Hisp.	50	68,559	34	56.8	38.8-74.8	16	43.2	25.2-61.2
Hispanic	90	166,658	74	79.3	68.3-90.3	16	20.7	09.7-31.7
18-24	174	301,267	162	91.5	85.8-97.2	12	8.5	02.8-14.2
25-34	292	446,945	240	80.3	74.4-86.2	52	19.7	13.8-25.6
35-44	308	392,605	224	71.0	64.7-77.3	84	29.0	22.7-35.3
45-54	369	390,776	286	78.4	73.1-83.7	83	21.6	16.3-26.9
55-64	449	391,614	340	72.8	66.9-78.7	109	27.2	21.3-33.1
65+	751	530,352	644	84.3	80.2-88.4	107	15.7	11.6-19.8
Less Than H.S.	195	326,990	116	57.0	47.8-66.2	79	43.0	33.8-52.2
H.S. or G.E.D.	669	797,495	500	76.1	72.0-80.2	169	23.9	19.8-28.0
Some Post-H.S.	617	667,765	498	83.0	79.5-86.5	119	17.0	13.5-20.5
College Graduate	853	645,659	775	91.4	89.2-93.6	78	8.6	06.4-10.8
Less than \$15,000	137	135,001	80	59.1	48.5-69.7	57	40.9	30.3-51.5
\$15,000- 24,999	220	237,236	149	64.7	55.5-73.9	71	35.3	26.1-44.5
\$25,000- 34,999	232	261,049	172	67.7	59.3-76.1	60	32.3	23.9-40.7
\$35,000- 49,999	309	315,849	258	83.0	77.3-88.7	51	17.0	11.3-22.7
\$50,000- 99,999	592	624,009	486	80.0	75.5-84.5	106	20.0	15.5-24.5
\$100,000 - 199,999	397	418,076	351	89.0	85.5-92.5	46	11.0	07.5-14.5
\$200,000+	120	112,697	112	90.0	81.4-98.6	8	10.0	01.4-18.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2505	2,589,363	2081	83.3	81.3-85.3	424	16.7	14.7-18.7
White/Non-Hisp	1989	1,854,391	1640	82.5	80.3-84.7	349	17.5	15.3-19.7
Black or Afr. Am./Non-Hisp	329	418,832	286	86.2	81.5-90.9	43	13.8	09.1-18.5
Hispanic	67	139,932	59	88.3	78.9-97.7	8	11.7	02.3-21.1
18-24	158	288,083	148	95.4	91.5-99.3	10	4.6	00.7-08.5
25-34	264	441,733	221	83.6	78.3-88.9	43	16.4	11.1-21.7
35-44	304	414,265	232	76.4	70.7-82.1	72	23.6	17.9-29.3
45-54	408	384,063	316	79.7	74.8-84.6	92	20.3	15.4-25.2
55-64	486	427,259	360	73.3	68.0-78.6	126	26.7	21.4-32.0
65+	885	633,960	804	91.0	88.3-93.7	81	9.0	06.3-11.7
Less Than H.S.	165	256,621	111	68.4	58.4-78.4	54	31.6	21.6-41.6
H.S. or G.E.D.	708	810,191	557	79.7	76.0-83.4	151	20.3	16.6-24.0
Some Post-H.S.	762	821,803	626	83.7	80.4-87.0	136	16.3	13.0-19.6
College Graduate	864	695,281	781	92.3	90.3-94.3	83	7.7	05.7-09.7
Less than \$15,000	198	173,621	138	66.2	57.0-75.4	60	33.8	24.6-43.0
\$15,000- 24,999	272	254,693	199	71.9	65.0-78.8	73	28.1	21.2-35.0
\$25,000- 34,999	287	294,079	218	73.1	66.0-80.2	69	26.9	19.8-34.0
\$35,000- 49,999	323	331,525	275	86.9	82.0-91.8	48	13.1	08.2-18.0
\$50,000- 99,999	555	591,597	477	86.5	83.0-90.0	78	13.5	10.0-17.0
\$100,000 - 199,999	295	324,572	268	90.8	86.7-94.9	27	9.2	05.1-13.3
\$200,000+	71	78,017	70	98.6	95.9-0100	1	1.4	00.0-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 12: TOBACCO USE

TABLE 7: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4838	5,031,679	4438	89.2	87.8-90.6	400	10.8	09.4-12.2
Male	2342	2,450,150	2143	88.2	86.2-90.2	199	11.8	09.8-13.8
Female	2496	2,581,530	2295	90.2	88.4-92.0	201	9.8	08.0-11.6
White/Non-Hisp	3814	3,571,820	3504	89.1	87.5-90.7	310	10.9	09.3-12.5
Black or Afr. Am./Non-Hisp	559	728,277	513	90.0	86.5-93.5	46	10.0	06.5-13.5
Oth. Race/Non-Hisp.	99	165,924	93	94.9	90.2-99.6	6	5.1	00.4-09.8
MultiRacial/Non-Hisp.	90	127,007	83	88.3	78.9-97.7	7	11.7	02.3-21.1
Hispanic	160	314,903	137	84.7	77.4-92.0	23	15.3	08.0-22.6
18-24	324	579,522	263	79.9	74.4-85.4	61	20.1	14.6-25.6
25-34	556	886,946	436	76.8	72.3-81.3	120	23.2	18.7-27.7
35-44	613	810,948	538	88.4	85.5-91.3	75	11.6	08.7-14.5
45-54	777	775,749	717	92.8	90.6-95.0	60	7.2	05.0-09.4
55-64	930	817,114	881	94.6	92.6-96.6	49	5.4	03.4-07.4
65+	1638	1,161,400	1603	97.7	96.5-98.9	35	2.3	01.1-03.5
Less Than H.S.	358	582,926	320	86.0	80.7-91.3	38	14.0	08.7-19.3
H.S. or G.E.D.	1370	1,595,046	1230	87.2	84.7-89.7	140	12.8	10.3-15.3
Some Post-H.S.	1376	1,487,281	1234	88.0	85.6-90.4	142	12.0	09.6-14.4
College Graduate	1718	1,344,282	1638	94.1	92.5-95.7	80	5.9	04.3-07.5
Less than \$15,000	333	308,165	302	93.4	90.5-96.3	31	6.6	03.7-09.5
\$15,000-24,999	489	487,974	437	86.5	82.4-90.6	52	13.5	09.4-17.6
\$25,000-34,999	516	550,092	469	86.6	82.3-90.9	47	13.4	09.1-17.7
\$35,000-49,999	633	647,179	572	88.4	84.7-92.1	61	11.6	07.9-15.3
\$50,000-99,999	1146	1,216,202	1048	87.7	84.8-90.6	98	12.3	09.4-15.2
\$100,000-199,999	693	745,989	656	92.2	89.1-95.3	37	7.8	04.7-10.9
\$200,000+	189	189,584	179	91.6	85.7-97.5	10	8.4	02.5-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 8: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2342	2,450,150	2143	88.2	86.2-90.2	199	11.8	09.8-13.8
White/Non-Hisp	1833	1,722,224	1678	88.5	86.3-90.7	155	11.5	09.3-13.7
Black or Afr. Am./Non-Hisp	232	315,305	213	88.0	81.7-94.3	19	12.0	05.7-18.3
Oth. Race/Non-Hisp.	65	94,702	62	95.7	90.4-0100	3	4.3	00.0-09.6
MultiRacial/Non-Hisp.	50	68,559	45	80.5	64.6-96.4	5	19.5	03.6-35.4
Hispanic	92	172,364	79	82.2	71.8-92.6	13	17.8	07.4-28.2
18-24	170	296,810	137	76.9	68.9-84.9	33	23.1	15.1-31.1
25-34	293	450,286	226	73.0	66.3-79.7	67	27.0	20.3-33.7
35-44	309	394,975	274	88.5	84.2-92.8	35	11.5	07.2-15.8
45-54	372	390,268	344	92.6	89.3-95.9	28	7.4	04.1-10.7
55-64	447	393,657	431	96.9	94.9-98.9	16	3.1	01.1-05.1
65+	751	524,154	731	97.4	96.0-98.8	20	2.6	01.2-04.0
Less Than H.S.	193	325,791	172	85.5	78.2-92.8	21	14.5	07.2-21.8
H.S. or G.E.D.	668	794,232	597	85.4	81.5-89.3	71	14.6	10.7-18.5
Some Post-H.S.	617	667,761	553	87.7	84.4-91.0	64	12.3	09.0-15.6
College Graduate	854	645,688	811	93.1	90.6-95.6	43	6.9	04.4-09.4
Less than \$15,000	138	135,551	124	93.5	89.6-97.4	14	6.5	02.6-10.4
\$15,000- 24,999	219	234,854	199	85.8	79.3-92.3	20	14.2	07.7-20.7
\$25,000- 34,999	231	260,232	211	87.3	81.2-93.4	20	12.7	06.6-18.8
\$35,000- 49,999	310	316,044	279	85.4	79.1-91.7	31	14.6	08.3-20.9
\$50,000- 99,999	592	623,952	541	88.8	84.9-92.7	51	11.2	07.3-15.1
\$100,000 - 199,999	398	421,417	373	89.7	84.6-94.8	25	10.3	05.2-15.4
\$200,000+	118	111,567	111	89.8	81.2-98.4	7	10.2	01.6-18.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 9: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2496	2,581,530	2295	90.2	88.4-92.0	201	9.8	08.0-11.6
White/Non-Hisp	1981	1,849,596	1826	89.6	87.6-91.6	155	10.4	08.4-12.4
Black or Afr. Am./Non-Hisp	327	412,972	300	91.6	87.9-95.3	27	8.4	04.7-12.1
Hispanic	68	142,539	58	87.6	77.8-97.4	10	12.4	02.6-22.2
18-24	154	282,712	126	83.0	75.7-90.3	28	17.0	09.7-24.3
25-34	263	436,661	210	80.7	74.8-86.6	53	19.3	13.4-25.2
35-44	304	415,973	264	88.2	84.1-92.3	40	11.8	07.7-15.9
45-54	405	385,481	373	93.1	90.0-96.2	32	6.9	03.8-10.0
55-64	483	423,458	450	92.4	89.3-95.5	33	7.6	04.5-10.7
65+	887	637,246	872	97.8	96.0-99.6	15	2.2	00.4-04.0
Less Than H.S.	165	257,135	148	86.5	78.9-94.1	17	13.5	05.9-21.1
H.S. or G.E.D.	702	800,815	633	89.0	85.9-92.1	69	11.0	07.9-14.1
Some Post-H.S.	759	819,520	681	88.3	85.2-91.4	78	11.7	08.6-14.8
College Graduate	864	698,594	827	95.0	93.0-97.0	37	5.0	03.0-07.0
Less than \$15,000	195	172,613	178	93.2	89.1-97.3	17	6.8	02.7-10.9
\$15,000- 24,999	270	253,120	238	87.1	81.8-92.4	32	12.9	07.6-18.2
\$25,000- 34,999	285	289,860	258	85.9	80.0-91.8	27	14.1	08.2-20.0
\$35,000- 49,999	323	331,134	293	91.2	87.1-95.3	30	8.8	04.7-12.9
\$50,000- 99,999	554	592,249	507	86.4	82.1-90.7	47	13.6	09.3-17.9
\$100,000 - 199,999	295	324,572	283	95.5	92.6-98.4	12	4.5	01.6-07.4
\$200,000+	71	78,017	68	94.2	86.9-0100	3	5.8	00.0-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 13: LUNG CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	SMOKING GROUP (_SMOKGRP)	
1	MALES AND FEMALES	147
2	MALES ONLY	148
3	FEMALES ONLY	149
	LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)	
4	MALES AND FEMALES	150
5	MALES ONLY	151
6	FEMALES ONLY	152

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 13: LUNG CANCER SCREENING
 TABLE 1: SMOKING GROUP (_SMOKGRP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker, 20+ Pack Years			Former smoker, 20+ Pack Years, quit < 15 years			All other current and former smokers			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4848	5,042,922	435	8.1	07.1-09.1	211	3.8	03.2-04.4	1594	33.1	31.3-34.9	2608	55.0	53.0-57.0
Male	2343	2,453,559	226	9.4	07.8-11.0	111	4.1	03.1-05.1	858	36.9	34.4-39.4	1148	49.6	46.9-52.3
Female	2505	2,589,363	209	6.9	05.7-08.1	100	3.5	02.7-04.3	736	29.4	26.9-31.9	1460	60.2	57.7-62.7
White/Non-Hisp	3824	3,586,841	377	9.5	08.3-10.7	185	4.4	03.6-05.2	1280	34.0	32.0-36.0	1982	52.1	49.9-54.3
Black or Afr. Am./Non-Hisp	562	734,500	15	2.3	00.7-03.9	13	2.8	01.0-04.6	158	27.0	22.1-31.9	376	68.0	62.9-73.1
Oth. Race/Non-Hisp.	99	166,223	12	9.0	02.9-15.1	1	0.4	00.0-01.2	23	25.2	14.6-35.8	63	65.5	54.1-76.9
MultiRacial/Non-Hisp.	90	127,007	11	12.6	03.6-21.6	5	4.1	00.0-08.2	34	37.4	24.5-50.3	40	45.9	32.2-59.6
Hispanic	157	306,591	7	1.9	00.3-03.5				53	35.6	25.6-45.6	97	62.5	52.5-72.5
18-24	332	589,349							50	14.7	10.0-19.4	282	85.3	80.6-90.0
25-34	556	888,678	9	2.0	00.4-03.6	1	0.2	00.0-00.6	210	40.1	35.0-45.2	336	57.6	52.5-62.7
35-44	612	806,870	49	7.4	05.2-09.6	15	2.5	01.1-03.9	255	42.5	37.8-47.2	293	47.6	42.9-52.3
45-54	777	774,839	86	11.0	08.1-13.9	48	6.7	04.3-09.1	256	31.7	27.4-36.0	387	50.6	46.1-55.1
55-64	935	818,874	169	19.4	15.9-22.9	62	7.0	05.0-09.0	251	26.9	23.2-30.6	453	46.7	42.4-51.0
65+	1636	1,164,312	122	7.6	05.8-09.4	85	5.1	03.7-06.5	572	35.8	32.5-39.1	857	51.6	48.1-55.1
Less Than H.S.	360	583,611	76	18.7	13.6-23.8	24	5.6	02.9-08.3	148	41.8	34.7-48.9	112	34.0	26.7-41.3
H.S. or G.E.D.	1377	1,607,686	176	10.9	08.9-12.9	73	4.1	02.9-05.3	489	35.5	32.2-38.8	639	49.5	46.0-53.0
Some Post-H.S.	1379	1,489,568	122	6.2	04.8-07.6	77	4.8	03.4-06.2	488	34.3	31.2-37.4	692	54.7	51.4-58.0
College Graduate	1717	1,340,940	61	2.4	01.6-03.2	37	1.5	00.9-02.1	465	25.4	22.9-27.9	1154	70.7	68.0-73.4
Less than \$15,000	335	308,622	71	20.6	15.1-26.1	18	3.3	01.3-05.3	116	34.3	27.4-41.2	130	41.8	34.7-48.9
\$15,000-24,999	492	491,929	81	16.2	11.7-20.7	34	5.1	02.9-07.3	184	39.3	33.4-45.2	193	39.4	33.5-45.3
\$25,000-34,999	519	555,128	61	11.9	08.2-15.6	31	5.2	02.8-07.6	186	38.2	32.7-43.7	241	44.7	39.2-50.2
\$35,000-49,999	632	647,373	51	6.3	03.9-08.7	21	3.5	01.5-05.5	217	33.8	28.7-38.9	343	56.4	51.1-61.7
\$50,000-99,999	1147	1,215,607	82	6.4	04.6-08.2	44	3.9	02.5-05.3	383	33.6	29.9-37.3	638	56.1	52.2-60.0
\$100,000-199,999	692	742,649	32	4.1	02.3-05.9	24	2.7	01.5-03.9	216	30.4	26.1-34.7	420	62.7	58.2-67.2
\$200,000+	191	190,713	4	1.8	00.0-03.8	4	1.1	00.0-02.3	44	27.8	19.4-36.2	139	69.4	61.0-77.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 13: LUNG CANCER SCREENING
 TABLE 2: SMOKING GROUP (_SMOKGRP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker, 20+ Pack Years			Former smoker, 20+ Pack Years, quit < 15 years			All other current and former smokers			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2343	2,453,559	226	9.4	07.8-11.0	111	4.1	03.1-05.1	858	36.9	34.4-39.4	1148	49.6	46.9-52.3
White/Non-Hisp	1835	1,732,450	182	10.2	08.2-12.2	97	4.6	03.4-05.8	678	37.0	34.1-39.9	878	48.2	45.3-51.1
Black or Afr. Am./Non-Hisp	233	315,668	11	4.2	01.1-07.3	5	2.9	00.0-05.8	82	33.7	25.7-41.7	135	59.2	51.0-67.4
Oth. Race/Non-Hisp.	66	95,629	9	11.3	02.7-19.9	1	0.7	00.0-02.1	17	29.1	16.4-41.8	39	58.9	45.0-72.8
MultiRacial/Non-Hisp.	50	68,559	9	21.6	06.3-36.9	3	6.0	00.0-13.3	18	39.9	22.5-57.3	20	32.5	16.6-48.4
Hispanic	90	166,658	5	2.1	00.1-04.1				33	44.3	31.4-57.2	52	53.6	40.9-66.3
18-24	174	301,267							27	17.5	10.4-24.6	147	82.5	75.4-89.6
25-34	292	446,945	5	2.4	00.0-04.9	1	0.4	00.0-01.2	116	44.0	36.9-51.1	170	53.2	46.1-60.3
35-44	308	392,605	33	10.7	06.8-14.6	9	3.4	00.9-05.9	136	46.0	39.3-52.7	130	39.9	33.4-46.4
45-54	369	390,776	42	12.5	08.0-17.0	25	6.8	03.9-09.7	120	31.9	25.6-38.2	182	48.8	42.1-55.5
55-64	449	391,614	80	20.8	15.3-26.3	32	7.3	04.2-10.4	133	29.2	23.7-34.7	204	42.7	36.6-48.8
65+	751	530,352	66	9.1	06.4-11.8	44	5.7	03.5-07.9	326	44.8	39.9-49.7	315	40.5	35.8-45.2
Less Than H.S.	195	326,990	45	22.5	15.2-29.8	14	6.1	02.2-10.0	84	41.3	32.1-50.5	52	30.1	21.5-38.7
H.S. or G.E.D.	669	797,495	97	12.1	09.2-15.0	39	4.4	02.6-06.2	264	39.0	34.1-43.9	269	44.5	39.6-49.4
Some Post-H.S.	617	667,765	58	6.9	04.7-09.1	41	5.4	03.4-07.4	237	37.2	32.5-41.9	281	50.4	45.5-55.3
College Graduate	853	645,659	26	2.3	01.3-03.3	17	1.4	00.6-02.2	270	32.2	28.3-36.1	540	64.0	59.9-68.1
Less than \$15,000	137	135,001	38	28.9	19.1-38.7	12	4.0	01.5-06.5	44	29.6	20.0-39.2	43	37.5	26.5-48.5
\$15,000- 24,999	220	237,236	43	18.9	11.5-26.3	11	4.1	00.6-07.6	92	41.7	32.7-50.7	74	35.3	26.7-43.9
\$25,000- 34,999	232	261,049	30	13.4	07.5-19.3	15	5.3	02.2-08.4	85	38.0	29.8-46.2	102	43.2	35.0-51.4
\$35,000- 49,999	309	315,849	27	7.5	03.2-11.8	11	4.3	01.2-07.4	121	40.9	33.5-48.3	150	47.3	39.9-54.7
\$50,000- 99,999	592	624,009	46	7.9	05.2-10.6	24	3.8	02.0-05.6	226	38.7	33.2-44.2	296	49.6	44.1-55.1
\$100,000 - 199,999	397	418,076	18	4.0	01.8-06.2	18	3.7	01.7-05.7	145	37.0	30.9-43.1	216	55.3	49.0-61.6
\$200,000+	120	112,697	4	3.0	00.0-06.5	4	1.9	00.0-03.9	32	31.2	20.2-42.2	80	64.0	53.0-75.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 13: LUNG CANCER SCREENING
 TABLE 3: SMOKING GROUP (_SMOKGRP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker, 20+ Pack Years			Former smoker, 20+ Pack Years, quit < 15 years			All other current and former smokers			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2505	2,589,363	209	6.9	05.7-08.1	100	3.5	02.7-04.3	736	29.4	26.9-31.9	1460	60.2	57.7-62.7
White/Non-Hisp	1989	1,854,391	195	8.9	07.3-10.5	88	4.1	03.1-05.1	602	31.3	28.6-34.0	1104	55.7	52.8-58.6
Black or Afr. Am./Non-Hisp	329	418,832	4	0.8	00.0-01.8	8	2.6	00.2-05.0	76	22.0	16.3-27.7	241	74.5	68.4-80.6
Hispanic	67	139,932	2	1.7	00.0-04.2				20	25.2	11.9-38.5	45	73.1	59.6-86.6
18-24	158	288,083							23	11.9	06.2-17.6	135	88.1	82.4-93.8
25-34	264	441,733	4	1.7	00.0-03.5				94	36.2	29.3-43.1	166	62.1	55.0-69.2
35-44	304	414,265	16	4.2	02.0-06.4	6	1.6	00.0-03.2	119	39.2	32.5-45.9	163	55.0	48.3-61.7
45-54	408	384,063	44	9.5	06.0-13.0	23	6.7	03.2-10.2	136	31.4	25.5-37.3	205	52.4	45.9-58.9
55-64	486	427,259	89	18.1	13.6-22.6	30	6.7	04.0-09.4	118	24.8	19.5-30.1	249	50.4	44.5-56.3
65+	885	633,960	56	6.3	03.9-08.7	41	4.6	03.0-06.2	246	28.2	23.9-32.5	542	60.9	56.2-65.6
Less Than H.S.	165	256,621	31	13.8	07.5-20.1	10	5.0	01.1-08.9	64	42.4	31.2-53.6	60	38.9	26.7-51.1
H.S. or G.E.D.	708	810,191	79	9.8	07.1-12.5	34	3.8	02.4-05.2	225	31.9	27.4-36.4	370	54.5	49.6-59.4
Some Post-H.S.	762	821,803	64	5.6	03.8-07.4	36	4.4	02.6-06.2	251	31.9	27.6-36.2	411	58.1	53.6-62.6
College Graduate	864	695,281	35	2.6	01.4-03.8	20	1.6	00.8-02.4	195	19.1	16.0-22.2	614	76.8	73.5-80.1
Less than \$15,000	198	173,621	33	14.1	08.2-20.0	6	2.7	00.0-05.4	72	38.0	28.4-47.6	87	45.1	35.7-54.5
\$15,000- 24,999	272	254,693	38	13.8	08.9-18.7	23	6.0	03.3-08.7	92	37.0	29.4-44.6	119	43.2	35.6-50.8
\$25,000- 34,999	287	294,079	31	10.4	05.5-15.3	16	5.1	01.6-08.6	101	38.4	31.0-45.8	139	46.1	38.7-53.5
\$35,000- 49,999	323	331,525	24	5.1	02.6-07.6	10	2.8	00.8-04.8	96	27.1	20.4-33.8	193	65.0	57.9-72.1
\$50,000- 99,999	555	591,597	36	4.8	02.8-06.8	20	3.9	01.7-06.1	157	28.2	23.3-33.1	342	63.0	57.7-68.3
\$100,000 - 199,999	295	324,572	14	4.4	01.3-07.5	6	1.5	00.3-02.7	71	21.9	16.2-27.6	204	72.3	66.0-78.6
\$200,000+	71	78,017							12	22.9	12.1-33.7	59	77.1	66.3-87.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

**SECTION 13: LUNG CANCER SCREENING
TABLE 4: LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF recommendation: did have CAT			Does not meet USPSTF recommendation: did not have CAT		
	TOTAL	WEIGHTED	CT chest scan in last year N	%	C.I. (95%)	CT chest scan in last year N	%	C.I. (95%)
TOTAL	747	638,442	63	8.9	06.0-11.8	684	91.1	88.2-94.0
Male	408	357,084	37	10.2	05.5-14.9	371	89.8	85.1-94.5
Female	339	281,358	26	7.2	04.5-09.9	313	92.8	90.1-95.5
White/Non-Hisp	622	502,142	56	10.2	06.7-13.7	566	89.8	86.3-93.3
Black or Afr. Am./Non-Hisp	64	66,708	1	1.5	00.0-04.4	63	98.5	95.6-0100
45-54	106	99,769	1	0.8	00.0-02.4	105	99.2	97.6-0100
55-64	257	242,069	21	10.2	03.9-16.5	236	89.8	83.5-96.1
65+	384	296,605	41	10.5	06.8-14.2	343	89.5	85.8-93.2
Less Than H.S.	110	138,095	9	11.0	00.6-21.4	101	89.0	78.6-99.4
H.S. or G.E.D.	258	225,718	21	9.4	05.3-13.5	237	90.6	86.5-94.7
Some Post-H.S.	225	191,287	24	8.6	04.7-12.5	201	91.4	87.5-95.3
College Graduate	152	82,838	9	4.8	01.3-08.3	143	95.2	91.7-98.7
Less than \$15,000	105	86,080	10	6.7	02.0-11.4	95	93.3	88.6-98.0
\$15,000-24,999	119	105,139	10	15.1	02.2-28.0	109	84.9	72.0-97.8
\$25,000-34,999	95	85,306	12	10.4	03.1-17.7	83	89.6	82.3-96.9
\$35,000-49,999	95	87,900	7	6.8	00.7-12.9	88	93.2	87.1-99.3
\$50,000-99,999	130	103,329	10	6.3	02.0-10.6	120	93.7	89.4-98.0
\$100,000-199,999	72	54,894	4	4.0	00.0-08.5	68	96.0	91.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 5: LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF recommendation: did have CAT			Does not meet USPSTF recommendation: did not have CAT		
	TOTAL	WEIGHTED	CT chest scan in last year N	%	C.I. (95%)	CT chest scan in last year N	%	C.I. (95%)
Male	408	357,084	37	10.2	05.5-14.9	371	89.8	85.1-94.5
White/Non-Hisp	333	276,868	31	11.4	05.7-17.1	302	88.6	82.9-94.3
45-54	52	55,033	1	1.4	00.0-04.1	51	98.6	95.9-0100
55-64	136	130,654	11	13.7	02.9-24.5	125	86.3	75.5-97.1
65+	220	171,398	25	10.4	05.3-15.5	195	89.6	84.5-94.7
Less Than H.S.	56	68,770	6	19.7	00.9-38.5	50	80.3	61.5-99.1
H.S. or G.E.D.	147	134,826	14	10.0	03.9-16.1	133	90.0	83.9-96.1
Some Post-H.S.	116	101,033	13	8.0	03.3-12.7	103	92.0	87.3-96.7
College Graduate	88	52,019	4	2.8	00.0-05.7	84	97.2	94.3-0100
Less than \$15,000	50	44,457	6	8.3	00.7-15.9	44	91.7	84.1-99.3
\$15,000- 24,999	55	51,801	5	20.5	00.0-44.0	50	79.5	56.0-0100
\$35,000- 49,999	61	57,724	5	8.7	00.0-17.7	56	91.3	82.3-0100
\$50,000- 99,999	78	65,016	7	6.6	01.3-11.9	71	93.4	88.1-98.7
\$100,000 - 199,999	53	41,465	2	2.2	00.0-05.1	51	97.8	94.9-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 6: LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF recommendation: did have CAT			Does not meet USPSTF recommendation: did not have CAT		
	TOTAL	WEIGHTED	CT chest scan in last year N	%	C.I. (95%)	CT chest scan in last year N	%	C.I. (95%)
Female	339	281,358	26	7.2	04.5-09.9	313	92.8	90.1-95.5
White/Non-Hisp	289	225,273	25	8.8	05.3-12.3	264	91.2	87.7-94.7
45-54	54	44,736				54	100.0	0100-0100
55-64	121	111,415	10	6.2	01.9-10.5	111	93.8	89.5-98.1
65+	164	125,207	16	10.8	05.7-15.9	148	89.2	84.1-94.3
Less Than H.S.	54	69,325	3	2.5	00.0-05.4	51	97.5	94.6-0100
H.S. or G.E.D.	111	90,892	7	8.6	03.5-13.7	104	91.4	86.3-96.5
Some Post-H.S.	109	90,254	11	9.2	03.3-15.1	98	90.8	84.9-96.7
College Graduate	64	30,818	5	8.2	00.4-16.0	59	91.8	84.0-99.6
Less than \$15,000	55	41,623	4	5.0	00.0-10.3	51	95.0	89.7-0100
\$15,000- 24,999	64	53,338	5	9.7	00.7-18.7	59	90.3	81.3-99.3
\$25,000- 34,999	50	41,323	5	6.9	01.4-12.4	45	93.1	87.6-98.6
\$50,000- 99,999	52	38,313	3	5.8	00.0-13.4	49	94.2	86.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 14: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)	
1 MALES AND FEMALES	154
2 MALES ONLY	155
3 FEMALES ONLY	156
DRINK-OCCASIONS-PER-DAY (DROCDY4_)	
4 MALES AND FEMALES	157
5 MALES ONLY	158
6 FEMALES ONLY	159
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)	
7 MALES AND FEMALES	160
8 MALES ONLY	161
9 FEMALES ONLY	162
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)	
10 MALES AND FEMALES	163
11 MALES ONLY	164
12 FEMALES ONLY	165
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)	
13 MALES AND FEMALES	166
14 MALES ONLY	167
15 FEMALES ONLY	168

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4716	4,896,668	2157	48.1	46.1-50.1	2559	51.9	49.9-53.9
Male	2279	2,387,391	1201	53.8	51.1-56.5	1078	46.2	43.5-48.9
Female	2437	2,509,277	956	42.8	40.1-45.5	1481	57.2	54.5-59.9
White/Non-Hisp	3736	3,492,555	1677	47.3	45.1-49.5	2059	52.7	50.5-54.9
Black or Afr. Am./Non-Hisp	531	693,671	265	54.8	49.3-60.3	266	45.2	39.7-50.7
Oth. Race/Non-Hisp.	98	164,753	41	43.2	31.0-55.4	57	56.8	44.6-69.0
MultiRacial/Non-Hisp.	87	118,458	48	59.7	46.8-72.6	39	40.3	27.4-53.2
Hispanic	155	309,830	75	43.9	33.7-54.1	80	56.1	45.9-66.3
18-24	321	565,291	173	46.3	39.4-53.2	148	53.7	46.8-60.6
25-34	540	862,480	342	64.5	59.6-69.4	198	35.5	30.6-40.4
35-44	596	792,294	352	59.2	54.5-63.9	244	40.8	36.1-45.5
45-54	751	745,534	382	50.7	46.0-55.4	369	49.3	44.6-54.0
55-64	909	796,929	399	42.2	37.9-46.5	510	57.8	53.5-62.1
65+	1599	1,134,140	509	31.4	28.3-34.5	1090	68.6	65.5-71.7
Less Than H.S.	343	556,851	68	22.7	16.6-28.8	275	77.3	71.2-83.4
H.S. or G.E.D.	1337	1,549,835	468	39.1	35.6-42.6	869	60.9	57.4-64.4
Some Post-H.S.	1353	1,461,999	615	51.8	48.5-55.1	738	48.2	44.9-51.5
College Graduate	1670	1,308,845	1002	65.7	62.8-68.6	668	34.3	31.4-37.2
Less than \$15,000	325	299,135	78	29.0	22.3-35.7	247	71.0	64.3-77.7
\$15,000-24,999	477	475,517	150	36.0	30.1-41.9	327	64.0	58.1-69.9
\$25,000-34,999	505	537,119	199	39.6	34.1-45.1	306	60.4	54.9-65.9
\$35,000-49,999	622	635,679	276	47.5	42.2-52.8	346	52.5	47.2-57.8
\$50,000-99,999	1126	1,199,568	589	54.7	50.8-58.6	537	45.3	41.4-49.2
\$100,000-199,999	673	719,976	442	66.3	61.6-71.0	231	33.7	29.0-38.4
\$200,000+	187	185,951	143	81.4	74.9-87.9	44	18.6	12.1-25.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2279	2,387,391	1201	53.8	51.1-56.5	1078	46.2	43.5-48.9
White/Non-Hisp	1793	1,687,080	935	53.3	50.2-56.4	858	46.7	43.6-49.8
Black or Afr. Am./Non-Hisp	220	298,987	128	59.2	50.8-67.6	92	40.8	32.4-49.2
Oth. Race/Non-Hisp.	64	93,530	28	41.8	27.7-55.9	36	58.2	44.1-72.3
Hispanic	88	168,110	46	54.8	42.3-67.3	42	45.2	32.7-57.7
18-24	168	292,953	101	57.2	48.4-66.0	67	42.8	34.0-51.6
25-34	283	433,382	193	67.2	60.1-74.3	90	32.8	25.7-39.9
35-44	300	384,686	193	62.2	55.5-68.9	107	37.8	31.1-44.5
45-54	360	380,350	213	57.2	50.5-63.9	147	42.8	36.1-49.5
55-64	434	380,908	217	47.4	40.9-53.9	217	52.6	46.1-59.1
65+	734	515,114	284	36.3	31.8-40.8	450	63.7	59.2-68.2
Less Than H.S.	184	312,613	47	26.6	18.6-34.6	137	73.4	65.4-81.4
H.S. or G.E.D.	654	777,844	288	47.7	42.6-52.8	366	52.3	47.2-57.4
Some Post-H.S.	603	653,217	319	58.2	53.3-63.1	284	41.8	36.9-46.7
College Graduate	828	627,039	543	70.5	66.6-74.4	285	29.5	25.6-33.4
Less than \$15,000	135	132,434	38	31.8	21.6-42.0	97	68.2	58.0-78.4
\$15,000- 24,999	212	222,428	76	40.0	30.8-49.2	136	60.0	50.8-69.2
\$25,000- 34,999	225	254,696	101	43.7	35.5-51.9	124	56.3	48.1-64.5
\$35,000- 49,999	305	308,410	145	49.8	42.4-57.2	160	50.2	42.8-57.6
\$50,000- 99,999	580	613,979	339	60.9	55.4-66.4	241	39.1	33.6-44.6
\$100,000 - 199,999	387	411,879	274	70.8	64.9-76.7	113	29.2	23.3-35.1
\$200,000+	116	107,934	89	81.9	73.9-89.9	27	18.1	10.1-26.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2437	2,509,277	956	42.8	40.1-45.5	1481	57.2	54.5-59.9
White/Non-Hisp	1943	1,805,475	742	41.6	38.7-44.5	1201	58.4	55.5-61.3
Black or Afr. Am./Non-Hisp	311	394,684	137	51.4	44.3-58.5	174	48.6	41.5-55.7
Hispanic	67	141,720	29	31.0	17.7-44.3	38	69.0	55.7-82.3
18-24	153	272,338	72	34.6	25.4-43.8	81	65.4	56.2-74.6
25-34	257	429,098	149	61.7	54.6-68.8	108	38.3	31.2-45.4
35-44	296	407,608	159	56.3	49.6-63.0	137	43.7	37.0-50.4
45-54	391	365,185	169	44.0	37.5-50.5	222	56.0	49.5-62.5
55-64	475	416,021	182	37.5	31.8-43.2	293	62.5	56.8-68.2
65+	865	619,026	225	27.3	23.2-31.4	640	72.7	68.6-76.8
Less Than H.S.	159	244,238	21	17.8	08.8-26.8	138	82.2	73.2-91.2
H.S. or G.E.D.	683	771,991	180	30.4	25.7-35.1	503	69.6	64.9-74.3
Some Post-H.S.	750	808,782	296	46.7	42.0-51.4	454	53.3	48.6-58.0
College Graduate	842	681,806	459	61.3	57.2-65.4	383	38.7	34.6-42.8
Less than \$15,000	190	166,701	40	26.9	17.9-35.9	150	73.1	64.1-82.1
\$15,000- 24,999	265	253,089	74	32.5	24.9-40.1	191	67.5	59.9-75.1
\$25,000- 34,999	280	282,423	98	35.9	28.6-43.2	182	64.1	56.8-71.4
\$35,000- 49,999	317	327,270	131	45.3	37.7-52.9	186	54.7	47.1-62.3
\$50,000- 99,999	546	585,589	250	48.2	42.7-53.7	296	51.8	46.3-57.3
\$100,000 - 199,999	286	308,096	168	60.3	52.9-67.7	118	39.7	32.3-47.1
\$200,000+	71	78,017	54	80.6	70.4-90.8	17	19.4	09.2-29.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 14: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4716	4,896,668	1212	27.7	25.9-29.5	482	10.6	09.4-11.8	198	4.2	03.4-05.0	265	5.7	04.7-06.7	2559	51.9	49.9-53.9
Male	2279	2,387,391	614	27.9	25.4-30.4	275	12.1	10.3-13.9	130	5.7	04.5-06.9	182	8.0	06.6-09.4	1078	46.2	43.5-48.9
Female	2437	2,509,277	598	27.5	25.1-29.9	207	9.1	07.5-10.7	68	2.8	02.0-03.6	83	3.5	02.5-04.5	1481	57.2	54.5-59.9
White/Non-Hisp	3736	3,492,555	921	26.3	24.3-28.3	374	10.3	09.1-11.5	164	4.7	03.7-05.7	218	6.0	05.0-07.0	2059	52.7	50.5-54.9
Black or Afr. Am./Non-Hisp	531	693,671	161	34.7	29.4-40.0	60	12.6	08.9-16.3	18	3.2	01.2-05.2	26	4.2	02.2-06.2	266	45.2	39.7-50.7
Oth. Race/Non-Hisp.	98	164,753	28	30.4	19.0-41.8	6	5.0	00.1-09.9	3	2.3	00.0-05.0	4	5.5	00.0-12.2	57	56.8	44.6-69.0
MultiRacial/Non-Hisp.	87	118,458	22	27.8	15.6-40.0	13	17.8	07.8-27.8	7	5.0	00.5-09.5	6	9.1	00.7-17.5	39	40.3	27.4-53.2
Hispanic	155	309,830	44	25.9	17.3-34.5	20	10.8	05.3-16.3	4	2.6	00.0-05.7	7	4.6	00.7-08.5	80	56.1	45.9-66.3
18-24	321	565,291	125	33.5	27.4-39.6	29	7.4	04.1-10.7	14	3.3	01.3-05.3	5	2.1	00.0-04.5	148	53.7	46.8-60.6
25-34	540	862,480	194	36.2	31.3-41.1	95	17.3	13.6-21.0	28	6.0	03.5-08.5	25	5.0	02.8-07.2	198	35.5	30.6-40.4
35-44	596	792,294	199	33.2	28.7-37.7	90	14.1	11.0-17.2	29	4.9	02.7-07.1	34	6.9	04.2-09.6	244	40.8	36.1-45.5
45-54	751	745,534	211	27.8	23.5-32.1	80	11.2	08.3-14.1	43	4.9	02.9-06.9	48	6.8	04.4-09.2	369	49.3	44.6-54.0
55-64	909	796,929	234	25.8	22.1-29.5	84	7.4	05.4-09.4	29	2.8	01.4-04.2	52	6.2	04.0-08.4	510	57.8	53.5-62.1
65+	1599	1,134,140	249	15.8	13.4-18.2	104	6.3	04.9-07.7	55	3.3	02.1-04.5	101	6.0	04.4-07.6	1090	68.6	65.5-71.7
Less Than H.S.	343	556,851	47	14.7	09.6-19.8	6	3.1	00.4-05.8				15	5.0	02.3-07.7	275	77.3	71.2-83.4
H.S. or G.E.D.	1337	1,549,835	260	21.9	19.0-24.8	100	8.1	06.1-10.1	41	3.7	02.3-05.1	67	5.4	03.8-07.0	869	60.9	57.4-64.4
Some Post-H.S.	1353	1,461,999	362	31.0	27.7-34.3	134	11.2	09.0-13.4	43	4.0	02.6-05.4	76	5.6	04.0-07.2	738	48.2	44.9-51.5
College Graduate	1670	1,308,845	540	36.3	33.4-39.2	241	15.9	13.7-18.1	114	6.9	05.3-08.5	107	6.5	04.9-08.1	668	34.3	31.4-37.2
Less than \$15,000	325	299,135	48	16.8	11.3-22.3	16	6.2	02.7-09.7	3	0.6	00.0-01.4	11	5.4	02.1-08.7	247	71.0	64.3-77.7
\$15,000-24,999	477	475,517	88	20.9	15.8-26.0	24	7.0	03.5-10.5	11	3.1	00.9-05.3	27	5.0	02.5-07.5	327	64.0	58.1-69.9
\$25,000-34,999	505	537,119	130	27.4	22.3-32.5	31	5.9	03.5-08.3	10	1.5	00.5-02.5	28	4.8	02.6-07.0	306	60.4	54.9-65.9
\$35,000-49,999	622	635,679	177	30.4	25.5-35.3	53	8.4	05.5-11.3	17	2.9	01.1-04.7	29	5.7	02.8-08.6	346	52.5	47.2-57.8
\$50,000-99,999	1126	1,199,568	315	30.1	26.4-33.8	150	14.2	11.7-16.7	56	5.3	03.5-07.1	68	5.1	03.5-06.7	537	45.3	41.4-49.2
\$100,000-199,999	673	719,976	234	36.5	31.8-41.2	111	15.4	12.1-18.7	50	6.5	04.3-08.7	47	7.9	05.2-10.6	231	33.7	29.0-38.4
\$200,000+	187	185,951	53	30.1	21.7-38.5	46	26.7	18.9-34.5	26	13.5	07.2-19.8	18	11.0	04.7-17.3	44	18.6	12.1-25.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 14: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2279	2,387,391	614	27.9	25.4-30.4	275	12.1	10.3-13.9	130	5.7	04.5-06.9	182	8.0	06.6-09.4	1078	46.2	43.5-48.9
White/Non-Hisp	1793	1,687,080	465	26.6	23.9-29.3	216	11.8	10.0-13.6	108	6.5	04.9-08.1	146	8.4	06.6-10.2	858	46.7	43.6-49.8
Black or Afr. Am./Non-Hisp	220	298,987	69	33.7	25.5-41.9	28	13.4	07.5-19.3	11	5.0	00.9-09.1	20	7.1	03.2-11.0	92	40.8	32.4-49.2
Oth. Race/Non-Hisp.	64	93,530	20	30.7	17.6-43.8	3	4.6	00.0-09.9	2	2.6	00.0-06.3	3	3.9	00.0-08.4	36	58.2	44.1-72.3
Hispanic	88	168,110	23	29.3	17.1-41.5	14	15.3	06.3-24.3	3	2.8	00.0-06.9	6	7.4	00.7-14.1	42	45.2	32.7-57.7
18-24	168	292,953	71	39.5	30.9-48.1	20	11.7	05.8-17.6	8	4.1	01.0-07.2	2	1.8	00.0-04.3	67	42.8	34.0-51.6
25-34	283	433,382	97	32.8	26.1-39.5	54	17.7	12.4-23.0	23	9.4	05.1-13.7	19	7.3	03.6-11.0	90	32.8	25.7-39.9
35-44	300	384,686	99	31.3	25.0-37.6	52	15.7	11.2-20.2	15	4.9	01.8-08.0	27	10.3	06.0-14.6	107	37.8	31.1-44.5
45-54	360	380,350	106	28.9	22.6-35.2	47	12.3	08.4-16.2	26	6.1	03.2-09.0	34	9.9	05.8-14.0	147	42.8	36.1-49.5
55-64	434	380,908	113	24.9	19.6-30.2	44	8.9	05.6-12.2	22	4.2	01.8-06.6	38	9.3	05.8-12.8	217	52.6	46.1-59.1
65+	734	515,114	128	16.2	12.7-19.7	58	7.3	04.9-09.7	36	4.8	03.0-06.6	62	7.9	05.4-10.4	450	63.7	59.2-68.2
Less Than H.S.	184	312,613	30	15.7	09.2-22.2	5	3.9	00.2-07.6				12	6.9	02.6-11.2	137	73.4	65.4-81.4
H.S. or G.E.D.	654	777,844	148	24.8	20.3-29.3	60	9.6	06.7-12.5	31	5.6	03.1-08.1	49	7.7	05.0-10.4	366	52.3	47.2-57.4
Some Post-H.S.	603	653,217	166	30.8	26.1-35.5	73	12.5	09.4-15.6	30	6.2	03.5-08.9	50	8.8	05.7-11.9	284	41.8	36.9-46.7
College Graduate	828	627,039	267	34.7	30.6-38.8	136	19.2	15.7-22.7	69	8.4	06.0-10.8	71	8.2	06.0-10.4	285	29.5	25.6-33.4
Less than \$15,000	135	132,434	21	15.4	08.1-22.7	9	7.9	01.8-14.0	2	0.7	00.0-01.9	6	7.7	01.2-14.2	97	68.2	58.0-78.4
\$15,000- 24,999	212	222,428	41	23.2	15.0-31.4	10	5.4	00.9-09.9	5	2.0	00.0-04.2	20	9.3	04.0-14.6	136	60.0	50.8-69.2
\$25,000- 34,999	225	254,696	61	28.1	20.5-35.7	17	7.6	03.7-11.5	5	1.4	00.0-03.0	18	6.5	03.0-10.0	124	56.3	48.1-64.5
\$35,000- 49,999	305	308,410	93	31.8	24.7-38.9	23	7.5	03.4-11.6	12	4.8	01.7-07.9	17	5.7	02.2-09.2	160	50.2	42.8-57.6
\$50,000- 99,999	580	613,979	159	29.3	24.2-34.4	90	16.4	12.5-20.3	41	8.0	04.9-11.1	49	7.1	04.4-09.8	241	39.1	33.6-44.6
\$100,000 - 199,999	387	411,879	130	34.4	28.3-40.5	73	18.4	13.7-23.1	37	8.2	05.1-11.3	34	9.8	05.9-13.7	113	29.2	23.3-35.1
\$200,000+	116	107,934	33	29.7	18.9-40.5	25	22.4	13.2-31.6	13	10.7	03.4-18.0	18	19.0	09.0-29.0	27	18.1	10.1-26.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 14: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2437	2,509,277	598	27.5	25.1-29.9	207	9.1	07.5-10.7	68	2.8	02.0-03.6	83	3.5	02.5-04.5	1481	57.2	54.5-59.9
White/Non-Hisp	1943	1,805,475	456	25.9	23.4-28.4	158	8.8	07.0-10.6	56	3.0	02.0-04.0	72	3.8	02.6-05.0	1201	58.4	55.5-61.3
Black or Afr. Am./Non-Hisp	311	394,684	92	35.5	28.4-42.6	32	12.1	07.4-16.8	7	1.8	00.4-03.2	6	2.0	00.2-03.8	174	48.6	41.5-55.7
Hispanic	67	141,720	21	22.0	11.0-33.0	6	5.4	01.5-09.3	1	2.3	00.0-06.8	1	1.3	00.0-03.8	38	69.0	55.7-82.3
18-24	153	272,338	54	27.1	18.9-35.3	9	2.9	00.7-05.1	6	2.4	00.4-04.4	3	2.3	00.0-06.2	81	65.4	56.2-74.6
25-34	257	429,098	97	39.6	32.3-46.9	41	16.9	11.4-22.4	5	2.5	00.1-04.9	6	2.6	00.4-04.8	108	38.3	31.2-45.4
35-44	296	407,608	100	35.0	28.3-41.7	38	12.7	08.6-16.8	14	4.9	02.2-07.6	7	3.8	00.7-06.9	137	43.7	37.0-50.4
45-54	391	365,185	105	26.6	20.7-32.5	33	10.1	05.8-14.4	17	3.7	01.3-06.1	14	3.6	01.4-05.8	222	56.0	49.5-62.5
55-64	475	416,021	121	26.7	21.4-32.0	40	6.0	03.5-08.5	7	1.4	00.2-02.6	14	3.4	01.0-05.8	293	62.5	56.8-68.2
65+	865	619,026	121	15.4	12.1-18.7	46	5.4	03.6-07.2	19	2.0	00.6-03.4	39	4.5	02.5-06.5	640	72.7	68.6-76.8
Less Than H.S.	159	244,238	17	13.3	05.5-21.1	1	2.0	00.0-05.7				3	2.5	00.0-05.8	138	82.2	73.2-91.2
H.S. or G.E.D.	683	771,991	112	19.0	14.9-23.1	40	6.7	04.2-09.2	10	1.8	00.4-03.2	18	3.0	01.0-05.0	503	69.6	64.9-74.3
Some Post-H.S.	750	808,782	196	31.2	26.7-35.7	61	10.2	07.3-13.1	13	2.3	00.7-03.9	26	3.0	01.4-04.6	454	53.3	48.6-58.0
College Graduate	842	681,806	273	37.9	33.6-42.2	105	12.9	10.2-15.6	45	5.4	03.4-07.4	36	5.1	02.7-07.5	383	38.7	34.6-42.8
Less than \$15,000	190	166,701	27	17.9	09.7-26.1	7	4.9	00.4-09.4	1	0.5	00.0-01.5	5	3.6	00.3-06.9	150	73.1	64.1-82.1
\$15,000- 24,999	265	253,089	47	18.9	12.8-25.0	14	8.3	03.0-13.6	6	4.0	00.5-07.5	7	1.3	00.0-02.7	191	67.5	59.9-75.1
\$25,000- 34,999	280	282,423	69	26.7	20.0-33.4	14	4.2	01.5-06.9	5	1.6	00.2-03.0	10	3.4	00.5-06.3	182	64.1	56.8-71.4
\$35,000- 49,999	317	327,270	84	29.1	22.4-35.8	30	9.3	05.0-13.6	5	1.1	00.0-02.7	12	5.8	01.1-10.5	186	54.7	47.1-62.3
\$50,000- 99,999	546	585,589	156	31.0	25.9-36.1	60	11.7	08.4-15.0	15	2.4	00.8-04.0	19	3.1	01.3-04.9	296	51.8	46.3-57.3
\$100,000 - 199,999	286	308,096	104	39.2	31.8-46.6	38	11.5	06.8-16.2	13	4.2	01.7-06.7	13	5.4	01.9-08.9	118	39.7	32.3-47.1
\$200,000+	71	78,017	20	30.7	18.9-42.5	21	32.5	19.8-45.2	13	17.4	06.2-28.6				17	19.4	09.2-29.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4668	4,843,213	4079	84.9	83.5-86.3	589	15.1	13.7-16.5
Male	2252	2,357,215	1868	80.4	78.2-82.6	384	19.6	17.4-21.8
Female	2416	2,485,998	2211	89.1	87.3-90.9	205	10.9	09.1-12.7
White/Non-Hisp	3707	3,461,006	3271	86.1	84.5-87.7	436	13.9	12.3-15.5
Black or Afr. Am./Non-Hisp	519	678,448	444	83.2	78.9-87.5	75	16.8	12.5-21.1
Oth. Race/Non-Hisp.	98	164,753	81	78.6	68.0-89.2	17	21.4	10.8-32.0
MultiRacial/Non-Hisp.	85	115,130	65	69.4	56.5-82.3	20	30.6	17.7-43.5
Hispanic	154	308,851	126	83.1	76.0-90.2	28	16.9	09.8-24.0
18-24	321	565,291	251	80.6	75.5-85.7	70	19.4	14.3-24.5
25-34	530	841,978	382	73.2	68.7-77.7	148	26.8	22.3-31.3
35-44	590	784,591	471	77.9	73.8-82.0	119	22.1	18.0-26.2
45-54	742	737,056	629	84.2	80.9-87.5	113	15.8	12.5-19.1
55-64	893	782,946	817	93.1	91.3-94.9	76	6.9	05.1-08.7
65+	1592	1,131,351	1529	95.3	93.7-96.9	63	4.7	03.1-06.3
Less Than H.S.	337	544,681	315	92.8	89.3-96.3	22	7.2	03.7-10.7
H.S. or G.E.D.	1327	1,536,905	1174	85.5	83.0-88.0	153	14.5	12.0-17.0
Some Post-H.S.	1340	1,449,350	1180	85.3	82.8-87.8	160	14.7	12.2-17.2
College Graduate	1651	1,293,139	1398	80.2	77.7-82.7	253	19.8	17.3-22.3
Less than \$15,000	319	290,431	296	90.7	86.4-95.0	23	9.3	05.0-13.6
\$15,000-24,999	474	473,204	422	85.1	80.4-89.8	52	14.9	10.2-19.6
\$25,000-34,999	500	532,789	443	87.9	84.2-91.6	57	12.1	08.4-15.8
\$35,000-49,999	618	632,905	546	84.4	80.1-88.7	72	15.6	11.3-19.9
\$50,000-99,999	1117	1,187,622	955	83.2	80.3-86.1	162	16.8	13.9-19.7
\$100,000-199,999	666	715,382	541	77.8	73.7-81.9	125	22.2	18.1-26.3
\$200,000+	185	183,441	146	75.7	67.7-83.7	39	24.3	16.3-32.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2252	2,357,215	1868	80.4	78.2-82.6	384	19.6	17.4-21.8
White/Non-Hisp	1774	1,666,820	1496	82.9	80.7-85.1	278	17.1	14.9-19.3
Black or Afr. Am./Non-Hisp	214	290,009	169	76.1	68.5-83.7	45	23.9	16.3-31.5
Oth. Race/Non-Hisp.	64	93,530	51	78.2	66.4-90.0	13	21.8	10.0-33.6
Hispanic	88	168,110	65	73.0	61.6-84.4	23	27.0	15.6-38.4
18-24	168	292,953	119	73.0	65.2-80.8	49	27.0	19.2-34.8
25-34	278	424,278	188	70.6	64.3-76.9	90	29.4	23.1-35.7
35-44	297	381,868	217	71.5	65.2-77.8	80	28.5	22.2-34.8
45-54	354	373,316	280	79.4	74.3-84.5	74	20.6	15.5-25.7
55-64	425	370,760	377	90.9	88.0-93.8	48	9.1	06.2-12.0
65+	730	514,040	687	92.6	89.7-95.5	43	7.4	04.5-10.3
Less Than H.S.	180	305,838	162	88.5	82.4-94.6	18	11.5	05.4-17.6
H.S. or G.E.D.	648	768,019	539	80.3	76.2-84.4	109	19.7	15.6-23.8
Some Post-H.S.	596	647,441	498	80.6	76.5-84.7	98	19.4	15.3-23.5
College Graduate	818	619,239	660	76.1	72.2-80.0	158	23.9	20.0-27.8
Less than \$15,000	132	126,348	118	85.1	76.9-93.3	14	14.9	06.7-23.1
\$15,000- 24,999	209	220,115	177	80.0	72.2-87.8	32	20.0	12.2-27.8
\$25,000- 34,999	223	253,899	185	82.0	75.5-88.5	38	18.0	11.5-24.5
\$35,000- 49,999	304	307,045	266	85.0	79.7-90.3	38	15.0	09.7-20.3
\$50,000- 99,999	572	603,688	466	79.9	75.4-84.4	106	20.1	15.6-24.6
\$100,000 - 199,999	382	408,591	289	72.6	66.9-78.3	93	27.4	21.7-33.1
\$200,000+	115	106,403	90	76.1	65.7-86.5	25	23.9	13.5-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2416	2,485,998	2211	89.1	87.3-90.9	205	10.9	09.1-12.7
White/Non-Hisp	1933	1,794,186	1775	89.1	87.1-91.1	158	10.9	08.9-12.9
Black or Afr. Am./Non-Hisp	305	388,439	275	88.5	83.8-93.2	30	11.5	06.8-16.2
Hispanic	66	140,741	61	95.0	90.3-99.7	5	5.0	00.3-09.7
18-24	153	272,338	132	88.7	82.8-94.6	21	11.3	05.4-17.2
25-34	252	417,700	194	75.9	69.6-82.2	58	24.1	17.8-30.4
35-44	293	402,723	254	83.9	78.4-89.4	39	16.1	10.6-21.6
45-54	388	363,740	349	89.1	85.0-93.2	39	10.9	06.8-15.0
55-64	468	412,186	440	95.1	92.7-97.5	28	4.9	02.5-07.3
65+	862	617,311	842	97.6	96.4-98.8	20	2.4	01.2-03.6
Less Than H.S.	157	238,843	153	98.3	96.5-0100	4	1.7	00.0-03.5
H.S. or G.E.D.	679	768,886	635	90.7	87.6-93.8	44	9.3	06.2-12.4
Some Post-H.S.	744	801,908	682	89.1	85.8-92.4	62	10.9	07.6-14.2
College Graduate	833	673,900	738	84.0	80.5-87.5	95	16.0	12.5-19.5
Less than \$15,000	187	164,084	178	95.0	91.5-98.5	9	5.0	01.5-08.5
\$15,000- 24,999	265	253,089	245	89.5	84.0-95.0	20	10.5	05.0-16.0
\$25,000- 34,999	277	278,891	258	93.2	89.5-96.9	19	6.8	03.1-10.5
\$35,000- 49,999	314	325,859	280	83.8	77.3-90.3	34	16.2	09.7-22.7
\$50,000- 99,999	545	583,934	489	86.6	82.5-90.7	56	13.4	09.3-17.5
\$100,000 - 199,999	284	306,791	252	84.7	79.0-90.4	32	15.3	09.6-21.0
\$200,000+	70	77,037	56	75.2	62.5-87.9	14	24.8	12.1-37.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4671	4,831,800	710	15.2	13.8-16.6	303	7.1	06.1-08.1	426	9.4	08.2-10.6	331	7.0	06.0-08.0	330	8.3	07.1-09.5	2571	53.0	51.0-55.0
Male	2255	2,352,552	314	13.0	11.2-14.8	147	7.3	05.7-08.9	253	11.2	09.4-13.0	214	9.0	07.4-10.6	243	12.0	10.2-13.8	1084	47.3	44.6-50.0
Female	2416	2,479,249	396	17.3	15.3-19.3	156	7.0	05.6-08.4	173	7.6	06.2-09.0	117	5.1	03.9-06.3	87	4.7	03.5-05.9	1487	58.3	55.6-61.0
White/Non-Hisp	3715	3,467,136	551	15.0	13.4-16.6	236	7.1	05.9-08.3	327	8.8	07.6-10.0	272	7.4	06.2-08.6	263	8.4	07.2-09.6	2066	53.3	51.1-55.5
Black or Afr. Am./Non-Hisp	522	674,010	92	18.6	14.1-23.1	46	10.9	07.2-14.6	53	10.6	07.3-13.9	29	5.6	03.1-08.1	33	6.4	03.9-08.9	269	47.9	42.4-53.4
Oth. Race/Non-Hisp.	97	164,277	10	9.5	02.4-16.6	4	4.9	00.0-10.2	9	10.9	02.7-19.1	12	11.4	04.3-18.5	5	6.4	00.0-13.3	57	57.0	44.7-69.3
MultiRacial/Non-Hisp.	85	115,532	9	11.1	02.9-19.3	7	6.5	00.4-12.6	10	11.3	03.1-19.5	6	7.4	00.5-14.3	14	22.5	10.3-34.7	39	41.3	28.2-54.4
Hispanic	150	303,091	26	14.0	08.3-19.7	8	3.2	00.5-05.9	16	11.3	04.6-18.0	7	4.6	00.9-08.3	11	8.2	02.3-14.1	82	58.7	48.5-68.9
18-24	317	560,832	63	15.2	10.9-19.5	25	7.1	04.0-10.2	34	10.1	06.4-13.8	24	6.2	03.5-08.9	22	7.0	03.3-10.7	149	54.4	47.5-61.3
25-34	526	831,125	93	17.5	13.6-21.4	47	10.2	06.9-13.5	63	9.8	07.1-12.5	71	13.1	09.6-16.6	52	11.8	08.3-15.3	200	37.6	32.5-42.7
35-44	589	783,366	93	15.4	11.9-18.9	62	10.1	07.4-12.8	85	13.8	10.7-16.9	48	8.0	05.5-10.5	55	10.9	07.6-14.2	246	41.8	36.9-46.7
45-54	746	738,755	128	16.1	12.8-19.4	54	7.8	05.1-10.5	78	11.1	08.0-14.2	49	5.1	03.3-06.9	66	9.8	07.1-12.5	371	50.1	45.4-54.8
55-64	900	787,510	160	18.5	15.2-21.8	50	4.5	02.9-06.1	72	6.5	04.7-08.3	49	4.8	03.0-06.6	57	6.6	04.4-08.8	512	59.1	54.8-63.4
65+	1593	1,130,213	173	10.5	08.5-12.5	65	4.3	02.9-05.7	94	6.6	04.8-08.4	90	5.0	03.6-06.4	78	4.7	03.3-06.1	1093	69.0	65.9-72.1
Less Than H.S.	338	551,524	19	5.2	02.3-08.1	9	3.5	00.8-06.2	9	3.1	00.7-05.5	11	3.9	01.2-06.6	13	5.6	02.1-09.1	277	78.7	72.8-84.6
H.S. or G.E.D.	1320	1,519,418	138	10.7	08.5-12.9	68	6.5	04.5-08.5	87	7.0	05.2-08.8	63	4.6	03.2-06.0	90	8.4	06.2-10.6	874	62.8	59.3-66.3
Some Post-H.S.	1341	1,446,023	219	18.8	16.1-21.5	88	7.2	05.4-09.0	103	8.8	06.8-10.8	88	7.1	05.3-08.9	102	9.2	07.0-11.4	741	49.0	45.5-52.5
College Graduate	1659	1,295,696	333	20.9	18.4-23.4	138	9.6	07.6-11.6	225	15.4	13.0-17.8	168	11.0	09.0-13.0	125	8.3	06.5-10.1	670	34.9	32.0-37.8
Less than \$15,000	322	296,902	27	8.4	04.7-12.1	10	3.8	01.3-06.3	13	4.7	01.2-08.2	12	4.9	01.6-08.2	12	5.6	02.1-09.1	248	72.6	65.9-79.3
\$15,000-24,999	475	474,890	57	12.4	08.7-16.1	13	3.1	00.7-05.5	21	5.7	02.6-08.8	22	7.0	03.3-10.7	32	7.3	04.2-10.4	330	64.5	58.6-70.4
\$25,000-34,999	500	530,611	75	14.8	11.1-18.5	31	6.8	03.9-09.7	33	6.0	03.6-08.4	19	2.7	01.1-04.3	32	6.9	04.0-09.8	310	62.7	57.4-68.0
\$35,000-49,999	614	620,429	99	16.7	12.8-20.6	48	8.1	05.2-11.0	50	8.5	05.6-11.4	43	6.2	04.0-08.4	27	6.1	03.0-09.2	347	54.4	49.1-59.7
\$50,000-99,999	1117	1,180,916	176	15.0	12.5-17.5	94	9.4	07.0-11.8	115	11.8	09.3-14.3	102	9.0	06.8-11.2	92	8.7	06.3-11.1	538	46.0	42.1-49.9
\$100,000-199,999	669	713,942	128	18.4	14.7-22.1	61	10.5	07.4-13.6	108	14.2	11.1-17.3	70	10.5	07.6-13.4	70	12.3	09.0-15.6	232	34.1	29.4-38.8
\$200,000+	183	181,385	36	22.8	14.6-31.0	19	9.1	04.4-13.8	39	20.2	13.1-27.3	22	13.1	06.8-19.4	23	15.7	08.4-23.0	44	19.1	12.6-25.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2255	2,352,552	314	13.0	11.2-14.8	147	7.3	05.7-08.9	253	11.2	09.4-13.0	214	9.0	07.4-10.6	243	12.0	10.2-13.8	1084	47.3	44.6-50.0
White/Non-Hisp	1782	1,675,521	244	13.3	11.3-15.3	118	7.6	05.8-09.4	197	10.7	08.9-12.5	170	9.0	07.4-10.6	192	12.2	10.2-14.2	861	47.2	44.1-50.3
Black or Afr. Am./Non-Hisp	213	283,957	33	13.4	07.5-19.3	17	11.2	05.1-17.3	26	11.7	06.2-17.2	19	8.2	03.7-12.7	24	10.5	05.6-15.4	94	44.9	36.1-53.7
Oth. Race/Non-Hisp.	63	93,055	7	9.7	01.9-17.5	3	5.7	00.0-12.8	3	4.5	00.0-09.6	10	16.2	06.0-26.4	4	5.4	00.0-10.9	36	58.5	44.4-72.6
Hispanic	85	163,641	11	11.9	05.0-18.8	5	3.9	00.0-08.4	11	17.6	06.2-29.0	6	7.7	01.2-14.2	9	12.1	02.5-21.7	43	46.9	34.2-59.6
18-24	166	290,238	28	13.4	07.9-18.9	17	10.7	05.4-16.0	23	14.3	08.0-20.6	15	8.5	04.0-13.0	16	10.0	04.1-15.9	67	43.2	34.4-52.0
25-34	275	412,816	43	14.4	09.5-19.3	22	8.7	04.4-13.0	31	9.3	05.6-13.0	47	15.6	10.7-20.5	40	16.2	10.9-21.5	92	35.8	28.5-43.1
35-44	296	380,238	34	10.4	06.7-14.1	31	10.8	06.3-15.3	51	15.1	10.6-19.6	30	9.9	05.8-14.0	42	15.5	10.2-20.8	108	38.4	31.7-45.1
45-54	358	378,563	57	14.0	09.9-18.1	23	7.4	03.3-11.5	52	14.0	08.9-19.1	29	6.4	03.7-09.1	48	14.5	09.8-19.2	149	43.7	37.0-50.4
55-64	430	377,013	73	17.6	12.7-22.5	22	3.9	01.9-05.9	43	8.3	05.4-11.2	32	6.6	03.7-09.5	43	10.3	06.6-14.0	217	53.2	46.7-59.7
65+	730	513,683	79	9.6	07.2-12.0	32	4.2	02.4-06.0	53	8.4	05.5-11.3	61	7.2	04.8-09.6	54	6.6	04.4-08.8	451	63.9	59.4-68.4
Less Than H.S.	180	308,562	9	4.1	01.0-07.2	8	4.8	00.7-08.9	6	3.1	00.6-05.6	9	6.6	01.7-11.5	10	6.9	02.2-11.6	138	74.5	66.5-82.5
H.S. or G.E.D.	643	755,212	64	8.9	06.4-11.4	42	8.4	05.3-11.5	58	10.0	06.9-13.1	42	5.5	03.5-07.5	68	12.5	09.0-16.0	369	54.7	49.6-59.8
Some Post-H.S.	600	651,232	91	16.8	13.1-20.5	37	6.4	03.9-08.9	57	10.7	07.4-14.0	59	10.0	07.1-12.9	72	14.1	10.4-17.8	284	41.9	37.0-46.8
College Graduate	822	620,868	149	18.7	15.2-22.2	60	8.5	06.0-11.0	130	16.8	13.7-19.9	103	13.6	10.5-16.7	93	12.2	09.5-14.9	287	30.2	26.3-34.1
Less than \$15,000	133	131,477	11	8.0	02.7-13.3	4	3.0	00.0-06.7	5	3.7	00.2-07.2	8	7.1	01.6-12.6	8	9.5	02.2-16.8	97	68.7	58.5-78.9
\$15,000- 24,999	211	222,254	22	11.1	05.6-16.6	3	0.6	00.0-01.4	11	7.5	01.8-13.2	14	10.4	03.9-16.9	23	10.1	05.0-15.2	138	60.4	51.2-69.6
\$25,000- 34,999	222	250,920	27	10.5	06.0-15.0	17	9.2	04.3-14.1	19	8.0	04.1-11.9	12	3.3	00.9-05.7	21	9.5	04.4-14.6	126	59.5	51.5-67.5
\$35,000- 49,999	300	299,080	49	15.3	10.4-20.2	24	9.3	04.2-14.4	24	9.6	04.7-14.5	27	8.0	04.3-11.7	16	6.0	02.5-09.5	160	51.7	44.1-59.3
\$50,000- 99,999	575	604,081	85	14.4	10.7-18.1	45	9.4	06.1-12.7	65	12.8	08.9-16.7	65	9.6	06.7-12.5	74	13.9	10.0-17.8	241	39.8	34.3-45.3
\$100,000 - 199,999	383	405,845	56	13.6	09.5-17.7	32	10.0	05.7-14.3	75	16.0	11.9-20.1	49	13.3	09.0-17.6	57	17.2	12.1-22.3	114	29.8	23.7-35.9
\$200,000+	115	106,403	20	19.4	09.6-29.2	9	6.6	01.1-12.1	27	22.9	13.5-32.3	12	10.7	03.4-18.0	20	22.0	11.6-32.4	27	18.4	10.2-26.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2416	2,479,249	396	17.3	15.3-19.3	156	7.0	05.6-08.4	173	7.6	06.2-09.0	117	5.1	03.9-06.3	87	4.7	03.5-05.9	1487	58.3	55.6-61.0
White/Non-Hisp	1933	1,791,615	307	16.6	14.4-18.8	118	6.5	05.1-07.9	130	7.1	05.7-08.5	102	5.9	04.5-07.3	71	4.8	03.2-06.4	1205	59.1	56.2-62.0
Black or Afr. Am./Non-Hisp	309	390,053	59	22.5	16.2-28.8	29	10.6	06.1-15.1	27	9.7	05.4-14.0	10	3.7	01.0-06.4	9	3.4	00.9-05.9	175	50.1	43.0-57.2
Hispanic	65	139,450	15	16.4	07.0-25.8	3	2.3	00.0-05.2	5	4.0	01.3-06.7	1	1.1	00.0-03.3	2	3.7	00.0-09.0	39	72.5	60.2-84.8
18-24	151	270,594	35	17.2	10.5-23.9	8	3.3	00.8-05.8	11	5.5	02.0-09.0	9	3.8	00.9-06.7	6	3.8	00.0-08.1	82	66.4	57.2-75.6
25-34	251	418,309	50	20.5	14.4-26.6	25	11.8	06.7-16.9	32	10.3	06.4-14.2	24	10.7	05.8-15.6	12	7.4	03.1-11.7	108	39.3	32.0-46.6
35-44	293	403,128	59	20.2	14.7-25.7	31	9.4	05.9-12.9	34	12.6	07.9-17.3	18	6.3	03.2-09.4	13	6.6	02.7-10.5	138	45.0	38.1-51.9
45-54	388	360,192	71	18.4	12.9-23.9	31	8.3	04.8-11.8	26	8.0	04.3-11.7	20	3.8	01.6-06.0	18	4.8	02.3-07.3	222	56.8	50.3-63.3
55-64	470	410,497	87	19.3	14.6-24.0	28	5.0	02.6-07.4	29	4.9	02.7-07.1	17	3.2	01.0-05.4	14	3.2	01.0-05.4	295	64.5	58.8-70.2
65+	863	616,529	94	11.3	08.6-14.0	33	4.3	02.3-06.3	41	5.2	03.2-07.2	29	3.1	01.5-04.7	24	3.0	01.2-04.8	642	73.2	69.3-77.1
Less Than H.S.	158	242,962	10	6.7	01.2-12.2	1	1.8	00.0-05.3	3	3.1	00.0-07.2	2	0.5	00.0-01.1	3	4.0	00.0-08.9	139	84.0	75.4-92.6
H.S. or G.E.D.	677	764,207	74	12.5	09.0-16.0	26	4.6	02.4-06.8	29	4.0	02.4-05.6	21	3.7	01.7-05.7	22	4.5	02.1-06.9	505	70.7	66.0-75.4
Some Post-H.S.	741	794,791	128	20.4	16.5-24.3	51	7.8	05.3-10.3	46	7.2	04.8-09.6	29	4.8	02.4-07.2	30	5.1	02.9-07.3	457	54.7	50.0-59.4
College Graduate	837	674,828	184	22.9	19.4-26.4	78	10.5	07.8-13.2	95	14.0	10.9-17.1	65	8.6	06.1-11.1	32	4.8	02.6-07.0	383	39.1	35.0-43.2
Less than \$15,000	189	165,425	16	8.7	03.6-13.8	6	4.4	00.7-08.1	8	5.4	00.0-11.1	4	3.2	00.0-07.1	4	2.6	00.0-05.3	151	75.7	67.1-84.3
\$15,000- 24,999	264	252,635	35	13.6	08.5-18.7	10	5.3	01.2-09.4	10	4.1	01.2-07.0	8	4.0	00.1-07.9	9	4.9	01.0-08.8	192	68.1	60.5-75.7
\$25,000- 34,999	278	279,691	48	18.7	12.8-24.6	14	4.7	01.4-08.0	14	4.2	01.5-06.9	7	2.2	00.2-04.2	11	4.6	01.3-07.9	184	65.7	58.4-73.0
\$35,000- 49,999	314	321,348	50	18.0	12.1-23.9	24	7.0	03.7-10.3	26	7.4	04.3-10.5	16	4.5	01.8-07.2	11	6.3	01.0-11.6	187	56.8	49.2-64.4
\$50,000- 99,999	542	576,835	91	15.7	12.2-19.2	49	9.3	06.2-12.4	50	10.7	07.4-14.0	37	8.4	05.1-11.7	18	3.3	01.5-05.1	297	52.6	47.1-58.1
\$100,000 - 199,999	286	308,096	72	24.6	17.9-31.3	29	11.2	06.3-16.1	33	11.9	07.0-16.8	21	6.8	03.3-10.3	13	5.9	02.2-09.6	118	39.7	32.3-47.1
\$200,000+	68	74,982	16	27.7	15.9-39.5	10	12.6	04.2-21.0	12	16.3	06.1-26.5	10	16.5	05.5-27.5	3	6.7	00.0-15.7	17	20.2	09.6-30.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4671	4,831,800	4408	93.4	92.4-94.4	263	6.6	05.6-07.6
Male	2255	2,352,552	2118	93.2	91.8-94.6	137	6.8	05.4-08.2
Female	2416	2,479,249	2290	93.6	92.2-95.0	126	6.4	05.0-07.8
White/Non-Hisp	3715	3,467,136	3504	93.3	92.1-94.5	211	6.7	05.5-07.9
Black or Afr. Am./Non-Hisp	522	674,010	496	94.8	92.4-97.2	26	5.2	02.8-07.6
Oth. Race/Non-Hisp.	97	164,277	93	92.9	85.3-0100	4	7.1	00.0-14.7
MultiRacial/Non-Hisp.	85	115,532	75	86.0	76.4-95.6	10	14.0	04.4-23.6
Hispanic	150	303,091	143	93.4	87.9-98.9	7	6.6	01.1-12.1
18-24	317	560,832	301	95.3	92.2-98.4	16	4.7	01.6-07.8
25-34	526	831,125	482	89.4	86.1-92.7	44	10.6	07.3-13.9
35-44	589	783,366	540	90.2	87.1-93.3	49	9.8	06.7-12.9
45-54	746	738,755	692	92.9	90.5-95.3	54	7.1	04.7-09.5
55-64	900	787,510	861	95.8	94.2-97.4	39	4.2	02.6-05.8
65+	1593	1,130,213	1532	96.2	95.0-97.4	61	3.8	02.6-05.0
Less Than H.S.	338	551,524	330	96.3	93.4-99.2	8	3.7	00.8-06.6
H.S. or G.E.D.	1320	1,519,418	1246	93.1	91.1-95.1	74	6.9	04.9-08.9
Some Post-H.S.	1341	1,446,023	1265	93.0	91.0-95.0	76	7.0	05.0-09.0
College Graduate	1659	1,295,696	1554	92.8	91.0-94.6	105	7.2	05.4-09.0
Less than \$15,000	322	296,902	313	96.3	93.4-99.2	9	3.7	00.8-06.6
\$15,000-24,999	475	474,890	449	93.7	90.8-96.6	26	6.3	03.4-09.2
\$25,000-34,999	500	530,611	471	94.4	92.0-96.8	29	5.6	03.2-08.0
\$35,000-49,999	614	620,429	590	94.0	90.7-97.3	24	6.0	02.7-09.3
\$50,000-99,999	1117	1,180,916	1043	92.3	90.1-94.5	74	7.7	05.5-09.9
\$100,000-199,999	669	713,942	617	91.2	88.5-93.9	52	8.8	06.1-11.5
\$200,000+	183	181,385	170	90.4	83.7-97.1	13	9.6	02.9-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2255	2,352,552	2118	93.2	91.8-94.6	137	6.8	05.4-08.2
White/Non-Hisp	1782	1,675,521	1677	93.6	92.2-95.0	105	6.4	05.0-07.8
Black or Afr. Am./Non-Hisp	213	283,957	198	92.8	88.7-96.9	15	7.2	03.1-11.3
Oth. Race/Non-Hisp.	63	93,055	61	96.8	92.5-0100	2	3.2	00.0-07.5
Hispanic	85	163,641	80	91.0	82.0-0100	5	9.0	00.0-18.0
18-24	166	290,238	159	95.5	91.0-0100	7	4.5	00.0-09.0
25-34	275	412,816	253	91.4	87.5-95.3	22	8.6	04.7-12.5
35-44	296	380,238	267	89.0	84.3-93.7	29	11.0	06.3-15.7
45-54	358	378,563	328	91.7	88.2-95.2	30	8.3	04.8-11.8
55-64	430	377,013	410	95.3	92.9-97.7	20	4.7	02.3-07.1
65+	730	513,683	701	96.0	94.2-97.8	29	4.0	02.2-05.8
Less Than H.S.	180	308,562	175	96.6	93.3-99.9	5	3.4	00.1-06.7
H.S. or G.E.D.	643	755,212	596	91.6	88.7-94.5	47	8.4	05.5-11.3
Some Post-H.S.	600	651,232	562	92.9	90.2-95.6	38	7.1	04.4-09.8
College Graduate	822	620,868	775	93.5	91.3-95.7	47	6.5	04.3-08.7
Less than \$15,000	133	131,477	129	95.2	89.7-0100	4	4.8	00.0-10.3
\$15,000- 24,999	211	222,254	196	93.7	89.8-97.6	15	6.3	02.4-10.2
\$25,000- 34,999	222	250,920	207	94.4	91.1-97.7	15	5.6	02.3-08.9
\$35,000- 49,999	300	299,080	291	95.6	92.3-98.9	9	4.4	01.1-07.7
\$50,000- 99,999	575	604,081	530	91.1	87.8-94.4	45	8.9	05.6-12.2
\$100,000 - 199,999	383	405,845	354	91.4	87.9-94.9	29	8.6	05.1-12.1
\$200,000+	115	106,403	108	91.1	82.7-99.5	7	8.9	00.5-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2416	2,479,249	2290	93.6	92.2-95.0	126	6.4	05.0-07.8
White/Non-Hisp	1933	1,791,615	1827	93.0	91.2-94.8	106	7.0	05.2-08.8
Black or Afr. Am./Non-Hisp	309	390,053	298	96.2	93.7-98.7	11	3.8	01.3-06.3
Hispanic	65	139,450	63	96.3	91.0-0100	2	3.7	00.0-09.0
18-24	151	270,594	142	95.2	90.9-99.5	9	4.8	00.5-09.1
25-34	251	418,309	229	87.5	82.0-93.0	22	12.5	07.0-18.0
35-44	293	403,128	273	91.3	87.0-95.6	20	8.7	04.4-13.0
45-54	388	360,192	364	94.1	91.2-97.0	24	5.9	03.0-08.8
55-64	470	410,497	451	96.2	93.8-98.6	19	3.8	01.4-06.2
65+	863	616,529	831	96.3	94.5-98.1	32	3.7	01.9-05.5
Less Than H.S.	158	242,962	155	96.0	91.1-0100	3	4.0	00.0-08.9
H.S. or G.E.D.	677	764,207	650	94.5	92.0-97.0	27	5.5	03.0-08.0
Some Post-H.S.	741	794,791	703	93.1	90.4-95.8	38	6.9	04.2-09.6
College Graduate	837	674,828	779	92.1	89.6-94.6	58	7.9	05.4-10.4
Less than \$15,000	189	165,425	184	97.2	94.5-99.9	5	2.8	00.1-05.5
\$15,000- 24,999	264	252,635	253	93.8	89.5-98.1	11	6.2	01.9-10.5
\$25,000- 34,999	278	279,691	264	94.4	90.9-97.9	14	5.6	02.1-09.1
\$35,000- 49,999	314	321,348	299	92.6	87.1-98.1	15	7.4	01.9-12.9
\$50,000- 99,999	542	576,835	513	93.6	90.7-96.5	29	6.4	03.5-09.3
\$100,000 - 199,999	286	308,096	263	90.9	86.6-95.2	23	9.1	04.8-13.4
\$200,000+	68	74,982	62	89.4	79.0-99.8	6	10.6	00.2-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 15: IMMUNIZATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	170
2	MALES ONLY	171
3	FEMALES ONLY	172
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	173
5	MALES ONLY	174
6	FEMALES ONLY	175

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
 SECTION 15: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1582	1,132,827	1072	66.6	63.5-69.7	510	33.4	30.3-36.5
Male	728	513,882	500	67.2	62.5-71.9	228	32.8	28.1-37.5
Female	854	618,945	572	66.0	61.5-70.5	282	34.0	29.5-38.5
White/Non-Hisp	1390	947,474	955	67.2	63.9-70.5	435	32.8	29.5-36.1
Black or Afr. Am./Non-Hisp	109	100,604	71	71.3	60.7-81.9	38	28.7	18.1-39.3
65+	1582	1,132,827	1072	66.6	63.5-69.7	510	33.4	30.3-36.5
Less Than H.S.	164	204,617	86	51.8	41.0-62.6	78	48.2	37.4-59.0
H.S. or G.E.D.	450	339,546	293	66.7	61.2-72.2	157	33.3	27.8-38.8
Some Post-H.S.	448	323,299	313	69.3	63.6-75.0	135	30.7	25.0-36.4
College Graduate	519	264,929	379	74.5	69.6-79.4	140	25.5	20.6-30.4
Less than \$15,000	116	77,384	72	58.6	45.5-71.7	44	41.4	28.3-54.5
\$15,000-24,999	193	143,125	108	53.3	43.3-63.3	85	46.7	36.7-56.7
\$25,000-34,999	207	158,951	130	64.5	55.5-73.5	77	35.5	26.5-44.5
\$35,000-49,999	223	164,451	152	64.4	55.2-73.6	71	35.6	26.4-44.8
\$50,000-99,999	332	226,278	236	73.0	67.1-78.9	96	27.0	21.1-32.9
\$100,000-199,999	139	91,753	104	74.0	64.0-84.0	35	26.0	16.0-36.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	728	513,882	500	67.2	62.5-71.9	228	32.8	28.1-37.5
White/Non-Hisp	637	435,224	448	67.4	62.3-72.5	189	32.6	27.5-37.7
65+	728	513,882	500	67.2	62.5-71.9	228	32.8	28.1-37.5
Less Than H.S.	84	94,740	43	50.9	35.8-66.0	41	49.1	34.0-64.2
H.S. or G.E.D.	190	148,513	123	66.9	58.5-75.3	67	33.1	24.7-41.5
Some Post-H.S.	175	126,870	124	71.7	63.3-80.1	51	28.3	19.9-36.7
College Graduate	278	143,322	209	74.3	67.8-80.8	69	25.7	19.2-32.2
\$15,000- 24,999	85	61,303	46	48.0	32.3-63.7	39	52.0	36.3-67.7
\$25,000- 34,999	92	82,320	59	62.7	49.2-76.2	33	37.3	23.8-50.8
\$35,000- 49,999	117	85,411	84	71.1	60.1-82.1	33	28.9	17.9-39.9
\$50,000- 99,999	168	102,457	120	70.6	61.4-79.8	48	29.4	20.2-38.6
\$100,000 - 199,999	85	58,563	68	77.9	66.7-89.1	17	22.1	10.9-33.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	854	618,945	572	66.0	61.7-70.3	282	34.0	29.7-38.3
White/Non-Hisp	753	512,251	507	66.9	62.4-71.4	246	33.1	28.6-37.6
Black or Afr. Am./Non-Hisp	64	62,260	46	74.4	60.7-88.1	18	25.6	11.9-39.3
65+	854	618,945	572	66.0	61.7-70.3	282	34.0	29.7-38.3
Less Than H.S.	80	109,877	43	52.6	37.5-67.7	37	47.4	32.3-62.5
H.S. or G.E.D.	260	191,033	170	66.5	59.2-73.8	90	33.5	26.2-40.8
Some Post-H.S.	273	196,428	189	67.8	60.2-75.4	84	32.2	24.6-39.8
College Graduate	241	121,607	170	74.7	67.6-81.8	71	25.3	18.2-32.4
Less than \$15,000	68	44,427	45	65.5	48.1-82.9	23	34.5	17.1-51.9
\$15,000- 24,999	108	81,822	62	57.3	44.6-70.0	46	42.7	30.0-55.4
\$25,000- 34,999	115	76,631	71	66.3	54.9-77.7	44	33.7	22.3-45.1
\$35,000- 49,999	106	79,040	68	57.0	42.5-71.5	38	43.0	28.5-57.5
\$50,000- 99,999	164	123,821	116	75.0	67.6-82.4	48	25.0	17.6-32.4
\$100,000 - 199,999	54	33,190	36	67.1	48.5-85.7	18	32.9	14.3-51.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1535	1,097,838	1112	71.7	68.6-74.8	423	28.3	25.2-31.4
Male	700	492,536	492	69.2	64.7-73.7	208	30.8	26.3-35.3
Female	835	605,301	620	73.6	69.3-77.9	215	26.4	22.1-30.7
White/Non-Hisp	1352	921,062	1000	73.4	70.1-76.7	352	26.6	23.3-29.9
Black or Afr. Am./Non-Hisp	104	96,873	61	62.6	50.4-74.8	43	37.4	25.2-49.6
65+	1535	1,097,838	1112	71.7	68.6-74.8	423	28.3	25.2-31.4
Less Than H.S.	160	196,314	100	63.3	53.3-73.3	60	36.7	26.7-46.7
H.S. or G.E.D.	441	331,377	308	69.2	63.5-74.9	133	30.8	25.1-36.5
Some Post-H.S.	432	313,422	318	74.9	69.6-80.2	114	25.1	19.8-30.4
College Graduate	501	256,289	386	77.4	72.7-82.1	115	22.6	17.9-27.3
Less than \$15,000	113	75,905	64	58.2	45.7-70.7	49	41.8	29.3-54.3
\$15,000-24,999	189	142,283	130	68.9	59.7-78.1	59	31.1	21.9-40.3
\$25,000-34,999	201	148,259	148	76.3	69.0-83.6	53	23.7	16.4-31.0
\$35,000-49,999	220	161,896	156	62.3	52.7-71.9	64	37.7	28.1-47.3
\$50,000-99,999	323	220,931	248	76.7	70.4-83.0	75	23.3	17.0-29.6
\$100,000-199,999	133	89,005	102	77.6	67.8-87.4	31	22.4	12.6-32.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	700	492,536	492	69.2	64.5-73.9	208	30.8	26.1-35.5
White/Non-Hisp	614	416,177	439	69.5	64.4-74.6	175	30.5	25.4-35.6
65+	700	492,536	492	69.2	64.5-73.9	208	30.8	26.1-35.5
Less Than H.S.	82	88,057	51	61.3	48.0-74.6	31	38.7	25.4-52.0
H.S. or G.E.D.	187	145,299	124	66.2	57.0-75.4	63	33.8	24.6-43.0
Some Post-H.S.	165	121,277	119	72.6	64.0-81.2	46	27.4	18.8-36.0
College Graduate	265	137,468	198	74.8	68.3-81.3	67	25.2	18.7-31.7
\$15,000- 24,999	83	61,069	51	58.0	42.9-73.1	32	42.0	26.9-57.1
\$25,000- 34,999	87	72,268	65	74.8	63.6-86.0	22	25.2	14.0-36.4
\$35,000- 49,999	113	82,936	78	66.0	54.2-77.8	35	34.0	22.2-45.8
\$50,000- 99,999	161	98,024	122	75.0	65.6-84.4	39	25.0	15.6-34.4
\$100,000 - 199,999	81	57,348	61	76.9	65.7-88.1	20	23.1	11.9-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	835	605,301	620	73.6	69.3-77.9	215	26.4	22.1-30.7
White/Non-Hisp	738	504,885	561	76.6	72.3-80.9	177	23.4	19.1-27.7
Black or Afr. Am./Non-Hisp	62	60,003	37	60.8	44.9-76.7	25	39.2	23.3-55.1
65+	835	605,301	620	73.6	69.3-77.9	215	26.4	22.1-30.7
Less Than H.S.	78	108,257	49	65.0	50.5-79.5	29	35.0	20.5-49.5
H.S. or G.E.D.	254	186,078	184	71.6	64.2-79.0	70	28.4	21.0-35.8
Some Post-H.S.	267	192,145	199	76.3	69.6-83.0	68	23.7	17.0-30.4
College Graduate	236	118,821	188	80.3	73.4-87.2	48	19.7	12.8-26.6
Less than \$15,000	66	43,977	40	64.1	48.4-79.8	26	35.9	20.2-51.6
\$15,000- 24,999	106	81,214	79	77.2	65.8-88.6	27	22.8	11.4-34.2
\$25,000- 34,999	114	75,991	83	77.6	68.4-86.8	31	22.4	13.2-31.6
\$35,000- 49,999	107	78,960	78	58.5	44.0-73.0	29	41.5	27.0-56.0
\$50,000- 99,999	162	122,908	126	78.0	69.8-86.2	36	22.0	13.8-30.2
\$100,000 - 199,999	52	31,657	41	78.9	60.3-97.5	11	21.1	02.5-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	177
2	MALES ONLY	178
3	FEMALES ONLY	179

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4402	4,571,365	1530	38.2	36.2-40.2	2872	61.8	59.8-63.8
Male	2127	2,240,575	721	36.9	34.2-39.6	1406	63.1	60.4-65.8
Female	2275	2,330,789	809	39.4	36.7-42.1	1466	60.6	57.9-63.3
White/Non-Hisp	3476	3,236,664	1085	34.0	31.8-36.2	2391	66.0	63.8-68.2
Black or Afr. Am./Non-Hisp	513	675,066	276	57.2	51.5-62.9	237	42.8	37.1-48.5
Oth. Race/Non-Hisp.	92	154,748	36	35.7	24.1-47.3	56	64.3	52.7-75.9
MultiRacial/Non-Hisp.	80	116,642	39	45.0	30.9-59.1	41	55.0	40.9-69.1
Hispanic	146	282,171	55	37.0	27.4-46.6	91	63.0	53.4-72.6
18-24	308	531,108	85	27.4	21.5-33.3	223	72.6	66.7-78.5
25-34	509	805,963	213	41.6	36.5-46.7	296	58.4	53.3-63.5
35-44	559	740,321	314	56.9	52.0-61.8	245	43.1	38.2-48.0
45-54	700	691,412	354	52.4	47.5-57.3	346	47.6	42.7-52.5
55-64	851	756,948	312	38.4	34.1-42.7	539	61.6	57.3-65.9
65+	1475	1,045,612	252	18.1	15.2-21.0	1223	81.9	79.0-84.8
Less Than H.S.	319	510,918	95	31.7	25.0-38.4	224	68.3	61.6-75.0
H.S. or G.E.D.	1261	1,475,491	388	33.9	30.4-37.4	873	66.1	62.6-69.6
Some Post-H.S.	1268	1,372,042	496	43.1	39.6-46.6	772	56.9	53.4-60.4
College Graduate	1541	1,196,222	547	40.7	37.6-43.8	994	59.3	56.2-62.4
Less than \$15,000	310	285,453	133	44.9	37.6-52.2	177	55.1	47.8-62.4
\$15,000-24,999	446	447,037	175	44.0	37.7-50.3	271	56.0	49.7-62.3
\$25,000-34,999	474	502,220	152	34.7	29.0-40.4	322	65.3	59.6-71.0
\$35,000-49,999	598	607,641	201	36.9	31.6-42.2	397	63.1	57.8-68.4
\$50,000-99,999	1054	1,130,860	360	38.8	34.9-42.7	694	61.2	57.3-65.1
\$100,000-199,999	619	665,200	218	38.2	33.3-43.1	401	61.8	56.9-66.7
\$200,000+	174	172,653	79	52.7	43.3-62.1	95	47.3	37.9-56.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2127	2,240,575	721	36.9	34.2-39.6	1406	63.1	60.4-65.8
White/Non-Hisp	1667	1,566,823	521	33.4	30.5-36.3	1146	66.6	63.7-69.5
Black or Afr. Am./Non-Hisp	211	289,827	106	53.6	44.8-62.4	105	46.4	37.6-55.2
Oth. Race/Non-Hisp.	62	91,399	25	44.2	29.7-58.7	37	55.8	41.3-70.3
Hispanic	84	162,676	26	28.8	17.2-40.4	58	71.2	59.6-82.8
18-24	161	282,955	35	21.8	14.4-29.2	126	78.2	70.8-85.6
25-34	273	421,392	100	38.3	31.2-45.4	173	61.7	54.6-68.8
35-44	284	363,364	147	51.8	44.7-58.9	137	48.2	41.1-55.3
45-54	330	344,455	160	50.7	43.6-57.8	170	49.3	42.2-56.4
55-64	408	361,728	143	38.3	31.8-44.8	265	61.7	55.2-68.2
65+	671	466,682	136	21.8	17.1-26.5	535	78.2	73.5-82.9
Less Than H.S.	172	295,777	48	30.2	21.2-39.2	124	69.8	60.8-78.8
H.S. or G.E.D.	619	740,330	201	33.3	28.4-38.2	418	66.7	61.8-71.6
Some Post-H.S.	561	608,969	221	43.7	38.4-49.0	340	56.3	51.0-61.6
College Graduate	767	583,861	247	37.6	33.1-42.1	520	62.4	57.9-66.9
Less than \$15,000	128	126,469	61	50.9	39.5-62.3	67	49.1	37.7-60.5
\$15,000- 24,999	199	209,749	66	37.7	28.3-47.1	133	62.3	52.9-71.7
\$25,000- 34,999	213	238,109	61	27.8	20.0-35.6	152	72.2	64.4-80.0
\$35,000- 49,999	294	297,654	94	33.2	26.1-40.3	200	66.8	59.7-73.9
\$50,000- 99,999	542	581,065	184	38.5	32.8-44.2	358	61.5	55.8-67.2
\$100,000 - 199,999	357	385,142	124	39.3	32.8-45.8	233	60.7	54.2-67.2
\$200,000+	108	99,725	43	47.3	35.1-59.5	65	52.7	40.5-64.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2275	2,330,789	809	39.4	36.7-42.1	1466	60.6	57.9-63.3
White/Non-Hisp	1809	1,669,841	564	34.6	31.7-37.5	1245	65.4	62.5-68.3
Black or Afr. Am./Non-Hisp	302	385,239	170	59.9	52.6-67.2	132	40.1	32.8-47.4
Hispanic	62	119,495	29	48.2	32.9-63.5	33	51.8	36.5-67.1
18-24	147	248,154	50	33.8	24.6-43.0	97	66.2	57.0-75.4
25-34	236	384,571	113	45.1	37.5-52.7	123	54.9	47.3-62.5
35-44	275	376,957	167	61.9	55.0-68.8	108	38.1	31.2-45.0
45-54	370	346,957	194	54.1	47.6-60.6	176	45.9	39.4-52.4
55-64	443	395,220	169	38.5	32.4-44.6	274	61.5	55.4-67.6
65+	804	578,930	116	15.0	11.5-18.5	688	85.0	81.5-88.5
Less Than H.S.	147	215,140	47	33.7	23.7-43.7	100	66.3	56.3-76.3
H.S. or G.E.D.	642	735,161	187	34.5	29.6-39.4	455	65.5	60.6-70.4
Some Post-H.S.	707	763,073	275	42.6	37.7-47.5	432	57.4	52.5-62.3
College Graduate	774	612,360	300	43.6	39.1-48.1	474	56.4	51.9-60.9
Less than \$15,000	182	158,984	72	40.1	30.7-49.5	110	59.9	50.5-69.3
\$15,000- 24,999	247	237,288	109	49.5	41.3-57.7	138	50.5	42.3-58.7
\$25,000- 34,999	261	264,111	91	40.9	33.1-48.7	170	59.1	51.3-66.9
\$35,000- 49,999	304	309,988	107	40.5	32.9-48.1	197	59.5	51.9-67.1
\$50,000- 99,999	512	549,796	176	39.2	33.5-44.9	336	60.8	55.1-66.5
\$100,000 - 199,999	262	280,057	94	36.7	29.3-44.1	168	63.3	55.9-70.7
\$200,000+	66	72,928	36	60.1	46.4-73.8	30	39.9	26.2-53.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2022**

End of Calculated Variable Data Report