

TENNESSEE

2015 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2016



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5960	5,112,542	4428	78.9	77.5-80.3	1532	21.1	19.7-22.5
Male	2337	2,463,600	1756	78.9	76.5-81.3	581	21.1	18.7-23.5
Female	3623	2,648,942	2672	78.9	77.1-80.7	951	21.1	19.3-22.9
White/Non-Hisp	4845	3,853,208	3628	78.8	77.2-80.4	1217	21.2	19.6-22.8
Black or Afr. Am./Non-Hisp	746	802,811	526	76.8	72.5-81.1	220	23.2	18.9-27.5
Oth. Race/Non-Hisp.	128	140,310	93	80.0	69.6-90.4	35	20.0	9.6-30.4
MultiRacial/Non-Hisp.	73	81,681	47	72.5	58.4-86.6	26	27.5	13.4-41.6
Hispanic	83	154,943	70	91.3	84.2-98.4	13	8.7	1.6-15.8
18-24	264	633,841	241	92.5	89.2-95.8	23	7.5	4.2-10.8
25-34	479	858,310	424	90.4	87.3-93.5	55	9.6	6.5-12.7
35-44	596	826,181	499	81.5	77.4-85.6	97	18.5	14.4-22.6
45-54	962	868,024	693	76.3	72.8-79.8	269	23.7	20.2-27.2
55-64	1350	847,068	953	69.4	65.9-72.9	397	30.6	27.1-34.1
65+	2247	1,036,484	1566	69.0	66.3-71.7	681	31.0	28.3-33.7
Less Than H.S.	670	778,557	315	56.4	50.7-62.1	355	43.6	37.9-49.3
H.S. or G.E.D.	1940	1,703,104	1356	76.9	74.4-79.4	584	23.1	20.6-25.6
Some Post-H.S.	1491	1,485,767	1114	83.2	80.8-85.6	377	16.8	14.4-19.2
College Graduate	1837	1,132,664	1628	92.0	90.4-93.6	209	8.0	6.4- 9.6
Less than \$15,000	659	556,724	304	55.0	48.5-61.5	355	45.0	38.5-51.5
\$15,000- 24,999	976	846,417	578	65.3	60.8-69.8	398	34.7	30.2-39.2
\$25,000- 34,999	584	517,834	446	81.3	77.0-85.6	138	18.7	14.4-23.0
\$35,000- 49,999	695	633,329	569	85.4	82.1-88.7	126	14.6	11.3-17.9
\$50,000- 74,999	702	655,413	606	86.9	83.2-90.6	96	13.1	9.4-16.8
\$75,000+	1111	975,822	1027	93.6	91.8-95.4	84	6.4	4.6- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2337	2,463,600	1756	78.9	76.7-81.1	581	21.1	18.9-23.3
White/Non-Hisp	1938	1,854,765	1462	78.3	75.8-80.8	476	21.7	19.2-24.2
Black or Afr. Am./Non-Hisp	225	348,675	162	79.1	72.0-86.2	63	20.9	13.8-28.0
Oth. Race/Non-Hisp.	69	88,974	54	86.7	77.9-95.5	15	13.3	4.5-22.1
18-24	139	323,559	129	92.3	87.4-97.2	10	7.7	2.8-12.6
25-34	198	426,034	182	91.7	87.0-96.4	16	8.3	3.6-13.0
35-44	240	405,607	202	81.4	74.9-87.9	38	18.6	12.1-25.1
45-54	395	425,946	282	75.1	69.4-80.8	113	24.9	19.2-30.6
55-64	505	403,424	354	67.6	61.9-73.3	151	32.4	26.7-38.1
65+	833	456,473	584	69.0	64.7-73.3	249	31.0	26.7-35.3
Less Than H.S.	257	380,782	117	54.9	46.3-63.5	140	45.1	36.5-53.7
H.S. or G.E.D.	748	860,847	543	78.5	74.8-82.2	205	21.5	17.8-25.2
Some Post-H.S.	538	659,322	393	81.9	78.0-85.8	145	18.1	14.2-22.0
College Graduate	784	556,307	695	92.3	90.1-94.5	89	7.7	5.5- 9.9
Less than \$15,000	203	226,237	80	46.3	35.3-57.3	123	53.7	42.7-64.7
\$15,000- 24,999	335	382,654	194	63.1	55.7-70.5	141	36.9	29.5-44.3
\$25,000- 34,999	245	270,571	185	81.4	75.1-87.7	60	18.6	12.3-24.9
\$35,000- 49,999	305	319,372	240	82.1	76.6-87.6	65	17.9	12.4-23.4
\$50,000- 74,999	327	354,918	282	90.2	86.3-94.1	45	9.8	5.9-13.7
\$75,000+	549	535,722	498	92.4	89.7-95.1	51	7.6	4.9-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3623	2,648,942	2672	78.9	77.1-80.7	951	21.1	19.3-22.9
White/Non-Hisp	2907	1,998,443	2166	79.2	77.2-81.2	741	20.8	18.8-22.8
Black or Afr. Am./Non-Hisp	521	454,136	364	75.1	69.6-80.6	157	24.9	19.4-30.4
Oth. Race/Non-Hisp.	59	51,336	39	68.5	44.6-92.4	20	31.5	7.6-55.4
Hispanic	52	81,009	43	92.7	84.9- 100	9	7.3	0.0-15.1
18-24	125	310,282	112	92.8	88.5-97.1	13	7.2	2.9-11.5
25-34	281	432,276	242	89.1	85.0-93.2	39	10.9	6.8-15.0
35-44	356	420,574	297	81.6	76.3-86.9	59	18.4	13.1-23.7
45-54	567	442,078	411	77.4	72.9-81.9	156	22.6	18.1-27.1
55-64	845	443,645	599	71.0	66.5-75.5	246	29.0	24.5-33.5
65+	1414	580,011	982	69.1	65.8-72.4	432	30.9	27.6-34.2
Less Than H.S.	413	397,775	198	57.7	50.3-65.1	215	42.3	34.9-49.7
H.S. or G.E.D.	1192	842,257	813	75.1	71.8-78.4	379	24.9	21.6-28.2
Some Post-H.S.	953	826,445	721	84.2	81.5-86.9	232	15.8	13.1-18.5
College Graduate	1053	576,357	933	91.7	89.5-93.9	120	8.3	6.1-10.5
Less than \$15,000	456	330,486	224	60.9	53.5-68.3	232	39.1	31.7-46.5
\$15,000- 24,999	641	463,763	384	67.1	61.6-72.6	257	32.9	27.4-38.4
\$25,000- 34,999	339	247,262	261	81.2	75.5-86.9	78	18.8	13.1-24.5
\$35,000- 49,999	390	313,958	329	88.8	84.9-92.7	61	11.2	7.3-15.1
\$50,000- 74,999	375	300,496	324	83.0	76.7-89.3	51	17.0	10.7-23.3
\$75,000+	562	440,100	529	95.0	92.8-97.2	33	5.0	2.8- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3639	4,013,329	3182	83.4	81.4-85.4	457	16.6	14.6-18.6
Male	1470	1,968,878	1259	79.6	76.5-82.7	211	20.4	17.3-23.5
Female	2169	2,044,451	1923	87.1	84.9-89.3	246	12.9	10.7-15.1
White/Non-Hisp	2882	2,933,270	2556	86.2	84.4-88.0	326	13.8	12.0-15.6
Black or Afr. Am./Non-Hisp	511	683,391	436	79.0	73.1-84.9	75	21.0	15.1-26.9
Oth. Race/Non-Hisp.	91	122,784	74	80.8	69.2-92.4	17	19.2	7.6-30.8
Hispanic	76	153,125	50	58.5	42.8-74.2	26	41.5	25.8-57.2
18-24	256	616,424	207	81.1	75.4-86.8	49	18.9	13.2-24.6
25-34	477	857,207	391	78.1	73.0-83.2	86	21.9	16.8-27.0
35-44	597	825,286	510	80.8	76.1-85.5	87	19.2	14.5-23.9
45-54	962	870,034	842	87.0	83.7-90.3	120	13.0	9.7-16.3
55-64	1347	844,378	1232	89.3	86.8-91.8	115	10.7	8.2-13.2
Less Than H.S.	330	543,809	237	66.9	59.5-74.3	93	33.1	25.7-40.5
H.S. or G.E.D.	1166	1,328,769	971	78.5	75.0-82.0	195	21.5	18.0-25.0
Some Post-H.S.	941	1,215,997	836	87.6	84.5-90.7	105	12.4	9.3-15.5
College Graduate	1195	921,633	1132	94.7	92.9-96.5	63	5.3	3.5- 7.1
Less than \$15,000	423	456,883	324	71.2	63.8-78.6	99	28.8	21.4-36.2
\$15,000- 24,999	566	652,206	449	73.8	68.1-79.5	117	26.2	20.5-31.9
\$25,000- 34,999	315	382,071	260	81.4	75.5-87.3	55	18.6	12.7-24.5
\$35,000- 49,999	435	503,981	382	84.0	78.7-89.3	53	16.0	10.7-21.3
\$50,000- 74,999	455	543,606	436	93.4	90.1-96.7	19	6.6	3.3- 9.9
\$75,000+	859	863,319	833	95.4	93.2-97.6	26	4.6	2.4- 6.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1470	1,968,878	1259	79.6	76.5-82.7	211	20.4	17.3-23.5
White/Non-Hisp	1200	1,449,517	1049	83.3	80.2-86.4	151	16.7	13.6-19.8
Black or Afr. Am./Non-Hisp	155	296,272	121	69.1	58.1-80.1	34	30.9	19.9-41.9
18-24	135	313,045	104	74.1	65.1-83.1	31	25.9	16.9-34.9
25-34	197	425,704	149	73.6	65.6-81.6	48	26.4	18.4-34.4
35-44	239	403,775	193	73.8	66.0-81.6	46	26.2	18.4-34.0
45-54	395	424,271	352	88.3	83.2-93.4	43	11.7	6.6-16.8
55-64	504	402,083	461	86.9	82.4-91.4	43	13.1	8.6-17.6
Less Than H.S.	142	280,347	98	60.7	49.5-71.9	44	39.3	28.1-50.5
H.S. or G.E.D.	493	700,180	403	75.5	70.0-81.0	90	24.5	19.0-30.0
Some Post-H.S.	358	552,038	311	83.0	77.3-88.7	47	17.0	11.3-22.7
College Graduate	474	435,296	444	94.0	91.1-96.9	30	6.0	3.1- 8.9
Less than \$15,000	145	196,587	101	59.3	46.8-71.8	44	40.7	28.2-53.2
\$15,000- 24,999	210	298,121	163	68.6	59.2-78.0	47	31.4	22.0-40.8
\$25,000- 34,999	131	211,789	106	79.2	70.2-88.2	25	20.8	11.8-29.8
\$35,000- 49,999	180	243,586	149	74.4	64.8-84.0	31	25.6	16.0-35.2
\$50,000- 74,999	198	293,585	186	92.0	87.1-96.9	12	8.0	3.1-12.9
\$75,000+	408	469,810	393	94.4	91.1-97.7	15	5.6	2.3- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2169	2,044,451	1923	87.1	84.9-89.3	246	12.9	10.7-15.1
White/Non-Hisp	1682	1,483,753	1507	89.1	86.9-91.3	175	10.9	8.7-13.1
Black or Afr. Am./Non-Hisp	356	387,119	315	86.6	80.9-92.3	41	13.4	7.7-19.1
18-24	121	303,379	103	88.4	82.5-94.3	18	11.6	5.7-17.5
25-34	280	431,503	242	82.6	76.3-88.9	38	17.4	11.1-23.7
35-44	358	421,511	317	87.4	82.5-92.3	41	12.6	7.7-17.5
45-54	567	445,763	490	85.8	81.7-89.9	77	14.2	10.1-18.3
55-64	843	442,295	771	91.5	89.0-94.0	72	8.5	6.0-11.0
Less Than H.S.	188	263,462	139	73.5	63.9-83.1	49	26.5	16.9-36.1
H.S. or G.E.D.	673	628,589	568	81.8	77.3-86.3	105	18.2	13.7-22.7
Some Post-H.S.	583	663,958	525	91.4	88.5-94.3	58	8.6	5.7-11.5
College Graduate	721	486,337	688	95.3	93.3-97.3	33	4.7	2.7- 6.7
Less than \$15,000	278	260,296	223	80.3	72.7-87.9	55	19.7	12.1-27.3
\$15,000- 24,999	356	354,085	286	78.1	71.4-84.8	70	21.9	15.2-28.6
\$25,000- 34,999	184	170,283	154	84.2	77.1-91.3	30	15.8	8.7-22.9
\$35,000- 49,999	255	260,394	233	93.0	89.1-96.9	22	7.0	3.1-10.9
\$50,000- 74,999	257	250,021	250	95.1	90.8-99.4	7	4.9	0.6- 9.2
\$75,000+	451	393,509	440	96.6	94.1-99.1	11	3.4	0.9- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5968	5,118,523	3013	61.5	59.7-63.3	2955	38.5	36.7-40.3
Male	2339	2,466,767	1155	60.0	57.3-62.7	1184	40.0	37.3-42.7
Female	3629	2,651,756	1858	63.0	60.6-65.4	1771	37.0	34.6-39.4
White/Non-Hisp	4849	3,857,099	2489	61.2	59.2-63.2	2360	38.8	36.8-40.8
Black or Afr. Am./Non-Hisp	748	803,719	301	56.3	50.6-62.0	447	43.7	38.0-49.4
Oth. Race/Non-Hisp.	129	140,763	75	70.1	57.8-82.4	54	29.9	17.6-42.2
MultiRacial/Non-Hisp.	73	81,681	41	67.1	49.9-84.3	32	32.9	15.7-50.1
Hispanic	83	154,943	64	90.9	85.2-96.6	19	9.1	3.4-14.8
18-24	264	633,841	248	94.9	92.0-97.8	16	5.1	2.2- 8.0
25-34	479	858,310	404	84.7	80.4-89.0	75	15.3	11.0-19.6
35-44	596	823,247	434	73.6	68.9-78.3	162	26.4	21.7-31.1
45-54	965	874,031	540	55.8	51.3-60.3	425	44.2	39.7-48.7
55-64	1349	846,211	619	44.3	40.6-48.0	730	55.7	52.0-59.4
65+	2252	1,039,843	734	32.0	29.3-34.7	1518	68.0	65.3-70.7
Less Than H.S.	673	780,031	231	47.1	41.0-53.2	442	52.9	46.8-59.0
H.S. or G.E.D.	1944	1,706,367	905	58.3	55.2-61.4	1039	41.7	38.6-44.8
Some Post-H.S.	1492	1,486,243	785	66.6	63.3-69.9	707	33.4	30.1-36.7
College Graduate	1837	1,133,431	1080	69.6	66.9-72.3	757	30.4	27.7-33.1
Less than \$15,000	661	556,929	236	49.0	42.1-55.9	425	51.0	44.1-57.9
\$15,000- 24,999	978	847,758	428	56.1	51.2-61.0	550	43.9	39.0-48.8
\$25,000- 34,999	582	517,329	285	62.5	56.8-68.2	297	37.5	31.8-43.2
\$35,000- 49,999	697	637,815	353	63.7	58.8-68.6	344	36.3	31.4-41.2
\$50,000- 74,999	702	655,128	379	63.1	58.0-68.2	323	36.9	31.8-42.0
\$75,000+	1111	975,780	710	69.4	65.7-73.1	401	30.6	26.9-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2339	2,466,767	1155	60.0	57.3-62.7	1184	40.0	37.3-42.7
White/Non-Hisp	1939	1,857,256	954	58.4	55.5-61.3	985	41.6	38.7-44.5
Black or Afr. Am./Non-Hisp	226	349,350	98	59.7	50.3-69.1	128	40.3	30.9-49.7
Oth. Race/Non-Hisp.	69	88,974	44	71.7	57.6-85.8	25	28.3	14.2-42.4
18-24	139	323,559	128	93.7	89.0-98.4	11	6.3	1.6-11.0
25-34	198	426,034	154	77.6	70.2-85.0	44	22.4	15.0-29.8
35-44	240	405,607	179	76.2	69.3-83.1	61	23.8	16.9-30.7
45-54	396	427,468	211	52.4	45.5-59.3	185	47.6	40.7-54.5
55-64	505	403,497	202	39.8	34.1-45.5	303	60.2	54.5-65.9
65+	834	458,044	269	31.3	27.0-35.6	565	68.7	64.4-73.0
Less Than H.S.	258	381,996	99	49.8	41.0-58.6	159	50.2	41.4-59.0
H.S. or G.E.D.	747	860,370	354	58.8	53.9-63.7	393	41.2	36.3-46.1
Some Post-H.S.	540	661,520	279	64.0	58.5-69.5	261	36.0	30.5-41.5
College Graduate	784	556,540	417	64.0	59.5-68.5	367	36.0	31.5-40.5
Less than \$15,000	203	226,237	72	42.7	31.7-53.7	131	57.3	46.3-68.3
\$15,000- 24,999	335	382,654	135	52.5	44.5-60.5	200	47.5	39.5-55.5
\$25,000- 34,999	244	270,094	125	66.2	58.4-74.0	119	33.8	26.0-41.6
\$35,000- 49,999	305	319,372	141	61.0	53.6-68.4	164	39.0	31.6-46.4
\$50,000- 74,999	327	354,633	163	60.7	53.3-68.1	164	39.3	31.9-46.7
\$75,000+	550	537,244	319	64.6	59.1-70.1	231	35.4	29.9-40.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3629	2,651,756	1858	63.0	60.6-65.4	1771	37.0	34.6-39.4
White/Non-Hisp	2910	1,999,843	1535	63.7	61.3-66.1	1375	36.3	33.9-38.7
Black or Afr. Am./Non-Hisp	522	454,369	203	53.7	46.6-60.8	319	46.3	39.2-53.4
Oth. Race/Non-Hisp.	60	51,789	31	67.4	43.5-91.3	29	32.6	8.7-56.5
Hispanic	52	81,009	42	94.4	89.5-99.3	10	5.6	0.7-10.5
18-24	125	310,282	120	96.1	92.6-99.6	5	3.9	0.4- 7.4
25-34	281	432,276	250	91.7	88.0-95.4	31	8.3	4.6-12.0
35-44	356	417,640	255	71.0	64.5-77.5	101	29.0	22.5-35.5
45-54	569	446,564	329	58.9	53.0-64.8	240	41.1	35.2-47.0
55-64	844	442,713	417	48.4	43.5-53.3	427	51.6	46.7-56.5
65+	1418	581,799	465	32.6	29.3-35.9	953	67.4	64.1-70.7
Less Than H.S.	415	398,035	132	44.4	36.4-52.4	283	55.6	47.6-63.6
H.S. or G.E.D.	1197	845,997	551	57.9	53.8-62.0	646	42.1	38.0-46.2
Some Post-H.S.	952	824,724	506	68.8	64.9-72.7	446	31.2	27.3-35.1
College Graduate	1053	576,891	663	75.0	71.5-78.5	390	25.0	21.5-28.5
Less than \$15,000	458	330,692	164	53.3	44.9-61.7	294	46.7	38.3-55.1
\$15,000- 24,999	643	465,103	293	59.1	53.4-64.8	350	40.9	35.2-46.6
\$25,000- 34,999	338	247,234	160	58.5	50.3-66.7	178	41.5	33.3-49.7
\$35,000- 49,999	392	318,443	212	66.4	59.9-72.9	180	33.6	27.1-40.1
\$50,000- 74,999	375	300,496	216	66.0	59.3-72.7	159	34.0	27.3-40.7
\$75,000+	561	438,536	391	75.3	70.8-79.8	170	24.7	20.2-29.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5737	4,870,987	5070	80.2	78.2-82.2	165	3.4	2.6- 4.2	502	16.4	14.6-18.2
Male	2248	2,349,211	1924	75.5	72.6-78.4	78	4.1	2.9- 5.3	246	20.4	17.5-23.3
Female	3489	2,521,775	3146	84.6	82.2-87.0	87	2.7	1.9- 3.5	256	12.7	10.5-14.9
White/Non-Hisp	4669	3,676,506	4160	82.4	80.6-84.2	145	3.8	3.0- 4.6	364	13.8	12.0-15.6
Black or Afr. Am./Non-Hisp	721	777,036	638	78.9	73.0-84.8	12	2.2	0.2- 4.2	71	19.0	13.3-24.7
Oth. Race/Non-Hisp.	122	129,596	98	67.0	50.5-83.5	3	4.1	0.0- 9.8	21	28.8	12.1-45.5
MultiRacial/Non-Hisp.	68	69,961	56	70.8	54.1-87.5	1	0.4	0.0- 1.4	11	28.8	12.1-45.5
Hispanic	77	141,021	55	61.7	45.0-78.4				22	38.3	21.6-55.0
18-24	221	539,122	112	47.8	39.6-56.0	5	1.9	0.1- 3.7	104	50.3	41.9-58.7
25-34	445	786,576	288	63.0	57.1-68.9	17	4.1	1.7- 6.5	140	32.9	27.2-38.6
35-44	583	801,942	477	78.7	73.8-83.6	30	4.9	2.5- 7.3	76	16.4	11.9-20.9
45-54	939	856,916	834	86.9	83.6-90.2	47	5.6	3.4- 7.8	58	7.5	4.8-10.2
55-64	1323	836,422	1242	92.9	90.9-94.9	38	2.7	1.5- 3.9	43	4.3	2.5- 6.1
65+	2167	1,009,953	2064	95.3	93.9-96.7	26	1.1	0.5- 1.7	77	3.6	2.4- 4.8
Less Than H.S.	633	732,747	536	76.3	70.8-81.8	15	3.2	1.2- 5.2	82	20.5	15.0-26.0
H.S. or G.E.D.	1854	1,608,952	1620	78.9	75.6-82.2	49	2.8	1.6- 4.0	185	18.3	15.2-21.4
Some Post-H.S.	1439	1,428,450	1257	77.5	73.6-81.4	48	4.0	2.4- 5.6	134	18.5	14.8-22.2
College Graduate	1794	1,093,766	1644	88.3	85.9-90.7	52	3.4	2.2- 4.6	98	8.3	6.1-10.5
Less than \$15,000	628	530,990	549	77.9	71.0-84.8	16	3.3	0.9- 5.7	63	18.8	11.9-25.7
\$15,000- 24,999	933	798,879	789	72.4	67.1-77.7	28	3.7	1.9- 5.5	116	23.9	18.8-29.0
\$25,000- 34,999	565	490,860	482	75.8	69.1-82.5	16	1.5	0.5- 2.5	67	22.7	15.8-29.6
\$35,000- 49,999	681	612,855	603	78.6	73.3-83.9	20	4.2	1.8- 6.6	58	17.1	12.0-22.2
\$50,000- 74,999	683	633,368	621	84.9	80.6-89.2	22	3.4	1.6- 5.2	40	11.7	7.8-15.6
\$75,000+	1101	966,742	1026	88.6	85.3-91.9	28	3.3	1.5- 5.1	47	8.2	5.5-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2248	2,349,211	1924	75.5	72.6-78.4	78	4.1	2.9- 5.3	246	20.4	17.5-23.3
White/Non-Hisp	1870	1,776,706	1625	78.4	75.5-81.3	65	4.5	3.1- 5.9	180	17.1	14.2-20.0
Black or Afr. Am./Non-Hisp	217	342,968	178	69.4	58.8-80.0	8	3.2	0.1- 6.3	31	27.4	16.8-38.0
Oth. Race/Non-Hisp.	64	79,092	49	70.0	54.1-85.9	2	5.2	0.0-13.8	13	24.9	10.2-39.6
18-24	118	276,316	54	39.8	28.8-50.8	4	2.5	0.0- 5.0	60	57.7	46.7-68.7
25-34	180	382,966	110	57.0	47.8-66.2	9	5.8	1.7- 9.9	61	37.2	28.0-46.4
35-44	235	399,008	178	71.4	63.4-79.4	15	6.6	2.1-11.1	42	22.0	14.6-29.4
45-54	386	420,688	326	82.6	76.9-88.3	25	5.5	2.8- 8.2	35	11.8	6.5-17.1
55-64	497	401,330	464	93.1	90.2-96.0	14	2.5	0.9- 4.1	19	4.4	1.9- 6.9
65+	806	447,413	770	93.7	91.0-96.4	10	1.6	0.4- 2.8	26	4.7	2.2- 7.2
Less Than H.S.	246	372,462	192	67.8	58.8-76.8	9	3.5	1.0- 6.0	45	28.7	19.7-37.7
H.S. or G.E.D.	715	810,069	597	74.2	69.3-79.1	20	3.4	1.6- 5.2	98	22.4	17.5-27.3
Some Post-H.S.	513	625,128	430	70.8	64.1-77.5	23	5.4	2.3- 8.5	60	23.8	17.3-30.3
College Graduate	767	538,749	701	88.3	85.0-91.6	25	4.0	1.8- 6.2	41	7.8	5.1-10.5
Less than \$15,000	188	216,066	152	73.8	62.8-84.8	9	4.2	0.9- 7.5	27	22.0	11.0-33.0
\$15,000- 24,999	319	367,645	251	61.2	52.4-70.0	12	3.7	0.8- 6.6	56	35.0	26.0-44.0
\$25,000- 34,999	234	260,214	193	72.4	63.0-81.8	3	1.0	0.0- 2.6	38	26.6	17.4-35.8
\$35,000- 49,999	299	305,142	265	76.0	67.6-84.4	8	3.8	0.5- 7.1	26	20.2	12.0-28.4
\$50,000- 74,999	319	340,432	273	78.9	72.2-85.6	17	5.0	2.1- 7.9	29	16.1	9.8-22.4
\$75,000+	544	530,569	501	86.6	81.7-91.5	16	4.3	1.2- 7.4	27	9.1	5.0-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3489	2,521,775	3146	84.6	82.2-87.0	87	2.7	1.9- 3.5	256	12.7	10.5-14.9
White/Non-Hisp	2799	1,899,800	2535	86.2	84.0-88.4	80	3.1	2.1- 4.1	184	10.7	8.7-12.7
Black or Afr. Am./Non-Hisp	504	434,068	460	86.4	81.1-91.7	4	1.4	0.0- 3.8	40	12.3	7.4-17.2
Oth. Race/Non-Hisp.	58	50,504	49	62.5	29.8-95.2	1	2.5	0.0- 7.6	8	35.0	1.5-68.5
18-24	103	262,805	58	56.2	43.7-68.7	1	1.3	0.0- 3.8	44	42.6	30.1-55.1
25-34	265	403,610	178	68.7	61.8-75.6	8	2.5	0.3- 4.7	79	28.8	22.1-35.5
35-44	348	402,934	299	85.9	80.8-91.0	15	3.2	1.2- 5.2	34	10.8	5.9-15.7
45-54	553	436,228	508	91.1	87.4-94.8	22	5.6	2.3- 8.9	23	3.3	1.7- 4.9
55-64	826	435,092	778	92.8	90.1-95.5	24	2.9	1.1- 4.7	24	4.3	1.9- 6.7
65+	1361	562,540	1294	96.6	95.6-97.6	16	0.8	0.4- 1.2	51	2.6	1.6- 3.6
Less Than H.S.	387	360,284	344	85.1	79.4-90.8	6	2.8	0.0- 5.9	37	12.1	7.0-17.2
H.S. or G.E.D.	1139	798,883	1023	83.6	79.3-87.9	29	2.3	1.1- 3.5	87	14.1	10.0-18.2
Some Post-H.S.	926	803,322	827	82.7	78.2-87.2	25	3.0	1.4- 4.6	74	14.3	10.0-18.6
College Graduate	1027	555,017	943	88.3	85.0-91.6	27	2.9	1.5- 4.3	57	8.8	5.7-11.9
Less than \$15,000	440	314,924	397	80.6	71.8-89.4	7	2.7	0.0- 6.0	36	16.6	8.0-25.2
\$15,000- 24,999	614	431,234	538	82.0	76.9-87.1	16	3.6	1.2- 6.0	60	14.4	9.7-19.1
\$25,000- 34,999	331	230,647	289	79.8	69.8-89.8	13	2.0	0.6- 3.4	29	18.2	8.2-28.2
\$35,000- 49,999	382	307,713	338	81.2	75.1-87.3	12	4.7	1.2- 8.2	32	14.1	8.6-19.6
\$50,000- 74,999	364	292,936	348	91.8	87.1-96.5	5	1.6	0.0- 3.2	11	6.6	2.1-11.1
\$75,000+	557	436,173	525	91.0	87.1-94.9	12	2.0	0.6- 3.4	20	7.0	3.3-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5268	4,089,995	2777	60.0	58.0-62.0	2491	40.0	38.0-42.0
Male	2017	1,878,165	1032	58.2	55.1-61.3	985	41.8	38.7-44.9
Female	3251	2,211,830	1745	61.6	59.2-64.0	1506	38.4	36.0-40.8
White/Non-Hisp	4324	3,178,584	2222	58.3	56.1-60.5	2102	41.7	39.5-43.9
Black or Afr. Am./Non-Hisp	660	638,091	382	64.6	58.9-70.3	278	35.4	29.7-41.1
Oth. Race/Non-Hisp.	102	92,739	57	54.8	38.9-70.7	45	45.2	29.3-61.1
MultiRacial/Non-Hisp.	58	51,432	35	77.3	64.2-90.4	23	22.7	9.6-35.8
Hispanic	55	88,132	42	79.9	63.6-96.2	13	20.1	3.8-36.4
18-24	123	280,895	108	87.8	80.9-94.7	15	12.2	5.3-19.1
25-34	311	540,198	259	84.5	79.4-89.6	52	15.5	10.4-20.6
35-44	507	669,694	383	71.3	65.8-76.8	124	28.7	23.2-34.2
45-54	882	791,558	500	58.4	53.9-62.9	382	41.6	37.1-46.1
55-64	1287	797,318	610	48.8	44.9-52.7	677	51.2	47.3-55.1
65+	2101	971,974	878	41.0	38.1-43.9	1223	59.0	56.1-61.9
Less Than H.S.	558	583,387	222	45.3	38.6-52.0	336	54.7	48.0-61.4
H.S. or G.E.D.	1693	1,334,487	842	57.5	54.2-60.8	851	42.5	39.2-45.8
Some Post-H.S.	1308	1,165,615	705	63.9	60.4-67.4	603	36.1	32.6-39.6
College Graduate	1693	1,000,363	1001	67.7	64.6-70.8	692	32.3	29.2-35.4
Less than \$15,000	574	441,016	249	52.6	45.7-59.5	325	47.4	40.5-54.3
\$15,000- 24,999	824	608,716	379	52.7	47.4-58.0	445	47.3	42.0-52.6
\$25,000- 34,999	499	380,491	264	57.6	51.3-63.9	235	42.4	36.1-48.7
\$35,000- 49,999	619	502,129	328	60.0	54.5-65.5	291	40.0	34.5-45.5
\$50,000- 74,999	645	562,885	352	62.7	57.4-68.0	293	37.3	32.0-42.6
\$75,000+	1050	883,765	652	68.8	65.1-72.5	398	31.2	27.5-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2017	1,878,165	1032	58.2	55.1-61.3	985	41.8	38.7-44.9
White/Non-Hisp	1695	1,475,803	863	57.7	54.4-61.0	832	42.3	39.0-45.6
Black or Afr. Am./Non-Hisp	192	251,115	94	56.1	45.9-66.3	98	43.9	33.7-54.1
Oth. Race/Non-Hisp.	52	59,914	28	56.8	36.8-76.8	24	43.2	23.2-63.2
18-24	59	118,553	50	87.5	77.5-97.5	9	12.5	2.5-22.5
25-34	123	248,472	97	77.1	67.7-86.5	26	22.9	13.5-32.3
35-44	194	311,682	141	67.1	58.3-75.9	53	32.9	24.1-41.7
45-54	353	371,602	193	56.6	49.5-63.7	160	43.4	36.3-50.5
55-64	478	381,697	214	47.3	41.2-53.4	264	52.7	46.6-58.8
65+	786	425,731	322	43.3	38.4-48.2	464	56.7	51.8-61.6
Less Than H.S.	202	263,168	89	49.1	39.1-59.1	113	50.9	40.9-60.9
H.S. or G.E.D.	626	632,992	311	55.6	50.1-61.1	315	44.4	38.9-49.9
Some Post-H.S.	456	483,209	235	60.8	54.7-66.9	221	39.2	33.1-45.3
College Graduate	726	496,757	393	63.9	59.2-68.6	333	36.1	31.4-40.8
Less than \$15,000	166	169,529	72	47.6	36.0-59.2	94	52.4	40.8-64.0
\$15,000- 24,999	269	241,063	114	49.7	41.1-58.3	155	50.3	41.7-58.9
\$25,000- 34,999	197	190,868	100	58.7	48.9-68.5	97	41.3	31.5-51.1
\$35,000- 49,999	272	242,515	135	53.8	45.6-62.0	137	46.2	38.0-54.4
\$50,000- 74,999	291	288,928	152	61.0	53.2-68.8	139	39.0	31.2-46.8
\$75,000+	516	480,764	296	66.6	61.1-72.1	220	33.4	27.9-38.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3251	2,211,830	1745	61.6	59.2-64.0	1506	38.4	36.0-40.8
White/Non-Hisp	2629	1,702,781	1359	58.9	56.2-61.6	1270	41.1	38.4-43.8
Black or Afr. Am./Non-Hisp	468	386,975	288	70.1	63.8-76.4	180	29.9	23.6-36.2
Oth. Race/Non-Hisp.	50	32,824	29	51.2	26.1-76.3	21	48.8	23.7-73.9
18-24	64	162,342	58	88.1	78.5-97.7	6	11.9	2.3-21.5
25-34	188	291,726	162	90.8	86.5-95.1	26	9.2	4.9-13.5
35-44	313	358,013	242	75.0	68.5-81.5	71	25.0	18.5-31.5
45-54	529	419,957	307	59.9	54.0-65.8	222	40.1	34.2-46.0
55-64	809	415,621	396	50.3	45.4-55.2	413	49.7	44.8-54.6
65+	1315	546,243	556	39.1	35.6-42.6	759	60.9	57.4-64.4
Less Than H.S.	356	320,219	133	42.1	33.3-50.9	223	57.9	49.1-66.7
H.S. or G.E.D.	1067	701,495	531	59.2	55.1-63.3	536	40.8	36.7-44.9
Some Post-H.S.	852	682,406	470	66.1	61.6-70.6	382	33.9	29.4-38.4
College Graduate	967	503,606	608	71.4	67.5-75.3	359	28.6	24.7-32.5
Less than \$15,000	408	271,487	177	55.7	47.5-63.9	231	44.3	36.1-52.5
\$15,000- 24,999	555	367,653	265	54.6	48.1-61.1	290	45.4	38.9-51.9
\$25,000- 34,999	302	189,623	164	56.4	48.8-64.0	138	43.6	36.0-51.2
\$35,000- 49,999	347	259,614	193	65.7	58.6-72.8	154	34.3	27.2-41.4
\$50,000- 74,999	354	273,957	200	64.4	57.1-71.7	154	35.6	28.3-42.9
\$75,000+	534	403,001	356	71.4	66.3-76.5	178	28.6	23.5-33.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5905	5,088,433	708	8.5	7.7- 9.3	5197	91.5	90.7-92.3
Male	2313	2,448,701	352	9.9	8.5-11.3	1961	90.1	88.7-91.5
Female	3592	2,639,732	356	7.2	6.2- 8.2	3236	92.8	91.8-93.8
White/Non-Hisp	4801	3,834,961	588	9.1	8.1-10.1	4213	90.9	89.9-91.9
Black or Afr. Am./Non-Hisp	738	797,629	75	7.0	4.8- 9.2	663	93.0	90.8-95.2
Oth. Race/Non-Hisp.	127	140,361	15	5.6	1.9- 9.3	112	94.4	90.7-98.1
MultiRacial/Non-Hisp.	71	80,525	13	9.8	3.1-16.5	58	90.2	83.5-96.9
Hispanic	82	154,639	4	2.9	0.0- 6.8	78	97.1	93.2- 100
18-24	263	630,493	4	1.0	0.0- 2.2	259	99.0	97.8- 100
25-34	476	857,026	9	1.8	0.2- 3.4	467	98.2	96.6-99.8
35-44	596	824,658	18	2.8	1.4- 4.2	578	97.2	95.8-98.6
45-54	956	867,045	84	7.5	5.3- 9.7	872	92.5	90.3-94.7
55-64	1341	842,777	170	13.0	10.6-15.4	1171	87.0	84.6-89.4
65+	2210	1,023,394	420	20.6	18.2-23.0	1790	79.4	77.0-81.8
Less Than H.S.	657	770,928	148	17.1	13.4-20.8	509	82.9	79.2-86.6
H.S. or G.E.D.	1919	1,691,640	223	7.4	6.0- 8.8	1696	92.6	91.2-94.0
Some Post-H.S.	1483	1,484,340	189	7.6	6.2- 9.0	1294	92.4	91.0-93.8
College Graduate	1824	1,129,074	145	5.2	4.0- 6.4	1679	94.8	93.6-96.0
Less than \$15,000	649	553,947	138	15.7	11.8-19.6	511	84.3	80.4-88.2
\$15,000- 24,999	962	836,570	152	11.2	8.7-13.7	810	88.8	86.3-91.3
\$25,000- 34,999	581	516,636	69	9.0	6.1-11.9	512	91.0	88.1-93.9
\$35,000- 49,999	689	635,293	84	8.2	5.8-10.6	605	91.8	89.4-94.2
\$50,000- 74,999	698	653,158	57	5.3	3.5- 7.1	641	94.7	92.9-96.5
\$75,000+	1109	975,874	60	3.4	2.4- 4.4	1049	96.6	95.6-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2313	2,448,701	352	9.9	8.5-11.3	1961	90.1	88.7-91.5
White/Non-Hisp	1920	1,844,174	298	11.0	9.2-12.8	1622	89.0	87.2-90.8
Black or Afr. Am./Non-Hisp	222	345,872	28	6.9	3.4-10.4	194	93.1	89.6-96.6
Oth. Race/Non-Hisp.	67	88,572	8	3.9	0.4- 7.4	59	96.1	92.6-99.6
18-24	138	320,211	2	0.9	0.0- 2.5	136	99.1	97.5- 100
25-34	197	425,704	6	2.8	0.0- 5.9	191	97.2	94.1- 100
35-44	239	403,775	8	3.4	0.9- 5.9	231	96.6	94.1-99.1
45-54	392	423,722	42	9.0	5.5-12.5	350	91.0	87.5-94.5
55-64	502	401,968	82	15.2	11.3-19.1	420	84.8	80.9-88.7
65+	818	450,763	209	24.9	20.8-29.0	609	75.1	71.0-79.2
Less Than H.S.	252	377,227	74	19.6	13.5-25.7	178	80.4	74.3-86.5
H.S. or G.E.D.	738	851,435	103	8.0	6.0-10.0	635	92.0	90.0-94.0
Some Post-H.S.	535	658,904	83	8.9	6.4-11.4	452	91.1	88.6-93.6
College Graduate	778	554,794	92	7.4	5.4- 9.4	686	92.6	90.6-94.6
Less than \$15,000	200	225,827	55	19.6	12.5-26.7	145	80.4	73.3-87.5
\$15,000- 24,999	327	374,862	69	13.2	8.5-17.9	258	86.8	82.1-91.5
\$25,000- 34,999	244	270,374	37	8.8	4.9-12.7	207	91.2	87.3-95.1
\$35,000- 49,999	302	318,835	54	10.8	7.1-14.5	248	89.2	85.5-92.9
\$50,000- 74,999	325	353,132	36	6.9	4.0- 9.8	289	93.1	90.2-96.0
\$75,000+	548	535,995	42	4.4	2.8- 6.0	506	95.6	94.0-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3592	2,639,732	356	7.2	6.2- 8.2	3236	92.8	91.8-93.8
White/Non-Hisp	2881	1,990,787	290	7.3	6.1- 8.5	2591	92.7	91.5-93.9
Black or Afr. Am./Non-Hisp	516	451,757	47	7.0	4.1- 9.9	469	93.0	90.1-95.9
Oth. Race/Non-Hisp.	60	51,789	7	8.5	0.1-16.9	53	91.5	83.1-99.9
Hispanic	51	80,704	1	0.2	0.0- 0.8	50	99.8	99.2- 100
18-24	125	310,282	2	1.1	0.0- 2.7	123	98.9	97.3- 100
25-34	279	431,322	3	0.9	0.0- 1.9	276	99.1	98.1- 100
35-44	357	420,883	10	2.1	0.5- 3.7	347	97.9	96.3-99.5
45-54	564	443,323	42	6.1	3.6- 8.6	522	93.9	91.4-96.4
55-64	839	440,809	88	11.0	8.1-13.9	751	89.0	86.1-91.9
65+	1392	572,631	211	17.1	14.2-20.0	1181	82.9	80.0-85.8
Less Than H.S.	405	393,701	74	14.7	10.2-19.2	331	85.3	80.8-89.8
H.S. or G.E.D.	1181	840,205	120	6.8	5.2- 8.4	1061	93.2	91.6-94.8
Some Post-H.S.	948	825,437	106	6.6	4.8- 8.4	842	93.4	91.6-95.2
College Graduate	1046	574,280	53	3.1	1.9- 4.3	993	96.9	95.7-98.1
Less than \$15,000	449	328,121	83	13.1	8.8-17.4	366	86.9	82.6-91.2
\$15,000- 24,999	635	461,707	83	9.5	6.6-12.4	552	90.5	87.6-93.4
\$25,000- 34,999	337	246,262	32	9.2	4.7-13.7	305	90.8	86.3-95.3
\$35,000- 49,999	387	316,458	30	5.7	3.0- 8.4	357	94.3	91.6-97.0
\$50,000- 74,999	373	300,026	21	3.5	1.7- 5.3	352	96.5	94.7-98.3
\$75,000+	561	439,879	18	2.1	0.7- 3.5	543	97.9	96.5-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5959	5,111,500	5094	85.5	84.1-86.9	865	14.5	13.1-15.9
Male	2332	2,459,339	2070	87.5	85.3-89.7	262	12.5	10.3-14.7
Female	3627	2,652,160	3024	83.6	81.8-85.4	603	16.4	14.6-18.2
White/Non-Hisp	4841	3,853,084	4167	86.0	84.6-87.4	674	14.0	12.6-15.4
Black or Afr. Am./Non-Hisp	748	803,102	611	82.4	77.9-86.9	137	17.6	13.1-22.1
Oth. Race/Non-Hisp.	128	138,372	107	87.1	78.9-95.3	21	12.9	4.7-21.1
MultiRacial/Non-Hisp.	73	81,681	59	78.5	64.0-93.0	14	21.5	7.0-36.0
Hispanic	83	154,943	73	93.0	86.9-99.1	10	7.0	0.9-13.1
18-24	264	633,841	222	85.3	80.0-90.6	42	14.7	9.4-20.0
25-34	479	858,310	395	85.1	81.4-88.8	84	14.9	11.2-18.6
35-44	596	822,729	504	84.9	81.0-88.8	92	15.1	11.2-19.0
45-54	963	873,418	810	84.2	80.7-87.7	153	15.8	12.3-19.3
55-64	1348	845,637	1161	86.4	83.9-88.9	187	13.6	11.1-16.1
65+	2247	1,035,170	1950	86.9	84.9-88.9	297	13.1	11.1-15.1
Less Than H.S.	667	775,895	530	80.9	76.4-85.4	137	19.1	14.6-23.6
H.S. or G.E.D.	1939	1,703,124	1652	86.7	84.5-88.9	287	13.3	11.1-15.5
Some Post-H.S.	1492	1,486,956	1267	84.2	81.3-87.1	225	15.8	12.9-18.7
College Graduate	1840	1,133,719	1626	88.3	86.1-90.5	214	11.7	9.5-13.9
Less than \$15,000	657	553,387	496	78.5	73.4-83.6	161	21.5	16.4-26.6
\$15,000- 24,999	976	846,946	798	82.4	78.7-86.1	178	17.6	13.9-21.3
\$25,000- 34,999	584	517,834	509	86.7	81.8-91.6	75	13.3	8.4-18.2
\$35,000- 49,999	693	634,796	608	87.2	83.5-90.9	85	12.8	9.1-16.5
\$50,000- 74,999	702	655,054	609	86.0	82.3-89.7	93	14.0	10.3-17.7
\$75,000+	1112	977,344	1012	89.7	86.8-92.6	100	10.3	7.4-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2332	2,459,339	2070	87.5	85.3-89.7	262	12.5	10.3-14.7
White/Non-Hisp	1933	1,852,219	1728	88.7	86.5-90.9	205	11.3	9.1-13.5
Black or Afr. Am./Non-Hisp	226	349,350	190	80.9	72.7-89.1	36	19.1	10.9-27.3
Oth. Race/Non-Hisp.	68	86,583	59	87.9	77.3-98.5	9	12.1	1.5-22.7
18-24	139	323,559	123	86.5	78.7-94.3	16	13.5	5.7-21.3
25-34	198	426,034	169	85.6	79.7-91.5	29	14.4	8.5-20.3
35-44	239	403,216	210	88.0	82.3-93.7	29	12.0	6.3-17.7
45-54	395	427,063	347	85.4	79.7-91.1	48	14.6	8.9-20.3
55-64	504	402,662	450	90.0	86.7-93.3	54	10.0	6.7-13.3
65+	830	454,247	748	89.6	86.7-92.5	82	10.4	7.5-13.3
Less Than H.S.	256	381,114	210	83.2	76.5-89.9	46	16.8	10.1-23.5
H.S. or G.E.D.	743	855,886	654	88.4	85.3-91.5	89	11.6	8.5-14.7
Some Post-H.S.	538	659,501	481	85.6	80.5-90.7	57	14.4	9.3-19.5
College Graduate	785	556,498	716	91.1	88.6-93.6	69	8.9	6.4-11.4
Less than \$15,000	201	224,940	158	77.4	68.0-86.8	43	22.6	13.2-32.0
\$15,000- 24,999	335	382,654	287	86.3	81.0-91.6	48	13.7	8.4-19.0
\$25,000- 34,999	245	270,571	219	87.4	79.6-95.2	26	12.6	4.8-20.4
\$35,000- 49,999	302	316,719	276	89.5	83.8-95.2	26	10.5	4.8-16.2
\$50,000- 74,999	327	354,558	297	88.7	83.4-94.0	30	11.3	6.0-16.6
\$75,000+	550	537,244	507	92.0	88.5-95.5	43	8.0	4.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3627	2,652,160	3024	83.6	81.8-85.4	603	16.4	14.6-18.2
White/Non-Hisp	2908	2,000,864	2439	83.4	81.4-85.4	469	16.6	14.6-18.6
Black or Afr. Am./Non-Hisp	522	453,752	421	83.5	78.8-88.2	101	16.5	11.8-21.2
Oth. Race/Non-Hisp.	60	51,789	48	85.6	72.7-98.5	12	14.4	1.5-27.3
Hispanic	52	81,009	44	88.9	78.1-99.7	8	11.1	0.3-21.9
18-24	125	310,282	99	84.0	76.9-91.1	26	16.0	8.9-23.1
25-34	281	432,276	226	84.7	79.8-89.6	55	15.3	10.4-20.2
35-44	357	419,513	294	81.8	76.1-87.5	63	18.2	12.5-23.9
45-54	568	446,354	463	83.1	78.8-87.4	105	16.9	12.6-21.2
55-64	844	442,976	711	83.0	79.3-86.7	133	17.0	13.3-20.7
65+	1417	580,923	1202	84.7	82.0-87.4	215	15.3	12.6-18.0
Less Than H.S.	411	394,781	320	78.7	72.8-84.6	91	21.3	15.4-27.2
H.S. or G.E.D.	1196	847,238	998	85.0	82.3-87.7	198	15.0	12.3-17.7
Some Post-H.S.	954	827,456	786	83.0	79.5-86.5	168	17.0	13.5-20.5
College Graduate	1055	577,222	910	85.6	82.3-88.9	145	14.4	11.1-17.7
Less than \$15,000	456	328,446	338	79.2	73.7-84.7	118	20.8	15.3-26.3
\$15,000- 24,999	641	464,291	511	79.3	74.0-84.6	130	20.7	15.4-26.0
\$25,000- 34,999	339	247,262	290	86.1	80.8-91.4	49	13.9	8.6-19.2
\$35,000- 49,999	391	318,076	332	84.9	80.0-89.8	59	15.1	10.2-20.0
\$50,000- 74,999	375	300,496	312	82.9	77.8-88.0	63	17.1	12.0-22.2
\$75,000+	562	440,100	505	86.8	82.1-91.5	57	13.2	8.5-17.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5928	5,088,961	5347	91.0	89.8-92.2	581	9.0	7.8-10.2
Male	2319	2,447,099	2163	93.3	91.7-94.9	156	6.7	5.1- 8.3
Female	3609	2,641,862	3184	88.9	87.3-90.5	425	11.1	9.5-12.7
White/Non-Hisp	4813	3,834,443	4362	90.9	89.7-92.1	451	9.1	7.9-10.3
Black or Afr. Am./Non-Hisp	745	799,203	651	90.5	87.6-93.4	94	9.5	6.6-12.4
Oth. Race/Non-Hisp.	128	138,372	113	95.4	92.3-98.5	15	4.6	1.5- 7.7
MultiRacial/Non-Hisp.	73	81,681	63	83.7	70.2-97.2	10	16.3	2.8-29.8
Hispanic	83	154,943	76	97.9	95.7- 100	7	2.1	0.0- 4.3
18-24	263	632,287	247	95.2	92.3-98.1	16	4.8	1.9- 7.7
25-34	476	854,354	434	93.8	91.3-96.3	42	6.2	3.7- 8.7
35-44	595	821,079	527	87.7	83.8-91.6	68	12.3	8.4-16.2
45-54	954	864,161	848	89.6	86.9-92.3	106	10.4	7.7-13.1
55-64	1345	844,536	1212	89.8	87.4-92.2	133	10.2	7.8-12.6
65+	2233	1,030,149	2024	91.3	89.7-92.9	209	8.7	7.1-10.3
Less Than H.S.	661	772,231	559	86.7	83.0-90.4	102	13.3	9.6-17.0
H.S. or G.E.D.	1930	1,695,986	1728	91.6	90.0-93.2	202	8.4	6.8-10.0
Some Post-H.S.	1480	1,477,419	1345	91.0	88.6-93.4	135	9.0	6.6-11.4
College Graduate	1836	1,131,520	1696	93.1	91.3-94.9	140	6.9	5.1- 8.7
Less than \$15,000	650	548,447	527	85.6	81.9-89.3	123	14.4	10.7-18.1
\$15,000- 24,999	971	843,195	838	87.8	84.7-90.9	133	12.2	9.1-15.3
\$25,000- 34,999	583	517,182	532	92.5	89.6-95.4	51	7.5	4.6-10.4
\$35,000- 49,999	692	634,221	641	93.1	90.2-96.0	51	6.9	4.0- 9.8
\$50,000- 74,999	698	650,873	639	91.0	87.9-94.1	59	9.0	5.9-12.1
\$75,000+	1110	974,591	1051	93.8	91.4-96.2	59	6.2	3.8- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2319	2,447,099	2163	93.3	91.7-94.9	156	6.7	5.1- 8.3
White/Non-Hisp	1922	1,842,323	1798	93.1	91.3-94.9	124	6.9	5.1- 8.7
Black or Afr. Am./Non-Hisp	224	347,005	206	94.2	90.3-98.1	18	5.8	1.9- 9.7
Oth. Race/Non-Hisp.	68	86,583	62	96.5	93.0- 100	6	3.5	0.0- 7.0
18-24	139	323,559	135	97.9	95.4- 100	4	2.1	0.0- 4.6
25-34	197	424,350	185	94.1	89.8-98.4	12	5.9	1.6-10.2
35-44	239	403,216	219	90.0	84.3-95.7	20	10.0	4.3-15.7
45-54	388	419,778	362	92.5	88.6-96.4	26	7.5	3.6-11.4
55-64	504	402,662	467	92.9	90.0-95.8	37	7.1	4.2-10.0
65+	825	450,976	771	94.1	92.1-96.1	54	5.9	3.9- 7.9
Less Than H.S.	253	379,089	224	91.2	86.5-95.9	29	8.8	4.1-13.5
H.S. or G.E.D.	739	851,316	684	93.9	91.7-96.1	55	6.1	3.9- 8.3
Some Post-H.S.	534	655,654	502	92.3	88.4-96.2	32	7.7	3.8-11.6
College Graduate	783	554,699	744	95.1	93.1-97.1	39	4.9	2.9- 6.9
Less than \$15,000	198	222,915	169	87.7	81.4-94.0	29	12.3	6.0-18.6
\$15,000- 24,999	333	380,841	300	92.5	89.2-95.8	33	7.5	4.2-10.8
\$25,000- 34,999	245	270,571	229	94.5	90.6-98.4	16	5.5	1.6- 9.4
\$35,000- 49,999	301	316,144	286	94.0	89.3-98.7	15	6.0	1.3-10.7
\$50,000- 74,999	325	352,443	308	92.9	88.2-97.6	17	7.1	2.4-11.8
\$75,000+	548	534,490	528	96.3	93.6-99.0	20	3.7	1.0- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3609	2,641,862	3184	88.9	87.3-90.5	425	11.1	9.5-12.7
White/Non-Hisp	2891	1,992,120	2564	88.9	87.1-90.7	327	11.1	9.3-12.9
Black or Afr. Am./Non-Hisp	521	452,198	445	87.7	83.6-91.8	76	12.3	8.2-16.4
Oth. Race/Non-Hisp.	60	51,789	51	93.6	87.3-99.9	9	6.4	0.1-12.7
Hispanic	52	81,009	46	96.3	92.4- 100	6	3.7	0.0- 7.6
18-24	124	308,728	112	92.4	87.1-97.7	12	7.6	2.3-12.9
25-34	279	430,004	249	93.5	90.6-96.4	30	6.5	3.6- 9.4
35-44	356	417,863	308	85.6	80.5-90.7	48	14.4	9.3-19.5
45-54	566	444,383	486	86.9	83.0-90.8	80	13.1	9.2-17.0
55-64	841	441,874	745	86.9	83.4-90.4	96	13.1	9.6-16.6
65+	1408	579,173	1253	89.1	86.7-91.5	155	10.9	8.5-13.3
Less Than H.S.	408	393,143	335	82.3	76.8-87.8	73	17.7	12.2-23.2
H.S. or G.E.D.	1191	844,670	1044	89.4	87.0-91.8	147	10.6	8.2-13.0
Some Post-H.S.	946	821,766	843	89.9	87.2-92.6	103	10.1	7.4-12.8
College Graduate	1053	576,820	952	91.2	88.5-93.9	101	8.8	6.1-11.5
Less than \$15,000	452	325,531	358	84.1	79.4-88.8	94	15.9	11.2-20.6
\$15,000- 24,999	638	462,354	538	83.9	79.2-88.6	100	16.1	11.4-20.8
\$25,000- 34,999	338	246,611	303	90.3	85.8-94.8	35	9.7	5.2-14.2
\$35,000- 49,999	391	318,076	355	92.2	88.7-95.7	36	7.8	4.3-11.3
\$50,000- 74,999	373	298,430	331	88.8	84.5-93.1	42	11.2	6.9-15.5
\$75,000+	562	440,100	523	90.8	86.7-94.9	39	9.2	5.1-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5928	5,088,961	581	9.0	7.8-10.2	253	5.2	4.2- 6.2	5094	85.8	84.4-87.2
Male	2319	2,447,099	156	6.7	5.1- 8.3	93	5.4	3.8- 7.0	2070	87.9	85.7-90.1
Female	3609	2,641,862	425	11.1	9.5-12.7	160	5.0	3.8- 6.2	3024	83.9	82.1-85.7
White/Non-Hisp	4813	3,834,443	451	9.1	7.9-10.3	195	4.5	3.7- 5.3	4167	86.4	85.0-87.8
Black or Afr. Am./Non-Hisp	745	799,203	94	9.5	6.6-12.4	40	7.7	4.0-11.4	611	82.8	78.3-87.3
Oth. Race/Non-Hisp.	128	138,372	15	4.6	1.5- 7.7	6	8.4	1.0-15.8	107	87.1	78.9-95.3
MultiRacial/Non-Hisp.	73	81,681	10	16.3	2.8-29.8	4	5.2	0.0-11.9	59	78.5	64.0-93.0
Hispanic	83	154,943	7	2.1	0.0- 4.3	3	4.9	0.0-10.6	73	93.0	86.9-99.1
18-24	263	632,287	16	4.8	1.9- 7.7	25	9.7	5.2-14.2	222	85.5	80.2-90.8
25-34	476	854,354	42	6.2	3.7- 8.7	39	8.3	5.4-11.2	395	85.5	81.8-89.2
35-44	595	821,079	68	12.3	8.4-16.2	23	2.7	1.3- 4.1	504	85.0	81.1-88.9
45-54	954	864,161	106	10.4	7.7-13.1	38	4.5	2.1- 6.9	810	85.1	81.6-88.6
55-64	1345	844,536	133	10.2	7.8-12.6	51	3.3	2.1- 4.5	1161	86.5	84.0-89.0
65+	2233	1,030,149	209	8.7	7.1-10.3	74	4.0	2.6- 5.4	1950	87.3	85.3-89.3
Less Than H.S.	661	772,231	102	13.3	9.6-17.0	29	5.4	2.5- 8.3	530	81.3	76.8-85.8
H.S. or G.E.D.	1930	1,695,986	202	8.4	6.8-10.0	76	4.6	3.2- 6.0	1652	87.1	84.9-89.3
Some Post-H.S.	1480	1,477,419	135	9.0	6.6-11.4	78	6.3	4.1- 8.5	1267	84.7	81.8-87.6
College Graduate	1836	1,131,520	140	6.9	5.1- 8.7	70	4.6	3.2- 6.0	1626	88.5	86.3-90.7
Less than \$15,000	650	548,447	123	14.4	10.7-18.1	31	6.4	2.7-10.1	496	79.2	74.1-84.3
\$15,000- 24,999	971	843,195	133	12.2	9.1-15.3	40	5.0	2.6- 7.4	798	82.8	79.1-86.5
\$25,000- 34,999	583	517,182	51	7.5	4.6-10.4	23	5.6	1.5- 9.7	509	86.8	81.9-91.7
\$35,000- 49,999	692	634,221	51	6.9	4.0- 9.8	33	5.8	3.3- 8.3	608	87.3	83.6-91.0
\$50,000- 74,999	698	650,873	59	9.0	5.9-12.1	30	4.4	2.4- 6.4	609	86.6	82.9-90.3
\$75,000+	1110	974,591	59	6.2	3.8- 8.6	39	3.9	2.3- 5.5	1012	89.9	87.2-92.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2319	2,447,099	156	6.7	5.1- 8.3	93	5.4	3.8- 7.0	2070	87.9	85.7-90.1
White/Non-Hisp	1922	1,842,323	124	6.9	5.1- 8.7	70	3.8	2.6- 5.0	1728	89.2	87.0-91.4
Black or Afr. Am./Non-Hisp	224	347,005	18	5.8	1.9- 9.7	16	12.7	4.9-20.5	190	81.4	73.0-89.8
Oth. Race/Non-Hisp.	68	86,583	6	3.5	0.0- 7.0	3	8.6	0.0-18.8	59	87.9	77.3-98.5
18-24	139	323,559	4	2.1	0.0- 4.6	12	11.4	4.0-18.8	123	86.5	78.7-94.3
25-34	197	424,350	12	5.9	1.6-10.2	16	8.1	3.8-12.4	169	85.9	80.0-91.8
35-44	239	403,216	20	10.0	4.3-15.7	9	1.9	0.5- 3.3	210	88.0	82.3-93.7
45-54	388	419,778	26	7.5	3.6-11.4	15	5.6	1.3- 9.9	347	86.9	81.2-92.6
55-64	504	402,662	37	7.1	4.2-10.0	17	2.9	1.1- 4.7	450	90.0	86.7-93.3
65+	825	450,976	54	5.9	3.9- 7.9	23	3.8	1.6- 6.0	748	90.3	87.4-93.2
Less Than H.S.	253	379,089	29	8.8	4.1-13.5	14	7.6	2.3-12.9	210	83.7	77.0-90.4
H.S. or G.E.D.	739	851,316	55	6.1	3.9- 8.3	30	5.0	2.6- 7.4	654	88.9	85.8-92.0
Some Post-H.S.	534	655,654	32	7.7	3.8-11.6	21	6.2	2.5- 9.9	481	86.1	81.0-91.2
College Graduate	783	554,699	39	4.9	2.9- 6.9	28	3.7	2.1- 5.3	716	91.4	88.9-93.9
Less than \$15,000	198	222,915	29	12.3	6.0-18.6	11	9.6	1.6-17.6	158	78.1	68.7-87.5
\$15,000- 24,999	333	380,841	33	7.5	4.2-10.8	13	5.8	1.7- 9.9	287	86.7	81.4-92.0
\$25,000- 34,999	245	270,571	16	5.5	1.6- 9.4	10	7.2	0.0-14.5	219	87.4	79.6-95.2
\$35,000- 49,999	301	316,144	15	6.0	1.3-10.7	10	4.3	1.0- 7.6	276	89.6	83.9-95.3
\$50,000- 74,999	325	352,443	17	7.1	2.4-11.8	11	3.6	0.9- 6.3	297	89.2	83.9-94.5
\$75,000+	548	534,490	20	3.7	1.0- 6.4	21	3.8	1.6- 6.0	507	92.4	89.1-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

**Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3609	2,641,862	425	11.1	9.5-12.7	160	5.0	3.8- 6.2	3024	83.9	82.1-85.7
White/Non-Hisp	2891	1,992,120	327	11.1	9.3-12.9	125	5.1	3.9- 6.3	2439	83.8	81.8-85.8
Black or Afr. Am./Non-Hisp	521	452,198	76	12.3	8.2-16.4	24	3.9	1.5- 6.3	421	83.8	79.1-88.5
Oth. Race/Non-Hisp.	60	51,789	9	6.4	0.1-12.7	3	8.0	0.0-18.8	48	85.6	72.7-98.5
Hispanic	52	81,009	6	3.7	0.0- 7.6	2	7.4	0.0-17.4	44	88.9	78.1-99.7
18-24	124	308,728	12	7.6	2.3-12.9	13	8.0	3.3-12.7	99	84.4	77.3-91.5
25-34	279	430,004	30	6.5	3.6- 9.4	23	8.4	4.5-12.3	226	85.1	80.4-89.8
35-44	356	417,863	48	14.4	9.3-19.5	14	3.4	0.9- 5.9	294	82.1	76.6-87.6
45-54	566	444,383	80	13.1	9.2-17.0	23	3.5	1.5- 5.5	463	83.5	79.2-87.8
55-64	841	441,874	96	13.1	9.6-16.6	34	3.7	2.1- 5.3	711	83.3	79.6-87.0
65+	1408	579,173	155	10.9	8.5-13.3	51	4.2	2.6- 5.8	1202	84.9	82.2-87.6
Less Than H.S.	408	393,143	73	17.7	12.2-23.2	15	3.3	0.8- 5.8	320	79.0	73.1-84.9
H.S. or G.E.D.	1191	844,670	147	10.6	8.2-13.0	46	4.1	2.5- 5.7	998	85.3	82.6-88.0
Some Post-H.S.	946	821,766	103	10.1	7.4-12.8	57	6.4	4.0- 8.8	786	83.6	80.1-87.1
College Graduate	1053	576,820	101	8.8	6.1-11.5	42	5.5	3.1- 7.9	910	85.6	82.3-88.9
Less than \$15,000	452	325,531	94	15.9	11.2-20.6	20	4.1	1.2- 7.0	338	79.9	74.4-85.4
\$15,000- 24,999	638	462,354	100	16.1	11.4-20.8	27	4.3	1.8- 6.8	511	79.6	74.3-84.9
\$25,000- 34,999	338	246,611	35	9.7	5.2-14.2	13	4.0	0.9- 7.1	290	86.3	81.0-91.6
\$35,000- 49,999	391	318,076	36	7.8	4.3-11.3	23	7.2	3.5-10.9	332	84.9	80.0-89.8
\$50,000- 74,999	373	298,430	42	11.2	6.9-15.5	19	5.4	2.5- 8.3	312	83.5	78.4-88.6
\$75,000+	562	440,100	39	9.2	5.1-13.3	18	4.0	1.5- 6.5	505	86.8	82.1-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5931	5,096,058	2466	32.0	30.2-33.8	3465	68.0	66.2-69.8
Male	2324	2,454,057	803	28.1	25.6-30.6	1521	71.9	69.4-74.4
Female	3607	2,642,001	1663	35.6	33.2-38.0	1944	64.4	62.0-66.8
White/Non-Hisp	4826	3,841,776	2045	34.7	32.7-36.7	2781	65.3	63.3-67.3
Black or Afr. Am./Non-Hisp	741	800,078	302	26.1	21.4-30.8	439	73.9	69.2-78.6
Oth. Race/Non-Hisp.	124	137,641	44	25.7	14.5-36.9	80	74.3	63.1-85.5
MultiRacial/Non-Hisp.	73	81,681	36	39.2	21.8-56.6	37	60.8	43.4-78.2
Hispanic	83	154,943	10	4.0	0.0- 8.1	73	96.0	91.9- 100
18-24	262	632,055	15	4.6	1.9- 7.3	247	95.4	92.7-98.1
25-34	478	858,251	58	11.0	7.3-14.7	420	89.0	85.3-92.7
35-44	597	826,416	121	22.3	17.8-26.8	476	77.7	73.2-82.2
45-54	957	866,240	368	38.9	34.4-43.4	589	61.1	56.6-65.6
55-64	1339	837,422	637	47.1	43.4-50.8	702	52.9	49.2-56.6
65+	2238	1,033,628	1247	56.2	53.3-59.1	991	43.8	40.9-46.7
Less Than H.S.	661	768,425	388	48.5	42.6-54.4	273	51.5	45.6-57.4
H.S. or G.E.D.	1937	1,703,618	891	33.9	31.0-36.8	1046	66.1	63.2-69.0
Some Post-H.S.	1480	1,481,891	632	29.4	26.3-32.5	848	70.6	67.5-73.7
College Graduate	1833	1,131,159	545	21.2	18.7-23.7	1288	78.8	76.3-81.3
Less than \$15,000	653	551,412	413	47.1	40.4-53.8	240	52.9	46.2-59.6
\$15,000- 24,999	970	842,560	475	38.7	34.0-43.4	495	61.3	56.6-66.0
\$25,000- 34,999	581	517,385	235	29.9	24.8-35.0	346	70.1	65.0-75.2
\$35,000- 49,999	692	634,220	259	27.7	23.2-32.2	433	72.3	67.8-76.8
\$50,000- 74,999	700	653,823	249	27.3	23.0-31.6	451	72.7	68.4-77.0
\$75,000+	1111	976,622	300	21.7	18.4-25.0	811	78.3	75.0-81.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2324	2,454,057	803	28.1	25.6-30.6	1521	71.9	69.4-74.4
White/Non-Hisp	1925	1,845,226	666	30.1	27.2-33.0	1259	69.9	67.0-72.8
Black or Afr. Am./Non-Hisp	226	349,350	85	22.3	15.6-29.0	141	77.7	71.0-84.4
Oth. Race/Non-Hisp.	68	88,294	21	25.0	11.1-38.9	47	75.0	61.1-88.9
18-24	138	322,195	5	2.6	0.0- 5.3	133	97.4	94.7- 100
25-34	198	426,034	17	9.8	4.1-15.5	181	90.2	84.5-95.9
35-44	240	405,607	37	16.8	10.5-23.1	203	83.2	76.9-89.5
45-54	393	424,491	133	36.4	29.7-43.1	260	63.6	56.9-70.3
55-64	500	398,388	219	46.8	40.9-52.7	281	53.2	47.3-59.1
65+	828	454,784	386	49.8	45.1-54.5	442	50.2	45.5-54.9
Less Than H.S.	252	375,841	132	46.4	37.6-55.2	120	53.6	44.8-62.4
H.S. or G.E.D.	746	858,543	283	28.7	24.4-33.0	463	71.3	67.0-75.6
Some Post-H.S.	535	658,408	192	25.4	20.7-30.1	343	74.6	69.9-79.3
College Graduate	781	554,922	193	17.9	14.8-21.0	588	82.1	79.0-85.2
Less than \$15,000	199	222,563	112	40.9	30.7-51.1	87	59.1	48.9-69.3
\$15,000- 24,999	330	378,191	141	38.5	30.7-46.3	189	61.5	53.7-69.3
\$25,000- 34,999	245	270,571	91	26.6	19.7-33.5	154	73.4	66.5-80.3
\$35,000- 49,999	303	317,810	106	25.0	18.9-31.1	197	75.0	68.9-81.1
\$50,000- 74,999	327	354,691	101	24.6	18.5-30.7	226	75.4	69.3-81.5
\$75,000+	550	537,244	130	19.9	15.2-24.6	420	80.1	75.4-84.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3607	2,642,001	1663	35.6	33.2-38.0	1944	64.4	62.0-66.8
White/Non-Hisp	2901	1,996,550	1379	38.9	36.4-41.4	1522	61.1	58.6-63.6
Black or Afr. Am./Non-Hisp	515	450,728	217	29.1	22.8-35.4	298	70.9	64.6-77.2
Oth. Race/Non-Hisp.	56	49,347	23	27.0	8.0-46.0	33	73.0	54.0-92.0
Hispanic	52	81,009	8	7.0	0.0-15.0	44	93.0	85.0- 100
18-24	124	309,860	10	6.7	2.2-11.2	114	93.3	88.8-97.8
25-34	280	432,217	41	12.1	7.6-16.6	239	87.9	83.4-92.4
35-44	357	420,809	84	27.5	20.8-34.2	273	72.5	65.8-79.2
45-54	564	441,749	235	41.3	35.2-47.4	329	58.7	52.6-64.8
55-64	839	439,034	418	47.3	42.4-52.2	421	52.7	47.8-57.6
65+	1410	578,843	861	61.2	57.7-64.7	549	38.8	35.3-42.3
Less Than H.S.	409	392,584	256	50.6	42.6-58.6	153	49.4	41.4-57.4
H.S. or G.E.D.	1191	845,074	608	39.2	35.1-43.3	583	60.8	56.7-64.9
Some Post-H.S.	945	823,483	440	32.6	28.5-36.7	505	67.4	63.3-71.5
College Graduate	1052	576,237	352	24.4	20.7-28.1	700	75.6	71.9-79.3
Less than \$15,000	454	328,849	301	51.2	42.6-59.8	153	48.8	40.2-57.4
\$15,000- 24,999	640	464,369	334	38.8	33.1-44.5	306	61.2	55.5-66.9
\$25,000- 34,999	336	246,814	144	33.6	26.0-41.2	192	66.4	58.8-74.0
\$35,000- 49,999	389	316,410	153	30.5	24.0-37.0	236	69.5	63.0-76.0
\$50,000- 74,999	373	299,132	148	30.4	24.1-36.7	225	69.6	63.3-75.9
\$75,000+	561	439,378	170	23.9	19.2-28.6	391	76.1	71.4-80.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5910	5,058,707	4974	79.3	77.5-81.1	765	16.3	14.7-17.9	63	1.0	0.6- 1.4	47	1.6	0.8- 2.4	4	0.2	0.0- 0.4	57	1.6	1.0- 2.2
Male	2309	2,429,126	1988	79.5	76.8-82.2	233	15.0	12.5-17.5	30	1.1	0.5- 1.7	21	1.7	0.7- 2.7	2	0.1	0.0- 0.3	35	2.6	1.4- 3.8
Female	3601	2,629,581	2986	79.0	76.6-81.4	532	17.5	15.3-19.7	33	1.0	0.4- 1.6	26	1.6	0.2- 3.0	2	0.3	0.0- 0.7	22	0.6	0.2- 1.0
18-24	260	618,381	194	64.9	57.1-72.7	41	22.3	15.6-29.0	5	0.8	0.0- 1.6	8	5.8	0.3-11.3	1	0.8	0.0- 2.4	11	5.5	2.0- 9.0
25-34	474	847,141	380	78.0	72.7-83.3	71	17.1	12.2-22.0	3	0.3	0.0- 0.7	9	2.3	0.3- 4.3	2	0.3	0.0- 0.7	9	1.9	0.3- 3.5
35-44	589	811,640	472	78.5	74.0-83.0	95	17.0	12.9-21.1	5	1.3	0.0- 2.7	9	1.6	0.4- 2.8				8	1.5	0.1- 2.9
45-54	959	869,969	797	78.3	73.8-82.8	139	19.3	15.0-23.6	10	0.9	0.1- 1.7	7	0.9	0.1- 1.7	1	0.2	0.0- 0.6	5	0.3	0.0- 0.7
55-64	1343	845,491	1125	82.4	79.1-85.7	182	14.0	11.1-16.9	24	2.6	0.8- 4.4	4	0.1	0.0- 0.3				8	0.8	0.0- 1.8
65+	2232	1,029,141	1965	88.1	86.1-90.1	226	10.2	8.4-12.0	16	0.5	0.1- 0.9	9	0.4	0.0- 0.8				16	0.8	0.0- 1.6
Less Than H.S.	664	767,862	520	75.6	69.9-81.3	126	19.9	14.6-25.2	14	2.7	0.7- 4.7							4	1.8	0.0- 3.6
H.S. or G.E.D.	1929	1,691,165	1640	79.9	76.8-83.0	240	15.9	13.2-18.6	21	1.0	0.4- 1.6	8	1.0	0.0- 2.4	1	0.1	0.0- 0.3	19	2.2	1.0- 3.4
Some Post-H.S.	1476	1,462,225	1227	77.6	73.9-81.3	199	18.3	14.8-21.8	17	0.8	0.2- 1.4	8	1.7	0.0- 3.5	3	0.6	0.0- 1.4	22	1.1	0.3- 1.9
College Graduate	1824	1,126,157	1577	83.1	80.2-86.0	193	11.8	9.4-14.2	11	0.4	0.2- 0.6	31	3.7	1.9- 5.5				12	1.1	0.1- 2.1
Less than \$15,000	658	555,688	486	62.5	55.2-69.8	142	30.7	23.6-37.8	16	2.2	0.8- 3.6	6	2.7	0.0- 7.0	1	0.3	0.0- 0.9	7	1.6	0.0- 3.2
\$15,000- 24,999	969	841,070	756	74.3	69.6-79.0	181	23.1	18.4-27.8	15	1.1	0.1- 2.1	2	0.0	0.0- 0.0				15	1.5	0.3- 2.7
\$25,000- 34,999	575	506,288	491	77.1	70.0-84.2	64	15.9	10.2-21.6	9	1.4	0.0- 2.8	5	3.7	0.0- 8.6	1	0.3	0.0- 0.9	5	1.8	0.2- 3.4
\$35,000- 49,999	693	626,938	583	78.3	73.2-83.4	90	17.4	12.7-22.1	8	1.4	0.0- 2.8	6	1.9	0.1- 3.7				6	1.0	0.0- 2.2
\$50,000- 74,999	696	650,227	610	84.7	80.4-89.0	68	11.2	7.7-14.7	6	1.4	0.0- 3.4	8	1.8	0.6- 3.0				4	0.9	0.0- 2.5
\$75,000+	1108	975,239	1001	88.6	85.7-91.5	79	7.5	5.3- 9.7	6	0.3	0.0- 0.7	14	2.0	0.4- 3.6	1	0.5	0.0- 1.5	7	1.0	0.0- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2309	2,429,126	1988	79.5	76.8-82.2	233	15.0	12.5-17.5	30	1.1	0.5- 1.7	21	1.7	0.7- 2.7	2	0.1	0.0- 0.3	35	2.6	1.4- 3.8
18-24	137	311,359	108	67.9	57.5-78.3	18	19.9	10.7-29.1				3	3.1	0.0- 7.2				8	9.1	2.6-15.6
25-34	196	418,948	164	77.6	69.2-86.0	20	16.1	8.1-24.1	1	0.2	0.0- 0.6	6	3.7	0.2- 7.2	1	0.3	0.0- 0.9	4	2.1	0.0- 4.5
35-44	237	401,232	195	77.6	70.3-84.9	29	15.8	9.3-22.3	3	2.0	0.0- 4.4	4	1.8	0.0- 3.6				6	2.9	0.2- 5.6
45-54	392	423,964	341	80.8	74.3-87.3	39	16.6	10.3-22.9	5	0.6	0.0- 1.2	4	1.2	0.0- 2.4	1	0.5	0.0- 1.5	2	0.3	0.0- 0.7
55-64	503	403,459	429	83.0	77.9-88.1	57	12.4	7.9-16.9	12	2.9	0.7- 5.1	1	0.1	0.0- 0.3				4	1.6	0.0- 3.4
65+	823	450,787	735	87.7	84.2-91.2	66	9.7	6.6-12.8	9	0.8	0.0- 1.6	2	0.3	0.0- 0.7				11	1.6	0.0- 3.4
Less Than H.S.	253	371,175	200	77.4	69.4-85.4	44	17.8	10.2-25.4	6	2.1	0.1- 4.1							3	2.6	0.0- 5.5
H.S. or G.E.D.	742	856,292	639	79.3	74.6-84.0	79	15.7	11.4-20.0	10	1.3	0.1- 2.5	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	11	3.4	1.0- 5.8
Some Post-H.S.	531	642,371	444	77.7	71.6-83.8	60	17.2	11.3-23.1	8	0.9	0.1- 1.7	4	1.7	0.0- 3.7	1	0.3	0.0- 0.9	14	2.2	0.6- 3.8
College Graduate	777	553,997	700	83.2	78.5-87.9	49	9.6	6.1-13.1	6	0.4	0.0- 0.8	15	5.0	1.9- 8.1				7	1.8	0.0- 4.0
Less than \$15,000	202	225,397	150	62.8	51.4-74.2	39	29.9	18.3-41.5	6	2.8	0.3- 5.3	2	0.9	0.0- 2.5				5	3.6	0.0- 7.5
\$15,000- 24,999	332	381,568	259	74.6	66.8-82.4	56	21.2	13.8-28.6	10	2.0	0.0- 4.0							7	2.2	0.0- 4.6
\$25,000- 34,999	240	261,646	207	74.9	64.9-84.9	22	17.8	8.2-27.4	5	1.7	0.0- 3.9	1	2.1	0.0- 6.2	1	0.5	0.0- 1.5	4	3.0	0.1- 5.9
\$35,000- 49,999	302	310,591	258	77.0	69.2-84.8	32	17.2	9.9-24.5	3	1.4	0.0- 3.6	4	2.5	0.0- 5.4				5	1.9	0.0- 4.3
\$50,000- 74,999	323	350,759	290	85.6	79.5-91.7	24	10.2	4.9-15.5	2	0.6	0.0- 1.6	5	2.0	0.2- 3.8				2	1.6	0.0- 4.5
\$75,000+	546	535,138	505	89.1	84.8-93.4	25	6.0	3.1- 8.9	3	0.2	0.0- 0.4	8	3.0	0.3- 5.7				5	1.7	0.0- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3601	2,629,581	2986	79.0	76.6-81.4	532	17.5	15.3-19.7	33	1.0	0.4- 1.6	26	1.6	0.2- 3.0	2	0.3	0.0- 0.7	22	0.6	0.2- 1.0
18-24	123	307,023	86	61.9	50.1-73.7	23	24.7	14.9-34.5	5	1.6	0.0- 3.2	5	8.5	0.0-18.7	1	1.6	0.0- 4.7	3	1.7	0.0- 3.9
25-34	278	428,194	216	78.5	72.4-84.6	51	18.1	12.4-23.8	2	0.5	0.0- 1.3	3	1.0	0.0- 2.4	1	0.4	0.0- 1.2	5	1.6	0.0- 3.8
35-44	352	410,408	277	79.5	74.0-85.0	66	18.2	12.9-23.5	2	0.6	0.0- 1.6	5	1.5	0.0- 3.1				2	0.2	0.0- 0.4
45-54	567	446,005	456	76.0	69.9-82.1	100	21.9	15.8-28.0	5	1.1	0.0- 2.5	3	0.7	0.0- 1.5				3	0.3	0.0- 0.7
55-64	840	442,032	696	81.9	77.6-86.2	125	15.4	11.7-19.1	12	2.4	0.0- 5.1	3	0.1	0.0- 0.3				4	0.2	0.0- 0.4
65+	1409	578,353	1230	88.5	86.3-90.7	160	10.7	8.5-12.9	7	0.2	0.0- 0.4	7	0.5	0.1- 0.9				5	0.1	0.0- 0.3
Less Than H.S.	411	396,687	320	73.9	66.3-81.5	82	21.8	14.5-29.1	8	3.2	0.1- 6.3							1	1.1	0.0- 3.3
H.S. or G.E.D.	1187	834,873	1001	80.5	76.4-84.6	161	16.1	12.6-19.6	11	0.7	0.1- 1.3	6	1.8	0.0- 4.5				8	0.9	0.1- 1.7
Some Post-H.S.	945	819,854	783	77.5	72.6-82.4	139	19.1	15.0-23.2	9	0.7	0.0- 1.5	4	1.7	0.0- 4.6	2	0.8	0.0- 2.0	8	0.2	0.0- 0.4
College Graduate	1047	572,160	877	83.0	79.7-86.3	144	13.8	10.9-16.7	5	0.3	0.0- 0.7	16	2.4	0.8- 4.0				5	0.4	0.0- 0.8
Less than \$15,000	456	330,291	336	62.2	52.8-71.6	103	31.3	22.3-40.3	10	1.8	0.4- 3.2	4	4.0	0.0-11.1	1	0.5	0.0- 1.5	2	0.2	0.0- 0.6
\$15,000- 24,999	637	459,502	497	74.0	68.1-79.9	125	24.6	18.9-30.3	5	0.4	0.0- 0.8	2	0.0	0.0- 0.0				8	0.9	0.0- 1.9
\$25,000- 34,999	335	244,642	284	79.4	69.8-89.0	42	13.8	8.1-19.5	4	1.0	0.0- 2.6	4	5.3	0.0-14.5				1	0.5	0.0- 1.5
\$35,000- 49,999	391	316,347	325	79.6	73.3-85.9	58	17.5	11.4-23.6	5	1.4	0.0- 3.2	2	1.3	0.0- 3.1				1	0.1	0.0- 0.3
\$50,000- 74,999	373	299,469	320	83.6	77.5-89.7	44	12.4	7.5-17.3	4	2.4	0.0- 6.3	3	1.5	0.0- 3.3				2	0.1	0.0- 0.3
\$75,000+	562	440,100	496	87.9	84.0-91.8	54	9.5	6.4-12.6	3	0.5	0.0- 1.1	6	0.9	0.0- 1.9	1	1.1	0.0- 3.3	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5910	5,058,707	4924	78.3	76.5-80.1	753	16.0	14.4-17.6	59	1.0	0.6- 1.4	44	1.6	0.8- 2.4	3	0.1	0.0- 0.3	127	3.1	2.3- 3.9
Male	2309	2,429,126	1963	78.0	75.1-80.9	228	14.6	12.1-17.1	30	1.1	0.5- 1.7	19	1.6	0.6- 2.6	2	0.1	0.0- 0.3	67	4.6	3.0- 6.2
Female	3601	2,629,581	2961	78.5	76.1-80.9	525	17.4	15.2-19.6	29	0.9	0.3- 1.5	25	1.5	0.1- 2.9	1	0.1	0.0- 0.3	60	1.7	1.1- 2.3
18-24	260	618,381	191	63.6	55.8-71.4	38	20.8	14.1-27.5	3	0.3	0.0- 0.7	8	5.8	0.3-11.3				20	9.5	5.2-13.8
25-34	474	847,141	375	77.1	71.8-82.4	68	16.9	12.0-21.8	3	0.3	0.0- 0.7	7	1.9	0.1- 3.7	2	0.3	0.0- 0.7	19	3.4	1.4- 5.4
35-44	589	811,640	468	78.1	73.6-82.6	93	16.8	12.7-20.9	5	1.3	0.0- 2.7	9	1.6	0.4- 2.8				14	2.2	0.6- 3.8
45-54	959	869,969	790	76.6	72.1-81.1	138	19.3	15.0-23.6	10	0.9	0.1- 1.7	6	0.8	0.2- 1.4	1	0.2	0.0- 0.6	14	2.2	0.2- 4.2
55-64	1343	845,491	1116	81.8	78.5-85.1	180	13.9	11.0-16.8	23	2.5	0.7- 4.3	4	0.1	0.0- 0.3				20	1.7	0.7- 2.7
65+	2232	1,029,141	1943	87.1	85.1-89.1	225	10.2	8.4-12.0	15	0.5	0.1- 0.9	9	0.4	0.0- 0.8				40	1.8	0.8- 2.8
Less Than H.S.	664	767,862	514	75.2	69.5-80.9	125	19.4	14.1-24.7	11	2.2	0.4- 4.0							14	3.2	1.0- 5.4
H.S. or G.E.D.	1929	1,691,165	1624	78.3	75.0-81.6	237	15.5	12.8-18.2	20	1.0	0.4- 1.6	7	0.9	0.0- 2.3	1	0.1	0.0- 0.3	40	4.2	2.4- 6.0
Some Post-H.S.	1476	1,462,225	1214	76.8	73.1-80.5	197	18.2	14.7-21.7	17	0.8	0.2- 1.4	8	1.7	0.0- 3.5	2	0.3	0.0- 0.7	38	2.3	1.1- 3.5
College Graduate	1824	1,126,157	1562	82.2	79.3-85.1	187	11.5	9.1-13.9	11	0.4	0.2- 0.6	29	3.4	1.6- 5.2				35	2.5	1.1- 3.9
Less than \$15,000	658	555,688	480	61.8	54.5-69.1	140	29.8	22.7-36.9	14	2.0	0.6- 3.4	6	2.7	0.0- 7.0	1	0.3	0.0- 0.9	17	3.3	1.1- 5.5
\$15,000- 24,999	969	841,070	748	73.4	68.7-78.1	176	22.3	17.8-26.8	15	1.1	0.1- 2.1	2	0.0	0.0- 0.0				28	3.1	1.3- 4.9
\$25,000- 34,999	575	506,288	486	75.6	68.5-82.7	62	15.7	10.0-21.4	9	1.4	0.0- 2.8	5	3.7	0.0- 8.6	1	0.3	0.0- 0.9	12	3.3	1.1- 5.5
\$35,000- 49,999	693	626,938	580	77.9	72.8-83.0	88	17.2	12.5-21.9	7	1.2	0.0- 2.6	4	1.3	0.0- 2.9				14	2.4	0.8- 4.0
\$50,000- 74,999	696	650,227	605	84.3	80.0-88.6	67	11.1	7.6-14.6	6	1.4	0.0- 3.4	8	1.8	0.6- 3.0				10	1.4	0.0- 3.0
\$75,000+	1108	975,239	988	86.8	83.5-90.1	79	7.5	5.3- 9.7	6	0.3	0.0- 0.7	13	1.9	0.3- 3.5				22	3.4	1.2- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2309	2,429,126	1963	78.0	75.3-80.7	228	14.6	12.1-17.1	30	1.1	0.5- 1.7	19	1.6	0.6- 2.6	2	0.1	0.0- 0.3	67	4.6	3.0- 6.2
18-24	137	311,359	105	65.3	54.9-75.7	15	17.0	8.0-26.0				3	3.1	0.0- 7.2				14	14.6	7.2-22.0
25-34	196	418,948	161	76.1	67.5-84.7	19	16.0	8.0-24.0	1	0.2	0.0- 0.6	5	3.4	0.0- 6.9	1	0.3	0.0- 0.9	9	4.0	1.1- 6.9
35-44	237	401,232	195	77.6	70.3-84.9	28	15.4	8.9-21.9	3	2.0	0.0- 4.4	4	1.8	0.0- 3.6				7	3.2	0.3- 6.1
45-54	392	423,964	336	77.8	70.9-84.7	39	16.6	10.3-22.9	5	0.6	0.0- 1.2	3	1.0	0.0- 2.2	1	0.5	0.0- 1.5	8	3.6	0.0- 7.3
55-64	503	403,459	422	82.1	77.0-87.2	57	12.4	7.9-16.9	12	2.9	0.7- 5.1	1	0.1	0.0- 0.3				11	2.4	0.4- 4.4
65+	823	450,787	728	86.5	82.8-90.2	66	9.7	6.6-12.8	9	0.8	0.0- 1.6	2	0.3	0.0- 0.7				18	2.8	0.8- 4.8
Less Than H.S.	253	371,175	196	76.8	68.8-84.8	43	16.8	9.2-24.4	6	2.1	0.1- 4.1							8	4.2	0.7- 7.7
H.S. or G.E.D.	742	856,292	630	76.4	71.5-81.3	76	15.0	10.9-19.1	10	1.3	0.1- 2.5	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	24	7.1	3.8-10.4
Some Post-H.S.	531	642,371	435	76.3	70.2-82.4	59	17.0	11.1-22.9	8	0.9	0.1- 1.7	4	1.7	0.0- 3.7	1	0.3	0.0- 0.9	24	3.8	1.8- 5.8
College Graduate	777	553,997	697	83.0	78.3-87.7	49	9.6	6.1-13.1	6	0.4	0.0- 0.8	14	4.8	1.9- 7.7				11	2.2	0.0- 4.4
Less than \$15,000	202	225,397	146	61.7	50.3-73.1	37	27.6	16.0-39.2	6	2.8	0.3- 5.3	2	0.9	0.0- 2.5				11	7.0	1.9-12.1
\$15,000- 24,999	332	381,568	255	73.0	65.2-80.8	53	19.7	12.3-27.1	10	2.0	0.0- 4.0							14	5.3	1.8- 8.8
\$25,000- 34,999	240	261,646	204	72.8	62.6-83.0	22	17.8	8.2-27.4	5	1.7	0.0- 3.9	1	2.1	0.0- 6.2	1	0.5	0.0- 1.5	7	5.1	1.0- 9.2
\$35,000- 49,999	302	310,591	258	77.0	69.2-84.8	32	17.2	9.9-24.5	3	1.4	0.0- 3.6	3	2.1	0.0- 5.0				6	2.3	0.0- 4.7
\$50,000- 74,999	323	350,759	287	85.0	78.9-91.1	24	10.2	4.9-15.5	2	0.6	0.0- 1.6	5	2.0	0.2- 3.8				5	2.3	0.0- 5.2
\$75,000+	546	535,138	499	86.9	82.0-91.8	25	6.0	3.1- 8.9	3	0.2	0.0- 0.4	7	2.8	0.3- 5.3				12	4.1	0.6- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3601	2,629,581	2961	78.5	76.1-80.9	525	17.4	15.2-19.6	29	0.9	0.3- 1.5	25	1.5	0.1- 2.9	1	0.1	0.0- 0.3	60	1.7	1.1- 2.3
18-24	123	307,023	86	61.9	50.1-73.7	23	24.7	14.9-34.5	3	0.7	0.0- 1.5	5	8.5	0.0-18.7				6	4.3	0.4- 8.2
25-34	278	428,194	214	78.0	71.9-84.1	49	17.7	12.0-23.4	2	0.5	0.0- 1.3	2	0.5	0.0- 1.5	1	0.4	0.0- 1.2	10	2.9	0.4- 5.4
35-44	352	410,408	273	78.6	73.1-84.1	65	18.1	12.8-23.4	2	0.6	0.0- 1.6	5	1.5	0.0- 3.1				7	1.2	0.2- 2.2
45-54	567	446,005	454	75.6	69.5-81.7	99	21.8	15.7-27.9	5	1.1	0.0- 2.5	3	0.7	0.0- 1.5				6	0.8	0.0- 1.6
55-64	840	442,032	694	81.6	77.3-85.9	123	15.2	11.5-18.9	11	2.1	0.0- 4.8	3	0.1	0.0- 0.3				9	0.9	0.1- 1.7
65+	1409	578,353	1215	87.6	85.2-90.0	159	10.7	8.5-12.9	6	0.2	0.0- 0.4	7	0.5	0.1- 0.9				22	1.0	0.4- 1.6
Less Than H.S.	411	396,687	318	73.7	66.1-81.3	82	21.8	14.5-29.1	5	2.2	0.0- 5.3							6	2.3	0.0- 4.7
H.S. or G.E.D.	1187	834,873	994	80.2	76.1-84.3	161	16.1	12.6-19.6	10	0.7	0.1- 1.3	6	1.8	0.0- 4.5				16	1.2	0.4- 2.0
Some Post-H.S.	945	819,854	779	77.2	72.3-82.1	138	19.1	15.0-23.2	9	0.7	0.0- 1.5	4	1.7	0.0- 4.6	1	0.2	0.0- 0.6	14	1.1	0.0- 2.3
College Graduate	1047	572,160	865	81.5	78.0-85.0	138	13.3	10.4-16.2	5	0.3	0.0- 0.7	15	2.1	0.7- 3.5				24	2.8	1.4- 4.2
Less than \$15,000	456	330,291	334	61.9	52.5-71.3	103	31.3	22.3-40.3	8	1.5	0.1- 2.9	4	4.0	0.0-11.1	1	0.5	0.0- 1.5	6	0.8	0.0- 1.6
\$15,000- 24,999	637	459,502	493	73.8	67.9-79.7	123	24.5	18.8-30.2	5	0.4	0.0- 0.8	2	0.0	0.0- 0.0				14	1.3	0.3- 2.3
\$25,000- 34,999	335	244,642	282	78.7	69.1-88.3	40	13.6	7.9-19.3	4	1.0	0.0- 2.6	4	5.3	0.0-14.5				5	1.4	0.0- 2.8
\$35,000- 49,999	391	316,347	322	78.8	72.5-85.1	56	17.1	11.0-23.2	4	1.0	0.0- 2.6	1	0.6	0.0- 1.8				8	2.5	0.5- 4.5
\$50,000- 74,999	373	299,469	318	83.5	77.4-89.6	43	12.2	7.3-17.1	4	2.4	0.0- 6.3	3	1.5	0.0- 3.3				5	0.4	0.0- 0.8
\$75,000+	562	440,100	489	86.7	82.8-90.6	54	9.5	6.4-12.6	3	0.5	0.0- 1.1	6	0.9	0.0- 1.9				10	2.4	0.0- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5892	5,045,297	4858	76.6	74.6-78.6	749	15.9	14.3-17.5	57	1.0	0.6- 1.4	43	1.3	0.7- 1.9	102	2.1	1.5- 2.7	83	3.1	2.1- 4.1
Male	2303	2,424,163	1942	76.6	73.7-79.5	226	14.4	11.9-16.9	31	1.2	0.6- 1.8	19	1.6	0.6- 2.6	54	3.1	1.9- 4.3	31	3.0	1.6- 4.4
Female	3589	2,621,135	2916	76.5	74.0-79.0	523	17.3	15.1-19.5	26	0.8	0.2- 1.4	24	1.1	0.1- 2.1	48	1.2	0.6- 1.8	52	3.1	1.7- 4.5
18-24	261	619,544	184	61.2	53.4-69.0	37	20.7	14.0-27.4	2	0.2	0.0- 0.4	7	3.8	0.0- 8.1	13	5.8	2.5- 9.1	18	8.4	3.3-13.5
25-34	475	847,749	361	73.0	67.5-78.5	68	16.9	12.0-21.8	2	0.2	0.0- 0.4	7	1.9	0.1- 3.7	11	2.0	0.6- 3.4	26	6.0	3.1- 8.9
35-44	589	811,254	458	75.1	70.2-80.0	92	16.3	12.2-20.4	5	1.3	0.0- 2.7	9	1.6	0.4- 2.8	9	1.1	0.3- 1.9	16	4.5	1.8- 7.2
45-54	961	870,747	782	75.5	70.8-80.2	138	19.3	15.0-23.6	11	1.1	0.3- 1.9	6	0.8	0.2- 1.4	13	2.1	0.1- 4.1	11	1.2	0.4- 2.0
55-64	1339	838,316	1110	82.0	78.7-85.3	180	14.0	11.1-16.9	23	2.5	0.7- 4.3	4	0.1	0.0- 0.3	17	1.0	0.4- 1.6	5	0.4	0.0- 1.0
65+	2216	1,020,987	1924	87.0	85.0-89.0	223	10.1	8.3-11.9	14	0.5	0.1- 0.9	9	0.4	0.0- 0.8	39	1.8	0.8- 2.8	7	0.2	0.0- 0.4
Less Than H.S.	659	763,222	502	72.3	66.4-78.2	124	19.3	14.0-24.6	11	2.2	0.4- 4.0				12	2.3	0.5- 4.1	10	3.9	1.0- 6.8
H.S. or G.E.D.	1922	1,687,595	1599	76.4	73.1-79.7	236	15.5	12.8-18.2	19	1.0	0.4- 1.6	6	0.2	0.0- 0.4	32	2.8	1.4- 4.2	30	4.0	2.0- 6.0
Some Post-H.S.	1474	1,460,448	1198	75.3	71.4-79.2	196	18.2	14.7-21.7	17	0.9	0.3- 1.5	8	1.7	0.0- 3.5	32	1.7	0.7- 2.7	23	2.3	1.1- 3.5
College Graduate	1821	1,122,946	1550	81.5	78.6-84.4	186	11.2	9.0-13.4	10	0.3	0.1- 0.5	29	3.4	1.6- 5.2	26	1.5	0.7- 2.3	20	2.1	0.7- 3.5
Less than \$15,000	657	555,105	475	60.3	53.0-67.6	140	29.8	22.7-36.9	14	2.0	0.6- 3.4	6	2.7	0.0- 7.0	15	2.8	0.8- 4.8	7	2.4	0.4- 4.4
\$15,000- 24,999	968	844,258	731	69.8	64.9-74.7	175	22.2	17.7-26.7	15	1.1	0.1- 2.1	2	0.0	0.0- 0.0	21	2.2	0.6- 3.8	24	4.6	2.1- 7.1
\$25,000- 34,999	575	504,703	479	74.3	67.2-81.4	62	15.8	10.1-21.5	8	1.3	0.0- 2.7	4	1.3	0.0- 3.5	9	2.2	0.4- 4.0	13	5.1	0.2-10.0
\$35,000- 49,999	690	625,331	572	77.1	72.0-82.2	88	17.2	12.5-21.9	7	1.2	0.0- 2.6	4	1.3	0.0- 2.9	12	1.6	0.4- 2.8	7	1.6	0.2- 3.0
\$50,000- 74,999	696	650,683	600	83.0	78.5-87.5	67	11.1	7.6-14.6	6	1.4	0.0- 3.4	8	1.8	0.6- 3.0	8	0.6	0.0- 1.2	7	2.2	0.0- 4.4
\$75,000+	1108	975,239	980	86.0	82.7-89.3	78	7.2	5.2- 9.2	4	0.1	0.0- 0.3	13	1.9	0.3- 3.5	19	2.8	0.8- 4.8	14	2.0	0.6- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2303	2,424,163	1942	76.6	73.7-79.5	226	14.4	11.9-16.9	31	1.2	0.6- 1.8	19	1.6	0.6- 2.6	54	3.1	1.9- 4.3	31	3.0	1.6- 4.4
18-24	137	311,359	103	64.2	53.8-74.6	14	16.7	7.7-25.7				3	3.1	0.0- 7.2	10	9.1	3.6-14.6	7	6.9	1.0-12.8
25-34	197	419,466	158	74.1	65.5-82.7	19	16.0	8.0-24.0	1	0.2	0.0- 0.6	5	3.4	0.0- 6.9	6	2.6	0.2- 5.0	8	3.7	0.8- 6.6
35-44	237	401,232	192	73.7	65.9-81.5	27	14.5	8.2-20.8	3	2.0	0.0- 4.4	4	1.8	0.0- 3.6	3	1.1	0.0- 2.5	8	6.8	1.7-11.9
45-54	393	424,572	333	76.4	69.5-83.3	39	16.6	10.3-22.9	6	1.1	0.0- 2.3	3	0.9	0.0- 2.1	8	3.6	0.0- 7.3	4	1.4	0.0- 3.0
55-64	501	400,067	421	82.6	77.7-87.5	57	12.5	8.0-17.0	12	3.0	0.8- 5.2	1	0.1	0.0- 0.3	9	1.1	0.3- 1.9	1	0.6	0.0- 1.8
65+	817	448,089	719	86.1	82.4-89.8	66	9.7	6.6-12.8	9	0.8	0.0- 1.6	2	0.3	0.0- 0.7	18	2.8	0.6- 5.0	3	0.2	0.0- 0.6
Less Than H.S.	251	370,192	191	74.5	66.1-82.9	43	16.9	9.3-24.5	6	2.1	0.1- 4.1				7	3.5	0.2- 6.8	4	3.0	0.0- 6.3
H.S. or G.E.D.	739	855,339	623	74.8	69.7-79.9	75	15.0	10.9-19.1	10	1.3	0.1- 2.5	1	0.1	0.0- 0.3	20	5.1	2.4- 7.8	10	3.8	1.1- 6.5
Some Post-H.S.	531	642,371	431	75.2	69.1-81.3	59	17.0	11.1-22.9	9	1.2	0.2- 2.2	4	1.7	0.0- 3.7	20	2.5	0.9- 4.1	8	2.4	0.6- 4.2
College Graduate	776	550,971	692	82.4	77.7-87.1	48	9.0	5.7-12.3	6	0.4	0.0- 0.8	14	4.8	1.7- 7.9	7	0.6	0.0- 1.2	9	2.8	0.4- 5.2
Less than \$15,000	201	224,814	144	60.2	48.8-71.6	37	27.6	16.0-39.2	6	2.8	0.3- 5.3	2	0.9	0.0- 2.5	10	5.9	1.2-10.6	2	2.5	0.0- 6.0
\$15,000- 24,999	332	381,776	251	71.3	63.5-79.1	53	19.7	12.3-27.1	10	2.0	0.0- 4.0				11	4.0	0.9- 7.1	7	3.0	0.1- 5.9
\$25,000- 34,999	240	261,646	201	71.1	60.9-81.3	22	17.8	8.2-27.4	5	1.7	0.0- 3.9	1	2.1	0.0- 6.2	5	3.3	0.0- 6.6	6	4.0	0.1- 7.9
\$35,000- 49,999	299	308,985	254	76.6	68.8-84.4	32	17.3	10.0-24.6	3	1.4	0.0- 3.6	3	2.1	0.0- 5.0	4	0.6	0.0- 1.4	3	1.9	0.0- 4.3
\$50,000- 74,999	324	351,367	285	83.4	77.1-89.7	24	10.1	4.8-15.4	2	0.6	0.0- 1.6	5	2.0	0.2- 3.8	4	0.8	0.0- 1.6	4	3.1	0.0- 6.6
\$75,000+	546	535,138	497	86.2	81.1-91.3	24	5.3	2.6- 8.0	3	0.2	0.0- 0.4	7	2.8	0.3- 5.3	10	3.2	0.1- 6.3	5	2.4	0.0- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3589	2,621,135	2916	76.5	74.0-79.0	523	17.3	15.1-19.5	26	0.8	0.2- 1.4	24	1.1	0.1- 2.1	48	1.2	0.6- 1.8	52	3.1	1.7- 4.5
18-24	124	308,185	81	58.1	46.5-69.7	23	24.6	14.8-34.4	2	0.3	0.0- 0.7	4	4.5	0.0-11.9	3	2.5	0.0- 5.8	11	9.8	1.8-17.8
25-34	278	428,283	203	71.9	64.8-79.0	49	17.7	12.0-23.4	1	0.3	0.0- 0.9	2	0.5	0.0- 1.5	5	1.3	0.0- 2.7	18	8.3	3.4-13.2
35-44	352	410,022	266	76.4	70.7-82.1	65	18.1	12.8-23.4	2	0.6	0.0- 1.6	5	1.5	0.0- 3.1	6	1.1	0.1- 2.1	8	2.3	0.5- 4.1
45-54	568	446,174	449	74.7	68.6-80.8	99	21.8	15.7-27.9	5	1.1	0.0- 2.5	3	0.7	0.0- 1.5	5	0.7	0.0- 1.5	7	0.9	0.1- 1.7
55-64	838	438,249	689	81.3	77.0-85.6	123	15.3	11.6-19.0	11	2.1	0.0- 4.8	3	0.1	0.0- 0.3	8	0.9	0.1- 1.7	4	0.2	0.0- 0.4
65+	1399	572,898	1205	87.7	85.5-89.9	157	10.4	8.2-12.6	5	0.2	0.0- 0.4	7	0.5	0.1- 0.9	21	1.0	0.4- 1.6	4	0.1	0.0- 0.3
Less Than H.S.	408	393,030	311	70.3	62.1-78.5	81	21.5	14.1-28.9	5	2.2	0.0- 5.3				5	1.2	0.0- 2.4	6	4.7	0.0- 9.6
H.S. or G.E.D.	1183	832,256	976	78.1	73.8-82.4	161	16.1	12.6-19.6	9	0.6	0.0- 1.2	5	0.3	0.0- 0.7	12	0.5	0.1- 0.9	20	4.3	1.2- 7.4
Some Post-H.S.	943	818,077	767	75.3	70.4-80.2	137	19.1	15.0-23.2	8	0.7	0.0- 1.5	4	1.7	0.0- 4.6	12	1.0	0.0- 2.2	15	2.2	0.8- 3.6
College Graduate	1045	571,975	858	80.6	77.1-84.1	138	13.3	10.4-16.2	4	0.1	0.0- 0.3	15	2.1	0.7- 3.5	19	2.4	1.0- 3.8	11	1.4	0.2- 2.6
Less than \$15,000	456	330,291	331	60.3	51.1-69.5	103	31.3	22.3-40.3	8	1.5	0.1- 2.9	4	4.0	0.0-11.1	5	0.7	0.0- 1.5	5	2.2	0.0- 4.6
\$15,000- 24,999	636	462,482	480	68.6	62.3-74.9	122	24.3	18.6-30.0	5	0.4	0.0- 0.8	2	0.0	0.0- 0.0	10	0.6	0.2- 1.0	17	6.0	1.9-10.1
\$25,000- 34,999	335	243,057	278	77.7	68.1-87.3	40	13.7	8.0-19.4	3	0.9	0.0- 2.5	3	0.4	0.0- 1.0	4	0.9	0.0- 2.1	7	6.4	0.0-15.6
\$35,000- 49,999	391	316,347	318	77.5	71.0-84.0	56	17.1	11.0-23.2	4	1.0	0.0- 2.6	1	0.6	0.0- 1.8	8	2.5	0.5- 4.5	4	1.2	0.0- 2.6
\$50,000- 74,999	372	299,316	315	82.5	76.2-88.8	43	12.2	7.3-17.1	4	2.4	0.0- 6.3	3	1.5	0.0- 3.3	4	0.4	0.0- 0.8	3	1.1	0.0- 2.9
\$75,000+	562	440,100	483	85.7	81.6-89.8	54	9.5	6.4-12.6	1	0.1	0.0- 0.3	6	0.9	0.0- 1.9	9	2.4	0.0- 4.8	9	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5892	5,045,297	4858	76.6	74.6-78.6	1034	23.4	21.4-25.4
Male	2303	2,424,163	1942	76.6	73.7-79.5	361	23.4	20.5-26.3
Female	3589	2,621,135	2916	76.5	74.0-79.0	673	23.5	21.0-26.0
18-24	261	619,544	184	61.2	53.4-69.0	77	38.8	31.0-46.6
25-34	475	847,749	361	73.0	67.5-78.5	114	27.0	21.5-32.5
35-44	589	811,254	458	75.1	70.2-80.0	131	24.9	20.0-29.8
45-54	961	870,747	782	75.5	70.8-80.2	179	24.5	19.8-29.2
55-64	1339	838,316	1110	82.0	78.7-85.3	229	18.0	14.7-21.3
65+	2216	1,020,987	1924	87.0	85.0-89.0	292	13.0	11.0-15.0
Less Than H.S.	659	763,222	502	72.3	66.4-78.2	157	27.7	21.8-33.6
H.S. or G.E.D.	1922	1,687,595	1599	76.4	73.1-79.7	323	23.6	20.3-26.9
Some Post-H.S.	1474	1,460,448	1198	75.3	71.4-79.2	276	24.7	20.8-28.6
College Graduate	1821	1,122,946	1550	81.5	78.6-84.4	271	18.5	15.6-21.4
Less than \$15,000	657	555,105	475	60.3	53.0-67.6	182	39.7	32.4-47.0
\$15,000- 24,999	968	844,258	731	69.8	64.9-74.7	237	30.2	25.3-35.1
\$25,000- 34,999	575	504,703	479	74.3	67.2-81.4	96	25.7	18.6-32.8
\$35,000- 49,999	690	625,331	572	77.1	72.0-82.2	118	22.9	17.8-28.0
\$50,000- 74,999	696	650,683	600	83.0	78.5-87.5	96	17.0	12.5-21.5
\$75,000+	1108	975,239	980	86.0	82.7-89.3	128	14.0	10.7-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2303	2,424,163	1942	76.6	73.7-79.5	361	23.4	20.5-26.3
18-24	137	311,359	103	64.2	53.8-74.6	34	35.8	25.4-46.2
25-34	197	419,466	158	74.1	65.5-82.7	39	25.9	17.3-34.5
35-44	237	401,232	192	73.7	65.9-81.5	45	26.3	18.5-34.1
45-54	393	424,572	333	76.4	69.5-83.3	60	23.6	16.7-30.5
55-64	501	400,067	421	82.6	77.7-87.5	80	17.4	12.5-22.3
65+	817	448,089	719	86.1	82.4-89.8	98	13.9	10.2-17.6
Less Than H.S.	251	370,192	191	74.5	66.1-82.9	60	25.5	17.1-33.9
H.S. or G.E.D.	739	855,339	623	74.8	69.7-79.9	116	25.2	20.1-30.3
Some Post-H.S.	531	642,371	431	75.2	69.1-81.3	100	24.8	18.7-30.9
College Graduate	776	550,971	692	82.4	77.7-87.1	84	17.6	12.9-22.3
Less than \$15,000	201	224,814	144	60.2	48.8-71.6	57	39.8	28.4-51.2
\$15,000- 24,999	332	381,776	251	71.3	63.5-79.1	81	28.7	20.9-36.5
\$25,000- 34,999	240	261,646	201	71.1	60.9-81.3	39	28.9	18.7-39.1
\$35,000- 49,999	299	308,985	254	76.6	68.8-84.4	45	23.4	15.6-31.2
\$50,000- 74,999	324	351,367	285	83.4	77.1-89.7	39	16.6	10.3-22.9
\$75,000+	546	535,138	497	86.2	81.1-91.3	49	13.8	8.7-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3589	2,621,135	2916	76.5	74.0-79.0	673	23.5	21.0-26.0
18-24	124	308,185	81	58.1	46.5-69.7	43	41.9	30.3-53.5
25-34	278	428,283	203	71.9	64.8-79.0	75	28.1	21.0-35.2
35-44	352	410,022	266	76.4	70.7-82.1	86	23.6	17.9-29.3
45-54	568	446,174	449	74.7	68.6-80.8	119	25.3	19.2-31.4
55-64	838	438,249	689	81.3	77.0-85.6	149	18.7	14.4-23.0
65+	1399	572,898	1205	87.7	85.5-89.9	194	12.3	10.1-14.5
Less Than H.S.	408	393,030	311	70.3	62.1-78.5	97	29.7	21.5-37.9
H.S. or G.E.D.	1183	832,256	976	78.1	73.8-82.4	207	21.9	17.6-26.2
Some Post-H.S.	943	818,077	767	75.3	70.4-80.2	176	24.7	19.8-29.6
College Graduate	1045	571,975	858	80.6	77.1-84.1	187	19.4	15.9-22.9
Less than \$15,000	456	330,291	331	60.3	51.1-69.5	125	39.7	30.5-48.9
\$15,000- 24,999	636	462,482	480	68.6	62.3-74.9	156	31.4	25.1-37.7
\$25,000- 34,999	335	243,057	278	77.7	68.1-87.3	57	22.3	12.7-31.9
\$35,000- 49,999	391	316,347	318	77.5	71.0-84.0	73	22.5	16.0-29.0
\$50,000- 74,999	372	299,316	315	82.5	76.2-88.8	57	17.5	11.2-23.8
\$75,000+	562	440,100	483	85.7	81.6-89.8	79	14.3	10.2-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS
 TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5892	5,045,297	4858	76.6	74.6-78.6	749	15.9	14.3-17.5	129	2.8	2.0-3.6	73	1.6	1.0-2.2	83	3.1	2.1-4.1
Male	2303	2,424,163	1942	76.6	73.7-79.5	226	14.4	11.9-16.9	69	3.7	2.5-4.9	35	2.2	1.2-3.2	31	3.0	1.6-4.4
Female	3589	2,621,135	2916	76.5	74.0-79.0	523	17.3	15.1-19.5	60	2.0	0.8-3.2	38	1.1	0.5-1.7	52	3.1	1.7-4.5
18-24	261	619,544	184	61.2	53.4-69.0	37	20.7	14.0-27.4	11	4.9	0.4-9.4	11	4.8	1.9-7.7	18	8.4	3.3-13.5
25-34	475	847,749	361	73.0	67.5-78.5	68	16.9	12.0-21.8	11	2.6	0.6-4.6	9	1.5	0.3-2.7	26	6.0	3.1-8.9
35-44	589	811,254	458	75.1	70.2-80.0	92	16.3	12.2-20.4	18	3.5	1.5-5.5	5	0.5	0.0-1.1	16	4.5	1.8-7.2
45-54	961	870,747	782	75.5	70.8-80.2	138	19.3	15.0-23.6	21	2.2	1.0-3.4	9	1.9	0.0-3.9	11	1.2	0.4-2.0
55-64	1339	838,316	1110	82.0	78.7-85.3	180	14.0	11.1-16.9	31	2.8	1.0-4.6	13	0.9	0.3-1.5	5	0.4	0.0-1.0
65+	2216	1,020,987	1924	87.0	85.0-89.0	223	10.1	8.3-11.9	36	1.6	0.6-2.6	26	1.1	0.5-1.7	7	0.2	0.0-0.4
Less Than H.S.	659	763,222	502	72.3	66.4-78.2	124	19.3	14.0-24.6	13	3.1	0.9-5.3	10	1.4	0.2-2.6	10	3.9	1.0-6.8
H.S. or G.E.D.	1922	1,687,595	1599	76.4	73.1-79.7	236	15.5	12.8-18.2	35	1.9	0.9-2.9	22	2.1	0.7-3.5	30	4.0	2.0-6.0
Some Post-H.S.	1474	1,460,448	1198	75.3	71.4-79.2	196	18.2	14.7-21.7	39	3.0	1.0-5.0	18	1.3	0.3-2.3	23	2.3	1.1-3.5
College Graduate	1821	1,122,946	1550	81.5	78.6-84.4	186	11.2	9.0-13.4	42	3.8	2.0-5.6	23	1.4	0.6-2.2	20	2.1	0.7-3.5
Less than \$15,000	657	555,105	475	60.3	53.0-67.6	140	29.8	22.7-36.9	21	4.8	0.5-9.1	14	2.8	0.8-4.8	7	2.4	0.4-4.4
\$15,000- 24,999	968	844,258	731	69.8	64.9-74.7	175	22.2	17.7-26.7	26	1.8	0.6-3.0	12	1.4	0.2-2.6	24	4.6	2.1-7.1
\$25,000- 34,999	575	504,703	479	74.3	67.2-81.4	62	15.8	10.1-21.5	14	3.2	0.5-5.9	7	1.6	0.0-3.2	13	5.1	0.2-10.0
\$35,000- 49,999	690	625,331	572	77.1	72.0-82.2	88	17.2	12.5-21.9	15	2.8	0.6-5.0	8	1.4	0.4-2.4	7	1.6	0.2-3.0
\$50,000- 74,999	696	650,683	600	83.0	78.5-87.5	67	11.1	7.6-14.6	16	3.3	1.1-5.5	6	0.5	0.0-1.1	7	2.2	0.0-4.4
\$75,000+	1108	975,239	980	86.0	82.7-89.3	78	7.2	5.2-9.2	21	2.5	0.9-4.1	15	2.4	0.4-4.4	14	2.0	0.6-3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2303	2,424,163	1942	76.6	73.7-79.5	226	14.4	11.9-16.9	69	3.7	2.5- 4.9	35	2.2	1.2- 3.2	31	3.0	1.6- 4.4
18-24	137	311,359	103	64.2	53.8-74.6	14	16.7	7.7-25.7	5	5.0	0.3- 9.7	8	7.1	2.2-12.0	7	6.9	1.0-12.8
25-34	197	419,466	158	74.1	65.5-82.7	19	16.0	8.0-24.0	7	4.3	0.6- 8.0	5	1.9	0.0- 3.9	8	3.7	0.8- 6.6
35-44	237	401,232	192	73.7	65.9-81.5	27	14.5	8.2-20.8	10	4.9	1.6- 8.2				8	6.8	1.7-11.9
45-54	393	424,572	333	76.4	69.5-83.3	39	16.6	10.3-22.9	11	2.3	0.7- 3.9	6	3.3	0.0- 7.0	4	1.4	0.0- 3.0
55-64	501	400,067	421	82.6	77.7-87.5	57	12.5	8.0-17.0	14	3.2	1.0- 5.4	8	1.0	0.2- 1.8	1	0.6	0.0- 1.8
65+	817	448,089	719	86.1	82.4-89.8	66	9.7	6.6-12.8	21	2.7	0.7- 4.7	8	1.2	0.0- 2.4	3	0.2	0.0- 0.6
Less Than H.S.	251	370,192	191	74.5	66.1-82.9	43	16.9	9.3-24.5	8	4.1	0.8- 7.4	5	1.6	0.0- 3.8	4	3.0	0.0- 6.3
H.S. or G.E.D.	739	855,339	623	74.8	69.7-79.9	75	15.0	10.9-19.1	17	2.6	1.0- 4.2	14	3.9	1.4- 6.4	10	3.8	1.1- 6.5
Some Post-H.S.	531	642,371	431	75.2	69.1-81.3	59	17.0	11.1-22.9	22	3.6	1.2- 6.0	11	1.8	0.4- 3.2	8	2.4	0.6- 4.2
College Graduate	776	550,971	692	82.4	77.7-87.1	48	9.0	5.7-12.3	22	5.3	2.2- 8.4	5	0.5	0.0- 1.1	9	2.8	0.4- 5.2
Less than \$15,000	201	224,814	144	60.2	48.8-71.6	37	27.6	16.0-39.2	9	3.7	0.6- 6.8	9	5.8	1.1-10.5	2	2.5	0.0- 6.0
\$15,000- 24,999	332	381,776	251	71.3	63.5-79.1	53	19.7	12.3-27.1	14	3.2	0.5- 5.9	7	2.9	0.2- 5.6	7	3.0	0.1- 5.9
\$25,000- 34,999	240	261,646	201	71.1	60.9-81.3	22	17.8	8.2-27.4	8	5.0	0.1- 9.9	3	2.2	0.0- 5.1	6	4.0	0.1- 7.9
\$35,000- 49,999	299	308,985	254	76.6	68.8-84.4	32	17.3	10.0-24.6	9	3.7	0.0- 7.4	1	0.4	0.0- 1.2	3	1.9	0.0- 4.3
\$50,000- 74,999	324	351,367	285	83.4	77.1-89.7	24	10.1	4.8-15.4	8	2.7	0.5- 4.9	3	0.7	0.0- 1.5	4	3.1	0.0- 6.6
\$75,000+	546	535,138	497	86.2	81.1-91.3	24	5.3	2.6- 8.0	13	3.8	0.9- 6.7	7	2.4	0.0- 5.3	5	2.4	0.0- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3589	2,621,135	2916	76.5	74.0-79.0	523	17.3	15.1-19.5	60	2.0	0.8- 3.2	38	1.1	0.5- 1.7	52	3.1	1.7- 4.5
18-24	124	308,185	81	58.1	46.5-69.7	23	24.6	14.8-34.4	6	4.9	0.0-12.3	3	2.5	0.0- 5.8	11	9.8	1.8-17.8
25-34	278	428,283	203	71.9	64.8-79.0	49	17.7	12.0-23.4	4	0.9	0.0- 2.1	4	1.2	0.0- 2.6	18	8.3	3.4-13.2
35-44	352	410,022	266	76.4	70.7-82.1	65	18.1	12.8-23.4	8	2.2	0.4- 4.0	5	1.0	0.0- 2.0	8	2.3	0.5- 4.1
45-54	568	446,174	449	74.7	68.6-80.8	99	21.8	15.7-27.9	10	2.1	0.5- 3.7	3	0.5	0.0- 1.1	7	0.9	0.1- 1.7
55-64	838	438,249	689	81.3	77.0-85.6	123	15.3	11.6-19.0	17	2.4	0.0- 5.1	5	0.8	0.0- 1.6	4	0.2	0.0- 0.4
65+	1399	572,898	1205	87.7	85.5-89.9	157	10.4	8.2-12.6	15	0.8	0.2- 1.4	18	0.9	0.3- 1.5	4	0.1	0.0- 0.3
Less Than H.S.	408	393,030	311	70.3	62.1-78.5	81	21.5	14.1-28.9	5	2.2	0.0- 5.3	5	1.2	0.0- 2.4	6	4.7	0.0- 9.6
H.S. or G.E.D.	1183	832,256	976	78.1	73.8-82.4	161	16.1	12.6-19.6	18	1.2	0.4- 2.0	8	0.3	0.1- 0.5	20	4.3	1.2- 7.4
Some Post-H.S.	943	818,077	767	75.3	70.4-80.2	137	19.1	15.0-23.2	17	2.5	0.0- 5.4	7	0.9	0.0- 2.1	15	2.2	0.8- 3.6
College Graduate	1045	571,975	858	80.6	77.1-84.1	138	13.3	10.4-16.2	20	2.3	0.9- 3.7	18	2.4	1.0- 3.8	11	1.4	0.2- 2.6
Less than \$15,000	456	330,291	331	60.3	51.1-69.5	103	31.3	22.3-40.3	12	5.5	0.0-12.6	5	0.7	0.0- 1.5	5	2.2	0.0- 4.6
\$15,000- 24,999	636	462,482	480	68.6	62.3-74.9	122	24.3	18.6-30.0	12	0.8	0.2- 1.4	5	0.3	0.1- 0.5	17	6.0	1.9-10.1
\$25,000- 34,999	335	243,057	278	77.7	68.1-87.3	40	13.7	8.0-19.4	6	1.3	0.0- 3.1	4	0.9	0.0- 2.1	7	6.4	0.0-15.6
\$35,000- 49,999	391	316,347	318	77.5	71.0-84.0	56	17.1	11.0-23.2	6	1.8	0.0- 3.8	7	2.3	0.3- 4.3	4	1.2	0.0- 2.6
\$50,000- 74,999	372	299,316	315	82.5	76.2-88.8	43	12.2	7.3-17.1	8	4.0	0.0- 8.3	3	0.3	0.0- 0.7	3	1.1	0.0- 2.9
\$75,000+	562	440,100	483	85.7	81.6-89.8	54	9.5	6.4-12.6	8	0.9	0.0- 1.9	8	2.4	0.0- 4.8	9	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5915	5,082,575	485	20.2	18.2-22.2	534	17.0	15.2-18.8	727	16.0	14.6-17.4	1206	18.1	16.7-19.5	1460	15.5	14.3-16.7	1503	13.2	12.2-14.2
Male	2315	2,445,064	232	21.3	18.4-24.2	213	17.5	15.0-20.0	297	16.6	14.2-19.0	482	17.7	15.7-19.7	571	15.7	13.9-17.5	520	11.2	9.8-12.6
Female	3600	2,637,511	253	19.2	16.7-21.7	321	16.5	14.3-18.7	430	15.6	13.8-17.4	724	18.4	16.4-20.4	889	15.2	13.8-16.6	983	15.1	13.7-16.5
White/Non-Hisp	4819	3,840,562	351	17.0	15.0-19.0	404	16.8	14.8-18.8	568	15.3	13.7-16.9	1007	19.1	17.5-20.7	1199	16.8	15.6-18.0	1290	15.0	13.8-16.2
Black or Afr. Am./Non-Hisp	738	791,951	69	24.9	19.0-30.8	80	16.4	11.7-21.1	108	20.1	15.2-25.0	155	18.1	13.8-22.4	188	12.6	9.9-15.3	138	8.0	5.8-10.2
Oth. Race/Non-Hisp.	128	139,459	14	27.9	11.2-44.6	20	25.5	13.0-38.0	16	11.1	4.2-18.0	22	15.8	5.6-26.0	31	11.4	5.1-17.7	25	8.3	2.2-14.4
MultiRacial/Non-Hisp.	73	81,681	16	46.4	28.8-64.0	6	8.2	0.8-15.6	8	10.9	2.7-19.1	9	16.7	0.0-33.8	18	8.3	3.0-13.6	16	9.5	2.6-16.4
Hispanic	83	154,943	30	51.3	35.8-66.8	20	19.9	9.5-30.3	18	22.9	10.0-35.8	6	4.5	0.2- 8.8	3	0.3	0.0- 0.7	6	1.1	0.0- 2.3
Less Than H.S.	669	775,419	29	15.3	9.4-21.2	36	10.8	6.7-14.9	71	15.5	11.2-19.8	127	21.2	16.3-26.1	156	15.9	12.6-19.2	250	21.2	17.5-24.9
H.S. or G.E.D.	1933	1,695,775	169	20.4	17.3-23.5	167	17.5	14.6-20.4	199	13.8	11.4-16.2	408	18.7	16.3-21.1	454	15.8	13.8-17.8	536	13.8	12.0-15.6
Some Post-H.S.	1484	1,481,513	176	27.1	23.2-31.0	124	16.5	13.2-19.8	186	15.8	13.1-18.5	285	15.6	13.2-18.0	372	14.4	12.4-16.4	341	10.6	9.0-12.2
College Graduate	1814	1,120,582	109	14.0	11.3-16.7	207	21.3	18.2-24.4	270	20.2	17.5-22.9	383	18.2	15.8-20.6	474	16.0	14.0-18.0	371	10.2	8.8-11.6
Less than \$15,000	661	557,439	44	22.4	15.1-29.7	51	13.4	8.9-17.9	77	14.6	10.1-19.1	166	23.7	18.2-29.2	163	13.5	10.2-16.8	160	12.5	9.6-15.4
\$15,000- 24,999	976	844,381	99	24.3	19.2-29.4	89	17.1	12.8-21.4	97	13.5	10.0-17.0	174	14.5	11.6-17.4	225	15.3	12.6-18.0	292	15.3	12.8-17.8
\$25,000- 34,999	581	515,867	56	25.3	18.4-32.2	50	17.1	11.4-22.8	70	13.4	9.5-17.3	69	10.1	7.0-13.2	156	16.0	12.5-19.5	180	18.1	14.4-21.8
\$35,000- 49,999	694	635,332	68	21.8	16.5-27.1	75	18.7	13.8-23.6	70	13.5	9.6-17.4	151	19.7	15.6-23.8	164	14.6	11.7-17.5	166	11.8	9.4-14.2
\$50,000- 74,999	700	652,697	43	12.7	8.8-16.6	72	20.8	15.7-25.9	109	20.5	15.8-25.2	133	19.7	15.4-24.0	201	17.3	14.2-20.4	142	9.0	7.0-11.0
\$75,000+	1103	969,768	56	11.8	8.1-15.5	140	21.4	17.5-25.3	208	23.3	19.8-26.8	334	25.8	22.3-29.3	248	13.0	10.8-15.2	117	4.7	3.7- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2315	2,445,064	232	21.3	18.4-24.2	213	17.5	15.0-20.0	297	16.6	14.2-19.0	482	17.7	15.7-19.7	571	15.7	13.9-17.5	520	11.2	9.8-12.6
White/Non-Hisp	1926	1,847,693	178	18.6	15.7-21.5	173	17.6	14.7-20.5	238	14.7	12.3-17.1	414	19.5	17.1-21.9	476	17.3	15.3-19.3	447	12.4	10.8-14.0
Black or Afr. Am./Non-Hisp	222	341,694	22	24.7	14.5-34.9	19	16.2	8.0-24.4	37	25.4	16.4-34.4	44	13.7	8.2-19.2	57	12.1	7.4-16.8	43	7.9	4.2-11.6
Oth. Race/Non-Hisp.	68	87,670	8	27.3	10.2-44.4	12	29.4	12.9-45.9	6	9.6	1.4-17.8	12	10.4	2.6-18.2	16	13.4	4.6-22.2	14	9.9	0.9-18.9
Less Than H.S.	258	381,996	16	18.3	8.9-27.7	13	8.4	3.5-13.3	31	17.0	10.3-23.7	57	21.3	14.6-28.0	68	19.7	13.8-25.6	73	15.2	10.5-19.9
H.S. or G.E.D.	741	852,861	85	22.2	17.5-26.9	75	19.7	15.0-24.4	88	14.8	11.1-18.5	159	17.1	13.6-20.6	175	15.5	12.6-18.4	159	10.8	8.4-13.2
Some Post-H.S.	536	656,717	79	27.8	21.9-33.7	47	18.1	12.4-23.8	77	17.9	13.0-22.8	106	14.9	11.4-18.4	118	12.0	9.1-14.9	109	9.4	6.9-11.9
College Graduate	774	548,327	50	13.6	9.5-17.7	78	19.7	15.0-24.4	101	17.6	13.7-21.5	159	19.8	16.1-23.5	208	17.9	14.8-21.0	178	11.3	9.1-13.5
Less than \$15,000	202	225,936	18	21.2	10.6-31.8	14	12.6	5.0-20.2	26	16.4	7.8-25.0	59	24.7	16.5-32.9	52	16.9	10.0-23.8	33	8.2	3.7-12.7
\$15,000- 24,999	334	379,546	43	25.7	17.7-33.7	26	18.2	10.8-25.6	36	12.5	7.2-17.8	68	13.9	9.2-18.6	84	17.8	12.7-22.9	77	12.0	8.1-15.9
\$25,000- 34,999	243	269,320	33	30.0	20.4-39.6	25	17.6	9.6-25.6	26	13.2	7.3-19.1	24	9.7	5.0-14.4	60	15.4	10.3-20.5	75	14.1	9.8-18.4
\$35,000- 49,999	303	317,431	33	21.6	14.2-29.0	29	19.3	11.5-27.1	31	13.8	7.7-19.9	64	18.8	13.1-24.5	68	14.3	10.0-18.6	78	12.2	8.7-15.7
\$50,000- 74,999	328	354,978	22	14.0	8.1-19.9	33	21.2	14.1-28.3	50	21.1	14.0-28.2	51	17.0	11.5-22.5	98	17.6	13.1-22.1	74	9.1	6.2-12.0
\$75,000+	545	532,463	31	13.2	7.5-18.9	65	20.0	14.7-25.3	97	22.5	17.4-27.6	153	25.6	20.5-30.7	128	13.2	10.3-16.1	71	5.6	4.0-7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3600	2,637,511	253	19.2	16.7-21.7	321	16.5	14.3-18.7	430	15.6	13.8-17.4	724	18.4	16.4-20.4	889	15.2	13.8-16.6	983	15.1	13.7-16.5
White/Non-Hisp	2893	1,992,868	173	15.6	13.1-18.1	231	16.1	13.6-18.6	330	15.9	13.9-17.9	593	18.7	16.7-20.7	723	16.5	14.9-18.1	843	17.3	15.7-18.9
Black or Afr. Am./Non-Hisp	516	450,257	47	25.0	17.9-32.1	61	16.6	11.3-21.9	71	16.0	10.9-21.1	111	21.4	15.3-27.5	131	13.0	9.7-16.3	95	8.0	5.6-10.4
Oth. Race/Non-Hisp.	60	51,789	6	28.9	0.0-63.2	8	18.8	2.7-34.9	10	13.8	1.6-26.0	10	25.0	1.7-48.3	15	7.9	0.8-15.0	11	5.5	0.8-10.2
Hispanic	52	81,009	20	66.2	48.6-83.8	14	22.4	7.7-37.1	9	8.2	1.1-15.3	3	1.9	0.0- 4.6	2	0.3	0.0- 0.9	4	0.9	0.0- 1.9
Less Than H.S.	411	393,423	13	12.4	5.1-19.7	23	13.1	6.4-19.8	40	14.1	8.8-19.4	70	21.1	14.0-28.2	88	12.3	8.8-15.8	177	27.0	21.5-32.5
H.S. or G.E.D.	1192	842,913	84	18.5	14.0-23.0	92	15.3	11.6-19.0	111	12.8	9.9-15.7	249	20.3	17.2-23.4	279	16.1	13.6-18.6	377	16.9	14.5-19.3
Some Post-H.S.	948	824,797	97	26.6	21.3-31.9	77	15.1	11.2-19.0	109	14.2	11.1-17.3	179	16.2	13.1-19.3	254	16.3	13.6-19.0	232	11.6	9.6-13.6
College Graduate	1040	572,255	59	14.3	10.4-18.2	129	22.9	18.6-27.2	169	22.7	19.0-26.4	224	16.8	14.1-19.5	266	14.2	11.8-16.6	193	9.1	7.3-10.9
Less than \$15,000	459	331,502	26	23.2	13.6-32.8	37	13.9	8.4-19.4	51	13.4	8.5-18.3	107	23.0	15.7-30.3	111	11.1	8.0-14.2	127	15.4	11.3-19.5
\$15,000- 24,999	642	464,835	56	23.2	16.7-29.7	63	16.1	11.0-21.2	61	14.3	9.8-18.8	106	15.0	11.3-18.7	141	13.3	10.4-16.2	215	18.1	14.8-21.4
\$25,000- 34,999	338	246,547	23	20.2	10.2-30.2	25	16.6	8.6-24.6	44	13.5	8.6-18.4	45	10.6	6.3-14.9	96	16.7	12.0-21.4	105	22.4	16.3-28.5
\$35,000- 49,999	391	317,901	35	21.9	14.6-29.2	46	18.1	12.0-24.2	39	13.1	8.2-18.0	87	20.5	14.8-26.2	96	14.8	10.9-18.7	88	11.5	8.2-14.8
\$50,000- 74,999	372	297,719	21	11.3	6.2-16.4	39	20.3	13.4-27.2	59	19.8	14.1-25.5	82	22.9	16.2-29.6	103	16.9	12.8-21.0	68	8.8	6.1-11.5
\$75,000+	558	437,305	25	10.1	6.0-14.2	75	23.1	17.4-28.8	111	24.3	19.2-29.4	181	26.0	21.5-30.5	120	12.8	9.7-15.9	46	3.6	2.2- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5915	5,082,575	3658	79.5	78.3-80.7	2257	20.5	19.3-21.7
Male	2315	2,445,064	1479	81.3	79.5-83.1	836	18.7	16.9-20.5
Female	3600	2,637,511	2179	77.9	76.3-79.5	1421	22.1	20.5-23.7
White/Non-Hisp	4819	3,840,562	2895	76.9	75.5-78.3	1924	23.1	21.7-24.5
Black or Afr. Am./Non-Hisp	738	791,951	515	86.9	84.4-89.4	223	13.1	10.6-15.6
Oth. Race/Non-Hisp.	128	139,459	92	88.3	81.4-95.2	36	11.7	4.8-18.6
MultiRacial/Non-Hisp.	73	81,681	47	86.8	79.0-94.6	26	13.2	5.4-21.0
Hispanic	83	154,943	76	98.8	97.6- 100	7	1.2	0.0- 2.4
Less Than H.S.	669	775,419	336	71.7	67.4-76.0	333	28.3	24.0-32.6
H.S. or G.E.D.	1933	1,695,775	1174	78.9	76.7-81.1	759	21.1	18.9-23.3
Some Post-H.S.	1484	1,481,513	941	82.1	79.9-84.3	543	17.9	15.7-20.1
College Graduate	1814	1,120,582	1199	82.5	80.5-84.5	615	17.5	15.5-19.5
Less than \$15,000	661	557,439	425	82.5	79.0-86.0	236	17.5	14.0-21.0
\$15,000- 24,999	976	844,381	570	78.0	74.9-81.1	406	22.0	18.9-25.1
\$25,000- 34,999	581	515,867	316	74.3	70.0-78.6	265	25.7	21.4-30.0
\$35,000- 49,999	694	635,332	436	79.8	76.5-83.1	258	20.2	16.9-23.5
\$50,000- 74,999	700	652,697	455	83.3	80.4-86.2	245	16.7	13.8-19.6
\$75,000+	1103	969,768	864	89.7	87.9-91.5	239	10.3	8.5-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2315	2,445,064	1479	81.3	79.5-83.1	836	18.7	16.9-20.5
White/Non-Hisp	1926	1,847,693	1207	79.1	77.1-81.1	719	20.9	18.9-22.9
Black or Afr. Am./Non-Hisp	222	341,694	156	87.2	82.7-91.7	66	12.8	8.3-17.3
Oth. Race/Non-Hisp.	68	87,670	47	86.4	76.6-96.2	21	13.6	3.8-23.4
Less Than H.S.	258	381,996	145	75.7	69.6-81.8	113	24.3	18.2-30.4
H.S. or G.E.D.	741	852,861	496	82.5	79.6-85.4	245	17.5	14.6-20.4
Some Post-H.S.	536	656,717	358	84.1	81.0-87.2	178	15.9	12.8-19.0
College Graduate	774	548,327	476	79.7	76.6-82.8	298	20.3	17.2-23.4
Less than \$15,000	202	225,936	145	87.0	81.9-92.1	57	13.0	7.9-18.1
\$15,000- 24,999	334	379,546	212	80.0	74.9-85.1	122	20.0	14.9-25.1
\$25,000- 34,999	243	269,320	131	78.6	73.1-84.1	112	21.4	15.9-26.9
\$35,000- 49,999	303	317,431	181	77.7	72.4-83.0	122	22.3	17.0-27.6
\$50,000- 74,999	328	354,978	198	82.7	78.6-86.8	130	17.3	13.2-21.4
\$75,000+	545	532,463	411	89.2	86.8-91.6	134	10.8	8.4-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3600	2,637,511	2179	77.9	76.3-79.5	1421	22.1	20.5-23.7
White/Non-Hisp	2893	1,992,868	1688	74.8	72.8-76.8	1205	25.2	23.2-27.2
Black or Afr. Am./Non-Hisp	516	450,257	359	86.7	83.6-89.8	157	13.3	10.2-16.4
Oth. Race/Non-Hisp.	60	51,789	45	91.6	84.5-98.7	15	8.4	1.3-15.5
Hispanic	52	81,009	48	99.1	98.1- 100	4	0.9	0.0- 1.9
Less Than H.S.	411	393,423	191	67.8	61.7-73.9	220	32.2	26.1-38.3
H.S. or G.E.D.	1192	842,913	678	75.2	72.3-78.1	514	24.8	21.9-27.7
Some Post-H.S.	948	824,797	583	80.5	77.8-83.2	365	19.5	16.8-22.2
College Graduate	1040	572,255	723	85.2	83.0-87.4	317	14.8	12.6-17.0
Less than \$15,000	459	331,502	280	79.4	74.5-84.3	179	20.6	15.7-25.5
\$15,000- 24,999	642	464,835	358	76.3	72.4-80.2	284	23.7	19.8-27.6
\$25,000- 34,999	338	246,547	185	69.6	62.7-76.5	153	30.4	23.5-37.3
\$35,000- 49,999	391	317,901	255	81.9	77.8-86.0	136	18.1	14.0-22.2
\$50,000- 74,999	372	297,719	257	84.0	80.1-87.9	115	16.0	12.1-19.9
\$75,000+	558	437,305	453	90.3	87.6-93.0	105	9.7	7.0-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Data was weighted using _LLCPWT.																			
	TOTAL	WEIGHTED		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in				
			%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5765	4,928,726	1	0.0	0.0- 0.0	273	3.7	3.1- 4.3	2696	41.0	39.0-43.0	2271	43.3	41.3-45.3	523	12.0	10.6-13.4	1	0.1	0.0- 0.3			
Male	2261	2,360,403				2	0.0	0.0- 0.0	180	8.2	6.4-10.0	1562	67.0	64.1-69.9	516	24.7	22.0-27.4	1	0.1	0.0- 0.3			
Female	3504	2,568,323	1	0.0	0.0- 0.0	271	7.0	5.8- 8.2	2516	71.2	68.8-73.6	709	21.5	19.3-23.7	7	0.2	0.0- 0.6						
White/Non-Hisp	4709	3,737,866	1	0.0	0.0- 0.0	206	3.5	2.7- 4.3	2186	40.1	38.1-42.1	1883	44.6	42.4-46.8	433	11.8	10.2-13.4						
Black or Afr. Am./Non-Hisp	720	782,180				42	3.9	2.1- 5.7	364	46.9	40.8-53.0	261	38.9	33.0-44.8	53	10.4	6.3-14.5						
Oth. Race/Non-Hisp.	120	128,835				10	3.5	0.6- 6.4	48	41.1	24.4-57.8	46	38.1	23.8-52.4	15	14.7	3.3-26.1	1	2.7	0.0- 7.8			
MultiRacial/Non-Hisp.	69	78,116				2	1.6	0.0- 4.5	23	18.0	7.8-28.2	33	58.4	41.5-75.3	11	22.0	7.5-36.5						
Hispanic	77	134,346				8	9.2	1.8-16.6	43	49.4	32.3-66.5	24	35.7	20.2-51.2	2	5.7	0.0-13.9						
18-24	250	601,918				11	3.6	1.2- 6.0	87	37.3	29.5-45.1	110	41.3	33.9-48.7	42	17.8	11.3-24.3						
25-34	458	812,087				16	3.2	1.2- 5.2	202	41.6	35.9-47.3	191	42.2	36.5-47.9	49	13.0	8.7-17.3						
35-44	576	791,246	1	0.1	0.0- 0.3	29	2.7	1.3- 4.1	239	36.6	31.5-41.7	231	45.0	39.5-50.5	75	15.1	11.0-19.2	1	0.4	0.0- 1.2			
45-54	934	849,757				37	3.3	1.9- 4.7	411	40.8	36.3-45.3	401	45.5	41.0-50.0	85	10.3	7.4-13.2						
55-64	1312	828,016				51	3.1	1.9- 4.3	639	41.5	37.8-45.2	500	43.4	39.5-47.3	122	11.9	9.2-14.6						
65+	2189	1,014,141				128	5.6	4.2- 7.0	1096	45.6	42.7-48.5	821	42.1	39.2-45.0	144	6.7	5.3- 8.1						
Less Than H.S.	639	724,216	1	0.1	0.0- 0.3	46	5.1	3.3- 6.9	307	44.6	38.5-50.7	239	38.6	32.9-44.3	46	11.7	7.0-16.4						
H.S. or G.E.D.	1873	1,645,620				107	4.9	3.5- 6.3	892	39.5	36.2-42.8	711	43.8	40.3-47.3	162	11.6	9.2-14.0	1	0.2	0.0- 0.6			
Some Post-H.S.	1451	1,447,391				65	2.8	1.8- 3.8	712	41.7	38.0-45.4	546	42.8	38.9-46.7	128	12.6	9.5-15.7						
College Graduate	1786	1,100,875				55	2.0	1.2- 2.8	777	39.9	36.6-43.2	771	46.4	43.1-49.7	183	11.6	9.4-13.8						
Less than \$15,000	650	551,428				56	5.6	3.4- 7.8	321	48.2	41.3-55.1	232	38.0	31.7-44.3	41	8.2	4.3-12.1						
\$15,000- 24,999	962	829,670				60	5.3	3.3- 7.3	514	47.7	42.6-52.8	321	36.7	31.8-41.6	67	10.3	7.0-13.6						
\$25,000- 34,999	578	508,450				26	2.9	1.5- 4.3	257	39.3	32.8-45.8	241	44.7	38.2-51.2	54	13.1	8.0-18.2						
\$35,000- 49,999	688	625,908				22	2.0	0.8- 3.2	316	41.0	35.7-46.3	290	46.4	40.9-51.9	59	10.0	6.3-13.7	1	0.6	0.0- 1.6			
\$50,000- 74,999	695	644,404				5	0.4	0.0- 0.8	282	34.8	29.7-39.9	328	51.2	45.7-56.7	80	13.6	9.5-17.7						
\$75,000+	1101	966,656				20	1.5	0.5- 2.5	431	33.5	29.8-37.2	507	48.6	44.3-52.9	143	16.3	12.6-20.0						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2261	2,360,403	2	0.0	0.0- 0.0	180	8.2	6.4-10.0	1562	67.0	64.1-69.9	516	24.7	22.0-27.4	1	0.1	0.0- 0.3
White/Non-Hisp	1883	1,786,562	1	0.0	0.0- 0.0	134	6.4	5.0- 7.8	1320	69.0	65.9-72.1	428	24.6	21.7-27.5			
Black or Afr. Am./Non-Hisp	217	337,390	1	0.0	0.0- 0.0	22	11.7	4.1-19.3	142	65.3	55.3-75.3	52	23.0	14.4-31.6			
Oth. Race/Non-Hisp.	66	82,435				13	21.8	7.5-36.1	37	51.1	33.5-68.7	15	22.9	6.6-39.2	1	4.2	0.0-12.2
18-24	129	299,495				4	2.5	0.0- 5.2	83	61.7	50.7-72.7	42	35.7	24.7-46.7			
25-34	187	397,163				16	11.6	4.7-18.5	123	61.8	52.8-70.8	48	26.6	18.6-34.6			
35-44	231	387,241				17	6.6	2.1-11.1	140	62.9	54.7-71.1	73	29.6	22.0-37.2	1	0.9	0.0- 2.7
45-54	386	416,907				34	8.3	5.0-11.6	268	70.7	64.4-77.0	84	21.1	15.2-27.0			
55-64	492	394,459	1	0.0	0.0- 0.0	36	7.0	4.1- 9.9	334	68.1	62.4-73.8	121	24.9	19.4-30.4			
65+	814	445,339	1	0.1	0.0- 0.3	69	10.0	6.9-13.1	601	74.7	70.6-78.8	143	15.1	12.0-18.2			
Less Than H.S.	247	352,495				26	10.9	4.2-17.6	176	65.3	55.9-74.7	45	23.8	15.2-32.4			
H.S. or G.E.D.	719	828,681	1	0.0	0.0- 0.0	70	9.9	6.6-13.2	485	66.7	61.8-71.6	162	23.0	18.7-27.3	1	0.4	0.0- 1.2
Some Post-H.S.	523	634,297	1	0.0	0.0- 0.0	38	5.1	3.1- 7.1	360	66.8	60.7-72.9	124	28.1	22.0-34.2			
College Graduate	765	539,458				45	7.3	4.2-10.4	539	69.3	64.6-74.0	181	23.4	19.1-27.7			
Less than \$15,000	200	223,000				19	12.4	2.8-22.0	141	67.5	56.1-78.9	40	20.1	10.9-29.3			
\$15,000- 24,999	328	368,563				44	12.1	7.4-16.8	217	64.7	56.9-72.5	67	23.2	16.1-30.3			
\$25,000- 34,999	243	263,206	1	0.1	0.0- 0.3	21	8.7	3.2-14.2	167	65.9	56.5-75.3	54	25.3	16.5-34.1			
\$35,000- 49,999	302	313,020				24	8.8	3.9-13.7	218	70.1	62.3-77.9	59	20.0	13.1-26.9	1	1.1	0.0- 3.3
\$50,000- 74,999	324	347,243				15	5.4	1.9- 8.9	231	70.5	63.2-77.8	78	24.1	17.2-31.0			
\$75,000+	544	532,350				27	3.9	2.1- 5.7	375	66.8	60.7-72.9	142	29.3	23.2-35.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3504	2,568,323	1	0.0	0.0- 0.0	271	7.0	5.8- 8.2	2516	71.2	68.8-73.6	709	21.5	19.3-23.7	7	0.2	0.0- 0.6	
White/Non-Hisp	2826	1,951,304	1	0.0	0.0- 0.0	205	6.7	5.3- 8.1	2052	71.0	68.5-73.5	563	22.2	19.8-24.6	5	0.1	0.0- 0.3	
Black or Afr. Am./Non-Hisp	503	444,789				41	6.8	3.9- 9.7	342	73.5	67.6-79.4	119	18.8	13.5-24.1	1	0.9	0.0- 2.7	
Oth. Race/Non-Hisp.	54	46,400				10	9.6	0.4-18.8	35	75.5	56.7-94.3	9	14.9	0.6-29.2				
18-24	121	302,422				11	7.1	2.2-12.0	83	71.8	62.2-81.4	27	21.0	12.2-29.8				
25-34	271	414,924				16	6.2	2.5- 9.9	186	70.2	63.3-77.1	68	23.5	17.2-29.8	1	0.1	0.0- 0.3	
35-44	345	404,005	1	0.2	0.0- 0.6	29	5.3	2.6- 8.0	222	65.4	58.7-72.1	91	27.8	21.3-34.3	2	1.3	0.0- 3.3	
45-54	548	432,850				37	6.5	4.0- 9.0	377	72.2	67.3-77.1	133	21.3	17.0-25.6	1	0.0	0.0- 0.0	
55-64	820	433,557				50	5.9	3.5- 8.3	603	73.0	68.5-77.5	166	21.0	16.9-25.1	1	0.1	0.0- 0.3	
65+	1375	568,801				127	9.9	7.5-12.3	1027	73.5	70.2-76.8	220	16.6	13.9-19.3	1	0.0	0.0- 0.0	
Less Than H.S.	392	371,722	1	0.2	0.0- 0.6	46	9.9	6.4-13.4	281	76.5	70.8-82.2	63	13.3	8.8-17.8	1	0.1	0.0- 0.3	
H.S. or G.E.D.	1154	816,939				106	9.8	7.1-12.5	822	69.5	65.4-73.6	226	20.6	17.1-24.1				
Some Post-H.S.	928	813,094				64	5.0	3.0- 7.0	674	70.3	65.6-75.0	186	24.2	19.7-28.7	4	0.5	0.0- 1.5	
College Graduate	1021	561,417				55	4.0	2.4- 5.6	732	71.2	67.1-75.3	232	24.5	20.4-28.6	2	0.2	0.0- 0.6	
Less than \$15,000	450	328,428				56	9.3	5.6-13.0	302	72.6	66.1-79.1	91	18.0	12.7-23.3	1	0.1	0.0- 0.3	
\$15,000- 24,999	634	461,107				60	9.5	6.0-13.0	470	76.1	71.2-81.0	104	14.4	10.7-18.1				
\$25,000- 34,999	335	245,245				25	6.0	3.1- 8.9	236	72.1	65.0-79.2	74	21.9	15.4-28.4				
\$35,000- 49,999	386	312,888				22	4.0	1.6- 6.4	292	73.2	66.3-80.1	72	22.8	16.1-29.5				
\$50,000- 74,999	371	297,160				5	0.9	0.0- 1.9	267	69.1	62.2-76.0	97	28.7	22.0-35.4	2	1.3	0.0- 3.8	
\$75,000+	557	434,306				20	3.4	1.4- 5.4	404	69.9	64.4-75.4	132	26.4	20.9-31.9	1	0.3	0.0- 0.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5770	4,940,265	1	0.0	0.0-0.0	273	3.7	3.1-4.3	2698	41.0	39.0-43.0	2274	43.3	41.3-45.3	523	11.9	10.5-13.3	1	0.1	0.0-0.3
Male	2265	2,370,292				2	0.0	0.0-0.0	181	8.2	6.4-10.0	1565	67.0	64.1-69.9	516	24.6	21.9-27.3	1	0.1	0.0-0.3
Female	3505	2,569,973	1	0.0	0.0-0.0	271	7.0	5.8-8.2	2517	71.2	68.8-73.6	709	21.5	19.3-23.7	7	0.2	0.0-0.6			
White/Non-Hisp	4710	3,738,735	1	0.0	0.0-0.0	206	3.5	2.7-4.3	2186	40.1	38.1-42.1	1884	44.6	42.4-46.8	433	11.8	10.2-13.4			
Black or Afr. Am./Non-Hisp	720	782,180				42	3.9	2.1-5.7	364	46.9	40.8-53.0	261	38.9	33.0-44.8	53	10.4	6.3-14.5			
Oth. Race/Non-Hisp.	121	131,153				10	3.4	0.5-6.3	48	40.4	23.9-56.9	47	39.2	24.9-53.5	15	14.4	3.2-25.6	1	2.6	0.0-7.7
MultiRacial/Non-Hisp.	70	80,733				2	1.6	0.0-4.5	24	20.6	9.2-32.0	33	56.5	39.6-73.4	11	21.3	7.2-35.4			
Hispanic	78	138,433				8	8.9	1.6-16.2	43	47.9	31.0-64.8	25	37.6	22.1-53.1	2	5.6	0.0-13.6			
18-24	252	605,403				11	3.6	1.2-6.0	88	37.6	29.8-45.4	111	41.2	33.8-48.6	42	17.7	11.2-24.2			
25-34	460	816,055				16	3.2	1.2-5.2	203	41.6	35.9-47.3	192	42.3	36.6-48.0	49	13.0	8.9-17.1			
35-44	577	795,332	1	0.1	0.0-0.3	29	2.7	1.3-4.1	239	36.4	31.3-41.5	232	45.3	39.8-50.8	75	15.1	11.0-19.2	1	0.4	0.0-1.2
45-54	934	849,757				37	3.3	1.9-4.7	411	40.8	36.3-45.3	401	45.5	41.0-50.0	85	10.3	7.4-13.2			
55-64	1312	828,016				51	3.1	1.9-4.3	639	41.5	37.8-45.2	500	43.4	39.5-47.3	122	11.9	9.2-14.6			
65+	2189	1,014,141				128	5.6	4.2-7.0	1096	45.6	42.7-48.5	821	42.1	39.2-45.0	144	6.7	5.3-8.1			
Less Than H.S.	640	728,303	1	0.1	0.0-0.3	46	5.0	3.2-6.8	307	44.3	38.2-50.4	240	39.0	33.3-44.7	46	11.6	7.1-16.1			
H.S. or G.E.D.	1873	1,645,620				107	4.9	3.5-6.3	892	39.5	36.2-42.8	711	43.8	40.3-47.3	162	11.6	9.2-14.0	1	0.2	0.0-0.6
Some Post-H.S.	1452	1,450,008				65	2.8	1.8-3.8	713	41.8	38.1-45.5	546	42.7	38.8-46.6	128	12.6	9.5-15.7			
College Graduate	1789	1,105,712				55	2.0	1.2-2.8	778	39.9	36.6-43.2	773	46.5	43.2-49.8	183	11.5	9.3-13.7			
Less than \$15,000	651	554,045				56	5.5	3.3-7.7	322	48.5	41.6-55.4	232	37.8	31.5-44.1	41	8.2	4.3-12.1			
\$15,000- 24,999	963	831,320				60	5.3	3.3-7.3	515	47.8	42.7-52.9	321	36.7	31.8-41.6	67	10.3	7.0-13.6			
\$25,000- 34,999	579	512,537				26	2.9	1.5-4.3	257	38.9	32.4-45.4	242	45.1	38.6-51.6	54	13.0	7.9-18.1			
\$35,000- 49,999	688	625,908				22	2.0	0.8-3.2	316	41.0	35.7-46.3	290	46.4	40.9-51.9	59	10.0	6.3-13.7	1	0.6	0.0-1.6
\$50,000- 74,999	695	644,404				5	0.4	0.0-0.8	282	34.8	29.7-39.9	328	51.2	45.7-56.7	80	13.6	9.5-17.7			
\$75,000+	1102	968,973				20	1.5	0.5-2.5	431	33.5	29.8-37.2	508	48.8	44.5-53.1	143	16.2	12.5-19.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2265	2,370,292	2	0.0	0.0- 0.0	181	8.2	6.4-10.0	1565	67.0	64.1-69.9	516	24.6	21.9-27.3	1	0.1	0.0- 0.3
White/Non-Hisp	1884	1,787,431	1	0.0	0.0- 0.0	134	6.4	5.0- 7.8	1321	69.0	65.9-72.1	428	24.6	21.7-27.5			
Black or Afr. Am./Non-Hisp	217	337,390	1	0.0	0.0- 0.0	22	11.7	4.1-19.3	142	65.3	55.3-75.3	52	23.0	14.4-31.6			
Oth. Race/Non-Hisp.	67	84,753				13	21.2	7.3-35.1	38	52.5	35.1-69.9	15	22.3	6.4-38.2	1	4.1	0.0-11.9
18-24	131	302,981				5	3.4	0.3- 6.5	84	61.3	50.5-72.1	42	35.3	24.5-46.1			
25-34	188	399,480				16	11.5	4.6-18.4	124	62.1	53.1-71.1	48	26.4	18.4-34.4			
35-44	232	391,327				17	6.5	2.0-11.0	141	63.3	55.3-71.3	73	29.3	21.7-36.9	1	0.9	0.0- 2.7
45-54	386	416,907				34	8.3	5.0-11.6	268	70.7	64.4-77.0	84	21.1	15.2-27.0			
55-64	492	394,459	1	0.0	0.0- 0.0	36	7.0	4.1- 9.9	334	68.1	62.4-73.8	121	24.9	19.4-30.4			
65+	814	445,339	1	0.1	0.0- 0.3	69	10.0	6.9-13.1	601	74.7	70.6-78.8	143	15.1	12.0-18.2			
Less Than H.S.	248	356,581				26	10.7	4.0-17.4	177	65.7	56.3-75.1	45	23.6	15.0-32.2			
H.S. or G.E.D.	719	828,681	1	0.0	0.0- 0.0	70	9.9	6.6-13.2	485	66.7	61.8-71.6	162	23.0	18.7-27.3	1	0.4	0.0- 1.2
Some Post-H.S.	524	636,914	1	0.0	0.0- 0.0	39	5.5	3.3- 7.7	360	66.5	60.4-72.6	124	28.0	21.9-34.1			
College Graduate	767	542,645				45	7.3	4.2-10.4	541	69.4	64.7-74.1	181	23.3	19.0-27.6			
Less than \$15,000	201	225,617				20	13.4	3.6-23.2	141	66.7	55.5-77.9	40	19.9	10.9-28.9			
\$15,000- 24,999	328	368,563				44	12.1	7.4-16.8	217	64.7	56.9-72.5	67	23.2	16.1-30.3			
\$25,000- 34,999	244	267,292	1	0.1	0.0- 0.3	21	8.5	3.0-14.0	168	66.4	57.2-75.6	54	24.9	16.1-33.7			
\$35,000- 49,999	302	313,020				24	8.8	3.9-13.7	218	70.1	62.3-77.9	59	20.0	13.1-26.9	1	1.1	0.0- 3.3
\$50,000- 74,999	324	347,243				15	5.4	1.9- 8.9	231	70.5	63.2-77.8	78	24.1	17.2-31.0			
\$75,000+	545	534,668				27	3.9	2.1- 5.7	376	66.9	60.8-73.0	142	29.2	23.1-35.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3505	2,569,973	1	0.0	0.0- 0.0	271	7.0	5.8- 8.2	2517	71.2	68.8-73.6	709	21.5	19.3-23.7	7	0.2	0.0- 0.6
White/Non-Hisp	2826	1,951,304	1	0.0	0.0- 0.0	205	6.7	5.3- 8.1	2052	71.0	68.5-73.5	563	22.2	19.8-24.6	5	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	503	444,789				41	6.8	3.9- 9.7	342	73.5	67.6-79.4	119	18.8	13.5-24.1	1	0.9	0.0- 2.7
Oth. Race/Non-Hisp.	54	46,400				10	9.6	0.4-18.8	35	75.5	56.7-94.3	9	14.9	0.6-29.2			
18-24	121	302,422				11	7.1	2.2-12.0	83	71.8	62.2-81.4	27	21.0	12.2-29.8			
25-34	272	416,575				16	6.2	2.5- 9.9	187	70.4	63.7-77.1	68	23.4	17.3-29.5	1	0.1	0.0- 0.3
35-44	345	404,005	1	0.2	0.0- 0.6	29	5.3	2.6- 8.0	222	65.4	58.7-72.1	91	27.8	21.3-34.3	2	1.3	0.0- 3.3
45-54	548	432,850				37	6.5	4.0- 9.0	377	72.2	67.3-77.1	133	21.3	17.0-25.6	1	0.0	0.0- 0.0
55-64	820	433,557				50	5.9	3.5- 8.3	603	73.0	68.5-77.5	166	21.0	16.9-25.1	1	0.1	0.0- 0.3
65+	1375	568,801				127	9.9	7.5-12.3	1027	73.5	70.2-76.8	220	16.6	13.9-19.3	1	0.0	0.0- 0.0
Less Than H.S.	392	371,722	1	0.2	0.0- 0.6	46	9.9	6.4-13.4	281	76.5	70.8-82.2	63	13.3	8.8-17.8	1	0.1	0.0- 0.3
H.S. or G.E.D.	1154	816,939				106	9.8	7.1-12.5	822	69.5	65.4-73.6	226	20.6	17.1-24.1			
Some Post-H.S.	928	813,094				64	5.0	3.0- 7.0	674	70.3	65.6-75.0	186	24.2	19.7-28.7	4	0.5	0.0- 1.5
College Graduate	1022	563,067				55	4.0	2.4- 5.6	733	71.3	67.2-75.4	232	24.5	20.4-28.6	2	0.2	0.0- 0.6
Less than \$15,000	450	328,428				56	9.3	5.6-13.0	302	72.6	66.1-79.1	91	18.0	12.7-23.3	1	0.1	0.0- 0.3
\$15,000- 24,999	635	462,757				60	9.5	6.0-13.0	471	76.2	71.3-81.1	104	14.3	10.6-18.0			
\$25,000- 34,999	335	245,245				25	6.0	3.1- 8.9	236	72.1	65.0-79.2	74	21.9	15.4-28.4			
\$35,000- 49,999	386	312,888				22	4.0	1.6- 6.4	292	73.2	66.3-80.1	72	22.8	16.1-29.5			
\$50,000- 74,999	371	297,160				5	0.9	0.0- 1.9	267	69.1	62.2-76.0	97	28.7	22.0-35.4	2	1.3	0.0- 3.8
\$75,000+	557	434,306				20	3.4	1.4- 5.4	404	69.9	64.4-75.4	132	26.4	20.9-31.9	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5530	4,770,331	50	0.7	0.3- 1.1	1592	26.5	24.7-28.3	2413	42.7	40.7-44.7	1076	21.9	20.1-23.7	297	6.0	5.0- 7.0	102	2.2	1.6- 2.8
Male	2243	2,354,854	2	0.1	0.1- 0.1	198	10.1	8.3-11.9	1088	46.9	43.8-50.0	681	30.4	27.7-33.1	202	9.2	7.4-11.0	72	3.3	2.3- 4.3
Female	3287	2,415,477	48	1.3	0.7- 1.9	1394	42.4	39.7-45.1	1325	38.5	36.0-41.0	395	13.7	11.7-15.7	95	2.9	2.1- 3.7	30	1.1	0.5- 1.7
White/Non-Hisp	4509	3,591,183	42	0.7	0.3- 1.1	1342	27.4	25.4-29.4	1957	42.9	40.7-45.1	854	21.1	19.3-22.9	230	5.7	4.7- 6.7	84	2.2	1.6- 2.8
Black or Afr. Am./Non-Hisp	690	756,284	4	0.8	0.0- 2.0	138	18.3	13.4-23.2	315	42.1	36.0-48.2	168	27.6	21.7-33.5	51	8.4	5.1-11.7	14	2.8	0.6- 5.0
Oth. Race/Non-Hisp.	120	131,299	2	0.7	0.0- 1.7	41	37.9	21.6-54.2	53	38.3	23.6-53.0	17	14.6	4.0-25.2	5	5.7	0.0-12.2	2	2.8	0.0- 7.9
MultiRacial/Non-Hisp.	69	80,634				23	28.9	13.8-44.0	24	37.9	21.2-54.6	12	21.5	4.1-38.9	8	10.1	0.1-20.1	2	1.6	0.0- 4.3
Hispanic	81	151,876	2	1.0	0.0- 2.8	28	36.1	19.8-52.4	38	48.1	32.2-64.0	12	14.0	3.8-24.2	1	0.8	0.0- 2.4			
18-24	248	594,558	5	1.6	0.0- 3.2	101	43.0	35.2-50.8	87	37.5	29.9-45.1	42	13.7	8.6-18.8	10	2.8	0.8- 4.8	3	1.5	0.0- 3.3
25-34	450	807,282	2	0.3	0.0- 0.7	134	28.5	23.2-33.8	191	42.1	36.4-47.8	76	18.0	13.3-22.7	31	7.8	4.7-10.9	16	3.4	1.4- 5.4
35-44	538	752,331	2	0.3	0.0- 0.7	131	18.4	14.5-22.3	208	41.8	36.1-47.5	138	30.0	24.5-35.5	47	7.2	4.5- 9.9	12	2.2	0.6- 3.8
45-54	890	811,981	4	0.7	0.0- 1.5	207	20.0	16.7-23.3	380	41.5	37.0-46.0	206	26.5	22.0-31.0	59	6.9	4.4- 9.4	34	4.4	2.2- 6.6
55-64	1252	798,604	9	0.6	0.0- 1.2	317	22.7	19.6-25.8	536	42.8	38.9-46.7	284	24.6	21.1-28.1	89	8.2	6.0-10.4	17	1.0	0.4- 1.6
65+	2118	982,564	28	1.0	0.6- 1.4	692	29.3	26.6-32.0	994	47.8	44.9-50.7	328	18.2	15.8-20.6	56	2.9	1.9- 3.9	20	0.9	0.5- 1.3
Less Than H.S.	641	732,277	11	1.0	0.2- 1.8	189	25.8	20.7-30.9	280	45.0	38.9-51.1	120	21.5	16.2-26.8	31	5.3	2.6- 8.0	10	1.4	0.4- 2.4
H.S. or G.E.D.	1799	1,584,486	19	0.9	0.3- 1.5	517	26.3	23.2-29.4	762	40.1	36.8-43.4	365	24.0	20.9-27.1	102	6.3	4.5- 8.1	34	2.4	1.4- 3.4
Some Post-H.S.	1382	1,400,415	13	0.7	0.1- 1.3	384	25.8	22.3-29.3	596	42.7	38.8-46.6	278	21.1	17.8-24.4	76	6.7	4.7- 8.7	35	3.0	1.6- 4.4
College Graduate	1698	1,046,838	7	0.2	0.0- 0.4	499	28.1	25.0-31.2	770	45.0	41.5-48.5	312	20.1	17.4-22.8	87	5.2	3.8- 6.6	23	1.4	0.4- 2.4
Less than \$15,000	640	548,965	9	0.8	0.0- 1.6	183	27.4	21.1-33.7	271	41.4	34.7-48.1	121	21.5	15.8-27.2	40	5.2	2.5- 7.9	16	3.7	1.0- 6.4
\$15,000- 24,999	937	817,372	13	1.5	0.5- 2.5	273	26.3	21.8-30.8	413	42.5	37.4-47.6	175	22.1	17.6-26.6	42	5.7	3.3- 8.1	21	1.9	0.9- 2.9
\$25,000- 34,999	561	505,632	4	0.2	0.0- 0.4	148	26.4	20.3-32.5	264	40.9	34.6-47.2	109	23.7	17.6-29.8	26	6.2	3.1- 9.3	10	2.5	0.7- 4.3
\$35,000- 49,999	664	605,232	7	0.5	0.0- 1.1	178	27.3	22.2-32.4	289	41.7	36.2-47.2	140	20.7	16.2-25.2	38	6.8	3.7- 9.9	12	3.1	0.9- 5.3
\$50,000- 74,999	674	627,001	1	0.0	0.0- 0.0	157	20.5	16.2-24.8	290	41.1	35.8-46.4	164	27.8	22.5-33.1	45	7.8	5.1-10.5	17	2.7	0.9- 4.5
\$75,000+	1053	931,749	2	0.1	0.0- 0.3	261	22.5	19.0-26.0	494	46.1	41.6-50.6	218	23.2	19.5-26.9	65	6.6	4.4- 8.8	13	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2243	2,354,854	2	0.1	0.1- 0.1	198	10.1	8.3-11.9	1088	46.9	43.8-50.0	681	30.4	27.5-33.3	202	9.2	7.4-11.0	72	3.3	2.3- 4.3
White/Non-Hisp	1870	1,778,248	2	0.1	0.1- 0.1	155	9.4	7.4-11.4	916	48.3	45.0-51.6	572	30.2	27.3-33.1	165	8.9	7.1-10.7	60	3.1	2.1- 4.1
Black or Afr. Am./Non-Hisp	212	329,265				19	10.8	4.3-17.3	89	35.6	25.6-45.6	72	36.0	25.8-46.2	24	12.4	5.9-18.9	8	5.2	0.7- 9.7
Oth. Race/Non-Hisp.	66	84,213				12	22.9	8.4-37.4	34	49.1	31.7-66.5	13	14.8	4.6-25.0	5	8.8	0.0-18.8	2	4.3	0.0-12.1
18-24	132	308,047				30	22.4	14.0-30.8	57	49.1	38.5-59.7	35	22.4	14.0-30.8	8	4.3	0.6- 8.0	2	1.8	0.0- 4.3
25-34	186	392,635				26	14.2	8.3-20.1	88	46.3	37.3-55.3	47	26.3	18.1-34.5	16	9.3	4.0-14.6	9	4.0	1.1- 6.9
35-44	230	390,141				13	4.9	1.6- 8.2	98	46.1	37.7-54.5	80	34.9	26.9-42.9	30	10.4	5.5-15.3	9	3.7	1.0- 6.4
45-54	384	414,865				31	6.4	3.7- 9.1	159	39.4	32.9-45.9	129	35.2	28.3-42.1	41	11.8	7.1-16.5	24	7.2	3.1-11.3
55-64	487	393,552				30	6.6	3.5- 9.7	214	44.8	38.9-50.7	173	34.2	28.5-39.9	58	13.0	8.9-17.1	12	1.4	0.4- 2.4
65+	807	441,779	2	0.3	0.0- 0.7	65	8.8	5.9-11.7	465	56.4	51.7-61.1	215	28.0	23.7-32.3	44	5.0	3.0- 7.0	16	1.6	0.8- 2.4
Less Than H.S.	246	354,742				34	11.9	6.6-17.2	137	56.9	48.1-65.7	53	21.6	14.3-28.9	17	8.1	3.0-13.2	5	1.5	0.0- 3.1
H.S. or G.E.D.	713	819,440	2	0.1	0.0- 0.3	60	10.6	7.3-13.9	331	41.1	36.0-46.2	234	35.1	30.0-40.2	64	9.2	6.3-12.1	22	3.9	1.9- 5.9
Some Post-H.S.	518	638,607				51	10.7	7.0-14.4	229	45.2	38.9-51.5	159	28.9	23.2-34.6	54	10.4	6.9-13.9	25	4.8	2.1- 7.5
College Graduate	761	537,442				53	7.7	4.8-10.6	388	51.4	46.3-56.5	234	30.5	26.0-35.0	66	8.4	5.9-10.9	20	2.0	0.8- 3.2
Less than \$15,000	200	225,123				31	14.4	7.5-21.3	96	49.5	38.5-60.5	49	23.4	14.6-32.2	17	7.2	1.7-12.7	7	5.5	0.0-11.6
\$15,000- 24,999	327	370,840	2	0.3	0.0- 0.7	40	13.9	8.2-19.6	161	44.8	36.8-52.8	89	29.6	21.8-37.4	22	8.5	3.8-13.2	13	2.9	0.9- 4.9
\$25,000- 34,999	242	268,905				26	14.6	7.9-21.3	121	42.6	33.4-51.8	69	31.4	22.4-40.4	18	8.1	3.2-13.0	8	3.3	0.4- 6.2
\$35,000- 49,999	303	314,763				25	9.3	4.2-14.4	138	45.5	37.5-53.5	101	29.5	22.2-36.8	28	10.9	5.2-16.6	11	4.7	1.2- 8.2
\$50,000- 74,999	325	347,627				16	5.3	2.2- 8.4	153	44.8	37.2-52.4	108	34.6	27.0-42.2	34	10.7	6.2-15.2	14	4.6	1.5- 7.7
\$75,000+	540	530,623				23	4.7	2.0- 7.4	267	49.3	43.0-55.6	179	33.4	27.7-39.1	60	10.7	7.4-14.0	11	1.9	0.3- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3287	2,415,477	48	1.3	0.7- 1.9	1394	42.4	39.7-45.1	1325	38.5	36.0-41.0	395	13.7	11.7-15.7	95	2.9	2.1- 3.7	30	1.1	0.5- 1.7
White/Non-Hisp	2639	1,812,935	40	1.3	0.7- 1.9	1187	45.0	42.3-47.7	1041	37.5	34.8-40.2	282	12.3	10.3-14.3	65	2.6	1.8- 3.4	24	1.3	0.5- 2.1
Black or Afr. Am./Non-Hisp	478	427,019	4	1.4	0.0- 3.4	119	24.0	17.3-30.7	226	47.2	39.9-54.5	96	21.2	14.7-27.7	27	5.3	2.4- 8.2	6	0.9	0.1- 1.7
Oth. Race/Non-Hisp.	54	47,086	2	2.0	0.0- 5.1	29	64.7	37.8-91.6	19	19.1	3.4-34.8	4	14.2	0.0-37.3						
Hispanic	50	77,941	2	2.0	0.0- 5.5	23	57.6	36.4-78.8	19	33.6	14.4-52.8	5	5.2	0.0-11.7	1	1.5	0.0- 4.6			
18-24	116	286,511	5	3.3	0.0- 6.6	71	65.1	54.7-75.5	30	24.9	15.7-34.1	7	4.3	0.2- 8.4	2	1.1	0.0- 2.7	1	1.3	0.0- 3.8
25-34	264	414,647	2	0.5	0.0- 1.3	108	42.0	34.4-49.6	103	38.1	30.8-45.4	29	10.1	6.0-14.2	15	6.3	2.8- 9.8	7	2.9	0.4- 5.4
35-44	308	362,190	2	0.6	0.0- 1.6	118	32.9	26.2-39.6	110	37.3	30.2-44.4	58	24.8	17.5-32.1	17	3.8	1.6- 6.0	3	0.6	0.0- 1.6
45-54	506	397,116	4	1.4	0.0- 3.0	176	34.2	28.5-39.9	221	43.8	37.5-50.1	77	17.3	11.4-23.2	18	1.8	0.8- 2.8	10	1.5	0.3- 2.7
55-64	765	405,052	9	1.2	0.0- 2.4	287	38.4	33.5-43.3	322	40.9	35.8-46.0	111	15.4	11.3-19.5	31	3.6	1.8- 5.4	5	0.6	0.0- 1.2
65+	1311	540,784	26	1.6	0.8- 2.4	627	46.0	42.3-49.7	529	40.8	37.1-44.5	113	10.2	7.7-12.7	12	1.1	0.3- 1.9	4	0.3	0.1- 0.5
Less Than H.S.	395	377,535	11	1.9	0.3- 3.5	155	38.9	30.9-46.9	143	33.8	26.7-40.9	67	21.4	13.6-29.2	14	2.7	0.7- 4.7	5	1.3	0.0- 2.9
H.S. or G.E.D.	1086	765,045	17	1.6	0.4- 2.8	457	43.2	38.5-47.9	431	39.1	34.6-43.6	131	12.0	9.3-14.7	38	3.2	1.8- 4.6	12	0.9	0.3- 1.5
Some Post-H.S.	864	761,808	13	1.4	0.2- 2.6	333	38.4	33.1-43.7	367	40.6	35.7-45.5	119	14.6	11.3-17.9	22	3.6	1.8- 5.4	10	1.5	0.1- 2.9
College Graduate	937	509,396	7	0.5	0.0- 1.1	446	49.5	44.8-54.2	382	38.2	33.7-42.7	78	9.2	6.5-11.9	21	1.8	0.8- 2.8	3	0.8	0.0- 2.2
Less than \$15,000	440	323,842	9	1.3	0.0- 2.7	152	36.3	27.5-45.1	175	35.7	27.9-43.5	72	20.3	12.7-27.9	23	3.8	1.1- 6.5	9	2.5	0.3- 4.7
\$15,000- 24,999	610	446,532	11	2.5	0.7- 4.3	233	36.6	30.3-42.9	252	40.6	34.3-46.9	86	15.9	11.0-20.8	20	3.3	1.3- 5.3	8	1.1	0.1- 2.1
\$25,000- 34,999	319	236,727	4	0.5	0.0- 1.1	122	39.9	30.3-49.5	143	39.0	30.6-47.4	40	15.0	7.6-22.4	8	4.1	0.6- 7.6	2	1.5	0.0- 3.7
\$35,000- 49,999	361	290,469	7	1.0	0.0- 2.0	153	46.8	39.0-54.6	151	37.6	30.3-44.9	39	11.1	6.6-15.6	10	2.3	0.5- 4.1	1	1.2	0.0- 3.6
\$50,000- 74,999	349	279,375	1	0.0	0.0- 0.0	141	39.3	31.7-46.9	137	36.5	29.2-43.8	56	19.4	12.9-25.9	11	4.4	1.7- 7.1	3	0.4	0.0- 1.0
\$75,000+	513	401,126	2	0.2	0.0- 0.4	238	46.0	39.9-52.1	227	41.9	36.0-47.8	39	9.6	5.9-13.3	5	1.2	0.0- 2.6	2	1.1	0.0- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5475	4,698,639	69	0.9	0.5- 1.3	1643	30.6	28.6-32.6	1957	34.8	32.8-36.8	1035	19.1	17.5-20.7	771	14.7	13.3-16.1
Male	2234	2,340,368	16	0.7	0.3- 1.1	541	26.8	24.1-29.5	944	39.4	36.5-42.3	457	20.7	18.2-23.2	276	12.3	10.3-14.3
Female	3241	2,358,271	53	1.2	0.8- 1.6	1102	34.3	31.6-37.0	1013	30.1	27.7-32.5	578	17.5	15.5-19.5	495	17.0	14.8-19.2
White/Non-Hisp	4471	3,551,303	58	1.1	0.7- 1.5	1403	31.5	29.5-33.5	1597	35.6	33.6-37.6	832	18.2	16.6-19.8	581	13.6	12.0-15.2
Black or Afr. Am./Non-Hisp	685	750,979	6	0.5	0.0- 1.1	123	19.9	14.8-25.0	245	31.7	26.0-37.4	157	26.2	20.5-31.9	154	21.7	16.8-26.6
Oth. Race/Non-Hisp.	118	128,627	4	1.3	0.0- 3.1	43	51.3	35.4-67.2	44	26.8	15.0-38.6	16	7.7	1.4-14.0	11	13.0	2.0-24.0
MultiRacial/Non-Hisp.	66	74,754				24	35.1	18.8-51.4	22	32.4	16.9-47.9	9	21.8	3.0-40.6	11	10.8	1.6-20.0
Hispanic	75	135,614				27	41.3	23.9-58.7	29	39.5	23.6-55.4	11	13.7	2.3-25.1	8	5.5	0.6-10.4
18-24	243	580,328	7	2.1	0.3- 3.9	125	56.1	48.3-63.9	62	23.7	17.2-30.2	28	10.9	6.2-15.6	21	7.2	3.7-10.7
25-34	432	767,957	5	0.8	0.0- 1.8	140	33.2	27.5-38.9	137	31.0	25.5-36.5	74	18.9	14.0-23.8	76	16.1	12.0-20.2
35-44	534	747,205	3	0.4	0.0- 1.0	141	24.4	19.7-29.1	181	35.1	29.6-40.6	105	20.6	15.9-25.3	104	19.5	15.0-24.0
45-54	885	806,959	6	0.9	0.1- 1.7	225	21.3	18.0-24.6	301	36.7	32.2-41.2	188	22.7	18.4-27.0	165	18.5	14.8-22.2
55-64	1250	797,895	11	0.5	0.0- 1.1	319	24.2	20.9-27.5	456	37.5	33.8-41.2	248	20.2	17.1-23.3	216	17.6	14.5-20.7
65+	2099	977,144	37	1.2	0.8- 1.6	684	31.2	28.5-33.9	803	40.0	37.1-42.9	388	18.8	16.6-21.0	187	8.9	7.3-10.5
Less Than H.S.	629	717,130	15	1.1	0.3- 1.9	186	29.5	23.8-35.2	204	36.2	30.3-42.1	115	17.0	12.3-21.7	109	16.1	11.8-20.4
H.S. or G.E.D.	1778	1,560,977	23	1.2	0.6- 1.8	496	27.6	24.3-30.9	635	34.3	31.0-37.6	369	21.9	19.0-24.8	255	15.1	12.6-17.6
Some Post-H.S.	1372	1,382,660	17	1.1	0.3- 1.9	369	30.5	26.6-34.4	498	33.0	29.3-36.7	258	18.0	15.1-20.9	230	17.4	14.5-20.3
College Graduate	1686	1,031,557	14	0.3	0.1- 0.5	587	35.9	32.6-39.2	616	36.9	33.6-40.2	292	17.5	15.0-20.0	177	9.4	7.4-11.4
Less than \$15,000	633	538,113	14	1.6	0.2- 3.0	181	29.5	23.2-35.8	183	30.3	23.8-36.8	120	18.5	13.0-24.0	135	20.1	15.0-25.2
\$15,000- 24,999	930	809,945	16	1.0	0.2- 1.8	260	29.0	24.3-33.7	325	34.7	29.8-39.6	170	16.8	12.9-20.7	159	18.4	14.5-22.3
\$25,000- 34,999	557	500,847	5	0.2	0.0- 0.4	171	33.5	26.8-40.2	197	30.9	25.4-36.4	114	22.1	16.4-27.8	70	13.3	8.8-17.8
\$35,000- 49,999	658	596,623	8	0.7	0.1- 1.3	177	29.5	24.2-34.8	255	36.4	30.9-41.9	128	18.8	14.7-22.9	90	14.6	10.5-18.7
\$50,000- 74,999	672	625,422	3	0.2	0.0- 0.4	196	26.8	22.1-31.5	239	35.8	30.5-41.1	121	18.5	14.0-23.0	113	18.7	14.4-23.0
\$75,000+	1045	916,302	3	0.1	0.0- 0.3	305	28.9	24.6-33.2	421	38.7	34.6-42.8	223	22.5	18.8-26.2	93	9.8	7.3-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2234	2,340,368	16	0.7	0.3- 1.1	541	26.8	24.1-29.5	944	39.4	36.5-42.3	457	20.7	18.2-23.2	276	12.3	10.3-14.3
White/Non-Hisp	1863	1,769,071	15	0.9	0.3- 1.5	451	26.0	23.1-28.9	785	41.3	38.2-44.4	388	20.3	17.8-22.8	224	11.5	9.5-13.5
Black or Afr. Am./Non-Hisp	212	329,265	1	0.1	0.0- 0.3	40	24.0	15.0-33.0	91	30.6	21.4-39.8	46	25.9	16.3-35.5	34	19.5	11.5-27.5
Oth. Race/Non-Hisp.	66	84,213				22	45.8	28.0-63.6	28	33.1	17.8-48.4	9	9.3	0.5-18.1	7	11.8	1.0-22.6
18-24	130	301,643	3	1.8	0.0- 4.0	62	52.5	41.9-63.1	38	28.1	18.7-37.5	16	11.1	4.6-17.6	11	6.4	2.1-10.7
25-34	184	387,146	1	0.9	0.0- 2.7	61	33.5	25.1-41.9	65	33.4	24.8-42.0	28	19.3	11.3-27.3	29	13.0	7.7-18.3
35-44	229	389,853	1	0.1	0.0- 0.3	46	23.2	15.9-30.5	97	41.5	33.1-49.9	54	22.9	15.6-30.2	31	12.4	7.1-17.7
45-54	383	414,567	3	1.0	0.0- 2.2	74	14.5	10.4-18.6	150	41.2	34.5-47.9	86	23.2	16.9-29.5	70	20.1	14.2-26.0
55-64	486	393,074	1	0.4	0.0- 1.2	83	16.0	11.7-20.3	221	44.9	39.0-50.8	113	24.0	18.9-29.1	68	14.6	10.3-18.9
65+	806	441,396	7	0.5	0.1- 0.9	210	27.9	23.4-32.4	367	44.4	39.7-49.1	156	20.5	16.8-24.2	66	6.8	4.8- 8.8
Less Than H.S.	245	351,463	4	0.8	0.0- 1.8	71	30.0	21.4-38.6	105	43.4	34.4-52.4	41	19.1	11.8-26.4	24	6.7	3.2-10.2
H.S. or G.E.D.	708	814,046	4	0.6	0.0- 1.2	154	24.0	19.5-28.5	296	36.6	31.7-41.5	171	25.4	20.5-30.3	83	13.4	9.9-16.9
Some Post-H.S.	516	633,092	5	1.3	0.0- 2.7	117	28.4	22.5-34.3	210	36.1	30.2-42.0	98	17.6	12.7-22.5	86	16.6	12.1-21.1
College Graduate	760	537,145	3	0.2	0.0- 0.6	197	27.5	22.8-32.2	331	45.1	40.0-50.2	146	17.7	14.0-21.4	83	9.5	7.0-12.0
Less than \$15,000	199	224,835	5	2.4	0.0- 5.1	63	29.3	20.1-38.5	64	36.4	25.4-47.4	33	15.3	7.7-22.9	34	16.6	8.4-24.8
\$15,000- 24,999	326	367,742	6	0.8	0.0- 1.8	76	28.6	21.0-36.2	144	39.0	31.2-46.8	56	17.8	10.9-24.7	44	13.8	8.7-18.9
\$25,000- 34,999	241	265,625				67	32.5	23.3-41.7	99	33.6	25.6-41.6	52	25.8	16.8-34.8	23	8.0	3.7-12.3
\$35,000- 49,999	301	312,256				66	23.0	16.1-29.9	129	40.9	32.9-48.9	66	20.8	14.5-27.1	40	15.2	8.7-21.7
\$50,000- 74,999	324	347,243				75	21.1	15.2-27.0	131	40.7	33.1-48.3	69	21.3	14.4-28.2	49	16.9	11.2-22.6
\$75,000+	540	530,623				105	22.3	16.2-28.4	256	43.5	37.4-49.6	122	23.8	18.7-28.9	57	10.4	6.9-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3241	2,358,271	53	1.2	0.8- 1.6	1102	34.3	31.6-37.0	1013	30.1	27.7-32.5	578	17.5	15.5-19.5	495	17.0	14.8-19.2
White/Non-Hisp	2608	1,782,232	43	1.3	0.7- 1.9	952	37.0	34.3-39.7	812	29.9	27.4-32.4	444	16.0	14.0-18.0	357	15.8	13.6-18.0
Black or Afr. Am./Non-Hisp	473	421,713	5	0.8	0.0- 2.0	83	16.7	11.0-22.4	154	32.5	25.4-39.6	111	26.5	19.6-33.4	120	23.5	17.6-29.4
Oth. Race/Non-Hisp.	52	44,413	4	3.7	0.0- 9.2	21	61.7	33.1-90.3	16	14.8	2.6-27.0	7	4.8	0.0-10.7	4	15.1	0.0-39.6
18-24	113	278,685	4	2.5	0.0- 5.2	63	60.0	48.8-71.2	24	18.8	10.2-27.4	12	10.7	4.2-17.2	10	7.9	2.2-13.6
25-34	248	380,811	4	0.7	0.0- 1.5	79	32.8	25.2-40.4	72	28.6	21.7-35.5	46	18.6	12.7-24.5	47	19.3	13.2-25.4
35-44	305	357,352	2	0.8	0.0- 2.0	95	25.7	19.6-31.8	84	28.2	21.5-34.9	51	18.1	12.4-23.8	73	27.3	20.0-34.6
45-54	502	392,391	3	0.7	0.0- 1.7	151	28.5	23.2-33.8	151	32.0	26.1-37.9	102	22.0	16.1-27.9	95	16.8	12.3-21.3
55-64	764	404,821	10	0.6	0.0- 1.2	236	32.2	27.5-36.9	235	30.2	25.5-34.9	135	16.5	13.2-19.8	148	20.5	16.0-25.0
65+	1293	535,748	30	1.8	1.0- 2.6	474	33.9	30.4-37.4	436	36.3	32.6-40.0	232	17.4	14.9-19.9	121	10.7	8.2-13.2
Less Than H.S.	384	365,667	11	1.3	0.3- 2.3	115	29.1	21.7-36.5	99	29.4	22.1-36.7	74	15.0	8.9-21.1	85	25.1	17.7-32.5
H.S. or G.E.D.	1070	746,931	19	1.8	0.6- 3.0	342	31.6	27.1-36.1	339	31.7	27.4-36.0	198	18.0	14.7-21.3	172	16.9	13.6-20.2
Some Post-H.S.	856	749,568	12	0.9	0.3- 1.5	252	32.2	26.9-37.5	288	30.4	25.9-34.9	160	18.3	14.8-21.8	144	18.2	14.3-22.1
College Graduate	926	494,413	11	0.4	0.0- 0.8	390	45.1	40.4-49.8	285	27.9	23.8-32.0	146	17.3	13.6-21.0	94	9.3	6.6-12.0
Less than \$15,000	434	313,278	9	1.0	0.0- 2.0	118	29.7	21.1-38.3	119	25.9	18.5-33.3	87	20.8	13.2-28.4	101	22.7	16.0-29.4
\$15,000- 24,999	604	442,203	10	1.2	0.2- 2.2	184	29.3	23.2-35.4	181	31.2	25.1-37.3	114	16.0	11.9-20.1	115	22.3	16.8-27.8
\$25,000- 34,999	316	235,222	5	0.4	0.0- 0.8	104	34.7	25.1-44.3	98	27.9	20.5-35.3	62	17.9	11.6-24.2	47	19.2	11.4-27.0
\$35,000- 49,999	357	284,368	8	1.4	0.2- 2.6	111	36.6	28.6-44.6	126	31.4	24.5-38.3	62	16.6	11.3-21.9	50	14.0	8.9-19.1
\$50,000- 74,999	348	278,178	3	0.4	0.0- 1.0	121	33.8	26.4-41.2	108	29.8	22.7-36.9	52	15.0	9.9-20.1	64	21.1	14.6-27.6
\$75,000+	505	385,679	3	0.2	0.0- 0.4	200	37.9	32.0-43.8	165	32.1	26.4-37.8	101	20.6	15.7-25.5	36	9.1	5.4-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5475	4,698,639	99	1.4	1.0- 1.8	1609	29.9	27.9-31.9	1957	34.9	32.9-36.9	1810	33.8	31.8-35.8
Male	2234	2,340,368	21	1.0	0.4- 1.6	532	26.2	23.5-28.9	944	39.7	36.8-42.6	737	33.1	30.2-36.0
Female	3241	2,358,271	78	1.8	1.2- 2.4	1077	33.6	30.9-36.3	1013	30.1	27.7-32.5	1073	34.4	31.9-36.9
White/Non-Hisp	4471	3,551,303	87	1.6	1.0- 2.2	1370	30.8	28.8-32.8	1597	35.8	33.6-38.0	1417	31.9	29.9-33.9
Black or Afr. Am./Non-Hisp	685	750,979	7	1.1	0.0- 2.5	122	19.2	14.3-24.1	245	31.7	26.0-37.4	311	48.0	41.7-54.3
Oth. Race/Non-Hisp.	118	128,627	4	1.3	0.0- 3.1	43	51.3	35.4-67.2	44	26.8	15.0-38.6	27	20.7	8.5-32.9
MultiRacial/Non-Hisp.	66	74,754				24	35.1	18.8-51.4	22	32.4	16.9-47.9	20	32.5	13.9-51.1
Hispanic	75	135,614				27	41.3	23.9-58.7	29	39.5	23.6-55.4	19	19.2	7.0-31.4
18-24	243	580,328	8	2.8	0.6- 5.0	124	55.5	47.7-63.3	62	23.7	17.2-30.2	49	18.1	12.4-23.8
25-34	432	767,957	8	1.8	0.2- 3.4	135	31.2	25.7-36.7	138	31.9	26.2-37.6	151	35.1	29.4-40.8
35-44	534	747,205	5	0.5	0.0- 1.1	138	24.2	19.5-28.9	182	35.2	29.7-40.7	209	40.1	34.4-45.8
45-54	885	806,959	11	1.3	0.3- 2.3	220	20.9	17.6-24.2	301	36.7	32.2-41.2	353	41.1	36.4-45.8
55-64	1250	797,895	15	0.6	0.0- 1.2	315	24.1	20.8-27.4	454	37.4	33.7-41.1	466	37.9	34.0-41.8
65+	2099	977,144	52	1.8	1.2- 2.4	669	30.6	27.9-33.3	802	39.9	37.0-42.8	576	27.7	25.2-30.2
Less Than H.S.	629	717,130	19	1.5	0.5- 2.5	182	29.1	23.4-34.8	204	36.2	30.3-42.1	224	33.1	27.4-38.8
H.S. or G.E.D.	1778	1,560,977	36	1.7	0.7- 2.7	482	27.0	23.9-30.1	635	34.3	31.0-37.6	625	37.0	33.5-40.5
Some Post-H.S.	1372	1,382,660	22	1.5	0.5- 2.5	363	29.5	25.6-33.4	497	33.5	29.8-37.2	490	35.5	31.8-39.2
College Graduate	1686	1,031,557	22	0.7	0.3- 1.1	577	35.4	32.1-38.7	617	36.9	33.6-40.2	470	27.0	24.1-29.9
Less than \$15,000	633	538,113	18	1.7	0.3- 3.1	177	29.4	23.1-35.7	183	30.3	23.8-36.8	255	38.6	31.9-45.3
\$15,000- 24,999	930	809,945	22	1.4	0.6- 2.2	254	28.7	24.0-33.4	325	34.7	29.8-39.6	329	35.2	30.3-40.1
\$25,000- 34,999	557	500,847	9	1.4	0.0- 3.4	167	32.3	25.6-39.0	196	30.8	25.3-36.3	185	35.4	28.9-41.9
\$35,000- 49,999	658	596,623	11	1.0	0.2- 1.8	174	29.1	23.8-34.4	255	36.4	30.9-41.9	218	33.4	28.1-38.7
\$50,000- 74,999	672	625,422	8	1.3	0.0- 2.7	191	25.7	21.0-30.4	239	35.8	30.5-41.1	234	37.2	31.9-42.5
\$75,000+	1045	916,302	5	0.2	0.0- 0.4	300	27.9	23.8-32.0	422	39.5	35.2-43.8	318	32.4	28.3-36.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Underweight			Normal Weight			Overweight			Obese		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2234	2,340,368	21	1.0	0.4- 1.6	532	26.2	23.5-28.9	944	39.7	36.8-42.6	737	33.1	30.2-36.0
White/Non-Hisp	1863	1,769,071	19	1.1	0.5- 1.7	443	25.4	22.5-28.3	785	41.7	38.6-44.8	616	31.9	29.0-34.8
Black or Afr. Am./Non-Hisp	212	329,265	2	1.5	0.0- 4.2	39	22.5	13.7-31.3	91	30.6	21.4-39.8	80	45.3	34.9-55.7
Oth. Race/Non-Hisp.	66	84,213	22	45.8	28.0-63.6	28	45.8	28.0-63.6	28	33.1	17.8-48.4	16	21.1	7.8-34.4
18-24	130	301,643	3	1.8	0.0- 4.0	62	52.5	41.9-63.1	38	28.1	18.7-37.5	27	17.6	10.0-25.2
25-34	184	387,146	2	2.1	0.0- 5.0	58	30.3	22.5-38.1	66	35.3	26.5-44.1	58	32.3	23.7-40.9
35-44	229	389,853	1	0.1	0.0- 0.3	45	23.0	15.7-30.3	98	41.6	33.2-50.0	85	35.3	27.3-43.3
45-54	383	414,567	4	1.2	0.0- 2.4	73	14.3	10.2-18.4	150	41.2	34.5-47.9	156	43.3	36.2-50.4
55-64	486	393,074	2	0.6	0.0- 1.6	82	15.9	11.6-20.2	219	44.8	38.9-50.7	183	38.8	32.9-44.7
65+	806	441,396	9	0.6	0.2- 1.0	208	27.8	23.3-32.3	366	44.3	39.6-49.0	223	27.3	23.2-31.4
Less Than H.S.	245	351,463	4	0.8	0.0- 1.8	71	30.0	21.4-38.6	105	43.4	34.4-52.4	65	25.9	18.1-33.7
H.S. or G.E.D.	708	814,046	8	1.4	0.0- 2.8	149	23.0	18.5-27.5	296	36.7	31.8-41.6	255	38.9	33.6-44.2
Some Post-H.S.	516	633,092	5	1.3	0.0- 2.7	116	27.3	21.6-33.0	209	37.1	31.0-43.2	186	34.3	28.4-40.2
College Graduate	760	537,145	4	0.2	0.0- 0.6	194	27.3	22.6-32.0	332	45.2	40.1-50.3	230	27.3	23.0-31.6
Less than \$15,000	199	224,835	5	2.4	0.0- 5.1	63	29.3	20.1-38.5	64	36.4	25.4-47.4	67	31.9	21.7-42.1
\$15,000- 24,999	326	367,742	6	0.8	0.0- 1.8	76	28.6	21.0-36.2	144	39.0	31.2-46.8	100	31.5	23.7-39.3
\$25,000- 34,999	241	265,625	1	1.8	0.0- 5.3	66	30.7	21.7-39.7	98	33.5	25.5-41.5	76	34.0	24.8-43.2
\$35,000- 49,999	301	312,256	1	0.2	0.0- 0.6	65	22.9	16.0-29.8	129	40.9	32.9-48.9	106	36.0	28.2-43.8
\$50,000- 74,999	324	347,243	1	0.2	0.0- 0.6	74	20.9	15.0-26.8	131	40.7	33.1-48.3	118	38.2	30.6-45.8
\$75,000+	540	530,623				102	20.8	14.9-26.7	257	44.9	38.8-51.0	181	34.3	28.6-40.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Underweight			Normal Weight			Overweight			Obese		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3241	2,358,271	78	1.8	1.2- 2.4	1077	33.6	30.9-36.3	1013	30.1	27.7-32.5	1073	34.4	31.9-36.9
White/Non-Hisp	2608	1,782,232	68	2.1	1.3- 2.9	927	36.1	33.4-38.8	812	29.9	27.4-32.4	801	31.8	29.1-34.5
Black or Afr. Am./Non-Hisp	473	421,713	5	0.8	0.0- 2.0	83	16.7	11.0-22.4	154	32.5	25.4-39.6	231	50.0	42.6-57.4
Oth. Race/Non-Hisp.	52	44,413	4	3.7	0.0- 9.2	21	61.7	33.1-90.3	16	14.8	2.6-27.0	11	19.8	0.0-44.7
18-24	113	278,685	5	3.8	0.1- 7.5	62	58.7	47.3-70.1	24	18.8	10.2-27.4	22	18.7	10.3-27.1
25-34	248	380,811	6	1.4	0.2- 2.6	77	32.1	24.5-39.7	72	28.6	21.7-35.5	93	37.9	30.5-45.3
35-44	305	357,352	4	0.9	0.0- 2.1	93	25.5	19.4-31.6	84	28.2	21.5-34.9	124	45.4	38.0-52.8
45-54	502	392,391	7	1.4	0.0- 2.8	147	27.8	22.5-33.1	151	32.0	26.1-37.9	197	38.8	32.5-45.1
55-64	764	404,821	13	0.7	0.1- 1.3	233	32.0	27.3-36.7	235	30.2	25.5-34.9	283	37.0	32.1-41.9
65+	1293	535,748	43	2.7	1.7- 3.7	461	32.9	29.4-36.4	436	36.3	32.6-40.0	353	28.1	24.8-31.4
Less Than H.S.	384	365,667	15	2.2	0.8- 3.6	111	28.3	20.9-35.7	99	29.4	22.1-36.7	159	40.1	31.9-48.3
H.S. or G.E.D.	1070	746,931	28	2.1	0.9- 3.3	333	31.3	26.8-35.8	339	31.7	27.4-36.0	370	34.9	30.6-39.2
Some Post-H.S.	856	749,568	17	1.7	0.5- 2.9	247	31.4	26.1-36.7	288	30.4	25.9-34.9	304	36.5	31.8-41.2
College Graduate	926	494,413	18	1.2	0.4- 2.0	383	44.3	39.6-49.0	285	27.9	23.8-32.0	240	26.6	22.3-30.9
Less than \$15,000	434	313,278	13	1.2	0.2- 2.2	114	29.4	20.8-38.0	119	25.9	18.5-33.3	188	43.4	34.6-52.2
\$15,000- 24,999	604	442,203	16	1.8	0.4- 3.2	178	28.7	22.6-34.8	181	31.2	25.1-37.3	229	38.3	32.0-44.6
\$25,000- 34,999	316	235,222	8	1.0	0.0- 2.0	101	34.1	24.5-43.7	98	27.9	20.5-35.3	109	37.0	28.0-46.0
\$35,000- 49,999	357	284,368	10	2.0	0.4- 3.6	109	36.0	28.0-44.0	126	31.4	24.5-38.3	112	30.6	23.7-37.5
\$50,000- 74,999	348	278,178	7	2.6	0.0- 5.5	117	31.6	24.3-38.9	108	29.8	22.7-36.9	116	36.0	28.6-43.4
\$75,000+	505	385,679	5	0.4	0.0- 0.8	198	37.7	31.8-43.6	165	32.1	26.4-37.8	137	29.7	24.0-35.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5475	4,698,639	1708	31.3	29.3-33.3	3767	68.7	66.7-70.7
Male	2234	2,340,368	553	27.2	24.5-29.9	1681	72.8	70.1-75.5
Female	3241	2,358,271	1155	35.4	32.7-38.1	2086	64.6	61.9-67.3
White/Non-Hisp	4471	3,551,303	1457	32.4	30.4-34.4	3014	67.6	65.6-69.6
Black or Afr. Am./Non-Hisp	685	750,979	129	20.3	15.2-25.4	556	79.7	74.6-84.8
Oth. Race/Non-Hisp.	118	128,627	47	52.6	36.9-68.3	71	47.4	31.7-63.1
MultiRacial/Non-Hisp.	66	74,754	24	35.1	18.8-51.4	42	64.9	48.6-81.2
Hispanic	75	135,614	27	41.3	23.9-58.7	48	58.7	41.3-76.1
18-24	243	580,328	132	58.3	50.7-65.9	111	41.7	34.1-49.3
25-34	432	767,957	143	33.0	27.3-38.7	289	67.0	61.3-72.7
35-44	534	747,205	143	24.7	20.0-29.4	391	75.3	70.6-80.0
45-54	885	806,959	231	22.2	18.7-25.7	654	77.8	74.3-81.3
55-64	1250	797,895	330	24.7	21.4-28.0	920	75.3	72.0-78.6
65+	2099	977,144	721	32.4	29.7-35.1	1378	67.6	64.9-70.3
Less Than H.S.	629	717,130	201	30.6	24.9-36.3	428	69.4	63.7-75.1
H.S. or G.E.D.	1778	1,560,977	518	28.7	25.4-32.0	1260	71.3	68.0-74.6
Some Post-H.S.	1372	1,382,660	385	31.1	27.2-35.0	987	68.9	65.0-72.8
College Graduate	1686	1,031,557	599	36.1	32.8-39.4	1087	63.9	60.6-67.2
Less than \$15,000	633	538,113	195	31.1	24.6-37.6	438	68.9	62.4-75.4
\$15,000- 24,999	930	809,945	276	30.0	25.3-34.7	654	70.0	65.3-74.7
\$25,000- 34,999	557	500,847	176	33.7	27.0-40.4	381	66.3	59.6-73.0
\$35,000- 49,999	658	596,623	185	30.2	24.7-35.7	473	69.8	64.3-75.3
\$50,000- 74,999	672	625,422	199	26.9	22.2-31.6	473	73.1	68.4-77.8
\$75,000+	1045	916,302	305	28.1	24.0-32.2	740	71.9	67.8-76.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2234	2,340,368	553	27.2	24.5-29.9	1681	72.8	70.1-75.5
White/Non-Hisp	1863	1,769,071	462	26.4	23.5-29.3	1401	73.6	70.7-76.5
Black or Afr. Am./Non-Hisp	212	329,265	41	24.1	15.1-33.1	171	75.9	66.9-84.9
Oth. Race/Non-Hisp.	66	84,213	22	45.8	28.0-63.6	44	54.2	36.4-72.0
18-24	130	301,643	65	54.3	43.7-64.9	65	45.7	35.1-56.3
25-34	184	387,146	60	32.4	24.2-40.6	124	67.6	59.4-75.8
35-44	229	389,853	46	23.1	15.8-30.4	183	76.9	69.6-84.2
45-54	383	414,567	77	15.5	11.2-19.8	306	84.5	80.2-88.8
55-64	486	393,074	84	16.5	12.2-20.8	402	83.5	79.2-87.8
65+	806	441,396	217	28.4	23.9-32.9	589	71.6	67.1-76.1
Less Than H.S.	245	351,463	75	30.8	22.2-39.4	170	69.2	60.6-77.8
H.S. or G.E.D.	708	814,046	157	24.4	19.9-28.9	551	75.6	71.1-80.1
Some Post-H.S.	516	633,092	121	28.6	22.7-34.5	395	71.4	65.5-77.3
College Graduate	760	537,145	198	27.5	22.8-32.2	562	72.5	67.8-77.2
Less than \$15,000	199	224,835	68	31.7	22.3-41.1	131	68.3	58.9-77.7
\$15,000- 24,999	326	367,742	82	29.5	21.9-37.1	244	70.5	62.9-78.1
\$25,000- 34,999	241	265,625	67	32.5	23.3-41.7	174	67.5	58.3-76.7
\$35,000- 49,999	301	312,256	66	23.0	16.1-29.9	235	77.0	70.1-83.9
\$50,000- 74,999	324	347,243	75	21.1	15.2-27.0	249	78.9	73.0-84.8
\$75,000+	540	530,623	102	20.8	14.9-26.7	438	79.2	73.3-85.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3241	2,358,271	1155	35.4	32.7-38.1	2086	64.6	61.9-67.3
White/Non-Hisp	2608	1,782,232	995	38.2	35.5-40.9	1613	61.8	59.1-64.5
Black or Afr. Am./Non-Hisp	473	421,713	88	17.4	11.7-23.1	385	82.6	76.9-88.3
Oth. Race/Non-Hisp.	52	44,413	25	65.4	37.8-93.0	27	34.6	7.0-62.2
18-24	113	278,685	67	62.5	51.5-73.5	46	37.5	26.5-48.5
25-34	248	380,811	83	33.5	25.9-41.1	165	66.5	58.9-74.1
35-44	305	357,352	97	26.5	20.4-32.6	208	73.5	67.4-79.6
45-54	502	392,391	154	29.2	23.9-34.5	348	70.8	65.5-76.1
55-64	764	404,821	246	32.7	28.0-37.4	518	67.3	62.6-72.0
65+	1293	535,748	504	35.6	32.1-39.1	789	64.4	60.9-67.9
Less Than H.S.	384	365,667	126	30.5	23.1-37.9	258	69.5	62.1-76.9
H.S. or G.E.D.	1070	746,931	361	33.4	28.9-37.9	709	66.6	62.1-71.1
Some Post-H.S.	856	749,568	264	33.1	27.8-38.4	592	66.9	61.6-72.2
College Graduate	926	494,413	401	45.5	40.8-50.2	525	54.5	49.8-59.2
Less than \$15,000	434	313,278	127	30.7	22.1-39.3	307	69.3	60.7-77.9
\$15,000- 24,999	604	442,203	194	30.5	24.4-36.6	410	69.5	63.4-75.6
\$25,000- 34,999	316	235,222	109	35.1	25.5-44.7	207	64.9	55.3-74.5
\$35,000- 49,999	357	284,368	119	38.0	30.0-46.0	238	62.0	54.0-70.0
\$50,000- 74,999	348	278,178	124	34.2	26.8-41.6	224	65.8	58.4-73.2
\$75,000+	505	385,679	203	38.2	32.3-44.1	302	61.8	55.9-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5917	5,065,590	4516	63.7	61.7-65.7	652	17.1	15.3-18.9	478	12.4	11.0-13.8	181	4.5	3.7- 5.3	59	1.2	0.8- 1.6	31	1.0	0.6- 1.4
Male	2319	2,436,078	1816	68.4	65.5-71.3	229	14.8	12.4-17.2	186	11.8	9.6-14.0	59	3.4	2.2- 4.6	18	0.8	0.4- 1.2	11	0.7	0.1- 1.3
Female	3598	2,629,512	2700	59.4	56.7-62.1	423	19.3	16.9-21.7	292	12.9	11.1-14.7	122	5.5	4.1- 6.9	41	1.6	0.8- 2.4	20	1.3	0.5- 2.1
White/Non-Hisp	4816	3,820,870	3750	66.2	64.0-68.4	499	16.4	14.6-18.2	369	11.5	10.1-12.9	130	3.6	2.8- 4.4	47	1.3	0.9- 1.7	21	1.0	0.6- 1.4
Black or Afr. Am./Non-Hisp	741	798,761	521	58.2	52.3-64.1	98	17.2	12.5-21.9	77	16.7	11.8-21.6	29	5.1	2.7- 7.5	9	1.5	0.0- 3.1	7	1.4	0.0- 2.8
Oth. Race/Non-Hisp.	127	137,395	93	59.7	43.8-75.6	16	23.4	6.7-40.1	11	9.3	2.8-15.8	5	6.9	0.0-13.8	2	0.8	0.0- 2.0			
MultiRacial/Non-Hisp.	72	81,124	50	67.8	52.7-82.9	10	12.3	3.1-21.5	6	8.5	0.9-16.1	4	9.1	0.0-19.3				2	2.4	0.0- 6.3
Hispanic	83	154,943	37	37.2	22.9-51.5	22	30.9	15.4-46.4	10	10.6	2.4-18.8	12	20.0	6.3-33.7	1	0.5	0.0- 1.5	1	0.8	0.0- 2.4
18-24	260	626,826	150	55.8	48.2-63.4	66	28.5	21.1-35.9	30	10.2	5.9-14.5	11	3.6	1.1- 6.1	1	0.8	0.0- 2.4	2	1.0	0.0- 2.6
25-34	473	847,528	174	39.7	34.0-45.4	112	24.2	19.5-28.9	108	22.7	17.8-27.6	50	8.0	5.1-10.9	17	2.8	1.0- 4.6	12	2.6	0.8- 4.4
35-44	588	811,224	168	29.3	24.4-34.2	138	26.2	21.1-31.3	183	28.4	23.7-33.1	67	11.7	8.2-15.2	19	2.5	1.1- 3.9	13	2.0	0.6- 3.4
45-54	951	860,794	625	64.9	60.6-69.2	183	19.4	15.9-22.9	96	11.1	8.4-13.8	32	3.1	1.7- 4.5	13	1.0	0.4- 1.6	2	0.4	0.0- 1.0
55-64	1338	839,793	1190	87.5	85.0-90.0	90	7.2	5.2- 9.2	41	3.5	2.1- 4.9	10	1.3	0.3- 2.3	7	0.5	0.1- 0.9			
65+	2248	1,037,518	2156	93.9	92.3-95.5	58	3.9	2.5- 5.3	19	1.3	0.5- 2.1	11	0.5	0.1- 0.9	2	0.1	0.0- 0.3	2	0.3	0.0- 0.9
Less Than H.S.	670	771,548	531	65.9	59.8-72.0	72	16.8	11.7-21.9	37	9.9	5.6-14.2	16	4.4	1.7- 7.1	7	1.2	0.0- 2.4	7	1.8	0.4- 3.2
H.S. or G.E.D.	1925	1,686,330	1479	63.9	60.4-67.4	212	18.6	15.5-21.7	153	10.7	8.5-12.9	53	4.2	2.6- 5.8	18	1.6	0.6- 2.6	10	0.9	0.1- 1.7
Some Post-H.S.	1484	1,476,493	1128	62.7	58.8-66.6	171	17.4	14.3-20.5	116	13.9	11.0-16.8	47	4.1	2.5- 5.7	14	0.8	0.2- 1.4	8	1.2	0.2- 2.2
College Graduate	1820	1,119,994	1363	63.2	59.9-66.5	195	14.9	12.4-17.4	171	14.7	12.2-17.2	65	5.5	3.7- 7.3	20	1.2	0.6- 1.8	6	0.4	0.0- 0.8
Less than \$15,000	662	557,740	533	66.8	59.7-73.9	78	19.3	13.0-25.6	32	9.6	4.5-14.7	9	1.6	0.4- 2.8	6	1.5	0.0- 3.5	4	1.1	0.0- 2.3
\$15,000- 24,999	978	847,758	743	64.6	59.7-69.5	105	14.8	11.1-18.5	72	9.7	6.8-12.6	34	7.4	4.3-10.5	17	2.0	0.6- 3.4	7	1.4	0.0- 2.8
\$25,000- 34,999	583	517,276	456	64.6	57.9-71.3	63	19.5	13.2-25.8	36	9.9	6.0-13.8	20	4.0	1.8- 6.2	5	0.9	0.0- 1.9	3	1.1	0.0- 2.7
\$35,000- 49,999	697	637,815	527	64.8	59.3-70.3	70	13.5	9.6-17.4	61	14.7	10.2-19.2	25	3.7	1.9- 5.5	7	1.7	0.1- 3.3	7	1.6	0.2- 3.0
\$50,000- 74,999	703	655,474	511	58.8	53.3-64.3	90	20.0	15.3-24.7	71	15.1	11.0-19.2	20	4.6	2.2- 7.0	7	1.0	0.2- 1.8	4	0.5	0.0- 1.1
\$75,000+	1112	977,344	763	56.7	52.4-61.0	152	20.2	16.3-24.1	140	17.0	13.7-20.3	46	5.0	3.2- 6.8	9	0.7	0.1- 1.3	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2319	2,436,078	1816	68.4	65.5-71.3	229	14.8	12.4-17.2	186	11.8	9.6-14.0	59	3.4	2.2- 4.6	18	0.8	0.4- 1.2	11	0.7	0.1- 1.3
White/Non-Hisp	1926	1,835,986	1520	69.5	66.4-72.6	187	15.0	12.5-17.5	153	11.0	8.8-13.2	42	2.7	1.7- 3.7	14	0.9	0.3- 1.5	10	0.9	0.3- 1.5
Black or Afr. Am./Non-Hisp	224	347,466	177	68.5	58.9-78.1	17	12.8	6.1-19.5	19	15.1	6.9-23.3	8	2.9	0.4- 5.4	3	0.7	0.0- 1.9			
Oth. Race/Non-Hisp.	68	86,583	53	69.9	53.6-86.2	6	12.7	0.0-26.2	4	7.7	0.0-15.7	4	8.8	0.0-18.6	1	1.0	0.0- 3.0			
18-24	136	318,427	88	63.4	53.2-73.6	25	21.5	12.1-30.9	17	11.6	5.3-17.9	6	3.5	0.4- 6.6						
25-34	195	418,341	105	56.6	47.8-65.4	47	23.3	16.2-30.4	27	14.7	7.8-21.6	10	2.8	0.6- 5.0	3	1.7	0.0- 3.9	3	0.9	0.0- 2.3
35-44	236	401,482	83	36.0	28.0-44.0	48	22.4	15.5-29.3	73	29.0	21.4-36.6	22	9.3	4.2-14.4	4	1.5	0.0- 3.1	6	1.9	0.1- 3.7
45-54	392	420,118	265	66.9	60.6-73.2	61	15.4	10.9-19.9	45	12.1	7.6-16.6	14	4.1	1.6- 6.6	6	1.0	0.0- 2.0	1	0.6	0.0- 1.8
55-64	503	400,504	445	86.9	83.0-90.8	29	6.2	3.3- 9.1	20	4.9	2.5- 7.3	5	1.4	0.0- 2.8	4	0.7	0.0- 1.5			
65+	832	455,189	808	95.6	93.4-97.8	17	3.0	1.4- 4.6	3	0.5	0.0- 1.1	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.7	0.0- 2.1
Less Than H.S.	257	380,358	212	70.7	61.5-79.9	20	11.0	4.1-17.9	11	10.9	3.5-18.3	7	4.0	0.5- 7.5	3	1.6	0.0- 3.8	4	1.8	0.0- 3.8
H.S. or G.E.D.	737	846,772	570	67.3	62.2-72.4	83	17.5	13.2-21.8	58	10.2	7.1-13.3	18	3.7	1.5- 5.9	5	0.8	0.0- 1.6	3	0.5	0.0- 1.3
Some Post-H.S.	536	652,392	414	66.4	60.3-72.5	59	17.2	12.3-22.1	48	13.8	8.9-18.7	10	1.7	0.3- 3.1	3	0.3	0.0- 0.7	2	0.6	0.0- 1.6
College Graduate	781	550,756	613	70.5	65.8-75.2	66	10.7	7.8-13.6	69	12.7	9.2-16.2	24	4.7	2.3- 7.1	7	1.0	0.2- 1.8	2	0.4	0.0- 1.2
Less than \$15,000	203	226,237	182	79.6	68.4-90.8	12	10.0	2.9-17.1	4	8.6	0.0-18.8	3	1.3	0.0- 3.3	2	0.5	0.0- 1.3			
\$15,000- 24,999	335	382,654	273	75.6	68.5-82.7	27	9.1	4.6-13.6	24	10.2	5.1-15.3	7	4.2	0.7- 7.7	2	0.6	0.0- 1.4	2	0.3	0.0- 0.7
\$25,000- 34,999	245	270,571	193	69.7	61.1-78.3	29	18.2	10.9-25.5	11	6.4	1.5-11.3	7	2.7	0.2- 5.2	2	0.9	0.0- 2.5	3	2.2	0.0- 4.9
\$35,000- 49,999	305	319,372	238	67.3	59.1-75.5	27	13.1	7.2-19.0	23	13.1	6.4-19.8	10	2.9	0.7- 5.1	5	2.4	0.0- 5.1	2	1.2	0.0- 3.0
\$50,000- 74,999	328	354,978	247	59.6	51.6-67.6	39	21.8	14.5-29.1	32	15.0	8.9-21.1	7	2.8	0.1- 5.5	2	0.6	0.0- 1.6	1	0.1	0.0- 0.3
\$75,000+	550	537,244	383	58.6	52.3-64.9	71	20.2	14.5-25.9	74	16.1	11.6-20.6	18	4.4	2.0- 6.8	2	0.3	0.0- 0.7	2	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3598	2,629,512	2700	59.4	56.7-62.1	423	19.3	16.9-21.7	292	12.9	11.1-14.7	122	5.5	4.1- 6.9	41	1.6	0.8- 2.4	20	1.3	0.5- 2.1
White/Non-Hisp	2890	1,984,884	2230	63.1	60.4-65.8	312	17.7	15.3-20.1	216	12.0	10.0-14.0	88	4.5	3.3- 5.7	33	1.6	0.8- 2.4	11	1.0	0.2- 1.8
Black or Afr. Am./Non-Hisp	517	451,295	344	50.2	43.1-57.3	81	20.5	14.2-26.8	58	17.9	12.2-23.6	21	6.8	3.1-10.5	6	2.1	0.0- 4.5	7	2.5	0.0- 5.0
Oth. Race/Non-Hisp.	59	50,812	40	42.2	15.5-68.9	10	41.6	10.2-73.0	7	12.0	0.2-23.8	1	3.8	0.0-11.4	1	0.3	0.0- 1.1			
Hispanic	52	81,009	24	31.7	14.3-49.1	12	33.6	9.7-57.5	6	9.6	0.0-20.6	8	22.6	3.2-42.0	1	1.0	0.0- 3.0	1	1.5	0.0- 4.4
18-24	124	308,399	62	47.9	36.7-59.1	41	35.8	24.4-47.2	13	8.8	3.1-14.5	5	3.7	0.0- 7.6	1	1.6	0.0- 4.7	2	2.1	0.0- 5.4
25-34	278	429,187	69	23.2	17.1-29.3	65	25.1	18.6-31.6	81	30.6	23.7-37.5	40	12.9	7.6-18.2	14	3.9	1.0- 6.8	9	4.3	1.2- 7.4
35-44	352	409,742	85	22.7	17.0-28.4	90	29.9	22.8-37.0	110	27.8	22.1-33.5	45	14.0	9.3-18.7	15	3.6	1.4- 5.8	7	2.0	0.2- 3.8
45-54	559	440,676	360	63.0	57.3-68.7	122	23.3	18.2-28.4	51	10.2	6.9-13.5	18	2.3	1.1- 3.5	7	1.1	0.3- 1.9	1	0.2	0.0- 0.6
55-64	835	439,289	745	88.1	85.0-91.2	61	8.1	5.4-10.8	21	2.3	0.9- 3.7	5	1.2	0.0- 2.4	3	0.3	0.0- 0.7			
65+	1416	582,329	1348	92.6	90.2-95.0	41	4.6	2.6- 6.6	16	2.0	0.8- 3.2	9	0.7	0.1- 1.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Less Than H.S.	413	391,190	319	61.1	53.1-69.1	52	22.5	14.9-30.1	26	8.9	4.6-13.2	9	4.8	0.3- 9.3	4	0.9	0.0- 1.9	3	1.7	0.0- 3.7
H.S. or G.E.D.	1188	839,558	909	60.5	55.8-65.2	129	19.7	15.2-24.2	95	11.2	8.5-13.9	35	4.7	2.7- 6.7	13	2.5	0.7- 4.3	7	1.3	0.1- 2.5
Some Post-H.S.	948	824,100	714	59.7	54.6-64.8	112	17.6	13.3-21.9	68	13.9	10.2-17.6	37	6.0	3.6- 8.4	11	1.1	0.3- 1.9	6	1.7	0.1- 3.3
College Graduate	1039	569,239	750	56.1	51.6-60.6	129	19.0	15.1-22.9	102	16.6	12.9-20.3	41	6.4	3.9- 8.9	13	1.5	0.5- 2.5	4	0.4	0.0- 1.0
Less than \$15,000	459	331,502	351	58.1	49.3-66.9	66	25.7	16.9-34.5	28	10.3	5.2-15.4	6	1.7	0.1- 3.3	4	2.3	0.0- 5.4	4	1.9	0.0- 3.9
\$15,000- 24,999	643	465,103	470	55.5	49.0-62.0	78	19.5	14.0-25.0	48	9.3	6.0-12.6	27	10.0	5.1-14.9	15	3.2	0.8- 5.6	5	2.4	0.0- 4.9
\$25,000- 34,999	338	246,705	263	59.0	49.2-68.8	34	21.0	10.6-31.4	25	13.7	7.4-20.0	13	5.4	2.1- 8.7	3	1.0	0.0- 2.2			
\$35,000- 49,999	392	318,443	289	62.3	55.0-69.6	43	13.9	8.8-19.0	38	16.3	10.2-22.4	15	4.6	1.9- 7.3	2	0.9	0.0- 2.3	5	2.0	0.0- 4.2
\$50,000- 74,999	375	300,496	264	58.0	50.6-65.4	51	17.8	11.9-23.7	39	15.2	10.1-20.3	13	6.6	2.5-10.7	5	1.4	0.0- 2.8	3	1.0	0.0- 2.2
\$75,000+	562	440,100	380	54.4	48.5-60.3	81	20.4	15.3-25.5	66	18.2	13.1-23.3	28	5.8	3.1- 8.5	7	1.3	0.3- 2.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5956	5,113,165	674	15.3	13.7-16.9	1946	33.4	31.6-35.2	1495	29.1	27.3-30.9	1841	22.2	20.8-23.6
Male	2332	2,461,280	258	15.5	13.0-18.0	748	35.0	32.1-37.9	540	26.9	24.2-29.6	786	22.6	20.4-24.8
Female	3624	2,651,884	416	15.0	12.8-17.2	1198	32.0	29.6-34.4	955	31.2	28.7-33.7	1055	21.8	20.0-23.6
White/Non-Hisp	4849	3,856,165	502	14.3	12.5-16.1	1599	33.4	31.4-35.4	1198	28.5	26.5-30.5	1550	23.7	22.1-25.3
Black or Afr. Am./Non-Hisp	742	800,658	124	18.4	13.3-23.5	236	32.7	27.2-38.2	196	33.2	27.3-39.1	186	15.7	12.4-19.0
Oth. Race/Non-Hisp.	129	140,763	13	17.0	5.8-28.2	35	22.4	11.8-33.0	39	30.7	15.0-46.4	42	30.0	17.5-42.5
MultiRacial/Non-Hisp.	73	81,681	10	13.0	2.4-23.6	22	44.2	26.2-62.2	18	23.2	8.7-37.7	23	19.6	9.0-30.2
Hispanic	83	154,943	10	19.1	5.6-32.6	30	44.0	28.1-59.9	23	21.7	11.1-32.3	20	15.1	5.5-24.7
18-24	263	630,493	17	10.5	4.8-16.2	100	35.1	28.0-42.2	109	45.0	37.4-52.6	37	9.4	5.9-12.9
25-34	478	857,771	23	9.4	5.1-13.7	156	32.6	27.3-37.9	135	31.9	26.4-37.4	164	26.1	21.6-30.6
35-44	597	826,952	56	14.6	10.1-19.1	159	31.7	26.4-37.0	129	23.1	18.6-27.6	253	30.5	26.0-35.0
45-54	963	872,773	102	16.0	11.9-20.1	306	33.3	29.2-37.4	245	28.2	24.1-32.3	310	22.4	19.3-25.5
55-64	1349	846,754	138	17.5	14.0-21.0	453	33.4	29.9-36.9	323	26.1	22.8-29.4	435	22.9	20.2-25.6
65+	2250	1,038,545	333	21.1	18.6-23.6	759	34.5	31.8-37.2	543	25.6	23.1-28.1	615	18.8	16.8-20.8
Less Than H.S.	674	780,325	674	100.0	100.0- 100									
H.S. or G.E.D.	1946	1,709,150				1946	100.0	100.0- 100						
Some Post-H.S.	1495	1,489,550							1495	100.0	100.0- 100			
College Graduate	1841	1,134,139										1841	100.0	100.0- 100
Less than \$15,000	660	557,605	200	35.8	29.1-42.5	291	36.3	30.2-42.4	128	24.4	18.1-30.7	41	3.5	1.9- 5.1
\$15,000- 24,999	977	847,219	173	25.2	20.5-29.9	422	40.7	35.8-45.6	267	27.2	22.7-31.7	115	7.0	5.0- 9.0
\$25,000- 34,999	583	517,416	58	17.0	11.7-22.3	224	39.4	32.9-45.9	163	30.1	24.4-35.8	138	13.6	10.1-17.1
\$35,000- 49,999	696	636,974	36	7.5	4.6-10.4	233	34.1	29.0-39.2	194	35.3	29.8-40.8	233	23.1	18.8-27.4
\$50,000- 74,999	702	654,894	22	6.7	3.2-10.2	182	30.3	25.4-35.2	204	34.6	29.3-39.9	294	28.4	24.1-32.7
\$75,000+	1111	973,996	16	3.9	1.2- 6.6	161	18.7	15.2-22.2	223	25.7	21.8-29.6	711	51.8	47.5-56.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2332	2,461,280	258	15.5	13.0-18.0	748	35.0	32.1-37.9	540	26.9	24.2-29.6	786	22.6	20.4-24.8
White/Non-Hisp	1937	1,852,882	191	14.9	12.2-17.6	623	34.5	31.4-37.6	431	26.1	23.2-29.0	692	24.5	22.1-26.9
Black or Afr. Am./Non-Hisp	225	349,289	43	17.9	9.9-25.9	75	36.6	27.2-46.0	59	31.3	21.5-41.1	48	14.2	8.7-19.7
Oth. Race/Non-Hisp.	69	88,974	8	17.0	4.5-29.5	17	24.5	10.4-38.6	22	25.7	10.8-40.6	22	32.8	16.7-48.9
18-24	138	320,211	9	11.8	3.2-20.4	53	37.2	27.4-47.0	56	41.6	31.4-51.8	20	9.4	4.5-14.3
25-34	197	425,495	10	10.1	3.2-17.0	76	38.9	30.5-47.3	47	27.6	19.6-35.6	64	23.5	16.8-30.2
35-44	240	405,607	26	14.6	8.5-20.7	68	34.7	26.3-43.1	53	24.0	16.7-31.3	93	26.7	20.4-33.0
45-54	395	427,050	40	15.7	10.0-21.4	130	32.4	26.1-38.7	98	28.9	22.4-35.4	127	23.0	18.1-27.9
55-64	505	403,913	60	20.4	14.7-26.1	169	34.7	29.0-40.4	104	20.0	15.5-24.5	172	24.9	20.4-29.4
65+	834	457,624	113	20.3	16.2-24.4	245	32.5	28.0-37.0	178	22.9	19.0-26.8	298	24.3	20.8-27.8
Less Than H.S.	258	381,996	258	100.0	100.0- 100									
H.S. or G.E.D.	748	860,847				748	100.0	100.0- 100						
Some Post-H.S.	540	661,520							540	100.0	100.0- 100			
College Graduate	786	556,918										786	100.0	100.0- 100
Less than \$15,000	202	226,176	70	39.4	28.4-50.4	89	38.5	28.3-48.7	30	18.5	10.3-26.7	13	3.6	1.1- 6.1
\$15,000- 24,999	334	382,115	72	28.0	20.4-35.6	145	44.3	36.3-52.3	82	21.7	14.8-28.6	35	6.0	3.1- 8.9
\$25,000- 34,999	244	270,154	25	16.4	9.1-23.7	99	41.8	32.6-51.0	59	26.9	18.5-35.3	61	14.9	9.2-20.6
\$35,000- 49,999	305	319,372	23	11.6	6.3-16.9	109	34.7	27.3-42.1	91	36.2	28.0-44.4	82	17.6	12.1-23.1
\$50,000- 74,999	328	354,978	13	6.3	2.2-10.4	87	32.0	24.7-39.3	92	34.2	26.6-41.8	136	27.5	21.2-33.8
\$75,000+	549	533,896	7	4.6	0.1- 9.1	93	21.9	16.6-27.2	95	23.1	17.6-28.6	354	50.4	44.3-56.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3624	2,651,884	416	15.0	12.8-17.2	1198	32.0	29.6-34.4	955	31.2	28.7-33.7	1055	21.8	20.0-23.6
White/Non-Hisp	2912	2,003,282	311	13.8	11.6-16.0	976	32.4	29.9-34.9	767	30.7	28.2-33.2	858	23.0	20.8-25.2
Black or Afr. Am./Non-Hisp	517	451,370	81	18.7	12.2-25.2	161	29.7	23.4-36.0	137	34.7	27.8-41.6	138	16.9	12.8-21.0
Oth. Race/Non-Hisp.	60	51,789	5	17.0	0.0-38.6	18	18.7	4.6-32.8	17	39.1	7.5-70.7	20	25.2	6.8-43.6
Hispanic	52	81,009	6	22.9	1.9-43.9	20	44.6	21.9-67.3	15	22.6	7.9-37.3	11	10.0	1.0-19.0
18-24	125	310,282	8	9.3	1.9-16.7	47	33.0	22.6-43.4	53	48.5	37.3-59.7	17	9.3	4.2-14.4
25-34	281	432,276	13	8.6	3.3-13.9	80	26.5	20.2-32.8	88	36.2	28.9-43.5	100	28.7	22.6-34.8
35-44	357	421,345	30	14.6	8.1-21.1	91	28.9	22.4-35.4	76	22.3	16.8-27.8	160	34.2	28.1-40.3
45-54	568	445,723	62	16.4	10.5-22.3	176	34.3	28.6-40.0	147	27.5	22.6-32.4	183	21.9	18.0-25.8
55-64	844	442,841	78	14.9	10.6-19.2	284	32.2	28.1-36.3	219	31.7	26.8-36.6	263	21.2	17.9-24.5
65+	1416	580,921	220	21.8	18.5-25.1	514	36.0	32.5-39.5	365	27.7	24.6-30.8	317	14.5	12.3-16.7
Less Than H.S.	416	398,329	416	100.0	100.0- 100									
H.S. or G.E.D.	1198	848,303				1198	100.0	100.0- 100						
Some Post-H.S.	955	828,030							955	100.0	100.0- 100			
College Graduate	1055	577,222										1055	100.0	100.0- 100
Less than \$15,000	458	331,429	130	33.3	25.1-41.5	202	34.8	27.2-42.4	98	28.4	19.8-37.0	28	3.5	1.5- 5.5
\$15,000- 24,999	643	465,103	101	22.8	16.7-28.9	277	37.6	31.9-43.3	185	31.7	25.8-37.6	80	7.9	5.4-10.4
\$25,000- 34,999	339	247,262	33	17.6	9.8-25.4	125	36.8	27.8-45.8	104	33.5	25.5-41.5	77	12.1	8.0-16.2
\$35,000- 49,999	391	317,602	13	3.3	0.8- 5.8	124	33.6	26.7-40.5	103	34.4	27.1-41.7	151	28.7	22.2-35.2
\$50,000- 74,999	374	299,916	9	7.1	1.4-12.8	95	28.3	21.8-34.8	112	35.2	27.9-42.5	158	29.4	23.5-35.3
\$75,000+	562	440,100	9	3.0	0.8- 5.2	68	14.8	10.9-18.7	128	28.8	23.1-34.5	357	53.4	47.5-59.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4736	4,193,964	662	13.3	11.7-14.9	978	20.2	18.4-22.0	584	12.3	10.7-13.9	697	15.2	13.6-16.8	1815	38.9	36.7-41.1
Male	1966	2,091,057	203	10.8	8.6-13.0	335	18.3	15.6-21.0	245	12.9	10.7-15.1	305	15.3	12.9-17.7	878	42.7	39.6-45.8
Female	2770	2,102,907	459	15.8	13.4-18.2	643	22.1	19.7-24.5	339	11.8	9.8-13.8	392	15.1	12.9-17.3	937	35.2	32.5-37.9
White/Non-Hisp	3837	3,159,597	475	10.6	9.2-12.0	731	18.7	16.7-20.7	479	11.9	10.5-13.3	572	15.3	13.5-17.1	1580	43.6	41.2-46.0
Black or Afr. Am./Non-Hisp	610	682,622	140	24.2	17.9-30.5	175	27.5	21.6-33.4	62	11.7	7.2-16.2	88	15.8	11.3-20.3	145	20.8	16.3-25.3
Oth. Race/Non-Hisp.	113	121,411	21	21.9	4.7-39.1	26	12.8	4.2-21.4	14	13.4	2.8-24.0	15	14.2	3.8-24.6	37	37.7	22.2-53.2
MultiRacial/Non-Hisp.	62	70,472	14	21.7	7.2-36.2	12	17.3	3.6-31.0	7	11.3	0.1-22.5	8	12.3	2.7-21.9	21	37.4	17.4-57.4
Hispanic	72	121,217	7	10.8	1.8-19.8	24	32.4	16.5-48.3	13	21.4	3.6-39.2	7	8.1	1.2-15.0	21	27.4	13.1-41.7
18-24	190	477,370	30	19.7	12.1-27.3	51	26.5	18.9-34.1	29	14.8	7.7-21.9	38	18.2	11.9-24.5	42	20.7	13.4-28.0
25-34	406	740,541	35	8.8	4.9-12.7	93	21.4	16.1-26.7	60	15.6	11.3-19.9	63	16.2	11.7-20.7	155	37.9	32.0-43.8
35-44	527	725,918	61	11.0	7.5-14.5	77	16.9	12.4-21.4	47	9.4	5.7-13.1	80	13.7	10.0-17.4	262	49.0	43.3-54.7
45-54	820	752,091	128	16.1	11.8-20.4	153	16.6	13.1-20.1	69	7.6	5.4-9.8	98	13.0	9.7-16.3	372	46.7	41.8-51.6
55-64	1123	726,563	171	13.6	10.7-16.5	196	17.3	14.2-20.4	111	9.8	7.3-12.3	157	14.2	11.3-17.1	488	45.0	40.9-49.1
65+	1649	753,001	236	13.0	10.6-15.4	406	24.7	21.8-27.6	265	17.6	15.1-20.1	258	17.0	14.5-19.5	484	27.7	25.0-30.4
Less Than H.S.	505	629,815	200	31.7	25.4-38.0	173	33.8	27.3-40.3	58	13.9	9.4-18.4	36	7.5	4.4-10.6	38	13.0	7.7-18.3
H.S. or G.E.D.	1513	1,348,202	291	15.0	12.3-17.7	422	25.5	22.2-28.8	224	15.1	12.2-18.0	233	16.1	13.4-18.8	343	28.2	24.9-31.5
Some Post-H.S.	1179	1,223,265	128	11.1	8.0-14.2	267	18.8	15.5-22.1	163	12.7	10.0-15.4	194	18.4	15.1-21.7	427	39.0	34.9-43.1
College Graduate	1532	986,823	41	2.0	1.0- 3.0	115	6.0	4.4- 7.6	138	7.1	5.3- 8.9	233	14.9	12.2-17.6	1005	69.9	66.6-73.2
Less than \$15,000	662	557,740	662	100.0	100.0- 100												
\$15,000- 24,999	978	847,758				978	100.0	100.0- 100									
\$25,000- 34,999	584	517,834							584	100.0	100.0- 100						
\$35,000- 49,999	697	637,815										697	100.0	100.0- 100			
\$50,000- 74,999	703	655,474													703	100.0	100.0- 100
\$75,000+	1112	977,344													1112	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1966	2,091,057	203	10.8	8.6-13.0	335	18.3	15.6-21.0	245	12.9	10.7-15.1	305	15.3	12.9-17.7	878	42.7	39.6-45.8
White/Non-Hisp	1632	1,584,487	144	8.5	6.5-10.5	251	17.2	14.5-19.9	201	11.7	9.7-13.7	254	14.9	12.5-17.3	782	47.6	44.1-51.1
Black or Afr. Am./Non-Hisp	192	301,325	37	20.6	11.0-30.2	53	25.0	15.4-34.6	22	15.4	6.6-24.2	32	17.8	9.8-25.8	48	21.2	13.4-29.0
Oth. Race/Non-Hisp.	61	74,885	9	11.2	2.2-20.2	14	16.1	3.4-28.8	8	17.6	2.1-33.1	9	15.4	1.3-29.5	21	39.7	21.7-57.7
18-24	103	251,274	14	12.8	5.9-19.7	26	26.4	15.8-37.0	20	19.2	9.6-28.8	17	15.9	7.7-24.1	26	25.6	14.4-36.8
25-34	170	368,741	7	4.9	0.0-10.8	30	18.4	10.6-26.2	29	17.2	10.3-24.1	30	17.5	10.6-24.4	74	42.0	33.0-51.0
35-44	218	366,191	21	10.4	5.1-15.7	28	16.8	9.9-23.7	23	11.0	5.3-16.7	28	12.0	6.3-17.7	118	49.9	41.3-58.5
45-54	348	377,982	47	15.0	9.1-20.9	58	12.4	7.9-16.9	23	6.7	3.6-9.8	49	14.1	9.0-19.2	171	51.7	44.4-59.0
55-64	439	363,320	56	14.2	9.3-19.1	70	16.8	11.9-21.7	36	9.5	5.8-13.2	57	12.4	8.5-16.3	220	47.1	40.8-53.4
65+	677	352,167	57	8.3	5.2-11.4	122	21.5	17.0-26.0	112	16.3	12.8-19.8	122	20.1	16.0-24.2	264	33.7	29.2-38.2
Less Than H.S.	210	324,669	70	27.5	18.7-36.3	72	32.9	23.9-41.9	25	13.7	7.4-20.0	23	11.4	5.9-16.9	20	14.5	6.3-22.7
H.S. or G.E.D.	622	710,612	89	12.2	8.5-15.9	145	23.8	18.9-28.7	99	15.9	11.8-20.0	109	15.6	11.9-19.3	180	32.4	27.1-37.7
Some Post-H.S.	449	557,216	30	7.5	4.0-11.0	82	14.9	10.0-19.8	59	13.0	8.5-17.5	91	20.7	15.2-26.2	187	43.9	37.2-50.6
College Graduate	681	494,194	13	1.7	0.5- 2.9	35	4.6	2.4- 6.8	61	8.1	5.0-11.2	82	11.4	7.9-14.9	490	74.2	69.5-78.9
Less than \$15,000	203	226,237	203	100.0	100.0- 100												
\$15,000- 24,999	335	382,654				335	100.0	100.0- 100									
\$25,000- 34,999	245	270,571							245	100.0	100.0- 100						
\$35,000- 49,999	305	319,372										305	100.0	100.0- 100			
\$50,000- 74,999	328	354,978													328	100.0	100.0- 100
\$75,000+	550	537,244													550	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2770	2,102,907	459	15.8	13.4-18.2	643	22.1	19.7-24.5	339	11.8	9.8-13.8	392	15.1	12.9-17.3	937	35.2	32.5-37.9
White/Non-Hisp	2205	1,575,110	331	12.7	10.7-14.7	480	20.2	17.7-22.7	278	12.0	10.0-14.0	318	15.6	13.2-18.0	798	39.6	36.7-42.5
Black or Afr. Am./Non-Hisp	418	381,298	103	27.1	19.1-35.1	122	29.5	22.4-36.6	40	8.7	5.0-12.4	56	14.2	8.9-19.5	97	20.5	15.2-25.8
Oth. Race/Non-Hisp.	52	46,526	12	39.0	4.3-73.7	12	7.6	0.5-14.7	6	6.7	0.0-15.9	6	12.2	0.0-26.3	16	34.5	7.3-61.7
18-24	87	226,096	16	27.5	14.0-41.0	25	26.6	15.2-38.0	9	9.8	0.0-20.0	21	20.8	11.0-30.6	16	15.3	7.1-23.5
25-34	236	371,800	28	12.7	7.4-18.0	63	24.5	17.2-31.8	31	14.1	8.8-19.4	33	14.9	9.2-20.6	81	33.8	26.4-41.2
35-44	309	359,727	40	11.7	7.2-16.2	49	17.0	10.9-23.1	24	7.9	3.0-12.8	52	15.4	10.5-20.3	144	48.0	40.7-55.3
45-54	472	374,109	81	17.2	10.9-23.5	95	20.8	15.7-25.9	46	8.5	5.4-11.6	49	11.8	7.7-15.9	201	41.7	35.4-48.0
55-64	684	363,243	115	13.1	9.8-16.4	126	17.8	13.9-21.7	75	10.1	7.0-13.2	100	16.0	11.7-20.3	268	42.9	37.4-48.4
65+	972	400,834	179	17.0	13.7-20.3	284	27.5	23.8-31.2	153	18.7	15.2-22.2	136	14.3	11.4-17.2	220	22.5	19.0-26.0
Less Than H.S.	295	305,146	130	36.2	27.2-45.2	101	34.8	25.8-43.8	33	14.2	7.5-20.9	13	3.5	1.0- 6.0	18	11.3	4.8-17.8
H.S. or G.E.D.	891	637,590	202	18.1	14.2-22.0	277	27.4	23.1-31.7	125	14.3	10.0-18.6	124	16.7	12.8-20.6	163	23.5	19.4-27.6
Some Post-H.S.	730	666,049	98	14.1	9.4-18.8	185	22.1	17.8-26.4	104	12.5	9.4-15.6	103	16.4	12.5-20.3	240	34.9	29.8-40.0
College Graduate	851	492,629	28	2.3	0.9- 3.7	80	7.4	5.0- 9.8	77	6.1	4.1- 8.1	151	18.5	14.2-22.8	515	65.6	60.9-70.3
Less than \$15,000	459	331,502	459	100.0	100.0- 100												
\$15,000- 24,999	643	465,103				643	100.0	100.0- 100									
\$25,000- 34,999	339	247,262							339	100.0	100.0- 100						
\$35,000- 49,999	392	318,443										392	100.0	100.0- 100			
\$50,000- 74,999	375	300,496													375	100.0	100.0- 100
\$75,000+	562	440,100													562	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 8: TOBACCO USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5709	4,855,601	813	15.9	14.3-17.5	292	6.1	5.1- 7.1	1602	24.8	23.2-26.4	3002	53.3	51.3-55.3
Male	2229	2,321,316	331	17.1	14.7-19.5	115	5.7	4.3- 7.1	810	30.7	28.0-33.4	973	46.5	43.4-49.6
Female	3480	2,534,285	482	14.7	12.9-16.5	177	6.4	5.0- 7.8	792	19.5	17.5-21.5	2029	59.4	56.9-61.9
White/Non-Hisp	4667	3,687,959	678	16.6	15.0-18.2	227	6.0	5.0- 7.0	1369	27.6	25.8-29.4	2393	49.8	47.6-52.0
Black or Afr. Am./Non-Hisp	700	753,202	82	12.6	8.3-16.9	43	6.4	3.5- 9.3	153	16.5	11.8-21.2	422	64.5	58.6-70.4
Oth. Race/Non-Hisp.	121	127,063	22	16.9	7.1-26.7	8	4.4	0.7- 8.1	27	21.1	8.6-33.6	64	57.7	42.8-72.6
MultiRacial/Non-Hisp.	72	81,584	13	29.0	11.0-47.0	7	9.7	0.0-19.7	17	18.5	6.9-30.1	35	42.8	25.9-59.7
Hispanic	76	136,436	5	4.0	0.0- 9.5	3	2.6	0.0- 6.1	11	6.9	1.8-12.0	57	86.5	78.3-94.7
18-24	249	595,969	32	11.4	6.7-16.1	21	7.1	3.6-10.6	21	8.3	4.6-12.0	175	73.2	66.7-79.7
25-34	457	811,830	71	14.6	10.3-18.9	38	8.3	5.2-11.4	84	19.4	14.7-24.1	264	57.6	51.7-63.5
35-44	563	761,694	101	19.6	15.1-24.1	30	5.5	3.1- 7.9	101	19.1	14.6-23.6	331	55.7	50.2-61.2
45-54	926	835,820	197	22.9	19.0-26.8	56	5.8	3.8- 7.8	205	22.6	18.7-26.5	468	48.7	44.2-53.2
55-64	1296	813,582	217	17.0	14.1-19.9	79	6.2	4.2- 8.2	374	31.4	27.7-35.1	626	45.5	41.6-49.4
65+	2165	1,001,755	191	10.0	8.0-12.0	66	3.9	2.7- 5.1	799	40.1	37.2-43.0	1109	46.1	43.2-49.0
Less Than H.S.	638	725,464	160	29.0	23.5-34.5	45	7.4	4.7-10.1	202	29.3	23.8-34.8	231	34.4	28.5-40.3
H.S. or G.E.D.	1849	1,610,807	329	17.8	15.3-20.3	96	6.3	4.5- 8.1	513	24.9	22.2-27.6	911	50.9	47.4-54.4
Some Post-H.S.	1436	1,422,093	205	14.8	12.1-17.5	97	7.3	5.3- 9.3	420	23.3	20.2-26.4	714	54.6	50.7-58.5
College Graduate	1769	1,087,166	113	5.2	3.8- 6.6	54	3.2	2.0- 4.4	463	23.9	21.0-26.8	1139	67.7	64.6-70.8
Less than \$15,000	640	547,252	158	26.3	20.6-32.0	50	7.2	4.5- 9.9	164	23.8	17.7-29.9	268	42.7	35.8-49.6
\$15,000- 24,999	955	810,990	214	24.6	20.1-29.1	68	9.3	6.4-12.2	258	22.2	18.5-25.9	415	43.9	38.8-49.0
\$25,000- 34,999	563	500,341	94	18.2	13.5-22.9	25	4.7	2.0- 7.4	185	26.1	21.2-31.0	259	51.1	44.6-57.6
\$35,000- 49,999	682	620,925	83	12.3	8.8-15.8	29	4.8	2.3- 7.3	197	25.2	20.7-29.7	373	57.7	52.2-63.2
\$50,000- 74,999	686	625,853	79	11.3	8.4-14.2	25	4.6	2.4- 6.8	211	30.5	25.4-35.6	371	53.6	48.1-59.1
\$75,000+	1091	961,029	77	9.8	6.7-12.9	35	3.8	2.2- 5.4	298	25.3	21.8-28.8	681	61.1	56.8-65.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2229	2,321,316	331	17.1	14.7-19.5	115	5.7	4.3- 7.1	810	30.7	28.0-33.4	973	46.5	43.4-49.6
White/Non-Hisp	1859	1,765,571	270	17.1	14.6-19.6	90	5.4	4.0- 6.8	700	34.2	31.3-37.1	799	43.2	39.9-46.5
Black or Afr. Am./Non-Hisp	210	320,364	32	15.3	7.9-22.7	15	8.2	2.5-13.9	66	20.9	12.7-29.1	97	55.6	45.2-66.0
Oth. Race/Non-Hisp.	66	79,146	10	15.4	3.1-27.7	4	3.1	0.0- 7.0	21	25.0	10.3-39.7	31	56.5	39.6-73.4
18-24	130	302,378	16	11.4	5.1-17.7	10	6.3	1.4-11.2	15	10.4	4.7-16.1	89	71.9	62.9-80.9
25-34	187	394,050	25	15.7	8.6-22.8	16	9.5	4.6-14.4	41	23.0	15.0-31.0	105	51.9	42.9-60.9
35-44	227	371,580	41	22.4	15.3-29.5	14	5.5	1.8- 9.2	47	22.5	15.1-29.9	125	49.6	41.2-58.0
45-54	377	407,467	81	22.8	16.7-28.9	23	4.4	2.2- 6.6	104	26.6	20.7-32.5	169	46.2	39.1-53.3
55-64	487	386,540	86	19.6	14.5-24.7	30	5.4	2.9- 7.9	191	40.1	34.2-46.0	180	34.8	29.1-40.5
65+	799	439,951	79	10.6	7.5-13.7	21	3.0	1.4- 4.6	404	53.9	49.2-58.6	295	32.4	28.1-36.7
Less Than H.S.	246	357,000	73	30.3	22.3-38.3	19	6.7	2.8-10.6	98	33.6	25.4-41.8	56	29.4	20.4-38.4
H.S. or G.E.D.	704	801,486	136	19.1	15.0-23.2	43	6.7	4.0- 9.4	263	32.9	28.2-37.6	262	41.3	36.0-46.6
Some Post-H.S.	516	628,507	80	17.1	12.2-22.0	29	6.2	3.3- 9.1	196	27.2	22.1-32.3	211	49.5	43.2-55.8
College Graduate	754	528,112	38	4.5	2.3- 6.7	24	3.0	1.6- 4.4	251	29.7	25.2-34.2	441	62.8	57.9-67.7
Less than \$15,000	197	221,612	56	26.2	17.2-35.2	20	7.7	3.4-12.0	61	29.1	18.5-39.7	60	37.0	26.2-47.8
\$15,000- 24,999	326	363,839	82	30.1	22.3-37.9	26	10.2	4.9-15.5	120	28.2	21.5-34.9	98	31.4	23.6-39.2
\$25,000- 34,999	238	261,862	42	17.9	11.0-24.8	8	4.9	0.6- 9.2	92	27.3	20.2-34.4	96	49.9	40.5-59.3
\$35,000- 49,999	298	309,037	39	14.9	9.4-20.4	13	4.5	1.0- 8.0	110	29.4	22.3-36.5	136	51.2	43.0-59.4
\$50,000- 74,999	322	345,192	35	9.2	5.5-12.9	10	3.6	0.9- 6.3	125	37.5	29.9-45.1	152	49.7	41.9-57.5
\$75,000+	537	526,719	38	11.3	6.4-16.2	18	4.4	1.9- 6.9	187	31.1	25.6-36.6	294	53.1	46.8-59.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3480	2,534,285	482	14.7	12.9-16.5	177	6.4	5.0- 7.8	792	19.5	17.5-21.5	2029	59.4	56.9-61.9
White/Non-Hisp	2808	1,922,389	408	16.2	14.0-18.4	137	6.6	5.2- 8.0	669	21.5	19.3-23.7	1594	55.8	53.1-58.5
Black or Afr. Am./Non-Hisp	490	432,838	50	10.6	5.7-15.5	28	5.0	2.1- 7.9	87	13.3	8.0-18.6	325	71.0	64.1-77.9
Oth. Race/Non-Hisp.	55	47,916	12	19.2	2.5-35.9	4	6.4	0.0-14.2	6	14.7	0.0-37.4	33	59.7	31.9-87.5
18-24	119	293,591	16	11.4	4.5-18.3	11	8.0	2.9-13.1	6	6.0	1.1-10.9	86	74.6	65.4-83.8
25-34	270	417,781	46	13.7	9.0-18.4	22	7.3	3.4-11.2	43	16.0	10.9-21.1	159	63.1	56.0-70.2
35-44	336	390,114	60	17.0	11.5-22.5	16	5.5	2.4- 8.6	54	15.9	11.2-20.6	206	61.6	54.7-68.5
45-54	549	428,354	116	22.9	17.8-28.0	33	7.2	4.1-10.3	101	18.8	13.5-24.1	299	51.1	45.0-57.2
55-64	809	427,042	131	14.5	11.4-17.6	49	7.0	4.3- 9.7	183	23.4	18.9-27.9	446	55.1	50.2-60.0
65+	1366	561,805	112	9.5	7.1-11.9	45	4.5	2.7- 6.3	395	29.2	25.9-32.5	814	56.9	53.2-60.6
Less Than H.S.	392	368,464	87	27.7	20.4-35.0	26	8.1	4.2-12.0	104	25.0	17.9-32.1	175	39.2	31.6-46.8
H.S. or G.E.D.	1145	809,321	193	16.6	13.5-19.7	53	5.9	3.7- 8.1	250	17.1	14.4-19.8	649	60.4	56.3-64.5
Some Post-H.S.	920	793,587	125	12.9	10.0-15.8	68	8.3	5.6-11.0	224	20.1	16.6-23.6	503	58.7	54.0-63.4
College Graduate	1015	559,054	75	5.9	4.1- 7.7	30	3.3	1.5- 5.1	212	18.4	15.1-21.7	698	72.3	68.4-76.2
Less than \$15,000	443	325,640	102	26.3	18.9-33.7	30	6.9	3.4-10.4	103	20.2	13.1-27.3	208	46.6	37.8-55.4
\$15,000- 24,999	629	447,151	132	20.0	15.1-24.9	42	8.6	5.3-11.9	138	17.3	13.4-21.2	317	54.1	48.0-60.2
\$25,000- 34,999	325	238,479	52	18.4	11.9-24.9	17	4.5	1.4- 7.6	93	24.7	17.8-31.6	163	52.4	43.4-61.4
\$35,000- 49,999	384	311,888	44	9.7	5.4-14.0	16	5.1	1.6- 8.6	87	21.0	15.3-26.7	237	64.2	57.1-71.3
\$50,000- 74,999	364	280,661	44	13.8	8.9-18.7	15	5.8	2.1- 9.5	86	22.0	15.5-28.5	219	58.4	51.0-65.8
\$75,000+	554	434,310	39	8.0	4.7-11.3	17	3.1	0.9- 5.3	111	18.1	13.8-22.4	387	70.8	65.5-76.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5709	4,855,601	4604	78.1	76.3-79.9	1105	21.9	20.1-23.7
Male	2229	2,321,316	1783	77.2	74.7-79.7	446	22.8	20.3-25.3
Female	3480	2,534,285	2821	78.9	76.7-81.1	659	21.1	18.9-23.3
White/Non-Hisp	4667	3,687,959	3762	77.3	75.5-79.1	905	22.7	20.9-24.5
Black or Afr. Am./Non-Hisp	700	753,202	575	81.0	76.1-85.9	125	19.0	14.1-23.9
Oth. Race/Non-Hisp.	121	127,063	91	78.8	68.2-89.4	30	21.2	10.6-31.8
MultiRacial/Non-Hisp.	72	81,584	52	61.3	43.3-79.3	20	38.7	20.7-56.7
Hispanic	76	136,436	68	93.4	86.9-99.9	8	6.6	0.1-13.1
18-24	249	595,969	196	81.5	75.8-87.2	53	18.5	12.8-24.2
25-34	457	811,830	348	77.0	72.1-81.9	109	23.0	18.1-27.9
35-44	563	761,694	432	74.9	70.0-79.8	131	25.1	20.2-30.0
45-54	926	835,820	673	71.3	67.2-75.4	253	28.7	24.6-32.8
55-64	1296	813,582	1000	76.8	73.5-80.1	296	23.2	19.9-26.5
65+	2165	1,001,755	1908	86.2	84.0-88.4	257	13.8	11.6-16.0
Less Than H.S.	638	725,464	433	63.6	57.9-69.3	205	36.4	30.7-42.1
H.S. or G.E.D.	1849	1,610,807	1424	75.9	73.0-78.8	425	24.1	21.2-27.0
Some Post-H.S.	1436	1,422,093	1134	77.9	74.8-81.0	302	22.1	19.0-25.2
College Graduate	1769	1,087,166	1602	91.6	89.8-93.4	167	8.4	6.6-10.2
Less than \$15,000	640	547,252	432	66.5	60.4-72.6	208	33.5	27.4-39.6
\$15,000- 24,999	955	810,990	673	66.1	61.2-71.0	282	33.9	29.0-38.8
\$25,000- 34,999	563	500,341	444	77.2	71.9-82.5	119	22.8	17.5-28.1
\$35,000- 49,999	682	620,925	570	82.9	78.8-87.0	112	17.1	13.0-21.2
\$50,000- 74,999	686	625,853	582	84.1	80.4-87.8	104	15.9	12.2-19.6
\$75,000+	1091	961,029	979	86.4	83.1-89.7	112	13.6	10.3-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 8: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2229	2,321,316	1783	77.2	74.7-79.7	446	22.8	20.3-25.3
White/Non-Hisp	1859	1,765,571	1499	77.5	74.8-80.2	360	22.5	19.8-25.2
Black or Afr. Am./Non-Hisp	210	320,364	163	76.5	67.7-85.3	47	23.5	14.7-32.3
Oth. Race/Non-Hisp.	66	79,146	52	81.5	68.8-94.2	14	18.5	5.8-31.2
18-24	130	302,378	104	82.4	74.8-90.0	26	17.6	10.0-25.2
25-34	187	394,050	146	74.8	66.8-82.8	41	25.2	17.2-33.2
35-44	227	371,580	172	72.1	64.7-79.5	55	27.9	20.5-35.3
45-54	377	407,467	273	72.8	66.5-79.1	104	27.2	20.9-33.5
55-64	487	386,540	371	75.0	69.5-80.5	116	25.0	19.5-30.5
65+	799	439,951	699	86.4	83.1-89.7	100	13.6	10.3-16.9
Less Than H.S.	246	357,000	154	63.0	54.6-71.4	92	37.0	28.6-45.4
H.S. or G.E.D.	704	801,486	525	74.2	69.7-78.7	179	25.8	21.3-30.3
Some Post-H.S.	516	628,507	407	76.7	71.4-82.0	109	23.3	18.0-28.6
College Graduate	754	528,112	692	92.5	90.0-95.0	62	7.5	5.0-10.0
Less than \$15,000	197	221,612	121	66.1	56.5-75.7	76	33.9	24.3-43.5
\$15,000- 24,999	326	363,839	218	59.6	51.4-67.8	108	40.4	32.2-48.6
\$25,000- 34,999	238	261,862	188	77.2	69.6-84.8	50	22.8	15.2-30.4
\$35,000- 49,999	298	309,037	246	80.6	74.3-86.9	52	19.4	13.1-25.7
\$50,000- 74,999	322	345,192	277	87.1	82.6-91.6	45	12.9	8.4-17.4
\$75,000+	537	526,719	481	84.3	79.0-89.6	56	15.7	10.4-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 8: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3480	2,534,285	2821	78.9	76.7-81.1	659	21.1	18.9-23.3
White/Non-Hisp	2808	1,922,389	2263	77.2	74.8-79.6	545	22.8	20.4-25.2
Black or Afr. Am./Non-Hisp	490	432,838	412	84.3	78.8-89.8	78	15.7	10.2-21.2
Oth. Race/Non-Hisp.	55	47,916	39	74.3	54.9-93.7	16	25.7	6.3-45.1
18-24	119	293,591	92	80.6	72.4-88.8	27	19.4	11.2-27.6
25-34	270	417,781	202	79.1	73.2-85.0	68	20.9	15.0-26.8
35-44	336	390,114	260	77.5	71.4-83.6	76	22.5	16.4-28.6
45-54	549	428,354	400	69.9	64.4-75.4	149	30.1	24.6-35.6
55-64	809	427,042	629	78.5	74.6-82.4	180	21.5	17.6-25.4
65+	1366	561,805	1209	86.0	83.1-88.9	157	14.0	11.1-16.9
Less Than H.S.	392	368,464	279	64.2	56.6-71.8	113	35.8	28.2-43.4
H.S. or G.E.D.	1145	809,321	899	77.5	74.0-81.0	246	22.5	19.0-26.0
Some Post-H.S.	920	793,587	727	78.8	75.1-82.5	193	21.2	17.5-24.9
College Graduate	1015	559,054	910	90.7	88.2-93.2	105	9.3	6.8-11.8
Less than \$15,000	443	325,640	311	66.8	59.0-74.6	132	33.2	25.4-41.0
\$15,000- 24,999	629	447,151	455	71.4	65.9-76.9	174	28.6	23.1-34.1
\$25,000- 34,999	325	238,479	256	77.1	70.0-84.2	69	22.9	15.8-30.0
\$35,000- 49,999	384	311,888	324	85.2	79.9-90.5	60	14.8	9.5-20.1
\$50,000- 74,999	364	280,661	305	80.4	74.5-86.3	59	19.6	13.7-25.5
\$75,000+	554	434,310	498	88.9	85.0-92.8	56	11.1	7.2-15.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 9: ALCOHOL CONSUMPTION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	96
2 MALES ONLY	97
3 FEMALES ONLY	98
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	99
5 MALES ONLY	100
6 FEMALES ONLY	101
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	102
8 MALES ONLY	103
9 FEMALES ONLY	104
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	105
11 MALES ONLY	106
12 FEMALES ONLY	107
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	108
14 MALES ONLY	109
15 FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5647	4,795,808	1929	40.6	38.6-42.6	3718	59.4	57.4-61.4
Male	2192	2,280,594	938	46.6	43.5-49.7	1254	53.4	50.3-56.5
Female	3455	2,515,214	991	35.3	32.8-37.8	2464	64.7	62.2-67.2
White/Non-Hisp	4621	3,647,123	1599	41.3	39.1-43.5	3022	58.7	56.5-60.9
Black or Afr. Am./Non-Hisp	685	741,116	222	42.1	36.0-48.2	463	57.9	51.8-64.0
Oth. Race/Non-Hisp.	124	129,742	39	28.8	16.6-41.0	85	71.2	59.0-83.4
MultiRacial/Non-Hisp.	72	81,584	21	47.9	30.3-65.5	51	52.1	34.5-69.7
Hispanic	75	128,620	28	30.7	16.8-44.6	47	69.3	55.4-83.2
18-24	247	582,485	107	44.9	37.1-52.7	140	55.1	47.3-62.9
25-34	448	802,164	234	56.4	50.5-62.3	214	43.6	37.7-49.5
35-44	556	755,890	242	44.8	39.3-50.3	314	55.2	49.7-60.7
45-54	909	821,648	355	41.8	37.1-46.5	554	58.2	53.5-62.9
55-64	1284	807,728	450	36.0	32.3-39.7	834	64.0	60.3-67.7
65+	2153	993,511	531	25.7	23.2-28.2	1622	74.3	71.8-76.8
Less Than H.S.	627	718,041	100	27.6	21.5-33.7	527	72.4	66.3-78.5
H.S. or G.E.D.	1824	1,581,896	437	34.4	30.9-37.9	1387	65.6	62.1-69.1
Some Post-H.S.	1426	1,405,532	513	42.6	38.7-46.5	913	57.4	53.5-61.3
College Graduate	1753	1,079,085	874	55.9	52.6-59.2	879	44.1	40.8-47.4
Less than \$15,000	630	539,234	118	27.6	20.9-34.3	512	72.4	65.7-79.1
\$15,000- 24,999	940	795,045	234	34.6	29.5-39.7	706	65.4	60.3-70.5
\$25,000- 34,999	558	497,133	189	43.5	37.0-50.0	369	56.5	50.0-63.0
\$35,000- 49,999	675	619,620	228	41.0	35.5-46.5	447	59.0	53.5-64.5
\$50,000- 74,999	683	618,694	297	45.9	40.4-51.4	386	54.1	48.6-59.6
\$75,000+	1082	954,302	604	56.8	52.5-61.1	478	43.2	38.9-47.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2192	2,280,594	938	46.6	43.5-49.7	1254	53.4	50.3-56.5
White/Non-Hisp	1827	1,735,064	793	47.6	44.3-50.9	1034	52.4	49.1-55.7
Black or Afr. Am./Non-Hisp	206	315,846	85	47.6	37.0-58.2	121	52.4	41.8-63.0
Oth. Race/Non-Hisp.	66	79,146	25	34.5	18.8-50.2	41	65.5	49.8-81.2
18-24	128	292,853	64	49.8	39.0-60.6	64	50.2	39.4-61.0
25-34	182	390,594	106	59.4	50.4-68.4	76	40.6	31.6-49.6
35-44	223	364,824	123	52.2	43.6-60.8	100	47.8	39.2-56.4
45-54	368	398,805	158	43.6	36.5-50.7	210	56.4	49.3-63.5
55-64	481	382,969	219	44.1	38.0-50.2	262	55.9	49.8-62.0
65+	789	433,946	263	33.5	28.8-38.2	526	66.5	61.8-71.2
Less Than H.S.	239	352,468	59	32.9	23.9-41.9	180	67.1	58.1-76.1
H.S. or G.E.D.	686	780,831	244	43.4	38.1-48.7	442	56.6	51.3-61.9
Some Post-H.S.	511	618,683	213	46.8	40.5-53.1	298	53.2	46.9-59.5
College Graduate	748	523,069	419	59.8	54.9-64.7	329	40.2	35.3-45.1
Less than \$15,000	192	218,371	47	27.5	17.5-37.5	145	72.5	62.5-82.5
\$15,000- 24,999	316	358,241	114	46.3	37.9-54.7	202	53.7	45.3-62.1
\$25,000- 34,999	236	259,235	92	45.2	35.8-54.6	144	54.8	45.4-64.2
\$35,000- 49,999	295	306,954	102	36.3	28.5-44.1	193	63.7	55.9-71.5
\$50,000- 74,999	319	337,857	165	56.0	48.2-63.8	154	44.0	36.2-51.8
\$75,000+	532	524,086	318	60.8	54.9-66.7	214	39.2	33.3-45.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3455	2,515,214	991	35.3	32.8-37.8	2464	64.7	62.2-67.2
White/Non-Hisp	2794	1,912,059	806	35.6	32.9-38.3	1988	64.4	61.7-67.1
Black or Afr. Am./Non-Hisp	479	425,270	137	38.0	30.7-45.3	342	62.0	54.7-69.3
Oth. Race/Non-Hisp.	58	50,596	14	20.0	3.5-36.5	44	80.0	63.5-96.5
18-24	119	289,632	43	40.0	28.8-51.2	76	60.0	48.8-71.2
25-34	266	411,570	128	53.5	46.1-60.9	138	46.5	39.1-53.9
35-44	333	391,066	119	37.8	30.7-44.9	214	62.2	55.1-69.3
45-54	541	422,844	197	40.1	34.0-46.2	344	59.9	53.8-66.0
55-64	803	424,759	231	28.6	24.1-33.1	572	71.4	66.9-75.9
65+	1364	559,565	268	19.7	17.0-22.4	1096	80.3	77.6-83.0
Less Than H.S.	388	365,573	41	22.4	14.4-30.4	347	77.6	69.6-85.6
H.S. or G.E.D.	1138	801,066	193	25.5	21.2-29.8	945	74.5	70.2-78.8
Some Post-H.S.	915	786,849	300	39.3	34.4-44.2	615	60.7	55.8-65.6
College Graduate	1005	556,016	455	52.2	47.7-56.7	550	47.8	43.3-52.3
Less than \$15,000	438	320,864	71	27.7	19.1-36.3	367	72.3	63.7-80.9
\$15,000- 24,999	624	436,804	120	25.0	19.1-30.9	504	75.0	69.1-80.9
\$25,000- 34,999	322	237,898	97	41.7	32.5-50.9	225	58.3	49.1-67.5
\$35,000- 49,999	380	312,666	126	45.7	38.3-53.1	254	54.3	46.9-61.7
\$50,000- 74,999	364	280,837	132	33.7	26.6-40.8	232	66.3	59.2-73.4
\$75,000+	550	430,216	286	52.0	46.1-57.9	264	48.0	42.1-53.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5647	4,795,808	1162	25.3	23.5-27.1	386	8.4	7.2- 9.6	135	2.5	1.9- 3.1	246	4.4	3.6- 5.2	3718	59.4	57.4-61.4
Male	2192	2,280,594	508	26.0	23.3-28.7	205	11.1	8.9-13.3	71	3.2	2.0- 4.4	154	6.3	4.9- 7.7	1254	53.4	50.3-56.5
Female	3455	2,515,214	654	24.8	22.4-27.2	181	6.0	4.8- 7.2	64	1.9	1.3- 2.5	92	2.6	1.6- 3.6	2464	64.7	62.2-67.2
White/Non-Hisp	4621	3,647,123	935	25.0	23.0-27.0	327	8.4	7.0- 9.8	123	2.9	2.1- 3.7	214	4.9	3.9- 5.9	3022	58.7	56.5-60.9
Black or Afr. Am./Non-Hisp	685	741,116	160	30.2	24.3-36.1	40	8.6	5.3-11.9	7	1.6	0.0- 3.4	15	1.8	0.4- 3.2	463	57.9	51.8-64.0
Oth. Race/Non-Hisp.	124	129,742	25	19.3	9.1-29.5	6	4.2	0.0- 8.9	1	0.2	0.0- 0.6	7	5.1	0.0-10.8	85	71.2	59.0-83.4
MultiRacial/Non-Hisp.	72	81,584	12	17.4	4.9-29.9	6	19.8	2.2-37.4	1	2.8	0.0- 8.3	2	7.9	0.0-18.3	51	52.1	34.5-69.7
Hispanic	75	128,620	22	26.9	13.6-40.2	2	2.3	0.0- 6.2	1	0.3	0.0- 0.9	3	1.2	0.0- 2.8	47	69.3	55.4-83.2
18-24	247	582,485	71	28.8	21.9-35.7	24	10.5	5.2-15.8	9	3.2	0.7- 5.7	3	2.4	0.0- 5.3	140	55.1	47.3-62.9
25-34	448	802,164	153	38.2	32.5-43.9	54	12.0	8.3-15.7	11	2.7	0.7- 4.7	16	3.5	1.3- 5.7	214	43.6	37.7-49.5
35-44	556	755,890	167	31.5	26.4-36.6	44	7.5	4.6-10.4	15	2.3	0.7- 3.9	16	3.4	1.2- 5.6	314	55.2	49.7-60.7
45-54	909	821,648	222	25.3	21.2-29.4	71	8.9	5.8-12.0	27	3.7	1.9- 5.5	35	3.9	2.3- 5.5	554	58.2	53.5-62.9
55-64	1284	807,728	252	19.5	16.4-22.6	102	8.5	6.3-10.7	32	1.7	0.9- 2.5	64	6.3	4.3- 8.3	834	64.0	60.3-67.7
65+	2153	993,511	290	13.6	11.6-15.6	89	4.3	3.1- 5.5	41	2.0	1.0- 3.0	111	5.9	4.3- 7.5	1622	74.3	71.8-76.8
Less Than H.S.	627	718,041	66	17.2	12.1-22.3	15	5.6	1.7- 9.5	3	0.8	0.0- 1.8	16	3.9	1.5- 6.3	527	72.4	66.3-78.5
H.S. or G.E.D.	1824	1,581,896	291	23.3	20.2-26.4	70	5.2	3.4- 7.0	23	1.7	0.7- 2.7	53	4.1	2.5- 5.7	1387	65.6	62.1-69.1
Some Post-H.S.	1426	1,405,532	322	26.9	23.4-30.4	98	8.9	6.5-11.3	30	2.8	1.4- 4.2	63	4.0	2.6- 5.4	913	57.4	53.5-61.3
College Graduate	1753	1,079,085	481	31.7	28.4-35.0	203	14.2	11.8-16.6	78	4.5	3.1- 5.9	112	5.5	4.1- 6.9	879	44.1	40.8-47.4
Less than \$15,000	630	539,234	84	19.7	13.6-25.8	15	4.9	1.6- 8.2	5	0.4	0.0- 1.0	14	2.6	0.6- 4.6	512	72.4	65.7-79.1
\$15,000- 24,999	940	795,045	155	22.0	17.3-26.7	43	7.5	4.4-10.6	10	1.7	0.1- 3.3	26	3.5	1.3- 5.7	706	65.4	60.3-70.5
\$25,000- 34,999	558	497,133	119	30.1	23.8-36.4	27	5.7	3.0- 8.4	15	2.1	0.9- 3.3	28	5.6	2.9- 8.3	369	56.5	50.0-63.0
\$35,000- 49,999	675	619,620	146	27.5	22.4-32.6	41	6.6	3.9- 9.3	15	2.7	0.7- 4.7	26	4.2	1.7- 6.7	447	59.0	53.5-64.5
\$50,000- 74,999	683	618,694	179	28.9	23.8-34.0	61	7.8	5.3-10.3	20	4.3	1.6- 7.0	37	4.8	2.6- 7.0	386	54.1	48.6-59.6
\$75,000+	1082	954,302	316	29.2	25.3-33.1	150	16.6	12.7-20.5	54	3.8	2.4- 5.2	84	7.1	4.9- 9.3	478	43.2	38.9-47.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2192	2,280,594	508	26.0	23.3-28.7	205	11.1	8.9-13.3	71	3.2	2.0- 4.4	154	6.3	4.9- 7.7	1254	53.4	50.3-56.5
White/Non-Hisp	1827	1,735,064	419	25.7	22.8-28.6	176	11.4	9.0-13.8	65	3.6	2.4- 4.8	133	6.9	5.3- 8.5	1034	52.4	49.1-55.7
Black or Afr. Am./Non-Hisp	206	315,846	54	31.4	21.4-41.4	18	10.2	4.5-15.9	3	2.8	0.0- 6.7	10	3.2	0.3- 6.1	121	52.4	41.8-63.0
Oth. Race/Non-Hisp.	66	79,146	16	21.3	8.0-34.6	4	6.2	0.0-13.6				5	7.0	0.0-15.6	41	65.5	49.8-81.2
18-24	128	292,853	37	26.5	17.7-35.3	19	15.9	6.9-24.9	6	4.9	0.2- 9.6	2	2.5	0.0- 5.8	64	50.2	39.4-61.0
25-34	182	390,594	64	37.2	28.4-46.0	29	14.9	8.8-21.0	5	3.3	0.0- 6.8	8	4.0	1.1- 6.9	76	40.6	31.6-49.6
35-44	223	364,824	75	32.8	25.2-40.4	30	11.7	6.0-17.4	6	1.5	0.1- 2.9	12	6.3	2.0-10.6	100	47.8	39.2-56.4
45-54	368	398,805	87	22.9	17.0-28.8	33	10.0	4.9-15.1	13	4.9	2.0- 7.8	25	5.8	3.1- 8.5	210	56.4	49.3-63.5
55-64	481	382,969	114	22.6	17.5-27.7	49	10.2	6.9-13.5	18	2.2	0.8- 3.6	38	9.2	5.5-12.9	262	55.9	49.8-62.0
65+	789	433,946	128	16.1	12.6-19.6	44	5.3	3.1- 7.5	23	2.9	1.1- 4.7	68	9.3	6.2-12.4	526	66.5	61.8-71.2
Less Than H.S.	239	352,468	39	18.5	11.6-25.4	9	8.1	1.2-15.0	1	0.6	0.0- 1.8	10	5.7	1.4-10.0	180	67.1	58.1-76.1
H.S. or G.E.D.	686	780,831	152	27.8	22.9-32.7	41	7.4	4.1-10.7	14	2.3	0.5- 4.1	37	5.9	3.5- 8.3	442	56.6	51.3-61.9
Some Post-H.S.	511	618,683	113	25.3	19.6-31.0	45	11.1	6.8-15.4	17	4.5	1.8- 7.2	38	5.9	3.5- 8.3	298	53.2	46.9-59.5
College Graduate	748	523,069	203	28.6	24.1-33.1	110	18.5	14.4-22.6	38	4.8	2.6- 7.0	68	7.9	5.4-10.4	329	40.2	35.3-45.1
Less than \$15,000	192	218,371	32	18.8	9.6-28.0	4	3.2	0.0- 6.7	3	0.3	0.0- 0.7	8	5.2	0.7- 9.7	145	72.5	62.5-82.5
\$15,000- 24,999	316	358,241	65	25.6	17.8-33.4	25	13.0	6.7-19.3	7	2.8	0.0- 6.1	17	4.9	1.4- 8.4	202	53.7	45.3-62.1
\$25,000- 34,999	236	259,235	57	32.0	23.0-41.0	13	5.1	2.0- 8.2	8	2.4	0.6- 4.2	14	5.7	1.8- 9.6	144	54.8	45.4-64.2
\$35,000- 49,999	295	306,954	60	23.5	16.6-30.4	18	6.6	2.5-10.7	5	1.3	0.0- 2.7	19	4.8	1.9- 7.7	193	63.7	55.9-71.5
\$50,000- 74,999	319	337,857	84	33.4	26.0-40.8	40	10.0	5.9-14.1	14	5.9	1.4-10.4	27	6.7	3.2-10.2	154	44.0	36.2-51.8
\$75,000+	532	524,086	153	26.0	20.9-31.1	80	20.2	13.9-26.5	29	4.5	2.3- 6.7	56	10.1	6.6-13.6	214	39.2	33.3-45.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3455	2,515,214	654	24.8	22.4-27.2	181	6.0	4.8- 7.2	64	1.9	1.3- 2.5	92	2.6	1.6- 3.6	2464	64.7	62.2-67.2
White/Non-Hisp	2794	1,912,059	516	24.4	21.9-26.9	151	5.7	4.3- 7.1	58	2.3	1.5- 3.1	81	3.1	1.9- 4.3	1988	64.4	61.7-67.1
Black or Afr. Am./Non-Hisp	479	425,270	106	29.2	22.1-36.3	22	7.4	3.3-11.5	4	0.7	0.0- 1.5	5	0.7	0.1- 1.3	342	62.0	54.7-69.3
Oth. Race/Non-Hisp.	58	50,596	9	16.1	1.0-31.2	2	1.1	0.0- 3.1	1	0.5	0.0- 1.7	2	2.2	0.0- 6.5	44	80.0	63.5-96.5
18-24	119	289,632	34	31.1	20.7-41.5	5	5.0	0.1- 9.9	3	1.5	0.0- 3.3	1	2.4	0.0- 6.9	76	60.0	48.8-71.2
25-34	266	411,570	89	39.1	31.7-46.5	25	9.3	5.2-13.4	6	2.2	0.0- 4.4	8	3.0	0.1- 5.9	138	46.5	39.1-53.9
35-44	333	391,066	92	30.4	23.5-37.3	14	3.6	1.2- 6.0	9	3.1	0.4- 5.8	4	0.8	0.0- 1.6	214	62.2	55.1-69.3
45-54	541	422,844	135	27.5	21.6-33.4	38	7.9	4.4-11.4	14	2.5	0.7- 4.3	10	2.2	0.6- 3.8	344	59.9	53.8-66.0
55-64	803	424,759	138	16.6	12.9-20.3	53	7.1	4.6- 9.6	14	1.2	0.4- 2.0	26	3.7	1.7- 5.7	572	71.4	66.9-75.9
65+	1364	559,565	162	11.7	9.3-14.1	45	3.5	2.1- 4.9	18	1.2	0.6- 1.8	43	3.2	2.0- 4.4	1096	80.3	77.6-83.0
Less Than H.S.	388	365,573	27	16.0	8.4-23.6	6	3.2	0.0- 6.5	2	1.0	0.0- 2.8	6	2.2	0.2- 4.2	347	77.6	69.6-85.6
H.S. or G.E.D.	1138	801,066	139	18.9	15.0-22.8	29	3.2	1.6- 4.8	9	1.2	0.2- 2.2	16	2.3	0.1- 4.5	945	74.5	70.2-78.8
Some Post-H.S.	915	786,849	209	28.1	23.4-32.8	53	7.2	4.5- 9.9	13	1.5	0.5- 2.5	25	2.6	1.2- 4.0	615	60.7	55.8-65.6
College Graduate	1005	556,016	278	34.6	29.9-39.3	93	10.2	7.7-12.7	40	4.2	2.2- 6.2	44	3.3	2.1- 4.5	550	47.8	43.3-52.3
Less than \$15,000	438	320,864	52	20.3	12.3-28.3	11	6.0	0.9-11.1	2	0.5	0.0- 1.3	6	0.9	0.0- 1.9	367	72.3	63.7-80.9
\$15,000- 24,999	624	436,804	90	19.0	13.7-24.3	18	3.0	1.0- 5.0	3	0.7	0.0- 1.7	9	2.3	0.0- 4.8	504	75.0	69.1-80.9
\$25,000- 34,999	322	237,898	62	28.1	19.5-36.7	14	6.4	2.1-10.7	7	1.7	0.1- 3.3	14	5.5	1.6- 9.4	225	58.3	49.1-67.5
\$35,000- 49,999	380	312,666	86	31.3	24.0-38.6	23	6.7	3.0-10.4	10	4.1	0.6- 7.6	7	3.6	0.0- 7.9	254	54.3	46.9-61.7
\$50,000- 74,999	364	280,837	95	23.6	17.1-30.1	21	5.2	2.5- 7.9	6	2.4	0.0- 4.9	10	2.5	0.7- 4.3	232	66.3	59.2-73.4
\$75,000+	550	430,216	163	33.2	27.5-38.9	70	12.2	8.3-16.1	25	3.1	1.5- 4.7	28	3.5	1.5- 5.5	264	48.0	42.1-53.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5610	4,755,187	5213	89.7	88.3-91.1	397	10.3	8.9-11.7
Male	2171	2,250,681	1940	86.0	83.6-88.4	231	14.0	11.6-16.4
Female	3439	2,504,506	3273	93.0	91.6-94.4	166	7.0	5.6- 8.4
White/Non-Hisp	4594	3,621,734	4270	89.3	87.7-90.9	324	10.7	9.1-12.3
Black or Afr. Am./Non-Hisp	677	731,048	632	92.7	89.8-95.6	45	7.3	4.4-10.2
Oth. Race/Non-Hisp.	123	128,339	115	93.4	87.1-99.7	8	6.6	0.3-12.9
MultiRacial/Non-Hisp.	71	77,823	64	71.0	51.8-90.2	7	29.0	9.8-48.2
Hispanic	75	128,620	66	86.9	76.7-97.1	9	13.1	2.9-23.3
18-24	244	576,527	201	80.6	74.1-87.1	43	19.4	12.9-25.9
25-34	448	802,164	360	80.0	75.3-84.7	88	20.0	15.3-24.7
35-44	554	749,262	497	91.0	88.1-93.9	57	9.0	6.1-11.9
45-54	901	815,289	813	90.0	87.1-92.9	88	10.0	7.1-12.9
55-64	1276	803,957	1206	94.7	92.9-96.5	70	5.3	3.5- 7.1
65+	2137	975,607	2086	97.2	96.2-98.2	51	2.8	1.8- 3.8
Less Than H.S.	618	704,243	591	92.8	88.9-96.7	27	7.2	3.3-11.1
H.S. or G.E.D.	1812	1,568,445	1694	88.4	85.7-91.1	118	11.6	8.9-14.3
Some Post-H.S.	1419	1,396,962	1317	90.6	88.2-93.0	102	9.4	7.0-11.8
College Graduate	1744	1,074,283	1597	88.6	86.2-91.0	147	11.4	9.0-13.8
Less than \$15,000	626	527,688	591	94.3	91.4-97.2	35	5.7	2.8- 8.6
\$15,000- 24,999	933	787,522	880	89.8	86.3-93.3	53	10.2	6.7-13.7
\$25,000- 34,999	553	493,147	503	87.9	84.0-91.8	50	12.1	8.2-16.0
\$35,000- 49,999	672	615,903	623	90.1	86.2-94.0	49	9.9	6.0-13.8
\$50,000- 74,999	681	617,491	629	89.1	85.4-92.8	52	10.9	7.2-14.6
\$75,000+	1077	950,745	951	83.8	79.9-87.7	126	16.2	12.3-20.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2171	2,250,681	1940	86.0	83.6-88.4	231	14.0	11.6-16.4
White/Non-Hisp	1812	1,716,870	1615	85.3	82.6-88.0	197	14.7	12.0-17.4
Black or Afr. Am./Non-Hisp	202	309,291	186	91.2	85.5-96.9	16	8.8	3.1-14.5
Oth. Race/Non-Hisp.	65	77,744	60	91.5	81.9- 100	5	8.5	0.0-18.1
18-24	126	288,160	95	71.0	60.4-81.6	31	29.0	18.4-39.6
25-34	182	390,594	142	79.0	71.9-86.1	40	21.0	13.9-28.1
35-44	221	358,196	183	85.9	80.4-91.4	38	14.1	8.6-19.6
45-54	366	396,863	311	85.8	80.7-90.9	55	14.2	9.1-19.3
55-64	478	381,443	444	93.4	90.3-96.5	34	6.6	3.5- 9.7
65+	777	418,821	744	95.6	93.6-97.6	33	4.4	2.4- 6.4
Less Than H.S.	234	342,224	219	91.1	84.2-98.0	15	8.9	2.0-15.8
H.S. or G.E.D.	680	771,102	603	82.5	77.8-87.2	77	17.5	12.8-22.2
Some Post-H.S.	506	611,742	448	87.0	82.9-91.1	58	13.0	8.9-17.1
College Graduate	743	520,069	664	87.0	83.5-90.5	79	13.0	9.5-16.5
Less than \$15,000	189	208,062	177	94.1	89.8-98.4	12	5.9	1.6-10.2
\$15,000- 24,999	312	351,736	281	84.4	77.7-91.1	31	15.6	8.9-22.3
\$25,000- 34,999	233	256,392	207	86.0	79.9-92.1	26	14.0	7.9-20.1
\$35,000- 49,999	293	304,503	264	89.8	84.7-94.9	29	10.2	5.1-15.3
\$50,000- 74,999	318	337,797	283	85.2	79.3-91.1	35	14.8	8.9-20.7
\$75,000+	531	523,763	443	77.6	71.3-83.9	88	22.4	16.1-28.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3439	2,504,506	3273	93.0	91.6-94.4	166	7.0	5.6- 8.4
White/Non-Hisp	2782	1,904,864	2655	93.0	91.2-94.8	127	7.0	5.2- 8.8
Black or Afr. Am./Non-Hisp	475	421,757	446	93.7	91.0-96.4	29	6.3	3.6- 9.0
Oth. Race/Non-Hisp.	58	50,596	55	96.4	91.3- 100	3	3.6	0.0- 8.7
18-24	118	288,367	106	90.2	83.5-96.9	12	9.8	3.1-16.5
25-34	266	411,570	218	81.0	74.9-87.1	48	19.0	12.9-25.1
35-44	333	391,066	314	95.6	93.1-98.1	19	4.4	1.9- 6.9
45-54	535	418,426	502	94.1	91.6-96.6	33	5.9	3.4- 8.4
55-64	798	422,513	762	95.9	94.3-97.5	36	4.1	2.5- 5.7
65+	1360	556,786	1342	98.5	97.5-99.5	18	1.5	0.5- 2.5
Less Than H.S.	384	362,019	372	94.4	90.7-98.1	12	5.6	1.9- 9.3
H.S. or G.E.D.	1132	797,343	1091	94.1	91.4-96.8	41	5.9	3.2- 8.6
Some Post-H.S.	913	785,220	869	93.5	91.0-96.0	44	6.5	4.0- 9.0
College Graduate	1001	554,214	933	90.1	87.0-93.2	68	9.9	6.8-13.0
Less than \$15,000	437	319,626	414	94.4	90.7-98.1	23	5.6	1.9- 9.3
\$15,000- 24,999	621	435,786	599	94.1	90.8-97.4	22	5.9	2.6- 9.2
\$25,000- 34,999	320	236,755	296	90.0	85.1-94.9	24	10.0	5.1-14.9
\$35,000- 49,999	379	311,401	359	90.3	84.4-96.2	20	9.7	3.8-15.6
\$50,000- 74,999	363	279,694	346	93.7	90.2-97.2	17	6.3	2.8- 9.8
\$75,000+	546	426,982	508	91.4	87.9-94.9	38	8.6	5.1-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5596	4,739,131	733	14.8	13.2-16.4	242	5.6	4.6- 6.6	374	8.0	6.8- 9.2	283	5.3	4.3- 6.3	246	6.2	5.0- 7.4	3718	60.1	58.1-62.1
Male	2162	2,244,355	261	12.4	10.2-14.6	119	6.2	4.6- 7.8	185	10.0	8.2-11.8	173	7.7	6.1- 9.3	170	9.5	7.3-11.7	1254	54.3	51.2-57.4
Female	3434	2,494,776	472	17.0	14.8-19.2	123	5.1	3.7- 6.5	189	6.3	4.9- 7.7	110	3.2	2.2- 4.2	76	3.2	2.0- 4.4	2464	65.3	62.8-67.8
White/Non-Hisp	4589	3,622,333	589	14.5	12.9-16.1	197	5.6	4.4- 6.8	323	8.5	7.3- 9.7	241	5.5	4.5- 6.5	217	6.7	5.3- 8.1	3022	59.1	56.9-61.3
Black or Afr. Am./Non-Hisp	674	721,386	107	19.1	13.8-24.4	32	6.6	3.7- 9.5	34	7.5	4.2-10.8	22	4.0	1.5- 6.5	16	3.4	0.9- 5.9	463	59.5	53.2-65.8
Oth. Race/Non-Hisp.	120	128,450	16	16.1	6.3-25.9	2	2.1	0.0- 5.8	6	2.1	0.0- 4.3	7	4.1	0.2- 8.0	4	3.8	0.0- 9.1	85	71.9	59.7-84.1
MultiRacial/Non-Hisp.	69	73,263	7	7.6	0.2-15.0	2	1.9	0.0- 5.0	2	1.8	0.0- 4.7	3	9.7	0.0-20.5	4	20.9	1.1-40.7	51	58.0	39.2-76.8
Hispanic	74	126,077	7	6.5	1.2-11.8	7	8.8	0.6-17.0	7	9.8	0.6-19.0	4	3.2	0.0- 8.1	2	1.0	0.0- 2.6	47	70.7	57.0-84.4
18-24	241	568,465	31	13.1	8.2-18.0	14	5.0	1.7- 8.3	23	9.3	5.2-13.4	17	5.8	2.5- 9.1	16	10.3	4.4-16.2	140	56.4	48.6-64.2
25-34	442	790,604	75	18.1	13.4-22.8	38	10.2	6.3-14.1	54	12.4	8.7-16.1	38	8.8	5.5-12.1	23	6.2	3.3- 9.1	214	44.3	38.4-50.2
35-44	553	753,227	98	18.0	13.7-22.3	35	7.5	4.6-10.4	51	9.2	5.9-12.5	26	3.5	1.9- 5.1	29	6.4	3.5- 9.3	314	55.4	49.9-60.9
45-54	897	813,771	138	17.1	13.2-21.0	48	5.4	3.4- 7.4	65	6.5	4.3- 8.7	46	5.5	3.3- 7.7	46	6.7	4.2- 9.2	554	58.8	54.1-63.5
55-64	1276	800,792	173	13.7	11.0-16.4	47	3.7	2.1- 5.3	91	7.3	5.3- 9.3	70	5.0	3.4- 6.6	61	5.6	3.6- 7.6	834	64.6	60.9-68.3
65+	2138	980,132	215	10.0	8.2-11.8	56	2.7	1.7- 3.7	89	5.0	3.6- 6.4	85	3.4	2.6- 4.2	71	3.6	2.4- 4.8	1622	75.3	72.8-77.8
Less Than H.S.	620	703,330	34	10.3	5.8-14.8	12	3.6	1.2- 6.0	11	3.0	0.8- 5.2	16	2.7	0.9- 4.5	20	6.5	2.6-10.4	527	74.0	67.9-80.1
H.S. or G.E.D.	1805	1,561,427	176	12.8	10.4-15.2	49	4.3	2.5- 6.1	79	6.3	4.5- 8.1	49	3.2	2.0- 4.4	65	6.9	4.5- 9.3	1387	66.5	63.0-70.0
Some Post-H.S.	1412	1,389,294	206	16.5	13.6-19.4	72	6.4	4.2- 8.6	92	7.7	5.5- 9.9	68	6.1	4.1- 8.1	61	5.2	3.4- 7.0	913	58.1	54.2-62.0
College Graduate	1743	1,074,245	316	18.6	15.9-21.3	109	7.9	5.9- 9.9	191	14.0	11.5-16.5	148	9.0	7.0-11.0	100	6.2	4.6- 7.8	879	44.3	41.0-47.6
Less than \$15,000	622	525,012	46	12.5	6.8-18.2	14	3.1	0.6- 5.6	19	3.3	1.1- 5.5	17	4.1	1.4- 6.8	14	2.6	0.4- 4.8	512	74.4	67.7-81.1
\$15,000- 24,999	932	785,018	88	10.9	7.2-14.6	35	5.7	3.2- 8.2	40	6.3	3.8- 8.8	30	3.8	1.8- 5.8	33	7.1	3.8-10.4	706	66.2	61.1-71.3
\$25,000- 34,999	554	494,058	71	18.2	12.7-23.7	20	4.1	1.6- 6.6	31	7.7	4.0-11.4	33	5.9	3.2- 8.6	30	7.2	4.1-10.3	369	56.8	50.1-63.5
\$35,000- 49,999	669	612,458	102	18.2	13.9-22.5	21	4.2	1.8- 6.6	44	8.7	5.2-12.2	28	4.3	2.1- 6.5	27	4.9	2.0- 7.8	447	59.7	54.2-65.2
\$50,000- 74,999	680	616,208	119	17.8	13.7-21.9	36	6.8	3.7- 9.9	58	9.2	6.3-12.1	44	5.2	3.2- 7.2	37	6.8	3.7- 9.9	386	54.3	48.8-59.8
\$75,000+	1073	948,009	188	15.3	12.4-18.2	88	8.5	6.1-10.9	131	13.1	10.2-16.0	102	9.5	6.8-12.2	86	10.2	6.9-13.5	478	43.5	39.2-47.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2162	2,244,355	261	12.4	10.2-14.6	119	6.2	4.6- 7.8	185	10.0	8.2-11.8	173	7.7	6.1- 9.3	170	9.5	7.3-11.7	1254	54.3	51.2-57.4
White/Non-Hisp	1808	1,722,312	215	12.1	9.9-14.3	98	6.5	4.7- 8.3	167	10.9	8.7-13.1	147	8.0	6.2- 9.8	147	9.8	7.4-12.2	1034	52.8	49.5-56.1
Black or Afr. Am./Non-Hisp	201	302,790	27	16.2	7.6-24.8	15	7.2	2.5-11.9	12	8.9	3.0-14.8	14	5.5	0.8-10.2	12	7.6	1.9-13.3	121	54.6	43.8-65.4
Oth. Race/Non-Hisp.	63	77,987	11	18.6	5.5-31.7	2	3.4	0.0- 9.5	2	1.0	0.0- 2.6	3	4.3	0.0-10.0	4	6.2	0.0-14.8	41	66.5	50.6-82.4
18-24	125	283,245	11	7.1	2.4-11.8	6	3.5	0.4- 6.6	17	11.5	5.6-17.4	16	11.5	5.0-18.0	11	14.6	5.0-24.2	64	51.9	40.9-62.9
25-34	180	386,949	23	14.4	7.5-21.3	20	10.0	4.7-15.3	30	15.9	9.6-22.2	17	10.3	4.8-15.8	14	8.3	3.4-13.2	76	41.0	32.0-50.0
35-44	221	362,936	37	14.6	9.1-20.1	18	10.2	4.9-15.5	25	10.3	5.0-15.6	18	5.5	2.4- 8.6	23	11.4	5.7-17.1	100	48.0	39.4-56.6
45-54	361	395,299	46	14.3	9.0-19.6	18	4.9	2.0- 7.8	26	6.4	2.9- 9.9	28	7.2	4.1-10.3	33	10.3	5.4-15.2	210	56.9	49.8-64.0
55-64	474	376,220	63	13.1	8.8-17.4	25	4.7	2.3- 7.1	45	10.4	6.7-14.1	39	6.6	3.9- 9.3	40	8.4	4.9-11.9	262	56.9	50.8-63.0
65+	781	423,343	80	10.4	7.3-13.5	30	3.6	1.8- 5.4	42	6.4	3.9- 8.9	54	5.4	3.6- 7.2	49	6.0	3.8- 8.2	526	68.1	63.6-72.6
Less Than H.S.	234	340,168	19	11.4	5.5-17.3	5	2.2	0.0- 4.7	5	4.0	0.0- 8.1	13	3.6	1.2- 6.0	12	9.3	2.0-16.6	180	69.5	60.5-78.5
H.S. or G.E.D.	677	770,701	72	11.5	8.2-14.8	32	6.1	3.2- 9.0	49	9.1	6.0-12.2	33	4.8	2.6- 7.0	49	11.3	7.2-15.4	442	57.3	51.8-62.8
Some Post-H.S.	502	608,367	53	12.1	7.4-16.8	31	7.0	4.1- 9.9	40	10.0	6.3-13.7	42	10.2	6.3-14.1	38	6.7	4.0- 9.4	298	54.1	47.6-60.6
College Graduate	742	519,991	117	15.0	11.7-18.3	51	8.0	5.1-10.9	90	14.6	10.9-18.3	84	11.7	8.4-15.0	71	10.3	7.2-13.4	329	40.4	35.5-45.3
Less than \$15,000	187	209,046	13	9.3	1.9-16.7	7	4.8	0.0-10.5	8	2.4	0.4- 4.4	7	4.9	0.2- 9.6	7	2.8	0.3- 5.3	145	75.8	66.0-85.6
\$15,000- 24,999	313	351,130	30	11.5	5.0-18.0	15	4.5	1.4- 7.6	20	9.8	4.9-14.7	20	6.6	2.5-10.7	26	12.8	6.1-19.5	202	54.8	46.4-63.2
\$25,000- 34,999	234	258,052	25	14.2	7.3-21.1	9	3.6	0.5- 6.7	19	10.1	4.0-16.2	18	8.0	3.3-12.7	19	9.0	4.3-13.7	144	55.1	45.7-64.5
\$35,000- 49,999	291	302,007	31	11.7	6.8-16.6	13	4.5	1.4- 7.6	19	8.3	3.4-13.2	15	5.2	1.9- 8.5	20	5.6	2.3- 8.9	193	64.7	56.9-72.5
\$50,000- 74,999	318	337,606	51	19.7	13.4-26.0	20	8.5	4.2-12.8	32	10.5	5.8-15.2	33	7.4	4.1-10.7	28	9.9	4.8-15.0	154	44.0	36.2-51.8
\$75,000+	526	520,693	75	9.9	7.2-12.6	43	8.7	5.4-12.0	66	14.5	10.0-19.0	67	12.9	8.6-17.2	61	14.5	8.8-20.2	214	39.5	33.6-45.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3434	2,494,776	472	17.0	14.8-19.2	123	5.1	3.7- 6.5	189	6.3	4.9- 7.7	110	3.2	2.2- 4.2	76	3.2	2.0- 4.4	2464	65.3	62.8-67.8
White/Non-Hisp	2781	1,900,021	374	16.7	14.5-18.9	99	4.8	3.2- 6.4	156	6.4	5.0- 7.8	94	3.3	2.3- 4.3	70	4.0	2.6- 5.4	1988	64.8	62.1-67.5
Black or Afr. Am./Non-Hisp	473	418,596	80	21.2	14.3-28.1	17	6.1	2.4- 9.8	22	6.5	3.0-10.0	8	2.9	0.2- 5.6	4	0.4	0.0- 1.0	342	63.0	55.6-70.4
Oth. Race/Non-Hisp.	57	50,463	5	12.2	0.0-25.9				4	3.9	0.0- 9.0	4	3.7	0.0- 9.0				44	80.2	63.7-96.7
18-24	116	285,220	20	19.1	10.5-27.7	8	6.5	0.6-12.4	6	7.1	1.2-13.0	1	0.3	0.0- 0.9	5	6.0	0.0-12.1	76	61.0	49.8-72.2
25-34	262	403,655	52	21.6	15.3-27.9	18	10.4	4.9-15.9	24	9.0	5.1-12.9	21	7.4	3.3-11.5	9	4.2	0.7- 7.7	138	47.4	39.8-55.0
35-44	332	390,291	61	21.3	15.0-27.6	17	5.0	2.1- 7.9	26	8.1	4.2-12.0	8	1.6	0.4- 2.8	6	1.8	0.0- 4.0	214	62.3	55.2-69.4
45-54	536	418,472	92	19.8	14.1-25.5	30	5.9	3.2- 8.6	39	6.5	3.8- 9.2	18	3.9	1.2- 6.6	13	3.4	1.2- 5.6	344	60.5	54.4-66.6
55-64	802	424,572	110	14.3	10.6-18.0	22	2.9	0.9- 4.9	46	4.6	2.8- 6.4	31	3.6	2.0- 5.2	21	3.2	1.2- 5.2	572	71.4	66.9-75.9
65+	1357	556,790	135	9.8	7.6-12.0	26	1.9	0.9- 2.9	47	3.9	2.5- 5.3	31	1.8	1.0- 2.6	22	1.8	0.8- 2.8	1096	80.7	78.0-83.4
Less Than H.S.	386	363,161	15	9.3	2.4-16.2	7	4.9	1.0- 8.8	6	2.0	0.0- 4.0	3	1.9	0.0- 4.6	8	3.8	0.9- 6.7	347	78.2	70.2-86.2
H.S. or G.E.D.	1128	790,725	104	14.1	10.6-17.6	17	2.6	1.0- 4.2	30	3.6	1.8- 5.4	16	1.6	0.2- 3.0	16	2.6	0.4- 4.8	945	75.4	71.1-79.7
Some Post-H.S.	910	780,927	153	19.9	16.0-23.8	41	6.0	3.1- 8.9	52	5.9	3.5- 8.3	26	2.9	1.3- 4.5	23	4.1	1.9- 6.3	615	61.2	56.3-66.1
College Graduate	1001	554,253	199	22.0	18.1-25.9	58	7.8	5.1-10.5	101	13.6	10.1-17.1	64	6.5	4.3- 8.7	29	2.2	1.2- 3.2	550	47.9	43.4-52.4
Less than \$15,000	435	315,966	33	14.7	6.9-22.5	7	2.0	0.0- 4.0	11	4.0	0.7- 7.3	10	3.5	0.0- 7.0	7	2.5	0.0- 5.8	367	73.4	64.6-82.2
\$15,000- 24,999	619	433,888	58	10.4	6.3-14.5	20	6.7	2.8-10.6	20	3.6	1.4- 5.8	10	1.4	0.2- 2.6	7	2.5	0.0- 5.0	504	75.5	69.6-81.4
\$25,000- 34,999	320	236,006	46	22.6	14.0-31.2	11	4.7	1.0- 8.4	12	5.0	1.3- 8.7	15	3.6	1.4- 5.8	11	5.3	1.4- 9.2	225	58.8	49.6-68.0
\$35,000- 49,999	378	310,451	71	24.6	17.9-31.3	8	4.0	0.7- 7.3	25	9.0	4.1-13.9	13	3.3	0.6- 6.0	7	4.3	0.0- 9.0	254	54.7	47.1-62.3
\$50,000- 74,999	362	278,602	68	15.4	10.5-20.3	16	4.8	0.3- 9.3	26	7.6	4.1-11.1	11	2.5	0.7- 4.3	9	3.0	0.5- 5.5	232	66.8	59.7-73.9
\$75,000+	547	427,316	113	21.8	16.7-26.9	45	8.3	5.2-11.4	65	11.3	7.6-15.0	35	5.5	2.8- 8.2	25	4.9	2.2- 7.6	264	48.3	42.4-54.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5596	4,739,131	5393	95.3	94.3-96.3	203	4.7	3.7- 5.7
Male	2162	2,244,355	2070	94.7	93.1-96.3	92	5.3	3.7- 6.9
Female	3434	2,494,776	3323	95.8	94.6-97.0	111	4.2	3.0- 5.4
White/Non-Hisp	4589	3,622,333	4409	94.9	93.7-96.1	180	5.1	3.9- 6.3
Black or Afr. Am./Non-Hisp	674	721,386	661	97.5	95.3-99.7	13	2.5	0.3- 4.7
Oth. Race/Non-Hisp.	120	128,450	118	96.8	91.5- 100	2	3.2	0.0- 8.5
MultiRacial/Non-Hisp.	69	73,263	66	81.6	61.8- 100	3	18.4	0.0-38.2
Hispanic	74	126,077	71	98.6	97.0- 100	3	1.4	0.0- 3.0
18-24	241	568,465	228	92.5	88.0-97.0	13	7.5	3.0-12.0
25-34	442	790,604	417	94.0	91.1-96.9	25	6.0	3.1- 8.9
35-44	553	753,227	534	97.0	95.2-98.8	19	3.0	1.2- 4.8
45-54	897	813,771	855	94.0	91.5-96.5	42	6.0	3.5- 8.5
55-64	1276	800,792	1222	95.3	93.5-97.1	54	4.7	2.9- 6.5
65+	2138	980,132	2088	97.7	96.9-98.5	50	2.3	1.5- 3.1
Less Than H.S.	620	703,330	604	96.3	94.1-98.5	16	3.7	1.5- 5.9
H.S. or G.E.D.	1805	1,561,427	1754	94.4	92.2-96.6	51	5.6	3.4- 7.8
Some Post-H.S.	1412	1,389,294	1362	96.1	94.5-97.7	50	3.9	2.3- 5.5
College Graduate	1743	1,074,245	1657	95.0	93.6-96.4	86	5.0	3.6- 6.4
Less than \$15,000	622	525,012	607	97.3	95.1-99.5	15	2.7	0.5- 4.9
\$15,000- 24,999	932	785,018	906	95.3	92.6-98.0	26	4.7	2.0- 7.4
\$25,000- 34,999	554	494,058	525	93.4	90.5-96.3	29	6.6	3.7- 9.5
\$35,000- 49,999	669	612,458	641	94.7	91.6-97.8	28	5.3	2.2- 8.4
\$50,000- 74,999	680	616,208	656	95.7	93.2-98.2	24	4.3	1.8- 6.8
\$75,000+	1073	948,009	1007	92.9	90.4-95.4	66	7.1	4.6- 9.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2162	2,244,355	2070	94.7	93.1-96.3	92	5.3	3.7- 6.9
White/Non-Hisp	1808	1,722,312	1729	95.0	93.4-96.6	79	5.0	3.4- 6.6
Black or Afr. Am./Non-Hisp	201	302,790	194	95.2	90.5-99.9	7	4.8	0.1- 9.5
Oth. Race/Non-Hisp.	63	77,987	62	95.6	87.2- 100	1	4.4	0.0-12.8
18-24	125	283,245	118	91.3	84.4-98.2	7	8.7	1.8-15.6
25-34	180	386,949	172	95.2	91.3-99.1	8	4.8	0.9- 8.7
35-44	221	362,936	211	96.5	94.0-99.0	10	3.5	1.0- 6.0
45-54	361	395,299	339	92.1	87.4-96.8	22	7.9	3.2-12.6
55-64	474	376,220	451	94.7	91.8-97.6	23	5.3	2.4- 8.2
65+	781	423,343	759	97.5	96.1-98.9	22	2.5	1.1- 3.9
Less Than H.S.	234	340,168	227	96.6	93.3-99.9	7	3.4	0.1- 6.7
H.S. or G.E.D.	677	770,701	646	91.8	88.1-95.5	31	8.2	4.5-11.9
Some Post-H.S.	502	608,367	480	96.9	95.3-98.5	22	3.1	1.5- 4.7
College Graduate	742	519,991	710	95.4	93.2-97.6	32	4.6	2.4- 6.8
Less than \$15,000	187	209,046	182	98.3	96.3- 100	5	1.7	0.0- 3.7
\$15,000- 24,999	313	351,130	299	93.2	88.1-98.3	14	6.8	1.7-11.9
\$25,000- 34,999	234	258,052	222	93.6	89.3-97.9	12	6.4	2.1-10.7
\$35,000- 49,999	291	302,007	277	96.1	93.2-99.0	14	3.9	1.0- 6.8
\$50,000- 74,999	318	337,606	305	95.0	90.9-99.1	13	5.0	0.9- 9.1
\$75,000+	526	520,693	496	92.4	88.3-96.5	30	7.6	3.5-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3434	2,494,776	3323	95.8	94.6-97.0	111	4.2	3.0- 5.4
White/Non-Hisp	2781	1,900,021	2680	94.9	93.3-96.5	101	5.1	3.5- 6.7
Black or Afr. Am./Non-Hisp	473	418,596	467	99.1	98.3-99.9	6	0.9	0.1- 1.7
Oth. Race/Non-Hisp.	57	50,463	56	98.7	96.2- 100	1	1.3	0.0- 3.8
18-24	116	285,220	110	93.7	87.6-99.8	6	6.3	0.2-12.4
25-34	262	403,655	245	92.9	88.8-97.0	17	7.1	3.0-11.2
35-44	332	390,291	323	97.5	95.1-99.9	9	2.5	0.1- 4.9
45-54	536	418,472	516	95.9	93.7-98.1	20	4.1	1.9- 6.3
55-64	802	424,572	771	95.8	93.8-97.8	31	4.2	2.2- 6.2
65+	1357	556,790	1329	97.8	96.8-98.8	28	2.2	1.2- 3.2
Less Than H.S.	386	363,161	377	96.0	93.1-98.9	9	4.0	1.1- 6.9
H.S. or G.E.D.	1128	790,725	1108	97.0	94.8-99.2	20	3.0	0.8- 5.2
Some Post-H.S.	910	780,927	882	95.5	93.1-97.9	28	4.5	2.1- 6.9
College Graduate	1001	554,253	947	94.5	92.5-96.5	54	5.5	3.5- 7.5
Less than \$15,000	435	315,966	425	96.6	93.3-99.9	10	3.4	0.1- 6.7
\$15,000- 24,999	619	433,888	607	96.9	94.2-99.6	12	3.1	0.4- 5.8
\$25,000- 34,999	320	236,006	303	93.2	89.1-97.3	17	6.8	2.7-10.9
\$35,000- 49,999	378	310,451	364	93.3	88.0-98.6	14	6.7	1.4-12.0
\$50,000- 74,999	362	278,602	351	96.6	93.9-99.3	11	3.4	0.7- 6.1
\$75,000+	547	427,316	511	93.6	90.7-96.5	36	6.4	3.5- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BEAN INTAKE IN TIMES PER DAY (BEANDAY_)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127
VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)	
16 MALES AND FEMALES	128
17 MALES ONLY	129
18 FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.
 * * * * *

TABLE	PAGE
TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)	
19 MALES AND FEMALES	131
20 MALES ONLY	132
21 FEMALES ONLY	133
TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)	
22 MALES AND FEMALES	134
23 MALES ONLY	135
24 FEMALES ONLY	136
CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)	
25 MALES AND FEMALES	137
26 MALES ONLY	138
27 FEMALES ONLY	139
CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGL1)	
28 MALES AND FEMALES	140
29 MALES ONLY	141
30 FEMALES ONLY	142

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5345	4,512,962	2008	40.7	38.5-42.9	960	16.7	15.1-18.3	38	1.1	0.5- 1.7	33	0.5	0.3- 0.7	6	0.1	0.0- 0.3	2300	40.8	38.8-42.8
Male	2084	2,144,486	827	42.0	38.9-45.1	402	17.5	15.1-19.9	9	1.0	0.2- 1.8	20	0.6	0.2- 1.0	4	0.3	0.1- 0.5	822	38.7	35.6-41.8
Female	3261	2,368,476	1181	39.6	36.9-42.3	558	15.9	13.9-17.9	29	1.3	0.5- 2.1	13	0.5	0.1- 0.9	2	0.0	0.0- 0.0	1478	42.7	40.0-45.4
White/Non-Hisp	4389	3,452,026	1637	39.8	37.6-42.0	748	15.6	14.0-17.2	26	1.0	0.4- 1.6	26	0.5	0.3- 0.7	5	0.2	0.0- 0.4	1947	43.0	40.8-45.2
Black or Afr. Am./Non-Hisp	636	677,351	251	42.0	35.5-48.5	141	21.1	16.2-26.0	10	2.6	0.1- 5.1	6	0.6	0.0- 1.4	1	0.1	0.0- 0.3	227	33.5	27.4-39.6
Oth. Race/Non-Hisp.	117	119,114	47	45.5	28.8-62.2	26	21.2	9.4-33.0										44	33.3	19.2-47.4
MultiRacial/Non-Hisp.	64	72,723	24	37.0	19.4-54.6	14	18.8	6.6-31.0	1	0.1	0.0- 0.3							25	44.1	25.1-63.1
Hispanic	75	132,587	31	52.2	35.5-68.9	13	14.2	3.8-24.6	1	0.1	0.0- 0.5	1	1.0	0.0- 3.0				29	32.4	17.7-47.1
18-24	230	541,016	114	52.0	43.8-60.2	32	14.3	8.8-19.8	3	1.5	0.0- 3.5	2	0.6	0.0- 1.4				79	31.7	24.4-39.0
25-34	414	749,235	193	48.6	42.5-54.7	71	17.7	13.0-22.4	4	1.1	0.0- 2.3	1	0.3	0.0- 0.9				145	32.3	26.6-38.0
35-44	525	705,312	228	41.9	36.2-47.6	76	14.2	10.7-17.7	5	2.0	0.0- 4.2	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7	213	41.4	35.7-47.1
45-54	872	787,964	350	38.4	33.9-42.9	116	13.4	10.3-16.5	5	1.3	0.0- 2.9	7	0.9	0.1- 1.7				394	46.0	41.3-50.7
55-64	1232	768,941	468	37.8	33.9-41.7	190	16.1	13.2-19.0	7	0.4	0.0- 0.8	8	0.4	0.0- 0.8	4	0.5	0.0- 1.1	555	44.8	40.9-48.7
65+	2024	926,628	639	31.8	29.1-34.5	463	22.1	19.7-24.5	14	0.9	0.1- 1.7	13	0.8	0.2- 1.4				895	44.3	41.4-47.2
Less Than H.S.	581	655,549	172	34.2	27.9-40.5	118	18.3	13.8-22.8	4	2.7	0.0- 5.6	1	0.0	0.0- 0.0				286	44.8	38.5-51.1
H.S. or G.E.D.	1711	1,485,390	618	39.5	36.0-43.0	276	15.7	13.2-18.2	11	1.1	0.1- 2.1	11	0.7	0.1- 1.3	2	0.1	0.0- 0.3	793	43.0	39.5-46.5
Some Post-H.S.	1353	1,329,300	524	42.1	38.0-46.2	252	16.6	13.7-19.5	12	0.9	0.3- 1.5	13	0.8	0.2- 1.4	2	0.2	0.0- 0.6	550	39.4	35.5-43.3
College Graduate	1686	1,035,596	690	45.1	41.6-48.6	311	17.1	14.6-19.6	11	0.6	0.0- 1.2	6	0.2	0.0- 0.4	2	0.2	0.0- 0.6	666	36.8	33.5-40.1
Less than \$15,000	592	501,244	215	41.5	34.2-48.8	104	15.6	11.3-19.9	5	2.8	0.0- 5.9	4	0.2	0.0- 0.6				264	40.0	33.1-46.9
\$15,000- 24,999	896	751,239	306	38.7	33.4-44.0	179	20.2	16.1-24.3	10	1.7	0.0- 3.5	6	0.8	0.0- 1.8				395	38.5	33.6-43.4
\$25,000- 34,999	530	458,475	195	40.8	33.9-47.7	94	16.8	12.1-21.5	2	0.5	0.0- 1.3	1	0.0	0.0- 0.0				238	41.9	35.4-48.4
\$35,000- 49,999	640	575,473	246	39.5	33.8-45.2	108	18.0	13.1-22.9	6	1.7	0.0- 3.5	5	0.8	0.0- 1.8	2	0.4	0.0- 1.0	273	39.5	34.0-45.0
\$50,000- 74,999	654	589,842	279	40.4	35.1-45.7	101	12.4	9.1-15.7	1	0.1	0.0- 0.3	7	0.8	0.0- 1.6				266	46.4	40.7-52.1
\$75,000+	1049	921,092	454	45.8	41.3-50.3	163	14.2	11.3-17.1	6	0.6	0.0- 1.4	5	0.3	0.0- 0.7	2	0.4	0.0- 1.0	419	38.6	34.3-42.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2084	2,144,486	827	42.0	38.9-45.1	402	17.5	15.1-19.9	9	1.0	0.2- 1.8	20	0.6	0.2- 1.0	4	0.3	0.1- 0.5	822	38.7	35.6-41.8
White/Non-Hisp	1740	1,631,485	698	41.1	37.8-44.4	316	17.1	14.7-19.5	6	0.4	0.0- 0.8	18	0.8	0.2- 1.4	3	0.3	0.0- 0.7	699	40.3	37.0-43.6
Black or Afr. Am./Non-Hisp	195	300,606	75	48.5	37.5-59.5	48	16.3	9.8-22.8	3	4.7	0.0-10.0	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6	66	30.2	20.6-39.8
Oth. Race/Non-Hisp.	61	69,940	24	45.3	27.3-63.3	15	26.2	9.7-42.7										22	28.5	13.6-43.4
18-24	121	280,662	56	51.0	40.0-62.0	23	16.1	8.5-23.7	1	1.6	0.0- 4.7	1	0.6	0.0- 1.8				40	30.7	21.1-40.3
25-34	167	365,231	82	49.7	40.3-59.1	25	15.9	9.0-22.8	1	0.8	0.0- 2.4							59	33.6	24.8-42.4
35-44	212	336,267	95	41.3	32.9-49.7	35	16.5	10.6-22.4	1	1.0	0.0- 3.0				1	0.5	0.0- 1.5	80	40.7	31.9-49.5
45-54	355	383,012	148	40.7	33.6-47.8	50	14.1	9.2-19.0	3	2.1	0.0- 5.4	4	1.2	0.0- 2.8				150	41.9	34.6-49.2
55-64	460	360,678	175	38.1	32.0-44.2	83	18.7	13.8-23.6	2	0.5	0.0- 1.3	4	0.3	0.0- 0.7	3	1.1	0.0- 2.5	193	41.2	35.1-47.3
65+	749	399,036	264	34.9	30.2-39.6	182	23.0	19.1-26.9	1	0.1	0.0- 0.3	10	1.2	0.0- 2.4				292	40.7	35.8-45.6
Less Than H.S.	222	318,025	63	34.0	24.2-43.8	44	18.9	11.6-26.2	1	2.0	0.0- 5.9							114	45.1	35.9-54.3
H.S. or G.E.D.	647	732,780	251	39.2	33.7-44.7	111	17.3	13.4-21.2	3	1.2	0.0- 2.8	5	0.6	0.0- 1.4	1	0.1	0.0- 0.3	276	41.5	36.0-47.0
Some Post-H.S.	492	584,022	201	47.6	41.1-54.1	96	14.9	11.0-18.8	3	0.4	0.0- 0.8	9	1.0	0.0- 2.0	2	0.5	0.0- 1.3	181	35.6	29.5-41.7
College Graduate	716	507,079	309	44.5	39.4-49.6	150	19.9	15.6-24.2	2	0.7	0.0- 1.9	5	0.4	0.0- 1.0	1	0.4	0.0- 1.2	249	34.0	29.1-38.9
Less than \$15,000	180	205,613	61	35.3	23.3-47.3	34	16.5	9.4-23.6	2	5.3	0.0-12.4	1	0.4	0.0- 1.2				82	42.5	31.3-53.7
\$15,000- 24,999	303	334,752	105	40.7	31.9-49.5	55	18.0	11.7-24.3	1	0.2	0.0- 0.6	4	1.5	0.0- 3.5				138	39.6	31.4-47.8
\$25,000- 34,999	223	235,914	87	40.3	30.9-49.7	48	18.0	10.9-25.1				1	0.1	0.0- 0.3				87	41.6	32.0-51.2
\$35,000- 49,999	280	282,003	108	41.8	33.4-50.2	56	19.8	12.7-26.9	2	1.6	0.0- 4.0	3	0.5	0.0- 1.1	2	0.8	0.0- 2.0	109	35.5	27.9-43.1
\$50,000- 74,999	305	319,932	131	42.4	34.8-50.0	53	12.9	7.8-18.0				5	0.8	0.0- 2.0				116	43.8	35.8-51.8
\$75,000+	515	506,560	231	46.9	40.4-53.4	90	16.7	12.4-21.0	3	0.9	0.0- 2.3	4	0.4	0.0- 1.0	2	0.7	0.0- 1.7	185	34.4	28.3-40.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3261	2,368,476	1181	39.6	36.9-42.3	558	15.9	13.9-17.9	29	1.3	0.5- 2.1	13	0.5	0.1- 0.9	2	0.0	0.0- 0.0	1478	42.7	40.0-45.4
White/Non-Hisp	2649	1,820,541	939	38.6	35.9-41.3	432	14.2	12.2-16.2	20	1.4	0.4- 2.4	8	0.3	0.1- 0.5	2	0.0	0.0- 0.0	1248	45.4	42.7-48.1
Black or Afr. Am./Non-Hisp	441	376,745	176	36.8	29.7-43.9	93	25.0	18.1-31.9	7	1.0	0.0- 2.0	4	1.1	0.0- 2.5				161	36.2	28.8-43.6
Oth. Race/Non-Hisp.	56	49,175	23	45.9	14.9-76.9	11	14.0	0.0-28.1										22	40.1	12.9-67.3
18-24	109	260,353	58	53.1	41.1-65.1	9	12.3	4.1-20.5	2	1.3	0.0- 3.3	1	0.5	0.0- 1.5				39	32.8	22.0-43.6
25-34	247	384,004	111	47.6	39.8-55.4	46	19.5	13.2-25.8	3	1.4	0.0- 3.2	1	0.6	0.0- 1.8				86	30.9	23.8-38.0
35-44	313	369,046	133	42.5	35.1-49.9	41	12.2	7.9-16.5	4	2.9	0.0- 6.6	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	133	42.0	34.7-49.3
45-54	517	404,951	202	36.3	30.6-42.0	66	12.7	8.4-17.0	2	0.4	0.0- 1.0	3	0.6	0.0- 1.4				244	49.9	43.6-56.2
55-64	772	408,263	293	37.5	32.6-42.4	107	13.8	10.3-17.3	5	0.2	0.0- 0.4	4	0.5	0.0- 1.1	1	0.0	0.0- 0.0	362	48.0	42.9-53.1
65+	1275	527,591	375	29.5	26.0-33.0	281	21.5	18.6-24.4	13	1.6	0.0- 3.2	3	0.4	0.0- 1.0				603	47.0	43.3-50.7
Less Than H.S.	359	337,524	109	34.4	26.4-42.4	74	17.7	12.4-23.0	3	3.4	0.0- 7.7	1	0.1	0.0- 0.3				172	44.6	36.4-52.8
H.S. or G.E.D.	1064	752,609	367	39.7	35.0-44.4	165	14.2	10.9-17.5	8	0.9	0.0- 1.9	6	0.7	0.0- 1.5	1	0.1	0.0- 0.3	517	44.4	39.9-48.9
Some Post-H.S.	861	745,278	323	37.7	32.6-42.8	156	17.9	14.0-21.8	9	1.3	0.1- 2.5	4	0.7	0.0- 1.5				369	42.4	37.3-47.5
College Graduate	970	528,517	381	45.7	41.0-50.4	161	14.4	11.5-17.3	9	0.4	0.0- 0.8	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	417	39.4	34.9-43.9
Less than \$15,000	412	295,631	154	45.7	36.5-54.9	70	14.9	9.6-20.2	3	1.0	0.0- 3.0	3	0.1	0.0- 0.3				182	38.2	29.6-46.8
\$15,000- 24,999	593	416,487	201	37.1	30.8-43.4	124	22.0	16.5-27.5	9	2.9	0.0- 6.0	2	0.3	0.0- 0.9				257	37.7	31.8-43.6
\$25,000- 34,999	307	222,561	108	41.4	31.2-51.6	46	15.4	9.1-21.7	2	1.0	0.0- 2.6							151	42.2	33.4-51.0
\$35,000- 49,999	360	293,470	138	37.3	30.0-44.6	52	16.2	9.3-23.1	4	1.9	0.0- 4.4	2	1.2	0.0- 2.8				164	43.4	36.0-50.8
\$50,000- 74,999	349	269,910	148	37.9	30.8-45.0	48	11.7	7.6-15.8	1	0.2	0.0- 0.6	2	0.7	0.0- 1.7				150	49.4	41.8-57.0
\$75,000+	534	414,532	223	44.5	38.4-50.6	73	11.2	7.5-14.9	3	0.3	0.0- 0.7	1	0.3	0.0- 0.9				234	43.8	37.9-49.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									None								
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5379	4,551,804	2624	50.5	48.3-52.7	2194	38.3	36.3-40.3	203	4.3	3.3- 5.3	113	1.9	1.3- 2.5	7	0.1	0.0- 0.3	238	4.9	3.9- 5.9
Male	2093	2,164,931	1152	56.7	53.6-59.8	737	32.7	29.8-35.6	51	3.0	1.6- 4.4	32	1.5	0.7- 2.3	3	0.1	0.1- 0.1	118	6.0	4.6- 7.4
Female	3286	2,386,873	1472	44.9	42.2-47.6	1457	43.4	40.7-46.1	152	5.5	4.3- 6.7	81	2.3	1.5- 3.1	4	0.2	0.0- 0.4	120	3.8	2.6- 5.0
White/Non-Hisp	4411	3,467,786	2191	52.0	49.8-54.2	1776	37.7	35.5-39.9	156	3.5	2.7- 4.3	93	2.0	1.4- 2.6	6	0.1	0.0- 0.3	189	4.7	3.7- 5.7
Black or Afr. Am./Non-Hisp	647	695,993	302	48.1	41.8-54.4	269	37.6	31.7-43.5	29	6.5	2.6-10.4	10	1.6	0.2- 3.0	1	0.1	0.0- 0.3	36	6.1	2.6- 9.6
Oth. Race/Non-Hisp.	115	118,208	48	52.7	36.6-68.8	53	36.7	22.0-51.4	4	4.0	0.0- 8.9	4	2.3	0.0- 5.4				6	4.3	0.0-10.0
MultiRacial/Non-Hisp.	66	75,548	23	39.9	21.1-58.7	34	43.6	26.4-60.8	6	14.3	0.2-28.4	2	0.7	0.0- 1.9				1	1.6	0.0- 4.7
Hispanic	76	134,797	31	35.3	18.6-52.0	34	50.6	33.9-67.3	6	8.1	0.7-15.5	3	3.6	0.0- 7.7				2	2.3	0.0- 6.0
18-24	233	548,839	123	53.6	45.6-61.6	81	32.3	24.9-39.7	11	5.8	2.3- 9.3	4	1.4	0.0- 3.0				14	6.9	2.8-11.0
25-34	417	752,815	194	48.8	42.7-54.9	168	38.2	32.3-44.1	23	6.7	3.2-10.2	13	2.9	1.1- 4.7	2	0.1	0.0- 0.3	17	3.2	1.4- 5.0
35-44	537	726,634	273	49.9	44.2-55.6	206	39.2	33.7-44.7	24	5.2	2.7- 7.7	10	1.5	0.3- 2.7				24	4.1	2.1- 6.1
45-54	874	787,330	436	51.3	46.6-56.0	346	38.6	34.1-43.1	29	2.3	1.3- 3.3	8	1.3	0.1- 2.5	2	0.4	0.0- 1.0	53	6.1	3.2- 9.0
55-64	1236	775,257	617	52.6	48.7-56.5	482	36.7	33.0-40.4	52	3.6	2.2- 5.0	31	2.1	1.1- 3.1	3	0.2	0.0- 0.4	51	4.8	3.0- 6.6
65+	2034	929,140	960	48.1	45.2-51.0	891	42.7	39.8-45.6	61	2.8	1.8- 3.8	46	2.2	1.4- 3.0				76	4.2	2.8- 5.6
Less Than H.S.	570	647,451	301	54.4	47.9-60.9	184	31.2	25.3-37.1	10	2.3	0.0- 5.6	10	1.5	0.3- 2.7				65	10.7	6.6-14.8
H.S. or G.E.D.	1718	1,492,104	866	51.2	47.7-54.7	661	37.3	33.8-40.8	59	4.2	2.8- 5.6	29	1.5	0.7- 2.3	3	0.1	0.1- 0.1	100	5.7	4.1- 7.3
Some Post-H.S.	1370	1,352,305	694	52.3	48.2-56.4	558	38.4	34.5-42.3	41	3.7	2.1- 5.3	35	2.4	1.4- 3.4	1	0.2	0.0- 0.6	41	3.1	1.7- 4.5
College Graduate	1708	1,050,210	753	44.4	40.9-47.9	790	44.5	41.2-47.8	92	6.4	4.4- 8.4	39	2.2	1.2- 3.2	3	0.2	0.0- 0.4	31	2.3	1.1- 3.5
Less than \$15,000	585	497,601	316	51.7	44.4-59.0	185	29.6	23.3-35.9	18	7.3	2.2-12.4	12	2.2	0.6- 3.8				54	9.2	4.7-13.7
\$15,000- 24,999	902	761,075	443	49.4	44.1-54.7	363	39.5	34.4-44.6	26	2.7	1.3- 4.1	16	1.3	0.3- 2.3	2	0.3	0.0- 0.9	52	6.7	4.0- 9.4
\$25,000- 34,999	533	458,734	275	56.7	50.2-63.2	201	33.3	27.4-39.2	21	3.1	1.1- 5.1	12	2.3	0.7- 3.9				24	4.7	2.5- 6.9
\$35,000- 49,999	653	598,380	308	44.2	38.7-49.7	293	46.7	41.0-52.4	22	4.9	2.4- 7.4	17	2.6	0.8- 4.4	2	0.1	0.0- 0.3	11	1.5	0.1- 2.9
\$50,000- 74,999	654	579,048	313	50.9	45.4-56.4	269	37.8	32.5-43.1	31	3.5	1.7- 5.3	17	2.9	0.9- 4.9				24	4.9	2.5- 7.3
\$75,000+	1064	938,976	503	51.1	46.8-55.4	464	38.4	34.3-42.5	50	5.9	3.5- 8.3	21	1.3	0.3- 2.3	3	0.2	0.0- 0.4	23	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2093	2,164,931	1152	56.7	53.6-59.8	737	32.7	29.8-35.6	51	3.0	1.6- 4.4	32	1.5	0.7- 2.3	3	0.1	0.1- 0.1	118	6.0	4.6- 7.4
White/Non-Hisp	1744	1,641,630	974	57.9	54.6-61.2	604	32.6	29.5-35.7	39	1.8	1.0- 2.6	28	1.5	0.7- 2.3	2	0.0	0.0- 0.0	97	6.2	4.4- 8.0
Black or Afr. Am./Non-Hisp	200	307,720	116	59.8	49.4-70.2	65	26.1	17.3-34.9	6	7.6	0.0-15.2	1	1.0	0.0- 3.0	1	0.2	0.0- 0.6	11	5.3	1.6- 9.0
Oth. Race/Non-Hisp.	60	69,480	24	51.9	33.7-70.1	28	37.9	20.8-55.0	1	0.2	0.0- 0.6	1	2.6	0.0- 7.5				6	7.4	0.0-16.8
18-24	122	283,538	72	63.2	52.8-73.6	35	22.0	13.8-30.2	7	7.0	1.7-12.3	1	0.7	0.0- 2.1				7	7.1	1.0-13.2
25-34	169	367,708	90	54.8	45.4-64.2	61	33.7	25.1-42.3	4	4.7	0.0-10.6	5	2.4	0.0- 4.9	1	0.1	0.0- 0.3	8	4.4	1.1- 7.7
35-44	218	351,842	125	55.3	46.7-63.9	72	35.6	27.2-44.0	5	2.5	0.0- 5.0	2	1.0	0.0- 2.4				14	5.6	2.3- 8.9
45-54	355	378,624	195	55.5	48.2-62.8	126	35.4	28.3-42.5	5	1.3	0.0- 2.7	3	1.5	0.0- 3.7				26	6.2	3.1- 9.3
55-64	460	362,963	247	59.1	53.2-65.0	163	30.6	25.1-36.1	9	1.1	0.3- 1.9	9	2.0	0.4- 3.6	2	0.2	0.0- 0.6	30	7.0	3.9-10.1
65+	749	400,260	413	54.3	49.4-59.2	275	37.1	32.2-42.0	19	2.1	0.9- 3.3	12	1.5	0.5- 2.5				30	5.1	2.7- 7.5
Less Than H.S.	213	309,828	124	59.3	49.7-68.9	54	25.0	17.0-33.0	3	3.9	0.0-10.6	1	0.5	0.0- 1.5				31	11.3	6.0-16.6
H.S. or G.E.D.	650	739,146	367	57.1	51.6-62.6	213	30.7	25.6-35.8	12	2.8	0.8- 4.8	9	1.6	0.4- 2.8	3	0.1	0.0- 0.3	46	7.6	4.7-10.5
Some Post-H.S.	497	598,551	278	58.1	51.8-64.4	177	33.9	27.8-40.0	8	2.2	0.2- 4.2	11	1.7	0.3- 3.1				23	4.0	1.8- 6.2
College Graduate	726	512,147	378	52.6	47.5-57.7	293	39.3	34.4-44.2	27	3.5	1.7- 5.3	11	1.8	0.2- 3.4				17	2.8	1.0- 4.6
Less than \$15,000	176	203,029	107	56.2	44.4-68.0	43	21.5	12.3-30.7	5	11.8	0.6-23.0	1	1.0	0.0- 3.0				20	9.6	4.1-15.1
\$15,000- 24,999	303	343,254	161	56.2	47.8-64.6	107	32.6	24.8-40.4	4	1.4	0.0- 3.2	3	1.0	0.0- 2.6	1	0.1	0.0- 0.3	27	8.7	3.8-13.6
\$25,000- 34,999	222	231,831	122	60.0	51.0-69.0	75	31.3	22.9-39.7	6	1.5	0.0- 3.3	7	2.8	0.3- 5.3				12	4.3	1.4- 7.2
\$35,000- 49,999	285	296,839	152	50.8	42.4-59.2	113	41.3	32.9-49.7	5	3.3	0.0- 6.6	7	2.2	0.0- 4.4	2	0.3	0.0- 0.7	6	2.1	0.0- 4.5
\$50,000- 74,999	304	312,173	174	58.2	50.4-66.0	97	30.9	23.3-38.5	9	1.8	0.6- 3.0	7	1.9	0.0- 4.1				17	7.2	3.1-11.3
\$75,000+	525	516,716	286	58.4	52.3-64.5	203	33.3	27.8-38.8	15	2.4	0.6- 4.2	4	1.1	0.0- 2.7				17	4.8	1.9- 7.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3286	2,386,873	1472	44.9	42.2-47.6	1457	43.4	40.7-46.1	152	5.5	4.3- 6.7	81	2.3	1.5- 3.1	4	0.2	0.0- 0.4	120	3.8	2.6- 5.0
White/Non-Hisp	2667	1,826,156	1217	46.7	44.0-49.4	1172	42.4	39.7-45.1	117	5.0	3.6- 6.4	65	2.3	1.5- 3.1	4	0.2	0.0- 0.4	92	3.4	2.4- 4.4
Black or Afr. Am./Non-Hisp	447	388,273	186	38.8	31.7-45.9	204	46.7	39.3-54.1	23	5.7	2.4- 9.0	9	2.1	0.1- 4.1				25	6.8	1.3-12.3
Oth. Race/Non-Hisp.	55	48,728	24	53.8	24.8-82.8	25	35.0	8.7-61.3	3	9.4	0.0-21.6	3	1.9	0.0- 4.3						
18-24	111	265,301	51	43.3	31.3-55.3	46	43.4	31.6-55.2	4	4.6	0.0- 9.5	3	2.2	0.0- 4.9				7	6.5	1.0-12.0
25-34	248	385,107	104	43.2	35.4-51.0	107	42.5	34.7-50.3	19	8.6	4.3-12.9	8	3.4	0.9- 5.9	1	0.2	0.0- 0.6	9	2.2	0.6- 3.8
35-44	319	374,793	148	44.8	37.5-52.1	134	42.7	35.4-50.0	19	7.8	3.5-12.1	8	1.9	0.0- 3.9				10	2.7	0.7- 4.7
45-54	519	408,706	241	47.4	41.3-53.5	220	41.7	35.8-47.6	24	3.2	1.6- 4.8	5	1.0	0.0- 2.2	2	0.7	0.0- 1.9	27	6.0	1.1-10.9
55-64	776	412,293	370	47.0	41.9-52.1	319	42.1	37.0-47.2	43	5.8	3.3- 8.3	22	2.1	0.9- 3.3	1	0.1	0.0- 0.3	21	2.9	1.1- 4.7
65+	1285	528,879	547	43.5	39.8-47.2	616	47.0	43.3-50.7	42	3.2	1.8- 4.6	34	2.8	1.6- 4.0				46	3.5	2.1- 4.9
Less Than H.S.	357	337,623	177	49.9	41.7-58.1	130	36.9	28.9-44.9	7	0.8	0.0- 1.6	9	2.4	0.2- 4.6				34	10.1	4.0-16.2
H.S. or G.E.D.	1068	752,959	499	45.5	40.8-50.2	448	43.7	39.0-48.4	47	5.4	3.4- 7.4	20	1.4	0.6- 2.2				54	3.9	2.3- 5.5
Some Post-H.S.	873	753,754	416	47.7	42.6-52.8	381	41.9	36.8-47.0	33	4.9	2.5- 7.3	24	2.9	1.3- 4.5	1	0.3	0.0- 0.9	18	2.4	0.6- 4.2
College Graduate	982	538,063	375	36.6	32.1-41.1	497	49.5	44.8-54.2	65	9.2	5.9-12.5	28	2.5	1.1- 3.9	3	0.3	0.0- 0.7	14	1.8	0.6- 3.0
Less than \$15,000	409	294,572	209	48.6	39.6-57.6	142	35.3	27.1-43.5	13	4.2	0.9- 7.5	11	3.0	0.6- 5.4				34	8.9	2.2-15.6
\$15,000- 24,999	599	417,821	282	43.8	37.5-50.1	256	45.2	38.7-51.7	22	3.8	1.6- 6.0	13	1.6	0.4- 2.8	1	0.6	0.0- 1.8	25	5.0	1.9- 8.1
\$25,000- 34,999	311	226,904	153	53.2	44.0-62.4	126	35.3	27.3-43.3	15	4.7	1.2- 8.2	5	1.7	0.0- 3.9				12	5.0	1.5- 8.5
\$35,000- 49,999	368	301,541	156	37.6	30.3-44.9	180	52.0	44.4-59.6	17	6.3	2.4-10.2	10	3.1	0.6- 5.6				5	0.9	0.0- 1.9
\$50,000- 74,999	350	266,875	139	42.4	34.8-50.0	172	46.0	38.4-53.6	22	5.5	2.2- 8.8	10	4.0	0.7- 7.3				7	2.1	0.0- 4.3
\$75,000+	539	422,260	217	42.2	36.3-48.1	261	44.8	38.9-50.7	35	10.2	5.7-14.7	17	1.6	0.6- 2.6	3	0.4	0.0- 0.8	6	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 7: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5313	4,505,439	4135	76.9	75.1-78.7	394	7.6	6.4- 8.8	25	0.8	0.4- 1.2	23	0.5	0.3- 0.7	2	0.0	0.0- 0.0	734	14.2	12.8-15.6
Male	2062	2,138,649	1640	77.9	75.2-80.6	142	7.2	5.4- 9.0	11	1.0	0.2- 1.8	12	0.6	0.2- 1.0				257	13.2	11.0-15.4
Female	3251	2,366,790	2495	76.0	73.6-78.4	252	7.9	6.3- 9.5	14	0.7	0.3- 1.1	11	0.3	0.1- 0.5	2	0.0	0.0- 0.0	477	15.1	13.1-17.1
White/Non-Hisp	4352	3,436,305	3454	78.9	77.1-80.7	309	6.6	5.6- 7.6	21	0.8	0.2- 1.4	19	0.5	0.3- 0.7	2	0.0	0.0- 0.0	547	13.3	11.7-14.9
Black or Afr. Am./Non-Hisp	644	690,065	445	67.3	61.2-73.4	54	11.0	6.5-15.5	3	1.4	0.0- 3.2							142	20.3	15.4-25.2
Oth. Race/Non-Hisp.	115	120,377	81	74.5	63.1-85.9	16	11.1	3.8-18.4				2	1.8	0.0- 4.7				16	12.6	4.6-20.6
MultiRacial/Non-Hisp.	66	73,151	50	77.1	63.6-90.6	6	6.0	0.3-11.7				1	1.4	0.0- 4.1				9	15.5	3.3-27.7
Hispanic	76	134,797	58	74.9	60.8-89.0	8	15.1	2.0-28.2	1	1.0	0.0- 3.0	1	1.9	0.0- 5.6				8	7.1	1.0-13.2
18-24	231	545,290	165	73.7	66.8-80.6	13	5.0	1.3- 8.7	2	0.9	0.0- 2.3	1	0.3	0.0- 0.9				50	20.1	13.8-26.4
25-34	415	747,889	309	74.8	69.3-80.3	31	8.3	4.2-12.4	2	0.9	0.0- 2.3	2	0.3	0.0- 0.7				71	15.6	11.5-19.7
35-44	535	719,163	408	75.1	70.2-80.0	45	7.7	5.0-10.4	2	1.1	0.0- 2.9	2	0.3	0.0- 0.9				78	15.8	11.7-19.9
45-54	871	784,507	688	79.1	75.2-83.0	61	7.2	4.5- 9.9	6	1.4	0.0- 2.8	2	0.2	0.0- 0.6				114	12.1	9.0-15.2
55-64	1228	777,085	953	79.3	76.2-82.4	104	8.2	6.2-10.2	8	0.5	0.1- 0.9	7	0.8	0.0- 1.6	2	0.1	0.0- 0.3	154	11.1	8.6-13.6
65+	1986	900,129	1578	78.3	75.8-80.8	134	7.9	6.1- 9.7	4	0.2	0.0- 0.6	9	0.9	0.3- 1.5				261	12.7	10.7-14.7
Less Than H.S.	566	639,691	409	71.4	65.5-77.3	55	11.6	6.7-16.5				2	0.5	0.0- 1.3				100	16.5	12.0-21.0
H.S. or G.E.D.	1699	1,468,436	1315	78.7	75.8-81.6	124	7.0	5.2- 8.8	8	0.8	0.0- 1.6	7	0.4	0.0- 0.8				245	13.1	10.7-15.5
Some Post-H.S.	1354	1,345,348	1053	76.2	72.7-79.7	92	6.2	4.2- 8.2	9	1.5	0.1- 2.9	6	0.5	0.0- 1.1				194	15.6	12.7-18.5
College Graduate	1681	1,041,616	1349	79.0	76.1-81.9	122	7.6	5.8- 9.4	7	0.5	0.1- 0.9	8	0.5	0.1- 0.9	2	0.1	0.1- 0.1	193	12.5	10.1-14.9
Less than \$15,000	585	500,702	426	73.9	67.4-80.4	38	9.4	3.9-14.9	1	0.8	0.0- 2.4	3	0.7	0.0- 1.7				117	15.1	11.0-19.2
\$15,000- 24,999	898	747,656	668	71.6	66.7-76.5	83	10.2	6.7-13.7	5	0.8	0.0- 1.8	1	0.1	0.0- 0.3				141	17.2	13.1-21.3
\$25,000- 34,999	527	461,618	419	80.4	75.3-85.5	36	5.4	3.0- 7.8	1	0.2	0.0- 0.6	3	0.8	0.0- 1.8				68	13.2	8.5-17.9
\$35,000- 49,999	640	591,826	512	75.8	70.7-80.9	50	7.2	4.5- 9.9	3	0.9	0.0- 2.1	2	0.4	0.0- 1.0				73	15.6	10.9-20.3
\$50,000- 74,999	648	577,964	530	82.6	78.5-86.7	44	5.7	3.3- 8.1	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6				71	11.4	7.9-14.9
\$75,000+	1059	936,963	859	80.6	77.1-84.1	75	6.5	4.7- 8.3	8	1.2	0.0- 2.8	6	0.7	0.1- 1.3	1	0.0	0.0- 0.0	110	10.9	8.2-13.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 8: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2062	2,138,649	1640	77.9	75.2-80.6	142	7.2	5.4- 9.0	11	1.0	0.2- 1.8	12	0.6	0.2- 1.0	257	13.2	11.0-15.4
White/Non-Hisp	1720	1,620,822	1393	79.5	76.8-82.2	109	6.1	4.5- 7.7	10	1.1	0.1- 2.1	9	0.5	0.1- 0.9	199	12.9	10.5-15.3
Black or Afr. Am./Non-Hisp	196	303,507	142	71.2	60.8-81.6	18	13.0	4.4-21.6	1	1.6	0.0- 4.5				35	14.2	6.8-21.6
Oth. Race/Non-Hisp.	60	71,666	41	72.7	58.2-87.2	10	11.6	2.2-21.0				1	2.5	0.0- 7.4	8	13.1	2.3-23.9
18-24	121	281,283	92	79.6	71.0-88.2	5	2.6	0.0- 5.3	2	1.8	0.0- 4.3	1	0.5	0.0- 1.5	21	15.6	7.6-23.6
25-34	166	360,330	125	74.7	66.3-83.1	15	9.2	2.5-15.9	1	1.3	0.0- 3.8	1	0.3	0.0- 0.9	24	14.5	8.4-20.6
35-44	217	351,187	163	72.0	64.0-80.0	18	7.6	3.3-11.9	1	1.9	0.0- 5.6	1	0.5	0.0- 1.5	34	18.0	11.1-24.9
45-54	353	379,394	281	79.7	73.6-85.8	25	8.5	4.0-13.0	4	1.2	0.0- 2.8	2	0.5	0.0- 1.3	41	10.2	5.9-14.5
55-64	457	367,071	364	80.9	76.0-85.8	32	6.0	3.5- 8.5	2	0.2	0.0- 0.4	4	1.5	0.0- 3.3	55	11.5	7.4-15.6
65+	729	380,975	600	80.0	75.7-84.3	45	8.5	5.2-11.8				3	0.5	0.0- 1.1	81	11.0	7.9-14.1
Less Than H.S.	212	306,217	161	74.0	64.6-83.4	20	10.7	2.9-18.5				1	0.8	0.0- 2.4	30	14.5	7.8-21.2
H.S. or G.E.D.	636	722,549	492	79.6	75.3-83.9	50	6.6	4.2- 9.0	2	0.4	0.0- 1.2	4	0.5	0.0- 1.1	88	12.9	9.2-16.6
Some Post-H.S.	492	599,043	393	74.6	68.7-80.5	30	6.4	3.7- 9.1	5	2.8	0.0- 5.7	3	0.8	0.0- 1.8	61	15.4	10.5-20.3
College Graduate	715	505,581	588	81.5	77.4-85.6	42	7.1	4.2-10.0	3	0.3	0.0- 0.7	4	0.5	0.0- 1.1	78	10.5	7.6-13.4
Less than \$15,000	179	205,607	131	71.4	59.6-83.2	12	13.8	2.4-25.2				2	1.4	0.0- 3.8	34	13.4	6.9-19.9
\$15,000- 24,999	298	331,905	221	74.9	67.5-82.3	26	7.7	3.8-11.6	2	1.3	0.0- 3.3				49	16.0	9.5-22.5
\$25,000- 34,999	222	238,860	181	79.6	71.4-87.8	17	5.3	2.0- 8.6				2	1.5	0.0- 3.5	22	13.6	5.8-21.4
\$35,000- 49,999	274	289,010	221	75.1	67.5-82.7	22	8.3	3.8-12.8	2	1.4	0.0- 3.8	1	0.5	0.0- 1.5	28	14.8	8.1-21.5
\$50,000- 74,999	301	312,149	252	85.6	80.3-90.9	16	4.9	1.6- 8.2	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	31	9.0	4.7-13.3
\$75,000+	520	513,775	429	82.3	77.6-87.0	30	5.2	2.7- 7.7	4	1.5	0.0- 4.0	5	0.8	0.0- 1.6	52	10.1	6.6-13.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 9: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3251	2,366,790	2495	76.0	73.6-78.4	252	7.9	6.3- 9.5	14	0.7	0.3- 1.1	11	0.3	0.1- 0.5	2	0.0	0.0- 0.0	477	15.1	13.1-17.1
White/Non-Hisp	2632	1,815,483	2061	78.4	76.0-80.8	200	7.0	5.6- 8.4	11	0.5	0.1- 0.9	10	0.4	0.0- 0.8	2	0.0	0.0- 0.0	348	13.6	11.6-15.6
Black or Afr. Am./Non-Hisp	448	386,558	303	64.1	56.8-71.4	36	9.4	4.9-13.9	2	1.4	0.0- 3.6							107	25.1	18.8-31.4
Oth. Race/Non-Hisp.	55	48,711	40	77.1	59.5-94.7	6	10.3	0.0-21.7				1	0.8	0.0- 2.4				8	11.8	0.2-23.4
18-24	110	264,007	73	67.4	56.6-78.2	8	7.6	0.7-14.5										29	25.0	15.4-34.6
25-34	249	387,559	184	74.9	67.8-82.0	16	7.6	2.7-12.5	1	0.6	0.0- 1.8	1	0.3	0.0- 0.9				47	16.6	10.9-22.3
35-44	318	367,977	245	78.0	72.3-83.7	27	7.8	4.3-11.3	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3				44	13.7	9.0-18.4
45-54	518	405,113	407	78.6	73.3-83.9	36	6.0	2.9- 9.1	2	1.6	0.0- 4.0							73	13.8	9.5-18.1
55-64	771	410,014	589	77.8	73.7-81.9	72	10.2	7.3-13.1	6	0.8	0.0- 1.6	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3	99	10.8	7.9-13.7
65+	1257	519,154	978	77.0	73.7-80.3	89	7.5	5.5- 9.5	4	0.4	0.0- 1.0	6	1.1	0.1- 2.1				180	14.0	11.5-16.5
Less Than H.S.	354	333,474	248	68.9	61.3-76.5	35	12.5	6.6-18.4				1	0.3	0.0- 0.9				70	18.3	12.4-24.2
H.S. or G.E.D.	1063	745,887	823	77.8	73.9-81.7	74	7.4	4.9- 9.9	6	1.3	0.0- 2.7	3	0.3	0.0- 0.7				157	13.3	10.2-16.4
Some Post-H.S.	862	746,304	660	77.4	73.1-81.7	62	6.1	3.6- 8.6	4	0.4	0.0- 0.8	3	0.3	0.0- 0.9				133	15.8	12.1-19.5
College Graduate	966	536,035	761	76.5	72.4-80.6	80	8.0	5.6-10.4	4	0.6	0.0- 1.4	4	0.4	0.0- 1.0	2	0.1	0.0- 0.3	115	14.3	10.6-18.0
Less than \$15,000	406	295,095	295	75.7	68.8-82.6	26	6.3	2.2-10.4	1	1.4	0.0- 4.1	1	0.3	0.0- 0.9				83	16.4	11.1-21.7
\$15,000- 24,999	600	415,751	447	69.0	62.5-75.5	57	12.2	6.9-17.5	3	0.4	0.0- 1.0	1	0.2	0.0- 0.6				92	18.2	13.1-23.3
\$25,000- 34,999	305	222,758	238	81.3	75.4-87.2	19	5.4	2.3- 8.5	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6				46	12.7	8.0-17.4
\$35,000- 49,999	366	302,816	291	76.6	69.7-83.5	28	6.2	3.1- 9.3	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2				45	16.4	9.9-22.9
\$50,000- 74,999	347	265,815	278	79.1	72.8-85.4	28	6.5	3.4- 9.6	1	0.1	0.0- 0.3							40	14.2	8.3-20.1
\$75,000+	539	423,189	430	78.4	73.5-83.3	45	8.1	5.4-10.8	4	0.9	0.0- 2.1	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	58	12.0	7.9-16.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 10: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)
 Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5367	4,550,434	3868	70.6	68.6-72.6	902	18.1	16.3-19.9	43	1.0	0.6- 1.4	30	0.6	0.2- 1.0	4	0.1	0.0- 0.3	520	9.5	8.3-10.7
Male	2089	2,173,181	1516	71.3	68.4-74.2	302	15.5	13.1-17.9	15	1.2	0.6- 1.8	10	0.8	0.0- 1.6	2	0.2	0.0- 0.4	244	11.1	9.1-13.1
Female	3278	2,377,254	2352	69.9	67.4-72.4	600	20.5	18.1-22.9	28	0.9	0.3- 1.5	20	0.5	0.1- 0.9	2	0.0	0.0- 0.0	276	8.1	6.7- 9.5
White/Non-Hisp	4392	3,468,400	3189	71.4	69.4-73.4	693	16.5	14.9-18.1	33	1.1	0.5- 1.7	24	0.7	0.3- 1.1	4	0.1	0.0- 0.3	449	10.2	8.8-11.6
Black or Afr. Am./Non-Hisp	651	693,008	472	71.2	65.1-77.3	130	20.5	15.2-25.8	5	0.8	0.0- 1.8	4	0.8	0.0- 2.0				40	6.8	2.9-10.7
Oth. Race/Non-Hisp.	116	120,557	73	58.5	41.8-75.2	28	31.0	13.8-48.2	2	1.7	0.0- 4.6	1	0.3	0.0- 0.9				12	8.5	1.6-15.4
MultiRacial/Non-Hisp.	64	73,139	38	53.1	34.7-71.5	19	33.3	16.2-50.4				1	0.6	0.0- 1.8				6	13.1	0.9-25.3
Hispanic	76	134,797	49	68.3	53.0-83.6	20	25.2	10.5-39.9	1	1.0	0.0- 3.0							6	5.6	0.0-11.5
18-24	232	547,246	159	65.0	57.0-73.0	41	22.9	15.5-30.3	2	1.1	0.0- 2.5	2	1.1	0.0- 2.7				28	10.0	5.3-14.7
25-34	417	755,790	281	66.2	60.1-72.3	86	22.0	16.7-27.3	7	1.4	0.2- 2.6	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2	41	9.6	5.7-13.5
35-44	531	717,716	372	72.6	67.9-77.3	96	15.9	12.2-19.6	8	2.0	0.2- 3.8	3	0.7	0.0- 1.7	1	0.1	0.0- 0.3	51	8.8	5.7-11.9
45-54	874	789,596	622	69.4	64.9-73.9	149	18.2	14.5-21.9	9	1.4	0.2- 2.6	3	1.0	0.0- 2.4	2	0.1	0.0- 0.3	89	9.8	7.1-12.5
55-64	1236	780,390	894	73.8	70.5-77.1	215	17.0	14.1-19.9	8	0.4	0.0- 0.8	8	0.4	0.0- 0.8				111	8.4	6.2-10.6
65+	2029	927,925	1506	74.3	71.6-77.0	302	14.1	12.1-16.1	9	0.3	0.1- 0.5	13	0.4	0.2- 0.6				199	10.8	8.8-12.8
Less Than H.S.	570	647,406	390	67.1	61.0-73.2	49	12.6	7.5-17.7	5	1.0	0.0- 2.2	2	0.9	0.0- 2.5				124	18.5	14.2-22.8
H.S. or G.E.D.	1718	1,491,075	1255	73.7	70.6-76.8	229	13.4	11.0-15.8	16	1.2	0.4- 2.0	7	0.6	0.0- 1.4	1	0.2	0.0- 0.6	210	10.9	8.7-13.1
Some Post-H.S.	1364	1,350,660	975	68.5	64.6-72.4	263	22.6	18.9-26.3	8	0.8	0.0- 1.6	6	0.4	0.0- 0.8	1	0.1	0.0- 0.3	111	7.6	5.2-10.0
College Graduate	1698	1,049,890	1236	71.1	68.0-74.2	359	22.3	19.4-25.2	14	1.1	0.1- 2.1	15	0.9	0.1- 1.7	2	0.1	0.0- 0.3	72	4.5	3.1- 5.9
Less than \$15,000	591	502,274	406	68.2	61.1-75.3	70	15.5	8.6-22.4	2	0.1	0.0- 0.3	4	1.1	0.0- 2.9				109	15.1	11.0-19.2
\$15,000- 24,999	896	759,423	635	66.3	61.0-71.6	123	15.7	11.8-19.6	4	0.7	0.0- 1.7	3	1.0	0.0- 2.6				131	16.2	11.9-20.5
\$25,000- 34,999	528	455,584	394	72.0	65.9-78.1	79	15.0	10.7-19.3	5	1.5	0.1- 2.9	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	48	11.3	6.6-16.0
\$35,000- 49,999	656	603,534	467	66.9	61.4-72.4	134	26.0	20.7-31.3	4	1.2	0.0- 2.6	2	0.2	0.0- 0.4	1	0.5	0.0- 1.5	48	5.2	3.2- 7.2
\$50,000- 74,999	648	581,987	502	77.0	72.3-81.7	103	16.8	12.7-20.9	6	0.7	0.0- 1.5	5	0.9	0.0- 2.1				32	4.7	2.3- 7.1
\$75,000+	1061	937,611	767	73.0	69.3-76.7	232	20.4	17.1-23.7	10	1.3	0.1- 2.5	7	0.7	0.0- 1.5	2	0.1	0.0- 0.3	43	4.5	2.7- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 11: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									None								
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2089	2,173,181	1516	71.3	68.4-74.2	302	15.5	13.1-17.9	15	1.2	0.6- 1.8	10	0.8	0.0- 1.6	2	0.2	0.0- 0.4	244	11.1	9.1-13.1
White/Non-Hisp	1740	1,648,471	1268	71.8	68.9-74.7	241	14.4	12.0-16.8	13	1.3	0.5- 2.1	10	1.0	0.0- 2.0	2	0.2	0.0- 0.6	206	11.2	9.2-13.2
Black or Afr. Am./Non-Hisp	198	305,535	153	74.0	63.4-84.6	23	14.4	5.8-23.0										22	11.6	3.6-19.6
Oth. Race/Non-Hisp.	61	73,390	37	67.3	51.4-83.2	16	20.4	7.3-33.5	1	2.4	0.0- 7.1							7	9.8	0.0-19.8
18-24	122	283,538	85	71.4	61.6-81.2	20	16.0	8.6-23.4	1	1.2	0.0- 3.6	1	0.5	0.0- 1.5				15	11.0	3.7-18.3
25-34	169	370,347	122	71.1	61.9-80.3	26	15.9	8.3-23.5	3	1.6	0.0- 3.4	1	0.9	0.0- 2.7	1	0.8	0.0- 2.4	16	9.7	3.2-16.2
35-44	216	350,449	145	69.9	62.3-77.5	37	14.8	9.3-20.3	5	2.8	0.1- 5.5	2	1.3	0.0- 3.5	1	0.2	0.0- 0.6	26	11.0	5.9-16.1
45-54	355	381,948	244	65.3	58.2-72.4	60	19.8	13.7-25.9	4	1.4	0.0- 3.0	2	1.5	0.0- 4.2				45	12.0	7.7-16.3
55-64	461	368,533	343	74.8	69.5-80.1	66	14.4	10.3-18.5	1	0.2	0.0- 0.6	2	0.2	0.0- 0.4				49	10.4	6.7-14.1
65+	745	398,242	562	75.8	71.7-79.9	88	11.2	8.1-14.3	1	0.0	0.0- 0.0	2	0.3	0.0- 0.7				92	12.7	9.4-16.0
Less Than H.S.	217	316,643	141	62.6	53.0-72.2	22	15.5	7.1-23.9	1	0.9	0.0- 2.7	1	1.7	0.0- 5.0				52	19.3	12.4-26.2
H.S. or G.E.D.	650	741,809	469	73.8	69.1-78.5	72	11.8	8.5-15.1	4	0.9	0.0- 1.9	1	0.5	0.0- 1.5	1	0.4	0.0- 1.2	103	12.6	9.3-15.9
Some Post-H.S.	490	596,379	352	70.1	64.0-76.2	83	17.6	12.9-22.3	4	1.6	0.0- 3.2	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	48	10.3	5.6-15.0
College Graduate	723	512,139	549	75.3	70.8-79.8	124	17.7	13.6-21.8	6	1.2	0.0- 2.4	6	1.3	0.0- 2.9				38	4.4	2.6- 6.2
Less than \$15,000	180	206,321	117	59.7	47.9-71.5	19	20.6	8.6-32.6										44	19.7	12.3-27.1
\$15,000- 24,999	299	342,230	208	65.5	57.1-73.9	28	11.4	6.3-16.5	1	0.8	0.0- 2.4	1	1.6	0.0- 4.7				61	20.7	13.1-28.3
\$25,000- 34,999	223	235,691	164	72.1	63.1-81.1	27	11.1	5.8-16.4	3	2.0	0.0- 4.4				1	0.3	0.0- 0.9	28	14.5	6.5-22.5
\$35,000- 49,999	288	300,206	203	67.9	60.1-75.7	53	21.7	14.4-29.0	3	2.3	0.0- 5.0	1	0.2	0.0- 0.6	1	1.0	0.0- 3.0	27	6.9	3.4-10.4
\$50,000- 74,999	302	317,110	238	79.9	73.4-86.4	43	15.0	9.1-20.9	2	0.3	0.0- 0.9	3	1.3	0.0- 3.5				16	3.5	1.3- 5.7
\$75,000+	521	513,968	389	75.7	70.6-80.8	99	16.9	12.6-21.2	5	1.4	0.0- 2.8	3	1.1	0.0- 2.7				25	4.9	2.4- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 12: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									None								
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3278	2,377,254	2352	69.9	67.4-72.4	600	20.5	18.1-22.9	28	0.9	0.3- 1.5	20	0.5	0.1- 0.9	2	0.0	0.0- 0.0	276	8.1	6.7- 9.5
White/Non-Hisp	2652	1,819,930	1921	71.1	68.4-73.8	452	18.4	16.0-20.8	20	0.9	0.3- 1.5	14	0.3	0.1- 0.5	2	0.1	0.1- 0.1	243	9.3	7.5-11.1
Black or Afr. Am./Non-Hisp	453	387,473	319	68.9	61.8-76.0	107	25.3	18.6-32.0	5	1.5	0.0- 3.3	4	1.4	0.0- 3.8				18	2.9	0.5- 5.3
Oth. Race/Non-Hisp.	55	47,167	36	44.8	15.6-74.0	12	47.4	15.8-79.0	1	0.5	0.0- 1.7	1	0.8	0.0- 2.4				5	6.5	0.0-13.8
18-24	110	263,708	74	58.2	46.0-70.4	21	30.3	18.0-42.6	1	0.9	0.0- 2.7	1	1.7	0.0- 5.0				13	8.9	3.4-14.4
25-34	248	385,443	159	61.6	53.8-69.4	60	27.8	20.4-35.2	4	1.2	0.0- 2.8							25	9.4	4.9-13.9
35-44	315	367,267	227	75.1	69.2-81.0	59	17.0	12.1-21.9	3	1.2	0.0- 3.4	1	0.1	0.0- 0.3				25	6.6	3.3- 9.9
45-54	519	407,649	378	73.2	67.7-78.7	89	16.7	12.2-21.2	5	1.4	0.0- 3.2	1	0.6	0.0- 1.8	2	0.3	0.0- 0.7	44	7.9	4.6-11.2
55-64	775	411,857	551	72.9	68.6-77.2	149	19.4	15.5-23.3	7	0.5	0.1- 0.9	6	0.5	0.0- 1.1				62	6.6	4.4- 8.8
65+	1284	529,683	944	73.2	69.7-76.7	214	16.3	13.6-19.0	8	0.5	0.1- 0.9	11	0.5	0.1- 0.9				107	9.4	6.9-11.9
Less Than H.S.	353	330,763	249	71.4	64.1-78.7	27	9.7	4.0-15.4	4	1.1	0.0- 2.7	1	0.1	0.0- 0.3				72	17.7	12.2-23.2
H.S. or G.E.D.	1068	749,266	786	73.5	69.4-77.6	157	15.0	11.7-18.3	12	1.6	0.4- 2.8	6	0.8	0.0- 2.0				107	9.2	6.7-11.7
Some Post-H.S.	874	754,281	623	67.3	62.0-72.6	180	26.6	21.3-31.9	4	0.2	0.0- 0.4	4	0.5	0.0- 1.1				63	5.5	3.3- 7.7
College Graduate	975	537,751	687	67.1	62.6-71.6	235	26.6	22.3-30.9	8	1.0	0.0- 2.6	9	0.5	0.1- 0.9	2	0.2	0.0- 0.4	34	4.6	2.4- 6.8
Less than \$15,000	411	295,953	289	74.1	65.5-82.7	51	12.0	4.0-20.0	2	0.2	0.0- 0.4	4	1.9	0.0- 4.8				65	11.8	7.3-16.3
\$15,000- 24,999	597	417,193	427	67.0	60.5-73.5	95	19.3	13.4-25.2	3	0.7	0.0- 1.9	2	0.6	0.0- 1.8				70	12.4	8.1-16.7
\$25,000- 34,999	305	219,893	230	71.9	64.1-79.7	52	19.2	12.3-26.1	2	0.9	0.0- 2.5	1	0.1	0.0- 0.3				20	7.9	3.6-12.2
\$35,000- 49,999	368	303,328	264	65.9	58.1-73.7	81	30.2	22.4-38.0	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6				21	3.6	1.6- 5.6
\$50,000- 74,999	346	264,878	264	73.4	66.5-80.3	60	18.9	13.2-24.6	4	1.2	0.0- 2.8	2	0.4	0.0- 1.0				16	6.1	1.8-10.4
\$75,000+	540	423,644	378	69.7	64.0-75.4	133	24.7	19.4-30.0	5	1.2	0.0- 3.2	4	0.3	0.0- 0.7	2	0.2	0.0- 0.6	18	3.9	1.5- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 13: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5352	4,544,239	4097	74.2	72.2-76.2	355	6.4	5.4- 7.4	17	0.4	0.2- 0.6	13	0.3	0.0- 0.7	5	0.1	0.0- 0.3	865	18.6	17.0-20.2
Male	2082	2,164,052	1534	71.8	68.9-74.7	125	6.3	4.5- 8.1	10	0.6	0.2- 1.0	5	0.5	0.0- 1.1	2	0.0	0.0- 0.0	406	20.9	18.4-23.4
Female	3270	2,380,187	2563	76.3	73.9-78.7	230	6.6	5.2- 8.0	7	0.2	0.0- 0.6	8	0.2	0.0- 0.4	3	0.2	0.0- 0.4	459	16.5	14.3-18.7
White/Non-Hisp	4384	3,468,860	3382	75.0	73.0-77.0	283	6.3	5.3- 7.3	12	0.4	0.0- 0.8	12	0.4	0.0- 0.8	4	0.1	0.0- 0.3	691	17.8	16.0-19.6
Black or Afr. Am./Non-Hisp	646	688,745	473	69.1	62.8-75.4	43	7.3	3.4-11.2	3	0.1	0.0- 0.3				1	0.1	0.0- 0.3	126	23.4	17.7-29.1
Oth. Race/Non-Hisp.	116	122,104	88	78.6	67.4-89.8	13	6.1	1.2-11.0				1	0.3	0.0- 0.9				14	15.0	4.8-25.2
MultiRacial/Non-Hisp.	67	75,360	54	81.2	68.9-93.5	5	7.4	0.0-15.8	1	1.3	0.0- 3.8							7	10.2	1.0-19.4
Hispanic	73	128,866	50	72.5	58.2-86.8	5	2.4	0.0- 5.3	1	1.0	0.0- 3.0							17	24.1	10.0-38.2
18-24	229	544,916	151	66.5	58.9-74.1	14	5.8	2.5- 9.1										64	27.7	20.4-35.0
25-34	418	758,071	303	73.1	67.6-78.6	25	8.2	4.1-12.3	3	0.8	0.0- 1.8	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	85	17.4	13.1-21.7
35-44	532	722,836	393	73.1	68.2-78.0	32	5.1	3.1- 7.1	2	0.7	0.0- 1.9	2	1.0	0.0- 2.8				103	20.2	15.7-24.7
45-54	869	784,214	656	72.3	67.8-76.8	45	6.0	3.5- 8.5	1	0.3	0.0- 0.9	4	0.6	0.0- 1.4	1	0.1	0.0- 0.3	162	20.6	16.5-24.7
55-64	1233	777,271	938	77.6	74.5-80.7	87	6.0	4.0- 8.0	6	0.4	0.0- 0.8	1	0.0	0.0- 0.0	3	0.1	0.0- 0.3	198	15.8	13.1-18.5
65+	2025	924,733	1623	79.1	76.6-81.6	147	6.9	5.3- 8.5	5	0.2	0.0- 0.4	5	0.2	0.0- 0.4				245	13.5	11.3-15.7
Less Than H.S.	567	648,366	391	67.0	60.7-73.3	23	4.7	1.0- 8.4	1	0.1	0.0- 0.3							152	28.1	22.2-34.0
H.S. or G.E.D.	1720	1,495,945	1284	74.0	70.9-77.1	84	4.5	3.1- 5.9	5	0.6	0.0- 1.2	4	0.2	0.0- 0.4	2	0.1	0.1- 0.1	341	20.7	18.0-23.4
Some Post-H.S.	1359	1,343,187	1044	73.4	69.7-77.1	103	8.0	5.6-10.4	5	0.2	0.0- 0.4	3	0.8	0.0- 1.8	1	0.2	0.0- 0.6	203	17.4	14.3-20.5
College Graduate	1693	1,046,752	1370	80.3	77.6-83.0	144	8.2	6.2-10.2	6	0.6	0.0- 1.4	6	0.2	0.0- 0.4	2	0.1	0.0- 0.3	165	10.7	8.5-12.9
Less than \$15,000	586	499,543	413	66.1	59.0-73.2	27	5.0	0.7- 9.3	1	0.1	0.0- 0.3				1	0.6	0.0- 1.8	144	28.3	21.8-34.8
\$15,000- 24,999	897	756,142	657	68.0	63.1-72.9	54	6.8	4.3- 9.3	3	0.4	0.0- 1.2	1	0.3	0.0- 0.9	1	0.0	0.0- 0.0	181	24.4	19.7-29.1
\$25,000- 34,999	531	464,538	406	75.4	69.7-81.1	35	5.2	2.8- 7.6	2	0.7	0.0- 1.7							88	18.8	13.7-23.9
\$35,000- 49,999	654	599,482	516	80.5	76.2-84.8	45	7.5	4.2-10.8	4	0.8	0.0- 1.8	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3	86	10.9	8.0-13.8
\$50,000- 74,999	645	578,928	523	77.7	73.0-82.4	39	5.0	2.6- 7.4	2	0.2	0.0- 0.6	4	0.2	0.0- 0.4				77	17.0	12.5-21.5
\$75,000+	1061	939,172	867	79.9	76.2-83.6	85	7.3	4.9- 9.7	4	0.6	0.0- 1.6	3	0.9	0.0- 2.3	1	0.1	0.0- 0.3	101	11.1	8.4-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 14: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2082	2,164,052	1534	71.8	68.9-74.7	125	6.3	4.5- 8.1	10	0.6	0.2- 1.0	5	0.5	0.0- 1.1	2	0.0	0.0- 0.0	406	20.9	18.4-23.4
White/Non-Hisp	1739	1,647,565	1280	71.6	68.5-74.7	106	6.1	4.5- 7.7	7	0.6	0.0- 1.2	5	0.6	0.0- 1.4	1	0.0	0.0- 0.0	340	21.0	18.3-23.7
Black or Afr. Am./Non-Hisp	197	303,776	148	74.4	64.2-84.6	8	6.2	0.0-13.5	1	0.0	0.0- 0.0				1	0.2	0.0- 0.6	39	19.2	10.6-27.8
Oth. Race/Non-Hisp.	60	72,929	45	76.3	61.2-91.4	6	4.1	0.0- 8.6										9	19.6	4.9-34.3
18-24	120	281,409	80	66.8	56.4-77.2	9	6.7	1.8-11.6										31	26.5	16.5-36.5
25-34	168	368,005	121	70.3	61.3-79.3	9	8.7	1.4-16.0	3	1.6	0.0- 3.6	1	0.3	0.0- 0.9				34	19.1	11.8-26.4
35-44	215	350,586	146	70.1	62.5-77.7	11	3.6	1.2- 6.0	1	0.2	0.0- 0.6	1	1.9	0.0- 5.6				56	24.3	17.2-31.4
45-54	353	380,359	260	71.6	64.9-78.3	18	5.9	2.0- 9.8	1	0.7	0.0- 2.1	2	0.6	0.0- 1.6				72	21.1	15.2-27.0
55-64	462	367,085	324	71.9	66.6-77.2	30	6.3	3.2- 9.4	2	0.5	0.0- 1.5				2	0.2	0.0- 0.6	104	21.0	16.3-25.7
65+	743	396,160	590	78.0	73.7-82.3	46	6.1	3.6- 8.6	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0				103	15.5	11.8-19.2
Less Than H.S.	217	317,123	140	62.5	52.9-72.1	10	6.9	0.0-14.2	1	0.2	0.0- 0.6							66	30.4	21.8-39.0
H.S. or G.E.D.	650	739,195	462	72.4	67.5-77.3	25	3.6	1.6- 5.6	4	1.1	0.0- 2.3	1	0.2	0.0- 0.6	2	0.1	0.0- 0.3	156	22.6	18.1-27.1
Some Post-H.S.	486	590,940	352	69.3	63.2-75.4	33	8.4	4.5-12.3	2	0.3	0.0- 0.9	2	1.3	0.0- 3.5				97	20.6	15.5-25.7
College Graduate	722	511,323	576	80.0	75.9-84.1	57	7.3	4.8- 9.8	3	0.4	0.0- 1.0	2	0.1	0.0- 0.3				84	12.2	8.7-15.7
Less than \$15,000	178	204,362	114	61.8	50.0-73.6	7	7.5	0.0-17.5										57	30.6	20.4-40.8
\$15,000- 24,999	300	340,576	208	66.3	58.1-74.5	15	7.0	2.3-11.7	2	0.8	0.0- 2.4				1	0.1	0.0- 0.3	74	25.8	18.2-33.4
\$25,000- 34,999	223	238,811	166	72.0	63.2-80.8	9	3.8	0.9- 6.7	2	1.3	0.0- 3.1							46	22.9	14.3-31.5
\$35,000- 49,999	287	298,394	220	78.1	71.4-84.8	19	8.1	2.8-13.4	2	1.3	0.0- 3.3	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	44	11.9	7.6-16.2
\$50,000- 74,999	300	314,395	231	75.1	68.0-82.2	19	5.0	1.5- 8.5	2	0.4	0.0- 1.0	1	0.0	0.0- 0.0				47	19.6	13.1-26.1
\$75,000+	522	516,261	419	78.0	72.5-83.5	39	6.2	3.5- 8.9	2	0.3	0.0- 0.9	3	1.7	0.0- 4.2				59	13.7	9.2-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 15: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3270	2,380,187	2563	76.3	73.9-78.7	230	6.6	5.2- 8.0	7	0.2	0.0- 0.6	8	0.2	0.0- 0.4	3	0.2	0.0- 0.4	459	16.5	14.3-18.7
White/Non-Hisp	2645	1,821,294	2102	78.1	75.7-80.5	177	6.4	5.0- 7.8	5	0.3	0.0- 0.7	7	0.3	0.1- 0.5	3	0.2	0.0- 0.6	351	14.8	12.6-17.0
Black or Afr. Am./Non-Hisp	449	384,969	325	65.0	57.4-72.6	35	8.1	4.0-12.2	2	0.2	0.0- 0.4							87	26.7	19.4-34.0
Oth. Race/Non-Hisp.	56	49,175	43	82.0	66.7-97.3	7	8.9	0.0-19.3				1	0.8	0.0- 2.4				5	8.2	0.0-18.2
18-24	109	263,507	71	66.2	55.2-77.2	5	4.8	0.0- 9.7										33	29.0	18.6-39.4
25-34	250	390,066	182	75.6	69.1-82.1	16	7.7	3.4-12.0							1	0.7	0.0- 2.1	51	15.9	10.8-21.0
35-44	317	372,250	247	76.0	69.5-82.5	21	6.5	3.4- 9.6	1	1.1	0.0- 3.3	1	0.1	0.0- 0.3				47	16.3	10.6-22.0
45-54	516	403,855	396	72.9	66.8-79.0	27	6.1	3.0- 9.2				2	0.6	0.0- 1.8	1	0.2	0.0- 0.6	90	20.2	14.3-26.1
55-64	771	410,186	614	82.8	79.3-86.3	57	5.7	3.7- 7.7	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	94	11.2	8.3-14.1
65+	1282	528,574	1033	79.9	76.8-83.0	101	7.6	5.6- 9.6	2	0.1	0.0- 0.3	4	0.4	0.0- 0.8				142	12.1	9.6-14.6
Less Than H.S.	350	331,243	251	71.3	63.3-79.3	13	2.7	0.5- 4.9										86	25.9	18.1-33.7
H.S. or G.E.D.	1070	756,749	822	75.5	71.6-79.4	59	5.4	3.4- 7.4	1	0.0	0.0- 0.0	3	0.2	0.0- 0.6				185	18.8	15.3-22.3
Some Post-H.S.	873	752,248	692	76.5	72.0-81.0	70	7.7	5.0-10.4	3	0.1	0.0- 0.3	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2	106	15.0	11.1-18.9
College Graduate	971	535,429	794	80.5	76.6-84.4	87	9.0	6.3-11.7	3	0.8	0.0- 2.4	4	0.3	0.1- 0.5	2	0.1	0.0- 0.3	81	9.3	6.6-12.0
Less than \$15,000	408	295,181	299	69.1	60.3-77.9	20	3.2	1.0- 5.4	1	0.1	0.0- 0.3				1	1.0	0.0- 3.0	87	26.6	18.0-35.2
\$15,000- 24,999	597	415,566	449	69.4	63.3-75.5	39	6.7	3.8- 9.6	1	0.0	0.0- 0.0	1	0.6	0.0- 1.8				107	23.3	17.6-29.0
\$25,000- 34,999	308	225,728	240	78.9	72.4-85.4	26	6.7	2.8-10.6										42	14.4	9.1-19.7
\$35,000- 49,999	367	301,088	296	82.9	77.2-88.6	26	6.9	2.8-11.0	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3				42	9.8	5.7-13.9
\$50,000- 74,999	345	264,533	292	80.8	74.5-87.1	20	5.0	2.3- 7.7				3	0.4	0.0- 1.0				30	13.9	7.8-20.0
\$75,000+	539	422,911	448	82.3	77.6-87.0	46	8.6	4.9-12.3	2	1.0	0.0- 3.0				1	0.2	0.0- 0.6	42	7.9	5.2-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 16: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									None								
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5299	4,502,682	2905	55.2	53.0-57.4	2186	39.9	37.9-41.9	74	2.1	1.3- 2.9	50	0.9	0.5- 1.3	8	0.1	0.1- 0.1	76	1.9	1.3- 2.5
Male	2062	2,143,647	1179	56.0	52.9-59.1	798	38.3	35.2-41.4	24	2.5	0.9- 4.1	20	0.7	0.3- 1.1	4	0.1	0.0- 0.3	37	2.5	1.3- 3.7
Female	3237	2,359,035	1726	54.4	51.7-57.1	1388	41.3	38.6-44.0	50	1.7	1.1- 2.3	30	1.2	0.6- 1.8	4	0.1	0.1- 0.1	39	1.3	0.7- 1.9
White/Non-Hisp	4340	3,433,838	2306	53.5	51.3-55.7	1876	42.0	39.8-44.2	57	1.8	1.0- 2.6	45	1.1	0.7- 1.5	6	0.1	0.1- 0.1	50	1.5	0.9- 2.1
Black or Afr. Am./Non-Hisp	644	685,948	441	65.7	59.4-72.0	170	26.4	20.9-31.9	9	3.5	0.0- 7.2	3	0.5	0.0- 1.3	2	0.2	0.0- 0.4	19	3.7	1.0- 6.4
Oth. Race/Non-Hisp.	112	120,066	53	39.2	24.3-54.1	54	58.0	42.7-73.3	2	0.6	0.0- 1.4							3	2.2	0.0- 5.7
MultiRacial/Non-Hisp.	66	74,784	29	48.4	30.0-66.8	34	45.7	27.9-63.5	1	0.8	0.0- 2.4	1	1.3	0.0- 3.8				1	3.8	0.0-11.1
Hispanic	73	129,716	41	59.9	43.4-76.4	28	37.0	20.7-53.3	3	2.7	0.0- 6.2							1	0.5	0.0- 1.5
18-24	233	548,339	141	61.6	53.8-69.4	80	33.7	26.1-41.3	3	1.6	0.0- 3.4	1	0.3	0.0- 0.9				8	2.9	0.2- 5.6
25-34	413	744,680	205	47.0	40.9-53.1	178	44.7	38.6-50.8	17	5.5	2.0- 9.0	6	1.3	0.1- 2.5				7	1.4	0.2- 2.6
35-44	528	716,291	283	56.8	51.1-62.5	228	39.1	33.6-44.6	6	1.4	0.0- 3.2	8	1.5	0.1- 2.9	2	0.2	0.0- 0.4	1	1.1	0.0- 3.1
45-54	863	781,444	472	55.7	51.0-60.4	345	37.9	33.4-42.4	18	2.3	0.5- 4.1	4	0.7	0.0- 1.5	2	0.1	0.0- 0.3	22	3.3	1.5- 5.1
55-64	1219	771,696	679	58.0	54.1-61.9	496	39.4	35.5-43.3	14	0.7	0.3- 1.1	10	0.7	0.1- 1.3	4	0.2	0.0- 0.4	16	0.9	0.3- 1.5
65+	1998	910,499	1103	54.1	51.0-57.2	836	42.0	39.1-44.9	16	1.0	0.2- 1.8	21	1.1	0.5- 1.7				22	1.9	0.9- 2.9
Less Than H.S.	554	636,489	333	57.8	51.3-64.3	192	35.5	29.4-41.6	4	3.0	0.0- 6.7	4	0.4	0.0- 1.0				21	3.2	1.2- 5.2
H.S. or G.E.D.	1696	1,476,507	977	58.8	55.3-62.3	654	36.3	33.0-39.6	18	1.3	0.5- 2.1	15	0.9	0.3- 1.5	2	0.1	0.1- 0.1	30	2.7	1.1- 4.3
Some Post-H.S.	1351	1,338,839	728	53.2	49.1-57.3	573	43.0	38.9-47.1	22	2.0	0.6- 3.4	13	0.9	0.3- 1.5	1	0.1	0.0- 0.3	14	0.9	0.3- 1.5
College Graduate	1684	1,041,040	860	51.3	47.8-54.8	763	43.8	40.3-47.3	29	2.3	1.1- 3.5	18	1.4	0.4- 2.4	5	0.2	0.0- 0.4	9	0.9	0.1- 1.7
Less than \$15,000	579	492,481	343	58.1	50.8-65.4	202	34.6	27.7-41.5	7	3.9	0.0- 8.8	6	0.8	0.0- 1.6				21	2.6	1.0- 4.2
\$15,000- 24,999	894	754,636	512	55.9	50.6-61.2	350	39.1	34.0-44.2	7	0.5	0.0- 1.1	6	1.0	0.0- 2.0	1	0.0	0.0- 0.0	18	3.4	1.0- 5.8
\$25,000- 34,999	526	455,816	302	58.6	51.9-65.3	206	36.5	30.2-42.8	3	0.5	0.0- 1.1	7	1.5	0.0- 3.1	1	0.2	0.0- 0.6	7	2.7	0.0- 6.0
\$35,000- 49,999	645	590,978	350	52.3	46.6-58.0	278	45.4	39.7-51.1	7	1.1	0.0- 2.3	6	0.6	0.0- 1.2	1	0.1	0.0- 0.3	3	0.4	0.0- 1.0
\$50,000- 74,999	643	573,941	347	56.2	50.7-61.7	270	39.3	33.8-44.8	14	2.4	0.8- 4.0	6	0.7	0.0- 1.5	1	0.1	0.0- 0.3	5	1.2	0.0- 2.6
\$75,000+	1051	932,357	535	53.0	48.7-57.3	476	41.9	37.6-46.2	22	3.4	1.4- 5.4	13	1.4	0.2- 2.6	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 17: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2062	2,143,647	1179	56.0	52.9-59.1	798	38.3	35.2-41.4	24	2.5	0.9- 4.1	20	0.7	0.3- 1.1	4	0.1	0.0- 0.3	37	2.5	1.3- 3.7
White/Non-Hisp	1720	1,628,542	977	56.5	53.2-59.8	680	39.0	35.7-42.3	17	1.8	0.6- 3.0	18	0.8	0.4- 1.2	3	0.1	0.0- 0.3	25	1.9	0.9- 2.9
Black or Afr. Am./Non-Hisp	197	302,304	137	60.5	49.5-71.5	47	26.8	17.2-36.4	4	7.2	0.0-15.4	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	7	5.1	0.0-10.6
Oth. Race/Non-Hisp.	59	71,527	28	41.8	24.6-59.0	28	54.5	36.9-72.1	1	0.6	0.0- 1.8				2	3.1	0.0- 8.6			
18-24	123	285,206	68	57.3	46.5-68.1	46	35.5	25.1-45.9	2	2.3	0.0- 5.4	1	0.5	0.0- 1.5				6	4.4	0.0- 9.3
25-34	165	357,309	83	48.1	38.5-57.7	70	43.2	33.8-52.6	8	7.1	0.4-13.8	1	0.2	0.0- 0.6				3	1.4	0.0- 3.2
35-44	213	345,515	122	59.2	50.6-67.8	84	35.3	27.3-43.3	1	1.9	0.0- 5.6	3	0.9	0.0- 2.1	2	0.4	0.0- 1.0	1	2.2	0.0- 6.5
45-54	351	378,875	206	54.9	47.6-62.2	132	38.8	31.7-45.9	3	1.9	0.0- 5.0							10	4.4	1.5- 7.3
55-64	456	363,845	274	61.3	55.2-67.4	162	35.7	29.8-41.6	5	0.6	0.0- 1.2	5	1.0	0.0- 2.0	2	0.2	0.0- 0.6	8	1.1	0.0- 2.3
65+	735	394,167	417	55.7	50.8-60.6	294	39.8	34.9-44.7	5	1.2	0.0- 2.8	10	1.3	0.3- 2.3				9	1.9	0.3- 3.5
Less Than H.S.	212	309,370	122	54.8	45.0-64.6	75	35.8	26.6-45.0	2	5.5	0.0-12.9	2	0.2	0.0- 0.4				11	3.7	1.0- 6.4
H.S. or G.E.D.	638	729,093	397	61.1	55.8-66.4	217	34.0	28.9-39.1	6	0.9	0.1- 1.7	3	0.4	0.0- 0.8	2	0.1	0.0- 0.3	13	3.6	0.7- 6.5
Some Post-H.S.	486	591,681	277	54.4	47.9-60.9	188	39.6	33.1-46.1	6	3.1	0.2- 6.0	7	1.1	0.1- 2.1	1	0.1	0.0- 0.3	7	1.6	0.2- 3.0
College Graduate	719	508,243	379	51.6	46.5-56.7	316	44.6	39.5-49.7	9	1.5	0.0- 3.1	8	0.9	0.3- 1.5	1	0.1	0.0- 0.3	6	1.2	0.0- 2.4
Less than \$15,000	174	202,335	98	50.6	38.8-62.4	67	37.4	26.8-48.0	2	8.4	0.0-19.6	1	0.2	0.0- 0.6				6	3.4	0.0- 6.9
\$15,000- 24,999	300	340,732	190	60.8	52.4-69.2	97	34.5	26.5-42.5	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	10	4.5	0.2- 8.8
\$25,000- 34,999	221	232,425	137	59.2	49.4-69.0	75	34.0	24.6-43.4	1	0.6	0.0- 1.8	3	1.1	0.0- 2.7	1	0.3	0.0- 0.9	4	4.9	0.0-11.4
\$35,000- 49,999	284	293,884	154	50.2	41.8-58.6	120	47.1	38.5-55.7	4	1.5	0.0- 3.7	4	0.8	0.0- 1.8	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9
\$50,000- 74,999	300	310,480	172	58.1	50.3-65.9	114	37.1	29.3-44.9	5	1.5	0.0- 3.3	4	1.2	0.0- 2.6				5	2.2	0.0- 4.6
\$75,000+	518	513,023	273	54.8	48.5-61.1	228	40.7	34.6-46.8	7	3.3	0.2- 6.4	7	1.0	0.2- 1.8	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 18: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									None								
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3237	2,359,035	1726	54.4	51.7-57.1	1388	41.3	38.6-44.0	50	1.7	1.1- 2.3	30	1.2	0.6- 1.8	4	0.1	0.1- 0.1	39	1.3	0.7- 1.9
White/Non-Hisp	2620	1,805,296	1329	50.9	48.0-53.8	1196	44.7	41.8-47.6	40	1.9	1.1- 2.7	27	1.4	0.6- 2.2	3	0.1	0.1- 0.1	25	1.1	0.5- 1.7
Black or Afr. Am./Non-Hisp	447	383,644	304	69.8	63.1-76.5	123	26.0	19.7-32.3	5	0.6	0.0- 1.2	2	0.8	0.0- 2.0	1	0.2	0.0- 0.6	12	2.6	0.4- 4.8
Oth. Race/Non-Hisp.	53	48,539	25	35.4	9.3-61.5	26	63.0	36.5-89.5	1	0.6	0.0- 1.8				1	1.0	0.0- 3.0			
18-24	110	263,133	73	66.3	54.7-77.9	34	31.7	20.1-43.3	1	0.7	0.0- 2.1				2	1.3	0.0- 3.3			
25-34	248	387,371	122	46.1	38.3-53.9	108	46.1	38.3-53.9	9	4.1	1.2- 7.0	5	2.2	0.0- 4.4	4	1.5	0.0- 3.1			
35-44	315	370,775	161	54.4	47.1-61.7	144	42.6	35.3-49.9	5	0.9	0.0- 1.9	5	2.1	0.0- 4.6						
45-54	512	402,570	266	56.5	50.4-62.6	213	37.0	31.3-42.7	15	2.7	1.1- 4.3	4	1.3	0.0- 2.9	2	0.3	0.0- 0.7	12	2.3	0.3- 4.3
55-64	763	407,852	405	55.1	50.0-60.2	334	42.7	37.6-47.8	9	0.8	0.0- 1.6	5	0.4	0.0- 0.8	2	0.2	0.0- 0.6	8	0.7	0.1- 1.3
65+	1263	516,331	686	52.9	49.2-56.6	542	43.6	39.9-47.3	11	0.8	0.2- 1.4	11	0.8	0.0- 1.6	13	1.8	0.4- 3.2			
Less Than H.S.	342	327,118	211	60.7	52.5-68.9	117	35.2	27.2-43.2	2	0.6	0.0- 1.6	2	0.7	0.0- 1.9				10	2.8	0.3- 5.3
H.S. or G.E.D.	1058	747,414	580	56.5	52.0-61.0	437	38.6	34.3-42.9	12	1.7	0.5- 2.9	12	1.4	0.4- 2.4				17	1.8	0.6- 3.0
Some Post-H.S.	865	747,158	451	52.2	46.9-57.5	385	45.6	40.3-50.9	16	1.2	0.4- 2.0	6	0.7	0.0- 1.5				7	0.4	0.0- 0.8
College Graduate	965	532,798	481	51.0	46.3-55.7	447	43.1	38.6-47.6	20	3.0	1.0- 5.0	10	1.9	0.0- 3.9	4	0.4	0.0- 0.8	3	0.7	0.0- 1.7
Less than \$15,000	405	290,146	245	63.4	54.6-72.2	135	32.7	23.9-41.5	5	0.6	0.0- 1.4	5	1.2	0.0- 2.4				15	2.1	0.7- 3.5
\$15,000- 24,999	594	413,904	322	51.8	45.3-58.3	253	42.9	36.4-49.4	6	1.0	0.0- 2.2	5	1.7	0.0- 3.5				8	2.6	0.2- 5.0
\$25,000- 34,999	305	223,392	165	58.0	49.0-67.0	131	39.0	30.4-47.6	2	0.4	0.0- 1.0	4	2.0	0.0- 4.5				3	0.5	0.0- 1.1
\$35,000- 49,999	361	297,094	196	54.4	46.8-62.0	158	43.8	36.2-51.4	3	0.8	0.0- 1.8	2	0.5	0.0- 1.1				2	0.6	0.0- 1.6
\$50,000- 74,999	343	263,461	175	54.0	46.4-61.6	156	42.0	34.6-49.4	9	3.5	0.8- 6.2	2	0.1	0.0- 0.3	1	0.3	0.0- 0.9			
\$75,000+	533	419,334	262	50.8	44.9-56.7	248	43.4	37.5-49.3	15	3.6	1.2- 6.0	6	1.9	0.0- 4.3	2	0.2	0.0- 0.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 19: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5251	4,444,579	2042	41.5	39.3-43.7	2309	39.4	37.4-41.4	445	9.0	7.8-10.2	274	6.1	4.9- 7.3	24	0.4	0.2- 0.6	157	3.6	2.8- 4.4
Male	2043	2,104,001	887	46.6	43.3-49.9	838	36.0	33.1-38.9	142	7.5	5.7- 9.3	87	4.9	3.3- 6.5	9	0.4	0.0- 0.8	80	4.6	3.2- 6.0
Female	3208	2,340,578	1155	37.0	34.3-39.7	1471	42.4	39.9-44.9	303	10.4	8.6-12.2	187	7.1	5.5- 8.7	15	0.4	0.2- 0.6	77	2.6	1.6- 3.6
White/Non-Hisp	4311	3,391,171	1706	42.4	40.2-44.6	1899	40.2	38.0-42.4	351	8.3	7.1- 9.5	205	5.0	4.0- 6.0	19	0.5	0.3- 0.7	131	3.6	2.8- 4.4
Black or Afr. Am./Non-Hisp	627	675,761	239	40.2	33.7-46.7	260	34.6	28.9-40.3	58	9.8	6.3-13.3	49	11.4	6.5-16.3	2	0.1	0.0- 0.3	19	4.0	0.9- 7.1
Oth. Race/Non-Hisp.	114	114,663	31	39.4	21.8-57.0	61	46.5	30.2-62.8	11	7.0	1.1-12.9	6	2.8	0.0- 6.1				5	4.3	0.0-10.2
MultiRacial/Non-Hisp.	64	72,723	18	37.4	17.8-57.0	31	38.4	21.7-55.1	8	12.1	2.3-21.9	5	11.6	0.0-25.3	2	0.4	0.0- 1.2			
Hispanic	75	132,587	25	31.9	15.0-48.8	33	38.6	22.9-54.3	8	19.7	5.0-34.4	7	7.0	0.5-13.5	1	1.0	0.0- 3.0	1	1.9	0.0- 5.6
18-24	229	539,348	106	48.1	39.9-56.3	80	30.5	23.2-37.8	18	9.5	4.8-14.2	15	6.5	3.0-10.0	1	0.2	0.0- 0.6	9	5.2	1.5- 8.9
25-34	408	735,283	147	38.8	32.7-44.9	167	36.6	30.9-42.3	47	12.1	8.0-16.2	33	9.8	5.7-13.9	2	0.1	0.0- 0.3	12	2.5	0.7- 4.3
35-44	525	705,312	219	41.8	36.1-47.5	218	40.7	35.2-46.2	48	9.1	6.2-12.0	26	6.0	2.9- 9.1	3	0.5	0.0- 1.1	11	1.8	0.6- 3.0
45-54	862	778,089	371	45.5	40.8-50.2	329	35.6	31.3-39.9	87	8.0	5.8-10.2	33	4.8	2.3- 7.3	4	0.7	0.0- 1.7	38	5.3	2.4- 8.2
55-64	1219	757,618	496	42.1	38.2-46.0	516	40.3	36.4-44.2	94	8.6	6.2-11.0	73	4.6	3.2- 6.0	7	0.7	0.1- 1.3	33	3.6	2.0- 5.2
65+	1963	898,962	687	35.8	32.9-38.7	978	48.6	45.5-51.7	147	7.3	5.7- 8.9	92	5.1	3.7- 6.5	6	0.2	0.0- 0.4	53	3.0	1.8- 4.2
Less Than H.S.	553	629,710	242	43.6	37.1-50.1	209	34.6	28.7-40.5	29	5.8	2.5- 9.1	21	6.5	2.0-11.0	1	0.0	0.0- 0.0	51	9.5	5.4-13.6
H.S. or G.E.D.	1672	1,456,418	695	43.5	39.8-47.2	704	38.7	35.2-42.2	121	7.6	5.6- 9.6	76	5.5	3.7- 7.3	8	0.4	0.0- 0.8	68	4.2	2.6- 5.8
Some Post-H.S.	1343	1,323,589	529	43.5	39.4-47.6	597	38.2	34.3-42.1	110	9.9	7.4-12.4	71	5.8	3.8- 7.8	9	0.6	0.0- 1.2	27	2.0	1.0- 3.0
College Graduate	1671	1,028,476	569	34.8	31.5-38.1	797	44.8	41.5-48.1	184	12.1	9.7-14.5	105	6.9	4.9- 8.9	5	0.4	0.0- 0.8	11	0.9	0.1- 1.7
Less than \$15,000	576	493,265	260	44.0	36.9-51.1	212	32.3	26.0-38.6	35	6.8	3.7- 9.9	25	9.0	3.5-14.5	3	0.1	0.0- 0.3	41	7.8	3.3-12.3
\$15,000- 24,999	882	742,706	343	40.1	34.8-45.4	388	41.0	35.9-46.1	65	7.8	4.7-10.9	44	5.8	3.1- 8.5	6	0.9	0.0- 1.9	36	4.3	1.9- 6.7
\$25,000- 34,999	526	451,898	218	47.7	40.8-54.6	219	34.7	28.6-40.8	48	10.0	6.3-13.7	24	4.2	2.0- 6.4				17	3.4	1.4- 5.4
\$35,000- 49,999	632	569,343	240	38.3	32.8-43.8	292	40.9	35.4-46.4	55	11.6	7.3-15.9	36	7.8	4.3-11.3	4	0.6	0.0- 1.4	5	0.7	0.0- 1.7
\$50,000- 74,999	645	574,879	241	41.1	35.4-46.8	281	40.3	34.8-45.8	64	9.6	6.3-12.9	41	5.1	2.9- 7.3	1	0.0	0.0- 0.0	17	3.9	1.7- 6.1
\$75,000+	1044	917,264	389	41.1	36.6-45.6	477	39.7	35.6-43.8	103	10.9	8.2-13.6	58	5.8	3.4- 8.2	6	0.6	0.0- 1.2	11	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 20: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2043	2,104,001	887	46.6	43.3-49.9	838	36.0	33.1-38.9	142	7.5	5.7- 9.3	87	4.9	3.3- 6.5	9	0.4	0.0- 0.8	80	4.6	3.2- 6.0
White/Non-Hisp	1703	1,595,518	754	47.1	43.8-50.4	697	37.4	34.1-40.7	106	6.2	4.6- 7.8	71	4.0	2.8- 5.2	8	0.5	0.0- 1.1	67	4.8	3.2- 6.4
Black or Afr. Am./Non-Hisp	194	300,510	86	49.8	38.8-60.8	75	27.8	19.2-36.4	17	8.7	3.2-14.2	9	9.9	1.5-18.3	1	0.2	0.0- 0.6	6	3.5	0.4- 6.6
Oth. Race/Non-Hisp.	59	65,935	17	36.6	17.8-55.4	29	48.3	29.9-66.7	5	4.1	0.0- 9.0	3	3.6	0.0- 9.1				5	7.4	0.0-17.4
18-24	120	278,995	60	55.1	44.1-66.1	36	21.6	13.2-30.0	10	9.0	2.9-15.1	9	7.5	2.2-12.8				5	6.8	0.7-12.9
25-34	164	356,414	71	45.4	35.8-55.0	61	34.7	26.1-43.3	15	8.6	3.1-14.1	9	7.5	1.0-14.0	1	0.1	0.0- 0.3	7	3.8	0.5- 7.1
35-44	212	336,267	107	48.3	39.7-56.9	75	38.9	30.5-47.3	17	7.6	3.5-11.7	6	2.8	0.3- 5.3	1	0.5	0.0- 1.5	6	2.0	0.2- 3.8
45-54	350	375,805	166	49.4	42.1-56.7	125	32.0	25.3-38.7	24	7.1	3.8-10.4	14	5.1	1.2- 9.0	1	0.7	0.0- 2.1	20	5.6	2.5- 8.7
55-64	451	350,814	187	43.6	37.3-49.9	193	39.3	33.2-45.4	24	6.6	3.1-10.1	20	3.7	1.7- 5.7	5	1.3	0.0- 2.7	22	5.5	2.6- 8.4
65+	727	386,349	288	40.0	35.1-44.9	342	46.7	41.8-51.6	49	6.2	4.2- 8.2	29	3.5	1.7- 5.3				19	3.6	1.4- 5.8
Less Than H.S.	207	297,314	99	46.7	36.7-56.7	67	31.9	23.1-40.7	13	4.8	1.1- 8.5	4	6.6	0.0-14.4				24	10.0	4.9-15.1
H.S. or G.E.D.	633	720,200	298	48.7	43.0-54.4	251	35.6	30.3-40.9	26	4.7	2.5- 6.9	22	4.5	2.1- 6.9	4	0.5	0.0- 1.3	32	5.9	3.2- 8.6
Some Post-H.S.	489	581,816	204	47.7	41.2-54.2	201	34.3	28.4-40.2	42	10.7	6.6-14.8	24	4.0	1.8- 6.2	3	0.5	0.0- 1.3	15	2.8	1.0- 4.6
College Graduate	708	502,760	282	42.0	36.9-47.1	319	41.0	36.1-45.9	60	9.6	6.3-12.9	37	5.4	2.9- 7.9	1	0.4	0.0- 1.2	9	1.7	0.1- 3.3
Less than \$15,000	173	201,643	92	49.1	37.3-60.9	50	21.9	13.7-30.1	11	9.2	2.9-15.5	6	12.6	0.8-24.4				14	7.2	2.3-12.1
\$15,000- 24,999	297	330,546	127	46.0	37.2-54.8	125	39.7	31.3-48.1	13	3.1	0.7- 5.5	9	2.8	0.4- 5.2	2	0.9	0.0- 2.5	21	7.5	2.6-12.4
\$25,000- 34,999	219	229,337	94	49.1	39.3-58.9	87	35.1	26.3-43.9	17	8.2	3.3-13.1	12	4.4	1.3- 7.5				9	3.1	0.7- 5.5
\$35,000- 49,999	275	278,090	112	42.7	34.3-51.1	128	41.0	32.8-49.2	16	8.9	2.8-15.0	13	5.3	1.6- 9.0	3	0.8	0.0- 2.0	3	1.3	0.0- 3.5
\$50,000- 74,999	300	308,830	127	46.1	38.1-54.1	118	35.8	28.2-43.4	22	7.6	3.1-12.1	17	4.0	1.5- 6.5	1	0.1	0.0- 0.3	15	6.4	2.7-10.1
\$75,000+	512	504,222	218	47.1	40.6-53.6	221	36.2	30.3-42.1	40	8.5	5.2-11.8	22	4.2	1.8- 6.6	2	0.7	0.0- 1.7	9	3.3	0.8- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 21: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3208	2,340,578	1155	37.0	34.3-39.7	1471	42.4	39.9-44.9	303	10.4	8.6-12.2	187	7.1	5.5- 8.7	15	0.4	0.2- 0.6	77	2.6	1.6- 3.6
White/Non-Hisp	2608	1,795,653	952	38.2	35.5-40.9	1202	42.8	40.1-45.5	245	10.1	8.3-11.9	134	6.0	4.4- 7.6	11	0.4	0.0- 0.8	64	2.5	1.7- 3.3
Black or Afr. Am./Non-Hisp	433	375,251	153	32.4	25.5-39.3	185	40.0	32.6-47.4	41	10.6	6.1-15.1	40	12.5	7.0-18.0	1	0.0	0.0- 0.0	13	4.4	0.0- 9.5
Oth. Race/Non-Hisp.	55	48,728	14	43.3	11.4-75.2	32	43.9	15.5-72.3	6	10.9	0.0-23.4	3	1.9	0.0- 4.3						
18-24	109	260,353	46	40.6	28.4-52.8	44	40.0	28.4-51.6	8	9.9	2.5-17.3	6	5.5	0.6-10.4	1	0.5	0.0- 1.5	4	3.5	0.0- 7.2
25-34	244	378,869	76	32.6	25.2-40.0	106	38.5	31.1-45.9	32	15.4	9.1-21.7	24	12.0	6.7-17.3	1	0.2	0.0- 0.6	5	1.2	0.0- 2.4
35-44	313	369,046	112	36.0	28.7-43.3	143	42.4	35.1-49.7	31	10.5	6.2-14.8	20	9.0	3.7-14.3	2	0.5	0.0- 1.3	5	1.6	0.0- 3.4
45-54	512	402,284	205	41.8	35.7-47.9	204	39.0	33.1-44.9	63	8.8	6.1-11.5	19	4.6	1.5- 7.7	3	0.7	0.0- 1.9	18	5.1	0.2-10.0
55-64	768	406,804	309	40.8	35.7-45.9	323	41.2	36.1-46.3	70	10.4	7.1-13.7	53	5.4	3.6- 7.2	2	0.1	0.0- 0.3	11	2.0	0.4- 3.6
65+	1236	512,613	399	32.6	29.1-36.1	636	50.0	46.3-53.7	98	8.2	5.8-10.6	63	6.2	4.0- 8.4	6	0.4	0.0- 0.8	34	2.5	1.3- 3.7
Less Than H.S.	346	332,396	143	40.8	32.8-48.8	142	37.0	29.4-44.6	16	6.8	1.5-12.1	17	6.3	1.6-11.0	1	0.1	0.0- 0.3	27	9.0	2.9-15.1
H.S. or G.E.D.	1039	736,218	397	38.4	33.7-43.1	453	41.8	37.3-46.3	95	10.3	7.4-13.2	54	6.5	4.1- 8.9	4	0.3	0.0- 0.7	36	2.7	1.5- 3.9
Some Post-H.S.	854	741,774	325	40.2	34.9-45.5	396	41.2	36.1-46.3	68	9.3	6.4-12.2	47	7.2	4.3-10.1	6	0.6	0.0- 1.4	12	1.4	0.2- 2.6
College Graduate	963	525,716	287	28.1	24.0-32.2	478	48.6	43.9-53.3	124	14.5	11.0-18.0	68	8.3	5.2-11.4	4	0.4	0.0- 0.8	2	0.2	0.0- 0.6
Less than \$15,000	403	291,621	168	40.4	31.4-49.4	162	39.4	30.8-48.0	24	5.2	2.1- 8.3	19	6.5	2.6-10.4	3	0.1	0.0- 0.3	27	8.3	1.4-15.2
\$15,000- 24,999	585	412,160	216	35.4	29.5-41.3	263	42.1	35.8-48.4	52	11.5	6.4-16.6	35	8.3	3.8-12.8	4	0.8	0.0- 2.0	15	1.8	0.6- 3.0
\$25,000- 34,999	307	222,561	124	46.2	36.2-56.2	132	34.2	26.2-42.2	31	11.9	6.6-17.2	12	3.9	1.0- 6.8				8	3.8	0.7- 6.9
\$35,000- 49,999	357	291,253	128	34.1	26.8-41.4	164	40.8	33.4-48.2	39	14.2	7.9-20.5	23	10.2	4.5-15.9	1	0.4	0.0- 1.2	2	0.2	0.0- 0.6
\$50,000- 74,999	345	266,050	114	35.2	27.6-42.8	163	45.5	37.9-53.1	42	11.9	7.2-16.6	24	6.5	2.8-10.2				2	0.9	0.0- 2.7
\$75,000+	532	413,042	171	33.8	28.1-39.5	256	43.9	38.0-49.8	63	13.8	9.3-18.3	36	7.8	3.7-11.9	4	0.6	0.0- 1.2	2	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

**TABLE 22: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)
 Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5103	4,372,742	1085	22.0	20.2-23.8	2158	41.4	39.2-43.6	1129	20.9	19.3-22.5	655	13.7	12.1-15.3	50	1.4	0.6- 2.2	26	0.6	0.2- 1.0
Male	1992	2,082,670	455	23.7	21.0-26.4	882	42.2	39.1-45.3	392	19.7	17.2-22.2	228	11.8	9.6-14.0	22	2.0	0.6- 3.4	13	0.6	0.2- 1.0
Female	3111	2,290,072	630	20.4	18.2-22.6	1276	40.6	37.9-43.3	737	22.1	19.9-24.3	427	15.4	13.2-17.6	28	0.9	0.5- 1.3	13	0.6	0.2- 1.0
White/Non-Hisp	4182	3,337,489	807	19.6	17.8-21.4	1818	43.4	41.2-45.6	959	21.7	19.9-23.5	538	13.6	12.0-15.2	41	1.2	0.6- 1.8	19	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	622	672,104	220	35.9	29.6-42.2	223	33.5	27.4-39.6	102	16.0	11.7-20.3	68	11.1	7.2-15.0	4	2.5	0.0- 5.8	5	1.0	0.0- 2.2
Oth. Race/Non-Hisp.	108	117,083	20	16.0	6.2-25.8	36	33.7	18.8-48.6	32	31.1	16.8-45.4	17	17.2	0.0-35.2	2	1.8	0.0- 4.9	1	0.2	0.0- 0.6
MultiRacial/Non-Hisp.	63	70,488	8	12.1	1.1-23.1	28	46.3	27.1-65.5	12	14.3	3.1-25.5	14	25.9	9.6-42.2	1	1.4	0.0- 4.1			
Hispanic	71	126,329	17	25.2	11.3-39.1	29	32.3	15.1-49.5	12	22.3	8.8-35.8	12	19.2	4.3-34.1	1	1.0	0.0- 3.0			
18-24	226	538,504	66	28.1	21.0-35.2	95	40.7	32.5-48.9	33	15.5	9.8-21.2	27	14.6	8.1-21.1	1	0.3	0.0- 0.9	4	0.8	0.0- 1.8
25-34	404	723,451	77	19.7	14.6-24.8	157	37.2	31.3-43.1	90	21.0	16.3-25.7	72	18.4	13.5-23.3	7	3.6	0.3- 6.9	1	0.0	0.0- 0.0
35-44	517	695,853	91	17.6	13.3-21.9	236	46.8	41.1-52.5	116	20.8	16.5-25.1	65	12.9	9.2-16.6	9	1.7	0.0- 3.7			
45-54	852	770,505	184	23.3	19.0-27.6	340	39.7	35.0-44.4	197	21.0	17.5-24.5	113	13.6	10.1-17.1	6	1.0	0.0- 2.0	12	1.5	0.3- 2.7
55-64	1193	760,467	232	20.8	17.5-24.1	511	43.4	39.5-47.3	277	22.8	19.5-26.1	154	11.6	9.1-14.1	14	0.9	0.3- 1.5	5	0.5	0.0- 1.1
65+	1872	857,098	429	23.6	20.9-26.3	801	40.9	37.8-44.0	411	23.0	20.3-25.7	214	10.9	8.9-12.9	13	0.9	0.3- 1.5	4	0.7	0.0- 1.5
Less Than H.S.	521	607,210	199	34.4	28.3-40.5	205	38.1	31.6-44.6	63	12.6	8.5-16.7	47	11.5	7.0-16.0	1	1.8	0.0- 5.1	6	1.7	0.1- 3.3
H.S. or G.E.D.	1616	1,415,269	415	24.7	21.6-27.8	697	44.6	40.9-48.3	321	18.9	16.2-21.6	157	10.1	7.9-12.3	14	1.1	0.3- 1.9	12	0.7	0.1- 1.3
Some Post-H.S.	1312	1,315,337	253	20.1	16.8-23.4	556	40.0	36.1-43.9	307	23.3	20.0-26.6	176	14.5	11.2-17.8	15	1.8	0.4- 3.2	5	0.2	0.0- 0.4
College Graduate	1643	1,025,294	214	13.2	10.8-15.6	697	40.9	37.4-44.4	437	25.8	22.9-28.7	272	18.7	15.8-21.6	20	1.1	0.5- 1.7	3	0.3	0.0- 0.7
Less than \$15,000	554	486,331	194	36.1	29.0-43.2	226	36.6	29.9-43.3	71	11.0	7.3-14.7	50	12.0	5.9-18.1	4	3.1	0.0- 7.4	9	1.3	0.3- 2.3
\$15,000- 24,999	863	731,904	246	29.1	24.2-34.0	362	41.2	35.9-46.5	159	16.7	13.0-20.4	84	11.0	7.5-14.5	3	0.4	0.0- 1.2	9	1.6	0.2- 3.0
\$25,000- 34,999	507	442,221	110	21.9	16.4-27.4	233	48.4	41.3-55.5	100	18.8	13.9-23.7	56	9.0	5.9-12.1	6	1.5	0.1- 2.9	2	0.4	0.0- 1.0
\$35,000- 49,999	622	576,738	110	17.6	13.3-21.9	264	41.3	35.6-47.0	165	23.9	19.2-28.6	77	16.1	11.2-21.0	5	1.1	0.0- 2.3	1	0.1	0.0- 0.3
\$50,000- 74,999	634	568,195	98	15.9	11.8-20.0	279	44.3	38.6-50.0	152	25.6	20.7-30.5	98	13.6	9.9-17.3	7	0.7	0.1- 1.3			
\$75,000+	1040	924,546	129	14.1	11.0-17.2	436	40.9	36.6-45.2	285	25.8	22.1-29.5	176	17.4	13.9-20.9	13	1.8	0.2- 3.4	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 23: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1992	2,082,670	455	23.7	21.0-26.4	882	42.2	39.1-45.3	392	19.7	17.3-22.1	228	11.8	9.6-14.0	22	2.0	0.6- 3.4	13	0.6	0.2- 1.0
White/Non-Hisp	1664	1,578,721	354	21.9	19.2-24.6	763	44.3	41.0-47.6	326	19.6	17.1-22.1	197	12.4	10.0-14.8	16	1.3	0.3- 2.3	8	0.4	0.0- 0.8
Black or Afr. Am./Non-Hisp	191	298,565	72	35.5	24.9-46.1	69	34.9	24.5-45.3	30	15.2	8.3-22.1	14	8.0	2.1-13.9	3	5.4	0.0-12.8	3	1.0	0.0- 2.4
Oth. Race/Non-Hisp.	57	71,016	12	20.3	6.4-34.2	19	36.0	18.4-53.6	16	36.5	18.3-54.7	8	4.4	0.3- 8.5	1	2.5	0.0- 7.4	1	0.3	0.0- 0.9
18-24	119	278,758	36	31.3	20.9-41.7	47	40.1	28.9-51.3	15	13.3	6.0-20.6	18	14.3	7.2-21.4	1	0.5	0.0- 1.5	2	0.4	0.0- 1.0
25-34	160	343,389	31	20.3	12.1-28.5	62	38.4	29.2-47.6	36	21.0	13.7-28.3	26	14.5	8.0-21.0	4	5.8	0.0-12.5	1	0.1	0.0- 0.3
35-44	211	342,818	44	20.0	13.3-26.7	90	45.7	36.9-54.5	47	20.4	13.7-27.1	25	10.9	5.8-16.0	5	3.0	0.0- 6.9			
45-54	345	373,975	79	24.4	17.9-30.9	151	41.1	33.8-48.4	74	20.8	15.1-26.5	34	11.5	6.0-17.0	3	1.1	0.0- 2.7	4	1.1	0.0- 2.3
55-64	442	357,088	94	22.6	17.1-28.1	202	44.5	38.2-50.8	88	21.4	16.1-26.7	48	9.4	5.9-12.9	6	1.1	0.0- 2.3	4	0.9	0.0- 2.1
65+	700	370,209	168	25.5	21.0-30.0	323	43.0	38.1-47.9	131	20.4	16.3-24.5	73	9.9	6.6-13.2	3	0.4	0.0- 1.0	2	0.8	0.0- 2.0
Less Than H.S.	200	292,151	68	33.3	24.3-42.3	84	35.7	26.1-45.3	23	14.1	7.4-20.8	21	11.7	4.8-18.6	1	3.7	0.0-10.8	3	1.4	0.0- 3.4
H.S. or G.E.D.	610	704,964	176	26.5	21.6-31.4	274	46.4	40.7-52.1	102	17.0	12.9-21.1	46	8.0	4.9-11.1	6	1.3	0.1- 2.5	6	0.7	0.0- 1.5
Some Post-H.S.	476	582,729	101	23.0	17.1-28.9	208	39.5	33.2-45.8	97	21.6	16.5-26.7	61	12.6	8.5-16.7	7	3.0	0.1- 5.9	2	0.2	0.0- 0.6
College Graduate	700	497,639	107	15.1	11.4-18.8	315	43.5	38.4-48.6	170	24.7	20.4-29.0	98	15.7	11.4-20.0	8	0.8	0.2- 1.4	2	0.2	0.0- 0.6
Less than \$15,000	171	201,458	66	32.8	22.4-43.2	68	36.5	25.7-47.3	20	12.5	5.2-19.8	14	11.5	3.7-19.3	1	5.4	0.0-15.4	2	1.4	0.0- 3.4
\$15,000- 24,999	288	327,195	90	32.3	23.7-40.9	129	42.2	33.6-50.8	39	14.9	9.2-20.6	23	8.7	3.8-13.6	1	0.8	0.0- 2.4	6	1.0	0.0- 2.2
\$25,000- 34,999	215	229,592	57	28.5	19.9-37.1	102	46.4	36.6-56.2	34	16.5	9.2-23.8	17	5.5	2.2- 8.8	4	2.4	0.0- 4.9	1	0.6	0.0- 1.8
\$35,000- 49,999	267	281,028	51	19.8	12.9-26.7	108	40.0	31.4-48.6	69	21.7	15.0-28.4	34	16.5	9.2-23.8	4	1.7	0.0- 3.9	1	0.3	0.0- 0.9
\$50,000- 74,999	295	306,387	50	16.8	10.7-22.9	141	46.9	38.9-54.9	62	23.5	16.6-30.4	38	12.1	6.4-17.8	4	0.7	0.0- 1.5			
\$75,000+	509	506,118	71	16.1	11.2-21.0	225	41.8	35.5-48.1	130	25.7	20.4-31.0	75	14.2	10.1-18.3	7	2.1	0.0- 4.6	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 24: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3111	2,290,072	630	20.4	18.2-22.6	1276	40.6	37.9-43.3	737	22.1	19.9-24.3	427	15.4	13.2-17.6	28	0.9	0.5- 1.3	13	0.6	0.2- 1.0
White/Non-Hisp	2518	1,758,768	453	17.5	15.3-19.7	1055	42.6	39.7-45.5	633	23.5	21.1-25.9	341	14.7	12.5-16.9	25	1.1	0.5- 1.7	11	0.6	0.2- 1.0
Black or Afr. Am./Non-Hisp	431	373,539	148	36.2	28.6-43.8	154	32.4	25.5-39.3	72	16.6	11.1-22.1	54	13.5	8.0-19.0	1	0.2	0.0- 0.6	2	1.0	0.0- 3.0
Oth. Race/Non-Hisp.	51	46,068	8	9.3	0.0-20.1	17	30.1	4.2-56.0	16	22.8	4.0-41.6	9	37.0	1.3-72.7	1	0.8	0.0- 2.6			
18-24	107	259,746	30	24.7	15.3-34.1	48	41.3	29.3-53.3	18	17.8	9.2-26.4	9	14.9	3.9-25.9				2	1.3	0.0- 3.3
25-34	244	380,062	46	19.1	13.0-25.2	95	36.2	28.8-43.6	54	21.1	14.8-27.4	46	21.9	14.8-29.0	3	1.7	0.0- 3.7			
35-44	306	353,036	47	15.4	10.1-20.7	146	47.9	40.5-55.3	69	21.2	15.3-27.1	40	15.0	9.7-20.3	4	0.5	0.0- 1.1			
45-54	507	396,530	105	22.3	16.2-28.4	189	38.3	32.2-44.4	123	21.2	16.7-25.7	79	15.6	11.1-20.1	3	0.8	0.0- 2.0	8	1.9	0.0- 3.9
55-64	751	403,379	138	19.2	15.1-23.3	309	42.5	37.4-47.6	189	23.9	19.8-28.0	106	13.6	10.1-17.1	8	0.7	0.1- 1.3	1	0.2	0.0- 0.6
65+	1172	486,889	261	22.2	18.9-25.5	478	39.3	35.4-43.2	280	25.0	21.5-28.5	141	11.7	9.3-14.1	10	1.3	0.1- 2.5	2	0.5	0.0- 1.5
Less Than H.S.	321	315,059	131	35.4	27.0-43.8	121	40.2	31.6-48.8	40	11.2	6.5-15.9	26	11.2	4.9-17.5				3	1.9	0.0- 4.4
H.S. or G.E.D.	1006	710,306	239	22.9	19.2-26.6	423	42.8	38.1-47.5	219	20.7	17.2-24.2	111	12.1	9.0-15.2	8	0.9	0.1- 1.7	6	0.6	0.0- 1.4
Some Post-H.S.	836	732,608	152	17.8	13.9-21.7	348	40.4	35.3-45.5	210	24.6	20.1-29.1	115	16.0	11.3-20.7	8	0.9	0.0- 1.9	3	0.2	0.0- 0.4
College Graduate	943	527,655	107	11.4	8.5-14.3	382	38.4	33.9-42.9	267	26.9	22.8-31.0	174	21.5	17.2-25.8	12	1.4	0.2- 2.6	1	0.4	0.0- 1.2
Less than \$15,000	383	284,873	128	38.4	29.2-47.6	158	36.6	28.4-44.8	51	9.9	6.0-13.8	36	12.4	3.6-21.2	3	1.5	0.0- 3.7	7	1.2	0.2- 2.2
\$15,000- 24,999	575	404,709	156	26.5	20.8-32.2	233	40.4	33.9-46.9	120	18.1	13.4-22.8	61	12.9	8.0-17.8	2	0.1	0.0- 0.3	3	2.0	0.0- 4.4
\$25,000- 34,999	292	212,629	53	14.7	9.2-20.2	131	50.6	40.8-60.4	66	21.4	14.5-28.3	39	12.7	7.2-18.2	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6
\$35,000- 49,999	355	295,709	59	15.4	10.1-20.7	156	42.5	34.9-50.1	96	25.9	19.4-32.4	43	15.8	9.3-22.3	1	0.4	0.0- 1.2			
\$50,000- 74,999	339	261,808	48	14.7	9.2-20.2	138	41.2	33.4-49.0	90	28.0	20.7-35.3	60	15.4	10.5-20.3	3	0.6	0.0- 1.4			
\$75,000+	531	418,428	58	11.6	8.1-15.1	211	39.8	33.9-45.7	155	25.8	20.9-30.7	101	21.2	15.7-26.7	6	1.5	0.0- 3.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 25: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5251	4,444,579	3052	54.9	52.7-57.1	2199	45.1	42.9-47.3
Male	2043	2,104,001	1076	48.8	45.7-51.9	967	51.2	48.1-54.3
Female	3208	2,340,578	1976	60.3	57.6-63.0	1232	39.7	37.0-42.4
White/Non-Hisp	4311	3,391,171	2474	54.0	51.8-56.2	1837	46.0	43.8-48.2
Black or Afr. Am./Non-Hisp	627	675,761	369	55.8	49.3-62.3	258	44.2	37.7-50.7
Oth. Race/Non-Hisp.	114	114,663	78	56.3	38.9-73.7	36	43.7	26.3-61.1
MultiRacial/Non-Hisp.	64	72,723	46	62.6	43.0-82.2	18	37.4	17.8-57.0
Hispanic	75	132,587	49	66.2	49.3-83.1	26	33.8	16.9-50.7
18-24	229	539,348	114	46.7	38.7-54.7	115	53.3	45.3-61.3
25-34	408	735,283	249	58.7	52.6-64.8	159	41.3	35.2-47.4
35-44	525	705,312	295	56.4	50.7-62.1	230	43.6	37.9-49.3
45-54	862	778,089	453	49.2	44.5-53.9	409	50.8	46.1-55.5
55-64	1219	757,618	690	54.3	50.4-58.2	529	45.7	41.8-49.6
65+	1963	898,962	1223	61.2	58.3-64.1	740	38.8	35.9-41.7
Less Than H.S.	553	629,710	260	46.9	40.4-53.4	293	53.1	46.6-59.6
H.S. or G.E.D.	1672	1,456,418	909	52.2	48.5-55.9	763	47.8	44.1-51.5
Some Post-H.S.	1343	1,323,589	787	54.5	50.4-58.6	556	45.5	41.4-49.6
College Graduate	1671	1,028,476	1091	64.2	60.9-67.5	580	35.8	32.5-39.1
Less than \$15,000	576	493,265	275	48.2	40.9-55.5	301	51.8	44.5-59.1
\$15,000- 24,999	882	742,706	503	55.5	50.2-60.8	379	44.5	39.2-49.8
\$25,000- 34,999	526	451,898	291	48.9	42.0-55.8	235	51.1	44.2-58.0
\$35,000- 49,999	632	569,343	387	61.0	55.5-66.5	245	39.0	33.5-44.5
\$50,000- 74,999	645	574,879	387	55.1	49.4-60.8	258	44.9	39.2-50.6
\$75,000+	1044	917,264	644	57.0	52.5-61.5	400	43.0	38.5-47.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 26: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2043	2,104,001	1076	48.8	45.7-51.9	967	51.2	48.1-54.3
White/Non-Hisp	1703	1,595,518	882	48.1	44.8-51.4	821	51.9	48.6-55.2
Black or Afr. Am./Non-Hisp	194	300,510	102	46.7	35.7-57.7	92	53.3	42.3-64.3
Oth. Race/Non-Hisp.	59	65,935	37	56.0	37.2-74.8	22	44.0	25.2-62.8
18-24	120	278,995	55	38.2	27.8-48.6	65	61.8	51.4-72.2
25-34	164	356,414	86	50.8	41.2-60.4	78	49.2	39.6-58.8
35-44	212	336,267	99	49.7	41.1-58.3	113	50.3	41.7-58.9
45-54	350	375,805	164	44.9	37.6-52.2	186	55.1	47.8-62.4
55-64	451	350,814	242	50.9	44.6-57.2	209	49.1	42.8-55.4
65+	727	386,349	420	56.4	51.5-61.3	307	43.6	38.7-48.5
Less Than H.S.	207	297,314	84	43.3	33.3-53.3	123	56.7	46.7-66.7
H.S. or G.E.D.	633	720,200	303	45.4	39.9-50.9	330	54.6	49.1-60.1
Some Post-H.S.	489	581,816	270	49.5	43.0-56.0	219	50.5	44.0-57.0
College Graduate	708	502,760	417	56.4	51.1-61.7	291	43.6	38.3-48.9
Less than \$15,000	173	201,643	67	43.7	31.7-55.7	106	56.3	44.3-68.3
\$15,000- 24,999	297	330,546	149	46.5	37.9-55.1	148	53.5	44.9-62.1
\$25,000- 34,999	219	229,337	116	47.8	38.2-57.4	103	52.2	42.6-61.8
\$35,000- 49,999	275	278,090	160	56.0	47.6-64.4	115	44.0	35.6-52.4
\$50,000- 74,999	300	308,830	158	47.5	39.5-55.5	142	52.5	44.5-60.5
\$75,000+	512	504,222	285	49.6	43.1-56.1	227	50.4	43.9-56.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 27: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3208	2,340,578	1976	60.3	57.6-63.0	1232	39.7	37.0-42.4
White/Non-Hisp	2608	1,795,653	1592	59.3	56.6-62.0	1016	40.7	38.0-43.4
Black or Afr. Am./Non-Hisp	433	375,251	267	63.1	55.7-70.5	166	36.9	29.5-44.3
Oth. Race/Non-Hisp.	55	48,728	41	56.7	24.8-88.6	14	43.3	11.4-75.2
18-24	109	260,353	59	55.9	43.7-68.1	50	44.1	31.9-56.3
25-34	244	378,869	163	66.2	58.6-73.8	81	33.8	26.2-41.4
35-44	313	369,046	196	62.4	55.1-69.7	117	37.6	30.3-44.9
45-54	512	402,284	289	53.1	46.8-59.4	223	46.9	40.6-53.2
55-64	768	406,804	448	57.2	52.1-62.3	320	42.8	37.7-47.9
65+	1236	512,613	803	64.8	61.1-68.5	433	35.2	31.5-38.9
Less Than H.S.	346	332,396	176	50.2	41.8-58.6	170	49.8	41.4-58.2
H.S. or G.E.D.	1039	736,218	606	58.9	54.2-63.6	433	41.1	36.4-45.8
Some Post-H.S.	854	741,774	517	58.4	53.1-63.7	337	41.6	36.3-46.9
College Graduate	963	525,716	674	71.7	67.6-75.8	289	28.3	24.2-32.4
Less than \$15,000	403	291,621	208	51.2	42.0-60.4	195	48.8	39.6-58.0
\$15,000- 24,999	585	412,160	354	62.7	56.6-68.8	231	37.3	31.2-43.4
\$25,000- 34,999	307	222,561	175	50.0	40.4-59.6	132	50.0	40.4-59.6
\$35,000- 49,999	357	291,253	227	65.7	58.4-73.0	130	34.3	27.0-41.6
\$50,000- 74,999	345	266,050	229	63.9	56.3-71.5	116	36.1	28.5-43.7
\$75,000+	532	413,042	359	65.9	60.2-71.6	173	34.1	28.4-39.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

**TABLE 28: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5103	4,372,742	3992	77.4	75.6-79.2	1111	22.6	20.8-24.4
Male	1992	2,082,670	1524	75.7	73.0-78.4	468	24.3	21.6-27.0
Female	3111	2,290,072	2468	79.0	76.8-81.2	643	21.0	18.8-23.2
White/Non-Hisp	4182	3,337,489	3356	79.9	78.1-81.7	826	20.1	18.3-21.9
Black or Afr. Am./Non-Hisp	622	672,104	397	63.1	56.8-69.4	225	36.9	30.6-43.2
Oth. Race/Non-Hisp.	108	117,083	87	83.9	74.1-93.7	21	16.1	6.3-25.9
MultiRacial/Non-Hisp.	63	70,488	55	87.9	76.9-98.9	8	12.1	1.1-23.1
Hispanic	71	126,329	54	74.8	60.9-88.7	17	25.2	11.3-39.1
18-24	226	538,504	156	71.0	63.9-78.1	70	29.0	21.9-36.1
25-34	404	723,451	326	80.3	75.2-85.4	78	19.7	14.6-24.8
35-44	517	695,853	426	82.4	78.1-86.7	91	17.6	13.3-21.9
45-54	852	770,505	656	75.2	70.7-79.7	196	24.8	20.3-29.3
55-64	1193	760,467	956	78.7	75.4-82.0	237	21.3	18.0-24.6
65+	1872	857,098	1439	75.7	73.0-78.4	433	24.3	21.6-27.0
Less Than H.S.	521	607,210	316	63.9	57.6-70.2	205	36.1	29.8-42.4
H.S. or G.E.D.	1616	1,415,269	1189	74.6	71.5-77.7	427	25.4	22.3-28.5
Some Post-H.S.	1312	1,315,337	1054	79.6	76.3-82.9	258	20.4	17.1-23.7
College Graduate	1643	1,025,294	1426	86.5	84.1-88.9	217	13.5	11.1-15.9
Less than \$15,000	554	486,331	351	62.6	55.5-69.7	203	37.4	30.3-44.5
\$15,000- 24,999	863	731,904	608	69.3	64.2-74.4	255	30.7	25.6-35.8
\$25,000- 34,999	507	442,221	395	77.7	72.2-83.2	112	22.3	16.8-27.8
\$35,000- 49,999	622	576,738	511	82.3	78.0-86.6	111	17.7	13.4-22.0
\$50,000- 74,999	634	568,195	536	84.1	80.0-88.2	98	15.9	11.8-20.0
\$75,000+	1040	924,546	910	85.9	82.8-89.0	130	14.1	11.0-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 29: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1992	2,082,670	1524	75.7	73.0-78.4	468	24.3	21.6-27.0
White/Non-Hisp	1664	1,578,721	1302	77.7	75.0-80.4	362	22.3	19.6-25.0
Black or Afr. Am./Non-Hisp	191	298,565	116	63.5	52.9-74.1	75	36.5	25.9-47.1
Oth. Race/Non-Hisp.	57	71,016	44	79.4	65.5-93.3	13	20.6	6.7-34.5
18-24	119	278,758	81	68.2	57.8-78.6	38	31.8	21.4-42.2
25-34	160	343,389	128	79.6	71.4-87.8	32	20.4	12.2-28.6
35-44	211	342,818	167	80.0	73.3-86.7	44	20.0	13.3-26.7
45-54	345	373,975	262	74.5	68.0-81.0	83	25.5	19.0-32.0
55-64	442	357,088	344	76.5	71.0-82.0	98	23.5	18.0-29.0
65+	700	370,209	530	73.7	69.2-78.2	170	26.3	21.8-30.8
Less Than H.S.	200	292,151	129	65.2	56.0-74.4	71	34.8	25.6-44.0
H.S. or G.E.D.	610	704,964	428	72.8	67.9-77.7	182	27.2	22.3-32.1
Some Post-H.S.	476	582,729	373	76.7	70.8-82.6	103	23.3	17.4-29.2
College Graduate	700	497,639	591	84.7	81.0-88.4	109	15.3	11.6-19.0
Less than \$15,000	171	201,458	103	65.7	55.1-76.3	68	34.3	23.7-44.9
\$15,000- 24,999	288	327,195	192	66.7	58.3-75.1	96	33.3	24.9-41.7
\$25,000- 34,999	215	229,592	157	70.9	62.1-79.7	58	29.1	20.3-37.9
\$35,000- 49,999	267	281,028	215	79.9	73.0-86.8	52	20.1	13.2-27.0
\$50,000- 74,999	295	306,387	245	83.2	77.1-89.3	50	16.8	10.7-22.9
\$75,000+	509	506,118	437	83.8	78.9-88.7	72	16.2	11.3-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 30: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3111	2,290,072	2468	79.0	76.8-81.2	643	21.0	18.8-23.2
White/Non-Hisp	2518	1,758,768	2054	81.9	79.7-84.1	464	18.1	15.9-20.3
Black or Afr. Am./Non-Hisp	431	373,539	281	62.8	55.2-70.4	150	37.2	29.6-44.8
Oth. Race/Non-Hisp.	51	46,068	43	90.7	79.9- 100	8	9.3	0.0-20.1
18-24	107	259,746	75	74.0	64.4-83.6	32	26.0	16.4-35.6
25-34	244	380,062	198	80.9	74.8-87.0	46	19.1	13.0-25.2
35-44	306	353,036	259	84.6	79.3-89.9	47	15.4	10.1-20.7
45-54	507	396,530	394	75.8	69.7-81.9	113	24.2	18.1-30.3
55-64	751	403,379	612	80.7	76.6-84.8	139	19.3	15.2-23.4
65+	1172	486,889	909	77.2	73.9-80.5	263	22.8	19.5-26.1
Less Than H.S.	321	315,059	187	62.7	54.3-71.1	134	37.3	28.9-45.7
H.S. or G.E.D.	1006	710,306	761	76.5	72.6-80.4	245	23.5	19.6-27.4
Some Post-H.S.	836	732,608	681	82.0	78.1-85.9	155	18.0	14.1-21.9
College Graduate	943	527,655	835	88.2	85.1-91.3	108	11.8	8.7-14.9
Less than \$15,000	383	284,873	248	60.4	51.2-69.6	135	39.6	30.4-48.8
\$15,000- 24,999	575	404,709	416	71.5	65.6-77.4	159	28.5	22.6-34.4
\$25,000- 34,999	292	212,629	238	85.1	79.6-90.6	54	14.9	9.4-20.4
\$35,000- 49,999	355	295,709	296	84.6	79.3-89.9	59	15.4	10.1-20.7
\$50,000- 74,999	339	261,808	291	85.3	79.8-90.8	48	14.7	9.2-20.2
\$75,000+	531	418,428	473	88.4	84.9-91.9	58	11.6	8.1-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	144
2	MALES ONLY	145
3	FEMALES ONLY	146
	PHYSICAL ACTIVITY CATEGORIES (_PACAT1)	
4	MALES AND FEMALES	147
5	MALES ONLY	148
6	FEMALES ONLY	149
	PHYSICAL ACTIVITY INDEX (_PAINDX1)	
7	MALES AND FEMALES	150
8	MALES ONLY	151
9	FEMALES ONLY	152
	MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
10	MALES AND FEMALES	153
11	MALES ONLY	154
12	FEMALES ONLY	155
	AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)	
13	MALES AND FEMALES	156
14	MALES ONLY	157
15	FEMALES ONLY	158
	AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)	
16	MALES AND FEMALES	159
17	MALES ONLY	160
18	FEMALES ONLY	161

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5389	4,543,587	3679	69.6	67.6-71.6	1710	30.4	28.4-32.4
Male	2092	2,171,703	1494	71.4	68.5-74.3	598	28.6	25.7-31.5
Female	3297	2,371,884	2185	68.1	65.6-70.6	1112	31.9	29.4-34.4
White/Non-Hisp	4416	3,466,465	3016	69.7	67.7-71.7	1400	30.3	28.3-32.3
Black or Afr. Am./Non-Hisp	647	686,159	421	67.9	62.0-73.8	226	32.1	26.2-38.0
Oth. Race/Non-Hisp.	116	120,124	95	74.9	56.3-93.5	21	25.1	6.5-43.7
MultiRacial/Non-Hisp.	66	74,936	45	65.6	47.0-84.2	21	34.4	15.8-53.0
Hispanic	76	134,797	57	77.5	63.8-91.2	19	22.5	8.8-36.2
18-24	232	546,152	192	81.2	74.5-87.9	40	18.8	12.1-25.5
25-34	416	755,716	316	76.9	71.8-82.0	100	23.1	18.0-28.2
35-44	524	707,939	381	70.0	64.5-75.5	143	30.0	24.5-35.5
45-54	869	784,959	590	66.6	61.9-71.3	279	33.4	28.7-38.1
55-64	1237	780,325	844	66.4	62.5-70.3	393	33.6	29.7-37.5
65+	2062	935,181	1319	61.9	59.0-64.8	743	38.1	35.2-41.0
Less Than H.S.	583	660,008	305	53.4	47.1-59.7	278	46.6	40.3-52.9
H.S. or G.E.D.	1732	1,495,857	1086	68.1	65.0-71.2	646	31.9	28.8-35.0
Some Post-H.S.	1358	1,334,228	877	66.3	62.4-70.2	481	33.7	29.8-37.6
College Graduate	1700	1,042,163	1404	86.9	84.9-88.9	296	13.1	11.1-15.1
Less than \$15,000	594	495,491	355	61.2	54.1-68.3	239	38.8	31.7-45.9
\$15,000- 24,999	900	754,900	519	59.6	54.5-64.7	381	40.4	35.3-45.5
\$25,000- 34,999	531	461,545	356	67.0	60.9-73.1	175	33.0	26.9-39.1
\$35,000- 49,999	648	594,404	449	71.0	65.7-76.3	199	29.0	23.7-34.3
\$50,000- 74,999	648	579,899	462	70.5	65.2-75.8	186	29.5	24.2-34.8
\$75,000+	1059	936,375	874	82.2	78.9-85.5	185	17.8	14.5-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2092	2,171,703	1494	71.4	68.5-74.3	598	28.6	25.7-31.5
White/Non-Hisp	1745	1,649,503	1237	70.4	67.3-73.5	508	29.6	26.5-32.7
Black or Afr. Am./Non-Hisp	197	305,346	145	73.3	63.9-82.7	52	26.7	17.3-36.1
Oth. Race/Non-Hisp.	60	70,949	51	90.5	78.7- 100	9	9.5	0.0-21.3
18-24	122	283,019	102	83.7	75.9-91.5	20	16.3	8.5-24.1
25-34	168	372,344	128	76.5	68.7-84.3	40	23.5	15.7-31.3
35-44	210	341,870	155	68.9	60.5-77.3	55	31.1	22.7-39.5
45-54	354	382,525	244	65.3	58.0-72.6	110	34.7	27.4-42.0
55-64	464	371,091	333	71.1	65.6-76.6	131	28.9	23.4-34.4
65+	753	400,406	517	66.2	61.5-70.9	236	33.8	29.1-38.5
Less Than H.S.	224	325,779	129	60.9	51.9-69.9	95	39.1	30.1-48.1
H.S. or G.E.D.	652	743,412	436	69.1	64.0-74.2	216	30.9	25.8-36.0
Some Post-H.S.	483	586,463	311	67.1	61.0-73.2	172	32.9	26.8-39.0
College Graduate	725	509,910	614	86.7	83.4-90.0	111	13.3	10.0-16.6
Less than \$15,000	180	206,324	117	63.6	52.6-74.6	63	36.4	25.4-47.4
\$15,000- 24,999	300	340,992	171	59.2	50.8-67.6	129	40.8	32.4-49.2
\$25,000- 34,999	222	236,182	152	71.4	63.2-79.6	70	28.6	20.4-36.8
\$35,000- 49,999	284	297,091	201	68.1	59.7-76.5	83	31.9	23.5-40.3
\$50,000- 74,999	303	315,220	227	75.8	68.9-82.7	76	24.2	17.3-31.1
\$75,000+	523	515,784	431	82.0	77.1-86.9	92	18.0	13.1-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3297	2,371,884	2185	68.1	65.6-70.6	1112	31.9	29.4-34.4
White/Non-Hisp	2671	1,816,962	1779	69.2	66.7-71.7	892	30.8	28.3-33.3
Black or Afr. Am./Non-Hisp	450	380,813	276	63.7	56.3-71.1	174	36.3	28.9-43.7
Oth. Race/Non-Hisp.	56	49,175	44	52.4	21.6-83.2	12	47.6	16.8-78.4
18-24	110	263,133	90	78.4	67.4-89.4	20	21.6	10.6-32.6
25-34	248	383,372	188	77.4	70.5-84.3	60	22.6	15.7-29.5
35-44	314	366,068	226	71.0	64.1-77.9	88	29.0	22.1-35.9
45-54	515	402,434	346	67.8	61.7-73.9	169	32.2	26.1-38.3
55-64	773	409,234	511	62.2	57.1-67.3	262	37.8	32.7-42.9
65+	1309	534,776	802	58.7	55.0-62.4	507	41.3	37.6-45.0
Less Than H.S.	359	334,229	176	46.2	38.0-54.4	183	53.8	45.6-62.0
H.S. or G.E.D.	1080	752,445	650	67.1	63.2-71.0	430	32.9	29.0-36.8
Some Post-H.S.	875	747,765	566	65.6	60.5-70.7	309	34.4	29.3-39.5
College Graduate	975	532,253	790	87.1	84.6-89.6	185	12.9	10.4-15.4
Less than \$15,000	414	289,168	238	59.5	50.3-68.7	176	40.5	31.3-49.7
\$15,000- 24,999	600	413,909	348	59.9	53.6-66.2	252	40.1	33.8-46.4
\$25,000- 34,999	309	225,363	204	62.4	53.4-71.4	105	37.6	28.6-46.6
\$35,000- 49,999	364	297,313	248	73.9	67.6-80.2	116	26.1	19.8-32.4
\$50,000- 74,999	345	264,679	235	64.2	56.4-72.0	110	35.8	28.0-43.6
\$75,000+	536	420,591	443	82.4	77.9-86.9	93	17.6	13.1-22.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5051	4,294,270	1562	27.6	25.8-29.4	830	17.1	15.5-18.7	898	22.1	20.1-24.1	1761	33.2	31.2-35.2
Male	1969	2,051,576	664	27.7	25.0-30.4	337	17.7	15.2-20.2	347	22.8	19.9-25.7	621	31.8	28.7-34.9
Female	3082	2,242,695	898	27.4	25.0-29.8	493	16.6	14.6-18.6	551	21.6	19.2-24.0	1140	34.4	31.7-37.1
White/Non-Hisp	4159	3,289,731	1334	29.0	27.0-31.0	662	16.6	14.8-18.4	727	21.6	19.6-23.6	1436	32.7	30.5-34.9
Black or Afr. Am./Non-Hisp	595	637,062	136	22.0	16.9-27.1	107	17.3	12.6-22.0	115	24.6	18.3-30.9	237	36.1	29.8-42.4
Oth. Race/Non-Hisp.	105	110,369	42	36.9	21.4-52.4	21	21.4	9.6-33.2	19	13.8	5.0-22.6	23	27.8	8.2-47.4
MultiRacial/Non-Hisp.	60	69,500	15	25.1	10.2-40.0	11	17.2	2.1-32.3	13	20.6	6.9-34.3	21	37.0	17.4-56.6
Hispanic	75	132,587	20	15.0	5.6-24.4	17	24.3	10.8-37.8	17	32.3	15.1-49.5	21	28.3	13.0-43.6
18-24	217	503,980	65	29.4	21.8-37.0	41	18.1	12.0-24.2	67	29.8	22.2-37.4	44	22.8	15.4-30.2
25-34	396	724,105	92	20.7	15.8-25.6	78	19.4	14.7-24.1	122	34.9	28.6-41.2	104	25.0	19.5-30.5
35-44	497	677,327	143	25.0	20.3-29.7	96	20.5	15.6-25.4	109	21.8	17.1-26.5	149	32.7	27.0-38.4
45-54	842	761,390	234	28.0	23.7-32.3	142	15.7	12.4-19.0	178	21.2	17.5-24.9	288	35.2	30.3-40.1
55-64	1177	748,508	334	25.9	22.6-29.2	216	18.0	14.9-21.1	227	20.5	17.2-23.8	400	35.7	31.8-39.6
65+	1910	869,468	694	35.6	32.7-38.5	257	12.7	10.7-14.7	195	9.9	7.9-11.9	764	41.8	38.7-44.9
Less Than H.S.	532	616,805	119	23.9	18.2-29.6	51	8.0	4.9-11.1	81	17.6	12.1-23.1	281	50.5	43.8-57.2
H.S. or G.E.D.	1617	1,404,896	445	26.2	23.1-29.3	249	17.5	14.6-20.4	255	21.2	17.9-24.5	668	35.0	31.7-38.3
Some Post-H.S.	1278	1,264,546	375	25.8	22.3-29.3	168	14.4	11.5-17.3	241	23.2	19.5-26.9	494	36.6	32.5-40.7
College Graduate	1613	999,111	622	34.1	30.8-37.4	362	25.8	22.7-28.9	321	25.1	22.0-28.2	308	15.0	12.6-17.4
Less than \$15,000	547	466,130	138	24.3	18.4-30.2	61	8.7	5.0-12.4	100	24.4	17.5-31.3	248	42.5	35.1-49.9
\$15,000- 24,999	860	725,839	208	22.5	18.2-26.8	122	15.2	11.5-18.9	138	19.3	14.8-23.8	392	43.0	37.7-48.3
\$25,000- 34,999	507	431,229	164	26.8	21.5-32.1	83	15.3	10.4-20.2	79	21.8	14.9-28.7	181	36.1	29.8-42.4
\$35,000- 49,999	616	566,790	193	28.9	23.8-34.0	112	19.3	14.4-24.2	112	21.4	16.5-26.3	199	30.4	24.9-35.9
\$50,000- 74,999	616	558,030	215	29.4	24.5-34.3	107	17.0	12.9-21.1	102	21.2	16.3-26.1	192	32.4	26.9-37.9
\$75,000+	1018	902,350	377	31.3	27.2-35.4	221	22.9	19.2-26.6	227	26.2	22.3-30.1	193	19.7	16.2-23.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1969	2,051,576	664	27.7	25.0-30.4	337	17.7	15.2-20.2	347	22.8	19.9-25.7	621	31.8	28.7-34.9
White/Non-Hisp	1649	1,569,853	567	29.3	26.2-32.4	271	15.9	13.4-18.4	286	22.2	19.3-25.1	525	32.5	29.4-35.6
Black or Afr. Am./Non-Hisp	178	278,533	52	20.4	13.0-27.8	32	20.7	11.7-29.7	39	28.6	17.4-39.8	55	30.4	20.2-40.6
Oth. Race/Non-Hisp.	56	62,995	22	44.2	25.0-63.4	17	33.1	15.9-50.3	6	11.1	0.0-22.3	11	11.6	0.0-24.9
18-24	114	254,281	37	33.2	22.2-44.2	23	18.2	9.6-26.8	31	26.6	16.8-36.4	23	22.0	12.6-31.4
25-34	161	358,574	32	16.0	9.7-22.3	34	18.7	12.0-25.4	51	39.1	29.3-48.9	44	26.3	18.1-34.5
35-44	198	327,265	55	21.6	14.9-28.3	36	21.8	13.6-30.0	47	21.3	14.4-28.2	60	35.3	26.5-44.1
45-54	339	369,286	92	24.0	18.1-29.9	57	16.9	11.6-22.2	76	22.6	16.7-28.5	114	36.5	29.1-43.9
55-64	443	355,129	132	28.4	22.7-34.1	82	18.3	13.4-23.2	96	22.8	17.3-28.3	133	30.5	24.8-36.2
65+	708	380,253	316	43.7	38.8-48.6	105	13.6	10.3-16.9	46	6.5	3.8- 9.2	241	36.2	31.3-41.1
Less Than H.S.	204	307,697	51	26.3	17.3-35.3	23	9.5	4.6-14.4	34	22.6	13.2-32.0	96	41.6	32.0-51.2
H.S. or G.E.D.	615	696,807	183	25.1	20.6-29.6	104	19.0	14.3-23.7	101	21.3	16.4-26.2	227	34.5	29.2-39.8
Some Post-H.S.	458	553,261	143	25.9	20.4-31.4	56	15.0	9.9-20.1	84	23.1	17.0-29.2	175	36.0	29.7-42.3
College Graduate	688	489,445	287	34.5	29.8-39.2	154	24.1	19.6-28.6	128	24.8	20.1-29.5	119	16.5	12.4-20.6
Less than \$15,000	164	192,773	38	23.4	14.2-32.6	23	10.5	3.4-17.6	37	26.3	14.3-38.3	66	39.7	28.1-51.3
\$15,000- 24,999	285	324,888	69	18.3	12.6-24.0	40	17.4	10.9-23.9	44	21.3	13.1-29.5	132	43.1	34.5-51.7
\$25,000- 34,999	213	215,047	79	30.3	22.1-38.5	36	17.9	9.9-25.9	24	19.0	10.8-27.2	74	32.8	24.2-41.4
\$35,000- 49,999	269	279,318	96	28.4	21.3-35.5	44	16.8	10.1-23.5	46	20.9	13.5-28.3	83	33.9	25.1-42.7
\$50,000- 74,999	285	298,902	108	30.2	22.9-37.5	49	18.3	12.0-24.6	48	23.0	15.6-30.4	80	28.6	21.2-36.0
\$75,000+	501	498,590	186	32.9	26.6-39.2	110	21.0	15.9-26.1	108	25.5	20.0-31.0	97	20.6	15.3-25.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3082	2,242,695	898	27.4	25.0-29.8	493	16.6	14.6-18.6	551	21.6	19.2-24.0	1140	34.4	31.7-37.1
White/Non-Hisp	2510	1,719,879	767	28.8	26.3-31.3	391	17.2	14.8-19.6	441	21.1	18.6-23.6	911	32.9	30.2-35.6
Black or Afr. Am./Non-Hisp	417	358,530	84	23.3	16.2-30.4	75	14.7	10.0-19.4	76	21.4	14.7-28.1	182	40.6	32.8-48.4
18-24	103	249,700	28	25.5	15.3-35.7	18	18.0	9.2-26.8	36	33.0	21.0-45.0	21	23.6	12.0-35.2
25-34	235	365,531	60	25.4	18.3-32.5	44	20.2	13.7-26.7	71	30.8	23.5-38.1	60	23.7	16.6-30.8
35-44	299	350,062	88	28.1	21.4-34.8	60	19.3	13.8-24.8	62	22.2	15.7-28.7	89	30.4	23.1-37.7
45-54	503	392,104	142	31.7	25.6-37.8	85	14.6	10.9-18.3	102	19.8	15.1-24.5	174	33.9	27.6-40.2
55-64	734	393,379	202	23.5	19.6-27.4	134	17.7	14.0-21.4	131	18.4	14.3-22.5	267	40.4	35.1-45.7
65+	1202	489,216	378	29.3	26.0-32.6	152	12.1	9.6-14.6	149	12.5	10.0-15.0	523	46.1	42.2-50.0
Less Than H.S.	328	309,107	68	21.4	14.1-28.7	28	6.5	3.0-10.0	47	12.7	7.6-17.8	185	59.4	51.0-67.8
H.S. or G.E.D.	1002	708,089	262	27.3	23.0-31.6	145	16.0	12.5-19.5	154	21.2	16.5-25.9	441	35.5	31.2-39.8
Some Post-H.S.	820	711,285	232	25.7	21.2-30.2	112	13.9	10.4-17.4	157	23.3	18.8-27.8	319	37.1	31.8-42.4
College Graduate	925	509,666	335	33.8	29.3-38.3	208	27.4	22.9-31.9	193	25.3	21.0-29.6	189	13.5	11.0-16.0
Less than \$15,000	383	273,357	100	25.0	17.6-32.4	38	7.5	3.8-11.2	63	23.0	15.0-31.0	182	44.5	34.9-54.1
\$15,000- 24,999	575	400,951	139	25.9	19.8-32.0	82	13.4	9.5-17.3	94	17.7	12.8-22.6	260	43.0	36.5-49.5
\$25,000- 34,999	294	216,182	85	23.2	16.5-29.9	47	12.7	7.4-18.0	55	24.6	14.0-35.2	107	39.4	30.2-48.6
\$35,000- 49,999	347	287,472	97	29.4	22.0-36.8	68	21.7	14.8-28.6	66	21.9	15.4-28.4	116	27.0	20.5-33.5
\$50,000- 74,999	331	259,128	107	28.6	21.7-35.5	58	15.6	10.5-20.7	54	19.0	12.9-25.1	112	36.7	28.9-44.5
\$75,000+	517	403,761	191	29.3	24.2-34.4	111	25.2	19.5-30.9	119	27.0	21.5-32.5	96	18.5	13.8-23.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 7: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5105	4,351,530	2446	45.4	43.2-47.6	2659	54.6	52.4-56.8
Male	1992	2,084,541	1024	46.3	43.2-49.4	968	53.7	50.6-56.8
Female	3113	2,266,989	1422	44.6	41.9-47.3	1691	55.4	52.7-58.1
White/Non-Hisp	4204	3,333,056	2041	46.3	44.1-48.5	2163	53.7	51.5-55.9
Black or Afr. Am./Non-Hisp	601	647,601	249	40.3	34.0-46.6	352	59.7	53.4-66.0
Oth. Race/Non-Hisp.	107	111,115	65	58.6	40.6-76.6	42	41.4	23.4-59.4
MultiRacial/Non-Hisp.	61	72,150	27	44.5	25.9-63.1	34	55.5	36.9-74.1
Hispanic	75	132,587	37	39.3	23.6-55.0	38	60.7	45.0-76.4
18-24	223	525,035	112	49.5	41.3-57.7	111	50.5	42.3-58.7
25-34	401	736,086	175	41.1	35.2-47.0	226	58.9	53.0-64.8
35-44	500	678,682	242	45.6	39.7-51.5	258	54.4	48.5-60.3
45-54	846	766,660	380	44.0	39.3-48.7	466	56.0	51.3-60.7
55-64	1186	752,265	559	44.1	40.2-48.0	627	55.9	52.0-59.8
65+	1937	883,310	978	49.2	46.1-52.3	959	50.8	47.7-53.9
Less Than H.S.	538	624,898	176	32.7	26.6-38.8	362	67.3	61.2-73.4
H.S. or G.E.D.	1639	1,431,601	716	44.8	41.1-48.5	923	55.2	51.5-58.9
Some Post-H.S.	1295	1,283,990	560	41.1	37.0-45.2	735	58.9	54.8-63.0
College Graduate	1622	1,002,128	993	60.1	56.6-63.6	629	39.9	36.4-43.4
Less than \$15,000	553	473,445	205	34.1	27.4-40.8	348	65.9	59.2-72.6
\$15,000- 24,999	867	739,769	337	38.8	33.7-43.9	530	61.2	56.1-66.3
\$25,000- 34,999	514	442,085	254	43.5	37.0-50.0	260	56.5	50.0-63.0
\$35,000- 49,999	623	574,111	312	48.9	43.0-54.8	311	51.1	45.2-57.0
\$50,000- 74,999	619	559,484	325	46.6	40.9-52.3	294	53.4	47.7-59.1
\$75,000+	1027	909,446	607	54.5	50.0-59.0	420	45.5	41.0-50.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 8: PHYSICAL ACTIVITY INDEX (_PAINDX1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1992	2,084,541	1024	46.3	43.2-49.4	968	53.7	50.6-56.8
White/Non-Hisp	1667	1,592,165	856	46.0	42.7-49.3	811	54.0	50.7-57.3
Black or Afr. Am./Non-Hisp	181	285,931	87	42.6	32.0-53.2	94	57.4	46.8-68.0
Oth. Race/Non-Hisp.	57	63,599	40	77.5	61.4-93.6	17	22.5	6.4-38.6
18-24	118	270,681	64	54.3	43.3-65.3	54	45.7	34.7-56.7
25-34	164	365,213	69	35.8	27.2-44.4	95	64.2	55.6-72.8
35-44	199	328,002	92	43.5	34.7-52.3	107	56.5	47.7-65.3
45-54	340	369,891	150	41.0	33.9-48.1	190	59.0	51.9-66.1
55-64	446	356,851	217	47.0	40.7-53.3	229	53.0	46.7-59.3
65+	719	387,115	432	58.1	53.2-63.0	287	41.9	37.0-46.8
Less Than H.S.	206	311,002	76	36.5	27.1-45.9	130	63.5	54.1-72.9
H.S. or G.E.D.	625	719,101	297	45.9	40.4-51.4	328	54.1	48.6-59.6
Some Post-H.S.	464	559,078	205	41.5	35.0-48.0	259	58.5	52.0-65.0
College Graduate	693	490,995	446	58.8	53.5-64.1	247	41.2	35.9-46.5
Less than \$15,000	167	197,381	64	35.5	24.5-46.5	103	64.5	53.5-75.5
\$15,000- 24,999	288	335,606	112	37.7	29.5-45.9	176	62.3	54.1-70.5
\$25,000- 34,999	215	219,945	117	49.3	39.9-58.7	98	50.7	41.3-60.1
\$35,000- 49,999	272	284,307	143	46.1	37.5-54.7	129	53.9	45.3-62.5
\$50,000- 74,999	288	300,356	160	48.7	40.5-56.9	128	51.3	43.1-59.5
\$75,000+	507	501,859	302	54.2	47.7-60.7	205	45.8	39.3-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 9: PHYSICAL ACTIVITY INDEX (_PAINDX1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3113	2,266,989	1422	44.6	41.9-47.3	1691	55.4	52.7-58.1
White/Non-Hisp	2537	1,740,892	1185	46.6	43.7-49.5	1352	53.4	50.5-56.3
Black or Afr. Am./Non-Hisp	420	361,669	162	38.5	30.9-46.1	258	61.5	53.9-69.1
Oth. Race/Non-Hisp.	50	47,516	25	33.3	9.8-56.8	25	66.7	43.2-90.2
18-24	105	254,354	48	44.4	32.4-56.4	57	55.6	43.6-67.6
25-34	237	370,873	106	46.3	38.3-54.3	131	53.7	45.7-61.7
35-44	301	350,680	150	47.5	39.9-55.1	151	52.5	44.9-60.1
45-54	506	396,769	230	46.9	40.6-53.2	276	53.1	46.8-59.4
55-64	740	395,414	342	41.5	36.6-46.4	398	58.5	53.6-63.4
65+	1218	496,195	546	42.2	38.5-45.9	672	57.8	54.1-61.5
Less Than H.S.	332	313,896	100	29.0	21.4-36.6	232	71.0	63.4-78.6
H.S. or G.E.D.	1014	712,500	419	43.7	39.0-48.4	595	56.3	51.6-61.0
Some Post-H.S.	831	724,912	355	40.7	35.6-45.8	476	59.3	54.2-64.4
College Graduate	929	511,133	547	61.3	56.6-66.0	382	38.7	34.0-43.4
Less than \$15,000	386	276,064	141	33.1	24.9-41.3	245	66.9	58.7-75.1
\$15,000- 24,999	579	404,164	225	39.8	33.3-46.3	354	60.2	53.7-66.7
\$25,000- 34,999	299	222,140	137	37.7	29.1-46.3	162	62.3	53.7-70.9
\$35,000- 49,999	351	289,804	169	51.6	43.8-59.4	182	48.4	40.6-56.2
\$50,000- 74,999	331	259,128	165	44.2	36.6-51.8	166	55.8	48.2-63.4
\$75,000+	520	407,587	305	54.9	48.8-61.0	215	45.1	39.0-51.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5290	4,444,679	1290	27.6	25.6-29.6	4000	72.4	70.4-74.4
Male	2053	2,117,714	571	31.1	28.0-34.2	1482	68.9	65.8-72.0
Female	3237	2,326,965	719	24.3	21.9-26.7	2518	75.7	73.3-78.1
White/Non-Hisp	4347	3,408,695	1027	26.1	24.1-28.1	3320	73.9	71.9-75.9
Black or Afr. Am./Non-Hisp	629	656,180	165	32.1	25.8-38.4	464	67.9	61.6-74.2
Oth. Race/Non-Hisp.	108	113,228	39	33.1	18.2-48.0	69	66.9	52.0-81.8
MultiRacial/Non-Hisp.	65	73,938	19	32.1	14.9-49.3	46	67.9	50.7-85.1
Hispanic	74	131,724	25	37.1	21.6-52.6	49	62.9	47.4-78.4
18-24	219	510,076	94	44.9	36.7-53.1	125	55.1	46.9-63.3
25-34	412	745,708	139	32.1	26.4-37.8	273	67.9	62.2-73.6
35-44	518	700,351	157	32.5	27.2-37.8	361	67.5	62.2-72.8
45-54	855	770,419	224	27.7	23.4-32.0	631	72.3	68.0-76.6
55-64	1218	769,403	254	18.2	15.3-21.1	964	81.8	78.9-84.7
65+	2020	916,709	406	17.5	15.3-19.7	1614	82.5	80.3-84.7
Less Than H.S.	570	644,565	81	18.0	12.1-23.9	489	82.0	76.1-87.9
H.S. or G.E.D.	1694	1,454,532	345	25.5	22.2-28.8	1349	74.5	71.2-77.8
Some Post-H.S.	1338	1,307,994	321	27.7	24.0-31.4	1017	72.3	68.6-76.0
College Graduate	1674	1,027,128	541	36.5	33.0-40.0	1133	63.5	60.0-67.0
Less than \$15,000	581	485,756	109	22.7	16.2-29.2	472	77.3	70.8-83.8
\$15,000- 24,999	890	737,103	176	24.0	19.3-28.7	714	76.0	71.3-80.7
\$25,000- 34,999	521	446,940	110	23.7	17.8-29.6	411	76.3	70.4-82.2
\$35,000- 49,999	636	582,923	167	29.1	23.8-34.4	469	70.9	65.6-76.2
\$50,000- 74,999	638	568,686	165	28.1	23.0-33.2	473	71.9	66.8-77.0
\$75,000+	1043	919,281	360	36.7	32.2-41.2	683	63.3	58.8-67.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2053	2,117,714	571	31.1	28.0-34.2	1482	68.9	65.8-72.0
White/Non-Hisp	1721	1,621,873	455	28.5	25.4-31.6	1266	71.5	68.4-74.6
Black or Afr. Am./Non-Hisp	191	288,150	65	37.1	26.1-48.1	126	62.9	51.9-73.9
Oth. Race/Non-Hisp.	55	66,049	24	49.5	30.5-68.5	31	50.5	31.5-69.5
18-24	115	258,507	62	56.2	45.2-67.2	53	43.8	32.8-54.8
25-34	168	370,314	70	36.3	27.3-45.3	98	63.7	54.7-72.7
35-44	207	339,521	74	38.5	29.9-47.1	133	61.5	52.9-70.1
45-54	349	373,947	98	28.1	21.8-34.4	251	71.9	65.6-78.2
55-64	457	366,074	94	17.1	12.6-21.6	363	82.9	78.4-87.4
65+	737	390,205	165	18.6	15.1-22.1	572	81.4	77.9-84.9
Less Than H.S.	218	316,904	32	19.7	9.7-29.7	186	80.3	70.3-90.3
H.S. or G.E.D.	638	720,955	157	30.6	25.3-35.9	481	69.4	64.1-74.7
Some Post-H.S.	475	570,456	132	31.7	25.6-37.8	343	68.3	62.2-74.4
College Graduate	714	503,260	249	38.9	33.8-44.0	465	61.1	56.0-66.2
Less than \$15,000	178	203,548	29	18.9	7.9-29.9	149	81.1	70.1-92.1
\$15,000- 24,999	293	325,781	75	30.9	22.7-39.1	218	69.1	60.9-77.3
\$25,000- 34,999	217	224,515	49	29.3	19.7-38.9	168	70.7	61.1-80.3
\$35,000- 49,999	279	291,463	73	27.1	19.8-34.4	206	72.9	65.6-80.2
\$50,000- 74,999	297	309,931	92	33.5	25.9-41.1	205	66.5	58.9-74.1
\$75,000+	515	505,636	188	40.2	33.7-46.7	327	59.8	53.3-66.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3237	2,326,965	719	24.3	21.9-26.7	2518	75.7	73.3-78.1
White/Non-Hisp	2626	1,786,821	572	23.9	21.4-26.4	2054	76.1	73.6-78.6
Black or Afr. Am./Non-Hisp	438	368,029	100	28.1	20.7-35.5	338	71.9	64.5-79.3
Oth. Race/Non-Hisp.	53	47,179	15	10.2	1.8-18.6	38	89.8	81.4-98.2
18-24	104	251,569	32	33.4	22.0-44.8	72	66.6	55.2-78.0
25-34	244	375,394	69	28.0	20.9-35.1	175	72.0	64.9-79.1
35-44	311	360,830	83	26.9	20.6-33.2	228	73.1	66.8-79.4
45-54	506	396,472	126	27.3	21.6-33.0	380	72.7	67.0-78.4
55-64	761	403,328	160	19.2	15.5-22.9	601	80.8	77.1-84.5
65+	1283	526,504	241	16.7	14.2-19.2	1042	83.3	80.8-85.8
Less Than H.S.	352	327,660	49	16.3	10.2-22.4	303	83.7	77.6-89.8
H.S. or G.E.D.	1056	733,577	188	20.4	16.5-24.3	868	79.6	75.7-83.5
Some Post-H.S.	863	737,538	189	24.7	20.0-29.4	674	75.3	70.6-80.0
College Graduate	960	523,868	292	34.1	29.6-38.6	668	65.9	61.4-70.4
Less than \$15,000	403	282,208	80	25.5	17.5-33.5	323	74.5	66.5-82.5
\$15,000- 24,999	597	411,322	101	18.6	13.5-23.7	496	81.4	76.3-86.5
\$25,000- 34,999	304	222,425	61	18.0	11.9-24.1	243	82.0	75.9-88.1
\$35,000- 49,999	357	291,460	94	31.0	23.2-38.8	263	69.0	61.2-76.8
\$50,000- 74,999	341	258,755	73	21.7	15.6-27.8	268	78.3	72.2-84.4
\$75,000+	528	413,645	172	32.3	26.6-38.0	356	67.7	62.0-73.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5034	4,289,026	829	17.8	16.0-19.6	1577	27.5	25.7-29.3	400	9.8	8.4-11.2	2228	45.0	42.8-47.2
Male	1961	2,049,123	366	18.9	16.4-21.4	637	27.2	24.5-29.9	175	12.0	9.6-14.4	783	42.0	38.7-45.3
Female	3073	2,239,903	463	16.7	14.5-18.9	940	27.7	25.3-30.1	225	7.8	6.4- 9.2	1445	47.7	45.0-50.4
White/Non-Hisp	4153	3,290,267	667	16.9	15.1-18.7	1343	29.3	27.3-31.3	319	9.3	7.9-10.7	1824	44.5	42.3-46.7
Black or Afr. Am./Non-Hisp	590	635,123	98	19.7	14.2-25.2	147	20.1	15.6-24.6	55	12.3	7.4-17.2	290	47.9	41.2-54.6
Oth. Race/Non-Hisp.	101	105,932	31	29.0	14.3-43.7	30	29.1	15.4-42.8	6	3.1	0.0- 6.4	34	38.8	19.6-58.0
MultiRacial/Non-Hisp.	60	71,152	10	23.5	6.4-40.6	17	21.6	8.5-34.7	7	7.5	0.2-14.8	26	47.4	28.2-66.6
Hispanic	74	131,724	14	16.6	5.8-27.4	22	22.3	9.4-35.2	11	20.5	7.8-33.2	27	40.5	22.9-58.1
18-24	214	501,734	56	27.4	19.8-35.0	50	21.1	14.8-27.4	35	17.3	11.2-23.4	73	34.2	26.0-42.4
25-34	399	732,668	81	18.6	14.1-23.1	94	22.7	17.8-27.6	55	13.8	9.3-18.3	169	44.9	38.6-51.2
35-44	497	673,601	107	20.8	16.1-25.5	133	24.4	19.5-29.3	48	12.2	8.3-16.1	209	42.5	36.6-48.4
45-54	836	756,873	146	19.2	15.3-23.1	229	24.7	20.8-28.6	73	8.6	6.2-11.0	388	47.5	42.6-52.4
55-64	1174	745,380	171	13.1	10.6-15.6	384	31.0	27.3-34.7	76	5.1	3.5- 6.7	543	50.7	46.6-54.8
65+	1902	869,277	268	12.1	10.3-13.9	687	37.1	34.2-40.0	112	5.4	4.2- 6.6	835	45.5	42.4-48.6
Less Than H.S.	531	615,492	42	10.5	5.8-15.2	130	22.0	17.1-26.9	32	7.9	3.4-12.4	327	59.7	53.0-66.4
H.S. or G.E.D.	1611	1,399,834	212	17.1	14.2-20.0	493	27.6	24.5-30.7	109	7.9	5.9- 9.9	797	47.4	43.7-51.1
Some Post-H.S.	1280	1,271,709	198	17.0	13.9-20.1	351	23.8	20.5-27.1	111	10.9	8.2-13.6	620	48.3	44.2-52.4
College Graduate	1603	993,949	377	24.3	21.4-27.2	602	35.6	32.3-38.9	147	12.3	9.8-14.8	477	27.8	24.7-30.9
Less than \$15,000	545	466,646	62	12.7	8.0-17.4	138	21.0	15.7-26.3	40	10.3	4.6-16.0	305	55.9	48.5-63.3
\$15,000- 24,999	857	722,763	100	13.3	9.8-16.8	230	24.8	20.5-29.1	68	10.9	7.2-14.6	459	51.0	45.7-56.3
\$25,000- 34,999	506	438,441	70	13.3	8.6-18.0	179	30.0	24.3-35.7	38	10.5	6.2-14.8	219	46.1	39.2-53.0
\$35,000- 49,999	615	568,274	97	19.5	14.6-24.4	211	29.4	24.3-34.5	65	9.4	6.5-12.3	242	41.7	35.8-47.6
\$50,000- 74,999	611	548,888	118	20.0	15.5-24.5	203	26.5	22.0-31.0	42	7.8	4.7-10.9	248	45.8	39.9-51.7
\$75,000+	1018	899,823	258	24.9	20.8-29.0	344	29.6	25.7-33.5	92	11.8	8.7-14.9	324	33.6	29.5-37.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1961	2,049,123	366	18.9	16.4-21.4	637	27.2	24.5-29.9	175	12.0	9.6-14.4	783	42.0	38.7-45.3
White/Non-Hisp	1645	1,567,390	295	17.4	14.7-20.1	546	28.5	25.6-31.4	137	10.9	8.5-13.3	667	43.3	40.0-46.6
Black or Afr. Am./Non-Hisp	179	280,938	35	19.4	10.8-28.0	51	22.9	14.7-31.1	25	17.3	7.7-26.9	68	40.4	29.2-51.6
Oth. Race/Non-Hisp.	53	60,003	20	45.3	25.3-65.3	16	30.9	13.7-48.1	3	3.4	0.0- 8.5	14	20.4	3.9-36.9
18-24	113	255,221	36	34.1	22.9-45.3	24	19.0	10.8-27.2	24	21.5	12.3-30.7	29	25.4	15.8-35.0
25-34	163	363,323	35	16.9	10.6-23.2	34	19.1	12.2-26.0	33	19.5	11.5-27.5	61	44.4	35.0-53.8
35-44	198	327,742	41	21.4	14.0-28.8	51	22.2	14.8-29.6	32	17.5	10.6-24.4	74	39.0	30.2-47.8
45-54	337	364,891	63	18.8	13.3-24.3	85	21.9	16.0-27.8	32	9.4	5.7-13.1	157	49.9	42.5-57.3
55-64	441	353,803	66	13.2	8.9-17.5	147	33.5	27.4-39.6	26	4.0	2.0- 6.0	202	49.3	43.0-55.6
65+	703	377,355	125	14.2	11.1-17.3	296	44.3	39.2-49.4	28	3.7	1.9- 5.5	254	37.8	32.9-42.7
Less Than H.S.	203	305,247	21	12.0	4.0-20.0	54	24.7	17.3-32.1	8	8.2	0.2-16.2	120	55.0	45.0-65.0
H.S. or G.E.D.	612	698,857	96	19.1	14.4-23.8	195	26.6	21.9-31.3	50	10.4	6.9-13.9	271	43.9	38.2-49.6
Some Post-H.S.	458	554,431	81	18.9	13.6-24.2	118	22.1	16.8-27.4	46	13.0	8.3-17.7	213	46.0	39.3-52.7
College Graduate	684	486,223	168	23.1	18.8-27.4	270	35.4	30.5-40.3	71	15.6	11.1-20.1	175	25.9	21.4-30.4
Less than \$15,000	165	195,148	16	7.4	1.9-12.9	47	28.5	18.1-38.9	12	12.2	1.4-23.0	90	51.9	39.7-64.1
\$15,000- 24,999	282	320,762	42	15.8	9.5-22.1	66	20.2	13.9-26.5	31	15.1	8.0-22.2	143	48.8	40.0-57.6
\$25,000- 34,999	211	218,146	30	15.9	7.7-24.1	83	33.0	24.6-41.4	17	13.6	6.2-21.0	81	37.4	28.4-46.4
\$35,000- 49,999	268	281,663	43	17.9	11.4-24.4	96	27.7	20.4-35.0	27	8.6	4.7-12.5	102	45.8	37.0-54.6
\$50,000- 74,999	282	295,366	67	23.6	16.5-30.7	90	25.4	18.7-32.1	21	9.2	4.1-14.3	104	41.8	33.6-50.0
\$75,000+	502	494,822	128	25.2	19.1-31.3	171	29.1	23.4-34.8	54	15.0	10.1-19.9	149	30.6	24.7-36.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3073	2,239,903	463	16.7	14.5-18.9	940	27.7	25.3-30.1	225	7.8	6.2- 9.4	1445	47.7	45.0-50.4
White/Non-Hisp	2508	1,722,877	372	16.5	14.1-18.9	797	30.0	27.3-32.7	182	7.9	6.3- 9.5	1157	45.5	42.6-48.4
Black or Afr. Am./Non-Hisp	411	354,185	63	19.9	12.8-27.0	96	17.9	13.0-22.8	30	8.4	3.9-12.9	222	53.9	46.1-61.7
18-24	101	246,513	20	20.5	10.7-30.3	26	23.3	13.7-32.9	11	13.0	5.0-21.0	44	43.3	30.6-56.0
25-34	236	369,345	46	20.2	13.7-26.7	60	26.3	19.2-33.4	22	8.1	4.2-12.0	108	45.3	37.3-53.3
35-44	299	345,859	66	20.3	14.6-26.0	82	26.5	20.0-33.0	16	7.3	3.4-11.2	135	45.9	38.3-53.5
45-54	499	391,982	83	19.6	14.1-25.1	144	27.4	22.1-32.7	41	7.8	4.9-10.7	231	45.2	38.7-51.7
55-64	733	391,577	105	13.1	10.0-16.2	237	28.9	24.4-33.4	50	6.1	3.7- 8.5	341	51.9	46.8-57.0
65+	1199	491,922	143	10.4	8.2-12.6	391	31.5	28.0-35.0	84	6.6	4.8- 8.4	581	51.4	47.5-55.3
Less Than H.S.	328	310,245	21	9.0	3.9-14.1	76	19.2	12.7-25.7	24	7.6	3.5-11.7	207	64.3	56.1-72.5
H.S. or G.E.D.	999	700,977	116	15.1	11.2-19.0	298	28.6	24.5-32.7	59	5.4	3.6- 7.2	526	51.0	46.1-55.9
Some Post-H.S.	822	717,279	117	15.6	11.7-19.5	233	25.0	20.7-29.3	65	9.4	6.1-12.7	407	50.0	44.7-55.3
College Graduate	919	507,726	209	25.5	21.2-29.8	332	35.7	31.2-40.2	76	9.1	6.4-11.8	302	29.7	25.4-34.0
Less than \$15,000	380	271,498	46	16.6	9.5-23.7	91	15.6	10.9-20.3	28	9.0	3.5-14.5	215	58.8	49.8-67.8
\$15,000- 24,999	575	402,001	58	11.3	7.0-15.6	164	28.5	22.4-34.6	37	7.5	4.0-11.0	316	52.7	46.2-59.2
\$25,000- 34,999	295	220,295	40	10.7	6.2-15.2	96	27.0	19.6-34.4	21	7.5	3.2-11.8	138	54.8	45.4-64.2
\$35,000- 49,999	347	286,611	54	21.1	13.7-28.5	115	31.1	24.0-38.2	38	10.2	5.7-14.7	140	37.6	30.2-45.0
\$50,000- 74,999	329	253,522	51	15.8	10.3-21.3	113	27.7	21.4-34.0	21	6.1	2.6- 9.6	144	50.4	42.6-58.2
\$75,000+	516	405,001	130	24.6	19.1-30.1	173	30.3	25.0-35.6	38	7.8	4.7-10.9	175	37.4	31.3-43.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5034	4,289,026	829	17.8	16.0-19.6	4205	82.2	80.4-84.0
Male	1961	2,049,123	366	18.9	16.4-21.4	1595	81.1	78.6-83.6
Female	3073	2,239,903	463	16.7	14.5-18.9	2610	83.3	81.1-85.5
White/Non-Hisp	4153	3,290,267	667	16.9	15.1-18.7	3486	83.1	81.3-84.9
Black or Afr. Am./Non-Hisp	590	635,123	98	19.7	14.2-25.2	492	80.3	74.8-85.8
Oth. Race/Non-Hisp.	101	105,932	31	29.0	14.3-43.7	70	71.0	56.3-85.7
MultiRacial/Non-Hisp.	60	71,152	10	23.5	6.4-40.6	50	76.5	59.4-93.6
Hispanic	74	131,724	14	16.6	5.8-27.4	60	83.4	72.6-94.2
18-24	214	501,734	56	27.4	19.8-35.0	158	72.6	65.0-80.2
25-34	399	732,668	81	18.6	14.1-23.1	318	81.4	76.9-85.9
35-44	497	673,601	107	20.8	16.1-25.5	390	79.2	74.5-83.9
45-54	836	756,873	146	19.2	15.3-23.1	690	80.8	76.9-84.7
55-64	1174	745,380	171	13.1	10.6-15.6	1003	86.9	84.4-89.4
65+	1902	869,277	268	12.1	10.3-13.9	1634	87.9	86.1-89.7
Less Than H.S.	531	615,492	42	10.5	5.8-15.2	489	89.5	84.8-94.2
H.S. or G.E.D.	1611	1,399,834	212	17.1	14.2-20.0	1399	82.9	80.0-85.8
Some Post-H.S.	1280	1,271,709	198	17.0	13.9-20.1	1082	83.0	79.9-86.1
College Graduate	1603	993,949	377	24.3	21.4-27.2	1226	75.7	72.8-78.6
Less than \$15,000	545	466,646	62	12.7	8.0-17.4	483	87.3	82.6-92.0
\$15,000- 24,999	857	722,763	100	13.3	9.8-16.8	757	86.7	83.2-90.2
\$25,000- 34,999	506	438,441	70	13.3	8.6-18.0	436	86.7	82.0-91.4
\$35,000- 49,999	615	568,274	97	19.5	14.6-24.4	518	80.5	75.6-85.4
\$50,000- 74,999	611	548,888	118	20.0	15.5-24.5	493	80.0	75.5-84.5
\$75,000+	1018	899,823	258	24.9	20.8-29.0	760	75.1	71.0-79.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1961	2,049,123	366	18.9	16.4-21.4	1595	81.1	78.6-83.6
White/Non-Hisp	1645	1,567,390	295	17.4	14.7-20.1	1350	82.6	79.9-85.3
Black or Afr. Am./Non-Hisp	179	280,938	35	19.4	10.8-28.0	144	80.6	72.0-89.2
Oth. Race/Non-Hisp.	53	60,003	20	45.3	25.3-65.3	33	54.7	34.7-74.7
18-24	113	255,221	36	34.1	22.9-45.3	77	65.9	54.7-77.1
25-34	163	363,323	35	16.9	10.6-23.2	128	83.1	76.8-89.4
35-44	198	327,742	41	21.4	14.0-28.8	157	78.6	71.2-86.0
45-54	337	364,891	63	18.8	13.3-24.3	274	81.2	75.7-86.7
55-64	441	353,803	66	13.2	8.9-17.5	375	86.8	82.5-91.1
65+	703	377,355	125	14.2	11.1-17.3	578	85.8	82.7-88.9
Less Than H.S.	203	305,247	21	12.0	4.0-20.0	182	88.0	80.0-96.0
H.S. or G.E.D.	612	698,857	96	19.1	14.4-23.8	516	80.9	76.2-85.6
Some Post-H.S.	458	554,431	81	18.9	13.6-24.2	377	81.1	75.8-86.4
College Graduate	684	486,223	168	23.1	18.8-27.4	516	76.9	72.6-81.2
Less than \$15,000	165	195,148	16	7.4	1.9-12.9	149	92.6	87.1-98.1
\$15,000- 24,999	282	320,762	42	15.8	9.5-22.1	240	84.2	77.9-90.5
\$25,000- 34,999	211	218,146	30	15.9	7.7-24.1	181	84.1	75.9-92.3
\$35,000- 49,999	268	281,663	43	17.9	11.4-24.4	225	82.1	75.6-88.6
\$50,000- 74,999	282	295,366	67	23.6	16.5-30.7	215	76.4	69.3-83.5
\$75,000+	502	494,822	128	25.2	19.1-31.3	374	74.8	68.7-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3073	2,239,903	463	16.7	14.5-18.9	2610	83.3	81.1-85.5
White/Non-Hisp	2508	1,722,877	372	16.5	14.1-18.9	2136	83.5	81.1-85.9
Black or Afr. Am./Non-Hisp	411	354,185	63	19.9	12.8-27.0	348	80.1	73.0-87.2
18-24	101	246,513	20	20.5	10.7-30.3	81	79.5	69.7-89.3
25-34	236	369,345	46	20.2	13.7-26.7	190	79.8	73.3-86.3
35-44	299	345,859	66	20.3	14.6-26.0	233	79.7	74.0-85.4
45-54	499	391,982	83	19.6	14.1-25.1	416	80.4	74.9-85.9
55-64	733	391,577	105	13.1	10.0-16.2	628	86.9	83.8-90.0
65+	1199	491,922	143	10.4	8.2-12.6	1056	89.6	87.4-91.8
Less Than H.S.	328	310,245	21	9.0	3.9-14.1	307	91.0	85.9-96.1
H.S. or G.E.D.	999	700,977	116	15.1	11.2-19.0	883	84.9	81.0-88.8
Some Post-H.S.	822	717,279	117	15.6	11.7-19.5	705	84.4	80.5-88.3
College Graduate	919	507,726	209	25.5	21.2-29.8	710	74.5	70.2-78.8
Less than \$15,000	380	271,498	46	16.6	9.5-23.7	334	83.4	76.3-90.5
\$15,000- 24,999	575	402,001	58	11.3	7.0-15.6	517	88.7	84.4-93.0
\$25,000- 34,999	295	220,295	40	10.7	6.2-15.2	255	89.3	84.8-93.8
\$35,000- 49,999	347	286,611	54	21.1	13.7-28.5	293	78.9	71.5-86.3
\$50,000- 74,999	329	253,522	51	15.8	10.3-21.3	278	84.2	78.7-89.7
\$75,000+	516	405,001	130	24.6	19.1-30.1	386	75.4	69.9-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	163
2	MALES ONLY	164
3	FEMALES ONLY	165
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	166
5	MALES ONLY	167
6	FEMALES ONLY	168
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	169
8	MALES ONLY	170
9	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5672	4,899,979	1221	15.7	14.3-17.1	986	13.5	12.3-14.7	3465	70.7	68.9-72.5
Male	2219	2,357,469	346	12.6	10.8-14.4	352	12.5	10.5-14.5	1521	74.9	72.4-77.4
Female	3453	2,542,510	875	18.6	16.8-20.4	634	14.5	12.9-16.1	1944	66.9	64.5-69.3
White/Non-Hisp	4624	3,692,516	1015	17.6	16.0-19.2	828	14.5	13.1-15.9	2781	68.0	66.0-70.0
Black or Afr. Am./Non-Hisp	701	765,850	142	11.1	7.8-14.4	120	11.8	8.5-15.1	439	77.2	72.7-81.7
Oth. Race/Non-Hisp.	118	131,166	27	13.7	5.9-21.5	11	8.3	1.6-15.0	80	78.0	67.6-88.4
MultiRacial/Non-Hisp.	68	78,814	20	13.7	4.9-22.5	11	23.3	5.1-41.5	37	63.0	45.0-81.0
Hispanic	83	154,943	5	2.3	0.0- 6.0	5	1.7	0.0- 3.7	73	96.0	91.9- 100
18-24	259	625,538	8	2.5	0.5- 4.5	4	1.1	0.0- 2.5	247	96.4	94.0-98.8
25-34	470	845,711	22	4.2	1.8- 6.6	28	5.4	2.9- 7.9	420	90.3	87.0-93.6
35-44	582	794,707	63	11.6	8.1-15.1	43	7.6	4.9-10.3	476	80.8	76.5-85.1
45-54	921	833,925	206	20.2	16.5-23.9	126	16.4	12.7-20.1	589	63.4	58.9-67.9
55-64	1281	802,819	356	27.5	24.0-31.0	223	17.2	14.3-20.1	702	55.2	51.3-59.1
65+	2104	958,867	557	24.6	22.2-27.0	556	28.2	25.5-30.9	991	47.2	44.3-50.1
Less Than H.S.	603	706,482	215	29.9	24.4-35.4	115	14.1	10.6-17.6	273	56.0	49.9-62.1
H.S. or G.E.D.	1837	1,632,612	432	15.3	13.3-17.3	359	15.7	13.3-18.1	1046	69.0	66.1-71.9
Some Post-H.S.	1420	1,435,501	326	14.1	11.9-16.3	246	13.0	10.8-15.2	848	72.9	70.0-75.8
College Graduate	1796	1,115,839	243	9.6	7.8-11.4	265	10.6	8.8-12.4	1288	79.8	77.4-82.2
Less than \$15,000	606	514,583	272	32.8	26.7-38.9	94	10.5	7.2-13.8	240	56.7	50.0-63.4
\$15,000- 24,999	935	817,008	277	23.6	19.5-27.7	163	13.2	10.1-16.3	495	63.2	58.5-67.9
\$25,000- 34,999	562	500,712	115	13.8	10.5-17.1	101	13.8	10.1-17.5	346	72.4	67.3-77.5
\$35,000- 49,999	677	623,149	109	12.0	8.9-15.1	135	14.5	11.2-17.8	433	73.5	69.2-77.8
\$50,000- 74,999	679	635,242	98	9.8	7.3-12.3	130	15.3	11.8-18.8	451	74.9	70.6-79.2
\$75,000+	1091	960,925	117	8.8	6.4-11.2	163	11.5	9.0-14.0	811	79.6	76.3-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN
 TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2219	2,357,469	346	12.6	10.8-14.4	352	12.5	10.5-14.5	1521	74.9	72.4-77.4
White/Non-Hisp	1844	1,775,477	288	14.1	11.9-16.3	297	13.3	11.1-15.5	1259	72.6	69.9-75.3
Black or Afr. Am./Non-Hisp	213	331,504	34	8.5	4.6-12.4	38	9.6	5.1-14.1	141	81.9	75.8-88.0
Oth. Race/Non-Hisp.	63	83,025	9	11.7	1.5-21.9	7	8.5	0.3-16.7	47	79.8	67.1-92.5
18-24	137	321,066	4	2.2	0.0- 4.9				133	97.8	95.1- 100
25-34	196	419,494	7	4.2	0.5- 7.9	8	4.3	0.6- 8.0	181	91.6	86.3-96.9
35-44	236	394,691	17	8.0	3.3-12.7	16	6.6	2.7-10.5	203	85.5	79.6-91.4
45-54	377	405,547	67	16.4	11.7-21.1	50	17.0	10.9-23.1	260	66.5	59.6-73.4
55-64	477	383,041	113	27.6	21.9-33.3	83	17.1	12.6-21.6	281	55.3	49.2-61.4
65+	771	411,377	137	16.8	13.5-20.1	192	27.7	23.2-32.2	442	55.5	50.6-60.4
Less Than H.S.	230	342,442	71	27.7	19.7-35.7	39	13.4	7.9-18.9	120	58.8	49.8-67.8
H.S. or G.E.D.	706	824,198	116	11.1	8.4-13.8	127	14.6	10.9-18.3	463	74.2	69.9-78.5
Some Post-H.S.	506	634,816	84	11.5	8.4-14.6	79	11.2	7.9-14.5	343	77.4	72.9-81.9
College Graduate	768	550,339	73	6.9	4.7- 9.1	107	10.3	7.8-12.8	588	82.8	79.7-85.9
Less than \$15,000	186	206,598	68	27.8	18.6-37.0	31	8.5	4.4-12.6	87	63.7	53.7-73.7
\$15,000- 24,999	309	362,625	76	22.6	15.7-29.5	44	13.3	7.8-18.8	189	64.1	56.3-71.9
\$25,000- 34,999	234	256,920	39	9.8	6.1-13.5	41	12.9	7.8-18.0	154	77.3	70.8-83.8
\$35,000- 49,999	295	311,608	45	11.9	7.6-16.2	53	11.6	7.5-15.7	197	76.5	70.6-82.4
\$50,000- 74,999	315	344,530	31	7.8	4.3-11.3	58	14.6	9.5-19.7	226	77.6	71.7-83.5
\$75,000+	544	531,407	39	6.6	3.9- 9.3	85	12.4	8.5-16.3	420	81.0	76.3-85.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3453	2,542,510	875	18.6	16.8-20.4	634	14.5	12.9-16.1	1944	66.9	64.5-69.3
White/Non-Hisp	2780	1,917,039	727	20.8	18.6-23.0	531	15.5	13.7-17.3	1522	63.7	61.2-66.2
Black or Afr. Am./Non-Hisp	488	434,346	108	13.0	7.9-18.1	82	13.4	8.7-18.1	298	73.6	67.3-79.9
Oth. Race/Non-Hisp.	55	48,141	18	17.2	4.1-30.3	4	8.0	0.0-19.4	33	74.8	56.4-93.2
Hispanic	52	81,009	4	4.0	0.0-11.1	4	3.0	0.0- 6.7	44	93.0	85.0- 100
18-24	122	304,473	4	2.7	0.0- 5.6	4	2.3	0.0- 5.0	114	95.0	91.1-98.9
25-34	274	426,216	15	4.3	1.4- 7.2	20	6.5	3.2- 9.8	239	89.1	84.8-93.4
35-44	346	400,016	46	15.2	9.7-20.7	27	8.5	4.8-12.2	273	76.2	69.9-82.5
45-54	544	428,378	139	23.7	18.2-29.2	76	15.8	11.1-20.5	329	60.5	54.4-66.6
55-64	804	419,778	243	27.5	23.2-31.8	140	17.4	13.9-20.9	421	55.1	50.2-60.0
65+	1333	547,490	420	30.5	27.2-33.8	364	28.5	25.2-31.8	549	41.0	37.3-44.7
Less Than H.S.	373	364,040	144	31.9	24.5-39.3	76	14.8	10.3-19.3	153	53.3	45.1-61.5
H.S. or G.E.D.	1131	808,414	316	19.6	16.7-22.5	232	16.8	13.7-19.9	583	63.6	59.7-67.5
Some Post-H.S.	914	800,684	242	16.2	13.3-19.1	167	14.5	11.6-17.4	505	69.3	65.2-73.4
College Graduate	1028	565,500	170	12.2	9.3-15.1	158	10.8	8.6-13.0	700	77.0	73.5-80.5
Less than \$15,000	420	307,985	204	36.2	28.0-44.4	63	11.8	7.1-16.5	153	52.1	43.1-61.1
\$15,000- 24,999	626	454,382	201	24.5	19.6-29.4	119	13.0	9.3-16.7	306	62.5	56.8-68.2
\$25,000- 34,999	328	243,792	76	18.0	12.3-23.7	60	14.8	9.3-20.3	192	67.2	59.6-74.8
\$35,000- 49,999	382	311,540	64	12.1	7.4-16.8	82	17.4	12.3-22.5	236	70.5	64.2-76.8
\$50,000- 74,999	364	290,712	67	12.2	8.5-15.9	72	16.2	11.3-21.1	225	71.6	65.7-77.5
\$75,000+	547	429,517	78	11.6	7.9-15.3	78	10.5	7.4-13.6	391	77.9	73.4-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5642	4,885,272	833	11.7	10.5-12.9	1344	17.4	16.0-18.8	3465	70.9	69.1-72.7
Male	2213	2,353,785	258	10.2	8.4-12.0	434	14.8	12.8-16.8	1521	75.0	72.5-77.5
Female	3429	2,531,487	575	13.0	11.4-14.6	910	19.8	18.0-21.6	1944	67.2	64.8-69.6
White/Non-Hisp	4601	3,679,087	678	12.7	11.3-14.1	1142	19.1	17.5-20.7	2781	68.2	66.2-70.2
Black or Afr. Am./Non-Hisp	695	764,769	115	10.3	6.8-13.8	141	12.5	9.2-15.8	439	77.3	72.8-81.8
Oth. Race/Non-Hisp.	118	131,166	18	8.9	3.2-14.6	20	13.1	4.7-21.5	80	78.0	67.6-88.4
MultiRacial/Non-Hisp.	68	78,814	10	8.4	1.0-15.8	21	28.6	10.6-46.6	37	63.0	45.0-81.0
Hispanic	82	154,745	1	0.2	0.0- 0.6	8	3.7	0.0- 7.8	73	96.2	92.1- 100
18-24	259	625,538	6	1.2	0.0- 2.4	6	2.4	0.4- 4.4	247	96.4	94.0-98.8
25-34	470	843,218	17	3.8	1.4- 6.2	33	5.5	3.0- 8.0	420	90.6	87.3-93.9
35-44	580	791,875	47	9.1	6.0-12.2	57	9.8	6.7-12.9	476	81.1	76.8-85.4
45-54	921	835,551	171	17.0	13.5-20.5	161	19.7	15.8-23.6	589	63.3	58.8-67.8
55-64	1274	802,308	278	22.2	18.9-25.5	294	22.5	19.4-25.6	702	55.3	51.4-59.2
65+	2083	948,369	307	14.3	12.3-16.3	785	38.0	35.1-40.9	991	47.7	44.8-50.6
Less Than H.S.	599	704,369	170	26.2	20.9-31.5	156	17.7	13.8-21.6	273	56.1	50.0-62.2
H.S. or G.E.D.	1829	1,626,667	322	11.7	9.9-13.5	461	19.1	16.6-21.6	1046	69.2	66.3-72.1
Some Post-H.S.	1405	1,429,901	210	9.4	7.6-11.2	347	17.4	14.9-19.9	848	73.2	70.3-76.1
College Graduate	1793	1,114,152	131	5.6	4.2- 7.0	374	14.4	12.4-16.4	1288	80.0	77.6-82.4
Less than \$15,000	599	513,252	214	27.3	21.4-33.2	145	15.8	11.7-19.9	240	56.9	50.2-63.6
\$15,000- 24,999	928	813,635	196	18.1	14.4-21.8	237	18.4	14.7-22.1	495	63.5	58.8-68.2
\$25,000- 34,999	559	500,383	80	12.0	8.5-15.5	133	15.6	11.9-19.3	346	72.4	67.3-77.5
\$35,000- 49,999	671	617,942	68	8.0	5.5-10.5	170	17.8	14.1-21.5	433	74.2	69.9-78.5
\$50,000- 74,999	676	633,190	66	7.8	5.4-10.2	159	17.1	13.4-20.8	451	75.1	70.8-79.4
\$75,000+	1091	961,551	59	4.5	2.7- 6.3	221	16.0	13.1-18.9	811	79.6	76.3-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2213	2,353,785	258	10.2	8.4-12.0	434	14.8	12.8-16.8	1521	75.0	72.5-77.5
White/Non-Hisp	1839	1,772,180	212	11.5	9.5-13.5	368	15.8	13.6-18.0	1259	72.7	70.0-75.4
Black or Afr. Am./Non-Hisp	212	331,117	30	7.4	3.5-11.3	41	10.7	6.0-15.4	141	82.0	75.9-88.1
Oth. Race/Non-Hisp.	63	83,025	5	6.2	0.0-13.1	11	14.1	2.9-25.3	47	79.8	67.1-92.5
18-24	137	321,066	3	1.2	0.0- 3.0	1	1.0	0.0- 3.0	133	97.8	95.1- 100
25-34	196	419,494	6	3.8	0.1- 7.5	9	4.6	0.9- 8.3	181	91.6	86.3-96.9
35-44	236	394,691	16	6.3	2.6-10.0	17	8.2	3.5-12.9	203	85.5	79.6-91.4
45-54	377	406,400	56	13.9	9.4-18.4	61	19.7	13.4-26.0	260	66.4	59.5-73.3
55-64	475	382,218	89	24.0	18.3-29.7	105	20.6	15.9-25.3	281	55.4	49.3-61.5
65+	767	407,662	86	11.6	8.7-14.5	239	32.4	27.7-37.1	442	56.0	51.1-60.9
Less Than H.S.	227	340,839	57	25.0	17.2-32.8	50	15.8	9.9-21.7	120	59.1	50.1-68.1
H.S. or G.E.D.	703	820,583	102	9.4	7.0-11.8	138	16.0	12.1-19.9	463	74.6	70.3-78.9
Some Post-H.S.	506	636,628	58	8.7	5.8-11.6	105	14.1	10.6-17.6	343	77.2	72.7-81.7
College Graduate	767	549,393	41	4.1	2.3- 5.9	138	12.9	10.2-15.6	588	82.9	79.8-86.0
Less than \$15,000	185	206,261	59	27.0	17.8-36.2	39	9.2	5.1-13.3	87	63.8	53.8-73.8
\$15,000- 24,999	307	361,137	54	17.5	11.4-23.6	64	18.1	11.6-24.6	189	64.4	56.6-72.2
\$25,000- 34,999	234	257,920	31	8.4	4.7-12.1	49	14.5	9.4-19.6	154	77.0	70.5-83.5
\$35,000- 49,999	294	311,123	37	10.0	5.9-14.1	60	13.3	9.0-17.6	197	76.6	70.7-82.5
\$50,000- 74,999	315	344,039	24	7.5	3.8-11.2	65	14.8	9.7-19.9	226	77.7	71.8-83.6
\$75,000+	543	530,947	20	3.4	1.4- 5.4	103	15.5	11.2-19.8	420	81.1	76.4-85.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3429	2,531,487	575	13.0	11.4-14.6	910	19.8	18.0-21.6	1944	67.2	64.8-69.6
White/Non-Hisp	2762	1,906,908	466	13.9	12.1-15.7	774	22.1	19.9-24.3	1522	64.0	61.5-66.5
Black or Afr. Am./Non-Hisp	483	433,653	85	12.5	7.2-17.8	100	13.8	9.3-18.3	298	73.7	67.4-80.0
Oth. Race/Non-Hisp.	55	48,141	13	13.6	2.2-25.0	9	11.6	0.0-24.1	33	74.8	56.4-93.2
Hispanic	51	80,810				7	6.8	0.0-14.8	44	93.2	85.2- 100
18-24	122	304,473	3	1.3	0.0- 3.1	5	3.7	0.2- 7.2	114	95.0	91.1-98.9
25-34	274	423,724	11	3.9	1.2- 6.6	24	6.5	3.2- 9.8	239	89.7	85.4-94.0
35-44	344	397,184	31	11.9	6.8-17.0	40	11.3	7.0-15.6	273	76.8	70.5-83.1
45-54	544	429,151	115	19.9	14.6-25.2	100	19.7	14.6-24.8	329	60.4	54.3-66.5
55-64	799	420,090	189	20.6	16.9-24.3	189	24.3	20.2-28.4	421	55.1	50.2-60.0
65+	1316	540,706	221	16.2	13.7-18.7	546	42.3	38.6-46.0	549	41.5	37.8-45.2
Less Than H.S.	372	363,530	113	27.3	19.9-34.7	106	19.4	14.3-24.5	153	53.4	45.2-61.6
H.S. or G.E.D.	1126	806,085	220	13.9	11.4-16.4	323	22.3	19.0-25.6	583	63.8	59.9-67.7
Some Post-H.S.	899	793,273	152	9.9	7.7-12.1	242	20.1	16.6-23.6	505	70.0	65.9-74.1
College Graduate	1026	564,758	90	7.0	4.6- 9.4	236	15.9	13.2-18.6	700	77.1	73.6-80.6
Less than \$15,000	414	306,992	155	27.5	20.1-34.9	106	20.3	14.2-26.4	153	52.2	43.2-61.2
\$15,000- 24,999	621	452,498	142	18.6	14.1-23.1	173	18.7	14.6-22.8	306	62.8	57.1-68.5
\$25,000- 34,999	325	242,463	49	15.7	9.6-21.8	84	16.7	11.6-21.8	192	67.6	60.0-75.2
\$35,000- 49,999	377	306,820	31	6.0	2.9- 9.1	110	22.4	16.5-28.3	236	71.6	65.3-77.9
\$50,000- 74,999	361	289,151	42	8.1	5.2-11.0	94	19.9	14.6-25.2	225	72.0	66.1-77.9
\$75,000+	548	430,604	39	5.9	3.2- 8.6	118	16.4	12.5-20.3	391	77.7	73.2-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5662	4,897,626	593	7.6	6.6- 8.6	493	6.5	5.7- 7.3	1111	15.2	14.0-16.4	3465	70.8	69.0-72.6
Male	2218	2,358,881	159	5.8	4.6- 7.0	140	4.6	3.4- 5.8	398	14.8	12.8-16.8	1521	74.8	72.3-77.3
Female	3444	2,538,745	434	9.2	7.8-10.6	353	8.3	6.9- 9.7	713	15.5	13.9-17.1	1944	67.0	64.6-69.4
White/Non-Hisp	4619	3,694,232	478	8.1	7.1- 9.1	418	7.1	6.1- 8.1	942	16.8	15.4-18.2	2781	67.9	65.9-69.9
Black or Afr. Am./Non-Hisp	697	761,790	79	7.3	4.2-10.4	62	5.5	3.3- 7.7	117	9.7	7.0-12.4	439	77.6	73.1-82.1
Oth. Race/Non-Hisp.	118	131,166	16	6.2	2.1-10.3	5	3.4	0.0- 7.7	17	12.4	4.0-20.8	80	78.0	67.6-88.4
MultiRacial/Non-Hisp.	67	78,803	11	8.1	1.6-14.6	5	6.2	0.0-13.6	14	22.8	4.8-40.8	37	63.0	45.0-81.0
Hispanic	83	154,943	1	0.2	0.0- 0.6	2	1.9	0.0- 5.6	7	1.9	0.0- 3.9	73	96.0	91.9- 100
18-24	259	625,538	3	0.4	0.0- 1.0	3	1.2	0.0- 2.8	6	2.0	0.2- 3.8	247	96.4	94.0-98.8
25-34	471	845,766	8	1.4	0.2- 2.6	15	3.1	0.9- 5.3	28	5.2	2.8- 7.6	420	90.3	87.0-93.6
35-44	581	792,748	29	5.3	2.8- 7.8	29	5.2	2.8- 7.6	47	8.5	5.4-11.6	476	81.0	76.7-85.3
45-54	920	836,556	122	12.5	9.2-15.8	72	7.4	5.0- 9.8	137	16.9	13.2-20.6	589	63.2	58.7-67.7
55-64	1277	802,537	198	14.0	11.3-16.7	129	10.3	7.9-12.7	248	20.5	17.4-23.6	702	55.2	51.3-59.1
65+	2101	957,537	230	10.3	8.5-12.1	242	10.2	8.6-11.8	638	32.2	29.5-34.9	991	47.3	44.4-50.2
Less Than H.S.	603	706,087	144	19.6	14.7-24.5	66	8.1	5.6-10.6	120	16.3	12.4-20.2	273	56.0	49.9-62.1
H.S. or G.E.D.	1834	1,630,623	210	6.7	5.5- 7.9	201	7.9	6.3- 9.5	377	16.4	14.0-18.8	1046	69.0	66.1-71.9
Some Post-H.S.	1417	1,436,283	163	6.8	5.4- 8.2	122	5.5	4.1- 6.9	284	14.9	12.5-17.3	848	72.9	70.0-75.8
College Graduate	1791	1,114,420	75	2.5	1.7- 3.3	102	4.8	3.2- 6.4	326	12.8	11.0-14.6	1288	79.9	77.5-82.3
Less than \$15,000	602	513,074	178	21.3	16.0-26.6	82	9.6	6.3-12.9	102	12.1	8.4-15.8	240	56.9	50.2-63.6
\$15,000- 24,999	932	814,120	143	11.7	8.8-14.6	121	8.9	6.5-11.3	173	15.9	12.2-19.6	495	63.5	58.8-68.2
\$25,000- 34,999	560	501,114	44	5.6	3.4- 7.8	46	5.2	2.8- 7.6	124	16.8	12.9-20.7	346	72.3	67.2-77.4
\$35,000- 49,999	676	622,753	49	5.3	3.1- 7.5	42	3.8	2.2- 5.4	152	17.3	13.6-21.0	433	73.6	69.3-77.9
\$50,000- 74,999	678	634,733	36	4.4	2.4- 6.4	50	5.3	3.3- 7.3	141	15.4	11.9-18.9	451	74.9	70.6-79.2
\$75,000+	1092	963,419	22	1.4	0.6- 2.2	56	5.1	3.1- 7.1	203	14.2	11.5-16.9	811	79.4	76.1-82.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2218	2,358,881	159	5.8	4.6- 7.0	140	4.6	3.4- 5.8	398	14.8	12.8-16.8	1521	74.8	72.3-77.3
White/Non-Hisp	1845	1,778,699	128	6.5	4.9- 8.1	120	4.9	3.5- 6.3	338	16.1	13.7-18.5	1259	72.5	69.8-75.2
Black or Afr. Am./Non-Hisp	211	329,693	17	4.2	1.1- 7.3	14	3.6	1.2- 6.0	39	9.9	5.4-14.4	141	82.3	76.2-88.4
Oth. Race/Non-Hisp.	63	83,025	6	4.5	0.0- 9.2	3	3.7	0.0- 9.8	7	12.0	1.2-22.8	47	79.8	67.1-92.5
18-24	137	321,066	1	0.1	0.0- 0.3				3	2.1	0.0- 4.8	133	97.8	95.1- 100
25-34	196	419,494	2	1.2	0.0- 3.2	3	2.4	0.0- 5.7	10	4.9	1.2- 8.6	181	91.6	86.3-96.9
35-44	236	394,691	8	2.6	0.0- 5.3	3	1.4	0.0- 3.0	22	10.5	5.2-15.8	203	85.5	79.6-91.4
45-54	378	408,633	43	10.8	6.7-14.9	21	5.1	2.4- 7.8	54	18.1	12.0-24.2	260	66.0	59.1-72.9
55-64	474	382,134	50	13.1	8.6-17.6	44	9.9	6.0-13.8	99	21.6	16.7-26.5	281	55.4	49.3-61.5
65+	772	410,610	55	6.8	4.6- 9.0	68	8.1	5.7-10.5	207	29.5	24.8-34.2	442	55.6	50.7-60.5
Less Than H.S.	231	343,829	51	17.2	10.7-23.7	15	6.5	2.6-10.4	45	17.7	11.0-24.4	120	58.6	49.6-67.6
H.S. or G.E.D.	703	822,006	45	4.3	2.7- 5.9	66	6.3	3.9- 8.7	129	15.0	11.3-18.7	463	74.4	70.1-78.7
Some Post-H.S.	506	636,743	42	5.6	3.4- 7.8	28	3.1	1.5- 4.7	93	14.1	10.4-17.8	343	77.1	72.6-81.6
College Graduate	768	549,961	20	1.4	0.6- 2.2	30	2.3	1.1- 3.5	130	13.5	10.6-16.4	588	82.8	79.7-85.9
Less than \$15,000	185	206,458	48	17.8	10.4-25.2	19	7.5	2.4-12.6	31	10.9	5.6-16.2	87	63.7	53.7-73.7
\$15,000- 24,999	307	360,565	37	10.3	5.8-14.8	31	7.2	3.9-10.5	50	18.0	11.1-24.9	189	64.5	56.7-72.3
\$25,000- 34,999	234	257,859	14	3.5	1.1- 5.9	18	4.7	1.6- 7.8	48	14.8	9.7-19.9	154	77.0	70.5-83.5
\$35,000- 49,999	295	311,608	18	6.0	2.5- 9.5	20	3.3	1.5- 5.1	60	14.2	9.7-18.7	197	76.5	70.6-82.4
\$50,000- 74,999	316	344,670	13	3.6	1.1- 6.1	15	2.7	0.5- 4.9	62	16.1	10.8-21.4	226	77.6	71.7-83.5
\$75,000+	545	534,110	5	0.5	0.0- 1.1	19	2.8	1.0- 4.6	101	16.1	11.6-20.6	420	80.6	75.9-85.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3444	2,538,745	434	9.2	7.8-10.6	353	8.3	6.9-9.7	713	15.5	13.9-17.1	1944	67.0	64.6-69.4
White/Non-Hisp	2774	1,915,533	350	9.6	8.2-11.0	298	9.2	7.8-10.6	604	17.5	15.7-19.3	1522	63.7	61.2-66.2
Black or Afr. Am./Non-Hisp	486	432,097	62	9.6	4.5-14.7	48	6.9	3.4-10.4	78	9.5	6.2-12.8	298	74.0	67.7-80.3
Oth. Race/Non-Hisp.	55	48,141	10	9.2	0.8-17.6	2	2.8	0.0-7.5	10	13.2	0.0-26.5	33	74.8	56.4-93.2
Hispanic	52	81,009				2	3.6	0.0-10.5	6	3.4	0.0-7.1	44	93.0	85.0-100
18-24	122	304,473	2	0.7	0.0-1.9	3	2.4	0.0-5.3	3	1.9	0.0-4.3	114	95.0	91.1-98.9
25-34	275	426,272	6	1.5	0.1-2.9	12	3.9	1.0-6.8	18	5.5	2.4-8.6	239	89.1	84.8-93.4
35-44	345	398,057	21	7.9	3.6-12.2	26	9.0	4.9-13.1	25	6.5	3.4-9.6	273	76.6	70.3-82.9
45-54	542	427,923	79	14.2	9.1-19.3	51	9.5	5.8-13.2	83	15.8	11.5-20.1	329	60.6	54.5-66.7
55-64	803	420,403	148	14.8	11.7-17.9	85	10.7	8.0-13.4	149	19.5	15.6-23.4	421	55.1	50.2-60.0
65+	1329	546,927	175	12.9	10.5-15.3	174	11.8	9.6-14.0	431	34.2	30.7-37.7	549	41.0	37.3-44.7
Less Than H.S.	372	362,257	93	21.9	14.8-29.0	51	9.5	6.0-13.0	75	15.0	10.5-19.5	153	53.5	45.3-61.7
H.S. or G.E.D.	1131	808,617	165	9.1	7.1-11.1	135	9.5	7.1-11.9	248	17.8	14.7-20.9	583	63.6	59.7-67.5
Some Post-H.S.	911	799,540	121	7.7	5.7-9.7	94	7.3	4.9-9.7	191	15.6	12.7-18.5	505	69.4	65.3-73.5
College Graduate	1023	564,459	55	3.5	2.1-4.9	72	7.2	4.5-9.9	196	12.1	9.9-14.3	700	77.1	73.6-80.6
Less than \$15,000	417	306,616	130	23.7	16.4-31.0	63	11.1	6.8-15.4	71	12.9	8.0-17.8	153	52.3	43.3-61.3
\$15,000- 24,999	625	453,554	106	12.8	8.9-16.7	90	10.3	7.0-13.6	123	14.3	10.8-17.8	306	62.6	56.9-68.3
\$25,000- 34,999	326	243,255	30	7.9	4.0-11.8	28	5.7	2.2-9.2	76	19.0	13.1-24.9	192	67.3	59.7-74.9
\$35,000- 49,999	381	311,145	31	4.7	2.3-7.1	22	4.3	1.9-6.7	92	20.4	14.7-26.1	236	70.6	64.3-76.9
\$50,000- 74,999	362	290,063	23	5.3	2.4-8.2	35	8.4	4.9-11.9	79	14.6	10.5-18.7	225	71.7	65.8-77.6
\$75,000+	547	429,309	17	2.4	0.8-4.0	37	7.9	4.2-11.6	102	11.8	8.9-14.7	391	77.9	73.4-82.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 13: SEATBELT USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	176
5	MALES ONLY	177
6	FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5300	4,444,054	5053	94.3	93.1-95.5	247	5.7	4.5- 6.9
Male	2052	2,111,996	1901	92.7	91.1-94.3	151	7.3	5.7- 8.9
Female	3248	2,332,058	3152	95.7	93.9-97.5	96	4.3	2.5- 6.1
White/Non-Hisp	4357	3,410,725	4157	94.7	93.5-95.9	200	5.3	4.1- 6.5
Black or Afr. Am./Non-Hisp	630	652,336	605	96.0	93.6-98.4	25	4.0	1.6- 6.4
Oth. Race/Non-Hisp.	109	114,465	105	85.7	66.7- 100	4	14.3	0.0-33.3
MultiRacial/Non-Hisp.	64	73,927	58	88.0	76.6-99.4	6	12.0	0.6-23.4
Hispanic	74	131,724	68	86.4	69.9- 100	6	13.6	0.0-30.1
18-24	221	512,036	203	88.8	81.9-95.7	18	11.2	4.3-18.1
25-34	412	745,327	383	93.6	90.7-96.5	29	6.4	3.5- 9.3
35-44	518	696,367	494	94.9	92.2-97.6	24	5.1	2.4- 7.8
45-54	856	770,443	821	95.8	93.8-97.8	35	4.2	2.2- 6.2
55-64	1220	770,668	1165	95.2	93.4-97.0	55	4.8	3.0- 6.6
65+	2027	917,679	1944	95.6	94.2-97.0	83	4.4	3.0- 5.8
Less Than H.S.	568	644,204	537	95.2	92.7-97.7	31	4.8	2.3- 7.3
H.S. or G.E.D.	1696	1,454,798	1594	92.2	89.7-94.7	102	7.8	5.3-10.3
Some Post-H.S.	1338	1,306,577	1272	93.7	91.3-96.1	66	6.3	3.9- 8.7
College Graduate	1683	1,027,217	1637	97.4	96.2-98.6	46	2.6	1.4- 3.8
Less than \$15,000	584	485,269	551	91.9	86.4-97.4	33	8.1	2.6-13.6
\$15,000- 24,999	886	732,469	844	94.0	91.3-96.7	42	6.0	3.3- 8.7
\$25,000- 34,999	521	442,333	491	90.5	84.6-96.4	30	9.5	3.6-15.4
\$35,000- 49,999	637	584,960	610	95.2	92.8-97.6	27	4.8	2.4- 7.2
\$50,000- 74,999	640	571,553	607	94.6	91.9-97.3	33	5.4	2.7- 8.1
\$75,000+	1040	915,799	1004	96.9	95.7-98.1	36	3.1	1.9- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2052	2,111,996	1901	92.7	91.1-94.3	151	7.3	5.7- 8.9
White/Non-Hisp	1723	1,618,575	1595	92.2	90.2-94.2	128	7.8	5.8- 9.8
Black or Afr. Am./Non-Hisp	188	285,022	179	96.6	93.5-99.7	9	3.4	0.3- 6.5
Oth. Race/Non-Hisp.	55	66,775	52	93.7	83.5- 100	3	6.3	0.0-16.5
18-24	116	258,994	104	91.0	85.5-96.5	12	9.0	3.5-14.5
25-34	167	369,871	150	91.1	85.8-96.4	17	8.9	3.6-14.2
35-44	207	336,916	195	94.3	90.6-98.0	12	5.7	2.0- 9.4
45-54	347	371,861	322	93.8	90.5-97.1	25	6.2	2.9- 9.5
55-64	458	366,455	423	92.3	89.0-95.6	35	7.7	4.4-11.0
65+	738	388,963	691	93.9	91.4-96.4	47	6.1	3.6- 8.6
Less Than H.S.	217	315,208	196	93.8	90.3-97.3	21	6.2	2.7- 9.7
H.S. or G.E.D.	635	717,763	573	90.3	87.0-93.6	62	9.7	6.4-13.0
Some Post-H.S.	476	570,888	441	92.5	89.4-95.6	35	7.5	4.4-10.6
College Graduate	716	501,998	685	95.8	93.6-98.0	31	4.2	2.0- 6.4
Less than \$15,000	179	202,688	165	93.6	89.1-98.1	14	6.4	1.9-10.9
\$15,000- 24,999	289	321,849	267	91.3	86.6-96.0	22	8.7	4.0-13.4
\$25,000- 34,999	217	222,761	200	92.5	87.8-97.2	17	7.5	2.8-12.2
\$35,000- 49,999	278	291,388	258	92.4	88.1-96.7	20	7.6	3.3-11.9
\$50,000- 74,999	298	311,866	274	91.9	87.2-96.6	24	8.1	3.4-12.8
\$75,000+	514	502,587	487	95.8	93.8-97.8	27	4.2	2.2- 6.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3248	2,332,058	3152	95.7	93.9-97.5	96	4.3	2.5- 6.1
White/Non-Hisp	2634	1,792,149	2562	97.0	95.8-98.2	72	3.0	1.8- 4.2
Black or Afr. Am./Non-Hisp	442	367,315	426	95.6	92.3-98.9	16	4.4	1.1- 7.7
Oth. Race/Non-Hisp.	54	47,690	53	74.5	36.1- 100	1	25.5	0.0-63.9
18-24	105	253,041	99	86.5	74.2-98.8	6	13.5	1.2-25.8
25-34	245	375,456	233	96.1	93.4-98.8	12	3.9	1.2- 6.6
35-44	311	359,451	299	95.4	91.3-99.5	12	4.6	0.5- 8.7
45-54	509	398,583	499	97.6	95.8-99.4	10	2.4	0.6- 4.2
55-64	762	404,213	742	97.9	96.5-99.3	20	2.1	0.7- 3.5
65+	1289	528,716	1253	96.9	95.3-98.5	36	3.1	1.5- 4.7
Less Than H.S.	351	328,996	341	96.6	92.7- 100	10	3.4	0.0- 7.3
H.S. or G.E.D.	1061	737,035	1021	94.1	90.4-97.8	40	5.9	2.2- 9.6
Some Post-H.S.	862	735,689	831	94.6	91.1-98.1	31	5.4	1.9- 8.9
College Graduate	967	525,219	952	98.9	98.1-99.7	15	1.1	0.3- 1.9
Less than \$15,000	405	282,581	386	90.8	82.2-99.4	19	9.2	0.6-17.8
\$15,000- 24,999	597	410,620	577	96.1	92.8-99.4	20	3.9	0.6- 7.2
\$25,000- 34,999	304	219,571	291	88.4	78.0-98.8	13	11.6	1.2-22.0
\$35,000- 49,999	359	293,572	352	98.0	96.2-99.8	7	2.0	0.2- 3.8
\$50,000- 74,999	342	259,687	333	97.7	95.5-99.9	9	2.3	0.1- 4.5
\$75,000+	526	413,212	517	98.3	96.9-99.7	9	1.7	0.3- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 13: SEATBELT USE

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5300	4,444,054	4726	86.9	85.3-88.5	574	13.1	11.5-14.7
Male	2052	2,111,996	1731	83.4	80.9-85.9	321	16.6	14.1-19.1
Female	3248	2,332,058	2995	90.1	87.9-92.3	253	9.9	7.7-12.1
White/Non-Hisp	4357	3,410,725	3884	87.5	85.9-89.1	473	12.5	10.9-14.1
Black or Afr. Am./Non-Hisp	630	652,336	573	88.3	84.0-92.6	57	11.7	7.4-16.0
Oth. Race/Non-Hisp.	109	114,465	97	77.3	57.7-96.9	12	22.7	3.1-42.3
MultiRacial/Non-Hisp.	64	73,927	51	72.0	55.7-88.3	13	28.0	11.7-44.3
Hispanic	74	131,724	63	79.8	63.1-96.5	11	20.2	3.5-36.9
18-24	221	512,036	173	73.8	65.4-82.2	48	26.2	17.8-34.6
25-34	412	745,327	348	85.4	81.3-89.5	64	14.6	10.5-18.7
35-44	518	696,367	458	87.2	82.9-91.5	60	12.8	8.5-17.1
45-54	856	770,443	769	90.0	87.1-92.9	87	10.0	7.1-12.9
55-64	1220	770,668	1095	89.8	87.4-92.2	125	10.2	7.8-12.6
65+	2027	917,679	1841	90.1	88.1-92.1	186	9.9	7.9-11.9
Less Than H.S.	568	644,204	508	87.6	82.7-92.5	60	12.4	7.5-17.3
H.S. or G.E.D.	1696	1,454,798	1490	84.8	81.9-87.7	206	15.2	12.3-18.1
Some Post-H.S.	1338	1,306,577	1177	84.7	81.4-88.0	161	15.3	12.0-18.6
College Graduate	1683	1,027,217	1539	92.2	90.4-94.0	144	7.8	6.0- 9.6
Less than \$15,000	584	485,269	507	80.5	73.8-87.2	77	19.5	12.8-26.2
\$15,000- 24,999	886	732,469	780	85.9	82.0-89.8	106	14.1	10.2-18.0
\$25,000- 34,999	521	442,333	447	78.9	72.0-85.8	74	21.1	14.2-28.0
\$35,000- 49,999	637	584,960	574	90.4	87.3-93.5	63	9.6	6.5-12.7
\$50,000- 74,999	640	571,553	564	87.3	83.4-91.2	76	12.7	8.8-16.6
\$75,000+	1040	915,799	943	90.0	86.9-93.1	97	10.0	6.9-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2052	2,111,996	1731	83.4	80.9-85.9	321	16.6	14.1-19.1
White/Non-Hisp	1723	1,618,575	1456	83.8	81.1-86.5	267	16.2	13.5-18.9
Black or Afr. Am./Non-Hisp	188	285,022	165	84.1	75.9-92.3	23	15.9	7.7-24.1
Oth. Race/Non-Hisp.	55	66,775	46	81.5	63.5-99.5	9	18.5	0.5-36.5
18-24	116	258,994	87	71.1	60.1-82.1	29	28.9	17.9-39.9
25-34	167	369,871	138	84.1	77.4-90.8	29	15.9	9.2-22.6
35-44	207	336,916	176	85.2	79.1-91.3	31	14.8	8.7-20.9
45-54	347	371,861	296	85.6	80.1-91.1	51	14.4	8.9-19.9
55-64	458	366,455	379	84.3	80.0-88.6	79	15.7	11.4-20.0
65+	738	388,963	640	86.6	83.3-89.9	98	13.4	10.1-16.7
Less Than H.S.	217	315,208	179	84.2	76.6-91.8	38	15.8	8.2-23.4
H.S. or G.E.D.	635	717,763	513	80.7	76.4-85.0	122	19.3	15.0-23.6
Some Post-H.S.	476	570,888	396	80.6	75.1-86.1	80	19.4	13.9-24.9
College Graduate	716	501,998	637	89.7	86.6-92.8	79	10.3	7.2-13.4
Less than \$15,000	179	202,688	146	79.2	69.8-88.6	33	20.8	11.4-30.2
\$15,000- 24,999	289	321,849	234	81.4	74.7-88.1	55	18.6	11.9-25.3
\$25,000- 34,999	217	222,761	178	79.0	71.6-86.4	39	21.0	13.6-28.4
\$35,000- 49,999	278	291,388	237	85.3	79.4-91.2	41	14.7	8.8-20.6
\$50,000- 74,999	298	311,866	250	83.2	76.9-89.5	48	16.8	10.5-23.1
\$75,000+	514	502,587	449	86.9	81.6-92.2	65	13.1	7.8-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3248	2,332,058	2995	90.1	87.9-92.3	253	9.9	7.7-12.1
White/Non-Hisp	2634	1,792,149	2428	90.7	88.7-92.7	206	9.3	7.3-11.3
Black or Afr. Am./Non-Hisp	442	367,315	408	91.6	87.5-95.7	34	8.4	4.3-12.5
Oth. Race/Non-Hisp.	54	47,690	51	71.5	34.3- 100	3	28.5	0.0-65.7
18-24	105	253,041	86	76.6	64.1-89.1	19	23.4	10.9-35.9
25-34	245	375,456	210	86.7	81.6-91.8	35	13.3	8.2-18.4
35-44	311	359,451	282	89.1	83.0-95.2	29	10.9	4.8-17.0
45-54	509	398,583	473	94.1	91.6-96.6	36	5.9	3.4- 8.4
55-64	762	404,213	716	94.8	92.8-96.8	46	5.2	3.2- 7.2
65+	1289	528,716	1201	92.8	90.6-95.0	88	7.2	5.0- 9.4
Less Than H.S.	351	328,996	329	90.8	84.5-97.1	22	9.2	2.9-15.5
H.S. or G.E.D.	1061	737,035	977	88.8	84.7-92.9	84	11.2	7.1-15.3
Some Post-H.S.	862	735,689	781	87.9	83.8-92.0	81	12.1	8.0-16.2
College Graduate	967	525,219	902	94.5	92.7-96.3	65	5.5	3.7- 7.3
Less than \$15,000	405	282,581	361	81.5	72.3-90.7	44	18.5	9.3-27.7
\$15,000- 24,999	597	410,620	546	89.4	85.1-93.7	51	10.6	6.3-14.9
\$25,000- 34,999	304	219,571	269	78.9	67.3-90.5	35	21.1	9.5-32.7
\$35,000- 49,999	359	293,572	337	95.4	92.9-97.9	22	4.6	2.1- 7.1
\$50,000- 74,999	342	259,687	314	92.1	88.2-96.0	28	7.9	4.0-11.8
\$75,000+	526	413,212	494	93.8	91.1-96.5	32	6.2	3.5- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 14: IMMUNIZATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	180
2	MALES ONLY	181
3	FEMALES ONLY	182
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	183
5	MALES ONLY	184
6	FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2023	916,479	1220	59.6	56.7-62.5	803	40.4	37.5-43.3
Male	737	388,442	437	57.9	53.0-62.8	300	42.1	37.2-47.0
Female	1286	528,037	783	60.9	57.2-64.6	503	39.1	35.4-42.8
White/Non-Hisp	1740	792,436	1071	60.9	57.8-64.0	669	39.1	36.0-42.2
Black or Afr. Am./Non-Hisp	193	88,385	96	52.5	42.1-62.9	97	47.5	37.1-57.9
65+	2023	916,479	1220	59.6	56.7-62.5	803	40.4	37.5-43.3
Less Than H.S.	283	183,967	177	58.9	51.3-66.5	106	41.1	33.5-48.7
H.S. or G.E.D.	668	306,835	362	54.0	48.7-59.3	306	46.0	40.7-51.3
Some Post-H.S.	493	238,304	308	62.8	57.1-68.5	185	37.2	31.5-42.9
College Graduate	576	185,515	371	65.9	60.8-71.0	205	34.1	29.0-39.2
Less than \$15,000	205	80,354	109	50.8	41.2-60.4	96	49.2	39.6-58.8
\$15,000- 24,999	377	167,522	229	55.9	48.8-63.0	148	44.1	37.0-51.2
\$25,000- 34,999	244	121,215	154	66.4	58.8-74.0	90	33.6	26.0-41.2
\$35,000- 49,999	242	121,290	145	55.7	47.5-63.9	97	44.3	36.1-52.5
\$50,000- 74,999	224	98,887	131	57.8	49.4-66.2	93	42.2	33.8-50.6
\$75,000+	231	95,771	150	67.6	60.0-75.2	81	32.4	24.8-40.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	737	388,442	437	57.9	53.0-62.8	300	42.1	37.2-47.0
White/Non-Hisp	641	334,405	384	59.5	54.2-64.8	257	40.5	35.2-45.8
Black or Afr. Am./Non-Hisp	56	34,193	30	53.2	34.0-72.4	26	46.8	27.6-66.0
65+	737	388,442	437	57.9	53.0-62.8	300	42.1	37.2-47.0
Less Than H.S.	94	72,602	54	53.0	40.7-65.3	40	47.0	34.7-59.3
H.S. or G.E.D.	203	116,690	116	53.8	44.0-63.6	87	46.2	36.4-56.0
Some Post-H.S.	160	93,291	85	56.0	46.0-66.0	75	44.0	34.0-54.0
College Graduate	280	105,858	182	67.5	60.4-74.6	98	32.5	25.4-39.6
\$15,000- 24,999	108	65,472	66	51.2	38.3-64.1	42	48.8	35.9-61.7
\$25,000- 34,999	102	50,662	65	64.2	52.4-76.0	37	35.8	24.0-47.6
\$35,000- 49,999	116	68,547	69	58.4	46.8-70.0	47	41.6	30.0-53.2
\$50,000- 74,999	118	54,916	67	54.1	42.3-65.9	51	45.9	34.1-57.7
\$75,000+	130	55,138	83	68.7	59.5-77.9	47	31.3	22.1-40.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1286	528,037	783	60.9	57.2-64.6	503	39.1	35.4-42.8
White/Non-Hisp	1099	458,031	687	62.0	58.1-65.9	412	38.0	34.1-41.9
Black or Afr. Am./Non-Hisp	137	54,192	66	52.0	40.4-63.6	71	48.0	36.4-59.6
65+	1286	528,037	783	60.9	57.2-64.6	503	39.1	35.4-42.8
Less Than H.S.	189	111,364	123	62.8	53.6-72.0	66	37.2	28.0-46.4
H.S. or G.E.D.	465	190,144	246	54.1	47.8-60.4	219	45.9	39.6-52.2
Some Post-H.S.	333	145,013	223	67.1	60.4-73.8	110	32.9	26.2-39.6
College Graduate	296	79,657	189	63.8	56.5-71.1	107	36.2	28.9-43.5
Less than \$15,000	161	60,807	88	51.4	40.4-62.4	73	48.6	37.6-59.6
\$15,000- 24,999	269	102,049	163	58.9	51.1-66.7	106	41.1	33.3-48.9
\$25,000- 34,999	142	70,554	89	67.9	57.9-77.9	53	32.1	22.1-42.1
\$35,000- 49,999	126	52,743	76	52.3	40.5-64.1	50	47.7	35.9-59.5
\$50,000- 74,999	106	43,971	64	62.3	50.9-73.7	42	37.7	26.3-49.1
\$75,000+	101	40,633	67	66.1	53.0-79.2	34	33.9	20.8-47.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1958	886,967	1459	74.4	71.7-77.1	499	25.6	22.9-28.3
Male	707	372,226	527	74.5	70.0-79.0	180	25.5	21.0-30.0
Female	1251	514,740	932	74.4	71.1-77.7	319	25.6	22.3-28.9
White/Non-Hisp	1688	767,979	1271	75.5	72.8-78.2	417	24.5	21.8-27.2
Black or Afr. Am./Non-Hisp	183	84,046	123	63.0	52.0-74.0	60	37.0	26.0-48.0
65+	1958	886,967	1459	74.4	71.7-77.1	499	25.6	22.9-28.3
Less Than H.S.	271	179,056	199	75.0	68.3-81.7	72	25.0	18.3-31.7
H.S. or G.E.D.	648	293,255	469	71.4	66.5-76.3	179	28.6	23.7-33.5
Some Post-H.S.	481	234,397	369	75.9	70.6-81.2	112	24.1	18.8-29.4
College Graduate	555	178,400	421	77.5	73.2-81.8	134	22.5	18.2-26.8
Less than \$15,000	200	78,406	154	74.7	65.7-83.7	46	25.3	16.3-34.3
\$15,000- 24,999	366	162,631	279	76.5	70.4-82.6	87	23.5	17.4-29.6
\$25,000- 34,999	238	118,917	179	74.6	67.2-82.0	59	25.4	18.0-32.8
\$35,000- 49,999	239	119,578	173	70.1	62.1-78.1	66	29.9	21.9-37.9
\$50,000- 74,999	219	96,401	163	75.0	67.9-82.1	56	25.0	17.9-32.1
\$75,000+	221	92,913	160	70.4	61.4-79.4	61	29.6	20.6-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	707	372,226	527	74.5	70.0-79.0	180	25.5	21.0-30.0
White/Non-Hisp	614	319,492	462	76.0	71.5-80.5	152	24.0	19.5-28.5
Black or Afr. Am./Non-Hisp	54	33,188	36	59.0	38.2-79.8	18	41.0	20.2-61.8
65+	707	372,226	527	74.5	70.0-79.0	180	25.5	21.0-30.0
Less Than H.S.	91	70,718	66	70.7	58.5-82.9	25	29.3	17.1-41.5
H.S. or G.E.D.	195	109,085	142	70.5	61.7-79.3	53	29.5	20.7-38.3
Some Post-H.S.	153	91,116	118	78.0	68.4-87.6	35	22.0	12.4-31.6
College Graduate	268	101,308	201	78.2	72.3-84.1	67	21.8	15.9-27.7
\$15,000- 24,999	104	63,290	82	75.2	63.6-86.8	22	24.8	13.2-36.4
\$25,000- 34,999	98	48,751	76	81.2	72.0-90.4	22	18.8	9.6-28.0
\$35,000- 49,999	115	68,001	78	64.0	52.2-75.8	37	36.0	24.2-47.8
\$50,000- 74,999	113	52,430	87	81.4	73.4-89.4	26	18.6	10.6-26.6
\$75,000+	125	54,201	92	77.2	68.8-85.6	33	22.8	14.4-31.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1251	514,740	932	74.4	71.1-77.7	319	25.6	22.3-28.9
White/Non-Hisp	1074	448,487	809	75.2	71.7-78.7	265	24.8	21.3-28.3
Black or Afr. Am./Non-Hisp	129	50,858	87	65.5	53.7-77.3	42	34.5	22.7-46.3
65+	1251	514,740	932	74.4	71.1-77.7	319	25.6	22.3-28.9
Less Than H.S.	180	108,339	133	77.8	70.2-85.4	47	22.2	14.6-29.8
H.S. or G.E.D.	453	184,170	327	71.9	65.8-78.0	126	28.1	22.0-34.2
Some Post-H.S.	328	143,281	251	74.6	68.3-80.9	77	25.4	19.1-31.7
College Graduate	287	77,092	220	76.6	70.1-83.1	67	23.4	16.9-29.9
Less than \$15,000	157	59,274	122	75.2	64.6-85.8	35	24.8	14.2-35.4
\$15,000- 24,999	262	99,341	197	77.3	70.8-83.8	65	22.7	16.2-29.2
\$25,000- 34,999	140	70,165	103	70.0	59.4-80.6	37	30.0	19.4-40.6
\$35,000- 49,999	124	51,577	95	78.2	68.6-87.8	29	21.8	12.2-31.4
\$50,000- 74,999	106	43,971	76	67.4	56.2-78.6	30	32.6	21.4-43.8
\$75,000+	96	38,712	68	60.8	44.7-76.9	28	39.2	23.1-55.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 15: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	187
2	MALES ONLY	188
3	FEMALES ONLY	189

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4958	4,200,682	1496	36.7	34.5-38.9	3462	63.3	61.1-65.5
Male	1918	1,994,944	587	34.8	31.7-37.9	1331	65.2	62.1-68.3
Female	3040	2,205,738	909	38.4	35.7-41.1	2131	61.6	58.9-64.3
White/Non-Hisp	4062	3,212,071	1103	32.8	30.6-35.0	2959	67.2	65.0-69.4
Black or Afr. Am./Non-Hisp	599	621,216	281	57.9	51.2-64.6	318	42.1	35.4-48.8
Oth. Race/Non-Hisp.	104	109,143	33	34.5	18.8-50.2	71	65.5	49.8-81.2
MultiRacial/Non-Hisp.	60	71,682	27	34.2	17.9-50.5	33	65.8	49.5-82.1
Hispanic	71	127,131	33	34.7	19.4-50.0	38	65.3	50.0-80.6
18-24	210	491,157	64	29.6	22.2-37.0	146	70.4	63.0-77.8
25-34	394	714,965	206	47.8	41.5-54.1	188	52.2	45.9-58.5
35-44	489	661,066	270	54.2	48.3-60.1	219	45.8	39.9-51.7
45-54	795	717,859	333	43.2	38.1-48.3	462	56.8	51.7-61.9
55-64	1156	736,944	344	33.1	29.0-37.2	812	66.9	62.8-71.0
65+	1870	848,216	265	15.3	12.9-17.7	1605	84.7	82.3-87.1
Less Than H.S.	528	613,817	146	34.3	27.8-40.8	382	65.7	59.2-72.2
H.S. or G.E.D.	1592	1,374,324	404	33.3	29.6-37.0	1188	66.7	63.0-70.4
Some Post-H.S.	1248	1,234,617	441	41.6	37.5-45.7	807	58.4	54.3-62.5
College Graduate	1577	968,175	503	37.1	33.6-40.6	1074	62.9	59.4-66.4
Less than \$15,000	537	453,972	201	44.7	37.1-52.3	336	55.3	47.7-62.9
\$15,000- 24,999	833	695,783	283	43.9	38.4-49.4	550	56.1	50.6-61.6
\$25,000- 34,999	490	421,171	147	36.3	29.6-43.0	343	63.7	57.0-70.4
\$35,000- 49,999	602	562,631	184	38.8	32.9-44.7	418	61.2	55.3-67.1
\$50,000- 74,999	600	545,156	170	36.3	30.6-42.0	430	63.7	58.0-69.4
\$75,000+	973	855,111	306	33.5	29.2-37.8	667	66.5	62.2-70.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1918	1,994,944	587	34.8	31.7-37.9	1331	65.2	62.1-68.3
White/Non-Hisp	1606	1,522,236	458	32.6	29.3-35.9	1148	67.4	64.1-70.7
Black or Afr. Am./Non-Hisp	179	272,915	79	45.9	34.5-57.3	100	54.1	42.7-65.5
Oth. Race/Non-Hisp.	51	61,928	16	32.6	14.8-50.4	35	67.4	49.6-85.2
18-24	111	251,672	25	20.7	12.3-29.1	86	79.3	70.9-87.7
25-34	162	359,914	62	34.6	25.8-43.4	100	65.4	56.6-74.2
35-44	197	321,104	96	53.5	44.5-62.5	101	46.5	37.5-55.5
45-54	320	342,157	118	39.4	31.8-47.0	202	60.6	53.0-68.2
55-64	436	348,858	144	38.2	31.7-44.7	292	61.8	55.3-68.3
65+	674	353,285	135	19.9	15.8-24.0	539	80.1	76.0-84.2
Less Than H.S.	197	294,897	62	33.9	24.3-43.5	135	66.1	56.5-75.7
H.S. or G.E.D.	594	686,495	167	33.8	28.3-39.3	427	66.2	60.7-71.7
Some Post-H.S.	446	538,746	158	37.7	31.2-44.2	288	62.3	55.8-68.8
College Graduate	674	469,334	199	33.8	28.7-38.9	475	66.2	61.1-71.3
Less than \$15,000	161	187,264	64	43.4	31.2-55.6	97	56.6	44.4-68.8
\$15,000- 24,999	272	303,153	96	41.8	32.8-50.8	176	58.2	49.2-67.2
\$25,000- 34,999	204	215,274	67	38.8	29.0-48.6	137	61.2	51.4-71.0
\$35,000- 49,999	260	279,138	79	29.8	21.8-37.8	181	70.2	62.2-78.2
\$50,000- 74,999	280	295,903	77	35.3	27.3-43.3	203	64.7	56.7-72.7
\$75,000+	482	470,426	143	33.2	26.9-39.5	339	66.8	60.5-73.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3040	2,205,738	909	38.4	35.7-41.1	2131	61.6	58.9-64.3
White/Non-Hisp	2456	1,689,835	645	33.0	30.1-35.9	1811	67.0	64.1-69.9
Black or Afr. Am./Non-Hisp	420	348,301	202	67.4	60.9-73.9	218	32.6	26.1-39.1
Oth. Race/Non-Hisp.	53	47,215	17	37.1	9.5-64.7	36	62.9	35.3-90.5
18-24	99	239,485	39	39.1	26.9-51.3	60	60.9	48.7-73.1
25-34	232	355,051	144	61.2	53.2-69.2	88	38.8	30.8-46.8
35-44	292	339,962	174	54.9	47.1-62.7	118	45.1	37.3-52.9
45-54	475	375,701	215	46.6	39.9-53.3	260	53.4	46.7-60.1
55-64	720	388,086	200	28.6	23.5-33.7	520	71.4	66.3-76.5
65+	1196	494,931	130	12.0	9.5-14.5	1066	88.0	85.5-90.5
Less Than H.S.	331	318,920	84	34.7	25.9-43.5	247	65.3	56.5-74.1
H.S. or G.E.D.	998	687,829	237	32.8	28.1-37.5	761	67.2	62.5-71.9
Some Post-H.S.	802	695,871	283	44.6	39.3-49.9	519	55.4	50.1-60.7
College Graduate	903	498,841	304	40.3	35.4-45.2	599	59.7	54.8-64.6
Less than \$15,000	376	266,709	137	45.7	36.1-55.3	239	54.3	44.7-63.9
\$15,000- 24,999	561	392,629	187	45.5	38.8-52.2	374	54.5	47.8-61.2
\$25,000- 34,999	286	205,898	80	33.7	25.1-42.3	206	66.3	57.7-74.9
\$35,000- 49,999	342	283,493	105	47.6	39.6-55.6	237	52.4	44.4-60.4
\$50,000- 74,999	320	249,253	93	37.4	29.4-45.4	227	62.6	54.6-70.6
\$75,000+	491	384,684	163	33.9	28.2-39.6	328	66.1	60.4-71.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2015**

End of Calculated Variable Data Report