



# Tennessee's Report on Healthcare-Associated Infections for Healthcare Consumers

January 1, 2015 – December 31, 2016

Tennessee Department of Health | Report | December 2017



# Table of Contents

<b>Executive Summary</b>	<u>3</u>
<b>Introduction</b>	<u>5</u>
<b>Methods</b>	<u>7</u>
<b>Results</b>	<u>10</u>
<b>Reading Guide to the Healthcare-Associated Infections (HAI) Data Tables</b>	<u>10</u>
<i>Central Line-Associated Bloodstream Infections (CLABSI)</i>	<u>11</u>
<i>Catheter-Associated Urinary Tract Infections (CAUTI)</i>	<u>43</u>
<i>Surgical Site Infections (SSI)</i>	<u>77</u>
<i>MRSA Bacteremia Laboratory-Identified (LabID) Events</i>	<u>91</u>
<i>C. difficile Infection (CDI) Laboratory-Identified (LabID) Events</i>	<u>111</u>
<i>Summary of Healthcare-Associated Infections by Facility</i>	<u>131</u>
<b>Reading Guide to the Healthcare Worker Influenza Vaccination Data Tables</b>	<u>174</u>
<i>Healthcare Worker Influenza Vaccination</i>	<u>175</u>
<b>Additional Information for Healthcare Consumers</b>	<u>194</u>
<i>FAST FACTS: What You Need to Know About Healthcare-Associated Infections</i>	<u>195</u>
<i>Guide to Understanding Healthcare Worker Influenza Vaccination</i>	<u>196</u>
<i>Things to Think About When Choosing a Healthcare Facility</i>	<u>197</u>
<i>What Patients Can do to Prevent Infections</i>	<u>198</u>
<b>Appendices</b>	<u>201</u>
<i>Appendix A. Acronyms</i>	<u>202</u>
<i>Appendix B. Index of Healthcare Facilities Included in This Report</i>	<u>203</u>

Cover image: Methicillin-resistant *Staphylococcus aureus* (MRSA) bacteria, U.S. Centers for Disease Control and Prevention - Medical Illustrator, James Archer 2013

# Executive Summary

Healthcare-associated infections (HAIs) are a major public health problem. According to the Centers for Disease Control and Prevention (CDC), there were an estimated **722,000 HAIs** and **75,000 HAI-related deaths** in the United States in 2011<sup>1</sup>, making HAIs one of the top ten leading causes of death<sup>2</sup>. This report summarizes the performance of Tennessee's acute care hospitals, long-term acute care hospitals and inpatient rehabilitation facilities on five different types of HAIs in 2015 and 2016 and healthcare worker flu vaccination for the 2015/2016 and 2016/2017 flu season.

## Key Findings

### ***In 2015, Tennessee healthcare facilities reported:***

**About the same number of** central line-associated bloodstream infections (CLABSI) in adult and pediatric intensive care units (ICUs) and neonatal ICUs than predicted based on the national experience from 2015. **Fewer** CLABSI in adult and pediatric wards than predicted based on the national experience from 2015. **About the same number of** CLABSI in long-term acute care hospitals (LTACs).

**About the same** catheter-associated urinary tract infections (CAUTI) in adult and pediatric ICUs than predicted based on the national experience from 2015. **Fewer** CAUTI in adult and pediatric wards than predicted based on the national experience from 2015. **More** CAUTI in inpatient rehabilitation facilities (IRFs) than predicted based on the national experience from 2015. **About the same number of** CAUTI in LTACs than predicted based on the national experience from 2015.

**Fewer** number of surgical site infections (SSI) following colon procedures and **about the same** abdominal hysterectomies as predicted based on the national experience from 2015.

**More** positive lab results in acute care hospitals with methicillin-resistant *Staphylococcus aureus* (MRSA) bacteria found in the bloodstream as predicted based on the national experience from 2015. **About the same number of** MRSA in LTACs and IRFs as predicted based on the national experience.

---

<sup>1</sup> Magill SS, Edwards JR, Bamberg W, et al. Multistate Point-Prevalence Survey of Health Care-Associated Infections. *New England Journal of Medicine* 2014;370:1198-208.

<sup>2</sup> Kleven RM, Edwards JR, Richards CL, Jr., et al. Estimating health care-associated infections and deaths in U.S. hospitals, 2002. *Public health reports* 2007;122:160-6.

**About the same** number of positive lab results with *Clostridioides difficile* found in stool (feces) than predicted based on the national experience from 2015 in acute care hospitals and LTACs. **Fewer** *Clostridioides difficile* in IRFs than predicted based on the national experience. On average, **85.8%** of the healthcare workers in Tennessee acute care hospitals had documented vaccination for seasonal influenza for the 2015/2016 flu season (October 2015-March 2016). On average, **80.7% and 80.3%** of the healthcare workers in Tennessee LTACs and IRFs, respectively, had documented vaccination.

***In 2016, Tennessee healthcare facilities reported:***

**Fewer** central line-associated bloodstream infections (CLABSI) in adult and pediatric intensive care units (ICUs), neonatal ICUs, adult and pediatric wards and LTACs than predicted based on the national experience from 2015.

**About the same** catheter-associated urinary tract infections (CAUTI) in adult and pediatric ICUs and LTACs than predicted based on the national experience from 2015. **Fewer** CAUTI in adult and pediatric wards than predicted based on the national experience from 2015. **More** CAUTI in IRFs than predicted based on the national experience from 2015.

**About the same** number of surgical site infections (SSI) following colon procedures and abdominal hysterectomies as predicted based on the national experience from 2015.

**More** positive lab results with methicillin-resistant *Staphylococcus aureus* (MRSA) bacteria found in the bloodstream as predicted based on the national experience from 2015 in acute care hospitals and IRFs. **About the same number of** MRSA in LTACs than predicted based on the national experience from 2015.

**Fewer** positive lab results with *Clostridioides difficile* found in stool (feces) than predicted based on the national experience from 2015 in acute care hospitals, LTACs and IRFs.

On average, **88.3 %** of the healthcare workers in Tennessee hospitals had documented vaccination for seasonal influenza for the 2016/2017 flu season (October 2016-March 2017). On average, **83.7% and 88.8%** of the healthcare workers in Tennessee LTACs and IRFs, respectively, had documented vaccination.

# Introduction

## ***What is the purpose of this report?***

This report is meant to help patients who need inpatient medical treatments decide whether they should be concerned about healthcare-associated infections (HAIs) at the hospital they may choose. HAIs are infections patients can get while receiving medical treatment in a healthcare facility. Patients should know that these infections are unintended. Ideally, HAIs should never happen, but sometimes they do.

Hospitals track and report HAIs for many reasons. In some cases they are required to do so—either by state public health authorities or by federal health agencies. In most cases, hospitals report numbers (data) about certain HAIs because they want to know how well they are doing in preventing them, and how they compare with other hospitals of similar size and with similar kinds of patients.

It is important for the patients and their family members or advocates using this information to ask healthcare providers questions before seeking and while receiving medical treatment. Asking the right questions can help patients and family members learn what they can do to prevent infections.

### ***This report looks at five HAIs:***

Central line-associated bloodstream infections (CLABSI) in adult and pediatric intensive care units (ICUs), neonatal ICUs, and adult and pediatric wards

Catheter-associated urinary tract infections (CAUTIs) in adult and pediatric intensive care units (ICUs) and adult and pediatric wards

Surgical site infections (SSI) following colon surgeries and abdominal hysterectomy procedures

Positive laboratory results with methicillin-resistant *Staphylococcus aureus* (MRSA) bacteria found in the bloodstream

Positive laboratory results with *Clostridioides difficile* (*C. difficile*) bacteria found in stool (feces)

*For more information about central lines, urinary catheters, and the HAIs discussed in this report, see [“Fast Facts”](#)*

This report also shares information on healthcare worker vaccination for seasonal influenza (or the “flu”). The Centers for Disease Control and Prevention (CDC) and the Tennessee Department of Health recommend that all personnel who work in a healthcare setting receive the flu vaccine each year to help prevent the spread of flu. See the “[Guide to Understanding Healthcare Worker Influenza Vaccination](#)” for more information.

In addition to the five HAIs and healthcare worker vaccination data shown in this report, hospitals are required by law to report additional HAIs to the Tennessee Department of Health. Information about all HAIs hospitals report to the Tennessee Department of Health and HAI data from other types of healthcare facilities can be found in the technical version of this report. More information about Tennessee’s mandatory reporting requirements and the technical version of the State HAI Report can be found here: <https://www.tn.gov/health/cedep/hai.html>.

These measures do not represent all possible infections, but were selected because they give a good overview of how a hospital is doing in preventing healthcare-associated infections. These infections are largely preventable when healthcare providers use infection prevention steps recommended by the CDC. The information in this report can help you to think about whether a particular hospital is the best place for you to receive care. However, there are other things to consider when making a decision about where to get your care. You should use this information as a starting point to ask your healthcare provider questions, and use the answers in your decision making. For more things to consider when it comes to choosing a hospital, see “[Things to Think About When Choosing a Healthcare Facility](#)”.

*For more information about what patients can do to prevent HAIs, see “[What Patients can do to Prevent Infections](#)”*

# Methods

## ***How should I read this report?***

This report looks at how hospitals in this state performed in terms of infection prevention by displaying how many HAIs they reported during January 2015-December 2016. It shows whether a hospital had more HAIs, fewer HAIs, or about the same number of HAIs compared to the national baseline (national experience) based on previous years of reported data. This comparison takes into account differences between hospitals such as types of patients and procedures, as well as other factors such as the hospital's size and whether it is affiliated with a medical school. See "[Reading Guide to the HAI Data Tables](#)" for a guide to understanding the data tables presented in this report.

This report also looks at the percentage of all healthcare workers in each hospital who received the flu vaccine. Higher percentages are better, because this indicates that a greater number of healthcare workers are protected against the flu and less likely to spread it to patients. The report shows whether a hospital had a higher percentage, lower percentage, or similar percentage of vaccinated healthcare workers compared to the Department of Health and Human Services (HHS) Healthy People 2020 goal (90%). See "[Reading Guide to the Healthcare Worker Influenza Vaccination Data Tables](#)" for a guide to understanding the healthcare worker flu vaccination data table presented in this report.

## ***What do the Numbers Mean?***

It's important to understand that numbers alone won't show how well a hospital is doing in preventing HAIs. This report shows how hospitals performed during 2015 and 2016 and compares each hospital's performance to the national baseline.

Larger hospitals that see more patients or do more surgeries may have more infections compared to smaller hospitals. Therefore, it is important not only to consider the "interpretation" for each hospital, but to also look at the total number of procedures performed and the total number of infections observed (or identified) in that time period.

### ***If a Hospital Has Zero (0) Infections, What Does That Mean?***

The total number of infections listed in the data tables represents a count of the number of infections reported by this hospital. If the number of infections is zero (0), this means that the hospital saw no infections of this type during 2015 or 2016. It does NOT mean that the hospital failed to report all of their infections. If a hospital reported zero infections, it may be important to consider the size of the hospital and to look at the total number of procedures performed and the total number of infections that were predicted (also shown in the data tables).

### ***Where do the numbers come from?***

Hospitals self-report their HAI data to the CDC and the Tennessee Department of Health using a free, web-based software system called the National Healthcare Safety Network (NHSN). CDC and the Tennessee Department of Health HAI program provide training to hospital staff on the appropriate use of this system and provide guidance on how to track infections in a standard way.

More information about NHSN can be found here: <http://www.cdc.gov/nhsn/>

*For more information about how the numbers in this report are calculated, see the Methods section of the [technical report](#).*

### ***Things to consider when looking at the report***

A complete list of considerations and limitations of these data can be found in the technical report, available here: <https://www.tn.gov/health/cedep/hai.html>

This report covers data from January 2015-December 2016, and the data were downloaded from the National Healthcare Safety Network (NHSN) on November 13<sup>th</sup>, 2017; any changes made to the data after this date are not reflected in this report. Before reviewing this report, a few clarifications about the data need to be made:

***The data within this report are preliminary.*** The Tennessee Department of Health HAI Program has reviewed the quality of the data to identify any potential errors or data entry mistakes, but these data have not been thoroughly reviewed through external validation. Although efforts were made by hospitals and the Tennessee Department of Health HAI



Program to ensure that the data were accurate and complete, the data are self-reported and have not been formally “double-checked,” or validated.

***There may be differences in reporting practices among hospitals.*** Hospitals with more infection control personnel and resources may be able to identify and report more infections compared to a hospital with fewer infection control resources.

***There may be differences between results published by the Tennessee Department of Health and results published elsewhere*** (e.g., CMS - Centers for Medicare and Medicaid Services Hospital Compare website). Results may differ due to using data from different time periods, different facility types, different patient populations, and/or different methods of analysis.

***The Tennessee Department of Health chose not to present some rates*** for individual hospital units, procedures or hospitals that did not meet a threshold (minimum value) for the reporting period. The minimum threshold numbers are based on CDC recommendations for reporting healthcare-associated infection data.

***The Tennessee Department of Health does not calculate an SIR when the number of predicted infections is less than 1.*** In these situations, the “How Does This Facility Compare to the National Experience” text says “No conclusion.” This does not mean that the hospital failed to report data, or that the hospital did not report all necessary data; it only means that the number of patients, devices (central lines or urinary catheters), and/or procedures that were seen at this hospital during this time period did not meet the established threshold (minimum value) for calculating an SIR. This minimum threshold is based on CDC recommendations. In other words, there is not enough information to make a reliable conclusion about this hospital's performance on this measure.

***Laboratory-Identified Events (LabID Events):*** *Clostridioides difficile* infections (CDI) and methicillin-resistant *Staphylococcus aureus* (MRSA) bacteremia (blood infection) LabID events rely on laboratory data. Patients did not have to be ill to have a positive result, and a positive result can be determined without requiring clinical information about the patient. This allows for a much less labor-intensive means to track CDI and MRSA infections. Only those LabID events that occurred more than 3 calendar days after hospital admission are displayed in this report.

# Results

## ***Reading Guide to the HAI Data Tables: An Explanation of Each Variable***

***Below is a list of all variables shown in the HAI data tables:***

**Title:** The title of the table gives you information about the infection type, time period, geographic location, and facility type included in the table.

**Facility Name:** This is the name of the facility. Facilities with multiple campuses will have each campus identified separately.

**Procedure Type:** This is the specific type of surgery for which the surgical site infection (SSI) data are presented (such as abdominal hysterectomy or colon surgery). If acronyms are used, you can find the full name of the surgery in the legend or in the table's title.

**Number of Procedures:** This is the total number of surgeries performed by a facility during a single year.

**Observed Infections (or Observed Events):** This is the number of infections (or events, for LabID measures) that was reported by the facility.

**Predicted Infections (or Predicted Events):** This is a calculated value that reflects the number of infections (or events, for LabID measures) that we have "predicted" to occur in this facility, based on the national experience.

**"How Does This Facility Compare to the National Experience?"** Colors and symbols are used to help you quickly understand and interpret the facility's data. This is the "take-home message" about healthcare-associated infections in this facility.

★ **Indicates that the facility had fewer infections than were predicted (better than the national experience)**

= **Indicates that the facility had about the same number of infections as were predicted (same as the national experience)**

✗ **Indicates that the facility had more infections than were predicted (worse than the national experience)**

**No Conclusion:** Indicates that this facility reported data, but there was not enough information to make a reliable comparison to the national experience (number of predicted infections was less than 1).

## Central Line-Associated Bloodstream Infections (CLABSI)

A **central line** is a tube placed in a large vein to allow access to the bloodstream and provide the patient with important medicine. A **central line-associated bloodstream infection (CLABSI)** can occur when bacteria or other germs travel along a central line and enter the blood. When not put in correctly or kept clean, central lines can become a pathway for germs to enter the body and cause serious infections in the blood.

CLABSI data are presented for 2015 and 2016 separately for adult and pediatric intensive care units (ICU) and neonatal ICUs (NICU). Burn and trauma ICUs are excluded from the tables below. Only hospitals with eligible intensive care units during 2015 and 2016 are included in the following tables. In the following tables, hospitals are compared to the national experience from 2015 national data used by CDC for comparison.

**Table 1: Central Line-Associated Bloodstream Infections (CLABSI) in Adult and Pediatric ICUs and Neonatal ICUs in Tennessee Hospitals Overall, 01/01/2015 – 12/31/2015**

Location Type	Observed Infections	Predicted Infections	How do Tennessee Hospitals Compare to the National Experience?
Adult/Pediatric ICUs	208	238	= Same
Neonatal ICUs	57	62	= Same

Comparison to the National Experience	Number of Hospitals	
	Adult/Pediatric ICUs	Neonatal ICUs
★ Better	3	0
= Same	31	12
× Worse	5	0
No Conclusion	47	13

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	× More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for CLABSI.</b>			

**Table 2: Central Line-Associated Bloodstream Infections (CLABSI) in Adult and Pediatric ICUs and Neonatal ICUs in Tennessee Hospitals Overall, 01/01/2016 – 12/31/2016**

Location Type	Observed Infections	Predicted Infections	How do Tennessee Hospitals Compare to the National Experience?
Adult/Pediatric ICUs	206	246	★ Better
Neonatal ICUs	37	59	★ Better

Comparison to the National Experience	Number of Hospitals	
	Adult/Pediatric ICUs	Neonatal ICUs
★ Better	3	2
= Same	37	10
× Worse	2	0
No Conclusion	44	13

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	× More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<i>*National experience contains data from 2015 for CLABSI.</i>			



**Table 3: Tennessee Central Line-Associated Bloodstream Infection (CLABSI) in Adult and Pediatric Intensive Care Units (ICU) Acute Care Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	20	12.0	<b>✗ Worse</b>
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	0	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	4	1.9	<b>= Same</b>
Bristol Regional Medical Center	7	4.8	<b>= Same</b>
Centennial Medical Center	6	8.8	<b>= Same</b>
Claiborne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	8	4.0	<b>= Same</b>
Cumberland Medical Center	2	Less than 1.0	<b>No Conclusion</b>
East Tennessee Children's Hospital	0	1.2	<b>= Same</b>
Erlanger Medical Center	9	13.0	<b>= Same</b>
Fort Loudoun Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	3	3.2	<b>= Same</b>
Franklin Woods Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	1	1.2	<b>= Same</b>
Henry County Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Holston Valley Medical Center	3	6.6	<b>= Same</b>
Horizon Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	2	1.4	<b>= Same</b>

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 3 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Jackson Madison County General Hospital	7	10.8	= Same
Jellico Community Hospital	0	Less than 1.0	No Conclusion
Johnson City Medical Center	6	10.0	= Same
Laughlin Memorial Hospital	0	Less than 1.0	No Conclusion
LeConte Medical Center	1	Less than 1.0	No Conclusion
Lincoln Medical Center	0	Less than 1.0	No Conclusion
Livingston Regional Hospital	0	Less than 1.0	No Conclusion
Maury Regional Medical Center	2	3.3	= Same
Memorial Healthcare System	6	6.8	= Same
Memorial Hixson Hospital	0	Less than 1.0	No Conclusion
Methodist Healthcare Germantown	0	5.3	★ Better
Methodist Healthcare LeBonheur	7	8.5	= Same
Methodist Healthcare North	2	6.0	= Same
Methodist Healthcare South	0	1.7	= Same
Methodist Medical Center of Oak Ridge	5	3.1	= Same
Methodist University Hospital	0	16.2	★ Better
Milan General Hospital	0	Less than 1.0	No Conclusion
Morristown-Hamblen Healthcare System	0	Less than 1.0	No Conclusion
Nashville General Hospital at Meharry	7	Less than 1.0	No Conclusion
NorthCrest Medical Center	0	Less than 1.0	No Conclusion
Parkridge East Hospital	1	Less than 1.0	No Conclusion
Parkridge Medical Center	8	3.0	✗ Worse

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 3 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Parkridge West Hospital	0	Less than 1.0	<b>No Conclusion</b>
Parkwest Medical Center- Knoxville	3	4.3	= Same
Regional One Health	12	4.0	✗ Worse
Roane Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Skyline Medical Center	2	4.3	= Same
Southern TN Reg Health Sys- Lawrenceburg	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Bartlett	0	2.3	= Same
St. Francis Hospital - Memphis	9	5.3	= Same
St. Thomas DeKalb Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Highlands Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	3	4.0	= Same
St. Thomas River Park Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Rutherford Hospital	5	3.5	= Same
St. Thomas West Hospital	3	9.5	★ Better
Starr Regional Medical Center - Athens	0	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	1	1.8	= Same
Sumner Regional Medical Center	4	1.2	✗ Worse
Sweetwater Hospital Association	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	0	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 3 (cont'd)**




Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Takoma Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	1	1.4	= Same
Tennova Healthcare - Cleveland	2	2.1	= Same
Tennova Healthcare - Dyersburg Regional	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Harton	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Jefferson Memorial Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lafollette Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	0	1.3	= Same
Tennova Healthcare - Newport Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	2	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	9	3.5	<b>× Worse</b>
Tennova Healthcare - Regional Jackson	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Shelbyville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	1	1.2	= Same
Unicoi County Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	5	9.0	= Same
Vanderbilt Medical Center	26	30.6	= Same
Williamson Medical Center	0	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 4: Tennessee Central Line-Associated Bloodstream Infection (CLABSI) in Neonatal Intensive Care Units (NICU) Acute Care Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital for Women	1	4.2	= Same
Centennial Medical Center	3	5.0	= Same
East Tennessee Children's Hospital	6	2.9	= Same
Erlanger Medical Center	10	6.5	= Same
Holston Valley Medical Center	1	1.3	= Same
Jackson Madison County General Hospital	1	Less than 1.0	<b>No Conclusion</b>
Johnson City Medical Center	2	3.2	= Same
Laughlin Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
Maury Regional Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare Germantown	0	1.4	= Same
Methodist Healthcare LeBonheur	12	11.4	= Same
Methodist Healthcare South	0	Less than 1.0	<b>No Conclusion</b>
Nashville General Hospital at Meharry	0	Less than 1.0	<b>No Conclusion</b>
Parkridge East Hospital	1	Less than 1.0	<b>No Conclusion</b>
Regional One Health	7	6.2	= Same
St. Francis Bartlett	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Hospital - Memphis	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	0	1.8	= Same
St. Thomas Rutherford Hospital	0	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	0	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	 About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 4 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Physician's Reg Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	7	4.9	<b>= Same</b>
Vanderbilt Medical Center	6	11.3	<b>= Same</b>
Williamson Medical Center	0	Less than 1.0	<b>No Conclusion</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.




**Table 5: Tennessee Central Line-Associated Bloodstream Infection (CLABSI) in Adult and Pediatric Intensive Care Units (ICU) Acute Care Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	8	11.6	= Same
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	0	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	2	1.9	= Same
Bristol Regional Medical Center	3	4.9	= Same
Centennial Medical Center	16	11.5	= Same
Claiborne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	1	4.8	= Same
Cumberland Medical Center	0	Less than 1.0	<b>No Conclusion</b>
East Tennessee Children's Hospital	0	1.5	= Same
Erlanger Medical Center	15	12.7	= Same
Fort Loudoun Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	4	3.7	= Same
Franklin Woods Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Henry County Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Holston Valley Medical Center	5	6.1	= Same
Horizon Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	1	1.2	= Same

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 5 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Jackson Madison County General Hospital	14	12.5	= Same
Jellico Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Johnson City Medical Center	5	9.4	= Same
Laughlin Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
LeConte Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Lincoln Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
MCJ Children's Hospital at Vanderbilt	9	12.5	= Same
Maury Regional Medical Center	2	3.4	= Same
Memorial Healthcare System	5	7.6	= Same
Memorial Hixson Hospital	0	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare Germantown	3	5.2	= Same
Methodist Healthcare LeBonheur	14	9.0	= Same
Methodist Healthcare North	1	6.3	★ Better
Methodist Healthcare South	2	1.8	= Same
Methodist Medical Center of Oak Ridge	5	3.1	= Same
Methodist University Hospital	5	16.3	★ Better
Milan General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Morristown-Hamblen Healthcare System	0	1.2	= Same
Nashville General Hospital at Meharry	1	1.2	= Same
NorthCrest Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Parkridge East Hospital	1	Less than 1.0	<b>No Conclusion</b>
Parkridge Medical Center	5	2.8	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	 About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 5 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Parkwest Medical Center- Knoxville	2	4.2	= Same
Regional One Health	10	4.3	× Worse
Roane Medical Center	0	Less than 1.0	No Conclusion
Skyline Medical Center	3	4.5	= Same
Southern TN Reg Health Sys- Lawrenceburg	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	No Conclusion
St. Francis Bartlett	6	2.4	× Worse
St. Francis Hospital - Memphis	9	5.3	= Same
St. Thomas DeKalb Hospital	0	Less than 1.0	No Conclusion
St. Thomas Highlands Hospital	0	Less than 1.0	No Conclusion
St. Thomas Midtown Hospital	2	3.7	= Same
St. Thomas River Park Hospital	0	Less than 1.0	No Conclusion
St. Thomas Rutherford Hospital	3	3.7	= Same
St. Thomas West Hospital	7	10.5	= Same
Starr Regional Medical Center - Athens	0	Less than 1.0	No Conclusion
StoneCrest Medical Center	1	Less than 1.0	No Conclusion
Summit Medical Center	0	2.2	= Same
Sumner Regional Medical Center	1	Less than 1.0	No Conclusion
Sweetwater Hospital Association	0	Less than 1.0	No Conclusion
Sycamore Shoals Hospital	1	Less than 1.0	No Conclusion
Takoma Regional Hospital	0	Less than 1.0	No Conclusion

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 5 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Clarksville	1	1.6	= Same
Tennova Healthcare - Cleveland	4	1.3	= Same
Tennova Healthcare - Dyersburg Regional	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Harton	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Jefferson Memorial Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lafollette Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	0	1.2	= Same
Tennova Healthcare - Newport Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	7	3.2	= Same
Tennova Healthcare - Regional Jackson	3	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Shelbyville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	2	1.0	= Same
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	0	1.2	= Same
University of Tennessee Medical Ctr	0	8.4	★ <b>Better</b>
Vanderbilt Medical Center	14	20.3	= Same
Wellmont Hawkins County Hospital	0	Less than 1.0	<b>No Conclusion</b>
Williamson Medical Center	2	1.1	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 6: Tennessee Central Line-Associated Bloodstream Infection (CLABSI) in Neonatal Intensive Care Units (NICU) Acute Care Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital for Women	4	4.9	= Same
Centennial Medical Center	6	7.1	= Same
East Tennessee Children's Hospital	1	3.5	= Same
Erlanger Medical Center	7	5.1	= Same
Holston Valley Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Jackson Madison County General Hospital	1	1.0	= Same
Johnson City Medical Center	4	2.3	= Same
Laughlin Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
MCJ Children's Hospital at Vanderbilt	3	11.5	★ Better
Maury Regional Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare Germantown	0	1.5	= Same
Methodist Healthcare LeBonheur	0	9.1	★ Better
Methodist Healthcare South	0	Less than 1.0	<b>No Conclusion</b>
Nashville General Hospital at Meharry	0	Less than 1.0	<b>No Conclusion</b>
Parkridge East Hospital	0	Less than 1.0	<b>No Conclusion</b>
Regional One Health	7	4.2	= Same
St. Francis Bartlett	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Hospital - Memphis	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	3	3.1	= Same
St. Thomas Rutherford Hospital	0	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	0	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 6 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Clarksville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	1	3.9	<b>= Same</b>
Williamson Medical Center	0	Less than 1.0	<b>No Conclusion</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.



# CLABSI

*Adult and Pediatric Medical, Surgical, and Medical/Surgical Wards*

## Central Line-Associated Bloodstream Infections (CLABSI)

CLABSI data are presented for 2015 and 2016 separately for adult and pediatric wards. Only hospitals with eligible Adult and Pediatric Medical, Surgical, and Medical/Surgical Wards during 2015 and 2016 are included in the following tables. In the following tables, hospitals are compared to the national experience from 2015 national data used by CDC for comparison.

**Table 7: Central Line-Associated Bloodstream Infections (CLABSI) in Adult and Pediatric Medical, Surgical, and Medical/Surgical Wards in Tennessee Hospitals Overall, 01/01/2015 – 12/31/2015**

Location Type	Observed Infections	Predicted Infections	How do Tennessee Hospitals Compare to the National Experience?
Adult/Pediatric Wards	193	243	★ Better

Comparison to the National Experience	Number of Hospitals
	Adult/Pediatric Wards
★ Better	7
= Same	38
× Worse	1
No Conclusion	58

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	× More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for CLABSI.</b>			

**Table 8: Central Line-Associated Bloodstream Infections (CLABSI) in Adult and Pediatric Wards in Tennessee Hospitals Overall, 01/01/2016 - 12/31/2016**



Location Type	Observed Infections	Predicted Infections	How do Tennessee Hospitals Compare to the National Experience?
Adult/Pediatric Wards	175	234	★ Better

Comparison to the National Experience	Number of Hospitals
	Adult/Pediatric Wards
★ Better	6
= Same	36
× Worse	2
No Conclusion	60

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	× More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for CLABSI.</b>			



**Table 9: Tennessee Central Line-Associated Bloodstream Infection (CLABSI) in Adult and Pediatric Medical, Surgical, and Medical/Surgical Wards Acute Care Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	15	12.9	= Same
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital for Women	0	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	5	3.5	= Same
Bolivar General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Bristol Regional Medical Center	5	5.4	= Same
Centennial Medical Center	10	6.7	= Same
Claiborne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	5	4.0	= Same
Cumberland Medical Center	0	1.1	= Same
Decatur County General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Delta Medical Center	2	Less than 1.0	<b>No Conclusion</b>
East Tennessee Children's Hospital	0	2.8	= Same
Erlanger East	0	Less than 1.0	<b>No Conclusion</b>
Erlanger Medical Center	10	15.1	= Same
Erlanger North	1	Less than 1.0	<b>No Conclusion</b>
Fort Loudoun Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	6	4.4	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.




**Table 9 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Franklin Woods Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hardin Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Henderson County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	2	1.5	= Same
Henry County Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Holston Valley Medical Center	11	7.1	= Same
Horizon Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Houston County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	0	1.6	= Same
Jackson Madison County General Hospital	3	9.2	★ Better
Jellico Community Hospital	1	Less than 1.0	<b>No Conclusion</b>
Johnson City Medical Center	0	3.7	★ Better
Laughlin Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
LeConte Medical Center	3	Less than 1.0	<b>No Conclusion</b>
Lincoln Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Maury Regional Medical Center	0	1.5	= Same
McKenzie Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
McNairy Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Memorial Healthcare System	2	9.8	★ Better
Memorial Hixson Hospital	0	2.6	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 9 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Methodist Healthcare Germantown	0	5.7	★ Better
Methodist Healthcare LeBonheur	5	5.9	= Same
Methodist Healthcare North	1	4.4	= Same
Methodist Healthcare South	0	1.9	= Same
Methodist Medical Center of Oak Ridge	5	3.5	= Same
Methodist University Hospital	3	19.6	★ Better
Milan General Hospital	0	Less than 1.0	No Conclusion
Morristown-Hamblen Healthcare System	1	1.6	= Same
Nashville General Hospital at Meharry	1	Less than 1.0	No Conclusion
NorthCrest Medical Center	0	Less than 1.0	No Conclusion
Parkridge East Hospital	0	Less than 1.0	No Conclusion
Parkridge Medical Center	4	2.8	= Same
Parkridge West Hospital	0	Less than 1.0	No Conclusion
Parkwest Medical Center- Knoxville	4	5.6	= Same
Perry Community Hospital	0	Less than 1.0	No Conclusion
Regional One Health	1	2.9	= Same
Roane Medical Center	1	Less than 1.0	No Conclusion
Skyline Medical Center	2	2.4	= Same
Southern TN Reg Health Sys-Lawrenceburg	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Sewanee	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	No Conclusion

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	 About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.




**Table 9 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Bartlett	0	1.7	= Same
St. Francis Hospital - Memphis	7	3.4	= Same
St. Thomas DeKalb Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Highlands Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	9	6.0	= Same
St. Thomas Rutherford Hospital	4	6.7	= Same
St. Thomas Stones River Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas West Hospital	7	10.9	= Same
Starr Regional Medical Center - Athens	1	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	3	1.2	= Same
Summit Medical Center	3	2.1	= Same
Sumner Regional Medical Center	0	1.3	= Same
Sweetwater Hospital Association	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	1	1.2	= Same
Tennova Healthcare - Cleveland	1	1.2	= Same
Tennova Healthcare - Dyersburg Regional	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Harton	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Jamestown	0	3.2	★ Better

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 9 (cont'd)**



Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Jefferson Memorial Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lafollette Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	0	1.2	= Same
Tennova Healthcare - Newport Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	2	1.8	= Same
Tennova Healthcare - Physician's Reg Med Ctr	6	2.4	<b>× Worse</b>
Tennova Healthcare - Regional Jackson	0	1.8	= Same
Tennova Healthcare - Shelbyville	2	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	3	1.2	= Same
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	0	Less than 1.0	<b>No Conclusion</b>
TrustPoint Hospital	0	Less than 1.0	<b>No Conclusion</b>
Unicoi County Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
Medical Center of Manchester	0	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	3	8.6	<b>★ Better</b>
Vanderbilt Medical Center	29	22.9	= Same
Wayne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Wellmont Hawkins County Hospital	0	Less than 1.0	<b>No Conclusion</b>
Williamson Medical Center	1	1.3	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	 About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.





**Table 10: Tennessee Central Line-Associated Bloodstream Infection (CLABSI) in Adult and Pediatric Medical, Surgical, and Medical/Surgical Wards Acute Care Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	8	12.3	= Same
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	1	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital for Women	0	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	4	3.5	= Same
Bolivar General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Bristol Regional Medical Center	9	5.5	= Same
Centennial Medical Center	16	8.4	✗ Worse
Claiborne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	3	3.8	= Same
Cumberland Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Decatur County General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Delta Medical Center	0	Less than 1.0	<b>No Conclusion</b>
East Tennessee Children's Hospital	1	3.2	= Same
Erlanger East	0	Less than 1.0	<b>No Conclusion</b>
Erlanger Medical Center	6	13.7	★ Better
Erlanger North	0	Less than 1.0	<b>No Conclusion</b>
Fort Loudoun Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	2	4.5	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 10 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Franklin Woods Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hardin Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Henderson County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	0	1.3	= Same
Henry County Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Holston Valley Medical Center	4	5.6	= Same
Horizon Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Houston County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Jackson Madison County General Hospital	13	12.0	= Same
Jellico Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Johnson City Medical Center	2	3.4	= Same
Laughlin Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
LeConte Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Lincoln Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
MCJ Children's Hospital at Vanderbilt	12	8.5	= Same
Maury Regional Medical Center	1	1.5	= Same
McKenzie Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
McNairy Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Memorial Healthcare System	1	10.3	★ <b>Better</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 10 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Memorial Hixson Hospital	0	3.2	★ Better
Methodist Healthcare Germantown	1	5.4	★ Better
Methodist Healthcare LeBonheur	3	5.1	= Same
Methodist Healthcare North	0	4.3	★ Better
Methodist Healthcare South	0	2.0	= Same
Methodist Medical Center of Oak Ridge	1	3.5	= Same
Methodist University Hospital	6	16.3	★ Better
Milan General Hospital	0	Less than 1.0	No Conclusion
Morristown-Hamblen Healthcare System	0	1.6	= Same
Nashville General Hospital at Meharry	0	Less than 1.0	No Conclusion
NorthCrest Medical Center	0	Less than 1.0	No Conclusion
Parkridge East Hospital	0	Less than 1.0	No Conclusion
Parkridge Medical Center	6	2.3	✗ Worse
Parkwest Medical Center- Knoxville	6	5.1	= Same
Perry Community Hospital	0	Less than 1.0	No Conclusion
Regional One Health	3	3.1	= Same
Roane Medical Center	0	Less than 1.0	No Conclusion
Skyline Medical Center	2	2.7	= Same
Southern TN Reg Health Sys- Lawrenceburg	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Sewanee	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	No Conclusion

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.




**Table 10 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Bartlett	3	1.9	= Same
St. Francis Hospital - Memphis	3	2.8	= Same
St. Thomas DeKalb Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Highlands Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	4	4.7	= Same
St. Thomas Rutherford Hospital	3	7.5	= Same
St. Thomas Stones River Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas West Hospital	8	11.8	= Same
Starr Regional Medical Center - Athens	1	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	1	1.2	= Same
Summit Medical Center	0	2.1	= Same
Sumner Regional Medical Center	2	1.0	= Same
Sweetwater Hospital Association	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	3	1.1	= Same
Tennova Healthcare - Cleveland	2	1.0	= Same
Tennova Healthcare - Dyersburg Regional	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Harton	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Jamestown	0	1.9	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 10 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Jefferson Memorial Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lafollette Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	6	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Newport Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	4	1.5	= Same
Tennova Healthcare - Physician's Reg Med Ctr	3	1.6	= Same
Tennova Healthcare - Regional Jackson	0	1.1	= Same
Tennova Healthcare - Shelbyville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	3	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	1	Less than 1.0	<b>No Conclusion</b>
TrustPoint Hospital	0	Less than 1.0	<b>No Conclusion</b>
Unicoi County Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
Medical Center of Manchester	0	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	5	9.0	= Same
Vanderbilt Medical Center	8	13.8	= Same
Wayne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Wellmont Hawkins County Hospital	0	Less than 1.0	<b>No Conclusion</b>
Williamson Medical Center	1	1.3	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	 About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

# CLABSI

## *Long-term Acute Care Hospitals*

## Central Line-Associated Bloodstream Infections (CLABSI)

CLABSI data are presented for long-term acute care hospitals (LTAC) for 2015 and 2016. LTACs are facilities designed for people that require care on an ongoing basis but no longer require intensive care at an acute care hospital. In the following tables, LTACs are compared to the national experience from 2015 national data used by CDC for comparison.

**Table 11: Central Line-Associated Bloodstream Infections (CLABSI) in Tennessee Long-Term Acute Care (LTAC) Hospitals, 01/01/2015 – 12/31/2015**

Location Type	Observed Infections	Predicted Infections	How do Tennessee LTACs Compare to the National Experience?
LTAC	86	75	= Same

Comparison to the National Experience	Number of LTACs
★ Better	2
= Same	7
× Worse	1
No Conclusion	0

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	× More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for CLABSI.</b>			

**Table 12: Central Line-Associated Bloodstream Infections (CLABSI) in Tennessee Long-Term Acute Care (LTAC) Hospitals, 01/01/2016 – 12/31/2016**

Location Type	Observed Infections	Predicted Infections	How do Tennessee LTACs Compare to the National Experience?
LTAC	44	65	★ Better

Comparison to the National Experience	Number of LTACs
★ Better	3
= Same	7
× Worse	0
No Conclusion	0

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	× More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for CLABSI.</b>			





**Table 13: Tennessee Central Line-Associated Bloodstream Infection (CLABSI) in Long-Term Acute Care (LTAC) Hospitals Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Restorative Care Hosp.	19	6.4	✗ <b>Worse</b>
Curahealth Nashville	6	13.4	★ <b>Better</b>
Kindred Hospital in Chattanooga	10	5.4	= <b>Same</b>
Methodist Extended Care Hospital	6	4.9	= <b>Same</b>
Regional One Extended Care Hospital	6	5.0	= <b>Same</b>
Select Specialty Hospital - Knoxville	7	4.8	= <b>Same</b>
Select Specialty Hospital - Memphis	8	8.1	= <b>Same</b>
Select Specialty Hosp. - North Knoxville	7	3.3	= <b>Same</b>
Select Specialty Hospital - Tri Cities	1	5.5	★ <b>Better</b>
Select Specialty Hospital - Nashville	16	18.5	= <b>Same</b>

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 14: Tennessee Central Line-Associated Bloodstream Infection (CLABSI) in Long-Term Acute Care (LTAC) Hospitals Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Restorative Care Hosp.	8	6.1	= Same
Curahealth Nashville	2	10.3	★ Better
Kindred Hospital in Chattanooga	2	4.9	= Same
Methodist Extended Care Hospital	1	1.6	= Same
Regional One Extended Care Hospital	1	6.2	★ Better
Select Specialty Hospital - Knoxville	1	3.8	= Same
Select Specialty Hospital - Memphis	12	7.8	= Same
Select Specialty Hosp. - North Knoxville	7	4.0	= Same
Select Specialty Hospital - Tri Cities	1	3.5	= Same
Select Specialty Hospital - Nashville	9	17.2	★ Better

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

## Catheter-Associated Urinary Tract Infections (CAUTI)

A **urinary catheter** is a tube placed in the bladder to drain urine. A **catheter-associated urinary tract infection (CAUTI)** can occur when bacteria or other germs travel along a urinary catheter, resulting in an infection in the bladder or the kidney.

CAUTI data are presented separately for adult/pediatric intensive care units and adult and pediatric medical, surgical, and medical/surgical wards for the years 2015 and 2016. In the following tables, only acute care hospitals with eligible intensive care units during 2015 and 2016 are included in the following tables and are compared to the national experience from 2015, national data used by CDC for comparison.

**Table 15: Catheter-Associated Urinary Tract Infections (CAUTI) in Adult and Pediatric ICUs and Adult and Pediatric Medical, Surgical, and Medical/Surgical Wards in Tennessee Acute Care Hospitals Overall, 01/01/2015 – 12/31/2015**

Location Type	Observed Infections	Predicted Infections	How do Tennessee Hospitals Compare to the National Experience?
Adult/Pediatric ICUs	416	394	= Same
Adult/Pediatric Wards	175	251	★ Better

Comparison to the National Experience	Number of Hospitals	
	Adult/Pediatric ICUs	Adult/Pediatric Wards
★ Better	3	4
= Same	39	50
× Worse	5	1
No Conclusion	39	48

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	× More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for CAUTI</b>			

**Table 16: Catheter-Associated Urinary Tract Infections (CAUTI) in Adult and Pediatric ICUs and Adult and Pediatric Medical, Surgical, and Medical/Surgical Wards in Tennessee Acute Care Hospitals Overall, 01/01/2016 – 12/31/2016**



Location Type	Observed Infections	Predicted Infections	How do Tennessee Hospitals Compare to the National Experience?
Adult/Pediatric ICUs	375	392	= Same
Adult/Pediatric Wards	172	239	★ Better

Comparison to the National Experience	Number of Hospitals	
	Adult/Pediatric ICUs	Adult/Pediatric Wards
★ Better	4	5
= Same	42	44
× Worse	5	2
No Conclusion	35	53

Legend			
<p>★ Fewer infections (<b>better</b>) than predicted based on the national experience.*</p>	<p>= About the <b>same</b> number of infections as predicted based on the national experience.*</p>	<p>× More infections (<b>worse</b>) than predicted based on the national experience.*</p>	<p><b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.</p>
<p><b>*National experience contains data from 2015 for CAUTI</b></p>			



**Table 17: Tennessee Catheter-Associated Urinary Tract Infections (CAUTI) in Adult and Pediatric Intensive Care Units (ICU) Acute Care Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	15	18.0	= Same
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	0	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	3	4.0	= Same
Bristol Regional Medical Center	6	9.0	= Same
Centennial Medical Center	10	11.9	= Same
Claiborne Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	3	6.2	= Same
Cumberland Medical Center	0	1.6	= Same
East Tennessee Children's Hospital	0	Less than 1.0	<b>No Conclusion</b>
Erlanger Medical Center	44	30.0	<b>× Worse</b>
Fort Loudoun Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	5	6.8	= Same
Franklin Woods Community Hospital	1	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	1	2.1	= Same
Henry County Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Holston Valley Medical Center	11	13.9	= Same
Horizon Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	0	2.0	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 17 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Jackson Madison County General Hospital	13	17.0	= Same
Jellico Community Hospital	0	Less than 1.0	No Conclusion
Johnson City Medical Center	8	11.9	= Same
Laughlin Memorial Hospital	0	Less than 1.0	No Conclusion
LeConte Medical Center	1	Less than 1.0	No Conclusion
Lincoln Medical Center	0	Less than 1.0	No Conclusion
Livingston Regional Hospital	0	Less than 1.0	No Conclusion
Maury Regional Medical Center	0	4.7	★ Better
Memorial Healthcare System	23	8.5	✗ Worse
Memorial Hixson Hospital	1	Less than 1.0	No Conclusion
Methodist Healthcare Germantown	0	5.2	★ Better
Methodist Healthcare LeBonheur	5	3.8	= Same
Methodist Healthcare North	1	3.0	= Same
Methodist Healthcare South	0	1.3	= Same
Methodist Medical Center of Oak Ridge	5	4.4	= Same
Methodist University Hospital	12	21.1	★ Better
Milan General Hospital	0	Less than 1.0	No Conclusion
Morristown-Hamblen Healthcare System	1	1.8	= Same
Nashville General Hospital at Meharry	3	1.2	= Same
NorthCrest Medical Center	0	Less than 1.0	No Conclusion
Parkridge East Hospital	1	Less than 1.0	No Conclusion

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 17 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Parkridge Medical Center	4	5.7	= Same
Parkridge West Hospital	0	Less than 1.0	No Conclusion
Parkwest Medical Center- Knoxville	7	4.8	= Same
Regional One Health	81	27.8	X Worse
Roane Medical Center	0	Less than 1.0	No Conclusion
Skyline Medical Center	20	11.6	X Worse
Southern TN Reg Health Sys- Lawrenceburg	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Winchester	2	Less than 1.0	No Conclusion
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	No Conclusion
St. Francis Bartlett	0	2.6	= Same
St. Francis Hospital - Memphis	6	8.8	= Same
St. Thomas DeKalb Hospital	0	Less than 1.0	No Conclusion
St. Thomas Highlands Hospital	0	Less than 1.0	No Conclusion
St. Thomas Midtown Hospital	4	4.3	= Same
St. Thomas River Park Hospital	0	Less than 1.0	No Conclusion
St. Thomas Rutherford Hospital	5	5.0	= Same
St. Thomas West Hospital	10	10.1	= Same
Starr Regional Medical Center - Athens	0	Less than 1.0	No Conclusion
StoneCrest Medical Center	0	1.0	= Same
Summit Medical Center	6	3.5	= Same
Sumner Regional Medical Center	0	2.5	= Same

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
X	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 17 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Sweetwater Hospital Association	1	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	0	2.0	= Same
Tennova Healthcare - Cleveland	2	4.8	= Same
Tennova Healthcare - Dyersburg Regional	0	1.2	= Same
Tennova Healthcare - Harton	3	1.1	= Same
Tennova Healthcare - Jefferson Memorial Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lafollette Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	1	1.7	= Same
Tennova Healthcare - Newport Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	2	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	17	6.5	<b>× Worse</b>
Tennova Healthcare - Regional Jackson	1	1.6	= Same
Tennova Healthcare - Shelbyville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	2	1.2	= Same
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	0	2.3	= Same
Unicoi County Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	24	30.0	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.





**Table 17 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Vanderbilt Medical Center	41	45.4	= Same
Williamson Medical Center	0	1.9	= Same

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 18: Tennessee Catheter-Associated Urinary Tract Infections (CAUTI) in Adult and Pediatric Medical, Surgical and Medical/Surgical Wards, Acute Care Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	9	9.2	= Same
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital for Women	0	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	2	5.1	= Same
Bolivar General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Bristol Regional Medical Center	4	9.1	= Same
Centennial Medical Center	9	11.4	= Same
Claiborne Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	4	10.0	★ Better
Cumberland Medical Center	0	3.0	
Decatur County General Hospital	1	Less than 1.0	<b>No Conclusion</b>
Delta Medical Center	1	Less than 1.0	<b>No Conclusion</b>
East Tennessee Children's Hospital	0	Less than 1.0	<b>No Conclusion</b>
Erlanger East	0	Less than 1.0	<b>No Conclusion</b>
Erlanger Medical Center	3	7.0	= Same
Erlanger North	0	Less than 1.0	<b>No Conclusion</b>
Fort Loudoun Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	5	5.8	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 18 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Franklin Woods Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hardin Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Henderson County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	0	2.5	= Same
Henry County Medical Center	1	1.2	= Same
Holston Valley Medical Center	4	8.3	= Same
Horizon Medical Center	2	Less than 1.0	<b>No Conclusion</b>
Houston County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	1	2.1	= Same
Jackson Madison County General Hospital	10	9.8	= Same
Jellico Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Johnson City Medical Center	3	4.4	= Same
Laughlin Memorial Hospital	0	1.7	= Same
LeConte Medical Center	2	1.1	= Same
Lincoln Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	2	1.1	= Same
Maury Regional Medical Center	5	2.6	= Same
McKenzie Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
McNairy Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Memorial Healthcare System	7	7.8	= Same
Memorial Hixson Hospital	1	1.9	= Same

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 18 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Methodist Healthcare Germantown	0	6.7	<b>★ Better</b>
Methodist Healthcare LeBonheur	0	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare North	0	2.0	<b>= Same</b>
Methodist Healthcare South	0	1.4	<b>= Same</b>
Methodist Medical Center of Oak Ridge	6	6.4	<b>= Same</b>
Methodist University Hospital	9	11.5	<b>= Same</b>
Milan General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Morristown-Hamblen Healthcare System	0	2.7	<b>= Same</b>
Nashville General Hospital at Meharry	3	Less than 1.0	<b>No Conclusion</b>
NorthCrest Medical Center	1	1.0	<b>= Same</b>
Parkridge East Hospital	1	1.0	<b>= Same</b>
Parkridge Medical Center	3	3.9	<b>= Same</b>
Parkridge West Hospital	0	Less than 1.0	<b>No Conclusion</b>
Parkwest Medical Center- Knoxville	4	5.7	<b>= Same</b>
Perry Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Regional One Health	3	2.0	<b>= Same</b>
Roane Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Skyline Medical Center	4	3.6	<b>= Same</b>
Southern TN Reg Health Sys-Lawrenceburg	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Sewanee	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Winchester	1	1.8	<b>= Same</b>

Legend			
<b>★</b>	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	<b>=</b>	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
<b>×</b>	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 18 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Bartlett	0	2.2	= Same
St. Francis Hospital - Memphis	0	3.1	★ Better
St. Thomas DeKalb Hospital	1	Less than 1.0	<b>No Conclusion</b>
St. Thomas Highlands Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	1	6.3	★ Better
St. Thomas Rutherford Hospital	4	9.2	= Same
St. Thomas Stones River Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas West Hospital	5	6.2	= Same
Starr Regional Medical Center - Athens	0	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	1	1.5	= Same
Summit Medical Center	1	3.3	= Same
Sumner Regional Medical Center	5	2.5	= Same
Sweetwater Hospital Association	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	1	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	1	1.2	= Same
Tennova Healthcare - Clarksville	2	1.4	= Same
Tennova Healthcare - Cleveland	2	2.5	= Same
Tennova Healthcare - Dyersburg Regional	2	3.0	= Same
Tennova Healthcare - Harton	4	1.1	✗ Worse
Tennova Healthcare - Jamestown	0	2.7	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 18 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Jefferson Memorial Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lafollette Med Ctr	0	1.0	<b>= Same</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	3	1.7	<b>= Same</b>
Tennova Healthcare - Newport Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	1	1.1	<b>= Same</b>
Tennova Healthcare - Physician's Reg Med Ctr	4	2.2	<b>= Same</b>
Tennova Healthcare - Regional Jackson	1	2.2	<b>= Same</b>
Tennova Healthcare - Shelbyville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	1	1.8	<b>= Same</b>
TrustPoint Hospital	0	Less than 1.0	<b>No Conclusion</b>
Unicoi County Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
Medical Center of Manchester	0	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	4	7.5	<b>= Same</b>
Vanderbilt Medical Center	17	11.6	<b>= Same</b>
Wayne Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Wellmont Hawkins County Hospital	0	Less than 1.0	<b>No Conclusion</b>
Williamson Medical Center	0	2.3	<b>= Same</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 19: Tennessee Catheter-Associated Urinary Tract Infections (CAUTI) in Adult and Pediatric Intensive Care Units (ICU) Acute Care Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	1	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	11	12.5	= Same
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	0	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	1	3.6	= Same
Bristol Regional Medical Center	7	10.1	= Same
Centennial Medical Center	11	15.0	= Same
Claiborne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	3	6.8	= Same
Cumberland Medical Center	1	1.3	= Same
East Tennessee Children's Hospital	1	Less than 1.0	<b>No Conclusion</b>
Erlanger Medical Center	41	29.0	<b>× Worse</b>
Fort Loudoun Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	7	8.4	= Same
Franklin Woods Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	1	1.4	= Same
Henry County Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Holston Valley Medical Center	13	15.1	= Same
Horizon Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	1	1.7	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 19 (cont'd)**



Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Jackson Madison County General Hospital	19	18.5	= Same
Jellico Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Johnson City Medical Center	13	11.0	= Same
Laughlin Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
LeConte Medical Center	0	1.0	= Same
Lincoln Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	1	Less than 1.0	<b>No Conclusion</b>
MCJ Children's Hospital at Vanderbilt	0	2.6	= Same
Maury Regional Medical Center	0	4.5	★ Better
Memorial Healthcare System	26	8.5	✗ Worse
Memorial Hixson Hospital	0	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare Germantown	4	5.2	= Same
Methodist Healthcare LeBonheur	1	3.2	= Same
Methodist Healthcare North	1	3.4	= Same
Methodist Healthcare South	0	1.2	= Same
Methodist Medical Center of Oak Ridge	6	5.5	= Same
Methodist University Hospital	9	22.4	★ Better
Milan General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Morristown-Hamblen Healthcare System	0	2.1	= Same
Nashville General Hospital at Meharry	0	1.7	= Same
NorthCrest Medical Center	1	1.1	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.





**Table 19 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Parkridge East Hospital	1	Less than 1.0	<b>No Conclusion</b>
Parkridge Medical Center	10	5.0	<b>× Worse</b>
Parkwest Medical Center- Knoxville	6	5.5	<b>= Same</b>
Regional One Health	48	26.6	<b>× Worse</b>
Roane Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Skyline Medical Center	28	10.3	<b>× Worse</b>
Southern TN Reg Health Sys- Lawrenceburg	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Bartlett	2	2.7	<b>= Same</b>
St. Francis Hospital - Memphis	6	6.6	<b>= Same</b>
St. Thomas DeKalb Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Highlands Hospital	1	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	3	5.1	<b>= Same</b>
St. Thomas River Park Hospital	1	Less than 1.0	<b>No Conclusion</b>
St. Thomas Rutherford Hospital	2	5.2	<b>= Same</b>
St. Thomas West Hospital	13	10.0	<b>= Same</b>
Starr Regional Medical Center - Athens	1	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	1	1.1	<b>= Same</b>
Summit Medical Center	4	4.1	<b>= Same</b>
Sumner Regional Medical Center	0	2.4	<b>= Same</b>

Legend			
	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	<b>=</b>	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 19 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Sweetwater Hospital Association	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	0	1.0	<b>= Same</b>
Takoma Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	1	2.5	<b>= Same</b>
Tennova Healthcare - Cleveland	5	4.0	<b>= Same</b>
Tennova Healthcare - Dyersburg Regional	0	1.1	<b>= Same</b>
Tennova Healthcare - Harton	1	1.3	<b>= Same</b>
Tennova Healthcare - Jefferson Memorial Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lafollette Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	4	1.8	<b>= Same</b>
Tennova Healthcare - Newport Med Ctr	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	2	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	6	6.0	<b>= Same</b>
Tennova Healthcare - Regional Jackson	1	1.4	<b>= Same</b>
Tennova Healthcare - Shelbyville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	3	1.0	<b>= Same</b>
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	3	2.4	<b>= Same</b>
University of Tennessee Medical Ctr	17	28.4	<b>★ Better</b>
Vanderbilt Medical Center	23	43.1	<b>★ Better</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	<b>=</b> About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 19 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Wellmont Hawkins County Hospital	0	Less than 1.0	<b>No Conclusion</b>
Williamson Medical Center	0	1.9	<b>= Same</b>

Legend							
	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*		More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 20: Tennessee Catheter-Associated Urinary Tract Infections (CAUTI) in Adult and Pediatric Medical, Surgical and Medical/Surgical Wards, Acute Care Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	1	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	3	6.5	= Same
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital for Women	0	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	5	4.5	= Same
Bolivar General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Bristol Regional Medical Center	8	10.0	= Same
Centennial Medical Center	9	10.2	= Same
Claiborne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	4	9.5	= Same
Cumberland Medical Center	1	2.3	= Same
Decatur County General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Delta Medical Center	1	Less than 1.0	<b>No Conclusion</b>
East Tennessee Children's Hospital	0	Less than 1.0	<b>No Conclusion</b>
Erlanger East	1	Less than 1.0	<b>No Conclusion</b>
Erlanger Medical Center	6	7.5	= Same
Erlanger North	0	Less than 1.0	<b>No Conclusion</b>
Fort Loudoun Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	6	6.7	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 20 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Franklin Woods Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hardin Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Henderson County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	3	2.3	= Same
Henry County Medical Center	2	1.3	= Same
Holston Valley Medical Center	1	7.1	★ Better
Horizon Medical Center	3	1.0	= Same
Houston County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	0	1.5	= Same
Jackson Madison County General Hospital	13	12.3	= Same
Jellico Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Johnson City Medical Center	0	4.1	★ Better
Laughlin Memorial Hospital	0	1.7	= Same
LeConte Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Lincoln Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	6	1.0	✗ Worse
MCJ Children's Hospital at Vanderbilt	0	Less than 1.0	<b>No Conclusion</b>
Maury Regional Medical Center	0	2.7	= Same
McKenzie Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
McNairy Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Memorial Healthcare System	1	8.8	★ Better

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 20 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Memorial Hixson Hospital	3	2.4	= Same
Methodist Healthcare Germantown	2	6.5	= Same
Methodist Healthcare LeBonheur	0	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare North	1	2.0	= Same
Methodist Healthcare South	1	1.5	= Same
Methodist Medical Center of Oak Ridge	1	6.8	★ Better
Methodist University Hospital	6	10.6	= Same
Milan General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Morristown-Hamblen Healthcare System	0	2.5	= Same
Nashville General Hospital at Meharry	2	Less than 1.0	<b>No Conclusion</b>
NorthCrest Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Parkridge East Hospital	2	Less than 1.0	<b>No Conclusion</b>
Parkridge Medical Center	4	3.8	= Same
Parkwest Medical Center- Knoxville	6	5.8	= Same
Perry Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Regional One Health	3	2.0	= Same
Roane Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Skyline Medical Center	3	1.7	= Same
Southern TN Reg Health Sys- Lawrenceburg	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Sewanee	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Winchester	1	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 20 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Bartlett	4	1.7	= Same
St. Francis Hospital - Memphis	3	2.7	= Same
St. Thomas DeKalb Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Highlands Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	5	5.8	= Same
St. Thomas Rutherford Hospital	4	10.6	★ Better
St. Thomas Stones River Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas West Hospital	4	5.7	= Same
Starr Regional Medical Center - Athens	0	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	3	1.4	= Same
Summit Medical Center	1	2.7	= Same
Sumner Regional Medical Center	5	2.4	= Same
Sweetwater Hospital Association	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	1	1.1	= Same
Tennova Healthcare - Clarksville	1	1.5	= Same
Tennova Healthcare - Cleveland	5	2.1	= Same
Tennova Healthcare - Dyersburg Regional	0	2.9	= Same
Tennova Healthcare - Harton	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Jamestown	0	1.6	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 20 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Jefferson Memorial Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lafollette Med Ctr	0	1.2	= Same
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	4	1.3	<b>× Worse</b>
Tennova Healthcare - Newport Med Ctr	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	2	1.5	= Same
Tennova Healthcare - Regional Jackson	1	1.4	= Same
Tennova Healthcare - Shelbyville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	1	1.8	= Same
TrustPoint Hospital	0	Less than 1.0	<b>No Conclusion</b>
Unicoi County Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
Medical Center of Manchester	0	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	5	7.3	= Same
Vanderbilt Medical Center	7	11.6	= Same
Wayne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Wellmont Hawkins County Hospital	0	Less than 1.0	<b>No Conclusion</b>
Williamson Medical Center	0	2.3	= Same

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
×	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.



# CAUTI

## *Long-term Acute Care Hospitals*

## Catheter-Associated Urinary Tract Infections (CAUTI)

CAUTI data are presented for long-term acute care hospitals (LTAC) for 2015 and 2016. LTACs are facilities designed for people that require care on an ongoing basis but no longer require intensive care at an acute care hospital. In the following tables, LTACs are compared to the national experience from 2015 national data used by CDC for comparison.

**Table 21: Catheter-Associated Urinary Tract Infections (CAUTI) in Tennessee Long-Term Acute Care (LTAC) Hospitals, 01/01/2015 – 12/31/2015**

Location Type	Observed Infections	Predicted Infections	How do Tennessee LTACs Compare to the National Experience?
LTAC	82	69	= Same



Comparison to the National Experience	Number of LTACs
★ Better	0
= Same	8
× Worse	2
No Conclusion	0

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	× More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for CAUTI.</b>			

**Table 22: Catheter-Associated Urinary Tract Infections (CAUTI) in Tennessee Long-Term Acute Care (LTAC) Hospitals, 01/01/2016 – 12/31/2016**



Location Type	Observed Infections	Predicted Infections	How do Tennessee LTACs Compare to the National Experience?
LTAC	61	60	= Same

Comparison to the National Experience	Number of LTACs
★ Better	0
= Same	9
✗ Worse	0
No Conclusion	1

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	 More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<i>*National experience contains data from 2015 for CAUTI.</i>			



**Table 23: Tennessee Catheter-Associated Urinary Tract Infections (CAUTI) in Long-Term Acute Care (LTAC) Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Restorative Care Hosp.	8	5.9	= Same
Curahealth Nashville	7	9.9	= Same
Kindred Hospital in Chattanooga	23	6.8	× Worse
Methodist Extended Care Hospital	5	2.1	= Same
Regional One Extended Care Hospital	5	3.7	= Same
Select Specialty Hospital - Knoxville	2	5.7	= Same
Select Specialty Hospital - Memphis	5	10.9	= Same
Select Specialty Hosp. - North Knoxville	11	5.2	× Worse
Select Specialty Hospital - Tri Cities	5	8.1	= Same
Select Specialty Hospital - Nashville	11	10.9	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 24: Tennessee Catheter-Associated Urinary Tract Infections (CAUTI) in Long-Term Acute Care (LTAC) Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Restorative Care Hosp.	7	5.2	= Same
Curahealth Nashville	8	9.2	= Same
Kindred Hospital in Chattanooga	5	6.4	= Same
Methodist Extended Care Hospital	2	Less than 1.0	<b>No Conclusion</b>
Regional One Extended Care Hospital	4	3.3	= Same
Select Specialty Hospital - Knoxville	6	3.0	= Same
Select Specialty Hospital - Memphis	7	6.4	= Same
Select Specialty Hosp. - North Knoxville	7	5.1	= Same
Select Specialty Hospital - Tri Cities	3	7.3	= Same
Select Specialty Hospital - Nashville	12	13.6	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

# CAUTI

## *Inpatient Rehabilitation Facilities*

## Catheter-Associated Urinary Tract Infections (CAUTI)

CAUTI data are presented for inpatient rehabilitation facilities (IRF) for 2015 and 2016. IRFs are facilities designed for patients with conditions like stroke or brain injury, who need an intensive medical rehabilitation program. In the following tables, IRFs are compared to the national experience from 2015 national data used by CDC for comparison.

**Table 25: Catheter-Associated Urinary Tract Infections (CAUTI) in Tennessee Inpatient Rehabilitation Facilities (IRF), 01/01/2015 – 12/31/2015**

Location Type	Observed Infections	Predicted Infections	How do Tennessee IRFs Compare to the National Experience?
IRF	36	21	<b>✗ Worse</b>

Comparison to the National Experience	Number of IRFs
<b>★ Better</b>	0
<b>= Same</b>	7
<b>✗ Worse</b>	0
<b>No Conclusion</b>	23

Legend			
<b>★</b> Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	<b>=</b> About the <b>same</b> number of infections as predicted based on the national experience.*	<b>✗</b> More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for CAUTI.</b>			

**Table 26: Catheter-Associated Urinary Tract Infections (CAUTI) in Tennessee Inpatient Rehabilitation Facilities (IRF), 01/01/2016 – 12/31/2016**

Location Type	Observed Infections	Predicted Infections	How do Tennessee IRFs Compare to the National Experience?
IRF	32	19	<b>✗ Worse</b>



Comparison to the National Experience	Number of IRFs
<b>★ Better</b>	0
<b>= Same</b>	4
<b>✗ Worse</b>	1
<b>No Conclusion</b>	24

Legend			
<b>★</b> Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	<b>=</b> About the <b>same</b> number of infections as predicted based on the national experience.*	<b>✗</b> More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for CAUTI</b>			



**Table 27: Tennessee Catheter-Associated Urinary Tract Infections (CAUTI) in Inpatient Rehabilitation Facilities (IRF) Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Rehabilitation Hosp. - Germantown	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Cane Creek	1	1.0	= Same
HealthSouth Rehab. Hospital Chattanooga	0	1.6	= Same
HealthSouth Rehab. Hospital Kingsport	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Memphis	1	1.1	= Same
HealthSouth Rehab. Hospital North	3	Less than 1.0	<b>No Conclusion</b>
Horizon Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Jackson Madison County General Hospital	3	2.5	= Same
Livingston Regional Hospital	4	Less than 1.0	<b>No Conclusion</b>
Parkridge Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Quillen Rehabilitation Hospital	3	1.3	= Same
Regional One Health	2	Less than 1.0	<b>No Conclusion</b>
Siskin Hospital for Physical Rehab.	6	3.1	= Same
Skyline Medical Center	3	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Lawrenceburg	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Winchester	1	Less than 1.0	<b>No Conclusion</b>
St. Francis Hospital - Memphis	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	1	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	2	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 27 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Sumner Regional Medical Center Inpatient Rehab	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	2	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	0	Less than 1.0	<b>No Conclusion</b>
TrustPoint Hospital	0	Less than 1.0	<b>No Conclusion</b>
Vanderbilt Stallworth Rehab. Hospital	2	1.6	<b>= Same</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 28: Tennessee Catheter-Associated Urinary Tract Infections (CAUTI) in Inpatient Rehabilitation Facilities (IRF) Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Cookeville Regional Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	3	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Cane Creek	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Chattanooga	2	1.2	<b>= Same</b>
HealthSouth Rehab. Hospital Kingsport	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Memphis	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital North	1	Less than 1.0	<b>No Conclusion</b>
Horizon Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Jackson Madison County General Hospital	3	1.6	<b>= Same</b>
Livingston Regional Hospital	2	Less than 1.0	<b>No Conclusion</b>
Parkridge Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Quillen Rehabilitation Hospital	0	1.6	<b>= Same</b>
Regional One Health	2	Less than 1.0	<b>No Conclusion</b>
Siskin Hospital for Physical Rehab.	3	3.0	<b>= Same</b>
Skyline Medical Center	2	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Lawrenceburg	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Hospital - Memphis	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	0	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Sumner Regional Medical Center Inpatient Rehab	3	Less than 1.0	<b>No Conclusion</b>

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 28 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Takoma Regional Hospital	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	2	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	1	Less than 1.0	<b>No Conclusion</b>
TrustPoint Hospital	1	Less than 1.0	<b>No Conclusion</b>
Vanderbilt Stallworth Rehab. Hospital	5	1.6	<b>× Worse</b>

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	×	<b>No Conclusion</b>
About the <b>same</b> number of infections as predicted based on the 2015 national experience.*		More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	When the number of predicted infections is less than 1, no conclusion can be made.

## Surgical Site Infections (SSI)

A **surgical site infection (SSI)** occurs after surgery in the part of the body where the surgery took place. These infections may involve only the skin or may be more serious and involve tissue under the skin or organs. SSIs sometimes take days or months after surgery to develop. Symptoms may include fever, redness or pain around the surgical site, or drainage of fluid from the wound.

Surgical site infections following colon surgeries and abdominal hysterectomy procedures are included in this report for hospitals that performed at least 20 eligible procedures in 2015 and 2016. In the following tables, hospitals are compared to the national experience from 2015, national data used by CDC for comparison.

**Table 29: Surgical Site Infections (SSI) Following Colon Surgeries and Abdominal Hysterectomy Procedures in Tennessee Hospitals Overall, 01/01/2015 – 12/31/2015**

Procedure Type	Number of Procedures	Observed Infections	Predicted Infections	How do Tennessee Hospitals Compare to the National Experience?
Colon Surgery	7,604	167	198	★ <b>Better</b>
Abdominal Hysterectomy	8,934	64	56	= <b>Same</b>

Comparison to the National Experience	Number of Hospitals	
	Colon Surgery	Abdominal Hysterectomy
★ <b>Better</b>	1	0
= <b>Same</b>	42	12
× <b>Worse</b>	2	1
<b>No Conclusion</b>	17	36

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	×	More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 for SSI</b>							

**Table 30: Surgical Site Infections (SSI) Following Colon Surgeries and Abdominal Hysterectomy Procedures in Tennessee Hospitals Overall, 01/01/2016 - 12/31/2016**

Procedure Type	Number of Procedures	Observed Infections	Predicted Infections	How do Tennessee Hospitals Compare to the National Experience?
Colon Surgery	8,155	195	212	= Same
Abdominal Hysterectomy	9,558	62	59	= Same

Comparison to the National Experience	Number of Hospitals	
	Colon Surgery	Abdominal Hysterectomy
★ Better	2	0
= Same	38	15
× Worse	4	1
No Conclusion	17	38

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	× More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 31: Tennessee Surgical Site Infections Following Colon Surgeries Acute Care Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Memphis	339	14	9.3	= Same
Blount Memorial Hospital	112	5	2.5	= Same
Bristol Regional Medical Center	157	2	3.3	= Same
Centennial Medical Center	263	8	6.3	= Same
Claiborne Medical Center	22	0	Less than 1.0	No Conclusion
Cookeville Regional Medical Center	106	0	2.1	= Same
Cumberland Medical Center	33	1	Less than 1.0	No Conclusion
Erlanger Medical Center	234	6	8.8	= Same
Fort Loudoun Medical Center	34	0	Less than 1.0	No Conclusion
Fort Sanders Regional Medical Center	248	3	6.1	= Same
Franklin Woods Community Hospital	129	1	2.2	= Same
Hendersonville Medical Center	67	1	1.2	= Same
Holston Valley Medical Center	233	5	6.1	= Same
Horizon Medical Center	22	0	Less than 1.0	No Conclusion
Indian Path Medical Center	74	0	1.4	= Same
Jackson Madison County General Hospital	310	4	7.7	= Same
Johnson City Medical Center	147	1	4.0	= Same
Laughlin Memorial Hospital	51	0	1.2	= Same
LeConte Medical Center	29	0	Less than 1.0	No Conclusion
Maury Regional Medical Center	165	4	3.9	= Same
Memorial Healthcare System	270	13	6.0	X Worse

Legend					
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*
				<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 31 (cont'd)**



Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Memorial Hixson Hospital	34	0	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare Germantown	379	9	10.0	= Same
Methodist Healthcare North	49	1	1.1	= Same
Methodist Healthcare South	56	1	1.2	= Same
Methodist Medical Center of Oak Ridge	122	2	2.6	= Same
Methodist University Hospital	172	6	5.6	= Same
Milan General Hospital	32	0	Less than 1.0	<b>No Conclusion</b>
Morristown-Hamblen Healthcare System	46	1	1.0	= Same
Nashville General Hospital at Meharry	43	2	1.5	= Same
NorthCrest Medical Center	26	0	Less than 1.0	<b>No Conclusion</b>
Parkridge Medical Center	68	3	1.3	= Same
Parkwest Medical Center- Knoxville	193	0	3.8	★ Better
Regional One Health	146	15	7.8	× Worse
Roane Medical Center	37	0	Less than 1.0	<b>No Conclusion</b>
Skyline Medical Center	93	3	1.8	= Same
Southern TN Reg Health Sys-Winchester	44	0	1.4	= Same
St. Francis Bartlett	67	0	1.3	= Same
St. Francis Hospital - Memphis	116	1	3.1	= Same
St. Thomas Midtown Hospital	294	6	7.5	= Same
St. Thomas Rutherford Hospital	181	5	3.7	= Same
St. Thomas West Hospital	218	8	5.8	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.





**Table 31 (cont'd)**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Starr Regional Medical Center - Athens	42	0	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	31	1	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	133	3	2.5	= <b>Same</b>
Sumner Regional Medical Center	47	2	Less than 1.0	<b>No Conclusion</b>
Sweetwater Hospital Association	31	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	21	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	56	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	61	1	1.4	= <b>Same</b>
Tennova Healthcare - Cleveland	73	1	2.0	= <b>Same</b>
Tennova Healthcare - Dyersburg Regional	25	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Harton	56	1	1.4	= <b>Same</b>
Tennova Healthcare - Lebanon	33	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	94	2	1.6	= <b>Same</b>
Tennova Healthcare - Physician's Reg Med Ctr	93	1	2.0	= <b>Same</b>
Tennova Healthcare - Regional Jackson	73	0	1.8	= <b>Same</b>
Tennova Healthcare - Turkey Creek Med Ctr	145	4	3.9	= <b>Same</b>
TriStar Southern Hills Medical Center	62	1	1.2	= <b>Same</b>
University of Tennessee Medical Ctr	333	6	10.9	= <b>Same</b>
Vanderbilt Medical Center	496	13	20.0	= <b>Same</b>
Williamson Medical Center	80	0	1.8	= <b>Same</b>

Legend							
	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*		More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 32: Tennessee Surgical Site Infections Following Abdominal Hysterectomies Acute Care Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Memphis	108	1	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Union City	29	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	25	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital for Women	542	2	2.9	<b>= Same</b>
Blount Memorial Hospital	45	0	Less than 1.0	<b>No Conclusion</b>
Bristol Regional Medical Center	111	0	Less than 1.0	<b>No Conclusion</b>
Centennial Medical Center	1397	21	7.2	<b>× Worse</b>
Erlanger East	172	1	Less than 1.0	<b>No Conclusion</b>
Erlanger Medical Center	267	2	2.5	<b>= Same</b>
Fort Sanders Regional Medical Center	159	0	1.1	<b>= Same</b>
Franklin Woods Community Hospital	176	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	61	1	Less than 1.0	<b>No Conclusion</b>
Holston Valley Medical Center	302	0	1.9	<b>= Same</b>
Indian Path Medical Center	21	0	Less than 1.0	<b>No Conclusion</b>
Jackson Madison County General Hospital	301	0	2.0	<b>= Same</b>
Johnson City Medical Center	76	3	Less than 1.0	<b>No Conclusion</b>
LeConte Medical Center	54	0	Less than 1.0	<b>No Conclusion</b>
Maury Regional Medical Center	93	0	Less than 1.0	<b>No Conclusion</b>
McKenzie Regional Hospital	38	0	Less than 1.0	<b>No Conclusion</b>
Memorial Healthcare System	94	1	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare Germantown	911	6	5.8	<b>= Same</b>

Legend							
	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	<b>=</b>	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*		More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 32 (cont'd)**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Methodist Healthcare South	64	0	Less than 1.0	<b>No Conclusion</b>
Methodist Medical Center of Oak Ridge	47	1	Less than 1.0	<b>No Conclusion</b>
Methodist University Hospital	285	1	2.1	<b>= Same</b>
Morristown-Hamblen Healthcare System	56	0	Less than 1.0	<b>No Conclusion</b>
Nashville General Hospital at Meharry	27	1	Less than 1.0	<b>No Conclusion</b>
NorthCrest Medical Center	31	0	Less than 1.0	<b>No Conclusion</b>
Parkridge East Hospital	379	0	1.6	<b>= Same</b>
Parkwest Medical Center- Knoxville	337	5	1.9	<b>= Same</b>
Regional One Health	60	1	Less than 1.0	<b>No Conclusion</b>
St. Francis Bartlett	51	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Hospital - Memphis	112	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Highlands Hospital	46	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	475	2	3.0	<b>= Same</b>
St. Thomas Rutherford Hospital	163	1	Less than 1.0	<b>No Conclusion</b>
St. Thomas West Hospital	141	2	Less than 1.0	<b>No Conclusion</b>
Starr Regional Medical Center - Athens	25	0	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	103	0	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	70	2	Less than 1.0	<b>No Conclusion</b>
Sumner Regional Medical Center	58	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	153	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Harton	27	0	Less than 1.0	<b>No Conclusion</b>

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 32 (cont'd)**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Lebanon	86	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	35	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Regional Jackson	36	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	105	0	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	343	3	2.2	= <b>Same</b>
Vanderbilt Medical Center	347	3	3.4	= <b>Same</b>
Williamson Medical Center	35	0	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 33: Tennessee Surgical Site Infections Following Colon Surgeries Acute Care Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Memphis	351	8	9.7	= Same
Blount Memorial Hospital	135	1	3.3	= Same
Bristol Regional Medical Center	159	0	3.3	★ Better
Centennial Medical Center	275	15	6.5	✗ Worse
Cookeville Regional Medical Center	108	0	2.1	= Same
Cumberland Medical Center	34	0	Less than 1.0	No Conclusion
Erlanger Medical Center	241	7	8.7	= Same
Fort Loudoun Medical Center	38	1	Less than 1.0	No Conclusion
Fort Sanders Regional Medical Center	251	5	6.0	= Same
Franklin Woods Community Hospital	132	3	2.4	= Same
Hendersonville Medical Center	64	2	1.4	= Same
Holston Valley Medical Center	214	0	6.1	★ Better
Horizon Medical Center	43	0	Less than 1.0	No Conclusion
Indian Path Medical Center	80	0	1.5	= Same
Jackson Madison County General Hospital	341	5	8.4	= Same
Johnson City Medical Center	143	4	3.8	= Same
Laughlin Memorial Hospital	43	1	Less than 1.0	No Conclusion
LeConte Medical Center	33	1	Less than 1.0	No Conclusion
Maury Regional Medical Center	188	4	4.5	= Same
Memorial Healthcare System	333	6	7.4	= Same
Memorial Hixson Hospital	33	1	Less than 1.0	No Conclusion

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 33 (cont'd)**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Methodist Healthcare Germantown	362	4	8.6	= Same
Methodist Healthcare North	67	1	1.5	= Same
Methodist Healthcare South	53	1	1.2	= Same
Methodist Medical Center of Oak Ridge	98	4	2.1	= Same
Methodist University Hospital	257	7	8.8	= Same
Milan General Hospital	25	0	Less than 1.0	<b>No Conclusion</b>
Morristown-Hamblen Healthcare System	36	0	Less than 1.0	<b>No Conclusion</b>
Nashville General Hospital at Meharry	53	1	1.8	= Same
NorthCrest Medical Center	33	0	Less than 1.0	<b>No Conclusion</b>
Parkridge Medical Center	81	1	1.7	= Same
Parkwest Medical Center- Knoxville	209	1	4.1	= Same
Regional One Health	243	18	10.6	<b>× Worse</b>
Roane Medical Center	39	0	Less than 1.0	<b>No Conclusion</b>
Skyline Medical Center	120	8	2.4	<b>× Worse</b>
Southern TN Reg Health Sys-Winchester	31	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Bartlett	69	1	1.4	= Same
St. Francis Hospital - Memphis	133	8	3.5	<b>× Worse</b>
St. Thomas Midtown Hospital	309	11	8.8	= Same
St. Thomas Rutherford Hospital	186	4	4.1	= Same
St. Thomas West Hospital	277	9	6.2	= Same
Starr Regional Medical Center - Athens	20	0	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 33 (cont'd)**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
StoneCrest Medical Center	59	0	1.5	= Same
Summit Medical Center	114	0	2.1	= Same
Sumner Regional Medical Center	58	1	1.2	= Same
Sweetwater Hospital Association	20	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	30	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	53	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	56	1	1.1	= Same
Tennova Healthcare - Cleveland	90	1	2.3	= Same
Tennova Healthcare - Dyersburg Regional	25	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Harton	46	1	1.1	= Same
Tennova Healthcare - Lebanon	26	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	75	1	1.4	= Same
Tennova Healthcare - Physician's Reg Med Ctr	74	1	1.5	= Same
Tennova Healthcare - Regional Jackson	69	1	1.6	= Same
Tennova Healthcare - Turkey Creek Med Ctr	167	1	4.2	= Same
TriStar Southern Hills Medical Center	58	1	1.3	= Same
University of Tennessee Medical Ctr	380	10	12.2	= Same
Vanderbilt Medical Center	580	30	22.9	= Same
Williamson Medical Center	53	0	1.2	= Same

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 34: Tennessee Surgical Site Infections Following Abdominal Hysterectomies Acute Care Hospital Report, 01/01/2016 - 12/31/2016**



Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Memphis	189	3	1.6	= Same
Baptist Memorial Hospital - Union City	34	0	Less than 1.0	No Conclusion
Baptist Memorial Hospital - Tipton	26	0	Less than 1.0	No Conclusion
Baptist Memorial Hospital for Women	671	2	3.4	= Same
Bristol Regional Medical Center	48	0	Less than 1.0	No Conclusion
Centennial Medical Center	1470	19	7.9	X Worse
Erlanger East	233	0	Less than 1.0	No Conclusion
Erlanger Medical Center	280	2	2.4	= Same
Fort Sanders Regional Medical Center	175	1	1.1	= Same
Franklin Woods Community Hospital	140	0	Less than 1.0	No Conclusion
Hardin Medical Center	25	0	Less than 1.0	No Conclusion
Hendersonville Medical Center	130	0	Less than 1.0	No Conclusion
Holston Valley Medical Center	195	1	1.4	= Same
Indian Path Medical Center	29	1	Less than 1.0	No Conclusion
Jackson Madison County General Hospital	326	1	2.3	= Same
Johnson City Medical Center	76	1	Less than 1.0	No Conclusion
LeConte Medical Center	40	0	Less than 1.0	No Conclusion
Lincoln Medical Center	26	1	Less than 1.0	No Conclusion
Maury Regional Medical Center	142	0	1.1	= Same
McKenzie Regional Hospital	54	0	Less than 1.0	No Conclusion
Memorial Healthcare System	124	0	Less than 1.0	No Conclusion

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.





**Table 34 (cont'd)**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Methodist Healthcare Germantown	916	5	5.5	= Same
Methodist Healthcare South	83	0	Less than 1.0	No Conclusion
Methodist Medical Center of Oak Ridge	29	0	Less than 1.0	No Conclusion
Methodist University Hospital	254	0	1.9	= Same
Morristown-Hamblen Healthcare System	42	0	Less than 1.0	No Conclusion
Nashville General Hospital at Meharry	38	1	Less than 1.0	No Conclusion
NorthCrest Medical Center	61	0	Less than 1.0	No Conclusion
Parkridge East Hospital	346	0	1.6	= Same
Parkridge Medical Center	40	0	Less than 1.0	No Conclusion
Parkwest Medical Center- Knoxville	362	2	2.0	= Same
Regional One Health	53	2	Less than 1.0	No Conclusion
St. Francis Bartlett	95	0	Less than 1.0	No Conclusion
St. Francis Hospital - Memphis	61	0	Less than 1.0	No Conclusion
St. Thomas Highlands Hospital	36	0	Less than 1.0	No Conclusion
St. Thomas Midtown Hospital	567	2	3.5	= Same
St. Thomas Rutherford Hospital	129	0	Less than 1.0	No Conclusion
St. Thomas West Hospital	138	3	1.0	= Same
Starr Regional Medical Center - Athens	23	0	Less than 1.0	No Conclusion
StoneCrest Medical Center	143	0	Less than 1.0	No Conclusion
Summit Medical Center	92	2	Less than 1.0	No Conclusion
Sumner Regional Medical Center	51	0	Less than 1.0	No Conclusion

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 34 (cont'd)**

Facility Name	Number of Procedures	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Sweetwater Hospital Association	27	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	162	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Harton	23	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Jefferson Memorial Hosp	39	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	67	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	35	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	38	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Regional Jackson	36	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	117	1	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	454	4	2.6	= <b>Same</b>
Vanderbilt Medical Center	346	3	3.6	= <b>Same</b>
Williamson Medical Center	39	0	Less than 1.0	<b>No Conclusion</b>

Legend							
	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*		More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.

## ***Methicillin-resistant Staphylococcus aureus (MRSA) Bacteremia Laboratory-Identified (LabID) Events***

***Methicillin-resistant Staphylococcus aureus (MRSA)*** infections are caused by bacteria that are resistant to certain types of drugs. MRSA can cause skin or wound infections. Sometimes, MRSA can infect the blood and cause serious illness and even death.

Only bloodstream infections are shown in this report from acute care hospitals, long-term acute care hospitals (LTAC) and inpatient rehabilitation facilities (IRF) in 2015 and 2016. In the following tables, healthcare facilities are compared to the national experience from 2015, national data used by CDC for comparison.

**Table 35: Methicillin-resistant *Staphylococcus aureus* (MRSA) Bacteremia Laboratory-Identified (LabID) Events in Tennessee Healthcare Facilities, 01/01/2015 – 12/31/2015**

Facility Type	Observed Events	Predicted Events	How do Tennessee Facilities Compare to the National Experience?
Acute Care	320	254	<b>✗ Worse</b>
LTAC	29	23	<b>= Same</b>
IRF	8	4	<b>= Same</b>

Comparison to the National Experience	Number of Facilities		
	Acute Care	LTAC	IRF
<b>★ Better</b>	0	0	0
<b>= Same</b>	37	9	0
<b>✗ Worse</b>	6	0	0
<b>No Conclusion</b>	64	1	30

Legend			
<p><b>★</b> Fewer events (<b>better</b>) than predicted based on the national experience.*</p>	<p><b>=</b> About the <b>same</b> number of events as predicted based on the national experience.*</p>	<p><b>✗</b> More events (<b>worse</b>) than predicted based on the national experience.*</p>	<p><b>No Conclusion</b> When the number of predicted events is less than 1, no conclusion can be made.</p>
<p><b>*National experience contains data from 2015 for MRSA Laboratory-Identified Events</b></p>			

**Table 36: Methicillin-resistant *Staphylococcus aureus* (MRSA) Bacteremia Laboratory-Identified (LabID) Events in Tennessee Healthcare Facilities 01/01/2016 – 12/31/2016**

Facility Type	Observed Events	Predicted Events	How do Tennessee Facilities Compare to the National Experience?
Acute Care	346	261	<b>× Worse</b>
LTAC	16	19	<b>= Same</b>
IRF	10	4	<b>× Worse</b>

Comparison to the National Experience	Number of Facilities		
	Acute Care	LTAC	IRF
<b>★ Better</b>	2	1	0
<b>= Same</b>	35	6	0
<b>× Worse</b>	7	1	0
<b>No Conclusion</b>	64	2	30

Legend			
<p><b>★</b> Fewer events (<b>better</b>) than predicted based on the national experience.*</p>	<p><b>=</b> About the <b>same</b> number of events as predicted based on the national experience.*</p>	<p><b>×</b> More events (<b>worse</b>) than predicted based on the national experience.*</p>	<p><b>No Conclusion</b> When the number of predicted events is less than 1, no conclusion can be made.</p>
<p><b>*National experience contains data from 2015 for MRSA Laboratory-Identified Events</b></p>			

**Table 37: Tennessee Hospital-Onset Methicillin-resistant *Staphylococcus aureus* (MRSA) Bacteremia Laboratory-Identified (LabID) Events Acute Care Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	13	19.0	= Same
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital for Women	2	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	3	2.7	= Same
Bolivar General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Bristol Regional Medical Center	4	5.1	= Same
Centennial Medical Center	15	9.6	= Same
Claiborne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	6	3.6	= Same
Decatur County General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Delta Medical Center	0	1.0	= Same
East Tennessee Children's Hospital	2	1.0	= Same
Erlanger East	0	Less than 1.0	<b>No Conclusion</b>
Erlanger Medical Center	18	10.2	<b>✗ Worse</b>
Erlanger North	0	Less than 1.0	<b>No Conclusion</b>
Fort Loudoun Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	5	5.3	= Same
Franklin Woods Community Hospital	0	Less than 1.0	<b>No Conclusion</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 37 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Hardin Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Henderson County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Henry County Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Holston Valley Medical Center	6	8.2	= Same
Horizon Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Houston County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	2	1.2	= Same
Jackson Madison County General Hospital	10	13.5	= Same
Jellico Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Johnson City Medical Center	8	11.4	= Same
Laughlin Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
LeConte Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Lincoln Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	1	Less than 1.0	<b>No Conclusion</b>
Maury Regional Medical Center	1	2.6	= Same
McKenzie Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
McNairy Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Memorial Healthcare System	7	5.6	= Same
Memorial Hixson Hospital	0	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare Germantown	5	4.4	= Same

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.	✗ More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 37 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Methodist Healthcare LeBonheur	5	2.9	= Same
Methodist Healthcare North	9	3.5	× Worse
Methodist Healthcare South	2	1.2	= Same
Methodist Medical Center of Oak Ridge	5	2.9	= Same
Methodist University Hospital	27	11.9	× Worse
Milan General Hospital	0	Less than 1.0	No Conclusion
Morristown-Hamblen Healthcare System	0	1.4	= Same
Nashville General Hospital at Meharry	4	Less than 1.0	No Conclusion
NorthCrest Medical Center	0	Less than 1.0	No Conclusion
Parkridge East Hospital	1	Less than 1.0	No Conclusion
Parkridge Medical Center	3	1.8	= Same
Parkridge West Hospital	0	Less than 1.0	No Conclusion
Parkwest Medical Center- Knoxville	4	4.2	= Same
Perry Community Hospital	1	Less than 1.0	No Conclusion
Regional One Health	31	7.2	× Worse
Roane Medical Center	1	Less than 1.0	No Conclusion
Skyline Medical Center	4	3.9	= Same
Southern TN Reg Health Sys- Lawrenceburg	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Sewanee	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Winchester	0	1.4	= Same
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	No Conclusion

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 37 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
St. Francis Bartlett	1	1.8	= Same
St. Francis Hospital - Memphis	4	4.7	= Same
St. Jude Children's Research Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas DeKalb Hospital	1	Less than 1.0	<b>No Conclusion</b>
St. Thomas Highlands Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Hospital for Specialty Surgery	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	9	7.7	= Same
St. Thomas River Park Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Rutherford Hospital	3	4.0	= Same
St. Thomas Stones River Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas West Hospital	4	6.3	= Same
Starr Regional Medical Center - Athens	0	Less than 1.0	<b>No Conclusion</b>
Starr Regional Medical Center - Etowah	0	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	0	1.0	= Same
Summit Medical Center	1	2.2	= Same
Sumner Regional Medical Center	3	1.4	= Same
Sweetwater Hospital Association	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	1	1.6	= Same
Tennova Healthcare - Cleveland	4	1.9	= Same

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.





**Table 37 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Dyersburg Regional	2	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Harton	2	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Jamestown	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Jefferson Memorial Hosp	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lafollette Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	1	1.1	= Same
Tennova Healthcare - Newport Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - North Knoxville Med Ctr	6	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	14	3.5	<b>× Worse</b>
Tennova Healthcare - Regional Jackson	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Shelbyville	2	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Turkey Creek Med Ctr	4	1.2	<b>× Worse</b>
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	1	Less than 1.0	<b>No Conclusion</b>
TrustPoint Hospital	0	Less than 1.0	<b>No Conclusion</b>
Unicoi County Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
Medical Center of Manchester	1	Less than 1.0	<b>No Conclusion</b>
University of Tennessee Medical Ctr	11	18.1	= Same
Vanderbilt Medical Center	32	28.1	= Same
Wayne Medical Center	0	Less than 1.0	<b>No Conclusion</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.
×	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 37 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Wellmont Hawkins County Hospital	0	Less than 1.0	<b>No Conclusion</b>
Williamson Medical Center	1	1.6	<b>= Same</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 38: Tennessee Hospital-Onset Methicillin-resistant *Staphylococcus aureus* (MRSA) Bacteremia Laboratory-Identified (LabID) Events Long-Term Acute Care (LTAC) Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Restorative Care Hosp.	0	Less than 1.0	<b>No Conclusion</b>
Curahealth Nashville	4	2.8	= Same
Kindred Hospital in Chattanooga	5	3.7	= Same
Methodist Extended Care Hospital	3	1.6	= Same
Regional One Extended Care Hospital	3	1.0	= Same
Select Specialty Hospital - Knoxville	3	1.5	= Same
Select Specialty Hospital - Memphis	3	2.6	= Same
Select Specialty Hosp. - North Knoxville	2	1.5	= Same
Select Specialty Hospital - Tri Cities	1	1.7	= Same
Select Specialty Hospital - Nashville	5	5.4	= Same

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 39: Tennessee Hospital-Onset Methicillin-resistant *Staphylococcus aureus* (MRSA) Bacteremia Laboratory-Identified (LabID) Events Inpatient Rehabilitation Facility (IRF) Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Rehabilitation Hospital	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	1	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Cane Creek	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Chattanooga	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Kingsport	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Memphis	1	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital North	0	Less than 1.0	<b>No Conclusion</b>
Horizon Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Jackson Madison County General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Parkridge Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Quillen Rehabilitation Hospital	1	Less than 1.0	<b>No Conclusion</b>
Regional One Health	1	Less than 1.0	<b>No Conclusion</b>
Siskin Hospital for Physical Rehab.	1	Less than 1.0	<b>No Conclusion</b>
Skyline Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Lawrenceburg	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Hospital - Memphis	1	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	0	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	0	Less than 1.0	<b>No Conclusion</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 39 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Sumner Regional Medical Center Inpatient Rehab	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	0	Less than 1.0	<b>No Conclusion</b>
TrustPoint Hospital	0	Less than 1.0	<b>No Conclusion</b>
Vanderbilt Stallworth Rehab. Hospital	1	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	About the <b>same</b> number of infections <b>=</b> as predicted based on the 2015 national experience.	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 40: Tennessee Hospital-Onset Methicillin-resistant *Staphylococcus aureus* (MRSA) Bacteremia Laboratory-Identified (LabID) Events Acute Care Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Huntingdon	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Memphis	21	16.6	= Same
Baptist Memorial Hospital - Union City	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital - Tipton	0	Less than 1.0	<b>No Conclusion</b>
Baptist Memorial Hospital for Women	1	Less than 1.0	<b>No Conclusion</b>
Blount Memorial Hospital	3	2.0	= Same
Bolivar General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Bristol Regional Medical Center	4	5.2	= Same
Centennial Medical Center	17	12.9	= Same
Claiborne Medical Center	1	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	1	3.5	= Same
Decatur County General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Delta Medical Center	0	Less than 1.0	<b>No Conclusion</b>
East Tennessee Children's Hospital	2	1.2	= Same
Erlanger East	0	Less than 1.0	<b>No Conclusion</b>
Erlanger Medical Center	23	11.3	<b>× Worse</b>
Erlanger North	0	Less than 1.0	<b>No Conclusion</b>
Fort Loudoun Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	8	6.1	= Same
Franklin Woods Community Hospital	1	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 40 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Hardin Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Henderson County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	1	1.1	= <b>Same</b>
Henry County Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Holston Valley Medical Center	2	8.0	★ <b>Better</b>
Horizon Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Houston County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	1	1.1	= <b>Same</b>
Jackson Madison County General Hospital	18	14.5	= <b>Same</b>
Jellico Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Johnson City Medical Center	11	10.3	= <b>Same</b>
Laughlin Memorial Hospital	0	Less than 1.0	<b>No Conclusion</b>
LeConte Medical Center	0	1.0	= <b>Same</b>
Lincoln Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
MCJ Children's Hospital at Vanderbilt	4	4.8	= <b>Same</b>
Maury Regional Medical Center	2	3.1	= <b>Same</b>
McKenzie Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
McNairy Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Memorial Healthcare System	2	6.0	= <b>Same</b>
Memorial Hixson Hospital	0	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 40 (cont'd)**



Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Methodist Healthcare Germantown	7	5.5	= Same
Methodist Healthcare LeBonheur	6	3.6	= Same
Methodist Healthcare North	14	3.3	× Worse
Methodist Healthcare South	2	1.1	= Same
Methodist Medical Center of Oak Ridge	1	3.0	= Same
Methodist University Hospital	41	12.8	× Worse
Milan General Hospital	0	Less than 1.0	No Conclusion
Morristown-Hamblen Healthcare System	0	1.4	= Same
Nashville General Hospital at Meharry	1	1.0	= Same
NorthCrest Medical Center	0	Less than 1.0	No Conclusion
Parkridge East Hospital	2	Less than 1.0	No Conclusion
Parkridge Medical Center	3	1.6	= Same
Parkridge West Hospital	0	Less than 1.0	No Conclusion
Parkwest Medical Center- Knoxville	10	4.0	× Worse
Perry Community Hospital	0	Less than 1.0	No Conclusion
Regional One Health	26	9.1	× Worse
Roane Medical Center	0	Less than 1.0	No Conclusion
Skyline Medical Center	4	4.3	= Same
Southern TN Reg Health Sys- Lawrenceburg	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Sewanee	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	No Conclusion

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.
×	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.





**Table 40 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Southern TN Reg Health Sys - Pulaski	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Bartlett	0	2.0	= Same
St. Francis Hospital - Memphis	7	4.1	= Same
St. Jude Children's Research Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas DeKalb Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Highlands Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Hospital for Specialty Surgery	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	6	7.8	= Same
St. Thomas River Park Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas Rutherford Hospital	4	5.2	= Same
St. Thomas Stones River Hospital	0	Less than 1.0	<b>No Conclusion</b>
St. Thomas West Hospital	11	8.1	= Same
Starr Regional Medical Center - Athens	0	Less than 1.0	<b>No Conclusion</b>
Starr Regional Medical Center - Etowah	0	Less than 1.0	<b>No Conclusion</b>
StoneCrest Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	3	2.8	= Same
Sumner Regional Medical Center	4	1.2	× Worse
Sweetwater Hospital Association	0	Less than 1.0	<b>No Conclusion</b>
Sycamore Shoals Hospital	1	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	3	1.8	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 40 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Cleveland	2	2.5	= Same
Tennova Healthcare - Dyersburg Regional	2	Less than 1.0	No Conclusion
Tennova Healthcare - Harton	1	Less than 1.0	No Conclusion
Tennova Healthcare - Jamestown	0	Less than 1.0	No Conclusion
Tennova Healthcare - Jefferson Memorial Hosp	0	Less than 1.0	No Conclusion
Tennova Healthcare - Lafollette Med Ctr	0	Less than 1.0	No Conclusion
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	No Conclusion
Tennova Healthcare - Lebanon	1	Less than 1.0	No Conclusion
Tennova Healthcare - Newport Med Ctr	0	Less than 1.0	No Conclusion
Tennova Healthcare - North Knoxville Med Ctr	3	Less than 1.0	No Conclusion
Tennova Healthcare - Physician's Reg Med Ctr	7	3.3	= Same
Tennova Healthcare - Regional Jackson	1	Less than 1.0	No Conclusion
Tennova Healthcare - Shelbyville	2	Less than 1.0	No Conclusion
Tennova Healthcare - Turkey Creek Med Ctr	3	1.0	= Same
Tennova Healthcare - Volunteer Martin	0	Less than 1.0	No Conclusion
TriStar Southern Hills Medical Center	1	1.1	= Same
TrustPoint Hospital	0	Less than 1.0	No Conclusion
Unicoi County Memorial Hospital	0	Less than 1.0	No Conclusion
Medical Center of Manchester	0	Less than 1.0	No Conclusion
University of Tennessee Medical Ctr	9	18.3	★ Better
Vanderbilt Medical Center	34	19.5	✗ Worse

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 40 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Wayne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Wellmont Hawkins County Hospital	0	Less than 1.0	<b>No Conclusion</b>
Williamson Medical Center	1	1.4	<b>= Same</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.

**Table 41: Tennessee Hospital-Onset Methicillin-resistant *Staphylococcus aureus* (MRSA) Bacteremia Laboratory-Identified (LabID) Events Long-Term Acute Care (LTAC) Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Restorative Care Hosp.	0	Less than 1.0	<b>No Conclusion</b>
Curahealth Nashville	4	1.7	= Same
Kindred Hospital in Chattanooga	2	1.4	= Same
Methodist Extended Care Hospital	1	Less than 1.0	<b>No Conclusion</b>
Regional One Extended Care Hospital	0	1.3	= Same
Select Specialty Hospital - Knoxville	1	1.4	= Same
Select Specialty Hospital - Memphis	6	2.2	<b>✗ Worse</b>
Select Specialty Hosp. - North Knoxville	1	1.6	= Same
Select Specialty Hospital - Tri Cities	0	2.2	= Same
Select Specialty Hospital - Nashville	1	5.6	<b>★ Better</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 42: Tennessee Hospital-Onset Methicillin-resistant *Staphylococcus aureus* (MRSA) Bacteremia Laboratory-Identified (LabID) Events Inpatient Rehabilitation Facility (IRF) Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Rehabilitation Hospital	0	Less than 1.0	<b>No Conclusion</b>
Cookeville Regional Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Fort Sanders Regional Medical Center	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Cane Creek	1	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Chattanooga	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Kingsport	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital Memphis	0	Less than 1.0	<b>No Conclusion</b>
HealthSouth Rehab. Hospital North	0	Less than 1.0	<b>No Conclusion</b>
Horizon Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Jackson Madison County General Hospital	1	Less than 1.0	<b>No Conclusion</b>
Livingston Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Parkridge Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Quillen Rehabilitation Hospital	0	Less than 1.0	<b>No Conclusion</b>
Regional One Health	0	Less than 1.0	<b>No Conclusion</b>
Siskin Hospital for Physical Rehab.	2	Less than 1.0	<b>No Conclusion</b>
Skyline Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Lawrenceburg	0	Less than 1.0	<b>No Conclusion</b>
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	<b>No Conclusion</b>
St. Francis Hospital - Memphis	1	Less than 1.0	<b>No Conclusion</b>
St. Thomas Midtown Hospital	1	Less than 1.0	<b>No Conclusion</b>
Summit Medical Center	0	Less than 1.0	<b>No Conclusion</b>

Legend			
★ Fewer infections <b>(better)</b> than predicted based on the 2015 national experience.	=	✗ More infections <b>(worse)</b> than predicted based on the 2015 national experience.	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 42 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Sumner Regional Medical Center Inpatient Rehab	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	0	Less than 1.0	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	1	Less than 1.0	<b>No Conclusion</b>
TrustPoint Hospital	0	Less than 1.0	<b>No Conclusion</b>
Vanderbilt Stallworth Rehab. Hospital	3	Less than 1.0	<b>No Conclusion</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.

## Clostridioides difficile Infection (CDI) Laboratory-Identified (LabID) Events



**Clostridioides difficile (C. difficile)** is a type of bacteria that causes severe diarrhea and can be deadly. *C. difficile* infections usually occur in people who have recently taken antibiotics and have been under medical care.

CDI data are shown in this report from acute care hospitals, long-term acute care hospitals (LTAC) and inpatient rehabilitation facilities (IRF) in 2015 and 2016. In the following tables, healthcare facilities are compared to the national experience from 2015, national data used by CDC for comparison

**Table 43: Clostridioides difficile Infection (CDI) Laboratory-Identified (LabID) Events in Tennessee Healthcare Facilities Overall, 01/01/2015 – 12/31/2015**

Facility Type	Observed Events	Predicted Events	How do Tennessee Facilities Compare to the National Experience?
Acute Care	2,472	2,554	= Same
LTAC	103	114	= Same
IRF	75	96	★ Better

Comparison to the National Experience	Number of Facilities		
	Acute Care	LTAC	IRF
★ Better	11	3	4
= Same	70	5	16
× Worse	8	1	1
No Conclusion	20	0	9

Legend			
 Fewer events ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of events as predicted based on the national experience.*	 More events ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted events is less than 1, no conclusion can be made.
<p><b>*National experience contains data from 2015 for CDI Laboratory-Identified Events</b></p>			

**Table 44: *Clostridioides difficile* Infection (CDI) Laboratory-Identified (LabID) Events in Tennessee HealthCare Facilities Overall, 01/01/2016 – 12/31/2016**

Facility Type	Observed Events	Predicted Events	How do Tennessee Facilities Compare to the National Experience?
Acute Care	2,272	2,572	★ Better
LTAC	85	121	★ Better
IRF	61	99	★ Better

Comparison to the National Experience	Number of Facilities		
	Acute Care	LTAC	IRF
★ Better	24	4	6
= Same	56	6	16
× Worse	11	0	0
No Conclusion	18	0	8

Legend			
<p>★ Fewer events (<b>better</b>) than predicted based on the national experience.*</p>	<p>= About the <b>same</b> number of events as predicted based on the national experience.*</p>	<p>× More events (<b>worse</b>) than predicted based on the national experience.*</p>	<p><b>No Conclusion</b> When the number of predicted events is less than 1, no conclusion can be made.</p>
<p><b>*National experience contains data from 2015 for CDI Laboratory-Identified Events</b></p>			



**Table 45: Tennessee Hospital-Onset *C. difficile* Infection (CDI) Laboratory-Identified (LabID) Events Acute Care Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	4	4.5	= Same
Baptist Memorial Hospital - Huntingdon	3	2.1	= Same
Baptist Memorial Hospital - Memphis	167	141.8	× Worse
Baptist Memorial Hospital - Union City	8	7.0	= Same
Baptist Memorial Hospital - Tipton	0	1.0	= Same
Baptist Memorial Hospital for Women	0	5.0	★ Better
Blount Memorial Hospital	58	42.1	× Worse
Bolivar General Hospital	0	Less than 1.0	No Conclusion
Bristol Regional Medical Center	51	39.2	= Same
Centennial Medical Center	122	98.5	× Worse
Claiborne Medical Center	3	2.6	= Same
Cookeville Regional Medical Center	45	43.0	= Same
Cumberland Medical Center	14	16.3	= Same
Decatur County General Hospital	1	Less than 1.0	No Conclusion
Delta Medical Center	3	8.2	★ Better
East Tennessee Children's Hospital	1	5.8	★ Better
Erlanger East	0	1.9	= Same
Erlanger Medical Center	99	107.4	= Same
Erlanger North	4	1.2	× Worse
Fort Loudoun Medical Center	4	7.9	= Same
Fort Sanders Regional Medical Center	47	69.1	★ Better

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	× More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion When the number of predicted infections is less than 1, no conclusion can be made.



**Table 45 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Franklin Woods Community Hospital	8	11.5	= Same
Hardin Medical Center	2	1.6	= Same
Henderson County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Hendersonville Medical Center	19	17.9	= Same
Henry County Medical Center	2	4.2	= Same
Holston Valley Medical Center	38	40.6	= Same
Horizon Medical Center	14	11.4	= Same
Houston County Community Hospital	0	Less than 1.0	<b>No Conclusion</b>
Indian Path Medical Center	12	10.8	= Same
Jackson Madison County General Hospital	139	145.3	= Same
Jellico Community Hospital	1	2.1	= Same
Johnson City Medical Center	85	102.2	= Same
Laughlin Memorial Hospital	3	6.0	= Same
LeConte Medical Center	8	12.5	= Same
Lincoln Medical Center	2	2.4	= Same
Livingston Regional Hospital	7	7.2	= Same
Maury Regional Medical Center	30	39.7	= Same
McKenzie Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
McNairy Regional Hospital	0	Less than 1.0	<b>No Conclusion</b>
Memorial Healthcare System	90	85.9	= Same
Memorial Hixson Hospital	12	16.7	= Same

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 45 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Methodist Healthcare Fayette	0	Less than 1.0	<b>No Conclusion</b>
Methodist Healthcare Germantown	51	51.7	= Same
Methodist Healthcare LeBonheur	20	32.6	★ Better
Methodist Healthcare North	70	50.1	× Worse
Methodist Healthcare South	20	15.6	= Same
Methodist Medical Center of Oak Ridge	48	44.8	= Same
Methodist University Hospital	121	85.5	× Worse
Milan General Hospital	0	Less than 1.0	<b>No Conclusion</b>
Morristown-Hamblen Healthcare System	15	16.2	= Same
Nashville General Hospital at Meharry	3	7.4	= Same
NorthCrest Medical Center	7	5.5	= Same
Parkridge East Hospital	9	13.2	= Same
Parkridge Medical Center	31	27.1	= Same
Parkridge West Hospital	0	Less than 1.0	<b>No Conclusion</b>
Parkwest Medical Center- Knoxville	49	61.5	= Same
Perry Community Hospital	2	Less than 1.0	<b>No Conclusion</b>
Regional One Health	37	47.0	= Same
Roane Medical Center	8	6.1	= Same
Skyline Medical Center	55	47.6	= Same
Southern TN Reg Health Sys- Lawrenceburg	2	4.0	= Same
Southern TN Reg Health Sys-Sewanee	1	Less than 1.0	<b>No Conclusion</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 45 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Southern TN Reg Health Sys-Winchester	5	10.1	= Same
Southern TN Reg Health Sys - Pulaski	2	5.1	= Same
St. Francis Bartlett	11	16.5	= Same
St. Francis Hospital - Memphis	30	40.8	= Same
St. Jude Children's Research Hospital	34	6.7	✗ Worse
St. Thomas DeKalb Hospital	2	1.1	= Same
St. Thomas Highlands Hospital	0	Less than 1.0	No Conclusion
St. Thomas Hospital for Specialty Surgery	0	Less than 1.0	No Conclusion
St. Thomas Midtown Hospital	51	48.5	= Same
St. Thomas River Park Hospital	5	1.9	= Same
St. Thomas Rutherford Hospital	67	64.9	= Same
St. Thomas Stones River Hospital	0	Less than 1.0	No Conclusion
St. Thomas West Hospital	97	90.7	= Same
Starr Regional Medical Center - Athens	0	3.4	★ Better
Starr Regional Medical Center - Etowah	0	Less than 1.0	No Conclusion
StoneCrest Medical Center	16	13.9	= Same
Summit Medical Center	28	40.9	★ Better
Sumner Regional Medical Center	27	29.3	= Same
Sweetwater Hospital Association	6	4.5	= Same
Sycamore Shoals Hospital	11	6.5	= Same
Takoma Regional Hospital	1	3.7	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.




**Table 45 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Clarksville	13	16.4	= Same
Tennova Healthcare - Cleveland	9	17.4	★ Better
Tennova Healthcare - Dyersburg Regional	4	6.2	= Same
Tennova Healthcare - Harton	32	15.7	✗ Worse
Tennova Healthcare - Jamestown	0	Less than 1.0	No Conclusion
Tennova Healthcare - Jefferson Memorial Hosp	3	5.7	= Same
Tennova Healthcare - Lafollette Med Ctr	0	4.3	★ Better
Tennova Healthcare - Lakeway Reg Hosp	0	2.7	= Same
Tennova Healthcare - Lebanon	13	10.5	= Same
Tennova Healthcare - Newport Med Ctr	5	4.5	= Same
Tennova Healthcare - North Knoxville Med Ctr	10	13.0	= Same
Tennova Healthcare - Physician's Reg Med Ctr	41	39.1	= Same
Tennova Healthcare - Regional Jackson	11	12.6	= Same
Tennova Healthcare - Shelbyville	3	2.4	= Same
Tennova Healthcare - Turkey Creek Med Ctr	12	11.6	= Same
Tennova Healthcare - Volunteer Martin	5	2.1	= Same
TriStar Southern Hills Medical Center	8	13.9	= Same
TrustPoint Hospital	2	Less than 1.0	No Conclusion
Unicoi County Memorial Hospital	0	Less than 1.0	No Conclusion
Medical Center of Manchester	2	1.4	= Same
University of Tennessee Medical Ctr	91	99.0	= Same

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 45 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Vanderbilt Medical Center	143	212.0	★ <b>Better</b>
Wayne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Wellmont Hawkins County Hospital	1	Less than 1.0	<b>No Conclusion</b>
Williamson Medical Center	16	25.8	★ <b>Better</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	 About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 46: Tennessee Hospital-Onset *C. difficile* Infection (CDI) Laboratory-Identified (LabID) Events Long-term Acute Care (LTAC) Hospital Report, 01/01/2015 - 12/31/2015**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Restorative Care Hosp.	5	6.3	= Same
Curahealth Nashville	4	11.6	★ Better
Kindred Hospital in Chattanooga	3	9.8	★ Better
Methodist Extended Care Hospital	27	13.0	✗ Worse
Regional One Extended Care Hospital	2	7.3	★ Better
Select Specialty Hospital - Knoxville	12	12.3	= Same
Select Specialty Hospital - Memphis	18	13.6	= Same
Select Specialty Hospital - Tri Cities	6	10.8	= Same
Select Specialty Hospital - Nashville	26	29.3	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 47: Tennessee Hospital-Onset *C. difficile* Infection (CDI) Laboratory-Identified (LabID) Events Inpatient Rehabilitation Facilities (IRF) Report, 01/01/2015 - 12/31/2015**



Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Rehabilitation Hospital	4	5.7	= Same
Cookeville Regional Medical Center	1	2.8	= Same
Fort Sanders Regional Medical Center	6	6.1	= Same
HealthSouth Rehab. Hospital Cane Creek	4	3.0	= Same
HealthSouth Rehab. Hospital Chattanooga	2	5.8	= Same
HealthSouth Rehab. Hospital Kingsport	0	3.7	★ Better
HealthSouth Rehab. Hospital Memphis	0	4.6	★ Better
HealthSouth Rehab. Hospital North	0	4.4	★ Better
Horizon Medical Center	0	Less than 1.0	No Conclusion
Jackson Madison County General Hospital	10	7.1	= Same
Livingston Regional Hospital	0	Less than 1.0	No Conclusion
Parkridge Medical Center	0	1.2	= Same
Quillen Rehabilitation Hospital	3	3.1	= Same
Regional One Health	1	3.2	= Same
Siskin Hospital for Physical Rehab.	3	11.1	★ Better
Skyline Medical Center	4	5.1	= Same
Southern TN Reg Health Sys-Lawrenceburg	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Winchester	0	Less than 1.0	No Conclusion
St. Francis Hospital - Memphis	2	1.1	= Same
St. Thomas Midtown Hospital	1	2.3	= Same
Summit Medical Center	2	1.4	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.






**Table 47 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Sumner Regional Medical Center Inpatient Rehab	6	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	8	3.0	<b>× Worse</b>
TriStar Southern Hills Medical Center	1	1.7	<b>= Same</b>
TrustPoint Hospital	0	2.3	<b>= Same</b>
Vanderbilt Stallworth Rehab. Hospital	14	12.0	<b>= Same</b>

Legend			
	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.



**Table 48: Tennessee Hospital-Onset *C. difficile* Infection (CDI) Laboratory-Identified (LabID) Events Acute Care Hospital Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Hospital - Collierville	1	6.3	★ Better
Baptist Memorial Hospital - Huntingdon	4	2.7	= Same
Baptist Memorial Hospital - Memphis	170	133.6	✗ Worse
Baptist Memorial Hospital - Union City	2	6.6	= Same
Baptist Memorial Hospital - Tipton	1	Less than 1.0	No Conclusion
Baptist Memorial Hospital for Women	0	4.5	★ Better
Blount Memorial Hospital	38	31.3	= Same
Bolivar General Hospital	0	Less than 1.0	No Conclusion
Bristol Regional Medical Center	46	45.5	= Same
Centennial Medical Center	137	105.8	✗ Worse
Claiborne Medical Center	2	2.9	= Same
Cookeville Regional Medical Center	46	39.6	= Same
Cumberland Medical Center	4	14.3	★ Better
Decatur County General Hospital	1	Less than 1.0	No Conclusion
Delta Medical Center	0	7.1	★ Better
East Tennessee Children's Hospital	8	7.5	= Same
Erlanger East	0	2.5	= Same
Erlanger Medical Center	94	107.7	= Same
Erlanger North	1	2.6	= Same
Fort Loudoun Medical Center	4	5.9	= Same
Fort Sanders Regional Medical Center	22	59.8	★ Better

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	 About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 48 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Franklin Woods Community Hospital	7	13.3	= Same
Hardin Medical Center	4	1.2	× Worse
Henderson County Community Hospital	1	Less than 1.0	No Conclusion
Hendersonville Medical Center	20	18.1	= Same
Henry County Medical Center	0	4.0	★ Better
Holston Valley Medical Center	62	43.8	× Worse
Horizon Medical Center	6	10.5	= Same
Houston County Community Hospital	0	Less than 1.0	No Conclusion
Indian Path Medical Center	21	12.2	× Worse
Jackson Madison County General Hospital	142	144.6	= Same
Jellico Community Hospital	1	1.6	= Same
Johnson City Medical Center	65	101.0	★ Better
Laughlin Memorial Hospital	7	6.0	= Same
LeConte Medical Center	5	10.1	= Same
Lincoln Medical Center	3	3.5	= Same
Livingston Regional Hospital	12	5.5	× Worse
MCJ Children's Hospital at Vanderbilt	9	36.3	★ Better
Maury Regional Medical Center	25	35.4	= Same
McKenzie Regional Hospital	0	Less than 1.0	No Conclusion
McNairy Regional Hospital	0	Less than 1.0	No Conclusion
Memorial Healthcare System	69	97.5	★ Better

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 48 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Memorial Hixson Hospital	13	18.2	= Same
Methodist Healthcare Germantown	46	54.2	= Same
Methodist Healthcare LeBonheur	8	23.5	★ Better
Methodist Healthcare North	29	41.4	★ Better
Methodist Healthcare South	15	15.0	= Same
Methodist Medical Center of Oak Ridge	22	38.3	★ Better
Methodist University Hospital	105	87.8	= Same
Milan General Hospital	0	Less than 1.0	No Conclusion
Morristown-Hamblen Healthcare System	12	12.8	= Same
Nashville General Hospital at Meharry	1	7.6	★ Better
NorthCrest Medical Center	3	7.1	= Same
Parkridge East Hospital	5	10.5	= Same
Parkridge Medical Center	25	20.4	= Same
Parkridge West Hospital	0	Less than 1.0	No Conclusion
Parkwest Medical Center- Knoxville	40	58.5	★ Better
Perry Community Hospital	1	Less than 1.0	No Conclusion
Regional One Health	32	48.5	★ Better
Roane Medical Center	6	6.3	= Same
Skyline Medical Center	42	43.6	= Same
Southern TN Reg Health Sys- Lawrenceburg	5	4.6	= Same
Southern TN Reg Health Sys-Sewanee	0	Less than 1.0	No Conclusion

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 48 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Southern TN Reg Health Sys-Winchester	3	8.2	★ Better
Southern TN Reg Health Sys - Pulaski	1	5.7	★ Better
St. Francis Bartlett	25	32.0	= Same
St. Francis Hospital - Memphis	53	50.5	= Same
St. Jude Children's Research Hospital	36	6.1	× Worse
St. Thomas DeKalb Hospital	4	1.0	× Worse
St. Thomas Highlands Hospital	1	Less than 1.0	No Conclusion
St. Thomas Hospital for Specialty Surgery	0	Less than 1.0	No Conclusion
St. Thomas Midtown Hospital	45	67.3	★ Better
St. Thomas River Park Hospital	1	3.1	= Same
St. Thomas Rutherford Hospital	53	76.4	★ Better
St. Thomas Stones River Hospital	0	1.1	= Same
St. Thomas West Hospital	94	78.0	= Same
Starr Regional Medical Center - Athens	1	3.1	= Same
Starr Regional Medical Center - Etowah	0	Less than 1.0	No Conclusion
StoneCrest Medical Center	12	15.7	= Same
Summit Medical Center	34	42.7	= Same
Sumner Regional Medical Center	20	27.6	= Same
Sweetwater Hospital Association	4	3.6	= Same
Sycamore Shoals Hospital	11	9.1	= Same
Takoma Regional Hospital	1	2.6	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.




**Table 48 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Tennova Healthcare - Clarksville	7	14.6	★ Better
Tennova Healthcare - Cleveland	8	26.8	★ Better
Tennova Healthcare - Dyersburg Regional	3	4.6	= Same
Tennova Healthcare - Harton	23	11.8	× Worse
Tennova Healthcare - Jamestown	0	Less than 1.0	No Conclusion
Tennova Healthcare - Jefferson Memorial Hosp	6	4.3	= Same
Tennova Healthcare - Lafollette Med Ctr	0	4.7	★ Better
Tennova Healthcare - Lakeway Reg Hosp	0	1.8	= Same
Tennova Healthcare - Lebanon	16	7.3	× Worse
Tennova Healthcare - Newport Med Ctr	6	3.2	= Same
Tennova Healthcare - North Knoxville Med Ctr	12	15.5	= Same
Tennova Healthcare - Physician's Reg Med Ctr	23	37.8	★ Better
Tennova Healthcare - Regional Jackson	11	11.0	= Same
Tennova Healthcare - Shelbyville	6	1.9	× Worse
Tennova Healthcare - Turkey Creek Med Ctr	14	12.4	= Same
Tennova Healthcare - Volunteer Martin	4	2.5	= Same
TriStar Southern Hills Medical Center	14	16.1	= Same
TrustPoint Hospital	0	Less than 1.0	No Conclusion
Unicoi County Memorial Hospital	0	Less than 1.0	No Conclusion
Medical Center of Manchester	0	1.3	= Same
University of Tennessee Medical Ctr	122	127.2	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 48 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Vanderbilt Medical Center	130	172.2	★ <b>Better</b>
Wayne Medical Center	0	Less than 1.0	<b>No Conclusion</b>
Wellmont Hawkins County Hospital	0	1.2	= <b>Same</b>
Williamson Medical Center	18	22.1	= <b>Same</b>

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	 About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 49: Tennessee Hospital-Onset *C. difficile* Infection (CDI) Laboratory-Identified (LabID) Events Long-term Acute Care (LTAC) Hospital Report, 01/01/2016 - 12/31/2016**



Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Restorative Care Hosp.	0	7.1	★ Better
Curahealth Nashville	12	13.2	= Same
Kindred Hospital in Chattanooga	3	10.1	★ Better
Methodist Extended Care Hospital	1	4.1	= Same
Regional One Extended Care Hospital	8	7.7	= Same
Select Specialty Hospital - Knoxville	5	12.9	★ Better
Select Specialty Hospital - Memphis	18	14.5	= Same
Select Specialty Hosp. - North Knoxville	8	11.8	= Same
Select Specialty Hospital - Tri Cities	11	9.9	= Same
Select Specialty Hospital - Nashville	19	29.3	★ Better

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.



**Table 50: Tennessee Hospital-Onset *C. difficile* Infection (CDI) Laboratory-Identified (LabID) Events Inpatient Rehabilitation Facilities (IRF) Report, 01/01/2016 - 12/31/2016**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Baptist Memorial Rehabilitation Hospital	1	6.8	★ Better
Cookeville Regional Medical Center	4	2.9	= Same
Fort Sanders Regional Medical Center	0	6.2	★ Better
HealthSouth Rehab. Hospital Cane Creek	1	3.9	= Same
HealthSouth Rehab. Hospital Chattanooga	6	6.0	= Same
HealthSouth Rehab. Hospital Kingsport	1	3.5	= Same
HealthSouth Rehab. Hospital Memphis	0	4.9	★ Better
HealthSouth Rehab. Hospital North	0	3.7	★ Better
Horizon Medical Center	1	1.3	= Same
Jackson Madison County General Hospital	4	6.9	= Same
Livingston Regional Hospital	1	Less than 1.0	No Conclusion
Parkridge Medical Center	1	1.3	= Same
Quillen Rehabilitation Hospital	2	2.9	= Same
Regional One Health	1	3.2	= Same
Siskin Hospital for Physical Rehab.	3	10.2	★ Better
Skyline Medical Center	1	5.0	★ Better
Southern TN Reg Health Sys-Lawrenceburg	0	Less than 1.0	No Conclusion
Southern TN Reg Health Sys-Winchester	1	Less than 1.0	No Conclusion
St. Francis Hospital - Memphis	4	1.4	= Same
St. Thomas Midtown Hospital	5	3.3	= Same
Summit Medical Center	4	2.2	= Same

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	= About the <b>same</b> number of infections as predicted based on the 2015 national experience.*	 More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.

**Table 50 (cont'd)**

Facility Name	Observed Infections	Predicted Infections	How Does This Facility Compare to the National Experience?
Sumner Regional Medical Center Inpatient Rehab	0	Less than 1.0	<b>No Conclusion</b>
Takoma Regional Hospital	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Clarksville	1	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lakeway Reg Hosp	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Lebanon	0	Less than 1.0	<b>No Conclusion</b>
Tennova Healthcare - Physician's Reg Med Ctr	4	2.6	= <b>Same</b>
TriStar Southern Hills Medical Center	1	2.0	= <b>Same</b>
TrustPoint Hospital	0	2.6	= <b>Same</b>
Vanderbilt Stallworth Rehab. Hospital	13	11.8	= <b>Same</b>

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the 2015 national experience.*	=	About the <b>same</b> number of infections as predicted based on the 2015 national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the 2015 national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.

# Summary of Healthcare-Associated Infections

## *Acute Care Hospitals*

**Table 51: Tennessee Acute Care Hospitals, Infections Compared to the National Experience, 2015**

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Baptist Memorial Hospital - Collierville	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Baptist Memorial Hospital - Huntingdon	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Baptist Memorial Hospital - Memphis	✗	N/A**	=	=	=	=	No Conclusion	✗	=
Baptist Memorial Hospital - Tipton	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Baptist Memorial Hospital - Union City	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Baptist Memorial Hospital for Women	N/A**	=	No Conclusion	N/A**	No Conclusion	No Conclusion	=	★	No Conclusion
Blount Memorial Hospital	=	N/A**	=	=	=	=	No Conclusion	✗	=

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>			

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Bolivar General Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Bristol Regional Medical Center	=	N/A**	=	=	=	=	No Conclusion	=	=
Centennial Medical Center	=	=	=	=	=	=	×	×	=
Claiborne Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Cookeville Regional Medical Center	=	N/A**	=	=	★	=	No Conclusion	=	=
Cumberland Medical Center	No Conclusion	N/A**	=	=	N/A**	No Conclusion	No Conclusion	=	=
Decatur County General Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015  
† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	×	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>							

**Table 51 (cont'd)**

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Delta Medical Center	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	★	=
East Tennessee Children's Hospital	=	=	=	No Conclusion	No Conclusion	No Conclusion	No Conclusion	★	=
Erlanger East	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Erlanger Medical Center	=	=	=	✗	=	=	=	=	✗
Erlanger North	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	✗	No Conclusion
Fort Loudoun Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Fort Sanders Regional Medical Center	=	N/A**	=	=	=	=	=	★	=

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

**Legend**

★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<p><b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b></p>							

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Franklin Woods Community Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion	=	No Conclusion
Hardin Medical Center	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Henderson County Community Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Hendersonville Medical Center	=	N/A**	=	=	=	=	No Conclusion	=	No Conclusion
Henry County Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion
Holston Valley Medical Center	=	=	=	=	=	=	=	=	=
Horizon Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend




 Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	 About the <b>same</b> number of infections as predicted based on the national experience.*	 More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>			

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Houston County Community Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Indian Path Medical Center	=	N/A**	=	=	=	=	No Conclusion	=	=
Jackson Madison County General Hospital	=	No Conclusion	★	=	=	=	=	=	=
Jellico Community Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Johnson City Medical Center	=	=	★	=	=	=	No Conclusion	=	=
Laughlin Memorial Hospital	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	=	No Conclusion	=	No Conclusion
LeConte Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>			



Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Lincoln Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Livingston Regional Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion
Maury Regional Medical Center	=	No Conclusion	=	★	=	=	No Conclusion	=	=
McKenzie Regional Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
McNairy Regional Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Medical Center of Manchester	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Memorial Healthcare System	=	N/A**	★	✗	=	✗	No Conclusion	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2015  
† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>			

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Memorial Hixson Hospital	No Conclusion	N/A**	=	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion
Methodist Healthcare Fayette	N/A**	N/A**	N/A**	N/A**	N/A**	N/A**	N/A**	No Conclusion	N/A**
Methodist Healthcare Germantown	★	=	★	★	★	=	=	=	=
Methodist Healthcare LeBonheur	=	=	=	=	No Conclusion	No Conclusion	No Conclusion	★	=
Methodist Healthcare North	=	N/A**	=	=	=	=	No Conclusion	✗	✗
Methodist Healthcare South	=	No Conclusion	=	=	=	=	No Conclusion	=	=
Methodist Medical Center of Oak Ridge	=	N/A**	=	=	=	=	No Conclusion	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend

★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and <i>C. difficile</i> Laboratory-Identified Events.							

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Methodist University Hospital	★	N/A**	★	★	=	=	=	×	×
Milan General Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Morristown-Hamblen Healthcare System	No Conclusion	N/A**	=	=	=	=	No Conclusion	=	=
Nashville General Hospital at Meharry	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion	=	No Conclusion	=	No Conclusion
NorthCrest Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion
Parkridge East Hospital	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion	=	=	No Conclusion
Parkridge Medical Center	×	N/A**	=	=	=	=	No Conclusion	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend

★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	×	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
---	--	---	--	---	--	---------------	--

\*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and *C. difficile* Laboratory-Identified Events.

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Parkridge West Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Parkwest Medical Center- Knoxville	=	N/A**	=	=	=	★	=	=	=
Perry Community Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Regional One Health	✗	=	=	✗	=	✗	No Conclusion	=	✗
Roane Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Skyline Medical Center	=	N/A**	=	✗	=	=	No Conclusion	=	=
Southern TN Reg Health Sys - Pulaski	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015  
† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend	
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the national experience.*
= About the <b>same</b> number of infections as predicted based on the national experience.*	No Conclusion When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>	

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Southern TN Reg Health Sys-Lawrenceburg	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Southern TN Reg Health Sys-Sewanee	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Southern TN Reg Health Sys-Winchester	No Conclusion	N/A**	No Conclusion	No Conclusion	=	=	No Conclusion	=	=
St. Francis Bartlett	=	No Conclusion	=	=	=	=	No Conclusion	=	=
St. Francis Hospital - Memphis	=	No Conclusion	=	=	★	=	No Conclusion	=	=
St. Jude Children's Research Hospital	N/A**	N/A**	N/A**	N/A**	N/A**	No Conclusion	No Conclusion	×	No Conclusion
St. Thomas DeKalb Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend

★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	×	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
---	--	---	--	---	--	---------------	--

**\*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and *C. difficile* Laboratory-Identified Events.**

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
St. Thomas Highlands Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
St. Thomas Hospital for Specialty Surgery	N/A**	N/A**	N/A**	N/A**	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion
St. Thomas Midtown Hospital	=	=	=	=	★	=	=	=	=
St. Thomas River Park Hospital	No Conclusion	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion
St. Thomas Rutherford Hospital	=	No Conclusion	=	=	=	=	No Conclusion	=	=
St. Thomas Stones River Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
St. Thomas West Hospital	★	N/A**	=	=	=	=	No Conclusion	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend					
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*
	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.			
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>					

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Starr Regional Medical Center - Athens	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	★	No Conclusion
Starr Regional Medical Center - Etowah	N/A**	N/A**	N/A**	N/A**	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion
StoneCrest Medical Center	No Conclusion	N/A**	=	=	=	No Conclusion	No Conclusion	=	=
Summit Medical Center	=	No Conclusion	=	=	=	=	No Conclusion	★	=
Sumner Regional Medical Center	✗	N/A**	=	=	=	No Conclusion	No Conclusion	=	=
Sweetwater Hospital Association	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Sycamore Shoals Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015  
 † These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>			

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Takoma Regional Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion
Tennova Healthcare - Clarksville	=	No Conclusion	=	=	=	=	No Conclusion	=	=
Tennova Healthcare - Cleveland	=	N/A**	=	=	=	=	No Conclusion	★	=
Tennova Healthcare - Dyersburg Regional	No Conclusion	N/A**	No Conclusion	=	=	No Conclusion	No Conclusion	=	No Conclusion
Tennova Healthcare - Harton	No Conclusion	N/A**	No Conclusion	=	✗	=	No Conclusion	✗	No Conclusion
Tennova Healthcare - Jamestown	N/A**	N/A**	★	N/A**	=	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Tennova Healthcare - Jefferson Memorial Hosp	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend					
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*
No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.				
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>					



Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Tennova Healthcare - Lafollette Med Ctr	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	★	No Conclusion
Tennova Healthcare - Lakeway Reg Hosp	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Tennova Healthcare - Lebanon	=	N/A**	=	=	=	No Conclusion	No Conclusion	=	=
Tennova Healthcare - Newport Med Ctr	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Tennova Healthcare - North Knoxville Med Ctr	No Conclusion	N/A**	=	No Conclusion	=	=	No Conclusion	=	No Conclusion
Tennova Healthcare - Physician's Reg Med Ctr	×	No Conclusion	×	×	=	=	No Conclusion	=	×
Tennova Healthcare - Regional Jackson	No Conclusion	N/A**	=	=	=	=	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend

★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	×	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
---	--	---	--	---	--	---------------	--

**\*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and *C. difficile* Laboratory-Identified Events.**

Table 51 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Tennova Healthcare - Shelbyville	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Tennova Healthcare - Turkey Creek Med Ctr	No Conclusion	N/A**	=	=	No Conclusion	=	No Conclusion	=	✗
Tennova Healthcare - Volunteer Martin	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
TriStar Southern Hills Medical Center	=	N/A**	No Conclusion	=	=	=	No Conclusion	=	No Conclusion
TrustPoint Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Unicoi County Memorial Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
University of Tennessee Medical Ctr	=	=	★	=	=	=	=	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend

★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
---	--	---	--	---	--	---------------	--

\*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and *C. difficile* Laboratory-Identified Events.

**Table 51 (cont'd)**

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Vanderbilt Medical Center	=	=	=	=	=	=	=	★	=
Wayne Medical Center	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Wellmont Hawkins County Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Williamson Medical Center	No Conclusion	No Conclusion	=	=	=	=	No Conclusion	★	=

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend	
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*
✗ More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>	

**Table 52: Tennessee Acute Care Hospitals, Infections Compared to the National Experience, 2016**

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Baptist Memorial Hospital - Collierville	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	★	No Conclusion
Baptist Memorial Hospital - Huntingdon	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Baptist Memorial Hospital - Memphis	=	N/A**	=	=	=	=	=	✗	=
Baptist Memorial Hospital - Tipton	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Baptist Memorial Hospital - Union City	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Baptist Memorial Hospital for Women	N/A**	=	No Conclusion	N/A**	No Conclusion	No Conclusion	=	★	No Conclusion
Blount Memorial Hospital	=	N/A**	=	=	=	=	No Conclusion	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2016  
† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>							

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Bolivar General Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Bristol Regional Medical Center	=	N/A**	=	=	=	★	No Conclusion	=	=
Centennial Medical Center	=	=	×	=	=	×	×	×	=
Claiborne Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Cookeville Regional Medical Center	=	N/A**	=	=	=	=	No Conclusion	=	=
Cumberland Medical Center	No Conclusion	N/A**	No Conclusion	=	=	No Conclusion	No Conclusion	★	No Conclusion
Decatur County General Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016  
† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	×	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and <i>C. difficile</i> Laboratory-Identified Events.							

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Delta Medical Center	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	★	No Conclusion
East Tennessee Children's Hospital	=	=	=	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	=
Erlanger East	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Erlanger Medical Center	=	=	★	✗	=	=	=	=	✗
Erlanger North	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Fort Loudoun Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Fort Sanders Regional Medical Center	=	N/A**	=	=	=	=	=	★	=

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend

★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and <i>C. difficile</i> Laboratory-Identified Events.							

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Franklin Woods Community Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion	=	No Conclusion
Hardin Medical Center	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	✗	No Conclusion
Henderson County Community Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Hendersonville Medical Center	No Conclusion	N/A**	=	=	=	=	No Conclusion	=	=
Henry County Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	★	No Conclusion
Holston Valley Medical Center	=	No Conclusion	=	=	★	★	=	✗	★
Horizon Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend

★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion When the number of predicted infections is less than 1, no conclusion can be made.
--	--	--	--

**\*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and *C. difficile* Laboratory-Identified Events.**

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Houston County Community Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Indian Path Medical Center	=	N/A**	No Conclusion	=	=	=	No Conclusion	✗	=
Jackson Madison County General Hospital	=	=	=	=	=	=	=	=	=
Jellico Community Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Johnson City Medical Center	=	=	=	=	★	=	No Conclusion	★	=
Laughlin Memorial Hospital	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion
LeConte Medical Center	No Conclusion	N/A**	No Conclusion	=	No Conclusion	No Conclusion	No Conclusion	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>			



Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Lincoln Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Livingston Regional Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	✗	No Conclusion	No Conclusion	✗	No Conclusion
MCJ Children's Hospital at Vanderbilt	=	★	=	=	No Conclusion	N/A**	N/A**	★	=
Maury Regional Medical Center	=	No Conclusion	=	★	=	=	=	=	=
McKenzie Regional Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
McNairy Regional Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Medical Center of Manchester	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016  
† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend					
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*
	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.			
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>					

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Memorial Healthcare System	=	N/A**	★	✗	★	=	No Conclusion	★	=
Memorial Hixson Hospital	No Conclusion	N/A**	★	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion
Methodist Healthcare Germantown	=	=	★	=	=	=	=	=	=
Methodist Healthcare LeBonheur	=	★	=	=	No Conclusion	No Conclusion	No Conclusion	★	=
Methodist Healthcare North	★	N/A**	★	=	=	=	No Conclusion	★	✗
Methodist Healthcare South	=	No Conclusion	=	=	=	=	No Conclusion	=	=
Methodist Medical Center of Oak Ridge	=	N/A**	=	=	★	=	No Conclusion	★	=

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend

★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
---	--	---	--	---	--	---------------	--

**\*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and *C. difficile* Laboratory-Identified Events.**

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Methodist University Hospital	★	N/A**	★	★	=	=	=	=	✗
Milan General Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Morristown-Hamblen Healthcare System	=	N/A**	=	=	=	No Conclusion	No Conclusion	=	=
Nashville General Hospital at Meharry	=	No Conclusion	No Conclusion	=	No Conclusion	=	No Conclusion	★	=
NorthCrest Medical Center	No Conclusion	N/A**	No Conclusion	=	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Parkridge East Hospital	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	=	No Conclusion
Parkridge Medical Center	=	N/A**	✗	✗	=	=	No Conclusion	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend

★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<p><b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b></p>							

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Parkridge West Hospital	N/A**	N/A**	N/A**	N/A**	N/A**	N/A**	N/A**	No Conclusion	No Conclusion
Parkwest Medical Center- Knoxville	=	N/A**	=	=	=	=	=	★	✗
Perry Community Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Regional One Health	✗	=	=	✗	=	✗	No Conclusion	★	✗
Roane Medical Center	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Skyline Medical Center	=	N/A**	=	✗	=	✗	No Conclusion	=	=
Southern TN Reg Health Sys - Pulaski	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	★	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016  
 † These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and <i>C. difficile</i> Laboratory-Identified Events.							

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Southern TN Reg Health Sys-Lawrenceburg	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Southern TN Reg Health Sys-Sewanee	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Southern TN Reg Health Sys-Winchester	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	★	No Conclusion
St. Francis Bartlett	✗	No Conclusion	=	=	=	=	No Conclusion	=	=
St. Francis Hospital - Memphis	=	No Conclusion	=	=	=	✗	No Conclusion	=	=
St. Jude Children's Research Hospital	N/A**	N/A**	N/A**	N/A**	N/A**	No Conclusion	No Conclusion	✗	No Conclusion
St. Thomas DeKalb Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	✗	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and <i>C. difficile</i> Laboratory-Identified Events.			

**Table 52 (cont'd)**

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
St. Thomas Highlands Hospital	<b>No Conclusion</b>	N/A**	<b>No Conclusion</b>	<b>No Conclusion</b>	<b>No Conclusion</b>	<b>No Conclusion</b>	<b>No Conclusion</b>	<b>No Conclusion</b>	<b>No Conclusion</b>
St. Thomas Hospital for Specialty Surgery	N/A**	N/A**	N/A**	N/A**	N/A**	<b>No Conclusion</b>	<b>No Conclusion</b>	<b>No Conclusion</b>	<b>No Conclusion</b>
St. Thomas Midtown Hospital	=	=	=	=	=	=	=	★	=
St. Thomas River Park Hospital	<b>No Conclusion</b>	N/A**	N/A**	<b>No Conclusion</b>	N/A**	<b>No Conclusion</b>	<b>No Conclusion</b>	=	<b>No Conclusion</b>
St. Thomas Rutherford Hospital	=	<b>No Conclusion</b>	=	=	★	=	<b>No Conclusion</b>	★	=
St. Thomas Stones River Hospital	N/A**	N/A**	<b>No Conclusion</b>	N/A**	<b>No Conclusion</b>	N/A**	N/A**	=	<b>No Conclusion</b>
St. Thomas West Hospital	=	N/A**	=	=	=	=	=	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2016  
 † These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>							

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Starr Regional Medical Center - Athens	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Starr Regional Medical Center - Etowah	N/A**	N/A**	N/A**	N/A**	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion
StoneCrest Medical Center	No Conclusion	N/A**	=	=	=	=	No Conclusion	=	No Conclusion
Summit Medical Center	=	No Conclusion	=	=	=	=	No Conclusion	=	=
Sumner Regional Medical Center	No Conclusion	N/A**	=	=	=	=	No Conclusion	=	×
Sweetwater Hospital Association	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Sycamore Shoals Hospital	No Conclusion	N/A**	No Conclusion	=	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.




Legend							
	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*		About the <b>same</b> number of infections as predicted based on the national experience.*		More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b>	When the number of predicted infections is less than 1, no conclusion can be made.
*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and <i>C. difficile</i> Laboratory-Identified Events.							

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Takoma Regional Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	=	No Conclusion
Tennova Healthcare - Clarksville	=	No Conclusion	=	=	=	=	No Conclusion	★	=
Tennova Healthcare - Cleveland	=	N/A**	=	=	=	=	No Conclusion	★	=
Tennova Healthcare - Dyersburg Regional	No Conclusion	N/A**	No Conclusion	=	=	No Conclusion	No Conclusion	=	No Conclusion
Tennova Healthcare - Harton	No Conclusion	N/A**	No Conclusion	=	No Conclusion	=	No Conclusion	✗	No Conclusion
Tennova Healthcare - Jamestown	N/A**	N/A**	=	N/A**	=	No Conclusion	No Conclusion	No Conclusion	No Conclusion
Tennova Healthcare - Jefferson Memorial Hosp	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and <i>C. difficile</i> Laboratory-Identified Events.							



Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Tennova Healthcare - Lafollette Med Ctr	No Conclusion	N/A**	No Conclusion	No Conclusion	=	No Conclusion	No Conclusion	★	No Conclusion
Tennova Healthcare - Lakeway Reg Hosp	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Tennova Healthcare - Lebanon	=	N/A**	No Conclusion	=	✗	No Conclusion	No Conclusion	✗	No Conclusion
Tennova Healthcare - Newport Med Ctr	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Tennova Healthcare - North Knoxville Med Ctr	No Conclusion	N/A**	=	No Conclusion	No Conclusion	=	No Conclusion	=	No Conclusion
Tennova Healthcare - Physician's Reg Med Ctr	=	No Conclusion	=	=	=	=	No Conclusion	★	=
Tennova Healthcare - Regional Jackson	No Conclusion	N/A**	=	=	=	=	No Conclusion	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>			

Table 52 (cont'd)

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S.aureus</i> (MRSA) Events†
Tennova Healthcare - Shelbyville	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	✗	No Conclusion
Tennova Healthcare - Turkey Creek Med Ctr	=	N/A**	No Conclusion	=	No Conclusion	=	No Conclusion	=	=
Tennova Healthcare - Volunteer Martin	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
TriStar Southern Hills Medical Center	=	N/A**	No Conclusion	=	=	=	No Conclusion	=	=
TrustPoint Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Unicoi County Memorial Hospital	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion
University of Tennessee Medical Ctr	★	=	=	★	=	=	=	=	★

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>			

**Table 52 (cont'd)**

Facility Name	Bloodstream Infections (CLABSI) in Adult/Ped ICUs	Bloodstream Infections (CLABSI) in Neonatal ICUs	Bloodstream Infections (CLABSI) in Adult/Ped Wards	Urinary Tract Infections (CAUTI) in Adult/Ped ICUs	Urinary Tract Infections (CAUTI) in Adult/Ped Wards	Surgical Site Infections after Colon Surgeries	Surgical Site Infections after Abdominal Hysterectomy	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S. aureus</i> (MRSA) Events†
Vanderbilt Medical Center	=	N/A**	=	★	=	=	=	★	✗
Wayne Medical Center	N/A**	N/A**	No Conclusion	N/A**	No Conclusion	N/A**	N/A**	No Conclusion	No Conclusion
Wellmont Hawkins County Hospital	No Conclusion	N/A**	No Conclusion	No Conclusion	No Conclusion	No Conclusion	No Conclusion	=	No Conclusion
Williamson Medical Center	=	No Conclusion	=	=	=	=	No Conclusion	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*
✗	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, SSI, MRSA and C. difficile Laboratory-Identified Events.</b>			

# Summary of Healthcare-Associated Infections

## *Long-term Acute Care Hospitals*

**Table 53: Tennessee Long-term Acute Care Hospitals, Infections Compared to the National Experience, 2015**

Facility Name	Bloodstream Infections (CLABSI)	Urinary Tract Infections (CAUTI)	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S.aureus</i> (MRSA) Events†
Baptist Memorial Restorative Care Hosp.	✗	=	=	<b>No Conclusion</b>
Curahealth Nashville	★	=	★	=
Kindred Hospital in Chattanooga	=	✗	★	=
Methodist Extended Care Hospital	=	=	✗	=
Regional One Extended Care Hospital	=	=	★	=
Select Specialty Hosp. - North Knoxville	=	✗	N/A**	=
Select Specialty Hospital - Knoxville	=	=	=	=
Select Specialty Hospital - Memphis	=	=	=	=
Select Specialty Hospital - Nashville	=	=	=	=
Select Specialty Hospital - Tri Cities	★	=	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
★ Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	✗ More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CLABSI, CAUTI, MRSA and C. difficile Laboratory-Identified Events.</b>			

**Table 54: Tennessee Long-term Acute Care Hospitals, Infections Compared to the National Experience, 2016**

Facility Name	Bloodstream Infections (CLABSI)	Urinary Tract Infections (CAUTI)	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S.aureus</i> (MRSA) Events†
Baptist Memorial Restorative Care Hosp.	=	=	★	No Conclusion
Curahealth Nashville	★	=	=	=
Kindred Hospital in Chattanooga	=	=	★	=
Methodist Extended Care Hospital	=	No Conclusion	=	No Conclusion
Regional One Extended Care Hospital	★	=	=	=
Select Specialty Hosp. - North Knoxville	=	=	=	=
Select Specialty Hospital - Knoxville	=	=	★	=
Select Specialty Hospital - Memphis	=	=	=	×
Select Specialty Hospital - Nashville	★	=	★	★
Select Specialty Hospital - Tri Cities	=	=	=	=

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend							
★	Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	=	About the <b>same</b> number of infections as predicted based on the national experience.*	×	More infections ( <b>worse</b> ) than predicted based on the national experience.*	No Conclusion	When the number of predicted infections is less than 1, no conclusion can be made.
*National experience contains data from 2015 baseline for CLABSI, CAUTI, MRSA and <i>C. difficile</i> Laboratory-Identified Events.							

# Summary of Healthcare-Associated Infections

## *Inpatient Rehabilitation Facilities*

**Table 55: Tennessee Inpatient Rehabilitation Facilities, Infections Compared to the National Experience, 2015**

Facility Name	Urinary Tract Infections (CAUTI)	<i>C. difficile</i> Events†	Methicillin- Resistant <i>S.aureus</i> (MRSA) Events†
Baptist Memorial Rehabilitation Hospital	N/A**	=	No Conclusion
Baptist Rehabilitation Hosp. - Germantown	No Conclusion	N/A**	N/A**
Cookeville Regional Medical Center	No Conclusion	=	No Conclusion
Fort Sanders Regional Medical Center	No Conclusion	=	No Conclusion
HealthSouth Rehab. Hospital Cane Creek	=	=	No Conclusion
HealthSouth Rehab. Hospital Chattanooga	=	=	No Conclusion
HealthSouth Rehab. Hospital Kingsport	No Conclusion	★	No Conclusion
HealthSouth Rehab. Hospital Memphis	=	★	No Conclusion
HealthSouth Rehab. Hospital North	No Conclusion	★	No Conclusion
Horizon Medical Center	No Conclusion	No Conclusion	No Conclusion
Jackson Madison County General Hospital	=	=	No Conclusion
Livingston Regional Hospital	No Conclusion	No Conclusion	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.




Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	 About the <b>same</b> number of infections as predicted based on the national experience.*	 More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<p><b>*National experience contains data from 2015 baseline for CAUTI, MRSA and C. difficile Laboratory-Identified Events.</b></p>			






Table 55 (cont'd)

Facility Name	Urinary Tract Infections (CAUTI)	<i>C. difficile</i> Events†	Methicillin- Resistant <i>S.aureus</i> (MRSA) Events†
Parkridge Medical Center	No Conclusion	=	No Conclusion
Quillen Rehabilitation Hospital	=	=	No Conclusion
Regional One Health	No Conclusion	=	No Conclusion
Siskin Hospital for Physical Rehab.	=	★	No Conclusion
Skyline Medical Center	No Conclusion	=	No Conclusion
Southern TN Reg Health Sys- Lawrenceburg	No Conclusion	No Conclusion	No Conclusion
Southern TN Reg Health Sys- Winchester	No Conclusion	No Conclusion	No Conclusion
St. Francis Hospital - Memphis	No Conclusion	=	No Conclusion
St. Thomas Midtown Hospital	No Conclusion	=	No Conclusion
Summit Medical Center	No Conclusion	=	No Conclusion
Sumner Regional Medical Center Inpatient Rehab	No Conclusion	No Conclusion	No Conclusion
Takoma Regional Hospital	No Conclusion	No Conclusion	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.




Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	 About the <b>same</b> number of infections as predicted based on the national experience.*	 More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CAUTI, MRSA and C. difficile Laboratory-Identified Events.</b>			

**Table 55 (cont'd)**

Facility Name	Urinary Tract Infections (CAUTI)	<i>C. difficile</i> Events†	Methicillin- Resistant <i>S.aureus</i> (MRSA) Events†
Tennova Healthcare - Clarksville	No Conclusion	No Conclusion	No Conclusion
Tennova Healthcare - Lakeway Reg Hosp	No Conclusion	No Conclusion	No Conclusion
Tennova Healthcare - Lebanon	No Conclusion	No Conclusion	No Conclusion
Tennova Healthcare - Physician's Reg Med Ctr	No Conclusion	×	No Conclusion
TriStar Southern Hills Medical Center	No Conclusion	=	No Conclusion
TrustPoint Hospital	No Conclusion	=	No Conclusion
Vanderbilt Stallworth Rehab. Hospital	=	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2015

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	 About the <b>same</b> number of infections as predicted based on the national experience.*	 More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CAUTI, MRSA and C. difficile Laboratory-Identified Events.</b>			

**Table 56: Tennessee Inpatient Rehabilitation Facilities, Infections Compared to the National Experience, 2016**

Facility Name	Urinary Tract Infections (CAUTI)	<i>C. difficile</i> Eventst	Methicillin- Resistant <i>S.aureus</i> (MRSA) Eventst
Baptist Memorial Rehabilitation Hospital	N/A**	★	No Conclusion
Cookeville Regional Medical Center	No Conclusion	=	No Conclusion
Fort Sanders Regional Medical Center	No Conclusion	★	No Conclusion
HealthSouth Rehab. Hospital Cane Creek	No Conclusion	=	No Conclusion
HealthSouth Rehab. Hospital Chattanooga	=	=	No Conclusion
HealthSouth Rehab. Hospital Kingsport	No Conclusion	=	No Conclusion
HealthSouth Rehab. Hospital Memphis	No Conclusion	★	No Conclusion
HealthSouth Rehab. Hospital North	No Conclusion	★	No Conclusion
Horizon Medical Center	No Conclusion	=	No Conclusion
Jackson Madison County General Hospital	=	=	No Conclusion
Livingston Regional Hospital	No Conclusion	No Conclusion	No Conclusion
Parkridge Medical Center	No Conclusion	=	No Conclusion
Quillen Rehabilitation Hospital	=	=	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016

† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.







Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	 About the <b>same</b> number of infections as predicted based on the national experience.*	 More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CAUTI, MRSA and C. difficile Laboratory-Identified Events.</b>			

Table 56 (cont'd)

Facility Name	Urinary Tract Infections (CAUTI)	<i>C. difficile</i> Events†	Methicillin-Resistant <i>S.aureus</i> (MRSA) Events†
Regional One Health	No Conclusion	=	No Conclusion
Siskin Hospital for Physical Rehab.	=	★	No Conclusion
Skyline Medical Center	No Conclusion	★	No Conclusion
Southern TN Reg Health Sys- Lawrenceburg	No Conclusion	No Conclusion	No Conclusion
Southern TN Reg Health Sys- Winchester	No Conclusion	No Conclusion	No Conclusion
St. Francis Hospital - Memphis	No Conclusion	=	No Conclusion
St. Thomas Midtown Hospital	No Conclusion	=	No Conclusion
Summit Medical Center	No Conclusion	=	No Conclusion
Sumner Regional Medical Center Inpatient Rehab	No Conclusion	No Conclusion	No Conclusion
Takoma Regional Hospital	No Conclusion	No Conclusion	No Conclusion
Tennova Healthcare - Clarksville	No Conclusion	No Conclusion	No Conclusion
Tennova Healthcare - Lakeway Reg Hosp	No Conclusion	No Conclusion	No Conclusion
Tennova Healthcare - Lebanon	No Conclusion	No Conclusion	No Conclusion

\*\*N/A - Facility was not subject to this reporting requirement during 2016


† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	 About the <b>same</b> number of infections as predicted based on the national experience.*	 More infections ( <b>worse</b> ) than predicted based on the national experience.*	<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CAUTI, MRSA and C. difficile Laboratory-Identified Events.</b>			

**Table 56 (cont'd)**

Facility Name	Urinary Tract Infections (CAUTI)	<i>C. difficile</i> Events†	Methicillin- Resistant <i>S. aureus</i> (MRSA) Events†
Tennova Healthcare - Physician's Reg Med Ctr	<b>No Conclusion</b>	=	<b>No Conclusion</b>
TriStar Southern Hills Medical Center	<b>No Conclusion</b>	=	<b>No Conclusion</b>
TrustPoint Hospital	<b>No Conclusion</b>	=	<b>No Conclusion</b>
Vanderbilt Stallworth Rehab. Hospital	×	=	<b>No Conclusion</b>

\*\*N/A - Facility was not subject to this reporting requirement during 2016  
† These refer to hospital-onset laboratory-identified events. MRSA events include only those identified in the bloodstream.

Legend			
 Fewer infections ( <b>better</b> ) than predicted based on the national experience.*	= About the <b>same</b> number of infections as predicted based on the national experience.*	×	More infections ( <b>worse</b> ) than predicted based on the national experience.*
			<b>No Conclusion</b> When the number of predicted infections is less than 1, no conclusion can be made.
<b>*National experience contains data from 2015 baseline for CAUTI, MRSA and C. difficile Laboratory-Identified Events.</b>			

## ***Reading Guide to the Healthcare Worker Influenza Vaccination Data Tables***

- **Title:** The title of the table gives you information about the time period (flu season), geographic location, and facility type(s) included in the table.
- **Facility Name:** This is the name of the facility. Facilities with multiple campuses will have each campus identified separately.
- **Percentage of Healthcare Workers Vaccinated:** This is calculated as a percentage (how many per hundred) of all healthcare workers in the hospital who received the flu vaccine. This includes all facility employees, licensed independent practitioners, adult students, and adult volunteers regardless of full time/part time status, clinical responsibility or patient contact.
- **“How Does This Facility Compare to the Healthy People 2020 Goal”?**
  1. Vaccination is higher (**better**) than the Healthy People 2020 Goal: ★ **better**
  2. Vaccination is **similar** to the Healthy People 2020 Goal: = **same**
  3. Vaccination is lower (**worse**) than the Healthy People 2020 Goal: ✗ **worse**

## ***Healthcare Worker Influenza Vaccination***

Influenza, or “the flu,” is a mild to severe respiratory illness caused by the influenza virus. It is a contagious illness, meaning that it can easily spread from person to person. If healthcare workers (also known as healthcare personnel) become infected with the flu, they can spread this illness to their coworkers and patients. Some patients in a hospital are at high risk for complications from the flu, such as the elderly, very young, or those with severe chronic illnesses. Extra care should be taken to prevent the spread of the flu among healthcare workers and patients.

The best way to prevent the flu is by getting vaccinated. The Centers for Disease Control and Prevention (CDC) recommends that all healthcare personnel who work in a healthcare setting receive the flu vaccine each year to help prevent the spread of flu within the workplace. Healthcare personnel in the following tables include all facility employees, licensed independent practitioners, adult students/trainees, and volunteers regardless of full time/part time status, clinical responsibility or patient contact. Contracted personnel who don't otherwise fit into the categories described are not included in this report.

**Table 57: Tennessee Healthcare Worker Influenza Vaccination Percentages, 2015/2016 Flu Season\***

Facility Type	Percentage of Healthcare Workers Vaccinated	How do Tennessee Facilities Compare to the Healthy People 2020 Goal of 90%?
Acute Care	85.8%	<b>✗ Worse</b>
LTAC	80.7%	<b>✗ Worse</b>
IRF	80.3%	<b>✗ Worse</b>

Comparison to the Healthy People 2020 Goal of 90%	Number of Facilities		
	Acute Care	LTAC	IRF
<b>★ Better</b>	42	1	6
<b>= Same</b>	11	3	7
<b>✗ Worse</b>	56	6	17

Legend		
<b>★</b> Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal (90%)	<b>=</b> Vaccination is <b>similar</b> to the Healthy People 2020 Goal (90%)	<b>✗</b> Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal (90%)

\* The 2015-2016 flu season is from October 1, 2015 – March 31, 2016.



**Table 58: Tennessee Healthcare Worker Influenza Vaccination Percentages, 2016/2017 Flu Season\***

Facility Type	Percentage of Healthcare Workers Vaccinated	How do Tennessee Facilities Compare to the Healthy People 2020 Goal of 90%?
Acute Care	88.3%	= Same
LTAC	83.7%	× Worse
IRF	88.8%	= Same

Comparison to the Healthy People 2020 Goal of 90%	Number of Facilities		
	Acute Care	LTAC	IRF
★ Better	55	2	9
= Same	17	4	13
× Worse	37	3	8

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal (90%)	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal (90%)	× Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal (90%)

\* The 2016-2017 flu season is from October 1, 2016 – March 31, 2017

**Table 59: Tennessee Acute Care Hospital Healthcare Worker Influenza Vaccination Percentages, 2015/2016 Flu Season\***




Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Baptist Memorial Hospital - Collierville	83.1%	✗ <b>Worse</b>
Baptist Memorial Hospital - Huntingdon	97.0%	★ <b>Better</b>
Baptist Memorial Hospital - Memphis	89.4%	= <b>Same</b>
Baptist Memorial Hospital - Tipton	96.7%	★ <b>Better</b>
Baptist Memorial Hospital - Union City	97.7%	★ <b>Better</b>
Baptist Memorial Hospital for Women	90.0%	= <b>Same</b>
Blount Memorial Hospital	71.0%	✗ <b>Worse</b>
Bolivar General Hospital	92.0%	= <b>Same</b>
Bristol Regional Medical Center	99.1%	★ <b>Better</b>
Centennial Medical Center	82.6%	✗ <b>Worse</b>
Claiborne Medical Center	86.8%	✗ <b>Worse</b>
Cookeville Regional Medical Center	58.7%	✗ <b>Worse</b>
Cumberland Medical Center	77.9%	✗ <b>Worse</b>
Cumberland River Hospital	78.1%	✗ <b>Worse</b>
Decatur County General Hospital	92.2%	= <b>Same</b>
Delta Medical Center	83.3%	✗ <b>Worse</b>
East Tennessee Children's Hospital	99.4%	★ <b>Better</b>
Erlanger East	99.4%	★ <b>Better</b>
Erlanger Medical Center	93.0%	★ <b>Better</b>
Erlanger North	98.1%	★ <b>Better</b>
Fort Loudoun Medical Center	91.8%	= <b>Same</b>
Fort Sanders Regional Medical Center	84.3%	✗ <b>Worse</b>
Franklin Woods Community Hospital	98.7%	★ <b>Better</b>

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

\* The 2015-2016 flu season is from October 1, 2015 – March 31, 2016.

**Table 59 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Hardin Medical Center	98.1%	★ Better
Henderson County Community Hospital	77.8%	✗ Worse
Hendersonville Medical Center	77.2%	✗ Worse
Henry County Medical Center	98.0%	★ Better
Holston Valley Medical Center	94.1%	★ Better
Horizon Medical Center	95.9%	★ Better
Houston County Community Hospital	76.5%	✗ Worse
Indian Path Medical Center	96.6%	★ Better
Jackson Madison County General Hospital	79.1%	✗ Worse
Jellico Community Hospital	96.9%	★ Better
Johnson City Medical Center	98.0%	★ Better
Laughlin Memorial Hospital	95.7%	★ Better
LeConte Medical Center	82.5%	✗ Worse
Lincoln Medical Center	79.9%	✗ Worse
Livingston Regional Hospital	84.8%	✗ Worse
Maury Regional Medical Center	98.7%	★ Better
McKenzie Regional Hospital	73.7%	✗ Worse
McNairy Regional Hospital	66.5%	✗ Worse
Memorial Healthcare System	87.1%	✗ Worse
Memorial Hixson Hospital	95.0%	★ Better
Methodist Healthcare Germantown	91.8%	★ Better
Methodist Healthcare LeBonheur	97.4%	★ Better
Methodist Healthcare North	96.1%	★ Better

Legend		
 Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	 Vaccination is <b>similar</b> to the Healthy People 2020 Goal	 Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

**Table 59 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Methodist Healthcare South	95.3%	★ Better
Methodist Medical Center of Oak Ridge	83.2%	✗ Worse
Methodist University Hospital	95.6%	★ Better
Milan General Hospital	76.1%	✗ Worse
Morristown-Hamblen Healthcare System	86.9%	✗ Worse
Nashville General Hospital at Meharry	73.1%	✗ Worse
NorthCrest Medical Center	90.1%	= Same
Parkridge East Hospital	71.8%	✗ Worse
Parkridge Medical Center	53.0%	✗ Worse
Parkridge West Hospital	74.2%	✗ Worse
Parkwest Medical Center- Knoxville	86.5%	✗ Worse
Perry Community Hospital	96.6%	★ Better
Regional One Health	91.5%	★ Better
Roane Medical Center	88.4%	= Same
Skyline Medical Center	84.7%	✗ Worse
Southern TN Reg Health Sys - Pulaski	95.9%	★ Better
Southern TN Reg Health Sys- Lawrenceburg	85.4%	✗ Worse
Southern TN Reg Health Sys-Sewanee	97.3%	★ Better
Southern TN Reg Health Sys-Winchester	81.6%	✗ Worse
St. Francis Bartlett	97.4%	★ Better
St. Francis Hospital - Memphis	82.3%	✗ Worse
St. Jude Children's Research Hospital	77.0%	✗ Worse
St. Thomas DeKalb Hospital	98.8%	★ Better

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

**Table 59 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
St. Thomas Highlands Hospital	98.9%	★ Better
St. Thomas Hospital for Specialty Surgery	97.6%	★ Better
St. Thomas Midtown Hospital	83.7%	✗ Worse
St. Thomas River Park Hospital	96.3%	★ Better
St. Thomas Rutherford Hospital	90.8%	= Same
St. Thomas Stones River Hospital	97.2%	★ Better
St. Thomas West Hospital	93.3%	★ Better
Starr Regional Medical Center - Athens	84.3%	✗ Worse
Starr Regional Medical Center - Etowah	83.7%	✗ Worse
StoneCrest Medical Center	69.1%	✗ Worse
Summit Medical Center	90.6%	= Same
Sumner Regional Medical Center	72.7%	✗ Worse
Sweetwater Hospital Association	72.4%	✗ Worse
Sycamore Shoals Hospital	99.3%	★ Better
Takoma Regional Hospital	86.6%	✗ Worse
Tennova Healthcare - Clarksville	76.8%	✗ Worse
Tennova Healthcare - Cleveland	80.7%	✗ Worse
Tennova Healthcare - Dyersburg Regional	86.1%	✗ Worse
Tennova Healthcare - Harton	83.9%	✗ Worse
Tennova Healthcare - Jamestown	85.9%	= Same
Tennova Healthcare - Jefferson Memorial Hosp	62.9%	✗ Worse
Tennova Healthcare - Lafollette Med Ctr	73.4%	✗ Worse
Tennova Healthcare - Lakeway Reg Hosp	70.2%	✗ Worse

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

**Table 59 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Tennova Healthcare - Lebanon	84.3%	✗ <b>Worse</b>
Tennova Healthcare - Newport Med Ctr	84.1%	✗ <b>Worse</b>
Tennova Healthcare - North Knoxville Med Ctr	87.6%	✗ <b>Worse</b>
Tennova Healthcare - Physician's Reg Med Ctr	69.7%	✗ <b>Worse</b>
Tennova Healthcare - Regional Jackson	65.5%	✗ <b>Worse</b>
Tennova Healthcare - Shelbyville	71.4%	✗ <b>Worse</b>
Tennova Healthcare - Turkey Creek Med Ctr	75.4%	✗ <b>Worse</b>
Tennova Healthcare - Volunteer Martin	59.2%	✗ <b>Worse</b>
TriStar Southern Hills Medical Center	79.0%	✗ <b>Worse</b>
TrustPoint Hospital	89.0%	= <b>Same</b>
Unicoi County Memorial Hospital	99.0%	★ <b>Better</b>
United Regional Medical Center	37.5%	✗ <b>Worse</b>
University of Tennessee Medical Ctr	92.2%	★ <b>Better</b>
Vanderbilt Medical Center	95.7%	★ <b>Better</b>
Wayne Medical Center	94.2%	★ <b>Better</b>
Wellmont Hawkins County Hospital	99.2%	★ <b>Better</b>
Williamson Medical Center	91.9%	★ <b>Better</b>

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

**Table 60: Tennessee Long-term Acute Care Hospital Healthcare Worker Influenza Vaccination Percentages, 2015/2016 Flu Season\***

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Facility Compare to the Healthy People 2020 Goal?†
Baptist Memorial Restorative Care Hosp.	92.6%	= Same
Curahealth Nashville	58.7%	× Worse
Kindred Hospital in Chattanooga	78.7%	× Worse
Methodist Extended Care Hospital	94.0%	★ Better
Regional One Extended Care Hospital	75.0%	× Worse
Select Specialty Hosp. - North Knoxville	90.7%	= Same
Select Specialty Hospital - Knoxville	87.7%	= Same
Select Specialty Hospital - Memphis	75.9%	× Worse
Select Specialty Hospital - Nashville	86.7%	× Worse
Select Specialty Hospital - Tri Cities	66.8%	× Worse

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	× Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

\* The 2015-2016 flu season is from October 1, 2015 – March 31, 2016.

**Table 61: Tennessee Inpatient Rehabilitation Facilities' Healthcare Worker Influenza Vaccination Percentages, 2015/2016 Flu Season\***

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Facility Compare to the Healthy People 2020 Goal?†
Baptist Memorial Rehabilitation Hospital	94.3%	★ Better
Cookeville Regional Medical Center	62.7%	✗ Worse
Fort Sanders Regional Medical Center	87.3%	✗ Worse
HealthSouth Rehab. Hospital Cane Creek	96.1%	★ Better
HealthSouth Rehab. Hospital Chattanooga	49.5%	✗ Worse
HealthSouth Rehab. Hospital Kingsport	78.2%	✗ Worse
HealthSouth Rehab. Hospital Memphis	96.5%	★ Better
HealthSouth Rehab. Hospital North	83.2%	✗ Worse
Horizon Medical Center	100%	★ Better
Jackson Madison County General Hospital	72.0%	✗ Worse
Livingston Regional Hospital	83.3%	✗ Worse
Parkridge Medical Center	72.7%	✗ Worse
Quillen Rehabilitation Hospital	93.8%	= Same
Regional One Health	64.2%	✗ Worse
Siskin Hospital for Physical Rehab.	73.7%	✗ Worse
Skyline Medical Center	90.3%	= Same
Southern TN Reg Health Sys-Lawrenceburg	87.5%	= Same
Southern TN Reg Health Sys-Winchester	89.1%	= Same
St. Francis Hospital - Memphis	100%	= Same
St. Thomas Midtown Hospital	83.7%	✗ Worse
Summit Medical Center	96.8%	★ Better
Sumner Regional Medical Center Inpatient Rehab	61.8%	✗ Worse
Takoma Regional Hospital	82.4%	= Same

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal



**Table 61 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Tennova Healthcare - Clarksville	88.9%	= Same
Tennova Healthcare - Lakeway Reg Hosp	58.2%	× Worse
Tennova Healthcare - Lebanon	65.4%	× Worse
Tennova Healthcare - Physician's Reg Med Ctr	40.7%	× Worse
TriStar Southern Hills Medical Center	76.3%	× Worse
TrustPoint Hospital	82.9%	× Worse
Vanderbilt Stallworth Rehab. Hospital	97.7%	★ Better

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	× Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

**Table 62: Tennessee Acute Care Hospital Healthcare Worker Influenza Vaccination Percentages, 2016/2017 Flu Season\***

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Baptist Memorial Hospital - Collierville	94.4%	★ Better
Baptist Memorial Hospital - Huntingdon	97.4%	★ Better
Baptist Memorial Hospital - Memphis	89.4%	= Same
Baptist Memorial Hospital - Tipton	96.7%	★ Better
Baptist Memorial Hospital - Union City	96.8%	★ Better
Baptist Memorial Hospital for Women	91.2%	= Same
Blount Memorial Hospital	56.0%	✗ Worse
Bolivar General Hospital	90.1%	= Same
Bristol Regional Medical Center	99.4%	★ Better
Centennial Medical Center	51.6%	✗ Worse
Claiborne Medical Center	97.5%	★ Better
Cookeville Regional Medical Center	87.3%	✗ Worse
Cumberland Medical Center	97.3%	★ Better
Cumberland River Hospital	92.9%	= Same
Decatur County General Hospital	70.1%	✗ Worse
Delta Medical Center	100%	= Same
East Tennessee Children's Hospital	99.4%	★ Better
Erlanger East	99.1%	★ Better
Erlanger Medical Center	94.4%	★ Better
Erlanger North	96.7%	★ Better
Fort Loudoun Medical Center	97.6%	★ Better
Fort Sanders Regional Medical Center	96.2%	★ Better
Franklin Woods Community Hospital	99.1%	★ Better

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

\* The 2016-2017 flu season is from October 1, 2016 – March 31, 2017

**Table 62 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Hardin Medical Center	98.0%	★ Better
Henderson County Community Hospital	79.3%	✗ Worse
Hendersonville Medical Center	81.3%	✗ Worse
Henry County Medical Center	95.4%	★ Better
Holston Valley Medical Center	95.8%	★ Better
Horizon Medical Center	95.4%	★ Better
Houston County Community Hospital	53.8%	✗ Worse
Indian Path Medical Center	97.2%	★ Better
Jackson Madison County General Hospital	79.5%	✗ Worse
Jellico Community Hospital	89.2%	= Same
Johnson City Medical Center	97.6%	★ Better
Laughlin Memorial Hospital	97.0%	★ Better
LeConte Medical Center	93.4%	★ Better
Lincoln Medical Center	85.2%	✗ Worse
Livingston Regional Hospital	88.5%	= Same
MCJ Children's Hospital at Vanderbilt	97.1%	★ Better
Maury Regional Medical Center	92.3%	★ Better
McKenzie Regional Hospital	77.6%	✗ Worse
Memorial Healthcare System	97.1%	★ Better
Memorial Hixson Hospital	98.0%	★ Better
Methodist Healthcare Germantown	93.7%	★ Better
Methodist Healthcare LeBonheur	97.3%	★ Better
Methodist Healthcare North	95.6%	★ Better

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

**Table 62 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Methodist Healthcare South	93.3%	★ Better
Methodist Medical Center of Oak Ridge	97.5%	★ Better
Methodist University Hospital	95.2%	★ Better
Milan General Hospital	79.8%	✗ Worse
Morristown-Hamblen Healthcare System	95.0%	★ Better
Nashville General Hospital at Meharry	73.2%	✗ Worse
NorthCrest Medical Center	93.5%	★ Better
Parkridge East Hospital	86.9%	✗ Worse
Parkridge Medical Center	80.0%	✗ Worse
Parkridge West Hospital	75.5%	✗ Worse
Parkwest Medical Center- Knoxville	96.2%	★ Better
Perry Community Hospital	96.7%	★ Better
Regional One Health	99.7%	★ Better
Roane Medical Center	98.0%	★ Better
Skyline Medical Center	82.3%	✗ Worse
Southern TN Reg Health Sys - Pulaski	95.7%	★ Better
Southern TN Reg Health Sys- Lawrenceburg	89.2%	= Same
Southern TN Reg Health Sys-Sewanee	97.9%	★ Better
Southern TN Reg Health Sys-Winchester	96.3%	★ Better
St. Francis Bartlett	98.0%	★ Better
St. Francis Hospital - Memphis	93.6%	★ Better
St. Jude Children's Research Hospital	80.1%	✗ Worse
St. Thomas DeKalb Hospital	88.8%	= Same

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

**Table 62 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
St. Thomas Highlands Hospital	88.8%	= Same
St. Thomas Hospital for Specialty Surgery	99.5%	★ Better
St. Thomas Midtown Hospital	96.2%	★ Better
St. Thomas River Park Hospital	91.7%	= Same
St. Thomas Rutherford Hospital	97.4%	★ Better
St. Thomas Stones River Hospital	88.9%	= Same
St. Thomas West Hospital	96.6%	★ Better
Starr Regional Medical Center - Athens	90.3%	= Same
StoneCrest Medical Center	85.7%	✗ Worse
Summit Medical Center	77.1%	✗ Worse
Sumner Regional Medical Center	86.0%	✗ Worse
Sweetwater Hospital Association	74.2%	✗ Worse
Sycamore Shoals Hospital	99.1%	★ Better
Takoma Regional Hospital	93.2%	★ Better
Tennova Healthcare - Clarksville	79.9%	✗ Worse
Tennova Healthcare - Cleveland	72.4%	✗ Worse
Tennova Healthcare - Dyersburg Regional	93.3%	★ Better
Tennova Healthcare - Harton	78.8%	✗ Worse
Tennova Healthcare - Jamestown	73.9%	✗ Worse
Tennova Healthcare - Jefferson Memorial Hosp	70.6%	✗ Worse
Tennova Healthcare - Lafollette Med Ctr	77.3%	✗ Worse
Tennova Healthcare - Lakeway Reg Hosp	66.6%	✗ Worse
Tennova Healthcare - Lebanon	85.9%	✗ Worse

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

**Table 62 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Tennova Healthcare - Newport Med Ctr	87.9%	= Same
Tennova Healthcare - North Knoxville Med Ctr	91.4%	= Same
Tennova Healthcare - Physician's Reg Med Ctr	72.5%	× Worse
Tennova Healthcare - Regional Jackson	70.8%	× Worse
Tennova Healthcare - Shelbyville	76.2%	× Worse
Tennova Healthcare - Turkey Creek Med Ctr	83.6%	× Worse
Tennova Healthcare - Volunteer Martin	60.0%	× Worse
TriStar Southern Hills Medical Center	80.6%	× Worse
TrustPoint Hospital	92.0%	= Same
Unicoi County Memorial Hospital	98.3%	★ Better
United Regional Medical Center	36.8%	× Worse
University of Tennessee Medical Ctr	90.8%	= Same
Vanderbilt Medical Center	95.5%	★ Better
Wayne Medical Center	96.5%	★ Better
Wellmont Hawkins County Hospital	99.2%	★ Better
Williamson Medical Center	91.8%	★ Better

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	× Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

**Table 63: Tennessee Long-term Acute Care Hospital Healthcare Worker Influenza Vaccination Percentages, 2016/2017 Flu Season\***

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Baptist Memorial Restorative Care Hosp.	85.3%	✗ <b>Worse</b>
Curahealth Nashville	90.6%	= <b>Same</b>
Kindred Hospital in Chattanooga	28.8%	✗ <b>Worse</b>
Regional One Extended Care Hospital	99.2%	★ <b>Better</b>
Select Specialty Hosp. - North Knoxville	91.7%	= <b>Same</b>
Select Specialty Hospital - Knoxville	91.4%	= <b>Same</b>
Select Specialty Hospital - Memphis	91.4%	= <b>Same</b>
Select Specialty Hospital - Nashville	76.0%	✗ <b>Worse</b>
Select Specialty Hospital - Tri Cities	98.8%	★ <b>Better</b>

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	✗ Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal

\* The 2016-2017 flu season is from October 1, 2016 – March 31, 2017.

**Table 64: Tennessee Inpatient Rehabilitation Facilities' Healthcare Worker Influenza Vaccination Percentages, 2016/2017 Flu Season\***

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Facility Compare to the Healthy People 2020 Goal?†
Baptist Memorial Rehabilitation Hospital	94.3%	★ Better
Cookeville Regional Medical Center	90.5%	= Same
Fort Sanders Regional Medical Center	96.3%	★ Better
HealthSouth Rehab. Hospital Cane Creek	97.2%	★ Better
HealthSouth Rehab. Hospital Chattanooga	78.0%	× Worse
HealthSouth Rehab. Hospital Kingsport	89.0%	= Same
HealthSouth Rehab. Hospital Memphis	97.3%	★ Better
HealthSouth Rehab. Hospital North	94.9%	★ Better
Horizon Medical Center	94.7%	= Same
Jackson Madison County General Hospital	69.1%	× Worse
Livingston Regional Hospital	88.0%	= Same
Parkridge Medical Center	82.2%	× Worse
Quillen Rehabilitation Hospital	94.0%	= Same
Regional One Health	100%	= Same
Siskin Hospital for Physical Rehab.	83.5%	× Worse
Skyline Medical Center	83.5%	× Worse
Southern TN Reg Health Sys-Lawrenceburg	90.9%	= Same
Southern TN Reg Health Sys-Winchester	97.2%	★ Better
St. Francis Hospital - Memphis	100%	= Same
St. Thomas Midtown Hospital	96.2%	★ Better
Summit Medical Center	100%	★ Better
Sumner Regional Medical Center Inpatient Rehab	75.7%	× Worse
Takoma Regional Hospital	100%	= Same

Legend		
★ Vaccination is higher (better) than the Healthy People 2020 Goal	= Vaccination is similar to the Healthy People 2020 Goal	× Vaccination is lower (worse) than the Healthy People 2020 Goal

\* The 2016-2017 flu season is from October 1, 2016 – March 31, 2017.



**Table 64 (cont'd)**

Facility Name	Percentage of Healthcare Workers Vaccinated	How Does This Hospital Compare to the Healthy People 2020 Goal?†
Tennova Healthcare - Clarksville	88.0%	= Same
Tennova Healthcare - Lakeway Reg Hosp	59.1%	× Worse
Tennova Healthcare - Lebanon	78.9%	= Same
Tennova Healthcare - Physician's Reg Med Ctr	77.6%	× Worse
TriStar Southern Hills Medical Center	82.7%	= Same
TrustPoint Hospital	89.5%	= Same
Vanderbilt Stallworth Rehab. Hospital	97.1%	★ Better

Legend		
★ Vaccination is higher ( <b>better</b> ) than the Healthy People 2020 Goal	= Vaccination is <b>similar</b> to the Healthy People 2020 Goal	× Vaccination is lower ( <b>worse</b> ) than the Healthy People 2020 Goal


## **Additional Information for Healthcare Consumers**

# FAST FACTS:

## What You Need to Know About Healthcare-Associated Infections



Fast Facts was created with the permission of the Kansas Department of Health and Environment—infographics were taken from their report. Images of MRSA and *C. diff* are from CDC.

- A **surgical site infection (SSI)** occurs after surgery in the part of the body where the surgery took place. These infections may involve only the skin or may be more serious and involve tissue under the skin or organs. SSIs sometimes take days or months after surgery to develop. Symptoms may include fever, redness or pain around the surgical site, or drainage of fluid from the wound.
- **Methicillin-resistant *Staphylococcus aureus* (MRSA)** infections are caused by bacteria that are resistant to certain types of drugs. MRSA can cause skin or wound infections. Sometimes, MRSA can infect the blood and cause serious illness and even death. Only bloodstream infections are shown in this report.
- ***Clostridioides difficile* (*C. difficile*)** is a type of bacteria that causes severe diarrhea and can be deadly. *C. difficile* infections usually occur in people who have recently taken antibiotics and have been under medical care.



Sometimes, patients have medical devices inserted into their bodies to provide necessary medical care. These devices are called “invasive devices” and patients with these devices have a higher chance of getting an infection. Here is what you need to know about invasive devices and what kinds of infections they can be associated with:

- A **central line** is a tube placed in a large vein to allow access to the bloodstream and provide the patient with important medicine. A **central line-associated bloodstream infection (CLABSI)** can occur when bacteria or other germs travel along a central line and enter the blood. When not put in correctly or kept clean, central lines can become a pathway for germs to enter the body and cause serious infections in the blood.
- A **urinary catheter** is a tube placed in the bladder to drain urine. A **catheter-associated urinary tract infection (CAUTI)** can occur when bacteria or other germs travel along a urinary catheter, resulting in an infection in the bladder or the kidney.



# Guide to Understanding Healthcare Worker Influenza Vaccination

Influenza, or “the flu,” is a mild to severe respiratory illness caused by the influenza virus. It is a contagious illness, meaning that it can easily spread from person to person. If healthcare workers (also known as healthcare personnel) become infected with the flu, they can spread this illness to their coworkers and patients. Some patients in a hospital are at high risk for complications from the flu, such as the elderly, very young, or those with severe chronic illnesses. Extra care should be taken to prevent the spread of the flu among healthcare workers and patients.

The best way to prevent the flu is by getting vaccinated. The Centers for Disease Control and Prevention (CDC) recommends that all healthcare personnel who work in a healthcare setting receive the flu vaccine each year to help prevent the spread of flu within the workplace. Healthcare personnel include all facility employees, licensed independent practitioners, adult students/trainees, and volunteers regardless of full time/part time status, clinical responsibility or patient contact. ***Studies show that patients benefit when healthcare workers get vaccinated.***

Many hospitals choose to provide the flu vaccine to their employees, and some hospitals even have policies requiring mandatory vaccination. Currently, there are no state regulations requiring vaccination in Tennessee, and healthcare workers are able to decline the flu vaccine for any reason.

This report shows the percentage of all healthcare workers in each hospital who received the flu vaccine. Higher percentages are better, because this indicates that a greater number of healthcare workers are protected against the flu. The Department of Health and Human Services (HHS) Healthy People 2020 goal for healthcare worker flu vaccination in the United States is 90%.

*For more information about the CDC recommendations and the national trends of influenza vaccination coverage, see here: <http://www.cdc.gov/flu/healthcareworkers.htm>*

# Things to Think About When Choosing a Healthcare Facility

- Does your doctor recommend the facility? Why or why not?
- Does your health insurance cover treatment at this facility? If not, ask your doctor if there are benefits of out-of-network care.
- Is your hospital accredited by a nonprofit organization that seeks to improve the quality and safety of healthcare (e.g., The Joint Commission or DNV-GL)?
- Do you know your doctor's or healthcare provider's qualifications? Is he or she licensed and board-certified? Consult your state licensing board for information on licensure and disciplinary actions that may have been taken.
- What infection prevention resources are at your healthcare facility? If you have questions, find out how you can get in touch with someone in infection prevention before you visit the facility.
- Does your healthcare facility have a patient advocate? If so, s/he may be able to provide additional consultation and services before, during, and after your medical treatment.
- If you are planning to have surgery:
  - Does the facility do a lot of the procedures that you will be having? Patients who have surgery at hospitals that do more surgical procedures may have better outcomes<sup>3</sup>.
  - Does the facility have a floor or unit that only does the type of surgery you are having? For example, for hip replacement surgery, does the facility have a floor or unit that is used only for joint replacement surgeries?
  - Does the facility have one or more operating rooms that are used only for your type of surgery?
  - Does the facility follow specific guidelines so that everyone who has your type of surgery receives consistent care?
- The federal government reports other quality information about hospitals, in addition to healthcare associated-infections. Find this information online at:  
[www.hospitalcompare.hhs.gov](http://www.hospitalcompare.hhs.gov)
- The Centers for Medicare and Medicaid Services has a comprehensive guide available to assist patients in selecting a hospital. Find this at:  
<https://www.medicare.gov/pubs/pdf/10181-Guide-Choosing-Hospital.pdf>

---

<sup>3</sup> Ho, V Evolution of the Volume-Outcome Relation for Hospitals Performing Coronary Angioplasty. Circulation 2000;101:1806-1811

# What Patients Can Do to Prevent Infections

## ***To prevent all infections:***

- If you do not see your healthcare providers clean their hands before caring for you, don't be shy about asking them to do so. This is your healthcare, and you have a right to speak up!
  - Make sure you and your family members and friends keep their hands clean too!
- Ask your healthcare provider what specific steps s/he takes to prevent infections as well as what you can do to prevent infections before, during, and after your visit as it applies to your care.

## ***To prevent central line-associated bloodstream infections (CLABSIs) and catheter-associated urinary tract infections (CAUTIs):***

If you have a central line or urinary catheter put in place, ask your doctors and nurses to explain why you need it and how long you will have it.

- Ask your healthcare providers each day if you still need it.
- If the bandage covering your central line becomes wet or dirty, tell your nurse or doctor immediately.
- Tell your nurse or doctor if the area around your central line or catheter is sore or red, or you feel feverish.
- Follow your healthcare providers' instructions for the care of the central line or urinary catheter to keep it working as it should and keep it clean and free of germs.
- Do not let family and friends touch the central line tubing or bandage.
- See [FAQs about CLABSI](#) and [FAQs about CAUTI](#) for more information.

## ***To prevent surgical site infections (SSIs):***

### ***Immediately after your surgery and during recovery:***

- Avoid touching your incision area and follow all instructions from your doctor about how to take care of your incision.
- Before and after taking care of your incision area, wash your hands or use an alcohol-based hand sanitizer and have any family member helping with your care do the same.
- If you have any infection signs/symptoms like redness, pain, fever, or drainage, call your doctor ASAP.
- Until the incision is completely healed, always use a different washcloth for the incision area than the one used for the rest of your body.
- Keep clean sheets on your bed and make sure the clothes that come in contact with your incision are clean.
- Keep pets away from the incision until healed.

***Before you leave the hospital or ambulatory surgery center:***

- Make sure you understand how to take care of your wound and ask questions when you are unsure.
- Know who to contact if you have questions or problems after you get home.
- Keep all appointments scheduled at the time of discharge.

See [FAQs about SSIs](#) for more information.

***To prevent Clostridioides difficile infections:***

- Take antibiotics only as prescribed by your doctor and complete the course of treatment.
- Tell your doctor if you have recently been on antibiotics or if you get diarrhea within a few months of taking the antibiotics.
- Wash your hands before eating and after using the bathroom.
- See [FAQs about Clostridioides difficile](#) for more information.

***To prevent methicillin-resistant Staphylococcus aureus (MRSA) infections:***

- Clean your hands often, especially before and after changing wound dressings or bandages.
- Keep wounds clean and change bandages as instructed until healed.
- Avoid sharing personal items such as towels or razors.
- Take antibiotics only as prescribed by your doctor and complete the course of treatment.
- See [FAQs about MRSA infections](#) for more information.

***To prevent influenza or the “flu”:***

Get vaccinated against the flu each year, clean your hands often, and cover your cough with your sleeve.

**BE INFORMED. BE EMPOWERED. BE PREPARED.**

**6 WAYS TO BE A SAFE PATIENT**

**1**

**SPEAK UP.**

Talk to your doctor about all questions or worries you have. Ask them what they are doing to protect you.

- ▶ If you have a catheter, ask each day if it is necessary.
- ▶ Ask your doctor how he/she prevents surgical site infections. Also ask how you can prepare for surgery to reduce your infection risk.



**2**

**KEEP HANDS CLEAN.**

Be sure everyone cleans their hands before touching you.



**3**

**GET SMART ABOUT ANTIBIOTICS.**


Ask if tests will be done to make sure the right antibiotic is prescribed.



**4**

**KNOW THE SIGNS AND SYMPTOMS OF INFECTION.**

Some skin infections, such as MRSA, appear as redness, pain, or drainage at an IV catheter site or surgery site. Often these symptoms come with a fever. Tell your doctor if you have these symptoms.



**5**

**WATCH OUT FOR DEADLY DIARRHEA. (AKA *C. difficile*)**

Tell your doctor if you have 3 or more diarrhea episodes in 24 hours, especially if you have been taking an antibiotic.



**6**

**PROTECT YOURSELF.**

Get vaccinated against flu and other infections to avoid complications.



245525-E



# Appendices

## **Appendix A. Acronyms**

CAUTI – catheter-associated urinary tract infection  
CCU – critical care unit (used interchangeably with intensive care unit (ICU))  
CDC – Centers for Disease Control and Prevention  
CDI – *C. difficile* infection  
CLABSI – central line-associated bloodstream infection  
CMS – Centers for Medicare and Medicaid Services  
CO – community onset  
COLO – colon surgery  
HAI – healthcare-associated infection  
HO – healthcare facility onset  
HYST – abdominal hysterectomy  
IP – infection preventionist  
ICU – intensive care unit (use interchangeably with critical care unit (CCU))  
MRSA – methicillin-resistant *Staphylococcus aureus*  
NHSN – National Healthcare Safety Network  
NICU – neonatal intensive care unit  
OR – operating room  
PROC – surgical procedures  
SSI – surgical site infection  
TDH – Tennessee Department of Health  
TN – Tennessee

## **Appendix B. Index of Hospitals Included in This Report**

<b>Facility Name</b>	<b>Page</b>
Baptist Memorial Hospital - Collierville .....	13, 19, 28, 33, 45, 50, 55, 60, 93, 102, 113, 122, 132, 148, 178, 186
Baptist Memorial Hospital - Huntingdon .....	13, 19, 28, 33, 45, 50, 55, 60, 93, 102, 113, 122, 132, 148, 178, 186
Baptist Memorial Hospital - Memphis.....	13, 19, 28, 33, 45, 50, 55, 60, 79, 82, 85, 88, 93, 102, 113, 122, 132, 148, 178, 186
Baptist Memorial Hospital - Tipton.....	13, 19, 28, 33, 45, 50, 55, 60, 82, 88, 93, 102, 113, 122, 132, 148, 178, 186
Baptist Memorial Hospital - Union City.....	13, 19, 28, 33, 45, 50, 55, 60, 82, 88, 93, 102, 113, 122, 132, 148, 178, 186
Baptist Memorial Hospital for Women .....	17, 23, 28, 33, 50, 60, 82, 88, 93, 102, 113, 122, 132, 148, 178, 186
Baptist Memorial Rehabilitation Hospital.....	100, 109, 120, 129, 168, 171, 184, 192
Baptist Memorial Restorative Care Hosp.....	41, 42, 68, 69, 99, 108, 119, 128, 165, 166, 183, 191
Baptist Memorial Restorative Care Hosp.....	41, 42, 68, 69, 99, 108, 119, 128, 183, 191
Baptist Rehabilitation Hosp. - Germantown.....	73, 168
Blount Memorial Hospital .....	13, 19, 28, 33, 45, 50, 55, 60, 79, 82, 85, 93, 102, 113, 122, 132, 148, 178, 186
Bolivar General Hospital.....	28, 33, 50, 60, 93, 102, 113, 122, 133, 149, 178, 186
Bristol Regional Medical Center .....	13, 19, 28, 33, 45, 50, 55, 60, 79, 82, 85, 88, 93, 102, 113, 122, 133, 149, 178, 186
Centennial Medical Center.....	13, 17, 19, 23, 28, 33, 45, 50, 55, 60, 79, 82, 85, 88, 93, 102, 113, 122, 133, 149, 178, 186
Claiborne Medical Center.....	13, 19, 28, 33, 45, 50, 55, 60, 79, 93, 102, 113, 122, 133, 149, 178, 186
Cookeville Regional Medical Center.....	13, 19, 28, 33, 45, 50, 55, 60, 73, 75, 79, 85, 93, 100, 102, 109, 113, 120, 122, 129, 133, 149, 168, 171, 178, 184, 186, 192
Cumberland Medical Center.....	13, 19, 28, 33, 45, 50, 55, 60, 79, 85, 113, 122, 133, 149, 178, 186
Curahealth Nashville.....	41, 42, 68, 69, 99, 108, 119, 128, 165, 166, 183, 191
Decatur County General Hospital .....	28, 33, 50, 60, 93, 102, 113, 122, 133, 149, 178, 186
Delta Medical Center .....	28, 33, 50, 60, 93, 102, 113, 122, 134, 150, 178, 186
East Tennessee Children's Hospital.....	13, 17, 19, 23, 28, 33, 45, 50, 55, 60, 93, 102, 113, 122, 134, 150, 178, 186
Erlanger East .....	28, 33, 50, 60, 82, 88, 93, 102, 113, 122, 134, 150, 178, 186
Erlanger Medical Center.....	13, 17, 19, 23, 28, 33, 45, 50, 55, 60, 79, 82, 85, 88, 93, 102, 113, 122, 134, 150, 178, 186
Erlanger North .....	28, 33, 50, 60, 93, 102, 113, 122, 134, 150, 178, 186
Fort Loudoun Medical Center.....	13, 19, 28, 33, 45, 50, 55, 60, 79, 85, 93, 102, 113, 122, 134, 150, 178, 186
Fort Sanders Regional Medical Center .....	13, 19, 28, 33, 45, 50, 55, 60, 73, 75, 79, 82, 85, 88, 93, 100, 102, 109, 113, 120, 122, 129, 134, 150, 168, 171, 178, 184, 186, 192

Franklin Woods Community Hospital..... 13, 19, 29, 34, 45, 51, 55, 61, 79, 82, 85, 88, 93, 102, 114, 123, 135, 151, 178, 186

Hardin Medical Center ..... 29, 34, 51, 61, 88, 94, 103, 114, 123, 135, 151, 179, 187

HealthSouth Rehab. Hospital Cane Creek ..... 73, 75, 100, 109, 120, 129, 168, 171, 184, 192

HealthSouth Rehab. Hospital Chattanooga..... 73, 75, 100, 109, 120, 129, 168, 171, 184, 192

HealthSouth Rehab. Hospital Kingsport ..... 73, 75, 100, 109, 120, 129, 168, 171, 184, 192

HealthSouth Rehab. Hospital Memphis..... 73, 75, 100, 109, 120, 129, 168, 171, 184, 192

HealthSouth Rehab. Hospital North ..... 73, 75, 100, 109, 120, 129, 168, 171, 184, 192

Henderson County Community Hospital.....29, 34, 51, 61, 94, 103, 114, 123, 135, 151, 179, 187

Hendersonville Medical Center ..... 13, 19, 29, 34, 45, 51, 55, 61, 79, 82, 85, 88, 94, 103, 114, 123, 135, 151, 179, 187

Henry County Medical Center .....13, 19, 29, 34, 45, 51, 55, 61, 94, 103, 114, 123, 135, 151, 179, 187

Holston Valley Medical Center..... 13, 17, 19, 23, 29, 34, 45, 51, 55, 61, 79, 82, 85, 88, 94, 103, 114, 123, 135, 151, 179, 187

Horizon Medical Center ..... 13, 19, 29, 34, 45, 51, 55, 61, 73, 75, 79, 85, 94, 100, 103, 109, 114,  
..... 120, 123, 129, 135, 151, 168, 171, 179, 184, 187, 192

Houston County Community Hospital .....29, 34, 51, 61, 94, 103, 114, 123, 136, 152, 179, 187

Indian Path Medical Center..... 13, 19, 29, 34, 45, 51, 55, 61, 79, 82, 85, 88, 94, 103, 114, 123, 136, 152, 179, 187

Jackson Madison County General Hospital..... 14, 17, 20, 23, 29, 34, 46, 51, 56, 61, 73, 75, 79, 82, 85, 88,  
..... 94, 100, 103, 109, 114, 120, 123, 129, 136, 152, 168, 171, 179, 184, 187, 192

Jellico Community Hospital .....14, 20, 29, 34, 46, 51, 56, 61, 94, 103, 114, 123, 136, 152, 179, 187

Johnson City Medical Center..... 14, 17, 20, 23, 29, 34, 46, 51, 56, 61, 79, 82, 85, 88, 94, 103, 114, 123, 136, 152, 179, 187

Kindred Hospital in Chattanooga.....41, 42, 68, 69, 99, 108, 119, 128, 165, 166, 183, 191

Laughlin Memorial Hospital..... 14, 17, 20, 23, 29, 34, 46, 51, 56, 61, 79, 85, 94, 103, 114, 123, 136, 152, 179, 187

LeConte Medical Center ..... 14, 20, 29, 34, 46, 51, 56, 61, 79, 82, 85, 88, 94, 103, 114, 123, 136, 152, 179, 187

Lincoln Medical Center ..... 14, 20, 29, 34, 46, 51, 56, 61, 88, 94, 103, 114, 123, 137, 153, 179, 187

Livingston Regional Hospital..... 14, 20, 29, 34, 46, 51, 56, 61, 73, 75, 94, 100, 103, 109, 114,  
..... 120, 123, 129, 137, 153, 168, 171, 179, 184, 187, 192

Maury Regional Medical Center ..... 14, 17, 20, 23, 29, 34, 46, 51, 56, 61, 79, 82, 85, 88, 94, 103, 114, 123, 137, 153, 179, 187

MCJ Children's Hospital at Vanderbilt..... 20, 23, 34, 56, 61, 103, 123, 153, 187

McKenzie Regional Hospital..... 29, 34, 51, 61, 82, 88, 94, 103, 114, 123, 137, 153, 179, 187

McNairy Regional Hospital..... 29, 34, 51, 61, 94, 103, 114, 123, 137, 153, 179

Medical Center of Manchester .....32, 37, 54, 64, 97, 106, 117, 126, 137, 153

Memorial Healthcare System ..... 14, 20, 29, 34, 46, 51, 56, 61, 79, 82, 85, 88, 94, 103, 114, 123, 137, 154, 179, 187

Memorial Hixson Hospital..... 14, 20, 29, 35, 46, 51, 56, 62, 80, 85, 94, 103, 114, 124, 138, 154, 179, 187

Methodist Extended Care Hospital.....	41, 42, 68, 69, 99, 108, 119, 128, 165, 166, 183
Methodist Healthcare Fayette .....	115, 138
Methodist Healthcare Germantown.....	14, 17, 20, 23, 30, 35, 46, 52, 56, 62, 80, 82, 86, 89, 94, 104, 115, 124, 138, 154, 179, 187
Methodist Healthcare LeBonheur.....	14, 17, 20, 23, 30, 35, 46, 52, 56, 62, 95, 104, 115, 124, 138, 154, 179, 187
Methodist Healthcare North.....	14, 20, 30, 35, 46, 52, 56, 62, 80, 86, 95, 104, 115, 124, 138, 154, 179, 187
Methodist Healthcare South.....	14, 17, 20, 23, 30, 35, 46, 52, 56, 62, 80, 83, 86, 89, 95, 104, 115, 124, 138, 154, 180, 188
Methodist Medical Center of Oak Ridge .....	14, 20, 30, 35, 46, 52, 56, 62, 80, 83, 86, 89, 95, 104, 115, 124, 138, 154, 180, 188
Methodist University Hospital .....	14, 20, 30, 35, 46, 52, 56, 62, 80, 83, 86, 89, 95, 104, 115, 124, 139, 155, 180, 188
Milan General Hospital.....	14, 20, 30, 35, 46, 52, 56, 62, 80, 86, 95, 104, 115, 124, 139, 155, 180, 188
Morristown-Hamblen Healthcare System .....	14, 20, 30, 35, 46, 52, 56, 62, 80, 83, 86, 89, 95, 104, 115, 124, 139, 155, 180, 188
Nashville General Hospital at Meharry .....	14, 17, 20, 23, 30, 35, 46, 52, 56, 62, 80, 83, 86, 89, 95, 104, 115, 124, 139, 155, 180, 188
NorthCrest Medical Center .....	14, 20, 30, 35, 46, 52, 56, 62, 80, 83, 86, 89, 95, 104, 115, 124, 139, 155, 180, 188
Parkridge East Hospital .....	14, 17, 20, 23, 30, 35, 46, 52, 57, 62, 83, 89, 95, 104, 115, 124, 139, 155, 180, 188
Parkridge Medical Center.....	14, 20, 30, 35, 47, 52, 57, 62, 73, 75, 80, 86, 89, 95, 100, 104, 109, 115, ..... 120, 124, 129, 139, 155, 169, 171, 180, 184, 188, 192
Parkridge West Hospital.....	15, 30, 47, 52, 95, 104, 115, 124, 140, 156, 180, 188
Parkwest Medical Center- Knoxville.....	15, 21, 30, 35, 47, 52, 57, 62, 80, 83, 86, 89, 95, 104, 115, 124, 140, 156, 180, 188
Perry Community Hospital.....	30, 35, 52, 62, 95, 104, 115, 124, 140, 156, 180, 188
Quillen Rehabilitation Hospital.....	73, 75, 100, 109, 120, 129, 169, 171, 184, 192
Regional One Extended Care Hospital .....	41, 42, 68, 69, 99, 108, 119, 128, 165, 166, 183, 191
Regional One Health .....	15, 17, 21, 23, 30, 35, 47, 52, 57, 62, 73, 75, 80, 83, 86, 89, 95, ..... 100, 104, 109, 115, 120, 124, 129, 140, 156, 169, 172, 180, 184, 188, 192
Roane Medical Center.....	15, 21, 30, 35, 47, 52, 57, 62, 80, 86, 95, 104, 115, 124, 140, 156, 180, 188
Select Specialty Hosp. - North Knoxville.....	41, 42, 68, 69, 99, 108, 128, 165, 166, 183, 191
Select Specialty Hospital - Knoxville.....	41, 42, 68, 69, 99, 108, 119, 128, 165, 166, 183, 191
Select Specialty Hospital - Memphis.....	41, 42, 68, 69, 99, 108, 119, 128, 165, 166, 183, 191
Select Specialty Hospital - Nashville .....	41, 42, 68, 69, 99, 108, 119, 128, 165, 166, 183, 191
Select Specialty Hospital - Tri Cities .....	41, 42, 68, 69, 99, 108, 119, 128, 165, 166, 183, 191
Siskin Hospital for Physical Rehab.....	73, 75, 100, 109, 120, 129, 169, 172, 184, 192
Skyline Medical Center .....	15, 21, 30, 35, 47, 52, 57, 62, 73, 75, 80, 86, 95, 100, 104, 109, 115, ..... 120, 124, 129, 140, 156, 169, 172, 180, 184, 188, 192
Southern TN Reg Health Sys - Pulaski .....	15, 21, 31, 36, 47, 53, 57, 63, 95, 105, 116, 125, 140, 156, 180, 188

Southern TN Reg Health Sys-Lawrenceburg ..... 15, 21, 30, 35, 47, 52, 57, 62, 73, 75, 95,  
..... 100, 104, 109, 115, 120, 124, 129, 141, 157, 169, 172, 180, 184, 188, 192

Southern TN Reg Health Sys-Sewanee ..... 30, 35, 52, 62, 95, 104, 115, 124, 141, 157, 180, 188

Southern TN Reg Health Sys-Winchester ..... 15, 21, 30, 35, 47, 52, 57, 62, 73, 75, 80, 86, 95,  
..... 100, 104, 109, 116, 120, 125, 129, 141, 157, 169, 172, 180, 184, 188, 192

St. Francis Bartlett ..... 15, 17, 21, 23, 31, 36, 47, 53, 57, 63, 80, 83, 86, 89, 96, 105, 116, 125, 141, 157, 180, 188

St. Francis Hospital - Memphis ..... 15, 17, 21, 23, 31, 36, 47, 53, 57, 63, 73, 75, 80, 83, 86, 89, 96,  
..... 100, 105, 109, 116, 120, 125, 129, 141, 157, 169, 172, 180, 184, 188, 192

St. Jude Children's Research Hospital ..... 96, 105, 116, 125, 141, 157, 180, 188

St. Thomas DeKalb Hospital ..... 15, 21, 31, 36, 47, 53, 57, 63, 96, 105, 116, 125, 141, 157, 180, 188

St. Thomas Highlands Hospital ..... 15, 21, 31, 36, 47, 53, 57, 63, 83, 89, 96, 105, 116, 125, 142, 158, 181, 189

St. Thomas Hospital for Specialty Surgery ..... 96, 105, 116, 125, 142, 158, 181, 189

St. Thomas Midtown Hospital ..... 15, 17, 21, 23, 31, 36, 47, 53, 57, 63, 73, 75, 80, 83, 86, 89, 96,  
..... 100, 105, 109, 116, 120, 125, 129, 142, 158, 169, 172, 181, 184, 189, 192

St. Thomas River Park Hospital ..... 15, 21, 47, 57, 96, 105, 116, 125, 142, 158, 181, 189

St. Thomas Rutherford Hospital ..... 15, 17, 21, 23, 31, 36, 47, 53, 57, 63, 80, 83, 86, 89, 96, 105, 116, 125, 142, 158, 181, 189

St. Thomas Stones River Hospital ..... 31, 36, 53, 63, 96, 105, 116, 125, 142, 158, 181, 189

St. Thomas West Hospital ..... 15, 21, 31, 36, 47, 53, 57, 63, 80, 83, 86, 89, 96, 105, 116, 125, 142, 158, 181, 189

Starr Regional Medical Center - Athens ..... 15, 21, 31, 36, 47, 53, 57, 63, 81, 83, 86, 89, 96, 105, 116, 125, 143, 159, 181, 189

Starr Regional Medical Center - Etowah ..... 96, 105, 116, 125, 143, 159, 181

StoneCrest Medical Center ..... 15, 21, 31, 36, 47, 53, 57, 63, 81, 83, 87, 89, 96, 105, 116, 125, 143, 159, 181, 189

Summit Medical Center ..... 15, 17, 21, 23, 31, 36, 47, 53, 57, 63, 73, 75, 81, 83, 87, 89, 96,  
..... 100, 105, 109, 116, 120, 125, 129, 143, 159, 169, 172, 181, 184, 189, 192

Sumner Regional Medical Center ..... 15, 21, 31, 36, 47, 53, 57, 63, 74, 75, 81, 83, 87, 89, 96,  
..... 101, 105, 110, 116, 121, 125, 130, 143, 159, 169, 172, 181, 184, 189, 192

Sweetwater Hospital Association ..... 15, 21, 31, 36, 48, 53, 58, 63, 81, 87, 90, 96, 105, 116, 125, 143, 159, 181, 189

Sycamore Shoals Hospital ..... 15, 21, 31, 36, 48, 53, 58, 63, 81, 87, 96, 105, 116, 125, 143, 159, 181, 189

Takoma Regional Hospital ..... 16, 21, 31, 36, 48, 53, 58, 63, 74, 76, 81, 87, 96, 101, 105, 110, 116,  
..... 121, 125, 130, 144, 160, 169, 172, 181, 184, 189, 192

Tennova Healthcare - Clarksville ..... 16, 17, 22, 24, 31, 36, 48, 53, 58, 63, 74, 76, 81, 83, 87, 90, 96,  
..... 101, 105, 110, 117, 121, 126, 130, 144, 160, 170, 172, 181, 185, 189, 193

Tennova Healthcare - Cleveland ..... 16, 22, 31, 36, 48, 53, 58, 63, 81, 87, 96, 106, 117, 126, 144, 160, 181, 189

Tennova Healthcare - Dyersburg Regional ..... 16, 22, 31, 36, 48, 53, 58, 63, 81, 87, 97, 106, 117, 126, 144, 160, 181, 189

Tennova Healthcare - Harton ..... 16, 22, 31, 36, 48, 53, 58, 63, 81, 83, 87, 90, 97, 106, 117, 126, 144, 160, 181, 189

Tennova Healthcare - Jamestown ..... 31, 36, 53, 63, 97, 106, 117, 126, 144, 160, 181, 189

Tennova Healthcare - Jefferson Memorial Hosp..... 16, 22, 32, 37, 48, 54, 58, 64, 90, 97, 106, 117, 126, 144, 160, 181, 189

Tennova Healthcare - Lafollette Med Ctr ..... 16, 22, 32, 37, 48, 54, 58, 64, 97, 106, 117, 126, 145, 161, 181, 189

Tennova Healthcare - Lakeway Reg Hosp..... 16, 22, 32, 37, 48, 54, 58, 64, 74, 76, 97,  
..... 101, 106, 110, 117, 121, 126, 130, 145, 161, 170, 172, 181, 185, 189, 193

Tennova Healthcare - Lebanon ..... 16, 22, 32, 37, 48, 54, 58, 64, 74, 76, 81, 84, 87, 90, 97,  
..... 101, 106, 110, 117, 121, 126, 130, 145, 161, 170, 172, 182, 185, 189, 193

Tennova Healthcare - Newport Med Ctr ..... 16, 22, 32, 37, 48, 54, 58, 64, 97, 106, 117, 126, 145, 161, 182, 190

Tennova Healthcare - North Knoxville Med Ctr ..... 16, 22, 32, 37, 48, 54, 58, 64, 81, 87, 90, 97, 106, 117, 126, 145, 161, 182, 190

Tennova Healthcare - Physician's Reg Med Ctr ..... 16, 18, 22, 24, 32, 37, 48, 54, 58, 64, 74, 76, 81, 84, 87, 90, 97,  
..... 101, 106, 110, 117, 121, 126, 130, 145, 161, 170, 173, 182, 185, 190, 193

Tennova Healthcare - Regional Jackson ..... 16, 22, 32, 37, 48, 54, 58, 64, 81, 84, 87, 90, 97, 106, 117, 126, 145, 161, 182, 190

Tennova Healthcare - Shelbyville ..... 16, 22, 32, 37, 48, 54, 58, 64, 97, 106, 117, 126, 146, 162, 182, 190

Tennova Healthcare - Turkey Creek Med Ctr ..... 16, 22, 32, 37, 48, 54, 58, 64, 81, 84, 87, 90, 97, 106, 117, 126, 146, 162, 182, 190

Tennova Healthcare - Volunteer Martin..... 16, 22, 32, 37, 48, 54, 58, 64, 97, 106, 117, 126, 146, 162, 182, 190

TriStar Southern Hills Medical Center ..... 16, 22, 32, 37, 48, 54, 58, 64, 74, 76, 81, 87, 97,  
..... 101, 106, 110, 117, 121, 126, 130, 146, 162, 170, 173, 182, 185, 190, 193

TrustPoint Hospital ..... 32, 37, 54, 64, 74, 76, 97, 101, 106, 110, 117, 121, 126, 130, 146, 162, 170, 173, 182, 185, 190, 193

Unicoi County Memorial Hospital ..... 16, 32, 37, 48, 54, 64, 97, 106, 117, 126, 146, 162, 182, 190

United Regional Medical Center..... 182, 190

University of Tennessee Medical Ctr ..... 16, 18, 22, 24, 32, 37, 48, 54, 58, 64, 81, 84, 87, 90, 97, 106, 117, 126, 146, 162, 182, 190

Vanderbilt Medical Center ..... 16, 18, 22, 32, 37, 49, 54, 58, 64, 81, 84, 87, 90, 97, 106, 118, 127, 147, 163, 182, 190

Vanderbilt Stallworth Rehab. Hospital ..... 74, 76, 101, 110, 121, 130, 170, 173, 185, 193

Wayne Medical Center ..... 32, 37, 54, 64, 97, 107, 118, 127, 147, 163, 182, 190

Wellmont Hawkins County Hospital ..... 22, 32, 37, 54, 59, 64, 98, 107, 118, 127, 147, 163, 182, 190

Williamson Medical Center ..... 16, 18, 22, 24, 32, 37, 49, 54, 59, 64, 81, 84, 87, 90, 98, 107, 118, 127, 147, 163, 182, 190