

TENNESSEE

2014 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3904	3,912,472	2540	59.0	56.6-61.4	1364	41.0	38.6-43.4
Male	1407	1,857,446	904	57.6	53.9-61.3	503	42.4	38.7-46.1
Female	2497	2,055,027	1636	60.3	57.4-63.2	861	39.7	36.8-42.6
White/Non-Hisp	3259	2,984,069	2139	60.1	57.6-62.6	1120	39.9	37.4-42.4
Black or Afr. Am./Non-Hisp	462	641,908	295	59.4	52.9-65.9	167	40.6	34.1-47.1
Oth. Race/Non-Hisp.	63	82,710	36	42.9	27.2-58.6	27	57.1	41.4-72.8
18-24	167	502,325	65	36.5	28.3-44.7	102	63.5	55.3-71.7
25-34	333	685,385	156	47.1	40.6-53.6	177	52.9	46.4-59.4
35-44	407	692,406	234	57.0	50.7-63.3	173	43.0	36.7-49.3
45-54	660	697,416	429	66.8	62.3-71.3	231	33.2	28.7-37.7
55-64	853	603,687	602	69.6	65.7-73.5	251	30.4	26.5-34.3
65+	1431	705,439	1021	71.9	69.0-74.8	410	28.1	25.2-31.0
Less Than H.S.	464	592,121	270	53.8	46.5-61.1	194	46.2	38.9-53.5
H.S. or G.E.D.	1335	1,318,761	824	55.3	51.4-59.2	511	44.7	40.8-48.6
Some Post-H.S.	945	1,127,146	629	60.9	56.4-65.4	316	39.1	34.6-43.6
College Graduate	1129	846,088	801	67.0	63.3-70.7	328	33.0	29.3-36.7
Less than \$15,000	484	441,124	262	45.1	38.4-51.8	222	54.9	48.2-61.6
\$15,000- 24,999	640	637,983	390	54.3	48.4-60.2	250	45.7	39.8-51.6
\$25,000- 34,999	400	380,115	261	60.8	53.4-68.2	139	39.2	31.8-46.6
\$35,000- 49,999	464	508,040	329	65.2	58.7-71.7	135	34.8	28.3-41.3
\$50,000- 74,999	408	448,012	280	65.4	58.9-71.9	128	34.6	28.1-41.1
\$75,000+	686	736,604	492	67.5	62.4-72.6	194	32.5	27.4-37.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1407	1,857,446	904	57.6	53.9-61.3	503	42.4	38.7-46.1
White/Non-Hisp	1179	1,402,887	767	58.7	54.6-62.8	412	41.3	37.2-45.4
Black or Afr. Am./Non-Hisp	148	299,482	89	56.6	46.2-67.0	59	43.4	33.0-53.8
18-24	77	266,401	30	35.4	23.4-47.4	47	64.6	52.6-76.6
25-34	129	323,566	50	41.0	30.8-51.2	79	59.0	48.8-69.2
35-44	148	338,549	86	55.5	45.3-65.7	62	44.5	34.3-54.7
45-54	246	334,249	166	68.9	61.6-76.2	80	31.1	23.8-38.4
55-64	324	285,594	228	70.6	64.5-76.7	96	29.4	23.3-35.5
65+	470	302,211	338	73.1	68.2-78.0	132	26.9	22.0-31.8
Less Than H.S.	161	282,578	93	54.8	43.2-66.4	68	45.2	33.6-56.8
H.S. or G.E.D.	467	622,567	279	53.0	46.7-59.3	188	47.0	40.7-53.3
Some Post-H.S.	325	528,495	217	60.1	52.7-67.5	108	39.9	32.5-47.3
College Graduate	444	410,072	311	64.3	58.2-70.4	133	35.7	29.6-41.8
Less than \$15,000	148	165,614	74	40.7	29.3-52.1	74	59.3	47.9-70.7
\$15,000- 24,999	220	294,936	128	51.8	42.0-61.6	92	48.2	38.4-58.0
\$25,000- 34,999	133	176,246	80	55.2	42.9-67.5	53	44.8	32.5-57.1
\$35,000- 49,999	203	287,049	148	65.3	55.9-74.7	55	34.7	25.3-44.1
\$50,000- 74,999	169	234,435	116	61.9	51.9-71.9	53	38.1	28.1-48.1
\$75,000+	300	392,021	218	69.0	61.2-76.8	82	31.0	23.2-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2497	2,055,027	1636	60.3	57.4-63.2	861	39.7	36.8-42.6
White/Non-Hisp	2080	1,581,181	1372	61.4	58.3-64.5	708	38.6	35.5-41.7
Black or Afr. Am./Non-Hisp	314	342,426	206	61.9	53.7-70.1	108	38.1	29.9-46.3
18-24	90	235,924	35	37.8	26.4-49.2	55	62.2	50.8-73.6
25-34	204	361,819	106	52.6	44.6-60.6	98	47.4	39.4-55.4
35-44	259	353,856	148	58.5	51.2-65.8	111	41.5	34.2-48.8
45-54	414	363,168	263	64.8	59.1-70.5	151	35.2	29.5-40.9
55-64	529	318,093	374	68.8	63.7-73.9	155	31.2	26.1-36.3
65+	961	403,228	683	70.9	67.2-74.6	278	29.1	25.4-32.8
Less Than H.S.	303	309,543	177	52.9	44.1-61.7	126	47.1	38.3-55.9
H.S. or G.E.D.	868	696,194	545	57.3	52.4-62.2	323	42.7	37.8-47.6
Some Post-H.S.	620	598,651	412	61.6	56.3-66.9	208	38.4	33.1-43.7
College Graduate	685	436,016	490	69.5	64.8-74.2	195	30.5	25.8-35.2
Less than \$15,000	336	275,510	188	47.8	39.8-55.8	148	52.2	44.2-60.2
\$15,000- 24,999	420	343,046	262	56.5	49.4-63.6	158	43.5	36.4-50.6
\$25,000- 34,999	267	203,870	181	65.7	57.7-73.7	86	34.3	26.3-42.3
\$35,000- 49,999	261	220,991	181	65.0	56.8-73.2	80	35.0	26.8-43.2
\$50,000- 74,999	239	213,577	164	69.2	61.6-76.8	75	30.8	23.2-38.4
\$75,000+	386	344,584	274	65.8	59.5-72.1	112	34.2	27.9-40.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4068	4,087,287	454	9.5	08.3-10.7	30	0.7	00.3-01.1	3584	89.8	88.6-91.0
Male	1460	1,940,713	148	8.3	06.5-10.1				1312	91.7	89.9-93.5
Female	2608	2,146,574	306	10.7	09.1-12.3	30	1.3	00.7-01.9	2272	88.0	86.2-89.8
White/Non-Hisp	3404	3,132,674	377	9.2	08.0-10.4	24	0.7	00.3-01.1	3003	90.1	88.9-91.3
Black or Afr. Am./Non-Hisp	468	652,646	53	9.3	06.2-12.4	6	1.0	00.0-02.2	409	89.6	86.3-92.9
Oth. Race/Non-Hisp.	70	93,042	7	8.6	01.5-15.7				63	91.4	84.3-98.5
18-24	177	545,697	5	2.8	00.1-05.5	3	1.4	00.0-03.2	169	95.7	92.6-98.8
25-34	344	715,186	17	4.3	01.9-06.7	4	0.9	00.0-01.9	323	94.7	92.3-97.1
35-44	419	709,526	38	10.2	06.3-14.1	8	0.9	00.1-01.7	373	88.9	85.0-92.8
45-54	680	729,490	73	10.2	07.5-12.9	9	0.7	00.1-01.3	598	89.1	86.4-91.8
55-64	880	620,443	110	13.2	10.3-16.1	2	0.1	00.0-00.3	768	86.7	83.8-89.6
65+	1512	739,637	206	14.9	12.5-17.3	4	0.1	00.0-00.3	1302	85.0	82.6-87.4
Less Than H.S.	481	606,933	73	13.3	08.8-17.8	1	0.2	00.0-00.6	407	86.5	82.0-91.0
H.S. or G.E.D.	1405	1,412,239	162	10.0	08.0-12.0	15	1.2	00.4-02.0	1228	88.7	86.5-90.9
Some Post-H.S.	977	1,164,275	107	8.5	06.3-10.7	9	0.7	00.1-01.3	861	90.8	88.6-93.0
College Graduate	1173	876,329	109	7.7	05.9-09.5	5	0.2	00.0-00.4	1059	92.2	90.4-94.0
Less than \$15,000	498	451,042	87	17.7	13.0-22.4	4	1.3	00.0-03.1	407	81.0	76.1-85.9
\$15,000- 24,999	666	660,465	83	11.4	07.7-15.1	7	1.2	00.2-02.2	576	87.4	83.5-91.3
\$25,000- 34,999	417	390,782	52	10.3	06.6-14.0	1	0.0	00.0-00.0	364	89.7	86.0-93.4
\$35,000- 49,999	476	519,917	64	10.9	07.6-14.2	3	0.3	00.0-00.7	409	88.8	85.5-92.1
\$50,000- 74,999	425	469,771	41	7.2	04.1-10.3	3	0.3	00.0-00.7	381	92.5	89.4-95.6
\$75,000+	713	789,174	50	5.5	03.7-07.3	5	0.5	00.0-01.1	658	94.0	92.0-96.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1460	1,940,713	148	8.3	06.5-10.1	1312	91.7	89.9-93.5
White/Non-Hisp	1226	1,472,185	121	7.5	05.7-09.3	1105	92.5	90.7-94.3
Black or Afr. Am./Non-Hisp	148	306,442	18	9.7	04.2-15.2	130	90.3	84.8-95.8
18-24	80	279,961	1	0.7	00.0-02.1	79	99.3	97.9-0100
25-34	137	345,962	2	1.8	00.0-04.2	135	98.2	95.8-0100
35-44	152	347,203	10	9.0	02.5-15.5	142	91.0	84.5-97.5
45-54	253	353,015	24	8.9	04.8-13.0	229	91.1	87.0-95.2
55-64	339	296,230	39	13.2	08.3-18.1	300	86.8	81.9-91.7
65+	486	311,467	69	15.3	11.2-19.4	417	84.7	80.6-88.8
Less Than H.S.	167	287,029	24	13.2	05.6-20.8	143	86.8	79.2-94.4
H.S. or G.E.D.	490	668,362	46	7.5	04.8-10.2	444	92.5	89.8-95.2
Some Post-H.S.	335	547,999	36	8.1	04.8-11.4	299	91.9	88.6-95.2
College Graduate	459	425,293	42	6.7	04.2-09.2	417	93.3	90.8-95.8
Less than \$15,000	152	171,017	26	16.5	08.9-24.1	126	83.5	75.9-91.1
\$15,000- 24,999	227	302,679	28	12.9	05.8-20.0	199	87.1	80.0-94.2
\$25,000- 34,999	138	182,707	16	8.4	03.1-13.7	122	91.6	86.3-96.9
\$35,000- 49,999	206	293,780	24	9.5	05.0-14.0	182	90.5	86.0-95.0
\$50,000- 74,999	179	244,511	17	5.5	01.6-09.4	162	94.5	90.6-98.4
\$75,000+	313	422,190	21	4.5	02.1-06.9	292	95.5	93.1-97.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2608	2,146,574	306	10.7	09.1-12.3	30	1.3	00.7-01.9	2272	88.0	86.2-89.8
White/Non-Hisp	2178	1,660,489	256	10.7	08.9-12.5	24	1.3	00.7-01.9	1898	88.0	86.2-89.8
Black or Afr. Am./Non-Hisp	320	346,204	35	9.0	05.5-12.5	6	2.0	00.0-04.4	279	89.0	84.7-93.3
18-24	97	265,736	4	5.1	00.0-10.4	3	3.0	00.0-06.5	90	91.9	85.6-98.2
25-34	207	369,224	15	6.7	03.0-10.4	4	1.8	00.0-03.6	188	91.4	87.3-95.5
35-44	267	362,323	28	11.3	06.8-15.8	8	1.8	00.4-03.2	231	86.9	82.2-91.6
45-54	427	376,475	49	11.4	07.7-15.1	9	1.4	00.2-02.6	369	87.2	83.5-90.9
55-64	541	324,212	71	13.1	09.6-16.6	2	0.3	00.0-00.7	468	86.6	83.1-90.1
65+	1026	428,170	137	14.6	11.9-17.3	4	0.3	00.1-00.5	885	85.2	82.5-87.9
Less Than H.S.	314	319,904	49	13.5	08.4-18.6	1	0.4	00.0-01.2	264	86.1	81.0-91.2
H.S. or G.E.D.	915	743,877	116	12.3	09.4-15.2	15	2.3	00.7-03.9	784	85.3	82.0-88.6
Some Post-H.S.	642	616,275	71	8.8	06.3-11.3	9	1.3	00.3-02.3	562	89.8	87.1-92.5
College Graduate	714	451,036	67	8.5	06.1-10.9	5	0.4	00.0-00.8	642	91.1	88.6-93.6
Less than \$15,000	346	280,025	61	18.5	12.6-24.4	4	2.1	00.0-04.8	281	79.4	73.1-85.7
\$15,000- 24,999	439	357,786	55	10.1	06.6-13.6	7	2.1	00.3-03.9	377	87.7	83.8-91.6
\$25,000- 34,999	279	208,075	36	11.9	06.8-17.0	1	0.0	00.0-00.0	242	88.1	83.0-93.2
\$35,000- 49,999	270	226,138	40	12.8	08.1-17.5	3	0.7	00.0-01.5	227	86.5	81.8-91.2
\$50,000- 74,999	246	225,260	24	9.1	04.4-13.8	3	0.6	00.0-01.4	219	90.2	85.3-95.1
\$75,000+	400	366,985	29	6.5	03.8-09.2	5	1.2	00.0-02.6	366	92.3	89.4-95.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 2: DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	871	642,401	276	31.7	27.2-36.2	595	68.3	63.8-72.8
Male	330	316,671	110	32.2	25.3-39.1	220	67.8	60.9-74.7
Female	541	325,730	166	31.3	25.6-37.0	375	68.7	63.0-74.4
White/Non-Hisp	689	483,863	214	32.0	27.1-36.9	475	68.0	63.1-72.9
Black or Afr. Am./Non-Hisp	145	126,295	52	33.7	21.7-45.7	93	66.3	54.3-78.3
45-54	108	123,174	32	30.2	18.8-41.6	76	69.8	58.4-81.2
55-64	242	178,235	79	32.0	24.6-39.4	163	68.0	60.6-75.4
65+	468	247,082	145	29.8	24.3-35.3	323	70.2	64.7-75.7
Less Than H.S.	156	163,169	50	32.4	22.4-42.4	106	67.6	57.6-77.6
H.S. or G.E.D.	317	205,845	102	32.4	25.5-39.3	215	67.6	60.7-74.5
Some Post-H.S.	227	184,573	71	31.6	22.8-40.4	156	68.4	59.6-77.2
College Graduate	168	87,669	51	28.4	19.2-37.6	117	71.6	62.4-80.8
Less than \$15,000	163	106,043	65	40.6	30.4-50.8	98	59.4	49.2-69.6
\$15,000- 24,999	181	123,912	59	35.0	25.0-45.0	122	65.0	55.0-75.0
\$25,000- 34,999	87	68,118	24	27.0	13.7-40.3	63	73.0	59.7-86.3
\$35,000- 49,999	104	76,637	28	25.3	14.7-35.9	76	74.7	64.1-85.3
\$50,000- 74,999	87	66,268	25	27.1	13.6-40.6	62	72.9	59.4-86.4
\$75,000+	73	74,673	20	25.3	12.6-38.0	53	74.7	62.0-87.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	330	316,671	110	32.2	25.3-39.1	220	67.8	60.9-74.7
White/Non-Hisp	274	250,219	94	34.6	27.3-41.9	180	65.4	58.1-72.7
55-64	93	84,883	31	31.6	20.4-42.8	62	68.4	57.2-79.6
65+	173	118,429	60	33.5	24.5-42.5	113	66.5	57.5-75.5
Less Than H.S.	57	79,650	20	29.5	16.4-42.6	37	70.5	57.4-83.6
H.S. or G.E.D.	114	104,610	38	32.4	21.6-43.2	76	67.6	56.8-78.4
Some Post-H.S.	89	90,403	32	36.8	22.5-51.1	57	63.2	48.9-77.5
College Graduate	70	42,007	20	27.0	14.1-39.9	50	73.0	60.1-85.9
\$35,000- 49,999	51	43,124	14	24.4	11.1-37.7	37	75.6	62.3-88.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	541	325,730	166	31.3	25.6-37.0	375	68.7	63.0-74.4
White/Non-Hisp	415	233,644	120	29.2	23.3-35.1	295	70.8	64.9-76.7
Black or Afr. Am./Non-Hisp	105	75,482	40	40.7	26.2-55.2	65	59.3	44.8-73.8
45-54	62	53,679	21	38.1	21.6-54.6	41	61.9	45.4-78.4
55-64	149	93,352	48	32.3	22.3-42.3	101	67.7	57.7-77.7
65+	295	128,652	85	26.4	19.9-32.9	210	73.6	67.1-80.1
Less Than H.S.	99	83,518	30	35.2	22.1-48.3	69	64.8	51.7-77.9
H.S. or G.E.D.	203	101,235	64	32.5	23.9-41.1	139	67.5	58.9-76.1
Some Post-H.S.	138	94,170	39	26.5	15.7-37.3	99	73.5	62.7-84.3
College Graduate	98	45,662	31	29.6	16.5-42.7	67	70.4	57.3-83.5
Less than \$15,000	116	61,985	43	35.8	24.0-47.6	73	64.2	52.4-76.0
\$15,000- 24,999	132	85,651	42	36.8	24.3-49.3	90	63.2	50.7-75.7
\$35,000- 49,999	53	33,512	14	26.4	10.1-42.7	39	73.6	57.3-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	859	629,636	91	13.0	09.3-16.7	219	25.9	21.8-30.0	537	59.8	55.1-64.5	12	1.4	00.4-02.4
Male	326	311,770	40	15.5	09.2-21.8	95	27.2	20.7-33.7	187	56.2	48.8-63.6	4	1.2	00.0-02.6
Female	533	317,867	51	10.5	06.6-14.4	124	24.6	19.3-29.9	350	63.3	57.4-69.2	8	1.5	00.3-02.7
White/Non-Hisp	680	479,292	70	12.3	08.4-16.2	179	25.6	21.3-29.9	423	60.8	55.7-65.9	8	1.3	00.1-02.5
Black or Afr. Am./Non-Hisp	143	121,415	13	12.3	01.1-23.5	33	28.9	16.7-41.1	95	57.7	44.4-71.0	2	1.1	00.0-03.1
45-54	104	117,267	18	16.1	07.9-24.3	24	19.3	10.1-28.5	59	61.3	49.7-72.9	3	3.3	00.0-07.0
55-64	239	176,298	27	12.3	06.2-18.4	64	27.5	20.1-34.9	143	58.1	49.9-66.3	5	2.1	00.0-04.5
65+	465	246,386	37	7.3	04.4-10.2	118	26.5	21.2-31.8	306	65.8	60.1-71.5	4	0.4	00.0-00.8
Less Than H.S.	154	159,758	14	13.9	05.5-22.3	35	20.7	12.3-29.1	104	64.6	54.2-75.0	1	0.8	00.0-02.2
H.S. or G.E.D.	315	203,818	27	9.7	05.2-14.2	76	22.9	16.8-29.0	206	65.6	58.5-72.7	6	1.8	00.0-03.6
Some Post-H.S.	224	180,020	23	13.8	05.2-22.4	63	33.0	23.8-42.2	134	51.2	41.6-60.8	4	2.0	00.0-04.4
College Graduate	163	84,896	27	17.5	10.2-24.8	45	28.2	18.4-38.0	90	54.2	43.6-64.8	1	0.1	00.0-00.3
Less than \$15,000	160	105,347	21	13.4	06.7-20.1	33	19.7	11.3-28.1	102	64.6	54.8-74.4	4	2.3	00.0-05.0
\$15,000- 24,999	177	114,433	16	8.9	02.8-15.0	33	16.3	07.9-24.7	128	74.8	65.2-84.4			
\$25,000- 34,999	86	66,962	10	15.5	03.9-27.1	28	37.3	23.0-51.6	46	44.8	30.5-59.1	2	2.4	00.0-06.1
\$35,000- 49,999	104	76,637	9	6.8	01.7-11.9	37	35.6	24.0-47.2	56	55.2	43.2-67.2	2	2.3	00.0-06.6
\$50,000- 74,999	85	65,213	10	12.1	04.3-19.9	23	30.9	16.6-45.2	49	53.1	38.8-67.4	3	3.9	00.0-08.8
\$75,000+	73	74,673	14	26.7	08.9-44.5	23	25.0	12.5-37.5	35	48.0	31.3-64.7	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	326	311,770	40	15.5	09.2-21.8	95	27.2	20.9-33.5	187	56.2	48.8-63.6	4	1.2	00.0-02.6
White/Non-Hisp	271	248,631	32	14.3	08.2-20.4	80	26.8	20.7-32.9	155	57.4	50.1-64.7	4	1.5	00.0-03.3
55-64	93	84,883	9	9.9	02.5-17.3	29	30.4	19.0-41.8	53	57.4	45.1-69.7	2	2.2	00.0-06.1
65+	172	118,210	17	9.1	04.2-14.0	52	29.7	21.3-38.1	102	60.8	51.8-69.8	1	0.3	00.0-00.9
Less Than H.S.	56	76,338	6	16.8	02.9-30.7	12	22.9	11.5-34.3	38	60.3	45.0-75.6			
H.S. or G.E.D.	113	103,454	8	8.2	01.5-14.9	34	25.9	16.3-35.5	69	64.2	53.2-75.2	2	1.6	00.0-04.3
Some Post-H.S.	89	90,403	14	20.5	05.6-35.4	31	32.9	19.2-46.6	42	44.3	29.8-58.8	2	2.3	00.0-06.0
College Graduate	68	41,574	12	20.0	08.2-31.8	18	25.7	11.8-39.6	38	54.3	39.0-69.6			
\$35,000- 49,999	51	43,124	5	8.7	00.7-16.7	20	35.1	19.6-50.6	25	52.3	35.8-68.8	1	3.9	00.0-11.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	533	317,867	51	10.5	06.6-14.4	124	24.6	19.3-29.9	350	63.3	57.4-69.2	8	1.5	00.1-02.9
White/Non-Hisp	409	230,661	38	10.1	05.4-14.8	99	24.3	18.6-30.0	268	64.5	58.0-71.0	4	1.0	00.0-02.2
Black or Afr. Am./Non-Hisp	103	70,602	9	9.3	02.4-16.2	20	25.6	11.9-39.3	72	63.1	49.0-77.2	2	1.9	00.0-05.2
45-54	60	52,240	8	11.3	02.7-19.9	15	23.0	10.3-35.7	35	61.1	45.8-76.4	2	4.6	00.0-10.9
55-64	146	91,415	18	14.5	05.3-23.7	35	24.7	15.3-34.1	90	58.8	47.8-69.8	3	2.1	00.0-04.5
65+	293	128,175	20	5.7	02.6-08.8	66	23.5	17.0-30.0	204	70.4	63.5-77.3	3	0.4	00.0-01.0
Less Than H.S.	98	83,419	8	11.2	01.2-21.2	23	18.7	09.3-28.1	66	68.6	56.4-80.8	1	1.4	00.0-04.1
H.S. or G.E.D.	202	100,364	19	11.2	05.1-17.3	42	19.8	12.9-26.7	137	67.1	58.7-75.5	4	1.9	00.0-04.1
Some Post-H.S.	135	89,617	9	7.1	00.4-13.8	32	33.1	20.9-45.3	92	58.1	45.9-70.3	2	1.7	00.0-04.4
College Graduate	95	43,322	15	15.1	06.7-23.5	27	30.5	17.0-44.0	52	54.2	40.1-68.3	1	0.2	00.0-00.6
Less than \$15,000	114	61,508	14	13.6	05.0-22.2	26	25.2	13.4-37.0	70	57.2	45.2-69.2	4	4.0	00.0-08.7
\$15,000- 24,999	129	79,485	10	6.7	01.6-11.8	23	17.4	06.2-28.6	96	75.9	64.5-87.3			
\$35,000- 49,999	53	33,512	4	4.4	00.0-09.7	17	36.4	19.2-53.6	31	58.9	42.0-75.8	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	842	627,862	559	65.8	61.3-70.3	114	11.8	09.1-14.5	39	4.6	02.6-06.6	11	2.0	00.6-03.4	113	15.0	11.3-18.7	6	0.8	00.0-01.6
Male	313	305,858	202	62.4	55.0-69.8	34	9.6	05.3-13.9	13	4.8	01.3-08.3	7	3.2	00.7-05.7	53	18.7	12.2-25.2	4	1.3	00.0-02.9
Female	529	322,004	357	69.1	64.0-74.2	80	13.9	10.2-17.6	26	4.4	02.2-06.6	4	0.9	00.0-01.9	60	11.5	07.8-15.2	2	0.3	00.0-00.9
White/Non-Hisp	663	471,335	428	64.4	59.5-69.3	96	14.0	10.5-17.5	30	3.8	02.0-05.6	10	2.4	00.6-04.2	94	14.7	10.8-18.6	5	0.6	00.0-01.4
Black or Afr. Am./Non-Hisp	143	124,342	107	71.7	59.2-84.2	15	5.3	02.0-08.6	7	6.9	00.0-14.0	1	0.9	00.0-02.7	12	13.7	02.3-25.1	1	1.6	00.0-04.7
45-54	106	121,267	72	66.3	54.9-77.7	14	10.9	04.4-17.4	6	6.9	00.0-14.2	2	2.6	00.0-06.7	12	13.3	05.5-21.1			
55-64	235	174,093	160	68.4	61.1-75.7	25	9.5	05.4-13.6	12	5.0	01.5-08.5	2	1.8	00.0-04.3	35	15.1	09.4-20.8	1	0.2	00.0-00.6
65+	449	238,650	294	66.8	61.1-72.5	69	13.8	09.9-17.7	19	3.3	01.5-05.1	6	2.1	00.1-04.1	56	12.2	08.3-16.1	5	1.9	00.0-04.1
Less Than H.S.	151	159,017	107	69.4	59.4-79.4	14	8.8	02.3-15.3	4	1.9	00.0-04.1	3	2.2	00.0-05.3	22	17.5	09.1-25.9	1	0.1	00.0-00.3
H.S. or G.E.D.	306	199,192	199	60.4	53.0-67.8	40	12.3	07.6-17.0	20	9.0	03.7-14.3	3	1.9	00.0-04.3	41	15.1	09.6-20.6	3	1.3	00.0-02.9
Some Post-H.S.	219	181,815	154	70.7	61.7-79.7	31	12.4	07.1-17.7	5	1.7	00.0-03.7	3	2.3	00.0-04.8	25	11.9	03.7-20.1	1	1.1	00.0-03.3
College Graduate	164	86,751	97	61.3	51.7-70.9	29	15.2	08.9-21.5	10	5.2	01.3-09.1	2	1.4	00.0-03.9	25	16.8	09.2-24.4	1	0.1	00.0-00.3
Less than \$15,000	160	104,146	115	71.5	62.1-80.9	16	7.4	03.5-11.3	7	5.0	00.1-09.9	4	3.2	00.0-06.9	17	12.8	05.4-20.2	1	0.1	00.0-00.3
\$15,000- 24,999	174	121,031	119	69.2	59.8-78.6	26	10.2	04.9-15.5	9	5.3	00.6-10.0	1	1.5	00.0-04.4	19	13.7	06.3-21.1			
\$25,000- 34,999	86	67,689	49	60.6	46.7-74.5	19	16.4	07.0-25.8	3	2.7	00.0-06.6	2	2.2	00.0-05.5	13	18.1	06.3-29.9			
\$35,000- 49,999	102	75,457	74	73.8	63.4-84.2	9	6.2	01.1-11.3				2	3.8	00.0-08.9	15	12.6	05.3-19.9	2	3.7	00.0-09.0
\$50,000- 74,999	84	64,644	53	64.3	50.4-78.2	15	22.4	08.9-35.9	4	2.2	00.0-04.6				12	11.1	04.0-18.2			
\$75,000+	71	74,094	39	49.6	32.7-66.5	12	12.1	04.1-20.1	7	12.2	00.8-23.6	1	3.3	00.0-09.8	12	22.8	05.4-40.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	313	305,858	202	62.4	55.1-69.7	34	9.6	06.3-12.9	13	4.8	01.3-08.3	7	3.2	00.7-05.7	53	18.7	12.2-25.2	4	1.3	00.0-02.9
White/Non-Hisp	258	240,799	161	61.9	54.3-69.5	32	11.8	07.7-15.9	8	2.7	00.3-05.1	7	4.0	00.7-07.3	47	18.7	12.4-25.0	3	0.8	00.0-02.0
55-64	89	82,037	60	67.1	55.7-78.5	8	7.0	01.3-12.7	5	5.5	00.0-11.4	1	2.2	00.0-06.5	14	17.7	08.3-27.1	1	0.4	00.0-01.2
65+	162	112,370	105	65.9	56.7-75.1	19	11.8	05.3-18.3	5	2.1	00.0-04.6	3	2.9	00.0-06.4	27	14.1	07.8-20.4	3	3.2	00.0-07.3
Less Than H.S.	52	75,499	37	66.4	51.3-81.5	2	5.8	04.0-07.6				2	4.1	00.0-10.4	10	23.4	08.7-38.1	1	0.3	00.0-00.9
H.S. or G.E.D.	109	99,929	65	55.2	43.4-67.0	14	11.5	04.4-18.6	7	10.9	01.7-20.1	3	3.7	00.0-08.4	18	16.9	08.7-25.1	2	1.8	00.0-04.7
Some Post-H.S.	85	88,913	55	64.6	49.5-79.7	12	12.3	04.5-20.1	3	2.5	00.0-06.2	2	3.2	00.0-07.7	12	15.2	00.3-30.1	1	2.2	00.0-06.5
College Graduate	67	41,518	45	68.0	53.9-82.1	6	6.5	00.2-12.8	3	3.5	00.0-07.4				13	22.0	08.9-35.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	529	322,004	357	69.1	64.0-74.2	80	13.9	10.4-17.4	26	4.4	02.2-06.6	4	0.9	00.0-01.9	60	11.5	07.8-15.2	2	0.3	00.0-00.9
White/Non-Hisp	405	230,537	267	67.0	60.9-73.1	64	16.2	11.5-20.9	22	5.0	02.5-07.5	3	0.8	00.0-02.0	47	10.5	06.6-14.4	2	0.4	00.0-01.2
Black or Afr. Am./Non-Hisp	104	74,921	79	79.7	69.7-89.7	13	7.2	02.3-12.1	2	0.7	00.0-01.7	1	1.5	00.0-04.4	9	11.0	02.2-19.8			
45-54	62	53,679	46	72.6	58.5-86.7	8	13.2	02.6-23.8	4	4.3	00.0-09.6				4	9.9	00.0-20.7			
55-64	146	92,056	100	69.5	60.5-78.5	17	11.8	05.9-17.7	7	4.6	00.7-08.5	1	1.4	00.0-04.1	21	12.7	06.2-19.2			
65+	287	126,280	189	67.6	60.5-74.7	50	15.5	10.6-20.4	14	4.4	01.7-07.1	3	1.3	00.0-03.1	29	10.5	05.4-15.6	2	0.7	00.0-02.1
Less Than H.S.	99	83,518	70	72.1	61.3-82.9	12	11.5	04.1-18.9	4	3.7	00.0-07.8	1	0.5	00.0-01.5	12	12.3	04.3-20.3			
H.S. or G.E.D.	197	99,263	134	65.6	56.6-74.6	26	13.1	07.0-19.2	13	7.1	02.2-12.0				23	13.3	06.2-20.4	1	0.8	00.0-02.4
Some Post-H.S.	134	92,902	99	76.5	66.7-86.3	19	12.6	05.3-19.9	2	0.9	00.0-02.3	1	1.4	00.0-04.1	13	8.7	01.8-15.6			
College Graduate	97	45,234	52	55.1	41.6-68.6	23	23.2	12.8-33.6	7	6.9	00.4-13.4	2	2.7	00.0-07.4	12	12.0	04.2-19.8	1	0.1	00.0-00.3
Less than \$15,000	115	61,700	83	73.1	62.9-83.3	13	10.0	04.1-15.9	6	6.6	00.7-12.5	3	2.9	00.0-07.2	9	7.3	01.2-13.4	1	0.1	00.0-00.3
\$15,000- 24,999	127	83,701	87	71.5	61.1-81.9	21	12.7	05.8-19.6	7	4.4	00.5-08.3				12	11.4	03.2-19.6			
\$35,000- 49,999	53	33,512	43	84.6	73.6-95.6	5	6.6	00.0-13.5							4	6.4	00.0-13.8	1	2.4	00.0-07.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	838	618,339	88	10.7	07.8-13.6	165	18.9	15.0-22.8	103	12.3	09.0-15.6	251	29.2	24.9-33.5	125	14.1	11.0-17.2	106	14.8	11.1-18.5
Male	318	305,565	39	11.0	06.7-15.3	65	21.4	14.9-27.9	47	14.7	09.2-20.2	78	26.4	19.9-32.9	48	11.2	07.5-14.9	41	15.3	09.6-21.0
Female	520	312,774	49	10.5	06.6-14.4	100	16.4	12.5-20.3	56	9.9	06.6-13.2	173	31.9	26.4-37.4	77	17.0	12.1-21.9	65	14.4	09.5-19.3
White/Non-Hisp	665	467,274	64	10.1	07.0-13.2	131	17.0	13.5-20.5	86	12.8	09.3-16.3	209	32.6	27.7-37.5	87	12.5	09.4-15.6	88	15.0	10.9-19.1
Black or Afr. Am./Non-Hisp	141	124,282	19	13.4	05.2-21.6	29	26.3	13.4-39.2	14	11.7	03.1-20.3	37	20.8	11.2-30.4	32	20.2	10.8-29.6	10	7.6	00.2-15.0
45-54	105	119,747	13	13.0	04.8-21.2	15	15.3	06.1-24.5	13	8.9	03.4-14.4	23	26.2	14.8-37.6	25	20.1	10.7-29.5	16	16.5	07.5-25.5
55-64	238	174,560	26	10.2	05.3-15.1	54	19.8	13.7-25.9	24	8.5	04.6-12.4	71	33.2	25.4-41.0	34	14.4	08.9-19.9	29	13.8	07.3-20.3
65+	443	231,769	43	9.9	06.4-13.4	89	21.4	16.3-26.5	60	14.3	09.8-18.8	142	30.7	25.0-36.4	59	12.6	08.7-16.5	50	11.2	07.3-15.1
Less Than H.S.	145	148,962	13	8.2	02.7-13.7	20	12.0	05.9-18.1	11	6.8	00.3-13.3	56	38.1	27.5-48.7	29	19.2	10.8-27.6	16	15.6	06.2-25.0
H.S. or G.E.D.	306	200,675	31	13.1	07.6-18.6	64	19.8	13.7-25.9	37	12.0	07.5-16.5	82	23.5	17.0-30.0	51	15.4	10.5-20.3	41	16.2	10.5-21.9
Some Post-H.S.	218	180,544	23	10.6	04.9-16.3	43	21.0	12.0-30.0	31	15.1	07.8-22.4	67	27.5	19.9-35.1	29	11.6	06.3-16.9	25	14.2	07.1-21.3
College Graduate	166	87,013	21	10.1	04.2-16.0	37	24.2	15.2-33.2	23	16.4	08.0-24.8	45	29.7	20.3-39.1	16	7.7	03.4-12.0	24	11.9	06.2-17.6
Less than \$15,000	151	98,316	11	11.0	03.2-18.8	24	10.4	05.5-15.3	7	3.9	00.4-07.4	39	25.2	15.6-34.8	44	33.8	23.4-44.2	26	15.7	08.3-23.1
\$15,000- 24,999	176	121,952	24	14.6	06.6-22.6	30	17.0	09.6-24.4	24	10.4	05.1-15.7	54	28.5	19.7-37.3	28	13.4	07.1-19.7	16	16.2	06.2-26.2
\$25,000- 34,999	87	68,118	12	11.9	03.7-20.1	17	17.5	06.5-28.5	16	12.6	04.2-21.0	19	26.9	12.8-41.0	17	19.7	09.3-30.1	6	11.4	01.4-21.4
\$35,000- 49,999	104	76,637	11	10.9	02.5-19.3	21	21.5	11.5-31.5	13	15.8	06.8-24.8	32	31.5	20.1-42.9	9	5.4	01.5-09.3	18	14.9	06.9-22.9
\$50,000- 74,999	85	65,378	6	5.1	00.4-09.8	25	26.6	14.6-38.6	16	21.0	07.9-34.1	21	26.7	14.0-39.4	8	9.4	02.1-16.7	9	11.3	03.1-19.5
\$75,000+	73	74,673	9	9.9	01.7-18.1	18	31.2	13.8-48.6	7	9.8	00.8-18.8	25	28.8	15.5-42.1	2	2.6	00.0-06.5	12	17.7	05.9-29.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times		5 or more times			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	318	305,565	39	11.0	07.1-14.9	65	21.4	14.9-27.9	47	14.7	09.6-19.8	78	26.4	19.9-32.9	48	11.2	07.5-14.9	41	15.3	09.6-21.0
White/Non-Hisp	265	241,741	31	11.0	06.7-15.3	54	16.8	11.7-21.9	42	15.4	10.1-20.7	65	28.7	21.6-35.8	38	11.7	07.4-16.0	35	16.4	10.1-22.7
55-64	92	82,981	13	12.6	04.0-21.2	24	24.4	14.0-34.8	7	5.7	01.2-10.2	26	32.8	21.2-44.4	11	10.4	03.7-17.1	11	14.0	04.6-23.4
65+	163	111,525	16	7.0	02.7-11.3	32	21.4	13.6-29.2	30	18.6	10.8-26.4	41	28.1	18.9-37.3	31	17.1	10.2-24.0	13	7.9	02.8-13.0
Less Than H.S.	51	71,468	4	7.6	00.0-16.2	6	10.5	02.5-18.5	4	9.7	03.4-16.0	21	43.6	26.9-60.3	10	9.9	02.1-17.7	6	18.7	03.2-34.2
H.S. or G.E.D.	112	103,942	12	13.1	06.0-20.2	22	18.8	09.4-28.2	17	13.8	06.5-21.1	21	17.8	09.2-26.4	23	18.0	10.4-25.6	17	18.5	09.3-27.7
Some Post-H.S.	87	88,803	13	9.9	03.2-16.6	21	30.2	14.3-46.1	14	17.7	05.0-30.4	22	25.7	13.9-37.5	8	5.3	01.2-09.4	9	11.2	02.8-19.6
College Graduate	68	41,351	10	14.2	03.4-25.0	16	27.7	13.0-42.4	12	19.2	07.8-30.6	14	19.6	08.0-31.2	7	9.1	01.7-16.5	9	10.2	02.4-18.0
\$35,000- 49,999	51	43,124	7	16.0	01.9-30.1	13	27.5	12.2-42.8	8	18.4	05.1-31.7	10	19.0	07.4-30.6	6	5.7	00.4-11.0	7	13.4	02.6-24.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	520	312,774	49	10.5	06.8-14.2	100	16.4	12.5-20.3	56	9.9	06.6-13.2	173	31.9	26.4-37.4	77	17.0	12.3-21.7	65	14.4	09.5-19.3			
White/Non-Hisp	400	225,533	33	9.0	05.5-12.5	77	17.2	12.5-21.9	44	10.0	06.3-13.7	144	36.9	30.6-43.2	49	13.4	08.9-17.9	53	13.4	08.3-18.5			
Black or Afr. Am./Non-Hisp	101	73,469	14	16.0	04.4-27.6	20	14.3	06.5-22.1	9	9.3	00.5-18.1	26	21.4	10.0-32.8	24	27.0	13.5-40.5	8	12.0	00.0-24.0			
45-54	60	52,552	7	10.0	01.2-18.8	8	13.2	03.0-23.4	6	6.9	00.2-13.6	17	31.8	16.5-47.1	19	33.4	16.9-49.9	3	4.7	00.0-11.0			
55-64	146	91,579	13	7.9	02.8-13.0	30	15.7	09.4-22.0	17	11.1	04.8-17.4	45	33.5	23.3-43.7	23	18.1	09.9-26.3	18	13.7	04.7-22.7			
65+	280	120,244	27	12.5	07.4-17.6	57	21.5	14.6-28.4	30	10.3	06.0-14.6	101	33.1	26.0-40.2	28	8.4	04.3-12.5	37	14.2	08.5-19.9			
Less Than H.S.	94	77,494	9	8.8	02.1-15.5	14	13.4	05.0-21.8	7	4.2	00.3-08.1	35	33.1	20.9-45.3	19	27.7	14.6-40.8	10	12.8	01.8-23.8			
H.S. or G.E.D.	194	96,732	19	13.1	07.2-19.0	42	20.9	13.6-28.2	20	10.1	05.0-15.2	61	29.6	20.8-38.4	28	12.7	07.2-18.2	24	13.7	07.0-20.4			
Some Post-H.S.	131	91,741	10	11.2	02.0-20.4	22	12.0	05.5-18.5	17	12.5	05.2-19.8	45	29.4	19.2-39.6	21	17.8	08.6-27.0	16	17.1	05.9-28.3			
College Graduate	98	45,662	11	6.5	01.8-11.2	21	21.0	11.2-30.8	11	13.8	01.6-26.0	31	38.8	25.1-52.5	9	6.5	01.6-11.4	15	13.4	05.2-21.6			
Less than \$15,000	108	57,633	5	4.9	00.2-09.6	20	14.1	07.0-21.2	5	5.3	00.0-11.0	29	22.1	12.3-31.9	33	41.3	28.2-54.4	16	12.3	04.1-20.5			
\$15,000- 24,999	128	83,905	17	15.7	05.7-25.7	23	18.0	08.8-27.2	16	9.6	03.3-15.9	42	30.4	19.0-41.8	20	13.4	05.8-21.0	10	12.8	01.8-23.8			
\$35,000- 49,999	53	33,512	4	4.4	00.0-09.5	8	13.8	03.0-24.6	5	12.6	01.2-24.0	22	47.6	30.2-65.0	3	5.0	00.0-10.7	11	16.7	04.7-28.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 13: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	801	584,246	330	39.6	34.9-44.3	350	43.3	38.6-48.0	37	5.8	02.7-08.9	22	2.5	01.1-03.9	46	7.1	04.4-09.8	16	1.6	00.4-02.8
Male	298	285,407	131	40.1	32.7-47.5	119	42.8	35.4-50.2	17	6.0	00.9-11.1	11	3.2	00.8-05.6	17	7.0	02.9-11.1	3	0.9	00.0-02.5
Female	503	298,838	199	39.2	33.3-45.1	231	43.7	38.0-49.4	20	5.6	02.1-09.1	11	2.0	00.6-03.4	29	7.3	04.0-10.6	13	2.3	00.3-04.3
White/Non-Hisp	640	448,854	261	39.4	34.3-44.5	293	46.8	41.5-52.1	25	3.6	01.6-05.6	16	2.2	00.8-03.6	34	6.2	03.5-08.9	11	1.8	00.2-03.4
Black or Afr. Am./Non-Hisp	126	105,799	55	42.2	28.7-55.7	47	33.6	20.9-46.3	10	16.1	02.2-30.0	5	3.6	00.0-07.3	5	3.3	00.2-06.4	4	1.3	00.0-03.1
45-54	100	111,515	37	35.1	22.9-47.3	41	39.1	26.8-51.4	5	6.4	00.0-14.0	5	4.8	00.1-09.5	11	12.5	04.5-20.5	1	2.1	00.0-06.0
55-64	228	164,676	104	42.0	33.8-50.2	92	45.3	37.1-53.5	10	4.0	01.1-06.9	4	1.7	00.0-03.7	17	5.6	01.7-09.5	1	1.4	00.0-04.1
65+	423	221,952	167	40.1	33.8-46.4	198	46.9	40.6-53.2	20	4.6	02.1-07.1	12	2.8	00.6-05.0	12	3.5	01.0-06.0	14	2.2	00.6-03.8
Less Than H.S.	130	138,310	41	27.5	17.1-37.9	63	50.2	38.8-61.6	5	4.6	00.0-10.9	4	2.8	00.0-05.9	10	9.3	02.2-16.4	7	5.6	00.5-10.7
H.S. or G.E.D.	289	185,855	116	40.6	33.0-48.2	120	39.8	32.4-47.2	13	5.0	02.1-07.9	10	4.1	01.0-07.2	23	9.9	05.0-14.8	7	0.7	00.1-01.3
Some Post-H.S.	215	176,551	93	42.7	33.3-52.1	98	42.3	33.3-51.3	13	9.3	01.1-17.5	5	1.7	00.0-03.5	5	3.9	00.0-07.8	1	0.1	00.0-00.3
College Graduate	164	82,385	78	50.8	40.6-61.0	69	42.1	32.1-52.1	6	2.1	00.1-04.1	2	0.4	00.0-01.0	8	4.3	00.6-08.0	1	0.3	00.0-00.9
Less than \$15,000	140	88,247	49	28.9	18.9-38.9	50	39.3	28.3-50.3	7	7.0	00.1-13.9	9	8.8	02.3-15.3	15	12.1	04.8-19.4	10	3.8	00.5-07.1
\$15,000- 24,999	163	108,435	67	38.8	28.2-49.4	70	41.0	30.8-51.2	8	4.2	00.9-07.5	3	2.8	00.0-06.1	12	10.6	02.4-18.8	3	2.7	00.0-07.0
\$25,000- 34,999	85	66,375	32	33.9	20.2-47.6	40	48.0	33.1-62.9	6	4.3	00.4-08.2	2	2.8	00.0-07.9	5	11.0	01.0-21.0			
\$35,000- 49,999	100	73,185	44	48.3	36.0-60.6	46	44.2	31.9-56.5	3	2.2	00.0-04.7	3	1.5	00.0-03.7	4	3.8	00.0-08.5			
\$50,000- 74,999	84	61,952	42	39.5	26.8-52.2	37	56.2	42.9-69.5	3	2.8	00.0-06.9				2	1.5	00.0-03.7			
\$75,000+	72	72,663	35	46.2	29.5-62.9	32	38.1	23.0-53.2	3	11.3	00.0-28.9				2	4.3	00.0-11.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 14: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	298	285,407	131	40.1	33.0-47.2	119	42.8	35.7-49.9	17	6.0	00.9-11.1	11	3.2	00.8-05.6	17	7.0	02.9-11.1	3	0.9	00.0-02.5
White/Non-Hisp	252	229,743	112	41.0	33.4-48.6	101	44.0	36.4-51.6	12	3.6	01.1-06.1	9	3.2	00.7-05.7	15	7.1	02.8-11.4	3	1.2	00.0-03.2
55-64	84	74,895	43	43.7	31.2-56.2	32	46.5	34.0-59.0	3	2.0	00.0-04.4	2	2.6	00.0-06.3	4	5.2	00.0-12.5			
65+	155	105,641	64	39.7	30.1-49.3	67	48.0	38.0-58.0	12	6.4	01.9-10.9	6	3.4	00.0-07.1	4	2.3	00.0-05.2	2	0.3	00.0-00.7
H.S. or G.E.D.	102	95,029	40	37.4	26.2-48.6	40	40.7	29.1-52.3	6	4.3	00.2-08.4	7	6.8	01.1-12.5	9	10.8	02.8-18.8			
Some Post-H.S.	86	89,114	43	47.2	32.9-61.5	32	36.7	23.2-50.2	7	13.0	00.0-27.5				3	2.9	00.0-06.8	1	0.1	00.0-00.3
College Graduate	67	38,009	32	50.3	35.4-65.2	28	44.0	29.1-58.9	2	2.5	00.0-06.2	2	0.9	00.0-02.3	2	1.6	00.0-04.0	1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 15: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	503	298,838	199	39.2	33.3-45.1	231	43.7	38.0-49.4	20	5.6	01.9-09.3	11	2.0	00.6-03.4	29	7.3	04.0-10.6	13	2.3	00.3-04.3
White/Non-Hisp	388	219,112	149	37.7	31.4-44.0	192	49.7	43.2-56.2	13	3.7	01.0-06.4	7	1.1	00.1-02.1	19	5.4	02.1-08.7	8	2.5	00.1-04.9
Black or Afr. Am./Non-Hisp	95	64,745	43	47.3	32.4-62.2	35	29.2	17.0-41.4	6	13.1	00.0-26.2	3	3.4	00.0-07.9	4	4.9	00.0-10.0	4	2.1	00.0-05.0
45-54	58	47,738	21	32.5	17.8-47.2	27	44.1	27.8-60.4	4	11.5	00.0-27.6	3	5.1	00.0-11.6	3	6.9	00.0-14.7			
55-64	144	89,781	61	40.6	30.2-51.0	60	44.3	33.7-54.9	7	5.6	00.9-10.3	2	1.0	00.0-02.6	13	5.9	02.2-09.6	1	2.7	00.0-07.8
65+	268	116,311	103	40.5	32.7-48.3	131	45.9	38.1-53.7	8	3.1	00.6-05.6	6	2.2	00.0-04.6	8	4.5	00.4-08.6	12	3.9	01.2-06.6
Less Than H.S.	87	75,054	25	26.9	14.2-39.6	44	47.0	33.5-60.5	3	8.0	00.0-19.0	2	2.2	00.0-05.7	7	8.6	01.2-16.0	6	7.3	00.0-14.6
H.S. or G.E.D.	187	90,826	76	43.9	34.9-52.9	80	38.8	30.0-47.6	7	5.7	01.4-10.0	3	1.2	00.0-02.8	14	8.9	03.4-14.4	7	1.5	00.1-02.9
Some Post-H.S.	129	87,437	50	38.0	26.4-49.6	66	48.1	36.3-59.9	6	5.5	00.0-11.6	5	3.4	00.0-07.1	2	4.9	00.0-12.0			
College Graduate	97	44,376	46	51.1	37.2-65.0	41	40.5	26.8-54.2	4	1.8	00.0-03.8				6	6.6	00.1-13.1			
Less than \$15,000	104	55,953	38	26.9	17.1-36.7	39	42.0	29.3-54.7	6	10.4	00.0-20.8	4	4.8	00.0-10.3	9	10.6	02.2-19.0	8	5.4	00.3-10.5
\$15,000- 24,999	119	73,708	47	42.7	30.0-55.4	53	40.4	28.6-52.2	7	5.2	00.9-09.5	1	1.7	00.0-05.0	8	6.0	00.7-11.3	3	3.9	00.0-10.2
\$35,000- 49,999	52	31,890	19	34.7	18.8-50.6	29	57.9	41.2-74.6	1	1.7	00.0-05.0	1	2.3	00.0-06.8	2	3.4	00.0-08.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	837	618,497	151	18.6	15.1-22.1	149	15.8	12.5-19.1	89	10.5	07.8-13.2	147	17.7	14.2-21.2	82	9.3	06.6-12.0	219	28.1	23.6-32.6
Male	314	300,471	67	19.6	14.1-25.1	56	15.0	09.7-20.3	33	11.7	06.8-16.6	49	18.2	12.5-23.9	27	5.8	03.1-08.5	82	29.6	22.2-37.0
Female	523	318,026	84	17.7	13.0-22.4	93	16.6	12.5-20.7	56	9.3	06.4-12.2	98	17.3	13.0-21.6	55	12.5	08.0-17.0	137	26.7	21.2-32.2
White/Non-Hisp	660	463,596	118	19.5	15.4-23.6	124	16.8	13.1-20.5	62	9.6	06.7-12.5	121	19.6	15.5-23.7	60	7.9	05.4-10.4	175	26.4	21.7-31.1
Black or Afr. Am./Non-Hisp	141	123,686	28	17.4	08.6-26.2	22	15.0	06.4-23.6	19	11.9	03.9-19.9	25	14.6	07.2-22.0	17	12.3	03.7-20.9	30	28.7	15.2-42.2
45-54	106	120,796	22	21.2	11.4-31.0	14	12.9	04.1-21.7	15	12.9	05.5-20.3	14	19.3	08.9-29.7	13	11.8	03.4-20.2	28	21.9	12.7-31.1
55-64	236	172,455	44	19.7	13.0-26.4	46	17.1	11.4-22.8	23	9.7	05.4-14.0	39	16.6	10.5-22.7	19	6.8	03.1-10.5	65	30.1	22.3-37.9
65+	443	232,080	77	18.9	14.0-23.8	81	18.2	13.3-23.1	47	10.9	07.0-14.8	89	21.4	16.3-26.5	45	10.0	06.3-13.7	104	20.7	16.0-25.4
Less Than H.S.	147	156,457	31	19.6	11.6-27.6	18	13.6	05.6-21.6	16	9.3	03.6-15.0	27	18.1	10.1-26.1	16	11.0	04.3-17.7	39	28.4	18.6-38.2
H.S. or G.E.D.	303	195,189	51	18.8	12.9-24.7	60	16.1	10.6-21.6	35	11.7	07.2-16.2	50	17.4	11.1-23.7	23	8.4	04.1-12.7	84	27.6	20.9-34.3
Some Post-H.S.	217	178,105	35	15.7	09.2-22.2	40	16.7	10.4-23.0	21	10.2	04.3-16.1	43	17.5	11.0-24.0	26	9.9	04.8-15.0	52	30.0	19.8-40.2
College Graduate	167	87,602	34	22.6	13.4-31.8	29	16.3	09.6-23.0	16	10.4	04.7-16.1	27	18.5	10.9-26.1	17	7.0	01.1-12.9	44	25.1	16.1-34.1
Less than \$15,000	153	101,006	20	14.4	06.0-22.8	23	8.5	04.0-13.0	14	12.3	05.0-19.6	24	15.0	07.4-22.6	20	15.7	07.7-23.7	52	34.2	24.4-44.0
\$15,000- 24,999	178	121,892	40	19.8	12.5-27.1	25	11.7	05.6-17.8	20	9.2	04.3-14.1	33	18.4	10.4-26.4	20	14.4	07.0-21.8	40	26.4	15.4-37.4
\$25,000- 34,999	86	67,577	15	22.3	09.0-35.6	15	12.1	04.5-19.7	16	13.8	05.0-22.6	14	19.7	07.5-31.9	10	6.7	01.0-12.4	16	25.3	12.2-38.4
\$35,000- 49,999	97	70,008	20	18.1	09.1-27.1	20	19.5	10.1-28.9	5	5.0	00.0-10.3	15	13.4	05.2-21.6	6	6.2	00.0-13.5	31	37.8	25.3-50.3
\$50,000- 74,999	87	66,268	22	23.8	13.2-34.4	19	26.7	12.0-41.4	11	11.7	03.9-19.5	16	18.8	08.8-28.8	5	2.7	00.0-05.4	14	16.3	05.9-26.7
\$75,000+	73	74,673	17	25.6	12.5-38.7	16	18.3	06.5-30.1	7	9.1	01.8-16.4	13	20.6	07.3-33.9	3	3.6	00.0-08.1	17	22.8	05.7-39.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	314	300,471	67	19.6	14.1-25.1	56	15.0	10.3-19.7	33	11.7	06.8-16.6	49	18.2	12.7-23.7	27	5.8	03.1-08.5	82	29.6	22.3-36.9
White/Non-Hisp	260	236,990	54	20.2	14.1-26.3	48	14.5	10.0-19.0	26	10.7	06.0-15.4	42	20.8	14.3-27.3	24	6.7	03.4-10.0	66	27.1	19.8-34.4
55-64	88	79,679	19	18.3	09.3-27.3	20	15.4	07.8-23.0	5	6.1	00.2-12.0	16	21.1	10.5-31.7	5	5.4	00.1-10.7	23	33.7	21.2-46.2
65+	163	109,070	33	22.6	14.0-31.2	29	17.6	10.2-25.0	20	14.2	07.1-21.3	26	18.6	11.0-26.2	17	8.1	03.2-13.0	38	18.9	11.8-26.0
Less Than H.S.	53	75,111	14	18.4	07.2-29.6	6	15.1	04.7-25.5	6	12.2	01.6-22.8	10	20.1	06.8-33.4	5	5.2	00.0-10.7	12	29.0	13.1-44.9
H.S. or G.E.D.	106	97,206	20	18.6	09.2-28.0	24	15.9	07.1-24.7	12	11.3	04.6-18.0	12	16.3	06.5-26.1	12	9.8	03.3-16.3	26	28.1	17.5-38.7
Some Post-H.S.	85	86,147	16	18.3	07.5-29.1	18	17.6	08.2-27.0	9	12.5	01.7-23.3	16	19.5	08.7-30.3	6	3.1	00.2-06.0	20	28.9	12.6-45.2
College Graduate	70	42,007	17	26.6	13.5-39.7	8	7.4	01.5-13.3	6	10.4	01.6-19.2	11	16.8	06.0-27.6	4	3.3	00.0-06.8	24	35.6	20.9-50.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	523	318,026	84	17.7	13.2-22.2	93	16.6	12.5-20.7	56	9.3	06.4-12.2	98	17.3	13.0-21.6	55	12.5	08.0-17.0	137	26.7	21.2-32.2
White/Non-Hisp	400	226,606	64	18.8	13.3-24.3	76	19.3	14.0-24.6	36	8.5	05.2-11.8	79	18.4	13.5-23.3	36	9.3	05.2-13.4	109	25.7	20.0-31.4
Black or Afr. Am./Non-Hisp	102	74,816	19	17.9	07.9-27.9	14	10.5	04.0-17.0	16	10.8	03.9-17.7	19	17.7	07.7-27.7	15	18.7	05.6-31.8	19	24.5	10.0-39.0
45-54	61	52,936	11	19.0	06.8-31.2	9	12.9	03.3-22.5	9	12.8	03.6-22.0	9	18.2	05.3-31.1	8	18.8	02.7-34.9	15	18.4	07.6-29.2
55-64	148	92,776	25	21.0	11.2-30.8	26	18.6	10.2-27.0	18	12.7	06.2-19.2	23	12.7	06.4-19.0	14	8.0	02.7-13.3	42	27.0	17.6-36.4
65+	280	123,010	44	15.6	10.7-20.5	52	18.7	12.2-25.2	27	8.0	04.5-11.5	63	23.8	17.1-30.5	28	11.7	06.4-17.0	66	22.2	15.9-28.5
Less Than H.S.	94	81,346	17	20.8	09.2-32.4	12	12.1	03.7-20.5	10	6.7	02.0-11.4	17	16.2	07.2-25.2	11	16.3	05.1-27.5	27	27.9	16.3-39.5
H.S. or G.E.D.	197	97,982	31	19.0	12.1-25.9	36	16.3	10.0-22.6	23	12.0	06.1-17.9	38	18.5	10.9-26.1	11	7.0	01.5-12.5	58	27.2	19.4-35.0
Some Post-H.S.	132	91,958	19	13.3	06.0-20.6	22	15.7	07.5-23.9	12	8.0	02.7-13.3	27	15.6	08.2-23.0	20	16.2	07.2-25.2	32	31.1	18.6-43.6
College Graduate	97	45,595	17	18.9	06.6-31.2	21	24.6	13.2-36.0	10	10.4	03.0-17.8	16	20.1	09.9-30.3	13	10.4	00.0-20.8	20	15.5	07.5-23.5
Less than \$15,000	109	60,126	9	8.8	01.7-15.9	19	10.7	04.4-17.0	11	12.3	04.7-19.9	19	15.2	06.8-23.6	13	15.5	05.3-25.7	38	37.4	25.1-49.7
\$15,000- 24,999	130	85,126	32	23.9	14.7-33.1	16	11.4	04.1-18.7	15	8.4	03.1-13.7	26	15.9	07.5-24.3	15	15.9	06.5-25.3	26	24.5	11.6-37.4
\$35,000- 49,999	51	32,476	9	12.1	02.3-21.9	9	20.0	06.7-33.3	2	5.1	00.0-12.2	12	21.0	07.7-34.3	3	10.2	00.0-24.7	16	31.6	16.3-46.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	853	620,211	205	20.2	16.7-23.7	357	40.0	35.5-44.5	137	15.7	12.4-19.0	133	20.5	16.4-24.6	21	3.6	01.6-05.6
Male	320	300,881	69	19.1	13.4-24.8	134	37.1	30.2-44.0	60	20.1	14.0-26.2	50	20.1	13.4-26.8	7	3.5	00.6-06.4
Female	533	319,331	136	21.2	16.9-25.5	223	42.7	36.8-48.6	77	11.7	08.6-14.8	83	20.8	15.5-26.1	14	3.7	01.2-06.2
White/Non-Hisp	675	472,546	162	21.1	17.0-25.2	285	40.3	35.4-45.2	112	17.0	12.9-21.1	101	17.8	13.9-21.7	15	3.8	01.4-06.2
Black or Afr. Am./Non-Hisp	141	115,423	40	20.3	11.1-29.5	58	40.9	28.2-53.6	18	11.3	04.8-17.8	23	26.6	13.1-40.1	2	0.9	00.0-02.5
45-54	104	113,945	16	19.6	09.6-29.6	37	28.4	18.2-38.6	18	17.7	07.9-27.5	30	30.9	19.7-42.1	3	3.4	00.0-08.1
55-64	239	177,080	59	23.1	16.4-29.8	82	33.2	25.8-40.6	48	19.3	13.0-25.6	45	22.9	15.6-30.2	5	1.5	00.0-03.1
65+	459	242,635	122	21.3	16.8-25.8	215	51.0	44.9-57.1	69	15.5	11.0-20.0	45	9.9	06.4-13.4	8	2.3	00.3-04.3
Less Than H.S.	149	152,288	26	14.3	07.0-21.6	59	36.0	26.6-45.4	27	20.8	12.0-29.6	31	24.5	15.1-33.9	6	4.4	00.3-08.5
H.S. or G.E.D.	311	202,293	65	18.8	12.7-24.9	125	38.0	30.9-45.1	56	17.9	12.0-23.8	56	21.0	14.9-27.1	9	4.3	00.8-07.8
Some Post-H.S.	225	180,462	59	22.4	15.5-29.3	97	41.6	32.4-50.8	33	10.9	05.4-16.4	32	21.5	12.1-30.9	4	3.6	00.0-07.5
College Graduate	165	84,024	54	29.7	20.7-38.7	75	49.2	39.0-59.4	21	12.0	06.1-17.9	13	8.7	03.6-13.8	2	0.5	00.0-01.3
Less than \$15,000	159	105,104	29	14.4	07.3-21.5	56	30.6	21.6-39.6	37	21.9	13.1-30.7	31	24.9	15.5-34.3	6	8.1	01.2-15.0
\$15,000- 24,999	178	121,925	40	13.2	07.9-18.5	89	52.6	42.0-63.2	19	9.2	03.7-14.7	26	20.9	11.1-30.7	4	4.0	00.0-08.9
\$25,000- 34,999	85	63,230	15	15.4	06.2-24.6	35	33.2	20.5-45.9	16	24.3	10.2-38.4	16	20.8	09.6-32.0	3	6.3	00.0-15.3
\$35,000- 49,999	103	76,371	26	18.1	09.7-26.5	41	47.9	35.7-60.1	20	19.3	10.1-28.5	16	14.7	06.7-22.7			
\$50,000- 74,999	85	62,171	29	34.5	20.4-48.6	35	33.5	21.3-45.7	11	12.1	03.7-20.5	9	19.7	06.8-32.6	1	0.2	00.0-00.6
\$75,000+	73	74,673	22	33.6	18.5-48.7	33	38.1	23.0-53.2	8	8.2	00.2-16.2	9	19.7	02.3-37.1	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	320	300,881	69	19.1	14.0-24.2	134	37.1	30.2-44.0	60	20.1	14.2-26.0	50	20.1	13.6-26.6	7	3.5	00.6-06.4
White/Non-Hisp	267	241,057	56	19.5	14.0-25.0	116	39.5	32.2-46.8	49	20.9	14.0-27.8	40	15.9	10.8-21.0	6	4.1	00.4-07.8
55-64	91	84,008	17	19.1	10.5-27.7	32	34.4	23.0-45.8	21	22.9	12.3-33.5	19	22.3	12.3-32.3	2	1.3	00.0-03.3
65+	168	114,466	40	17.1	10.4-23.8	86	57.1	47.7-66.5	28	18.1	10.5-25.7	13	7.0	02.7-11.3	1	0.8	00.0-02.4
Less Than H.S.	53	73,326	6	11.6	04.5-18.7	23	36.0	21.9-50.1	11	24.7	10.0-39.4	10	21.9	08.0-35.8	3	5.7	00.0-13.0
H.S. or G.E.D.	112	102,382	22	17.9	07.9-27.9	37	28.6	18.8-38.4	26	23.9	13.9-33.9	24	25.0	15.0-35.0	3	4.4	00.0-10.3
Some Post-H.S.	88	86,811	22	21.6	11.8-31.4	44	46.2	31.5-60.9	12	12.4	02.4-22.4	9	17.6	02.3-32.9	1	2.2	00.0-06.5
College Graduate	67	38,362	19	31.0	16.9-45.1	30	41.3	27.0-55.6	11	18.3	07.1-29.5	7	9.4	01.6-17.2			
\$35,000- 49,999	50	42,859	11	15.2	05.0-25.4	21	51.1	34.2-68.0	13	24.2	10.5-37.9	5	9.5	00.0-19.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	533	319,331	136	21.2	16.9-25.5	223	42.7	37.0-48.4	77	11.7	08.6-14.8	83	20.8	15.5-26.1	14	3.7	01.2-06.2
White/Non-Hisp	408	231,489	106	22.9	17.8-28.0	169	41.1	34.8-47.4	63	12.9	09.0-16.8	61	19.7	13.8-25.6	9	3.5	00.4-06.6
Black or Afr. Am./Non-Hisp	104	71,238	29	20.3	11.1-29.5	46	49.3	35.0-63.6	11	8.8	02.5-15.1	16	20.1	07.4-32.8	2	1.5	00.0-04.2
45-54	59	48,043	8	17.0	05.0-29.0	26	45.6	29.9-61.3	8	7.7	01.4-14.0	16	29.4	15.3-43.5	1	0.2	00.0-00.6
55-64	148	93,072	42	26.6	17.4-35.8	50	32.2	22.6-41.8	27	16.0	09.1-22.9	26	23.5	12.9-34.1	3	1.6	00.0-03.8
65+	291	128,169	82	25.0	18.9-31.1	129	45.6	38.0-53.2	41	13.3	08.4-18.2	32	12.6	07.3-17.9	7	3.6	00.3-06.9
Less Than H.S.	96	78,962	20	16.8	08.4-25.2	36	35.9	24.1-47.7	16	17.2	08.0-26.4	21	27.0	14.5-39.5	3	3.1	00.0-07.6
H.S. or G.E.D.	199	99,911	43	19.6	12.7-26.5	88	47.6	38.4-56.8	30	11.7	06.6-16.8	32	16.9	10.4-23.4	6	4.2	00.0-08.5
Some Post-H.S.	137	93,651	37	23.1	14.1-32.1	53	37.3	25.7-48.9	21	9.5	04.6-14.4	23	25.2	13.6-36.8	3	4.9	00.0-11.2
College Graduate	98	45,662	35	28.6	17.4-39.8	45	55.7	42.6-68.8	10	6.7	02.0-11.4	6	8.0	01.5-14.5	2	1.0	00.0-02.6
Less than \$15,000	112	61,047	22	16.3	07.5-25.1	40	33.3	22.1-44.5	26	22.6	13.0-32.2	21	23.1	11.9-34.3	3	4.6	00.0-10.9
\$15,000- 24,999	131	84,778	30	15.3	08.4-22.2	66	55.3	42.8-67.8	14	7.8	02.5-13.1	19	19.6	08.0-31.2	2	2.0	00.0-04.7
\$35,000- 49,999	53	33,512	15	21.8	09.5-34.1	20	44.0	26.9-61.1	7	13.0	02.8-23.2	11	21.3	08.4-34.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	859	631,940	185	19.1	15.6-22.6	674	80.9	77.4-84.4
Male	324	309,669	75	20.7	15.2-26.2	249	79.3	73.8-84.8
Female	535	322,271	110	17.5	13.2-21.8	425	82.5	78.2-86.8
White/Non-Hisp	680	477,743	152	20.7	16.6-24.8	528	79.3	75.2-83.4
Black or Afr. Am./Non-Hisp	142	121,955	28	14.8	06.4-23.2	114	85.2	76.8-93.6
45-54	107	121,759	27	25.6	15.0-36.2	80	74.4	63.8-85.0
55-64	241	177,291	50	18.8	12.7-24.9	191	81.2	75.1-87.3
65+	459	243,126	98	18.3	14.0-22.6	361	81.7	77.4-86.0
Less Than H.S.	155	162,516	41	26.6	17.2-36.0	114	73.4	64.0-82.8
H.S. or G.E.D.	313	205,144	64	17.1	12.0-22.2	249	82.9	77.8-88.0
Some Post-H.S.	222	176,459	52	17.9	12.0-23.8	170	82.1	76.2-88.0
College Graduate	166	86,676	26	11.0	05.5-16.5	140	89.0	83.5-94.5
Less than \$15,000	160	105,419	54	32.6	23.2-42.0	106	67.4	58.0-76.8
\$15,000- 24,999	181	123,912	38	18.1	11.0-25.2	143	81.9	74.8-89.0
\$25,000- 34,999	87	68,118	23	24.4	12.2-36.6	64	75.6	63.4-87.8
\$35,000- 49,999	103	76,111	14	12.2	04.4-20.0	89	87.8	80.0-95.6
\$50,000- 74,999	84	64,727	11	16.8	03.7-29.9	73	83.2	70.1-96.3
\$75,000+	72	73,729	6	5.2	00.0-10.7	66	94.8	89.3-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	324	309,669	75	20.7	15.6-25.8	249	79.3	74.2-84.4
White/Non-Hisp	270	247,439	66	23.5	17.6-29.4	204	76.5	70.6-82.4
55-64	93	84,883	21	23.8	13.8-33.8	72	76.2	66.2-86.2
65+	168	115,572	39	19.4	12.3-26.5	129	80.6	73.5-87.7
Less Than H.S.	57	79,650	17	28.8	16.3-41.3	40	71.2	58.7-83.7
H.S. or G.E.D.	112	104,307	25	18.2	10.2-26.2	87	81.8	73.8-89.8
Some Post-H.S.	85	83,705	21	18.7	09.5-27.9	64	81.3	72.1-90.5
College Graduate	70	42,007	12	15.5	05.3-25.7	58	84.5	74.3-94.7
\$35,000- 49,999	50	42,599	11	20.5	07.0-34.0	39	79.5	66.0-93.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	535	322,271	110	17.5	13.0-22.0	425	82.5	78.0-87.0
White/Non-Hisp	410	230,304	86	17.6	12.9-22.3	324	82.4	77.7-87.1
Black or Afr. Am./Non-Hisp	104	75,364	22	19.2	07.2-31.2	82	80.8	68.8-92.8
45-54	61	52,263	17	31.7	15.6-47.8	44	68.3	52.2-84.4
55-64	148	92,408	29	14.2	07.3-21.1	119	85.8	78.9-92.7
65+	291	127,554	59	17.3	11.8-22.8	232	82.7	77.2-88.2
Less Than H.S.	98	82,866	24	24.5	12.5-36.5	74	75.5	63.5-87.5
H.S. or G.E.D.	201	100,837	39	15.9	09.8-22.0	162	84.1	78.0-90.2
Some Post-H.S.	137	92,754	31	17.3	09.7-24.9	106	82.7	75.1-90.3
College Graduate	96	44,669	14	6.7	02.4-11.0	82	93.3	89.0-97.6
Less than \$15,000	114	61,587	35	26.8	16.4-37.2	79	73.2	62.8-83.6
\$15,000- 24,999	132	85,651	25	17.4	08.6-26.2	107	82.6	73.8-91.4
\$35,000- 49,999	53	33,512	3	1.7	00.0-03.9	50	98.3	96.1-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	867	640,726	435	46.1	41.4-50.8	432	53.9	49.2-58.6
Male	329	315,760	162	45.5	38.2-52.8	167	54.5	47.2-61.8
Female	538	324,965	273	46.8	40.9-52.7	265	53.2	47.3-59.1
White/Non-Hisp	686	482,229	342	46.3	41.4-51.2	344	53.7	48.8-58.6
Black or Afr. Am./Non-Hisp	144	126,255	79	48.3	35.4-61.2	65	51.7	38.8-64.6
45-54	108	123,174	46	38.9	27.3-50.5	62	61.1	49.5-72.7
55-64	241	178,195	130	47.5	39.5-55.5	111	52.5	44.5-60.5
65+	466	246,358	232	48.7	42.8-54.6	234	51.3	45.4-57.2
Less Than H.S.	155	162,512	56	31.4	22.4-40.4	99	68.6	59.6-77.6
H.S. or G.E.D.	317	205,845	139	43.1	35.8-50.4	178	56.9	49.6-64.2
Some Post-H.S.	227	184,573	133	53.5	44.1-62.9	94	46.5	37.1-55.9
College Graduate	165	86,651	105	64.5	54.5-74.5	60	35.5	25.5-45.5
Less than \$15,000	161	105,936	68	43.3	32.9-53.7	93	56.7	46.3-67.1
\$15,000- 24,999	180	123,254	79	37.3	27.7-46.9	101	62.7	53.1-72.3
\$25,000- 34,999	87	68,118	45	47.0	32.9-61.1	42	53.0	38.9-67.1
\$35,000- 49,999	103	75,726	51	46.9	34.7-59.1	52	53.1	40.9-65.3
\$50,000- 74,999	87	66,268	52	55.7	41.4-70.0	35	44.3	30.0-58.6
\$75,000+	73	74,673	46	53.5	37.2-69.8	27	46.5	30.2-62.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	329	315,760	162	45.5	38.2-52.8	167	54.5	47.2-61.8
White/Non-Hisp	273	249,309	135	44.7	37.4-52.0	138	55.3	48.0-62.6
55-64	93	84,883	47	44.6	32.6-56.6	46	55.4	43.4-67.4
65+	173	118,429	87	50.3	41.1-59.5	86	49.7	40.5-58.9
Less Than H.S.	57	79,650	18	29.0	15.3-42.7	39	71.0	57.3-84.7
H.S. or G.E.D.	114	104,610	54	42.0	30.8-53.2	60	58.0	46.8-69.2
Some Post-H.S.	89	90,403	51	58.2	43.9-72.5	38	41.8	27.5-56.1
College Graduate	69	41,096	39	58.4	43.3-73.5	30	41.6	26.5-56.7
\$35,000- 49,999	50	42,214	20	38.9	22.6-55.2	30	61.1	44.8-77.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	538	324,965	273	46.8	40.9-52.7	265	53.2	47.3-59.1
White/Non-Hisp	413	232,920	207	48.1	41.6-54.6	206	51.9	45.4-58.4
Black or Afr. Am./Non-Hisp	104	75,442	58	45.4	31.1-59.7	46	54.6	40.3-68.9
45-54	62	53,679	26	38.4	23.1-53.7	36	61.6	46.3-76.9
55-64	148	93,312	83	50.1	39.3-60.9	65	49.9	39.1-60.7
65+	293	127,928	145	47.2	39.6-54.8	148	52.8	45.2-60.4
Less Than H.S.	98	82,861	38	33.8	22.2-45.4	60	66.2	54.6-77.8
H.S. or G.E.D.	203	101,235	85	44.2	35.2-53.2	118	55.8	46.8-64.8
Some Post-H.S.	138	94,170	82	49.1	37.3-60.9	56	50.9	39.1-62.7
College Graduate	96	45,554	66	70.1	58.1-82.1	30	29.9	17.9-41.9
Less than \$15,000	114	61,878	46	37.0	25.4-48.6	68	63.0	51.4-74.6
\$15,000- 24,999	131	84,994	60	39.3	27.5-51.1	71	60.7	48.9-72.5
\$35,000- 49,999	53	33,512	31	57.0	40.1-73.9	22	43.0	26.1-59.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 3: HEALTHY DAYS (Symptoms) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (PAINACT2)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
DURING THE PAST 30 DAYS, FOR ABOUT HOW MAY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?
(PAINACT2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									NONE								
	TOTAL	WEIGHTED	N	1 Day		2-5 Days			6-10 Days			11-20 Days			21-30 Days			N	%	C.I. (95%)
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4470	4,345,075	84	2.1	01.3-02.9	368	8.2	07.0-09.4	190	4.6	03.6-05.6	219	4.3	03.5-05.1	592	11.1	09.9-12.3	3017	69.7	67.7-71.7
Male	1621	2,063,724	31	2.2	01.0-03.4	107	7.0	05.2-08.8	57	4.1	02.7-05.5	61	3.1	02.1-04.1	205	10.4	08.4-12.4	1160	73.1	70.2-76.0
Female	2849	2,281,351	53	2.0	01.2-02.8	261	9.2	07.4-11.0	133	5.1	03.9-06.3	158	5.4	04.2-06.6	387	11.7	10.1-13.3	1857	66.7	64.2-69.2
White/Non-Hisp	3728	3,334,296	69	1.9	01.3-02.5	295	7.6	06.4-08.8	153	4.3	03.3-05.3	184	4.7	03.7-05.7	512	12.0	10.6-13.4	2515	69.4	67.2-71.6
Black or Afr. Am./Non-Hisp	539	711,585	13	2.6	00.6-04.6	53	9.5	05.6-13.4	23	4.7	02.2-07.2	27	3.5	01.7-05.3	49	7.8	04.5-11.1	374	71.9	66.4-77.4
Oth. Race/Non-Hisp.	77	97,981	5	6.7	00.2-13.2	5	6.7	00.2-13.2	8	10.9	02.3-19.5	2	0.4	00.0-01.0	18	12.8	05.5-20.1	44	69.2	56.9-81.5
18-24	165	510,009	3	1.3	00.0-02.9	14	9.8	03.9-15.7	3	1.0	00.0-02.2	1	0.4	00.0-01.2	6	3.8	00.0-07.9	138	83.7	76.6-90.8
25-34	331	694,627	11	3.2	01.0-05.4	29	7.4	04.3-10.5	13	4.1	01.7-06.5	10	2.0	00.6-03.4	20	5.9	03.0-08.8	248	77.4	72.3-82.5
35-44	422	724,336	7	3.0	00.1-05.9	39	8.0	04.9-11.1	16	4.6	02.1-07.1	29	5.8	03.4-08.2	42	9.6	05.9-13.3	289	69.0	63.3-74.7
45-54	717	772,043	13	2.2	00.8-03.6	58	8.4	05.7-11.1	44	8.3	05.2-11.4	32	4.6	02.4-06.8	113	14.8	11.5-18.1	457	61.6	56.9-66.3
55-64	1019	724,865	23	2.0	01.0-03.0	97	8.8	06.6-11.0	34	3.8	01.8-05.8	71	7.7	05.3-10.1	181	17.5	14.6-20.4	613	60.3	56.4-64.2
65+	1767	890,762	27	1.2	00.6-01.8	131	7.4	05.8-09.0	77	4.3	03.1-05.5	72	4.0	02.8-05.2	227	12.3	10.3-14.3	1233	70.8	68.1-73.5
Less Than H.S.	571	701,344	6	1.6	00.0-04.1	49	10.0	06.1-13.9	27	5.9	03.0-08.8	48	7.5	04.6-10.4	129	22.1	17.0-27.2	312	52.9	46.6-59.2
H.S. or G.E.D.	1526	1,460,495	20	1.4	00.4-02.4	119	7.0	05.0-09.0	66	4.1	02.7-05.5	69	3.5	02.3-04.7	232	11.5	09.5-13.5	1020	72.4	69.3-75.5
Some Post-H.S.	1103	1,262,047	26	3.0	01.6-04.4	108	9.8	07.3-12.3	61	5.4	03.4-07.4	54	4.2	02.8-05.6	136	9.0	06.8-11.2	718	68.6	64.9-72.3
College Graduate	1257	913,316	32	2.5	01.3-03.7	92	6.4	04.6-08.2	35	3.2	02.0-04.4	48	3.2	02.0-04.4	93	4.9	03.5-06.3	957	79.9	77.2-82.6
Less than \$15,000	609	519,506	7	1.1	00.0-02.5	48	6.9	04.0-09.8	40	7.1	04.0-10.2	54	9.9	06.6-13.2	165	24.9	20.2-29.6	295	50.1	44.2-56.0
\$15,000- 24,999	774	715,322	12	3.6	00.5-06.7	82	9.8	06.9-12.7	29	3.4	01.6-05.2	53	5.9	03.7-08.1	131	14.6	11.3-17.9	467	62.7	57.6-67.8
\$25,000- 34,999	469	428,573	12	2.2	00.4-04.0	49	7.5	04.6-10.4	23	4.5	01.6-07.4	18	4.4	01.1-07.7	57	9.9	06.6-13.2	310	71.6	65.7-77.5
\$35,000- 49,999	552	570,051	12	1.9	00.3-03.5	37	6.9	03.8-10.0	20	3.2	01.2-05.2	21	2.5	01.3-03.7	46	7.6	03.7-11.5	416	77.9	72.8-83.0
\$50,000- 74,999	480	495,787	8	1.6	00.4-02.8	39	7.8	04.7-10.9	21	6.5	03.0-10.0	21	3.1	01.5-04.7	36	5.7	03.2-08.2	355	75.3	70.0-80.6
\$75,000+	748	836,679	19	2.7	01.1-04.3	56	8.1	05.4-10.8	20	3.8	01.6-06.0	22	2.5	01.1-03.9	37	4.6	02.2-07.0	594	78.4	74.1-82.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?
(PAINACT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	2,063,724	31	2.2	01.0-03.4	107	7.0	05.2-08.8	57	4.1	02.7-05.5	61	3.1	02.1-04.1	205	10.4	08.4-12.4	1160	73.1	70.2-76.0
White/Non-Hisp	1360	1,576,678	26	1.9	00.9-02.9	86	6.8	05.0-08.6	47	3.7	02.3-05.1	52	3.4	02.2-04.6	177	11.3	08.9-13.7	972	72.9	69.8-76.0
Black or Afr. Am./Non-Hisp	169	325,468	4	2.1	00.0-04.8	14	7.3	02.4-12.2	6	5.4	00.7-10.1	7	3.0	00.3-05.7	11	6.9	01.4-12.4	127	75.3	66.7-83.9
18-24	73	253,983	1	0.8	00.0-02.4	3	4.0	00.0-09.1	1	0.5	00.0-01.5	1	0.7	00.0-02.1	2	4.7	00.0-12.3	65	89.3	80.3-98.3
25-34	136	350,318	4	2.5	00.0-05.2	13	7.9	03.4-12.4	4	3.3	00.0-06.6	1	0.1	00.0-00.3	9	6.0	01.5-10.5	105	80.1	72.8-87.4
35-44	147	346,631	5	5.2	00.0-11.1	9	6.9	01.8-12.0	6	4.2	00.5-07.9	4	2.2	00.0-04.6	17	9.6	03.9-15.3	106	71.9	62.7-81.1
45-54	272	378,105	6	3.0	00.5-05.5	20	8.4	03.9-12.9	15	7.1	02.8-11.4	7	2.4	00.2-04.6	36	13.2	08.5-17.9	188	66.0	58.7-73.3
55-64	385	338,749	7	1.1	00.1-02.1	31	7.7	04.6-10.8	12	4.7	01.4-08.0	31	9.6	05.5-13.7	71	16.6	12.3-20.9	233	60.3	54.0-66.6
65+	596	388,258	8	0.6	00.0-01.2	31	6.6	03.7-09.5	19	3.6	01.8-05.4	14	2.7	00.9-04.5	69	11.1	08.0-14.2	455	75.5	71.0-80.0
Less Than H.S.	200	331,759	1	2.8	00.0-08.3	19	9.5	04.2-14.8	7	3.4	00.3-06.5	11	5.4	01.5-09.3	45	20.2	12.4-28.0	117	58.7	48.7-68.7
H.S. or G.E.D.	540	694,226	9	0.8	00.2-01.4	25	4.1	02.1-06.1	23	4.4	02.0-06.8	14	1.8	00.6-03.0	82	10.7	07.8-13.6	387	78.3	74.2-82.4
Some Post-H.S.	385	595,059	9	3.1	00.7-05.5	40	10.9	06.6-15.2	12	4.6	01.5-07.7	16	3.2	01.4-05.0	43	9.3	05.6-13.0	265	68.9	62.6-75.2
College Graduate	495	440,437	12	2.9	00.7-05.1	23	4.5	02.1-06.9	15	3.4	01.4-05.4	20	3.4	01.4-05.4	35	4.4	02.4-06.4	390	81.4	77.1-85.7
Less than \$15,000	184	195,212	2	2.1	00.0-05.8	10	5.6	00.9-10.3	11	6.2	01.7-10.7	12	6.3	02.0-10.6	50	24.1	16.3-31.9	99	55.7	45.5-65.9
\$15,000- 24,999	245	302,609	4	4.0	00.0-10.1	22	8.2	04.1-12.3	5	1.8	00.0-03.6	12	4.1	01.0-07.2	44	12.9	08.0-17.8	158	69.0	60.6-77.4
\$25,000- 34,999	168	211,577	4	1.4	00.0-03.2	12	5.1	01.2-09.0	6	5.2	00.0-10.5	6	2.7	00.0-05.4	21	8.1	03.6-12.6	119	77.6	69.4-85.8
\$35,000- 49,999	250	326,220	4	1.9	00.0-04.3	15	6.5	02.0-11.0	9	3.5	00.6-06.4	5	1.0	00.0-02.0	23	8.8	02.5-15.1	194	78.4	70.6-86.2
\$50,000- 74,999	210	259,099	1	0.4	00.0-01.2	16	9.5	04.0-15.0	7	5.9	01.0-10.8	9	3.5	01.0-06.0	17	6.4	02.3-10.5	160	74.4	66.6-82.2
\$75,000+	335	459,323	10	3.5	00.8-06.2	20	7.1	03.2-11.0	10	3.6	00.9-06.3	8	2.1	00.3-03.9	17	6.0	01.9-10.1	270	77.7	71.2-84.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?
(PAINACT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2849	2,281,351	53	2.0	01.2-02.8	261	9.2	07.4-11.0	133	5.1	03.9-06.3	158	5.4	04.2-06.6	387	11.7	10.1-13.3	1857	66.7	64.2-69.2
White/Non-Hisp	2368	1,757,618	43	1.9	01.1-02.7	209	8.3	06.7-09.9	106	4.9	03.5-06.3	132	5.8	04.4-07.2	335	12.7	10.9-14.5	1543	66.4	63.7-69.1
Black or Afr. Am./Non-Hisp	370	386,118	9	3.1	00.2-06.0	39	11.3	05.6-17.0	17	4.1	01.4-06.8	20	4.0	01.8-06.2	38	8.5	04.6-12.4	247	69.0	61.7-76.3
18-24	92	256,026	2	1.8	00.0-04.3	11	15.5	05.3-25.7	2	1.5	00.0-03.7				4	2.9	00.0-06.4	73	78.2	67.4-89.0
25-34	195	344,309	7	3.9	00.6-07.2	16	6.8	02.7-10.9	9	5.0	01.5-08.5	9	3.9	01.0-06.8	11	5.9	02.2-09.6	143	74.6	67.5-81.7
35-44	275	377,705	2	1.0	00.0-02.6	30	9.1	05.4-12.8	10	4.9	01.4-08.4	25	9.0	05.3-12.7	25	9.7	05.0-14.4	183	66.3	59.4-73.2
45-54	445	393,939	7	1.4	00.2-02.6	38	8.5	05.4-11.6	29	9.6	05.1-14.1	25	6.7	03.0-10.4	77	16.4	12.1-20.7	269	57.4	51.5-63.3
55-64	634	386,115	16	2.7	01.1-04.3	66	9.8	07.1-12.5	22	3.0	01.0-05.0	40	6.0	03.6-08.4	110	18.2	14.1-22.3	380	60.2	55.3-65.1
65+	1171	502,504	19	1.7	00.7-02.7	100	8.0	06.0-10.0	58	4.9	03.3-06.5	58	5.0	03.4-06.6	158	13.3	10.8-15.8	778	67.1	63.6-70.6
Less Than H.S.	371	369,585	5	0.5	00.0-01.1	30	10.5	04.8-16.2	20	8.1	03.4-12.8	37	9.5	05.0-14.0	84	23.8	17.3-30.3	195	47.6	40.0-55.2
H.S. or G.E.D.	986	766,268	11	2.0	00.4-03.6	94	9.6	06.5-12.7	43	3.8	02.0-05.6	55	5.1	03.3-06.9	150	12.4	09.7-15.1	633	67.2	62.7-71.7
Some Post-H.S.	718	666,988	17	2.9	01.3-04.5	68	8.8	06.1-11.5	49	6.1	03.7-08.5	38	5.1	03.1-07.1	93	8.7	06.5-10.9	453	68.3	63.8-72.8
College Graduate	762	472,880	20	2.0	00.8-03.2	69	8.1	05.6-10.6	20	3.0	01.2-04.8	28	2.9	01.5-04.3	58	5.3	03.5-07.1	567	78.5	74.8-82.2
Less than \$15,000	425	324,294	5	0.5	00.0-01.1	38	7.7	04.0-11.4	29	7.7	03.6-11.8	42	12.1	07.6-16.6	115	25.4	19.3-31.5	196	46.7	39.6-53.8
\$15,000- 24,999	529	412,713	8	3.3	00.4-06.2	60	11.0	07.1-14.9	24	4.6	01.9-07.3	41	7.2	04.3-10.1	87	15.8	11.5-20.1	309	58.1	52.0-64.2
\$25,000- 34,999	301	216,996	8	3.0	00.1-05.9	37	9.7	05.6-13.8	17	3.8	01.4-06.2	12	6.0	00.3-11.7	36	11.7	06.6-16.8	191	65.9	58.1-73.7
\$35,000- 49,999	302	243,831	8	2.0	00.2-03.8	22	7.5	03.8-11.2	11	2.8	00.8-04.8	16	4.5	02.0-07.0	23	5.9	03.0-08.8	222	77.3	71.6-83.0
\$50,000- 74,999	270	236,688	7	2.9	00.5-05.3	23	5.9	03.0-08.8	14	7.2	02.3-12.1	12	2.7	00.9-04.5	19	5.0	02.5-07.5	195	76.3	69.8-82.8
\$75,000+	413	377,356	9	1.7	00.5-02.9	36	9.3	05.8-12.8	10	4.0	00.5-07.5	14	2.9	01.1-04.7	20	2.9	01.3-04.5	324	79.2	73.9-84.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 4: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4410	4,288,833	175	4.0	03.2-04.8	685	16.0	14.4-17.6	237	5.8	04.8-06.8	228	5.2	04.2-06.2	314	6.3	05.1-07.5	2771	62.7	60.5-64.9
Male	1600	2,041,513	43	3.0	01.8-04.2	209	14.8	12.1-17.5	60	3.5	02.3-04.7	50	3.6	02.2-05.0	94	5.6	03.8-07.4	1144	69.5	66.2-72.8
Female	2810	2,247,320	132	4.9	03.7-06.1	476	17.1	15.1-19.1	177	7.9	06.3-09.5	178	6.6	05.2-08.0	220	6.9	05.5-08.3	1627	56.6	53.9-59.3
White/Non-Hisp	3679	3,307,243	140	3.4	02.6-04.2	566	15.6	13.8-17.4	191	6.0	04.8-07.2	182	5.0	04.0-06.0	272	6.4	05.2-07.6	2328	63.6	61.2-66.0
Black or Afr. Am./Non-Hisp	531	693,233	23	5.6	02.9-08.3	91	17.3	12.2-22.4	32	4.4	02.2-06.6	32	5.2	02.8-07.6	25	5.4	02.1-08.7	328	62.3	56.0-68.6
Oth. Race/Non-Hisp.	78	100,103	6	9.9	00.0-20.1	11	10.1	03.0-17.2	8	10.6	02.6-18.6	5	7.7	00.0-16.9	3	1.7	00.0-03.9	45	59.9	45.6-74.2
18-24	164	503,531	8	3.8	01.1-06.5	34	19.1	12.2-26.0	13	7.9	03.0-12.8	8	3.7	01.0-06.4	8	5.6	00.7-10.5	93	59.9	51.1-68.7
25-34	326	681,590	14	3.8	01.3-06.3	62	17.8	12.7-22.9	22	6.1	03.2-09.0	20	5.7	03.0-08.4	15	5.7	02.4-09.0	193	60.9	54.6-67.2
35-44	420	721,037	21	4.8	02.4-07.2	62	15.7	10.8-20.6	31	6.8	03.9-09.7	22	4.4	02.0-06.8	24	6.3	03.2-09.4	260	62.1	56.0-68.2
45-54	711	757,039	31	3.9	02.1-05.7	124	16.6	13.3-19.9	43	6.2	03.8-08.6	46	7.2	04.7-09.7	60	6.9	04.7-09.1	407	59.2	54.7-63.7
55-64	1017	720,493	51	4.9	03.3-06.5	171	16.3	13.4-19.2	60	5.7	03.9-07.5	65	7.1	04.9-09.3	101	8.3	06.3-10.3	569	57.8	53.9-61.7
65+	1725	879,103	48	2.6	01.6-03.6	231	12.9	10.9-14.9	68	3.5	02.5-04.5	64	3.1	02.1-04.1	105	5.1	03.7-06.5	1209	72.7	70.0-75.4
Less Than H.S.	553	679,177	10	1.2	00.2-02.2	87	17.0	11.5-22.5	51	11.5	07.2-15.8	39	7.1	04.2-10.0	93	15.7	11.2-20.2	273	47.6	41.1-54.1
H.S. or G.E.D.	1499	1,448,619	41	2.9	01.7-04.1	231	15.6	12.9-18.3	84	5.3	03.7-06.9	94	6.2	04.4-08.0	114	6.2	04.4-08.0	935	63.8	60.3-67.3
Some Post-H.S.	1098	1,250,126	49	4.8	03.0-06.6	173	15.3	12.4-18.2	59	5.0	03.2-06.8	69	5.9	04.1-07.7	61	4.3	02.5-06.1	687	64.5	60.6-68.4
College Graduate	1248	904,621	74	6.6	04.6-08.6	194	17.0	14.1-19.9	43	3.5	02.1-04.9	26	1.3	00.5-02.1	46	2.0	01.2-02.8	865	69.6	66.1-73.1
Less than \$15,000	596	505,804	16	3.8	01.1-06.5	86	14.4	10.3-18.5	60	12.3	08.0-16.6	73	13.2	09.3-17.1	108	15.3	11.2-19.4	253	41.1	35.2-47.0
\$15,000- 24,999	762	699,859	22	3.1	01.3-04.9	132	21.1	15.6-26.6	53	6.7	04.3-09.1	54	7.2	04.7-09.7	74	10.0	06.7-13.3	427	51.8	46.3-57.3
\$25,000- 34,999	459	427,375	26	6.1	03.0-09.2	70	13.1	09.2-17.0	24	4.8	02.4-07.2	18	4.4	01.5-07.3	20	4.0	01.5-06.5	301	67.6	61.5-73.7
\$35,000- 49,999	548	561,884	24	4.3	02.1-06.5	97	16.9	12.8-21.0	19	3.7	01.7-05.7	25	3.7	02.1-05.3	23	4.9	01.0-08.8	360	66.6	60.9-72.3
\$50,000- 74,999	482	502,594	15	2.4	00.8-04.0	72	15.8	11.1-20.5	18	4.0	01.5-06.5	13	4.4	01.3-07.5	23	2.5	01.3-03.7	341	70.9	65.2-76.6
\$75,000+	744	826,596	42	5.1	03.1-07.1	115	13.5	10.2-16.8	23	3.6	01.6-05.6	11	1.2	00.4-02.0	16	2.6	00.4-04.8	537	74.0	69.7-78.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 5: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1600	2,041,513	43	3.0	01.8-04.2	209	14.8	12.1-17.5	60	3.5	02.3-04.7	50	3.6	02.2-05.0	94	5.6	03.8-07.4	1144	69.5	66.2-72.8	
White/Non-Hisp	1347	1,572,911	32	2.2	01.2-03.2	169	13.6	10.9-16.3	54	4.1	02.7-05.5	39	3.3	01.9-04.7	83	5.8	03.8-07.8	970	70.9	67.4-74.4	
Black or Afr. Am./Non-Hisp	165	317,616	8	6.8	01.9-11.7	24	14.5	06.3-22.7	4	1.7	00.0-04.2	5	3.1	00.0-06.4	5	5.1	00.0-10.8	119	68.7	58.5-78.9	
18-24	71	245,963	4	3.7	00.2-07.2	14	16.9	07.3-26.5	2	2.4	00.0-05.7	1	1.3	00.0-03.8	3	6.9	00.0-15.5	47	68.8	56.5-81.1	
25-34	134	345,043	6	4.1	00.4-07.8	21	16.1	08.3-23.9	7	4.1	00.8-07.4	5	4.0	00.3-07.7	5	5.1	00.4-09.8	90	66.6	57.0-76.2	
35-44	147	347,065	4	2.5	00.0-05.2	23	19.1	09.9-28.3	6	3.3	00.2-06.4	3	1.8	00.0-04.7	6	4.7	00.0-09.4	105	68.7	58.7-78.7	
45-54	269	375,868	6	2.0	00.0-04.2	39	13.7	08.8-18.6	15	5.0	01.7-08.3	14	7.6	03.1-12.1	18	5.8	02.7-08.9	177	66.0	58.9-73.1	
55-64	384	336,571	13	3.5	01.3-05.7	61	15.8	10.9-20.7	17	3.9	01.5-06.3	19	5.3	02.4-08.2	31	6.6	03.9-09.3	243	64.9	58.8-71.0	
65+	583	383,323	10	2.4	00.8-04.0	51	9.1	06.2-12.0	13	2.0	00.6-03.4	7	1.0	00.2-01.8	31	5.2	02.8-07.6	471	80.3	76.2-84.4	
Less Than H.S.	192	321,626	2	0.8	00.0-01.8	26	18.1	08.3-27.9	11	3.9	00.8-07.0	7	4.1	00.4-07.8	31	15.2	07.8-22.6	115	58.0	47.4-68.6	
H.S. or G.E.D.	537	691,215	8	1.6	00.2-03.0	76	13.9	09.8-18.0	31	5.1	02.7-07.5	25	5.7	03.0-08.4	29	4.5	02.1-06.9	368	69.2	63.9-74.5	
Some Post-H.S.	386	593,902	17	5.3	02.4-08.2	47	13.1	08.0-18.2	9	2.8	00.6-05.0	14	3.0	00.8-05.2	19	4.6	01.3-07.9	280	71.1	64.6-77.6	
College Graduate	484	432,527	16	3.7	01.3-06.1	60	16.2	11.5-20.9	9	1.6	00.4-02.8	4	0.8	00.0-01.8	15	1.6	00.2-03.0	380	76.1	70.8-81.4	
Less than \$15,000	180	192,830	5	5.9	00.0-11.8	26	14.5	07.4-21.6	14	7.5	01.8-13.2	18	11.8	04.7-18.9	24	10.5	05.0-16.0	93	49.9	39.1-60.7	
\$15,000- 24,999	241	295,715	6	2.9	00.2-05.6	37	23.3	12.7-33.9	14	4.6	01.7-07.5	10	3.2	00.7-05.7	24	9.4	04.1-14.7	150	56.7	46.7-66.7	
\$25,000- 34,999	165	209,889	7	5.9	00.8-11.0	15	6.0	02.1-09.9	3	1.3	00.0-03.1	5	4.7	00.0-10.0	9	4.0	00.5-07.5	126	78.1	69.7-86.5	
\$35,000- 49,999	246	318,557	8	4.1	01.0-07.2	40	15.5	10.0-21.0	5	2.0	00.0-04.2	4	1.1	00.0-02.3	9	5.6	00.0-12.1	180	71.7	63.7-79.7	
\$50,000- 74,999	208	263,422	2	0.6	00.0-01.4	32	19.4	12.0-26.8	7	4.5	00.4-08.6	4	4.3	00.0-08.8	11	2.3	00.7-03.9	152	68.9	60.3-77.5	
\$75,000+	336	461,406	11	2.1	00.5-03.7	40	11.6	06.9-16.3	7	2.6	00.2-05.0	3	1.0	00.0-02.2	6	3.7	00.0-07.6	269	79.0	72.7-85.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 6: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2810	2,247,320	132	4.9	03.7-06.1	476	17.1	15.1-19.1	177	7.9	06.3-09.5	178	6.6	05.2-08.0	220	6.9	05.5-08.3	1627	56.6	53.9-59.3
White/Non-Hisp	2332	1,734,331	108	4.6	03.4-05.8	397	17.4	15.2-19.6	137	7.7	05.9-09.5	143	6.5	05.1-07.9	189	7.0	05.6-08.4	1358	56.9	54.0-59.8
Black or Afr. Am./Non-Hisp	366	375,617	15	4.5	01.6-07.4	67	19.6	13.1-26.1	28	6.6	03.5-09.7	27	6.9	03.6-10.2	20	5.6	01.7-09.5	209	56.8	49.2-64.4
18-24	93	257,568	4	3.9	00.0-07.8	20	21.2	11.4-31.0	11	13.1	04.3-21.9	7	6.0	01.1-10.9	5	4.3	00.0-08.8	46	51.4	39.1-63.7
25-34	192	336,548	8	3.5	00.4-06.6	41	19.6	13.5-25.7	15	8.2	03.7-12.7	15	7.4	03.1-11.7	10	6.3	01.8-10.8	103	55.1	46.9-63.3
35-44	273	373,972	17	7.0	03.3-10.7	39	12.5	08.2-16.8	25	10.1	05.6-14.6	19	6.8	03.3-10.3	18	7.7	03.6-11.8	155	56.0	48.7-63.3
45-54	442	381,171	25	5.8	03.3-08.3	85	19.5	15.0-24.0	28	7.4	04.3-10.5	32	6.8	04.1-09.5	42	8.1	05.4-10.8	230	52.6	46.9-58.3
55-64	633	383,922	38	6.1	03.7-08.5	110	16.7	13.2-20.2	43	7.3	04.6-10.0	46	8.7	05.6-11.8	70	9.7	06.8-12.6	326	51.5	46.6-56.4
65+	1142	495,779	38	2.8	01.8-03.8	180	15.9	13.2-18.6	55	4.7	03.1-06.3	57	4.7	03.1-06.3	74	5.1	03.5-06.7	738	66.8	63.3-70.3
Less Than H.S.	361	357,551	8	1.5	00.0-03.1	61	16.0	10.5-21.5	40	18.3	11.2-25.4	32	9.7	05.2-14.2	62	16.2	10.9-21.5	158	38.3	31.0-45.6
H.S. or G.E.D.	962	757,404	33	4.1	02.1-06.1	155	17.2	13.5-20.9	53	5.4	03.4-07.4	69	6.6	04.6-08.6	85	7.9	05.5-10.3	567	58.8	54.1-63.5
Some Post-H.S.	712	656,225	32	4.4	02.2-06.6	126	17.3	13.8-20.8	50	7.1	04.6-09.6	55	8.5	05.6-11.4	42	4.1	02.1-06.1	407	58.6	53.7-63.5
College Graduate	764	472,094	58	9.3	06.4-12.2	134	17.7	14.0-21.4	34	5.3	02.9-07.7	22	1.8	00.8-02.8	31	2.3	01.3-03.3	485	63.6	58.9-68.3
Less than \$15,000	416	312,974	11	2.6	00.1-05.1	60	14.3	09.2-19.4	46	15.3	09.6-21.0	55	14.0	09.3-18.7	84	18.2	12.7-23.7	160	35.6	28.7-42.5
\$15,000- 24,999	521	404,144	16	3.3	01.1-05.5	95	19.6	14.7-24.5	39	8.3	04.8-11.8	44	10.2	06.3-14.1	50	10.5	06.2-14.8	277	48.2	41.9-54.5
\$25,000- 34,999	294	217,486	19	6.4	02.3-10.5	55	19.9	13.6-26.2	21	8.1	03.8-12.4	13	4.0	00.9-07.1	11	4.1	00.6-07.6	175	57.5	49.5-65.5
\$35,000- 49,999	302	243,327	16	4.5	02.0-07.0	57	18.8	12.9-24.7	14	5.9	02.4-09.4	21	7.0	03.5-10.5	14	3.9	01.2-06.6	180	60.0	52.6-67.4
\$50,000- 74,999	274	239,173	13	4.4	01.5-07.3	40	11.9	07.0-16.8	11	3.4	00.9-05.9	9	4.5	00.0-09.0	12	2.8	00.8-04.8	189	73.1	65.8-80.4
\$75,000+	408	365,191	31	8.8	04.9-12.7	75	15.9	11.8-20.0	16	5.0	02.1-07.9	8	1.5	00.3-02.7	10	1.2	00.4-02.0	268	67.7	61.6-73.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4362	4,252,075	179	4.0	03.2-04.8	854	21.1	19.1-23.1	278	7.4	06.0-08.8	258	6.3	05.3-07.3	531	13.1	11.5-14.7	2262	48.2	46.0-50.4
Male	1581	2,018,475	56	3.8	02.6-05.0	261	19.7	16.6-22.8	82	5.9	03.9-07.9	72	5.3	03.7-06.9	156	10.7	08.5-12.9	954	54.7	51.2-58.2
Female	2781	2,233,600	123	4.1	03.1-05.1	593	22.3	19.9-24.7	196	8.8	07.2-10.4	186	7.1	05.7-08.5	375	15.2	13.2-17.2	1308	42.3	39.6-45.0
White/Non-Hisp	3629	3,256,486	135	3.3	02.5-04.1	700	20.8	18.8-22.8	231	7.3	05.9-08.7	220	6.8	05.6-08.0	449	13.5	11.9-15.1	1894	48.3	45.9-50.7
Black or Afr. Am./Non-Hisp	534	702,122	33	6.7	03.8-09.6	115	21.3	16.2-26.4	33	7.1	03.2-11.0	26	3.7	01.9-05.5	51	10.6	06.5-14.7	276	50.6	44.3-56.9
Oth. Race/Non-Hisp.	78	98,790	5	8.4	00.0-17.0	18	23.0	10.7-35.3	6	8.3	00.9-15.7	3	4.1	00.0-10.6	11	14.9	04.5-25.3	35	41.2	26.7-55.7
18-24	166	511,551	12	5.3	02.0-08.6	36	23.4	15.8-31.0	17	10.6	04.9-16.3	18	7.7	04.0-11.4	18	11.5	05.6-17.4	65	41.6	32.6-50.6
25-34	327	681,139	11	2.8	00.8-04.8	78	22.7	17.4-28.0	33	11.9	07.2-16.6	26	7.7	04.4-11.0	44	11.9	08.0-15.8	135	42.9	36.4-49.4
35-44	413	707,457	21	6.0	03.3-08.7	108	26.6	20.7-32.5	30	5.3	03.1-07.5	25	5.0	02.5-07.5	70	17.7	13.0-22.4	159	39.3	33.4-45.2
45-54	708	757,769	26	2.5	01.3-03.7	155	20.7	16.8-24.6	60	9.1	06.2-12.0	60	8.8	05.9-11.7	111	15.8	12.3-19.3	296	43.1	38.4-47.8
55-64	1004	713,760	50	4.8	03.2-06.4	221	21.5	18.2-24.8	56	4.8	03.2-06.4	68	6.5	04.5-08.5	149	14.9	12.2-17.6	460	47.5	43.6-51.4
65+	1695	853,489	58	3.0	02.0-04.0	250	13.8	11.6-16.0	80	4.5	03.1-05.9	59	2.9	01.9-03.9	136	7.3	05.5-09.1	1112	68.4	65.5-71.3
Less Than H.S.	544	672,781	7	0.9	00.1-01.7	83	16.8	11.5-22.1	42	12.2	06.7-17.7	41	8.5	05.2-11.8	125	24.6	19.3-29.9	246	37.0	31.1-42.9
H.S. or G.E.D.	1494	1,439,041	42	3.1	01.9-04.3	269	19.5	16.4-22.6	96	6.6	04.8-08.4	82	5.6	04.0-07.2	207	12.6	10.2-15.0	798	52.6	48.9-56.3
Some Post-H.S.	1077	1,237,688	47	4.3	02.5-06.1	217	21.5	17.8-25.2	74	7.7	05.5-09.9	69	6.4	04.4-08.4	123	13.2	10.1-16.3	547	47.0	42.9-51.1
College Graduate	1235	896,129	82	7.1	05.1-09.1	285	26.6	23.1-30.1	66	4.9	03.3-06.5	65	5.4	03.6-07.2	75	5.1	03.5-06.7	662	51.0	47.3-54.7
Less than \$15,000	597	508,187	11	3.5	01.1-05.9	93	13.5	09.6-17.4	50	11.3	07.4-15.2	45	9.0	05.3-12.7	172	29.4	24.1-34.7	226	33.4	27.7-39.1
\$15,000- 24,999	748	690,434	25	2.6	01.2-04.0	134	20.5	15.4-25.6	60	9.5	05.6-13.4	45	4.6	02.8-06.4	121	19.8	15.5-24.1	363	42.9	37.6-48.2
\$25,000- 34,999	463	419,575	21	5.3	02.2-08.4	78	17.4	12.7-22.1	29	9.2	04.7-13.7	29	6.9	03.8-10.0	36	7.8	04.1-11.5	270	53.4	46.7-60.1
\$35,000- 49,999	540	559,914	26	4.7	02.5-06.9	127	22.9	18.0-27.8	26	7.0	02.9-11.1	31	4.9	02.5-07.3	42	9.4	05.5-13.3	288	51.1	45.0-57.2
\$50,000- 74,999	477	497,612	21	4.0	01.6-06.4	105	25.4	19.5-31.3	27	5.5	02.4-08.6	19	4.9	02.0-07.8	42	9.7	06.0-13.4	263	50.5	44.2-56.8
\$75,000+	738	825,956	49	5.5	03.5-07.5	180	26.9	22.0-31.8	42	4.9	03.1-06.7	44	6.6	04.1-09.1	29	4.7	02.2-07.2	394	51.5	46.4-56.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1581	2,018,475	56	3.8	02.6-05.0	261	19.7	16.6-22.8	82	5.9	03.9-07.9	72	5.3	03.7-06.9	156	10.7	08.5-12.9	954	54.7	51.2-58.2	
White/Non-Hisp	1324	1,540,269	42	3.1	01.9-04.3	213	19.4	16.1-22.7	72	6.2	04.0-08.4	62	5.6	03.8-07.4	128	10.3	07.9-12.7	807	55.4	51.5-59.3	
Black or Afr. Am./Non-Hisp	168	322,818	10	6.7	02.0-11.4	29	15.1	08.2-22.0	5	6.2	00.0-13.5	6	3.6	00.5-06.7	15	11.0	04.1-17.9	103	57.5	47.1-67.9	
18-24	73	253,983	6	5.5	00.6-10.4	13	19.9	09.1-30.7	3	7.3	00.0-15.9	6	6.0	01.1-10.9	8	10.4	02.6-18.2	37	50.9	37.8-64.0	
25-34	132	337,579	6	4.0	00.5-07.5	28	19.8	12.0-27.6	12	11.6	03.8-19.4	12	8.2	03.1-13.3	11	8.1	02.8-13.4	63	48.3	38.3-58.3	
35-44	141	336,362	10	7.1	02.6-11.6	32	29.4	18.8-40.0	6	1.7	00.1-03.3	4	2.5	00.0-05.6	21	14.3	07.4-21.2	68	44.9	34.9-54.9	
45-54	269	374,571	6	1.6	00.2-03.0	51	19.6	13.3-25.9	21	7.2	03.5-10.9	22	8.5	04.4-12.6	34	14.0	08.5-19.5	135	49.2	41.8-56.6	
55-64	380	333,659	13	3.0	01.0-05.0	70	19.8	14.5-25.1	25	5.2	02.8-07.6	16	4.6	01.9-07.3	43	10.6	06.9-14.3	213	56.9	50.6-63.2	
65+	574	374,640	15	2.3	00.9-03.7	66	10.6	07.5-13.7	15	2.9	00.9-04.9	12	2.0	00.8-03.2	37	6.8	03.9-09.7	429	75.4	70.9-79.9	
Less Than H.S.	189	315,006	3	0.7	00.0-01.5	25	20.5	10.9-30.1	12	11.6	02.2-21.0	10	6.0	01.9-10.1	36	18.5	11.4-25.6	103	42.8	32.8-52.8	
H.S. or G.E.D.	531	682,912	15	2.9	01.3-04.5	78	16.1	11.4-20.8	30	5.2	02.8-07.6	28	5.8	03.3-08.3	64	11.1	07.6-14.6	316	58.9	53.0-64.8	
Some Post-H.S.	379	590,312	17	5.1	02.0-08.2	67	21.4	14.9-27.9	19	5.5	02.6-08.4	16	4.4	01.7-07.1	37	12.6	07.5-17.7	223	51.1	44.2-58.0	
College Graduate	481	428,003	21	5.6	02.7-08.5	91	22.7	17.6-27.8	21	3.1	01.5-04.7	18	5.1	02.2-08.0	19	1.9	00.7-03.1	311	61.6	55.7-67.5	
Less than \$15,000	177	188,420	7	4.9	00.4-09.4	25	14.4	06.8-22.0	15	9.2	02.7-15.7	13	8.2	02.1-14.3	37	20.8	13.0-28.6	80	42.5	31.7-53.3	
\$15,000- 24,999	234	292,793	9	3.0	00.6-05.4	40	23.4	13.6-33.2	19	9.1	01.5-16.7	9	2.6	00.4-04.8	41	18.1	11.4-24.8	116	43.9	34.7-53.1	
\$25,000- 34,999	166	202,643	6	5.6	00.1-11.1	22	14.1	07.2-21.0	4	3.0	00.0-06.1	8	4.7	00.8-08.6	12	7.9	01.4-14.4	114	64.7	54.5-74.9	
\$35,000- 49,999	243	320,776	8	3.6	00.9-06.3	44	17.7	11.4-24.0	12	7.4	00.7-14.1	10	4.4	01.3-07.5	15	8.1	02.4-13.8	154	58.8	49.8-67.8	
\$50,000- 74,999	209	261,623	5	2.5	00.0-05.4	39	23.1	14.7-31.5	10	5.0	00.9-09.1	8	5.4	00.9-09.9	20	11.3	05.2-17.4	127	52.7	43.5-61.9	
\$75,000+	332	456,266	15	4.5	01.6-07.4	64	24.3	17.0-31.6	12	2.6	00.8-04.4	15	5.9	02.6-09.2	11	4.6	00.7-08.5	215	58.1	50.5-65.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2781	2,233,600	123	4.1	03.1-05.1	593	22.3	19.9-24.7	196	8.8	07.2-10.4	186	7.1	05.7-08.5	375	15.2	13.2-17.2	1308	42.3	39.6-45.0
White/Non-Hisp	2305	1,716,217	93	3.4	02.4-04.4	487	22.0	19.6-24.4	159	8.4	06.6-10.2	158	7.9	06.1-09.7	321	16.3	13.9-18.7	1087	41.9	39.0-44.8
Black or Afr. Am./Non-Hisp	366	379,305	23	6.7	03.2-10.2	86	26.6	19.5-33.7	28	7.9	04.4-11.4	20	3.7	01.7-05.7	36	10.3	05.4-15.2	173	44.8	37.4-52.2
18-24	93	257,568	6	5.1	00.8-09.4	23	26.8	15.8-37.8	14	13.9	06.5-21.3	12	9.3	03.8-14.8	10	12.6	03.8-21.4	28	32.3	20.1-44.5
25-34	195	343,560	5	1.7	00.0-03.5	50	25.6	18.5-32.7	21	12.2	06.5-17.9	14	7.2	02.9-11.5	33	15.6	09.9-21.3	72	37.6	29.6-45.6
35-44	272	371,095	11	5.0	01.9-08.1	76	24.1	18.4-29.8	24	8.6	04.7-12.5	21	7.2	03.5-10.9	49	20.9	14.6-27.2	91	34.2	27.1-41.3
45-54	439	383,199	20	3.4	01.6-05.2	104	21.8	17.3-26.3	39	10.9	06.6-15.2	38	9.1	05.2-13.0	77	17.6	13.1-22.1	161	37.2	31.5-42.9
55-64	624	380,101	37	6.5	04.1-08.9	151	23.0	19.1-26.9	31	4.5	02.7-06.3	52	8.2	05.3-11.1	106	18.6	14.5-22.7	247	39.2	34.5-43.9
65+	1121	478,848	43	3.5	02.3-04.7	184	16.3	13.6-19.0	65	5.7	03.9-07.5	47	3.7	02.3-05.1	99	7.8	05.8-09.8	683	63.0	59.5-66.5
Less Than H.S.	355	357,775	4	1.0	00.0-02.2	58	13.6	08.7-18.5	30	12.8	06.7-18.9	31	10.8	05.5-16.1	89	30.0	22.6-37.4	143	31.8	24.9-38.7
H.S. or G.E.D.	963	756,129	27	3.4	01.6-05.2	191	22.5	18.2-26.8	66	7.8	05.3-10.3	54	5.4	03.4-07.4	143	14.0	10.9-17.1	482	46.9	42.0-51.8
Some Post-H.S.	698	647,376	30	3.7	02.1-05.3	150	21.5	17.4-25.6	55	9.6	06.7-12.5	53	8.2	05.5-10.9	86	13.7	10.0-17.4	324	43.2	38.1-48.3
College Graduate	754	468,125	61	8.4	05.7-11.1	194	30.2	25.5-34.9	45	6.5	04.1-08.9	47	5.7	03.5-07.9	56	8.0	05.1-10.9	351	41.3	36.8-45.8
Less than \$15,000	420	319,767	4	2.6	00.0-05.3	68	12.9	08.4-17.4	35	12.5	07.4-17.6	32	9.5	04.8-14.2	135	34.5	27.6-41.4	146	28.0	21.9-34.1
\$15,000- 24,999	514	397,640	16	2.4	00.6-04.2	94	18.3	13.4-23.2	41	9.7	05.6-13.8	36	6.2	03.7-08.7	80	21.1	15.6-26.6	247	42.2	36.1-48.3
\$25,000- 34,999	297	216,931	15	5.0	01.9-08.1	56	20.6	13.9-27.3	25	15.0	07.4-22.6	21	8.9	04.2-13.6	24	7.7	03.6-11.8	156	42.7	34.9-50.5
\$35,000- 49,999	297	239,138	18	6.1	02.8-09.4	83	29.9	22.6-37.2	14	6.4	02.9-09.9	21	5.6	02.5-08.7	27	11.3	06.2-16.4	134	40.7	32.9-48.5
\$50,000- 74,999	268	235,989	16	5.7	02.0-09.4	66	27.9	19.5-36.3	17	6.1	01.4-10.8	11	4.3	00.8-07.8	22	8.0	03.7-12.3	136	47.9	39.1-56.7
\$75,000+	406	369,690	34	6.6	03.9-09.3	116	30.1	24.0-36.2	30	7.6	04.5-10.7	29	7.4	03.3-11.5	18	4.8	02.1-07.5	179	43.4	36.3-50.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 10 DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day		2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4246	4,168,303	56	1.5	00.7-02.3	332	7.7	06.5-08.9	281	7.2	06.0-08.4	701	18.1	16.3-19.9	1963	47.9	45.7-50.1	913	17.6	16.0-19.2
Male	1554	1,989,670	21	1.9	00.5-03.3	82	5.0	03.4-06.6	80	6.1	04.3-07.9	248	17.4	14.7-20.1	807	53.5	50.0-57.0	316	16.1	13.6-18.6
Female	2692	2,178,633	35	1.2	00.6-01.8	250	10.2	08.4-12.0	201	8.3	06.7-09.9	453	18.8	16.4-21.2	1156	42.7	40.0-45.4	597	18.9	16.7-21.1
White/Non-Hisp	3542	3,198,357	41	1.1	00.5-01.7	267	7.8	06.4-09.2	230	7.4	06.0-08.8	585	17.7	15.9-19.5	1618	46.8	44.4-49.2	801	19.3	17.3-21.3
Black or Afr. Am./Non-Hisp	507	677,234	8	1.3	00.1-02.5	46	6.7	04.0-09.4	37	6.4	03.7-09.1	84	20.0	14.7-25.3	261	54.8	48.5-61.1	71	11.0	07.1-14.9
Oth. Race/Non-Hisp.	77	99,904	1	0.6	00.0-01.8	6	6.5	00.0-13.0	6	10.6	01.8-19.4	13	21.3	08.8-33.8	35	44.3	29.6-59.0	16	16.6	06.0-27.2
18-24	164	504,455	2	2.3	00.0-05.6	10	7.3	02.2-12.4	12	6.3	02.6-10.0	46	26.6	18.8-34.4	83	50.3	41.3-59.3	11	7.2	02.1-12.3
25-34	319	664,429	1	0.3	00.0-00.9	27	7.1	04.2-10.0	32	10.6	06.3-14.9	66	19.5	14.6-24.4	160	50.8	44.3-57.3	33	11.8	07.3-16.3
35-44	408	702,518	8	3.6	00.5-06.7	38	10.5	06.8-14.2	24	6.3	03.4-09.2	84	17.9	13.4-22.4	190	47.2	40.9-53.5	64	14.4	09.9-18.9
45-54	683	737,122	5	0.7	00.1-01.3	68	8.6	05.9-11.3	56	9.9	06.8-13.0	125	18.8	14.9-22.7	299	43.4	38.7-48.1	130	18.5	14.8-22.2
55-64	985	701,972	17	1.2	00.6-01.8	79	7.6	05.6-09.6	66	5.9	04.3-07.5	157	17.0	13.9-20.1	418	43.7	39.8-47.6	248	24.6	21.1-28.1
65+	1645	834,082	23	1.4	00.6-02.2	108	5.6	04.2-07.0	88	4.8	03.4-06.2	216	12.2	10.2-14.2	791	51.9	48.8-55.0	419	24.1	21.4-26.8
Less Than H.S.	530	661,982	13	4.9	01.0-08.8	61	10.6	06.7-14.5	37	8.9	04.8-13.0	77	16.6	11.9-21.3	160	29.4	23.5-35.3	182	29.6	23.9-35.3
H.S. or G.E.D.	1457	1,421,630	16	0.9	00.3-01.5	121	8.1	06.1-10.1	78	5.0	03.4-06.6	230	17.3	14.2-20.4	658	49.3	45.4-53.2	354	19.3	16.6-22.0
Some Post-H.S.	1044	1,204,777	14	1.2	00.4-02.0	88	8.1	05.7-10.5	76	7.8	05.4-10.2	176	17.8	14.7-20.9	492	51.2	46.9-55.5	198	13.8	10.9-16.7
College Graduate	1204	873,664	13	0.6	00.2-01.0	61	4.3	02.7-05.9	88	8.8	06.4-11.2	217	20.9	17.6-24.2	650	54.9	51.2-58.6	175	10.5	08.5-12.5
Less than \$15,000	576	493,363	12	2.2	00.4-04.0	69	13.0	08.7-17.3	50	10.3	06.6-14.0	75	15.2	10.7-19.7	148	28.8	22.9-34.7	222	30.4	25.1-35.7
\$15,000- 24,999	740	688,642	16	3.9	00.8-07.0	74	11.0	07.7-14.3	53	6.9	04.5-09.3	114	17.1	13.0-21.2	299	38.9	33.6-44.2	184	22.2	17.7-26.7
\$25,000- 34,999	443	401,295	6	0.7	00.0-01.5	39	8.4	04.9-11.9	29	7.0	03.1-10.9	78	21.3	15.0-27.6	203	48.1	41.2-55.0	88	14.4	10.5-18.3
\$35,000- 49,999	531	556,035	2	0.1	00.0-00.3	28	5.0	02.8-07.2	34	6.1	03.6-08.6	93	17.8	13.3-22.3	281	56.7	50.6-62.8	93	14.3	09.8-18.8
\$50,000- 74,999	465	487,718	5	0.4	00.0-00.8	28	4.0	02.2-05.8	25	5.9	03.0-08.8	79	21.5	15.6-27.4	242	53.3	46.8-59.8	86	14.9	10.8-19.0
\$75,000+	727	813,696	4	0.6	00.0-01.2	29	5.3	02.9-07.7	52	9.4	05.9-12.9	137	17.4	13.9-20.9	442	58.9	53.8-64.0	63	8.4	05.3-11.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 11: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1554	1,989,670	21	1.9	00.5-03.3	82	5.0	03.4-06.6	80	6.1	04.3-07.9	248	17.4	14.7-20.1	807	53.5	50.0-57.0	316	16.1	13.6-18.6	
White/Non-Hisp	1304	1,520,737	14	1.0	00.4-01.6	67	5.4	03.6-07.2	68	6.4	04.2-08.6	211	16.8	14.1-19.5	661	52.1	48.2-56.0	283	18.3	15.4-21.2	
Black or Afr. Am./Non-Hisp	159	311,543	2	1.3	00.0-03.3	7	3.0	00.3-05.7	5	3.8	00.0-07.7	25	20.8	12.2-29.4	103	62.9	52.7-73.1	17	8.2	02.3-14.1	
18-24	72	250,717	2	4.5	00.0-11.2	2	3.6	00.0-08.5	2	1.8	00.0-04.3	17	21.2	11.0-31.4	45	62.1	49.2-75.0	4	6.7	00.0-14.7	
25-34	130	331,933				9	6.0	01.9-10.1	13	11.2	04.3-18.1	26	16.7	09.8-23.6	74	58.6	48.8-68.4	8	7.6	02.1-13.1	
35-44	142	336,565	4	4.6	00.0-10.3	8	5.8	01.1-10.5	9	7.4	02.1-12.7	26	16.5	09.1-23.9	78	53.0	42.6-63.4	17	12.8	05.0-20.6	
45-54	261	365,151	1	0.3	00.0-00.9	14	5.6	01.5-09.7	21	8.9	04.8-13.0	49	20.4	14.1-26.7	128	46.8	39.2-54.4	48	17.9	12.4-23.4	
55-64	376	331,655	7	1.2	00.2-02.2	18	4.0	01.8-06.2	19	3.8	01.8-05.8	67	20.2	14.7-25.7	174	47.6	41.3-53.9	91	23.1	18.0-28.2	
65+	563	367,871	7	1.7	00.1-03.3	31	4.8	02.8-06.8	16	2.4	00.8-04.0	60	10.2	07.3-13.1	302	55.7	50.6-60.8	147	25.1	20.6-29.6	
Less Than H.S.	187	307,321	7	6.7	00.0-14.3	16	4.4	01.5-07.3	6	5.6	00.0-11.5	30	19.4	11.6-27.2	68	37.0	26.6-47.4	60	26.8	18.0-35.6	
H.S. or G.E.D.	522	683,132	5	1.0	00.0-02.2	29	5.8	03.1-08.5	19	3.8	01.6-06.0	84	16.7	12.0-21.4	257	55.0	49.1-60.9	128	17.7	13.8-21.6	
Some Post-H.S.	368	574,081	6	1.4	00.0-02.8	16	5.1	01.8-08.4	24	6.7	03.4-10.0	58	16.4	11.5-21.3	201	57.6	50.5-64.7	63	12.8	07.7-17.9	
College Graduate	476	422,893	3	0.6	00.0-01.4	21	4.0	01.6-06.4	31	9.3	05.2-13.4	76	18.5	13.8-23.2	281	58.0	52.1-63.9	64	9.7	06.6-12.8	
Less than \$15,000	172	182,673	5	3.9	00.0-08.2	16	10.9	03.5-18.3	13	8.5	02.4-14.6	27	18.0	09.8-26.2	53	36.3	24.9-47.7	58	22.5	15.2-29.8	
\$15,000- 24,999	240	298,300	4	3.9	00.0-10.0	19	6.9	02.6-11.2	9	3.0	00.6-05.4	32	16.2	09.3-23.1	108	47.1	37.5-56.7	68	22.8	14.8-30.8	
\$25,000- 34,999	159	192,814	3	0.9	00.0-02.1	11	5.2	00.9-09.5	5	1.8	00.0-03.6	23	23.1	12.3-33.9	83	54.6	43.6-65.6	34	14.3	08.6-20.0	
\$35,000- 49,999	243	323,502				6	1.5	00.1-02.9	11	4.2	01.3-07.1	44	15.3	09.6-21.0	138	63.8	55.4-72.2	44	15.2	08.3-22.1	
\$50,000- 74,999	207	257,408	2	0.5	00.0-01.1	9	3.2	00.8-05.6	11	6.0	02.1-09.9	33	20.7	12.9-28.5	116	56.5	47.5-65.5	36	13.2	07.3-19.1	
\$75,000+	328	451,607	3	1.0	00.0-02.2	12	5.4	01.7-09.1	26	12.2	06.5-17.9	57	15.9	10.8-21.0	198	55.9	48.3-63.5	32	9.6	04.9-14.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 12: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2692	2,178,633	35	1.2	00.6-01.8	250	10.2	08.4-12.0	201	8.3	06.7-09.9	453	18.8	16.4-21.2	1156	42.7	40.0-45.4	597	18.9	16.7-21.1	
White/Non-Hisp	2238	1,677,620	27	1.2	00.4-02.0	200	10.0	08.0-12.0	162	8.2	06.4-10.0	374	18.5	16.1-20.9	957	41.9	39.0-44.8	518	20.2	17.8-22.6	
Black or Afr. Am./Non-Hisp	348	365,690	6	1.2	00.0-02.4	39	9.8	05.5-14.1	32	8.6	04.9-12.3	59	19.2	12.5-25.9	158	47.9	40.1-55.7	54	13.3	08.2-18.4	
18-24	92	253,738				8	11.0	02.4-19.6	10	10.7	03.6-17.8	29	32.0	20.4-43.6	38	38.6	26.4-50.8	7	7.7	01.6-13.8	
25-34	189	332,496	1	0.6	00.0-01.8	18	8.3	04.2-12.4	19	9.9	05.0-14.8	40	22.3	15.2-29.4	86	43.0	34.8-51.2	25	15.9	09.0-22.8	
35-44	266	365,952	4	2.8	00.0-06.1	30	14.9	09.2-20.6	15	5.3	02.2-08.4	58	19.2	13.9-24.5	112	41.9	34.6-49.2	47	15.9	11.0-20.8	
45-54	422	371,971	4	1.0	00.0-02.0	54	11.6	08.1-15.1	35	10.9	06.4-15.4	76	17.3	13.0-21.6	171	40.1	34.2-46.0	82	19.2	14.1-24.3	
55-64	609	370,318	10	1.1	00.3-01.9	61	10.8	07.7-13.9	47	7.7	05.2-10.2	90	14.2	10.7-17.7	244	40.3	35.4-45.2	157	26.0	21.3-30.7	
65+	1082	466,212	16	1.2	00.4-02.0	77	6.2	04.2-08.2	72	6.6	04.6-08.6	156	13.8	11.3-16.3	489	48.9	45.0-52.8	272	23.3	20.2-26.4	
Less Than H.S.	343	354,661	6	3.3	00.0-06.8	45	16.0	09.5-22.5	31	11.7	06.2-17.2	47	14.2	08.7-19.7	92	22.9	17.0-28.8	122	31.9	24.6-39.2	
H.S. or G.E.D.	935	738,498	11	0.7	00.1-01.3	92	10.3	07.6-13.0	59	6.1	04.1-08.1	146	18.0	13.9-22.1	401	44.1	39.2-49.0	226	20.8	17.1-24.5	
Some Post-H.S.	676	630,696	8	0.9	00.1-01.7	72	10.9	07.8-14.0	52	8.8	05.7-11.9	118	19.2	15.1-23.3	291	45.5	40.4-50.6	135	14.8	11.5-18.1	
College Graduate	728	450,771	10	0.5	00.1-00.9	40	4.6	02.6-06.6	57	8.4	05.9-10.9	141	23.2	18.7-27.7	369	52.0	47.1-56.9	111	11.2	08.7-13.7	
Less than \$15,000	404	310,690	7	1.2	00.0-02.4	53	14.3	09.2-19.4	37	11.3	06.4-16.2	48	13.6	08.5-18.7	95	24.4	18.1-30.7	164	35.1	28.4-41.8	
\$15,000- 24,999	500	390,342	12	3.8	00.5-07.1	55	14.2	09.5-18.9	44	9.8	06.1-13.5	82	17.8	12.9-22.7	191	32.7	27.0-38.4	116	21.8	16.5-27.1	
\$25,000- 34,999	284	208,480	3	0.6	00.0-01.4	28	11.3	05.8-16.8	24	11.9	05.0-18.8	55	19.6	13.1-26.1	120	42.1	34.1-50.1	54	14.5	09.4-19.6	
\$35,000- 49,999	288	232,533	2	0.3	00.0-00.7	22	9.9	05.2-14.6	23	8.8	04.5-13.1	49	21.1	13.8-28.4	143	46.8	38.8-54.8	49	13.1	08.6-17.6	
\$50,000- 74,999	258	230,310	3	0.2	00.0-00.4	19	4.9	02.2-07.6	14	5.8	01.7-09.9	46	22.5	13.7-31.3	126	49.8	40.8-58.8	50	16.8	10.9-22.7	
\$75,000+	399	362,089	1	0.1	00.0-00.3	17	5.2	02.3-08.1	26	6.1	03.2-09.0	80	19.1	14.4-23.8	244	62.7	56.2-69.2	31	6.8	03.1-10.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MEDICARE? (MEDICARE)	
1	MALES AND FEMALES	53
2	MALES ONLY	54
3	FEMALES ONLY	55
	WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)	
4	MALES AND FEMALES	56
5	MALES ONLY	57
6	FEMALES ONLY	58
	DELAYED GETTING MEDICAL CARE (DELAYMED)	
7	MALES AND FEMALES	59
8	MALES ONLY	60
9	FEMALES ONLY	61
	IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)	
10	MALES AND FEMALES	62
11	MALES ONLY	63
12	FEMALES ONLY	64
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
13	MALES AND FEMALES	65
14	MALES ONLY	66
15	FEMALES ONLY	67
	HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
16	MALES AND FEMALES	68
17	MALES ONLY	69
18	FEMALES ONLY	70

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)	
19 MALES AND FEMALES	71
20 MALES ONLY	72
21 FEMALES ONLY	73
IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY- (CARERCVD)	
22 MALES AND FEMALES	74
23 MALES ONLY	75
24 FEMALES ONLY	76
DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)	
25 MALES AND FEMALES	77
26 MALES ONLY	78
27 FEMALES ONLY	79
37	
28 MALES AND FEMALES	80
29 MALES ONLY	81
30 FEMALES ONLY	82

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4477	4,034,024	2327	34.3	32.5-36.1	2150	65.7	63.9-67.5
Male	1602	1,891,330	790	32.1	29.4-34.8	812	67.9	65.2-70.6
Female	2875	2,142,694	1537	36.3	33.9-38.7	1338	63.7	61.3-66.1
White/Non-Hisp	3738	3,138,657	1988	35.6	33.6-37.6	1750	64.4	62.4-66.4
Black or Afr. Am./Non-Hisp	544	641,028	251	30.8	25.5-36.1	293	69.2	63.9-74.5
Oth. Race/Non-Hisp.	83	106,060	38	33.4	20.7-46.1	45	66.6	53.9-79.3
18-24	133	388,355	12	8.9	03.6-14.2	121	91.1	85.8-96.4
25-34	266	551,927	32	13.7	08.6-18.8	234	86.3	81.2-91.4
35-44	384	643,157	51	10.2	06.9-13.5	333	89.8	86.5-93.1
45-54	675	729,560	121	17.1	13.6-20.6	554	82.9	79.4-86.4
55-64	1009	715,260	238	21.0	17.9-24.1	771	79.0	75.9-82.1
65+	1955	977,226	1848	94.2	92.8-95.6	107	5.8	04.4-07.2
Less Than H.S.	544	568,943	399	56.1	49.6-62.6	145	43.9	37.4-50.4
H.S. or G.E.D.	1494	1,324,035	853	37.1	33.8-40.4	641	62.9	59.6-66.2
Some Post-H.S.	1107	1,196,312	543	29.9	26.6-33.2	564	70.1	66.8-73.4
College Graduate	1300	921,162	512	22.3	19.9-24.7	788	77.7	75.3-80.1
Less than \$15,000	525	396,419	383	53.2	46.5-59.9	142	46.8	40.1-53.5
\$15,000- 24,999	723	604,759	506	54.0	48.3-59.7	217	46.0	40.3-51.7
\$25,000- 34,999	465	390,028	255	37.5	31.6-43.4	210	62.5	56.6-68.4
\$35,000- 49,999	544	529,930	252	32.9	27.8-38.0	292	67.1	62.0-72.2
\$50,000- 74,999	494	502,478	171	18.3	14.8-21.8	323	81.7	78.2-85.2
\$75,000+	777	853,008	166	11.9	09.5-14.3	611	88.1	85.7-90.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 4: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1602	1,891,330	790	32.1	29.4-34.8	812	67.9	65.2-70.6
White/Non-Hisp	1361	1,478,890	693	34.1	31.0-37.2	668	65.9	62.8-69.0
Black or Afr. Am./Non-Hisp	161	288,820	63	25.0	16.8-33.2	98	75.0	66.8-83.2
18-24	58	197,719	6	9.2	01.6-16.8	52	90.8	83.2-98.4
25-34	96	246,057	10	11.7	04.1-19.3	86	88.3	80.7-95.9
35-44	135	306,143	19	8.2	03.9-12.5	116	91.8	87.5-96.1
45-54	252	364,414	45	17.2	11.5-22.9	207	82.8	77.1-88.5
55-64	394	343,417	94	21.0	16.3-25.7	300	79.0	74.3-83.7
65+	653	426,759	610	92.8	90.3-95.3	43	7.2	04.7-09.7
Less Than H.S.	182	258,617	127	53.0	42.6-63.4	55	47.0	36.6-57.4
H.S. or G.E.D.	517	629,011	262	32.9	27.8-38.0	255	67.1	62.0-72.2
Some Post-H.S.	386	552,966	174	26.3	21.4-31.2	212	73.7	68.8-78.6
College Graduate	510	441,884	225	26.3	22.2-30.4	285	73.7	69.6-77.8
Less than \$15,000	153	148,822	109	51.9	39.9-63.9	44	48.1	36.1-60.1
\$15,000- 24,999	223	239,948	154	52.9	42.9-62.9	69	47.1	37.1-57.1
\$25,000- 34,999	163	184,309	85	37.5	27.7-47.3	78	62.5	52.7-72.3
\$35,000- 49,999	240	292,685	120	35.4	27.6-43.2	120	64.6	56.8-72.4
\$50,000- 74,999	213	258,800	90	22.1	16.4-27.8	123	77.9	72.2-83.6
\$75,000+	349	466,794	88	13.9	10.2-17.6	261	86.1	82.4-89.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 4: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	2,142,694	1537	36.3	33.9-38.7	1338	63.7	61.3-66.1
White/Non-Hisp	2377	1,659,767	1295	36.9	34.4-39.4	1082	63.1	60.6-65.6
Black or Afr. Am./Non-Hisp	383	352,208	188	35.6	28.7-42.5	195	64.4	57.5-71.3
Oth. Race/Non-Hisp.	51	64,820	24	32.7	16.2-49.2	27	67.3	50.8-83.8
18-24	75	190,636	6	8.5	01.2-15.8	69	91.5	84.2-98.8
25-34	170	305,870	22	15.3	08.6-22.0	148	84.7	78.0-91.4
35-44	249	337,014	32	12.0	07.1-16.9	217	88.0	83.1-92.9
45-54	423	365,146	76	17.0	12.5-21.5	347	83.0	78.5-87.5
55-64	615	371,843	144	21.1	17.0-25.2	471	78.9	74.8-83.0
65+	1302	550,467	1238	95.4	94.0-96.8	64	4.6	03.2-06.0
Less Than H.S.	362	310,325	272	58.7	50.7-66.7	90	41.3	33.3-49.3
H.S. or G.E.D.	977	695,024	591	41.0	36.7-45.3	386	59.0	54.7-63.3
Some Post-H.S.	721	643,346	369	33.1	28.8-37.4	352	66.9	62.6-71.2
College Graduate	790	479,278	287	18.6	15.9-21.3	503	81.4	78.7-84.1
Less than \$15,000	372	247,597	274	54.0	46.0-62.0	98	46.0	38.0-54.0
\$15,000- 24,999	500	364,812	352	54.8	48.1-61.5	148	45.2	38.5-51.9
\$25,000- 34,999	302	205,719	170	37.6	30.3-44.9	132	62.4	55.1-69.7
\$35,000- 49,999	304	237,245	132	29.7	23.6-35.8	172	70.3	64.2-76.4
\$50,000- 74,999	281	243,678	81	14.3	10.2-18.4	200	85.7	81.6-89.8
\$75,000+	428	386,214	78	9.5	07.0-12.0	350	90.5	88.0-93.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 4: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4420	3,990,423	1663	48.4	46.2-50.6	576	13.0	11.6-14.4	1769	30.0	28.2-31.8	157	3.8	03.0-04.6	233	4.3	03.5-05.1	22	0.4	00.2-00.6
Male	1590	1,877,064	642	52.0	48.7-55.3	181	12.6	10.2-15.0	607	26.7	24.0-29.4	99	5.5	03.9-07.1	56	2.8	01.8-03.8	5	0.4	00.0-00.8
Female	2830	2,113,359	1021	45.2	42.5-47.9	395	13.4	11.6-15.2	1162	32.9	30.5-35.3	58	2.3	01.5-03.1	177	5.7	04.5-06.9	17	0.5	00.1-00.9
White/Non-Hisp	3694	3,106,977	1365	48.4	46.0-50.8	506	13.9	12.3-15.5	1484	29.7	27.7-31.7	127	3.5	02.7-04.3	197	4.3	03.5-05.1	15	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	535	627,520	235	52.6	46.5-58.7	45	7.6	04.5-10.7	209	31.1	25.6-36.6	19	4.1	01.4-06.8	22	3.6	01.4-05.8	5	1.1	00.0-02.3
Oth. Race/Non-Hisp.	82	104,874	25	27.5	15.7-39.3	11	15.5	04.1-26.9	33	40.5	26.4-54.6	6	9.3	00.3-18.3	6	7.0	00.5-13.5	1	0.1	00.0-00.3
18-24	130	375,222	62	51.5	41.5-61.5	31	24.7	16.1-33.3	23	16.4	09.5-23.3	6	3.0	00.3-05.7	7	3.7	00.6-06.8	1	0.7	00.0-02.1
25-34	270	559,077	155	58.6	51.7-65.5	29	8.0	04.5-11.5	62	23.4	17.5-29.3	9	4.2	01.3-07.1	13	5.3	02.2-08.4	2	0.5	00.0-01.3
35-44	381	635,325	251	67.4	61.5-73.3	36	8.5	05.4-11.6	68	16.0	11.7-20.3	12	4.6	01.7-07.5	13	3.4	01.2-05.6	1	0.1	00.0-00.3
45-54	669	721,471	422	63.8	59.1-68.5	80	12.5	09.2-15.8	123	17.0	13.3-20.7	17	3.2	01.4-05.0	26	3.4	01.6-05.2	1	0.1	00.0-00.3
55-64	998	707,906	560	57.3	53.4-61.2	121	13.5	10.8-16.2	212	19.5	16.4-22.6	47	4.4	03.0-05.8	52	4.6	03.0-06.2	6	0.6	00.0-01.4
65+	1917	963,081	189	10.8	09.0-12.6	269	14.2	12.2-16.2	1266	65.9	63.2-68.6	64	3.3	02.3-04.3	119	5.2	04.0-06.4	10	0.5	00.1-00.9
Less Than H.S.	526	552,542	67	24.0	17.3-30.7	61	9.1	06.0-12.2	340	57.3	50.8-63.8	9	1.2	00.0-02.4	47	8.3	05.0-11.6	2	0.1	00.0-00.3
H.S. or G.E.D.	1480	1,310,990	470	43.6	39.7-47.5	211	15.6	12.7-18.5	648	31.7	28.4-35.0	50	4.0	02.4-05.6	90	4.5	03.1-05.9	11	0.5	00.1-00.9
Some Post-H.S.	1092	1,189,372	429	51.8	47.7-55.9	142	13.0	10.3-15.7	418	26.9	23.6-30.2	54	4.7	02.9-06.5	42	2.8	01.8-03.8	7	0.7	00.1-01.3
College Graduate	1292	915,020	686	65.6	62.3-68.9	159	11.8	09.6-14.0	352	15.4	13.4-17.4	43	3.9	02.3-05.5	51	3.3	02.1-04.5	1	0.0	00.0-00.0
Less than \$15,000	513	391,138	24	7.1	02.2-12.0	49	9.5	05.8-13.2	370	68.7	62.0-75.4	11	1.4	00.4-02.4	54	11.9	07.4-16.4	5	1.4	00.0-03.2
\$15,000- 24,999	717	605,007	136	27.6	21.9-33.3	104	14.0	10.5-17.5	405	51.1	45.4-56.8	18	1.8	00.6-03.0	48	5.0	02.8-07.2	6	0.4	00.0-00.8
\$25,000- 34,999	464	394,672	165	46.5	39.6-53.4	73	18.9	13.0-24.8	178	25.2	20.1-30.3	24	4.3	02.1-06.5	22	4.4	02.0-06.8	2	0.6	00.0-01.4
\$35,000- 49,999	538	520,527	262	56.3	50.6-62.0	65	13.4	09.5-17.3	168	22.9	18.2-27.6	26	4.6	02.4-06.8	17	2.7	00.5-04.9			
\$50,000- 74,999	491	501,302	279	68.3	63.0-73.6	62	11.1	08.0-14.2	114	12.3	09.6-15.0	26	7.0	03.7-10.3	10	1.3	00.3-02.3			
\$75,000+	778	855,686	544	76.6	72.7-80.5	86	10.9	08.0-13.8	102	6.7	04.9-08.5	20	3.0	01.0-05.0	25	2.8	01.4-04.2	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 5: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1590	1,877,064	642	52.0	48.7-55.3	181	12.6	10.2-15.0	607	26.7	24.0-29.4	99	5.5	03.9-07.1	56	2.8	01.8-03.8	5	0.4	00.0-00.8
White/Non-Hisp	1349	1,467,302	539	51.8	48.1-55.5	162	13.5	10.8-16.2	522	27.1	24.2-30.0	76	4.8	03.4-06.2	47	2.7	01.5-03.9	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	161	281,330	76	56.7	46.5-66.9	12	7.5	02.2-12.8	50	23.6	15.2-32.0	17	8.4	02.3-14.5	5	3.0	00.0-06.1	1	0.9	00.0-02.7
18-24	57	190,814	28	50.9	36.4-65.4	15	30.2	16.5-43.9	8	12.1	03.3-20.9	2	1.8	00.0-04.3	3	3.7	00.0-08.6	1	1.4	00.0-04.1
25-34	98	250,971	71	74.2	64.2-84.2	5	3.3	00.0-07.2	13	12.8	05.2-20.4	6	7.0	01.3-12.7	3	2.8	00.0-06.1			
35-44	135	304,140	88	71.3	62.3-80.3	13	7.3	02.6-12.0	20	11.1	05.4-16.8	10	8.4	02.5-14.3	4	1.9	00.0-03.9			
45-54	252	361,297	166	64.4	57.0-71.8	27	11.7	06.4-17.0	45	18.4	12.3-24.5	10	3.3	01.1-05.5	4	2.2	00.0-04.6			
55-64	390	340,715	217	56.5	50.4-62.6	46	14.9	10.2-19.6	81	18.7	14.0-23.4	32	6.4	04.0-08.8	12	2.7	00.9-04.5	2	0.9	00.0-02.5
65+	644	422,305	67	11.7	08.6-14.8	72	12.5	09.2-15.8	436	66.5	62.0-71.0	38	5.4	03.2-07.6	29	3.8	02.0-05.6	2	0.2	00.0-00.6
Less Than H.S.	176	252,119	35	34.7	23.5-45.9	14	7.2	02.7-11.7	115	53.5	42.9-64.1	6	1.6	00.0-03.2	6	3.1	00.0-06.4			
H.S. or G.E.D.	518	625,636	203	47.4	41.3-53.5	64	17.4	12.1-22.7	204	26.9	22.0-31.8	23	4.3	01.9-06.7	21	3.7	01.5-05.9	3	0.3	00.0-00.7
Some Post-H.S.	383	550,037	153	56.3	49.6-63.0	45	11.4	07.3-15.5	131	21.6	16.9-26.3	41	8.4	04.9-11.9	11	1.3	00.3-02.3	2	0.9	00.0-02.3
College Graduate	507	441,128	247	62.7	57.4-68.0	57	10.3	07.2-13.4	156	17.8	14.3-21.3	29	6.0	03.3-08.7	18	3.2	01.2-05.2			
Less than \$15,000	153	149,010	6	10.6	00.0-21.8	16	11.3	03.7-18.9	111	65.0	52.5-77.5	9	3.2	00.7-05.7	10	8.3	01.2-15.4	1	1.7	00.0-04.8
\$15,000- 24,999	224	245,418	49	32.9	22.3-43.5	19	10.5	05.0-16.0	132	50.2	40.4-60.0	11	3.6	00.9-06.3	11	2.3	00.5-04.1	2	0.5	00.0-01.3
\$25,000- 34,999	164	189,575	64	47.1	36.3-57.9	25	20.2	10.0-30.4	56	23.8	15.6-32.0	13	4.6	01.5-07.7	6	4.2	00.5-07.9			
\$35,000- 49,999	237	286,490	102	53.4	45.0-61.8	33	14.4	08.7-20.1	78	22.6	15.7-29.5	16	5.8	02.3-09.3	8	3.8	00.1-07.5			
\$50,000- 74,999	211	258,497	97	60.7	52.3-69.1	26	11.0	06.3-15.7	64	16.0	11.3-20.7	18	11.2	05.1-17.3	6	1.2	00.0-02.4			
\$75,000+	350	468,795	240	76.2	70.3-82.1	35	10.3	06.0-14.6	52	7.4	04.7-10.1	15	4.2	00.9-07.5	8	2.0	00.4-03.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 6: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2830	2,113,359	1021	45.2	42.5-47.9	395	13.4	11.6-15.2	1162	32.9	30.5-35.3	58	2.3	01.5-03.1	177	5.7	04.5-06.9	17	0.5	00.1-00.9
White/Non-Hisp	2345	1,639,675	826	45.3	42.4-48.2	344	14.2	12.2-16.2	962	32.0	29.5-34.5	51	2.4	01.4-03.4	150	5.7	04.3-07.1	12	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	374	346,190	159	49.3	41.9-56.7	33	7.6	04.1-11.1	159	37.2	30.1-44.3	2	0.5	00.0-01.3	17	4.0	00.9-07.1	4	1.3	00.0-02.9
Oth. Race/Non-Hisp.	50	62,525	15	23.7	10.2-37.2	9	23.7	06.1-41.3	18	36.7	18.1-55.3	2	7.1	00.0-18.3	5	8.5	00.0-17.3	1	0.2	00.0-00.6
18-24	73	184,408	34	52.2	38.3-66.1	16	19.1	09.5-28.7	15	20.8	10.2-31.4	4	4.2	00.0-08.9	4	3.7	00.0-07.6			
25-34	172	308,106	84	45.9	37.3-54.5	24	11.8	06.5-17.1	49	32.1	23.9-40.3	3	2.0	00.0-04.4	10	7.3	02.6-12.0	2	0.9	00.0-02.5
35-44	246	331,185	163	63.9	56.5-71.3	23	9.7	05.6-13.8	48	20.4	13.9-26.9	2	1.0	00.0-02.4	9	4.8	01.1-08.5	1	0.2	00.0-00.6
45-54	417	360,174	256	63.2	57.3-69.1	53	13.2	09.1-17.3	78	15.5	11.2-19.8	7	3.1	00.6-05.6	22	4.7	02.3-07.1	1	0.2	00.0-00.6
55-64	608	367,191	343	58.1	53.2-63.0	75	12.3	09.2-15.4	131	20.3	16.0-24.6	15	2.6	01.2-04.0	40	6.4	04.0-08.8	4	0.4	00.0-00.8
65+	1273	540,776	122	10.1	07.9-12.3	197	15.5	13.0-18.0	830	65.5	62.2-68.8	26	1.7	00.9-02.5	90	6.3	04.7-07.9	8	0.8	00.0-01.6
Less Than H.S.	350	300,423	32	15.0	08.1-21.9	47	10.8	06.5-15.1	225	60.5	52.7-68.3	3	0.9	00.0-02.5	41	12.7	07.6-17.8	2	0.2	00.0-00.6
H.S. or G.E.D.	962	685,354	267	40.1	35.0-45.2	147	14.1	11.0-17.2	444	36.1	31.8-40.4	27	3.8	01.8-05.8	69	5.2	03.4-07.0	8	0.8	00.0-01.6
Some Post-H.S.	709	639,335	276	48.0	42.9-53.1	97	14.4	10.9-17.9	287	31.5	26.8-36.2	13	1.5	00.5-02.5	31	4.1	02.3-05.9	5	0.5	00.0-01.1
College Graduate	785	473,891	439	68.3	64.2-72.4	102	13.2	10.1-16.3	196	13.2	10.8-15.6	14	1.9	00.5-03.3	33	3.3	01.7-04.9	1	0.0	00.0-00.0
Less than \$15,000	360	242,129	18	5.0	01.3-08.7	33	8.4	04.5-12.3	259	71.0	63.7-78.3	2	0.2	00.0-00.6	44	14.1	08.4-19.8	4	1.3	00.0-03.3
\$15,000- 24,999	493	359,589	87	24.0	18.1-29.9	85	16.4	11.9-20.9	273	51.7	45.2-58.2	7	0.6	00.0-01.2	37	6.9	03.6-10.2	4	0.4	00.0-00.8
\$25,000- 34,999	300	205,096	101	46.0	37.8-54.2	48	17.8	11.5-24.1	122	26.5	20.2-32.8	11	4.0	00.7-07.3	16	4.6	01.9-07.3	2	1.1	00.0-02.9
\$35,000- 49,999	301	234,037	160	59.8	52.4-67.2	32	12.3	07.0-17.6	90	23.3	17.4-29.2	10	3.3	00.8-05.8	9	1.4	00.4-02.4			
\$50,000- 74,999	280	242,804	182	76.3	70.2-82.4	36	11.2	06.7-15.7	50	8.4	05.5-11.3	8	2.6	00.2-05.0	4	1.5	00.0-03.3			
\$75,000+	428	386,891	304	77.0	71.9-82.1	51	11.6	07.5-15.7	50	5.8	03.8-07.8	5	1.6	00.0-03.4	17	3.9	01.7-06.1	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 7: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4928	4,714,475	20	0.8	00.4-01.2	192	4.3	03.3-05.3	92	2.1	01.5-02.7	26	0.8	00.4-01.2	449	10.4	09.0-11.8	4149	81.7	79.9-83.5
Male	1782	2,248,901	9	0.9	00.3-01.5	73	4.4	03.0-05.8	32	1.8	00.8-02.8	4	0.4	00.0-01.0	137	8.2	06.4-10.0	1527	84.3	81.8-86.8
Female	3146	2,465,574	11	0.6	00.0-01.2	119	4.3	03.3-05.3	60	2.3	01.5-03.1	22	1.2	00.6-01.8	312	12.3	10.3-14.3	2622	79.3	76.9-81.7
White/Non-Hisp	4088	3,610,270	10	0.4	00.2-00.6	160	4.5	03.5-05.5	66	1.6	01.0-02.2	20	0.5	00.3-00.7	357	9.8	08.4-11.2	3475	83.3	81.5-85.1
Black or Afr. Am./Non-Hisp	608	770,110	8	2.7	00.5-04.9	19	3.8	01.4-06.2	14	2.3	00.7-03.9	4	1.2	00.0-02.8	61	10.4	06.7-14.1	502	79.7	74.8-84.6
Oth. Race/Non-Hisp.	89	110,708				5	4.5	00.0-10.2	5	3.6	00.0-08.7	1	1.9	00.0-05.6	16	21.6	10.2-33.0	62	68.4	55.7-81.1
Hispanic	52	115,896				1	1.5	00.0-04.4	3	5.4	00.0-12.3	1	6.6	00.0-18.9	7	16.4	04.2-28.6	40	70.0	53.7-86.3
18-24	177	546,864	1	0.3	00.0-00.9	7	5.0	00.7-09.3	8	5.2	01.3-09.1	4	3.0	00.0-06.3	21	12.7	07.0-18.4	136	73.8	66.0-81.6
25-34	355	741,590	4	1.4	00.0-03.0	21	5.5	02.8-08.2	6	1.7	00.3-03.1	4	1.2	00.0-02.6	34	10.2	06.5-13.9	286	79.9	75.0-84.8
35-44	453	767,814	1	0.5	00.0-01.5	26	5.3	02.8-07.8	6	1.1	00.1-02.1	4	0.5	00.0-01.1	55	11.1	07.8-14.4	361	81.4	77.1-85.7
45-54	788	849,918	7	1.8	00.2-03.4	39	4.5	02.7-06.3	20	2.2	01.0-03.4	5	0.5	00.1-00.9	107	14.6	11.3-17.9	610	76.4	72.5-80.3
55-64	1118	791,883	5	0.4	00.0-00.8	46	4.3	02.7-05.9	20	1.4	00.4-02.4	4	0.4	00.0-00.8	110	9.1	06.9-11.3	933	84.4	81.7-87.1
65+	1973	983,841	2	0.1	00.0-00.3	50	2.2	01.4-03.0	30	1.8	01.0-02.6	5	0.2	00.0-00.4	119	6.1	04.5-07.7	1767	89.7	87.9-91.5
Less Than H.S.	634	769,429	4	1.0	00.0-02.2	24	5.6	02.3-08.9	19	3.1	00.7-05.5	2	0.1	00.0-00.3	92	18.1	13.6-22.6	493	72.1	66.6-77.6
H.S. or G.E.D.	1713	1,607,006	12	1.3	00.3-02.3	65	3.7	02.5-04.9	37	1.9	00.9-02.9	10	1.3	00.1-02.5	160	10.0	07.6-12.4	1429	81.8	78.9-84.7
Some Post-H.S.	1202	1,348,318	3	0.2	00.0-00.4	51	4.2	02.6-05.8	21	2.2	01.0-03.4	7	0.6	00.0-01.2	110	9.0	06.8-11.2	1010	83.8	80.9-86.7
College Graduate	1342	960,400				51	4.4	02.8-06.0	15	1.4	00.6-02.2	7	0.8	00.2-01.4	86	6.9	04.9-08.9	1183	86.4	83.9-88.9
Less than \$15,000	661	555,574	4	1.3	00.0-03.1	34	7.2	04.1-10.3	27	3.4	01.6-05.2	7	1.7	00.1-03.3	125	20.7	16.0-25.4	464	65.7	60.2-71.2
\$15,000- 24,999	840	779,361	5	0.9	00.0-01.9	40	4.6	02.6-06.6	25	3.4	01.4-05.4	5	0.9	00.0-02.1	85	12.3	09.0-15.6	680	77.9	73.6-82.2
\$25,000- 34,999	504	459,287	1	0.1	00.0-00.3	10	3.3	00.8-05.8	8	1.9	00.3-03.5	3	1.0	00.0-02.4	33	6.8	03.9-09.7	449	87.0	82.7-91.3
\$35,000- 49,999	581	597,083	1	0.4	00.0-01.2	21	5.4	01.7-09.1	6	1.3	00.0-02.7	1	0.1	00.0-00.3	51	8.6	05.7-11.5	501	84.2	79.5-88.9
\$50,000- 74,999	512	536,020	4	1.7	00.0-03.7	25	4.1	02.1-06.1	5	0.8	00.0-01.6	5	1.1	00.1-02.1	30	7.0	03.7-10.3	443	85.3	81.0-89.6
\$75,000+	783	858,788				28	3.7	01.9-05.5	5	0.9	00.0-01.9	3	0.3	00.0-00.7	42	7.1	04.4-09.8	705	88.0	84.7-91.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 8: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1782	2,248,901	9	0.9	00.3-01.5	73	4.4	03.0-05.8	32	1.8	00.8-02.8	4	0.4	00.0-01.0	137	8.2	06.4-10.0	1527	84.3	81.8-86.8
White/Non-Hisp	1497	1,720,723	6	0.6	00.0-01.2	60	4.4	02.6-06.2	22	1.2	00.6-01.8	3	0.1	00.0-00.3	110	8.1	06.1-10.1	1296	85.7	83.2-88.2
Black or Afr. Am./Non-Hisp	184	350,567	2	2.1	00.0-05.0	9	5.9	01.4-10.4	2	1.5	00.0-04.0				17	7.3	02.8-11.8	154	83.2	76.1-90.3
18-24	80	279,961				1	3.6	00.0-10.5	3	5.7	00.0-12.4	1	2.7	00.0-08.0	6	6.2	00.9-11.5	69	81.8	70.8-92.8
25-34	143	364,855	1	0.8	00.0-02.4	11	7.2	02.5-11.9	1	0.6	00.0-01.8				14	9.8	04.3-15.3	116	81.6	74.5-88.7
35-44	161	368,840				7	4.2	00.5-07.9	3	1.3	00.0-03.1				12	8.0	02.9-13.1	139	86.5	80.2-92.8
45-54	298	421,556	6	3.5	00.4-06.6	19	5.4	02.5-08.3	6	1.6	00.2-03.0	1	0.3	00.0-00.9	35	11.5	07.0-16.0	231	77.7	71.8-83.6
55-64	429	376,813	2	0.4	00.0-01.2	17	3.6	01.4-05.8	8	0.7	00.1-01.3				36	7.1	04.4-09.8	366	88.2	84.7-91.7
65+	655	427,886				16	2.2	00.8-03.6	10	1.8	00.6-03.0	2	0.2	00.0-00.4	34	6.3	03.6-09.0	593	89.5	86.4-92.6
Less Than H.S.	222	365,805	3	1.6	00.0-03.8	11	6.8	00.5-13.1	12	4.7	00.2-09.2	1	0.1	00.0-00.3	23	12.0	06.5-17.5	172	74.8	66.2-83.4
H.S. or G.E.D.	600	768,105	5	1.6	00.0-03.2	24	3.5	01.7-05.3	8	0.7	00.0-01.5	2	1.2	00.0-03.2	52	9.3	06.0-12.6	509	83.8	79.5-88.1
Some Post-H.S.	424	640,570	1	0.2	00.0-00.6	15	4.0	01.6-06.4	5	1.8	00.0-03.8	1	0.1	00.0-00.3	29	6.5	03.6-09.4	373	87.3	83.2-91.4
College Graduate	527	462,391				22	4.2	01.8-06.6	7	1.3	00.3-02.3				33	6.0	03.3-08.7	465	88.5	85.0-92.0
Less than \$15,000	197	213,685	1	1.3	00.0-03.8	15	9.4	03.5-15.3	8	2.2	00.4-04.0	1	0.2	00.0-00.6	39	21.2	13.2-29.2	133	65.7	56.3-75.1
\$15,000- 24,999	275	339,445	2	0.9	00.0-02.5	9	2.2	00.4-04.0	9	3.3	00.2-06.4				25	10.2	05.3-15.1	230	83.3	77.2-89.4
\$25,000- 34,999	180	226,035				3	3.1	00.0-06.6	1	0.5	00.0-01.5	1	0.5	00.0-01.5	11	4.7	01.0-08.4	164	91.2	85.9-96.5
\$35,000- 49,999	258	337,433	1	0.6	00.0-01.8	12	7.1	01.0-13.2	5	2.2	00.0-04.6				16	5.3	02.2-08.4	224	84.7	77.8-91.6
\$50,000- 74,999	226	287,362	2	2.6	00.0-06.1	10	4.1	01.2-07.0	1	0.2	00.0-00.6	1	0.1	00.0-00.3	14	6.9	01.8-12.0	198	86.0	79.5-92.5
\$75,000+	353	470,275				12	3.5	00.8-06.2	1	0.2	00.0-00.6				16	5.7	02.4-09.0	324	90.6	86.5-94.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 9: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3146	2,465,574	11	0.6	00.0-01.2	119	4.3	03.3-05.3	60	2.3	01.5-03.1	22	1.2	00.6-01.8	312	12.3	10.3-14.3	2622	79.3	76.9-81.7
White/Non-Hisp	2591	1,889,546	4	0.1	00.0-00.3	100	4.6	03.4-05.8	44	2.0	01.2-02.8	17	0.9	00.3-01.5	247	11.3	09.3-13.3	2179	81.0	78.6-83.4
Black or Afr. Am./Non-Hisp	424	419,543	6	3.1	00.0-06.2	10	2.1	00.1-04.1	12	2.9	00.7-05.1	4	2.3	00.0-05.2	44	13.0	07.3-18.7	348	76.7	69.8-83.6
Oth. Race/Non-Hisp.	52	65,003				4	6.9	00.0-16.5	2	4.5	00.0-12.9	1	3.2	00.0-09.5	9	19.0	05.7-32.3	36	66.4	49.3-83.5
18-24	97	266,903	1	0.5	00.0-01.5	6	6.5	01.2-11.8	5	4.7	00.4-09.0	3	3.3	00.0-07.0	15	19.6	09.8-29.4	67	65.4	54.2-76.6
25-34	212	376,735	3	2.1	00.0-04.8	10	3.8	01.1-06.5	5	2.8	00.3-05.3	4	2.4	00.0-05.3	20	10.6	05.5-15.7	170	78.3	71.6-85.0
35-44	292	398,974	1	1.0	00.0-03.0	19	6.3	03.0-09.6	3	0.9	00.0-02.3	4	1.0	00.0-02.0	43	14.0	09.3-18.7	222	76.7	71.0-82.4
45-54	490	428,362	1	0.1	00.0-00.3	20	3.5	01.7-05.3	14	2.8	01.0-04.6	4	0.7	00.0-01.5	72	17.6	12.7-22.5	379	75.2	69.9-80.5
55-64	689	415,071	3	0.4	00.0-00.8	29	5.0	02.6-07.4	12	2.1	00.3-03.9	4	0.7	00.0-01.5	74	11.0	07.7-14.3	567	80.9	76.8-85.0
65+	1318	555,954	2	0.2	00.0-00.4	34	2.1	01.3-02.9	20	1.8	00.8-02.8	3	0.2	00.0-00.4	85	5.9	04.1-07.7	1174	89.9	87.7-92.1
Less Than H.S.	412	403,624	1	0.5	00.0-01.5	13	4.5	01.4-07.6	7	1.7	00.1-03.3	1	0.1	00.0-00.3	69	23.6	16.9-30.3	321	69.7	62.6-76.8
H.S. or G.E.D.	1113	838,901	7	1.0	00.0-02.0	41	3.9	02.3-05.5	29	3.0	01.4-04.6	8	1.5	00.0-03.1	108	10.7	07.6-13.8	920	80.0	76.1-83.9
Some Post-H.S.	778	707,747	2	0.2	00.0-00.4	36	4.4	02.4-06.4	16	2.5	00.9-04.1	6	1.2	00.0-02.4	81	11.2	08.1-14.3	637	80.6	76.7-84.5
College Graduate	815	498,010				29	4.7	02.7-06.7	8	1.6	00.2-03.0	7	1.5	00.3-02.7	53	7.8	05.1-10.5	718	84.4	80.9-87.9
Less than \$15,000	464	341,889	3	1.3	00.0-03.7	19	5.9	02.2-09.6	19	4.2	01.7-06.7	6	2.6	00.1-05.1	86	20.3	14.6-26.0	331	65.7	58.8-72.6
\$15,000- 24,999	565	439,916	3	0.8	00.0-01.8	31	6.5	03.6-09.4	16	3.4	00.9-05.9	5	1.5	00.0-03.7	60	13.9	09.4-18.4	450	73.8	68.1-79.5
\$25,000- 34,999	324	233,252	1	0.1	00.0-00.3	7	3.4	00.1-06.7	7	3.3	00.4-06.2	2	1.4	00.0-03.9	22	8.8	04.1-13.5	285	83.0	76.5-89.5
\$35,000- 49,999	323	259,650				9	3.1	00.6-05.6	1	0.2	00.0-00.6	1	0.3	00.0-00.9	35	12.7	07.6-17.8	277	83.6	77.9-89.3
\$50,000- 74,999	286	248,658	2	0.6	00.0-01.4	15	4.1	01.6-06.6	4	1.6	00.0-03.4	4	2.2	00.0-04.4	16	7.2	02.9-11.5	245	84.5	79.0-90.0
\$75,000+	430	388,513				16	4.0	01.6-06.4	4	1.8	00.0-03.8	3	0.6	00.0-01.4	26	8.8	04.3-13.3	381	84.8	79.5-90.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 10: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4508	4,063,275	250	7.8	06.6-09.0	4258	92.2	91.0-93.4
Male	1613	1,908,540	87	7.6	05.6-09.6	1526	92.4	90.4-94.4
Female	2895	2,154,735	163	8.1	06.5-09.7	2732	91.9	90.3-93.5
White/Non-Hisp	3763	3,159,998	182	6.9	05.7-08.1	3581	93.1	91.9-94.3
Black or Afr. Am./Non-Hisp	546	641,745	46	9.7	05.8-13.6	500	90.3	86.4-94.2
Oth. Race/Non-Hisp.	86	108,925	6	12.5	02.1-22.9	80	87.5	77.1-97.9
18-24	136	397,564	15	10.0	04.5-15.5	121	90.0	84.5-95.5
25-34	270	559,077	42	15.6	10.5-20.7	228	84.4	79.3-89.5
35-44	384	642,690	31	7.9	04.6-11.2	353	92.1	88.8-95.4
45-54	682	733,207	67	11.2	08.1-14.3	615	88.8	85.7-91.9
55-64	1014	719,676	67	6.2	04.4-08.0	947	93.8	92.0-95.6
65+	1965	982,273	26	1.4	00.6-02.2	1939	98.6	97.8-99.4
Less Than H.S.	549	578,730	32	10.2	06.1-14.3	517	89.8	85.7-93.9
H.S. or G.E.D.	1511	1,337,452	98	8.9	06.7-11.1	1413	91.1	88.9-93.3
Some Post-H.S.	1113	1,199,379	75	8.0	05.6-10.4	1038	92.0	89.6-94.4
College Graduate	1303	924,143	45	4.9	03.1-06.7	1258	95.1	93.3-96.9
Less than \$15,000	534	402,844	45	13.1	08.4-17.8	489	86.9	82.2-91.6
\$15,000- 24,999	727	611,546	56	10.4	06.9-13.9	671	89.6	86.1-93.1
\$25,000- 34,999	466	395,295	32	10.1	06.0-14.2	434	89.9	85.8-94.0
\$35,000- 49,999	545	530,641	33	9.4	05.7-13.1	512	90.6	86.9-94.3
\$50,000- 74,999	494	502,478	19	5.2	02.1-08.3	475	94.8	91.7-97.9
\$75,000+	779	856,003	15	2.5	00.9-04.1	764	97.5	95.9-99.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 11: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1613	1,908,540	87	7.6	05.6-09.6	1526	92.4	90.4-94.4
White/Non-Hisp	1367	1,488,604	67	7.2	05.2-09.2	1300	92.8	90.8-94.8
Black or Afr. Am./Non-Hisp	162	289,123	14	10.4	03.9-16.9	148	89.6	83.1-96.1
18-24	60	204,756	7	8.6	01.3-15.9	53	91.4	84.1-98.7
25-34	98	250,971	13	13.6	06.2-21.0	85	86.4	79.0-93.8
35-44	135	305,676	10	6.8	01.9-11.7	125	93.2	88.3-98.1
45-54	254	364,937	26	12.2	07.1-17.3	228	87.8	82.7-92.9
55-64	397	347,052	23	6.3	03.4-09.2	374	93.7	90.8-96.6
65+	655	428,328	7	1.2	00.0-02.4	648	98.8	97.6-0100
Less Than H.S.	185	266,060	16	12.7	05.8-19.6	169	87.3	80.4-94.2
H.S. or G.E.D.	521	635,779	35	8.9	05.4-12.4	486	91.1	87.6-94.6
Some Post-H.S.	388	553,978	19	5.0	02.1-07.9	369	95.0	92.1-97.9
College Graduate	512	443,872	17	5.9	02.8-09.0	495	94.1	91.0-97.2
Less than \$15,000	155	152,006	12	9.7	02.6-16.8	143	90.3	83.2-97.4
\$15,000- 24,999	226	246,302	20	10.3	05.0-15.6	206	89.7	84.4-95.0
\$25,000- 34,999	164	189,575	10	9.5	03.0-16.0	154	90.5	84.0-97.0
\$35,000- 49,999	240	292,685	10	7.5	02.6-12.4	230	92.5	87.6-97.4
\$50,000- 74,999	213	258,800	11	7.3	01.8-12.8	202	92.7	87.2-98.2
\$75,000+	350	468,795	7	2.4	00.4-04.4	343	97.6	95.6-99.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 12: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2895	2,154,735	163	8.1	06.5-09.7	2732	91.9	90.3-93.5
White/Non-Hisp	2396	1,671,394	115	6.6	05.0-08.2	2281	93.4	91.8-95.0
Black or Afr. Am./Non-Hisp	384	352,622	32	9.0	04.3-13.7	352	91.0	86.3-95.7
Oth. Race/Non-Hisp.	51	64,820	3	12.9	00.0-28.2	48	87.1	71.8-0100
18-24	76	192,808	8	11.4	03.2-19.6	68	88.6	80.4-96.8
25-34	172	308,106	29	17.3	10.6-24.0	143	82.7	76.0-89.4
35-44	249	337,014	21	9.0	04.5-13.5	228	91.0	86.5-95.5
45-54	428	368,270	41	10.1	06.4-13.8	387	89.9	86.2-93.6
55-64	617	372,624	44	6.0	03.8-08.2	573	94.0	91.8-96.2
65+	1310	553,946	19	1.6	00.6-02.6	1291	98.4	97.4-99.4
Less Than H.S.	364	312,669	16	8.1	03.0-13.2	348	91.9	86.8-97.0
H.S. or G.E.D.	990	701,673	63	8.8	06.1-11.5	927	91.2	88.5-93.9
Some Post-H.S.	725	645,401	56	10.5	07.2-13.8	669	89.5	86.2-92.8
College Graduate	791	480,272	28	4.0	02.2-05.8	763	96.0	94.2-97.8
Less than \$15,000	379	250,838	33	15.1	08.8-21.4	346	84.9	78.6-91.2
\$15,000- 24,999	501	365,244	36	10.5	05.8-15.2	465	89.5	84.8-94.2
\$25,000- 34,999	302	205,719	22	10.7	05.4-16.0	280	89.3	84.0-94.6
\$35,000- 49,999	305	237,957	23	11.6	05.9-17.3	282	88.4	82.7-94.1
\$50,000- 74,999	281	243,678	8	3.0	00.8-05.2	273	97.0	94.8-99.2
\$75,000+	429	387,207	8	2.7	00.0-05.4	421	97.3	94.6-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 13: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	430	641,962	58	15.8	10.9-20.7	36	8.4	04.9-11.9	81	18.3	13.2-23.4	232	48.9	42.4-55.4	23	8.6	04.1-13.1
Male	173	326,933	28	19.5	11.5-27.5	15	6.1	02.2-10.0	24	10.7	05.2-16.2	88	48.1	38.3-57.9	18	15.6	07.4-23.8
Female	257	315,029	30	12.0	06.7-17.3	21	10.9	05.4-16.4	57	26.2	18.2-34.2	144	49.7	41.3-58.1	5	1.3	00.0-02.7
White/Non-Hisp	332	442,276	41	14.3	09.2-19.4	21	5.5	02.4-08.6	68	20.7	14.8-26.6	189	52.4	45.0-59.8	13	7.2	01.9-12.5
Black or Afr. Am./Non-Hisp	66	132,374	10	13.8	02.4-25.2	12	19.3	07.1-31.5	12	18.6	04.7-32.5	26	40.9	23.7-58.1	6	7.4	01.1-13.7
25-34	84	171,395	16	16.8	08.2-25.4	9	9.6	03.3-15.9	13	14.0	04.8-23.2	43	56.4	43.7-69.1	3	3.2	00.0-07.5
35-44	70	128,767	13	14.9	05.3-24.5	6	9.7	01.3-18.1	16	20.2	09.6-30.8	31	44.9	31.4-58.4	4	10.3	00.3-20.3
45-54	110	120,408	8	12.5	02.9-22.1	6	3.9	00.0-08.2	25	20.7	11.9-29.5	65	55.4	43.6-67.2	6	7.5	01.2-13.8
55-64	111	81,637	9	7.6	01.7-13.5	10	6.8	01.5-12.1	17	12.0	05.3-18.7	72	65.5	53.7-77.3	3	8.1	00.0-16.9
Less Than H.S.	87	180,104	6	13.6	02.0-25.2	6	5.1	00.4-09.8	11	12.7	03.5-21.9	56	55.7	40.6-70.8	8	12.9	01.3-24.5
H.S. or G.E.D.	206	263,024	30	16.5	10.0-23.0	14	8.6	02.9-14.3	42	22.2	14.0-30.4	109	44.9	36.3-53.5	11	7.8	02.3-13.3
Some Post-H.S.	90	149,646	15	16.9	07.7-26.1	8	8.2	00.9-15.5	18	20.2	09.4-31.0	46	47.9	34.8-61.0	3	6.8	00.0-15.2
Less than \$15,000	130	156,944	13	11.9	04.8-19.0	7	6.9	00.0-13.8	23	15.2	07.0-23.4	79	58.0	46.6-69.4	8	8.0	01.9-14.1
\$15,000- 24,999	116	168,750	16	17.8	08.0-27.6	10	6.8	01.7-11.9	27	21.9	12.3-31.5	60	49.4	36.9-61.9	3	4.2	00.0-09.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 14: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	173	326,933	28	19.5	12.6-26.4	15	6.1	02.2-10.0	24	10.7	05.2-16.2	88	48.1	38.9-57.3	18	15.6	07.4-23.8
White/Non-Hisp	130	217,708	19	17.3	08.9-25.7	11	5.8	01.7-09.9	24	16.0	08.0-24.0	66	46.7	35.9-57.5	10	14.1	03.9-24.3
H.S. or G.E.D.	78	119,320	10	14.3	04.3-24.3	7	8.5	00.7-16.3	13	15.1	05.9-24.3	39	46.0	31.9-60.1	9	16.1	04.7-27.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 15: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	257	315,029	30	12.0	06.7-17.3	21	10.9	05.4-16.4	57	26.2	18.2-34.2	144	49.7	41.5-57.9	5	1.3	00.0-02.7
White/Non-Hisp	202	224,568	22	11.4	05.9-16.9	10	5.2	00.5-09.9	44	25.2	16.6-33.8	123	57.8	48.0-67.6	3	0.4	00.0-00.8
45-54	64	63,933	3	8.3	00.0-18.3	3	5.9	00.0-13.5	16	26.3	13.6-39.0	41	56.1	41.0-71.2	1	3.4	00.0-09.9
55-64	74	44,721	6	7.4	00.3-14.5	7	9.0	00.4-17.6	13	16.2	06.4-26.0	48	67.4	54.1-80.7			
H.S. or G.E.D.	128	143,704	20	18.3	09.3-27.3	7	8.7	00.5-16.9	29	28.1	16.3-39.9	70	44.0	33.4-54.6	2	0.9	00.0-02.5
Some Post-H.S.	54	64,365	5	7.0	00.1-13.9	5	12.5	00.0-25.8	13	27.6	12.1-43.1	30	49.5	32.4-66.6	1	3.3	00.0-09.8
Less than \$15,000	85	92,397	8	10.0	02.0-18.0	5	11.2	00.0-22.4	18	21.5	09.0-34.0	52	56.7	42.2-71.2	2	0.6	00.0-01.6
\$15,000- 24,999	68	77,576	8	15.6	02.3-28.9	6	9.9	00.9-18.9	17	26.1	12.2-40.0	36	47.0	31.5-62.5	1	1.4	00.0-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 16: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4790	4,796,276	4067	82.2	80.4-84.0	211	4.0	03.2-04.8	55	0.9	00.5-01.3	26	0.6	00.2-01.0	18	0.2	00.2-00.2	413	12.1	10.5-13.7
Male	1804	2,359,582	1490	80.3	77.6-83.0	69	2.8	02.0-03.6	12	0.5	00.1-00.9	8	0.4	00.0-00.8	5	0.1	00.1-00.1	220	15.9	13.4-18.4
Female	2986	2,436,694	2577	84.0	82.0-86.0	142	5.1	03.9-06.3	43	1.3	00.7-01.9	18	0.8	00.2-01.4	13	0.3	00.1-00.5	193	8.5	06.9-10.1
White/Non-Hisp	3952	3,647,862	3354	81.7	79.9-83.5	174	4.2	03.4-05.0	47	1.0	00.6-01.4	23	0.7	00.3-01.1	14	0.2	00.0-00.4	340	12.1	10.3-13.9
Black or Afr. Am./Non-Hisp	592	764,418	510	84.4	79.5-89.3	26	3.2	01.4-05.0	3	0.1	00.0-00.3	3	0.2	00.0-00.4	3	0.2	00.0-00.4	47	11.9	07.2-16.6
Oth. Race/Non-Hisp.	91	112,665	73	84.2	75.2-93.2	7	4.3	01.0-07.6	4	4.5	00.0-10.4				1	0.4	00.0-01.2	6	6.6	00.1-13.1
Hispanic	58	140,738	48	81.0	69.4-92.6	1	2.6	00.0-07.7										9	16.4	05.8-27.0
18-24	195	598,492	166	84.5	78.4-90.6	4	2.0	00.0-04.0	1	0.5	00.0-01.5							24	13.0	07.1-18.9
25-34	383	808,781	298	76.3	70.8-81.8	13	2.9	01.1-04.7	4	0.8	00.0-01.8	4	1.4	00.0-03.0				64	18.5	13.4-23.6
35-44	461	796,087	365	77.3	72.4-82.2	20	4.2	02.0-06.4	3	0.5	00.0-01.1	2	0.6	00.0-01.6				71	17.4	12.9-21.9
45-54	794	859,448	642	80.6	77.1-84.1	35	3.7	02.1-05.3	14	1.6	00.6-02.6	6	0.6	00.0-01.2	3	0.1	00.0-00.3	94	13.4	10.3-16.5
55-64	1102	786,994	933	84.7	82.0-87.4	55	5.3	03.5-07.1	13	0.9	00.3-01.5	8	0.6	00.2-01.0	9	0.6	00.2-01.0	84	8.0	06.0-10.0
65+	1798	914,169	1612	89.4	87.6-91.2	81	5.0	03.6-06.4	19	1.1	00.5-01.7	6	0.3	00.1-00.5	6	0.2	00.0-00.4	74	4.0	02.8-05.2
Less Than H.S.	564	729,123	472	78.8	73.1-84.5	37	5.8	03.4-08.2	4	0.7	00.0-01.5	5	1.3	00.0-02.7	2	0.1	00.0-00.3	44	13.3	08.0-18.6
H.S. or G.E.D.	1627	1,588,788	1349	79.7	76.8-82.6	67	3.5	02.3-04.7	18	0.9	00.5-01.3	11	0.6	00.2-01.0	2	0.0	00.0-00.0	180	15.2	12.5-17.9
Some Post-H.S.	1183	1,390,752	1008	83.6	80.5-86.7	52	3.6	02.2-05.0	17	1.3	00.5-02.1	4	0.5	00.0-01.3	8	0.4	00.0-00.8	94	10.7	08.0-13.4
College Graduate	1382	1,056,639	1210	86.7	84.2-89.2	54	3.9	02.5-05.3	15	0.6	00.2-01.0	6	0.3	00.1-00.5	6	0.1	00.1-00.1	91	8.6	06.4-10.8
Less than \$15,000	610	544,947	473	74.2	68.9-79.5	45	7.1	04.2-10.0	13	2.0	00.4-03.6	7	1.6	00.0-03.2	5	0.2	00.0-00.4	67	14.9	10.6-19.2
\$15,000- 24,999	802	774,814	657	78.7	74.2-83.2	40	4.3	02.5-06.1	8	1.0	00.0-02.0	5	1.0	00.0-02.2	4	0.4	00.0-00.8	88	14.6	10.5-18.7
\$25,000- 34,999	508	490,616	445	85.1	80.2-90.0	19	2.8	01.2-04.4	7	1.0	00.2-01.8				2	0.2	00.0-00.6	35	10.8	06.1-15.5
\$35,000- 49,999	586	622,350	500	86.0	82.5-89.5	25	3.5	01.9-05.1	7	0.9	00.1-01.7	1	0.1	00.0-00.3	2	0.3	00.0-00.7	51	9.2	06.1-12.3
\$50,000- 74,999	517	558,967	446	82.1	77.2-87.0	21	5.2	02.5-07.9	7	1.0	00.0-02.0	4	0.3	00.0-00.7	1	0.0	00.0-00.0	38	11.4	07.1-15.7
\$75,000+	824	934,581	737	86.6	82.7-90.5	24	2.4	01.2-03.6	5	0.3	00.0-00.7	4	0.8	00.0-02.0	1	0.0	00.0-00.0	53	9.9	06.2-13.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 17: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1804	2,359,582	1490	80.3	77.6-83.0	69	2.8	02.0-03.6	12	0.5	00.1-00.9	8	0.4	00.0-00.8	5	0.1	00.1-00.1	220	15.9	13.4-18.4
White/Non-Hisp	1501	1,789,791	1239	79.8	76.9-82.7	58	3.1	02.1-04.1	11	0.6	00.2-01.0	8	0.5	00.0-01.1	4	0.1	00.1-00.1	181	15.8	12.9-18.7
Black or Afr. Am./Non-Hisp	191	356,333	157	81.2	73.0-89.4	8	2.4	00.0-04.9										26	16.4	08.4-24.4
18-24	91	312,806	77	85.5	77.1-93.9	1	0.5	00.0-01.5										13	14.1	05.7-22.5
25-34	158	411,512	112	70.9	62.3-79.5	2	1.1	00.0-02.7	1	0.3	00.0-00.9	1	1.2	00.0-03.6				42	26.5	18.1-34.9
35-44	173	402,858	133	77.4	69.6-85.2	2	1.2	00.0-03.4				1	0.1	00.0-00.3				37	21.3	13.7-28.9
45-54	306	428,902	232	75.0	68.9-81.1	9	2.9	00.5-05.3	6	1.5	00.1-02.9	1	0.3	00.0-00.9	1	0.1	00.0-00.3	57	20.2	14.5-25.9
55-64	434	379,514	372	86.5	82.8-90.2	20	4.7	02.3-07.1	1	0.3	00.0-00.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	39	8.4	05.3-11.5
65+	626	414,999	551	88.5	85.4-91.6	34	5.9	03.5-08.3	4	0.9	00.1-01.7	4	0.5	00.0-01.1	3	0.2	00.0-00.4	30	4.0	02.0-06.0
Less Than H.S.	207	363,977	165	77.0	68.0-86.0	12	3.4	01.0-05.8	3	1.1	00.0-02.5	1	0.4	00.0-01.2	1	0.1	00.0-00.3	25	18.0	09.0-27.0
H.S. or G.E.D.	595	778,007	475	78.4	73.9-82.9	21	2.3	00.9-03.7	3	0.4	00.0-00.8	2	0.2	00.0-00.4	1	0.0	00.0-00.0	93	18.7	14.2-23.2
Some Post-H.S.	431	684,148	363	82.3	77.0-87.6	14	2.4	00.8-04.0	5	0.6	00.0-01.2	2	0.8	00.0-02.2	1	0.1	00.0-00.3	46	13.8	08.9-18.7
College Graduate	561	519,219	481	83.6	79.3-87.9	21	3.4	01.6-05.2	1	0.2	00.0-00.6	3	0.3	00.0-00.7	2	0.0	00.0-00.0	53	12.5	08.6-16.4
Less than \$15,000	195	232,229	143	75.2	67.4-83.0	13	4.3	01.2-07.4	5	1.9	00.1-03.7	1	0.6	00.0-01.8	1	0.2	00.0-00.6	32	17.8	10.5-25.1
\$15,000- 24,999	271	341,820	205	73.2	65.0-81.4	14	3.0	01.0-05.0				2	0.4	00.0-01.0	1	0.1	00.0-00.3	49	23.3	15.3-31.3
\$25,000- 34,999	185	246,353	161	83.3	75.1-91.5	3	1.3	00.0-03.1	3	1.2	00.0-02.8							18	14.1	06.1-22.1
\$35,000- 49,999	264	355,039	218	85.0	79.7-90.3	16	4.4	01.9-06.9	1	0.3	00.0-00.9							29	10.3	05.8-14.8
\$50,000- 74,999	232	300,617	193	79.4	72.0-86.8	8	2.8	00.1-05.5	1	0.4	00.0-01.2	2	0.3	00.0-00.7	1	0.0	00.0-00.0	27	17.1	10.0-24.2
\$75,000+	378	517,949	334	82.9	76.4-89.4	5	1.1	00.1-02.1				2	1.1	00.0-03.1	1	0.0	00.0-00.0	36	15.0	08.7-21.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 18: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	2,436,694	2577	84.0	82.0-86.0	142	5.1	03.9-06.3	43	1.3	00.7-01.9	18	0.8	00.2-01.4	13	0.3	00.1-00.5	193	8.5	06.9-10.1
White/Non-Hisp	2451	1,858,071	2115	83.5	81.3-85.7	116	5.4	04.0-06.8	36	1.4	00.8-02.0	15	0.9	00.3-01.5	10	0.2	00.0-00.4	159	8.6	06.8-10.4
Black or Afr. Am./Non-Hisp	401	408,085	353	87.1	81.4-92.8	18	3.9	01.4-06.4	3	0.2	00.0-00.6	3	0.4	00.0-00.8	3	0.4	00.0-01.0	21	7.9	02.8-13.0
Oth. Race/Non-Hisp.	51	58,408	41	84.9	72.9-96.9	4	4.9	00.0-10.0	3	6.9	00.0-17.5							3	3.3	00.0-07.6
18-24	104	285,686	89	83.5	74.7-92.3	3	3.6	00.0-07.7	1	1.1	00.0-03.3							11	11.8	04.0-19.6
25-34	225	397,269	186	82.0	75.9-88.1	11	4.8	01.7-07.9	3	1.4	00.0-03.2	3	1.5	00.0-03.5				22	10.2	05.3-15.1
35-44	288	393,229	232	77.2	71.1-83.3	18	7.2	03.5-10.9	3	1.0	00.0-02.2	1	1.0	00.0-03.0				34	13.5	08.4-18.6
45-54	488	430,546	410	86.2	82.7-89.7	26	4.4	02.4-06.4	8	1.6	00.2-03.0	5	1.0	00.0-02.2	2	0.2	00.0-00.6	37	6.6	04.2-09.0
55-64	668	407,480	561	83.1	79.4-86.8	35	5.9	03.4-08.4	12	1.4	00.4-02.4	7	1.0	00.2-01.8	8	1.0	00.2-01.8	45	7.6	04.9-10.3
65+	1172	499,170	1061	90.0	87.8-92.2	47	4.3	02.7-05.9	15	1.2	00.4-02.0	2	0.1	00.0-00.3	3	0.3	00.0-00.9	44	4.0	02.4-05.6
Less Than H.S.	357	365,147	307	80.6	74.1-87.1	25	8.1	04.0-12.2	1	0.3	00.0-00.9	4	2.2	00.0-04.9	1	0.1	00.0-00.3	19	8.7	03.8-13.6
H.S. or G.E.D.	1032	810,781	874	80.9	77.0-84.8	46	4.7	02.9-06.5	15	1.4	00.6-02.2	9	1.1	00.1-02.1	1	0.0	00.0-00.0	87	11.7	08.4-15.0
Some Post-H.S.	752	706,604	645	84.9	81.4-88.4	38	4.7	02.7-06.7	12	1.9	00.3-03.5	2	0.1	00.0-00.3	7	0.8	00.2-01.4	48	7.6	04.9-10.3
College Graduate	821	537,420	729	89.6	86.7-92.5	33	4.3	02.3-06.3	14	1.0	00.4-01.6	3	0.2	00.0-00.6	4	0.1	00.0-00.3	38	4.8	02.6-07.0
Less than \$15,000	415	312,718	330	73.4	66.5-80.3	32	9.2	04.7-13.7	8	2.1	00.0-04.5	6	2.4	00.0-04.9	4	0.3	00.0-00.7	35	12.7	07.2-18.2
\$15,000- 24,999	531	432,995	452	83.1	78.6-87.6	26	5.4	02.7-08.1	8	1.9	00.1-03.7	3	1.5	00.0-03.5	3	0.6	00.0-01.2	39	7.7	04.6-10.8
\$25,000- 34,999	323	244,263	284	86.8	81.5-92.1	16	4.4	01.7-07.1	4	0.8	00.0-01.8				2	0.4	00.0-01.0	17	7.5	03.0-12.0
\$35,000- 49,999	322	267,311	282	87.3	82.8-91.8	9	2.4	00.6-04.2	6	1.7	00.0-03.5	1	0.3	00.0-00.9	2	0.6	00.0-01.6	22	7.7	04.0-11.4
\$50,000- 74,999	285	258,350	253	85.3	79.2-91.4	13	7.9	03.0-12.8	6	1.7	00.0-03.7	2	0.4	00.0-01.0				11	4.6	01.3-07.9
\$75,000+	446	416,632	403	91.2	88.1-94.3	19	4.1	01.7-06.5	5	0.7	00.1-01.3	2	0.4	00.0-01.0				17	3.6	01.6-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 19: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4949	4,731,226	448	9.9	08.7-11.1	4100	78.4	76.6-80.2	401	11.7	10.1-13.3
Male	1791	2,257,372	128	7.5	05.7-09.3	1464	77.3	74.4-80.2	199	15.2	12.7-17.7
Female	3158	2,473,854	320	12.2	10.4-14.0	2636	79.4	77.2-81.6	202	8.4	06.8-10.0
White/Non-Hisp	4104	3,620,952	351	9.7	08.3-11.1	3424	79.1	77.1-81.1	329	11.2	09.6-12.8
Black or Afr. Am./Non-Hisp	612	776,065	68	9.7	06.6-12.8	497	77.8	72.5-83.1	47	12.5	08.0-17.0
Oth. Race/Non-Hisp.	89	110,708	12	10.2	03.3-17.1	70	83.1	74.5-91.7	7	6.8	01.3-12.3
Hispanic	52	115,896	6	17.0	01.5-32.5	35	56.6	39.5-73.7	11	26.3	12.0-40.6
18-24	177	544,869	14	7.3	03.0-11.6	128	74.1	66.8-81.4	35	18.7	12.2-25.2
25-34	356	742,702	37	8.7	05.6-11.8	260	72.6	66.9-78.3	59	18.6	13.3-23.9
35-44	455	772,473	65	14.8	10.5-19.1	328	68.8	63.1-74.5	62	16.4	11.9-20.9
45-54	792	851,181	102	11.5	09.0-14.0	615	78.5	75.0-82.0	75	9.9	07.2-12.6
55-64	1121	799,271	124	12.3	09.6-15.0	920	81.2	78.1-84.3	77	6.5	04.7-08.3
65+	1985	988,534	103	5.5	04.1-06.9	1793	89.8	88.0-91.6	89	4.7	03.5-05.9
Less Than H.S.	641	770,089	82	18.0	13.3-22.7	518	71.4	65.5-77.3	41	10.5	06.0-15.0
H.S. or G.E.D.	1724	1,616,980	161	9.0	07.2-10.8	1405	77.9	75.0-80.8	158	13.1	10.6-15.6
Some Post-H.S.	1204	1,350,973	127	10.2	07.8-12.6	962	76.6	73.1-80.1	115	13.2	10.1-16.3
College Graduate	1344	964,232	75	4.4	03.0-05.8	1186	87.8	85.3-90.3	83	7.8	05.6-10.0
Less than \$15,000	665	556,713	115	21.1	16.4-25.8	492	66.9	61.4-72.4	58	12.0	08.1-15.9
\$15,000- 24,999	848	784,654	106	14.7	10.8-18.6	670	72.8	67.9-77.7	72	12.5	08.4-16.6
\$25,000- 34,999	504	458,563	47	9.2	05.9-12.5	419	79.1	73.6-84.6	38	11.7	07.0-16.4
\$35,000- 49,999	581	597,756	48	9.0	05.5-12.5	480	77.1	72.0-82.2	53	13.9	09.6-18.2
\$50,000- 74,999	513	536,711	36	7.6	04.3-10.9	426	80.0	75.1-84.9	51	12.4	08.3-16.5
\$75,000+	787	864,999	21	2.7	01.3-04.1	706	87.2	83.5-90.9	60	10.1	06.6-13.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 20: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	2,257,372	128	7.5	05.7-09.3	1464	77.3	74.4-80.2	199	15.2	12.7-17.7
White/Non-Hisp	1503	1,725,540	104	7.2	05.4-09.0	1234	78.1	75.0-81.2	165	14.7	12.0-17.4
Black or Afr. Am./Non-Hisp	186	354,108	13	5.9	02.2-09.6	151	76.7	67.7-85.7	22	17.4	08.8-26.0
18-24	80	279,961	3	4.6	00.0-10.1	51	67.3	55.9-78.7	26	28.1	17.5-38.7
25-34	143	364,855	7	4.3	01.0-07.6	100	70.4	61.4-79.4	36	25.3	16.5-34.1
35-44	162	372,514	13	9.0	02.7-15.3	122	72.5	63.5-81.5	27	18.4	10.8-26.0
45-54	299	418,422	25	6.9	03.6-10.2	238	80.4	74.7-86.1	36	12.8	07.7-17.9
55-64	431	382,227	50	14.0	09.3-18.7	348	78.9	73.8-84.0	33	7.1	04.4-09.8
65+	660	430,403	30	5.6	03.1-08.1	590	88.9	85.8-92.0	40	5.4	03.2-07.6
Less Than H.S.	225	365,352	32	17.6	10.3-24.9	173	67.4	57.8-77.0	20	15.0	06.6-23.4
H.S. or G.E.D.	604	772,879	45	6.0	03.6-08.4	480	78.2	73.7-82.7	79	15.8	11.7-19.9
Some Post-H.S.	424	640,657	30	6.8	03.7-09.9	338	75.5	69.6-81.4	56	17.7	12.2-23.2
College Graduate	529	466,453	21	3.2	01.4-05.0	466	86.5	82.4-90.6	42	10.4	06.7-14.1
Less than \$15,000	200	213,380	29	13.1	07.0-19.2	142	71.4	62.8-80.0	29	15.5	08.4-22.6
\$15,000- 24,999	276	340,939	32	12.0	05.7-18.3	208	69.6	60.8-78.4	36	18.4	10.6-26.2
\$25,000- 34,999	180	226,035	14	7.9	02.8-13.0	146	77.6	68.6-86.6	20	14.5	06.5-22.5
\$35,000- 49,999	259	338,248	20	9.1	03.8-14.4	208	74.8	67.2-82.4	31	16.1	09.6-22.6
\$50,000- 74,999	226	286,788	10	6.8	01.7-11.9	194	79.6	72.0-87.2	22	13.7	07.4-20.0
\$75,000+	356	475,501	5	1.2	00.0-02.6	315	85.0	79.1-90.9	36	13.8	07.9-19.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 21: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3158	2,473,854	320	12.2	10.4-14.0	2636	79.4	77.2-81.6	202	8.4	06.8-10.0
White/Non-Hisp	2601	1,895,412	247	11.9	09.9-13.9	2190	80.0	77.6-82.4	164	8.1	06.5-09.7
Black or Afr. Am./Non-Hisp	426	421,958	55	12.9	08.0-17.8	346	78.7	72.8-84.6	25	8.3	04.2-12.4
Oth. Race/Non-Hisp.	52	65,003	8	12.6	02.4-22.8	40	82.2	70.4-94.0	4	5.2	00.0-11.1
18-24	97	264,908	11	10.0	03.3-16.7	77	81.2	72.6-89.8	9	8.7	02.6-14.8
25-34	213	377,846	30	13.0	07.9-18.1	160	74.8	67.9-81.7	23	12.2	06.7-17.7
35-44	293	399,959	52	20.1	14.2-26.0	206	65.3	58.4-72.2	35	14.6	09.5-19.7
45-54	493	432,759	77	16.1	12.2-20.0	377	76.8	72.3-81.3	39	7.2	04.7-09.7
55-64	690	417,045	74	10.7	07.6-13.8	572	83.3	79.6-87.0	44	6.1	03.7-08.5
65+	1325	558,131	73	5.3	03.7-06.9	1203	90.4	88.2-92.6	49	4.2	02.8-05.6
Less Than H.S.	416	404,737	50	18.4	12.3-24.5	345	75.1	68.4-81.8	21	6.5	02.6-10.4
H.S. or G.E.D.	1120	844,101	116	11.7	09.0-14.4	925	77.7	74.0-81.4	79	10.6	07.7-13.5
Some Post-H.S.	780	710,315	97	13.3	10.2-16.4	624	77.6	73.5-81.7	59	9.1	06.2-12.0
College Graduate	815	497,779	54	5.6	03.6-07.6	720	89.0	86.1-91.9	41	5.5	03.3-07.7
Less than \$15,000	465	343,333	86	26.1	19.8-32.4	350	64.1	57.2-71.0	29	9.8	05.1-14.5
\$15,000- 24,999	572	443,715	74	16.9	12.0-21.8	462	75.2	69.7-80.7	36	8.0	04.7-11.3
\$25,000- 34,999	324	232,528	33	10.4	05.9-14.9	273	80.6	74.1-87.1	18	9.0	03.7-14.3
\$35,000- 49,999	322	259,508	28	9.0	05.1-12.9	272	79.9	73.6-86.2	22	11.0	05.5-16.5
\$50,000- 74,999	287	249,923	26	8.6	04.7-12.5	232	80.5	74.4-86.6	29	11.0	06.1-15.9
\$75,000+	431	389,498	16	4.5	02.0-07.0	391	90.0	86.3-93.7	24	5.5	02.8-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 22: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4935	4,708,705	3284	61.7	59.5-63.9	1377	30.6	28.6-32.6	166	4.3	03.3-05.3	108	3.5	02.5-04.5
Male	1786	2,244,889	1134	57.6	54.3-60.9	527	33.3	30.2-36.4	67	4.6	03.0-06.2	58	4.5	02.9-06.1
Female	3149	2,463,816	2150	65.4	62.9-67.9	850	28.1	25.7-30.5	99	4.0	02.8-05.2	50	2.5	01.5-03.5
White/Non-Hisp	4092	3,600,340	2779	63.5	61.3-65.7	1091	28.8	26.6-31.0	131	4.1	03.1-05.1	91	3.5	02.5-04.5
Black or Afr. Am./Non-Hisp	612	773,575	370	57.4	51.5-63.3	210	35.1	29.6-40.6	20	3.8	01.6-06.0	12	3.7	00.4-07.0
Oth. Race/Non-Hisp.	87	109,899	54	60.6	46.7-74.5	26	33.6	19.9-47.3	6	5.0	00.0-10.1	1	0.8	00.0-02.4
Hispanic	52	115,896	25	45.2	28.3-62.1	23	46.6	29.5-63.7	2	3.7	00.0-08.8	2	4.5	00.0-10.8
18-24	177	541,535	100	55.5	46.9-64.1	59	32.8	24.8-40.8	12	7.6	02.5-12.7	6	4.1	00.8-07.4
25-34	354	738,459	189	50.9	44.6-57.2	128	36.7	30.6-42.8	20	6.3	03.2-09.4	17	6.2	02.5-09.9
35-44	452	765,047	269	57.3	51.4-63.2	148	34.4	28.5-40.3	17	3.2	01.4-05.0	18	5.1	02.4-07.8
45-54	788	849,408	466	59.1	54.6-63.6	265	33.2	28.9-37.5	32	4.4	02.4-06.4	25	3.4	01.8-05.0
55-64	1121	797,069	734	65.1	61.6-68.6	317	28.6	25.3-31.9	45	3.9	02.3-05.5	25	2.4	01.2-03.6
65+	1979	984,620	1483	76.1	73.7-78.5	440	21.0	18.6-23.4	39	2.1	01.3-02.9	17	0.8	00.2-01.4
Less Than H.S.	632	759,317	408	56.5	50.4-62.6	180	31.5	25.8-37.2	29	6.9	03.2-10.6	15	5.2	01.5-08.9
H.S. or G.E.D.	1720	1,609,203	1067	58.8	55.3-62.3	533	32.1	28.8-35.4	63	4.2	02.8-05.6	57	4.8	03.2-06.4
Some Post-H.S.	1201	1,344,976	795	62.1	58.0-66.2	338	31.1	27.2-35.0	46	4.3	02.5-06.1	22	2.5	01.1-03.9
College Graduate	1344	964,183	986	69.8	66.5-73.1	319	27.0	23.7-30.3	25	1.9	00.9-02.9	14	1.3	00.3-02.3
Less than \$15,000	659	548,216	393	54.8	49.1-60.5	207	35.3	29.8-40.8	41	6.1	03.6-08.6	18	3.8	01.4-06.2
\$15,000- 24,999	844	781,490	481	51.6	46.5-56.7	304	38.6	33.5-43.7	32	4.4	02.4-06.4	27	5.4	02.1-08.7
\$25,000- 34,999	502	456,622	338	62.8	56.3-69.3	138	30.6	24.5-36.7	15	4.0	01.6-06.4	11	2.5	00.5-04.5
\$35,000- 49,999	581	597,605	408	63.8	57.9-69.7	142	25.2	20.5-29.9	21	7.7	03.2-12.2	10	3.2	00.7-05.7
\$50,000- 74,999	513	533,116	348	60.4	54.3-66.5	143	33.5	27.4-39.6	16	4.2	01.5-06.9	6	1.9	00.1-03.7
\$75,000+	786	864,115	611	73.4	68.7-78.1	164	24.9	20.2-29.6	4	0.5	00.1-00.9	7	1.3	00.1-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 23: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1786	2,244,889	1134	57.6	54.3-60.9	527	33.3	30.2-36.4	67	4.6	03.0-06.2	58	4.5	02.9-06.1
White/Non-Hisp	1498	1,714,411	968	58.6	55.1-62.1	430	32.6	29.1-36.1	55	4.7	02.9-06.5	45	4.1	02.5-05.7
Black or Afr. Am./Non-Hisp	187	351,922	103	54.7	44.9-64.5	68	35.3	26.3-44.3	7	3.2	00.0-06.5	9	6.8	00.0-13.7
18-24	79	274,208	43	54.6	42.1-67.1	27	31.1	19.7-42.5	6	9.8	01.2-18.4	3	4.5	00.0-09.8
25-34	142	361,110	68	44.6	35.2-54.0	56	41.0	31.4-50.6	9	6.9	02.0-11.8	9	7.5	00.8-14.2
35-44	162	372,514	87	49.5	39.9-59.1	63	42.2	32.4-52.0	3	1.3	00.0-03.1	9	7.0	02.1-11.9
45-54	298	418,769	166	55.6	48.5-62.7	104	34.6	27.7-41.5	14	4.8	01.7-07.9	14	5.0	02.1-07.9
55-64	430	380,000	271	62.7	57.0-68.4	130	30.6	25.1-36.1	19	4.3	01.8-06.8	10	2.3	00.5-04.1
65+	659	429,298	492	75.5	71.4-79.6	138	20.8	16.9-24.7	16	2.2	01.0-03.4	13	1.5	00.3-02.7
Less Than H.S.	222	363,137	123	46.0	36.6-55.4	74	37.0	27.4-46.6	14	8.4	01.9-14.9	11	8.6	01.5-15.7
H.S. or G.E.D.	602	765,581	348	55.4	49.9-60.9	196	34.1	28.8-39.4	28	4.7	02.3-07.1	30	5.8	03.3-08.3
Some Post-H.S.	422	635,797	277	58.8	52.1-65.5	121	34.0	27.5-40.5	16	4.4	01.5-07.3	8	2.8	00.3-05.3
College Graduate	530	466,641	379	68.1	62.8-73.4	134	28.5	23.2-33.8	8	1.7	00.3-03.1	9	1.7	00.3-03.1
Less than \$15,000	198	210,754	109	55.0	45.0-65.0	70	36.4	26.8-46.0	10	3.9	01.2-06.6	9	4.7	00.6-08.8
\$15,000- 24,999	276	340,939	142	41.8	33.8-49.8	102	44.8	35.8-53.8	13	3.4	01.0-05.8	19	9.9	02.8-17.0
\$25,000- 34,999	178	224,017	118	62.9	52.5-73.3	48	31.3	21.1-41.5	7	3.4	00.3-06.5	5	2.4	00.0-04.9
\$35,000- 49,999	259	338,248	167	58.0	49.4-66.6	72	26.2	19.1-33.3	15	12.0	04.6-19.4	5	3.8	00.0-07.7
\$50,000- 74,999	226	283,193	146	57.3	48.7-65.9	66	33.7	25.3-42.1	10	5.8	01.1-10.5	4	3.1	00.0-06.2
\$75,000+	356	475,501	270	69.4	62.1-76.7	79	28.5	21.2-35.8	2	0.5	00.0-01.1	5	1.7	00.0-03.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 24: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3149	2,463,816	2150	65.4	62.9-67.9	850	28.1	25.7-30.5	99	4.0	02.8-05.2	50	2.5	01.5-03.5
White/Non-Hisp	2594	1,885,929	1811	68.0	65.5-70.5	661	25.5	23.1-27.9	76	3.5	02.3-04.7	46	3.0	01.8-04.2
Black or Afr. Am./Non-Hisp	425	421,652	267	59.6	52.5-66.7	142	35.0	28.1-41.9	13	4.3	01.4-07.2	3	1.1	00.0-02.9
Oth. Race/Non-Hisp.	51	64,753	29	55.5	36.9-74.1	17	36.3	17.7-54.9	5	8.1	00.0-16.7			
18-24	98	267,327	57	56.5	44.7-68.3	32	34.5	23.1-45.9	6	5.2	00.5-09.9	3	3.7	00.0-07.8
25-34	212	377,349	121	56.8	49.0-64.6	72	32.5	25.2-39.8	11	5.8	01.7-09.9	8	4.9	01.0-08.8
35-44	290	392,533	182	64.6	57.9-71.3	85	27.1	21.0-33.2	14	4.9	01.8-08.0	9	3.4	00.9-05.9
45-54	490	430,639	300	62.4	57.1-67.7	161	31.8	26.7-36.9	18	3.9	01.7-06.1	11	1.8	00.6-03.0
55-64	691	417,069	463	67.3	62.8-71.8	187	26.7	22.4-31.0	26	3.6	01.8-05.4	15	2.4	00.8-04.0
65+	1320	555,322	991	76.6	73.7-79.5	302	21.1	18.4-23.8	23	2.0	00.8-03.2	4	0.3	00.1-00.5
Less Than H.S.	410	396,180	285	66.1	59.2-73.0	106	26.3	20.2-32.4	15	5.5	01.8-09.2	4	2.1	00.0-05.0
H.S. or G.E.D.	1118	843,622	719	62.0	57.5-66.5	337	30.3	26.0-34.6	35	3.8	02.2-05.4	27	3.9	02.1-05.7
Some Post-H.S.	779	709,179	518	65.1	60.4-69.8	217	28.5	24.0-33.0	30	4.2	02.2-06.2	14	2.2	00.6-03.8
College Graduate	814	497,542	607	71.4	67.1-75.7	185	25.7	21.6-29.8	17	2.0	00.6-03.4	5	0.9	00.0-02.3
Less than \$15,000	461	337,462	284	54.7	47.8-61.6	137	34.6	27.9-41.3	31	7.4	03.7-11.1	9	3.3	00.4-06.2
\$15,000- 24,999	568	440,551	339	59.1	53.2-65.0	202	33.8	28.3-39.3	19	5.1	02.2-08.0	8	1.9	00.3-03.5
\$25,000- 34,999	324	232,605	220	62.8	55.2-70.4	90	30.0	22.9-37.1	8	4.6	01.1-08.1	6	2.6	00.0-05.3
\$35,000- 49,999	322	259,357	241	71.4	64.7-78.1	70	23.9	17.6-30.2	6	2.2	00.2-04.2	5	2.5	00.0-05.0
\$50,000- 74,999	287	249,923	202	64.0	55.4-72.6	77	33.2	24.8-41.6	6	2.3	00.0-04.7	2	0.6	00.0-01.4
\$75,000+	430	388,614	341	78.4	73.1-83.7	85	20.5	15.2-25.8	2	0.5	00.0-01.1	2	0.7	00.0-01.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 25: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4908	4,670,263	1048	24.9	23.1-26.7	3860	75.1	73.3-76.9
Male	1775	2,222,863	339	22.2	19.5-24.9	1436	77.8	75.1-80.5
Female	3133	2,447,400	709	27.3	24.9-29.7	2424	72.7	70.3-75.1
White/Non-Hisp	4072	3,575,003	802	23.8	21.8-25.8	3270	76.2	74.2-78.2
Black or Afr. Am./Non-Hisp	606	769,903	182	26.8	21.9-31.7	424	73.2	68.3-78.1
Oth. Race/Non-Hisp.	88	110,365	24	29.9	16.6-43.2	64	70.1	56.8-83.4
Hispanic	52	115,896	19	35.5	20.0-51.0	33	64.5	49.0-80.0
18-24	168	514,056	46	25.1	17.5-32.7	122	74.9	67.3-82.5
25-34	350	729,084	98	28.9	23.2-34.6	252	71.1	65.4-76.8
35-44	450	767,594	138	29.9	24.6-35.2	312	70.1	64.8-75.4
45-54	785	847,497	228	32.8	28.5-37.1	557	67.2	62.9-71.5
55-64	1119	797,933	283	24.4	21.3-27.5	836	75.6	72.5-78.7
65+	1973	981,614	243	11.5	09.7-13.3	1730	88.5	86.7-90.3
Less Than H.S.	630	758,553	169	30.8	25.3-36.3	461	69.2	63.7-74.7
H.S. or G.E.D.	1708	1,588,972	395	25.0	22.1-27.9	1313	75.0	72.1-77.9
Some Post-H.S.	1194	1,336,331	266	26.5	22.8-30.2	928	73.5	69.8-77.2
College Graduate	1339	957,085	210	17.7	14.8-20.6	1129	82.3	79.4-85.2
Less than \$15,000	657	553,393	179	30.1	24.8-35.4	478	69.9	64.6-75.2
\$15,000- 24,999	841	777,026	221	28.9	24.0-33.8	620	71.1	66.2-76.0
\$25,000- 34,999	503	457,413	114	27.2	21.3-33.1	389	72.8	66.9-78.7
\$35,000- 49,999	579	584,416	136	28.9	23.2-34.6	443	71.1	65.4-76.8
\$50,000- 74,999	512	535,645	106	26.2	20.5-31.9	406	73.8	68.1-79.5
\$75,000+	782	856,855	93	15.0	11.3-18.7	689	85.0	81.3-88.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 26: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1775	2,222,863	339	22.2	19.5-24.9	1436	77.8	75.1-80.5
White/Non-Hisp	1488	1,696,105	269	21.9	18.8-25.0	1219	78.1	75.0-81.2
Black or Afr. Am./Non-Hisp	188	357,885	50	24.8	17.0-32.6	138	75.2	67.4-83.0
18-24	73	255,896	12	17.5	06.9-28.1	61	82.5	71.9-93.1
25-34	141	357,769	31	22.9	15.1-30.7	110	77.1	69.3-84.9
35-44	158	369,081	43	26.6	18.0-35.2	115	73.4	64.8-82.0
45-54	299	420,058	77	30.3	23.6-37.0	222	69.7	63.0-76.4
55-64	429	381,000	105	25.5	20.2-30.8	324	74.5	69.2-79.8
65+	659	430,069	67	9.8	06.9-12.7	592	90.2	87.3-93.1
Less Than H.S.	221	357,772	63	29.7	21.3-38.1	158	70.3	61.9-78.7
H.S. or G.E.D.	598	753,272	138	23.3	18.8-27.8	460	76.7	72.2-81.2
Some Post-H.S.	421	637,480	73	23.9	17.8-30.0	348	76.1	70.0-82.2
College Graduate	526	462,309	64	12.4	08.7-16.1	462	87.6	83.9-91.3
Less than \$15,000	199	213,600	57	31.2	22.0-40.4	142	68.8	59.6-78.0
\$15,000- 24,999	271	336,708	64	26.3	18.1-34.5	207	73.7	65.5-81.9
\$25,000- 34,999	180	226,035	40	24.6	15.8-33.4	140	75.4	66.6-84.2
\$35,000- 49,999	257	329,083	55	26.4	18.2-34.6	202	73.6	65.4-81.8
\$50,000- 74,999	227	288,946	37	22.3	14.7-29.9	190	77.7	70.1-85.3
\$75,000+	352	468,509	34	13.3	08.0-18.6	318	86.7	81.4-92.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 27: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3133	2,447,400	709	27.3	24.9-29.7	2424	72.7	70.3-75.1
White/Non-Hisp	2584	1,878,898	533	25.6	23.1-28.1	2051	74.4	71.9-76.9
Black or Afr. Am./Non-Hisp	418	412,018	132	28.5	22.2-34.8	286	71.5	65.2-77.8
Oth. Race/Non-Hisp.	52	65,003	16	39.3	20.3-58.3	36	60.7	41.7-79.7
18-24	95	258,160	34	32.6	21.6-43.6	61	67.4	56.4-78.4
25-34	209	371,315	67	34.8	27.0-42.6	142	65.2	57.4-73.0
35-44	292	398,513	95	33.0	26.3-39.7	197	67.0	60.3-73.7
45-54	486	427,439	151	35.2	29.7-40.7	335	64.8	59.3-70.3
55-64	690	416,933	178	23.3	19.4-27.2	512	76.7	72.8-80.6
65+	1314	551,546	176	12.8	10.4-15.2	1138	87.2	84.8-89.6
Less Than H.S.	409	400,781	106	31.7	24.6-38.8	303	68.3	61.2-75.4
H.S. or G.E.D.	1110	835,700	257	26.5	22.6-30.4	853	73.5	69.6-77.4
Some Post-H.S.	773	698,851	193	28.9	24.4-33.4	580	71.1	66.6-75.6
College Graduate	813	494,777	146	22.6	18.5-26.7	667	77.4	73.3-81.5
Less than \$15,000	458	339,793	122	29.4	22.9-35.9	336	70.6	64.1-77.1
\$15,000- 24,999	570	440,318	157	31.0	25.1-36.9	413	69.0	63.1-74.9
\$25,000- 34,999	323	231,378	74	29.7	22.1-37.3	249	70.3	62.7-77.9
\$35,000- 49,999	322	255,333	81	32.3	25.0-39.6	241	67.7	60.4-75.0
\$50,000- 74,999	285	246,699	69	30.9	22.3-39.5	216	69.1	60.5-77.7
\$75,000+	430	388,346	59	17.1	12.2-22.0	371	82.9	78.0-87.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 7 : ADULT ASTHMA HISTORY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)	
1 MALES AND FEMALES	85
2 MALES ONLY	86
3 FEMALES ONLY	87
DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)	
4 MALES AND FEMALES	88
5 MALES ONLY	89
6 FEMALES ONLY	90
DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)	
7 MALES AND FEMALES	91
8 MALES ONLY	92
9 FEMALES ONLY	93
[IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM OR URGENT CARE CENTER VISITS, "] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)	
10 MALES AND FEMALES	94
11 MALES ONLY	95
12 FEMALES ONLY	96
DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)	
13 MALES AND FEMALES	97
14 MALES ONLY	98
15 FEMALES ONLY	99

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 7 : ADULT ASTHMA HISTORY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)	
16 MALES AND FEMALES	100
17 MALES ONLY	101
18 FEMALES ONLY	102
SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)	
19 MALES AND FEMALES	103
20 MALES ONLY	104
21 FEMALES ONLY	105
DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY- (ASNOSLEP)	
22 MALES AND FEMALES	106
23 MALES ONLY	107
24 FEMALES ONLY	108
DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)	
25 MALES AND FEMALES	109
26 MALES ONLY	110
27 FEMALES ONLY	111
DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)	
28 MALES AND FEMALES	112
29 MALES ONLY	113
30 FEMALES ONLY	114

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 1: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	540	543,496	178	38.6	32.5-44.7	60	17.2	11.5-22.9	153	29.6	23.7-35.5	63	6.9	04.7-09.1	46	4.4	02.8-06.0	40	3.3	02.1-04.5
Male	151	221,133	64	41.7	30.3-53.1	21	22.2	11.0-33.4	34	26.7	15.7-37.7	16	4.6	02.1-07.1	12	3.7	01.2-06.2	4	1.2	00.2-02.2
Female	389	322,363	114	36.6	29.7-43.5	39	13.9	08.6-19.2	119	31.6	25.1-38.1	47	8.4	05.5-11.3	34	4.8	02.8-06.8	36	4.8	03.0-06.6
White/Non-Hisp	445	415,965	145	37.2	30.5-43.9	42	14.4	08.7-20.1	133	32.7	25.8-39.6	50	6.8	04.4-09.2	43	5.5	03.5-07.5	32	3.4	02.0-04.8
Black or Afr. Am./Non-Hisp	63	78,465	20	31.9	14.3-49.5	10	29.1	09.5-48.7	16	27.2	11.5-42.9	8	6.7	01.0-12.4	2	0.8	00.0-02.0	7	4.3	00.4-08.2
35-44	50	76,830	16	23.8	10.5-37.1	11	22.6	08.1-37.1	23	53.7	34.5-72.9									
45-54	93	82,982	32	30.9	19.9-41.9	12	12.2	04.0-20.4	42	50.1	37.2-63.0	7	6.8	01.3-12.3						
55-64	135	95,847	32	26.6	17.2-36.0	9	8.6	01.7-15.5	43	30.6	21.0-40.2	35	23.2	15.0-31.4	16	11.0	05.1-16.9			
65+	179	86,587	49	26.6	18.0-35.2	9	8.2	01.1-15.3	31	19.1	11.3-26.9	20	10.0	05.1-14.9	30	15.2	08.9-21.5	40	20.9	14.0-27.8
Less Than H.S.	99	125,983	31	29.6	16.9-42.3	11	20.5	06.2-34.8	28	34.6	21.5-47.7	12	6.7	02.0-11.4	8	5.0	00.7-09.3	9	3.7	00.6-06.8
H.S. or G.E.D.	198	202,501	66	46.4	36.0-56.8	22	17.8	08.4-27.2	50	20.9	13.5-28.3	28	8.1	04.6-11.6	15	3.1	01.3-04.9	17	3.7	01.7-05.7
Some Post-H.S.	123	139,493	39	34.4	22.4-46.4	15	16.1	06.5-25.7	39	37.5	23.8-51.2	13	5.3	01.8-08.8	10	4.2	01.3-07.1	7	2.6	00.8-04.4
College Graduate	118	74,543	42	41.1	29.1-53.1	12	12.7	04.1-21.3	36	30.3	18.0-42.6	9	5.8	01.5-10.1	13	7.1	02.4-11.8	6	2.9	00.4-05.4
Less than \$15,000	122	114,486	30	29.1	17.3-40.9	15	15.0	06.2-23.8	41	39.8	27.5-52.1	14	7.1	02.2-12.0	10	5.1	01.0-09.2	12	3.9	01.2-06.6
\$15,000- 24,999	106	98,234	42	53.4	39.5-67.3	15	13.3	05.3-21.3	23	18.5	07.9-29.1	16	9.9	04.2-15.6	4	2.5	00.0-05.8	6	2.4	00.4-04.4
\$25,000- 34,999	54	54,391	18	44.6	24.4-64.8	5	21.0	02.2-39.8	12	21.2	06.3-36.1	7	4.0	00.7-07.3	7	4.3	00.8-07.8	5	4.9	00.8-09.0
\$35,000- 49,999	52	49,416	13	39.2	20.4-58.0	4	8.5	00.0-17.7	22	40.6	23.7-57.5	2	2.6	00.0-06.7	8	5.8	01.3-10.3	3	3.4	00.0-07.5
\$50,000- 74,999	56	59,355	20	38.7	20.7-56.7	5	13.2	00.5-25.9	16	32.6	14.2-51.0	7	9.2	01.6-16.8	5	3.9	00.4-07.4	3	2.4	00.0-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 2: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	151	221,133	64	41.7	30.1-53.3	21	22.2	11.6-32.8	34	26.7	15.5-37.9	16	4.6	02.1-07.1	12	3.7	01.2-06.2	4	1.2	00.2-02.2
White/Non-Hisp	124	165,230	52	41.1	28.4-53.8	13	14.8	04.6-25.0	33	33.5	20.0-47.0	11	4.1	01.6-06.6	11	4.9	01.6-08.2	4	1.6	00.2-03.0
H.S. or G.E.D.	56	89,241	25	55.8	37.8-73.8	7	17.8	01.1-34.5	11	18.0	06.2-29.8	6	4.3	00.4-08.2	4	2.2	00.0-04.6	3	1.9	00.0-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 3: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	389	322,363	114	36.6	29.7-43.5	39	13.9	08.6-19.2	119	31.6	25.1-38.1	47	8.4	05.5-11.3	34	4.8	02.8-06.8	36	4.8	03.0-06.6
White/Non-Hisp	321	250,735	93	34.6	27.3-41.9	29	14.1	08.0-20.2	100	32.1	25.0-39.2	39	8.6	05.1-12.1	32	5.9	03.4-08.4	28	4.6	02.6-06.6
Black or Afr. Am./Non-Hisp	50	46,127	15	35.5	15.1-55.9	5	8.6	00.2-17.0	15	38.5	18.9-58.1	6	8.7	00.3-17.1	2	1.4	00.0-03.4	7	7.3	00.6-14.0
45-54	64	48,212	18	26.0	13.5-38.5	7	12.5	00.9-24.1	33	51.0	35.9-66.1	6	10.5	01.7-19.3						
55-64	95	60,249	20	25.6	13.8-37.4	4	3.7	00.0-08.0	35	34.4	22.8-46.0	24	24.8	13.8-35.8	12	11.5	04.2-18.8			
65+	138	59,888	33	22.9	13.9-31.9	6	5.1	00.0-10.2	25	21.2	11.6-30.8	16	10.6	04.7-16.5	22	14.3	07.4-21.2	36	25.8	17.0-34.6
Less Than H.S.	69	71,466	22	34.5	18.0-51.0	5	8.9	00.3-17.5	21	38.2	22.5-53.9	7	7.3	00.4-14.2	5	4.8	00.0-10.1	9	6.5	01.0-12.0
H.S. or G.E.D.	142	113,260	41	39.1	27.3-50.9	15	17.8	07.4-28.2	39	23.1	13.9-32.3	22	11.1	05.6-16.6	11	3.9	01.4-06.4	14	5.1	02.2-08.0
Some Post-H.S.	90	87,859	27	39.9	26.4-53.4	10	11.2	02.6-19.8	30	34.6	22.1-47.1	9	5.8	01.1-10.5	8	5.5	01.2-09.8	6	3.1	00.4-05.8
College Graduate	86	48,802	24	28.7	15.8-41.6	9	17.0	04.5-29.5	29	36.6	20.5-52.7	8	7.4	01.3-13.5	10	5.9	01.8-10.0	6	4.5	00.8-08.2
Less than \$15,000	95	80,953	23	32.7	18.8-46.6	10	10.9	02.7-19.1	33	38.5	24.8-52.2	11	8.0	01.5-14.5	7	4.8	00.1-09.5	11	5.0	01.1-08.9
\$15,000- 24,999	75	64,925	31	56.6	39.9-73.3	10	14.6	04.0-25.2	17	16.4	04.1-28.7	10	8.6	02.1-15.1	2	0.8	00.0-02.2	5	3.0	00.5-05.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	407	358,303	183	44.3	37.4-51.2	224	55.7	48.8-62.6
Male	104	121,094	48	45.4	32.1-58.7	56	54.6	41.3-67.9
Female	303	237,209	135	43.8	36.0-51.6	168	56.2	48.4-64.0
White/Non-Hisp	335	279,295	151	41.4	34.1-48.7	184	58.6	51.3-65.9
45-54	67	53,136	36	58.6	43.7-73.5	31	41.4	26.5-56.3
55-64	102	70,108	50	49.2	37.0-61.4	52	50.8	38.6-63.0
65+	156	78,559	59	35.9	26.3-45.5	97	64.1	54.5-73.7
Less Than H.S.	95	105,762	38	41.5	27.6-55.4	57	58.5	44.6-72.4
H.S. or G.E.D.	146	122,259	73	49.4	37.8-61.0	73	50.6	39.0-62.2
Some Post-H.S.	88	87,572	41	43.3	29.2-57.4	47	56.7	42.6-70.8
College Graduate	77	42,477	31	39.0	24.9-53.1	46	61.0	46.9-75.1
Less than \$15,000	100	86,173	53	55.3	41.0-69.6	47	44.7	30.4-59.0
\$15,000- 24,999	93	77,392	43	45.7	30.6-60.8	50	54.3	39.2-69.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	104	121,094	48	45.4	32.1-58.7	56	54.6	41.3-67.9
White/Non-Hisp	85	91,844	37	39.9	26.8-53.0	48	60.1	47.0-73.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	303	237,209	135	43.8	36.0-51.6	168	56.2	48.4-64.0
White/Non-Hisp	250	187,451	114	42.1	33.7-50.5	136	57.9	49.5-66.3
55-64	75	44,394	33	42.0	28.5-55.5	42	58.0	44.5-71.5
65+	119	53,601	47	38.5	27.3-49.7	72	61.5	50.3-72.7
Less Than H.S.	68	66,020	25	41.8	24.6-59.0	43	58.2	41.0-75.4
H.S. or G.E.D.	109	77,353	57	53.9	41.2-66.6	52	46.1	33.4-58.8
Some Post-H.S.	69	63,763	32	39.5	24.8-54.2	37	60.5	45.8-75.2
College Graduate	56	29,840	21	31.4	15.7-47.1	35	68.6	52.9-84.3
Less than \$15,000	80	64,289	39	50.6	34.7-66.5	41	49.4	33.5-65.3
\$15,000- 24,999	68	56,425	31	44.1	25.5-62.7	37	55.9	37.3-74.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 7: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	181	157,219	44	27.6	17.6-37.6	137	72.4	62.4-82.4
Female	135	103,861	34	30.4	18.1-42.7	101	69.6	57.3-81.9
White/Non-Hisp	149	113,989	33	22.5	13.5-31.5	116	77.5	68.5-86.5
55-64	50	34,500	11	25.1	08.8-41.4	39	74.9	58.6-91.2
65+	58	27,568	13	24.8	10.9-38.7	45	75.2	61.3-89.1
H.S. or G.E.D.	71	58,822	21	31.9	16.4-47.4	50	68.1	52.6-83.6
Less than \$15,000	52	46,705	15	24.6	09.3-39.9	37	75.4	60.1-90.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY

TABLE 8: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 9: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	135	103,861	34	30.4	17.9-42.9	101	69.6	57.1-82.1
White/Non-Hisp	114	78,969	26	21.7	11.9-31.5	88	78.3	68.5-88.1
H.S. or G.E.D.	57	41,686	20	43.6	25.0-62.2	37	56.4	37.8-75.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 10: [IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM OR URGENT CARE CENTER VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

**Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents that had never been told they had asthma
 Denominator excludes: Respondents that do not still have asthma**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			14-26 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	178	156,181	74	40.8	30.6-51.0	1	1.0	00.0-03.0	103	58.1	47.9-68.3
Female	130	101,210	54	39.2	27.6-50.8	1	1.6	00.0-04.7	75	59.2	47.4-71.0
White/Non-Hisp	147	113,377	60	36.1	26.5-45.7	1	1.4	00.0-04.1	86	62.4	52.8-72.0
55-64	50	34,500	21	45.4	28.5-62.3				29	54.6	37.7-71.5
65+	55	25,967	23	31.6	17.3-45.9				32	68.4	54.1-82.7
H.S. or G.E.D.	71	59,440	30	39.1	23.8-54.4	1	2.7	00.0-08.0	40	58.2	42.7-73.7
Less than \$15,000	52	47,620	23	33.5	18.2-48.8	1	3.4	00.0-10.1	28	63.1	46.4-79.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY

TABLE 11: [IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM OR URGENT CARE CENTER VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 12: [IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM OR URGENT CARE CENTER VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			14-26 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	130	101,210	54	39.2	27.8-50.6	1	1.6	00.0-04.7	75	59.2	47.4-71.0
White/Non-Hisp	110	76,743	45	33.0	22.4-43.6	1	2.1	00.0-06.2	64	64.9	53.7-76.1
H.S. or G.E.D.	55	40,691	25	45.1	26.5-63.7	1	4.0	00.0-11.6	29	50.9	32.3-69.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

**TABLE 13. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?
(ASRCHKUP)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			14-26 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	455	425,738	305	65.3	59.0-71.6	1	0.1	00.0-00.3	149	34.7	28.4-41.0
Male	118	138,229	84	61.3	48.8-73.8				34	38.7	26.2-51.2
Female	337	287,509	221	67.2	60.3-74.1	1	0.1	00.0-00.3	115	32.7	25.8-39.6
White/Non-Hisp	374	318,557	245	58.6	51.5-65.7	1	0.1	00.0-00.3	128	41.3	34.2-48.4
Black or Afr. Am./Non-Hisp	50	58,961	36	79.7	65.2-94.2				14	20.3	05.8-34.8
45-54	73	63,308	47	61.6	47.3-75.9				26	38.4	24.1-52.7
55-64	112	80,966	83	70.6	59.8-81.4	1	0.5	00.0-01.5	28	28.9	18.1-39.7
65+	170	85,291	111	67.4	58.8-76.0				59	32.6	24.0-41.2
Less Than H.S.	97	112,582	60	60.0	46.5-73.5				37	40.0	26.5-53.5
H.S. or G.E.D.	161	139,286	112	60.0	48.8-71.2				49	40.0	28.8-51.2
Some Post-H.S.	105	111,118	72	71.7	60.1-83.3	1	0.4	00.0-01.2	32	28.0	16.4-39.6
College Graduate	88	56,195	58	72.4	61.4-83.4				30	27.6	16.6-38.6
Less than \$15,000	107	95,300	67	59.6	46.3-72.9				40	40.4	27.1-53.7
\$15,000- 24,999	100	87,383	67	73.5	61.5-85.5	1	0.5	00.0-01.5	32	26.0	14.0-38.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

**TABLE 14. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?
(ASRCHKUP)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	118	138,229	84	61.3	49.1-73.5	34	38.7	26.5-50.9
White/Non-Hisp	97	104,607	65	52.3	39.4-65.2	32	47.7	34.8-60.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

**TABLE 15. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?
(ASRCHKUP)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			14-26 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	337	287,509	221	67.2	60.5-73.9	1	0.1	00.0-00.3	115	32.7	26.0-39.4
White/Non-Hisp	277	213,950	180	61.7	53.7-69.7	1	0.2	00.0-00.6	96	38.1	30.1-46.1
45-54	55	43,343	36	66.3	51.0-81.6				19	33.7	18.4-49.0
55-64	80	50,175	60	75.5	63.9-87.1	1	0.8	00.0-02.4	19	23.7	12.3-35.1
65+	125	54,400	74	57.2	46.2-68.2				51	42.8	31.8-53.8
Less Than H.S.	68	70,638	39	61.7	45.6-77.8				29	38.3	22.2-54.4
H.S. or G.E.D.	120	89,683	85	69.8	58.6-81.0				35	30.2	19.0-41.4
Some Post-H.S.	83	83,842	55	65.6	51.5-79.7	1	0.5	00.0-01.5	27	33.9	19.8-48.0
College Graduate	63	37,497	40	70.3	56.6-84.0				23	29.7	16.0-43.4
Less than \$15,000	86	72,342	51	60.2	45.7-74.7				35	39.8	25.3-54.3
\$15,000- 24,999	74	63,786	48	74.3	60.2-88.4	1	0.6	00.0-01.8	25	25.1	11.0-39.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 16. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			31-60 Days			61-100 Days			101-366 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	367	331,821	71	19.5	13.6-25.4	17	4.0	01.8-06.2	3	1.1	00.0-02.5	1	0.2	00.0-00.6	10	2.1	00.5-03.7	265	73.1	66.8-79.4
Male	93	112,373	10	7.6	00.7-14.5	9	7.2	01.9-12.5							2	0.5	00.0-01.3	72	84.7	76.1-93.3
Female	274	219,448	61	25.5	17.7-33.3	8	2.4	00.6-04.2	3	1.7	00.0-03.7	1	0.3	00.0-00.9	8	2.8	00.4-05.2	193	67.2	59.2-75.2
White/Non-Hisp	305	262,137	53	15.5	10.2-20.8	16	4.7	02.2-07.2	3	1.4	00.0-03.2	1	0.3	00.0-00.9	7	1.3	00.0-02.7	225	76.8	70.7-82.9
45-54	61	51,727	17	29.5	14.4-44.6	4	7.2	00.0-14.8							1	3.3	00.0-09.6	39	60.0	44.1-75.9
55-64	86	59,325	12	15.9	06.3-25.5	6	7.9	01.0-14.8	2	3.6	00.0-08.9	1	1.3	00.0-03.8	2	2.2	00.0-04.6	63	69.1	57.3-80.9
65+	142	72,446	26	14.3	07.4-21.2	5	4.0	00.1-07.9							5	3.2	00.0-06.9	106	78.5	70.1-86.9
Less Than H.S.	77	93,417	18	24.5	10.6-38.4	6	5.7	00.6-10.8							3	3.7	00.0-08.2	50	66.1	51.4-80.8
H.S. or G.E.D.	128	109,911	29	23.2	13.2-33.2	7	5.2	00.9-09.5	2	2.1	00.0-05.2				4	2.5	00.0-05.0	86	66.9	55.9-77.9
Some Post-H.S.	85	85,724	14	14.6	05.0-24.2	4	2.5	00.0-05.0	1	1.7	00.0-05.0	1	0.9	00.0-02.7	2	0.5	00.0-01.3	63	79.9	69.5-90.3
College Graduate	76	42,537	10	8.9	02.6-15.2										1	0.5	00.0-01.5	65	90.6	84.1-97.1
Less than \$15,000	87	78,997	24	29.8	16.3-43.3	7	8.5	01.4-15.6	1	2.0	00.0-06.1				6	6.9	00.8-13.0	49	52.8	37.9-67.7
\$15,000- 24,999	78	65,749	16	31.9	14.8-49.0	6	6.5	00.8-12.2	1	2.2	00.0-06.5	1	1.2	00.0-03.6	2	0.7	00.0-01.9	52	57.6	40.9-74.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 17. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			101-366 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	93	112,373	10	7.6	00.5-14.7	9	7.2	02.1-12.3	2	0.5	00.0-01.3	72	84.7	76.1-93.3
White/Non-Hisp	77	85,528	6	3.1	00.4-05.8	8	8.2	01.9-14.5	2	0.7	00.0-01.7	61	88.1	81.0-95.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 18. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			31-60 Days			61-100 Days			101-366 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	274	219,448	61	25.5	17.9-33.1	8	2.4	00.6-04.2	3	1.7	00.0-03.7	1	0.3	00.0-00.9	8	2.8	00.6-05.0	193	67.2	59.2-75.2
White/Non-Hisp	228	176,610	47	21.5	14.4-28.6	8	2.9	00.5-05.3	3	2.1	00.0-04.6	1	0.4	00.0-01.2	5	1.6	00.0-03.4	164	71.4	63.6-79.2
55-64	65	39,751	9	18.2	05.9-30.5	3	4.4	00.0-10.7	2	5.4	00.0-13.0	1	1.9	00.0-05.6	2	3.3	00.0-07.0	48	66.7	52.4-81.0
65+	106	46,809	22	17.9	08.9-26.9	1	1.1	00.0-03.3							4	4.2	00.0-09.7	79	76.8	66.4-87.2
Less Than H.S.	58	60,915	15	35.3	16.5-54.1	2	2.8	00.0-06.9							3	5.7	00.0-12.6	38	56.2	37.6-74.8
H.S. or G.E.D.	93	65,631	25	30.2	18.0-42.4	4	3.6	00.0-07.5	2	3.6	00.0-08.9				4	4.1	00.0-08.4	58	58.5	45.6-71.4
Some Post-H.S.	67	62,770	13	19.0	06.5-31.5	2	1.8	00.0-04.5	1	2.3	00.0-06.8	1	1.2	00.0-03.6	1	0.1	00.0-00.3	49	75.6	62.3-88.9
College Graduate	55	29,900	8	9.4	01.8-17.0													47	90.6	83.0-98.2
Less than \$15,000	70	58,606	18	30.1	14.8-45.4	3	4.4	00.0-10.1	1	2.8	00.0-08.3				6	9.3	01.7-16.9	42	53.6	37.3-69.9
\$15,000- 24,999	59	50,281	15	40.5	20.3-60.7	2	1.8	00.0-04.3	1	2.9	00.0-08.4	1	1.5	00.0-04.4	1	0.2	00.0-00.6	39	53.1	33.5-72.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 19. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	381	334,812	71	19.9	13.8-26.0	80	21.3	15.4-27.2	57	12.4	08.3-16.5	56	14.9	09.8-20.0	40	7.7	04.8-10.6	77	23.8	17.1-30.5
Male	99	117,786	18	21.5	09.9-33.1	20	17.6	07.6-27.6	15	12.3	05.0-19.6	20	21.9	10.7-33.1	12	7.1	02.0-12.2	14	19.6	06.9-32.3
Female	282	217,026	53	19.1	12.2-26.0	60	23.3	16.0-30.6	42	12.5	07.8-17.2	36	11.0	06.5-15.5	28	8.0	04.5-11.5	63	26.0	18.2-33.8
White/Non-Hisp	318	266,188	58	17.9	12.0-23.8	67	21.8	15.5-28.1	47	12.9	08.2-17.6	48	15.8	10.1-21.5	34	7.5	04.4-10.6	64	24.1	16.7-31.5
45-54	57	45,918	9	12.8	03.0-22.6	15	31.7	16.8-46.6	8	11.5	00.7-22.3	10	23.5	07.6-39.4	7	9.7	00.9-18.5	8	10.8	03.0-18.6
55-64	101	70,803	20	16.4	08.2-24.6	15	14.3	06.3-22.3	18	17.0	08.4-25.6	19	22.8	11.6-34.0	12	9.5	03.8-15.2	17	20.1	09.9-30.3
65+	145	70,770	24	18.4	10.0-26.8	29	16.9	09.6-24.2	24	18.4	10.4-26.4	20	12.8	06.1-19.5	17	13.1	05.7-20.5	31	20.6	11.4-29.8
Less Than H.S.	83	97,874	13	14.0	02.8-25.2	21	27.5	12.8-42.2	10	9.8	02.5-17.1	9	14.2	03.4-25.0	15	13.6	05.0-22.2	15	21.0	08.8-33.2
H.S. or G.E.D.	138	113,591	25	19.3	10.3-28.3	37	28.8	18.6-39.0	21	13.1	06.4-19.8	24	15.9	07.9-23.9	13	6.4	02.5-10.3	18	16.4	05.0-27.8
Some Post-H.S.	83	80,739	11	24.3	09.8-38.8	13	8.9	03.4-14.4	19	15.8	06.2-25.4	15	19.2	07.8-30.6	8	5.1	01.2-09.0	17	26.7	12.0-41.4
College Graduate	76	42,376	22	27.1	14.9-39.3	9	10.8	03.0-18.6	7	10.6	01.6-19.6	8	5.4	00.9-09.9	4	2.2	00.0-04.7	26	43.9	29.0-58.8
Less than \$15,000	96	81,106	14	13.6	03.6-23.6	23	26.4	14.4-38.4	18	11.2	04.9-17.5	18	22.8	09.5-36.1	13	12.6	04.6-20.6	10	13.4	02.0-24.8
\$15,000- 24,999	86	71,518	16	18.8	06.5-31.1	21	25.7	11.0-40.4	9	11.3	02.5-20.1	16	20.3	09.1-31.5	9	7.4	02.1-12.7	15	16.6	04.8-28.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 20. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	99	117,786	18	21.5	09.9-33.1	20	17.6	07.6-27.6	15	12.3	05.2-19.4	20	21.9	11.9-31.9	12	7.1	02.4-11.8	14	19.6	07.4-31.8
White/Non-Hisp	81	90,814	16	18.2	07.6-28.8	14	19.1	06.9-31.3	13	14.0	05.6-22.4	18	24.4	13.6-35.2	10	6.1	02.0-10.2	10	18.2	04.9-31.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 21. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	282	217,026	53	19.1	12.2-26.0	60	23.3	16.0-30.6	42	12.5	07.6-17.4	36	11.0	06.5-15.5	28	8.0	04.5-11.5	63	26.0	18.2-33.8
White/Non-Hisp	237	175,374	42	17.8	10.7-24.9	53	23.2	15.9-30.5	34	12.4	06.9-17.9	30	11.3	06.2-16.4	24	8.2	04.1-12.3	54	27.1	18.5-35.7
55-64	74	44,318	17	19.2	08.8-29.6	9	12.1	02.7-21.5	11	13.2	04.0-22.4	14	18.7	07.9-29.5	10	11.8	04.2-19.4	13	25.0	11.3-38.7
65+	109	48,072	19	19.8	09.6-30.0	24	19.7	10.3-29.1	19	21.0	10.6-31.4	11	8.5	02.2-14.8	10	10.1	02.1-18.1	26	20.8	12.0-29.6
Less Than H.S.	58	58,890	9	13.8	00.5-27.1	16	33.4	14.4-52.4	8	9.8	01.8-17.8	3	4.0	00.0-09.1	10	13.4	02.8-24.0	12	25.6	08.7-42.5
H.S. or G.E.D.	102	68,823	18	17.0	07.4-26.6	29	33.8	21.1-46.5	16	15.5	06.5-24.5	14	12.0	05.1-18.9	12	9.7	03.6-15.8	13	12.1	04.1-20.1
Some Post-H.S.	65	59,207	9	25.1	09.4-40.8	12	10.4	03.7-17.1	13	12.5	02.5-22.5	12	19.7	06.8-32.6	4	3.8	00.0-07.7	15	28.5	12.4-44.6
College Graduate	56	29,873	17	22.4	10.2-34.6	3	5.3	00.0-12.6	5	11.0	00.0-22.6	7	5.5	00.8-10.2	2	2.0	00.0-05.1	22	53.7	36.3-71.1
Less than \$15,000	77	60,191	11	14.7	02.5-26.9	20	30.6	15.9-45.3	15	11.8	04.4-19.2	12	12.7	03.7-21.7	10	13.1	04.1-22.1	9	17.0	02.3-31.7
\$15,000- 24,999	63	50,497	14	24.0	07.1-40.9	18	32.1	13.1-51.1	4	4.5	00.0-10.0	10	13.1	03.3-22.9	5	6.1	00.0-12.2	12	20.1	04.6-35.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 22. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days			No days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	310	264,777	43	12.2	07.7-16.7	38	9.9	05.0-14.8	14	4.3	01.4-07.2	24	8.5	03.6-13.4	51	14.6	10.1-19.1	140	50.4	43.0-57.8
Male	86	98,731	13	10.4	04.1-16.7	10	6.9	01.2-12.6	6	7.6	00.7-14.5	9	13.4	02.4-24.4	12	13.6	06.2-21.0	36	48.1	34.2-62.0
Female	224	166,046	30	13.3	07.4-19.2	28	11.7	04.8-18.6	8	2.4	00.2-04.6	15	5.6	01.9-09.3	39	15.3	09.6-21.0	104	51.7	42.9-60.5
White/Non-Hisp	255	208,089	35	12.2	07.1-17.3	27	7.5	04.0-11.0	11	4.1	01.0-07.2	19	8.3	03.2-13.4	47	16.8	11.3-22.3	116	51.1	42.9-59.3
45-54	55	46,043	7	11.5	00.3-22.7	9	14.7	02.9-26.5	2	6.3	00.0-14.9	6	14.4	00.0-29.1	14	22.8	10.1-35.5	17	30.2	15.5-44.9
55-64	83	56,505	11	17.1	07.1-27.1	10	10.5	03.2-17.8	4	4.2	00.0-08.5	3	5.9	00.0-14.5	18	22.4	10.6-34.2	37	40.0	27.5-52.5
65+	116	60,267	19	17.0	09.0-25.0	13	6.5	02.2-10.8	7	6.3	00.6-12.0	9	5.8	01.7-09.9	13	10.4	03.3-17.5	55	54.0	42.4-65.6
Less Than H.S.	72	81,386	11	10.9	02.7-19.1	13	15.2	01.9-28.5	1	0.5	00.0-01.5	6	10.3	00.0-21.3	13	18.5	07.3-29.7	28	44.6	27.9-61.3
H.S. or G.E.D.	119	94,130	14	7.9	03.0-12.8	14	9.1	03.6-14.6	6	5.5	00.6-10.4	11	9.2	01.4-17.0	23	15.1	08.2-22.0	51	53.2	41.6-64.8
Some Post-H.S.	68	65,273	14	20.3	09.1-31.5	5	3.6	00.3-06.9	5	8.3	00.0-16.9	3	4.6	00.0-11.3	10	10.4	05.1-15.7	31	52.9	38.8-67.0
College Graduate	51	23,988	4	12.0	00.0-24.2	6	12.2	02.0-22.4	2	1.6	00.0-04.0	4	10.7	00.3-21.1	5	11.5	00.0-24.8	30	52.0	34.9-69.1
Less than \$15,000	87	73,398	9	8.2	00.9-15.5	12	8.6	02.5-14.7	6	7.6	00.9-14.3	8	16.0	02.7-29.3	30	31.4	19.8-43.0	22	28.2	16.4-40.0
\$15,000- 24,999	72	59,464	10	10.8	03.0-18.6	9	16.9	00.6-33.2	5	8.3	00.0-17.1	5	8.2	00.0-17.0	9	9.5	02.2-16.8	34	46.3	30.0-62.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
 MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 23. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that had never been told they had asthma
 Denominator excludes: Respondents that do not still have asthma
 Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days			No days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	86	98,731	13	10.4	04.9-15.9	10	6.9	01.2-12.6	6	7.6	00.5-14.7	9	13.4	02.2-24.6	12	13.6	06.0-21.2	36	48.1	34.8-61.4
White/Non-Hisp	71	75,960	10	9.3	04.2-14.4	8	7.7	00.6-14.8	5	8.8	00.2-17.4	7	12.3	00.5-24.1	11	17.2	07.6-26.8	30	44.8	29.9-59.7

NOTE:
 '% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 24. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days			No days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	224	166,046	30	13.3	07.4-19.2	28	11.7	04.8-18.6	8	2.4	00.2-04.6	15	5.6	02.3-08.9	39	15.3	09.6-21.0	104	51.7	42.9-60.5
White/Non-Hisp	184	132,128	25	13.9	07.2-20.6	19	7.4	03.5-11.3	6	1.4	00.2-02.6	12	5.9	02.0-09.8	36	16.7	10.0-23.4	86	54.8	45.2-64.4
55-64	59	32,426	6	11.9	01.7-22.1	8	14.5	03.5-25.5	2	3.0	00.0-07.7	1	1.4	00.0-04.1	13	21.2	09.0-33.4	29	48.0	32.5-63.5
65+	86	39,755	13	18.0	07.2-28.8	9	6.1	01.4-10.8	6	7.4	00.0-15.0	6	5.3	00.6-10.0	10	10.4	02.2-18.6	42	52.9	39.0-66.8
H.S. or G.E.D.	88	59,220	10	6.6	01.9-11.3	13	13.6	05.2-22.0	3	2.5	00.0-05.4	7	5.4	01.3-09.5	19	17.8	09.0-26.6	36	54.3	41.0-67.6
Some Post-H.S.	52	46,501	11	24.3	10.4-38.2	4	4.1	00.0-08.4	2	3.6	00.0-09.7	3	6.5	00.0-15.7	7	6.8	00.5-13.1	25	54.7	38.4-71.0
Less than \$15,000	68	52,117	9	11.5	01.3-21.7	7	8.6	01.2-16.0	3	4.2	00.0-09.9	4	6.2	00.0-14.4	24	30.9	17.8-44.0	21	38.6	23.9-53.3
\$15,000- 24,999	51	39,443	7	10.9	00.9-20.9	7	22.5	00.0-45.6	2	2.2	00.0-05.9	3	4.3	00.0-09.4	5	6.3	00.0-13.2	27	53.9	32.1-75.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

**TABLE 25. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01 to 14 Days			15-24 Days			25-30 Days			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	390	344,486	62	17.0	11.9-22.1	10	3.0	00.0-06.1	172	34.4	28.3-40.5	146	45.5	38.4-52.6
Male	103	123,106	19	18.7	09.1-28.3	4	1.8	00.0-03.8	42	33.4	21.8-45.0	38	46.1	32.4-59.8
Female	287	221,381	43	16.0	09.9-22.1	6	3.7	00.0-08.6	130	35.0	27.9-42.1	108	45.2	37.4-53.0
White/Non-Hisp	322	272,294	51	18.3	12.2-24.4	8	1.8	00.4-03.2	142	34.3	27.6-41.0	121	45.6	38.0-53.2
45-54	64	52,594	8	16.6	04.4-28.8	5	5.9	00.0-12.0	30	51.0	35.7-66.3	21	26.6	14.3-38.9
55-64	99	68,754	13	17.1	06.9-27.3				53	47.7	35.7-59.7	33	35.3	23.3-47.3
65+	149	75,012	27	21.9	11.3-32.5	3	1.0	00.0-02.2	72	46.9	36.3-57.5	47	30.2	21.0-39.4
Less Than H.S.	87	101,532	21	25.0	12.8-37.2	2	5.4	00.0-15.2	35	28.2	16.8-39.6	29	41.4	26.5-56.3
H.S. or G.E.D.	138	112,171	23	17.5	08.9-26.1	3	2.2	00.0-04.7	69	44.3	32.7-55.9	43	36.0	23.8-48.2
Some Post-H.S.	88	88,022	10	11.8	03.0-20.6	2	1.4	00.0-03.8	33	27.2	16.0-38.4	43	59.6	46.3-72.9
College Graduate	76	42,529	8	7.4	01.7-13.1	3	2.8	00.0-06.7	34	38.1	24.8-51.4	31	51.7	37.4-66.0
Less than \$15,000	95	80,933	17	17.3	07.3-27.3	3	2.9	00.0-06.4	42	44.2	30.3-58.1	33	35.5	20.8-50.2
\$15,000- 24,999	87	71,294	14	16.5	04.7-28.3	1	7.5	00.0-21.2	39	33.7	21.4-46.0	33	42.3	27.8-56.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 26. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01 to 14 Days			15-24 Days			25-30 Days			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	103	123,106	19	18.7	09.7-27.7	4	1.8	00.0-03.8	42	33.4	22.2-44.6	38	46.1	32.8-59.4
White/Non-Hisp	84	93,856	15	19.8	09.4-30.2	4	2.3	00.0-05.0	35	34.9	22.7-47.1	30	43.0	28.1-57.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 27. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01 to 14 Days			15-24 Days			25-30 Days			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	287	221,381	43	16.0	09.7-22.3	6	3.7	00.0-08.6	130	35.0	27.9-42.1	108	45.2	37.4-53.0
White/Non-Hisp	238	178,439	36	17.4	10.1-24.7	4	1.5	00.0-03.3	107	34.0	26.2-41.8	91	47.0	38.2-55.8
55-64	71	41,536	7	12.0	02.0-22.0				41	52.9	38.6-67.2	23	35.1	21.2-49.0
65+	111	48,617	19	14.5	05.7-23.3	2	0.9	00.0-02.3	56	53.1	40.9-65.3	34	31.5	20.5-42.5
Less Than H.S.	60	60,396	13	23.9	08.0-39.8	2	9.0	00.0-25.1	26	31.0	16.3-45.7	19	36.1	18.5-53.7
H.S. or G.E.D.	101	66,434	16	17.7	07.5-27.9	1	1.8	00.0-05.3	56	48.9	36.2-61.6	28	31.6	19.1-44.1
Some Post-H.S.	69	64,213	9	12.7	02.5-22.9	2	1.9	00.0-05.2	24	26.9	14.6-39.2	34	58.5	43.6-73.4
College Graduate	56	30,105	5	4.1	00.6-07.6	1	1.1	00.0-03.3	23	29.2	15.5-42.9	27	65.6	50.9-80.3
Less than \$15,000	75	59,049	15	21.8	08.7-34.9	2	2.4	00.0-06.5	31	37.0	22.5-51.5	27	38.8	21.7-55.9
\$15,000- 24,999	63	49,539	8	15.3	00.0-30.8	1	10.8	00.0-30.0	29	32.9	17.6-48.2	25	41.0	23.0-59.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

**TABLE 28. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-14 times			15-29 times			30-59 times			60-99 times			100+ times			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	386	341,992	135	31.1	24.8-37.4	31	7.8	04.1-11.5	39	8.2	04.7-11.7	9	1.9	00.5-03.3	4	1.0	00.0-02.2	168	50.0	43.1-56.9
Male	101	121,287	30	22.0	12.6-31.4	8	9.2	01.2-17.2	11	11.4	03.2-19.6	4	2.6	00.0-05.3	2	1.0	00.0-02.4	46	53.8	40.7-66.9
Female	285	220,705	105	36.2	28.4-44.0	23	7.0	03.5-10.5	28	6.4	03.3-09.5	5	1.5	00.1-02.9	2	0.9	00.0-02.5	122	48.0	40.0-56.0
White/Non-Hisp	321	270,628	116	32.9	26.0-39.8	27	9.2	04.7-13.7	29	5.8	02.9-08.7	8	2.1	00.5-03.7	3	0.6	00.0-01.4	138	49.4	41.6-57.2
45-54	63	52,050	21	37.4	22.5-52.3	9	12.2	03.4-21.0	6	15.4	01.5-29.3	2	3.3	00.0-08.0	2	4.3	00.0-11.0	23	27.3	14.8-39.8
55-64	96	68,142	38	36.7	25.1-48.3	9	11.9	02.5-21.3	8	5.9	01.2-10.6	2	2.2	00.0-05.1	1	0.6	00.0-01.8	38	42.8	30.5-55.1
65+	150	75,434	54	36.9	26.5-47.3	9	4.5	01.2-07.8	21	11.3	05.4-17.2	5	4.3	00.2-08.4				61	42.9	32.5-53.3
Less Than H.S.	87	102,127	26	30.6	17.1-44.1	10	11.2	02.0-20.4	13	9.6	03.1-16.1	2	2.1	00.0-05.0	2	2.2	00.0-05.5	34	44.3	29.6-59.0
H.S. or G.E.D.	135	109,550	51	34.7	24.3-45.1	14	10.4	03.5-17.3	14	9.3	02.0-16.6	3	1.5	00.0-03.3	1	0.4	00.0-01.2	52	43.7	31.5-55.9
Some Post-H.S.	87	87,831	26	25.5	13.7-37.3	3	2.4	00.0-05.3	11	8.2	01.3-15.1	4	3.1	00.0-06.4				43	60.8	47.3-74.3
College Graduate	76	42,251	32	35.0	21.9-48.1	4	3.8	00.0-07.7	1	1.8	00.0-05.3				1	1.6	00.0-04.7	38	57.8	44.1-71.5
Less than \$15,000	98	84,545	38	33.3	21.1-45.5	14	14.6	04.8-24.4	12	13.2	02.8-23.6	3	3.2	00.0-07.1	3	3.1	00.0-07.4	28	32.6	18.5-46.7
\$15,000- 24,999	86	69,790	26	32.8	17.7-47.9	5	4.9	00.0-09.8	11	8.7	02.4-15.0	2	2.0	00.0-04.9				42	51.5	36.2-66.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

TABLE 29. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-14 times			15-29 times			30-59 times			60-99 times			100+ times			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	101	121,287	30	22.0	13.6-30.4	8	9.2	01.0-17.4	11	11.4	04.3-18.5	4	2.6	00.0-05.3	2	1.0	00.0-02.4	46	53.8	41.3-66.3
White/Non-Hisp	83	92,351	26	25.7	15.5-35.9	7	11.6	01.0-22.2	8	7.8	03.7-11.9	4	3.4	00.0-06.9	2	1.3	00.0-03.3	36	50.0	35.5-64.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 7 : ADULT ASTHMA HISTORY**

**TABLE 30. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-14 times			15-29 times			30-59 times			60-99 times			100+ times			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	285	220,705	105	36.2	28.4-44.0	23	7.0	03.3-10.7	28	6.4	03.3-09.5	5	1.5	00.1-02.9	2	0.9	00.0-02.5	122	48.0	40.0-56.0
White/Non-Hisp	238	178,276	90	36.6	28.2-45.0	20	8.0	03.5-12.5	21	4.8	02.1-07.5	4	1.4	00.0-02.8	1	0.2	00.0-00.6	102	49.1	39.9-58.3
55-64	70	42,742	32	45.8	31.1-60.5	6	8.8	01.2-16.4	6	5.1	00.4-09.8				1	0.9	00.0-02.7	25	39.4	24.7-54.1
65+	112	49,039	40	36.9	25.3-48.5	8	6.2	01.3-11.1	17	14.0	05.8-22.2	3	3.2	00.0-06.9				44	39.7	28.1-51.3
Less Than H.S.	62	62,809	19	36.7	18.9-54.5	6	5.6	00.3-10.9	10	9.6	02.0-17.2	1	1.4	00.0-04.1	1	2.7	00.0-08.0	25	44.0	26.2-61.8
H.S. or G.E.D.	98	63,813	40	42.8	29.9-55.7	12	13.9	04.1-23.7	12	8.2	02.5-13.9	1	0.9	00.0-02.7	1	0.6	00.0-01.8	32	33.5	20.6-46.4
Some Post-H.S.	68	64,022	23	32.1	17.4-46.8	2	2.8	00.0-06.7	6	4.4	00.0-09.3	3	2.9	00.0-06.4				34	57.8	42.5-73.1
College Graduate	56	29,827	23	30.0	15.3-44.7	3	4.2	00.0-09.1										30	65.8	50.3-81.3
Less than \$15,000	78	62,661	31	37.7	22.6-52.8	10	10.4	02.8-18.0	9	5.6	00.7-10.5	1	1.4	00.0-04.1	2	3.3	00.0-08.6	25	41.5	24.8-58.2
\$15,000- 24,999	63	49,539	21	38.1	18.7-57.5	3	2.5	00.0-06.0	6	6.4	00.0-12.9	1	1.1	00.0-03.5				32	51.8	32.6-71.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014

MODULE 8: INFLUENZA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
1	MALES AND FEMALES	116
2	MALES ONLY	117
3	FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 8: INFLUENZA**

**TABLE 1: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store			Workplace, other place, a school			Other Canada, Mexico		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2375	1,861,494	1177	48.2	45.3-51.1	217	10.5	08.5-12.5	15	0.5	00.1-00.9	607	21.7	19.3-24.1	357	19.1	16.7-21.5	2	0.0	00.0-00.0
Male	783	792,600	411	49.4	44.7-54.1	72	10.2	07.1-13.3	3	0.3	00.0-00.7	184	21.5	17.6-25.4	112	18.5	14.6-22.4	1	0.0	00.0-00.0
Female	1592	1,068,895	766	47.2	43.5-50.9	145	10.7	08.2-13.2	12	0.7	00.3-01.1	423	21.8	19.1-24.5	245	19.6	16.7-22.5	1	0.0	00.0-00.0
White/Non-Hisp	2052	1,515,592	1006	47.8	44.7-50.9	174	9.5	07.3-11.7	12	0.4	00.0-00.8	554	23.5	21.0-26.0	304	18.7	16.2-21.2	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	224	233,248	117	47.6	38.0-57.2	32	15.6	08.3-22.9	3	1.3	00.0-03.1	34	13.2	06.9-19.5	38	22.2	14.2-30.2			
18-24	51	139,576	28	55.0	37.6-72.4	9	18.1	04.0-32.2				6	14.6	01.7-27.5	8	12.3	03.1-21.5			
25-34	106	193,071	40	37.3	26.7-47.9	15	16.0	08.0-24.0	1	0.6	00.0-01.8	17	16.9	08.7-25.1	33	29.2	19.4-39.0			
35-44	163	242,665	60	35.9	27.1-44.7	24	14.8	07.9-21.7	1	0.1	00.0-00.3	28	14.3	08.0-20.6	50	34.8	25.6-44.0			
45-54	283	299,339	125	43.9	36.6-51.2	25	8.4	04.1-12.7	2	0.6	00.0-01.6	61	21.1	15.0-27.2	70	26.0	19.3-32.7			
55-64	533	366,218	239	46.3	40.8-51.8	44	8.8	05.3-12.3	3	0.6	00.0-01.6	115	20.7	16.6-24.8	132	23.6	19.3-27.9			
65+	1213	606,889	676	58.6	55.1-62.1	98	7.5	05.5-09.5	8	0.7	00.1-01.3	369	27.8	24.7-30.9	61	5.3	03.7-06.9	1	0.0	00.0-00.0
Less Than H.S.	298	276,686	172	56.7	48.5-64.9	31	17.4	09.4-25.4	2	0.2	00.0-00.6	78	21.4	15.5-27.3	15	4.3	01.9-06.7			
H.S. or G.E.D.	775	609,775	431	53.5	48.0-59.0	71	9.7	06.6-12.8	4	0.3	00.0-00.7	178	19.4	15.3-23.5	90	17.0	12.7-21.3	1	0.0	00.0-00.0
Some Post-H.S.	563	494,103	264	44.5	39.0-50.0	63	11.0	07.5-14.5	6	1.0	00.0-02.0	140	20.3	15.8-24.8	90	23.2	17.9-28.5			
College Graduate	733	479,106	305	40.0	35.3-44.7	52	6.9	04.2-09.6	3	0.5	00.0-01.3	210	26.2	22.1-30.3	162	26.3	21.8-30.8	1	0.1	00.0-00.3
Less than \$15,000	288	191,623	170	53.9	45.1-62.7	41	23.5	14.9-32.1	1	0.6	00.0-01.8	64	18.2	12.1-24.3	11	3.7	01.0-06.4	1	0.1	00.0-00.3
\$15,000- 24,999	379	262,923	230	61.9	55.2-68.6	37	10.6	06.3-14.9	2	0.2	00.0-00.6	82	18.4	13.5-23.3	28	8.8	05.1-12.5			
\$25,000- 34,999	261	191,597	129	43.2	34.6-51.8	24	11.0	05.1-16.9	2	0.3	00.0-00.7	70	23.5	15.3-31.7	36	22.0	14.0-30.0			
\$35,000- 49,999	308	263,601	134	47.7	39.9-55.5	22	7.6	02.9-12.3	2	0.5	00.0-01.5	95	25.9	19.4-32.4	54	18.1	12.6-23.6	1	0.1	00.0-00.3
\$50,000- 74,999	271	225,315	121	44.7	36.7-52.7	21	7.5	02.8-12.2	3	1.2	00.0-02.8	59	21.6	14.7-28.5	67	25.0	17.9-32.1			
\$75,000+	415	403,714	169	38.6	31.7-45.5	30	6.8	03.7-09.9	1	0.4	00.0-01.2	110	23.0	17.9-28.1	105	31.3	24.8-37.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 8: INFLUENZA**

TABLE 2: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store			Workplace, other place, a school			Other Canada, Mexico		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	783	792,600	411	49.4	44.7-54.1	72	10.2	07.1-13.3	3	0.3	00.0-00.7	184	21.5	17.6-25.4	112	18.5	14.6-22.4	1	0.0	00.0-00.0
White/Non-Hisp	672	630,257	348	48.3	43.2-53.4	55	8.4	05.5-11.3	2	0.2	00.0-00.4	172	24.3	19.8-28.8	94	18.7	14.4-23.0	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	64	97,855	33	45.7	30.0-61.4	10	16.8	04.3-29.3	1	1.6	00.0-04.7	6	11.3	00.0-22.9	14	24.6	10.3-38.9			
45-54	99	142,738	47	42.8	31.0-54.6	9	9.8	02.2-17.4				22	20.9	11.3-30.5	21	26.5	15.1-37.9			
55-64	181	156,833	88	53.4	44.0-62.8	13	7.8	01.7-13.9	1	1.0	00.0-03.0	41	19.7	13.2-26.2	38	18.1	12.0-24.2			
65+	397	263,596	237	62.8	57.1-68.5	36	8.6	05.3-11.9	2	0.4	00.0-01.0	101	23.7	18.8-28.6	21	4.6	02.1-07.1			
Less Than H.S.	97	120,728	60	64.9	52.9-76.9	12	15.3	05.5-25.1				21	18.7	09.7-27.7	4	1.1	00.0-02.5			
H.S. or G.E.D.	234	250,642	134	52.6	43.6-61.6	18	8.3	03.0-13.6	2	0.4	00.0-01.0	50	19.4	12.0-26.8	30	19.3	11.9-26.7			
Some Post-H.S.	178	204,489	98	47.2	37.8-56.6	19	12.0	05.7-18.3				37	19.5	11.9-27.1	24	21.3	12.5-30.1			
College Graduate	274	216,740	119	39.1	31.7-46.5	23	7.9	03.4-12.4	1	0.7	00.0-02.1	76	27.3	20.2-34.4	54	24.7	17.3-32.1	1	0.1	00.0-00.3
Less than \$15,000	72	61,720	46	58.8	42.3-75.3	8	16.6	02.9-30.3				13	21.0	07.7-34.3	5	3.7	00.0-07.6			
\$15,000- 24,999	103	98,448	70	70.5	59.9-81.1	6	7.0	00.5-13.5				21	15.8	08.2-23.4	6	6.6	00.7-12.5			
\$25,000- 34,999	93	93,163	53	46.5	32.4-60.6	12	14.8	04.0-25.6	1	0.3	00.0-00.9	16	17.4	03.3-31.5	11	21.0	07.9-34.1			
\$35,000- 49,999	132	136,942	61	49.5	38.3-60.7	12	11.5	03.1-19.9				42	25.7	16.3-35.1	16	13.1	05.8-20.4	1	0.2	00.0-00.6
\$50,000- 74,999	111	104,645	62	52.0	39.3-64.7	7	8.0	00.0-16.6	1	1.5	00.0-04.4	25	22.2	11.4-33.0	16	16.4	06.0-26.8			
\$75,000+	171	198,670	70	35.3	26.5-44.1	13	7.2	02.3-12.1				45	23.9	15.9-31.9	43	33.7	23.9-43.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 8: INFLUENZA**

TABLE 3: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store			Workplace, other place, a school			Other Canada, Mexico		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1592	1,068,895	766	47.2	43.5-50.9	145	10.7	08.2-13.2	12	0.7	00.3-01.1	423	21.8	19.1-24.5	245	19.6	16.7-22.5	1	0.0	00.0-00.0
White/Non-Hisp	1380	885,335	658	47.5	43.6-51.4	119	10.2	07.3-13.1	10	0.6	00.0-01.2	382	23.0	20.1-25.9	210	18.6	15.7-21.5	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	160	135,393	84	49.0	37.4-60.6	22	14.7	06.3-23.1	2	1.2	00.0-03.2	28	14.7	07.4-22.0	24	20.4	11.2-29.6			
25-34	68	114,765	27	38.4	25.5-51.3	10	16.7	06.1-27.3	1	1.0	00.0-03.0	12	16.5	07.1-25.9	18	27.3	15.1-39.5			
35-44	119	148,385	46	41.8	31.0-52.6	18	14.6	06.6-22.6	1	0.2	00.0-00.6	17	9.9	04.8-15.0	37	33.5	23.1-43.9			
45-54	184	156,601	78	44.9	36.3-53.5	16	7.1	03.0-11.2	2	1.2	00.0-03.2	39	21.3	13.9-28.7	49	25.5	18.1-32.9			
55-64	352	209,385	151	41.0	34.5-47.5	31	9.5	05.6-13.4	2	0.4	00.0-01.0	74	21.4	16.1-26.7	94	27.7	21.8-33.6			
65+	816	343,293	439	55.5	51.2-59.8	62	6.6	04.4-08.8	6	0.9	00.0-01.9	268	31.0	27.1-34.9	40	5.9	03.7-08.1	1	0.1	00.0-00.3
Less Than H.S.	201	155,958	112	50.3	39.3-61.3	19	19.1	07.1-31.1	2	0.4	00.0-01.0	57	23.5	15.5-31.5	11	6.7	02.6-10.8			
H.S. or G.E.D.	541	359,133	297	54.2	47.5-60.9	53	10.8	06.9-14.7	2	0.3	00.0-00.7	128	19.4	14.9-23.9	60	15.3	10.4-20.2	1	0.1	00.0-00.3
Some Post-H.S.	385	289,614	166	42.7	36.0-49.4	44	10.2	06.3-14.1	6	1.7	00.1-03.3	103	20.9	15.8-26.0	66	24.5	18.2-30.8			
College Graduate	459	262,366	186	40.6	34.5-46.7	29	6.1	03.0-09.2	2	0.3	00.0-00.7	134	25.3	20.4-30.2	108	27.6	22.1-33.1			
Less than \$15,000	216	129,903	124	51.6	41.0-62.2	33	26.7	15.7-37.7	1	0.9	00.0-02.7	51	16.8	10.5-23.1	6	3.8	00.3-07.3	1	0.2	00.0-00.6
\$15,000- 24,999	276	164,475	160	56.8	48.8-64.8	31	12.7	07.2-18.2	2	0.3	00.0-00.7	61	20.0	13.7-26.3	22	10.2	05.5-14.9			
\$25,000- 34,999	168	98,434	76	40.1	30.5-49.7	12	7.4	02.3-12.5	1	0.3	00.0-00.9	54	29.3	20.1-38.5	25	22.9	13.3-32.5			
\$35,000- 49,999	176	126,659	73	45.8	34.8-56.8	10	3.4	00.9-05.9	2	1.1	00.0-03.1	53	26.3	17.3-35.3	38	23.4	15.0-31.8			
\$50,000- 74,999	160	120,670	59	38.4	28.4-48.4	14	7.1	02.2-12.0	2	1.0	00.0-02.4	34	21.1	12.5-29.7	51	32.4	22.6-42.2			
\$75,000+	244	205,044	99	41.8	31.8-51.8	17	6.5	02.6-10.4	1	0.8	00.0-02.4	65	22.1	15.8-28.4	62	28.9	20.7-37.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014

MODULE 9: TETANUS DIPHTHERIA (ADULTS) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)	
1	MALES AND FEMALES	120
2	MALES ONLY	121
3	FEMALES ONLY	122

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 9: TETANUS DIPHTHERIA (ADULTS)**

TABLE 1: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot, but not Tdap			Yes, received tetanus shot but not sure what type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3850	3,738,152	609	18.0	16.2-19.8	353	9.4	08.0-10.8	905	24.9	22.9-26.9	1983	47.8	45.4-50.2
Male	1397	1,818,278	216	15.5	13.0-18.0	140	9.8	07.6-12.0	427	29.6	26.3-32.9	614	45.0	41.3-48.7
Female	2453	1,919,874	393	20.3	17.8-22.8	213	8.9	07.3-10.5	478	20.3	17.8-22.8	1369	50.4	47.5-53.3
White/Non-Hisp	3198	2,878,165	504	17.8	15.8-19.8	297	9.7	08.3-11.1	784	26.0	23.6-28.4	1613	46.5	44.0-49.0
Black or Afr. Am./Non-Hisp	478	621,784	68	18.0	12.7-23.3	39	7.2	03.9-10.5	83	20.5	15.2-25.8	288	54.3	47.6-61.0
Oth. Race/Non-Hisp.	66	81,947	15	23.2	10.5-35.9	8	14.8	03.6-26.0	14	16.8	06.4-27.2	29	45.2	28.7-61.7
18-24	138	426,565	22	15.0	07.9-22.1	14	6.5	02.8-10.2	43	30.5	21.5-39.5	59	48.0	38.0-58.0
25-34	288	598,497	97	30.7	24.4-37.0	28	11.1	06.6-15.6	64	23.1	17.4-28.8	99	35.2	28.3-42.1
35-44	360	623,685	78	20.5	15.4-25.6	27	8.0	04.3-11.7	93	26.3	20.8-31.8	162	45.2	38.5-51.9
45-54	614	663,192	112	17.3	13.6-21.0	70	11.6	08.5-14.7	133	22.6	18.1-27.1	299	48.5	43.4-53.6
55-64	899	634,728	124	13.4	10.7-16.1	97	11.3	08.6-14.0	242	27.2	23.5-30.9	436	48.1	44.0-52.2
65+	1508	767,910	166	12.1	09.7-14.5	112	7.2	05.6-08.8	320	21.8	19.1-24.5	910	59.0	55.7-62.3
Less Than H.S.	484	574,157	51	12.7	08.4-17.0	33	7.2	04.1-10.3	102	21.1	16.0-26.2	298	59.0	52.3-65.7
H.S. or G.E.D.	1340	1,301,538	166	15.8	12.7-18.9	129	10.3	07.8-12.8	318	25.7	22.2-29.2	727	48.3	44.2-52.4
Some Post-H.S.	952	1,077,762	165	19.8	16.1-23.5	81	9.2	06.7-11.7	229	25.6	21.7-29.5	477	45.3	40.8-49.8
College Graduate	1065	780,041	227	23.2	19.9-26.5	109	9.7	07.5-11.9	256	25.3	21.6-29.0	473	41.8	37.9-45.7
Less than \$15,000	519	428,757	85	18.9	13.8-24.0	43	8.7	05.4-12.0	105	22.3	16.6-28.0	286	50.0	43.5-56.5
\$15,000- 24,999	689	631,433	86	15.3	11.4-19.2	56	7.6	04.9-10.3	154	25.5	20.6-30.4	393	51.6	45.7-57.5
\$25,000- 34,999	407	379,671	48	13.2	08.5-17.9	41	9.1	05.4-12.8	101	28.2	21.5-34.9	217	49.5	42.4-56.6
\$35,000- 49,999	486	510,869	62	12.0	07.9-16.1	61	15.0	10.3-19.7	127	26.1	20.6-31.6	236	46.9	40.4-53.4
\$50,000- 74,999	400	416,365	64	21.2	14.9-27.5	33	8.2	04.7-11.7	122	27.6	21.7-33.5	181	42.9	36.0-49.8
\$75,000+	648	737,686	143	23.1	18.8-27.4	62	8.4	05.5-11.3	152	23.4	18.7-28.1	291	45.1	39.6-50.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 9: TETANUS DIPHTHERIA (ADULTS)**

TABLE 2: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot, but not Tdap			Yes, received tetanus shot but not sure what type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1397	1,818,278	216	15.5	13.0-18.0	140	9.8	07.6-12.0	427	29.6	26.3-32.9	614	45.0	41.3-48.7
White/Non-Hisp	1170	1,398,102	191	17.3	14.4-20.2	118	10.1	07.7-12.5	363	30.0	26.5-33.5	498	42.5	38.4-46.6
Black or Afr. Am./Non-Hisp	151	293,414	11	6.2	01.9-10.5	16	9.1	02.8-15.4	39	28.4	19.0-37.8	85	56.3	45.5-67.1
18-24	67	236,426	7	7.6	01.1-14.1	4	3.0	00.0-06.1	25	33.6	21.3-45.9	31	55.7	42.4-69.0
25-34	116	299,517	28	23.3	14.7-31.9	15	13.5	06.1-20.9	34	26.1	17.5-34.7	39	37.1	26.3-47.9
35-44	126	309,970	28	19.1	11.5-26.7	10	8.6	02.1-15.1	36	29.8	20.8-38.8	52	42.6	31.8-53.4
45-54	231	331,220	41	16.2	10.3-22.1	30	12.6	07.7-17.5	61	26.0	18.9-33.1	99	45.1	36.9-53.3
55-64	345	299,644	45	10.5	07.0-14.0	40	12.7	08.2-17.2	112	33.1	26.8-39.4	148	43.8	37.1-50.5
65+	502	335,025	64	14.5	10.4-18.6	39	7.3	04.8-09.8	155	30.2	25.1-35.3	244	48.0	42.5-53.5
Less Than H.S.	167	290,049	20	11.0	05.3-16.7	11	7.3	02.0-12.6	44	20.9	13.5-28.3	92	60.8	50.8-70.8
H.S. or G.E.D.	486	639,880	54	13.3	09.0-17.6	56	11.3	07.2-15.4	157	31.5	26.0-37.0	219	43.9	37.6-50.2
Some Post-H.S.	322	509,175	58	18.0	12.5-23.5	32	9.9	05.8-14.0	103	31.0	24.1-37.9	129	41.1	33.5-48.7
College Graduate	421	376,931	84	19.5	14.8-24.2	41	9.2	05.9-12.5	123	31.6	25.5-37.7	173	39.6	33.3-45.9
Less than \$15,000	157	172,334	25	15.8	07.6-24.0	18	9.9	04.4-15.4	38	27.6	17.0-38.2	76	46.7	35.1-58.3
\$15,000- 24,999	222	280,131	30	12.1	06.8-17.4	20	6.7	02.6-10.8	73	33.6	24.6-42.6	99	47.6	37.4-57.8
\$25,000- 34,999	141	180,044	9	8.5	01.6-15.4	14	9.2	03.5-14.9	47	29.9	19.3-40.5	71	52.4	40.8-64.0
\$35,000- 49,999	212	294,106	26	8.0	04.1-11.9	34	18.6	11.2-26.0	65	30.2	21.8-38.6	87	43.2	33.6-52.8
\$50,000- 74,999	180	222,845	24	16.8	08.6-25.0	18	10.7	04.8-16.6	65	32.2	23.4-41.0	73	40.3	30.7-49.9
\$75,000+	293	409,627	62	22.3	16.0-28.6	19	6.1	02.2-10.0	87	26.1	19.6-32.6	125	45.5	37.5-53.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 9: TETANUS DIPHTHERIA (ADULTS)**

TABLE 3: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot, but not Tdap			Yes, received tetanus shot but not sure what type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2453	1,919,874	393	20.3	17.8-22.8	213	8.9	07.3-10.5	478	20.3	17.8-22.8	1369	50.4	47.5-53.3
White/Non-Hisp	2028	1,480,063	313	18.2	15.7-20.7	179	9.3	07.5-11.1	421	22.2	19.3-25.1	1115	50.3	47.2-53.4
Black or Afr. Am./Non-Hisp	327	328,370	57	28.5	20.3-36.7	23	5.5	02.4-08.6	44	13.4	08.1-18.7	203	52.6	44.6-60.6
18-24	71	190,139	15	24.2	11.5-36.9	10	10.8	03.7-17.9	18	26.7	13.0-40.4	28	38.3	24.6-52.0
25-34	172	298,979	69	38.0	29.4-46.6	13	8.7	03.6-13.8	30	20.1	12.8-27.4	60	33.2	25.0-41.4
35-44	234	313,715	50	22.0	15.3-28.7	17	7.4	03.5-11.3	57	22.8	16.5-29.1	110	47.8	40.0-55.6
45-54	383	331,972	71	18.4	13.7-23.1	40	10.6	06.9-14.3	72	19.2	13.7-24.7	200	51.8	45.5-58.1
55-64	554	335,084	79	16.0	12.1-19.9	57	10.1	07.0-13.2	130	22.0	17.7-26.3	288	51.9	46.8-57.0
65+	1006	432,886	102	10.2	07.7-12.7	73	7.1	04.9-09.3	165	15.2	12.5-17.9	666	67.5	63.8-71.2
Less Than H.S.	317	284,108	31	14.5	07.8-21.2	22	7.1	03.6-10.6	58	21.4	14.5-28.3	206	57.1	48.9-65.3
H.S. or G.E.D.	854	661,658	112	18.1	13.6-22.6	73	9.3	06.4-12.2	161	20.1	15.4-24.8	508	52.5	47.2-57.8
Some Post-H.S.	630	568,587	107	21.5	16.8-26.2	49	8.6	05.7-11.5	126	20.8	16.5-25.1	348	49.1	43.8-54.4
College Graduate	644	403,110	143	26.6	21.9-31.3	68	10.1	07.2-13.0	133	19.5	15.4-23.6	300	43.8	38.7-48.9
Less than \$15,000	362	256,423	60	21.0	14.5-27.5	25	8.0	03.7-12.3	67	18.8	12.7-24.9	210	52.3	44.5-60.1
\$15,000- 24,999	467	351,303	56	17.9	12.4-23.4	36	8.2	04.5-11.9	81	19.1	13.6-24.6	294	54.8	48.1-61.5
\$25,000- 34,999	266	199,627	39	17.4	10.9-23.9	27	9.1	04.2-14.0	54	26.7	18.3-35.1	146	46.9	38.5-55.3
\$35,000- 49,999	274	216,762	36	17.5	09.9-25.1	27	10.2	05.9-14.5	62	20.5	14.0-27.0	149	51.8	43.6-60.0
\$50,000- 74,999	220	193,520	40	26.4	16.8-36.0	15	5.2	01.9-08.5	57	22.4	14.8-30.0	108	46.0	36.2-55.8
\$75,000+	355	328,060	81	24.2	18.3-30.1	43	11.3	07.0-15.6	65	19.9	12.5-27.3	166	44.6	37.3-51.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 15: SOCIAL CONTEXT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)	
1 MALES AND FEMALES	125
2 MALES ONLY	126
3 FEMALES ONLY	127
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)	
4 MALES AND FEMALES	128
5 MALES ONLY	129
6 FEMALES ONLY	130
AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)	
7 MALES AND FEMALES	131
8 MALES ONLY	132
9 FEMALES ONLY	133
ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)	
10 MALES AND FEMALES	134
11 MALES ONLY	135
12 FEMALES ONLY	136
THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)	
13 MALES AND FEMALES	137
14 MALES ONLY	138
15 FEMALES ONLY	139

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014

MODULE 15: SOCIAL CONTEXT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)	
16	MALES AND FEMALES	140
17	MALES ONLY	141
18	FEMALES ONLY	142
	DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2012 ELECTION BETWEEN BARACK OBAMA AND MITT ROMNEY. (SCNTVOT1)	
19	MALES AND FEMALES	143
20	MALES ONLY	144
21	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 1: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	Always			Usually			Sometimes			Rarely			Never			N.A.	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4129	3,928,217	409	10.9	09.5-12.3	157	4.5	03.5-05.5	558	16.5	14.7-18.3	456	13.1	11.5-14.7	2367	52.1	49.7-54.5	182	2.9	02.3-03.5
Male	1498	1,862,163	123	9.0	06.8-11.2	57	4.2	02.8-05.6	187	16.0	13.1-18.9	159	13.8	11.1-16.5	911	54.5	50.8-58.2	61	2.6	01.6-03.6
Female	2631	2,066,054	286	12.7	10.7-14.7	100	4.8	03.4-06.2	371	16.9	14.7-19.1	297	12.5	10.7-14.3	1456	50.0	47.3-52.7	121	3.1	02.3-03.9
White/Non-Hisp	3465	3,047,803	316	10.4	08.8-12.0	124	3.9	02.9-04.9	426	14.3	12.5-16.1	362	13.4	11.4-15.4	2069	54.6	52.1-57.1	168	3.4	02.6-04.2
Black or Afr. Am./Non-Hisp	491	636,215	66	10.9	07.4-14.4	23	7.3	03.6-11.0	104	25.1	19.2-31.0	74	11.9	08.4-15.4	216	44.3	37.8-50.8	8	0.5	00.0-01.1
Oth. Race/Non-Hisp.	67	81,203	9	18.5	05.6-31.4	5	5.4	00.0-11.1	11	18.1	05.4-30.8	7	8.5	00.9-16.1	34	49.0	32.9-65.1	1	0.5	00.0-01.5
18-24	106	356,839	13	12.3	05.4-19.2	10	7.0	02.3-11.7	21	19.3	10.7-27.9	24	18.5	10.5-26.5	38	42.8	31.2-54.4			
25-34	278	596,687	38	12.3	07.8-16.8	16	5.6	02.7-08.5	61	23.5	17.2-29.8	50	16.9	11.6-22.2	110	40.5	33.6-47.4	3	1.2	00.0-03.0
35-44	373	657,999	65	14.4	10.3-18.5	24	6.1	03.2-09.0	62	17.6	12.5-22.7	65	18.2	12.9-23.5	152	42.4	35.9-48.9	5	1.3	00.1-02.5
45-54	663	721,241	86	12.6	09.5-15.7	33	4.6	02.6-06.6	119	18.9	15.0-22.8	90	12.3	09.2-15.4	325	50.0	45.1-54.9	10	1.6	00.4-02.8
55-64	978	703,410	105	10.7	08.2-13.2	47	4.4	02.6-06.2	131	14.6	11.7-17.5	108	11.3	08.8-13.8	545	55.5	51.6-59.4	42	3.5	02.1-04.9
65+	1692	868,762	100	5.7	04.1-07.3	25	1.6	00.8-02.4	161	9.3	07.5-11.1	116	6.5	04.9-08.1	1169	70.1	67.2-73.0	121	6.8	05.2-08.4
Less Than H.S.	514	616,051	102	20.7	15.8-25.6	22	6.1	02.8-09.4	106	21.9	15.6-28.2	30	7.9	03.4-12.4	231	40.7	34.2-47.2	23	2.6	01.2-04.0
H.S. or G.E.D.	1392	1,302,842	163	12.1	09.7-14.5	70	5.9	03.9-07.9	201	16.6	13.7-19.5	149	12.2	09.7-14.7	722	48.9	45.0-52.8	87	4.2	02.8-05.6
Some Post-H.S.	1010	1,129,362	92	10.2	07.5-12.9	44	4.1	02.5-05.7	155	18.4	14.9-21.9	123	15.1	11.6-18.6	560	49.9	45.6-54.2	36	2.3	01.3-03.3
College Graduate	1204	875,014	52	3.3	02.1-04.5	21	2.0	01.0-03.0	95	9.7	07.2-12.2	152	15.4	12.5-18.3	848	67.9	64.2-71.6	36	1.8	01.0-02.6
Less than \$15,000	514	413,867	155	31.6	25.5-37.7	31	6.5	03.4-09.6	93	22.0	16.1-27.9	34	7.2	02.7-11.7	169	28.7	23.0-34.4	32	4.1	02.1-06.1
\$15,000- 24,999	721	652,639	104	17.6	13.5-21.7	42	9.3	05.8-12.8	157	25.5	20.0-31.0	73	11.6	07.5-15.7	309	32.3	27.6-37.0	36	3.6	02.0-05.2
\$25,000- 34,999	447	393,132	35	8.9	05.2-12.6	25	5.8	02.9-08.7	80	22.3	16.6-28.0	56	14.2	09.1-19.3	228	45.2	38.3-52.1	23	3.8	01.8-05.8
\$35,000- 49,999	527	531,142	35	9.6	05.5-13.7	12	3.1	00.6-05.6	80	20.7	15.2-26.2	56	11.5	07.8-15.2	322	52.6	46.3-58.9	22	2.5	01.3-03.7
\$50,000- 74,999	473	489,834	18	5.2	02.1-08.3	17	3.8	01.6-06.0	41	11.1	07.0-15.2	75	19.0	13.9-24.1	304	58.8	52.5-65.1	18	2.2	00.8-03.6
\$75,000+	723	795,878	9	1.3	00.0-02.7	7	0.8	00.2-01.4	36	6.4	03.9-08.9	95	15.9	11.8-20.0	564	74.4	69.7-79.1	12	1.2	00.2-02.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 2: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Always			Usually			Sometimes			Rarely			Never			N.A.		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1498	1,862,163	123	9.0	06.8-11.2	57	4.2	02.8-05.6	187	16.0	13.1-18.9	159	13.8	11.1-16.5	911	54.5	50.8-58.2	61	2.6	01.6-03.6
White/Non-Hisp	1270	1,443,192	97	8.4	06.2-10.6	45	3.5	02.3-04.7	148	14.1	11.2-17.0	127	14.0	10.9-17.1	799	57.0	53.1-60.9	54	3.0	01.8-04.2
Black or Afr. Am./Non-Hisp	152	285,503	16	8.6	03.3-13.9	8	8.6	01.7-15.5	26	22.5	12.5-32.5	26	13.4	07.1-19.7	75	46.8	36.0-57.6	1	0.1	00.0-00.3
25-34	109	291,908	11	8.6	02.7-14.5	7	5.9	01.0-10.8	22	23.1	13.1-33.1	21	19.2	10.6-27.8	47	41.5	30.9-52.1	1	1.7	00.0-04.8
35-44	133	322,381	15	9.0	03.5-14.5	6	4.0	00.0-08.1	21	15.8	08.0-23.6	25	22.2	12.8-31.6	64	48.2	37.8-58.6	2	0.8	00.0-02.0
45-54	248	351,856	28	11.8	06.9-16.7	12	5.0	01.7-08.3	43	17.7	11.6-23.8	32	9.9	06.0-13.8	128	53.5	45.9-61.1	5	2.0	00.0-04.0
55-64	374	332,144	37	9.8	06.1-13.5	20	5.1	02.2-08.0	56	16.7	11.6-21.8	38	10.5	06.4-14.6	207	54.9	48.4-61.4	16	3.0	01.2-04.8
65+	576	381,897	27	5.0	02.5-07.5	9	1.9	00.5-03.3	35	6.3	03.8-08.8	30	5.8	03.3-08.3	439	75.1	70.6-79.6	36	5.9	03.5-08.3
Less Than H.S.	175	287,279	32	15.3	09.0-21.6	9	5.4	00.5-10.3	26	20.6	09.4-31.8	8	9.1	00.9-17.3	90	46.6	35.8-57.4	10	3.0	00.6-05.4
H.S. or G.E.D.	495	615,382	53	11.4	07.5-15.3	26	6.4	03.3-09.5	82	16.8	12.5-21.1	46	10.9	06.8-15.0	267	51.6	45.3-57.9	21	2.8	00.8-04.8
Some Post-H.S.	348	532,982	22	8.0	03.5-12.5	13	3.1	01.1-05.1	50	19.3	13.4-25.2	47	17.6	11.7-23.5	205	49.7	42.4-57.0	11	2.2	00.6-03.8
College Graduate	479	424,277	16	2.5	00.9-04.1	9	1.6	00.4-02.8	28	7.0	03.7-10.3	58	16.2	11.5-20.9	349	70.3	64.8-75.8	19	2.4	01.2-03.6
Less than \$15,000	148	155,308	42	24.7	15.3-34.1	7	3.7	00.4-07.0	25	23.9	12.9-34.9	12	11.7	00.5-22.9	52	30.3	19.7-40.9	10	5.7	01.4-10.0
\$15,000- 24,999	227	274,744	29	14.2	07.9-20.5	18	9.3	04.0-14.6	49	25.4	15.4-35.4	19	12.3	04.1-20.5	104	35.9	27.1-44.7	8	2.9	00.5-05.3
\$25,000- 34,999	158	186,546	10	7.1	01.8-12.4	10	5.4	01.3-09.5	28	19.0	10.8-27.2	15	10.0	03.9-16.1	85	54.9	44.1-65.7	10	3.7	01.2-06.2
\$35,000- 49,999	235	297,967	15	10.8	04.1-17.5	4	3.1	00.0-07.0	33	19.1	10.9-27.3	21	10.0	04.9-15.1	156	55.9	46.7-65.1	6	1.0	00.0-02.0
\$50,000- 74,999	207	257,868	11	7.0	01.9-12.1	6	3.6	00.3-06.9	20	14.1	07.2-21.0	34	19.4	11.8-27.0	128	53.8	44.8-62.8	8	2.1	00.1-04.1
\$75,000+	326	441,292	3	1.3	00.0-03.7	6	1.1	00.1-02.1	19	7.9	03.8-12.0	42	17.8	11.3-24.3	249	70.5	63.2-77.8	7	1.4	00.0-02.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 3: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2631	2,066,054	286	12.7	10.7-14.7	100	4.8	03.4-06.2	371	16.9	14.7-19.1	297	12.5	10.7-14.3	1456	50.0	47.3-52.7	121	3.1	02.3-03.9
White/Non-Hisp	2195	1,604,611	219	12.2	10.0-14.4	79	4.4	03.0-05.8	278	14.4	12.2-16.6	235	12.8	10.6-15.0	1270	52.4	49.3-55.5	114	3.8	02.8-04.8
Black or Afr. Am./Non-Hisp	339	350,712	50	12.7	07.8-17.6	15	6.2	02.1-10.3	78	27.2	20.3-34.1	48	10.7	06.8-14.6	141	42.3	34.5-50.1	7	0.9	00.0-01.9
18-24	58	182,080	8	13.2	04.0-22.4	8	11.0	02.6-19.4	12	18.0	07.2-28.8	12	16.3	06.5-26.1	18	41.5	25.0-58.0			
25-34	169	304,779	27	15.8	09.1-22.5	9	5.2	01.7-08.7	39	23.8	16.4-31.2	29	14.8	08.9-20.7	63	39.6	30.8-48.4	2	0.8	00.0-02.0
35-44	240	335,618	50	19.5	13.4-25.6	18	8.1	03.8-12.4	41	19.3	13.0-25.6	40	14.4	09.5-19.3	88	36.8	29.4-44.2	3	1.9	00.0-04.1
45-54	415	369,385	58	13.4	09.5-17.3	21	4.1	01.9-06.3	76	20.0	15.1-24.9	58	14.6	09.9-19.3	197	46.6	40.5-52.7	5	1.3	00.0-02.7
55-64	604	371,266	68	11.6	08.1-15.1	27	3.8	02.0-05.6	75	12.8	09.5-16.1	70	12.1	09.0-15.2	338	56.0	51.1-60.9	26	3.8	01.8-05.8
65+	1116	486,865	73	6.2	04.2-08.2	16	1.3	00.5-02.1	126	11.6	09.1-14.1	86	7.1	05.3-08.9	730	66.2	62.7-69.7	85	7.6	05.6-09.6
Less Than H.S.	339	328,772	70	25.3	18.0-32.6	13	6.7	02.0-11.4	80	23.0	16.5-29.5	22	6.9	02.4-11.4	141	35.6	27.8-43.4	13	2.3	00.7-03.9
H.S. or G.E.D.	897	687,460	110	12.8	09.7-15.9	44	5.5	03.3-07.7	119	16.5	12.6-20.4	103	13.4	10.3-16.5	455	46.4	41.3-51.5	66	5.4	03.6-07.2
Some Post-H.S.	662	596,380	70	12.2	08.7-15.7	31	4.9	02.7-07.1	105	17.6	13.7-21.5	76	12.9	09.2-16.6	355	50.1	45.0-55.2	25	2.3	01.1-03.5
College Graduate	725	450,738	36	4.1	02.3-05.9	12	2.3	00.7-03.9	67	12.2	08.5-15.9	94	14.6	11.3-17.9	499	65.6	60.9-70.3	17	1.3	00.5-02.1
Less than \$15,000	366	258,559	113	35.7	28.1-43.3	24	8.2	03.7-12.7	68	20.8	14.3-27.3	22	4.5	02.0-07.0	117	27.7	21.2-34.2	22	3.2	01.4-05.0
\$15,000- 24,999	494	377,895	75	20.1	14.6-25.6	24	9.4	04.5-14.3	108	25.7	19.8-31.6	54	11.0	06.9-15.1	205	29.7	24.4-35.0	28	4.1	02.1-06.1
\$25,000- 34,999	289	206,585	25	10.5	05.2-15.8	15	6.1	02.2-10.0	52	25.2	17.8-32.6	41	17.9	10.3-25.5	143	36.4	29.1-43.7	13	3.8	00.7-06.9
\$35,000- 49,999	292	233,175	20	7.9	04.0-11.8	8	3.2	00.5-05.9	47	22.8	15.7-29.9	35	13.4	07.9-18.9	166	48.4	40.4-56.4	16	4.3	01.8-06.8
\$50,000- 74,999	266	231,966	7	3.2	00.5-05.9	11	4.0	01.5-06.5	21	7.7	03.8-11.6	41	18.4	12.1-24.7	176	64.4	56.4-72.4	10	2.3	00.5-04.1
\$75,000+	397	354,585	6	1.2	00.0-02.4	1	0.4	00.0-01.2	17	4.6	02.1-07.1	53	13.4	09.3-17.5	315	79.4	74.3-84.5	5	1.0	00.0-02.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 4: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	Always		Usually			Sometimes			Rarely			Never			N.A.		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4456	4,285,832	318	8.0	06.8-09.2	128	3.0	02.2-03.8	495	13.3	11.7-14.9	450	11.7	10.3-13.1	3061	64.0	61.8-66.2	4	0.1	00.0-00.3
Male	1602	2,028,008	87	6.2	04.4-08.0	37	2.7	01.3-04.1	153	11.9	09.5-14.3	154	11.3	08.9-13.7	1170	67.7	64.4-71.0	1	0.2	00.0-00.6
Female	2854	2,257,824	231	9.6	08.0-11.2	91	3.2	02.0-04.4	342	14.5	12.5-16.5	296	12.0	10.2-13.8	1891	60.6	57.9-63.3	3	0.1	00.0-00.3
White/Non-Hisp	3724	3,304,763	250	7.8	06.4-09.2	105	3.0	02.0-04.0	379	12.0	10.4-13.6	365	11.4	09.8-13.0	2621	65.6	63.2-68.0	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	530	693,796	45	7.2	04.1-10.3	14	3.1	01.1-05.1	78	14.1	10.0-18.2	65	13.7	09.2-18.2	328	62.0	55.9-68.1			
Oth. Race/Non-Hisp.	78	97,475	6	8.4	00.2-16.6	3	5.5	00.0-13.1	19	21.2	10.4-32.0	4	4.3	00.0-10.8	46	60.6	46.3-74.9			
18-24	161	496,226	16	9.3	04.4-14.2	7	5.7	00.6-10.8	30	17.9	11.2-24.6	31	18.4	11.5-25.3	76	47.9	38.7-57.1	1	0.8	00.0-02.4
25-34	323	669,076	20	6.5	03.2-09.8	15	3.6	01.6-05.6	59	18.1	13.2-23.0	47	13.3	09.0-17.6	182	58.4	52.1-64.7			
35-44	414	715,700	49	11.1	07.4-14.8	14	2.0	00.6-03.4	57	13.7	09.2-18.2	72	15.8	11.7-19.9	221	57.3	51.2-63.4	1	0.1	00.0-00.3
45-54	702	750,033	85	10.9	08.0-13.8	28	4.3	02.1-06.5	96	13.2	10.1-16.3	78	10.6	07.9-13.3	414	60.8	56.1-65.5	1	0.2	00.0-00.6
55-64	1023	729,415	82	7.6	05.4-09.8	38	2.3	01.3-03.3	135	14.3	11.6-17.0	90	7.9	05.9-09.9	677	67.8	64.1-71.5	1	0.1	00.0-00.3
65+	1784	897,967	62	3.6	02.4-04.8	24	1.0	00.4-01.6	115	6.3	04.7-07.9	127	7.4	05.8-09.0	1456	81.8	79.4-84.2			
Less Than H.S.	566	682,413	89	15.8	11.5-20.1	24	5.8	02.1-09.5	109	21.6	16.3-26.9	41	10.0	05.5-14.5	303	46.8	40.5-53.1			
H.S. or G.E.D.	1531	1,454,244	135	8.1	06.3-09.9	54	3.2	01.8-04.6	196	14.1	11.6-16.6	177	12.9	10.4-15.4	968	61.4	57.7-65.1	1	0.3	00.0-00.9
Some Post-H.S.	1100	1,244,341	63	7.6	05.1-10.1	38	2.6	01.6-03.6	131	13.6	10.7-16.5	119	12.7	10.0-15.4	747	63.4	59.3-67.5	2	0.1	00.0-00.3
College Graduate	1246	898,312	30	2.3	01.1-03.5	12	1.1	00.3-01.9	59	5.2	03.6-06.8	111	9.5	07.3-11.7	1033	81.8	79.1-84.5	1	0.1	00.0-00.3
Less than \$15,000	602	508,354	139	25.1	20.0-30.2	52	7.3	04.6-10.0	116	24.2	18.9-29.5	58	10.2	05.9-14.5	236	33.1	27.6-38.6	1	0.1	00.0-00.3
\$15,000- 24,999	774	702,550	87	12.4	09.1-15.7	27	3.2	01.6-04.8	143	22.4	17.7-27.1	98	14.1	10.6-17.6	417	47.6	42.1-53.1	2	0.3	00.0-00.7
\$25,000- 34,999	469	420,921	18	6.0	02.1-09.9	15	4.7	01.2-08.2	60	16.9	12.0-21.8	60	14.3	10.0-18.6	316	58.1	51.4-64.8			
\$35,000- 49,999	550	566,580	17	5.5	02.0-09.0	11	4.1	00.4-07.8	44	9.5	06.0-13.0	55	12.2	08.5-15.9	423	68.8	62.9-74.7			
\$50,000- 74,999	483	502,143	9	2.9	00.7-05.1	7	2.3	00.0-05.4	28	7.2	03.5-10.9	45	10.8	07.1-14.5	394	76.8	71.1-82.5			
\$75,000+	743	826,478	1	0.6	00.0-01.8	3	0.7	00.0-01.5	21	3.7	01.7-05.7	47	7.7	04.8-10.6	670	86.8	83.1-90.5	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 5: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1602	2,028,008	87	6.2	04.4-08.0	37	2.7	01.3-04.1	153	11.9	09.4-14.4	154	11.3	08.9-13.7	1170	67.7	64.4-71.0	1	0.2	00.0-00.6
White/Non-Hisp	1348	1,556,931	71	5.8	04.0-07.6	27	2.5	00.9-04.1	116	10.4	08.0-12.8	124	10.8	08.3-13.3	1009	70.2	66.7-73.7	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	164	315,115	8	6.2	01.3-11.1	6	3.2	00.3-06.1	20	11.7	05.8-17.6	22	14.5	07.2-21.8	108	64.4	54.8-74.0			
18-24	72	250,717	4	6.7	00.0-13.6	5	7.5	00.0-15.7	10	15.7	05.9-25.5	16	19.7	09.5-29.9	36	48.8	35.7-61.9	1	1.5	00.0-04.4
25-34	131	331,443	8	7.3	02.0-12.6	5	2.8	00.3-05.3	18	13.4	06.7-20.1	17	13.1	06.0-20.2	83	63.3	53.7-72.9			
35-44	143	341,558	11	5.0	01.5-08.5	5	2.0	00.0-04.2	18	15.0	07.2-22.8	16	10.5	04.8-16.2	93	67.5	58.1-76.9			
45-54	261	364,378	24	9.8	04.9-14.7	10	3.4	00.9-05.9	26	10.1	05.4-14.8	30	11.2	06.7-15.7	171	65.5	58.2-72.8			
55-64	388	342,561	25	5.8	03.1-08.5	7	1.1	00.1-02.1	53	14.5	10.2-18.8	40	9.1	05.6-12.6	263	69.4	63.7-75.1			
65+	596	389,883	15	2.8	01.0-04.6	3	0.4	00.0-01.0	28	5.1	02.7-07.5	33	6.5	03.8-09.2	517	85.1	81.2-89.0			
Less Than H.S.	193	316,510	25	11.2	05.9-16.5	7	5.4	00.0-11.9	35	20.2	11.4-29.0	18	15.0	06.6-23.4	108	48.1	37.9-58.3			
H.S. or G.E.D.	540	695,282	40	6.4	03.7-09.1	17	2.7	01.1-04.3	59	12.3	08.4-16.2	56	11.5	07.8-15.2	367	66.6	61.1-72.1	1	0.6	00.0-01.6
Some Post-H.S.	382	584,653	15	6.8	02.7-10.9	10	2.4	00.6-04.2	41	13.1	08.4-17.8	39	11.0	07.1-14.9	277	66.7	60.2-73.2			
College Graduate	486	429,320	7	1.2	00.0-02.4	3	1.1	00.0-02.5	18	3.6	01.6-05.6	41	8.7	05.4-12.0	417	85.4	81.3-89.5			
Less than \$15,000	180	190,589	41	22.6	14.2-31.0	16	10.1	04.2-16.0	33	25.1	15.3-34.9	18	13.0	03.8-22.2	72	29.3	20.3-38.3			
\$15,000- 24,999	246	304,132	21	8.4	03.9-12.9	7	2.1	00.3-03.9	49	23.3	15.1-31.5	39	15.9	09.6-22.2	130	50.3	40.9-59.7			
\$25,000- 34,999	167	201,862	5	6.7	00.0-13.6	4	3.7	00.0-08.0	20	10.8	05.1-16.5	16	10.3	04.8-15.8	122	68.5	58.7-78.3			
\$35,000- 49,999	246	322,634	9	6.8	01.1-12.5	3	4.0	00.0-10.1	14	7.7	03.0-12.4	20	9.9	04.8-15.0	200	71.6	62.8-80.4			
\$50,000- 74,999	214	266,415	3	2.6	00.0-05.9	2	0.6	00.0-01.6	11	8.4	02.1-14.7	23	11.8	06.1-17.5	175	76.5	68.3-84.7			
\$75,000+	332	451,819	1	1.1	00.0-03.3	2	0.9	00.0-02.3	9	4.1	01.0-07.2	18	7.0	02.5-11.5	301	86.0	80.1-91.9	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 6: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2854	2,257,824	231	9.6	08.0-11.2	91	3.2	02.0-04.4	342	14.5	12.5-16.5	296	12.0	10.2-13.8	1891	60.6	57.9-63.3	3	0.1	00.0-00.3
White/Non-Hisp	2376	1,747,832	179	9.5	07.7-11.3	78	3.4	02.0-04.8	263	13.5	11.5-15.5	241	12.0	10.0-14.0	1612	61.5	58.6-64.4	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	366	378,681	37	8.0	04.1-11.9	8	2.9	00.4-05.4	58	16.1	10.6-21.6	43	13.0	07.3-18.7	220	60.1	52.7-67.5			
18-24	89	245,509	12	11.9	04.8-19.0	2	3.9	00.0-10.2	20	20.1	10.9-29.3	15	17.1	07.7-26.5	40	47.0	34.3-59.7			
25-34	192	337,633	12	5.7	01.6-09.8	10	4.4	01.3-07.5	41	22.8	15.7-29.9	30	13.4	08.1-18.7	99	53.6	45.4-61.8			
35-44	271	374,141	38	16.6	10.7-22.5	9	2.1	00.7-03.5	39	12.5	08.0-17.0	56	20.6	14.9-26.3	128	48.0	40.7-55.3	1	0.2	00.0-00.6
45-54	441	385,655	61	11.9	08.4-15.4	18	5.2	01.7-08.7	70	16.2	11.9-20.5	48	10.1	06.8-13.4	243	56.4	50.5-62.3	1	0.3	00.0-00.9
55-64	635	386,854	57	9.2	06.3-12.1	31	3.4	01.8-05.0	82	14.1	10.4-17.8	50	6.8	04.6-09.0	414	66.4	61.7-71.1	1	0.1	00.0-00.3
65+	1188	508,084	47	4.1	02.5-05.7	21	1.5	00.7-02.3	87	7.1	05.1-09.1	94	8.0	06.0-10.0	939	79.2	76.1-82.3			
Less Than H.S.	373	365,903	64	19.7	13.4-26.0	17	6.1	02.0-10.2	74	22.8	16.3-29.3	23	5.7	02.4-09.0	195	45.7	38.1-53.3			
H.S. or G.E.D.	991	758,962	95	9.6	07.1-12.1	37	3.7	01.3-06.1	137	15.8	12.3-19.3	121	14.2	10.7-17.7	601	56.6	51.9-61.3			
Some Post-H.S.	718	659,687	48	8.4	05.5-11.3	28	2.7	01.3-04.1	90	14.1	10.6-17.6	80	14.1	10.4-17.8	470	60.4	55.5-65.3	2	0.2	00.0-00.4
College Graduate	760	468,992	23	3.2	01.4-05.0	9	1.1	00.3-01.9	41	6.7	04.2-09.2	70	10.3	07.6-13.0	616	78.5	74.6-82.4	1	0.3	00.0-00.9
Less than \$15,000	422	317,765	98	26.6	20.3-32.9	36	5.6	03.2-08.0	83	23.7	17.4-30.0	40	8.5	04.2-12.8	164	35.3	28.6-42.0	1	0.2	00.0-00.6
\$15,000- 24,999	528	398,418	66	15.4	10.7-20.1	20	4.1	01.7-06.5	94	21.7	16.4-27.0	59	12.8	08.5-17.1	287	45.6	39.5-51.7	2	0.4	00.0-01.0
\$25,000- 34,999	302	219,059	13	5.3	01.6-09.0	11	5.6	00.0-11.3	40	22.5	15.1-29.9	44	18.0	11.7-24.3	194	48.6	40.6-56.6			
\$35,000- 49,999	304	243,945	8	3.6	00.7-06.5	8	4.2	00.9-07.5	30	11.9	06.8-17.0	35	15.3	09.6-21.0	223	65.0	57.4-72.6			
\$50,000- 74,999	269	235,728	6	3.3	00.4-06.2	5	4.1	00.0-10.4	17	5.8	02.5-09.1	22	9.6	04.9-14.3	219	77.2	69.2-85.2			
\$75,000+	411	374,659				1	0.4	00.0-01.2	12	3.4	01.2-05.6	29	8.5	05.0-12.0	369	87.7	83.6-91.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

**TABLE 7: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1772	2,239,181	642	33.4	30.5-36.3	856	51.7	48.4-55.0	173	10.0	08.2-11.8	101	4.8	03.4-06.2
Male	744	1,229,056	277	33.7	29.2-38.2	313	48.1	43.2-53.0	95	11.7	08.8-14.6	59	6.4	04.2-08.6
Female	1028	1,010,125	365	33.1	29.4-36.8	543	56.0	51.9-60.1	78	8.0	05.8-10.2	42	2.9	01.9-03.9
White/Non-Hisp	1439	1,671,797	529	33.7	30.4-37.0	673	50.2	46.7-53.7	148	10.6	08.4-12.8	89	5.5	03.9-07.1
Black or Afr. Am./Non-Hisp	245	416,912	85	34.3	26.3-42.3	138	55.9	47.3-64.5	16	7.0	02.7-11.3	6	2.7	00.0-05.6
18-24	89	274,689	16	21.4	10.8-32.0	71	77.4	66.8-88.0	2	1.2	00.0-03.0			
25-34	223	472,559	74	30.8	23.9-37.7	119	54.7	46.9-62.5	19	10.3	05.4-15.2	11	4.2	01.1-07.3
35-44	298	544,342	121	37.8	30.9-44.7	137	45.8	38.5-53.1	27	11.2	06.9-15.5	13	5.1	01.8-08.4
45-54	439	485,843	165	35.2	29.5-40.9	217	50.5	44.4-56.6	39	9.5	06.0-13.0	18	4.8	02.3-07.3
55-64	502	350,157	189	36.6	31.5-41.7	226	41.9	36.6-47.2	56	15.0	10.9-19.1	31	6.5	03.6-09.4
65+	199	100,092	65	31.9	24.1-39.7	78	41.4	32.8-50.0	29	12.6	07.1-18.1	27	14.1	08.2-20.0
Less Than H.S.	90	191,473	11	10.6	00.2-21.0	65	74.6	61.9-87.3	6	5.2	00.7-09.7	8	9.5	01.5-17.5
H.S. or G.E.D.	530	705,995	91	19.8	15.1-24.5	344	64.0	58.5-69.5	63	12.4	08.7-16.1	32	3.8	02.2-05.4
Some Post-H.S.	486	733,454	130	26.7	21.4-32.0	272	56.8	50.9-62.7	59	12.1	08.4-15.8	25	4.4	02.0-06.8
College Graduate	664	605,273	410	64.8	60.1-69.5	175	24.2	20.1-28.3	45	6.4	04.0-08.8	34	4.7	02.7-06.7
Less than \$15,000	79	112,843	5	5.4	00.0-11.3	58	79.5	68.1-90.9	12	12.5	02.7-22.3	4	2.5	00.0-05.4
\$15,000- 24,999	228	289,388	27	10.1	05.0-15.2	159	75.1	67.7-82.5	25	10.2	05.1-15.3	17	4.6	01.7-07.5
\$25,000- 34,999	178	219,818	34	18.7	11.4-26.0	121	69.0	60.2-77.8	16	10.6	04.5-16.7	7	1.8	00.4-03.2
\$35,000- 49,999	284	374,153	83	29.2	21.4-37.0	156	55.3	47.1-63.5	28	11.5	06.4-16.6	17	4.0	01.5-06.5
\$50,000- 74,999	276	346,862	119	41.1	33.5-48.7	116	44.5	36.9-52.1	20	8.2	04.1-12.3	21	6.2	02.9-09.5
\$75,000+	521	637,356	318	58.4	52.5-64.3	133	28.6	22.9-34.3	47	7.7	05.2-10.2	23	5.3	02.6-08.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

**TABLE 8: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	744	1,229,056	277	33.7	29.2-38.2	313	48.1	43.2-53.0	95	11.7	08.8-14.6	59	6.4	04.2-08.6
White/Non-Hisp	615	926,741	239	35.5	30.4-40.6	244	45.7	40.2-51.2	79	11.7	08.6-14.8	53	7.1	04.6-09.6
Black or Afr. Am./Non-Hisp	89	214,607	26	29.2	17.4-41.0	50	56.3	43.2-69.4	10	9.9	02.5-17.3	3	4.5	00.0-10.2
25-34	105	275,647	33	26.5	17.7-35.3	56	57.8	47.0-68.6	10	10.8	03.9-17.7	6	4.9	00.0-09.8
35-44	111	286,076	45	39.9	28.9-50.9	43	39.1	27.5-50.7	13	12.6	05.9-19.3	10	8.4	02.3-14.5
45-54	190	276,149	83	39.5	30.9-48.1	80	44.5	35.7-53.3	18	10.5	04.8-16.2	9	5.6	01.7-09.5
55-64	204	172,577	77	33.0	25.6-40.4	77	36.2	28.6-43.8	35	21.9	14.6-29.2	15	8.9	03.4-14.4
65+	86	52,289	26	31.7	20.1-43.3	24	31.6	18.9-44.3	17	16.2	07.2-25.2	19	20.4	11.0-29.8
H.S. or G.E.D.	238	408,450	43	20.6	13.7-27.5	143	60.9	53.1-68.7	38	14.7	09.0-20.4	14	3.7	01.3-06.1
Some Post-H.S.	190	387,175	50	25.6	17.8-33.4	90	51.8	42.8-60.8	34	15.7	09.6-21.8	16	6.8	02.3-11.3
College Graduate	270	306,705	179	70.5	63.8-77.2	50	17.7	12.0-23.4	18	4.7	01.8-07.6	23	7.1	03.6-10.6
\$15,000- 24,999	76	139,885	9	8.2	01.7-14.7	53	77.6	66.4-88.8	9	10.9	02.9-18.9	5	3.3	00.0-07.0
\$25,000- 34,999	67	112,342	13	14.9	05.3-24.5	41	69.5	56.0-83.0	10	14.3	04.1-24.5	3	1.3	00.0-02.9
\$35,000- 49,999	131	225,026	38	29.9	18.9-40.9	64	49.8	38.4-61.2	19	15.3	07.3-23.3	10	4.9	00.8-09.0
\$50,000- 74,999	117	186,018	39	38.7	27.5-49.9	51	41.9	30.7-53.1	12	9.6	03.3-15.9	15	9.8	03.7-15.9
\$75,000+	251	380,687	161	59.7	51.1-68.3	49	25.1	16.9-33.3	25	7.6	04.1-11.1	16	7.6	03.1-12.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

**TABLE 9: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1028	1,010,125	365	33.1	29.4-36.8	543	56.0	51.9-60.1	78	8.0	05.8-10.2	42	2.9	01.9-03.9
White/Non-Hisp	824	745,057	290	31.6	27.7-35.5	429	55.8	51.5-60.1	69	9.1	06.6-11.6	36	3.5	02.1-04.9
Black or Afr. Am./Non-Hisp	156	202,305	59	39.7	29.1-50.3	88	55.5	44.7-66.3	6	3.9	00.0-08.2	3	0.8	00.0-02.0
25-34	118	196,912	41	36.8	26.2-47.4	63	50.4	39.4-61.4	9	9.6	03.1-16.1	5	3.2	00.3-06.1
35-44	187	258,267	76	35.6	27.6-43.6	94	53.3	44.7-61.9	14	9.7	04.2-15.2	3	1.4	00.0-03.0
45-54	249	209,694	82	29.7	23.2-36.2	137	58.4	51.3-65.5	21	8.3	04.6-12.0	9	3.6	00.7-06.5
55-64	298	177,580	112	40.2	33.3-47.1	149	47.4	40.5-54.3	21	8.4	04.7-12.1	16	4.1	01.7-06.5
65+	113	47,803	39	32.2	22.0-42.4	54	52.0	40.8-63.2	12	8.7	03.4-14.0	8	7.1	01.4-12.8
H.S. or G.E.D.	292	297,544	48	18.8	12.5-25.1	201	68.2	60.9-75.5	25	9.3	04.8-13.8	18	3.8	01.8-05.8
Some Post-H.S.	296	346,279	80	28.0	21.1-34.9	182	62.3	55.0-69.6	25	8.0	04.3-11.7	9	1.7	00.3-03.1
College Graduate	394	298,568	231	58.9	52.6-65.2	125	30.8	24.9-36.7	27	8.1	04.6-11.6	11	2.2	00.6-03.8
\$15,000- 24,999	152	149,503	18	11.9	04.5-19.3	106	72.8	63.0-82.6	16	9.5	03.2-15.8	12	5.7	01.4-10.0
\$25,000- 34,999	111	107,477	21	22.7	12.1-33.3	80	68.4	56.8-80.0	6	6.7	00.0-13.4	4	2.3	00.0-04.8
\$35,000- 49,999	153	149,127	45	28.1	17.7-38.5	92	63.7	53.1-74.3	9	5.6	01.5-09.7	7	2.7	00.3-05.1
\$50,000- 74,999	159	160,843	80	43.8	33.4-54.2	65	47.4	36.6-58.2	8	6.7	01.6-11.8	6	2.1	00.3-03.9
\$75,000+	270	256,669	157	56.6	49.2-64.0	84	33.6	26.3-40.9	22	7.9	04.2-11.6	7	1.9	00.3-03.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 10. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1745	2,219,820	171	7.9	06.3-09.5	917	50.0	46.7-53.3	563	35.3	32.2-38.4	74	5.2	03.6-06.8	13	1.3	00.5-02.1	7	0.3	00.1-00.5
Male	735	1,215,540	48	5.1	02.9-07.3	295	39.7	34.8-44.6	326	45.1	40.2-50.0	53	7.6	05.1-10.1	11	2.2	00.8-03.6	2	0.2	00.0-00.6
Female	1010	1,004,280	123	11.3	08.8-13.8	622	62.3	58.2-66.4	237	23.3	19.8-26.8	21	2.4	01.0-03.8	2	0.2	00.0-00.6	5	0.4	00.0-00.8
White/Non-Hisp	1415	1,654,997	140	8.2	06.4-10.0	740	50.0	46.3-53.7	458	35.0	31.5-38.5	61	5.2	03.4-07.0	11	1.3	00.3-02.3	5	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	241	409,585	19	6.9	02.4-11.4	135	49.4	40.8-58.0	76	37.9	29.1-46.7	8	4.4	00.9-07.9	1	0.9	00.0-02.7	2	0.5	00.0-01.1
18-24	87	267,506	15	16.3	07.5-25.1	52	58.3	46.1-70.5	18	22.4	11.6-33.2	1	2.0	00.0-05.9	1	1.0	00.0-03.0			
25-34	223	475,328	19	6.9	03.4-10.4	114	44.7	36.9-52.5	71	38.2	30.2-46.2	15	7.9	03.6-12.2	4	2.3	00.0-04.7			
35-44	297	536,816	12	3.4	01.2-05.6	161	54.2	46.9-61.5	106	37.1	30.0-44.2	13	3.6	01.2-06.0	3	1.4	00.0-03.2	2	0.2	00.0-00.6
45-54	437	488,053	35	6.7	04.2-09.2	219	44.4	38.5-50.3	155	39.5	33.6-45.4	25	8.3	04.4-12.2	2	0.9	00.0-02.5	1	0.2	00.0-00.6
55-64	489	343,587	51	9.9	06.8-13.0	254	51.0	45.5-56.5	163	34.1	29.0-39.2	16	3.4	01.6-05.2	2	0.8	00.0-02.0	3	0.9	00.0-02.1
65+	189	96,800	38	14.5	09.2-19.8	106	53.8	45.0-62.6	39	27.5	18.9-36.1	4	2.4	00.0-05.5	1	0.5	00.0-01.5	1	1.3	00.0-03.7
Less Than H.S.	85	184,942	13	9.3	02.2-16.4	55	58.5	43.0-74.0	11	24.2	08.3-40.1	3	4.7	00.0-10.6	1	2.3	00.0-06.8	2	1.0	00.0-02.4
H.S. or G.E.D.	528	709,235	61	9.6	06.1-13.1	300	50.8	44.9-56.7	134	32.0	26.3-37.7	24	5.1	02.6-07.6	8	2.3	00.5-04.1	1	0.2	00.0-00.6
Some Post-H.S.	475	722,879	42	6.7	04.2-09.2	272	52.7	46.6-58.8	135	33.1	27.2-39.0	19	6.0	02.7-09.3	4	1.2	00.0-02.6	3	0.4	00.0-01.0
College Graduate	655	599,777	55	7.0	04.6-09.4	289	43.2	38.3-48.1	282	45.0	40.1-49.9	28	4.7	02.5-06.9				1	0.1	00.0-00.3
Less than \$15,000	78	114,666	26	24.0	11.8-36.2	43	63.8	49.7-77.9	5	6.5	00.0-13.4	1	3.2	00.0-09.3	1	1.0	00.0-03.0	2	1.6	00.0-04.0
\$15,000- 24,999	227	291,959	32	10.9	06.0-15.8	160	70.7	61.5-79.9	30	17.1	08.5-25.7	2	0.6	00.0-01.4	1	0.2	00.0-00.6	2	0.5	00.0-01.3
\$25,000- 34,999	176	214,879	12	4.1	00.8-07.4	102	54.7	44.5-64.9	48	30.7	21.3-40.1	12	10.0	02.6-17.4				2	0.6	00.0-01.4
\$35,000- 49,999	280	372,453	16	4.0	01.1-06.9	156	49.7	41.5-57.9	91	39.0	30.6-47.4	12	5.0	01.9-08.1	5	2.3	00.1-04.5			
\$50,000- 74,999	272	349,087	14	4.8	01.9-07.7	142	45.4	37.6-53.2	97	39.7	31.9-47.5	15	7.1	02.8-11.4	3	2.4	00.0-05.3	1	0.6	00.0-01.8
\$75,000+	512	625,525	41	6.0	03.6-08.4	204	37.4	31.7-43.1	239	48.5	42.4-54.6	25	6.3	03.2-09.4	3	1.7	00.0-03.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 11. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	735	1,215,540	48	5.1	02.9-07.3	295	39.7	34.8-44.6	326	45.1	40.2-50.0	53	7.6	05.1-10.1	11	2.2	00.8-03.6	2	0.2	00.0-00.6
White/Non-Hisp	608	915,914	37	4.3	02.3-06.3	247	40.1	34.8-45.4	268	45.4	40.1-50.7	45	7.8	04.9-10.7	9	2.1	00.5-03.7	2	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	85	206,596	6	8.2	00.0-16.4	30	31.4	19.4-43.4	43	51.7	38.4-65.0	5	6.8	00.5-13.1	1	1.8	00.0-05.3			
25-34	106	279,087	7	5.4	01.1-09.7	39	32.0	22.2-41.8	47	50.1	38.9-61.3	10	9.0	02.9-15.1	3	3.5	00.0-07.6			
35-44	110	282,395	2	1.4	00.0-03.4	44	44.5	32.9-56.1	54	46.3	34.9-57.7	8	5.4	01.1-09.7	2	2.3	00.0-05.6			
45-54	190	277,848	8	3.7	00.8-06.6	67	32.2	24.2-40.2	92	49.3	40.5-58.1	21	13.3	06.8-19.8	2	1.6	00.0-04.3			
55-64	200	167,923	14	5.6	02.3-08.9	77	38.3	30.1-46.5	95	48.2	39.8-56.6	10	4.8	01.9-07.7	2	1.6	00.0-04.0	2	1.4	00.0-03.8
65+	82	50,631	13	10.8	03.9-17.7	39	43.4	30.5-56.3	26	40.6	27.1-54.1	3	4.2	00.0-10.1	1	1.0	00.0-03.0			
H.S. or G.E.D.	237	406,715	20	7.8	02.9-12.7	105	39.1	31.1-47.1	86	41.8	33.6-50.0	20	8.0	03.9-12.1	6	3.3	00.4-06.2			
Some Post-H.S.	187	384,702	9	3.0	00.3-05.7	82	44.2	35.0-53.4	76	41.1	32.1-50.1	14	8.8	03.3-14.3	4	2.3	00.0-04.8	2	0.6	00.0-01.6
College Graduate	269	305,104	14	4.6	01.7-07.5	84	31.5	24.4-38.6	154	57.8	50.4-65.2	17	6.1	02.8-09.4						
\$15,000- 24,999	76	139,900	8	7.1	01.2-13.0	49	64.8	48.5-81.1	17	27.3	11.2-43.4	1	0.4	00.0-01.2	1	0.4	00.0-01.2			
\$25,000- 34,999	66	109,215	4	2.5	00.0-05.4	28	43.8	27.3-60.3	23	34.0	18.9-49.1	10	19.2	05.3-33.1				1	0.4	00.0-01.2
\$35,000- 49,999	128	223,191	3	2.6	00.0-06.7	57	40.0	28.8-51.2	54	47.3	35.7-58.9	10	6.7	02.0-11.4	4	3.3	00.0-06.6			
\$50,000- 74,999	117	187,547	5	3.2	00.1-06.3	44	30.4	20.2-40.6	54	50.8	39.4-62.2	10	10.1	02.8-17.4	3	4.4	00.0-09.9	1	1.0	00.0-03.0
\$75,000+	248	375,602	9	2.7	00.3-05.1	67	27.3	19.9-34.7	150	59.0	50.8-67.2	19	8.1	03.4-12.8	3	2.8	00.0-05.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 12. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1010	1,004,280	123	11.3	08.8-13.8	622	62.3	58.2-66.4	237	23.3	19.8-26.8	21	2.4	01.0-03.8	2	0.2	00.0-00.6	5	0.4	00.0-00.8
White/Non-Hisp	807	739,083	103	13.0	09.9-16.1	493	62.4	58.1-66.7	190	22.2	18.5-25.9	16	1.9	00.9-02.9	2	0.3	00.0-00.7	3	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	156	202,990	13	5.6	02.1-09.1	105	67.6	57.2-78.0	33	23.8	13.8-33.8	3	2.0	00.0-04.7				2	1.0	00.0-02.4
25-34	117	196,241	12	9.0	03.3-14.7	75	62.9	52.5-73.3	24	21.2	12.8-29.6	5	6.3	00.2-12.4	1	0.7	00.0-02.1			
35-44	187	254,421	10	5.6	01.9-09.3	117	64.9	56.7-73.1	52	26.9	19.1-34.7	5	1.6	00.2-03.0	1	0.4	00.0-01.2	2	0.5	00.0-01.5
45-54	247	210,205	27	10.7	06.2-15.2	152	60.6	53.3-67.9	63	26.7	19.8-33.6	4	1.6	00.0-03.2				1	0.4	00.0-01.2
55-64	289	175,664	37	13.9	08.6-19.2	177	63.1	56.2-70.0	68	20.7	15.2-26.2	6	2.0	00.2-03.8				1	0.4	00.0-01.2
65+	107	46,169	25	18.6	10.6-26.6	67	65.2	54.2-76.2	13	13.1	04.5-21.7	1	0.4	00.0-01.2				1	2.6	00.0-07.7
H.S. or G.E.D.	291	302,521	41	12.1	07.4-16.8	195	66.5	59.1-73.9	48	19.0	12.5-25.5	4	1.3	00.0-02.7	2	0.8	00.0-02.0	1	0.4	00.0-01.2
Some Post-H.S.	288	338,177	33	10.9	06.4-15.4	190	62.3	54.7-69.9	59	24.1	17.2-31.0	5	2.8	00.0-05.9				1	0.0	00.0-00.0
College Graduate	386	294,673	41	9.5	06.0-13.0	205	55.4	49.1-61.7	128	31.6	25.7-37.5	11	3.3	00.9-05.7				1	0.3	00.0-00.9
Less than \$15,000	51	60,922	18	27.5	11.6-43.4	26	60.1	42.3-77.9	4	7.6	00.0-17.2				1	1.8	00.0-05.3	2	3.0	00.0-07.3
\$15,000- 24,999	151	152,059	24	14.5	07.1-21.9	111	76.1	67.3-84.9	13	7.8	02.9-12.7	1	0.7	00.0-02.1				2	0.9	00.0-02.5
\$25,000- 34,999	110	105,664	8	5.7	00.0-11.6	74	65.9	54.1-77.7	25	27.2	16.0-38.4	2	0.5	00.0-01.3				1	0.7	00.0-02.1
\$35,000- 49,999	152	149,262	13	6.0	02.1-09.9	99	64.2	53.2-75.2	37	26.5	15.7-37.3	2	2.4	00.0-05.9	1	0.9	00.0-02.7			
\$50,000- 74,999	155	161,540	9	6.7	01.8-11.6	98	62.9	52.3-73.5	43	26.8	16.6-37.0	5	3.6	00.0-07.3						
\$75,000+	264	249,923	32	11.0	06.5-15.5	137	52.5	44.9-60.1	89	32.7	25.6-39.8	6	3.7	00.0-07.6						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 13. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	190	260,302	37	15.4	07.6-23.2	139	74.7	64.7-84.7	9	4.5	00.6-08.4	5	5.4	00.0-12.3
Male	66	93,000	10	12.4	02.0-22.8	49	74.9	61.4-88.4	5	10.3	00.0-20.7	2	2.5	00.0-06.0
Female	124	167,301	27	17.1	06.3-27.9	90	74.6	61.1-88.1	4	1.2	00.0-02.4	3	7.1	00.0-17.5
White/Non-Hisp	149	188,319	29	14.1	07.4-20.8	110	73.9	62.9-84.9	6	5.3	00.0-10.6	4	6.8	00.0-16.2
45-54	53	60,121	14	17.7	05.5-29.9	35	77.2	63.5-90.9	3	3.6	00.0-08.7	1	1.6	00.0-04.7
H.S. or G.E.D.	82	110,800	8	14.1	00.0-28.8	65	73.5	57.4-89.6	5	7.9	00.0-16.5	4	4.6	00.0-09.7
Less than \$15,000	64	73,504	6	6.7	00.4-13.0	55	90.4	83.0-97.8	2	1.0	00.0-02.8	1	1.9	00.0-05.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 14. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	66	93,000	10	12.4	01.4-23.4	49	74.9	62.2-87.6	5	10.3	00.0-20.9	2	2.5	00.0-05.4
White/Non-Hisp	55	71,285	10	16.1	02.2-30.0	41	71.4	56.1-86.7	3	11.1	00.0-24.0	1	1.3	00.9-01.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 15. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	124	167,301	27	17.1	06.5-27.7	90	74.6	61.1-88.1	4	1.2	00.0-02.4	3	7.1	00.0-17.5
White/Non-Hisp	94	117,035	19	12.8	05.9-19.7	69	75.4	61.3-89.5	3	1.7	00.1-03.3	3	10.1	00.0-24.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 16. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1675	1,104,858	126	7.0	05.2-08.8	1008	59.0	55.5-62.5	419	25.1	22.2-28.0	65	4.1	02.9-05.3	4	0.2	00.0-00.4	53	4.6	02.6-06.6
Male	615	482,505	30	6.0	03.1-08.9	300	47.7	42.4-53.0	223	35.5	30.4-40.6	44	7.3	04.8-09.8	3	0.4	00.0-01.0	15	3.2	01.2-05.2
Female	1060	622,354	96	7.8	05.6-10.0	708	67.7	63.2-72.2	196	17.0	13.7-20.3	21	1.7	00.9-02.5	1	0.1	00.0-00.3	38	5.7	02.4-09.0
White/Non-Hisp	1465	904,752	106	6.7	04.9-08.5	873	57.8	54.1-61.5	378	25.8	22.7-28.9	60	4.7	03.3-06.1	3	0.2	00.0-00.4	45	4.7	02.3-07.1
Black or Afr. Am./Non-Hisp	161	151,933	17	9.8	02.4-17.2	107	66.7	54.9-78.5	28	17.9	08.5-27.3	1	0.1	00.0-00.3				8	5.5	00.0-11.2
45-54	64	69,135	6	9.3	00.0-18.9	35	58.3	42.0-74.6	17	24.6	10.3-38.9	5	6.5	00.4-12.6	1	1.4	00.0-04.1			
55-64	248	184,278	24	8.0	04.5-11.5	139	60.9	53.5-68.3	67	23.3	17.0-29.6	12	6.2	02.3-10.1	2	0.7	00.0-01.7	4	1.0	00.0-02.2
65+	1253	639,181	87	5.8	04.4-07.2	768	59.7	56.2-63.2	312	26.6	23.5-29.7	43	4.0	02.4-05.6	1	0.0	00.0-00.0	42	3.8	02.2-05.4
Less Than H.S.	231	210,500	14	3.3	01.3-05.3	164	69.1	60.3-77.9	27	15.9	08.5-23.3	13	6.0	02.1-09.9				13	5.7	01.2-10.2
H.S. or G.E.D.	607	407,086	43	7.9	04.6-11.2	392	60.8	54.7-66.9	128	20.3	15.6-25.0	18	3.8	01.8-05.8	1	0.2	00.0-00.6	25	7.0	02.5-11.5
Some Post-H.S.	386	280,434	37	7.9	04.0-11.8	229	58.6	51.9-65.3	100	28.6	22.5-34.7	12	2.1	00.7-03.5	1	0.2	00.0-00.6	7	2.7	00.0-05.4
College Graduate	446	205,726	32	8.0	04.5-11.5	219	45.5	39.4-51.6	163	39.0	33.1-44.9	22	5.6	02.9-08.3	2	0.5	00.0-01.3	8	1.4	00.2-02.6
Less than \$15,000	244	159,618	20	5.4	02.5-08.3	171	68.7	59.7-77.7	39	17.1	09.7-24.5	7	3.5	00.0-07.2	1	0.4	00.0-01.2	6	4.8	00.0-10.5
\$15,000- 24,999	341	211,718	26	6.6	02.1-11.1	224	63.4	55.6-71.2	71	21.4	14.9-27.9	12	4.7	01.4-08.0	1	0.5	00.0-01.5	7	3.4	00.0-07.7
\$25,000- 34,999	215	138,992	10	3.3	00.9-05.7	134	67.6	59.2-76.0	54	22.1	14.8-29.4	8	2.7	00.5-04.9	1	0.4	00.0-01.2	8	4.0	00.5-07.5
\$35,000- 49,999	193	132,851	16	6.1	02.6-09.6	93	49.7	40.7-58.7	67	36.2	27.6-44.8	9	4.7	01.2-08.2				8	3.4	00.3-06.5
\$50,000- 74,999	160	108,699	11	9.3	01.7-16.9	86	42.8	32.0-53.6	50	33.9	23.9-43.9	9	5.0	01.5-08.5				4	9.1	00.0-22.2
\$75,000+	147	89,403	10	9.0	03.1-14.9	70	50.7	40.9-60.5	55	33.4	24.4-42.4	9	5.8	01.9-09.7	1	0.3	00.0-00.9	2	0.8	00.0-02.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 17. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	615	482,505	30	6.0	02.9-09.1	300	47.7	42.4-53.0	223	35.5	30.4-40.6	44	7.3	04.8-09.8	3	0.4	00.0-01.0	15	3.2	01.2-05.2
White/Non-Hisp	543	399,609	26	5.1	02.6-07.6	259	45.9	40.4-51.4	201	36.8	31.5-42.1	42	8.5	05.6-11.4	2	0.3	00.0-00.9	13	3.4	01.2-05.6
55-64	105	93,766	9	6.6	01.7-11.5	48	53.2	41.4-65.0	37	28.4	18.4-38.4	10	11.0	03.6-18.4	1	0.7	00.0-02.1			
65+	448	291,683	16	2.6	01.2-04.0	226	49.0	43.1-54.9	166	38.2	32.5-43.9	26	6.0	03.3-08.7	1	0.1	00.0-00.3	13	4.2	01.5-06.9
Less Than H.S.	88	91,354	2	1.9	00.0-04.4	58	59.1	45.6-72.6	16	22.9	10.6-35.2	9	11.9	03.5-20.3				3	4.1	00.0-09.2
H.S. or G.E.D.	204	170,506	8	6.5	00.8-12.2	111	53.0	43.8-62.2	65	28.9	20.7-37.1	13	7.1	02.8-11.4	1	0.6	00.0-01.8	6	3.9	00.4-07.4
Some Post-H.S.	135	112,988	7	5.8	00.0-13.2	62	43.5	32.5-54.5	56	44.5	33.5-55.5	8	3.5	00.8-06.2				2	2.7	00.0-06.8
College Graduate	188	107,657	13	8.8	02.9-14.7	69	34.0	25.2-42.8	86	47.1	38.1-56.1	14	7.5	03.2-11.8	2	0.9	00.0-02.3	4	1.8	00.0-04.0
Less than \$15,000	79	54,457	5	4.0	00.1-07.9	46	52.9	36.8-69.0	22	31.7	15.2-48.2	5	10.1	00.0-20.5	1	1.2	00.0-03.7			
\$15,000- 24,999	106	91,456	3	6.2	00.0-15.4	62	58.8	45.9-71.7	30	24.0	14.0-34.0	9	8.5	01.6-15.4	1	1.1	00.0-03.1	1	1.5	00.0-04.4
\$25,000- 34,999	79	65,497	2	1.3	00.0-03.3	42	57.5	43.8-71.2	25	29.7	17.4-42.0	6	5.2	00.7-09.7				4	6.3	00.0-13.4
\$35,000- 49,999	96	79,188	5	2.9	00.2-05.6	36	41.3	28.8-53.8	46	46.3	33.8-58.8	6	6.2	00.7-11.7				3	3.3	00.0-07.8
\$50,000- 74,999	84	57,932	5	10.2	00.0-20.6	36	32.4	21.2-43.6	36	48.4	35.9-60.9	5	5.7	00.6-10.8				2	3.3	00.0-08.0
\$75,000+	68	45,810	2	2.7	00.0-06.4	27	46.2	31.1-61.3	30	41.6	27.3-55.9	7	8.2	01.7-14.7	1	0.7	00.0-02.1	1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 18. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1060	622,354	96	7.8	05.6-10.0	708	67.7	63.2-72.2	196	17.0	13.7-20.3	21	1.7	00.9-02.5	1	0.1	00.0-00.3	38	5.7	02.4-09.0
White/Non-Hisp	922	505,143	80	8.1	05.7-10.5	614	67.2	62.5-71.9	177	17.1	13.8-20.4	18	1.8	00.8-02.8	1	0.1	00.0-00.3	32	5.7	02.0-09.4
Black or Afr. Am./Non-Hisp	114	93,576	13	6.8	01.9-11.7	81	73.5	59.8-87.2	13	12.8	01.8-23.8	1	0.2	00.0-00.6				6	6.8	00.0-15.2
55-64	143	90,512	15	9.4	04.1-14.7	91	68.8	59.8-77.8	30	18.1	10.5-25.7	2	1.2	00.0-03.0	1	0.6	00.0-01.8	4	1.9	00.0-04.1
65+	805	347,498	71	8.5	06.1-10.9	542	68.7	64.6-72.8	146	16.9	13.8-20.0	17	2.4	01.0-03.8				29	3.5	01.9-05.1
Less Than H.S.	143	119,147	12	4.4	01.5-07.3	106	76.6	65.4-87.8	11	10.6	02.0-19.2	4	1.5	00.0-03.5				10	6.8	00.0-13.9
H.S. or G.E.D.	403	236,580	35	8.9	04.8-13.0	281	66.4	58.2-74.6	63	14.1	09.0-19.2	5	1.4	00.0-02.8				19	9.2	01.9-16.5
Some Post-H.S.	251	167,445	30	9.2	05.1-13.3	167	68.8	61.0-76.6	44	17.9	11.4-24.4	4	1.2	00.0-02.6	1	0.3	00.0-00.9	5	2.7	00.0-06.2
College Graduate	258	98,069	19	7.1	03.4-10.8	150	58.1	50.3-65.9	77	30.1	22.8-37.4	8	3.7	01.0-06.4				4	1.0	00.0-02.2
Less than \$15,000	165	105,161	15	6.1	02.0-10.2	125	76.9	66.7-87.1	17	9.6	04.1-15.1	2	0.2	00.0-00.4				6	7.3	00.0-15.9
\$15,000- 24,999	235	120,262	23	6.9	03.6-10.2	162	66.9	57.1-76.7	41	19.5	11.1-27.9	3	1.9	00.0-04.3				6	4.8	00.0-11.9
\$25,000- 34,999	136	73,495	8	5.0	01.1-08.9	92	76.6	67.6-85.6	29	15.3	08.0-22.6	2	0.4	00.0-01.0	1	0.7	00.0-02.1	4	1.9	00.0-03.9
\$35,000- 49,999	97	53,663	11	10.8	03.5-18.1	57	62.0	50.4-73.6	21	21.2	11.4-31.0	3	2.4	00.0-05.3				5	3.6	00.0-07.3
\$50,000- 74,999	76	50,767	6	8.2	00.0-19.6	50	54.6	33.4-75.8	14	17.3	05.0-29.6	4	4.2	00.0-08.7				2	15.7	00.0-41.4
\$75,000+	79	43,593	8	15.5	04.7-26.3	43	55.4	42.5-68.3	25	24.8	14.4-35.2	2	3.3	00.0-07.8				1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

**TABLE 19. DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2012 ELECTION BETWEEN BARACK OBAMA AND MITT ROMNEY. (SCNTVOT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N.A. (Did not register, Not a U.S. citizen)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4451	4,278,137	3267	66.6	64.4-68.8	1172	32.8	30.6-35.0	12	0.6	00.0-01.2
Male	1600	2,023,732	1140	64.5	61.0-68.0	454	34.6	31.3-37.9	6	0.9	00.0-01.9
Female	2851	2,254,405	2127	68.6	65.9-71.3	718	31.1	28.4-33.8	6	0.3	00.1-00.5
White/Non-Hisp	3719	3,296,958	2715	66.6	64.2-69.0	995	32.9	30.5-35.3	9	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	530	691,306	423	73.4	67.5-79.3	106	26.5	20.6-32.4	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	78	97,475	47	51.5	36.6-66.4	31	48.5	33.6-63.4			
18-24	158	491,285	58	34.9	26.5-43.3	96	62.1	53.5-70.7	4	3.0	00.0-06.7
25-34	322	668,458	176	53.5	47.0-60.0	146	46.5	40.0-53.0			
35-44	413	713,859	276	67.1	61.4-72.8	134	32.0	26.3-37.7	3	0.9	00.0-02.3
45-54	707	753,204	513	72.8	68.7-76.9	193	27.0	22.9-31.1	1	0.2	00.0-00.6
55-64	1022	727,713	788	75.6	72.1-79.1	230	24.0	20.5-27.5	4	0.5	00.1-00.9
65+	1781	896,508	1414	80.4	78.0-82.8	367	19.6	17.2-22.0			
Less Than H.S.	570	684,733	262	44.6	38.3-50.9	304	53.8	47.5-60.1	4	1.6	00.0-04.0
H.S. or G.E.D.	1525	1,448,930	1004	58.7	54.8-62.6	515	40.4	36.7-44.1	6	0.9	00.0-01.9
Some Post-H.S.	1096	1,237,657	872	73.5	69.6-77.4	223	26.4	22.5-30.3	1	0.1	00.0-00.3
College Graduate	1247	900,295	1120	86.8	84.1-89.5	126	13.1	10.4-15.8	1	0.1	00.0-00.3
Less than \$15,000	610	510,619	326	47.5	41.6-53.4	281	51.1	45.0-57.2	3	1.4	00.0-03.4
\$15,000- 24,999	767	697,810	510	60.3	55.0-65.6	254	39.3	34.0-44.6	3	0.4	00.0-00.8
\$25,000- 34,999	467	418,237	346	65.9	59.2-72.6	120	34.0	27.3-40.7	1	0.1	00.0-00.3
\$35,000- 49,999	550	568,685	440	71.0	64.9-77.1	110	29.0	22.9-35.1			
\$50,000- 74,999	482	501,697	402	75.8	69.9-81.7	78	23.8	17.9-29.7	2	0.3	00.0-00.7
\$75,000+	742	824,043	665	82.5	77.6-87.4	76	17.0	12.1-21.9	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

TABLE 20. DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2012 ELECTION BETWEEN BARACK OBAMA AND MITT ROMNEY. (SCNTVOT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N.A. (Did not register, Not a U.S. citizen)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1600	2,023,732	1140	64.5	61.0-68.0	454	34.6	31.3-37.9	6	0.9	00.0-01.9
White/Non-Hisp	1347	1,553,107	971	65.7	62.0-69.4	372	33.7	30.0-37.4	4	0.7	00.0-01.5
Black or Afr. Am./Non-Hisp	163	312,424	114	66.5	56.5-76.5	48	33.3	23.3-43.3	1	0.2	00.0-00.6
18-24	71	246,506	25	30.5	18.7-42.3	44	64.6	52.1-77.1	2	4.9	00.0-12.0
25-34	130	330,825	63	49.8	39.6-60.0	67	50.2	40.0-60.4			
35-44	141	338,327	89	64.4	54.8-74.0	50	34.0	24.4-43.6	2	1.6	00.0-04.3
45-54	265	367,720	186	71.6	64.7-78.5	79	28.4	21.5-35.3			
55-64	388	342,767	291	75.2	69.9-80.5	95	24.4	19.1-29.7	2	0.4	00.0-01.0
65+	595	390,425	478	82.2	78.3-86.1	117	17.8	13.9-21.7			
Less Than H.S.	196	318,582	89	46.1	35.7-56.5	104	50.9	40.5-61.3	3	3.1	00.0-08.2
H.S. or G.E.D.	537	690,757	340	56.4	50.5-62.3	195	42.4	36.5-48.3	2	1.2	00.0-03.0
Some Post-H.S.	382	583,759	286	70.5	64.0-77.0	96	29.5	23.0-36.0			
College Graduate	484	428,390	425	83.3	78.4-88.2	58	16.6	11.7-21.5	1	0.2	00.0-00.6
Less than \$15,000	184	193,780	86	47.0	36.4-57.6	96	50.2	39.6-60.8	2	2.9	00.0-07.6
\$15,000- 24,999	242	301,320	143	58.7	49.7-67.7	98	41.1	32.1-50.1	1	0.2	00.0-00.6
\$25,000- 34,999	165	199,222	112	60.1	49.1-71.1	53	39.9	28.9-50.9			
\$35,000- 49,999	247	325,069	192	67.4	58.4-76.4	55	32.6	23.6-41.6			
\$50,000- 74,999	214	266,415	175	72.6	64.2-81.0	38	27.2	18.8-35.6	1	0.3	00.0-00.9
\$75,000+	330	449,311	284	77.8	70.5-85.1	45	21.4	14.3-28.5	1	0.9	00.0-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 15: SOCIAL CONTEXT**

**TABLE 21. DID YOU VOTE IN THE LAST PRESIDENTIAL ELECTION? THE NOVEMBER 2012 ELECTION BETWEEN BARACK OBAMA AND MITT ROMNEY. (SCNTVOT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N.A. (Did not register, Not a U.S. citizen)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2851	2,254,405	2127	68.6	65.9-71.3	718	31.1	28.4-33.8	6	0.3	0.1-0.5
White/Non-Hisp	2372	1,743,850	1744	67.5	64.6-70.4	623	32.2	29.3-35.1	5	0.3	0.0-0.7
Black or Afr. Am./Non-Hisp	367	378,883	309	79.1	72.4-85.8	58	20.9	14.2-27.6			
18-24	87	244,779	33	39.4	27.2-51.6	52	59.5	47.3-71.7	2	1.1	0.0-0.3.1
25-34	192	337,633	113	57.2	49.0-65.4	79	42.8	34.6-51.0			
35-44	272	375,532	187	69.5	62.8-76.2	84	30.3	23.6-37.0	1	0.3	0.0-0.0.9
45-54	442	385,484	327	74.0	69.1-78.9	114	25.6	20.7-30.5	1	0.4	0.0-0.1.2
55-64	634	384,946	497	75.9	71.4-80.4	135	23.6	19.3-27.9	2	0.5	0.0-0.1.1
65+	1186	506,083	936	79.1	76.0-82.2	250	20.9	17.8-24.0			
Less Than H.S.	374	366,151	173	43.3	35.7-50.9	200	56.3	48.7-63.9	1	0.4	0.0-0.1.2
H.S. or G.E.D.	988	758,174	664	60.8	55.9-65.7	320	38.6	33.7-43.5	4	0.6	0.0-0.1.4
Some Post-H.S.	714	653,898	586	76.2	71.5-80.9	127	23.7	19.0-28.4	1	0.1	0.0-0.0.3
College Graduate	763	471,904	695	90.0	87.3-92.7	68	10.0	07.3-12.7			
Less than \$15,000	426	316,839	240	47.9	40.8-55.0	185	51.7	44.6-58.8	1	0.4	0.0-0.1.2
\$15,000- 24,999	525	396,491	367	61.5	55.2-67.8	156	38.0	31.7-44.3	2	0.5	0.0-0.1.1
\$25,000- 34,999	302	219,015	234	71.2	63.9-78.5	67	28.7	21.4-36.0	1	0.1	0.0-0.0.3
\$35,000- 49,999	303	243,616	248	75.8	68.9-82.7	55	24.2	17.3-31.1			
\$50,000- 74,999	268	235,282	227	79.6	71.6-87.6	40	20.0	12.0-28.0	1	0.4	0.0-0.1.2
\$75,000+	412	374,732	381	88.2	81.7-94.7	31	11.8	05.3-18.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

End of Adult Module Data Report

TENNESSEE

2014 CHILD LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

July 31, 2015



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

MODULE 17: RANDOM CHILD SELECTION CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSEGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC1)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2012			2013-2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	705	1,351,045	85	8.2	06.0-10.4	240	27.4	23.3-31.5	170	26.2	21.7-30.7	157	29.6	24.7-34.5	53	8.6	05.7-11.5
Male	231	428,763	23	5.5	03.1-07.9	85	31.8	24.2-39.4	63	33.7	24.7-42.7	51	24.4	17.1-31.7	9	4.6	01.5-07.7
Female	474	922,281	62	9.5	06.6-12.4	155	25.3	20.6-30.0	107	22.7	17.8-27.6	106	32.0	25.7-38.3	44	10.5	06.4-14.6
White/Non-Hisp	565	958,846	70	8.2	05.8-10.6	191	28.7	24.2-33.2	139	25.2	20.3-30.1	125	29.6	24.1-35.1	40	8.3	05.4-11.2
Black or Afr. Am./Non-Hisp	96	291,343	13	9.6	03.1-16.1	33	21.5	11.9-31.1	23	32.3	19.0-45.6	20	27.4	14.9-39.9	7	9.1	00.1-18.1
25-34	160	408,857	3	0.9	00.0-02.1	23	12.3	05.8-18.8	37	26.5	16.7-36.3	74	48.0	37.6-58.4	23	12.3	06.6-18.0
35-44	198	420,997	23	9.0	04.3-13.7	82	32.3	24.3-40.3	52	30.1	21.3-38.9	32	20.1	12.3-27.9	9	8.5	01.4-15.6
45-54	169	246,437	32	15.6	09.9-21.3	77	40.1	31.5-48.7	37	21.5	13.9-29.1	19	20.9	11.9-29.9	4	1.9	00.0-04.1
55-64	76	115,465	13	9.8	03.1-16.5	26	30.5	17.2-43.8	20	31.8	17.3-46.3	12	20.1	06.2-34.0	5	7.8	00.9-14.7
65+	56	74,539	8	15.3	02.8-27.8	22	44.1	28.0-60.2	20	30.2	16.7-43.7	4	8.0	00.0-16.8	2	2.4	00.0-05.9
Less Than H.S.	59	95,362	8	8.6	01.5-15.7	19	24.1	12.1-36.1	17	27.3	14.4-40.2	11	30.0	14.1-45.9	4	10.0	00.0-20.4
H.S. or G.E.D.	236	507,094	29	8.1	04.6-11.6	77	24.0	17.1-30.9	60	31.0	22.2-39.8	53	30.8	21.6-40.0	17	6.1	02.6-09.6
Some Post-H.S.	194	343,425	25	9.3	04.2-14.4	67	29.6	21.4-37.8	43	22.0	13.8-30.2	47	29.6	20.6-38.6	12	9.6	02.0-17.2
College Graduate	215	403,727	23	7.4	03.9-10.9	77	30.7	23.4-38.0	49	23.1	16.2-30.0	46	28.1	19.9-36.3	20	10.7	05.2-16.2
Less than \$15,000	90	160,612	11	7.4	01.7-13.1	29	24.3	14.3-34.3	19	24.1	12.1-36.1	24	36.6	22.5-50.7	7	7.5	01.0-14.0
\$15,000- 24,999	117	256,837	13	6.4	02.1-10.7	39	25.6	15.0-36.2	31	27.2	16.4-38.0	26	34.3	20.8-47.8	8	6.6	01.1-12.1
\$25,000- 34,999	69	113,646	8	7.3	01.0-13.6	22	28.9	14.2-43.6	18	22.5	09.8-35.2	17	26.6	12.3-40.9	4	14.8	00.0-34.2
\$35,000- 49,999	100	205,071	15	8.9	03.4-14.4	33	26.4	16.2-36.6	19	27.8	13.7-41.9	26	29.7	18.1-41.3	7	7.2	01.3-13.1
\$50,000- 74,999	87	172,564	11	13.4	03.8-23.0	29	19.7	10.9-28.5	26	37.1	22.0-52.2	17	23.9	10.6-37.2	4	5.9	00.0-12.2
\$75,000+	188	348,818	24	8.9	05.0-12.8	68	32.8	24.8-40.8	45	24.6	16.6-32.6	37	24.5	16.5-32.5	14	9.2	03.7-14.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2012			2013-2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	231	428,763	23	5.5	03.1-07.9	85	31.8	23.8-39.8	63	33.7	24.3-43.1	51	24.4	17.7-31.1	9	4.6	01.5-07.7
White/Non-Hisp	191	316,554	22	7.0	03.7-10.3	70	34.5	26.3-42.7	51	29.9	20.9-38.9	41	23.8	16.7-30.9	7	4.9	01.0-08.8
35-44	55	123,761	2	1.6	00.0-04.1	23	36.1	19.4-52.8	14	29.7	12.1-47.3	12	24.8	10.3-39.3	4	7.8	00.0-16.0
45-54	63	90,397	8	10.9	02.7-19.1	29	42.2	27.9-56.5	20	29.6	16.3-42.9	6	17.3	03.8-30.8			
H.S. or G.E.D.	73	161,754	7	3.6	00.7-06.5	25	27.4	12.5-42.3	20	38.3	20.1-56.5	19	28.0	14.5-41.5	2	2.8	00.0-06.7
Some Post-H.S.	58	98,976	6	5.4	00.3-10.5	20	31.8	15.7-47.9	13	27.9	09.9-45.9	16	26.6	12.5-40.7	3	8.3	00.0-18.1
College Graduate	76	132,218	8	7.8	01.9-13.7	30	38.1	25.0-51.2	21	29.4	16.5-42.3	13	19.5	08.5-30.5	4	5.2	00.0-10.5
\$75,000+	79	144,215	9	6.4	01.9-10.9	32	36.5	23.8-49.2	19	26.7	13.8-39.6	13	22.1	09.9-34.3	6	8.3	01.6-15.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2012			2013-2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	474	922,281	62	9.5	06.6-12.4	155	25.3	20.6-30.0	107	22.7	18.0-27.4	106	32.0	25.9-38.1	44	10.5	07.2-13.8
White/Non-Hisp	374	642,291	48	8.8	05.9-11.7	121	25.8	20.7-30.9	88	22.9	17.6-28.2	84	32.5	25.4-39.6	33	10.0	05.9-14.1
Black or Afr. Am./Non-Hisp	77	226,337	13	12.4	04.4-20.4	29	24.7	13.3-36.1	15	24.8	12.1-37.5	13	26.4	12.9-39.9	7	11.7	05.8-17.6
25-34	114	293,889	3	1.3	00.0-02.9	18	12.6	05.2-20.0	22	19.2	09.4-29.0	51	52.0	40.0-64.0	20	14.9	07.5-22.3
35-44	143	297,236	21	12.2	05.7-18.7	59	30.7	22.1-39.3	38	30.3	20.9-39.7	20	18.1	09.3-26.9	5	8.7	03.4-14.0
45-54	106	156,040	24	18.3	10.5-26.1	48	38.8	27.8-49.8	17	16.9	07.7-26.1	13	23.0	11.2-34.8	4	3.0	00.0-06.3
H.S. or G.E.D.	163	345,340	22	10.2	05.1-15.3	52	22.4	14.6-30.2	40	27.7	18.9-36.5	34	32.1	20.7-43.5	15	7.6	02.9-12.3
Some Post-H.S.	136	244,449	19	10.9	04.2-17.6	47	28.7	19.7-37.7	30	19.6	11.0-28.2	31	30.8	20.0-41.6	9	10.1	06.2-14.0
College Graduate	139	271,510	15	7.2	02.9-11.5	47	27.1	18.5-35.7	28	20.0	12.0-28.0	33	32.2	21.6-42.8	16	13.4	05.8-21.0
Less than \$15,000	72	137,234	10	8.1	01.4-14.8	22	22.1	11.5-32.7	12	21.5	08.4-34.6	21	39.5	23.8-55.2	7	8.8	01.2-16.4
\$15,000- 24,999	90	210,087	10	6.5	01.6-11.4	30	23.4	12.0-34.8	26	28.2	15.7-40.7	16	33.8	18.1-49.5	8	8.1	01.2-15.0
\$35,000- 49,999	64	111,895	11	12.8	04.0-21.6	22	26.2	14.2-38.2	10	16.0	03.8-28.2	15	33.1	18.2-48.0	6	11.9	01.9-21.9
\$50,000- 74,999	50	105,982	8	17.4	02.7-32.1	15	17.2	06.6-27.8	13	27.9	09.7-46.1	11	29.6	10.6-48.6	3	7.9	00.0-17.5
\$75,000+	109	204,603	15	10.7	04.8-16.6	36	30.2	20.0-40.4	26	23.1	13.1-33.1	24	26.2	15.6-36.8	8	9.9	01.9-17.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children**

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	789	1,461,019	426	49.9	45.0-54.8	363	50.1	45.2-55.0
Male	270	476,735	142	45.3	37.5-53.1	128	54.7	46.9-62.5
Female	519	984,283	284	52.2	46.3-58.1	235	47.8	41.9-53.7
White/Non-Hisp	622	1,025,335	338	49.8	44.5-55.1	284	50.2	44.9-55.5
Black or Afr. Am./Non-Hisp	115	319,809	61	50.5	37.6-63.4	54	49.5	36.6-62.4
18-24	54	101,674	36	62.2	43.0-81.4	18	37.8	18.6-57.0
25-34	170	421,838	87	48.8	38.6-59.0	83	51.2	41.0-61.4
35-44	215	444,437	116	51.0	42.0-60.0	99	49.0	40.0-58.0
45-54	191	279,973	103	48.1	39.5-56.7	88	51.9	43.3-60.5
55-64	89	127,861	44	45.2	31.1-59.3	45	54.8	40.7-68.9
65+	65	80,484	36	47.0	32.3-61.7	29	53.0	38.3-67.7
Less Than H.S.	73	110,474	43	58.6	44.7-72.5	30	41.4	27.5-55.3
H.S. or G.E.D.	264	544,712	150	50.1	41.3-58.9	114	49.9	41.1-58.7
Some Post-H.S.	217	367,797	119	53.5	44.3-62.7	98	46.5	37.3-55.7
College Graduate	234	436,599	113	44.4	36.4-52.4	121	55.6	47.6-63.6
Less than \$15,000	98	168,884	58	62.8	50.6-75.0	40	37.2	25.0-49.4
\$15,000- 24,999	127	274,969	64	48.0	35.7-60.3	63	52.0	39.7-64.3
\$25,000- 34,999	76	119,303	42	48.7	31.8-65.6	34	51.3	34.4-68.2
\$35,000- 49,999	108	213,476	59	48.6	36.1-61.1	49	51.4	38.9-63.9
\$50,000- 74,999	96	182,025	48	41.8	27.9-55.7	48	58.2	44.3-72.1
\$75,000+	206	376,315	106	47.0	38.6-55.4	100	53.0	44.6-61.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	270	476,735	142	45.3	37.7-52.9	128	54.7	47.1-62.3
White/Non-Hisp	219	348,948	119	47.0	38.4-55.6	100	53.0	44.4-61.6
25-34	52	120,987	24	41.3	23.5-59.1	28	58.7	40.9-76.5
35-44	61	129,472	36	49.6	32.7-66.5	25	50.4	33.5-67.3
45-54	73	103,366	39	45.7	32.4-59.0	34	54.3	41.0-67.6
H.S. or G.E.D.	90	185,469	51	43.0	30.5-55.5	39	57.0	44.5-69.5
Some Post-H.S.	69	110,891	38	43.7	28.2-59.2	31	56.3	40.8-71.8
College Graduate	81	138,932	38	50.7	37.8-63.6	43	49.3	36.4-62.2
\$75,000+	87	152,797	45	50.2	37.1-63.3	42	49.8	36.7-62.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	519	984,283	284	52.2	46.3-58.1	235	47.8	41.9-53.7	
White/Non-Hisp	403	676,386	219	51.2	44.5-57.9	184	48.8	42.1-55.5	
Black or Afr. Am./Non-Hisp	88	243,736	51	55.8	42.3-69.3	37	44.2	30.7-57.7	
25-34	118	300,851	63	51.7	39.7-63.7	55	48.3	36.3-60.3	
35-44	154	314,965	80	51.5	41.9-61.1	74	48.5	38.9-58.1	
45-54	118	176,607	64	49.5	38.1-60.9	54	50.5	39.1-61.9	
55-64	50	69,162	28	55.6	36.4-74.8	22	44.4	25.2-63.6	
H.S. or G.E.D.	174	359,243	99	53.8	42.8-64.8	75	46.2	35.2-57.2	
Some Post-H.S.	148	256,907	81	57.7	47.7-67.7	67	42.3	32.3-52.3	
College Graduate	153	297,667	75	41.4	31.4-51.4	78	58.6	48.6-68.6	
Less than \$15,000	76	139,494	48	66.6	53.1-80.1	28	33.4	19.9-46.9	
\$15,000- 24,999	96	223,970	50	49.7	35.4-64.0	46	50.3	36.0-64.6	
\$25,000- 34,999	51	86,305	30	57.3	41.6-73.0	21	42.7	27.0-58.4	
\$35,000- 49,999	66	113,513	34	46.2	31.3-61.1	32	53.8	38.9-68.7	
\$50,000- 74,999	55	110,593	26	44.1	25.7-62.5	29	55.9	37.5-74.3	
\$75,000+	119	223,519	61	44.9	33.9-55.9	58	55.1	44.1-66.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	787	1,457,425	14	3.5	01.3-05.7	3	1.6	00.0-03.6	10	1.7	00.5-02.9	760	93.2	90.3-96.1
Male	270	475,328	4	3.1	00.0-06.6	2	2.7	00.0-06.8	4	1.8	00.0-03.8	260	92.3	86.6-98.0
Female	517	982,097	10	3.7	01.2-06.2	1	1.0	00.0-03.0	6	1.6	00.0-03.2	500	93.6	90.1-97.1
White/Non-Hisp	624	1,028,267	6	2.1	00.1-04.1	2	1.9	00.0-04.6	7	2.1	00.5-03.7	609	93.9	90.4-97.4
Black or Afr. Am./Non-Hisp	114	319,421										114	100.0	0100-0100
18-24	54	101,193	4	14.9	00.0-30.2							50	85.1	69.8-0100
25-34	171	425,665	8	6.3	01.4-11.2	1	2.3	00.0-06.8	2	1.3	00.0-03.3	160	90.0	83.3-96.7
35-44	215	438,219	1	1.8	00.0-05.1	2	3.1	00.0-07.8	4	1.4	00.0-03.0	208	93.8	87.9-99.7
45-54	190	279,218	1	0.6	00.0-01.8				1	0.9	00.0-02.7	188	98.5	96.3-0100
55-64	88	127,258							1	4.0	00.0-11.6	87	96.0	88.4-0100
65+	63	79,824							2	6.2	00.0-15.4	61	93.8	84.6-0100
Less Than H.S.	70	108,526	2	5.0	00.0-13.4				2	4.7	00.0-12.3	66	90.3	79.5-0100
H.S. or G.E.D.	264	544,391	5	3.5	00.0-07.2	1	1.8	00.0-05.3	1	0.7	00.0-02.1	257	94.0	88.9-99.1
Some Post-H.S.	216	368,660	6	6.6	00.9-12.3	1	0.9	00.0-02.7	2	0.9	00.0-02.3	207	91.6	85.7-97.5
College Graduate	236	434,410	1	0.5	00.0-01.5	1	2.4	00.0-06.9	4	2.5	00.0-05.2	230	94.6	89.3-99.9
Less than \$15,000	96	167,894	4	8.6	00.0-18.4				1	2.5	00.0-07.4	91	88.8	78.2-99.4
\$15,000- 24,999	126	272,697	3	6.3	00.0-13.6	1	1.2	00.0-03.6	2	0.8	00.0-02.0	120	91.6	84.0-99.2
\$25,000- 34,999	76	119,303	2	5.7	00.0-13.7				1	1.9	00.0-05.6	73	92.4	83.6-0100
\$35,000- 49,999	106	211,462				1	4.6	00.0-13.2	3	3.5	00.0-07.8	102	91.9	82.5-0100
\$50,000- 74,999	96	182,162	2	2.7	00.0-06.6	1	5.6	00.0-16.2				93	91.7	80.7-0100
\$75,000+	208	375,032	1	0.6	00.0-01.8				3	2.2	00.0-05.1	204	97.1	94.0-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	270	475,328	4	3.1	00.0-06.8	2	2.7	00.0-06.8	4	1.8	00.0-03.8	260	92.3	86.6-98.0
White/Non-Hisp	220	347,956	1	0.5	00.0-01.5	1	2.8	00.0-08.1	2	1.8	00.0-04.3	216	94.9	89.0-0100
25-34	52	122,862	2	4.6	00.0-11.1	1	7.9	00.0-22.6	1	1.2	00.0-03.6	48	86.3	71.0-0100
35-44	62	126,777	1	6.1	00.0-17.5	1	2.5	00.0-07.4	1	0.7	00.0-02.1	59	90.7	78.7-0100
45-54	73	102,998	1	1.6	00.0-04.7				1	2.5	00.0-07.4	71	96.0	90.3-0100
H.S. or G.E.D.	90	185,469	2	5.4	00.0-14.2	1	5.3	00.0-15.1	1	2.0	00.0-05.9	86	87.3	73.8-0100
Some Post-H.S.	68	109,940	2	4.4	00.0-10.9	1	2.9	00.0-08.4				65	92.7	84.5-0100
College Graduate	83	139,576							1	1.8	00.0-05.3	82	98.2	94.7-0100
\$75,000+	88	152,145	1	1.6	00.0-04.7							87	98.4	95.3-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	517	982,097	10	3.7	01.2-06.2	1	1.0	00.0-03.0	6	1.6	00.0-03.2	500	93.6	90.1-97.1
White/Non-Hisp	404	680,311	5	3.0	00.1-05.9	1	1.5	00.0-04.4	5	2.2	00.0-04.4	393	93.3	88.8-97.8
Black or Afr. Am./Non-Hisp	87	243,349										87	100.0	0100-0100
25-34	119	302,802	6	7.1	00.6-13.6				1	1.4	00.0-04.1	112	91.6	84.7-98.5
35-44	153	311,441				1	3.3	00.0-09.6	3	1.7	00.0-03.7	149	95.0	88.5-0100
45-54	117	176,220										117	100.0	0100-0100
H.S. or G.E.D.	174	358,923	3	2.5	00.0-06.0							171	97.5	94.0-0100
Some Post-H.S.	148	258,720	4	7.5	00.1-14.9				2	1.3	00.0-03.3	142	91.2	83.6-98.8
College Graduate	153	294,835	1	0.8	00.0-02.4	1	3.5	00.0-10.2	3	2.8	00.0-06.5	148	92.9	85.5-0100
Less than \$15,000	74	138,504	4	10.5	00.0-22.3				1	3.1	00.0-09.0	69	86.5	73.8-99.2
\$15,000- 24,999	95	221,698	2	4.3	00.0-10.4							93	95.7	89.6-0100
\$25,000- 34,999	51	86,305	2	7.9	00.0-18.7				1	2.7	00.0-07.8	48	89.4	77.8-0100
\$35,000- 49,999	66	113,513							1	0.9	00.0-02.7	65	99.1	97.3-0100
\$50,000- 74,999	55	110,593				1	9.3	00.0-26.2				54	90.7	73.8-0100
\$75,000+	120	222,887							3	3.7	00.0-08.6	117	96.3	91.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	785	1,446,621	745	92.3	89.2-95.4	19	3.1	01.1-05.1	1	0.3	00.0-00.9	20	4.4	01.9-06.9
Male	268	470,482	255	92.5	87.6-97.4	7	3.1	00.2-06.0	1	0.8	00.0-02.4	5	3.7	00.0-07.4
Female	517	976,139	490	92.2	88.1-96.3	12	3.1	00.4-05.8				15	4.7	01.6-07.8
White/Non-Hisp	623	1,020,513	601	94.1	90.8-97.4	16	3.8	01.1-06.5	1	0.4	00.0-01.2	5	1.8	00.0-03.6
Black or Afr. Am./Non-Hisp	114	319,421	111	95.5	88.1-0100							3	4.5	00.0-11.9
18-24	55	102,293	48	81.6	66.1-97.1	2	1.5	00.0-03.7				5	16.9	01.4-32.4
25-34	171	425,665	162	91.1	84.4-97.8	6	7.0	00.5-13.5				3	2.0	00.0-04.5
35-44	213	433,047	208	95.8	90.1-0100	1	0.2	00.0-00.6				4	4.0	00.0-09.7
45-54	189	277,874	180	94.3	89.8-98.8	6	3.6	00.5-06.7				3	2.1	00.0-05.4
55-64	88	122,733	83	90.0	78.8-0100	3	1.7	00.0-03.7	1	3.0	00.0-08.7	1	5.3	00.0-15.3
65+	64	79,548	59	89.8	79.2-0100	1	0.4	00.0-01.2				4	9.8	00.0-20.4
Less Than H.S.	73	110,474	66	90.5	81.5-99.5	3	2.2	00.0-04.7				4	7.4	00.0-16.2
H.S. or G.E.D.	261	542,333	249	91.1	85.2-97.0	5	3.5	00.0-07.8	1	0.7	00.0-02.1	6	4.8	00.9-08.7
Some Post-H.S.	216	367,493	203	89.5	81.9-97.1	6	4.4	00.3-08.5				7	6.1	00.0-13.0
College Graduate	234	424,885	227	97.0	94.3-99.7	5	1.7	00.0-03.5				2	1.2	00.0-03.4
Less than \$15,000	97	168,497	92	96.1	92.4-99.8	3	1.6	00.0-03.4				2	2.3	00.0-05.4
\$15,000- 24,999	126	272,697	119	89.1	79.5-98.7	2	4.4	00.0-12.2				5	6.4	00.3-12.5
\$25,000- 34,999	75	118,368	71	80.1	60.1-0100	3	9.2	00.0-20.6				1	10.6	00.0-29.4
\$35,000- 49,999	106	211,788	99	93.1	86.8-99.4	3	3.7	00.0-08.8				4	3.1	00.0-06.8
\$50,000- 74,999	97	181,769	89	88.7	79.3-98.1	4	3.5	00.0-07.4				4	7.9	00.0-16.5
\$75,000+	205	365,094	202	98.6	96.4-0100	2	0.4	00.0-01.0	1	1.0	00.0-03.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	268	470,482	255	92.5	87.6-97.4	7	3.1	00.2-06.0	1	0.8	00.0-02.4	5	3.7	00.0-07.4
White/Non-Hisp	219	346,160	210	92.1	86.4-97.8	6	3.9	00.0-07.8	1	1.1	00.0-03.3	2	2.9	00.0-07.0
25-34	52	122,862	49	89.9	77.9-0100	1	4.7	00.0-13.7				2	5.3	00.0-13.5
35-44	61	123,538	61	100.0	0100-0100									
45-54	72	101,399	69	93.9	87.0-0100	3	6.1	00.0-13.0						
H.S. or G.E.D.	88	183,946	83	89.2	79.4-99.0	1	0.4	00.0-01.2	1	2.0	00.0-05.9	3	8.3	00.0-17.5
Some Post-H.S.	67	107,982	65	94.1	83.9-0100	1	5.4	00.0-15.6				1	0.5	00.0-01.5
College Graduate	83	137,110	79	94.9	89.6-0100	4	5.1	00.0-10.4						
\$75,000+	87	149,267	85	97.0	92.1-0100	1	0.5	00.0-01.5	1	2.5	00.0-07.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	517	976,139	490	92.2	88.9-95.5	12	3.1	00.4-05.8	15	4.7	02.5-06.9
White/Non-Hisp	404	674,353	391	95.1	91.2-99.0	10	3.7	00.0-07.4	3	1.2	00.0-02.8
Black or Afr. Am./Non-Hisp	87	243,349	84	94.1	92.5-95.7				3	5.9	04.3-07.5
25-34	119	302,802	113	91.5	83.3-99.7	5	7.9	00.0-16.1	1	0.6	00.0-01.8
35-44	152	309,509	147	94.1	92.1-96.1	1	0.3	00.0-00.9	4	5.6	03.6-07.6
45-54	117	176,475	111	94.5	88.6-0100	3	2.2	00.0-05.1	3	3.3	00.0-08.4
H.S. or G.E.D.	173	358,387	166	92.0	84.7-99.3	4	5.0	00.0-11.5	3	3.0	00.0-06.7
Some Post-H.S.	149	259,511	138	87.6	82.3-92.9	5	4.0	00.0-08.1	6	8.4	04.9-11.9
College Graduate	151	287,775	148	98.1	95.0-0100	1	0.1	00.0-00.3	2	1.8	00.0-04.9
Less than \$15,000	75	139,106	71	95.9	91.6-0100	2	1.4	00.0-03.4	2	2.8	00.0-06.7
\$15,000- 24,999	95	221,698	89	87.3	75.7-98.9	2	5.5	00.0-15.1	4	7.3	00.0-14.7
\$25,000- 34,999	51	86,305	48	79.5	69.5-89.5	2	5.9	00.0-15.7	1	14.6	10.3-18.9
\$35,000- 49,999	66	113,513	62	93.2	84.8-0100	2	4.7	00.0-12.9	2	2.1	00.0-05.0
\$50,000- 74,999	56	111,383	52	95.1	89.4-0100	2	2.5	00.0-06.8	2	2.4	00.0-06.1
\$75,000+	118	215,827	117	99.6	98.8-0100	1	0.4	00.0-01.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC1)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	796	1,464,936	607	78.7	74.6-82.8	125	12.0	09.5-14.5	10	1.1	00.3-01.9	29	3.2	01.6-04.8	23	4.9	02.0-07.8	2	0.2	00.0-00.4
Male	272	478,834	216	79.3	72.2-86.4	32	9.6	05.5-13.7	1	0.8	00.0-02.4	16	4.6	01.3-07.9	7	5.7	00.2-11.2			
Female	524	986,102	391	78.4	73.5-83.3	93	13.1	09.8-16.4	9	1.3	00.3-02.3	13	2.5	00.9-04.1	16	4.5	00.8-08.2	2	0.3	00.0-00.7
White/Non-Hisp	627	1,028,223	485	81.6	77.9-85.3	99	12.5	09.4-15.6	8	1.3	00.3-02.3	20	2.8	01.0-04.6	13	1.6	00.6-02.6	2	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	115	319,809	80	68.6	55.9-81.3	21	12.0	05.7-18.3	1	0.3	00.0-00.9	5	3.4	00.0-06.9	8	15.7	03.5-27.9			
18-24	54	97,521	25	40.4	21.4-59.4							24	42.3	22.9-61.7	4	15.8	00.0-37.9	1	1.5	00.0-04.4
25-34	171	425,665	162	93.2	86.9-99.5				2	1.1	00.0-02.7	2	0.5	00.0-01.3	5	5.2	00.0-11.3			
35-44	219	448,586	207	92.1	85.8-98.4	4	1.7	00.0-03.9				2	0.5	00.0-01.3	5	5.4	00.0-11.3	1	0.2	00.0-00.6
45-54	191	278,164	161	82.9	76.2-89.6	24	14.6	08.1-21.1	2	0.7	00.0-01.7	1	0.4	00.0-01.2	3	1.3	00.0-03.1			
55-64	89	127,861	33	33.0	20.1-45.9	52	60.3	46.8-73.8	2	4.6	00.0-11.1				2	2.0	00.0-05.3			
65+	65	80,372	13	31.3	15.8-46.8	44	60.0	44.5-75.5	4	4.8	00.0-10.5				4	3.9	00.0-08.8			
Less Than H.S.	72	105,763	43	58.9	44.6-73.2	22	33.5	19.4-47.6				3	3.3	00.0-07.2	4	4.3	00.0-09.0			
H.S. or G.E.D.	264	544,698	180	70.5	62.7-78.3	52	14.5	09.4-19.6	9	2.4	00.4-04.4	14	4.8	01.3-08.3	8	7.4	01.1-13.7	1	0.3	00.0-00.9
Some Post-H.S.	219	369,813	167	80.3	72.7-87.9	38	11.8	07.5-16.1	1	0.8	00.0-02.4	7	2.3	00.1-04.5	6	4.8	00.0-11.3			
College Graduate	240	443,224	216	92.1	88.2-96.0	13	3.9	01.2-06.6				5	1.9	00.1-03.7	5	1.9	00.0-04.3	1	0.2	00.0-00.6
Less than \$15,000	98	168,884	72	67.8	55.3-80.3	20	25.6	13.8-37.4	1	0.9	00.0-02.7	3	3.3	00.0-08.6	2	2.4	00.0-06.5			
\$15,000- 24,999	127	275,546	90	79.6	71.8-87.4	29	16.3	09.2-23.4	1	0.8	00.0-02.4	2	1.3	00.0-03.7	4	1.5	00.0-03.3	1	0.5	00.0-01.5
\$25,000- 34,999	74	116,514	46	66.9	48.7-85.1	20	14.2	05.8-22.6	2	1.2	00.0-03.0	3	1.9	00.0-04.3	3	15.8	00.0-35.4			
\$35,000- 49,999	107	212,562	85	79.4	67.8-91.0	14	8.5	03.6-13.4	1	1.0	00.0-03.0	3	1.8	00.0-04.2	4	9.4	00.0-20.6			
\$50,000- 74,999	98	182,488	78	83.6	74.2-93.0	15	13.8	04.8-22.8	2	0.8	00.0-02.2				3	1.8	00.0-04.5			
\$75,000+	210	382,715	183	88.3	83.2-93.4	14	5.0	01.7-08.3	2	1.8	00.0-04.2	8	3.7	00.6-06.8	2	1.1	00.0-02.5	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Parent		Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	272	478,834	216	79.3	71.9-86.7	32	9.6	05.3-13.9	1	0.8	00.0-02.4	16	4.6	01.3-07.9	7	5.7	00.2-11.2
White/Non-Hisp	221	351,047	177	81.9	75.2-88.6	29	11.8	06.5-17.1	1	1.1	00.0-03.1	10	3.7	00.0-07.4	4	1.6	00.0-03.2
25-34	52	122,862	47	81.7	63.3-0100							1	0.6	00.0-01.8	4	17.7	00.0-36.1
35-44	64	131,420	61	95.7	90.0-0100							1	0.9	00.0-02.7	2	3.4	00.0-08.9
45-54	71	100,457	68	93.8	86.5-0100	3	6.2	00.0-13.5									
H.S. or G.E.D.	89	183,503	64	67.5	51.2-83.8	13	11.8	03.4-20.2	1	2.0	00.0-05.9	7	6.2	00.0-13.3	4	12.5	00.0-26.4
Some Post-H.S.	69	109,915	55	88.1	80.7-95.5	9	8.4	01.9-14.9				4	2.2	00.0-04.7	1	1.2	00.0-03.6
College Graduate	85	144,219	79	93.8	88.3-99.3	3	2.2	00.0-04.7				3	4.1	00.0-09.0			
\$75,000+	89	156,376	79	89.2	81.6-96.8	4	3.6	00.0-07.7	1	2.4	00.0-06.9	5	4.8	00.0-09.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 17: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	524	986,102	391	78.4	73.9-82.9	93	13.1	09.8-16.4	9	1.3	00.3-02.3	13	2.5	00.9-04.1	16	4.5	01.8-07.2	2	0.3	00.0-00.7
White/Non-Hisp	406	677,177	308	81.4	77.1-85.7	70	12.8	09.1-16.5	7	1.4	00.2-02.6	10	2.3	00.5-04.1	9	1.7	00.3-03.1	2	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	88	243,736	59	68.4	55.9-80.9	20	15.6	07.6-23.6	1	0.4	00.0-01.2	2	2.5	00.0-06.4	6	13.1	02.7-23.5			
25-34	119	302,802	115	97.8	95.4-0100				2	1.5	00.0-03.7	1	0.5	00.0-01.5	1	0.2	00.0-00.6			
35-44	155	317,166	146	90.7	86.2-95.2	4	2.5	00.0-05.6				1	0.3	00.0-01.1	3	6.2	02.9-09.5	1	0.3	00.0-00.9
45-54	120	177,707	93	76.8	67.2-86.4	21	19.4	10.2-28.6	2	1.1	00.0-02.7	1	0.7	00.0-02.1	3	2.1	00.0-04.8			
55-64	50	69,162	10	16.3	01.6-31.0	37	76.7	60.4-93.0	1	3.2	00.0-09.5				2	3.8	00.0-09.9			
H.S. or G.E.D.	175	361,195	116	72.0	62.8-81.2	39	16.0	09.7-22.3	8	2.6	00.6-04.6	7	4.1	00.4-07.8	4	4.9	00.0-11.8	1	0.4	00.0-01.2
Some Post-H.S.	150	259,898	112	77.0	70.1-83.9	29	13.2	07.7-18.7	1	1.2	00.0-03.6	3	2.3	00.0-05.2	5	6.3	04.1-08.5			
College Graduate	155	299,006	137	91.2	85.9-96.5	10	4.7	00.8-08.6				2	0.8	00.0-02.0	5	2.8	00.0-06.3	1	0.3	00.0-00.9
Less than \$15,000	76	139,494	57	69.9	55.8-84.0	16	25.3	12.0-38.6	1	1.1	00.0-03.3	1	3.3	00.0-09.8	1	0.4	00.0-01.2			
\$15,000- 24,999	96	223,970	64	77.4	68.0-86.8	26	18.3	09.9-26.7	1	1.0	00.0-03.0	1	1.5	00.0-04.2	3	1.3	00.0-03.1	1	0.7	00.0-02.1
\$25,000- 34,999	51	86,305	34	68.3	55.8-80.8	12	8.7	02.4-15.0	2	1.7	00.0-04.1				3	21.3	10.3-32.3			
\$35,000- 49,999	66	113,513	51	83.8	74.8-92.8	12	12.9	04.9-20.9	1	2.0	00.0-05.7	1	1.0	00.0-03.0	1	0.4	00.0-01.2			
\$50,000- 74,999	57	112,102	45	86.5	76.9-96.1	7	9.1	00.9-17.3	2	1.4	00.0-03.8				3	3.0	00.0-07.3			
\$75,000+	121	226,339	104	87.6	80.5-94.7	10	5.9	01.0-10.8	1	1.4	00.0-04.1	3	2.9	00.0-07.0	2	1.8	00.0-04.3	1	0.4	00.0-01.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014

MODULE 18: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	783	1,437,265	109	13.4	10.1-16.7	674	86.6	83.3-89.9
Male	268	463,475	33	9.1	05.4-12.8	235	90.9	87.2-94.6
Female	515	973,790	76	15.5	10.8-20.2	439	84.5	79.8-89.2
White/Non-Hisp	619	1,011,903	85	13.8	10.3-17.3	534	86.2	82.7-89.7
Black or Afr. Am./Non-Hisp	111	309,661	16	12.9	03.3-22.5	95	87.1	77.5-96.7
18-24	54	97,521	9	9.5	02.1-16.9	45	90.5	83.1-97.9
25-34	169	414,773	23	14.8	07.0-22.6	146	85.2	77.4-93.0
35-44	218	447,646	26	9.9	03.8-16.0	192	90.1	84.0-96.2
45-54	189	274,761	30	16.4	10.1-22.7	159	83.6	77.3-89.9
55-64	86	119,847	11	15.9	05.5-26.3	75	84.1	73.7-94.5
65+	60	75,950	9	16.4	04.6-28.2	51	83.6	71.8-95.4
Less Than H.S.	71	98,421	19	22.3	11.3-33.3	52	77.7	66.7-88.7
H.S. or G.E.D.	255	527,560	33	13.2	06.9-19.5	222	86.8	80.5-93.1
Some Post-H.S.	216	366,623	35	16.4	08.8-24.0	181	83.6	76.0-91.2
College Graduate	240	443,224	22	9.3	05.2-13.4	218	90.7	86.6-94.8
Less than \$15,000	95	159,160	18	16.6	07.6-25.6	77	83.4	74.4-92.4
\$15,000- 24,999	124	271,024	21	15.8	05.4-26.2	103	84.2	73.8-94.6
\$25,000- 34,999	73	116,017	14	28.7	09.9-47.5	59	71.3	52.5-90.1
\$35,000- 49,999	104	201,296	19	13.5	06.6-20.4	85	86.5	79.6-93.4
\$50,000- 74,999	98	182,488	10	8.6	02.3-14.9	88	91.4	85.1-97.7
\$75,000+	210	382,715	14	6.8	02.9-10.7	196	93.2	89.3-97.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	268	463,475	33	9.1	05.6-12.6	235	90.9	87.4-94.4
White/Non-Hisp	218	338,638	26	10.7	06.2-15.2	192	89.3	84.8-93.8
25-34	50	111,971	7	8.0	01.1-14.9	43	92.0	85.1-98.9
35-44	63	130,480	2	1.4	00.0-03.0	61	98.6	97.0-0100
45-54	71	97,755	9	13.7	04.3-23.1	62	86.3	76.9-95.7
H.S. or G.E.D.	84	167,897	10	7.9	02.0-13.8	74	92.1	86.2-98.0
Some Post-H.S.	69	109,915	8	5.7	01.4-10.0	61	94.3	90.0-98.6
College Graduate	85	144,219	7	9.0	01.9-16.1	78	91.0	83.9-98.1
\$75,000+	89	156,376	6	6.1	00.4-11.8	83	93.9	88.2-99.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	515	973,790	76	15.5	11.4-19.6	439	84.5	80.4-88.6
White/Non-Hisp	401	673,265	59	15.3	10.4-20.2	342	84.7	79.8-89.6
Black or Afr. Am./Non-Hisp	85	236,538	13	15.9	07.5-24.3	72	84.1	75.7-92.5
25-34	119	302,802	16	17.4	07.2-27.6	103	82.6	72.4-92.8
35-44	155	317,166	24	13.4	08.5-18.3	131	86.6	81.7-91.5
45-54	118	177,006	21	18.0	10.0-26.0	97	82.0	74.0-90.0
H.S. or G.E.D.	171	359,662	23	15.6	07.0-24.2	148	84.4	75.8-93.0
Some Post-H.S.	147	256,708	27	21.0	14.1-27.9	120	79.0	72.1-85.9
College Graduate	155	299,006	15	9.5	04.4-14.6	140	90.5	85.4-95.6
Less than \$15,000	74	132,720	14	17.2	06.8-27.6	60	82.8	72.4-93.2
\$15,000- 24,999	94	221,168	17	17.4	05.1-29.7	77	82.6	70.3-94.9
\$25,000- 34,999	50	85,807	9	31.2	18.3-44.1	41	68.8	55.9-81.7
\$35,000- 49,999	64	111,997	10	11.8	03.6-20.0	54	88.2	80.0-96.4
\$50,000- 74,999	57	112,102	6	11.3	01.7-20.9	51	88.7	79.1-98.3
\$75,000+	121	226,339	8	7.3	01.8-12.8	113	92.7	87.2-98.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	103	184,724	70	75.4	66.0-84.8	33	24.6	15.2-34.0
Female	73	146,045	48	74.0	62.6-85.4	25	26.0	14.6-37.4
White/Non-Hisp	80	133,514	52	68.7	56.0-81.4	28	31.3	18.6-44.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014
MODULE 18: CHILDHOOD ASTHMA PREVALENCE

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2014**

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	73	146,045	48	74.0	62.6-85.4	25	26.0	14.6-37.4
White/Non-Hisp	56	98,380	34	64.3	48.0-80.6	22	35.7	19.4-52.0

End of Module Data Report