

TENNESSEE

2015 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 27, 2016



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4496	3,887,063	2925	58.1	55.7-60.5	1571	41.9	39.5-44.3
Male	1710	1,852,661	1099	54.8	51.3-58.3	611	45.2	41.7-48.7
Female	2786	2,034,402	1826	61.1	58.2-64.0	960	38.9	36.0-41.8
White/Non-Hisp	3676	2,940,040	2410	59.2	56.7-61.7	1266	40.8	38.3-43.3
Black or Afr. Am./Non-Hisp	543	602,603	355	55.8	48.7-62.9	188	44.2	37.1-51.3
Oth. Race/Non-Hisp.	102	91,271	66	57.7	43.2-72.2	36	42.3	27.8-56.8
Hispanic	65	126,339	33	51.3	33.3-69.3	32	48.7	30.7-66.7
18-24	206	486,781	72	33.8	26.0-41.6	134	66.2	58.4-74.0
25-34	380	656,670	193	49.8	43.3-56.3	187	50.2	43.7-56.7
35-44	496	673,901	286	53.3	47.2-59.4	210	46.7	40.6-52.8
45-54	757	678,429	492	62.8	57.9-67.7	265	37.2	32.3-42.1
55-64	1033	638,441	735	71.2	67.3-75.1	298	28.8	24.9-32.7
65+	1570	718,398	1115	70.6	67.3-73.9	455	29.4	26.1-32.7
Less Than H.S.	467	575,518	267	50.7	43.6-57.8	200	49.3	42.2-56.4
H.S. or G.E.D.	1458	1,347,650	886	54.8	50.9-58.7	572	45.2	41.3-49.1
Some Post-H.S.	1132	1,126,536	757	59.8	55.3-64.3	375	40.2	35.7-44.7
College Graduate	1423	829,267	1009	66.5	63.0-70.0	414	33.5	30.0-37.0
Less than \$15,000	461	398,130	274	54.2	46.6-61.8	187	45.8	38.2-53.4
\$15,000- 24,999	710	653,051	438	51.3	45.4-57.2	272	48.7	42.8-54.6
\$25,000- 34,999	443	402,142	285	57.1	49.3-64.9	158	42.9	35.1-50.7
\$35,000- 49,999	530	482,206	348	58.6	52.1-65.1	182	41.4	34.9-47.9
\$50,000- 74,999	534	498,261	378	65.4	59.5-71.3	156	34.6	28.7-40.5
\$75,000+	893	755,563	656	66.9	62.2-71.6	237	33.1	28.4-37.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1710	1,852,661	1099	54.8	51.3-58.3	611	45.2	41.7-48.7
White/Non-Hisp	1415	1,374,014	930	56.3	52.4-60.2	485	43.7	39.8-47.6
Black or Afr. Am./Non-Hisp	161	270,312	92	48.6	36.8-60.4	69	51.4	39.6-63.2
Oth. Race/Non-Hisp.	58	65,903	40	62.0	43.8-80.2	18	38.0	19.8-56.2
18-24	110	262,394	27	21.1	12.3-29.9	83	78.9	70.1-87.7
25-34	151	309,651	60	36.0	26.6-45.4	91	64.0	54.6-73.4
35-44	194	328,302	106	51.9	42.5-61.3	88	48.1	38.7-57.5
45-54	295	325,948	198	66.1	58.5-73.7	97	33.9	26.3-41.5
55-64	377	295,792	277	75.9	70.0-81.8	100	24.1	18.2-30.0
65+	559	310,067	415	72.7	67.2-78.2	144	27.3	21.8-32.8
Less Than H.S.	172	283,760	96	47.7	37.1-58.3	76	52.3	41.7-62.9
H.S. or G.E.D.	559	670,390	328	52.5	46.6-58.4	231	47.5	41.6-53.4
Some Post-H.S.	385	500,938	240	51.0	43.7-58.3	145	49.0	41.7-56.3
College Graduate	586	394,862	432	68.6	63.1-74.1	154	31.4	25.9-36.9
Less than \$15,000	140	164,636	68	46.9	33.8-60.0	72	53.1	40.0-66.2
\$15,000- 24,999	242	296,748	142	45.0	35.8-54.2	100	55.0	45.8-64.2
\$25,000- 34,999	169	201,646	108	57.4	46.0-68.8	61	42.6	31.2-54.0
\$35,000- 49,999	229	248,601	151	54.4	44.8-64.0	78	45.6	36.0-55.2
\$50,000- 74,999	241	262,133	164	63.0	54.2-71.8	77	37.0	28.2-45.8
\$75,000+	423	400,068	316	66.5	59.2-73.8	107	33.5	26.2-40.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2786	2,034,402	1826	61.1	58.2-64.0	960	38.9	36.0-41.8
White/Non-Hisp	2261	1,566,025	1480	61.7	58.6-64.8	781	38.3	35.2-41.4
Black or Afr. Am./Non-Hisp	382	332,292	263	61.7	53.9-69.5	119	38.3	30.5-46.1
18-24	96	224,387	45	48.7	36.0-61.4	51	51.3	38.6-64.0
25-34	229	347,019	133	62.2	54.6-69.8	96	37.8	30.2-45.4
35-44	302	345,599	180	54.7	46.9-62.5	122	45.3	37.5-53.1
45-54	462	352,481	294	59.8	53.5-66.1	168	40.2	33.9-46.5
55-64	656	342,649	458	67.1	61.8-72.4	198	32.9	27.6-38.2
65+	1011	408,331	700	69.0	64.9-73.1	311	31.0	26.9-35.1
Less Than H.S.	295	291,758	171	53.7	44.5-62.9	124	46.3	37.1-55.5
H.S. or G.E.D.	899	677,260	558	57.2	52.1-62.3	341	42.8	37.7-47.9
Some Post-H.S.	747	625,599	517	66.8	61.7-71.9	230	33.2	28.1-38.3
College Graduate	837	434,404	577	64.6	59.9-69.3	260	35.4	30.7-40.1
Less than \$15,000	321	233,494	206	59.3	50.5-68.1	115	40.7	31.9-49.5
\$15,000- 24,999	468	356,304	296	56.7	49.3-64.1	172	43.3	35.9-50.7
\$25,000- 34,999	274	200,496	177	56.8	45.8-67.8	97	43.2	32.2-54.2
\$35,000- 49,999	301	233,605	197	63.1	55.3-70.9	104	36.9	29.1-44.7
\$50,000- 74,999	293	236,128	214	68.1	60.1-76.1	79	31.9	23.9-39.9
\$75,000+	470	355,495	340	67.3	61.2-73.4	130	32.7	26.6-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4724	4,065,965	528	9.3	08.1-10.5	61	1.3	00.9-01.7	4135	89.3	88.1-90.5
Male	1792	1,935,993	188	7.6	06.0-09.2				1604	92.4	90.8-94.0
Female	2932	2,129,972	340	10.9	09.3-12.5	61	2.6	01.8-03.4	2531	86.6	84.8-88.4
White/Non-Hisp	3878	3,095,589	417	9.2	08.0-10.4	52	1.6	01.0-02.2	3409	89.2	87.8-90.6
Black or Afr. Am./Non-Hisp	557	617,327	76	9.1	06.2-12.0	6	0.5	00.0-01.1	475	90.3	87.2-93.4
Oth. Race/Non-Hisp.	104	96,052	17	15.5	06.3-24.7	2	0.7	00.0-01.7	85	83.9	74.5-93.3
MultiRacial/Non-Hisp.	52	65,604	7	11.9	00.5-23.3				45	88.1	76.7-99.5
Hispanic	69	134,007	4	4.2	00.0-10.7	1	1.0	00.0-03.0	64	94.8	88.1-0100
18-24	219	513,040	12	5.6	02.1-09.1				207	94.4	90.9-97.9
25-34	390	673,414	25	5.0	02.6-07.4	10	3.1	01.1-05.1	355	91.9	88.8-95.0
35-44	518	708,066	36	5.8	03.4-08.2	12	1.4	00.4-02.4	470	92.8	90.3-95.3
45-54	794	711,566	87	10.4	07.5-13.3	16	1.4	00.6-02.2	691	88.2	85.3-91.1
55-64	1064	655,850	157	14.8	11.9-17.7	16	1.5	00.5-02.5	891	83.7	80.8-86.6
65+	1683	766,835	207	13.5	11.1-15.9	7	0.5	00.0-01.1	1469	86.0	83.6-88.4
Less Than H.S.	492	599,904	77	13.1	09.0-17.2	3	0.4	00.0-01.0	412	86.5	82.4-90.6
H.S. or G.E.D.	1536	1,407,511	180	8.4	06.6-10.2	19	1.1	00.5-01.7	1337	90.5	88.7-92.3
Some Post-H.S.	1181	1,170,231	139	10.4	08.2-12.6	18	1.7	00.7-02.7	1024	87.9	85.5-90.3
College Graduate	1498	879,945	131	7.0	05.4-08.6	21	1.8	00.6-03.0	1346	91.2	89.2-93.2
Less than \$15,000	477	406,433	83	13.3	09.2-17.4	5	1.5	00.0-03.1	389	85.2	80.7-89.7
\$15,000- 24,999	739	673,870	94	9.2	06.7-11.7	8	1.3	00.1-02.5	637	89.5	86.8-92.2
\$25,000- 34,999	458	415,490	57	12.6	07.9-17.3	4	0.8	00.0-01.6	397	86.7	82.0-91.4
\$35,000- 49,999	550	496,037	60	10.4	07.1-13.7	8	1.5	00.1-02.9	482	88.1	84.6-91.6
\$50,000- 74,999	556	515,243	64	8.7	06.0-11.4	6	1.2	00.0-02.4	486	90.1	87.2-93.0
\$75,000+	939	801,231	70	6.6	04.4-08.8	16	1.8	00.6-03.0	853	91.6	89.2-94.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	1,935,993	188	7.6	06.0-09.2	1604	92.4	90.8-94.0
White/Non-Hisp	1489	1,441,794	150	7.6	06.0-09.2	1339	92.4	90.8-94.0
Black or Afr. Am./Non-Hisp	165	275,915	22	5.7	02.4-09.0	143	94.3	91.0-97.6
Oth. Race/Non-Hisp.	59	70,074	8	13.9	03.3-24.5	51	86.1	75.5-96.7
18-24	117	277,739	3	4.1	00.0-09.0	114	95.9	91.0-0100
25-34	156	322,555	5	2.1	00.0-04.3	151	97.9	95.7-0100
35-44	201	344,634	12	4.2	01.3-07.1	189	95.8	92.9-98.7
45-54	310	336,719	24	7.0	03.5-10.5	286	93.0	89.5-96.5
55-64	392	306,285	61	15.5	10.8-20.2	331	84.5	79.8-89.2
65+	591	327,270	81	13.3	09.8-16.8	510	86.7	83.2-90.2
Less Than H.S.	181	296,847	24	10.7	04.8-16.6	157	89.3	83.4-95.2
H.S. or G.E.D.	591	704,916	57	5.8	03.8-07.8	534	94.2	92.2-96.2
Some Post-H.S.	401	516,134	43	8.0	05.1-10.9	358	92.0	89.1-94.9
College Graduate	610	415,103	63	8.2	05.7-10.7	547	91.8	89.3-94.3
Less than \$15,000	145	168,612	25	10.5	04.6-16.4	120	89.5	83.6-95.4
\$15,000- 24,999	250	304,694	29	9.2	04.7-13.7	221	90.8	86.3-95.3
\$25,000- 34,999	176	209,836	15	9.6	02.5-16.7	161	90.4	83.3-97.5
\$35,000- 49,999	238	254,847	23	8.0	03.7-12.3	215	92.0	87.7-96.3
\$50,000- 74,999	249	271,962	27	7.4	04.1-10.7	222	92.6	89.3-95.9
\$75,000+	443	424,581	40	6.1	03.6-08.6	403	93.9	91.4-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2932	2,129,972	340	10.9	09.3-12.5	61	2.6	01.8-03.4	2531	86.6	84.8-88.4
White/Non-Hisp	2389	1,653,795	267	10.6	08.8-12.4	52	3.0	02.0-04.0	2070	86.4	84.4-88.4
Black or Afr. Am./Non-Hisp	392	341,411	54	11.9	07.4-16.4	6	1.0	00.0-02.0	332	87.1	82.4-91.8
18-24	102	235,301	9	7.5	02.2-12.8				93	92.5	87.2-97.8
25-34	234	350,858	20	7.7	03.6-11.8	10	5.9	02.2-09.6	204	86.3	80.8-91.8
35-44	317	363,432	24	7.3	03.8-10.8	12	2.7	00.9-04.5	281	90.0	86.1-93.9
45-54	484	374,848	63	13.5	09.2-17.8	16	2.6	01.0-04.2	405	83.8	79.3-88.3
55-64	672	349,565	96	14.1	10.8-17.4	16	2.9	00.9-04.9	560	83.0	79.3-86.7
65+	1092	439,565	126	13.7	10.6-16.8	7	0.9	00.1-01.7	959	85.4	82.1-88.7
Less Than H.S.	311	303,057	53	15.4	09.7-21.1	3	0.9	00.0-02.1	255	83.7	78.0-89.4
H.S. or G.E.D.	945	702,595	123	11.0	08.5-13.5	19	2.3	00.9-03.7	803	86.7	83.8-89.6
Some Post-H.S.	780	654,097	96	12.3	09.0-15.6	18	3.1	01.5-04.7	666	84.6	81.1-88.1
College Graduate	888	464,842	68	5.8	04.0-07.6	21	3.4	01.2-05.6	799	90.7	88.0-93.4
Less than \$15,000	332	237,822	58	15.2	09.5-20.9	5	2.5	00.0-05.2	269	82.2	75.9-88.5
\$15,000- 24,999	489	369,176	65	9.3	06.2-12.4	8	2.4	00.4-04.4	416	88.4	84.7-92.1
\$25,000- 34,999	282	205,654	42	15.6	09.1-22.1	4	1.5	00.0-03.1	236	82.9	76.2-89.6
\$35,000- 49,999	312	241,190	37	12.9	07.8-18.0	8	3.2	00.7-05.7	267	83.9	78.4-89.4
\$50,000- 74,999	307	243,281	37	10.1	05.8-14.4	6	2.6	00.2-05.0	264	87.3	82.4-92.2
\$75,000+	496	376,650	30	7.1	03.6-10.6	16	3.8	01.3-06.3	450	89.1	85.0-93.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	888	575,599	11	2.4	00.4-04.4	68	10.8	07.3-14.3	210	31.3	26.0-36.6	380	37.7	33.0-42.4	219	17.8	14.7-20.9
Male	379	277,960	5	2.2	00.0-04.9	22	10.7	05.4-16.0	90	30.6	23.5-37.7	164	37.9	31.2-44.6	98	18.5	13.8-23.2
Female	509	297,639	6	2.5	00.0-05.0	46	10.8	06.3-15.3	120	32.0	24.2-39.8	216	37.5	31.0-44.0	121	17.2	13.1-21.3
White/Non-Hisp	692	431,581	9	3.0	00.5-05.5	47	10.1	06.4-13.8	160	27.9	23.2-32.6	296	39.2	34.3-44.1	180	19.7	16.2-23.2
Black or Afr. Am./Non-Hisp	148	117,870				16	13.4	03.6-23.2	41	42.3	26.6-58.0	62	33.8	21.6-46.0	29	10.4	04.3-16.5
45-54	129	122,534	3	0.9	00.0-02.1	17	8.1	03.0-13.2	76	64.9	52.9-76.9	33	26.2	15.4-37.0			
55-64	234	151,955				12	2.6	00.8-04.4	62	29.3	20.1-38.5	151	64.9	55.7-74.1	9	3.2	00.7-05.7
65+	456	205,341	1	0.3	00.0-00.9	11	2.4	00.6-04.2	40	7.9	05.0-10.8	195	42.0	36.1-47.9	209	47.4	41.3-53.5
Less Than H.S.	129	121,379	3	1.8	00.0-04.2	9	9.6	01.4-17.8	34	39.0	23.7-54.3	51	33.0	21.6-44.4	32	16.6	08.6-24.6
H.S. or G.E.D.	313	193,990				30	14.9	08.0-21.8	75	28.6	21.3-35.9	131	38.7	31.4-46.0	77	17.8	13.1-22.5
Some Post-H.S.	232	169,877	3	3.7	00.0-08.2	17	10.4	04.5-16.3	60	30.4	21.2-39.6	94	39.1	30.1-48.1	58	16.3	11.0-21.6
College Graduate	212	89,728	5	5.6	00.0-13.6	12	4.2	01.3-07.1	41	28.8	19.0-38.6	103	39.2	30.0-48.4	51	22.1	13.9-30.3
Less than \$15,000	140	93,710	1	0.7	00.0-02.1	18	12.6	04.4-20.8	43	40.7	23.3-58.1	56	40.2	25.7-54.7	22	5.7	02.4-09.0
\$15,000- 24,999	201	128,976	4	3.5	00.0-08.6	19	12.4	05.0-19.8	53	29.3	20.3-38.3	79	34.4	25.0-43.8	46	20.4	13.1-27.7
\$25,000- 34,999	90	53,146	3	6.2	00.0-14.0	6	17.7	04.0-31.4	20	22.2	10.8-33.6	36	27.8	17.0-38.6	25	26.2	14.4-38.0
\$35,000- 49,999	100	67,471				3	3.4	00.0-08.3	14	24.4	09.7-39.1	62	52.8	38.3-67.3	21	19.5	09.5-29.5
\$50,000- 74,999	102	78,627				3	6.4	00.0-13.8	24	44.5	29.0-60.0	43	31.7	19.5-43.9	32	17.3	08.7-25.9
\$75,000+	100	67,570	1	5.6	00.0-16.0	7	7.9	00.0-16.3	26	30.2	18.8-41.6	45	41.2	28.3-54.1	21	15.1	07.5-22.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	379	277,960	5	2.2	00.0-04.9	22	10.7	05.4-16.0	90	30.6	23.5-37.7	164	37.9	31.2-44.6	98	18.5	13.8-23.2
White/Non-Hisp	314	226,961	4	2.6	00.0-05.9	18	10.2	04.7-15.7	72	28.3	21.6-35.0	139	39.7	32.4-47.0	81	19.1	14.0-24.2
45-54	65	66,958	2	1.4	00.0-03.4	6	7.9	00.5-15.3	39	63.5	48.0-79.0	18	27.1	12.8-41.4			
55-64	90	72,427				3	1.6	00.0-03.6	23	26.6	15.4-37.8	58	66.9	54.9-78.9	6	4.9	00.4-09.4
65+	198	95,430				3	2.5	00.0-05.4	15	6.7	02.6-10.8	88	40.6	32.2-49.0	92	50.3	41.5-59.1
Less Than H.S.	52	51,501	2	1.8	00.0-04.5	3	14.4	00.0-30.9	15	28.5	13.2-43.8	20	33.7	18.2-49.2	12	21.6	07.9-35.3
H.S. or G.E.D.	115	90,249				12	18.4	07.2-29.6	27	28.7	16.9-40.5	43	34.0	22.4-45.6	33	18.9	11.3-26.5
Some Post-H.S.	105	84,268	1	1.4	00.0-04.1	3	4.9	00.0-11.0	25	34.7	20.0-49.4	48	44.7	31.0-58.4	28	14.3	07.8-20.8
College Graduate	107	51,943	2	7.7	00.0-21.0	4	3.2	00.0-06.5	23	29.4	16.1-42.7	53	38.0	26.2-49.8	25	21.7	10.3-33.1
\$15,000- 24,999	70	53,564	1	0.4	00.0-01.2	3	5.4	00.0-13.2	19	26.2	13.5-38.9	27	39.2	22.7-55.7	20	28.8	14.7-42.9
\$50,000- 74,999	52	35,541							12	46.6	27.2-66.0	24	37.1	19.7-54.5	16	16.3	04.0-28.6
\$75,000+	64	46,534	1	8.1	00.0-22.8	2	1.9	00.0-04.8	18	33.1	18.4-47.8	29	41.6	25.9-57.3	14	15.4	05.8-25.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	509	297,639	6	2.5	00.0-05.0	46	10.8	06.3-15.3	120	32.0	24.2-39.8	216	37.5	31.0-44.0	121	17.2	13.1-21.3
White/Non-Hisp	378	204,620	5	3.5	00.0-07.2	29	10.0	05.1-14.9	88	27.5	21.0-34.0	157	38.5	31.8-45.2	99	20.4	15.3-25.5
Black or Afr. Am./Non-Hisp	102	75,037	14	14.2	02.8-25.6	28	42.3	22.3-62.3	43	35.6	19.9-51.3	43	35.6	19.9-51.3	17	7.9	02.6-13.2
45-54	64	55,577	1	0.2	00.0-00.6	11	8.3	01.6-15.0	37	66.5	48.1-84.9	15	25.0	08.5-41.5			
55-64	144	79,528	9	3.6	00.7-06.5	9	3.6	00.7-06.5	39	31.7	17.8-45.6	93	63.0	49.3-76.7	3	1.6	00.0-04.1
65+	258	109,911	1	0.6	00.0-01.8	8	2.4	00.2-04.6	25	8.9	04.6-13.2	107	43.2	35.2-51.2	117	45.0	36.8-53.2
Less Than H.S.	77	69,879	1	1.9	00.0-05.6	6	6.0	00.0-12.3	19	46.8	25.4-68.2	31	32.5	16.6-48.4	20	12.8	04.4-21.2
H.S. or G.E.D.	198	103,741				18	11.8	03.6-20.0	48	28.5	20.5-36.5	88	42.8	33.6-52.0	44	16.8	10.9-22.7
Some Post-H.S.	127	85,609	2	6.0	00.0-14.2	14	15.8	05.8-25.8	35	26.1	15.7-36.5	46	33.7	22.1-45.3	30	18.3	10.1-26.5
College Graduate	105	37,786	3	2.7	00.0-06.4	8	5.5	00.2-10.8	18	28.1	13.6-42.6	50	40.9	27.2-54.6	26	22.7	11.3-34.1
Less than \$15,000	96	52,726				12	8.8	00.6-17.0	31	45.5	21.8-69.2	37	40.0	20.4-59.6	16	5.8	01.9-09.7
\$15,000- 24,999	131	75,412	3	5.7	00.0-14.1	16	17.4	06.0-28.8	34	31.5	19.2-43.8	52	31.0	20.8-41.2	26	14.4	07.5-21.3
\$35,000- 49,999	52	33,836				1	0.4	00.0-01.2	6	18.9	01.7-36.1	35	62.4	42.6-82.2	10	18.2	04.1-32.3
\$50,000- 74,999	50	43,086				3	11.6	00.0-25.1	12	42.9	19.6-66.2	19	27.3	11.4-43.2	16	18.2	06.0-30.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	970	600,882	114	11.7	08.8-14.6	229	23.4	19.5-27.3	613	62.2	57.7-66.7	14	2.7	00.7-04.7
Male	403	285,461	52	10.7	06.8-14.6	113	30.7	24.0-37.4	233	57.2	50.3-64.1	5	1.4	00.0-03.0
Female	567	315,421	62	12.6	08.1-17.1	116	16.7	12.8-20.6	380	66.7	60.8-72.6	9	3.9	00.4-07.4
White/Non-Hisp	753	454,928	95	12.3	09.0-15.6	183	23.4	19.3-27.5	466	61.8	56.9-66.7	9	2.5	00.1-04.9
Black or Afr. Am./Non-Hisp	164	115,316	16	11.6	03.4-19.8	32	24.5	12.2-36.8	113	60.2	47.3-73.1	3	3.8	00.0-08.9
45-54	132	112,558	13	7.4	02.3-12.5	24	26.1	13.4-38.8	90	59.7	46.8-72.6	5	6.8	00.0-15.0
55-64	250	157,977	26	12.9	06.4-19.4	56	23.3	16.0-30.6	167	62.4	53.8-71.0	1	1.4	00.0-04.1
65+	512	231,595	61	10.7	07.0-14.4	136	24.6	19.9-29.3	312	64.3	58.8-69.8	3	0.4	00.0-01.0
Less Than H.S.	159	126,987	16	10.9	03.8-18.0	24	14.1	07.4-20.8	116	70.7	60.3-81.1	3	4.3	00.0-11.2
H.S. or G.E.D.	350	207,846	36	9.9	05.2-14.6	83	27.2	20.5-33.9	228	60.7	53.3-68.1	3	2.2	00.0-04.7
Some Post-H.S.	243	174,435	30	13.5	07.4-19.6	58	24.3	15.7-32.9	150	58.9	49.7-68.1	5	3.3	00.0-06.8
College Graduate	215	90,959	31	13.0	06.9-19.1	63	25.9	17.7-34.1	118	60.6	51.2-70.0	3	0.5	00.0-01.3
Less than \$15,000	166	95,372	20	9.8	03.1-16.5	29	24.2	10.9-37.5	114	62.5	49.4-75.6	3	3.5	00.0-08.0
\$15,000- 24,999	213	135,324	21	11.9	05.0-18.8	38	16.5	09.8-23.2	152	69.7	60.7-78.7	2	1.8	00.0-05.1
\$25,000- 34,999	97	57,843	5	3.6	00.0-07.3	26	24.3	12.1-36.5	62	69.2	56.7-81.7	4	2.9	00.0-06.6
\$35,000- 49,999	108	72,141	14	16.7	05.1-28.3	31	26.7	15.1-38.3	63	56.6	42.9-70.3			
\$50,000- 74,999	102	75,247	16	15.8	06.2-25.4	30	25.0	13.4-36.6	53	48.3	32.8-63.8	3	10.8	00.0-23.3
\$75,000+	102	68,297	15	13.2	04.0-22.4	35	33.3	21.0-45.6	51	52.7	39.6-65.8	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	403	285,461	52	10.7	06.8-14.6	113	30.7	23.8-37.6	233	57.2	50.3-64.1	5	1.4	00.0-03.0
White/Non-Hisp	333	231,430	45	10.7	06.8-14.6	95	29.6	22.9-36.3	190	58.2	51.1-65.3	3	1.5	00.0-03.5
45-54	62	63,408	2	0.8	00.0-02.2	16	38.0	19.0-57.0	41	56.4	37.8-75.0	3	4.8	00.0-11.5
55-64	96	77,111	12	13.5	05.1-21.9	25	30.7	18.5-42.9	59	55.8	42.7-68.9			
65+	216	103,225	33	14.2	07.7-20.7	64	28.4	20.8-36.0	119	57.4	48.8-66.0			
Less Than H.S.	65	57,767	10	17.6	04.7-30.5	11	20.2	07.9-32.5	42	60.6	45.1-76.1	2	1.6	00.0-04.1
H.S. or G.E.D.	122	93,723	10	6.7	01.8-11.6	39	37.9	25.7-50.1	73	55.4	43.2-67.6			
Some Post-H.S.	108	83,078	12	9.0	03.1-14.9	31	34.0	19.3-48.7	63	53.8	39.7-67.9	2	3.2	00.0-08.1
College Graduate	108	50,892	20	12.9	05.8-20.0	32	24.1	13.5-34.7	55	62.4	49.9-74.9	1	0.6	00.0-01.8
Less than \$15,000	52	44,688	6	10.4	00.0-21.6	11	38.3	14.8-61.8	33	48.3	26.9-69.7	2	3.0	00.0-07.3
\$15,000- 24,999	71	53,919	8	10.6	00.8-20.4	13	19.5	06.2-32.8	49	69.5	54.8-84.2	1	0.4	00.0-01.2
\$25,000- 34,999	52	35,703	3	4.0	00.0-09.1	15	26.1	08.7-43.5	33	69.1	51.5-86.7	1	0.8	00.0-02.4
\$35,000- 49,999	51	34,787	10	22.6	06.1-39.1	14	27.2	11.7-42.7	27	50.2	30.4-70.0			
\$50,000- 74,999	51	31,821	7	8.8	00.2-17.4	15	34.6	14.8-54.4	28	50.1	30.5-69.7	1	6.4	00.0-18.4
\$75,000+	65	46,887	11	9.7	02.8-16.6	21	33.2	18.1-48.3	33	57.1	41.4-72.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	567	315,421	62	12.6	08.1-17.1	116	16.7	12.8-20.6	380	66.7	60.8-72.6	9	3.9	00.4-07.4
White/Non-Hisp	420	223,498	50	13.9	08.6-19.2	88	16.9	12.6-21.2	276	65.6	59.1-72.1	6	3.6	00.0-07.5
Black or Afr. Am./Non-Hisp	116	72,102	11	11.6	01.2-22.0	18	17.2	06.2-28.2	84	65.1	51.0-79.2	3	6.0	00.0-14.0
45-54	70	49,151	11	16.0	05.0-27.0	8	10.7	00.9-20.5	49	64.0	46.8-81.2	2	9.4	00.0-25.9
55-64	154	80,866	14	12.3	02.7-21.9	31	16.3	09.4-23.2	108	68.6	57.2-80.0	1	2.8	00.0-08.1
65+	296	128,369	28	7.8	03.9-11.7	72	21.6	15.9-27.3	193	69.9	63.4-76.4	3	0.7	00.0-01.7
Less Than H.S.	94	69,220	6	5.4	00.0-11.5	13	9.0	02.5-15.5	74	79.2	65.5-92.9	1	6.5	00.0-18.7
H.S. or G.E.D.	228	114,122	26	12.5	05.1-19.9	44	18.4	12.3-24.5	155	65.0	56.0-74.0	3	4.1	00.0-08.8
Some Post-H.S.	135	91,357	18	17.6	07.6-27.6	27	15.5	07.5-23.5	87	63.5	51.7-75.3	3	3.4	00.0-08.3
College Graduate	107	40,067	11	13.2	03.0-23.4	31	28.0	15.1-40.9	63	58.4	44.1-72.7	2	0.4	00.0-01.0
Less than \$15,000	114	50,684	14	9.2	01.2-17.2	18	11.8	04.0-19.6	81	74.9	62.7-87.1	1	4.0	00.0-11.6
\$15,000- 24,999	142	81,405	13	12.8	03.6-22.0	25	14.5	07.8-21.2	103	69.9	58.7-81.1	1	2.8	00.0-08.1
\$35,000- 49,999	57	37,354	4	11.1	00.0-27.4	17	26.3	09.2-43.4	36	62.6	42.8-82.4			
\$50,000- 74,999	51	43,426	9	20.9	05.6-36.2	15	18.0	06.6-29.4	25	47.0	25.2-68.8	2	14.1	00.0-32.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	966	608,701	602	62.4	57.9-66.9	172	16.3	13.0-19.6	54	6.8	04.3-09.3	6	0.6	00.0-01.2	128	13.4	10.3-16.5	4	0.4	00.0-00.8
Male	400	289,615	237	59.9	53.4-66.4	76	18.1	13.0-23.2	23	7.4	03.5-11.3	4	0.8	00.0-02.0	58	13.2	08.9-17.5	2	0.5	00.0-01.3
Female	566	319,086	365	64.7	58.4-71.0	96	14.7	10.4-19.0	31	6.3	03.0-09.6	2	0.5	00.0-01.1	70	13.6	09.1-18.1	2	0.2	00.0-00.6
White/Non-Hisp	748	452,565	450	59.1	54.2-64.0	140	17.8	13.9-21.7	44	8.3	05.0-11.6	6	0.9	00.1-01.7	104	13.5	10.2-16.8	4	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	166	125,851	117	71.1	60.1-82.1	22	11.9	05.0-18.8	7	2.4	00.0-04.8				20	14.6	06.0-23.2			
45-54	131	120,970	89	69.2	57.4-81.0	20	12.6	04.0-21.2	3	2.6	00.0-06.1				19	15.6	07.2-24.0			
55-64	247	156,662	171	65.6	57.2-74.0	35	14.6	08.3-20.9	18	8.9	04.0-13.8				23	10.8	05.7-15.9			
65+	512	231,914	302	61.2	55.5-66.9	103	20.0	15.5-24.5	25	4.6	01.9-07.3	5	1.3	00.0-02.9	74	12.5	08.6-16.4	3	0.5	00.0-01.1
Less Than H.S.	155	137,898	114	74.3	63.9-84.7	20	13.0	04.8-21.2	4	1.1	00.0-02.3				17	11.6	04.5-18.7			
H.S. or G.E.D.	349	207,313	220	61.5	54.4-68.6	59	17.8	12.1-23.5	20	7.9	03.6-12.2	4	1.0	00.0-02.2	45	11.3	07.2-15.4	1	0.5	00.0-01.5
Some Post-H.S.	241	171,327	147	58.7	49.9-67.5	41	14.8	09.7-19.9	18	9.9	04.0-15.8				34	16.5	09.6-23.4	1	0.1	00.0-00.3
College Graduate	217	91,436	120	53.6	43.6-63.6	51	21.0	13.2-28.8	11	7.2	00.0-15.0	2	2.1	00.0-05.4	31	15.2	07.8-22.6	2	0.9	00.0-02.1
Less than \$15,000	164	104,493	109	68.3	56.5-80.1	26	11.4	05.1-17.7	9	4.8	00.5-09.1				20	15.4	06.4-24.4			
\$15,000- 24,999	207	129,699	149	69.6	60.4-78.8	31	13.0	06.9-19.1	5	3.9	00.0-09.0	2	0.6	00.0-01.4	20	12.9	06.0-19.8			
\$25,000- 34,999	97	58,033	51	52.4	39.1-65.7	21	25.6	13.4-37.8	5	5.2	00.1-10.3	1	1.7	00.0-05.0	19	15.1	07.1-23.1			
\$35,000- 49,999	109	73,480	65	59.8	46.5-73.1	25	18.5	09.3-27.7	3	2.2	00.0-04.7	2	2.3	00.0-06.4	14	17.3	05.7-28.9			
\$50,000- 74,999	102	75,247	62	61.5	46.8-76.2	15	13.5	01.9-25.1	12	13.8	04.2-23.4	1	0.7	00.0-02.1	11	10.0	02.7-17.3	1	0.5	00.0-01.5
\$75,000+	103	69,593	59	53.4	40.3-66.5	21	24.5	13.5-35.5	12	16.5	04.2-28.8				11	5.5	01.6-09.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	400	289,615	237	59.9	53.4-66.4	76	18.1	13.0-23.2	23	7.4	03.7-11.1	4	0.8	00.0-02.0	58	13.2	08.9-17.5	2	0.5	00.0-01.3
White/Non-Hisp	329	232,762	188	56.8	49.9-63.7	66	20.2	14.3-26.1	19	8.2	03.7-12.7	4	1.1	00.0-02.5	50	13.2	08.7-17.7	2	0.6	00.0-01.6
45-54	62	63,408	44	77.8	65.3-90.3	9	6.8	01.1-12.5	3	5.0	00.0-11.7				6	10.4	00.6-20.2			
55-64	96	79,889	60	57.6	44.9-70.3	15	19.9	08.9-30.9	9	11.6	03.8-19.4				12	11.0	04.3-17.7			
65+	214	104,860	123	60.1	51.7-68.5	45	20.4	13.5-27.3	7	2.4	00.2-04.6	4	2.3	00.0-05.4	34	14.4	08.1-20.7	1	0.3	00.0-00.9
Less Than H.S.	63	59,251	47	70.8	55.5-86.1	6	9.9	00.0-20.1	1	1.0	00.0-03.0				9	18.4	05.1-31.7			
H.S. or G.E.D.	121	93,779	80	62.2	50.6-73.8	16	18.2	08.0-28.4	6	7.8	01.3-14.3	2	0.6	00.0-01.6	16	9.9	04.2-15.6	1	1.2	00.0-03.6
Some Post-H.S.	109	86,028	58	56.6	44.1-69.1	25	20.1	11.5-28.7	8	8.8	02.3-15.3				18	14.6	06.6-22.6			
College Graduate	107	50,558	52	48.5	34.6-62.4	29	24.3	13.3-35.3	8	11.8	00.0-25.3	2	3.7	00.0-09.8	15	10.9	04.2-17.6	1	0.7	00.0-02.1
Less than \$15,000	50	44,767	31	63.5	44.1-82.9	8	7.1	00.0-14.4	2	6.7	00.0-15.7				9	22.7	06.0-39.4			
\$15,000- 24,999	69	53,839	51	70.2	54.9-85.5	9	13.9	02.1-25.7	1	1.1	00.0-03.3	1	0.5	00.0-01.5	7	14.2	02.0-26.4			
\$25,000- 34,999	53	36,043	30	55.8	38.2-73.4	12	29.0	12.3-45.7	2	4.3	00.0-11.0				9	10.9	02.5-19.3			
\$35,000- 49,999	52	36,126	28	58.8	40.6-77.0	14	25.5	09.6-41.4	1	2.1	00.0-06.2	2	4.6	00.0-13.0	7	8.9	00.9-16.9			
\$50,000- 74,999	51	31,821	30	60.6	41.8-79.4	5	5.3	00.0-11.0	9	23.8	06.6-41.0	1	1.6	00.0-04.7	5	7.6	00.0-16.0	1	1.1	00.0-03.3
\$75,000+	66	48,183	35	50.7	34.8-66.6	18	28.2	14.7-41.7	7	14.8	00.3-29.3				6	6.4	00.9-11.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	566	319,086	365	64.7	58.4-71.0	96	14.7	10.4-19.0	31	6.3	03.0-09.6	2	0.5	00.0-01.1	70	13.6	09.1-18.1	2	0.2	00.0-00.6
White/Non-Hisp	419	219,804	262	61.6	54.9-68.3	74	15.3	10.4-20.2	25	8.3	03.6-13.0	2	0.7	00.0-01.7	54	13.8	09.1-18.5	2	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	117	79,815	85	71.8	57.7-85.9	15	12.7	03.7-21.7	4	1.4	00.0-03.2				13	14.1	02.9-25.3			
45-54	69	57,563	45	59.8	39.4-80.2	11	19.0	02.5-35.5							13	21.3	06.8-35.8			
55-64	151	76,773	111	74.0	64.0-84.0	20	9.2	04.3-14.1	9	6.2	01.7-10.7				11	10.7	02.9-18.5			
65+	298	127,053	179	62.1	54.5-69.7	58	19.6	13.7-25.5	18	6.4	01.9-10.9	1	0.4	00.0-01.2	40	11.0	06.1-15.9	2	0.5	00.0-01.3
Less Than H.S.	92	78,647	67	76.9	63.0-90.8	14	15.4	03.2-27.6	3	1.2	00.0-02.6				8	6.5	00.0-13.2			
H.S. or G.E.D.	228	113,534	140	60.8	52.0-69.6	43	17.4	11.1-23.7	14	8.0	02.1-13.9	2	1.3	00.0-03.3	29	12.4	06.5-18.3			
Some Post-H.S.	132	85,299	89	60.8	48.3-73.3	16	9.4	04.1-14.7	10	11.1	01.7-20.5				16	18.5	07.9-29.1	1	0.3	00.0-00.9
College Graduate	110	40,878	68	59.9	45.4-74.4	22	16.9	05.7-28.1	3	1.7	00.0-04.6				16	20.4	06.7-34.1	1	1.1	00.0-03.3
Less than \$15,000	114	59,726	78	71.9	57.6-86.2	18	14.7	04.9-24.5	7	3.4	00.3-06.5				11	10.0	01.0-19.0			
\$15,000- 24,999	138	75,860	98	69.2	57.6-80.8	22	12.4	06.1-18.7	4	5.8	00.0-14.2	1	0.7	00.0-02.1	13	11.9	04.1-19.7			
\$35,000- 49,999	57	37,354	37	60.7	40.9-80.5	11	11.7	03.1-20.3	2	2.3	00.0-05.6				7	25.3	05.3-45.3			
\$50,000- 74,999	51	43,426	32	62.2	41.6-82.8	10	19.5	00.7-38.3	3	6.5	00.0-14.1				6	11.8	00.8-22.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	953	597,768	113	13.1	10.0-16.2	211	22.8	18.7-26.9	123	13.0	09.1-16.9	277	28.3	24.0-32.6	127	12.6	09.5-15.7	102	10.1	07.4-12.8
Male	399	284,816	61	15.4	10.5-20.3	84	23.6	17.3-29.9	50	11.8	07.5-16.1	103	27.0	20.7-33.3	59	12.8	08.7-16.9	42	9.3	05.6-13.0
Female	554	312,952	52	11.0	07.1-14.9	127	22.1	17.0-27.2	73	14.1	07.6-20.6	174	29.4	23.5-35.3	68	12.5	08.0-17.0	60	10.9	07.0-14.8
White/Non-Hisp	742	450,521	83	13.1	09.6-16.6	169	24.8	20.5-29.1	96	12.2	08.9-15.5	224	27.7	23.4-32.0	92	13.2	09.5-16.9	78	9.0	06.5-11.5
Black or Afr. Am./Non-Hisp	162	120,440	23	14.7	06.1-23.3	33	18.1	06.7-29.5	20	17.8	03.1-32.5	38	26.0	14.4-37.6	28	10.5	04.6-16.4	20	13.0	04.4-21.6
45-54	132	122,029	11	8.9	02.0-15.8	31	26.0	13.8-38.2	17	22.3	07.4-37.2	33	20.3	11.3-29.3	27	15.6	07.2-24.0	13	6.9	02.2-11.6
55-64	249	159,841	31	15.1	08.6-21.6	54	25.3	17.3-33.3	39	11.7	07.2-16.2	75	31.8	22.8-40.8	31	11.0	05.5-16.5	19	5.1	02.4-07.8
65+	498	221,193	50	10.9	07.4-14.4	117	23.1	18.2-28.0	62	10.5	07.4-13.6	156	32.4	26.9-37.9	54	10.7	07.0-14.4	59	12.3	08.0-16.6
Less Than H.S.	150	129,899	15	5.6	01.9-09.3	21	13.0	05.9-20.1	18	17.1	03.2-31.0	46	34.7	22.4-47.0	32	17.6	08.8-26.4	18	12.0	04.9-19.1
H.S. or G.E.D.	336	196,986	45	18.6	12.3-24.9	67	17.9	12.8-23.0	42	12.1	07.4-16.8	105	30.6	23.5-37.7	42	11.5	07.0-16.0	35	9.4	04.9-13.9
Some Post-H.S.	246	178,382	30	14.2	07.9-20.5	68	34.0	24.8-43.2	27	10.8	05.7-15.9	69	21.3	15.0-27.6	32	13.1	07.0-19.2	20	6.6	02.3-10.9
College Graduate	217	91,774	22	9.8	04.3-15.3	55	25.8	17.2-34.4	36	13.8	07.5-20.1	57	27.9	18.5-37.3	19	7.3	03.0-11.6	28	15.5	08.1-22.9
Less than \$15,000	157	99,395	14	8.2	01.9-14.5	28	22.2	08.7-35.7	18	22.3	05.1-39.5	49	23.2	13.4-33.0	32	15.7	08.1-23.3	16	8.4	02.3-14.5
\$15,000- 24,999	209	132,631	27	15.2	07.6-22.8	40	18.2	10.9-25.5	25	6.9	03.6-10.2	60	27.6	19.0-36.2	36	18.7	10.9-26.5	21	13.4	06.0-20.8
\$25,000- 34,999	96	55,922	9	11.3	03.5-19.1	22	17.8	08.2-27.4	12	17.9	05.9-29.9	27	26.7	15.1-38.3	13	11.8	03.6-20.0	13	14.5	04.5-24.5
\$35,000- 49,999	107	73,014	11	11.5	02.9-20.1	29	26.2	14.4-38.0	17	12.2	04.4-20.0	34	32.4	19.1-45.7	9	9.9	01.5-18.3	7	7.8	00.0-16.6
\$50,000- 74,999	101	74,894	14	14.9	05.3-24.5	23	19.7	09.3-30.1	20	14.3	05.9-22.7	27	35.1	19.2-51.0	6	9.0	00.0-20.4	11	7.0	01.7-12.3
\$75,000+	102	69,535	9	5.5	01.2-09.8	33	36.0	23.5-48.5	15	17.0	06.6-27.4	25	25.3	13.5-37.1	9	9.0	02.7-15.3	11	7.1	02.0-12.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	399	284,816	61	15.4	10.7-20.1	84	23.6	17.3-29.9	50	11.8	07.5-16.1	103	27.0	20.7-33.3	59	12.8	08.7-16.9	42	9.3	05.6-13.0
White/Non-Hisp	331	231,718	48	15.1	10.0-20.2	69	22.1	16.2-28.0	43	13.0	07.9-18.1	93	27.9	21.2-34.6	45	13.0	08.5-17.5	33	8.8	05.1-12.5
45-54	62	63,408	5	5.6	00.0-11.3	11	30.2	11.4-49.0	9	19.7	06.4-33.0	18	25.4	11.7-39.1	13	13.0	05.2-20.8	6	6.1	00.0-13.0
55-64	98	79,897	16	18.3	07.9-28.7	22	27.9	15.9-39.9	14	10.0	04.3-15.7	23	26.6	14.6-38.6	17	13.0	04.8-21.2	6	4.2	00.3-08.1
65+	211	101,149	33	17.0	10.5-23.5	47	20.9	14.2-27.6	26	9.9	05.6-14.2	57	28.1	20.3-35.9	23	11.4	05.7-17.1	25	12.7	06.0-19.4
Less Than H.S.	63	57,104	9	7.4	00.9-13.9	7	13.5	02.7-24.3	7	10.3	00.3-20.3	16	32.3	16.4-48.2	14	14.9	05.7-24.1	10	21.6	07.9-35.3
H.S. or G.E.D.	116	89,452	24	24.4	13.2-35.6	14	9.2	03.5-14.9	15	14.2	05.4-23.0	33	30.4	18.2-42.6	23	17.0	08.4-25.6	7	4.8	00.7-08.9
Some Post-H.S.	111	87,028	16	15.7	06.9-24.5	31	41.2	27.7-54.7	14	12.6	04.6-20.6	27	17.7	09.9-25.5	14	9.4	03.1-15.7	9	3.5	00.8-06.2
College Graduate	109	51,232	12	8.2	02.7-13.7	32	30.0	17.8-42.2	14	8.0	03.1-12.9	27	31.0	16.7-45.3	8	9.2	02.1-16.3	16	13.5	04.7-22.3
Less than \$15,000	51	44,330	3	4.6	00.0-11.5	9	29.9	06.0-53.8	8	14.8	01.7-27.9	13	20.9	05.2-36.6	13	15.9	04.9-26.9	5	13.9	01.0-26.8
\$15,000- 24,999	67	50,975	16	25.7	10.6-40.8	9	15.5	01.6-29.4	5	4.5	00.0-09.2	21	30.5	15.8-45.2	13	17.8	05.3-30.3	3	6.1	00.0-15.5
\$25,000- 34,999	52	35,536	3	6.4	00.0-13.8	10	16.5	03.2-29.8	8	21.6	04.4-38.8	13	25.1	09.8-40.4	9	14.2	02.2-26.2	9	16.1	02.6-29.6
\$35,000- 49,999	52	36,126	8	14.9	04.5-25.3	14	22.7	08.8-36.6	6	6.8	00.1-13.5	15	37.5	16.9-58.1	6	12.5	00.5-24.5	3	5.6	00.0-14.2
\$50,000- 74,999	51	31,821	7	10.5	00.0-22.7	10	20.8	06.1-35.5	8	15.9	01.8-30.0	17	38.9	19.1-58.7	3	4.0	00.0-09.3	6	9.8	00.2-19.4
\$75,000+	66	48,183	7	6.1	00.6-11.6	21	35.9	21.0-50.8	10	17.1	04.9-29.3	14	24.4	09.1-39.7	7	10.6	02.2-19.0	7	5.8	00.7-10.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	554	312,952	52	11.0	06.9-15.1	127	22.1	17.2-27.0	73	14.1	07.6-20.6	174	29.4	23.3-35.5	68	12.5	07.8-17.2	60	10.9	06.8-15.0
White/Non-Hisp	411	218,802	35	10.9	06.6-15.2	100	27.8	21.5-34.1	53	11.3	07.2-15.4	131	27.4	22.3-32.5	47	13.4	07.5-19.3	45	9.2	05.7-12.7
Black or Afr. Am./Non-Hisp	115	78,065	14	12.8	02.6-23.0	23	9.7	04.0-15.4	15	24.0	03.2-44.8	32	28.4	14.3-42.5	18	11.0	03.0-19.0	13	14.1	02.5-25.7
45-54	70	58,621	6	12.6	00.1-25.1	20	21.6	09.1-34.1	8	25.1	00.0-51.6	15	14.7	04.7-24.7	14	18.3	03.0-33.6	7	7.8	01.1-14.5
55-64	151	79,944	15	12.0	04.9-19.1	32	22.6	12.2-33.0	25	13.3	06.0-20.6	52	37.0	23.9-50.1	14	9.1	02.0-16.2	13	6.0	02.1-09.9
65+	287	120,044	17	5.9	02.4-09.4	70	25.0	18.1-31.9	36	11.1	06.8-15.4	99	35.9	28.6-43.2	31	10.1	05.2-15.0	34	12.0	06.5-17.5
Less Than H.S.	87	72,795	6	4.2	00.1-08.3	14	12.7	03.5-21.9	11	22.3	00.0-45.0	30	36.6	18.0-55.2	18	19.7	05.8-33.6	8	4.4	00.5-08.3
H.S. or G.E.D.	220	107,534	21	13.7	07.0-20.4	53	25.1	17.5-32.7	27	10.3	05.6-15.0	72	30.8	22.8-38.8	19	7.0	03.3-10.7	28	13.2	05.8-20.6
Some Post-H.S.	135	91,354	14	12.8	03.8-21.8	37	27.2	16.6-37.8	13	9.2	02.7-15.7	42	24.7	15.3-34.1	18	16.5	06.5-26.5	11	9.7	02.1-17.3
College Graduate	108	40,541	10	11.9	01.9-21.9	23	20.4	08.6-32.2	22	21.0	08.8-33.2	30	23.9	13.5-34.3	11	4.8	00.9-08.7	12	18.0	04.9-31.1
Less than \$15,000	106	55,064	11	11.1	01.3-20.9	19	15.9	04.7-27.1	10	28.4	01.4-55.4	36	25.0	12.1-37.9	19	15.6	04.8-26.4	11	4.1	01.0-07.2
\$15,000- 24,999	142	81,656	11	8.7	00.9-16.5	31	19.9	11.7-28.1	20	8.4	03.7-13.1	39	25.7	15.1-36.3	23	19.3	09.1-29.5	18	18.0	07.8-28.2
\$35,000- 49,999	55	36,888	3	8.2	00.0-21.9	15	29.7	11.3-48.1	11	17.5	03.6-31.4	19	27.3	12.2-42.4	3	7.3	00.0-19.1	4	10.0	00.0-25.1
\$50,000- 74,999	50	43,073	7	18.2	04.1-32.3	13	18.9	05.6-32.2	12	13.1	02.9-23.3	10	32.3	09.4-55.2	3	12.6	00.0-31.4	5	5.0	00.0-10.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 13: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	925	581,379	405	46.0	41.1-50.9	401	41.0	36.1-45.9	23	2.7	01.1-04.3	21	1.9	00.9-02.9	55	6.7	04.3-09.1	20	1.8	00.2-03.4
Male	387	277,151	183	47.7	40.6-54.8	158	41.7	34.8-48.6	9	1.6	00.2-03.0	8	2.1	00.3-03.9	23	6.2	03.1-09.3	6	0.6	00.0-01.2
Female	538	304,228	222	44.3	37.2-51.4	243	40.3	33.6-47.0	14	3.6	01.1-06.1	13	1.6	00.4-02.8	32	7.2	03.5-10.9	14	2.9	00.0-05.8
White/Non-Hisp	718	432,893	318	47.9	42.8-53.0	317	41.4	36.5-46.3	14	1.4	00.4-02.4	13	1.8	00.6-03.0	41	6.5	04.0-09.0	15	1.0	00.4-01.6
Black or Afr. Am./Non-Hisp	158	119,058	70	46.2	31.9-60.5	63	36.1	23.2-49.0	6	5.9	00.0-12.0	5	1.9	00.0-03.9	11	6.2	00.0-12.5	3	3.6	00.0-10.1
45-54	128	119,790	53	46.2	32.1-60.3	58	45.2	31.5-58.9	5	2.1	00.0-04.3	4	1.9	00.0-04.3	8	4.5	00.4-08.6			
55-64	242	155,073	106	45.0	36.0-54.0	113	46.2	37.0-55.4	6	1.1	00.1-02.1	1	0.9	00.0-02.7	12	6.0	02.1-09.9	4	0.8	00.0-01.6
65+	481	210,628	208	42.5	36.6-48.4	213	45.1	39.2-51.0	9	2.7	00.5-04.9	13	2.2	00.6-03.8	25	5.4	02.3-08.5	13	2.0	00.2-03.8
Less Than H.S.	135	124,050	39	33.1	19.0-47.2	60	43.4	30.1-56.7	6	2.9	00.4-05.4	7	3.7	00.4-07.0	13	10.0	03.3-16.7	10	6.8	00.0-13.7
H.S. or G.E.D.	329	195,036	146	45.9	38.5-53.3	147	42.6	35.3-49.9	7	3.0	00.3-05.7	2	0.4	00.0-01.0	20	7.3	02.6-12.0	7	0.8	00.2-01.4
Some Post-H.S.	243	173,276	121	54.7	45.5-63.9	100	38.4	29.4-47.4	5	2.1	00.0-05.4	8	2.3	00.1-04.5	9	2.5	00.3-04.7			
College Graduate	214	88,289	97	46.6	36.4-56.8	94	39.3	29.9-48.7	5	2.6	00.0-05.3	3	1.4	00.0-03.6	13	9.4	03.1-15.7	2	0.7	00.0-01.7
Less than \$15,000	152	99,357	55	41.0	25.1-56.9	67	41.6	26.9-56.3	8	3.9	00.0-08.2	4	2.6	00.0-05.7	12	9.7	02.3-17.1	6	1.1	00.3-01.9
\$15,000- 24,999	203	122,771	83	40.9	31.1-50.7	91	39.5	29.9-49.1	5	2.2	00.0-04.4	6	2.2	00.0-04.6	14	10.8	03.5-18.1	4	4.3	00.0-10.6
\$25,000- 34,999	95	56,109	40	41.5	27.8-55.2	46	45.8	32.5-59.1	1	2.9	00.0-08.4	3	2.3	00.0-05.8	4	4.3	00.0-09.8	1	3.1	00.0-09.2
\$35,000- 49,999	105	70,744	50	51.1	37.2-65.0	46	37.8	24.9-50.7	2	4.4	00.0-12.4	4	4.5	00.0-09.6	3	2.2	00.0-05.7			
\$50,000- 74,999	101	75,039	49	45.6	30.9-60.3	42	49.3	34.2-64.4	1	0.5	00.0-01.5				8	4.5	00.4-08.6	1	0.1	00.0-00.3
\$75,000+	102	68,808	51	54.8	42.3-67.3	44	39.9	27.7-52.1	2	2.3	00.0-05.6				4	2.7	00.0-05.6	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 14: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	387	277,151	183	47.7	40.6-54.8	158	41.7	34.8-48.6	9	1.6	00.2-03.0	8	2.1	00.3-03.9	23	6.2	03.1-09.3	6	0.6	00.0-01.2
White/Non-Hisp	321	227,467	152	49.6	42.3-56.9	131	39.4	32.3-46.5	6	1.4	00.0-03.0	6	2.0	00.0-04.0	20	6.8	03.3-10.3	6	0.8	00.0-01.6
45-54	60	62,141	28	47.2	30.1-64.3	25	48.0	30.4-65.6	3	1.5	00.0-03.5	1	2.0	00.0-05.9	3	1.3	00.0-02.7			
55-64	94	76,012	43	44.1	31.2-57.0	41	45.5	32.6-58.4	2	0.7	00.0-01.9				7	9.5	02.4-16.6	1	0.3	00.0-00.9
65+	205	97,560	96	43.1	34.5-51.7	87	46.4	37.6-55.2	4	3.0	00.0-06.5	5	2.9	00.2-05.6	8	2.9	00.4-05.4	5	1.6	00.0-03.4
Less Than H.S.	56	52,627	18	31.3	16.6-46.0	25	49.0	33.1-64.9	1	0.7	00.0-02.1	3	3.9	00.0-09.0	6	12.6	01.8-23.4	3	2.4	00.0-05.5
H.S. or G.E.D.	114	87,049	57	49.9	37.6-62.2	47	40.6	28.4-52.8	3	3.2	00.0-07.3				5	6.0	00.1-11.9	2	0.3	00.0-00.7
Some Post-H.S.	110	86,509	56	52.5	39.0-66.0	43	41.9	28.2-55.6	2	0.3	00.0-00.7	4	3.4	00.0-07.5	5	1.9	00.0-03.9			
College Graduate	107	50,967	52	52.8	39.3-66.3	43	35.6	23.4-47.8	3	2.1	00.0-04.6	1	1.8	00.0-05.3	7	7.3	01.0-13.6	1	0.4	00.0-01.2
\$15,000- 24,999	68	48,383	31	43.0	26.5-59.5	26	42.0	25.7-58.3	3	2.2	00.0-04.7	2	3.1	00.0-08.2	3	7.0	00.0-15.4	3	2.7	00.0-06.2
\$25,000- 34,999	52	35,536	22	41.8	23.2-60.4	24	43.9	26.1-61.7	1	4.5	00.0-13.1	2	3.6	00.0-09.1	3	6.1	00.0-14.5			
\$35,000- 49,999	52	36,126	26	56.4	37.8-75.0	22	36.5	18.9-54.1	1	0.2	00.0-00.6	2	6.5	00.0-15.7	1	0.3	00.0-00.9			
\$50,000- 74,999	50	31,613	20	36.8	17.6-56.0	22	52.1	32.3-71.9	1	1.3	00.0-03.8				6	9.6	00.0-19.2	1	0.3	00.0-00.9
\$75,000+	65	47,398	36	61.1	46.6-75.6	25	35.2	21.1-49.3							3	3.3	00.0-07.2	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 15: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	538	304,228	222	44.3	37.2-51.4	243	40.3	33.6-47.0	14	3.6	00.9-06.3	13	1.6	00.4-02.8	32	7.2	03.5-10.9	14	2.9	00.0-05.8
White/Non-Hisp	397	205,425	166	46.0	38.9-53.1	186	43.6	36.7-50.5	8	1.4	00.2-02.6	7	1.6	00.0-03.2	21	6.1	02.6-09.6	9	1.3	00.3-02.3
Black or Afr. Am./Non-Hisp	112	79,343	51	49.4	31.6-67.2	43	29.0	16.1-41.9	4	7.9	00.0-16.9	3	1.0	00.0-02.4	8	7.2	00.0-15.8	3	5.5	00.0-15.1
45-54	68	57,648	25	45.3	22.6-68.0	33	42.2	21.6-62.8	2	2.8	00.0-06.7	3	1.7	00.0-03.9	5	8.0	00.0-16.4			
55-64	148	79,061	63	45.9	33.4-58.4	72	46.8	33.9-59.7	4	1.6	00.0-03.2	1	1.8	00.0-05.3	5	2.7	00.0-06.0	3	1.3	00.0-02.7
65+	276	113,068	112	42.1	34.1-50.1	126	43.9	36.3-51.5	5	2.4	00.0-04.9	8	1.7	00.3-03.1	17	7.6	02.3-12.9	8	2.4	00.0-05.5
Less Than H.S.	79	71,423	21	34.5	12.5-56.5	35	39.2	19.8-58.6	5	4.5	00.0-09.0	4	3.6	00.0-08.1	7	8.1	00.0-16.3	7	10.1	00.0-21.9
H.S. or G.E.D.	215	107,988	89	42.7	34.1-51.3	100	44.2	35.2-53.2	4	2.8	00.0-06.5	2	0.8	00.0-02.0	15	8.3	01.4-15.2	5	1.1	00.0-02.3
Some Post-H.S.	133	86,768	65	56.9	44.6-69.2	57	34.9	23.5-46.3	3	4.0	00.0-10.7	4	1.2	00.0-02.6	4	3.0	00.0-06.9			
College Graduate	107	37,322	45	38.0	24.3-51.7	51	44.5	30.4-58.6	2	3.3	00.0-08.8	2	0.7	00.0-02.1	6	12.3	00.1-24.5	1	1.1	00.0-03.3
Less than \$15,000	106	56,753	38	47.0	25.2-68.8	47	35.3	18.6-52.0	6	6.0	00.0-13.4	3	3.6	00.0-08.9	7	6.5	00.0-14.3	5	1.6	00.2-03.0
\$15,000- 24,999	135	74,387	52	39.5	27.7-51.3	65	38.0	26.4-49.6	2	2.2	00.0-05.1	4	1.7	00.0-03.5	11	13.3	03.1-23.5	1	5.4	00.0-15.6
\$35,000- 49,999	53	34,618	24	45.6	25.0-66.2	24	39.2	20.2-58.2	1	8.7	00.0-24.6	2	2.4	00.0-05.7	2	4.2	00.0-11.5			
\$50,000- 74,999	51	43,426	29	52.0	29.9-74.1	20	47.2	24.9-69.5							2	0.8	00.0-02.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	957	602,230	199	21.8	17.3-26.3	185	18.0	14.5-21.5	90	10.9	07.4-14.4	147	12.7	09.8-15.6	77	8.7	06.2-11.2	259	27.9	23.8-32.0
Male	402	286,909	92	23.3	17.6-29.0	83	21.5	15.8-27.2	43	12.3	06.6-18.0	50	9.3	06.0-12.6	29	7.5	04.2-10.8	105	26.1	20.4-31.8
Female	555	315,321	107	20.5	13.8-27.2	102	14.9	11.0-18.8	47	9.6	05.5-13.7	97	15.8	10.9-20.7	48	9.7	06.0-13.4	154	29.4	23.3-35.5
White/Non-Hisp	741	448,671	155	22.1	18.0-26.2	138	18.5	14.8-22.2	65	9.9	06.4-13.4	115	11.8	09.3-14.3	51	7.8	05.1-10.5	217	30.0	25.5-34.5
Black or Afr. Am./Non-Hisp	166	125,130	35	23.3	08.8-37.8	31	16.6	07.6-25.6	18	14.6	03.6-25.6	25	12.3	05.6-19.0	21	9.0	03.5-14.5	36	24.2	13.4-35.0
45-54	132	121,946	26	29.0	14.1-43.9	25	16.8	08.8-24.8	14	21.1	08.0-34.2	17	7.1	03.2-11.0	16	7.2	03.1-11.3	34	18.8	10.8-26.8
55-64	251	160,764	57	23.9	16.1-31.7	49	19.7	12.6-26.8	25	8.4	04.5-12.3	37	13.7	06.1-21.3	19	8.0	02.9-13.1	64	26.4	19.0-33.8
65+	500	222,713	100	19.7	15.2-24.2	105	20.6	15.9-25.3	46	9.4	05.9-12.9	88	18.4	13.9-22.9	36	9.6	05.9-13.3	125	22.3	17.8-26.8
Less Than H.S.	151	128,706	26	21.7	07.6-35.8	22	11.6	05.5-17.7	16	11.7	03.7-19.7	25	18.0	07.6-28.4	22	12.3	05.8-18.8	40	24.6	14.4-34.8
H.S. or G.E.D.	342	204,041	67	19.8	13.9-25.7	62	19.1	12.8-25.4	24	7.0	03.1-10.9	55	13.7	09.4-18.0	29	7.6	03.9-11.3	105	32.8	25.7-39.9
Some Post-H.S.	246	177,751	49	22.7	15.1-30.3	53	19.8	13.1-26.5	30	13.7	05.9-21.5	35	8.6	05.1-12.1	16	9.1	03.4-14.8	63	26.0	18.4-33.6
College Graduate	214	91,005	54	24.3	16.1-32.5	48	21.6	13.8-29.4	20	12.8	03.6-22.0	31	11.0	06.1-15.9	10	5.2	01.3-09.1	51	25.2	16.6-33.8
Less than \$15,000	166	105,695	30	22.1	05.8-38.4	29	12.5	06.0-19.0	14	15.8	03.3-28.3	20	7.7	03.4-12.0	28	13.4	06.5-20.3	45	28.4	17.2-39.6
\$15,000- 24,999	212	132,289	38	16.0	09.5-22.5	39	18.2	10.9-25.5	25	6.0	03.1-08.9	39	15.3	09.0-21.6	22	13.9	06.5-21.3	49	30.6	21.0-40.2
\$25,000- 34,999	98	58,183	22	20.2	10.8-29.6	16	18.5	06.9-30.1	12	9.4	03.1-15.7	17	17.4	08.4-26.4	4	6.6	00.0-14.4	27	27.8	15.3-40.3
\$35,000- 49,999	105	71,865	28	29.2	15.9-42.5	24	22.7	10.2-35.2	10	12.5	03.7-21.3	13	6.5	02.4-10.6	5	7.5	00.0-15.1	25	21.6	10.8-32.4
\$50,000- 74,999	100	74,770	22	22.8	11.2-34.4	18	17.3	07.3-27.3	11	14.6	01.3-27.9	12	16.8	01.9-31.7	7	3.3	00.2-06.4	30	25.1	13.7-36.5
\$75,000+	103	69,593	22	21.9	11.3-32.5	28	22.9	13.5-32.3	12	19.2	06.9-31.5	11	8.0	02.7-13.3	4	4.1	00.0-08.4	26	24.0	12.8-35.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	402	286,909	92	23.3	17.6-29.0	83	21.5	15.8-27.2	43	12.3	06.6-18.0	50	9.3	06.0-12.6	29	7.5	04.2-10.8	105	26.1	20.4-31.8
White/Non-Hisp	332	232,567	77	24.3	18.0-30.6	66	20.5	14.6-26.4	34	10.9	06.0-15.8	43	9.2	06.1-12.3	21	6.8	03.1-10.5	91	28.3	21.8-34.8
45-54	62	63,408	16	29.6	14.1-45.1	12	22.4	09.3-35.5	5	20.2	00.8-39.6	6	5.4	00.5-10.3	8	5.9	01.2-10.6	15	16.5	05.9-27.1
55-64	99	81,282	22	24.3	12.9-35.7	20	22.9	11.5-34.3	14	9.6	03.5-15.7	8	6.2	00.9-11.5	5	6.3	00.0-13.6	30	30.7	19.3-42.1
65+	213	101,623	48	22.1	15.2-29.0	50	24.1	17.0-31.2	21	9.4	04.5-14.3	35	16.7	09.8-23.6	13	9.3	03.6-15.0	46	18.3	12.0-24.6
Less Than H.S.	62	55,776	12	22.7	08.6-36.8	10	15.5	04.5-26.5	5	6.3	00.0-13.0	9	14.3	02.9-25.7	9	11.7	03.1-20.3	17	29.4	14.7-44.1
H.S. or G.E.D.	121	93,076	29	23.8	13.4-34.2	29	26.4	15.0-37.8	9	6.2	00.1-12.3	13	7.0	02.7-11.3	8	7.1	00.2-14.0	33	29.4	18.8-40.0
Some Post-H.S.	111	87,184	19	20.2	10.0-30.4	22	22.0	11.4-32.6	20	22.0	07.9-36.1	14	8.4	03.5-13.3	7	5.9	00.6-11.2	29	21.6	11.8-31.4
College Graduate	108	50,873	32	28.4	16.2-40.6	22	18.1	08.9-27.3	9	13.3	00.0-27.2	14	9.5	03.6-15.4	5	6.4	00.1-12.7	26	24.2	12.8-35.6
Less than \$15,000	51	45,247	9	18.4	03.5-33.3	10	10.8	02.6-19.0	4	18.5	00.0-43.0	5	5.6	00.0-11.3	8	8.7	01.4-16.0	15	38.0	18.2-57.8
\$15,000- 24,999	70	51,356	13	19.7	06.6-32.8	16	23.8	09.3-38.3	8	4.3	01.0-07.6	13	16.9	04.6-29.2	6	11.1	00.0-22.5	14	24.2	10.7-37.7
\$25,000- 34,999	53	36,043	12	16.7	06.1-27.3	9	21.7	04.6-38.8	7	10.7	01.7-19.7	6	13.6	02.4-24.8	3	5.8	00.0-14.6	16	31.5	13.7-49.3
\$35,000- 49,999	51	35,434	14	24.2	07.9-40.5	14	33.7	12.9-54.5	6	13.1	00.9-25.3	7	6.8	00.9-12.7	2	6.7	00.0-16.1	8	15.5	03.9-27.1
\$50,000- 74,999	50	31,461	10	21.9	05.0-38.8	9	29.4	11.0-47.8	6	17.0	00.0-35.8	7	9.4	01.8-17.0	4	4.8	00.0-10.5	14	17.6	05.4-29.8
\$75,000+	66	48,183	18	27.2	13.5-40.9	14	19.2	08.2-30.2	9	20.7	05.2-36.2	5	4.3	00.0-08.6	2	4.0	00.0-09.7	18	24.7	12.2-37.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	555	315,321	107	20.5	13.8-27.2	102	14.9	11.0-18.8	47	9.6	05.5-13.7	97	15.8	10.9-20.7	48	9.7	05.8-13.6	154	29.4	23.3-35.5
White/Non-Hisp	409	216,105	78	19.8	14.3-25.3	72	16.3	11.6-21.0	31	8.9	03.8-14.0	72	14.6	10.7-18.5	30	8.8	04.5-13.1	126	31.8	25.5-38.1
Black or Afr. Am./Non-Hisp	117	81,436	27	26.6	06.6-46.6	18	10.1	02.8-17.4	13	12.8	03.6-22.0	19	12.8	05.2-20.4	16	11.1	03.3-18.9	24	26.6	11.9-41.3
45-54	70	58,539	10	28.4	02.3-54.5	13	10.8	03.4-18.2	9	22.0	04.2-39.8	11	8.9	02.4-15.4	8	8.6	01.5-15.7	19	21.3	09.1-33.5
55-64	152	79,482	35	23.5	12.9-34.1	29	16.4	09.0-23.8	11	7.1	02.2-12.0	29	21.4	07.9-34.9	14	9.7	02.4-17.0	34	21.9	12.9-30.9
65+	287	121,090	52	17.7	11.8-23.6	55	17.6	11.5-23.7	25	9.4	04.5-14.3	53	19.8	13.5-26.1	23	9.8	04.7-14.9	79	25.7	19.0-32.4
Less Than H.S.	89	72,930	14	20.9	00.0-43.4	12	8.6	02.5-14.7	11	15.9	02.6-29.2	16	20.9	04.8-37.0	13	12.8	03.6-22.0	23	20.9	07.2-34.6
H.S. or G.E.D.	221	110,965	38	16.4	10.3-22.5	33	12.9	07.2-18.6	15	7.7	02.4-13.0	42	19.4	12.5-26.3	21	8.0	04.1-11.9	72	35.6	26.4-44.8
Some Post-H.S.	135	90,567	30	25.2	14.2-36.2	31	17.6	09.8-25.4	10	5.8	00.9-10.7	21	8.9	03.8-14.0	9	12.2	02.4-22.0	34	30.3	18.7-41.9
College Graduate	106	40,132	22	19.0	08.4-29.6	26	26.0	13.3-38.7	11	12.2	00.8-23.6	17	12.8	04.8-20.8	5	3.6	00.0-07.3	25	26.5	13.2-39.8
Less than \$15,000	115	60,448	21	25.0	00.0-50.3	19	13.9	04.3-23.5	10	13.8	02.6-25.0	15	9.3	03.0-15.6	20	16.8	06.2-27.4	30	21.3	09.5-33.1
\$15,000- 24,999	142	80,933	25	13.6	07.1-20.1	23	14.6	07.3-21.9	17	7.2	03.1-11.3	26	14.3	07.4-21.2	16	15.6	05.6-25.6	35	34.6	21.9-47.3
\$35,000- 49,999	54	36,431	14	34.0	13.4-54.6	10	12.0	02.2-21.8	4	11.9	00.0-24.6	6	6.2	00.1-12.3	3	8.3	00.0-20.3	17	27.6	10.2-45.0
\$50,000- 74,999	50	43,309	12	23.5	08.0-39.0	9	8.6	01.5-15.7	5	12.9	00.0-31.5	5	22.2	00.0-45.3	3	2.3	00.0-05.8	16	30.6	12.8-48.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	973	610,950	199	17.5	14.4-20.6	441	43.9	39.0-48.8	166	19.3	15.4-23.2	137	15.0	11.7-18.3	30	4.3	02.1-06.5
Male	403	287,277	84	17.8	13.1-22.5	189	44.5	37.6-51.4	66	20.5	14.2-26.8	51	12.1	08.0-16.2	13	5.2	01.7-08.7
Female	570	323,673	115	17.2	13.1-21.3	252	43.4	36.5-50.3	100	18.2	13.1-23.3	86	17.6	12.5-22.7	17	3.6	01.2-06.0
White/Non-Hisp	755	456,269	156	18.0	14.5-21.5	336	41.9	37.0-46.8	127	18.8	14.9-22.7	113	16.5	12.8-20.2	23	4.7	02.2-07.2
Black or Afr. Am./Non-Hisp	166	125,681	33	13.8	06.9-20.7	82	54.0	40.3-67.7	30	17.4	06.6-28.2	17	11.7	03.7-19.7	4	3.2	00.0-07.3
45-54	130	120,633	18	10.3	03.6-17.0	54	47.9	33.8-62.0	33	25.9	13.7-38.1	17	10.2	04.3-16.1	8	5.7	00.2-11.2
55-64	253	161,567	44	17.3	10.8-23.8	120	44.9	36.1-53.7	44	22.7	13.7-31.7	41	13.0	07.9-18.1	4	2.0	00.0-04.4
65+	516	232,433	125	23.1	18.6-27.6	243	46.7	41.0-52.4	77	15.4	11.5-19.3	60	12.0	08.3-15.7	11	2.8	00.6-05.0
Less Than H.S.	158	135,668	31	14.2	07.7-20.7	60	42.3	29.2-55.4	33	23.2	12.8-33.6	28	14.3	07.6-21.0	6	6.0	00.7-11.3
H.S. or G.E.D.	346	206,714	56	16.7	11.2-22.2	159	47.2	39.8-54.6	56	13.2	08.5-17.9	62	18.6	12.9-24.3	13	4.4	00.9-07.9
Some Post-H.S.	247	175,832	61	22.2	15.5-28.9	104	37.9	29.7-46.1	46	21.6	13.0-30.2	28	14.8	07.4-22.2	8	3.6	00.3-06.9
College Graduate	218	92,009	49	15.1	09.4-20.8	116	50.1	40.1-60.1	31	23.0	13.8-32.2	19	8.5	03.6-13.4	3	3.2	00.0-07.9
Less than \$15,000	164	104,946	24	11.2	05.1-17.3	66	41.6	26.5-56.7	34	23.2	10.5-35.9	31	16.2	08.0-24.4	9	7.9	01.4-14.4
\$15,000- 24,999	213	133,023	50	16.1	10.6-21.6	72	33.1	23.7-42.5	44	21.7	14.3-29.1	40	25.7	16.5-34.9	7	3.4	00.0-06.9
\$25,000- 34,999	98	58,183	21	27.5	14.4-40.6	52	50.1	36.8-63.4	12	7.9	02.0-13.8	11	10.5	03.2-17.8	2	4.0	00.0-10.7
\$35,000- 49,999	107	70,881	26	24.0	12.4-35.6	51	44.9	31.2-58.6	19	21.2	09.0-33.4	9	7.9	00.0-16.3	2	2.1	00.0-05.0
\$50,000- 74,999	100	74,738	17	8.6	02.5-14.7	58	54.4	39.1-69.7	13	24.4	08.3-40.5	10	7.8	02.1-13.5	2	4.8	00.0-11.9
\$75,000+	103	69,593	18	14.4	06.8-22.0	58	55.8	43.1-68.5	18	19.1	10.1-28.1	7	8.0	00.0-16.4	2	2.6	00.0-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	403	287,277	84	17.8	13.1-22.5	189	44.5	37.6-51.4	66	20.5	14.4-26.6	51	12.1	08.2-16.0	13	5.2	01.7-08.7
White/Non-Hisp	333	234,404	67	17.3	12.2-22.4	155	42.8	35.5-50.1	54	19.6	13.9-25.3	45	14.3	09.6-19.0	12	6.1	02.0-10.2
45-54	60	62,237	9	10.8	01.8-19.8	26	35.8	20.3-51.3	13	34.7	16.5-52.9	8	9.2	00.6-17.8	4	9.4	00.0-19.8
55-64	98	80,937	17	16.6	07.6-25.6	50	51.1	38.2-64.0	15	18.1	07.5-28.7	14	12.2	04.9-19.5	2	2.0	00.0-05.3
65+	217	103,036	52	22.8	16.1-29.5	105	48.2	39.8-56.6	34	17.9	11.4-24.4	22	9.1	04.6-13.6	4	2.0	00.0-04.0
Less Than H.S.	64	56,178	13	16.7	05.7-27.7	21	33.9	18.6-49.2	12	18.7	07.1-30.3	13	18.9	07.5-30.3	5	11.9	00.5-23.3
H.S. or G.E.D.	119	93,164	24	19.8	10.2-29.4	59	46.9	34.6-59.2	15	13.8	05.0-22.6	17	13.8	06.7-20.9	4	5.8	00.0-13.1
Some Post-H.S.	111	86,703	26	19.3	10.7-27.9	53	45.3	32.2-58.4	22	26.1	11.8-40.4	8	7.1	00.0-14.2	2	2.3	00.0-05.6
College Graduate	109	51,232	21	12.7	05.8-19.6	56	50.4	36.7-64.1	17	25.3	12.8-37.8	13	10.0	02.9-17.1	2	1.5	00.0-03.9
Less than \$15,000	50	44,720	8	13.0	02.4-23.6	18	24.7	09.2-40.2	12	32.3	09.4-55.2	7	17.0	02.7-31.3	5	13.0	00.0-26.3
\$15,000- 24,999	71	52,190	21	19.4	09.0-29.8	25	42.9	26.4-59.4	11	17.6	04.9-30.3	12	18.3	06.1-30.5	2	1.8	00.0-04.3
\$25,000- 34,999	53	36,043	8	23.4	05.0-41.8	31	50.6	32.2-69.0	7	10.5	01.3-19.7	6	9.9	00.1-19.7	1	5.6	00.0-16.0
\$35,000- 49,999	52	36,126	12	20.7	07.2-34.2	25	51.1	31.9-70.3	12	25.4	08.3-42.5	2	1.1	00.0-02.7	1	1.7	00.0-05.2
\$75,000+	66	48,183	13	13.4	05.0-21.8	35	58.3	43.4-73.2	10	18.8	07.6-30.0	6	5.6	00.5-10.7	2	3.8	00.0-09.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	570	323,673	115	17.2	13.1-21.3	252	43.4	36.5-50.3	100	18.2	13.1-23.3	86	17.6	12.5-22.7	17	3.6	01.2-06.0
White/Non-Hisp	422	221,866	89	18.9	14.2-23.6	181	40.9	34.6-47.2	73	18.1	12.8-23.4	68	18.9	13.2-24.6	11	3.3	00.8-05.8
Black or Afr. Am./Non-Hisp	117	81,987	20	11.3	03.5-19.1	59	54.0	37.5-70.5	21	13.0	06.1-19.9	13	16.8	04.6-29.0	4	4.9	00.0-11.4
45-54	70	58,395	9	9.8	00.0-19.8	28	60.7	42.3-79.1	20	16.5	06.5-26.5	9	11.2	03.4-19.0	4	1.8	00.0-03.8
55-64	155	80,630	27	18.0	09.0-27.0	70	38.8	28.0-49.6	29	27.4	13.5-41.3	27	13.8	06.5-21.1	2	2.0	00.0-05.5
65+	299	129,397	73	23.3	17.2-29.4	138	45.4	38.0-52.8	43	13.5	08.6-18.4	38	14.4	08.7-20.1	7	3.4	00.0-07.1
Less Than H.S.	94	79,491	18	12.4	04.8-20.0	39	48.3	29.3-67.3	21	26.3	10.2-42.4	15	11.2	03.8-18.6	1	1.8	00.0-05.3
H.S. or G.E.D.	227	113,549	32	14.1	08.2-20.0	100	47.4	38.4-56.4	41	12.7	08.0-17.4	45	22.5	14.5-30.5	9	3.3	00.8-05.8
Some Post-H.S.	136	89,129	35	24.9	14.9-34.9	51	30.8	21.0-40.6	24	17.2	08.2-26.2	20	22.2	10.0-34.4	6	4.8	00.0-10.5
College Graduate	109	40,777	28	18.2	08.6-27.8	60	49.8	35.5-64.1	14	20.0	06.9-33.1	6	6.7	00.0-13.4	1	5.3	00.0-15.3
Less than \$15,000	114	60,226	16	9.8	02.7-16.9	48	54.1	35.7-72.5	22	16.4	05.8-27.0	24	15.6	06.2-25.0	4	4.1	00.0-09.4
\$15,000- 24,999	142	80,833	29	13.9	07.6-20.2	47	26.8	16.0-37.6	33	24.3	14.9-33.7	28	30.5	18.0-43.0	5	4.5	00.0-10.0
\$35,000- 49,999	55	34,755	14	27.3	08.7-45.9	26	38.5	20.7-56.3	7	16.9	00.0-34.5	7	15.0	00.0-31.3	1	2.4	00.0-07.1
\$50,000- 74,999	51	43,426	9	10.3	00.5-20.1	28	52.2	30.8-73.6	7	23.6	00.1-47.1	5	5.6	00.0-11.7	2	8.2	00.0-20.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	981	615,719	158	16.4	13.1-19.7	823	83.6	80.3-86.9
Male	405	290,008	79	19.8	14.5-25.1	326	80.2	74.9-85.5
Female	576	325,711	79	13.4	09.5-17.3	497	86.6	82.7-90.5
White/Non-Hisp	764	459,402	117	16.2	12.7-19.7	647	83.8	80.3-87.3
Black or Afr. Am./Non-Hisp	166	127,816	31	15.6	07.0-24.2	135	84.4	75.8-93.0
45-54	131	121,349	22	14.4	07.0-21.8	109	85.6	78.2-93.0
55-64	253	161,422	45	15.9	10.0-21.8	208	84.1	78.2-90.0
65+	521	234,964	80	18.4	13.9-22.9	441	81.6	77.1-86.1
Less Than H.S.	162	139,468	44	21.8	13.6-30.0	118	78.2	70.0-86.4
H.S. or G.E.D.	351	207,137	42	12.7	07.4-18.0	309	87.3	82.0-92.6
Some Post-H.S.	246	176,499	39	18.4	11.9-24.9	207	81.6	75.1-88.1
College Graduate	218	91,887	33	12.6	07.1-18.1	185	87.4	81.9-92.9
Less than \$15,000	166	104,612	36	15.7	08.6-22.8	130	84.3	77.2-91.4
\$15,000- 24,999	214	136,062	42	18.0	11.5-24.5	172	82.0	75.5-88.5
\$25,000- 34,999	97	57,407	15	13.0	05.2-20.8	82	87.0	79.2-94.8
\$35,000- 49,999	108	72,063	18	28.2	13.9-42.5	90	71.8	57.5-86.1
\$50,000- 74,999	101	75,024	9	11.0	02.8-19.2	92	89.0	80.8-97.2
\$75,000+	103	69,593	13	12.2	04.8-19.6	90	87.8	80.4-95.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	405	290,008	79	19.8	14.5-25.1	326	80.2	74.9-85.5
White/Non-Hisp	333	232,962	56	17.9	12.6-23.2	277	82.1	76.8-87.4
45-54	61	62,645	10	13.9	04.3-23.5	51	86.1	76.5-95.7
55-64	98	80,506	21	18.9	09.5-28.3	77	81.1	71.7-90.5
65+	218	106,571	40	20.6	13.7-27.5	178	79.4	72.5-86.3
Less Than H.S.	67	61,602	22	26.5	14.2-38.8	45	73.5	61.2-85.8
H.S. or G.E.D.	120	92,236	17	17.0	06.8-27.2	103	83.0	72.8-93.2
Some Post-H.S.	110	85,160	19	20.0	10.4-29.6	91	80.0	70.4-89.6
College Graduate	108	51,010	21	16.2	07.6-24.8	87	83.8	75.2-92.4
Less than \$15,000	50	43,972	11	12.7	03.7-21.7	39	87.3	78.3-96.3
\$15,000- 24,999	71	54,532	19	27.1	13.8-40.4	52	72.9	59.6-86.2
\$25,000- 34,999	52	35,267	11	11.5	04.4-18.6	41	88.5	81.4-95.6
\$35,000- 49,999	51	34,709	11	36.8	15.4-58.2	40	63.2	41.8-84.6
\$50,000- 74,999	50	31,598	5	15.5	00.8-30.2	45	84.5	69.8-99.2
\$75,000+	66	48,183	10	15.8	05.2-26.4	56	84.2	73.6-94.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	576	325,711	79	13.4	09.5-17.3	497	86.6	82.7-90.5
White/Non-Hisp	431	226,439	61	14.5	10.0-19.0	370	85.5	81.0-90.0
Black or Afr. Am./Non-Hisp	117	81,780	16	10.1	02.5-17.7	101	89.9	82.3-97.5
45-54	70	58,705	12	14.8	03.4-26.2	58	85.2	73.8-96.6
55-64	155	80,916	24	12.8	05.7-19.9	131	87.2	80.1-94.3
65+	303	128,394	40	16.5	10.4-22.6	263	83.5	77.4-89.6
Less Than H.S.	95	77,867	22	18.2	07.8-28.6	73	81.8	71.4-92.2
H.S. or G.E.D.	231	114,900	25	9.3	05.2-13.4	206	90.7	86.6-94.8
Some Post-H.S.	136	91,339	20	16.9	08.1-25.7	116	83.1	74.3-91.9
College Graduate	110	40,878	12	8.2	01.9-14.5	98	91.8	85.5-98.1
Less than \$15,000	116	60,640	25	17.9	07.3-28.5	91	82.1	71.5-92.7
\$15,000- 24,999	143	81,529	23	11.9	06.4-17.4	120	88.1	82.6-93.6
\$35,000- 49,999	57	37,354	7	20.3	03.4-37.2	50	79.7	62.8-96.6
\$50,000- 74,999	51	43,426	4	7.6	00.0-16.8	47	92.4	83.2-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	991	623,108	527	51.2	46.5-55.9	464	48.8	44.1-53.5
Male	413	295,228	209	51.7	44.8-58.6	204	48.3	41.4-55.2
Female	578	327,880	318	50.9	44.2-57.6	260	49.1	42.4-55.8
White/Non-Hisp	769	463,960	407	51.2	46.3-56.1	362	48.8	43.9-53.7
Black or Afr. Am./Non-Hisp	168	128,318	98	52.7	38.8-66.6	70	47.3	33.4-61.2
45-54	133	122,466	77	58.4	44.3-72.5	56	41.6	27.5-55.7
55-64	255	162,501	146	51.0	42.0-60.0	109	49.0	40.0-58.0
65+	526	238,729	267	49.8	44.1-55.5	259	50.2	44.5-55.9
Less Than H.S.	164	141,705	63	37.1	25.3-48.9	101	62.9	51.1-74.7
H.S. or G.E.D.	356	209,680	172	45.5	38.4-52.6	184	54.5	47.4-61.6
Some Post-H.S.	248	178,886	155	63.9	55.5-72.3	93	36.1	27.7-44.5
College Graduate	219	92,110	136	61.7	52.1-71.3	83	38.3	28.7-47.9
Less than \$15,000	169	106,479	82	43.5	29.8-57.2	87	56.5	42.8-70.2
\$15,000- 24,999	216	136,483	116	47.1	37.5-56.7	100	52.9	43.3-62.5
\$25,000- 34,999	98	58,183	59	59.7	46.4-73.0	39	40.3	27.0-53.6
\$35,000- 49,999	109	73,480	53	43.1	29.6-56.6	56	56.9	43.4-70.4
\$50,000- 74,999	102	75,247	55	60.7	46.8-74.6	47	39.3	25.4-53.2
\$75,000+	103	69,593	68	70.9	59.3-82.5	35	29.1	17.5-40.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	413	295,228	209	51.7	44.8-58.6	204	48.3	41.4-55.2
White/Non-Hisp	340	237,983	170	51.2	44.1-58.3	170	48.8	41.7-55.9
Black or Afr. Am./Non-Hisp	50	46,235	31	55.6	33.1-78.1	19	44.4	21.9-66.9
45-54	62	63,408	39	67.4	52.1-82.7	23	32.6	17.3-47.9
55-64	99	81,282	54	49.8	36.9-62.7	45	50.2	37.3-63.1
65+	223	108,822	103	47.7	39.3-56.1	120	52.3	43.9-60.7
Less Than H.S.	68	61,915	26	35.8	21.5-50.1	42	64.2	49.9-78.5
H.S. or G.E.D.	124	94,727	55	39.8	28.4-51.2	69	60.2	48.8-71.6
Some Post-H.S.	112	87,353	70	69.5	57.7-81.3	42	30.5	18.7-42.3
College Graduate	109	51,232	58	62.3	50.0-74.6	51	37.7	25.4-50.0
Less than \$15,000	53	45,814	23	43.4	22.4-64.4	30	56.6	35.6-77.6
\$15,000- 24,999	72	54,731	36	45.2	29.3-61.1	36	54.8	38.9-70.7
\$25,000- 34,999	53	36,043	33	68.1	50.5-85.7	20	31.9	14.3-49.5
\$35,000- 49,999	52	36,126	24	33.7	17.4-50.0	28	66.3	50.0-82.6
\$50,000- 74,999	51	31,821	21	52.0	32.4-71.6	30	48.0	28.4-67.6
\$75,000+	66	48,183	41	76.6	66.0-87.2	25	23.4	12.8-34.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	578	327,880	318	50.9	44.2-57.6	260	49.1	42.4-55.8
White/Non-Hisp	429	225,977	237	51.2	44.5-57.9	192	48.8	42.1-55.5
Black or Afr. Am./Non-Hisp	118	82,083	67	51.0	33.6-68.4	51	49.0	31.6-66.4
45-54	71	59,058	38	48.8	27.4-70.2	33	51.2	29.8-72.6
55-64	156	81,219	92	52.2	39.7-64.7	64	47.8	35.3-60.3
65+	303	129,906	164	51.6	43.8-59.4	139	48.4	40.6-56.2
Less Than H.S.	96	79,789	37	38.1	20.5-55.7	59	61.9	44.3-79.5
H.S. or G.E.D.	232	114,953	117	50.3	41.5-59.1	115	49.7	40.9-58.5
Some Post-H.S.	136	91,533	85	58.5	46.3-70.7	51	41.5	29.3-53.7
College Graduate	110	40,878	78	60.8	46.1-75.5	32	39.2	24.5-53.9
Less than \$15,000	116	60,664	59	43.6	25.4-61.8	57	56.4	38.2-74.6
\$15,000- 24,999	144	81,752	80	48.3	36.1-60.5	64	51.7	39.5-63.9
\$35,000- 49,999	57	37,354	29	52.2	32.6-71.8	28	47.8	28.2-67.4
\$50,000- 74,999	51	43,426	34	67.1	48.5-85.7	17	32.9	14.3-51.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 4: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB1)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING? (CRGVPEPERS)	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 4: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS? (CRGVHOUS)	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 1: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5015	4,023,760	1229	25.1	23.3-26.9	3779	74.9	73.1-76.7	7	0.1	00.1-00.1
Male	1918	1,905,024	398	22.3	19.6-25.0	1519	77.6	74.9-80.3	1	0.1	00.0-00.3
Female	3097	2,118,736	831	27.5	25.1-29.9	2266	72.4	70.0-74.8	6	0.1	00.1-00.1
White/Non-Hisp	4126	3,097,216	989	24.8	22.8-26.8	3132	75.1	73.1-77.1	5	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	604	605,856	170	28.6	22.5-34.7	434	71.4	65.3-77.5			
Oth. Race/Non-Hisp.	100	87,558	30	30.4	16.1-44.7	69	69.5	55.2-83.8	1	0.0	00.0-00.0
MultiRacial/Non-Hisp.	57	65,031	15	29.2	12.5-45.9	41	69.2	52.3-86.1	1	1.6	00.0-04.9
Hispanic	67	112,550	14	12.7	03.7-21.7	53	87.3	78.3-96.3			
18-24	177	397,282	43	20.8	13.7-27.9	134	79.2	72.1-86.3			
25-34	351	603,127	90	25.3	19.4-31.2	261	74.7	68.8-80.6			
35-44	488	654,539	133	28.9	23.2-34.6	355	71.1	65.4-76.8			
45-54	812	729,041	241	29.1	24.6-33.6	571	70.9	66.4-75.4			
55-64	1173	732,769	339	25.9	22.4-29.4	831	74.0	70.5-77.5	3	0.1	00.1-00.1
65+	1970	877,338	378	19.9	17.5-22.3	1588	79.8	77.4-82.2	4	0.3	00.0-00.7
Less Than H.S.	546	613,445	114	21.3	16.2-26.4	429	78.4	73.3-83.5	3	0.4	00.0-00.8
H.S. or G.E.D.	1630	1,355,969	421	27.7	24.4-31.0	1209	72.3	69.0-75.6			
Some Post-H.S.	1262	1,164,201	343	26.6	23.1-30.1	917	73.4	69.9-76.9	2	0.0	00.0-00.0
College Graduate	1565	883,186	350	21.7	18.6-24.8	1213	78.2	75.1-81.3	2	0.0	00.0-00.0
Less than \$15,000	564	437,094	143	28.9	22.8-35.0	419	70.8	64.7-76.9	2	0.3	00.0-00.7
\$15,000- 24,999	851	680,937	240	28.0	23.1-32.9	610	71.9	67.0-76.8	1	0.1	00.0-00.3
\$25,000- 34,999	497	407,614	115	22.1	16.4-27.8	381	77.9	72.2-83.6	1	0.0	00.0-00.0
\$35,000- 49,999	592	513,194	162	24.4	19.3-29.5	430	75.6	70.5-80.7			
\$50,000- 74,999	593	509,755	154	26.9	21.6-32.2	438	73.0	67.7-78.3	1	0.1	00.0-00.3
\$75,000+	973	817,534	218	21.9	18.2-25.6	755	78.1	74.4-81.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 2: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1918	1,905,024	398	22.3	19.6-25.0	1519	77.6	74.9-80.3	1	0.1	00.0-00.3
White/Non-Hisp	1606	1,441,760	324	20.5	17.8-23.2	1282	79.5	76.8-82.2			
Black or Afr. Am./Non-Hisp	182	273,435	42	30.2	19.6-40.8	140	69.8	59.2-80.4			
Oth. Race/Non-Hisp.	52	60,599	16	36.3	17.3-55.3	36	63.7	44.7-82.7			
18-24	96	218,401	22	19.0	10.4-27.6	74	81.0	72.4-89.6			
25-34	139	296,621	28	22.9	14.3-31.5	111	77.1	68.5-85.7			
35-44	187	311,809	45	28.3	19.5-37.1	142	71.7	62.9-80.5			
45-54	324	348,387	74	23.2	16.7-29.7	250	76.8	70.3-83.3			
55-64	439	347,632	100	21.7	16.4-27.0	339	78.3	73.0-83.6			
65+	715	363,524	125	18.0	14.5-21.5	589	81.7	78.2-85.2	1	0.3	00.0-00.9
Less Than H.S.	208	296,437	39	19.2	11.8-26.6	168	80.5	73.1-87.9	1	0.4	00.0-01.2
H.S. or G.E.D.	602	657,504	146	27.1	21.8-32.4	456	72.9	67.6-78.2			
Some Post-H.S.	447	521,659	105	22.1	16.8-27.4	342	77.9	72.6-83.2			
College Graduate	656	427,585	108	17.7	13.2-22.2	548	82.3	77.8-86.8			
Less than \$15,000	172	190,384	41	28.2	18.0-38.4	130	71.2	61.0-81.4	1	0.6	00.0-01.8
\$15,000- 24,999	273	294,744	71	25.4	17.6-33.2	202	74.6	66.8-82.4			
\$25,000- 34,999	206	210,141	28	17.4	08.4-26.4	178	82.6	73.6-91.6			
\$35,000- 49,999	259	260,760	65	24.5	16.5-32.5	194	75.5	67.5-83.5			
\$50,000- 74,999	270	262,867	62	26.2	18.8-33.6	208	73.8	66.4-81.2			
\$75,000+	479	447,970	78	15.6	11.1-20.1	401	84.4	79.9-88.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 3: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3097	2,118,736	831	27.5	25.1-29.9	2266	72.4	70.0-74.8	6	0.1	0.1-0.1
White/Non-Hisp	2520	1,655,456	665	28.5	25.8-31.2	1850	71.3	68.6-74.0	5	0.1	0.0-0.0.3
Black or Afr. Am./Non-Hisp	422	332,421	128	27.2	20.5-33.9	294	72.8	66.1-79.5			
18-24	81	178,881	21	23.0	11.6-34.4	60	77.0	65.6-88.4			
25-34	212	306,506	62	27.7	20.1-35.3	150	72.3	64.7-79.9			
35-44	301	342,731	88	29.4	22.3-36.5	213	70.6	63.5-77.7			
45-54	488	380,654	167	34.4	28.3-40.5	321	65.6	59.5-71.7			
55-64	734	385,137	239	29.8	25.3-34.3	492	70.1	65.6-74.6	3	0.1	0.0-0.0.3
65+	1255	513,814	253	21.3	18.4-24.2	999	78.4	75.5-81.3	3	0.3	0.0-0.0.7
Less Than H.S.	338	317,008	75	23.2	16.3-30.1	261	76.4	69.5-83.3	2	0.4	0.0-0.1.0
H.S. or G.E.D.	1028	698,465	275	28.3	24.2-32.4	753	71.7	67.6-75.8			
Some Post-H.S.	815	642,543	238	30.3	25.4-35.2	575	69.6	64.7-74.5	2	0.0	0.0-0.0.0
College Graduate	909	455,601	242	25.5	21.4-29.6	665	74.4	70.3-78.5	2	0.1	0.0-0.0.3
Less than \$15,000	392	246,711	102	29.5	21.9-37.1	289	70.5	62.9-78.1	1	0.0	0.0-0.0.0
\$15,000- 24,999	578	386,193	169	29.9	23.8-36.0	408	69.8	63.7-75.9	1	0.2	0.0-0.0.6
\$25,000- 34,999	291	197,473	87	27.1	19.7-34.5	203	72.9	65.5-80.3	1	0.0	0.0-0.0.0
\$35,000- 49,999	333	252,434	97	24.4	18.1-30.7	236	75.6	69.3-81.9			
\$50,000- 74,999	323	246,888	92	27.7	20.4-35.0	230	72.2	64.9-79.5	1	0.1	0.0-0.0.3
\$75,000+	494	369,564	140	29.6	23.7-35.5	354	70.4	64.5-76.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 4: WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1223	1,001,713	373	34.4	30.3-38.5	181	11.1	08.7-13.5	223	14.9	12.2-17.6	180	18.7	15.4-22.0	93	6.7	04.5-08.9	173	14.2	11.1-17.3
Male	396	422,727	117	34.0	27.1-40.9	54	9.2	05.9-12.5	82	14.9	10.2-19.6	57	21.0	14.7-27.3	27	4.9	02.4-07.4	59	16.0	10.3-21.7
Female	827	578,986	256	34.7	29.6-39.8	127	12.4	09.3-15.5	141	14.9	11.8-18.0	123	16.9	13.4-20.4	66	8.0	04.9-11.1	114	13.0	09.3-16.7
White/Non-Hisp	984	762,394	305	36.2	31.5-40.9	147	11.5	09.1-13.9	193	16.5	13.4-19.6	141	17.1	13.6-20.6	63	5.8	03.6-08.0	135	12.9	09.8-16.0
Black or Afr. Am./Non-Hisp	170	173,159	47	24.7	14.5-34.9	23	10.1	02.7-17.5	23	10.8	03.4-18.2	27	21.6	11.6-31.6	26	11.4	03.8-19.0	24	21.4	09.8-33.0
25-34	89	150,612	40	51.2	37.9-64.5	7	3.9	01.0-06.8				26	28.1	15.9-40.3	8	5.2	00.5-09.9	8	11.6	02.8-20.4
35-44	132	188,603	51	36.8	25.4-48.2	12	4.5	00.6-08.4	13	9.6	03.1-16.1	24	20.1	10.9-29.3	15	8.6	03.5-13.7	17	20.6	09.2-32.0
45-54	240	210,157	98	36.3	28.3-44.3	36	14.2	08.1-20.3	39	19.6	11.8-27.4	28	9.7	05.2-14.2	17	9.6	02.7-16.5	22	10.7	05.4-16.0
55-64	339	190,082	120	32.5	25.6-39.4	66	19.1	13.0-25.2	55	16.1	11.0-21.2	28	11.8	06.5-17.1	25	6.8	03.1-10.5	45	13.8	08.1-19.5
65+	376	173,737	49	11.6	07.7-15.5	58	14.2	09.9-18.5	115	34.0	27.7-40.3	53	17.4	12.3-22.5	24	4.1	02.1-06.1	77	18.7	14.0-23.4
Less Than H.S.	114	130,434	22	28.4	16.1-40.7	19	15.1	06.7-23.5	25	18.4	08.8-28.0	21	14.7	06.9-22.5	4	2.6	00.0-06.3	23	20.9	09.1-32.7
H.S. or G.E.D.	419	373,852	110	32.4	25.5-39.3	74	13.8	09.5-18.1	68	11.0	07.7-14.3	68	20.4	14.5-26.3	36	7.6	03.5-11.7	63	14.7	09.2-20.2
Some Post-H.S.	340	305,169	118	40.0	32.0-48.0	38	6.9	03.8-10.0	73	17.8	12.3-23.3	55	18.9	13.0-24.8	19	5.4	01.9-08.9	37	11.0	06.1-15.9
College Graduate	349	191,679	123	33.6	26.2-41.0	49	9.4	05.7-13.1	57	15.5	09.8-21.2	36	17.6	10.3-24.9	34	10.0	06.1-13.9	50	13.9	08.4-19.4
Less than \$15,000	143	126,487	41	26.5	16.3-36.7	20	14.4	05.0-23.8	18	13.5	05.1-21.9	24	19.2	10.2-28.2	8	2.7	00.2-05.2	32	23.8	13.0-34.6
\$15,000- 24,999	239	190,432	58	35.7	25.3-46.1	35	11.5	05.8-17.2	44	13.7	08.0-19.4	43	18.4	11.5-25.3	23	8.1	02.0-14.2	36	12.5	05.2-19.8
\$25,000- 34,999	114	89,509	29	21.7	12.1-31.3	17	6.9	02.8-11.0	21	16.9	08.3-25.5	19	25.2	10.9-39.5	15	13.0	04.6-21.4	13	16.2	00.9-31.5
\$35,000- 49,999	162	125,456	49	33.9	22.7-45.1	28	12.4	05.9-18.9	38	21.2	11.2-31.2	18	15.0	06.4-23.6	9	5.1	00.0-11.4	20	12.4	04.8-20.0
\$50,000- 74,999	153	135,524	53	39.4	27.6-51.2	24	13.3	06.6-20.0	28	13.7	07.4-20.0	16	16.3	06.5-26.1	12	8.3	01.8-14.8	20	8.9	02.8-15.0
\$75,000+	218	179,259	81	40.2	30.8-49.6	34	10.3	05.6-15.0	32	13.4	07.1-19.7	27	14.9	08.2-21.6	14	7.1	02.6-11.6	30	14.2	07.3-21.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 5: WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	396	422,727	117	34.0	27.1-40.9	54	9.2	05.9-12.5	82	14.9	10.2-19.6	57	21.0	14.7-27.3	27	4.9	02.4-07.4	59	16.0	10.3-21.7
White/Non-Hisp	322	293,149	100	37.5	29.7-45.3	44	10.2	06.5-13.9	71	16.3	11.2-21.4	43	19.4	12.7-26.1	23	5.9	02.6-09.2	41	10.8	06.9-14.7
45-54	73	79,144	33	41.2	26.5-55.9	12	12.5	03.9-21.1	13	22.6	06.3-38.9	3	4.8	00.0-10.9	2	0.4	00.0-01.0	10	18.5	06.3-30.7
55-64	100	75,449	34	23.5	14.3-32.7	15	19.1	07.1-31.1	19	18.9	09.5-28.3	10	15.0	04.4-25.6	5	6.9	00.0-14.5	17	16.6	05.6-27.6
65+	125	65,275	12	10.5	04.0-17.0	24	20.2	11.4-29.0	43	33.7	23.7-43.7	14	13.9	05.9-21.9	11	6.3	02.2-10.4	21	15.5	07.7-23.3
H.S. or G.E.D.	145	177,003	45	38.5	26.7-50.3	28	11.7	05.4-18.0	19	7.6	03.3-11.9	23	22.2	11.8-32.6	6	2.5	00.0-05.0	24	17.6	07.8-27.4
Some Post-H.S.	104	113,267	33	32.8	20.6-45.0	8	4.2	01.1-07.3	27	21.5	10.3-32.7	15	19.3	07.7-30.9	11	9.0	01.6-16.4	10	13.2	03.4-23.0
College Graduate	108	75,580	29	23.6	12.2-35.0	12	9.7	02.3-17.1	30	19.9	11.5-28.3	10	22.8	07.9-37.7	8	7.4	01.3-13.5	19	16.6	05.2-28.0
\$15,000- 24,999	71	74,998	22	54.4	37.5-71.3	6	3.3	00.2-06.4	12	10.2	01.2-19.2	13	21.9	08.2-35.6	5	1.9	00.1-03.7	13	8.2	02.5-13.9
\$35,000- 49,999	65	63,975	17	34.2	16.4-52.0	10	10.3	02.9-17.7	21	24.1	07.2-41.0	7	14.8	00.7-28.9	2	1.2	00.0-03.0	8	15.4	01.7-29.1
\$50,000- 74,999	61	67,199	19	29.4	14.5-44.3	9	13.0	02.8-23.2	9	16.3	05.9-26.7	9	25.6	08.5-42.7	5	5.9	00.0-13.3	10	9.8	00.4-19.2
\$75,000+	78	70,007	26	35.1	20.6-49.6	12	11.3	03.3-19.3	17	12.2	05.3-19.1	9	17.5	04.4-30.6	4	8.1	00.0-17.3	10	15.8	03.6-28.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 6: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	827	578,986	256	34.7	29.6-39.8	127	12.4	09.3-15.5	141	14.9	11.8-18.0	123	16.9	13.4-20.4	66	8.0	04.9-11.1	114	13.0	09.3-16.7
White/Non-Hisp	662	469,246	205	35.4	29.7-41.1	103	12.3	09.2-15.4	122	16.6	12.9-20.3	98	15.7	12.0-19.4	40	5.8	03.3-08.3	94	14.2	09.9-18.5
Black or Afr. Am./Non-Hisp	128	90,488	41	31.2	18.7-43.7	15	10.0	00.0-20.6	15	7.9	03.0-12.8	21	23.9	12.9-34.9	23	19.8	06.9-32.7	13	7.3	01.8-12.8
25-34	61	82,654	24	50.4	33.9-66.9	7	7.1	01.6-12.6				16	21.3	09.9-32.7	8	9.5	01.1-17.9	6	11.7	01.3-22.1
35-44	87	100,387	36	38.1	24.2-52.0	9	6.9	00.6-13.2	7	9.7	00.5-18.9	17	18.9	09.3-28.5	8	6.8	01.7-11.9	10	19.6	05.1-34.1
45-54	167	131,013	65	33.4	24.4-42.4	24	15.2	07.0-23.4	26	17.7	10.4-25.0	25	12.6	06.5-18.7	15	15.1	04.7-25.5	12	6.0	01.9-10.1
55-64	239	114,633	86	38.4	29.8-47.0	51	19.1	12.6-25.6	36	14.3	08.6-20.0	18	9.6	04.3-14.9	20	6.7	03.2-10.2	28	11.9	06.0-17.8
65+	251	108,462	37	12.2	07.3-17.1	34	10.6	06.1-15.1	72	34.2	26.4-42.0	39	19.4	12.9-25.9	13	2.8	00.8-04.8	56	20.7	14.6-26.8
Less Than H.S.	75	73,557	12	22.3	08.0-36.6	13	18.4	06.1-30.7	19	18.7	08.9-28.5	12	12.0	03.6-20.4	2	3.6	00.0-09.9	17	25.0	08.3-41.7
H.S. or G.E.D.	274	196,850	65	27.0	19.4-34.6	46	15.6	09.9-21.3	49	14.1	09.4-18.8	45	18.8	12.1-25.5	30	12.2	05.1-19.3	39	12.2	06.5-17.9
Some Post-H.S.	236	191,902	85	44.3	34.3-54.3	30	8.5	03.8-13.2	46	15.6	09.9-21.3	40	18.6	12.1-25.1	8	3.3	00.0-06.8	27	9.7	04.4-15.0
College Graduate	241	116,098	94	40.1	30.7-49.5	37	9.2	05.5-12.9	27	12.7	04.9-20.5	26	14.2	07.9-20.5	26	11.6	06.3-16.9	31	12.1	06.8-17.4
Less than \$15,000	102	72,815	29	27.0	13.9-40.1	14	13.5	02.1-24.9	11	11.0	03.9-18.1	20	26.3	13.8-38.8	5	3.4	00.0-07.5	23	18.7	06.4-31.0
\$15,000- 24,999	168	115,435	36	23.6	12.6-34.6	29	16.8	08.0-25.6	32	16.0	08.9-23.1	30	16.2	09.3-23.1	18	12.2	02.4-22.0	23	15.3	04.3-26.3
\$25,000- 34,999	86	53,027	24	29.6	17.1-42.1	14	9.5	03.8-15.2	13	16.8	07.0-26.6	14	20.5	08.7-32.3	10	11.3	01.5-21.1	11	12.2	03.4-21.0
\$35,000- 49,999	97	61,481	32	33.7	20.8-46.6	18	14.6	04.2-25.0	17	18.1	07.9-28.3	11	15.2	05.0-25.4	7	9.2	00.0-21.4	12	9.2	03.1-15.3
\$50,000- 74,999	92	68,325	34	49.3	33.4-65.2	15	13.5	06.1-20.9	19	11.2	05.1-17.3	7	7.2	01.1-13.3	7	10.7	00.5-20.9	10	8.1	00.5-15.7
\$75,000+	140	109,253	55	43.4	31.2-55.6	22	9.6	03.9-15.3	15	14.2	04.8-23.6	18	13.2	06.3-20.1	10	6.4	02.1-10.7	20	13.2	05.2-21.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 7: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1197	989,229	216	17.8	14.7-20.9	142	11.6	08.7-14.5	209	17.6	14.3-20.9	253	22.3	18.6-26.0	377	30.7	26.8-34.6
Male	390	419,607	70	15.1	10.4-19.8	38	10.1	06.0-14.2	58	15.2	09.9-20.5	88	27.0	20.1-33.9	136	32.6	25.9-39.3
Female	807	569,622	146	19.7	15.6-23.8	104	12.7	08.8-16.6	151	19.3	15.0-23.6	165	18.9	15.2-22.6	241	29.3	24.6-34.0
White/Non-Hisp	965	758,192	169	17.8	14.3-21.3	120	12.0	08.7-15.3	172	19.4	15.5-23.3	208	20.8	17.1-24.5	296	30.1	26.0-34.2
Black or Afr. Am./Non-Hisp	165	168,013	33	17.0	08.4-25.6	16	10.1	02.7-17.5	25	14.0	05.6-22.4	27	23.2	11.0-35.4	64	35.7	23.7-47.7
25-34	87	148,666	19	23.0	11.8-34.2	13	11.4	03.2-19.6	14	14.8	05.4-24.2	24	32.3	19.4-45.2	17	18.5	08.5-28.5
35-44	130	184,197	20	12.3	05.4-19.2	13	11.3	03.1-19.5	25	20.6	10.8-30.4	31	22.9	12.3-33.5	41	33.0	22.0-44.0
45-54	239	211,117	48	19.8	13.3-26.3	22	7.4	03.7-11.1	40	17.4	10.5-24.3	54	18.6	12.5-24.7	75	36.8	27.8-45.8
55-64	328	185,628	58	19.0	12.7-25.3	45	12.2	07.9-16.5	62	16.7	11.0-22.4	54	17.6	11.3-23.9	109	34.5	27.2-41.8
65+	365	170,117	61	15.6	10.9-20.3	41	11.8	07.5-16.1	54	14.7	10.0-19.4	80	21.8	16.5-27.1	129	36.1	29.8-42.4
Less Than H.S.	110	124,258	18	12.2	03.8-20.6	10	15.0	03.2-26.8	21	26.5	14.7-38.3	27	18.1	09.3-26.9	34	28.2	17.0-39.4
H.S. or G.E.D.	405	367,179	81	18.4	13.3-23.5	57	11.8	08.1-15.5	60	15.1	09.4-20.8	72	23.5	16.4-30.6	135	31.1	24.6-37.6
Some Post-H.S.	339	309,163	61	20.0	13.9-26.1	34	10.7	04.6-16.8	56	15.5	10.4-20.6	73	21.5	15.2-27.8	115	32.3	25.0-39.6
College Graduate	342	188,049	56	16.6	11.1-22.1	40	10.1	06.2-14.0	72	20.0	13.3-26.7	81	24.3	17.4-31.2	93	29.1	21.3-36.9
Less than \$15,000	140	126,199	34	21.7	11.9-31.5	8	4.5	00.4-08.6	21	13.1	05.8-20.4	27	22.1	11.5-32.7	50	38.7	26.7-50.7
\$15,000- 24,999	235	185,490	44	15.3	09.0-21.6	34	14.3	06.5-22.1	41	18.6	09.8-27.4	36	21.8	13.0-30.6	80	30.0	21.0-39.0
\$25,000- 34,999	114	89,270	17	16.2	07.0-25.4	17	9.7	03.2-16.2	18	16.0	06.8-25.2	27	31.9	15.2-48.6	35	26.2	15.6-36.8
\$35,000- 49,999	160	125,023	25	16.5	07.9-25.1	19	11.4	05.3-17.5	24	17.4	07.2-27.6	41	26.8	16.2-37.4	51	27.9	17.3-38.5
\$50,000- 74,999	152	136,541	25	16.2	06.4-26.0	11	5.8	01.7-09.9	28	16.9	08.9-24.9	32	14.5	08.0-21.0	56	46.5	34.9-58.1
\$75,000+	214	175,584	36	18.3	11.2-25.4	27	10.0	05.3-14.7	51	24.4	16.0-32.8	46	19.6	12.3-26.9	54	27.8	18.8-36.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 8: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	390	419,607	70	15.1	10.4-19.8	38	10.1	06.0-14.2	58	15.2	09.7-20.7	88	27.0	20.1-33.9	136	32.6	25.9-39.3
White/Non-Hisp	318	293,414	54	14.5	09.6-19.4	31	9.2	05.3-13.1	51	18.4	11.7-25.1	73	25.4	18.3-32.5	109	32.4	25.1-39.7
45-54	74	80,946	21	23.0	10.8-35.2	2	5.0	00.0-11.9	9	14.5	03.7-25.3	20	18.8	09.2-28.4	22	38.8	22.5-55.1
55-64	98	74,705	13	16.5	04.7-28.3	11	8.5	02.8-14.2	17	12.9	05.3-20.5	18	19.5	07.3-31.7	39	42.6	29.1-56.1
65+	121	63,178	20	16.0	08.0-24.0	11	10.2	03.3-17.1	18	13.5	06.4-20.6	23	20.0	10.6-29.4	49	40.3	29.5-51.1
H.S. or G.E.D.	142	173,550	32	15.4	08.1-22.7	15	9.4	04.1-14.7	20	12.5	03.9-21.1	31	33.7	21.5-45.9	44	29.0	18.8-39.2
Some Post-H.S.	104	114,714	15	15.4	07.2-23.6	9	11.4	01.6-21.2	13	12.7	04.3-21.1	26	24.6	13.2-36.0	41	35.9	22.8-49.0
College Graduate	105	74,465	15	14.9	04.3-25.5	10	7.1	01.6-12.6	17	16.6	06.2-27.0	26	25.7	12.6-38.8	37	35.7	21.8-49.6
\$15,000- 24,999	70	74,608	15	11.0	03.2-18.8	7	6.6	00.0-14.2	6	13.6	00.0-29.1	13	33.2	15.4-51.0	29	35.6	19.5-51.7
\$35,000- 49,999	64	63,603	13	17.8	04.3-31.3	4	5.8	00.0-11.9	7	13.0	00.0-27.1	17	33.6	15.6-51.6	23	29.7	12.1-47.3
\$50,000- 74,999	61	68,361	3	3.2	00.0-08.7	2	5.0	00.0-11.7	14	22.7	09.2-36.2	14	14.4	05.0-23.8	28	54.7	38.2-71.2
\$75,000+	76	69,298	12	25.7	11.4-40.0	12	12.0	03.8-20.2	16	19.9	07.6-32.2	18	16.9	07.9-25.9	18	25.6	11.3-39.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 9: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	807	569,622	146	19.7	15.6-23.8	104	12.7	08.8-16.6	151	19.3	15.0-23.6	165	18.9	15.2-22.6	241	29.3	24.6-34.0
White/Non-Hisp	647	464,778	115	19.9	15.2-24.6	89	13.7	09.0-18.4	121	19.9	15.2-24.6	135	17.9	14.0-21.8	187	28.6	23.7-33.5
Black or Afr. Am./Non-Hisp	124	86,074	26	20.2	09.8-30.6	11	5.9	01.6-10.2	20	16.7	06.1-27.3	20	20.7	08.9-32.5	47	36.5	22.6-50.4
25-34	60	83,364	14	28.4	12.7-44.1	9	8.3	02.2-14.4	11	20.0	06.3-33.7	14	23.2	09.3-37.1	12	20.0	06.7-33.3
35-44	86	96,388	16	20.4	08.6-32.2	7	13.6	00.3-26.9	18	17.6	06.6-28.6	21	17.4	08.6-26.2	24	31.1	18.0-44.2
45-54	165	130,171	27	17.8	10.4-25.2	20	8.9	04.4-13.4	31	19.2	10.2-28.2	34	18.5	10.5-26.5	53	35.6	25.0-46.2
55-64	230	110,923	45	20.7	13.6-27.8	34	14.7	08.6-20.8	45	19.2	11.6-26.8	36	16.3	09.8-22.8	70	29.1	21.3-36.9
65+	244	106,939	41	15.4	09.7-21.1	30	12.8	07.1-18.5	36	15.3	09.0-21.6	57	22.8	16.3-29.3	80	33.6	26.2-41.0
Less Than H.S.	71	67,381	10	10.9	01.1-20.7	6	16.2	00.0-33.8	13	26.0	11.1-40.9	22	22.1	10.7-33.5	20	24.8	12.1-37.5
H.S. or G.E.D.	263	193,629	49	21.1	13.8-28.4	42	14.0	08.9-19.1	40	17.5	09.9-25.1	41	14.5	08.6-20.4	91	32.9	25.1-40.7
Some Post-H.S.	235	194,449	46	22.7	14.5-30.9	25	10.3	02.7-17.9	43	17.2	10.7-23.7	47	19.7	12.4-27.0	74	30.2	21.6-38.8
College Graduate	237	113,585	41	17.6	11.3-23.9	30	12.1	06.6-17.6	55	22.2	13.6-30.8	55	23.3	16.0-30.6	56	24.7	15.5-33.9
Less than \$15,000	99	72,528	25	26.2	12.7-39.7	5	1.8	00.0-03.8	17	15.9	06.1-25.7	17	18.2	06.2-30.2	35	37.9	23.4-52.4
\$15,000- 24,999	165	110,881	29	18.2	09.2-27.2	27	19.4	08.0-30.8	35	22.0	11.4-32.6	23	14.1	07.4-20.8	51	26.2	15.4-37.0
\$25,000- 34,999	87	53,518	12	16.4	06.4-26.4	13	7.3	02.0-12.6	14	23.0	09.9-36.1	23	25.1	13.3-36.9	25	28.1	16.5-39.7
\$35,000- 49,999	96	61,419	12	15.1	04.1-26.1	15	17.3	07.3-27.3	17	21.9	07.4-36.4	24	19.6	10.0-29.2	28	26.1	14.9-37.3
\$50,000- 74,999	91	68,179	22	29.2	12.7-45.7	9	6.7	01.8-11.6	14	11.2	02.8-19.6	18	14.6	05.8-23.4	28	38.3	23.2-53.4
\$75,000+	138	106,285	24	13.5	07.4-19.6	15	8.7	03.2-14.2	35	27.3	16.1-38.5	28	21.3	10.9-31.7	36	29.2	17.4-41.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 10: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1126	946,048	597	52.9	48.4-57.4	151	14.5	11.4-17.6	117	10.7	08.0-13.4	261	21.9	18.4-25.4
Male	366	401,770	200	54.1	46.7-61.5	48	12.1	07.6-16.6	41	11.9	06.8-17.0	77	22.0	15.9-28.1
Female	760	544,277	397	52.0	46.5-57.5	103	16.3	12.0-20.6	76	9.8	06.9-12.7	184	21.8	17.7-25.9
White/Non-Hisp	909	726,532	489	53.2	48.5-57.9	125	16.2	12.5-19.9	88	9.3	06.6-12.0	207	21.3	17.6-25.0
Black or Afr. Am./Non-Hisp	157	160,564	74	50.9	38.0-63.8	19	7.1	02.8-11.4	23	18.6	08.4-28.8	41	23.4	13.4-33.4
25-34	84	145,279	48	58.9	45.6-72.2	16	21.1	09.7-32.5	8	7.2	00.5-13.9	12	12.8	04.8-20.8
35-44	129	182,630	69	53.0	41.0-65.0	18	13.9	05.5-22.3	14	8.9	02.4-15.4	28	24.2	14.0-34.4
45-54	228	201,679	129	50.0	40.8-59.2	30	16.2	08.9-23.5	25	16.8	08.6-25.0	44	17.0	11.1-22.9
55-64	311	177,769	159	51.9	44.1-59.7	36	12.6	07.9-17.3	35	10.8	06.3-15.3	81	24.6	17.9-31.3
65+	327	151,837	162	47.1	40.2-54.0	46	13.6	08.9-18.3	31	10.4	06.1-14.7	88	28.9	22.6-35.2
Less Than H.S.	97	114,402	42	37.4	24.5-50.3	12	19.4	06.1-32.7	6	8.0	00.0-16.4	37	35.1	22.4-47.8
H.S. or G.E.D.	376	350,285	200	51.5	44.1-58.9	49	14.0	08.9-19.1	41	11.9	07.2-16.6	86	22.6	16.5-28.7
Some Post-H.S.	323	300,245	160	53.1	45.1-61.1	44	14.1	08.6-19.6	36	12.4	06.9-17.9	83	20.4	14.3-26.5
College Graduate	329	180,536	195	65.2	57.8-72.6	46	13.1	08.6-17.6	33	7.1	03.4-10.8	55	14.6	08.7-20.5
Less than \$15,000	127	120,275	66	48.2	35.7-60.7	13	13.1	03.9-22.3	15	13.7	04.9-22.5	33	25.0	14.6-35.4
\$15,000- 24,999	225	180,057	102	41.6	31.2-52.0	30	17.3	08.1-26.5	21	10.8	04.1-17.5	72	30.3	21.1-39.5
\$25,000- 34,999	107	85,597	58	67.0	54.8-79.2	14	9.9	03.4-16.4	12	8.8	02.3-15.3	23	14.3	06.9-21.7
\$35,000- 49,999	149	117,972	79	46.7	34.5-58.9	16	13.1	04.7-21.5	16	13.7	03.7-23.7	38	26.5	15.5-37.5
\$50,000- 74,999	146	133,292	80	57.0	45.4-68.6	18	9.4	03.7-15.1	25	14.0	06.7-21.3	23	19.6	09.4-29.8
\$75,000+	205	172,511	127	61.5	51.9-71.1	32	17.5	09.9-25.1	17	6.7	02.2-11.2	29	14.3	07.2-21.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 11: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	366	401,770	200	54.1	46.7-61.5	48	12.1	07.6-16.6	41	11.9	06.8-17.0	77	22.0	15.9-28.1
White/Non-Hisp	300	282,026	167	53.7	45.7-61.7	40	14.4	08.9-19.9	34	11.7	06.0-17.4	59	20.2	13.5-26.9
45-54	69	76,339	41	49.0	32.7-65.3	8	14.1	01.0-27.2	9	20.7	05.0-36.4	11	16.1	06.1-26.1
55-64	94	71,685	50	56.4	43.3-69.5	14	13.5	05.7-21.3	9	8.3	00.7-15.9	21	21.8	10.8-32.8
65+	108	57,272	55	49.1	37.1-61.1	15	14.5	05.7-23.3	14	14.9	06.9-22.9	24	21.4	12.2-30.6
H.S. or G.E.D.	132	168,170	76	56.1	44.1-68.1	17	10.4	04.5-16.3	13	10.2	02.9-17.5	26	23.3	13.1-33.5
Some Post-H.S.	100	112,498	47	46.3	32.8-59.8	15	14.2	05.2-23.2	15	17.3	05.7-28.9	23	22.3	10.7-33.9
College Graduate	102	71,444	63	72.8	61.6-84.0	12	7.7	02.8-12.6	9	7.2	00.0-14.6	18	12.3	05.0-19.6
\$15,000- 24,999	69	74,532	29	38.5	20.9-56.1	8	7.4	00.0-15.0	6	13.6	00.0-27.9	26	40.5	23.4-57.6
\$35,000- 49,999	60	60,407	32	47.7	28.1-67.3	6	7.3	01.0-13.6	8	17.7	00.0-35.5	14	27.3	09.3-45.3
\$50,000- 74,999	58	66,568	32	54.9	37.8-72.0	5	7.6	00.0-15.8	11	12.6	04.0-21.2	10	24.8	08.7-40.9
\$75,000+	73	67,108	46	64.3	49.4-79.2	12	15.3	05.3-25.3	6	9.0	00.0-18.6	9	11.5	01.5-21.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 12: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	760	544,277	397	52.0	46.5-57.5	103	16.3	12.0-20.6	76	9.8	06.9-12.7	184	21.8	17.7-25.9
White/Non-Hisp	609	444,507	322	52.9	46.8-59.0	85	17.4	12.3-22.5	54	7.7	05.3-10.1	148	22.0	17.5-26.5
Black or Afr. Am./Non-Hisp	119	82,876	58	46.8	32.3-61.3	15	12.5	04.7-20.3	17	20.8	08.3-33.3	29	19.9	10.3-29.5
25-34	58	81,629	34	59.1	42.4-75.8	12	26.1	10.0-42.2	4	4.7	00.0-10.0	8	10.1	02.3-17.9
35-44	85	94,822	46	51.8	36.9-66.7	12	17.4	03.7-31.1	12	11.3	04.4-18.2	15	19.5	08.1-30.9
45-54	159	125,340	88	50.6	39.8-61.4	22	17.5	08.9-26.1	16	14.4	05.6-23.2	33	17.5	10.6-24.4
55-64	217	106,084	109	48.9	39.7-58.1	22	12.1	06.2-18.0	26	12.5	07.0-18.0	60	26.5	18.3-34.7
65+	219	94,565	107	45.8	37.2-54.4	31	13.0	07.9-18.1	17	7.7	03.0-12.4	64	33.5	25.3-41.7
Less Than H.S.	65	64,745	28	37.3	21.2-53.4	8	19.3	01.1-37.5	2	4.9	00.0-12.3	27	38.5	22.4-54.6
H.S. or G.E.D.	244	182,115	124	47.3	38.3-56.3	32	17.4	09.6-25.2	28	13.4	07.5-19.3	60	21.9	15.2-28.6
Some Post-H.S.	223	187,746	113	57.1	47.5-66.7	29	14.1	07.0-21.2	21	9.4	04.3-14.5	60	19.3	12.8-25.8
College Graduate	227	109,091	132	60.1	50.5-69.7	34	16.6	10.1-23.1	24	7.1	03.2-11.0	37	16.1	07.7-24.5
Less than \$15,000	89	68,349	48	47.9	32.4-63.4	8	9.2	01.6-16.8	10	16.5	03.4-29.6	23	26.3	13.6-39.0
\$15,000- 24,999	156	105,526	73	43.8	31.1-56.5	22	24.2	10.5-37.9	15	8.9	03.8-14.0	46	23.1	14.3-31.9
\$25,000- 34,999	82	50,919	41	56.2	42.5-69.9	10	10.2	02.8-17.6	12	14.8	04.6-25.0	19	18.9	09.1-28.7
\$35,000- 49,999	89	57,564	47	45.7	31.0-60.4	10	19.1	04.2-34.0	8	9.5	01.9-17.1	24	25.7	13.7-37.7
\$50,000- 74,999	88	66,724	48	59.1	43.6-74.6	13	11.2	03.2-19.2	14	15.4	05.0-25.8	13	14.4	02.8-26.0
\$75,000+	132	105,403	81	59.7	47.5-71.9	20	18.9	08.3-29.5	11	5.3	01.6-09.0	20	16.1	06.5-25.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 13: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values (1,2,4)			Cancer (3)			Values (5,6,10)			Diabetes, Heart Disease, Hypertension (Values 7,8)			Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1173	956,969	119	10.4	07.7-13.1	100	8.1	05.7-10.5	223	17.6	14.5-20.7	146	11.4	08.9-13.9	34	3.6	01.8-05.4	551	48.8	44.5-53.1
Male	373	398,764	35	9.6	05.1-14.1	29	9.2	04.3-14.1	60	12.7	08.6-16.8	38	9.3	05.4-13.2	15	4.8	00.9-08.7	196	54.4	47.0-61.8
Female	800	558,205	84	11.0	07.7-14.3	71	7.3	05.1-09.5	163	21.2	16.9-25.5	108	12.9	09.6-16.2	19	2.8	01.2-04.4	355	44.8	39.5-50.1
White/Non-Hisp	952	736,410	100	10.4	07.5-13.3	83	8.8	06.1-11.5	176	17.5	14.2-20.8	114	10.5	08.0-13.0	23	2.5	01.1-03.9	456	50.2	45.5-54.9
Black or Afr. Am./Non-Hisp	160	165,251	14	10.0	02.0-18.0	11	5.2	00.0-11.1	33	18.4	09.0-27.8	27	16.8	08.2-25.4	7	7.1	00.0-14.5	68	42.3	29.4-55.2
25-34	81	130,460	8	7.4	00.3-14.5	9	10.2	01.8-18.6	14	18.6	07.4-29.8	13	16.1	06.5-25.7	4	5.2	00.0-10.9	33	42.4	28.7-56.1
35-44	129	186,691	11	9.5	03.0-16.0	13	10.1	02.1-18.1	25	18.6	10.4-26.8	19	12.3	05.2-19.4	3	2.2	00.0-05.3	58	47.4	35.2-59.6
45-54	230	201,912	21	12.0	05.5-18.5	16	5.1	01.4-08.8	35	14.3	07.8-20.8	35	9.8	05.9-13.7	9	5.2	00.0-11.1	114	53.7	44.5-62.9
55-64	331	187,051	41	10.6	06.1-15.1	23	6.7	03.6-09.8	73	23.3	16.4-30.2	34	11.1	06.4-15.8	8	3.3	00.4-06.2	152	45.0	37.6-52.4
65+	357	163,396	32	8.8	04.9-12.7	35	10.7	06.4-15.0	72	20.0	14.9-25.1	41	10.1	06.6-13.6	7	1.6	00.2-03.0	170	48.8	42.1-55.5
Less Than H.S.	108	123,373	13	10.4	02.0-18.8	13	8.4	02.7-14.1	16	20.2	09.4-31.0	16	14.1	05.1-23.1	7	5.1	00.0-10.2	43	41.8	28.3-55.3
H.S. or G.E.D.	403	364,793	40	10.8	06.1-15.5	34	9.4	04.7-14.1	79	16.2	11.1-21.3	54	12.6	08.3-16.9	8	2.0	00.0-04.0	188	49.1	41.8-56.4
Some Post-H.S.	326	290,226	38	10.6	06.3-14.9	19	5.7	01.8-09.6	67	16.6	11.3-21.9	36	9.8	05.5-14.1	15	6.9	02.0-11.8	151	50.3	42.5-58.1
College Graduate	335	177,998	28	9.4	03.7-15.1	33	8.9	05.0-12.8	61	20.6	13.7-27.5	40	9.7	05.6-13.8	4	0.7	00.0-01.5	169	50.7	42.7-58.7
Less than \$15,000	135	122,570	19	14.7	05.9-23.5	12	5.0	01.9-08.1	25	15.7	07.7-23.7	17	17.9	08.1-27.7	6	5.7	00.0-11.8	56	40.9	28.6-53.2
\$15,000- 24,999	232	183,994	19	4.6	01.7-07.5	18	11.4	03.2-19.6	44	17.6	09.4-25.8	33	15.7	08.1-23.3	11	3.9	01.2-06.6	107	46.7	36.3-57.1
\$25,000- 34,999	110	86,779	9	6.8	01.1-12.5	12	7.5	01.8-13.2	24	18.4	09.0-27.8	18	10.6	04.7-16.5	1	1.3	00.0-03.8	46	55.4	41.1-69.7
\$35,000- 49,999	158	119,267	12	11.1	01.9-20.3	12	7.7	02.0-13.4	30	19.9	11.1-28.7	9	5.8	01.3-10.3	8	8.9	00.0-19.1	87	46.7	35.1-58.3
\$50,000- 74,999	145	125,863	16	13.9	05.7-22.1	11	5.5	01.6-09.4	29	13.9	07.4-20.4	29	15.1	08.2-22.0	2	2.6	00.0-06.3	58	48.9	37.3-60.5
\$75,000+	212	173,098	23	10.3	04.4-16.2	18	8.4	03.7-13.1	43	22.8	14.4-31.2	20	6.8	02.7-10.9	2	0.4	00.0-01.0	106	51.3	41.7-60.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 14: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values (1,2,4)			Cancer (3)			Values (5,6,10)			Diabetes, Heart Disease, Hypertension (Values 7,8)			Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	373	398,764	35	9.6	05.5-13.7	29	9.2	04.3-14.1	60	12.7	08.6-16.8	38	9.3	05.4-13.2	15	4.8	00.9-08.7	196	54.4	47.1-61.7
White/Non-Hisp	307	280,752	29	10.0	05.7-14.3	24	10.3	04.2-16.4	51	13.7	09.0-18.4	29	7.8	04.1-11.5	11	3.4	00.3-06.5	163	54.8	47.2-62.4
45-54	66	73,583	2	3.2	00.0-09.1	2	3.4	00.0-09.3	10	10.1	03.0-17.2	8	7.1	01.0-13.2	6	10.0	00.0-24.7	38	66.3	50.0-82.6
55-64	99	75,222	13	9.4	03.5-15.3	6	5.2	01.1-09.3	20	20.0	07.7-32.3	9	10.4	02.6-18.2	2	1.3	00.0-03.1	49	53.7	40.4-67.0
65+	117	59,915	10	10.8	02.6-19.0	10	7.1	01.6-12.6	17	15.9	07.7-24.1	12	9.3	03.6-15.0	2	1.0	00.0-02.4	66	56.0	44.8-67.2
H.S. or G.E.D.	141	174,248	12	9.1	02.2-16.0	13	13.5	04.3-22.7	22	9.3	04.6-14.0	18	12.5	05.4-19.6	4	2.1	00.0-05.4	72	53.4	41.6-65.2
Some Post-H.S.	95	105,399	11	8.1	02.4-13.8	4	5.6	00.0-14.2	18	13.5	05.3-21.7	7	5.9	00.6-11.2	6	11.0	00.0-22.8	49	55.9	41.8-70.0
College Graduate	102	67,499	8	12.3	00.0-24.8	8	7.1	00.0-14.4	17	18.4	08.0-28.8	8	4.7	00.8-08.6	3	1.3	00.0-02.9	58	56.2	41.9-70.5
\$15,000- 24,999	67	71,238	6	3.8	00.3-07.3	5	17.3	00.0-35.5	8	6.2	00.7-11.7	9	17.6	03.7-31.5	3	1.7	00.0-03.7	36	53.3	35.1-71.5
\$35,000- 49,999	63	58,658	4	10.7	00.0-25.8	8	9.0	00.4-17.6	8	18.5	03.6-33.4	5	7.8	00.0-15.8	6	17.3	00.0-36.5	32	36.8	20.5-53.1
\$50,000- 74,999	57	64,863	6	10.0	00.0-20.6	2	2.3	00.0-06.4	14	14.1	05.3-22.9	9	9.7	02.1-17.3	1	1.7	00.0-05.0	25	62.2	46.7-77.7
\$75,000+	75	67,317	10	15.5	02.8-28.2	6	6.4	00.0-13.5	15	17.7	07.1-28.3	5	3.2	00.1-06.3	2	1.1	00.0-02.9	37	56.1	40.8-71.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 15: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values (1,2,4)			Cancer (3)			Values (5,6,10)			Diabetes, Heart Disease, Hypertension (Values 7,8)			Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	800	558,205	84	11.0	07.7-14.3	71	7.3	05.1-09.5	163	21.2	16.9-25.5	108	12.9	09.6-16.2	19	2.8	01.2-04.4	355	44.8	39.5-50.1
White/Non-Hisp	645	455,658	71	10.7	07.4-14.0	59	7.9	05.4-10.4	125	19.9	15.4-24.4	85	12.1	08.8-15.4	12	2.0	00.6-03.4	293	47.4	41.5-53.3
Black or Afr. Am./Non-Hisp	121	86,587	10	11.4	00.2-22.6	8	4.0	00.1-07.9	28	25.4	11.9-38.9	20	18.1	06.5-29.7	6	6.8	00.5-13.1	49	34.3	21.6-47.0
25-34	57	73,519	5	5.3	00.2-10.4	5	6.4	00.1-12.7	11	24.4	08.3-40.5	11	20.4	07.5-33.3	2	3.6	00.0-09.5	23	39.8	23.7-55.9
35-44	86	99,875	8	10.6	02.6-18.6	7	4.8	00.5-09.1	18	25.7	13.4-38.0	15	17.6	06.6-28.6	2	1.2	00.0-03.0	36	40.1	25.2-55.0
45-54	164	128,330	19	17.1	08.1-26.1	14	6.0	01.3-10.7	25	16.7	07.7-25.7	27	11.4	06.3-16.5	3	2.4	00.0-05.1	76	46.4	35.8-57.0
55-64	232	111,829	28	11.3	05.0-17.6	17	7.6	02.9-12.3	53	25.6	17.6-33.6	25	11.6	05.7-17.5	6	4.7	00.0-09.4	103	39.2	31.0-47.4
65+	240	103,480	22	7.7	03.8-11.6	25	12.8	06.7-18.9	55	22.3	15.8-28.8	29	10.6	06.1-15.1	5	2.0	00.0-04.0	104	44.6	36.4-52.8
Less Than H.S.	73	71,755	9	10.1	01.1-19.1	9	10.9	01.7-20.1	13	24.3	10.4-38.2	11	15.9	03.6-28.2	5	4.4	00.1-08.7	26	34.4	17.2-51.6
H.S. or G.E.D.	262	190,545	28	12.3	05.8-18.8	21	5.6	02.7-08.5	57	22.5	14.7-30.3	36	12.6	07.7-17.5	4	1.8	00.0-03.8	116	45.2	36.6-53.8
Some Post-H.S.	231	184,827	27	12.1	06.2-18.0	15	5.8	02.1-09.5	49	18.3	11.6-25.0	29	12.1	06.0-18.2	9	4.6	00.9-08.3	102	47.2	37.6-56.8
College Graduate	233	110,499	20	7.6	03.1-12.1	25	9.9	05.2-14.6	44	22.0	13.0-31.0	32	12.8	06.7-18.9	1	0.4	00.0-01.2	111	47.3	37.5-57.1
Less than \$15,000	96	69,834	16	21.8	07.9-35.7	8	4.2	00.7-07.7	21	21.1	09.7-32.5	12	19.0	06.3-31.7	4	5.3	00.0-11.6	35	28.6	15.3-41.9
\$15,000- 24,999	165	112,756	13	5.1	01.0-09.2	13	7.7	02.0-13.4	36	24.8	12.8-36.8	24	14.4	05.8-23.0	8	5.3	01.0-09.6	71	42.6	30.1-55.1
\$25,000- 34,999	83	50,950	9	11.6	02.4-20.8	11	9.7	02.3-17.1	19	24.0	11.7-36.3	17	16.6	08.0-25.2	1	2.2	00.0-06.3	26	35.9	22.0-49.8
\$35,000- 49,999	95	60,609	8	11.4	00.8-22.0	4	6.4	00.0-13.7	22	21.3	11.3-31.3	4	3.9	00.0-08.2	2	0.8	00.0-02.2	55	56.2	42.1-70.3
\$50,000- 74,999	88	61,000	10	18.1	05.6-30.6	9	8.9	02.0-15.8	15	13.7	05.3-22.1	20	20.9	09.7-32.1	1	3.5	00.0-10.2	33	34.8	20.5-49.1
\$75,000+	137	105,781	13	7.0	01.9-12.1	12	9.7	03.4-16.0	28	26.1	14.1-38.1	15	9.1	02.8-15.4				69	48.2	35.9-60.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 16: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1214	995,846	647	54.2	49.9-58.5	567	45.8	41.5-50.1
Male	391	417,549	200	54.3	47.0-61.6	191	45.7	38.4-53.0
Female	823	578,296	447	54.2	48.9-59.5	376	45.8	40.5-51.1
White/Non-Hisp	979	763,029	520	54.9	50.4-59.4	459	45.1	40.6-49.6
Black or Afr. Am./Non-Hisp	168	169,595	97	57.0	44.3-69.7	71	43.0	30.3-55.7
25-34	86	146,427	48	48.0	34.5-61.5	38	52.0	38.5-65.5
35-44	133	189,095	74	52.2	40.4-64.0	59	47.8	36.0-59.6
45-54	237	209,316	135	58.9	50.1-67.7	102	41.1	32.3-49.9
55-64	339	190,082	189	58.4	51.1-65.7	150	41.6	34.3-48.9
65+	372	172,404	173	46.7	40.2-53.2	199	53.3	46.8-59.8
Less Than H.S.	111	126,217	54	50.7	37.4-64.0	57	49.3	36.0-62.6
H.S. or G.E.D.	418	373,045	214	53.8	46.5-61.1	204	46.2	38.9-53.5
Some Post-H.S.	341	309,141	191	54.8	47.0-62.6	150	45.2	37.4-53.0
College Graduate	343	186,862	187	56.4	48.4-64.4	156	43.6	35.6-51.6
Less than \$15,000	142	126,439	76	56.2	44.2-68.2	66	43.8	31.8-55.8
\$15,000- 24,999	237	189,878	124	54.7	44.5-64.9	113	45.3	35.1-55.5
\$25,000- 34,999	112	88,657	68	50.5	35.6-65.4	44	49.5	34.6-64.4
\$35,000- 49,999	160	124,152	77	47.4	35.4-59.4	83	52.6	40.6-64.6
\$50,000- 74,999	154	137,326	82	53.2	41.4-65.0	72	46.8	35.0-58.6
\$75,000+	216	176,282	122	62.4	53.2-71.6	94	37.6	28.4-46.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 17: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	391	417,549	200	54.3	47.2-61.4	191	45.7	38.6-52.8
White/Non-Hisp	319	292,813	160	54.1	46.7-61.5	159	45.9	38.5-53.3
45-54	73	79,560	41	68.9	56.4-81.4	32	31.1	18.6-43.6
55-64	100	75,449	56	55.4	42.1-68.7	44	44.6	31.3-57.9
65+	122	63,990	53	43.4	32.4-54.4	69	56.6	45.6-67.6
H.S. or G.E.D.	143	175,704	67	51.8	40.0-63.6	76	48.2	36.4-60.0
Some Post-H.S.	105	115,069	59	57.2	43.9-70.5	46	42.8	29.5-56.1
College Graduate	106	74,009	57	56.8	42.5-71.1	49	43.2	28.9-57.5
\$15,000- 24,999	70	74,551	36	61.9	45.4-78.4	34	38.1	21.6-54.6
\$35,000- 49,999	64	63,124	29	50.0	31.2-68.8	35	50.0	31.2-68.8
\$50,000- 74,999	62	69,001	32	51.3	34.2-68.4	30	48.7	31.6-65.8
\$75,000+	77	68,621	45	66.9	54.0-79.8	32	33.1	20.2-46.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 18: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	823	578,296	447	54.2	49.1-59.3	376	45.8	40.7-50.9
White/Non-Hisp	660	470,216	360	55.3	49.6-61.0	300	44.7	39.0-50.4
Black or Afr. Am./Non-Hisp	127	90,381	69	50.8	36.7-64.9	58	49.2	35.1-63.3
25-34	60	82,777	32	48.9	32.2-65.6	28	51.1	34.4-67.8
35-44	88	100,878	54	52.8	38.1-67.5	34	47.2	32.5-61.9
45-54	164	129,756	94	52.8	42.0-63.6	70	47.2	36.4-58.0
55-64	239	114,633	133	60.3	51.9-68.7	106	39.7	31.3-48.1
65+	250	108,414	120	48.6	40.8-56.4	130	51.4	43.6-59.2
Less Than H.S.	74	73,449	37	49.4	32.7-66.1	37	50.6	33.9-67.3
H.S. or G.E.D.	275	197,341	147	55.5	47.1-63.9	128	44.5	36.1-52.9
Some Post-H.S.	236	194,073	132	53.4	43.6-63.2	104	46.6	36.8-56.4
College Graduate	237	112,853	130	56.1	46.5-65.7	107	43.9	34.3-53.5
Less than \$15,000	101	72,768	53	48.5	33.8-63.2	48	51.5	36.8-66.2
\$15,000- 24,999	167	115,327	88	50.0	37.7-62.3	79	50.0	37.7-62.3
\$25,000- 34,999	86	53,014	54	58.1	44.4-71.8	32	41.9	28.2-55.6
\$35,000- 49,999	96	61,028	48	44.8	30.9-58.7	48	55.2	41.3-69.1
\$50,000- 74,999	92	68,325	50	55.2	38.9-71.5	42	44.8	28.5-61.1
\$75,000+	139	107,662	77	59.5	47.3-71.7	62	40.5	28.3-52.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 19: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOUS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1212	993,019	970	82.2	79.1-85.3	242	17.8	14.7-20.9
Male	391	417,054	312	81.5	76.0-87.0	79	18.5	13.0-24.0
Female	821	575,965	658	82.7	79.2-86.2	163	17.3	13.8-20.8
White/Non-Hisp	977	760,458	786	82.3	79.0-85.6	191	17.7	14.4-21.0
Black or Afr. Am./Non-Hisp	168	169,595	133	84.3	75.9-92.7	35	15.7	07.3-24.1
25-34	87	147,279	68	76.2	64.6-87.8	19	23.8	12.2-35.4
35-44	133	189,095	117	87.0	79.4-94.6	16	13.0	05.4-20.6
45-54	238	209,769	199	86.2	81.1-91.3	39	13.8	08.7-18.9
55-64	337	188,931	267	75.6	68.3-82.9	70	24.4	17.1-31.7
65+	370	170,325	274	76.9	71.6-82.2	96	23.1	17.8-28.4
Less Than H.S.	110	125,259	87	82.4	73.2-91.6	23	17.6	08.4-26.8
H.S. or G.E.D.	417	372,608	328	83.8	79.3-88.3	89	16.2	11.7-20.7
Some Post-H.S.	340	307,258	282	82.0	75.9-88.1	58	18.0	11.9-24.1
College Graduate	344	187,315	272	79.2	72.3-86.1	72	20.8	13.9-27.7
Less than \$15,000	141	125,480	111	88.0	80.7-95.3	30	12.0	04.7-19.3
\$15,000- 24,999	237	189,878	197	88.0	83.3-92.7	40	12.0	07.3-16.7
\$25,000- 34,999	112	88,657	92	86.0	78.4-93.6	20	14.0	06.4-21.6
\$35,000- 49,999	161	123,573	123	70.7	59.5-81.9	38	29.3	18.1-40.5
\$50,000- 74,999	153	135,955	114	77.1	67.1-87.1	39	22.9	12.9-32.9
\$75,000+	216	176,282	176	78.8	70.4-87.2	40	21.2	12.8-29.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 20: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVH0US)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	391	417,054	312	81.5	76.0-87.0	79	18.5	13.0-24.0
White/Non-Hisp	319	292,318	252	80.6	74.5-86.7	67	19.4	13.3-25.5
45-54	73	79,560	60	84.5	74.9-94.1	13	15.5	05.9-25.1
55-64	99	74,490	79	69.8	55.7-83.9	20	30.2	16.1-44.3
65+	121	62,619	89	77.5	68.7-86.3	32	22.5	13.7-31.3
H.S. or G.E.D.	144	176,167	110	82.4	74.4-90.4	34	17.6	09.6-25.6
Some Post-H.S.	105	115,069	92	86.2	76.4-96.0	13	13.8	04.0-23.6
College Graduate	106	74,009	86	78.7	65.0-92.4	20	21.3	07.6-35.0
\$15,000- 24,999	70	74,551	56	91.0	85.3-96.7	14	9.0	03.3-14.7
\$35,000- 49,999	65	63,975	49	63.1	44.7-81.5	16	36.9	18.5-55.3
\$50,000- 74,999	61	67,631	47	76.0	59.7-92.3	14	24.0	07.7-40.3
\$75,000+	77	68,621	66	86.3	75.7-96.9	11	13.7	03.1-24.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 21: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVH0US)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	821	575,965	658	82.7	79.2-86.2	163	17.3	13.8-20.8
White/Non-Hisp	658	468,140	534	83.4	79.5-87.3	124	16.6	12.7-20.5
Black or Afr. Am./Non-Hisp	127	90,381	98	81.2	71.4-91.0	29	18.8	09.0-28.6
25-34	60	82,777	48	77.1	62.6-91.6	12	22.9	08.4-37.4
35-44	88	100,878	78	85.7	76.3-95.1	10	14.3	04.9-23.7
45-54	165	130,209	139	87.2	81.5-92.9	26	12.8	07.1-18.5
55-64	238	114,441	188	79.4	72.3-86.5	50	20.6	13.5-27.7
65+	249	107,706	185	76.5	70.0-83.0	64	23.5	17.0-30.0
Less Than H.S.	74	73,449	63	89.4	80.8-98.0	11	10.6	02.0-19.2
H.S. or G.E.D.	273	196,440	218	85.0	80.1-89.9	55	15.0	10.1-19.9
Some Post-H.S.	235	192,190	190	79.6	71.8-87.4	45	20.4	12.6-28.2
College Graduate	238	113,306	186	79.5	72.4-86.6	52	20.5	13.4-27.6
Less than \$15,000	101	72,768	79	91.2	86.3-96.1	22	8.8	03.9-13.7
\$15,000- 24,999	167	115,327	141	86.1	79.4-92.8	26	13.9	07.2-20.6
\$25,000- 34,999	86	53,014	68	80.1	69.5-90.7	18	19.9	09.3-30.5
\$35,000- 49,999	96	59,598	74	78.9	68.5-89.3	22	21.1	10.7-31.5
\$50,000- 74,999	92	68,325	67	78.1	66.5-89.7	25	21.9	10.3-33.5
\$75,000+	139	107,662	110	74.1	62.5-85.7	29	25.9	14.3-37.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 22: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1150	937,076	11	1.0	00.2-01.8	104	8.7	06.3-11.1	40	3.3	01.5-05.1	25	1.9	00.9-02.9	41	2.6	01.4-03.8	929	82.4	79.3-85.5
Male	368	393,422	4	1.1	00.0-02.5	35	7.9	04.4-11.4	16	5.5	01.4-09.6	3	0.6	00.0-01.4	10	1.7	00.3-03.1	300	83.1	77.8-88.4
Female	782	543,654	7	0.9	00.0-01.9	69	9.3	06.4-12.2	24	1.7	00.9-02.5	22	2.9	01.3-04.5	31	3.3	01.3-05.3	629	81.9	78.2-85.6
White/Non-Hisp	928	730,734	8	1.0	00.0-02.0	77	8.1	05.7-10.5	24	1.9	00.5-03.3	17	1.4	00.6-02.2	30	2.4	01.0-03.8	772	85.1	82.0-88.2
Black or Afr. Am./Non-Hisp	156	144,415	1	0.1	00.0-00.3	21	12.9	04.9-20.9	13	9.3	00.7-17.9	6	4.2	00.5-07.9	10	3.5	00.2-06.8	105	70.1	58.5-81.7
25-34	83	143,915	2	2.7	00.0-06.4	7	7.6	00.7-14.5	3	3.3	00.0-09.2	2	1.5	00.0-04.4	1	0.4	00.0-01.2	68	84.5	74.9-94.1
35-44	121	171,455	1	1.0	00.0-03.0	12	8.8	03.1-14.5	2	1.0	00.0-02.6	2	0.4	00.0-01.0	3	1.2	00.0-03.2	101	87.6	80.9-94.3
45-54	223	188,327	2	0.4	00.0-01.0	31	13.0	07.3-18.7	10	5.8	00.0-12.1	7	2.8	00.6-05.0	9	3.8	00.5-07.1	164	74.3	66.1-82.5
55-64	325	183,960	3	1.1	00.0-03.1	31	10.0	05.1-14.9	15	3.7	01.0-06.4	8	2.1	00.3-03.9	13	2.9	00.9-04.9	255	80.1	74.0-86.2
65+	351	161,798	2	0.4	00.0-01.0	21	5.9	02.8-09.0	8	1.5	00.3-02.7	5	2.8	00.1-05.5	14	3.6	01.4-05.8	301	85.8	81.1-90.5
Less Than H.S.	99	114,129	2	0.4	00.0-01.0	9	7.9	01.8-14.0	1	3.8	00.0-11.1	3	2.9	00.0-06.4	3	2.9	00.0-06.8	81	82.1	71.9-92.3
H.S. or G.E.D.	390	347,664	3	0.6	00.0-01.6	30	6.3	03.2-09.4	10	2.5	00.3-04.7	9	2.0	00.6-03.4	7	1.1	00.1-02.1	331	87.5	83.4-91.6
Some Post-H.S.	327	299,755	4	2.0	00.0-04.2	31	10.6	05.9-15.3	11	3.2	00.0-07.1	8	2.0	00.2-03.8	9	2.4	00.0-04.9	264	79.9	73.2-86.6
College Graduate	333	174,948	2	0.5	00.0-01.3	34	11.0	05.9-16.1	18	4.5	01.8-07.2	5	1.1	00.1-02.1	22	5.9	02.4-09.4	252	77.0	70.5-83.5
Less than \$15,000	127	112,429				15	9.0	03.5-14.5	3	2.0	00.0-04.7	1	0.7	00.0-02.1	5	3.3	00.0-07.4	103	85.0	77.6-92.4
\$15,000- 24,999	224	173,334	5	1.6	00.0-04.0	22	9.3	04.4-14.2	9	1.8	00.4-03.2	10	3.6	01.1-06.1	5	0.8	00.0-01.6	173	82.8	76.5-89.1
\$25,000- 34,999	108	86,888	1	2.1	00.0-06.0	4	1.2	00.0-02.6	4	0.8	00.0-01.6	2	3.4	00.0-08.1	4	1.1	00.0-02.5	93	91.5	85.0-98.0
\$35,000- 49,999	153	119,473	1	1.4	00.0-04.1	13	7.5	01.8-13.2	6	7.5	00.0-16.9	1	0.1	00.0-00.3	10	4.5	01.4-07.6	122	79.0	68.2-89.8
\$50,000- 74,999	146	128,998	1	1.4	00.0-04.1	11	11.0	03.0-19.0	8	4.4	00.3-08.5	3	2.2	00.0-05.5	3	3.4	00.0-09.1	120	77.6	67.2-88.0
\$75,000+	213	171,844	2	0.5	00.0-01.3	21	11.4	05.1-17.7	3	0.4	00.0-01.0	4	1.1	00.0-02.5	11	4.5	01.0-08.0	172	82.0	74.7-89.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 23: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	368	393,422	4	1.1	00.0-02.5	35	7.9	04.4-11.4	16	5.5	01.4-09.6	3	0.6	00.0-01.4	10	1.7	00.3-03.1	300	83.1	77.8-88.4
White/Non-Hisp	301	280,642	2	0.8	00.0-02.4	25	7.7	03.8-11.6	8	3.0	00.0-06.3	2	0.6	00.0-01.6	10	2.4	00.6-04.2	254	85.4	79.9-90.9
45-54	66	70,331				11	10.0	01.8-18.2	4	12.7	00.0-28.4	1	1.3	00.0-03.8	2	3.6	00.0-09.5	48	72.4	55.9-88.9
55-64	98	74,654	1	0.1	00.0-00.3	12	14.6	04.6-24.6	5	4.8	00.0-10.5	1	1.2	00.0-03.6	3	2.1	00.0-04.6	76	77.2	65.8-88.6
65+	113	58,542				5	4.1	00.0-09.8	3	0.9	00.0-02.1	1	1.2	00.0-03.4	5	4.7	00.6-08.8	99	89.2	81.9-96.5
H.S. or G.E.D.	138	169,198	1	0.1	00.0-00.3	10	6.1	01.0-11.2	4	3.8	00.0-07.9	2	1.1	00.0-02.7	2	0.7	00.0-01.7	119	88.3	81.6-95.0
Some Post-H.S.	100	112,572	2	3.5	00.0-08.2	10	7.1	02.0-12.2	3	5.9	00.0-15.9	1	0.6	00.0-01.8	2	0.8	00.0-02.0	82	82.1	70.7-93.5
College Graduate	98	62,957				11	13.4	02.4-24.4	8	6.9	00.8-13.0				4	3.0	00.0-06.1	75	76.7	64.4-89.0
\$15,000- 24,999	66	72,076	3	3.4	00.0-09.3	6	8.6	00.0-17.2	3	1.5	00.0-03.7	1	1.2	00.0-03.6				53	85.3	74.5-96.1
\$35,000- 49,999	61	62,145				7	9.9	00.0-20.1	2	11.4	00.0-28.8				3	3.3	00.0-07.2	49	75.4	56.8-94.0
\$50,000- 74,999	56	62,096				6	8.1	00.0-17.7	3	4.7	00.0-11.4				1	0.6	00.0-01.8	46	86.7	75.3-98.1
\$75,000+	74	64,182				8	12.1	01.9-22.3	2	0.9	00.0-02.1	1	1.4	00.0-04.1	3	2.5	00.0-05.4	60	83.1	72.1-94.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 24: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	782	543,654	7	0.9	00.0-01.9	69	9.3	06.4-12.2	24	1.7	00.9-02.5	22	2.9	01.3-04.5	31	3.3	01.3-05.3	629	81.9	78.2-85.6
White/Non-Hisp	627	450,092	6	1.1	00.0-02.3	52	8.4	05.5-11.3	16	1.2	00.4-02.0	15	1.9	00.7-03.1	20	2.5	00.7-04.3	518	84.9	81.2-88.6
Black or Afr. Am./Non-Hisp	118	75,410	1	0.3	00.0-00.9	15	16.9	05.3-28.5	7	4.1	00.0-08.2	5	7.1	00.2-14.0	10	6.6	00.3-12.9	80	65.0	51.7-78.3
25-34	57	80,265	1	2.2	00.0-06.3	4	7.4	00.0-16.6	2	0.5	00.0-01.3	2	2.8	00.0-07.9	1	0.6	00.0-01.8	47	86.6	75.4-97.8
35-44	82	92,877				9	12.0	03.0-21.0	1	1.4	00.0-04.1	2	0.7	00.0-01.9	3	2.2	00.0-05.7	67	83.7	73.7-93.7
45-54	157	117,996	2	0.6	00.0-01.4	20	14.8	07.2-22.4	6	1.7	00.1-03.3	6	3.7	00.8-06.6	7	3.9	00.0-08.0	116	75.4	66.6-84.2
55-64	227	109,306	2	1.8	00.0-04.9	19	6.9	02.6-11.2	10	3.0	00.6-05.4	7	2.7	00.3-05.1	10	3.4	00.7-06.1	179	82.1	75.6-88.6
65+	238	103,256	2	0.6	00.0-01.6	16	6.9	03.2-10.6	5	1.9	00.1-03.7	4	3.7	00.0-07.8	9	3.0	00.5-05.5	202	83.8	77.7-89.9
Less Than H.S.	67	65,435	1	0.3	00.0-00.9	5	7.2	00.0-14.6				3	5.1	00.0-11.2	1	0.9	00.0-02.7	57	86.6	77.0-96.2
H.S. or G.E.D.	252	178,466	2	1.1	00.0-03.1	20	6.5	03.0-10.0	6	1.3	00.0-02.7	7	3.0	00.6-05.4	5	1.5	00.0-03.1	212	86.7	81.6-91.8
Some Post-H.S.	227	187,183	2	1.1	00.0-03.1	21	12.6	05.9-19.3	8	1.6	00.4-02.8	7	2.8	00.0-05.7	7	3.3	00.0-07.4	182	78.5	70.5-86.5
College Graduate	235	111,991	2	0.8	00.0-02.0	23	9.7	04.8-14.6	10	3.2	00.3-06.1	5	1.6	00.0-03.4	18	7.4	02.1-12.7	177	77.2	69.8-84.6
Less than \$15,000	89	65,216				11	10.0	02.4-17.6	2	1.2	00.0-03.0	1	1.2	00.0-03.6	3	1.9	00.0-05.0	72	85.8	77.0-94.6
\$15,000- 24,999	158	101,258	2	0.4	00.0-01.0	16	9.8	04.1-15.5	6	2.0	00.0-04.0	9	5.3	01.4-09.2	5	1.4	00.0-03.0	120	81.0	73.7-88.3
\$25,000- 34,999	83	51,925				4	2.0	00.0-04.4	3	0.9	00.0-01.9	2	5.7	00.0-13.3	3	1.3	00.0-03.3	71	90.1	81.9-98.3
\$35,000- 49,999	92	57,329	1	3.0	00.0-08.9	6	4.8	00.5-09.1	4	3.1	00.0-06.4	1	0.3	00.0-00.9	7	5.8	00.7-10.9	73	83.0	73.8-92.2
\$50,000- 74,999	90	66,902	1	2.7	00.0-08.0	5	13.7	01.0-26.4	5	4.1	00.0-09.2	3	4.3	00.0-10.6	2	6.0	00.0-16.6	74	69.1	53.0-85.2
\$75,000+	139	107,662	2	0.9	00.0-02.1	13	10.9	02.9-18.9	1	0.2	00.0-00.6	3	0.9	00.0-02.3	8	5.8	00.5-11.1	112	81.3	72.1-90.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 25: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3428	2,771,519	593	18.0	16.0-20.0	2835	82.0	80.0-84.0
Male	1388	1,366,121	237	17.2	14.3-20.1	1151	82.8	79.9-85.7
Female	2040	1,405,399	356	18.8	16.1-21.5	1684	81.2	78.5-83.9
White/Non-Hisp	2863	2,168,836	503	18.5	16.3-20.7	2360	81.5	79.3-83.7
Black or Afr. Am./Non-Hisp	380	384,774	57	17.9	10.8-25.0	323	82.1	75.0-89.2
Oth. Race/Non-Hisp.	61	57,647	13	19.8	00.4-39.2	48	80.2	60.8-99.6
18-24	126	298,119	23	17.2	09.6-24.8	103	82.8	75.2-90.4
25-34	247	437,531	45	18.3	12.0-24.6	202	81.7	75.4-88.0
35-44	330	426,300	60	19.3	13.8-24.8	270	80.7	75.2-86.2
45-54	523	471,683	140	23.4	18.5-28.3	383	76.6	71.7-81.5
55-64	763	497,769	127	18.2	14.1-22.3	636	81.8	77.7-85.9
65+	1405	620,383	194	13.4	10.9-15.9	1211	86.6	84.1-89.1
Less Than H.S.	382	432,410	55	16.3	10.6-22.0	327	83.7	78.0-89.4
H.S. or G.E.D.	1079	897,812	183	17.8	14.5-21.1	896	82.2	78.9-85.5
Some Post-H.S.	837	781,033	144	19.7	15.4-24.0	693	80.3	76.0-84.6
College Graduate	1120	655,598	207	17.2	14.3-20.1	913	82.8	79.9-85.7
Less than \$15,000	367	273,097	47	14.0	07.7-20.3	320	86.0	79.7-92.3
\$15,000- 24,999	544	455,133	93	20.5	14.6-26.4	451	79.5	73.6-85.4
\$25,000- 34,999	350	289,409	59	17.7	11.8-23.6	291	82.3	76.4-88.2
\$35,000- 49,999	399	358,260	77	17.6	12.3-22.9	322	82.4	77.1-87.7
\$50,000- 74,999	396	345,019	79	20.2	14.3-26.1	317	79.8	73.9-85.7
\$75,000+	711	613,591	140	19.3	15.4-23.2	571	80.7	76.8-84.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 26: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1388	1,366,121	237	17.2	14.3-20.1	1151	82.8	79.9-85.7
White/Non-Hisp	1179	1,076,359	206	17.9	14.8-21.0	973	82.1	79.0-85.2
Black or Afr. Am./Non-Hisp	125	170,469	22	19.6	07.4-31.8	103	80.4	68.2-92.6
18-24	70	167,573	12	14.7	05.9-23.5	58	85.3	76.5-94.1
25-34	106	223,949	27	23.5	13.1-33.9	79	76.5	66.1-86.9
35-44	131	198,832	20	15.7	07.7-23.7	111	84.3	76.3-92.3
45-54	231	248,222	51	18.5	12.2-24.8	180	81.5	75.2-87.8
55-64	311	253,318	48	16.4	10.7-22.1	263	83.6	77.9-89.3
65+	527	263,623	77	14.6	10.7-18.5	450	85.4	81.5-89.3
Less Than H.S.	148	209,477	25	15.1	07.3-22.9	123	84.9	77.1-92.7
H.S. or G.E.D.	412	443,807	74	18.1	13.0-23.2	338	81.9	76.8-87.0
Some Post-H.S.	315	377,351	54	18.8	12.1-25.5	261	81.2	74.5-87.9
College Graduate	507	333,363	82	15.3	11.2-19.4	425	84.7	80.6-88.8
Less than \$15,000	112	119,471	12	6.1	00.6-11.6	100	93.9	88.4-99.4
\$15,000- 24,999	182	205,985	29	22.7	12.1-33.3	153	77.3	66.7-87.9
\$25,000- 34,999	161	153,174	28	21.4	12.4-30.4	133	78.6	69.6-87.6
\$35,000- 49,999	175	176,701	36	18.9	11.3-26.5	139	81.1	73.5-88.7
\$50,000- 74,999	193	183,481	40	18.9	11.5-26.3	153	81.1	73.7-88.5
\$75,000+	378	363,386	58	15.1	10.2-20.0	320	84.9	80.0-89.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 27: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2040	1,405,399	356	18.8	16.1-21.5	1684	81.2	78.5-83.9
White/Non-Hisp	1684	1,092,477	297	19.1	16.4-21.8	1387	80.9	78.2-83.6
Black or Afr. Am./Non-Hisp	255	214,305	35	16.6	08.4-24.8	220	83.4	75.2-91.6
18-24	56	130,546	11	20.3	07.2-33.4	45	79.7	66.6-92.8
25-34	141	213,582	18	12.8	06.3-19.3	123	87.2	80.7-93.7
35-44	199	227,468	40	22.4	15.0-29.8	159	77.6	70.2-85.0
45-54	292	223,462	89	28.9	21.5-36.3	203	71.1	63.7-78.5
55-64	452	244,451	79	20.1	14.0-26.2	373	79.9	73.8-86.0
65+	878	356,760	117	12.5	09.4-15.6	761	87.5	84.4-90.6
Less Than H.S.	234	222,933	30	17.4	09.0-25.8	204	82.6	74.2-91.0
H.S. or G.E.D.	667	454,005	109	17.6	13.5-21.7	558	82.4	78.3-86.5
Some Post-H.S.	522	403,682	90	20.5	14.8-26.2	432	79.5	73.8-85.2
College Graduate	613	322,235	125	19.3	15.0-23.6	488	80.7	76.4-85.0
Less than \$15,000	255	153,626	35	20.0	10.2-29.8	220	80.0	70.2-89.8
\$15,000- 24,999	362	249,149	64	18.7	12.2-25.2	298	81.3	74.8-87.8
\$25,000- 34,999	189	136,235	31	13.6	06.7-20.5	158	86.4	79.5-93.3
\$35,000- 49,999	224	181,559	41	16.2	08.9-23.5	183	83.8	76.5-91.1
\$50,000- 74,999	203	161,539	39	21.7	12.7-30.7	164	78.3	69.3-87.3
\$75,000+	333	250,205	82	25.3	18.8-31.8	251	74.7	68.2-81.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 6: COGNITIVE DECLINE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1	MALES AND FEMALES	68
2	MALES ONLY	69
3	FEMALES ONLY	70
	DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)	
4	MALES AND FEMALES	71
5	MALES ONLY	72
6	FEMALES ONLY	73
	AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)	
7	MALES AND FEMALES	74
8	MALES ONLY	75
9	FEMALES ONLY	76
	WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)	
10	MALES AND FEMALES	77
11	MALES ONLY	78
12	FEMALES ONLY	79
	DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)	
13	MALES AND FEMALES	80
14	MALES ONLY	81
15	FEMALES ONLY	82
	HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)	
16	MALES AND FEMALES	83
17	MALES ONLY	84
18	FEMALES ONLY	85

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3892	2,310,422	533	13.3	11.7-14.9	3359	86.7	85.1-88.3
Male	1456	1,046,318	213	14.5	12.0-17.0	1243	85.5	83.0-88.0
Female	2436	1,264,104	320	12.4	10.6-14.2	2116	87.6	85.8-89.4
White/Non-Hisp	3268	1,875,600	460	13.8	12.2-15.4	2808	86.2	84.6-87.8
Black or Afr. Am./Non-Hisp	451	325,037	53	11.8	06.3-17.3	398	88.2	82.7-93.7
Oth. Race/Non-Hisp.	72	42,821	10	14.2	03.6-24.8	62	85.8	75.2-96.4
45-54	797	719,323	138	15.4	12.1-18.7	659	84.6	81.3-87.9
55-64	1157	727,014	144	13.4	10.5-16.3	1013	86.6	83.7-89.5
65+	1938	864,085	251	11.6	09.8-13.4	1687	88.4	86.6-90.2
Less Than H.S.	458	419,493	101	22.7	17.0-28.4	357	77.3	71.6-83.0
H.S. or G.E.D.	1275	769,888	192	13.2	10.8-15.6	1083	86.8	84.4-89.2
Some Post-H.S.	966	629,309	131	10.9	08.4-13.4	835	89.1	86.6-91.6
College Graduate	1186	487,974	106	8.5	06.3-10.7	1080	91.5	89.3-93.7
Less than \$15,000	455	270,368	133	31.1	23.7-38.5	322	68.9	61.5-76.3
\$15,000- 24,999	665	372,048	125	19.6	15.3-23.9	540	80.4	76.1-84.7
\$25,000- 34,999	389	224,803	54	14.2	09.5-18.9	335	85.8	81.1-90.5
\$35,000- 49,999	453	285,658	40	7.4	04.5-10.3	413	92.6	89.7-95.5
\$50,000- 74,999	463	315,725	54	9.5	06.0-13.0	409	90.5	87.0-94.0
\$75,000+	713	449,575	43	5.5	03.5-07.5	670	94.5	92.5-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	1,046,318	213	14.5	12.0-17.0	1243	85.5	83.0-88.0
White/Non-Hisp	1246	852,297	193	15.7	13.0-18.4	1053	84.3	81.6-87.0
Black or Afr. Am./Non-Hisp	132	131,501	13	11.2	01.2-21.2	119	88.8	78.8-98.8
45-54	321	343,488	51	14.9	09.6-20.2	270	85.1	79.8-90.4
55-64	435	345,344	62	15.7	10.6-20.8	373	84.3	79.2-89.4
65+	700	357,486	100	12.9	10.0-15.8	600	87.1	84.2-90.0
Less Than H.S.	170	193,884	39	24.3	15.1-33.5	131	75.7	66.5-84.9
H.S. or G.E.D.	441	337,885	71	14.4	10.5-18.3	370	85.6	81.7-89.5
Some Post-H.S.	324	259,606	53	13.3	08.6-18.0	271	86.7	82.0-91.4
College Graduate	519	254,464	49	8.3	05.6-11.0	470	91.7	89.0-94.4
Less than \$15,000	134	113,625	47	34.9	21.8-48.0	87	65.1	52.0-78.2
\$15,000- 24,999	211	150,436	39	23.8	15.2-32.4	172	76.2	67.6-84.8
\$25,000- 34,999	150	100,800	25	13.8	07.1-20.5	125	86.2	79.5-92.9
\$35,000- 49,999	198	143,771	22	10.0	04.9-15.1	176	90.0	84.9-95.1
\$50,000- 74,999	217	165,994	28	11.2	05.5-16.9	189	88.8	83.1-94.5
\$75,000+	353	245,752	24	4.7	02.3-07.1	329	95.3	92.9-97.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2436	1,264,104	320	12.4	10.6-14.2	2116	87.6	85.8-89.4
White/Non-Hisp	2022	1,023,303	267	12.3	10.5-14.1	1755	87.7	85.9-89.5
Black or Afr. Am./Non-Hisp	319	193,536	40	12.3	05.8-18.8	279	87.7	81.2-94.2
45-54	476	375,835	87	15.8	11.3-20.3	389	84.2	79.7-88.7
55-64	722	381,669	82	11.3	08.2-14.4	640	88.7	85.6-91.8
65+	1238	506,599	151	10.7	08.5-12.9	1087	89.3	87.1-91.5
Less Than H.S.	288	225,609	62	21.3	14.2-28.4	226	78.7	71.6-85.8
H.S. or G.E.D.	834	432,003	121	12.3	09.6-15.0	713	87.7	85.0-90.4
Some Post-H.S.	642	369,702	78	9.3	06.8-11.8	564	90.7	88.2-93.2
College Graduate	667	233,509	57	8.8	05.7-11.9	610	91.2	88.1-94.3
Less than \$15,000	321	156,743	86	28.3	19.7-36.9	235	71.7	63.1-80.3
\$15,000- 24,999	454	221,612	86	16.7	12.4-21.0	368	83.3	79.0-87.6
\$25,000- 34,999	239	124,003	29	14.5	07.8-21.2	210	85.5	78.8-92.2
\$35,000- 49,999	255	141,887	18	4.8	02.1-07.5	237	95.2	92.5-97.9
\$50,000- 74,999	246	149,731	26	7.7	04.0-11.4	220	92.3	88.6-96.0
\$75,000+	360	203,824	19	6.5	03.0-10.0	341	93.5	90.0-97.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	525	304,873	50	7.9	05.2-10.6	48	9.7	06.2-13.2	130	32.2	25.7-38.7	76	13.1	09.4-16.8	221	37.1	31.2-43.0
Male	209	150,253	14	4.6	01.7-07.5	17	9.5	04.2-14.8	47	30.7	20.5-40.9	39	16.2	09.5-22.9	92	39.0	29.8-48.2
Female	316	154,621	36	11.0	06.3-15.7	31	9.9	05.6-14.2	83	33.6	25.4-41.8	37	10.1	06.4-13.8	129	35.3	28.2-42.4
White/Non-Hisp	454	257,009	39	7.4	04.5-10.3	44	10.8	06.9-14.7	104	27.9	21.8-34.0	67	14.2	09.9-18.5	200	39.7	33.6-45.8
Black or Afr. Am./Non-Hisp	51	37,321	7	3.7	00.0-07.6	1	1.8	00.0-05.5	20	63.8	43.6-84.0	6	5.8	00.3-11.3	17	24.9	08.6-41.2
45-54	136	109,951	15	7.3	02.8-11.8	19	13.9	06.6-21.2	50	45.7	33.4-58.0	15	7.7	03.4-12.0	37	25.3	15.9-34.7
55-64	140	95,655	12	7.0	01.9-12.1	14	8.0	01.9-14.1	39	31.4	19.8-43.0	24	18.8	09.6-28.0	51	34.8	23.4-46.2
65+	249	99,267	23	9.3	04.2-14.4	15	6.7	02.8-10.6	41	17.9	11.2-24.6	37	13.6	08.9-18.3	133	52.5	44.7-60.3
Less Than H.S.	100	94,786	14	11.4	04.0-18.8	10	8.6	01.7-15.5	36	43.5	28.6-58.4	11	10.5	02.1-18.9	29	25.9	13.9-37.9
H.S. or G.E.D.	188	100,448	18	8.1	03.8-12.4	19	8.2	04.1-12.3	50	31.5	22.7-40.3	25	12.5	06.6-18.4	76	39.6	30.2-49.0
Some Post-H.S.	130	68,606	7	3.1	00.0-06.2	11	14.6	05.0-24.2	32	27.3	15.5-39.1	21	13.0	06.5-19.5	59	41.9	31.1-52.7
College Graduate	104	40,007	8	4.4	00.9-07.9	8	7.8	01.3-14.3	12	16.2	04.0-28.4	19	21.4	11.4-31.4	57	50.2	37.5-62.9
Less than \$15,000	131	83,355	18	9.7	03.4-16.0	21	14.6	06.6-22.6	45	46.0	31.3-60.7	15	10.4	01.8-19.0	32	19.3	09.7-28.9
\$15,000- 24,999	122	71,577	12	8.6	02.9-14.3	8	6.6	01.5-11.7	30	30.8	18.3-43.3	24	20.5	11.1-29.9	48	33.5	21.3-45.7
\$25,000- 34,999	52	30,989	4	8.8	00.0-20.0	3	8.7	00.0-21.8	11	27.3	09.3-45.3	6	7.9	01.2-14.6	28	47.4	29.4-65.4
\$50,000- 74,999	53	29,440	3	3.9	00.0-08.8	1	8.7	00.0-24.4	11	22.6	07.5-37.7	4	7.6	00.0-15.2	34	57.3	38.5-76.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely		Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	209	150,253	14	4.6	01.7-07.5	17	9.5	05.0-14.0	47	30.7	20.7-40.7	39	16.2	09.7-22.7	92	39.0	30.0-48.0	
White/Non-Hisp	189	132,010	9	4.0	01.1-06.9	17	10.8	05.9-15.7	42	27.4	18.4-36.4	36	17.6	10.5-24.7	85	40.2	31.0-49.4	
55-64	60	53,554	2	1.1	00.0-02.7	5	8.8	04.1-13.5	15	30.6	13.4-47.8	14	25.6	10.7-40.5	24	33.8	17.3-50.3	
65+	100	46,115	9	9.6	02.3-16.9	3	2.9	00.0-06.4	16	17.0	08.0-26.0	18	14.5	07.4-21.6	54	55.9	44.5-67.3	
H.S. or G.E.D.	69	48,251	5	7.1	00.6-13.6	8	8.9	02.6-15.2	12	22.2	09.5-34.9	14	18.0	06.8-29.2	30	43.8	28.5-59.1	
Some Post-H.S.	53	34,411	2	3.2	00.0-08.5	4	14.9	04.9-24.9	15	29.7	11.5-47.9	6	8.8	01.5-16.1	26	43.4	27.3-59.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	316	154,621	36	11.0	06.3-15.7	31	9.9	05.6-14.2	83	33.6	25.2-42.0	37	10.1	06.4-13.8	129	35.3	28.2-42.4
White/Non-Hisp	265	124,999	30	10.9	05.8-16.0	27	10.8	05.7-15.9	62	28.5	20.9-36.1	31	10.7	06.6-14.8	115	39.1	31.5-46.7
45-54	87	59,367	12	10.4	03.1-17.7	10	12.1	03.1-21.1	34	47.7	32.6-62.8	8	7.8	02.3-13.3	23	22.0	11.6-32.4
55-64	80	42,101	10	14.4	03.6-25.2	9	7.0	01.3-12.7	24	32.3	18.2-46.4	10	10.1	02.5-17.7	27	36.1	21.8-50.4
65+	149	53,152	14	9.0	01.9-16.1	12	9.9	03.6-16.2	25	18.8	09.0-28.6	19	12.8	06.5-19.1	79	49.6	39.2-60.0
Less Than H.S.	62	48,012	11	20.1	06.8-33.4	7	9.6	00.0-19.4	21	39.2	20.2-58.2	3	3.0	00.0-06.7	20	28.0	12.7-43.3
H.S. or G.E.D.	119	52,197	13	9.1	03.6-14.6	11	7.7	02.4-13.0	38	40.1	28.5-51.7	11	7.4	02.5-12.3	46	35.7	25.1-46.3
Some Post-H.S.	77	34,194	5	3.1	00.0-06.4	7	14.3	03.9-24.7	17	24.9	10.8-39.0	15	17.3	07.7-26.9	33	40.4	26.9-53.9
College Graduate	56	19,608	5	4.9	00.0-10.2	6	9.5	00.9-18.1	7	18.6	00.0-38.6	8	22.6	07.3-37.9	30	44.4	27.5-61.3
Less than \$15,000	86	44,369	14	15.0	04.2-25.8	14	13.2	05.0-21.4	30	45.4	27.2-63.6	8	4.9	01.6-08.2	20	21.4	07.9-34.9
\$15,000- 24,999	84	35,888	8	8.8	01.9-15.7	6	9.1	00.9-17.3	21	30.2	16.7-43.7	15	19.9	09.1-30.7	34	32.1	19.0-45.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	530	307,636	36	7.2	04.1-10.3	37	5.8	03.6-08.0	140	33.6	27.1-40.1	88	15.1	11.0-19.2	229	38.3	32.2-44.4
Male	212	151,289	14	9.6	03.9-15.3	12	4.0	01.3-06.7	53	33.7	23.5-43.9	35	14.8	08.1-21.5	98	37.9	29.1-46.7
Female	318	156,347	22	5.0	02.3-07.7	25	7.5	04.0-11.0	87	33.5	25.9-41.1	53	15.4	10.5-20.3	131	38.6	30.8-46.4
White/Non-Hisp	457	258,668	25	6.2	03.3-09.1	31	5.9	03.5-08.3	116	32.0	25.5-38.5	80	17.2	12.5-21.9	205	38.8	32.7-44.9
Black or Afr. Am./Non-Hisp	53	38,426	8	11.8	00.0-25.1	3	3.7	00.0-09.2	19	44.2	18.1-70.3	6	3.6	00.1-07.1	17	36.7	12.4-61.0
45-54	137	110,246	16	11.3	04.4-18.2	8	3.5	01.0-06.0	50	40.5	28.3-52.7	19	10.8	04.9-16.7	44	33.8	22.2-45.4
55-64	142	97,251	5	4.2	00.0-08.7	10	5.5	01.6-09.4	44	38.8	26.6-51.0	24	19.2	09.6-28.8	59	32.3	22.3-42.3
65+	251	100,139	15	5.6	01.9-09.3	19	8.6	04.1-13.1	46	20.9	13.8-28.0	45	15.8	10.5-21.1	126	49.0	41.2-56.8
Less Than H.S.	99	94,598	13	12.6	04.2-21.0	6	2.6	00.2-05.0	32	40.8	26.1-55.5	13	11.5	02.9-20.1	35	32.5	19.2-45.8
H.S. or G.E.D.	191	101,548	14	5.8	02.1-09.5	14	6.0	02.5-09.5	53	28.4	20.4-36.4	37	21.6	13.6-29.6	73	38.1	28.9-47.3
Some Post-H.S.	131	68,802	5	5.1	00.0-10.4	11	8.5	02.8-14.2	42	41.6	29.1-54.1	16	9.0	03.9-14.1	57	35.8	25.4-46.2
College Graduate	106	41,662	3	2.1	00.0-04.8	6	8.1	00.7-15.5	12	16.1	04.7-27.5	22	17.8	09.2-26.4	63	55.8	43.1-68.5
Less than \$15,000	132	83,650	14	9.6	02.9-16.3	16	9.0	03.9-14.1	45	38.6	23.9-53.3	20	12.8	03.8-21.8	37	30.0	16.5-43.5
\$15,000- 24,999	125	72,771	8	7.8	01.1-14.5	8	5.5	00.8-10.2	36	37.2	24.3-50.1	25	17.5	08.5-26.5	48	32.0	21.6-42.4
\$25,000- 34,999	54	31,956	2	1.7	00.0-04.2	3	3.6	00.0-08.7	14	40.2	21.2-59.2	7	14.3	02.5-26.1	28	40.1	23.6-56.6
\$50,000- 74,999	54	30,092				2	4.7	00.0-11.8	10	26.3	08.5-44.1	4	8.0	00.0-17.2	38	61.0	42.4-79.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	212	151,289	14	9.6	03.9-15.3	12	4.0	01.3-06.7	53	33.7	23.9-43.5	35	14.8	08.1-21.5	98	37.9	29.1-46.7
White/Non-Hisp	192	133,046	9	7.5	02.2-12.8	10	4.0	01.1-06.9	48	32.5	23.1-41.9	34	16.7	09.3-24.1	91	39.3	30.3-48.3
45-54	50	50,879	6	16.5	03.4-29.6	2	1.3	00.0-03.3	19	42.4	22.6-62.2	7	8.3	00.3-16.3	16	31.5	15.0-48.0
55-64	62	54,295	2	4.3	00.0-11.0	5	4.7	00.0-09.6	17	40.2	22.6-57.8	10	20.1	05.2-35.0	28	30.7	17.0-44.4
65+	100	46,115	6	8.1	00.8-15.4	5	6.2	00.0-12.5	17	16.5	08.3-24.7	18	15.7	08.6-22.8	54	53.5	42.1-64.9
H.S. or G.E.D.	71	48,635	4	6.1	00.0-12.6	3	2.7	00.0-06.2	20	25.3	13.1-37.5	15	23.8	10.7-36.9	29	42.2	26.9-57.5
Some Post-H.S.	53	34,411	3	9.0	00.0-19.2	5	6.7	00.0-13.8	15	42.9	25.8-60.0	4	4.2	00.0-08.7	26	37.2	22.7-51.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	318	156,347	22	5.0	02.5-07.5	25	7.5	04.0-11.0	87	33.5	25.7-41.3	53	15.4	10.3-20.5	131	38.6	30.8-46.4
White/Non-Hisp	265	125,621	16	4.8	02.3-07.3	21	7.9	04.0-11.8	68	31.5	23.5-39.5	46	17.6	11.7-23.5	114	38.2	30.6-45.8
45-54	87	59,367	10	6.9	02.0-11.8	6	5.4	00.9-09.9	31	38.9	24.6-53.2	12	13.0	05.0-21.0	28	35.7	20.0-51.4
55-64	80	42,956	3	4.1	00.0-09.8	5	6.4	00.0-13.1	27	37.1	22.6-51.6	14	18.1	07.3-28.9	31	34.3	20.6-48.0
65+	151	54,024	9	3.5	00.8-06.2	14	10.7	04.0-17.4	29	24.8	14.2-35.4	27	15.8	08.9-22.7	72	45.2	35.0-55.4
Less Than H.S.	61	47,823	7	7.8	00.5-15.1	5	3.9	00.0-08.0	20	37.4	20.2-54.6	6	8.6	00.4-16.8	23	42.3	23.5-61.1
H.S. or G.E.D.	120	52,912	10	5.5	01.6-09.4	11	9.1	03.2-15.0	33	31.3	20.7-41.9	22	19.6	10.6-28.6	44	34.4	23.6-45.2
Some Post-H.S.	78	34,391	2	1.1	00.0-02.9	6	10.4	01.6-19.2	27	40.3	25.6-55.0	12	13.9	05.1-22.7	31	34.3	22.0-46.6
College Graduate	57	20,612	2	3.4	00.0-08.7	3	7.2	00.0-17.4	6	17.1	00.0-36.5	13	23.1	08.8-37.4	33	49.1	31.9-66.3
Less than \$15,000	86	44,369	10	9.3	01.9-16.7	12	13.8	05.0-22.6	30	31.1	16.2-46.0	12	9.7	02.8-16.6	22	36.1	16.9-55.3
\$15,000- 24,999	86	36,993	5	4.9	00.0-10.2	7	10.6	02.0-19.2	23	34.4	20.7-48.1	19	20.5	08.7-32.3	32	29.6	18.6-40.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

**TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	211	142,934	87	40.7	31.3-50.1	36	16.3	09.8-22.8	52	23.2	15.0-31.4	21	10.5	01.9-19.1	15	9.2	03.1-15.3
Male	78	71,009	35	45.2	29.5-60.9	13	16.2	05.6-26.8	17	15.7	04.3-27.1	9	14.5	00.0-30.6	4	8.5	00.0-17.7
Female	133	71,926	52	36.3	25.9-46.7	23	16.4	08.6-24.2	35	30.7	19.5-41.9	12	6.6	01.9-11.3	11	9.9	02.3-17.5
White/Non-Hisp	172	114,016	81	48.1	37.9-58.3	30	15.7	09.4-22.0	33	19.4	11.0-27.8	17	6.9	03.0-10.8	11	10.0	02.7-17.3
45-54	74	61,079	27	29.8	17.1-42.5	15	23.8	11.5-36.1	18	21.8	09.8-33.8	9	17.2	00.0-35.2	5	7.4	00.0-15.6
55-64	59	47,163	24	46.1	28.5-63.7	8	7.9	01.4-14.4	16	30.1	12.5-47.7	6	3.1	00.0-06.2	5	12.8	00.0-26.3
65+	78	34,692	36	52.5	38.2-66.8	13	14.6	03.6-25.6	18	16.5	07.7-25.3	6	8.8	00.8-16.8	5	7.6	00.7-14.5
Less Than H.S.	50	52,962	12	18.8	05.9-31.7	9	19.9	05.4-34.4	19	28.3	10.7-45.9	2	14.0	00.0-35.2	8	19.1	04.2-34.0
H.S. or G.E.D.	80	40,403	40	58.3	45.6-71.0	12	14.2	05.8-22.6	15	15.1	06.5-23.7	9	8.0	01.9-14.1	4	4.4	00.0-09.5
Some Post-H.S.	58	37,970	23	48.0	30.9-65.1	11	16.6	05.8-27.4	14	22.9	08.2-37.6	7	9.2	01.2-17.2	3	3.3	00.0-07.4
Less than \$15,000	74	47,366	23	23.4	10.3-36.5	13	20.1	08.1-32.1	23	26.0	11.9-40.1	8	17.2	00.0-39.7	7	13.4	00.7-26.1
\$15,000- 24,999	52	36,781	21	47.1	27.3-66.9	8	8.4	00.6-16.2	13	28.3	08.3-48.3	7	9.7	01.5-17.9	3	6.4	00.0-15.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	78	71,009	35	45.2	28.9-61.5	13	16.2	06.0-26.4	17	15.7	04.1-27.3	9	14.5	00.0-31.0	4	8.5	00.0-17.9
White/Non-Hisp	67	58,511	34	53.9	37.0-70.8	11	14.3	04.5-24.1	12	16.6	04.1-29.1	7	6.0	01.3-10.7	3	9.2	00.0-20.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

**TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	133	71,926	52	36.3	26.7-45.9	23	16.4	09.3-23.5	35	30.7	19.7-41.7	12	6.6	01.9-11.3	11	9.9	05.4-14.4
White/Non-Hisp	105	55,505	47	41.9	31.5-52.3	19	17.1	09.7-24.5	21	22.3	11.7-32.9	10	7.9	02.0-13.8	8	10.8	05.5-16.1
65+	51	21,007	23	47.8	29.0-66.6	10	18.8	02.1-35.5	11	16.9	05.1-28.7	3	7.2	00.0-17.4	4	9.3	00.0-18.7
H.S. or G.E.D.	54	24,325	25	51.4	37.5-65.3	9	18.5	10.9-26.1	10	15.6	05.0-26.2	6	7.2	00.9-13.5	4	7.3	00.0-15.5
Less than \$15,000	52	24,037	15	26.2	09.7-42.7	9	18.7	07.5-29.9	17	37.2	19.8-54.6	6	6.3	00.0-12.8	5	11.5	00.5-22.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	520	298,833	75	14.5	10.4-18.6	32	7.1	03.8-10.4	99	22.5	16.6-28.4	78	13.7	10.0-17.4	236	42.2	35.9-48.5
Male	205	146,643	28	13.4	07.5-19.3	12	7.4	02.1-12.7	33	23.5	13.3-33.7	32	14.2	08.1-20.3	100	41.6	32.0-51.2
Female	315	152,190	47	15.6	09.9-21.3	20	6.9	03.0-10.8	66	21.5	15.2-27.8	46	13.3	09.0-17.6	136	42.7	34.7-50.7
White/Non-Hisp	448	250,686	62	14.5	10.0-19.0	26	6.7	03.4-10.0	78	20.2	14.7-25.7	74	15.5	11.4-19.6	208	43.1	36.8-49.4
Black or Afr. Am./Non-Hisp	53	38,426	9	10.2	01.4-19.0	4	9.9	00.0-23.2	17	37.2	10.7-63.7	2	1.1	00.0-02.9	21	41.6	16.7-66.5
45-54	133	106,538	37	21.9	13.5-30.3	11	9.7	02.8-16.6	28	23.1	11.3-34.9	25	14.7	07.4-22.0	32	30.5	18.7-42.3
55-64	140	94,271	15	10.3	03.6-17.0	13	8.0	01.9-14.1	35	28.9	17.1-40.7	19	12.7	06.2-19.2	58	40.1	28.3-51.9
65+	247	98,024	23	10.5	05.2-15.8	8	3.5	00.6-06.4	36	15.6	09.3-21.9	34	13.7	08.6-18.8	146	56.8	49.0-64.6
Less Than H.S.	100	94,390	22	21.2	10.8-31.6	11	8.6	01.3-15.9	20	26.0	11.5-40.5	8	5.4	00.9-09.9	39	38.8	24.5-53.1
H.S. or G.E.D.	186	95,823	24	9.9	05.6-14.2	12	5.4	02.1-08.7	37	20.6	13.5-27.7	36	21.4	13.2-29.6	77	42.7	33.1-52.3
Some Post-H.S.	127	66,823	16	11.9	04.8-19.0	8	11.3	02.3-20.3	25	23.5	11.7-35.3	18	11.0	05.3-16.7	60	42.3	31.3-53.3
College Graduate	104	40,771	13	14.4	05.2-23.6	1	1.2	00.0-03.6	15	16.2	04.8-27.6	15	18.6	08.8-28.4	60	49.7	37.0-62.4
Less than \$15,000	129	81,452	36	21.8	12.4-31.2	10	5.0	00.9-09.1	31	29.4	14.5-44.3	12	8.1	02.0-14.2	40	35.6	20.9-50.3
\$15,000- 24,999	123	70,142	16	13.2	05.4-21.0	7	4.9	00.6-09.2	25	26.5	13.6-39.4	24	18.4	09.8-27.0	51	37.1	25.3-48.9
\$25,000- 34,999	52	31,362	5	15.9	00.0-32.8	1	6.8	00.0-19.5	12	29.9	13.0-46.8	8	10.4	03.5-17.3	26	37.0	20.5-53.5
\$50,000- 74,999	50	26,968	2	2.1	00.0-05.2	1	9.5	00.0-26.6	8	16.6	03.7-29.5	8	19.5	00.9-38.1	31	52.3	31.9-72.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	205	146,643	28	13.4	07.5-19.3	12	7.4	03.3-11.5	33	23.5	13.9-33.1	32	14.2	08.3-20.1	100	41.6	32.2-51.0
White/Non-Hisp	185	128,400	22	13.3	07.0-19.6	10	6.3	03.4-09.2	29	20.9	12.1-29.7	31	15.1	08.8-21.4	93	44.5	34.7-54.3
55-64	60	53,040	4	7.7	00.0-16.3	6	8.8	04.5-13.1	13	32.0	14.2-49.8	9	13.6	03.6-23.6	28	38.0	21.3-54.7
65+	97	45,119	10	10.6	03.3-17.9	1	0.9	00.0-02.7	13	13.6	06.0-21.2	13	12.9	05.1-20.7	60	62.1	50.9-73.3
H.S. or G.E.D.	67	45,462	6	6.5	01.4-11.6	3	3.3	00.0-07.0	12	15.6	06.0-25.2	16	27.0	12.3-41.7	30	47.6	31.7-63.5
Some Post-H.S.	51	33,406	6	11.1	00.9-21.3	4	13.3	05.9-20.7	9	29.1	09.7-48.5	4	6.1	00.0-13.2	28	40.4	25.1-55.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	315	152,190	47	15.6	10.1-21.1	20	6.9	03.0-10.8	66	21.5	15.2-27.8	46	13.3	09.0-17.6	136	42.7	34.7-50.7
White/Non-Hisp	263	122,285	40	15.9	10.0-21.8	16	7.2	02.7-11.7	49	19.4	13.3-25.5	43	15.9	10.6-21.2	115	41.6	34.0-49.2
45-54	85	58,054	23	21.7	11.3-32.1	6	7.9	00.0-15.9	21	22.8	11.2-34.4	15	13.7	05.9-21.5	20	34.0	17.7-50.3
55-64	80	41,231	11	13.7	03.1-24.3	7	7.1	00.8-13.4	22	25.0	13.8-36.2	10	11.5	03.5-19.5	30	42.8	27.7-57.9
65+	150	52,905	13	10.4	03.0-17.8	7	5.6	00.3-10.9	23	17.3	07.9-26.7	21	14.3	08.0-20.6	86	52.3	41.7-62.9
Less Than H.S.	61	47,191	12	21.9	07.8-36.0	6	6.8	00.0-15.8	14	20.3	07.6-33.0	3	4.1	00.0-09.4	26	46.9	28.1-65.7
H.S. or G.E.D.	119	50,361	18	13.0	07.3-18.7	9	7.3	02.0-12.6	25	25.1	15.1-35.1	20	16.4	08.6-24.2	47	38.2	27.0-49.4
Some Post-H.S.	76	33,417	10	12.7	04.1-21.3	4	9.3	00.3-18.3	16	17.9	07.7-28.1	14	16.0	07.4-24.6	32	44.1	30.0-58.2
College Graduate	57	20,612	7	12.6	01.0-24.2	1	2.4	00.0-07.1	9	18.9	00.0-38.1	9	22.7	07.8-37.6	31	43.3	27.2-59.4
Less than \$15,000	84	42,758	23	22.3	10.5-34.1	6	4.0	00.0-08.3	23	26.6	12.7-40.5	8	10.3	01.3-19.3	24	36.8	17.6-56.0
\$15,000- 24,999	85	36,172	10	13.5	03.7-23.3	7	9.6	01.6-17.6	17	20.6	09.8-31.4	16	18.3	08.5-28.1	35	38.0	23.5-52.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	523	305,562	254	53.1	46.8-59.4	269	46.9	40.6-53.2
Male	210	150,176	102	55.3	45.7-64.9	108	44.7	35.1-54.3
Female	313	155,385	152	51.0	43.0-59.0	161	49.0	41.0-57.0
White/Non-Hisp	451	256,694	222	52.8	46.3-59.3	229	47.2	40.7-53.7
Black or Afr. Am./Non-Hisp	52	38,326	23	56.4	31.7-81.1	29	43.6	18.9-68.3
45-54	135	109,340	85	66.6	55.4-77.8	50	33.4	22.2-44.6
55-64	144	97,595	74	51.7	39.9-63.5	70	48.3	36.5-60.1
65+	244	98,626	95	39.4	31.6-47.2	149	60.6	52.8-68.4
Less Than H.S.	98	94,485	51	52.3	37.6-67.0	47	47.7	33.0-62.4
H.S. or G.E.D.	189	100,248	82	49.8	40.2-59.4	107	50.2	40.6-59.8
Some Post-H.S.	130	68,555	65	56.5	45.3-67.7	65	43.5	32.3-54.7
College Graduate	103	41,247	55	58.4	46.1-70.7	48	41.6	29.3-53.9
Less than \$15,000	128	82,228	71	54.2	39.3-69.1	57	45.8	30.9-60.7
\$15,000- 24,999	122	72,230	56	50.6	37.9-63.3	66	49.4	36.7-62.1
\$25,000- 34,999	54	31,956	27	61.5	45.2-77.8	27	38.5	22.2-54.8
\$50,000- 74,999	53	29,845	23	49.4	30.2-68.6	30	50.6	31.4-69.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	210	150,176	102	55.3	45.9-64.7	108	44.7	35.3-54.1
White/Non-Hisp	190	131,934	92	53.1	43.5-62.7	98	46.9	37.3-56.5
55-64	62	54,295	32	51.2	34.1-68.3	30	48.8	31.7-65.9
65+	99	45,699	38	41.3	29.5-53.1	61	58.7	46.9-70.5
H.S. or G.E.D.	69	47,515	32	55.2	39.7-70.7	37	44.8	29.3-60.3
Some Post-H.S.	53	34,411	22	54.0	37.9-70.1	31	46.0	29.9-62.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	313	155,385	152	51.0	43.0-59.0	161	49.0	41.0-57.0
White/Non-Hisp	261	124,760	130	52.5	44.5-60.5	131	47.5	39.5-55.5
45-54	86	59,158	53	61.8	46.5-77.1	33	38.2	22.9-53.5
55-64	82	43,300	42	52.3	38.0-66.6	40	47.7	33.4-62.0
65+	145	52,927	57	37.8	27.6-48.0	88	62.2	52.0-72.4
Less Than H.S.	60	47,702	32	51.9	33.1-70.7	28	48.1	29.3-66.9
H.S. or G.E.D.	120	52,733	50	44.9	33.9-55.9	70	55.1	44.1-66.1
Some Post-H.S.	77	34,144	43	58.9	45.4-72.4	34	41.1	27.6-54.6
College Graduate	54	20,197	26	52.6	34.6-70.6	28	47.4	29.4-65.4
Less than \$15,000	84	44,059	47	49.7	32.3-67.1	37	50.3	32.9-67.7
\$15,000- 24,999	83	36,452	37	49.7	35.2-64.2	46	50.3	35.8-64.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)	
1	MALES AND FEMALES	87
2	MALES ONLY	88
3	FEMALES ONLY	89
	HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)	
4	MALES AND FEMALES	90
5	MALES ONLY	91
6	FEMALES ONLY	92
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)	
7	MALES AND FEMALES	93
8	MALES ONLY	94
9	FEMALES ONLY	95

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 1: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4931	3,970,809	3084	59.0	56.8-61.2	1847	41.0	38.8-43.2
Male	1892	1,886,305	1118	55.9	52.6-59.2	774	44.1	40.8-47.4
Female	3039	2,084,504	1966	61.8	59.1-64.5	1073	38.2	35.5-40.9
White/Non-Hisp	4063	3,068,816	2449	56.3	53.9-58.7	1614	43.7	41.3-46.1
Black or Afr. Am./Non-Hisp	593	594,743	479	80.4	75.3-85.5	114	19.6	14.5-24.7
Oth. Race/Non-Hisp.	98	87,372	61	51.7	35.4-68.0	37	48.3	32.0-64.6
MultiRacial/Non-Hisp.	56	63,380	27	29.1	14.0-44.2	29	70.9	55.8-86.0
Hispanic	65	109,701	38	53.6	34.8-72.4	27	46.4	27.6-65.2
18-24	177	400,094	68	47.3	37.9-56.7	109	52.7	43.3-62.1
25-34	340	589,328	163	48.8	41.9-55.7	177	51.2	44.3-58.1
35-44	485	645,511	271	56.5	50.6-62.4	214	43.5	37.6-49.4
45-54	790	717,330	478	58.7	53.8-63.6	312	41.3	36.4-46.2
55-64	1159	723,492	749	65.9	62.0-69.8	410	34.1	30.2-38.0
65+	1938	866,029	1323	66.9	64.0-69.8	615	33.1	30.2-36.0
Less Than H.S.	531	604,400	347	61.7	55.2-68.2	184	38.3	31.8-44.8
H.S. or G.E.D.	1600	1,334,100	1010	59.0	55.3-62.7	590	41.0	37.3-44.7
Some Post-H.S.	1248	1,155,747	779	58.9	54.8-63.0	469	41.1	37.0-45.2
College Graduate	1540	869,964	942	57.2	53.7-60.7	598	42.8	39.3-46.3
Less than \$15,000	551	432,412	386	68.0	61.5-74.5	165	32.0	25.5-38.5
\$15,000- 24,999	842	680,302	550	62.1	56.8-67.4	292	37.9	32.6-43.2
\$25,000- 34,999	486	401,244	308	63.6	57.1-70.1	178	36.4	29.9-42.9
\$35,000- 49,999	584	508,325	366	61.9	56.0-67.8	218	38.1	32.2-44.0
\$50,000- 74,999	585	505,620	361	58.0	52.1-63.9	224	42.0	36.1-47.9
\$75,000+	960	805,383	556	51.4	46.7-56.1	404	48.6	43.9-53.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 2: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1892	1,886,305	1118	55.9	52.6-59.2	774	44.1	40.8-47.4
White/Non-Hisp	1589	1,436,268	911	53.1	49.6-56.6	678	46.9	43.4-50.4
Black or Afr. Am./Non-Hisp	177	264,456	139	80.3	71.9-88.7	38	19.7	11.3-28.1
Oth. Race/Non-Hisp.	50	58,916	30	54.4	34.2-74.6	20	45.6	25.4-65.8
18-24	97	220,150	35	42.8	30.5-55.1	62	57.2	44.9-69.5
25-34	136	290,666	65	48.4	37.8-59.0	71	51.6	41.0-62.2
35-44	185	307,978	94	52.4	43.0-61.8	91	47.6	38.2-57.0
45-54	319	343,011	184	55.1	47.5-62.7	135	44.9	37.3-52.5
55-64	435	345,703	274	64.3	58.2-70.4	161	35.7	29.6-41.8
65+	701	359,862	452	64.2	59.3-69.1	249	35.8	30.9-40.7
Less Than H.S.	204	293,270	114	53.9	43.9-63.9	90	46.1	36.1-56.1
H.S. or G.E.D.	595	655,273	361	55.8	50.1-61.5	234	44.2	38.5-49.9
Some Post-H.S.	443	518,058	255	55.0	48.3-61.7	188	45.0	38.3-51.7
College Graduate	644	417,579	385	58.5	53.0-64.0	259	41.5	36.0-47.0
Less than \$15,000	171	190,445	106	62.4	51.4-73.4	65	37.6	26.6-48.6
\$15,000- 24,999	272	294,265	168	56.4	47.4-65.4	104	43.6	34.6-52.6
\$25,000- 34,999	202	206,488	126	66.3	57.3-75.3	76	33.7	24.7-42.7
\$35,000- 49,999	258	261,812	161	59.1	50.1-68.1	97	40.9	31.9-49.9
\$50,000- 74,999	267	260,811	161	58.2	49.8-66.6	106	41.8	33.4-50.2
\$75,000+	471	439,495	270	49.9	43.2-56.6	201	50.1	43.4-56.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 3: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3039	2,084,504	1966	61.8	59.1-64.5	1073	38.2	35.5-40.9
White/Non-Hisp	2474	1,632,548	1538	59.0	56.1-61.9	936	41.0	38.1-43.9
Black or Afr. Am./Non-Hisp	416	330,288	340	80.4	74.3-86.5	76	19.6	13.5-25.7
18-24	80	179,944	33	52.7	38.8-66.6	47	47.3	33.4-61.2
25-34	204	298,663	98	49.1	40.3-57.9	106	50.9	42.1-59.7
35-44	300	337,533	177	60.2	52.9-67.5	123	39.8	32.5-47.1
45-54	471	374,319	294	62.0	55.7-68.3	177	38.0	31.7-44.3
55-64	724	377,789	475	67.3	62.2-72.4	249	32.7	27.6-37.8
65+	1237	506,166	871	68.9	65.2-72.6	366	31.1	27.4-34.8
Less Than H.S.	327	311,130	233	69.1	61.1-77.1	94	30.9	22.9-38.9
H.S. or G.E.D.	1005	678,827	649	62.1	57.6-66.6	356	37.9	33.4-42.4
Some Post-H.S.	805	637,689	524	62.0	56.9-67.1	281	38.0	32.9-43.1
College Graduate	896	452,385	557	56.0	51.1-60.9	339	44.0	39.1-48.9
Less than \$15,000	380	241,967	280	72.4	64.8-80.0	100	27.6	20.0-35.2
\$15,000- 24,999	570	386,038	382	66.4	59.9-72.9	188	33.6	27.1-40.1
\$25,000- 34,999	284	194,756	182	60.7	51.3-70.1	102	39.3	29.9-48.7
\$35,000- 49,999	326	246,513	205	64.8	57.4-72.2	121	35.2	27.8-42.6
\$50,000- 74,999	318	244,810	200	57.8	49.6-66.0	118	42.2	34.0-50.4
\$75,000+	489	365,888	286	53.3	47.0-59.6	203	46.7	40.4-53.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 4: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2885	2,199,249	330	10.4	08.6-12.2	93	4.0	02.6-05.4	50	2.6	01.6-03.6	254	11.6	09.6-13.6	2158	71.3	68.6-74.0
Male	1051	985,361	96	9.3	06.4-12.2	36	4.3	01.8-06.8	21	3.0	01.2-04.8	81	11.1	07.8-14.4	817	72.3	67.8-76.8
Female	1834	1,213,889	234	11.4	09.2-13.6	57	3.8	02.2-05.4	29	2.3	01.1-03.5	173	12.0	09.5-14.5	1341	70.5	67.2-73.8
White/Non-Hisp	2291	1,626,745	271	11.2	09.4-13.0	62	3.4	02.2-04.6	43	2.6	01.6-03.6	205	11.9	09.5-14.3	1710	70.9	68.0-73.8
Black or Afr. Am./Non-Hisp	452	454,516	45	9.5	04.4-14.6	24	6.9	01.8-12.0	5	2.2	00.0-05.1	39	11.6	06.1-17.1	339	69.9	61.9-77.9
Oth. Race/Non-Hisp.	54	36,807	3	2.3	00.0-05.0	5	4.7	00.0-09.4	1	0.0	00.0-00.0	2	2.4	00.0-06.5	43	90.5	83.1-97.9
18-24	64	178,544	4	5.5	00.0-11.8	6	4.5	00.0-09.0	3	3.5	00.0-08.0	18	24.4	12.4-36.4	33	62.2	48.5-75.9
25-34	155	269,271	12	8.5	01.2-15.8	6	7.5	00.0-15.5	4	3.4	00.0-07.3	25	18.8	11.0-26.6	108	61.8	51.0-72.6
35-44	258	348,558	33	13.8	07.9-19.7	9	4.1	00.6-07.6	5	3.0	00.1-05.9	34	13.9	07.2-20.6	177	65.2	56.8-73.6
45-54	468	414,219	51	8.0	05.3-10.7	13	3.0	00.6-05.4	13	3.9	00.4-07.4	50	11.8	07.5-16.1	341	73.3	67.4-79.2
55-64	719	457,600	76	12.3	09.0-15.6	20	3.8	01.4-06.2	12	2.0	00.6-03.4	56	7.4	04.9-09.9	555	74.5	70.0-79.0
65+	1191	510,388	150	11.3	09.1-13.5	38	3.1	01.7-04.5	12	1.2	00.4-02.0	71	5.9	04.1-07.7	920	78.5	75.6-81.4
Less Than H.S.	298	333,914	44	13.8	08.3-19.3	17	8.9	02.0-15.8	9	6.5	01.2-11.8	29	11.7	05.0-18.4	199	59.2	50.0-68.4
H.S. or G.E.D.	937	729,170	110	10.2	07.5-12.9	35	5.0	02.6-07.4	17	1.5	00.5-02.5	91	11.6	08.3-14.9	684	71.7	67.2-76.2
Some Post-H.S.	747	660,848	77	10.4	06.7-14.1	20	2.3	00.9-03.7	12	2.6	00.8-04.4	61	12.4	08.3-16.5	577	72.3	67.0-77.6
College Graduate	898	472,679	97	8.3	06.1-10.5	21	1.6	00.8-02.4	12	1.6	00.4-02.8	73	10.7	07.4-14.0	695	77.8	73.9-81.7
Less than \$15,000	359	280,489	44	11.4	06.9-15.9	15	5.6	00.0-12.9	8	3.0	00.0-07.3	38	11.5	05.6-17.4	254	68.5	59.1-77.9
\$15,000- 24,999	510	399,597	56	13.0	07.1-18.9	15	3.5	01.1-05.9	4	1.0	00.0-02.6	51	13.0	07.9-18.1	384	69.5	62.4-76.6
\$25,000- 34,999	286	241,993	25	6.5	03.0-10.0	11	3.1	00.9-05.3	4	2.4	00.0-04.9	31	18.2	09.2-27.2	215	69.8	60.4-79.2
\$35,000- 49,999	339	288,149	32	7.6	03.3-11.9	17	8.9	03.4-14.4	6	2.8	00.0-05.7	36	14.0	07.9-20.1	248	66.6	58.6-74.6
\$50,000- 74,999	349	285,788	52	15.8	10.3-21.3	11	4.5	01.0-08.0	5	1.8	00.0-04.3	21	8.6	04.1-13.1	260	69.2	61.9-76.5
\$75,000+	542	404,625	60	8.4	05.7-11.1	11	1.8	00.6-03.0	10	2.7	00.5-04.9	39	7.6	04.5-10.7	422	79.5	75.0-84.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 5: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1051	985,361	96	9.3	06.4-12.2	36	4.3	01.8-06.8	21	3.0	01.2-04.8	81	11.1	07.8-14.4	817	72.3	67.8-76.8
White/Non-Hisp	856	715,819	80	9.7	07.0-12.4	24	3.0	01.4-04.6	18	2.8	01.2-04.4	66	10.9	07.4-14.4	668	73.7	69.2-78.2
Black or Afr. Am./Non-Hisp	131	202,870	13	10.6	00.6-20.6	9	10.0	00.0-20.8	3	4.7	00.0-11.4	11	14.0	04.0-24.0	95	60.7	46.4-75.0
25-34	62	129,239	5	13.7	00.0-27.6	3	11.9	00.0-27.4				12	19.8	07.1-32.5	42	54.6	37.4-71.8
35-44	90	155,060	9	11.0	02.8-19.2	3	4.5	00.0-10.4	3	4.7	00.0-10.2	6	8.5	00.0-17.7	69	71.3	58.4-84.2
45-54	181	185,886	13	3.5	01.3-05.7	6	2.6	00.4-04.8	6	6.8	00.0-14.1	15	11.9	03.9-19.9	141	75.2	65.2-85.2
55-64	262	213,435	22	11.3	06.0-16.6	7	1.9	00.0-03.9	5	2.3	00.0-04.7	18	7.0	02.5-11.5	210	77.5	70.4-84.6
65+	411	202,469	43	9.7	06.2-13.2	14	2.7	01.1-04.3	4	0.8	00.0-01.8	21	5.0	02.6-07.4	329	81.8	77.3-86.3
Less Than H.S.	97	141,539	14	11.5	04.6-18.4	7	9.7	00.0-23.6	2	6.8	00.0-16.2	7	11.1	00.9-21.3	67	60.9	45.4-76.4
H.S. or G.E.D.	333	330,688	29	9.9	05.2-14.6	16	6.6	02.5-10.7	7	1.7	00.0-03.5	27	9.9	04.6-15.2	254	71.9	64.6-79.2
Some Post-H.S.	247	279,547	23	11.1	03.7-18.5	5	1.2	00.0-02.6	7	3.8	00.7-06.9	17	13.1	05.5-20.7	195	70.8	61.2-80.4
College Graduate	371	232,984	29	4.9	02.7-07.1	8	1.4	00.2-02.6	5	1.4	00.0-03.0	30	10.7	06.0-15.4	299	81.6	76.1-87.1
Less than \$15,000	94	110,023	10	10.4	02.8-18.0	3	10.7	00.0-28.3	2	5.8	00.0-16.6	8	12.9	00.6-25.2	71	60.2	41.6-78.8
\$15,000- 24,999	156	158,265	16	14.3	03.1-25.5	6	2.7	00.0-05.6				15	13.5	03.9-23.1	119	69.6	56.7-82.5
\$25,000- 34,999	117	132,060	9	6.5	01.4-11.6	5	3.4	00.1-06.7	2	1.7	00.0-04.4	11	17.1	05.5-28.7	90	71.4	59.2-83.6
\$35,000- 49,999	150	140,749	11	8.7	01.1-16.3	11	10.6	02.2-19.0	4	5.3	00.0-11.2	16	13.2	03.6-22.8	108	62.2	49.7-74.7
\$50,000- 74,999	156	147,597	19	13.4	05.0-21.8	6	2.7	00.2-05.2	1	0.4	00.0-01.2	9	9.1	01.8-16.4	121	74.4	64.0-84.8
\$75,000+	265	216,303	21	5.4	02.1-08.7	3	0.9	00.0-02.1	7	4.3	00.6-08.0	14	5.4	01.9-08.9	220	84.0	78.1-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 6: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1834	1,213,889	234	11.4	09.2-13.6	57	3.8	02.2-05.4	29	2.3	01.1-03.5	173	12.0	09.5-14.5	1341	70.5	67.2-73.8
White/Non-Hisp	1435	910,927	191	12.4	09.9-14.9	38	3.7	01.9-05.5	25	2.6	01.2-04.0	139	12.7	09.8-15.6	1042	68.7	65.0-72.4
Black or Afr. Am./Non-Hisp	321	251,645	32	8.6	04.5-12.7	15	4.4	01.3-07.5	2	0.1	00.0-00.3	28	9.6	04.1-15.1	244	77.4	70.1-84.7
25-34	93	140,032	7	3.7	00.4-07.0	3	3.4	00.0-07.3	4	6.5	00.0-13.8	13	17.9	08.1-27.7	66	68.4	56.8-80.0
35-44	168	193,498	24	16.0	07.8-24.2	6	3.8	00.0-08.3	2	1.7	00.0-04.8	28	18.2	08.8-27.6	108	60.3	49.5-71.1
45-54	287	228,333	38	11.7	07.0-16.4	7	3.4	00.0-07.1	7	1.4	00.0-02.8	35	11.7	07.2-16.2	200	71.7	64.6-78.8
55-64	457	244,165	54	13.3	09.0-17.6	13	5.5	01.4-09.6	7	1.7	00.1-03.3	38	7.7	04.8-10.6	345	72.0	66.1-77.9
65+	780	307,919	107	12.3	09.6-15.0	24	3.3	01.5-05.1	8	1.5	00.3-02.7	50	6.6	04.2-09.0	591	76.3	72.4-80.2
Less Than H.S.	201	192,376	30	15.5	07.5-23.5	10	8.3	02.2-14.4	7	6.2	00.3-12.1	22	12.1	03.5-20.7	132	57.9	46.5-69.3
H.S. or G.E.D.	604	398,481	81	10.5	07.4-13.6	19	3.7	01.3-06.1	10	1.2	00.0-02.4	64	13.0	08.9-17.1	430	71.6	66.1-77.1
Some Post-H.S.	500	381,301	54	9.9	06.6-13.2	15	3.0	00.6-05.4	5	1.8	00.0-04.0	44	11.8	07.3-16.3	382	73.4	67.7-79.1
College Graduate	527	239,695	68	11.6	08.1-15.1	13	1.9	00.5-03.3	7	1.8	00.2-03.4	43	10.6	06.3-14.9	396	74.1	68.6-79.6
Less than \$15,000	265	170,466	34	12.0	06.5-17.5	12	2.4	00.6-04.2	6	1.3	00.0-02.7	30	10.6	05.3-15.9	183	73.8	65.8-81.8
\$15,000- 24,999	354	241,332	40	12.2	05.9-18.5	9	4.0	00.5-07.5	4	1.6	00.0-04.1	36	12.6	06.9-18.3	265	69.5	61.5-77.5
\$25,000- 34,999	169	109,932	16	6.5	02.0-11.0	6	2.8	00.1-05.5	2	3.2	00.0-07.7	20	19.7	05.6-33.8	125	67.9	53.2-82.6
\$35,000- 49,999	189	147,400	21	6.6	02.9-10.3	6	7.2	00.1-14.3	2	0.4	00.0-01.0	20	14.8	07.4-22.2	140	70.9	61.1-80.7
\$50,000- 74,999	193	138,191	33	18.5	11.2-25.8	5	6.5	00.0-13.2	4	3.3	00.0-08.6	12	8.1	02.8-13.4	139	63.7	53.9-73.5
\$75,000+	277	188,322	39	11.8	07.1-16.5	8	2.9	00.5-05.3	3	0.7	00.0-01.5	25	10.2	04.9-15.5	202	74.4	67.5-81.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 7: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4900	3,947,290	1425	25.2	23.4-27.0	3475	74.8	73.0-76.6
Male	1882	1,873,150	532	24.4	21.7-27.1	1350	75.6	72.9-78.3
Female	3018	2,074,141	893	25.9	23.5-28.3	2125	74.1	71.7-76.5
White/Non-Hisp	4040	3,053,115	1101	23.8	22.0-25.6	2939	76.2	74.4-78.0
Black or Afr. Am./Non-Hisp	588	588,745	257	36.2	29.9-42.5	331	63.8	57.5-70.1
Oth. Race/Non-Hisp.	96	87,086	25	26.2	11.1-41.3	71	73.8	58.7-88.9
MultiRacial/Non-Hisp.	57	63,609	14	11.0	03.6-18.4	43	89.0	81.6-96.4
Hispanic	65	109,701	14	14.7	03.7-25.7	51	85.3	74.3-96.3
18-24	174	392,077	17	7.0	03.3-10.7	157	93.0	89.3-96.7
25-34	341	590,682	52	15.5	10.6-20.4	289	84.5	79.6-89.4
35-44	481	638,526	86	18.1	13.8-22.4	395	81.9	77.6-86.2
45-54	790	713,224	221	27.5	23.0-32.0	569	72.5	68.0-77.0
55-64	1154	723,618	338	32.4	28.3-36.5	816	67.6	63.5-71.7
65+	1917	860,061	696	37.4	34.5-40.3	1221	62.6	59.7-65.5
Less Than H.S.	526	597,165	222	36.9	30.8-43.0	304	63.1	57.0-69.2
H.S. or G.E.D.	1583	1,318,813	511	26.3	23.4-29.2	1072	73.7	70.8-76.6
Some Post-H.S.	1246	1,155,210	341	22.8	19.5-26.1	905	77.2	73.9-80.5
College Graduate	1533	869,504	348	18.5	16.0-21.0	1185	81.5	79.0-84.0
Less than \$15,000	545	423,605	234	38.4	31.5-45.3	311	61.6	54.7-68.5
\$15,000- 24,999	837	676,899	295	30.2	25.7-34.7	542	69.8	65.3-74.3
\$25,000- 34,999	484	400,655	150	28.0	22.3-33.7	334	72.0	66.3-77.7
\$35,000- 49,999	581	505,209	166	23.1	18.6-27.6	415	76.9	72.4-81.4
\$50,000- 74,999	583	504,985	164	25.5	20.4-30.6	419	74.5	69.4-79.6
\$75,000+	958	804,046	177	16.4	13.3-19.5	781	83.6	80.5-86.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 8: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1882	1,873,150	532	24.4	21.7-27.1	1350	75.6	72.9-78.3
White/Non-Hisp	1581	1,428,373	441	24.6	21.7-27.5	1140	75.4	72.5-78.3
Black or Afr. Am./Non-Hisp	175	259,018	65	33.3	22.7-43.9	110	66.7	56.1-77.3
Oth. Race/Non-Hisp.	50	58,916	12	19.4	04.3-34.5	38	80.6	65.5-95.7
18-24	94	212,133	10	7.0	01.9-12.1	84	93.0	87.9-98.1
25-34	137	292,020	21	14.0	06.9-21.1	116	86.0	78.9-93.1
35-44	184	307,487	33	19.1	12.0-26.2	151	80.9	73.8-88.0
45-54	317	338,960	89	28.5	21.2-35.8	228	71.5	64.2-78.8
55-64	433	343,523	136	34.3	28.0-40.6	297	65.7	59.4-72.0
65+	698	360,092	238	34.6	29.9-39.3	460	65.4	60.7-70.1
Less Than H.S.	203	287,727	74	31.9	23.1-40.7	129	68.1	59.3-76.9
H.S. or G.E.D.	592	650,742	189	26.4	21.7-31.1	403	73.6	68.9-78.3
Some Post-H.S.	440	514,476	108	20.2	14.9-25.5	332	79.8	74.5-85.1
College Graduate	641	418,081	159	21.2	17.3-25.1	482	78.8	74.9-82.7
Less than \$15,000	169	186,394	65	37.3	25.5-49.1	104	62.7	50.9-74.5
\$15,000- 24,999	271	293,474	92	28.5	21.1-35.9	179	71.5	64.1-78.9
\$25,000- 34,999	201	206,267	57	25.7	17.9-33.5	144	74.3	66.5-82.1
\$35,000- 49,999	255	254,647	82	25.1	18.2-32.0	173	74.9	68.0-81.8
\$50,000- 74,999	266	260,409	73	23.7	16.4-31.0	193	76.3	69.0-83.6
\$75,000+	472	440,634	103	17.4	13.1-21.7	369	82.6	78.3-86.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 9: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3018	2,074,141	893	25.9	23.5-28.3	2125	74.1	71.7-76.5
White/Non-Hisp	2459	1,624,742	660	23.2	20.8-25.6	1799	76.8	74.4-79.2
Black or Afr. Am./Non-Hisp	413	329,727	192	38.5	31.1-45.9	221	61.5	54.1-68.9
18-24	80	179,944	7	7.0	01.3-12.7	73	93.0	87.3-98.7
25-34	204	298,663	31	16.9	10.0-23.8	173	83.1	76.2-90.0
35-44	297	331,039	53	17.2	11.9-22.5	244	82.8	77.5-88.1
45-54	473	374,264	132	26.7	21.0-32.4	341	73.3	67.6-79.0
55-64	721	380,096	202	30.6	25.3-35.9	519	69.4	64.1-74.7
65+	1219	499,969	458	39.5	35.8-43.2	761	60.5	56.8-64.2
Less Than H.S.	323	309,439	148	41.5	33.1-49.9	175	58.5	50.1-66.9
H.S. or G.E.D.	991	668,071	322	26.3	22.6-30.0	669	73.7	70.0-77.4
Some Post-H.S.	806	640,734	233	24.9	20.6-29.2	573	75.1	70.8-79.4
College Graduate	892	451,423	189	16.0	12.9-19.1	703	84.0	80.9-87.1
Less than \$15,000	376	237,211	169	39.3	31.1-47.5	207	60.7	52.5-68.9
\$15,000- 24,999	566	383,424	203	31.5	25.8-37.2	363	68.5	62.8-74.2
\$25,000- 34,999	283	194,388	93	30.3	21.9-38.7	190	69.7	61.3-78.1
\$35,000- 49,999	326	250,562	84	21.2	15.1-27.3	242	78.8	72.7-84.9
\$50,000- 74,999	317	244,577	91	27.4	20.3-34.5	226	72.6	65.5-79.7
\$75,000+	486	363,411	74	15.1	10.6-19.6	412	84.9	80.4-89.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 14: BREAST CANCER AND CERVICAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
1	A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	97
2	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	98
3	A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	99
4	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	100
5	NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP•UH•LOH•MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST) FEMALES ONLY	101
6	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST) FEMALES ONLY	102
7	HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 14: BREAST CANCER AND CERVICAL CANCER SCREENING

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3038	2,088,225	2559	70.7	67.8-73.6	479	29.3	26.4-32.2
White/Non-Hisp	2472	1,629,492	2109	72.4	69.5-75.3	363	27.6	24.7-30.5
Black or Afr. Am./Non-Hisp	415	329,345	339	71.0	63.6-78.4	76	29.0	21.6-36.4
18-24	80	178,940	12	17.7	06.7-28.7	68	82.3	71.3-93.3
25-34	203	298,051	36	15.9	10.0-21.8	167	84.1	78.2-90.0
35-44	297	338,059	156	54.0	46.4-61.6	141	46.0	38.4-53.6
45-54	476	376,031	441	92.6	89.3-95.9	35	7.4	04.1-10.7
55-64	725	381,927	696	96.3	94.3-98.3	29	3.7	01.7-05.7
65+	1233	504,550	1195	97.1	95.9-98.3	38	2.9	01.7-04.1
Less Than H.S.	327	311,177	284	80.2	71.8-88.6	43	19.8	11.4-28.2
H.S. or G.E.D.	1001	679,070	855	71.3	66.2-76.4	146	28.7	23.6-33.8
Some Post-H.S.	808	640,767	657	64.8	59.3-70.3	151	35.2	29.7-40.7
College Graduate	895	452,092	756	71.5	66.6-76.4	139	28.5	23.6-33.4
Less than \$15,000	379	237,761	320	71.0	62.6-79.4	59	29.0	20.6-37.4
\$15,000- 24,999	566	383,299	462	64.3	57.2-71.4	104	35.7	28.6-42.8
\$25,000- 34,999	283	194,422	243	68.4	56.4-80.4	40	31.6	19.6-43.6
\$35,000- 49,999	329	248,761	277	71.5	63.5-79.5	52	28.5	20.5-36.5
\$50,000- 74,999	317	244,577	270	72.8	65.0-80.6	47	27.2	19.4-35.0
\$75,000+	489	365,945	408	72.1	65.8-78.4	81	27.9	21.6-34.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
 MODULE 14: BREAST CANCER AND CERVICAL CANCER SCREENING
 TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that did not report ever having a mammogram.**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-3 years			3-5 years			5 or more years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2522	1,461,175	1541	59.4	56.5-62.3	442	18.3	15.9-20.7	154	6.3	04.9-07.7	147	5.7	04.3-07.1	238	10.2	08.4-12.0
White/Non-Hisp	2080	1,170,429	1255	58.5	55.4-61.6	361	18.1	15.7-20.5	128	5.9	04.5-07.3	122	6.2	04.6-07.8	214	11.3	09.1-13.5
Black or Afr. Am./Non-Hisp	333	228,722	229	66.3	57.7-74.9	61	20.9	13.3-28.5	13	4.6	01.1-08.1	17	3.1	01.1-05.1	13	5.1	01.2-09.0
35-44	155	181,914	88	56.8	46.8-66.8	34	17.9	10.6-25.2	11	7.2	01.7-12.7	9	6.6	01.1-12.1	13	11.6	04.3-18.9
45-54	441	348,045	264	57.8	51.1-64.5	93	23.2	17.1-29.3	33	6.8	03.9-09.7	22	4.3	02.1-06.5	29	7.8	04.1-11.5
55-64	694	366,423	443	63.0	57.7-68.3	101	13.4	09.7-17.1	33	5.0	02.5-07.5	46	6.7	03.8-09.6	71	11.9	08.4-15.4
65+	1165	477,659	708	59.4	55.5-63.3	202	19.3	16.0-22.6	72	5.9	04.1-07.7	64	5.4	03.8-07.0	119	10.1	07.6-12.6
Less Than H.S.	277	244,069	136	44.4	35.2-53.6	45	20.9	13.3-28.5	22	7.7	03.2-12.2	30	9.4	04.9-13.9	44	17.6	11.1-24.1
H.S. or G.E.D.	841	478,828	515	61.8	57.1-66.5	143	17.7	13.8-21.6	61	6.6	04.4-08.8	38	3.7	01.9-05.5	84	10.1	07.6-12.6
Some Post-H.S.	645	411,561	378	59.7	54.2-65.2	136	20.4	16.1-24.7	31	5.3	02.8-07.8	42	6.4	03.7-09.1	58	8.2	04.9-11.5
College Graduate	753	322,949	510	67.5	62.6-72.4	117	14.5	11.2-17.8	39	5.7	03.2-08.2	36	4.9	02.9-06.9	51	7.5	04.2-10.8
Less than \$15,000	313	166,082	161	51.0	40.8-61.2	59	21.5	13.1-29.9	30	6.8	03.7-09.9	25	5.6	02.7-08.5	38	15.1	07.8-22.4
\$15,000- 24,999	457	245,518	251	53.2	46.3-60.1	84	18.7	13.2-24.2	28	5.7	02.8-08.6	34	8.3	04.8-11.8	60	14.0	09.1-18.9
\$25,000- 34,999	242	132,640	137	51.0	42.0-60.0	47	20.6	13.0-28.2	20	10.5	04.4-16.6	12	6.5	00.4-12.6	26	11.4	06.1-16.7
\$35,000- 49,999	275	176,452	168	60.2	51.6-68.8	44	18.1	11.4-24.8	18	4.5	01.8-07.2	18	9.5	04.0-15.0	27	7.7	04.2-11.2
\$50,000- 74,999	270	177,934	183	64.0	55.2-72.8	48	18.7	11.4-26.0	15	5.0	01.1-08.9	9	3.4	00.7-06.1	15	8.9	02.8-15.0
\$75,000+	405	261,601	295	71.5	65.0-78.0	57	13.4	08.9-17.9	20	6.0	02.7-09.3	12	2.3	00.0-04.7	21	6.8	02.7-10.9

NOTE:
 '% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 14: BREAST CANCER AND CERVICAL CANCER SCREENING
TABLE 3: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3017	2,067,034	2894	94.1	92.1-96.1	123	5.9	03.9-07.9
White/Non-Hisp	2461	1,624,578	2369	95.1	93.5-96.7	92	4.9	03.3-06.5
Black or Afr. Am./Non-Hisp	409	325,704	391	93.5	87.4-99.6	18	6.5	00.4-12.6
18-24	81	180,336	56	67.6	53.3-81.9	25	32.4	18.1-46.7
25-34	201	292,389	196	97.0	94.1-99.9	5	3.0	00.1-05.9
35-44	295	328,320	286	97.0	94.8-99.2	9	3.0	00.8-05.2
45-54	474	374,928	467	96.3	91.2-0100	7	3.7	00.0-08.8
55-64	724	381,504	710	98.0	96.6-99.4	14	2.0	00.6-03.4
65+	1219	499,535	1158	95.7	94.3-97.1	61	4.3	02.9-05.7
Less Than H.S.	323	306,484	292	91.7	85.2-98.2	31	8.3	01.8-14.8
H.S. or G.E.D.	993	666,711	955	93.4	89.5-97.3	38	6.6	02.7-10.5
Some Post-H.S.	803	639,394	768	94.4	91.3-97.5	35	5.6	02.5-08.7
College Graduate	892	449,971	874	96.6	94.2-99.0	18	3.4	01.0-05.8
Less than \$15,000	376	236,603	358	90.9	82.7-99.1	18	9.1	00.9-17.3
\$15,000- 24,999	557	379,702	539	96.3	93.9-98.7	18	3.7	01.3-06.1
\$25,000- 34,999	282	191,887	275	91.4	79.8-0100	7	8.6	00.0-20.2
\$35,000- 49,999	328	248,638	316	94.7	90.2-99.2	12	5.3	00.8-09.8
\$50,000- 74,999	316	244,086	306	95.8	92.1-99.5	10	4.2	00.5-07.9
\$75,000+	489	365,945	479	97.0	94.8-99.2	10	3.0	00.8-05.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 14: BREAST CANCER AND CERVICAL CANCER SCREENING
TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a pap test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-3 years			3-5 years			5 or more years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2786	1,886,798	1090	44.7	42.0-47.4	483	18.3	16.1-20.5	252	8.7	07.1-10.3	252	7.5	06.3-08.7	709	20.8	18.6-23.0
White/Non-Hisp	2281	1,499,560	845	42.8	39.7-45.9	392	18.1	15.7-20.5	207	8.8	07.0-10.6	217	8.2	06.8-09.6	620	22.0	19.8-24.2
Black or Afr. Am./Non-Hisp	374	293,871	180	51.1	43.1-59.1	76	20.5	14.0-27.0	33	8.8	04.3-13.3	23	3.6	01.6-05.6	62	16.0	09.7-22.3
18-24	55	120,324	43	76.9	63.6-90.2	6	10.4	00.8-20.0	5	8.6	00.8-16.4				1	4.1	00.0-11.9
25-34	193	280,956	125	63.9	55.3-72.5	32	20.6	12.8-28.4	12	5.0	01.9-08.1	10	3.3	00.9-05.7	14	7.1	03.0-11.2
35-44	285	315,475	155	53.9	46.1-61.7	54	19.7	13.8-25.6	25	12.2	05.7-18.7	26	6.9	04.0-09.8	25	7.3	03.6-11.0
45-54	461	357,597	225	46.0	39.7-52.3	88	18.0	13.3-22.7	38	8.5	05.2-11.8	31	7.2	04.3-10.1	79	20.4	14.7-26.1
55-64	699	366,116	284	37.9	32.8-43.0	118	20.2	15.3-25.1	59	6.1	04.1-08.1	69	10.5	07.0-14.0	169	25.2	20.7-29.7
65+	1074	438,203	251	21.9	18.6-25.2	179	16.6	13.5-19.7	111	10.4	08.0-12.8	115	10.5	08.1-12.9	418	40.6	36.5-44.7
Less Than H.S.	269	256,884	80	33.4	24.4-42.4	42	18.1	10.8-25.4	18	10.3	03.0-17.6	26	6.9	03.6-10.2	103	31.4	23.6-39.2
H.S. or G.E.D.	911	608,020	312	41.9	37.0-46.8	156	17.0	13.7-20.3	97	10.2	07.7-12.7	84	7.1	05.3-08.9	262	23.8	20.1-27.5
Some Post-H.S.	741	590,456	278	44.5	39.2-49.8	135	20.9	16.4-25.4	72	8.4	05.9-10.9	68	7.8	05.3-10.3	188	18.5	14.8-22.2
College Graduate	860	428,316	420	56.3	51.6-61.0	149	16.8	13.3-20.3	65	5.9	03.9-07.9	73	7.9	05.5-10.3	153	13.2	10.3-16.1
Less than \$15,000	336	203,575	106	40.7	31.9-49.5	54	14.9	09.6-20.2	36	6.8	03.7-09.9	26	6.2	02.9-09.5	114	31.4	23.0-39.8
\$15,000- 24,999	520	352,972	180	43.3	36.2-50.4	86	16.8	11.5-22.1	50	9.2	05.3-13.1	50	7.4	04.9-09.9	154	23.3	18.6-28.0
\$25,000- 34,999	266	167,487	89	35.4	26.8-44.0	36	16.3	09.6-23.0	24	11.4	02.2-20.6	33	10.8	05.3-16.3	84	26.1	19.2-33.0
\$35,000- 49,999	312	232,948	119	44.3	35.9-52.7	52	15.8	10.1-21.5	31	11.4	06.5-16.3	29	8.7	04.6-12.8	81	19.8	13.9-25.7
\$50,000- 74,999	300	229,327	135	44.6	36.6-52.6	65	25.7	17.9-33.5	27	7.2	03.3-11.1	19	5.9	02.2-09.6	54	16.5	10.8-22.2
\$75,000+	477	353,140	260	57.2	50.9-63.5	81	20.1	14.4-25.8	40	7.4	04.5-10.3	39	6.2	03.8-08.6	57	9.2	05.9-12.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 14: BREAST CANCER AND CERVICAL CANCER SCREENING

TABLE 5: NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP•UH•LOH•MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1944	1,372,236	760	49.3	45.8-52.8	1184	50.7	47.2-54.2
White/Non-Hisp	1555	1,050,552	576	46.5	42.8-50.2	979	53.5	49.8-57.2
Black or Afr. Am./Non-Hisp	287	228,706	137	59.2	49.8-68.6	150	40.8	31.4-50.2
18-24	61	146,052	29	55.8	39.9-71.7	32	44.2	28.3-60.1
25-34	153	222,084	116	78.6	71.0-86.2	37	21.4	13.8-29.0
35-44	200	217,037	144	69.6	60.8-78.4	56	30.4	21.6-39.2
45-54	310	248,725	169	53.9	45.5-62.3	141	46.1	37.7-54.5
55-64	454	225,665	167	35.0	28.9-41.1	287	65.0	58.9-71.1
65+	750	305,533	131	18.3	14.6-22.0	619	81.7	78.0-85.4
Less Than H.S.	204	192,200	60	43.6	31.6-55.6	144	56.4	44.4-68.4
H.S. or G.E.D.	621	446,257	201	44.9	38.4-51.4	420	55.1	48.6-61.6
Some Post-H.S.	531	438,578	236	55.0	48.7-61.3	295	45.0	38.7-51.3
College Graduate	583	291,307	262	51.7	45.8-57.6	321	48.3	42.4-54.2
Less than \$15,000	243	164,929	98	52.2	41.0-63.4	145	47.8	36.6-59.0
\$15,000- 24,999	391	278,229	161	59.0	51.6-66.4	230	41.0	33.6-48.4
\$25,000- 34,999	172	116,104	63	50.6	37.1-64.1	109	49.4	35.9-62.9
\$35,000- 49,999	230	170,106	90	51.3	41.3-61.3	140	48.7	38.7-58.7
\$50,000- 74,999	197	149,680	73	37.0	28.0-46.0	124	63.0	54.0-72.0
\$75,000+	321	248,175	166	58.1	50.7-65.5	155	41.9	34.5-49.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 14: BREAST CANCER AND CERVICAL CANCER SCREENING
TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a HPV test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-3 years			3-5 years			5 or more years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	705	636,536	321	48.9	43.0-54.8	113	18.8	13.7-23.9	69	10.4	06.5-14.3	55	7.0	04.6-09.4	147	14.8	11.3-18.3
White/Non-Hisp	535	458,941	228	47.3	41.2-53.4	84	16.9	12.2-21.6	53	9.7	06.4-13.0	45	8.1	05.0-11.2	125	18.0	13.7-22.3
Black or Afr. Am./Non-Hisp	126	125,620	63	51.0	36.1-65.9	25	22.1	10.5-33.7	12	14.7	00.2-29.2	7	4.3	00.0-08.6	19	7.9	02.0-13.8
25-34	109	161,828	66	58.7	46.4-71.0	17	21.2	10.6-31.8	9	4.5	01.0-08.0	7	6.7	00.8-12.6	10	9.0	01.9-16.1
35-44	139	147,395	64	47.7	36.5-58.9	22	14.9	07.5-22.3	15	13.6	05.8-21.4	10	5.8	01.7-09.9	28	18.0	09.8-26.2
45-54	158	129,074	74	45.2	33.2-57.2	27	15.7	08.3-23.1	13	14.7	01.0-28.4	11	8.4	02.7-14.1	33	16.1	09.0-23.2
55-64	156	75,595	57	33.4	23.8-43.0	26	16.8	09.0-24.6	12	7.0	02.3-11.7	22	14.7	06.9-22.5	39	28.1	17.5-38.7
65+	113	44,869	40	31.8	20.6-43.0	13	13.2	05.2-21.2	18	22.8	11.0-34.6	5	7.8	00.0-16.8	37	24.4	15.2-33.6
Less Than H.S.	53	74,853	23	53.1	30.2-76.0	8	8.2	00.4-16.0	5	20.7	00.0-44.0	6	4.9	00.0-10.6	11	13.1	01.9-24.3
H.S. or G.E.D.	191	193,912	92	53.1	41.7-64.5	31	22.3	10.7-33.9	22	7.3	03.4-11.2	10	7.0	02.3-11.7	36	10.4	06.1-14.7
Some Post-H.S.	219	226,157	88	43.1	33.7-52.5	39	22.2	13.8-30.6	27	11.6	06.1-17.1	14	4.2	01.3-07.1	51	18.8	11.5-26.1
College Graduate	241	140,772	118	50.7	41.5-59.9	35	14.4	07.9-20.9	15	7.5	02.6-12.4	24	12.2	05.7-18.7	49	15.2	10.1-20.3
Less than \$15,000	92	81,222	41	55.6	36.8-74.4	16	15.0	04.8-25.2	10	19.5	00.0-40.1	4	2.7	00.0-06.0	21	7.3	03.2-11.4
\$15,000- 24,999	153	157,744	77	55.9	43.7-68.1	18	14.9	06.3-23.5	15	8.8	02.5-15.1	11	5.6	01.3-09.9	32	14.8	07.9-21.7
\$25,000- 34,999	57	55,422	26	35.6	15.2-56.0	13	48.4	22.5-74.3	5	2.8	00.0-05.9	5	6.6	00.0-13.9	8	6.6	00.7-12.5
\$35,000- 49,999	83	84,044	32	44.2	27.9-60.5	10	13.6	03.0-24.2	11	15.8	05.0-26.6	9	6.7	00.6-12.8	21	19.7	08.1-31.3
\$50,000- 74,999	72	53,943	34	42.2	28.1-56.3	12	17.7	06.1-29.3	5	8.0	00.7-15.3	4	7.6	00.0-15.8	17	24.5	11.4-37.6
\$75,000+	154	136,924	73	49.2	37.8-60.6	27	19.2	09.2-29.2	14	7.5	02.6-12.4	12	9.5	02.8-16.2	28	14.6	06.2-23.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
 MODULE 14: BREAST CANCER AND CERVICAL CANCER SCREENING
 TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3012	2,059,457	1233	33.3	30.8-35.8	1779	66.7	64.2-69.2
White/Non-Hisp	2452	1,606,389	1008	33.5	31.0-36.0	1444	66.5	64.0-69.0
Black or Afr. Am./Non-Hisp	411	325,207	176	36.3	28.5-44.1	235	63.7	55.9-71.5
18-24	79	177,539				79	100.0	0100-0100
25-34	192	280,219	9	3.8	01.1-06.5	183	96.2	93.5-98.9
35-44	296	336,863	51	17.1	11.6-22.6	245	82.9	77.4-88.4
45-54	475	375,758	171	41.3	34.6-48.0	304	58.7	52.0-65.4
55-64	723	379,214	310	45.4	40.1-50.7	413	54.6	49.3-59.9
65+	1224	499,841	681	57.2	53.5-60.9	543	42.8	39.1-46.5
Less Than H.S.	325	308,611	171	47.1	38.3-55.9	154	52.9	44.1-61.7
H.S. or G.E.D.	993	668,483	448	37.4	32.9-41.9	545	62.6	58.1-67.1
Some Post-H.S.	802	634,440	334	30.0	25.7-34.3	468	70.0	65.7-74.3
College Graduate	886	443,448	278	22.4	18.9-25.9	608	77.6	74.1-81.1
Less than \$15,000	374	228,873	187	41.8	33.0-50.6	187	58.2	49.4-67.0
\$15,000- 24,999	560	379,854	247	34.0	28.1-39.9	313	66.0	60.1-71.9
\$25,000- 34,999	282	193,816	127	34.2	25.8-42.6	155	65.8	57.4-74.2
\$35,000- 49,999	326	244,610	127	32.7	25.4-40.0	199	67.3	60.0-74.6
\$50,000- 74,999	314	242,593	104	31.5	24.1-38.9	210	68.5	61.1-75.9
\$75,000+	484	359,787	152	25.9	20.8-31.0	332	74.1	69.0-79.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 20: SOCIAL CONTEXT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)	
1 MALES AND FEMALES	106
2 MALES ONLY	107
3 FEMALES ONLY	108
HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)	
4 MALES AND FEMALES	109
5 MALES ONLY	110
6 FEMALES ONLY	111
AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)	
7 MALES AND FEMALES	112
8 MALES ONLY	113
9 FEMALES ONLY	114
ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)	
10 MALES AND FEMALES	115
11 MALES ONLY	116
12 FEMALES ONLY	117
THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)	
13 MALES AND FEMALES	118
14 MALES ONLY	119
15 FEMALES ONLY	120

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015

MODULE 20: SOCIAL CONTEXT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)	
16	MALES AND FEMALES	121
17	MALES ONLY	122
18	FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 1: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely			Never			N.A.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4586	3,639,475	465	11.0	09.6-12.4	196	5.4	04.2-06.6	659	16.3	14.5-18.1	685	17.7	15.7-19.7	2471	48.1	45.7-50.5	110	1.5	01.1-01.9			
Male	1751	1,714,746	165	11.2	08.8-13.6	64	4.5	02.9-06.1	220	15.0	12.5-17.5	245	16.9	14.0-19.8	1027	51.2	47.7-54.7	30	1.1	00.5-01.7			
Female	2835	1,924,729	300	10.8	09.2-12.4	132	6.3	04.5-08.1	439	17.4	15.0-19.8	440	18.4	15.9-20.9	1444	45.3	42.6-48.0	80	1.9	01.3-02.5			
White/Non-Hisp	3791	2,824,071	361	10.7	09.1-12.3	164	5.5	04.1-06.9	481	14.0	12.4-15.6	564	16.9	15.1-18.7	2126	51.0	48.6-53.4	95	1.8	01.2-02.4			
Black or Afr. Am./Non-Hisp	548	528,933	68	13.0	08.5-17.5	23	4.2	01.5-06.9	126	24.5	18.2-30.8	82	19.6	13.3-25.9	239	38.1	31.2-45.0	10	0.6	00.0-01.2			
Oth. Race/Non-Hisp.	86	78,172	15	11.6	04.2-19.0	2	0.5	00.0-01.1	21	35.1	17.3-52.9	15	11.9	02.5-21.3	31	40.6	23.4-57.8	2	0.3	00.0-00.7			
MultiRacial/Non-Hisp.	50	50,792	8	18.9	03.6-34.2	3	4.9	00.0-12.3	9	19.0	03.9-34.1	7	5.4	00.5-10.3	22	51.7	29.7-73.7	1	0.1	00.0-00.3			
Hispanic	61	107,070	7	6.8	00.3-13.3	3	12.1	00.0-27.2	12	16.0	04.0-28.0	13	35.0	14.4-55.6	26	30.1	14.6-45.6						
18-24	102	268,134	15	12.4	05.5-19.3	6	3.4	00.3-06.5	21	13.0	06.7-19.3	31	42.0	29.5-54.5	29	29.2	17.6-40.8						
25-34	290	511,087	30	7.9	04.4-11.4	30	12.9	07.4-18.4	56	21.7	15.2-28.2	68	22.0	15.5-28.5	105	35.1	28.2-42.0	1	0.4	00.0-01.2			
35-44	446	601,664	60	14.2	09.9-18.5	20	5.8	02.5-09.1	76	17.6	12.7-22.5	79	16.6	12.3-20.9	210	45.7	39.4-52.0	1	0.1	00.0-00.3			
45-54	745	687,636	117	14.5	11.0-18.0	37	5.2	02.8-07.6	131	18.6	14.7-22.5	133	17.5	14.0-21.0	321	43.4	38.1-48.7	6	0.8	00.0-01.6			
55-64	1104	703,386	142	13.8	10.9-16.7	61	4.7	02.9-06.5	170	17.0	13.5-20.5	155	13.6	10.7-16.5	561	49.9	45.8-54.0	15	1.1	00.3-01.9			
65+	1863	842,046	100	5.1	03.9-06.3	40	1.9	01.1-02.7	203	10.7	08.7-12.7	213	11.9	09.7-14.1	1221	65.8	62.9-68.7	86	4.7	03.3-06.1			
Less Than H.S.	482	549,409	101	18.3	13.4-23.2	21	6.2	01.7-10.7	105	21.2	15.9-26.5	47	13.7	08.2-19.2	190	37.2	30.3-44.1	18	3.4	01.6-05.2			
H.S. or G.E.D.	1457	1,192,456	205	13.4	10.9-15.9	65	5.6	03.6-07.6	243	18.9	15.6-22.2	203	16.9	13.6-20.2	702	43.8	39.9-47.7	39	1.4	00.8-02.0			
Some Post-H.S.	1159	1,057,966	110	10.7	08.0-13.4	61	6.0	03.8-08.2	175	15.8	12.5-19.1	191	20.2	16.5-23.9	595	46.1	41.8-50.4	27	1.2	00.6-01.8			
College Graduate	1477	832,942	47	2.9	01.9-03.9	49	4.0	02.2-05.8	135	10.0	07.6-12.4	242	18.4	15.5-21.3	978	63.8	60.1-67.5	26	1.0	00.6-01.4			
Less than \$15,000	488	369,123	155	31.8	24.9-38.7	38	10.2	05.3-15.1	119	20.9	15.2-26.6	42	12.1	05.4-18.8	116	22.6	15.7-29.5	18	2.4	01.0-03.8			
\$15,000- 24,999	770	618,244	147	20.3	16.0-24.6	59	8.2	04.7-11.7	150	22.6	17.5-27.7	107	16.7	12.2-21.2	281	30.3	25.4-35.2	26	1.8	00.8-02.8			
\$25,000- 34,999	458	375,040	45	10.2	06.5-13.9	28	8.3	03.2-13.4	79	20.7	14.6-26.8	77	20.6	13.5-27.7	216	38.0	31.1-44.9	13	2.2	00.4-04.0			
\$35,000- 49,999	561	483,984	37	6.6	03.5-09.7	21	3.4	01.2-05.6	81	16.4	12.1-20.7	105	21.7	16.4-27.0	308	50.8	44.5-57.1	9	1.1	00.1-02.1			
\$50,000- 74,999	560	474,896	16	4.4	01.9-06.9	15	3.6	01.2-06.0	55	15.3	10.4-20.2	113	22.3	17.4-27.2	350	53.3	47.2-59.4	11	1.1	00.3-01.9			
\$75,000+	941	779,078	14	2.0	00.4-03.6	12	2.6	00.6-04.6	64	7.8	05.4-10.2	138	14.9	11.8-18.0	707	72.5	68.4-76.6	6	0.2	00.0-00.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 2: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never		N	N.A.	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	1751	1,714,746	165	11.2	08.8-13.6	64	4.5	02.9-06.1	220	15.0	12.5-17.5	245	16.9	14.0-19.8	1027	51.2	47.7-54.7	30	1.1	00.5-01.7
White/Non-Hisp	1474	1,303,551	131	11.0	08.5-13.5	56	5.2	03.2-07.2	164	12.8	10.4-15.2	202	14.9	12.4-17.4	893	54.9	51.2-58.6	28	1.4	00.8-02.0
Black or Afr. Am./Non-Hisp	165	244,439	20	14.3	06.3-22.3	4	2.8	00.0-06.3	31	21.8	11.4-32.2	24	22.8	11.6-34.0	84	37.8	26.2-49.4	2	0.4	00.0-01.2
18-24	51	137,018	7	13.5	03.1-23.9	2	1.0	00.0-02.6	11	12.9	04.5-21.3	16	37.1	20.6-53.6	15	35.5	17.9-53.1			
25-34	118	258,964	9	6.7	01.6-11.8	9	9.5	02.4-16.6	26	22.9	12.9-32.9	28	25.0	14.4-35.6	46	35.9	25.7-46.1			
35-44	169	283,259	21	15.0	07.6-22.4	10	6.7	02.2-11.2	21	13.4	06.5-20.3	27	16.1	09.0-23.2	90	48.8	39.0-58.6			
45-54	303	333,091	49	16.2	10.3-22.1	11	4.3	01.0-07.6	50	15.9	10.8-21.0	46	14.0	09.1-18.9	145	48.7	40.9-56.5	2	0.8	00.0-02.2
55-64	415	333,747	48	13.1	08.4-17.8	13	2.3	00.5-04.1	61	17.6	12.5-22.7	57	13.1	08.6-17.6	229	52.7	46.2-59.2	7	1.3	00.1-02.5
65+	680	351,641	31	4.5	02.7-06.3	18	2.1	00.9-03.3	49	7.8	05.1-10.5	69	10.7	07.6-13.8	492	71.5	67.0-76.0	21	3.4	01.4-05.4
Less Than H.S.	186	268,023	43	20.6	12.6-28.6	5	1.8	00.0-03.8	35	17.6	10.5-24.7	19	16.1	06.7-25.5	76	39.9	29.3-50.5	8	4.1	01.2-07.0
H.S. or G.E.D.	537	578,510	71	13.4	09.3-17.5	23	6.2	02.7-09.7	87	19.3	14.4-24.2	76	15.7	11.2-20.2	276	45.1	39.0-51.2	4	0.3	00.1-00.5
Some Post-H.S.	404	467,859	33	10.5	06.0-15.0	16	4.0	01.5-06.5	46	12.1	07.0-17.2	66	19.7	13.6-25.8	239	53.4	46.1-60.7	4	0.3	00.0-00.7
College Graduate	620	398,772	17	2.4	00.8-04.0	20	4.6	01.5-07.7	51	10.4	06.7-14.1	83	16.2	12.1-20.3	435	65.1	59.6-70.6	14	1.3	00.5-02.1
Less than \$15,000	149	161,322	54	38.9	26.4-51.4	7	4.7	00.0-09.4	30	17.9	08.9-26.9	16	15.7	02.6-28.8	38	21.2	11.0-31.4	4	1.5	00.0-03.5
\$15,000- 24,999	244	263,623	44	20.6	13.0-28.2	16	5.2	01.5-08.9	43	20.7	11.9-29.5	44	21.5	13.5-29.5	93	31.0	22.6-39.4	4	1.0	00.0-02.2
\$25,000- 34,999	190	194,841	19	8.9	04.0-13.8	11	6.1	01.2-11.0	33	25.4	15.8-35.0	24	17.0	09.2-24.8	97	39.5	29.7-49.3	6	3.1	00.0-06.2
\$35,000- 49,999	245	247,539	12	4.3	00.4-08.2	13	4.9	01.2-08.6	32	14.9	08.4-21.4	43	21.5	13.5-29.5	141	53.4	44.0-62.8	4	1.1	00.0-02.5
\$50,000- 74,999	254	240,841	9	5.5	01.4-09.6	5	4.5	00.2-08.8	23	13.6	07.5-19.7	43	16.9	10.4-23.4	167	58.2	49.4-67.0	7	1.2	00.0-02.4
\$75,000+	461	424,394	10	3.1	00.4-05.8	5	1.9	00.0-04.1	33	7.3	04.4-10.2	58	12.9	08.8-17.0	352	74.7	69.0-80.4	3	0.2	00.0-00.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 3: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY (SCNTMNY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never		N.A.		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	%	C.I. (95%)	%
Female	2835	1,924,729	300	10.8	09.2-12.4	132	6.3	04.5-08.1	439	17.4	15.0-19.8	440	18.4	15.9-20.9	1444	45.3	42.6-48.0	80	1.9	01.3-02.5
White/Non-Hisp	2317	1,520,520	230	10.5	08.7-12.3	108	5.9	04.1-07.7	317	15.0	12.8-17.2	362	18.7	16.2-21.2	1233	47.7	44.8-50.6	67	2.3	01.5-03.1
Black or Afr. Am./Non-Hisp	383	284,494	48	11.9	07.0-16.8	19	5.4	01.3-09.5	95	26.8	19.4-34.2	58	16.8	10.5-23.1	155	38.4	30.2-46.6	8	0.7	00.1-01.3
18-24	51	131,116	8	11.3	02.3-20.3	4	5.9	00.0-12.2	10	13.2	03.8-22.6	15	47.1	29.1-65.1	14	22.5	08.6-36.4			
25-34	172	252,123	21	9.1	04.4-13.8	21	16.4	08.0-24.8	30	20.4	12.4-28.4	40	18.9	11.8-26.0	59	34.3	25.3-43.3	1	0.9	00.0-02.7
35-44	277	318,405	39	13.4	08.5-18.3	10	4.9	00.0-10.0	55	21.4	14.5-28.3	52	17.1	11.8-22.4	120	42.9	35.1-50.7	1	0.2	00.0-00.6
45-54	442	354,545	68	12.9	08.8-17.0	26	6.0	02.5-09.5	81	21.1	15.4-26.8	87	20.8	15.7-25.9	176	38.4	31.7-45.1	4	0.7	00.0-01.5
55-64	689	369,638	94	14.4	10.5-18.3	48	6.8	03.9-09.7	109	16.4	11.7-21.1	98	14.0	10.3-17.7	332	47.5	42.2-52.8	8	1.0	00.0-02.0
65+	1183	490,405	69	5.5	03.9-07.1	22	1.7	00.7-02.7	154	12.8	10.3-15.3	144	12.7	10.0-15.4	729	61.7	58.0-65.4	65	5.6	03.8-07.4
Less Than H.S.	296	281,386	58	16.2	10.7-21.7	16	10.5	02.3-18.7	70	24.6	16.8-32.4	28	11.4	05.7-17.1	114	34.6	25.8-43.4	10	2.7	00.7-04.7
H.S. or G.E.D.	920	613,946	134	13.5	10.4-16.6	42	5.0	03.0-07.0	156	18.5	14.2-22.8	127	18.1	13.4-22.8	426	42.5	37.6-47.4	35	2.4	01.2-03.6
Some Post-H.S.	755	590,107	77	10.8	07.5-14.1	45	7.6	04.5-10.7	129	18.8	14.5-23.1	125	20.5	15.6-25.4	356	40.4	35.3-45.5	23	1.9	00.7-03.1
College Graduate	857	434,170	30	3.3	01.7-04.9	29	3.5	01.7-05.3	84	9.6	06.9-12.3	159	20.4	16.3-24.5	543	62.5	57.8-67.2	12	0.7	00.3-01.1
Less than \$15,000	339	207,801	101	26.3	19.0-33.6	31	14.4	07.0-21.8	89	23.2	15.9-30.5	26	9.3	03.8-14.8	78	23.7	14.5-32.9	14	3.1	01.1-05.1
\$15,000- 24,999	526	354,621	103	20.1	15.0-25.2	43	10.4	05.1-15.7	107	24.0	17.9-30.1	63	13.2	08.3-18.1	188	29.9	24.0-35.8	22	2.4	01.0-03.8
\$25,000- 34,999	268	180,199	26	11.7	06.0-17.4	17	10.7	01.9-19.5	46	15.6	09.1-22.1	53	24.4	12.6-36.2	119	36.3	27.1-45.5	7	1.2	00.2-02.2
\$35,000- 49,999	316	236,446	25	8.9	04.2-13.6	8	2.0	00.2-03.8	49	18.0	11.9-24.1	62	21.8	14.9-28.7	167	48.0	39.8-56.2	5	1.2	00.0-02.8
\$50,000- 74,999	306	234,055	7	3.2	00.5-05.9	10	2.7	00.7-04.7	32	17.0	09.6-24.4	70	27.9	20.5-35.3	183	48.2	40.2-56.2	4	0.9	00.0-02.1
\$75,000+	480	354,684	4	0.7	00.0-01.5	7	3.4	00.3-06.5	31	8.4	04.3-12.5	80	17.2	12.7-21.7	355	69.9	63.8-76.0	3	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 4: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never		N.A.						
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4905	3,953,224	340	7.1	06.1-08.1	184	4.6	03.6-05.6	644	15.1	13.5-16.7	555	13.2	11.6-14.8	3181	60.0	57.8-62.2	1	0.0	00.0-00.0
Male	1883	1,877,873	104	5.9	04.3-07.5	59	3.8	02.4-05.2	195	13.2	10.8-15.6	189	13.0	10.6-15.4	1336	64.1	60.8-67.4			
Female	3022	2,075,351	236	8.2	06.8-09.6	125	5.4	03.8-07.0	449	16.9	14.5-19.3	366	13.3	11.3-15.3	1845	56.2	53.5-58.9	1	0.0	00.0-00.0
White/Non-Hisp	4040	3,047,951	266	6.8	05.6-08.0	146	4.8	03.6-06.0	494	13.6	12.0-15.2	451	13.1	11.5-14.7	2683	61.7	59.3-64.1			
Black or Afr. Am./Non-Hisp	586	589,633	44	7.8	04.5-11.1	24	3.3	00.9-05.7	104	20.1	14.6-25.6	69	12.9	08.4-17.4	344	55.8	49.1-62.5	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	97	87,615	11	7.0	01.7-12.3	6	8.6	00.0-17.6	21	27.3	11.2-43.4	7	3.5	00.0-07.2	52	53.6	37.3-69.9			
MultiRacial/Non-Hisp.	57	63,609	10	20.9	06.2-35.6	3	1.9	00.0-04.3	8	17.9	04.4-31.4	10	20.3	05.6-35.0	26	39.1	18.9-59.3			
Hispanic	65	109,701	5	4.7	00.0-10.0	3	6.9	00.0-14.9	11	22.1	05.4-38.8	11	17.1	05.3-28.9	35	49.2	30.0-68.4			
18-24	177	398,958	13	6.0	02.3-09.7	14	7.5	03.2-11.8	25	13.1	07.2-19.0	36	19.5	12.2-26.8	89	53.9	44.7-63.1			
25-34	339	586,653	30	7.4	04.3-10.5	20	5.4	02.3-08.5	81	27.2	20.9-33.5	59	15.5	10.8-20.2	149	44.5	37.6-51.4			
35-44	479	642,960	47	9.5	06.0-13.0	16	5.7	02.2-09.2	71	13.5	09.6-17.4	72	16.7	12.2-21.2	273	54.5	48.4-60.6			
45-54	788	712,575	82	9.0	06.5-11.5	48	5.8	03.4-08.2	129	16.4	12.5-20.3	104	13.1	09.8-16.4	425	55.7	50.6-60.8			
55-64	1155	724,298	107	8.9	06.5-11.3	49	4.0	02.2-05.8	155	14.0	10.9-17.1	131	12.4	09.5-15.3	713	60.6	56.5-64.7			
65+	1925	859,963	60	2.4	01.6-03.2	37	1.7	00.9-02.5	179	8.9	07.1-10.7	148	6.7	05.3-08.1	1500	80.3	77.9-82.7	1	0.0	00.0-00.0
Less Than H.S.	524	595,725	84	11.4	08.1-14.7	26	7.2	03.1-11.3	110	22.8	17.1-28.5	46	9.4	05.5-13.3	258	49.2	42.5-55.9			
H.S. or G.E.D.	1588	1,328,606	144	8.7	06.7-10.7	72	4.1	02.7-05.5	241	16.4	13.5-19.3	198	14.6	11.9-17.3	932	56.2	52.5-59.9	1	0.0	00.0-00.0
Some Post-H.S.	1244	1,153,062	88	7.2	05.2-09.2	63	6.3	04.1-08.5	178	13.9	11.0-16.8	151	13.9	11.0-16.8	764	58.7	54.6-62.8			
College Graduate	1536	868,588	23	1.7	00.7-02.7	23	1.5	00.7-02.3	112	9.4	07.0-11.8	159	12.5	10.0-15.0	1219	74.9	71.6-78.2			
Less than \$15,000	542	416,130	135	22.8	17.3-28.3	52	10.8	06.3-15.3	142	24.8	18.9-30.7	62	12.7	07.6-17.8	150	28.8	21.4-36.2	1	0.0	00.0-00.0
\$15,000- 24,999	831	676,423	101	12.3	09.0-15.6	59	7.0	04.3-09.7	175	25.4	20.3-30.5	109	15.7	11.6-19.8	387	39.7	34.4-45.0			
\$25,000- 34,999	483	400,271	30	6.6	03.7-09.5	17	5.3	01.0-09.6	68	16.5	11.2-21.8	65	14.4	09.7-19.1	303	57.3	50.2-64.4			
\$35,000- 49,999	588	511,205	24	4.1	02.1-06.1	17	3.3	01.1-05.5	59	12.3	08.0-16.6	85	16.4	11.9-20.9	403	64.0	58.1-69.9			
\$50,000- 74,999	580	502,347	6	1.3	00.1-02.5	8	2.5	00.5-04.5	51	13.8	08.9-18.7	58	13.2	09.1-17.3	457	69.2	63.3-75.1			
\$75,000+	959	806,027	4	1.2	00.0-02.4	8	1.9	00.3-03.5	31	4.5	02.3-06.7	73	8.8	06.3-11.3	843	83.6	80.1-87.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 5: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	1883	1,877,873	104	5.9	04.3-07.5	59	3.8	02.4-05.2	195	13.2	10.8-15.6	189	13.0	10.6-15.4	1336	64.1	60.8-67.4
White/Non-Hisp	1579	1,427,309	78	5.4	03.6-07.2	48	4.0	02.4-05.6	151	11.4	09.0-13.8	156	13.0	10.5-15.5	1146	66.1	62.6-69.6
Black or Afr. Am./Non-Hisp	177	264,456	14	7.2	02.3-12.1	4	1.6	00.0-04.0	27	20.9	11.3-30.5	15	8.7	02.6-14.8	117	61.6	50.4-72.8
18-24	96	218,622	4	3.9	00.0-08.2	5	3.8	00.3-07.3	14	15.1	06.5-23.7	21	18.5	09.5-27.5	52	58.7	46.7-70.7
25-34	137	292,020	8	4.6	00.9-08.3	6	3.4	00.0-06.9	32	23.7	15.3-32.1	23	17.5	09.7-25.3	68	50.8	40.4-61.2
35-44	183	305,037	13	8.9	03.0-14.8	8	6.5	01.8-11.2	20	9.7	04.6-14.8	28	19.2	11.6-26.8	114	55.7	46.3-65.1
45-54	317	340,503	32	8.2	04.7-11.7	12	3.9	01.2-06.6	41	14.3	08.4-20.2	31	10.4	05.7-15.1	201	63.2	55.8-70.6
55-64	433	343,886	27	7.0	03.7-10.3	19	4.8	01.7-07.9	40	12.0	07.5-16.5	48	11.1	07.0-15.2	299	65.1	58.8-71.4
65+	698	358,870	19	2.0	00.8-03.2	9	1.0	00.2-01.8	46	6.3	03.8-08.8	36	5.1	02.7-07.5	588	85.6	82.1-89.1
Less Than H.S.	204	289,573	31	10.6	05.5-15.7	11	5.6	01.1-10.1	31	15.8	08.7-22.9	20	12.9	06.0-19.8	111	55.1	45.1-65.1
H.S. or G.E.D.	590	653,792	42	7.8	04.7-10.9	21	3.6	01.4-05.8	82	16.4	11.9-20.9	67	16.5	11.8-21.2	378	55.7	49.8-61.6
Some Post-H.S.	440	515,917	22	4.4	02.0-06.8	19	5.0	02.3-07.7	45	11.4	07.3-15.5	49	9.9	06.2-13.6	305	69.3	63.2-75.4
College Graduate	643	416,467	8	1.6	00.0-03.4	8	1.3	00.1-02.5	36	8.6	04.9-12.3	53	11.4	07.5-15.3	538	77.2	72.1-82.3
Less than \$15,000	168	185,825	38	19.8	11.2-28.4	17	9.7	03.6-15.8	43	25.0	15.0-35.0	22	15.8	07.0-24.6	48	29.8	17.3-42.3
\$15,000- 24,999	269	293,099	31	11.0	05.7-16.3	15	5.7	01.4-10.0	49	19.5	12.2-26.8	35	18.2	10.9-25.5	139	45.6	36.4-54.8
\$25,000- 34,999	200	205,849	12	4.5	01.4-07.6	6	3.6	00.0-07.5	22	16.6	08.2-25.0	28	16.4	09.1-23.7	132	59.0	49.2-68.8
\$35,000- 49,999	259	262,444	8	1.8	00.2-03.4	7	3.1	00.4-05.8	24	13.9	07.2-20.6	30	14.6	08.3-20.9	190	66.6	58.0-75.2
\$50,000- 74,999	265	258,512	2	1.0	00.0-02.6	3	2.4	00.0-05.3	18	11.0	05.3-16.7	20	10.5	04.8-16.2	222	75.1	67.3-82.9
\$75,000+	471	440,246	3	1.9	00.0-04.1	4	1.3	00.0-02.9	13	4.9	01.8-08.0	31	6.9	03.8-10.0	420	85.0	80.1-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 6: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY (SCNTMEL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely		Never		N.A.				
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3022	2,075,351	236	8.2	06.8-09.6	125	5.4	03.8-07.0	449	16.9	14.5-19.3	366	13.3	11.3-15.3	1845	56.2	53.5-58.9	1	0.0	00.0-00.0
White/Non-Hisp	2461	1,620,642	188	8.1	06.5-09.7	98	5.5	03.7-07.3	343	15.4	13.0-17.8	295	13.2	11.0-15.4	1537	57.8	54.9-60.7			
Black or Afr. Am./Non-Hisp	409	325,177	30	8.4	04.1-12.7	20	4.7	01.2-08.2	77	19.5	13.2-25.8	54	16.3	10.0-22.6	227	51.1	43.1-59.1	1	0.0	00.0-00.0
18-24	81	180,336	9	8.5	02.2-14.8	9	11.9	03.7-20.1	11	10.8	03.4-18.2	15	20.7	08.9-32.5	37	48.2	34.1-62.3			
25-34	202	294,634	22	10.1	05.2-15.0	14	7.5	02.6-12.4	49	30.6	21.6-39.6	36	13.6	08.5-18.7	81	38.2	29.8-46.6			
35-44	296	337,923	34	10.1	06.0-14.2	8	5.0	00.0-10.1	51	16.9	10.8-23.0	44	14.4	09.3-19.5	159	53.5	45.9-61.1			
45-54	471	372,072	50	9.7	06.0-13.4	36	7.5	03.8-11.2	88	18.3	13.2-23.4	73	15.6	11.3-19.9	224	48.8	42.1-55.5			
55-64	722	380,412	80	10.7	07.6-13.8	30	3.3	01.5-05.1	115	15.8	11.3-20.3	83	13.6	09.5-17.7	414	56.5	51.2-61.8			
65+	1227	501,094	41	2.7	01.5-03.9	28	2.1	00.9-03.3	133	10.8	08.4-13.2	112	7.9	06.1-09.7	912	76.5	73.4-79.6	1	0.0	00.0-00.0
Less Than H.S.	320	306,152	53	12.2	07.7-16.7	15	8.7	02.2-15.2	79	29.5	20.9-38.1	26	6.1	02.4-09.8	147	43.5	34.9-52.1			
H.S. or G.E.D.	998	674,814	102	9.5	07.0-12.0	51	4.6	02.8-06.4	159	16.4	12.9-19.9	131	12.9	10.2-15.6	554	56.6	51.9-61.3	1	0.0	00.0-00.0
Some Post-H.S.	804	637,145	66	9.4	06.5-12.3	44	7.2	04.1-10.3	133	16.0	12.1-19.9	102	17.2	12.7-21.7	459	50.1	45.0-55.2			
College Graduate	893	452,121	15	1.8	00.6-03.0	15	1.7	00.3-03.1	76	10.1	07.0-13.2	106	13.5	10.0-17.0	681	72.8	68.3-77.3			
Less than \$15,000	374	230,305	97	25.3	18.2-32.4	35	11.8	05.3-18.3	99	24.7	17.8-31.6	40	10.2	04.3-16.1	102	28.0	19.2-36.8	1	0.0	00.0-00.0
\$15,000- 24,999	562	383,324	70	13.3	09.2-17.4	44	7.9	04.4-11.4	126	29.9	23.0-36.8	74	13.8	09.5-18.1	248	35.1	29.2-41.0			
\$25,000- 34,999	283	194,422	18	8.8	03.7-13.9	11	7.1	00.0-14.9	46	16.3	09.8-22.8	37	12.4	06.9-17.9	171	55.5	45.3-65.7			
\$35,000- 49,999	329	248,761	16	6.5	03.0-10.0	10	3.5	00.4-06.6	35	10.5	05.4-15.6	55	18.3	12.0-24.6	213	61.3	53.5-69.1			
\$50,000- 74,999	315	243,835	4	1.6	00.0-03.4	5	2.6	00.1-05.1	33	16.7	08.9-24.5	38	16.2	09.9-22.5	235	62.9	54.5-71.3			
\$75,000+	488	365,781	1	0.4	00.0-01.2	4	2.7	00.0-05.6	18	3.9	01.0-06.8	42	11.1	07.0-15.2	423	81.9	76.4-87.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

**TABLE 7: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1901	1,958,160	706	31.4	28.5-34.3	871	51.5	48.4-54.6	198	10.3	08.3-12.3	126	6.8	05.0-08.6
Male	888	1,091,739	318	30.3	26.2-34.4	356	47.7	43.2-52.2	131	13.5	10.4-16.6	83	8.5	05.8-11.2
Female	1013	866,421	388	32.9	29.0-36.8	515	56.2	51.9-60.5	67	6.3	04.1-08.5	43	4.7	02.7-06.7
White/Non-Hisp	1553	1,498,523	592	33.3	30.2-36.4	687	50.0	46.5-53.5	165	10.2	08.0-12.4	109	6.4	04.8-08.0
Black or Afr. Am./Non-Hisp	223	280,618	73	22.9	16.0-29.8	124	61.2	52.0-70.4	17	7.5	03.0-12.0	9	8.4	01.5-15.3
18-24	91	195,197	8	10.3	02.1-18.5	73	78.6	68.0-89.2	5	3.5	00.4-06.6	5	7.6	00.3-14.9
25-34	230	400,831	58	23.3	16.8-29.8	138	60.8	53.0-68.6	24	10.9	05.6-16.2	10	5.0	01.5-08.5
35-44	338	457,918	140	35.5	29.0-42.0	152	45.6	38.5-52.7	27	10.6	05.9-15.3	19	8.3	03.6-13.0
45-54	475	438,081	198	37.7	31.6-43.8	206	47.1	40.8-53.4	47	10.2	06.7-13.7	24	5.0	02.6-07.4
55-64	522	350,952	223	38.3	32.6-44.0	208	43.2	37.1-49.3	56	11.6	07.7-15.5	35	6.9	03.8-10.0
65+	231	104,694	72	32.2	23.6-40.8	92	40.6	32.2-49.0	36	14.3	08.6-20.0	31	12.9	07.6-18.2
Less Than H.S.	88	144,157	4	3.3	00.0-08.8	61	68.3	55.6-81.0	16	23.1	11.1-35.1	7	5.2	00.9-09.5
H.S. or G.E.D.	541	638,418	108	19.4	14.9-23.9	324	62.5	56.8-68.2	64	10.1	07.0-13.2	45	8.0	04.5-11.5
Some Post-H.S.	477	603,107	144	27.2	21.7-32.7	261	56.9	50.8-63.0	44	9.8	06.1-13.5	28	6.1	03.2-09.0
College Graduate	792	570,942	450	56.5	51.6-61.4	223	29.1	24.6-33.6	74	7.8	05.3-10.3	45	6.5	03.8-09.2
Less than \$15,000	59	68,946	5	1.8	00.0-04.2	36	78.1	65.8-90.4	13	14.2	03.6-24.8	5	5.9	00.0-12.2
\$15,000- 24,999	209	248,595	17	5.4	02.3-08.5	162	81.1	73.7-88.5	20	9.4	03.3-15.5	10	4.2	00.7-07.7
\$25,000- 34,999	187	206,204	30	10.9	06.0-15.8	123	65.6	56.0-75.2	20	14.1	07.2-21.0	14	9.4	01.8-17.0
\$35,000- 49,999	267	297,466	91	26.1	19.2-33.0	136	57.2	48.8-65.6	21	10.7	04.6-16.8	19	6.1	02.2-10.0
\$50,000- 74,999	304	334,004	130	35.3	28.0-42.6	132	48.2	40.4-56.0	25	8.7	04.4-13.0	17	7.8	03.1-12.5
\$75,000+	656	603,500	371	56.6	51.5-61.7	175	28.1	23.4-32.8	72	9.6	06.7-12.5	38	5.7	03.2-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

**TABLE 8: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	888	1,091,739	318	30.3	26.2-34.4	356	47.7	43.2-52.2	131	13.5	10.6-16.4	83	8.5	06.0-11.0
White/Non-Hisp	753	828,956	280	32.6	28.3-36.9	292	46.5	41.6-51.4	109	12.7	09.6-15.8	72	8.2	05.7-10.7
Black or Afr. Am./Non-Hisp	67	124,710	17	15.7	06.3-25.1	35	58.6	42.5-74.7	9	12.0	02.6-21.4	6	13.7	00.2-27.2
18-24	57	121,664	6	13.3	01.1-25.5	44	74.5	60.0-89.0	3	3.3	00.0-07.2	4	8.9	00.0-18.9
25-34	119	241,157	29	22.8	14.4-31.2	65	57.1	46.7-67.5	18	14.5	06.7-22.3	7	5.6	00.9-10.3
35-44	147	246,530	57	31.6	22.2-41.0	58	39.8	29.4-50.2	19	16.0	08.2-23.8	13	12.6	04.4-20.8
45-54	219	244,606	97	38.5	29.7-47.3	78	41.6	32.4-50.8	30	13.5	07.6-19.4	14	6.4	02.7-10.1
55-64	227	176,954	92	37.4	29.0-45.8	85	44.1	35.1-53.1	30	12.3	07.2-17.4	20	6.2	02.9-09.5
65+	110	53,297	33	30.7	19.3-42.1	26	28.3	16.9-39.7	28	21.6	12.2-31.0	23	19.5	10.5-28.5
Less Than H.S.	58	106,863	1	0.2	00.0-00.6	39	65.7	50.6-80.8	14	30.3	15.2-45.4	4	3.8	00.0-07.7
H.S. or G.E.D.	279	395,352	47	17.7	11.4-24.0	157	59.6	51.8-67.4	43	12.0	07.5-16.5	32	10.7	05.4-16.0
Some Post-H.S.	203	304,908	70	31.9	23.5-40.3	90	49.9	40.7-59.1	26	11.6	05.7-17.5	17	6.5	02.6-10.4
College Graduate	346	283,660	200	57.6	50.3-64.9	68	22.0	15.9-28.1	48	11.2	06.9-15.5	30	9.3	04.2-14.4
\$15,000- 24,999	77	110,757	3	2.2	00.0-05.1	59	79.0	66.3-91.7	9	15.4	02.9-27.9	6	3.4	00.1-06.7
\$25,000- 34,999	95	142,974	11	7.3	01.6-13.0	59	65.7	53.0-78.4	14	15.4	07.0-23.8	11	11.6	00.8-22.4
\$35,000- 49,999	120	163,013	27	16.8	08.4-25.2	64	57.7	45.4-70.0	16	16.3	06.1-26.5	13	9.2	02.3-16.1
\$50,000- 74,999	139	190,747	59	35.4	25.2-45.6	51	41.5	30.7-52.3	18	11.8	04.9-18.7	11	11.2	03.4-19.0
\$75,000+	355	351,323	198	57.7	50.8-64.6	77	23.3	17.4-29.2	53	12.0	08.1-15.9	27	7.0	03.3-10.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

**TABLE 9: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1013	866,421	388	32.9	29.0-36.8	515	56.2	51.9-60.5	67	6.3	04.1-08.5	43	4.7	02.7-06.7
White/Non-Hisp	800	669,567	312	34.2	29.7-38.7	395	54.4	49.5-59.3	56	7.1	04.6-09.6	37	4.3	02.3-06.3
Black or Afr. Am./Non-Hisp	156	155,908	56	28.6	19.2-38.0	89	63.3	52.7-73.9	8	3.9	00.8-07.0	3	4.1	00.0-09.4
25-34	111	159,675	29	24.0	13.4-34.6	73	66.4	54.8-78.0	6	5.5	00.0-11.0	3	4.0	00.0-09.1
35-44	191	211,388	83	40.1	31.5-48.7	94	52.5	43.7-61.3	8	4.1	00.6-07.6	6	3.3	00.4-06.2
45-54	256	193,475	101	36.6	28.8-44.4	128	54.0	45.8-62.2	17	6.0	02.7-09.3	10	3.3	00.9-05.7
55-64	295	173,998	131	39.2	31.4-47.0	123	42.2	34.4-50.0	26	10.9	04.8-17.0	15	7.7	02.4-13.0
65+	121	51,397	39	33.9	21.0-46.8	66	53.3	40.6-66.0	8	6.8	00.7-12.9	8	6.1	01.0-11.2
H.S. or G.E.D.	262	243,066	61	22.3	16.0-28.6	167	67.3	60.0-74.6	21	7.0	03.3-10.7	13	3.4	01.0-05.8
Some Post-H.S.	274	298,200	74	22.3	15.4-29.2	171	64.0	56.0-72.0	18	7.9	03.2-12.6	11	5.7	01.2-10.2
College Graduate	446	287,282	250	55.5	49.0-62.0	155	36.2	29.9-42.5	26	4.5	02.1-06.9	15	3.8	01.6-06.0
\$15,000- 24,999	132	137,837	14	7.9	02.6-13.2	103	82.8	74.6-91.0	11	4.6	01.1-08.1	4	4.8	00.0-10.7
\$25,000- 34,999	92	63,230	19	19.0	10.0-28.0	64	65.5	52.2-78.8	6	11.1	00.0-23.1	3	4.4	00.0-09.5
\$35,000- 49,999	147	134,454	64	37.2	26.4-48.0	72	56.5	45.3-67.7	5	4.0	00.0-08.3	6	2.3	00.3-04.3
\$50,000- 74,999	165	143,257	71	35.1	25.3-44.9	81	57.1	46.7-67.5	7	4.6	00.7-08.5	6	3.2	00.0-06.5
\$75,000+	301	252,176	173	55.0	47.2-62.8	98	34.8	27.4-42.2	19	6.3	02.2-10.4	11	3.9	01.0-06.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 10. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1850	1,924,481	153	7.1	05.3-08.9	927	50.0	46.7-53.3	661	35.6	32.5-38.7	91	5.8	04.2-07.4	11	1.2	00.2-02.2	7	0.2	00.0-00.4
Male	865	1,076,052	57	5.1	02.9-07.3	317	39.2	34.7-43.7	413	45.1	40.6-49.6	63	8.1	05.6-10.6	11	2.2	00.4-04.0	4	0.3	00.0-00.7
Female	985	848,430	96	9.7	07.0-12.4	610	63.6	59.3-67.9	248	23.6	19.9-27.3	28	3.0	01.2-04.8				3	0.1	00.0-00.3
White/Non-Hisp	1512	1,467,678	128	6.9	05.1-08.7	733	48.7	45.2-52.2	563	37.7	34.4-41.0	74	5.7	03.9-07.5	8	0.8	00.2-01.4	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	219	282,769	11	5.4	01.7-09.1	137	58.6	49.0-68.2	64	31.1	22.3-39.9	5	1.6	00.0-03.4	2	3.3	00.0-08.6			
18-24	90	193,602	4	3.8	00.0-10.1	59	66.8	55.0-78.6	25	25.8	15.4-36.2	2	3.5	00.0-09.0						
25-34	223	392,457	16	8.8	03.9-13.7	116	46.0	38.0-54.0	75	35.3	27.7-42.9	15	8.9	03.8-14.0	1	0.9	00.0-02.7			
35-44	334	455,136	20	5.5	02.8-08.2	159	47.5	40.4-54.6	133	39.6	32.7-46.5	18	5.2	02.3-08.1	2	2.0	00.0-05.3	2	0.1	00.0-00.3
45-54	467	428,817	23	5.3	02.2-08.4	234	49.2	42.9-55.5	174	36.5	30.6-42.4	28	6.8	03.5-10.1	7	2.2	00.4-04.0	1	0.1	00.0-00.3
55-64	507	344,449	37	8.0	04.3-11.7	260	49.2	43.1-55.3	187	38.4	32.5-44.3	20	4.0	01.8-06.2				3	0.3	00.0-00.7
65+	216	97,884	52	20.4	13.9-26.9	91	48.4	39.2-57.6	64	24.3	17.2-31.4	7	3.5	00.6-06.4	1	1.7	00.0-05.0	1	1.7	00.0-05.0
Less Than H.S.	78	134,744	8	10.4	01.2-19.6	43	48.4	34.3-62.5	22	33.5	20.0-47.0	3	6.2	00.0-13.8				2	1.5	00.0-04.0
H.S. or G.E.D.	525	625,121	48	7.6	04.7-10.5	285	54.1	48.2-60.0	156	31.0	25.7-36.3	28	4.7	02.5-06.9	5	2.4	00.0-05.1	3	0.2	00.0-00.4
Some Post-H.S.	466	593,196	32	6.9	03.4-10.4	252	51.8	45.5-58.1	153	33.1	27.2-39.0	24	7.2	03.7-10.7	4	1.0	00.0-02.2	1	0.0	00.0-00.0
College Graduate	778	569,886	64	6.1	04.1-08.1	347	44.0	39.1-48.9	329	43.9	39.0-48.8	35	5.5	02.8-08.2	2	0.5	00.0-01.1	1	0.1	00.0-00.3
\$15,000- 24,999	205	245,116	24	10.7	04.2-17.2	136	70.3	61.7-78.9	33	14.5	08.4-20.6	11	4.3	01.2-07.4				1	0.1	00.0-00.3
\$25,000- 34,999	181	202,090	11	5.6	00.9-10.3	108	50.6	40.4-60.8	53	37.3	27.5-47.1	6	1.7	00.1-03.3	1	3.7	00.0-10.8	2	1.0	00.0-02.6
\$35,000- 49,999	258	293,485	11	3.2	00.5-05.9	139	47.7	39.1-56.3	93	41.0	32.4-49.6	14	7.6	01.9-13.3	1	0.5	00.0-01.5			
\$50,000- 74,999	300	330,942	23	6.8	02.5-11.1	128	41.0	33.4-48.6	126	42.5	34.9-50.1	19	7.6	02.9-12.3	3	1.9	00.0-04.3	1	0.1	00.0-00.3
\$75,000+	652	598,336	44	4.9	03.1-06.7	261	41.5	36.2-46.8	307	45.0	39.7-50.3	34	7.1	04.2-10.0	6	1.4	00.2-02.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 11. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	865	1,076,052	57	5.1	02.9-07.3	317	39.2	34.7-43.7	413	45.1	40.6-49.6	63	8.1	05.6-10.6	11	2.2	00.4-04.0	4	0.3	00.0-00.7
White/Non-Hisp	734	812,992	44	3.7	01.9-05.5	267	39.8	34.9-44.7	361	47.3	42.4-52.2	51	7.4	04.9-09.9	8	1.5	00.3-02.7	3	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	66	127,437	5	7.5	00.4-14.6	26	32.5	17.0-48.0	30	49.5	33.2-65.8	3	3.0	00.0-06.7	2	7.4	00.0-18.8			
18-24	56	120,069	4	6.1	00.0-16.1	31	55.3	39.4-71.2	19	32.9	18.6-47.2	2	5.7	00.0-14.3						
25-34	116	238,053	7	5.4	00.9-09.9	43	35.8	25.4-46.2	54	46.0	35.4-56.6	11	11.3	03.9-18.7	1	1.5	00.0-04.4			
35-44	148	247,568	4	2.5	00.0-05.4	54	38.3	27.9-48.7	77	48.1	37.7-58.5	11	7.5	02.4-12.6	2	3.7	00.0-09.6			
45-54	214	238,504	7	4.8	00.0-09.9	67	34.9	25.5-44.3	109	46.4	37.4-55.4	23	9.9	05.0-14.8	7	3.9	00.8-07.0	1	0.1	00.0-00.3
55-64	222	173,652	12	4.5	01.0-08.0	86	40.0	31.2-48.8	111	50.3	41.3-59.3	11	4.7	01.2-08.2				2	0.5	00.0-01.1
65+	101	49,110	22	19.5	10.5-28.5	31	33.8	21.3-46.3	41	33.9	22.3-45.5	5	5.8	00.5-11.1	1	3.5	00.0-10.2	1	3.4	00.0-10.1
Less Than H.S.	51	98,517	6	11.8	00.0-23.8	24	44.5	28.2-60.8	18	37.6	21.3-53.9	2	4.3	00.0-11.4				1	1.7	00.0-05.0
H.S. or G.E.D.	268	387,073	14	4.3	01.4-07.2	108	45.0	37.0-53.0	118	40.7	33.1-48.3	21	5.9	02.8-09.0	5	3.9	00.0-08.2	2	0.2	00.0-00.4
Some Post-H.S.	202	304,517	9	4.1	00.0-08.6	77	35.9	27.1-44.7	92	45.6	36.4-54.8	20	12.4	05.9-18.9	4	2.0	00.0-04.2			
College Graduate	342	284,990	28	5.2	02.5-07.9	108	33.1	26.2-40.0	184	53.1	45.7-60.5	19	7.7	03.0-12.4	2	0.9	00.0-02.3	1	0.1	00.0-00.3
\$15,000- 24,999	73	107,544	7	8.3	00.0-18.5	43	66.9	52.4-81.4	17	21.4	09.6-33.2	5	3.0	00.0-06.1				1	0.3	00.0-00.9
\$25,000- 34,999	90	139,351	6	5.9	00.0-12.0	38	39.9	26.8-53.0	37	44.9	31.8-58.0	6	2.5	00.3-04.7	1	5.4	00.0-15.6	2	1.4	00.0-03.8
\$35,000- 49,999	118	162,189	5	3.3	00.0-07.2	46	32.3	20.9-43.7	58	54.7	42.2-67.2	8	8.7	00.0-17.5	1	0.9	00.0-02.7			
\$50,000- 74,999	138	189,660	7	2.7	00.0-05.8	39	32.1	21.7-42.5	75	51.9	40.9-62.9	13	9.8	02.7-16.9	3	3.3	00.0-07.4	1	0.3	00.0-00.9
\$75,000+	353	349,355	21	3.3	01.7-04.9	98	29.4	22.5-36.3	202	53.5	46.2-60.8	26	11.4	06.5-16.3	6	2.4	00.2-04.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 12. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	985	848,430	96	9.7	07.0-12.4	610	63.6	59.3-67.9	248	23.6	19.9-27.3	28	3.0	01.2-04.8	3	0.1	00.0-00.3
White/Non-Hisp	778	654,686	84	10.8	07.5-14.1	466	59.8	54.9-64.7	202	25.7	21.4-30.0	23	3.6	01.4-05.8	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	153	155,333	6	3.6	00.0-07.3	111	80.0	72.2-87.8	34	16.0	09.1-22.9	2	0.4	00.0-01.2			
25-34	107	154,405	9	14.2	04.0-24.4	73	61.8	49.5-74.1	21	18.9	09.5-28.3	4	5.2	00.0-11.3			
35-44	186	207,568	16	9.1	04.2-14.0	105	58.4	49.6-67.2	56	29.6	21.4-37.8	7	2.6	00.2-05.0	2	0.3	00.0-00.7
45-54	253	190,313	16	5.9	02.8-09.0	167	67.1	59.5-74.7	65	24.2	17.3-31.1	5	2.9	00.0-07.0			
55-64	285	170,796	25	11.5	05.2-17.8	174	58.5	50.3-66.7	76	26.3	19.4-33.2	9	3.4	00.7-06.1	1	0.2	00.0-00.6
65+	115	48,774	30	21.3	12.1-30.5	60	63.0	51.4-74.6	23	14.5	07.1-21.9	2	1.2	00.0-03.0			
H.S. or G.E.D.	257	238,048	34	13.0	07.1-18.9	177	68.9	61.5-76.3	38	15.2	09.9-20.5	7	2.8	00.4-05.2	1	0.2	00.0-00.6
Some Post-H.S.	264	288,679	23	9.7	04.2-15.2	175	68.6	60.8-76.4	61	19.9	13.4-26.4	4	1.7	00.0-03.9	1	0.1	00.0-00.3
College Graduate	436	284,896	36	7.0	03.9-10.1	239	54.9	48.2-61.6	145	34.7	28.4-41.0	16	3.4	00.5-06.3			
\$15,000- 24,999	132	137,571	17	12.6	04.2-21.0	93	73.0	62.6-83.4	16	9.0	03.5-14.5	6	5.4	00.3-10.5			
\$25,000- 34,999	91	62,739	5	5.0	00.0-11.3	70	74.4	62.2-86.6	16	20.6	09.2-32.0						
\$35,000- 49,999	140	131,296	6	3.0	00.0-06.7	93	66.7	56.1-77.3	35	24.0	15.0-33.0	6	6.3	00.0-13.0			
\$50,000- 74,999	162	141,282	16	12.4	03.4-21.4	89	53.0	42.0-64.0	51	29.8	20.4-39.2	6	4.7	00.0-10.4			
\$75,000+	299	248,981	23	7.3	03.6-11.0	163	58.4	50.6-66.2	105	33.1	25.5-40.7	8	1.1	00.3-01.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 13. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	211	276,362	37	13.2	06.9-19.5	156	78.7	71.4-86.0	10	5.5	02.0-09.0	8	2.6	00.2-05.0
Male	79	135,127	15	18.7	07.1-30.3	55	73.2	60.9-85.5	4	6.1	01.2-11.0	5	2.0	00.0-04.0
Female	132	141,235	22	8.0	03.5-12.5	101	83.9	76.1-91.7	6	5.0	00.1-09.9	3	3.2	00.0-07.5
White/Non-Hisp	149	154,721	29	16.1	09.4-22.8	103	69.7	60.5-78.9	9	9.6	03.7-15.5	8	4.6	00.5-08.7
Black or Afr. Am./Non-Hisp	51	107,225	8	10.9	00.0-23.4	42	88.7	76.2-0100	1	0.4	00.0-01.2			
45-54	57	81,080	15	24.8	07.7-41.9	37	71.1	53.5-88.7	1	0.6	00.0-01.8	4	3.6	00.0-07.5
55-64	59	47,832	15	26.5	09.8-43.2	41	61.7	43.3-80.1	3	11.8	00.0-25.3			
H.S. or G.E.D.	75	89,310	10	7.5	01.2-13.8	56	79.2	69.0-89.4	5	7.6	02.7-12.5	4	5.7	00.0-12.6
Some Post-H.S.	61	90,294	9	11.4	03.6-19.2	48	85.7	77.3-94.1	1	1.0	00.0-03.0	3	2.0	00.0-04.5
Less than \$15,000	56	89,903	8	16.4	00.7-32.1	44	75.1	57.7-92.5	2	4.8	00.0-11.9	2	3.7	00.0-10.0
\$15,000- 24,999	50	64,524	5	3.5	00.0-08.0	40	87.9	80.6-95.2	4	8.1	03.2-13.0	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 14. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	79	135,127	15	18.7	07.3-30.1	55	73.2	61.4-85.0	4	6.1	01.2-11.0	5	2.0	00.0-04.0
White/Non-Hisp	59	78,673	13	20.1	08.5-31.7	37	66.1	53.0-79.2	4	10.4	02.2-18.6	5	3.4	00.3-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 15. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	132	141,235	22	8.0	03.5-12.5	101	83.9	76.1-91.7	6	5.0	00.1-09.9	3	3.2	00.0-07.5
White/Non-Hisp	90	76,048	16	12.0	04.9-19.1	66	73.4	61.1-85.7	5	8.7	00.1-17.3	3	5.9	00.0-13.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 16. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2759	1,847,038	213	9.1	07.3-10.9	1574	55.2	52.1-58.3	709	23.9	21.4-26.4	106	4.2	03.2-05.2	24	1.0	00.4-01.6	133	6.7	04.7-08.7
Male	935	730,315	63	8.2	05.5-10.9	395	43.2	38.1-48.3	369	35.1	30.4-39.8	76	7.4	05.2-09.6	13	1.5	00.1-02.9	19	4.7	01.2-08.2
Female	1824	1,116,723	150	9.7	07.3-12.1	1179	63.1	59.4-66.8	340	16.5	14.0-19.0	30	2.1	01.1-03.1	11	0.7	00.1-01.3	114	7.9	05.5-10.3
White/Non-Hisp	2292	1,453,594	173	9.8	07.6-12.0	1301	53.6	50.5-56.7	607	25.5	23.0-28.0	90	4.7	03.5-05.9	16	0.8	00.2-01.4	105	5.6	03.8-07.4
Black or Afr. Am./Non-Hisp	333	278,950	31	6.2	02.9-09.5	215	67.6	57.8-77.4	61	16.2	08.8-23.6	9	1.3	00.3-02.3	2	1.5	00.0-04.2	15	7.1	00.0-14.7
18-24	80	188,999	22	25.5	13.7-37.3	39	52.2	38.1-66.3	5	5.5	00.2-10.8	2	2.1	00.0-05.0				12	14.7	05.7-23.7
25-34	97	167,077	10	5.5	00.6-10.4	57	53.1	39.2-67.0	15	17.7	05.9-29.5	3	3.4	00.0-07.5	1	1.4	00.0-04.1	11	18.9	05.6-32.2
35-44	130	170,467	16	11.5	04.8-18.2	74	57.8	45.6-70.0	23	15.8	07.8-23.8	4	3.5	00.0-07.2	1	2.3	00.0-06.8	12	9.2	00.0-18.4
45-54	292	258,607	30	8.7	04.8-12.6	137	54.3	45.7-62.9	82	26.8	19.7-33.9	18	5.7	02.6-08.8	6	1.5	00.1-02.9	19	3.0	01.4-04.6
55-64	597	352,131	37	7.2	03.9-10.5	332	52.9	47.0-58.8	169	29.2	23.7-34.7	32	6.4	03.7-09.1	2	0.1	00.0-00.3	25	4.2	00.7-07.7
65+	1547	697,675	98	6.1	04.5-07.7	924	57.1	53.6-60.6	413	28.9	25.6-32.2	47	3.4	02.2-04.6	14	1.2	00.2-02.2	51	3.2	02.0-04.4
Less Than H.S.	394	416,317	27	6.1	03.0-09.2	228	57.0	49.0-65.0	79	17.2	12.3-22.1	21	4.2	02.0-06.4	2	0.6	00.0-01.8	37	14.9	07.5-22.3
H.S. or G.E.D.	961	643,381	64	7.1	04.7-09.5	587	57.6	52.7-62.5	221	24.2	20.1-28.3	33	4.4	02.6-06.2	9	1.8	00.2-03.4	47	5.0	03.0-07.0
Some Post-H.S.	717	512,785	67	13.4	08.9-17.9	414	54.1	48.4-59.8	168	24.4	19.3-29.5	28	3.4	01.6-05.2	7	0.5	00.1-00.9	33	4.2	02.0-06.4
College Graduate	680	270,034	55	10.2	06.1-14.3	341	48.9	43.6-54.2	241	33.0	28.3-37.7	24	5.0	02.5-07.5	6	0.9	00.0-01.9	13	2.0	00.6-03.4
Less than \$15,000	441	325,804	45	10.8	06.5-15.1	247	56.4	48.0-64.8	99	19.5	13.8-25.2	19	4.1	01.6-06.6	3	1.4	00.0-03.8	28	7.8	01.3-14.3
\$15,000- 24,999	585	398,577	49	6.8	04.1-09.5	337	58.7	52.2-65.2	138	22.2	16.3-28.1	35	7.6	04.5-10.7	6	0.6	00.0-01.2	20	4.1	00.8-07.4
\$25,000- 34,999	291	192,212	13	3.3	01.1-05.5	179	62.1	52.3-71.9	77	23.5	16.1-30.9	10	3.0	00.3-05.7	3	1.7	00.0-04.2	9	6.3	00.0-14.3
\$35,000- 49,999	307	202,101	20	11.4	04.3-18.5	175	50.3	41.9-58.7	93	29.7	22.3-37.1	7	2.2	00.2-04.2	5	2.3	00.0-05.2	7	4.1	00.2-08.0
\$50,000- 74,999	257	154,728	15	6.3	01.8-10.8	128	49.1	40.3-57.9	96	36.2	28.0-44.4	11	2.7	00.7-04.7	1	0.9	00.0-02.5	6	4.8	00.0-12.2
\$75,000+	285	187,727	22	12.2	06.1-18.3	150	50.4	40.8-60.0	88	27.0	19.4-34.6	9	4.9	01.0-08.8	5	1.1	00.0-02.3	11	4.4	01.1-07.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 17. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)
Denominator excludes: Respondents who are female or respondents with per do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	935	730,315	63	8.2	05.5-10.9	395	43.2	38.1-48.3	369	35.1	30.4-39.8	76	7.4	05.2-09.6	13	1.5	00.1-02.9	19	4.7	01.2-08.2
White/Non-Hisp	779	566,244	52	8.3	05.2-11.4	326	42.0	36.7-47.3	318	37.3	32.4-42.2	64	8.5	06.0-11.0	8	1.0	00.0-02.2	11	2.9	00.2-05.6
Black or Afr. Am./Non-Hisp	101	122,831	8	5.7	00.2-11.2	54	57.5	39.9-75.1	27	22.7	08.8-36.6	7	1.8	00.0-03.6	1	3.2	00.0-09.5	4	9.1	00.0-25.0
45-54	88	87,242	9	10.2	02.8-17.6	31	50.1	34.4-65.8	32	25.2	13.8-36.6	11	11.3	02.9-19.7	1	0.4	00.0-01.2	4	2.8	00.0-06.1
55-64	192	158,213	12	6.9	01.6-12.2	74	40.4	30.6-50.2	73	38.4	28.8-48.0	27	13.0	07.1-18.9	1	0.1	00.0-00.3	5	1.2	00.0-02.8
65+	564	291,657	25	3.3	01.7-04.9	249	43.4	37.9-48.9	244	44.3	38.6-50.0	35	6.6	03.9-09.3	10	2.2	00.0-04.4	1	0.1	00.0-00.3
Less Than H.S.	136	174,570	12	8.9	02.6-15.2	59	47.9	34.4-61.4	44	24.1	14.7-33.5	13	5.8	01.9-09.7	1	0.1	00.0-00.3	7	13.2	00.1-26.3
H.S. or G.E.D.	291	241,545	13	4.4	01.3-07.5	141	45.3	36.9-53.7	103	35.8	28.0-43.6	25	9.4	05.1-13.7	4	3.3	00.0-07.2	5	1.9	00.0-04.3
Some Post-H.S.	224	191,339	22	13.8	06.5-21.1	85	37.2	27.4-47.0	88	38.9	28.7-49.1	22	6.3	02.6-10.0	3	0.7	00.0-01.5	4	3.2	00.0-06.7
College Graduate	282	122,236	16	5.6	02.3-08.9	110	41.9	34.3-49.5	134	43.8	36.2-51.4	16	7.4	02.9-11.9	5	1.1	00.0-02.3	1	0.2	00.0-00.6
Less than \$15,000	129	138,857	19	15.7	06.9-24.5	60	45.3	30.6-60.0	30	20.1	10.1-30.1	9	4.5	00.8-08.2	1	2.8	00.0-08.3	10	11.6	00.0-25.9
\$15,000- 24,999	187	180,299	15	5.4	01.9-08.9	74	46.2	35.0-57.4	64	29.9	19.3-40.5	28	13.5	07.4-19.6	2	0.3	00.0-00.7	4	4.8	00.0-11.3
\$25,000- 34,999	104	62,249	2	1.8	00.0-04.7	47	42.7	30.5-54.9	46	45.7	33.2-58.2	7	8.3	00.3-16.3	2	1.5	00.0-03.7			
\$35,000- 49,999	134	92,429	6	7.6	00.0-17.0	64	45.9	33.7-58.1	54	38.0	26.8-49.2	5	3.4	00.0-06.9	5	5.1	00.0-11.6			
\$50,000- 74,999	120	60,834	7	6.2	00.0-13.6	39	30.2	20.0-40.4	63	56.8	45.0-68.6	11	6.8	01.9-11.7						
\$75,000+	111	80,663	6	10.2	00.0-20.4	36	34.4	14.4-54.4	57	45.6	28.5-62.7	8	8.7	00.9-16.5	3	0.8	00.0-01.8	1	0.3	00.0-01.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 20: SOCIAL CONTEXT**

TABLE 18. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1824	1,116,723	150	9.7	07.3-12.1	1179	63.1	59.4-66.8	340	16.5	14.0-19.0	30	2.1	01.1-03.1	11	0.7	00.1-01.3	114	7.9	05.5-10.3
White/Non-Hisp	1513	887,349	121	10.7	07.8-13.6	975	60.9	57.0-64.8	289	18.0	15.3-20.7	26	2.2	01.0-03.4	8	0.7	00.1-01.3	94	7.4	05.0-09.8
Black or Afr. Am./Non-Hisp	232	156,119	23	6.6	02.7-10.5	161	75.6	67.2-84.0	34	11.2	05.3-17.1	2	0.9	00.0-02.3	1	0.1	00.0-00.3	11	5.5	00.6-10.4
25-34	80	118,943	9	6.3	00.2-12.4	49	64.3	51.4-77.2	10	9.6	02.5-16.7	2	4.1	00.0-09.6	1	2.0	00.0-05.9	9	13.8	04.0-23.6
35-44	96	115,235	12	11.6	04.3-18.9	61	65.7	51.4-80.0	11	7.6	01.7-13.5	2	2.3	00.0-06.2				10	12.8	00.0-25.9
45-54	204	171,365	21	7.9	03.4-12.4	106	56.4	46.2-66.6	50	27.6	18.6-36.6	7	2.8	00.6-05.0	5	2.0	00.0-04.2	15	3.1	01.3-04.9
55-64	405	193,918	25	7.5	03.2-11.8	258	63.1	55.8-70.4	96	21.7	16.2-27.2	5	1.0	00.0-02.0	1	0.1	00.0-00.3	20	6.6	00.5-12.7
65+	983	406,019	73	8.1	05.7-10.5	675	66.9	62.8-71.0	169	17.9	14.2-21.6	12	1.2	00.4-02.0	4	0.5	00.0-01.1	50	5.5	03.7-07.3
Less Than H.S.	258	241,747	15	4.1	01.6-06.6	169	63.5	54.1-72.9	35	12.2	06.9-17.5	8	3.1	00.4-05.8	1	1.0	00.0-03.0	30	16.1	07.5-24.7
H.S. or G.E.D.	670	401,837	51	8.7	05.4-12.0	446	65.0	59.3-70.7	118	17.2	12.9-21.5	8	1.3	00.0-02.7	5	0.8	00.0-01.6	42	6.9	04.2-09.6
Some Post-H.S.	493	321,446	45	13.2	07.3-19.1	329	64.1	57.2-71.0	80	15.7	11.2-20.2	6	1.8	00.0-03.8	4	0.4	00.0-00.8	29	4.9	02.2-07.6
College Graduate	398	147,799	39	13.9	07.2-20.6	231	54.8	47.4-62.2	107	24.1	18.4-29.8	8	3.0	00.0-06.1	1	0.7	00.0-02.1	12	3.4	01.0-05.8
Less than \$15,000	312	186,947	26	7.1	03.2-11.0	187	64.6	56.0-73.2	69	19.1	12.6-25.6	10	3.9	00.6-07.2	2	0.4	00.0-01.0	18	5.0	02.1-07.9
\$15,000- 24,999	398	218,278	34	7.9	04.0-11.8	263	69.1	62.4-75.8	74	15.9	10.8-21.0	7	2.7	00.2-05.2	4	0.8	00.0-01.8	16	3.5	00.8-06.2
\$25,000- 34,999	187	129,964	11	4.0	01.1-06.9	132	71.5	58.8-84.2	31	12.8	05.5-20.1	3	0.6	00.0-01.4	1	1.8	00.0-05.3	9	9.3	00.0-20.9
\$35,000- 49,999	173	109,671	14	14.6	04.2-25.0	111	54.0	42.2-65.8	39	22.7	12.7-32.7	2	1.1	00.0-03.1				7	7.5	00.4-14.6
\$50,000- 74,999	137	93,893	8	6.4	00.9-11.9	89	61.4	48.7-74.1	33	22.9	13.3-32.5				1	1.4	00.0-04.1	6	7.9	00.0-19.7
\$75,000+	174	107,063	16	13.7	06.3-21.1	114	62.5	52.7-72.3	31	13.0	07.3-18.7	1	2.0	00.0-05.9	2	1.3	00.0-03.3	10	7.5	01.8-13.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 25: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)	
1 MALES AND FEMALES	126
2 MALES ONLY	127
3 FEMALES ONLY	128
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDOWN)	
4 MALES AND FEMALES	129
5 MALES ONLY	130
6 FEMALES ONLY	131
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)	
7 MALES AND FEMALES	132
8 MALES ONLY	133
9 FEMALES ONLY	134
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)	
10 MALES AND FEMALES	135
11 MALES ONLY	136
12 FEMALES ONLY	137
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)	
13 MALES AND FEMALES	138
14 MALES ONLY	139
15 FEMALES ONLY	140

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

MODULE 25: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)	
16	MALES AND FEMALES	141
17	MALES ONLY	142
18	FEMALES ONLY	143
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)	
19	MALES AND FEMALES	144
20	MALES ONLY	145
21	FEMALES ONLY	146
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE - BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)	
22	MALES AND FEMALES	147
23	MALES ONLY	148
24	FEMALES ONLY	149
	ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)	
25	MALES AND FEMALES	150
26	MALES ONLY	151
27	FEMALES ONLY	152
	HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPULSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)	
28	MALES AND FEMALES	153
29	MALES ONLY	154
30	FEMALES ONLY	155

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 1: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4696	3,804,673	659	15.0	13.4-16.6	273	6.8	05.6-08.0	267	5.7	04.7-06.7	391	7.9	06.7-09.1	3106	64.5	62.3-66.7
Male	1815	1,815,179	233	13.9	11.5-16.3	91	6.4	04.6-08.2	89	5.7	03.9-07.5	139	7.2	05.2-09.2	1263	66.8	63.5-70.1
Female	2881	1,989,494	426	16.0	13.6-18.4	182	7.2	05.6-08.8	178	5.8	04.6-07.0	252	8.5	06.9-10.1	1843	62.5	59.8-65.2
White/Non-Hisp	3888	2,955,995	546	15.5	13.7-17.3	225	6.9	05.5-08.3	222	6.0	04.8-07.2	308	7.3	06.1-08.5	2587	64.3	61.9-66.7
Black or Afr. Am./Non-Hisp	553	562,325	78	12.2	08.1-16.3	31	5.5	02.4-08.6	38	6.1	03.0-09.2	54	10.1	05.4-14.8	352	66.1	59.4-72.8
Oth. Race/Non-Hisp.	88	75,359	14	6.7	01.8-11.6	6	11.6	00.6-22.6	1	0.3	00.0-00.9	9	7.3	01.4-13.2	58	74.1	61.4-86.8
MultiRacial/Non-Hisp.	52	61,425	2	1.4	00.0-03.6	6	10.5	00.3-20.7	2	6.2	00.0-15.2	11	21.6	06.1-37.1	31	60.3	41.5-79.1
Hispanic	63	105,150	12	29.2	07.8-50.6	2	2.1	00.0-05.0	1	0.4	00.0-01.2	5	7.4	00.0-15.8	43	60.9	40.3-81.5
18-24	170	386,027	36	22.2	13.8-30.6	15	10.1	04.0-16.2	8	3.4	00.7-06.1	8	3.2	00.7-05.7	103	61.1	51.7-70.5
25-34	330	569,104	69	20.3	14.8-25.8	28	8.8	05.1-12.5	22	6.2	03.1-09.3	21	7.2	02.7-11.7	190	57.6	50.7-64.5
35-44	461	616,200	66	12.7	08.8-16.6	29	7.9	04.4-11.4	24	8.0	04.3-11.7	43	11.0	06.9-15.1	299	60.4	54.3-66.5
45-54	763	697,294	116	15.0	11.5-18.5	53	6.2	04.2-08.2	53	6.3	03.8-08.8	89	8.7	06.3-11.1	452	63.9	59.2-68.6
55-64	1116	698,893	154	11.6	09.2-14.0	65	5.8	04.0-07.6	76	5.9	03.9-07.9	106	8.8	06.6-11.0	715	67.9	64.2-71.6
65+	1816	809,676	214	12.4	10.2-14.6	83	4.6	03.2-06.0	82	4.3	03.1-05.5	122	7.2	05.4-09.0	1315	71.6	68.9-74.3
Less Than H.S.	487	563,305	76	14.4	09.7-19.1	35	7.0	04.1-09.9	47	9.0	05.1-12.9	83	17.3	11.8-22.8	246	52.3	45.4-59.2
H.S. or G.E.D.	1504	1,265,783	216	15.6	12.5-18.7	114	8.0	06.0-10.0	108	7.4	05.4-09.4	139	7.7	05.9-09.5	927	61.2	57.5-64.9
Some Post-H.S.	1198	1,119,621	176	14.9	11.8-18.0	64	7.3	04.8-09.8	73	4.6	03.0-06.2	108	7.3	05.3-09.3	777	65.9	61.8-70.0
College Graduate	1493	848,509	191	14.8	12.1-17.5	59	4.1	02.5-05.7	35	2.4	01.4-03.4	60	2.8	01.8-03.8	1148	75.8	72.7-78.9
Less than \$15,000	506	395,757	78	11.5	07.8-15.2	41	9.0	05.1-12.9	66	14.5	09.2-19.8	107	19.5	13.2-25.8	214	45.5	37.9-53.1
\$15,000- 24,999	796	654,733	138	18.5	14.0-23.0	67	10.0	06.7-13.3	59	8.6	05.3-11.9	96	12.2	08.7-15.7	436	50.8	45.1-56.5
\$25,000- 34,999	464	387,792	71	17.6	10.9-24.3	36	7.4	04.3-10.5	25	5.0	02.3-07.7	37	8.6	04.9-12.3	295	61.4	54.1-68.7
\$35,000- 49,999	566	488,323	81	13.8	09.7-17.9	24	7.6	03.5-11.7	24	3.7	01.7-05.7	30	4.7	02.3-07.1	407	70.2	64.5-75.9
\$50,000- 74,999	568	489,120	78	16.5	11.8-21.2	25	5.1	02.6-07.6	21	2.6	01.2-04.0	30	5.4	02.7-08.1	414	70.4	64.9-75.9
\$75,000+	946	798,105	115	12.7	09.8-15.6	34	4.3	02.3-06.3	20	2.3	00.9-03.7	28	1.8	01.0-02.6	749	78.9	75.2-82.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 2: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1815	1,815,179	233	13.9	11.5-16.3	91	6.4	04.6-08.2	89	5.7	03.9-07.5	139	7.2	05.2-09.2	1263	66.8	63.5-70.1
White/Non-Hisp	1528	1,386,609	202	14.9	12.4-17.4	76	6.3	04.3-08.3	76	5.9	03.9-07.9	111	6.3	04.7-07.9	1063	66.6	63.1-70.1
Black or Afr. Am./Non-Hisp	169	250,660	18	12.1	05.0-19.2	6	4.9	00.0-10.6	11	7.3	01.2-13.4	15	10.8	01.8-19.8	119	64.9	53.1-76.7
18-24	92	210,660	20	21.2	10.8-31.6	7	7.8	00.9-14.7	4	4.1	00.0-08.4	4	2.8	00.0-05.9	57	64.1	52.1-76.1
25-34	133	282,228	34	19.2	11.9-26.5	13	8.9	03.6-14.2	7	4.0	00.3-07.7	7	8.4	00.4-16.4	72	59.4	49.0-69.8
35-44	179	296,233	22	11.5	05.6-17.4	12	9.0	02.7-15.3	8	9.0	02.5-15.5	16	11.3	05.0-17.6	121	59.2	49.6-68.8
45-54	305	332,140	40	12.1	07.4-16.8	19	4.7	02.0-07.4	21	7.3	02.8-11.8	31	7.0	03.9-10.1	194	68.8	61.9-75.7
55-64	421	336,193	44	11.0	06.9-15.1	22	6.7	03.4-10.0	22	5.6	02.1-09.1	29	6.0	03.1-08.9	304	70.6	64.7-76.5
65+	668	339,869	71	11.2	08.1-14.3	18	2.8	01.0-04.6	27	4.0	02.2-05.8	51	7.1	04.6-09.6	501	74.9	70.6-79.2
Less Than H.S.	194	281,453	17	7.0	02.7-11.3	15	8.2	03.3-13.1	16	9.2	02.5-15.9	29	15.4	07.0-23.8	117	60.2	50.0-70.4
H.S. or G.E.D.	565	627,495	76	13.6	09.7-17.5	35	7.6	04.3-10.9	41	8.2	04.9-11.5	45	7.3	04.4-10.2	368	63.3	57.6-69.0
Some Post-H.S.	425	498,372	63	16.3	11.2-21.4	20	5.6	02.1-09.1	20	3.8	01.6-06.0	37	6.3	03.4-09.2	285	67.9	61.4-74.4
College Graduate	625	405,735	77	16.2	11.7-20.7	21	4.3	01.8-06.8	10	1.6	00.4-02.8	28	2.5	01.3-03.7	489	75.4	70.5-80.3
Less than \$15,000	160	178,335	24	11.5	05.2-17.8	14	8.0	02.7-13.3	20	14.5	05.1-23.9	36	23.2	11.0-35.4	66	42.7	30.7-54.7
\$15,000- 24,999	261	284,118	45	18.6	11.3-25.9	16	8.7	03.2-14.2	18	10.7	04.2-17.2	28	9.5	04.8-14.2	154	52.5	43.3-61.7
\$25,000- 34,999	191	197,684	25	13.5	07.0-20.0	8	6.1	01.4-10.8	12	5.0	00.9-09.1	13	6.2	01.3-11.1	133	69.2	60.2-78.2
\$35,000- 49,999	247	247,553	32	13.1	07.2-19.0	13	9.2	02.3-16.1	7	1.7	00.3-03.1	15	6.3	02.0-10.6	180	69.7	61.1-78.3
\$50,000- 74,999	260	255,180	39	17.7	11.2-24.2	9	3.8	00.3-07.3	6	1.5	00.3-02.7	10	3.9	00.0-08.0	196	73.0	65.2-80.8
\$75,000+	462	435,402	52	11.9	07.8-16.0	15	4.8	01.7-07.9	9	1.9	00.5-03.3	18	2.1	00.9-03.3	368	79.3	74.2-84.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 4: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4811	3,882,573	632	14.5	12.9-16.1	200	4.6	03.6-05.6	197	4.5	03.5-05.5	311	5.9	04.9-06.9	3471	70.5	68.3-72.7
Male	1856	1,846,658	191	11.9	09.5-14.3	55	4.1	02.7-05.5	57	3.5	02.3-04.7	103	5.2	03.8-06.6	1450	75.3	72.4-78.2
Female	2955	2,035,915	441	16.9	14.5-19.3	145	5.1	03.7-06.5	140	5.4	04.0-06.8	208	6.6	05.4-07.8	2021	66.0	63.3-68.7
White/Non-Hisp	3972	3,003,038	523	14.2	12.4-16.0	162	4.5	03.5-05.5	162	4.5	03.5-05.5	263	6.1	05.1-07.1	2862	70.7	68.5-72.9
Black or Afr. Am./Non-Hisp	571	577,727	73	14.7	09.6-19.8	25	5.0	01.9-08.1	26	5.7	02.4-09.0	32	6.0	03.3-08.7	415	68.7	62.2-75.2
Oth. Race/Non-Hisp.	95	82,718	11	14.0	00.3-27.7	4	1.4	00.0-03.0	1	2.1	00.0-06.2	5	3.1	00.0-06.2	74	79.3	65.2-93.4
MultiRacial/Non-Hisp.	56	62,506	10	17.2	04.5-29.9	8	18.8	04.7-32.9	4	6.5	00.0-15.5	6	9.6	00.0-19.8	28	47.9	27.9-67.9
Hispanic	63	105,674	10	17.9	00.0-37.5				1	1.1	00.0-03.3	2	1.5	00.0-04.2	50	79.5	59.9-99.1
18-24	172	390,502	37	23.0	14.6-31.4	14	8.5	03.0-14.0	10	5.7	01.6-09.8	4	2.2	00.0-04.4	107	60.6	51.2-70.0
25-34	335	577,388	65	21.2	15.1-27.3	15	4.4	01.9-06.9	17	4.4	02.0-06.8	23	4.9	02.4-07.4	215	65.1	58.4-71.8
35-44	473	633,352	60	11.4	07.9-14.9	14	3.8	01.3-06.3	22	6.7	03.2-10.2	37	8.0	04.9-11.1	340	70.2	64.7-75.7
45-54	776	702,037	104	13.1	10.0-16.2	44	5.1	02.7-07.5	43	5.9	03.5-08.3	81	8.4	06.0-10.8	504	67.6	63.1-72.1
55-64	1131	712,450	155	12.8	09.9-15.7	51	4.7	02.9-06.5	58	3.5	02.3-04.7	83	6.7	04.7-08.7	784	72.3	68.6-76.0
65+	1881	837,712	210	11.3	09.3-13.3	61	3.2	02.0-04.4	46	2.2	01.4-03.0	81	4.0	02.8-05.2	1483	79.3	76.8-81.8
Less Than H.S.	505	578,413	77	13.7	09.4-18.0	28	5.8	02.7-08.9	31	7.2	03.5-10.9	67	10.4	07.1-13.7	302	62.9	56.4-69.4
H.S. or G.E.D.	1559	1,309,942	204	15.4	12.3-18.5	80	4.3	02.9-05.7	90	6.1	04.3-07.9	124	7.1	05.3-08.9	1061	67.2	63.5-70.9
Some Post-H.S.	1221	1,131,164	167	15.1	11.8-18.4	49	5.5	03.1-07.9	48	3.8	02.2-05.4	77	5.0	03.4-06.6	880	70.6	66.7-74.5
College Graduate	1513	856,441	182	12.8	10.3-15.3	43	3.3	01.9-04.7	27	1.2	00.6-01.8	42	2.4	01.4-03.4	1219	80.3	77.4-83.2
Less than \$15,000	526	409,210	90	17.2	12.1-22.3	36	9.0	04.5-13.5	59	11.8	07.3-16.3	101	16.5	12.0-21.0	240	45.6	38.0-53.2
\$15,000- 24,999	815	656,096	132	17.7	13.2-22.2	54	7.6	04.5-10.7	44	8.1	04.6-11.6	74	8.2	05.5-10.9	511	58.4	52.9-63.9
\$25,000- 34,999	477	395,796	72	17.8	10.9-24.7	17	2.2	00.8-03.6	19	3.9	01.5-06.3	27	5.8	02.7-08.9	342	70.3	63.2-77.4
\$35,000- 49,999	582	502,446	72	12.4	08.5-16.3	23	3.1	01.3-04.9	17	2.8	01.0-04.6	17	2.5	01.1-03.9	453	79.2	74.5-83.9
\$50,000- 74,999	572	493,755	72	15.7	10.8-20.6	19	3.0	01.4-04.6	16	2.8	01.0-04.6	19	3.5	01.3-05.7	446	75.0	69.7-80.3
\$75,000+	955	802,226	92	9.4	06.9-11.9	15	2.5	00.9-04.1	13	1.9	00.5-03.3	18	1.6	00.6-02.6	817	84.6	81.3-87.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 5: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1856	1,846,658	191	11.9	09.5-14.3	55	4.1	02.7-05.5	57	3.5	02.3-04.7	103	5.2	03.8-06.6	1450	75.3	72.4-78.2
White/Non-Hisp	1561	1,408,077	162	11.5	09.1-13.9	45	3.9	02.3-05.5	50	3.5	02.1-04.9	84	5.3	03.7-06.9	1220	76.0	72.9-79.1
Black or Afr. Am./Non-Hisp	174	259,429	15	14.2	05.0-23.4	3	3.9	00.0-09.0	5	4.5	00.0-09.6	12	6.0	01.5-10.5	139	71.3	60.1-82.5
18-24	94	215,969	16	17.9	08.3-27.5	6	4.7	00.6-08.8	5	6.4	00.1-12.7	2	2.2	00.0-05.3	65	68.8	57.4-80.2
25-34	135	285,154	28	22.2	12.8-31.6	7	4.3	00.8-07.8	2	1.1	00.0-02.7	7	4.0	00.1-07.9	91	68.3	58.3-78.3
35-44	182	298,937	19	7.5	03.2-11.8	9	6.6	01.5-11.7	6	4.9	00.4-09.4	12	8.2	02.9-13.5	136	72.7	64.3-81.1
45-54	313	337,493	27	7.3	03.8-10.8	12	4.5	00.4-08.6	17	5.6	02.7-08.5	28	6.6	03.5-09.7	229	76.1	69.8-82.4
55-64	424	336,897	42	12.0	07.5-16.5	10	3.5	00.8-06.2	13	2.5	00.7-04.3	21	5.1	02.0-08.2	338	76.9	71.2-82.6
65+	690	353,954	59	8.3	05.6-11.0	11	1.9	00.5-03.3	14	1.8	00.6-03.0	31	3.3	01.9-04.7	575	84.7	81.4-88.0
Less Than H.S.	197	278,688	22	9.0	04.1-13.9	11	7.5	01.6-13.4	11	3.8	01.1-06.5	20	8.2	03.1-13.3	133	71.5	62.7-80.3
H.S. or G.E.D.	584	645,679	62	11.4	07.5-15.3	17	3.3	01.1-05.5	22	5.0	02.1-07.9	44	7.2	04.3-10.1	439	73.2	67.9-78.5
Some Post-H.S.	438	512,488	46	13.8	08.3-19.3	19	5.1	02.4-07.8	16	3.4	01.4-05.4	23	3.6	01.6-05.6	334	74.0	67.7-80.3
College Graduate	631	407,679	60	12.1	08.4-15.8	8	1.9	00.3-03.5	8	1.1	00.1-02.1	16	1.8	00.6-03.0	539	83.0	78.9-87.1
Less than \$15,000	166	184,259	25	14.0	06.6-21.4	10	9.5	01.3-17.7	17	11.2	04.7-17.7	38	17.5	09.7-25.3	76	47.9	35.6-60.2
\$15,000- 24,999	264	283,116	36	17.2	09.2-25.2	12	7.2	01.9-12.5	14	7.6	01.9-13.3	22	9.1	04.0-14.2	180	58.9	49.5-68.3
\$25,000- 34,999	198	204,708	22	13.2	05.8-20.6	4	1.6	00.0-03.6	3	1.8	00.0-04.7	7	1.3	00.1-02.5	162	82.1	74.1-90.1
\$35,000- 49,999	256	255,685	25	12.2	06.1-18.3	5	1.8	00.0-03.8	6	1.7	00.1-03.3	7	1.8	00.2-03.4	213	82.4	75.7-89.1
\$50,000- 74,999	260	251,725	28	11.0	05.9-16.1	8	2.6	00.6-04.6	3	1.4	00.0-03.4	5	3.2	00.0-06.5	216	81.8	75.5-88.1
\$75,000+	468	438,590	31	6.0	03.3-08.7	7	3.3	00.6-06.0	6	1.2	00.2-02.2	10	1.5	00.3-02.7	414	88.0	83.9-92.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 6: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2955	2,035,915	441	16.9	14.5-19.3	145	5.1	03.7-06.5	140	5.4	04.0-06.8	208	6.6	05.4-07.8	2021	66.0	63.3-68.7
White/Non-Hisp	2411	1,594,961	361	16.5	14.1-18.9	117	5.1	03.5-06.7	112	5.4	03.8-07.0	179	6.8	05.4-08.2	1642	66.1	63.2-69.0
Black or Afr. Am./Non-Hisp	397	318,297	58	15.2	09.7-20.7	22	5.9	02.0-09.8	21	6.6	02.1-11.1	20	6.0	02.7-09.3	276	66.5	58.9-74.1
18-24	78	174,532	21	29.2	15.1-43.3	8	13.2	02.4-24.0	5	4.9	00.4-09.4	2	2.2	00.0-05.3	42	50.5	36.0-65.0
25-34	200	292,234	37	20.3	12.9-27.7	8	4.5	00.8-08.2	15	7.6	03.1-12.1	16	5.7	02.2-09.2	124	62.0	53.4-70.6
35-44	291	334,415	41	14.9	09.4-20.4	5	1.2	00.0-02.4	16	8.3	03.0-13.6	25	7.8	04.1-11.5	204	67.9	60.6-75.2
45-54	463	364,544	77	18.4	13.3-23.5	32	5.6	03.1-08.1	26	6.2	02.7-09.7	53	10.0	06.7-13.3	275	59.8	53.3-66.3
55-64	707	375,553	113	13.6	09.7-17.5	41	5.8	03.4-08.2	45	4.3	02.7-05.9	62	8.1	05.4-10.8	446	68.2	63.3-73.1
65+	1191	483,758	151	13.4	10.7-16.1	50	4.2	02.2-06.2	32	2.5	01.3-03.7	50	4.5	02.9-06.1	908	75.4	71.9-78.9
Less Than H.S.	308	299,725	55	18.1	11.4-24.8	17	4.2	01.5-06.9	20	10.3	04.0-16.6	47	12.5	07.8-17.2	169	54.9	46.1-63.7
H.S. or G.E.D.	975	664,264	142	19.4	14.7-24.1	63	5.2	03.4-07.0	68	7.1	04.7-09.5	80	7.0	04.8-09.2	622	61.3	56.4-66.2
Some Post-H.S.	783	618,676	121	16.2	12.3-20.1	30	5.8	02.3-09.3	32	4.2	02.0-06.4	54	6.1	03.9-08.3	546	67.8	62.7-72.9
College Graduate	882	448,762	122	13.5	10.0-17.0	35	4.6	02.4-06.8	19	1.3	00.7-01.9	26	2.8	01.4-04.2	680	77.9	73.8-82.0
Less than \$15,000	360	224,951	65	19.8	12.9-26.7	26	8.5	03.6-13.4	42	12.2	05.9-18.5	63	15.6	10.5-20.7	164	43.8	34.6-53.0
\$15,000- 24,999	551	372,980	96	18.0	12.9-23.1	42	7.9	04.0-11.8	30	8.5	03.8-13.2	52	7.4	04.7-10.1	331	58.1	51.4-64.8
\$25,000- 34,999	279	191,088	50	22.7	11.3-34.1	13	2.8	01.0-04.6	16	6.1	02.4-09.8	20	10.7	04.6-16.8	180	57.7	46.9-68.5
\$35,000- 49,999	326	246,760	47	12.7	07.6-17.8	18	4.5	01.4-07.6	11	3.8	00.5-07.1	10	3.2	00.8-05.6	240	75.9	69.2-82.6
\$50,000- 74,999	312	242,030	44	20.6	12.6-28.6	11	3.4	01.0-05.8	13	4.3	01.4-07.2	14	3.8	01.4-06.2	230	67.9	59.7-76.1
\$75,000+	487	363,636	61	13.6	09.1-18.1	8	1.5	00.1-02.9	7	2.6	00.1-05.1	8	1.8	00.2-03.4	403	80.5	75.2-85.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 7: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4806	3,869,404	736	16.4	14.6-18.2	436	10.0	08.6-11.4	328	6.7	05.7-07.7	858	17.3	15.7-18.9	2448	49.7	47.5-51.9
Male	1854	1,840,449	242	15.6	13.1-18.1	135	8.9	06.7-11.1	106	6.2	04.6-07.8	280	15.3	12.8-17.8	1091	54.0	50.7-57.3
Female	2952	2,028,955	494	17.1	14.9-19.3	301	11.0	09.0-13.0	222	7.2	05.8-08.6	578	19.0	16.8-21.2	1357	45.7	43.0-48.4
White/Non-Hisp	3966	3,004,527	616	16.2	14.4-18.0	358	9.8	08.4-11.2	285	7.1	05.9-08.3	727	18.1	16.3-19.9	1980	48.8	46.4-51.2
Black or Afr. Am./Non-Hisp	568	559,627	76	13.7	08.8-18.6	52	9.2	05.1-13.3	27	5.8	02.9-08.7	82	14.0	09.5-18.5	331	57.4	50.5-64.3
Oth. Race/Non-Hisp.	96	83,170	11	14.0	00.3-27.7	11	6.8	00.3-13.3	5	5.1	00.0-10.4	13	15.9	04.3-27.5	56	58.3	42.0-74.6
MultiRacial/Non-Hisp.	56	62,506	8	28.8	07.0-50.6	6	14.5	01.2-27.8	5	4.7	00.0-09.6	15	27.6	11.3-43.9	22	24.4	10.5-38.3
Hispanic	64	106,382	16	26.8	12.1-41.5	6	15.1	00.0-34.7	1	3.0	00.0-08.9	11	7.4	01.7-13.1	30	47.6	28.2-67.0
18-24	171	389,326	34	19.0	11.9-26.1	22	15.1	07.3-22.9	15	7.1	03.2-11.0	24	15.8	08.2-23.4	76	43.0	33.8-52.2
25-34	336	579,809	59	20.7	14.8-26.6	45	15.0	10.1-19.9	24	6.1	03.0-09.2	63	15.7	11.2-20.2	145	42.5	35.6-49.4
35-44	472	633,040	67	14.0	09.9-18.1	41	8.1	05.0-11.2	28	7.6	04.3-10.9	77	18.4	13.7-23.1	259	51.9	45.8-58.0
45-54	775	693,415	119	16.7	12.8-20.6	70	7.9	05.5-10.3	60	6.7	04.7-08.7	182	21.1	17.0-25.2	344	47.5	42.4-52.6
55-64	1132	713,375	166	15.1	12.2-18.0	116	9.6	07.2-12.0	81	6.9	04.7-09.1	224	17.5	14.6-20.4	545	50.9	46.8-55.0
65+	1881	832,663	287	15.1	12.7-17.5	141	7.8	06.0-09.6	119	6.2	04.8-07.6	284	14.9	12.7-17.1	1050	56.0	52.9-59.1
Less Than H.S.	513	586,283	59	11.7	07.6-15.8	37	6.1	03.4-08.8	37	7.6	04.5-10.7	135	25.9	19.8-32.0	245	48.7	41.8-55.6
H.S. or G.E.D.	1552	1,299,513	203	15.5	12.6-18.4	163	11.6	08.7-14.5	102	6.5	04.7-08.3	329	18.7	16.0-21.4	755	47.7	44.0-51.4
Some Post-H.S.	1216	1,120,006	204	17.2	13.9-20.5	110	10.4	07.7-13.1	103	7.6	05.6-09.6	232	16.3	13.4-19.2	567	48.4	44.1-52.7
College Graduate	1513	857,635	270	20.0	16.9-23.1	125	9.6	07.1-12.1	84	5.2	03.8-06.6	160	10.5	08.1-12.9	874	54.7	51.0-58.4
Less than \$15,000	527	407,772	51	9.8	05.9-13.7	38	8.7	04.4-13.0	60	10.6	06.7-14.5	178	32.4	25.7-39.1	200	38.5	30.9-46.1
\$15,000- 24,999	812	656,995	96	13.5	09.2-17.8	82	10.3	07.2-13.4	70	10.8	07.3-14.3	210	24.2	19.7-28.7	354	41.2	35.7-46.7
\$25,000- 34,999	474	394,161	92	19.1	14.0-24.2	44	13.2	06.3-20.1	32	5.6	03.2-08.0	65	12.6	08.5-16.7	241	49.5	42.2-56.8
\$35,000- 49,999	581	498,319	97	17.0	12.5-21.5	50	8.5	05.4-11.6	28	4.3	02.1-06.5	75	11.4	08.1-14.7	331	58.8	52.9-64.7
\$50,000- 74,999	571	495,526	90	15.8	11.5-20.1	64	10.4	07.1-13.7	38	6.7	03.8-09.6	77	12.7	09.0-16.4	302	54.4	48.5-60.3
\$75,000+	954	801,198	169	20.6	16.7-24.5	81	8.8	06.1-11.5	48	4.0	02.4-05.6	99	11.4	07.9-14.9	557	55.2	50.5-59.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 8: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1854	1,840,449	242	15.6	13.1-18.1	135	8.9	06.7-11.1	106	6.2	04.6-07.8	280	15.3	12.8-17.8	1091	54.0	50.7-57.3
White/Non-Hisp	1560	1,410,912	202	14.9	12.2-17.6	118	8.9	06.7-11.1	94	6.6	04.8-08.4	237	15.7	13.0-18.4	909	54.0	50.5-57.5
Black or Afr. Am./Non-Hisp	171	249,676	20	14.0	05.4-22.6	9	8.3	00.9-15.7	7	5.4	00.3-10.5	20	13.3	05.9-20.7	115	59.0	47.2-70.8
18-24	93	215,482	20	21.0	10.8-31.2	14	15.4	06.2-24.6	4	4.0	00.0-08.1	11	14.8	04.2-25.4	44	44.8	32.5-57.1
25-34	136	287,575	26	21.8	12.6-31.0	22	18.4	10.4-26.4	8	5.3	01.0-09.6	23	12.0	06.5-17.5	57	42.5	32.1-52.9
35-44	181	298,325	24	12.9	07.2-18.6	18	7.7	02.8-12.6	11	9.2	03.3-15.1	21	14.9	07.8-22.0	107	55.3	45.9-64.7
45-54	311	330,544	44	15.9	09.8-22.0	20	4.2	01.7-06.7	22	5.7	03.0-08.4	59	20.2	13.7-26.7	166	54.0	46.2-61.8
55-64	427	342,000	58	15.3	10.4-20.2	28	6.8	03.3-10.3	27	7.6	03.9-11.3	70	16.0	11.5-20.5	244	54.2	47.7-60.7
65+	690	348,907	69	9.9	06.6-13.2	33	5.1	03.1-07.1	34	4.9	02.9-06.9	93	13.1	09.8-16.4	461	67.1	62.4-71.8
Less Than H.S.	203	285,198	20	12.4	05.9-18.9	8	4.1	00.2-08.0	18	9.2	04.1-14.3	42	23.0	13.6-32.4	115	51.3	41.1-61.5
H.S. or G.E.D.	579	640,731	67	15.1	10.6-19.6	54	10.4	06.5-14.3	29	4.7	02.2-07.2	97	16.5	12.4-20.6	332	53.2	47.3-59.1
Some Post-H.S.	435	504,609	58	16.1	10.6-21.6	33	9.5	05.2-13.8	33	8.3	04.8-11.8	79	13.6	09.9-17.3	232	52.6	45.7-59.5
College Graduate	631	407,788	97	18.0	13.3-22.7	40	9.2	05.5-12.9	25	3.7	01.9-05.5	61	10.3	07.0-13.6	408	58.8	53.1-64.5
Less than \$15,000	165	186,722	12	10.7	04.0-17.4	14	10.4	02.6-18.2	24	13.7	06.4-21.0	48	28.2	17.4-39.0	67	37.0	24.7-49.3
\$15,000- 24,999	269	288,006	24	12.1	04.3-19.9	19	7.5	02.6-12.4	18	11.9	05.6-18.2	66	25.6	18.0-33.2	142	42.9	34.1-51.7
\$25,000- 34,999	196	201,552	38	22.5	14.3-30.7	11	9.7	02.4-17.0	6	2.3	00.1-04.5	19	7.1	02.8-11.4	122	58.5	48.7-68.3
\$35,000- 49,999	256	251,800	32	12.5	06.6-18.4	21	7.9	03.6-12.2	8	2.4	00.0-04.8	36	10.2	06.3-14.1	159	66.9	59.1-74.7
\$50,000- 74,999	260	253,627	41	15.6	09.7-21.5	30	10.2	05.5-14.9	15	6.1	01.8-10.4	23	10.0	04.7-15.3	151	58.2	49.8-66.6
\$75,000+	468	438,985	70	19.6	13.7-25.5	23	5.9	02.8-09.0	17	3.1	01.1-05.1	49	12.3	06.6-18.0	309	59.0	52.1-65.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 9: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2952	2,028,955	494	17.1	14.9-19.3	301	11.0	09.0-13.0	222	7.2	05.8-08.6	578	19.0	16.8-21.2	1357	45.7	43.0-48.4
White/Non-Hisp	2406	1,593,615	414	17.3	15.1-19.5	240	10.6	08.8-12.4	191	7.6	06.0-09.2	490	20.3	17.8-22.8	1071	44.2	41.3-47.1
Black or Afr. Am./Non-Hisp	397	309,951	56	13.4	08.1-18.7	43	9.9	05.6-14.2	20	6.0	02.5-09.5	62	14.5	09.0-20.0	216	56.2	48.2-64.2
18-24	78	173,844	14	16.7	07.1-26.3	8	14.6	01.5-27.7	11	10.9	03.8-18.0	13	17.1	06.1-28.1	32	40.7	26.8-54.6
25-34	200	292,234	33	19.5	12.2-26.8	23	11.7	06.0-17.4	16	6.9	02.4-11.4	40	19.3	12.4-26.2	88	42.5	33.7-51.3
35-44	291	334,714	43	14.9	09.0-20.8	23	8.5	04.2-12.8	17	6.2	02.5-09.9	56	21.5	15.0-28.0	152	48.9	41.3-56.5
45-54	464	362,871	75	17.5	12.6-22.4	50	11.3	07.4-15.2	38	7.6	04.7-10.5	123	21.8	16.7-26.9	178	41.6	34.9-48.3
55-64	705	371,375	108	15.0	11.3-18.7	88	12.1	08.8-15.4	54	6.2	04.2-08.2	154	18.8	14.9-22.7	301	47.9	42.6-53.2
65+	1191	483,756	218	18.8	15.7-21.9	108	9.8	07.3-12.3	85	7.1	05.1-09.1	191	16.3	13.4-19.2	589	48.0	44.1-51.9
Less Than H.S.	310	301,085	39	11.0	06.1-15.9	29	8.0	04.1-11.9	19	6.1	02.2-10.0	93	28.6	21.0-36.2	130	46.3	37.3-55.3
H.S. or G.E.D.	973	658,783	136	15.8	12.1-19.5	109	12.8	08.7-16.9	73	8.3	05.6-11.0	232	20.9	17.4-24.4	423	42.3	37.6-47.0
Some Post-H.S.	781	615,397	146	18.2	14.1-22.3	77	11.2	07.9-14.5	70	7.0	04.8-09.2	153	18.6	14.3-22.9	335	45.0	39.7-50.3
College Graduate	882	449,847	173	21.8	17.7-25.9	85	9.9	06.6-13.2	59	6.5	04.3-08.7	99	10.8	07.5-14.1	466	51.0	46.1-55.9
Less than \$15,000	362	221,050	39	9.0	04.3-13.7	24	7.3	02.8-11.8	36	8.0	04.3-11.7	130	36.0	27.6-44.4	133	39.7	30.3-49.1
\$15,000- 24,999	543	368,989	72	14.6	09.7-19.5	63	12.6	08.5-16.7	52	10.0	05.9-14.1	144	23.1	17.4-28.8	212	39.8	33.1-46.5
\$25,000- 34,999	278	192,608	54	15.5	09.8-21.2	33	16.9	05.3-28.5	26	9.1	05.0-13.2	46	18.4	11.3-25.5	119	40.1	30.1-50.1
\$35,000- 49,999	325	246,519	65	21.6	14.9-28.3	29	9.1	04.4-13.8	20	6.2	02.5-09.9	39	12.5	07.0-18.0	172	50.6	42.4-58.8
\$50,000- 74,999	311	241,899	49	16.0	09.5-22.5	34	10.7	06.2-15.2	23	7.3	03.4-11.2	54	15.6	10.3-20.9	151	50.4	42.4-58.4
\$75,000+	486	362,213	99	21.7	16.8-26.6	58	12.4	07.9-16.9	31	5.2	02.8-07.6	50	10.2	06.1-14.3	248	50.5	44.2-56.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 10: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4784	3,856,829	1169	24.8	22.8-26.8	520	12.3	10.7-13.9	400	8.9	07.5-10.3	1029	20.9	19.1-22.7	1666	33.1	31.1-35.1
Male	1850	1,827,901	440	25.1	22.2-28.0	197	12.0	09.8-14.2	139	8.9	06.7-11.1	310	16.6	14.2-19.0	764	37.4	34.3-40.5
Female	2934	2,028,928	729	24.5	22.1-26.9	323	12.6	10.4-14.8	261	9.0	07.2-10.8	719	24.7	22.3-27.1	902	29.2	26.7-31.7
White/Non-Hisp	3950	2,997,431	961	24.2	22.2-26.2	438	12.7	11.1-14.3	325	8.8	07.4-10.2	874	22.2	20.2-24.2	1352	32.1	29.9-34.3
Black or Afr. Am./Non-Hisp	565	561,866	136	26.0	19.7-32.3	58	10.6	06.5-14.7	54	10.8	06.3-15.3	97	14.8	10.5-19.1	220	37.8	31.1-44.5
Oth. Race/Non-Hisp.	96	83,170	25	22.2	07.7-36.7	9	8.7	00.5-16.9	6	2.2	00.0-04.6	24	24.3	09.6-39.0	32	42.6	26.7-58.5
MultiRacial/Non-Hisp.	56	62,506	13	20.7	06.0-35.4	8	25.2	03.6-46.8	7	6.0	00.3-11.7	14	26.9	10.2-43.6	14	21.2	07.7-34.7
Hispanic	63	105,383	19	30.6	14.1-47.1	4	10.1	00.0-24.6	5	12.9	00.0-32.9	8	8.7	00.9-16.5	27	37.6	19.8-55.4
18-24	170	388,331	55	35.3	26.3-44.3	22	11.8	06.1-17.5	23	15.6	07.2-24.0	25	13.0	07.3-18.7	45	24.3	16.5-32.1
25-34	334	562,450	81	25.9	19.8-32.0	58	20.5	14.6-26.4	38	8.9	05.6-12.2	78	23.6	17.9-29.3	79	21.1	16.0-26.2
35-44	472	631,339	117	23.4	18.3-28.5	50	11.4	07.3-15.5	43	9.9	06.0-13.8	95	19.8	15.1-24.5	167	35.6	29.9-41.3
45-54	777	703,675	200	24.4	20.3-28.5	81	9.8	06.7-12.9	61	7.7	05.0-10.4	203	22.7	18.8-26.6	232	35.3	30.2-40.4
55-64	1135	713,626	285	23.4	20.1-26.7	139	13.3	10.4-16.2	100	8.0	05.6-10.4	247	21.6	18.1-25.1	364	33.8	29.9-37.7
65+	1857	829,779	427	22.0	19.5-24.5	169	9.5	07.7-11.3	133	7.2	05.6-08.8	375	21.4	18.9-23.9	753	39.9	36.8-43.0
Less Than H.S.	506	569,157	85	15.2	10.9-19.5	50	10.0	05.5-14.5	45	9.6	04.9-14.3	178	33.1	27.0-39.2	148	32.2	25.9-38.5
H.S. or G.E.D.	1544	1,300,554	332	24.0	20.7-27.3	169	12.1	09.6-14.6	144	10.7	08.0-13.4	381	21.2	18.3-24.1	518	32.0	28.5-35.5
Some Post-H.S.	1216	1,127,235	304	26.7	22.8-30.6	138	13.2	10.3-16.1	105	7.3	05.3-09.3	285	21.5	18.2-24.8	384	31.3	27.4-35.2
College Graduate	1506	853,285	447	29.9	26.6-33.2	161	13.2	10.5-15.9	104	8.1	05.9-10.3	182	11.3	09.1-13.5	612	37.5	34.0-41.0
Less than \$15,000	527	402,991	80	17.3	11.8-22.8	51	9.9	06.0-13.8	64	13.6	08.5-18.7	212	35.9	29.4-42.4	120	23.4	16.5-30.3
\$15,000- 24,999	808	656,518	144	19.3	14.6-24.0	113	13.7	09.8-17.6	80	10.1	07.0-13.2	253	30.0	25.1-34.9	218	26.9	22.2-31.6
\$25,000- 34,999	475	397,054	115	25.0	19.1-30.9	46	13.2	07.5-18.9	38	10.8	03.9-17.7	106	22.0	16.7-27.3	170	29.2	23.5-34.9
\$35,000- 49,999	582	497,920	169	26.4	21.1-31.7	73	12.8	08.9-16.7	47	8.4	05.1-11.7	87	14.4	10.5-18.3	206	38.0	31.9-44.1
\$50,000- 74,999	570	494,258	162	31.2	25.5-36.9	73	11.5	08.0-15.0	40	5.9	03.5-08.3	96	18.7	13.8-23.6	199	32.7	27.2-38.2
\$75,000+	947	799,012	290	27.3	23.4-31.2	91	13.8	10.3-17.3	66	8.8	05.5-12.1	81	9.7	06.8-12.6	419	40.5	36.0-45.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 11: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1850	1,827,901	440	25.1	22.2-28.0	197	12.0	09.8-14.2	139	8.9	06.7-11.1	310	16.6	14.2-19.0	764	37.4	34.3-40.5
White/Non-Hisp	1556	1,406,119	372	25.1	22.0-28.2	168	11.3	09.1-13.5	118	8.8	06.4-11.2	264	17.7	15.0-20.4	634	37.1	33.8-40.4
Black or Afr. Am./Non-Hisp	172	248,489	34	21.4	11.2-31.6	19	16.2	07.8-24.6	17	15.1	05.9-24.3	24	10.7	05.0-16.4	78	36.6	25.6-47.6
18-24	93	215,482	33	40.4	27.9-52.9	11	8.4	02.9-13.9	10	12.4	02.0-22.8	9	9.2	02.7-15.7	30	29.5	18.3-40.7
25-34	134	270,216	35	30.0	20.0-40.0	25	21.1	12.5-29.7	18	11.9	05.8-18.0	21	14.1	07.4-20.8	35	22.9	14.9-30.9
35-44	182	298,937	41	22.5	14.7-30.3	24	12.1	06.4-17.8	12	9.4	02.5-16.3	28	15.9	09.0-22.8	77	40.0	30.8-49.2
45-54	314	338,547	79	22.1	16.4-27.8	35	9.6	04.3-14.9	23	8.2	03.7-12.7	64	19.4	13.7-25.1	113	40.7	32.9-48.5
55-64	427	340,178	106	22.4	17.1-27.7	50	14.3	09.6-19.0	32	8.2	04.3-12.1	76	19.4	14.3-24.5	163	35.7	29.4-42.0
65+	683	346,528	144	20.2	16.3-24.1	52	7.8	05.3-10.3	44	5.8	03.6-08.0	108	17.6	13.7-21.5	335	48.5	43.4-53.6
Less Than H.S.	201	274,114	34	13.9	07.8-20.0	17	7.7	03.0-12.4	17	11.7	02.9-20.5	58	27.3	19.3-35.3	75	39.4	29.8-49.0
H.S. or G.E.D.	580	639,725	112	21.0	16.3-25.7	63	13.0	08.7-17.3	49	10.4	06.5-14.3	118	18.5	14.2-22.8	238	37.1	31.6-42.6
Some Post-H.S.	435	506,653	112	31.7	24.8-38.6	52	11.9	07.8-16.0	32	6.7	03.6-09.8	84	16.5	12.2-20.8	155	33.1	26.6-39.6
College Graduate	628	405,286	181	30.7	25.4-36.0	65	13.5	09.4-17.6	40	7.5	04.4-10.6	48	6.3	04.1-08.5	294	42.0	36.5-47.5
Less than \$15,000	168	177,236	20	13.7	06.4-21.0	16	8.7	02.8-14.6	24	18.3	08.3-28.3	69	34.8	24.4-45.2	39	24.4	14.0-34.8
\$15,000- 24,999	266	286,199	51	22.1	13.3-30.9	42	14.5	08.6-20.4	24	11.1	05.4-16.8	62	22.9	15.6-30.2	87	29.4	21.2-37.6
\$25,000- 34,999	199	204,905	48	29.7	20.5-38.9	21	13.9	06.3-21.5	11	7.9	00.3-15.5	32	14.2	08.1-20.3	87	34.2	25.6-42.8
\$35,000- 49,999	255	250,330	63	24.8	17.0-32.6	32	12.1	06.6-17.6	15	6.1	02.0-10.2	35	12.9	07.8-18.0	110	44.1	35.1-53.1
\$50,000- 74,999	260	253,617	75	33.4	24.8-42.0	34	12.1	07.0-17.2	17	4.9	02.0-07.8	29	10.0	05.3-14.7	105	39.6	31.0-48.2
\$75,000+	464	436,655	133	26.2	20.5-31.9	39	12.8	07.7-17.9	32	10.0	04.5-15.5	32	8.4	04.7-12.1	228	42.7	36.2-49.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 12: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2934	2,028,928	729	24.5	22.1-26.9	323	12.6	10.4-14.8	261	9.0	07.2-10.8	719	24.7	22.3-27.1	902	29.2	26.7-31.7
White/Non-Hisp	2394	1,591,313	589	23.5	21.1-25.9	270	13.9	11.5-16.3	207	8.8	07.2-10.4	610	26.1	23.4-28.8	718	27.7	25.2-30.2
Black or Afr. Am./Non-Hisp	393	313,377	102	29.6	21.8-37.4	39	6.2	03.5-08.9	37	7.4	04.1-10.7	73	18.1	12.0-24.2	142	38.8	30.6-47.0
18-24	77	172,849	22	28.9	16.4-41.4	11	16.0	05.2-26.8	13	19.6	06.1-33.1	16	17.8	07.8-27.8	15	17.7	07.1-28.3
25-34	200	292,234	46	22.1	15.0-29.2	33	20.0	12.2-27.8	20	6.2	02.9-09.5	57	32.4	23.8-41.0	44	19.4	13.1-25.7
35-44	290	332,402	76	24.2	17.5-30.9	26	10.7	04.6-16.8	31	10.3	06.0-14.6	67	23.2	16.5-29.9	90	31.6	24.7-38.5
45-54	463	365,127	121	26.7	20.8-32.6	46	10.0	06.5-13.5	38	7.3	04.4-10.2	139	25.8	20.5-31.1	119	30.2	23.5-36.9
55-64	708	373,448	179	24.3	20.0-28.6	89	12.3	09.0-15.6	68	7.7	05.2-10.2	171	23.6	18.7-28.5	201	32.1	27.0-37.2
65+	1174	483,250	283	23.2	20.1-26.3	117	10.7	08.3-13.1	89	8.3	06.1-10.5	267	24.1	20.6-27.6	418	33.7	30.0-37.4
Less Than H.S.	305	295,043	51	16.3	10.2-22.4	33	12.0	04.6-19.4	28	7.7	04.2-11.2	120	38.4	29.8-47.0	73	25.5	17.1-33.9
H.S. or G.E.D.	964	660,830	220	26.8	22.3-31.3	106	11.2	08.3-14.1	95	10.9	07.0-14.8	263	23.9	20.0-27.8	280	27.1	23.0-31.2
Some Post-H.S.	781	620,582	192	22.6	18.3-26.9	86	14.1	10.0-18.2	73	7.8	05.3-10.3	201	25.6	20.9-30.3	229	29.8	25.1-34.5
College Graduate	878	447,999	266	29.2	24.7-33.7	96	12.9	09.2-16.6	64	8.6	05.5-11.7	134	15.8	12.3-19.3	318	33.5	29.2-37.8
Less than \$15,000	359	225,755	60	20.1	12.3-27.9	35	10.8	05.5-16.1	40	9.9	05.8-14.0	143	36.7	28.7-44.7	81	22.6	13.4-31.8
\$15,000- 24,999	542	370,319	93	17.1	12.0-22.2	71	13.1	07.8-18.4	56	9.3	06.0-12.6	191	35.5	28.8-42.2	131	25.0	19.3-30.7
\$25,000- 34,999	276	192,149	67	19.9	13.2-26.6	25	12.4	04.0-20.8	27	13.8	02.4-25.2	74	30.2	21.6-38.8	83	23.7	16.4-31.0
\$35,000- 49,999	327	247,590	106	28.1	21.0-35.2	41	13.4	08.1-18.7	32	10.8	05.9-15.7	52	15.8	09.9-21.7	96	31.8	24.0-39.6
\$50,000- 74,999	310	240,641	87	28.9	21.6-36.2	39	10.9	06.2-15.6	23	6.9	03.2-10.6	67	27.7	19.7-35.7	94	25.5	19.0-32.0
\$75,000+	483	362,357	157	28.5	23.2-33.8	52	14.9	09.8-20.0	34	7.3	04.0-10.6	49	11.4	06.9-15.9	191	37.8	31.7-43.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 13. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4783	3,844,909	700	15.6	14.0-17.2	357	7.8	06.4-09.2	258	5.2	04.2-06.2	479	9.6	08.4-10.8	2989	61.8	59.6-64.0
Male	1849	1,823,731	269	15.0	12.6-17.4	125	6.7	05.1-08.3	73	4.1	02.7-05.5	131	7.8	06.0-09.6	1251	66.4	63.3-69.5
Female	2934	2,021,178	431	16.1	13.9-18.3	232	8.9	06.9-10.9	185	6.2	05.0-07.4	348	11.1	09.5-12.7	1738	57.7	54.8-60.6
White/Non-Hisp	3953	2,996,387	583	15.4	13.8-17.0	297	7.6	06.4-08.8	207	5.0	04.0-06.0	413	9.8	08.4-11.2	2453	62.2	60.0-64.4
Black or Afr. Am./Non-Hisp	561	548,816	77	11.8	07.7-15.9	36	6.5	03.0-10.0	39	8.0	04.3-11.7	40	6.9	03.8-10.0	369	66.9	60.6-73.2
Oth. Race/Non-Hisp.	93	82,352	13	21.1	06.2-36.0	10	12.1	00.0-25.6	3	1.9	00.0-04.8	6	4.8	00.1-09.5	61	60.2	43.3-77.1
MultiRacial/Non-Hisp.	56	63,255	2	0.5	00.0-01.5	7	7.8	00.7-14.9	3	3.9	00.0-10.0	11	31.5	13.7-49.3	33	56.3	37.3-75.3
Hispanic	63	100,205	16	36.4	17.6-55.2	5	20.9	00.0-42.5	3	2.6	00.0-06.1	5	8.9	00.0-18.5	34	31.3	16.0-46.6
18-24	168	380,402	33	21.3	13.7-28.9	15	13.1	05.1-21.1	15	8.8	03.7-13.9	11	5.5	02.0-09.0	94	51.4	41.8-61.0
25-34	333	567,124	58	16.3	11.2-21.4	28	7.6	04.1-11.1	26	6.6	03.7-09.5	31	7.8	04.5-11.1	190	61.7	55.2-68.2
35-44	472	629,805	88	17.9	13.2-22.6	31	6.2	03.7-08.7	19	2.4	00.8-04.0	49	12.7	08.4-17.0	285	60.9	55.0-66.8
45-54	768	692,445	123	14.8	11.5-18.1	73	8.4	05.9-10.9	56	6.5	04.3-08.7	93	9.1	06.7-11.5	423	61.1	56.4-65.8
55-64	1130	710,862	180	16.0	13.1-18.9	100	9.2	06.5-11.9	65	4.6	03.0-06.2	126	9.7	07.3-12.1	659	60.5	56.4-64.6
65+	1871	836,092	215	11.2	09.2-13.2	108	5.3	04.1-06.5	77	4.4	03.0-05.8	167	10.5	08.5-12.5	1304	68.6	65.7-71.5
Less Than H.S.	503	567,714	70	15.9	10.8-21.0	42	8.1	04.4-11.8	30	5.3	02.8-07.8	81	15.1	10.6-19.6	280	55.5	48.8-62.2
H.S. or G.E.D.	1543	1,295,027	202	13.5	11.0-16.0	121	7.9	05.5-10.3	92	5.1	03.7-06.5	191	11.6	09.2-14.0	937	61.9	58.2-65.6
Some Post-H.S.	1213	1,121,004	180	15.9	12.8-19.0	90	7.9	05.5-10.3	77	7.0	04.8-09.2	119	7.8	05.8-09.8	747	61.4	57.3-65.5
College Graduate	1513	855,407	248	18.1	15.2-21.0	101	7.4	05.2-09.6	57	3.0	02.0-04.0	87	5.1	03.5-06.7	1020	66.3	62.8-69.8
Less than \$15,000	519	396,123	71	13.2	08.5-17.9	47	9.7	05.2-14.2	45	7.3	04.2-10.4	103	18.5	13.6-23.4	253	51.4	44.1-58.7
\$15,000- 24,999	810	656,578	109	14.5	10.4-18.6	67	7.9	05.2-10.6	51	6.2	03.5-08.9	127	16.0	11.9-20.1	456	55.5	50.0-61.0
\$25,000- 34,999	476	393,347	53	11.5	07.4-15.6	33	9.6	03.5-15.7	30	4.4	02.4-06.4	48	9.6	06.1-13.1	312	64.8	57.7-71.9
\$35,000- 49,999	577	497,891	95	16.6	12.1-21.1	41	6.8	04.1-09.5	24	4.7	02.2-07.2	42	6.4	04.0-08.8	375	65.5	59.8-71.2
\$50,000- 74,999	567	488,187	84	17.3	12.8-21.8	46	8.8	05.1-12.5	27	4.7	02.3-07.1	44	6.3	03.9-08.7	366	62.9	57.2-68.6
\$75,000+	952	802,520	165	17.9	14.4-21.4	56	5.7	03.7-07.7	35	3.6	02.0-05.2	42	4.4	02.4-06.4	654	68.4	64.1-72.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 14. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1849	1,823,731	269	15.0	12.6-17.4	125	6.7	05.1-08.3	73	4.1	02.7-05.5	131	7.8	06.0-09.6	1251	66.4	63.3-69.5
White/Non-Hisp	1557	1,408,851	237	15.6	13.1-18.1	111	7.0	05.2-08.8	61	3.7	02.5-04.9	107	7.2	05.2-09.2	1041	66.5	63.2-69.8
Black or Afr. Am./Non-Hisp	170	240,285	14	7.3	02.0-12.6	5	5.3	00.0-11.4	9	8.2	01.5-14.9	9	6.1	01.0-11.2	133	73.1	62.7-83.5
18-24	91	207,216	18	19.9	09.5-30.3	9	9.5	02.4-16.6	7	8.2	00.9-15.5	6	7.0	01.3-12.7	51	55.4	42.7-68.1
25-34	133	274,891	24	15.4	08.5-22.3	10	5.8	01.7-09.9	6	3.8	00.5-07.1	11	6.4	01.7-11.1	82	68.5	59.5-77.5
35-44	182	298,937	35	17.4	10.5-24.3	7	3.8	00.1-07.5	5	1.3	00.1-02.5	14	11.7	05.2-18.2	121	65.9	56.9-74.9
45-54	310	328,893	46	14.0	09.1-18.9	26	7.3	03.0-11.6	21	5.9	02.6-09.2	25	5.8	03.1-08.5	192	67.0	59.9-74.1
55-64	425	341,196	69	16.1	11.4-20.8	33	9.1	05.0-13.2	18	3.8	01.4-06.2	29	7.8	04.1-11.5	276	63.1	56.8-69.4
65+	691	354,586	75	9.9	07.0-12.8	39	5.2	03.2-07.2	16	3.3	00.9-05.7	44	7.4	04.5-10.3	517	74.1	69.6-78.6
Less Than H.S.	198	272,093	24	13.1	06.8-19.4	12	7.6	01.9-13.3	12	5.0	01.7-08.3	23	11.3	05.4-17.2	127	62.9	53.5-72.3
H.S. or G.E.D.	580	637,434	80	13.5	09.8-17.2	39	5.6	03.2-08.0	24	2.8	01.4-04.2	52	9.4	05.9-12.9	385	68.7	63.4-74.0
Some Post-H.S.	433	505,807	55	14.6	09.5-19.7	37	6.9	04.2-09.6	20	6.8	02.9-10.7	27	6.6	03.5-09.7	294	65.2	58.7-71.7
College Graduate	632	406,273	110	19.1	14.8-23.4	36	7.3	03.8-10.8	16	2.4	01.0-03.8	28	4.5	02.1-06.9	442	66.7	61.2-72.2
Less than \$15,000	163	174,540	21	14.9	07.1-22.7	13	10.1	01.9-18.3	11	3.6	01.1-06.1	26	16.6	08.6-24.6	92	54.7	43.1-66.3
\$15,000- 24,999	265	285,266	29	10.3	05.0-15.6	24	7.6	03.5-11.7	9	4.3	00.0-08.6	27	14.9	08.0-21.8	176	62.8	54.0-71.6
\$25,000- 34,999	198	202,319	21	13.1	06.2-20.0	8	5.2	01.3-09.1	8	2.5	00.0-05.0	17	4.9	02.0-07.8	144	74.2	66.0-82.4
\$35,000- 49,999	256	257,026	37	13.9	07.8-20.0	20	7.7	03.0-12.4	10	5.4	01.5-09.3	14	4.8	01.7-07.9	175	68.2	60.0-76.4
\$50,000- 74,999	260	247,555	42	18.4	11.7-25.1	13	5.0	00.7-09.3	12	4.9	01.0-08.8	14	3.4	00.9-05.9	179	68.3	60.3-76.3
\$75,000+	468	439,305	88	18.4	13.5-23.3	31	6.4	03.5-09.3	11	2.5	00.5-04.5	16	5.1	02.0-08.2	322	67.6	61.5-73.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 15. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2934	2,021,178	431	16.1	13.9-18.3	232	8.9	06.9-10.9	185	6.2	05.0-07.4	348	11.1	09.5-12.7	1738	57.7	55.0-60.4
White/Non-Hisp	2396	1,587,536	346	15.1	12.9-17.3	186	8.1	06.3-09.9	146	6.1	04.7-07.5	306	12.2	10.2-14.2	1412	58.5	55.6-61.4
Black or Afr. Am./Non-Hisp	391	308,531	63	15.3	09.4-21.2	31	7.5	03.6-11.4	30	7.8	03.9-11.7	31	7.5	03.6-11.4	236	62.0	54.2-69.8
18-24	77	173,187	15	22.9	11.3-34.5	6	17.3	02.2-32.4	8	9.4	02.3-16.5	5	3.6	00.1-07.1	43	46.7	32.4-61.0
25-34	200	292,234	34	17.1	09.5-24.7	18	9.3	04.0-14.6	20	9.3	04.4-14.2	20	9.1	04.6-13.6	108	55.2	46.4-64.0
35-44	290	330,868	53	18.3	11.8-24.8	24	8.3	04.6-12.0	14	3.4	00.7-06.1	35	13.5	07.8-19.2	164	56.5	48.7-64.3
45-54	458	363,551	77	15.6	11.1-20.1	47	9.4	06.1-12.7	35	7.1	04.2-10.0	68	12.0	08.3-15.7	231	55.9	49.4-62.4
55-64	705	369,666	111	15.8	11.9-19.7	67	9.3	05.6-13.0	47	5.3	03.3-07.3	97	11.4	08.3-14.5	383	58.2	52.9-63.5
65+	1180	481,506	140	12.2	09.5-14.9	69	5.3	03.7-06.9	61	5.2	03.6-06.8	123	12.8	10.1-15.5	787	64.5	60.8-68.2
Less Than H.S.	305	295,621	46	18.5	10.9-26.1	30	8.5	03.6-13.4	18	5.6	01.9-09.3	58	18.5	12.0-25.0	153	48.8	39.8-57.8
H.S. or G.E.D.	963	657,593	122	13.5	10.0-17.0	82	10.1	06.0-14.2	68	7.3	04.9-09.7	139	13.8	10.9-16.7	552	55.3	50.4-60.2
Some Post-H.S.	780	615,197	125	17.0	12.9-21.1	53	8.7	05.2-12.2	57	7.2	04.7-09.7	92	8.8	06.4-11.2	453	58.4	53.1-63.7
College Graduate	881	449,134	138	17.2	13.5-20.9	65	7.5	04.8-10.2	41	3.6	02.2-05.0	59	5.8	03.8-07.8	578	65.9	61.4-70.4
Less than \$15,000	356	221,584	50	11.8	06.1-17.5	34	9.4	04.5-14.3	34	10.2	05.1-15.3	77	19.9	13.8-26.0	161	48.7	39.5-57.9
\$15,000- 24,999	545	371,311	80	17.6	11.7-23.5	43	8.1	04.4-11.8	42	7.6	04.1-11.1	100	16.8	11.9-21.7	280	49.9	43.2-56.6
\$25,000- 34,999	278	191,028	32	9.8	05.5-14.1	25	14.4	03.0-25.8	22	6.4	03.1-09.7	31	14.6	07.9-21.3	168	54.8	44.2-65.4
\$35,000- 49,999	321	240,865	58	19.5	12.8-26.2	21	5.7	02.8-08.6	14	3.9	01.2-06.6	28	8.2	04.3-12.1	200	62.7	54.9-70.5
\$50,000- 74,999	307	240,632	42	16.2	10.1-22.3	33	12.7	06.6-18.8	15	4.5	01.8-07.2	30	9.3	05.2-13.4	187	57.3	49.3-65.3
\$75,000+	484	363,215	77	17.3	12.2-22.4	25	4.8	02.1-07.5	24	4.9	02.2-07.6	26	3.5	01.5-05.5	332	69.4	63.5-75.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 16. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4813	3,861,160	379	9.0	07.6-10.4	120	3.1	02.3-03.9	126	2.6	01.8-03.4	293	6.7	05.5-07.9	3895	78.6	76.6-80.6
Male	1855	1,830,373	106	6.8	05.0-08.6	36	2.7	01.5-03.9	40	1.8	01.0-02.6	94	6.2	04.4-08.0	1579	82.5	79.8-85.2
Female	2958	2,030,787	273	11.0	08.8-13.2	84	3.4	02.4-04.4	86	3.3	02.1-04.5	199	7.2	05.8-08.6	2316	75.1	72.6-77.6
White/Non-Hisp	3976	2,999,348	315	8.9	07.5-10.3	98	3.2	02.2-04.2	106	2.7	01.9-03.5	247	6.3	05.1-07.5	3210	78.9	76.9-80.9
Black or Afr. Am./Non-Hisp	567	556,212	41	6.5	03.6-09.4	18	3.2	01.2-05.2	14	2.9	00.7-05.1	22	7.6	03.5-11.7	472	79.8	74.5-85.1
Oth. Race/Non-Hisp.	94	82,856	8	6.5	01.0-12.0	1	0.4	00.0-01.2				8	7.6	01.3-13.9	77	85.6	77.2-94.0
MultiRacial/Non-Hisp.	57	63,609	5	9.6	00.0-19.4	3	8.4	00.0-18.6				9	14.4	02.2-26.6	37	61.5	43.3-79.7
Hispanic	64	106,382	7	22.6	02.2-43.0							4	6.6	00.0-14.8	53	70.9	50.5-91.3
18-24	169	381,700	24	17.6	09.2-26.0	7	4.0	00.7-07.3	10	5.2	01.9-08.5	13	7.2	02.7-11.7	115	66.0	56.8-75.2
25-34	332	564,400	49	15.8	10.7-20.9	15	4.3	01.8-06.8	10	1.8	00.4-03.2	24	6.3	03.2-09.4	234	71.8	65.7-77.9
35-44	473	633,050	45	8.4	05.5-11.3	19	5.5	02.2-08.8	9	2.4	00.0-04.8	38	9.8	06.1-13.5	362	73.9	68.4-79.4
45-54	773	694,071	71	7.6	05.4-09.8	23	2.2	01.0-03.4	32	4.3	02.3-06.3	85	8.8	06.1-11.5	562	77.1	73.2-81.0
55-64	1134	718,205	90	7.1	05.1-09.1	22	1.8	00.8-02.8	33	2.0	01.0-03.0	71	5.5	03.7-07.3	918	83.7	80.8-86.6
65+	1891	842,166	98	3.7	02.7-04.7	33	1.6	00.8-02.4	32	1.4	00.8-02.0	61	3.9	02.5-05.3	1667	89.5	87.5-91.5
Less Than H.S.	513	575,458	32	5.5	02.8-08.2	13	2.1	00.5-03.7	22	4.7	01.8-07.6	60	13.1	08.8-17.4	386	74.6	68.9-80.3
H.S. or G.E.D.	1552	1,302,964	109	7.7	05.2-10.2	46	4.1	02.3-05.9	51	2.9	01.7-04.1	120	8.0	05.8-10.2	1226	77.4	73.9-80.9
Some Post-H.S.	1218	1,121,729	108	12.0	08.9-15.1	29	2.1	00.9-03.3	30	2.1	01.1-03.1	73	5.3	03.5-07.1	978	78.5	75.0-82.0
College Graduate	1517	853,766	130	9.6	07.4-11.8	32	3.4	01.6-05.2	22	1.5	00.7-02.3	40	2.4	01.4-03.4	1293	83.1	80.2-86.0
Less than \$15,000	525	398,236	52	10.6	06.5-14.7	19	4.6	02.1-07.1	39	6.2	03.1-09.3	89	18.0	12.5-23.5	326	60.5	53.6-67.4
\$15,000- 24,999	813	657,975	71	9.4	06.3-12.5	31	5.3	02.4-08.2	19	3.0	00.6-05.4	80	10.6	07.3-13.9	612	71.7	66.6-76.8
\$25,000- 34,999	476	395,867	39	10.6	04.3-16.9	7	1.7	00.0-03.5	15	2.9	00.9-04.9	31	7.9	04.0-11.8	384	76.8	69.7-83.9
\$35,000- 49,999	582	499,579	37	7.6	04.3-10.9	11	1.9	00.3-03.5	11	1.3	00.3-02.3	14	2.2	00.8-03.6	509	86.9	83.0-90.8
\$50,000- 74,999	568	485,086	38	6.9	03.6-10.2	10	2.1	00.3-03.9	12	2.5	00.5-04.5	18	3.6	01.4-05.8	490	84.9	80.4-89.4
\$75,000+	954	800,623	70	6.8	04.8-08.8	19	3.0	01.0-05.0	9	1.1	00.1-02.1	14	1.2	00.2-02.2	842	87.9	85.0-90.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 17. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1855	1,830,373	106	6.8	05.0-08.6	36	2.7	01.5-03.9	40	1.8	01.0-02.6	94	6.2	04.4-08.0	1579	82.5	79.8-85.2
White/Non-Hisp	1562	1,410,153	91	7.0	05.0-09.0	30	2.7	01.3-04.1	36	1.9	00.9-02.9	77	5.4	03.8-07.0	1328	83.0	80.1-85.9
Black or Afr. Am./Non-Hisp	171	240,350	4	3.1	00.0-06.4	4	2.7	00.0-05.6	1	1.1	00.0-03.3	7	9.2	01.4-17.0	155	83.8	75.0-92.6
18-24	92	209,831	16	15.5	06.7-24.3	1	1.0	00.0-03.0	4	4.3	00.0-08.8	6	7.3	00.4-14.2	65	71.9	60.7-83.1
25-34	135	276,784	18	12.1	05.4-18.8	6	3.9	00.4-07.4	2	0.5	00.0-01.3	7	4.1	00.2-08.0	102	79.3	71.3-87.3
35-44	182	298,937	13	6.5	02.4-10.6	6	6.0	00.3-11.7	3	1.7	00.0-03.9	15	11.8	05.5-18.1	145	74.0	65.4-82.6
45-54	311	330,251	14	3.2	01.0-05.4	6	1.1	00.0-02.3	12	3.1	00.7-05.5	29	8.4	03.9-12.9	250	84.3	78.8-89.8
55-64	428	342,537	21	5.4	02.5-08.3	9	2.5	00.5-04.5	8	1.3	00.0-02.9	15	4.0	01.3-06.7	375	86.9	82.6-91.2
65+	691	355,276	23	2.2	01.0-03.4	7	0.8	00.0-01.6	11	1.0	00.4-01.6	21	2.6	01.2-04.0	629	93.4	91.4-95.4
Less Than H.S.	199	272,766	8	2.9	00.4-05.4	3	1.5	00.0-03.9	7	3.8	00.5-07.1	20	13.0	05.7-20.3	161	78.8	70.8-86.8
H.S. or G.E.D.	585	646,463	22	3.6	01.2-06.0	15	4.6	01.7-07.5	16	1.8	00.4-03.2	39	7.5	04.2-10.8	493	82.5	77.8-87.2
Some Post-H.S.	433	502,553	32	10.9	06.4-15.4	10	1.7	00.5-02.9	10	1.6	00.0-03.2	21	4.1	01.7-06.5	360	81.7	76.6-86.8
College Graduate	632	406,466	44	9.7	06.0-13.4	8	1.7	00.0-03.5	6	0.6	00.0-01.2	14	2.0	00.6-03.4	560	86.0	81.7-90.3
Less than \$15,000	166	174,640	13	7.6	02.1-13.1	6	3.3	00.2-06.4	13	5.9	01.2-10.6	37	25.3	14.9-35.7	97	57.8	46.4-69.2
\$15,000- 24,999	266	287,140	20	7.0	02.9-11.1	10	7.5	01.6-13.4	7	2.2	00.0-04.6	23	10.9	05.0-16.8	206	72.4	64.0-80.8
\$25,000- 34,999	198	203,953	6	3.6	00.1-07.1	4	2.6	00.0-06.1	5	1.0	00.0-02.0	4	2.4	00.0-06.3	179	90.3	84.2-96.4
\$35,000- 49,999	257	254,242	12	7.7	02.6-12.8	1	0.1	00.0-00.3	2	0.6	00.0-01.4	3	1.0	00.0-02.4	239	90.6	85.3-95.9
\$50,000- 74,999	259	247,378	14	6.1	02.2-10.0	3	0.7	00.0-01.5	6	2.8	00.0-05.9	5	3.4	00.1-06.7	231	87.1	81.2-93.0
\$75,000+	467	436,987	22	4.5	02.1-06.9	7	2.5	00.1-04.9	1	0.1	00.0-00.3	8	0.6	00.2-01.0	429	92.3	89.0-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 18. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2958	2,030,787	273	11.0	08.8-13.2	84	3.4	02.4-04.4	86	3.3	02.1-04.5	199	7.2	05.8-08.6	2316	75.1	72.6-77.6
White/Non-Hisp	2414	1,589,195	224	10.7	08.5-12.9	68	3.6	02.4-04.8	70	3.3	02.1-04.5	170	7.1	05.5-08.7	1882	75.3	72.6-78.0
Black or Afr. Am./Non-Hisp	396	315,862	37	9.1	04.8-13.4	14	3.5	01.0-06.0	13	4.3	00.8-07.8	15	6.4	02.5-10.3	317	76.7	70.0-83.4
18-24	77	171,868	8	20.3	05.2-35.4	6	7.8	00.9-14.7	6	6.2	01.1-11.3	7	7.0	01.3-12.7	50	58.8	43.9-73.7
25-34	197	287,616	31	19.4	11.8-27.0	9	4.6	00.9-08.3	8	3.1	00.6-05.6	17	8.4	03.5-13.3	132	64.5	55.9-73.1
35-44	291	334,113	32	10.0	05.9-14.1	13	5.1	01.6-08.6	6	3.1	00.0-07.0	23	8.0	04.1-11.9	217	73.8	66.9-80.7
45-54	462	363,820	57	11.6	07.9-15.3	17	3.2	01.4-05.0	20	5.4	02.1-08.7	56	9.2	06.1-12.3	312	70.6	64.9-76.3
55-64	706	375,668	69	8.7	06.2-11.2	13	1.1	00.3-01.9	25	2.7	01.3-04.1	56	6.8	04.4-09.2	543	80.7	77.0-84.4
65+	1200	486,891	75	4.8	03.4-06.2	26	2.1	01.1-03.1	21	1.7	00.7-02.7	40	4.8	02.4-07.2	1038	86.6	83.7-89.5
Less Than H.S.	314	302,692	24	7.7	03.0-12.4	10	2.7	00.5-04.9	15	5.5	00.6-10.4	40	13.2	07.9-18.5	225	70.9	63.1-78.7
H.S. or G.E.D.	967	656,500	87	11.7	07.4-16.0	31	3.6	01.8-05.4	35	3.9	01.9-05.9	81	8.4	05.9-10.9	733	72.3	67.4-77.2
Some Post-H.S.	785	619,176	76	12.9	08.6-17.2	19	2.5	00.7-04.3	20	2.4	01.0-03.8	52	6.2	03.8-08.6	618	76.0	71.1-80.9
College Graduate	885	447,300	86	9.6	07.1-12.1	24	4.9	02.0-07.8	16	2.3	00.7-03.9	26	2.7	01.3-04.1	733	80.6	76.5-84.7
Less than \$15,000	359	223,596	39	12.9	06.8-19.0	13	5.6	01.7-09.5	26	6.5	02.2-10.8	52	12.4	07.7-17.1	229	62.7	54.3-71.1
\$15,000- 24,999	547	370,834	51	11.2	06.7-15.7	21	3.5	01.5-05.5	12	3.7	00.0-07.4	57	10.4	06.5-14.3	406	71.2	64.9-77.5
\$25,000- 34,999	278	191,913	33	18.0	06.4-29.6	3	0.8	00.0-01.8	10	5.0	01.3-08.7	27	13.7	07.0-20.4	205	62.5	51.3-73.7
\$35,000- 49,999	325	245,338	25	7.6	03.3-11.9	10	3.8	00.9-06.7	9	2.2	00.4-04.0	11	3.4	01.0-05.8	270	83.1	77.2-89.0
\$50,000- 74,999	309	237,708	24	7.6	02.1-13.1	7	3.5	00.0-07.0	6	2.3	00.1-04.5	13	3.9	01.4-06.4	259	82.7	75.8-89.6
\$75,000+	487	363,636	48	9.7	06.4-13.0	12	3.5	00.4-06.6	8	2.3	00.3-04.3	6	2.0	00.0-04.2	413	82.5	77.4-87.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 19. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4809	3,848,189	266	6.3	04.9-07.7	139	3.6	02.8-04.4	129	3.1	02.3-03.9	257	5.5	04.5-06.5	4018	81.4	79.6-83.2
Male	1852	1,824,733	98	5.6	04.0-07.2	39	2.8	01.6-04.0	39	2.5	01.3-03.7	77	4.3	02.9-05.7	1599	84.8	82.3-87.3
Female	2957	2,023,455	168	7.0	05.0-09.0	100	4.3	03.1-05.5	90	3.7	02.5-04.9	180	6.6	05.2-08.0	2419	78.3	75.8-80.8
White/Non-Hisp	3971	2,987,430	223	6.3	05.1-07.5	114	3.5	02.5-04.5	111	3.6	02.6-04.6	207	5.2	04.2-06.2	3316	81.4	79.4-83.4
Black or Afr. Am./Non-Hisp	571	560,175	22	2.2	00.6-03.8	19	5.0	01.9-08.1	11	0.9	00.1-01.7	34	7.5	04.2-10.8	485	84.5	79.8-89.2
Oth. Race/Non-Hisp.	93	81,934	6	2.7	00.0-05.6	3	1.5	00.0-03.5	1	0.4	00.0-01.2	5	3.9	00.0-08.0	78	91.4	85.7-97.1
MultiRacial/Non-Hisp.	57	63,609	5	6.4	00.1-12.7	4	7.1	00.0-16.5	4	7.1	00.0-16.5	7	11.7	00.7-22.7	41	74.7	59.6-89.8
Hispanic	64	106,382	8	28.8	06.8-50.8	2	4.9	00.0-12.9	1	3.0	00.0-08.9	3	3.1	00.0-06.8	50	60.1	39.3-80.9
18-24	169	386,407	18	13.0	05.4-20.6	9	4.9	01.2-08.6	9	4.5	01.2-07.8	7	3.1	00.6-05.6	126	74.5	65.9-83.1
25-34	328	557,483	31	9.4	05.1-13.7	15	4.0	01.5-06.5	16	4.8	01.9-07.7	26	7.0	03.7-10.3	240	74.7	68.6-80.8
35-44	469	627,491	31	6.3	03.0-09.6	17	4.8	01.9-07.7	14	3.8	01.1-06.5	41	9.6	06.1-13.1	366	75.5	70.0-81.0
45-54	778	697,849	51	5.6	03.4-07.8	30	4.2	01.8-06.6	32	3.0	01.6-04.4	73	6.5	04.5-08.5	592	80.7	77.0-84.4
55-64	1133	714,070	55	4.6	02.6-06.6	40	3.4	02.0-04.8	33	2.2	01.2-03.2	54	4.2	02.6-05.8	951	85.5	82.6-88.4
65+	1890	836,537	80	3.6	02.6-04.6	28	1.7	00.9-02.5	23	1.6	00.6-02.6	55	2.7	01.7-03.7	1704	90.5	88.7-92.3
Less Than H.S.	508	565,099	28	7.1	02.6-11.6	24	6.4	02.5-10.3	17	3.6	01.4-05.8	54	9.9	06.4-13.4	385	72.9	66.6-79.2
H.S. or G.E.D.	1554	1,304,564	92	7.1	04.7-09.5	51	3.2	02.0-04.4	56	4.5	02.7-06.3	95	5.6	04.0-07.2	1260	79.7	76.6-82.8
Some Post-H.S.	1219	1,118,045	60	4.9	02.9-06.9	33	2.6	01.2-04.0	29	2.7	01.1-04.3	66	4.9	03.1-06.7	1031	84.8	81.7-87.9
College Graduate	1516	854,079	86	6.5	04.3-08.7	30	3.6	02.0-05.2	26	1.2	00.6-01.8	40	3.2	01.6-04.8	1334	85.4	82.5-88.3
Less than \$15,000	522	399,000	38	6.0	03.1-08.9	25	6.4	02.5-10.3	44	7.6	04.5-10.7	75	14.1	09.6-18.6	340	66.0	59.3-72.7
\$15,000- 24,999	807	643,873	44	7.7	04.0-11.4	38	5.1	02.6-07.6	28	4.9	02.2-07.6	71	9.0	06.1-11.9	626	73.2	68.1-78.3
\$25,000- 34,999	478	393,963	28	8.4	01.5-15.3	11	1.8	00.2-03.4	10	3.0	00.8-05.2	22	4.7	02.0-07.4	407	82.1	74.8-89.4
\$35,000- 49,999	580	499,276	28	4.3	02.3-06.3	20	5.1	02.2-08.0	10	1.6	00.0-03.2	15	2.3	00.9-03.7	507	86.7	82.8-90.6
\$50,000- 74,999	572	488,842	37	6.8	03.5-10.1	13	2.8	00.8-04.8	12	3.6	00.7-06.5	14	1.9	00.5-03.3	496	84.9	80.2-89.6
\$75,000+	956	801,846	44	4.9	02.9-06.9	16	1.9	00.7-03.1	9	0.8	00.0-01.6	18	3.0	01.0-05.0	869	89.4	86.5-92.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 20. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1852	1,824,733	98	5.6	04.0-07.2	39	2.8	01.6-04.0	39	2.5	01.3-03.7	77	4.3	02.9-05.7	1599	84.8	82.3-87.3
White/Non-Hisp	1557	1,402,000	87	6.1	04.3-07.9	34	2.7	01.3-04.1	33	2.6	01.2-04.0	60	3.9	02.5-05.3	1343	84.6	81.9-87.3
Black or Afr. Am./Non-Hisp	173	244,495	2	0.1	00.0-00.3	5	5.4	00.0-11.1	2	0.5	00.0-01.5	11	6.8	01.7-11.9	153	87.2	79.8-94.6
18-24	93	215,482	12	12.1	03.7-20.5	3	4.0	00.0-09.1	3	3.3	00.0-07.2	2	2.1	00.0-05.0	73	78.5	68.3-88.7
25-34	132	271,849	14	7.8	03.1-12.5	6	3.1	00.0-06.2	4	3.2	00.1-06.3	7	4.6	00.3-08.9	101	81.4	74.1-88.7
35-44	181	297,408	10	4.2	01.1-07.3	4	2.1	00.0-04.8	3	3.8	00.0-08.7	13	8.3	03.2-13.4	151	81.6	74.0-89.2
45-54	312	330,595	16	3.5	01.1-05.9	7	3.8	00.0-07.9	11	2.7	00.9-04.5	18	3.5	01.5-05.5	260	86.5	81.4-91.6
55-64	428	340,169	19	5.2	01.7-08.7	12	3.1	00.9-05.3	11	1.9	00.3-03.5	13	3.7	01.3-06.1	373	86.1	81.2-91.0
65+	689	351,689	27	3.7	02.1-05.3	7	1.3	00.3-02.3	6	0.8	00.0-01.6	23	2.7	01.3-04.1	626	91.6	89.1-94.1
Less Than H.S.	195	268,160	14	6.0	01.7-10.3	5	4.2	00.0-09.1	6	1.9	00.1-03.7	12	6.3	01.4-11.2	158	81.5	73.7-89.3
H.S. or G.E.D.	583	644,296	25	3.8	01.8-05.8	17	2.9	01.1-04.7	21	4.6	01.9-07.3	27	4.2	02.0-06.4	493	84.5	80.4-88.6
Some Post-H.S.	436	504,277	21	5.2	01.9-08.5	11	2.6	00.2-05.0	6	1.7	00.1-03.3	21	4.6	02.1-07.1	377	85.9	81.0-90.8
College Graduate	632	405,876	38	8.6	04.9-12.3	5	1.8	00.0-03.8	5	0.5	00.1-00.9	16	2.7	00.7-04.7	568	86.5	82.0-91.0
Less than \$15,000	160	173,041	13	8.3	02.0-14.6	12	10.8	02.4-19.2	12	7.0	01.5-12.5	19	11.7	04.4-19.0	104	62.2	50.8-73.6
\$15,000- 24,999	266	281,623	17	5.9	01.8-10.0	9	2.9	00.4-05.4	12	7.0	01.3-12.7	17	6.0	02.5-09.5	211	78.3	70.9-85.7
\$25,000- 34,999	198	202,917	9	3.5	00.6-06.4	1	0.1	00.0-00.3	1	1.5	00.0-04.4	8	2.4	00.0-04.8	179	92.5	87.8-97.2
\$35,000- 49,999	255	254,651	11	3.4	00.9-05.9	9	5.9	01.0-10.8	1	0.4	00.0-01.2	5	1.3	00.1-02.5	229	88.9	83.4-94.4
\$50,000- 74,999	261	248,684	14	7.4	02.1-12.7	2	1.5	00.0-04.0	4	1.4	00.0-03.2	5	1.5	00.0-03.7	236	88.3	82.0-94.6
\$75,000+	469	438,210	20	4.7	02.2-07.2	2	0.3	00.0-00.7	2	0.3	00.0-00.9	10	3.1	00.6-05.6	435	91.5	87.8-95.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 21. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2957	2,023,455	168	7.0	05.0-09.0	100	4.3	03.1-05.5	90	3.7	02.5-04.9	180	6.6	05.2-08.0	2419	78.3	75.8-80.8
White/Non-Hisp	2414	1,585,429	136	6.4	04.6-08.2	80	4.2	02.8-05.6	78	4.4	03.0-05.8	147	6.4	05.0-07.8	1973	78.5	75.8-81.2
Black or Afr. Am./Non-Hisp	398	315,680	20	3.9	01.0-06.8	14	4.6	01.3-07.9	9	1.2	00.2-02.2	23	8.0	03.5-12.5	332	82.3	76.2-88.4
18-24	76	170,925	6	14.1	00.4-27.8	6	5.9	00.6-11.2	6	6.1	00.8-11.4	5	4.5	00.4-08.6	53	69.4	55.3-83.5
25-34	196	285,634	17	10.9	03.8-18.0	9	4.9	00.8-09.0	12	6.4	01.5-11.3	19	9.4	04.3-14.5	139	68.4	59.4-77.4
35-44	288	330,083	21	8.2	02.9-13.5	13	7.1	02.2-12.0	11	3.9	01.0-06.8	28	10.7	05.8-15.6	215	70.0	62.2-77.8
45-54	466	367,254	35	7.5	04.2-10.8	23	4.5	02.1-06.9	21	3.3	01.3-05.3	55	9.3	06.2-12.4	332	75.4	70.3-80.5
55-64	705	373,901	36	4.1	02.3-05.9	28	3.7	01.9-05.5	22	2.5	01.1-03.9	41	4.6	02.8-06.4	578	85.0	81.7-88.3
65+	1201	484,848	53	3.5	02.3-04.7	21	2.0	01.0-03.0	17	2.2	00.6-03.8	32	2.6	01.4-03.8	1078	89.7	87.2-92.2
Less Than H.S.	313	296,940	14	8.2	00.8-15.6	19	8.4	02.5-14.3	11	5.2	01.5-08.9	42	13.2	08.1-18.3	227	65.0	55.8-74.2
H.S. or G.E.D.	971	660,268	67	10.3	06.0-14.6	34	3.5	01.9-05.1	35	4.3	02.3-06.3	68	7.0	04.6-09.4	767	74.9	70.2-79.6
Some Post-H.S.	783	613,767	39	4.7	02.5-06.9	22	2.6	01.2-04.0	23	3.6	01.2-06.0	45	5.1	02.9-07.3	654	83.9	80.0-87.8
College Graduate	884	448,203	48	4.7	02.9-06.5	25	5.3	02.8-07.8	21	1.9	00.9-02.9	24	3.8	01.4-06.2	766	84.4	80.7-88.1
Less than \$15,000	362	225,960	25	4.1	01.9-06.3	13	3.0	00.6-05.4	32	8.0	04.1-11.9	56	16.0	10.3-21.7	236	68.8	61.4-76.2
\$15,000- 24,999	541	362,250	27	9.2	03.5-14.9	29	6.9	02.8-11.0	16	3.3	01.3-05.3	54	11.4	07.3-15.5	415	69.2	62.3-76.1
\$25,000- 34,999	280	191,045	19	13.7	00.6-26.8	10	3.6	00.5-06.7	9	4.6	01.1-08.1	14	7.2	02.1-12.3	228	70.9	58.6-83.2
\$35,000- 49,999	325	244,625	17	5.1	01.8-08.4	11	4.3	01.0-07.6	9	2.9	00.0-05.8	10	3.3	00.9-05.7	278	84.4	78.7-90.1
\$50,000- 74,999	311	240,158	23	6.3	02.4-10.2	11	4.3	01.6-07.0	8	5.8	00.1-11.5	9	2.3	00.3-04.3	260	81.4	74.3-88.5
\$75,000+	487	363,636	24	5.2	02.7-07.7	14	3.7	01.3-06.1	7	1.4	00.0-02.8	8	2.9	00.0-05.8	434	86.8	82.3-91.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 22. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4719	3,787,970	211	5.2	04.2-06.2	117	2.6	01.8-03.4	86	2.1	01.5-02.7	164	3.7	02.9-04.5	4141	86.5	84.9-88.1
Male	1825	1,814,805	76	4.3	02.9-05.7	41	2.3	01.3-03.3	28	2.5	01.3-03.7	57	3.2	02.0-04.4	1623	87.6	85.2-90.0
Female	2894	1,973,165	135	6.0	04.4-07.6	76	2.8	01.8-03.8	58	1.7	01.1-02.3	107	4.1	02.9-05.3	2518	85.5	83.3-87.7
White/Non-Hisp	3898	2,951,703	159	5.0	03.8-06.2	96	2.7	01.9-03.5	61	1.6	01.0-02.2	133	3.7	02.7-04.7	3449	87.1	85.3-88.9
Black or Afr. Am./Non-Hisp	557	540,577	36	5.7	03.0-08.4	17	3.1	00.6-05.6	16	3.6	01.1-06.1	14	2.7	00.5-04.9	474	84.8	79.9-89.7
Oth. Race/Non-Hisp.	94	82,690	6	4.9	00.0-12.3	2	0.7	00.0-01.7	3	3.2	00.0-06.9	3	3.6	00.0-07.9	80	87.6	78.4-96.8
MultiRacial/Non-Hisp.	55	62,769	5	10.4	00.2-20.6	1	0.3	00.0-00.9	5	11.5	00.0-23.7	9	13.2	01.8-24.6	35	64.7	46.9-82.5
Hispanic	63	105,074	3	5.7	00.0-15.3							2	1.8	00.0-04.5	58	92.5	82.7-0100
18-24	171	388,501	16	8.6	03.1-14.1	8	4.0	00.9-07.1	1	0.7	00.0-02.1	6	3.2	00.5-05.9	140	83.6	76.7-90.5
25-34	329	556,617	28	8.3	04.8-11.8	12	2.9	00.7-05.1	12	2.9	00.5-05.3	8	2.7	00.3-05.1	269	83.1	78.0-88.2
35-44	462	608,500	25	5.1	02.0-08.2	9	1.2	00.4-02.0	7	2.6	00.2-05.0	20	5.6	02.5-08.7	401	85.4	80.7-90.1
45-54	760	684,038	40	5.1	02.9-07.3	29	4.3	01.9-06.7	22	2.2	01.0-03.4	45	5.2	03.4-07.0	624	83.3	79.6-87.0
55-64	1112	701,559	48	3.8	02.4-05.2	26	2.1	00.9-03.3	24	1.6	00.8-02.4	36	3.0	01.6-04.4	978	89.5	87.1-91.9
65+	1846	822,318	53	2.9	01.7-04.1	33	1.7	00.9-02.5	19	1.7	00.5-02.9	49	2.5	01.5-03.5	1692	91.2	89.2-93.2
Less Than H.S.	489	551,190	36	7.0	03.3-10.7	21	3.8	01.1-06.5	16	3.4	01.4-05.4	45	10.1	06.2-14.0	371	75.7	69.8-81.6
H.S. or G.E.D.	1513	1,269,368	76	5.0	03.4-06.6	42	2.4	01.4-03.4	36	2.6	01.2-04.0	46	2.8	01.6-04.0	1313	87.2	84.8-89.6
Some Post-H.S.	1202	1,111,107	45	4.3	02.3-06.3	26	2.4	01.0-03.8	23	2.0	00.6-03.4	45	3.3	01.9-04.7	1063	88.0	85.1-90.9
College Graduate	1504	850,468	53	5.4	03.2-07.6	27	2.2	01.0-03.4	10	0.4	00.0-00.8	28	1.4	00.6-02.2	1386	90.6	88.1-93.1
Less than \$15,000	503	384,972	34	7.4	03.9-10.9	30	6.7	02.6-10.8	25	4.6	02.1-07.1	52	9.5	05.8-13.2	362	71.7	65.4-78.0
\$15,000- 24,999	798	639,760	49	6.2	03.7-08.7	24	2.8	01.2-04.4	27	4.0	01.6-06.4	33	4.5	02.1-06.9	665	82.5	78.4-86.6
\$25,000- 34,999	461	384,759	24	7.6	02.7-12.5	7	0.7	00.1-01.3	6	1.9	00.0-03.9	17	4.3	01.6-07.0	407	85.5	79.8-91.2
\$35,000- 49,999	572	493,635	17	2.5	00.7-04.3	12	2.4	00.6-04.2	8	0.6	00.2-01.0	18	3.5	01.3-05.7	517	91.0	87.7-94.3
\$50,000- 74,999	564	485,595	21	3.6	01.1-06.1	13	2.6	00.8-04.4	6	1.0	00.2-01.8	7	1.1	00.0-02.3	517	91.7	88.4-95.0
\$75,000+	947	796,615	28	4.0	02.0-06.0	12	1.2	00.2-02.2	1	0.4	00.0-01.2	7	1.0	00.0-02.0	899	93.4	91.0-95.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 23. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1825	1,814,805	76	4.3	02.9-05.7	41	2.3	01.3-03.3	28	2.5	01.3-03.7	57	3.2	02.0-04.4	1623	87.6	85.2-90.0
White/Non-Hisp	1532	1,391,135	62	3.9	02.5-05.3	33	2.4	01.4-03.4	20	1.7	00.5-02.9	45	3.0	01.8-04.2	1372	89.0	86.6-91.4
Black or Afr. Am./Non-Hisp	172	244,110	7	3.8	00.1-07.5	6	3.3	00.0-08.4	6	6.7	01.0-12.4	4	3.6	00.0-07.9	149	82.6	73.8-91.4
18-24	93	215,482	7	6.4	00.3-12.5	4	2.1	00.0-04.5	1	1.2	00.0-03.6	3	4.1	00.0-08.8	78	86.2	78.2-94.2
25-34	132	271,849	12	8.0	02.7-13.3	5	3.3	00.0-06.8	4	4.3	00.0-09.0	3	2.4	00.0-05.7	108	82.0	74.2-89.8
35-44	181	297,408	6	3.3	00.4-06.2				5	5.1	00.4-09.8	6	4.2	00.5-07.9	164	87.4	80.9-93.9
45-54	306	328,448	15	3.9	01.2-06.6	11	5.4	01.1-09.7	9	2.4	00.2-04.6	11	2.4	00.6-04.2	260	85.7	80.2-91.2
55-64	424	338,828	13	1.8	00.6-03.0	10	2.0	00.2-03.8	6	1.2	00.0-02.4	17	4.0	01.6-06.4	378	91.1	87.8-94.4
65+	673	345,813	23	3.9	01.5-06.3	11	1.2	00.4-02.0	2	0.3	00.0-00.7	17	2.7	01.1-04.3	620	91.9	89.0-94.8
Less Than H.S.	192	267,036	12	4.9	01.0-08.8	6	3.0	00.0-07.5	7	3.3	00.4-06.2	17	8.2	03.1-13.3	150	80.7	73.1-88.3
H.S. or G.E.D.	572	639,439	23	3.7	01.7-05.7	14	2.4	00.8-04.0	10	2.9	00.5-05.3	12	2.2	00.4-04.0	513	88.9	85.2-92.6
Some Post-H.S.	429	502,153	16	2.6	00.8-04.4	8	1.7	00.1-03.3	10	3.5	00.6-06.4	18	3.5	01.3-05.7	377	88.7	84.6-92.8
College Graduate	627	404,617	24	6.9	03.0-10.8	12	2.6	00.6-04.6	1	0.1	00.0-00.3	10	1.4	00.2-02.6	580	89.0	84.7-93.3
Less than \$15,000	160	172,468	9	6.6	00.9-12.3	6	5.3	00.0-12.6	8	6.2	01.1-11.3	22	12.5	05.4-19.6	115	69.5	58.5-80.5
\$15,000- 24,999	260	281,610	12	3.8	00.7-06.9	10	3.2	00.7-05.7	10	6.8	01.5-12.1	7	2.7	00.5-04.9	221	83.5	76.8-90.2
\$25,000- 34,999	192	200,251	5	2.9	00.0-06.4	3	0.8	00.0-01.8				7	1.4	00.0-02.8	177	94.8	90.9-98.7
\$35,000- 49,999	253	253,881	7	3.6	00.3-06.9	4	1.2	00.0-02.4	2	0.3	00.0-00.7	6	3.0	00.0-06.3	234	92.0	87.3-96.7
\$50,000- 74,999	256	246,042	14	5.3	00.6-10.0	5	2.5	00.0-05.0	2	0.6	00.0-01.4	2	1.3	00.0-03.5	233	90.4	84.7-96.1
\$75,000+	466	435,941	15	3.8	01.3-06.3	6	1.5	00.0-03.1	1	0.8	00.0-02.4	4	1.5	00.0-03.3	440	92.5	88.8-96.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 24. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2894	1,973,165	135	6.0	04.4-07.6	76	2.8	01.8-03.8	58	1.7	01.1-02.3	107	4.1	02.9-05.3	2518	85.5	83.3-87.7
White/Non-Hisp	2366	1,560,568	97	5.9	03.9-07.9	63	2.9	01.9-03.9	41	1.5	00.7-02.3	88	4.2	02.8-05.6	2077	85.4	82.9-87.9
Black or Afr. Am./Non-Hisp	385	296,467	29	7.3	03.4-11.2	11	3.0	00.6-05.4	10	1.1	00.1-02.1	10	2.0	00.2-03.8	325	86.6	81.7-91.5
18-24	78	173,019	9	11.4	01.6-21.2	4	6.3	00.0-12.8				3	2.0	00.0-04.4	62	80.2	68.8-91.6
25-34	197	284,768	16	8.7	03.8-13.6	7	2.5	00.1-04.9	8	1.6	00.2-03.0	5	3.1	00.0-06.2	161	84.1	77.8-90.4
35-44	281	311,092	19	6.8	01.5-12.1	9	2.3	00.5-04.1	2	0.3	00.0-00.7	14	7.0	02.1-11.9	237	83.6	76.7-90.5
45-54	454	355,590	25	6.1	02.8-09.4	18	3.3	01.1-05.5	13	1.9	00.7-03.1	34	7.7	04.6-10.8	364	81.0	76.1-85.9
55-64	688	362,730	35	5.6	03.2-08.0	16	2.2	00.8-03.6	18	2.1	00.9-03.3	19	2.1	00.9-03.3	600	88.1	85.0-91.2
65+	1173	476,504	30	2.2	01.2-03.2	22	2.0	00.8-03.2	17	2.7	00.5-04.9	32	2.4	01.2-03.6	1072	90.7	88.0-93.4
Less Than H.S.	297	284,154	24	9.1	02.8-15.4	15	4.6	01.7-07.5	9	3.5	00.6-06.4	28	11.9	05.8-18.0	221	71.0	62.6-79.4
H.S. or G.E.D.	941	629,929	53	6.4	04.0-08.8	28	2.5	01.3-03.7	26	2.3	00.9-03.7	34	3.4	01.8-05.0	800	85.5	82.4-88.6
Some Post-H.S.	773	608,953	29	5.7	02.4-09.0	18	3.0	01.0-05.0	13	0.8	00.2-01.4	27	3.1	01.5-04.7	686	87.3	83.4-91.2
College Graduate	877	445,851	29	4.0	02.0-06.0	15	1.8	00.6-03.0	9	0.7	00.1-01.3	18	1.4	00.6-02.2	806	92.1	89.6-94.6
Less than \$15,000	343	212,504	25	8.1	03.4-12.8	24	7.9	03.4-12.4	17	3.4	01.4-05.4	30	7.1	03.8-10.4	247	73.5	66.2-80.8
\$15,000- 24,999	538	358,150	37	8.2	04.5-11.9	14	2.6	00.8-04.4	17	1.7	00.7-02.7	26	5.9	02.0-09.8	444	81.6	76.1-87.1
\$25,000- 34,999	269	184,508	19	12.7	03.7-21.7	4	0.5	00.0-01.1	6	4.0	00.0-08.1	10	7.3	01.8-12.8	230	75.5	65.3-85.7
\$35,000- 49,999	319	239,754	10	1.5	00.3-02.7	8	3.6	00.5-06.7	6	0.9	00.1-01.7	12	4.1	01.0-07.2	283	90.0	85.5-94.5
\$50,000- 74,999	308	239,553	7	1.8	00.0-03.6	8	2.8	00.4-05.2	4	1.4	00.0-03.0	5	0.8	00.0-01.6	284	93.1	89.8-96.4
\$75,000+	481	360,674	13	4.3	01.4-07.2	6	0.9	00.1-01.7				3	0.4	00.0-01.0	459	94.5	91.6-97.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 25. ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4825	3,863,977	762	14.2	12.6-15.8	4063	85.8	84.2-87.4
Male	1857	1,831,101	200	10.1	08.1-12.1	1657	89.9	87.9-91.9
Female	2968	2,032,876	562	17.9	15.7-20.1	2406	82.1	79.9-84.3
White/Non-Hisp	3988	2,999,430	670	15.3	13.7-16.9	3318	84.7	83.1-86.3
Black or Afr. Am./Non-Hisp	573	561,803	57	9.7	06.0-13.4	516	90.3	86.6-94.0
Oth. Race/Non-Hisp.	93	81,327	13	16.1	02.2-30.0	80	83.9	70.0-97.8
MultiRacial/Non-Hisp.	56	63,557	11	14.3	02.7-25.9	45	85.7	74.1-97.3
Hispanic	62	105,335	5	7.2	00.0-15.4	57	92.8	84.6-0100
18-24	171	388,140	23	12.9	06.8-19.0	148	87.1	81.0-93.2
25-34	329	559,944	35	8.7	05.0-12.4	294	91.3	87.6-95.0
35-44	468	627,249	79	16.7	12.2-21.2	389	83.3	78.8-87.8
45-54	774	697,067	167	18.3	14.8-21.8	607	81.7	78.2-85.2
55-64	1144	715,758	207	15.4	12.3-18.5	937	84.6	81.5-87.7
65+	1900	848,207	249	12.3	10.3-14.3	1651	87.7	85.7-89.7
Less Than H.S.	514	574,452	106	19.1	14.0-24.2	408	80.9	75.8-86.0
H.S. or G.E.D.	1560	1,307,505	251	13.8	11.4-16.2	1309	86.2	83.8-88.6
Some Post-H.S.	1227	1,125,075	207	13.5	10.8-16.2	1020	86.5	83.8-89.2
College Graduate	1513	851,107	195	12.5	10.0-15.0	1318	87.5	85.0-90.0
Less than \$15,000	531	401,825	161	26.5	20.6-32.4	370	73.5	67.6-79.4
\$15,000- 24,999	815	655,414	160	17.0	13.1-20.9	655	83.0	79.1-86.9
\$25,000- 34,999	477	394,901	75	12.5	08.4-16.6	402	87.5	83.4-91.6
\$35,000- 49,999	576	495,990	73	11.1	07.6-14.6	503	88.9	85.4-92.4
\$50,000- 74,999	571	488,036	77	12.4	08.5-16.3	494	87.6	83.7-91.5
\$75,000+	950	795,671	93	8.7	06.2-11.2	857	91.3	88.8-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 26. ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1857	1,831,101	200	10.1	08.1-12.1	1657	89.9	87.9-91.9
White/Non-Hisp	1564	1,408,392	175	10.9	08.7-13.1	1389	89.1	86.9-91.3
Black or Afr. Am./Non-Hisp	172	244,110	14	8.6	02.1-15.1	158	91.4	84.9-97.9
18-24	94	215,969	9	8.6	02.1-15.1	85	91.4	84.9-97.9
25-34	133	273,512	13	8.0	02.7-13.3	120	92.0	86.7-97.3
35-44	179	294,974	20	11.1	05.0-17.2	159	88.9	82.8-95.0
45-54	312	332,232	53	16.6	10.9-22.3	259	83.4	77.7-89.1
55-64	431	341,305	43	7.8	04.5-11.1	388	92.2	88.9-95.5
65+	692	356,133	60	7.6	05.2-10.0	632	92.4	90.0-94.8
Less Than H.S.	200	272,245	32	14.6	07.3-21.9	168	85.4	78.1-92.7
H.S. or G.E.D.	584	644,308	68	10.5	07.2-13.8	516	89.5	86.2-92.8
Some Post-H.S.	438	507,432	47	8.8	05.5-12.1	391	91.2	87.9-94.5
College Graduate	630	405,557	51	8.1	05.0-11.2	579	91.9	88.8-95.0
Less than \$15,000	165	174,446	50	28.2	18.0-38.4	115	71.8	61.6-82.0
\$15,000- 24,999	267	285,452	49	17.7	11.2-24.2	218	82.3	75.8-88.8
\$25,000- 34,999	197	202,580	15	5.4	00.9-09.9	182	94.6	90.1-99.1
\$35,000- 49,999	255	253,963	20	7.0	02.7-11.3	235	93.0	88.7-97.3
\$50,000- 74,999	259	247,273	18	6.7	02.4-11.0	241	93.3	89.0-97.6
\$75,000+	469	438,210	25	4.2	01.8-06.6	444	95.8	93.4-98.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 27. ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2968	2,032,876	562	17.9	15.7-20.1	2406	82.1	79.9-84.3
White/Non-Hisp	2424	1,591,038	495	19.3	16.9-21.7	1929	80.7	78.3-83.1
Black or Afr. Am./Non-Hisp	401	317,693	43	10.6	06.3-14.9	358	89.4	85.1-93.7
18-24	77	172,171	14	18.2	07.2-29.2	63	81.8	70.8-92.8
25-34	196	286,432	22	9.3	04.4-14.2	174	90.7	85.8-95.6
35-44	289	332,275	59	21.7	15.0-28.4	230	78.3	71.6-85.0
45-54	462	364,835	114	19.8	15.5-24.1	348	80.2	75.9-84.5
55-64	713	374,453	164	22.4	17.5-27.3	549	77.6	72.7-82.5
65+	1208	492,074	189	15.8	12.9-18.7	1019	84.2	81.3-87.1
Less Than H.S.	314	302,207	74	23.2	15.8-30.6	240	76.8	69.4-84.2
H.S. or G.E.D.	976	663,197	183	16.9	13.8-20.0	793	83.1	80.0-86.2
Some Post-H.S.	789	617,643	160	17.4	13.3-21.5	629	82.6	78.5-86.7
College Graduate	883	445,551	144	16.6	12.7-20.5	739	83.4	79.5-87.3
Less than \$15,000	366	227,379	111	25.2	18.5-31.9	255	74.8	68.1-81.5
\$15,000- 24,999	548	369,962	111	16.4	11.7-21.1	437	83.6	78.9-88.3
\$25,000- 34,999	280	192,321	60	20.0	12.9-27.1	220	80.0	72.9-87.1
\$35,000- 49,999	321	242,027	53	15.5	09.8-21.2	268	84.5	78.8-90.2
\$50,000- 74,999	312	240,763	59	18.2	11.7-24.7	253	81.8	75.3-88.3
\$75,000+	481	357,461	68	14.2	09.5-18.9	413	85.8	81.1-90.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 28. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPULSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4805	3,844,935	858	19.3	17.5-21.1	3947	80.7	78.9-82.5
Male	1848	1,818,256	236	14.6	12.2-17.0	1612	85.4	83.0-87.8
Female	2957	2,026,679	622	23.5	21.0-26.0	2335	76.5	74.0-79.0
White/Non-Hisp	3968	2,984,701	737	20.0	18.0-22.0	3231	80.0	78.0-82.0
Black or Afr. Am./Non-Hisp	571	561,980	69	12.8	08.3-17.3	502	87.2	82.7-91.7
Oth. Race/Non-Hisp.	93	81,327	15	18.7	04.4-33.0	78	81.3	67.0-95.6
MultiRacial/Non-Hisp.	57	63,609	20	33.3	16.2-50.4	37	66.7	49.6-83.8
Hispanic	62	105,335	9	21.1	00.9-41.3	53	78.9	58.7-99.1
18-24	170	387,282	38	24.8	16.0-33.6	132	75.2	66.4-84.0
25-34	329	558,822	73	20.5	15.2-25.8	256	79.5	74.2-84.8
35-44	468	626,051	100	20.7	15.8-25.6	368	79.3	74.4-84.2
45-54	773	691,337	197	22.6	18.5-26.7	576	77.4	73.3-81.5
55-64	1136	711,859	233	20.2	16.7-23.7	903	79.8	76.3-83.3
65+	1890	842,130	216	11.5	09.5-13.5	1674	88.5	86.5-90.5
Less Than H.S.	511	569,890	133	25.9	20.2-31.6	378	74.1	68.4-79.8
H.S. or G.E.D.	1558	1,304,397	308	19.8	16.7-22.9	1250	80.2	77.1-83.3
Some Post-H.S.	1213	1,111,671	232	19.7	16.4-23.0	981	80.3	77.0-83.6
College Graduate	1511	852,299	184	13.5	10.8-16.2	1327	86.5	83.8-89.2
Less than \$15,000	522	398,975	184	32.3	25.8-38.8	338	67.7	61.2-74.2
\$15,000- 24,999	812	649,712	180	23.2	18.7-27.7	632	76.8	72.3-81.3
\$25,000- 34,999	473	391,303	82	19.9	13.0-26.8	391	80.1	73.2-87.0
\$35,000- 49,999	574	495,089	82	14.7	10.4-19.0	492	85.3	81.0-89.6
\$50,000- 74,999	571	486,197	83	15.6	11.1-20.1	488	84.4	79.9-88.9
\$75,000+	952	798,195	104	13.4	10.1-16.7	848	86.6	83.3-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 29. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPULSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1848	1,818,256	236	14.6	12.2-17.0	1612	85.4	83.0-87.8
White/Non-Hisp	1554	1,395,159	200	14.7	12.2-17.2	1354	85.3	82.8-87.8
Black or Afr. Am./Non-Hisp	171	243,723	13	9.4	02.5-16.3	158	90.6	83.7-97.5
18-24	93	215,112	17	18.1	08.9-27.3	76	81.9	72.7-91.1
25-34	132	270,782	26	19.6	12.0-27.2	106	80.4	72.8-88.0
35-44	178	293,285	26	14.3	07.6-21.0	152	85.7	79.0-92.4
45-54	311	326,790	60	18.9	12.8-25.0	251	81.1	75.0-87.2
55-64	429	342,139	46	11.2	06.9-15.5	383	88.8	84.5-93.1
65+	690	353,472	60	7.8	05.4-10.2	630	92.2	89.8-94.6
Less Than H.S.	199	269,322	33	17.5	09.7-25.3	166	82.5	74.7-90.3
H.S. or G.E.D.	583	643,111	85	14.8	10.7-18.9	498	85.2	81.1-89.3
Some Post-H.S.	431	499,593	64	16.8	11.7-21.9	367	83.2	78.1-88.3
College Graduate	630	404,670	54	9.6	06.1-13.1	576	90.4	86.9-93.9
Less than \$15,000	163	175,358	51	29.1	18.7-39.5	112	70.9	60.5-81.3
\$15,000- 24,999	265	278,931	47	18.9	12.0-25.8	218	81.1	74.2-88.0
\$25,000- 34,999	197	202,733	18	8.9	03.4-14.4	179	91.1	85.6-96.6
\$35,000- 49,999	251	251,730	24	9.7	04.6-14.8	227	90.3	85.2-95.4
\$50,000- 74,999	259	245,434	26	11.9	06.0-17.8	233	88.1	82.2-94.0
\$75,000+	469	438,210	39	11.9	07.4-16.4	430	88.1	83.6-92.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 30. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPULSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2957	2,026,679	622	23.5	21.0-26.0	2335	76.5	74.0-79.0
White/Non-Hisp	2414	1,589,542	537	24.7	22.0-27.4	1877	75.3	72.6-78.0
Black or Afr. Am./Non-Hisp	400	318,257	56	15.4	09.5-21.3	344	84.6	78.7-90.5
18-24	77	172,171	21	33.2	18.3-48.1	56	66.8	51.9-81.7
25-34	197	288,039	47	21.3	14.0-28.6	150	78.7	71.4-86.0
35-44	290	332,766	74	26.4	19.5-33.3	216	73.6	66.7-80.5
45-54	462	364,547	137	26.0	20.7-31.3	325	74.0	68.7-79.3
55-64	707	369,720	187	28.6	23.3-33.9	520	71.4	66.1-76.7
65+	1200	488,657	156	14.1	11.4-16.8	1044	85.9	83.2-88.6
Less Than H.S.	312	300,568	100	33.5	25.3-41.7	212	66.5	58.3-74.7
H.S. or G.E.D.	975	661,285	223	24.7	20.2-29.2	752	75.3	70.8-79.8
Some Post-H.S.	782	612,078	168	22.0	17.3-26.7	614	78.0	73.3-82.7
College Graduate	881	447,629	130	17.1	13.0-21.2	751	82.9	78.8-87.0
Less than \$15,000	359	223,617	133	34.9	26.7-43.1	226	65.1	56.9-73.3
\$15,000- 24,999	547	370,781	133	26.3	20.2-32.4	414	73.7	67.6-79.8
\$25,000- 34,999	276	188,570	64	31.7	20.3-43.1	212	68.3	56.9-79.7
\$35,000- 49,999	323	243,359	58	20.0	13.1-26.9	265	80.0	73.1-86.9
\$50,000- 74,999	312	240,763	57	19.4	12.7-26.1	255	80.6	73.9-87.3
\$75,000+	483	359,985	65	15.3	10.2-20.4	418	84.7	79.6-89.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2015**

End of Module Data Report