


MULCHERS



MULCHERS

MULCHERS, SERIES II



- 36", 60" and 72" Cutting widths available
 - 36" Excavators only
 - 60" Skid-steer only; excavator only
 - 60" Combo for both skid-steer & excavator
 - 72" Skid-steer only
- Shreds up to 8" diameter hardwood trees
- Patent Pending Tree Stabilization Guide (MM36 models only)
- Reversible carbide teeth and claw teeth can easily be interchanged without the need of rebalancing the rotor
- Synchronous belt drive system eliminates belt and belt drive sprocket slippage

Specifications

Model	Prime Mover	Weight*	Overall Width	Overall Height	Overall Length	Cutting Width	Height w/o Push Over Bar	Length w/o Push Over Bar	Operating Pressure	Hydraulic Flow (GPM)	Rec. Hydraulic HP	Number of Teeth
MM36E	Excavator	1580 lbs	48.5"	24.75"	33.03"	36"	N/A	N/A	3500-5000	28-41	40-65	26
MM36E	Excavator	1600 lbs	48.5"	24.75"	33.03"	36"	N/A	N/A	3500-5000	42-60	65-90	26
MM60S	Skid Steer	2530 lbs	73"	60.42"	49.5"	60"	32.63"	36.71"	3000-4000	30-45	60-95	44
MM60E	Excavator	2710 lbs	73"	N/A	N/A	60"	42.30"	36.71"	3000-5800	30-60	60-95	44
MM60C	Comb.**	2980 lbs	73"	68.87"	53.33"	60"	42.30"	36.71"	3000-5800	30-60	60-95	44
MM60H	Forestry	2550 lbs	73"	60.42"	49.5"	60"	32.63"	36.71"	4500-5800	35-45	90-130	44
MM72S	Skid-Steer	2860 lbs	85"	60.42"	49.5"	72"	32.63"	36.71"	3500-5000	30-45	75-95	54
MM72H	Forestry	2880 lbs	85"	60.42"	49.5"	72"	32.63"	36.71"	4500-5800	30-45	90-130	54

* Does not include weight of excavator mount for excavator models

** Comb.: Excavator and Skid Steer



Note: We highly recommend the purchase of guarding to protect operator and machine from flying debris in harsh forestry and land clearing environments. Please refer to the SSL Forestry Guarding section on page 233 for more information. For Skid-Steer loaders only.



MULCHERS FOR SKID-STEER LOADERS



TO ORDER: Choose Mulcher Assembly, Hose Kit, and Tooth Set. Universal SSL Mount included unless otherwise specified.

MULCHER ASSEMBLY	ORDER CODE	SHIP WEIGHT (LBS)	LIST PRICE
60" cutting width (3 line)			
MM60S Series II Mulcher	115622	2605	\$28,328.00
MM60C Series II Mulcher (requires combination mount from Excavator Mounts section)	115625	3005	\$28,838.00
60" cutting width (5 line)			
MM60S Series II Mulcher	115623	2605	\$27,819.00
MM60H Series II Mulcher	115626	2625	\$27,004.00
72" cutting width (3 line)			
MM72S Series II Mulcher	115630	2975	\$28,736.00
72" cutting width (5 line)			
MM72S Series II Mulcher	115631	2975	\$29,653.00
MM72H Series II Mulcher	115632	2975	\$29,959.00

MULCHERS CONTINUED NEXT PAGE

MULCHERS, SERIES II CONT. MULCHERS FOR SKID-STEER LOADERS CONT.



HOSE KITS & COUPLERS			
	ORDER CODE	SHIP WEIGHT (LBS)	LIST PRICE
Hose Kits (3 line)			
65" hose kit, 4000 max psi	110914	1	\$336.00
80" hose kit, 4000 max psi	110915	1	\$372.00
96" hose kit, 4000 max psi	110916	1	\$414.00
Hose Kits (5 line)			
65" hose kit, 4000 max psi	114047	16	\$429.00
80" hose kit, 4000 max psi	114048	19	\$483.00
96" hose kit, 4000 max psi	114049	23	\$544.00
65" hose kit, 6000 max psi	116995	27	\$483.00
80" hose kit, 6000 max psi	116996	31	\$526.00
96" hose kit, 6000 max psi	116997	35	\$722.00

Coupler Cross Reference *

select from individual couplers listed below (note: case drain coupler required)


Case Drain Auxiliary Door Function #8 Boss O-Ring			
	ORDER CODE	SHIP WEIGHT (LBS)	LIST PRICE
.25" body male flat face coupler with adapter	111215	1	\$22.00
.25" body female flat face	115232	1	\$64.00
.38" body male	84923	1	\$24.00
.38" body female	84928	1	\$41.00
.50" body female	14175	2	\$50.00
.50" body male	14176	2	\$26.00
Flat Face Quick Disconnect Coupler With No. 12 Boss O-Ring Main Power/Return			
.50 body male	22519	2	\$28.00
.50 body female	22518	2	\$46.00
.625 body male	84922	3	\$90.00
.625 body female	84921	3	\$144.00
.75 body male	22521	3	\$165.00
.75 body female	22520	3	\$165.00

TOOTH SETS			
	ORDER CODE	SHIP WEIGHT (LBS)	LIST PRICE
for 36" Mulcher			
non reversible carbide hammers (26 pieces)	116087	110	\$2,045.00
reversible carbide hammers (26 pieces)	116088	110	\$3,409.00
reversible claw teeth (26 pieces)	116089	110	\$1,334.00
for 60" Mulcher			
non reversible carbide hammers (44 pieces)	116090	170	\$3,460.00
reversible carbide hammers (44 pieces)	116091	170	\$5,768.00
reversible claw teeth (44 pieces)	116092	170	\$2,207.00
for 72" Mulcher			
non reversible carbide hammers (54 pieces)	111793	200	\$4,247.00
reversible carbide hammers (54 pieces)	111794	200	\$7,079.00
reversible claw teeth (54 pieces)	112578	200	\$2,616.00


TOOTH SETS CONTINUED NEXT PAGE



Non-Reversible Carbide Tooth



Reversible Carbide Tooth



Reversible Claw Tooth

MULCHERS

MULCHERS, SERIES II CONT.

MULCHERS FOR SKID-STEER LOADERS CONT.



TOOTH SETS CONT.			
	ORDER CODE	SHIP WEIGHT (LBS)	LIST PRICE
Replacement Tooth Sets			
reversible carbide hammer (includes 1 hammer)	600-168	4	\$138.00
single non reversible carbide hammer (includes 1 hammer)	600-112-1	4	\$82.00
reversible claw tooth	111588	4	\$57.00
Bolts			
bolt M16X 110	700-111	1	\$4.43
bolt M16X 75	700-114	1	\$4.43
lock washer special	10165	1	\$1.13
OPTIONS			
	ORDER CODE	SHIP WEIGHT (LBS)	LIST PRICE
Case Drain Relief Valve			
For MM60 Series II only	116931	7	\$233.00
For MM72 Series II only	116932	7	\$233.00
Oil Coolers (600 PSI Rated) For Non Series II Mulchers only			
For 60" Mulcher Factory Installed	112960	80	\$3,466.00
For 60" Mulcher Dealer Installed	114018	80	\$3,380.00
For 70" Mulcher Factory Installed	115349		\$3,466.00
Coolers for units manufactured prior to January 1, 2008 dealer installed	108948	80	\$2,237.00
Convert from 5 line to 3 line coupler system	107651	15	\$421.00
Oil Coolers for Series II Mulchers only			
For MM60 Series II Factory Installed	115851	110	\$3,724.00
For MM60 Series II Dealer Installed	115852	140	\$3,763.00
For MM72 Series II Factory Installed	115853	115	\$3,736.00
For MM72 Series II Dealer Installed	115854	145	\$3,774.00
Must choose electrical control box OR adapter harness for in-cab controls to operate door			
Electrical Control Box			
Assembly Control Box w/Power Lead Single Switch	28-10754	5	\$231.00
Adapter Harness for In-Cab Control			
Harness Adapter F/NHSSL 14 Pin-8 Pin	LAF9360	5	\$163.00
Wire Harness Adapter John Deere EH OEM SSL	07-7626	5	\$378.00
Harness Adapter F/CAT XPS D 14 Pin-8 Pin	119740	5	\$400.00
Harness Adapter F/CAT XHP D 14 Pin-8 Pin	119741	5	\$466.00
Wire Harness Adapter CAT B&C Series SSL Hi Flow	07-10170	5	\$379.00
Wire Harness Adapter Komatsu SSL	07-10057	3	343.00
Wire Harness Adapter F/JD SSL	LAF9361	5	\$159.00
MULCHERS CONTINUED NEXT PAGE			

MULCHERS, SERIES II CONT.
MULCHERS FOR SKID-STEER LOADERS CONT.




Note: We highly recommend the purchase of guarding to protect operator and machine from flying debris in harsh forestry and land clearing environments. For Skid-Steer loaders only.

SSL FORESTRY GUARDING

	ORDER CODE	SHIP WEIGHT (LBS)	LIST PRICE
Case SV300, SR270-T4, TR340-T4 & TV380 -T4			
Hydraulic connection guards, FG	W28190000		\$785.00
Assembly, rear bumper, SSL, FG	W28190010		\$1,962.00
Rear grill guard, CS SSL/CTL T4F, FG	W28190060		\$3,723.00
Sweep kit, CS CTL/SSL, 90HP T4F, FG	W28190070		\$4,469.00
Top guard w light guards, FG	W28190040		\$2,038.00
Additional intake screens, SV300, FG	W28190050		\$612.00
Side screen kit, CS SSL/CTL T4F, FG	W28290000		\$1,485.00



HYDRAULIC CONNECTION GUARDS
Heavy-duty formed 3/16" steel plate. Easy bolt-on installation – no welding. Complete Connect Under Pressure (CUP) manifold protection. Hinged guards for CUP manifold access.




REAR BUMPER

Heavy-duty formed steel plate construction. Bolt-on design requires no welding. Does not interfere with OEM tie-down hook access or compartment doors. Departure angle of 21°



REAR GRILL GUARD

Attaches to heavy duty rear bumper. Upper mounts weld to frame. Heavy-duty design protects radiator from debris while allowing ample airflow. Swings open to allow unhindered access to engine compartment.




SWEEP

Protects rear of machine from falling debris. Tool-less opening from the inside and out and hinges up for emergency egress.




TOP GUARD WITH LIGHT GUARDS

Supported by cab frame and held in place using existing rivnuts. Maintains top window visibility. Low profile design to avoid tree limbs. Includes light guards.



INTAKE SCREENS

Filters debris from entering air cooler area. Helps prevent overheating issues and prolongs life of coolers. Bolt-on (hole modification required), no welding required. Replaceable steel mesh screen design.



SIDE SCREENS

Heavy duty design to protect cab glass. Replaces OEM side screens for use in harsh environments.