

# BOBCAT COMPANY PRICE PAGES

## NA LOADERS – ATTACHMENTS



**Please note the following when using Bobcat Price Pages:**

- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- All Parts Pricing valid only for North America.
- Prices and specifications are subject to change without notice.

**THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:**

<b>Date</b>	<b>Description of Change</b>
01/08/15	Discontinued the bundles of 8 pallet fork frames and pairs of teeth. Replaced with the bundles of 10 pallet fork frames and pairs of teeth.
2/27/15	Discontinued tree fork.
3/18/15	Added attachment approvals for S740 and S740H
3/18/15	Added alert for 7147900 wheel kit on 84" sweeper: (Not Recommended for use with the 7122418 Gutter Brush)
3/18/15	60" Soil Conditioner was removed and is no longer available
5/14/15	Removed basic landplane attachments in 48", 72" and 78" sizes
5/22/15	Removed 607 backhoe. Updated laser transmitter part numbers.
6/29/15	Replaced Trimble Transmitters GL412: PN 6697972 and GL422: PN 6697973 with the GL412N: PN 7275231 and the GL422N: PN 7275232 respectively.
6/30/15	Added 3D Sensor Kit PN: 7276540 and 3D Harness Kit PN: 7276541.
7/1/15	Effective Wednesday July 1 <sup>st</sup> , 2015 Bobcat Company has adjusted the SLP of select attachments. Removed bundled part number from buckets, spill guards and pallet forks and frames.
7/31/15	Added PN 7257723, Tier 4 Forestry Applications Kit
9/16/15	Removed Bucket Bundles
10/22/15	Added MT85 CII mounting brackets and approved attachments: 7272933, 7272954, 7272912, 7272919, 7276448, M7040
10/29/15	Removed select planer drum options
11/4/15	Added S595 to approved attachments
12/1/15	Removed 12" and 16" digge. PNs: 6719754 and 6719755 respectively.
12/15/15	Added 7229102: S450 and T450 M-Series Attachment Control Kit, 7-Pin
1/28/16	Removed Tree Spade models
2/1/15	Skid Shoe for Tillers are now aftermarket parts. No longer standard equipment.
2/8/16	Discontinued Trenching Buckets with PN's: 6537147, 6537143, 6532776, 6532918, 6533031, 6536694, 6536930, 6536934, 6537130, 6537139
2/19/16	Removed 709 Backhoe specs.
2/26/16	Added Auger shaft diameters.
3/2/16	Updated Backhoe 9BH price.
3/17/16	Removed 48" sweeper with PN 7149358.
3/23/16	Added attachment approvals for T595 and T595H. Removed PN 7162567: 73" Smooth Shell Kit
3/28/16	Removed PN 6812937, 6811461, 6811452
3/30/16	Removed PN 7100250 Kit Stabilizer Mount.
4/20/16	Added Backhoe 7BH specs.

## BOBCAT COMPANY PRICE PAGES

### NA LOADERS – ATTACHMENTS



**Please note the following when using Bobcat Price Pages:**

- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- All Parts Pricing valid only for North America.
- Prices and specifications are subject to change without notice.

*\*Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factor.*

# ATTACHMENT CONTROL KIT

## BOBCAT LOADER ATTACHMENT

Attachment Control Kits need to be installed on Bobcat loaders to operate the following attachments:

Angle Broom	Dozer Blade	Snowblower
Bob-Tach Mounted Backhoe	Grader	Soil Conditioner, Hydraulic
Box Blade with Laser	Planer (For Planers with	Stump Grinder
Chipper	Hydraulic Depth Adjust)	Tree Spades with ACD
Concrete Mixer	Snow V-Blades	Wheel Saw
Concrete Pump		

**Note:** Attachment Control Kits are included with the High Flow Auxiliary Hydraulics Option on all 763H (S/N 512220766 & above), 863H F-Series Loaders and all High Flow G-Series and newer Loaders.

PART NUMBER	ATTACHMENT – ORDER FROM PARTS	DESCRIPTION
-------------	-------------------------------	-------------

*For current Attachment pricing, reference BobQuote or Dealer Parts Department.  
Choose the appropriate kit below for your loader's model and serial number range.*

### G-Series thru K-Series Loaders

<b>6733142</b>	<b>ATTACHMENT CONTROL KIT, 7-PIN</b> .....PARTS (Used on all G-Series thru K-Series loaders) (Controls 7-Pin Attachments only) (Ship Weight 5 lbs.; Estimated install time 1.5 hours)	\$ _____
<b>6733136</b>	<b>ATTACHMENT CONTROL KIT, 14-PIN</b> .....PARTS (Used on all G-Series thru K-Series loaders) (Controls 14-Pin Attachments only) (May be used independently or in conjunction with Factory-Installed or Dealer-Installed 7-Pin Attachment Control Kit and High Flow loaders) (Estimated install time 1.5 hours)	\$ _____
<b>6727739</b>	<b>ATTACHMENT CONTROL KIT, DUAL (7 AND 14-PIN)</b> .....PARTS (Used on all G-Series thru K-Series loaders <b>except</b> S220, S250, S300, S330, T250, T300, T320 and A300) (Controls both 7 and 14-Pin Attachments) (Requires Front Auxiliary Hydraulics to Operate) (Estimated install time 1.5 hours)	\$ _____

### M-Series Loaders

<b>7229102</b>	<b>ATTACHMENT CONTROL KIT, 7-PIN</b> .....PARTS (Used on S450 and T450 M-Series loaders only) (Controls 7-Pin Attachments only) (Ship Weight 5 lbs.) (Estimated install time 1.5 hours)	\$ _____
<b>7128426</b>	<b>ATTACHMENT CONTROL KIT, 7-PIN</b> .....PARTS (Used on all M-Series loaders except S450 and T450) (Controls 7-Pin Attachments only) (Ship Weight 5 lbs.) (Estimated install time 1.5 hours)	\$ _____
<b>6733136</b>	<b>ATTACHMENT CONTROL KIT, 14-PIN</b> .....PARTS (Used on all G-Series and newer loaders) (Controls 14-Pin Attachments only) (May be used independently or in conjunction with Factory-Installed or Dealer-Installed 7-Pin Attachment Control Kit and High Flow loaders) (Estimated install time 1.5 hours)	\$ _____

### Small Loaders and Attachments Plus

<b>6732656</b>	<b>14-PIN ATTACHMENT CONTROL KIT (MT50, MT52, MT55)</b> .....PARTS (Controls attachments with up to two functions such as SG 30 and SB150) (Must also order Light Kit, P/N 6732657 if using with MT50) (Estimated install time 2 hour)	\$ _____
<b>7143064</b>	<b>14-PIN ATTACHMENT CONTROL KIT (S100, T110)</b> .....PARTS (S100 and T110 loaders must be equipped with Standard Controls) (Includes wiring and two replacement handles) (Controls 14-Pin Attachments with up to three functions) (14-pin T-harness required on attachment not equipped with 14-pin harness) (Estimated install time 1 hour)	\$ _____
<b>6733142</b>	<b>ATTACHMENT CONTROL KIT, 7-PIN (S100, T110)</b> .....PARTS (S100 and T110 loaders must be equipped with Selectable Joystick Controls) (Controls 7-Pin Attachments only) (Estimated install time 1.5 hours)	\$ _____
<b>6733136</b>	<b>ATTACHMENT CONTROL KIT, 14-PIN (S100, T110)</b> .....PARTS (S100 and T110 loaders must be equipped with Selectable Joystick Controls) (Controls 14-Pin Attachments only) (Estimated install time 1.5 hours)	\$ _____

**ATTACHMENT CONTROL KIT**  
**BOBCAT LOADER ATTACHMENT**

**6729313**     **14-PIN ATTACHMENT CONTROL KIT (463, 553, S70).....PARTS**     \$ \_\_\_\_\_  
(Controls attachments with up to two functions such as SG 30 & SB150)  
(14-pin T-harness required on attachment not equipped with 14-pin harness)  
(Includes one replacement handle) (Estimated install time 1 hour)

# ATTACHMENT CONTROL KIT

## BOBCAT LOADER ATTACHMENT

### PART ATTACHMENT – ORDER FROM PARTS

**NUMBER DESCRIPTION**

### Small Loaders and Attachments Plus

*For current Attachment pricing, reference BobQuote or Dealer Parts Department.*

**7214742 BOBCAT ATTACHMENTS PLUS ATTACHMENT CONTROL KIT .....PARTS \$\_\_\_\_\_**  
 (For use with competitive loaders that don't have a factory installed control kit)  
 (Allows competitive loaders to be equipped with 14-pin attachment control)  
 (Attaches to the loader lift arm and frame with the use of tie straps and clamps making it more permanent than rental and demo kit)  
 (14-pin T-harness required on attachment not equipped with 14-Pin T-Harness)  
 (Est. installation time—1.5 hours)

**6959151 SINGLE FUNCTION ATTACHMENT CONTROL KIT .....PARTS \$\_\_\_\_\_**  
 (Allows all Bobcat loaders and other brand loaders to be equipped with a toggle switch mounted to the loader steering lever for control of single function attachments; angle brooms and older 72" & 84" soil conditioners with hydraulic angle only)  
 (Estimated install time 1 hour)

### F-Series and Prior Loaders

*All F-Series and prior loaders must use one of the following 14-Pin Control Kits.*

**6709228 14-PIN ATTACHMENT CONTROL KIT (BASIC) .....PARTS \$\_\_\_\_\_**  
 Use on the following loaders:  
 751 – All Prior to G-Series  
 753 – (S/N 508613488 & Above); (S/N 508613487 & Below) will NOT work without add'l parts.  
 753L, 763, 7753, 773 – All Prior to G-Series  
 853 – (S/N 508411354 & Above); (S/N 508411353 & Below) will NOT work without add'l parts.  
 853 – All S/N 5101 & 5102 Prefix  
 853 – (S/N 512818873 & Below)  
 853H – All S/N 5103 & 5097 Prefix  
 853H – (S/N 512818873 & Below)  
 873 – (S/N 514111465 & Below)  
 (Estimated install time 3 hours)

**6712820 14-PIN ATTACHMENT CONTROL KIT (PWM) .....PARTS \$\_\_\_\_\_**  
 Use on the following loaders:  
 853 – (S/N 512818874 & Above), but (S/N 512818874 – 512821845) must also order Adapter Module P/N 6669201 from Bobcat Parts.  
 853H – (S/N 512818874 & Above), but (S/N 512818874 – 512821845) must also order Adapter Module P/N 6669201 from Bobcat Parts.  
 863 – All Prior to G-Series  
 873 – (S/N 514111466 & Above), but (S/N 514111424 – 514111962) must also order Adapter Module P/N 6669201 from Bobcat Parts.  
 963 – All Prior to G-Series  
 (Estimated install time 3 hours)

**6706824 14-PIN ATTACHMENT CONTROL KIT (40 SERIES) .....PARTS \$\_\_\_\_\_**  
 (Used on all 543, 553, 640, 740 and 840 loaders) (Used to operate 68" Angle Broom, 60" Snow V-Blade, SG30 Stump Grinder, SB150 and 1412 Snowblowers)  
 (Estimated install time 4 hours)

**PIECE PARTS 14-PIN ATTACHMENT CONTROL KIT (AHC).....PARTS \$\_\_\_\_\_**  
 (Used only on loaders with Advanced Hand Controls Prior to G-Series)  
 (Refer to P/N 6713013 when ordering components)

**6732656 14-PIN ATTACHMENT CONTROL KIT (MT50) .....PARTS \$\_\_\_\_\_**  
 (Controls attachments with up to two functions) (Must also order Light Kit, P/N 6732657)  
 (Estimated install time 1hour)

**6714215 14-PIN ATTACHMENT CONTROL KIT (RENTAL & DEMO.) .....PARTS \$\_\_\_\_\_**  
 (Used on all 740, 751, 753, 763, 773, 843, 853, 863, 873 and 963 loaders – See Note)  
 (Estimated install time .25 hours)

**Note: Attachment Control Kit for Rental & Demonstration does NOT work with High Flow Attachments, Hand Control Loaders or G-Series Loaders.**

**6716566 19-PIN REMOTE ATTACHMENT CONTROL KIT (RAC).....PARTS \$\_\_\_\_\_**  
 (Used on all 700-800 Series BICS loaders prior to G-Series)  
 (Required for chipper, concrete mixer and concrete pump attachments with 19-Pin harnesses)  
 (Estimated install time 2 hours)

# ATTACHMENT CONTROL KIT

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION
-------------	-------------

*For current Attachment pricing, reference BobQuote or Dealer Parts Department.*


### 14-Pin Attachment T-Harness Kits

*Converts a 7-pin attachment to include a 14-pin harness which is required for use with older loaders equipped only with 14-pin attachment control kit. When installed, the attachment will include both a 7-pin and 14-pin harness.*

<b>6725381</b>	<b>14-PIN ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used with 68" & 84" Angle Brooms and 72" (S/N 232000101 and above) and 84" (S/N 651400101 and above) Hydraulic Soil Conditioners) (Estimated install time .5 hours)	
<b>6725383</b>	<b>14-PIN ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used with Bob-Tach Mounted Backhoe, 15" and 16" Planers, 18" Planer S/N 231611101 and above, & 24" Planer S/N 231711101 and above, 14" Planer Kit, Grader (S/N 648000101 thru 64801630), Laser Box Blade (S/N 657500101 thru 657500369), Snow V-Blades, 18" Wheel Saw (S/N 991800101 thru 991800625) & 24" Wheel Saw (S/N 991900101 thru 991900830), SG60 Stump Grinder (Estimated install time .5 hours)	
<b>6958772</b>	<b>14-PIN LASER ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used on F-Series and older BICS loaders for Trimble laser control system on Grader S/N 231511101 & above and 648000101 thru 64801630 and Laser Box Blade S/N 657500101 thru 657500369). Not for use with Bobcat Attachments Plus Control Kit, use p/n 6725383.	
<b>6727456</b>	<b>14-PIN ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used with 40" Planer S/N 991400101 thru 991401035) (Ship Weight 5 lbs.) (Estimated install time .5 hours)	
<b>6725384</b>	<b>14-PIN ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used with 68", 80", 90" & 96" Dozer Blades) (Estimated install time .5 hours)	
<b>6728165</b>	<b>14-PIN ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used with Snowblowers) (Estimated install time .5 hours)	
<b>6728163</b>	<b>14-PIN ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used with Sod Layer) (Estimated install time .5 hours)	
<b>7155357</b>	<b>14-PIN ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used with Soil Conditioner with hydraulic angle and hydraulic depth: 60" S/N A86R00101 and above, 72" High Flow S/N A6TD00101 and above, 84" S/N A6TG00101 and above, 84" High Flow S/N A6TH00101 and above) (Estimated install time .5 hours)	
<b>7164095</b>	<b>14-PIN ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used with 84" Grader S/N 648001631 and above, 96" and 108" graders, Laser Box Blade S/N 657500370 and above, 18" Planer S/N AKS200101 and above, 24" Planer S/N AJN700101 and above) (Estimated install time .5 hours)	
<b>7196479</b>	<b>14-PIN ATTACHMENT T-HARNESS KIT.....PARTS</b> \$ _____ (Used with 18" Wheel Saw S/N 991800626 and above, 24" Wheel Saw S/N 991900831 and above, 40" Planer S/N 991401036 and above) (Estimated install time .5 hours)	

# ADAPTER PLATE

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight ..... 90 lbs.

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(MT50, MT52, MT55, MT85)

**7100695**      **ADAPTER PLATE**..... **\$485.00**

(Installs on competitive attachment for use with Bobcat MT50 and MT52)

**Note: The adapter plate is not approved for use with buckets because of reduced breakout forces and ROC.**

Competitive Model Number	Attachment Description	Notes
Dingo® 22414	Hydraulic Blade	Extend hoses 20" to get full rollout
Dingo 22400	Auger Power Head	Maximum bit diameter is 30"
Dingo 22801	Universal Auger Power Head	Maximum bit diameter is 30"
Dingo 22441	Concrete Breaker	Extend hoses 20"
Dingo 22445	Tiller, 40"	
Dingo 22420	Boring Unit	
Dingo 22910	Vibratory Plow	
Dingo 22447	Trencher	
Harley Rake	M4F, M4M, M4H	
Ditch Witch SK5VP	Vibratory Plow	
Ditch Witch SK5TR	Trencher	Extend hoses 12"

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

**Adapter Plate** .....**Install plate on attachment** ..... **0.25**

# ANGLE BROOM

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>48"</u>	<u>68"</u>	<u>84"</u>
Operating Weight .....	260 lbs.	860 lbs.	944 lbs.
Sweep Width Straight .....	48"	68"	84"
Sweep Width Fully Angled .....	41.5" @ 30°	63" @ 25°	77" @ 25°
Broom Angling .....	Manual	Hyd. Cylinder	Hyd. Cylinder
Drive System .....	Hyd. Motor	Hyd. Motor	Hyd. Motor
	Chain Dr. Reduction	Direct Drive	Direct Drive
Flow Range .....	8-13 gpm	8-24 gpm	15-28 gpm
Broom Bristle Diameter .....	21 3/8"	32"	32"
Bristle Material .....	Replaceable Polypropylene (all)		
Number of Bristle Sections.....	23 Zig-Zag 2 Straight	36 Zig-Zag 2 Straight	44 Zig-Zag 2 Straight

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(MT50, MT52, MT55, MT85) (S70)

**6907000**     **48" ANGLE BROOM**.....     **\$3,285.00**  
(Manual Angle, 3-Positions: 30° Right, Left and Straight)

(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770)

**6905805**     **68" ANGLE BROOM**.....     **\$5,315.00**  
(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2)  
 (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 3)

(S150, S160, S160H, S175, S185, S185H, S205, S205H)  
 (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S650, S740, S750, S770, S850) (A770) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T650, T740, T750, T770, T870)

**6905806**     **84" ANGLE BROOM**.....     **\$5,790.00**  
(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2)  
 (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 2)

# ANGLE BROOM

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
-------------	-------------------------------------------------	--------------

Water Kit

NOTE: Water Kits are available for use with the Angle Broom attachments – see Water Kit page for details.

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Angle Broom .....	None .....	-
Attachment Control Kit .....		See Page 1

# AUGER

## BOBCAT LOADER ATTACHMENT



*Auger Drive Unit*

### QUICK SPECS

	<u>Model</u> <b>10</b>	<u>Model</u> <b>15C</b>	<u>Model</u> <b>15H</b>	<u>Model</u> <b>30C</b>	<u>Model</u> <b>30H</b>	<u>Model</u> <b>35PH</b>	<u>Model</u> <b>50PH</b>
Ship Weight (Auger Drive) .....	150 lbs.	238 lbs.	201 lbs.	257 lbs.	207 lbs.	314 lbs.	314 lbs.
Ship Weight (Mtg. Frame) .....	134 lbs.	188 lbs.	188 lbs.	188 lbs.	188 lbs.	188 lbs.	188 lbs.
Operating Weight (less bit).....	264 lbs.	406 lbs.	386 lbs.	425 lbs.	395 lbs.	502 lbs.	502 lbs.
Digging Depth (without extensions).....	58"	62"	62"	62"	62"		
Torque (ft.-lbs.).....	Low	Med.	Med.	High	High	4162	5272
Speed .....	High	Med.	Med.	Low	Low	Low	Low
Shaft Diameter - Round.....	2.5"	2.5"	-	2.5"	-	-	-
Shaft Diameter – Hex.....	-	2.0"	2.0"	2.0"	2.0"	2.5"	2.5"

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

(MT50, MT52, MT55, MT85) (S70, S100, S130, S150, S160, S175, S185, S205) (S450) (T110, T140) (T450)

**6808799**      **MODEL 10 AUGER DRIVE UNIT** .....      **\$1,315.00**  
 (Must also order Mounting Frame and Bit) (Must order mounting frame, light duty bit and swing stop kit when installing on MT50, MT52, MT55, and MT85)

(S100, S130, S150, S160, S175, S185, S205) (S450\*, S510\*, S530\*, S550\*, S570\*, S590\*, S595\*, S630\*, S650\*, S740\*, S750\*, S770\*, S850\*) (A770\*) (T110, T140, T180, T190, T250, T300, T320) (T450\*, T550\*, T590\*, T595\*, T630\*, T650\*, T740\*, T740H\*, T750\*, T770\*, T870\*)

**6809442**      **MODEL 15C AUGER DRIVE UNIT**.....      **\$1,605.00**  
 (Must also order Mounting Frame and Bit)  
 (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)

**7145345**      **MODEL 15H HEX SHAFT AUGER DRIVE UNIT**.....      **\$1,605.00**  
 (Must also order Mounting Frame and Bit)

(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H) (S450\*, S510\*, S530\*, S550\*, S550H\*, S570\*, S570H\*, S590\*, S590H\*, S595\*, S595H\*, S630H\*, S650\*, S650H\*, S740\*, S740H\*, S750\*, S750H\*, S770\*, S770H\*, S850\*, S850H\*) (A770\*, A770H\*) (T140, T180, T180H, T190, T190H) (T450\*, T550\*, T550H\*, T590\*, T590H\*, T595\*, T595H\*, T630\*, T630H\*, T650\*, T650H\*, T740\*, T740H\*, T750\*, T750H\*, T770\*, T770H\*, T870\*, T870H\*)

**6809445**      **MODEL 30C AUGER DRIVE UNIT**.....      **\$2,130.00**  
 (Must also order Mounting Frame and Bit)  
 (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)

**7138264**      **MODEL 30H HEX SHAFT AUGER DRIVE UNIT**.....      **\$2,130.00**  
 (Must also order Mounting Frame and Bit)

# AUGER

## BOBCAT LOADER ATTACHMENT

\*Must also order Bumper Kit p/n 7172609 from Parts

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

(S510, S530, S550, S570, S590, S595, S630, S650, S740, S740H, S750, S770, S850) (A770)  
 (T550, T590, T595, T630, T650, T740, T750, T770, T870)

7220280      **35PH AUGER DRIVE UNIT** ..... \$3,270.00  
 (Must also order Mounting Frame and Bit) (Auger Drive unit is shipped with bit retention pin)

(S550H, S570H, S590H, S595H, S630, S650, S740, S740H, S750, S770, S850) (A770)  
 (T550H, T590H, T595H, T630, T650, T740, T750, T770, T870)

7227984      **50PH AUGER DRIVE UNIT** ..... \$3,795.00  
 (Must also order 35PH/50PH Mounting Frame and Bit)  
 (Auger Drive unit is shipped with bit retention pin)

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
NUMBER	DESCRIPTION	

6812946      **BOB-TACH MOUNTING FRAME, S70, MT50 - MT55, MT85** ..... \$445.00  
 (Includes Mounting Hardware)

7272933      **AUGER 10 MTG BRACKET CII, MT85** ..... \$445.00  
 (Includes Mounting Hardware)

6812980      **MOUNTING FRAME, S100-S330, S450-S850, A770, T110-T320, T450-T870** ..... \$375.00  
 (Includes Mounting Hardware)

7223507      **35PH/50PH MOUNTING FRAME, S510-S850, A770, T550-T870** ..... \$465.00  
 (Includes Mounting Hardware)

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	SLP IN US \$
NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

6811444      **SWING STOP KIT, MT50 - MT55, MT85** ..... PARTS \$ \_\_\_\_\_  
 (Use with Model 10 auger) (Limits side to side swing of auger bit.)

7172609      **BUMPER KIT, FOR M-SERIES** ..... PARTS \$ \_\_\_\_\_  
 (Required for use with M-Series Loaders)

# AUGER

## BOBCAT LOADER ATTACHMENT

### AUGER DRIVE & BIT RECOMMENDATIONS

**Model 10 Augers—Recommended bit size 6" – 18"**

**Model 15C and 30C Augers—Recommended bit size 6" – 36"**

**Model 15H and 30H Augers—Recommended bit size 6" – 36"**

**Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions.**

### LIGHT DUTY AUGER BITS

*Used with MT50, MT52, MT55 and Model 10 Auger*

*White, round Drive, 45" Length, Single Flight.*

<b>6679574</b>	<b>6" BIT</b> .....	<b>PARTS</b>	\$ _____
	(Ship Weight 45 lbs.)		
<b>6679575</b>	<b>9" BIT</b> .....	<b>PARTS</b>	\$ _____
	(Ship Weight 53 lbs.)		
<b>6679576</b>	<b>12" BIT</b> .....	<b>PARTS</b>	\$ _____
	(Ship Weight 100 lbs.)		
<b>6679577</b>	<b>15" BIT</b> .....	<b>PARTS</b>	\$ _____
	(Ship Weight 120 lbs.)		
<b>6679578</b>	<b>18" BIT</b> .....	<b>PARTS</b>	\$ _____
	(Ship Weight 79 lbs.)		
<b>6679579</b>	<b>24" BIT</b> .....	<b>PARTS</b>	\$ _____
	(Ship Weight 144 lbs.)		
<b>6679580</b>	<b>30" BIT</b> .....	<b>PARTS</b>	\$ _____
	(Ship Weight 124 lbs.)		
<b>6679581</b>	<b>36" BIT</b> .....	<b>PARTS</b>	\$ _____
	(Ship Weight 165 lbs.)		

# AUGER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### STANDARD AUGER BITS & ACCESSORIES

*Charcoal Color, Round Drive, 49" Length, Double Flight, Variable Tooth Angle: 40° or 50°*

6666891	6" BIT ..... PARTS	\$ _____
	(Ship Weight 60 lbs.)	
6666892	9" BIT ..... PARTS	\$ _____
	(Ship Weight 91 lbs.)	
6666893	12" BIT ..... PARTS	\$ _____
	(Ship Weight 128 lbs.)	
6666894	15" BIT ..... PARTS	\$ _____
	(Ship Weight 119 lbs.)	
6666895	18" BIT ..... PARTS	\$ _____
	(Ship Weight 160 lbs.)	
6666896	24" BIT ..... PARTS	\$ _____
	(Ship Weight 203 lbs.)	
6666897	30" BIT ..... PARTS	\$ _____
	(Ship Weight 275 lbs.)	
6666898	36" BIT (MODEL 15 & 30) ..... PARTS	\$ _____
	(Ship Weight 380 lbs.)	
6666899	18" TREE PLANTING BIT ..... PARTS	\$ _____
	(Ship Weight 140 lbs.)	
6666900	24" TREE PLANTING BIT ..... PARTS	\$ _____
	(Ship Weight 162 lbs.)	
6666901	30" TREE PLANTING BIT ..... PARTS	\$ _____
	(Ship Weight 236 lbs.)	
6666902	36" TREE PLANTING BIT ..... PARTS	\$ _____
	(Ship Weight 305 lbs.)	

### Standard Auger Bits Accessories

6679806	48" ADJUSTABLE ROUND EXTENSION ..... PARTS	\$ _____
	(For Model 10, 15, 15C, 30 and 30C Augers) (6" and 9" bits will not allow the extension to telescope, only works in the top position) (Ship Weight 82 lbs.)	
6679826	24" ADJUSTABLE ROUND EXTENSION ..... PARTS	\$ _____
	(For Model 10, 15, 15C, 30 and 30C Augers) (6" and 9" bits will not allow the extension to telescope, only works in the top position) (Ship Weight 44 lbs.)	
6679825	14" ROUND EXTENSION ..... PARTS	\$ _____
	(For Model 10, 15, 15C, 30 and 30C Augers) (Ship Weight 24 lbs.)	

# AUGER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### HEAVY DUTY AUGER BITS

*Orange Color, Hex Drive, 42" Length, Single Flight*

<b>6674957</b>	<b>6" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 46 lbs.)	
<b>6674958</b>	<b>9" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 59 lbs.)	
<b>6674959</b>	<b>12" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 76 lbs.)	
<b>6674960</b>	<b>16" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 97 lbs.)	
<b>6675034</b>	<b>18" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 112 lbs.)	
<b>6674961</b>	<b>20" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 117 lbs.)	
<b>6674962</b>	<b>24" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 151 lbs.)	
<b>6674963</b>	<b>30" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 193 lbs.)	
<b>6674964</b>	<b>36" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 270 lbs.)	
<b>6674965</b>	<b>42" BIT</b> ..... PARTS \$ _____ (If installed on a 15C or 30C Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 302 lbs.)	

### ROCK AUGER BITS

*White Color, Hex Shaft, 42" Length, Single Flight*

<b>7169665</b>	<b>6" BIT</b> ..... PARTS \$ _____ (Ship Weight 64 lbs.)	
<b>7169666</b>	<b>9" BIT</b> ..... PARTS \$ _____ (Ship Weight 78 lbs.)	
<b>7169667</b>	<b>12" BIT</b> ..... PARTS \$ _____ (Ship Weight 102 lbs.)	
<b>7169668</b>	<b>16" BIT</b> ..... PARTS \$ _____ (Ship Weight 123 lbs.)	
<b>7169669</b>	<b>18" BIT</b> ..... PARTS \$ _____ (Ship Weight 149 lbs.)	
<b>7169670</b>	<b>20" BIT</b> ..... PARTS \$ _____ (Ship Weight 152 lbs.)	
<b>7169671</b>	<b>24" BIT</b> ..... PARTS \$ _____ (Ship Weight 195 lbs.)	
<b>7169672</b>	<b>30" BIT</b> ..... PARTS \$ _____ (Ship Weight 225 lbs.)	

*Rock Auger Bits Accessories – See Heavy Duty Auger Bits Accessories*

# AUGER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### HEAVY DUTY AUGER BITS – 35/50PH AUGER DRIVE

7243233	8" BIT ..... PARTS	\$ _____
	(Ship Weight 115 lbs.)	
7243234	12" BIT ..... PARTS	\$ _____
	(Ship Weight 130 lbs.)	
7243235	18" BIT ..... PARTS	\$ _____
	(Ship Weight 165 lbs.)	
7243236	24" BIT ..... PARTS	\$ _____
	(Ship Weight 225 lbs.)	
7243237	30" BIT ..... PARTS	\$ _____
	(Ship Weight 295 lbs.)	
7243238	36" BIT ..... PARTS	\$ _____
	(Ship Weight 350 lbs.)	
7243239	48" BIT ..... PARTS	\$ _____
	(Ship Weight 495 lbs.)	

### ROCK AUGER BITS – 35/50PH AUGER DRIVE

7243240	8" BIT ..... PARTS	\$ _____
	(Ship Weight 118 lbs.)	
7243241	12" BIT ..... PARTS	\$ _____
	(Ship Weight 130 lbs.)	
7243242	18" BIT ..... PARTS	\$ _____
	(Ship Weight 165 lbs.)	
7243243	24" BIT ..... PARTS	\$ _____
	(Ship Weight 210 lbs.)	
7243244	30" BIT ..... PARTS	\$ _____
	(Ship Weight 300 lbs.)	

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

### Heavy Duty Auger Bits Accessories/Rock Auger Bits Accessories

6809733	5/8" (.625) PIN KIT ..... PARTS	\$ _____
	(Used for retention of hex bits on 15C and 30C Auger drive units)	
	(Ship Weight 11 lbs.)	
6679807	48" ADJUSTABLE HEX EXTENSION ..... PARTS	\$ _____
	(For Model 15H, 15C, 30H and 30C Augers)	
	(Ship Weight 48 lbs.)	
6662876	24" ADJUSTABLE HEX EXTENSION ..... PARTS	\$ _____
	(For Model 15H, 15C, 30H and 30C Augers)	
	(Ship Weight 33 lbs.)	
6662874	ROUND SHAFT TO HEX BIT ADAPTER, CAST ..... PARTS	\$ _____
	(For Model 15 & 30 Augers with Round Output Shaft)	
	(Ship Weight 19 lbs.)	
6662875	HEX SHAFT TO ROUND BIT ADAPTER, CAST ..... PARTS	\$ _____
	(For Model 15H, 15C, 30H and 30C Augers with Hex Output Shaft)	
	(Ship Weight 20 lbs.)	
7137091	HEX SHAFT TO ROUND BIT ADAPTER, SLEEVE ..... PARTS	\$ _____
	(For Model 15H, 15C, 30H and 30C Augers with Hex Output Shaft)	
	(5/8" Pin Kit P/N 6809733 is required.) (Sleeve slides over hex shaft, converting it to round)	
	(Ship Weight 3 lbs.)	
7243729	48" ADJUSTABLE HEX EXTENSION ..... PARTS	\$ _____
	(For 35PH & 50PH Auger Drives) (Shipping Weight 105lbs.)	

**AUGER**  
**BOBCAT LOADER ATTACHMENT**


**DESTINATION CHARGE/FUEL SURCHARGE**  
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

<b>ATTACHMENT</b>	<b>ASSEMBLY REQUIRED</b>	<b>INSTALLATION TIME (HOURS)</b>
-------------------	--------------------------	--------------------------------------

Auger.....	Assemble drive unit to mounting frame and install bit .....	0.5
------------	-------------------------------------------------------------	-----

# BACKHOE

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight (without bucket).....	630 lbs.
Swing Angle .....	48 degrees left or right
Length.....	77.0"
Width.....	50.0"
Height.....	17.8"
Dig Depth.....	72.0"
Reach.....	77.0"
Dig Force – Bucket .....	4878 lbf.
Bolt-on X-Change .....	Standard

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
(\$150, \$160, \$175, \$185, \$205) (\$510, \$530, \$550, \$570, \$590, \$595) (T180, T190) (T550, T590, T595)		
<b>6906767</b>	<b>BOB-TACH MOUNTED BACKHOE.....</b> (Must also order bucket, see Backhoe Bucket pages) (Loader must be equipped with an Attachment Control Kit – See Page 1 and 2) (If installing on loader with 14-Pin Attachment Control, must also order 14-pin Attachment T-Harness P/N 6725383) (Bob-Tach Mounted Backhoe is NOT compatible with Rear Stabilizers)	<b>\$4,640.00</b>

DEALER INSTALLED ACCESSORIES – ORDER FROM SALES		
PART NUMBER	DESCRIPTION	SLP IN US \$
<b>7104321</b>	<b>HYDRAULIC CLAMP.....</b> (Includes cylinder, hoses & pins) (Must also order Auxiliary Hydraulic Kit)	<b>\$1,785.00</b>

DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS		
PART NUMBER	DESCRIPTION	
<b>6958160</b>	<b>AUXILIARY HYDRAULIC KIT .....</b> (Must order if using Hydraulic Clamp with Backhoe) (Ship Weight 10 lbs.)	<b>PARTS \$ _____</b>


**DESTINATION CHARGE/FUEL SURCHARGE**

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Backhoe .....	Install bucket on backhoe .....	<b>0.25</b>
Auxiliary Hydraulics Kit.....	Install Auxiliary Hydraulics Kit on backhoe .....	<b>1.00</b>

# BACKHOE

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>M06</u>	<u>406</u>	<u>506</u>	<u>7BH</u>	<u>9BH</u>	<u>8811</u>
Operating Weight...	685 lbs.	507 lbs.	531 lbs.	1298 lbs.	1450 lbs.	2012 lbs.
Dig Depth .....	76.2"	73"	73"	95.1"	116.6"	135.7"
Reach .....	88"	88"	88"	145.3"	145.3"	166"
Dig Force – Bucket	2200 lbf.	2200 lbf.	2200 lbf.	5000 lbf.	5042 lbf.	6000 lbf.
Dig Force – Dipper.	968 lbf.	968 lbf.	968 lbf.	2700 lbf.	3241 lbf.	4069 lbf.
Bolt-on X-Change..	N/A	N/A	N/A	Standard	Standard	Standard
Swing Angle.....	180°	180°	180°	180°	180°	180°
Stabilizer type.....	Hydraulic Fold Down	Fixed Manual	Fixed Manual	Vertical	Hydraulic Vertical	Hydraulic Fold Down

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

*For current parts pricing, reference BobQuote or Dealer Parts Department.*

(MT50, MT52, MT55)

**7101456 M06 BACKHOE** ..... \$6,745.00  
(Must order a Bucket and Mounting Kit)

**7153411 AUXILIARY HYDRAULICS MODESWITCH KIT** ..... PARTS \$ \_\_\_\_  
(Needed to control M06 Backhoe attachment on  
MT52 s/n A3WR11001 & above and MT55 s/n A3WT11001 & above)

(S70)

**6906310 406 BACKHOE: 7 left in Inventory**..... \$5,960.00  
(Must also order a Bucket) (Mounting Kit included with 406 Backhoe) ~~SAVE 21% \$4,710.00~~  
**SAVE 38% \$3,720.00**

(S70, S100) (T110)

**6906864 506 BACKHOE: 7 left in Inventory**..... \$6,145.00  
(Must order a Bucket and Mounting Kit) ~~SAVE 21% \$4,855.00~~  
**SAVE 38% \$3,835.00**

(S450, S510, S530, S550, S570, S590, S595)(T450, T550, T590, T595)

**7243518 7BH BACKHOE** ..... \$10,595.00  
(Must also order mounting kit and bucket)  
(Will not fit K-Series and older loaders)

(S510, S530, S550, S570, S590, S595, S630, S650) (T550, T590, T595, T630, T650)

**7237275 9BH BACKHOE** ..... \$11,795.00  
(Must also order mounting kit and bucket)  
(Must order latch kit if backhoe serial number is below B3871500)  
(Will not fit K-Series and older loaders)

(S530, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T590, T595, T630, T650, T740, T750, T770, T870)

**7130772 8811 BACKHOE**..... \$12,050.00  
(Must also order Mounting Kit and Bucket)  
(Must order latch kit if backhoe serial number is below A5581500)

**Note:** Use of Rear Stabilizers is recommended with the 9BH and 8811 Backhoes.

**Note:** Bolt-on street pads are available for the 607, 709, 8709, 811 and 8811 Backhoes from Bobcat Parts.

# BACKHOE

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
-------------	-------------------------------------------------------------	--------------

### Backhoe Attachments

<b>6817177</b>	<b>FROST &amp; ROCK RIPPER</b> ..... (Used on the 709/8709/811/8811 Backhoes to penetrate and scarify frost or hard ground) (X-Change System required) (Ship Weight 195 lbs.)	<b>\$975.00</b>
<b>6806644</b>	<b>PACKER WHEEL</b> ..... (Use with 607/709/8709/811/8811 Backhoes to compact fill after trenching.) (X-Change System required) (Ship Weight 415 lbs.)	<b>\$2,090.00</b>

### Backhoe Mounting Kits – Current

<b>7101552</b>	<b>MOUNTING KIT</b> ..... (M06 to MT52 or MT55)	<b>\$165.00</b>
<b>6958101</b>	<b>MOUNTING KIT</b> ..... (506 to 463, S70)	<b>\$190.00</b>
<b>7141973</b>	<b>MOUNTING KIT</b> ..... <b>PARTS</b>	<b>\$ _____</b>
	(506 to S100, T110)	
<b>7101325</b>	<b>MOUNTING KIT</b> ..... <b>PARTS</b>	<b>\$ _____</b>
	(607 or 709 to S150, S160 and T180) (Ship Weight 160 lbs.; Estimated install time 1 hour)	
<b>6718155</b>	<b>MOUNTING KIT</b> ..... <b>PARTS</b>	<b>\$ _____</b>
	(607 or 709 S/N 2700-00301 & above to 773 G-Series or newer, S175, S185, S205 and T190 and all 709s with Fold Down Stabilizers) (Ship Weight 66 lbs.; Estimated install time 1 hour)	
<b>7228276</b>	<b>MOUNTING KIT</b> .....	<b>\$360.00</b>
	(7BH & 9BH to S450, S510, S530, S550, S570, S590, S595, S630, S650, T450, T550, T590, T595, T630, T650) (Ship Weight 50 lbs.; Estimated install time 2 hrs.)	
<b>6813148</b>	<b>MOUNTING KIT</b> ..... <b>PARTS</b>	<b>\$ _____</b>
	(8811 to S220, S250, S300, S330, A300, T250, T300, T320) (Use with backhoe s/n A55809999 & below and s/n 630199999 & below) (Ship Weight 45 lbs.; Estimated install time 1 hour)	
<b>7167510</b>	<b>MOUNTING KIT</b> ..... <b>PARTS</b>	<b>\$ _____</b>
	(8811 to S220, S250, S300, S330, A300, T250, T300, T320) (Ship Weight 50 lbs.; Estimated install time 1 hour) (Use with backhoe s/n A55810000 & above, effective May 2009) (Use with backhoe s/n A55809999 & below and s/n 630199999 & below, if equipped with Latch Kit p/n 7204238)	
<b>7168488</b>	<b>MOUNTING KIT</b> .....	<b>\$360.00</b>
T770)	(8811 to S530, S570, S590, S595, S630, S650, S740, S750, S770, A770, T590, T595, T630, T650, T750, (Ship Weight 50 lbs.; Estimated install time 2 hours) (For backhoe s/n A55809999 & below and s/n 630199999 & below, must also order p/n 7204238 from parts) (Must order 7235866 for S530, S570, S590, S595, T590, T595) (Must also order Spacer Kit p/n 7168932)	
<b>7204239</b>	<b>MOUNTING KIT</b> ..... <b>PARTS</b>	<b>\$ _____</b>
	(8811 to S850 & T870) (Ship Weight 50 lbs.; Estimated install time 2 hours) (For backhoe s/n A55810370 & below and s/n 630199999 & below, must also order p/n 7204238 from parts) (Must also order Spacer Kit p/n 7168932)	
<b>7204238</b>	<b>LATCH KIT</b> ..... <b>PARTS</b>	<b>\$ _____</b>
	(Required for 8811 s/n A55809999 & below and s/n 630199999 & below to S630, S650, S740, S750, S770, S850, A770, T630, T650, T750, T770, T870) (Requires Mounting Kit p/n 7167510 to be compatible with K-Series loaders)	
<b>7235866</b>	<b>LATCH KIT</b> ..... <b>PARTS</b>	<b>\$ _____</b>
	(Required for 8811 to S530, S570, S590, S595, T590, T595)	
<b>7250445</b>	<b>LATCH KIT</b> .....	<b>\$505.00</b>
T650)	(Required for 9BH to S510, S530, S550, S570, S590, S595, S630, S650, T450, T550, T590, T595, T630,	
<b>7168932</b>	<b>BOB-TACH ADAPTER KIT (SPACER)</b> .....	<b>\$605.00</b>
	(Required to mount 8811 to S530, S570, S590, S595, S630, S650, S740, S750, S770, S850, A770, T590, T595, T630, T650, T750, T770, T870)	

# BACKHOE

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
-------------	-------------------------------------------------	--------------

### Laser Equipment

(S130, S150, S160, S175, S185, S205) (S630, S650, S740, S750, S770) (A770)  
 (T140, T180, T190) (T630, T650, T740, T750, T770)

7120486	LASER RECEIVER, CR600..... (Can be used as handheld, machine, or rod-mounted laser receiver) (Includes magnetic mount for machines and clamp mount for grader rod)	\$765.00
---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS
-------------	-------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### Backhoe Mounting Kits - Current

PIECE PARTS	MOUNTING KIT..... (406 to 463, S70) (Mounts included with backhoe—to install on additional loaders only.)	PARTS \$ _____
6538707	MOUNTING KIT..... (607 or 709 to 753, S130, 763, T140, however, 753 with 54" offset rim option will NOT allow Backhoe mount clearance) (Ship Weight 160 lbs.; Estimated install time 1 hour)	PARTS \$ _____

### Backhoe Mounting Kits – Non Current

PIECE PARTS	MOUNTING KIT..... (905B to 453)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (905B to 553)	PARTS \$ _____
6538426	MOUNTING KIT, BALL TYPE..... (Bolts to P/N 6538707 to Mount 907 or 909 to 753) (Ship Weight 20 lbs.; Estimated install time 1 hour)	PARTS \$ _____
6562446	MOUNTING KIT..... (907 to 630, 640, 730, 740 Series & 909 to 730, 730 Series) (Ship Weight 28 lbs.; Estimated install time 1 hour)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (907 or 909 to 753)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (607 or 907 to 640 Series)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (607, 709, 907 or 909 to 740 Series)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (607s & 709 with Fold Down Stabilizers & 709 (S/N 2700-00301 & Above) to 773 F-series and prior)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (811 to 853, 863, A220, T200)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (811 to 843, however, mounting kit does not allow track clearance on 843)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (811 to 963)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (8709 to 873 F-Series, 873 G-Series & 883)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (911 to 853, 863 F-Series. Fits 863 S/N 514425684 and below. Will not work with G-Series)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (911 to 843)	PARTS \$ _____
6587606	MOUNTING KIT..... (607 (S/N 775001440 & Above), All 709s with Fold Down Stabilizers, 709 (S/N 270001200 & Above) to 853, 863, A220 and T200) (Ship Weight 120 lbs.; Estimated install time 1.5 hours)	PARTS \$ _____
PIECE PARTS	MOUNTING KIT..... (8811 to 873 and 883) (Ship Weight 31 lbs.; Estimated install time 1 hour)	PARTS \$ _____

Prices and Specifications

Subject to Change Without Notice

**Loader Attachments**

All Prices in U.S. Dollars

North American Suggested List Prices

2016 Price Book

Check BobcatNET Pricing Homepage for current Canadian exchange rate.

Page 20 of 147

# BACKHOE

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### Backhoe Training Kit

6900329      **BACKHOE ATTACHMENT OPERATOR TRAINING KIT.....PARTS**      \$ \_\_\_\_\_  
 (Spanish Version is also available P/N 6900585)

### Hydraulic Kits

PIECE PARTS      **HYDRAULIC KIT, 709.....PARTS**      \$ \_\_\_\_\_  
 (Not compatible with 709 s/n A54M00101 & above; 709 FDS s/n A5F300101 & above)

PIECE PARTS      **HYDRAULIC KIT, 811.....PARTS**      \$ \_\_\_\_\_  
 (Not compatible with 8811)

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### Street Pads

6660164      **RUBBER STREET PAD .....**PARTS      \$ \_\_\_\_\_  
 (Use with 607, 709 with Fold down or Vertical stabilizers and 8709 Backhoes)  
 (Must order quantity of 2)

6632445      **RUBBER STREET PAD .....**PARTS      \$ \_\_\_\_\_  
 (Use with 811 and 8811 Backhoes) (Must order quantity of 2)

### Accessories for all Current Backhoe Buckets

7107317      **HENSLEY FORGED TOOTHPOINT.....PARTS**      \$ \_\_\_\_\_  
 (Qty. 1)

7107320      **HENSLEY TIGER TOOTHPOINT.....PARTS**      \$ \_\_\_\_\_  
 (Qty. 1)

7107321      **HENSLEY TWIN TIGER TOOTHPOINT.....PARTS**      \$ \_\_\_\_\_  
 (Qty. 1)

## BACKHOE BUCKETS – ORDER FROM SALES

PART NUMBER	DESCRIPTION	SAE HEAPED CAPACITY (FT <sup>3</sup> )	SHIP. WGT.	SLP IN US \$
-------------	-------------	----------------------------------------	------------	--------------

### Backhoe Buckets – Current

(Bob-Tach Mounted Backhoe X-Change™ Style)

6735375	13" TRENCHING BUCKET, 3 BOLT-ON TEETH.....	1.3	137	\$650.00
6735380	16" TRENCHING BUCKET, 4 BOLT-ON TEETH.....	1.8	156	\$680.00
6735395	20" TRENCHING BUCKET, 4 BOLT-ON TEETH.....	2.3	181	\$735.00

Note: These buckets are the same buckets as used with the 607 Backhoe and 325 and 328 excavators.

(M06 Pin-On Style)

6715495	9" TRENCHING BUCKET, 2 BOLT-ON TEETH.....	0.5	53	\$420.00
6715496	12" TRENCHING BUCKET, 3 BOLT-ON TEETH.....	0.7	63	\$465.00

(406/506 Pin-On Style)

6715495	9" TRENCHING BUCKET, 2 BOLT-ON TEETH.....	0.5	53	\$420.00
6715496	12" TRENCHING BUCKET, 3 BOLT-ON TEETH.....	0.7	63	\$465.00
6715497	16" TRENCHING BUCKET, 3 BOLT-ON TEETH.....	1.1	75	\$510.00
7109522	18" TRENCHING BUCKET, 4 BOLT-ON TEETH.....	1.3	90	\$525.00
6715498	20" TRENCHING BUCKET, 4 BOLT-ON TEETH.....	1.4	85	\$555.00

NOTE: THESE BUCKETS ARE THE SAME BUCKETS USED WITH 322 EXCAVATOR.

Prices and Specifications

**Loader Attachments**

North American Suggested List Prices

Subject to Change Without Notice

All Prices in U.S. Dollars

2016 Price Book

Check BobcatNET Pricing Homepage for current Canadian exchange rate.

Page 21 of 147

# BACKHOE

## BOBCAT LOADER ATTACHMENT

### BACKHOE BUCKETS – ORDER FROM SALES

PART NUMBER	DESCRIPTION	SAE HEAPED CAPACITY (FT <sup>3</sup> )	SHIP. WGT.	SLP IN US \$
-------------	-------------	----------------------------------------	------------	--------------

#### Backhoe Buckets – Current (Continued)

**(607 X-Change™ Style)**

6735375	13" TRENCHING BUCKET, 3 BOLT-ON TEETH.....	1.3	137	\$650.00
6735380	16" TRENCHING BUCKET, 4 BOLT-ON TEETH.....	1.8	156	\$680.00
6735395	20" TRENCHING BUCKET, 4 BOLT-ON TEETH.....	2.3	181	\$735.00
6735399	24" TRENCHING BUCKET, 5 BOLT-ON TEETH.....	2.9	205	\$790.00

Note: These buckets are the same buckets used with 325, 328 excavators.

**(709/9BH/8709/811/8811 X-Change™ Style)**

M7024-R01-C03	12" TRENCHING BUCKET, SMOOTH LIP.....	1.8	165	\$685.00
M7024-R01-C01	12" TRENCHING BUCKET, 3 WELD-ON TEETH.....	1.8	165	\$755.00
M7031-R01-C01	16" TRENCHING BUCKET, 4 WELD-ON TEETH.....	2.5	193	\$760.00
M7031-R01-C03	16" TRENCHING BUCKET, SMOOTH LIP.....	2.5	193	\$700.00
M7023-R01-C03	18" TRENCHING BUCKET, SMOOTH LIP.....	2.8	204	\$770.00
M7023-R01-C01	18" TRENCHING BUCKET, 4 WELD-ON TEETH.....	2.8	204	\$825.00
M7027-R01-C03	20" TRENCHING BUCKET, SMOOTH LIP.....	3.2	215	\$785.00
M7027-R01-C01	20" TRENCHING BUCKET, 4 WELD-ON TEETH.....	3.2	215	\$835.00
M7021-R01-C03	24" TRENCHING BUCKET, SMOOTH LIP.....	3.9	238	\$835.00
M7021-R01-C01	24" TRENCHING BUCKET, 4 WELD-ON TEETH.....	3.9	238	\$885.00
M7028-R01-C03	30" TRENCHING BUCKET, SMOOTH LIP.....	5.0	278	\$885.00
M7028-R01-C01	30" TRENCHING BUCKET, 5 WELD-ON TEETH.....	5.0	278	\$1,000.00
M7026-R01-C03	30" TRENCHING BUCKET, SMOOTH LIP.....	7.6	373	\$1,140.00
M7029-R01-C02	36" TRENCHING BUCKET, SMOOTH LIP..... (811, 8709, & 8811 only)	6.2	318	\$940.00
M7029-R01-C01	36" TRENCHING BUCKET, 6 WELD-ON TEETH..... (811, 8709, & 8811 only)	6.2	318	\$1,095.00
6735443	39" GRADING BUCKET, NO TEETH..... (811 & 8811 only)	4.7	260	\$1,010.00

Note: These buckets are the same buckets used with 331, 331E and 334 excavators.

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

### ASSEMBLY REQUIRED

### INSTALLATION


#### ATTACHMENT

#### TIME (HOURS)

Backhoe, S70 .....	Install backhoe on S70 loader & bucket on backhoe.....	0.5
Backhoe.....	Install mounting kit on loader & bucket on backhoe .....	1.0-2.0

# BALE FORKS

## BOBCAT LOADER ATTACHMENT



*Bale Forks with Pallet Fork Frame*

### QUICK SPECS

Weight Forks .....100 lbs.  
 Operating Capacity.....Based on machine's rated operating capacity  
 Length of Fork .....40.8"

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$
	(S100, S130, S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T630, T650, T740, T750, T770, T870)	
6815781	BALE FORKS, SET OF 2..... (Must also order pallet fork frame p/n 6712927 or 7109332)	\$645.00


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HRS.)
Bale Forks .....	None .....	-

# BORING UNIT

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight (without bit).....	130 lbs.
Overall Width.....	36"
Overall Height.....	17.5"
Overall Length.....	26.75"
Maximum recommended boring distance.....	30'

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	
<b>(MT50, MT52, MT55, MT85) (S70)</b>		
7110098	<b>BORING UNIT</b> ..... (Includes drive unit and guide tool)	<b>\$2,075.00</b>

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS
NUMBER	DESCRIPTION

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

7110583	<b>BORING TOOLS KIT</b> .....PARTS \$ _____ <small>(Includes (5) 5' drilling rods, 1 3/4" boring bit, 2 7/8" reamer bit, swivel shank, button repair kit (qty. 12), and uncoupling tool) (Use with up to 2 1/2" outside diameter material)</small>	
6687659	<b>DRILL ROD, 5'</b> .....PARTS \$ _____	
6577076	<b>DRILL ROD, 10'</b> .....PARTS \$ _____	

**THE FOLLOWING BORING AND REAMING BITS SHOULD BE USED TOGETHER FOR PROPER EFFICIENCY  
ALL REAMING BITS INCLUDE A SWIVEL SHANK**

6687657	<b>BORING BIT, 1 1/4"</b> .....PARTS \$ _____	
6687656	<b>REAMING BIT, 2"</b> .....PARTS \$ _____	
6577077	<b>BORING BIT, 1 3/4"</b> .....PARTS \$ _____	
6577298	<b>REAMING BIT, 2 7/8"</b> .....PARTS \$ _____	
6577078	<b>BORING BIT, 2"</b> .....PARTS \$ _____	
6577080	<b>REAMING BIT, 3 1/2"</b> .....PARTS \$ _____	
6687658	<b>BORING BIT, 2 1/2"</b> .....PARTS \$ _____	
6577299	<b>REAMING BIT, 4 1/2"</b> .....PARTS \$ _____	

# BORING UNIT

## BOBCAT LOADER ATTACHMENT

<b>PART NUMBER</b>	<b>DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS</b>
	<b>DESCRIPTION</b>

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

THE FOLLOWING CARBIDE BITS AND AUGERS SHOULD BE USED TOGETHER WHEN BORING THROUGH HARD CLAYS, SHALE, HARDPAN, SANDSTONE AND ROOT IMPREGNATED AREAS.


6577302	CARBIDE HEAD, 2 1/2" .....	PARTS	\$ _____
6687653	AUGER, 4' X 2 3/8" .....	PARTS	\$ _____
6688364	CARBIDE HEAD, 3 5/8" .....	PARTS	\$ _____
6687654	AUGER, 4' X 3 1/4" .....	PARTS	\$ _____
6687652	CARBIDE HEAD, 4 1/2" .....	PARTS	\$ _____
6687655	AUGER, 4' X 4" .....	PARTS	\$ _____
7102514	CABLE PULL KIT, 0.50-0.99" DIAMETER.....	PARTS	\$ _____
7100498	CABLE PULL KIT, 1.00-1.24" DIAMETER.....	PARTS	\$ _____
7102515	CABLE PULL KIT, 1.25-1.49" DIAMETER.....	PARTS	\$ _____
7100499	PIPE PULL KIT, 1.00-1.50" PIPE .....	PARTS	\$ _____

<b>DESTINATION CHARGE/FUEL SURCHARGE</b>
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.


ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Boring Unit.....	None .....	-

# BOX BLADE

## BOBCAT LOADER ATTACHMENT



***Box Blade***



***Box Blade with Laser Receiver***

### QUICK SPECS

	<u><i>Box Blade</i></u>	<u><i>Box Blade with Laser Receiver</i></u>
Operating Weight .....	980 lbs. (445 kg)	1020 lbs. (464 kg)
Height.....	32.0" (813 mm)	32.0" (813 mm)
Width.....	85.5" (2173 mm)	85.5" (2173 mm)
Moldboard Width.....	84.0" (2134 mm)	84.0" (2134 mm)
Moldboard Cutting Edge (Reversible)..	½" x 6"	½" x 6"
Grade Accuracy with Laser.....	N/A	+/- ¼"

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$
	(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)	
<b>6906574</b>	<b>84" BOXBLADE.....</b> (Used for rough grading and landscaping)	<b>\$4,060.00</b>
	(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)	
<b>6906676</b>	<b>84" BOXBLADE WITH LASER MOUNTING.....</b> (Must also order receiver p/n 7160486) (Approved for use only on BICS loaders.) (Includes integrated laser control) (May also need laser transmitter and tripod—unless customer has this equipment.) (The laser receiver will work with most rotating laser beacons) (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (If installing on loader with 14-Pin Attachment Control, must also order 14-Pin Attachment T-Harness P/N 7164095)	<b>\$6,275.00</b>

# BOX BLADE

## BOBCAT LOADER ATTACHMENT

<b>DEALER INSTALLED ACCESSORIES – ORDER FROM SALES</b>		
PART NUMBER	DESCRIPTION	SLP IN US \$
6680073	LASER TRANSMITTER, DUAL SLOPE..... (Trimble GL722)	\$6,900.00
7275232	LASER TRANSMITTER, DUAL SLOPE..... (Trimble GL422N; includes CR600 receiver)	\$2,600.00
7275231	LASER TRANSMITTER, SINGLE SLOPE..... (Trimble GL412N)	\$2,100.00
6688806	TRIPOD .....	\$260.00
7160486	LASER RECEIVER, BLR2 .....	\$1,940.00
	(Must order 1 for use with laser kit) (For use with Laser Box Blade S/N 657500370 and above). (May also need a laser transmitter and tripod—unless customer has this equipment.) (The laser receivers will work with most rotating laser transmitters.)	


**DESTINATION CHARGE/FUEL SURCHARGE**

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Box Blade .....	Install cylinder pin .....	.25
Box Blade with Laser Receiver.....	Install cylinder pin .....	.25

# BREAKER, HYDRAULIC

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u><b>HB680</b></u>	<u><b>HB880</b></u>	<u><b>HB980</b></u>
Operating Weight (nail point/loader frame).....	494 lbs.	736 lbs.	876 lbs.
Operating Weight (nail point/cap & frame).....	632 lbs.	786 lbs.	1082 lbs.
Impact Energy Class.....	150 ft. lb.	300 ft. lb.	500 ft. lb.
CIMA Tool Energy Rating.....	143 ft. lb.	207 ft. lb.	282 ft. lb.
Blows per Minute.....	1340 @ 13 gpm	1310 @ 17 gpm	1450 @ 21 gpm
Flow Requirements.....	7-13 gpm	8-17 gpm	12-23 gpm
Tool Working Length.....	13.0"	13.0"	14.0"
Tool Diameter.....	2.2"	2.6"	2.8"
<i>Estimated Breaker Performance with Concrete</i>			
Recommended Working Thickness...	2 - 4"	4 - 10"	6 - 14"
Demolished Volume per Hour			
Non-Reinforced Concrete.....	1 - 4 cu. yd	4 - 12 cu. yd	5 - 15 cu. yd
Reinforced Concrete.....	1 - 3 cu. yd	1 - 4 cu. yd	2 - 6 cu. yd
	<u><b>HB1180</b></u>	<u><b>HB1380</b></u>	<u><b>HB2380</b></u>
Operating Weight (nail point/loader frame).....	1050 lbs.	1161 lbs.	1215 lbs.
Operating Weight (nail point/cap & frame).....	1130 lbs.	N/A	N/A
Impact Energy Class.....	750 ft. lb.	850 ft. lb.	1000 ft. lb.
CIMA Tool Energy Rating.....	384 ft. lb.	515 ft. lb.	700 ft. lb.
Blows per Minute.....	1280 @ 26 gpm	1230 @ 31.7 gpm	910 @ 33 gpm
Flow Requirements.....	15-26 gpm	17-32 gpm	19.8-33 gpm
Tool Working Length.....	16.0"	17.0"	18.0"
Tool Diameter.....	3.03"	3.35"	3.75"
<i>Estimated Breaker Performance with Concrete</i>			
Recommended Working Thickness...	8 - 16"	10 - 18"	12 - 20"
Demolished Volume per Hour			
Non-Reinforced Concrete.....	6 - 15 cu. yd	8 - 18 cu. yd	10 - 20 cu. yd
Reinforced Concrete.....	2 - 7 cu. yd	3 - 8 cu. yd	4 - 9 cu. yd

# BREAKER, HYDRAULIC

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$

(MT50, MT52, MT55, MT85) (S70)

7113419	<b>HB680 BREAKER</b> ..... (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker) (When installing on MT50, must also order Shutdown Kit, p/n 6735945)	<b>\$4,430.00</b>
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	
NUMBER	DESCRIPTION	SLP IN US \$

### Mounting Frames – HB680

7113736	<b>BOB-TACH LOADER MOUNTING FRAME</b> ..... (Must also order a hose kit, P/N 6727411)	<b>\$630.00</b>
7272954	<b>BREAKER FRAME CII, MT85</b> ..... (Must also order a hose kit, P/N 6727411)	<b>\$630.00</b>
7150181	<b>LOADER X-CHANGE MOUNTING FRAME</b> ..... (Uses X-Change pin-through design) (Must also order Breaker X-Change Mounting Cap p/n 7113656. This allows breaker with X-Change Mounting Cap to be installed on loader) (Must also order a hose kit, P/N 6727411)	<b>\$925.00</b>
7141800	<b>LOADER X-CHANGE MOUNTING FRAME</b> ..... (Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 7114764)	<b>\$985.00</b>
7113656	<b>X-CHANGE MOUNTING CAP</b> .....	<b>\$460.00</b>

### Accessories – HB680

6727411	<b>HOSEKIT</b> ..... (Includes hoses and quick couplers)	<b>\$180.00</b>
---------	-------------------------------------------------------------	-----------------

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### Breaker Tools – HB680

7144681	BLUNT.....	PARTS \$ _____
7144676	CONICAL POINT (MOIL).....	PARTS \$ _____
7144679	CROSS CUT ASPHALT.....	PARTS \$ _____
7144673	CROSS CUT CHISEL.....	PARTS \$ _____
7144677	CROSS CUT WIDE CHISEL.....	PARTS \$ _____
7144680	IN-LINE ASPHALT.....	PARTS \$ _____
7144674	IN-LINE CHISEL.....	PARTS \$ _____
7144678	IN-LINE WIDE CHISEL.....	PARTS \$ _____
7149302	NAIL POINT.....	PARTS \$ _____
7144682	TAMPING.....	PARTS \$ _____

# BREAKER, HYDRAULIC

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$

(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595)  
 (T110, T140, T180, T190) (T450, T550, T590, T595)

7113420	<b>HB880 BREAKER.....</b> (Includes Nail Point, flow control valve, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	<b>\$6,275.00</b>
---------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	
NUMBER	DESCRIPTION	SLP IN US \$

### Mounting Frame – HB880

7113737	<b>LOADER MOUNTING FRAME.....</b> (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order a hose kit, P/N 7114764)	<b>\$670.00</b>
7113738	<b>HORIZONTAL LOADER MOUNTING FRAME.....</b> (Recommended mounting frame for horizontal surface breaking only) (Must also order a hose kit, P/N 7114764)	<b>\$710.00</b>
7141800	<b>LOADER X-CHANGE MOUNTING FRAME.....</b> (Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 7114764)	<b>\$985.00</b>
7113657	<b>X-CHANGE MOUNTING CAP.....</b>	<b>\$475.00</b>

### Accessories – HB880

7114764	<b>HOSE KIT.....</b> (Ship Weight 20 lbs.)	<b>\$205.00</b>
---------	-----------------------------------------------	-----------------

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### Breaker Tools – HB880

7144696	BLUNT.....	PARTS \$ _____
7144691	CONICAL POINT (MOIL).....	PARTS \$ _____
7144694	CROSS CUT ASPHALT.....	PARTS \$ _____
7144688	CROSS CUT CHISEL.....	PARTS \$ _____
7144692	CROSS CUT WIDE CHISEL.....	PARTS \$ _____
7144695	IN-LINE ASPHALT.....	PARTS \$ _____
7144689	IN-LINE CHISEL.....	PARTS \$ _____
7144693	IN-LINE WIDE CHISEL.....	PARTS \$ _____
7144690	NAIL POINT.....	PARTS \$ _____
7144697	TAMPING.....	PARTS \$ _____

# BREAKER, HYDRAULIC

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$

(S100, S130, S150, S160, S175, S185, S205)  
 (S450, S510, S530, S550, S570, S590, S595, S630\*, S650\*, S740\*, S750\*, S770\*) (A770\*)  
 (T110, T140, T180, T190) (T450, T550, T590, T595, T630\*, T650\*, T740\*, T750\*, T770\*)

**7113421 HB980 BREAKER..... \$7,860.00**  
 (Includes Nail Point, flow control valve, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)

\*May need to order Flow Control Valve Kit for M-Series, see below for details

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	
NUMBER	DESCRIPTION	SLP IN US \$

### Mounting Frame –HB980

**7113737 LOADER MOUNTING FRAME..... \$670.00**  
 (Breaker mounting frame allows for breaking horizontal or vertical surfaces.)  
 (Must also order a hose kit, P/N 7114764)

**7113738 HORIZONTAL LOADER MOUNTING FRAME..... \$710.00**  
 (Recommended mounting frame for horizontal surface breaking only)  
 (Must also order a hose kit, P/N 7114764)

**7141800 LOADER X-CHANGE MOUNTING FRAME..... \$985.00**  
 (Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design)  
 (Breaker mounting frame allows for breaking horizontal or vertical surfaces)  
 (Must also order Breaker X-Change Mounting Cap P/N 7113657)  
 (Must also order a hose kit, P/N 7114764)

**7113657 X-CHANGE MOUNTING CAP..... \$475.00**

### Accessories –HB980

**7114764 HOSE KIT..... \$205.00**

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

**7177744 FLOW CONTROL VALVE KIT, FOR M-SERIES..... PARTS \$\_\_\_\_\_**  
 (Required for use with S630-T770 M-Series Loaders) (Standard on new breakers starting 1 June 09)

### Breaker Tools –HB980

**7144707 BLUNT..... PARTS \$\_\_\_\_\_**

**7144702 CONICAL POINT (MOIL)..... PARTS \$\_\_\_\_\_**

**7144705 CROSS CUT ASPHALT..... PARTS \$\_\_\_\_\_**

**7144699 CROSS CUT CHISEL..... PARTS \$\_\_\_\_\_**

**7144703 CROSS CUT WIDE CHISEL..... PARTS \$\_\_\_\_\_**

**7144706 IN-LINE ASPHALT..... PARTS \$\_\_\_\_\_**

**7144700 IN-LINE CHISEL..... PARTS \$\_\_\_\_\_**

**7144704 IN-LINE WIDE CHISEL..... PARTS \$\_\_\_\_\_**

**7144701 NAIL POINT..... PARTS \$\_\_\_\_\_**

**7144708 TAMPING..... PARTS \$\_\_\_\_\_**

# BREAKER, HYDRAULIC

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$

(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)

7115923	<b>HB 1180 BREAKER</b> ..... (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	\$10,335.00
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	
NUMBER	DESCRIPTION	SLP IN US \$

*Mounting Frame –HB1180*

7115937	<b>LOADER MOUNTING FRAME</b> ..... (Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)	\$765.00
7117325	<b>X-CHANGE MOUNTING CAP</b> .....	\$555.00

*Accessories –HB1180*

7114764	<b>HOSE KIT</b> .....	\$205.00
---------	-----------------------	----------

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

*Breaker Tools –HB1180*

7144718	<b>BLUNT</b> .....	PARTS \$ _____
7144713	<b>CONICAL POINT (MOIL)</b> .....	PARTS \$ _____
7144716	<b>CROSS CUT ASPHALT</b> .....	PARTS \$ _____
7144714	<b>CROSS CUT WIDE CHISEL</b> .....	PARTS \$ _____
7144717	<b>IN-LINE ASPHALT</b> .....	PARTS \$ _____
7144711	<b>IN-LINE CHISEL</b> .....	PARTS \$ _____
7144712	<b>NAIL POINT</b> .....	PARTS \$ _____
7144719	<b>TAMPING</b> .....	PARTS \$ _____
7144715	<b>IN-LINE WIDE CHISEL</b> .....	PARTS \$ _____

# BREAKER, HYDRAULIC

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$

(S740, S750, S770, S850) (A770) (T740, T750, T770, T870)

7157576	<b>HB 1380 BREAKER</b> ..... (Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	\$12,825.00
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	
NUMBER	DESCRIPTION	SLP IN US \$

Mounting Frame – HB1380

7115937	<b>LOADER MOUNTING FRAME</b> ..... (Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)	\$765.00
7117325	<b>X-CHANGE MOUNTING CAP</b> .....	\$555.00

Accessories – HB1380

7114764	<b>HOSE KIT</b> .....	\$205.00
---------	-----------------------	----------

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

Breaker Tools – HB1380

7163375	<b>BLUNT</b> .....	PARTS \$ _____
7163370	<b>CONICAL POINT (MOIL)</b> .....	PARTS \$ _____
7163373	<b>CROSS CUT ASPHALT</b> .....	PARTS \$ _____
7163367	<b>CROSS CUT CHISEL</b> .....	PARTS \$ _____
7163371	<b>CROSS CUT WIDE CHISEL</b> .....	PARTS \$ _____
7163374	<b>IN-LINE ASPHALT</b> .....	PARTS \$ _____
7163368	<b>IN-LINE CHISEL</b> .....	PARTS \$ _____
7163369	<b>NAIL POINT</b> .....	PARTS \$ _____
7163372	<b>WIDE CHISEL</b> .....	PARTS \$ _____

# BREAKER, HYDRAULIC

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$

(S740, S750, S770, S850) (A770) (T740, T750, T770, T870)

7133203	<b>HB2380 BREAKER</b> ..... \$15,760.00 (Includes Nail Point, fixing cap bolts, cradle, isolation mount, and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)	
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	
NUMBER	DESCRIPTION	SLP IN US \$

### Mounting Frames – HB2380

7115937	<b>LOADER MOUNTING FRAME</b> ..... \$765.00 (Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)	
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

### Accessories – HB2380

7141851	<b>AUTO-GREASE KIT</b> ..... \$1,845.00	
7114764	<b>HOSE KIT</b> ..... \$205.00	

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### Breaker Tools – HB2380

7144728	<b>BLUNT</b> ..... PARTS \$ _____	
7144723	<b>CONICAL POINT (MOIL)</b> ..... PARTS \$ _____	
7144726	<b>CROSS CUT ASPHALT</b> ..... PARTS \$ _____	
7144720	<b>CROSS CUT CHISEL</b> ..... PARTS \$ _____	
7144724	<b>CROSS CUT WIDE CHISEL</b> ..... PARTS \$ _____	
7144727	<b>IN-LINE ASPHALT</b> ..... PARTS \$ _____	
7144721	<b>IN-LINE CHISEL</b> ..... PARTS \$ _____	
7144722	<b>NAIL POINT</b> ..... PARTS \$ _____	
7144725	<b>WIDE CHISEL</b> ..... PARTS \$ _____	

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Special Applications Kit .....	Install Kit .....	2.00
HB2380.....	Install grease kit on HB2380.....	1.00

# BRUSH SAW

## BOBCAT LOADER ATTACHMENT



*Top View*

### QUICK SPECS

Operating Weight .....	590 lbs.
Number of Cutting Teeth .....	16
Tip Speed Cutting Teeth .....	2985 ft./min @ 22 gpm
Disc RPM @ 22 gpm.....	400 RPM
Flow Range .....	15 – 23 gpm
Cutting Wheel (Disc) Diameter .....	28.5"
Overall Width.....	47.7"
Overall Length.....	85"
Overall Height.....	29.5"

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

<b>(S100, S130, S150, S160, S175, S185, S205)</b>		
<b>(S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770)</b>		
<b>(T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)</b>		
<b>7121030</b>	<b>BRUSH SAW.....</b>	<b>\$6,215.00</b>
	(Special Applications kit must be installed on loader when operating Brush Saw)	

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Brush Saw .....	None .....	-
-----------------	------------	---

# BRUSHCAT™ ROTARY CUTTER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>RC66</u>	<u>RC66HF</u>	<u>RC72</u>	<u>RC72HF</u>	<u>RC80HF</u>
Operating Weight .....	1437 lbs.	1437 lbs.	1500 lbs.	1500 lbs.	1581 lbs.
Hydraulic Flow Range .....	15-24 gpm	24-36 gpm	15-26 gpm	24-40 gpm	24-40 gpm
Blade Tip Speed.....	11,399	11,399	9,922	9,922	10,932
(Minimum Flow / ft./min)					
Blade Tip Speed.....	18,238	17,064	17,197	16,536	18,219
(Maximum Flow / ft./min)					
Cutting Width.....	66"	66"	72"	72"	80"
Cutting Height.....	3"	3"	3"	3"	3"
Deck Length .....	61.1"	61.1"	64.3"	64.3"	67.7"
Vertical Travel.....	8"	8"	8"	8"	8"
Overall Width.....	70.3"	70.3"	76.3"	76.3"	84.3"
Overall Height.....	26.5"	26.5"	26.5"	26.5"	26.5"
Overall Length.....	67.2"	67.2"	70.4"	70.4"	73.8"
Cutting Capacity .....	Brush material up to 3 in. in diameter for all models				

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (T140, T180, T190) (T450, T550, T590, T595)

**7234049 RC66 BRUSHCAT ROTARY CUTTER..... \$6,290.00**  
 (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")

(S160H, S175H, S185H, S205H) (S550H, S570H, S590H, S595H) (T180H, T190H) (T550H, T590H, T595H)

**7233014 RC66HF BRUSHCAT ROTARY CUTTER..... \$6,470.00**  
 (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")

(S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T180, T190) (A770)

**7218087 RC72 BRUSHCAT ROTARY CUTTER..... \$6,315.00**  
 (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")

(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (A770H)

**7233002 RC72HF BRUSHCAT ROTARY CUTTER..... \$6,725.00**  
 (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")

(S630H, S650H, S740H, S750H, S770H, S850H) (T630H, T650H, T740H, T750H, T770H, T870H) (A770H)

**7233092 RC80HF BRUSHCAT ROTARY CUTTER..... \$7,105.00**  
 (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")

# BRUSHCAT™ ROTARY CUTTER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*


<b>7242262</b>	<b>4" CUTTING HEIGHT BLADES KIT</b> .....PARTS (For 66" Rotary Cutter) (Includes (4) Blades and Mounting Hardware)		\$ _____
<b>7242263</b>	<b>4" CUTTING HEIGHT BLADES KIT</b> .....PARTS (For 72" Rotary Cutter) (Includes (4) Blades and Mounting Hardware)		\$ _____
<b>7242264</b>	<b>4" CUTTING HEIGHT BLADES KIT</b> .....PARTS (For 80" Rotary Cutter) (Includes (4) Blades and Mounting Hardware)		\$ _____
<b>7242261</b>	<b>FRONT ROLLER KIT</b> .....PARTS		\$ _____
<b>7244897</b>	<b>MOTOR COVER KIT</b> .....PARTS (Requires (8) bolts P/N 84G3716 to install the covers onto the Rotary Cutter) (Please see installation instructions on BASSII)		\$ _____

DESTINATION CHARGE/FUEL SURCHARGE
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Brushcat Rotary Cutter.....	None .....	-
Blade Kits.....	Install blades .....	1.5
Front Roller Kit.....	Install rollers .....	1.0
Motor Cover Kit.....	Install covers .....	0.5

# BUCKETS

## BOBCAT LOADER ATTACHMENT



PART NUMBER	ATTACHMENT DESCRIPTION	SAE HEAPED CAPACITY (FT <sup>3</sup> )	OPER. WGT.	SLP IN US \$
<b>(MT50, MT52, MT55, MT85)</b>				
6731520	36" CONSTR./IND. BUCKET ♦ (Not approved for use with 32" Utility Grapple, P/N 6728117)	4.0	167	\$525.00
7117432	36" DIRT BUCKET ♦ (Not approved for use with 32" Utility Grapple, P/N 6728117)	4.7	168	\$485.00
7117433	44" DIRT BUCKET ♦	5.8	188	\$515.00
7114488	36" GENERAL PURPOSE BUCKET ♦ (For use with 32" Utility Grapple, P/N 7125370)	6.0	185	\$530.00
7272912	BUCKET GP 36" CII, MT85 ♦ (For use with 32" Utility Grapple, P/N 7125370)	6.0	185	\$530.00
7114581	44" GENERAL PURPOSE BUCKET ♦ (For use with 32" Utility Grapple, P/N 7125370)	7.4	207	\$560.00
<b>(S70, MT85)</b>				
7117432	36" DIRT BUCKET ♦	4.7	168	\$485.00
7117433	44" DIRT BUCKET ♦	5.8	188	\$515.00
7114488	36" GENERAL PURPOSE BUCKET ♦	6.0	185	\$530.00
7114581	44" GENERAL PURPOSE BUCKET ♦	7.4	207	\$560.00
7272919	BUCKET GP 44" CII, MT85 ♦	7.4	207	\$560.00
7114583	50" GENERAL PURPOSE BUCKET ♦	8.5	223	\$585.00
<b>(S100)</b>				
7160274	50" CONSTR./IND. BUCKET ♦	9.6	353	\$880.00
7117434	50" DIRT BUCKET ♦	6.6	202	\$545.00
7114582	50" GENERAL PURPOSE BUCKET ♦	8.5	223	\$585.00
7161031	50" LOW PROFILE BUCKET ♦	11.1	405	\$920.00
7114584	56" GENERAL PURPOSE BUCKET ♦	9.4	239	\$645.00
<b>(T110)</b>				
7160274	50" CONSTR./IND. BUCKET ♦	9.6	353	\$880.00
7161031	50" LOW PROFILE BUCKET ♦	11.1	405	\$920.00

- △ Buckets have holes predrilled to accept bolt-on cutting edges.
- ♦ Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION	ATTACHMENT	SAE HEAPED CAPACITY (FT <sup>3</sup> )	OPER. WGT.	SLP IN US \$
<b>(S130)</b>					
6737399	56" CONSTR./IND.BUCKET ♦		10.8	385	\$880.00
6731403	62" CONSTR./IND.BUCKET ♦		12.7	465	\$940.00
6558681	60" FERTILIZER & GRAIN BUCKET Δ		16.6	358	\$820.00
7114584	56" GENERAL PURPOSE BUCKET ♦		9.4	239	\$645.00
7114585	62" GENERAL PURPOSE BUCKET ♦		10.5	257	\$680.00
7114586	68" GENERAL PURPOSE BUCKET ♦		11.6	274	\$695.00
7114587	74" GENERAL PURPOSE BUCKET ♦		12.7	290	\$740.00
7101903	56" LOW PROFILE BUCKET ♦		13.0	428	\$950.00
6731415	62" LOW PROFILE BUCKET ♦		14.5	483	\$870.00
7184103	68" SNOW & LIGHT MATERIAL BUCKET Δ		24.5	578	\$1,120.00
7184105	74" SNOW & LIGHT MATERIAL BUCKET Δ		26.8	620	\$1,185.00
<b>(S150, S160, S175, S185, S205)</b>					
6731403	62" CONSTR./IND.BUCKET ♦		12.7	465	\$940.00
6731406	68" CONSTR./IND.BUCKET ♦		14.0	470	\$970.00
7124426	68" CONSTR./IND.HEAVY DUTY BUCKET ♦		18.8	641	\$1,375.00
	(S175, S185, S205 only) (Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6731409	74" CONSTR./IND.BUCKET ♦		15.4	533	\$1,050.00
6558681	60" FERTILIZER & GRAIN BUCKET Δ		16.6	358	\$820.00
6706479	66" FERTILIZER & GRAIN BUCKET Δ		30.3	500	\$1,020.00
7114585	62" GENERAL PURPOSE BUCKET ♦		10.5	257	\$680.00
	(S150, S160, S175, S185 only)				
7114586	68" GENERAL PURPOSE BUCKET ♦		11.6	274	\$695.00
	(S150, S160, S175, S185 only)				
7114587	74" GENERAL PURPOSE BUCKET ♦		12.7	290	\$740.00
	(S150, S160, S175, S185 only)				
6731415	62" LOW PROFILE BUCKET ♦		14.5	483	\$870.00
6731418	68" LOW PROFILE BUCKET ♦		16.0	515	\$980.00
6731421	74" LOW PROFILE BUCKET ♦		17.6	533	\$1,065.00
7184103	68" SNOW & LIGHT MATERIAL BUCKET Δ		24.5	578	\$1,120.00
7184105	74" SNOW & LIGHT MATERIAL BUCKET Δ		26.9	609	\$1,185.00
7184110	80" SNOW & LIGHT MATERIAL BUCKET Δ		29.2	640	\$1,300.00
7184098	88" SNOW & LIGHT MATERIAL BUCKET Δ		32.4	681	\$1,385.00
	(S175, S185, S205 only)				

- Δ Buckets have holes predrilled to accept bolt-on cutting edges.  
 ♦ Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION	ATTACHMENT	SAE HEAPED CAPACITY (FT <sup>3</sup> )	OPER. WGT.	SLP IN US \$
<b>(S450)</b>					
7114584	56" GENERAL PURPOSE BUCKET ♦ .....		9.4	239	\$645.00
7114585	62" GENERAL PURPOSE BUCKET ♦ .....		10.5	257	\$680.00
7114586	68" GENERAL PURPOSE BUCKET ♦ .....		11.6	274	\$695.00
7114587	74" GENERAL PURPOSE BUCKET ♦ .....		12.7	290	\$740.00
6737399	56" CONSTR./IND.BUCKET ♦ .....		10.8	385	\$880.00
6731403	62" CONSTR./IND.BUCKET ♦ .....		12.7	465	\$940.00
6731406	68" CONSTR./IND.BUCKET ♦ .....		14.0	470	\$970.00
6557599	54" FERTILIZER & GRAIN BUCKET Δ .....		14.7	337	\$805.00
6558681	60" FERTILIZER & GRAIN BUCKET Δ .....		16.6	358	\$820.00
7101903	56" LOW PROFILE BUCKET ♦ .....		13.0	428	\$950.00
6731415	62" LOW PROFILE BUCKET ♦ .....		14.5	483	\$870.00
6731418	68" LOW PROFILE BUCKET ♦ .....		16.0	515	\$980.00
7184103	68" SNOW & LIGHT MATERIAL BUCKET Δ .....		24.5	578	\$1,120.00
7184105	74" SNOW & LIGHT MATERIAL BUCKET Δ .....		26.9	609	\$1,185.00
<b>(S510, S530, S550, S570, S590, S595)</b>					
6731403	62" CONSTR./IND.BUCKET ♦ .....		12.7	465	\$940.00
6731406	68" CONSTR./IND.BUCKET ♦ .....		14.0	470	\$970.00
7124426	68" CONSTR./IND.HEAVY DUTY BUCKET ♦ .....		18.8	641	\$1,375.00
	(Recommended for severe-duty use)				
	(Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6731409	74" CONSTR./IND.BUCKET ♦ .....		15.4	533	\$1,050.00
6558681	60" FERTILIZER & GRAIN BUCKET Δ .....		16.6	358	\$820.00
6706479	66" FERTILIZER & GRAIN BUCKET Δ .....		30.3	500	\$1,020.00
6706483	72" FERTILIZER & GRAIN BUCKET Δ .....		32.8	507	\$1,185.00
7114585	62" GENERAL PURPOSE BUCKET ♦ .....		10.5	257	\$680.00
	(S510, S530, S550, S570 only)				
7114586	68" GENERAL PURPOSE BUCKET ♦ .....		11.6	274	\$695.00
	(S510, S530, S550, S570 only)				
7114587	74" GENERAL PURPOSE BUCKET ♦ .....		12.7	290	\$740.00
	(S510, S530, S550, S570 only)				
6731415	62" LOW PROFILE BUCKET ♦ .....		14.5	483	\$870.00
6731418	68" LOW PROFILE BUCKET ♦ .....		16.0	515	\$980.00
6731421	74" LOW PROFILE BUCKET ♦ .....		17.6	533	\$1,065.00
7184103	68" SNOW & LIGHT MATERIAL BUCKET Δ .....		24.5	578	\$1,120.00
7184105	74" SNOW & LIGHT MATERIAL BUCKET Δ .....		26.9	609	\$1,185.00
7184110	80" SNOW & LIGHT MATERIAL BUCKET Δ .....		29.2	640	\$1,300.00
7184098	88" SNOW & LIGHT MATERIAL BUCKET Δ .....		32.4	681	\$1,385.00
	(S530, S550, S570, S590, S595 only)				

- Δ Buckets have holes predrilled to accept bolt-on cutting edges.  
 ♦ Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION	ATTACHMENT	SAE HEAPED CAPACITY (FT <sup>3</sup> )	OPER. WGT.	SLP IN US \$
<b>(S630, S650)</b>					
6731406	<b>68" CONSTR./IND.BUCKET</b> ♦ .....		<b>14.0</b>	<b>470</b>	<b>\$970.00</b>
	(For use with offset rims only)				
7124426	<b>68" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....		<b>18.8</b>	<b>641</b>	<b>\$1,375.00</b>
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6731409	<b>74" CONSTR./IND.BUCKET</b> ♦ .....		<b>15.4</b>	<b>533</b>	<b>\$1,050.00</b>
6732305	<b>74" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....		<b>20.5</b>	<b>681</b>	<b>\$1,425.00</b>
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6731412	<b>80" CONSTR./IND.BUCKET</b> ♦ .....		<b>16.7</b>	<b>565</b>	<b>\$1,145.00</b>
6726344	<b>80" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....		<b>22.4</b>	<b>732</b>	<b>\$1,535.00</b>
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
7125917	<b>84" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....		<b>23.6</b>	<b>758</b>	<b>\$1,610.00</b>
	(For use with S650 only) (Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6706479	<b>66" FERTILIZER &amp; GRAIN BUCKET</b> Δ .....		<b>30.3</b>	<b>500</b>	<b>\$1,020.00</b>
	(For use with offset rims only)				
6706483	<b>72" FERTILIZER &amp; GRAIN BUCKET</b> Δ .....		<b>32.8</b>	<b>507</b>	<b>\$1,185.00</b>
6731418	<b>68" LOW PROFILE BUCKET</b> ♦ .....		<b>16.0</b>	<b>515</b>	<b>\$980.00</b>
	(For use with offset rims only)				
6731421	<b>74" LOW PROFILE BUCKET</b> ♦ .....		<b>17.6</b>	<b>533</b>	<b>\$1,065.00</b>
6731424	<b>80" LOW PROFILE BUCKET</b> ♦ .....		<b>19.1</b>	<b>586</b>	<b>\$1,160.00</b>
7184103	<b>68" SNOW &amp; LIGHT MATERIAL BUCKET</b> Δ .....		<b>24.5</b>	<b>578</b>	<b>\$1,120.00</b>
	(For use with offset rims only)				
7184105	<b>74" SNOW &amp; LIGHT MATERIAL BUCKET</b> Δ .....		<b>26.9</b>	<b>609</b>	<b>\$1,185.00</b>
7184110	<b>80" SNOW &amp; LIGHT MATERIAL BUCKET</b> Δ .....		<b>29.2</b>	<b>640</b>	<b>\$1,300.00</b>
7184098	<b>88" SNOW &amp; LIGHT MATERIAL BUCKET</b> Δ .....		<b>32.4</b>	<b>681</b>	<b>\$1,385.00</b>

- Δ Buckets have holes predrilled to accept bolt-on cutting edges.  
 ♦ Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION	ATTACHMENT	SAE HEAPED CAPACITY (FT <sup>3</sup> )	OPER. WGT.	SLP IN US \$
<b>(S740, S750, S770)</b>					
6731406	68" CONSTR./IND.BUCKET ♦ (For use with offset rims only)		14.0	470	\$970.00
7124426	68" CONSTR./IND.HEAVY DUTY BUCKET ♦ (For use with offset rims only) (Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)		18.8	641	\$1,375.00
6731409	74" CONSTR./IND.BUCKET ♦		15.4	533	\$1,050.00
6732305	74" CONSTR./IND.HEAVY DUTY BUCKET ♦ (Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)		20.5	681	\$1,425.00
6731412	80" CONSTR./IND.BUCKET ♦		16.7	565	\$1,145.00
6726344	80" CONSTR./IND.HEAVY DUTY BUCKET ♦ (Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)		22.4	732	\$1,535.00
7125917	84" CONSTR./IND.HEAVY DUTY BUCKET ♦ (Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)		23.6	758	\$1,610.00
6726328	88" CONSTR./IND.HEAVY DUTY BUCKET ♦ (Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)		24.6	775	\$1,710.00
7173162	82" CONSTR./IND.SEVERE DUTY BUCKET ♦ (Recommended for severe-duty use)		22.8	844	\$1,905.00
7173161	88" CONSTR./IND.SEVERE DUTY BUCKET ♦ (Recommended for severe-duty use)		24.6	888	\$2,040.00
6706483	72" FERTILIZER & GRAIN BUCKET Δ		32.8	507	\$1,185.00
6731418	68" LOW PROFILE BUCKET ♦ (For use with offset rims only)		16.0	515	\$980.00
6731421	74" LOW PROFILE BUCKET ♦		17.6	533	\$1,065.00
6731424	80" LOW PROFILE BUCKET ♦		19.1	586	\$1,160.00
7184103	68" SNOW & LIGHT MATERIAL BUCKET Δ (For use with offset rims only)		24.5	578	\$1,120.00
7184105	74" SNOW & LIGHT MATERIAL BUCKET Δ		26.9	609	\$1,185.00
7184110	80" SNOW & LIGHT MATERIAL BUCKET Δ		29.2	640	\$1,300.00
7184098	88" SNOW & LIGHT MATERIAL BUCKET Δ		32.4	681	\$1,385.00
6727787	100" SNOW & LIGHT MATERIAL BUCKET ♦		54.2	878	\$1,805.00

- Δ Buckets have holes predrilled to accept bolt-on cutting edges.  
 ♦ Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION	ATTACHMENT	SAE HEAPED CAPACITY (FT <sup>3</sup> )	OPER. WGT.	SLP IN US \$
<b>(S850)</b>					
6726344	<b>80" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....	22.4	732		\$1,535.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
7125917	<b>84" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....	23.6	758		\$1,610.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6726328	<b>88" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....	24.6	775		\$1,710.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
7173162	<b>82" CONSTR./IND.SEVERE DUTY BUCKET</b> ♦ .....	22.8	844		\$1,905.00
	(Recommended for severe-duty use)				
7173161	<b>88" CONSTR./IND.SEVERE DUTY BUCKET</b> ♦ .....	24.6	888		\$2,040.00
	(Recommended for severe-duty use)				
7184110	<b>80" SNOW &amp; LIGHT MATERIAL BUCKET</b> Δ.....	29.2	640		\$1,300.00
7184098	<b>88" SNOW &amp; LIGHT MATERIAL BUCKET</b> Δ.....	32.4	681		\$1,385.00
6727787	<b>100" SNOW &amp; LIGHT MATERIAL BUCKET</b> ♦ .....	54.2	878		\$1,805.00
<b>(A770)</b>					
6731409	<b>74" CONSTR./IND.BUCKET</b> ♦ .....	15.4	533		\$1,050.00
6732305	<b>74" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....	20.5	681		\$1,425.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6731412	<b>80" CONSTR./IND.BUCKET</b> ♦ .....	16.7	565		\$1,145.00
6726344	<b>80" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....	22.4	732		\$1,535.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
7125917	<b>84" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....	23.6	758		\$1,610.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6726328	<b>88" CONSTR./IND.HEAVY DUTY BUCKET</b> ♦ .....	24.6	775		\$1,710.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
7173162	<b>82" CONSTR./IND.SEVERE DUTY BUCKET</b> ♦ .....	22.8	844		\$1,905.00
	(Recommended for severe-duty use)				
7173161	<b>88" CONSTR./IND.SEVERE DUTY BUCKET</b> ♦ .....	24.6	888		\$2,040.00
	(Recommended for severe-duty use)				
6706483	<b>72" FERTILIZER &amp; GRAIN BUCKET</b> Δ.....	32.8	507		\$1,185.00
6731421	<b>74" LOW PROFILE BUCKET</b> ♦ .....	17.6	533		\$1,065.00
6731424	<b>80" LOW PROFILE BUCKET</b> ♦ .....	19.1	586		\$1,160.00
7184105	<b>74" SNOW &amp; LIGHT MATERIAL BUCKET</b> Δ.....	26.9	609		\$1,185.00
7184110	<b>80" SNOW &amp; LIGHT MATERIAL BUCKET</b> Δ.....	29.2	640		\$1,300.00
7184098	<b>88" SNOW &amp; LIGHT MATERIAL BUCKET</b> Δ.....	32.4	681		\$1,385.00
6727787	<b>100" SNOW &amp; LIGHT MATERIAL BUCKET</b> ♦ .....	54.2	878		\$1,805.00

- Δ Buckets have holes predrilled to accept bolt-on cutting edges.  
♦ Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	ATTACHMENT DESCRIPTION	SAE HEAPED CAPACITY (FT <sup>3</sup> )	OPER. WGT.	SLP IN US \$
<b>(T140)</b>				
6737399	56" CONSTR./IND.BUCKET ♦ .....	10.8	385	\$880.00
6731403	62" CONSTR./IND.BUCKET ♦ .....	12.7	465	\$940.00
6557599	54" FERTILIZER & GRAIN BUCKET Δ .....	14.7	337	\$805.00
6558681	60" FERTILIZER & GRAIN BUCKET Δ .....	16.6	358	\$820.00
7101903	56" LOW PROFILE BUCKET ♦ .....	11.4	428	\$950.00
6731415	62" LOW PROFILE BUCKET ♦ .....	14.5	483	\$870.00
7184103	68" SNOW & LIGHT MATERIAL BUCKET Δ .....	24.5	578	\$1,120.00
7184105	74" SNOW & LIGHT MATERIAL BUCKET Δ .....	26.9	609	\$1,185.00
<b>(T180, T190)</b>				
6731406	68" CONSTR./IND.BUCKET ♦ .....	14.0	470	\$970.00
7124426	68" CONSTR./IND.HEAVY DUTY BUCKET ♦ .....	18.8	641	\$1,375.00
<small>(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)</small>				
6731409	74" CONSTR./IND.BUCKET ♦ .....	15.4	533	\$1,050.00
<small>(Must also order Side Edge Cutting kit p/n 6732093 when used with wide track option)</small>				
6732305	74" CONSTR./IND.HEAVY DUTY BUCKET ♦ .....	20.5	681	\$1,425.00
<small>(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)</small>				
6558681	60" FERTILIZER & GRAIN BUCKET Δ .....	16.6	358	\$820.00
6706479	66" FERTILIZER & GRAIN BUCKET Δ .....	30.3	500	\$1,020.00
6731415	62" LOW PROFILE BUCKET ♦ .....	14.5	483	\$870.00
6731418	68" LOW PROFILE BUCKET ♦ .....	16.0	515	\$980.00
6731421	74" LOW PROFILE BUCKET ♦ .....	17.6	533	\$1,065.00
<small>(Must also order Side Edge Cutting kit p/n 6732094 when used with wide track option)</small>				
7184103	68" SNOW & LIGHT MATERIAL BUCKET Δ .....	24.5	578	\$1,120.00
7184105	74" SNOW & LIGHT MATERIAL BUCKET Δ .....	26.9	609	\$1,185.00
7184110	80" SNOW & LIGHT MATERIAL BUCKET Δ .....	29.2	640	\$1,300.00
7184098	88" SNOW & LIGHT MATERIAL BUCKET Δ .....	32.4	681	\$1,385.00
<b>(T450)</b>				
6737399	56" CONSTR./IND.BUCKET ♦ .....	10.8	385	\$880.00
6731403	62" CONSTR./IND.BUCKET ♦ .....	12.7	465	\$940.00
6731406	68" CONSTR./IND.BUCKET ♦ .....	14.0	470	\$950.00
6557599	54" FERTILIZER & GRAIN BUCKET Δ .....	14.7	337	\$805.00
6558681	60" FERTILIZER & GRAIN BUCKET Δ .....	16.6	358	\$820.00
7101903	56" LOW PROFILE BUCKET ♦ .....	13.0	428	\$933.00
6731415	62" LOW PROFILE BUCKET ♦ .....	14.5	483	\$853.00
6731418	68" LOW PROFILE BUCKET ♦ .....	16.0	515	\$963.00
7184103	68" SNOW & LIGHT MATERIAL BUCKET Δ .....	24.5	578	\$1,098.00
7184105	74" SNOW & LIGHT MATERIAL BUCKET Δ .....	26.9	609	\$1,162.00

# BUCKETS

## BOBCAT LOADER ATTACHMENT

(T550, T590, T595)

<b>6731406</b>	<b>68" CONSTR./IND.BUCKET ♦</b> .....	<b>14.0</b>	<b>470</b>	<b>\$970.00</b>
<b>7124426</b>	<b>68" CONSTR./IND.HEAVY DUTY BUCKET ♦</b> .....	<b>18.8</b>	<b>641</b>	<b>\$1,375.00</b>
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)			
<b>6731409</b>	<b>74" CONSTR./IND.BUCKET ♦</b> .....	<b>15.4</b>	<b>533</b>	<b>\$1,050.00</b>
	(Must also order Side Edge Cutting kit p/n 6732093 when used with wide track option)			
<b>6732305</b>	<b>74" CONSTR./IND.HEAVY DUTY BUCKET ♦</b> .....	<b>20.5</b>	<b>681</b>	<b>\$1,425.00</b>
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)			
<b>6706479</b>	<b>66" FERTILIZER &amp; GRAIN BUCKET Δ</b> .....	<b>30.3</b>	<b>500</b>	<b>\$1,020.00</b>
<b>6706483</b>	<b>72" FERTILIZER &amp; GRAIN BUCKET Δ</b> .....	<b>32.8</b>	<b>507</b>	<b>\$1,185.00</b>
<b>6731418</b>	<b>68" LOW PROFILE BUCKET ♦</b> .....	<b>16.0</b>	<b>515</b>	<b>\$980.00</b>
<b>6731421</b>	<b>74" LOW PROFILE BUCKET ♦</b> .....	<b>17.6</b>	<b>533</b>	<b>\$1,065.00</b>
	(Must also order Side Edge Cutting kit p/n 6732094 when used with wide track option)			
<b>7184103</b>	<b>68" SNOW &amp; LIGHT MATERIAL BUCKET Δ</b> .....	<b>24.5</b>	<b>578</b>	<b>\$1,120.00</b>
<b>7184105</b>	<b>74" SNOW &amp; LIGHT MATERIAL BUCKET Δ</b> .....	<b>26.9</b>	<b>609</b>	<b>\$1,185.00</b>
<b>7184110</b>	<b>80" SNOW &amp; LIGHT MATERIAL BUCKET Δ</b> .....	<b>29.2</b>	<b>640</b>	<b>\$1,300.00</b>
<b>7184098</b>	<b>88" SNOW &amp; LIGHT MATERIAL BUCKET Δ</b> .....	<b>32.4</b>	<b>681</b>	<b>\$1,385.00</b>

- Δ Buckets have holes predrilled to accept bolt-on cutting edges.
- ♦ Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION	ATTACHMENT	SAE HEAPED CAPACITY (FT <sup>3</sup> )	OPER. WGT.	SLP IN US \$
<b>(T630, T650)</b>					
6731409	74" CONSTR./IND.BUCKET ♦		15.4	533	\$1,050.00
	(Must also order Side Edge Cutting kit p/n 6732093 when used with wide track option)				
6732305	74" CONSTR./IND.HEAVY DUTY BUCKET ♦		20.5	681	\$1,425.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6731412	80" CONSTR./IND.BUCKET ♦		16.7	565	\$1,145.00
6726344	80" CONSTR./IND.HEAVY DUTY BUCKET ♦		22.4	732	\$1,535.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
7125917	84" CONSTR./IND.HEAVY DUTY BUCKET ♦		23.6	758	\$1,610.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6706483	72" FERTILIZER & GRAIN BUCKET Δ		32.8	507	\$1,185.00
6731421	74" LOW PROFILE BUCKET ♦		17.6	533	\$1,065.00
	(Must also order Side Edge Cutting kit p/n 6732094 when used with wide track option)				
6731424	80" LOW PROFILE BUCKET ♦		19.1	586	\$1,160.00
7184105	74" SNOW & LIGHT MATERIAL BUCKET Δ		26.9	609	\$1,185.00
7184110	80" SNOW & LIGHT MATERIAL BUCKET Δ		29.2	640	\$1,300.00
7184098	88" SNOW & LIGHT MATERIAL BUCKET Δ		32.4	681	\$1,385.00
<b>(T740, T750, T770)</b>					
6732305	74" CONSTR./IND.HEAVY DUTY BUCKET ♦		20.5	681	\$1,425.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6726344	80" CONSTR./IND.HEAVY DUTY BUCKET ♦		22.4	732	\$1,535.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
7125917	84" CONSTR./IND.HEAVY DUTY BUCKET ♦		23.6	758	\$1,610.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
6726328	88" CONSTR./IND.HEAVY DUTY BUCKET ♦		24.6	775	\$1,710.00
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
7173162	82" CONSTR./IND.SEVERE DUTY BUCKET ♦		22.8	844	\$1,905.00
	(Recommended for severe-duty use)				
7173161	88" CONSTR./IND.SEVERE DUTY BUCKET ♦		24.6	888	\$2,040.00
	(Recommended for severe-duty use)				
6706483	72" FERTILIZER & GRAIN BUCKET Δ		32.8	507	\$1,185.00
	(For use with narrow track only)				
7184110	80" SNOW & LIGHT MATERIAL BUCKET Δ		29.2	640	\$1,300.00
7184098	88" SNOW & LIGHT MATERIAL BUCKET Δ		32.4	681	\$1,385.00
6727787	100" SNOW & LIGHT MATERIAL BUCKET ♦		54.2	878	\$1,805.00

- Δ Buckets have holes predrilled to accept bolt-on cutting edges.
- ♦ Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION	ATTACHMENT	SAE HEAPED CAPACITY (FT <sup>3</sup> )	OPER. WGT.	SLP IN US \$
<b>(T870)</b>					
<b>7125917</b>	<b>84" CONSTR./IND.HEAVY DUTY BUCKET ♦</b> .....		<b>23.6</b>	<b>758</b>	<b>\$1,610.00</b>
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
<b>6726328</b>	<b>88" CONSTR./IND.HEAVY DUTY BUCKET ♦</b> .....		<b>24.6</b>	<b>775</b>	<b>\$1,710.00</b>
	(Recommended for severe-duty use) (Not approved for use with the 55" Farm Grapple, P/N 7176977)				
<b>7173161</b>	<b>88" CONSTR./IND.SEVERE DUTY BUCKET ♦</b> .....		<b>24.6</b>	<b>888</b>	<b>\$2,040.00</b>
	(Recommended for severe-duty use)				
<b>7184098</b>	<b>88" SNOW &amp; LIGHT MATERIAL BUCKET Δ</b> .....		<b>32.4</b>	<b>681</b>	<b>\$1,385.00</b>
<b>6727787</b>	<b>100" SNOW &amp; LIGHT MATERIAL BUCKET ♦</b> .....		<b>54.2</b>	<b>878</b>	<b>\$1,805.00</b>

- Δ Buckets have holes predrilled to accept bolt-on cutting edges.  
 ♦ Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### Accessories for Roundback Buckets

*Used with all buckets that have the ♦ symbol*

6728247	<b>7 BOLT-ON TEETH KIT, 36" MINI C/I, 36"-74" DIRT &amp; GP.....PARTS</b> \$ _____ (1-Piece Bolt-on Tooth Shank) (Hardware included) (When quoting, must use multiple of 7: 7x\$13.23=\$92.61)	
6737322	<b>8 BOLT-ON TEETH KIT, C/I, HD C/I &amp; LOW PROFILE.....PARTS</b> \$ _____ (Must purchase multiple of 8: 8x\$27.85=\$222.80) (Tooth Assembly includes Bolt-on Shank with Pin-on Tooth) (Hardware included)	
7173896	<b>8 BOLT-ON TEETH KIT, SD C/I.....PARTS</b> \$ _____ (Must purchase multiple of 8: 8x\$27.51=\$220.08) (Tooth Assembly includes Bolt-on Shank with Pin-on Tooth) (Hardware included)	
7107319	<b>STANDARD FORGED TOOTH POINT .....</b> PARTS \$ _____ (Replacement Pin-on Tooth Point for S130-T320 Buckets) (Qty. 1)	
7107317	<b>HENSLEY FORGED TOOTH POINT.....PARTS</b> \$ _____ (Replacement Pin-on Tooth Point for S130-T320, S630-T870 Buckets) (Qty. 1)	
7107320	<b>HENSLEY TIGER TOOTH POINT.....PARTS</b> \$ _____ (Replacement Pin-on Tooth Point for S130- T320, S630-T870 Buckets) (Qty. 1) (It is recommended that the Hensley Twin Tiger Tooth Point (p/n 6671148) be used at each end of the bucket when using the tiger tooth points)	
7107321	<b>HENSLEY TWIN TIGER TOOTH POINT.....PARTS</b> \$ _____ (Replacement Pin-on Tooth Point for S130- T320, S630-T870 Buckets) (Qty. 1)	
6729042	<b>BOLT-ON CUTTING EDGE, 36".....PARTS</b> \$ _____ (For 36" C/I, GP, Dirt Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
6729043	<b>BOLT-ON CUTTING EDGE, 44".....PARTS</b> \$ _____ (For 44" Dirt/GP Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
7104502	<b>BOLT-ON CUTTING EDGE, 50".....PARTS</b> \$ _____ (For 50" Dirt/GP Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
7160267	<b>BOLT-ON CUTTING EDGE, 50".....PARTS</b> \$ _____ (For 50" C/I, Low Pro Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
6661451	<b>BOLT-ON CUTTING EDGE, 54".....PARTS</b> \$ _____ (For C/I, Dirt, Fertilizer, Utility Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
7125269	<b>BOLT-ON CUTTING EDGE, 56".....PARTS</b> \$ _____ (For 56" GP Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
7102450	<b>BOLT-ON CUTTING EDGE, 56".....PARTS</b> \$ _____ (For 56" C/I, Low Pro Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
6718005	<b>BOLT-ON CUTTING EDGE, 62".....PARTS</b> \$ _____ (For 62" C/I, Low Pro, Combo Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
6732406	<b>BOLT-ON CUTTING EDGE, 62".....PARTS</b> \$ _____ (For 62" GP Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
6718006	<b>BOLT-ON CUTTING EDGE, 68".....PARTS</b> \$ _____ (For 68" C/I, C/I HD, Low Pro, Snow, Combo Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
7104508	<b>BOLT-ON CUTTING EDGE, 68".....PARTS</b> \$ _____ (For 68" GP Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
6713713	<b>BOLT-ON CUTTING EDGE, 72".....PARTS</b> \$ _____ (For 72" Fertilizer/Grain Bucket) (Hardware not included) (Estimated Install Time 1.5 hours)	
6718007	<b>BOLT-ON CUTTING EDGE, 74".....PARTS</b> \$ _____ (For 74" C/I, C/I HD, Low Pro, Snow, Combo Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
7104510	<b>BOLT-ON CUTTING EDGE, 74".....PARTS</b> \$ _____ (For 74" GP Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	
6718008	<b>BOLT-ON CUTTING EDGE, 80".....PARTS</b> \$ _____ (For 80" C/I, C/I HD, Low Pro, Snow, Combo Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	

# BUCKETS

## BOBCAT LOADER ATTACHMENT

### PART DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS

**NUMBER DESCRIPTION**

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

*Used with all buckets that have the ♦ symbol*

7172352	* <b>BOLT-ON CUTTING EDGE, 82"</b> .....PARTS \$ _____ (For 82" C/I SD Bucket) (Hardware not included) (Estimated Install Time 1.5 hours)
7125924	<b>BOLT-ON CUTTING EDGE, 84"</b> .....PARTS \$ _____ (For 84" C/I HD Bucket) (Hardware not included) (Estimated Install Time 1.5 hours)
6727317	* <b>BOLT-ON CUTTING EDGE, 88"</b> .....PARTS \$ _____ (For 88" C/I HD, C/I SD, Snow Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)
6715464	<b>BOLT-ON CUTTING EDGE, 100"</b> .....PARTS \$ _____ (For 100" Snow Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)
<b>*FOR SEVERE DUTY BUCKETS: Order Bolt 95G1040 and Nut 57D10. Qty 16 for 82" and Qty 18 for 88"</b>	
6719407	<b>BOLT-ON CORNER CUTTING EDGE</b> .....PARTS \$ _____ (3/4" thick single bevel, threaded cutting edge. Does not require nut) (Must order a quantity of 2) (Hardware not included—must order P/N 1C816, quantity 4)
6805464	<b>BOLT-ON CORNER CUTTING EDGE</b> .....PARTS \$ _____ (5/8" thick double bevel cutting edge) (Must order a quantity of 2) (Hardware not included—must order P/N 39C000828B, quantity 4 and 97D8, quantity 4)
6732093	<b>BOLT-ON SIDE CUTTING EDGE KIT</b> .....PARTS \$ _____ (For 74" C/I Bucket when used with T180/T190 wide track option) (Beveled) (Hardware included)
6732094	<b>BOLT-ON SIDE CUTTING EDGE KIT</b> .....PARTS \$ _____ (For 74" Low Profile Bucket when used with T180/T190 wide track option) (Beveled) (Hardware included)
6732415	<b>BOLT-ON SIDE CUTTING EDGE KIT</b> .....PARTS \$ _____ (For 74" – 88" Heavy Duty C/I Buckets) (Beveled) (Hardware included)
6729085	<b>BOLT-ON SIDE GUARD KIT</b> .....PARTS \$ _____ (For S70 C/I Buckets) (Hardware included) (Extends bucket sideplates)
6729086	<b>BOLT-ON SIDE GUARD KIT</b> .....PARTS \$ _____ (For S70 Utility Buckets) (Hardware included) (Extends bucket sideplates.)
6725980	<b>BOLT-ON SIDE GUARD KIT</b> .....PARTS \$ _____ (For 54" – 80" C/I Buckets) (Hardware included) (Changes C/I Bucket Profile to Utility Profile) (Changes C/I Bucket Profile to Utility Profile)
6728353	<b>BOLT-ON SIDE GUARD KIT</b> .....PARTS \$ _____ (For 74" – 88" Heavy Duty C/I Buckets) (Hardware included) (Changes C/I Bucket Profile to Utility Profile)
6725981	<b>BOLT-ON SIDE GUARD KIT</b> .....PARTS \$ _____ (For 62" – 80" Low Profile Buckets) (Hardware included) (Changes Low Profile Bucket to Utility Profile)
6727778	<b>BOLT-ON SIDE GUARD KIT</b> .....PARTS \$ _____ (For 74" – 88" Snow Buckets) (Hardware included) (Changes Snow Bucket Profile to Utility Profile)
6729325	<b>BOLT-ON SIDE GUARD KIT</b> .....PARTS \$ _____ (For 100" Snow Buckets) (Hardware included) (Changes Snow Bucket Profile to Utility Profile)
7125270	<b>SIDE UTILITY PLATE KIT</b> .....PARTS \$ _____ (For 36" – 50" Dirt Buckets)
7104358	<b>SIDE UTILITY PLATE KIT</b> .....PARTS \$ _____ (For 36" – 74" General Purpose Buckets)

# BUCKETS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	DESCRIPTION
-------------	-------------------------------------------------	-------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

6725979	<b>SPILL GUARD KIT</b> .....PARTS \$ _____ (For C/I, Fertilizer, Low Profile Buckets) (Includes two 15.5" Spill Guards and Hardware) (Protects tilt cylinders and Bob-Tach pivot point area from debris)	
7196474	<b>BUCKET SPILL GUARD, STANDARD</b> .....ORDER FROM SALES (For 62 - 80" Low Profile, 62 - 80" C/I, 74 - 88" HD C/I, 68 - 100" Snow & Light Material Buckets) (Includes a see through 44" Spill Guard and Hardware) (Protects the operator, cab, tilt cylinders and Bob-Tach pivot area from debris)	
7196475	<b>BUCKET SPILL GUARD, SEVERE DUTY</b> .....ORDER FROM SALES (For 82" & 88" SD C/I Buckets) (Includes a see through 44" Spill Guard and Hardware) (Protects the operator, cab, tilt cylinders and Bob-Tach pivot area from debris)	

### Bucket Bite™ Tooth Bars for Current C/I, Dirt, GP & Low Profile Buckets

*Not for use with Heavy Duty C/I Buckets*

7115543	<b>BUCKET BITE TOOTH BAR, 44"</b> .....PARTS \$ _____	
7125548	<b>BUCKET BITE TOOTH BAR, 44" GENERAL PURPOSE/DIRT</b> .....PARTS \$ _____	
6905521	<b>BUCKET BITE TOOTH BAR, 48" (FITS 50" LP)</b> .....PARTS \$ _____	
7125549	<b>BUCKET BITE TOOTH BAR, 50" GENERAL PURPOSE/DIRT</b> .....PARTS \$ _____	
6905522	<b>BUCKET BITE TOOTH BAR, 54"</b> .....PARTS \$ _____	
7125550	<b>BUCKET BITE TOOTH BAR, 56"</b> .....PARTS \$ _____	
6905523	<b>BUCKET BITE TOOTH BAR, 60"</b> .....PARTS \$ _____	
6905314	<b>BUCKET BITE TOOTH BAR, 62"</b> .....PARTS \$ _____	
6905315	<b>BUCKET BITE TOOTH BAR, 66" &amp; 68"</b> .....PARTS \$ _____	
6905316	<b>BUCKET BITE TOOTH BAR, 72" &amp; 74"</b> .....PARTS \$ _____	
6905526	<b>BUCKET BITE TOOTH BAR, 78"</b> .....PARTS \$ _____	
6905317	<b>BUCKET BITE TOOTH BAR, 80"</b> .....PARTS \$ _____	
7243845	<b>BUCKET BITE TOOTH BAR, 62" (FOR BOLT-ON CUTTING EDGE)</b> .....PARTS \$ _____ (Not for use with Heavy Duty C/I Buckets)	
7243844	<b>BUCKET BITE TOOTH BAR, 68" (FOR BOLT-ON CUTTING EDGE)</b> .....PARTS \$ _____ (Not for use with Heavy Duty C/I Buckets)	
7243843	<b>BUCKET BITE TOOTH BAR, 74" (FOR BOLT-ON CUTTING EDGE)</b> .....PARTS \$ _____ (Not for use with Heavy Duty C/I Buckets)	
7243842	<b>BUCKET BITE TOOTH BAR, 80" (FOR BOLT-ON CUTTING EDGE)</b> .....PARTS \$ _____ (Not for use with Heavy Duty C/I Buckets)	

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	DESCRIPTION	SLP IN US \$
-------------	-------------------------------------------------	-------------	--------------

6728241	<b>PUSH BROOM, 90": 1 left in Inventory</b> ..... \$1,535.00 (Quick attaches to 68", 74" and 80" C/I, General Purpose and Low Profile Buckets with 2 spring loaded pins)	
	<b>SAVE 10% \$1,380.00</b>	

# BUCKETS

## BOBCAT LOADER ATTACHMENT

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Whiskers .....	Pin to bucket.....	0.5
Teeth .....	Bolt to bucket.....	0.5
Bucket Bite .....	Bolt to bucket.....	0.5
Spill Guard .....	Bolt to bucket.....	0.25
Side Guard .....	Bolt to bucket.....	0.25
Corner Cutting Edge .....	Bolt to bucket.....	0.25
Cutting Edge .....	Bolt to bucket.....	0.5
Bucket Adapter .....	Install on bucket.....	0.25
Bucket Mounting Kit.....	Remove existing mount, weld on new mount.....	2.0

# BUCKET SPILL GUARD

## BOBCAT LOADER ATTACHMENT

### QUICK SPECS

	<u>Standard</u>	<u>Severe Duty</u>
Operating Weight .....	26 lbs.	26 lbs.
Overall Width.....	59.75"	59.75"
Width (Spill Guard).....	44"	44"
Overall Height.....	22.5"	22.5"

PART		ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION		
<b>(62 - 80" LOW PROFILE BUCKET) (62 - 80" CONSTR./IND.BUCKET)</b>			
<b>(74 - 88" CONSTR./IND. HEAVY DUTY BUCKET) (68 - 100" SNOW &amp; LIGHT MATERIAL BUCKET)</b>			
<b>7196474</b>	<b>BUCKET SPILL GUARD, STANDARD.....</b> <small>(Protects the operator, cab, tilt cylinders and Bob-Tach pivot area) (Includes a see through 44" Spill Guard and Hardware)</small>		<b>\$245.00</b>
<b>(82" &amp; 88" CONSTR./IND. SEVERE DUTY BUCKET)</b>			
<b>7196475</b>	<b>BUCKET SPILL GUARD, SEVERE DUTY.....</b> <small>(Protects the operator, cab, tilt cylinders and Bob-Tach pivot area) (Includes a see through 44" Spill Guard and Hardware)</small>		<b>\$250.00</b>


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.


ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Bucket Spill Guard .....	Install on bucket.....	<b>1.0</b>

# CHIPPER

## BOBCAT LOADER ATTACHMENT



*5A Chipper*



*8B Chipper*

### QUICK SPECS

	<u>5A</u>	<u>8B</u>
Operating Weight .....	1145 lbs.	1660 lbs.
Feeder Opening .....	5"	9.2"
Continuous Chipping Size .....	Up to 3" diameter material	Up to 5" diameter material
Feed Table Height .....	23.5"	25.4"
Discharge Chute Height .....	92"	93.3"
Blades .....	4 reversible tool steel blades	4 reversible tool steel blades
Dual Mounting Locations.....	Front or right side of loader	Front or right side of loader
Discharge Chute (Incl. End Deflector).	Rotates 360°	Rotates 360°

Both chippers have automatic hydraulic feed, which includes speed control and load sensing system.

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850)(A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)

**6719129**      **5A CHIPPER**..... **\$9,690.00**  
(Loader must be equipped with an Attachment Control Kit – See Page 1)  
 (Attachment includes a 7-pin harness only) (Approved G-Series and newer Loaders only)

(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H)

**7117662**      **8B CHIPPER**..... **\$12,190.00**  
(Loader must be equipped with an 7-Pin Attachment Control Kit – See Page 1)  
 (Approved G-Series and new Loaders only)

**Note:**    5A Chipper must be installed on 700-800 Series BICS Loaders. Will not function on non-BICS loaders, 953s or 963s. 700-800 Series Loaders prior to G-Series need a Remote Attachment Control Kit, P/N 6716566  
 8B Chipper must be installed on G-Series and new loaders only

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Chipper .....	Install discharge chute .....	.25
Attachment Control Kit .....		See Page 1

# COMBINATION BUCKET

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>62"</u>	<u>68"</u>	<u>74"</u>	<u>80"</u>	<u>84"</u>
Operating Weight .....	807 lbs.	852 lbs.	898 lbs.	1075 lbs.	1109 lbs.
Overall Width.....	62.5"	68.5"	74.5"	81.4"	85.4"
SAE Capacity Heaped..	10.7 ft <sup>3</sup>	11.8 ft <sup>3</sup>	13.4 ft <sup>3</sup>	18.3 ft <sup>3</sup>	19.3 ft <sup>3</sup>
Number of Teeth.....	7 bolt-on	7 bolt-on	8 bolt-on	8 bolt-on	9 bolt-on
Cutting Edges .....	62-84" include Bolt-On Cutting Edge on Dozer & back of Clamshell				

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

(S130, S150\*, S160\*, S175\*, S185\*) (S450, S510\*, S530\*, S550\*, S570\*, S590\*, S595\*) (T140)  
(T450)

**7167310      62" COMBINATION BUCKET .....**      **\$3,040.00**  
(Bolt-on Teeth are available from Bobcat Parts)

(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595) (S630\*, S650\*, S740\*, S750\*, S770\*)

(T180, T190) (T550, T590, T595)

**7167311      68" COMBINATION BUCKET .....**      **\$3,235.00**  
(Bolt-on Teeth are available from Bobcat Parts)

(S150, S160, S175, S185, S205) (S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770)  
(T180, T190) (T550, T590, T595, T630, T650)

**7167312      74" COMBINATION BUCKET .....**      **\$3,410.00**  
(Bolt-on Teeth are available from Bobcat Parts)

(S630, S650, S740, S750, S770) (A770) (T630, T650, T740, T750, T770)

**7167313      80" COMBINATION BUCKET .....**      **\$4,080.00**  
(Bolt-on Teeth are available from Bobcat Parts)

(S740, S750, S770) (A770) (T650, T740, T750, T770)

**7167314      84" COMBINATION BUCKET .....**      **\$4,565.00**  
(Bolt-on Teeth are available from Bobcat Parts)

**\*REQUIRES INSET RIMS**

# COMBINATION BUCKET

## BOBCAT LOADER ATTACHMENT

- Note:** Combination Buckets are not approved for use with the Tilt-Tatch.
- Note:** Combination Buckets may interfere with tracks at extreme roll-back position on some loaders. Use of lift-arm stop is required if this occurs.
- Note:** It is recommended that a port relief be installed for use with the Combination Buckets except when used on a 463, S70, S100, T100 or MT. Installation instructions are included in the Operation Manual. Order the following from Bobcat Parts.
- 6684646 Port relief (4000 psi) – for M-Series loaders, S450/T450 and larger
  - 6684645 Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
  - 6678574 Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004
- Note:** Older loaders listed below will require the following parts, which must be ordered separately from Bobcat Parts.
- 6513594 Port Relief (for 740s with Gresen Valve)
  - 6514641 Port Relief (for 843s with Cessna Valve)
  - 6658127 Check Valve (for 853s with Apitech Valve)

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

<b>6728247</b>	<b>7 BOLT-ON TEETH KIT .....</b> PARTS \$ _____ (For 44" Combination Bucket) (1-Piece Bolt-on Tooth Shank) (Hardware included) (When quoting, must use multiple of 7, for example: 7 x \$11.34=\$79.38)
<b>6737322</b>	<b>8 BOLT-ON TEETH KIT .....</b> PARTS \$ _____ (For 62" to 84" Combination Buckets) (Must purchase multiple of 8, for example: 8 x \$25.51=\$204.08) (Tooth Assembly includes Bolt-on Shank with Pin-on Tooth) (Hardware included)
<b>7107317</b>	<b>HENSLEY FORGED TOOTH POINT.....</b> PARTS \$ _____ (Qty. 1)
<b>7107320</b>	<b>HENSLEY TIGER TOOTH POINT.....</b> PARTS \$ _____ (Qty. 1)
<b>7107321</b>	<b>HENSLEY TWIN TIGER TOOTH POINT .....</b> PARTS \$ _____ (Qty. 1)
<b>6718005</b>	<b>BOLT-ON CUTTING EDGE, 62".....</b> PARTS \$ _____ (Estimated install time 1.5 hours)
<b>6718006</b>	<b>BOLT-ON CUTTING EDGE, 68".....</b> PARTS \$ _____ (Estimated install time 1.5 hours)
<b>6718007</b>	<b>BOLT-ON CUTTING EDGE, 74".....</b> PARTS \$ _____ (Estimated install time 1.5 hours)
<b>6718008</b>	<b>BOLT-ON CUTTING EDGE, 80".....</b> PARTS \$ _____ (Hardware not included) (Estimated install time 1.5 hours)
<b>6807069</b>	<b>BOLT-ON CUTTING EDGE, 84".....</b> PARTS \$ _____ (Hardware not included) (Estimated install time 1.5 hours)


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Combination Bucket.....	Install port relief & restrictor on loader.....	<b>0.75</b>

# CONCRETE MIXER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<b><u>M-Series Compatible</u></b>
Operating Weight .....	440 lbs.
Length.....	43.16"
Width.....	45.20"
Height.....	40.12"
Recommended Drum Speed.....	20 RPM @ 11 gpm
Capacity .....	6.90 cu. ft.
Rotation.....	Bi-rotational
Chain.....	#50 standard roller

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S175, S185, S205, S220, S250, S300, S330)

(S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A300) (A770)

(T180, T190, T250, T300, T320) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)

**7186695 M-SERIES COMPATIBLE CONCRETE MIXER..... \$4,050.00**

(Loader must be equipped with a 7-pin Attachment Control Kit. – See Page 1 and 2)

(Attachment will not operate on competitive machines or 14-pin loaders)

(Attachment includes a 7-Pin Harness only)

**Note:** Concrete Mixer needs to be installed on BICS Loaders. Concrete Mixer will not function on non-BICS loaders, 953s or 963.

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.


ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Concrete Mixer.....None .....

Attachment Control Kit..... See Page 1

# CONCRETE PUMP

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight .....	2200 lbs.	Concrete Cylinder Diameter.....	6.0"
Length.....	102.9"	Concrete Cylinder Stroke.....	24.0"
Width.....	47.9"	Swing Tube Diameter.....	5.0"
Height.....	54.9"	Concrete Placement.....	30 cu. yards/hour*
Hydraulic Flow Range....	15 - 40 GPM	Maximum Concrete Pressure .....	750 psi
Hopper Capacity .....	10 cu. ft.	Maximum Aggregate Size.....	1.5" or less

\*Volume output will vary depending on mix design, slump, linesize, job site conditions and the loader's auxiliary hydraulic flow. Choose a high flow loader for optimum performance.

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S185, S185H, S205, S205H) (S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H, S850, S850H) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H, T870, T870H)

**7108693 CONCRETE PUMP .....** **\$24,100.00**  
 (Loader must be equipped with an Attachment Control Kit – See Page 1 and 2)  
 (Attachment includes a 7-Pin Harness only)  
 (May also need Delivery System Kit-unless customer has this equipment)

**Note:** Concrete Pump needs to be installed on 700-800, S185-S300, A220-A300, T180-T300 G-Series or newer BICS Loaders or 963 G-Series, will not function on F-Series or non-BICS loaders, 953s or 963 C-Series.

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
-------------	-------------------------------------------------------------	--------------

**6906079 DELIVERY SYSTEM KIT.....** **\$4,770.00**  
 (Includes 5" elbow, 5" to 3" reducer, (3) 25 ft. sections of 3" flexible hose, 3" x 6' flexible hose, (3) 3" x 10' steel lines, (2) 5" couplings, (8) 3" couplings, 3" cleanout ball)  
 (Ship Weight 640 lbs.)

**6906813 REMOTE CONTROL KIT .....** **\$1,910.00**  
 (The hand held transmitter runs all functions of the Concrete Pump within a range of 200-400 feet from the pump.) (Ship Weight 8 lbs.)

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------


**Concrete Pump.....Mount remote attachment start box .....** **0.5**  
**Remote Control Kit.....Install Remote Control kit .....** **1.0**  
**Attachment Control Kit .....** **See Page 1**

Prices and Specifications **Loader Attachments** North American Suggested List Prices  
 Subject to Change Without Notice All Prices in U.S. Dollars 2016 Price Book

Check BobcatNET Pricing Homepage for current Canadian exchange rate. Page 57 of 147

# DIGGER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>12S</u>	<u>25"</u>	<u>30"</u>	<u>36"</u>
Operating Weight .....	200 lbs.	290 lbs.	307 lbs.	325 lbs.
Dig Depth.....	27"	48"	48"	48"

PART NUMBER	DESCRIPTION	SLP IN US \$
<b>(MT50, MT52, MT55, MT85) (S70)</b>		
7100915	12S DIGGER.....	\$790.00
<b>(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595)</b>		
6719756	25" DIGGER.....	\$1,020.00
6719757	30" DIGGER.....	\$1,075.00
6719758	36" DIGGER.....	\$1,120.00

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.


### ASSEMBLY REQUIRED

INSTALLATION  
TIME (HOURS)

Digger.....None .....	-
-----------------------	---

# DOZER BLADE

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>54"</u>	<u>68"</u>	<u>80"</u>	<u>90"</u>	<u>96"</u>
Operating Weight .....	310 lbs.	900 lbs.	950 lbs.	987 lbs.	1580 lbs.
Width.....	54"	68"	80"	90"	96"
Width (Fully Angled).....	46.8"	58.9"	69.3"	78"	83.5"
Blade Height .....	20.0"	24"	24"	24"	25.2"
Overall Height.....	21.9"	28.2"	27.6"	27.6"	27.7"
Length.....	28.7"	31.8"	31.8"	31.8"	34.8"
Oscillation .....	0°	± 8°	± 8°	± 8°	± 10°
Angle.....	± 30°	± 30°	± 30°	± 30°	± 30°
Cutting Edge (reversible) ..	0.38" x 4"	0.5" x 6"	0.5" x 6"	0.5" x 6"	0.63" x 6"
Cylinders.....	1	3	3	3	3
Skid Shoes.....	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

(MT50, MT52, MT55, MT85) (S70)

**7196165**     **54" UTILITY BLADE (WITH HYDRAULIC ANGLE)** .....     **\$1,515.00**  
 (To be used as either a Snow Blade or a Dozer Blade)

(S130) (T140) (S450) (T450)

**7106089**     **68" DOZER BLADE: 1 left in Inventory**.....     **\$4,295.00**  
 (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2)     ~~SAVE 20%~~ ~~\$3,420.00~~  
 (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required)     **SAVE 24%** **\$3,275.00**

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)

**6905884**     **80" DOZER BLADE, 6-WAY**.....     **\$4,595.00**  
 (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2)  
 (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)

(S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T550, T590, T595, T630, T650)

**6905811**     **90" DOZER BLADE, 6-WAY**.....     **\$4,960.00**  
 (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2)  
 (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)

(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)

**7105781**     **96" DOZER BLADE, 6-WAY**.....     **\$6,250.00**  
 (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2)  
 (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)

# DOZER BLADE

## BOBCAT LOADER ATTACHMENT


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Utility Blade.....	Align and secure guide rod.....	.25
Dozer Blade .....	Adjust shoes.....	0.50
Attachment Control Kit .....		See Page 1

# DROP HAMMER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Overall Weight.....	1925 lbs.
Weight of Hammer.....	1140 lbs.
Height (Hammer fully raised).....	74"
Length.....	29"
Hammer Stroke .....	38"
Impact Energy Rating .....	3600 ft.-lbs.
Required Flow .....	15 – 23 gpm.
Stroke Rate per Minute .....	20
Maximum Concrete Thickness .....	14-18"
Minimum Concrete Thickness.....	5"

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	
(S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870)		
7137810	DROP HAMMER .....	\$8,420.00


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Drop Hammer .....	None .....	-

# DUMPING HOPPER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>Model 10</u>	<u>Model 25</u>
Operating Weight .....	665 lbs.	1190 lbs.
Height.....	40"	40"
Length.....	83"	83"
Width.....	36"	84"
Capacity - Struck.....	25.65 cu. ft.	67.5 cu. ft.
Capacity - Heaped.....	29.7 cu. ft.	87.9 cu. ft.

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

**(S70, S100) (T110)**

**6727275 MODEL 10 DUMPING HOPPER..... \$2,980.00**  
 (Includes 8.5 x 12 Bobcat Heavy Duty Tire. Tire is not installed on Dumping Hopper.)  
 (For S100 and T110 must also order Mounting Frame P/N 6729483)

**(S130, S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)**

**6717597 MODEL 25 DUMPING HOPPER..... \$4,610.00**  
 (Includes 8.5 x 12 Bobcat Heavy Duty Tires. Tires are not installed on Dumping Hopper.)

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS
NUMBER	DESCRIPTION

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

**6729483 MOUNTING FRAME BRACKET.....PARTS \$\_\_\_\_\_**  
 (Must be ordered when using the Model 10 Dumping Hopper with the S100 and T110)

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ASSEMBLY REQUIRED	INSTALLATION
ATTACHMENT	TIME (HOURS)

Dumping Hopper on S100/T110.....Install Mounting Frame .....	.25
Dumping Hopper.....Install tires .....	0.50

# FLAIL CUTTER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight .....	1,630 lbs.
Cutting Width.....	79"
Overall Width.....	91"
Flow .....	17 – 37 gpm
Hammers.....	21
Cutting Capacity .....	Brush material up to 3" in diameter
Blade Tip Speed.....	8200 ft./min. @ 2000 RPM 9000 ft./min. @ 2200 RPM

PART NUMBER	DESCRIPTION	ATTACHMENT	SLP IN US \$
(S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H, S850, S850H) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H, T870, T870H)			
7101894	FC200 FLAIL CUTTER.....		\$11,385.00

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Flail Cutter.....	None .....	-
-------------------	------------	---

# FORESTRY CUTTER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>50"</u>	<u>60"</u>	<u>50" 2-Spd</u>	<u>60" 2-Spd</u>
Operating Weight .....	2,185 lbs.	2,364 lbs.	2,176 lbs.	2,234 lbs.
Operating Weight with Front Gate .....	2,227 lbs.	2,497 lbs.	2,218 lbs.	2,367 lbs.
Cutting Width.....	50"	60"	50"	60"
Overall Width.....	62.1"	73.3"	62.1"	73.3"
Number of Teeth.....	24	30	24	30
Tree Diameter:				
Continuous Use.....	4 – 5"	4 – 5"	4 – 5"	4 – 5"
Intermittent Removal .....	7 – 9"	7 – 9"	7 – 9"	7 – 9"
Occasional Removal .....	10 – 12"	10 – 12"	10 – 12"	10 – 12"

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

**(S750H, S770H, S850H) (A770H) (T750H, T770H, T870H)**

**7194306 FORESTRY CUTTER, 50" ..... \$23,160.00**

- For iT4 and Tier 3 M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit, M-Series (p/n 7230523) and Engine Compartment Seal Kit
- For Tier 4 M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit, M-Series (p/n 7257723) and Engine Compartment Seal Kit
- Loader must be equipped with high flow and upgraded cooling system
- For K-Series Loaders (S300H, S330H, A300H, T250H, T300H, T320H) must also order Forestry Applications Kit, K-Series p/n 7131810

(The following K-Series loader serial numbers must be equipped with the cooling system upgrade kit p/n 7126319 - order from Bobcat Parts: A300 s/n 539911675 & below; T300 s/n 532015066 & below; T250 s/n 531812826 & below; S300 s/n 531115051 & below) (All S330 loaders are equipped with the upgraded cooling system)

(For loaders A300 s/n A5GW19999 and below; S300 A5GP19999 and below; S330 A5HA19999 and below; T250 A5GS19999 and below; T300 A5GU19999 and below; and T320 A7MP60000 and below must also order door wiring harness kit, p/n 7155443 from parts.)

**(S750H, S770H, S850H) (A770H) (T750H, T770H, T870H)**

**7194305 FORESTRY CUTTER, 60" ..... \$24,420.00**

- For iT4 and Tier 3 M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit, M-Series (p/n 7230523) and Engine Compartment Seal Kit
- For Tier 4 M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit, M-Series (p/n 7257723) and Engine Compartment Seal Kit
- Loader must be equipped with high flow and upgraded cooling system
- For K-Series Loaders (S300H, S330H, A300H, T250H, T300H, T320H) must also order Forestry Applications Kit, K-Series p/n 7131810

(The following K-Series loader serial numbers must be equipped with the cooling system upgrade kit p/n 7126319 - order from Bobcat Parts: A300 s/n 539911675 & below; T300 s/n 532015066 & below; T250 s/n 531812826 & below; S300 s/n 531115051 & below) (All S330 loaders are equipped with the upgraded cooling system)

(For loaders A300 s/n A5GW19999 and below; S300 A5GP19999 and below; S330 A5HA19999 and below; T250 A5GS19999 and below; T300 A5GU19999 and below; and T320 A7MP60000 and below must also order door wiring harness kit, p/n 7155443 from parts.)

# FORESTRY CUTTER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
----------------	---------------------------	--------------

**(S750H, S770H, S850H) (A770H) (T750H, T770H, T870H)**

**7204123 FORESTRY CUTTER, 50" 2-SPEED..... \$26,200.00**

- For iT4 and Tier 3 M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit, M-Series (p/n 7230523) and Engine Compartment Seal Kit
- For Tier 4 M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit, M-Series (p/n 7257723) and Engine Compartment Seal Kit
- Loader must be equipped with high flow and upgraded cooling system
- For K-Series Loaders (S300H, S330H, A300H, T250H, T300H, T320H) must also order Forestry Applications Kit, K-Series p/n 7131810

(The following K-Series loader serial numbers must be equipped with the cooling system upgrade kit p/n 7126319 - order from Bobcat Parts: A300 s/n 539911675 & below; T300 s/n 532015066 & below; T250 s/n 531812826 & below; S300 s/n 531115051 & below) (All S330 loaders are equipped with the upgraded cooling system)

(For loaders A300 s/n A5GW1999 and below; S300 A5GP1999 and below; S330 A5HA1999 and below; T250 A5GS1999 and below; T300 A5GU1999 and below; and T320 A7MP60000 and below must also order door wiring harness kit, p/n 7155443 from parts.)

**(S750H, S770H, S850H) (A770H) (T750H, T770H, T870H)**

**7204127 FORESTRY CUTTER, 60" 2-SPEED..... \$27,620.00**

- For iT4 and Tier 3 M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit, M-Series (p/n 7230523) and Engine Compartment Seal Kit
- For Tier 4 M-Series Loaders (S750H, S770H, S850H, A770H, T750H, T770H, T870H) must also order Forestry Applications Kit, M-Series (p/n 7257723) and Engine Compartment Seal Kit
- Loader must be equipped with high flow and upgraded cooling system
- For K-Series Loaders (S300H, S330H, A300H, T250H, T300H, T320H) must also order Forestry Applications Kit, K-Series p/n 7131810

(The following K-Series loader serial numbers must be equipped with the cooling system upgrade kit p/n 7126319 - order from Bobcat Parts: A300 s/n 539911675 & below; T300 s/n 532015066 & below; T250 s/n 531812826 & below; S300 s/n 531115051 & below) (All S330 loaders are equipped with the upgraded cooling system)

(For loaders A300 s/n A5GW1999 and below; S300 A5GP1999 and below; S330 A5HA1999 and below; T250 A5GS1999 and below; T300 A5GU1999 and below; and T320 A7MP60000 and below must also order door wiring harness kit, p/n 7155443 from parts.)

PART NUMBER	FACTORY INSTALLED OPTIONS DESCRIPTION	SLP IN US \$
----------------	------------------------------------------	--------------

**7195450 FRONT GATE, 50"..... \$1,710.00**  
(Produces finer mulch)

**7195323 FRONT GATE, 60"..... \$1,735.00**  
(Produces finer mulch)

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
----------------	----------------------------------------------------------------	--------------

**7131810 FORESTRY APPLICATIONS KIT, K-SERIES..... \$4,940.00**

Kit is required to operate Forestry Cutter and provides operator & machine protection.  
Not compatible with rear auxiliary hydraulics.  
Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Debris Screen for Radiator, Muffler Guard, Lift Cylinder Debris Shields, Top and Rear Windows (1/4 in. polycarbonate), Cab Bulb Seal and Door Threshold and Seal  
(Estimated install time 6.5 hours)

# FORESTRY CUTTER

## BOBCAT LOADER ATTACHMENT

- 7230523 TIER 3 AND T4 FORESTRY APPLICATIONS KIT, M-SERIES ..... \$7,485.00**  
**Kit is required to operate Forestry Cutter and provides operator & machine protection.**  
**Must also order Engine Compartment Seal Kit**  
**Not compatible with rear auxiliary hydraulics.**  
 Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Muffler Guard, Top and Rear Windows, Polycarbonate Side Windows (Estimated install time 6.5 hours)
- 7257723 TIER 4 FORESTRY APPLICATIONS KIT, M-SERIES ..... \$7,485.00**  
**Kit is required to operate Forestry Cutter and provides operator & machine protection.**  
**Must also order Engine Compartment Seal Kit**  
**Not compatible with rear auxiliary hydraulics.**  
 Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Muffler Guard, Top and Rear Windows, Polycarbonate Side Windows (Estimated install time 6.5 hours)

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
-------------	-------------------------------------------------	--------------

- |                |                                                                                           |                   |
|----------------|-------------------------------------------------------------------------------------------|-------------------|
| <b>7195448</b> | <b>FRONT GATE, 50"</b> .....<br>(Produces finer mulch) (Estimated install time 1.5 hours) | <b>\$1,600.00</b> |
| <b>7195319</b> | <b>FRONT GATE, 60"</b> .....<br>(Produces finer mulch) (Estimated install time 1.5 hours) | <b>\$1,630.00</b> |

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS
-------------	-------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

- |                |                                                                                                                                                                                                                                                                                                                                                                   |  |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>7190789</b> | <b>ENGINE COMPARTMENT SEAL KIT, S750, S770, A770, T750, T770 ..PARTS</b> \$ _____<br>(Required when using M-Series 700 platform machines with forestry cutters)<br>(Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots)<br>(Estimated install time 2 hours)                                                            |  |
| <b>7196560</b> | <b>FORESTRY WIPER KIT</b> .....PARTS \$ _____<br>(Estimated install time 2 hours)                                                                                                                                                                                                                                                                                 |  |
| <b>7179952</b> | <b>ENGINE COMPARTMENT SEAL KIT, S850 &amp; T870</b> .....PARTS \$ _____<br>(Required when using M-Series 800 platform machines with forestry cutters)<br>(Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots)<br>(Estimated install time 2 hours)                                                                      |  |
| <b>7126319</b> | <b>COOLING UPGRADE KIT</b> .....PARTS \$ _____<br>(K-Series loader serial numbers must be equipped with the cooling system upgrade kit p/n 7126319 - order from Bobcat Parts: A300 s/n 539911675 & below; T300 s/n 532015066 & below; T250 s/n 531812826 & below; S300 s/n 531115051 & below)<br>(All S330 loaders are equipped with the upgraded cooling system) |  |
| <b>7155443</b> | <b>DOOR WIRING HARNESS KIT</b> .....PARTS \$ _____<br>(For loaders A300 s/n 530750000 and A5GW19999 and below; S300 531150000 and A5GP19999 and below; S330 A020500000 and A5HA10999 and below; T250 5318500000 and A5GS19999 and below; T300 5320500000 and A5GU19999 and below; and T320 A7MP60000 and below)                                                   |  |

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

- |                                 |            |            |
|---------------------------------|------------|------------|
| Forestry Cutter, 50" .....      | None ..... | -          |
| Forestry Cutter, 60" .....      | None ..... | -          |
| Cooling Upgrade Kit.....        |            | <b>5.0</b> |
| Forestry Applications Kit ..... |            | <b>6.5</b> |
| Front Gate Kit.....             |            | <b>1.5</b> |

Prices and Specifications

Subject to Change Without Notice

**Loader Attachments**

All Prices in U.S. Dollars

North American Suggested List Prices


2016 Price Book

Check BobcatNET Pricing Homepage for current Canadian exchange rate.

Page 66 of 147

# FORKS, UTILITY

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>36"</u>	<u>48"</u>	<u>54"</u>	<u>60"</u>	<u>66"</u>	<u>72"</u>	<u>80"</u>
Operating Weight .....	200 lbs.	247 lbs.	280 lbs.	304 lbs.	330 lbs.	356 lbs.	388 lbs.
# of Teeth Shipped.....	5	6	7	8	9	10	11
Max # of Teeth.....	9	11	13	15	17	19	19

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

(MT50, MT52, MT55, MT85) (S70)  
**6727904**     **36" UTILITY FORK, WITH 5 TEETH.....**     **\$790.00**  
(Use with Farm/Utility grapple P/N 6728117) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).)

(S70, S100, S130) (S450) (T110, T140) (T450)  
**6727888**     **54" UTILITY FORK, WITH 7 TEETH.....**     **\$950.00**  
(Use with Farm/Utility grapple P/N 6728117) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).)

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (T140) (T450, T550, T590, T595)  
**6725178**     **60" UTILITY FORK, WITH 8 TEETH.....**     **\$1,055.00**  
(Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).)

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (T140, T180, T190) (T450, T550, T590, T595)  
**6725179**     **66" UTILITY FORK, WITH 9 TEETH.....**     **\$1,235.00**  
(Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).)

(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)  
**6725180**     **72" UTILITY FORK, WITH 10 TEETH.....**     **\$1,300.00**  
(Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).)

(S175, S185, S205) (S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T180, T190) (T550, T590, T595, T630, T650)  
**7107243**     **80" UTILITY FORK, WITH 11 TEETH.....**     **\$1,515.00**  
(Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).)

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Utility Forks .....None ..... -

# GRADER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<b>84"</b>	<b>96"</b>	<b>108"</b>
Operating Weight .....	1375 lbs.	2788 lbs.	2861 lbs.
Width of Moldboard.....	84"	96"	108"
Width of Moldboard Fully Angled.....	76.1"	83.3"	93.7"
Moldboard Angle (Right or Left) .....	± 25°	± 30°	± 30°
Blade Offset (Right or Left).....	± 12"(manual)	± 13"(hydraulic)	± 13"(hydraulic)
Bolster Oscillation.....	± 25°	± 12°	± 12°
Moldboard Cutting Edge (reversible).....	½" x 6"	5/8" x 6"	5/8" x 6"
Cylinders.....	3	5	5

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
<b>(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595)</b>		
<b>6906480</b>	<b>GRADER, 84"</b> .....	<b>\$8,270.00</b>
	(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)	
<b>(S740, S750, S770, S850) (A770) (T650, T740, T750, T770, T870)</b>		
<b>7160005</b>	<b>GRADER, 96"</b> .....	<b>\$13,180.00</b>
	(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)	
<b>(S740, S750, S770, S850) (A770) (T740, T750, T770, T870)</b>		
<b>7182060</b>	<b>GRADER, 108"</b> .....	<b>\$13,765.00</b>
	(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)	

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
<b>7164094</b>	<b>LASER MOUNTING KIT, BLR2 (MUST ALSO ORDER 2 RECEIVERS)</b> .....	<b>\$875.00</b>
	(For 84" Grader) (Must also order two laser receivers, p/n 7160486) (Approved for use on Graders S/N 64801631 & above, started production April 2009) (Includes two receiver poles and wiring harnesses)	
<b>7177685</b>	<b>LASER MOUNTING KIT</b> .....	<b>\$935.00</b>
	(For 96" and 108" Grader) (Must also order two laser receivers, p/n 7160486) (Includes two receiver poles and wiring harnesses)	
<b>7211624</b>	<b>SONIC TRACER AND SLOPE SENSOR MOUNTING KIT</b> .....	<b>\$1695.00</b>
	(For 96" and 108" Grader) (Must also order Sonic Tracer and Slope Sensor Package, p/n 7023454) (Includes mounting brackets, hardware and wiring harnesses for sonic tracer and slope sensors) (Not compatible with the end-wing kit)	

Prices and Specifications

Subject to Change Without Notice

**Loader Attachments**

All Prices in U.S. Dollars

North American Suggested List Prices

2016 Price Book

Check BobcatNET Pricing Homepage for current Canadian exchange rate.

Page 68 of 147

# GRADER

## BOBCAT LOADER ATTACHMENT

<b>DEALER INSTALLED ACCESSORIES – ORDER FROM SALES</b>		
PART NUMBER	DESCRIPTION	SLP IN US \$
7160486	<b>LASER RECEIVER, BLR2</b> ..... (Must order 2 for use with laser kit) (May also need a laser transmitter and tripod—unless customer has this equipment.) (The laser receivers will work with most rotating laser transmitters, for full functionality a dual slope-rotating transmitter is recommended.)(Approved for use on Graders S/N 648001631 & above, started production April 2009, and 96" and 108" Graders)	<b>\$1,940.00</b>
7023454	<b>SONIC TRACER &amp; SLOPE SENSOR PACKAGE</b> ..... (Approved for 96" and 108" Grader) (Must also order Sonic Tracer and Slope Mounting Kit, p/n 7211624) (Includes ST400 Sonic Tracer, AS400 Slope Sensor (qty 2) and RS400 Rotation Sensor) (Use where laser transmitters won't work because of obstructions or where grader must follow predetermined slopes and land contours)	<b>\$9,045.00</b>
7177684	<b>END-WING KIT</b> ..... (Converts graders 96" and 108" into box blade for finish grading only) (Not compatible with the Sonic Tracer)	<b>\$425.00</b>
6680073	<b>LASER TRANSMITTER, DUAL SLOPE</b> ..... (Trimble GL722)	<b>\$6,900.00</b>
7275232	<b>LASER TRANSMITTER, DUAL SLOPE</b> ..... (Trimble GL422N; includes CR600 receiver)	<b>\$2,600.00</b>
7275231	<b>LASER TRANSMITTER, SINGLE SLOPE</b> ..... (Trimble GL412N)	<b>\$2,100.00</b>
7276540	<b>3D SENSOR KIT</b> ..... (Approved for 96" and 108" Grader) (Includes: AS400 Slope Sensors (qty 2) and RS400 Rotation Sensor)	<b>\$5,137.00</b>
7276541	<b>3D HARNESS KIT</b> ..... (Approved for 96" and 108" Grader) (Includes: Machine wiring harness, Attachment wiring Harness, Radio Bracket & Mast Mounts)	<b>\$4,495.00</b>
6688806	<b>TRIPOD</b> .....	<b>\$260.00</b>

<b>DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS</b>		
PART NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

7120544	<b>LASER HARNESS, VALVE</b> .....	PARTS	\$ _____
	(Needed for Graders, S/N 648000987 & below)		
7117444	<b>LASER HARNESS MOUNT</b> .....	PARTS	\$ _____
	(Needed for Graders, S/N 648000987 & below)		
7122476	<b>LASER MOUNTING KIT (MUST ALSO ORDER 2 RECEIVERS)</b> .....	PARTS	\$ _____
	(Must also order two laser receivers, p/n 6679014) (Approved for use on 84" Graders S/N 648000101 & thru 648001630) (Approved for use only on BICS loaders) (Includes two receiver poles and wiring harnesses) (Graders S/N 648000987 & below require p/n 7120544 and p/n 7117444)		

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Grader, 84 .....	Assemble cylinder to moldboard.....	0.25
Grader, 108 .....	Assemble moldboard to frame.....	1.00
Attachment Control Kit .....		0.25
Laser Control System (Grader 84" S/N 648000988 & above, and Grader 96" & 108").....		0.50
Sonic Tracer & Slope Sensor System .....		2.50
Laser Control System (S/N 648000987 & below).....		1.00
End-Wing Kit (Grader 96" & 108" only).....		0.50

Prices and Specifications

Subject to Change Without Notice

**Loader Attachments**

All Prices in U.S. Dollars

North American Suggested List Prices


2016 Price Book

Check BobcatNET Pricing Homepage for current Canadian exchange rate.


Page 69 of 147

# GRAPPLE, FARM/UTILITY

## BOBCAT LOADER ATTACHMENT



Grapple with Bucket



Grapple with Forks

### QUICK SPECS

	<u>32" Utility</u>	<u>32"</u>	<u>55" Util C/I</u>	<u>55" Util GP</u>
Operating Weight .....	157 lbs.	157 lbs.	243 lbs.	180 lbs.
Grapple Width.....	32"	32"	55"	55"
# of Grapple Tines.....	3	3	4	4

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

(MT50, MT52, MT55, MT85) (S70)

**6728117 GRAPPLE, 32" UTILITY..... \$1,140.00**  
 (Fits Current 36", 48" & 54" Utility Forks and 36" & 44" Utility Buckets)

**7125370 GRAPPLE, 32"..... \$1,140.00**  
 (Fits Current 36" – 50" General Purpose buckets)  
 (If bucket is equipped with a 6 hole step, must order a replacement 4 hole step, P/N 7103163)

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)

**7176977 GRAPPLE, 55" UTILITY – C/I..... \$1,495.00**  
 (Fits 62", 68", 74" and 80" Roundback Low Profile and Construction/Industrial Buckets and 60", 66", 72", and 80" Utility Forks) (Will not fit Heavy Duty Construction/Industrial Buckets)

(S130, S150, S160, S175, S185) (S510, S530, S550, S570)

**7176783 GRAPPLE, 55" UTILITY - GP..... \$1,475.00**  
 (Fits 62", 68" and 74" General Purpose buckets)

**Note: It is recommended that a port relief is installed for use with the Farm & Utility Grapples except when used on a 463, S70, S100, T110 or MT. Installation instructions are included in the Operation Manual. Order the following from Bobcat Parts.**

- 6684646 Port relief (4000 psi) – for M-Series loaders, S450/T450 and larger
- 6684645 Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
- 6678574 Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------


Utility Grapple ..... Assemble grapple and bolt to utility bucket or fork ..... 2.5

# GRAPPLE, INDUSTRIAL

## BOBCAT LOADER ATTACHMENT



*Industrial Bucket Grapple*



*Industrial Fork Grapple*

### QUICK SPECS

	<u>36" Bkt.</u>	<u>48" Bkt.</u>	<u>62" Bkt.</u>	<u>68" Bkt.</u>
Operating Weight .....	365 lbs.	448 lbs.	884 lbs.	922 lbs.
Overall Grapple Width.....	36.0"	48.0"	62"	68"
# of Teeth - Factory.....	N/A	N/A	N/A	N/A
# of Teeth - Possible .....	N/A	N/A	N/A	N/A

	<u>66" Fork</u>	<u>74" Bkt.</u>	<u>78" Fork</u>	<u>80" Bkt.</u>
Operating Weight .....	937 lbs.	960 lbs.	1218 lbs.	1101 lbs.
Overall Grapple Width.....	66.9"	74"	78.8"	80"
# of Teeth - Factory.....	7	N/A	8	N/A
# of Teeth - Possible .....	13	N/A	15	N/A

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
<b>(MT52, MT55, MT85) (S70)</b>		
7135737	<b>36" INDUSTRIAL BUCKET GRAPPLE</b> ..... (Bolt-On Cutting Edge included)	<b>\$1,835.00</b>
<b>(S100) (T110)</b>		
7140888	<b>48" INDUSTRIAL BUCKET GRAPPLE</b> ..... (Bolt-On Cutting Edge included)	<b>\$2,015.00</b>
<b>(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595)</b> <b>(T140, T180, T190) (T450, T550, T590, T595)</b>		
7168342	<b>62" INDUSTRIAL BUCKET GRAPPLE</b> ..... (Bolt-On Cutting Edge included)	<b>\$3,280.00</b>
<b>(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)</b>		
7168340	<b>68" INDUSTRIAL BUCKET GRAPPLE</b> ..... (Bolt-On Cutting Edge included)	<b>\$3,410.00</b>
<b>(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)</b>		
7168344	<b>66" INDUSTRIAL FORK GRAPPLE, WITH 7 TEETH</b> .....	<b>\$3,940.00</b>
<b>(S630, S650, S740, S750, S770) (A770) (T180, T190) (T550, T590, T595, T630, T650)</b>		
7168290	<b>74" INDUSTRIAL BUCKET GRAPPLE</b> ..... (Bolt-On Cutting Edge included)	<b>\$3,675.00</b>

# GRAPPLE, INDUSTRIAL

## BOBCAT LOADER ATTACHMENT

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

<b>(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)</b>		
7166624	78" INDUSTRIAL FORK GRAPPLE, WITH 8 TEETH.....	\$4,730.00
<b>(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)</b>		
7168339	80" INDUSTRIAL BUCKET GRAPPLE ..... (Bolt-On Cutting Edge included)	\$4,070.00

**Note:** It is recommended that a port relief be installed for use with the Industrial Grapples except when used on a 463, S70, S100, T110 or MT. Installation instructions are included in the Operation Manual. Order the following from Bobcat Parts.

- 6684646 Port relief (4000 psi) – for M-Series loaders, S450/T450 and larger
- 6684645 Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
- 6678574 Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

6706294	ADDITIONAL FORK TOOTH.....PARTS \$ _____ (Must also order 1 Roll Pin per Tooth)	
6706313	ROLL PIN .....PARTS \$ _____ (Holds tooth in place)	

DESTINATION CHARGE/FUEL SURCHARGE
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.


ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Industrial Grapple.....Install port relief & restrictor on loader.....	0.75
------------------------------------------------------------------------	------



# LANDPLANE

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>48" Deluxe</u>	<u>72" Deluxe</u>	<u>78" Deluxe</u>
Operating Weight .....	390 lbs.	680 lbs.	700 lbs.
Length.....	46.6"	51.5"	51.5"
Width.....	48"	73"	79"
Height.....	20.58"	20.86"	20.86"
Working Depth-Scarifier...	3"	3.5"	3.5"
Cutting Edge.....	0.5" x 4"	0.5" x 6"	0.5" x 6"

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
<b>(MT50, MT52, MT55, MT85) (S70, S100) (T110)</b>		
<b>6907173</b>	<b>48" DELUXE LANDPLANE.....</b> (Includes expanded metal grate, scarifier assembly, teeth and respective hardware) .....	<b>\$1,200.00</b>
<b>(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650)</b>		
<b>6906150</b>	<b>72" DELUXE LANDPLANE.....</b> (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	<b>\$2,105.00</b>
<b>(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770)</b>		
<b>6906115</b>	<b>78" DELUXE LANDPLANE.....</b> (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)	<b>\$2,305.00</b>


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Landplane .....	None .....	-

# LANDSCAPE RAKE

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>5B</u>	<u>6B</u>
Operating Weight .....	1010 lbs.	1130 lbs.
Working Width.....	60"	72"
Overall Width.....	66.6"	78.6"
# of Tooth Bars .....	12	12
# of Teeth (total).....	384	468
Bucket Capacity .....	12.1 cu. ft.	14.3 cu. ft.

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)		
6709107	5B LANDSCAPE RAKE.....	\$7,345.00
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770)		
6710630	6B LANDSCAPE RAKE.....	\$7,700.00

Note: Also order Inline Restrictor P/N 6631698 and Adapter P/N 1312113 from Bobcat Parts when installing a Landscape Rake on a 40 series loader.

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Landscape Rake .....	Install dump restrictor on loader .....	2.0
	(One of each shipped with rake)	

# MOWER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>72" Mower</u>	<u>90" Mower</u>
Operating Weight .....	880 lbs.	990 lbs.
Cutting Width.....	71.5"	89.5"
Overall Width.....	76"	94"
Overall Length.....	68"	75"
Cutting Height Range .....	2"—5.5"	2"—5.5"
(adjustable in ½ inch increments)		
Flow Range .....	15—23 gpm	15—23 gpm
Number of Blades .....	3	3
Shut-off Travel.....	8.5"	8.5"
Blade Tip Speeds .....	11,970 ft/min @ 15 GPM	11,730 ft/min @ 15 GPM
	15,959 ft/min @ 20 GPM	15,640 ft/min @ 20 GPM
	17,555 ft/min @ 22 GPM	17,204 ft/min @ 22 GPM
	Rear Discharge	Rear Discharge

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T750, T770)

7144850      72" MOWER..... \$5,145.00

(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850)

(A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870)

7143993      90" MOWER..... \$5,630.00

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	PARTS	\$
-------------	-------------------------------------------------------------	-------	----

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

7144843	MULCH KIT FOR 72" MOWER.....	PARTS	\$ _____
7144008	MULCH KIT FOR 90" MOWER.....	PARTS	\$ _____
7144844	SIDE DISCHARGE KIT FOR 72" MOWER.....	PARTS	\$ _____
7144009	SIDE DISCHARGE KIT FOR 90" MOWER.....	PARTS	\$ _____

**MOWER**  
**BOBCAT LOADER ATTACHMENT**


**DESTINATION CHARGE/FUEL SURCHARGE**  
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

<b>ATTACHMENT</b>	<b>ASSEMBLY REQUIRED</b>	<b>INSTALLATION TIME (HOURS)</b>
-------------------	--------------------------	--------------------------------------

Side Discharge Kit.....	Install kit on mower .....	<b>0.50</b>
-------------------------	----------------------------	-------------

# PACKER WHEEL

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight .....	386 lbs.
Width.....	11"
Length.....	40.5"
Wheel Assembly .....	2
Wheel Diameter .....	30"
Compaction Depth.....	36.7"
Sheepfoot (hollow tube).....	18 (9 per wheel)

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)		
6806644	<b>PACKER WHEEL</b> ..... (Must also order loader x-change mounting frame p/n 7141800)	\$2,090.00

DEALER INSTALLED ACCESSORIES – ORDER FROM SALES		
PART	DESCRIPTION	SLP IN US \$
NUMBER		
7141800	<b>LOADER X-CHANGE MOUNTING FRAME</b> .....	\$985.00


**DESTINATION CHARGE/FUEL SURCHARGE**

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HRS.)
Packer Wheel.....	None .....	-

# PALLET FORKS, STANDARD

## BOBCAT LOADER ATTACHMENT



*Standard Pallet Fork Teeth and Frame*



*Bale Forks and Frame*

### QUICK SPECS

<b><u>Frame Weight (S70, MT50-MT55)</u></b>	105 lbs.			
<b><u>Frame Weight (S100-T650).....</u></b>	200 lbs.			
<b><u>Forks (S70-T650)</u></b>	<b><u>36"</u></b>	<b><u>42"</u></b>	<b><u>48"</u></b>	<b><u>Bale Forks</u></b>
Weight (set of 2) .....	147 lbs.	164 lbs.	181 lbs.	119 lbs.
Fork Width.....	4"	4"	4"	
<b><u>Frame Weight (S630-T870).....</u></b>	295 lbs.			
<b><u>Forks (S630-T870)</u></b>	<b><u>42"</u></b>	<b><u>48"</u></b>	<b><u>Bale Forks</u></b>	
Weight (set of 2) .....	215 lbs.	238 lbs.	119 lbs.	
Fork Width.....	4"	4"		

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

<b>(MT50, MT52, MT55, MT85) (S70)</b>		
6809716	BOB-TACH PALLET FORK FRAME, LESS TEETH .....	\$390.00
7276448	PALLET FORK FRAME CII, MT85.....	\$390.00
6540184	36" PALLET FORK TEETH, SET OF 2.....	\$295.00

<b>(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650)</b>		
6712927	PALLET FORK FRAME, LESS TEETH .....	\$425.00
	<small>(Bundled discounts will be given on invoice to PN 6712927 when ordered in multiples of 10)</small>	

**Bale Forks**

6815781	BALE FORKS, SET OF 2.....	\$645.00
---------	---------------------------	----------

**Pallet Forks**

A new ordering method will be required for bundles of buckets and pallet forks. Instead of ordering a different part number for a bundled product, you will simply use the single part number and the 'Change Quantity' box in OSS to order the quantity that meets the requirement for a bundle discount. The OSS order system will help step you through it and alert you if the product you are ordering can be bundled, what quantity needs to be ordered to get the discount, and what the discounted price will be.

6540183	42" PALLET FORK TEETH, SET OF 2.....	\$315.00
	<small>(Bundled discounts will be given on invoice to PN 6540183 when ordered in multiples of 10 pairs)</small>	
6540182	48" PALLET FORK TEETH, SET OF 2.....	\$335.00
	<small>(Bundled discounts will be given on invoice to PN 6540182 when ordered in multiples of 10 pairs)</small>	

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

<b>(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)</b>		
7109332	PALLET FORK FRAME, HEAVY DUTY, LESS TEETH.....	\$1,020.00

**Bale Forks**

6815781	BALE FORKS, SET OF 2.....	\$645.00
---------	---------------------------	----------

**Pallet Forks**

6541521	42" PALLET FORK TEETH, SET OF 2.....	\$455.00
6541518	48" PALLET FORK TEETH, SET OF 2.....	\$505.00

**PALLET FORKS, STANDARD**  
**BOBCAT LOADER ATTACHMENT**


**DESTINATION CHARGE/FUEL SURCHARGE**

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Pallet Fork Frame .....	Install forks on frame .....	.25

# PALLET FORKS, HYDRAULIC

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>42"</u>	<u>48"</u>
Ship Weight (Frame & Forks).....	545 lbs.	565 lbs.
Fork Width.....	4"	4"

PART NUMBER	DESCRIPTION	ATTACHMENT	SLP IN US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)			
6905492	<b>42" HYDRAULIC PALLET FORK: 68 left in Inventory</b> ..... (Includes back frame and 2 hydraulically adjustable 42" teeth)		\$2,800.00 <del>SAVE 18% \$2,305.00</del> <b>SAVE 20% \$2,235.00</b>
6905425	<b>48" HYDRAULIC PALLET FORK</b> ..... (Includes back frame and 2 hydraulically adjustable 48" teeth)		\$2,925.00


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Hydraulic Pallet Fork.....	None .....	-

# PLANER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>14"</u>	<u>18"</u>	<u>24"</u>	<u>40"</u>
Operating Weight .....	1107 lbs.*	1188 lbs.*	1260 lbs.*	2300 lbs.
Drum Width .....	14"	18"	24"	40"
Cutting Depth-Flat Planing.....	0 – 6"	0 – 6"	0 – 6"	0 – 5"
Sideshift.....	29.8"	29.8"	29.8"	25.6"
# of Bits.....	*	*	*	75
Hydraulic Oscillation.....	N/A	N/A	N/A	± 8°
Maximum Cutting Angle .....	± 15°	± 15°	± 15°	± 8°

\* Does not include drum, dependent upon which drum is installed.

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740H, T750, T770)

**M7019 14" PLANER, STANDARD FLOW** ..... \$8,895.00  
 (Includes manual depth adjust, hydraulic sideshift and hoses)  
 (Must also order drum option) (Attachment Control Kit is not required)

**MUST order one of the following drum options with the 14" Planer, Standard Flow**

**M7019-R01-C03 14" ALL PURPOSE DRUM**..... \$2,460.00  
 (With 46 bits) (Ship Weight 260 lbs.)

**M7019-R01-C07 NO DRUM FACTORY INSTALLED**..... \$0.00

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740 H, S750H, S770H, S850H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H)

**M7018 18" PLANER, HIGH FLOW**..... \$13,155.00  
 (Includes hydraulic depth adjust, hydraulic sideshift, and hoses) (Must also order drum option)  
 (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit , a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)

**MUST order one of the following drum options with the 18" Planer, High Flow**

**M7018-R01-C10 18" FAST CUT ALL PURPOSE DRUM**..... \$3,120.00  
 (With 47 bits) (Ship Weight 285 lbs.)

**M7018-R01-C11 18" SMOOTH CUT ALL PURPOSE DRUM** ..... \$3,985.00  
 (With 84 bits) (Ship Weight 340 lbs.)

**M7018-R01-C12 NO DRUM FACTORY INSTALLED**..... \$0.00

# PLANER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION	ATTACHMENT	SLP IN US \$
-------------	-------------	------------	--------------

(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H)  
 (A770H)  
 (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H)

**M7017 24" PLANER, HIGH FLOW..... \$15,930.00**  
 (Includes hydraulic depth adjust, hydraulic sideshift, and hoses) (**Must also order drum option**)  
 (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)

**MUST order one of the following drum options with the 24" Planer, High Flow**

**M7017-R01-C04 24" FAST CUT ALL PURPOSE DRUM..... \$4,230.00**  
 (With 57 bits) (Ship Weight 375 lbs.)

**M7017-R01-C12 24" SMOOTH CUT ALL PURPOSE DRUM ..... \$5,310.00**  
 (With 124 bits) (Ship Weight 420 lbs.)

**M7017-R01-C13 NO DRUM FACTORY INSTALLED..... \$0.00**

(S750H, S770H, S850H) (A770H) (T750H, T770H, T870H)

**6726632 40" PLANER, HIGH FLOW..... \$26,535.00**  
 (Includes hydraulic depth adjust, 40" drum, hydraulic sideshift, hydraulic oscillation & hoses)  
 (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)

· 963 loader requires a Case Drain P/N 6806348 and an Attachment Control Kit for use with 18" and 24" Planers  
 · – see page 1. Order Case Drain Kit from Bobcat Parts.

PART NUMBER	DESCRIPTION	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
-------------	-------------	-------------------------------------------------	--------------

**Water Kit**

NOTE: Water Kits are available for use with the Planer attachments – see Water Kit page for details.

**Dealer Installed Drums for 14" – 24" Planers**

**6905178 2½" SLOT CUTTING DRUM..... \$1,280.00**  
 (For use in 14", 18" and 24" Planers) (With 21 bits) (Ship Weight 95 lbs.)

**6958406 4" SLOT CUT DRUM..... \$1,420.00**  
 (For use in 14", 18" and 24" Planers) (With 24 bits) (Ship Weight 111 lbs.)

**6661408 6" ALL PURPOSE DRUM..... \$1,860.00**  
 (For use in 14", 18" and 24" Planers) (With 32 bits) (Ship Weight 165 lbs.)

**7165473 8" ALL PURPOSE DRUM..... \$1,860.00**  
 (For use in 14", 18" and 24" Planers) (With 34 bits) (Ship Weight 189 lbs.)

**7165485 12" ALL PURPOSE DRUM..... \$2,325.00**  
 (For use in 14", 18" and 24" Planers) (With 40 bits) (Ship Weight 245 lbs.)

**6905404 14" ALL PURPOSE DRUM..... \$2,455.00**  
 (For use in 14", 18" and 24" Planers) (With 46 bits) (Ship Weight 260 lbs.)

**6906320 16" SURFACE DRUM..... \$5,310.00**  
 (For use in 18" and 24" Planers) (With 184 bits) (Ship Weight 330 lbs.)

**7165503 16" FAST CUT ALL PURPOSE DRUM ..... \$3,055.00**  
 (For use in 18" and 24" Planers) (With 47 bits) (Ship Weight 266 lbs.)

**7165502 16" SMOOTH CUT ALL PURPOSE DRUM..... \$3,855.00**  
 (For use in 18" and 24" Planers) (With 84 bits) (Ship Weight 322 lbs.)

**7165505 18" FAST CUT ALL PURPOSE DRUM ..... \$3,120.00**  
 (For use in 18" and 24" Planers) (With 47 bits) (Ship Weight 285 lbs.)

**7165506 18" SMOOTH CUT ALL PURPOSE DRUM..... \$3,985.00**  
 (For use in 18" and 24" Planers) (With 84 bits) (Ship Weight 340 lbs.)

**6958266 24" FAST CUT ALL PURPOSE DRUM ..... \$4,230.00**  
 (For use in 24" Planer) (With 57 bits) (Ship Weight 375 lbs.)

**7165544 24" SMOOTH CUT ALL PURPOSE DRUM..... \$5,310.00**

Prices and Specifications

Subject to Change Without Notice

**Loader Attachments**

All Prices in U.S. Dollars

North American Suggested List Prices

2016 Price Book

Check BobcatNET Pricing Homepage for current Canadian exchange rate.

Page 83 of 147

# PLANER

## BOBCAT LOADER ATTACHMENT

(For use in 24" Planer) (With 124 bits) (Ship Weight 420 lbs.)

PART NUMBER	<b>DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS</b>
PART NUMBER	DESCRIPTION

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

<b>7189709</b>	<b>WEIGHT KIT</b> .....PARTS \$ _____ (For use with 18" and 24" Planers) (Improves down force on the planer drum) (Includes (4) 50 pound counterweights that bolt to the planer)	
<b>7195012</b>	<b>HYDRAULIC OSCILLATION KIT</b> .....PARTS \$ _____ (For use with 18" and 24" Planers) (Provides finger-tip control of drum oscillation) (The free-floating oscillation feature of the planer is lost when this kit is installed)	
<b>6905975</b>	<b>GUIDE ROD KIT, 14" PLANER</b> .....PARTS \$ _____ (Allows a seam or line to be followed more precisely)(Ship Weight 15 lbs.)	
<b>6716451</b>	<b>GUIDE ROD KIT, 18" PLANER</b> .....PARTS \$ _____ (Allows a seam or line to be followed more precisely)(Ship Weight 15 lbs.)	
<b>6905199</b>	<b>GUIDE ROD KIT, 24" PLANER</b> .....PARTS \$ _____ (Allows a seam or line to be followed more precisely)(Ship Weight 16 lbs.)	
<b>6905612</b>	<b>PLANER WHEEL KIT</b> .....PARTS \$ _____ (For use with 14", 18" and 24" Planers) (May be installed in lieu of skis on planer attachment) (Ship Weight 46 lbs.)	
<b>6900637</b>	<b>PLANER ATTACHMENT OPERATOR TRAINING KIT</b> .....PARTS \$ _____	


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Planer (Standard Flow) .....	None .....	-
Planer (High Flow) .....	None .....	-
Weight Kit.....	Install Bolt-on Weights.....	1.0
Hydraulic Oscillation Kit.....	Install Hydraulic Cylinder .....	3.0
Attachment Control Kit .....		See Page 1

# REBAR BENDER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Overall Length.....	16.7"
Overall Height.....	20.1"
Overall Width.....	23.5"
Operating Weight .....	330 lbs.
Hydraulic Flow Range.....	10-24 gpm
Maximum Rebar Diameter.....	0.75"
Maximum Hydraulic Pressure.....	3500 psi

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)

<b>7219937</b>	<b>REBAR BENDER: 5 left in Inventory</b> .....	\$4,950.00
	(Includes five piece mandrel set and wired remote control.)	<del>SAVE 18% \$4,075.00</del>
	(Loader must be equipped with a 7-Pin Attachment Control Kit – See Page 1)	<b>SAVE 20% \$3,970.00</b>

**Note:** Rebar Bender must be installed on BICS loaders, it will not function on Non-BICS Loaders.

**Note:** Rebar Bender is also approved for use with the following loaders: S 220, S 250, S 300, S 330, T 250, T 300, T 320, A 300

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Rebar Bender.....	None .....	-
-------------------	------------	---

# ROCK BUCKET

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>62"</u>	<u>68"</u>	<u>74"</u>	<u>82"</u>
Operating Weight .....	570 lbs.	619 lbs.	667 lbs.	716 lbs.
Overall Width.....	61.9"	68.6"	75.4"	82.1"
Overall Height.....	20.8"	20.8"	20.8"	20.8"
Overall Length (Bucket Lip or Bottom of Bucket).....	43.6"	43.6"	43.6"	43.6"
Tine Spacing.....	3"	3"	3"	3"
Number of Tines .....	17	19	21	23


PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650)		
7185941	62" ROCKBUCKET.....	\$1,410.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)		
7185943	68" ROCKBUCKET.....	\$1,475.00
(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)		
7185945	74" ROCKBUCKET.....	\$1,540.00
(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)		
7185947	82" ROCKBUCKET.....	\$1,705.00

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

# SCARIFIER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Ship Weight ..... 350 lbs.  
 # of Teeth ..... 5 (7 without depth guides)  
 Maximum Dig Depth..... Approx. 6"

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650)		
6563526	FRONT SCARIFIER..... (Includes 2 Depth Guides and 5 Teeth)	\$1,175.00


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Front Scarifier .....	Install teeth.....	0.5

# SCRAPER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>Mini Scraper</u>	<u>Scraper</u>
Operating Weight .....	129 lbs.	172 lbs.
Height.....	19.1"	19"
Width.....	36"	45"
Length.....	43.6"	55"
Disk Diameter .....	18"	22"

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

<b>(S70)</b>		
6907177	MINI SCRAPER: <b>10 LEFT IN INVENTORY</b> .....	\$705.00
<b>(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770)</b>		
6675211	SCRAPER.....	\$1,130.00

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Scrapers.....	None .....	-
---------------	------------	---

# SEEDER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Weight (empty).....	1,300 lbs.
Weight (full).....	1,425 lbs.
Height.....	44.0"
Overall Width.....	88.0"
Working Width.....	72.0"
Length.....	43.0"
Hopper Capacity .....	4.0 bushels

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850)  
 (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)

7167712 SEEDER, 72", 3PT MOUNTING..... \$6,720.00  
 (Must also order Bob-Tach adapter)

PART NUMBER	FACTORY INSTALLED OPTIONS DESCRIPTION	SLP IN US \$
-------------	---------------------------------------	--------------

7167758 BOB-TACH ADAPTER..... \$665.00  
 (Allows Seeder to mount on Bob-Tach equipped machines)

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
-------------	-------------------------------------------------------------	--------------

7167759 BOB-TACH ADAPTER..... \$625.00  
 (Allows Seeder to mount on Bob-Tach equipped machines)

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Seeder.....None ..... -

# SILT FENCE INSTALLER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>Rigid Frame</u>	<u>3-PT Rigid Frame</u>	<u>72" Side-Shift*</u>	<u>84" Side-Shift*</u>
Operating Weight ...	775 lbs.	985 lbs	1120 lbs.	1165 lbs.
Height.....	70"	70"	70"	70"
Width.....	45.5"	45.5"	72"	84"
Length.....	72.8"	86.7"	98"	98"

*\*weight includes 3-Point to Loader adapter*

PART		ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION		
<b>(S630, S650, S740, S750, S770, S850) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870)</b>			
7137320	<b>SILT FENCE INSTALLER</b> .....		<b>\$4,740.00</b>
	(Must also order mounting frame)		

PART		FACTORY INSTALLED OPTIONS	SLP IN US \$
NUMBER	DESCRIPTION		
7137333	<b>LOADER RIGID MOUNTING FRAME</b> .....		<b>\$1,160.00</b>
7139171	<b>3-POINT RIGID MOUNTING FRAME</b> .....		<b>\$1,140.00</b>
	(Must also order Adapter p/n 7137334)		
7137332	<b>3-POINT MOUNTING FRAME, 72" SIDE-SHIFT</b> .....		<b>\$2,270.00</b>
	(Must also order Adapter p/n 7137334)		
7137331	<b>3-POINT MOUNTING FRAME, 84" SIDE-SHIFT</b> .....		<b>\$2,395.00</b>
	(Must also order Adapter p/n 7137334)		

PART		DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
NUMBER	DESCRIPTION		
7137334	<b>ADAPTER, 3-POINT TO LOADER</b> .....		<b>\$650.00</b>
7137759	<b>HYDRAULIC TOP LINK</b> .....		<b>\$315.00</b>
	(Recommended for use on tractor with 3-point)		

# SILT FENCE INSTALLER

## BOBCAT LOADER ATTACHMENT

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	------------------------------

Silt Fence Installer.....	None .....	-
Mounting Frame.....	None .....	-
Adapter .....	None .....	-

# SNOW BLADE

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>54"</u>	<u>60"</u>	<u>72"</u>	<u>84"</u>	<u>96"</u>
Operating Weight .....	310 lbs.	580 lbs.	590 lbs.	620 lbs.	660 lbs.
Width.....	54"	60"	72"	84"	96"
Height.....	21.9"	28"	28"	28"	28"
Working Width (Fully Angled)	46.8"	52"	63"	73"	83"
Steel Cutting Edge.....	.38" x 4"	.375" x 6"	.375" x 6"	.375" x 6"	.375" x 6"
Cylinders.....	1	2	2	2	2
Trip Springs .....	2	4	4	4	4
Optional Rubber Cutting Edge	1" x 5"	1" x 6"	1" x 6"	1" x 6"	1" x 6"
	<u><b>86" HD</b></u>	<u><b>96" HD</b></u>	<u><b>108" HD</b></u>		
Operating Weight .....	809 lbs.	867 lbs.	948 lbs.		
Width.....	86"	96"	108"		
Height.....	28.4"	28.4"	28.4"		
Working Width (Fully Angled)	74"	83"	93"		
Steel Cutting Edge.....	.5" x 6"	.5" x 6"	.5" x 6"		
Cylinders.....	1	1	1		
Trip Springs .....	4	4	6		
Optional Rubber Cutting Edge	1" x 6"	1" x 6"	1" x 6"		

# SNOW BLADE

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DESCRIPTION	SLP IN US \$
<b>(MT50, MT52, MT55, MT85) (S70)</b>		
7196165	54" UTILITY BLADE (WITH HYDRAULIC ANGLE) ..... (To be used as either a Snow Blade or a Dozer Blade)	\$1,515.00
<b>(S100, S130, S150, S160) (T110) (S450, S510, S530, S550, S570, S590, S595) (T450)</b>		
6906107	60" SNOW BLADE (WITH HYDRAULIC ANGLE) .....	\$2,040.00
<b>(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (T110) (T450)</b>		
6905156	72" SNOW BLADE (WITH HYDRAULIC ANGLE) .....	\$2,205.00
<b>(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T450)</b>		
6716836	84" SNOW BLADE (WITH HYDRAULIC ANGLE) .....	\$2,405.00
<b>(S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T450)</b>		
6716838	96" SNOW BLADE (WITH HYDRAULIC ANGLE) .....	\$2,500.00
<b>(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)</b>		
7207861	86" SNOW BLADE – HEAVY DUTY (WITH HYDRAULIC ANGLE).....	\$3,715.00
<b>(S130, S150, S160, S175, S185, S205) (S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770)</b>		
7207862	96" SNOW BLADE – HEAVY DUTY (WITH HYDRAULIC ANGLE).....	\$3,935.00
<b>(S150, S160, S175, S185, S205) (S630, S650, S740, S750, S770, S850) (A770) (T180, T190) (T630, T650, T740, T750, T770, T870)</b>		
7207863	108" SNOW BLADE – HEAVY DUTY (WITH HYDRAULIC ANGLE).....	\$4,210.00

<b>DEALER INSTALLED ACCESSORIES – ORDER FROM SALES</b>		
PART NUMBER	DESCRIPTION	SLP IN US \$
6716834	END WING KIT..... (Converts 84" & 96" Snow Blades in to Snow Pushers) (Not for use on 60" or 72" Snow Blades) (Not for use on Heavy Duty Snow Blades) (Ship Weight 95 lbs.)	\$385.00

<b>DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS</b>		
PART NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

7199966	RUBBER WEAR EDGE KIT, 54" .....	PARTS	\$ _____
6906117	RUBBER WEAR EDGE KIT, 60" .....	PARTS	\$ _____
6905158	RUBBER WEAR EDGE KIT, 72" .....	PARTS	\$ _____
6905400	RUBBER WEAR EDGE KIT, 84" .....	PARTS	\$ _____
6905401	RUBBER WEAR EDGE KIT, 96" .....	PARTS	\$ _____
7169614	RUBBER WEAR EDGE KIT, 86" HD .....	PARTS	\$ _____
7169615	RUBBER WEAR EDGE KIT, 96" HD .....	PARTS	\$ _____
7169616	RUBBER WEAR EDGE KIT, 108" HD .....	PARTS	\$ _____

# SNOW BLADE

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	DESCRIPTION			
-------------	-------------------------------------------------	-------------	--	--	--

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

7195435	REPLACEMENT CUTTING EDGE, 54" ♦	.....	PARTS	\$	_____
6905995	REPLACEMENT CUTTING EDGE, 60" ♦	.....	PARTS	\$	_____
6905155	REPLACEMENT CUTTING EDGE, 72" ♦	.....	PARTS	\$	_____
6673634	REPLACEMENT CUTTING EDGE, 84" ♦	.....	PARTS	\$	_____
6673606	REPLACEMENT CUTTING EDGE, 96" ♦	.....	PARTS	\$	_____
7135661	REPLACEMENT CUTTING EDGE, 86" HD ♦	.....	PARTS	\$	_____
7161165	REPLACEMENT CUTTING EDGE, 96" HD ♦	.....	PARTS	\$	_____
7160646	REPLACEMENT CUTTING EDGE, 108" HD ♦	.....	PARTS	\$	_____
7199969	POLY WEAR EDGE KIT, 54".....	.....	PARTS	\$	_____
7169616	POLY WEAR EDGE KIT, 86" HD .....	.....	PARTS	\$	_____
7169617	POLY WEAR EDGE KIT, 96" HD .....	.....	PARTS	\$	_____
7169618	POLY WEAR EDGE KIT, 108" HD .....	.....	PARTS	\$	_____

♦ Additional hardware for replacement cutting edges is needed.

\* Certain applications may cause premature wear of the Rubber Wear Edge.


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Utility Blade.....	Adjust shoes & install blade edge indicators.....	.25
Snow Blade.....	Adjust shoes & install blade edge indicators.....	.25
End Wing Kit.....	Install wings .....	.25
Replacement Cutting Edge Kits.....	Bolt on edge .....	0.50

# SNOW PUSHER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>8 Foot</u>	<u>10 Foot</u>
Operating Weight .....	1122 lbs.	1256 lbs.
Overall Width.....	102"	128"
Working Width.....	94.6"	121"
Length.....	56.2"	56.2"
Height.....	37.8"	37.8"
Cutting Edge.....	1.5" x 8" Rubber	1.5" x 8" Rubber
Skid Shoes.....	.75" x 5" AR400	.75" x 5" AR400
Color .....	Orange	Orange
<b><u>Float</u></b>		
Vertical.....	2.3"	2.3"
Tilt .....	12 degrees	12 degrees
Oscillation .....	+/- 4.5 degrees	+/- 4.5 degrees

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)		
7113767	SNOW PUSHER, 8'.....	\$3,095.00
(S205) (S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870)		
7116164	SNOW PUSHER, 10'.....	\$3,405.00

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------


Snow Pusher.....	None .....	-
------------------	------------	---

# SNOW V-BLADE

## BOBCAT LOADER ATTACHMENT



*Blade in "V" Configuration*



*Blade in "Scoop" Configuration*



*Blade in "Angled" Configuration*

### QUICK SPECS

	<u>60"</u>	<u>72"</u>	<u>84"</u>	<u>96"</u>	<u>108"</u>
Operating Weight .....	660 lbs.	738 lbs.	779 lbs.	824 lbs.	868 lbs.
Operating Weight with Oscillating kit.....	N/A	972 lbs.	1013 lbs.	1058 lbs.	1102 lbs.
Width:					
V-Configuration.....	54"	64.5"	75"	85.5"	96"
Scoop-Configuration .....	53"	63"	74"	84"	95"
30° Angle-Configuration.....	54"	64"	75"	85"	95"
Straight-Configuration .....	62"	74"	86"	98"	110"
Height with Blade Extension .....	28.5"	32.8"	32.8"	32.8"	32.8"
Length.....	40"	47.3"	47.3"	47.3"	47.3"
Oscillation (with flotation kit)....	N/A	+/- 10	+/- 10	+/- 10	+/- 10

PART		ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION		

(S70, S100) (S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595)  
(T110, T140) (T450)

**7104861      60" SNOW V-BLADE, 7-PIN..... \$3,895.00**  
 (Loader must be equipped with an Attachment Control Kit – see Page 1)  
 (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1)  
 (Blade is equipped with fingertip 7-Pin Control. Adjustable blade width from 53-60 inches.)

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595)  
(T140, T180, T190) (T450, T550, T590, T595)

**6958576      72" SNOW V-BLADE ..... \$4,160.00**  
 (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1)

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770)

**6958577      84" SNOW V-BLADE ..... \$4,255.00**  
 (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1)

(S175, S185, S205) (S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770)

**6958578      96" SNOW V-BLADE ..... \$4,350.00**  
 (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1)

# SNOW V-BLADE

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$
<b>(S630, S650, S740, S750, S770) (A770) (T630, T650, T740, T750, T770)</b>		
6958579	<b>108" SNOW V-BLADE</b> ..... (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 6725383) is required – See Page 1)	<b>\$4,445.00</b>

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	
NUMBER	DESCRIPTION	SLP IN US \$
7102603	<b>BLADE FLOTATION KIT</b> ..... (Allows blade to oscillate +/- 10 degrees, includes pin to lock in place at 0 degrees) (Approved for use with 72", 84", 96" and 108" Snow V-Blades) (The frame flotation mounts between the existing frame and blade and will extend the overall blade length eight-inches from the Bob-Tach.) (Shipping weight 254 lbs.) (Estimated install time 1.5 hrs)	<b>\$685.00</b>


PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
NUMBER	DESCRIPTION	
<i>For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.</i>		
6958664	<b>60" RUBBER CUTTING EDGE KIT</b> .....	PARTS \$ _____
	(Includes hardware)	
6958665	<b>72" RUBBER CUTTING EDGE KIT</b> .....	PARTS \$ _____
	(Includes hardware)	
6958666	<b>84" RUBBER CUTTING EDGE KIT</b> .....	PARTS \$ _____
	(Includes hardware)	
6958667	<b>96" RUBBER CUTTING EDGE KIT</b> .....	PARTS \$ _____
	(Includes hardware)	
6958668	<b>108" RUBBER CUTTING EDGE KIT</b> .....	PARTS \$ _____
	(Includes hardware)	

DESTINATION CHARGE/FUEL SURCHARGE
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Snow V-Blade .....	None .....	-
Flotation Kit (dealer installed).....	Install oscillating kit.....	1.5 hrs.

# SNOWBLOWER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<b><u>SB150 x 36</u></b>	<b><u>SB150 x 48</u></b>	<b><u>SB200 x 60</u></b>	<b><u>SB200 x 66</u></b>	<b><u>SB200 x 72</u></b>
Chute Control.....	Hydraulic 276°	Hydraulic 276°	Hydraulic 270°	Hydraulic 270°	Hydraulic 270°
Deflector Control....	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Throw Distance.....	Up to 25 ft.	Up to 25 ft.	Up to 40 ft.	Up to 40 ft.	Up to 40 ft.
Flow Required.....	8.5 - 14 gpm	8.5 - 14 gpm	11 - 32 gpm	11 - 32 gpm	11 - 32 gpm
Fan Diameter .....	15"	15"	20"	20"	20"
Auger Diameter.....	14"	14"	14"	14"	14"
Cutting Width.....	36"	48"	60"	66"	72"
Overall Width.....	39.4"	51.4"	62.5"	68.5"	74.5"
Intake Height.....	23"	23"	25"	25"	25"
Operating Weight ...	428 lbs.	465 lbs.	785 lbs.	810 lbs.	835 lbs.
	<b><u>SB200 x 78</u></b>	<b><u>SB240 x 72</u></b>	<b><u>SB240 x 84</u></b>	<b><u>SBX240 x 72</u></b>	<b><u>SBX240 x 84</u></b>
Chute Control.....	Hydraulic 270°	Hydraulic 270°	Hydraulic 270°	Hydraulic 270°	Hydraulic 270°
Deflector Control....	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Throw Distance.....	Up to 40 ft.	Up to 40 ft.	Up to 40 ft.	Up to 45 ft.	Up to 45 ft.
Flow Required.....	11 - 32 gpm	25 - 32 gpm	25 - 32 gpm	35 - 42 gpm	35 - 42 gpm
Fan Diameter .....	20"	24"	24"	24"	24"
Auger Diameter.....	14"	18"	18"	18.5"	18.5"
Cutting Width.....	78"	72"	84"	72"	84"
Overall Width.....	80.5"	74.5"	86.5"	74.5"	86.5"
Intake Height.....	25"	34.5"	34.5"	33.5"	33.5"
Operating Weight ...	860 lbs.	1010 lbs.	1070 lbs.	1045 lbs.	1105 lbs.

### HYDRAULIC MOTOR PACKAGES

### HYDRAULIC FLOW RANGE

***Must order a Hydraulic Motor Package with the SB200 & SB240 Snowblower Models***  
***For current loaders only – match hydraulic flow of older loaders with snowblower flow recommendations***

5.5 Hydraulic Motor Package.....	14.5 – 18 gpm
6.2 Hydraulic Motor Package.....	16.5 – 21 gpm
8.0 Hydraulic Motor Package.....	21 – 26 gpm
9.6 Hydraulic Motor Package.....	25 – 31 gpm

# SNOWBLOWER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	SB150 SNOWBLOWER	SLP IN US \$
-------------	------------------	--------------

(MT52, MT55, MT85) (S70)

<b>M7007</b>	<b>SB150 x 36"</b> ..... (Loader must be equipped with a Bobcat 14-Pin Attachment Control Kit) (Snowblower includes hydraulic motor package)	<b>\$4,380.00</b>
--------------	----------------------------------------------------------------------------------------------------------------------------------------------------	-------------------

(MT52, MT55, MT85) (S70, S100) (T110)

<b>M7008</b>	<b>SB150 x 48"</b> ..... (Loader must be equipped with a Bobcat 14-Pin Attachment Control Kit) (Snowblower includes hydraulic motor package)	<b>\$4,525.00</b>
--------------	----------------------------------------------------------------------------------------------------------------------------------------------------	-------------------

PART NUMBER	SB200 SNOWBLOWER	SLP IN US \$
-------------	------------------	--------------

**Preferred Hydraulic Motor Package (BOLD)**

*Must order a hydraulic motor package with the SB200 & SB240 Snowblowers*

*Loader must be equipped with a 7-pin Attachment Control Kit*

(S130, S150\*, S160\*, S160H\*, S175\*, S185\*, S185H\*, S205\*, S205H\*)

(S450\*, S510\*, S530\*, S550\*, S550H\*, S570\*, S570H\*, S590\*, S590H\*, S595\*, S595H\*)(T450)

<b>M7001</b>	<b>SB200 x 60" Snowblower</b> .....	<b>\$4,295.00</b>
--------------	-------------------------------------	-------------------

M7001-R01-C01	5.5 Hydraulic Motor Package ..... (S130, S150*, S160*, S175*, S185*, S205*, S450, S510*, S530*, S550*, S570*, S590*, S595*)(T450)	\$1,065.00
---------------	--------------------------------------------------------------------------------------------------------------------------------------	------------

M7001-R01-C02	6.2 Hydraulic Motor Package ..... (S130, S150*, S160*, S175*, S185*, S205*, S450, S510*, S530*, S550*, S570*, S590*, S595*)(T450)	\$1,065.00
---------------	--------------------------------------------------------------------------------------------------------------------------------------	------------

M7001-R01-C03	8.0 Hydraulic Motor Package ..... (S160H*, S185H*, S205H*, S550H*, S570H*, S590H*, S595H*)	\$1,125.00
---------------	-----------------------------------------------------------------------------------------------	------------

M7001-R01-C04	9.6 Hydraulic Motor Package ..... (S160H*, S185H*, S205H*, S550H*, S570H*, S590H*, S595H*)	\$1,190.00
---------------	-----------------------------------------------------------------------------------------------	------------

(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H)

(S450, S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630\*, S630H\*, S650\*, S650H\*, S740\*, S750\*, S770\*) (T180, T180H, T190, T190H) (T450, T550, T550H, T590, T590H, T595, T595H)

<b>M7002</b>	<b>SB200 x 66" Snowblower</b> .....	<b>\$4,430.00</b>
--------------	-------------------------------------	-------------------

M7002-R01-C01	5.5 Hydraulic Motor Package ..... (S130, S150, S160, S175, S185, S205, S450, S510, S530, S550, S570, S590, S595) (T180, T190, T450, T550, T590, T595)	\$1,065.00
---------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------	------------

M7002-R01-C02	6.2 Hydraulic Motor Package ..... (S130, S150, S160, S175, S185, S205, S510, S530, S550, S570, S590, S595) (T180, T190, T550, T590, T595)	\$1,065.00
---------------	-------------------------------------------------------------------------------------------------------------------------------------------------	------------

M7002-R01-C03	8.0 Hydraulic Motor Package ..... (S630*, S650*, S740*, S750*, S770*) (S160H, S185H, S205H, S550H, S570H, S590H, S595H) (T180H, T190H, T550H, T590H, T595H)	\$1,125.00
---------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------

M7002-R01-C04	9.6 Hydraulic Motor Package ..... (S160H, S185H, S205H, S550H, S570H, S590H, S595H, S630H*, S650H*) (T180H, T190H, T550H, T590H, T595H)	\$1,190.00
---------------	-----------------------------------------------------------------------------------------------------------------------------------------------	------------

**\*Offset rims required**

# SNOWBLOWER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	SB200 SNOWBLOWER	SLP IN US \$
-------------	------------------	--------------

**Preferred Hydraulic Motor Package (BOLD)**  
*Must order a hydraulic motor package with the SB200 Snowblowers*  
*Loader must be equipped with a 7-pin Attachment Control Kit*

**(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H) (S450, S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S750, S770) (A770) (T180, T180H, T190, T190H) (T450, T550, T550H, T590, T590H, T595, T595H, T630\*, T630H\*, T650\*, T650H\*, T740\*, T740H\*, T750\*, T770\*)**

<b>M7003</b>	<b>SB200 x 72" Snowblower</b> .....	<b>\$4,575.00</b>
M7003-R01-C01	5.5 Hydraulic Motor Package .....	\$1,065.00
	(S130, S150, S160, S175, S185, S205, S450, S510, S530, S550, S570, S590, S595) (T180, T190, T450, T550, T590, T595)	
M7003-R01-C02	6.2 Hydraulic Motor Package .....	\$1,065.00
	(S130, S150, S160, S175, S185, S205, S450, S510, S530, S550, S570, S590, S595) (T180, T190, T450, T550, T590, T595)	
M7003-R01-C03	8.0 Hydraulic Motor Package .....	\$1,125.00
	(S630, S650, S740, S750, S770) (A770) (T630*, T650*, T740*, T750*, T770*) (S160H, S185H, S205H, S550H, S570H, S590H, S590H,) (T180H, T190H, T550H, T590H, T595H)	
M7003-R01-C04	9.6 Hydraulic Motor Package .....	\$1,190.00
	(S160H, S185H, S205H, S550H, S570H, S590H, S595H, S630H, S650H, S740, S750, S770) (T180H, T190H, T550H, T590H, T595H, T630H*, T650H*, T740H*, T750H*, T770H*)	

**(S150, S160, S160H, S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S750, S770, S850) (A770) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T770)**


<b>M7004</b>	<b>SB200 x 78" Snowblower</b> .....	<b>\$4,850.00</b>
M7004-R01-C02	6.2 Hydraulic Motor Package .....	\$1,065.00
	(S150, S160, S175, S185, S205, S510, S530, S550, S570, S590, S595) (T180, T190, T550, T590, T595)	
M7004-R01-C03	8.0 Hydraulic Motor Package .....	\$1,125.00
	(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770) (S160H, S185H, S205H, S550H, S570H, S590H, S595H) (T180H, T190H, T550H, T590H, T595H)	
M7004-R01-C04	9.6 Hydraulic Motor Package .....	\$1,190.00
	(S160H, S185H, S205H, S550H, S570H, S590H, S595H, S630H, S650H, S740, S750, S770, S850) (T180H, T190H, T550H, T590H, T595H, T630H, T650H, T740, T750, T770)	

**\* Narrow Track Required**



# SOD LAYER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight .....	596 lbs.
Length .....	51.0"
Width (maximum overall) .....	73.0"
Height.....	30.6"
Sod Roll Widths .....	24.0" – 48.0"
Maximum Diameter Sod Roll.....	50.0"
Arm Cylinders (2) .....	2.0" X 1.0" X 18.5" Stroke

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850)(A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)		
6906783	SOD LAYER.....	\$3,720.00

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------


Sod Layer .....	None .....	-
-----------------	------------	---

# SOIL CONDITIONER

## BOBCAT LOADER ATTACHMENT



*72-in*



*84-in*

### QUICK SPECS

	<u><i>48-in Man.</i></u>	<u><i>72-in Man</i></u>	<u><i>72-in Hyd.</i></u>
Overall Length.....	57.9"	67.9"	67.9"
Overall Width.....	60.6"	86.2"	86.2"
Working Width – Fully Angled ....	45.7"	65.0"	65.0"
Degree of Angle			
Left or Right.....	25 deg.	25 deg.	25deg.
Number of Teeth.....	81	121	121
Operating Weight .....	636 lbs.	1110 lbs.	1110 lbs.
Hydraulic Requirements.....	10-18 gpm	13-37 gpm	13-37 gpm
Tires.....	Pneumatic	Pneumatic	Foam-Filled
Float or Lock Position.....	Lock	Both	Both
Depth Adjustment.....	Manual	Manual	Hydraulic
Angle Adjustment.....	Manual	Manual	Hydraulic
	<u><i>72-in High Fl</i></u>	<u><i>84-in Hyd.</i></u>	<u><i>84-in High Fl</i></u>
Overall Length.....	67.9"	67.9"	67.9"
Overall Width.....	86.2"	98.2"	98.2"
Working Width – Fully Angled ....	65.0"	76.0"	76.0"
Degree of Angle			
Left or Right.....	25 deg.	25 deg.	25 deg.
Number of Teeth.....	121	141	141
Operating Weight .....	1150 lbs.	1268 lbs.	1268 lbs.
Hydraulic Requirements.....	25-37 gpm	18-37 gpm	30-37 gpm
Tires.....	Foam-Filled	Foam-Filled	Foam-Filled
Float or Lock Position.....	Both	Both	Both
Depth Adjustment.....	Hydraulic	Hydraulic	Hydraulic
Angle Adjustment.....	Hydraulic	Hydraulic	Hydraulic

# SOIL CONDITIONER

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$
<b>(MT50, MT52, MT55, MT85) (S70, S100) (T110)</b>		
6958310	48" SOIL CONDITIONER, MANUAL ANGLE.....	\$6,100.00
<b>(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H) (S450, S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H) (A770, A770H) (T140, T180, T180H, T190, T190H) (T450, T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H)</b>		
6906513	72" SOIL CONDITIONER, MANUAL ANGLE.....	\$8,000.00
7135945	72" SOIL CONDITIONER, HYDRAULIC ANGLE AND DEPTH..... (Loader must be equipped with an Attachment Control Kit)	\$8,890.00
<b>(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H)</b>		
7135944	72" SOIL CONDITIONER, HIGH FLOW HYDRAULIC ANGLE AND DEPTH ... (Loader must be equipped with an Attachment Control Kit)	\$8,990.00
<b>(S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H, S850) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H, T870)</b>		
7135946	84" SOIL CONDITIONER, HYDRAULIC ANGLE AND DEPTH..... (Loader must be equipped with an Attachment Control Kit)	\$9,190.00
<b>(S630H, S650H, S740H, S750H, S770H, S850H) (A770H) (T630H, T650H, T740H, T750H, T770H, T870H)</b>		
7135947	84" SOIL CONDITIONER, HIGH FLOW HYDRAULIC ANGLE AND DEPTH ... (Loader must be equipped with an Attachment Control Kit)	\$9,590.00

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.


ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Soil Conditioner – manual angle.....	Adjust Bolster.....	.25
Soil Conditioner – hydraulic angle.....	None .....	-
Attachment Control Kit .....		See Page

# SPREADER

## BOBCAT LOADER ATTACHMENT



**SP5 SPREADER**



**HS8 SPREADER**

### QUICK SPECS

	<u><i>SP5 Spreader</i></u>	<u><i>HS8 Spreader</i></u>
Operating Weight		
with Loader Mount (empty).....	191 lbs.	437 lbs.
Height.....	32.5"	40.9"
Width.....	38.5"	54.4"
Hopper Capacity		
Top of Hopper.....	5.75 Cu. Ft.	9.6 Cu. Ft.
Bottom of Grate .....		7.6 Cu. Ft.
Spreading Pattern.....	4 to 40 feet	18.4 @ 1500 RPM
		22.6 @ 2000 RPM
		28.4 @ 2500 RPM
Speed Control.....	Variable Speed	
	Dial Control	
Motor .....	12-Volt DC Direct Drive	Hydraulic
Spinner Wheel.....	10" diameter	18" diameter
Maximum Hydraulic Flow .....		22 GPM

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T630, T650, T740, T750, T770, T870)

**6731612**      **SP5 SPREADER: 20 left in Inventory** ..... \$2,075.00  
 (Must also order either loader mounting kit or truck mounting kit)      ~~SAVE 10% \$1,415.00~~  
**SAVE 37% \$995.00**

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T630, T650, T740, T750, T770, T870)

**7157284**      **HS8 SPREADER** ..... **\$3,435.00**

# SPREADER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
-------------	-------------------------------------------------------------	--------------

*SP5 SPREADER*

<b>6731700</b>	<b>LOADER MOUNTING KIT</b> ..... (Includes loader mount, control box and wiring harness) (Ship Weight 125 lbs.)	<b>\$615.00</b>
<b>6731701</b>	<b>TRUCK MOUNTING KIT</b> ..... (Includes 2" receiver mount and wiring harness) (Does not include control box) (Note: Pickup trucks must be equipped with a receiver-style bumper hitch to accept the 2" receiver in the kit.) (Ship Weight 20 lbs.)	<b>\$245.00</b>
<b>6731702</b>	<b>ADJUSTABLE DEFLECTOR</b> ..... (For additional control of the spread pattern) (Ship Weight 4 lbs.)	<b>\$120.00</b>
<b>6731703</b>	<b>GATE ASSEMBLY KIT</b> ..... (This kit is recommended when applying fine granular materials such as seed and fertilizer. The gate assembly controls and meters the material flow so a more precise rate is achieved) (Ship Weight 6 lbs.)	<b>\$185.00</b>
<b>6731705</b>	<b>VIBRATOR KIT</b> ..... (Helps prevent material from bridging in the spreader hopper) (Includes wiring harness for vibrator) (Ship Weight 8 lbs.)	<b>\$430.00</b>

*HS8 Spreader*

<b>7157412</b>	<b>SIDEWALK KIT – HS8</b> ..... (Limits spread pattern to the width of a 29" or 37" dependant mounting location used)	<b>PARTS \$ _____</b>
----------------	--------------------------------------------------------------------------------------------------------------------------	-----------------------

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

SP5 Spreader.....	Install Mounting Kit, Control Kit and Harness .....	2
-------------------	-----------------------------------------------------	---

# STABILIZER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Ship Weight..... 260 lbs.

Increase your auger, backhoe or tree spade performance in a wide range of jobs with a set of frame-mounted rear stabilizers. Improves performance by transferring weight of the loader to the auger, backhoe or tree spade where it's needed for better digging capability. Rear stabilizers also assist in leveling the loader on uneven terrain. Rear stabilizers are available for most Bobcat loaders and can be quickly mounted and removed.

**Note:** Installation of Rear Stabilizers requires Rear Auxiliary Hydraulics. For Rear Auxiliary Hydraulics, refer to the Dealer Installed sections of the Loader price pages.

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S130, S150, S160, S175, S185, S205) (S450\*, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)

**6811449 QUICK-TACH REAR STABILIZER KIT** ..... PARTS \_\_\_\_\_  
 (Must also order mounting kit) (Loader must be equipped with Rear Auxiliary Hydraulic Kit)  
 (Intended for use with 607, 709, 8709, 811 and 8811 Backhoes, Augers and Tree Spades)  
 (Rear Stabilizers NOT compatible with Bob-Tach Mounted Backhoe P/N 6906767)

\*Must order the counter weight kit - axle P/N 7204315 when mounting rear stabilizers on S450.

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
-------------	-------------------------------------------------------------	--------------

(S510, S530, S550, S570, S590, S595, S630, S650) (T450, T550, T590, T595, T630, T650)  
**7152508 MOUNTING KIT** ..... \$440.00  
 (Approved for use with M-Series Loaders to mount Quick-Tach Stabilizer and Quick-Tach Water Kit) (Ship weight 120 lbs.)

(S740, S750, S770, S850) (A770) (T740, T750, T770, T870)  
**7152512 MOUNTING KIT** ..... \$440.00  
 (Approved for use with M-Series Loaders to mount Quick-Tach Stabilizer and Quick-Tach Water Kit) (Ship weight 90 lbs.)

(S150, S160, S175, S185, S205, S220, S250, S300, S330) (A300) (T180, T190, T250, T300, T320)  
**6811455 COUNTERWEIGHT KIT, 300 LB** ..... PARTS \$ \_\_\_\_\_  
 (Attaches to Rear Stabilizer and Mounting Kit.)

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

# STABILIZER

## BOBCAT LOADER ATTACHMENT

ATTACHMENT (HOURS)	ASSEMBLY REQUIRED	INSTALLATION TIME
Rear Stabilizers .....	Install stabilizer mount and attach stabilizers .....	2.5
Counterweight Kits.....	Install counterweights.....	.5
Street Pad Kit.....	Install street pads .....	.25

# STEEL TRACKS

## BOBCAT LOADER ATTACHMENT



ATTACHMENT						
PART NUMBER	TIRE SIZE	NUMBER OF PADS	MACHINE WIDTH WITH TRACKS	WHEEL SPACERS (INCL.)	LIFT ARM STOP (INCL.)	SHIP. WGT.

SLP IN US \$

### COMPLETE TRACK PACKAGE

*Each part number includes a set of tracks, web binder, hardware, and if required, wheel spacers and lift arm stops.*

**(S130): 2 left in Inventory**

7112841..... 10.00-16.5 ..... 32 ..... 69" ..... 1 1/2" ..... 3/4" ..... **925**.....\$2,730.00  
 SAVE 12% \$2,405.00  
**SAVE 19% \$2,215.00**

**(S150, S160): 14 left in Inventory**

7111884..... 10.00-16.5 ..... 34 ..... 69" ..... NONE ..... 1/2" ..... **920**.....\$2,545.00  
 Note: Includes Lift Arm Stop p/n 7112304  
 SAVE 12% \$2,240.00  
**SAVE 18% \$2,095.00**

**(S175, S185)**

7111882..... 10.00-16.5 ..... 34 ..... 69" ..... NONE ..... **920**.....\$2,630.00  
 Note: Tracks will not work with 773, S175, S185 with 60" offset rims.

**(S510, S530, S550, S570)**

7222581..... 10.00-16.5 ..... 34 ..... 72" ..... 2" ..... **913**.....\$3,215.00  
 Note: Order p/n 7233132 if loader is equipped with 31-12-16.5 tires.

**(S205): 2 LEFT IN INVENTORY**

7135552..... 31-12-16.5 ..... 34 ..... 73" ..... 2" ..... **1,270**.....\$2,975.00  
 SAVE 12% \$2,620.00  
**SAVE 19% \$2,415.00**

**(S510, S530, S550, S570, S590, S595)**

7233132..... 31-12-16.5 ..... 34 ..... 76" ..... NONE ..... **963**.....\$2,895.00  
 Notes: Requires rims to be reversed for proper spacing. Flange nuts included for securing the rim.  
 Order p/n 7222581 if loader is equipped with 10-16.5 tires.  
 Bucket will be narrower than the 76" over the track width.

**(S220, S250, S300): 7111888: 1 left in Inventory 7111896: 13 left in Inventory**

7111888..... 10.00-16.5 ..... 38 ..... 75" ..... NONE ..... **1,020**.....\$2,965.00  
 SAVE 12% \$2,610.00  
**SAVE 19% \$2,405.00**

7111896..... 12.00-16.5 ..... 38 ..... 79" ..... 2" ..... **1,197**.....\$3,310.00

Note: Tracks over the 12.00-16.5 tires will cause interference with Combination Buckets on.  
 SAVE 12% \$2,915.00  
**SAVE 18% \$2,755.00**

**(S630, S650)**

7178955..... 12.00-16.5 ..... 38 ..... 79" ..... 2" ..... **1,197**.....\$3,390.00

**(S220, S250, S300): 1 left in Inventory**

7111906..... 33-15.5-16.5 .. 38 ..... 83" ..... 2 1/2" ..... **1,400**.....\$4,325.00  
 SAVE 12% \$3,805.00  
**SAVE 19% \$3,505.00**

# STEEL TRACKS

## BOBCAT LOADER ATTACHMENT

(S330): **2 left in Inventory**

7141928	..... 14.00-17.5	..... 38	..... 83"	..... 2 1/2"	..... 1,277	..... \$4,080.00
						SAVE 12% <del>\$3,590.00</del>
						<b>SAVE 19% \$3,305.00</b>

(S740, S750, S770)

7191754	..... 12.00-16.5	..... 38	..... 79"	..... 2"	..... 1,201	..... \$4,100.00
---------	------------------	----------	-----------	----------	-------------	------------------

(S850)

7191757	..... 14.00-17.5	..... 42	..... 86"	..... 2"	..... 1,366	..... \$4,745.00
---------	------------------	----------	-----------	----------	-------------	------------------

### Note on use of poly fill tires and other non-pneumatic tires with steel tracks

Only pneumatic tires and tires with **Superflex** formula poly fill manufactured by Arnco are permitted for use inside steel tracks. Bobcat factory poly-filled tires meet this requirement. All other tires including Bobcat Solid Tires (Twin Flex, Smooth Flex, Smooth Solid, etc.) are considered non-approved. The use of non-approved tires will void the loader and track warranties. For more information, see service letter #5010 dated 15 July 2002.

# STEEL TRACKS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
-------------	-------------------------------------------------	--------------

### REPLACEMENT TRACK SETS

*Each part number includes a set of tracks and web binder.  
Additional hardware, wheel spacers and lift-arm stops are not included.*

<b>(S130)</b>		
<b>7111880</b>	<b>TRACKS: 6 left in Inventory</b> ..... (Fits 10.0-16.5 tires) (Ship Weight 867 lbs.)	\$2,435.00 <del>SAVE 12% \$2,145.00</del> <b>SAVE 18% \$2,005.00</b>
<b>(S150, S160, S175, S185)</b>		
<b>7111882</b>	<b>TRACKS</b> ..... (Fits 10.0-16.5 tires) (Ship Weight 918 lbs.)	\$2,630.00
<b>(S590, S595)</b>		
<b>7233132</b>	<b>TRACKS</b> ..... (Fits 31-12x16.5 tires) (Ship Weight 963 lbs.) (Includes flange nuts) (Rims must be reversed for proper spacing)	\$2,895.00
<b>(S220, S250, S300)</b>		
<b>7111888</b>	<b>TRACKS: 1 left in Inventory</b> ..... (Fits 10.0-16.5 tires) (Ship Weight 1,020 lbs.)	\$2,965.00 <del>SAVE 12% \$2,610.00</del> <b>SAVE 19% \$2,405.00</b>
<b>7111891</b>	<b>TRACKS: 17 left in Inventory</b> ..... (FITS 12.0-16.5 TIRES) (SHIP WEIGHT 1,076 LBS.)	\$2,895.00 <del>SAVE 12% \$2,550.00</del> <b>SAVE 18% \$2,385.00</b>
<b>(S330)</b>		
<b>7141927</b>	<b>TRACKS: 2 left in Inventory</b> ..... (Fits 14.00-17.5 tires) (Ship Weight 1,227 lbs.)	\$3,435.00 <del>SAVE 12% \$3,025.00</del> <b>SAVE 19% \$2,785.00</b>

# STEEL TRACKS

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

### REPLACEMENT PARTS

*The following are common parts required to service steel tracks.*

7111988	11.5" WELDED PAD (1" BARS) .....	PARTS	\$ _____
7111989	11.5" WELDED PAD KIT (1" BARS) .....	PARTS	\$ _____
	(Includes Pad, 2 Links, 4 Nuts, 4 Bolts, 4 Bushings)		
7111858	13.25" PAD .....	PARTS	\$ _____
7111862	13.25" PAD KIT .....	PARTS	\$ _____
	(Includes Pad, 2 Links, 4 Nuts, 4 Bolts, 4 Bushings)		
7111860	14.75" PAD .....	PARTS	\$ _____
7111863	14.75" PAD KIT .....	PARTS	\$ _____
	(Includes Pad, 2 Links, 4 Nuts, 4 Bolts, 4 Bushings)		
7111861	16.00" PAD .....	PARTS	\$ _____
7111864	16.00" PAD KIT .....	PARTS	\$ _____
	(Includes Pad, 2 Links, 4 Nuts, 4 Bolts, 4 Bushings)		
7111857	LINK (1 1/4" HOLES) .....	PARTS	\$ _____
6679215	BUSHING (1 1/4" OUTSIDE DIAMETER) .....	PARTS	\$ _____
6679216	CARRIAGE BOLT (1/2" x 1 7/8" GR5) .....	PARTS	\$ _____
6679217	NUT (1/2" NF GR5 CENTER LOCK) .....	PARTS	\$ _____
6679059	WEB BINDER .....	PARTS	\$ _____
6679060	WEB BINDER STRAP .....	PARTS	\$ _____

### WHEEL SPACER PARTS

6679231	STUD, 9/16" x 2.12" .....	PARTS	\$ _____
6679233	NUT, 9/16" x 90° .....	PARTS	\$ _____
6679234	REACH NUT .....	PARTS	\$ _____
(753, 763, 773, S175, S185, 853)			
6679237	1 1/2" WHEEL SPACER KIT (9/16 STUDS & NUTS) .....	PARTS	\$ _____
	(Includes 4 wheel spacers, nuts and bolts)		
6679238	1 1/2" WHEEL SPACER RING (9/16 STUDS & NUTS) .....	PARTS	\$ _____
(S220, S250, 873)(S510, S530, S550, S570)			
6679239	2" WHEEL SPACER KIT (9/16 STUDS & NUTS) .....	PARTS	\$ _____
	(Includes 4 wheel spacers, nuts and bolts)		
6679240	2" WHEEL SPACER RING (9/16 STUDS & NUTS) .....	PARTS	\$ _____
(963)			
6679241	1 1/2" WHEEL SPACER KIT (WITH REACH NUTS) .....	PARTS	\$ _____
	(Includes 4 wheel spacers, nuts and bolts)		
6679242	1 1/2" WHEEL SPACER RING (WITHOUT REACH NUTS) .....	PARTS	\$ _____

# STEEL TRACKS

## BOBCAT LOADER ATTACHMENT

<b>PART</b>	<b>DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS</b>
<b>NUMBER</b>	<b>DESCRIPTION</b>

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

**RE-BUILD KITS WITHOUT LINKS**

*Includes nuts, bolts and bushings*

*Refer to track packages to see how many pads are required.*

7111868.....	30 PADS/MACHINE.....	PARTS	\$ _____
7111869.....	32 PADS/MACHINE.....	PARTS	\$ _____
7111870.....	34 PADS/MACHINE.....	PARTS	\$ _____
7111871.....	38 PADS/MACHINE.....	PARTS	\$ _____
7111872.....	40 PADS/MACHINE.....	PARTS	\$ _____
7111873.....	42 PADS/MACHINE.....	PARTS	\$ _____

**RE-BUILD KITS WITH LINKS**

*Includes links, nuts, bolts and bushings*

*Refer to track packages to see how many pads are required.*


7111874.....	30 PADS/MACHINE.....	PARTS	\$ _____
7111875.....	32 PADS/MACHINE.....	PARTS	\$ _____
7111876.....	34 PADS/MACHINE.....	PARTS	\$ _____
7111877.....	38 PADS/MACHINE.....	PARTS	\$ _____
7111878.....	40 PADS/MACHINE.....	PARTS	\$ _____
7111879.....	42 PADS/MACHINE.....	PARTS	\$ _____

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

# STUMP GRINDER

## BOBCAT LOADER ATTACHMENT



*SG30 Stump Grinder*



*SG60 and SGX60 Stump Grinder*

### QUICK SPECS

	<u>SG30</u>	<u>SG60</u>	<u>SGX60</u>
Operating Weight .....	460 lbs.	980 lbs.	995 lbs.
Flow Range .....	10-14 gpm	17-32 gpm*	25-40 gpm*
Overall Length .....	46.25"	45"	45"
Overall Transport Length .....	39.5"	66"	66"
Overall Height.....	33.5"	59.4"	59.4"
Wheel Diameter .....	18"	27"	27"
Number of Teeth.....	16	32	32
Grinder Reach @ Ground Level ....	46.25"	74"	74"
Maximum Cutting Height .....	11"	32"	32"
Maximum Cutting Depth .....	11"	15"	15"
Maximum Cutting Arc .....	90°	80°	80°

**Note:** Performance is dependent upon the loader's auxiliary hydraulic flow. Choose a high flow loader for optimum performance.

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
	(MT50, MT52, MT55, MT85) (S70)	
7100641	<b>SG30 STUMP GRINDER</b> .....	<b>\$4,995.00</b>
	(Loader must be equipped with a 14-Pin Attachment Control Kit – See Page 1 or 2)	
	(S160, S160H, S175, S185, S185H, S205, S205H)	
	(S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S750, S770, S850) (A770) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T750, T770, T870)	
6808034	<b>SG60 STUMP GRINDER</b> .....	<b>\$8,590.00</b>
	<b>*Not approved for use with 37 GPM High Flow Loaders</b>	
	(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2)	
	(When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)	
	(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H)	
7112201	<b>SGX60 STUMP GRINDER</b> .....	<b>\$8,890.00</b>
	(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2)	
	(When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)	

# STUMP GRINDER

## BOBCAT LOADER ATTACHMENT

<b>PART</b>	<b>DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS</b>
<b>NUMBER</b>	<b>DESCRIPTION</b>

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

6732873	HARNES FOR F-SERIES LOADERS .....	PARTS	\$_____
	(Used on SG60 with F-Series Loaders to increase grinding wheel power when swing is engaged)		


<b>DESTINATION CHARGE/FUEL SURCHARGE</b>
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

	<b>ASSEMBLY REQUIRED</b>	<b>INSTALLATION</b>
<b>ATTACHMENT</b>		<b>TIME (HOURS)</b>

Stump Grinder .....	None .....	-
Attachment Control Kit .....		See Page 1

# SWEEPER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<b><u>44"</u></b>	<b><u>54"</u></b>	
Operating Weight .....	555 lbs.	650 lbs.	
Sweep Width.....	44"	54"	
Overall Attachment Width.....	48.29"	58.29"	
Bucket Capacity .....	6.6 cu. ft.	8.2 cu. ft.	
Broom Diameter.....	21.5"	21.5"	
Bristle Sections (Included) .....	21	26	
Bristle Material .....	Replaceable Polypropylene sections (steel sections available)		
Cutting Edge (Repl. Steel).....	5/8" x 6"	5/8" x 6"	
Broom RPM @ 15 GPM.....	185	185	
Travel.....	Frwd/Rev	Frwd/Rev	
	<b><u>60"</u></b>	<b><u>72"</u></b>	<b><u>84"</u></b>
Operating Weight .....	758 lbs.	845 lbs.	1029 lbs.
Sweep Width.....	60"	72"	84"
Overall Attachment Width.....	66.2"	78.2"	89.9"
Bucket Capacity .....	12.0 cu. ft.	14.4 cu. ft.	18.5 cu. ft.
Broom Diameter.....	21.4"	21.4"	24"
Bristle Sections (Included) .....	30	36	42
Bristle Material .....	Replaceable Polypropylene sections (steel sections available)		
Cutting Edge (Repl. Steel).....	5/8" x 6"	5/8" x 6"	5/8" x 6"
Broom RPM @ 10 GPM.....	145	145	215 @ 15 GPM
Travel.....	Frwd/Rev	Frwd/Rev	Frwd/Rev

# SWEEPER

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	
<b>(MT55, MT85) (S70)</b>		
7138898	44" SWEEPER.....	\$3,160.00
<b>(S100, S130) (T110) (S450) (T450)</b>		
7138870	54" SWEEPER.....	\$3,410.00
<b>(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (T140, T180, T190) (T450, T550, T590, T595)</b>		
6707144	60" SWEEPER.....	\$3,710.00
<b>(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T180, T190) (T550, T590, T595, T630, T650)</b>		
6707837	72" SWEEPER.....	\$4,135.00
<b>(S630, S650, S740, S750, S770) (A770) (T630, T650, T740, T750, T770)</b>		
7112646	84" SWEEPER.....	\$4,700.00

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
NUMBER	DESCRIPTION	
6714219	<b>GUTTER BRUSH</b> ..... (Add-on to the 60" and 72" Sweeper) (Includes hoses, couplers, steel bristles, mounting frame, hardware and control valve) (Estimated install time 2 hours) (Ship Weight 145 lbs.)	\$1,340.00
7122418	<b>GUTTER BRUSH</b> ..... (Add-on to the 84" Sweeper) (Includes hoses, couplers, steel bristles, mounting frame, hardware and control valve) (Estimated install time 2 hours) (Ship Weight 145 lbs.)	\$1,260.00
7147900	<b>WHEEL KIT, 84"</b> ..... (Not Recommended for use with the 7122418 Gutter Brush) (Add-on for the 84" Sweeper) (Limits surface damage due to scrapes and scratches) (Includes hardware, two wheels and gas springs) (Estimated install time 1 hours)	\$955.00

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
NUMBER	DESCRIPTION	

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

6805366	<b>BOLT-ON CUTTING EDGE, 54"</b> ..... PARTS	\$ _____
(Hardware not included) (Estimated install time 1.5 hours)		
6805367	<b>BOLT-ON CUTTING EDGE, 60"</b> ..... PARTS	\$ _____
(Hardware not included) (Estimated install time 1.5 hours)		
6805368	<b>BOLT-ON CUTTING EDGE, 72"</b> ..... PARTS	\$ _____
(Hardware not included) (Estimated install time 1.5 hours)		
7104254	<b>BOLT-ON CUTTING EDGE, 84"</b> ..... PARTS	\$ _____
(Hardware not included) (Estimated install time 1.5 hours)		

### Water Kit

NOTE: Water Kits are available for use with the Sweeper attachments – see Water Kit page for details.

# SWEEPER

## BOBCAT LOADER ATTACHMENT

**DESTINATION CHARGE/FUEL SURCHARGE**  
 Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Sweeper, 44" – 54" .....	None .....	-
Sweeper, 60"-72" .....	Adjust side bolts (2) for 3/4" clearance .....	0.25
	(Shipped with no clearance)	
Gutter Brush.....		2.00
Wheel Kit.....		1.00

# THREE-POINT HITCH ADAPTER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight ..... 272 lbs.  
 Mounting Frame ..... Mounts to category "I and II" Three-Point Hitch Implements that meet the ASAE standard for quick hitch.  
 Overall Width..... 46"

PART NUMBER	DESCRIPTION	SLP IN US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770)		
7110394	<b>THREE-POINT HITCH ADAPTER, CATEGORY "I AND II" .....</b> (Quick-tach connection to Three-Point Hitch implements to convert to Bob-Tach™) (Includes 2" receiver for moving trailers)	\$920.00

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Three-Point hitch.....None .....

# TILLER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>40"</u>	<u>62"</u>	<u>76"</u>
Operating Weight .....	475 lbs.	660 lbs.	749 lbs.
Working Width.....	40.6"	62.1"	75.4"
Overall Width.....	48"	70.8"	84.4"
Tines .....	24	36	44
Working Depth .....	6" maximum	6" maximum	6" maximum
Tine Rotation .....	Bi-rotational	Bi-rotational	Bi-rotational
Drive .....	Direct Drive	Direct Drive	Direct Drive
Travel Direction .....	Forward/Reverse	Forward/Reverse	Forward/Reverse
Flow Range .....	9-18 GPM	17-40 GPM	17-40 GPM

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(MT50, MT52, MT55, MT85) (S70, S100) (T110)

7196028      40" ROTARY TILLER..... \$4,045.00

(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H)

(S450, S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H) (T140, T180, T180H, T190, T190H) (T450, T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H)

7104371      62" ROTARY TILLER..... \$4,640.00

(S160, S160H, S175, S185, S185H, S205, S205H)

(S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H) (A770, A770H) (T180, T180H, T190, T190H)

(T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H)

7102125      76" ROTARY TILLER..... \$5,640.00

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

7280548      TILLER SKID SHOES FOR ALL MODELS .....PARTS \$ \_\_\_\_\_  
 (0.5 hour assembly time)

# TILLER

## BOBCAT LOADER ATTACHMENT


**DESTINATION CHARGE/FUEL SURCHARGE**  
 Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Tiller.....None .....		-
Tiller Skid Shoe..... Bolt onto tiller.....		0.5

# TILT TACH

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight .....	320 lbs.
Height.....	20.4"
Width.....	48"
Length.....	4.3"
Oscillation .....	± 15°
Cylinders.....	1

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650)  
 (T140, T180, T190) (T450, T550, T590, T595)

**7101600**    **TILT-TATCH**..... **\$2,330.00**  
 (Interface between the Loader's Bob-Tach and non hydraulic attachments)

**Note:** Use of Tilt-Tatch will reduce Operating Capacity and Tip Load by approximately 20%. See the Tilt-Tatch Operators Manual for New Load Ratings.

**Note:** Tilt-Tatch can be used with non-hydraulic attachments only.

PART	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS
NUMBER	DESCRIPTION

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

**7101857**    **TILT-TATCH REBUILD KIT**..... **PARTS \$\_\_\_\_\_**  
 (The bolt-on rebuild kit allows customers with high usage or excessive wear applications to replace high wear items without the use of a cutting torch and welder.)

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

**Tilt-Tatch**.....**None** .....

# TREE SPADE

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	24"	28"	32"	36"	44"
Spade Weight	1330 lbs.	1490 lbs.	1530 lbs.	1585 lbs.	2145 lbs.
Width					
<i>Cone 30°</i>	88.6 in.	92.4 in.	91.8 in.	95.6 in.	85.1 in.
<i>Modified 25°</i>			76.0 in.	79.8 in.	77.7 in.
<i>Truncated 22°</i>	67.5 in.				
Height					
<i>Cone 30°</i>	57.1 in.	57.1 in.	64.2 in.	64.2 in.	64.2 in.
<i>Modified 25°</i>			58.7 in.	58.7 in.	66.6 in.
<i>Truncated 22°</i>	48.9 in.				
Length					
<i>Cone 30°</i>	80.7 in.	85.1 in.	83.3 in.	87.5 in.	85.1 in.
<i>Modified 25°</i>			74.2 in.	78.4 in.	78.5 in.
<i>Truncated 22°</i>	68.5 in.				
Max Digging Depth					
<i>Cone 30°</i>	23.2 in.	26.4 in.	31.2 in.	32.9 in.	33.3 in.
<i>Modified 25°</i>			25.9 in.	29.4 in.	31.0 in.
<i>Truncated 22°</i>	18.4 in.				
Bottom Opening Radius					
<i>Cone 30°</i>	0.1 in.	0.4 in.	0.8 in.	2.2 in.	5.6 in.
<i>Modified 25°</i>			5.6 in.	6.2 in.	9.4 in.
<i>Truncated 22°</i>	5.8 in.				

# TREE SPADE

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$

### ACD TREE SPADES

Tree Spades are designed for fingertip spade control on G-Series and newer loaders only. The switches located on the loader's steering lever control Tree Spades. Loaders must be equipped with a 7-Pin control Kit (see page 1).

(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)

7149499	24" ACD TREE SPADE, CONE: <b>7 left in Inventory</b> .....	\$9,515.00
		<del>SAVE 18% \$7,830.00</del>
		<b>SAVE 24% \$7,215.00</b>

7149448	24" ACD TREE SPADE, TRUNCATED: <b>3 left in Inventory</b> .....	\$9,410.00
		<del>SAVE 17% \$7,765.00</del>
		<b>SAVE 23% \$7,215.00</b>

(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870)

7149501	28" ACD TREE SPADE, CONE: <b>2 left in Inventory</b> .....	\$9,630.00
		<del>SAVE 17% \$8,030.00</del>
		<b>SAVE 23% \$7,395.00</b>

### CONVERTIBLE TREE SPADES

Convertible Tree Spades can be equipped with either a pendant style (rocker switch) control panel or a 7-pin ACD control kit. Tree Spades with pendant control can be installed on all loader series; tree spades with 7-pin ACD control must be installed on G-Series and newer loaders. Must order a pendant control kit or 7-pin ACD conversion kit for tree spade with convertible control.

(S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870)

7149485	32" CONVERTIBLE TREE SPADE, CONE.....	\$10,990.00
	<small>(Must also order Pendant Control Kit or 7-Pin ACD Conversion Kit)</small>	

7149442	32" CONVERTIBLE TREE SPADE, MODIFIED .....	\$10,990.00
	<small>(Must also order Pendant Control Kit or 7-Pin ACD Conversion Kit)</small>	

(S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870)

7149488	36" CONVERTIBLE TREE SPADE, CONE.....	\$11,695.00
	<small>(Must also order Pendant Control Kit or 7-Pin ACD Conversion Kit)</small>	

7149445	36" CONVERTIBLE TREE SPADE, MODIFIED .....	\$11,695.00
	<small>(Must also order Pendant Control Kit or 7-Pin ACD Conversion Kit)</small>	

(S740, S750, S770, S850) (A770) (T650, T740, T750, T770, T870)

7149491	44" CONVERTIBLE TREE SPADE, CONE.....	\$15,990.00
	<small>(Must also order Pendant Control Kit p/n 7152664 or 7-Pin ACD Conversion Kit)</small>	

7149306	44" CONVERTIBLE TREE SPADE, MODIFIED .....	\$15,990.00
	<small>(Must also order Pendant Control Kit p/n 7152664 or 7-Pin ACD Conversion Kit)</small>	

**Note: Rear Stabilizers are required and counterweights are recommended when using the tree spade**

# TREE SPADE

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
-------------	-------------------------------------------------------------	--------------

(ALL LOADER SERIES)

<b>7152662</b>	ACD CONVERSION KIT, 7-PIN .....	<b>\$270.00</b>
<b>7152663</b>	PENDANT CONTROL KIT, 3-BLADE..... (For 24" through 36" Convertible Tree Spades) (No additional Control Kits needed.)	<b>\$515.00</b>
<b>7152664</b>	PENDANT CONTROL KIT, 4-BLADE..... (For 44" Convertible Tree Spades) (No additional Control Kits needed.) (Will operate 4-Blade convertible Tree Spades)	<b>\$580.00</b>

(S130, S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)

<b>6811449</b>	QUICK-TACH REAR STABILIZER KIT (Must also order mounting kit – see Rear Stabilizer price page for more information)	PARTS	\$ _____
----------------	------------------------------------------------------------------------------------------------------------------------	-------	----------

(S150, S160, S175, S185, S205, S220, S250, S300, S330) (A300) (T180, T190, T250, T300, T320)

<b>6811455</b>	COUNTERWEIGHT KIT, 300 LB. .... (Attaches to Rear Stabilizer and Mounting Kit.)	PARTS	\$ _____
----------------	------------------------------------------------------------------------------------	-------	----------


DESTINATION CHARGE/FUEL SURCHARGE
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Tree Spade.....	None .....	-
Pendant Control, 3-Blade & 4-Blade ....	Install Pendant Control.....	0.25
ACD Conversion Kit, 7-Pin .....	Install Conversion Kit.....	0.25

# TRENCH COMPACTOR

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight ..... 1400 lbs.  
 Height..... 59"  
 Length..... 57"  
 Width..... 48"

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
-------------	------------------------	--------------

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770)

6905277	TRENCH COMPACTOR.....	\$8,670.00
	(Comes standard with a 4 1/2" Pad and compacts trenches up to 8" wide) (Wheel-type vibratory compactor)	

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	PARTS	\$
-------------	-------------------------------------------------------------	-------	----

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

6905338	8" WIDE PAD KIT.....	PARTS	\$ _____
	(Compacts Trenches up to 12" Wide) (Qty. 12) (Ship Weight 160 lbs.)		


DESTINATION CHARGE/FUEL SURCHARGE
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Trench Compactor .....	None .....	-
------------------------	------------	---

# TRENCHER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u><i>LT112</i></u>	<u><i>LT113</i></u>	<u><i>LT213</i></u>	<u><i>LT313</i></u> <i>3' Depth</i>
Operating Weight (without teeth) .....	615 lbs.	640 lbs.	725 lbs.	955 lbs.
Flow Range .....	9-15 gpm	9-15 gpm	11-18 gpm	15-23 gpm
Maximum Operating Pressure.....	3000 psi	3000 psi	3300 psi	3300 psi
Frame Width (std. equipment) .....	36"	36"	56"	56"
Trenching Widths Available .....	4" to 8"	4" to 8"	4" to 8"	6" to 12"
Side Shift Travel .....	16.1"	16.1"	23.1"	23.1"
Auger Diameter.....	12" ♦	12" ♦	12" ♦	14" ♦
Auger Clearance .....	13.8-15.8"	13.8-15.8"	13.8-15.8"	24-27"
Dig Depth @ 60 degrees.....	2'	3'	3'	3'
Overall Length.....	60.7"	74"	74"	79.5"
Standard Boom Length .....	39.4"	52.5"	52.5"	55.5"
	<u><i>LT313</i></u> <i>4' Depth</i>	<u><i>LT414</i></u> <i>4' Depth</i>	<u><i>LT414</i></u> <i>5' Depth</i>	<u><i>LT405</i></u>
Operating Weight .....	980 lbs.	1188 lbs.	1255 lbs.	1520 lbs.
Flow Range .....	15-23 gpm	26-40 gpm	26-40 gpm	26-40 gpm
Maximum Operating Pressure.....	3300 psi	3300 psi	3300 psi	3300 psi
Frame Width (std. equipment) .....	56"	56.25"	56.25"	65"
Trenching Widths Available .....	6" to 12"	6" to 12"	6" to 8"	6" to 12"
Side Shift Travel .....	23.1"	21.8"	21.8"	26"
Auger Diameter.....	14" ♦	12 to 14.25" ♣	12 to 14.25" ♣	12" *
Auger Clearance .....	24-27"	23.4-26.4"	23.4-26.4"	19"
Dig Depth @ 60 degrees.....	4'	50"	62"	4'-5'
Overall Length.....	89.5"	90"	104"	105"
Standard Boom Length .....	65.5"	65"	79"	63"

♦ Single Removable Auger ♣ Tapered Removable Auger \* Dual Augers

# TRENCHER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	LT112 TRENCHER ATTACHMENT	SLP IN US \$
-------------	---------------------------	--------------

<b>(MT50, MT52, MT55, MT85) (S70)</b>		
<b>M7011</b>	<b>LT112 TRENCHER</b> .....	<b>\$3,465.00</b>
	(Includes mounting frame, hoses, couplers, 2' depth, manual sideshift, 4" trench cleaner) (Can only order one factory installed chain option per trencher model)	
	<i>2' Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)</i>	
<b>M7011-R01-C02</b>	<b>2' X 4" CUP TEETH, SINGLE STANDARD PATTERN</b> .....	<b>\$455.00</b>
<b>M7011-R01-C01</b>	<b>2' X 4" CUP TEETH, DOUBLE STANDARD PATTERN</b> .....	<b>\$555.00</b>
<b>M7011-R01-C03</b>	<b>2' X 4" CUP &amp; CARBIDE TEETH, DOUBLE STANDARD PATTERN</b> .....	<b>\$1015.00</b>
<b>M7011-R01-C05</b>	<b>2' X 4" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN</b> .....	<b>\$675.00</b>
<b>M7011-R01-C06</b>	<b>2' X 6" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN</b> .....	<b>\$850.00</b>

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
-------------	-------------------------------------------------	--------------

***LT112 Chain Configuration Accessories (Replacement Chain - Dealer Installed)***  
***Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)***

<b>6959315</b>	<b>2' X 4" CUP TEETH, SINGLE STANDARD PATTERN</b> .....	<b>\$445.00</b>
	(Ship Weight 76 lbs.)	
<b>6959323</b>	<b>2' X 4" CUP TEETH, DOUBLE STANDARD PATTERN</b> .....	<b>\$535.00</b>
	(Ship Weight 85 lbs.)	
<b>6959333</b>	<b>2' X 4" CUP &amp; CARBIDE TEETH, DOUBLE STANDARD PATTERN</b> .....	<b>\$1,010.00</b>
	(Ship Weight 91 lbs.)	
<b>7209862</b>	<b>2' X 4" SHARK TOOTH/CUP TEETH, DOUBLE STANDARD PATTERN</b> .....	<b>\$590.00</b>
<b>7209863</b>	<b>2' X 6" SHARK TOOTH/CUP TEETH, DOUBLE STANDARD PATTERN</b> .....	<b>\$680.00</b>
<b>6959317</b>	<b>3' X 4" CUP TEETH, SINGLE STANDARD PATTERN</b> .....	<b>\$505.00</b>
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 100 lbs.)	
<b>6959335</b>	<b>3' X 6" CUP TEETH, SINGLE STANDARD PATTERN</b> .....	<b>\$535.00</b>
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 113 lbs.)	
<b>6959321</b>	<b>3' X 4" CUP TEETH, DOUBLE STANDARD PATTERN</b> .....	<b>\$565.00</b>
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	
<b>6959319</b>	<b>3' X 4" CUP &amp; CARBIDE TEETH, DOUBLE STANDARD PATTERN</b> .....	<b>\$1,100.00</b>
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
-------------	-------------------------------------------------	--

***For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.***

<b>6959248</b>	<b>BOOM GUIDE ASSEMBLY</b> .....	<b>PARTS \$ _____</b>
	(Needed for 3' dig depth) (Also required (2) 3/4" bolts # 84G3712 additional 1' chain, and additional teeth or order 3' chain configuration from LT112 accessories)	
<b>6705531</b>	<b>CARBIDE TOOTH KIT</b> .....	<b>PARTS \$ _____</b>
<b>6701918</b>	<b>CUP TOOTH KIT</b> .....	<b>PARTS \$ _____</b>
<b>6959302</b>	<b>DOUBLE STANDARD CHAIN</b> .....	<b>PARTS \$ _____</b>
	(No teeth attached)	
<b>6959301</b>	<b>DOUBLE STANDARD CHAIN – 16P</b> .....	<b>PARTS \$ _____</b>
	(For additional 1' dig depth)	
<b>7110909</b>	<b>SPACER KIT, 6"</b> .....	<b>PARTS \$ _____</b>
	(Used with cup teeth for 6" width)	
<b>7110910</b>	<b>SPACER KIT, 8"</b> .....	<b>PARTS \$ _____</b>
	(Used with cup teeth for 8" width)	
<b>6806974</b>	<b>TRENCH CLEANER ADAPTER, 6"</b> .....	<b>PARTS \$ _____</b>
	(Used with Trench Cleaner Kit)	
<b>6806975</b>	<b>TRENCH CLEANER ADAPTER, 8"</b> .....	<b>PARTS \$ _____</b>

# TRENCHER

## BOBCAT LOADER ATTACHMENT

(Used with Trench Cleaner Kit)

PART	<b>LT113 TRENCHER ATTACHMENT</b>	
NUMBER	DESCRIPTION	SLP IN US \$

(MT50, MT52, MT55, MT85) (S70)

**M7014**      **LT113 TRENCHER**..... **\$3,685.00**  
 (Includes mounting frame, hoses, couplers, 3' depth, manual sideshift, 4" trench cleaner)  
 (Can only order one factory installed chain option per trencher model)

**M7040**      **TRENCHER LT113 CII, MT85**..... **\$3,685.00**  
 (Includes mounting frame, hoses, couplers, 3' depth, manual sideshift, 4" trench cleaner)  
 (Can only order one factory installed chain option per trencher model)

*3' Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)*

**M7014-R01-C02**      **3' X 4" CUP TEETH, SINGLE STANDARD PATTERN**..... **\$440.00**

**M7014-R01-C04**      **3' X 6" CUP TEETH, SINGLE STANDARD PATTERN**..... **\$470.00**

**M7014-R01-C01**      **3' X 4" CUP TEETH, DOUBLE STANDARD PATTERN**..... **\$500.00**

**M7014-R01-C03**      **3' X 4" CUP & CARBIDE TEETH, DOUBLE STANDARD PATTERN**... **\$1,025.00**

**M7014-R01-C06**      **3' X 4" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN** ..... **\$825.00**

**M7014-R01-C07**      **3' X 6" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN** ..... **\$1,030.00**

PART	<b>DEALER INSTALLED ACCESSORIES – ORDER FROM SALES</b>	
NUMBER	DESCRIPTION	SLP IN US \$

*LT113 Chain Configuration Accessories (Replacement Chain - Dealer Installed)*

*Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)*

**6959317**      **3' X 4" CUP TEETH, SINGLE STANDARD PATTERN** ..... **\$505.00**  
 (Ship Weight 100 lbs.)

**6959335**      **3' X 6" CUP TEETH, SINGLE STANDARD PATTERN** ..... **\$535.00**  
 (Ship Weight 113 lbs.)

**6959321**      **3' X 4" CUP TEETH, DOUBLE STANDARD PATTERN**..... **\$565.00**  
 (Ship Weight 115 lbs.)

**6959319**      **3' X 4" CUP & CARBIDE TEETH, DOUBLE STANDARD PATTERN**..... **\$1,100.00**  
 (Ship Weight 115 lbs.)

**7209864**      **3' X 4" SHARK TOOTH/CUP TEETH, DOUBLE STANDARD PATTERN**..... **\$745.00**

**7209865**      **3' X 6" SHARK TOOTH/CUP TEETH, DOUBLE STANDARD PATTERN**..... **\$865.00**

PART	<b>DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS</b>	
NUMBER	DESCRIPTION	SLP IN US \$

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

**6705531**      **CARBIDE TOOTH KIT** ..... **PARTS**    \$ \_\_\_\_  
 (Ship Weight 16 lbs.)

**6701918**      **CUP TOOTH KIT**..... **PARTS**    \$ \_\_\_\_  
 (Ship Weight 13 lbs.)

**7110909**      **SPACER KIT, 6"**..... **PARTS**    \$ \_\_\_\_  
 (Used with cup teeth for 6" width) (Ship weight 2 lbs.)

**7110910**      **SPACER KIT, 8"**..... **PARTS**    \$ \_\_\_\_  
 (Used with cup teeth for 8" width) (Ship weight 11 lbs.)

**6806974**      **TRENCH CLEANER ADAPTER, 6"**..... **PARTS**    \$ \_\_\_\_  
 (Used with Trench Cleaner Kit) (Ship Weight 3 lbs.)

**6806975**      **TRENCH CLEANER ADAPTER, 8"**..... **PARTS**    \$ \_\_\_\_  
 (Used with Trench Cleaner Kit) (Ship Weight 4 lbs.)

# TRENCHER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	LT213 TRENCHER ATTACHMENT	SLP IN US \$
-------------	---------------------------	--------------

(S100, S130) (T110, T140) (S450) (T450)

M7013	<b>LT213 TRENCHER</b> ..... \$3,710.00 (Includes 3' depth, manual sideshift, and 4" trench cleaner) (Can only order one factory installed chain option per trencher model) <i>Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)</i>	
M7013-R01-C02	3' x 4" CUP TEETH, SINGLE STANDARD PATTERN .....	\$440.00
M7013-R01-C04	3' x 6" CUP TEETH, SINGLE STANDARD PATTERN .....	\$470.00
M7013-R01-C01	3' x 4" CUP TEETH, DOUBLE STANDARD PATTERN.....	\$500.00
M7013-R01-C03	3' x 4" CUP & CARBIDE TEETH, DOUBLE STANDARD PATTERN....	\$1,025.00
M7013-R01-C06	3' x 4" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN.....	\$825.00
M7013-R01-C07	3' x 6" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN.....	\$960.00

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
-------------	-------------------------------------------------	--------------

***LT 213 Chain Configuration Accessories (Replacement Chain - Dealer Installed)***

*Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)*

6959317	3' x 4" CUP TEETH, SINGLE STANDARD PATTERN .....	\$505.00
	(Ship Weight 100 lbs.)	
6959335	3' x 6" CUP TEETH, SINGLE STANDARD PATTERN .....	\$535.00
	(Ship Weight 113 lbs.)	
6959321	3' x 4" CUP TEETH, DOUBLE STANDARD PATTERN.....	\$565.00
	(Ship Weight 115 lbs.)	
6959319	3' x 4" CUP & CARBIDE TEETH, DOUBLE STANDARD PATTERN.....	\$1,100.00
	(Ship Weight 115 lbs.)	
7209864	3' x 4" SHARK TOOTH/CUP TEETH, DOUBLE STANDARD PATTERN.....	\$745.00
7209865	3' x 6" SHARK TOOTH/CUP TEETH, DOUBLE STANDARD PATTERN.....	\$865.00
7274348	HYDRAULIC SIDE SHIFT KIT .....	\$695.00
	(Hydraulically side shift the trencher boom 23.1") (Ship Weight 58 lbs.) (1.5 hour install time)	

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
-------------	-------------------------------------------------	--

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

6705531	<b>CARBIDE TOOTH KIT</b> ..... PARTS \$ _____ (Ship Weight 16 lbs.)	
6701918	<b>CUP TOOTH KIT</b> ..... PARTS \$ _____ (Ship Weight 13 lbs.)	
6959303	<b>DOUBLE STANDARD CHAIN</b> ..... PARTS \$ _____ (No teeth attached) (Ship Weight 64 lbs.)	
7110909	<b>SPACER KIT, 6"</b> ..... PARTS \$ _____ (Used with cup teeth for 6" width) (Ship weight 2 lbs.)	
7110910	<b>SPACER KIT, 8"</b> ..... PARTS \$ _____ (Used with cup teeth for 8" width) (Ship weight 11 lbs.)	
6806974	<b>TRENCH CLEANER ADAPTER, 6"</b> ..... PARTS \$ _____ (Used with Trench Cleaner Kit) (Ship Weight 3 lbs.)	
6806975	<b>TRENCH CLEANER ADAPTER, 8"</b> ..... PARTS \$ _____ (Used with Trench Cleaner Kit) (Ship Weight 4 lbs.)	

# TRENCHER

## BOBCAT LOADER ATTACHMENT

PART	<b>LT313 TRENCHER ATTACHMENT</b>	
NUMBER	DESCRIPTION	SLP IN US \$

(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650)

**M7015 LT313 TRENCHER..... \$4,475.00**  
 (Includes 3' depth, manual sideshift, 6" trench cleaner)  
 (Can only order one factory installed chain option per trencher model)

*All chains are 2.0" Double Standard (DS) Anti-Back Flex (ABF)*

<b>M7015-R01-C13</b>	<b>NO CHAIN OPTION.....</b>	<b>n/c</b>
<b>M7015-R01-C02</b>	<b>3' X 6" CUP TEETH IN SINGLE STANDARD PATTERN.....</b>	<b>\$620.00</b>
<b>M7015-R01-C05</b>	<b>3' X 8" CUP TEETH IN SINGLE STANDARD PATTERN.....</b>	<b>\$655.00</b>
<b>M7015-R01-C01</b>	<b>3' X 6" CUP TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$1,030.00</b>
<b>M7015-R01-C04</b>	<b>3' X 6" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$1,040.00</b>
<b>M7015-R01-C03</b>	<b>3' X 6" CUP &amp; CARBIDE TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$1,685.00</b>
<b>M7015-R01-C06</b>	<b>3' X 8" CUP &amp; CARBIDE TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$1,725.00</b>
<b>M7015-R01-C14</b>	<b>3' X 8" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$1,255.00</b>

*The LT313 is assembled as a 4' dig depth when ordering the 4' chain option  
 (Boom Guide included with 4' factory installed chain)*

<b>M7015-R01-C08</b>	<b>4' X 6" CUP TEETH IN SINGLE STANDARD PATTERN.....</b>	<b>\$765.00</b>
<b>M7015-R01-C11</b>	<b>4' X 8" CUP TEETH IN SINGLE STANDARD PATTERN.....</b>	<b>\$860.00</b>
<b>M7015-R01-C07</b>	<b>4' X 6" CUP TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$945.00</b>
<b>M7015-R01-C10</b>	<b>4' X 6" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$1,220.00</b>
<b>M7015-R01-C09</b>	<b>4' X 6" CUP &amp; CARBIDE TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$1,890.00</b>
<b>M7015-R01-C12</b>	<b>4' X 8" CUP &amp; CARBIDE TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$2,020.00</b>
<b>M7015-R01-C15</b>	<b>4' X 8" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$1,385.00</b>

PART	<b>DEALER INSTALLED ACCESSORIES – ORDER FROM SALES</b>	
NUMBER	DESCRIPTION	SLP IN US \$

*LT313 Chain Configuration Accessories (Replacement Chain - Dealer Installed)*

*All chains are 2.0" Double Standard (DS) Anti-Back Flex (ABF).*

<b>6970056</b>	<b>3' X 6" CUP TEETH IN SINGLE STANDARD PATTERN.....</b> (Ship Weight 143 lbs.)	<b>\$655.00</b>
<b>6970057</b>	<b>3' X 8" CUP TEETH IN SINGLE STANDARD PATTERN.....</b> (Ship Weight 151 lbs.)	<b>\$672.00</b>
<b>6959240</b>	<b>3' X 6" CUP TEETH IN DOUBLE STANDARD PATTERN.....</b> (Ship Weight 195 lbs.)	<b>\$1,010.00</b>
<b>6970058</b>	<b>3' X 6" CUP &amp; CARBIDE TEETH IN DOUBLE STANDARD PATTERN.....</b> (Ship Weight 228 lbs.)	<b>\$1,665.00</b>
<b>7100638</b>	<b>3' X 6" SHARK TOOTH/CUP TEETH IN DOUBLE STANDARD PATTERN .....</b> (Ship Weight 153 lbs.)	<b>\$1,100.00</b>
<b>6970059</b>	<b>3' X 8" CUP &amp; CARBIDE TEETH IN DOUBLE STANDARD PATTERN.....</b> (Ship Weight 236 lbs.)	<b>\$1,674.00</b>
<b>7209866</b>	<b>3' X 8" SHARK TOOTH/CUP TEETH, DOUBLE STANDARD PATTERN.....</b>	<b>\$1,098.00</b>
<b>6808242</b>	<b>4' X 6" CUP TEETH IN SINGLE STANDARD PATTERN.....</b> (Must also order Boom Guide Assembly) (Ship Weight 168 lbs.)	<b>\$750.00</b>
<b>6808243</b>	<b>4' X 8" CUP TEETH IN SINGLE STANDARD PATTERN .....</b> (Must also order Boom Guide Assembly) (Ship Weight 178 lbs.)	<b>\$775.00</b>

# TRENCHER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
-------------	-------------------------------------------------	--------------

***LT313 TRENCHER (CONTINUED)***

<b>6959238</b>	<b>4' X 6" CUP TEETH IN DOUBLE STANDARD PATTERN.....</b>	<b>\$1,040.00</b>
	(Must also order Boom Guide Assembly) (Ship Weight 178 lbs.)	
<b>7100628</b>	<b>4' X 6" SHARK TOOTH/CUP TEETH IN DOUBLE STANDARD PATTERN .....</b>	<b>\$1,265.00</b>
	(Must also order Boom Guide Assembly) (Ship Weight 168 lbs.)	
<b>6808244</b>	<b>4' X 6" CUP &amp; CARBIDE TEETH IN DOUBLE STANDARD PATTERN.....</b>	<b>\$1,845.00</b>
	(Must also order Boom Guide Assembly) (Ship Weight 268 lbs.)	
<b>6808245</b>	<b>4' X 8" CUP &amp; CARBIDE TEETH IN DOUBLE STANDARD PATTERN.....</b>	<b>\$1,965.00</b>
	(Must also order Boom Guide Assembly) (Ship Weight 278 lbs.)	
<b>7209867</b>	<b>4' X 8" SHARK TOOTH/CUP TEETH, DOUBLE STANDARD PATTERN.....</b>	<b>\$1,285.00</b>
<b>7274348</b>	<b>HYDRAULIC SIDE SHIFT KIT .....</b>	<b>\$695.00</b>
	(Hydraulically side shift the trencher boom 23.1") (Ship Weight 58 lbs.) (1.5 hour install time)	

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS
-------------	-------------------------------------------------

***For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.***

<b>6811684</b>	<b>BOOM GUIDE ASSEMBLY.....</b>	<b>PARTS \$ _____</b>
	(Needed for 4' dig depth)	
	(Must also order (2) ¾" bolts # 84G3712 and additional 1' chain from Bobcat Parts)	
<b>6809387</b>	<b>CARBIDE TOOTH KIT .....</b>	<b>PARTS \$ _____</b>
	(Ship Weight –160 lbs.)	
<b>6807925</b>	<b>CUP TOOTH KIT.....</b>	<b>PARTS \$ _____</b>
	(Ship Weight 24 lbs.)	
<b>6675594</b>	<b>DOUBLE STANDARD CHAIN – 4'.....</b>	<b>PARTS \$ _____</b>
	(No teeth) (Ship Weight 147 lbs.)	
<b>6970072</b>	<b>DOUBLE STANDARD CHAIN – 10P.....</b>	<b>PARTS \$ _____</b>
<b>7110911</b>	<b>SPACER KIT .....</b>	<b>PARTS \$ _____</b>
	(Used with Cup Teeth for 8" width) (Ship Weight 12 lbs.)	
<b>7110912</b>	<b>SPACER KIT .....</b>	<b>PARTS \$ _____</b>
	(Used with Cup Teeth for 10" width) (Ship Weight 26 lbs.)	
<b>7110913</b>	<b>SPACER KIT .....</b>	<b>PARTS \$ _____</b>
	(Used with Cup Teeth for 12" width) (Ship Weight 36 lbs.)	
<b>6809324</b>	<b>SPACER KIT .....</b>	<b>PARTS \$ _____</b>
	(Used with Cup/Carbide Teeth for 8" widths) (Ship Weight 25 lbs.)	
<b>6806975</b>	<b>TRENCH CLEANER ADAPTER, 8".....</b>	<b>PARTS \$ _____</b>
	(Used with Trench Cleaner Kit) (Ship Weight 5 lbs.)	
<b>6806976</b>	<b>TRENCH CLEANER ADAPTER, 10".....</b>	<b>PARTS \$ _____</b>
	(Used with Trench Cleaner Kit) (Ship Weight 7 lbs.)	
<b>6806977</b>	<b>TRENCH CLEANER ADAPTER, 12".....</b>	<b>PARTS \$ _____</b>
	(Used with Trench Cleaner Kit) (Ship Weight 8 lbs.)	

# TRENCHER

## BOBCAT LOADER ATTACHMENT

PART	<b>LT414 TRENCHER ATTACHMENT</b>	
NUMBER	DESCRIPTION	SLP IN US \$

(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H)  
 (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H)

4' Depth

(S630H, S650H, S740H, S750H, S770H) (A770H) (T630H, T650H, T740H, T750H, T770H)

5' Depth

**M7016 LT414 TRENCHER..... \$6,675.00**  
 (Includes 4' or 5' depth, hydraulic sideshift, and 6" trench cleaner)  
 (Can only order one factory installed chain option per trencher model)  
 (Loader must be equipped with High Flow auxiliary hydraulics)

*Chains are 2.0" Single Standard (SS) or Double Standard (DS) Anti-Back Flex (ABF)*

M7016-R01-C13	NO CHAIN OPTION.....	n/c
M7016-R01-C08	4' X 6" CUP TEETH, SINGLE STANDARD PATTERN.....	\$790.00
M7016-R01-C07	4' X 6" CUP TEETH, DOUBLE STANDARD PATTERN.....	\$910.00
M7016-R01-C09	4' X 6" CUP & CARBIDE TEETH, DOUBLE STANDARD PATTERN...	\$1,890.00
M7016-R01-C10	4' X 6" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN .....	\$1,565.00
M7016-R01-C11	4' X 8" CUP TEETH, SINGLE STANDARD PATTERN.....	\$840.00
M7016-R01-C12	4' X 8" CUP & CARBIDE TEETH IN DOUBLE STANDARD PATTERN	\$1,965.00
M7016-R01-C14	4' X 8" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN .....	\$1,450.00
M7016-R01-C04	5' X 6" CUP TEETH, SINGLE STANDARD PATTERN.....	\$940.00
M7016-R01-C01	5' X 6" CUP TEETH, DOUBLE STANDARD PATTERN.....	\$1,075.00
M7016-R01-C03	5' X 6" CUP & CARBIDE TEETH, DOUBLE STANDARD PATTERN...	\$2,240.00
M7016-R01-C02	5' X 6" SHARK/CUP TEETH IN DOUBLE STANDARD PATTERN .....	\$1,785.00
M7016-R01-C06	5' X 8" CUP TEETH, SINGLE STANDARD PATTERN.....	\$995.00
M7016-R01-C05	5' X 8" CUP & CARBIDE TEETH IN DOUBLE STANDARD PATTERN	\$2,450.00

PART	<b>DEALER INSTALLED ACCESSORIES – ORDER FROM SALES</b>	
NUMBER	DESCRIPTION	SLP IN US \$

***LT414 Chain Configuration Accessories (Replacement Chain - Dealer Installed)***

*Chains are 2.0" Single Standard (SS) or Double Standard (DS) Anti-Back Flex (ABF)*

6808242	4' X 6" CUP TEETH IN SINGLE STANDARD PATTERN .....	\$750.00
	(Ship Weight 168 lbs.)	
6808243	4' X 8" CUP TEETH IN SINGLE STANDARD PATTERN .....	\$775.00
	(Ship Weight 178 lbs.)	
6959238	4' X 6" CUP TEETH IN DOUBLE STANDARD PATTERN.....	\$1,040.00
	(Ship Weight 178 lbs.)	
7100628	4' X 6" SHARK TOOTH/CUP TEETH IN DOUBLE STANDARD PATTERN .....	\$1,265.00
	(Ship Weight 168 lbs.)	
6808244	4' X 6" CUP & CARBIDE TEETH IN DOUBLE STANDARD PATTERN.....	\$1,845.00
	(Ship Weight 268 lbs.)	
6808245	4' X 8" CUP & CARBIDE TEETH IN DOUBLE STANDARD PATTERN.....	\$1,965.00
	(Ship Weight 278 lbs.)	
7209867	4' X 8" SHARK TOOTH/CUP TEETH, DOUBLE STANDARD PATTERN.....	\$1,285.00
7109030	5' X 6" CUP TEETH IN SINGLE STANDARD PATTERN .....	\$711.00
	(Ship Weight 155 lbs.)	
7109028	5' X 8" CUP TEETH IN SINGLE STANDARD PATTERN .....	\$755.00
	(Ship Weight 164 lbs.)	
7109031	5' X 6" CUP TEETH IN DOUBLE STANDARD PATTERN.....	\$875.00
	(Ship Weight 182 lbs.)	

Prices and Specifications

Subject to Change Without Notice

**Loader Attachments**

All Prices in U.S. Dollars

North American Suggested List Prices

2016 Price Book

Check BobcatNET Pricing Homepage for current Canadian exchange rate.

Page 133 of 147

# TRENCHER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
-------------	-------------------------------------------------------------	--------------

*LT414 TRENCHER (CONTINUED)*

7109029	5' X 6" SHARK TOOTH/CUP TEETH IN DOUBLE STANDARD PATTERN ..... (Ship Weight 175 lbs.)	\$1,701.00
7109022	5' X 6" CUP & CARBIDE TEETH IN DOUBLE STANDARD PATTERN..... (Ship Weight 274 lbs.)	\$2,370.00
7109041	5' X 8" CUP & CARBIDE TEETH IN DOUBLE STANDARD PATTERN..... (Ship Weight 292 lbs.)	\$2,192.00

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
-------------	-------------------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

6811684	BOOM GUIDE ASSEMBLY.....PARTS (Needed for 5' dig depth) (Must also order (2) 3/4" bolts # 84G3712 and additional 1' chain from Bobcat Parts)	\$ _____
6809387	CARBIDE TOOTH KIT .....PARTS (Ship Weight -160 lbs.)	\$ _____
6807925	CUP TOOTH KIT.....PARTS (Ship Weight 24 lbs.)	\$ _____
6675594	DOUBLE STANDARD CHAIN – 4' .....PARTS (No teeth) (Ship Weight 147 lbs.)	\$ _____
7108604	DOUBLE STANDARD CHAIN – 84P .....PARTS	\$ _____
7110911	SPACER KIT .....PARTS (Used with Cup Teeth for 8" width) (Ship Weight 12 lbs.)	\$ _____
7110912	SPACER KIT .....PARTS (Used with Cup Teeth for 10" width) (Ship Weight 26 lbs.)	\$ _____
7110913	SPACER KIT .....PARTS (Used with Cup/Carbide Teeth for 12" widths) (Ship Weight 36 lbs.)	\$ _____
6806975	TRENCH CLEANER ADAPTER, 8" .....PARTS (Used with Trench Cleaner Kit) (Ship Weight 5 lbs.)	\$ _____
6806976	TRENCH CLEANER ADAPTER, 10" .....PARTS (Used with Trench Cleaner Kit) (Ship Weight 7 lbs.)	\$ _____
6806977	TRENCH CLEANER ADAPTER, 12" .....PARTS (Used with Trench Cleaner Kit) (Ship Weight 8 lbs.)	\$ _____

# TRENCHER

## BOBCAT LOADER ATTACHMENT

PART NUMBER	LT405 TRENCHER ATTACHMENT	SLP IN US \$
-------------	---------------------------	--------------

(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H)  
 (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H)  
**6906100 LT405 TRENCHER..... \$10,485.00**  
 (Includes 3' – 4' adjustable boom setup at 4', double standard ABF chain, Hydraulic Sideshift, 6" trench cleaner, hoses and couplers) (Must also order teeth)

### LT405 Chain, Tooth and Spacer Configurations

<u>Width</u>	<u>Depth</u>	<u>Kits Needed for Single Standard Pattern</u>
6"	3', 4', 5'	1 Cup Tooth Kit
6" Carbide	3', 4', 5'	1 Carbide Tooth Kit
8" or 12"	3' or 4'	1 Cup Tooth Kit, 1 Spacer Kit

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS
-------------	-------------------------------------------------

*For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.*

<b>6705673</b>	<b>BOOM GUIDE ASSEMBLY.....</b>	<b>PARTS</b>	<b>\$ _____</b>
	(Needed for 5' dig depth) (Ship Weight 48 lbs.)		
<b>6705668</b>	<b>CUP TOOTH KIT.....</b>	<b>PARTS</b>	<b>\$ _____</b>
	(Ship Weight 75 lbs.)		
<b>6705670</b>	<b>CARBIDE TOOTH KIT, SIDE MOUNT .....</b>	<b>PARTS</b>	<b>\$ _____</b>
	(Ship Weight 105 lbs.)		
<b>6653314</b>	<b>DOUBLE STANDARD ABF CHAIN EXTENSION .....</b>	<b>PARTS</b>	<b>\$ _____</b>
	(For additional 1' dig depth) (Ship Weight 26 lbs.)		
<b>Piece Parts</b>	<b>DUAL 29" REPLACEMENT AUGER SET .....</b>		
	(Ship Weight 146 lbs.)		
<b>6664975</b>	<b>SINGLE STANDARD ABF CHAIN, 3' .....</b>	<b>PARTS</b>	<b>\$ _____</b>
	(No teeth) (Ship Weight 105 lbs.)		
<b>6651879</b>	<b>SINGLE STANDARD ABF CHAIN EXTENSION.....</b>	<b>PARTS</b>	<b>\$ _____</b>
	(For additional 1' dig depth) (Ship Weight 20 lbs.)		
<b>6705669</b>	<b>SPACER KIT .....</b>	<b>PARTS</b>	<b>\$ _____</b>
	(Ship Weight 138 lbs.)		
<b>6573592</b>	<b>TRENCH CLEANER ADAPTER, 8" .....</b>	<b>PARTS</b>	<b>\$ _____</b>
	(Ship Weight 5 lbs.)		
<b>6573589</b>	<b>TRENCH CLEANER ADAPTER, 12" .....</b>	<b>PARTS</b>	<b>\$ _____</b>
	(Ship Weight 10 lbs.)		

# TRENCHER

## BOBCAT LOADER ATTACHMENT


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
LT112 .....	None .....	-
LT113.....	None .....	-
LT213.....	None .....	-
LT313.....	None .....	-
LT414.....	None .....	-
LT405.....	Install teeth.....	1.5
Chain Guide Kit .....	Install chain guide for 5' depth .....	0.5
Side Shift Kit for LT213 & LT313 .....	Install cylinder .....	1.5

# UTILITY FRAME

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>S100 – S650</u>	<u>S630-T870</u>
Ship Weight .....	46 lbs.	60 lbs.
Overall Width.....	45.2"	45.2"
Overall Height.....	19.0"	19.0"

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

*For current Attachment pricing, reference BobQuote or Dealer Parts Department.*

(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650)  
(T110, T140, T180, T190) (T450, T550, T590, T595)

**6731114**      **BOB-TACH UTILITY FRAME** ..... **\$195.00**  
(To convert Attachments to Bob-Tach Mount, weld to flat surface)

(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)

**6731112**      **BOB-TACH UTILITY FRAME** ..... **PARTS \$ \_\_\_\_\_**  
(To convert Attachments to Bob-Tach Mount, weld to flat surface)

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

### ASSEMBLY REQUIRED

INSTALLATION


ATTACHMENT

TIME (HOURS)

Utility Frame .....None ..... -

# VIBRATORY PLOW

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight ..... 520 lbs.  
 Overall Width..... 36.0"  
 Overall Height..... 31.1"  
 Overall Length..... 36.6"  
 Hydraulic Flow Range..... 10-14 gpm

PART		ATTACHMENT	
NUMBER	DESCRIPTION		SLP IN US \$
<b>(MT50, MT52, MT55, MT85)</b>			
<b>7100484</b>	<b>VP12 VIBRATORY PLOW</b> .....		<b>\$7,825.00</b>
	(Includes blade mounting pins) (Must also order blade)		
<b>7100491</b>	<b>3/8" BLADE, 6-12" DEPTH WITH 1" CLEVIS</b> .....		<b>\$195.00</b>
<b>7100493</b>	<b>3/8" BLADE, 12-18" DEPTH WITH 1" CLEVIS</b> .....		<b>\$210.00</b>
	(Recommended for soft/loose soils only)		
<b>7100495</b>	<b>1/2" CHUTE BLADE, 6-12" DEPTH</b> .....		<b>\$330.00</b>
<b>7100497</b>	<b>1/2" CHUTE BLADE, 12-18" DEPTH</b> .....		<b>\$355.00</b>
	(Recommended for soft/loose soils only)		

PART		DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
NUMBER	DESCRIPTION		
<i>For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.</i>			
<b>7100592</b>	<b>BULLET, 2"</b> .....	<b>PARTS</b>	<b>\$ _____</b>
<b>7102514</b>	<b>CABLE PULL KIT, 0.50-0.99" DIAMETER</b> .....	<b>PARTS</b>	<b>\$ _____</b>
<b>7100498</b>	<b>CABLE PULL KIT, 1.00-1.24" DIAMETER</b> .....	<b>PARTS</b>	<b>\$ _____</b>
<b>7102515</b>	<b>CABLE PULL KIT, 1.25-1.49" DIAMETER</b> .....	<b>PARTS</b>	<b>\$ _____</b>
<b>7100499</b>	<b>PIPE PULL KIT, 1.00-1.50" PIPE</b> .....	<b>PARTS</b>	<b>\$ _____</b>
<b>7100501</b>	<b>CABLE REEL MOUNT KIT</b> .....	<b>PARTS</b>	<b>\$ _____</b>
	(Accepts up to 10" diameter reel) (Use with Chute Blades)		


### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Vibratory Plow.....	Attach Blade .....	-

# VIBRATORY ROLLER

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>48"</u>	<u>73"</u>	<u>80"</u>
Operating Weight (Padded/Smooth).....	1778 lbs./1788 lbs.	2189 lbs./2208 lbs.	2320 lbs.
Drum Width.....	48"	73"	80"
Overall Width.....	60.5"	79.0"	86.0"
Drum Offset.....	9" to right	Centered	Centered
Covers Right Side Tires on.....	66" wide loaders	72" wide loaders	80" wide loaders
Drum Diameter (Padded/Smooth).....	25.4"/26.0"	25.4"/26.0"	26.0"
Number of Pads (Padded Drum).....	78	102	0
Drum Oscillation.....	± 12°	± 7.5°	± 7.5°
Dynamic Force.....	10519 lbs. @ 17 gpm 14244 lbs. @ 20 gpm	9905 lbs. @ 20 gpm 14263 lbs. @ 24 gpm	
Frequency.....	2448 vpm @ 17 gpm 2879 vpm @ 20 gpm	2401 vpm @ 20 gpm 2882 vpm @ 24 gpm	

PART NUMBER	ATTACHMENT DESCRIPTION	SLP IN US \$
<b>(S130*, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595)</b>		
<b>(T140, T180, T190) (T450, T550, T590, T595)</b>		
7165403	48" VIBRATORY ROLLER WITH PADDED DRUM.....	\$8,555.00
7165404	48" VIBRATORY ROLLER WITH SMOOTH DRUM.....	\$8,290.00
<b>(S205) (S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770)</b>		
<b>(T550, T590, T595, T630, T650, T740, T750, T770, T870)</b>		
7165401	73" VIBRATORY ROLLER WITH PADDED DRUM.....	\$9,740.00
7165402	73" VIBRATORY ROLLER WITH SMOOTH DRUM.....	\$9,475.00
<b>(S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)</b>		
7165400	80" VIBRATORY ROLLER WITH SMOOTH DRUM.....	\$10,265.00

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
7176622	48" SMOOTH SHELL*..... (Smooth shell for the 48" Vibratory Roller with Padded Drum) (Ship Weight 340 lbs.) *Padded Drum with Smooth Shell Kit requires Counterweight Kit 6714932.	PARTS \$_____

### Water Kit

NOTE: Water Kits are available for use with the Vibratory Roller attachments – see Water Kit page for details.

# VIBRATORY ROLLER

## BOBCAT LOADER ATTACHMENT

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Vibratory Roller.....	None .....	-
48" Smooth Shell.....	Bolt shell to padded drum.....	1.5
73" Smooth Shell.....	Bolt shell to padded drum.....	1.5




# WATER KIT

## BOBCAT LOADER ATTACHMENT

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Water Kit .....	Install water kit mounts, toggle switch and plumbing .....	3.0
Nozzle Kit.....	Install nozzles, hoses and clamps.....	1.0

# WHEEL SAW

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

	<u>WS18</u>	<u>WS24</u>
Overall Width.....	68.5"	68.5"
Overall Length.....	69.0"	74.0"
Overall Height.....	64.0"	81.0"
Weight (less Wheel and Trench Cleaner) .....	1567 lbs.	1865 lbs.
Hydraulic Side Shift.....	25.6"	25.6"
Hydraulic Flow Required.....	25-40 GPM	25-40 GPM
Trenching Depth .....	6.0 – 18.0"	8.0 – 24.0"

PART	ATTACHMENT	SLP IN US \$
NUMBER	DESCRIPTION	

### 18" Wheel Saw with 3" Wheel

(Must order the two part numbers listed below—18" Wheel Saw and 3" Wheel)  
(Must also order Attachment Control Kit—See Page 1)

(S185H, S205H) (S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850, S850H)  
(A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870, T870H)

<b>6729537</b>	WS18 WHEEL SAW.....	<b>\$15,295.00</b>
<b>6729544</b>	3" WHEEL..... (Weight 650 lbs. Wheel Width 3.13")	<b>\$3,390.00</b>

Note: There is no Trench Cleaner available with the 3" Wheel.

### 18" Wheel Saw with 6" Wheel and 6" Trench Cleaner

(Must order the three part numbers listed below—18" Wheel Saw, 6" Wheel and 6" Trench Cleaner)  
(Must also order Attachment Control Kit—See Page 1)

(S185H, S205H) (S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850, S850H)  
(A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870, T870H)

<b>6729537</b>	WS18 WHEEL SAW.....	<b>\$15,295.00</b>
<b>6729546</b>	6" WHEEL..... (Weight 395 lbs., Wheel Width 6.25")	<b>\$3,645.00</b>
<b>6729550</b>	6" TRENCH CLEANER .....	<b>\$1,235.00</b>
	(Weight 95 lbs.)	

# WHEEL SAW

## BOBCAT LOADER ATTACHMENT

PART	ATTACHMENT	
NUMBER	DESCRIPTION	SLP IN US \$

### 18" Wheel Saw with 8" Wheel and 8" Trench Cleaner

(Must order the three part numbers listed below—18" Wheel Saw, 8" Wheel and 8" Trench Cleaner)  
 (Must also order Attachment Control Kit—See Page 1)

(S185H, S205H) (S590H, S595H, S630H, S650H, S740, S750H, S770H, S850, S850H)  
 (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870, T870H)

6729537	WS18 WHEEL SAW.....	\$15,295.00
6729548	8" WHEEL: <b>3 LEFT IN INVENTORY</b> .....	\$4,000.00
	(Weight 442 lbs., Wheel Width 7.88")	<del>SAVE 13% \$3,500.00</del>
		<b>SAVE 18% \$3,270.00</b>

6729552	8" TRENCH CLEANER: <b>3 LEFT IN INVENTORY</b> .....	\$1,355.00
	(Weight 113 lbs.)	<del>SAVE 27% \$995.00</del>
		<b>SAVE 31% \$930.00</b>

### 24" Wheel Saw with 6" Wheel and 6" Trench Cleaner

(Must order the three part numbers listed below—24" Wheel Saw, 6" Wheel and 6" Trench Cleaner)  
 (Must also order Attachment Control Kit—See Page 1)

(S650H, S740H, S750H, S770H, S850, S850H) (A770H) (T650H, T740H, T750H, T770H, T870, T870H)

6729566	WS24 WHEEL SAW.....	\$17,665.00
6729573	6" WHEEL.....	\$4,310.00
	(Weight 585 lbs., Wheel Width 6.25")	
6729577	6" TRENCH CLEANER .....	\$1,415.00
	(Weight 130 lbs.) .....	

### 24" Wheel Saw with 8" Wheel and 8" Trench Cleaner

(Must order the three part numbers listed below—24" Wheel Saw, 8" Wheel and 8" Trench Cleaner)  
 (Must also order Attachment Control Kit—See Page 1)

(S650H, S740H, S750H, S770H, S850, S850H) (A770H) (T650H, T740H, T750H, T770H, T870, T870H)

6729566	WS24 WHEEL SAW.....	\$17,665.00
6729575	8" WHEEL:.....	\$5,000.00
	(Weight 618 lbs., Wheel Width 7.88")	
6729579	8" TRENCH CLEANER .....	\$1,515.00
	(Weight 148 lbs.)	

### DESTINATION CHARGE/FUEL SURCHARGE


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
------------	-------------------	---------------------------

Wheel Saw.....None .....	-
--------------------------	---

# WHISKER BROOM

## BOBCAT LOADER ATTACHMENT



### QUICK SPECS

Operating Weight ..... 90''  
263 lbs.

PART NUMBER	DESCRIPTION	ATTACHMENT	SLP IN US \$
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (5600, 5610)			
6728241	PUSH BROOM, 90'': 1 left in Inventory .....		\$1,535.00
	(Quick attaches to 68", 74" and 80" C/I, General Purpose and Low Profile Buckets with 2 spring loaded pins)	<b>SAVE 10%</b>	<b>\$1,380.00</b>

### DESTINATION CHARGE/FUEL SURCHARGE

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

ATTACHMENT	ASSEMBLY REQUIRED	INSTALLATION TIME (HOURS)
Whiskers Push Broom.....	None .....	-

# ALLIED ATTACHMENTS

## ORDERING INSTRUCTIONS FOR ALLIED ATTACHMENTS

**Ordering Information:** .....All orders for Allied Attachments and requests for warranty, service or parts must be placed with the following companies.

PART	ALLIED ATTACHMENT
NUMBER	DESCRIPTION

### Demolition Shear\*

(853, 863)	<b>MODEL MSD 7 SHEAR, NON-ROTATING</b> ..... \$ _____ (Ship Weight 1,000 lbs.)	
(853H, 863H)	<b>MODEL MSD 7R SHEAR, 360° ROTATION</b> ..... \$ _____ (Ship Weight 1,135 lbs.)	

**Note:** When installing shear on 843H, order P/N 6703319 from Bobcat Parts.  
 When installing shear on 843 or 853 Series, contact LaBounty Manufacturing Inc.

\* A Bobcat Special Applications Kit must be used when using the LaBounty Shear.

**LaBounty Manufacturing Inc.**  
 P.O. Box B  
 State Rd. 2  
 Two Harbors, MN 55616-0502  
 (218) 834-2123

### Solid Tires

(450, 453)	<b>6.50 x 10 SOLID TIRE</b> ..... \$ _____	
------------	--------------------------------------------	--

**Mitchell Industrial Tire Co. (MITCO)**  
 P.O. Box 71839  
 1400 E. 40<sup>th</sup> Street  
 Chattanooga, TN 37407  
 (615) 698-4283 or  
 (800) 251-7226

## ALLIED ATTACHMENTS

PART NUMBER	DESCRIPTION	ALLIED ATTACHMENT (CONT'D)
----------------	-------------	----------------------------

### Obsolete Bobcat Attachments

(1600 Buckets)	DIRT, DIRT WITH TEETH, UTILITY, FERTILIZER BUCKETS .....	\$ _____
(2000 Buckets)	FERTILIZER BUCKETS .....	\$ _____
(2400 Series Buckets)	C/I, C/I WITH TEETH, LIGHT MATERIAL, FERTILIZER BUCKETS .....	\$ _____
(974, 975, 980 with Bob-Tach)	PALLET FORKS .....	\$ _____
(974, 975, 980 with Bob-Tach Buckets)	DIRT, DIRT WITH TEETH, UTILITY, LIGHT MATERIAL BUCKETS .....	\$ _____
(980 Pin-On Buckets)	DIRT, DIRT WITH TEETH, BARGE, LIGHT MATERIAL BUCKETS .....	\$ _____
(Backhoe Buckets)	907 TRENCHING BUCKET (12" – 24") .....	\$ _____
	909, 911, 911B TRENCHING BUCKETS (12" – 36") .....	\$ _____
	913, 914B TRENCHING BUCKETS (12" – 36") .....	\$ _____
(450, 453)	FARM GRAPPLE .....	\$ _____
	UTILITY BLADE .....	\$ _____
(450 & 453 Bob-Tach Style and Pin-On Style Buckets)	DIRT, DIRT WITH TEETH, AND UTILITY BUCKETS .....	\$ _____
(943/953 Attachments)	DIRT, DIRT WITH TEETH, UTILITY, FERTILIZER, LIGHT MAT. BUCKETS.	\$ _____
	PALLET FORKS .....	\$ _____
	INDUSTRIAL GRAPPLES .....	\$ _____

Ray-Mac  
P.O. Box 457  
Gwinner, ND 58040-0457  
(701) 678-2452 or  
(800) 542-4416