



COMPACT TRACTOR INDEX

<u>EQUIPMENT DESCRIPTION</u>	<u>LATEST REVISION</u>	<u>PAGE NUMBER</u>
Index	09/01/14	1
Boomer 24	09/01/14	2
Boomer 33/37	09/01/14	7
Boomer 41/47	09/01/14	11
Boomer 3040/3045/3050	09/01/14	17
WORKMASTER 35/40	09/01/14	23

**BOOMER 24
US PRICE LIST**

Standard Equipment

BOOMER 24

Mitsubishi S3L 3 Cyl. Diesel Engine
24.0 Gross Engine hp @ 2500 rpm
16.7 PTO hp @ 2500 rpm (HST)
80.4 cu. in. (1.3L) Displacement

ALL MODELS

3 Cylinders
Tier 4 compliant
Naturally Aspirated
Under Hood Muffler / Exhaust
Single Element Air Cleaner
Full-flow, Spin-on Oil Filter
6.6 gallon (25L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood

INSTRUMENT PANEL

Deluxe Automotive-Style Dash
Digital Tachometer
Analog Fuel Gauge
Analog Engine Temperature Gauge
Digital Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Quick Glow Plug Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator

TRANSMISSION OPTIONS

2-Range Hydrostatic with Cruise Control
and Two-Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- 6.7 gpm (24 L/min)
Steering Pump Capacity:
- 2.5 gpm (9.5 L/min)

3-POINT LIFT SYSTEM

Lift Capacity @ 3-Point Ends:
1433 lb. (650 kg)
Category I, 3-point Linkage
3-Point Control Lever
Drop Rate Control Knob
Turn-Buckle Type Leveling Mechanism
Chain Stabilizers
Fixed Link Ends

ROPS

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL

12-volt, 45Ah, 560 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
50 amp Alternator
Operator Presence System

LIGHTING

(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Flashing Warning Lights / Turn
Signals

PTO

Rear PTO
- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap
Mid PTO
- Independent 2000 rpm
- Electro-hydraulic engagement



**BOOMER 24
US PRICE LIST**

Standard Equipment

DRAWBAR

Fixed
1-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Single Brake Pedal
Foot-Assist Parking Brake Latch

FRONT AXLE

Four Wheel Drive (FWD)
Lever Engaged
Fixed Position Rims
35.9 in. (912 mm) Tread Setting with
R4 tires

REAR AXLE

Flange Type Axle
Fixed Position Rims
38 in. (966 mm) Tread Setting with
R4 tires

OPERATOR'S AREA

Contoured Cushion Seat
- Fore / Aft Adjustable
- Spring Suspension
Deluxe Floor Mat
Left Side Step
Left Side Grab Handle
Cupholder & Tray

SLOW MOVING VEHICLE EMBLEM

BOOMER GUARD-5 WARRANTY

Full Coverage - 24 months or 750
total hours
Powertrain - Additional 36 months (60
total months) or 1500 total hours

Boomer Compact Tractor Pool

These models are available from the
pool, fully assembled, at an additional
cost of \$437.50, (\$350.00 Dlr Net)



**BOOMER 24
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	List Price
BOOMER 24		\$14,418.00

Factory Supplied Options

Order Code	Description	Weight	List Price
------------	-------------	--------	------------

SD_T4940 FRONT WHEELS AND TIRES

8151604	23X8.50-12 4PR R3		\$336.00
8266604	23X8.50-12 4PR R4 Ind		\$336.00
8199907	Less front wheels and tires.		No Charge

SD_T4950 REAR WHEELS AND TIRES

8306804	33X12-16.5 4PR R3		\$640.00
8317604	12-16.5 6PR R4 IND		\$640.00
8399907	Less Rear Wheels and Tires		No Charge



**BOOMER 24
US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight		List Price
815160406	23X8.50-12 4PR R3 TURF	114 LB		\$336.00
830680406	33X12.00-16.5 4PR R3 TURF	225 LB		\$640.00

PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTORS

Part Number	Description	Boomer 24							
	CAB/ROPS/FOPS GROUP								
718857196	FOPS Canopy for Roll Bar - White	X							
FFB1A32B	Sunshade canopy (blue)	X							
FFB1A32W	Sunshade canopy (white)	X							
11876	Soft Cab Enclosure Contact: Original Tractor Cab Co., Inc., P.O. Box 97 Arlington, IN 46104 Phone: (765) 663-2214	X							
	HYDRAULICS GROUP								
MT20116103	Single Rear Remote - (Max one rear remote per tractor)	X							
710440186	Mid mount valve, Joy Stick (quick couplers, color coded dust plugs with support bracket)	X							
	WEIGHT GROUP *Attaching hardware is available from Service Parts.								
710215016	Front End Weight 60LB (27 Kg), Max 3, compatible with grill guard (Requires Front Weight Carrier #84532452) Not compatible with loader.	X							
718740016	Rear Counter Weight Bracket	X							
84532452	Front Weight Bumper/Carrier - Max 3 - 60 lb. weights. Not compatible with loader	X							
717746006	Ballast Box 100lbs, 500lbs. Max capacity	X	Order Through Wholegoods (eEquipment)						
	MISCELLANEOUS GROUP								
LDR10412924 (QTY 2) LDR5002105 (QTY 4) LDR5013104 (QTY 4)	Grille guard - Vertical plates, no cross bars (Std with 235TL Loader)	X	All pieces must be ordered to completed grille guard. Quantities for each number must be followed						
84550562	Engine coolant heater - Mitsubishi Engine	X							
84551153	Spark Arrestor Muffler	X							
251006F	Linkage drawbar (FONNC830AA Stay kit required)	X							
FONNC830AA	Linkage drawbar stay kit	X							
MT20124710	Clevis / 2-Position Extension Drawbar Kit								
MT20125205	Front Toe-hook								
87702589	ROPS mounted work light kit (requires 84360959)	X							
84360959	ROPS mounted work light wire harness kit (required with Work light)	X							
To order the following items, contact the Document Management Center (DMC) @ (262) 636-7540; or order online through Dealer Portal (goto "Tools"; select the DMC link)									
729178 / 84389592	French Operator's Manual / Decal Kit	X							



**BOOMER™ 33 AND 37
US PRICE LIST**

**(Port of Entry)
Standard Equipment**

BOOMER 33

ISM 3 Cyl. Turbo Diesel Engine
32.2 Gross Engine hp @ 2600 rpm
26.0 PTO hp @ 2600 rpm (Gear)
24.7 PTO hp @ 2600 rpm (Hydro)
92 cu. in.(1.5L) Displacement

BOOMER 37

ISM 3 Cyl. Turbo Diesel Engine
36.2 Gross Engine hp @ 2600 rpm
29.6 PTO hp @ 2600 rpm (Gear)
28.1 PTO hp @ 2600 rpm (Hydro)
92 cu. in. (1.5L) Displacement

ALL MODELS

3 Cylinders
Tier 4b compliant
Turbo charged
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
10.5 gallon (40L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmission Activation Indicator

TRANSMISSION OPTIONS

12 x 12 Synchronized Shuttle Shift
(SSS)
Left-hand, dash mounted,
synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- Boomer 33 = 8.2 gpm (31.2 L/min)
- Boomer 37 = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.2 gpm (15.9 L/min)
- HST models = 5.3 gpm (19.9 L/min)
Mid-mount Hydraulic Valve & Joystick
(STD)

3-POINT LIFT SYSTEM

Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System



**BOOMER™ 33 AND 37
US PRICE LIST**

**(Port of Entry)
Standard Equipment**

LIGHTING

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

DRAWBAR

- Swinging
- 2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

FRONT AXLE

- Four Wheel Drive (FWD)
- Fixed Position Rims
- 45.6 in. (1159 mm) Tread Setting with R4 tires

REAR AXLE

- Flange Type Axle
- Reversible Position Rims - R1 tires only
- Fixed Position Rims - R3, R4 tires
- 46.5 in. (1283 mm) Tread Setting with R4 tires

OPERATOR'S AREA

- Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
- Spring Suspension
- Deluxe Floor Mat
- Foot Throttle
- Left Side Step
- Left Side Grab Handle
- Right Side Tray
- Toolbox

SLOW MOVING VEHICLE EMBLEM

BOOMER GUARD-5 WARRANTY

- Full Coverage - 24 months or 750 total hours
- Powertrain - Additional 36 months (60 total months) or 1500 total hours

Boomer Compact Tractor Pool

These models are available from the pool, fully assembled, at an additional cost of \$437.50, (\$350.00 Dlr Net)



**BOOMER™ 33 AND 37
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	Weight	List Price
BOOMER 33		\$20,291.00
BOOMER 37		\$22,042.00

Factory Supplied Options

Order Code	Description	Weight	List Price
------------	-------------	--------	------------

SD_T2810 TRANSMISSION

720110	12 x 12 Synchro-shuttle		No Charge
729290	Hydrostatic Transmission		\$1,724.00

SD_T4940 FRONT WHEELS AND TIRES

8204604	7 x 14 6PR R1 Ag Bar		\$352.00
8152604	25X8.50-14 4PR R3 T		\$352.00
8266304	25 x 8.50-14 6PR R4		\$459.00
8199907	Less front wheels and tires.		No Charge

SD_T4950 REAR WHEELS AND TIRES

8332604	11.2 x 24 4PR R1 Ag Bar		\$900.00
8304804	41X14.00-20 4PR R3		\$1,377.00
8364564	43X16.00-20 R4		\$1,193.00
8399907	Less Rear Wheels and Tires		No Charge

SD_T8270 REAR REMOTES

720366	1 Remote SDA Fits Boomer 33/37 Gear and HST Fits Boomer 41/47 Gear		\$649.00
720347	2 RMT VALVE Fits Boomer 33/37 Gear and HST Fits Boomer 41/47 Gear Includes 1st and 2nd Remote		\$1,030.00



**BOOMER™ 33 AND 37
US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	List Price
815260423	25x8.50-14 4PR R3 TURF NH	98 LB	\$352.00
820460446	7X14 6PR R1 NH	275 LB	\$352.00
826630476	25x8.50-14 6PR R4 NH	109 LB	\$459.00
830480486	41X14.00-20 4PR R3	581 LB	\$1,377.00
833260436	11.2X24 4PR R1 NH	275 LB	\$900.00
836456406	43X16-20 4PLY TL R4 NH	275 LB	\$1,193.00



**BOOMER™ 41 AND 47
US PRICE LIST**

**(Port of Entry)
Standard Equipment**

BOOMER 41

ISM 4 Cyl. Diesel Engine
40.7 Gross Engine hp @ 2600 rpm
32.4 PTO hp @ 2600 rpm (Gear)
30.8 PTO hp @ 2600 rpm (Hydro)
135 cu. in. (2.22L) Displacement

BOOMER 47

ISM 4 Cyl. Diesel Engine
45.6 Gross Engine hp @ 2600 rpm
37.3 PTO hp @ 2600 rpm (Gear)
35.4 PTO hp @ 2600 rpm (Hydro)
135 cu. in. (2.22L) Displacement

ALL MODELS

4 Cylinders
Naturally Aspirated
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
10.5 gallon (40L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlight Indicator
Emmissions Indicator

TRANSMISSION OPTIONS

16 x 16 Synchronized Shuttle Shift (SSS)
Left-hand, dash mounted, synchronized shuttle
(4) Synchronized gears
(4) Non-synchronized ranges

3- Range Hydrostatic with Cruise Control and Dual Pedal direction control for forward and reverse

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.2 gpm (15.9 L/min)
- HST models = 5.3 gpm (19.9 L/min)
Mid-mount Hydraulic Valve & Joystick (STD)

3-POINT LIFT SYSTEM

Lift Capacity @ ballk ends:
2756 lb. (1250 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System



**BOOMER™ 41 AND 47
US PRICE LIST**

(Port of Entry)

Standard Equipment

LIGHTING

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

DRAWBAR

- Swinging
- 2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

FRONT AXLE

- Four Wheel Drive (FWD)
- Fixed position rims
- 51.7 in. (1314 mm) Tread Setting with R4 tires

REAR AXLE

- Flange Type Axle
- Reversible Position Rims - R1 only
- Fixed Position Rims - R3, R4
- 47.7 in. (1211 mm) Tread Setting with R4 tires

OPERATOR'S AREA

- Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
- Spring Suspension
- Deluxe Floor Mat
- Foot Throttle
- Left Side Step
- Left Side Grab Handle
- Right Side Tray
- Toolbox

SLOW MOVING VEHICLE EMBLEM

BOOMER GUARD-5 WARRANTY

- Full Coverage - 24 months or 750 total hours
- Powertrain - Additional 36 months (60 total months) or 1500 total hours

Boomer Compact Tractor Pool

These models are available from the pool, fully assembled, at an additional cost of \$437.50, (\$350.00 Dlr Net)



**BOOMER™ 41 AND 47
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	Weight	List Price
BOOMER 41		\$24,978.00
BOOMER 47		\$27,965.00

Factory Supplied Options

Order Code	Description	Weight	List Price
------------	-------------	--------	------------

SD_T2810 TRANSMISSION

330271	16x16 Synchro Shuttle		No Charge
330014	HST + 3 Range		\$1,724.00

SD_T4940 FRONT WHEELS AND TIRES

8253304	9.5X16 4PR R1		\$701.00
8299604	28 X 8.50-15 4PR R3		\$701.00
8276504	12 X 16.5 6PR R4		\$824.00
8199907	Less front wheels and tires.		No Charge

SD_T4950 REAR WHEELS AND TIRES

8338604	13.6-24 4PR R1		\$1,030.00
8304804	41X14.00-20 4PR R3		\$1,377.00
8396704	17.5Lx24 6PR R4		\$1,782.00
8399907	Less Rear Wheels and Tires		No Charge

SD_T8270 REAR REMOTES

720826	1 Remote DA Fits Boomer 41/47 HST		\$649.00
720348	2 REMOTES Fits Boomer 41/47 HST Includes 1st and 2nd Remote		\$1,030.00
720366	1 Remote SDA Fits Boomer 33/37 Gear and HST Fits Boomer 41/47 Gear		\$649.00
720347	2 RMT VALVE Fits Boomer 33/37 Gear and HST Fits Boomer 41/47 Gear Includes 1st and 2nd Remote		\$1,030.00



**BOOMER™ 41 AND 47
US PRICE LIST**

(Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	List Price
825330436	9.5X16 4PR R1	171 LB	\$701.00
827650406	12 X 16.5 6PR R4	177 LB	\$824.00
829960406	28 X 8.50-15 4PR R3	275 LB	\$701.00
830480486	41X14.00-20 4PR R3	581 LB	\$1,377.00
833860426	13.6X24 4PR R1 NH	275 LB	\$1,030.00
839670406	17.5Lx24 6PR R4	581 LB	\$1,782.00

PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTORS

Part Number	Description	Boomer 33/37	Boomer 41/47	NOTES:
	CAB/ROPS/FOPS GROUP			
718857196	FOPS Canopy for Roll Bar - White	X	X	
718857176	FOPS Canopy for Roll Bar - Blue	X	X	
FFB1A32B	Sunshade canopy (blue)	X	X	
FFB1A32W	Sunshade canopy (white)	X	X	
	Aftermarket Cab: Custom Products of Litchfield, Inc. P.O. Box 70 LITCHFIELD, MN 55355 TOLL FREE: 800-CAB-LINE ((800)-222-5463) FAX (320)-693-7252 www.800cabline.com www.cozycab.com	X	X	
40309	Soft Cab Enclosure Contact: Original Tractor Cab Co., Inc., P.O. Box 97 Arlington, IN 46104 Phone: (765) 663-2214	X	X	
	HYDRAULICS GROUP			
	Single Rear Remote - 3-position, Self Centering, lever knob and coupler dust boot (Mono-block valve design. Remote valve not stackable; cannot add a second single rear remote)			
MT20133941	- Rear Remote #1 - CL2 - (Gear or HST)	X		
MT20134019	- Rear Remote #1 - CL3 - HST/Gear		X	
	Dual Rear Remotes - 3-Position, Self Centering, lever knobs and coupler dust boot (Mono-block valve design. Contains two valves #1 & #2)			
MT20133942	- Rear Remotes #1 & #2 - CL2 - (Gear or HST)	X		
MT20134021	- Rear Remotes #1 & #2 - CL3 - HST/Gear		X	
	Miscellaneous Hydraulics			
710440166	Mid mount valve, Joy Stick and Work Ports-CL 2 (quick couplers, color coded dust plugs with support bracket)	X		
MT20117607	Draft Control NAR - Gear or HST	X	X	Cannot install both the Draft Control & Mid Mount PTO due to interference with the retractable seatbelt

PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTORS

Part Number	Description	Boomer 33/37	Boomer 41/47	NOTES:						
	PTO GROUP									
MT20022006	Mid PTO - 2000 RPM	X		Cannot install both the Draft Control & Mid Mount PTO due to interference with the retractable seatbelt						
MT20022005	Mid PTO - 2000 RPM		X							
	WEIGHT GROUP *Attaching hardware is available from Service Parts.									
710215016	Front End Weight 60LB (27 Kg), Max 5 , compatible with grill guard (Requires Front Weight Carrier #718233006 if using more than 2) Not compatible with loader.	X	X							
718215036	Front End Weight 100 LB (45 Kg), Max 3, NOT compatible with grill guard (Requires Front Weight Carrier #718233006) Not compatible with loader	X	X							
9864000	Rear Counter Weight Bracket	X	X							
86402249	Front Weight Bumper/Carrier - Max 5 - 60 lb. weights. Not compatible with loader. Requires 100020(Nut); 120090(Bolt); 394631(Washer)	X	X							
710470026	Wheel weight (105 lbs each) for 17.5 x 24 6PR R4 IND tires & wheels - 2 max/ wheel; 4 max/ tractor		X							
717746006	Ballast Box (500lb Max)	X	X	Order through wholegoods (eEquipment)						
	MISCELLANEOUS GROUP									
719849276	Grill guard - Deluxe	X	X							
MT20119015	RH Side Step	X	X							
MT20119014	RH Fender Grip/Grab handle (replaces Standard tray and cupholder)	X	X							
710990076	Tool Box Bracket - (Requires toolbox 5135060)	X								
710990086	Tool Box Bracket - (Requires toolbox 5135060)		X							
5135060	Black Toolbox	X	X							
84317040	Engine coolant heater - Mitsubishi Engine	X								
84316967	Engine coolant heater - LS Engine		X							
251006F	Linkage drawbar (FONNC830AA Stay kit required)	X	X							
FONNC830AA	Linkage drawbar stay kit	X	X							
87702589	ROPS mounted work light kit	X	X							
To order the following items, contact the Document Management Center (DMC) @ (262) 636-7540; or order online through Dealer Portal (goto "Tools"; select the DMC link)										
84491368	French Operator's Manual	X								
84491370	French Operator's Manual		X							
84389592	French Decal Kit	X	X							



**BOOMER™ 3000 SERIES CAB CVT COMPACT
US PRICE LIST**

(Port of Entry)

Standard Equipment

DIESEL ENGINE

Boomer 3040
N844 Engine
40.0 Gross Engine hp @ 2600 rpm
32.0 PTO hp @ 2600 rpm
121.7 cu. in. (2.0L) Displacement

Boomer 3045
N844L Engine
45.0 Gross Engine hp @ 2600 rpm
36.0 PTO hp @ 2600 rpm
135.2 cu. in. (2.2L) Displacement

Boomer 3050
N844L Engine
50.0 Gross Engine hp @ 2800 rpm
40 PTO hp @ 2800 rpm
135.2 cu. in. (2.2L) Displacement

ALL MODELS

4 Cylinders
Naturally Aspirated
Under Hood Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
13 gallon (49.2 L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-Up Hood
MMV Standard

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Status Indicator Lights
Digital display panel

TRANSMISSION

EasyDrive™ Continuously Variable
Transmission (CVT) Series II
Cruise Control

Steering Column mounted shuttle lever
for FWD/REV directional control
Single pedal for speed control
Electronic Adjustable Speed & Response
settings

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
9.8 gpm (37.1 L/min)
Steering Pump Capacity:
5.1 gpm (19.4 L/min)
Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
2800 lb. (1270 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ELECTRICAL

12-volt, 600 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
55 amp Alternator
Operator Presence System
12-volt DC (10 amp) Auxiliary Power
outlet

LIGHTING

(2) Halogen Corner Work Lights
(2) Halogen Headlights (high/low beam)
(2) Taillights
(2) Flashing Warning Lights/Turn
Signals
(2) Front-mounted Cab Work Lights
(2) Rear-mounted Cab Work Lights



**BOOMER™ 3000 SERIES CAB CVT COMPACT
US PRICE LIST**

(Port of Entry)

Standard Equipment

<p>PTO Rear Independent 540 rpm Flip-up Shield Shaft Cap</p> <p>DRAWBAR Swinging 2-Position Extendable</p> <p>REAR DIFFERENTIAL LOCK</p> <p>STEERING Hydrostatic Power Steering Tilt and Telescoping Steering Column</p> <p>BRAKES Wet Disc Parking Brake Lock Lever Left Side Mounted Suspended Brake Pedals</p> <p>FRONT AXLE Four Wheel Drive (FWD) Fixed Position Rims 52.5 in. (1334 mm) Tread Setting with R4 tires Serial # ZDBM11925 and newer</p> <p>REAR AXLE Flange-type Axle Adjustable Position Rims (except Galaxy® turf) 55.3 in. to 67.4 in. (1404 - 1712 mm) Tread Setting with R4 tires</p>	<p>CAB (2) Doors Rear Window Opens 35 degrees High Visibility Panel in Roof above Windshield Air Conditioning Heater 3-speed Fan Control for heat and A/C Single Cab Air Filter Radio-ready with (2) speakers, wiring and antenna Deluxe Cloth Covered Seat Full suspension with weight adjustability Fore/Aft/ Swivel adjustment Floor Mat Cloth Covered Headliner Adjustable Sun Visor Interior Rearview Mirror Left and Right External Mounted Mirrors Removable Plug in rear of cab to route harness Front Windshield Wiper and Washer Cup Holder Left and Right Side Steps Toolbox Slow Moving Vehicle Emblem</p> <p>WARRANTY Full Coverage - 24 months or 2000 hours Powertrain - 36 months or 2000 hours</p>
---	---



**BOOMER™ 3000 SERIES CAB CVT COMPACT
US PRICE LIST**

**(Port of Entry)
Models**

COMMERCIAL MODEL	TECHNICAL TYPE	Weight		List Price
BOOMER 3040	BOOMER 3040 AT 4WD C			\$36,327.00
Includes the following Equipment				
10-16.5 6PR R4 Ind. Bar (8275704) \$816.00				
17.5Lx24 6PR R4 (8396704) \$2,211.00				
BOOMER 3045	BOOMER 3045 AT 4WD C			\$38,309.00
Includes the following Equipment				
10-16.5 6PR R4 Ind. Bar (8275704) \$816.00				
17.5Lx24 6PR R4 (8396704) \$2,211.00				
BOOMER 3050	BOOMER 3050 AT 4WD C			\$40,745.00
Includes the following Equipment				
10-16.5 6PR R4 Ind. Bar (8275704) \$816.00				
17.5Lx24 6PR R4 (8396704) \$2,211.00				



**BOOMER™ 3000 SERIES CAB CVT COMPACT
US PRICE LIST**

(Port of Entry)

Factory Supplied Options

Order Code	Description	Weight	List Price
------------	-------------	--------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD_T2810 TRANSMISSION

728092	CVT with factory mid PTO		\$399.00
--------	--------------------------	--	----------

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD_T4940 FRONT WHEELS AND TIRES

Front Tires			
8229704	8-16 6PR R1(Ag Bar) 8229704 Matching Rear Tire - 14.9X24 4PR (R1) AG - TITAN (8342604)		\$670.00
8278604	27 x 10.50-15 4PR R3 Turf Matching Rear Tire - 44 x 18-20 4PR R3 Turf (8303604)		\$668.00
8275704	10-16.5 6PR R4 Ind. Bar Matching Rear Tire - 17.5LX24 8PR (R4) - TITAN (8396704)		\$816.00
8199907	Less front wheels and tires. Requires shipping wheel kit (720457)		No Charge

REAR TIRES AND WHEELS

SD_T4950 REAR WHEELS AND TIRES

Rear Tires			
8342604	14.9-24 4PR R1 Ag Bar Matching Front Tire - 8X16 6PR (R1) AG - TITAN (8229704)		\$1,838.00
8303604	44 x 18-20 4PR R3 Turf Matching Front Tire - 27x10.5 - 15 4 Ply (R3) - TITAN (8278604)		\$1,817.00
8396704	17.5Lx24 6PR R4 Matching Front Tire - 10-16.5 6PR R4 Ind. Bar (8275704)		\$2,211.00
8399907	Less Rear Wheels and Tires Requires shipping wheel kit (720457)		No Charge

SHIPPING WHEELS

SD_T4931 SHIPPING WHEELS

720457	Shipping wheel kit		\$1,314.00
--------	--------------------	--	------------



**BOOMER™ 3000 SERIES CAB CVT COMPACT
US PRICE LIST**

(Port of Entry)

COMPACT TRACTOR FACTORY INSTALLED OPTIONS

MISCELLANEOUS

SD_T1010 ENGINE OPTIONS

	743243	75 Amp alternator			\$173.00
--	--------	-------------------	--	--	----------

SD_T1942 SIDE ENG AND DRIVEL

	743849	FRT BMPR GRILL GUARD			\$188.00
--	--------	----------------------	--	--	----------

SD_T7600 LOADER EQUIPMENT

	420694	Loader Ready 420694 Includes: Subframe Requires: Grille guard (743849)			\$1,134.00
--	--------	--	--	--	------------

SD_T8270 REAR REMOTES

	720336	2 Aux.Hydr.:1 S/D 1 2 Rear Remotes: 1st position rear remote - float and detent 2nd position rear remote - 3 position			\$1,563.00
--	--------	---	--	--	------------

SD_T9800 OPERATORS MANUAL

	729187	French Canadian			No Charge
	729976	Spanish Op. Manual			No Charge

SD_T9940 MKT PACK.FOR COLD C

	729568	Mkt Pack F/Cold Cli Includes Block & Transmission Heater, and Rear Windshield Wiper. Requires 75 Amp Alternator.			\$277.00
--	--------	--	--	--	----------

Parts Division Supplied Accessories for Compact Tractors

Part Number	Description	Boomer 3040	Boomer 3045	Boomer 3050	Approx. Installation Time	Comments
Cab Group						
710642016	Windshield wiper / washer, rear	X	X	X	1.0	
84532740	CVT Enhanced Controls	X	X	X	1.0	
718002006	Cab Roof Visibility Panel Guard	X	X	X	0.5	
84178927	Chrome steps	X	X	X	0.5	
87550442	Operator presence switch	X	X	X	2.0	
718852026	Armrest kit	X	X	X	0.5	
87328627	Radio bezel	X	X	X	1.0	Included in CNH Audiovox Radio
Various #s	Radios	X	X	X	varies	See service parts for complete updated list
Electrical Group						
710762026	Beacon light and mounting kit	X	X	X	1.0	
84158955	75 Amp Alternator	X	X	X	2.0	
Hydraulics Group						
710366216	Self centering (Simple) rear remote valve	X	X	X	2.0	Position 1, 2 or 3
719940056	Float & Detent (Deluxe) rear remote valve	X	X	X	2.0	Position 1 or 2 only
719933036	Rear remote #1 completing kit - coupler, dust boot and levers	X	X	X	1.5	
719935036	Rear remote #2 completing kit - coupler, dust boot and levers	X	X	X	1.0	
719937026	Rear remote #3 completing kit - coupler, dust boot and levers	X	X	X	1.0	Self centering remote valve only
717654006	Mid mount remote hydraulic kit (2 spool loader valve and joystick)	X	X	X	2.0	
Engine Group						
84178926	Chrome exhaust pipe extension	X	X	X	0.5	
86590117	Engine coolant heater	X	X	X	2.0	
87537603	Transmission heater kit	X	X	X	1.0	
Drawbar/Hitch Group						
86402709	Drawbar clevis	X	X	X	0.5	
86404991	Stabilizer bracket (required to support hyd. Tubes when 2 spool remote valve fitted less from loader)	X	X	X	1.0	
251006F	Linkage drawbar	X	X	X	1.0	Requires F0NNC830AA
F0NNC830AA	linkage drawbar stay kit	X	X	X	1.0	
Weight Group						
710215016	Front end weight - 60lbs. (27kg) - NH	X	X	X	0.5	
718215036	Front end weight - 100lbs. (45kg) - NH	X	X	X	0.5	
710470026	Rear wheel weight - 105lbs. (47kg)	X	X	X	1.0	
718740016	Rear counter weight bracket	X	X	X	0.5	
718233006	Front weight carrier - 5 weights 21 lbs. (9.5kg)	X	X	X	1.0	
717747006	Ballasting Box, 158lbs, max 1000lbs. Capacity	X	X	X	1.0	
710892016	Front tow hook	X	X	X	0.5	Not compatible with front end weights
Miscellaneous						
719849056	Front bumper/Grill guard - CNH Black	X	X	X	0.5	



**WORKMASTER™ 35 & 40
US PRICE LIST**

Standard Equipment

WORKMASTER™ 35

Model L3BL 3 Cyl. Diesel Engine
33 Gross Engine hp @ 2600 rpm
28.4 PTO hp @ 2600 rpm (Gear)
26.6 PTO hp @ 2600 rpm (Hydro)
116 cu. in.(1.9L) Displacement

WORKMASTER™ 40

Model L3AL 3 Cyl. Diesel Engine
38 Gross Engine hp @ 2600 rpm
33.4 PTO hp @ 2600 rpm (Gear)
31.2 PTO hp @ 2600 rpm (Hydro)
122 cu. in.(1.9L) Displacement

ALL MODELS

3 Cylinders
Tier 3 compliant
Naturally Aspirated
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
7.4 gallon (28L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL

Digital Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator

TRANSMISSION OPTIONS

12 x 12 Shuttle Shift Transmission
Left-hand, dash mounted,
synchronized shuttle
(4) Non-Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- 8.2 gpm (31.2 L/min)
- Steering Pump Capacity:
- 4.8 gpm (18.2 L/min)

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
1433 lb. (650 kg)
Category I, 3-point Linkage
Position Control Lever Drop
Rate Control Knob Turnbuckle
Leveling Mechanism
Telescoping Stabilizers
Fixed Link Ends

ROPS

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
50 amp Alternator
Operator Presence System



**WORKMASTER™ 35 & 40
US PRICE LIST**

Standard Equipment

LIGHTING

- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

DRAWBAR

- 2-Position Extendable
- Safety chain hook

REAR DIFFERENTIAL LOCK

STEERING

- Hydrostatic Power Steering
- Fixed Steering Column

BRAKES

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

FRONT AXLE

- Four Wheel Drive (FWD)
- Fixed Position Rims
- 45.6 in. (1159 mm) Tread Setting with R4 tires (center to center)

REAR AXLE

- Flange Type Axle
- Reversible Position Rims - R1 tires only
- Fixed Position Rims - R3, R4 tires
- 50.5 in. (1283 mm) Tread Setting with R4 tires

OPERATOR'S AREA

- Contoured Cushion Seat
- Fore / Aft / Weight Adjustment
- Flip up
- Spring Suspension
- Foot Throttle (gear transmission)
- Left Side Step
- Left Side Grab Handle

SLOW MOVING VEHICLE EMBLEM

BOOMER GUARD-5 WARRANTY

- Full Coverage - 24 months or 750 total hours
- Powertrain - Additional 36 months (60 total months) or 1500 total hours

Boomer Compact Tractor Pool

These models are available from the pool, fully assembled, at an additional cost of \$437.50, (\$350.00 Dlr Net)



**WORKMASTER™ 35 & 40
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	List Price
WORKMASTER 35		\$16,414.00
Includes the following Equipment		
25 x 8.50-14 6PR R4 (8266304)	\$459.00	
43X16.00-20 R4 (8364564)	\$1,193.00	
WORKMASTER 40		\$18,398.00
Includes the following Equipment		
25 x 8.50-14 6PR R4 (8266304)	\$459.00	
43X16.00-20 R4 (8364564)	\$1,193.00	

Factory Supplied Options

Order Code	Description	Weight	List Price
SD_T2810 TRANSMISSION			
720110	12 x 12 Synchro-shuttle		No Charge
729290	Hydrostatic Transmission		\$1,642.00
SD_T4940 FRONT WHEELS AND TIRES			
8204604	7 x 14 6PR R1 Ag Bar		\$352.00
8152604	25X8.50-14 4PR R3 T		\$352.00
8266304	25 x 8.50-14 6PR R4		\$459.00
8199907	Less front wheels and tires.		No Charge
SD_T4950 REAR WHEELS AND TIRES			
8332604	11.2 x 24 4PR R1 Ag Bar		\$900.00
8304804	41X14.00-20 4PR R3		\$1,377.00
8364564	43X16.00-20 R4		\$1,193.00
8399907	Less Rear Wheels and Tires		No Charge
SD_T8270 REAR REMOTES			
720366	1 Remote SDA Fits Workmaster 35/40		\$649.00



**WORKMASTER™ 35 & 40
US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	List Price
------------	-------------	--------	------------

Front Tires

820460446	7X14 6PR R1 NH	275 LB	\$352.00
815260486	25X8.50-14 4PR R3 T	275 LB	\$352.00
826630446	25X8.50-14 6PR R4 NH	275 LB	\$459.00

Rear Tires

833260436	11.2X24 4PR R1 NH	275 LB	\$900.00
830480436	41X14.00-20 4PR R3 TURF NH	275 LB	\$1,377.00
836456446	43X16-20 R4	275 LB	\$1,193.00

PARTS DIVISION SUPPLIED ACCESSORIES FOR WORKMASTER™ 35 & 40 TRACTORS			
Part Number	Description	WORKMASTER™ 35 & 45	NOTES:
	CAB/ROPS/FOPS GROUP		
718857196	FOPS Canopy for Roll Bar - White	X	
710660206	Soft Cab Enclosure Contact: Original Tractor Cab Co., Inc., P.O. Box 97 Arlington, IN 46104 Phone: (765) 663-2214	X	
	HYDRAULICS GROUP		
MT20122156	#1 Rear Remote - 3-position Self Centering	X	
MT20122157	#2 Rear Remote - 3-position Self Centering	X	
47528057	Mid mount valve and Joy stick	X	
	PTO GROUP		
MT20129402	Mid PTO - 2000 RPM	X	Install Time - 2 hours
	WEIGHT GROUP *Attaching hardware is available from Service Parts.		
710215016	Front End Weight 60LB (27 Kg), Max 5 , compatible with grill guard (Requires Front Weight Carrier #718233006 if using more than 2) Not compatible with loader.	X	
718215036	Front End Weight 100 LB (45 Kg), Max 3, NOT compatible with grill guard (Requires Front Weight Carrier #718233006) Not compatible with loader	X	
718233006	Front Weight Bumper/Carrier - Max weight allowed - 260 lbs Not compatible with loader	X	
717746006	Ballast Box (500lb Max)	X	Order through whole goods (eEquipment)
	MISCELLANEOUS GROUP		
719849276	Grille guard - Deluxe	X	
47443463	Grille guard - Economy	X	
84316967	Block Heater	X	
MT20129204	RH Fender Grip/Grab handle	X	
MT20117609	Flex Link Ends	x	
MT20129401	Horn Kit	x	
84389592	French Canadian Decal Kit	x	