

926M WHEEL LOADER  
CLAYTON, NC, USA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

- Axle seal guards
- Auto Idle shut down feature
- Cat C7.1ACERT engine
- Power Modes (Standard and Performance)
- Power by Range (High Power in Range 4)
- Tier 4 Final/Stage IV compliant
- Turbocharged and aftercooled
- Filtered crankcase breather
- Diesel particulate filter
- Selective Catalyst Reduction
- Coolant protection to -34C (-29F)
- Differential lock in front axle
- Dry type air cleaner
- Enclosed wet disc full hydraulic brakes
- Fuel priming pump, automatic
- Fuel water separator
- Hydraulically driven demand cooling fan
- Hydrostatic transmission with electronic control
- Operator Modes (Default, TC, Hystat and Ice)
- Directional Shift Agressiveness (Fast, Medium, Slow)
- Rimpull control, adjust wheel torque
- Creeper control, adjust ground speed
- Lubed for life driveshafts
- Parking brake, electric
- Single plane cooling package wide 6 fins per inch density
- S-O-S port,engine,coolant,transmission oil

**HYDRAULICS**

- Automatic lift and bucket kickouts, adjustable in-cab
- Bucket and Fork Modes, adjustable in-cab
- Cylinder damping at kickout and mechanical end stops
- Fine Mode control (Fast, Medium, Slow) in Fork Mode
- Hydraulic Response setting (Fast, Medium, Slow)
- Hydraulic diagnostic connectors and S-O-S ports
- Hydraulic sight gauge, visible
- Load sensing hydraulics and steering
- Seat mounted hydraulic joystick controls

**ELECTRICAL**

- Alternator, 115-amp, heavy duty
- 12V power supply in cab (2)
- Batteries, 1,000 CCA (2) 24 volt system, disconnect switch
- Back up alarm

- Emergency shutdown switch
- Halogen work lights front and rear, LED rear stop and turn lights
- Heavy duty gear reduction starter
- Product Link PRO w/3 year subscription
- Remote jump start post
- Resettable main and critical function breakers
- Roading lights front and rear

**OPERATOR ENVIRONMENT**

- 75 mm (3 in) retractable seatbelt
- Automatic temperature control
- Cab, enclosed ROPS/FOPS pressurized and sound suppressed
- Cup holders
- External heated mirrors with lower parabolic
- Ground level cab door release
- Gauges
- Digital hour meter, odometer and tachometer
- Digital ground speedometer and direction indicator
- Engine coolant temperature gauge
- Fuel and Diesel Exhaust Fluid level indicator
- Hydraulic oil temperature gauge
- Hydraulic control lockout
- Interior cab lighting, door and dome
- Interior rearview mirrors (2)
- Lunch box storage
- Operator warning system indicators
- Radio ready speakers
- Rear window defrost, electric
- Seat mounted electronic implement controls, adjustable
- Sliding glass on the side windows
- Column mounted multi function control
- lights, wipers, turn signal
- Suspension seat, fabric
- Tilt and telescope steering wheel
- Tinted front glass
- Wet arm wiper/washer, 2-speed and intermittent, front
- Wet arm wiper washer, rear

**OTHER STANDARD EQUIPMENT**

- Large-access enclosure doors with adjustable close/open force
- Parallel lift loader linkage
- Recovery hitch with pin
- Remote mounted lubrication points
- Vandalism protection-lockable compartments

926M WHEEL LOADER  
CLAYTON, NC, USA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**ORDERING INSTRUCTIONS**

For an explanation of Lane Strategy and ordering instructions please refer to the sales model "GENERAL" posted in the web price list.

**You must order your machine from Lane 1 or Lane 2.  
The lane you order from will determine capability to order additional attachments and service level you will receive.**

**LANE 1 DISTRIBUTION CENTER ARRANGEMENTS**

<b>452-0841</b>	<b>926M WHEEL LOADER DCA1</b> ..... 0 Available to ADSD-N from the Clayton PDC. 430-2805 926M WHEEL LOADER 430-2945 PREP PACK, NORTH AMERICA 430-2823 HYD,3V,COUPLER READY,STD LIFT 430-2996 STEERING, STANDARD 333-6528 DIFFERENTIAL, OPEN REAR 430-2855 ENVIRONMENT, STANDARD 430-2897 WEATHER, STANDARD 423-7162 CAB, DELUXE 423-7201 SEAT, DELUXE 372-1868 RADIO, BLUETOOTH, AUX, MIC 366-8148 FENDERS, STANDARD 348-2579 COUNTERWEIGHT, HEAVY 430-2859 RIDE CONTROL 377-5627 LIGHTS, AUX, HALOGEN/HALOGEN 430-2977 QUICK COUPLER, FUSION 454-0589 PRODUCT LINK - Must select from Lane 1 Mandatory selection	<b>\$183,750</b>
<b>452-0842</b>	<b>926M WHEEL LOADER DCA2</b> ..... 0 Available to ADSD-N from the Clayton PDC. 430-2805 926M WHEEL LOADER 430-2945 PREP PACK, NORTH AMERICA 430-2823 HYD,3V,COUPLER READY,STD LIFT 430-2996 STEERING, STANDARD 333-6526 DIFFERENTIAL,LIMITED SLIP REAR 430-2855 ENVIRONMENT, STANDARD 430-2992 WEATHER, COLD START 120V 423-7162 CAB, DELUXE 423-7201 SEAT, DELUXE 372-1868 RADIO, BLUETOOTH, AUX, MIC 366-8148 FENDERS, STANDARD 348-2579 COUNTERWEIGHT, HEAVY 430-2859 RIDE CONTROL 377-5635 CAMERA, REAR VIEW 377-5627 LIGHTS, AUX, HALOGEN/HALOGEN 430-2977 QUICK COUPLER, FUSION 454-0589 PRODUCT LINK - Must select from Lane 1 Mandatory selection	<b>\$189,700</b>

926M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

<b>452-0843</b> <b>926M WHEEL LOADER DCA3</b> ..... 0 Available to ADSD-N from the Clayton PDC. 430-2805 926M WHEEL LOADER 430-2945 PREP PACK, NORTH AMERICA 430-2853 HYD,3V,COUPLER READY,HIGH LIFT 430-2996 STEERING, STANDARD 333-6526 DIFFERENTIAL,LIMITED SLIP REAR 430-2875 ENVIRONMENT, HIGH DEBRIS 430-2992 WEATHER, COLD START 120V 423-7162 CAB, DELUXE 423-7201 SEAT, DELUXE 372-1868 RADIO, BLUETOOTH, AUX, MIC 366-8148 FENDERS, STANDARD 348-2579 COUNTERWEIGHT, HEAVY 430-2859 RIDE CONTROL 377-5635 CAMERA, REAR VIEW 377-5627 LIGHTS, AUX, HALOGEN/HALOGEN 430-2977 QUICK COUPLER, FUSION 454-0589 PRODUCT LINK - Must select from Lane 1 Mandatory selection	<b>\$199,530</b>
---	------------------

**LANE 2 FACTORY ARRANGEMENTS**

<b>430-2805</b> <b>926M WHEEL LOADER</b> ..... 0	<b>\$169,150</b>
<b>0P-3536</b> <b>926M MISC MATERIAL</b> ..... 0 Use this top level reference when ordering miscellaneous material without ordering a machine.	<b>NC</b>

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC

	0P-9001	LANE 1 ORDER . . . . .	0	NC
--	---------	------------------------	---	----

**ENGINE**

L	430-3038	ENGINE AR . . . . .	0	NC
---	----------	---------------------	---	----

**PRODUCT LINK**

L	454-0589	PRODUCT LINK, CELLULAR PL641 . . . . . Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	---	---	----

**TIRES**

Due to industry-wide tire availability, tires may change based on availability.

P	366-6895	TIRES, 20.5R25 MX XTLA * L2 . . . . . Michelin;Radial;XTLA;L2;3 pc rim Non directional tread;Includes axle oscillation stops For use with DCA1 and DCA2	0	\$10,490
P	357-8901	TIRES, 20.5R25 BS VJT * L3 . . . . . Bridgestone;Radial;VJT;L3 Non directional tread;Includes axle oscillation stops. For use with DCA3	0	\$11,390

**SERVICE INSTRUCTIONS**

	0P-2491	KIT,SERIALIZED TECHNICAL MEDIA . . . . . Kit will include instructions and parts CD in the legally required language, based on shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. <a href="https://oos.midlandcorp.com/CAT/Default.aspx">https://oos.midlandcorp.com/CAT/Default.aspx</a>	0	NC
--	---------	---	---	----

**DECAL PACKAGES (Select One)**

P	430-2963	INSTRUCTIONS, ANSI, US . . . . . This package includes picto decals as required for North America except for Canada.	0	NC
---	----------	---	---	----

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**DECAL PACKAGES (Select One) (Cont.)**

P	430-2964	INSTRUCTIONS, ISO, CANADA . . . . .	0	NC
		This package includes picto decals as required for Canada.		

**PROTECTION**

	0P-2266	SHIPPING/STORAGE PROTECTION . . . . .	0	\$278
		Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		
		ONLY FOR USE WITH: NACD only		
	0P-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**PROTECTION (Cont.)**

<b>0P-0411</b>	<b>INLAND FREIGHT</b>	
	ALBAN TRACTOR.....\$1,228 NET	YANCEY BROS...\$1,590 NET
	ALTORFER.....\$2,250 NET	ZIEGLER.....\$3,025 NET
	ATLANTIC T&E.....\$5,950 NET	
	BLANCHARD MCHY.....\$810 NET	
	BUTLER MCHY.....\$3,950 NET	
	CAROLINA TR.....\$890 NET	
	CARTER MCHY.....\$795 NET	
	CASHMAN EQ.....\$7,500 NET	
	CI WALKER MCHY.....\$1,100 NET	
	CLEVELAND BROS....\$1,650 NET	
	EMPIRE MACHY.....\$6,505 NET	
	FABCO EQ.....\$2,525 NET	
	FABICK TR.....\$2,360 NET	
	FINNING INT'L.....\$7,175 NET	
	FOLEY EQUIPMENT..\$3,300 NET	
	FOLEY, INC.....\$1,650 NET	
	GILES & RANSOME..\$1,650 NET	
	GREGORY POOLE.....\$550 NET	
	H.O. PENN MCHY.....\$2,150 NET	
	HAWTHORNE MACH..\$6,225 NET	
	HAWTHORNE PACIF..\$6,675 NET	
	HEWITT EQ.....\$4,000 NET	
	HOLT OF CA.....\$6,750 NET	
	HOLT TEXAS.....\$3,400 NET	
	J.A. RIGGS.....\$2,425 NET	
	JOHNSON MCHY.....\$6,000 NET	
	KELLY TRACTOR.....\$2,550 NET	
	KRAMER.....\$5,625 NET	
	LOUISIANA MCHY.....\$2,475 NET	
	MACALLISTER.....\$1,650 NET	
	MICHIGAN CAT.....\$2,000 NET	
	MILTON CAT.....\$2,500 NET	
	MUSTANG MACH.....\$3,000 NET	
	N C MACHINERY.....\$6,975 NET	
	NEBRASKA MCHY.....\$3,025 NET	
	OHIO MACHINERY....\$1,500 NET	
	PATTEN IND.....\$1,810 NET	
	PETERSON MACH.....\$7,525 NET	
	PETERSON TR.....\$7,525 NET	
	PUCKETT MACHY.....\$2,200 NET	
	QUINN COMPANY.....\$7,175 NET	
	RING POWER.....\$1,850 NET	
	STOWERS MCHY.....\$1,275 NET	
	THOMPSON MACH.....\$1,900 NET	
	THOMPSON TR.....\$1,675 NET	
	TOROMONT CAT.....\$2,875 NET	
	TR & EQ.....\$6,200 NET	
	WAGNER EQ.....\$5,000 NET	
	WARREN POWER.....\$4,100 NET	
	WESTERN ST. EQ.....\$6,750 NET	
	WHAYNE SUPPLY.....\$1,650 NET	
	WHEELER MCHY.....\$6,100 NET	
	WYOMING MCHY.....\$5,500 NET	

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***PROTECTION (Cont.)***

0P-3071	<p><b>FREIGHT SHIP-TO EXCEEDS RADIUS</b> . . . . . 0</p> <p>While "List Price At Dealer" applies to most dealer locations, effective January 2, 2015 a freight surcharge will be applied for ship-to locations described below. Any applicable surcharge will be billed separately. Contact you trade lane manager for information.</p> <p>Finning: Locations exceeding 500 km radius of Vancouver and Edmonton                      Kramer: Locations exceeding 500 km radius of Regina                      Toromont: Locations exceeding 500 km radius of Toronto, Winnipeg and all deliveries to Newfoundland                      Hewitt: Locations exceeding 500 km radius of Montreal                      Atlantic: Locations exceeding 500 km radius of Halifax and York                      NC Machinery: Deliveries to Alaska                      Hawthorne: Deliveries to Hawaii</p>	NC
---------	--	----

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**SPECIAL ARRANGEMENTS**

NEW!!! Additional attachments that can be added to PDC machines to allow quick ship and configuration flexibility.  
 NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.  
 FOR USE WITH ALL DCA'S UNLESS OTHERWISE STATED.

P	452-0857	<b>KIT, GUARD, POWERTRAIN, SIDE</b> . . . . . 0 Kit provides two (2) side transmission guards that mount to both sides of the rear frame.		\$510
P	374-5842	<b>KIT, GUARD, DRIVESHAFT</b> . . . . . 0 Kit provides drive shaft guard that mounts underneath the front frame.		\$581
P	374-5844	<b>KIT, GUARD, POWERTRAIN, LOWER</b> . . . . . 0 Kit provides lower transmission guard that mounts underneath the rear frame.		\$1,333
P	467-7992	<b>KIT, COUNTERWEIGHT, LOGGER/AGG</b> . . . . . 0 Kit converts a heavy counterweight machine to a Logger/Agg counterweight machine by additional frame mounted counterweight for use in applications such as Log and Lumber, Aggregate Handling, Auto Re-Handling and heavy material handling. NOT recommended for general construction machines. NOT compatible for High Lift Linkage configurations. CANNOT BE USED WITH: Flexport Tires		\$3,350
L	370-7008	<b>KIT, WARNING,BEACON,LED STROBE</b> . . . . . 0 Kit provides hard mounted LED strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$211

**WORK TOOLS**

**GENERAL PURPOSE BUCKETS**

P	360-3321	<b>BUCKET, GP, 2.70 YD3, HO, BOCE</b> . . . . . 2,101 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 100" (2540mm) width General Purpose Bucket		\$7,782
P	360-3323	<b>BUCKET, GP, 3.00 YD3, HO, BOCE</b> . . . . . 2,141 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 100" (2540mm) width General Purpose Bucket		\$9,199
P	417-4925	<b>BUCKET, GP, 3.20 YD3, HO, BOCE</b> . . . . . 2,403 Includes: BUCKET-GP, HO wide Cutting Edge, Bolt On (4 Piece) 100" width (2540mm) width General Purpose Bucket		\$10,128

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**WORK TOOLS (Cont.)**

P	417-4355	<b>BUCKET, GP, 3.20 YD3, HO, BOCE</b> ..... 2,430 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 108" width (2743mm) wide General Purpose Bucket		<b>\$9,822 NI</b>
P	345-2427	<b>BUCKET, GP, 3.50 YD3, HO, BOCE</b> ..... 2,519 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 108" width (2743mm) wide General Purpose Bucket		<b>\$10,557 NI</b>
P	417-4929	<b>BUCKET, GP, 3.80 YD3, HO, BOCE</b> ..... 2,601 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 108" width (2743mm) wide General Purpose Bucket		<b>\$10,846 NI</b>

**LIGHT MATERIAL BUCKETS**

P	417-4935	<b>BUCKET, LM, 4.50 YD3, HO, BOCE</b> ..... 2,873 Includes: BUCKET-LM, HO Cutting Edge, Bolt On (4 Piece) 108" width (2743mm) wide Light Materials Bucket		<b>\$11,628 NI</b>
P	417-4342	<b>BUCKET, LM, 5.50 YD3, HO, BOCE</b> ..... 3,172 Includes: BUCKET-LM, HO Cutting Edge, Bolt On (4 Piece) 108" (2743mm) wide Light Materials Bucket		<b>\$12,056 NI</b>

**CARRIAGE & FORKS**

P	452-6545	<b>FORKS, 54" PALLET</b> ..... 1,423 60" wide carriage with 54" Pallet tines		<b>\$4,582</b>
P	452-6546	<b>FORKS, 60" CONSTRUCTION</b> ..... 2,081 96" wide carriage with 60" Construction tines		<b>\$9,594</b>
P	452-6547	<b>FORKS, 72" CONSTRUCTION</b> ..... 2,178 96" wide carriage with 72" Construction tines		<b>\$10,640</b>

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**LANE SELECTION**

**(MUST SELECT ONE)**

0P-9002	LANE 2 ORDER	0	NC
---------	--------------	---	----

The following mandatory and optional selections are for Lane 2 orders only.

**REGIONAL PACKAGES**

(MUST SELECT ONE)

L	430-2943	PREP PACK, UNITED STATES Includes ANSI Decals and right hand dip lights.	0	NC
---	----------	---	---	----

**PERFORMANCE PACKAGES**

**LINKAGE/HYDRAULICS/VALVES**

(MUST SELECT ONE)

L	430-2821	HYD,2V,PIN-ON,STD LIFT Standard Lift, 2 function hydraulics, For use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.	0	NC
L	430-2822	HYD,2V,COUPLER READY,STD LIFT Standard Lift, 2 function hydraulics, coupler ready. Coupler and cab switch not included.	0	\$510
L	430-2823	HYD,3V,COUPLER READY,STD LIFT Standard Lift, 3 function hydraulics, coupler ready. Coupler and cab switch not included.	0	\$2,550
L	430-2824	HYD,4V,COUPLER READY,STD LIFT Standard Lift, 4 function hydraulics, coupler ready. Coupler and cab switch not included.	0	\$4,590
L	430-2851	HYD,2V,PIN-ON,HIGH LIFT High Lift, 2 function hydraulics, for use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.	0	\$6,120
L	430-2852	HYD,2V,COUPLER READY,HIGH LIFT High Lift, 2 function hydraulics, coupler ready. Coupler and cab switch not included.	0	\$6,640
L	430-2853	HYD,3V,COUPLER READY,HIGH LIFT High Lift, 3 function hydraulics, coupler ready. Coupler and cab switch not included.	0	\$8,680
L	430-2854	HYD,4V,COUPLER READY,HIGH LIFT High Lift, 4 function hydraulics, coupler ready. Coupler and cab switch not included.	0	\$10,720

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**FEATURE PACKAGES**

**CONTROLS**

(MUST SELECT ONE)

L	430-2996	<b>STEERING, STANDARD</b> . . . . .	0	NC
L	430-2997	<b>STEERING, STANDARD, DUAL MODE</b> . . . . . Adds the ability to enable Dual Mode Steering (Quick Steer) to minimize operator efforts in repetitive cycles.	0	\$1,125
L	430-2998	<b>STEERING, SECONDARY</b> . . . . . Adds a secondary back-up steering system for increased safety. Required in some countries and some locations by OSHA/MSHA.	0	\$2,915
L	430-2999	<b>STEERING, SECONDARY, DUAL MODE</b> . . . . . Adds the ability to enable Dual Mode Steering (Quick Steer) and provides a secondary back-up steering system for increased safety.	0	\$4,035

**REAR AXLE**

(MUST SELECT ONE)

L	333-6528	<b>DIFFERENTIAL, OPEN REAR</b> . . . . . Open rear differential (without a traction aid) in addition to the standard front axle diff-lock.	0	NC
L	333-6526	<b>DIFFERENTIAL,LIMITED SLIP REAR</b> . . . . . Adds a rear limited slip traction aid in addition to the standard front axle diff-lock.	0	\$2,910

**SPECIAL ARRANGEMENTS**

**ENVIRONMENTAL PACKAGES**

(MUST SELECT ONE)

L	430-2855	<b>ENVIRONMENT, STANDARD</b> . . . . . Contains dustbowl precleaner, standard fan and standard 115 amp alternator.	0	NC
L	430-2865	<b>ENVIRONMENT, MEDIUM DEBRIS</b> . . . . . Adds Sy-Klone engine pre-cleaner and reversing fan but maintains 115 amp alternator.	0	\$2,400
L	430-2875	<b>ENVIRONMENT, HIGH DEBRIS</b> . . . . . Adds Sy-Klone engine pre-cleaner and reversing fan and upgrades to a brushless, filtered 150 amp alternator.	0	\$3,695

**COLD WEATHER PACKAGES**

(MUST SELECT ONE)

L	454-0609	<b>WEATHER, STANDARD</b> . . . . . Appropriate at temperatures above -10 Celsius (15 Fahrenheit) and altitude below 1500 meters (5000 feet)	0	NC
---	----------	--	---	----

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

**COLD WEATHER PACKAGES (Cont.)**

L	454-0610	<b>WEATHER, COLD START 120V</b> . . . . . 0 Adds ether starting aid, 120V block heater and two additional batteries on the machine right (in place of standard toolbox) for better cold starting.		\$2,020
L	452-0878	<b>WEATHER, THERMAL BYPASS 120V</b> . . . . . 0 Adds the cold start package of ether starting aid, 120V block heater and two additional batteries on the machine right (in place of standard toolbox) along with a thermal bypass valve that allows hydraulic oil to bypass the cooler and quickly warm up. Recommended for use in extreme cold climates for better cold starting and hydraulic performance.		\$2,400

**ENGINE**

(MUST SELECT ONE)

L	430-3038	<b>ENGINE AR</b> . . . . . 0		NC
---	----------	------------------------------	--	----

**OPERATOR ENVIRONMENT**

**CAB**

(MUST SELECT ONE)

L	423-7152	<b>CAB, STANDARD</b> . . . . . 0 ROPS cab includes automatic blower control, seat mounted implement controls, two heated external mirrors, two internal mirrors and primary instrument display. Tilt and telescoping steering wheel. CANNOT BE USED WITH: 4302946 PREP PACK, EU, RH DIP LIGHTS 4302947 PREP PACK, EU, LH DIP LIGHTS		NC
L	423-7162	<b>CAB, DELUXE</b> . . . . . 0 ROPS cab includes automatic blower control, seat mounted implement controls, two heated electrically adjusted external mirrors, two internal mirrors, enhanced in cab LED lighting, front and rear sun visor, and tilt and telescopic steering wheel. Also includes the secondary display which allows real time adjustments to: rimpull; creeper speed; 3rd & 4th maximum flow; throttle lock; fork fine mode; lift & tilt response; hystat modes; modes; directional shift response; ride control activation speed; autolube intervals; bucket float; feather catch; rack snubbing; perfect parallelism, and duals as multi camera display including optional factory installed rear camera.		\$2,100

**SEAT**

(MUST SELECT ONE)

L	423-7200	<b>SEAT, STANDARD</b> . . . . . 0 Fully adjustable fabric covered mechanical suspension seat with mid backrest, armrests and 3 inch (75 mm) retractable seat belt.		NC
---	----------	---	--	----

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT (Cont.)**

L	423-7201	<b>SEAT, DELUXE</b> . . . . . 0 Fully adjustable fabric covered AIR suspension seat with mid backrest, mechanical lumbar support, armrests and 3 inch (75 mm) retractable seat belt.		\$1,020
L	423-7202	<b>SEAT, PREMIUM</b> . . . . . 0 Fully adjustable LEATHER & Fabric AIR suspension seat with HIGH backrest, AIR LUMBAR support, armrests and 3 inch (75 mm) retractable seat belt. Seat is HEATED and COOLED through bottom cushion and backrest.		\$2,300

**RADIO**

(MUST SELECT ONE)

L	342-0130	<b>RADIO, READY</b> . . . . . 0 Provides installed speakers and wiring for easy radio installation.		NC
L	378-0951	<b>RADIO READY, BLUETOOTH, MIC, AUX</b> . . . . . 0 Provides installed speakers and wiring for easy radio installation. Includes Bluetooth interface, a microphone and aux inputs for powering MP3 players, etc.		\$510
L	372-1868	<b>RADIO, BLUETOOTH, AUX, MIC</b> . . . . . 0 Provides a factory installed AM/FM radio with Bluetooth interface, microphone, and aux inputs for powering MP3 players, etc.		\$705
L	333-1369	<b>RADIO, CD, DELUXE</b> . . . . . 0 Provides a factory installed AM/FM radio with weatherband and CD player designed for off road equipment. Includes Bluetooth interface, a microphone and aux inputs for powering MP3 players, etc.		\$920

**PRODUCT LINK**

(MUST SELECT ONE)

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	454-0589	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0 Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	454-0590	<b>PRODUCT LINK, SATELLITE PL631</b> . . . . . 0 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		NC

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS**

(MUST SELECT ONE)

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

**For any tire with a Use type of C, please check with factory before placing order to confirm tire availability.**

**TIRES AVAILABLE FROM BRIDGESTONE/FIRESTONE**

P	357-8901	<b>TIRES, 20.5R25 BS VJT * L3</b> . . . . . 0	\$11,390
		Bridgestone;Radial;VJT;L3 Non directional tread;Includes axle oscillation stops.	
C	360-2513	<b>TIRES,20.5R25BS VSW MS L2 SNOW</b> . . . . . 0	\$12,510
		Bridgestone;Radial;VSW;L2 Snow Non directional tread;Includes axle oscillation stops	
C	360-2521	<b>TIRES, 550/65R25 BS VTSZ * L3</b> . . . . . 0	\$10,450
		Bridgestone;Radial;VTSZ;L3 Includes axle oscillation stops	
C	367-4255	<b>TIRES, 20.5/25 BS RL 16PR L3</b> . . . . . 0	\$9,780
		Bridgestone;Bias;RL;L3 Non directional tread;Includes axle oscillation stops.	
C	360-2533	<b>TIRES,20.5/25 FS SGGLD 12PR L2</b> . . . . . 0	\$5,110
		Firestone;Bias;SGGLD;L2 Directional tread;Includes axle oscillation stops	
C	376-0774	<b>TIRES,17.5/25BS RL 16PR L3 3PC</b> . . . . . 0	\$6,850
		Bridgestone;Bias;RL;L3;3 pc rim	

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM FLEXPOR**

Cat Flexport are solid tires designed for severe applications such as scrap or waste handling where normal pneumatic tires would be quickly damaged. They are designed with holes molded through the outer ring of the tire's sidewalls to improve tire flexibility and stability. This allows the Cat Flexport tire to handle all surfaces with a greatly improved ride and to absorb much of the shocks that another solid or foam-filled tire passes on to the operator and machine. This results in increased operator comfort, reduced operator fatigue and reduced machine stress.

C	366-6911	TIRES,60.5X10.5X21 FLEX SMOOTH . . . . . 0 Caterpillar;Flexport;Smooth CANNOT BE USED WITH: 467-7988 COUNTERWEIGHT, LOGGER/AGG 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$31,440
C	366-6910	TIRES,60.5X10.5X21 FLEX OTR . . . . . 0 Caterpillar;Flexport;OTR CANNOT BE USED WITH: 467-7988 COUNTERWEIGHT, LOGGER/AGG 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$26,450

**TIRES FROM MICHELIN**

C	376-0874	TIRES,20.5R25 MX XMINE D2** L5 . . . . . 0 Michelin;Radial;XMINE D2;L5 Non directional tread;Includes axle oscillation stops		\$30,420
C	376-0873	TIRES,17.5R25MX XMINE D2** L53PC. . . . . 0 Michelin;Radial;XMINE D2;L5		\$18,240
C	366-6903	TIRES, 600/65R25 MX XLD * L3 . . . . . 0 Michelin;Radial;XLD;L3 Low profile;Includes axle oscillation stops		\$17,330
C	373-7312	TIRES,750/65R26 MXMEGAXBIB* AG . . . . . 0 Michelin;Radial;MegaXbib;Ag Includes axle oscillation stops REQUIRES: 366-8198 Fenders, Extended Cover to meet roading regulations		\$16,930
C	373-7310	TIRES,620/75R26 MXMEGAXBIB* AG . . . . . 0 Michelin;Radial;MegaXbib;Ag Directional tread;Includes axle oscillation stops		\$13,980
C	366-6891	TIRES,20.5R25 MX XSNPLUS * L2 . . . . . 0 Michelin;Radial;XSNPLUS;L2 Snow Non directional tread;Includes axle oscillation stops		\$12,960
C	366-6899	TIRES, 550/65R25 MX XLD * L3 . . . . . 0 Michelin;Radial;XLD;L3 Low profile;Includes axle oscillation stops		\$12,460
P	366-6879	TIRES,20.5R25 MX XHA2 * L3 . . . . . 0 Michelin;Radial;XHA2;L3;3 pc rim Non directional tread;Includes axle oscillation stops		\$11,810
P	366-6895	TIRES, 20.5R25 MX XTLA * L2 . . . . . 0 Michelin;Radial;XTLA;L2;3 pc rim Non directional tread;Includes axle oscillation stops		\$10,490

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES FROM MICHELIN (Cont.)**

P	360-2542	TIRES,17.5R25 MX XHA * L3 3 PC Michelin;Radial;XHA;L3;3 pc rim;Wide lug Non directional tread for lateral traction Heavy shoulder and protected sidewall	0	\$8,020
P	360-2541	TIRES, 17.5R25 MX XHA * L3 1PC Michelin;Radial;XHA;L3;1 pc rim;Wide lug Non directional tread for lateral traction Heavy shoulder and protected sidewall	0	\$5,630

**TIRES AVAILABLE FROM TITAN**

P	376-0827	TIRES, 20.5R25 TI MXL * L3 Titan;Radial;MXL;L3;3 pc rim Aggressive non directional tread;Includes axle oscillation stops	0	\$9,170
---	----------	--	---	---------

**TIRES AVAILABLE FROM TRIANGLE**

C	376-0816	TIRES,20.5R25TR TB538S+ *** L5. Triangle;Radial;TB538S+;***,L5	0	\$7,650
---	----------	---	---	---------

**RIMS ONLY**

EAME DEALERS WHEN ORDERING WILL USE MAFI TRANSPORT (OP2489)

L	376-0833	RIMS, 20.5, 3 PCS, NO TIRES CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT	0	\$935
L	376-0832	RIMS, 17.5, 3 PC, NO TIRES CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT	0	\$830
L	376-0831	RIMS, 17.5, 1 PC, NO TIRES CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT	0	\$-910

**NO TIRES / NO RIMS**

OP-2755	NO TIRES / NO RIMS CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT	0	\$-1,840
---------	---	---	----------

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**FENDERS**

(MUST SELECT ONE)

L	366-8148	<b>FENDERS, STANDARD</b> . . . . . 0 Provides black, non-metallic front fenders and partial coverage rear fenders. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT 430-2982 CONVERSION, UK ROADING		NC
L	366-8149	<b>FENDERS, EXTENDED COVER</b> . . . . . 0 Provides yellow, non-metallic front fenders and extended coverage rear fenders. Recommended for applications that include roading or long load and carry.		\$2,040
L	430-2849	<b>FENDERS, FULL COVER</b> . . . . . 0 Provides yellow, non-metallic front fenders and full coverage rear fenders along with mud flaps on the back side of both front and rear tires. Recommended for applications such as snow removal and extremely muddy conditions.		\$2,550
L	419-8850	<b>FENDERS, DEFLECTORS</b> . . . . . 0 Provides yellow, metal front deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires.		\$460

**COUNTERWEIGHTS**

(MUST SELECT ONE)

L	348-2579	<b>COUNTERWEIGHT, HEAVY</b> . . . . . 0 Standard Counterweight		NC
L	467-7988	<b>COUNTERWEIGHT, LOGGER/AGG</b> . . . . . 0 Additional frame mounted counterweights This is NOT recommended for general construction machines and NOT compatible with high lift linkage configurations. Recommended for use with machines configured for segment markets such as Log and Lumber, Aggregate Handling, and Auto Re-Handling. CANNOT BE USED WITH: 366-6910 & 366-6911 Flexport Tires High Lift Linkage		\$3,350

**INSTRUCTIONS**

**OPERATION AND MAINTENANCE MANUAL**

	0P-2491	<b>KIT,SERIALIZED TECHNICAL MEDIA</b> . . . . . 0 Kit will include instructions and parts CD in the legally required language, based on shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. <a href="https://oos.midlandcorp.com/CAT/Default.aspx">https://oos.midlandcorp.com/CAT/Default.aspx</a>		NC
--	---------	--	--	----

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**PACKING**

<b>0G-8010</b>	<b>PACKING, PHYTO-SANITARY WOOD</b> . . . . . 0			<b>NC</b>
	All wood or wood derivative packaging material with this shipment requires Phytosanitary Certificate. If all packing material is wood-free (metal or plastic), this shipment requires a Declaration of No Wood Packing Material.			
<b>0P-2266</b>	<b>SHIPPING/STORAGE PROTECTION</b> . . . . . 0			<b>\$278</b>
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. FOR USE WITH: ADSD-N only			
<b>398-6472</b>	<b>TRANSPORT PROTECTION</b> . . . . . 0			<b>\$428</b>
	Provides protection against corrosion during transport and storage, with particular emphasis on plated fasteners, engine components, and hydraulic cylinders. Includes 0P2266 PROTECTION,SHIP&STORE STANDARD			
<b>0G-6022</b>	<b>CERTIFICATE OF ORIGIN, ENGLISH</b> . . . . . 0			<b>\$14</b>
<b>0P-0210</b>	<b>PACK, DOMESTIC TRUCK</b> . . . . . 0			<b>NC</b>
<b>0P-2160</b>	<b>PACK, MISCELLANEOUS MATERIAL</b> . . . . . 0			<b>NC</b>
	Exfactory Kits, Freight Collect			
<b>0P-2161</b>	<b>PACKING, KIT (RUSH)</b> . . . . . 0			<b>\$186</b>
	Exfactory Kits, Freight Collect, Expedite Shipment			

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**PACKING (CONT.)**

<b>0P-0411</b>	<b>INLAND FREIGHT</b>	
	ALBAN TRACTOR.....\$1,228 NET	YANCEY BROS...\$1,590 NET
	ALTORFER.....\$2,250 NET	ZIEGLER.....\$3,025 NET
	ATLANTIC T&E.....\$5,950 NET	
	BLANCHARD MCHY.....\$810 NET	
	BUTLER MCHY.....\$3,950 NET	
	CAROLINA TR.....\$890 NET	
	CARTER MCHY.....\$795 NET	
	CASHMAN EQ.....\$7,500 NET	
	CI WALKER MCHY....\$1,100 NET	
	CLEVELAND BROS....\$1,650 NET	
	EMPIRE MACHY.....\$6,505 NET	
	FABCO EQ.....\$2,525 NET	
	FABICK TR.....\$2,360 NET	
	FINNING INT'L.....\$7,175 NET	
	FOLEY EQUIPMENT..\$3,300 NET	
	FOLEY, INC.....\$1,650 NET	
	GILES & RANSOME...\$1,650 NET	
	GREGORY POOLE.....\$550 NET	
	H.O. PENN MCHY.....\$2,150 NET	
	HAWTHORNE MACH..\$6,225 NET	
	HAWTHORNE PACIF..\$6,675 NET	
	HEWITT EQ.....\$4,000 NET	
	HOLT OF CA.....\$6,750 NET	
	HOLT TEXAS.....\$3,400 NET	
	J.A. RIGGS.....\$2,425 NET	
	JOHNSON MCHY.....\$6,000 NET	
	KELLY TRACTOR.....\$2,550 NET	
	KRAMER.....\$5,625 NET	
	LOUISIANA MCHY....\$2,475 NET	
	MACALLISTER.....\$1,650 NET	
	MICHIGAN CAT.....\$2,000 NET	
	MILTON CAT.....\$2,500 NET	
	MUSTANG MACH.....\$3,000 NET	
	N C MACHINERY.....\$6,975 NET	
	NEBRASKA MCHY.....\$3,025 NET	
	OHIO MACHINERY....\$1,500 NET	
	PATTEN IND.....\$1,810 NET	
	PETERSON MACH.....\$7,525 NET	
	PETERSON TR.....\$7,525 NET	
	PUCKETT MACHY.....\$2,200 NET	
	QUINN COMPANY.....\$7,175 NET	
	RING POWER.....\$1,850 NET	
	STOWERS MCHY.....\$1,275 NET	
	THOMPSON MACH....\$1,900 NET	
	THOMPSON TR.....\$1,675 NET	
	TOROMONT CAT.....\$2,875 NET	
	TR & EQ.....\$6,200 NET	
	WAGNER EQ.....\$5,000 NET	
	WARREN POWER.....\$4,100 NET	
	WESTERN ST. EQ.....\$6,750 NET	
	WHAYNE SUPPLY.....\$1,650 NET	
	WHEELER MCHY.....\$6,100 NET	
	WYOMING MCHY.....\$5,500 NET	

---

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

---

**PACKING (CONT.)**

<b>0P-3071</b>		<b>FREIGHT SHIP-TO EXCEEDS RADIUS</b> . . . . . 0 While "List Price At Dealer" applies to most dealer locations, effective January 2, 2015 a freight surcharge will be applied for ship-to locations described below. Any applicable surcharge will be billed separately. Contact your trade lane manager for information. Finning: Locations exceeding 500 km radius of Vancouver and Edmonton Kramer: Locations exceeding 500 km radius of Regina Toromont: Locations exceeding 500 km radius of Toronto, Winnipeg and all deliveries to Newfoundland Hewitt: Locations exceeding 500 km radius of Montreal Atlantic: Locations exceeding 500 km radius of Halifax and York NC Machinery: Deliveries to Alaska Hawthorne: Deliveries to Hawaii		<b>NC</b>
----------------	--	--	--	-----------

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**RIDE CONTROL**

L	430-2859	<b>RIDE CONTROL</b> . . . . . 0 Improves ride quality when travelling. In "Automatic" mode, Ride Control is set to activate above 6 mph. System is programmable between 3 and 9 mph. Includes system active indicator on dash.		\$3,850
---	----------	---	--	---------

**CAB FILTRATION**

L	423-7157	<b>PRECLEANER, CAB, RESPA</b> . . . . . 0 Powered cab air precleaner improves operator air quality and cab pressurization. Includes cab pressure sensor.		\$3,060
---	----------	---	--	---------

**WASHING PLATFORM**

L	469-0647	<b>WINDSHIELD PLATFORM</b> . . . . . 0 Provides right hand side front frame mounted steps and hand rail to facilitate access for an operator to clean the front windshield.		\$600
---	----------	--	--	-------

**CAMERA**

L	377-5635	<b>CAMERA, REAR VIEW</b> . . . . . 0 Provides a wide angle (115 degree) rear view camera system. Requires the secondary display in the cab. Secondary display is included in Deluxe cab. FOR USE WITH: 423-7162 Cab, Deluxe CANNOT BE USED WITH: 4302946 PREP PACK, EU, RH DIP LIGHTS 4302947 PREP PACK, EU, LH DIP LIGHTS		\$1,020
---	----------	--	--	---------

**INTEGRATED OBJECT DETECTION SYSTEM**

L	377-5660	<b>DETECTION, OBJECT (RADAR)</b> . . . . . 0 The Cat Integrated Object Detection System combines a camera, radar, and alarms to notify the operator when something is close to the rear of the machine. The system is configured with zones and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions. REQUIRES: 423-7162 CAB, DELUXE 377-5635 CAMERA, REAR VIEW		\$3,350
---	----------	--	--	---------

**LIGHTS**

L	333-1425	<b>WARNING, BEACON, LED STROBE</b> . . . . . 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$253
L	377-5624	<b>LIGHTS, AUX, LED</b> . . . . . 0 Provides two (2) additional forward facing, cab mounted LED work lights, and two (2) additional rear facing, cab mounted LED work lights. Plus 3 additional LED engine enclosure lights to aid service. LED lighting provides brighter lighting and longer life.		\$875

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**LIGHTS (Cont.)**

L	377-5627	<b>LIGHTS, AUX, HALOGEN/HALOGEN</b> ..... 0 Provides two (2) additional forward facing, cab mounted Halogen work lights and two (2) additional rear facing, cab mounted Halogen work lights. Plus 3 additional LED engine enclosure lights to aid service.		\$375
---	----------	---	--	-------

**GUARDS**

**UPPER GUARDS**

L	342-0250	<b>GUARD, WINDSHIELD</b> ..... 0 Provides protection to the front windshield from falling debris in waste, forestry, agriculture etc. while allowing excellent visibility to the ground and worktool.		\$3,060
L	377-1530	<b>GUARD, FRONT LIGHTS</b> ..... 0 Provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2977 CONVERSION, IRH 430-2979 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$358
L	377-1547	<b>GUARD, REAR LIGHTS</b> ..... 0 Provides two (2) rear light guards that mount over the tail lights. Not compatible with Heavy Duty Rear Guard. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2977 CONVERSION, IRH 430-2979 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$408
L	433-9755	<b>GUARD, TILT CYLINDER, STD LIFT</b> ..... 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$735
L	433-9758	<b>GUARD, TILT CYLINDER,HIGH LIFT</b> ..... 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$820

**LOWER GUARDS**

L	349-8165	<b>GUARD, POWERTRAIN, LOWER</b> ..... 0 Mounts underneath machine to provide protection for the transmission components		\$1,335
L	425-1425	<b>GUARD, POWERTRAIN, SIDE</b> ..... 0 Mounts on side of machine to provide protection for the transmission components		\$510
L	349-8163	<b>GUARD, CRANKCASE</b> ..... 0 Mounts underneath machine to provide protection to the engine components		\$915
L	349-7940	<b>GUARD, DRIVESHAFT</b> ..... 0 Mounts underneath machine to provide front drive shaft protection.		\$580
L	430-2916	<b>GUARD, STEERING CYLINDER</b> ..... 0 Provides protection to both steering cylinders, preventing damage to rods and cylinder seals.		\$710

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS (CONT.)**

**LOWER GUARDS (Cont.)**

L	391-1990	<b>GUARD, HITCH</b> ..... 0 Provides protection to hitch area of the rear frame, preventing debris from entering the frame, while allowing visibility to service points.		\$650
---	----------	---	--	-------

**OTHER ATTACHMENTS**

**DECALS**

L	387-4096	<b>FILM GP, WASTE HANDLER</b> ..... 0 REQUIRES: 349-7940 Guard, Driveshaft 349-8163 Guard, Crankcase 349-8165 Guard, Powertrain, Lower or all the following guards: 342-0250 Guard, Windshield 377-1530 Guard, Front Lights		\$58
L	387-4097	<b>FILM GP, AGGREGATE</b> ..... 0 REQUIRES: 467-7988 Counterweight, Logger/Agg		\$58

**REMOTE AXLE AND GEARBOX BREATHERS**

L	469-0499	<b>BREATHER GP, COUPLER READY</b> ..... 0 Provides remote mounted breathers for machines fitted with a coupler for both axles and hystat gearbox, used when machines enter deep water.		\$256
L	469-0500	<b>BREATHER GP, NON COUPLER READY</b> ..... 0 Provides remote mounted breathers for machines without couplers for both axles and hystat gearbox, used when machines enter deep water.		\$256

**AUTOLUBE ARRANGEMENT**

L	430-2988	<b>AUTOLUBE</b> ..... 0 Provides brackets, fittings, grease lines, injection nozzles, electrical components, adjustable control interface, and pumping station for automatic lubrication of machine pin joints requiring daily lubrication: Linkage pin joints, including bucket pins, articulation hitch, steering cylinders, and rear axle trunnions.		\$6,270
---	----------	--	--	---------

**QUICK COUPLERS**

**COUPLERS**

RECOMMENDED TO ALSO INSTALL COUNTERWEIGHT, HEAVY

L	430-2977	<b>QUICK COUPLER, FUSION</b> ..... 0 Includes an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. REQUIRES COUPLER READY MACHINE		\$4,000
---	----------	---	--	---------

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**QUICK COUPLERS (CONT.)**

**COUPLERS (Cont.)**

L	430-2979	<b>QUICK COUPLER, ISO 23727</b> . . . . . 0 Includes an electro-hydraulic coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive worktools, ISO Standard coupler interface is also used by Volvo. REQUIRES COUPLER READY MACHINE		\$5,020
L	387-2859	<b>TRANSPORT GROUP</b> . . . . . 0 Required when a machine is ordered without a coupler or Pin-On Bucket		\$510
L	492-1229	<b>TRANSPORT GROUP</b> . . . . . 0 Required when a machine is ordered without a coupler and a Pin-On Bucket with a width of 108" or above (Not Installed)		\$510

**JUMPER LINES**

L	441-3367	<b>JUMPER LINES, 3RD FUNCTION</b> . . . . . 0 Provides jumper lines and flat face connect under pressure quick disconnect coupling from 3rd function lines on the front linkage to the coupler. Requires either a Fusion or ISO Coupler.		\$550
---	----------	---	--	-------

**WORK TOOLS**

For European Dealers: For Lane 2 and Lane 3 orders no work tools can be ordered ex Factory (except for quick couplers). Please see WT-SWL price list for available work tools and order through Antares.

**FORK CARRIAGE, FUSION COUPLER ONLY**

P	345-2417	<b>CARRIAGE, PALLET FORK 60"</b> . . . . . 781 60" width. Does not include tines. For Use With: Forks listed in the Fork Tines section below. REQUIRES: Fusion Coupler		\$2,610
P	345-2740	<b>FORK, 60" CONSTRUCTION</b> . . . . . 2,081 Construction forks, carriage, and tines 96" width. Includes 60" tines REQUIRES: Fusion Coupler		\$9,594
P	345-2750	<b>FORK, 72" CONSTRUCTION</b> . . . . . 2,178 Construction forks, carriage, and tines 96" width. Includes 72" tines REQUIRES: Fusion Coupler		\$10,640

**FORK TINES STRAIGHT**

NOTE: Price is for a quantity of one (1). Must order a quantity of two (2).

P	371-2348	<b>FORK TINE, 2.25" X 6" X 48"</b> . . . . . 297 REQUIRES: CARRIAGE 345-2417		\$918
---	----------	---	--	-------

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

***FORK TINES STRAIGHT (Cont.)***

P	371-2354	FORK TINE, 2.25" X 6" X 54" . . . . .	321	\$986
		REQUIRES: CARRIAGE 345-2417		
P	371-2360	FORK TINE, 2.25" X 6" X 60" . . . . .	345	\$1,019
		REQUIRES: CARRIAGE 345-2417		

***FORK TINES OFFSET***

(MUST ORDER BOTH RIGHT AND LEFT FORKS)

P	371-2374	FORK TINE, 2.25"X6"X48", RIGHT . . . . .	301	\$1,072
		REQUIRES: Carriage 345-2417 and 371-2375 FORK TINE, 2.25"X6"X48", LEFT		
P	371-2375	FORK TINE, 2.25"X6"X48", LEFT . . . . .	301	\$1,072
		REQUIRES: Carriage 345-2417 and 371-2374 FORK TINE, 2.25"X6"X48", RIGHT		
P	360-3354	FORK TINE, 2.25"X6"X54", LEFT . . . . .	323	\$1,122
		REQUIRES: Carriage 345-2417 and 360-3355 FORK TINE, 2.25"X6"X54", RIGHT		
P	360-3355	FORK TINE, 2.25"X6"X54", RIGHT . . . . .	323	\$1,122
		REQUIRES: Carriage 345-2417 and 360-3354 FORK TINE, 2.25"X6"X54", LEFT		
P	371-2377	FORK TINE, 2.25"X6"X60", RIGHT . . . . .	348	\$1,172
		REQUIRES: Carriage 345-2417 and 371-2376 FORK TINE, 2.25"X6"x60", LEFT		
P	371-2376	FORK TINE, 2.25"X6"X60", LEFT . . . . .	348	\$1,172
		REQUIRES: Carriage 345-2417 and 371-2377 FORK TINE, 2.25"X6"x60", RIGHT		

***MATERIAL HANDLING ARM***

P	360-3300	ARM, MATERIAL HANDLING . . . . .	1,071	\$4,771 NI
		Four positions, one fixed, three manually adjustable. REQUIRES: Fusion Coupler		

**BUCKETS**

**ALL BUCKETS LISTED HERE ARE "PERFORMANCE SERIES" BUCKETS OFFERING IMPROVED PENETRATION AND INCREASED FILL FACTOR**

**EAME DEALERS, PLEASE SEE WT-SWL PRICE LIST.**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>BUCKETS (CONT.)</b>				
<i>BUCKETS, GENERAL PURPOSE (FUSION)</i>				
P	345-2418	<b>BUCKET, GP, 2.50 YD3, HO</b> ..... 1,705 2550mm (100") width General Purpose Bucket Capacities: 2.4 CYD w/bolt-on adapters 2.5 CYD w/bolt-on adapters and segments 2.5 CYD w/bolt-on cutting edge	1,705	\$6,333
P	360-3320	<b>BUCKET, GP, 2.70 YD3, HO</b> ..... 1,819 2550mm (100") width General Purpose Bucket Capacities: 2.6 CYD w/bolt-on adapters 2.7 CYD w/bolt-on adapters and segments 2.7 CYD w/bolt-on cutting edge	1,819	\$6,996
P	360-3322	<b>BUCKET, GP, 3.00 YD3, HO</b> ..... 1,901 2550mm (100") width General Purpose Bucket Capacities: 2.9 CYD w/bolt-on adapters 3.0 CYD w/bolt-on adapters and segments 3.0 CYD w/bolt-on cutting edge	1,901	\$8,413
P	345-2424	<b>BUCKET, GP, 3.20 YD3, HO</b> ..... 2,119 2550mm (100") width General Purpose Bucket Capacities: 3.1 CYD w/bolt-on adapters 3.2 CYD w/bolt-on adapters and segments 3.2 CYD w/bolt-on cutting edge	2,119	\$9,033
P	345-2784	<b>BUCKET 107.4" 3.2YD3</b> ..... 2,121 2750mm (108") width General Purpose Bucket Capacities: 3.1 CYD w/bolt-on adapters 3.2 CYD w/bolt-on adapters and segments 3.2 CYD w/bolt-on cutting edge	2,121	\$9,340 NI
P	345-2426	<b>BUCKET, GP, 3.50 YD3, HO</b> ..... 2,215 2750mm (108") width General Purpose Bucket Capacities: 3.4 CYD w/bolt-on adapters 3.5 CYD w/bolt-on adapters and segments 3.5 CYD w/bolt-on cutting edge	2,215	\$9,640 NI
P	345-2428	<b>BUCKET, GP, 3.80 YD3, HO</b> ..... 2,292 2750mm (108") width General Purpose Bucket Capacities: 3.7 CYD w/bolt-on adapters 3.8 CYD w/bolt-on adapters and segments 3.8 CYD w/bolt-on cutting edge	2,292	\$10,058 NI

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKETS, GENERAL PURPOSE (PIN-ON)**

P	438-5500	BUCKET-GP, 1.7 CUM, PO 2550mm (100") width General Purpose Bucket Capacities: 2.2 CYD w/bolt-on adapters 2.3 CYD w/bolt-on adapters and segments 2.3 CYD w/bolt-on cutting edge	1,708	\$6,257
P	345-2818	BUCKET 99.7" 2.5YD3 2550mm (100") width General Purpose Bucket Capacities: 2.4 CYD w/bolt-on adapters 2.5 CYD w/bolt-on adapters and segments 2.5 CYD w/bolt-on cutting edge	1,786	\$6,333
P	345-2820	BUCKET, GP, 2.70 YD3, PO 2550mm (100") width General Purpose Bucket Capacities: 2.6 CYD w/bolt-on adapters 2.7 CYD w/bolt-on adapters and segments 2.7 CYD w/bolt-on cutting edge	1,883	\$6,996
P	345-2822	BUCKET 99.7" 3.0YD3 2550mm (100") width General Purpose Bucket Capacities: 2.9 CYD w/bolt-on adapters 3.0 CYD w/bolt-on adapters and segments 3.0 CYD w/bolt-on cutting edge	1,965	\$8,413
P	345-2824	BUCKET 99.7" 3.2YD3 2550mm (100") width General Purpose Bucket Capacities: 3.1 CYD w/bolt-on adapters 3.2 CYD w/bolt-on adapters and segments 3.2 CYD w/bolt-on cutting edge	2,154	\$9,033

**BUCKETS, SAND & GRAVEL (PIN-ON)**

P	430-3300	BUCKET, S&G, 3.3 YD3, PO 2750mm (108") width Aggregate Bucket Capacities: 3.2 CYD (2.6 CUM) w/bolt-on adapters 3.3 CYD (2.7 CUM) w/bolt-on adapters and segments 3.3 CYD (2.7 CUM) w/bolt-on cutting edge	2,261	\$10,760 NI
P	469-0193	BUCKET, S&G, 3.8 YD3, PO 2750mm (108") width Aggregate Bucket Capacities: 3.7 CYD w/bolt-on adapters 3.8 CYD w/bolt-on adapters and segments 3.8 CYD w/bolt-on cutting edge	0	\$11,485 NI

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKETS, SAND & GRAVEL (FUSION)**

P	451-1403	<b>BUCKET, S&amp;G, 3.3 CYD, HO</b> ..... 2,228 2750mm (108") width Aggregate Bucket Capacities: 3.2 CYD w/bolt-on adapters 3.3 CYD w/bolt-on adapters and segments 3.3 CYD w/bolt-on cutting edge		\$10,760 NI
P	469-0191	<b>BUCKET, S&amp;G, 3.8 YD3, HO</b> ..... 0 2750mm (108") width Aggregate Bucket Capacities: 3.7 CYD w/bolt-on adapters 3.8 CYD w/bolt-on adapters and segments 3.8 CYD w/bolt-on cutting edge		\$11,485 NI

**BUCKETS, LIGHT MATERIAL (FUSION)**

P	441-4460	<b>BUCKET, LM, 4.10 YD3, HO</b> ..... 2,370 2750mm (108") width Light Materials Bucket Capacities: 4.0 CYD w/bolt-on adapters 4.1 CYD w/bolt-on adapters and segments 4.1 CYD w/bolt-on cutting edge		\$10,200 NI
P	345-2760	<b>BUCKET 107.4" 4.5YD3 LMH</b> ..... 2,554 2750mm (108") width Light Materials Bucket Capacities: 4.4 CYD w/bolt-on adapters 4.5 CYD w/bolt-on adapters and segments 4.5 CYD w/bolt-on cutting edge		\$10,711 NI
P	441-4475	<b>BUCKET, LM, 5.10 YD3, HO</b> ..... 2,696 2750mm (108") width Light Materials Bucket Capacities: 5.0 CYD w/bolt-on adapters 5.1 CYD w/bolt-on adapters and segments 5.1 CYD w/bolt-on cutting edge		\$10,825 NI
P	345-2768	<b>BUCKET 107.4" 5.5YD3 LMH</b> ..... 2,853 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 5.4 CYD w/bolt-on adapters 5.5 CYD w/bolt-on adapters and segments 5.5 CYD w/bolt-on cutting edge		\$11,139 NI

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKETS, LIGHT MATERIAL (FUSION) (Cont.)**

P	345-2762	<b>BUCKET 107.4" 6.5YD3 LMH</b> ..... 2,992 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 6.4 CYD w/bolt-on adapters 6.5 CYD w/bolt-on adapters and segments 6.5 CYD w/bolt-on cutting edge		<b>\$11,732 NI</b>
---	----------	--	--	--------------------

**BUCKETS, LIGHT MATERIAL (PIN-ON)**

P	441-4450	<b>BUCKET, LM, 4.00 YD3, PO</b> ..... 2,411 2750mm (108") width Light Materials Bucket Capacities: 3.9 CYD w/bolt-on adapters 4.0 CYDw/bolt-on adapters and segments 4.0 CYDw/bolt-on cutting edge		<b>\$10,303 NI</b>
P	345-2764	<b>BUCKET 107.4" 4.5YD3 LMH</b> ..... 2,598 2750mm (108") width Light Materials Bucket Capacities: 4.4 CYD w/bolt-on adapters 4.5 CYD w/bolt-on adapters and segments 4.5 CYD w/bolt-on cutting edge		<b>\$10,711 NI</b>
P	441-4465	<b>BUCKET, LM, 5.10 YD3, PO</b> ..... 2,743 2750mm (108") width Light Materials Bucket Capacities: 5.0 CYD w/bolt-on adapters 5.1 CYD w/bolt-on adapters and segments 5.1 CYD w/bolt-on cutting edge		<b>\$10,825 NI</b>
P	345-2770	<b>BUCKET 107.4" 5.5YD3 LMH</b> ..... 2,893 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 5.4 CYD w/bolt-on adapters 5.5 CYD w/bolt-on adapters and segments 5.5 CYD w/bolt-on cutting edge		<b>\$11,139 NI</b>
P	345-2766	<b>BUCKET 107.4" 6.5YD3 LMH</b> ..... 3,043 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 6.4 CYD w/bolt-on adapters 6.5 CYD w/bolt-on adapters and segments 6.5 CYD w/bolt-on cutting edge		<b>\$11,732 NI</b>

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKET ATTACHMENTS, 2550mm (100") BUCKET**

P	8E-4566	CUTTING EDGE, BOLT ON(4 PIECE) . . . . .	365	\$789
P	8E-4568	SEGMENTS, BOLT ON . . . . .	205	\$540
		REQUIRES: 116-9713 adapter group and One tip selection		
P	251-5418	CUTTING EDGE GP, RUBBER, 100" . . . . .	455	\$3,017
		Provides a two-section rubber cutting edge.		

**BUCKET ATTACHMENTS, 2750mm (108") BUCKET**

P	345-2758	CUTTING EDGE, BOLT ON, 4 PIECE . . . . .	319	\$917
P	7T-9326	SEGMENTS, BOLT ON, SET OF 7 . . . . .	205	\$556
		25mm Thick (1 req'd)		
		REQUIRES: 116-9713 adapter group and One tip selection		
P	444-1522	CUTTING EDGE GP, RUBBER, 108" . . . . .	493	\$3,167
		Provides a two-section rubber cutting edge.		

**BUCKET ATTACHMENTS, ADAPTERS & TIPS**

P	116-9713	ADAPTERS, BOLT ON, SET OF 8 . . . . .	346	\$1,318
		REQUIRES: Segments		
		Tips		
P	9W-8142	TIPS, LONG, SET OF 8 . . . . .	55	\$625
		REQUIRES: Segments		
		Adapters		
P	9W-8143	TIPS, SHORT, SET OF 8 . . . . .	40	\$625
		REQUIRES: Segments		
		Adapters		

**FLUIDS**

**ANTIFREEZE**

	0P-2407	ANTIFREEZE, -50C (-58F) . . . . .	0	\$336
		For use where there is a possibility ambient temperature may fall below -37C (-34F) and down to a minimum of -52C (-62F)		
	430-2981	HYDRAULIC OIL, BIODEGRADABLE . . . . .	0	\$2,220

**FIELD INSTALLED ATTACHMENTS**

Available through ANTARES Parts Ordering  
**NOTE: NACD ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.**  
 When ordering via CMOPS include top level reference numbers (0P3536) and OP number for packing.

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**NO RETURNS will be accepted for kit components not used or parts removed from machines during kit installation.**

**KIT ORDERS MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER.**

P	370-7008	<b>KIT, WARNING, BEACON, LED STROBE</b> . . . . . 0 Kit provides hard mounted LED strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$179 NI
P	374-5868	<b>KIT, LIGHTS, AUX, HALOGEN</b> . . . . . 0 Kit provides two (2) additional forward facing halogen work lights, and two (2) additional rear facing (cab mounted) halogen work lights.		\$239 NI
P	441-4005	<b>KIT, QUICK DISCONNECTS</b> . . . . . 0 Kit provides a set (male & female) of flat face connect under pressure quick disconnects. Recommended to adapt existing work tools to the new improved K Series SWL quick disconnects.		\$350 NI
P	463-3793	<b>KIT, REAR VIEW CAMERA</b> . . . . . 0  Kit provides rear view camera that mounts to rear door and harness. Requires secondary display.		\$860 NI NET
P	463-3794	<b>KIT, MONITOR, SECONDARY DISPLAY</b> . . . . . 0 Kit provides a secondary display which allows real time adjustments to rimpull, creeper speed, 3rd function flow, throttle lock, and duals as a rear camera display (camera not included).		\$1,838 NI
P	463-3795	<b>KIT, LIGHTS, LED, ENGINE</b> . . . . . 0 Kit provides 3 additional LED engine enclosure lights to illuminate the way for checking oil and coolant levels along with refueling the machine in dark conditions.		\$243 NI
P	463-3801	<b>KIT, OBJECT DETECTION, RADAR</b> . . . . . 0 Kit provides a rear door mounted radar system to warn the operator visually and audibly of close-by objects to the rear of the machine. Requires secondary display and rear camera.		\$3,953 NI
P	441-3368	<b>KIT, JUMPER LINES, 3RD FUNCTION</b> . . . . . 0 Kit provides 3rd function jumper lines and threaded flat face connect under pressure quick disconnects mounted to the coupler. Recommended for use with 3rd function work tools. Provides a kit to add 3rd function jumper line for a K Series SWL.		\$649 NI
P	376-5324	<b>KIT, PRECLEANER, CAB AIR-RESPA</b> . . . . . 0 Provides a powered cab air pre cleaner, mounting brackets, and interior cab pressure sensor. Improves operator air quality and cab pressurization in the K Series SWL. Recommended for high debris environments.		\$2,104 NI
P	376-4390	<b>KIT, PRECLEANER, TURBINE</b> . . . . . 0 Kit provides turbine precleaner for the engine that ejects particles before intake. Recommended for high debris environments.		\$563 NI

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>FIELD INSTALLED ATTACHMENTS (CONT.)</b>				
P	467-7992	<b>KIT, COUNTERWEIGHT, LOGGER/AGG</b> . . . . . 0 Kit converts a heavy counterweight machine to a Logger/Agg counterweight machine by additional frame mounted counterweight for use in applications such as Log and Lumber, Aggregate Handling, Auto Re-Handling and heavy material handling. NOT recommended for general construction machines. NOT compatible for High Lift Linkage configurations. CANNOT BE USED WITH: Flexport Tires		\$4,068 NI
P	447-4893	<b>KIT, COUPLER READY</b> . . . . . 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine		\$842 NI
P	374-5793	<b>KIT, QUICK COUPLER, ISO 23727</b> . . . . . 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy		\$5,864 NI
P	374-5790	<b>KIT, QUICK COUPLER, FUSION</b> . . . . . 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy		\$4,671 NI
P	377-4149	<b>ADAPTER FUSION CONVERTER</b> . . . . . 499 Provides adaptor bracket with fusion hooks on the back and manually engaged IT pins on the front allowing it to interface with IT coupler tools. Recommended for mixed fleet customers. Adaptor pushes attachment away from machine resulting in decreased lift and tilt capacity.		\$2,665 NI
P	371-2400	<b>KIT, FUSION, FLATBACK HOOKS</b> . . . . . 330 Provides brackets with Fusion hooks on the back and a flat interface on the front allowing it to be welded to existing SWL work tools. Recommended for customers who want to re-hinge existing non Fusion tools or competitive tools to a Fusion interface.		\$883 NI
P	471-7009	<b>KIT, FNR, COLUMN</b> . . . . . 0 Kit provides a FNR shifter lever, wiring harness, mounting bracket and templates to modify the existing bracket and covers to install the shifter on the left hand (LH) side of the steering column. The multi-function stalk switch is relocated to the right hand (RH) side of the column.		\$382 NI
P	374-5855	<b>KIT, BLOCK HEATER, 120V</b> . . . . . 0 Kit provides 120V block heater to improve cold start performance.		\$283 NI
P	374-5856	<b>KIT, BLOCK HEATER, 240V</b> . . . . . 0 Kit provides 240V block heater to improve cold start performance.		\$283 NI
P	374-5854	<b>KIT, ETHER START</b> . . . . . 0 Kit provides ether starting aid to improve cold start performance.		\$429 NI

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>FIELD INSTALLED ATTACHMENTS (CONT.)</b>				
P	370-7007	<b>KIT, START, HEAVY DUTY</b> ..... 0 Kit provides battery box for installation of 2 additional batteries (in place of standard tool box), along with cables and battery tie-downs (batteries not included).		\$1,290 NI
P	387-4189	<b>KIT, ALTERNATOR HEAVY DUTY</b> ..... 0		\$1,515 NI
P	452-0855	<b>KIT, RIDE CONTROL</b> ..... 0 Kit provides multi-accumulator system to absorb shock and reduce machine bounce when traveling.		\$4,496 NI
P	374-5859	<b>KIT, STEERING, SECONDARY</b> ..... 0 Kit provides a combined electric motor / hydraulic pump along with required lines to add a secondary back-up steering system for increased safety. Required in some countries and some locations by OSHA/MSHA.		\$3,401 NI
P	374-5857	<b>KIT, FENDERS, EXTENDED COVER</b> ..... 0 Kit provides yellow, non-metalic front fenders and extended coverage rear fenders. Kit converts standard fender group to extended cover. Recommended for applications that include long load and carry.		\$2,383 NI
P	387-4190	<b>KIT, GUARD, WINDSHIELD</b> ..... 0 Kit provides protection to the front windshield from falling debris in waste, forestry, agriculture, etc. while allowing excellent visibility to the ground and worktool.		\$3,575 NI
P	374-5861	<b>KIT, GUARD, FRONT LIGHTS</b> ..... 0 Kit provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$417 NI
P	374-5862	<b>KIT, GUARD, REAR LIGHTS</b> ..... 0 Kit provides two (2) rear light guards that mount over the tail lights. Not compatible with Heavy Duty Rear Guard. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$476 NI
P	374-5842	<b>KIT, GUARD, DRIVESHAFT</b> ..... 0 Kit provides drive shaft guard that mounts underneath the front frame.		\$686 NI
P	374-5844	<b>KIT, GUARD, POWERTRAIN, LOWER</b> ..... 0 Kit provides lower transmission guard that mounts underneath the rear frame.		\$1,571 NI
P	374-5845	<b>KIT, GUARD, CRANKCASE</b> ..... 0 Kit provides engine crankcase guard that mounts underneath the rear frame.		\$1,067 NI
P	437-8603	<b>KIT, GUARD, FENDERS, WASTE</b> ..... 0 Provides yellow, metal front deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires.		\$561 NI

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>FIELD INSTALLED ATTACHMENTS (CONT.)</b>				
P	377-1594	<b>KIT, GUARD, STEERING CYLINDER</b> . . . . . 0 Provides protection to both steering cylinders, preventing damage to rods and cylinder seals.		\$835 NI
P	433-2002	<b>KIT, GUARD, HITCH</b> . . . . . 0 Provides protection to hitch area of the rear frame, preventing debris from entering the frame, while allowing visibility to service points.		\$757 NI
P	437-1878	<b>KIT, GUARD, TILT CYL, STD LIFT</b> . . . . . 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$856 NI
P	437-1879	<b>KIT, GUARD, TILT CYL,HIGH LIFT</b> . . . . . 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$961 NI
P	387-4021	<b>KIT, 3RD VALVE, STANDARD LIFT</b> . . . . . 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2 valve (2V) Standard Lift machine to 3 valve (3V)		\$2,560 NI
P	420-4331	<b>KIT, 3RD VALVE, HIGH LIFT</b> . . . . . 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2V High Lift machine to 3 Valve.		\$2,840 NI
P	452-0862	<b>KIT, 4TH VALVE, STANDARD LIFT</b> . . . . . 0 Kit provides implement valve section, joystick, ECM and hydraulic lines to convert a 3 valve (3V) STD Lift machine to 4 valve (4V)		\$2,385 NI
P	452-0858	<b>KIT, REVERSING FAN</b> . . . . . 0 Kit provides a hydraulically operated demand fan with reversing option. Includes automatic and manual controls for fan reversal. Recommended for applications with a high content of airborne debris.		\$2,208 NI
P	452-0859	<b>KIT, FULL COVER, MUD FLAPS</b> . . . . . 0 Kit provides mud flaps and extended coverage to front of rear tires. Kit converts extended cover fender group to full cover. Not for use with 366-8148 Fenders, Standard.		\$601 NI
P	372-1949	<b>KIT, VISION MONITOR (WAVS)</b> . . . . . 0 Kit provides a dedicated rear vision monitor mounted high on the cab A post. Required in some EU countries where a rear view needs to be on permanent display. Can be used with any NTSC or PAL camera located elsewhere on the machine.		\$1,611 NI
P	370-7004	<b>KIT, SECURITY SYSTEM, CAT MSS</b> . . . . . 0 Kit provides a programmable system to manage access to machine. Requires special MSS keys.		\$1,114 NI
P	416-1179	<b>KIT, RADIO DELUXE, BTOOTH, AUX</b> . . . . . 0 Kit provides an AM/FM radio with weatherband and CD player designed for off road equipment. Includes Bluetooth interface, a microphone, 5V USB charging jack, and auxiliary audio inputs for MP3 players, etc.		\$1,074 NI
P	372-1871	<b>KIT, RADIO, CD PLAYER</b> . . . . . 0 Kit provides an AM/FM radio with weatherband with CD player designed for off road equipment.		\$590 NI

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>FIELD INSTALLED ATTACHMENTS (CONT.)</b>				
P	472-6125	<b>KIT, CONV,20 KPH SPEED LIMITER</b> . . . . . 0 Kit provides 20 kph speed labels and electronically limits speed to 20 kph. CANNOT BE USED WITH: 472-6123 KIT, CONV, TUV ROADING 20 KPH		\$20 NI NET
P	374-5865	<b>KIT, LICENSE PLATE</b> . . . . . 0 Kit provides illuminated license plate holder that mounts to the rear door.		\$239 NI
P	363-4245	<b>KIT, DRAIN, ECO FUEL</b> . . . . . 0 Kit provides an ecology drain plug and tube for the fuel tank.		\$458 NI
P	416-1958	<b>KIT, FILM, WASTE HANDLER</b> . . . . . 0		\$28 NI
P	416-1959	<b>KIT, FILM, AGGREGATE</b> . . . . . 0		\$28 NI
P	416-1960	<b>KIT, FILM, FOREST HANDLER</b> . . . . . 0		\$28 NI
P	452-0861	<b>KIT, STARTING, HIGH ALTITUDE</b> . . . . . 0 Kit provides a hydraulic fan bypass valve to improve cold starting in cold weather high altitude conditions.		\$833 NI
P	387-4185	<b>KIT, STEERING, DUAL MODE</b> . . . . . 0		\$1,311 NI
P	433-3982	<b>KIT, BREATHER GP, QC READY</b> . . . . . 0 Provides remote mounted breathers for machines fitted with a coupler for both axles and hystat gearbox, used when machines enter deep water.		\$303 NI
P	435-4993	<b>KIT, BREATHER GP, NON QC READY</b> . . . . . 0 Provides remote mounted breathers for machines without couplers for both axles and hystat gearbox, used when machines enter deep water.		\$303 NI
P	384-6200	<b>KIT, AUTOLUBE</b> . . . . . 0 Kit provides brackets, fittings, grease lines, injection nozzles, electrical components, adjustable control interface, and pumping station for automatic lubrication of machine pin joints. Kit is compatible with both standard lift and high lift machine configurations.		\$5,239 NI
P	450-0490	<b>KIT, THERMAL BYPASS</b> . . . . . 0 Kit provides hydraulic cooler bypass valve for cold climates.		\$565 NI
P	445-2010	<b>KIT, WINDSHIELD PLATFORM</b> . . . . . 0 Kit provides right hand side front frame mounted steps and hand rail to facilitate access for an operator to clean the front windshield.		\$722 NI
P	418-4190	<b>KIT, FUEL DOOR</b> . . . . . 0 Kit provides an elevated fuel fill location along with an access door for fueling the machine through the large right side service door without opening it.		\$590 NI
P	460-2752	<b>KIT, RIM 17X25 3PC X4</b> . . . . . 0 Kit provides a set of 4 three piece rims for use with 20.5R25 tires. Enables easier switching between different types of tires in the field		\$4,438 NI

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------------------	-------------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)****ENDORSED FIELD INSTALLED ATTACHMENTS**

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

**LOADRITE PAYLOAD MONITORING SYSTEM**

System designed to accurately and consistently weigh bucket material load every time. With in-cab, intuitive interface, and integrated activation trigger the system can be easily operated. Available with rugged printer to provide hard copy receipts for audit tracking.

Recommended for Aggregate, bulk handling & any application that benefits from accurate load management.

For inquiries in North America:

Nigel Kurtz (Western and Central North America)

Zeljko Basurovic (Latin America and Eastern North America)

Contact Number: + 1 480 940 6553

Email: [info@loadritescales.com](mailto:info@loadritescales.com)

Web: [www.loadritescales.com](http://www.loadritescales.com)

For inquiries in France, Spain, Portugal, and Northern Africa

Jerome Thomas

Mobile: + 33 (0)6 25 96 63 42

Email: [info@loadritescales.com](mailto:info@loadritescales.com)

Web: [www.loadritescales.com](http://www.loadritescales.com)

For inquiries in Western Europe (excluding France), Italy,

For inquiries in Central and Eastern Europe, including Turkey, Balkans, and Baltic states.

Marcin Kusztal

Mobile: + 48 795 457 110

Email: [info@loadritescales.com](mailto:info@loadritescales.com)

Web: [www.loadritescales.com](http://www.loadritescales.com)

For inquiries in Western Europe (excluding France), Italy, Scandinavia, the Middle East, Central and Southern Africa, Russia and CIS states

John Vaassen

Mobile: + 31 6 15 855 171

Email: [info@loadritescales.com](mailto:info@loadritescales.com)

Web: [www.loadritescales.com](http://www.loadritescales.com)

For inquiries in Australia and New Zealand

Bruce Warner

+ 61 2 8014 7213

Email: [info@loadritescales.com.au](mailto:info@loadritescales.com.au)

Web: [www.loadritescales.com](http://www.loadritescales.com)

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------------------	-------------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)****SAS AUTO HANDLING CARRIAGE & 15FT FORKS**

15 ft. fixed width forks, specifically designed for moving cars and light trucks from the front with a high level of stability. High visibility carriage with forks designed for easy, damage free loading.

**SAS AUTO HANDLING CARRIAGE & 7FT CAR BODY FORKS**

7 ft. fixed width forks specifically designed for moving cars and light trucks from the side. High visibility carriage with forks designed for easy, damage free loading.

**SAS AUTO HANDLING CARRIAGE & 6FT CRUSHING FORKS**

6 ft. fixed width crushing forks specifically designed for crushing car roofs, moving stacks of cars, and loading car crushers.

**SAS AUTO RECYCLER SCORPION ENGING PULLER**

Multi-purpose design allows for quick removal of engines and transmissions from salvage cars, center plow blade for clean up, and 7 ft. forks for loading and unloading. Note: additional machine modifications required for work tool hydraulic integration.

All SAS Auto Handling attachments above are available with the following coupler interfaces: Fusion, Versa Link, ISO, Pin-On  
 Contact: Adam Lindley or Paul Secker  
 Phone: 1-888-443-6850  
 Email: adam@sasforks.com/paul@sasforks.com

---

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------------------	-------------------------

---

**FIELD INSTALLED ATTACHMENTS (CONT.)****FIRE SUPPRESSION SYSTEM**

System to protect engine installation, hydraulic pumps, and transmission from a thermal incident. Fully integrated system which includes an in cab monitor of machine enclosure temperatures and focused foam based suppression system. Activates automatically as well as manually, from the cab or from the outside of the machine.

For use when machine is in application or environments with potentially flammable air borne debris or waste materials.

CONTACT YOUR DEALER OR AFEX FOR PRICING AND TERMS

Steve Payne  
spayne@afexsystems.com  
(919)-781-6610 Tel  
(919)-787-3915 Fax  
www.afexsystems.com