

## Tennessee Behavioral Risk Factor Surveillance Survey 2011 State and Regional Weighted Data

For adult diabetics: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

State and Regions	Total Respondents	<i>Two or More Times</i> <sup>1</sup>	<i>Weighted Percent</i> <sup>2</sup>	<i>Population Two or More</i> <sup>3</sup>
<b>TENNESSEE</b> <sup>4</sup>	867	644	70.4	323,032
<b>Northeast</b>	74	56	76.4	26,912
<b>East</b>	51	39	81.4	58,844
<b>Southeast</b>	61	43	65.2	20,728
<b>Upper Cumberland</b>	48	33	73.9	18,959
<b>Mid-Cumberland</b>	49	33	67.7	43,776
<b>South Central</b>	53	31	56.0	17,755
<b>Northwest</b>	60	50	81.1	17,964
<b>Southwest</b>	70	50	72.0	19,857
<b>Shelby</b>	69	48	71.5	46,360
<b>Davidson</b>	57	47	73.7	35,315
<b>Knox</b>	55	45	89.8	25,509
<b>Hamilton</b>	65	48	78.3	23,213
<b>Madison</b>	65	54	77.9	6,930
<b>Sullivan</b>	82	61	70.6	14,205

<sup>1</sup> Number of respondents with diabetes who answered two or more times in the past year.

<sup>2</sup> Percent of adult diabetics who have had the A1c test two or more times in the past year based on the survey.

<sup>3</sup> Estimated adult diabetics who have had the A1c test two or more times in the past year based on the survey. Note: The sum of regional estimates in this column will not add up to statewide total.

<sup>4</sup> Statewide estimates include additional survey coverage by cell phone and different weighting methodology.