

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

TENNESSEE

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	1,709	13.6
NOT MARRIED	10,204	81.2
UNKNOWN	660	5.2
TOTAL	12,573	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	7,164	57.0
1	3,176	25.3
2	1,305	10.4
3	494	3.9
4+	283	2.3
UNKNOWN	151	1.2
TOTAL	12,573	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	4,240	33.7
7-8	3,953	31.4
9-10	1,978	15.7
11-12	1,365	10.9
13-14	591	4.7
15-16	215	1.7
17-20	30	0.2
UNKNOWN	201	1.6
TOTAL	12,573	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	12,475	1,478,252	8.4	5,787	1,090,540	5.3	6,297	387,712	16.2
10-14	56	203,902	0.3	22	145,982	0.2	33	57,920	0.6
15-17	561	125,133	4.5	242	89,402	2.7	300	35,731	8.4
18-19	1,152	89,051	12.9	541	63,377	8.5	571	25,674	22.2
20-24	4,287	213,339	20.1	1,969	154,821	12.7	2,194	58,518	37.5
25-29	3,087	210,686	14.7	1,388	154,195	9.0	1,606	56,491	28.4
30-34	1,933	204,785	9.4	898	151,388	5.9	970	53,397	18.2
35-39	1,068	213,862	5.0	537	162,396	3.3	496	51,466	9.6
40-44	331	217,494	1.5	190	168,979	1.1	127	48,515	2.6

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	12,475	79,237	157.4	5,787	60,112	96.3	6,297	18,501	340.4
10-14	56	116	482.8	22	51	431.4	33	64	515.6
15-17	561	2,532	221.6	242	1,642	147.4	300	877	342.1
18-19	1,152	6,708	171.7	541	4,592	117.8	571	2,078	274.8
20-24	4,287	22,758	188.4	1,969	16,387	120.2	2,194	6,204	353.6
25-29	3,087	22,815	135.3	1,388	18,000	77.1	1,606	4,606	348.7
30-34	1,933	16,005	120.8	898	12,864	69.8	970	3,002	323.1
35-39	1,068	6,881	155.2	537	5,468	98.2	496	1,372	361.5
40-44	331	1,422	232.8	190	1,108	171.5	127	298	426.2

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state. The total number of recorded induced terminations of pregnancy in Tennessee was 16,373.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

EAST TENNESSEE

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	155	20.4
NOT MARRIED	587	77.2
UNKNOWN	18	2.4
TOTAL	760	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	493	64.9
1	174	22.9
2	60	7.9
3	13	1.7
4+	11	1.4
UNKNOWN	9	1.2
TOTAL	760	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	265	34.9
7-8	229	30.1
9-10	107	14.1
11-12	84	11.1
13-14	36	4.7
15-16	18	2.4
17-20	1	0.1
UNKNOWN	20	2.6
TOTAL	760	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	759	156,792	4.8	707	145,825	4.8	47	10,967	4.3
10-14	3	22,905	0.1	3	21,050	0.1	0	1,855	0.0
15-17	47	14,231	3.3	44	13,162	3.3	3	1,069	2.8
18-19	100	9,054	11.0	94	8,325	11.3	5	729	6.9
20-24	222	20,174	11.0	204	18,665	10.9	16	1,509	10.6
25-29	177	19,832	8.9	162	18,255	8.9	14	1,577	8.9
30-34	113	20,862	5.4	106	19,423	5.5	6	1,439	4.2
35-39	71	24,053	3.0	70	22,603	3.1	1	1,450	0.7
40-44	26	25,681	1.0	24	24,342	1.0	2	1,339	1.5

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	759	7,883	96.3	707	7,550	93.6	47	249	188.8
10-14	3	8	375.0	3	7	428.6	0	0	-
15-17	47	301	156.1	44	286	153.8	3	11	272.7
18-19	100	817	122.4	94	772	121.8	5	33	151.5
20-24	222	2,480	89.5	204	2,391	85.3	16	68	235.3
25-29	177	2,258	78.4	162	2,160	75.0	14	71	197.2
30-34	113	1,346	84.0	106	1,286	82.4	6	42	142.9
35-39	71	564	125.9	70	541	129.4	1	22	45.5
40-44	26	109	238.5	24	107	224.3	2	2	1,000.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

NORTHEAST TN

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	36	15.9
NOT MARRIED	183	80.6
UNKNOWN	8	3.5
TOTAL	227	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	163	71.8
1	45	19.8
2	12	5.3
3	4	1.8
4+	0	0.0
UNKNOWN	3	1.3
TOTAL	227	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	70	30.8
7-8	70	30.8
9-10	37	16.3
11-12	22	9.7
13-14	11	4.8
15-16	8	3.5
17-20	4	1.8
UNKNOWN	5	2.2
TOTAL	227	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	225	75,514	3.0	212	70,771	3.0	11	4,743	2.3
10-14	1	10,089	0.1	1	9,360	0.1	0	729	0.0
15-17	7	6,188	1.1	7	5,760	1.2	0	428	0.0
18-19	27	4,831	5.6	26	4,439	5.9	1	392	2.6
20-24	96	11,424	8.4	88	10,550	8.3	7	874	8.0
25-29	34	9,847	3.5	34	9,212	3.7	0	635	0.0
30-34	34	9,866	3.4	31	9,263	3.3	3	603	5.0
35-39	21	11,461	1.8	20	10,930	1.8	0	531	0.0
40-44	5	11,808	0.4	5	11,257	0.4	0	551	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	225	3,429	65.6	212	3,254	65.2	11	130	84.6
10-14	1	4	250.0	1	4	250.0	0	0	-
15-17	7	103	68.0	7	99	70.7	0	4	0.0
18-19	27	312	86.5	26	296	87.8	1	14	71.4
20-24	96	1,102	87.1	88	1,045	84.2	7	44	159.1
25-29	34	990	34.3	34	941	36.1	0	34	0.0
30-34	34	603	56.4	31	573	54.1	3	20	150.0
35-39	21	259	81.1	20	243	82.3	0	12	0.0
40-44	5	56	89.3	5	53	94.3	0	2	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

MID-CUMBERLAND

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	319	17.7
NOT MARRIED	1,323	73.5
UNKNOWN	158	8.8
TOTAL	1,800	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,128	62.7
1	402	22.3
2	146	8.1
3	61	3.4
4+	26	1.4
UNKNOWN	37	2.1
TOTAL	1,800	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	655	36.4
7-8	537	29.8
9-10	258	14.3
11-12	157	8.7
13-14	98	5.4
15-16	30	1.7
17-20	7	0.4
UNKNOWN	58	3.2
TOTAL	1,800	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	1,782	269,240	6.6	1,216	220,072	5.5	466	49,168	9.5
10-14	8	40,063	0.2	6	32,233	0.2	2	7,830	0.3
15-17	90	23,713	3.8	60	19,224	3.1	22	4,489	4.9
18-19	188	14,507	13.0	122	11,410	10.7	50	3,097	16.1
20-24	622	35,009	17.8	453	28,127	16.1	147	6,882	21.4
25-29	404	36,525	11.1	270	29,701	9.1	110	6,824	16.1
30-34	277	37,613	7.4	168	30,568	5.5	91	7,045	12.9
35-39	148	40,785	3.6	101	33,979	3.0	36	6,806	5.3
40-44	45	41,025	1.1	36	34,830	1.0	8	6,195	1.3

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	1,782	14,610	122.0	1,216	12,540	97.0	466	1,947	239.3
10-14	8	8	1,000.0	6	6	1,000.0	2	2	1,000.0
15-17	90	306	294.1	60	249	241.0	22	57	386.0
18-19	188	904	208.0	122	731	166.9	50	166	301.2
20-24	622	3,777	164.7	453	3,174	142.7	147	563	261.1
25-29	404	4,523	89.3	270	3,964	68.1	110	522	210.7
30-34	277	3,267	84.8	168	2,821	59.6	91	421	216.2
35-39	148	1,539	96.2	101	1,358	74.4	36	171	210.5
40-44	45	286	157.3	36	237	151.9	8	45	177.8

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

SOUTH CENTRAL

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	74	17.7
NOT MARRIED	305	72.8
UNKNOWN	40	9.5
TOTAL	419	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	276	65.9
1	88	21.0
2	35	8.4
3	12	2.9
4+	6	1.4
UNKNOWN	2	0.5
TOTAL	419	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	134	32.0
7-8	139	33.2
9-10	64	15.3
11-12	41	9.8
13-14	22	5.3
15-16	4	1.0
17-20	6	1.4
UNKNOWN	9	2.1
TOTAL	419	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	418	82,768	5.1	329	72,630	4.5	74	10,138	7.3
10-14	0	12,427	0.0	0	10,647	0.0	0	1,780	0.0
15-17	29	7,555	3.8	25	6,543	3.8	4	1,012	4.0
18-19	43	4,753	9.0	34	4,157	8.2	8	596	13.4
20-24	134	10,629	12.6	99	9,210	10.7	29	1,419	20.4
25-29	103	11,177	9.2	88	9,785	9.0	12	1,392	8.6
30-34	63	11,434	5.5	46	10,099	4.6	13	1,335	9.7
35-39	33	12,193	2.7	26	10,874	2.4	6	1,319	4.5
40-44	13	12,600	1.0	11	11,315	1.0	2	1,285	1.6

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	418	4,609	90.7	329	4,150	79.3	74	326	227.0
10-14	0	6	0.0	0	4	0.0	0	2	0.0
15-17	29	167	173.7	25	151	165.6	4	12	333.3
18-19	43	462	93.1	34	424	80.2	8	34	235.3
20-24	134	1,530	87.6	99	1,366	72.5	29	140	207.1
25-29	103	1,308	78.7	88	1,185	74.3	12	71	169.0
30-34	63	769	81.9	46	687	67.0	13	45	288.9
35-39	33	298	110.7	26	272	95.6	6	16	375.0
40-44	13	69	188.4	11	61	180.3	2	6	333.3

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

SOUTHEAST

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	41	18.5
NOT MARRIED	176	79.3
UNKNOWN	5	2.3
TOTAL	222	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	157	70.7
1	46	20.7
2	11	5.0
3	5	2.3
4+	0	0.0
UNKNOWN	3	1.4
TOTAL	222	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	85	38.3
7-8	65	29.3
9-10	27	12.2
11-12	25	11.3
13-14	11	5.0
15-16	5	2.3
17-20	0	0.0
UNKNOWN	4	1.8
TOTAL	222	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	222	70,180	3.2	197	64,489	3.1	20	5,691	3.5
10-14	1	10,235	0.1	0	9,244	0.0	1	991	1.0
15-17	12	6,132	2.0	10	5,600	1.8	2	532	3.8
18-19	24	4,676	5.1	22	4,234	5.2	1	442	2.3
20-24	73	9,952	7.3	63	9,093	6.9	8	859	9.3
25-29	43	8,678	5.0	40	7,877	5.1	2	801	2.5
30-34	29	9,430	3.1	27	8,761	3.1	2	669	3.0
35-39	29	10,364	2.8	26	9,647	2.7	3	717	4.2
40-44	11	10,713	1.0	9	10,033	0.9	1	680	1.5

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	222	3,447	64.4	197	3,273	60.2	20	164	122.0
10-14	1	4	250.0	0	4	0.0	1	0	-
15-17	12	121	99.2	10	112	89.3	2	9	222.2
18-19	24	380	63.2	22	366	60.1	1	13	76.9
20-24	73	1,125	64.9	63	1,070	58.9	8	54	148.1
25-29	43	959	44.8	40	916	43.7	2	42	47.6
30-34	29	584	49.7	27	547	49.4	2	32	62.5
35-39	29	228	127.2	26	215	120.9	3	11	272.7
40-44	11	46	239.1	9	43	209.3	1	3	333.3

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

UPPER CUMBERLAND

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	45	18.4
NOT MARRIED	178	73.0
UNKNOWN	21	8.6
TOTAL	244	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	170	69.7
1	49	20.1
2	16	6.6
3	4	1.6
4+	3	1.2
UNKNOWN	2	0.8
TOTAL	244	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	85	34.8
7-8	77	31.6
9-10	32	13.1
11-12	25	10.2
13-14	15	6.1
15-16	5	2.0
17-20	1	0.4
UNKNOWN	4	1.6
TOTAL	244	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	243	71,107	3.4	226	66,886	3.4	9	4,221	2.1
10-14	1	10,455	0.1	1	9,678	0.1	0	777	0.0
15-17	12	6,234	1.9	12	5,846	2.1	0	388	0.0
18-19	28	4,572	6.1	26	4,300	6.0	1	272	3.7
20-24	78	10,015	7.8	73	9,401	7.8	2	614	3.3
25-29	43	9,200	4.7	39	8,600	4.5	3	600	5.0
30-34	38	9,387	4.0	36	8,816	4.1	1	571	1.8
35-39	35	10,174	3.4	33	9,654	3.4	1	520	1.9
40-44	8	11,070	0.7	6	10,591	0.6	1	479	2.1

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	243	3,836	63.3	226	3,730	60.6	9	94	95.7
10-14	1	11	90.9	1	10	100.0	0	1	0.0
15-17	12	149	80.5	12	148	81.1	0	1	0.0
18-19	28	378	74.1	26	369	70.5	1	8	125.0
20-24	78	1,272	61.3	73	1,245	58.6	2	23	87.0
25-29	43	1,078	39.9	39	1,045	37.3	3	29	103.4
30-34	38	639	59.5	36	619	58.2	1	18	55.6
35-39	35	258	135.7	33	246	134.1	1	12	83.3
40-44	8	51	156.9	6	48	125.0	1	2	500.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

NORTHWEST

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	36	13.0
NOT MARRIED	233	84.1
UNKNOWN	8	2.9
TOTAL	277	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	170	61.4
1	66	23.8
2	25	9.0
3	8	2.9
4+	6	2.2
UNKNOWN	2	0.7
TOTAL	277	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	88	31.8
7-8	87	31.4
9-10	55	19.9
11-12	29	10.5
13-14	13	4.7
15-16	2	0.7
17-20	0	0.0
UNKNOWN	3	1.1
TOTAL	277	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	275	54,775	5.0	179	45,320	3.9	92	9,455	9.7
10-14	4	8,073	0.5	3	6,570	0.5	1	1,503	0.7
15-17	12	5,120	2.3	6	4,087	1.5	4	1,033	3.9
18-19	33	3,639	9.1	21	2,909	7.2	12	730	16.4
20-24	101	7,683	13.1	64	6,239	10.3	36	1,444	24.9
25-29	65	7,028	9.2	43	5,874	7.3	21	1,154	18.2
30-34	40	7,094	5.6	25	5,910	4.2	15	1,184	12.7
35-39	16	7,905	2.0	14	6,725	2.1	2	1,180	1.7
40-44	4	8,233	0.5	3	7,006	0.4	1	1,227	0.8

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	275	2,843	96.7	179	2,397	74.7	92	415	221.7
10-14	4	6	666.7	3	1	3,000.0	1	5	200.0
15-17	12	100	120.0	6	80	75.0	4	20	200.0
18-19	33	319	103.4	21	261	80.5	12	55	218.2
20-24	101	994	101.6	64	820	78.0	36	172	209.3
25-29	65	813	80.0	43	703	61.2	21	93	225.8
30-34	40	413	96.9	25	365	68.5	15	42	357.1
35-39	16	157	101.9	14	134	104.5	2	21	95.2
40-44	4	41	97.6	3	33	90.9	1	7	142.9

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

SOUTHWEST

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	67	17.7
NOT MARRIED	301	79.6
UNKNOWN	10	2.6
TOTAL	378	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	213	56.3
1	106	28.0
2	38	10.1
3	13	3.4
4+	7	1.9
UNKNOWN	1	0.3
TOTAL	378	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	127	33.6
7-8	113	29.9
9-10	72	19.0
11-12	44	11.6
13-14	14	3.7
15-16	8	2.1
17-20	0	0.0
UNKNOWN	0	0.0
TOTAL	378	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	376	61,007	6.2	164	45,156	3.6	207	15,851	13.1
10-14	3	9,443	0.3	1	6,741	0.1	2	2,702	0.7
15-17	21	5,868	3.6	8	4,229	1.9	12	1,639	7.3
18-19	29	3,569	8.1	16	2,586	6.2	13	983	13.2
20-24	113	7,780	14.5	42	5,671	7.4	69	2,109	32.7
25-29	99	7,860	12.6	44	5,867	7.5	53	1,993	26.6
30-34	72	8,485	8.5	35	6,252	5.6	37	2,233	16.6
35-39	30	8,639	3.5	14	6,701	2.1	16	1,938	8.3
40-44	9	9,363	1.0	4	7,109	0.6	5	2,254	2.2

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	376	3,248	115.8	164	2,436	67.3	207	785	263.7
10-14	3	5	600.0	1	1	1,000.0	2	4	500.0
15-17	21	109	192.7	8	62	129.0	12	46	260.9
18-19	29	337	86.1	16	240	66.7	13	97	134.0
20-24	113	1,099	102.8	42	771	54.5	69	322	214.3
25-29	99	917	108.0	44	735	59.9	53	172	308.1
30-34	72	545	132.1	35	433	80.8	37	105	352.4
35-39	30	190	157.9	14	155	90.3	16	33	484.8
40-44	9	46	195.7	4	39	102.6	5	6	833.3

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

SHELBY

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	462	10.1
NOT MARRIED	4,020	87.7
UNKNOWN	101	2.2
TOTAL	4,583	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	2,260	49.3
1	1,314	28.7
2	608	13.3
3	235	5.1
4+	127	2.8
UNKNOWN	39	0.9
TOTAL	4,583	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	1,370	29.9
7-8	1,483	32.4
9-10	819	17.9
11-12	609	13.3
13-14	213	4.6
15-16	66	1.4
17-20	3	0.1
UNKNOWN	20	0.4
TOTAL	4,583	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	4,551	235,407	19.3	745	81,185	9.2	3,725	154,222	24.2
10-14	18	33,788	0.5	1	10,569	0.1	17	23,219	0.7
15-17	223	21,637	10.3	25	6,636	3.8	196	15,001	13.1
18-19	395	13,960	28.3	49	4,211	11.6	339	9,749	34.8
20-24	1,563	33,657	46.4	261	11,483	22.7	1,274	22,174	57.5
25-29	1,173	34,602	33.9	187	12,551	14.9	966	22,051	43.8
30-34	699	32,527	21.5	131	11,450	11.4	554	21,077	26.3
35-39	382	32,605	11.7	68	11,711	5.8	309	20,894	14.8
40-44	98	32,631	3.0	23	12,574	1.8	70	20,057	3.5

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	4,551	13,768	330.5	745	5,040	147.8	3,725	8,634	431.4
10-14	18	39	461.5	1	5	200.0	17	34	500.0
15-17	223	608	366.8	25	99	252.5	196	505	388.1
18-19	395	1,296	304.8	49	233	210.3	339	1,057	320.7
20-24	1,563	3,995	391.2	261	994	262.6	1,274	2,969	429.1
25-29	1,173	3,698	317.2	187	1,579	118.4	966	2,088	462.6
30-34	699	2,657	263.1	131	1,371	95.6	554	1,273	435.2
35-39	382	1,238	308.6	68	640	106.3	309	593	521.1
40-44	98	237	413.5	23	119	193.3	70	115	608.7

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

DAVIDSON

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	275	12.5
NOT MARRIED	1,677	76.2
UNKNOWN	250	11.4
TOTAL	2,202	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,226	55.7
1	518	23.5
2	238	10.8
3	107	4.9
4+	77	3.5
UNKNOWN	36	1.6
TOTAL	2,202	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	804	36.5
7-8	692	31.4
9-10	313	14.2
11-12	199	9.0
13-14	89	4.0
15-16	39	1.8
17-20	5	0.2
UNKNOWN	61	2.8
TOTAL	2,202	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	2,168	164,171	13.2	823	94,526	8.7	1,191	69,645	17.1
10-14	7	16,425	0.4	1	7,491	0.1	5	8,934	0.6
15-17	66	9,916	6.7	20	4,526	4.4	41	5,390	7.6
18-19	155	9,409	16.5	47	4,917	9.6	96	4,492	21.4
20-24	733	28,539	25.7	249	16,912	14.7	430	11,627	37.0
25-29	595	31,591	18.8	242	19,765	12.2	316	11,826	26.7
30-34	369	25,970	14.2	154	15,728	9.8	190	10,242	18.6
35-39	181	22,223	8.1	80	12,986	6.2	85	9,237	9.2
40-44	62	20,098	3.1	30	12,201	2.5	28	7,897	3.5

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	2,168	9,541	227.2	823	6,241	131.9	1,191	3,268	364.4
10-14	7	10	700.0	1	3	333.3	5	7	714.3
15-17	66	224	294.6	20	109	183.5	41	115	356.5
18-19	155	561	276.3	47	258	182.2	96	303	316.8
20-24	733	2,194	334.1	249	1,207	206.3	430	976	440.6
25-29	595	2,776	214.3	242	1,897	127.6	316	869	363.6
30-34	369	2,499	147.7	154	1,865	82.6	190	625	304.0
35-39	181	1,043	173.5	80	734	109.0	85	308	276.0
40-44	62	234	265.0	30	168	178.6	28	65	430.8

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

KNOX

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	123	14.4
NOT MARRIED	709	83.1
UNKNOWN	21	2.5
TOTAL	853	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	527	61.8
1	217	25.4
2	68	8.0
3	20	2.3
4+	13	1.5
UNKNOWN	8	0.9
TOTAL	853	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	343	40.2
7-8	260	30.5
9-10	105	12.3
11-12	66	7.7
13-14	51	6.0
15-16	15	1.8
17-20	1	0.1
UNKNOWN	12	1.4
TOTAL	853	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	851	104,250	8.2	635	87,005	7.3	211	17,245	12.2
10-14	4	12,594	0.3	3	10,209	0.3	1	2,385	0.4
15-17	27	7,653	3.5	16	6,218	2.6	11	1,435	7.7
18-19	77	6,779	11.4	58	5,525	10.5	18	1,254	14.4
20-24	334	18,333	18.2	246	15,328	16.0	86	3,005	28.6
25-29	194	15,811	12.3	148	13,157	11.2	45	2,654	17.0
30-34	114	14,158	8.1	86	11,837	7.3	27	2,321	11.6
35-39	71	14,476	4.9	53	12,239	4.3	18	2,237	8.0
40-44	30	14,446	2.1	25	12,492	2.0	5	1,954	2.6

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	851	5,083	167.4	635	4,314	147.2	211	752	280.6
10-14	4	6	666.7	3	3	1,000.0	1	3	333.3
15-17	27	135	200.0	16	103	155.3	11	32	343.8
18-19	77	352	218.8	58	267	217.2	18	84	214.3
20-24	334	1,180	283.1	246	956	257.3	86	217	396.3
25-29	194	1,502	129.2	148	1,297	114.1	45	203	221.7
30-34	114	1,270	89.8	86	1,138	75.6	27	130	207.7
35-39	71	523	135.8	53	449	118.0	18	70	257.1
40-44	30	115	260.9	25	101	247.5	5	13	384.6

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

HAMILTON

MARITAL STATUS		
	FREQ	PCNT
MARRIED	43	14.3
NOT MARRIED	247	82.1
UNKNOWN	11	3.7
TOTAL	301	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	193	64.1
1	73	24.3
2	20	6.6
3	7	2.3
4+	3	1.0
UNKNOWN	5	1.7
TOTAL	301	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	114	37.9
7-8	105	34.9
9-10	37	12.3
11-12	29	9.6
13-14	10	3.3
15-16	4	1.3
17-20	1	0.3
UNKNOWN	1	0.3
TOTAL	301	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	300	77,107	3.9	206	53,829	3.8	89	23,278	3.8
10-14	2	9,670	0.2	2	6,360	0.3	0	3,310	0.0
15-17	7	6,060	1.2	4	3,958	1.0	3	2,102	1.4
18-19	23	5,483	4.2	13	3,716	3.5	10	1,767	5.7
20-24	99	12,210	8.1	66	8,310	7.9	32	3,900	8.2
25-29	88	11,231	7.8	61	7,977	7.6	26	3,254	8.0
30-34	45	10,513	4.3	33	7,493	4.4	11	3,020	3.6
35-39	23	10,806	2.1	17	7,788	2.2	6	3,018	2.0
40-44	13	11,134	1.2	10	8,227	1.2	1	2,907	0.3

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	300	4,102	73.1	206	2,988	68.9	89	1,106	80.5
10-14	2	4	500.0	2	2	1,000.0	0	2	0.0
15-17	7	101	69.3	4	67	59.7	3	34	88.2
18-19	23	306	75.2	13	175	74.3	10	130	76.9
20-24	99	1,141	86.8	66	710	93.0	32	429	74.6
25-29	88	1,199	73.4	61	945	64.6	26	252	103.2
30-34	45	897	50.2	33	722	45.7	11	172	64.0
35-39	23	370	62.2	17	304	55.9	6	66	90.9
40-44	13	84	154.8	10	63	158.7	1	21	47.6

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

MADISON

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	23	10.0
NOT MARRIED	203	88.3
UNKNOWN	4	1.7
TOTAL	230	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	134	58.3
1	63	27.4
2	23	10.0
3	5	2.2
4+	3	1.3
UNKNOWN	2	0.9
TOTAL	230	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	80	34.8
7-8	69	30.0
9-10	44	19.1
11-12	26	11.3
13-14	5	2.2
15-16	5	2.2
17-20	0	0.0
UNKNOWN	1	0.4
TOTAL	230	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	229	23811	9.6	77	12,447	6.2	150	11,364	13.2
10-14	4	3135	1.3	0	1,529	0.0	4	1,606	2.5
15-17	4	1959	2.0	1	924	1.1	2	1,035	1.9
18-19	22	2028	10.8	6	973	6.2	16	1,055	15.2
20-24	90	3883	23.2	34	2,039	16.7	56	1,844	30.4
25-29	53	3343	15.9	15	1,848	8.1	37	1,495	24.7
30-34	31	3152	9.8	11	1,696	6.5	20	1,456	13.7
35-39	20	3088	6.5	8	1,671	4.8	12	1,417	8.5
40-44	5	3223	1.6	2	1,767	1.1	3	1,456	2.1

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	229	1,239	184.8	77	662	116.3	150	571	262.7
10-14	4	3	1,333.3	0	0	-	4	3	1,333.3
15-17	4	43	93.0	1	12	83.3	2	31	64.5
18-19	22	116	189.7	6	36	166.7	16	80	200.0
20-24	90	387	232.6	34	175	194.3	56	209	267.9
25-29	53	362	146.4	15	225	66.7	37	136	272.1
30-34	31	211	146.9	11	141	78.0	20	69	289.9
35-39	20	100	200.0	8	66	121.2	12	34	352.9
40-44	5	17	294.1	2	7	285.7	3	9	333.3

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2010**

SULLIVAN

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	10	13.0
NOT MARRIED	62	80.5
UNKNOWN	5	6.5
TOTAL	77	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	54	70.1
1	15	19.5
2	5	6.5
3	0	0.0
4+	1	1.3
UNKNOWN	2	2.6
TOTAL	77	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	20	26.0
7-8	27	35.1
9-10	8	10.4
11-12	9	11.7
13-14	3	3.9
15-16	6	7.8
17-20	1	1.3
UNKNOWN	3	3.9
TOTAL	77	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	76	32,123	2.4	71	30,399	2.3	5	1,724	2.9
10-14	0	4,600	0.0	0	4,301	0.0	0	299	0.0
15-17	4	2,867	1.4	4	2,689	1.5	0	178	0.0
18-19	8	1,791	4.5	7	1,675	4.2	1	116	8.6
20-24	29	4,051	7.2	27	3,793	7.1	2	258	7.8
25-29	16	3,961	4.0	15	3,726	4.0	1	235	4.3
30-34	9	4,294	2.1	9	4,092	2.2	0	202	0.0
35-39	8	5,090	1.6	7	4,888	1.4	1	202	5.0
40-44	2	5,469	0.4	2	5,235	0.4	0	234	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	76	1,599	47.5	71	1,537	46.2	5	60	83.3
10-14	0	2	0.0	0	1	0.0	0	1	0.0
15-17	4	65	61.5	4	65	61.5	0	0	-
18-19	8	168	47.6	7	164	42.7	1	4	250.0
20-24	29	482	60.2	27	463	58.3	2	18	111.1
25-29	16	432	37.0	15	408	36.8	1	24	41.7
30-34	9	305	29.5	9	296	30.4	0	8	0.0
35-39	8	114	70.2	7	111	63.1	1	3	333.3
40-44	2	31	64.5	2	29	69.0	0	2	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOP; the procedure could have been performed in any TN county or another state.