

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**TENNESSEE**

<b>MARITAL STATUS</b>		
	NUMBER	PCNT
MARRIED	1,197	12.1
NOT MARRIED	8,332	84.5
UNKNOWN	332	3.4
TOTAL	9,861	100.0

<b>NUMBER OF PREVIOUS ITOPs</b>		
NUMBER	FREQ	PCNT
0	5,770	58.5
1	2,575	26.1
2	891	9.0
3	299	3.0
4+	205	2.1
UNKNOWN	121	1.2
TOTAL	9,861	100.0

<b>GESTATIONAL AGE</b>		
WEEKS	NUMBER	PCNT
LT. 7	3,286	33.3
7-8	3,131	31.8
9-10	1,644	16.7
11-12	988	10.0
13-14	524	5.3
15-16	94	1.0
17-20	31	0.3
UNKNOWN	163	1.7
TOTAL	9,861	100.0

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	9,366	1,502,676	6.2	4,417	1,134,467	3.9	4,639	368,209	12.6
10-14	44	207,043	0.2	21	153,621	0.1	22	53,422	0.4
15-17	235	121,186	1.9	123	89,404	1.4	103	31,782	3.2
18-19	703	83,764	8.4	346	61,669	5.6	331	22,095	15.0
20-24	3,115	231,173	13.5	1,431	169,908	8.4	1,579	61,265	25.8
25-29	2,573	218,081	11.8	1,179	164,783	7.2	1,324	53,298	24.8
30-34	1,568	215,769	7.3	729	164,363	4.4	785	51,406	15.3
35-39	878	205,640	4.3	446	158,411	2.8	398	47,229	8.4
40-44	250	220,020	1.1	142	172,308	0.8	97	47,712	2.0

\*Per 1,000 population.

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	9,366	81,502	114.9	4,417	62,016	71.2	4,639	19,364	239.6
10-14	44	76	578.9	21	40	525.0	22	36	611.1
15-17	235	1,696	138.6	123	1,135	108.4	103	558	184.6
18-19	703	5,061	138.9	346	3,598	96.2	331	1,459	226.9
20-24	3,115	22,474	138.6	1,431	16,119	88.8	1,579	6,333	249.3
25-29	2,573	24,137	106.6	1,179	18,682	63.1	1,324	5,423	244.1
30-34	1,568	18,907	82.9	729	15,234	47.9	785	3,636	215.9
35-39	878	7,587	115.7	446	5,988	74.5	398	1,579	252.1
40-44	250	1,564	159.8	142	1,220	116.4	97	340	285.3

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state. The total number of recorded induced terminations of pregnancy in Tennessee was 12,373.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**EAST TENNESSEE**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	120	18.0
NOT MARRIED	534	80.1
UNKNOWN	13	1.9
TOTAL	667	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	431	64.6
1	181	27.1
2	34	5.1
3	11	1.6
4+	3	0.4
UNKNOWN	7	1.0
TOTAL	667	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	272	40.8
7-8	199	29.8
9-10	91	13.6
11-12	44	6.6
13-14	38	5.7
15-16	2	0.3
17-20	3	0.4
UNKNOWN	18	2.7
TOTAL	667	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	664	154,358	4.3	593	145,627	4.1	66	8,731	7.6
10-14	4	22,988	0.2	4	21,238	0.2	0	1,750	0.0
15-17	25	13,028	1.9	23	12,152	1.9	2	876	2.3
18-19	64	8,628	7.4	60	8,090	7.4	4	538	7.4
20-24	215	22,065	9.7	189	20,794	9.1	23	1,271	18.1
25-29	152	20,243	7.5	135	19,210	7.0	17	1,033	16.5
30-34	110	20,500	5.4	94	19,372	4.9	15	1,128	13.3
35-39	65	21,678	3.0	59	20,647	2.9	5	1,031	4.8
40-44	29	25,228	1.1	29	24,124	1.2	0	1,104	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	664	8,060	82.4	593	7,770	76.3	66	276	239.1
10-14	4	10	400.0	4	9	444.4	0	1	0.0
15-17	25	212	117.9	23	202	113.9	2	10	200.0
18-19	64	677	94.5	60	661	90.8	4	15	266.7
20-24	215	2,583	83.2	189	2,512	75.2	23	69	333.3
25-29	152	2,385	63.7	135	2,296	58.8	17	83	204.8
30-34	110	1,494	73.6	94	1,428	65.8	15	62	241.9
35-39	65	569	114.2	59	537	109.9	5	31	161.3
40-44	29	130	223.1	29	125	232.0	0	5	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**NORTHEAST TN**

<b>MARITAL STATUS</b>		
	NUMBER	PCNT
MARRIED	22	16.1
NOT MARRIED	112	81.8
UNKNOWN	3	2.2
TOTAL	137	100.0

<b>NUMBER OF PREVIOUS ITOPs</b>		
NUMBER	FREQ	PCNT
0	98	71.5
1	30	21.9
2	7	5.1
3	0	0.0
4+	0	0.0
UNKNOWN	2	1.5
TOTAL	137	100.0

<b>GESTATIONAL AGE</b>		
WEEKS	NUMBER	PCNT
LT. 7	55	40.1
7-8	41	29.9
9-10	21	15.3
11-12	8	5.8
13-14	8	5.8
15-16	3	2.2
17-20	0	0.0
UNKNOWN	1	0.7
TOTAL	137	100.0

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	136	73,989	1.8	121	69,656	1.7	14	4,333	3.2
10-14	0	9,853	0.0	0	9,154	0.0	0	699	0.0
15-17	4	6,191	0.6	4	5,740	0.7	0	451	0.0
18-19	11	4,399	2.5	9	4,070	2.2	2	329	6.1
20-24	61	12,356	4.9	55	11,400	4.8	5	956	5.2
25-29	29	9,932	2.9	25	9,403	2.7	4	529	7.6
30-34	16	9,596	1.7	14	9,143	1.5	2	453	4.4
35-39	11	9,892	1.1	10	9,452	1.1	1	440	2.3
40-44	4	11,770	0.3	4	11,294	0.4	0	476	0.0

\*Per 1,000 population.

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	136	3,422	39.7	121	3,258	37.1	14	156	89.7
10-14	0	5	0.0	0	5	0.0	0	0	-
15-17	4	88	45.5	4	86	46.5	0	2	0.0
18-19	11	228	48.2	9	221	40.7	2	7	285.7
20-24	61	1,049	58.2	55	1,009	54.5	5	38	131.6
25-29	29	1,063	27.3	25	1,002	25.0	4	57	70.2
30-34	16	665	24.1	14	630	22.2	2	33	60.6
35-39	11	258	42.6	10	242	41.3	1	16	62.5
40-44	4	66	60.6	4	63	63.5	0	3	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**MID-CUMBERLAND**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	277	16.5
NOT MARRIED	1,359	80.7
UNKNOWN	47	2.8
TOTAL	1,683	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,060	63.0
1	351	20.9
2	152	9.0
3	50	3.0
4+	44	2.6
UNKNOWN	26	1.5
TOTAL	1,683	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	666	39.6
7-8	563	33.5
9-10	195	11.6
11-12	127	7.5
13-14	62	3.7
15-16	22	1.3
17-20	5	0.3
UNKNOWN	43	2.6
TOTAL	1,683	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	1,501	287,500	5.2	961	237,796	4.0	449	49,704	9.0
10-14	6	43,122	0.1	3	35,237	0.1	2	7,885	0.3
15-17	43	23,941	1.8	29	19,561	1.5	13	4,380	3.0
18-19	141	15,940	8.8	88	12,962	6.8	43	2,978	14.4
20-24	500	41,879	11.9	304	33,661	9.0	161	8,218	19.6
25-29	374	37,336	10.0	241	31,170	7.7	113	6,166	18.3
30-34	245	41,043	6.0	164	34,200	4.8	68	6,843	9.9
35-39	147	40,800	3.6	99	34,073	2.9	40	6,727	5.9
40-44	45	43,439	1.0	33	36,932	0.9	9	6,507	1.4

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	1,501	15,651	95.9	961	13,376	71.8	449	2,253	199.3
10-14	6	2	3,000.0	3	1	3,000.0	2	1	2,000.0
15-17	43	196	219.4	29	165	175.8	13	30	433.3
18-19	141	740	190.5	88	608	144.7	43	131	328.2
20-24	500	3,858	129.6	304	3,186	95.4	161	670	240.3
25-29	374	4,678	79.9	241	4,063	59.3	113	607	186.2
30-34	245	4,096	59.8	164	3,579	45.8	68	509	133.6
35-39	147	1,712	85.9	99	1,462	67.7	40	248	161.3
40-44	45	369	122.0	33	312	105.8	9	57	157.9

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**SOUTH CENTRAL**

<b>MARITAL STATUS</b>		
	NUMBER	PCNT
MARRIED	43	11.3
NOT MARRIED	326	85.6
UNKNOWN	12	3.1
TOTAL	381	100.0

<b>NUMBER OF PREVIOUS ITOPs</b>		
NUMBER	FREQ	PCNT
0	250	65.6
1	88	23.1
2	25	6.6
3	8	2.1
4+	4	1.0
UNKNOWN	6	1.6
TOTAL	381	100.0

<b>GESTATIONAL AGE</b>		
WEEKS	NUMBER	PCNT
LT. 7	136	35.7
7-8	114	29.9
9-10	53	13.9
11-12	40	10.5
13-14	18	4.7
15-16	8	2.1
17-20	2	0.5
UNKNOWN	10	2.6
TOTAL	381	100.0

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	344	82,992	4.1	259	74,311	3.5	68	8,681	7.8
10-14	4	12,580	0.3	4	11,125	0.4	0	1,455	0.0
15-17	8	6,950	1.2	5	6,033	0.8	0	917	0.0
18-19	32	4,549	7.0	24	3,965	6.1	6	584	10.3
20-24	116	11,535	10.1	90	10,283	8.8	21	1,252	16.8
25-29	92	11,505	8.0	64	10,270	6.2	26	1,235	21.1
30-34	55	11,657	4.7	41	10,581	3.9	12	1,076	11.2
35-39	25	11,628	2.1	21	10,555	2.0	1	1,073	0.9
40-44	12	12,588	1.0	10	11,499	0.9	2	1,089	1.8

\*Per 1,000 population.

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	344	4,823	71.3	259	4,448	58.2	68	372	182.8
10-14	4	5	800.0	4	4	1,000.0	0	1	0.0
15-17	8	123	65.0	5	111	45.0	0	12	0.0
18-19	32	326	98.2	24	291	82.5	6	35	171.4
20-24	116	1,522	76.2	90	1,419	63.4	21	102	205.9
25-29	92	1,460	63.0	64	1,341	47.7	26	119	218.5
30-34	55	940	58.5	41	869	47.2	12	70	171.4
35-39	25	375	66.7	21	348	60.3	1	26	38.5
40-44	12	72	166.7	10	65	153.8	2	7	285.7

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**SOUTHEAST**

<b>MARITAL STATUS</b>		
	NUMBER	PCNT
MARRIED	27	14.6
NOT MARRIED	157	84.9
UNKNOWN	1	0.5
TOTAL	185	100.0

<b>NUMBER OF PREVIOUS ITOPs</b>		
NUMBER	FREQ	PCNT
0	132	71.4
1	39	21.1
2	9	4.9
3	1	0.5
4+	2	1.1
UNKNOWN	2	1.1
TOTAL	185	100.0

<b>GESTATIONAL AGE</b>		
WEEKS	NUMBER	PCNT
LT. 7	67	36.2
7-8	64	34.6
9-10	25	13.5
11-12	14	7.6
13-14	10	5.4
15-16	2	1.1
17-20	1	0.5
UNKNOWN	2	1.1
TOTAL	185	100.0

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	178	70,411	2.5	151	65,380	2.3	23	5,031	4.6
10-14	0	10,421	0.0	0	9,536	0.0	0	885	0.0
15-17	7	6,183	1.1	6	5,666	1.1	0	517	0.0
18-19	9	4,180	2.2	8	3,838	2.1	1	342	2.9
20-24	66	10,887	6.1	59	10,012	5.9	5	875	5.7
25-29	45	9,150	4.9	34	8,552	4.0	11	598	18.4
30-34	30	9,154	3.3	25	8,523	2.9	5	631	7.9
35-39	16	9,670	1.7	14	9,101	1.5	1	569	1.8
40-44	5	10,766	0.5	5	10,152	0.5	0	614	0.0

\*Per 1,000 population.

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	178	3,565	49.9	151	3,392	44.5	23	170	135.3
10-14	0	3	0.0	0	3	0.0	0	0	-
15-17	7	86	81.4	6	85	70.6	0	0	-
18-19	9	297	30.3	8	274	29.2	1	23	43.5
20-24	66	1,225	53.9	59	1,165	50.6	5	59	84.7
25-29	45	1,021	44.1	34	973	34.9	11	48	229.2
30-34	30	615	48.8	25	588	42.5	5	26	192.3
35-39	16	261	61.3	14	250	56.0	1	11	90.9
40-44	5	57	87.7	5	54	92.6	0	3	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**UPPER CUMBERLAND**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	37	15.2
NOT MARRIED	198	81.5
UNKNOWN	8	3.3
TOTAL	243	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	156	64.2
1	56	23.0
2	18	7.4
3	3	1.2
4+	6	2.5
UNKNOWN	4	1.6
TOTAL	243	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	111	45.7
7-8	66	27.2
9-10	27	11.1
11-12	24	9.9
13-14	9	3.7
15-16	3	1.2
17-20	0	0.0
UNKNOWN	3	1.2
TOTAL	243	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	229	70,315	3.3	209	67,196	3.1	15	3,119	4.8
10-14	1	10,179	0.1	1	9,555	0.1	0	624	0.0
15-17	4	6,086	0.7	3	5,741	0.5	1	345	2.9
18-19	15	4,159	3.6	15	3,949	3.8	0	210	0.0
20-24	83	11,071	7.5	72	10,600	6.8	8	471	17.0
25-29	57	9,358	6.1	54	8,986	6.0	3	372	8.1
30-34	34	9,387	3.6	31	9,000	3.4	2	387	5.2
35-39	29	9,507	3.1	27	9,151	3.0	1	356	2.8
40-44	6	10,568	0.6	6	10,214	0.6	0	354	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	229	3,837	59.7	209	3,733	56.0	15	100	150.0
10-14	1	3	333.3	1	3	333.3	0	0	-
15-17	4	91	44.0	3	86	34.9	1	5	200.0
18-19	15	304	49.3	15	297	50.5	0	7	0.0
20-24	83	1,378	60.2	72	1,350	53.3	8	27	296.3
25-29	57	1,067	53.4	54	1,039	52.0	3	28	107.1
30-34	34	720	47.2	31	694	44.7	2	25	80.0
35-39	29	226	128.3	27	216	125.0	1	8	125.0
40-44	6	48	125.0	6	48	125.0	0	0	-

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**NORTHWEST**

<b>MARITAL STATUS</b>		
	NUMBER	PCNT
MARRIED	17	9.9
NOT MARRIED	149	87.1
UNKNOWN	5	2.9
TOTAL	171	100.0

<b>NUMBER OF PREVIOUS ITOPs</b>		
NUMBER	FREQ	PCNT
0	119	69.6
1	36	21.1
2	11	6.4
3	4	2.3
4+	1	0.6
UNKNOWN	0	0.0
TOTAL	171	100.0

<b>GESTATIONAL AGE</b>		
WEEKS	NUMBER	PCNT
LT. 7	36	21.1
7-8	51	29.8
9-10	41	24.0
11-12	29	17.0
13-14	11	6.4
15-16	0	0.0
17-20	1	0.6
UNKNOWN	2	1.2
TOTAL	171	100.0

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	161	53,369	3.0	110	44,685	2.5	49	8,684	5.6
10-14	2	7,933	0.3	2	6,485	0.3	0	1,448	0.0
15-17	9	4,696	1.9	7	3,848	1.8	2	848	2.4
18-19	14	3,189	4.4	9	2,613	3.4	5	576	8.7
20-24	54	8,394	6.4	38	6,866	5.5	15	1,528	9.8
25-29	41	6,899	5.9	24	5,832	4.1	17	1,067	15.9
30-34	26	7,203	3.6	19	6,141	3.1	7	1,062	6.6
35-39	15	7,136	2.1	11	6,056	1.8	3	1,080	2.8
40-44	0	7,919	0.0	0	6,844	0.0	0	1,075	0.0

\*Per 1,000 population.

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	161	2,747	58.6	110	2,345	46.9	49	399	122.8
10-14	2	3	666.7	2	2	1,000.0	0	1	0.0
15-17	9	73	123.3	7	57	122.8	2	16	125.0
18-19	14	242	57.9	9	202	44.6	5	40	125.0
20-24	54	919	58.8	38	756	50.3	15	163	92.0
25-29	41	819	50.1	24	721	33.3	17	95	178.9
30-34	26	495	52.5	19	443	42.9	7	52	134.6
35-39	15	163	92.0	11	138	79.7	3	25	120.0
40-44	0	33	0.0	0	26	0.0	0	7	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.



**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**SOUTHWEST**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	29	12.0
NOT MARRIED	201	83.4
UNKNOWN	11	4.6
TOTAL	241	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	145	60.2
1	56	23.2
2	26	10.8
3	7	2.9
4+	6	2.5
UNKNOWN	1	0.4
TOTAL	241	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	58	24.1
7-8	77	32.0
9-10	55	22.8
11-12	35	14.5
13-14	11	4.6
15-16	1	0.4
17-20	0	0.0
UNKNOWN	4	1.7
TOTAL	241	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	231	59,569	3.9	108	44,553	2.4	122	15,016	8.1
10-14	1	9,237	0.1	1	6,777	0.1	0	2,460	0.0
15-17	12	5,332	2.3	8	3,865	2.1	4	1,467	2.7
18-19	14	3,471	4.0	5	2,521	2.0	9	950	9.5
20-24	70	8,417	8.3	28	6,176	4.5	41	2,241	18.3
25-29	69	7,710	8.9	37	5,685	6.5	32	2,025	15.8
30-34	36	8,115	4.4	15	6,174	2.4	21	1,941	10.8
35-39	23	8,444	2.7	10	6,382	1.6	13	2,062	6.3
40-44	6	8,843	0.7	4	6,973	0.6	2	1,870	1.1

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	231	3,108	74.3	108	2,342	46.1	122	764	159.7
10-14	1	4	250.0	1	3	333.3	0	1	0.0
15-17	12	69	173.9	8	49	163.3	4	20	200.0
18-19	14	248	56.5	5	168	29.8	9	80	112.5
20-24	70	962	72.8	28	694	40.3	41	267	153.6
25-29	69	949	72.7	37	750	49.3	32	199	160.8
30-34	36	643	56.0	15	497	30.2	21	146	143.8
35-39	23	206	111.7	10	159	62.9	13	46	282.6
40-44	6	27	222.2	4	22	181.8	2	5	400.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**SHELBY**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	243	8.3
NOT MARRIED	2,543	87.3
UNKNOWN	128	4.4
TOTAL	2,914	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,498	51.4
1	921	31.6
2	310	10.6
3	91	3.1
4+	64	2.2
UNKNOWN	30	1.0
TOTAL	2,914	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	564	19.4
7-8	928	31.8
9-10	721	24.7
11-12	473	16.2
13-14	186	6.4
15-16	8	0.3
17-20	4	0.1
UNKNOWN	30	1.0
TOTAL	2,914	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	2,877	232,998	12.3	457	85,560	5.3	2,384	147,438	16.2
10-14	18	32,302	0.6	2	11,605	0.2	16	20,697	0.8
15-17	63	18,784	3.4	7	6,428	1.1	56	12,356	4.5
18-19	196	13,020	15.1	32	4,386	7.3	163	8,634	18.9
20-24	942	36,284	26.0	132	12,184	10.8	794	24,100	32.9
25-29	821	35,494	23.1	138	13,449	10.3	674	22,045	30.6
30-34	493	33,830	14.6	83	13,180	6.3	408	20,650	19.8
35-39	277	30,940	9.0	51	11,869	4.3	221	19,071	11.6
40-44	67	32,344	2.1	12	12,459	1.0	52	19,885	2.6

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	2,877	13,819	208.2	457	4,982	91.7	2,384	8,823	270.2
10-14	18	22	818.2	2	4	500.0	16	18	888.9
15-17	63	403	156.3	7	78	89.7	56	324	172.8
18-19	196	872	224.8	32	167	191.6	163	705	231.2
20-24	942	3,876	243.0	132	798	165.4	794	3,074	258.3
25-29	821	3,980	206.3	138	1,537	89.8	674	2,440	276.2
30-34	493	3,070	160.6	83	1,563	53.1	408	1,503	271.5
35-39	277	1,302	212.7	51	688	74.1	221	612	361.1
40-44	67	294	227.9	12	147	81.6	52	147	353.7

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**DAVIDSON**

<b>MARITAL STATUS</b>		
	NUMBER	PCNT
MARRIED	223	10.5
NOT MARRIED	1,834	86.4
UNKNOWN	66	3.1
<b>TOTAL</b>	<b>2,123</b>	<b>100.0</b>

<b>NUMBER OF PREVIOUS ITOPs</b>		
NUMBER	FREQ	PCNT
0	1,200	56.5
1	513	24.2
2	216	10.2
3	100	4.7
4+	67	3.2
UNKNOWN	27	1.3
<b>TOTAL</b>	<b>2,123</b>	<b>100.0</b>

<b>GESTATIONAL AGE</b>		
WEEKS	NUMBER	PCNT
LT. 7	883	41.6
7-8	667	31.4
9-10	259	12.2
11-12	130	6.1
13-14	107	5.0
15-16	35	1.6
17-20	12	0.6
UNKNOWN	30	1.4
<b>TOTAL</b>	<b>2,123</b>	<b>100.0</b>

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	1,941	175,132	11.1	729	109,258	6.7	1,093	65,874	16.6
10-14	5	17,758	0.3	2	9,555	0.2	3	8,203	0.4
15-17	32	10,485	3.1	11	5,474	2.0	18	5,011	3.6
18-19	123	8,080	15.2	43	4,420	9.7	69	3,660	18.9
20-24	615	27,116	22.7	204	16,091	12.7	379	11,025	34.4
25-29	597	35,397	16.9	239	24,246	9.9	326	11,151	29.2
30-34	347	30,668	11.3	137	20,404	6.7	184	10,264	17.9
35-39	172	23,745	7.2	75	15,368	4.9	86	8,377	10.3
40-44	50	21,883	2.3	18	13,700	1.3	28	8,183	3.4

\*Per 1,000 population.

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	1,941	10,259	189.2	729	6,664	109.4	1,093	3,565	306.6
10-14	5	8	625.0	2	2	1,000.0	3	6	500.0
15-17	32	134	238.8	11	70	157.1	18	64	281.3
18-19	123	432	284.7	43	222	193.7	69	209	330.1
20-24	615	2,127	289.1	204	1,056	193.2	379	1066	355.5
25-29	597	3,029	197.1	239	1,969	121.4	326	1055	309.0
30-34	347	3,007	115.4	137	2,235	61.3	184	759	242.4
35-39	172	1,282	134.2	75	935	80.2	86	342	251.5
40-44	50	240	208.3	18	175	102.9	28	64	437.5

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**KNOX**

<b>MARITAL STATUS</b>		
	NUMBER	PCNT
MARRIED	97	13.6
NOT MARRIED	599	83.9
UNKNOWN	18	2.5
TOTAL	714	100.0

<b>NUMBER OF PREVIOUS ITOPs</b>		
NUMBER	FREQ	PCNT
0	440	61.6
1	191	26.8
2	52	7.3
3	15	2.1
4+	4	0.6
UNKNOWN	12	1.7
TOTAL	714	100.0

<b>GESTATIONAL AGE</b>		
WEEKS	NUMBER	PCNT
LT. 7	302	42.3
7-8	219	30.7
9-10	96	13.4
11-12	37	5.2
13-14	41	5.7
15-16	6	0.8
17-20	3	0.4
UNKNOWN	10	1.4
TOTAL	714	100.0

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	709	107,485	6.6	504	90,654	5.6	186	16,831	11.1
10-14	2	13,175	0.2	1	10,711	0.1	1	2,464	0.4
15-17	19	8,346	2.3	14	6,883	2.0	4	1,463	2.7
18-19	56	6,371	8.8	38	5,299	7.2	16	1,072	14.9
20-24	256	20,411	12.5	183	17,120	10.7	69	3,291	21.0
25-29	193	15,014	12.9	135	12,849	10.5	54	2,165	24.9
30-34	103	15,483	6.7	73	13,191	5.5	25	2,292	10.9
35-39	62	13,976	4.4	46	11,905	3.9	14	2,071	6.8
40-44	18	14,709	1.2	14	12,696	1.1	3	2,013	1.5

\*Per 1,000 population.

<b>INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN</b>									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	709	5,250	135.0	504	4,477	112.6	186	762	244.1
10-14	2	4	500.0	1	2	500.0	1	2	500.0
15-17	19	91	208.8	14	58	241.4	4	33	121.2
18-19	56	239	234.3	38	184	206.5	16	55	290.9
20-24	256	1,117	229.2	183	925	197.8	69	190	363.2
25-29	193	1,627	118.6	135	1,418	95.2	54	208	259.6
30-34	103	1,480	69.6	73	1,316	55.5	25	162	154.3
35-39	62	573	108.2	46	477	96.4	14	92	152.2
40-44	18	119	151.3	14	97	144.3	3	20	150.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**HAMILTON**

MARITAL STATUS		
	FREQ	PCNT
MARRIED	45	20.1
NOT MARRIED	166	74.1
UNKNOWN	13	5.8
TOTAL	224	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	141	62.9
1	61	27.2
2	15	6.7
3	3	1.3
4+	1	0.4
UNKNOWN	3	1.3
TOTAL	224	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	81	36.2
7-8	83	37.1
9-10	26	11.6
11-12	14	6.3
13-14	13	5.8
15-16	4	1.8
17-20	0	0.0
UNKNOWN	3	1.3
TOTAL	224	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	221	79,841	2.8	149	57,643	2.6	65	22,198	2.9
10-14	1	10,021	0.1	1	6,989	0.1	0	3,032	0.0
15-17	5	6,432	0.8	2	4,485	0.4	3	1,947	1.5
18-19	15	4,522	3.3	11	3,146	3.5	4	1,376	2.9
20-24	71	12,281	5.8	49	8,494	5.8	21	3,787	5.5
25-29	57	12,498	4.6	41	9,214	4.4	14	3,284	4.3
30-34	46	11,680	3.9	23	8,636	2.7	19	3,044	6.2
35-39	22	10,849	2.0	18	8,050	2.2	4	2,799	1.4
40-44	4	11,558	0.3	4	8,629	0.5	0	2,929	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	221	4,140	53.4	149	3,026	49.2	65	1,110	58.6
10-14	1	2	500.0	1	1	1,000.0	0	1	0.0
15-17	5	71	70.4	2	46	43.5	3	25	120.0
18-19	15	239	62.8	11	136	80.9	4	103	38.8
20-24	71	1,028	69.1	49	650	75.4	21	378	55.6
25-29	57	1,215	46.9	41	894	45.9	14	320	43.8
30-34	46	1,082	42.5	23	895	25.7	19	186	102.2
35-39	22	438	50.2	18	353	51.0	4	83	48.2
40-44	4	65	61.5	4	51	78.4	0	14	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**MADISON**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	13	9.0
NOT MARRIED	127	88.2
UNKNOWN	4	2.8
TOTAL	144	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	76	52.8
1	44	30.6
2	14	9.7
3	6	4.2
4+	3	2.1
UNKNOWN	1	0.7
TOTAL	144	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	42	29.2
7-8	47	32.6
9-10	33	22.9
11-12	12	8.3
13-14	6	4.2
15-16	0	0.0
17-20	0	0.0
UNKNOWN	4	2.8
TOTAL	144	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	141	23,124	6.1	35	12,296	2.8	103	10,828	9.5
10-14	0	3,031	0.0	0	1,520	0.0	0	1,511	0.0
15-17	1	2,110	0.5	1	1,065	0.9	0	1,045	0.0
18-19	9	1,495	6.0	1	755	1.3	8	740	10.8
20-24	49	3,960	12.4	12	1,993	6.0	36	1,967	18.3
25-29	41	3,267	12.5	7	1,861	3.8	33	1,406	23.5
30-34	26	3,192	8.1	9	1,796	5.0	17	1,396	12.2
35-39	12	2,970	4.0	3	1,602	1.9	8	1,368	5.8
40-44	3	3,099	1.0	2	1,704	1.2	1	1,395	0.7

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	141	1,249	112.9	35	684	51.2	103	564	182.6
10-14	0	4	0.0	0	0	-	0	4	0.0
15-17	1	27	37.0	1	11	90.9	0	16	0.0
18-19	9	87	103.4	1	42	23.8	8	45	177.8
20-24	49	380	128.9	12	168	71.4	36	212	169.8
25-29	41	382	107.3	7	228	30.7	33	153	215.7
30-34	26	262	99.2	9	172	52.3	17	90	188.9
35-39	12	90	133.3	3	53	56.6	8	37	216.2
40-44	3	17	176.5	2	10	200.0	1	7	142.9

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2014**

**SULLIVAN**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	4	11.8
NOT MARRIED	27	79.4
UNKNOWN	3	8.8
TOTAL	34	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	24	70.6
1	8	23.5
2	2	5.9
3	0	0.0
4+	0	0.0
UNKNOWN	0	0.0
TOTAL	34	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	13	38.2
7-8	12	35.3
9-10	1	2.9
11-12	1	2.9
13-14	4	11.8
15-16	0	0.0
17-20	0	0.0
UNKNOWN	3	8.8
TOTAL	34	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	33	31,593	1.0	31	29,852	1.0	2	1,741	1.1
10-14	0	4,443	0.0	0	4,134	0.0	0	309	0.0
15-17	3	2,622	1.1	3	2,463	1.2	0	159	0.0
18-19	4	1,761	2.3	3	1,655	1.8	1	106	9.4
20-24	17	4,517	3.8	16	4,234	3.8	1	283	3.5
25-29	5	4,278	1.2	5	4,056	1.2	0	222	0.0
30-34	1	4,261	0.2	1	4,022	0.2	0	239	0.0
35-39	2	4,405	0.5	2	4,200	0.5	0	205	0.0
40-44	1	5,306	0.2	1	5,088	0.2	0	218	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	33	1,572	21.0	31	1,519	20.4	2	50	40.0
10-14	0	1	0.0	0	1	0.0	0	0	-
15-17	3	32	93.8	3	31	96.8	0	1	0.0
18-19	4	130	30.8	3	125	24.0	1	4	250.0
20-24	17	450	37.8	16	431	37.1	1	18	55.6
25-29	5	462	10.8	5	451	11.1	0	11	0.0
30-34	1	338	3.0	1	325	3.1	0	13	0.0
35-39	2	132	15.2	2	130	15.4	0	2	0.0
40-44	1	27	37.0	1	25	40.0	0	1	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.