# **TENNESSEE**

2011 Land Line and Cell Phone Module Variables Report

Behavioral Risk Factor Surveillance System

July 26, 2012





### **MODULE 1: PRE-DIABETES CONTENTS**

* NOTE	B * * * * * * * * * * * * * * * * * * *	****
WHE	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	ΓΙΟN
IS I	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENT TO THE STATES SURVEY.	NTS
* * * *	*********************************	***
TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

### **MODULE 1: PRE-DIABETES**

### TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using IJ.CPWT

DEMOGRAPHIC	RESPONDE	as weighte <b>NT NUMBER</b>	ea usin	.g _⊥⊥ Yes	CPWT.		No	1
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4688	3,425,709	3039	59.4	56.5-62.3	1649	40.6	37.7-43.5
Male	1423	1,658,320	924	58.8	54.1-63.5	499	41.2	36.5-45.9
Female	3265	1,767,388	2115	59.9	56.4-63.4	1150	40.1	36.6-43.6
White/Non-Hisp	3943	2,697,337	2538	58.9	55.8-62.0	1405	41.1	38.0-44.2
Black or Afr. Am./Non-Hisp	555	558,972	382	60.9	52.1-69.7	173	39.1	30.3-47.9
Oth. Race/Non-Hisp.	54	55,347	34	63.1	38.0-88.2	20	36.9	11.8-62.0
MultiRacial/Non-Hisp.	53	46,132	36	70.4	49.8-91.0	17	29.6	09.0-50.2
Hispanic	55	55,019	34	53.0	28.1-77.9	21	47.0	22.1-71.9
18-24	113	311,560	43	31.9	17.8-46.0	70	68.1	54.0-82.2
25-34	345	544,599	194	54.0	45.4-62.6	151	46.0	37.4-54.6
35-44	561	700,914	332	59.3	52.2-66.4	229	40.7	33.6-47.8
45-54	845	702,388	548	60.2	54.5-65.9	297	39.8	34.1-45.5
55-64	1121	550,465	766	67.3	61.2-73.4	355	32.7	26.6-38.8
65+	1661	593,422	1131	70.0	66.7-73.3	530	30.0	26.7-33.3
Less Than H.S.	555	593,152	317	49.4	41.8-57.0	238	50.6	43.0-58.2
H.S. or G.E.D.	1607	1,253,865	992	57.6	52.5-62.7	615	42.4	37.3-47.5
Some Post-H.S.	1309	914,239	875	64.8	59.1-70.5	434	35.2	29.5-40.9
College Graduate	1203	656,739	849	64.1	58.6-69.6	354	35.9	30.4-41.4
Less than \$15,000	487	353,034	276	53.5	42.7-64.3	211	46.5	35.7-57.3
\$15,000- 24,999	1020	695,075	636	60.0	53.3-66.7	384	40.0	33.3-46.7
\$25,000- 34,999	435	289,013	274	57.4	48.4-66.4	161	42.6	33.6-51.6
\$35,000- 49,999	465	384,396	331	60.9	51.5-70.3	134	39.1	29.7-48.5
\$50,000- 74,999	425	334,852	315	69.0	61.0-77.0	110	31.0	23.0-39.0
\$75,000+	675	569,074	479	63.2	56.7-69.7	196	36.8	30.3-43.3

# TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses Denominator excludes: Respondents that reported YES to having been told they have diabetes

	Data w	as weighte	d usin	ıg _LI	CPWT.			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	5		No	1
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1423	1,658,320	924	58.8	54.1-63.5	499	41.2	36.5-45.9
White/Non-Hisp	1207	1,274,852	786	58.4	53.3-63.5	421	41.6	36.5-46.7
Black or Afr. Am./Non-Hisp	145	280,718	92	56.8	42.9-70.7	53	43.2	29.3-57.1
25-34	99	263,350	45	51.0	36.1-65.9	54	49.0	34.1-63.9
35-44	173	356,863	102	59.9	48.9-70.9	71	40.1	29.1-51.1
45-54	276	355,883	176	60.1	51.1-69.1	100	39.9	30.9-48.9
55-64	366	267,262	260	71.8	63.6-80.0	106	28.2	20.0-36.4
65+	458	244,507	322	71.4	64.9-77.9	136	28.6	22.1-35.1
Less Than H.S.	164	292,304	87	43.1	31.1-55.1	77	56.9	44.9-68.9
H.S. or G.E.D.	450	593,720	270	57.4	49.2-65.6	180	42.6	34.4-50.8
Some Post-H.S.	376	432,802	247	64.0	54.8-73.2	129	36.0	26.8-45.2
College Graduate	430	336,811	318	67.9	60.3-75.5	112	32.1	24.5-39.7
Less than \$15,000	120	156,466	59	44.1	25.9-62.3	61	55.9	37.7-74.1
\$15,000- 24,999	274	309,493	176	63.2	52.2-74.2	98	36.8	25.8-47.8
\$25,000- 34,999	144	156,936	83	51.2	36.7-65.7	61	48.8	34.3-63.3
\$35,000- 49,999	156	202,135	110	62.5	47.2-77.8	46	37.5	22.2-52.8
\$50,000- 74,999	144	157,042	109	75.1	64.3-85.9	35	24.9	14.1-35.7
\$75,000+	270	311,892	201	67.1	58.1-76.1	69	32.9	23.9-41.9

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No **GROUPS TOTAL** WEIGHTED Ν % C.I. (95%) Ν % C.I. (95%) Female 3265 1,767,388 2115 59.9 56.4-63.4 1150 40.1 36.6-43.6 White/Non-Hisp 2736 1,422,485 1752 55.5-63.3 36.7-44.5 59.4 984 40.6 Black or Afr. Am./Non-Hisp 278,254 65.0 54.0-76.0 24.0-46.0 410 290 120 35.0 18-24 72 147.461 32 39.5 16.2-62.8 40 60.5 37.2-83.8 25-34 246 281,248 149 56.9 47.3-66.5 97 43.1 33.5-52.7 35-44 388 344,050 230 50.3-67.1 158 41.3 32.9-49.7 45-54 569 346.504 372 60.3 53.4-67.2 197 39.7 32.8-46.6 55-64 283,203 62.9 54.5-71.3 37.1 28.7-45.5 755 506 249 65+ 348,915 65.2-72.6 27.4-34.8 1203 809 68.9 394 31.1 Less Than H.S. 391 300.848 230 55.5 45.9-65.1 161 44.5 34.9-54.1 H.S. or G.E.D. 1157 660.145 57.8 51.7-63.9 435 42.2 36.1-48.3 722 Some Post-H.S. 481,437 58.5-72.3 27.7-41.5 933 628 65.4 305 34.6 College Graduate 773 319,928 531 60.0 52.4-67.6 242 40.0 32.4-47.6 48.7-73.3 26.7-51.3 Less than \$15,000 367 196,568 61.0 39.0 217 150 \$15,000-24,999 746 385,582 460 57.4 49.2-65.6 286 42.6 34.4-50.8 \$25,000-34,999 27.0-43.4 291 132,077 191 64.8 56.6-73.0 100 35.2 \$35,000-49,999 309 182,260 221 59.1 48.9-69.3 88 40.9 30.7-51.1 \$50.000-74.999 281 177,810 206 63.6 52.6-74.6 75 36.4 25.4-47.4

405

257,182

278

58.6

\$75,000+

NOTE:

50.0-67.2

127

41.4 32.8-50.0

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 1: PRE-DIABETES** 

### TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes Yes, during pregnancy Nο **GROUPS** TOTAL WEIGHTED Ν % C.I. (95%) Ν % C.I. (95%) Ν % C.I. (95%) TOTAL 4860 3,583,778 608 11.5 09.5-13.5 1.3 00.7-01.9 4199 87.2 85.2-89.2 Male 1486 1.746.849 193 13.6 10.1-17.1 1293 86.4 82.9-89.9 Female 87.9 3374 1,836,930 415 9.6 07.8-11.4 2.5 01.3-03.7 2906 85.9-89.9 53 White/Non-Hisp 4101 2,832,287 502 10.7 08.7-12.7 44 1.2 00.6-01.8 3555 88.1 86.1-90.1 Black or Afr. Am./Non-Hisp 564 565.665 78 15.6 08.5-22.7 7 8.0 00.0-01.6 479 83.6 76.5-90.7 55 00.0-34.0 Oth. Race/Non-Hisp. 55.777 10 18.0 00.0-40.1 1 12.2 44 69.8 43.1-96.5 MultiRacial/Non-Hisp. 55 56,455 2.5 00.0-05.2 00.0-04.1 48 92.0-0100 Hispanic 57 60,692 8 16.0 03.1-28.9 49 84.0 71.1-96.9 00.3-15.1 00.0-00.3 922 84.8-99.6 18-24 119 346.120 13 7.7 1 0.1 105 25-34 355 567.607 30 12.7 05.4-20.0 16 3.9 01 5-06 3 309 83 4 76.1-90.7 03.6-08.6 35-44 00.0-03.7 579 725,428 52 6.1 16 1.7 511 92.2 89.1-95.3 45-54 872 732,225 100 11.9 08.0-15.8 8 0.8 00.0-01.6 764 87.3 83.4-91.2 55-64 1163 567.667 173 16.5 11.2-21.8 3 0.1 00.0-00.3 987 83.3 78.0-88.6 65+ 1730 622,020 235 14.1 11.2-17.0 9 0.7 00.1-01.3 1486 85.3 82.4-88.2 Less Than H.S. 582 619,546 15.9 09.6-22.2 00.0-02.2 83.0 76.7-89.3 79 5 1.0 498 H.S. or G.E.D. 1657 1,298,325 206 10.1 07.4-12.8 18 1.5 00.5-02.5 1433 88.3 85.4-91.2 Some Post-H.S. 1354 981,377 170 12.0 07.9-16.1 16 8.0 00.4-01.2 1168 87.3 83.2-91.4 College Graduate 1252 676,310 153 9.8 07.1-12.5 14 1.7 00.0-03.7 1085 88.5 85.2-91.8 Less than \$15,000 504 355,100 71 16.0 06.6-25.4 10 1.9 00.0-04.1 423 82.1 72.7-91.5 \$15,000-24,999 1044 724,653 132 15.1 10.0-20.2 10 1.7 00.3-03.1 902 83.2 78.1-88.3 00.0-03.2 \$25,000-34,999 454 308.823 56 6.8 04.1-09.5 2 1.2 396 92.0 88.7-95.3 \$35,000-49,999 482 395,735 54 10.6 04.5-16.7 5 0.6 00.0-01.2 423 88.7 82.6-94.8 02.7-08.1 \$50,000-74,999 442 350,287 33 9 00.0-03.2 400 90.0-95.8 5.4 1.6 92.9

\$75,000+

704

593,050

57

8.0

05.1-10.9

8

1.7

00.0-04.1

639

90.3

86.8-93.8

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

**MODULE 1: PRE-DIABETES** 

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.  DEMOGRAPHIC RESPONDENT NUMBER Yes No												
GROUPS	TOTAL	WEIGHTED	N	res %	C.I. (95%)	N	МО %	C.I. (95%)				
Male	1486	1,746,849	193	13.6	10.1-17.1	1293	86.4	82.9-89.9				
White/Non-Hisp	1266	1,348,982	160	12.2	08.7-15.7	1106	87.8	84.3-91.3				
Black or Afr. Am./Non-Hisp	145	280,718	21	20.2	07.3-33.1	124	79.8	66.9-92.7				
25-34	102	277,330	11	16.7	04.4-29.0	91	83.3	71.0-95.6				
35-44	182	374,315	12	5.5	01.2-09.8	170	94.5	90.2-98.8				
45-54	287	372,849	29	12.1	05.2-19.0	258	87.9	81.0-94.8				
55-64	381	274,896	64	23.3	13.5-33.1	317	76.7	66.9-86.5				
65+	479	255,586	72	16.0	09.9-22.1	407	84.0	77.9-90.1				
Less Than H.S.	174	309,669	28	19.5	08.9-30.1	146	80.5	69.9-91.1				
H.S. or G.E.D.	464	611,789	47	10.3	05.0-15.6	417	89.7	84.4-95.0				
Some Post-H.S.	392	473,118	55	16.1	08.1-24.1	337	83.9	75.9-91.9				
College Graduate	453	349,589	63	10.8	06.7-14.9	390	89.2	85.1-93.3				
Less than \$15,000	126	154,453	14	22.2	03.4-41.0	112	77.8	59.0-96.6				
\$15,000- 24,999	283	318,456	40	21.3	11.1-31.5	243	78.7	68.5-88.9				
\$25,000- 34,999	147	159,509	24	6.5	03.0-10.0	123	93.5	90.0-97.0				
\$35,000- 49,999	163	206,073	21	14.7	03.7-25.7	142	85.3	74.3-96.3				
\$50,000- 74,999	150	167,312	8	2.8	00.4-05.2	142	97.2	94.8-99.6				
\$75.000+	287	331.535	30	10.3	05.6-15.0	257	89.7	85.0-94.4				

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

**MODULE 1: PRE-DIABETES** 

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes		Yes, d	luring p	regnancy	No			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3374	1,836,930	415	9.6	08.0-11.2	53	2.5	01.3-03.7	2906	87.9	85.9-89.9	
White/Non-Hisp	2835	1,483,306	342	9.3	07.5-11.1	44	2.3	01.3-03.3	2449	88.4	86.4-90.4	
Black or Afr. Am./Non-Hisp	419	284,948	57	11.0	05.9-16.1	7	1.6	00.0-03.2	355	87.4	81.9-92.9	
18-24	74	160,602	9	4.5	00.4-08.6	1	0.1	00.0-00.3	64	95.4	91.3-99.5	
25-34	253	290,278	19	8.9	01.6-16.2	16	7.6	03.1-12.1	218	83.5	75.3-91.7	
35-44	397	351,114	40	6.7	03.8-09.6	16	3.6	00.0-07.5	341	89.7	85.0-94.4	
45-54	585	359,376	71	11.6	07.9-15.3	8	1.7	00.3-03.1	506	86.7	82.8-90.6	
55-64	782	292,771	109	10.2	07.3-13.1	3	0.2	00.0-00.6	670	89.5	86.6-92.4	
65+	1251	366,434	163	12.7	10.2-15.2	9	1.1	00.1-02.1	1079	86.2	83.7-88.7	
Less Than H.S.	408	309,877	51	12.4	05.9-18.9	5	2.1	00.0-04.3	352	85.5	78.8-92.2	
H.S. or G.E.D.	1193	686,536	159	9.9	07.5-12.3	18	2.9	01.1-04.7	1016	87.2	84.3-90.1	
Some Post-H.S.	962	508,259	115	8.1	05.7-10.5	16	1.5	00.5-02.5	831	90.4	87.9-92.9	
College Graduate	799	326,720	90	8.7	04.8-12.6	14	3.5	00.0-07.6	695	87.7	82.4-93.0	
Less than \$15,000	378	200,647	57	11.3	05.0-17.6	10	3.4	00.0-06.9	311	85.4	78.1-92.7	
\$15,000- 24,999	761	406,197	92	10.2	06.9-13.5	10	3.1	00.7-05.5	659	86.7	82.8-90.6	
\$25,000- 34,999	307	149,314	32	7.2	03.3-11.1	2	2.4	00.0-06.1	273	90.4	85.1-95.7	
\$35,000- 49,999	319	189,662	33	6.3	03.6-09.0	5	1.3	00.0-02.7	281	92.5	89.4-95.6	
\$50,000- 74,999	292	182,976	25	7.8	03.3-12.3	9	3.1	00.2-06.0	258	89.1	83.8-94.4	
\$75,000+	417	261,515	27	5.2	02.7-07.7	8	3.8	00.0-08.9	382	91.0	85.5-96.5	

### **MODULE 2: DIABETES CONTENTS**

NOTI		
	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDED TO THE STATES SURVEY.	
* * * *	***************************************	***
TABLE		PAGI
	HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ARE YOU NOW TAKING INSULIN? (INSULIN)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19
	ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10	MALES AND FEMALES	20
11	MALES ONLY	21
12	FEMALES ONLY	22
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13	MALES AND FEMALES	23
14	MALES ONLY	24
15	FEMALES ONLY	25
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16	MALES AND FEMALES	26
17	MALES ONLY	27
18	FEMALES ONLY	28

### **MODULE 2: DIABETES CONTENTS**

* NOTE	, ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	****
WHE	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULA	ION
IS E	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDE	TS
	TO THE STATES SURVEY.	
* * * *	***********************************	* * *
TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

### **MODULE 2: DIABETES**

### TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC RESPONDENT NUMBER			1-15 years old			16	16-30 years old 31-45 years old			ars old	46-60 years old				61+ years old		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	874	463,914	24	5.2	00.0-10.5	59	7.1	04.0-10.2	192	22.4	17.5-27.3	370	43.8	37.5-50.1	229	21.5	16.4-26.6
Male	291	227,782	7	2.7	00.3-05.1	14	5.6	00.5-10.7	69	25.4	17.2-33.6	133	48.2	38.6-57.8	68	18.1	12.0-24.2
Female	583	236,132	17	7.7	00.0-17.5	45	8.4	05.1-11.7	123	19.6	14.1-25.1	237	39.5	31.3-47.7	161	24.8	16.8-32.8
White/Non-Hisp	692	361,520	22	3.1	01.3-04.9	40	6.8	03.1-10.5	141	22.1	16.6-27.6	292	42.9	36.0-49.8	197	25.0	18.9-31.1
Black or Afr. Am./Non-Hisp	135	83,396	1	14.7	00.0-40.2	16	7.9	02.6-13.2	39	22.7	08.8-36.6	57	47.8	27.4-68.2	22	6.8	02.3-11.3
45-54	119	84,265	3	0.6	00.0-01.4	11	8.1	02.2-14.0	59	47.3	31.4-63.2	46	44.0	28.1-59.9			
55-64	266	124,920	6	1.8	00.0-03.6	11	2.8	00.4-05.2	62	21.0	13.6-28.4	167	69.4	60.8-78.0	20	5.0	02.1-07.9
65+	431	191,682	6	0.8	00.0-01.6	19	2.9	01.3-04.5	41	6.2	03.8-08.6	157	41.4	33.0-49.8	208	48.7	40.1-57.3
Less Than H.S.	177	146,697	4	1.2	00.0-02.6	16	7.4	02.9-11.9	27	11.1	05.6-16.6	79	48.2	36.4-60.0	51	32.1	20.1-44.1
H.S. or G.E.D.	305	166,485	11	10.3	00.0-23.8	21	8.5	01.2-15.8	71	28.1	18.1-38.1	130	40.8	28.8-52.8	72	12.2	07.9-16.5
Some Post-H.S.	234	102,682	7	3.4	00.3-06.5	12	4.2	01.5-06.9	62	27.4	17.2-37.6	96	46.4	34.2-58.6	57	18.5	11.8-25.2
College Graduate	154	47,587	2	3.8	00.0-10.5	9	7.2	01.5-12.9	32	26.6	12.5-40.7	63	34.7	23.9-45.5	48	27.7	15.4-40.0
Less than \$15,000	164	73,098	7	3.9	00.4-07.4	19	11.0	04.9-17.1	47	32.5	20.0-45.0	65	43.8	30.5-57.1	26	8.8	04.5-13.1
\$15,000- 24,999	227	107,649	6	0.9	00.1-01.7	14	6.9	02.4-11.4	56	23.9	14.5-33.3	88	44.9	32.4-57.4	63	23.4	13.6-33.2
\$25,000- 34,999	82	49,533	3	2.7	00.0-06.2	3	3.0	00.0-07.1	9	7.6	01.3-13.9	44	65.5	49.6-81.4	23	21.3	08.2-34.4
\$35,000- 49,999	88	39,506				6	4.6	00.5-08.7	20	23.2	11.2-35.2	38	49.8	34.9-64.7	24	22.4	11.2-33.6
\$50,000- 74,999	76	47,121	3	8.2	00.0-18.4	3	5.2	00.0-11.1	20	34.6	14.2-55.0	34	36.1	20.4-51.8	16	16.0	05.8-26.2
\$75,000+	50	38,060	1	2.3	00.0-06.8	3	2.9	00.0-06.4	14	31.0	06.9-55.1	22	53.7	29.0-78.4	10	10.2	01.0-19.4

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 2: DIABETES**

### TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	1-	-15 yea	rs old	16	16-30 years old		31-45 years old		ars old	46	6-60 yea	ırs old	6	1+ yea	rs old
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	291	227,782	7	2.7	00.3-05.1	14	5.6	00.3-10.9	69	25.4	17.4-33.4	133	48.2	38.0-58.4	68	18.1	12.2-24.0
White/Non-Hisp	240	188,811	7	3.2	00.3-06.1	12	6.0	00.0-12.5	57	26.9	17.7-36.1	105	45.0	33.4-56.6	59	18.9	12.2-25.6
55-64	91	69,063	3	2.5	00.0-05.6	4	3.6	00.0-07.5	26	25.4	13.4-37.4	51	64.9	51.0-78.8	7	3.6	00.0-07.3
65+	142	88,756	1	0.1	00.0-00.3	4	1.8	00.0-03.8	13	5.0	01.9-08.1	63	49.4	37.6-61.2	61	43.7	31.9-55.5
H.S. or G.E.D.	92	91,448	3	3.1	00.0-07.6	2	7.5	00.0-20.4	27	34.7	20.2-49.2	44	45.8	26.2-65.4	16	8.8	03.5-14.1
Some Post-H.S.	83	51,697	2	1.8	00.0-04.5	4	3.1	00.0-06.2	24	29.1	12.0-46.2	36	52.3	33.3-71.3	17	13.7	05.1-22.3
College Graduate	68	25,907	1	6.4	00.0-18.4	3	4.8	00.0-11.1	11	18.6	07.6-29.6	31	41.2	26.3-56.1	22	29.0	15.1-42.9
\$15,000- 24,999	67	52,590				1	0.7	00.0-02.1	20	30.6	14.9-46.3	29	45.7	32.0-59.4	17	23.0	09.5-36.5

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 2: DIABETES**

### TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT

DEMOGRAPHIC					1-15 years old			16-30 years old			ırs old	46	6-60 yea	ırs old	61+ years old		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	583	236,132	17	7.7	00.0-17.5	45	8.4	05.1-11.7	123	19.6	13.9-25.3	237	39.5	31.3-47.7	161	24.8	16.6-33.0
White/Non-Hisp	452	172,709	15	3.0	00.8-05.2	28	7.8	03.9-11.7	84	16.8	12.1-21.5	187	40.6	32.2-49.0	138	31.8	23.0-40.6
Black or Afr. Am./Non-Hisp	100	54,730	1	22.4	00.0-58.9	15	11.5	03.3-19.7	30	24.9	05.3-44.5	38	37.1	11.8-62.4	16	4.1	01.2-07.0
45-54	76	37,424	3	1.5	00.0-03.3	8	11.3	01.9-20.7	38	44.8	28.1-61.5	27	42.5	24.5-60.5			
55-64	175	55,857	3	0.9	00.0-02.1	7	1.9	00.1-03.7	36	15.6	08.7-22.5	116	74.9	66.1-83.7	13	6.7	02.0-11.4
65+	289	102,926	5	1.4	00.0-03.0	15	3.8	01.3-06.3	28	7.2	03.7-10.7	94	34.6	23.0-46.2	147	53.1	41.1-65.1
Less Than H.S.	129	87,968	3	1.3	00.0-03.1	11	8.8	02.1-15.5	20	11.5	05.0-18.0	57	46.0	30.5-61.5	38	32.4	15.9-48.9
H.S. or G.E.D.	213	75,036	8	19.1	00.0-45.4	19	9.7	03.2-16.2	44	20.1	09.7-30.5	86	34.8	21.1-48.5	56	16.3	09.0-23.6
Some Post-H.S.	151	50,984	5	5.1	00.0-10.6	8	5.3	00.6-10.0	38	25.6	15.4-35.8	60	40.6	25.5-55.7	40	23.4	13.6-33.2
College Graduate	86	21,680	1	0.6	00.0-01.8	6	10.1	00.1-20.1	21	36.3	10.0-62.6	32	26.8	13.1-40.5	26	26.1	04.1-48.1
Less than \$15,000	118	44,314	4	3.4	00.0-07.3	13	10.4	03.5-17.3	32	33.7	17.0-50.4	47	41.7	24.8-58.6	22	10.8	04.9-16.7
\$15,000- 24,999	160	55,059	6	1.8	00.2-03.4	13	12.8	04.4-21.2	36	17.6	10.0-25.2	59	44.1	28.0-60.2	46	23.8	11.6-36.0
\$25,000- 34,999	55	27,057	3	4.9	00.0-11.6	1	3.7	00.0-11.0	7	10.6	00.2-21.0	29	57.8	32.9-82.7	15	23.1	03.1-43.1
\$35,000- 49,999	51	18,969				5	6.6	00.3-12.9	13	28.2	10.8-45.6	19	44.0	25.6-62.4	14	21.2	08.1-34.3

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### **TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

	Data w							
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	6		No	1
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	937	505,467	284	35.0	28.5-41.5	653	65.0	58.5-71.5
Male	305	242,585	99	36.6	27.6-45.6	206	63.4	54.4-72.4
Female	632	262,882	185	33.5	23.7-43.3	447	66.5	56.7-76.3
White/Non-Hisp	738	393,714	217	32.4	25.7-39.1	521	67.6	60.9-74.3
Black or Afr. Am./Non-Hisp	149	85,917	51	43.6	22.2-65.0	98	56.4	35.0-77.8
45-54	124	95,163	41	37.7	19.9-55.5	83	62.3	44.5-80.1
55-64	278	128,901	83	30.0	18.4-41.6	195	70.0	58.4-81.6
65+	472	210,323	126	26.7	19.6-33.8	346	73.3	66.2-80.4
Less Than H.S.	199	165,162	59	26.3	16.1-36.5	140	73.7	63.5-83.9
H.S. or G.E.D.	327	173,786	102	42.4	31.0-53.8	225	57.6	46.2-69.0
Some Post-H.S.	245	117,377	82	41.5	27.4-55.6	163	58.5	44.4-72.6
College Graduate	159	48,114	38	22.5	13.1-31.9	121	77.5	68.1-86.9
Less than \$15,000	176	77,306	58	32.3	21.3-43.3	118	67.7	56.7-78.7
\$15,000- 24,999	235	111,866	73	31.7	18.4-45.0	162	68.3	55.0-81.6
\$25,000- 34,999	86	51,721	27	29.4	10.4-48.4	59	70.6	51.6-89.6
\$35,000- 49,999	93	40,523	28	28.3	16.0-40.6	65	71.7	59.4-84.0
\$50,000- 74,999	79	58,276	20	39.0	15.9-62.1	59	61.0	37.9-84.1
\$75,000+	51	38,223	18	53.8	29.3-78.3	33	46.2	21.7-70.7

### TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3	No				
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)		
Male	305	242,585	99	36.6	29.2-44.0	206	63.4	56.0-70.8		
White/Non-Hisp	252	196,836	80	33.5	26.4-40.6	172	66.5	59.4-73.6		
55-64	94	71,046	29	37.3	19.7-54.9	65	62.7	45.1-80.3		
65+	151	93,885	45	28.6	19.0-38.2	106	71.4	61.8-81.0		
Less Than H.S.	54	68,848	19	29.9	12.5-47.3	35	70.1	52.7-87.5		
H.S. or G.E.D.	96	92,813	32	40.8	29.0-52.6	64	59.2	47.4-71.0		
Some Post-H.S.	86	54,728	32	43.0	25.8-60.2	54	57.0	39.8-74.2		
College Graduate	69	26,196	16	26.4	11.9-40.9	53	73.6	59.1-88.1		
\$15,000-24,999	70	54 669	25	43.0	29 7-56 3	45	57.0	43 7-70 3		

### TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	u ubiii	Yes	1		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	632	262,882	185	33.5	23.5-43.5	447	66.5	56.5-76.5
White/Non-Hisp	486	196,878	137	31.3	21.5-41.1	349	68.7	58.9-78.5
Black or Afr. Am./Non-Hisp	114	57,251	38	42.4	12.8-72.0	76	57.6	28.0-87.2
45-54	81	48,322	27	45.6	21.1-70.1	54	54.4	29.9-78.9
55-64	184	57,855	54	21.0	13.0-29.0	130	79.0	71.0-87.0
65+	321	116,438	81	25.2	15.2-35.2	240	74.8	64.8-84.8
Less Than H.S.	145	96,314	40	23.7	11.5-35.9	105	76.3	64.1-88.5
H.S. or G.E.D.	231	80,973	70	44.2	25.8-62.6	161	55.8	37.4-74.2
Some Post-H.S.	159	62,649	50	40.2	18.8-61.6	109	59.8	38.4-81.2
College Graduate	90	21,918	22	17.9	07.7-28.1	68	82.1	71.9-92.3
Less than \$15,000	129	48,397	38	29.1	16.0-42.2	91	70.9	57.8-84.0
\$15,000- 24,999	165	57,197	48	20.8	12.2-29.4	117	79.2	70.6-87.8
\$25,000- 34,999	58	28,756	20	42.4	15.0-69.8	38	57.6	30.2-85.0
\$35,000- 49,999	54	19,591	16	29.2	12.1-46.3	38	70.8	53.7-87.9

### MODULE 2: DIABETES

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Neve	er	< 1	1 time p	er Day	1-5	times	per Day	> 5	times	oer Day		No F	eet
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	919	528,188	62	4.6	02.6-06.6	194	21.3	16.8-25.8	652	67.4	60.9-73.9	6	0.5	00.0-01.1	5	6.2	01.3-11.1
Male	301	252,463	18	4.6	01.1-08.1	84	27.2	19.0-35.4	198	63.7	53.5-73.9				1	4.5	00.0-13.1
Female	618	275,725	44	4.6	02.8-06.4	110	15.9	11.2-20.6	454	70.8	62.8-78.8	6	1.0	00.0-02.0	4	7.6	00.9-14.3
White/Non-Hisp	723	404,200	52	4.0	02.4-05.6	161	22.7	17.2-28.2	500	67.4	60.7-74.1	6	0.7	00.0-01.5	4	5.2	00.7-09.7
Black or Afr. Am./Non-Hisp	146	86,931	4	5.8	00.0-13.8	24	17.1	06.3-27.9	118	77.1	64.0-90.2						
45-54	124	104,184	7	6.2	00.0-13.5	25	27.6	12.7-42.5	90	60.5	43.6-77.4	1	0.2	00.0-00.6	1	5.5	00.0-15.9
55-64	270	125,245	27	7.0	03.3-10.7	64	27.5	18.5-36.5	179	65.6	56.0-75.2						
65+	465	229,998	22	2.5	01.1-03.9	95	18.9	12.8-25.0	342	66.7	56.9-76.5	2	0.3	00.0-00.7	4	11.6	01.4-21.8
Less Than H.S.	194	176,581	13	3.2	00.8-05.6	37	18.9	10.7-27.1	142	67.9	55.0-80.8				2	10.0	00.0-22.9
H.S. or G.E.D.	322	183,447	20	6.2	01.5-10.9	67	24.3	14.9-33.7	231	63.3	51.5-75.1	2	0.2	00.0-00.6	2	5.9	00.0-13.5
Some Post-H.S.	241	116,162	15	4.4	01.7-07.1	52	17.7	10.8-24.6	172	76.5	68.5-84.5	2	1.4	00.0-03.6			
College Graduate	156	51,085	12	3.5	01.1-05.9	38	27.4	15.1-39.7	103	59.8	44.9-74.7	2	1.5	00.0-03.7	1	7.7	00.0-22.0
Less than \$15,000	177	101,764	9	1.9	00.3-03.5	31	17.6	07.6-27.6	133	53.5	37.0-70.0				4	27.0	08.4-45.6
\$15,000- 24,999	231	110,748	18	8.0	01.5-14.5	44	19.3	11.1-27.5	168	72.5	62.5-82.5	1	0.2	00.0-00.6			
\$25,000- 34,999	84	50,598	1	0.7	00.0-02.1	22	24.1	08.8-39.4	60	74.6	59.3-89.9	1	0.7	00.0-02.1			
\$35,000- 49,999	91	39,746	4	3.4	00.0-07.7	19	24.0	11.3-36.7	68	72.6	59.7-85.5						
\$50,000- 74,999	79	58,276	1	0.3	00.0-00.9	23	36.4	15.8-57.0	55	63.3	42.7-83.9						
\$75,000+	50	37,630	5	4.2	00.0-08.9	13	30.6	06.5-54.7	31	64.0	39.7-88.3	1	1.3	00.0-04.0			

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

# TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Never < 1 time per Day 1-5 times per Day No Feet **GROUPS TOTAL** WEIGHTED Ν % C.I. (95%) Ν C.I. (95%) C.I. (95%) Ν C.I. (95%) Ν Male 301 252,463 18 4.6 01.3-07.9 27.2 19.6-34.8 63.7 52.9-74.5 4.5 00.0-13.3 84 198 White/Non-Hisp 247 191,977 00.6-04.6 31.0 21.8-40.2 66.4 57.2-75.6 12 2.6 72 163 55-64 92 70,689 7 00.0-09.8 34 34.7 20.4-49.0 51 60.6 45.7-75.5 4.7 65+ 148 100.606 7 2.0 00.0-04.0 36 22.2 11.6-32.8 104 64.4 47.3-81.5 11.4 00.0-31.4 Less Than H.S. 53 76,953 2 1.2 00.0-03.0 12 22.4 07.5-37.3 38 61.5 38.6-84.4 14.9 00.0-40.2 H.S. or G.E.D. 96 95,805 7 8.8 00.4-17.2 31 33.5 18.4-48.6 58 57.8 42.7-72.9 Some Post-H S 84 53.771 3 2.7 00.0-06.2 22 21.2 10.0-32.4 59 76 1 64.3-87.9 68 College Graduate 25.934 6 3.6 00.3-06.9 19 30.6 17.1-44.1 43 65.8 52.1-79.5 \$15,000-24,999 69 55,091 7.2 00.0-19.2 24.0 11.1-36.9 45 68.8 52.1-85.5

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

# TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Nev	er	< 1	time p	er Day	1-5	times	per Day	> 5	times	per Day		No F	eet
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	618	275,725	44	4.6	02.8-06.4	110	15.9	11.4-20.4	454	70.8	62.6-79.0	6	1.0	00.0-02.0	4	7.6	01.1-14.1
White/Non-Hisp	476	212,222	40	5.3	02.9-07.7	89	15.2	10.3-20.1	337	68.2	59.2-77.2	6	1.3	00.0-02.7	4	9.9	02.1-17.7
Black or Afr. Am./Non-Hisp	110	54,749	1	0.6	00.0-01.8	17	17.1	03.2-31.0	92	82.3	68.2-96.4						
45-54	80	53,828	5	4.7	00.0-10.8	14	18.0	04.7-31.3	59	66.1	43.8-88.4	1	0.4	00.0-01.2	1	10.7	00.0-30.3
55-64	178	54,556	20	9.9	04.8-15.0	30	18.1	09.3-26.9	128	72.0	61.8-82.2						
65+	317	129,392	15	2.8	00.8-04.8	59	16.3	09.2-23.4	238	68.6	57.0-80.2	2	0.5	00.0-01.1	3	11.8	00.6-23.0
Less Than H.S.	141	99,627	11	4.7	00.8-08.6	25	16.2	07.6-24.8	104	72.9	59.2-86.6				1	6.3	00.0-18.1
H.S. or G.E.D.	226	87,642	13	3.4	01.0-05.8	36	14.4	06.6-22.2	173	69.4	52.9-85.9	2	0.5	00.0-01.3	2	12.3	00.0-27.6
Some Post-H.S.	157	62,391	12	5.9	01.6-10.2	30	14.7	07.3-22.1	113	76.8	66.4-87.2	2	2.6	00.0-06.7			
College Graduate	88	25,152	6	3.3	00.0-06.6	19	24.2	03.8-44.6	60	53.7	27.8-79.6	2	3.1	00.0-07.6	1	15.7	00.0-43.1
Less than \$15,000	129	61,372	7	2.1	00.3-03.9	21	15.3	04.5-26.1	98	56.6	37.4-75.8				3	26.0	05.8-46.2
\$15,000- 24,999	162	55,658	16	8.9	04.0-13.8	22	14.6	04.4-24.8	123	76.1	64.9-87.3	1	0.4	00.0-01.2			
\$25,000- 34,999	58	28,756	1	1.2	00.0-03.6	12	14.3	03.7-24.9	44	83.4	71.8-95.0	1	1.2	00.0-03.6			
\$35,000- 49,999	53	18,910	2	6.3	00.0-15.1	10	31.3	11.9-50.7	41	62.3	43.1-81.5						

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 2: DIABETES** 

### TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND. BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Times per Week **Times per Month** Times per Day Times per Year Never No Feet **GROUPS** WEIGHTED TOTAL C.I. (95%) C.I. (95%) C.I. (95%) C.I. (95%) C.I. (95%) Ν C.I. (95%) TOTAL 492,185 76.0 70.9-81.1 9.9 06.2-13.6 3.9 01.0-06.8 10 0.8 00.2-01.4 6.6 04.6-08.6 12 2.8 893 677 83 30 81 00.1-05.5 239.311 64.3-81.1 05.3-18.7 00.5-07.5 00.0-02.2 03.9-10.5 0.80-0.00 Male 216 72.7 12.0 13 3 1.0 7.2 3.1 Female 600 252.874 461 79.0 72.7-85.3 56 7.9 04.6-11.2 17 3.8 00.0-08.3 7 00.1-01.3 51 6.1 03.9-08.3 8 2.5 00.0-05.0 White/Non-Hisp 379.544 524 73.6 67.3-79.9 10.9 06.4-15.4 22 3.6 00.3-06.9 7 0.9 00.1-01.7 73 7.4 05.0-09.8 3.6 00.1-07.1 701 64 11 Black or Afr. Am./Non-Hisp 00.6-08.4 5.1 00.0-12.7 00.0-00.4 145 87,756 119 89.0 80.2-97.8 14 4.5 6 2 0.2 3 1.1 00.0-02.7 0.2 00.0-00.6 45-54 120 97,027 71.5 56.0-87.0 11.0 00.6-21.4 5.2 00.0-12.3 10 01.0-08.4 7.6 00.0-19.2 90 11 5 4.7 55-64 264 121.893 200 80.3 73 4-87 2 26 7.5 03 4-11 6 7 16 00 0-03 2 0.8 00 0-01 8 25 9.6 04 7-14 5 2 02 00.0-00.6 65+ 449 203.533 343 74.0 66.2-81.8 11.1 05.8-16.4 17 5.9 00.0-11.8 1.2 00.0-02.6 37 5.7 03.2-08.2 5 2.0 00.0-04.5 Less Than H.S. 70.2-89.0 190 160,366 152 79.6 11 00.3-10.5 5.4 00.0-12.8 0.3 00.0-00.9 17 02.4-09.0 3.6 00.0-07.7 H.S. or G.E.D. 314 172,878 230 73.7 63.9-83.5 29 10.3 03.6-17.0 15 4.0 00.0-08.1 4 0.8 00.0-01.8 34 7.7 04.0-11.4 2 3.5 00.0-10.2 2.1 00.0-04.3 00.0-01.5 Some Post-H.S. 236 112,736 191 80.3 71.3-89.3 19 11.6 03.4-19.8 6 2 0.5 17 5.4 02.1-08.7 0.1 00.0-00.3 College Graduate 148 45.350 102 62.0 47.9-76.1 24 20.3 08.0-32.6 2.1 00.0-04.5 3 3.5 00.0-08.4 12 8.5 00.9-16.1 3 3.6 00.0-08.9 Less than \$15,000 170 75,624 141 88.2 81.9-94.5 9 5.4 00.7-10.1 0.5 00.0-01.3 2 0.2 00.0-00.4 14 5.4 01.5-09.3 2 00.0-01.0 \$15,000-24,999 228 111,054 173 70.2 58.6-81.8 22 04.5-23.7 7.0 00.1-13.9 00.0-02.1 20 03.0-10.8 3 1.1 00.0-02.9 \$25.000-34.999 82 50.200 56 67.6 47.6-87.6 9 00.6-10.8 7 16.6 00.0-37.2 1.0 00.0-03.0 7 3.7 00.2-07.2 2 00.0-14.8 \$35,000-49,999 87 38,129 78.8 67.6-90.0 11 01.2-15.8 3.2 00.3-06.1 2 00.0-09.4 00.0-12.6 78 \$50,000-74,999 57,799 59 71.7 52.1-91.3 7 6.0 00.5-11.5 3 1.8 00.0-04.3 10.2 01.2-19.2 10.4 00.0-29.0

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**MODULE 2: DIABETES** 

# TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Times per Day Times per Week **Times per Month** Never No Feet Times per Year **GROUPS** TOTAL WEIGHTED C.I. (95%) C.I. (95%) Ν C.I. (95%) C.I. (95%) C.I. (95%) C.I. (95%) 293 239,311 216 72.7 64.3-81.1 27 12.0 05.3-18.7 4.0 00.5-07.5 3 1.0 00.0-02.2 7.2 04.1-10.3 4 3.1 0.0-08.0 Male 13 30 White/Non-Hisp 241 190,786 180 72.6 63.2-82.0 05.3-21.3 00.0-04.8 1.0 00.0-02.4 6.7 03.4-10.0 3.9 00.0-10.0 23 13.3 2 23 55-64 89 67,083 81.0 70.8-91.2 5.8 00.0-11.7 1.8 00.0-04.7 0.7 00.0-02.1 10.4 03.0-17.8 0.3 00.0-00.9 68 5 12 65+ 145 92.358 108 75.2 64.6-85.8 15 03.5-21.9 4.0 00.0-08.3 2.0 00.0-04.7 11 4.8 00.9-08.7 1.4 00.0-03.9 Less Than H.S. 52 67,445 43 83.9 71.0-96.8 2 7.4 00.0-18.4 2.7 00.0-07.8 0.7 00.0-02.1 5.3 00.0-10.8 1 5 H.S. or G.E.D. 93 94,960 60 66.2 51.7-80.7 9 11.9 00.9-22.9 8 5.9 00.0-13.3 1 0.8 00.0-02.4 13 8.8 03.3-14.3 2 6.4 00.0-18.2 Some Post-H S 85 52.697 71 77.9 61.0-94.8 7 15.3 00.0-31.8 2 29 00.0-07.0 5 3.9 00.0-08.4 63 2.4 College Graduate 24.209 42 55.8 38.9-72.7 9 18.2 05.7-30.7 00.0-05.9 4.4 00.0-12.6 7 13.5 00.0-27.2 5.9 00.0-15.3 1 69 \$15,000-24,999 57,043 65.4 49.1-81.7 13.0 00.0-27.7 12.0 00.0-24.7 1.4 00.0-04.1 8.2 01.9-14.5

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND. BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Times per Day Times per Week **Times per Month** No Feet Times per Year Never **GROUPS** TOTAL WEIGHTED C.I. (95%) C.I. (95%) C.I. (95%) C.I. (95%) C.I. (95%) Ν C.I. (95%) 600 252,874 461 79.0 72.7-85.3 7.9 04.6-11.2 3.8 00.0-08.3 7 0.7 00.1-01.3 6.1 03.9-08.3 8 2.5 00.0-05.0 Female 56 17 51 White/Non-Hisp 188.759 66.5-82.5 04.4-12.6 00.0-10.9 00.0-01.6 05.0-11.2 00.0-06.8 460 344 74.5 13 5 0.8 50 8.1 0.9 Black or Afr. Am./Non-Hisp 110 56.052 91 93.7 88.8-98.6 12 4.6 00.1-09.1 3 00.0-02.1 2 0.3 00.0-00.7 1 0.2 00.0-00.6 0.4 00.0-01.2 45-54 78 47.969 85.4 75.2-95.6 6.6 00.3-12.9 1.2 00.0-02.8 6 00.0-09.0 3 2.8 00.0-06.9 61 6 55-64 70.9-88.1 03.7-15.5 1.4 00.0-02.8 02.6-14.4 175 54,811 132 79.5 21 9.6 5 3 0.9 00.0-02.3 13 8.5 0.1 00.0-00.3 65+ 304 00.0-17.4 03.2-09.8 3 111,174 235 73.1 61.7-84.5 28 9.8 03.7-15.9 10 7.4 2 0.6 00.0-01.6 26 6.5 2.6 00.0-06.9 Less Than H.S. 138 92 921 109 76.5 63 2-89 8 9 00 8-07 0 00 0-19 5 12 6.0 01 7-10 3 62 00 0-13 3 H.S. or G.E.D. 221 77.918 170 82.8 74.6-91.0 20 8.4 02.5-14.3 1.8 00.2-03.4 3 0.7 00.0-01.7 21 02.2-10.4 Some Post-H.S. 151 60,039 120 82.4 73.8-91.0 12 02.6-14.0 00.0-03.2 1.0 00.0-02.8 12 01.8-11.6 00.0-00.3 College Graduate 85 21,141 60 69.2 46.5-91.9 15 22.7 00.4-45.0 1.8 00.0-04.7 2 2.5 00.0-06.6 5 00.1-05.5 1.0 00.0-03.0 80.5-95.7 00.0-01.4 Less than \$15,000 124 46,893 105 88.1 6 4.2 00.0-08.7 0.3 00.0-00.7 10 6.9 01.0-12.8 0.4 \$15.000-24.999 159 54.011 122 75.3 62.8-87.8 17 15.3 03.9-26.7 1.8 00.0-03.8 13 5.4 01.9-08.9 3 2.2 00.0-05.5 \$25,000-34,999 57 28.675 41 60.5 31.5-89.5 7 00.0-09.4 22.8 00.0-55.3 4 00.0-07.5 8.7 00.0-25.0

00.2-07.6

52

18.569

38

80 1

66.6-93.6

\$35.000-49.999

00.0-12.0

1.9

00 0-05 6

59

3.2

82

00 0-19 8

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

### TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER 3 times 1 time 2 times 4 times 5 or more times None **GROUPS** TOTAL WEIGHTED % C.I. (95%) Ν C.I. (95%) Ν % C.I. (95%) % C.I. (95%) C.I. (95%) Ν % C.I. (95%) TOTAL 09.2-18.6 14.2-23.6 21.2-32.2 12.2 907 493.030 96 13.9 168 20.1 13.8-26.4 204 18.9 240 26.7 109 07.9-16.5 90 8.2 05.3-11.1 08.3-22.1 13.6-28.2 11.2-23.0 25.6 17.0-34.2 05.6-20.4 02.9-13.5 Male 234,931 30 15.2 71 20.9 17 1 73 32 13.0 82 297 61 30 Female 610 258,098 66 12.8 06.3-19.3 97 19.3 09.3-29.3 143 20.6 13.3-27.9 167 27.7 21.4-34.0 77 11.5 06.8-16.2 60 8.1 05.0-11.2 White/Non-Hisp 383,502 07.6-17.4 12.4-24.2 13.5-24.9 23.9-36.9 06.6-14.8 05.2-12.6 715 70 12.5 133 18.3 153 19.2 199 82 10.7 78 Black or Afr. Am./Non-Hisp 143 83.953 22 21.9 06.4-37.4 26 24.1 00.4-47.8 40 18.2 09.0-27.4 31 12.8 05.2-20.4 20 19.1 02.4-35.8 3.9 00.0-09.8 45-54 122 94,874 16 11.6 00.8-22.4 17 22.9 05.3-40.5 23 9.2 03.9-14.5 34 24.1 12.3-35.9 24 20.6 06.9-34.3 8 11.6 00.0-24.1 55-64 13.4-35.4 13.0 07.7-18.3 66 30.7 18.7-42.7 7.0 03.3-10.7 269 126,575 36 24.4 46 61 17.5 11.2-23.8 29 31 04.1-10.7 65+ 455 202.016 36 10.8 04.3-17.3 98 19.5 13.8-25.2 113 28.2 19.6-36.8 126 27.4 20.7-34.1 42 8.0 04.1-11.9 40 6.0 03.6-08.4 Less Than H.S. 159.347 177 08 3-27 1 06 0-23 6 217 10 7-32 7 26.6 17 4-35 8 13 1 07 2-19 0 01 6-10 6 191 24 29 148 38 53 33 14 6 1 H.S. or G.E.D. 12.3-25.3 15.2-36.0 04.0-18.8 314 169,881 32 12.3 05.2-19.4 50 21.4 08.1-34.7 76 18.8 85 25.6 38 11.4 33 10.5 03.4-17.6 Some Post-H.S. 241 115,389 26 13.8 03.8-23.8 45 24.4 10.5-38.3 14.4 08.9-19.9 61 27.3 17.1-37.5 28 12.9 02.3-23.5 23 03.3-11.1 58 22.9 29.7 College Graduate 156 47.697 12 7.3 01.4-13.2 44 14.1-31.7 32 20.7 11.5-29.9 39 17.0-42.4 10 10.7 00.0-24.6 19 8.6 03.5-13.7 06.5-30.1 04.3-15.3 05.8-20.0 13.9-35.5 13.3-36.5 02.3-16.5 Less than \$15,000 171 75,961 17 18.3 27 9.8 27 12.9 50 24.7 34 24.9 16 94 \$15,000-24,999 231 108,194 33 17.8 06.8-28.8 10.9 05.4-16.4 19.5 12.8-26.2 53 35.5 21.6-49.4 28 9.6 04.1-15.1 25 03.4-10.0 29 63 6.7 \$25,000-34,999 84 51,291 26.2 05.8-46.6 27.3 10.6-44.0 10.5 03.1-17.9 22 21.0 08.3-33.7 01.4-21.8 7 00.4-06.2 11 21 13 10 11.6 3.3 93 \$35,000-49,999 40.523 8 7.0 01.5-12.5 23 20.0 10.0-30.0 23 24.8 12.6-37.0 31 41.3 26.2-56.4 5 32 00.0-07.3 3 36 00.0-07.9 \$50,000-74,999 78 56,815 4 2.5 00.0-05.2 25 39.2 15.3-63.1 17 18.1 05.6-30.6 22 21.9 09.0-34.8 3 00.0-06.9 7 15.2 00.0-34.2 3.0 \$75,000+ 51 38,223 00.0-37.7 02.7-23.1 16.0 03.3-28.7 13 11.6-51.6 00.0-45.9 00.2-13.6 14.4 12 12.9 13 31.6 18.1 6.9

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

### **MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

						Dat	ta wa:	s weighte	d usir	ng _L	LCPWT.									
DEMOGRAPHIC	RESPONDE	NT NUMBER		1 tin	ne		2 tim	es		3 tim	es		4 tim	ies	5 (	or more	times		Non	e
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	297	234,931	30	15.2	08.7-21.7	71	20.9	14.0-27.8	61	17.1	11.4-22.8	73	25.6	16.6-34.6	32	13.0	05.2-20.8	30	8.2	02.9-13.5
White/Non-Hisp	247	190,710	22	13.1	06.0-20.2	59	19.7	13.0-26.4	48	16.8	10.3-23.3	67	30.1	19.3-40.9	23	10.7	03.4-18.0	28	9.6	03.1-16.1
55-64	91	70,091	12	24.8	10.3-39.3	18	13.0	05.0-21.0	16	14.0	05.6-22.4	26	34.9	16.7-53.1	7	5.8	00.3-11.3	12	7.6	02.3-12.9
65+	147	88,588	13	11.9	04.6-19.2	45	28.2	17.6-38.8	33	25.9	15.1-36.7	34	21.2	12.4-30.0	11	8.4	02.1-14.7	11	4.5	01.4-07.6
Less Than H.S.	51	64,379	8	22.9	08.2-37.6	8	22.6	03.6-41.6	9	15.2	02.3-28.1	13	23.8	09.5-38.1	11	13.8	04.2-23.4	2	1.6	00.0-04.1
H.S. or G.E.D.	93	91,291	11	16.1	04.1-28.1	21	18.2	08.0-28.4	18	18.2	09.2-27.2	20	21.8	03.8-39.8	11	11.9	00.0-25.6	12	13.6	01.3-25.9
Some Post-H.S.	. 85	53,328	7	7.2	00.0-15.4	22	21.7	10.7-32.7	18	12.7	05.1-20.3	26	34.6	17.0-52.2	7	18.8	00.0-39.8	5	5.0	00.1-09.9
College Graduat	e 68	25,934	4	9.4	00.0-19.4	20	24.6	12.3-36.9	16	27.0	13.5-40.5	14	24.7	10.2-39.2	3	2.5	00.0-05.4	11	11.9	03.5-20.3
\$15,000- 24,999	68	51,259	10	13.4	05.2-21.6	11	10.4	02.0-18.8	14	16.1	06.1-26.1	17	41.3	26.8-55.8	9	12.8	02.4-23.2	7	5.9	01.0-10.8

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### **MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER 3 times 5 or more times 1 time 2 times 4 times None **GROUPS** TOTAL WEIGHTED % C.I. (95%) Ν C.I. (95%) Ν % C.I. (95%) % C.I. (95%) C.I. (95%) Ν % C.I. (95%) 13.2-28.0 27.7 21.6-33.8 06.8-16.2 Female 610 258.098 12.8 06.3-19.3 97 19.3 09.3-29.3 143 20.6 167 11.5 05.0-11.2 192,792 05.4-18.4 07.8-26.2 12.8-30.4 23 1-38 3 06.6-14.8 White/Non-Hisp 48 11.9 17.0 21.6 132 30.7 10.7 82 04.9-11.5 468 74 105 59 50 Black or Afr. Am./Non-Hisp 110 56,553 16 17.3 00.0-37.1 17 27.0 00.0-60.7 33 19.1 07.7-30.5 28 17.7 06.3-29.1 13 14.3 00.0-30.2 3 4.6 00.0-13.0 45-54 48.033 9.2 01.0-17.4 28.6 00.0-57.4 10.0 02.2-17.8 28.3 10.7-45.9 17.7 03.8-31.6 00.0-16.2 79 12 11 13 25 14 6.2 55-64 178 56.484 24 23.8 07.9-39.7 28 13.0 06.5-19.5 45 21.9 12.7-31.1 40 25.6 15.4-35.8 22 8.5 03.8-13.2 19 03.3-11.1 65+ 308 113,428 23 10.0 00.0-20.0 53 12.7 08.0-17.4 80 30.1 17.2-43.0 92 32.3 22.3-42.3 31 7.7 03.0-12.4 29 7.3 03.8-10.8 Less Than H.S. 04.3-14.5 10.5-41.9 28.5 16.5-40.5 140 94,968 16 14.2 02.0-26.4 21 9.4 29 26.2 40 22 12.6 05.0-20.2 12 9.1 01.8-16.4 H.S. or G.E.D. 02.7-12.9 10.8-28.4 17.6-42.2 221 78.590 21 7.8 29 25.1 01.6-48.6 58 19.6 65 29.9 27 10.7 03.6-17.8 21 6.9 03.0-10.8 Some Post-H.S. 156 62.061 19 19.4 02.3-36.5 23 26.7 03.0-50.4 40 16.0 08.4-23.6 35 21.0 11.0-31.0 21 7.8 02.9-12.7 18 9.2 03.1-15.3 College Graduate 88 21,763 00.8-09.0 20.9 08.9-32.9 13.3 03.3-23.3 25 35.7 13.0-58.4 20.5 00.0-48.5 4.7 00.8-08.6 8 4.9 24 16 7 8 Less than \$15,000 126 47,916 11 6.5 01.2-11.8 03.7-16.7 13.0 04.6-21.4 37 27.4 12.7-42.1 31.0 14.9-47.1 12 11.9 01.3-22.5 22 19 25 23 22.5 13.9-31.1 36 30.2 16.9-43.5 7.4 \$15.000-24.999 163 56.936 21.8 04.9-38.7 18 11.3 04.4-18.2 49 19 6.7 02.8-10.6 18 03.3-11.5 57 28.588 7 00.0-60.8 01.2-23.2 09.5-50.7 7 00.0-29.7 00.0-09.0 \$25,000-34,999 30.0 10 9.6 01.6-17.6 9 12.2 19 30.1 13.8 5 4.3 54 \$35,000-49,999 19,591 12.9 02.3-23.5 10 05.1-28.3 13 26.8 09.4-44.2 20 41.0 23.0-59.0 2.5 00.0-05.2

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

# TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER NONE 1-2 per yr 5-9 per yr 10 or more per yr Never Heard of **GROUPS** WEIGHTED Ν TOTAL C.I. (95%) C.I. (95%) Ν C.I. (95%) C.I. (95%) Ν C.I. (95%) Ν C.I. (95%) TOTAL 867 478,404 322 44.9 40.8 34.3-47.3 25 2.0 00.8-03.2 24 3.4 00.5-06.3 8.0 03.7-12.3 11 0.8 38.0-51.8 407 78 00.0-01.8 229,155 28.2-45.8 00.0-02.8 00.0-10.6 02.0-07.0 00.0-03.0 Male 125 51.1 41.7-60.5 122 37.0 1.4 8 4.9 20 4.5 1.2 Female 582 249.249 197 39.3 29.3-49.3 285 44.4 35.4-53.4 19 2.5 00.5-04.5 16 2.1 00.7-03.5 58 11.3 03.7-18.9 7 0.5 00.1-00.9 White/Non-Hisp 684 371.779 254 43.4 36.7-50.1 44.4 37.3-51.5 1.4 00.4-02.4 15 2.1 00.7-03.5 7.7 02.6-12.8 1.0 00.0-02.2 328 18 60 9 Black or Afr. Am./Non-Hisp 13.0-42.4 00.0-09.4 00.0-23.6 00.0-11.4 2 136 81,300 54 53.8 34.0-73.6 60 27.7 4 3.9 6 9.1 10 5.1 0.3 00.0-00.7 45-54 120 94.604 41 39.5 23.0-56.0 29.4 16.9-41.9 5.2 00.0-10.5 9.3 00.0-21.8 16.2 00.0-33.8 00.0-01.2 52 8 11 55-64 265 124.747 103 45.1 33 7-56 5 113 40.6 29 0-52 2 7 24 00 2-04 6 26 00 1-05 1 27 6.7 02.8-10.6 6 25 00.0-05.8 65+ 423 190.412 156 45.3 36.5-54.1 214 46.7 37.9-55.5 11 8.0 00.2-01.4 5 1.8 00.0-04.0 33 5.2 02.7-07.7 4 0.2 00.0-00.4 Less Than H.S. 00.0-04.4 171 150,147 72 52.9 40.7-65.1 79 38.0 26.2-49.8 1.8 00.0-03.6 1.9 11 5.0 00.5-09.5 0.3 00.0-00.9 H.S. or G.E.D. 304 168,054 102 43.7 30.6-56.8 144 43.9 31.7-56.1 13 3.3 00.4-06.2 8 2.0 00.2-03.8 30 5.2 02.5-07.9 7 1.9 00.0-04.3 00.0-02.0 Some Post-H.S. 238 113,888 85 38.5 25.6-51.4 108 33.9 23.9-43.9 8 1.0 11 8.8 00.0-19.4 25 17.7 03.2-32.2 0.0 00.0-00.2 College Graduate 149 45.599 63 40.0 26.5-53.5 74 56.3 42.6-70.0 0.3 00.0-00.9 10 3.1 00.9-05.3 1 0.4 00.0-01.2 Less than \$15,000 163 72,018 49 36.3 23.4-49.2 77 43.9 30.8-57.0 7.5 00.6-14.4 6 1.8 00.0-03.8 21 10.1 02.7-17.5 2 00.0-01.0 \$15,000-24,999 220 106,470 82 42.7 29.4-56.0 101 46.2 32.5-59.9 0.7 00.0-01.5 3.8 00.0-07.7 22 02.5-09.1 00.0-01.7

\$25,000-34,999

\$35,000-49,999

\$50,000-74,999

82

90

75

50.856

39,790

54,066

37

44

26

69.0

51.8

34.7

55.3-82.7

37.3-66.3

13.3-56.1

30

43

41

19.4

39.2

09.2-29.6

32.0-61.0

19.8-58.6

4

2

2.0

1.2

00.0-04.4

00.0-01.5

00.0-03.4

3

4.0

1.7

00.0-09.3

00.0-00.9

00.0-05.0

7

19.5

00.4-10.2

00.0-47.5

0.3

3.7

00.0-01.1

00.0-02.7

00.0-11.0

with a nati width of greater than to have been suppressed.

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 2: DIABETES** 

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER 5-9 per yr NONE **Never Heard of** 1-2 per yr 10 or more per yr **GROUPS** TOTAL WEIGHTED Ν C.I. (95%) C.I. (95%) C.I. (95%) C.I. (95%) C.I. (95%) Ν C.I. (95%) 285 229,155 125 51.1 42.7-59.5 37.0 29.7-44.3 1.4 00.0-02.8 4.9 00.0-10.6 4.5 02.1-06.9 1.2 00.0-03.0 Male 122 6 8 20 White/Non-Hisp 238 186,447 103 51.6 42.8-60.4 40.7 32.9-48.5 1.5 00.0-03.1 00.0-04.2 01.1-04.7 00.0-03.6 107 1.8 15 2.9 1.4 55-64 89 68,407 37 44.0 27.5-60.5 42.5 25.1-59.9 2.1 00.0-05.2 1.9 00.0-05.2 6.1 00.0-12.2 3.3 00.0-09.0 40 6 65+ 138 84.673 68 56.0 44.4-67.6 58 36.9 25.7-48.1 0.4 00.0-01.2 3.2 00.0-07.7 8 3.5 00.6-06.4 1 0.1 00.0-00.3 H.S. or G.E.D. 91 90,780 39 47.4 33.9-60.9 38 42.8 30.6-55.0 1.8 00.0-04.2 5.1 00.6-09.6 3 2.9 00.0-07.4 3 8 Some Post-H.S. 84 52,240 37 43.8 25.2-62.4 32 29.8 17.5-42.1 1 0.2 00.0-00.6 16.4 00.0-38.0 9 9.7 02.4-17.0 1 0.1 00.0-00.3 College Graduate 63 24.178 27 39.7 24.4-55.0 32 57.7 42.0-73.4 0.6 00.0-01.8 3 2.1 00.0-04.8 56.7 41.2-72.2 \$15.000-24.999 66 51.564 32.7 17.0-48.4 30 0.2 00.0-00.6 4.5 00.0-11.4 5.9 01.0-10.8 0.1 00.0-00.3

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER NONE 1-2 per yr 5-9 per yr 10 or more per yr Never Heard of **GROUPS** WEIGHTED Ν TOTAL C.I. (95%) C.I. (95%) Ν C.I. (95%) C.I. (95%) C.I. (95%) Ν C.I. (95%) 582 249,249 197 39.3 29.3-49.3 44.4 35.2-53.6 2.5 00.5-04.5 2.1 00.7-03.5 11.3 03.5-19.1 7 0.5 Female 285 19 16 58 00.1-00.9 White/Non-Hisp 185.332 26.4-44.0 38.1-58.1 00.4-02.0 00.6-04.2 02.8-22.0 00.0-01.2 446 151 35.2 48.1 13 1.2 11 45 5 Black or Afr. Am./Non-Hisp 105 55.229 36 54.2 28.9-79.5 51 32.3 11.5-53.1 5.8 00.0-14.0 3 0.9 00.0-02.1 9 6.3 00.0-15.1 2 0.4 00.0-01.0 45-54 78 47.941 24.1 09.4-38.8 38.8 18.2-59.4 7.2 00.0-16.8 3.3 00.0-07.2 7 26.6 00.0-56.4 26 37 55-64 32.8-60.2 26.5-50.1 00.0-05.4 00.0-07.6 03.4-11.6 176 56,340 66 46.5 73 38.3 5 2.7 3.5 21 7.5 4 1.5 00.0-03.5 65+ 285 36.8 24.3-49.3 0.6 00.0-01.4 02.8-10.2 3 105,739 88 156 54.6 42.1-67.1 10 1.1 00.3-01.9 3 25 6.5 0.4 00.0-00.8 Less Than H.S. 124 88.190 50 43.0 27 7-58 3 59 46 1 30 4-61 8 1.3 00 0-03 3 00 0-01 2 11 86 01 0-16 2 0.6 00.0-01.8 5.0 H.S. or G.E.D. 213 77.275 63 39.3 19.1-59.5 106 45.3 29.0-61.6 10 00.0-10.9 8 4.4 00.3-08.5 22 5.3 02.2-08.4 00.0-01.5 Some Post-H.S. 154 61,647 48 34.0 15.8-52.2 76 37.4 23.3-51.5 1.8 00.0-03.6 00.0-04.8 16 00.0-48.9 College Graduate 86 21,422 36 40.3 17.0-63.6 42 54.7 30.8-78.6 7 4.2 00.5-07.9 00.0-02.4 00.0-18.4 10.7 00.0-01.6 Less than \$15,000 121 45,766 35 22.0 11.4-32.6 59 56.0 40.1-71.9 8.8 1.9 00.0-04.4 15 00.3-21.1 2 0.6 \$15.000-24.999 154 54.906 58 52.0 39.1-64.9 71 36.4 25.0-47.8 3 1.2 00.0-02.8 3.1 00.0-07.2 15 5.8 02.1-09.5 3 1.3 00.0-03.3 \$25,000-34,999 56 28,379 23 66.3 46.9-85.7 25 26.6 09.9-43.3 2 0.8 00.0-02.2 2 3.1 00.0-08.6 3 26 00.0-06.1 0.6 00.0-01.8 \$35.000-49.999 52 19.182 22 43.3 24.9-61.7 28 55.1 36.7-73.5 1.0 00 0-03 0 0.5 00 0-01 7

vien a nair vien or greater than 10 have been suppressed.

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

						Dat	ta was	s weighte	d usir	ng _Ll	LCPWT.									
DEMOGRAPHIC	RESPONDE	NT NUMBER		1 tim	ne		2 tim	es		3 tim	es		4 tim	es	5 (	or more	times		Non	e
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	895	479,823	147	17.9	12.2-23.6	142	16.7	11.0-22.4	127	15.3	10.4-20.2	151	16.3	11.8-20.8	76	10.2	05.5-14.9	252	23.5	19.0-28.0
Male	293	229,448	50	16.9	10.2-23.6	51	14.6	09.1-20.1	40	16.6	09.9-23.3	45	14.5	07.1-21.9	24	13.8	05.0-22.6	83	23.6	16.9-30.3
Female	602	250,375	97	18.9	10.3-27.5	91	18.7	09.3-28.1	87	14.0	06.9-21.1	106	18.0	13.1-22.9	52	7.0	03.9-10.1	169	23.4	17.1-29.7
White/Non-Hisp	703	369,737	108	19.1	12.4-25.8	107	14.8	10.9-18.7	102	16.7	10.8-22.6	118	17.6	12.1-23.1	57	8.1	04.2-12.0	211	23.8	19.3-28.3
Black or Afr. Am./Non-Hisp	143	84,362	32	15.9	06.7-25.1	28	28.2	05.7-50.7	17	9.8	03.1-16.5	25	12.1	04.5-19.7	14	13.8	00.0-28.3	27	20.2	05.1-35.3
45-54	119	87,771	16	26.4	07.0-45.8	16	13.0	04.0-22.0	19	12.0	03.4-20.6	17	13.5	04.1-22.9	14	14.4	00.5-28.3	37	20.7	10.9-30.5
55-64	270	127,541	53	18.8	11.5-26.1	43	13.0	07.5-18.5	28	9.6	04.5-14.7	46	18.0	06.4-29.6	24	7.1	03.2-11.0	76	33.5	22.5-44.5
65+	446	196,405	65	16.2	08.9-23.5	77	17.3	11.6-23.0	75	21.6	13.0-30.2	78	17.4	11.9-22.9	28	5.8	02.3-09.3	123	21.7	16.2-27.2
Less Than H.S.	188	155,155	30	20.9	11.1-30.7	27	12.3	05.8-18.8	21	15.3	04.5-26.1	29	13.9	07.0-20.8	24	12.7	04.1-21.3	57	25.0	16.2-33.8
H.S. or G.E.D.	313	164,849	50	14.8	07.5-22.1	45	21.1	07.6-34.6	57	17.4	10.7-24.1	53	18.4	08.2-28.6	24	8.6	01.2-16.0	84	19.6	13.5-25.7
Some Post-H.S.	240	116,804	38	18.3	04.0-32.6	38	12.5	07.0-18.0	31	12.8	04.6-21.0	44	16.6	10.1-23.1	24	12.5	02.1-22.9	65	27.3	16.1-38.5
College Graduate	150	42,503	29	18.6	10.4-26.8	32	27.5	12.8-42.2	18	14.0	05.8-22.2	24	16.2	06.8-25.6	4	1.4	00.0-03.2	43	22.4	13.6-31.2
Less than \$15,000	171	76,298	19	12.2	03.8-20.6	26	16.2	05.8-26.6	18	9.5	02.8-16.2	33	20.3	09.9-30.7	24	13.5	06.1-20.9	51	28.4	16.8-40.0
\$15,000- 24,999	225	106,861	40	12.4	06.9-17.9	32	13.3	07.2-19.4	46	20.3	10.9-29.7	29	18.1	04.0-32.2	20	8.8	03.1-14.5	58	27.2	15.2-39.2
\$25,000- 34,999	83	48,920	20	33.0	12.6-53.4	12	21.9	04.8-39.0	9	7.7	01.4-14.0	11	8.6	01.7-15.5	7	9.0	00.0-19.0	24	19.9	09.1-30.7
\$35,000- 49,999	92	40,410	18	25.9	11.2-40.6	17	14.3	06.3-22.3	11	10.6	02.8-18.4	24	26.4	13.5-39.3	3	2.8	00.0-06.9	19	20.1	09.5-30.7
\$50,000- 74,999	74	47,896	13	25.3	00.0-54.7	19	19.8	07.1-32.5	9	22.8	05.9-39.7	19	19.3	07.0-31.6	2	1.1	00.0-02.7	12	11.7	03.1-20.3
\$75,000+	51	38,223	9	21.1	00.0-44.0	9	14.4	02.2-26.6	8	10.6	00.0-21.4	5	12.2	00.0-24.7	3	20.3	00.0-47.7	17	21.3	08.6-34.0

29 of 224

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

						Dat	ta wa	s weighte	d usir	ng _L	LCPWT.									
DEMOGRAPHIC	RESPONDE	NT NUMBER		1 tin	ne		2 tim	ies		3 tim	es		4 tim	es	5 c	r more	e times		Non	е
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	293	229,448	50	16.9	10.4-23.4	51	14.6	09.1-20.1	40	16.6	09.9-23.3	45	14.5	06.7-22.3	24	13.8	04.6-23.0	83	23.6	17.5-29.7
White/Non-Hisp	242	184,602	41	17.2	09.9-24.5	40	15.0	08.7-21.3	31	17.3	09.5-25.1	40	16.7	07.1-26.3	17	9.3	01.9-16.7	73	24.6	17.9-31.3
55-64	93	70,821	22	22.0	09.8-34.2	13	10.8	03.4-18.2	8	9.2	01.6-16.8	14	18.7	00.0-37.9	9	7.3	01.2-13.4	27	31.9	17.8-46.0
65+	142	87,681	23	14.5	06.5-22.5	33	23.2	12.8-33.6	21	21.8	11.0-32.6	22	13.3	06.0-20.6	6	5.8	00.0-11.7	37	21.5	13.1-29.9
Less Than H.S.	51	65,405	11	21.5	07.6-35.4	7	12.0	00.0-24.2	5	11.1	00.0-23.3	7	7.1	00.6-13.6	8	19.7	01.7-37.7	13	28.5	12.8-44.2
H.S. or G.E.D.	92	85,813	11	15.4	03.2-27.6	18	16.5	06.9-26.1	15	19.7	09.5-29.9	13	19.9	00.9-38.9	5	8.5	00.0-22.2	30	20.0	11.8-28.2
Some Post-H.S.	86	54,728	13	12.0	01.8-22.2	15	12.7	04.9-20.5	12	18.6	02.5-34.7	16	14.6	05.6-23.6	9	20.1	00.0-40.5	21	21.9	11.5-32.3
College Graduate	64	23,502	15	20.8	08.8-32.8	11	19.2	07.2-31.2	8	15.9	03.7-28.1	9	15.1	01.0-29.2	2	2.0	00.0-05.1	19	26.9	13.8-40.0
\$15,000- 24,999	70	54,669	9	7.6	00.9-14.3	11	10.8	02.6-19.0	12	22.1	06.6-37.6	9	22.9	14.3-31.5	7	11.4	01.6-21.2	22	25.1	13.5-36.7

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER 1 time 2 times 3 times 4 times 5 or more times None **GROUPS** TOTAL WEIGHTED Ν C.I. (95%) Ν C.I. (95%) Ν % C.I. (95%) Ν C.I. (95%) Ν C.I. (95%) Ν % C.I. (95%) Female 602 250,375 18.9 10.1-27.7 91 18.7 09.3-28.1 14.0 06.7-21.3 106 18.0 13.3-22.7 04.1-09.9 169 23.4 16.9-29.9 White/Non-Hisp 461 185.135 67 21.1 10.3-31.9 14.6 10.1-19.1 71 16.1 07.3-24.9 78 18.5 12.6-24.4 40 6.9 03.6-10.2 138 22.9 17.4-28.4 67 56,598 26 05.0-21.0 32.1 00.9-63.3 9.2 01.6-16.8 23 17.0 05.8-28.2 9 7.5 00.0-15.7 21 21.2 00.0-42.6 Black or Afr. Am./Non-Hisp 110 13.0 18 13 45-54 77 46,919 12 29.9 01.1-58.7 12.6 03.6-21.6 9.6 00.0-19.6 12 17.5 01.8-33.2 00.6-22.2 18.9 05.6-32.2 11 10 10 11 4 55-64 177 56.720 31 14.7 07.8-21.6 30 15.8 07.8-23.8 20 10.1 03.6-16.6 32 17.1 08.9-25.3 15 6.8 01.9-11.7 49 35.4 20.7-50.1 65+ 17.6 20.8 304 108.724 42 06.4-28.8 12.5 07.0-18.0 21.6 08.7-34.5 56 13.0-28.6 22 01.2-10.2 21.8 14.9-28.7 06.7-34.1 02.2-34.4 08.2-29.4 Less Than H.S. 137 89.749 19 20.4 20 12.6 06.1-19.1 16 18.3 22 18.8 16 7.6 01.9-13.3 44 22.4 13.0-31.8 H.S. or G.E.D. 221 79,036 39 14.2 07.3-21.1 27 26.1 02.8-49.4 42 15.0 07.4-22.6 40 16.8 08.2-25.4 19 8.8 01.9-15.7 54 19.1 10.7-27.5 Some Post-H.S. 154 62,076 23.8 00.0-48.1 05.1-19.7 7.6 02.9-12.3 18.4 09.2-27.6 13.8-50.2 25 23 12.4 19 28 15 5.7 01.8-09.6 44 32.0 College Graduate 86 19.001 14 15.8 05.0-26.6 21 37.7 12.0-63.4 10 11.6 01.2-22.0 15 17.5 05.3-29.7 2 00.0-01.7 24 16.8 07.2-26.4 22.5 Less than \$15,000 126 47.872 13 7.3 02.6-12.0 18 17.8 02.9-32.7 13 10.9 01.5-20.3 24 07.8-37.2 17 15.0 04.8-25.2 26.4 14.1-38.7 09.7-26.9 \$15,000-24,999 155 52,192 31 17.5 08.9-26.1 21 15.8 07.4-24.2 34 18.3 20 13.1 04.7-21.5 13 6.0 01.1-10.9 36 29.3 13.0-45.6 \$25,000-34,999 57 26.261 16 43.3 14.7-71.9 00.0-14.7 6.9 00.0-14.2 10 13.7 01.4-26.0 00.0-28.9 13 16.5 04.0-29.0 \$35.000-49.999 53 19.479 8 10.3 02.1-18.5 8 01.7-22.5 13.3 02.9-23.7 16 37.5 19.1-55.9 2 1.5 00.0-03.7 10 25.3 08.6-42.0

31 of 224

July 26, 2012

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**MODULE 2: DIABETES** 

### TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM) Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	<	1 Mont	h Ago	1 Mont	h but <	12 Months	1+ Y	rs but <	< 2 Years	2 (	or more	Years		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	914	499,107	269	28.0	22.3-33.7	394	45.2	38.7-51.7	101	11.9	07.6-16.2	120	12.0	08.5-15.5	30	2.9	01.3-04.5
Male	301	242,127	84	29.3	21.1-37.5	140	42.0	32.6-51.4	35	13.2	06.5-19.9	32	11.6	05.7-17.5	10	3.9	01.0-06.8
Female	613	256,980	185	26.9	18.9-34.9	254	48.1	38.9-57.3	66	10.6	05.3-15.9	88	12.4	08.7-16.1	20	2.0	01.0-03.0
White/Non-Hisp	716	384,744	211	30.1	23.2-37.0	310	44.2	37.1-51.3	79	10.7	07.2-14.2	90	11.9	07.8-16.0	26	3.2	01.2-05.2
Black or Afr. Am./Non-Hisp	148	88,527	39	19.7	09.7-29.7	69	50.5	30.7-70.3	16	18.7	01.1-36.3	21	9.1	02.2-16.0	3	2.0	00.0-04.7
45-54	122	98,241	28	18.4	05.9-30.9	43	41.5	24.1-58.9	16	17.0	03.7-30.3	29	17.7	08.3-27.1	6	5.4	00.0-11.3
55-64	272	127,391	69	21.4	13.6-29.2	111	43.1	31.5-54.7	36	16.7	06.7-26.7	44	15.4	08.9-21.9	12	3.4	00.9-05.9
65+	459	204,049	156	40.1	31.3-48.9	217	45.2	37.0-53.4	41	7.0	03.7-10.3	36	5.6	03.2-08.0	9	2.2	00.2-04.2
Less Than H.S.	193	160,739	56	32.1	20.3-43.9	67	36.8	25.8-47.8	25	13.3	06.4-20.2	35	12.7	06.6-18.8	10	5.1	00.8-09.4
H.S. or G.E.D.	320	174,245	86	26.2	17.2-35.2	141	47.7	35.5-59.9	34	7.9	03.6-12.2	48	15.6	07.8-23.4	11	2.5	00.5-04.5
Some Post-H.S.	239	115,847	78	26.1	16.3-35.9	106	48.8	35.1-62.5	27	16.4	03.5-29.3	23	7.4	03.3-11.5	5	1.2	00.0-02.4
College Graduate	156	47,305	48	25.9	16.5-35.3	79	55.8	43.6-68.0	14	10.8	02.8-18.8	11	6.3	02.0-10.6	4	1.1	00.0-02.5
Less than \$15,000	171	75,052	40	25.2	14.0-36.4	66	39.8	27.1-52.5	25	11.4	04.5-18.3	35	21.2	10.6-31.8	5	2.4	00.0-04.8
\$15,000- 24,999	232	114,349	72	28.1	18.3-37.9	98	45.3	32.4-58.2	24	12.5	02.5-22.5	28	9.8	05.3-14.3	10	4.3	00.4-08.2
\$25,000- 34,999	86	51,721	28	33.9	14.5-53.3	40	51.4	32.8-70.0	6	5.6	00.0-13.0	10	7.1	01.6-12.6	2	2.0	00.0-04.9
\$35,000- 49,999	92	39,708	24	21.4	10.0-32.8	48	54.4	39.7-69.1	10	7.7	02.0-13.4	6	5.9	00.0-13.0	4	10.6	00.0-23.7
\$50,000- 74,999	77	56,338	24	30.2	09.8-50.6	39	50.9	28.6-73.2	7	14.4	01.5-27.3	4	2.9	00.0-06.2	3	1.7	00.0-04.6
\$75,000+	50	37,948	15	26.7	08.9-44.5	25	44.9	20.4-69.4	4	18.9	00.0-46.7	5	8.8	00.0-17.8	1	0.7	00.0-02.1

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 2: DIABETES** 

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	<	1 Mont	h Ago	1 Mont	h but <	12 Months	1+ Y	rs but •	2 Years	2 (	or more	Years		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	301	242,127	84	29.3	21.5-37.1	140	42.0	31.8-52.2	35	13.2	06.5-19.9	32	11.6	05.3-17.9	10	3.9	01.0-06.8
White/Non-Hisp	249	193,768	67	30.4	21.2-39.6	118	41.6	30.4-52.8	29	11.6	06.1-17.1	27	12.4	04.8-20.0	8	4.0	00.5-07.5
55-64	93	70,771	20	23.8	10.7-36.9	40	41.5	24.3-58.7	15	16.1	04.5-27.7	15	15.7	05.5-25.9	3	2.8	00.0-06.5
65+	148	91,519	51	40.3	28.9-51.7	80	48.4	37.2-59.6	11	6.5	01.6-11.4	4	2.0	00.0-04.4	2	2.7	00.0-06.8
Less Than H.S.	53	67,387	17	30.4	14.3-46.5	22	39.6	21.4-57.8	7	15.8	03.3-28.3	4	6.4	00.0-14.4	3	7.8	00.0-17.2
H.S. or G.E.D.	95	94,569	24	29.4	15.9-42.9	37	38.1	18.5-57.7	12	8.7	01.8-15.6	17	20.2	05.3-35.1	5	3.6	00.3-06.9
Some Post-H.S.	86	54,728	26	30.2	13.1-47.3	44	46.9	29.1-64.7	9	16.3	00.0-36.3	6	5.6	00.0-11.7	1	1.0	00.0-03.0
College Graduate	67	25,443	17	23.9	11.0-36.8	37	52.4	37.3-67.5	7	16.8	02.9-30.7	5	5.8	00.3-11.3	1	1.1	00.0-03.3
\$15.000- 24.999	70	57.756	27	36.2	20.9-51.5	30	46.9	32.4-61.4	7	7.3	01.0-13.6	3	3.6	00.0-07.7	3	6.0	00.0-13.3

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 2: DIABETES** 

### TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	<	1 Mont	h Ago	1 Mont	h but <	12 Months	1+ Y	rs but <	< 2 Years	2 (	or more	Years		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	613	256,980	185	26.9	18.7-35.1	254	48.1	38.9-57.3	66	10.6	05.1-16.1	88	12.4	08.9-15.9	20	2.0	01.0-03.0
White/Non-Hisp	467	190,976	144	29.8	20.2-39.4	192	46.9	37.3-56.5	50	9.7	05.4-14.0	63	11.3	07.4-15.2	18	2.3	00.9-03.7
Black or Afr. Am./Non-Hisp	114	57,251	27	15.8	05.0-26.6	54	57.3	32.2-82.4	12	13.1	00.0-31.9	19	12.7	02.3-23.1	2	1.0	00.0-02.6
45-54	78	47,884	19	17.3	04.8-29.8	28	45.7	20.8-70.6	11	13.4	02.6-24.2	19	23.1	07.4-38.8	1	0.5	00.0-01.5
55-64	179	56,619	49	18.3	11.4-25.2	71	45.1	32.4-57.8	21	17.5	01.2-33.8	29	15.1	08.2-22.0	9	4.0	00.9-07.1
65+	311	112,530	105	39.9	26.8-53.0	137	42.5	31.3-53.7	30	7.3	02.8-11.8	32	8.5	04.8-12.2	7	1.8	00.0-03.6
Less Than H.S.	140	93,352	39	33.4	16.9-49.9	45	34.7	21.6-47.8	18	11.4	03.8-19.0	31	17.3	08.5-26.1	7	3.1	00.6-05.6
H.S. or G.E.D.	225	79,676	62	22.5	12.7-32.3	104	59.1	44.4-73.8	22	7.0	02.1-11.9	31	10.0	04.9-15.1	6	1.3	00.1-02.5
Some Post-H.S.	153	61,119	52	22.4	12.8-32.0	62	50.6	30.2-71.0	18	16.6	00.0-33.7	17	9.1	03.4-14.8	4	1.3	00.0-02.9
College Graduate	89	21,862	31	28.2	13.7-42.7	42	59.9	42.1-77.7	7	3.8	00.3-07.3	6	6.9	00.0-13.8	3	1.2	00.0-02.6
Less than \$15,000	124	46,144	31	21.6	10.2-33.0	47	44.8	28.3-61.3	16	9.0	03.3-14.7	26	22.3	08.8-35.8	4	2.3	00.0-04.7
\$15,000- 24,999	162	56,592	45	19.9	11.9-27.9	68	43.8	29.5-58.1	17	17.7	00.5-34.9	25	16.2	08.8-23.6	7	2.5	00.1-04.9
\$25,000- 34,999	58	28,756	20	50.5	24.8-76.2	28	41.5	18.2-64.8	4	1.0	00.0-02.2	6	7.0	00.5-13.5			
\$35,000- 49,999	53	18,776	17	18.5	07.9-29.1	26	66.3	51.2-81.4	5	10.5	00.7-20.3	4	3.4	00.0-06.9	1	1.2	00.0-03.6

34 of 224

July 26, 2012

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 2: DIABETES**

### TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC		NT NUMBER	a usin	Yes	S .		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	914	494,963	196	21.7	15.6-27.8	718	78.3	72.2-84.4
Male	299	236,790	60	22.2	14.2-30.2	239	77.8	69.8-85.8
Female	615	258,172	136	21.2	12.2-30.2	479	78.8	69.8-87.8
White/Non-Hisp	722	385,644	144	19.8	14.3-25.3	578	80.2	74.7-85.7
Black or Afr. Am./Non-Hisp	145	84,680	42	33.9	11.8-56.0	103	66.1	44.0-88.2
45-54	122	94,905	29	15.9	07.5-24.3	93	84.1	75.7-92.5
55-64	272	124,352	61	25.8	13.6-38.0	211	74.2	62.0-86.4
65+	459	205,867	93	20.1	14.2-26.0	366	79.9	74.0-85.8
Less Than H.S.	194	160,241	42	19.0	11.6-26.4	152	81.0	73.6-88.4
H.S. or G.E.D.	320	172,037	81	29.5	16.6-42.4	239	70.5	57.6-83.4
Some Post-H.S.	237	114,399	44	15.3	08.8-21.8	193	84.7	78.2-91.2
College Graduate	156	47,258	27	17.4	08.2-26.6	129	82.6	73.4-91.8
Less than \$15,000	169	74,664	47	31.2	19.4-43.0	122	68.8	57.0-80.6
\$15,000- 24,999	233	111,022	60	27.0	13.3-40.7	173	73.0	59.3-86.7
\$25,000- 34,999	86	51,721	10	9.6	00.2-19.0	76	90.4	81.0-99.8
\$35,000- 49,999	91	39,135	24	24.3	12.5-36.1	67	75.7	63.9-87.5
\$50,000-74,999	79	58,276	16	15.3	05.1-25.5	63	84.7	74.5-94.9

### **MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

	2000	as wergines.	u uu = 1.	. 9	· · · ·			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	)
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	299	236,790	60	22.2	13.6-30.8	239	77.8	69.2-86.4
White/Non-Hisp	250	192,661	48	24.1	14.1-34.1	202	75.9	65.9-85.9
55-64	91	67,384	18	33.6	14.8-52.4	73	66.4	47.6-85.2
65+	148	91,754	31	23.2	13.6-32.8	117	76.8	67.2-86.4
Less Than H.S.	53	65,923	15	25.7	11.2-40.2	38	74.3	59.8-88.8
H.S. or G.E.D.	96	92,813	21	23.8	05.8-41.8	75	76.2	58.2-94.2
Some Post-H.S.	83	52,626	16	18.1	08.7-27.5	67	81.9	72.5-91.3
College Graduate	67	25,429	8	15.6	01.9-29.3	59	84.4	70.7-98.1
\$15.000- 24.999	70	54.669	15	36.3	23.6-49.0	55	63.7	51.0-76.4

#### TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No **GROUPS TOTAL** WEIGHTED % C.I. (95%) % C.I. (95%) 21.2 12.0-30.4 479 78.8 69.6-88.0 Female 615 258.172 136 192,983 15.5 10.8-20.2 84.5 79.8-89.2 White/Non-Hisp 472 376 96 41.2 Black or Afr. Am./Non-Hisp 112 56,867 33 11.2-71.2 79 58.8 28.8-88.8 45-54 79 48,064 20.1 06.4-33.8 79.9 66.2-93.6 20 59 09.8-23.2 55-64 181 56.969 43 16.5 138 83.5 76.8-90.2 65+ 311 114,113 62 17.5 10.8-24.2 249 82.5 75.8-89.2 Less Than H.S. 06.7-21.9 78.1-93.3 141 94,318 27 14.3 114 85.7 H.S. or G.E.D. 36.2 15.4-57.0 43.0-84.6 224 79.224 60 164 63.8 Some Post-H.S. 154 61.773 28 13.0 05.9-20.1 126 87.0 79.9-94.1 College Graduate 89 21,830 19.5 07.0-32.0 80.5 68.0-93.0 19 70 Less than \$15,000 124 46,493 23.2 10.7-35.7 76.8 64.3-89.3 \$15.000-24.999 163 56.353 45 18.0 10.2-25.8 82.0 74.2-89.8 118 \$25,000-34,999 58 28,756 7 00.0-30.2 69.8-0100 14.1 51 85.9

19,453

16

25.4

11.1-39.7

74.6

60.3-88.9

53

\$35,000-49,999

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

	Data w							
DEMOGRAPHIC	RESPONDE		Yes	5		No		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	931	504,141	486	53.1	47.0-59.2	445	46.9	40.8-53.0
Male	304	242,400	154	49.1	39.7-58.5	150	50.9	41.5-60.3
Female	627	261,741	332	56.9	49.1-64.7	295	43.1	35.3-50.9
White/Non-Hisp	734	393,312	380	54.3	47.8-60.8	354	45.7	39.2-52.2
Black or Afr. Am./Non-Hisp	149	85,917	81	53.1	33.7-72.5	68	46.9	27.5-66.3
45-54	121	94,166	69	50.0	32.8-67.2	52	50.0	32.8-67.2
55-64	278	128,901	142	48.3	36.9-59.7	136	51.7	40.3-63.1
65+	469	209,994	239	55.8	48.2-63.4	230	44.2	36.6-51.8
Less Than H.S.	199	165,162	77	43.6	32.0-55.2	122	56.4	44.8-68.0
H.S. or G.E.D.	327	173,786	162	53.3	41.5-65.1	165	46.7	34.9-58.5
Some Post-H.S.	241	116,325	146	60.6	47.5-73.7	95	39.4	26.3-52.5
College Graduate	157	47,840	98	67.6	57.2-78.0	59	32.4	22.0-42.8
Less than \$15,000	176	77,306	81	49.0	36.5-61.5	95	51.0	38.5-63.5
\$15,000- 24,999	234	111,802	129	55.8	43.3-68.3	105	44.2	31.7-56.7
\$25,000- 34,999	86	51,721	49	61.4	44.7-78.1	37	38.6	21.9-55.3
\$35,000- 49,999	93	40,523	52	53.8	39.1-68.5	41	46.2	31.5-60.9
\$50,000- 74,999	79	58,276	52	62.2	41.8-82.6	27	37.8	17.4-58.2
\$75,000+	50	38,038	27	40.8	18.7-62.9	23	59.2	37.1-81.3

#### TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Yes No GROUPS **TOTAL** WEIGHTED % C.I. (95%) % C.I. (95%) Male 304 242.400 154 49.1 39.1-59.1 150 50.9 40.9-60.9 White/Non-Hisp 252 52.4 41.4-63.4 47.6 36.6-58.6 196,836 127 125 55-64 94 71,046 42 52.5 36.4-68.6 52 47.5 31.4-63.6 65+ 150 93,701 78 57.2 46.2-68.2 72 42.8 31.8-53.8 Less Than H.S. 54 21.9-54.9 45.1-78.1 68.848 38.4 61.6 H.S. or G.E.D. 96 92,813 40 47.2 27.8-66.6 56 52.8 33.4-72.2 Some Post-H.S. 86 60.2 42.8-77.6 22.4-57.2 54,728 51 35 39.8 68 24.2-53.6 College Graduate 26.011 39 61.1 46.4-75.8 29 38.9

63.3

50.2-76.4

36.7

34

23.6-49.8

54.669

70

\$15.000-24.999

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No **GROUPS TOTAL** WEIGHTED % C.I. (95%) % C.I. (95%) 627 332 56.9 49.3-64.5 295 43.1 35.5-50.7 Female 261.741 56.3 48.5-64.1 43.7 35.9-51.5 White/Non-Hisp 482 196,476 253 229 Black or Afr. Am./Non-Hisp 114 57,251 62 60.9 36.8-85.0 52 39.1 15.0-63.2 45-54 78 47,325 44 65.9 46.9-84.9 34.1 15.1-53.1 34 55-64 184 57.855 100 43.1 31.1-55.1 84 56.9 44.9-68.9 65+ 319 116,293 161 54.6 43.8-65.4 158 45.4 34.6-56.2 Less Than H.S. 37.9-67.7 145 96,314 53 47.2 32.3-62.1 92 52.8 H.S. or G.E.D. 60.4 46.3-74.5 25.5-53.7 231 80.973 122 109 39.6 Some Post-H.S. 155 61.597 95 61.0 42.2-79.8 60 39.0 20.2-57.8 College Graduate 89 21,830 75.4 62.1-88.7 24.6 11.3-37.9 59 30 Less than \$15,000 129 48,397 57 50.9 35.4-66.4 72 49.1 33.6-64.6 \$15.000-24.999 164 48.7 34.0-63.4 51.3 36.6-66.0 57.133 93 71 \$25,000-34,999 58 28,756 53.3 28.4-78.2 46.7 33 25 21.8-71.6

19,591

54.2 35.8-72.6

54

\$35,000-49,999

NOTE:

40 of 224 July 26, 2012

45.8 27.4-64.2

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING CONTENTS

" NOTE	,	40 40 40 40
WHE	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	ION
IS I	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN	TS
	TO THE STATES SURVEY.	
* * * *	*********************************	* * *
TABLE		PAGE
1110111	THE NEXT QUESTION IS ABOUT DISCUSSIONS THAT OCCURRED AS PART OF A ROUTINE HEALTH CARE VISIT. DO NOT INCLUDE	11101
	VISITS WHILE PREGNANT, ALSO CALLED PRENATAL CARE VISITS. HAS A DOCTOR, NURSE, OR OTHER HEALTH CARE WORKER EVER	
	TALKED WITH YOU ABOUT WAYS TO PREPARE FOR A HEALTHY PREGNANCY AND BABY? (PFPPREPR)	
1	FEMALES ONLY	42
2	THE NEXT SET OF OUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER	43
_	THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	
3		44
-	4	
	DID YOU OR YOUR HUSBAND/PARTNER DO ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVNT)	
4	FEMALES ONLY	45
5	THE NEXT SET OF OUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER	46
Ü	THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	- 0
6		47
	4	
	SOME REASONS FOR NOT DOING ANYTHING TO KEEP YOU FROM GETTING PREGNANT THE LAST TIME YOU HAD SEX MIGHT INCLUDE	
	WANTING A PREGNANCY, NOT BEING ABLE TO PAY FOR BIRTH CONTROL, OR NOT THINKING THAT YOU CAN GET PREGNANT. WHAT	
	WAS YOUR MAIN REASON FOR NOT DOING ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (NOBCUSE4)	
7	FEMALES ONLY	48
8	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER	49
	THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	
9		50
	4	
	HOW MANY TIMES A WEEK DO YOU CURRENTLY TAKE A MULTIVITAMIN, A PRENATAL VITAMIN, OR A FOLIC ACID VITAMIN? (PFPVITMN)	
10	FEMALES ONLY	51
11	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER	52
	THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	
12		53
	4	
	17	
13	FEMALES ONLY	54
14	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER	55
1 -	THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	
15	$\Lambda$	56

16

FEMALES ONLY

41 of 224 July 26, 2012

57

### MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING CONTENTS

* NOTE	3 * * * * * * * * * * * * * * * * * * *	* * * *
WHE	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	ION
IS I	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN	TS
	TO THE STATES SURVEY.	
* * * *	************************************	* * *
TABLE		PAGE
17	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER	58
	THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	
18		59
	4	
	25	
19	FEMALES ONLY	60
20	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER	61
	THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	
21		62
	4	

#### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING

TABLE 1: THE NEXT QUESTION IS ABOUT DISCUSSIONS THAT OCCURRED AS PART OF A ROUTINE HEALTH CARE VISIT. DO NOT INCLUDE VISITS WHILE PREGNANT, ALSO CALLED PRENATAL CARE VISITS. HAS A DOCTOR, NURSE, OR OTHER HEALTH CARE WORKER EVER TALKED WITH YOU ABOUT WAYS TO PREPARE FOR A HEALTHY PREGNANCY AND BABY? (PFPPREPR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. RESPONDENT NUMBER **DEMOGRAPHIC** Yes No **GROUPS** WEIGHTED **TOTAL** Ν % C.I. (95%) Ν % C.I. (95%) 56.9 Female 727 789.947 416 50.0-63.8 311 43.1 36.2-50.0 White/Non-Hisp 571,360 49.1-64.3 35.7-50.9 545 314 56.7 231 43.3 Black or Afr. Am./Non-Hisp 139 174,587 79 60.3 45.2-75.4 60 39.7 24.6-54.8 18-24 70 158.059 59.7 37.4-82.0 32 40.3 18.0-62.6 38 25-34 242 277,532 50.5-69.7 30.3-49.5 153 60.1 89 39.9 35-44 390 342,701 220 54.7 46.1-63.3 170 45.3 36.7-53.9 H.S. or G.E.D. 271,374 41.9-66.3 33.7-58.1 219 118 101 45.9 27.5-52.5 Some Post-H.S. 224 228.540 125 60.0 47.5-72.5 99 40.0 College Graduate 232 185.658 142 48.4 37.2-59.6 40.4-62.8 Less than \$15,000 76 103,987 46 77.7 63.2-92.2 30 22.3 07.8-36.8 48.5 32.2-64.8 \$15,000-24,999 155 171,718 81 74 51.5 35.2-67.8 \$25,000-34,999 69 37.6-69.8 30.2-62.4 58.947 33 53.7 36 46.3 \$35,000-49,999 83 51.9 34.7-69.1 29 48.1 30.9-65.3 86,956 54 \$50,000-74,999 87 33.0-65.2 81,492 57 50.9 34.8-67.0 30 49.1 \$75.000+ 129 120.731 58.5 45.2-71.8 53 41.5 28.2-54.8

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING

## TABLE 2: THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Yes No WEIGHTED **GROUPS TOTAL** Ν % C.I. (95%) Ν % C.I. (95%) Female 738 795.619 565 78.1 72.2-84.0 173 21.9 16.0-27.8 White/Non-Hisp 574,058 70.0-83.8 16.2-30.0 551 426 76.9 125 23.1 Black or Afr. Am./Non-Hisp 143 177,472 106 79.7 67.9-91.5 37 20.3 08.5-32.1 18-24 70 158,059 65.4 44.8-86.0 38 14.0-55.2 32 34.6 25-34 247 282,416 79.7 71.9-87.5 12.5-28.1 200 47 20.3 35-44 396 343,490 319 82.7 75.8-89.6 77 17.3 10.4-24.2 Less Than H.S. 104,285 80.3-98.7 01.3-19.7 50 43 89.5 7 10.5 H.S. or G.E.D. 223 274.397 166 77.5 66.7-88.3 57 22.5 11.7-33.3 Some Post-H.S. 223 228.569 78.7 68.3-89.1 21.3 10.9-31.7 College Graduate 239 187,548 16.4-40.0 180 71.8 60.0-83.6 28.2 76.7-99.1 00.9-23.3 Less than \$15,000 79 105,979 63 87.9 16 12.1 \$15,000-24,999 155 171.672 73.7 58.8-88.6 26.3 11.4-41.2 115 40 \$25,000-34,999 70 47 68.4 52.5-84.3 15.7-47.5 59,261 23 31.6 \$35,000-49,999 05.4-35.6 83 87,124 66 79.5 64.4-94.6 17 20.5 \$50.000-74.999 89 81.718 77 85.4 68.5-0100 12 14.6 00.0-31.5 \$75.000+ 131 79.0 09.6-32.4 121.647 67.6-90.4 21.0

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

# BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING

## TABLE 3: DID YOU OR YOUR HUSBAND/PARTNER DO ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVNT) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	DESDONDE	NT NUMBER		Yes		No I				No Par	tner ly Active	Same Sex Partner		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	698	744,090	313	43.8	36.9-50.7	349	47.7	40.8-54.6	31	7.5	02.8-12.2	5	1.1	00.0-02.5
White/Non-Hisp	527	556,362	246	46.7	38.7-54.7	258	47.1	39.3-54.9	20	5.8	01.1-10.5	3	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	132	144,982	52	38.0	22.1-53.9	69	42.7	27.8-57.6	10	15.6	00.3-30.9	1	3.7	00.0-11.0
18-24	61	132,168	36	55.0	29.5-80.5	19	41.6	16.1-67.1	5	3.1	00.0-06.4	1	0.3	00.0-00.9
25-34	235	268,502	124	46.5	36.5-56.5	99	42.5	32.7-52.3	9	8.4	00.0-17.6	3	2.6	00.0-06.5
35-44	385	338,797	150	37.5	29.3-45.7	217	53.8	45.2-62.4	17	8.5	01.6-15.4	1	0.2	00.0-00.6
H.S. or G.E.D.	210	253,315	84	38.8	26.6-51.0	112	50.7	38.5-62.9	13	10.4	01.0-19.8	1	0.2	00.0-00.6
Some Post-H.S.	212	207,606	93	50.2	37.1-63.3	106	41.5	28.8-54.2	11	7.5	00.0-15.7	2	0.8	00.0-02.0
College Graduate	225	178,244	120	57.9	46.1-69.7	98	37.7	26.5-48.9	5	1.1	00.0-02.3	2	3.3	00.0-09.2
Less than \$15,000	72	92,376	28	33.6	11.5-55.7	36	46.3	22.8-69.8	7	14.2	00.0-33.0	1	5.8	00.0-17.0
\$15,000- 24,999	149	160,125	58	36.4	19.9-52.9	83	54.2	37.1-71.3	7	9.2	00.0-20.0	1	0.2	00.0-00.6
\$25,000- 34,999	69	58,985	29	39.9	24.8-55.0	34	51.6	35.7-67.5	6	8.6	00.0-17.4			
\$35,000- 49,999	78	82,838	43	68.8	55.7-81.9	32	28.9	16.2-41.6	1	0.5	00.0-01.5	2	1.8	00.0-04.3
\$50,000- 74,999	88	80,522	46	55.5	40.0-71.0	41	43.5	28.2-58.8	1	0.9	00.0-02.7			
\$75,000+	127	120,557	63	45.9	32.8-59.0	63	53.5	40.4-66.6	1	0.5	00.0-01.5			

NOTE:

45 of 224

July 26, 2012

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING

#### TABLE 4: WHAT DID YOU OR YOUR HUSBAND/PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR6) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	ENT NUMBER		Surgica	ıl (1-6)		Drugs	(7,8)	Con		(11,12,13)		al Con (9,10,1	traceptives 1,16)		drawal lo Sex(	, Rhythm, (14,15)	Emer	gencie (17,1	s or Other 8)
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	297	310,597	128	42.9	32.1-53.7	76	24.0	14.2-33.8	70	27.0	17.0-37.0	9	2.4	00.6-04.2	4	0.5	00.0-01.1	10	3.2	00.7-05.7
White/Non-Hisp	232	2 247,770	107	46.2	33.9-58.5	62	25.7	14.1-37.3	44	21.7	11.9-31.5	6	1.9	00.1-03.7	3	0.5	00.0-01.1	10	4.0	00.9-07.1
Black or Afr. Am./Non-Hisp	50	52,310	18	33.6	09.9-57.3	8	10.6	00.2-21.0	21	51.9	24.9-78.9	2	3.3	00.0-08.2	1	0.6	00.0-01.8			
25-34	117	7 115,584	48	40.5	26.8-54.2	35	27.2	16.4-38.0	24	27.1	14.4-39.8	4	2.7	00.0-05.6	2	0.7	00.0-01.7	4	1.8	00.0-03.8
35-44	142	121,903	66	54.2	40.3-68.1	32	13.5	07.0-20.0	32	21.8	09.1-34.5	4	3.5	00.0-07.4	2	0.6	00.0-01.6	6	6.4	00.1-12.7
H.S. or G.E.D.	83	97,515	27	40.2	18.6-61.8	20	14.6	05.4-23.8	28	37.6	16.8-58.4	2	1.3	00.0-03.1	1	0.2	00.0-00.6	5	6.1	00.0-13.2
Some Post-H.S.	88	99,398	42	42.1	22.9-61.3	23	41.3	20.3-62.3	12	8.5	02.0-15.0	5	4.1	00.0-08.6	2	1.0	00.0-02.6	4	3.0	00.0-06.3
College Graduate	112	97,385	52	46.5	28.5-64.5	29	15.2	07.4-23.0	27	34.7	16.3-53.1	2	2.3	00.0-05.6	1	0.3	00.0-00.9	1	1.0	00.0-03.0
\$15,000- 24,999	57	56,953	23	29.6	10.4-48.8	18	52.1	26.0-78.2	12	15.7	02.8-28.6	2	1.4	00.0-03.6				2	1.1	00.0-02.9
\$75,000+	58	50,190	25	50.4	32.4-68.4	17	21.1	08.6-33.6	12	14.5	05.1-23.9	2	6.3	00.0-14.9				2	7.8	00.0-18.6

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

# BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING

TABLE 5: SOME REASONS FOR NOT DOING ANYTHING TO KEEP YOU FROM GETTING PREGNANT THE LAST TIME YOU HAD SEX MIGHT INCLUDE WANTING A PREGNANCY, NOT BEING ABLE TO PAY FOR BIRTH CONTROL, OR NOT THINKING THAT YOU CAN GET PREGNANT. WHAT WAS YOUR MAIN REASON FOR NOT DOING ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (NOBCUSE4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		ctive, sa partner(	ame sex (1,17)			pregnant jnant (2,16)	C	an't us	t to use, e BC, C (3,4,5,6,7)	Sur	gical (1	1,12,13)	Phys	Religi sical (8,	ous 10,14,15)	Lapse	Metho (9,1	od or Other 8)
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	270	284,419	54	20.6	10.6-30.6	18	4.7	01.8-07.6	27	11.2	02.6-19.8	115	36.6	26.4-46.8	20	9.1	04.4-13.8	36	17.8	07.2-28.4
White/Non-Hisp	205	213,113	36	17.1	05.5-28.7	14	5.2	01.5-08.9	20	12.6	01.6-23.6	96	38.3	27.1-49.5	14	9.8	03.5-16.1	25	17.0	05.2-28.8
25-34	78	85,235	15	22.8	08.3-37.3	7	8.3	00.1-16.5	15	15.2	05.0-25.4	27	32.1	17.0-47.2	4	12.2	00.0-25.5	10	9.5	02.6-16.4
35-44	172	147,618	34	17.7	09.9-25.5	9	3.5	00.8-06.2	7	3.7	00.2-07.2	85	51.2	40.0-62.4	15	10.4	04.5-16.3	22	13.5	04.9-22.1
H.S. or G.E.D.	91	107,594	19	21.2	09.2-33.2	5	4.7	00.0-11.0	8	6.0	01.5-10.5	43	35.1	19.6-50.6	5	10.7	00.0-21.7	11	22.4	03.2-41.6
Some Post-H.S.	81	72,469	17	12.2	04.8-19.6	3	2.6	00.0-05.7	7	11.7	00.1-23.3	36	42.8	20.5-65.1	5	4.6	00.1-09.1	13	26.1	00.6-51.6
College Graduate	71	42,149	12	10.3	02.7-17.9	8	12.6	03.4-21.8	10	12.6	03.8-21.4	24	30.9	17.2-44.6	7	19.5	04.4-34.6	10	14.1	03.1-25.1
\$15,000- 24,999	68	66,954	24	42.9	11.1-74.7	5	2.6	00.0-05.7	3	2.3	00.0-05.6	20	22.8	06.7-38.9	3	2.3	00.0-05.2	13	27.0	00.0-57.0

NOTE:

with a nati widen of greater than to have been suppressed.

47 of 224

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

# BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING

#### TABLE 6: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	You Do	Not W	ant To Have	LT 12	months	s from now			less than om now	,		ess than om now	5 or mo	re year	s from now
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	424	489,906	268	52.7	43.9-61.5	42	7.2	04.1-10.3	27	9.6	03.1-16.1	40	14.3	07.0-21.6	47	16.1	08.5-23.7
White/Non-Hisp	300	340,231	187	53.0	42.6-63.4	30	6.4	03.1-09.7	21	12.0	03.4-20.6	29	13.8	05.2-22.4	33	14.8	06.6-23.0
Black or Afr. Am./Non-Hisp	92	112,236	60	52.7	33.1-72.3	9	9.9	00.0-19.9	5	5.5	00.0-11.8	7	8.3	00.0-17.7	11	23.5	03.1-43.9
18-24	52	115,366	13	16.5	00.0-36.5	6	1.4	00.0-03.0	6	22.9	00.0-46.6	13	27.8	03.3-52.3	14	31.4	05.9-56.9
25-34	157	188,252	79	54.1	41.9-66.3	24	13.0	05.7-20.3	13	7.4	02.1-12.7	21	13.6	05.0-22.2	20	11.9	04.8-19.0
35-44	207	184,656	168	73.5	61.7-85.3	12	5.0	01.1-08.9	8	3.7	00.2-07.2	6	6.7	00.0-15.1	13	11.1	01.5-20.7
H.S. or G.E.D.	129	164,111	84	55.2	39.5-70.9	13	6.3	01.6-11.0	6	7.9	00.8-15.0	6	9.1	00.0-21.3	20	21.5	06.2-36.8
Some Post-H.S.	128	135,582	76	41.6	25.9-57.3	12	9.3	02.2-16.4	11	21.7	03.3-40.1	17	18.9	03.2-34.6	12	8.5	02.6-14.4
College Graduate	138	119,051	86	51.9	35.8-68.0	16	6.2	02.3-10.1	9	3.6	00.9-06.3	15	23.6	07.5-39.7	12	14.7	02.2-27.2
\$15,000- 24,999	100	123,571	71	51.6	31.2-72.0	4	2.3	00.0-05.2	6	21.3	00.5-42.1	7	11.4	00.0-27.5	12	13.4	00.0-27.3
\$50,000- 74,999	56	51,240	35	57.2	33.9-80.5	10	8.1	01.4-14.8	3	3.5	0.80-0.00	3	18.3	00.0-43.8	5	12.9	00.0-27.2
\$75,000+	69	62,128	47	69.9	54.8-85.0	9	10.5	02.1-18.9	4	5.3	00.0-11.8	7	10.7	00.7-20.7	2	3.6	00.0-09.7

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING

TABLE 7: HOW MANY TIMES A WEEK DO YOU CURRENTLY TAKE A MULTIVITAMIN, A PRENATAL VITAMIN, OR A FOLIC ACID VITAMIN? (PFPVITMN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER 0 times a week 1 to 3 times a week 4 to 6 times a week Every day of the week **GROUPS** TOTAL WEIGHTED Ν C.I. (95%) % C.I. (95%) Ν C.I. (95%) C.I. (95%) 546 45.2 37.2-53.2 13.3 07.4-19.2 3.8 01.8-05.8 37.7 30.1-45.3 Female 615,713 245 White/Non-Hisp 404 439.663 180 45.6 36.4-54.8 45 7.6 04.7-10.5 21 4.6 02.1-07.1 158 42.1 33.1-51.1 Black or Afr. Am./Non-Hisp 137,854 38.2 21.0-55.4 31.7 12.3-51.1 4 2.2 00.0-04.7 108 16 37 27.9 15.0-40.8 51 23.9-75.7 00.6-44.8 00.0-05.3 04.1-46.9 18-24 60 129,776 26 49.8 9 22.7 2 2.0 23 25.5 00.3-05.1 25-34 194 226.075 82 46.9 35.7-58.1 22 6.4 03.1-09.7 9 2.7 81 43.9 32.9-54.9 35-44 277 42.4 32.4-52.4 07.2-22.4 6.0 02.1-09.9 250.644 133 14.8 15 95 36.8 26.8-46.8 H.S. or G.E.D. 36.5-65.5 19.8 06.1-33.5 2.6 00.2-05.0 26.6 17.0-36.2 158 219,908 82 51.0 6 54 Some Post-H.S. 170 162,217 19.1-38.3 9.2 04.5-13.9 7 00.5-07.5 72 58.1 46.3-69.9 70 28.7 21 4.0 31.2-58.2 03.5-17.7 75 College Graduate 184 157,080 73 44.7 25 10.6 11 4.7 00.4-09.0 40.0 27.1-52.9 Less than \$15,000 52 67.222 26 26.7-80.1 00.0-49.8 00.0-11.4 16 19.8 05.9-33.7 \$15,000-24,999 122 143.924 45.9 27.1-64.7 13.2 01.0-25.4 5 2.6 00.0-05.9 40 38.3 19.7-56.9 62 15 10.0 00.0-20.0 \$25,000-34,999 54 49,098 27 23.5-59.9 2 6.1 00.0-14.7 20 42.2 24.2-60.2 \$35,000-49,999 61 68,667 30 53.1 31.9-74.3 12.6 00.0-26.5 1 0.3 00.0-00.9 22 34.0 14.0-54.0 \$50,000-74,999 71 39.2 11.5 02.9-20.1 7 10.1 39.2 22.0-56.4 66,215 24 19.4-59.0 11 00.0-20.3 29

12.0

11

03.6-20.4

0.5

1

00.0-01.5

46.8

48

31.3-62.3

40.8 24.5-57.1

\$75,000+

95

88,215

35

NOTE:

vien a nair widen of greater than to have been suppressed.

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

## 

	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	
IS 1	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN	(TS
	TO THE STATES SURVEY.	
***	***************************************	* * *
TABLE		PAGE
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)	
1	MALES AND FEMALES	64
2	MALES ONLY	65
3	FEMALES ONLY	66
	ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)	
4	MALES AND FEMALES	67
5	MALES ONLY	68
6	FEMALES ONLY	69
	DO YOU SNORE? (SLEPSNOR)	
7	MALES AND FEMALES	70
8	MALES ONLY	71
9	FEMALES ONLY	72
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU FIND YOURSELF UNINTENTIONALLY FALLING ASLEEP DURING THE DAY? (SLEPDAY)	
10	MALES AND FEMALES	73
11	MALES ONLY	74
12	FEMALES ONLY	75
	DURING THE PAST 30 DAYS, HAVE YOU EVER NODDED OFF OR FALLEN ASLEEP, EVEN JUST FOR A BRIEF MOMENT, WHILE DRIVING? (SLEPDRIV)	
13	MALES AND FEMALES	76
14	MALES ONLY	77
15	FEMALES ONLY	78

#### **MODULE 7: INADEQUATE SLEEP**

#### TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		None	•		1-2 day	ys		3-7 da	ys
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5192	3,614,158	135	2.6	01.8-03.4	1166	23.4	21.0-25.8	595	10.3	08.7-11.9
Male	1594	1,720,734	46	3.1	01.5-04.7	350	24.1	20.2-28.0	165	10.7	08.2-13.2
Female	3598	1,893,424	89	2.2	01.4-03.0	816	22.7	19.8-25.6	430	9.9	08.3-11.5
White/Non-Hisp	4345	2,885,791	108	2.8	01.8-03.8	990	23.4	20.9-25.9	495	10.6	09.0-12.2
Black or Afr. Am./Non-Hisp	628	542,468	21	1.8	00.2-03.4	145	25.6	18.0-33.2	70	8.7	05.0-12.4
Oth. Race/Non-Hisp.	64	56,510	1	0.2	00.0-00.6	6	17.4	00.0-40.5	17	24.1	01.4-46.8
MultiRacial/Non-Hisp.	63	54,849	3	4.0	00.0-11.3	6	10.9	00.0-23.4	3	2.1	00.0-05.2
Hispanic	63	61,894	2	1.0	00.0-02.4	16	18.6	04.9-32.3	8	5.3	00.4-10.2
18-24	107	309,966	6	3.6	00.0-07.9	36	32.9	19.4-46.4	10	7.2	00.0-14.5
25-34	334	504,525	8	2.8	00.0-06.9	90	28.8	20.2-37.4	42	9.8	05.7-13.9
35-44	573	693,500	14	2.9	00.5-05.3	142	25.9	20.0-31.8	92	11.7	08.2-15.2
45-54	917	728,729	17	1.5	00.7-02.3	211	23.3	18.8-27.8	125	11.9	08.4-15.4
55-64	1332	638,762	39	3.1	01.7-04.5	309	19.3	15.6-23.0	156	9.9	07.4-12.4
65+	1892	720,251	51	2.4	01.6-03.2	370	16.9	14.5-19.3	167	9.4	06.7-12.1
Less Than H.S.	643	649,976	10	1.0	00.2-01.8	93	13.6	09.3-17.9	55	7.5	04.6-10.4
H.S. or G.E.D.	1771	1,315,185	42	2.6	00.8-04.4	368	22.2	18.1-26.3	186	11.1	08.2-14.0
Some Post-H.S.	1461	980,998	39	1.9	01.1-02.7	322	25.2	20.1-30.3	172	8.9	06.5-11.3
College Graduate	1303	663,227	44	5.3	02.4-08.2	383	32.7	27.8-37.6	180	13.5	10.0-17.0
Less than \$15,000	593	383,960	11	1.0	00.2-01.8	94	21.9	12.1-31.7	58	10.5	04.4-16.6
\$15,000- 24,999	1158	762,618	20	1.1	00.5-01.7	210	17.8	13.3-22.3	124	8.3	05.6-11.0
\$25,000- 34,999	487	331,138	18	1.3	00.5-02.1	119	26.1	18.1-34.1	60	10.7	05.8-15.6
\$35,000- 49,999	545	400,342	15	3.0	00.6-05.4	130	26.5	18.7-34.3	62	9.6	05.9-13.3
\$50,000- 74,999	488	382,205	12	1.8	00.6-03.0	122	22.8	16.5-29.1	60	13.8	08.7-18.9
\$75,000+	712	572,369	23	4.9	01.8-08.0	218	30.6	24.9-36.3	104	12.8	09.3-16.3

Data was weighted using LLCPWT.

	8-29 days	3		30 days			6			
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
581	11.0	09.4-12.6	990	24.2	21.7-26.7	1725	28.6	26.2-31.0		
154 427	9.3 12.6	07.1-11.5 10.2-15.0	261 729	20.2 27.7	16.5-23.9 24.2-31.2	618 1107	32.6 24.9	28.7-36.5 22.2-27.6		
498	12.0	10.0-14.0	819	24.1	21.4-26.8	1435	27.1	24.7-29.5		
45	5.6	02.5-08.7	124	23.1	15.7-30.5	223	35.2	27.0-43.4		
6	9.1	00.0-23.0	13	19.6	02.5-36.7	21	29.7	07.0-52.4		
17	14.5	04.3-24.7	14	24.6	06.0-43.2	20	43.9	19.0-68.8		
8	11.1	02.1-20.1	12	37.4	12.1-62.7	17	26.7	08.9-44.5		

NOTE:

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

## TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT. 8-29 davs 30 days 6 % Ν % C.I. (95%) Ν C.I. (95%) Ν % C.I. (95%) 9 6.8 00.0-14.6 20 17.4 05.4-29.4 26 32.1 17.4-46.8 37 9.7 05.4-14.0 107 35.1 26.7-43.5 50 13.6 08.7-18.5 14.2 09.7-18.7 28.7 96 126 21.6-35.8 103 16.6 11.9-21.3 134 14.4 11.1-17.7 223 25.3 20.6-30.0 207 23.5 18.8-28.2 157 10.0 07.3-12.7 278 25.4 19.9-30.9 393 32.2 26.9-37.5 141 82 05.5-10.9 230 12.3 09.9-14.7 933 50.8 47.1-54.5 63 9.8 05.9-13.7 182 36.5 29.2-43.8 240 31.7 25.4-38.0 173 10.6 07.7-13.5 355 22.0 18.3-25.7 647 31.5 27.4-35.6 170 10.8 293 27.0 465 26.3 07.9-13.7 21.5-32.5 21.4-31.2 171 13.4 09.9-16.9 157 12.3 09.0-15.6 368 22.8 18.9-26.7 26.8-44.4 66 8.0 04.5-11.5 194 35.6 170 22.9 14.9-30.9 133 07.6-14.6 270 31.2 25.1-37.3 30.5 24.8-36.2 11.1 401 53 13.6 08.7-18.5 85 22.8 15.7-29.9 152 25.5 18.6-32.4 64 13.1 07.6-18.6 85 18.9 11.8-26.0 189 28.8 21.5-36.1 05.5-11.7 79 60 8.6 23.7 15.7-31.7 155 29.2 22.7-35.7 08.4-15.4 88 95 11.9 16.7 10.8-22.6 184 23.1 18.4-27.8

NOTE:

with a half widen of greater than 10 have been suppressed.

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 7: INADEQUATE SLEEP**

TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER 1-2 days 3-7 days None **GROUPS** TOTAL WEIGHTED Ν % C.I. (95%) Ν % C.I. (95%) Ν C.I. (95%) % Male 1594 1,720,734 46 3.1 01.5-04.7 24.1 20.2-28.0 165 10.7 08.2-13.2 350 White/Non-Hisp 1356 1.342.772 41 3.4 01.4-05.4 292 22.9 18.8-27.0 144 11.3 08.4-14.2 Black or Afr. Am./Non-Hisp 156 261,430 4 00.0-05.1 18.5-45.1 00.9-13.9 2.0 45 31.8 13 7.4 25-34 232,048 00.0-13.6 15.8-47.2 03.8-19.4 93 2 5.0 25 31.5 14 11.6 35-44 171 344.999 6 2.6 00.1-05.1 55 31.4 21.4-41.4 25 10.4 05.5-15.3 45-54 297 355.406 8 00.3-03.5 67 16.7-31.5 36 1.9 24.1 13.0 06.5-19.5 55-64 430 14 310,734 3.5 01.0-06.0 95 15.4 10.7-20.1 45 05.0-13.2 65+ 304,992 551 14 2.0 00.6-03.4 93 14.9 11.0-18.8 39 8.1 03.2-13.0 Less Than H.S. 185 293.659 3 00.0-02.5 04.3-17.7 02.3-10.9 1.1 16 11.0 16 6.6 H.S. or G.E.D. 502 641.024 13 2.8 00.0-06.1 113 25.3 18.2-32.4 43 11.9 06.8-17.0 Some Post-H.S. 432 442,482 00.7-03.9 16.7-33.9 47 13 2.3 89 25.3 8.7 04.4-13.0 College Graduate 472 340,886 17 6.3 01.8-10.8 132 31.8 24.9-38.7 59 14.6 08.7-20.5 Less than \$15,000 162 173,958 4 1.3 00.0-02.9 20 21.9 05.8-38.0 18 14.4 02.1-26.7 \$15,000-24,999 313 340,261 4 0.9 00.0-01.9 55 09.3-21.1 30 03.7-13.9 15.2 8.8 \$25,000-34,999 158 166,836 3 0.3 00.0-00.7 41 31.4 17.1-45.7 19 02.5-15.1 8.8 \$35,000-49,999 192 202,595 5 3.6 00.0-07.9 45 23.0 8.9

Data	TAT 20 C	weighted	neina	T.T.C PWT

00.1-04.1

01.0-09.2

42

21.9

34.0

21

5.1

6

11

\$50,000-74,999

\$75,000+

176

287

186,170

316,528

	8-29 days	<b>3</b>		30 days	· –		6				
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
154	9.3	07.1-11.5	261	20.2	16.3-24.1	618	32.6	28.5-36.7			
138	10.7	08.2-13.2	215	19.8	15.7-23.9	526	31.8	27.5-36.1			
4	2.0	00.0-05.5	27	20.9	08.4-33.4	63	35.9	22.8-49.0			
8	9.5	01.7-17.3	21	25.7	11.8-39.6	23	16.7	08.1-25.3			
23	11.2	04.9-17.5	33	32.0	20.2-43.8	29	12.6	06.5-18.7			
46	13.3	08.2-18.4	62	18.9	12.8-25.0	78	28.8	20.4-37.2			
39	7.6	04.1-11.1	72	19.9	13.4-26.4	165	44.5	35.9-53.1			
33	6.9	03.4-10.4	65	11.8	07.9-15.7	307	56.3	49.8-62.8			
16	6.9	02.0-11.8	51	32.7	20.9-44.5	83	41.7	30.1-53.3			
43	9.1	05.2-13.0	88	17.1	12.4-21.8	202	33.8	26.9-40.7			
36	7.7	04.4-11.0	75	25.9	16.7-35.1	172	30.1	22.3-37.9			
58	13.7	08.2-19.2	47	8.2	04.7-11.7	159	25.4	19.5-31.3			
16	7.5	01.4-13.6	52	29.8	15.5-44.1	52	25.0	11.5-38.5			

NOTE:

10.8-35.2

13.1-30.7

25.0-43.0

14

21

36

15.8

11.9

02.4-15.4

07.0-24.6

06.4-17.4

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 7: INADEQUATE SLEEP**

#### TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

			Data wa	as weighted u	sing _LLCPWT.			
	8-29 days			30 days	_		6	
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
27	10.5	04.4-16.6	67	31.8	22.0-41.6	130	32.8	23.4-42.2
14	11.4	04.0-18.8	22	16.4	05.8-27.0	59	31.6	19.3-43.9
18	10.8	02.2-19.4	28	20.9	08.4-33.4	82	32.8	20.5-45.1
20	7.3	02.8-11.8	18	15.5	04.9-26.1	69	37.3	26.3-48.3
34	10.9	06.2-15.6	27	14.5	06.3-22.7	92	23.7	17.2-30.2

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 7: INADEQUATE SLEEP**

TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

None

DEMOGRAPHIC

Less Than H.S.

H.S. or G.E.D.

Some Post-H.S.

12.2

12.0

13.2

13.1

47

130

134

113

RESPONDENT NUMBER

458

1269

1029

06.5-17.9

07.9-16.1

08.9-17.5

09.0-17.2

356.317

674,161

538,516

131

267

218

110

**GROUPS** C.I. (95%) TOTAL WEIGHTED Ν % C.I. (95%) Ν C.I. (95%) Ν % % Female 3598 1,893,424 89 2.2 01.4-03.0 22.7 19.8-25.6 430 9.9 08.3-11.5 816 White/Non-Hisp 2989 1.543.019 67 2.3 01.3-03.3 698 23.9 20.8-27.0 351 10.0 08.2-11.8 Black or Afr. Am./Non-Hisp 472 281,038 17 1.7 00.5-02.9 100 12.0-27.6 19.8 57 9.9 05.8-14.0 18-24 143,271 00.0-03.3 11.7-55.3 00.0-01.5 64 4 1.5 22 33.5 5 0.7 25-34 00.2-01.8 241 272,477 6 1.0 65 26.5 17.5-35.5 28 8.4 04.5-12.3 35-44 402 348.501 8 00.0-07.0 87 14.2-26.8 67 12.9 3.3 20.5 07.8-18.0 45-54 620 9 00.3-01.9 373,323 1.1 144 22.7 17.2-28.2 89 11.0 08.1-13.9 55-64 902 17.5-28.5 328,029 25 2.7 01.1-04.3 214 23.0 111 10.6 07.7-13.5 65+ 1341 415.259 37 2.8 01.6-04.0 277 18.3 15.6-21.0 128 10.4 07.1-13.7

0.9

2.4

1.5

00.1-01.7

01.2-03.6

00.7-02.3

77

255

233

15.7

19.3

25.1

10.0-21.4

15.2-23.4

19.0-31.2

39

143

125

7

29

26

College Graduate 831 322.341 27 4.2 00.5-07.9 251 33.8 26.5-41.1 121 12.3 09.2-15.4 Less than \$15,000 431 210,002 7 00.1-01.3 74 21.9 09.9-33.9 0.7 40 7.3 03.8-10.8 \$15,000-24,999 845 422,357 16 00.5-02.1 155 20.0 13.3-26.7 94 7.9 05.5-10.3 1.3 \$25,000-34,999 329 164,302 15 2.3 00.9-03.7 78 20.8 14.3-27.3 41 12.6 05.3-19.9 353 197.746 00.5-04.5 \$35,000-49,999 10 25 85 30.1 20.3-39.9 48 104 06.3-14.5 \$50,000-74,999 312 196,035 6 1.6 00.0-03.2 80 23.7 14.7-32.7 39 11.9 06.6-17.2 \$75,000+ 425 255,841 12 4.8 00.0-09.7 131 26.5 20.6-32.4 68 13.9 09.6-18.2

Data was weighted using LLCPWT.

	8-29 days	3		30 days			6	
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
427	12.6	10.2-15.0	729	27.7	24.4-31.0	1107	24.9	22.2-27.6
360	13.0	10.3-15.7	604	27.9	24.2-31.6	909	22.9	20.4-25.4
41	8.9	04.0-13.8	97	25.1	16.5-33.7	160	34.5	24.1-44.9
5	10.0	00.0-26.1	13	28.3	05.4-51.2	15	25.9	03.6-48.2
29	10.0	05.3-14.7	86	43.1	33.3-52.9	27	11.0	05.5-16.5
73	17.2	10.7-23.7	93	25.5	17.9-33.1	74	20.5	13.4-27.6
88	15.5	11.0-20.0	161	31.3	24.6-38.0	129	18.5	14.4-22.6
118	12.4	08.3-16.5	206	30.7	22.7-38.7	228	20.6	16.7-24.5
108	9.1	05.0-13.2	165	12.6	09.9-15.3	626	46.8	42.1-51.5

NOTE:

39.6

26.6

27.9

16.7

30.4-48.8

21.1-32.1

21.2-34.6

11.0-22.4

157

445

293

209

1-2 days

3-7 days

82

10.4

9.0

04.1-12.3

07.5-13.3

06.8-11.2

17.9-28.9

24.5-34.3

17.1-29.3

14.5-25.5

23.4

29.4

23.2

20.0

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

### TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

			Data wa	as weighted u	sing _LLCPWT.			
	8-29 days	•		30 days	_		6	
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
50	8.5	04.6-12.4	142	40.4	29.4-51.4	118	21.2	11.6-30.8
106	11.6	07.9-15.3	203	30.7	22.9-38.5	271	28.5	21.6-35.4
39	15.9	09.4-22.4	63	29.2	20.6-37.8	93	19.2	13.5-24.9
46	15.4	08.9-21.9	57	16.9	11.0-22.8	107	24.8	17.5-32.1
40	9.8	05.5-14.1	61	31.5	20.1-42.9	86	21.4	15.3-27.5
61	13.2	07 9-18 5	61	19.3	11 1-27 5	92	22.3	15 4-29 2

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

TABLE 4: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1-5 h	rs.		6-10 ł	nrs.		11-15	nrs.		16-24	hrs.		5	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5257	3,698,711	538	12.2	10.2-14.2	4318	80.4	78.0-82.8	47	1.3	00.5-02.1	5	0.2	00.0-00.4	349	6.0	04.6-07.4
Male	1625	1,774,160	138	11.6	08.5-14.7	1367	81.9	78.2-85.6	15	0.8	00.0-01.6	2	0.4	00.0-01.0	103	5.3	03.3-07.3
Female	3632	1,924,551	400	12.7	10.2-15.2	2951	78.9	75.8-82.0	32	1.7	00.3-03.1	3	0.0	00.0-00.0	246	6.6	04.8-08.4
White/Non-Hisp	4402	2,936,319	421	10.5	08.5-12.5	3667	82.8	80.4-85.2	27	0.4	00.2-00.6	3	0.1	00.0-00.3	284	6.2	04.6-07.8
Black or Afr. Am./Non-Hisp	629	561,957	78	18.0	10.4-25.6	478	69.5	61.1-77.9	17	6.1	00.8-11.4	2	0.6	00.0-01.6	54	5.8	02.5-09.1
Oth. Race/Non-Hisp.	66	57,371	15	18.1	01.8-34.4	47	78.2	61.1-95.3							4	3.7	00.0-08.4
MultiRacial/Non-Hisp.	65	61,742	9	17.2	00.0-35.6	51	76.4	57.4-95.4	2	2.5	00.0-06.2				3	3.9	00.0-08.6
Hispanic	64	68,102	9	27.8	02.7-52.9	54	70.8	45.9-95.7							1	1.4	00.0-04.1
18-24	111	323,442	11	13.5	01.9-25.1	92	76.2	62.3-90.1	3	5.6	00.0-13.2				5	4.7	00.0-12.0
25-34	332	519,429	53	16.3	09.6-23.0	263	80.3	73.4-87.2	4	0.3	00.0-00.7	1	0.7	00.0-02.1	11	2.5	00.7-04.3
35-44	575	705,945	72	13.4	08.1-18.7	479	79.6	73.1-86.1	4	1.7	00.0-04.1				20	5.3	01.2-09.4
45-54	917	749,905	116	13.3	09.2-17.4	747	81.1	76.8-85.4	7	0.6	00.0-01.2	2	0.4	00.0-01.2	45	4.5	02.7-06.3
55-64	1340	640,034	150	11.5	07.8-15.2	1089	80.2	75.7-84.7	10	0.6	00.0-01.2	1	0.1	00.0-00.3	90	7.6	04.5-10.7
65+	1946	741,585	132	6.4	04.6-08.2	1620	82.9	80.0-85.8	18	1.0	00.4-01.6	1	0.0	00.0-00.0	175	9.7	07.3-12.1
Less Than H.S.	646	656,358	87	11.9	07.4-16.4	463	74.5	68.4-80.6	10	1.0	00.2-01.8	2	0.1	00.0-00.3	84	12.5	07.8-17.2
H.S. or G.E.D.	1810	1,361,896	207	13.7	10.2-17.2	1446	77.7	73.6-81.8	20	1.9	00.1-03.7	2	0.3	00.0-00.9	135	6.5	04.0-09.0
Some Post-H.S.	1474	1,009,858	139	12.8	08.3-17.3	1230	81.8	76.9-86.7	11	1.3	00.0-03.3				94	4.0	02.8-05.2
College Graduate	1315	666,135	104	8.4	05.5-11.3	1170	89.3	86.2-92.4	6	0.3	00.0-00.7	1	0.5	00.0-01.5	34	1.5	00.7-02.3
Less than \$15,000	592	391,904	109	20.4	12.4-28.4	402	67.6	58.6-76.6	10	3.6	00.0-08.7				71	8.4	05.3-11.5
\$15,000- 24,999	1190	782,997	137	17.5	11.8-23.2	923	70.3	64.0-76.6	10	1.5	00.0-03.7	3	0.5	00.0-01.5	117	10.1	06.0-14.2
\$25,000- 34,999	496	336,760	50	11.3	06.6-16.0	410	79.1	72.8-85.4	7	2.3	00.3-04.3				29	7.3	03.0-11.6
\$35,000- 49,999	538	410,165	44	9.0	04.5-13.5	465	87.0	82.1-91.9	5	0.4	8.00-0.00				24	3.6	01.8-05.4
\$50,000- 74,999	492	382,440	42	8.2	04.5-11.9	439	90.4	86.5-94.3	2	0.3	00.0-00.7	1	0.2	00.0-00.6	8	1.0	00.0-02.0
\$75,000+	714	577,286	50	8.2	03.9-12.5	643	89.1	84.6-93.6	2	0.1	00.0-00.3	1	0.5	00.0-01.5	18	2.0	00.6-03.4

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

## TABLE 5: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1-5 h	rs.		6-10 ł	nrs.		11-15	hrs.		16-24	hrs.		5	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1625	1,774,160	138	11.6	08.5-14.7	1367	81.9	78.2-85.6	15	0.8	00.0-01.6	2	0.4	00.0-01.0	103	5.3	03.3-07.3
White/Non-Hisp	1378	1,372,862	108	9.6	06.7-12.5	1174	84.5	81.0-88.0	10	0.3	00.1-00.5	1	0.3	00.0-00.9	85	5.4	03.2-07.6
Black or Afr. Am./Non-Hisp	161	271,005	19	19.8	06.9-32.7	125	69.8	56.1-83.5	3	3.2	00.0-08.7	1	1.1	00.0-03.3	13	6.1	00.0-12.2
25-34	95	250,820	12	14.8	03.6-26.0	80	82.4	70.8-94.0				1	1.4	00.0-04.1	2	1.4	00.0-03.6
35-44	177	359,697	19	15.3	06.5-24.1	154	79.4	68.8-90.0							4	5.2	00.0-12.3
45-54	302	370,696	34	13.4	06.9-19.9	253	83.0	76.3-89.7	1	0.1	00.0-00.3	1	8.0	00.0-02.4	13	2.7	01.1-04.3
55-64	438	308,894	33	8.5	04.6-12.4	372	81.3	74.6-88.0	4	0.8	00.0-01.8				29	9.5	03.6-15.4
65+	561	310,446	33	5.4	02.7-08.1	466	83.5	78.8-88.2	9	1.4	00.4-02.4				53	9.8	05.9-13.7
Less Than H.S.	190	299,791	22	8.4	03.1-13.7	139	76.8	67.2-86.4	6	1.4	00.2-02.6				23	13.3	04.9-21.7
H.S. or G.E.D.	514	659,884	53	13.4	07.9-18.9	423	80.0	73.7-86.3	5	1.3	00.0-03.5	1	0.5	00.0-01.5	32	4.8	01.7-07.9
Some Post-H.S.	438	468,888	35	15.2	07.0-23.4	370	81.0	72.8-89.2	1	0.1	00.0-00.3				32	3.7	01.7-05.7
College Graduate	480	342,914	28	5.8	02.9-08.7	432	91.4	87.9-94.9	3	0.4	8.00-0.00	1	0.9	00.0-02.7	16	1.5	00.5-02.5
Less than \$15,000	162	170,490	26	26.6	10.9-42.3	115	66.6	50.9-82.3	3	0.6	00.0-01.4				18	6.2	01.9-10.5
\$15,000- 24,999	325	345,626	27	15.3	06.9-23.7	259	69.8	59.4-80.2	3	0.5	00.0-01.1	1	1.0	00.0-03.0	35	13.3	04.9-21.7
\$25,000- 34,999	165	171,864	14	6.0	01.3-10.7	140	88.9	82.6-95.2	2	1.0	00.0-02.6				9	4.1	00.2-08.0
\$35,000- 49,999	191	214,821	13	10.5	02.5-18.5	164	85.4	77.0-93.8	2	0.3	00.0-00.9				12	3.7	01.0-06.4
\$50,000- 74,999	180	188,057	14	5.8	01.9-09.7	163	93.2	89.1-97.3	1	0.3	00.0-00.9				2	0.7	00.0-01.7
\$75,000+	288	320,094	20	9.8	02.4-17.2	255	87.3	79.7-94.9	2	0.2	00.0-00.6	1	1.0	00.0-03.0	10	1.7	00.3-03.1

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 6: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? THINK ABOUT THE TIME YOU ACTUALLY SPEND SLEEPING OR NAPPING, NOT JUST THE AMOUNT OF SLEEP YOU THINK YOU SHOULD GET. (SLEPTIME)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1-5 h	rs.		6-10 h	nrs.		11-15	hrs.		16-24	hrs.		5	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3632	1,924,551	400	12.7	10.2-15.2	2951	78.9	75.8-82.0	32	1.7	00.3-03.1	3	0.0	00.0-00.0	246	6.6	04.8-08.4
White/Non-Hisp	3024	1,563,457	313	11.3	08.8-13.8	2493	81.3	78.2-84.4	17	0.4	00.2-00.6	2	0.0	00.0-00.0	199	6.9	04.7-09.1
Black or Afr. Am./Non-Hisp	468	290,952	59	16.4	08.2-24.6	353	69.2	58.8-79.6	14	8.9	00.3-17.5	1	0.0	00.0-00.0	41	5.5	03.1-07.9
18-24	67	155,484	5	15.2	00.0-33.8	57	69.6	46.5-92.7	2	6.9	00.0-19.6				3	8.4	00.0-23.3
25-34	237	268,608	41	17.6	10.2-25.0	183	78.2	70.4-86.0	4	0.6	00.0-01.2				9	3.5	00.6-06.4
35-44	398	346,248	53	11.5	06.2-16.8	325	79.7	72.4-87.0	4	3.4	00.0-08.3				16	5.3	01.6-09.0
45-54	615	379,209	82	13.2	07.9-18.5	494	79.3	73.4-85.2	6	1.1	00.0-02.3	1	0.0	00.0-00.0	32	6.3	03.4-09.2
55-64	902	331,139	117	14.4	08.5-20.3	717	79.1	73.0-85.2	6	0.5	00.1-00.9	1	0.2	00.0-00.6	61	5.9	03.9-07.9
65+	1385	431,139	99	7.1	04.9-09.3	1154	82.5	78.8-86.2	9	0.7	00.0-01.5	1	0.0	00.0-00.0	122	9.7	06.6-12.8
Less Than H.S.	456	356,567	65	14.8	07.7-21.9	324	72.5	64.5-80.5	4	0.6	00.0-01.4	2	0.2	00.0-00.6	61	11.9	06.8-17.0
H.S. or G.E.D.	1296	702,012	154	14.0	09.5-18.5	1023	75.5	69.8-81.2	15	2.4	00.0-04.9	1	0.0	00.0-00.0	103	8.1	04.4-11.8
Some Post-H.S.	1036	540,970	104	10.7	06.0-15.4	860	82.6	76.9-88.3	10	2.4	00.0-06.1				62	4.3	02.7-05.9
College Graduate	835	323,221	76	11.1	06.0-16.2	738	87.2	82.1-92.3	3	0.3	00.0-00.7				18	1.4	00.4-02.4
Less than \$15,000	430	221,414	83	15.6	08.7-22.5	287	68.4	57.6-79.2	7	5.8	00.0-14.8				53	10.1	05.8-14.4
\$15,000- 24,999	865	437,371	110	19.3	11.7-26.9	664	70.7	62.7-78.7	7	2.3	00.0-06.0	2	0.1	00.1-00.1	82	7.6	04.5-10.7
\$25,000- 34,999	331	164,896	36	16.9	09.1-24.7	270	69.0	59.4-78.6	5	3.6	00.1-07.1				20	10.6	03.2-18.0
\$35,000- 49,999	347	195,344	31	7.3	03.6-11.0	301	88.7	84.2-93.2	3	0.5	00.0-01.1				12	3.5	01.1-05.9
\$50,000- 74,999	312	194,383	28	10.5	04.2-16.8	276	87.6	81.1-94.1	1	0.3	00.0-00.9	1	0.3	00.0-00.9	6	1.4	00.0-03.0
\$75,000+	426	257,192	30	6.2	03.5-08.9	388	91.4	87.9-94.9							8	2.4	00.2-04.6

NOTE:

59 of 224

July 26, 2012

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 7: DO YOU SNORE? (SLEPSNOR)

#### Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	u uo = 11	Yes	i CIWI.		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4651	3,376,590	2719	60.4	57.5-63.3	1932	39.6	36.7-42.5
Male	1466	1,632,000	962	67.8	63.3-72.3	504	32.2	27.7-36.7
Female	3185	1,744,590	1757	53.5	49.8-57.2	1428	46.5	42.8-50.2
White/Non-Hisp	3872	2,671,594	2269	61.7	58.6-64.8	1603	38.3	35.2-41.4
Black or Afr. Am./Non-Hisp	574	525,126	328	54.5	45.7-63.3	246	45.5	36.7-54.3
Oth. Race/Non-Hisp.	57	48,774	29	45.8	20.3-71.3	28	54.2	28.7-79.7
MultiRacial/Non-Hisp.	63	60,585	42	63.9	39.6-88.2	21	36.1	11.8-60.4
Hispanic	57	57,781	36	66.1	45.5-86.7	21	33.9	13.3-54.5
18-24	99	306,822	36	41.9	26.4-57.4	63	58.1	42.6-73.6
25-34	310	480,671	142	49.0	39.8-58.2	168	51.0	41.8-60.2
35-44	536	665,613	308	62.9	55.8-70.0	228	37.1	30.0-44.2
45-54	862	700,461	576	69.6	64.5-74.7	286	30.4	25.3-35.5
55-64	1197	594,039	772	68.4	63.1-73.7	425	31.6	26.3-36.9
65+	1614	611,201	867	58.6	54.7-62.5	747	41.4	37.5-45.3
Less Than H.S.	547	583,784	318	66.8	60.1-73.5	229	33.2	26.5-39.9
H.S. or G.E.D.	1594	1,236,486	951	59.8	54.9-64.7	643	40.2	35.3-45.1
Some Post-H.S.	1307	929,886	775	62.1	56.2-68.0	532	37.9	32.0-43.8
College Graduate	1190	621,719	667	53.2	47.7-58.7	523	46.8	41.3-52.3
Less than \$15,000	489	341,784	291	53.1	42.3-63.9	198	46.9	36.1-57.7
\$15,000- 24,999	1032	700,071	597	60.1	53.6-66.6	435	39.9	33.4-46.4
\$25,000- 34,999	450	303,178	256	57.1	49.1-65.1	194	42.9	34.9-50.9
\$35,000- 49,999	480	367,584	300	62.6	53.6-71.6	180	37.4	28.4-46.4
\$50,000- 74,999	452	364,012	274	67.4	60.3-74.5	178	32.6	25.5-39.7
\$75,000+	660	545,074	390	59.3	52.8-65.8	270	40.7	34.2-47.2

### TABLE 8: DO YOU SNORE? (SLEPSNOR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

	Daca w	ab wergiice	a abiii	9 _===	CIVII.			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1466	1,632,000	962	67.8	63.3-72.3	504	32.2	27.7-36.7
White/Non-Hisp	1236	1,258,341	825	69.6	64.9-74.3	411	30.4	25.7-35.1
Black or Afr. Am./Non-Hisp	152	261,755	96	65.7	52.0-79.4	56	34.3	20.6-48.0
25-34	86	229,624	48	57.1	41.2-73.0	38	42.9	27.0-58.8
35-44	167	343,166	121	70.4	59.2-81.6	46	29.6	18.4-40.8
45-54	286	343,522	210	78.6	71.9-85.3	76	21.4	14.7-28.1
55-64	401	294,622	280	76.2	70.1-82.3	121	23.8	17.7-29.9
65+	479	262,261	279	61.8	55.5-68.1	200	38.2	31.9-44.5
Less Than H.S.	171	273,817	106	70.8	60.2-81.4	65	29.2	18.6-39.8
H.S. or G.E.D.	455	595,404	312	68.9	61.6-76.2	143	31.1	23.8-38.4
Some Post-H.S.	393	435,908	264	69.4	59.8-79.0	129	30.6	21.0-40.2
College Graduate	444	324,188	278	61.5	53.5-69.5	166	38.5	30.5-46.5
Less than \$15,000	138	150,082	85	51.6	33.4-69.8	53	48.4	30.2-66.6
\$15,000- 24,999	278	307,456	173	69.5	60.3-78.7	105	30.5	21.3-39.7
\$25,000- 34,999	143	151,150	89	62.8	49.3-76.3	54	37.2	23.7-50.7
\$35,000- 49,999	179	195,428	121	69.9	55.8-84.0	58	30.1	16.0-44.2
\$50,000- 74,999	170	181,770	113	74.6	65.8-83.4	57	25.4	16.6-34.2
\$75,000+	274	310,236	198	72.3	63.1-81.5	76	27.7	18.5-36.9

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### TABLE 9: DO YOU SNORE? (SLEPSNOR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC		NT NUMBER	a abiii	Yes	5		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3185	1,744,590	1757	53.5	49.8-57.2	1428	46.5	42.8-50.2
White/Non-Hisp	2636	1,413,253	1444	54.7	50.6-58.8	1192	45.3	41.2-49.4
Black or Afr. Am./Non-Hisp	422	263,371	232	43.4	33.8-53.0	190	56.6	47.0-66.2
18-24	61	153,875	15	34.2	10.9-57.5	46	65.8	42.5-89.1
25-34	224	251,047	94	41.7	32.1-51.3	130	58.3	48.7-67.9
35-44	369	322,447	187	54.9	46.3-63.5	182	45.1	36.5-53.7
45-54	576	356,939	366	60.9	53.6-68.2	210	39.1	31.8-46.4
55-64	796	299,417	492	60.8	53.2-68.4	304	39.2	31.6-46.8
65+	1135	348,941	588	56.1	51.2-61.0	547	43.9	39.0-48.8
Less Than H.S.	376	309,968	212	63.2	54.6-71.8	164	36.8	28.2-45.4
H.S. or G.E.D.	1139	641,082	639	51.5	45.6-57.4	500	48.5	42.6-54.4
Some Post-H.S.	914	493,978	511	55.6	48.2-63.0	403	44.4	37.0-51.8
College Graduate	746	297,531	389	44.0	36.7-51.3	357	56.0	48.7-63.3
Less than \$15,000	351	191,701	206	54.3	41.2-67.4	145	45.7	32.6-58.8
\$15,000- 24,999	754	392,615	424	52.6	44.2-61.0	330	47.4	39.0-55.8
\$25,000- 34,999	307	152,028	167	51.4	42.2-60.6	140	48.6	39.4-57.8
\$35,000- 49,999	301	172,155	179	54.3	44.1-64.5	122	45.7	35.5-55.9
\$50,000- 74,999	282	182,242	161	60.1	49.3-70.9	121	39.9	29.1-50.7
\$75,000+	386	234,838	192	42.2	34.6-49.8	194	57.8	50.2-65.4

#### **MODULE 7: INADEQUATE SLEEP**

TABLE 10: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU FIND YOURSELF UNINTENTIONALLY FALLING ASLEEP DURING THE DAY? (SLEPDAY) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.														
DEMOGRAPHIC		NT NUMBER		None			1-2 da	•		3-7 da	•		8-29 d	•
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4848	3,438,880	3285	68.3	65.6-71.0	610	13.4	11.2-15.6	537	10.5	08.9-12.1	416	7.8	06.2-09.4
Male	1500	1,674,885	1018	69.3	65.2-73.4	177	13.4	10.1-16.7	183	10.0	07.6-12.4	122	7.2	04.8-09.6
Female	3348	1,763,995	2267	67.4	63.9-70.9	433	13.3	10.6-16.0	354	10.9	08.7-13.1	294	8.4	06.2-10.6
White/Non-Hisp	4062	2,716,776	2799	68.3	65.4-71.2	493	13.7	11.3-16.1	437	10.2	08.6-11.8	333	7.8	06.2-09.4
Black or Afr. Am./Non-Hisp	570	534,064	337	64.8	56.4-73.2	88	12.3	07.4-17.2	80	13.3	07.6-19.0	65	9.6	03.7-15.5
Oth. Race/Non-Hisp.	61	54,466	38	69.9	48.3-91.5	9	19.8	00.0-40.0	3	1.9	00.0-04.4	11	8.4	00.8-16.0
MultiRacial/Non-Hisp.	63	59,420	49	89.5	81.3-97.7	8	6.3	00.4-12.2	4	3.8	00.0-08.7	2	0.3	00.0-00.7
Hispanic	64	62,259	42	77.3	62.4-92.2	11	10.0	00.0-20.4	10	12.5	01.7-23.3	1	0.1	00.0-00.3
18-24	106	308,214	77	72.4	58.7-86.1	18	18.6	06.8-30.4	7	4.1	00.0-09.2	4	4.9	00.0-12.5
25-34	324	504,208	231	72.8	64.8-80.8	43	15.8	08.4-23.2	28	7.3	03.8-10.8	22	4.1	02.1-06.1
35-44	551	662,310	400	70.4	63.7-77.1	56	10.9	06.2-15.6	62	11.3	07.0-15.6	33	7.4	02.9-11.9
45-54	862	696,512	607	69.5	64.4-74.6	106	11.4	08.1-14.7	91	10.4	07.3-13.5	58	8.7	05.2-12.2
55-64	1234	593,235	844	67.0	61.5-72.5	153	12.9	08.8-17.0	124	9.9	07.0-12.8	113	10.1	06.0-14.2
65+	1737	656,943	1098	60.3	56.2-64.4	231	14.2	11.5-16.9	225	16.0	12.3-19.7	183	9.5	07.5-11.5
Less Than H.S.	561	563,553	346	58.9	51.5-66.3	87	17.8	10.9-24.7	69	12.2	07.9-16.5	59	11.1	06.2-16.0
H.S. or G.E.D.	1636	1,266,658	1088	69.2	64.7-73.7	205	12.2	09.3-15.1	200	12.0	08.9-15.1	143	6.6	04.1-09.1
Some Post-H.S.	1368	954,512	923	67.2	61.7-72.7	161	14.7	10.0-19.4	148	8.3	05.9-10.7	136	9.9	06.6-13.2
College Graduate	1273	650,052	919	76.4	72.5-80.3	156	10.0	07.6-12.4	120	9.2	06.5-11.9	78	4.4	02.6-06.2
Less than \$15,000	516	358,280	306	57.8	47.2-68.4	76	16.7	07.9-25.5	70	13.8	07.3-20.3	64	11.6	05.9-17.3
\$15,000- 24,999	1045	694,067	693	66.3	60.2-72.4	108	12.2	07.7-16.7	136	11.2	07.7-14.7	108	10.2	06.3-14.1
\$25,000- 34,999	455	304,175	288	67.5	60.1-74.9	61	15.2	08.9-21.5	59	9.9	06.4-13.4	47	7.4	04.1-10.7
\$35,000- 49,999	515	392,902	348	69.8	61.8-77.8	65	13.1	06.2-20.0	66	10.8	06.7-14.9	36	6.3	03.0-09.6
\$50,000- 74,999	475	360,183	345	69.3	61.7-76.9	66	18.7	11.4-26.0	36	7.7	04.0-11.4	28	4.2	01.8-06.6
\$75,000+	695	561,804	528	77.6	72.9-82.3	80	11.8	07.9-15.7	58	7.7	05.2-10.2	29	2.9	00.9-04.9

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

## TABLE 11: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU FIND YOURSELF UNINTENTIONALLY FALLING ASLEEP DURING THE DAY? (SLEPDAY) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC	RESPONDE	NT NUMBER		Data w <b>Non</b>	_	d using	1-2 da			3-7 da	ivs		8-29 d	avs
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1500	1,674,885	1018	69.3	65.2-73.4	177	13.4	10.1-16.7	183	10.0	07.6-12.4	122	7.2	04.8-09.6
White/Non-Hisp	1276	1,304,839	883	68.4	63.7-73.1	151	14.4	10.5-18.3	147	9.4	07.2-11.6	95	7.8	05.1-10.5
Black or Afr. Am./Non-Hisp	145	250,646	82	68.9	56.9-80.9	19	10.1	03.8-16.4	26	14.9	05.5-24.3	18	6.1	00.6-11.6
25-34	94	251,940	71	74.5	61.2-87.8	10	18.1	05.2-31.0	6	4.2	00.1-08.3	7	3.3	00.6-06.0
35-44	171	337,880	124	69.5	58.7-80.3	16	12.9	04.5-21.3	21	9.9	03.6-16.2	10	7.7	00.4-15.0
45-54	283	353,747	200	68.3	59.9-76.7	29	10.5	05.0-16.0	37	12.4	07.1-17.7	17	8.9	02.8-15.0
55-64	405	283,992	271	70.9	64.0-77.8	51	9.6	05.9-13.3	44	10.8	06.7-14.9	39	8.6	03.9-13.3
65+	496	275,765	318	60.7	54.0-67.4	61	15.4	09.9-20.9	71	13.5	09.0-18.0	46	10.3	06.4-14.2
Less Than H.S.	166	272,568	105	63.8	51.5-76.1	22	13.5	03.3-23.7	17	9.0	03.5-14.5	22	13.8	04.8-22.8
H.S. or G.E.D.	467	620,433	321	69.9	63.0-76.8	49	12.0	07.1-16.9	65	12.8	08.1-17.5	32	5.4	02.3-08.5
Some Post-H.S.	404	447,920	270	67.6	59.0-76.2	46	17.6	09.8-25.4	50	7.3	04.4-10.2	38	7.5	03.6-11.4
College Graduate	460	331,281	319	74.8	68.9-80.7	60	10.7	06.8-14.6	51	9.5	05.8-13.2	30	5.0	01.9-08.1
Less than \$15,000	138	159,699	82	54.9	36.9-72.9	16	15.5	00.0-31.4	21	16.2	04.6-27.8	19	13.5	02.7-24.3
\$15,000- 24,999	284	310,077	191	68.2	58.8-77.6	27	10.0	04.5-15.5	38	8.4	04.3-12.5	28	13.4	05.6-21.2
\$25,000- 34,999	150	161,283	94	67.8	55.6-80.0	16	17.0	06.2-27.8	23	9.5	04.4-14.6	17	5.8	02.3-09.3
\$35,000- 49,999	176	202,389	115	67.5	53.8-81.2	27	16.3	04.0-28.6	23	9.1	04.0-14.2	11	7.1	01.0-13.2
\$50,000- 74,999	173	179,078	120	67.4	56.2-78.6	26	20.7	09.9-31.5	17	8.9	03.0-14.8	10	3.0	00.6-05.4
\$75.000+	280	312,277	204	75.3	68.0-82.6	33	12.8	06.9-18.7	30	8.8	04.7-12.9	13	3.1	00.2-06.0

NOTE:

64 of 224

July 26, 2012

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 12: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU FIND YOURSELF UNINTENTIONALLY FALLING ASLEEP DURING THE DAY? (SLEPDAY) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.														
DEMOGRAPHIC	RESPONDE	NT NUMBER		None	е		1-2 da	ıys		3-7 da	ıys		8-29 d	ays
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3348	1,763,995	2267	67.4	63.9-70.9	433	13.3	10.6-16.0	354	10.9	08.7-13.1	294	8.4	06.2-10.6
White/Non-Hisp	2786	1,411,937	1916	68.2	64.7-71.7	342	13.1	10.2-16.0	290	10.9	08.5-13.3	238	7.8	05.8-09.8
Black or Afr. Am./Non-Hisp	425	283,418	255	61.2	49.8-72.6	69	14.2	06.9-21.5	54	11.9	05.0-18.8	47	12.7	03.1-22.3
18-24	64	142,512	48	70.2	46.9-93.5	10	20.2	00.0-40.4	3	0.3	00.0-00.7	3	9.3	00.0-25.4
25-34	230	252,268	160	71.1	62.1-80.1	33	13.6	05.6-21.6	22	10.5	04.8-16.2	15	4.8	02.1-07.5
35-44	380	324,430	276	71.4	63.4-79.4	40	8.7	05.2-12.2	41	12.8	06.5-19.1	23	7.1	01.8-12.4
45-54	579	342,765	407	70.8	64.9-76.7	77	12.4	08.3-16.5	54	8.3	04.8-11.8	41	8.5	04.6-12.4
55-64	829	309,243	573	63.5	55.5-71.5	102	15.9	08.8-23.0	80	9.1	04.8-13.4	74	11.5	04.8-18.2
65+	1241	381,178	780	59.9	55.0-64.8	170	13.4	10.7-16.1	154	17.8	12.5-23.1	137	8.9	06.9-10.9
Less Than H.S.	395	290,985	241	54.3	45.7-62.9	65	21.9	13.1-30.7	52	15.3	08.8-21.8	37	8.5	04.6-12.4
H.S. or G.E.D.	1169	646,225	767	68.6	62.7-74.5	156	12.3	08.6-16.0	135	11.3	07.4-15.2	111	7.8	03.9-11.7
Some Post-H.S.	964	506,593	653	66.8	59.7-73.9	115	12.1	06.6-17.6	98	9.2	05.9-12.5	98	11.9	06.6-17.2
College Graduate	813	318,771	600	78.0	73.1-82.9	96	9.3	06.6-12.0	69	8.9	05.0-12.8	48	3.7	01.9-05.5
Less than \$15,000	378	198,581	224	60.2	48.0-72.4	60	17.7	08.1-27.3	49	11.9	04.8-19.0	45	10.1	04.6-15.6
\$15,000- 24,999	761	383,990	502	64.9	57.1-72.7	81	14.0	07.1-20.9	98	13.4	08.1-18.7	80	7.7	05.2-10.2
\$25,000- 34,999	305	142,892	194	67.2	59.2-75.2	45	13.1	08.2-18.0	36	10.4	05.7-15.1	30	9.3	03.6-15.0
\$35,000- 49,999	339	190,513	233	72.3	64.3-80.3	38	9.7	04.6-14.8	43	12.6	06.1-19.1	25	5.4	02.7-08.1
\$50,000- 74,999	302	181,106	225	71.3	61.1-81.5	40	16.8	07.0-26.6	19	6.5	02.0-11.0	18	5.4	01.5-09.3
\$75,000+	415	249,527	324	80.5	75.0-86.0	47	10.4	06.1-14.7	28	6.3	03.4-09.2	16	2.8	00.8-04.8

NOTE:

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

### **MODULE 7: INADEQUATE SLEEP**

TABLE 13 DURING THE PAST 30 DAYS, HAVE YOU EVER NODDED OFF OR FALLEN ASLEEP, EVEN JUST FOR A BRIEF MOMENT, WHILE DRIVING? (SLEPDRIV) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.														
DEMOGRAPHIC	RESPONDE		Yes	3		No	1		Don't o	drive	Don	't have	license	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5288	3,715,843	126	3.5	02.3-04.7	4813	92.9	91.5-94.3	346	3.6	02.8-04.4	3	0.0	00.0-00.0
Male	1628	1,777,288	58	5.3	03.1-07.5	1505	91.6	89.1-94.1	62	3.0	01.6-04.4	3	0.1	00.0-00.3
Female	3660	1,938,555	68	1.8	00.8-02.8	3308	94.1	92.9-95.3	284	4.0	03.4-04.6			
White/Non-Hisp	4421	2,951,865	95	3.5	02.1-04.9	4065	93.3	91.7-94.9	258	3.2	02.4-04.0	3	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	642	568,895	25	4.5	01.2-07.8	545	90.1	85.8-94.4	72	5.5	02.6-08.4			
Oth. Race/Non-Hisp.	64	57,177	2	0.9	00.0-02.5	57	95.0	90.1-99.9	5	4.2	00.0-08.5			
MultiRacial/Non-Hisp.	66	61,835	1	0.1	00.0-00.3	62	99.2	98.2-0100	3	0.7	00.0-01.7			
Hispanic	65	63,190				59	97.1	93.0-0100	6	2.9	00.0-07.0			
18-24	110	323,067	4	3.9	00.0-09.4	103	95.7	90.2-0100	3	0.4	00.0-01.0			
25-34	334	526,432	9	4.4	00.0-09.1	319	94.7	89.8-99.6	6	0.9	00.0-01.9			
35-44	576	700,898	24	5.3	02.0-08.6	534	92.1	88.2-96.0	17	2.5	00.3-04.7	1	0.1	00.0-00.3
45-54	921	751,445	23	3.1	01.3-04.9	857	93.9	91.7-96.1	40	3.0	01.6-04.4	1	0.0	00.0-00.0
55-64	1343	648,359	38	3.4	01.6-05.2	1238	92.1	89.2-95.0	67	4.5	02.1-06.9			
65+	1968	747,174	28	1.5	00.7-02.3	1728	90.8	89.0-92.6	211	7.6	06.0-09.2	1	0.0	00.0-00.0
Less Than H.S.	671	668,916	12	2.6	00.1-05.1	541	89.9	86.8-93.0	117	7.5	05.5-09.5	1	0.0	00.0-00.0
H.S. or G.E.D.	1810	1,362,208	33	3.8	01.6-06.0	1642	92.5	90.0-95.0	134	3.6	02.2-05.0	1	0.1	00.0-00.3
Some Post-H.S.	1481	1,013,307	39	3.1	01.1-05.1	1374	94.3	91.9-96.7	67	2.6	01.0-04.2	1	0.0	00.0-00.0
College Graduate	1314	666,812	42	4.4	02.0-06.8	1245	94.6	92.2-97.0	27	1.0	00.4-01.6			
Less than \$15,000	610	393,671	20	4.8	00.7-08.9	500	86.2	80.5-91.9	89	8.9	04.8-13.0	1	0.1	00.0-00.3
\$15,000- 24,999	1192	788,528	25	2.5	00.7-04.3	1070	93.8	91.6-96.0	96	3.8	02.4-05.2	1	0.0	00.0-00.0
\$25,000- 34,999	495	335,703	9	1.3	00.3-02.3	466	94.4	89.9-98.9	20	4.3	00.0-08.6			
\$35,000- 49,999	545	413,295	16	4.1	01.0-07.2	524	95.4	92.3-98.5	5	0.5	00.0-01.1			
\$50,000- 74,999	493	384,139	10	1.2	00.2-02.2	474	97.4	95.8-99.0	9	1.5	00.3-02.7			
\$75,000+	714	579,139	26	4.8	02.3-07.3	681	94.3	91.6-97.0	7	0.8	00.0-01.6			

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

#### TABLE 14: DURING THE PAST 30 DAYS, HAVE YOU EVER NODDED OFF OR FALLEN ASLEEP, EVEN JUST FOR A BRIEF MOMENT, WHILE DRIVING? (SLEPDRIV) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Yes Nο Don't drive Don't have license **GROUPS** TOTAL WEIGHTED Ν Ν % C.I. (95%) Ν % C.I. (95%) Ν % C.I. (95%) % C.I. (95%) 3.0 01.6-04.4 Male 1628 1,777,288 03.1-07.5 1505 91.6 89.1-94.1 00.1-00.1 White/Non-Hisp 1380 1.380.253 49 5.9 03.2-08.6 1283 91.4 88.5-94.3 45 2.6 01.2-04.0 3 0.1 00.0-00.3 Black or Afr. Am./Non-Hisp 4.4 00.5-08.3 90.1 83.2-97.0 00.0-11.3 164 273,370 8 144 12 5.6 00.0-18.4 91.4 81.6-0100 25-34 94 253,870 4 8.6 90 00.3-09.3 35-44 175 353.069 6 4.8 163 91.6 85.5-97.7 5 00.0-07.7 0.2 00.0-00.6 45-54 304 91.2 86.9-95.5 0.1 00.0-00.3 370.414 13 5.4 01.9-08.9 276 14 3.4 00.9-05.9 1 55-64 438 315,057 18 01.4-08.4 405 89.5 83.8-95.2 15 00.7-10.5 65+ 564 311,060 14 2.6 00.8-04.4 523 93.9 91.2-96.6 26 3.5 01.5-05.5 0.0 00.0-00.0 Less Than H.S. 00.0-09.6 84.8-97.0 02.5-07.5 00.0-00.3 195 304.260 5 4.1 90.9 5.0 0.1 170 19 1 HS or G F D 510 657.052 6.9 02.4-11.4 469 89.6 84.5-94.7 21 3.4 00.7-06.1 1 0.1 00.0-00.3 19 Some Post-H.S. 00.8-05.2 442 471,458 18 3.0 410 94.4 90.7-98.1 13 2.7 00.0-05.8 0.0 00.0-00.0 College Graduate 478 341,834 02.4-11.0 453 92.3 88.0-96.6 9 1.0 00.2-01.8 16 6.7 Less than \$15,000 162 166,871 8 7.6 00.0-16.6 129 81.5 69.3-93.7 10.7 01.5-19.9 0.2 00.0-00.6 \$15,000-24,999 326 00.1-07.5 93.9 89.6-98.2 7 2.3 00.0-04.8 0.0 00.0-00.0 349,093 9 309 \$25,000-34,999 160 170,055 00.1-04.1 92.8 84.4-0100 4 5.1 00.0-13.3 6 2.1 150 \$35,000-49,999 194 215,864 10 6.7 00.8-12.6 93.3 87.4-99.2 184 \$50,000-74,999 181 188,534 2 00.0-02.7 176 97.1 94.4-99.8 00.0-04.2 1.1 3 1.8 \$75,000+ 289 321,946 15 7.4 02.9-11.9 271 92.2 87.5-96.9 3 0.4 00.0-01.0

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

#### TABLE 15: DURING THE PAST 30 DAYS, HAVE YOU EVER NODDED OFF OR FALLEN ASLEEP, EVEN JUST FOR A BRIEF MOMENT, WHILE DRIVING? (SLEPDRIV) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	using _LLC		No			Don't drive				
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3660	1,938,555	68	1.8	00.8-02.8	3308	94.1	92.9-95.3	284	4.0	03.4-04.6			
White/Non-Hisp	3041	1,571,613	46	1.3	00.7-01.9	2782	94.9	93.9-95.9	213	3.8	03.0-04.6			
Black or Afr. Am./Non-Hisp	478	295,525	17	4.5	00.0-09.8	401	90.0	84.3-95.7	60	5.4	03.0-07.8			
18-24	66	155,109	1	0.1	00.0-00.3	63	99.4	98.6-0100	2	0.4	00.0-01.2			
25-34	240	272,561	5	0.5	00.0-01.1	229	97.8	96.0-99.6	6	1.7	00.0-03.5			
35-44	401	347,829	18	5.8	01.1-10.5	371	92.6	87.7-97.5	12	1.6	00.6-02.6			
45-54	617	381,032	10	1.0	00.2-01.8	581	96.5	94.9-98.1	26	2.6	01.2-04.0			
55-64	905	333,302	20	2.1	00.9-03.3	833	94.6	92.8-96.4	52	3.4	02.0-04.8			
65+	1404	436,113	14	0.7	00.1-01.3	1205	88.6	86.4-90.8	185	10.6	08.4-12.8			
Less Than H.S.	476	364,656	7	1.3	00.0-02.7	371	89.2	86.1-92.3	98	9.5	06.8-12.2			
H.S. or G.E.D.	1300	705,156	14	0.9	00.3-01.5	1173	95.3	94.1-96.5	113	3.8	02.8-04.8			
Some Post-H.S.	1039	541,849	21	3.2	00.3-06.1	964	94.2	91.1-97.3	54	2.6	01.6-03.6			
College Graduate	836	324,977	26	2.0	00.8-03.2	792	97.1	95.7-98.5	18	0.9	00.1-01.7			
Less than \$15,000	448	226,801	12	2.7	00.5-04.9	371	89.7	86.0-93.4	65	7.6	04.9-10.3			
\$15,000- 24,999	866	439,435	16	1.4	00.6-02.2	761	93.7	91.9-95.5	89	5.0	03.4-06.6			
\$25,000- 34,999	335	165,648	3	0.5	00.0-01.1	316	96.1	93.2-99.0	16	3.4	00.5-06.3			
\$35,000- 49,999	351	197,431	6	1.3	00.1-02.5	340	97.8	96.0-99.6	5	1.0	00.0-02.2			
\$50,000- 74,999	312	195,605	8	1.2	00.0-02.4	298	97.6	96.0-99.2	6	1.1	00.0-02.3			
\$75,000+	425	257,193	11	1.6	00.2-03.0	410	97.0	94.8-99.2	4	1.3	00.0-02.9			

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### **MODULE 17 : ADULT ASTHMA HISTORY CONTENTS**

NOTE		
	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	
IS I	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN	TS
ale ale ale al	TO THE STATES SURVEY.	ale ale ale
****	· · · · · · · · · · · · · · · · · · ·	***
TABLE		PAGE
	PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)	
1	MALES AND FEMALES	81
2	MALES ONLY	82
3	FEMALES ONLY	83
	DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)	
4	MALES AND FEMALES	84
5	MALES ONLY	85
6	FEMALES ONLY	86
	DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)	
7	MALES AND FEMALES	87
8	MALES ONLY	88
9	FEMALES ONLY	89
	[IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)	
10	MALES AND FEMALES	90
11	MALES ONLY	91
12	FEMALES ONLY	92
	DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)	
13	MALES AND FEMALES	93
14	MALES ONLY	94
15	FEMALES ONLY	95

#### **MODULE 17 : ADULT ASTHMA HISTORY CONTENTS**

	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN TO THE STATES SURVEY.	
* * * *	10 IRESTATES SURVET. ************************************	* * *
TABLE		PAGE
	DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)	
16	MALES AND FEMALES	96
17	MALES ONLY	97
18	FEMALES ONLY	98
	SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)	
19	MALES AND FEMALES	99
20	MALES ONLY	100
21	FEMALES ONLY	101
	DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)	
22	MALES AND FEMALES	102
23	MALES ONLY	103
24	FEMALES ONLY	104
	DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)	
25	MALES AND FEMALES	105
26	MALES ONLY	106
27	FEMALES ONLY	107
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)	
28	MALES AND FEMALES	108
29	MALES ONLY	109
30	FEMALES ONLY	110

**MODULE 17: ADULT ASTHMA HISTORY** 

## TABLE 1: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents with do not know/refused/missing responses Denominator excludes: Respondents that had never been told they had asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	<= 10 years old			11-17 years old			18	18-44 years old			5-54 yea	ars old	55	5-64 yea	ars old	65-96+ years old			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	458	344,094	121	23.8	15.6-32.0	49	16.7	08.5-24.9	171	43.9	33.5-54.3	47	8.2	02.9-13.5	47	4.8	02.8-06.8	23	2.6	01.0-04.2
Male	91	131,843	30	27.8	11.7-43.9	13	22.7	08.6-36.8	21	36.6	17.6-55.6	13	5.7	01.4-10.0	11	5.0	01.1-08.9	3	2.3	00.0-05.0
Female	367	212,250	91	21.3	12.7-29.9	36	13.0	03.2-22.8	150	48.4	36.2-60.6	34	9.9	01.9-17.9	36	4.7	02.7-06.7	20	2.8	01.0-04.6
White/Non-Hisp	373	263,945	94	20.8	12.8-28.8	39	12.1	06.6-17.6	143	49.7	38.7-60.7	40	9.3	02.6-16.0	35	4.8	02.6-07.0	22	3.3	01.3-05.3
Black or Afr. Am./Non-Hisp	51	44,540	18	35.6	05.4-65.8	6	30.4	01.2-59.6	16	26.4	03.3-49.5	3	3.6	00.0-09.3	7	3.6	00.1-07.1	1	0.4	00.0-01.2
35-44	51	82,208	16	22.4	02.6-42.2	9	22.6	02.8-42.4	26	55.0	30.5-79.5									
45-54	89	75,972	24	15.6	06.0-25.2	7	8.2	00.8-15.6	49	67.0	50.9-83.1	9	9.2	00.0-18.8						
55-64	121	60,334	25	20.1	07.0-33.2	11	5.6	00.3-10.9	44	35.2	13.2-57.2	21	24.2	02.1-46.3	20	14.8	05.2-24.4			
65+	154	63,108	36	28.9	11.7-46.1	12	10.6	02.6-18.6	39	23.6	12.6-34.6	17	10.7	03.1-18.3	27	12.1	06.2-18.0	23	14.1	06.1-22.1
Less Than H.S.	74	69,085	13	10.7	02.1-19.3	13	10.9	02.3-19.5	24	46.4	21.9-70.9	7	19.6	00.0-40.8	12	8.1	01.8-14.4	5	4.3	00.0-09.4
H.S. or G.E.D.	156	132,019	35	16.6	08.2-25.0	17	25.0	07.6-42.4	62	44.9	28.2-61.6	18	6.6	02.1-11.1	17	5.0	01.7-08.3	7	2.1	00.0-04.5
Some Post-H.S.	131	81,857	37	36.6	16.6-56.6	12	8.1	02.4-13.8	48	44.0	24.0-64.0	12	4.3	00.8-07.8	14	4.4	00.9-07.9	8	2.6	00.4-04.8
College Graduate	96	61,075	36	36.8	12.9-60.7	7	17.1	01.0-33.2	37	38.7	15.0-62.4	9	4.2	00.5-07.9	4	1.4	00.0-03.2	3	1.7	00.0-04.4
Less than \$15,000	95	58,229	21	33.3	09.4-57.2	8	17.6	00.0-40.1	36	30.4	14.1-46.7	11	9.8	00.0-21.8	12	6.5	01.4-11.6	7	2.5	00.1-04.9
\$15,000- 24,999	106	106,414	24	17.2	02.9-31.5	17	19.4	00.4-38.4	43	51.4	28.5-74.3	10	9.1	00.0-23.4	10	2.8	00.3-05.3	2	0.1	00.0-00.3

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

## TABLE 2: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC RESPONDENT NUMBER			<	<= 10 years old 11			11-17 years old			18-44 years old			45-54 years old			-64 ye	ars old	65-96+ years old		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	91	131,843	30	27.8	11.5-44.1	13	22.7	09.2-36.2	21	36.6	17.2-56.0	13	5.7	01.8-09.6	11	5.0	01.5-08.5	3	2.3	00.0-05.0
White/Non-Hisp	73	101,861	24	25.9	07.1-44.7	9	17.1	04.8-29.4	18	44.4	22.1-66.7	11	5.2	01.1-09.3	8	4.5	01.4-07.6	3	3.0	00.0-06.3

**MODULE 17: ADULT ASTHMA HISTORY** 

### TABLE 3: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	<=	= 10 yea	ars old	11	-17 yea	ars old	18	-44 yea	ars old	45	-54 yea	ars old	55	-64 yea	ars old	65-	-96+ ye	ears old
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	367	212,250	91	21.3	12.7-29.9	36	13.0	03.0-23.0	150	48.4	35.9-60.9	34	9.9	01.7-18.1	36	4.7	02.9-06.5	20	2.8	01.0-04.6
White/Non-Hisp	300	162,085	70	17.6	11.9-23.3	30	8.9	04.6-13.2	125	53.0	40.8-65.2	29	11.9	01.5-22.3	27	5.0	02.6-07.4	19	3.5	01.1-05.9
45-54	74	59,593	18	13.0	03.4-22.6	5	5.0	00.1-09.9	44	71.5	54.8-88.2	7	10.6	00.0-22.6						
55-64	93	31,672	15	11.6	02.8-20.4	10	6.7	00.4-13.0	38	30.8	11.8-49.8	17	40.3	09.7-70.9	13	10.6	01.8-19.4			
65+	123	37,248	28	23.0	12.6-33.4	8	8.1	02.0-14.2	34	30.5	17.8-43.2	10	4.9	01.2-08.6	23	17.7	09.5-25.9	20	15.8	06.4-25.2
Less Than H.S.	58	44,194	10	10.6	01.6-19.6	11	9.7	01.9-17.5	19	37.5	16.9-58.1	4	27.7	00.0-56.3	9	7.8	00.9-14.7	5	6.7	00.0-14.5
H.S. or G.E.D.	121	71,267	27	17.6	07.4-27.8	10	20.7	00.0-45.8	51	48.3	25.0-71.6	14	6.9	01.2-12.6	14	5.7	01.8-09.6	5	0.8	00.0-01.8
Some Post-H.S.	109	57,705	26	29.0	05.5-52.5	12	11.5	03.7-19.3	44	49.0	24.9-73.1	9	4.0	00.3-07.7	10	2.8	00.4-05.2	8	3.7	00.4-07.0
College Graduate	78	39,028	28	28.7	11.3-46.1	3	5.2	00.0-14.4	36	60.2	38.8-81.6	6	3.5	00.2-06.8	3	2.0	00.0-04.7	2	0.5	00.0-01.3
Less than \$15,000	76	30,913	13	13.6	03.0-24.2	7	8.7	00.9-16.5	31	47.8	28.8-66.8	9	16.1	00.0-36.1	9	9.2	01.6-16.8	7	4.6	00.3-08.9
\$15,000- 24,999	88	57,912	18	11.8	04.2-19.4	15	28.7	00.0-59.7	37	40.2	11.4-69.0	9	15.7	00.0-41.2	7	3.3	00.2-06.4	2	0.2	00.0-00.6

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 17: ADULT ASTHMA HISTORY**

#### TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents with do not know/refused/missing responses Denominator excludes: Respondents that had never been told they had asthma Denominator excludes: Respondents that do not still have asthma

Data was weighted using IJCPWT

	Dala W	as weighted	a usin	.y	CFWI.			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	)
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	362	275,662	157	43.0	31.6-54.4	205	57.0	45.6-68.4
Male	61	103,436	22	40.1	17.6-62.6	39	59.9	37.4-82.4
Female	301	172,226	135	44.8	31.9-57.7	166	55.2	42.3-68.1
White/Non-Hisp	295	210,753	128	37.5	26.5-48.5	167	62.5	51.5-73.5
45-54	66	51,449	37	56.2	32.7-79.7	29	43.8	20.3-67.3
55-64	95	51,370	43	26.9	12.4-41.4	52	73.1	58.6-87.6
65+	131	57,617	39	35.1	16.7-53.5	92	64.9	46.5-83.3
Less Than H.S.	69	62,041	29	49.9	24.4-75.4	40	50.1	24.6-75.6
H.S. or G.E.D.	119	106,907	51	45.1	25.1-65.1	68	54.9	34.9-74.9
Some Post-H.S.	104	60,804	47	41.8	21.2-62.4	57	58.2	37.6-78.8
College Graduate	69	45,853	30	30.5	09.5-51.5	39	69.5	48.5-90.5
Less than \$15,000	77	49,723	36	55.7	28.8-82.6	41	44.3	17.4-71.2
\$15,000- 24,999	89	95,773	38	49.2	23.7-74.7	51	50.8	25.3-76.3

#### **MODULE 17: ADULT ASTHMA HISTORY**

#### TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	5		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	61	103,436	22	40.1	18.7-61.5	39	59.9	38.5-81.3
White/Non-Hisp	51	80 609	17	30.0	06 5-53 5	34	70.0	46 5-93 5

**MODULE 17: ADULT ASTHMA HISTORY** 

#### TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	<b>S</b>		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	301	172,226	135	44.8	31.7-57.9	166	55.2	42.1-68.3
White/Non-Hisp	244	130,143	111	42.2	30.6-53.8	133	57.8	46.2-69.4
45-54	56	42,411	32	58.2	30.6-85.8	24	41.8	14.2-69.4
55-64	75	29,396	35	34.0	12.2-55.8	40	66.0	44.2-87.8
65+	110	34,801	35	34.2	18.7-49.7	75	65.8	50.3-81.3
Less Than H.S.	55	37,170	23	40.2	16.1-64.3	32	59.8	35.7-83.9
H.S. or G.E.D.	93	62,989	43	52.3	25.8-78.8	50	47.7	21.2-74.2
Some Post-H.S.	93	42,723	44	40.9	22.7-59.1	49	59.1	40.9-77.3
College Graduate	59	29,286	25	40.1	11.3-68.9	34	59.9	31.1-88.7
Less than \$15,000	63	25,631	30	63.5	45.1-81.9	33	36.5	18.1-54.9
\$15,000- 24,999	77	56,031	31	42.3	10.2-74.4	46	57.7	25.6-89.8

**MODULE 17: ADULT ASTHMA HISTORY** 

#### TABLE 7: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents with do not know/refused/missing responses Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using LLCPWT.

		_				•					
DEMOGRAPHIC	RESPONDEN	IT NUMBER	1-13	times in last	12 months	14-26	times in las	t 12 months	No t	imes in last	12 months
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	156	117,892	42	21.1	11.1-31.1	1	0.9	00.0-02.7	113	78.0	67.8-88.2
Female	134	76,424	38	28.4	16.2-40.6	1	1.4	00.0-04.1	95	70.2	57.7-82.7
White/Non-Hisp	128	79,084	35	24.7	11.8-37.6				93	75.3	62.4-88.2
H.S. or G.E.D.	51	48,212	15	17.0	05.2-28.8	1	2.3	00.0-06.8	35	80.7	67.6-93.8

**MODULE 17: ADULT ASTHMA HISTORY** 

TABLE 8: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma Denominator excludes: Respondents that do not still have asthma

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

#### TABLE 9: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using I.I.CPWT

DEMOGRAPHIC	RESPONDEN	IT NUMBER	1-13	times in last	12 months	14-26	times in las	t 12 months	No t	imes in last	12 months
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	134	76,424	38	28.4	17.2-39.6	1	1.4	00.0-04.1	95	70.2	58.6-81.8
White/Non-Hisp	111	54,926	31	29.7	16.4-43.0				80	70.3	57.0-83.6

79 of 224

July 26, 2012

**MODULE 17: ADULT ASTHMA HISTORY** 

TABLE 10: [IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	1-13	times in last	t 12 months	14-26	times in las	t 12 months	No t	imes in last	12 months
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	146	114,678	77	48.0	30.6-65.4	1	1.0	00.0-03.0	68	51.1	33.7-68.5
Female	126	75,114	74	54.5	34.5-74.5	1	1.5	00.0-04.4	51	44.0	23.8-64.2
White/Non-Hisp	117	75,203	66	65.5	49.0-82.0				51	34.5	18.0-51.0

**MODULE 17: ADULT ASTHMA HISTORY** 

TABLE 11: [IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

TABLE 12: [IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDEN	RESPONDENT NUMBER			: 12 months		times in las	t 12 months	No t	imes in last	12 months
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	126	75,114	74	54.5	33.5-75.5	1	1.5	00.0-04.4	51	44.0	22.8-65.2
White/Non-Hisp	102	52,950	63	66.5	52.0-81.0				39	33.5	19.0-48.0

**MODULE 17: ADULT ASTHMA HISTORY** 

### TABLE 13. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	1-13	times in last	12 months	14-26	times in las	t 12 months	No t	imes in last	12 months
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	360	315,378	186	53.9	42.5-65.3	2	0.3	00.0-00.9	172	45.8	34.4-57.2
Male	62	107,232	26	49.2	27.2-71.2	1	0.3	00.0-00.9	35	50.5	28.7-72.3
Female	298	208,146	160	56.3	43.0-69.6	1	0.4	00.0-01.2	137	43.4	29.9-56.9
White/Non-Hisp	289	228,433	152	54.7	42.2-67.2	1	0.3	00.0-00.9	136	44.9	32.4-57.4
45-54	67	61,301	37	63.8	44.2-83.4				30	36.2	16.6-55.8
55-64	94	62,153	53	59.5	36.4-82.6	1	0.5	00.0-01.5	40	40.0	16.9-63.1
65+	129	60,016	65	61.5	47.4-75.6	1	1.2	00.0-03.6	63	37.2	23.5-50.9
Less Than H.S.	67	61,640	38	57.1	32.2-82.0				29	42.9	18.0-67.8
H.S. or G.E.D.	116	120,345	57	51.3	32.1-70.5				59	48.7	29.5-67.9
Some Post-H.S.	104	64,895	52	56.3	35.1-77.5	2	1.6	00.0-04.1	50	42.1	20.9-63.3
College Graduate	73	68,498	39	53.1	27.0-79.2				34	46.9	20.8-73.0
Less than \$15,000	76	59,258	40	43.8	19.9-67.7	1	0.6	00.0-01.8	35	55.7	31.6-79.8
\$15,000- 24,999	86	101,197	43	65.5	42.4-88.6	1	0.7	00.0-02.1	42	33.8	10.9-56.7

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

### TABLE 14. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDEN		1-13	times in last			times in las	t 12 months	No t	imes in last	12 months
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	62	107,232	26	49.2	27.8-70.6	1	0.3	00.0-00.9	35	50.5	29.1-71.9
White/Non-Hisp	51	83,947	21	49.7	24.2-75.2				30	50.3	24.8-75.8

**MODULE 17: ADULT ASTHMA HISTORY** 

### TABLE 15. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	1-13	times in last	12 months	14-26	times in las	t 12 months	No t	imes in last	12 months
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	298	208,146	160	56.3	42.8-69.8	1	0.4	00.0-01.2	137	43.4	29.9-56.9
White/Non-Hisp	238	144,486	131	57.7	43.6-71.8	1	0.5	00.0-01.5	106	41.8	27.7-55.9
45-54	57	52,263	34	69.6	49.4-89.8				23	30.4	10.2-50.6
55-64	75	41,300	46	60.3	30.1-90.5				29	39.7	09.5-69.9
65+	107	37,137	52	56.0	40.9-71.1	1	2.0	00.0-05.9	54	42.0	27.3-56.7
Less Than H.S.	53	36,769	32	49.6	23.1-76.1				21	50.4	23.9-76.9
H.S. or G.E.D.	91	77,075	50	61.9	37.6-86.2				41	38.1	13.8-62.4
Some Post-H.S.	92	47,223	44	45.0	22.1-67.9	1	1.6	00.0-04.7	47	53.4	30.3-76.5
College Graduate	62	47,079	34	63.5	34.5-92.5				28	36.5	07.5-65.5
Less than \$15,000	62	35,166	37	68.1	46.7-89.5				25	31.9	10.5-53.3
\$15,000- 24,999	74	62,322	37	54.2	23.4-85.0	1	1.2	00.0-03.6	36	44.7	13.9-75.5

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

#### TABLE 16. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

						Dat	a wa	s weighte	d usin	ıg L	LCPWT.									
DEMOGRAPHIC	RESPONDE	NT NUMBER		01-10 I	Days		11-30	Days	;	31-60	Days	6	1-100	Days	1	01-366	Days		Non	е
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	339	265,839	63	17.1	09.5-24.7	21	4.1	01.7-06.5	1	0.1	00.0-00.3	7	2.1	00.0-04.8	2	0.4	00.0-01.0	245	76.2	68.2-84.2
Male	58	100,861	7	16.8	00.1-33.5	3	2.8	00.0-06.5										48	80.3	63.4-97.2
Female	281	164,978	56	17.2	09.8-24.6	18	4.9	02.0-07.8	1	0.1	00.0-00.3	7	3.4	00.0-07.7	2	0.7	00.0-01.7	197	73.7	65.1-82.3
White/Non-Hisp	278	203,101	54	17.5	09.7-25.3	17	3.7	01.3-06.1				6	2.4	00.0-05.9	2	0.5	00.0-01.3	199	75.9	67.1-84.7
45-54	61	49,135	8	5.6	00.5-10.7	8	8.3	01.0-15.6				2	7.5	00.0-20.8	2	2.2	00.0-05.5	41	76.4	60.1-92.7
55-64	93	50,813	22	13.3	03.9-22.7	3	1.4	00.0-03.4	1	0.4	00.0-01.2	2	2.1	00.0-05.2				65	82.8	72.0-93.6
65+	118	52,877	15	14.1	02.9-25.3	8	7.4	00.1-14.7				2	0.2	00.0-00.6				93	78.3	65.4-91.2
Less Than H.S.	58	58,215	14	16.4	03.1-29.7	4	5.8	00.0-12.7				1	1.2	00.0-03.7				39	76.6	60.3-92.9
H.S. or G.E.D.	112	102,900	17	18.0	02.7-33.3	7	3.3	00.0-06.6	1	0.2	00.0-00.6	3	3.6	00.0-10.3	1	0.7	00.0-02.1	83	74.2	58.1-90.3
Some Post-H.S.	100	59,096	24	21.9	06.2-37.6	7	6.4	00.3-12.5				1	1.1	00.0-03.3	1	0.6	00.0-01.8	67	70.0	53.3-86.7
College Graduate	68	45,571	8	9.7	00.0-20.1	3	0.9	00.0-02.3				2	1.0	00.0-02.8				55	88.5	77.5-99.5
Less than \$15,000	69	46,037	14	28.5	01.1-55.9	3	2.2	00.0-05.7	1	0.4	00.0-01.2	1	1.6	00.0-04.7				50	67.3	40.1-94.5
\$15.000- 24.999	83	93.963	16	9.2	00.0-18.8	6	2.0	00.0-04.0				2	0.9	00.0-02.3	1	0.4	00.0-01.2	58	87.5	77.3-97.7

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

#### TABLE 17. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDEN	IT NUMBER	aca was v	01-10 Da	ys	•	11-30 Da	ays		None	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	58	100,861	7	16.8	06.2-27.4	3	2.8	00.0-06.5	48	80.3	68.9-91.7

**MODULE 17: ADULT ASTHMA HISTORY** 

#### TABLE 18. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

						Dat	ta wa	s weighte	ed usir	ng L	LCPWT.									
DEMOGRAPHIC	RESPONDE	NT NUMBER		01-10	Days		11-30 I	Days		31-60	Days	6	1-100	Days	1	01-366	Days		Non	е
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	281	164,978	56	17.2	10.1-24.3	18	4.9	02.0-07.8	1	0.1	00.0-00.3	7	3.4	00.0-07.7	2	0.7	00.0-01.7	197	73.7	66.1-81.3
White/Non-Hisp	231	125,525	49	21.2	11.8-30.6	16	5.0	01.7-08.3				6	3.9	00.0-09.4	2	0.9	00.0-02.1	158	69.0	58.6-79.4
45-54	52	41,071	8	6.7	00.4-13.0	8	10.0	01.2-18.8				2	9.0	00.0-24.9	2	2.6	00.0-06.5	32	71.7	51.9-91.5
55-64	73	29,031	20	17.5	03.8-31.2	2	1.5	00.0-04.0	1	0.7	00.0-02.1	2	3.7	00.0-09.4				48	76.7	60.0-93.4
65+	99	31,471	13	17.3	03.4-31.2	6	4.2	00.0-08.5				2	0.4	00.0-01.0				78	78.1	64.2-92.0
H.S. or G.E.D.	88	60,627	15	16.1	00.8-31.4	6	3.7	00.0-07.8	1	0.3	00.0-00.9	3	6.2	00.0-17.2	1	1.2	00.0-03.6	62	72.6	53.8-91.4
Some Post-H.S.	88	40,557	21	15.0	05.4-24.6	7	9.3	00.7-17.9				1	1.6	00.0-04.9	1	0.9	00.0-02.7	58	73.1	58.6-87.6
College Graduate	58	29,005	7	14.7	00.0-30.6	2	0.5	00.0-01.3				2	1.5	00.0-04.0				47	83.3	67.0-99.6
Less than \$15,000	56	22,919	13	24.1	05.1-43.1	3	4.5	00.0-11.4	1	0.9	00.0-02.7	1	3.1	00.0-09.2				38	67.4	47.0-87.8
\$15,000- 24,999	71	54,221	15	7.6	01.7-13.5	6	3.5	00.4-06.6				2	1.6	00.0-04.1	1	0.7	00.0-02.1	47	86.6	79.0-94.2

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

### TABLE 19. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

Data was weighted using \_LLCPWT.

											Times per	Every [	Day, Bu	t Not All the						
DEMOGRAPHIC	RESPONDE	NT NUMBER		< Once	Week	Once	or Twi	ce a Week	Wee	k, Not	Everyday		Tim	ie	Every	Day A	II the Time	No	t at An	y Time
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	323	255,245	59	18.0	09.4-26.6	44	16.2	06.2-26.2	38	12.3	02.1-22.5	52	18.5	09.1-27.9	15	3.7	00.0-07.4	115	31.2	20.2-42.2
Male	54	87,955	9	17.1	03.2-31.0	8	17.1	00.0-35.1	3	22.7	00.0-49.0	13	17.6	00.9-34.3	2	0.4	00.0-01.0	19	25.0	07.2-42.8
Female	269	167,290	50	18.5	07.9-29.1	36	15.7	03.4-28.0	35	6.9	04.0-09.8	39	18.9	07.3-30.5	13	5.4	00.0-10.9	96	34.5	21.0-48.0
White/Non-Hisp	265	193,659	45	16.6	09.2-24.0	39	13.8	04.8-22.8	32	11.8	00.2-23.4	43	18.2	07.8-28.6	14	4.6	00.0-09.5	92	35.0	22.5-47.5
45-54	56	45,940	11	24.1	05.3-42.9	7	11.7	00.0-23.5	6	6.0	00.3-11.7	14	44.1	18.0-70.2	3	1.9	00.0-04.6	15	12.2	03.4-21.0
55-64	82	51,205	16	12.8	03.4-22.2	10	19.7	00.0-47.1	11	4.0	00.3-07.7	10	8.4	01.5-15.3	6	4.4	00.0-09.7	29	50.7	23.3-78.1
65+	120	52,996	18	11.6	03.4-19.8	17	14.0	05.0-23.0	9	2.9	00.5-05.3	22	32.9	12.9-52.9	4	1.8	00.0-04.0	50	36.8	22.3-51.3
Less Than H.S.	60	55,782	8	14.0	00.0-28.3	7	10.1	00.3-19.9	13	28.5	00.0-61.6	8	8.6	00.0-17.4	5	2.8	00.0-05.9	19	36.1	10.2-62.0
H.S. or G.E.D.	106	105,362	16	10.2	02.8-17.6	15	26.3	05.3-47.3	8	8.9	00.0-22.2	22	22.8	05.6-40.0	4	5.9	00.0-14.5	41	25.8	09.1-42.5
Some Post-H.S.	92	57,516	19	34.9	11.0-58.8	12	8.0	01.7-14.3	9	6.9	00.8-13.0	14	25.2	03.6-46.8	4	1.9	00.0-04.4	34	23.1	11.5-34.7
College Graduate	64	36,527	16	20.0	04.1-35.9	10	9.6	00.0-19.2	8	6.2	00.1-12.3	7	10.2	00.0-24.3	2	1.7	00.0-04.2	21	52.4	25.4-79.4
Less than \$15,000	71	46,140	13	20.8	03.9-37.7	9	13.9	00.2-27.6	11	22.7	00.0-49.9	13	11.4	01.0-21.8	2	0.6	00.0-01.6	23	30.7	06.4-55.0
\$15,000- 24,999	76	90,571	13	12.6	01.6-23.6	11	25.5	00.6-50.4	12	17.4	00.0-40.1	11	25.0	02.3-47.7	7	2.4	00.0-04.8	22	17.1	00.0-34.9

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

TABLE 20. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		< Once	Week	Once	or Twi	ce a Week			Times per Everyday	Every D	ay, Bu Tim	t Not All the e	Every	Day A	II the Time	No	ot at An	y Time
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	54	87,955	9	17.1	04.0-30.2	8	17.1	00.0-36.3	3	22.7	00.6-44.8	13	17.6	00.0-35.2	2	0.4	00.0-01.0	19	25.0	06.2-43.8

July 26, 2012

**MODULE 17: ADULT ASTHMA HISTORY** 

### TABLE 21. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	<	Once	Week	Once	or Twi	ce a Week			Times per Everyday	Every D	ay, Bu Tim	t Not All the	Every	Day A	II the Time	No	ot at An	y Time
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	269	167,290	50	18.5	07.7-29.3	36	15.7	03.2-28.2	35	6.9	04.0-09.8	39	18.9	07.1-30.7	13	5.4	00.0-10.9	96	34.5	20.6-48.4
White/Non-Hisp	220	126,849	36	13.5	06.6-20.4	32	10.4	05.5-15.3	30	8.2	04.3-12.1	33	22.2	07.9-36.5	12	6.8	00.0-13.9	77	39.0	24.1-53.9
55-64	67	33,525	15	17.8	03.5-32.1	8	4.9	00.0-11.0	10	5.9	00.0-11.8	5	5.0	00.0-10.9	5	6.0	00.0-14.0	24	60.3	36.0-84.6
65+	99	31,920	15	9.9	04.2-15.6	13	12.3	04.3-20.3	9	4.8	00.9-08.7	17	21.8	06.9-36.7	3	2.7	00.0-06.0	42	48.5	33.4-63.6
H.S. or G.E.D.	84	64,893	12	5.5	01.2-09.8	11	24.8	00.0-52.8	7	2.9	00.0-05.8	19	33.2	07.3-59.1	3	9.3	00.0-23.0	32	24.4	03.8-45.0
Some Post-H.S.	80	39,371	17	35.5	08.5-62.5	12	11.6	02.4-20.8	8	9.9	01.1-18.7	8	8.7	01.3-16.1	4	2.7	01.1-04.3	31	31.5	15.4-47.6
College Graduate	55	28,576	14	21.6	02.4-40.8	9	11.8	00.0-24.1	8	7.9	00.1-15.7	6	12.1	00.0-30.3	1	1.3	00.0-03.8	17	45.4	11.1-79.7
Less than \$15,000	60	31,381	11	23.7	02.3-45.1	7	10.5	00.0-24.4	9	9.0	00.6-17.4	12	16.4	01.5-31.3	2	0.8	00.0-02.2	19	39.6	11.2-68.0
\$15,000- 24,999	64	52,570	11	9.7	01.9-17.5	10	28.5	00.0-62.8	11	6.5	01.4-11.6	6	25.8	00.0-56.8	6	3.7	00.8-06.6	20	25.8	00.0-54.4

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

#### TABLE 22. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

						Dat	ta wa	s weighte	d usin	ig _L	LCPWT.									
DEMOGRAPHIC	RESPONDE	NT NUMBER		1 or 2	days		3 to 4	days		5 da	ys	6	to 10	days	Mor	e Than	10 days		No da	ays
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	211	175,310	33	21.7	08.4-35.0	20	8.0	00.0-16.2	7	3.0	00.0-06.1	12	2.9	00.0-06.2	30	15.7	03.2-28.2	109	48.7	33.4-64.0
Female	172	95,903	27	33.4	13.6-53.2	17	6.0	02.1-09.9	5	1.9	00.0-04.1	9	4.0	00.0-09.5	25	8.8	04.1-13.5	89	45.8	28.2-63.4
White/Non-Hisp	175	126,108	24	17.4	07.2-27.6	18	5.0	01.9-08.1	5	3.9	00.0-08.2	11	3.8	00.0-08.3	26	20.5	03.8-37.2	91	49.4	33.7-65.1
55-64	59	29,459	9	14.0	00.7-27.3	3	3.0	00.0-07.1	2	3.7	00.0-10.0	6	2.4	00.0-05.1	10	6.0	00.9-11.1	29	70.8	50.8-90.8
65+	68	33,889	6	9.8	00.0-20.2	9	4.4	00.3-08.5	1	2.9	00.0-08.6	3	9.3	00.0-24.2	8	12.0	00.0-24.2	41	61.6	38.1-85.1
H.S. or G.E.D.	69	72,510	13	36.0	10.3-61.7	2	11.1	00.0-29.9	4	5.2	00.0-12.3	5	2.3	00.0-05.0	9	4.6	00.9-08.3	36	40.8	16.9-64.7
Some Post-H.S.	59	42,202	8	7.5	00.4-14.6	6	6.3	00.0-13.4	1	1.2	00.0-03.6	2	0.7	00.0-01.7	13	22.8	01.8-43.8	29	61.5	38.0-85.0
\$15,000- 24,999	58	67,635	12	25.2	00.0-54.0	6	3.2	00.0-06.5	3	2.2	00.0-05.3	4	5.0	00.0-13.4	9	27.6	00.2-55.0	24	37.0	08.4-65.6

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

TABLE 23. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma
Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

#### TABLE 24. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

						Dat	a wa:	s weighte	d usin	g _L	LCPWT.									
DEMOGRAPHIC	RESPONDE	NT NUMBER		1 or 2 d	days	;	3 to 4 d	days		5 da	ys	(	6 to 10	days	Mor	e Than	10 days		No da	ays
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	172	95,903	27	33.4	12.2-54.6	17	6.0	02.3-09.7	5	1.9	00.0-04.1	9	4.0	00.0-09.9	25	8.8	04.5-13.1	89	45.8	26.8-64.8
White/Non-Hisp	142	65,825	20	28.2	12.9-43.5	16	8.7	03.2-14.2	3	2.2	00.0-05.1	9	5.9	00.0-13.3	21	10.2	04.9-15.5	73	44.8	31.3-58.3
65+	55	15,436	4	12.0	00.0-25.5	8	8.8	00.8-16.8				3	20.5	00.0-47.0	6	13.3	01.9-24.7	34	45.5	25.7-65.3
H.S. or G.E.D.	52	39,972	10	56.2	27.4-85.0	1	1.3	00.0-03.8	2	0.9	00.0-02.3	3	1.7	00.0-04.2	8	8.0	00.6-15.4	28	31.9	08.2-55.6
Some Post-H.S.	52	25,658	6	8.5	00.0-17.3	6	10.4	00.0-22.2	1	1.9	00.0-05.8	2	1.1	00.0-02.9	11	12.7	00.7-24.7	26	65.4	40.9-89.9

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

MODULE 17: ADULT ASTHMA HISTORY

#### TABLE 25. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT. 01 to 14 Days DEMOGRAPHIC RESPONDENT NUMBER 15-24 Days 25-30 Days Never **GROUPS** TOTAL WEIGHTED Ν Ν Ν % C.I. (95%) % C.I. (95%) Ν % C.I. (95%) % C.I. (95%) TOTAL 338 266,447 26.5 15.3-37.7 14.9 10.4-19.4 49.0 37.0-61.0 9.6 01.2-18.0 100 136 Male 60 102.199 13 30.9 08.6-53.2 4 15.5 00.0-34.7 16 8.0 02.7-13.3 27 45.6 24.4-66.8 Female 278 164,248 12.4-35.2 00.3-11.3 12.4-26.2 71 23.8 14 5.8 84 19.3 109 51.1 38.0-64.2 00.2-17.4 10.4-21.8 White/Non-Hisp 276 203,185 64 30.1 16.6-43.6 17 8.8 84 16.1 111 45.0 31.9-58.1 00.0-24.7 07.6-40.6 45-54 58 43.705 16 39.3 11.9-66.7 9.6 26.9 10.8-43.0 19 24.1 55-64 90 06.6-30.6 00.0-41.4 04.7-19.3 28.5-79.1 55.226 23 18.6 3 15.5 29 12.0 35 53.8 65+ 124 55,300 24 18.1 08.3-27.9 7.6 00.0-16.8 36 18.8 10.0-27.6 54 55.5 39.2-71.8 Less Than H.S. 61 55,649 41.5 12.3-70.7 0.6 00.0-01.8 18 12.6 03.6-21.6 45.4 18.5-72.3 20 22 H.S. or G.E.D. 05.3-37.9 00.0-37.3 113 108.961 28 21.6 6 18.5 31 15.5 05.9-25.1 48 44.4 24.2-64.6 Some Post-H.S. 98 58.555 22 20.3 08.7-31.9 2.3 00.0-05.0 36 19.8 09.6-30.0 36 57.6 39.6-75.6 College Graduate 65 43.224 28.0 00.0-60.5 8.4 00.0-20.7 15 9.9 02.1-17.7 29 53.7 22.5-84.9 14 Less than \$15,000 71 51,310 24 41.3 13.9-68.7 16.2 00.0-41.9 21 10.7 02.9-18.5 22 31.8 06.3-57.3 \$15,000-24,999 83 92.882 25 33.2 07.9-58.5 6 12.1 00.0-29.3 21 7.4 03.1-11.7 31 47.2 21.5-72.9

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**MODULE 17: ADULT ASTHMA HISTORY** 

TABLE 26. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	C	)1 to 14	Days		15-24 E	Days		25-30 I	Days		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	60	102,199	13	30.9	08.8-53.0	4	15.5	00.0-31.2	16	8.0	03.7-12.3	27	45.6	25.0-66.2
White/Non-Hisp	50	79,372	10	36.7	10.0-63.4	3	10.5	00.0-30.1	14	8.4	03.1-13.7	23	44.4	21.3-67.5

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

TABLE 27. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER 01 to 14 Days 15-24 Days 25-30 Days Never **GROUPS** TOTAL WEIGHTED Ν Ν % Ν % C.I. (95%) % C.I. (95%) Ν % C.I. (95%) C.I. (95%) 278 164,248 12.2-35.4 5.8 00.3-11.3 19.3 13.2-25.4 51.1 38.4-63.8 Female 109 White/Non-Hisp 226 123.813 54 25.8 11.7-39.9 14 7.7 00.6-14.8 70 21.1 12.9-29.3 88 45.4 30.3-60.5 55-64 72 34,553 16.5 02.6-30.4 00.0-03.3 17.1 05.3-28.9 65.1 43.9-86.3 17 1.3 28 102 08.7-28.3 12.4 00.0-26.7 19.7 45 34.6-64.4 65+ 32,420 21 18.5 8 28 10.9-28.5 49.5 H.S. or G.E.D. 04.5-54.7 00.0-17.2 43.3 88 65.692 29.6 6.8 20.3 05.6-35.0 35 16.4-70.2 Some Post-H.S. 87 08.3-31.1 00.0-06.8 41,063 19.7 3 3.1 33 26.7 12.8-40.6 50.4 28.8-72.0 18 33 College Graduate 55 26,658 13.2 00.0-28.1 13.1 00.0-32.7 12 10.8 01.0-20.6 24 63.0 33.8-92.2 13 Less than \$15,000 57 27,218 39.6 14.5-64.7 2.8 00.0-06.9 14.9 03.5-26.3 42.7 12.7-72.7 20 3 17 17 \$15,000-24,999 33.1 02.5-63.7 5.9 00.0-16.3 70 53.078 23 19 10.8 03.7-17.9 24 50.2 17.7-82.7

NOTE:

97 of 224

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

MODULE 17: ADULT ASTHMA HISTORY

#### TABLE 28, DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER 1-14 times 15-29 times 30-59 times 60-99 times 100+ times Never **GROUPS** TOTAL WEIGHTED Ν Ν C.I. (95%) Ν % C.I. (95%) Ν C.I. (95%) % C.I. (95%) Ν % C.I. (95%) Ν % % C.I. (95%) TOTAL 328 240,352 42.9 30.4-55.4 24 00.0-12.2 3.7 01.9-05.5 1.4 00.2-02.6 0.2 00.0-00.4 152 45.7 33.4-58.0 113 3 Male 57 85.673 12 40.7 15.8-65.6 4 10.0 00.0-26.1 4 1.6 00.0-03.6 2 0.9 00.0-02.5 2 0.4 00.0-01.0 33 46.4 24.3-68.5 Female 271 154,679 101 29.6-58.6 3.9 01.7-06.1 02.4-07.4 00.1-03.3 1 0.1 44.1 20 23 4.9 1.7 00.0-00.3 119 45.3 31.2-59.4 31.3-58.7 1.4 00.0-02.8 32.5-58.7 White/Non-Hisp 270 185,819 96 45.0 23 3.8 01.8-05.8 22 4.1 01.9-06.3 7 2 0.1 00.0-00.3 120 45.6 10.2-43.6 02.2-18.2 45-54 54 32.740 13 26.9 5 7.7 00.3-15.1 10.2 6.9 00.0-14.7 25 48.3 29.1-67.5 55-64 09.0-36.0 00.0-08.4 00.0-02.2 89 47,434 27 22.5 7 6.2 01.3-11.1 1.0 1.1 00.0-02.5 37 65.2 48.0-82.4 12 3 65+ 119 47,180 38 28.3 15.4-41.2 5.1 01.2-09.0 4 3.1 00.0-07.4 1.3 00.0-03.1 62.2 49.1-75.3 10 64 Less Than H.S. 59 54,568 23 42.4 12.0-72.8 00.0-08.5 2.2 00.0-05.1 2.1 00.0-04.8 25 49.3 20.5-78.1 4.0 3 H.S. or G.E.D. 00.0-03.4 107 90.458 30 42.0 21 6-62 4 11 12.0 00.0-27.3 10 4 1 00.8-07.4 2 1.2 54 40.7 21.7-59.7 Some Post-H.S. 98 51.476 34 31.4 16.7-46.1 5 2.1 00.0-04.5 10 4.8 00.7-08.9 3 2.1 00.0-05.0 0.1 00.0-00.3 45 59.4 42.2-76.6 College Graduate 63 43.793 25 58.9 34.8-83.0 00.0-02.6 3.4 00.0-07.5 2 1.0 00.0-02.6 28 12.9-58.3 35.6 Less than \$15,000 70 50,158 34 49.7 21.3-78.1 4 16.8 00.0-42.9 5 2.5 00.0-05.8 2 0.6 00.0-01.4 00.0-00.3 24 30.4 04.5-56.3 \$15,000-24,999 78 68.662 28 54.9 27.1-82.7 7 2.2 00.0-04.6 7 3.2 00.1-06.3 3 1.3 00.5-02.1 33 38.4 12.3-64.5

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

**MODULE 17: ADULT ASTHMA HISTORY** 

TABLE 29. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1-14 ti	mes		15-29 ti	imes	:	30-59 t	imes	(	60-99 ti	imes		100+ ti	mes		Neve	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	57	85,673	12	40.7	20.3-61.1	4	10.0	07.1-12.9	4	1.6	00.0-03.6	2	0.9	00.5-01.3	2	0.4	00.0-01.0	33	46.4	28.4-64.4

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 17: ADULT ASTHMA HISTORY** 

## TABLE 30. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

						Dat	a wa	s weighte	d usin	ıg _L	LCPWT.									
DEMOGRAPHIC	RESPONDE	NT NUMBER		1-14 ti	mes		15-29 t	imes	;	30-59 t	imes		60-99 ti	mes		100+ ti	mes		Nev	ər
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	271	154,679	101	44.1	29.4-58.8	20	3.9	01.7-06.1	23	4.9	02.5-07.3	7	1.7	00.1-03.3	1	0.1	00.0-00.3	119	45.3	31.0-59.6
White/Non-Hisp	221	114,786	84	42.5	27.8-57.2	20	5.3	02.4-08.2	18	5.5	02.6-08.4	5	1.5	00.0-03.3	1	0.1	00.0-00.3	93	45.1	30.4-59.8
55-64	70	33,795	24	26.3	07.9-44.7	7	5.8	00.0-11.9	10	5.5	00.6-10.4	2	1.0	00.0-02.6	1	0.5	00.0-01.5	26	60.9	37.4-84.4
65+	99	31,580	34	31.2	16.5-45.9	8	6.1	01.0-11.2	2	3.7	00.0-09.8	3	2.0	00.0-04.7				52	57.0	41.9-72.1
H.S. or G.E.D.	83	55,885	24	46.7	19.1-74.3	10	5.8	00.7-10.9	8	5.3	00.6-10.0	1	1.7	00.0-05.2				40	40.5	15.0-66.0
Some Post-H.S.	88	40,932	33	37.2	19.4-55.0	4	2.5	00.0-05.2	9	5.7	00.6-10.8	3	2.6	00.0-06.3				39	51.9	30.9-72.9
College Graduate	54	27,558	22	60.6	34.5-86.7	4	1.9	00.0-04.3	4	5.3	00.0-12.0				1	0.6	00.0-01.8	23	31.6	08.9-54.3
Less than \$15,000	57	27,040	30	49.2	21.4-77.0	3	3.1	00.0-08.4	5	4.6	00.0-10.9	1	0.6	00.0-01.8				18	42.5	12.3-72.7
\$15,000- 24,999	67	43,913	26	55.6	22.3-88.9	5	2.1	00.0-04.6	7	5.0	00.7-09.3	2	0.5	00.0-01.3				27	36.8	04.1-69.5

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### MODULE 18: ARTHRITIS MANAGEMENT CONTENTS

* NC	J1E $^{\circ}$	***
	VHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULA' IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDED	
ale ale	TO THE STATES SURVEY.	ale ale ale ale
TABL		PAGE
	EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)	
1	MALES AND FEMALES	112
2	MALES ONLY	113
3	FEMALES ONLY	114
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT)	
4	MALES AND FEMALES	115
5	MALES ONLY	116
6	FEMALES ONLY	117
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)	
7	MALES AND FEMALES	118
8	MALES ONLY	119
9	FEMALES ONLY	120
	HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)	
10	MALES AND FEMALES	121
11	MALES ONLY	122
12	FEMALES ONLY	123

**MODULE 18: ARTHRITIS MANAGEMENT** 

#### TABLE 1: EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)

#### Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using LLCPWT.

			I can do		hing I would			t Things I			e Things I		-	Anything I
DEMOGRAPHIC		NT NUMBER		like			would li			would li			would li	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1847	1,042,879	317	19.8	15.7-23.9	766	40.2	35.7-44.7	507	27.4	23.1-31.7	257	12.7	10.2-15.2
Male	460	401,846	103	24.7	17.1-32.3	191	35.8	28.5-43.1	117	31.0	22.8-39.2	49	8.6	05.3-11.9
Female	1387	641,033	214	16.7	12.0-21.4	575	42.9	37.2-48.6	390	25.1	20.6-29.6	208	15.2	11.7-18.7
White/Non-Hisp	1547	843,426	260	19.1	14.8-23.4	652	41.6	36.7-46.5	415	26.6	22.3-30.9	220	12.7	10.0-15.4
Black or Afr. Am./Non-Hisp	230	155,510	42	18.9	07.1-30.7	88	36.1	22.6-49.6	73	33.6	18.3-48.9	27	11.4	04.5-18.3
35-44	77	115,478	15	38.9	18.9-58.9	23	15.7	06.9-24.5	23	32.0	14.6-49.4	16	13.4	04.6-22.2
45-54	271	213,567	41	17.6	10.2-25.0	90	35.3	24.5-46.1	81	28.9	18.1-39.7	59	18.3	11.6-25.0
55-64	505	258,684	89	15.4	10.9-19.9	181	38.4	29.6-47.2	159	30.4	21.8-39.0	76	15.8	09.5-22.1
65+	951	372,195	157	16.7	12.0-21.4	458	51.4	45.7-57.1	231	22.2	18.1-26.3	105	9.8	07.3-12.3
Less Than H.S.	355	296,687	40	15.3	05.7-24.9	110	30.5	22.5-38.5	121	36.1	26.7-45.5	84	18.1	12.6-23.6
H.S. or G.E.D.	684	372,307	106	16.7	11.2-22.2	291	44.5	36.9-52.1	192	24.6	17.9-31.3	95	14.3	09.2-19.4
Some Post-H.S.	487	262,726	89	22.4	14.0-30.8	199	43.0	33.0-53.0	139	26.4	18.4-34.4	60	8.2	05.1-11.3
College Graduate	317	110,591	81	35.7	24.9-46.5	164	45.1	35.3-54.9	55	15.7	06.3-25.1	17	3.5	01.5-05.5
Less than \$15,000	328	172,942	26	6.6	02.7-10.5	98	25.7	15.1-36.3	125	42.7	30.0-55.4	79	25.0	15.2-34.8
\$15,000- 24,999	479	290,484	78	18.3	09.1-27.5	179	35.9	26.9-44.9	146	32.7	23.9-41.5	76	13.1	08.4-17.8
\$25,000- 34,999	177	86,968	31	14.7	08.2-21.2	83	41.8	30.6-53.0	42	23.7	14.7-32.7	21	19.8	10.4-29.2
\$35,000- 49,999	186	93,688	42	27.8	17.6-38.0	98	47.2	37.0-57.4	37	18.7	11.1-26.3	9	6.3	01.0-11.6
\$50,000- 74,999	133	97,660	18	12.5	04.7-20.3	71	53.5	36.3-70.7	35	29.4	12.2-46.6	9	4.5	00.6-08.4
\$75,000+	145	87,562	54	44.3	30.6-58.0	76	47.6	33.5-61.7	10	5.5	01.2-09.8	5	2.5	00.0-05.2

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 18: ARTHRITIS MANAGEMENT**

### TABLE 2: EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	I can do Everything I would like to			I can do Most Things I would like to			I can do Some Things I would like to			I can Hardly do Anything I would like to			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	460	401,846	103	24.7	16.9-32.5	191	35.8	28.9-42.7	117	31.0	22.4-39.6	49	8.6	05.3-11.9
White/Non-Hisp	381	311,939	86	23.7	14.9-32.5	163	38.3	30.5-46.1	95	29.6	21.2-38.0	37	8.4	04.7-12.1
Black or Afr. Am./Non-Hisp	55	64,622	12	19.4	02.7-36.1	19	28.9	10.1-47.7	18	46.3	20.0-72.6	6	5.4	00.0-12.5
45-54	75	80,313	19	30.4	13.5-47.3	23	24.1	10.0-38.2	16	33.0	10.1-55.9	17	12.5	04.7-20.3
55-64	144	110,473	30	16.9	09.1-24.7	49	34.6	22.8-46.4	46	33.4	20.1-46.7	19	15.1	06.3-23.9
65+	210	128,737	46	23.6	12.6-34.6	110	49.6	38.8-60.4	44	22.6	13.8-31.4	10	4.2	00.5-07.9
Less Than H.S.	85	118,388	9	14.9	00.0-33.1	28	27.8	14.9-40.7	33	45.9	27.5-64.3	15	11.4	03.8-19.0
H.S. or G.E.D.	151	130,819	25	19.2	08.0-30.4	73	41.8	30.2-53.4	36	28.8	13.7-43.9	17	10.2	04.3-16.1
Some Post-H.S.	116	97,912	30	31.2	16.1-46.3	44	35.0	19.1-50.9	31	27.3	14.6-40.0	11	6.5	00.8-12.2
College Graduate	108	54,727	39	47.1	31.0-63.2	46	40.2	25.9-54.5	17	10.4	04.1-16.7	6	2.3	00.1-04.5
Less than \$15,000	81	66,726	7	5.6	00.5-10.7	23	15.3	06.1-24.5	31	62.3	44.7-79.9	20	16.8	05.6-28.0
\$15,000- 24,999	105	135,098	16	24.8	06.8-42.8	52	40.1	26.0-54.2	25	28.8	12.1-45.5	12	6.3	01.8-10.8
\$35,000- 49,999	65	43,178	23	41.5	24.3-58.7	24	32.2	16.9-47.5	15	22.6	09.1-36.1	3	3.7	00.0-09.4
\$75,000+	53	36,930	23	54.2	36.2-72.2	24	39.1	21.9-56.3	5	5.9	00.0-11.8	1	0.7	00.0-02.1

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 18: ARTHRITIS MANAGEMENT** 

### TABLE 3: EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDENT NUMBER		I can do Everything I would like to			I can do Most Things I would like to			I can do Some Things I would like to			I can Hardly do Anything I would like to		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1387	641,033	214	16.7	12.0-21.4	575	42.9	37.2-48.6	390	25.1	20.6-29.6	208	15.2	11.7-18.7
White/Non-Hisp	1166	531,487	174	16.4	11.7-21.1	489	43.5	37.4-49.6	320	24.8	19.9-29.7	183	15.2	11.5-18.9
Black or Afr. Am./Non-Hisp	175	90,888	30	18.6	02.3-34.9	69	41.1	23.3-58.9	55	24.5	11.0-38.0	21	15.7	05.5-25.9
35-44	59	62,169	11	38.9	16.2-61.6	18	17.1	06.3-27.9	16	22.0	05.3-38.7	14	22.0	07.1-36.9
45-54	196	133,254	22	9.9	03.8-16.0	67	42.0	28.7-55.3	65	26.4	17.2-35.6	42	21.7	12.5-30.9
55-64	361	148,212	59	14.3	08.8-19.8	132	41.3	29.0-53.6	113	28.2	17.0-39.4	57	16.2	07.2-25.2
65+	741	243,458	111	13.0	09.9-16.1	348	52.3	46.2-58.4	187	21.9	17.8-26.0	95	12.7	09.4-16.0
Less Than H.S.	270	178,299	31	15.5	05.1-25.9	82	32.4	22.4-42.4	88	29.6	21.0-38.2	69	22.5	15.2-29.8
H.S. or G.E.D.	533	241,488	81	15.3	08.8-21.8	218	45.9	36.5-55.3	156	22.3	16.4-28.2	78	16.5	09.6-23.4
Some Post-H.S.	371	164,814	59	17.2	07.2-27.2	155	47.8	35.1-60.5	108	25.9	15.3-36.5	49	9.1	05.6-12.6
College Graduate	209	55,865	42	24.5	14.5-34.5	118	49.8	36.5-63.1	38	20.9	04.4-37.4	11	4.7	01.4-08.0
Less than \$15,000	247	106,216	19	7.3	02.0-12.6	75	32.3	17.6-47.0	94	30.3	20.3-40.3	59	30.2	16.9-43.5
\$15,000- 24,999	374	155,386	62	12.7	08.0-17.4	127	32.2	22.0-42.4	121	36.1	26.3-45.9	64	19.0	11.9-26.1
\$25,000- 34,999	130	49,101	21	16.8	08.4-25.2	62	38.2	26.6-49.8	32	23.5	14.3-32.7	15	21.5	09.7-33.3
\$35,000- 49,999	121	50,510	19	16.1	06.7-25.5	74	60.0	47.5-72.5	22	15.4	07.4-23.4	6	8.5	00.1-16.9
\$50,000- 74,999	93	68,134	11	8.8	01.7-15.9	47	51.5	28.4-74.6	27	33.4	10.1-56.7	8	6.3	00.6-12.0
\$75,000+	92	50,632	31	37.1	19.3-54.9	52	53.8	34.2-73.4	5	5.2	00.0-11.1	4	3.9	00.0-08.6

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 18: ARTHRITIS MANAGEMENT

#### TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No **GROUPS TOTAL** WEIGHTED Ν % C.I. (95%) Ν % C.I. (95%) TOTAL 1848 1,044,692 641 34.9 30.4-39.4 1207 65.1 60.6-69.6 Male 407,530 23.5-39.1 60.9-76.5 466 143 31.3 323 68.7 1382 637,161 37.2 57.3-68.3 Female 498 31.7-42.7 884 62.8 White/Non-Hisp 1542 843.405 509 28.1-37.5 1033 67.2 62.5-71.9 Black or Afr. Am./Non-Hisp 235 157,083 108 49.3 34.6-64.0 127 50.7 36.0-65.4 35-44 78 115,609 43.3 24.5-62.1 37.9-75.5 39 39 56.7 45-54 272 213.307 38.8 27.2-50.4 49.6-72.8 98 174 61.2 55-64 508 259,371 203 36.7 28.1-45.3 54.7-71.9 305 63.3 65+ 946 24.3-32.9 369,916 284 28.6 662 71.4 67.1-75.7 Less Than H.S. 354 294,630 35.3 26.1-44.5 238 64.7 55.5-73.9 116 H.S. or G.E.D. 28.5-43.7 687 376.751 225 36.1 462 63.9 56.3-71.5 Some Post-H.S. 488 262,985 197 34.3 25.9-42.7 291 65.7 57.3-74.1 College Graduate 315 21.7-42.1 57.9-78.3 109,759 102 31.9 213 68.1 171,504 27.9-52.9 47.1-72.1 Less than \$15,000 328 123 40.4 205 59.6 \$15,000-24,999 480 293.214 180 35.1 26.3-43.9 300 64.9 56.1-73.7 \$25,000-34,999 178 87,066 67 46.6 35.4-57.8 53.4 42.2-64.6 111 \$35,000-49,999 184 93,297 35.3 25.7-44.9 55.1-74.3 79 105 64.7 \$50,000-74,999 134 98.761 49 30.4 17.7-43.1 85 69.6 56.9-82.3 \$75,000+ 146 87,972 39.6 24.3-54.9 102 45.1-75.7

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 18: ARTHRITIS MANAGEMENT**

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

> Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No GROUPS TOTAL WEIGHTED Ν % C.I. (95%) C.I. (95%) Ν % Male 466 407,530 143 31.3 23.5-39.1 323 60.9-76.5 23.7-38.5 61.5-76.3 White/Non-Hisp 383 315.976 119 31.1 264 68.9 Black or Afr. Am./Non-Hisp 58 66,008 40.9 14.8-67.0 33.0-85.2 20 38 59.1 45-54 81,158 38.9 17.1-60.7 39.3-82.9 76 22 54 61.1 55-64 148 111.601 51 36.2 22.9-49.5 97 63.8 50.5-77.1 65+ 210 128.915 26.6 18.4-34.8 65.2-81.6 148 73.4 Less Than H.S. 85 118,388 29.3 11.5-47.1 70.7 52.9-88.5 H.S. or G.E.D. 153 135,507 40 31.1 19.5-42.7 68.9 57.3-80.5 113 Some Post-H.S. 48 36.1 21.8-50.4 69 63.9 49.6-78.2 117 98.174 College Graduate 111 55.462 31 27.9 15.7-40.1 80 72.1 59.9-84.3 Less than \$15,000 81 66,726 27 39.7 15.2-64.2 54 60.3 35.8-84.8 \$15,000-24,999 108 26.8 12.7-40.9 73.2 59.1-87.3 139,172 76 \$35,000-49,999 65 43,178 21 23.3 10.8-35.8 44 76.7 64.2-89.2

> > 38,131

13

33.7

14.9-52.5

42

66.3

47.5-85.1

55

\$75,000+

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

#### **MODULE 18: ARTHRITIS MANAGEMENT**

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

> Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No GROUPS TOTAL WEIGHTED Ν % C.I. (95%) C.I. (95%) Ν % Female 1382 637,161 37.2 498 31.7-42.7 884 62.8 57.3-68.3 White/Non-Hisp 1159 527.429 390 33.9 28.2-39.6 769 66.1 60.4-71.8 Black or Afr. Am./Non-Hisp 177 91,074 55.4 37.8-73.0 88 89 44.6 27.0-62.2 35-44 62,301 35.3-78.9 21.1-64.7 60 34 57.1 26 42.9 45-54 196 132.150 76 38.7 25.4-52.0 120 61.3 48.0-74.6 55-64 360 147.770 37.0 25.6-48.4 152 208 63.0 51.6-74.4 65+ 736 241,001 222 29.6 24.5-34.7 514 65.3-75.5 Less Than H.S. 269 176,242 92 39.3 29.3-49.3 60.7 50.7-70.7 177 H.S. or G.E.D. 534 241,244 185 38.9 29.5-48.3 349 51.7-70.5 61.1 Some Post-H.S. 371 164.812 149 33.2 22.6-43.8 222 66.8 56.2-77.4 204 20.7-51.3 College Graduate 54,297 71 36.0 133 64.0 48.7-79.3 Less than \$15,000 104,778 28.9-52.9 47.1-71.1 247 40.9 151 59.1 \$15,000-24,999 372 154,041 148 42.5 32.5-52.5 224 57.5 47.5-67.5 \$25,000-34,999 130 48,937 50 44.6 32.3-56.9 55.4 43.1-67.7 \$35,000-49,999 119 50,118 45.7 33.0-58.4 41.6-67.0 58 61 54.3 \$50,000-74,999 95 69,358 33 30.1 13.6-46.6 62 69.9 53.4-86.4

> > 49.841

31

44.1

22.1-66.1

60

55.9

91

\$75,000+

NOTE:

107 of 224 July 26, 2012

33.9-77.9

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

#### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 18: ARTHRITIS MANAGEMENT

### TABLE 7. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER) Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No C.I. (95%) **GROUPS TOTAL** WEIGHTED Ν % Ν % C.I. (95%) TOTAL 1842 1,039,548 991 52.8 48.1-57.5 851 47.2 42.5-51.9 Male 464 43.3-59.3 40.7-56.7 405,273 213 51.3 251 48.7 1378 Female 634,274 778 53.7 48.0-59.4 600 46.3 40.6-52.0 White/Non-Hisp 1537 839.507 810 49.4 44.3-54.5 727 50.6 45.5-55.7 Black or Afr. Am./Non-Hisp 235 157,083 72.4 62.8-82.0 18.0-37.2 145 90 27.6 35-44 77 114,363 38.9-76.1 42.5 23.9-61.1 52 57.5 25 45-54 271 212.680 55.1 44.1-66.1 33.9-55.9 144 127 44.9 55-64 506 257,632 287 42.6-60.6 39.4-57.4 51.6 219 48.4 65+ 944 368,384 42.5-53.9 485 48.2 459 51.8 46.1-57.5 Less Than H.S. 355 295,078 51.1 41.5-60.7 202 48.9 39.3-58.5 153 H.S. or G.E.D. 685 373.924 354 49.9 42.3-57.5 331 42.5-57.7 Some Post-H.S. 484 261,728 302 55.4 45.4-65.4 182 44.6 34.6-54.6 College Graduate 314 108,251 60.8 51.6-70.0 39.2 30.0-48.4 181 133 44.5-68.5 31.5-55.5 Less than \$15,000 331 172,373 167 56.5 164 43.5 \$15,000-24,999 475 290,714 256 48.8 39.0-58.6 219 51.2 41.4-61.0 \$25,000-34,999 177 86,914 55.5 44.3-66.7 79 44.5 33.3-55.7 98 \$35,000-49,999 184 113 56.6 46.2-67.0 71 33.0-53.8 92,889 43.4

98.493

84,962

91

79

59.3

51.1

41.9-76.7

37.0-65.2

43

62

40.7

48.9

23.3-58.1

34.8-63.0

134

141

\$50,000-74,999

\$75,000+

NOTE:

July 26, 2012

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 18: ARTHRITIS MANAGEMENT** 

TABLE 8: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

> Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No GROUPS TOTAL WEIGHTED Ν % C.I. (95%) C.I. (95%) Ν % Male 464 405,273 213 51.3 43.1-59.5 48.7 40.5-56.9 251 White/Non-Hisp 381 313.719 167 47.0 38.6-55.4 214 53.0 44.6-61.4 Black or Afr. Am./Non-Hisp 58 66,008 74.0 58.1-89.9 10.1-41.9 33 25 26.0 45-54 80,530 62.5 45.4-79.6 37.5 20.4-54.6 75 33 42 55-64 147 110.384 68 48.9 36.0-61.8 79 51.1 38.2-64.0 65+ 210 128.503 42.5 32.1-52.9 47.1-67.9 97 113 57.5 Less Than H.S. 85 118,388 54.3 36.9-71.7 45.7 28.3-63.1 33 H.S. or G.E.D. 152 134,141 57 49.0 36.7-61.3 51.0 38.7-63.3 95 Some Post-H.S. 97,550 66 44 8 29.9-59.7 50 55.2 40.3-70.1 116 College Graduate 111 55.195 57 62.1 48.8-75.4 54 37.9 24.6-51.2 Less than \$15,000 81 66,726 32 61.1 42.9-79.3 49 38.9 20.7-57.1 \$15,000-24,999 107 49.3 32.1-66.5 50.7 33.5-67.9 138,311 \$35,000-49,999 64 42,551 36 56.2 39.3-73.1 28 43.8 26.9-60.7 \$75,000+ 54 37,794 25 42.9 25.5-60.3 29 57.1 39.7-74.5

> > NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**MODULE 18: ARTHRITIS MANAGEMENT** 

TABLE 9: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

> Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No **GROUPS** TOTAL WEIGHTED Ν % C.I. (95%) C.I. (95%) Ν % Female 1378 634,274 53.7 47.8-59.6 46.3 40.4-52.2 778 600 White/Non-Hisp 1156 525.788 643 50.8 44.7-56.9 513 49.2 43.1-55.3 Black or Afr. Am./Non-Hisp 177 91,074 71.3 59.5-83.1 28.7 16.9-40.5 112 65 35-44 26.6-72.0 28.0-73.4 59 61,055 42 49.3 17 50.7 37.4-64.0 45-54 196 132.150 111 50.7 85 49.3 36.0-62.6 55-64 359 147.248 41.4-65.8 34.2-58.6 219 53.6 140 46.4 65+ 734 239,882 388 51.2 44.5-57.9 346 42.1-55.5 Less Than H.S. 270 176,690 48.9 38.3-59.5 40.5-61.7 120 150 51.1 H.S. or G.E.D. 533 239.784 297 50.5 41.1-59.9 236 49.5 40.1-58.9 Some Post-H.S. 368 164,179 236 61.7 48.8-74.6 132 38.3 25.4-51.2 46.8-71.8 College Graduate 203 53,056 124 59.3 79 40.7 28.2-53.2 Less than \$15,000 32.5-60.3 250 105,647 135 53.6 39.7-67.5 115 46.4 \$15,000-24,999 368 152,403 207 48.3 38.1-58.5 161 51.7 41.5-61.9 \$25,000-34,999 129 48,786 55.0 42.7-67.3 45.0 32.7-57.3 73 56 \$35,000-49,999 120 50,339 77 57.0 44.1-69.9 43 43.0 30.1-55.9 \$50,000-74,999 94 68.967 67 63.3 40.0-86.6 27 36.7 13.4-60.0 87 42.2 22.4-62.0 \$75,000+ 47.169 57.8 38.0-77.6 33

> > NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

#### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 18: ARTHRITIS MANAGEMENT

### TABLE 10: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU) Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using LLCPWT.

DEMOGRAPHIC RESPONDENT NUMBER Yes No **GROUPS TOTAL** WEIGHTED Ν % C.I. (95%) Ν % C.I. (95%) TOTAL 1848 1,032,586 257 11.6 09.1-14.1 1591 88.4 85.9-90.9 Male 403,403 14.2 08.5-19.9 80.1-91.5 466 59 407 85.8 1382 629,183 Female 198 9.9 07.9-11.9 90.1 88.1-92.1 1184 White/Non-Hisp 1545 842.806 207 12.2 09.3-15.1 1338 87.8 84.9-90.7 Black or Afr. Am./Non-Hisp 232 145,576 37 8.0 03.3-12.7 87.3-96.7 195 92.0 35-44 76 106,279 7 8.1 00.0-17.1 82.9-0100 69 91.9 45-54 271 213.352 10.0 05.7-14.3 85.7-94.3 35 236 90.0 55-64 510 13.2 08.7-17.7 82.3-91.3 258,470 85 425 86.8 65+ 948 370,174 08.9-14.3 124 11.6 824 88.4 85.7-91.1 Less Than H.S. 355 295,078 28 5.4 02.7-08.1 327 94.6 91.9-97.3 H.S. or G.E.D. 687 374.599 78 10.0 06.7-13.3 609 90.0 86.7-93.3 Some Post-H.S. 483 252,375 20.1 12.5-27.7 389 79.9 72.3-87.5 College Graduate 319 109,968 57 14.1 08.8-19.4 80.6-91.2 262 85.9 04.6-14.0 86.0-95.4 Less than \$15,000 331 172,373 43 9.3 288 90.7

73

18

33

13.0

7.2

17.0

15.7

12.9

06.3-19.7

02.9-11.5

09.6-24.4

06.1-25.3

05.6-20.2

407

160

150

113

128

87.0

92.8

83.0

84.3

87.1

80.3-93.7

88.5-97.1

75.6-90.4

74.7-93.9

79.8-94.4

480

178

183

135

147

291,385

87,066

92,771

98.884

87,696

\$15,000-24,999

\$25,000-34,999

\$35,000-49,999

\$50,000-74,999

\$75,000+

NOTE:

July 26, 2012

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 18: ARTHRITIS MANAGEMENT** 

TABLE 11: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No C.I. (95%) **GROUPS** TOTAL WEIGHTED Ν % Ν % C.I. (95%) Male 466 403,403 14.2 08.7-19.7 407 85.8 80.3-91.3 White/Non-Hisp 384 314,025 16.5 09.6-23.4 76.6-90.4 50 334 83.5 Black or Afr. Am./Non-Hisp 57 63,832 5 5.3 00.0-12.9 87.1-0100 52 94.7 45-54 75 80.530 12 12.1 03.3-20.9 63 87.9 79.1-96.7 55-64 148 110,084 17 14.2 05.0-23.4 131 85.8 76.6-95.0 65+ 212 129,108 06.1-17.9 187 82.1-93.9 Less Than H.S. 85 118.388 00.0-04.9 95.1-0100 3 2.0 82 98.0 H.S. or G.E.D. 152 133,217 20 16.3 07.9-24.7 83.7 75.3-92.1 132 Some Post-H.S. 10.8-45.0 55.0-89.2 116 95,997 23 27.9 93 72.1 College Graduate 113 55.800 13 11.5 03.5-19.5 100 88.5 80.5-96.5 80.4-98.8 Less than \$15,000 66.726 10.4 01.2-19.6 \$15,000-24,999 107 137,388 17 16.3 03.2-29.4 90 83.7 70.6-96.8 \$35,000-49,999 64 42,551 17.7 04.6-30.8 55 82.3 69.2-95.4 \$75,000+ 56 38.399 8.0 00.0-17.2 92.0 82.8-0100 53

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

#### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 18: ARTHRITIS MANAGEMENT

TABLE 12: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No C.I. (95%) **GROUPS TOTAL** WEIGHTED Ν % Ν % C.I. (95%) Female 1382 629,183 198 07.9-11.9 1184 90.1 88.1-92.1 White/Non-Hisp 528,781 07.5-11.9 88.1-92.5 1161 157 9.7 1004 90.3 Black or Afr. Am./Non-Hisp 175 81,744 32 10.2 04.5-15.9 89.8 84.1-95.5 143 58 52.970 4 3.1 00.0-06.6 54 96.9 93.4-0100 45-54 196 132,822 23 8.8 04.1-13.5 173 86.5-95.9 91.2 55-64 362 148,385 08.2-16.8 83.2-91.8 65+ 736 241.066 11.4 08.5-14.3 637 88.6 85.7-91.5 Less Than H.S. 270 176,690 76 03.7-11.5 88.5-96.3 25 245 92.4 H.S. or G.E.D. 241,381 6.6 04.1-09.1 477 93.4 90.9-95.9 535 58 Some Post-H.S. 367 156.378 71 15.3 10.2-20.4 296 84.7 79.6-89.8 College Graduate 206 16.8 09.9-23.7 76.3-90.1 54.168 44 162 83.2 Less than \$15,000 250 105,647 03.6-13.4 216 91.5 86.6-96.4 \$15,000-24,999 373 153,997 56 10.0 06.5-13.5 90.0 86.5-93.5 317 130 48.937 03.4-17.2 \$25,000-34,999 15 10.3 115 89.7 82.8-96.6 \$35,000-49,999 119 50,220 24 16.4 08.4-24.4 95 83.6 75.6-91.6

69,358

49,297

9

16

4.8

16.8

95

91

00.7-08.9

05.8-27.8

86

75

95.2

91.1-99.3

83.2 72.2-94.2

\$50,000-74,999

\$75,000+

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV) CONTENTS

	Modella zvi ila ella menimi ( mana ( mana) ella ( mana) e	
* NOTE	<sup>3</sup> ************************************	* * * *
WHE	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	.ON
IS I	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN	ΓS
	TO THE STATES SURVEY.	
* * * *	***************************************	* * *
TABLE		PAGE
	A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

# BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)

TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

		Data wa	as wei	ghted	using _1	LLCPWT.					
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	<b>i</b>		No		Doctor r	efused	when asked
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1357	1,802,230	69	6.1	03.6-08.6	1286	93.7	91.0-96.4	2	0.3	00.0-00.7
Male	433	901,936	11	4.2	00.5-07.9	421	95.3	91.4-99.2	1	0.5	00.0-01.5
Female	924	900,294	58	7.9	04.2-11.6	865	92.1	88.4-95.8	1	0.0	00.0-00.0
White/Non-Hisp	1073	1,375,817	51	5.6	02.9-08.3	1020	94.1	91.2-97.0	2	0.3	00.0-00.9
Black or Afr. Am./Non-Hisp	211	329,031	16	9.5	01.3-17.7	195	90.5	82.3-98.7			
18-24	109	303,379	24	14.7	04.5-24.9	85	85.3	75.1-95.5			
25-34	321	509,576	29	7.7	02.8-12.6	292	92.3	87.4-97.2			
35-44	550	659,863	12	3.2	00.0-06.9	536	96.1	92.2-0100	2	0.7	00.0-01.9
45-54	377	329,411	4	1.3	00.0-02.7	373	98.7	97.3-0100			
Less Than H.S.	102	226,436	3	5.7	00.0-15.9	99	94.3	84.1-0100			
H.S. or G.E.D.	441	680,373	30	6.5	02.8-10.2	410	93.4	89.7-97.1	1	0.1	00.0-00.3
Some Post-H.S.	394	509,156	17	4.7	00.0-09.4	376	94.5	89.6-99.4	1	0.8	00.0-02.4
College Graduate	418	385,500	18	7.3	01.8-12.8	400	92.7	87.2-98.2			
Less than \$15,000	141	196,590	8	5.9	00.0-12.4	133	94.1	87.6-0100			
\$15,000- 24,999	273	351,698	18	7.2	00.1-14.3	255	92.8	85.7-99.9			
\$25,000- 34,999	124	150,841	7	4.2	00.3-08.1	117	95.8	91.9-99.7			
\$35,000- 49,999	148	201,264	11	8.8	00.6-17.0	136	89.1	80.1-98.1	1	2.0	00.0-05.9
\$50,000- 74,999	172	196,913	6	2.6	00.0-05.5	166	97.4	94.5-0100			
\$75,000+	266	327,772	6	7.1	00.0-14.9	260	92.9	85.1-0100			

#### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)

TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	RESPONDENT NUMBER			Yes		No		Doctor r	efused	when asked
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	433	901,936	11	4.2	00.5-07.9	421	95.3	91.4-99.2	1	0.5	00.0-01.5
White/Non-Hisp	358	685,178	9	3.6	00.1-07.1	348	95.8	92.1-99.5	1	0.6	00.0-01.8
25-34	91	246,944	4	6.1	00.0-14.7	87	93.9	85.3-0100			
35-44	165	329,728	3	4.1	00.0-11.2	161	94.7	87.3-0100	1	1.2	00.0-03.6
45-54	134	166,815				134	100.0	0100-0100			
H.S. or G.E.D.	148	359,606	2	3.9	00.0-09.8	146	96.1	90.2-0100			
Some Post-H.S.	123	252,061	6	6.8	00.0-16.0	116	91.6	82.0-0100	1	1.6	00.0-04.7
College Graduate	126	183,341	3	3.9	00.0-10.2	123	96.1	89.8-0100			
\$15,000- 24,999	79	168,051	2	2.7	00.0-07.0	77	97.3	93.0-0100			
\$50,000- 74,999	57	96,225				57	100.0	0100-0100			
\$75,000+	94	179,392	3	10.6	00.0-24.1	91	89.4	75.9-0100			

# BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)

TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No Doctor refused when asked **GROUPS** TOTAL WEIGHTED Ν % C.I. (95%) Ν % C.I. (95%) Ν C.I. (95%) Female 924 900.294 58 7.9 04.2-11.6 865 92.1 88.4-95.8 0.0 0.00-00.0 White/Non-Hisp 690,639 715 42 7.6 03.3-11.9 672 92.4 88.1-96.7 0.1 00.0-00.3 Black or Afr. Am./Non-Hisp 165 175,612 14 10.2 01.6-18.8 151 89.8 81.2-98.4 18-24 144,930 24.1 04.9-43.3 75.9 56.7-95.1 66 20 46 230 262,632 25-34 25 9.1 03.6-14.6 205 90.9 85.4-96.4 35-44 385 330,135 9 2.4 00.4-04.4 375 97.5 95.3-99.7 0.1 00.0-00.3 45-54 243 162,596 00.0-05.5 239 97.4 94.5-0100 2.6 Less Than H.S. 66 119.508 3 10.8 00.0-29.0 89.2 71.0-0100 H.S. or G.E.D. 293 320.768 28 9.5 05.0-14.0 264 90.3 85.8-94.8 0.1 00.0-00.3 Some Post-H.S. 271 00.6-04.6 97.4 95.4-99.4 257,095 11 2.6 260 College Graduate 292 202,159 15 10.3 01.5-19.1 277 89.7 80.9-98.5 Less than \$15,000 97 112.372 9.8 00.0-21.0 90.2 79.0-0100 7 90 \$15,000-24,999 194 183,647 11.4 00.0-23.7 178 88.6 76.3-0100 16 \$25,000-34,999 88 73,535 7 8.5 00.9-16.1 81 91.5 83.9-99.1 \$35.000-49.999 103 102.715 8 15.1 00.8-29.4 95 84.9 70.6-99.2

2.7

00.0-10.8

00.0-06.4

109

94.9 89.2-0100

97.3 93.6-0100

\$50.000-74.999

\$75,000+

115

172

100.688

148,380

# BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)

TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	1 shot			2 shots			All shots		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	61	99,203	17	27.9	10.1-45.7	9	10.0	02.0-18.0	35	62.1	42.5-81.7
Female	52	68.001	16	40.3	15.0-65.6	8	11.7	01.1-22.3	28	48.0	20.4-75.6

# BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)

### TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

# BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 20: ADULT HUMAN PAPILLOMA VIRUS (HPV)

### TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	DEMOGRAPHIC RESPONDENT NUMBE		1 shot			2 shots			All shots		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	52	68,001	16	40.3	14.2-66.4	8	11.7	01.3-22.1	28	48.0	19.8-76.2

### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) CONTENTS

WHI	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULA	ΓΙΟΝ
	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDE	
	TO THE STATES SURVEY.	
* * * *	*******************************	***
TABLE		PAGE
	HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDTEST)	
1	MALES AND FEMALES	132
2	MALES ONLY	133
3	FEMALES ONLY	134
	WOULD YOU SAY THAT SHORTNESS OF BREATH AFFECTS THE QUALITY OF YOUR LIFE? (COPDQOL)	
4	MALES AND FEMALES	135
5	MALES ONLY	136
6	FEMALES ONLY	137
	OTHER THAN A ROUTINE VISIT, HAVE YOU HAD TO SEE A DOCTOR IN THE PAST 12 MONTHS FOR SYMPTOMS RELATED TO SHORTNESS OF BREATH, BRONCHITIS, OR OTHER COPD, OR EMPHYSEMA FLARE? (COPDDOC)	
7	MALES AND FEMALES	138
8	MALES ONLY	139
9	FEMALES ONLY	140
	DID YOU HAVE TO VISIT AN EMERGENCY ROOM OR BE ADMITTED TO THE HOSPITAL IN THE PAST 12 MONTHS BECAUSE OF YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDHOSP)	
10	MALES AND FEMALES	141
11	MALES ONLY	142
12	FEMALES ONLY	143
	HOW MANY DIFFERENT MEDICATIONS DO YOU CURRENTLY TAKE EACH DAY TO HELP WITH YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDMEDS)	
13	MALES AND FEMALES	144
14	MALES ONLY	145
15	FEMALES ONLY	146

#### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 1: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDTEST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

	Data w	a usin	ı9 _ш	CFWI.				
DEMOGRAPHIC	RESPONDE	RESPONDENT NUMBER		Yes	3		No	ı
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	549	340,196	426	78.5	70.9-86.1	123	21.5	13.9-29.1
Male	136	134,351	111	83.0	73.2-92.8	25	17.0	07.2-26.8
Female	413	205,845	315	75.6	65.0-86.2	98	24.4	13.8-35.0
White/Non-Hisp	473	265,920	366	78.2	71.9-84.5	107	21.8	15.5-28.1
45-54	99	95,925	74	76.4	62.7-90.1	25	23.6	09.9-37.3
55-64	165	73,921	134	87.4	80.9-93.9	31	12.6	06.1-19.1
65+	239	97,635	191	81.9	74.5-89.3	48	18.1	10.7-25.5
Less Than H.S.	134	121,928	106	81.8	72.2-91.4	28	18.2	08.6-27.8
H.S. or G.E.D.	206	113,220	158	80.3	70.7-89.9	48	19.7	10.1-29.3
Some Post-H.S.	148	90,332	115	72.8	51.0-94.6	33	27.2	05.4-49.0
College Graduate	60	14,657	46	71.9	56.2-87.6	14	28.1	12.4-43.8
Less than \$15,000	131	87,539	105	76.3	55.1-97.5	26	23.7	02.5-44.9
\$15,000- 24,999	167	99,589	127	81.4	73.6-89.2	40	18.6	10.8-26.4

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

#### TABLE 2: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	RESPONDENT NUMBER			<b>S</b>	No		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	136	134,351	111	83.0	74.0-92.0	25	17.0	08.0-26.0
White/Non-Hisp	118	95,582	96	76.3	64.0-88.6	22	23.7	11.4-36.0
65+	58	39,907	49	82.9	71.5-94.3	9	17.1	05.7-28.5

### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 3: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDTEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

baca was weighted daing _bbcrwi.									
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	ı	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	413	205,845	315	75.6	64.6-86.6	98	24.4	13.4-35.4	
White/Non-Hisp	355	170,338	270	79.2	72.3-86.1	85	20.8	13.9-27.7	
45-54	76	60,592	57	79.4	65.7-93.1	19	20.6	06.9-34.3	
55-64	121	40,104	97	83.4	73.8-93.0	24	16.6	07.0-26.2	
65+	181	57,728	142	81.3	74.4-88.2	39	18.7	11.8-25.6	
Less Than H.S.	100	70,037	80	86.1	78.5-93.7	20	13.9	06.3-21.5	
H.S. or G.E.D.	159	65,665	116	72.5	59.4-85.6	43	27.5	14.4-40.6	
Some Post-H.S.	115	62,038	89	68.6	38.2-99.0	26	31.4	01.0-61.8	
Less than \$15,000	101	45,998	79	66.0	35.2-96.8	22	34.0	03.2-64.8	
\$15,000- 24,999	130	56,987	100	81.9	73.1-90.7	30	18.1	09.3-26.9	

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

### TABLE 4: WOULD YOU SAY THAT SHORTNESS OF BREATH AFFECTS THE QUALITY OF YOUR LIFE? (COPDQOL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

2404 Has Horghood 45119 _2201111.										
DEMOGRAPHIC	RESPONDE	RESPONDENT NUMBER			3	No				
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	557	350,288	392	71.3	62.1-80.5	165	28.7	19.5-37.9		
Male	136	134,595	99	77.9	66.9-88.9	37	22.1	11.1-33.1		
Female	421	215,693	293	67.2	54.7-79.7	128	32.8	20.3-45.3		
White/Non-Hisp	480	275,116	338	67.0	57.2-76.8	142	33.0	23.2-42.8		
45-54	99	93,921	72	67.5	48.7-86.3	27	32.5	13.7-51.3		
55-64	163	72,859	125	82.3	72.9-91.7	38	17.7	08.3-27.1		
65+	248	98,581	166	73.5	65.7-81.3	82	26.5	18.7-34.3		
Less Than H.S.	134	133,045	111	76.3	58.9-93.7	23	23.7	06.3-41.1		
H.S. or G.E.D.	207	111,043	146	76.0	66.0-86.0	61	24.0	14.0-34.0		
Some Post-H.S.	153	91,289	100	63.3	42.9-83.7	53	36.7	16.3-57.1		
College Graduate	62	14,852	34	40.8	25.5-56.1	28	59.2	43.9-74.5		
Less than \$15,000	131	87,560	106	84.4	73.2-95.6	25	15.6	04.4-26.8		
\$15,000- 24,999	169	112,085	124	78.1	58.7-97.5	45	21.9	02.5-41.3		

### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

### TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

### TABLE 5: WOULD YOU SAY THAT SHORTNESS OF BREATH AFFECTS THE QUALITY OF YOUR LIFE? (COPDQOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	RESPONDENT NUMBER			5	No		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	136	134,595	99	77.9	67.7-88.1	37	22.1	11.9-32.3
White/Non-Hisp	117	94,930	85	75.2	64.6-85.8	32	24.8	14.2-35.4
65+	59	40,803	40	76.6	62.9-90.3	19	23.4	09.7-37.1

### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 6: WOULD YOU SAY THAT SHORTNESS OF BREATH AFFECTS THE QUALITY OF YOUR LIFE? (COPDQOL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

	Dava	ac morganos	~ ~~		· · · · ·			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3	No		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	421	215,693	293	67.2	54.5-79.9	128	32.8	20.1-45.5
White/Non-Hisp	363	180,186	253	62.7	50.0-75.4	110	37.3	24.6-50.0
45-54	76	58,589	52	55.1	33.0-77.2	24	44.9	22.8-67.0
55-64	120	39,694	92	84.6	75.2-94.0	28	15.4	06.0-24.8
65+	189	57,778	126	71.3	62.9-79.7	63	28.7	20.3-37.1
Less Than H.S.	100	81,155	83	70.8	46.1-95.5	17	29.2	04.5-53.9
H.S. or G.E.D.	160	63,488	110	73.4	61.4-85.4	50	26.6	14.6-38.6
Some Post-H.S.	120	62,751	76	58.7	30.9-86.5	44	41.3	13.5-69.1
Less than \$15,000	101	46,019	80	80.1	63.8-96.4	21	19.9	03.6-36.2
\$15,000-24,999	132	69.482	93	68.8	41.2-96.4	39	31.2	03.6-58.8

July 26, 2012

### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

#### **TENNESSEE MODULE QUESTIONS DATA REPORT, 2011**

#### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 7: OTHER THAN A ROUTINE VISIT, HAVE YOU HAD TO SEE A DOCTOR IN THE PAST 12 MONTHS FOR SYMPTOMS RELATED TO SHORTNESS OF BREATH, BRONCHITIS, OR OTHER COPD, OR EMPHYSEMA FLARE? (COPDDOC)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Yes No **GROUPS** WEIGHTED TOTAL Ν % C.I. (95%) Ν % C.I. (95%) TOTAL 552 351.395 225 37.1 28.7-45.5 327 62.9 54.5-71.3 Male 134,091 18.4-46.6 53.4-81.6 135 47 32.5 88 67.5 Female 417 217,303 178 39.9 29.5-50.3 239 60.1 49.7-70.5 White/Non-Hisp 475 276,223 41.9 33.1-50.7 49.3-66.9 196 279 58.1 45.5-78.9 45-54 98 94.846 47 37.8 21.1-54.5 51 62.2 55-64 162 73,278 63 40.2 21.4-59.0 99 59.8 41.0-78.6 65+ 246 98,546 44.3 32.9-55.7 44.3-67.1 99 147 55.7 Less Than H.S. 134 133.214 28.5-61.1 55.2 38.9-71.5 44.8 H.S. or G.E.D. 205 112,000 77 28.4 17.8-39.0 71.6 61.0-82.2 128 Some Post-H.S. 151 91,328 61 38.2 19.4-57.0 90 61.8 43.0-80.6 College Graduate 62 26.5 14,852 22 13.8-39.2 40 73.5 60.8-86.2 Less than \$15,000 130 87,502 44.5-81.3 62 37.1 18.7-55.5 68 62.9 \$15,000-24,999 167 110,968 42.5 23.9-61.1 103 57.5 38.9-76.1

### BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

#### **TENNESSEE MODULE QUESTIONS DATA REPORT, 2011**

#### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

### TABLE 8: OTHER THAN A ROUTINE VISIT, HAVE YOU HAD TO SEE A DOCTOR IN THE PAST 12 MONTHS FOR SYMPTOMS RELATED TO SHORTNESS OF BREATH, BRONCHITIS, OR OTHER COPD, OR EMPHYSEMA FLARE? (COPDDOC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

	Data w	as weighted	d usin	ıg _LL	CPWT.			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	5		No	ı
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	135	134,091	47	32.5	18.0-47.0	88	67.5	53.0-82.0
White/Non-Hisp	116	94,426	42	37.1	24.9-49.3	74	62.9	50.7-75.1
65+	59	40,803	22	48.1	27.1-69.1	37	51.9	30.9-72.9

### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 9: OTHER THAN A ROUTINE VISIT, HAVE YOU HAD TO SEE A DOCTOR IN THE PAST 12 MONTHS FOR SYMPTOMS RELATED TO SHORTNESS OF BREATH, BRONCHITIS, OR OTHER COPD, OR EMPHYSEMA FLARE? (COPDDOC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Yes No **GROUPS** WEIGHTED C.I. (95%) TOTAL Ν % C.I. (95%) Ν % Female 417 217.303 178 39.9 29.7-50.1 239 60.1 49.9-70.3 White/Non-Hisp 44.3 32.3-56.3 43.7-67.7 359 181,797 154 205 55.7 45-54 76 60,428 37 41.7 22.7-60.7 58.3 39.3-77.3 55-64 34.0-74.4 119 39,703 50 54.2 69 45.8 25.6-66.0 65+ 187 57,742 41.7 31.5-51.9 77 110 58.3 48.1-68.5 Less Than H.S. 100 81,323 52 52.6 30.3-74.9 48 47.4 25.1-69.7 H.S. or G.E.D. 37.1 23.4-50.8 62.9 49.2-76.6 160 65,600 63 97 Some Post-H.S. 62.138 48 27.2 14.3-40.1 69 72.8 59.9-85.7 30.0-78.6 Less than \$15,000 100 45,962 49 45.7 21.4-70.0 51 54.3 \$15,000-24,999 131 69,279 44.7 20.2-69.2 77 55.3 30.8-79.8

#### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

### TABLE 10: DID YOU HAVE TO VISIT AN EMERGENCY ROOM OR BE ADMITTED TO THE HOSPITAL IN THE PAST 12 MONTHS BECAUSE OF YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDHOSP)

#### Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER No 7 9 **GROUPS** WEIGHTED N % C.I. (95%) C.I. (95%) TOTAL % C.I. (95%) Ν C.I. (95%) Ν % Ν % 05.8-19.2 TOTAL 654 411.845 87 12.5 462 72.5 63.9-81.1 3 0.4 00.0-01.0 102 14.6 07.7-21.5 Male 152 150,190 02.8-35.4 70.2 54.3-86.1 2 00.0-02.0 03.4-16.4 15 19.1 120 8.0 15 9.9 Female 502 261,655 72 8.8 05.9-11.7 73.9 63.7-84.1 1 0.2 00.0-00.6 87 17.2 07.4-27.0 White/Non-Hisp 566 320.812 73 05.8-12.4 76.7 70.4-83.0 3 00.0-01.1 08.4-19.0 9.1 399 0.5 91 13.7 Black or Afr. Am./Non-Hisp 56 72,431 00.0-46.7 60.2 25.7-94.7 10 00.0-51.2 9 18.5 37 21.2 45-54 116 104,109 19 23.8 04.2-43.4 80 68.2 49.2-87.2 17 8.0 01.5-14.5 55-64 190 86,103 02.1-09.9 141 78.4 63.9-92.9 01.2-29.4 20 6.0 0.3 00.0-00.9 28 15.3 65+ 292 115.610 38 13.6 02.8-24.4 205 70.3 59.7-80.9 2 1.2 00.0-03.0 47 14.8 08.7-20.9 Less Than H.S. 71.0 04.3-14.9 160 146.718 26 18.8 03.9-33.7 106 56.3-85.7 1 0.6 00.0-01.8 27 9.6 H.S. or G.E.D. 248 27 2 41 146,251 6.7 03.2-10.2 178 70.1 55.2-85.0 0.5 00.0-01.3 22.6 07.3-37.9 Some Post-H.S. 176 12.1 26 102,442 22 00.0-25.4 128 77.0 62.3-91.7 10.9 04.2-17.6 College Graduate 67 16.057 10.6 03.2-18.0 81.9 71.1-92.7 5 00.0-15.7 12 50 7.5 Less than \$15,000 156 101,250 26 23.4 03.0-43.8 103 63.0 41.8-84.2 27 13.6 00.9-26.3 \$15,000-24,999 187 119,889 33 17.8 05.3-30.3 135 75.5 62.0-89.0 19 6.7 01.8-11.6 55 33.306 7 5.7 00.2-11.2 73.8-95.0 9 01.3-18.5 \$25,000-34,999 39 84.4 \$35.000-49.999 52 25,428 5 00.0-08.8 41 6 00.0-30.1 4.1 81.1 65.4-96.8 14.8

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

### TABLE 11: DID YOU HAVE TO VISIT AN EMERGENCY ROOM OR BE ADMITTED TO THE HOSPITAL IN THE PAST 12 MONTHS BECAUSE OF YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDHOSP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

				Data w	as weighte	d using	g _LLC	PWT.						
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No			7			9	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	152	150,190	15	19.1	02.0-36.2	120	70.2	53.3-87.1	2	0.8	00.6-01.0	15	9.9	03.8-16.0
White/Non-Hisp	132	110,036	11	7.8	00.0-15.6	105	78.0	67.0-89.0	2	1.1	00.9-01.3	14	13.1	04.9-21.3
65+	65	45,069	7	21.4	00.0-46.1	51	67.1	44.4-89.8	1	2.0	01.2-02.8	6	9.5	00.0-19.3
H.S. or G.E.D.	53	51,517	3	1.8	00.0-04.0	43	90.0	79.6-0100	1	0.5	00.3-00.7	6	7.7	00.0-17.9

#### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 12: DID YOU HAVE TO VISIT AN EMERGENCY ROOM OR BE ADMITTED TO THE HOSPITAL IN THE PAST 12 MONTHS BECAUSE OF YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDHOSP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.														
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes			No			7			9	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	502	261,655	72	8.8	06.1-11.5	342	73.9	63.7-84.1	1	0.2	00.0-00.6	87	17.2	07.2-27.2
White/Non-Hisp	434	210,776	62	9.8	06.3-13.3	294	75.9	68.1-83.7	1	0.2	00.0-00.6	77	14.1	07.2-21.0
45-54	90	63,976	14	10.0	02.9-17.1	62	84.5	75.9-93.1				14	5.5	01.8-09.2
55-64	143	51,476	17	9.0	02.7-15.3	101	67.0	45.4-88.6				25	24.0	02.2-45.8
65+	227	70,541	31	8.7	04.8-12.6	154	72.4	64.4-80.4	1	0.7	00.0-02.1	41	18.2	10.8-25.6
Less Than H.S.	122	89,862	19	8.8	02.7-14.9	80	81.0	71.8-90.2				23	10.1	03.8-16.4
H.S. or G.E.D.	195	94,734	24	9.4	04.1-14.7	135	59.3	41.3-77.3	1	0.5	00.0-01.5	35	30.8	11.0-50.6
Some Post-H.S.	137	67,236	19	7.5	02.4-12.6	97	84.8	76.6-93.0				21	7.7	02.4-13.0
Less than \$15,000	125	58,595	19	9.4	02.9-15.9	80	68.9	46.9-90.9				26	21.7	00.7-42.7
\$15,000- 24,999	148	75,349	30	16.3	07.3-25.3	101	75.6	63.8-87.4				17	8.1	01.6-14.6

#### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 13: HOW MANY DIFFERENT MEDICATIONS DO YOU CURRENTLY TAKE EACH DAY TO HELP WITH YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDMEDS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.														
DEMOGRAPHIC	RESPONDE	NT NUMBER		1-13			14-26	3		27-39	)		None	<b>)</b>
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	563	398,498	369	68.2	59.0-77.4	2	0.1	00.0-00.3	1	0.0	00.0-00.0	191	31.7	22.5-40.9
Male	138	140,529	94	75.8	64.2-87.4							44	24.2	12.6-35.8
Female	425	257,969	275	64.0	51.7-76.3	2	0.1	00.0-00.3	1	0.0	00.0-00.0	147	35.8	23.5-48.1
White/Non-Hisp	484	301,236	320	65.2	55.4-75.0	1	0.1	00.0-00.3	1	0.0	00.0-00.0	162	34.7	24.9-44.5
45-54	104	112,801	73	75.4	59.1-91.7							31	24.6	08.3-40.9
55-64	165	74,456	100	66.7	48.9-84.5	1	0.1	00.0-00.3	1	0.2	00.0-00.6	63	33.0	15.2-50.8
65+	247	105,895	171	72.5	63.7-81.3	1	0.2	00.0-00.6				75	27.2	18.4-36.0
Less Than H.S.	133	138,736	95	65.8	48.7-82.9	1	0.2	00.0-00.6				37	34.0	16.9-51.1
H.S. or G.E.D.	214	135,590	141	76.9	67.7-86.1							73	23.1	13.9-32.3
Some Post-H.S.	154	108,783	102	62.3	41.7-82.9				1	0.1	00.0-00.3	51	37.6	17.0-58.2
College Graduate	62	15,390	31	54.1	38.0-70.2	1	0.5	00.0-01.7				30	45.3	29.2-61.4
Less than \$15,000	130	100,920	92	88.5	82.0-95.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3	36	11.3	05.0-17.6
\$15,000- 24,999	169	112,795	112	57.5	38.5-76.5	1	0.2	00.0-00.6				56	42.3	23.3-61.3
\$25,000- 34,999	50	39,152	40	87.7	75.5-99.9							10	12.3	00.1-24.5

#### NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 14: HOW MANY DIFFERENT MEDICATIONS DO YOU CURRENTLY TAKE EACH DAY TO HELP WITH YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDMEDS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDENT NUMBER			1-13			None				
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	138	140,529	94	75.8	65.2-86.4	44	24.2	13.6-34.8			
White/Non-Hisp	118	100,375	82	73.5	62.1-84.9	36	26.5	15.1-37.9			
65+	60	42.342	39	69.3	53.8-84.8	21	30.7	15.2-46.2			

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### MODULE 22: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 15: HOW MANY DIFFERENT MEDICATIONS DO YOU CURRENTLY TAKE EACH DAY TO HELP WITH YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDMEDS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.														
DEMOGRAPHIC	RESPONDE	NT NUMBER		1-13			14-26	6		27-39	)		None	•
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	425	257,969	275	64.0	51.5-76.5	2	0.1	00.0-00.3	1	0.0	00.0-00.0	147	35.8	23.3-48.3
White/Non-Hisp	366	200,861	238	61.0	48.3-73.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	126	38.8	26.1-51.5
45-54	79	72,262	52	64.7	42.4-87.0							27	35.3	13.0-57.6
55-64	121	40,399	69	50.8	29.2-72.4	1	0.2	00.0-00.6	1	0.3	00.0-00.9	50	48.7	26.9-70.5
65+	187	63,553	132	74.7	65.5-83.9	1	0.4	00.0-01.2				54	24.9	15.9-33.9
Less Than H.S.	98	84,879	67	58.3	36.2-80.4	1	0.3	00.0-00.9				30	41.4	19.3-63.5
H.S. or G.E.D.	165	84,164	103	72.7	59.8-85.6							62	27.3	14.4-40.2
Some Post-H.S.	121	79,921	83	62.3	36.2-88.4				1	0.1	00.0-00.5	37	37.6	11.5-63.7
Less than \$15,000	100	55,128	66	83.4	74.0-92.8	1	0.2	00.0-00.6	1	0.2	00.0-00.6	32	16.2	07.0-25.4
\$15,000- 24,999	131	68,467	86	48.2	27.2-69.2	1	0.3	00.0-01.1				44	51.4	30.4-72.4

#### NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### **MODULE 24: Veterans Health Status CONTENTS**

	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN TO THE STATES SURVEY.	
* * * *	TO THE STATES SURVET.	***
TABLE		PAGE
	DID YOU EVER SERVE IN A COMBAT OR WAR ZONE? (VHCOMBAT)	
1	MALES AND FEMALES	148
2	MALES ONLY	149
3	FEMALES ONLY	150
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE DEPRESSION, ANXIETY, OR POST TRAUMATIC STRESS DISORDER (PTSD)? (VHDRPTSD)	
4	MALES AND FEMALES	151
5	MALES ONLY	152
6	FEMALES ONLY	153
	A TRAUMATIC BRAIN INJURY MAY RESULT FROM A VIOLENT BLOW TO THE HEAD OR WHEN AN OBJECT PIERCES THE SKULL AND ENTERS THE BRAIN TISSUE. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE SUFFERED A TRAUMATIC BRAIN INJURY (TBI)? (VHDRTBI)	
7	MALES AND FEMALES	154
8	MALES ONLY	155
9	FEMALES ONLY	156
	IN THE PAST 12 MONTHS, DID YOU RECEIVE ANY PSYCHOLOGICAL OR PSYCHIATRIC COUNSELING OR TREATMENT? (VHCOUNSL)	
10	MALES AND FEMALES	157
11	MALES ONLY	158
12	FEMALES ONLY	159
	THE NEXT FEW QUESTIONS ARE A SENSITIVE TOPIC AND SOME PEOPLE MAY FEEL UNCOMFORTABLE WITH THESE QUESTIONS. AT THE END OF THIS SECTION, I WILL GIVE YOU A PHONE NUMBER FOR AN ORGANIZATION THAT CAN PROVIDE INFORMATION AND REFERRAL FOR THESE ISSUES. PLEASE KEEP IN MIND THAT YOU CAN ASK ME TO SKIP ANY QUESTION YOU DO NOT WANT TO ANSWER. HAS THERE BEEN A TIME IN THE PAST 12 MONTHS WHEN YOU THOUGHT OF TAKING YOUR OWN LIFE? (VHTAKLIF)	
13	MALES AND FEMALES	160
14	MALES ONLY	161
15	FEMALES ONLY	162
	DURING THE PAST 12 MONTHS, DID YOU ATTEMPT TO COMMIT SUICIDE? WOULD YOU SAY (VHSUICID)	
16	MALES AND FEMALES	163
17	MALES ONLY	164
18	FEMALES ONLY	165

#### **MODULE 24: Veterans Health Status**

### TABLE 1: DID YOU EVER SERVE IN A COMBAT OR WAR ZONE? (VHCOMBAT) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	RESPONDENT NUMBER		Yes		No			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	616	490,387	248	48.3	41.2-55.4	368	51.7	44.6-58.8	
Male	573	467,480	235	49.0	41.9-56.1	338	51.0	43.9-58.1	
White/Non-Hisp	535	412,002	207	48.1	40.5-55.7	328	51.9	44.3-59.5	
Black or Afr. Am./Non-Hisp	52	47,185	29	50.3	28.7-71.9	23	49.7	28.1-71.3	
45-54	80	95,731	30	40.7	23.3-58.1	50	59.3	41.9-76.7	
55-64	152	100,111	61	47.8	34.1-61.5	91	52.2	38.5-65.9	
65+	328	179,386	126	39.6	30.8-48.4	202	60.4	51.6-69.2	
H.S. or G.E.D.	170	172,721	66	47.2	34.3-60.1	104	52.8	39.9-65.7	
Some Post-H.S.	204	167,963	89	48.4	35.7-61.1	115	51.6	38.9-64.3	
College Graduate	199	97,920	78	51.1	38.9-63.3	121	48.9	36.7-61.1	
\$15,000- 24,999	134	119,470	55	61.9	48.4-75.4	79	38.1	24.6-51.6	
\$25,000- 34,999	62	44,683	26	47.8	28.6-67.0	36	52.2	33.0-71.4	
\$35,000- 49,999	81	62,525	30	31.9	14.7-49.1	51	68.1	50.9-85.3	
\$50,000- 74,999	80	74,138	38	40.2	25.9-54.5	42	59.8	45.5-74.1	
\$75,000+	109	86,096	43	51.3	36.6-66.0	66	48.7	34.0-63.4	

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 24: Veterans Health Status**

### TABLE 2: DID YOU EVER SERVE IN A COMBAT OR WAR ZONE? (VHCOMBAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	Yes				No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	573	467,480	235	49.0	41.9-56.1	338	51.0	43.9-58.1
White/Non-Hisp	507	399,757	200	48.7	40.9-56.5	307	51.3	43.5-59.1
45-54	66	88,865	26	42.5	23.9-61.1	40	57.5	38.9-76.1
55-64	139	97,236	57	48.5	34.6-62.4	82	51.5	37.6-65.4
65+	319	177,451	124	39.8	31.0-48.6	195	60.2	51.4-69.0
H.S. or G.E.D.	165	171,732	65	47.5	34.8-60.2	100	52.5	39.8-65.2
Some Post-H.S.	186	154,685	81	47.9	34.4-61.4	105	52.1	38.6-65.6
College Graduate	181	90,044	74	55.0	43.4-66.6	107	45.0	33.4-56.6
\$15,000- 24,999	128	116,956	52	62.3	49.0-75.6	76	37.7	24.4-51.0
\$25,000- 34,999	59	44,130	23	47.2	27.8-66.6	36	52.8	33.4-72.2
\$35,000- 49,999	73	56,488	28	35.1	16.7-53.5	45	64.9	46.5-83.3
\$50,000- 74,999	77	71,012	35	37.6	23.5-51.7	42	62.4	48.3-76.5
\$75,000+	94	77,172	41	53.6	38.1-69.1	53	46.4	30.9-61.9

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 24: Veterans Health Status**

TABLE 3: DID YOU EVER SERVE IN A COMBAT OR WAR ZONE? (VHCOMBAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE DEPRESSION, ANXIETY, OR POST TRAUMATIC STRESS DISORDER (PTSD)? (VHDRPTSD)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

Data was weighted using _LLCPWT.											
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	•		No				
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	615	491,667	86	14.3	09.2-19.4	529	85.7	80.6-90.8			
Male	573	469,096	75	13.4	08.3-18.5	498	86.6	81.5-91.7			
White/Non-Hisp	535	413,617	74	15.4	09.5-21.3	461	84.6	78.7-90.5			
Black or Afr. Am./Non-Hisp	51	46,849	9	11.4	00.0-23.6	42	88.6	76.4-0100			
45-54	80	95,731	12	5.1	01.2-09.0	68	94.9	91.0-98.8			
55-64	153	100,242	27	24.0	09.3-38.7	126	76.0	61.3-90.7			
65+	325	178,254	29	6.4	03.5-09.3	296	93.6	90.7-96.5			
H.S. or G.E.D.	171	172,852	28	15.4	05.2-25.6	143	84.6	74.4-94.8			
Some Post-H.S.	204	167,963	31	16.6	08.2-25.0	173	83.4	75.0-91.8			
College Graduate	198	99,404	22	6.7	03.0-10.4	176	93.3	89.6-97.0			
\$15,000- 24,999	134	119,470	18	18.0	02.9-33.1	116	82.0	66.9-97.1			
\$25,000- 34,999	62	44,683	12	19.2	04.5-33.9	50	80.8	66.1-95.5			
\$35,000- 49,999	82	62,656	14	17.6	05.1-30.1	68	82.4	69.9-94.9			
\$50,000- 74,999	80	74,138	14	16.9	05.5-28.3	66	83.1	71.7-94.5			
\$75,000+	107	85,300	8	7.9	01.0-14.8	99	92.1	85.2-99.0			

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE DEPRESSION, ANXIETY, OR POST TRAUMATIC STRESS DISORDER (PTSD)? (VHDRPTSD)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No **GROUPS** TOTAL WEIGHTED % % C.I. (95%) C.I. (95%) Ν Male 573 469,096 13.4 08.1-18.7 498 81.3-91.9 79.2-91.0 White/Non-Hisp 507 401.373 68 14.9 09.0-20.8 439 85.1 45-54 66 88,865 4.8 00.7-08.9 95.2 91.1-99.3 9 57 140 97,367 24 24.1 09.0-39.2 60.8-91.0 55-64 116 75.9 65+ 317 176.654 27 6.2 03.3-09.1 290 93.8 90.9-96.7 H.S. or G.E.D. 04.7-25.5 74.5-95.3 166 171,863 15.1 84.9 140 Some Post-H.S. 186 154,685 14.5 06.3-22.7 158 85.5 77.3-93.7 College Graduate 180 91,528 17 6.3 02.6-10.0 90.0-97.4 163 93.7 \$15,000-24,999 02.9-33.9 66.1-97.1 128 116.956 18 18.4 110 81.6 \$25,000-34,999 59 44,130 11 18.9 04.2-33.6 48 81.1 66.4-95.8 \$35,000-49,999 74 56,618 11 18.7 05.0-32.4 63 81.3 67.6-95.0

13.5

4.9

03.5-23.5

00.6-09.2

86

95.1

71,012

76,376

77

92

\$50,000-74,999

\$75,000+

142 of 224 July 26, 2012

76.5-96.5

90.8-99.4

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE DEPRESSION, ANXIETY, OR POST TRAUMATIC STRESS DISORDER (PTSD)? (VHDRPTSD)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 7: A TRAUMATIC BRAIN INJURY MAY RESULT FROM A VIOLENT BLOW TO THE HEAD OR WHEN AN OBJECT PIERCES THE SKULL AND ENTERS THE BRAIN TISSUE. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE SUFFERED A TRAUMATIC BRAIN INJURY (TBI)? (VHDRTBI)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.												
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	;		No	ı				
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)				
TOTAL	614	489,967	21	5.7	00.8-10.6	593	94.3	89.4-99.2				
Male	572	467,396	21	5.9	00.8-11.0	551	94.1	89.0-99.2				
White/Non-Hisp	535	413,118	19	6.5	00.8-12.2	516	93.5	87.8-99.2				
Black or Afr. Am./Non-Hisp	50	45,649	1	0.5	00.0-01.5	49	99.5	98.5-0100				
45-54	80	95,731	5	2.0	00.0-04.2	75	98.0	95.8-0100				
55-64	152	99,269	5	9.1	00.0-23.8	147	90.9	76.2-0100				
65+	325	177,527	6	1.8	00.0-03.6	319	98.2	96.4-0100				
H.S. or G.E.D.	169	170,679	6	6.1	00.0-15.3	163	93.9	84.7-0100				
Some Post-H.S.	204	167,963	7	8.0	00.0-18.2	197	92.0	81.8-0100				
College Graduate	199	99,877	7	2.7	00.2-05.2	192	97.3	94.8-99.8				
\$15,000- 24,999	134	119,470	3	14.4	00.0-32.4	131	85.6	67.6-0100				
\$25,000- 34,999	61	43,483	6	7.4	00.0-14.8	55	92.6	85.2-0100				
\$35,000- 49,999	82	62,656	4	6.0	00.0-15.0	78	94.0	85.0-0100				
\$50,000- 74,999	79	73,165	3	0.7	00.0-01.7	76	99.3	98.3-0100				
\$75,000+	108	85,773	1	0.9	00.0-02.7	107	99.1	97.3-0100				

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 8: A TRAUMATIC BRAIN INJURY MAY RESULT FROM A VIOLENT BLOW TO THE HEAD OR WHEN AN OBJECT PIERCES THE SKULL AND ENTERS THE BRAIN TISSUE. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE SUFFERED A TRAUMATIC BRAIN INJURY (TBI)? (VHDRTBI)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.													
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No						
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)					
Male	572	467,396	21	5.9	00.8-11.0	551	94.1	89.0-99.2					
White/Non-Hisp	507	400,873	19	6.7	00.8-12.6	488	93.3	87.4-99.2					
45-54	66	88,865	5	2.1	00.0-04.5	61	97.9	95.5-0100					
55-64	139	96,394	5	9.3	00.0-24.4	134	90.7	75.6-0100					
65+	317	175,927	6	1.8	00.0-03.6	311	98.2	96.4-0100					
H.S. or G.E.D.	164	169,690	6	6.2	00.0-15.6	158	93.8	84.4-0100					
Some Post-H.S.	186	154,685	7	8.7	00.0-19.7	179	91.3	80.3-0100					
College Graduate	181	92,001	7	3.0	00.3-05.7	174	97.0	94.3-99.7					
\$15,000- 24,999	128	116,956	3	14.8	00.0-33.2	125	85.2	66.8-0100					
\$25,000- 34,999	58	42,930	6	7.5	00.0-15.1	52	92.5	84.9-0100					
\$35,000- 49,999	74	56,618	4	6.7	00.0-16.5	70	93.3	83.5-0100					
\$50,000- 74,999	76	70,040	3	0.8	00.0-01.8	73	99.2	98.2-0100					
\$75,000+	93	76,849	1	1.0	00.0-03.0	92	99.0	97.0-0100					

**MODULE 24: Veterans Health Status** 

TABLE 9: A TRAUMATIC BRAIN INJURY MAY RESULT FROM A VIOLENT BLOW TO THE HEAD OR WHEN AN OBJECT PIERCES THE SKULL AND ENTERS THE BRAIN TISSUE. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE SUFFERED A TRAUMATIC BRAIN INJURY (TBI)? (VHDRTBI)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 24: Veterans Health Status**

### TABLE 10: IN THE PAST 12 MONTHS, DID YOU RECEIVE ANY PSYCHOLOGICAL OR PSYCHIATRIC COUNSELING OR TREATMENT? (VHCOUNSL) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	Yes 1	VA facility	Yes, from a non-VA facility VA and non-VA faciliti						es No			
GROUPS	TOTAL	WEIGHTED	N	N % C.I. (95		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	614	490,678	40	6.7	02.6-10.8	15	3.2	00.8-05.6	3	0.5	00.0-01.1	556	89.6	84.9-94.3
Male	572	468,107	34	6.8	02.5-11.1	12	3.1	00.7-05.5	3	0.5	00.0-01.1	523	89.6	84.7-94.5
White/Non-Hisp	535	413,829	31	7.3	02.4-12.2	14	3.3	00.8-05.8	3	0.5	00.0-01.3	487	88.9	83.6-94.2
Black or Afr. Am./Non-Hisp	50	45,649	6	3.1	00.0-06.2	1	4.7	00.0-13.7				43	92.2	82.6-0100
45-54	80	95,731	6	3.0	00.0-06.1	3	1.9	00.0-04.4	1	0.4	00.0-01.4	70	94.6	90.3-98.9
55-64	153	100,242	12	13.5	00.0-28.0	6	6.7	00.4-13.0				135	79.8	65.1-94.5
65+	324	177,265	14	2.6	00.6-04.6	2	0.6	00.0-01.4	1	0.8	00.0-02.4	307	96.0	93.5-98.5
H.S. or G.E.D.	170	171,652	16	10.9	01.3-20.5	1	0.1	00.0-00.3	1	0.2	00.0-00.8	152	88.7	79.1-98.3
Some Post-H.S.	203	167,701	15	6.8	00.7-12.9	5	3.1	00.0-06.4	2	1.1	00.0-02.9	181	89.0	81.9-96.1
College Graduate	199	99,877	9	3.0	00.5-05.5	5	2.5	00.1-04.9				185	94.5	91.0-98.0
\$15,000- 24,999	134	119,470	9	13.4	00.0-28.1	1	0.9	00.0-02.7	1	0.4	00.0-01.2	123	85.3	70.4-0100
\$25,000- 34,999	61	43,483	6	7.6	00.0-15.2	1	5.0	00.0-14.4				54	87.4	75.6-99.2
\$35,000- 49,999	82	62,656	4	0.6	00.0-01.2	3	6.7	00.0-14.5				75	92.7	84.9-0100
\$50,000- 74,999	80	74,138	7	6.1	01.2-11.0	2	1.3	00.0-03.1	1	0.4	00.0-01.2	70	92.2	86.7-97.7
\$75,000+	108	85,773	3	3.0	00.0-06.5	4	2.4	00.0-04.9				101	94.6	90.1-99.1

NOTE:

147 of 224

July 26, 2012

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 24: Veterans Health Status**

### TABLE 11: IN THE PAST 12 MONTHS, DID YOU RECEIVE ANY PSYCHOLOGICAL OR PSYCHIATRIC COUNSELING OR TREATMENT? (VHCOUNSL) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

								n both						
DEMOGRAPHIC	RESPONDE	NT NUMBER	Yes, f	rom a \	/A facility	Yes, fro	m a no	n-VA facility	VA and	l non-V	A facilities		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	572	468,107	34	6.8	02.5-11.1	12	3.1	00.7-05.5	3	0.5	00.0-01.1	523	89.6	84.7-94.5
White/Non-Hisp	507	401,584	28	7.4	02.5-12.3	11	3.1	00.6-05.6	3	0.6	00.0-01.4	465	88.9	83.4-94.4
45-54	66	88,865	4	3.1	00.0-06.6	2	1.4	00.0-03.9	1	0.5	00.0-01.5	59	95.0	90.5-99.5
55-64	140	97,367	10	13.5	00.0-28.4	5	6.7	00.2-13.2				125	79.9	64.8-95.0
65+	316	175,665	13	2.6	00.6-04.6	1	0.3	00.0-00.9	1	0.9	00.0-02.7	301	96.2	93.7-98.7
H.S. or G.E.D.	165	170,663	15	10.9	01.1-20.7	1	0.1	00.0-00.3	1	0.3	00.0-00.9	148	88.8	79.0-98.6
Some Post-H.S.	185	154,423	14	7.3	00.6-14.0	5	3.4	00.0-06.9	2	1.2	00.0-03.2	164	88.2	80.6-95.8
College Graduate	181	92,001	5	2.2	00.0-04.7	3	2.0	00.0-04.4				173	95.8	92.5-99.1
\$15,000- 24,999	128	116,956	9	13.7	00.0-29.0	1	0.9	00.0-02.9	1	0.4	00.0-01.2	117	85.0	69.7-0100
\$25,000- 34,999	58	42,930	6	7.7	00.1-15.3	1	5.0	00.0-14.6				51	87.3	75.3-99.3
\$35,000- 49,999	74	56,618	1	0.2	00.0-00.6	3	7.4	00.0-16.0				70	92.4	83.8-0100
\$50,000- 74,999	77	71,012	6	6.1	01.0-11.2	2	1.4	00.0-03.4	1	0.4	00.0-01.2	68	92.2	86.7-97.7
\$75,000+	93	76,849	2	2.7	00.0-06.4	2	1.8	00.0-04.3				89	95.5	91.0-0100

NOTE:

148 of 224

July 26, 2012

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 12: IN THE PAST 12 MONTHS, DID YOU RECEIVE ANY PSYCHOLOGICAL OR PSYCHIATRIC COUNSELING OR TREATMENT? (VHCOUNSL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 13: THE NEXT FEW QUESTIONS ARE A SENSITIVE TOPIC AND SOME PEOPLE MAY FEEL UNCOMFORTABLE WITH THESE QUESTIONS. AT THE END OF THIS SECTION, I WILL GIVE YOU A PHONE NUMBER FOR AN ORGANIZATION THAT CAN PROVIDE INFORMATION AND REFERRAL FOR THESE ISSUES. PLEASE KEEP IN MIND THAT YOU CAN ASK ME TO SKIP ANY QUESTION YOU DO NOT WANT TO ANSWER. HAS THERE BEEN A TIME IN THE PAST 12 MONTHS WHEN YOU THOUGHT OF TAKING YOUR OWN LIFE? (VHTAKLIF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.													
DEMOGRAPHIC	RESPONDEN	IT NUMBER		Yes	3		No						
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)					
TOTAL	604	479,770	26	3.7	01.3-06.1	578	96.3	93.9-98.7					
Male	563	457,363	24	3.8	01.3-06.3	539	96.2	93.7-98.7					
White/Non-Hisp	527	404,442	24	4.2	01.5-06.9	503	95.8	93.1-98.5					
45-54	78	89,700	5	3.3	00.0-07.0	73	96.7	93.0-0100					
55-64	149	96,983	11	7.4	00.9-13.9	138	92.6	86.1-99.1					
65+	321	175,811	8	1.4	00.2-02.6	313	98.6	97.4-99.8					
H.S. or G.E.D.	167	169,751	8	2.1	00.3-03.9	159	97.9	96.1-99.7					
Some Post-H.S.	199	160,366	8	2.3	00.0-04.7	191	97.7	95.3-0100					
College Graduate	197	99,635	7	2.2	00.2-04.2	190	97.8	95.8-99.8					
\$15,000- 24,999	133	118,039	6	2.8	00.1-05.5	127	97.2	94.5-99.9					
\$25,000- 34,999	59	43,260	1	8.0	00.0-02.4	58	99.2	97.6-0100					
\$35,000- 49,999	82	62,656	4	3.8	00.0-08.9	78	96.2	91.1-0100					
\$50,000- 74,999	79	72,781	3	1.3	00.0-02.9	76	98.7	97.1-0100					
\$75.000+	105	84.228	2	1.8	00.0-04.3	103	98.2	95.7-0100					

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 14: THE NEXT FEW QUESTIONS ARE A SENSITIVE TOPIC AND SOME PEOPLE MAY FEEL UNCOMFORTABLE WITH THESE QUESTIONS. AT THE END OF THIS SECTION, I WILL GIVE YOU A PHONE NUMBER FOR AN ORGANIZATION THAT CAN PROVIDE INFORMATION AND REFERRAL FOR THESE ISSUES. PLEASE KEEP IN MIND THAT YOU CAN ASK ME TO SKIP ANY QUESTION YOU DO NOT WANT TO ANSWER. HAS THERE BEEN A TIME IN THE PAST 12 MONTHS WHEN YOU THOUGHT OF TAKING YOUR OWN LIFE? (VHTAKLIF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

		Data wa	as weighte	d usin	g _LL	CPWT.			
	DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	
	GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Ξ	Male	563	457,363	24	3.8	01.3-06.3	539	96.2	93.7-98.7
	White/Non-Hisp	499	392,197	23	4.3	01.4-07.2	476	95.7	92.8-98.6
	45-54	64	82,833	4	3.4	00.0-07.3	60	96.6	92.7-0100
	55-64	136	94,108	10	7.4	00.7-14.1	126	92.6	85.9-99.3
	65+	313	174,212	8	1.4	00.2-02.6	305	98.6	97.4-99.8
	H.S. or G.E.D.	162	168,762	8	2.2	00.4-04.0	154	97.8	96.0-99.6
	Some Post-H.S.	181	147,089	7	2.4	00.0-04.9	174	97.6	95.1-0100
	College Graduate	180	91,923	6	2.1	00.0-04.3	174	97.9	95.7-0100
	\$15,000- 24,999	127	115,525	6	2.8	00.1-05.5	121	97.2	94.5-99.9
	\$25,000- 34,999	56	42,707	1	0.8	00.0-02.4	55	99.2	97.6-0100
	\$35,000-49,999	74	56,618	3	4.0	00.0-09.7	71	96.0	90.3-0100
	\$50,000-74,999	76	69,656	2	1.0	00.0-02.6	74	99.0	97.4-0100
	\$75.000+	91	75.468	2	2.1	00.0-05.0	89	97.9	95.0-0100

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 15: THE NEXT FEW QUESTIONS ARE A SENSITIVE TOPIC AND SOME PEOPLE MAY FEEL UNCOMFORTABLE WITH THESE QUESTIONS. AT THE END OF THIS SECTION, I WILL GIVE YOU A PHONE NUMBER FOR AN ORGANIZATION THAT CAN PROVIDE INFORMATION AND REFERRAL FOR THESE ISSUES. PLEASE KEEP IN MIND THAT YOU CAN ASK ME TO SKIP ANY QUESTION YOU DO NOT WANT TO ANSWER. HAS THERE BEEN A TIME IN THE PAST 12 MONTHS WHEN YOU THOUGHT OF TAKING YOUR OWN LIFE? (VHTAKLIF)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

**MODULE 24: Veterans Health Status** 

TABLE 16: DURING THE PAST 12 MONTHS, DID YOU ATTEMPT TO COMMIT SUICIDE? WOULD YOU SAY--- (VHSUICID)

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 17: DURING THE PAST 12 MONTHS, DID YOU ATTEMPT TO COMMIT SUICIDE? WOULD YOU SAY--- (VHSUICID) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 24: Veterans Health Status** 

TABLE 18: DURING THE PAST 12 MONTHS, DID YOU ATTEMPT TO COMMIT SUICIDE? WOULD YOU SAY--- (VHSUICID) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

with a hair width of greater than to have been suppressed.

#### **MODULE 27: COGNITIVE IMPAIRMENT CONTENTS**

WHI	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	ION
IS 1	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN	TS
also also also al	TO THE STATES SURVEY.	and the second
	· * * * * * * * * * * * * * * * * * * *	
TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1	MALES AND FEMALES	168
2	MALES ONLY	169
3	FEMALES ONLY	170
	[IF Q1 = 1), NOT INCLUDING YOURSELF], HOW MANY ADULTS 18 OR OLDER IN YOUR HOUSEHOLD EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE DURING THE PAST 12 MONTHS? (CINOADLT)	
4	MALES AND FEMALES	171
5	MALES ONLY	172
6	FEMALES ONLY	173
	OF THESE PEOPLE, PLEASE SELECT THE PERSON WHO HAD THE MOST RECENT BIRTHDAY. HOW OLD IS THIS PERSON? (CIRBIAGE)	
7	MALES AND FEMALES	174
8	MALES ONLY	175
9	FEMALES ONLY	176
	DURING THE PAST 12 MONTHS, HOW OFTEN [IF $Q1 = 1$ (YES): INSERT "HAVE YOU" OTHERWISE, INSERT "HAS THIS PERSON"] GIVEN UP HOUSEHOLD ACTIVITIES OR CHORES [IF $Q1 = 1$ (YES): INSERT "YOU" OTHERWISE, INSERT "THEY"] USED TO DO, BECAUSE OF CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIHOWOFT)	
10	MALES AND FEMALES	177
11	MALES ONLY	178
12	FEMALES ONLY	179
	AS A RESULT OF [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS, IN WHICH OF THE FOLLOWING FOUR AREAS [IF Q1 = 1 (YES): INSERT "DO YOU" OTHERWISE, INSERT "DOES THIS PERSON"] NEED THE MOST ASSISTANCE? (CIASSIST)	
13	MALES AND FEMALES	180
14	MALES ONLY	181
15	FEMALES ONLY	182
	DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES? (CIINTFER)	
16	MALES AND FEMALES	183
17	MALES ONLY	184
18	FEMALES ONLY	185

#### **MODULE 27: COGNITIVE IMPAIRMENT CONTENTS**

* NOTI	E * * * * * * * * * * * * * * * * * * *	: * * * *
WH	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	NOL
IS	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN	ITS
	TO THE STATES SURVEY.	
* * * :	***********************************	* * *
TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAS" OTHERWISE, INSERT "HAVE YOU,"] A FAMILY MEMBER OR FRIEND PROVIDED ANY CARE OR ASSISTANCE FOR [IF Q1 = 1 (YES): "YOU" OTHERWISE, INSERT "THIS PERSON"] BECAUSE OF CONFUSION OR MEMORY LOSS? (CIFAMCAR)	
19	MALES AND FEMALES	186
20	MALES ONLY	187
21	FEMALES ONLY	188
	HAS ANYONE DISCUSSED WITH A HEALTH CARE PROFESSIONAL, INCREASES IN [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS? (CIHCPROF)	
22	MALES AND FEMALES	189
23	MALES ONLY	190
24	FEMALES ONLY	191
	HAVE [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THIS PERSON"] RECEIVED TREATMENT SUCH AS THERAPY OR MEDICATIONS FOR CONFUSION OR MEMORY LOSS? (CIMEDS)	
25	MALES AND FEMALES	192
26	MALES ONLY	193
27	FEMALES ONLY	194
	HAS A HEALTH CARE PROFESSIONAL EVER SAID THAT [IF $Q1=1$ (YES): INSERT "YOU HAVE" OTHERWISE, INSERT "THIS PERSON HAS"] ALZHEIMER'S DISEASE OR SOME OTHER FORM OF DEMENTIA? (CIDIAGAZ)	
28	MALES AND FEMALES	195
29	MALES ONLY	196
30	FEMALES ONLY	197

### TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No **GROUPS** TOTAL WEIGHTED Ν % C.I. (95%) Ν % C.I. (95%) TOTAL 5167 3,638,433 03.9-05.5 4861 94.5-96.1 Male 1592 1.741.651 86 4.1 02.9-05.3 1506 95.9 94.7-97.1 1,896,782 03.9-06.3 Female 3575 220 5.1 3355 94.9 93.7-96.1 White/Non-Hisp 2,902,732 03.9-05.9 4324 252 4.9 4072 95.1 94.1-96.1 Black or Afr. Am./Non-Hisp 624 549.434 38 3.3 01.9-04.7 586 96.7 95.3-98.1 1.6 00.0-03.8 Oth. Race/Non-Hisp. 60 48.915 4 56 98.4 96.2-0100 00.0-09.9 MultiRacial/Non-Hisp. 65 61,769 6 4.8 59 90.1-0100 00.0-16.7 Hispanic 65 63,190 5 7.9 60 92.1 83.3-0100 18-24 322.179 20 00.0-04.9 95.1-0100 110 2 98.0 108 25-34 332 524.694 10 29 00.5-05.3 322 97.1 94.7-99.5 01.8-05.4 543 35-44 568 678,586 25 3.6 96.4 94.6-98.2 45-54 904 741,146 71 5.6 03.8-07.4 833 94.4 92.6-96.2 55-64 1316 635.657 77 02.8-08.2 1239 94.5 91.8-97.2 65+ 1902 717,912 119 6.5 04.7-08.3 1783 93.5 91.7-95.3 Less Than H.S. 658,783 05.7-11.5 88.5-94.3 653 70 8.6 583 91.4 H.S. or G.E.D. 1763 1,330,185 104 4.0 02.8-05.2 1659 96.0 94.8-97.2 02.5-06.5 Some Post-H.S. 1438 981,693 85 4.5 1353 95.5 93.5-97.5 College Graduate 1302 663,230 46 2.2 01.0-03.4 1256 97.8 96.6-99.0 Less than \$15,000 588 378,355 8.2 04.9-11.5 526 91.8 88.5-95.1 \$15,000-24,999 1168 774,383 60 4.5 02.7-06.3 1108 95.5 93.7-97.3 \$25,000-34,999 480 329.638 36 6.3 03.4-09.2 444 93.7 90.8-96.6 \$35,000-49,999 540 410,709 24 3.4 01.4-05.4 516 96.6 94.6-98.6 \$50,000-74,999 487 23 2.8 01.4-04.2 464 95.8-98.6 381,874 97.2 \$75,000+ 703 563,569 15 2.0 00.4-03.6 688 98.0 96.4-99.6

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER Yes No **GROUPS** TOTAL WEIGHTED Ν C.I. (95%) % C.I. (95%) Ν % Male 1,741,651 02.9-05.3 1592 1506 94.7-97.1 White/Non-Hisp 1353 1.367.624 72 4.6 03.0-06.2 1281 95.4 93.8-97.0 Black or Afr. Am./Non-Hisp 258,956 2.5 00.5-04.5 159 10 149 97.5 95.5-99.5 25-34 253,564 3.5 00.0-07.8 96.5 92.2-0100 93 3 90 00.5-05.3 35-44 173 340.004 7 2.9 166 97.1 94.7-99.5 45-54 299 366.696 21 3.8 01.6-06.0 278 96.2 94.0-98.4 55-64 02.2-06.6 432 313,236 93.4-97.8 65+ 544 295,807 03.9-10.9 30 7.4 514 92.6 89.1-96.1 Less Than H.S. 301,858 03.4-12.8 87 2-96 6 193 19 8 1 174 91.9 H.S. or G.E.D. 499 651,751 34 3.9 02.3-05.5 465 96.1 94.5-97.7 Some Post-H.S. 445,516 00.7-05.1 94.9-99.3 425 19 2.9 406 97.1 College Graduate 472 339,844 14 2.7 00.5-04.9 458 97.3 95.1-99.5 Less than \$15,000 158 163,946 18 6.9 02.2-11.6 140 93.1 88.4-97.8 \$15,000-24,999 322 342,123 20 6.2 02.5-09.9 93.8 90.1-97.5 302 \$25,000-34,999 154 167,575 12 4.3 01.4-07.2 92.8-98.6 142 95.7 \$35,000-49,999 191 214,719 8 2.1 00.1-04.1 183 97.9 95.9-99.9 \$50,000-74,999 00.4-03.6 177 186,600 7 2.0 170 98.0 96.4-99.6 \$75,000+ 284 308,315 2.4 00.0-04.9 278 97.6 95.1-0100

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

## TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Yes No **GROUPS** TOTAL WEIGHTED Ν C.I. (95%) % C.I. (95%) Ν % Female 1,896,782 3575 220 03.9-06.3 3355 94.9 93.7-96.1 White/Non-Hisp 2971 1.535.107 180 5.2 03.8-06.6 2791 94.8 93.4-96.2 Black or Afr. Am./Non-Hisp 290,478 4.0 02.0-06.0 96.0 94.0-98.0 465 28 437 18-24 155,484 1.5 00.0-04.4 98.5 95.6-0100 67 1 66 25-34 239 271.130 7 2.3 00.3-04.3 232 97.7 95.7-99.7 35-44 395 338.582 4.3 01.8-06.8 93.2-98.2 18 377 95.7 374,450 7.4 04.7-10.1 89.9-95.3 45-54 605 555 92.6 01.9-11.3 55-64 884 322,421 53 6.6 831 93.4 88.7-98.1 65+ 1358 422.105 89 5.9 04.1-07.7 1269 94.1 92.3-95.9 Less Than H.S. 460 356.926 51 05.4-12.8 409 90.9 87.2-94.6 H.S. or G.E.D. 1264 678,434 4.1 02.7-05.5 1194 94.5-97.3 70 95.9 Some Post-H.S. 1013 536,176 66 5.7 02.6-08.8 947 94.3 91.2-97.4 College Graduate 830 323.386 1.8 01.0-02.6 798 97.4-99.0 Less than \$15,000 9.2 04.7-13.7 86.3-95.3 430 214,409 386 90.8 \$15,000-24,999 846 432,260 40 3.2 01.8-04.6 95.4-98.2 806 96.8 \$25,000-34,999 326 162,063 24 8.5 03.6-13.4 302 91.5 86.6-96.4 92.0-98.6 \$35,000-49,999 349 195,991 16 4.7 01.4-08.0 333 95.3 \$50,000-74,999 310 195,274 16 3.5 01.3-05.7 294 96.5 94.3-98.7 \$75,000+ 419 255,254 1.6 00.2-03.0 410 98.4 97.0-99.8

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

## TABLE 4: [IF Q1 = 1), NOT INCLUDING YOURSELF], HOW MANY ADULTS 18 OR OLDER IN YOUR HOUSEHOLD EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE DURING THE PAST 12 MONTHS? (CINOADLT)

#### Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1 perso	n —		2 peop	е		None	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2791	2,795,729	106	3.0	02.0-04.0	11	0.9	00.0-01.9	2674	96.1	94.7-97.5
Male	957	1,389,306	34	3.1	01.3-04.9	5	0.4	00.0-01.0	918	96.5	94.5-98.5
Female	1834	1,406,423	72	2.9	01.9-03.9	6	1.3	00.0-03.1	1756	95.8	93.8-97.8
White/Non-Hisp	2386	2,276,792	89	3.0	01.8-04.2	11	1.0	00.0-02.2	2286	95.9	94.3-97.5
Black or Afr. Am./Non-Hisp	286	375,732	10	2.4	00.0-05.1				276	97.6	94.9-0100
18-24	85	292,629	2	4.1	00.0-10.8	2	5.6	00.0-14.0	81	90.3	79.9-0100
25-34	228	405,264	3	2.0	00.0-04.7	1	0.5	00.0-01.5	224	97.5	94.6-0100
35-44	388	563,557	9	2.4	00.6-04.2				379	97.6	95.8-99.4
45-54	552	594,029	14	2.2	00.4-04.0	4	0.3	00.0-00.7	534	97.4	95.6-99.2
55-64	747	484,999	31	3.9	01.9-05.9				716	96.1	94.1-98.1
65+	772	447,064	46	4.1	02.7-05.5	4	0.7	00.0-01.7	722	95.2	93.4-97.0
Less Than H.S.	288	473,548	14	2.9	00.9-04.9	3	3.5	00.0-08.6	271	93.6	88.3-98.9
H.S. or G.E.D.	919	1,040,682	38	4.2	01.7-06.7	1	0.1	00.0-00.3	880	95.7	93.2-98.2
Some Post-H.S.	772	744,056	32	2.6	01.4-03.8	6	8.0	00.0-02.0	734	96.6	94.8-98.4
College Graduate	806	534,026	22	1.3	00.5-02.1	1	0.1	00.0-00.3	783	98.7	97.9-99.5
Less than \$15,000	182	224,853	9	3.4	00.3-06.5				173	96.6	93.5-99.7
\$15,000- 24,999	503	545,078	24	3.7	01.3-06.1	2	3.0	00.0-07.5	477	93.3	88.2-98.4
\$25,000- 34,999	226	240,663	13	5.3	01.6-09.0	1	0.2	00.0-00.6	212	94.5	90.8-98.2
\$35,000- 49,999	349	340,871	15	2.6	01.0-04.2	2	0.1	00.0-00.3	332	97.3	95.7-98.9
\$50,000- 74,999	361	326,958	14	4.6	01.1-08.1	3	0.6	00.0-01.4	344	94.9	91.4-98.4
\$75,000+	558	500,416	9	0.6	00.0-01.2	1	0.4	00.0-01.2	548	98.9	97.9-99.9

#### NOTE:

161 of 224

July 26, 2012

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### TABLE 5: [IF Q1 = 1), NOT INCLUDING YOURSELF], HOW MANY ADULTS 18 OR OLDER IN YOUR HOUSEHOLD EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE DURING THE PAST 12 MONTHS? (CINOADLT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	RESPONDENT NUMBER			on —		2 peopl	e		None	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	957	1,389,306	34	3.1	01.3-04.9	5	0.4	00.0-01.0	918	96.5	94.5-98.5
White/Non-Hisp	829	1,118,388	26	2.9	00.9-04.9	5	0.5	00.0-01.3	798	96.6	94.4-98.8
Black or Afr. Am./Non-Hisp	79	180,564	4	3.3	00.0-08.4				75	96.7	91.6-0100
25-34	68	195,108	1	1.5	00.0-04.4				67	98.5	95.6-0100
35-44	123	290,324	3	1.9	00.0-04.3				120	98.1	95.7-0100
45-54	189	292,609	5	2.6	00.0-05.9	2	0.3	00.0-00.7	182	97.1	93.8-0100
55-64	258	246,414	13	4.1	01.0-07.2				245	95.9	92.8-99.0
65+	280	208,319	10	2.5	00.5-04.5	2	0.3	00.0-00.7	268	97.2	95.2-99.2
Less Than H.S.	104	240,581	4	2.0	00.0-04.4				100	98.0	95.6-0100
H.S. or G.E.D.	291	524,494	11	5.0	00.7-09.3				280	95.0	90.7-99.3
Some Post-H.S.	244	331,082	9	2.3	00.1-04.5	4	1.7	00.0-04.2	231	96.0	92.7-99.3
College Graduate	316	291,125	10	1.6	00.2-03.0	1	0.1	00.0-00.3	305	98.4	97.0-99.8
Less than \$15,000	59	106,491	2	3.1	00.0-08.2				57	96.9	91.8-0100
\$15,000- 24,999	162	254,968	12	6.3	01.4-11.2	1	1.7	00.0-04.8	149	92.0	86.3-97.7
\$25,000- 34,999	79	122,614	6	4.1	00.0-09.2	1	0.4	00.0-01.2	72	95.5	90.4-0100
\$35,000- 49,999	124	179,896	4	2.0	00.0-04.0	1	0.2	00.0-00.6	119	97.9	95.7-0100
\$50,000- 74,999	137	169,015	3	2.2	00.0-05.1	2	0.5	00.0-01.3	132	97.3	94.2-0100
\$75,000+	223	268,981	2	0.2	00.0-00.4				221	99.8	99.6-0100

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### TABLE 6: [IF Q1 = 1), NOT INCLUDING YOURSELF], HOW MANY ADULTS 18 OR OLDER IN YOUR HOUSEHOLD EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE DURING THE PAST 12 MONTHS? (CINOADLT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1 perso	on		2 peop	le	None			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1834	1,406,423	72	2.9	01.9-03.9	6	1.3	00.0-03.1	1756	95.8	93.8-97.8	
White/Non-Hisp	1557	1,158,404	63	3.1	01.9-04.3	6	1.6	00.0-03.8	1488	95.3	92.9-97.7	
Black or Afr. Am./Non-Hisp	207	195,168	6	1.6	00.0-03.6				201	98.4	96.4-0100	
18-24	51	139,756				1	8.7	00.0-25.2	50	91.3	74.8-0100	
25-34	160	210,156	2	2.3	00.0-06.6	1	1.0	00.0-03.0	157	96.6	91.9-0100	
35-44	265	273,233	6	2.9	00.2-05.6				259	97.1	94.4-99.8	
45-54	363	301,420	9	1.9	00.3-03.5	2	0.4	00.0-01.0	352	97.7	95.9-99.5	
55-64	489	238,585	18	3.7	01.2-06.2				471	96.3	93.8-98.8	
65+	492	238,746	36	5.5	03.3-07.7	2	1.0	00.0-02.8	454	93.5	90.8-96.2	
Less Than H.S.	184	232,967	10	3.8	00.7-06.9	3	7.1	00.0-17.1	171	89.0	78.8-99.2	
H.S. or G.E.D.	628	516,188	27	3.4	01.2-05.6	1	0.2	00.0-00.6	600	96.4	94.0-98.8	
Some Post-H.S.	528	412,974	23	2.8	01.4-04.2	2	0.1	00.0-00.3	503	97.1	95.7-98.5	
College Graduate	490	242,901	12	1.0	00.4-01.6				478	99.0	98.4-99.6	
Less than \$15,000	123	118,363	7	3.6	00.0-07.5				116	96.4	92.5-0100	
\$15,000- 24,999	341	290,111	12	1.3	00.3-02.3	1	4.2	00.0-12.2	328	94.5	86.5-010	
\$25,000- 34,999	147	118,049	7	6.5	01.0-12.0				140	93.5	88.0-99.0	
\$35,000- 49,999	225	160,975	11	3.2	00.7-05.7	1	0.1	00.0-00.3	213	96.7	94.2-99.2	
\$50,000- 74,999	224	157,943	11	7.0	00.5-13.5	1	0.6	00.0-01.8	212	92.3	85.8-98.	
\$75,000+	335	231,435	7	1.2	00.0-02.4	1	0.9	00.0-02.7	327	97.9	95.7-010	

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 27: COGNITIVE IMPAIRMENT**

#### TABLE 7: OF THESE PEOPLE, PLEASE SELECT THE PERSON WHO HAD THE MOST RECENT BIRTHDAY. HOW OLD IS THIS PERSON? (CIRBIAGE) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.																					
	DEMOGRAPHIC	RESPONDE	NT NUMBER		18-2	29		30-3	39		40-4	49		50-5	9		60-7	79		80-90	0+
	GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)									
	TOTAL	80	81,923	4	19.7	00.0-40.3	1	0.1	00.0-00.3	5	22.4	13.2-31.6	8	13.0	02.2-23.8	37	32.3	17.2-47.4	25	12.5	06.0-19.0
	Female	53	43,007				1	0.2	00.0-00.6	3	31.2	22.0-40.4	5	14.9	01.4-28.4	26	34.6	17.4-51.8	18	19.2	09.0-29.4
	White/Non-Hisp	68	68,847	2	15.2	00.0-40.5	1	0.1	00.0-00.3	5	26.7	15.1-38.3	5	8.9	00.0-18.1	35	37.7	19.5-55.9	20	11.4	05.3-17.5

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

TABLE 8: OF THESE PEOPLE, PLEASE SELECT THE PERSON WHO HAD THE MOST RECENT BIRTHDAY. HOW OLD IS THIS PERSON? (CIRBIAGE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 27: COGNITIVE IMPAIRMENT** 

#### TABLE 9: OF THESE PEOPLE, PLEASE SELECT THE PERSON WHO HAD THE MOST RECENT BIRTHDAY. HOW OLD IS THIS PERSON? (CIRBIAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC							40-49			50-59			60-7	9	80-90+			
GROUPS			C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	53	43,007	1	0.2	00.0-00.6	3	31.2	23.0-39.4	5	14.9	01.6-28.2	26	34.6	17.2-52.0	18	19.2	08.8-29.6	

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 27: COGNITIVE IMPAIRMENT** 

TABLE 10: DURING THE PAST 12 MONTHS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAVE YOU" OTHERWISE, INSERT "HAS THIS PERSON"] GIVEN UP HOUSEHOLD ACTIVITIES OR CHORES [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THEY"] USED TO DO, BECAUSE OF CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIHOWOFT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT. DEMOGRAPHIC RESPONDENT NUMBER **Always** Usually Sometimes Rarely Never **GROUPS** TOTAL WEIGHTED Ν % C.I. (95%) Ν % C.I. (95%) Ν % C.I. (95%) N % C.I. (95%) Ν % C.I. (95%) TOTAL 363 238.366 42 8.3 04.8-11.8 24 5.2 02.1-08.3 84 27.1 15.5-38.7 56 16.3 07.9-24.7 157 43.1 31.9-54.3 Male 02.9-15.1 108 104,015 14 2.4 00.0-05.1 28 25.8 13.5-38.1 17 20.7 03.6-37.8 45 42.2 27.5-56.9 Female 255 134,351 28 7.9 03.4-12.4 20 7.3 02.2-12.4 56 28.1 10.3-45.9 39 12.9 06.8-19.0 112 43.8 27.5-60.1 04.6-12.4 01.8-07.6 25.5 132 42.5 29.6-55.4 White/Non-Hisp 301 199.511 36 8.5 20 4.7 63 12.4-38.6 50 18.7 08.9-28.5 45-54 72 48.771 7 8.6 00.0-17.8 4.0 00.5-07.5 19 36.9 18.7-55.1 10 16.6 03.9-29.3 31 33.8 19.7-47.9 55-64 100 50,176 16 10.7 02.1-19.3 5.1 00.0-10.6 23 15.0 05.6-24.4 16 22.1 07.0-37.2 38 47.1 26.9-67.3 65+ 142 04.2-15.2 05.1-19.7 58,523 15 9.7 4.4 00.5-08.3 31 19.5 09.5-29.5 24 12.4 54.0 41.8-66.2

8.7

4.2

2.6

3.5

11.6

4.3

6

3

00.9-16.5

00.0-09.7

00.2-05.0

00.0-07.6

00.0-25.3

00.4-08.2

Less Than H.S.

H.S. or G.E.D.

Some Post-H.S.

College Graduate

Less than \$15,000

\$15,000-24,999

74

124

103

61

65

71

75.643

87.515

54,491

20,465

34.251

56,675

7

16

7

12 24.1

6

9

10.5

4.2

00.0-10.2

03.4-17.6

00.1-08.3

07.0-41.2

00.0-21.3

7.7 00.6-14.8

NOTE:

167 of 224 July 26, 2012

08.4-56.2

14.8-45.8

08.3-35.3

01.2-13.0

09 6-42 2

43.6 29.1-58.1

16.3

21.6

11.4

6.4

15.2

19

19

9

9

03.6-29.0

02.4-40.8

03.8-19.0

00.9-11.9

00.0-30.9

6.3 00.2-12.4

27

51

51

28

31

38.2

33.4

60.0

59.0

37 7

19.2-57.2

20.1-46.7

43.5-76.5

39.6-78.4

20.1-55.3

38.2 23.1-53.3

32.3

30.3

21.8

30

20

9

21

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 27: COGNITIVE IMPAIRMENT**

TABLE 11: DURING THE PAST 12 MONTHS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAVE YOU" OTHERWISE, INSERT "HAS THIS PERSON"] GIVEN UP HOUSEHOLD ACTIVITIES OR CHORES [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THEY"] USED TO DO, BECAUSE OF CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIHOWOFT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

					Data wa	as weig	ghted	l using _L	LCPWT								
DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	ally		Somet	imes		Rare	ly		Neve	ər
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	108	104,015	14	9.0	02.9-15.1	4	2.4	00.0-05.1	28	25.8	14.6-37.0	17	20.7	03.8-37.6	45	42.2	29.1-55.3
White/Non-Hisp	89	85.209	13	10.4	03.1-17.7	4	2.9	00.0-06.2	21	20.9	08.9-32.9	15	24.6	05.2-44.0	36	41.1	25.8-56.4

NOTE:

168 of 224

July 26, 2012

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**MODULE 27: COGNITIVE IMPAIRMENT** 

TABLE 12: DURING THE PAST 12 MONTHS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAVE YOU" OTHERWISE, INSERT "HAS THIS PERSON"] GIVEN UP HOUSEHOLD ACTIVITIES OR CHORES [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THEY"] USED TO DO, BECAUSE OF CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIHOWOFT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

					Data wa	as weig	ghted	l using _I	LCPWT								
DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	ılly		Someti	mes		Rare	ly		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	255	134,351	28	7.9	03.4-12.4	20	7.3	02.2-12.4	56	28.1	10.3-45.9	39	12.9	06.8-19.0	112	43.8	27.5-60.1
White/Non-Hisp	212	114,301	23	7.1	02.6-11.6	16	6.0	01.5-10.5	42	28.9	08.3-49.5	35	14.3	07.2-21.4	96	43.6	24.8-62.4
55-64	66	28,630	11	6.6	00.9-12.3	5	4.3	00.0-10.2	14	11.4	01.6-21.2	8	17.0	00.0-34.8	28	60.8	35.3-86.3
65+	106	33,103	11	12.7	04.5-20.9	6	4.4	00.0-08.9	23	16.0	08.6-23.4	18	11.4	04.3-18.5	48	55.6	42.7-68.5
Less Than H.S.	53	47,656	6	6.7	00.0-15.9	5	9.7	00.0-20.9	17	37.1	03.6-70.6	6	16.8	00.5-33.1	19	29.8	08.8-50.8
H.S. or G.E.D.	83	39,554	11	10.7	01.5-19.9	7	8.6	00.0-20.0	18	30.4	10.2-50.6	14	12.5	03.7-21.3	33	37.9	22.0-53.8
Some Post-H.S.	79	39.644	6	5.0	00.0-10.5	6	3.6	00.3-06.9	13	17.2	04.7-29.7	14	9.8	02.7-16.9	40	64.5	46.5-82.5

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

TABLE 13. AS A RESULT OF [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS, IN WHICH OF THE FOLLOWING FOUR AREAS [IF Q1 = 1 (YES): INSERT "DO YOU" OTHERWISE, INSERT "DOES THIS PERSON"] NEED THE MOST ASSISTANCE? (CIASSIST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDEN	IT NUMBER		Safety			ranspo	rtation		HH Acti	ivites	P	ersona	l Care			sistance se areas	No as	ssistan	ce needed
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	333	219,964	17	4.2	01.3-07.1	40	16.7	05.3-28.1	72	18.1	11.6-24.6	29	5.4	02.7-08.1	26	5.7	03.0-08.4	149	49.9	37.4-62.4
Male	97	93,385	7	6.4	00.5-12.3	10	11.7	03.3-20.1	17	10.3	03.0-17.6	10	6.7	01.2-12.2	6	4.1	00.6-07.6	47	60.8	46.1-75.5
Female	236	126,578	10	2.6	00.1-05.1	30	20.5	02.1-38.9	55	23.8	14.8-32.8	19	4.4	01.9-06.9	20	6.8	02.9-10.7	102	41.9	24.8-59.0
White/Non-Hisp	271	181,196	12	4.2	01.1-07.3	31	18.4	04.9-31.9	59	18.3	10.9-25.7	23	4.9	02.0-07.8	20	4.4	02.0-06.8	126	49.8	35.3-64.3
45-54	69	45,883	3	6.8	00.0-14.8	6	8.4	00.4-16.4	19	25.7	11.2-40.2	1	0.2	00.0-00.6	4	5.4	00.0-10.9	36	53.6	36.5-70.7
55-64	93	48,592	8	8.7	00.0-18.3	12	13.2	01.4-25.0	22	20.1	06.8-33.4	11	9.9	02.3-17.5	7	4.6	00.0-09.9	33	43.6	22.0-65.2
65+	126	49,417	5	3.5	00.2-06.8	15	17.1	06.5-27.7	24	18.8	08.2-29.4	13	7.1	02.4-11.8	11	10.8	03.4-18.2	58	42.6	29.9-55.3
Less Than H.S.	64	68,696	1	0.3	00.0-00.9	12	32.7	06.6-58.8	14	21.1	06.8-35.4	6	2.3	00.0-04.7	3	2.2	00.0-05.1	28	41.5	20.9-62.1
H.S. or G.E.D.	118	83,154	6	5.8	00.0-11.9	14	9.3	02.0-16.6	29	18.3	05.8-30.8	11	9.0	02.1-15.9	10	7.9	01.6-14.2	48	49.7	32.1-67.3
Some Post-H.S.	95	50,816	5	5.3	00.0-11.8	9	11.6	02.6-20.6	18	15.1	05.9-24.3	7	3.3	00.2-06.4	10	7.1	01.6-12.6	46	57.6	40.2-75.0
College Graduate	55	17,045	5	9.3	00.1-18.5	5	4.4	00.0-08.9	11	13.8	03.8-23.8	5	6.6	00.0-13.9	3	4.7	00.0-10.4	26	61.3	41.9-80.7
Less than \$15,000	62	33,474	3	1.1	00.0-02.9	8	26.0	07.4-44.6	18	35.1	15.5-54.7	4	3.0	00.0-06.3	5	3.3	00.0-07.4	24	31.5	14.8-48.2
\$15,000- 24,999	67	54,629	4	4.8	00.0-11.3	9	25.5	17.9-33.1	11	10.7	03.1-18.3	6	7.6	00.7-14.5	4	1.7	00.5-02.9	33	49.6	34.1-65.1

170 of 224

July 26, 2012

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 27: COGNITIVE IMPAIRMENT**

TABLE 14. AS A RESULT OF [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS, IN WHICH OF THE FOLLOWING FOUR AREAS [IF Q1 = 1 (YES): INSERT "DO YOU" OTHERWISE, INSERT "DOES THIS PERSON"] NEED THE MOST ASSISTANCE? (CIASSIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC								rtation	ı	HH Act	ivites	P	ersona	ıl Care			sistance se areas	No as	ssistan	ce needed
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	97	93,385	7	6.4	00.5-12.3	10	11.7	02.9-20.5	17	10.3	03.0-17.6	10	6.7	01.8-11.6	6	4.1	00.6-07.6	47	60.8	46.5-75.1
White/Non-Hisp	78	3 74,579	6	6.3	00.0-13.0	8	12.4	02.6-22.2	14	11.9	02.9-20.9	8	6.8	00.7-12.9	4	3.0	00.0-06.3	38	59.5	42.8-76.2

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 27: COGNITIVE IMPAIRMENT**

TABLE 15. AS A RESULT OF [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS, IN WHICH OF THE FOLLOWING FOUR AREAS [IF Q1 = 1 (YES): INSERT "DO YOU" OTHERWISE, INSERT "DOES THIS PERSON"] NEED THE MOST ASSISTANCE? (CIASSIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	Safe	ety	Ti	ranspo	rtation	1	HH Acti	ivites	P	ersona	l Care			sistance se areas	No as	sistano	ce needed			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	236	126,578	10	2.6	00.1-05.1	30	20.5	02.1-38.9	55	23.8	14.8-32.8	19	4.4	01.9-06.9	20	6.8	02.9-10.7	102	41.9	24.8-59.0
White/Non-Hisp	193	106,617	6	2.7	00.0-05.6	23	22.6	01.0-44.2	45	22.8	12.8-32.8	15	3.7	01.3-06.1	16	5.3	02.0-08.6	88	43.0	23.0-63.0
55-64	61	27,723	5	1.9	00.0-04.1	9	8.4	00.4-16.4	15	23.4	02.8-44.0	4	4.1	00.0-09.4	7	8.0	00.0-17.8	21	54.1	24.9-83.3
65+	94	29,571	3	3.8	00.0-08.5	11	12.4	02.8-22.0	18	24.2	09.1-39.3	11	9.6	02.7-16.5	8	11.3	01.5-21.1	43	38.7	25.6-51.8
H.S. or G.E.D.	81	39,748	4	4.5	00.0-11.6	10	11.0	00.0-22.8	20	21.9	02.7-41.1	6	6.2	00.0-12.5	9	15.4	03.8-27.0	32	41.0	24.3-57.7
Some Post-H.S.	72	36,193	3	2.4	00.0-05.7	7	14.4	01.9-26.9	15	17.9	05.2-30.6	6	4.1	00.0-08.4	6	3.2	01.0-05.4	35	58.0	36.6-79.4

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### MODULE 27: COGNITIVE IMPAIRMENT

TABLE 16: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"]

ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES? (CIINTFER)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	- illy		Someti	mes		Rare	ly		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	352	227,294	57	11.6	07.1-16.1	26	5.5	02.6-08.4	66	17.7	11.4-24.0	50	17.8	09.0-26.6	153	47.4	38.8-56.0
Male	103	97,215	15	12.0	04.4-19.6	6	4.8	00.3-09.3	22	19.0	07.4-30.6	15	25.8	07.8-43.8	45	38.5	23.8-53.2
Female	249	130,080	42	11.3	05.8-16.8	20	6.0	02.3-09.7	44	16.8	10.1-23.5	35	11.8	06.5-17.1	108	54.1	45.3-62.9
White/Non-Hisp	288	187,532	51	11.8	07.1-16.5	23	6.2	02.7-09.7	47	13.8	08.3-19.3	43	20.8	10.4-31.2	124	47.4	38.0-56.8
45-54	72	48,093	9	13.9	03.1-24.7	8	9.6	02.0-17.2	13	24.8	07.0-42.6	9	13.5	02.1-24.9	33	38.1	22.4-53.8
55-64	95	48,217	24	16.4	05.6-27.2	8	8.6	00.0-17.2	17	12.6	03.2-22.0	6	9.1	00.0-20.1	40	53.4	33.6-73.2
65+	138	55,011	19	13.1	05.1-21.1	8	2.2	00.4-04.0	24	21.8	11.0-32.6	25	17.3	08.5-26.1	62	45.6	33.4-57.8
Less Than H.S.	69	70,826	8	11.2	00.8-21.6	5	2.3	00.0-04.7	16	15.3	04.7-25.9	17	22.4	07.7-37.1	23	48.8	26.7-70.9
H.S. or G.E.D.	126	88,203	22	11.0	04.3-17.7	10	6.5	00.8-12.2	26	21.5	08.8-34.2	11	19.0	00.0-38.6	57	42.1	26.4-57.8
Some Post-H.S.	95	48,136	13	7.9	01.8-14.0	8	9.8	01.2-18.4	16	18.3	06.7-29.9	15	13.5	04.7-22.3	43	50.5	31.1-69.9
College Graduate	61	19,878	14	24.9	07.5-42.3	3	2.2	00.0-05.1	8	8.5	00.7-16.3	7	6.4	00.5-12.3	29	57.9	37.9-77.9
Less than \$15,000	65	34,540	13	27.0	09.0-45.0	3	1.8	00.0-04.3	22	22.0	09.1-34.9	10	33.9	14.1-53.7	17	15.2	06.0-24.4
\$15,000- 24,999	71	56,501	10	7.5	00.4-14.6	5	5.4	00.0-11.5	12	16.9	01.8-32.0	8	10.1	00.0-20.7	36	60.1	44.2-76.0

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 27: COGNITIVE IMPAIRMENT**

TABLE 17: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"]

ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES? (CIINTFER)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	ally		Somet	imes		Rare	ly		Neve	ər
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	103	97,215	15	12.0	04.6-19.4	6	4.8	00.3-09.3	22	19.0	09.4-28.6	15	25.8	07.4-44.2	45	38.5	26.0-51.0
White/Non-Hisp	84	78,409	13	13.1	04.3-21.9	6	6.0	00.3-11.7	16	12.3	03.7-20.9	14	31.7	11.1-52.3	35	36.9	22.0-51.8

#### **MODULE 27: COGNITIVE IMPAIRMENT**

TABLE 18: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"]

ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES? (CIINTFER)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	lly		Someti	mes		Rare	ly		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	249	130,080	42	11.3	05.8-16.8	20	6.0	02.3-09.7	44	16.8	10.1-23.5	35	11.8	06.5-17.1	108	54.1	45.3-62.9
White/Non-Hisp	204	109,123	38	10.9	05.8-16.0	17	6.3	02.0-10.6	31	14.9	07.6-22.2	29	13.0	06.7-19.3	89	55.0	45.4-64.6
55-64	62	26,994	17	11.3	02.3-20.3	5	6.3	00.0-15.7	10	8.8	00.2-17.4	2	3.1	00.0-08.8	28	70.4	49.6-91.2
65+	104	32,663	15	13.9	05.3-22.5	7	2.9	00.5-05.3	16	21.0	06.9-35.1	21	19.5	09.5-29.5	45	42.8	29.7-55.9
H.S. or G.E.D.	85	40,237	18	12.1	04.7-19.5	6	4.4	00.0-10.5	16	21.4	07.5-35.3	6	4.7	00.0-10.0	39	57.5	40.8-74.2
Some Post-H.S.	74	36,839	12	9.5	01.7-17.3	8	12.8	01.2-24.4	11	13.7	02.9-24.5	11	11.2	02.4-20.0	32	52.8	29.9-75.7

TABLE 19: DURING THE PAST 30 DAYS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAS" OTHERWISE, INSERT "HAVE YOU,"] A FAMILY MEMBER OR FRIEND PROVIDED ANY CARE OR ASSISTANCE FOR [IF Q1 = 1 (YES): "YOU" OTHERWISE, INSERT "THIS PERSON"] BECAUSE OF CONFUSION OR MEMORY LOSS? (CIFAMCAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	illy		Someti	mes		Rare	ly		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	353	230,846	44	15.6	04.8-26.4	21	3.4	00.7-06.1	48	12.4	06.7-18.1	40	14.0	05.6-22.4	200	54.6	42.4-66.8
Male	104	100,218	16	12.8	05.0-20.6	2	2.0	00.0-05.5	12	11.9	01.7-22.1	11	19.2	01.8-36.6	63	54.2	38.1-70.3
Female	249	130,629	28	17.7	00.0-35.5	19	4.5	00.8-08.2	36	12.8	06.7-18.9	29	10.1	05.2-15.0	137	54.9	37.5-72.3
White/Non-Hisp	289	191,084	32	15.3	02.6-28.0	19	4.1	01.0-07.2	34	8.6	04.3-12.9	34	16.1	06.1-26.1	170	56.0	41.9-70.1
45-54	72	48,093	4	4.9	00.0-10.2	5	3.5	00.2-06.8	12	28.9	10.1-47.7	10	11.5	02.9-20.1	41	51.2	34.3-68.1
55-64	96	48,863	18	17.9	04.8-31.0	9	6.6	00.0-14.2	8	2.7	00.3-05.1	13	15.9	04.9-26.9	48	56.9	38.1-75.7
65+	138	55,081	15	11.9	04.5-19.3	5	0.8	00.0-01.6	23	16.6	08.4-24.8	13	11.8	03.2-20.4	82	58.8	47.0-70.6
Less Than H.S.	70	71,064	6	25.4	00.0-52.3	2	1.1	00.0-02.9	13	13.3	02.7-23.9	10	11.7	02.3-21.1	39	48.6	27.0-70.2
H.S. or G.E.D.	126	88,681	17	9.5	03.4-15.6	10	6.1	00.0-12.8	14	13.7	02.1-25.3	13	18.5	00.0-37.9	72	52.2	35.1-69.3
Some Post-H.S.	95	50,971	7	8.4	00.8-16.0	4	2.3	00.0-04.7	18	13.0	05.0-21.0	10	11.4	02.6-20.2	56	64.9	49.4-80.4
College Graduate	61	19,878	14	25.7	08.1-43.3	5	3.3	00.0-06.8	3	2.0	00.0-04.5	7	9.5	00.5-18.5	32	59.5	39.5-79.5
Less than \$15,000	65	34,540	9	17.3	02.0-32.6	3	0.6	00.0-01.4	11	29.0	10.0-48.0	9	19.5	03.8-35.2	33	33.7	18.0-49.4
\$15,000- 24,999	71	56,501	8	27.7	18.7-36.7	7	5.8	00.0-12.3	11	13.9	00.0-28.8	8	9.2	01.4-17.0	37	43.3	28.2-58.4

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 27: COGNITIVE IMPAIRMENT**

TABLE 20: DURING THE PAST 30 DAYS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAS" OTHERWISE, INSERT "HAVE YOU,"] A FAMILY MEMBER OR FRIEND PROVIDED ANY CARE OR ASSISTANCE FOR [IF Q1 = 1 (YES): "YOU" OTHERWISE, INSERT "THIS PERSON"] BECAUSE OF CONFUSION OR MEMORY LOSS? (CIFAMCAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	ally		Someti	imes		Rare	ely		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	104	100,218	16	12.8	04.8-20.8	2	2.0	00.0-05.5	12	11.9	05.6-18.2	11	19.2	01.4-37.0	63	54.2	40.5-67.9
White/Non-Hisp	85	81,412	11	11.8	03.0-20.6	2	2.5	00.0-06.8	9	7.3	00.4-14.2	9	22.5	01.9-43.1	54	56.0	38.0-74.0

## TABLE 21: DURING THE PAST 30 DAYS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAS" OTHERWISE, INSERT "HAVE YOU,"] A FAMILY MEMBER OR FRIEND PROVIDED ANY CARE OR ASSISTANCE FOR [IF Q1 = 1 (YES): "YOU" OTHERWISE, INSERT "THIS PERSON"] BECAUSE OF CONFUSION OR MEMORY LOSS? (CIFAMCAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	lly		Someti	mes		Rare	ly		Neve	ər
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	249	130,080	42	11.3	05.8-16.8	20	6.0	02.3-09.7	44	16.8	10.1-23.5	35	11.8	06.5-17.1	108	54.1	45.3-62.9
White/Non-Hisp	204	109,123	38	10.9	05.8-16.0	17	6.3	02.0-10.6	31	14.9	07.6-22.2	29	13.0	06.7-19.3	89	55.0	45.4-64.6
55-64	62	26,994	17	11.3	02.3-20.3	5	6.3	00.0-15.7	10	8.8	00.2-17.4	2	3.1	8.80-0.00	28	70.4	49.6-91.2
65+	104	32,663	15	13.9	05.3-22.5	7	2.9	00.5-05.3	16	21.0	06.9-35.1	21	19.5	09.5-29.5	45	42.8	29.7-55.9
H.S. or G.E.D.	85	40,237	18	12.1	04.7-19.5	6	4.4	00.0-10.5	16	21.4	07.5-35.3	6	4.7	00.0-10.0	39	57.5	40.8-74.2
Some Post-H.S.	74	36,839	12	9.5	01.7-17.3	8	12.8	01.2-24.4	11	13.7	02.9-24.5	11	11.2	02.4-20.0	32	52.8	29.9-75.7

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

TABLE 22. HAS ANYONE DISCUSSED WITH A HEALTH CARE PROFESSIONAL, INCREASES IN [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS? (CIHCPROF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

		as weighted	ı usın	_	CPWT.			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	360	233,224	136	32.5	25.2-39.8	224	67.5	60.2-74.8
Male	104	100,218	39	34.5	20.8-48.2	65	65.5	51.8-79.2
Female	256	133,006	97	31.1	23.3-38.9	159	68.9	61.1-76.7
White/Non-Hisp	295	193,288	109	30.9	23.1-38.7	186	69.1	61.3-76.9
45-54	74	49,256	25	42.7	25.8-59.6	49	57.3	40.4-74.2
55-64	97	49,439	41	34.8	18.1-51.5	56	65.2	48.5-81.9
65+	141	55,552	54	43.5	31.3-55.7	87	56.5	44.3-68.7
Less Than H.S.	72	71,909	22	23.1	09.2-37.0	50	76.9	63.0-90.8
H.S. or G.E.D.	128	89,838	43	32.2	19.1-45.3	85	67.8	54.7-80.9
Some Post-H.S.	99	51,561	40	41.5	24.1-58.9	59	58.5	41.1-75.9
College Graduate	60	19,663	31	45.5	24.3-66.7	29	54.5	33.3-75.7
Less than \$15,000	65	34,582	21	25.8	10.7-40.9	44	74.2	59.1-89.3
\$15,000- 24,999	72	57,484	26	29.4	14.1-44.7	46	70.6	55.3-85.9

**MODULE 27: COGNITIVE IMPAIRMENT** 

TABLE 23. HAS ANYONE DISCUSSED WITH A HEALTH CARE PROFESSIONAL, INCREASES IN [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS? (CIHCPROF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDENT NUMBER		Yes			No		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	104	100,218	39	34.5	21.6-47.4	65	65.5	52.6-78.4
White/Non-Hisp	85	81,412	29	29.7	16.2-43.2	56	70.3	56.8-83.8

#### MODULE 27: COGNITIVE IMPAIRMENT

TABLE 24. HAS ANYONE DISCUSSED WITH A HEALTH CARE PROFESSIONAL, INCREASES IN [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS? (CIHCPROF)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	<b>;</b>		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	256	133,006	97	31.1	23.3-38.9	159	68.9	61.1-76.7
White/Non-Hisp	210	111,876	80	31.8	23.0-40.6	130	68.2	59.4-77.0
45-54	51	29,393	15	34.4	16.4-52.4	36	65.6	47.6-83.6
55-64	64	28,217	29	30.5	08.0-53.0	35	69.5	47.0-92.0
65+	107	33,204	41	50.4	37.1-63.7	66	49.6	36.3-62.9
Less Than H.S.	52	46,382	18	26.5	06.3-46.7	34	73.5	53.3-93.7
H.S. or G.E.D.	87	41,872	29	29.3	15.6-43.0	58	70.7	57.0-84.4
Some Post-H.S.	77	37,261	30	35.0	16.4-53.6	47	65.0	46.4-83.6

#### **MODULE 27: COGNITIVE IMPAIRMENT**

TABLE 25. HAVE [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THIS PERSON"] RECEIVED TREATMENT SUCH AS THERAPY OR MEDICATIONS FOR CONFUSION OR MEMORY LOSS? (CIMEDS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

	2000	acc_gcc	u uu = 1.		· · · · ·			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	,
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	134	75,194	77	51.5	38.8-64.2	57	48.5	35.8-61.2
Female	97	41,319	56	57.0	43.1-70.9	41	43.0	29.1-56.9
White/Non-Hisp	107	59,033	64	56.0	42.9-69.1	43	44.0	30.9-57.1
65+	53	23,871	30	54.9	38.0-71.8	23	45.1	28.2-62.0

**MODULE 27: COGNITIVE IMPAIRMENT** 

TABLE 26. HAVE [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THIS PERSON"] RECEIVED TREATMENT SUCH AS THERAPY OR MEDICATIONS FOR CONFUSION OR MEMORY LOSS? (CIMEDS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

#### MODULE 27: COGNITIVE IMPAIRMENT

TABLE 27. HAVE [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THIS PERSON"] RECEIVED TREATMENT SUCH AS THERAPY OR MEDICATIONS FOR CONFUSION OR MEMORY LOSS? (CIMEDS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	\$		No	)
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	97	41,319	56	57.0	42.9-71.1	41	43.0	28.9-57.1
White/Non-Hisp	80	35,536	47	55.6	40.3-70.9	33	44.4	29.1-59.7

#### MODULE 27: COGNITIVE IMPAIRMENT

### TABLE 28. HAS A HEALTH CARE PROFESSIONAL EVER SAID THAT [IF Q1 = 1 (YES): INSERT "YOU HAVE" OTHERWISE, INSERT "THIS PERSON HAS"] ALZHEIMER'S DISEASE OR SOME OTHER FORM OF DEMENTIA? (CIDIAGAZ)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	Yes, A	zheime	r's Disease	der	•	other of but not ner's	No di	agnosis give	s has been n
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	128	70,851	17	11.9	04.3-19.5	20	14.5	05.7-23.3	91	73.6	62.2-85.0
Female	91	37,781	11	10.7	02.3-19.1	18	21.1	08.8-33.4	62	68.2	54.7-81.7
White/Non-Hisp	102	55,701	13	11.3	03.7-18.9	15	15.8	05.4-26.2	74	73.0	60.8-85.2
65+	54	24,160	8	16.1	03.4-28.8	10	14.6	04.0-25.2	36	69.2	53.9-84.5

## BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2011 MODULE 27: COGNITIVE IMPAIRMENT

### TABLE 29. HAS A HEALTH CARE PROFESSIONAL EVER SAID THAT [IF Q1 = 1 (YES): INSERT "YOU HAVE" OTHERWISE, INSERT "THIS PERSON HAS"] ALZHEIMER'S DISEASE OR SOME OTHER FORM OF DEMENTIA? (CIDIAGAZ)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

#### **MODULE 27: COGNITIVE IMPAIRMENT**

TABLE 30. HAS A HEALTH CARE PROFESSIONAL EVER SAID THAT [IF Q1 = 1 (YES): INSERT "YOU HAVE" OTHERWISE, INSERT "THIS PERSON HAS"] ALZHEIMER'S DISEASE OR SOME OTHER FORM OF DEMENTIA? (CIDIAGAZ)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	Yes, A	Izheime	r's Disease	de	,	other of but not ner's	No di	agnosis give	s has been en
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	91	37,781	11	10.7	02.3-19.1	18	21.1	08.9-33.3	62	68.2	54.9-81.5
White/Non-Hisp	74	31,998	8	7.1	01.4-12.8	13	20.4	07.1-33.7	53	72.5	58.8-86.2

#### MODULE 32: RANDOM CHILD SELECTION CONTENTS

* NOT	E*************************************	* * * * * * * * * * * * * *
WH	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF V	WHAT POPULATION
IS	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON A	LL RESPONDENTS
	TO THE STATES SURVEY.	
* * * *	***************************	* * * * * * * * * * * *
TABLE		PAGE
	WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1	MALES AND FEMALES	199
2	MALES ONLY	200
3	FEMALES ONLY	201
	IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4	MALES AND FEMALES	202
5	MALES ONLY	203
6	FEMALES ONLY	204
	IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7	MALES AND FEMALES	205
8	MALES ONLY	206
9	FEMALES ONLY	207
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10	MALES AND FEMALES	208
11	MALES ONLY	209
12	FEMALES ONLY	210
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13	MALES AND FEMALES	211
14	MALES ONLY	212
15	FEMALES ONLY	213
	HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16	MALES AND FEMALES	214
17	MALES ONLY	215
1.8	FEMALES ONLY	216

#### TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1993-19	997		1998-2	002		2003-2	007		2008-2	009		2010-2	011
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	840	1,004,068	245	23.2	19.1-27.3	247	27.3	22.4-32.2	215	28.8	23.3-34.3	81	11.4	07.3-15.5	52	9.3	05.2-13.4
Male	232	413,425	72	22.5	15.6-29.4	59	27.6	19.0-36.2	59	31.3	21.9-40.7	26	12.0	06.3-17.7	16	6.5	02.8-10.2
Female	608	590,643	173	23.7	18.2-29.2	188	27.1	21.2-33.0	156	27.0	20.3-33.7	55	10.9	05.0-16.8	36	11.3	05.0-17.6
White/Non-Hisp	651	758,536	191	24.2	19.5-28.9	194	27.0	21.5-32.5	167	30.0	23.5-36.5	63	10.1	06.0-14.2	36	8.7	04.2-13.2
Black or Afr. Am./Non-Hisp	143	162,868	42	23.3	10.8-35.8	38	20.9	10.7-31.1	37	30.1	15.4-44.8	14	18.3	03.2-33.4	12	7.3	00.4-14.2
25-34	203	293,684	19	6.3	02.2-10.4	45	23.2	13.0-33.4	77	42.3	30.7-53.9	40	18.2	10.6-25.8	22	10.0	03.7-16.3
35-44	305	365,951	85	28.3	20.5-36.1	111	32.7	24.9-40.5	81	29.4	21.4-37.4	21	7.3	01.8-12.8	7	2.2	00.0-04.6
45-54	196	168,187	91	46.7	35.7-57.7	64	31.9	22.1-41.7	30	15.6	05.8-25.4	4	2.7	00.0-05.6	7	3.2	00.5-05.9
55-64	65	33,924	32	43.2	25.8-60.6	14	13.7	03.9-23.5	9	20.5	01.1-39.9	5	10.5	00.0-21.3	5	12.1	00.0-25.2
Less Than H.S.	72	134,120	17	19.8	07.3-32.3	27	35.7	18.8-52.6	19	29.6	11.0-48.2	4	2.7	00.0-05.6	5	12.3	00.0-28.4
H.S. or G.E.D.	261	362,945	89	25.8	18.5-33.1	70	25.0	15.8-34.2	62	30.2	19.6-40.8	25	11.1	03.5-18.7	15	7.9	01.4-14.4
Some Post-H.S.	238	269,011	70	24.6	15.6-33.6	60	21.3	13.1-29.5	71	30.1	20.1-40.1	22	16.2	06.0-26.4	15	7.9	00.5-15.3
College Graduate	268	237,886	68	19.6	12.7-26.5	90	33.0	24.0-42.0	63	24.7	16.9-32.5	30	11.3	06.4-16.2	17	11.4	04.0-18.8
Less than \$15,000	101	100,665	29	16.5	06.7-26.3	36	27.4	12.7-42.1	20	23.4	05.6-41.2	10	25.6	01.7-49.5	6	7.1	00.0-15.1
\$15,000- 24,999	140	166,072	44	25.1	13.9-36.3	33	19.3	10.1-28.5	45	28.4	13.5-43.3	12	11.3	00.3-22.3	6	15.9	00.4-31.4
\$25,000- 34,999	57	69,347	20	26.2	09.1-43.3	16	29.8	08.6-51.0	16	36.4	11.5-61.3	4	6.9	00.0-14.9	1	0.7	00.0-02.1
\$35,000- 49,999	95	112,970	27	20.4	10.2-30.6	24	15.6	07.6-23.6	25	39.8	20.8-58.8	11	8.3	02.2-14.4	8	15.9	01.6-30.2
\$50,000- 74,999	125	133,712	29	14.2	06.9-21.5	42	34.5	21.8-47.2	33	28.6	16.1-41.1	13	16.6	04.4-28.8	8	6.1	00.6-11.6
\$75,000+	206	241,405	57	28.5	19.5-37.5	64	28.3	19.7-36.9	48	27.8	18.6-37.0	21	9.7	04.6-14.8	16	5.7	02.2-09.2

NOTE:

189 of 224

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 32: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1993-1	997		1998-2	002		2003-2	007		2008-2	009		2010-2	011
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)												
Male	232	413,425	72	22.5	15.6-29.4	59	27.6	19.0-36.2	59	31.3	21.9-40.7	26	12.0	06.1-17.9	16	6.5	02.8-10.2
White/Non-Hisp	192	317,862	60	24.1	16.8-31.4	47	23.1	13.9-32.3	52	35.1	24.1-46.1	22	12.2	05.1-19.3	11	5.4	01.7-09.1
35-44	77	138,747	21	22.0	11.0-33.0	22	28.3	15.2-41.4	25	38.3	23.8-52.8	7	9.0	01.0-17.0	2	2.5	00.0-06.4
45-54	69	98,871	32	45.0	27.9-62.1	21	28.3	13.6-43.0	9	18.1	02.2-34.0	3	4.3	00.0-09.4	4	4.3	00.0-08.8
H.S. or G.E.D.	70	156,579	25	21.2	10.6-31.8	19	29.8	12.2-47.4	16	35.0	16.4-53.6	5	6.7	00.6-12.8	5	7.1	00.0-14.2
Some Post-H.S.	63	114,504	20	25.2	08.9-41.5	13	22.3	06.6-38.0	20	32.1	13.3-50.9	6	17.4	01.9-32.9	4	3.1	00.0-06.2
College Graduate	84	111,674	23	18.2	09.2-27.2	25	36.1	22.2-50.0	16	21.8	10.4-33.2	14	16.6	07.2-26.0	6	7.4	00.9-13.9
\$75,000+	82	130,911	23	24.5	13.1-35.9	21	23.7	12.5-34.9	21	34.4	21.7-47.1	11	11.6	03.8-19.4	6	5.8	00.5-11.1

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using  $\_CHILDWT$  as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1993-1	997		1998-2	002		2003-2	007		2008-2	009		2010-2	011
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	608	590,643	173	23.7	18.4-29.0	188	27.1	21.4-32.8	156	27.0	20.1-33.9	55	10.9	05.0-16.8	36	11.3	05.2-17.4
White/Non-Hisp	459	440,674	131	24.3	18.2-30.4	147	29.9	23.0-36.8	115	26.3	18.7-33.9	41	8.5	03.2-13.8	25	11.0	03.9-18.1
Black or Afr. Am./Non-Hisp	118	113,395	34	24.7	09.6-39.8	32	16.3	08.5-24.1	32	30.5	12.9-48.1	12	22.5	02.1-42.9	8	6.0	00.0-14.4
25-34	163	187,985	18	9.6	03.5-15.7	40	26.2	14.6-37.8	62	40.5	28.3-52.7	26	12.0	06.5-17.5	17	11.8	03.4-20.2
35-44	228	227,204	64	32.2	21.6-42.8	89	35.4	25.4-45.4	56	24.0	14.6-33.4	14	6.4	00.0-13.7	5	2.1	00.0-04.8
45-54	127	69,316	59	49.1	37.3-60.9	43	37.0	25.6-48.4	21	12.0	05.7-18.3	1	0.3	00.0-00.9	3	1.6	00.0-03.8
Less Than H.S.	57	103,451	13	15.3	03.9-26.7	25	44.7	23.7-65.7	12	25.1	03.5-46.7	3	2.6	00.0-05.9	4	12.3	00.0-32.1
H.S. or G.E.D.	191	206,366	64	29.3	19.5-39.1	51	21.3	11.9-30.7	46	26.5	15.3-37.7	20	14.4	02.4-26.4	10	8.4	00.0-18.6
Some Post-H.S.	175	154,507	50	24.1	12.7-35.5	47	20.5	12.7-28.3	51	28.6	16.3-40.9	16	15.3	01.6-29.0	11	11.4	00.0-23.7
College Graduate	184	126,212	45	20.8	10.4-31.2	65	30.3	18.9-41.7	47	27.2	16.4-38.0	16	6.7	02.8-10.6	11	15.0	02.3-27.7
Less than \$15,000	91	92,269	27	17.3	06.7-27.9	33	27.4	11.9-42.9	17	22.9	03.5-42.3	9	27.1	01.6-52.6	5	5.4	00.0-13.0
\$15,000- 24,999	113	120,651	33	22.1	10.1-34.1	28	18.9	09.1-28.7	37	29.8	10.6-49.0	10	11.0	00.0-24.7	5	18.2	00.0-38.2
\$35,000- 49,999	68	66,328	20	25.2	11.3-39.1	18	16.7	06.9-26.5	17	29.0	11.0-47.0	7	5.8	00.7-10.9	6	23.3	02.3-44.3
\$50,000- 74,999	85	68,031	21	18.3	08.5-28.1	29	38.2	23.7-52.7	22	25.6	13.3-37.9	8	9.9	02.6-17.2	5	7.9	00.0-17.3
\$75,000+	124	110,494	34	33.2	19.3-47.1	43	33.8	20.9-46.7	27	20.0	11.6-28.4	10	7.4	01.3-13.5	10	5.6	01.3-09.9

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE		Boy Mal		Girl Female			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	909	1,090,490	467	50.4	44.7-56.1	442	49.6	43.9-55.3
Male	260	470,907	115	48.4	39.4-57.4	145	51.6	42.6-60.6
Female	649	619,583	352	51.9	44.6-59.2	297	48.1	40.8-55.4
White/Non-Hisp	703	815,863	366	50.1	43.8-56.4	337	49.9	43.6-56.2
Black or Afr. Am./Non-Hisp	156	185,587	76	44.3	29.8-58.8	80	55.7	41.2-70.2
25-34	215	324,866	112	52.4	41.4-63.4	103	47.6	36.6-58.6
35-44	324	387,736	165	46.3	37.9-54.7	159	53.7	45.3-62.1
45-54	212	184,539	111	50.6	39.8-61.4	101	49.4	38.6-60.2
55-64	71	37,726	39	57.7	39.7-75.7	32	42.3	24.3-60.3
Less Than H.S.	84	155,528	49	48.3	31.6-65.0	35	51.7	35.0-68.4
H.S. or G.E.D.	280	388,509	151	53.3	43.1-63.5	129	46.7	36.5-56.9
Some Post-H.S.	255	290,137	127	52.8	41.6-64.0	128	47.2	36.0-58.4
College Graduate	289	256,208	139	44.6	35.6-53.6	150	55.4	46.4-64.4
Less than \$15,000	105	106,554	56	60.6	41.4-79.8	49	39.4	20.2-58.6
\$15,000- 24,999	156	193,671	89	59.1	44.2-74.0	67	40.9	26.0-55.8
\$25,000- 34,999	62	72,274	26	52.7	30.9-74.5	36	47.3	25.5-69.1
\$35,000- 49,999	105	129,117	58	38.2	24.1-52.3	47	61.8	47.7-75.9
\$50,000- 74,999	134	144,510	71	47.2	34.3-60.1	63	52.8	39.9-65.7
\$75,000+	211	246,017	93	52.2	42.8-61.6	118	47.8	38.4-57.2

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Boy Mal		Girl Female		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	260	470,907	115	48.4	39.0-57.8	145	51.6	42.2-61.0
White/Non-Hisp	213	356,002	94	45.8	35.4-56.2	119	54.2	43.8-64.6
35-44 45-54	83 77	154,129 110,336	33 37	40.4 46.9	26.7-54.1 31.0-62.8	50 40	59.6 53.1	45.9-73.3 37.2-69.0
H.S. or G.E.D. Some Post-H.S. College Graduate	79 67 93	173,114 129,176 124,962	43 27 36	53.7 48.8 42.3	36.5-70.9 30.0-67.6 29.4-55.2	36 40 57	46.3 51.2 57.7	29.1-63.5 32.4-70.0 44.8-70.6
\$75,000+	85	135,061	31	49.1	34.8-63.4	54	50.9	36.6-65.2

#### TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Boy		Girl Female				
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)		
Female	649	619,583	352	51.9	44.6-59.2	297	48.1	40.8-55.4		
White/Non-Hisp	490	459,861	272	53.4	45.4-61.4	218	46.6	38.6-54.6		
Black or Afr. Am./Non-Hisp	127	123,075	63	37.4	20.3-54.5	64	62.6	45.5-79.7		
25-34	169	198,467	91	51.3	39.5-63.1	78	48.7	36.9-60.5		
35-44	241	233,607	132	50.1	39.5-60.7	109	49.9	39.3-60.5		
45-54	135	74,203	74	56.2	45.0-67.4	61	43.8	32.6-55.0		
Less Than H.S.	63	111,873	40	50.2	29.6-70.8	23	49.8	29.2-70.4		
H.S. or G.E.D.	201	215,395	108	52.9	40.2-65.6	93	47.1	34.4-59.8		
Some Post-H.S.	188	160,962	100	55.9	42.2-69.6	88	44.1	30.4-57.8		
College Graduate	196	131,246	103	46.7	34.0-59.4	93	53.3	40.6-66.0		
Less than \$15,000	92	97,284	49	60.7	39.7-81.7	43	39.3	18.3-60.3		
\$15,000- 24,999	121	126,081	68	57.6	38.0-77.2	53	42.4	22.8-62.0		
\$25,000- 34,999	50	37,721	20	40.0	23.1-56.9	30	60.0	43.1-76.9		
\$35,000- 49,999	72	68,815	43	37.6	22.3-52.9	29	62.4	47.1-77.7		
\$50,000- 74,999	90	71,526	51	58.6	44.9-72.3	39	41.4	27.7-55.1		
\$75,000+	126	110,957	62	56.0	44.0-68.0	64	44.0	32.0-56.0		

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

	Dava	as morganes	u uu = 111	9	011			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	<b>;</b>		No	)
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	910	1,091,625	24	2.8	01.4-04.2	886	97.2	95.8-98.6
Male	261	472,447	9	3.2	00.7-05.7	252	96.8	94.3-99.3
Female	649	619,177	15	2.4	00.8-04.0	634	97.6	96.0-99.2
White/Non-Hisp	703	816,897	12	1.4	00.4-02.4	691	98.6	97.6-99.6
Black or Afr. Am./Non-Hisp	157	185,687				157	100.0	0100-0100
25-34	215	324,809	8	3.6	00.3-06.9	207	96.4	93.1-99.7
35-44	325	389,276	7	2.3	00.3-04.3	318	97.7	95.7-99.7
45-54	213	184,640	6	4.5	00.6-08.4	207	95.5	91.6-99.4
55-64	71	37,726	1	0.7	00.0-02.1	70	99.3	97.9-0100
Less Than H.S.	84	155,528	5	5.6	00.3-10.9	79	94.4	89.1-99.7
H.S. or G.E.D.	279	388,003	9	2.6	00.4-04.8	270	97.4	95.2-99.6
Some Post-H.S.	255	290,137	5	2.2	00.0-05.1	250	97.8	94.9-0100
College Graduate	291	257,849	5	2.0	00.0-04.0	286	98.0	96.0-0100
Less than \$15,000	105	106,554	3	1.3	00.0-02.9	102	98.7	97.1-0100
\$15,000- 24,999	156	193,588	5	3.8	00.1-07.5	151	96.2	92.5-99.9
\$25,000- 34,999	61	71,851	1	1.7	00.0-05.0	60	98.3	95.0-0100
\$35,000- 49,999	105	129,117	2	1.4	00.0-03.9	103	98.6	96.1-0100
\$50,000- 74,999	135	146,050	4	5.2	00.0-11.3	131	94.8	88.7-0100
\$75,000+	211	246,017	5	2.0	00.0-04.2	206	98.0	95.8-0100

#### TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

	Daca w	ab weighter	2 40111	9	CIVII.			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	,
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	261	472,447	9	3.2	00.8-05.6	252	96.8	94.4-99.2
White/Non-Hisp	214	357,542	4	1.0	00.0-02.2	210	99.0	97.8-0100
35-44	84	155,669	2	1.5	00.0-03.9	82	98.5	96.1-0100
45-54	77	110,336	4	6.5	00.0-13.0	73	93.5	87.0-0100
H.S. or G.E.D.	79	173,114	3	1.9	00.0-04.3	76	98.1	95.7-0100
Some Post-H.S.	67	129,176	2	4.0	00.0-10.5	65	96.0	89.5-0100
College Graduate	94	126,502	3	3.3	00.0-07.2	91	96.7	92.8-0100
\$75,000+	85	135,061	3	3.1	00.0-06.8	82	96.9	93.2-0100

#### TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	u ubiii	Yes	5		No	)
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	649	619,177	15	2.4	00.8-04.0	634	97.6	96.0-99.2
White/Non-Hisp	489	459,355	8	1.6	00.0-03.2	481	98.4	96.8-0100
Black or Afr. Am./Non-Hisp	128	123,175				128	100.0	0100-0100
25-34	169	198,410	6	3.3	00.0-06.8	163	96.7	93.2-0100
35-44	241	233,607	5	2.9	00.2-05.6	236	97.1	94.4-99.8
45-54	136	74,304	2	1.4	00.0-03.6	134	98.6	96.4-0100
Less Than H.S.	63	111,873	4	5.5	00.0-11.4	59	94.5	88.6-0100
H.S. or G.E.D.	200	214,889	6	3.3	00.0-06.6	194	96.7	93.4-0100
Some Post-H.S.	188	160,962	3	0.7	00.0-01.5	185	99.3	98.5-0100
College Graduate	197	131,347	2	0.6	00.0-01.6	195	99.4	98.4-0100
Less than \$15,000	92	97,284	2	1.0	00.0-02.4	90	99.0	97.6-0100
\$15,000- 24,999	121	125,997	4	3.8	00.0-08.1	117	96.2	91.9-0100
\$35,000- 49,999	72	68,815	1	0.3	00.0-00.9	71	99.7	99.1-0100
\$50,000- 74,999	90	71,526	2	3.5	00.0-08.6	88	96.5	91.4-0100
\$75,000+	126	110,957	2	0.7	00.0-01.7	124	99.3	98.3-0100

#### TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

#### Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Whit	е	Black	or Africa	n American		Asia	n	Am. Indi	an or Al	askan Native		Othe	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	915	1,090,874	710	77.2	72.5-81.9	161	16.9	12.6-21.2	4	1.6	00.0-03.6	6	0.7	00.0-01.5	34	3.6	01.4-05.8
Male	261	469,034	219	79.9	72.5-87.3	30	13.7	07.6-19.8	2	2.1	00.0-05.4	3	1.4	00.0-03.4	7	3.0	00.0-07.1
Female	654	621,840	491	75.1	68.8-81.4	131	19.3	13.2-25.4	2	1.2	00.0-03.4	3	0.3	00.0-00.7	27	4.1	01.7-06.5
White/Non-Hisp	708	817,089	683	97.5	96.1-98.9	2	0.3	00.0-00.9	1	0.3	00.0-00.9	2	0.2	00.0-00.6	20	1.7	00.7-02.7
Black or Afr. Am./Non-Hisp	159	186,394	3	0.9	00.0-02.1	150	94.8	89.3-0100							6	4.3	00.0-09.6
25-34	218	325,920	160	79.2	70.8-87.6	42	16.8	08.8-24.8	1	0.2	00.0-00.6	2	0.5	00.0-01.3	13	3.3	00.9-05.7
35-44	323	386,016	261	77.0	69.0-85.0	50	19.0	11.4-26.6	1	1.8	00.0-05.1	2	0.3	00.0-00.7	9	1.9	00.3-03.5
45-54	214	185,054	174	79.7	70.3-89.1	33	16.6	07.6-25.6	1	1.2	00.0-03.6	1	0.4	00.0-01.2	5	2.1	00.0-04.8
55-64	73	38,432	45	75.5	63.0-88.0	26	22.9	10.7-35.1							2	1.6	00.0-04.0
Less Than H.S.	85	156,653	69	84.5	74.3-94.7	11	10.0	01.2-18.8							5	5.5	00.2-10.8
H.S. or G.E.D.	282	389,405	212	74.5	65.1-83.9	54	20.0	11.2-28.8	1	1.9	00.0-05.6	2	1.2	00.0-03.4	13	2.3	00.3-04.3
Some Post-H.S.	256	287,571	199	76.0	66.2-85.8	45	18.0	09.4-26.6	1	8.0	00.0-02.4	3	0.7	00.0-01.5	8	4.6	00.0-10.9
College Graduate	291	257,137	230	78.1	69.9-86.3	50	15.2	08.5-21.9	2	2.9	0.80-0.00	1	0.4	00.0-01.2	8	3.4	00.0-07.3
Less than \$15,000	108	108,056	79	65.2	44.2-86.2	24	33.1	11.9-54.3				1	0.7	00.0-02.1	4	0.9	00.0-02.1
\$15,000- 24,999	156	193,939	100	73.1	60.8-85.4	41	18.2	07.0-29.4				2	2.5	00.0-07.0	13	6.2	01.3-11.1
\$25,000- 34,999	62	69,284	48	74.5	54.3-94.7	13	14.6	03.8-25.4	1	10.9	00.0-30.5						
\$35,000- 49,999	105	129,117	82	81.2	69.6-92.8	18	12.0	02.8-21.2							5	6.8	00.0-14.6
\$50,000- 74,999	136	146,731	110	74.0	62.6-85.4	21	21.7	10.9-32.5	1	1.5	00.0-04.4	2	1.3	00.0-03.1	2	1.4	00.0-03.8
\$75,000+	211	245,300	180	85.0	76.8-93.2	26	11.6	04.9-18.3	1	2.8	00.0-08.1	1	0.2	00.0-00.6	3	0.5	00.0-01.1

NOTE:

with a nati width of gleater than to have been suppressed.

198 of 224

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using  $\_$ CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Whit	e	Black	or Africa	ın American		Asia	n	Am. Indi	an or Al	askan Native		Othe	r
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	261	469,034	219	79.9	73.4-86.4	30	13.7	08.0-19.4	2	2.1	00.0-05.4	3	1.4	00.0-03.4	7	3.0	00.0-07.1
White/Non-Hisp	215	355,520	208	98.4	96.8-0100				1	0.6	00.0-01.8	2	0.5	00.0-01.3	4	0.4	00.0-00.8
35-44	83	152,666	71	79.7	66.8-92.6	10	19.4	06.5-32.3				1	0.5	00.0-01.5	1	0.4	00.0-01.2
45-54	76	108,944	66	78.5	63.4-93.6	7	16.8	02.3-31.3	1	2.1	00.0-06.2				2	2.7	00.0-07.2
H.S. or G.E.D.	80	173,789	65	79.1	66.6-91.6	10	13.4	03.6-23.2	1	4.4	00.0-12.6	1	2.5	00.0-07.4	3	0.6	00.0-01.4
Some Post-H.S.	67	126,480	55	71.9	55.6-88.2	9	18.1	06.1-30.1	1	1.8	00.0-05.3	1	0.6	00.0-02.0	1	7.5	00.0-21.2
College Graduate	93	125,110	81	88.7	79.7-97.7	9	9.7	00.7-18.7				1	0.9	00.0-02.7	2	0.7	00.0-01.7
\$75,000+	85	134,343	75	88.4	77.2-99.6	8	10.9	00.0-22.1							2	0.7	00.0-01.7

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)

 $\label{lem:decomposition} \textbf{Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses}$ 

#### Note: The tables for RCSRACE were produced using $\_{CHILDWT}$ as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Whit	e	Black	or Africa	n American		Asia	n	Am. Ind	an or Al	askan Native		Othe	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	654	621,840	491	75.1	68.8-81.4	131	19.3	13.2-25.4	2	1.2	00.0-03.4	3	0.3	00.0-00.7	27	4.1	01.7-06.5
White/Non-Hisp	493	461,569	475	96.8	94.6-99.0	2	0.6	00.0-01.6							16	2.6	00.6-04.6
Black or Afr. Am./Non-Hisp	130	123,882	2	0.7	00.0-01.9	123	93.3	85.3-0100							5	6.1	00.0-14.1
25-34	170	198,540	119	71.9	60.7-83.1	37	22.3	11.3-33.3	1	0.3	00.0-00.9	1	0.2	00.0-00.6	12	5.3	01.4-09.2
35-44	240	233,350	190	75.3	65.1-85.5	40	18.7	09.1-28.3	1	2.9	00.0-08.6	1	0.2	00.0-00.6	8	2.9	00.2-05.6
45-54	138	76,109	108	81.4	73.8-89.0	26	16.3	09.0-23.6				1	1.0	00.0-03.0	3	1.2	00.0-02.8
Less Than H.S.	64	112,998	51	85.7	74.9-96.5	9	8.8	00.0-18.0							4	5.4	00.0-11.3
H.S. or G.E.D.	202	215,616	147	70.9	58.2-83.6	44	25.3	12.8-37.8				1	0.2	00.0-00.6	10	3.6	00.3-06.9
Some Post-H.S.	189	161,091	144	79.1	68.3-89.9	36	17.9	07.3-28.5				2	0.7	00.0-01.9	7	2.3	00.1-04.5
College Graduate	198	132,027	149	68.1	55.4-80.8	41	20.3	10.5-30.1	2	5.6	00.0-15.4				6	5.9	00.0-13.3
Less than \$15,000	95	98,786	67	62.5	40.0-85.0	23	35.7	13.0-58.4				1	0.8	00.0-02.4	4	1.0	00.0-02.2
\$15,000- 24,999	121	126,348	74	76.3	61.6-91.0	35	16.2	02.7-29.7				1	0.3	00.0-00.9	11	7.2	00.9-13.5
\$25,000- 34,999	50	37,428	40	80.1	66.8-93.4	10	19.9	06.6-33.2									
\$35,000- 49,999	72	68,815	51	66.1	47.9-84.3	16	21.1	05.2-37.0							5	12.8	00.0-26.9
\$50,000- 74,999	91	72,206	75	74.5	61.6-87.4	15	23.1	10.8-35.4							1	2.4	00.0-07.1
\$75,000+	126	110,957	105	80.8	68.5-93.1	18	12.4	05.1-19.7	1	6.1	00.0-17.5	1	0.4	00.0-01.2	1	0.2	00.0-00.6

NOTE:

with a half width of gleater than to have been suppressed.

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Pare	nt	(	Grandp	arent	F	oster p			Siblii	na	o	ther re	lative		Not rel	ated
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	916	1,095,594	756	84.7	80.2-89.2	110	5.9	04.1-07.7	7	0.4	8.00-0.00	22	5.6	02.1-09.1	14	2.1	00.0-04.3	7	1.4	00.2-02.6
Male	261	472,447	215	79.9	71.9-87.9	29	7.3	03.4-11.2				9	6.3	01.0-11.6	4	3.9	00.0-09.0	4	2.7	00.0-05.4
Female	655	623,147	541	88.3	83.4-93.2	81	4.8	03.4-06.2	7	0.7	00.0-01.5	13	5.0	00.3-09.7	10	0.7	00.1-01.3	3	0.5	00.0-01.3
White/Non-Hisp	706	819,250	599	86.3	81.6-91.0	73	5.7	03.5-07.9	3	0.4	00.0-01.0	16	4.1	00.8-07.4	9	2.3	00.0-05.2	6	1.3	00.1-02.5
Black or Afr. Am./Non-Hisp	160	187,304	115	83.3	72.7-93.9	32	5.6	02.7-08.5	4	0.5	00.0-01.1	3	5.5	00.0-14.3	5	2.3	00.0-05.2	1	2.7	0.0-08.0
25-34	215	324,809	209	93.0	85.4-0100							2	0.6	00.0-01.4	3	4.8	00.0-11.9	1	1.6	00.0-04.5
35-44	327	391,697	316	95.6	91.1-0100	4	0.6	00.0-01.4	2	8.0	00.0-02.0	2	2.4	00.0-06.7	2	0.2	00.0-00.4	1	0.5	00.0-01.5
45-54	213	184,640	178	84.9	76.5-93.3	28	12.7	04.7-20.7	3	0.3	00.0-00.7	1	0.1	00.0-00.3	1	0.2	00.0-00.6	2	1.9	00.0-04.8
55-64	73	38,432	24	29.8	14.9-44.7	41	51.1	33.3-68.9	1	0.6	00.0-01.8	1	2.3	00.0-06.8	5	8.7	00.5-16.9	1	7.6	00.0-21.7
Less Than H.S.	85	155,921	51	70.6	54.9-86.3	23	9.1	04.0-14.2	3	2.1	00.0-05.2	3	9.6	00.0-24.1	3	3.5	00.0-08.4	2	5.1	00.0-12.4
H.S. or G.E.D.	284	391,579	222	80.4	71.8-89.0	39	7.3	03.0-11.6	1	0.1	00.0-00.3	12	6.7	00.8-12.6	7	4.2	00.0-10.1	3	1.4	00.0-03.2
Some Post-H.S.	255	290,137	216	89.0	81.7-96.3	30	4.3	02.1-06.5	1	0.0	0.0-00.0	4	6.4	00.0-13.5	3	0.2	00.0-00.6	1	0.1	00.0-00.3
College Graduate	291	257,849	267	94.8	91.1-98.5	17	3.5	00.2-06.8	2	0.2	00.0-00.6	3	0.5	00.0-01.3	1	0.2	00.0-00.6	1	0.7	00.0-02.1
Less than \$15,000	107	107,562	77	84.0	75.0-93.0	22	11.1	03.7-18.5	2	0.6	00.0-01.8	3	3.0	00.0-06.9	3	1.2	00.0-02.8			
\$15,000- 24,999	158	194,645	127	83.2	69.9-96.5	25	5.2	02.3-08.1				3	11.2	00.0-24.5	2	0.2	00.0-00.6	1	0.1	00.0-00.3
\$25,000- 34,999	61	71,851	46	59.5	34.4-84.6	6	4.2	00.0-08.5	2	3.5	00.0-09.8	3	14.8	00.0-34.6	3	17.1	00.0-44.0	1	0.9	00.0-02.7
\$35,000- 49,999	105	129,117	90	84.9	73.1-96.7	11	11.9	00.3-23.5				2	1.7	00.0-04.1	2	1.5	00.0-03.7			
\$50,000- 74,999	135	146,050	120	90.9	84.2-97.6	13	7.1	01.4-12.8				1	0.1	00.0-00.3				1	1.9	00.0-05.6
\$75,000+	212	247,529	198	96.1	93.4-98.8	11	2.6	00.4-04.8	1	0.2	00.0-00.6	1	0.4	00.0-01.2				1	0.7	00.0-02.1

NOTE:

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

#### TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Pare	nt		Grandpa	arent		Siblir	ng	(	Other re	lative		Not rela	ated
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	261	472,447	215	79.9	71.7-88.1	29	7.3	03.4-11.2	9	6.3	00.8-11.8	4	3.9	00.0-09.0	4	2.7	00.0-05.4
White/Non-Hisp	214	357,542	181	83.2	74.6-91.8	20	6.7	02.2-11.2	7	3.6	00.5-06.7	3	4.4	00.0-11.1	3	2.1	00.0-04.5
35-44	84	155,669	82	98.3	95.8-0100	1	0.5	00.0-01.5							1	1.2	00.0-03.6
45-54	77	110,336	69	86.2	73.3-99.1	6	10.9	00.0-23.1				1	0.4	00.0-01.2	1	2.5	00.0-07.4
H.S. or G.E.D.	79	173,114	62	73.0	56.5-89.5	11	11.8	02.6-21.0	3	5.4	00.0-13.8	2	8.1	00.0-21.0	1	1.6	00.0-04.7
Some Post-H.S.	67	129,176	59	84.1	69.2-99.0	5	2.9	00.0-05.8	3	13.0	00.0-27.9						
College Graduate	94	126,502	82	91.7	84.4-99.0	9	5.8	00.0-12.3	1	0.7	00.0-02.1	1	0.3	00.0-00.9	1	1.4	00.0-04.1
\$75,000+	85	135,061	76	93.7	88.6-98.8	7	4.2	00.3-08.1	1	0.7	00.0-02.1				1	1.4	00.0-04.1

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using CHILDWT as the weighting variable

Data was weighted using LLCPWT.

#### Foster parent RESPONDENT NUMBER DEMOGRAPHIC Parent guardian Sibling Other relative Not related Grandparent **GROUPS** TOTAL WEIGHTED Ν % C.I. (95%) C.I. (95%) % C.I. (95%) % C.I. (95%) % C.I. (95%) Ν % C.I. (95%) Ν % Ν Female 655 623,147 541 88.3 83.4-93.2 81 4.8 03.4-06.2 7 0.7 00.0-01.5 13 5.0 00.3-09.7 10 0.7 00.1-01.3 3 0.5 00.0-01.3 White/Non-Hisp 492 461,708 418 88.7 83.0-94.4 53 5.0 03.2-06.8 3 0.7 00.0-01.7 9 4.5 00.0-09.8 6 0.6 00.0-01.2 0.7 00.0-01.7 Black or Afr. Am./Non-Hisp 131 124,791 94 84.3 71.0-97.6 26 4 8.0 00.0-01.8 3 8.3 00.0-21.4 4 00.0-03.2 5.1 02.2-08.0 1.4 25-34 169 198.410 166 98.9 97.5-0100 2 1.0 00.0-02.4 1 0.2 00.0-00.6 35-44 00.0-00.7 243 236.028 234 93.8 86.5-0100 3 0.7 00.0-01.7 1.2 00.0-03.2 2 4.1 00.0-11.0 0.3 45-54 00.0-02.0 136 74,304 109 83.0 74.8-91.2 22 15.2 07.2-23.2 00.0-00.3 0.9 00.0-02.7 Less Than H.S. 64 112,266 39 74.5 55.3-93.7 19 10.2 03.5-16.9 3 3.0 00.0-07.3 10.9 00.0-30.5 2 1.4 00.0-03.6 H.S. or G.E.D. 205 218,465 160 77.9-94.7 01.9-05.5 0.1 00.0-00.3 9 7.7 00.0-15.7 5 00.0-02.2 00.0-03.3 86.3 28 3.7 1 1.0 2 1.3 Some Post-H.S. 188 160,962 157 92.9 89.2-96.6 25 5.4 02.5-08.3 1 0.0 00.0-00.0 1.1 00.0-03.3 3 0.4 00.0-01.0 0.2 00.0-00.6 College Graduate 197 131,347 185 97.9 96.3-99.5 8 1.3 00.1-02.5 2 0.4 00.0-01.0 2 0.4 00.0-01.0 00.0-07.6 Less than \$15,000 94 98,293 66 85.1 76.3-93.9 20 02.7-16.5 0.7 00.0-01.9 3.3 3 1.3 00.0-03.1 \$15.000-24.999 123 127,054 97 77.9 58.7-97.1 21 4.7 01.8-07.6 17.1 00.0-36.7 1 00.0-00.3 0.2 00.0-00.6 \$35,000-49,999 72 68,815 62 91.6 85.1-98.1 7 00.4-07.0 1.8 00.0-05.3 2.8 00.0-06.7 \$50,000-74,999 90 71,526 00.0-07.1 0.1 00.0-00.3 84 96.4 92.7-0100 5 3.4 \$75,000+ 127 00.0-01.8 0.4 00.0-01.2 112,468 122 98.9 97.7-0100 0.8

NOTE:

vien a nair widen of greater than 10 have been suppressed.

206 of 224

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### MODULE 33: CHILDHOOD ASTHMA PREVALENCE CONTENTS

	MODULE 33. CHIEDHOOD ASTHUM TREVALENCE CONTENTS	
* NOTE	**************************************	* * * * *
WHE	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULA	ATION
IS E	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDE	ENTS
	TO THE STATES SURVEY.	
* * * *	***************************************	****
TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	218
2	MALES ONLY	219
3	FEMALES ONLY	220
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	221
5	MALES ONLY	222
6	FEMALES ONLY	223

#### TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using LLCPWT.

		as weighte	a usin	_	CPWI.			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	<b>;</b>		No	1
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	912	1,094,793	108	13.0	08.7-17.3	804	87.0	82.7-91.3
Male	261	472,856	25	12.6	05.7-19.5	236	87.4	80.5-94.3
Female	651	621,938	83	13.4	07.9-18.9	568	86.6	81.1-92.1
White/Non-Hisp	705	818,982	69	11.7	06.8-16.6	636	88.3	83.4-93.2
Black or Afr. Am./Non-Hisp	157	186,770	29	16.9	06.3-27.5	128	83.1	72.5-93.7
25-34	215	326,467	26	14.4	05.4-23.4	189	85.6	76.6-94.6
35-44	324	389,352	39	12.5	06.6-18.4	285	87.5	81.6-93.4
45-54	214	185,811	27	15.7	06.3-25.1	187	84.3	74.9-93.7
55-64	73	37,990	7	4.5	00.0-09.2	66	95.5	90.8-0100
Less Than H.S.	84	156,598	12	20.6	06.3-34.9	72	79.4	65.1-93.7
H.S. or G.E.D.	281	391,270	42	13.1	06.0-20.2	239	86.9	79.8-94.0
Some Post-H.S.	255	290,137	25	11.3	02.7-19.9	230	88.7	80.1-97.3
College Graduate	291	256,680	28	10.1	03.6-16.6	263	89.9	83.4-96.4
Less than \$15,000	106	106,653	20	25.2	05.2-45.2	86	74.8	54.8-94.8
\$15,000- 24,999	157	194,759	20	12.2	03.6-20.8	137	87.8	79.2-96.4
\$25,000- 34,999	61	71,851	7	4.6	00.3-08.9	54	95.4	91.1-99.7
\$35,000- 49,999	104	128,355	14	10.8	00.4-21.2	90	89.2	78.8-99.6
\$50,000- 74,999	136	148,470	13	8.6	02.1-15.1	123	91.4	84.9-97.9
\$75,000+	211	246,194	13	11.0	02.8-19.2	198	89.0	80.8-97.2

#### TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using LLCPWT.

	Data W	ab wergiice	a abii	.9	CIVII.			
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	6		No	•
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	261	472,856	25	12.6	05.5-19.7	236	87.4	80.3-94.5
White/Non-Hisp	214	357,950	17	11.1	03.1-19.1	197	88.9	80.9-96.9
35-44	84	155,669	7	11.2	00.4-22.0	77	88.8	78.0-99.6
45-54	78	111,507	9	18.4	03.5-33.3	69	81.6	66.7-96.5
H.S. or G.E.D.	78	172,352	14	19.5	04.6-34.4	64	80.5	65.6-95.4
Some Post-H.S.	67	129,176	2	5.7	00.0-16.1	65	94.3	83.9-0100
College Graduate	94	126,502	7	8.5	00.7-16.3	87	91.5	83.7-99.3
\$75,000+	85	135,061	5	10.4	00.0-21.8	80	89.6	78.2-0100

#### TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	5		No	1
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	651	621,938	83	13.4	07.9-18.9	568	86.6	81.1-92.1
White/Non-Hisp	491	461,032	52	12.2	05.7-18.7	439	87.8	81.3-94.3
Black or Afr. Am./Non-Hisp	128	124,258	24	12.1	03.3-20.9	104	87.9	79.1-96.7
25-34	170	200,831	22	15.0	04.6-25.4	148	85.0	74.6-95.4
35-44	240	233,682	32	13.3	06.2-20.4	208	86.7	79.6-93.8
45-54	136	74,304	18	11.5	04.2-18.8	118	88.5	81.2-95.8
Less Than H.S.	62	111,772	10	22.1	04.5-39.7	52	77.9	60.3-95.5
H.S. or G.E.D.	203	218,919	28	8.1	03.2-13.0	175	91.9	87.0-96.8
Some Post-H.S.	188	160,962	23	15.9	02.8-29.0	165	84.1	71.0-97.2
College Graduate	197	130,178	21	11.6	01.4-21.8	176	88.4	78.2-98.6
Less than \$15,000	93	97,383	19	27.4	05.6-49.2	74	72.6	50.8-94.4
\$15,000- 24,999	121	125,997	17	10.4	02.2-18.6	104	89.6	81.4-97.8
\$35,000- 49,999	72	68,815	10	7.8	01.5-14.1	62	92.2	85.9-98.5
\$50,000- 74,999	91	73,946	8	6.8	00.3-13.3	83	93.2	86.7-99.7
\$75,000+	126	111,134	8	11.7	00.0-23.5	118	88.3	76.5-0100

#### TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents with children, but they do not have asthma
Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	5	No						
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)				
TOTAL	105	140,340	68	76.1	59.8-92.4	37	23.9	07.6-40.2				
Female	81	81,867	52	80.4	68.8-92.0	29	19.6	08.0-31.2				
White/Non-Hisp	66	93.805	42	71.1	48.8-93.4	24	28.9	06.6-51.2				

#### TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable

Data was weighted using LLCPWT.

DEMOGR	APHIC	RESPOND	ENT NUMBER		Yes	3	No					
GROU	PS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)			
Fema	ile	81	81,867	52	80.4	69.4-91.4	29	19.6	08.6-30.6			
White/No	n-Hisp	50	54.848	32	79.3	63.4-95.2	18	20.7	04.8-36.6			

#### MODULE 34: CHILDHOOD IMMUNIZATION CONTENTS

* NOTE	3 * * * * * * * * * * * * * * * * * * *	: * * * *
WHI	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	NOL
IS I	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN	<b>ITS</b>
	TO THE STATES SURVEY.	
* * * *	***************************************	* * *
TABLE		PAGE
	THERE ARE TWO TYPES OF SEASONAL FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A SEASONAL FLU VACCINATION? (FLUSHCH2)	
1	MALES AND FEMALES	225
2	MALES ONLY	226
3	FEMALES ONLY	227
	THE FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE [FILL: HIS/HER] MOST RECENT SEASONAL FLU VACCINATION? (RCVFVCH4)	
4	MALES AND FEMALES	228
5	MALES ONLY	229
6	FEMALES ONLY	230
	AT WHAT KIND OF PLACE DID [HE/SHE] GET [HIS/HER] LAST SEASONAL FLU VACCINE? (CHIMRCVE)	
7	MALES AND FEMALES	231
8	MALES ONLY	232
9	FEMALES ONLY	233

### TABLE 1: THERE ARE TWO TYPES OF SEASONAL FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A SEASONAL FLU VACCINATION? (FLUSHCH2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Yes No **GROUPS** WEIGHTED **TOTAL** Ν % C.I. (95%) Ν % C.I. (95%) 46.8 TOTAL 860 998.347 389 40.9-52.7 471 53.2 47.3-59.1 Male 43.0-62.2 236 419,329 111 47.4 37.8-57.0 125 52.6 Female 624 579,018 278 46.3 38.9-53.7 346 53.7 46.3-61.1 White/Non-Hisp 743,805 48.2 41.7-54.7 45.3-58.3 665 307 358 51.8 179,583 34.2 20.5-47.9 Black or Afr. Am./Non-Hisp 150 58 92 65.8 52.1-79.5 38.7-61.9 25-34 199 294,955 102 50.3 97 49.7 38.1-61.3 35-44 317 379,619 43.1 34.5-51.7 48.3-65.5 139 178 56.9 45-54 206 174.128 75 36.2 25.8-46.6 131 63.8 53.4-74.2 55-64 64 29.841 55.6 37.4-73.8 26.2-62.6 127,592 Less Than H.S. 74 31 49.4 31.6-67.2 43 50.6 32.8-68.4 H.S. or G.E.D. 268 371,986 43.4 33.0-53.8 126 142 56.6 46.2-67.0 Some Post-H.S. 242 259.566 48.3 36.7-59.9 40.1-63.3 105 137 51.7 College Graduate 275 239,096 48.9 39.5-58.3 41.7-60.5 126 149 51.1 Less than \$15,000 101,082 42.6 21.4-63.8 36.2-78.6

178.481

68.637

119,434

138,715

226.825

63

29

46

45

98

41.8

48.9

45.8

37.1

48.1

153

57

99

131

198

\$15.000-24.999

\$25,000-34,999

\$35,000-49,999

\$50,000-74,999

\$75,000+

26.9-56.7

25.6-72.2

28.6-63.0

24.2-50.0

38.1-58.1

90

28

53

86

100

58.2

51.1

54.2

62.9

51.9

43.3-73.1

27.8-74.4

37.0-71.4

50.0-75.8

41.9-61.9

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 34: CHILDHOOD IMMUNIZATION**

TABLE 2: THERE ARE TWO TYPES OF SEASONAL FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A SEASONAL FLU VACCINATION? (FLUSHCH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Yes No **GROUPS** WEIGHTED Ν C.I. (95%) TOTAL % C.I. (95%) Ν % 42.6-62.6 Male 236 419.329 111 47.4 37.4-57.4 125 52.6 White/Non-Hisp 196 324,096 47.6 36.8-58.4 52.4 41.6-63.2 103 35-44 152,187 40.6 26.3-54.9 59.4 45.1-73.7 45-54 71 24.1-57.1 42.9-75.9 99,991 32 40.6 39 59.4 H.S. or G.E.D. 28.0-64.0 36.0-72.0 74 157.730 36 46.0 38 54.0 Some Post-H.S. 63 117,534 26 44.7 24.1-65.3 37 55.3 34.7-75.9 College Graduate 83 113,106 42 48.9 35.6-62.2 37.8-64.4 41 51.1

53.5

40.6-66.4

118.484

76

\$75,000+

216 of 224 July 26, 2012

33.6-59.4

46.5

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 34: CHILDHOOD IMMUNIZATION**

TABLE 3: THERE ARE TWO TYPES OF SEASONAL FLU VACCINATIONS. ONE IS A SHOT AND THE OTHER IS A SPRAY IN THE NOSE. DURING THE PAST 12 MONTHS, HAS [FILL: HE/SHE] HAD A SEASONAL FLU VACCINATION? (FLUSHCH2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER Yes No **GROUPS** WEIGHTED TOTAL Ν % C.I. (95%) Ν % C.I. (95%) Female 624 579.018 278 46.3 38.9-53.7 346 53.7 46.3-61.1 White/Non-Hisp 419,709 40.7-56.7 43.3-59.3 469 214 48.7 255 51.3 Black or Afr. Am./Non-Hisp 124 123,037 49 36.2 19.3-53.1 75 63.8 46.9-80.7 25-34 51.2 38.9-63.5 36.5-61.1 160 191,110 82 78 48.8 35-44 236 227,432 44.8 34.0-55.6 44.4-66.0 109 127 55.2 45-54 135 74,137 43 30.4 20.2-40.6 92 69.6 59.4-79.8 Less Than H.S. 58 96,633 46.3 25.5-67.1 32.9-74.5 34 53.7 H.S. or G.E.D. 194 214.256 90 41.4 28.9-53.9 104 58.6 46.1-71.1 Some Post-H.S. 179 142.032 51.2 37.5-64.9 100 35.1-62.5 College Graduate 125,989 35.9-62.1 37.9-64.1 192 49.0 108 51.0 94,244 19.0-64.4 35.6-81.0 Less than \$15,000 88 39 41.7 49 58.3 \$15,000-24,999 120 115.335 47 38.3 19.9-56.7 61.7 43.3-80.1 73 \$35,000-49,999 69 64,885 56.4 36.6-76.2 43.6 23.8-63.4 35 34 \$50,000-74,999 48.2-77.2 88 69,300 28 37.3 22.8-51.8 60 62.7 \$75.000+ 122 108.341 42.3 29.2-55.4 57.7 44.6-70.8

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

TABLE 4: THE FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE [FILL: HIS/HER] MOST RECENT SEASONAL FLU VACCINATION? (RCVFVCH4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT. 072009-122009 **DEMOGRAPHIC** RESPONDENT NUMBER 012009-062009 072010-122010 072011-122011 **GROUPS** WEIGHTED Ν Ν C.I. (95%) Ν Ν TOTAL C.I. (95%) % C.I. (95%) % C.I. (95%) TOTAL 347.042 04.8-12.2 310 35 8.5 256 86.4 81.5-91.3 18 5.0 01.5-08.5 1 0.1 00.0-00.3 Male 76 128,212 02.4-16.6 71.1-93.1 6 00.0-17.1 11 9.5 59 82.1 8.5 Female 234 218,831 24 03.7-12.3 197 88.9 84.2-93.6 12 2.9 00.7-05.1 0.1 00.0-00.3 White/Non-Hisp 246 269.350 26 9.2 04.7-13.7 204 79.2-91.4 15 5.4 01.1-09.7 1 0.1 00.0-00.3 85.3 119.285 76.5-94.1 25-34 84 9 8.7 01.8-15.6 69 85.3 6 6.0 01.1-10.9 35-44 111 114,315 12 7.1 02.2-12.0 97 92.5 87.6-97.4 2 0.3 00.0-00.9 45-54 43,978 00.0-20.4 44 49.7-90.1 6 00.0-39.4 0.7 00.0-02.1 60 9 10.2 69.9 19.2 H.S. or G.E.D. 101 122.634 18 03.5-15.3 74.1-94.1 6 6.5 00.0-14.9 9.4 77 84.1 Some Post-H.S. 83 87.442 00.2-17.0 72 80.0-98.0 00.0-05.1 7 8.6 89.0 4 2.4 College Graduate 7 106 93,139 9 01.8-16.4 89 74.9-92.9 83.9 6.7 01.2-12.2 1 0.3 00.0-00.9 \$75,000+ 79 83,015 6 6.7 01.0-12.4 68 84.9 72.4-97.4 8.1 00.0-19.9 1 0.4 00.0-01.2

218 of 224

July 26, 2012

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

### TABLE 5: THE FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE [FILL: HIS/HER] MOST RECENT SEASONAL FLU VACCINATION? (RCVFVCH4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDEN	IT NUMBER		012009-06	2009		072009-12	2009	072010-122010					
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	76	128,212	11	9.5	02.8-16.2	59	82.1	71.7-92.5	6	8.5	00.3-16.7			
White/Non-Hisp	66	101,447	10	11.4	03.0-19.8	51	79.3	66.6-92.0	5	9.3	00.0-19.3			

### TABLE 6: THE FLU VACCINATION MAY HAVE BEEN EITHER THE FLU SHOT OR THE FLU SPRAY. THE FLU SPRAY IS THE FLU VACCINATION THAT IS SPRAYED IN THE NOSE. DURING WHAT MONTH AND YEAR DID [FILL: HE/SHE] RECEIVE [FILL: HIS/HER] MOST RECENT SEASONAL FLU VACCINATION? (RCVFVCH4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

	Data was weighted using _LLCPWT.														
DEMOGRAPHIC	RESPONDE	NT NUMBER		012009-06	62009		072009-12	22009		072010-12	22010	072011-122011			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	234	218,831	24	8.0	03.9-12.1	197	88.9	84.2-93.6	12	2.9	00.7-05.1	1	0.1	00.0-00.3	
White/Non-Hisp	180	167,903	16	8.0	02.9-13.1	153	88.9	83.0-94.8	10	3.0	00.3-05.7	1	0.2	00.0-00.6	
25-34	71	86,835	6	8.3	00.3-16.3	61	87.0	77.6-96.4	4	4.7	00.0-09.6				
35-44	90	74,825	9	7.6	01.7-13.5	79	91.9	86.0-97.8	2	0.5	00.0-01.3				
H.S. or G.E.D.	78	78,384	11	7.5	01.4-13.6	62	88.8	80.8-96.8	5	3.7	00.0-09.0				
Some Post-H.S.	66	54,403	4	3.4	00.0-07.7	60	95.1	90.0-0100	2	1.5	00.0-04.0				
College Graduate	75	56,425	8	13.6	02.2-25.0	62	82.7	71.1-94.3	4	3.2	01.6-04.8	1	0.5	00.0-01.5	
\$75,000+	52	41,234	5	11.5	01.1-21.9	44	87.2	76.6-97.8	2	0.5	00.0-01.3	1	0.7	00.0-02.1	

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 34: CHILDHOOD IMMUNIZATION**

#### TABLE 7: AT WHAT KIND OF PLACE DID [HE/SHE] GET [HIS/HER] LAST SEASONAL FLU VACCINE? (CHIMRCVE) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Ctr	MO, Health , e of clinic		Senior, recreation, or community ctr, workplace		Store, Some other kind of place			Hospital, ER			Canada, Mexico			School			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	382	443,373	318	84.3	78.6-90.0	9	4.3	00.0-08.6	21	4.9	01.4-08.4	6	1.4	00.2-02.6	4	0.5	00.0-01.3	24	4.6	02.2-07.0	
Male	106	176,649	90	82.9	71.1-94.7	3	8.0	00.0-18.4	6	4.5	00.0-10.2	1	0.5	00.0-01.5	1	0.2	00.0-00.6	5	4.0	00.0-08.1	
Female	276	266,725	228	85.2	79.7-90.7	6	1.8	00.0-03.6	15	5.2	00.7-09.7	5	2.0	00.0-04.0	3	0.7	00.0-01.9	19	5.1	02.0-08.2	
White/Non-Hisp	301	344,840	249	84.4	77.9-90.9	8	3.5	00.0-07.6	18	6.1	01.6-10.6	4	1.3	00.0-02.9	3	0.5	00.0-01.3	19	4.2	01.7-06.7	
Black or Afr. Am./Non-Hisp	58	61,380	49	79.0	58.0-0100	1	11.3	00.0-31.7	2	0.3	00.0-00.9	2	2.8	01.0-04.6	1	0.5	00.0-01.5	3	6.1	00.0-15.3	
25-34	102	148,281	95	93.5	86.1-0100	1	0.6	00.0-01.8	5	5.0	00.0-12.4	1	0.9	00.7-01.1							
35-44	137	158,744	109	74.8	62.6-87.0	6	10.7	00.0-22.1	6	2.4	00.2-04.6	2	1.5	00.0-03.7	1	1.0	00.0-03.0	13	9.6	03.3-15.9	
45-54	72	54,340	57	77.1	60.0-94.2	1	1.4	00.0-04.1	5	11.9	00.0-28.6	1	3.9	00.0-11.3	2	0.7	00.0-01.9	6	5.1	00.6-09.6	
H.S. or G.E.D.	121	149,039	100	86.5	77.9-95.1	1	0.5	00.0-01.5	9	6.4	00.0-13.3				3	1.3	00.0-03.3	8	5.3	00.2-10.4	
Some Post-H.S.	103	114,158	85	81.0	67.9-94.1	4	7.8	00.0-19.4	4	2.8	00.0-05.9	3	2.1	00.0-05.0				7	6.3	00.2-12.4	
College Graduate	126	116,987	108	90.8	86.1-95.5	3	1.9	00.0-05.0	4	1.2	00.0-02.6	1	1.1	00.9-01.3	1	0.2	00.0-00.6	9	4.8	01.5-08.1	
\$15,000- 24,999	63	74,657	54	93.2	87.7-98.7	1	1.2	00.0-03.6	5	3.8	00.0-07.9				1	0.4	00.0-01.2	2	1.4	00.0-03.6	
\$75,000+	97	107,603	78	77.7	63.4-92.0	3	6.8	00.0-18.8	6	7.8	00.0-17.2	1	8.0	00.0-02.4	2	1.7	00.0-04.4	7	5.4	00.9-09.9	

NOTE:

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

#### **MODULE 34: CHILDHOOD IMMUNIZATION**

#### TABLE 8: AT WHAT KIND OF PLACE DID [HE/SHE] GET [HIS/HER] LAST SEASONAL FLU VACCINE? (CHIMRCVE) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

			Drs of	ffice, HI	MO, Health																
DEMOGRAPHIC	RESPONDE	NT NUMBER	Anot	Ctr her typ	·, e of clinic	Senior, recreation, or communtiy ctr, workplace			Store, Some other kind of place			Hospital, ER			Canada, Mexico				School		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	106	176,649	90	82.9	73.5-92.3	3	8.0	00.4-15.6	6	4.5	00.0-10.4	1	0.5	00.0-01.5	1	0.2	00.0-00.6	5	4.0	00.1-07.9	
White/Non-Hisp	89	141,610	78	87.2	76.0-98.4	2	5.1	00.0-14.7	5	5.1	00.0-12.4	1	0.6	00.0-01.8	1	0.2	00.0-00.6	2	1.8	00.0-04.5	

#### **MODULE 34: CHILDHOOD IMMUNIZATION**

#### TABLE 9: AT WHAT KIND OF PLACE DID [HE/SHE] GET [HIS/HER] LAST SEASONAL FLU VACCINE? (CHIMRCVE) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

						200	· · · ·	0												
DEMOGRAPHIC	RESPONDE	NT NUMBER		Ctr	MO, Health r, e of clinic	Senior, recreation, or communtiy ctr, workplace			Store, Some other kind of place			ŀ	ıl, ER	Canada, Mexico			School			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	276	266,725	228	85.2	79.9-90.5	6	1.8	00.0-03.6	15	5.2	00.7-09.7	5	2.0	00.0-04.0	3	0.7	00.0-01.9	19	5.1	02.0-08.2
White/Non-Hisp	212	203,230	171	82.4	75.1-89.7	6	2.3	00.0-04.7	13	6.7	00.8-12.6	3	1.8	00.0-04.3	2	0.8	00.0-02.2	17	5.9	02.0-09.8
25-34	82	97,871	75	90.2	79.2-0100	1	0.9	00.0-02.7	5	7.6	00.0-18.6	1	1.3	00.9-01.7						
35-44	108	100,793	87	80.6	71.0-90.2	3	2.8	00.0-06.9	5	3.2	00.0-06.5	1	1.5	00.0-04.4	1	1.5	00.0-04.4	11	10.4	02.8-18.0
H.S. or G.E.D.	88	87,501	71	84.7	74.7-94.7	1	0.9	00.0-02.7	5	3.2	00.1-06.3				3	2.2	00.0-05.7	8	9.0	00.6-17.4
Some Post-H.S.	79	72,700	66	88.2	80.0-96.4	3	2.8	00.0-06.3	4	4.5	00.0-09.4	2	2.2	00.0-06.1				4	2.4	00.0-05.3
College Graduate	84	61,675	71	86.5	78.7-94.3	2	3.2	00.0-09.1	3	1.9	00.0-04.3	1	2.1	01.5-02.7				7	6.3	01.4-11.2
\$75,000+	58	45,783	44	80.3	68.1-92.5	2	0.8	00.0-02.0	5	7.2	00.0-14.6				1	3.3	00.0-09.8	6	8.4	01.3-15.5

NOTE:

223 of 224

<sup>&#</sup>x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

End of Module Data Report