

Tennessee Vital Statistics Summary Resident Data 2008



TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF HEALTH STATISTICS
MAY 2010

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2008: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,144,738	85,480	3,478	58,555	14,636	13,108	3,220	686	420	14,647
ANDERSON	73,804	871	25	860	184	220	39	2	1	97
BEDFORD	44,925	653	29	422	123	94	33	4	2	70
BENTON	16,504	181	14	250	89	54	13	-	-	21
BLED SOE	13,212	121	6	114	39	18	11	-	-	10
BLOUNT	120,826	1,388	55	1,211	214	281	70	10	7	153
BRADLEY	95,349	1,188	52	878	248	177	47	9	6	97
CAMPBELL	41,187	455	22	488	125	118	35	2	1	33
CANNON	13,731	169	3	137	33	32	9	-	-	6
CARROLL	29,351	386	16	459	162	91	27	3	2	36
CARTER	59,398	619	23	617	163	141	19	5	2	38
CHEATHAM	40,049	519	16	306	72	70	32	1	1	65
CHESTER	16,329	181	7	147	49	24	11	1	-	21
CLAIBORNE	31,745	359	16	399	107	104	28	6	4	31
CLAY	8,107	104	5	91	24	16	4	-	-	2
COCKE	35,745	429	28	402	125	91	28	2	2	51
COFFEE	52,625	754	43	586	122	149	25	5	2	71
CROCKETT	14,636	184	9	192	87	33	9	4	2	15
CUMBERLAND	53,529	577	34	640	176	143	42	5	-	39
DAVIDSON	586,636	10,100	331	5,071	1,277	1,116	285	68	40	2,589
DECATUR	11,454	125	4	149	46	23	3	-	-	10
DEKALB	18,704	268	10	212	47	33	21	4	3	13
DICKSON	47,604	697	29	460	123	107	40	4	1	88
DYER	38,246	534	35	402	117	78	10	8	8	46
FAYETTE	37,068	515	20	330	96	72	22	2	1	87
FENTRESS	17,698	206	7	233	55	59	17	-	-	13
FRANKLIN	41,894	444	19	433	116	100	23	4	2	42
GIBSON	48,651	615	24	676	169	135	40	4	1	65
GILES	29,518	330	11	356	92	72	22	2	1	36
GRAINGER	22,902	264	9	247	47	63	15	1	1	19
GREENE	66,650	713	42	832	242	200	33	3	2	50
GRUNDY	14,629	164	3	203	49	33	12	3	1	8
HAMBLEN	61,868	886	45	711	156	178	23	8	3	104
HAMILTON	314,710	4,317	147	3,239	843	704	138	42	21	343
HANCOCK	6,762	77	5	87	23	17	3	-	-	3
HARDEMAN	28,790	333	20	277	89	56	17	2	1	55
HARDIN	26,378	292	16	341	99	82	22	3	2	28
HAWKINS	57,785	629	27	607	154	141	41	4	4	35
HAYWOOD	19,510	222	12	213	67	49	8	4	1	52
HENDERSON	27,118	373	17	281	81	61	16	1	-	23
HENRY	32,084	366	15	444	143	96	22	2	1	43
HICKMAN	24,572	269	12	244	31	69	17	6	2	30
HOUSTON	8,150	97	7	101	26	17	8	-	-	7
HUMPHREYS	18,622	177	3	220	62	44	10	1	1	22
JACKSON	11,083	100	4	137	46	27	8	-	-	13
JEFFERSON	50,752	602	25	539	110	121	36	8	4	62
JOHNSON	18,291	172	9	192	38	39	7	-	-	4
KNOX	417,649	5,492	180	3,881	794	830	245	39	24	1,016

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2008: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	7,424	77	4	86	23	15	4	1	1	7
LAUDERDALE	27,287	367	22	285	81	61	16	3	2	39
LAWRENCE	41,524	575	23	449	103	94	24	3	2	35
LEWIS	11,807	168	5	130	38	30	8	1	1	5
LINCOLN	33,202	429	14	382	116	72	29	4	2	52
LOUDON	45,460	540	21	523	118	105	28	2	2	58
MCMINN	52,913	636	27	614	128	120	34	2	1	59
MCNAIRY	25,917	321	15	336	103	72	25	2	2	19
MACON	22,221	289	26	283	79	56	26	2	1	11
MADISON	97,502	1,398	79	888	219	187	33	17	10	251
MARION	28,112	328	19	337	62	82	22	4	3	26
MARSHALL	29,554	405	25	298	81	67	18	4	3	48
MAURY	80,198	1,199	44	718	153	162	41	8	2	177
MEIGS	11,949	154	4	132	28	30	9	1	1	12
MONROE	45,273	540	29	472	123	115	30	3	3	43
MONTGOMERY	151,041	2,836	59	984	241	208	51	23	15	471
MOORE	6,156	47	-	62	14	16	4	-	-	9
MORGAN	20,382	220	3	185	37	52	10	-	-	14
OBION	32,369	390	16	431	118	103	26	4	1	33
OVERTON	20,955	247	8	255	71	56	11	1	-	12
PERRY	7,713	104	-	83	25	22	7	-	-	8
PICKETT	4,921	45	3	71	22	17	3	1	-	2
POLK	16,019	199	16	167	38	32	7	2	-	8
PUTNAM	69,660	905	26	666	186	161	41	6	3	98
RHEA	30,804	388	25	367	92	90	19	2	1	31
ROANE	53,738	553	25	627	141	147	37	7	1	57
ROBERTSON	64,255	1,064	41	605	172	141	42	7	2	89
RUTHERFORD	238,085	4,075	120	1,402	332	324	91	24	17	621
SCOTT	22,384	283	10	229	69	53	20	1	1	14
SEQUATCHIE	13,342	170	12	140	24	45	11	2	1	12
SEVIER	83,912	1,138	53	764	200	193	34	8	5	145
SHELBY	923,753	15,046	854	7,498	1,847	1,681	372	185	129	5,194
SMITH	19,212	253	9	234	41	51	17	2	-	16
STEWART	13,408	136	5	140	41	39	6	1	-	15
SULLIVAN	153,552	1,686	68	1,755	408	404	77	11	5	101
SUMNER	153,708	2,158	70	1,283	319	296	65	20	16	299
TIPTON	59,219	820	36	520	134	121	36	8	5	114
TROUSDALE	7,964	95	3	91	25	12	8	-	-	17
UNICOI	17,753	180	3	232	58	59	11	-	-	9
UNION	19,695	248	8	163	38	35	11	-	-	11
VAN BUREN	5,469	66	1	53	9	12	3	-	-	-
WARREN	40,747	523	23	463	131	106	22	4	4	30
WASHINGTON	116,005	1,372	38	1,193	331	253	49	11	9	143
WAYNE	17,037	161	4	177	57	39	11	1	1	7
WEAKLEY	33,552	359	11	373	79	92	17	-	-	43
WHITE	24,815	330	15	302	76	78	15	3	2	22
WILLIAMSON	168,477	2,049	24	959	214	224	50	4	3	232
WILSON	107,463	1,389	41	831	211	200	43	9	6	166

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2008: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.9	68.2	10.9	9.2	9.5	8.0	4.9	171.4	13.6
ANDERSON	11.8	61.8	6.6	9.1	11.7	2.3	1.1	111.4	8.7
BEDFORD	14.5	70.3	11.5	9.0	9.4	6.1	3.1	107.2	11.9
BENTON	11.0	61.0	17.2	5.5	15.1	-	-	116.0	17.2
BLED SOE	9.2	53.5	9.7	4.1	8.6	-	-	82.6	13.0
BLOUNT	11.5	56.9	9.0	8.4	10.0	7.2	5.0	110.2	11.2
BRADLEY	12.5	59.5	11.3	7.6	9.2	7.6	5.1	81.6	12.4
CAMPBELL	11.0	56.5	10.6	11.0	11.8	4.4	2.2	72.5	11.6
CANNON	12.3	60.0	4.0	11.8	10.0	-	-	35.5	5.4
CARROLL	13.2	68.4	10.5	11.4	15.6	7.8	5.2	93.3	13.1
CARTER	10.4	50.7	8.6	11.3	10.4	8.1	3.2	61.4	9.7
CHEATHAM	13.0	62.2	6.9	8.3	7.6	1.9	1.9	125.2	9.5
CHESTER	11.1	51.3	8.6	6.1	9.0	5.5	-	116.0	12.2
CLAIBORNE	11.3	54.9	9.5	11.1	12.6	16.7	11.1	86.4	11.8
CLAY	12.8	66.5	12.4	7.7	11.2	-	-	19.2	12.4
COCKE	12.0	61.5	15.4	8.4	11.2	4.7	4.7	118.9	16.4
COFFEE	14.3	73.4	15.2	6.0	11.1	6.6	2.7	94.2	17.4
CROCKETT	12.6	64.9	11.1	6.0	13.1	21.7	10.9	81.5	11.1
CUMBERLAND	10.8	59.6	13.5	8.0	12.0	8.7	-	67.6	14.3
DAVIDSON	17.2	82.0	13.1	8.7	8.6	6.7	4.0	256.3	17.0
DECATUR	10.9	61.1	7.3	6.4	13.0	-	-	80.0	9.1
DEKALB	14.3	74.9	10.7	10.4	11.3	14.9	11.2	48.5	14.0
DICKSON	14.6	71.5	10.8	7.9	9.7	5.7	1.4	126.3	12.3
DYER	14.0	70.1	16.0	11.4	10.5	15.0	15.0	86.1	18.3
FAYETTE	13.9	65.4	10.0	8.2	8.9	3.9	1.9	168.9	12.6
FENTRESS	11.6	58.5	7.5	9.2	13.2	-	-	63.1	8.5
FRANKLIN	10.6	52.1	9.1	9.2	10.3	9.0	4.5	94.6	10.6
GIBSON	12.6	66.1	9.2	8.5	13.9	6.5	1.6	105.7	12.3
GILES	11.2	57.9	7.2	8.8	12.1	6.1	3.0	109.1	8.5
GRAINGER	11.5	57.4	7.9	8.0	10.8	3.8	3.8	72.0	8.8
GREENE	10.7	54.8	13.1	9.4	12.5	4.2	2.8	70.1	13.1
GRUNDY	11.2	58.3	3.8	9.8	13.9	18.3	6.1	48.8	3.8
HAMBLEN	14.3	76.5	15.1	10.4	11.5	9.0	3.4	117.4	16.5
HAMILTON	13.7	70.0	9.7	10.3	10.3	9.7	4.9	79.5	11.0
HANCOCK	11.4	59.9	14.4	7.8	12.9	-	-	39.0	14.4
HARDEMAN	11.6	66.3	13.5	9.6	9.6	6.0	3.0	165.2	15.5
HARDIN	11.1	60.0	12.3	7.5	12.9	10.3	6.8	95.9	13.8
HAWKINS	10.9	54.7	8.9	7.8	10.5	6.4	6.4	55.6	9.9
HAYWOOD	11.4	56.3	10.6	13.5	10.9	18.0	4.5	234.2	14.1
HENDERSON	13.8	68.0	11.7	10.2	10.4	2.7	-	61.7	12.4
HENRY	11.4	61.6	9.5	7.7	13.8	5.5	2.7	117.5	13.2
HICKMAN	10.9	59.3	9.4	10.4	9.9	22.3	7.4	111.5	14.1
HOUSTON	11.9	67.5	16.5	3.1	12.4	-	-	72.2	16.5
HUMPHREYS	9.5	49.7	3.1	7.3	11.8	5.6	5.6	124.3	4.1
JACKSON	9.0	48.1	7.6	5.0	12.4	-	-	130.0	7.6
JEFFERSON	11.9	56.0	10.2	8.5	10.6	13.3	6.6	103.0	11.4
JOHNSON	9.4	54.0	12.3	9.9	10.5	-	-	23.3	12.3
KNOX	13.1	62.7	9.2	8.9	9.3	7.1	4.4	185.0	12.3

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2008: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	10.4	76.2	14.5	10.4	11.6	13.0	13.0	90.9	14.5
LAUDERDALE	13.4	74.0	16.0	12.3	10.4	8.2	5.4	106.3	17.5
LAWRENCE	13.8	70.3	10.0	10.1	10.8	5.2	3.5	60.9	11.3
LEWIS	14.2	73.8	8.0	7.1	11.0	6.0	6.0	29.8	9.6
LINCOLN	12.9	68.0	8.2	10.5	11.5	9.3	4.7	121.2	9.4
LOUDON	11.9	65.7	9.7	8.7	11.5	3.7	3.7	107.4	10.7
MCMINN	12.0	60.8	9.9	8.0	11.6	3.1	1.6	92.8	11.3
MCNAIRY	12.4	67.5	11.0	7.2	13.0	6.2	6.2	59.2	11.7
MACON	13.0	63.0	20.3	6.2	12.7	6.9	3.5	38.1	20.3
MADISON	14.3	68.4	15.4	10.2	9.1	12.2	7.2	179.5	17.6
MARION	11.7	61.9	13.8	15.9	12.0	12.2	9.1	79.3	14.6
MARSHALL	13.7	67.4	15.2	7.7	10.1	9.9	7.4	118.5	15.8
MAURY	15.0	72.6	10.1	11.7	9.0	6.7	1.7	147.6	13.1
MEIGS	12.9	63.9	6.0	7.8	11.0	6.5	6.5	77.9	6.0
MONROE	11.9	58.8	11.9	8.5	10.4	5.6	5.6	79.6	13.6
MONTGOMERY	18.8	85.0	6.7	8.5	6.5	8.1	5.3	166.1	9.1
MOORE	7.6	40.1	-	14.9	10.1	-	-	191.5	-
MORGAN	10.8	61.3	3.0	5.9	9.1	-	-	63.6	4.0
OBION	12.0	66.6	9.7	7.2	13.3	10.3	2.6	84.6	11.5
OVERTON	11.8	61.7	7.9	9.7	12.2	4.0	-	48.6	8.9
PERRY	13.5	76.5	-	7.7	10.8	-	-	76.9	-
PICKETT	9.1	51.3	14.7	-	14.4	22.2	-	44.4	14.7
POLK	12.4	66.9	19.6	9.5	10.4	10.1	-	40.2	19.6
PUTNAM	13.0	63.1	7.8	5.6	9.6	6.6	3.3	108.3	9.6
RHEA	12.6	62.5	16.1	9.8	11.9	5.2	2.6	79.9	18.1
ROANE	10.3	56.0	9.4	9.8	11.7	12.7	1.8	103.1	10.9
ROBERTSON	16.6	79.8	11.5	8.4	9.4	6.6	1.9	83.6	15.1
RUTHERFORD	17.1	73.5	9.5	8.4	5.9	5.9	4.2	152.4	11.0
SCOTT	12.6	62.3	8.3	7.8	10.2	3.5	3.5	49.5	10.0
SEQUATCHIE	12.7	61.8	16.9	12.9	10.5	11.8	5.9	70.6	16.9
SEVIER	13.6	68.6	13.0	10.7	9.1	7.0	4.4	127.4	16.0
SHELBY	16.3	77.4	15.8	11.0	8.1	12.3	8.6	345.2	21.7
SMITH	13.2	64.9	8.9	6.3	12.2	7.9	-	63.2	11.9
STEWART	10.1	51.9	7.0	11.0	10.4	7.4	-	110.3	9.8
SULLIVAN	11.0	59.8	9.2	7.8	11.4	6.5	3.0	59.9	10.1
SUMNER	14.0	68.2	8.2	7.9	8.3	9.3	7.4	138.6	11.0
TIPTON	13.8	63.7	9.9	8.2	8.8	9.8	6.1	139.0	12.9
TROUSDALE	11.9	59.1	7.4	15.8	11.4	-	-	178.9	24.6
UNICOI	10.1	57.8	3.8	5.0	13.1	-	-	50.0	5.1
UNION	12.6	60.4	7.6	12.9	8.3	-	-	44.4	8.6
VAN BUREN	12.1	62.2	4.0	10.6	9.7	-	-	-	4.0
WARREN	12.8	66.5	11.1	7.8	11.4	7.6	7.6	57.4	12.6
WASHINGTON	11.8	56.9	7.2	7.9	10.3	8.0	6.6	104.2	7.4
WAYNE	9.5	56.3	5.3	6.2	10.4	6.2	6.2	43.5	6.6
WEAKLEY	10.7	49.0	6.7	8.6	11.1	-	-	119.8	8.6
WHITE	13.3	69.2	11.7	9.1	12.2	9.1	6.1	66.7	13.3
WILLIAMSON	12.2	57.5	2.2	6.9	5.7	2.0	1.5	113.2	3.1
WILSON	12.9	61.9	6.8	7.8	7.7	6.5	4.3	119.5	8.6

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2008: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	5,001,468	65,093	2,154	49,996	12,525	11,252	2,822	398	229	7,152
ANDERSON	69,440	815	23	816	176	210	37	2	1	82
BEDFORD	40,885	600	25	382	113	84	31	4	2	49
BENTON	16,006	178	13	248	88	54	12	-	-	20
BLEDSON	12,611	120	6	112	38	18	10	-	-	10
BLOUNT	115,700	1,329	52	1,166	204	272	66	10	7	137
BRADLEY	90,150	1,127	50	850	236	174	47	9	6	93
CAMPBELL	40,741	451	22	487	125	117	35	2	1	32
CANNON	13,445	166	3	134	33	30	9	-	-	6
CARROLL	26,123	347	12	413	147	78	27	3	2	27
CARTER	58,330	615	23	609	162	140	19	5	2	37
CHEATHAM	39,141	510	16	296	71	68	32	1	1	58
CHESTER	14,637	157	5	131	45	20	11	1	-	13
CLAIBORNE	31,255	314	13	394	106	104	27	6	4	29
CLAY	7,898	99	5	88	23	15	3	-	-	2
COCKE	34,708	411	27	397	124	89	28	2	2	48
COFFEE	49,962	720	40	562	115	145	22	5	2	64
CROCKETT	12,564	168	8	169	77	30	8	3	2	10
CUMBERLAND	53,114	570	34	639	176	143	41	5	-	38
DAVIDSON	397,348	6,540	156	3,792	965	834	236	31	17	1,142
DECATUR	10,947	123	3	145	45	23	3	-	-	9
DEKALB	18,323	268	10	210	47	33	21	3	3	13
DICKSON	44,887	653	28	439	120	103	39	3	1	78
DYER	32,582	401	22	352	101	70	9	5	5	24
FAYETTE	25,251	359	12	208	71	40	18	-	-	23
FENTRESS	17,625	204	7	233	55	59	17	-	-	10
FRANKLIN	39,183	419	18	406	107	96	19	2	1	36
GIBSON	38,722	476	12	562	138	113	33	4	1	39
GILES	25,730	287	8	320	80	68	21	2	1	25
GRAINGER	22,745	261	9	244	47	63	15	1	1	19
GREENE	64,764	692	36	816	236	196	33	3	2	45
GRUNDY	14,518	164	3	203	49	33	12	3	1	8
HAMBLEN	58,493	840	43	683	148	171	20	8	3	98
HAMILTON	243,012	3,108	78	2,626	670	578	121	21	10	227
HANCOCK	6,684	74	5	87	23	17	3	-	-	3
HARDEMAN	16,112	159	9	194	64	30	14	-	-	13
HARDIN	25,275	278	14	326	94	80	19	3	2	25
HAWKINS	56,595	616	26	597	153	137	40	4	4	35
HAYWOOD	9,328	97	1	123	37	29	5	1	-	3
HENDERSON	24,846	345	13	265	78	55	16	1	-	17
HENRY	29,000	295	12	411	127	92	21	2	1	28
HICKMAN	23,338	266	12	237	29	67	17	6	2	28
HOUSTON	7,808	92	6	97	25	16	8	-	-	7
HUMPHREYS	17,915	170	3	217	61	44	10	1	1	20
JACKSON	10,992	97	4	137	46	27	8	-	-	11
JEFFERSON	49,275	590	25	527	107	121	35	7	4	59
JOHNSON	17,753	169	9	190	36	39	7	-	-	4
KNOX	371,193	4,705	131	3,564	736	769	223	33	19	767

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2008: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	4,888	61	4	68	16	12	3	1	1	5
LAUDERDALE	17,551	223	14	213	61	52	13	-	-	13
LAWRENCE	40,539	569	23	440	102	92	23	3	2	32
LEWIS	11,541	164	5	129	38	30	8	1	1	5
LINCOLN	30,388	394	14	361	110	64	29	4	2	41
LOUDON	44,603	528	21	516	117	105	26	2	2	54
MCMINN	49,821	597	25	585	122	115	34	2	1	54
MCNAIRY	24,125	303	14	319	96	71	24	2	2	16
MACON	21,980	284	26	283	79	56	26	2	1	11
MADISON	63,928	742	27	613	157	128	21	5	4	83
MARION	26,753	311	18	319	60	77	21	4	3	23
MARSHALL	27,096	373	23	277	74	63	18	3	2	39
MAURY	68,362	1,011	29	618	128	141	36	5	-	127
MEIGS	11,741	153	4	132	28	30	9	1	1	12
MONROE	43,898	531	28	464	118	113	30	3	3	39
MONTGOMERY	115,303	2,131	33	779	200	170	42	14	7	280
MOORE	5,978	47	-	61	14	15	4	-	-	9
MORGAN	19,804	220	3	184	36	52	10	-	-	14
OBION	28,879	333	12	400	113	98	21	3	-	23
OVERTON	20,778	246	8	254	71	55	11	1	-	12
PERRY	7,499	100	-	81	24	21	7	-	-	8
PICKETT	4,890	44	3	71	22	17	3	1	-	2
POLK	15,890	198	16	167	38	32	7	2	-	8
PUTNAM	67,205	882	25	658	184	160	39	6	3	93
RHEA	29,880	380	24	356	89	86	19	2	1	30
ROANE	51,758	531	25	610	137	144	35	7	1	53
ROBERTSON	58,675	969	32	547	159	125	42	7	2	61
RUTHERFORD	208,000	3,349	88	1,253	301	291	84	16	11	408
SCOTT	22,239	277	10	229	69	53	20	1	1	14
SEQUATCHIE	13,247	168	12	138	23	44	11	2	1	11
SEVIER	82,524	1,111	52	756	199	191	33	6	4	135
SHELBY	418,999	5,581	139	3,724	928	844	196	26	18	883
SMITH	18,585	247	9	229	38	50	17	2	-	13
STEWART	12,902	128	5	131	40	37	6	1	-	13
SULLIVAN	149,048	1,625	64	1,717	399	394	75	10	5	94
SUMNER	141,952	1,927	60	1,205	306	270	63	18	14	252
TIPTON	47,626	611	18	416	107	100	26	5	3	61
TROUSDALE	7,101	88	2	80	18	10	8	-	-	15
UNICOI	17,617	178	3	232	58	59	11	-	-	8
UNION	19,554	246	8	163	38	35	11	-	-	11
VAN BUREN	5,432	66	1	52	9	12	3	-	-	-
WARREN	39,082	504	21	443	123	103	21	4	4	27
WASHINGTON	109,616	1,286	34	1,155	322	247	49	9	7	123
WAYNE	15,696	161	4	174	56	39	10	1	1	7
WEAKLEY	30,253	322	7	355	76	88	16	-	-	33
WHITE	24,270	319	15	294	75	77	13	3	2	22
WILLIAMSON	157,504	1,851	18	887	198	205	42	4	3	175
WILSON	99,514	1,277	36	754	195	185	38	7	5	129

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2008: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.0	65.6	8.8	7.9	10.0	6.1	3.5	109.9	10.5
ANDERSON	11.7	61.6	6.5	9.0	11.8	2.5	1.2	100.6	8.0
BEDFORD	14.7	71.1	11.1	8.3	9.3	6.7	3.3	81.7	11.5
BENTON	11.1	62.5	16.9	5.6	15.5	-	-	112.4	16.9
BLED SOE	9.5	54.0	10.0	4.2	8.9	-	-	83.3	13.4
BLOUNT	11.5	57.1	9.0	7.8	10.1	7.5	5.3	103.1	11.1
BRADLEY	12.5	59.9	11.7	7.3	9.4	8.0	5.3	82.5	12.4
CAMPBELL	11.1	56.7	10.8	10.6	12.0	4.4	2.2	71.0	11.7
CANNON	12.3	59.9	4.1	12.0	10.0	-	-	36.1	5.5
CARROLL	13.3	69.2	9.0	10.1	15.8	8.6	5.8	77.8	11.2
CARTER	10.5	51.3	8.7	11.2	10.4	8.1	3.3	60.2	9.9
CHEATHAM	13.0	62.5	7.1	8.4	7.6	2.0	2.0	113.7	9.7
CHESTER	10.7	49.9	7.1	5.1	8.9	6.4	-	82.8	11.3
CLAIBORNE	10.0	49.0	7.9	11.8	12.6	19.1	12.7	92.4	10.3
CLAY	12.5	64.5	12.9	6.1	11.1	-	-	20.2	12.9
COCKE	11.8	60.5	15.5	7.8	11.4	4.9	4.9	116.8	16.6
COFFEE	14.4	74.4	15.1	5.8	11.2	6.9	2.8	88.9	17.4
CROCKETT	13.4	69.1	11.4	6.5	13.5	17.9	11.9	59.5	11.4
CUMBERLAND	10.7	59.4	13.7	7.7	12.0	8.8	-	66.7	14.5
DAVIDSON	16.5	82.6	11.1	7.2	9.5	4.7	2.6	174.6	13.8
DECATUR	11.2	62.8	5.8	6.5	13.2	-	-	73.2	7.7
DEKALB	14.6	76.1	11.0	10.4	11.5	11.2	11.2	48.5	14.3
DICKSON	14.5	71.1	11.3	7.8	9.8	4.6	1.5	119.4	12.9
DYER	12.3	63.9	12.5	7.5	10.8	12.5	12.5	59.9	14.2
FAYETTE	14.2	70.6	9.5	5.8	8.2	-	-	64.1	11.1
FENTRESS	11.6	58.1	7.5	9.3	13.2	-	-	49.0	8.5
FRANKLIN	10.7	52.6	9.4	8.8	10.4	4.8	2.4	85.9	10.4
GIBSON	12.3	67.1	6.1	7.6	14.5	8.4	2.1	81.9	8.6
GILES	11.2	57.8	6.1	8.7	12.4	7.0	3.5	87.1	7.7
GRAINGER	11.5	57.1	8.0	7.7	10.7	3.8	3.8	72.8	8.8
GREENE	10.7	54.9	11.7	9.4	12.6	4.3	2.9	65.0	11.7
GRUNDY	11.3	58.7	3.8	9.8	14.0	18.3	6.1	48.8	3.8
HAMBLEN	14.4	77.1	15.6	9.6	11.7	9.5	3.6	116.7	16.7
HAMILTON	12.8	68.0	7.4	7.1	10.8	6.8	3.2	73.0	9.1
HANCOCK	11.1	58.1	14.5	6.8	13.0	-	-	40.5	14.5
HARDEMAN	9.9	63.1	12.1	6.3	12.0	-	-	81.8	13.5
HARDIN	11.0	60.0	11.4	7.2	12.9	10.8	7.2	89.9	13.1
HAWKINS	10.9	54.7	8.9	7.8	10.5	6.5	6.5	56.8	9.9
HAYWOOD	10.4	57.9	2.2	10.3	13.2	10.3	-	30.9	2.2
HENDERSON	13.9	68.5	9.9	9.9	10.7	2.9	-	49.3	10.7
HENRY	10.2	55.2	8.7	7.8	14.2	6.8	3.4	94.9	10.2
HICKMAN	11.4	60.2	9.7	10.2	10.2	22.6	7.5	105.3	13.8
HOUSTON	11.8	66.8	15.0	3.3	12.4	-	-	76.1	15.0
HUMPHREYS	9.5	49.9	3.3	7.6	12.1	5.9	5.9	117.6	4.4
JACKSON	8.8	47.1	7.6	5.2	12.5	-	-	113.4	7.6
JEFFERSON	12.0	56.5	10.5	8.6	10.7	11.9	6.8	100.0	11.8
JOHNSON	9.5	53.7	12.5	10.1	10.7	-	-	23.7	12.5
KNOX	12.7	61.3	7.8	8.5	9.6	7.0	4.0	163.0	10.3

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2008: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	12.5	82.1	21.1	8.2	13.9	16.4	16.4	82.0	21.1
LAUDERDALE	12.7	71.2	17.2	13.0	12.1	-	-	58.3	18.4
LAWRENCE	14.0	71.2	10.3	10.2	10.9	5.3	3.5	56.2	11.6
LEWIS	14.2	73.7	8.3	7.3	11.2	6.1	6.1	30.5	9.9
LINCOLN	13.0	69.3	9.1	10.4	11.9	10.2	5.1	104.1	9.7
LOUDON	11.8	65.7	10.1	8.3	11.6	3.8	3.8	102.3	11.0
MCMINN	12.0	60.9	9.9	8.2	11.7	3.4	1.7	90.5	11.5
MCNAIRY	12.6	69.0	11.3	7.6	13.2	6.6	6.6	52.8	12.1
MACON	12.9	62.6	20.5	6.3	12.9	7.0	3.5	38.7	20.5
MADISON	11.6	58.9	9.3	9.0	9.6	6.7	5.4	111.9	10.0
MARION	11.6	61.9	14.0	16.4	11.9	12.9	9.6	74.0	14.7
MARSHALL	13.8	67.7	15.5	7.8	10.2	8.0	5.4	104.6	16.2
MAURY	14.8	72.7	8.2	9.9	9.0	4.9	-	125.6	11.3
MEIGS	13.0	64.7	6.0	7.8	11.2	6.5	6.5	78.4	6.0
MONROE	12.1	59.6	12.0	8.5	10.6	5.6	5.6	73.4	13.7
MONTGOMERY	18.5	85.9	5.3	7.1	6.8	6.6	3.3	131.4	7.0
MOORE	7.9	41.1	-	14.9	10.2	-	-	191.5	-
MORGAN	11.1	61.7	3.0	5.9	9.3	-	-	63.6	4.0
OBION	11.5	65.2	8.4	6.6	13.9	9.0	-	69.1	10.6
OVERTON	11.8	61.9	7.9	9.3	12.2	4.1	-	48.8	8.9
PERRY	13.3	76.0	-	8.0	10.8	-	-	80.0	-
PICKETT	9.0	50.5	14.8	-	14.5	22.7	-	45.5	14.8
POLK	12.5	67.0	19.8	9.6	10.5	10.1	-	40.4	19.8
PUTNAM	13.1	63.7	7.8	5.4	9.8	6.8	3.4	105.4	9.7
RHEA	12.7	63.2	16.3	9.7	11.9	5.3	2.6	78.9	18.4
ROANE	10.3	56.0	9.9	9.6	11.8	13.2	1.9	99.8	11.5
ROBERTSON	16.5	79.9	10.1	7.8	9.3	7.2	2.1	63.0	12.6
RUTHERFORD	16.1	70.6	8.1	7.4	6.0	4.8	3.3	121.8	9.1
SCOTT	12.5	61.4	8.4	7.9	10.3	3.6	3.6	50.5	10.0
SEQUATCHIE	12.7	61.5	17.0	13.1	10.4	11.9	6.0	65.5	17.0
SEVIER	13.5	68.2	13.1	10.7	9.2	5.4	3.6	121.5	16.1
SHELBY	13.3	71.8	7.2	6.8	8.9	4.7	3.2	158.2	9.1
SMITH	13.3	65.5	9.3	6.5	12.3	8.1	-	52.6	12.4
STEWART	9.9	50.9	7.2	10.9	10.2	7.8	-	101.6	10.1
SULLIVAN	10.9	59.5	9.0	7.5	11.5	6.2	3.1	57.8	10.0
SUMNER	13.6	67.1	7.7	6.5	8.5	9.3	7.3	130.8	10.4
TIPTON	12.8	60.2	6.4	6.7	8.7	8.2	4.9	99.8	8.1
TROUSDALE	12.4	59.9	5.4	14.8	11.3	-	-	170.5	24.3
UNICOI	10.1	57.7	3.9	5.1	13.2	-3.9	-	44.9	5.2
UNION	12.6	60.3	7.7	13.0	8.3	-	-	44.7	8.7
VAN BUREN	12.2	62.6	4.0	10.6	9.6	-	-	-	4.0
WARREN	12.9	67.0	10.7	7.5	11.3	7.9	7.9	53.6	12.2
WASHINGTON	11.7	56.8	6.9	7.5	10.5	7.0	5.4	95.6	7.1
WAYNE	10.3	57.1	5.3	6.2	11.1	6.2	6.2	43.5	6.7
WEAKLEY	10.6	50.6	4.7	8.1	11.7	-	-	102.5	6.1
WHITE	13.1	68.2	12.0	8.8	12.1	9.4	6.3	69.0	13.6
WILLIAMSON	11.8	55.8	1.8	6.2	5.6	2.2	1.6	94.5	2.5
WILSON	12.8	61.6	6.5	7.0	7.6	5.5	3.9	101.0	7.4

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2008: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,026,441	18,148	1,283	8,282	2,052	1,792	375	273	181	6775
ANDERSON	3,219	39	1	39	8	8	2	-	-	14
BEDFORD	3,614	47	4	39	10	10	2	-	-	15
BENTON	354	1	1	2	1	-	1	-	-	-
BLED SOE	501	1	-	1	1	-	-	-	-	-
BLOUNT	3,493	40	3	45	10	9	4	-	-	12
BRADLEY	4,111	41	2	21	8	3	-	-	-	3
CAMPBELL	149	1	-	1	-	1	-	-	-	-
CANNON	193	-	-	3	-	2	-	-	-	-
CARROLL	3,027	36	4	44	15	12	-	-	-	9
CARTER	666	2	-	7	1	1	-	-	-	1
CHEATHAM	559	3	-	8	1	-	-	-	-	3
CHESTER	1,575	22	2	15	4	3	-	-	-	8
CLAIBORNE	239	1	-	5	1	-	1	-	-	2
CLAY	132	2	-	3	1	1	-	1	-	-
COCKE	761	15	1	5	1	2	-	-	-	-
COFFEE	1,997	20	1	19	5	3	3	-	-	5
CROCKETT	1,995	16	1	23	10	3	1	1	-	3
CUMBERLAND	84	2	-	1	-	-	1	-	-	-
DAVIDSON	162,798	3,116	167	1,227	300	270	47	36	22	1246
DECATUR	420	2	1	4	1	-	-	-	-	-
DEKALB	274	-	-	2	-	-	-	1	-	-
DICKSON	2,240	34	-	18	3	4	-	-	-	8
DYER	5,356	129	13	48	16	8	1	1	1	19
FAYETTE	11,584	150	8	121	25	32	4	2	1	63
FENTRESS	15	-	-	-	-	-	-	-	-	1
FRANKLIN	2,370	19	1	27	9	4	4	2	1	4
GIBSON	9,653	136	12	111	31	21	7	-	-	26
GILES	3,511	39	3	36	12	4	1	-	-	10
GRAINGER	72	1	-	2	-	-	-	-	-	-
GREENE	1,502	20	6	15	6	4	-	-	-	3
GRUNDY	21	-	-	-	-	-	-	-	-	-
HAMBLEN	2,692	29	1	25	8	6	2	-	-	3
HAMILTON	65,035	1,095	69	597	166	124	16	19	9	98
HANCOCK	39	1	-	-	-	-	-	-	-	-
HARDEMAN	12,444	169	11	83	25	26	3	2	1	41
HARDIN	959	11	2	12	5	2	2	-	-	3
HAWKINS	877	8	1	9	1	3	1	-	-	-
HAYWOOD	10,101	124	11	90	30	20	3	3	1	49
HENDERSON	2,147	26	4	16	3	6	-	-	-	5
HENRY	2,850	41	2	32	15	4	1	-	-	11
HICKMAN	1,046	2	-	7	2	2	-	-	-	-
HOUSTON	296	5	1	4	1	1	-	-	-	-
HUMPHREYS	582	4	-	3	1	-	-	-	-	2
JACKSON	21	-	-	-	-	-	-	-	-	1
JEFFERSON	1,119	7	-	12	3	-	1	1	-	3
JOHNSON	433	1	-	2	2	-	-	-	-	-
KNOX	37,090	609	47	303	57	57	20	5	4	206

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2008: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
		-	-					-	-	
LAKE	2,460	16	-	18	7	3	1	-	-	2
LAUDERDALE	9,423	142	8	72	20	9	3	3	2	25
LAWRENCE	653	3	-	8	1	2	1	-	-	1
LEWIS	188	2	-	1	-	-	-	-	-	-
LINCOLN	2,418	31	-	21	6	8	-	-	-	11
LOUDON	517	4	-	4	1	-	-	-	-	-
MCMINN	2,447	28	1	25	6	4	-	-	-	1
MCNAIRY	1,637	17	1	17	7	1	1	-	-	2
MACON	50	-	-	-	-	-	-	-	-	-
MADISON	32,448	639	51	272	61	59	12	11	6	162
MARION	1,177	12	1	18	2	5	1	-	-	3
MARSHALL	2,253	25	2	21	7	4	-	1	1	7
MAURY	11,129	174	15	98	24	20	5	3	2	42
MEIGS	138	-	-	-	-	-	-	-	-	-
MONROE	969	6	1	7	4	2	-	-	-	2
MONTGOMERY	30,125	571	24	184	38	34	6	8	7	153
MOORE	150	-	-	1	-	1	-	-	-	-
MORGAN	486	-	-	-	-	-	-	-	-	-
OBION	3,306	47	4	31	5	5	5	1	1	10
OVERTON	62	1	-	1	-	1	-	-	-	-
PERRY	134	3	-	2	1	1	-	-	-	-
PICKETT	7	-	-	-	-	-	-	-	-	-
POLK	29	1	-	-	-	-	-	-	-	-
PUTNAM	1,337	11	1	6	2	1	1	-	-	1
RHEA	654	5	-	8	2	3	-	-	-	1
ROANE	1,494	20	-	17	4	3	2	-	-	2
ROBERTSON	4,984	84	9	55	12	15	-	-	-	22
RUTHERFORD	23,000	545	24	135	30	28	7	7	6	142
SCOTT	29	-	-	-	-	-	-	-	-	-
SEQUATCHIE	25	-	-	1	1	-	-	-	-	-
SEVIER	472	6	1	3	-	1	-	-	-	-
SHELBY	477,888	8,971	709	3,725	908	825	174	158	111	4,132
SMITH	489	3	-	5	3	1	-	-	-	2
STEWART	187	-	-	6	-	-	-	-	-	-
SULLIVAN	3,134	36	4	34	7	9	1	1	-	5
SUMNER	9,615	165	10	71	12	23	1	1	1	31
TIPTON	10,899	201	18	102	26	21	10	3	2	52
TROUSDALE	823	5	-	11	7	2	-	-	-	2
UNICOI	28	-	-	-	-	-	-	-	-	-
UNION	24	-	-	-	-	-	-	-	-	-
VAN BUREN	6	-	-	1	-	-	-	-	-	-
WARREN	1,311	13	2	19	7	3	1	-	-	1
WASHINGTON	4,797	66	4	36	8	6	-	2	2	15
WAYNE	1,231	-	-	1	1	-	-	-	-	-
WEAKLEY	2,528	32	4	17	3	4	1	-	-	9
WHITE	410	6	-	7	1	1	2	-	-	-
WILLIAMSON	8,002	104	5	63	13	16	7	-	-	32
WILSON	6,652	86	4	71	16	15	4	1	-	28

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2008: *BLACK*

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	17.7	78.0	18.7	13.9	8.1	15.0	10.0	373.3	25.1
ANDERSON	12.1	63.5	4.6	15.4	12.1	-	-	359.0	18.3
BEDFORD	13.0	63.6	17.9	19.1	10.8	-	-	319.1	17.9
BENTON	2.8	*	*	-	5.6	-	-	-	*
BLED SOE	2.0	*	-	-	2.0	-	-	-	-
BLOUNT	11.5	57.0	13.6	22.5	12.9	-	-	300.0	18.2
BRADLEY	10.0	47.7	7.9	19.5	5.1	-	-	73.2	15.7
CAMPBELL	6.7	*	-	-	6.7	-	-	-	-
CANNON	-	-	-	-	15.5	-	-	-	-
CARROLL	11.9	61.4	21.4	22.2	14.5	-	-	250.0	26.7
CARTER	3.0	17.5	-	-	10.5	-	-	*	-
CHEATHAM	5.4	*	-	-	14.3	-	-	*	-
CHESTER	14.0	61.8	19.6	13.6	9.5	-	-	363.6	19.6
CLAIBORNE	4.2	*	-	*	20.9	-	-	*	-
CLAY	15.2	*	-	*	22.7	-	-	-	-
COCKE	19.7	111.9	*	20.0	6.6	-	-	-	*
COFFEE	10.0	48.0	6.8	15.0	9.5	-	-	250.0	6.8
CROCKETT	8.0	41.0	9.3	-	11.5	62.5	-	187.5	9.3
CUMBERLAND	*	*	-	*	*	-	-	-	-
DAVIDSON	19.1	82.5	16.5	12.2	7.5	11.6	7.1	399.9	22.1
DECATUR	4.8	*	*	-	9.5	-	-	-	*
DEKALE	-	-	-	-	7.3	*	*	-	-
DICKSON	15.2	74.9	-	11.8	8.0	-	-	235.3	-
DYER	24.1	101.4	31.9	24.0	9.0	7.8	7.8	147.3	36.8
FAYETTE	12.9	54.8	11.2	13.3	10.4	13.3	6.7	420.0	15.4
FENTRESS	-	-	-	-	-	-	-	*	-
FRANKLIN	8.0	39.6	7.0	21.1	11.4	105.3	52.6	210.5	14.1
GIBSON	14.1	63.2	19.4	11.8	11.5	-	-	191.2	24.2
GILES	11.1	59.1	13.5	10.3	10.3	-	-	256.4	13.5
GRAINGER	*	*	-	-	*	-	-	-	-
GREENE	13.3	66.7	52.6	10.0	10.0	-	-	150.0	52.6
GRUNDY	-	-	-	-	-	-	-	-	-
HAMBLEN	10.8	54.5	5.3	31.0	9.3	-	-	103.4	10.6
HAMILTON	16.8	75.9	16.4	19.7	9.2	17.4	8.2	89.5	16.6
HANCOCK	*	*	-	-	-	-	-	-	-
HARDEMAN	13.6	68.4	15.0	13.0	6.7	11.8	5.9	242.6	17.7
HARDIN	11.5	54.7	*	18.2	12.5	-	-	272.7	*
HAWKINS	9.1	48.5	*	*	10.3	-	-	-	*
HAYWOOD	12.3	55.1	16.3	16.1	8.9	24.2	8.1	395.2	22.2
HENDERSON	12.1	62.4	30.8	11.5	7.5	-	-	192.3	30.8
HENRY	14.4	73.9	10.1	9.8	11.2	-	-	268.3	20.1
HICKMAN	1.9	*	-	*	6.7	-	-	-	-
HOUSTON	16.9	*	*	-	13.5	-	-	-	*
HUMPHREYS	6.9	33.6	-	-	5.2	-	-	*	-
JACKSON	-	-	-	-	-	-	-	*	-
JEFFERSON	6.3	34.1	-	-	10.7	*	-	*	-
JOHNSON	2.3	*	-	-	4.6	-	-	-	-
KNOX	16.4	72.9	19.1	12.3	8.2	8.2	6.6	338.3	27.2

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2008: BLACK

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	6.5	60.8	-	18.8	7.3	-	-	125.0	-
LAUDERDALE	15.1	81.1	14.7	11.3	7.6	21.1	14.1	176.1	16.5
LAWRENCE	4.6	26.5	-	-	12.3	-	-	*	-
LEWIS	10.6	*	-	-	5.3	-	-	-	-
LINCOLN	12.8	58.7	-	12.9	8.7	-	-	354.8	6.5
LOUDON	7.7	*	-	*	7.7	-	-	-	-
MCMINN	11.4	55.3	5.7	3.6	10.2	-	-	35.7	5.7
MCNAIRY	10.4	50.6	8.3	-	10.4	-	-	117.6	8.3
MACON	-	-	-	-	-	-	-	-	-
MADISON	19.7	84.3	23.5	11.3	8.4	17.2	9.4	253.5	27.7
MARION	10.2	51.1	*	8.3	15.3	-	-	250.0	*
MARSHALL	11.1	55.2	12.7	8.0	9.3	40.0	40.0	280.0	12.7
MAURY	15.6	71.5	19.5	21.8	8.8	17.2	11.5	241.4	22.1
MEIGS	-	-	-	-	-	-	-	-	-
MONROE	6.2	31.1	*	-	7.2	-	-	*	*
MONTGOMERY	19.0	79.8	10.7	12.1	6.1	14.0	12.3	268.0	14.7
MOORE	-	-	-	-	6.7	-	-	-	-
MORGAN	-	-	-	-	-	-	-	-	-
OBION	14.2	67.3	18.0	12.8	9.4	21.3	21.3	212.8	18.0
OVERTON	*	*	-	*	*	-	-	-	-
PERRY	22.4	*	-	-	14.9	-	-	-	-
PICKETT	-	-	-	-	-	-	-	-	-
POLK	*	*	-	-	-	-	-	-	-
PUTNAM	8.2	47.6	*	18.2	4.5	-	-	90.9	*
RHEA	7.6	38.2	-	*	12.2	-	-	*	-
ROANE	13.4	67.1	-	15.0	11.4	-	-	100.0	-
ROBERTSON	16.9	79.4	24.6	13.1	11.0	-	-	261.9	38.3
RUTHERFORD	23.7	87.3	18.0	13.6	5.9	12.8	11.0	260.6	22.5
SCOTT	-	-	-	-	-	-	-	-	-
SEQUATCHIE	-	-	-	-	*	-	-	-	-
SEVIER	12.7	*	*	*	6.4	-	-	-	*
SHELBY	18.8	81.4	21.3	13.8	7.8	17.6	12.4	460.6	29.9
SMITH	6.1	*	-	-	10.2	-	-	*	-
STEWART	-	-	-	-	32.1	-	-	-	-
SULLIVAN	11.5	63.3	20.7	11.1	10.8	27.8	-	138.9	20.7
SUMNER	17.2	70.6	15.6	19.4	7.4	6.1	6.1	187.9	17.2
TIPTON	18.4	78.3	23.4	12.4	9.4	14.9	10	258.7	31.2
TROUSDALE	6.1	37.9	-	*	13.4	-	-	*	-
UNICOI	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-
VAN BUREN	-	-	-	-	*	-	-	-	-
WARREN	9.9	49.8	*	23.1	14.5	-	-	76.9	*
WASHINGTON	13.8	62.9	16.3	13.6	7.5	30.3	30.3	227.3	16.3
WAYNE	-	-	-	-	0.8	-	-	-	-
WEAKLEY	12.7	45.1	30.3	15.6	6.7	-	-	281.3	37.9
WHITE	14.6	*	-	*	17.1	-	-	-	-
WILLIAMSON	13	60.2	10.1	12.5	7.9	-	-	307.7	14.2
WILSON	12.9	62.9	9.3	20.9	10.7	11.6	-	325.6	23.4

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2008: ALL RACES

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,144,738	85,480	3,478	58,555	14,636	13,108	3,220	686	420	14,647
NORTHEAST	342,644	3,762	147	3,760	1,009	850	163	23	17	282
EAST TENNESSEE	729,673	8,776	374	7,820	1,794	1,876	444	60	35	892
SOUTHEAST	318,223	3,792	183	3,385	824	727	195	29	16	305
UPPER CUMBERLAND	330,852	4,082	174	3,777	996	847	239	28	13	277
MID CUMBERLAND	1,018,826	15,292	418	7,382	1,838	1,682	446	94	62	2,092
SOUTH CENTRAL	378,831	5,094	210	3,907	955	886	239	38	18	548
NORTHWEST	252,817	3,092	144	3,313	987	697	168	26	16	309
SOUTHWEST	279,070	3,549	169	2,879	845	621	176	26	14	448
MEMPHIS/SHELBY	923,753	15,046	854	7,498	1,847	1,681	372	185	129	5,194
NASHVILLE/DAVIDSON	586,636	10,100	331	5,071	1,277	1,116	285	68	40	2,589
KNOXVILLE/KNOX	417,649	5,492	180	3,881	794	830	245	39	24	1,016
CHATTANOOGA/HAMILTON	314,710	4,317	147	3,239	843	704	138	42	21	343
JACKSON/MADISON	97,502	1,398	79	888	219	187	33	17	10	251
SULLIVAN	153,552	1,686	68	1,755	408	404	77	11	5	101

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2008: WHITE

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	5,001,468	65,093	2,154	49,996	12,525	11,252	2,822	398	229	7,152
NORTHEAST	331,359	3,630	136	3,686	990	835	162	21	15	255
EAST TENNESSEE	706,737	8,455	361	7,636	1,751	1,840	428	57	34	824
SOUTHEAST	303,794	3,637	176	3,268	790	705	189	27	15	285
UPPER CUMBERLAND	323,619	3,996	171	3,725	981	837	232	27	13	260
MID CUMBERLAND	910,702	13,145	327	6,685	1,694	1,524	414	72	45	1,496
SOUTH CENTRAL	347,014	4,692	183	3,642	883	829	226	34	15	434
NORTHWEST	219,017	2,581	102	2,978	883	635	150	21	12	209
SOUTHWEST	215,698	2,655	103	2,340	698	500	149	13	7	193
MEMPHIS/SHELBY	418,999	5,581	139	3,724	928	844	196	26	18	883
NASHVILLE/DAVIDSON	397,348	6,540	156	3,792	965	834	236	31	17	1,142
KNOXVILLE/KNOX	371,193	4,705	131	3,564	736	769	223	33	19	767
CHATTANOOGA/HAMILTON	243,012	3,108	78	2,626	670	578	121	21	10	227
JACKSON/MADISON	63,928	742	27	613	157	128	21	5	4	83
SULLIVAN	149,048	1,625	64	1,717	399	394	75	10	5	94

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2008: BLACK

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,026,441	18,148	1,283	8,282	2,052	1,792	375	273	181	6,775
NORTHEAST	8,342	98	11	69	18	14	1	2	2	19
EAST TENNESSEE	15,735	169	8	165	40	32	12	1	-	38
SOUTHEAST	11,473	107	5	101	29	19	5	2	1	12
UPPER CUMBERLAND	4,391	38	3	48	14	10	6	1	-	6
MID CUMBERLAND	87,065	1,606	77	629	134	138	25	17	14	423
SOUTH CENTRAL	28,324	346	25	254	69	55	12	4	3	91
NORTHWEST	31,529	454	41	326	103	60	18	3	2	89
SOUTHWEST	61,189	864	66	532	146	120	26	13	7	248
MEMPHIS/SHELBY	477,888	8,971	709	3,725	908	825	174	158	111	4,132
NASHVILLE/DAVIDSON	162,798	3,116	167	1,227	300	270	47	36	22	1,246
KNOXVILLE/KNOX	37,090	609	47	303	57	57	20	5	4	206
CHATTANOOGA/HAMILTON	65,035	1,095	69	597	166	124	16	19	9	98
JACKSON/MADISON	32,448	639	51	272	61	59	12	11	6	162
SULLIVAN	3,134	36	4	34	7	9	1	1	-	5

Other Terminations - Total number of fetal deaths and induced abortions.
A dash (-) indicates there were no events.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2008: **ALL RACES**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.9	68.2	10.9	9.2	9.5	8.0	4.9	171.4	13.6
NORTHEAST	11.0	55.0	9.2	8.7	11.0	6.1	4.5	75.0	9.7
EAST TENNESSEE	12.0	61.3	10.2	9.4	10.7	6.8	4.0	101.6	11.9
SOUTHEAST	11.9	59.6	11.5	9.1	10.6	7.6	4.2	80.4	12.6
UPPER CUMBERLAND	12.3	63.2	10.6	7.7	11.4	6.9	3.2	67.9	11.9
MID CUMBERLAND	15.0	69.8	7.2	8.1	7.2	6.1	4.1	136.8	9.3
SOUTH CENTRAL	13.4	68.4	10.4	9.3	10.3	7.5	3.5	107.6	12.1
NORTHWEST	12.2	63.7	11.0	8.8	13.1	8.4	5.2	99.9	13.2
SOUTHWEST	12.7	64.1	11.2	9.0	10.3	7.3	3.9	126.2	13.4
MEMPHIS/SHELBY	16.3	77.4	15.8	11.0	8.1	12.3	8.6	345.2	21.7
NASHVILLE/DAVIDSON	17.2	82.0	13.1	8.7	8.6	6.7	4.0	256.3	17.0
KNOXVILLE/KNOX	13.1	62.7	9.2	8.9	9.3	7.1	4.4	185.0	12.3
CHATTANOOGA/HAMILTON	13.7	70.0	9.7	10.3	10.3	9.7	4.9	79.5	11.0
JACKSON/MADISON	14.3	68.4	15.4	10.2	9.1	12.2	7.2	179.5	17.6
SULLIVAN	11.0	59.8	9.2	7.8	11.4	6.5	3.0	59.9	10.1

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2008: **WHITE**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.0	65.6	8.8	7.9	10.0	6.1	3.5	109.9	10.5
NORTHEAST	11.0	55.0	8.8	8.5	11.1	5.8	4.1	70.2	9.3
EAST TENNESSEE	12.0	61.1	10.3	9.1	10.8	6.7	4.0	97.5	11.9
SOUTHEAST	12.0	59.9	11.7	9.1	10.8	7.4	4.1	78.4	12.7
UPPER CUMBERLAND	12.3	63.2	10.6	7.5	11.5	6.8	3.3	65.1	12.0
MID CUMBERLAND	14.4	68.1	6.4	7.2	7.3	5.5	3.4	113.8	8.1
SOUTH CENTRAL	13.5	68.9	10.0	8.7	10.5	7.2	3.2	92.5	11.7
NORTHWEST	11.8	62.6	9.3	7.7	13.6	8.1	4.6	81.0	10.9
SOUTHWEST	12.3	63.6	9.3	7.7	10.8	4.9	2.6	72.7	10.8
MEMPHIS/SHELBY	13.3	71.8	7.2	6.8	8.9	4.7	3.2	158.2	9.1
NASHVILLE/DAVIDSON	16.5	82.6	11.1	7.2	9.5	4.7	2.6	174.6	13.8
KNOXVILLE/KNOX	12.7	61.3	7.8	8.5	9.6	7.0	4.0	163.0	10.3
CHATTANOOGA/HAMILTON	12.8	68.0	7.4	7.1	10.8	6.8	3.2	73.0	9.1
JACKSON/MADISON	11.6	58.9	9.3	9.0	9.6	6.7	5.4	111.9	10.0
SULLIVAN	10.9	59.5	9.0	7.5	11.5	6.2	3.1	57.8	10.0

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2008: BLACK

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	17.7	78.0	18.7	13.9	8.1	15.0	10.0	373.3	25.1
NORTHEAST	11.7	59.1	24.4	12.2	8.3	20.4	20.4	193.9	24.4
EAST TENNESSEE	10.7	57.1	7.6	19.5	10.5	5.9	-	224.9	12.3
SOUTHEAST	9.3	47.3	6.8	14.0	8.8	18.7	9.3	112.1	10.9
UPPER CUMBERLAND	8.7	49.7	10.8	26.3	10.9	26.3	-	157.9	10.8
MID CUMBERLAND	18.4	77.4	13.3	13.9	7.2	10.6	8.7	263.4	18.3
SOUTH CENTRAL	12.2	62.5	14.0	17.6	9.0	11.6	8.7	263.0	15.7
NORTHWEST	14.4	67.7	20.6	16.1	10.3	6.6	4.4	196.0	25.1
SOUTHWEST	14.1	65.6	17.0	12.8	8.7	15.0	8.1	287.0	21.1
MEMPHIS/SHELBY	18.8	81.4	21.3	13.8	7.8	17.6	12.4	460.6	29.9
NASHVILLE/DAVIDSON	19.1	82.5	16.5	12.2	7.5	11.6	7.1	399.9	22.1
KNOXVILLE/KNOX	16.4	72.9	19.1	12.3	8.2	8.2	6.6	338.3	27.2
CHATTAHOOGA/HAMILTON	16.8	75.9	16.4	19.7	9.2	17.4	8.2	89.5	16.6
JACKSON/MADISON	19.7	84.3	23.5	11.3	8.4	17.2	9.4	253.5	27.7
SULLIVAN	11.5	63.3	20.7	11.1	10.8	27.8	-	138.9	20.7

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

The population estimates for Tennessee used to calculate the rates in this report were based on figures prepared from the 2000 Census in February 2008 by the Division of Health Statistics.



COUNTIES BY HEALTH DEPARTMENT REGIONS

EAST TENNESSEE

ANDERSON
BLOUNT
CAMPBELL
CLAIBORNE
COCKE
GRAINGER
HAMBLÉN
JEFFERSON
LOUDON
MONROE
MORGAN
ROANE
SCOTT
SEVIER
UNION

SOUTHEAST

BLEDSON
BRADLEY
FRANKLIN
GRUNDY
MCMINN
MARION
MEIGS
POLK
RHEA
SEQUATCHIE

SULLIVAN

SULLIVAN

NORTHEAST

CARTER
GREENE
HANCOCK
HAWKINS
JOHNSON
UNICOI
WASHINGTON

SOUTHWEST

CHESTER
DECATUR
FAYETTE
HARDEMAN
HARDIN
HAYWOOD
HENDERSON
LAUDERDALE
MCNAIRY
TIPTON

NORTHWEST

BENTON
CARROLL
CROCKETT
DYER
GIBSON
HENRY
LAKE
OBION
WEAKLEY

MID-CUMBERLAND

CHEATHAM
DICKSON
HOUSTON
HUMPHREYS
MONTGOMERY
ROBERTSON
RUTHERFORD
STEWART
SUMNER
TROUSDALE
WILLIAMSON
WILSON

SOUTH CENTRAL

BEDFORD
COFFEE
GILES
HICKMAN
LAWRENCE
LEWIS
LINCOLN
MARSHALL
MAURY
MOORE
PERRY
WAYNE

NASHVILLE/DAVIDSON

DAVIDSON

UPPER CUMBERLAND

CANNON
CLAY
CUMBERLAND
DEKALB
FENTRESS
JACKSON
MACON
OVERTON
PICKETT
PUTNAM
SMITH
VAN BUREN
WARREN
WHITE

MEMPHIS/SHELBY

SHELBY

JACKSON/MADISON

MADISON

KNOXVILLE/KNOX

KNOX

CHATTANOOGA/ HAMILTON

HAMILTON