

Tennessee Vital Statistics Summary Resident Data 2011



**TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF POLICY, PLANNING AND ASSESSMENT
OFFICE OF HEALTH STATISTICS
JUNE 2013**

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2011: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,403,140	79,462	2,389	60,104	14,154	13,461	3,400	587	365	12,977
ANDERSON	75,224	803	28	856	203	187	40	7	4	117
BEDFORD	45,503	598	24	447	92	102	22	7	2	59
BENTON	16,429	172	12	244	80	65	8	-	-	8
BLED SOE	12,854	125	5	128	31	26	11	-	-	7
BLOUNT	123,899	1,293	36	1,237	191	271	65	9	5	147
BRADLEY	100,063	1,147	30	923	244	225	52	11	5	82
CAMPBELL	40,529	424	15	481	116	105	29	2	1	31
CANNON	13,743	138	1	160	36	46	18	-	0	13
CARROLL	28,454	313	12	429	128	93	24	4	3	24
CARTER	57,183	574	20	622	130	136	33	5	3	17
CHEATHAM	39,066	429	6	357	79	90	34	2	-	45
CHESTER	17,135	192	3	176	54	36	9	2	-	22
CLAIBORNE	32,165	304	17	425	120	94	31	3	1	21
CLAY	7,764	81	3	116	37	26	8	-	-	4
COCKE	35,554	401	24	446	122	106	25	3	-	48
COFFEE	53,028	612	18	628	150	132	33	3	3	59
CROCKETT	14,548	170	7	179	64	39	10	-	-	13
CUMBERLAND	56,625	566	16	736	207	165	39	7	3	47
DAVIDSON	635,466	9,601	188	4,826	1,088	1,115	302	72	44	2,233
DECATUR	11,687	100	3	156	55	33	7	1	1	14
DEKALB	18,877	222	13	221	58	43	10	1	-	13
DICKSON	50,078	582	14	502	129	110	35	1	1	68
DYER	38,186	499	22	428	117	82	24	5	3	55
FAYETTE	38,517	419	15	304	84	81	16	3	1	84
FENTRESS	18,011	192	5	213	54	45	14	1	-	10
FRANKLIN	40,915	390	11	468	114	98	30	3	3	43
GIBSON	49,934	652	26	677	167	149	35	8	4	65
GILES	29,386	287	9	360	99	62	25	1	1	36
GRAINGER	22,757	223	12	250	44	59	18	4	3	12
GREENE	69,343	605	18	852	203	196	57	4	3	49
GRUNDY	13,538	155	4	203	48	30	23	1	-	6
HAMBLEN	63,068	792	22	671	147	166	44	6	4	78
HAMILTON	340,857	4,047	104	3,317	724	710	169	32	19	336
HANCOCK	6,710	65	3	106	27	22	6	-	-	2
HARDEMAN	26,845	292	12	292	65	61	24	6	6	50
HARDIN	25,875	307	11	341	102	68	26	-	-	18
HAWKINS	56,668	546	30	681	156	147	33	7	6	24
HAYWOOD	18,465	216	13	182	52	40	6	2	-	40
HENDERSON	27,900	312	11	299	75	66	14	4	1	33
HENRY	32,359	342	12	441	123	103	23	4	3	29
HICKMAN	24,408	270	14	274	46	56	23	2	2	18
HOUSTON	8,329	78	1	106	20	29	6	2	1	4
HUMPHREYS	18,486	203	3	240	55	53	11	2	2	16
JACKSON	11,358	107	3	135	34	26	13	-	-	4
JEFFERSON	51,678	530	18	563	137	121	30	4	4	47
JOHNSON	18,224	147	5	183	33	43	10	2	2	3
KNOX	436,922	5,143	112	3,980	921	903	206	27	16	876

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2011: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	7,774	80	3	104	29	18	3	-	-	8
LAUDERDALE	27,755	320	11	259	68	61	22	4	1	43
LAWRENCE	42,120	568	21	476	111	95	30	3	2	34
LEWIS	12,131	120	6	144	36	33	6	-	-	6
LINCOLN	33,440	354	9	380	99	81	18	5	3	31
LOUDON	49,230	558	10	525	118	107	30	3	3	37
MCMINN	52,506	578	17	632	137	146	39	3	2	49
MCNAIRY	26,100	283	11	307	80	64	11	1	1	25
MACON	22,499	305	11	252	67	50	15	-	-	10
MADISON	98,252	1,271	46	843	236	172	52	10	7	200
MARION	28,222	290	15	311	74	61	25	1	1	16
MARSHALL	30,884	372	17	329	78	89	23	2	2	32
MAURY	81,508	1,136	32	760	164	162	30	2	2	118
MEIGS	11,727	101	4	138	38	33	11	-	-	8
MONROE	44,876	482	13	509	115	119	32	3	2	50
MONTGOMERY	176,627	3,042	53	1,023	218	237	63	17	13	511
MOORE	6,405	47	1	72	23	12	6	-	-	4
MORGAN	21,826	180	4	210	48	40	21	3	3	8
OBION	31,780	350	17	406	97	98	18	4	1	27
OVERTON	22,163	268	7	259	62	52	26	1	1	11
PERRY	7,897	102	3	102	28	22	5	-	-	6
PICKETT	5,094	39	0	75	23	16	4	-	-	8
POLK	16,782	137	4	209	34	50	18	3	3	6
PUTNAM	72,957	898	21	687	166	136	46	6	2	93
RHEA	32,072	409	19	332	82	68	23	6	4	41
ROANE	53,845	495	12	661	143	147	55	6	4	61
ROBERTSON	67,109	931	24	616	174	149	37	5	4	102
RUTHERFORD	268,919	3,648	78	1,591	358	370	73	18	12	538
SCOTT	22,147	249	12	272	64	67	14	3	1	3
SEQUATCHIE	14,339	175	5	146	27	39	12	1	1	7
SEVIER	91,462	1,019	36	855	201	207	54	5	4	139
SHELBY	935,093	13,993	606	7,401	1,655	1,699	353	134	84	4,735
SMITH	19,144	231	6	225	52	43	18	-	-	14
STEWART	13,185	133	5	166	44	45	11	1	-	20
SULLIVAN	157,415	1,511	54	1,975	446	417	77	13	9	39
SUMNER	163,686	1,922	53	1,319	317	266	90	15	10	247
TIPTON	61,294	738	22	501	120	136	24	2	-	76
TROUSDALE	7,817	94	3	83	21	19	8	-	-	8
UNICOI	18,265	163	7	254	57	60	15	1	1	6
UNION	19,184	216	8	208	62	49	9	2	1	19
VAN BUREN	5,465	48	0	58	10	14	5	1	1	2
WARREN	39,919	467	16	484	141	112	34	7	7	37
WASHINGTON	124,345	1,331	31	1,305	350	268	52	8	4	50
WAYNE	16,955	132	3	169	37	38	9	1	1	9
WEAKLEY	34,979	354	6	375	97	91	20	3	2	35
WHITE	26,142	306	12	362	101	78	17	1	-	31
WILLIAMSON	188,565	2,012	19	965	184	227	51	8	4	229
WILSON	116,626	1,338	25	908	201	237	54	5	2	158

Other Terminations - Total number of fetal deaths and induced termination of pregnancies.

A dash (-) indicates there were no events.

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment, Office of Health Statistics

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2011: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	12.4	62.2	7.3	9.0	9.4	7.4	4.6	163.3	8.9
ANDERSON	10.7	60.8	7.9	8.1	11.4	8.7	5.0	145.7	9.0
BEDFORD	13.1	68.5	9.4	7.9	9.8	11.7	3.3	98.7	9.4
BENTON	10.5	64.8	15.4	6.4	14.9	-	-	46.5	15.4
BLED SOE	9.7	62.8	7.8	8.0	10.0	-	-	56.0	7.8
BLOUNT	10.4	57.1	5.7	8.4	10.0	7.0	3.9	113.7	6.6
BRADLEY	11.5	56.8	5.8	7.7	9.2	9.6	4.4	71.5	6.3
CAMPBELL	10.5	58.2	7.5	9.0	11.9	4.7	2.4	73.1	9.0
CANNON	10.0	56.6	1.5	8.0	11.6	-	-	94.2	1.5
CARROLL	11.0	61.3	8.6	8.9	15.1	12.8	9.6	76.7	8.6
CARTER	10.0	54.7	7.8	9.2	10.9	8.7	5.2	29.6	7.8
CHEATHAM	11.0	58.3	2.7	6.1	9.1	4.7	-	104.9	2.7
CHESTER	11.2	52.1	2.9	6.3	10.3	10.4	-	114.6	3.8
CLAIBORNE	9.5	49.4	10.6	11.5	13.2	9.9	3.3	69.1	11.8
CLAY	10.4	65.0	7.9	6.2	14.9	-	-	49.4	10.6
COCKE	11.3	64.3	14.0	9.0	12.5	7.5	-	119.7	15.8
COFFEE	11.5	62.4	6.6	7.8	11.8	4.9	4.9	96.4	8.9
CROCKETT	11.7	64.4	8.4	4.7	12.3	-	-	76.5	9.6
CUMBERLAND	10.0	68.0	6.7	11.3	13.0	12.4	5.3	83.0	7.5
DAVIDSON	15.1	64.6	6.8	8.7	7.6	7.5	4.6	232.6	9.2
DECATUR	8.6	53.1	5.5	9.0	13.3	10.0	10.0	140.0	5.5
DEKALB	11.8	67.1	14.7	8.6	11.7	4.5	-	58.6	14.7
DICKSON	11.6	60.3	5.4	8.8	10.0	1.7	1.7	116.8	7.0
DYER	13.1	68.3	10.3	12.0	11.2	10.0	6.0	110.2	12.7
FAYETTE	10.9	64.5	8.4	8.1	7.9	7.2	2.4	200.5	9.5
FENTRESS	10.7	61.8	5.4	5.2	11.8	5.2	-	52.1	6.5
FRANKLIN	9.5	52.5	5.1	10.3	11.4	7.7	7.7	110.3	7.9
GIBSON	13.1	70.4	9.6	11.5	13.6	12.3	6.1	99.7	10.7
GILES	9.8	54.6	6.2	10.1	12.3	3.5	3.5	125.4	6.2
GRAINGER	9.8	55.1	11.1	10.8	11.0	17.9	13.5	53.8	12.0
GREENE	8.7	49.4	5.4	10.7	12.3	6.6	5.0	81.0	7.2
GRUNDY	11.4	65.4	5.9	12.3	15.0	6.5	-	38.7	7.4
HAMBLEN	12.6	68.4	7.0	8.2	10.6	7.6	5.1	98.5	8.6
HAMILTON	11.9	59.5	6.5	10.0	9.7	7.9	4.7	83.0	7.2
HANCOCK	9.7	56.3	10.5	10.8	15.8	-	-	30.8	10.5
HARDEMAN	10.9	69.5	9.2	11.0	10.9	20.5	20.5	171.2	10.7
HARDIN	11.9	69.8	8.9	7.5	13.2	-	-	58.6	9.7
HAWKINS	9.6	54.3	10.4	10.3	12.0	12.8	11.0	44.0	11.1
HAYWOOD	11.7	61.2	12.5	12.0	9.9	9.3	-	185.2	15.4
HENDERSON	11.2	59.0	7.4	10.9	10.7	12.8	3.2	105.8	8.1
HENRY	10.6	64.4	8.0	6.4	13.6	11.7	8.8	84.8	9.3
HICKMAN	11.1	64.7	11.4	7.8	11.2	7.4	7.4	66.7	11.4
HOUSTON	9.4	55.6	2.3	6.4	12.7	25.6	12.8	51.3	2.3
HUMPHREYS	11.0	63.9	3.1	11.8	13.0	9.9	9.9	78.8	4.1
JACKSON	9.4	57.7	5.2	6.5	11.9	-	-	37.4	5.2
JEFFERSON	10.3	55.4	6.8	6.0	10.9	7.5	7.5	88.7	7.2
JOHNSON	8.1	54.2	6.8	5.4	10.0	13.6	13.6	20.4	6.8
KNOX	11.8	55.6	5.3	8.6	9.1	5.2	3.1	170.3	6.8

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2011: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	10.3	82.6	12.8	13.8	13.4	-	-	100.0	12.8
LAUDERDALE	11.5	65.6	7.8	11.9	9.3	12.5	3.1	134.4	9.3
LAWRENCE	13.5	74.4	9.5	7.7	11.3	5.3	3.5	59.9	9.9
LEWIS	9.9	56.9	9.4	4.2	11.9	-	-	50.0	9.4
LINCOLN	10.6	61.1	5.5	9.3	11.4	14.1	8.5	87.6	7.3
LOUDON	11.3	72.4	4.6	7.9	10.7	5.4	5.4	66.3	5.5
MCMINN	11.0	60.9	6.3	8.5	12.0	5.2	3.5	84.8	6.6
MCNAIRY	10.8	62.2	8.4	5.3	11.8	3.5	3.5	88.3	9.1
MACON	13.6	70.8	8.8	8.2	11.2	-	-	32.8	9.6
MADISON	12.9	61.9	8.7	11.1	8.6	7.9	5.5	157.4	10.4
MARION	10.3	59.2	11.1	6.6	11.0	3.4	3.4	55.2	12.6
MARSHALL	12.0	63.3	10.2	7.3	10.7	5.4	5.4	86.0	12.0
MAURY	13.9	72.9	8.0	7.0	9.3	1.8	1.8	103.9	10.6
MEIGS	8.6	50.7	6.5	9.9	11.8	-	-	79.2	6.5
MONROE	10.7	61.4	6.1	8.5	11.3	6.2	4.1	103.7	7.9
MONTGOMERY	17.2	72.7	5.4	8.3	5.8	5.6	4.3	168.0	7.6
MOORE	7.3	44.1	2.9	6.4	11.2	-	-	85.1	5.8
MORGAN	8.2	52.0	3.8	10.6	9.6	16.7	16.7	44.4	3.8
OBION	11.0	60.6	10.1	8.9	12.8	11.4	2.9	77.1	11.3
OVERTON	12.1	69.7	6.1	7.5	11.7	3.7	3.7	41.0	6.1
PERRY	12.9	78.0	8.3	3.9	12.9	-	-	58.8	8.3
PICKETT	7.7	52.6	-	7.7	14.7	-	-	205.1	-
POLK	8.2	46.4	4.7	12.4	12.5	21.9	21.9	43.8	4.7
PUTNAM	12.3	59.3	5.7	6.5	9.4	6.7	2.2	103.6	6.5
RHEA	12.8	69.5	11.7	10.8	10.4	14.7	9.8	100.2	13.6
ROANE	9.2	56.0	4.7	12.5	12.3	12.1	8.1	123.2	7.1
ROBERTSON	13.9	72.3	6.4	8.5	9.2	5.4	4.3	109.6	7.4
RUTHERFORD	13.6	58.5	5.2	7.8	5.9	4.9	3.3	147.5	6.3
SCOTT	11.2	58.9	10.0	9.2	12.3	12.0	4.0	12.0	10.0
SEQUATCHIE	12.2	68.7	6.7	11.4	10.2	5.7	5.7	40.0	6.7
SEVIER	11.1	61.1	8.3	9.0	9.3	4.9	3.9	136.4	9.6
SHELBY	15.0	69.2	11.1	11.0	7.9	9.6	6.0	338.4	14.6
SMITH	12.1	65.4	5.8	7.8	11.8	-	-	60.6	7.7
STEWART	10.1	58.8	7.0	7.5	12.6	7.5	-	150.4	8.4
SULLIVAN	9.6	55.4	7.3	8.1	12.5	8.6	6.0	25.8	7.4
SUMNER	11.7	60.6	5.9	8.0	8.1	7.8	5.2	128.5	7.5
TIPTON	12.0	60.4	5.8	10.2	8.2	2.7	-	103.0	6.6
TROUSDALE	12.0	64.2	7.2	7.4	10.6	-	-	85.1	11.9
UNICOI	8.9	53.4	8.3	12.3	13.9	6.1	6.1	36.8	9.5
UNION	11.3	61.7	8.7	13.0	10.8	9.3	4.6	88.0	9.8
VAN BUREN	8.8	53.3	-	8.3	10.6	20.8	20.8	41.7	-
WARREN	11.7	64.5	8.0	7.5	12.1	15.0	15.0	79.2	8.5
WASHINGTON	10.7	52.5	5.5	7.5	10.5	6.0	3.0	37.6	5.6
WAYNE	7.8	51.0	4.1	8.3	10.0	7.6	7.6	68.2	5.4
WEAKLEY	10.1	47.6	3.2	7.9	10.7	8.5	5.6	98.9	3.7
WHITE	11.7	67.3	9.2	7.2	13.8	3.3	-	101.3	10.7
WILLIAMSON	10.7	56.7	1.5	5.7	5.1	4.0	2.0	113.8	2.3
WILSON	11.5	60.2	3.8	8.6	7.8	3.7	1.5	118.1	5.4

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced termination of pregnancies to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.
 Source: Tennessee Department of Health, Division of Policy, Planning and Assessment, Office of Health Statistics

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2011: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	5,090,175	60,252	1,517	51,638	12,202	11,430	2,993	361	225	6,163
ANDERSON	69,646	754	27	828	198	182	38	7	4	98
BEDFORD	40,178	551	21	406	83	91	20	7	2	46
BENTON	15,716	169	11	236	76	63	8	-	-	8
BLEDSON	12,123	120	5	125	31	26	10	-	-	7
BLOUNT	116,841	1,234	35	1,198	185	263	63	8	4	133
BRADLEY	92,208	1,073	29	886	238	217	49	11	5	66
CAMPBELL	39,648	417	15	479	116	104	29	2	1	31
CANNON	13,289	135	1	158	35	46	18	-	-	12
CARROLL	24,826	270	11	391	116	84	22	3	2	16
CARTER	55,292	555	19	612	130	134	32	5	3	13
CHEATHAM	37,562	420	6	349	77	88	33	2	-	40
CHESTER	15,102	165	2	164	50	35	9	1	-	15
CLAIBORNE	31,185	222	10	421	119	92	31	3	1	20
CLAY	7,514	77	3	115	36	26	8	-	-	4
COCKE	33,915	383	23	440	122	105	24	3	-	41
COFFEE	49,374	574	18	608	147	127	31	2	2	56
CROCKETT	12,269	146	4	154	54	34	10	-	-	10
CUMBERLAND	55,248	553	14	734	206	164	39	7	3	46
DAVIDSON	420,851	6,310	100	3,548	790	789	227	31	18	920
DECATUR	11,136	99	3	156	55	33	7	1	1	14
DEKALB	18,140	217	13	221	58	43	10	1	-	12
DICKSON	46,542	560	11	484	124	105	35	1	1	53
DYER	31,753	377	11	367	99	71	21	3	1	32
FAYETTE	27,072	268	7	207	59	48	11	2	1	34
FENTRESS	17,696	189	5	213	54	45	14	1	-	10
FRANKLIN	37,522	360	11	443	110	92	30	3	3	41
GIBSON	39,649	501	22	564	140	124	31	5	1	42
GILES	25,534	241	9	313	85	52	24	1	1	28
GRAINGER	22,268	222	12	250	44	59	18	4	3	10
GREENE	66,559	574	17	840	201	194	56	4	3	46
GRUNDY	13,235	154	4	203	48	30	23	1	-	6
HAMBLEN	57,980	750	21	649	143	159	43	6	4	71
HAMILTON	258,198	3,014	54	2,672	595	571	144	13	10	220
HANCOCK	6,596	65	3	106	27	22	6	-	-	2
HARDEMAN	15,245	161	3	199	40	38	17	3	3	7
HARDIN	24,326	271	8	325	98	65	23	-	-	13
HAWKINS	54,741	531	29	672	155	146	33	7	6	24
HAYWOOD	8,964	96	2	91	33	24	3	1	-	7
HENDERSON	25,024	281	8	286	72	62	14	4	1	25
HENRY	28,995	294	12	405	114	95	20	4	3	18
HICKMAN	22,723	262	13	267	44	53	23	2	2	17
HOUSTON	7,924	76	1	101	20	28	6	2	1	4
HUMPHREYS	17,640	189	1	231	52	51	11	1	1	15
JACKSON	11,113	107	3	135	34	26	13	-	-	4
JEFFERSON	49,307	512	17	551	133	116	29	4	4	46
JOHNSON	17,579	125	5	183	33	43	10	2	2	3
KNOX	378,724	4,407	80	3,645	840	832	189	19	12	646

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2011: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	5,446	64	2	94	26	17	3	-	-	4
LAUDERDALE	17,473	187	6	185	48	44	20	1	-	19
LAWRENCE	40,402	527	19	472	110	94	30	3	2	29
LEWIS	11,644	118	5	143	36	33	6	-	-	5
LINCOLN	30,080	249	9	348	92	78	15	4	2	25
LOUDON	47,424	544	10	517	117	106	28	3	3	35
MCMINN	48,620	546	16	604	129	139	37	2	1	46
MCNAIRY	24,038	259	10	298	78	62	11	-	-	23
MACON	21,866	300	11	249	66	50	15	-	-	8
MADISON	59,893	654	17	603	173	119	39	3	2	57
MARION	26,540	274	14	299	69	59	24	1	1	14
MARSHALL	28,005	339	14	297	69	81	22	1	1	23
MAURY	68,928	990	22	663	142	140	28	1	1	77
MEIGS	11,321	100	4	135	37	32	11	-	-	7
MONROE	42,636	470	11	496	113	113	32	3	2	48
MONTGOMERY	129,291	2,274	36	838	174	192	52	9	8	294
MOORE	6,126	45	1	71	23	12	6	-	-	4
MORGAN	20,592	178	4	209	48	40	20	3	3	8
OBION	27,850	283	15	370	86	94	15	4	1	19
OVERTON	21,651	268	7	258	61	52	26	1	1	10
PERRY	7,565	100	3	100	27	21	5	-	-	6
PICKETT	5,058	38	0	75	23	16	4	-	-	7
POLK	16,329	132	4	209	34	50	18	3	3	6
PUTNAM	68,820	858	21	673	162	133	45	6	2	85
RHEA	30,551	395	18	327	81	67	23	6	4	41
ROANE	50,938	481	12	645	139	143	54	6	4	57
ROBERTSON	60,319	839	18	549	155	133	35	5	4	86
RUTHERFORD	218,462	3,015	60	1,433	319	326	70	14	10	347
SCOTT	21,808	244	12	272	64	67	14	3	1	2
SEQUATCHIE	13,980	173	5	146	27	39	12	1	1	7
SEVIER	87,866	1,000	36	848	200	203	53	5	4	123
SHELBY	407,299	5,183	114	3,686	831	796	193	23	15	859
SMITH	18,319	226	5	217	50	43	16	-	-	14
STEWART	12,502	125	4	161	44	42	10	1	-	18
SULLIVAN	150,242	1,437	50	1,934	432	410	76	13	9	37
SUMNER	147,773	1,741	47	1,248	300	253	85	13	10	192
TIPTON	47,984	581	17	406	98	106	18	1	-	38
TROUSDALE	6,859	89	3	74	19	18	6	-	-	7
UNICOI	17,934	157	7	253	56	60	15	1	1	5
UNION	18,751	213	8	208	62	49	9	2	1	19
VAN BUREN	5,377	48	0	57	10	14	5	1	1	2
WARREN	37,620	453	15	471	135	110	34	7	7	30
WASHINGTON	115,115	1,221	29	1,256	341	251	49	7	3	43
WAYNE	15,675	126	3	166	37	36	9	1	1	9
WEAKLEY	31,182	330	6	350	89	85	19	3	2	26
WHITE	25,038	297	11	355	98	76	17	1	-	31
WILLIAMSON	170,766	1,837	16	900	168	209	46	8	4	164
WILSON	105,245	1,213	21	839	185	220	48	4	1	115

Other Terminations - Total number of fetal deaths and induced termination of pregnancies.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment, Office of Health Statistics

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2011: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	11.8	61.8	6.2	7.7	10.1	6.0	3.7	102.3	7.3
ANDERSON	10.8	62.3	8.6	7.8	11.9	9.3	5.3	130.0	9.8
BEDFORD	13.7	71.5	9.5	8.5	10.1	12.7	3.6	83.5	9.5
BENTON	10.8	67.0	15.1	5.9	15.0	-	-	47.3	15.1
BLED SOE	9.9	62.0	8.2	8.3	10.3	-	-	58.3	8.2
BLOUNT	10.6	58.0	6.0	8.0	10.3	6.5	3.2	107.8	7.0
BRADLEY	11.6	57.9	6.2	7.6	9.6	10.3	4.7	61.5	6.9
CAMPBELL	10.5	58.4	7.8	8.9	12.1	4.8	2.4	74.3	9.3
CANNON	10.2	56.9	1.6	8.1	11.9	-	-	88.9	1.6
CARROLL	10.9	60.3	9.3	8.1	15.7	11.1	7.4	59.3	9.3
CARTER	10.0	54.6	7.8	9.2	11.1	9.0	5.4	23.4	7.8
CHEATHAM	11.2	59.3	2.9	6.0	9.3	4.8	-	95.2	2.9
CHESTER	10.9	50.8	2.2	6.1	10.9	6.1	-	90.9	3.3
CLAIBORNE	7.1	37.6	6.6	14.4	13.5	13.5	4.5	90.1	7.9
CLAY	10.2	63.6	8.7	6.5	15.3	-	-	51.9	11.6
COCKE	11.3	64.1	14.3	8.9	13.0	7.8	-	107.0	14.9
COFFEE	11.6	62.9	7.3	7.8	12.3	3.5	3.5	97.6	9.8
CROCKETT	11.9	65.3	5.7	4.1	12.6	-	-	68.5	7.1
CUMBERLAND	10.0	68.3	6.1	11.6	13.3	12.7	5.4	83.2	7.0
DAVIDSON	15.0	66.7	6.9	7.0	8.4	4.9	2.9	145.8	8.6
DECATUR	8.9	54.9	5.9	9.1	14.0	10.1	10.1	141.4	5.9
DEKALB	12.0	68.0	15.3	8.8	12.2	4.6	-	55.3	15.3
DICKSON	12.0	62.4	4.7	8.9	10.4	1.8	1.8	94.6	5.6
DYER	11.9	63.9	6.7	9.8	11.6	8.0	2.7	84.9	8.0
FAYETTE	9.9	62.4	6.2	5.2	7.6	7.5	3.7	126.9	7.1
FENTRESS	10.7	61.9	5.5	5.3	12.0	5.3	-	52.9	6.7
FRANKLIN	9.6	53.1	5.8	10.0	11.8	8.3	8.3	113.9	8.9
GIBSON	12.6	70.1	10.8	10.4	14.2	10.0	2.0	83.8	11.3
GILES	9.4	52.8	7.4	10.4	12.3	4.1	4.1	116.2	7.4
GRAINGER	10.0	55.8	11.5	10.8	11.2	18.0	13.5	45.0	12.4
GREENE	8.6	49.1	5.4	10.6	12.6	7.0	5.2	80.1	7.0
GRUNDY	11.6	66.4	6.0	12.3	15.3	6.5	-	39.0	7.5
HAMBLEN	12.9	70.9	7.4	8.1	11.2	8.0	5.3	94.7	9.2
HAMILTON	11.7	61.0	4.9	7.5	10.3	4.3	3.3	73.0	5.5
HANCOCK	9.9	57.3	10.8	10.8	16.1	-	-	30.8	10.8
HARDEMAN	10.6	73.5	4.7	9.3	13.1	18.6	18.6	43.5	6.2
HARDIN	11.1	65.0	7.1	7.4	13.4	-	-	48.0	8.0
HAWKINS	9.7	54.6	10.5	10.4	12.3	13.2	11.3	45.2	11.2
HAYWOOD	10.7	62.5	4.5	2.1	10.2	10.4	-	72.9	9.0
HENDERSON	11.2	58.9	6.2	10.0	11.4	14.2	3.6	89.0	6.9
HENRY	10.1	61.9	9.2	6.1	14.0	13.6	10.2	61.2	9.2
HICKMAN	11.5	65.6	11.1	7.6	11.8	7.6	7.6	64.9	11.1
HOUSTON	9.6	56.8	2.4	6.6	12.7	26.3	13.2	52.6	2.4
HUMPHREYS	10.7	62.4	1.1	12.2	13.1	5.3	5.3	79.4	2.2
JACKSON	9.6	58.9	5.4	6.5	12.1	-	-	37.4	5.4
JEFFERSON	10.4	56.0	6.9	6.3	11.2	7.8	7.8	89.8	7.3
JOHNSON	7.1	46.9	7.0	6.4	10.4	16.0	16.0	24.0	7.0
KNOX	11.6	56.0	4.6	8.2	9.6	4.3	2.7	146.6	6.0

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2011: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	11.8	91.4	12.9	10.9	17.3	-	-	62.5	12.9
LAUDERDALE	10.7	63.1	7.4	11.2	10.6	5.3	-	101.6	8.6
LAWRENCE	13.0	71.6	9.1	7.6	11.7	5.7	3.8	55.0	9.6
LEWIS	10.1	57.9	8.2	4.2	12.3	-	-	42.4	8.2
LINCOLN	8.3	48.2	6.1	9.6	11.6	16.1	8.0	100.4	8.2
LOUDON	11.5	73.7	4.8	7.5	10.9	5.5	5.5	64.3	5.8
MCMINN	11.2	62.0	6.5	9.0	12.4	3.7	1.8	84.2	6.9
MCNAIRY	10.8	62.1	8.4	5.8	12.4	-	-	88.8	9.2
MACON	13.7	71.4	9.1	8.3	11.4	-	-	26.7	9.9
MADISON	10.9	58.7	6.3	6.4	10.1	4.6	3.1	87.2	7.8
MARION	10.3	59.3	11.5	6.9	11.3	3.6	3.6	51.1	13.1
MARSHALL	12.1	63.6	9.6	6.2	10.6	2.9	2.9	67.8	11.6
MAURY	14.4	75.9	6.9	5.7	9.6	1.0	1.0	77.8	8.5
MEIGS	8.8	52.1	6.9	10.0	11.9	-	-	70.0	6.9
MONROE	11.0	62.6	5.6	8.1	11.6	6.4	4.3	102.1	7.6
MONTGOMERY	17.6	75.5	5.6	6.8	6.5	4.0	3.5	129.3	7.6
MOORE	7.3	44.0	3.0	6.7	11.6	-	-	88.9	6.0
MORGAN	8.6	52.9	3.9	10.7	10.1	16.9	16.9	44.9	3.9
OBION	10.2	56.9	10.5	7.8	13.3	14.1	3.5	67.1	11.2
OVERTON	12.4	71.5	6.3	7.5	11.9	3.7	3.7	37.3	6.3
PERRY	13.2	80.2	8.9	4.0	13.2	-	-	60.0	8.9
PICKETT	7.5	51.3	0.0	7.9	14.8	-	-	184.2	-
POLK	8.1	46.1	4.9	12.9	12.8	22.7	22.7	45.5	4.9
PUTNAM	12.5	60.1	6.2	6.1	9.8	7.0	2.3	99.1	7.0
RHEA	12.9	70.4	11.9	10.1	10.7	15.2	10.1	103.8	13.9
ROANE	9.4	57.4	5.1	12.7	12.7	12.5	8.3	118.5	7.2
ROBERTSON	13.9	73.1	5.4	7.6	9.1	6.0	4.8	102.5	6.4
RUTHERFORD	13.8	61.1	5.3	7.2	6.6	4.6	3.3	115.1	6.3
SCOTT	11.2	58.6	10.2	9.4	12.5	12.3	4.1	8.2	10.2
SEQUATCHIE	12.4	69.5	7.0	11.6	10.4	5.8	5.8	40.5	7.0
SEVIER	11.4	62.7	8.8	9.0	9.7	5.0	4.0	123.0	10.2
SHELBY	12.7	67.6	6.0	6.3	9.0	4.4	2.9	165.7	7.6
SMITH	12.3	66.7	5.1	8.0	11.8	-	-	61.9	7.2
STEWART	10.0	58.5	6.0	7.2	12.9	8.0	-	144.0	7.6
SULLIVAN	9.6	55.2	7.2	8.0	12.9	9.0	6.3	25.7	7.4
SUMNER	11.8	61.4	5.9	7.8	8.4	7.5	5.7	110.3	7.3
TIPTON	12.1	62.0	6.1	9.5	8.5	1.7	-	65.4	6.5
TROUSDALE	13.0	66.9	8.2	7.9	10.8	-	-	78.7	13.6
UNICOI	8.8	52.3	8.5	12.1	14.1	6.4	6.4	31.8	9.8
UNION	11.4	62.4	9.0	13.1	11.1	9.4	4.7	89.2	10.1
VAN BUREN	8.9	54.4	0.0	8.3	10.6	20.8	20.8	41.7	-
WARREN	12.0	66.2	8.1	7.7	12.5	15.5	15.5	66.2	8.6
WASHINGTON	10.6	52.4	5.7	7.8	10.9	5.7	2.5	35.2	5.9
WAYNE	8.0	50.0	4.2	7.9	10.6	7.9	7.9	71.4	5.6
WEAKLEY	10.6	51.6	3.7	7.9	11.2	9.1	6.1	78.8	4.3
WHITE	11.9	67.7	8.9	7.4	14.2	3.4	-	104.4	10.5
WILLIAMSON	10.8	57.6	1.4	5.4	5.3	4.4	2.2	89.3	1.9
WILSON	11.5	61.0	3.7	8.4	8.0	3.3	0.8	94.8	5.1

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced termination of pregnancies to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100. Source: Tennessee Department of Health, Division of Policy, Planning and Assessment, Office of Health Statistics

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2011: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,082,765	16,482	834	8,178	1,898	1,950	381	211	128	6,014
ANDERSON	3,046	32	1	23	5	3	1	-	-	12
BEDFORD	3,791	37	2	41	9	11	2	-	-	5
BENTON	373	2	-	8	4	2	-	-	-	-
BLED SOE	501	2	-	3	-	-	1	-	-	-
BLOUNT	3,785	32	1	32	6	6	2	1	1	8
BRADLEY	4,625	44	1	36	5	8	3	-	-	10
CAMPBELL	185	-	-	2	-	1	-	-	-	-
CANNON	193	2	-	2	1	-	-	-	-	-
CARROLL	2,973	36	1	37	12	9	2	-	-	7
CARTER	886	5	1	10	-	2	1	-	-	4
CHEATHAM	716	5	-	8	2	2	1	-	-	2
CHESTER	1,617	24	-	12	4	1	-	1	-	7
CLAIBORNE	334	2	-	3	1	1	-	-	-	1
CLAY	126	1	-	-	-	-	-	-	-	-
COCKE	771	6	1	4	-	1	1	-	-	2
COFFEE	2,070	21	-	19	2	5	2	1	1	2
CROCKETT	1,918	20	3	25	10	5	-	-	-	3
CUMBERLAND	337	8	2	1	-	1	-	-	-	-
DAVIDSON	177,168	2,820	83	1,219	292	307	70	37	22	1,083
DECATUR	344	1	-	-	-	-	-	-	-	-
DEKALB	390	2	-	-	-	-	-	-	-	1
DICKSON	2,206	17	3	18	5	5	-	-	-	10
DYER	5,492	108	11	61	18	11	3	2	2	22
FAYETTE	10,798	146	7	96	25	33	5	1	-	47
FENTRESS	74	2	-	-	-	-	-	-	-	-
FRANKLIN	2,212	16	-	24	3	6	-	-	-	2
GIBSON	9,415	146	4	112	27	25	4	2	2	23
GILES	3,065	29	-	47	14	10	1	-	-	7
GRAINGER	171	-	-	-	-	-	-	-	-	2
GREENE	1,542	24	1	10	2	2	-	-	-	2
GRUNDY	66	-	-	-	-	-	-	-	-	-
HAMBLEN	2,919	20	1	21	4	6	1	-	-	-
HAMILTON	68,804	910	50	628	125	134	24	18	9	100
HANCOCK	14	-	-	-	-	-	-	-	-	-
HARDEMAN	11,110	126	9	93	25	23	7	3	3	43
HARDIN	980	15	1	16	4	3	3	-	-	5
HAWKINS	889	9	1	8	1	1	-	-	-	-
HAYWOOD	9,263	118	11	91	19	16	3	1	-	33
HENDERSON	2,243	25	3	12	3	4	-	-	-	7
HENRY	2,647	28	-	35	9	8	3	-	-	10
HICKMAN	1,185	4	1	7	2	3	-	-	-	-
HOUSTON	213	-	-	5	-	1	-	-	-	-
HUMPHREYS	502	5	-	8	2	2	-	1	1	1
JACKSON	45	-	-	-	-	-	-	-	-	-
JEFFERSON	1,246	12	1	10	3	5	1	-	-	1
JOHNSON	396	2	-	-	-	-	-	-	-	-
KNOX	39,501	546	31	314	74	67	15	4	2	169

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2011: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	2,190	16	1	10	3	1	-	-	-	4
LAUDERDALE	9,684	130	5	70	18	17	2	3	1	23
LAWRENCE	770	10	2	4	1	1	-	-	-	2
LEWIS	231	1	1	1	-	-	-	-	-	-
LINCOLN	2,398	27	-	32	7	3	3	1	1	5
LOUDON	684	5	-	6	-	-	2	-	-	-
MCMINN	2,320	18	1	24	8	6	1	1	1	2
MCNAIRY	1,612	14	1	9	2	2	-	1	1	2
MACON	178	-	-	2	1	-	-	-	-	-
MADISON	35,812	595	29	240	63	53	13	7	5	134
MARION	1,104	10	1	12	5	2	1	-	-	2
MARSHALL	2,093	29	3	31	8	8	1	1	1	5
MAURY	10,278	131	10	95	22	21	2	1	1	33
MEIGS	167	1	-	3	1	1	-	-	-	-
MONROE	1,084	6	2	11	1	5	-	-	-	1
MONTGOMERY	34,688	598	17	176	43	42	11	8	5	164
MOORE	165	-	-	1	-	-	-	-	-	-
MORGAN	840	-	-	1	-	-	1	-	-	-
OBION	3,411	58	2	35	10	4	3	-	-	7
OVERTON	135	-	-	-	-	-	-	-	-	-
PERRY	143	1	-	2	1	1	-	-	-	-
PICKETT	5	-	-	-	-	-	-	-	-	-
POLK	110	1	-	-	-	-	-	-	-	-
PUTNAM	1,672	11	-	9	3	1	-	-	-	2
RHEA	729	10	1	4	1	1	-	-	-	-
ROANE	1,555	10	-	16	4	4	1	-	-	2
ROBERTSON	5,183	77	6	64	18	14	2	-	-	14
RUTHERFORD	34,723	478	13	140	37	38	1	4	2	123
SCOTT	31	-	-	-	-	-	-	-	-	-
SEQUATCHIE	91	1	-	-	-	-	-	-	-	-
SEVIER	1,163	5	-	-	-	-	-	-	-	1
SHELBY	488,820	8,244	481	3,658	814	894	153	107	65	3,701
SMITH	439	4	1	7	2	-	2	-	-	-
STEWART	231	2	1	4	-	2	1	-	-	-
SULLIVAN	3,810	40	4	36	13	5	1	-	-	1
SUMNER	11,000	134	6	67	14	13	5	2	-	39
TIPTON	11,559	145	5	92	22	27	6	1	-	37
TROUSDALE	761	5	-	9	2	1	2	-	-	1
UNICOI	50	1	-	1	1	-	-	-	-	-
UNION	70	1	-	-	-	-	-	-	-	-
VAN BUREN	25	-	-	1	-	-	-	-	-	-
WARREN	1,382	10	1	11	6	2	-	-	-	1
WASHINGTON	5,229	60	2	41	8	14	2	1	1	6
WAYNE	1,033	-	-	3	-	2	-	-	-	-
WEAKLEY	2,796	17	-	23	7	5	1	-	-	8
WHITE	545	4	1	6	3	1	-	-	-	-
WILLIAMSON	8,841	72	3	52	15	13	2	-	-	37
WILSON	7,778	90	3	68	16	16	6	1	1	26

Other Terminations - Total number of fetal deaths and induced termination of pregnancies.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment, Office of Health Statistics

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2011: *BLACK*

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	15.2	65.5	11.9	13.9	7.6	12.8	7.8	364.9	15.5
ANDERSON	10.5	54.4	5.0	12.5	7.6	-	-	375.0	5.0
BEDFORD	9.8	52.4	9.6	-	10.8	-	-	135.1	9.6
BENTON	5.4	27.4	-	*	21.4	-	-	-	-
BLED SOE	4.0	153.8	-	-	6.0	-	-	-	-
BLOUNT	8.5	45.4	4.1	15.6	8.5	31.3	31.3	250.0	4.1
BRADLEY	9.5	44.0	3.3	9.1	7.8	-	-	227.3	3.3
CAMPBELL	-	-	-	-	10.8	-	-	-	-
CANNON	10.4	87.0	-	-	10.4	-	-	-	-
CARROLL	12.1	66.8	6.2	13.9	12.4	-	-	194.4	6.2
CARTER	5.6	34.2	*	-	11.3	-	-	*	*
CHEATHAM	7.0	45.5	-	*	11.2	-	-	*	-
CHESTER	14.8	68.6	-	8.3	7.4	41.7	-	291.7	-
CLAIBORNE	6.0	23.5	-	*	9.0	-	-	*	-
CLAY	7.9	83.3	-	-	-	-	-	-	-
COCKE	7.8	54.1	22.2	-	5.2	-	-	*	*
COFFEE	10.1	56.6	-	14.3	9.2	47.6	47.6	95.2	-
CROCKETT	10.4	56.5	30.0	10.0	13.0	-	-	150.0	30.0
CUMBERLAND	23.7	163.3	*	-	3.0	-	-	-	*
DAVIDSON	15.9	63.3	7.7	12.4	6.9	13.1	7.8	384.0	11.1
DECATUR	2.9	18.2	-	-	-	-	-	-	-
DEKALE	5.1	33.9	-	-	-	-	-	*	-
DICKSON	7.7	40.8	22.4	5.9	8.2	-	-	588.2	37.3
DYER	19.7	88.7	26.9	20.4	11.1	18.5	18.5	203.7	34.2
FAYETTE	13.5	69.9	*	12.3	8.9	6.8	-	321.9	11.6
FENTRESS	*	*	-	-	-	-	-	-	-
FRANKLIN	7.2	40.3	-	-	10.8	-	-	125.0	-
GIBSON	15.5	75.3	6.5	15.1	11.9	13.7	13.7	157.5	9.8
GILES	9.5	53.2	-	10.3	15.3	-	-	241.4	-
GRAINGER	-	-	-	-	-	-	-	-	-
GREENE	15.6	80.8	*	12.5	6.5	-	-	83.3	*
GRUNDY	-	-	-	-	-	-	-	-	-
HAMBLEN	6.9	35.4	6.4	10.0	7.2	-	-	-	6.4
HAMILTON	13.2	58.7	11.9	18.6	9.1	19.8	9.9	109.9	13.3
HANCOCK	-	-	-	-	-	-	-	-	-
HARDEMAN	11.3	66.2	14.4	13.5	8.4	23.8	23.8	341.3	16.0
HARDIN	15.3	98.7	*	13.3	16.3	-	-	333.3	*
HAWKINS	10.1	70.3	*	*	9.0	-	-	-	*
HAYWOOD	12.7	60.7	19.2	20.3	9.8	8.5	-	279.7	20.9
HENDERSON	11.1	60.0	23.8	20.0	5.3	-	-	280.0	23.8
HENRY	10.6	62.4	-	10.7	13.2	-	-	357.1	14.8
HICKMAN	3.4	57.1	*	*	5.9	-	-	-	*
HOUSTON	-	-	-	-	23.5	-	-	-	-
HUMPHREYS	10.0	56.8	-	*	15.9	*	*	*	-
JACKSON	-	-	-	-	-	-	-	-	-
JEFFERSON	9.6	65.9	*	-	8.0	-	-	83.3	*
JOHNSON	5.1	500.0	-	-	-	-	-	-	-
KNOX	13.8	58.6	12.5	12.3	7.9	7.3	3.7	309.5	15.7

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2011: BLACK

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	7.3	63.5	*	25.0	4.6	-	-	250.0	*
LAUDERDALE	13.4	71.1	9.1	13.1	7.2	23.1	7.7	176.9	10.9
LAWRENCE	13.0	91.7	*	10.0	5.2	-	-	200.0	*
LEWIS	4.3	37.0	71.4	-	4.3	-	-	-	*
LINCOLN	11.3	59.6	-	14.8	13.3	37.0	37.0	185.2	-
LOUDON	7.3	43.1	-	*	8.8	-	-	-	-
MCMINN	7.8	43.1	8.0	-	10.3	55.6	55.6	111.1	8.0
MCNAIRY	8.7	46.4	*	-	5.6	71.4	71.4	142.9	*
MACON	-	-	-	-	11.2	-	-	-	-
MADISON	16.6	67.1	12.0	16.5	6.7	11.8	8.4	225.2	14.0
MARION	9.1	52.1	*	-	10.9	-	-	200.0	*
MARSHALL	13.9	72.1	25.0	20.7	14.8	34.5	34.5	172.4	25.0
MAURY	12.7	62.2	16.5	16.0	9.2	7.6	7.6	251.9	24.8
MEIGS	6.0	33.3	-	-	18.0	-	-	-	-
MONROE	5.5	38.2	*	*	10.1	-	-	*	*
MONTGOMERY	17.2	69.4	7.2	13.2	5.1	13.4	8.4	274.2	10.2
MOORE	-	-	-	-	6.1	-	-	-	-
MORGAN	-	-	-	-	1.2	-	-	-	-
OBION	17.0	81.9	9.7	15.5	10.3	-	-	120.7	14.6
OVERTON	-	-	-	-	-	-	-	-	-
PERRY	7.0	37.0	-	-	14.0	-	-	-	-
PICKETT	-	-	-	-	-	-	-	-	-
POLK	9.1	47.6	-	-	-	-	-	-	-
PUTNAM	6.6	31.4	-	27.3	5.4	-	-	181.8	-
RHEA	13.7	84.7	20.8	30.0	5.5	-	-	-	20.8
ROANE	6.4	42.7	-	-	10.3	-	-	200.0	-
ROBERTSON	14.9	69.9	17.8	19.5	12.3	-	-	181.8	20.7
RUTHERFORD	13.8	51.6	5.4	12.8	4.0	8.4	4.2	257.3	6.2
SCOTT	-	-	-	-	-	-	-	-	-
SEQUATCHIE	*	*	-	-	-	-	-	-	-
SEVIER	4.3	21.3	-	*	-	-	-	*	-
SHELBY	16.9	70.7	14.5	14.0	7.5	13.0	7.9	448.9	19.2
SMITH	9.1	51.9	*	-	15.9	-	-	-	*
STEWART	8.7	51.3	*	-	17.3	-	-	-	*
SULLIVAN	10.5	61.8	19.0	5.0	9.4	-	-	25.0	19.0
SUMNER	12.2	56.8	8.1	10.4	6.1	14.9	-	291.0	12.2
TIPTON	12.5	58.0	5.9	13.8	8.0	6.9	-	255.2	8.2
TROUSDALE	6.6	48.1	-	-	11.8	-	-	*	-
UNICOI	*	*	-	-	*	-	-	-	-
UNION	*	*	-	-	-	-	-	-	-
VAN BUREN	-	-	-	-	*	-	-	-	-
WARREN	7.2	44.4	14.3	-	8.0	-	-	100.0	14.3
WASHINGTON	11.5	54.2	6.5	5.0	7.8	16.7	16.7	100.0	6.5
WAYNE	-	-	-	-	2.9	-	-	-	-
WEAKLEY	6.1	21.0	-	11.8	8.2	-	-	470.6	-
WHITE	7.3	55.6	37.0	-	11.0	-	-	-	*
WILLIAMSON	8.1	43.6	5.0	15.3	5.9	-	-	513.9	11.6
WILSON	11.6	56.8	5.8	11.1	8.7	11.1	11.1	288.9	9.7

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced termination of pregnancies to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100. Source: Tennessee Department of Health, Division of Policy, Planning and Assessment, Office of Health Statistics

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2011: ALL RACES

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,403,140	79,462	2,389	60,104	14,154	13,461	3,400	587	365	12,977
NORTHEAST	350,738	3,431	114	4,003	956	872	206	27	19	151
EAST TENNESSEE	747,444	7,969	267	8,169	1,831	1,845	497	63	40	818
SOUTHEAST	323,018	3,507	114	3,490	829	776	244	29	19	265
UPPER CUMBERLAND	339,761	3,868	114	3,983	1048	852	267	25	14	297
MID-CUMBERLAND	1,118,493	14,412	284	7,876	1,800	1,832	473	76	49	1,946
SOUTH CENTRAL	383,665	4,598	157	4,141	963	884	230	26	18	412
NORTHWEST	254,443	2,932	117	3,283	902	738	165	28	16	264
SOUTHWEST	281,573	3,179	112	2,817	755	646	159	25	11	405
MEMPHIS/SHELBY	935,093	13,993	606	7,401	1,655	1,699	353	134	84	4,735
NASHVILLE/DAVIDSON	635,466	9,601	188	4,826	1,088	1,115	302	72	44	2,233
KNOXVILLE/KNOX	436,922	5,143	112	3,980	921	903	206	27	16	876
CHATTANOOGA/HAMILTON	340,857	4,047	104	3,317	724	710	169	32	19	336
JACKSON/MADISON	98,252	1,271	46	843	236	172	52	10	7	200
SULLIVAN	157,415	1,511	54	1,975	446	417	77	13	9	39

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2011: WHITE

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	5,090,175	60,252	1,517	51,638	12,202	11,430	2,993	361	225	6,163
NORTHEAST	333,816	3,228	109	3,922	943	850	201	26	18	136
EAST TENNESSEE	710,805	7,624	253	8,011	1,803	1,801	485	62	39	742
SOUTHEAST	302,429	3,327	110	3,377	804	751	237	28	18	241
UPPER CUMBERLAND	326,749	3,766	109	3,931	1028	844	264	25	14	275
MID-CUMBERLAND	960,885	12,378	224	7,207	1,637	1,665	437	60	40	1,335
SOUTH CENTRAL	346,234	4,122	137	3,854	895	818	219	22	14	325
NORTHWEST	217,686	2,434	94	2,931	800	667	149	22	10	175
SOUTHWEST	216,364	2,368	66	2,317	631	517	133	14	6	195
MEMPHIS/SHELBY	407,299	5,183	114	3,686	831	796	193	23	15	859
NASHVILLE/DAVIDSON	420,851	6,310	100	3,548	790	789	227	31	18	920
KNOXVILLE/KNOX	378,724	4,407	80	3,645	840	832	189	19	12	646
CHATTANOOGA/HAMILTON	258,198	3,014	54	2,672	595	571	144	13	10	220
JACKSON/MADISON	59,893	654	17	603	173	119	39	3	2	57
SULLIVAN	150,242	1,437	50	1,934	432	410	76	13	9	37

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2011: BLACK

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,082,765	16,482	834	8,178	1,898	1,950	381	211	128	6,014
NORTHEAST	9,006	101	5	70	12	19	3	1	1	12
EAST TENNESSEE	17,884	131	7	129	24	32	10	1	1	30
SOUTHEAST	11,925	103	4	106	23	24	6	1	1	16
UPPER CUMBERLAND	5,546	44	5	39	16	5	2	-	-	4
MID-CUMBERLAND	106,842	1,483	52	619	154	149	31	16	9	417
SOUTH CENTRAL	27,222	290	19	283	66	65	11	4	4	59
NORTHWEST	31,215	431	22	346	100	70	16	4	4	84
SOUTHWEST	59,210	744	42	491	122	126	26	11	5	204
MEMPHIS/SHELBY	488,820	8,244	481	3,658	814	894	153	107	65	3,701
NASHVILLE/DAVIDSON	177,168	2,820	83	1,219	292	307	70	37	22	1,083
KNOXVILLE/KNOX	39,501	546	31	314	74	67	15	4	2	169
CHATTANOOGA/HAMILTON	68,804	910	50	628	125	134	24	18	9	100
JACKSON/MADISON	35,812	595	29	240	63	53	13	7	5	134
SULLIVAN	3,810	40	4	36	13	5	1	-	-	1

Other Terminations - Total number of fetal deaths and induced termination of pregnancies.

A dash (-) indicates there were no events.

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment, Office of Health Statistics

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2011: **ALL RACES**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	12.4	62.2	7.3	9.0	9.4	7.4	4.6	163.3	8.9
NORTHEAST	9.8	52.7	7.0	9.0	11.4	7.9	5.5	44.0	7.6
EAST TENNESSEE	10.7	59.9	7.3	8.9	10.9	7.9	5.0	102.6	8.5
SOUTHEAST	10.9	58.7	6.9	9.0	10.8	8.3	5.4	75.6	7.9
UPPER CUMBERLAND	11.4	63.9	6.8	7.8	11.7	6.5	3.6	76.8	7.6
MID-CUMBERLAND	12.9	62.2	4.5	7.8	7.0	5.3	3.4	135.0	5.8
SOUTH CENTRAL	12.0	65.8	8.0	7.6	10.8	5.7	3.9	89.6	9.3
NORTHWEST	11.5	63.1	8.9	9.3	12.9	9.5	5.5	90.0	10.0
SOUTHWEST	11.3	62.2	7.5	9.4	10.0	7.9	3.5	127.4	8.6
MEMPHIS/SHELBY	15.0	69.2	11.1	11.0	7.9	9.6	6.0	338.4	14.6
NASHVILLE/DAVIDSON	15.1	64.6	6.8	8.7	7.6	7.5	4.6	232.6	9.2
KNOXVILLE/KNOX	11.8	55.6	5.3	8.6	9.1	5.2	3.1	170.3	6.8
CHATTANOOGA/HAMILTON	11.9	59.5	6.5	10.0	9.7	7.9	4.7	83.0	7.2
JACKSON/MADISON	12.9	61.9	8.7	11.1	8.6	7.9	5.5	157.4	10.4
SULLIVAN	9.6	55.4	7.3	8.1	12.5	8.6	6.0	25.8	7.4

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2011: **WHITE**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	11.8	61.8	6.2	7.7	10.1	6.0	3.7	102.3	7.3
NORTHEAST	9.7	52.3	7.2	9.2	11.7	8.1	5.6	42.1	7.8
EAST TENNESSEE	10.7	60.4	7.4	8.9	11.3	8.1	5.1	97.3	8.6
SOUTHEAST	11.0	59.5	7.3	9.1	11.2	8.4	5.4	72.4	8.3
UPPER CUMBERLAND	11.5	64.7	6.9	7.8	12.0	6.6	3.7	73.0	7.7
MID-CUMBERLAND	12.9	63.5	4.3	7.2	7.5	4.8	3.2	107.9	5.3
SOUTH CENTRAL	11.9	65.3	8.0	7.3	11.1	5.3	3.4	78.8	9.1
NORTHWEST	11.2	62.3	8.7	8.2	13.5	9.0	4.1	71.9	9.3
SOUTHWEST	10.9	61.5	6.1	8.0	10.7	5.9	2.5	82.3	7.0
MEMPHIS/SHELBY	12.7	67.6	6.0	6.3	9.0	4.4	2.9	165.7	7.6
NASHVILLE/DAVIDSON	15.0	66.7	6.9	7.0	8.4	4.9	2.9	145.8	8.6
KNOXVILLE/KNOX	11.6	56.0	4.6	8.2	9.6	4.3	2.7	146.6	6.0
CHATTANOOGA/HAMILTON	11.7	61.0	4.9	7.5	10.3	4.3	3.3	73.0	5.5
JACKSON/MADISON	10.9	58.7	6.3	6.4	10.1	4.6	3.1	87.2	7.8
SULLIVAN	9.6	55.2	7.2	8.0	12.9	9.0	6.3	25.7	7.4

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2011: BLACK

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	15.2	65.5	11.9	13.9	7.6	12.8	7.8	364.9	15.5
NORTHEAST	11.2	59.9	9.3	6.9	7.8	9.9	9.9	118.8	11.2
EAST TENNESSEE	7.3	42.8	6.4	14.5	7.2	7.6	7.6	229.0	6.4
SOUTHEAST	8.6	46.6	5.3	6.8	8.9	9.7	9.7	155.3	5.3
UPPER CUMBERLAND	7.9	46.2	13.9	6.8	7.0	-	-	90.9	13.9
MID-CUMBERLAND	13.9	58.5	7.2	13.0	5.8	10.8	6.1	281.2	10.1
SOUTH CENTRAL	10.7	59.6	12.8	13.4	10.4	13.8	13.8	203.4	16.2
NORTHWEST	13.8	68.0	11.5	16.2	11.1	9.3	9.3	194.9	15.7
SOUTHWEST	12.6	64.5	11.6	14.1	8.3	14.8	6.7	274.2	13.0
MEMPHIS/SHELBY	16.9	70.7	14.5	14.0	7.5	13.0	7.9	448.9	19.2
NASHVILLE/DAVIDSON	15.9	63.3	7.7	12.4	6.9	13.1	7.8	384.0	11.1
KNOXVILLE/KNOX	13.8	58.6	12.5	12.3	7.9	7.3	3.7	309.5	15.7
CHATTAHOOGA/HAMILTON	13.2	58.7	11.9	18.6	9.1	19.8	9.9	109.9	13.3
JACKSON/MADISON	16.6	67.1	12.0	16.5	6.7	11.8	8.4	225.2	14.0
SULLIVAN	10.5	61.8	19.0	5.0	9.4	-	-	25.0	19.0

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced termination of pregnancies to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100. Source: Tennessee Department of Health, Division of Policy, Planning and Assessment, Office of Health Statistics

The population estimates for 2011 were interpolated from the Census five-year age cohort estimates (CC-EST2011-ALLDATA-[ST-FIPS] May 2012) by the Office of Health Statistics in October 2012. These population figures may result in rates that differ from those published in previous time periods.

Tennessee Vital Statistics Summary Data 2011 was published by the Tennessee Department of Health
 Division of Policy, Planning and Assessment
 Office of Health Statistics
 Cordell Hull Building, Nashville, Tennessee, 37243
 For additional information please contact (615)741-1954

The mission of the Department of Health is to protect, promote and improve the health and prosperity of people in Tennessee.



Tennessee Department of Health, Authorization No. 343582, website only (06-13)

COUNTIES BY HEALTH DEPARTMENT REGIONS

EAST TENNESSEE

ANDERSON
BLOUNT
CAMPBELL
CLAIBORNE
COCKE
GRAINGER
HAMBLÉN
JEFFERSON
LOUDON
MONROE
MORGAN
ROANE
SCOTT
SEVIER
UNION

SOUTHEAST

BLEDSON
BRADLEY
FRANKLIN
GRUNDY
MCMINN
MARION
MEIGS
POLK
RHEA
SEQUATCHIE

SULLIVAN

SULLIVAN

NORTHEAST

CARTER
GREENE
HANCOCK
HAWKINS
JOHNSON
UNICOI
WASHINGTON

SOUTHWEST

CHESTER
DECATUR
FAYETTE
HARDEMAN
HARDIN
HAYWOOD
HENDERSON
LAUDERDALE
MCNAIRY
TIPTON

NORTHWEST

BENTON
CARROLL
CROCKETT
DYER
GIBSON
HENRY
LAKE
OBION
WEAKLEY

MID-CUMBERLAND

CHEATHAM
DICKSON
HOUSTON
HUMPHREYS
MONTGOMERY
ROBERTSON
RUTHERFORD
STEWART
SUMNER
TROUSDALE
WILLIAMSON
WILSON

SOUTH CENTRAL

BEDFORD
COFFEE
GILES
HICKMAN
LAWRENCE
LEWIS
LINCOLN
MARSHALL
MAURY
MOORE
PERRY
WAYNE

NASHVILLE/DAVIDSON

DAVIDSON

UPPER CUMBERLAND

CANNON
CLAY
CUMBERLAND
DEKALB
FENTRESS
JACKSON
MACON
OVERTON
PICKETT
PUTNAM
SMITH
VAN BUREN
WARREN
WHITE

MEMPHIS/SHELBY

SHELBY

JACKSON/MADISON

MADISON

KNOXVILLE/KNOX

KNOX

CHATTANOOGA/ HAMILTON

HAMILTON