

# TENNESSEE

## 2020 Core Variables Report

### Behavioral Risk Factor Surveillance System

July 6, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4654	5,387,350	805	19.3	17.7-20.9	1620	35.1	33.1-37.1	1392	28.6	26.8-30.4	602	12.6	11.2-14.0	235	4.3	3.5- 5.1
Male	2108	2,597,246	413	21.4	18.9-23.9	721	35.0	32.3-37.7	630	28.3	25.8-30.8	247	10.9	9.1-12.7	97	4.5	3.3- 5.7
Female	2546	2,790,104	392	17.4	15.2-19.6	899	35.3	32.8-37.8	762	29.0	26.5-31.5	355	14.1	12.1-16.1	138	4.2	3.2- 5.2
White/Non-Hisp	3759	3,970,381	655	20.0	18.2-21.8	1347	35.9	33.9-37.9	1103	28.3	26.3-30.3	461	11.5	10.1-12.9	193	4.3	3.5- 5.1
Black or Afr. Am./Non-Hisp	465	833,053	52	13.4	8.9-17.9	148	34.9	29.0-40.8	160	28.8	23.7-33.9	89	19.0	14.1-23.9	16	3.9	1.4- 6.4
Oth. Race/Non-Hisp.	130	126,090	30	23.8	14.2-33.4	38	28.2	17.0-39.4	39	34.6	22.8-46.4	14	8.9	3.6-14.2	9	4.6	1.5- 7.7
MultiRacial/Non-Hisp.	75	64,641	17	21.7	10.9-32.5	21	29.6	16.9-42.3	19	28.6	15.5-41.7	15	16.5	6.9-26.1	3	3.7	0.0- 9.0
Hispanic	136	269,086	33	27.5	16.9-38.1	43	33.9	22.5-45.3	43	27.2	16.8-37.6	13	7.9	2.6-13.2	4	3.5	0.0- 7.4
18-24	338	627,625	112	29.7	23.4-36.0	137	39.8	32.7-46.9	64	21.7	15.0-28.4	21	7.9	4.0-11.8	4	0.9	0.0- 1.9
25-34	585	935,026	151	28.8	23.7-33.9	234	37.3	32.2-42.4	160	25.8	21.3-30.3	33	6.7	3.8- 9.6	7	1.3	0.1- 2.5
35-44	651	855,096	148	24.3	20.0-28.6	251	39.1	34.2-44.0	187	26.0	21.7-30.3	49	7.8	4.9-10.7	16	2.8	0.8- 4.8
45-54	781	868,081	126	16.4	13.1-19.7	281	37.1	32.6-41.6	237	29.7	25.6-33.8	93	11.5	8.4-14.6	44	5.3	3.1- 7.5
55-64	868	894,728	104	11.7	8.8-14.6	290	32.7	28.6-36.8	271	31.5	27.4-35.6	135	16.4	13.1-19.7	68	7.7	5.2-10.2
65+	1431	1,206,793	164	10.9	8.9-12.9	427	28.5	25.4-31.6	473	33.5	30.2-36.8	271	20.8	17.9-23.7	96	6.3	4.7- 7.9
Less Than H.S.	369	677,435	23	10.3	4.6-16.0	75	20.3	14.6-26.0	116	33.2	26.1-40.3	99	25.6	19.7-31.5	56	10.6	6.7-14.5
H.S. or G.E.D.	1447	1,731,649	203	16.5	14.0-19.0	456	34.3	31.0-37.6	493	32.4	29.3-35.5	202	12.3	10.1-14.5	93	4.5	3.3- 5.7
Some Post-H.S.	1189	1,575,073	182	19.5	16.4-22.6	425	37.4	33.9-40.9	360	26.4	23.3-29.5	170	13.0	10.5-15.5	52	3.8	2.4- 5.2
College Graduate	1594	1,331,418	381	26.8	23.9-29.7	645	41.1	38.0-44.2	410	24.5	21.8-27.2	126	6.1	4.7- 7.5	32	1.5	0.7- 2.3
Less than \$15,000	396	481,703	22	7.7	3.0-12.4	72	14.9	10.6-19.2	130	33.9	26.5-41.3	95	25.4	18.9-31.9	77	18.0	12.5-23.5
\$15,000- 24,999	651	736,999	67	13.2	8.9-17.5	158	25.2	20.3-30.1	222	33.2	28.1-38.3	156	24.5	19.8-29.2	48	3.9	2.5- 5.3
\$25,000- 34,999	386	451,804	50	14.9	9.6-20.2	119	34.0	27.1-40.9	126	34.3	27.4-41.2	68	13.3	9.0-17.6	23	3.5	1.9- 5.1
\$35,000- 49,999	540	643,841	83	16.1	12.0-20.2	200	37.4	31.9-42.9	179	32.0	26.7-37.3	68	12.0	7.9-16.1	10	2.5	0.3- 4.7
\$50,000- 74,999	598	702,423	102	17.4	13.7-21.1	266	46.7	41.2-52.2	171	26.1	21.4-30.8	47	7.3	4.4-10.2	12	2.5	0.7- 4.3
\$75,000+	1193	1,395,947	331	30.4	26.9-33.9	523	44.1	40.4-47.8	275	20.2	17.5-22.9	53	4.6	3.0- 6.2	11	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2108	2,597,246	413	21.4	18.9-23.9	721	35.0	32.3-37.7	630	28.3	25.8-30.8	247	10.9	9.1-12.7	97	4.5	3.3- 5.7
White/Non-Hisp	1716	1,910,280	332	21.9	19.2-24.6	613	35.3	32.4-38.2	499	28.2	25.5-30.9	193	10.6	8.6-12.6	79	4.0	3.0- 5.0
Black or Afr. Am./Non-Hisp	166	346,128	24	14.8	7.0-22.6	51	35.7	26.1-45.3	59	30.4	21.8-39.0	26	13.3	7.0-19.6	6	5.8	0.7-10.9
Oth. Race/Non-Hisp.	72	70,849	22	33.7	19.8-47.6	14	23.0	10.8-35.2	24	32.7	18.8-46.6	9	7.4	1.9-12.9	3	3.2	0.0- 6.7
Hispanic	71	163,693	19	27.4	13.3-41.5	21	38.6	22.5-54.7	21	22.1	10.1-34.1	7	6.8	1.1-12.5	3	5.1	0.0-11.4
18-24	179	320,548	63	30.2	22.2-38.2	71	42.0	32.4-51.6	31	20.1	12.1-28.1	12	7.2	2.9-11.5	2	0.5	0.0- 1.3
25-34	277	467,348	79	29.6	22.0-37.2	107	37.2	29.6-44.8	77	27.9	20.8-35.0	10	3.4	0.3- 6.5	4	1.8	0.0- 4.0
35-44	298	420,917	78	27.8	20.9-34.7	113	38.4	31.1-45.7	85	25.1	18.6-31.6	18	5.8	2.1- 9.5	4	2.9	0.0- 6.4
45-54	364	426,214	65	19.3	13.8-24.8	135	38.4	31.9-44.9	101	26.1	20.6-31.6	43	9.2	5.7-12.7	20	7.0	3.5-10.5
55-64	389	426,817	57	15.8	10.7-20.9	121	30.4	24.5-36.3	131	31.8	25.9-37.7	52	14.2	9.3-19.1	28	7.9	5.2-10.6
65+	601	535,401	71	10.1	7.4-12.8	174	27.0	22.5-31.5	205	34.9	29.8-40.0	112	22.3	17.4-27.2	39	5.7	3.5- 7.9
Less Than H.S.	173	340,669	12	11.9	3.7-20.1	38	23.1	14.7-31.5	57	30.6	21.8-39.4	40	23.1	14.9-31.3	26	11.3	6.2-16.4
H.S. or G.E.D.	667	865,157	112	17.9	14.2-21.6	217	35.9	31.0-40.8	228	33.6	28.9-38.3	70	8.4	5.9-10.9	40	4.2	2.4- 6.0
Some Post-H.S.	510	711,657	92	21.8	16.7-26.9	178	37.4	31.9-42.9	144	23.5	18.8-28.2	75	12.7	9.0-16.4	21	4.5	2.3- 6.7
College Graduate	731	636,304	190	30.7	26.2-35.2	278	37.1	32.6-41.6	195	25.5	21.6-29.4	59	5.7	3.9- 7.5	9	1.1	0.3- 1.9
Less than \$15,000	145	183,265	7	6.9	0.4-13.4	26	15.3	8.2-22.4	46	31.2	20.6-41.8	33	23.3	13.7-32.9	33	23.3	14.5-32.1
\$15,000- 24,999	257	336,088	32	12.6	7.3-17.9	57	25.8	17.8-33.8	88	35.3	27.5-43.1	65	22.7	16.0-29.4	15	3.6	1.4- 5.8
\$25,000- 34,999	158	191,077	24	18.7	9.7-27.7	45	29.9	19.7-40.1	54	36.6	26.0-47.2	26	10.9	5.8-16.0	9	3.9	1.0- 6.8
\$35,000- 49,999	250	336,887	43	16.4	10.7-22.1	93	39.1	30.9-47.3	82	30.9	23.3-38.5	27	10.3	4.8-15.8	5	3.2	0.7- 5.7
\$50,000- 74,999	290	362,091	49	16.4	10.9-21.9	121	46.3	38.3-54.3	83	25.6	18.7-32.5	30	8.4	4.5-12.3	7	3.3	0.2- 6.4
\$75,000+	621	737,013	182	33.7	28.4-39.0	254	40.7	35.6-45.8	154	21.1	17.4-24.8	25	3.6	1.4- 5.8	6	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2546	2,790,104	392	17.4	15.2-19.6	899	35.3	32.8-37.8	762	29.0	26.5-31.5	355	14.1	12.1-16.1	138	4.2	3.2- 5.2
White/Non-Hisp	2043	2,060,100	323	18.2	15.8-20.6	734	36.5	33.8-39.2	604	28.5	25.8-31.2	268	12.3	10.5-14.1	114	4.5	3.3- 5.7
Black or Afr. Am./Non-Hisp	299	486,925	28	12.4	7.1-17.7	97	34.3	27.0-41.6	101	27.6	21.1-34.1	63	23.0	16.1-29.9	10	2.6	0.4- 4.8
Oth. Race/Non-Hisp.	58	55,241	8	11.1	1.9-20.3	24	34.9	15.3-54.5	15	36.9	17.3-56.5	5	10.7	0.7-20.7	6	6.3	0.8-11.8
Hispanic	65	105,393	14	27.7	11.4-44.0	22	26.5	13.6-39.4	22	35.2	17.8-52.6	6	9.6	0.0-19.6	1	1.0	0.0- 3.0
18-24	159	307,077	49	29.2	19.6-38.8	66	37.5	27.3-47.7	33	23.5	12.5-34.5	9	8.6	1.9-15.3	2	1.3	0.0- 3.1
25-34	308	467,678	72	28.1	21.2-35.0	127	37.4	30.7-44.1	83	23.7	18.0-29.4	23	10.0	5.3-14.7	3	0.8	0.0- 1.8
35-44	353	434,179	70	20.8	15.5-26.1	138	39.8	33.3-46.3	102	26.8	20.9-32.7	31	9.7	5.4-14.0	12	2.8	0.6- 5.0
45-54	417	441,867	61	13.7	9.6-17.8	146	35.9	29.6-42.2	136	33.1	27.0-39.2	50	13.7	8.6-18.8	24	3.7	1.9- 5.5
55-64	479	467,911	47	8.0	5.1-10.9	169	34.8	29.3-40.3	140	31.2	25.7-36.7	83	18.4	13.9-22.9	40	7.6	4.7-10.5
65+	830	671,392	93	11.4	8.5-14.3	253	29.8	25.7-33.9	268	32.3	28.0-36.6	159	19.7	16.0-23.4	57	6.8	4.6- 9.0
Less Than H.S.	196	336,765	11	8.7	0.7-16.7	37	17.5	10.2-24.8	59	35.8	25.0-46.6	59	28.1	19.3-36.9	30	10.0	5.1-14.9
H.S. or G.E.D.	780	866,491	91	15.1	11.6-18.6	239	32.8	28.5-37.1	265	31.1	27.0-35.2	132	16.2	12.7-19.7	53	4.7	3.1- 6.3
Some Post-H.S.	679	863,416	90	17.5	13.6-21.4	247	37.4	32.7-42.1	216	28.7	24.4-33.0	95	13.2	9.9-16.5	31	3.2	1.8- 4.6
College Graduate	863	695,114	191	23.3	19.6-27.0	367	44.7	40.4-49.0	215	23.7	20.0-27.4	67	6.4	4.4- 8.4	23	1.9	0.7- 3.1
Less than \$15,000	251	298,438	15	8.2	1.9-14.5	46	14.6	9.1-20.1	84	35.6	25.6-45.6	62	26.8	18.2-35.4	44	14.8	9.1-20.5
\$15,000- 24,999	394	400,910	35	13.8	7.1-20.5	101	24.7	18.8-30.6	134	31.4	24.7-38.1	91	26.0	19.5-32.5	33	4.1	2.5- 5.7
\$25,000- 34,999	228	260,727	26	12.1	6.0-18.2	74	37.0	28.0-46.0	72	32.6	23.8-41.4	42	15.1	9.0-21.2	14	3.3	1.3- 5.3
\$35,000- 49,999	290	306,954	40	15.7	10.0-21.4	107	35.5	28.2-42.8	97	33.2	25.9-40.5	41	13.9	8.0-19.8	5	1.7	0.1- 3.3
\$50,000- 74,999	308	340,332	53	18.5	13.2-23.8	145	47.0	39.6-54.4	88	26.6	20.3-32.9	17	6.2	2.1-10.3	5	1.7	0.0- 3.5
\$75,000+	572	658,934	149	26.7	22.0-31.4	269	47.9	42.6-53.2	121	19.2	15.3-23.1	28	5.7	3.2- 8.2	5	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4530	5,247,511	3082	69.5	67.7-71.3	352	7.9	6.7- 9.1	402	9.3	8.1-10.5	383	7.4	6.4- 8.4	311	5.9	4.9- 6.9
Male	2056	2,528,725	1493	72.3	69.6-75.0	143	8.0	6.2- 9.8	144	7.1	5.5- 8.7	136	6.0	4.6- 7.4	140	6.5	5.1- 7.9
Female	2474	2,718,785	1589	66.9	64.4-69.4	209	7.7	6.3- 9.1	258	11.3	9.3-13.3	247	8.7	7.3-10.1	171	5.4	4.4- 6.4
White/Non-Hisp	3666	3,887,653	2502	69.6	67.6-71.6	279	7.5	6.3- 8.7	319	9.3	7.9-10.7	318	8.1	6.9- 9.3	248	5.5	4.7- 6.3
Black or Afr. Am./Non-Hisp	454	807,406	288	65.8	59.9-71.7	43	9.8	5.9-13.7	51	10.3	6.6-14.0	37	6.1	3.6- 8.6	35	8.0	4.5-11.5
Oth. Race/Non-Hisp.	125	121,469	84	68.0	57.4-78.6	12	8.9	2.6-15.2	10	8.5	2.4-14.6	9	6.0	1.7-10.3	10	8.6	1.7-15.5
MultiRacial/Non-Hisp.	72	63,013	51	68.3	54.6-82.0	6	7.8	0.7-14.9	4	4.5	0.0-10.6	6	7.4	0.5-14.3	5	12.0	0.4-23.6
Hispanic	131	258,062	102	79.6	70.2-89.0	7	7.9	0.1-15.7	11	6.5	2.0-11.0	8	3.5	0.8- 6.2	3	2.6	0.0- 6.3
18-24	335	624,035	247	73.8	67.1-80.5	33	8.7	5.0-12.4	35	12.3	6.6-18.0	15	4.1	1.7- 6.5	5	1.2	0.0- 2.4
25-34	576	914,534	437	75.1	70.4-79.8	55	10.0	6.7-13.3	51	9.4	6.3-12.5	21	3.2	1.6- 4.8	12	2.4	0.6- 4.2
35-44	639	836,892	459	72.9	68.4-77.4	54	8.7	5.6-11.8	55	7.3	4.9- 9.7	45	6.2	3.8- 8.6	26	5.0	2.5- 7.5
45-54	758	838,190	513	71.2	66.9-75.5	60	7.6	5.2-10.0	58	6.8	4.4- 9.2	76	8.5	5.8-11.2	51	5.9	3.7- 8.1
55-64	852	875,003	531	61.8	57.5-66.1	59	6.4	4.4- 8.4	84	9.7	7.2-12.2	92	11.9	8.8-15.0	86	10.2	7.5-12.9
65+	1370	1,158,857	895	64.9	61.6-68.2	91	6.6	4.8- 8.4	119	10.4	8.0-12.8	134	9.3	7.3-11.3	131	8.9	6.9-10.9
Less Than H.S.	349	638,073	177	57.5	50.1-64.9	26	5.7	2.8- 8.6	45	13.5	7.6-19.4	55	13.2	8.7-17.7	46	10.1	6.4-13.8
H.S. or G.E.D.	1385	1,672,668	897	69.7	66.6-72.8	105	7.8	5.8- 9.8	127	8.7	6.7-10.7	132	6.6	5.2- 8.0	124	7.2	5.6- 8.8
Some Post-H.S.	1168	1,548,408	782	68.3	64.8-71.8	85	7.8	5.6-10.0	108	9.6	7.4-11.8	108	8.8	6.6-11.0	85	5.5	3.9- 7.1
College Graduate	1575	1,319,702	1183	75.7	73.0-78.4	135	9.4	7.2-11.6	117	7.5	5.7- 9.3	84	4.2	3.0- 5.4	56	3.2	2.0- 4.4
Less than \$15,000	383	458,198	161	46.9	39.3-54.5	28	6.9	3.2-10.6	48	14.7	7.8-21.6	73	14.8	10.1-19.5	73	16.6	11.5-21.7
\$15,000- 24,999	623	708,013	342	62.4	57.1-67.7	45	6.1	3.6- 8.6	65	8.3	5.6-11.0	94	13.2	9.7-16.7	77	9.9	7.0-12.8
\$25,000- 34,999	377	440,626	227	64.5	57.8-71.2	34	10.0	5.5-14.5	51	13.4	8.7-18.1	34	6.9	3.6-10.2	31	5.2	2.7- 7.7
\$35,000- 49,999	528	627,068	368	66.4	60.7-72.1	41	10.1	6.2-14.0	54	11.8	7.9-15.7	39	6.9	4.0- 9.8	26	4.8	2.3- 7.3
\$50,000- 74,999	590	696,567	430	71.1	66.0-76.2	49	9.3	5.8-12.8	52	8.9	5.8-12.0	37	6.0	3.5- 8.5	22	4.8	2.1- 7.5
\$75,000+	1186	1,387,001	950	80.8	77.9-83.7	103	7.9	5.9- 9.9	68	6.2	4.4- 8.0	45	3.8	2.4- 5.2	20	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2056	2,528,725	1493	72.3	69.8-74.8	143	8.0	6.2- 9.8	144	7.1	5.5- 8.7	136	6.0	4.8- 7.2	140	6.5	5.1- 7.9
White/Non-Hisp	1678	1,873,751	1222	73.4	70.7-76.1	112	7.0	5.4- 8.6	122	7.5	5.7- 9.3	113	6.6	5.0- 8.2	109	5.4	4.0- 6.8
Black or Afr. Am./Non-Hisp	160	331,835	105	64.7	54.9-74.5	20	13.1	6.0-20.2	9	5.7	0.8-10.6	10	4.3	1.4- 7.2	16	12.2	5.1-19.3
Oth. Race/Non-Hisp.	71	70,034	54	73.7	60.0-87.4	4	8.2	0.0-17.2	3	4.2	0.0-10.1	5	4.9	0.0- 9.8	5	9.0	0.0-19.2
Hispanic	68	155,525	51	74.0	59.9-88.1	6	12.7	0.2-25.2	5	5.2	0.0-10.5	4	4.0	0.0- 8.3	2	4.2	0.0-10.5
18-24	178	319,567	134	77.8	70.5-85.1	17	7.9	3.6-12.2	17	8.9	4.0-13.8	7	3.9	0.6- 7.2	3	1.5	0.0- 3.5
25-34	273	462,078	210	73.9	66.6-81.2	26	12.3	6.4-18.2	23	9.4	4.5-14.3	7	1.4	0.2- 2.6	7	2.9	0.2- 5.6
35-44	294	409,906	231	75.3	68.2-82.4	27	10.3	5.2-15.4	13	3.0	1.0- 5.0	11	5.4	1.7- 9.1	12	5.9	1.4-10.4
45-54	352	409,707	259	75.4	69.7-81.1	24	7.1	3.6-10.6	21	5.1	2.7- 7.5	24	5.0	2.6- 7.4	24	7.5	3.6-11.4
55-64	381	412,965	253	64.3	58.0-70.6	22	5.4	2.5- 8.3	32	8.0	4.3-11.7	34	11.9	7.6-16.2	40	10.3	6.2-14.4
65+	578	514,501	406	69.0	63.9-74.1	27	5.4	2.7- 8.1	38	8.0	4.9-11.1	53	8.1	5.6-10.6	54	9.6	6.5-12.7
Less Than H.S.	165	314,567	96	63.4	54.2-72.6	11	5.4	1.7- 9.1	12	7.0	1.9-12.1	20	10.9	5.8-16.0	26	13.3	7.0-19.6
H.S. or G.E.D.	641	838,899	447	72.8	68.3-77.3	43	8.1	4.8-11.4	41	6.6	4.1- 9.1	54	5.4	3.6- 7.2	56	7.1	4.7- 9.5
Some Post-H.S.	502	703,880	361	70.7	65.4-76.0	29	7.2	3.9-10.5	40	7.9	5.0-10.8	35	8.1	5.0-11.2	37	6.1	3.4- 8.8
College Graduate	723	631,036	569	77.4	73.1-81.7	59	10.3	6.8-13.8	48	6.4	4.2- 8.6	26	2.5	1.3- 3.7	21	3.3	1.1- 5.5
Less than \$15,000	141	169,079	66	49.3	38.3-60.3	8	7.6	0.7-14.5	14	8.7	3.4-14.0	19	12.3	7.6-17.0	34	22.2	12.8-31.6
\$15,000- 24,999	244	320,050	145	66.3	58.7-73.9	17	6.8	2.3-11.3	18	3.8	1.8- 5.8	32	10.2	5.9-14.5	32	12.8	7.5-18.1
\$25,000- 34,999	154	185,479	101	68.5	58.5-78.5	10	8.3	2.0-14.6	20	15.0	6.8-23.2	11	3.4	1.0- 5.8	12	4.8	1.7- 7.9
\$35,000- 49,999	245	329,708	182	67.8	59.4-76.2	19	11.0	4.7-17.3	16	9.1	4.0-14.2	16	6.7	2.4-11.0	12	5.4	1.1- 9.7
\$50,000- 74,999	285	358,415	209	68.0	60.2-75.8	24	11.4	5.5-17.3	20	7.7	3.0-12.4	16	6.1	2.4- 9.8	16	6.8	2.3-11.3
\$75,000+	618	735,236	509	82.0	77.9-86.1	48	7.6	4.7-10.5	29	5.1	2.9- 7.3	23	4.2	2.0- 6.4	9	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2474	2,718,785	1589	66.9	64.4-69.4	209	7.7	6.3- 9.1	258	11.3	9.3-13.3	247	8.7	7.3-10.1	171	5.4	4.4- 6.4
White/Non-Hisp	1988	2,013,902	1280	66.0	63.1-68.9	167	8.0	6.4- 9.6	197	11.0	8.8-13.2	205	9.5	7.7-11.3	139	5.5	4.3- 6.7
Black or Afr. Am./Non-Hisp	294	475,571	183	66.6	59.3-73.9	23	7.5	3.2-11.8	42	13.5	8.2-18.8	27	7.4	3.7-11.1	19	5.1	2.0- 8.2
Oth. Race/Non-Hisp.	54	51,435	30	60.3	42.1-78.5	8	9.8	1.8-17.8	7	14.4	2.6-26.2	4	7.3	0.0-15.3	5	8.1	0.3-15.9
Hispanic	63	102,537	51	88.0	79.2-96.8	1	0.7	0.0- 2.1	6	8.5	0.5-16.5	4	2.7	0.0- 5.6	1	0.1	0.0- 0.3
18-24	157	304,468	113	69.6	58.6-80.6	16	9.5	3.2-15.8	18	15.9	5.7-26.1	8	4.2	0.7- 7.7	2	0.9	0.0- 2.1
25-34	303	452,455	227	76.3	70.4-82.2	29	7.6	4.3-10.9	28	9.4	5.3-13.5	14	4.9	1.8- 8.0	5	1.8	0.0- 4.0
35-44	345	426,986	228	70.5	64.6-76.4	27	7.1	3.6-10.6	42	11.3	7.4-15.2	34	6.9	4.2- 9.6	14	4.1	1.4- 6.8
45-54	406	428,483	254	67.2	61.1-73.3	36	8.1	4.8-11.4	37	8.5	4.8-12.2	52	11.9	7.2-16.6	27	4.3	2.3- 6.3
55-64	471	462,038	278	59.6	53.9-65.3	37	7.4	4.5-10.3	52	11.2	7.7-14.7	58	11.9	8.0-15.8	46	10.0	6.5-13.5
65+	792	644,356	489	61.6	57.1-66.1	64	7.5	5.0-10.0	81	12.4	9.1-15.7	81	10.2	7.3-13.1	77	8.3	5.9-10.7
Less Than H.S.	184	323,505	81	51.7	40.7-62.7	15	5.9	1.6-10.2	33	19.8	10.0-29.6	35	15.5	8.6-22.4	20	7.0	3.1-10.9
H.S. or G.E.D.	744	833,769	450	66.6	62.3-70.9	62	7.5	5.1- 9.9	86	10.9	8.0-13.8	78	7.9	5.7-10.1	68	7.2	5.0- 9.4
Some Post-H.S.	666	844,528	421	66.3	61.6-71.0	56	8.3	5.6-11.0	68	11.0	8.1-13.9	73	9.4	6.7-12.1	48	5.1	3.3- 6.9
College Graduate	852	688,665	614	74.2	70.5-77.9	76	8.5	6.1-10.9	69	8.5	6.0-11.0	58	5.8	4.0- 7.6	35	3.1	1.7- 4.5
Less than \$15,000	242	289,119	95	45.5	35.5-55.5	20	6.5	2.0-11.0	34	18.2	8.0-28.4	54	16.3	10.6-22.0	39	13.4	7.9-18.9
\$15,000- 24,999	379	387,963	197	59.2	51.9-66.5	28	5.5	3.1- 7.9	47	12.1	7.6-16.6	62	15.8	10.3-21.3	45	7.5	4.8-10.2
\$25,000- 34,999	223	255,147	126	61.6	52.6-70.6	24	11.3	5.0-17.6	31	12.2	6.5-17.9	23	9.4	3.9-14.9	19	5.5	1.6- 9.4
\$35,000- 49,999	283	297,360	186	65.0	57.6-72.4	22	9.1	4.4-13.8	38	14.8	9.3-20.3	23	7.1	3.0-11.2	14	4.1	1.6- 6.6
\$50,000- 74,999	305	338,152	221	74.3	68.0-80.6	25	7.1	3.8-10.4	32	10.1	5.8-14.4	21	5.9	2.6- 9.2	6	2.7	0.0- 5.4
\$75,000+	568	651,765	441	79.4	75.3-83.5	55	8.2	5.7-10.7	39	7.5	4.6-10.4	22	3.4	1.8- 5.0	11	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4572	5,262,304	2858	61.1	59.1-63.1	316	7.3	6.3- 8.3	506	11.2	10.0-12.4	572	12.9	11.5-14.3	320	7.5	6.3- 8.7			
Male	2076	2,546,386	1473	68.6	65.9-71.3	106	6.2	4.6- 7.8	170	8.0	6.4- 9.6	199	10.4	8.6-12.2	128	6.8	5.2- 8.4			
Female	2496	2,715,917	1385	54.1	51.4-56.8	210	8.3	6.9- 9.7	336	14.2	12.4-16.0	373	15.2	13.2-17.2	192	8.1	6.3- 9.9			
White/Non-Hisp	3694	3,881,873	2339	61.7	59.5-63.9	250	6.8	5.8- 7.8	404	11.2	9.8-12.6	463	13.5	11.9-15.1	238	6.8	5.6- 8.0			
Black or Afr. Am./Non-Hisp	461	820,688	276	57.0	50.9-63.1	40	11.2	6.9-15.5	62	12.6	8.9-16.3	54	11.1	7.2-15.0	29	8.1	4.4-11.8			
Oth. Race/Non-Hisp.	126	122,684	68	57.5	45.9-69.1	11	7.2	1.5-12.9	15	11.1	4.2-18.0	10	7.8	2.1-13.5	22	16.4	8.6-24.2			
MultiRacial/Non-Hisp.	75	64,641	40	49.7	35.8-63.6	3	2.0	0.0- 4.5	8	10.9	1.1-20.7	15	19.7	8.9-30.5	9	17.7	5.7-29.7			
Hispanic	133	261,496	83	69.1	58.9-79.3	8	3.9	0.8- 7.0	11	8.2	2.1-14.3	21	11.4	5.5-17.3	10	7.4	0.9-13.9			
18-24	332	609,557	153	44.0	36.9-51.1	21	5.4	2.5- 8.3	60	16.8	11.7-21.9	73	22.3	16.6-28.0	25	11.6	5.7-17.5			
25-34	575	914,268	277	50.2	44.7-55.7	48	8.9	5.8-12.0	100	16.7	13.0-20.4	108	16.5	12.8-20.2	42	7.7	4.6-10.8			
35-44	645	844,815	366	59.6	54.7-64.5	51	7.8	5.3-10.3	72	9.0	6.5-11.5	108	18.0	13.9-22.1	48	5.6	3.4- 7.8			
45-54	765	849,712	453	62.1	57.6-66.6	58	8.3	5.6-11.0	91	10.4	7.7-13.1	96	10.6	7.9-13.3	67	8.6	6.1-11.1			
55-64	855	877,379	549	64.2	60.1-68.3	54	6.6	4.2- 9.0	80	9.4	6.9-11.9	92	10.1	7.4-12.8	80	9.7	7.2-12.2			
65+	1400	1,166,573	1060	76.6	73.7-79.5	84	6.4	4.4- 8.4	103	7.7	5.9- 9.5	95	5.2	3.8- 6.6	58	4.0	2.6- 5.4			
Less Than H.S.	354	631,975	205	61.5	54.2-68.8	22	6.1	3.0- 9.2	31	8.2	4.5-11.9	52	12.7	8.2-17.2	44	11.5	6.0-17.0			
H.S. or G.E.D.	1416	1,690,071	922	65.0	61.7-68.3	70	5.9	4.1- 7.7	140	9.5	7.5-11.5	175	11.7	9.5-13.9	109	7.9	5.9- 9.9			
Some Post-H.S.	1175	1,561,665	711	57.1	53.4-60.8	78	7.1	5.1- 9.1	125	12.0	9.5-14.5	168	15.2	12.5-17.9	93	8.6	6.4-10.8			
College Graduate	1574	1,310,434	982	60.1	57.0-63.2	142	9.8	7.6-12.0	204	14.0	11.8-16.2	175	12.1	9.9-14.3	71	3.9	2.5- 5.3			
Less than \$15,000	386	459,354	178	46.8	39.4-54.2	28	6.8	3.9- 9.7	35	8.4	4.3-12.5	80	17.1	11.8-22.4	65	21.0	13.6-28.4			
\$15,000- 24,999	640	713,609	359	59.9	54.8-65.0	27	5.6	2.7- 8.5	79	10.9	8.0-13.8	105	14.3	10.8-17.8	70	9.3	6.6-12.0			
\$25,000- 34,999	377	442,142	237	63.6	56.7-70.5	21	7.0	2.9-11.1	46	11.9	7.4-16.4	56	13.1	8.6-17.6	17	4.4	1.3- 7.5			
\$35,000- 49,999	535	634,145	324	58.2	52.5-63.9	31	5.0	2.8- 7.2	66	11.9	8.0-15.8	81	15.2	11.3-19.1	33	9.7	5.4-14.0			
\$50,000- 74,999	593	698,301	369	56.0	50.5-61.5	59	11.7	8.0-15.4	78	14.6	10.7-18.5	67	14.1	10.0-18.2	20	3.6	1.4- 5.8			
\$75,000+	1184	1,384,871	788	64.6	61.1-68.1	105	8.3	6.3-10.3	134	11.2	9.0-13.4	112	11.9	9.4-14.4	45	4.0	2.4- 5.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2076	2,546,386	1473	68.6	65.9-71.3	106	6.2	4.6- 7.8	170	8.0	6.4- 9.6	199	10.4	8.6-12.2	128	6.8	5.2- 8.4
White/Non-Hisp	1691	1,876,151	1219	70.3	67.4-73.2	83	5.8	4.2- 7.4	137	7.2	5.6- 8.8	155	10.9	8.7-13.1	97	5.8	4.4- 7.2
Black or Afr. Am./Non-Hisp	166	346,128	114	64.7	55.1-74.3	12	10.2	3.3-17.1	17	11.0	5.1-16.9	17	7.5	3.6-11.4	6	6.7	0.8-12.6
Oth. Race/Non-Hisp.	70	68,753	43	58.1	43.4-72.8	6	10.1	0.7-19.5	7	11.1	1.7-20.5	4	6.2	0.0-13.5	10	14.5	4.3-24.7
Hispanic	69	157,328	48	70.4	56.3-84.5	3	1.9	0.0- 4.1	3	6.9	0.0-15.7	10	10.0	2.9-17.1	5	10.8	0.4-21.2
18-24	177	318,314	95	52.3	42.9-61.7	12	5.6	1.9- 9.3	26	15.9	8.6-23.2	30	16.4	9.5-23.3	14	9.7	4.2-15.2
25-34	274	462,219	158	60.8	53.2-68.4	22	10.0	5.1-14.9	39	10.7	6.8-14.6	37	11.3	6.8-15.8	18	7.3	2.6-12.0
35-44	294	413,071	194	66.3	59.2-73.4	19	6.3	3.2- 9.4	22	6.7	3.0-10.4	43	15.0	9.7-20.3	16	5.7	1.8- 9.6
45-54	356	417,818	249	70.8	64.7-76.9	19	6.0	2.9- 9.1	30	7.4	4.3-10.5	30	7.6	4.1-11.1	28	8.3	4.4-12.2
55-64	385	416,318	288	71.0	64.9-77.1	13	5.2	1.5- 8.9	24	6.4	3.1- 9.7	32	9.2	5.9-12.5	28	8.2	4.7-11.7
65+	590	518,647	489	83.6	79.7-87.5	21	4.3	1.9- 6.7	29	3.8	2.2- 5.4	27	5.3	2.8- 7.8	24	3.0	1.4- 4.6
Less Than H.S.	168	321,333	105	66.2	57.2-75.2	2	1.8	0.0- 4.5	17	7.8	3.1-12.5	22	15.0	8.5-21.5	22	9.3	4.4-14.2
H.S. or G.E.D.	655	853,692	480	73.9	69.4-78.4	24	4.6	2.2- 7.0	42	5.1	3.3- 6.9	66	9.5	6.6-12.4	43	6.9	4.2- 9.6
Some Post-H.S.	505	706,581	341	61.7	56.0-67.4	31	7.8	4.7-10.9	42	10.2	6.3-14.1	56	11.7	8.2-15.2	35	8.6	5.1-12.1
College Graduate	723	624,937	526	69.5	65.0-74.0	48	8.8	5.5-12.1	68	9.9	7.2-12.6	55	8.3	5.8-10.8	26	3.5	1.3- 5.7
Less than \$15,000	143	174,959	74	51.0	40.0-62.0	8	5.8	1.5-10.1	9	7.5	0.4-14.6	25	15.3	9.2-21.4	27	20.4	11.0-29.8
\$15,000- 24,999	252	330,849	157	66.4	58.8-74.0	5	3.2	0.0- 6.7	30	7.5	4.4-10.6	35	15.5	9.4-21.6	25	7.4	3.9-10.9
\$25,000- 34,999	155	185,524	123	75.8	65.6-86.0	4	5.5	0.0-12.4	14	10.1	3.8-16.4	10	3.8	1.1- 6.5	4	4.9	0.0-11.2
\$35,000- 49,999	246	327,399	171	66.3	58.3-74.3	10	4.6	2.2- 7.0	20	9.3	4.0-14.6	31	10.2	5.9-14.5	14	9.6	3.3-15.9
\$50,000- 74,999	287	359,868	196	60.1	52.1-68.1	23	11.7	6.0-17.4	30	9.9	5.4-14.4	29	14.5	8.2-20.8	9	3.9	0.4- 7.4
\$75,000+	616	729,351	466	73.4	68.7-78.1	40	6.9	4.0- 9.8	46	7.2	4.8- 9.6	43	8.6	5.7-11.5	21	3.9	1.7- 6.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2496	2,715,917	1385	54.1	51.4-56.8	210	8.3	6.9- 9.7	336	14.2	12.4-16.0	373	15.2	13.2-17.2	192	8.1	6.3- 9.9
White/Non-Hisp	2003	2,005,721	1120	53.7	50.8-56.6	167	7.8	6.4- 9.2	267	14.9	12.7-17.1	308	15.9	13.7-18.1	141	7.7	5.7- 9.7
Black or Afr. Am./Non-Hisp	295	474,559	162	51.4	43.6-59.2	28	12.0	6.7-17.3	45	13.8	8.7-18.9	37	13.7	7.8-19.6	23	9.2	4.3-14.1
Oth. Race/Non-Hisp.	56	53,931	25	56.8	38.2-75.4	5	3.6	0.0- 7.5	8	11.1	1.1-21.1	6	9.9	0.7-19.1	12	18.7	6.5-30.9
Hispanic	64	104,168	35	67.2	52.9-81.5	5	6.9	0.0-14.0	8	10.2	2.8-17.6	11	13.5	3.5-23.5	5	2.2	0.0- 4.4
18-24	155	291,243	58	34.8	24.6-45.0	9	5.1	0.8- 9.4	34	17.7	10.6-24.8	43	28.7	19.5-37.9	11	13.7	2.9-24.5
25-34	301	452,049	119	39.5	32.4-46.6	26	7.9	4.2-11.6	61	22.8	16.7-28.9	71	21.8	16.1-27.5	24	8.1	4.2-12.0
35-44	351	431,744	172	53.1	46.4-59.8	32	9.3	5.6-13.0	50	11.2	7.5-14.9	65	20.9	15.0-26.8	32	5.5	3.3- 7.7
45-54	409	431,894	204	53.8	47.3-60.3	39	10.5	6.6-14.4	61	13.4	8.9-17.9	66	13.4	9.1-17.7	39	8.9	5.4-12.4
55-64	470	461,061	261	58.1	52.4-63.8	41	7.9	5.0-10.8	56	12.0	8.1-15.9	60	11.0	7.7-14.3	52	11.0	7.3-14.7
65+	810	647,926	571	71.1	67.0-75.2	63	8.1	5.4-10.8	74	10.9	8.0-13.8	68	5.1	3.5- 6.7	34	4.8	2.8- 6.8
Less Than H.S.	186	310,642	100	56.7	45.9-67.5	20	10.5	4.6-16.4	14	8.6	2.9-14.3	30	10.3	5.4-15.2	22	13.9	4.1-23.7
H.S. or G.E.D.	761	836,378	442	56.0	51.3-60.7	46	7.2	4.5- 9.9	98	14.1	10.8-17.4	109	13.9	10.8-17.0	66	8.9	6.2-11.6
Some Post-H.S.	670	855,083	370	53.2	48.3-58.1	47	6.5	4.3- 8.7	83	13.5	10.2-16.8	112	18.2	14.1-22.3	58	8.6	6.1-11.1
College Graduate	851	685,496	456	51.5	47.2-55.8	94	10.8	8.1-13.5	136	17.8	14.5-21.1	120	15.6	12.3-18.9	45	4.2	2.4- 6.0
Less than \$15,000	243	284,396	104	44.3	34.5-54.1	20	7.4	3.5-11.3	26	8.9	4.0-13.8	55	18.1	11.2-25.0	38	21.3	10.7-31.9
\$15,000- 24,999	388	382,760	202	54.3	47.2-61.4	22	7.7	3.2-12.2	49	13.8	9.1-18.5	70	13.3	9.6-17.0	45	10.9	7.0-14.8
\$25,000- 34,999	222	256,618	114	54.8	45.4-64.2	17	8.1	2.8-13.4	32	13.2	6.9-19.5	46	19.8	12.5-27.1	13	4.1	1.4- 6.8
\$35,000- 49,999	289	306,746	153	49.6	41.8-57.4	21	5.4	2.9- 7.9	46	14.7	9.0-20.4	50	20.6	13.9-27.3	19	9.7	4.0-15.4
\$50,000- 74,999	306	338,434	173	51.6	44.2-59.0	36	11.7	7.0-16.4	48	19.5	13.2-25.8	38	13.7	8.2-19.2	11	3.4	0.9- 5.9
\$75,000+	568	655,521	322	54.8	49.5-60.1	65	9.8	7.1-12.5	88	15.6	11.9-19.3	69	15.6	11.3-19.9	24	4.2	2.2- 6.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2393	2,798,069	1313	55.5	52.8-58.2	205	9.0	7.4-10.6	306	12.9	11.1-14.7	369	15.3	13.3-17.3	200	7.2	5.8- 8.6
Male	928	1,188,431	519	59.4	55.1-63.7	76	8.3	5.8-10.8	110	10.0	7.6-12.4	136	14.7	11.6-17.8	87	7.6	5.4- 9.8
Female	1465	1,609,638	794	52.7	49.2-56.2	129	9.5	7.3-11.7	196	15.1	12.6-17.6	233	15.8	13.3-18.3	113	7.0	5.4- 8.6
White/Non-Hisp	1921	2,065,947	1069	56.6	53.7-59.5	155	7.8	6.2- 9.4	251	13.9	11.7-16.1	288	14.6	12.4-16.8	158	7.1	5.7- 8.5
Black or Afr. Am./Non-Hisp	248	449,829	131	50.6	42.2-59.0	26	12.8	6.7-18.9	31	10.8	5.7-15.9	41	18.6	11.7-25.5	19	7.2	3.1-11.3
Oth. Race/Non-Hisp.	75	71,203	36	50.1	35.8-64.4	7	11.8	2.0-21.6	13	14.2	5.2-23.2	7	9.4	1.8-17.0	12	14.5	5.1-23.9
Hispanic	64	109,289	38	65.6	51.1-80.1	9	10.5	2.5-18.5	5	8.7	0.0-17.9	12	15.2	5.6-24.8			
18-24	208	384,534	109	50.3	40.9-59.7	33	14.8	8.7-20.9	34	18.1	11.6-24.6	25	14.3	7.6-21.0	7	2.5	0.3- 4.7
25-34	341	536,447	197	61.0	54.5-67.5	33	9.3	5.8-12.8	54	15.8	10.7-20.9	52	12.1	8.4-15.8	5	1.8	0.0- 3.8
35-44	346	427,914	188	55.7	48.8-62.6	35	8.6	5.3-11.9	48	11.7	7.8-15.6	59	20.5	14.2-26.8	16	3.4	1.4- 5.4
45-54	409	434,816	233	58.4	51.7-65.1	32	7.9	4.0-11.8	45	10.3	5.6-15.0	57	12.9	8.4-17.4	42	10.5	6.2-14.8
55-64	449	468,928	217	48.4	42.1-54.7	34	8.7	4.8-12.6	53	9.6	6.7-12.5	78	18.3	13.4-23.2	67	15.1	10.6-19.6
65+	640	545,431	369	57.4	52.3-62.5	38	6.2	3.5- 8.9	72	12.2	8.7-15.7	98	14.6	11.1-18.1	63	9.6	6.7-12.5
Less Than H.S.	230	385,147	120	55.6	46.4-64.8	14	5.8	1.9- 9.7	23	9.4	4.1-14.7	47	22.1	14.5-29.7	26	7.2	3.9-10.5
H.S. or G.E.D.	759	887,057	412	56.8	52.1-61.5	48	7.6	4.9-10.3	102	13.7	10.4-17.0	128	14.0	10.9-17.1	69	8.0	5.6-10.4
Some Post-H.S.	608	834,010	303	48.9	43.6-54.2	51	10.1	6.8-13.4	84	14.6	10.9-18.3	101	16.7	12.8-20.6	69	9.7	6.6-12.8
College Graduate	773	659,935	463	60.9	56.4-65.4	92	11.9	9.0-14.8	94	12.0	9.1-14.9	90	11.9	8.8-15.0	34	3.3	1.9- 4.7
Less than \$15,000	279	326,539	94	42.1	32.5-51.7	12	4.0	1.1- 6.9	30	7.3	3.4-11.2	86	29.8	21.6-38.0	57	16.8	11.5-22.1
\$15,000- 24,999	397	417,076	195	50.3	43.2-57.4	30	7.4	4.1-10.7	52	12.5	7.6-17.4	82	21.5	15.8-27.2	38	8.4	5.3-11.5
\$25,000- 34,999	217	237,240	104	47.7	38.1-57.3	22	15.1	7.3-22.9	42	19.6	11.8-27.4	31	13.6	7.1-20.1	18	4.0	1.8- 6.2
\$35,000- 49,999	279	359,566	150	50.6	42.4-58.8	25	8.5	4.4-12.6	45	19.4	12.5-26.3	44	14.5	8.8-20.2	15	7.0	2.5-11.5
\$50,000- 74,999	311	395,048	192	62.0	54.7-69.3	36	12.0	7.3-16.7	32	7.7	4.6-10.8	33	11.0	6.1-15.9	18	7.3	2.8-11.8
\$75,000+	509	607,767	341	65.1	59.6-70.6	53	9.7	6.4-13.0	57	13.1	9.2-17.0	41	8.8	5.5-12.1	17	3.3	1.3- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	928	1,188,431	519	59.4	55.3-63.5	76	8.3	5.8-10.8	110	10.0	7.6-12.4	136	14.7	11.6-17.8	87	7.6	5.6-9.6
White/Non-Hisp	744	852,365	416	59.5	55.0-64.0	55	6.3	4.3-8.3	96	12.1	9.2-15.0	108	15.4	11.7-19.1	69	6.8	4.8-8.8
Black or Afr. Am./Non-Hisp	76	164,458	43	57.1	42.8-71.4	9	14.7	3.7-25.7	3	1.2	0.0-3.0	12	15.7	5.3-26.1	9	11.3	2.5-20.1
18-24	101	171,437	58	50.6	38.3-62.9	12	12.0	3.8-20.2	16	18.0	8.8-27.2	12	17.0	6.4-27.6	3	2.4	0.0-5.5
25-34	142	232,231	88	68.0	58.8-77.2	16	12.2	5.9-18.5	22	11.9	5.6-18.2	13	6.7	2.6-10.8	3	1.1	0.0-2.5
35-44	134	187,833	74	57.8	46.4-69.2	13	7.0	2.5-11.5	14	5.9	2.4-9.4	26	25.8	14.8-36.8	7	3.5	0.6-6.4
45-54	156	180,931	89	61.7	51.9-71.5	11	5.5	0.2-10.8	16	6.2	2.9-9.5	23	12.1	6.0-18.2	17	14.4	7.1-21.7
55-64	164	198,816	78	54.3	44.1-64.5	14	8.7	1.6-15.8	18	7.0	3.3-10.7	26	15.8	8.4-23.2	28	14.2	7.3-21.1
65+	231	217,184	132	61.2	53.0-69.4	10	4.5	0.2-8.8	24	10.8	4.7-16.9	36	13.0	7.7-18.3	29	10.5	6.2-14.8
Less Than H.S.	97	174,185	56	57.7	45.4-70.0	3	3.6	0.0-8.5	9	9.0	1.6-16.4	17	21.3	10.1-32.5	12	8.5	3.0-14.0
H.S. or G.E.D.	301	371,792	167	61.9	54.6-69.2	15	5.9	1.8-10.0	37	9.8	5.9-13.7	50	13.5	8.4-18.6	32	8.9	5.2-12.6
Some Post-H.S.	230	350,837	119	53.9	45.5-62.3	20	10.9	5.2-16.6	24	9.8	5.1-14.5	37	15.8	9.5-22.1	30	9.6	5.3-13.9
College Graduate	289	271,312	170	62.6	55.3-69.9	38	11.9	7.2-16.6	38	10.8	6.5-15.1	32	11.8	6.3-17.3	11	2.8	0.6-5.0
Less than \$15,000	95	115,557	35	51.8	38.7-64.9	2	2.0	0.0-5.1	11	8.2	0.4-16.0	25	20.3	9.7-30.9	22	17.6	9.2-26.0
\$15,000- 24,999	149	176,784	72	50.0	39.4-60.6	11	7.7	1.8-13.6	17	8.0	2.7-13.3	33	25.7	16.1-35.3	16	8.7	3.8-13.6
\$25,000- 34,999	67	79,761	28	49.5	32.1-66.9	10	20.5	4.6-36.4	15	18.5	7.5-29.5	6	6.2	0.3-12.1	8	5.3	0.8-9.8
\$35,000- 49,999	109	166,424	60	57.0	44.7-69.3	6	5.4	0.1-10.7	15	13.2	4.4-22.0	20	15.6	6.2-25.0	8	8.7	2.8-14.6
\$50,000- 74,999	142	207,157	89	64.1	53.1-75.1	16	10.9	4.2-17.6	12	5.4	1.5-9.3	15	12.7	4.5-20.9	10	6.8	0.5-13.1
\$75,000+	213	261,115	143	67.6	59.6-75.6	22	7.7	3.6-11.8	20	9.9	5.0-14.8	19	10.8	4.7-16.9	9	3.9	1.0-6.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1465	1,609,638	794	52.7	49.2-56.2	129	9.5	7.3-11.7	196	15.1	12.6-17.6	233	15.8	13.3-18.3	113	7.0	5.4- 8.6
White/Non-Hisp	1177	1,213,582	653	54.5	50.6-58.4	100	8.9	6.7-11.1	155	15.2	12.3-18.1	180	14.1	11.6-16.6	89	7.3	5.3- 9.3
Black or Afr. Am./Non-Hisp	172	285,370	88	46.8	36.4-57.2	17	11.8	4.7-18.9	28	16.3	8.7-23.9	29	20.2	11.2-29.2	10	4.9	0.8- 9.0
18-24	107	213,096	51	50.1	36.4-63.8	21	17.0	8.0-26.0	18	18.2	9.2-27.2	13	12.1	3.7-20.5	4	2.6	0.0- 5.5
25-34	199	304,216	109	55.7	47.1-64.3	17	7.0	2.9-11.1	32	18.8	11.4-26.2	39	16.1	10.2-22.0	2	2.3	0.0- 5.6
35-44	212	240,081	114	54.1	45.5-62.7	22	9.9	5.2-14.6	34	16.2	9.9-22.5	33	16.3	9.2-23.4	9	3.4	0.7- 6.1
45-54	253	253,884	144	56.0	47.2-64.8	21	9.6	4.3-14.9	29	13.2	5.8-20.6	34	13.5	7.2-19.8	25	7.7	4.0-11.4
55-64	285	270,113	139	44.1	36.8-51.4	20	8.7	4.2-13.2	35	11.5	7.2-15.8	52	20.1	13.6-26.6	39	15.7	10.0-21.4
65+	409	328,247	237	55.0	48.3-61.7	28	7.2	3.9-10.5	48	13.1	8.8-17.4	62	15.7	11.0-20.4	34	9.0	5.1-12.9
Less Than H.S.	133	210,962	64	53.9	40.8-67.0	11	7.6	1.7-13.5	14	9.6	2.2-17.0	30	22.8	12.4-33.2	14	6.1	2.0-10.2
H.S. or G.E.D.	458	515,266	245	53.1	47.0-59.2	33	8.8	5.3-12.3	65	16.5	11.8-21.2	78	14.4	10.5-18.3	37	7.3	4.6-10.0
Some Post-H.S.	378	483,173	184	45.4	38.7-52.1	31	9.5	5.4-13.6	60	18.0	12.7-23.3	64	17.3	12.2-22.4	39	9.9	6.0-13.8
College Graduate	484	388,624	293	59.7	54.0-65.4	54	11.9	8.0-15.8	56	12.8	8.9-16.7	58	12.0	8.3-15.7	23	3.6	1.8- 5.4
Less than \$15,000	184	210,982	59	36.8	24.3-49.3	10	5.1	0.8- 9.4	19	6.8	2.9-10.7	61	34.9	23.9-45.9	35	16.3	9.6-23.0
\$15,000- 24,999	248	240,291	123	50.4	41.0-59.8	19	7.2	3.3-11.1	35	15.8	8.4-23.2	49	18.5	12.0-25.0	22	8.1	4.0-12.2
\$25,000- 34,999	150	157,479	76	46.7	35.3-58.1	12	12.3	4.1-20.5	27	20.2	10.0-30.4	25	17.3	8.3-26.3	10	3.4	0.9- 5.9
\$35,000- 49,999	170	193,142	90	45.1	35.5-54.7	19	11.1	4.8-17.4	30	24.7	14.9-34.5	24	13.5	6.6-20.4	7	5.5	0.4-10.6
\$50,000- 74,999	169	187,891	103	59.7	50.3-69.1	20	13.1	6.6-19.6	20	10.3	5.2-15.4	18	9.2	4.3-14.1	8	7.8	1.3-14.3
\$75,000+	296	346,653	198	63.3	56.0-70.6	31	11.2	6.3-16.1	37	15.4	9.7-21.1	22	7.3	3.4-11.2	8	2.8	0.3- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 3: HEALTH CARE ACCESS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4635	5,352,879	4124	86.9	85.3-88.5	511	13.1	11.5-14.7
Male	2096	2,573,217	1810	84.1	81.7-86.5	286	15.9	13.5-18.3
Female	2539	2,779,662	2314	89.4	87.6-91.2	225	10.6	8.8-12.4
White/Non-Hisp	3747	3,951,797	3403	90.5	89.1-91.9	344	9.5	8.1-10.9
Black or Afr. Am./Non-Hisp	462	822,856	391	80.7	75.6-85.8	71	19.3	14.2-24.4
Oth. Race/Non-Hisp.	129	125,791	100	74.1	62.5-85.7	29	25.9	14.3-37.5
MultiRacial/Non-Hisp.	75	64,641	67	83.8	71.5-96.1	8	16.2	3.9-28.5
Hispanic	136	269,086	90	60.2	48.4-72.0	46	39.8	28.0-51.6
18-24	329	608,706	272	82.8	76.9-88.7	57	17.2	11.3-23.1
25-34	583	933,656	477	80.2	75.5-84.9	106	19.8	15.1-24.5
35-44	647	845,045	533	82.3	78.4-86.2	114	17.7	13.8-21.6
45-54	779	869,130	679	86.1	82.6-89.6	100	13.9	10.4-17.4
55-64	865	891,175	762	87.9	85.0-90.8	103	12.1	9.2-15.0
65+	1432	1,205,167	1401	97.1	95.7-98.5	31	2.9	1.5- 4.3
Less Than H.S.	365	665,103	289	73.2	66.1-80.3	76	26.8	19.7-33.9
H.S. or G.E.D.	1442	1,723,167	1218	83.5	81.0-86.0	224	16.5	14.0-19.0
Some Post-H.S.	1184	1,567,544	1058	89.7	87.5-91.9	126	10.3	8.1-12.5
College Graduate	1590	1,328,376	1507	94.3	92.7-95.9	83	5.7	4.1- 7.3
Less than \$15,000	396	476,974	301	74.6	68.1-81.1	95	25.4	18.9-31.9
\$15,000- 24,999	648	731,077	544	78.2	72.9-83.5	104	21.8	16.5-27.1
\$25,000- 34,999	385	447,640	331	83.5	78.0-89.0	54	16.5	11.0-22.0
\$35,000- 49,999	540	643,841	483	88.1	84.4-91.8	57	11.9	8.2-15.6
\$50,000- 74,999	597	701,491	557	93.2	90.5-95.9	40	6.8	4.1- 9.5
\$75,000+	1192	1,394,484	1138	95.3	93.7-96.9	54	4.7	3.1- 6.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2096	2,573,217	1810	84.1	81.7-86.5	286	15.9	13.5-18.3
White/Non-Hisp	1706	1,895,078	1507	88.2	86.0-90.4	199	11.8	9.6-14.0
Black or Afr. Am./Non-Hisp	165	340,387	133	73.4	64.0-82.8	32	26.6	17.2-36.0
Oth. Race/Non-Hisp.	72	70,849	56	78.4	67.0-89.8	16	21.6	10.2-33.0
Hispanic	71	163,693	45	64.1	49.2-79.0	26	35.9	21.0-50.8
18-24	173	308,695	141	81.0	72.8-89.2	32	19.0	10.8-27.2
25-34	275	465,978	209	75.9	68.8-83.0	66	24.1	17.0-31.2
35-44	296	412,090	232	78.4	72.1-84.7	64	21.6	15.3-27.9
45-54	362	424,848	301	81.2	75.9-86.5	61	18.8	13.5-24.1
55-64	388	425,410	340	87.5	82.8-92.2	48	12.5	7.8-17.2
65+	602	536,195	587	97.0	95.2-98.8	15	3.0	1.2- 4.8
Less Than H.S.	170	330,787	126	65.7	55.5-75.9	44	34.3	24.1-44.5
H.S. or G.E.D.	663	859,284	529	80.1	76.2-84.0	134	19.9	16.0-23.8
Some Post-H.S.	507	707,006	443	88.6	85.1-92.1	64	11.4	7.9-14.9
College Graduate	730	635,767	688	93.6	91.2-96.0	42	6.4	4.0- 8.8
Less than \$15,000	144	177,794	97	64.5	53.7-75.3	47	35.5	24.7-46.3
\$15,000- 24,999	256	332,957	204	73.2	65.0-81.4	52	26.8	18.6-35.0
\$25,000- 34,999	158	191,077	130	76.3	65.9-86.7	28	23.7	13.3-34.1
\$35,000- 49,999	250	336,887	215	86.1	80.6-91.6	35	13.9	8.4-19.4
\$50,000- 74,999	290	362,091	265	92.9	89.2-96.6	25	7.1	3.4-10.8
\$75,000+	621	737,013	581	94.2	91.8-96.6	40	5.8	3.4- 8.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2539	2,779,662	2314	89.4	87.6-91.2	225	10.6	8.8-12.4
White/Non-Hisp	2041	2,056,719	1896	92.7	91.1-94.3	145	7.3	5.7- 8.9
Black or Afr. Am./Non-Hisp	297	482,469	258	85.8	80.5-91.1	39	14.2	8.9-19.5
Oth. Race/Non-Hisp.	57	54,942	44	68.5	47.5-89.5	13	31.5	10.5-52.5
Hispanic	65	105,393	45	54.3	36.5-72.1	20	45.7	27.9-63.5
18-24	156	300,010	131	84.6	76.6-92.6	25	15.4	7.4-23.4
25-34	308	467,678	268	84.5	78.6-90.4	40	15.5	9.6-21.4
35-44	351	432,955	301	86.0	81.3-90.7	50	14.0	9.3-18.7
45-54	417	444,282	378	90.8	86.5-95.1	39	9.2	4.9-13.5
55-64	477	465,765	422	88.2	84.5-91.9	55	11.8	8.1-15.5
65+	830	668,973	814	97.3	95.5-99.1	16	2.7	0.9- 4.5
Less Than H.S.	195	334,316	163	80.6	71.6-89.6	32	19.4	10.4-28.4
H.S. or G.E.D.	779	863,882	689	86.9	83.6-90.2	90	13.1	9.8-16.4
Some Post-H.S.	677	860,538	615	90.7	87.8-93.6	62	9.3	6.4-12.2
College Graduate	860	692,609	819	95.0	93.0-97.0	41	5.0	3.0- 7.0
Less than \$15,000	252	299,180	204	80.6	73.0-88.2	48	19.4	11.8-27.0
\$15,000- 24,999	392	398,120	340	82.3	75.6-89.0	52	17.7	11.0-24.4
\$25,000- 34,999	227	256,563	201	89.0	83.7-94.3	26	11.0	5.7-16.3
\$35,000- 49,999	290	306,954	268	90.2	85.3-95.1	22	9.8	4.9-14.7
\$50,000- 74,999	307	339,400	292	93.4	89.1-97.7	15	6.6	2.3-10.9
\$75,000+	571	657,471	557	96.5	94.1-98.9	14	3.5	1.1- 5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4634	5,343,337	3491	71.8	69.8-73.8	265	5.2	4.4- 6.0	878	22.9	21.1-24.7
Male	2093	2,559,706	1433	64.6	61.7-67.5	134	5.4	4.2- 6.6	526	30.1	27.2-33.0
Female	2541	2,783,631	2058	78.5	76.1-80.9	131	5.1	3.9- 6.3	352	16.4	14.2-18.6
White/Non-Hisp	3745	3,945,902	2894	75.4	73.4-77.4	216	5.1	4.3- 5.9	635	19.5	17.7-21.3
Black or Afr. Am./Non-Hisp	463	825,619	335	67.3	61.4-73.2	31	7.4	4.3-10.5	97	25.3	19.8-30.8
Oth. Race/Non-Hisp.	130	126,090	82	59.8	48.0-71.6	6	3.0	0.1- 5.9	42	37.2	25.4-49.0
MultiRacial/Non-Hisp.	75	64,641	49	64.6	51.1-78.1	4	7.5	0.0-16.5	22	27.8	15.5-40.1
Hispanic	134	266,228	65	39.1	27.9-50.3	4	1.0	0.0- 2.2	65	59.8	48.6-71.0
18-24	332	614,829	183	53.1	45.8-60.4	11	4.0	1.3- 6.7	138	42.9	35.6-50.2
25-34	580	922,829	313	52.3	47.0-57.6	30	5.1	2.7- 7.5	237	42.7	37.2-48.2
35-44	647	848,189	450	69.7	65.0-74.4	28	3.3	1.7- 4.9	169	26.9	22.4-31.4
45-54	779	868,258	595	76.1	72.0-80.2	37	3.6	2.2- 5.0	147	20.2	16.3-24.1
55-64	865	884,479	713	83.9	80.8-87.0	52	5.8	3.6- 8.0	100	10.3	7.8-12.8
65+	1431	1,204,754	1237	85.9	83.5-88.3	107	8.0	6.0-10.0	87	6.1	4.5- 7.7
Less Than H.S.	365	663,798	253	63.1	55.7-70.5	25	5.1	2.7- 7.5	87	31.8	24.4-39.2
H.S. or G.E.D.	1441	1,721,783	1029	68.9	65.6-72.2	81	5.3	3.9- 6.7	331	25.8	22.7-28.9
Some Post-H.S.	1186	1,569,571	913	73.4	69.9-76.9	59	4.9	3.1- 6.7	214	21.8	18.5-25.1
College Graduate	1588	1,319,494	1252	77.9	75.2-80.6	98	5.8	4.4- 7.2	238	16.3	13.9-18.7
Less than \$15,000	396	475,417	272	67.3	60.4-74.2	31	6.3	3.4- 9.2	93	26.4	19.9-32.9
\$15,000- 24,999	646	728,109	451	61.4	55.7-67.1	36	4.7	2.7- 6.7	159	33.8	28.1-39.5
\$25,000- 34,999	385	449,843	296	73.5	67.0-80.0	21	6.1	2.8- 9.4	68	20.3	14.2-26.4
\$35,000- 49,999	537	639,409	393	68.8	63.3-74.3	28	5.3	2.6- 8.0	116	25.8	20.5-31.1
\$50,000- 74,999	598	702,423	466	76.0	71.1-80.9	30	4.3	2.3- 6.3	102	19.7	15.0-24.4
\$75,000+	1188	1,381,424	949	79.0	75.9-82.1	64	4.8	3.2- 6.4	175	16.2	13.3-19.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2093	2,559,706	1433	64.6	61.7-67.5	134	5.4	4.2- 6.6	526	30.1	27.4-32.8
White/Non-Hisp	1705	1,890,352	1207	68.5	65.6-71.4	113	5.8	4.4- 7.2	385	25.7	22.8-28.6
Black or Afr. Am./Non-Hisp	165	338,986	104	57.1	47.3-66.9	12	6.1	1.6-10.6	49	36.8	27.0-46.6
Oth. Race/Non-Hisp.	72	70,849	40	56.8	42.7-70.9	4	2.7	0.0- 5.4	28	40.6	26.5-54.7
Hispanic	70	162,465	29	36.9	22.0-51.8	2	0.8	0.0- 2.2	39	62.3	47.4-77.2
18-24	174	308,892	92	47.1	37.5-56.7	5	3.0	0.3- 5.7	77	49.9	40.3-59.5
25-34	274	457,690	115	39.2	31.6-46.8	12	4.2	1.1- 7.3	147	56.7	48.9-64.5
35-44	296	416,263	176	61.9	54.6-69.2	14	2.7	1.1- 4.3	106	35.4	28.1-42.7
45-54	362	424,031	256	69.6	63.3-75.9	13	2.2	0.8- 3.6	93	28.2	21.9-34.5
55-64	387	418,755	305	81.3	76.6-86.0	24	5.1	2.6- 7.6	58	13.6	9.3-17.9
65+	600	534,075	489	81.4	77.3-85.5	66	12.6	9.1-16.1	45	6.1	3.9- 8.3
Less Than H.S.	170	329,231	107	57.2	47.0-67.4	13	5.3	2.0- 8.6	50	37.5	27.3-47.7
H.S. or G.E.D.	663	854,868	410	60.8	55.9-65.7	38	4.3	2.5- 6.1	215	34.9	30.0-39.8
Some Post-H.S.	509	710,855	346	62.8	57.1-68.5	36	6.4	3.7- 9.1	127	30.8	25.1-36.5
College Graduate	725	624,380	548	74.6	70.5-78.7	47	6.0	3.8- 8.2	130	19.4	15.5-23.3
Less than \$15,000	144	176,238	84	56.3	45.3-67.3	15	7.7	3.2-12.2	45	36.1	25.1-47.1
\$15,000- 24,999	255	332,304	150	51.1	42.9-59.3	15	4.8	1.9- 7.7	90	44.1	35.7-52.5
\$25,000- 34,999	158	191,077	116	63.7	52.7-74.7	9	5.5	1.4- 9.6	33	30.8	19.8-41.8
\$35,000- 49,999	247	332,455	160	61.1	52.9-69.3	13	6.0	1.5-10.5	74	32.9	24.9-40.9
\$50,000- 74,999	290	362,091	212	72.0	64.6-79.4	15	4.2	1.5- 6.9	63	23.8	16.5-31.1
\$75,000+	617	722,845	460	73.8	68.9-78.7	37	4.8	2.8- 6.8	120	21.4	16.7-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2541	2,783,631	2058	78.5	76.1-80.9	131	5.1	3.9- 6.3	352	16.4	14.2-18.6
White/Non-Hisp	2040	2,055,550	1687	81.8	79.4-84.2	103	4.5	3.3- 5.7	250	13.7	11.5-15.9
Black or Afr. Am./Non-Hisp	298	486,633	231	74.4	67.7-81.1	19	8.2	3.7-12.7	48	17.3	11.6-23.0
Oth. Race/Non-Hisp.	58	55,241	42	63.7	43.7-83.7	2	3.5	0.0- 9.2	14	32.9	12.9-52.9
Hispanic	64	103,762	36	42.6	26.1-59.1	2	1.5	0.0- 3.7	26	55.9	39.2-72.6
18-24	158	305,937	91	59.3	48.3-70.3	6	5.0	0.5- 9.5	61	35.8	25.2-46.4
25-34	306	465,139	198	65.1	58.2-72.0	18	5.9	2.6- 9.2	90	28.9	22.2-35.6
35-44	351	431,926	274	77.3	71.8-82.8	14	4.0	1.3- 6.7	63	18.8	13.7-23.9
45-54	417	444,226	339	82.4	77.3-87.5	24	5.0	2.6- 7.4	54	12.6	7.9-17.3
55-64	478	465,724	408	86.2	82.1-90.3	28	6.5	3.4- 9.6	42	7.3	4.6-10.0
65+	831	670,679	748	89.5	86.6-92.4	41	4.4	2.6- 6.2	42	6.1	3.7- 8.5
Less Than H.S.	195	334,567	146	69.0	58.4-79.6	12	4.8	1.3- 8.3	37	26.2	15.8-36.6
H.S. or G.E.D.	778	866,915	619	77.0	72.9-81.1	43	6.2	3.8- 8.6	116	16.8	13.1-20.5
Some Post-H.S.	677	858,716	567	82.1	78.4-85.8	23	3.6	1.6- 5.6	87	14.3	10.8-17.8
College Graduate	863	695,114	704	80.9	77.6-84.2	51	5.6	3.6- 7.6	108	13.5	10.6-16.4
Less than \$15,000	252	299,180	188	73.8	65.4-82.2	16	5.5	1.6- 9.4	48	20.7	12.9-28.5
\$15,000- 24,999	391	395,804	301	70.1	62.3-77.9	21	4.6	2.2- 7.0	69	25.3	17.5-33.1
\$25,000- 34,999	227	258,766	180	80.8	73.5-88.1	12	6.6	1.5-11.7	35	12.6	6.9-18.3
\$35,000- 49,999	290	306,954	233	77.3	70.6-84.0	15	4.6	1.7- 7.5	42	18.1	11.6-24.6
\$50,000- 74,999	308	340,332	254	80.3	74.2-86.4	15	4.4	1.7- 7.1	39	15.3	9.6-21.0
\$75,000+	571	658,579	489	84.7	80.8-88.6	27	4.8	2.4- 7.2	55	10.5	7.4-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4651	5,380,444	493	11.8	10.4-13.2	4158	88.2	86.8-89.6
Male	2105	2,591,870	193	10.0	8.2-11.8	1912	90.0	88.2-91.8
Female	2546	2,788,574	300	13.4	11.4-15.4	2246	86.6	84.6-88.6
White/Non-Hisp	3763	3,972,722	360	10.1	8.7-11.5	3403	89.9	88.5-91.3
Black or Afr. Am./Non-Hisp	464	831,611	59	15.4	10.9-19.9	405	84.6	80.1-89.1
Oth. Race/Non-Hisp.	128	124,670	27	18.2	8.4-28.0	101	81.8	72.0-91.6
MultiRacial/Non-Hisp.	74	64,316	8	14.1	3.5-24.7	66	85.9	75.3-96.5
Hispanic	134	267,118	29	22.9	13.9-31.9	105	77.1	68.1-86.1
18-24	338	627,312	55	17.3	11.6-23.0	283	82.7	77.0-88.4
25-34	581	930,778	81	14.2	10.5-17.9	500	85.8	82.1-89.5
35-44	650	852,550	95	14.1	10.6-17.6	555	85.9	82.4-89.4
45-54	782	870,795	87	10.4	7.5-13.3	695	89.6	86.7-92.5
55-64	867	893,286	107	13.8	10.7-16.9	760	86.2	83.1-89.3
65+	1433	1,205,723	68	4.8	3.2- 6.4	1365	95.2	93.6-96.8
Less Than H.S.	368	670,941	67	18.9	13.0-24.8	301	81.1	75.2-87.0
H.S. or G.E.D.	1448	1,733,928	173	12.4	10.0-14.8	1275	87.6	85.2-90.0
Some Post-H.S.	1187	1,572,719	138	11.7	9.3-14.1	1049	88.3	85.9-90.7
College Graduate	1593	1,331,081	110	7.5	5.7- 9.3	1483	92.5	90.7-94.3
Less than \$15,000	395	477,826	83	20.3	14.6-26.0	312	79.7	74.0-85.4
\$15,000- 24,999	650	735,174	126	22.6	17.7-27.5	524	77.4	72.5-82.3
\$25,000- 34,999	385	450,840	50	16.1	10.4-21.8	335	83.9	78.2-89.6
\$35,000- 49,999	539	643,516	65	13.9	9.6-18.2	474	86.1	81.8-90.4
\$50,000- 74,999	597	699,877	42	6.7	4.0- 9.4	555	93.3	90.6-96.0
\$75,000+	1192	1,393,992	56	6.1	4.1- 8.1	1136	93.9	91.9-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2105	2,591,870	193	10.0	8.2-11.8	1912	90.0	88.2-91.8
White/Non-Hisp	1717	1,908,092	143	8.2	6.6- 9.8	1574	91.8	90.2-93.4
Black or Afr. Am./Non-Hisp	165	344,686	15	11.8	5.1-18.5	150	88.2	81.5-94.9
Oth. Race/Non-Hisp.	70	69,429	11	10.3	3.4-17.2	59	89.7	82.8-96.6
Hispanic	71	163,693	15	24.3	12.0-36.6	56	75.7	63.4-88.0
18-24	179	320,235	23	12.9	7.2-18.6	156	87.1	81.4-92.8
25-34	275	465,069	32	12.6	7.3-17.9	243	87.4	82.1-92.7
35-44	297	418,371	37	12.4	7.5-17.3	260	87.6	82.7-92.5
45-54	364	426,214	35	9.7	6.4-13.0	329	90.3	87.0-93.6
55-64	388	425,375	40	10.8	6.3-15.3	348	89.2	84.7-93.7
65+	602	536,606	26	3.8	1.8- 5.8	576	96.2	94.2-98.2
Less Than H.S.	172	338,123	30	16.2	9.5-22.9	142	83.8	77.1-90.5
H.S. or G.E.D.	667	864,682	73	11.6	8.3-14.9	594	88.4	85.1-91.7
Some Post-H.S.	508	709,303	51	8.7	6.0-11.4	457	91.3	88.6-94.0
College Graduate	731	636,304	36	5.7	3.2- 8.2	695	94.3	91.8-96.8
Less than \$15,000	145	183,102	29	20.0	11.0-29.0	116	80.0	71.0-89.0
\$15,000- 24,999	257	336,088	48	19.4	13.3-25.5	209	80.6	74.5-86.7
\$25,000- 34,999	157	190,114	16	13.9	5.1-22.7	141	86.1	77.3-94.9
\$35,000- 49,999	249	336,562	25	13.0	7.3-18.7	224	87.0	81.3-92.7
\$50,000- 74,999	289	359,545	21	5.5	2.2- 8.8	268	94.5	91.2-97.8
\$75,000+	620	735,058	21	4.5	2.1- 6.9	599	95.5	93.1-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2546	2,788,574	300	13.4	11.4-15.4	2246	86.6	84.6-88.6
White/Non-Hisp	2046	2,064,630	217	11.8	9.6-14.0	1829	88.2	86.0-90.4
Black or Afr. Am./Non-Hisp	299	486,925	44	18.0	11.7-24.3	255	82.0	75.7-88.3
Oth. Race/Non-Hisp.	58	55,241	16	28.1	8.9-47.3	42	71.9	52.7-91.1
Hispanic	63	103,425	14	20.6	8.4-32.8	49	79.4	67.2-91.6
18-24	159	307,077	32	22.0	12.4-31.6	127	78.0	68.4-87.6
25-34	306	465,710	49	15.8	10.7-20.9	257	84.2	79.1-89.3
35-44	353	434,179	58	15.8	10.9-20.7	295	84.2	79.3-89.1
45-54	418	444,581	52	11.0	6.7-15.3	366	89.0	84.7-93.3
55-64	479	467,911	67	16.6	11.9-21.3	412	83.4	78.7-88.1
65+	831	669,116	42	5.6	3.1- 8.1	789	94.4	91.9-96.9
Less Than H.S.	196	332,818	37	21.6	11.8-31.4	159	78.4	68.6-88.2
H.S. or G.E.D.	781	869,246	100	13.2	10.1-16.3	681	86.8	83.7-89.9
Some Post-H.S.	679	863,416	87	14.2	10.7-17.7	592	85.8	82.3-89.3
College Graduate	862	694,776	74	9.1	6.6-11.6	788	90.9	88.4-93.4
Less than \$15,000	250	294,724	54	20.6	13.3-27.9	196	79.4	72.1-86.7
\$15,000- 24,999	393	399,086	78	25.2	17.8-32.6	315	74.8	67.4-82.2
\$25,000- 34,999	228	260,727	34	17.7	10.3-25.1	194	82.3	74.9-89.7
\$35,000- 49,999	290	306,954	40	15.0	9.1-20.9	250	85.0	79.1-90.9
\$50,000- 74,999	308	340,332	21	7.9	3.6-12.2	287	92.1	87.8-96.4
\$75,000+	572	658,934	35	7.8	4.7-10.9	537	92.2	89.1-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4574	5,290,721	3616	75.5	73.7-77.3	456	12.5	10.9-14.1	254	6.4	5.4- 7.4	233	5.2	4.4- 6.0	15	0.3	0.1- 0.5
Male	2070	2,541,664	1553	71.7	69.0-74.4	218	12.9	10.7-15.1	132	7.3	5.7- 8.9	156	7.5	5.9- 9.1	11	0.6	0.0- 1.2
Female	2504	2,749,057	2063	79.1	76.6-81.6	238	12.2	10.0-14.4	122	5.7	4.5- 6.9	77	3.0	2.2- 3.8	4	0.1	0.0- 0.3
White/Non-Hisp	3701	3,910,165	2946	76.0	74.0-78.0	356	12.1	10.3-13.9	204	6.3	5.3- 7.3	184	5.4	4.4- 6.4	11	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	457	814,298	381	80.1	75.0-85.2	46	11.7	7.6-15.8	18	5.9	2.8- 9.0	12	2.3	0.7- 3.9			
Oth. Race/Non-Hisp.	125	123,274	80	54.9	42.7-67.1	20	19.8	10.4-29.2	12	16.2	4.8-27.6	12	7.9	2.6-13.2	1	1.1	0.0- 3.3
MultiRacial/Non-Hisp.	74	64,370	58	76.6	63.9-89.3	7	12.9	2.3-23.5	5	7.5	0.0-15.9	4	3.0	0.0- 6.1			
Hispanic	132	262,908	79	60.2	48.4-72.0	19	16.4	6.0-26.8	13	8.5	2.8-14.2	18	11.0	4.9-17.1	3	3.9	0.0- 9.2
18-24	324	603,840	202	57.1	49.5-64.7	66	27.7	19.9-35.5	44	11.6	7.7-15.5	10	3.3	0.6- 6.0	2	0.3	0.0- 0.7
25-34	572	913,478	342	61.5	56.4-66.6	96	16.5	12.6-20.4	67	11.6	8.3-14.9	64	9.4	6.7-12.1	3	1.0	0.0- 2.6
35-44	640	839,380	449	71.0	66.5-75.5	83	13.2	9.9-16.5	46	8.6	5.7-11.5	60	7.0	5.0- 9.0	2	0.2	0.0- 0.4
45-54	769	855,550	596	76.8	72.7-80.9	81	11.2	8.1-14.3	38	4.5	2.5- 6.5	50	7.1	4.6- 9.6	4	0.4	0.0- 1.0
55-64	856	881,023	717	82.9	79.4-86.4	70	9.1	6.6-11.6	39	4.7	2.5- 6.9	28	3.3	1.7- 4.9	2	0.1	0.0- 0.3
65+	1413	1,197,451	1310	92.4	90.4-94.4	60	4.8	3.2- 6.4	20	1.0	0.4- 1.6	21	1.7	0.9- 2.5	2	0.1	0.0- 0.3
Less Than H.S.	361	662,555	280	69.3	61.7-76.9	35	17.9	10.5-25.3	16	5.1	2.2- 8.0	28	7.2	4.1-10.3	2	0.5	0.0- 1.3
H.S. or G.E.D.	1417	1,692,806	1097	74.9	71.8-78.0	132	10.5	8.3-12.7	95	7.5	5.5- 9.5	87	6.6	4.8- 8.4	6	0.6	0.0- 1.4
Some Post-H.S.	1169	1,546,202	924	76.3	73.0-79.6	121	13.2	10.5-15.9	61	6.2	4.2- 8.2	61	4.2	2.8- 5.6	2	0.1	0.1- 0.1
College Graduate	1572	1,317,382	1271	78.4	75.7-81.1	164	12.0	9.8-14.2	76	5.6	4.0- 7.2	56	3.7	2.5- 4.9	5	0.3	0.0- 0.7
Less than \$15,000	387	468,509	300	71.2	63.4-79.0	33	15.0	7.6-22.4	25	8.6	4.3-12.9	28	5.1	2.6- 7.6	1	0.1	0.0- 0.3
\$15,000- 24,999	636	724,199	489	68.0	62.1-73.9	71	19.1	13.4-24.8	31	4.7	2.5- 6.9	44	8.1	5.4-10.8	1	0.1	0.0- 0.3
\$25,000- 34,999	381	448,790	309	79.7	73.8-85.6	33	8.8	4.7-12.9	20	7.8	3.5-12.1	16	3.3	1.3- 5.3	3	0.3	0.0- 0.7
\$35,000- 49,999	534	636,910	424	76.8	71.7-81.9	44	10.1	6.4-13.8	37	7.4	4.7-10.1	28	4.7	2.5- 6.9	1	1.1	0.0- 3.3
\$50,000- 74,999	590	690,352	460	76.9	72.2-81.6	67	10.2	7.3-13.1	38	8.1	4.6-11.6	23	4.8	2.1- 7.5	2	0.1	0.0- 0.3
\$75,000+	1181	1,377,392	926	76.3	73.2-79.4	137	12.9	10.4-15.4	63	6.1	4.3- 7.9	50	4.4	2.8- 6.0	5	0.3	0.1- 0.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	2,541,664	1553	71.7	69.0-74.4	218	12.9	10.7-15.1	132	7.3	5.7- 8.9	156	7.5	5.9- 9.1	11	0.6	0.0- 1.2
White/Non-Hisp	1686	1,873,041	1285	72.4	69.5-75.3	166	12.8	10.4-15.2	107	6.8	5.2- 8.4	121	7.8	6.0- 9.6	7	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	164	339,989	127	77.0	68.6-85.4	20	10.2	4.5-15.9	7	8.1	1.8-14.4	10	4.7	1.4- 8.0			
Oth. Race/Non-Hisp.	70	69,927	42	56.0	41.3-70.7	11	17.3	6.3-28.3	7	13.7	1.5-25.9	9	11.0	2.8-19.2	1	2.0	0.0- 5.9
Hispanic	69	159,719	36	54.2	38.3-70.1	12	17.2	4.1-30.3	8	11.1	2.3-19.9	10	11.0	2.8-19.2	3	6.5	0.0-15.1
18-24	171	306,138	97	53.2	43.6-62.8	39	26.5	17.5-35.5	26	14.6	8.5-20.7	9	5.7	0.8-10.6			
25-34	270	457,469	140	55.9	47.9-63.9	51	18.7	12.6-24.8	27	8.3	4.4-12.2	49	15.0	9.9-20.1	3	2.0	0.0- 4.9
35-44	291	408,087	189	67.4	60.3-74.5	38	13.0	8.1-17.9	28	11.4	6.1-16.7	34	7.9	4.8-11.0	2	0.4	0.0- 1.0
45-54	358	419,422	272	73.4	67.3-79.5	32	10.5	6.4-14.6	16	4.6	1.7- 7.5	35	10.6	6.3-14.9	3	0.8	0.0- 2.0
55-64	383	418,393	312	79.8	74.1-85.5	30	9.5	5.4-13.6	24	6.9	2.8-11.0	15	3.4	1.2- 5.6	2	0.3	0.0- 0.7
65+	597	532,155	543	91.3	88.4-94.2	28	4.4	2.0- 6.8	11	1.5	0.3- 2.7	14	2.7	1.1- 4.3	1	0.1	0.0- 0.3
Less Than H.S.	171	332,016	124	67.5	57.7-77.3	14	11.2	3.2-19.2	12	9.1	3.4-14.8	19	11.1	5.4-16.8	2	1.1	0.0- 2.7
H.S. or G.E.D.	651	844,024	461	68.3	63.4-73.2	72	12.6	9.1-16.1	56	9.1	6.0-12.2	56	8.8	5.9-11.7	6	1.1	0.0- 2.7
Some Post-H.S.	500	693,878	371	71.1	65.8-76.4	57	15.3	11.0-19.6	26	6.4	3.5- 9.3	44	7.0	4.5- 9.5	2	0.1	0.0- 0.3
College Graduate	721	628,288	572	77.3	73.4-81.2	74	12.3	9.2-15.4	37	5.1	3.1- 7.1	37	5.1	3.1- 7.1	1	0.2	0.0- 0.6
Less than \$15,000	142	175,480	99	62.1	50.9-73.3	13	16.3	6.9-25.7	10	10.3	2.3-18.3	19	10.9	4.4-17.4	1	0.4	0.0- 1.2
\$15,000- 24,999	252	330,629	180	60.7	52.1-69.3	29	21.0	12.8-29.2	14	6.0	1.9-10.1	28	12.0	7.1-16.9	1	0.3	0.0- 0.9
\$25,000- 34,999	156	189,464	120	74.7	64.9-84.5	13	8.5	2.8-14.2	11	11.0	2.6-19.4	11	5.6	1.7- 9.5	1	0.2	0.0- 0.6
\$35,000- 49,999	245	330,492	183	73.9	66.6-81.2	22	10.2	5.3-15.1	19	7.0	3.5-10.5	20	6.8	2.9-10.7	1	2.1	0.0- 6.0
\$50,000- 74,999	284	351,709	216	74.8	67.5-82.1	34	10.9	6.6-15.2	18	7.7	3.0-12.4	14	6.4	1.5-11.3	2	0.2	0.0- 0.4
\$75,000+	613	724,683	458	72.9	68.2-77.6	74	13.5	9.8-17.2	40	7.0	4.3- 9.7	37	6.1	3.6- 8.6	4	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2504	2,749,057	2063	79.1	76.6-81.6	238	12.2	10.0-14.4	122	5.7	4.5- 6.9	77	3.0	2.2- 3.8	4	0.1	0.0- 0.3
White/Non-Hisp	2015	2,037,125	1661	79.3	76.6-82.0	190	11.6	9.2-14.0	97	5.8	4.4- 7.2	63	3.2	2.2- 4.2	4	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	293	474,309	254	82.4	76.3-88.5	26	12.8	7.1-18.5	11	4.3	1.4- 7.2	2	0.6	0.0- 1.4			
Oth. Race/Non-Hisp.	55	53,348	38	53.4	33.0-73.8	9	23.1	6.6-39.6	5	19.6	0.0-40.2	3	4.0	0.0- 9.7			
Hispanic	63	103,189	43	69.4	52.2-86.6	7	15.2	0.0-31.9	5	4.5	0.2- 8.8	8	10.9	2.1-19.7			
18-24	153	297,701	105	61.1	49.1-73.1	27	29.0	16.5-41.5	18	8.6	3.9-13.3	1	0.8	0.0- 2.4	2	0.6	0.0- 1.6
25-34	302	456,009	202	67.1	60.4-73.8	45	14.3	9.6-19.0	40	14.9	9.4-20.4	15	3.7	1.5- 5.9			
35-44	349	431,293	260	74.4	68.7-80.1	45	13.4	8.9-17.9	18	6.0	2.9- 9.1	26	6.1	3.4- 8.8			
45-54	411	436,128	324	80.0	74.7-85.3	49	11.8	7.3-16.3	22	4.4	2.0- 6.8	15	3.8	1.3- 6.3	1	0.0	0.0- 0.0
55-64	473	462,630	405	85.6	81.7-89.5	40	8.6	5.5-11.7	15	2.6	1.0- 4.2	13	3.1	0.9- 5.3			
65+	816	665,296	767	93.3	90.9-95.7	32	5.1	2.9- 7.3	9	0.7	0.1- 1.3	7	0.9	0.1- 1.7	1	0.1	0.0- 0.3
Less Than H.S.	190	330,539	156	71.1	59.3-82.9	21	24.6	12.6-36.6	4	1.1	0.0- 2.3	9	3.2	0.7- 5.7			
H.S. or G.E.D.	766	848,782	636	81.4	77.7-85.1	60	8.5	5.8-11.2	39	5.9	3.5- 8.3	31	4.3	2.5- 6.1			
Some Post-H.S.	669	852,324	553	80.6	76.7-84.5	64	11.5	8.2-14.8	35	6.0	3.6- 8.4	17	1.9	0.7- 3.1			
College Graduate	851	689,094	699	79.5	76.0-83.0	90	11.8	9.1-14.5	39	6.1	3.7- 8.5	19	2.4	1.0- 3.8	4	0.3	0.0- 0.7
Less than \$15,000	245	293,029	201	76.6	66.2-87.0	20	14.2	3.8-24.6	15	7.5	2.8-12.2	9	1.6	0.4- 2.8			
\$15,000- 24,999	384	393,569	309	74.2	66.4-82.0	42	17.5	9.7-25.3	17	3.5	1.5- 5.5	16	4.8	2.1- 7.5			
\$25,000- 34,999	225	259,326	189	83.3	76.4-90.2	20	9.1	3.4-14.8	9	5.6	1.5- 9.7	5	1.7	0.0- 3.5	2	0.4	0.0- 1.0
\$35,000- 49,999	289	306,418	241	79.9	73.2-86.6	22	9.9	4.8-15.0	18	7.8	3.3-12.3	8	2.4	0.4- 4.4			
\$50,000- 74,999	306	338,643	244	79.0	72.7-85.3	33	9.5	5.6-13.4	20	8.4	3.5-13.3	9	3.1	0.9- 5.3			
\$75,000+	568	652,708	468	80.0	75.7-84.3	63	12.3	8.8-15.8	23	5.2	2.8- 7.6	13	2.6	1.0- 4.2	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020

SECTION 4: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 4: EXERCISE**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4652	5,389,325	3474	75.5	73.7-77.3	1178	24.5	22.7-26.3
Male	2108	2,598,437	1644	78.7	76.3-81.1	464	21.3	18.9-23.7
Female	2544	2,790,888	1830	72.5	70.1-74.9	714	27.5	25.1-29.9
White/Non-Hisp	3761	3,975,225	2820	76.2	74.4-78.0	941	23.8	22.0-25.6
Black or Afr. Am./Non-Hisp	463	831,158	322	69.7	64.0-75.4	141	30.3	24.6-36.0
Oth. Race/Non-Hisp.	130	126,090	104	84.0	76.9-91.1	26	16.0	8.9-23.1
MultiRacial/Non-Hisp.	74	64,131	55	78.3	67.5-89.1	19	21.7	10.9-32.5
Hispanic	136	269,086	100	71.9	61.7-82.1	36	28.1	17.9-38.3
18-24	338	627,766	286	86.0	81.3-90.7	52	14.0	9.3-18.7
25-34	585	935,026	497	85.4	81.7-89.1	88	14.6	10.9-18.3
35-44	650	854,647	521	78.9	74.6-83.2	129	21.1	16.8-25.4
45-54	781	870,077	575	73.7	69.6-77.8	206	26.3	22.2-30.4
55-64	867	894,263	593	66.5	62.2-70.8	274	33.5	29.2-37.8
65+	1431	1,207,546	1002	67.7	64.4-71.0	429	32.3	29.0-35.6
Less Than H.S.	368	675,979	202	60.4	53.5-67.3	166	39.6	32.7-46.5
H.S. or G.E.D.	1449	1,736,696	953	69.2	66.1-72.3	496	30.8	27.7-33.9
Some Post-H.S.	1187	1,573,618	901	77.5	74.4-80.6	286	22.5	19.4-25.6
College Graduate	1593	1,331,256	1368	88.1	86.1-90.1	225	11.9	9.9-13.9
Less than \$15,000	395	481,998	204	52.4	45.0-59.8	191	47.6	40.2-55.0
\$15,000- 24,999	651	736,694	408	64.7	59.6-69.8	243	35.3	30.2-40.4
\$25,000- 34,999	386	451,804	258	70.9	64.6-77.2	128	29.1	22.8-35.4
\$35,000- 49,999	540	643,841	418	77.1	72.2-82.0	122	22.9	18.0-27.8
\$50,000- 74,999	598	702,423	480	82.4	78.3-86.5	118	17.6	13.5-21.7
\$75,000+	1192	1,395,437	1060	88.2	85.8-90.6	132	11.8	9.4-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 4: EXERCISE**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2108	2,598,437	1644	78.7	76.3-81.1	464	21.3	18.9-23.7
White/Non-Hisp	1717	1,911,981	1338	78.6	76.1-81.1	379	21.4	18.9-23.9
Black or Afr. Am./Non-Hisp	166	346,128	125	74.7	66.1-83.3	41	25.3	16.7-33.9
Oth. Race/Non-Hisp.	72	70,849	56	84.6	76.2-93.0	16	15.4	7.0-23.8
Hispanic	71	163,693	56	78.2	66.6-89.8	15	21.8	10.2-33.4
18-24	179	320,689	155	88.7	83.2-94.2	24	11.3	5.8-16.8
25-34	277	467,348	243	89.4	84.9-93.9	34	10.6	6.1-15.1
35-44	297	420,468	250	82.7	76.6-88.8	47	17.3	11.2-23.4
45-54	364	426,214	272	75.2	69.5-80.9	92	24.8	19.1-30.5
55-64	389	426,817	278	68.3	62.0-74.6	111	31.7	25.4-38.0
65+	602	536,900	446	71.2	66.3-76.1	156	28.8	23.9-33.7
Less Than H.S.	173	340,669	103	66.5	57.7-75.3	70	33.5	24.7-42.3
H.S. or G.E.D.	668	866,638	469	73.2	68.9-77.5	199	26.8	22.5-31.1
Some Post-H.S.	510	711,530	407	81.0	76.5-85.5	103	19.0	14.5-23.5
College Graduate	730	636,142	640	89.1	86.2-92.0	90	10.9	8.0-13.8
Less than \$15,000	145	184,382	82	59.6	48.8-70.4	63	40.4	29.6-51.2
\$15,000- 24,999	256	335,639	164	67.7	60.3-75.1	92	32.3	24.9-39.7
\$25,000- 34,999	158	191,077	104	66.9	56.7-77.1	54	33.1	22.9-43.3
\$35,000- 49,999	250	336,887	201	76.4	69.0-83.8	49	23.6	16.2-31.0
\$50,000- 74,999	290	362,091	229	81.5	75.4-87.6	61	18.5	12.4-24.6
\$75,000+	620	736,503	560	89.3	86.0-92.6	60	10.7	7.4-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 4: EXERCISE**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2544	2,790,888	1830	72.5	70.1-74.9	714	27.5	25.1-29.9
White/Non-Hisp	2044	2,063,244	1482	74.0	71.6-76.4	562	26.0	23.6-28.4
Black or Afr. Am./Non-Hisp	297	485,030	197	66.2	58.9-73.5	100	33.8	26.5-41.1
Oth. Race/Non-Hisp.	58	55,241	48	83.2	71.4-95.0	10	16.8	5.0-28.6
Hispanic	65	105,393	44	62.2	45.0-79.4	21	37.8	20.6-55.0
18-24	159	307,077	131	83.2	75.6-90.8	28	16.8	9.2-24.4
25-34	308	467,678	254	81.4	75.3-87.5	54	18.6	12.5-24.7
35-44	353	434,179	271	75.2	69.3-81.1	82	24.8	18.9-30.7
45-54	417	443,863	303	72.3	66.2-78.4	114	27.7	21.6-33.8
55-64	478	467,446	315	64.9	59.4-70.4	163	35.1	29.6-40.6
65+	829	670,645	556	64.9	60.4-69.4	273	35.1	30.6-39.6
Less Than H.S.	195	335,310	99	54.2	43.8-64.6	96	45.8	35.4-56.2
H.S. or G.E.D.	781	870,058	484	65.1	60.8-69.4	297	34.9	30.6-39.2
Some Post-H.S.	677	862,088	494	74.5	70.4-78.6	183	25.5	21.4-29.6
College Graduate	863	695,114	728	87.1	84.4-89.8	135	12.9	10.2-15.6
Less than \$15,000	250	297,616	122	47.9	38.1-57.7	128	52.1	42.3-61.9
\$15,000- 24,999	395	401,054	244	62.3	55.2-69.4	151	37.7	30.6-44.8
\$25,000- 34,999	228	260,727	154	73.7	66.3-81.1	74	26.3	18.9-33.7
\$35,000- 49,999	290	306,954	217	77.9	71.8-84.0	73	22.1	16.0-28.2
\$50,000- 74,999	308	340,332	251	83.3	78.0-88.6	57	16.7	11.4-22.0
\$75,000+	572	658,934	500	86.9	83.4-90.4	72	13.1	9.6-16.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020

SECTION 5: INADEQUATE SLEEP CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4586	5,304,818	1500	33.7	31.7-35.7	2874	61.6	59.6-63.6	212	4.6	3.6- 5.6
Male	2082	2,569,767	677	33.8	31.1-36.5	1320	62.1	59.2-65.0	85	4.1	2.9- 5.3
Female	2504	2,735,051	823	33.6	31.1-36.1	1554	61.2	58.5-63.9	127	5.2	3.6- 6.8
White/Non-Hisp	3719	3,931,471	1184	32.3	30.3-34.3	2376	63.3	61.1-65.5	159	4.3	3.1- 5.5
Black or Afr. Am./Non-Hisp	452	807,446	164	38.3	32.2-44.4	256	55.8	49.7-61.9	32	5.9	3.2- 8.6
Oth. Race/Non-Hisp.	128	124,309	48	34.7	24.1-45.3	75	62.5	51.5-73.5	5	2.8	0.0- 5.9
MultiRacial/Non-Hisp.	71	62,833	27	33.5	20.8-46.2	38	51.4	37.3-65.5	6	15.1	3.1-27.1
Hispanic	129	256,529	52	43.2	31.0-55.4	71	51.6	39.4-63.8	6	5.2	0.1-10.3
18-24	332	612,569	119	37.3	30.2-44.4	196	55.7	48.3-63.1	17	7.1	1.2-13.0
25-34	577	920,369	216	39.3	34.0-44.6	348	59.3	54.0-64.6	13	1.4	0.6- 2.2
35-44	647	848,202	244	36.3	31.4-41.2	386	60.3	55.4-65.2	17	3.4	1.2- 5.6
45-54	772	858,396	275	36.0	31.5-40.5	474	61.2	56.7-65.7	23	2.8	1.2- 4.4
55-64	860	889,267	294	34.6	30.3-38.9	529	60.6	56.3-64.9	37	4.8	2.6- 7.0
65+	1398	1,176,015	352	23.3	20.6-26.0	941	68.6	65.5-71.7	105	8.1	6.1-10.1
Less Than H.S.	353	654,992	143	35.7	28.8-42.6	178	52.8	45.4-60.2	32	11.5	5.4-17.6
H.S. or G.E.D.	1421	1,695,204	515	37.4	34.1-40.7	824	58.0	54.7-61.3	82	4.6	3.4- 5.8
Some Post-H.S.	1173	1,557,388	423	36.5	33.0-40.0	697	59.6	55.9-63.3	53	3.9	2.5- 5.3
College Graduate	1586	1,327,136	408	25.5	22.8-28.2	1135	72.3	69.4-75.2	43	2.2	1.2- 3.2
Less than \$15,000	386	466,911	173	43.7	36.3-51.1	177	44.1	36.7-51.5	36	12.2	5.3-19.1
\$15,000- 24,999	639	721,435	262	43.3	37.8-48.8	333	49.3	43.8-54.8	44	7.4	3.7-11.1
\$25,000- 34,999	381	443,773	111	26.9	20.8-33.0	253	69.6	63.3-75.9	17	3.4	1.4- 5.4
\$35,000- 49,999	538	642,917	185	38.7	32.8-44.6	335	58.7	52.8-64.6	18	2.6	1.0- 4.2
\$50,000- 74,999	597	702,177	176	32.4	27.1-37.7	399	63.4	57.9-68.9	22	4.2	1.8- 6.6
\$75,000+	1189	1,393,118	320	27.6	24.3-30.9	840	70.4	67.1-73.7	29	2.0	1.2- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 5: INADEQUATE SLEEP**

**TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2082	2,569,767	677	33.8	31.1-36.5	1320	62.1	59.2-65.0	85	4.1	2.9- 5.3
White/Non-Hisp	1699	1,893,805	536	32.0	29.1-34.9	1096	64.4	61.5-67.3	67	3.6	2.4- 4.8
Black or Afr. Am./Non-Hisp	163	343,300	55	35.2	25.8-44.6	100	59.9	50.1-69.7	8	4.9	0.8- 9.0
Oth. Race/Non-Hisp.	72	70,849	27	35.8	22.1-49.5	44	63.3	49.6-77.0	1	0.9	0.0- 2.7
Hispanic	68	156,318	29	50.2	34.1-66.3	35	42.8	27.1-58.5	4	7.0	0.0-14.8
18-24	178	314,911	70	42.0	32.4-51.6	100	55.1	45.5-64.7	8	3.0	0.6- 5.4
25-34	275	466,377	104	38.5	30.9-46.1	166	60.3	52.7-67.9	5	1.3	0.1- 2.5
35-44	295	415,164	113	38.0	30.6-45.4	178	60.1	52.7-67.5	4	1.9	0.0- 4.6
45-54	358	418,296	121	33.5	27.2-39.8	230	64.8	58.5-71.1	7	1.7	0.1- 3.3
55-64	384	423,894	137	35.2	28.9-41.5	234	59.8	53.3-66.3	13	5.0	1.7- 8.3
65+	592	531,125	132	20.9	16.8-25.0	412	69.1	64.2-74.0	48	9.9	6.4-13.4
Less Than H.S.	169	334,785	65	36.8	27.2-46.4	90	55.7	45.7-65.7	14	7.5	3.0-12.0
H.S. or G.E.D.	657	852,827	239	38.4	33.5-43.3	388	57.5	52.4-62.6	30	4.1	2.3- 5.9
Some Post-H.S.	502	704,670	183	35.2	29.7-40.7	297	60.9	55.4-66.4	22	3.9	1.7- 6.1
College Graduate	728	634,160	182	25.0	20.9-29.1	528	72.6	68.3-76.9	18	2.4	0.4- 4.4
Less than \$15,000	141	177,984	61	38.7	27.9-49.5	72	51.3	40.1-62.5	8	10.0	2.0-18.0
\$15,000- 24,999	252	329,725	95	41.6	33.2-50.0	142	53.2	44.8-61.6	15	5.2	2.1- 8.3
\$25,000- 34,999	158	191,077	42	24.2	15.4-33.0	105	69.8	60.4-79.2	11	6.0	1.7-10.3
\$35,000- 49,999	248	335,963	81	35.2	27.0-43.4	158	61.8	53.6-70.0	9	3.0	0.3- 5.7
\$50,000- 74,999	289	361,845	90	37.2	29.2-45.2	185	57.3	49.3-65.3	14	5.5	1.6- 9.4
\$75,000+	619	736,087	182	30.3	25.6-35.0	426	68.5	63.6-73.4	11	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 5: INADEQUATE SLEEP**

**TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2504	2,735,051	823	33.6	31.1-36.1	1554	61.2	58.5-63.9	127	5.2	3.6- 6.8
White/Non-Hisp	2020	2,037,665	648	32.6	29.9-35.3	1280	62.4	59.5-65.3	92	5.0	3.0- 7.0
Black or Afr. Am./Non-Hisp	289	464,145	109	40.6	33.0-48.2	156	52.8	45.0-60.6	24	6.6	3.1-10.1
Oth. Race/Non-Hisp.	56	53,459	21	33.3	16.8-49.8	31	61.4	43.6-79.2	4	5.3	0.0-12.0
Hispanic	61	100,211	23	32.3	15.6-49.0	36	65.2	48.3-82.1	2	2.5	0.0- 6.4
18-24	154	297,658	49	32.3	22.7-41.9	96	56.3	44.7-67.9	9	11.4	0.0-22.8
25-34	302	453,992	112	40.1	33.0-47.2	182	58.4	51.3-65.5	8	1.5	0.3- 2.7
35-44	352	433,038	131	34.7	28.4-41.0	208	60.6	54.1-67.1	13	4.7	1.6- 7.8
45-54	414	440,100	154	38.4	32.1-44.7	244	57.7	51.2-64.2	16	3.8	1.1- 6.5
55-64	476	465,372	157	34.1	28.4-39.8	295	61.3	55.6-67.0	24	4.6	2.1- 7.1
65+	806	644,890	220	25.2	21.3-29.1	529	68.2	64.1-72.3	57	6.6	4.4- 8.8
Less Than H.S.	184	320,207	78	34.4	24.6-44.2	88	49.8	38.6-61.0	18	15.8	4.8-26.8
H.S. or G.E.D.	764	842,377	276	36.5	32.0-41.0	436	58.4	53.9-62.9	52	5.1	3.3- 6.9
Some Post-H.S.	671	852,717	240	37.5	32.8-42.2	400	58.5	53.6-63.4	31	4.0	2.2- 5.8
College Graduate	858	692,976	226	26.0	22.3-29.7	607	72.0	68.1-75.9	25	2.0	0.8- 3.2
Less than \$15,000	245	288,927	112	46.8	36.8-56.8	105	39.7	30.3-49.1	28	13.5	3.7-23.3
\$15,000- 24,999	387	391,711	167	44.6	37.3-51.9	191	46.1	38.7-53.5	29	9.3	3.0-15.6
\$25,000- 34,999	223	252,696	69	29.0	21.0-37.0	148	69.5	61.3-77.7	6	1.5	0.1- 2.9
\$35,000- 49,999	290	306,954	104	42.4	34.6-50.2	177	55.3	47.5-63.1	9	2.2	0.6- 3.8
\$50,000- 74,999	308	340,332	86	27.3	20.6-34.0	214	70.0	63.1-76.9	8	2.7	0.0- 5.6
\$75,000+	570	657,031	138	24.6	20.1-29.1	414	72.6	68.1-77.1	18	2.8	1.4- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
(EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
(EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
(EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
(EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56
(EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	57
20 MALES ONLY	58
21 FEMALES ONLY	59
(EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4626	5,342,124	312	5.2	4.4- 6.0	4314	94.8	94.0-95.6
Male	2093	2,573,477	183	6.8	5.4- 8.2	1910	93.2	91.8-94.6
Female	2533	2,768,648	129	3.7	2.9- 4.5	2404	96.3	95.5-97.1
White/Non-Hisp	3743	3,961,589	253	5.5	4.7- 6.3	3490	94.5	93.7-95.3
Black or Afr. Am./Non-Hisp	459	819,458	28	4.3	2.1- 6.5	431	95.7	93.5-97.9
Oth. Race/Non-Hisp.	130	126,090	13	6.8	2.7-10.9	117	93.2	89.1-97.3
MultiRacial/Non-Hisp.	75	64,641	6	3.8	0.1- 7.5	69	96.2	92.5-99.9
Hispanic	132	248,638	2	1.2	0.0- 3.0	130	98.8	97.0- 100
18-24	338	618,654	4	0.7	0.0- 1.5	334	99.3	98.5- 100
25-34	583	927,407	4	0.7	0.0- 1.5	579	99.3	98.5- 100
35-44	646	839,455	13	1.5	0.5- 2.5	633	98.5	97.5-99.5
45-54	774	864,345	37	4.5	2.5- 6.5	737	95.5	93.5-97.5
55-64	864	891,630	71	7.3	5.1- 9.5	793	92.7	90.5-94.9
65+	1421	1,200,633	183	12.6	10.4-14.8	1238	87.4	85.2-89.6
Less Than H.S.	364	655,958	47	8.0	5.3-10.7	317	92.0	89.3-94.7
H.S. or G.E.D.	1434	1,714,388	116	6.0	4.6- 7.4	1318	94.0	92.6-95.4
Some Post-H.S.	1187	1,573,330	82	5.4	3.8- 7.0	1105	94.6	93.0-96.2
College Graduate	1587	1,327,824	65	2.8	1.8- 3.8	1522	97.2	96.2-98.2
Less than \$15,000	396	481,607	46	8.0	5.1-10.9	350	92.0	89.1-94.9
\$15,000- 24,999	642	720,964	75	8.4	6.0-10.8	567	91.6	89.2-94.0
\$25,000- 34,999	383	446,154	40	6.5	4.0- 9.0	343	93.5	91.0-96.0
\$35,000- 49,999	537	636,837	26	4.2	2.0- 6.4	511	95.8	93.6-98.0
\$50,000- 74,999	597	701,680	30	4.4	2.0- 6.8	567	95.6	93.2-98.0
\$75,000+	1191	1,394,641	32	2.0	1.0- 3.0	1159	98.0	97.0-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2093	2,573,477	183	6.8	5.6- 8.0	1910	93.2	92.0-94.4
White/Non-Hisp	1707	1,903,336	153	7.3	5.9- 8.7	1554	92.7	91.3-94.1
Black or Afr. Am./Non-Hisp	163	339,931	13	6.1	2.0-10.2	150	93.9	89.8-98.0
Oth. Race/Non-Hisp.	72	70,849	6	6.4	0.9-11.9	66	93.6	88.1-99.1
Hispanic	69	154,306	2	1.9	0.0- 4.8	67	98.1	95.2- 100
18-24	180	321,199	3	0.9	0.0- 2.1	177	99.1	97.9- 100
25-34	277	467,348	1	0.4	0.0- 1.2	276	99.6	98.8- 100
35-44	293	405,276	5	1.0	0.0- 2.0	288	99.0	98.0- 100
45-54	359	422,613	23	6.1	3.4- 8.8	336	93.9	91.2-96.6
55-64	388	425,357	44	10.6	6.7-14.5	344	89.4	85.5-93.3
65+	596	531,684	107	18.1	14.0-22.2	489	81.9	77.8-86.0
Less Than H.S.	170	329,611	32	11.2	6.7-15.7	138	88.8	84.3-93.3
H.S. or G.E.D.	658	853,976	60	7.2	4.8- 9.6	598	92.8	90.4-95.2
Some Post-H.S.	511	712,039	46	7.3	4.8- 9.8	465	92.7	90.2-95.2
College Graduate	727	634,392	43	3.8	2.4- 5.2	684	96.2	94.8-97.6
Less than \$15,000	144	182,427	26	12.0	6.7-17.3	118	88.0	82.7-93.3
\$15,000- 24,999	252	332,353	39	11.2	6.9-15.5	213	88.8	84.5-93.1
\$25,000- 34,999	157	186,565	23	9.8	4.5-15.1	134	90.2	84.9-95.5
\$35,000- 49,999	248	330,802	16	5.9	3.0- 8.8	232	94.1	91.2-97.0
\$50,000- 74,999	289	361,348	19	5.5	1.6- 9.4	270	94.5	90.6-98.4
\$75,000+	619	735,707	27	3.3	1.7- 4.9	592	96.7	95.1-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2533	2,768,648	129	3.7	2.9- 4.5	2404	96.3	95.5-97.1
White/Non-Hisp	2036	2,058,254	100	3.8	2.8- 4.8	1936	96.2	95.2-97.2
Black or Afr. Am./Non-Hisp	296	479,527	15	3.1	0.9- 5.3	281	96.9	94.7-99.1
Oth. Race/Non-Hisp.	58	55,241	7	7.3	1.2-13.4	51	92.7	86.6-98.8
Hispanic	63	94,333				63	100.0	100.0- 100
18-24	158	297,455	1	0.5	0.0- 1.5	157	99.5	98.5- 100
25-34	306	460,059	3	1.0	0.0- 2.2	303	99.0	97.8- 100
35-44	353	434,179	8	1.9	0.3- 3.5	345	98.1	96.5-99.7
45-54	415	441,732	14	3.0	0.8- 5.2	401	97.0	94.8-99.2
55-64	476	466,273	27	4.4	2.2- 6.6	449	95.6	93.4-97.8
65+	825	668,949	76	8.2	5.8-10.6	749	91.8	89.4-94.2
Less Than H.S.	194	326,346	15	4.8	1.5- 8.1	179	95.2	91.9-98.5
H.S. or G.E.D.	776	860,412	56	4.8	3.2- 6.4	720	95.2	93.6-96.8
Some Post-H.S.	676	861,290	36	3.8	2.4- 5.2	640	96.2	94.8-97.6
College Graduate	860	693,432	22	1.9	0.7- 3.1	838	98.1	96.9-99.3
Less than \$15,000	252	299,180	20	5.6	2.3- 8.9	232	94.4	91.1-97.7
\$15,000- 24,999	390	388,611	36	6.1	3.6- 8.6	354	93.9	91.4-96.4
\$25,000- 34,999	226	259,589	17	4.1	1.7- 6.5	209	95.9	93.5-98.3
\$35,000- 49,999	289	306,035	10	2.4	0.6- 4.2	279	97.6	95.8-99.4
\$50,000- 74,999	308	340,332	11	3.2	0.8- 5.6	297	96.8	94.4-99.2
\$75,000+	572	658,934	5	0.6	0.0- 1.2	567	99.4	98.8- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4626	5,356,213	299	5.1	4.3- 5.9	4327	94.9	94.1-95.7
Male	2094	2,580,232	156	5.9	4.7- 7.1	1938	94.1	92.9-95.3
Female	2532	2,775,981	143	4.4	3.4- 5.4	2389	95.6	94.6-96.6
White/Non-Hisp	3738	3,952,897	253	5.6	4.8- 6.4	3485	94.4	93.6-95.2
Black or Afr. Am./Non-Hisp	463	821,566	24	3.5	1.5- 5.5	439	96.5	94.5-98.5
Oth. Race/Non-Hisp.	129	125,740	7	2.7	0.3- 5.1	122	97.3	94.9-99.7
MultiRacial/Non-Hisp.	74	64,515	6	6.5	0.0-13.2	68	93.5	86.8- 100
Hispanic	136	269,086	3	1.4	0.0- 3.2	133	98.6	96.8- 100
18-24	338	627,926				338	100.0	100.0- 100
25-34	584	928,845	1	0.2	0.0- 0.6	583	99.8	99.4- 100
35-44	650	849,789	12	1.2	0.4- 2.0	638	98.8	98.0-99.6
45-54	774	865,140	31	4.6	2.4- 6.8	743	95.4	93.2-97.6
55-64	864	892,986	66	7.2	4.8- 9.6	798	92.8	90.4-95.2
65+	1416	1,191,526	189	13.1	10.7-15.5	1227	86.9	84.5-89.3
Less Than H.S.	362	664,008	43	8.7	5.4-12.0	319	91.3	88.0-94.6
H.S. or G.E.D.	1440	1,723,261	90	4.4	3.2- 5.6	1350	95.6	94.4-96.8
Some Post-H.S.	1187	1,572,660	83	5.7	4.1- 7.3	1104	94.3	92.7-95.9
College Graduate	1583	1,325,659	79	3.5	2.5- 4.5	1504	96.5	95.5-97.5
Less than \$15,000	391	479,299	46	9.6	5.9-13.3	345	90.4	86.7-94.1
\$15,000- 24,999	649	731,470	57	5.3	3.3- 7.3	592	94.7	92.7-96.7
\$25,000- 34,999	383	449,128	37	6.9	3.8-10.0	346	93.1	90.0-96.2
\$35,000- 49,999	537	641,543	32	5.5	3.1- 7.9	505	94.5	92.1-96.9
\$50,000- 74,999	596	701,998	29	4.6	2.2- 7.0	567	95.4	93.0-97.8
\$75,000+	1189	1,392,277	41	3.0	1.8- 4.2	1148	97.0	95.8-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2094	2,580,232	156	5.9	4.7- 7.1	1938	94.1	92.9-95.3
White/Non-Hisp	1705	1,898,905	136	6.5	5.1- 7.9	1569	93.5	92.1-94.9
Black or Afr. Am./Non-Hisp	165	340,821	7	3.5	0.2- 6.8	158	96.5	93.2-99.8
Oth. Race/Non-Hisp.	72	70,849	5	4.1	0.2- 8.0	67	95.9	92.0-99.8
Hispanic	71	163,693	2	1.6	0.0- 4.1	69	98.4	95.9- 100
18-24	180	321,199				180	100.0	100.0- 100
25-34	277	467,348	1	0.5	0.0- 1.5	276	99.5	98.5- 100
35-44	297	415,610	4	0.9	0.0- 1.9	293	99.1	98.1- 100
45-54	361	424,650	14	4.6	2.1- 7.1	347	95.4	92.9-97.9
55-64	387	425,903	35	8.0	4.5-11.5	352	92.0	88.5-95.5
65+	592	525,521	102	17.4	13.3-21.5	490	82.6	78.5-86.7
Less Than H.S.	168	328,851	20	9.8	4.7-14.9	148	90.2	85.1-95.3
H.S. or G.E.D.	666	864,780	42	4.4	2.8- 6.0	624	95.6	94.0-97.2
Some Post-H.S.	508	709,244	43	6.8	4.3- 9.3	465	93.2	90.7-95.7
College Graduate	725	633,899	49	4.8	3.2- 6.4	676	95.2	93.6-96.8
Less than \$15,000	143	182,129	21	11.8	5.3-18.3	122	88.2	81.7-94.7
\$15,000- 24,999	255	332,113	24	5.8	2.7- 8.9	231	94.2	91.1-97.3
\$25,000- 34,999	156	188,896	19	8.9	3.6-14.2	137	91.1	85.8-96.4
\$35,000- 49,999	248	335,897	16	6.3	3.6- 9.0	232	93.7	91.0-96.4
\$50,000- 74,999	289	361,965	20	6.8	2.7-10.9	269	93.2	89.1-97.3
\$75,000+	618	733,916	28	3.6	1.8- 5.4	590	96.4	94.6-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2532	2,775,981	143	4.4	3.4- 5.4	2389	95.6	94.6-96.6
White/Non-Hisp	2033	2,053,993	117	4.7	3.7- 5.7	1916	95.3	94.3-96.3
Black or Afr. Am./Non-Hisp	298	480,744	17	3.6	1.1- 6.1	281	96.4	93.9-98.9
Oth. Race/Non-Hisp.	57	54,891	2	0.8	0.0- 2.0	55	99.2	98.0- 100
Hispanic	65	105,393	1	1.0	0.0- 3.0	64	99.0	97.0- 100
18-24	158	306,727				158	100.0	100.0- 100
25-34	307	461,497				307	100.0	100.0- 100
35-44	353	434,179	8	1.5	0.3- 2.7	345	98.5	97.3-99.7
45-54	413	440,490	17	4.6	1.9- 7.3	396	95.4	92.7-98.1
55-64	477	467,084	31	6.6	3.7- 9.5	446	93.4	90.5-96.3
65+	824	666,005	87	9.8	7.3-12.3	737	90.2	87.7-92.7
Less Than H.S.	194	335,158	23	7.8	3.7-11.9	171	92.2	88.1-96.3
H.S. or G.E.D.	774	858,481	48	4.4	2.8- 6.0	726	95.6	94.0-97.2
Some Post-H.S.	679	863,416	40	4.8	3.0- 6.6	639	95.2	93.4-97.0
College Graduate	858	691,761	30	2.4	1.2- 3.6	828	97.6	96.4-98.8
Less than \$15,000	248	297,170	25	8.3	3.8-12.8	223	91.7	87.2-96.2
\$15,000- 24,999	394	399,358	33	4.9	2.7- 7.1	361	95.1	92.9-97.3
\$25,000- 34,999	227	260,232	18	5.4	1.7- 9.1	209	94.6	90.9-98.3
\$35,000- 49,999	289	305,647	16	4.8	2.1- 7.5	273	95.2	92.5-97.9
\$50,000- 74,999	307	340,033	9	2.3	0.5- 4.1	298	97.7	95.9-99.5
\$75,000+	571	658,362	13	2.3	0.9- 3.7	558	97.7	96.3-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 7: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4649	5,386,573	258	4.8	4.0- 5.6	4391	95.2	94.4-96.0
Male	2105	2,596,587	111	4.5	3.3- 5.7	1994	95.5	94.3-96.7
Female	2544	2,789,986	147	5.0	4.0- 6.0	2397	95.0	94.0-96.0
White/Non-Hisp	3757	3,971,557	200	4.6	3.8- 5.4	3557	95.4	94.6-96.2
Black or Afr. Am./Non-Hisp	465	833,053	30	6.0	3.3- 8.7	435	94.0	91.3-96.7
Oth. Race/Non-Hisp.	130	126,090	12	4.9	1.0- 8.8	118	95.1	91.2-99.0
MultiRacial/Non-Hisp.	74	64,233	3	0.9	0.0- 2.1	71	99.1	97.9- 100
Hispanic	136	269,086	6	3.5	0.4- 6.6	130	96.5	93.4-99.6
18-24	339	628,276	5	0.8	0.0- 1.6	334	99.2	98.4- 100
25-34	585	935,026	7	1.1	0.1- 2.1	578	98.9	97.9-99.9
35-44	651	855,096	10	2.4	0.6- 4.2	641	97.6	95.8-99.4
45-54	778	868,183	30	4.4	2.2- 6.6	748	95.6	93.4-97.8
55-64	867	894,195	62	6.3	4.1- 8.5	805	93.7	91.5-95.9
65+	1429	1,205,797	144	10.5	8.3-12.7	1285	89.5	87.3-91.7
Less Than H.S.	368	676,020	44	9.7	6.2-13.2	324	90.3	86.8-93.8
H.S. or G.E.D.	1449	1,736,593	81	4.5	3.1- 5.9	1368	95.5	94.1-96.9
Some Post-H.S.	1188	1,574,515	69	3.8	2.6- 5.0	1119	96.2	95.0-97.4
College Graduate	1590	1,328,821	60	3.6	2.4- 4.8	1530	96.4	95.2-97.6
Less than \$15,000	395	481,758	45	9.0	5.3-12.7	350	91.0	87.3-94.7
\$15,000- 24,999	652	737,143	59	8.1	5.6-10.6	593	91.9	89.4-94.4
\$25,000- 34,999	386	451,804	22	4.3	1.9- 6.7	364	95.7	93.3-98.1
\$35,000- 49,999	540	643,841	34	5.9	3.2- 8.6	506	94.1	91.4-96.8
\$50,000- 74,999	598	702,423	22	2.5	1.1- 3.9	576	97.5	96.1-98.9
\$75,000+	1192	1,395,139	27	1.9	0.9- 2.9	1165	98.1	97.1-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 8: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2105	2,596,587	111	4.5	3.3- 5.7	1994	95.5	94.3-96.7
White/Non-Hisp	1714	1,910,015	87	4.2	3.0- 5.4	1627	95.8	94.6-97.0
Black or Afr. Am./Non-Hisp	166	346,128	13	7.7	2.6-12.8	153	92.3	87.2-97.4
Oth. Race/Non-Hisp.	72	70,849	3	4.2	0.0-10.1	69	95.8	89.9- 100
Hispanic	71	163,693	3	3.0	0.0- 6.5	68	97.0	93.5- 100
18-24	180	321,199	3	0.8	0.0- 1.8	177	99.2	98.2- 100
25-34	277	467,348	2	0.8	0.0- 2.2	275	99.2	97.8- 100
35-44	298	420,917	2	1.8	0.0- 4.3	296	98.2	95.7- 100
45-54	362	425,160	11	3.5	1.0- 6.0	351	96.5	94.0-99.0
55-64	388	426,284	29	6.2	3.3- 9.1	359	93.8	90.9-96.7
65+	600	535,679	64	11.7	8.4-15.0	536	88.3	85.0-91.6
Less Than H.S.	172	339,957	19	9.3	4.0-14.6	153	90.7	85.4-96.0
H.S. or G.E.D.	668	866,809	30	3.3	1.7- 4.9	638	96.7	95.1-98.3
Some Post-H.S.	510	711,507	27	3.7	1.9- 5.5	483	96.3	94.5-98.1
College Graduate	728	634,856	32	4.3	2.5- 6.1	696	95.7	93.9-97.5
Less than \$15,000	145	183,832	18	9.7	3.2-16.2	127	90.3	83.8-96.8
\$15,000- 24,999	257	336,088	26	9.2	4.9-13.5	231	90.8	86.5-95.1
\$25,000- 34,999	158	191,077	10	6.8	1.7-11.9	148	93.2	88.1-98.3
\$35,000- 49,999	250	336,887	15	4.8	1.7- 7.9	235	95.2	92.1-98.3
\$50,000- 74,999	290	362,091	16	3.5	1.3- 5.7	274	96.5	94.3-98.7
\$75,000+	620	736,206	13	1.8	0.4- 3.2	607	98.2	96.8-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 9: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2544	2,789,986	147	5.0	4.0- 6.0	2397	95.0	94.0-96.0
White/Non-Hisp	2043	2,061,542	113	5.0	3.8- 6.2	1930	95.0	93.8-96.2
Black or Afr. Am./Non-Hisp	299	486,925	17	4.9	1.8- 8.0	282	95.1	92.0-98.2
Oth. Race/Non-Hisp.	58	55,241	9	5.8	0.7-10.9	49	94.2	89.1-99.3
Hispanic	65	105,393	3	4.4	0.0-10.5	62	95.6	89.5- 100
18-24	159	307,077	2	0.9	0.0- 2.5	157	99.1	97.5- 100
25-34	308	467,678	5	1.4	0.0- 3.0	303	98.6	97.0- 100
35-44	353	434,179	8	2.9	0.5- 5.3	345	97.1	94.7-99.5
45-54	416	443,023	19	5.3	2.0- 8.6	397	94.7	91.4-98.0
55-64	479	467,911	33	6.5	3.6- 9.4	446	93.5	90.6-96.4
65+	829	670,118	80	9.5	7.0-12.0	749	90.5	88.0-93.0
Less Than H.S.	196	336,064	25	10.0	5.1-14.9	171	90.0	85.1-94.9
H.S. or G.E.D.	781	869,784	51	5.7	3.7- 7.7	730	94.3	92.3-96.3
Some Post-H.S.	678	863,008	42	3.9	2.3- 5.5	636	96.1	94.5-97.7
College Graduate	862	693,964	28	3.0	1.4- 4.6	834	97.0	95.4-98.6
Less than \$15,000	250	297,926	27	8.5	4.0-13.0	223	91.5	87.0-96.0
\$15,000- 24,999	395	401,054	33	7.1	4.2-10.0	362	92.9	90.0-95.8
\$25,000- 34,999	228	260,727	12	2.4	0.8- 4.0	216	97.6	96.0-99.2
\$35,000- 49,999	290	306,954	19	7.3	3.0-11.6	271	92.7	88.4-97.0
\$50,000- 74,999	308	340,332	6	1.5	0.0- 3.1	302	98.5	96.9- 100
\$75,000+	572	658,934	14	2.0	0.6- 3.4	558	98.0	96.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 10: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4641	5,375,368	722	15.7	14.3-17.1	3919	84.3	82.9-85.7
Male	2103	2,591,664	257	12.4	10.4-14.4	1846	87.6	85.6-89.6
Female	2538	2,783,704	465	18.8	16.6-21.0	2073	81.2	79.0-83.4
White/Non-Hisp	3753	3,964,862	568	15.2	13.6-16.8	3185	84.8	83.2-86.4
Black or Afr. Am./Non-Hisp	464	830,849	89	21.0	15.9-26.1	375	79.0	73.9-84.1
Oth. Race/Non-Hisp.	127	125,041	15	10.8	4.5-17.1	112	89.2	82.9-95.5
MultiRacial/Non-Hisp.	74	63,215	19	25.2	12.1-38.3	55	74.8	61.7-87.9
Hispanic	136	269,086	19	9.1	4.0-14.2	117	90.9	85.8-96.0
18-24	338	626,850	72	20.6	14.5-26.7	266	79.4	73.3-85.5
25-34	582	930,456	90	12.9	9.8-16.0	492	87.1	84.0-90.2
35-44	650	854,552	101	15.3	11.6-19.0	549	84.7	81.0-88.4
45-54	778	868,174	123	17.4	13.7-21.1	655	82.6	78.9-86.3
55-64	865	891,233	133	15.1	12.0-18.2	732	84.9	81.8-88.0
65+	1428	1,204,103	203	14.9	12.4-17.4	1225	85.1	82.6-87.6
Less Than H.S.	368	676,205	80	20.8	14.9-26.7	288	79.2	73.3-85.1
H.S. or G.E.D.	1447	1,733,844	235	16.6	14.1-19.1	1212	83.4	80.9-85.9
Some Post-H.S.	1185	1,567,945	187	15.1	12.6-17.6	998	84.9	82.4-87.4
College Graduate	1588	1,327,294	215	13.2	11.0-15.4	1373	86.8	84.6-89.0
Less than \$15,000	395	479,290	98	23.3	17.4-29.2	297	76.7	70.8-82.6
\$15,000- 24,999	650	735,470	135	23.7	18.6-28.8	515	76.3	71.2-81.4
\$25,000- 34,999	386	451,804	60	13.8	9.1-18.5	326	86.2	81.5-90.9
\$35,000- 49,999	540	643,841	87	15.2	11.3-19.1	453	84.8	80.9-88.7
\$50,000- 74,999	595	698,731	76	14.1	10.2-18.0	519	85.9	82.0-89.8
\$75,000+	1191	1,394,806	140	11.9	9.5-14.3	1051	88.1	85.7-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 11: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2103	2,591,664	257	12.4	10.4-14.4	1846	87.6	85.6-89.6
White/Non-Hisp	1714	1,908,872	199	11.1	9.3-12.9	1515	88.9	87.1-90.7
Black or Afr. Am./Non-Hisp	165	343,924	34	22.4	14.0-30.8	131	77.6	69.2-86.0
Oth. Race/Non-Hisp.	71	70,305	7	10.1	1.9-18.3	64	89.9	81.7-98.1
Hispanic	71	163,693	7	7.9	1.0-14.8	64	92.1	85.2-99.0
18-24	179	319,773	30	15.6	8.9-22.3	149	84.4	77.7-91.1
25-34	275	465,124	40	12.3	7.6-17.0	235	87.7	83.0-92.4
35-44	297	420,373	38	12.6	7.1-18.1	259	87.4	81.9-92.9
45-54	362	425,051	43	10.9	7.0-14.8	319	89.1	85.2-93.0
55-64	389	426,817	47	12.2	7.9-16.5	342	87.8	83.5-92.1
65+	601	534,526	59	11.9	8.4-15.4	542	88.1	84.6-91.6
Less Than H.S.	172	339,483	26	13.3	7.0-19.6	146	86.7	80.4-93.0
H.S. or G.E.D.	667	865,306	88	13.5	10.0-17.0	579	86.5	83.0-90.0
Some Post-H.S.	509	708,797	63	12.7	8.8-16.6	446	87.3	83.4-91.2
College Graduate	729	635,164	78	10.6	7.9-13.3	651	89.4	86.7-92.1
Less than \$15,000	144	181,933	36	27.5	16.9-38.1	108	72.5	61.9-83.1
\$15,000- 24,999	257	336,088	36	16.0	9.9-22.1	221	84.0	77.9-90.1
\$25,000- 34,999	158	191,077	25	15.9	7.9-23.9	133	84.1	76.1-92.1
\$35,000- 49,999	250	336,887	30	10.1	5.4-14.8	220	89.9	85.2-94.6
\$50,000- 74,999	289	361,053	36	13.8	8.3-19.3	253	86.2	80.7-91.7
\$75,000+	619	735,873	53	8.3	5.6-11.0	566	91.7	89.0-94.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 12: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2538	2,783,704	465	18.8	16.6-21.0	2073	81.2	79.0-83.4
White/Non-Hisp	2039	2,055,990	369	18.9	16.5-21.3	1670	81.1	78.7-83.5
Black or Afr. Am./Non-Hisp	299	486,925	55	20.0	13.7-26.3	244	80.0	73.7-86.3
Oth. Race/Non-Hisp.	56	54,735	8	11.8	2.0-21.6	48	88.2	78.4-98.0
Hispanic	65	105,393	12	10.9	3.5-18.3	53	89.1	81.7-96.5
18-24	159	307,077	42	25.9	15.9-35.9	117	74.1	64.1-84.1
25-34	307	465,332	50	13.4	9.1-17.7	257	86.6	82.3-90.9
35-44	353	434,179	63	17.8	12.7-22.9	290	82.2	77.1-87.3
45-54	416	443,123	80	23.7	17.6-29.8	336	76.3	70.2-82.4
55-64	476	464,416	86	17.8	13.3-22.3	390	82.2	77.7-86.7
65+	827	669,577	144	17.3	13.8-20.8	683	82.7	79.2-86.2
Less Than H.S.	196	336,722	54	28.4	18.6-38.2	142	71.6	61.8-81.4
H.S. or G.E.D.	780	868,538	147	19.7	16.0-23.4	633	80.3	76.6-84.0
Some Post-H.S.	676	859,148	124	17.0	13.3-20.7	552	83.0	79.3-86.7
College Graduate	859	692,130	137	15.5	12.4-18.6	722	84.5	81.4-87.6
Less than \$15,000	251	297,357	62	20.8	13.9-27.7	189	79.2	72.3-86.1
\$15,000- 24,999	393	399,382	99	30.2	22.8-37.6	294	69.8	62.4-77.2
\$25,000- 34,999	228	260,727	35	12.3	6.6-18.0	193	87.7	82.0-93.4
\$35,000- 49,999	290	306,954	57	20.7	14.2-27.2	233	79.3	72.8-85.8
\$50,000- 74,999	306	337,678	40	14.5	9.0-20.0	266	85.5	80.0-91.0
\$75,000+	572	658,934	87	16.0	12.1-19.9	485	84.0	80.1-87.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	696	817,948	478	67.5	62.8-72.2	218	32.5	27.8-37.2
Male	245	310,651	134	53.9	45.7-62.1	111	46.1	37.9-54.3
Female	451	507,297	344	75.8	70.5-81.1	107	24.2	18.9-29.5
White/Non-Hisp	552	582,905	374	67.1	62.0-72.2	178	32.9	27.8-38.0
Black or Afr. Am./Non-Hisp	85	170,965	62	69.8	56.7-82.9	23	30.2	17.1-43.3
18-24	71	128,583	41	58.4	42.3-74.5	30	41.6	25.5-57.7
25-34	86	115,499	58	61.3	47.8-74.8	28	38.7	25.2-52.2
35-44	98	126,615	61	64.9	52.4-77.4	37	35.1	22.6-47.6
45-54	117	144,630	88	83.5	76.2-90.8	29	16.5	9.2-23.8
55-64	129	130,632	94	67.1	56.7-77.5	35	32.9	22.5-43.3
65+	195	171,989	136	67.2	58.4-76.0	59	32.8	24.0-41.6
Less Than H.S.	74	134,471	63	85.5	74.7-96.3	11	14.5	3.7-25.3
H.S. or G.E.D.	232	284,393	151	63.5	55.3-71.7	81	36.5	28.3-44.7
Some Post-H.S.	174	223,180	127	67.4	58.2-76.6	47	32.6	23.4-41.8
College Graduate	211	170,900	135	61.7	53.5-69.9	76	38.3	30.1-46.5
Less than \$15,000	92	106,087	70	75.5	63.3-87.7	22	24.5	12.3-36.7
\$15,000- 24,999	130	169,828	104	80.0	70.8-89.2	26	20.0	10.8-29.2
\$25,000- 34,999	59	61,460	41	64.8	46.4-83.2	18	35.2	16.8-53.6
\$35,000- 49,999	79	89,261	46	54.9	39.8-70.0	33	45.1	30.0-60.2
\$50,000- 74,999	75	98,327	45	50.9	36.6-65.2	30	49.1	34.8-63.4
\$75,000+	138	163,365	85	67.0	57.4-76.6	53	33.0	23.4-42.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	245	310,651	134	53.9	45.5-62.3	111	46.1	37.7-54.5
White/Non-Hisp	192	205,536	105	56.6	47.8-65.4	87	43.4	34.6-52.2
65+	57	61,250	29	51.8	34.7-68.9	28	48.2	31.1-65.3
H.S. or G.E.D.	87	115,989	40	44.4	31.5-57.3	47	55.6	42.7-68.5
Some Post-H.S.	56	83,813	34	54.1	36.9-71.3	22	45.9	28.7-63.1
College Graduate	75	64,753	39	51.2	37.1-65.3	36	48.8	34.7-62.9
\$75,000+	52	59,338	28	60.6	43.9-77.3	24	39.4	22.7-56.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	451	507,297	344	75.8	70.5-81.1	107	24.2	18.9-29.5
White/Non-Hisp	360	377,369	269	72.8	66.5-79.1	91	27.2	20.9-33.5
Black or Afr. Am./Non-Hisp	53	95,601	45	87.6	76.8-98.4	8	12.4	1.6-23.2
35-44	61	73,966	42	64.1	48.2-80.0	19	35.9	20.0-51.8
45-54	77	102,076	61	89.0	82.5-95.5	16	11.0	4.5-17.5
55-64	85	81,254	67	73.8	62.8-84.8	18	26.2	15.2-37.2
65+	138	110,739	107	75.8	66.4-85.2	31	24.2	14.8-33.6
H.S. or G.E.D.	145	168,404	111	76.7	67.7-85.7	34	23.3	14.3-32.3
Some Post-H.S.	118	139,367	93	75.4	65.8-85.0	25	24.6	15.0-34.2
College Graduate	136	106,147	96	68.2	58.2-78.2	40	31.8	21.8-41.8
Less than \$15,000	58	57,648	47	81.4	67.9-94.9	11	18.6	5.1-32.1
\$15,000- 24,999	95	116,974	84	90.9	83.8-98.0	11	9.1	2.0-16.2
\$35,000- 49,999	54	59,898	36	65.0	47.6-82.4	18	35.0	17.6-52.4
\$75,000+	86	104,026	57	70.6	59.0-82.2	29	29.4	17.8-41.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 16: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4650	5,386,650	463	8.0	7.0- 9.0	4187	92.0	91.0-93.0
Male	2107	2,597,480	233	9.4	7.8-11.0	1874	90.6	89.0-92.2
Female	2543	2,789,170	230	6.7	5.5- 7.9	2313	93.3	92.1-94.5
White/Non-Hisp	3756	3,970,832	440	10.3	9.1-11.5	3316	89.7	88.5-90.9
Black or Afr. Am./Non-Hisp	465	833,053	3	0.8	0.0- 2.2	462	99.2	97.8- 100
Oth. Race/Non-Hisp.	130	126,090	7	2.4	0.4- 4.4	123	97.6	95.6-99.6
MultiRacial/Non-Hisp.	75	64,641	7	8.2	0.0-17.0	68	91.8	83.0- 100
Hispanic	136	269,086	1	0.0	0.0- 0.0	135	100.0	100.0- 100
18-24	338	627,973	2	0.6	0.0- 1.6	336	99.4	98.4- 100
25-34	584	933,921	4	0.4	0.0- 0.8	580	99.6	99.2- 100
35-44	650	854,709	13	2.2	0.6- 3.8	637	97.8	96.2-99.4
45-54	779	867,803	56	7.1	4.7- 9.5	723	92.9	90.5-95.3
55-64	868	894,728	83	9.2	6.8-11.6	785	90.8	88.4-93.2
65+	1431	1,207,516	305	21.6	18.7-24.5	1126	78.4	75.5-81.3
Less Than H.S.	370	677,579	36	8.3	5.0-11.6	334	91.7	88.4-95.0
H.S. or G.E.D.	1450	1,736,653	136	7.8	6.0- 9.6	1314	92.2	90.4-94.0
Some Post-H.S.	1188	1,573,968	120	8.3	6.5-10.1	1068	91.7	89.9-93.5
College Graduate	1588	1,327,827	164	7.9	6.5- 9.3	1424	92.1	90.7-93.5
Less than \$15,000	398	483,724	31	6.0	3.1- 8.9	367	94.0	91.1-96.9
\$15,000- 24,999	652	737,143	57	6.5	4.3- 8.7	595	93.5	91.3-95.7
\$25,000- 34,999	386	451,804	50	9.7	6.4-13.0	336	90.3	87.0-93.6
\$35,000- 49,999	539	642,736	50	8.6	5.7-11.5	489	91.4	88.5-94.3
\$50,000- 74,999	597	701,839	62	9.8	6.7-12.9	535	90.2	87.1-93.3
\$75,000+	1190	1,394,477	123	8.3	6.5-10.1	1067	91.7	89.9-93.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2107	2,597,480	233	9.4	7.8-11.0	1874	90.6	89.0-92.2
White/Non-Hisp	1715	1,910,515	219	12.0	10.0-14.0	1496	88.0	86.0-90.0
Black or Afr. Am./Non-Hisp	166	346,128	3	2.0	0.0- 5.1	163	98.0	94.9- 100
Oth. Race/Non-Hisp.	72	70,849	5	3.1	0.2- 6.0	67	96.9	94.0-99.8
Hispanic	71	163,693	1	0.1	0.0- 0.3	70	99.9	99.7- 100
18-24	179	320,896	1	0.4	0.0- 1.2	178	99.6	98.8- 100
25-34	277	467,348				277	100.0	100.0- 100
35-44	298	420,917	6	2.7	0.0- 5.6	292	97.3	94.4- 100
45-54	363	425,407	31	9.2	5.1-13.3	332	90.8	86.7-94.9
55-64	389	426,817	39	10.1	6.4-13.8	350	89.9	86.2-93.6
65+	601	536,096	156	27.8	23.1-32.5	445	72.2	67.5-76.9
Less Than H.S.	173	340,669	21	12.2	6.1-18.3	152	87.8	81.7-93.9
H.S. or G.E.D.	669	867,087	59	7.6	5.1-10.1	610	92.4	89.9-94.9
Some Post-H.S.	510	711,657	56	9.3	6.4-12.2	454	90.7	87.8-93.6
College Graduate	728	634,609	94	10.4	8.0-12.8	634	89.6	87.2-92.0
Less than \$15,000	146	184,545	10	7.6	1.3-13.9	136	92.4	86.1-98.7
\$15,000- 24,999	257	336,088	24	6.7	3.2-10.2	233	93.3	89.8-96.8
\$25,000- 34,999	158	191,077	23	13.3	6.6-20.0	135	86.7	80.0-93.4
\$35,000- 49,999	250	336,887	22	6.9	3.4-10.4	228	93.1	89.6-96.6
\$50,000- 74,999	289	361,507	33	10.4	5.7-15.1	256	89.6	84.9-94.3
\$75,000+	619	735,903	73	10.6	7.7-13.5	546	89.4	86.5-92.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2543	2,789,170	230	6.7	5.5- 7.9	2313	93.3	92.1-94.5
White/Non-Hisp	2041	2,060,317	221	8.8	7.4-10.2	1820	91.2	89.8-92.6
Black or Afr. Am./Non-Hisp	299	486,925				299	100.0	100.0- 100
Oth. Race/Non-Hisp.	58	55,241	2	1.4	0.0- 3.9	56	98.6	96.1- 100
Hispanic	65	105,393				65	100.0	100.0- 100
18-24	159	307,077	1	0.9	0.0- 2.7	158	99.1	97.3- 100
25-34	307	466,573	4	0.7	0.0- 1.5	303	99.3	98.5- 100
35-44	352	433,792	7	1.7	0.1- 3.3	345	98.3	96.7-99.9
45-54	416	442,396	25	5.1	2.4- 7.8	391	94.9	92.2-97.6
55-64	479	467,911	44	8.4	5.5-11.3	435	91.6	88.7-94.5
65+	830	671,420	149	16.7	13.6-19.8	681	83.3	80.2-86.4
Less Than H.S.	197	336,909	15	4.3	1.8- 6.8	182	95.7	93.2-98.2
H.S. or G.E.D.	781	869,565	77	7.9	5.7-10.1	704	92.1	89.9-94.3
Some Post-H.S.	678	862,311	64	7.4	5.2- 9.6	614	92.6	90.4-94.8
College Graduate	860	693,217	70	5.6	4.0- 7.2	790	94.4	92.8-96.0
Less than \$15,000	252	299,180	21	4.9	2.2- 7.6	231	95.1	92.4-97.8
\$15,000- 24,999	395	401,054	33	6.4	3.7- 9.1	362	93.6	90.9-96.3
\$25,000- 34,999	228	260,727	27	7.2	3.9-10.5	201	92.8	89.5-96.1
\$35,000- 49,999	289	305,849	28	10.5	6.0-15.0	261	89.5	85.0-94.0
\$50,000- 74,999	308	340,332	29	9.1	4.8-13.4	279	90.9	86.6-95.2
\$75,000+	571	658,574	50	5.6	3.6- 7.6	521	94.4	92.4-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4646	5,381,541	433	7.5	6.5- 8.5	4213	92.5	91.5-93.5
Male	2108	2,597,012	165	6.5	5.3- 7.7	1943	93.5	92.3-94.7
Female	2538	2,784,529	268	8.5	7.1- 9.9	2270	91.5	90.1-92.9
White/Non-Hisp	3755	3,969,195	380	8.6	7.4- 9.8	3375	91.4	90.2-92.6
Black or Afr. Am./Non-Hisp	464	832,331	28	4.4	2.2- 6.6	436	95.6	93.4-97.8
Oth. Race/Non-Hisp.	130	126,090	5	2.4	0.2- 4.6	125	97.6	95.4-99.8
MultiRacial/Non-Hisp.	74	63,518	7	4.0	0.7- 7.3	67	96.0	92.7-99.3
Hispanic	136	269,086	5	3.1	0.0- 6.8	131	96.9	93.2- 100
18-24	339	628,276	3	1.6	0.0- 3.6	336	98.4	96.4- 100
25-34	583	933,056	13	2.0	0.8- 3.2	570	98.0	96.8-99.2
35-44	647	850,739	18	1.6	0.6- 2.6	629	98.4	97.4-99.4
45-54	778	866,640	46	5.8	3.6- 8.0	732	94.2	92.0-96.4
55-64	867	894,509	100	10.2	7.7-12.7	767	89.8	87.3-92.3
65+	1432	1,208,321	253	18.2	15.7-20.7	1179	81.8	79.3-84.3
Less Than H.S.	368	675,229	44	8.3	5.2-11.4	324	91.7	88.6-94.8
H.S. or G.E.D.	1447	1,735,832	142	7.8	6.2- 9.4	1305	92.2	90.6-93.8
Some Post-H.S.	1187	1,572,593	108	7.0	5.2- 8.8	1079	93.0	91.2-94.8
College Graduate	1590	1,327,263	135	7.3	5.7- 8.9	1455	92.7	91.1-94.3
Less than \$15,000	394	480,337	57	12.8	8.7-16.9	337	87.2	83.1-91.3
\$15,000- 24,999	651	736,890	63	6.7	4.5- 8.9	588	93.3	91.1-95.5
\$25,000- 34,999	385	451,585	44	8.4	5.1-11.7	341	91.6	88.3-94.9
\$35,000- 49,999	538	641,196	52	6.6	4.2- 9.0	486	93.4	91.0-95.8
\$50,000- 74,999	597	700,797	48	6.4	3.9- 8.9	549	93.6	91.1-96.1
\$75,000+	1190	1,393,550	79	6.2	4.4- 8.0	1111	93.8	92.0-95.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2108	2,597,012	165	6.5	5.3- 7.7	1943	93.5	92.3-94.7
White/Non-Hisp	1717	1,910,768	148	7.7	6.1- 9.3	1569	92.3	90.7-93.9
Black or Afr. Am./Non-Hisp	165	345,406	11	5.0	1.5- 8.5	154	95.0	91.5-98.5
Oth. Race/Non-Hisp.	72	70,849	1	1.0	0.0- 3.0	71	99.0	97.0- 100
Hispanic	71	163,693				71	100.0	100.0- 100
18-24	180	321,199	2	1.5	0.0- 3.9	178	98.5	96.1- 100
25-34	277	467,348	4	0.8	0.0- 1.6	273	99.2	98.4- 100
35-44	297	419,900	5	0.8	0.0- 1.6	292	99.2	98.4- 100
45-54	363	425,407	10	2.4	0.4- 4.4	353	97.6	95.6-99.6
55-64	389	426,817	36	8.5	5.2-11.8	353	91.5	88.2-94.8
65+	602	536,341	108	20.3	16.0-24.6	494	79.7	75.4-84.0
Less Than H.S.	173	340,669	18	8.0	3.7-12.3	155	92.0	87.7-96.3
H.S. or G.E.D.	669	867,087	46	5.8	3.6- 8.0	623	94.2	92.0-96.4
Some Post-H.S.	509	710,300	41	6.0	3.6- 8.4	468	94.0	91.6-96.4
College Graduate	730	635,497	57	6.9	4.7- 9.1	673	93.1	90.9-95.3
Less than \$15,000	145	183,822	16	12.7	5.8-19.6	129	87.3	80.4-94.2
\$15,000- 24,999	257	336,088	21	6.9	3.2-10.6	236	93.1	89.4-96.8
\$25,000- 34,999	158	191,077	16	9.3	3.6-15.0	142	90.7	85.0-96.4
\$35,000- 49,999	250	336,887	21	6.4	3.1- 9.7	229	93.6	90.3-96.9
\$50,000- 74,999	290	362,091	27	6.2	3.1- 9.3	263	93.8	90.7-96.9
\$75,000+	619	735,189	31	4.2	2.4- 6.0	588	95.8	94.0-97.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2538	2,784,529	268	8.5	7.1- 9.9	2270	91.5	90.1-92.9
White/Non-Hisp	2038	2,058,427	232	9.5	7.9-11.1	1806	90.5	88.9-92.1
Black or Afr. Am./Non-Hisp	299	486,925	17	3.9	1.4- 6.4	282	96.1	93.6-98.6
Oth. Race/Non-Hisp.	58	55,241	4	4.1	0.0- 8.4	54	95.9	91.6- 100
Hispanic	65	105,393	5	7.9	0.0-17.1	60	92.1	82.9- 100
18-24	159	307,077	1	1.6	0.0- 4.7	158	98.4	95.3- 100
25-34	306	465,708	9	3.1	0.9- 5.3	297	96.9	94.7-99.1
35-44	350	430,839	13	2.3	0.7- 3.9	337	97.7	96.1-99.3
45-54	415	441,233	36	9.1	5.4-12.8	379	90.9	87.2-94.6
55-64	478	467,692	64	11.8	8.1-15.5	414	88.2	84.5-91.9
65+	830	671,980	145	16.5	13.2-19.8	685	83.5	80.2-86.8
Less Than H.S.	195	334,559	26	8.7	4.2-13.2	169	91.3	86.8-95.8
H.S. or G.E.D.	778	868,745	96	9.9	7.4-12.4	682	90.1	87.6-92.6
Some Post-H.S.	678	862,293	67	7.9	5.5-10.3	611	92.1	89.7-94.5
College Graduate	860	691,766	78	7.6	5.4- 9.8	782	92.4	90.2-94.6
Less than \$15,000	249	296,515	41	12.8	7.5-18.1	208	87.2	81.9-92.5
\$15,000- 24,999	394	400,801	42	6.6	4.1- 9.1	352	93.4	90.9-95.9
\$25,000- 34,999	227	260,507	28	7.7	4.0-11.4	199	92.3	88.6-96.0
\$35,000- 49,999	288	304,309	31	6.8	3.9- 9.7	257	93.2	90.3-96.1
\$50,000- 74,999	307	338,706	21	6.7	2.8-10.6	286	93.3	89.4-97.2
\$75,000+	571	658,362	48	8.5	5.6-11.4	523	91.5	88.6-94.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4643	5,381,673	493	9.5	8.3-10.7	4150	90.5	89.3-91.7
Male	2106	2,597,076	178	7.9	6.3- 9.5	1928	92.1	90.5-93.7
Female	2537	2,784,597	315	11.0	9.4-12.6	2222	89.0	87.4-90.6
White/Non-Hisp	3752	3,966,807	414	10.1	8.9-11.3	3338	89.9	88.7-91.1
Black or Afr. Am./Non-Hisp	464	832,866	35	6.9	4.0- 9.8	429	93.1	90.2-96.0
Oth. Race/Non-Hisp.	130	126,090	16	8.8	3.7-13.9	114	91.2	86.1-96.3
MultiRacial/Non-Hisp.	75	64,641	12	13.0	3.2-22.8	63	87.0	77.2-96.8
Hispanic	136	269,086	5	3.7	0.0- 8.0	131	96.3	92.0- 100
18-24	339	628,276	10	2.7	0.7- 4.7	329	97.3	95.3-99.3
25-34	585	935,026	14	2.3	0.7- 3.9	571	97.7	96.1-99.3
35-44	650	854,909	32	4.3	2.1- 6.5	618	95.7	93.5-97.9
45-54	778	867,753	83	12.3	9.0-15.6	695	87.7	84.4-91.0
55-64	866	893,443	136	15.4	12.1-18.7	730	84.6	81.3-87.9
65+	1425	1,202,266	218	16.0	13.3-18.7	1207	84.0	81.3-86.7
Less Than H.S.	367	675,056	97	22.1	16.4-27.8	270	77.9	72.2-83.6
H.S. or G.E.D.	1447	1,736,534	188	10.3	8.3-12.3	1259	89.7	87.7-91.7
Some Post-H.S.	1187	1,571,671	129	8.8	6.8-10.8	1058	91.2	89.2-93.2
College Graduate	1589	1,327,920	76	3.4	2.4- 4.4	1513	96.6	95.6-97.6
Less than \$15,000	394	480,534	109	22.9	17.0-28.8	285	77.1	71.2-83.0
\$15,000- 24,999	649	735,085	117	17.6	13.5-21.7	532	82.4	78.3-86.5
\$25,000- 34,999	386	451,804	45	9.0	5.3-12.7	341	91.0	87.3-94.7
\$35,000- 49,999	540	643,841	51	9.7	6.2-13.2	489	90.3	86.8-93.8
\$50,000- 74,999	597	702,130	37	4.7	2.7- 6.7	560	95.3	93.3-97.3
\$75,000+	1192	1,395,139	37	2.8	1.6- 4.0	1155	97.2	96.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2106	2,597,076	178	7.9	6.3- 9.5	1928	92.1	90.5-93.7
White/Non-Hisp	1715	1,910,244	150	8.2	6.6- 9.8	1565	91.8	90.2-93.4
Black or Afr. Am./Non-Hisp	166	346,128	11	6.5	1.6-11.4	155	93.5	88.6-98.4
Oth. Race/Non-Hisp.	72	70,849	7	5.7	1.0-10.4	65	94.3	89.6-99.0
Hispanic	71	163,693	3	5.5	0.0-12.6	68	94.5	87.4- 100
18-24	180	321,199	7	4.6	0.9- 8.3	173	95.4	91.7-99.1
25-34	277	467,348	9	3.4	0.5- 6.3	268	96.6	93.7-99.5
35-44	298	420,917	8	3.1	0.0- 6.4	290	96.9	93.6- 100
45-54	362	425,274	32	8.1	4.6-11.6	330	91.9	88.4-95.4
55-64	389	426,817	51	13.7	9.4-18.0	338	86.3	82.0-90.6
65+	600	535,521	71	13.1	9.4-16.8	529	86.9	83.2-90.6
Less Than H.S.	173	340,669	35	18.2	11.1-25.3	138	81.8	74.7-88.9
H.S. or G.E.D.	668	866,973	69	8.4	5.9-10.9	599	91.6	89.1-94.1
Some Post-H.S.	510	710,906	46	7.6	4.7-10.5	464	92.4	89.5-95.3
College Graduate	729	635,204	28	2.7	1.3- 4.1	701	97.3	95.9-98.7
Less than \$15,000	145	183,411	41	25.0	15.8-34.2	104	75.0	65.8-84.2
\$15,000- 24,999	257	336,088	42	15.4	9.7-21.1	215	84.6	78.9-90.3
\$25,000- 34,999	158	191,077	16	9.0	2.9-15.1	142	91.0	84.9-97.1
\$35,000- 49,999	250	336,887	19	7.7	2.8-12.6	231	92.3	87.4-97.2
\$50,000- 74,999	289	361,798	18	4.7	1.6- 7.8	271	95.3	92.2-98.4
\$75,000+	620	736,206	14	2.5	0.9- 4.1	606	97.5	95.9-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2537	2,784,597	315	11.0	9.4-12.6	2222	89.0	87.4-90.6
White/Non-Hisp	2037	2,056,564	264	11.9	10.1-13.7	1773	88.1	86.3-89.9
Black or Afr. Am./Non-Hisp	298	486,738	24	7.1	3.4-10.8	274	92.9	89.2-96.6
Oth. Race/Non-Hisp.	58	55,241	9	12.6	2.8-22.4	49	87.4	77.6-97.2
Hispanic	65	105,393	2	0.9	0.0- 2.5	63	99.1	97.5- 100
18-24	159	307,077	3	0.7	0.0- 1.7	156	99.3	98.3- 100
25-34	308	467,678	5	1.3	0.0- 2.7	303	98.7	97.3- 100
35-44	352	433,992	24	5.5	2.8- 8.2	328	94.5	91.8-97.2
45-54	416	442,479	51	16.4	10.9-21.9	365	83.6	78.1-89.1
55-64	477	466,626	85	16.9	12.8-21.0	392	83.1	79.0-87.2
65+	825	666,745	147	18.4	14.7-22.1	678	81.6	77.9-85.3
Less Than H.S.	194	334,386	62	26.2	18.0-34.4	132	73.8	65.6-82.0
H.S. or G.E.D.	779	869,562	119	12.1	9.4-14.8	660	87.9	85.2-90.6
Some Post-H.S.	677	860,765	83	9.8	7.3-12.3	594	90.2	87.7-92.7
College Graduate	860	692,717	48	4.0	2.4- 5.6	812	96.0	94.4-97.6
Less than \$15,000	249	297,123	68	21.6	14.9-28.3	181	78.4	71.7-85.1
\$15,000- 24,999	392	398,997	75	19.5	13.4-25.6	317	80.5	74.4-86.6
\$25,000- 34,999	228	260,727	29	9.0	4.5-13.5	199	91.0	86.5-95.5
\$35,000- 49,999	290	306,954	32	11.9	7.0-16.8	258	88.1	83.2-93.0
\$50,000- 74,999	308	340,332	19	4.8	2.4- 7.2	289	95.2	92.8-97.6
\$75,000+	572	658,934	23	3.1	1.3- 4.9	549	96.9	95.1-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4639	5,360,485	1612	29.6	27.8-31.4	3027	70.4	68.6-72.2
Male	2097	2,577,117	589	23.5	21.1-25.9	1508	76.5	74.1-78.9
Female	2542	2,783,368	1023	35.2	32.8-37.6	1519	64.8	62.4-67.2
White/Non-Hisp	3750	3,958,406	1336	32.3	30.3-34.3	2414	67.7	65.7-69.7
Black or Afr. Am./Non-Hisp	464	830,627	157	25.3	20.4-30.2	307	74.7	69.8-79.6
Oth. Race/Non-Hisp.	130	126,090	41	25.5	16.7-34.3	89	74.5	65.7-83.3
MultiRacial/Non-Hisp.	74	63,215	29	26.6	15.2-38.0	45	73.4	62.0-84.8
Hispanic	135	265,489	19	5.9	2.6- 9.2	116	94.1	90.8-97.4
18-24	336	623,045	14	4.1	1.4- 6.8	322	95.9	93.2-98.6
25-34	584	933,689	56	8.7	6.0-11.4	528	91.3	88.6-94.0
35-44	648	847,103	127	18.0	14.3-21.7	521	82.0	78.3-85.7
45-54	777	867,248	237	29.9	25.6-34.2	540	70.1	65.8-74.4
55-64	865	886,008	394	42.4	38.3-46.5	471	57.6	53.5-61.7
65+	1429	1,203,393	784	57.4	54.1-60.7	645	42.6	39.3-45.9
Less Than H.S.	367	667,670	194	41.2	34.3-48.1	173	58.8	51.9-65.7
H.S. or G.E.D.	1447	1,730,180	535	30.3	27.4-33.2	912	69.7	66.8-72.6
Some Post-H.S.	1183	1,564,122	438	30.7	27.4-34.0	745	69.3	66.0-72.6
College Graduate	1589	1,328,021	428	22.3	19.8-24.8	1161	77.7	75.2-80.2
Less than \$15,000	392	468,414	208	44.5	37.2-51.8	184	55.5	48.2-62.8
\$15,000- 24,999	652	737,143	315	39.9	34.8-45.0	337	60.1	55.0-65.2
\$25,000- 34,999	384	451,368	146	29.2	23.1-35.3	238	70.8	64.7-76.9
\$35,000- 49,999	538	639,327	183	29.2	24.1-34.3	355	70.8	65.7-75.9
\$50,000- 74,999	596	698,467	174	28.6	23.7-33.5	422	71.4	66.5-76.3
\$75,000+	1190	1,393,874	282	20.1	17.4-22.8	908	79.9	77.2-82.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2097	2,577,117	589	23.5	21.3-25.7	1508	76.5	74.3-78.7
White/Non-Hisp	1710	1,903,890	502	26.5	24.0-29.0	1208	73.5	71.0-76.0
Black or Afr. Am./Non-Hisp	165	343,701	37	17.2	10.5-23.9	128	82.8	76.1-89.5
Oth. Race/Non-Hisp.	72	70,849	19	19.8	9.8-29.8	53	80.2	70.2-90.2
Hispanic	70	160,096	6	3.9	0.0- 7.8	64	96.1	92.2- 100
18-24	177	315,968	7	2.7	0.5- 4.9	170	97.3	95.1-99.5
25-34	277	467,348	22	6.9	3.4-10.4	255	93.1	89.6-96.6
35-44	296	415,420	36	11.2	6.5-15.9	260	88.8	84.1-93.5
45-54	361	424,944	97	24.2	18.7-29.7	264	75.8	70.3-81.3
55-64	386	418,097	145	34.7	29.0-40.4	241	65.3	59.6-71.0
65+	600	535,339	282	50.5	45.2-55.8	318	49.5	44.2-54.8
Less Than H.S.	171	330,916	80	38.0	29.0-47.0	91	62.0	53.0-71.0
H.S. or G.E.D.	665	861,435	198	24.2	20.3-28.1	467	75.8	71.9-79.7
Some Post-H.S.	508	707,384	143	21.2	17.1-25.3	365	78.8	74.7-82.9
College Graduate	727	634,057	161	18.3	15.0-21.6	566	81.7	78.4-85.0
Less than \$15,000	142	170,939	69	45.2	34.4-56.0	73	54.8	44.0-65.6
\$15,000- 24,999	257	336,088	109	34.1	26.8-41.4	148	65.9	58.6-73.2
\$25,000- 34,999	156	190,641	47	20.6	13.2-28.0	109	79.4	72.0-86.8
\$35,000- 49,999	248	332,374	71	23.9	17.2-30.6	177	76.1	69.4-82.8
\$50,000- 74,999	289	361,980	78	25.7	18.8-32.6	211	74.3	67.4-81.2
\$75,000+	619	736,068	123	16.4	13.1-19.7	496	83.6	80.3-86.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2542	2,783,368	1023	35.2	32.8-37.6	1519	64.8	62.4-67.2
White/Non-Hisp	2040	2,054,516	834	37.6	34.9-40.3	1206	62.4	59.7-65.1
Black or Afr. Am./Non-Hisp	299	486,925	120	31.0	24.1-37.9	179	69.0	62.1-75.9
Oth. Race/Non-Hisp.	58	55,241	22	32.9	17.0-48.8	36	67.1	51.2-83.0
Hispanic	65	105,393	13	8.9	3.2-14.6	52	91.1	85.4-96.8
18-24	159	307,077	7	5.6	0.7-10.5	152	94.4	89.5-99.3
25-34	307	466,341	34	10.5	6.2-14.8	273	89.5	85.2-93.8
35-44	352	431,683	91	24.6	18.9-30.3	261	75.4	69.7-81.1
45-54	416	442,303	140	35.5	29.2-41.8	276	64.5	58.2-70.8
55-64	479	467,911	249	49.2	43.3-55.1	230	50.8	44.9-56.7
65+	829	668,054	502	63.0	58.7-67.3	327	37.0	32.7-41.3
Less Than H.S.	196	336,754	114	44.3	34.3-54.3	82	55.7	45.7-65.7
H.S. or G.E.D.	782	868,745	337	36.4	32.1-40.7	445	63.6	59.3-67.9
Some Post-H.S.	675	856,739	295	38.5	33.8-43.2	380	61.5	56.8-66.2
College Graduate	862	693,964	267	25.9	22.2-29.6	595	74.1	70.4-77.8
Less than \$15,000	250	297,476	139	44.2	35.0-53.4	111	55.8	46.6-65.0
\$15,000- 24,999	395	401,054	206	44.7	37.6-51.8	189	55.3	48.2-62.4
\$25,000- 34,999	228	260,727	99	35.5	26.9-44.1	129	64.5	55.9-73.1
\$35,000- 49,999	290	306,954	112	35.0	27.7-42.3	178	65.0	57.7-72.3
\$50,000- 74,999	307	336,487	96	31.8	24.9-38.7	211	68.2	61.3-75.1
\$75,000+	571	657,806	159	24.4	20.1-28.7	412	75.6	71.3-79.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4641	5,374,204	1152	24.1	22.3-25.9	3489	75.9	74.1-77.7
Male	2100	2,590,840	350	16.5	14.3-18.7	1750	83.5	81.3-85.7
Female	2541	2,783,365	802	31.2	28.7-33.7	1739	68.8	66.3-71.3
White/Non-Hisp	3755	3,963,941	940	25.1	23.1-27.1	2815	74.9	72.9-76.9
Black or Afr. Am./Non-Hisp	464	831,349	99	21.2	16.3-26.1	365	78.8	73.9-83.7
Oth. Race/Non-Hisp.	127	124,672	30	22.7	13.5-31.9	97	77.3	68.1-86.5
MultiRacial/Non-Hisp.	74	64,319	29	38.1	24.6-51.6	45	61.9	48.4-75.4
Hispanic	136	269,086	30	16.6	9.0-24.2	106	83.4	75.8-91.0
18-24	338	625,933	72	22.9	16.2-29.6	266	77.1	70.4-83.8
25-34	584	933,734	177	29.2	24.5-33.9	407	70.8	66.1-75.5
35-44	650	853,046	175	23.9	19.6-28.2	475	76.1	71.8-80.4
45-54	773	863,480	222	27.4	23.3-31.5	551	72.6	68.5-76.7
55-64	867	894,019	236	25.1	21.6-28.6	631	74.9	71.4-78.4
65+	1429	1,203,993	270	17.8	15.3-20.3	1159	82.2	79.7-84.7
Less Than H.S.	367	673,888	118	28.6	21.7-35.5	249	71.4	64.5-78.3
H.S. or G.E.D.	1448	1,732,499	354	24.0	21.1-26.9	1094	76.0	73.1-78.9
Some Post-H.S.	1185	1,573,320	336	26.8	23.5-30.1	849	73.2	69.9-76.5
College Graduate	1588	1,324,006	334	19.4	17.0-21.8	1254	80.6	78.2-83.0
Less than \$15,000	396	482,502	171	40.9	33.5-48.3	225	59.1	51.7-66.5
\$15,000- 24,999	650	733,575	239	32.0	26.9-37.1	411	68.0	62.9-73.1
\$25,000- 34,999	386	451,804	101	23.1	17.6-28.6	285	76.9	71.4-82.4
\$35,000- 49,999	536	639,492	139	28.4	23.1-33.7	397	71.6	66.3-76.9
\$50,000- 74,999	597	700,797	119	20.6	16.3-24.9	478	79.4	75.1-83.7
\$75,000+	1190	1,394,467	209	17.8	15.1-20.5	981	82.2	79.5-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 29: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2100	2,590,840	350	16.5	14.3-18.7	1750	83.5	81.3-85.7
White/Non-Hisp	1715	1,907,802	278	16.3	13.9-18.7	1437	83.7	81.3-86.1
Black or Afr. Am./Non-Hisp	165	344,424	28	15.6	8.7-22.5	137	84.4	77.5-91.3
Oth. Race/Non-Hisp.	69	69,431	11	19.0	6.7-31.3	58	81.0	68.7-93.3
Hispanic	71	163,693	11	16.2	5.0-27.4	60	83.8	72.6-95.0
18-24	180	321,199	28	14.6	8.5-20.7	152	85.4	79.3-91.5
25-34	277	467,348	57	20.3	13.8-26.8	220	79.7	73.2-86.2
35-44	297	418,867	52	16.8	10.9-22.7	245	83.2	77.3-89.1
45-54	358	422,233	70	19.3	14.2-24.4	288	80.7	75.6-85.8
55-64	388	426,108	67	16.7	12.4-21.0	321	83.3	79.0-87.6
65+	600	535,085	76	11.8	8.5-15.1	524	88.2	84.9-91.5
Less Than H.S.	172	340,005	47	25.6	17.4-33.8	125	74.4	66.2-82.6
H.S. or G.E.D.	667	864,159	113	15.3	11.6-19.0	554	84.7	81.0-88.4
Some Post-H.S.	506	709,904	92	17.8	13.7-21.9	414	82.2	78.1-86.3
College Graduate	729	633,447	94	12.2	9.3-15.1	635	87.8	84.9-90.7
Less than \$15,000	145	183,880	52	37.4	26.8-48.0	93	62.6	52.0-73.2
\$15,000- 24,999	256	334,864	75	25.1	18.4-31.8	181	74.9	68.2-81.6
\$25,000- 34,999	158	191,077	27	18.0	10.4-25.6	131	82.0	74.4-89.6
\$35,000- 49,999	247	333,831	45	20.9	13.8-28.0	202	79.1	72.0-86.2
\$50,000- 74,999	290	362,091	38	13.8	8.3-19.3	252	86.2	80.7-91.7
\$75,000+	618	735,533	62	9.5	6.8-12.2	556	90.5	87.8-93.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 30: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2541	2,783,365	802	31.2	28.7-33.7	1739	68.8	66.3-71.3
White/Non-Hisp	2040	2,056,139	662	33.3	30.4-36.2	1378	66.7	63.8-69.6
Black or Afr. Am./Non-Hisp	299	486,925	71	25.1	18.2-32.0	228	74.9	68.0-81.8
Oth. Race/Non-Hisp.	58	55,241	19	27.4	12.7-42.1	39	72.6	57.9-87.3
Hispanic	65	105,393	19	17.4	7.6-27.2	46	82.6	72.8-92.4
18-24	158	304,734	44	31.7	20.3-43.1	114	68.3	56.9-79.7
25-34	307	466,386	120	38.0	31.1-44.9	187	62.0	55.1-68.9
35-44	353	434,179	123	30.8	24.7-36.9	230	69.2	63.1-75.3
45-54	415	441,247	152	35.1	28.8-41.4	263	64.9	58.6-71.2
55-64	479	467,911	169	32.8	27.5-38.1	310	67.2	61.9-72.5
65+	829	668,908	194	22.6	18.9-26.3	635	77.4	73.7-81.1
Less Than H.S.	195	333,883	71	31.7	21.1-42.3	124	68.3	57.7-78.9
H.S. or G.E.D.	781	868,340	241	32.6	28.3-36.9	540	67.4	63.1-71.7
Some Post-H.S.	679	863,416	244	34.3	29.6-39.0	435	65.7	61.0-70.4
College Graduate	859	690,559	240	25.9	22.2-29.6	619	74.1	70.4-77.8
Less than \$15,000	251	298,622	119	43.0	33.2-52.8	132	57.0	47.2-66.8
\$15,000- 24,999	394	398,711	164	37.8	30.5-45.1	230	62.2	54.9-69.5
\$25,000- 34,999	228	260,727	74	26.8	19.2-34.4	154	73.2	65.6-80.8
\$35,000- 49,999	289	305,661	94	36.6	29.0-44.2	195	63.4	55.8-71.0
\$50,000- 74,999	307	338,706	81	27.9	21.2-34.6	226	72.1	65.4-78.8
\$75,000+	572	658,934	147	27.0	22.3-31.7	425	73.0	68.3-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4648	5,384,109	185	3.3	2.7- 3.9	4463	96.7	96.1-97.3
Male	2104	2,594,258	78	3.0	2.2- 3.8	2026	97.0	96.2-97.8
Female	2544	2,789,851	107	3.6	2.6- 4.6	2437	96.4	95.4-97.4
White/Non-Hisp	3755	3,968,424	150	3.5	2.7- 4.3	3605	96.5	95.7-97.3
Black or Afr. Am./Non-Hisp	465	833,053	22	4.0	1.6- 6.4	443	96.0	93.6-98.4
Oth. Race/Non-Hisp.	130	126,090	5	1.3	0.0- 2.7	125	98.7	97.3- 100
MultiRacial/Non-Hisp.	75	64,641	3	1.1	0.0- 2.5	72	98.9	97.5- 100
Hispanic	136	269,086				136	100.0	100.0- 100
18-24	339	628,276	5	0.7	0.1- 1.3	334	99.3	98.7-99.9
25-34	585	935,026	4	0.4	0.0- 0.8	581	99.6	99.2- 100
35-44	651	855,096	12	2.2	0.4- 4.0	639	97.8	96.0-99.6
45-54	777	867,356	25	3.4	1.8- 5.0	752	96.6	95.0-98.2
55-64	866	892,731	45	5.2	3.2- 7.2	821	94.8	92.8-96.8
65+	1430	1,205,623	94	6.3	4.5- 8.1	1336	93.7	91.9-95.5
Less Than H.S.	368	675,201	23	4.3	1.9- 6.7	345	95.7	93.3-98.1
H.S. or G.E.D.	1450	1,737,400	54	2.7	1.7- 3.7	1396	97.3	96.3-98.3
Some Post-H.S.	1188	1,573,336	48	3.8	2.4- 5.2	1140	96.2	94.8-97.6
College Graduate	1589	1,327,679	56	2.9	1.9- 3.9	1533	97.1	96.1-98.1
Less than \$15,000	396	481,347	25	6.3	2.8- 9.8	371	93.7	90.2-97.2
\$15,000- 24,999	652	737,143	44	5.5	3.5- 7.5	608	94.5	92.5-96.5
\$25,000- 34,999	385	451,405	26	5.0	2.3- 7.7	359	95.0	92.3-97.7
\$35,000- 49,999	539	643,408	24	3.0	1.6- 4.4	515	97.0	95.6-98.4
\$50,000- 74,999	598	702,423	15	2.7	0.5- 4.9	583	97.3	95.1-99.5
\$75,000+	1188	1,391,418	18	1.7	0.7- 2.7	1170	98.3	97.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 32: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2104	2,594,258	78	3.0	2.2- 3.8	2026	97.0	96.2-97.8
White/Non-Hisp	1713	1,907,425	66	3.6	2.4- 4.8	1647	96.4	95.2-97.6
Black or Afr. Am./Non-Hisp	166	346,128	6	1.9	0.1- 3.7	160	98.1	96.3-99.9
Oth. Race/Non-Hisp.	72	70,849	2	0.7	0.0- 1.7	70	99.3	98.3- 100
Hispanic	71	163,693				71	100.0	100.0- 100
18-24	180	321,199	4	1.2	0.0- 2.6	176	98.8	97.4- 100
25-34	277	467,348	2	0.7	0.0- 1.7	275	99.3	98.3- 100
35-44	298	420,917	4	1.0	0.0- 2.4	294	99.0	97.6- 100
45-54	362	425,274	9	1.9	0.5- 3.3	353	98.1	96.7-99.5
55-64	387	424,820	20	4.1	1.9- 6.3	367	95.9	93.7-98.1
65+	600	534,700	39	7.7	4.6-10.8	561	92.3	89.2-95.4
Less Than H.S.	172	339,138	7	3.7	0.2- 7.2	165	96.3	92.8-99.8
H.S. or G.E.D.	668	866,811	22	2.7	1.3- 4.1	646	97.3	95.9-98.7
Some Post-H.S.	509	709,920	22	2.9	1.5- 4.3	487	97.1	95.7-98.5
College Graduate	729	635,064	25	3.2	1.6- 4.8	704	96.8	95.2-98.4
Less than \$15,000	145	183,013	8	4.0	1.1- 6.9	137	96.0	93.1-98.9
\$15,000- 24,999	257	336,088	21	5.9	3.2- 8.6	236	94.1	91.4-96.8
\$25,000- 34,999	157	190,678	9	4.6	0.7- 8.5	148	95.4	91.5-99.3
\$35,000- 49,999	249	336,454	12	3.4	1.0- 5.8	237	96.6	94.2-99.0
\$50,000- 74,999	290	362,091	7	3.3	0.0- 6.6	283	96.7	93.4- 100
\$75,000+	619	734,485	9	1.4	0.2- 2.6	610	98.6	97.4-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 33: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2544	2,789,851	107	3.6	2.6- 4.6	2437	96.4	95.4-97.4
White/Non-Hisp	2042	2,060,999	84	3.4	2.4- 4.4	1958	96.6	95.6-97.6
Black or Afr. Am./Non-Hisp	299	486,925	16	5.5	1.8- 9.2	283	94.5	90.8-98.2
Oth. Race/Non-Hisp.	58	55,241	3	2.0	0.0- 4.7	55	98.0	95.3- 100
Hispanic	65	105,393				65	100.0	100.0- 100
18-24	159	307,077	1	0.1	0.0- 0.3	158	99.9	99.7- 100
25-34	308	467,678	2	0.2	0.0- 0.4	306	99.8	99.6- 100
35-44	353	434,179	8	3.4	0.1- 6.7	345	96.6	93.3-99.9
45-54	415	442,082	16	4.8	2.1- 7.5	399	95.2	92.5-97.9
55-64	479	467,911	25	6.2	2.9- 9.5	454	93.8	90.5-97.1
65+	830	670,924	55	5.1	3.3- 6.9	775	94.9	93.1-96.7
Less Than H.S.	196	336,064	16	5.0	1.7- 8.3	180	95.0	91.7-98.3
H.S. or G.E.D.	782	870,590	32	2.8	1.6- 4.0	750	97.2	96.0-98.4
Some Post-H.S.	679	863,416	26	4.5	2.1- 6.9	653	95.5	93.1-97.9
College Graduate	860	692,615	31	2.7	1.5- 3.9	829	97.3	96.1-98.5
Less than \$15,000	251	298,334	17	7.7	2.4-13.0	234	92.3	87.0-97.6
\$15,000- 24,999	395	401,054	23	5.1	2.4- 7.8	372	94.9	92.2-97.6
\$25,000- 34,999	228	260,727	17	5.4	1.5- 9.3	211	94.6	90.7-98.5
\$35,000- 49,999	290	306,954	12	2.5	0.7- 4.3	278	97.5	95.7-99.3
\$50,000- 74,999	308	340,332	8	2.0	0.0- 4.5	300	98.0	95.5- 100
\$75,000+	569	656,933	9	2.0	0.4- 3.6	560	98.0	96.4-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 34: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4653	5,388,111	743	14.1	12.7-15.5	27	0.6	0.4- 0.8	3798	83.6	82.2-85.0	85	1.6	1.2- 2.0
Male	2107	2,596,725	366	16.1	13.9-18.3				1700	82.4	80.2-84.6	41	1.5	0.9- 2.1
Female	2546	2,791,387	377	12.3	10.7-13.9	27	1.2	0.6- 1.8	2098	84.8	83.0-86.6	44	1.8	1.2- 2.4
White/Non-Hisp	3761	3,973,455	590	13.9	12.5-15.3	21	0.6	0.2- 1.0	3082	83.8	82.2-85.4	68	1.7	1.1- 2.3
Black or Afr. Am./Non-Hisp	465	833,053	94	16.8	12.5-21.1	2	0.6	0.0- 1.6	358	80.5	76.0-85.0	11	2.0	0.4- 3.6
Oth. Race/Non-Hisp.	129	125,061	13	7.8	2.9-12.7	1	0.5	0.0- 1.5	113	89.9	84.4-95.4	2	1.8	0.0- 4.5
MultiRacial/Non-Hisp.	75	64,641	15	15.5	6.3-24.7	1	0.9	0.0- 2.7	58	83.2	73.8-92.6	1	0.5	0.0- 1.5
Hispanic	136	269,086	16	11.4	4.1-18.7	2	0.5	0.0- 1.3	118	88.1	80.7-95.5			
18-24	338	627,412	6	2.1	0.1- 4.1	1	0.3	0.0- 0.9	329	96.3	93.4-99.2	2	1.3	0.0- 3.5
25-34	585	935,026	15	1.9	0.9- 2.9	4	1.1	0.0- 2.3	563	96.8	95.2-98.4	3	0.2	0.0- 0.4
35-44	650	854,401	51	9.7	6.4-13.0	10	1.1	0.3- 1.9	582	88.5	85.0-92.0	7	0.7	0.1- 1.3
45-54	778	867,676	108	13.9	10.6-17.2	5	0.6	0.0- 1.2	650	83.5	80.0-87.0	15	1.9	0.7- 3.1
55-64	868	894,728	188	22.4	18.7-26.1	5	0.4	0.0- 0.8	654	74.4	70.5-78.3	21	2.7	1.1- 4.3
65+	1434	1,208,868	375	27.0	23.9-30.1	2	0.1	0.0- 0.3	1020	70.3	67.0-73.6	37	2.6	1.6- 3.6
Less Than H.S.	370	677,579	90	20.9	15.4-26.4	5	0.6	0.0- 1.2	270	77.5	72.0-83.0	5	1.0	0.0- 2.0
H.S. or G.E.D.	1449	1,735,820	243	14.2	11.8-16.6	5	0.3	0.1- 0.5	1179	84.0	81.6-86.4	22	1.5	0.5- 2.5
Some Post-H.S.	1189	1,574,760	218	15.2	12.7-17.7	6	0.7	0.1- 1.3	934	81.7	79.0-84.4	31	2.4	1.4- 3.4
College Graduate	1592	1,329,461	184	9.4	7.6-11.2	9	0.5	0.1- 0.9	1374	88.8	86.8-90.8	25	1.2	0.6- 1.8
Less than \$15,000	398	483,724	105	20.4	14.9-25.9	2	0.5	0.0- 1.1	284	77.2	71.5-82.9	7	1.9	0.1- 3.7
\$15,000- 24,999	652	737,143	140	17.2	13.5-20.9	7	0.6	0.0- 1.2	490	80.5	76.6-84.4	15	1.7	0.7- 2.7
\$25,000- 34,999	386	451,804	76	17.5	12.4-22.6	1	0.1	0.0- 0.3	297	79.5	74.2-84.8	12	2.9	0.7- 5.1
\$35,000- 49,999	540	643,841	87	14.8	10.7-18.9	1	0.1	0.0- 0.3	446	84.3	80.2-88.4	6	0.7	0.1- 1.3
\$50,000- 74,999	597	701,729	79	14.2	9.9-18.5	9	1.8	0.4- 3.2	500	82.1	77.4-86.8	9	1.9	0.0- 3.9
\$75,000+	1192	1,395,139	107	8.3	6.3-10.3	5	0.7	0.0- 1.5	1066	90.3	88.3-92.3	14	0.7	0.3- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 35: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2107	2,596,725	366	16.1	13.9-18.3	1700	82.4	80.2-84.6	41	1.5	0.9- 2.1
White/Non-Hisp	1717	1,910,921	296	15.9	13.7-18.1	1386	82.2	79.8-84.6	35	1.9	0.9- 2.9
Black or Afr. Am./Non-Hisp	166	346,128	38	20.0	12.7-27.3	125	79.3	72.0-86.6	3	0.7	0.0- 1.5
Oth. Race/Non-Hisp.	71	69,820	7	6.5	1.2-11.8	63	92.6	87.1-98.1	1	1.0	0.0- 3.0
Hispanic	71	163,693	11	14.9	3.9-25.9	60	85.1	74.1-96.1			
18-24	179	320,335	3	1.5	0.0- 3.3	174	95.9	91.6- 100	2	2.5	0.0- 6.6
25-34	277	467,348	5	0.9	0.1- 1.7	270	98.9	97.9-99.9	2	0.3	0.0- 0.7
35-44	298	420,917	24	10.4	5.1-15.7	271	89.3	84.0-94.6	3	0.4	0.0- 0.8
45-54	361	424,245	58	16.0	10.9-21.1	297	82.4	77.3-87.5	6	1.6	0.0- 3.2
55-64	389	426,817	97	26.5	20.8-32.2	282	71.5	65.6-77.4	10	2.0	0.6- 3.4
65+	603	537,063	179	34.3	29.0-39.6	406	63.3	58.0-68.6	18	2.4	1.0- 3.8
Less Than H.S.	173	340,669	44	25.7	17.5-33.9	127	73.5	65.3-81.7	2	0.8	0.0- 2.0
H.S. or G.E.D.	667	865,194	121	16.9	13.2-20.6	536	81.5	77.6-85.4	10	1.7	0.1- 3.3
Some Post-H.S.	511	712,039	89	14.8	11.1-18.5	409	83.5	79.6-87.4	13	1.7	0.7- 2.7
College Graduate	730	635,497	108	11.2	8.7-13.7	607	87.2	84.5-89.9	15	1.5	0.5- 2.5
Less than \$15,000	146	184,545	43	25.0	16.6-33.4	102	74.5	66.1-82.9	1	0.5	0.0- 1.5
\$15,000- 24,999	257	336,088	58	20.1	13.8-26.4	192	77.7	71.2-84.2	7	2.1	0.1- 4.1
\$25,000- 34,999	158	191,077	34	17.6	10.3-24.9	119	79.7	72.1-87.3	5	2.7	0.0- 5.4
\$35,000- 49,999	250	336,887	44	16.0	9.9-22.1	203	83.4	77.1-89.7	3	0.6	0.0- 1.4
\$50,000- 74,999	290	362,091	48	20.3	13.0-27.6	237	76.8	69.2-84.4	5	2.9	0.0- 6.6
\$75,000+	620	736,206	67	9.5	6.8-12.2	544	89.7	87.0-92.4	9	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 36: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2546	2,791,387	377	12.3	10.7-13.9	27	1.2	0.6- 1.8	2098	84.8	83.0-86.6	44	1.8	1.2- 2.4
White/Non-Hisp	2044	2,062,534	294	11.9	10.1-13.7	21	1.2	0.6- 1.8	1696	85.3	83.3-87.3	33	1.5	0.9- 2.1
Black or Afr. Am./Non-Hisp	299	486,925	56	14.6	9.3-19.9	2	1.0	0.0- 2.6	233	81.4	75.5-87.3	8	3.0	0.3- 5.7
Oth. Race/Non-Hisp.	58	55,241	6	9.5	0.7-18.3	1	1.1	0.0- 3.3	50	86.6	76.0-97.2	1	2.9	0.0- 8.4
Hispanic	65	105,393	5	5.9	0.0-13.2	2	1.3	0.0- 3.3	58	92.7	85.3- 100			
18-24	159	307,077	3	2.6	0.0- 6.1	1	0.6	0.0- 1.8	155	96.8	93.1- 100			
25-34	308	467,678	10	3.0	1.0- 5.0	4	2.2	0.0- 4.6	293	94.7	91.6-97.8	1	0.2	0.0- 0.6
35-44	352	433,484	27	8.9	4.6-13.2	10	2.3	0.5- 4.1	311	87.8	83.1-92.5	4	1.0	0.0- 2.2
45-54	417	443,431	50	12.0	7.5-16.5	5	1.2	0.0- 2.4	353	84.6	79.7-89.5	9	2.2	0.2- 4.2
55-64	479	467,911	91	18.7	14.4-23.0	5	0.8	0.0- 1.6	372	77.0	72.1-81.9	11	3.4	0.9- 5.9
65+	831	671,805	196	21.1	17.4-24.8	2	0.3	0.0- 0.7	614	75.9	72.0-79.8	19	2.7	1.1- 4.3
Less Than H.S.	197	336,909	46	16.0	9.7-22.3	5	1.2	0.0- 2.4	143	81.5	74.8-88.2	3	1.3	0.0- 2.9
H.S. or G.E.D.	782	870,626	122	11.6	9.1-14.1	5	0.6	0.0- 1.2	643	86.5	83.8-89.2	12	1.3	0.3- 2.3
Some Post-H.S.	678	862,721	129	15.4	12.1-18.7	6	1.3	0.1- 2.5	525	80.3	76.6-84.0	18	3.0	1.2- 4.8
College Graduate	862	693,964	76	7.8	5.4-10.2	9	1.0	0.2- 1.8	767	90.2	87.7-92.7	10	1.0	0.2- 1.8
Less than \$15,000	252	299,180	62	17.6	11.3-23.9	2	0.8	0.0- 2.0	182	78.8	71.9-85.7	6	2.8	0.1- 5.5
\$15,000- 24,999	395	401,054	82	14.8	10.5-19.1	7	1.2	0.2- 2.2	298	82.8	78.3-87.3	8	1.3	0.1- 2.5
\$25,000- 34,999	228	260,727	42	17.4	10.7-24.1	1	0.2	0.0- 0.6	178	79.3	72.0-86.6	7	3.0	0.0- 6.3
\$35,000- 49,999	290	306,954	43	13.5	8.6-18.4	1	0.3	0.0- 0.9	243	85.4	80.3-90.5	3	0.8	0.0- 1.8
\$50,000- 74,999	307	339,637	31	7.8	4.1-11.5	9	3.6	0.7- 6.5	263	87.8	83.1-92.5	4	0.8	0.0- 1.8
\$75,000+	572	658,934	40	6.9	4.4- 9.4	5	1.5	0.1- 2.9	522	90.9	88.0-93.8	5	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	678	699,261	16	2.8	1.4- 4.2	73	10.9	7.6-14.2	175	27.1	22.4-31.8	269	40.5	35.6-45.4	145	18.7	15.0-22.4
Male	337	384,775	10	3.2	1.0- 5.4	32	7.5	4.2-10.8	93	28.9	22.0-35.8	138	44.5	37.4-51.6	64	15.9	11.2-20.6
Female	341	314,486	6	2.3	0.7- 3.9	41	15.1	9.2-21.0	82	24.9	18.8-31.0	131	35.6	28.9-42.3	81	22.1	16.2-28.0
White/Non-Hisp	543	515,023	16	3.8	2.0- 5.6	56	9.2	6.1-12.3	124	24.1	19.4-28.8	220	42.2	36.7-47.7	127	20.7	16.4-25.0
Black or Afr. Am./Non-Hisp	82	123,010				7	14.2	2.6-25.8	30	30.2	17.3-43.1	33	40.8	26.9-54.7	12	14.8	4.8-24.8
45-54	101	110,746	1	1.0	0.0- 3.0	18	12.4	5.0-19.8	47	45.7	33.0-58.4	32	36.2	24.0-48.4	3	4.7	0.0-10.8
55-64	174	187,984	4	3.5	0.6- 6.4	6	3.2	0.0- 6.5	51	24.7	16.9-32.5	103	61.8	52.8-70.8	10	6.8	1.7-11.9
65+	334	295,541	2	0.3	0.0- 0.7	16	4.2	1.1- 7.3	50	14.4	9.9-18.9	134	42.9	35.5-50.3	132	38.2	31.1-45.3
Less Than H.S.	78	133,488	2	2.8	0.0- 6.7	8	7.9	0.8-15.0	24	28.5	16.0-41.0	27	44.5	30.6-58.4	17	16.3	6.1-26.5
H.S. or G.E.D.	224	233,583	5	2.8	0.3- 5.3	19	7.2	3.5-10.9	58	27.1	18.7-35.5	89	41.7	33.3-50.1	53	21.1	14.6-27.6
Some Post-H.S.	199	211,781	6	2.9	0.5- 5.3	22	13.9	6.3-21.5	53	28.0	20.0-36.0	74	35.4	27.0-43.8	44	19.7	12.8-26.6
College Graduate	169	112,475	3	2.7	1.5- 3.9	23	16.9	8.5-25.3	37	23.6	14.8-32.4	78	42.7	33.3-52.1	28	14.1	8.0-20.2
Less than \$15,000	95	91,747	3	3.8	0.0- 8.9	13	15.9	3.2-28.6	31	27.4	15.2-39.6	35	41.9	28.6-55.2	13	11.0	4.3-17.7
\$15,000- 24,999	126	121,000				14	11.5	4.1-18.9	31	23.2	13.4-33.0	46	38.7	26.9-50.5	35	26.6	16.0-37.2
\$25,000- 34,999	72	74,043	2	4.3	1.4- 7.2	9	14.8	3.0-26.6	18	19.5	7.7-31.3	27	32.1	18.6-45.6	16	29.3	13.6-45.0
\$35,000- 49,999	80	87,503	1	0.8	0.0- 2.4	8	5.9	1.2-10.6	21	21.8	11.6-32.0	35	56.0	42.3-69.7	15	15.5	6.9-24.1
\$50,000- 74,999	74	87,020	4	5.3	0.0-11.0	9	10.6	0.8-20.4	17	36.1	17.7-54.5	27	34.5	17.8-51.2	17	13.5	5.3-21.7
\$75,000+	100	107,087	3	3.8	0.0- 8.1	11	11.5	3.5-19.5	31	33.3	21.9-44.7	44	38.2	26.8-49.6	11	13.2	4.4-22.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	337	384,775	10	3.2	1.0- 5.4	32	7.5	4.2-10.8	93	28.9	22.0-35.8	138	44.5	37.4-51.6	64	15.9	11.2-20.6
White/Non-Hisp	274	281,567	10	4.4	1.5- 7.3	25	7.0	3.3-10.7	66	25.5	18.4-32.6	115	45.8	38.2-53.4	58	17.3	12.0-22.6
45-54	55	63,180	1	1.7	0.0- 5.0	8	7.6	1.5-13.7	27	46.8	30.1-63.5	17	40.8	24.7-56.9	2	3.2	0.0- 7.9
55-64	88	104,470	2	3.6	0.0- 8.7	5	5.1	0.0-11.0	24	21.7	10.9-32.5	51	61.6	48.9-74.3	6	7.9	0.1-15.7
65+	162	164,378	1	0.3	0.0- 0.9	8	4.7	0.0- 9.8	27	14.7	8.6-20.8	70	49.3	39.3-59.3	56	31.0	21.8-40.2
H.S. or G.E.D.	113	141,693	4	3.4	0.0- 6.9	8	4.7	1.4- 8.0	38	33.7	21.4-46.0	47	45.0	33.0-57.0	16	13.2	5.4-21.0
Some Post-H.S.	78	86,928	3	3.8	0.0- 8.3	7	8.2	0.8-15.6	18	30.5	16.4-44.6	29	36.8	23.1-50.5	21	20.7	10.7-30.7
College Graduate	101	64,046	1	0.7	0.0- 2.1	13	11.7	4.4-19.0	24	24.4	13.0-35.8	46	47.3	35.1-59.5	17	15.9	7.3-24.5
\$15,000- 24,999	56	67,283				8	13.3	2.1-24.5	14	23.6	8.7-38.5	19	34.7	17.8-51.6	15	28.4	12.1-44.7
\$75,000+	61	62,375	2	4.9	0.0-11.6	7	10.2	2.4-18.0	23	42.4	27.1-57.7	24	35.8	21.9-49.7	5	6.7	0.0-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	341	314,486	6	2.3	0.7- 3.9	41	15.1	9.2-21.0	82	24.9	18.8-31.0	131	35.6	28.9-42.3	81	22.1	16.2-28.0
White/Non-Hisp	269	233,456	6	3.1	1.1- 5.1	31	11.8	6.7-16.9	58	22.5	16.4-28.6	105	37.7	30.3-45.1	69	25.0	17.9-32.1
55-64	86	83,515	2	3.4	1.6- 5.2	1	0.8	0.0- 2.4	27	28.3	17.1-39.5	52	62.0	49.8-74.2	4	5.5	0.0-11.6
65+	172	131,163	1	0.3	0.0- 0.9	8	3.5	0.6- 6.4	23	14.1	7.4-20.8	64	34.9	25.7-44.1	76	47.2	37.2-57.2
H.S. or G.E.D.	111	91,890	1	1.8	0.0- 5.3	11	11.1	3.7-18.5	20	17.1	8.9-25.3	42	36.6	25.0-48.2	37	33.4	22.6-44.2
Some Post-H.S.	121	124,853	3	2.4	0.0- 5.1	15	17.9	6.3-29.5	35	26.3	17.1-35.5	45	34.4	23.4-45.4	23	19.1	9.7-28.5
College Graduate	68	48,429	2	5.2	3.2- 7.2	10	23.8	7.5-40.1	13	22.5	9.0-36.0	32	36.7	22.0-51.4	11	11.8	3.2-20.4
Less than \$15,000	54	47,074				7	23.0	0.5-45.5	18	39.5	18.9-60.1	20	25.6	11.5-39.7	9	11.9	3.9-19.9
\$15,000- 24,999	70	53,717				6	9.3	0.7-17.9	17	22.6	10.8-34.4	27	43.7	27.8-59.6	20	24.4	11.9-36.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 7: ORAL HEALTH CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)	
1	MALES AND FEMALES	79
2	MALES ONLY	80
3	FEMALES ONLY	81
	NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? (RMVTETH4)	
4	MALES AND FEMALES	82
5	MALES ONLY	83
6	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 1: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1810	2,125,962	611	35.7	32.6-38.8	513	28.4	25.5-31.3	668	34.4	31.5-37.3	18	1.5	0.5- 2.5
Male	861	1,051,663	283	34.3	29.8-38.8	255	29.8	25.5-34.1	308	33.1	29.0-37.2	15	2.7	0.9- 4.5
Female	949	1,074,299	328	37.0	32.5-41.5	258	27.0	23.1-30.9	360	35.7	31.4-40.0	3	0.4	0.0- 1.0
White/Non-Hisp	1422	1,505,257	489	35.8	32.3-39.3	390	28.2	25.1-31.3	532	35.1	31.8-38.4	11	0.8	0.2- 1.4
Black or Afr. Am./Non-Hisp	189	351,254	56	29.9	21.5-38.3	60	32.5	23.7-41.3	71	36.6	27.6-45.6	2	1.0	0.0- 2.6
Oth. Race/Non-Hisp.	65	62,519	21	37.3	21.6-53.0	24	29.3	16.4-42.2	19	32.0	16.9-47.1	1	1.3	0.0- 3.8
Hispanic	66	142,368	25	48.0	30.4-65.6	15	20.6	6.5-34.7	23	21.8	10.4-33.2	3	9.7	0.0-20.7
18-24	128	264,483	48	41.3	28.8-53.8	52	39.7	28.1-51.3	28	18.9	10.3-27.5			
25-34	266	410,015	105	40.7	32.9-48.5	84	28.2	21.5-34.9	74	29.2	21.8-36.6	3	1.9	0.0- 5.2
35-44	255	319,374	91	34.6	27.2-42.0	64	29.2	21.6-36.8	97	33.7	26.3-41.1	3	2.5	0.0- 5.6
45-54	305	324,127	101	36.2	28.8-43.6	83	23.9	17.6-30.2	117	37.8	30.2-45.4	4	2.2	0.0- 4.6
55-64	336	358,922	106	31.5	24.6-38.4	101	30.7	23.4-38.0	128	37.7	31.0-44.4	1	0.1	0.0- 0.3
65+	520	449,041	160	31.5	26.2-36.8	129	22.7	18.0-27.4	224	43.7	38.0-49.4	7	2.0	0.2- 3.8
Less Than H.S.	234	407,614	53	29.5	20.1-38.9	46	19.8	12.2-27.4	128	47.1	37.9-56.3	7	3.6	0.9- 6.3
H.S. or G.E.D.	694	790,596	201	28.9	24.4-33.4	205	33.1	28.2-38.0	280	36.1	31.4-40.8	8	1.9	0.0- 3.9
Some Post-H.S.	454	584,350	169	43.7	37.4-50.0	133	26.6	21.5-31.7	152	29.8	24.3-35.3			
College Graduate	416	330,949	184	45.6	39.5-51.7	125	30.4	24.7-36.1	105	23.7	18.4-29.0	2	0.3	0.0- 0.7
Less than \$15,000	276	338,054	54	21.2	12.0-30.4	71	26.4	18.6-34.2	144	49.2	40.0-58.4	7	3.2	0.3- 6.1
\$15,000- 24,999	383	433,067	94	28.9	22.2-35.6	98	25.4	19.1-31.7	187	44.2	37.3-51.1	4	1.5	0.0- 3.3
\$25,000- 34,999	175	195,070	60	38.4	28.4-48.4	54	28.5	19.3-37.7	60	32.4	23.2-41.6	1	0.7	0.0- 2.1
\$35,000- 49,999	209	248,299	88	43.9	34.7-53.1	62	28.9	20.7-37.1	58	24.5	16.7-32.3	1	2.7	0.0- 8.0
\$50,000- 74,999	197	245,657	91	45.7	36.3-55.1	60	33.5	24.3-42.7	44	20.5	12.9-28.1	2	0.3	0.0- 0.7
\$75,000+	261	333,906	118	46.5	38.5-54.5	79	29.5	22.4-36.6	64	23.9	17.2-30.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 2: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	861	1,051,663	283	34.3	30.0-38.6	255	29.8	25.7-33.9	308	33.1	29.0-37.2	15	2.7	0.9- 4.5
White/Non-Hisp	677	736,888	230	35.2	30.5-39.9	193	28.4	24.1-32.7	246	35.2	30.5-39.9	8	1.1	0.1- 2.1
Black or Afr. Am./Non-Hisp	77	153,409	23	24.9	13.5-36.3	27	44.9	30.6-59.2	25	27.8	15.8-39.8	2	2.3	0.0- 6.0
18-24	66	126,803	27	46.0	29.7-62.3	25	38.1	22.8-53.4	14	16.0	6.8-25.2			
25-34	135	213,229	50	36.0	24.8-47.2	43	29.0	19.4-38.6	39	31.2	20.2-42.2	3	3.7	0.0- 9.8
35-44	115	146,492	41	36.4	25.0-47.8	32	30.7	18.5-42.9	39	27.5	18.1-36.9	3	5.4	0.0-12.3
45-54	138	154,262	39	32.2	21.4-43.0	41	26.7	17.5-35.9	54	36.4	26.2-46.6	4	4.7	0.0- 9.4
55-64	165	185,184	56	30.7	21.7-39.7	52	34.3	24.7-43.9	56	34.8	25.4-44.2	1	0.3	0.0- 0.9
65+	242	225,692	70	29.3	21.9-36.7	62	23.8	16.7-30.9	106	44.7	36.5-52.9	4	2.1	0.0- 4.5
Less Than H.S.	119	209,549	28	28.6	17.2-40.0	21	19.4	10.8-28.0	65	46.9	35.3-58.5	5	5.2	0.5- 9.9
H.S. or G.E.D.	332	403,653	92	27.3	21.0-33.6	110	35.7	28.6-42.8	122	33.3	26.8-39.8	8	3.7	0.0- 7.6
Some Post-H.S.	213	280,295	88	45.8	36.8-54.8	62	28.0	20.0-36.0	63	26.2	18.9-33.5			
College Graduate	194	155,442	75	40.3	31.5-49.1	61	32.1	23.7-40.5	57	27.1	19.3-34.9	1	0.5	0.0- 1.5
Less than \$15,000	111	138,891	18	14.9	6.3-23.5	25	30.8	18.5-43.1	62	47.7	35.4-60.0	6	6.6	0.0-13.5
\$15,000- 24,999	157	216,044	35	27.9	17.1-38.7	48	27.8	19.0-36.6	70	41.4	31.4-51.4	4	2.9	0.0- 6.2
\$25,000- 34,999	88	91,522	31	36.0	22.9-49.1	28	33.6	19.5-47.7	28	29.0	17.2-40.8	1	1.4	0.0- 4.1
\$35,000- 49,999	101	129,834	41	42.3	29.0-55.6	30	26.7	15.5-37.9	29	25.8	14.4-37.2	1	5.3	0.0-15.1
\$50,000- 74,999	117	153,202	52	41.6	29.6-53.6	37	35.5	22.8-48.2	27	22.6	11.8-33.4	1	0.2	0.0- 0.6
\$75,000+	147	178,942	61	48.1	37.1-59.1	49	29.2	20.0-38.4	37	22.7	14.3-31.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 3: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	949	1,074,299	328	37.0	32.5-41.5	258	27.0	23.1-30.9	360	35.7	31.4-40.0	3	0.4	0.0- 1.0
White/Non-Hisp	745	768,369	259	36.4	31.5-41.3	197	28.0	23.7-32.3	286	35.1	30.6-39.6	3	0.5	0.0- 1.3
Black or Afr. Am./Non-Hisp	112	197,846	33	33.7	21.9-45.5	33	22.8	13.6-32.0	46	43.5	31.2-55.8			
18-24	62	137,679	21	37.1	18.3-55.9	27	41.2	23.6-58.8	14	21.7	7.6-35.8			
25-34	131	196,786	55	45.7	34.9-56.5	41	27.2	18.4-36.0	35	27.1	17.3-36.9			
35-44	140	172,882	50	33.2	23.4-43.0	32	27.9	18.1-37.7	58	39.0	28.4-49.6			
45-54	167	169,865	62	39.7	29.1-50.3	42	21.3	13.1-29.5	63	39.0	28.0-50.0			
55-64	171	173,738	50	32.4	23.6-41.2	49	26.9	18.7-35.1	72	40.8	31.6-50.0			
65+	278	223,349	90	33.7	26.1-41.3	67	21.6	15.5-27.7	118	42.7	34.9-50.5	3	1.9	0.0- 4.3
Less Than H.S.	115	198,065	25	30.6	15.5-45.7	25	20.2	8.8-31.6	63	47.3	33.4-61.2	2	1.9	0.0- 4.6
H.S. or G.E.D.	362	386,943	109	30.7	24.6-36.8	95	30.3	24.0-36.6	158	39.0	32.5-45.5			
Some Post-H.S.	241	304,055	81	41.7	33.5-49.9	71	25.2	18.7-31.7	89	33.1	25.5-40.7			
College Graduate	222	175,507	109	50.2	41.6-58.8	64	28.8	21.0-36.6	48	20.7	13.6-27.8	1	0.2	0.0- 0.6
Less than \$15,000	165	199,163	36	25.6	11.7-39.5	46	23.4	15.0-31.8	82	50.2	37.7-62.7	1	0.8	0.0- 2.4
\$15,000- 24,999	226	217,023	59	29.8	21.6-38.0	50	23.1	14.1-32.1	117	47.1	37.7-56.5			
\$25,000- 34,999	87	103,548	29	40.5	25.6-55.4	26	24.1	12.7-35.5	32	35.4	21.5-49.3			
\$35,000- 49,999	108	118,465	47	45.7	33.0-58.4	32	31.3	19.1-43.5	29	23.0	12.2-33.8			
\$50,000- 74,999	80	92,455	39	52.3	39.2-65.4	23	30.2	18.0-42.4	17	17.1	8.1-26.1	1	0.4	0.0- 1.2
\$75,000+	114	154,964	57	44.8	33.0-56.6	30	29.9	18.9-40.9	27	25.3	15.1-35.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 4: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?  
(RMVTETH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	930	897,658	547	59.1	54.8-63.4	383	40.9	36.6-45.2	
Male	391	389,973	232	61.0	54.7-67.3	159	39.0	32.7-45.3	
Female	539	507,685	315	57.7	51.6-63.8	224	42.3	36.2-48.4	
White/Non-Hisp	759	698,734	436	57.3	52.6-62.0	323	42.7	38.0-47.4	
Black or Afr. Am./Non-Hisp	100	137,555	72	74.5	62.0-87.0	28	25.5	13.0-38.0	
35-44	79	86,170	67	83.3	72.1-94.5	12	16.7	5.5-27.9	
45-54	119	132,806	79	64.4	52.1-76.7	40	35.6	23.3-47.9	
55-64	217	209,762	128	64.6	56.6-72.6	89	35.4	27.4-43.4	
65+	492	433,704	254	49.5	43.4-55.6	238	50.5	44.4-56.6	
Less Than H.S.	178	230,619	96	53.7	43.7-63.7	82	46.3	36.3-56.3	
H.S. or G.E.D.	380	338,666	217	60.4	53.7-67.1	163	39.6	32.9-46.3	
Some Post-H.S.	237	248,174	137	56.3	47.9-64.7	100	43.7	35.3-52.1	
College Graduate	128	72,620	92	80.6	73.3-87.9	36	19.4	12.1-26.7	
Less than \$15,000	183	171,929	106	64.7	55.9-73.5	77	35.3	26.5-44.1	
\$15,000- 24,999	221	210,576	107	49.4	39.8-59.0	114	50.6	41.0-60.2	
\$25,000- 34,999	100	96,550	70	63.3	50.0-76.6	30	36.7	23.4-50.0	
\$35,000- 49,999	108	109,394	76	64.1	51.4-76.8	32	35.9	23.2-48.6	
\$50,000- 74,999	69	77,540	46	69.1	53.8-84.4	23	30.9	15.6-46.2	
\$75,000+	63	65,904	46	71.2	55.5-86.9	17	28.8	13.1-44.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 5: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?  
(RMVTETH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	391	389,973	232	61.0	54.7-67.3	159	39.0	32.7-45.3
White/Non-Hisp	327	312,137	187	57.4	50.5-64.3	140	42.6	35.7-49.5
45-54	55	54,507	35	58.7	41.5-75.9	20	41.3	24.1-58.5
55-64	91	97,794	58	73.1	62.9-83.3	33	26.9	16.7-37.1
65+	202	185,892	102	48.8	39.8-57.8	100	51.2	42.2-60.2
Less Than H.S.	76	95,241	45	60.3	46.6-74.0	31	39.7	26.0-53.4
H.S. or G.E.D.	159	156,342	94	62.7	52.9-72.5	65	37.3	27.5-47.1
Some Post-H.S.	93	92,268	49	51.0	37.7-64.3	44	49.0	35.7-62.3
College Graduate	59	41,895	41	79.8	69.8-89.8	18	20.2	10.2-30.2
Less than \$15,000	60	55,416	39	74.7	62.5-86.9	21	25.3	13.1-37.5
\$15,000- 24,999	88	85,596	43	53.2	40.5-65.9	45	46.8	34.1-59.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 6: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?  
(RMVTETH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	539	507,685	315	57.7	51.6-63.8	224	42.3	36.2-48.4
White/Non-Hisp	432	386,597	249	57.2	50.7-63.7	183	42.8	36.3-49.3
Black or Afr. Am./Non-Hisp	64	85,580	44	69.5	52.3-86.7	20	30.5	13.3-47.7
45-54	64	78,299	44	68.3	51.2-85.4	20	31.7	14.6-48.8
55-64	126	111,968	70	57.2	45.4-69.0	56	42.8	31.0-54.6
65+	290	247,812	152	49.9	41.9-57.9	138	50.1	42.1-58.1
Less Than H.S.	102	135,377	51	49.1	35.4-62.8	51	50.9	37.2-64.6
H.S. or G.E.D.	221	182,324	123	58.5	49.3-67.7	98	41.5	32.3-50.7
Some Post-H.S.	144	155,906	88	59.4	48.6-70.2	56	40.6	29.8-51.4
College Graduate	69	30,725	51	81.5	71.1-91.9	18	18.5	8.1-28.9
Less than \$15,000	123	116,513	67	59.9	48.3-71.5	56	40.1	28.5-51.7
\$15,000- 24,999	133	124,980	64	46.8	33.9-59.7	69	53.2	40.3-66.1
\$25,000- 34,999	58	51,445	39	60.2	43.0-77.4	19	39.8	22.6-57.0
\$35,000- 49,999	61	56,883	47	70.0	51.2-88.8	14	30.0	11.2-48.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	89
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
4 MALES AND FEMALES	92
5 MALES ONLY	93
6 FEMALES ONLY	94
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)	
7 MALES AND FEMALES	95
8 MALES ONLY	96
9 FEMALES ONLY	97
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10 MALES AND FEMALES	98
11 MALES ONLY	99
12 FEMALES ONLY	100
ARE YOU: (MARITAL STATUS) (MARITAL)	
13 MALES AND FEMALES	101
14 MALES ONLY	102
15 FEMALES ONLY	103
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
16 MALES AND FEMALES	104
17 MALES ONLY	105
18 FEMALES ONLY	106
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
19 MALES AND FEMALES	107
20 MALES ONLY	108
21 FEMALES ONLY	109

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
22 MALES AND FEMALES	110
23 MALES ONLY	111
24 FEMALES ONLY	112
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
25 MALES AND FEMALES	113
26 MALES ONLY	114
27 FEMALES ONLY	115
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
28 MALES AND FEMALES	116
29 MALES ONLY	117
30 FEMALES ONLY	118
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
31 MALES AND FEMALES	119
32 MALES ONLY	120
33 FEMALES ONLY	121
HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
34 MALES AND FEMALES	122
35 MALES ONLY	123
36 FEMALES ONLY	124
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
37 MALES AND FEMALES	125
38 MALES ONLY	126
39 FEMALES ONLY	127
ARE YOU CURRENTLY...? (EMPLOY1)	
40 MALES AND FEMALES	128
41 MALES ONLY	129
42 FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
43 MALES AND FEMALES	131
44 MALES ONLY	132
45 FEMALES ONLY	133
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
46 MALES AND FEMALES	134
47 MALES ONLY	135
48 FEMALES ONLY	136
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
49 MALES AND FEMALES	137
50 MALES ONLY	138
51 FEMALES ONLY	139
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
52 MALES AND FEMALES	140
53 MALES ONLY	141
54 FEMALES ONLY	142
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
55 MALES AND FEMALES	143
56 MALES ONLY	144
57 FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-24			25-34			35-44			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4661	5,394,556	339	11.6	10.0-13.2	585	17.3	15.7-18.9	651	15.9	14.5-17.3	782	16.1	14.7-17.5	868	16.6	15.2-18.0	1436	22.4	21.0-23.8
Male	2111	2,599,558	180	12.4	10.2-14.6	277	18.0	15.5-20.5	298	16.2	14.0-18.4	364	16.4	14.4-18.4	389	16.4	14.4-18.4	603	20.7	18.7-22.7
Female	2550	2,794,998	159	11.0	8.8-13.2	308	16.7	14.5-18.9	353	15.5	13.5-17.5	418	15.9	13.9-17.9	479	16.7	14.9-18.5	833	24.1	22.1-26.1
White/Non-Hisp	3766	3,977,587	243	10.2	8.6-11.8	442	16.0	14.2-17.8	492	14.4	12.8-16.0	625	16.2	14.6-17.8	711	17.1	15.5-18.7	1253	26.2	24.4-28.0
Black or Afr. Am./Non-Hisp	465	833,053	36	13.4	8.7-18.1	62	20.0	14.5-25.5	85	19.1	14.4-23.8	79	17.6	13.1-22.1	95	17.2	12.9-21.5	108	12.7	9.4-16.0
Oth. Race/Non-Hisp.	130	126,090	15	12.8	5.5-20.1	29	30.3	18.3-42.3	25	21.0	11.4-30.6	22	11.0	5.5-16.5	15	14.2	5.2-23.2	24	10.8	5.5-16.1
MultiRacial/Non-Hisp.	75	64,641	13	28.0	14.3-41.7	16	22.4	11.2-33.6	7	10.3	2.3-18.3	11	13.8	4.2-23.4	16	12.6	5.2-20.0	12	12.9	4.1-21.7
Hispanic	136	269,086	28	25.9	14.7-37.1	32	26.4	15.6-37.2	33	28.4	18.0-38.8	17	8.3	3.4-13.2	15	7.1	2.6-11.6	11	3.8	0.7- 6.9
Less Than H.S.	370	677,579	21	13.1	6.2-20.0	16	8.9	3.6-14.2	47	15.7	10.6-20.8	62	14.1	9.6-18.6	74	17.6	12.5-22.7	150	30.6	24.5-36.7
H.S. or G.E.D.	1452	1,738,328	135	13.5	11.0-16.0	187	18.8	15.9-21.7	185	13.8	11.4-16.2	222	15.9	13.4-18.4	271	15.9	13.5-18.3	452	22.0	19.5-24.5
Some Post-H.S.	1190	1,575,455	106	13.7	10.8-16.6	144	16.6	13.5-19.7	152	14.9	12.2-17.6	178	14.5	12.0-17.0	224	17.1	14.6-19.6	386	23.3	20.6-26.0
College Graduate	1594	1,331,418	76	6.6	4.8- 8.4	236	21.0	18.1-23.9	260	19.7	17.0-22.4	303	18.1	15.7-20.5	290	16.7	14.3-19.1	429	17.8	15.6-20.0
Less than \$15,000	398	483,724	24	12.6	5.5-19.7	39	13.5	8.2-18.8	55	18.8	12.7-24.9	67	11.8	7.9-15.7	99	20.2	14.9-25.5	114	23.0	17.7-28.3
\$15,000- 24,999	652	737,143	60	15.4	10.1-20.7	78	14.6	10.9-18.3	62	10.7	7.4-14.0	92	15.5	11.6-19.4	116	16.4	12.9-19.9	244	27.4	22.9-31.9
\$25,000- 34,999	386	451,804	30	14.4	8.7-20.1	57	21.4	15.1-27.7	46	11.2	7.1-15.3	35	8.1	4.8-11.4	64	15.0	9.7-20.3	154	29.9	24.0-35.8
\$35,000- 49,999	540	643,841	49	12.1	8.2-16.0	84	23.0	17.5-28.5	73	14.5	10.6-18.4	61	11.9	8.4-15.4	93	14.5	11.0-18.0	180	24.0	19.5-28.5
\$50,000- 74,999	598	702,423	38	10.0	6.3-13.7	100	21.1	16.4-25.8	97	17.1	13.0-21.2	93	14.5	10.6-18.4	115	18.4	14.3-22.5	155	19.0	15.3-22.7
\$75,000+	1193	1,395,947	52	7.0	4.6- 9.4	169	19.9	16.6-23.2	231	21.0	18.1-23.9	274	21.3	18.4-24.2	242	17.5	15.0-20.0	225	13.3	11.1-15.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2111	2,599,558	180	12.4	10.2-14.6	277	18.0	15.5-20.5	298	16.2	14.0-18.4	364	16.4	14.4-18.4	389	16.4	14.4-18.4	603	20.7	18.7-22.7
White/Non-Hisp	1719	1,912,592	134	11.3	9.1-13.5	211	16.3	13.8-18.8	229	14.8	12.4-17.2	290	16.6	14.2-19.0	320	16.6	14.4-18.8	535	24.4	22.0-26.8
Black or Afr. Am./Non-Hisp	166	346,128	12	10.9	4.2-17.6	20	21.5	12.1-30.9	29	17.4	10.0-24.8	28	14.9	8.4-21.4	43	22.5	14.9-30.1	34	12.6	7.3-17.9
Oth. Race/Non-Hisp.	72	70,849	7	11.5	2.1-20.9	17	31.4	16.9-45.9	15	24.1	11.4-36.8	13	13.3	5.1-21.5	8	10.9	2.7-19.1	12	8.7	3.0-14.4
Hispanic	71	163,693	15	24.3	9.8-38.8	18	26.6	12.1-41.1	15	28.6	14.3-42.9	8	8.4	1.5-15.3	8	6.7	0.8-12.6	7	5.4	0.5-10.3
Less Than H.S.	173	340,669	10	9.7	2.6-16.8	12	13.7	4.9-22.5	22	18.8	10.8-26.8	32	13.3	7.6-19.0	34	16.4	10.1-22.7	63	28.1	20.1-36.1
H.S. or G.E.D.	669	867,087	77	15.2	11.3-19.1	93	18.7	14.4-23.0	85	14.0	10.5-17.5	118	17.3	13.8-20.8	132	16.7	13.4-20.0	164	18.0	14.7-21.3
Some Post-H.S.	511	712,039	58	15.7	11.2-20.2	68	17.9	13.0-22.8	63	14.7	10.4-19.0	75	15.0	11.1-18.9	93	16.9	12.8-21.0	154	19.8	16.1-23.5
College Graduate	731	636,304	35	7.0	4.3- 9.7	103	20.1	15.8-24.4	125	19.8	15.7-23.9	128	15.9	12.8-19.0	127	16.1	12.8-19.4	213	21.1	17.8-24.4
Less than \$15,000	146	184,545	8	9.6	2.0-17.2	15	10.7	4.2-17.2	19	19.5	8.9-30.1	27	13.4	7.3-19.5	37	24.2	15.6-32.8	40	22.5	14.1-30.9
\$15,000- 24,999	257	336,088	27	16.2	8.8-23.6	25	12.8	7.1-18.5	20	11.9	6.0-17.8	48	18.3	12.2-24.4	46	15.6	10.3-20.9	91	25.2	18.7-31.7
\$25,000- 34,999	158	191,077	18	19.3	9.7-28.9	20	20.4	10.6-30.2	17	9.4	3.5-15.3	13	7.9	2.6-13.2	21	11.1	3.8-18.4	69	32.0	23.0-41.0
\$35,000- 49,999	250	336,887	26	13.1	7.2-19.0	39	22.7	14.7-30.7	41	17.2	10.9-23.5	23	9.6	5.3-13.9	45	14.3	9.0-19.6	76	23.1	16.6-29.6
\$50,000- 74,999	290	362,091	21	10.0	4.7-15.3	55	22.6	15.9-29.3	45	17.7	11.2-24.2	39	13.4	7.9-18.9	50	16.9	11.0-22.8	80	19.3	13.8-24.8
\$75,000+	621	737,013	29	7.1	4.2-10.0	93	21.1	16.0-26.2	117	20.2	16.1-24.3	137	20.7	16.6-24.8	124	17.2	13.5-20.9	121	13.6	10.7-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS  
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2550	2,794,998	159	11.0	8.8-13.2	308	16.7	14.5-18.9	353	15.5	13.5-17.5	418	15.9	13.9-17.9	479	16.7	14.9-18.5	833	24.1	22.1-26.1
White/Non-Hisp	2047	2,064,994	109	9.1	6.7-11.5	231	15.8	13.6-18.0	263	14.1	12.1-16.1	335	15.7	13.5-17.9	391	17.5	15.5-19.5	718	27.8	25.4-30.2
Black or Afr. Am./Non-Hisp	299	486,925	24	15.2	8.7-21.7	42	18.9	12.6-25.2	56	20.4	14.3-26.5	51	19.5	13.4-25.6	52	13.4	8.7-18.1	74	12.7	8.6-16.8
Oth. Race/Non-Hisp.	58	55,241	8	14.4	3.2-25.6	12	28.8	9.0-48.6	10	17.0	2.7-31.3	9	8.0	1.5-14.5	7	18.3	1.1-35.5	12	13.5	3.5-23.5
Hispanic	65	105,393	13	28.4	10.8-46.0	14	26.0	10.1-41.9	18	28.2	13.9-42.5	9	8.2	1.5-14.9	7	7.8	0.9-14.7	4	1.5	0.0-3.7
Less Than H.S.	197	336,909	11	16.5	4.9-28.1	4	4.0	0.0-8.9	25	12.5	6.6-18.4	30	14.9	8.0-21.8	40	18.8	11.4-26.2	87	33.2	24.4-42.0
H.S. or G.E.D.	783	871,241	58	11.8	8.7-14.9	94	18.8	14.7-22.9	100	13.7	10.6-16.8	104	14.6	11.3-17.9	139	15.1	12.2-18.0	288	26.0	22.5-29.5
Some Post-H.S.	679	863,416	48	12.1	8.4-15.8	76	15.5	11.6-19.4	89	15.0	11.5-18.5	103	14.0	10.7-17.3	131	17.2	13.9-20.5	232	26.1	22.2-30.0
College Graduate	863	695,114	41	6.3	3.9-8.7	133	21.9	18.0-25.8	135	19.7	16.0-23.4	175	20.2	16.7-23.7	163	17.2	14.1-20.3	216	14.8	12.4-17.2
Less than \$15,000	252	299,180	16	14.5	4.1-24.9	24	15.3	7.7-22.9	36	18.4	11.3-25.5	40	10.9	5.8-16.0	62	17.8	12.1-23.5	74	23.2	16.3-30.1
\$15,000- 24,999	395	401,054	33	14.8	7.4-22.2	53	16.0	11.1-20.9	42	9.7	6.0-13.4	44	13.1	7.8-18.4	70	17.2	12.3-22.1	153	29.3	23.2-35.4
\$25,000- 34,999	228	260,727	12	10.7	4.0-17.4	37	22.1	13.9-30.3	29	12.5	6.6-18.4	22	8.3	3.8-12.8	43	17.9	10.6-25.2	85	28.4	20.6-36.2
\$35,000- 49,999	290	306,954	23	11.1	5.8-16.4	45	23.3	15.9-30.7	32	11.6	6.7-16.5	38	14.4	8.7-20.1	48	14.8	10.3-19.3	104	25.0	19.1-30.9
\$50,000- 74,999	308	340,332	17	10.0	4.5-15.5	45	19.5	13.2-25.8	52	16.5	11.4-21.6	54	15.6	10.3-20.9	65	19.9	14.0-25.8	75	18.6	13.5-23.7
\$75,000+	572	658,934	23	6.9	3.4-10.4	76	18.6	14.3-22.9	114	21.8	17.5-26.1	137	22.0	17.7-26.3	118	17.7	14.0-21.4	104	12.9	9.8-16.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4615	5,320,641	70	3.0	2.0- 4.0	21	0.6	0.2- 1.0	3	0.1	0.0- 0.3	41	1.3	0.9- 1.7	1	0.0	0.0- 0.0	4479	94.9	93.7-96.1
Male	2091	2,566,484	44	4.3	2.5- 6.1	7	0.5	0.1- 0.9	2	0.2	0.0- 0.6	18	1.4	0.6- 2.2				2020	93.6	91.6-95.6
Female	2524	2,754,157	26	1.9	0.9- 2.9	14	0.8	0.2- 1.4	1	0.0	0.0- 0.0	23	1.1	0.5- 1.7	1	0.0	0.0- 0.0	2459	96.2	94.8-97.6
18-24	335	620,250	14	6.7	1.8-11.6	5	2.0	0.0- 4.0				8	2.5	0.5- 4.5	1	0.1	0.0- 0.3	307	88.8	83.3-94.3
25-34	582	929,021	18	5.4	2.1- 8.7	3	0.3	0.0- 0.7				11	1.9	0.5- 3.3				550	92.4	88.9-95.9
35-44	649	850,631	18	5.4	2.5- 8.3	5	0.9	0.0- 1.9	1	0.6	0.0- 1.8	9	2.1	0.5- 3.7				616	91.0	87.5-94.5
45-54	769	856,772	7	1.1	0.0- 2.3	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	6	1.1	0.1- 2.1				752	97.4	95.8-99.0
55-64	858	874,367	6	0.7	0.0- 1.5	5	0.8	0.0- 1.6	1	0.1	0.0- 0.3	3	0.6	0.0- 1.4				843	97.8	96.4-99.2
65+	1422	1,189,601	7	0.7	0.1- 1.3							4	0.2	0.0- 0.4				1411	99.1	98.5-99.7
Less Than H.S.	363	652,827	14	8.6	3.3-13.9	2	0.5	0.0- 1.3				3	1.5	0.0- 3.3				344	89.4	83.9-94.9
H.S. or G.E.D.	1446	1,732,806	25	3.1	1.5- 4.7	5	0.6	0.0- 1.2				18	1.5	0.7- 2.3	1	0.0	0.0- 0.0	1397	94.8	92.8-96.8
Some Post-H.S.	1175	1,554,472	14	1.9	0.3- 3.5	10	0.9	0.3- 1.5	1	0.1	0.0- 0.3	6	0.7	0.1- 1.3				1144	96.5	94.7-98.3
College Graduate	1582	1,320,396	15	1.3	0.5- 2.1	4	0.4	0.0- 0.8	2	0.4	0.0- 1.2	14	1.6	0.4- 2.8				1547	96.3	94.7-97.9
Less than \$15,000	392	469,231	12	6.3	1.8-10.8	2	0.2	0.0- 0.6	1	1.2	0.0- 3.6	6	1.7	0.3- 3.1				371	90.6	85.5-95.7
\$15,000- 24,999	645	726,339	16	6.1	2.0-10.2	4	0.6	0.0- 1.4	1	0.0	0.0- 0.0	4	0.6	0.0- 1.2				620	92.6	88.5-96.7
\$25,000- 34,999	382	442,263	6	1.9	0.0- 3.9	1	0.1	0.0- 0.3				4	2.4	0.0- 4.9				371	95.6	92.5-98.7
\$35,000- 49,999	539	643,216	9	3.7	0.4- 7.0	5	1.3	0.0- 2.7	1	0.1	0.0- 0.3	5	1.2	0.0- 2.6	1	0.1	0.0- 0.3	518	93.4	89.7-97.1
\$50,000- 74,999	596	700,718	7	2.7	0.2- 5.2	2	0.9	0.0- 2.3				5	1.0	0.0- 2.2				582	95.4	92.3-98.5
\$75,000+	1187	1,388,651	11	1.7	0.1- 3.3	3	0.3	0.0- 0.7				7	1.0	0.2- 1.8				1166	97.0	95.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2091	2,566,484	44	4.3	2.5- 6.1	7	0.5	0.1- 0.9	2	0.2	0.0- 0.6	18	1.4	0.6- 2.2	2020	93.6	91.6-95.6
18-24	176	313,173	8	7.7	0.3-15.1	2	1.6	0.0- 3.8				5	3.4	0.1- 6.7	161	87.3	79.3-95.3
25-34	275	462,532	11	7.0	1.7-12.3	1	0.2	0.0- 0.6				6	2.2	0.0- 4.6	257	90.6	84.9-96.3
35-44	297	417,831	12	8.5	3.0-14.0	1	0.3	0.0- 0.9	1	1.3	0.0- 3.8	1	1.1	0.0- 3.3	282	88.8	82.7-94.9
45-54	355	416,721	5	2.1	0.0- 4.3				1	0.1	0.0- 0.3	2	1.1	0.0- 2.7	347	96.7	94.0-99.4
55-64	387	420,315	3	0.3	0.0- 0.7	3	1.2	0.0- 2.6				2	1.1	0.0- 2.9	379	97.4	95.2-99.6
65+	601	535,911	5	1.5	0.1- 2.9							2	0.2	0.0- 0.4	594	98.4	97.0-99.8
Less Than H.S.	171	333,808	8	9.1	1.8-16.4	1	0.7	0.0- 2.1				2	2.1	0.0- 5.0	160	88.1	80.3-95.9
H.S. or G.E.D.	667	864,775	18	5.0	2.1- 7.9	2	0.5	0.0- 1.3				7	1.5	0.3- 2.7	640	93.1	89.8-96.4
Some Post-H.S.	506	702,285	9	3.6	0.3- 6.9	4	0.8	0.0- 1.6				2	0.6	0.0- 1.4	491	95.0	91.5-98.5
College Graduate	725	632,643	7	1.0	0.2- 1.8				2	0.9	0.0- 2.7	7	1.9	0.1- 3.7	709	96.2	93.7-98.7
Less than \$15,000	143	175,869	7	10.2	2.0-18.4	1	0.5	0.0- 1.5	1	3.1	0.0- 9.0	1	0.6	0.0- 1.8	133	85.6	76.0-95.2
\$15,000- 24,999	255	334,526	8	7.1	0.4-13.8	2	1.1	0.0- 2.7	1	0.1	0.0- 0.3	2	0.6	0.0- 1.6	242	91.1	84.2-98.0
\$25,000- 34,999	157	189,703	3	2.7	0.0- 6.2							3	5.3	0.0-11.4	151	92.0	85.1-98.9
\$35,000- 49,999	250	336,887	7	6.3	0.4-12.2	1	0.6	0.0- 1.8				3	1.5	0.0- 3.7	239	91.6	85.3-97.9
\$50,000- 74,999	289	361,575	5	4.5	0.0- 9.2							2	1.2	0.0- 3.2	282	94.3	89.2-99.4
\$75,000+	616	731,297	6	1.9	0.0- 4.4	1	0.1	0.0- 0.3				3	0.9	0.0- 2.3	606	97.0	94.3-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2524	2,754,157	26	1.9	0.9- 2.9	14	0.8	0.2- 1.4	1	0.0	0.0- 0.0	23	1.1	0.5- 1.7	1	0.0	0.0- 0.0	2459	96.2	94.8-97.6
18-24	159	307,077	6	5.7	0.0-12.0	3	2.4	0.0- 5.7				3	1.5	0.0- 3.3	1	0.2	0.0- 0.6	146	90.2	82.9-97.5
25-34	307	466,488	7	3.9	0.2- 7.6	2	0.4	0.0- 1.2				5	1.5	0.1- 2.9				293	94.1	90.0-98.2
35-44	352	432,800	6	2.4	0.0- 4.8	4	1.5	0.0- 3.5				8	3.0	0.6- 5.4				334	93.1	89.4-96.8
45-54	414	440,050	2	0.2	0.0- 0.6	3	0.7	0.0- 1.5				4	1.1	0.0- 2.5				405	98.0	96.4-99.6
55-64	471	454,051	3	1.0	0.0- 2.4	2	0.5	0.0- 1.3	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3				464	98.2	96.6-99.8
65+	821	653,690	2	0.1	0.1- 0.1							2	0.2	0.0- 0.6				817	99.8	99.4- 100
Less Than H.S.	192	319,018	6	8.1	0.5-15.7	1	0.4	0.0- 1.2				1	0.8	0.0- 2.4				184	90.7	82.9-98.5
H.S. or G.E.D.	779	868,031	7	1.3	0.3- 2.3	3	0.7	0.0- 1.9				11	1.5	0.5- 2.5	1	0.1	0.0- 0.3	757	96.5	94.7-98.3
Some Post-H.S.	669	852,188	5	0.4	0.0- 0.8	6	1.0	0.0- 2.0	1	0.1	0.0- 0.3	4	0.8	0.0- 1.8				653	97.7	96.1-99.3
College Graduate	857	687,753	8	1.6	0.2- 3.0	4	0.8	0.0- 1.6				7	1.3	0.1- 2.5				838	96.3	94.3-98.3
Less than \$15,000	249	293,362	5	4.0	0.0- 9.5	1	0.1	0.0- 0.3				5	2.3	0.1- 4.5				238	93.6	87.9-99.3
\$15,000- 24,999	390	391,813	8	5.3	0.0-10.6	2	0.2	0.0- 0.6				2	0.6	0.0- 1.4				378	93.9	88.6-99.2
\$25,000- 34,999	225	252,560	3	1.3	0.0- 3.1	1	0.2	0.0- 0.6				1	0.2	0.0- 0.6				220	98.3	96.3- 100
\$35,000- 49,999	289	306,328	2	0.9	0.0- 2.7	4	2.2	0.0- 4.7	1	0.3	0.0- 0.9	2	1.0	0.0- 2.6	1	0.2	0.0- 0.6	279	95.4	91.9-98.9
\$50,000- 74,999	307	339,142	2	0.7	0.0- 1.7	2	1.9	0.0- 4.8				3	0.8	0.0- 1.8				300	96.7	93.6-99.8
\$75,000+	571	657,354	5	1.4	0.0- 3.0	2	0.5	0.0- 1.3				4	1.0	0.0- 2.2				560	97.0	95.0-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4581	5,279,860	3744	76.2	74.4-78.0	462	15.7	14.1-17.3	47	0.8	0.4- 1.2	45	1.1	0.7- 1.5	7	0.1	0.0- 0.3	276	6.2	5.2- 7.2
Male	2070	2,520,077	1706	76.8	74.1-79.5	167	14.1	11.7-16.5	27	1.1	0.5- 1.7	26	1.2	0.6- 1.8	1	0.0	0.0- 0.0	143	6.8	5.4- 8.2
Female	2511	2,759,783	2038	75.7	73.2-78.2	295	17.1	14.9-19.3	20	0.5	0.3- 0.7	19	0.9	0.3- 1.5	6	0.2	0.0- 0.4	133	5.6	4.4- 6.8
18-24	333	607,153	250	69.9	63.2-76.6	35	16.2	10.5-21.9	6	0.9	0.1- 1.7	8	1.4	0.2- 2.6	1	0.3	0.0- 0.9	33	11.4	7.1-15.7
25-34	581	927,220	440	70.1	64.8-75.4	61	17.8	12.9-22.7	4	0.7	0.0- 1.5	15	2.4	0.8- 4.0	1	0.1	0.0- 0.3	60	8.9	6.2-11.6
35-44	639	834,241	490	70.2	65.3-75.1	84	19.5	15.0-24.0	10	1.3	0.1- 2.5	11	1.6	0.4- 2.8	1	0.3	0.0- 0.9	43	7.1	4.6- 9.6
45-54	757	837,904	623	76.3	72.0-80.6	78	17.3	13.2-21.4	13	1.1	0.5- 1.7	7	0.6	0.0- 1.2	1	0.0	0.0- 0.0	35	4.7	2.7- 6.7
55-64	858	882,617	708	78.0	73.9-82.1	96	16.9	13.0-20.8	5	0.5	0.1- 0.9	3	0.7	0.0- 1.9				46	4.0	2.6- 5.4
65+	1413	1,190,725	1233	87.0	84.5-89.5	108	8.9	6.7-11.1	9	0.4	0.0- 0.8	1	0.1	0.0- 0.3	3	0.1	0.0- 0.3	59	3.6	2.4- 4.8
Less Than H.S.	363	655,788	281	71.9	65.2-78.6	45	18.6	12.5-24.7	8	1.5	0.1- 2.9	4	1.9	0.0- 3.9	1	0.4	0.0- 1.2	24	5.7	3.0- 8.4
H.S. or G.E.D.	1437	1,722,429	1170	76.0	72.9-79.1	171	16.7	13.8-19.6	14	0.8	0.2- 1.4	8	0.8	0.0- 1.6				74	5.8	4.2- 7.4
Some Post-H.S.	1164	1,535,976	955	77.2	73.9-80.5	111	14.9	11.8-18.0	12	0.5	0.1- 0.9	11	0.6	0.2- 1.0	2	0.2	0.0- 0.4	73	6.6	4.6- 8.6
College Graduate	1572	1,313,857	1300	77.2	74.3-80.1	130	13.8	11.1-16.5	12	0.6	0.2- 1.0	21	1.5	0.7- 2.3	4	0.1	0.0- 0.3	105	6.8	5.2- 8.4
Less than \$15,000	388	471,928	272	58.2	50.8-65.6	82	35.2	27.8-42.6	8	1.2	0.2- 2.2	6	1.0	0.0- 2.2				20	4.4	2.0- 6.8
\$15,000- 24,999	645	721,405	505	74.8	70.1-79.5	86	17.3	13.0-21.6	11	1.4	0.2- 2.6	1	0.3	0.0- 0.9	2	0.3	0.0- 0.7	40	5.9	3.5- 8.3
\$25,000- 34,999	381	442,683	306	70.5	63.2-77.8	51	22.6	15.5-29.7	5	0.5	0.0- 1.1	1	1.1	0.0- 3.3				18	5.2	2.3- 8.1
\$35,000- 49,999	535	636,825	443	77.4	71.9-82.9	57	15.8	10.9-20.7	4	0.6	0.0- 1.2	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	29	6.0	2.9- 9.1
\$50,000- 74,999	593	694,904	499	76.5	71.2-81.8	48	15.8	10.9-20.7	1	0.6	0.0- 1.8	10	1.6	0.0- 3.4				35	5.5	3.3- 7.7
\$75,000+	1181	1,380,987	1019	83.2	80.3-86.1	59	7.9	5.5-10.3	8	0.5	0.1- 0.9	14	1.6	0.6- 2.6	2	0.0	0.0- 0.0	79	6.8	4.8- 8.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	2,520,077	1706	76.8	74.3-79.3	167	14.1	11.7-16.5	27	1.1	0.5- 1.7	26	1.2	0.6- 1.8	1	0.0	0.0- 0.0	143	6.8	5.4- 8.2
18-24	175	300,972	137	73.5	64.9-82.1	13	12.6	5.3-19.9	3	1.1	0.0- 2.5	4	1.6	0.0- 3.6				18	11.2	5.5-16.9
25-34	275	461,796	209	69.9	62.1-77.7	20	16.1	8.8-23.4	4	1.5	0.0- 3.3	8	1.9	0.3- 3.5				34	10.6	6.1-15.1
35-44	288	400,835	225	72.0	64.6-79.4	30	17.1	10.2-24.0	6	1.9	0.0- 4.1	8	3.1	0.7- 5.5				19	5.9	3.0- 8.8
45-54	350	402,891	291	79.0	73.1-84.9	27	12.6	7.3-17.9	8	1.4	0.2- 2.6	3	0.8	0.0- 1.8	1	0.0	0.0- 0.0	20	6.2	2.9- 9.5
55-64	387	423,521	319	75.8	69.5-82.1	44	19.9	13.6-26.2	3	0.7	0.0- 1.5	2	0.2	0.0- 0.6				19	3.3	1.5- 5.1
65+	595	530,062	525	87.2	83.5-90.9	33	7.6	4.5-10.7	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3				33	4.9	2.7- 7.1
Less Than H.S.	168	320,082	127	72.1	62.7-81.5	19	16.5	7.9-25.1	4	2.0	0.0- 4.5	3	2.3	0.0- 4.8				15	7.1	3.0-11.2
H.S. or G.E.D.	664	859,012	553	75.9	71.2-80.6	60	15.3	11.0-19.6	8	1.1	0.1- 2.1	5	0.8	0.0- 1.6				38	6.9	4.2- 9.6
Some Post-H.S.	497	685,606	410	79.5	74.6-84.4	39	12.5	8.0-17.0	6	0.6	0.0- 1.2	6	0.6	0.0- 1.2				36	6.8	4.1- 9.5
College Graduate	722	629,998	599	76.5	71.8-81.2	49	13.6	9.3-17.9	8	1.0	0.2- 1.8	11	2.0	0.6- 3.4	1	0.0	0.0- 0.0	54	6.8	4.6- 9.0
Less than \$15,000	143	178,765	99	55.8	44.2-67.4	28	34.2	22.2-46.2	3	1.4	0.0- 3.2	3	2.0	0.0- 4.7				10	6.6	1.5-11.7
\$15,000- 24,999	254	324,216	194	70.6	63.2-78.0	34	18.7	11.8-25.6	7	2.3	0.0- 4.7	1	0.7	0.0- 2.1				18	7.7	3.6-11.8
\$25,000- 34,999	155	183,675	128	68.1	56.5-79.7	14	21.7	10.1-33.3	2	0.6	0.0- 1.6							11	9.6	3.3-15.9
\$35,000- 49,999	249	332,264	208	76.3	68.3-84.3	22	15.0	7.9-22.1	2	0.8	0.0- 2.0							17	8.0	2.9-13.1
\$50,000- 74,999	287	357,388	239	75.6	68.0-83.2	18	14.8	7.7-21.9	1	1.2	0.0- 3.6	5	0.7	0.1- 1.3				24	7.6	3.9-11.3
\$75,000+	613	724,243	529	85.6	81.9-89.3	27	6.3	3.4- 9.2	7	0.8	0.0- 1.6	13	2.7	1.1- 4.3	1	0.0	0.0- 0.0	36	4.4	2.6- 6.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2511	2,759,783	2038	75.7	73.3-78.1	295	17.1	14.9-19.3	20	0.5	0.3- 0.7	19	0.9	0.3- 1.5	6	0.2	0.0- 0.4	133	5.6	4.4- 6.8
18-24	158	306,181	113	66.3	56.1-76.5	22	19.7	10.9-28.5	3	0.7	0.0- 1.5	4	1.3	0.0- 2.9	1	0.5	0.0- 1.5	15	11.5	4.8-18.2
25-34	306	465,424	231	70.3	63.4-77.2	41	19.5	13.0-26.0	7	2.9	0.0- 5.8	1	0.2	0.0- 0.6	26	7.2	3.9-10.5			
35-44	351	433,406	265	68.6	62.1-75.1	54	21.8	15.7-27.9	4	0.7	0.0- 1.5	3	0.2	0.0- 0.4	1	0.6	0.0- 1.8	24	8.1	4.2-12.0
45-54	407	435,014	332	73.9	67.6-80.2	51	21.8	15.7-27.9	5	0.7	0.0- 1.5	4	0.4	0.0- 0.8				15	3.2	1.0- 5.4
55-64	471	459,096	389	79.9	74.6-85.2	52	14.2	9.5-18.9	2	0.2	0.0- 0.6	1	1.1	0.0- 3.3				27	4.6	2.4- 6.8
65+	818	660,662	708	86.8	83.5-90.1	75	10.0	6.9-13.1	6	0.6	0.0- 1.2				3	0.2	0.0- 0.6	26	2.5	1.3- 3.7
Less Than H.S.	195	335,705	154	71.6	62.2-81.0	26	20.6	12.0-29.2	4	1.1	0.0- 2.5	1	1.5	0.0- 4.4	1	0.8	0.0- 2.4	9	4.4	1.1- 7.7
H.S. or G.E.D.	773	863,416	617	76.0	71.7-80.3	111	18.0	14.1-21.9	6	0.5	0.1- 0.9	3	0.8	0.0- 2.2				36	4.6	2.6- 6.6
Some Post-H.S.	667	850,370	545	75.4	70.7-80.1	72	16.9	12.6-21.2	6	0.4	0.0- 0.8	5	0.6	0.0- 1.2	2	0.3	0.0- 0.7	37	6.4	3.7- 9.1
College Graduate	850	683,860	701	77.9	74.0-81.8	81	13.9	10.4-17.4	4	0.1	0.0- 0.3	10	1.1	0.1- 2.1	3	0.2	0.0- 0.4	51	6.8	4.4- 9.2
Less than \$15,000	245	293,163	173	59.6	50.2-69.0	54	35.8	26.4-45.2	5	1.1	0.0- 2.3	3	0.5	0.0- 1.1				10	3.0	0.6- 5.4
\$15,000- 24,999	391	397,190	311	78.3	72.2-84.4	52	16.2	10.5-21.9	4	0.6	0.0- 1.2				2	0.5	0.0- 1.3	22	4.4	2.0- 6.8
\$25,000- 34,999	226	259,008	178	72.3	63.3-81.3	37	23.2	14.6-31.8	3	0.5	0.0- 1.3	1	1.9	0.0- 5.6				7	2.1	0.0- 4.3
\$35,000- 49,999	286	304,560	235	78.6	71.5-85.7	35	16.8	10.1-23.5	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	12	3.8	0.7- 6.9
\$50,000- 74,999	306	337,516	260	77.4	70.1-84.7	30	16.8	10.1-23.5				5	2.5	0.0- 6.0				11	3.3	1.1- 5.5
\$75,000+	568	656,743	490	80.5	75.8-85.2	32	9.5	6.0-13.0	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	1	0.0	0.0- 0.0	43	9.5	6.0-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	74	65,867	40	51.4	38.5-64.3	12	15.7	5.3-26.1	7	15.8	6.6-25.0	2	2.3	0.0- 5.6	1	2.1	0.0- 6.2	12	12.6	5.9-19.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4624	5,350,486	2398	51.6	49.6-53.6	664	11.6	10.4-12.8	503	7.7	6.7- 8.7	113	2.6	2.0- 3.2	799	22.6	20.8-24.4	147	3.9	3.1- 4.7
Male	2096	2,578,021	1152	53.2	50.3-56.1	282	11.6	9.8-13.4	126	4.3	3.3- 5.3	43	2.0	1.0- 3.0	425	25.2	22.5-27.9	68	3.7	2.5- 4.9
Female	2528	2,772,465	1246	50.1	47.4-52.8	382	11.5	9.9-13.1	377	10.9	9.3-12.5	70	3.2	2.2- 4.2	374	20.2	17.8-22.6	79	4.1	2.9- 5.3
White/Non-Hisp	3745	3,956,215	2083	58.1	55.9-60.3	532	11.7	10.5-12.9	418	8.0	7.0- 9.0	74	1.8	1.2- 2.4	518	16.7	14.9-18.5	120	3.7	2.9- 4.5
Black or Afr. Am./Non-Hisp	463	830,260	140	27.2	21.9-32.5	71	12.7	9.0-16.4	47	6.0	3.5- 8.5	21	5.4	2.7- 8.1	173	45.3	39.2-51.4	11	3.4	1.0- 5.8
Oth. Race/Non-Hisp.	130	126,090	61	48.1	36.1-60.1	17	8.3	3.6-13.0	12	8.0	2.5-13.5	5	3.3	0.0- 6.8	30	26.5	16.5-36.5	5	5.9	0.4-11.4
MultiRacial/Non-Hisp.	75	64,641	29	36.6	23.1-50.1	11	9.4	2.9-15.9	5	9.5	0.9-18.1	3	2.8	0.0- 6.3	25	39.6	25.7-53.5	2	2.2	0.0- 5.3
Hispanic	136	269,086	49	38.6	27.0-50.2	19	8.4	3.9-12.9	7	2.8	0.0- 6.1	6	3.3	0.0- 6.6	46	37.1	25.9-48.3	9	9.7	1.7-17.7
18-24	337	625,453	43	11.4	7.5-15.3				1	0.4	0.0- 1.2	3	0.5	0.0- 1.1	257	77.3	71.4-83.2	33	10.4	5.7-15.1
25-34	585	935,026	246	43.9	38.6-49.2	52	8.4	5.7-11.1	3	0.4	0.0- 1.0	16	3.6	1.4- 5.8	214	35.1	30.0-40.2	54	8.6	5.9-11.3
35-44	648	849,216	372	57.0	52.1-61.9	102	13.2	10.1-16.3	9	2.1	0.1- 4.1	36	5.3	3.1- 7.5	104	19.0	14.9-23.1	25	3.3	1.7- 4.9
45-54	766	849,197	479	64.8	60.5-69.1	143	14.8	11.7-17.9	25	2.6	1.2- 4.0	22	2.5	1.1- 3.9	85	13.5	10.2-16.8	12	1.8	0.6- 3.0
55-64	864	891,310	503	60.7	56.4-65.0	174	18.2	14.9-21.5	74	8.8	6.1-11.5	20	2.5	0.7- 4.3	84	8.9	6.5-11.3	9	0.9	0.3- 1.5
65+	1424	1,200,284	755	58.6	55.3-61.9	193	11.8	9.6-14.0	391	24.1	21.2-27.0	16	1.1	0.3- 1.9	55	3.4	2.2- 4.6	14	1.1	0.3- 1.9
Less Than H.S.	370	677,579	135	39.2	32.1-46.3	67	12.3	8.6-16.0	80	17.1	12.2-22.0	16	4.0	1.3- 6.7	62	24.0	16.7-31.3	10	3.4	0.3- 6.5
H.S. or G.E.D.	1444	1,727,452	648	46.5	43.2-49.8	207	11.1	9.1-13.1	190	8.0	6.6- 9.4	41	3.1	1.9- 4.3	311	27.7	24.6-30.8	47	3.7	2.3- 5.1
Some Post-H.S.	1180	1,566,390	610	52.5	48.8-56.2	169	12.1	9.7-14.5	139	7.5	5.9- 9.1	36	2.8	1.6- 4.0	187	21.1	17.8-24.4	39	4.0	2.4- 5.6
College Graduate	1582	1,321,486	967	61.9	58.8-65.0	220	11.6	9.6-13.6	91	3.2	2.2- 4.2	20	1.2	0.6- 1.8	233	17.6	15.1-20.1	51	4.5	2.9- 6.1
Less than \$15,000	398	483,724	66	18.7	12.8-24.6	98	14.6	10.9-18.3	76	16.5	11.4-21.6	38	11.0	6.5-15.5	110	37.4	29.8-45.0	10	1.9	0.5- 3.3
\$15,000- 24,999	651	736,424	197	31.4	26.5-36.3	143	18.3	14.4-22.2	118	13.0	9.9-16.1	23	3.3	1.3- 5.3	150	29.5	24.0-35.0	20	4.5	1.6- 7.4
\$25,000- 34,999	384	449,366	167	45.2	38.1-52.3	58	12.1	7.8-16.4	62	10.0	6.7-13.3	6	1.1	0.0- 2.5	76	28.8	21.9-35.7	15	2.8	0.8- 4.8
\$35,000- 49,999	538	640,982	265	47.8	42.1-53.5	94	15.5	11.6-19.4	51	5.2	3.4- 7.0	9	2.8	0.4- 5.2	101	23.3	18.2-28.4	18	5.4	2.5- 8.3
\$50,000- 74,999	598	702,423	365	59.6	54.1-65.1	83	11.8	8.5-15.1	28	4.2	1.8- 6.6	9	1.1	0.3- 1.9	86	17.2	12.9-21.5	27	6.1	3.2- 9.0
\$75,000+	1189	1,391,256	906	74.7	71.4-78.0	82	6.3	4.7- 7.9	34	2.2	1.2- 3.2	11	0.9	0.3- 1.5	116	12.1	9.4-14.8	40	3.8	2.4- 5.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2096	2,578,021	1152	53.2	50.3-56.1	282	11.6	9.8-13.4	126	4.3	3.3- 5.3	43	2.0	1.0- 3.0	425	25.2	22.5-27.9	68	3.7	2.5- 4.9
White/Non-Hisp	1711	1,905,704	992	58.9	55.8-62.0	229	11.7	9.7-13.7	109	4.7	3.5- 5.9	26	1.0	0.4- 1.6	298	19.5	17.0-22.0	57	4.1	2.7- 5.5
Black or Afr. Am./Non-Hisp	165	344,004	57	30.4	21.6-39.2	28	15.3	8.6-22.0	8	2.2	0.4- 4.0	8	4.2	0.1- 8.3	60	46.1	36.1-56.1	4	1.9	0.0- 4.1
Oth. Race/Non-Hisp.	72	70,849	37	42.7	28.6-56.8	8	9.3	2.4-16.2	2	4.6	0.0-11.7	2	2.2	0.0- 5.3	19	33.2	19.3-47.1	4	8.1	0.0-16.7
Hispanic	71	163,693	29	44.5	28.8-60.2	7	5.9	0.8-11.0	3	3.3	0.0- 8.4	3	4.2	0.0- 9.3	26	39.1	23.6-54.6	3	3.0	0.0- 7.1
18-24	179	320,724	20	9.0	4.7-13.3				1	0.8	0.0- 2.4	2	0.6	0.0- 1.6	142	80.0	72.7-87.3	14	9.5	3.6-15.4
25-34	277	467,348	112	42.2	34.2-50.2	20	6.5	3.0-10.0	1	0.2	0.0- 0.6	6	3.1	0.0- 6.2	114	40.5	32.7-48.3	24	7.5	4.0-11.0
35-44	296	415,706	164	57.4	50.0-64.8	51	15.1	10.2-20.0	2	1.1	0.0- 3.1	11	3.3	0.9- 5.7	54	19.5	13.4-25.6	14	3.6	1.4- 5.8
45-54	355	412,268	239	69.4	63.3-75.5	60	15.5	10.6-20.4	8	1.6	0.2- 3.0	5	0.6	0.0- 1.2	38	12.1	7.6-16.6	5	0.9	0.0- 1.9
55-64	388	425,410	237	60.8	54.5-67.1	75	20.1	14.8-25.4	18	5.2	3.2- 7.2	9	2.4	0.0- 5.3	46	10.6	6.9-14.3	3	0.9	0.0- 2.1
65+	601	536,564	380	67.6	62.7-72.5	76	10.6	7.5-13.7	96	13.8	10.3-17.3	10	1.7	0.1- 3.3	31	5.0	2.6- 7.4	8	1.3	0.1- 2.5
Less Than H.S.	173	340,669	70	42.1	32.3-51.9	32	14.1	8.0-20.2	27	12.5	7.4-17.6	5	4.2	0.0- 8.7	35	25.0	15.4-34.6	4	2.1	0.0- 4.6
H.S. or G.E.D.	668	866,090	307	46.1	41.2-51.0	106	13.0	9.9-16.1	39	3.9	2.3- 5.5	16	1.9	0.7- 3.1	176	31.5	26.6-36.4	24	3.7	1.7- 5.7
Some Post-H.S.	509	710,157	273	55.2	49.5-60.9	65	11.0	7.7-14.3	34	3.1	1.9- 4.3	15	2.4	0.4- 4.4	104	23.9	18.8-29.0	18	4.5	2.1- 6.9
College Graduate	724	629,957	484	65.0	60.3-69.7	79	9.7	7.2-12.2	25	1.8	0.8- 2.8	7	0.6	0.0- 1.2	107	19.0	14.7-23.3	22	3.8	1.8- 5.8
Less than \$15,000	146	184,545	30	21.6	12.6-30.6	33	14.6	8.7-20.5	18	12.4	6.5-18.3	9	7.3	0.0-14.7	50	41.2	30.0-52.4	6	2.9	0.4- 5.4
\$15,000- 24,999	257	336,088	95	34.7	27.1-42.3	54	20.9	14.2-27.6	30	7.5	4.2-10.8	7	2.3	0.0- 4.8	66	32.5	24.1-40.9	5	2.1	0.1- 4.1
\$25,000- 34,999	158	191,077	73	41.7	31.1-52.3	20	10.5	4.4-16.6	20	7.4	3.5-11.3	3	1.9	0.0- 5.0	35	34.2	23.2-45.2	7	4.3	0.4- 8.2
\$35,000- 49,999	249	334,763	130	51.0	42.8-59.2	44	13.1	8.2-18.0	11	2.1	0.5- 3.7	5	3.7	0.0- 7.6	49	24.4	16.8-32.0	10	5.7	1.6- 9.8
\$50,000- 74,999	290	362,091	171	58.2	50.4-66.0	39	12.8	7.5-18.1	8	3.0	0.1- 5.9	5	1.0	0.0- 2.0	53	19.3	13.2-25.4	14	5.7	1.4-10.0
\$75,000+	620	735,961	468	74.1	69.6-78.6	43	6.3	4.1- 8.5	13	1.6	0.4- 2.8	5	0.6	0.0- 1.2	72	14.2	10.3-18.1	19	3.2	1.6- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2528	2,772,465	1246	50.1	47.4-52.8	382	11.5	9.9-13.1	377	10.9	9.3-12.5	70	3.2	2.2- 4.2	374	20.2	17.8-22.6	79	4.1	2.9- 5.3
White/Non-Hisp	2034	2,050,511	1091	57.4	54.5-60.3	303	11.7	9.9-13.5	309	11.1	9.5-12.7	48	2.5	1.7- 3.3	220	14.0	11.5-16.5	63	3.3	2.3- 4.3
Black or Afr. Am./Non-Hisp	298	486,256	83	24.9	18.4-31.4	43	10.9	6.6-15.2	39	8.7	4.4-13.0	13	6.3	2.4-10.2	113	44.7	37.1-52.3	7	4.6	1.1- 8.1
Oth. Race/Non-Hisp.	58	55,241	24	55.0	36.4-73.6	9	7.0	1.3-12.7	10	12.5	3.3-21.7	3	4.7	0.0-11.8	11	17.8	5.3-30.3	1	3.0	0.0- 8.9
Hispanic	65	105,393	20	29.4	13.3-45.5	12	12.4	4.2-20.6	4	2.2	0.0- 5.1	3	1.9	0.0- 4.3	20	34.1	18.8-49.4	6	20.1	2.7-37.5
18-24	158	304,729	23	14.0	7.3-20.7							1	0.3	0.0- 0.9	115	74.5	65.3-83.7	19	11.3	4.0-18.6
25-34	308	467,678	134	45.6	38.5-52.7	32	10.2	6.1-14.3	2	0.7	0.0- 1.7	10	4.2	1.1- 7.3	100	29.7	23.4-36.0	30	9.6	5.5-13.7
35-44	352	433,510	208	56.6	49.9-63.3	51	11.4	7.5-15.3	7	3.1	0.0- 6.2	25	7.3	3.8-10.8	50	18.6	13.1-24.1	11	3.0	0.6- 5.4
45-54	411	436,928	240	60.5	54.2-66.8	83	14.0	10.3-17.7	17	3.6	1.4- 5.8	17	4.3	1.9- 6.7	47	14.8	9.7-19.9	7	2.7	0.5- 4.9
55-64	476	465,900	266	60.6	54.9-66.3	99	16.4	12.5-20.3	56	12.1	8.0-16.2	11	2.7	0.7- 4.7	38	7.4	4.5-10.3	6	0.8	0.0- 1.6
65+	823	663,720	375	51.3	46.6-56.0	117	12.8	9.7-15.9	295	32.3	28.0-36.6	6	0.6	0.0- 1.2	24	2.1	0.9- 3.3	6	0.9	0.1- 1.7
Less Than H.S.	197	336,909	65	36.3	26.3-46.3	35	10.5	6.2-14.8	53	21.7	14.3-29.1	11	3.8	0.9- 6.7	27	23.1	11.9-34.3	6	4.6	0.0-10.3
H.S. or G.E.D.	776	861,362	341	46.8	42.1-51.5	101	9.3	6.9-11.7	151	12.0	9.6-14.4	25	4.2	2.0- 6.4	135	23.9	19.8-28.0	23	3.7	1.7- 5.7
Some Post-H.S.	671	856,233	337	50.3	45.4-55.2	104	13.1	10.0-16.2	105	11.1	8.4-13.8	21	3.1	1.5- 4.7	83	18.8	14.5-23.1	21	3.6	1.6- 5.6
College Graduate	858	691,529	483	59.1	54.8-63.4	141	13.4	10.7-16.1	66	4.5	2.9- 6.1	13	1.7	0.5- 2.9	126	16.3	13.0-19.6	29	5.1	2.9- 7.3
Less than \$15,000	252	299,180	36	16.9	9.3-24.5	65	14.5	9.8-19.2	58	19.0	12.5-25.5	29	13.3	7.4-19.2	60	35.1	24.7-45.5	4	1.2	0.0- 2.6
\$15,000- 24,999	394	400,335	102	28.6	21.9-35.3	89	16.2	11.9-20.5	88	17.7	12.6-22.8	16	4.1	1.4- 6.8	84	26.9	19.8-34.0	15	6.6	1.5-11.7
\$25,000- 34,999	226	258,289	94	47.7	38.5-56.9	38	13.3	7.4-19.2	42	11.9	7.0-16.8	3	0.5	0.0- 1.3	41	24.8	16.2-33.4	8	1.7	0.1- 3.3
\$35,000- 49,999	289	306,219	135	44.3	36.7-51.9	50	18.1	12.0-24.2	40	8.4	5.1-11.7	4	1.9	0.0- 4.1	52	22.2	15.3-29.1	8	5.1	1.0- 9.2
\$50,000- 74,999	308	340,332	194	61.1	53.8-68.4	44	10.7	6.8-14.6	20	5.5	1.6- 9.4	4	1.2	0.0- 2.6	33	14.9	9.0-20.8	13	6.5	2.4-10.6
\$75,000+	569	655,296	438	75.4	70.7-80.1	39	6.2	3.8- 8.6	21	2.9	1.1- 4.7	6	1.2	0.0- 2.4	44	9.8	6.3-13.3	21	4.5	2.3- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4606	5,322,780	4	0.1	0.0- 0.3	99	3.2	2.4- 4.0	267	9.4	7.8-11.0	1452	32.7	30.9-34.5	1190	29.6	27.8-31.4	1594	25.0	23.4-26.6
Male	2084	2,556,100	3	0.2	0.0- 0.6	52	4.1	2.7- 5.5	118	9.0	6.8-11.2	669	33.9	31.2-36.6	511	27.9	25.2-30.6	731	24.9	22.7-27.1
Female	2522	2,766,680	1	0.0	0.0- 0.0	47	2.4	1.4- 3.4	149	9.8	7.6-12.0	783	31.5	29.0-34.0	679	31.2	28.7-33.7	863	25.1	23.1-27.1
White/Non-Hisp	3729	3,937,784	3	0.1	0.1- 0.1	76	2.9	2.1- 3.7	191	7.9	6.3- 9.5	1167	32.7	30.7-34.7	959	30.2	28.2-32.2	1333	26.2	24.6-27.8
Black or Afr. Am./Non-Hisp	460	825,322				4	1.4	0.0- 3.0	40	12.6	7.9-17.3	170	34.6	28.9-40.3	115	29.8	24.1-35.5	131	21.6	17.1-26.1
Oth. Race/Non-Hisp.	128	125,103				6	9.1	0.1-18.1	14	13.9	5.7-22.1	28	25.5	14.1-36.9	33	22.1	13.5-30.7	47	29.4	19.4-39.4
MultiRacial/Non-Hisp.	75	64,641				5	11.6	1.0-22.2	2	2.3	0.0- 5.4	21	37.7	23.8-51.6	25	28.5	16.9-40.1	22	19.9	10.3-29.5
Hispanic	134	263,943	1	1.4	0.0- 4.1	6	7.1	1.2-13.0	12	17.8	6.4-29.2	49	34.3	23.5-45.1	31	20.9	11.3-30.5	35	18.6	10.8-26.4
18-24	338	627,050				4	1.6	0.0- 3.2	17	12.5	5.1-19.9	135	37.4	30.7-44.1	106	34.4	27.7-41.1	76	14.1	10.2-18.0
25-34	583	928,397				3	1.4	0.0- 3.2	13	5.1	1.6- 8.6	187	35.1	30.0-40.2	144	28.2	23.3-33.1	236	30.2	25.7-34.7
35-44	644	843,520	1	0.4	0.0- 1.2	6	2.5	0.3- 4.7	40	9.7	6.2-13.2	185	28.5	24.0-33.0	152	27.7	23.0-32.4	260	31.2	26.9-35.5
45-54	765	842,161				20	3.2	1.4- 5.0	42	8.2	5.1-11.3	222	32.9	28.4-37.4	178	27.1	22.8-31.4	303	28.7	25.0-32.4
55-64	859	887,281	2	0.3	0.0- 0.7	18	4.8	2.1- 7.5	54	8.3	5.6-11.0	271	31.2	27.3-35.1	224	30.3	26.2-34.4	290	25.0	21.7-28.3
65+	1417	1,194,372	1	0.1	0.0- 0.3	48	4.8	3.2- 6.4	101	12.6	9.7-15.5	452	32.1	29.0-35.2	386	30.7	27.6-33.8	429	19.8	17.4-22.2
Less than \$15,000	395	481,648	1	0.7	0.0- 2.1	32	8.1	4.4-11.8	74	27.9	19.9-35.9	164	38.5	31.6-45.4	78	18.1	13.0-23.2	46	6.7	3.6- 9.8
\$15,000- 24,999	649	735,361	1	0.1	0.0- 0.3	27	6.4	3.7- 9.1	72	19.9	14.0-25.8	277	38.6	33.5-43.7	171	25.9	21.4-30.4	101	9.2	6.8-11.6
\$25,000- 34,999	385	448,514				7	4.9	0.8- 9.0	19	7.0	3.3-10.7	156	39.6	32.7-46.5	132	37.0	30.1-43.9	71	11.6	7.9-15.3
\$35,000- 49,999	537	640,359	1	0.1	0.0- 0.3	5	1.8	0.0- 3.6	21	5.9	3.0- 8.8	190	40.8	35.1-46.5	156	32.1	26.6-37.6	164	19.3	15.4-23.2
\$50,000- 74,999	591	694,156	1	0.2	0.0- 0.6	3	0.9	0.0- 2.3	10	3.4	0.9- 5.9	153	30.3	25.0-35.6	165	33.7	28.4-39.0	259	31.4	26.9-35.9
\$75,000+	1170	1,365,619				1	0.2	0.0- 0.6	9	1.7	0.1- 3.3	185	19.0	16.1-21.9	259	30.4	26.7-34.1	716	48.7	45.0-52.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2084	2,556,100	3	0.2	0.0- 0.6	52	4.1	2.7- 5.5	118	9.0	6.8-11.2	669	33.9	31.2-36.6	511	27.9	25.2-30.6	731	24.9	22.7-27.1
White/Non-Hisp	1703	1,891,490	2	0.1	0.0- 0.3	35	3.4	2.0- 4.8	86	8.2	6.0-10.4	550	33.8	30.9-36.7	411	28.6	25.7-31.5	619	26.0	23.6-28.4
Black or Afr. Am./Non-Hisp	166	346,128				3	3.2	0.0- 7.1	16	11.3	4.0-18.6	58	36.4	26.8-46.0	40	25.1	16.5-33.7	49	24.0	16.2-31.8
Oth. Race/Non-Hisp.	70	69,863				4	8.8	0.0-18.2	7	9.9	2.3-17.5	16	27.5	13.8-41.2	18	18.7	8.1-29.3	25	35.1	21.4-48.8
Hispanic	69	158,550	1	2.3	0.0- 6.6	4	9.3	0.5-18.1	6	13.5	0.4-26.6	27	37.8	22.5-53.1	15	22.2	8.5-35.9	16	15.0	5.0-25.0
18-24	180	321,199				4	3.1	0.0- 6.2	6	7.1	0.0-14.2	77	41.0	31.8-50.2	58	34.8	25.8-43.8	35	13.9	8.6-19.2
25-34	276	464,347				2	2.4	0.0- 5.9	10	7.7	1.8-13.6	93	34.9	27.3-42.5	68	27.4	20.1-34.7	103	27.6	21.1-34.1
35-44	295	415,995	1	0.9	0.0- 2.7	5	4.4	0.5- 8.3	16	10.2	4.7-15.7	85	29.2	22.3-36.1	63	25.1	18.4-31.8	125	30.3	24.0-36.6
45-54	353	403,413				13	4.6	1.7- 7.5	19	6.7	3.0-10.4	118	37.2	30.5-43.9	75	26.5	20.2-32.8	128	25.1	20.0-30.2
55-64	386	424,113	1	0.4	0.0- 1.2	8	4.0	1.5- 6.5	25	8.8	4.7-12.9	132	34.2	28.1-40.3	93	28.4	22.1-34.7	127	24.2	19.3-29.1
65+	594	527,035	1	0.1	0.0- 0.3	20	5.5	2.8- 8.2	42	12.5	8.0-17.0	164	29.7	24.8-34.6	154	26.8	22.3-31.3	213	25.4	21.3-29.5
Less than \$15,000	145	184,251	1	2.0	0.0- 5.7	14	9.5	5.8-13.2	28	25.5	14.7-36.3	53	35.3	24.7-45.9	27	15.9	9.2-22.6	22	11.9	4.8-19.0
\$15,000- 24,999	257	336,088	1	0.2	0.0- 0.6	18	11.7	6.0-17.4	33	18.5	10.9-26.1	114	39.0	31.2-46.8	53	21.7	15.0-28.4	38	8.8	5.3-12.3
\$25,000- 34,999	157	187,787				4	5.1	0.0-10.6	10	8.9	3.0-14.8	67	44.7	33.7-55.7	50	28.2	18.8-37.6	26	13.0	6.5-19.5
\$35,000- 49,999	250	336,887				4	2.6	0.0- 5.7	10	6.8	1.9-11.7	102	46.0	37.6-54.4	59	25.3	18.0-32.6	75	19.3	13.6-25.0
\$50,000- 74,999	287	356,221	1	0.4	0.0- 1.2	3	1.8	0.0- 4.3	7	4.4	0.5- 8.3	83	34.9	26.9-42.9	85	34.1	26.5-41.7	108	24.3	18.6-30.0
\$75,000+	611	723,553				1	0.4	0.0- 1.2	7	3.0	0.0- 6.1	112	21.0	16.7-25.3	134	30.2	24.9-35.5	357	45.4	40.3-50.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2522	2,766,680	1	0.0	0.0- 0.0	47	2.4	1.4- 3.4	149	9.8	7.6-12.0	783	31.5	29.1-33.9	679	31.2	28.7-33.7	863	25.1	23.1-27.1
White/Non-Hisp	2026	2,046,294	1	0.0	0.0- 0.0	41	2.4	1.4- 3.4	105	7.6	5.2-10.0	617	31.7	29.0-34.4	548	31.7	29.0-34.4	714	26.5	24.1-28.9
Black or Afr. Am./Non-Hisp	294	479,194				1	0.0	0.0- 0.0	24	13.6	7.5-19.7	112	33.3	26.0-40.6	75	33.2	25.8-40.6	82	19.9	14.6-25.2
Oth. Race/Non-Hisp.	58	55,241				2	9.5	0.0-25.8	7	19.0	3.3-34.7	12	23.0	3.6-42.4	15	26.3	11.8-40.8	22	22.2	9.5-34.9
Hispanic	65	105,393				2	3.9	0.0- 9.4	6	24.2	4.6-43.8	22	29.1	15.2-43.0	16	18.9	7.3-30.5	19	23.9	11.2-36.6
18-24	158	305,851							11	18.2	5.7-30.7	58	33.5	24.3-42.7	48	34.0	24.0-44.0	41	14.2	8.7-19.7
25-34	307	464,050				1	0.3	0.0- 0.9	3	2.6	0.0- 6.1	94	35.4	28.3-42.5	76	28.9	22.2-35.6	133	32.8	26.7-38.9
35-44	349	427,525				1	0.6	0.0- 1.8	24	9.2	4.7-13.7	100	27.8	21.9-33.7	89	30.3	23.8-36.8	135	32.0	26.1-37.9
45-54	412	438,748				7	1.9	0.1- 3.7	23	9.6	4.7-14.5	104	28.9	22.8-35.0	103	27.6	21.7-33.5	175	32.0	26.5-37.5
55-64	473	463,168	1	0.1	0.0- 0.3	10	5.6	1.5- 9.7	29	8.0	4.5-11.5	139	28.5	23.4-33.6	131	32.1	26.6-37.6	163	25.8	21.3-30.3
65+	823	667,337				28	4.2	2.2- 6.2	59	12.6	8.7-16.5	288	34.0	29.7-38.3	232	33.8	29.3-38.3	216	15.4	12.9-17.9
Less than \$15,000	250	297,396				18	7.2	3.3-11.1	46	29.3	18.3-40.3	111	40.4	31.4-49.4	51	19.4	12.3-26.5	24	3.6	1.4- 5.8
\$15,000- 24,999	392	399,273				9	2.0	0.4- 3.6	39	21.0	12.6-29.4	163	38.2	31.3-45.1	118	29.4	23.3-35.5	63	9.4	6.5-12.3
\$25,000- 34,999	228	260,727				3	4.7	0.0-10.8	9	5.6	0.9-10.3	89	35.9	27.5-44.3	82	43.3	33.9-52.7	45	10.5	6.6-14.4
\$35,000- 49,999	287	303,472	1	0.2	0.0- 0.6	1	0.8	0.0- 2.4	11	4.9	2.0- 7.8	88	35.0	27.4-42.6	97	39.8	32.2-47.4	89	19.2	14.1-24.3
\$50,000- 74,999	304	337,934							3	2.5	0.0- 5.8	70	25.3	18.4-32.2	80	33.3	26.0-40.6	151	38.9	32.0-45.8
\$75,000+	559	642,066							2	0.2	0.0- 0.6	73	16.7	12.6-20.8	125	30.6	25.3-35.9	359	52.4	47.1-57.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4619	5,341,623	3238	69.1	67.3-70.9	1111	24.8	23.0-26.6	270	6.1	5.1- 7.1
Male	2091	2,574,681	1470	69.1	66.4-71.8	492	24.9	22.4-27.4	129	6.1	4.7- 7.5
Female	2528	2,766,942	1768	69.1	66.6-71.6	619	24.7	22.3-27.1	141	6.2	4.8- 7.6
White/Non-Hisp	3740	3,948,113	2808	77.0	75.2-78.8	732	17.2	15.6-18.8	200	5.8	4.8- 6.8
Black or Afr. Am./Non-Hisp	463	830,233	213	42.0	36.1-47.9	219	51.0	44.9-57.1	31	7.0	3.9-10.1
Oth. Race/Non-Hisp.	128	124,837	62	58.2	47.0-69.4	50	32.0	22.0-42.0	16	9.8	4.1-15.5
MultiRacial/Non-Hisp.	75	64,641	39	49.4	35.5-63.3	28	39.5	26.0-53.0	8	11.2	2.4-20.0
Hispanic	135	268,030	57	43.1	31.5-54.7	67	49.8	38.0-61.6	11	7.1	1.6-12.6
18-24	335	619,228	70	25.0	18.1-31.9	171	49.7	42.4-57.0	94	25.3	19.4-31.2
25-34	582	932,614	254	47.2	41.9-52.5	284	46.8	41.5-52.1	44	6.0	3.8- 8.2
35-44	644	848,335	420	69.7	65.2-74.2	197	26.8	22.5-31.1	27	3.5	1.5- 5.5
45-54	772	852,177	579	80.3	76.8-83.8	155	16.4	13.1-19.7	38	3.3	1.9- 4.7
55-64	863	889,885	679	83.0	79.9-86.1	153	13.1	10.4-15.8	31	3.9	2.1- 5.7
65+	1423	1,199,385	1236	90.2	88.2-92.2	151	7.9	6.1- 9.7	36	1.9	0.9- 2.9
Less Than H.S.	369	670,334	191	55.7	48.4-63.0	141	35.3	28.2-42.4	37	9.0	5.3-12.7
H.S. or G.E.D.	1439	1,725,313	911	64.0	60.7-67.3	412	27.2	24.1-30.3	116	8.8	6.8-10.8
Some Post-H.S.	1176	1,555,289	830	69.3	65.8-72.8	278	24.7	21.4-28.0	68	6.0	4.0- 8.0
College Graduate	1585	1,325,753	1265	81.1	78.7-83.5	272	17.2	14.8-19.6	48	1.7	1.1- 2.3
Less than \$15,000	398	483,724	153	39.5	32.1-46.9	195	48.2	40.8-55.6	50	12.2	7.7-16.7
\$15,000- 24,999	647	725,576	352	53.7	48.2-59.2	251	39.8	34.3-45.3	44	6.5	4.1- 8.9
\$25,000- 34,999	386	451,804	254	62.0	54.9-69.1	114	33.2	26.3-40.1	18	4.8	2.1- 7.5
\$35,000- 49,999	540	643,841	376	65.4	59.7-71.1	144	31.0	25.5-36.5	20	3.5	1.1- 5.9
\$50,000- 74,999	597	701,291	470	80.8	76.7-84.9	112	16.8	13.1-20.5	15	2.4	0.6- 4.2
\$75,000+	1191	1,395,341	1028	85.4	82.7-88.1	120	10.6	8.2-13.0	43	4.0	2.4- 5.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2091	2,574,681	1470	69.1	66.4-71.8	492	24.9	22.4-27.4	129	6.1	4.7- 7.5
White/Non-Hisp	1708	1,903,543	1274	76.3	73.8-78.8	335	17.7	15.3-20.1	99	6.0	4.4- 7.6
Black or Afr. Am./Non-Hisp	165	343,977	77	44.2	34.4-54.0	79	50.5	40.5-60.5	9	5.4	1.1- 9.7
Oth. Race/Non-Hisp.	70	69,597	38	61.7	48.2-75.2	26	32.3	19.4-45.2	6	5.9	0.4-11.4
Hispanic	70	162,637	31	44.9	29.0-60.8	33	47.1	31.4-62.8	6	7.9	0.0-16.3
18-24	176	312,151	37	22.1	14.5-29.7	88	52.4	43.0-61.8	51	25.5	17.5-33.5
25-34	275	465,459	122	50.7	42.7-58.7	132	45.0	37.2-52.8	21	4.3	2.1- 6.5
35-44	296	419,468	196	70.1	63.4-76.8	90	26.7	20.2-33.2	10	3.2	0.5- 5.9
45-54	358	419,414	277	82.0	77.3-86.7	58	12.8	8.9-16.7	23	5.2	2.5- 7.9
55-64	387	423,259	307	83.0	78.1-87.9	68	14.3	9.6-19.0	12	2.7	0.5- 4.9
65+	599	534,931	531	90.4	87.3-93.5	56	7.6	4.9-10.3	12	2.0	0.4- 3.6
Less Than H.S.	173	340,669	97	55.5	45.5-65.5	59	35.7	25.9-45.5	17	8.8	3.7-13.9
H.S. or G.E.D.	664	861,451	420	64.6	59.9-69.3	183	27.1	22.6-31.6	61	8.3	5.8-10.8
Some Post-H.S.	505	700,574	354	70.4	65.1-75.7	118	23.0	18.1-27.9	33	6.6	3.7- 9.5
College Graduate	726	634,218	580	79.3	75.6-83.0	128	19.2	15.5-22.9	18	1.5	0.7- 2.3
Less than \$15,000	146	184,545	60	40.7	30.3-51.1	69	48.7	37.7-59.7	17	10.6	3.9-17.3
\$15,000- 24,999	256	334,992	142	49.7	41.5-57.9	95	42.8	34.4-51.2	19	7.5	3.4-11.6
\$25,000- 34,999	158	191,077	100	57.8	46.8-68.8	46	33.8	23.0-44.6	12	8.4	2.9-13.9
\$35,000- 49,999	250	336,887	173	64.9	56.7-73.1	65	30.6	22.6-38.6	12	4.5	0.4- 8.6
\$50,000- 74,999	290	362,091	218	79.3	73.4-85.2	60	18.1	12.4-23.8	12	2.6	0.8- 4.4
\$75,000+	620	736,711	526	85.8	82.3-89.3	71	10.4	7.5-13.3	23	3.8	1.6- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2528	2,766,942	1768	69.1	66.6-71.6	619	24.7	22.3-27.1	141	6.2	4.8- 7.6
White/Non-Hisp	2032	2,044,570	1534	77.6	75.2-80.0	397	16.8	14.8-18.8	101	5.7	4.3- 7.1
Black or Afr. Am./Non-Hisp	298	486,256	136	40.5	33.1-47.9	140	51.4	43.8-59.0	22	8.1	3.8-12.4
Oth. Race/Non-Hisp.	58	55,241	24	53.6	34.8-72.4	24	31.6	16.1-47.1	10	14.8	3.6-26.0
Hispanic	65	105,393	26	40.3	24.0-56.6	34	54.0	37.1-70.9	5	5.7	0.4-11.0
18-24	159	307,077	33	27.9	16.5-39.3	83	47.0	36.0-58.0	43	25.1	16.7-33.5
25-34	307	467,155	132	43.7	36.6-50.8	152	48.5	41.4-55.6	23	7.8	4.1-11.5
35-44	348	428,867	224	69.3	63.2-75.4	107	26.9	21.0-32.8	17	3.8	1.3- 6.3
45-54	414	432,763	302	78.6	73.5-83.7	97	19.9	14.8-25.0	15	1.5	0.7- 2.3
55-64	476	466,626	372	83.0	78.9-87.1	85	12.1	8.8-15.4	19	4.9	2.4- 7.4
65+	824	664,454	705	90.0	87.6-92.4	95	8.1	5.9-10.3	24	1.9	0.7- 3.1
Less Than H.S.	196	329,664	94	56.0	45.6-66.4	82	34.8	25.0-44.6	20	9.2	3.9-14.5
H.S. or G.E.D.	775	863,862	491	63.5	59.0-68.0	229	27.2	23.1-31.3	55	9.3	6.6-12.0
Some Post-H.S.	671	854,715	476	68.3	63.6-73.0	160	26.2	21.7-30.7	35	5.5	3.1- 7.9
College Graduate	859	691,534	685	82.8	79.7-85.9	144	15.3	12.4-18.2	30	1.9	0.9- 2.9
Less than \$15,000	252	299,180	93	38.8	29.0-48.6	126	48.0	38.4-57.6	33	13.2	7.3-19.1
\$15,000- 24,999	391	390,584	210	57.1	49.8-64.4	156	37.2	30.1-44.3	25	5.7	2.8- 8.6
\$25,000- 34,999	228	260,727	154	65.0	56.0-74.0	68	32.8	24.0-41.6	6	2.2	0.0- 4.4
\$35,000- 49,999	290	306,954	203	66.0	58.6-73.4	79	31.5	24.1-38.9	8	2.4	0.2- 4.6
\$50,000- 74,999	307	339,200	252	82.4	76.5-88.3	52	15.4	10.3-20.5	3	2.2	0.0- 5.5
\$75,000+	571	658,630	502	85.0	80.7-89.3	49	10.7	7.0-14.4	20	4.3	1.9- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4251	4,804,513	3924	91.8	90.6-93.0	229	6.0	5.0- 7.0	98	2.2	1.6- 2.8
Male	1903	2,305,457	1741	90.0	88.0-92.0	119	7.6	5.6- 9.6	43	2.4	1.4- 3.4
Female	2348	2,499,056	2183	93.5	92.3-94.7	110	4.5	3.5- 5.5	55	2.1	1.5- 2.7
White/Non-Hisp	3471	3,637,060	3226	92.2	90.8-93.6	168	5.5	4.3- 6.7	77	2.3	1.7- 2.9
Black or Afr. Am./Non-Hisp	418	691,184	381	90.3	86.2-94.4	29	8.2	4.3-12.1	8	1.6	0.4- 2.8
Oth. Race/Non-Hisp.	104	97,522	95	91.4	85.1-97.7	8	7.7	1.6-13.8	1	0.9	0.0- 2.7
MultiRacial/Non-Hisp.	68	59,554	66	99.2	98.0- 100	2	0.8	0.0- 2.0			
Hispanic	106	201,371	94	92.5	86.8-98.2	7	5.5	0.4-10.6	5	2.0	0.0- 4.2
18-24	279	476,639	247	90.9	87.2-94.6	18	5.4	2.7- 8.1	14	3.7	1.2- 6.2
25-34	490	765,209	449	89.9	85.8-94.0	28	7.3	3.6-11.0	13	2.8	0.8- 4.8
35-44	580	765,861	536	91.9	88.8-95.0	36	7.1	4.2-10.0	8	1.1	0.3- 1.9
45-54	729	800,825	678	92.7	90.2-95.2	28	4.2	2.0- 6.4	23	3.1	1.7- 4.5
55-64	814	843,262	749	91.8	89.1-94.5	54	6.5	4.0- 9.0	11	1.6	0.4- 2.8
65+	1359	1,152,718	1265	92.8	91.0-94.6	65	5.4	3.8- 7.0	29	1.8	1.0- 2.6
Less Than H.S.	353	626,479	319	88.2	83.1-93.3	29	10.1	5.4-14.8	5	1.7	0.0- 3.5
H.S. or G.E.D.	1353	1,585,701	1239	91.1	88.9-93.3	74	5.8	4.0- 7.6	40	3.0	1.8- 4.2
Some Post-H.S.	1087	1,400,394	1006	93.1	91.1-95.1	58	5.3	3.5- 7.1	23	1.6	0.8- 2.4
College Graduate	1405	1,122,560	1313	93.3	91.5-95.1	63	4.6	3.2- 6.0	29	2.1	1.1- 3.1
Less than \$15,000	375	442,367	352	92.4	88.1-96.7	20	6.9	2.6-11.2	3	0.8	0.0- 1.8
\$15,000- 24,999	599	654,185	552	92.8	90.3-95.3	37	5.9	3.5- 8.3	10	1.3	0.1- 2.5
\$25,000- 34,999	359	408,149	337	90.0	84.9-95.1	19	9.1	4.0-14.2	3	0.9	0.0- 1.9
\$35,000- 49,999	493	574,054	462	93.7	90.8-96.6	24	5.3	2.4- 8.2	7	1.0	0.2- 1.8
\$50,000- 74,999	537	629,477	497	91.2	87.5-94.9	34	6.9	3.8-10.0	6	1.9	0.0- 3.9
\$75,000+	1045	1,192,757	1004	95.5	93.5-97.5	30	3.7	1.7- 5.7	11	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1903	2,305,457	1741	90.0	88.0-92.0	119	7.6	5.8- 9.4	43	2.4	1.4- 3.4
White/Non-Hisp	1569	1,729,343	1447	90.5	88.3-92.7	88	7.0	5.0- 9.0	34	2.5	1.3- 3.7
Black or Afr. Am./Non-Hisp	149	295,991	130	85.2	77.4-93.0	14	12.2	4.6-19.8	5	2.6	0.2- 5.0
Oth. Race/Non-Hisp.	55	50,228	49	87.5	76.9-98.1	5	10.8	0.6-21.0	1	1.7	0.0- 5.0
Hispanic	55	132,265	50	94.3	87.2- 100	5	5.7	0.0-12.8			
18-24	151	260,100	133	90.5	85.2-95.8	12	6.0	2.3- 9.7	6	3.5	0.0- 7.2
25-34	224	376,874	205	86.7	79.3-94.1	12	9.2	2.5-15.9	7	4.1	0.4- 7.8
35-44	261	373,966	236	88.8	83.3-94.3	21	10.3	4.8-15.8	4	0.9	0.0- 1.9
45-54	339	391,960	309	90.7	86.6-94.8	18	6.2	2.5- 9.9	12	3.2	1.2- 5.2
55-64	365	399,548	330	89.0	84.9-93.1	28	8.4	4.9-11.9	7	2.6	0.4- 4.8
65+	563	503,008	528	93.3	90.6-96.0	28	5.9	3.2- 8.6	7	0.9	0.1- 1.7
Less Than H.S.	162	313,658	144	83.1	74.7-91.5	15	14.4	6.4-22.4	3	2.5	0.0- 5.6
H.S. or G.E.D.	615	781,023	558	89.8	86.5-93.1	41	7.0	4.3- 9.7	16	3.2	1.2- 5.2
Some Post-H.S.	467	640,784	429	91.5	88.0-95.0	28	6.9	3.6-10.2	10	1.6	0.6- 2.6
College Graduate	634	528,930	590	92.7	90.2-95.2	31	5.3	2.9- 7.7	13	2.0	0.8- 3.2
Less than \$15,000	132	157,250	119	86.5	79.2-93.8	12	12.6	5.3-19.9	1	0.9	0.0- 2.7
\$15,000- 24,999	231	292,652	208	90.6	85.9-95.3	19	7.5	3.2-11.8	4	1.9	0.0- 4.1
\$25,000- 34,999	143	170,538	134	88.7	79.9-97.5	9	11.3	2.5-20.1			
\$35,000- 49,999	227	301,037	212	92.1	86.8-97.4	12	7.1	2.0-12.2	3	0.8	0.0- 1.8
\$50,000- 74,999	255	324,696	231	87.7	81.4-94.0	20	9.6	4.1-15.1	4	2.7	0.0- 6.4
\$75,000+	550	641,477	526	94.1	90.6-97.6	17	4.8	1.5- 8.1	7	1.1	0.1- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2348	2,499,056	2183	93.5	92.3-94.7	110	4.5	3.5- 5.5	55	2.1	1.5- 2.7
White/Non-Hisp	1902	1,907,716	1779	93.8	92.4-95.2	80	4.1	2.9- 5.3	43	2.1	1.3- 2.9
Black or Afr. Am./Non-Hisp	269	395,193	251	94.0	90.3-97.7	15	5.2	1.7- 8.7	3	0.8	0.0- 1.8
Hispanic	51	69,106	44	89.1	79.9-98.3	2	5.0	0.0-11.9	5	5.9	0.0-12.0
18-24	128	216,539	114	91.5	86.4-96.6	6	4.6	0.3- 8.9	8	4.0	1.1- 6.9
25-34	266	388,335	244	92.9	89.2-96.6	16	5.5	2.2- 8.8	6	1.6	0.0- 3.2
35-44	319	391,894	300	94.8	92.3-97.3	15	4.0	1.6- 6.4	4	1.2	0.0- 2.6
45-54	390	408,865	369	94.6	91.9-97.3	10	2.3	0.3- 4.3	11	3.1	1.1- 5.1
55-64	449	443,713	419	94.3	91.8-96.8	26	4.9	2.5- 7.3	4	0.8	0.0- 1.8
65+	796	649,710	737	92.4	90.0-94.8	37	5.1	3.1- 7.1	22	2.6	1.4- 3.8
Less Than H.S.	191	312,821	175	93.2	89.5-96.9	14	5.9	2.6- 9.2	2	0.9	0.0- 2.5
H.S. or G.E.D.	738	804,678	681	92.4	89.9-94.9	33	4.7	2.5- 6.9	24	2.9	1.5- 4.3
Some Post-H.S.	620	759,610	577	94.3	92.3-96.3	30	4.0	2.2- 5.8	13	1.6	0.6- 2.6
College Graduate	771	593,630	723	93.8	91.6-96.0	32	3.9	2.1- 5.7	16	2.3	1.1- 3.5
Less than \$15,000	243	285,118	233	95.6	92.5-98.7	8	3.7	0.8- 6.6	2	0.7	0.0- 1.7
\$15,000- 24,999	368	361,533	344	94.6	92.1-97.1	18	4.6	2.1- 7.1	6	0.8	0.0- 1.6
\$25,000- 34,999	216	237,611	203	90.9	85.0-96.8	10	7.6	1.9-13.3	3	1.5	0.0- 3.3
\$35,000- 49,999	266	273,018	250	95.4	92.9-97.9	12	3.5	1.3- 5.7	4	1.2	0.0- 2.4
\$50,000- 74,999	282	304,781	266	95.0	91.9-98.1	14	4.0	1.3- 6.7	2	1.0	0.0- 2.6
\$75,000+	495	551,280	478	97.1	95.5-98.7	13	2.3	0.9- 3.7	4	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4660	5,394,423	4303	91.7	90.5-92.9	1	0.0	0.0- 0.0	79	2.1	1.5- 2.7	277	6.2	5.2- 7.2
Male	2110	2,599,425	1923	90.2	88.4-92.0				46	2.6	1.6- 3.6	141	7.2	5.6- 8.8
Female	2550	2,794,998	2380	93.1	91.9-94.3	1	0.1	0.0- 0.3	33	1.5	0.9- 2.1	136	5.3	4.3- 6.3
White/Non-Hisp	3766	3,977,587	3494	92.5	91.3-93.7	1	0.0	0.0- 0.0	57	1.5	0.9- 2.1	214	5.9	4.9- 6.9
Black or Afr. Am./Non-Hisp	465	833,053	441	94.2	91.3-97.1				8	2.8	0.4- 5.2	16	3.0	1.0- 5.0
Oth. Race/Non-Hisp.	130	126,090	115	86.0	78.0-94.0				4	5.7	0.0-12.2	11	8.3	2.8-13.8
MultiRacial/Non-Hisp.	75	64,641	72	94.8	88.3- 100							3	5.2	0.0-11.7
Hispanic	136	269,086	115	83.4	76.0-90.8				7	6.8	1.7-11.9	14	9.9	4.2-15.6
18-24	339	628,276	297	85.3	80.6-90.0				15	4.7	2.0- 7.4	27	10.0	5.9-14.1
25-34	585	935,026	540	92.5	89.6-95.4				7	1.8	0.0- 3.6	38	5.7	3.3- 8.1
35-44	651	855,096	606	92.6	90.1-95.1				11	2.3	0.7- 3.9	34	5.1	3.1- 7.1
45-54	781	870,662	714	89.7	86.8-92.6				9	1.2	0.2- 2.2	58	9.1	6.4-11.8
55-64	868	894,728	816	94.0	92.0-96.0	1	0.2	0.0- 0.6	14	1.6	0.6- 2.6	37	4.2	2.4- 6.0
65+	1436	1,210,635	1330	93.4	91.8-95.0				23	1.7	0.7- 2.7	83	4.8	3.6- 6.0
Less Than H.S.	370	677,579	340	92.3	89.0-95.6				15	4.1	1.6- 6.6	15	3.6	1.4- 5.8
H.S. or G.E.D.	1452	1,738,328	1333	90.0	87.8-92.2				34	2.9	1.7- 4.1	85	7.1	5.3- 8.9
Some Post-H.S.	1190	1,575,455	1099	92.7	90.7-94.7	1	0.1	0.0- 0.3	12	1.1	0.3- 1.9	78	6.1	4.3- 7.9
College Graduate	1594	1,331,418	1485	93.1	91.5-94.7				17	1.1	0.5- 1.7	92	5.7	4.3- 7.1
Less than \$15,000	398	483,724	374	93.9	90.8-97.0				13	3.5	1.1- 5.9	11	2.6	0.6- 4.6
\$15,000- 24,999	652	737,143	613	93.2	90.7-95.7				12	2.6	0.8- 4.4	27	4.2	2.2- 6.2
\$25,000- 34,999	386	451,804	369	94.2	90.3-98.1				5	2.7	0.0- 6.2	12	3.1	0.9- 5.3
\$35,000- 49,999	540	643,841	514	94.9	92.2-97.6				7	1.5	0.0- 3.1	19	3.6	1.2- 6.0
\$50,000- 74,999	598	702,423	564	93.8	91.1-96.5	1	0.3	0.0- 0.9	7	1.2	0.0- 2.6	26	4.7	2.2- 7.2
\$75,000+	1193	1,395,947	1140	94.9	93.1-96.7				6	0.5	0.0- 1.1	47	4.5	2.9- 6.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2110	2,599,425	1923	90.2	88.4-92.0	46	2.6	1.6- 3.6	141	7.2	5.6- 8.8
White/Non-Hisp	1719	1,912,592	1574	91.3	89.5-93.1	34	1.8	1.0- 2.6	111	6.9	5.1- 8.7
Black or Afr. Am./Non-Hisp	166	346,128	156	93.4	88.3-98.5	5	5.2	0.3-10.1	5	1.4	0.0- 2.8
Oth. Race/Non-Hisp.	72	70,849	61	82.3	70.3-94.3	3	7.3	0.0-17.3	8	10.4	2.4-18.4
Hispanic	71	163,693	61	84.1	74.1-94.1	3	6.1	0.0-13.0	7	9.8	2.2-17.4
18-24	180	321,199	156	82.9	75.5-90.3	9	6.0	1.3-10.7	15	11.0	4.7-17.3
25-34	277	467,348	249	89.5	84.4-94.6	4	2.3	0.0- 5.2	24	8.1	3.8-12.4
35-44	298	420,917	271	91.1	87.0-95.2	8	2.9	0.4- 5.4	19	6.0	2.9- 9.1
45-54	363	426,081	328	87.5	82.8-92.2	3	1.5	0.0- 3.5	32	11.0	6.5-15.5
55-64	389	426,817	364	94.1	91.4-96.8	6	1.2	0.0- 2.4	19	4.7	2.2- 7.2
65+	603	537,063	555	93.5	91.1-95.9	16	2.5	0.7- 4.3	32	4.0	2.4- 5.6
Less Than H.S.	173	340,669	154	89.4	83.7-95.1	10	5.5	1.2- 9.8	9	5.0	1.1- 8.9
H.S. or G.E.D.	669	867,087	606	88.1	84.6-91.6	20	3.5	1.5- 5.5	43	8.4	5.5-11.3
Some Post-H.S.	511	712,039	471	92.2	89.1-95.3	7	1.7	0.0- 3.5	33	6.1	3.4- 8.8
College Graduate	731	636,304	673	92.9	90.7-95.1	8	1.0	0.2- 1.8	50	6.1	3.9- 8.3
Less than \$15,000	146	184,545	131	88.9	82.0-95.8	9	7.2	1.3-13.1	6	3.9	0.0- 8.0
\$15,000- 24,999	257	336,088	233	90.3	85.6-95.0	8	3.7	0.6- 6.8	16	6.0	2.3- 9.7
\$25,000- 34,999	158	191,077	145	89.1	80.5-97.7	4	6.3	0.0-14.1	9	4.6	0.5- 8.7
\$35,000- 49,999	250	336,887	235	94.2	90.1-98.3	4	1.1	0.0- 2.5	11	4.7	0.8- 8.6
\$50,000- 74,999	290	362,091	274	93.1	88.4-97.8	3	1.7	0.0- 4.1	13	5.2	1.1- 9.3
\$75,000+	621	737,013	586	93.9	91.5-96.3	6	1.0	0.0- 2.2	29	5.1	2.9- 7.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2550	2,794,998	2380	93.1	91.9-94.3	1	0.1	0.0- 0.3	33	1.5	0.9- 2.1	136	5.3	4.3- 6.3
White/Non-Hisp	2047	2,064,994	1920	93.7	92.5-94.9	1	0.1	0.0- 0.3	23	1.2	0.6- 1.8	103	5.0	3.8- 6.2
Black or Afr. Am./Non-Hisp	299	486,925	285	94.8	91.3-98.3				3	1.1	0.0- 2.9	11	4.1	1.0- 7.2
Oth. Race/Non-Hisp.	58	55,241	54	90.7	81.3- 100				1	3.7	0.0-10.8	3	5.6	0.0-12.1
Hispanic	65	105,393	54	82.2	70.8-93.6				4	7.8	0.0-15.6	7	10.0	1.4-18.6
18-24	159	307,077	141	87.9	82.0-93.8				6	3.3	0.6- 6.0	12	8.8	3.7-13.9
25-34	308	467,678	291	95.5	93.0-98.0				3	1.2	0.0- 3.0	14	3.3	1.3- 5.3
35-44	353	434,179	335	94.1	91.0-97.2				3	1.6	0.0- 3.4	15	4.3	1.8- 6.8
45-54	418	444,581	386	91.7	88.6-94.8				6	0.9	0.1- 1.7	26	7.4	4.3-10.5
55-64	479	467,911	452	93.9	91.2-96.6	1	0.4	0.0- 1.2	8	1.9	0.3- 3.5	18	3.8	1.6- 6.0
65+	833	673,572	775	93.3	91.3-95.3				7	1.1	0.1- 2.1	51	5.6	3.8- 7.4
Less Than H.S.	197	336,909	186	95.1	91.8-98.4				5	2.7	0.2- 5.2	6	2.2	0.2- 4.2
H.S. or G.E.D.	783	871,241	727	91.9	89.5-94.3				14	2.2	0.8- 3.6	42	5.8	3.8- 7.8
Some Post-H.S.	679	863,416	628	93.2	90.8-95.6	1	0.2	0.0- 0.6	5	0.6	0.0- 1.2	45	6.0	3.8- 8.2
College Graduate	863	695,114	812	93.3	91.1-95.5				9	1.3	0.3- 2.3	42	5.4	3.4- 7.4
Less than \$15,000	252	299,180	243	97.0	94.8-99.2				4	1.2	0.0- 2.6	5	1.8	0.2- 3.4
\$15,000- 24,999	395	401,054	380	95.7	93.0-98.4				4	1.6	0.0- 3.4	11	2.7	0.7- 4.7
\$25,000- 34,999	228	260,727	224	97.9	95.5- 100				1	0.0	0.0- 0.0	3	2.1	0.0- 4.5
\$35,000- 49,999	290	306,954	279	95.7	92.6-98.8				3	1.9	0.0- 4.6	8	2.4	0.6- 4.2
\$50,000- 74,999	308	340,332	290	94.6	91.7-97.5	1	0.5	0.0- 1.5	4	0.8	0.0- 1.6	13	4.1	1.4- 6.8
\$75,000+	572	658,934	554	96.1	93.6-98.6							18	3.9	1.4- 6.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	903	812,478	317	31.2	26.9-35.5	586	68.8	64.5-73.1
Male	312	310,428	122	36.0	28.6-43.4	190	64.0	56.6-71.4
Female	591	502,051	195	28.2	23.1-33.3	396	71.8	66.7-76.9
White/Non-Hisp	740	660,766	254	29.2	24.7-33.7	486	70.8	66.3-75.3
Black or Afr. Am./Non-Hisp	104	89,000	38	35.7	22.8-48.6	66	64.3	51.4-77.2
45-54	82	96,525	23	29.1	14.2-44.0	59	70.9	56.0-85.8
55-64	172	166,782	66	37.9	27.7-48.1	106	62.1	51.9-72.3
65+	583	456,639	204	28.7	23.8-33.6	379	71.3	66.4-76.2
Less Than H.S.	90	148,601	26	24.1	12.5-35.7	64	75.9	64.3-87.5
H.S. or G.E.D.	304	277,005	99	26.4	20.1-32.7	205	73.6	67.3-79.9
Some Post-H.S.	234	230,595	92	39.2	30.6-47.8	142	60.8	52.2-69.4
College Graduate	258	140,919	93	35.9	28.1-43.7	165	64.1	56.3-71.9
Less than \$15,000	82	84,300	23	19.3	9.1-29.5	59	80.7	70.5-90.9
\$15,000- 24,999	138	129,866	39	20.2	11.0-29.4	99	79.8	70.6-89.0
\$25,000- 34,999	91	78,142	39	34.3	21.6-47.0	52	65.7	53.0-78.4
\$35,000- 49,999	101	88,772	40	39.6	24.9-54.3	61	60.4	45.7-75.1
\$50,000- 74,999	93	81,581	38	47.0	32.1-61.9	55	53.0	38.1-67.9
\$75,000+	152	122,307	52	29.1	19.7-38.5	100	70.9	61.5-80.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	312	310,428	122	36.0	29.1-42.9	190	64.0	57.1-70.9
White/Non-Hisp	264	255,884	96	30.3	23.0-37.6	168	69.7	62.4-77.0
55-64	66	67,887	26	32.0	19.3-44.7	40	68.0	55.3-80.7
65+	195	167,366	74	31.9	23.1-40.7	121	68.1	59.3-76.9
H.S. or G.E.D.	93	94,209	33	27.6	17.0-38.2	60	72.4	61.8-83.0
Some Post-H.S.	77	81,534	37	48.9	35.2-62.6	40	51.1	37.4-64.8
College Graduate	100	58,155	38	37.9	26.7-49.1	62	62.1	50.9-73.3
\$75,000+	65	53,332	22	24.0	12.2-35.8	43	76.0	64.2-87.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	591	502,051	195	28.2	23.3-33.1	396	71.8	66.9-76.7
White/Non-Hisp	476	404,883	158	28.5	22.8-34.2	318	71.5	65.8-77.2
Black or Afr. Am./Non-Hisp	78	59,640	25	26.3	13.2-39.4	53	73.7	60.6-86.8
45-54	55	56,726	13	12.9	4.1-21.7	42	87.1	78.3-95.9
55-64	106	98,895	40	41.9	29.7-54.1	66	58.1	45.9-70.3
65+	388	289,273	130	26.9	21.2-32.6	258	73.1	67.4-78.8
Less Than H.S.	56	82,226	15	17.1	5.3-28.9	41	82.9	71.1-94.7
H.S. or G.E.D.	211	182,796	66	25.8	18.2-33.4	145	74.2	66.6-81.8
Some Post-H.S.	157	149,061	55	33.9	23.5-44.3	102	66.1	55.7-76.5
College Graduate	158	82,763	55	34.5	24.9-44.1	103	65.5	55.9-75.1
Less than \$15,000	61	57,414	17	16.8	6.2-27.4	44	83.2	72.6-93.8
\$15,000- 24,999	97	80,663	23	12.2	5.5-18.9	74	87.8	81.1-94.5
\$25,000- 34,999	61	52,969	25	30.0	16.1-43.9	36	70.0	56.1-83.9
\$35,000- 49,999	63	48,000	26	40.1	21.9-58.3	37	59.9	41.7-78.1
\$50,000- 74,999	54	45,171	19	42.7	25.5-59.9	35	57.3	40.1-74.5
\$75,000+	87	68,975	30	33.0	19.3-46.7	57	67.0	53.3-80.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	309	246,051	234	89.0	86.1-91.9	52	8.9	6.5-11.3	17	1.3	0.5- 2.1	4	0.2	0.0- 0.4	2	0.7	0.0- 1.9
Male	120	110,996	93	93.2	90.1-96.3	20	5.5	2.6- 8.4	6	1.2	0.0- 2.4	1	0.2	0.0- 0.6			
Female	189	135,054	141	85.5	80.8-90.2	32	11.8	7.7-15.9	11	1.4	0.4- 2.4	3	0.1	0.0- 0.3	2	1.2	0.0- 3.2
White/Non-Hisp	249	189,006	192	88.3	85.0-91.6	39	9.4	6.5-12.3	12	1.2	0.4- 2.0	4	0.2	0.0- 0.4	2	0.9	0.0- 2.3
55-64	66	63,143	58	96.2	93.1-99.3	7	2.9	0.4- 5.4	1	0.9	0.0- 2.7						
65+	196	123,755	136	84.7	79.8-89.6	42	13.0	8.5-17.5	15	2.0	0.6- 3.4	3	0.3	0.0- 0.7			
H.S. or G.E.D.	98	72,757	77	91.7	87.2-96.2	18	7.8	3.3-12.3	3	0.5	0.0- 1.1						
Some Post-H.S.	89	87,217	72	92.1	87.0-97.2	12	6.0	1.3-10.7	4	1.7	0.0- 3.7	1	0.1	0.0- 0.3			
College Graduate	91	49,029	61	75.0	67.6-82.4	18	19.4	14.1-24.7	8	2.1	0.3- 3.9	3	0.7	0.0- 1.7	1	2.8	0.0- 8.1
\$75,000+	51	35,499	39	83.2	74.4-92.0	5	10.9	6.6-15.2	5	1.4	0.0- 2.8	1	0.7	0.0- 2.1	1	3.8	0.0-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	120	110,996	93	93.2	90.1-96.3	20	5.5	2.8- 8.2	6	1.2	0.0- 2.4	1	0.2	0.0- 0.6
White/Non-Hisp	95	77,413	75	92.4	88.5-96.3	15	6.5	3.0-10.0	4	0.8	0.0- 1.8	1	0.3	0.0- 0.9
65+	72	52,631	52	91.1	86.2-96.0	14	7.0	2.7-11.3	5	1.4	0.0- 3.0	1	0.5	0.0- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**  
Denominator excludes: Respondents reporting only one phone number in the household  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	189	135,054	141	85.5	81.0-90.0	32	11.8	7.9-15.7	11	1.4	0.4- 2.4	3	0.1	0.0- 0.3	2	1.2	0.0- 3.2
White/Non-Hisp	154	111,593	117	85.5	80.4-90.6	24	11.4	7.1-15.7	8	1.5	0.3- 2.7	3	0.2	0.0- 0.4	2	1.5	0.0- 3.9
65+	124	71,124	84	80.0	72.7-87.3	28	17.5	10.6-24.4	10	2.4	0.4- 4.4	2	0.2	0.0- 0.4			
H.S. or G.E.D.	65	46,764	51	92.3	88.2-96.4	11	7.0	3.1-10.9	3	0.7	0.0- 1.7						
Some Post-H.S.	52	47,358	41	88.8	80.0-97.6	9	9.9	1.5-18.3	1	1.1	0.0- 3.3	1	0.2	0.0- 0.6			
College Graduate	54	27,014	36	66.3	55.5-77.1	9	25.2	18.5-31.9	6	3.1	0.0- 6.2	2	0.3	0.0- 0.7	1	5.0	0.0-14.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4618	5,343,706	3915	83.8	82.4-85.2	466	9.9	8.7-11.1	78	1.6	1.2- 2.0	23	0.6	0.2- 1.0	6	0.1	0.1- 0.1	6	0.1	0.1- 0.1	124	3.9	3.1- 4.4
Male	2089	2,579,677	1777	84.4	82.2-86.6	213	10.2	8.4-12.0	36	1.4	0.8- 2.0	13	0.7	0.1- 1.3	2	0.1	0.0- 0.3	4	0.1	0.0- 0.3	44	3.2	2.0- 4.4
Female	2529	2,764,029	2138	83.3	81.3-85.3	253	9.7	8.1-11.3	42	1.7	0.9- 2.5	10	0.5	0.1- 0.9	4	0.1	0.0- 0.3	2	0.0	0.0- 0.0	80	4.5	3.3- 5.6
White/Non-Hisp	3740	3,947,030	3158	82.9	81.3-84.5	390	10.4	9.2-11.6	65	1.7	1.1- 2.3	17	0.6	0.2- 1.0	4	0.1	0.1- 0.1	6	0.1	0.1- 0.1	100	4.3	3.3- 5.3
Black or Afr. Am./Non-Hisp	463	826,616	402	86.6	82.5-90.7	36	8.7	5.2-12.2	8	1.4	0.2- 2.6	1	0.3	0.0- 0.9	2	0.1	0.0- 0.3				14	2.9	0.9- 4.9
Oth. Race/Non-Hisp.	124	121,686	102	78.4	67.4-89.4	15	14.8	4.6-25.0	2	2.3	0.0- 6.4	2	1.5	0.0- 3.7							3	2.9	0.0- 6.0
MultiRacial/Non-Hisp.	75	64,641	67	90.5	83.1-97.9	8	9.5	2.1-16.9															
Hispanic	133	265,285	121	91.7	85.6-97.8	8	6.2	0.7-11.7	1	0.6	0.0- 1.8	2	1.2	0.0- 3.2							1	0.4	0.0- 1.0
18-24	338	626,775	327	96.8	94.3-99.3	9	2.7	0.3- 5.1	2	0.5	0.0- 1.3												
25-34	581	925,761	528	88.2	84.5-91.9	45	8.9	5.8-12.0	4	0.5	0.0- 1.1	2	1.0	0.0- 2.4							2	1.5	0.0- 3.0
35-44	645	849,026	551	85.1	81.4-88.8	61	10.9	7.6-14.2	19	2.2	0.8- 3.6	6	0.9	0.1- 1.7	2	0.2	0.0- 0.4	2	0.2	0.0- 0.6	4	0.5	0.0- 1.0
45-54	770	859,755	651	82.2	78.3-86.1	80	11.6	8.5-14.7	16	2.0	0.6- 3.4	8	1.1	0.1- 2.1	2	0.2	0.0- 0.6	1	0.0	0.0- 0.0	12	2.9	0.7- 5.0
55-64	861	882,700	730	83.9	80.8-87.0	93	9.9	7.4-12.4	15	1.9	0.7- 3.1	4	0.5	0.0- 1.1				1	0.0	0.0- 0.0	18	3.8	1.6- 6.0
65+	1423	1,199,689	1128	74.0	70.9-77.1	178	12.6	10.4-14.8	22	2.0	0.8- 3.2	3	0.1	0.0- 0.3	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	88	11.0	8.5-13.5
Less Than H.S.	367	675,082	293	77.0	70.9-83.1	33	9.3	5.2-13.4	8	1.7	0.3- 3.1	1	0.4	0.0- 1.2				1	0.1	0.0- 0.3	31	11.4	6.7-16.1
H.S. or G.E.D.	1440	1,717,037	1217	83.5	81.0-86.0	137	9.9	7.7-12.1	23	1.8	0.8- 2.8	9	0.8	0.2- 1.4	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	52	3.9	2.7- 5.1
Some Post-H.S.	1176	1,560,593	1004	85.3	82.8-87.8	119	9.3	7.3-11.3	21	1.6	0.6- 2.6	4	0.6	0.0- 1.4	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	25	3.0	1.6- 4.4
College Graduate	1584	1,323,558	1356	85.5	83.3-87.7	172	11.2	9.2-13.2	26	1.3	0.7- 1.9	8	0.4	0.0- 0.8	3	0.2	0.0- 0.4	3	0.1	0.0- 0.3	16	1.2	0.4- 2.0
Less than \$15,000	397	482,593	335	83.2	77.7-88.7	29	6.9	3.2-10.6	7	0.9	0.1- 1.7	1	0.3	0.0- 0.9							25	8.7	4.4-13.0
\$15,000- 24,999	651	735,823	569	86.5	82.8-90.2	46	5.7	3.5- 7.9	2	0.4	0.0- 1.0	2	0.2	0.0- 0.4				1	0.1	0.0- 0.3	31	7.3	4.2-10.4
\$25,000- 34,999	385	451,074	328	79.0	72.7-85.3	40	13.4	8.3-18.5	5	1.5	0.0- 3.3										12	6.1	2.0-10.0
\$35,000- 49,999	540	643,841	456	85.7	81.8-89.6	65	10.6	7.3-13.9	10	1.5	0.3- 2.7	1	0.7	0.0- 2.1	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	6	1.4	0.0- 2.8
\$50,000- 74,999	598	702,423	518	85.8	81.9-89.7	64	11.0	7.7-14.3	11	2.0	0.4- 3.6	4	0.8	0.0- 2.0							1	0.4	0.0- 1.0
\$75,000+	1189	1,390,578	996	84.3	81.8-86.8	142	12.0	9.6-14.4	25	1.8	1.0- 2.6	9	0.6	0.2- 1.0	4	0.2	0.0- 0.4	3	0.2	0.0- 0.4	10	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2089	2,579,677	1777	84.4	82.2-86.6	213	10.2	8.4-12.0	36	1.4	0.8- 2.0	13	0.7	0.1- 1.3	2	0.1	0.0- 0.3	4	0.1	0.0- 0.3	44	3.2	2.0- 4.4
White/Non-Hisp	1706	1,900,614	1439	82.8	80.4-85.2	181	11.0	9.0-13.0	31	1.5	0.9- 2.1	10	0.7	0.1- 1.3	1	0.1	0.0- 0.3	4	0.1	0.0- 0.3	40	3.8	2.4- 5.2
Black or Afr. Am./Non-Hisp	166	346,128	150	88.2	81.5-94.9	8	6.8	1.1-12.5	2	1.0	0.0- 2.4	1	0.6	0.0- 1.8	1	0.1	0.0- 0.3				4	3.2	0.0- 6.4
Oth. Race/Non-Hisp.	68	68,644	57	82.9	72.1-93.7	9	12.2	3.6-20.8	1	3.7	0.0-10.8	1	1.2	0.0- 3.6									
Hispanic	68	159,892	62	91.1	82.3-99.9	5	8.5	0.0-17.3				1	0.3	0.0- 0.9									
18-24	180	321,199	173	96.1	92.2- 100	5	2.9	0.0- 6.4	2	1.0	0.0- 2.6												
25-34	275	465,459	250	87.7	82.2-93.2	21	8.1	4.2-12.0	1	0.3	0.0- 0.9	1	1.0	0.0- 2.8							2	2.9	0.0- 6.4
35-44	293	416,166	245	82.3	76.2-88.4	34	13.8	8.1-19.5	9	2.7	0.5- 4.9	1	0.1	0.0- 0.3				2	0.5	0.0- 1.3	2	0.6	0.0- 1.3
45-54	356	419,704	299	81.9	76.4-87.4	37	12.2	7.3-17.1	5	1.2	0.0- 2.4	5	1.7	0.0- 3.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	8	2.8	0.6- 5.0
55-64	386	422,432	329	84.5	80.0-89.0	41	9.6	5.9-13.3	6	1.3	0.1- 2.5	3	0.7	0.0- 1.7				1	0.1	0.0- 0.3	6	3.9	1.5- 6.3
65+	599	534,718	481	77.9	73.6-82.2	75	12.5	9.4-15.6	13	1.8	0.8- 2.8	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6				26	7.2	4.1-10.3
Less Than H.S.	171	338,900	141	77.2	68.8-85.6	14	11.1	4.4-17.8	5	2.2	0.0- 4.4										11	9.5	3.8-15.2
H.S. or G.E.D.	663	859,416	571	85.7	82.4-89.0	63	9.9	7.0-12.8	6	0.9	0.1- 1.7	4	0.4	0.0- 1.0	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	17	2.9	1.3- 4.5
Some Post-H.S.	505	708,214	430	86.1	82.2-90.0	53	8.5	5.6-11.4	11	1.4	0.4- 2.4	3	1.2	0.0- 2.8				1	0.2	0.0- 0.6	7	2.5	0.3- 4.7
College Graduate	726	632,878	613	83.9	80.4-87.4	81	12.3	9.0-15.6	14	1.7	0.7- 2.7	6	0.7	0.1- 1.3	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3	9	1.2	0.2- 2.2
Less than \$15,000	145	183,414	127	83.0	74.4-91.6	13	10.9	2.5-19.3	1	0.4	0.0- 1.2										4	5.7	3.0- 8.4
\$15,000- 24,999	257	336,088	220	85.5	80.0-91.0	23	7.2	3.7-10.7				1	0.2	0.0- 0.6							13	7.2	2.7-11.7
\$25,000- 34,999	157	190,347	134	79.0	69.2-88.8	17	14.1	6.1-22.1	1	0.6	0.0- 1.8										5	6.4	0.0-12.8
\$35,000- 49,999	250	336,887	219	88.1	82.8-93.4	26	10.2	5.1-15.3	3	1.4	0.0- 2.8							1	0.2	0.0- 0.6	1	0.1	0.0- 0.3
\$50,000- 74,999	290	362,091	253	87.9	83.2-92.6	28	8.4	4.5-12.3	5	1.4	0.0- 2.8	3	1.5	0.0- 3.9							1	0.8	0.0- 2.6
\$75,000+	619	734,874	506	81.5	77.6-85.4	77	13.3	9.8-16.8	18	2.5	0.9- 4.1	6	0.8	0.0- 1.6	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7	8	1.6	0.2- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2529	2,764,029	2138	83.3	81.3-85.3	253	9.7	8.1-11.3	42	1.7	0.9- 2.5	10	0.5	0.1- 0.9	4	0.1	0.0- 0.3	2	0.0	0.0- 0.0	80	4.5	3.3- 5.8
White/Non-Hisp	2034	2,046,417	1719	82.9	80.7-85.1	209	9.8	8.2-11.4	34	1.9	1.1- 2.7	7	0.5	0.0- 1.1	3	0.1	0.0- 0.3	2	0.1	0.1- 0.1	60	4.8	3.4- 6.3
Black or Afr. Am./Non-Hisp	297	480,488	252	85.5	80.4-90.6	28	10.0	5.5-14.5	6	1.6	0.0- 3.6				1	0.1	0.0- 0.3				10	2.7	0.7- 4.4
Oth. Race/Non-Hisp.	56	53,042	45	72.7	52.5-92.9	6	18.2	0.0-38.4	1	0.4	0.0- 1.2	1	2.0	0.0- 5.9							3	6.7	0.0-14.4
Hispanic	65	105,393	59	92.4	85.3-99.5	3	2.6	0.0- 6.5	1	1.4	0.0- 4.1	1	2.5	0.0- 7.2							1	1.0	0.0- 3.0
18-24	158	305,576	154	97.5	94.4- 100	4	2.5	0.0- 5.6															
25-34	306	460,302	278	88.7	83.6-93.8	24	9.6	4.9-14.3	3	0.8	0.0- 1.6	1	0.9	0.0- 2.7									
35-44	352	432,860	306	87.7	83.4-92.0	27	8.1	4.4-11.8	10	1.7	0.3- 3.1	5	1.6	0.0- 3.4	2	0.3	0.0- 0.7				2	0.5	0.0- 1.0
45-54	414	440,051	352	82.5	77.0-88.0	43	11.1	7.2-15.0	11	2.7	0.3- 5.1	3	0.5	0.0- 1.1	1	0.3	0.0- 0.9				4	2.9	0.0- 6.1
55-64	475	460,269	401	83.3	79.0-87.6	52	10.3	7.2-13.4	9	2.4	0.2- 4.6	1	0.4	0.0- 1.2							12	3.7	1.3- 6.1
65+	824	664,971	647	70.9	66.6-75.2	103	12.8	9.9-15.7	9	2.0	0.2- 3.8				1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	62	14.1	10.4-17.8
Less Than H.S.	196	336,182	152	76.9	68.9-84.9	19	7.6	3.3-11.9	3	1.2	0.0- 3.0	1	0.8	0.0- 2.4				1	0.3	0.0- 0.9	20	13.3	6.6-20.0
H.S. or G.E.D.	777	857,621	646	81.3	77.6-85.0	74	10.0	7.1-12.9	17	2.7	1.1- 4.3	5	1.2	0.0- 2.4							35	4.9	2.9- 6.9
Some Post-H.S.	671	852,379	574	84.6	81.3-87.9	66	9.9	7.2-12.6	10	1.7	0.3- 3.1	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4				18	3.5	1.7- 5.3
College Graduate	858	690,680	743	87.0	84.3-89.7	91	10.3	7.8-12.8	12	1.0	0.2- 1.8	2	0.1	0.0- 0.3	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3	7	1.3	0.3- 2.3
Less than \$15,000	252	299,180	208	83.3	77.2-89.4	16	4.4	1.7- 7.1	6	1.2	0.0- 2.6	1	0.6	0.0- 1.8							21	10.5	5.2-15.8
\$15,000- 24,999	394	399,735	349	87.3	82.2-92.4	23	4.4	1.9- 6.9	2	0.7	0.0- 1.9	1	0.2	0.0- 0.6				1	0.1	0.0- 0.3	18	7.3	3.0-11.6
\$25,000- 34,999	228	260,727	194	79.0	71.0-87.0	23	12.9	6.4-19.4	4	2.2	0.0- 4.9										7	5.9	0.8-11.0
\$35,000- 49,999	290	306,954	237	83.1	77.4-88.8	39	11.0	6.7-15.3	7	1.6	0.2- 3.0	1	1.4	0.0- 4.1	1	0.2	0.0- 0.6				5	2.8	0.0- 5.6
\$50,000- 74,999	308	340,332	265	83.5	77.6-89.4	36	13.6	8.1-19.1	6	2.7	0.0- 5.4	1	0.2	0.0- 0.6									
\$75,000+	570	655,704	490	87.5	84.4-90.6	65	10.5	7.6-13.4	7	1.0	0.2- 1.8	3	0.4	0.0- 0.8	3	0.4	0.0- 0.8				2	0.3	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4635	5,352,724	601	11.7	10.5-12.9	4034	88.3	87.1-89.5
Male	2094	2,575,430	524	21.3	18.9-23.7	1570	78.7	76.3-81.1
Female	2541	2,777,294	77	2.8	2.0- 3.6	2464	97.2	96.4-98.0
White/Non-Hisp	3753	3,959,537	491	12.0	10.6-13.4	3262	88.0	86.6-89.4
Black or Afr. Am./Non-Hisp	462	823,752	56	10.8	7.3-14.3	406	89.2	85.7-92.7
Oth. Race/Non-Hisp.	128	123,158	17	9.1	4.2-14.0	111	90.9	86.0-95.8
MultiRacial/Non-Hisp.	75	64,641	16	17.9	7.9-27.9	59	82.1	72.1-92.1
Hispanic	135	267,071	11	6.9	1.2-12.6	124	93.1	87.4-98.8
18-24	339	628,276	15	4.8	1.7- 7.9	324	95.2	92.1-98.3
25-34	581	925,061	46	7.9	5.2-10.6	535	92.1	89.4-94.8
35-44	646	846,515	49	7.0	4.5- 9.5	597	93.0	90.5-95.5
45-54	775	860,989	87	11.1	8.0-14.2	688	88.9	85.8-92.0
55-64	866	893,357	109	12.0	9.3-14.7	757	88.0	85.3-90.7
65+	1428	1,198,525	295	21.7	18.8-24.6	1133	78.3	75.4-81.2
Less Than H.S.	367	671,908	27	6.2	3.3- 9.1	340	93.8	90.9-96.7
H.S. or G.E.D.	1443	1,718,475	164	10.4	8.4-12.4	1279	89.6	87.6-91.6
Some Post-H.S.	1185	1,569,863	192	15.4	12.7-18.1	993	84.6	81.9-87.3
College Graduate	1589	1,327,573	213	11.5	9.7-13.3	1376	88.5	86.7-90.3
Less than \$15,000	398	483,724	23	4.6	2.1- 7.1	375	95.4	92.9-97.9
\$15,000- 24,999	650	734,115	72	8.5	5.8-11.2	578	91.5	88.8-94.2
\$25,000- 34,999	386	451,804	55	10.6	7.1-14.1	331	89.4	85.9-92.9
\$35,000- 49,999	540	643,841	82	17.1	12.4-21.8	458	82.9	78.2-87.6
\$50,000- 74,999	598	702,423	101	15.5	11.8-19.2	497	84.5	80.8-88.2
\$75,000+	1193	1,395,947	150	11.7	9.3-14.1	1043	88.3	85.9-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2094	2,575,430	524	21.3	19.1-23.5	1570	78.7	76.5-80.9
White/Non-Hisp	1712	1,904,025	438	22.8	20.3-25.3	1274	77.2	74.7-79.7
Black or Afr. Am./Non-Hisp	164	343,008	37	17.1	10.2-24.0	127	82.9	76.0-89.8
Oth. Race/Non-Hisp.	70	67,917	16	15.3	7.1-23.5	54	84.7	76.5-92.9
Hispanic	70	161,678	9	10.3	1.1-19.5	61	89.7	80.5-98.9
18-24	180	321,199	13	9.0	3.1-14.9	167	91.0	85.1-96.9
25-34	275	464,758	35	12.3	7.2-17.4	240	87.7	82.6-92.8
35-44	293	412,336	37	11.2	6.7-15.7	256	88.8	84.3-93.3
45-54	357	416,408	73	19.5	14.2-24.8	284	80.5	75.2-85.8
55-64	388	425,889	89	20.6	15.5-25.7	299	79.4	74.3-84.5
65+	601	534,839	277	46.1	40.8-51.4	324	53.9	48.6-59.2
Less Than H.S.	172	338,357	26	11.6	5.9-17.3	146	88.4	82.7-94.1
H.S. or G.E.D.	663	857,901	143	19.0	15.3-22.7	520	81.0	77.3-84.7
Some Post-H.S.	508	708,086	169	29.5	24.4-34.6	339	70.5	65.4-75.6
College Graduate	727	633,348	181	20.2	16.9-23.5	546	79.8	76.5-83.1
Less than \$15,000	146	184,545	17	9.3	3.4-15.2	129	90.7	84.8-96.6
\$15,000- 24,999	255	333,060	63	16.9	11.4-22.4	192	83.1	77.6-88.6
\$25,000- 34,999	158	191,077	49	22.8	15.0-30.6	109	77.2	69.4-85.0
\$35,000- 49,999	250	336,887	75	30.5	22.7-38.3	175	69.5	61.7-77.3
\$50,000- 74,999	290	362,091	91	27.5	20.6-34.4	199	72.5	65.6-79.4
\$75,000+	621	737,013	131	19.0	15.1-22.9	490	81.0	77.1-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2541	2,777,294	77	2.8	2.0- 3.6	2464	97.2	96.4-98.0
White/Non-Hisp	2041	2,055,512	53	2.0	1.4- 2.6	1988	98.0	97.4-98.6
Black or Afr. Am./Non-Hisp	298	480,744	19	6.4	2.7-10.1	279	93.6	89.9-97.3
Oth. Race/Non-Hisp.	58	55,241	1	1.5	0.0- 4.4	57	98.5	95.6- 100
Hispanic	65	105,393	2	1.6	0.0- 4.1	63	98.4	95.9- 100
18-24	159	307,077	2	0.4	0.0- 1.0	157	99.6	99.0- 100
25-34	306	460,302	11	3.4	0.9- 5.9	295	96.6	94.1-99.1
35-44	353	434,179	12	3.0	0.6- 5.4	341	97.0	94.6-99.4
45-54	418	444,581	14	3.2	0.8- 5.6	404	96.8	94.4-99.2
55-64	478	467,468	20	4.1	1.7- 6.5	458	95.9	93.5-98.3
65+	827	663,687	18	2.0	0.6- 3.4	809	98.0	96.6-99.4
Less Than H.S.	195	333,551	1	0.8	0.0- 2.4	194	99.2	97.6- 100
H.S. or G.E.D.	780	860,574	21	1.8	0.8- 2.8	759	98.2	97.2-99.2
Some Post-H.S.	677	861,777	23	3.9	1.9- 5.9	654	96.1	94.1-98.1
College Graduate	862	694,225	32	3.6	2.0- 5.2	830	96.4	94.8-98.0
Less than \$15,000	252	299,180	6	1.7	0.0- 3.7	246	98.3	96.3- 100
\$15,000- 24,999	395	401,054	9	1.6	0.4- 2.8	386	98.4	97.2-99.6
\$25,000- 34,999	228	260,727	6	1.6	0.2- 3.0	222	98.4	97.0-99.8
\$35,000- 49,999	290	306,954	7	2.4	0.4- 4.4	283	97.6	95.6-99.6
\$50,000- 74,999	308	340,332	10	2.7	0.7- 4.7	298	97.3	95.3-99.3
\$75,000+	572	658,934	19	3.6	1.2- 6.0	553	96.4	94.0-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4573	5,284,368	2337	54.5	52.5-56.5	255	7.1	5.9- 8.3	232	5.9	4.9- 6.9	137	4.4	3.4- 5.4	1198	19.6	18.2-21.0	414	8.6	7.4- 9.8
Male	2064	2,541,034	1197	61.4	58.7-64.1	121	7.9	5.9- 9.9	9	0.5	0.1- 0.9	68	4.1	2.9- 5.3	515	19.2	17.2-21.2	154	6.9	5.3- 8.5
Female	2509	2,743,334	1140	48.2	45.5-50.9	134	6.3	4.9- 7.7	223	10.9	8.9-12.9	69	4.6	3.0- 6.2	683	19.9	18.1-21.7	260	10.2	8.6-11.8
White/Non-Hisp	3711	3,917,248	1916	54.8	52.6-57.0	166	5.1	4.1- 6.1	189	5.8	4.8- 6.8	94	3.8	2.6- 5.0	1042	22.8	21.2-24.4	304	7.7	6.5- 8.9
Black or Afr. Am./Non-Hisp	453	815,559	208	51.3	45.2-57.4	52	14.6	10.1-19.1	14	3.7	1.5- 5.9	16	5.4	2.1- 8.7	101	12.6	9.3-15.9	62	12.4	8.5-16.3
Oth. Race/Non-Hisp.	127	120,894	58	49.4	37.4-61.4	12	7.3	2.4-12.2	8	9.9	1.1-18.7	15	14.6	5.8-23.4	16	8.9	3.8-14.0	18	10.0	4.3-15.7
MultiRacial/Non-Hisp.	74	63,887	37	55.7	41.8-69.6	7	11.4	1.6-21.2	5	6.0	0.3-11.7				17	16.2	6.8-25.6	8	10.7	2.1-19.3
Hispanic	131	261,055	89	70.5	59.5-81.5	14	13.5	4.9-22.1	6	5.9	0.0-13.2	9	5.0	1.1- 8.9	5	1.8	0.0- 4.0	8	3.3	0.8- 5.8
18-24	333	619,484	193	55.7	48.4-63.0	27	9.7	5.4-14.0	7	3.1	0.0- 6.4	99	29.8	22.9-36.7				7	1.6	0.2- 3.0
25-34	572	911,643	447	77.3	72.6-82.0	52	11.1	7.2-15.0	39	5.5	3.3- 7.7	17	3.2	1.4- 5.0	2	0.2	0.0- 0.4	15	2.7	0.9- 4.5
35-44	636	832,125	475	74.4	69.9-78.9	54	10.0	6.7-13.3	48	7.1	4.7- 9.5	12	1.5	0.5- 2.5	2	0.4	0.0- 1.0	45	6.6	4.1- 9.1
45-54	760	845,357	530	66.0	61.3-70.7	50	7.5	5.0-10.0	45	7.9	4.8-11.0	5	0.6	0.0- 1.2	30	4.9	2.7- 7.1	100	13.1	9.8-16.4
55-64	860	886,777	457	52.7	48.4-57.0	50	5.8	3.6- 8.0	33	5.3	2.8- 7.8	1	0.0	0.0- 0.0	165	17.5	14.4-20.6	154	18.6	15.1-22.1
65+	1412	1,188,982	235	15.8	13.3-18.3	22	1.1	0.5- 1.7	60	5.6	3.6- 7.6	3	0.0	0.0- 0.0	999	70.1	66.8-73.4	93	7.5	5.5- 9.5
Less Than H.S.	361	661,257	95	33.5	26.2-40.8	25	8.4	4.3-12.5	33	11.3	6.2-16.4	5	4.6	0.0- 9.7	109	21.8	16.7-26.9	94	20.4	15.1-25.7
H.S. or G.E.D.	1415	1,690,685	643	50.4	46.9-53.9	91	8.4	6.2-10.6	90	7.2	5.4- 9.0	48	4.6	3.0- 6.2	376	19.9	17.5-22.3	167	9.4	7.6-11.2
Some Post-H.S.	1172	1,555,792	589	55.7	52.0-59.4	69	6.6	4.4- 8.8	53	4.3	2.9- 5.7	49	5.9	3.9- 7.9	315	19.9	17.4-22.4	97	7.4	5.4- 9.4
College Graduate	1576	1,314,786	981	68.4	65.5-71.3	67	5.1	3.5- 6.7	55	3.3	2.1- 4.5	34	2.3	1.3- 3.3	385	17.8	15.6-20.0	54	3.2	2.0- 4.4
Less than \$15,000	397	483,166	67	22.2	15.7-28.7	47	13.5	8.8-18.2	25	5.9	3.0- 8.8	18	8.5	1.8-15.2	84	15.5	11.2-19.8	156	34.3	27.6-41.0
\$15,000- 24,999	650	734,316	212	37.2	31.7-42.7	61	11.3	7.6-15.0	35	8.2	4.3-12.1	24	4.5	2.3- 6.7	210	23.6	19.5-27.7	108	15.2	11.5-18.9
\$25,000- 34,999	386	451,804	163	41.6	34.7-48.5	29	9.1	4.2-14.0	18	7.7	3.2-12.2	12	3.8	1.3- 6.3	141	30.9	24.6-37.2	23	6.8	2.9-10.7
\$35,000- 49,999	539	642,585	290	58.7	53.2-64.2	27	6.1	3.0- 9.2	27	5.9	3.2- 8.6	19	4.4	2.0- 6.8	154	19.5	15.6-23.4	22	5.5	2.8- 8.2
\$50,000- 74,999	594	697,259	384	69.7	64.8-74.6	17	3.9	1.5- 6.3	25	3.5	1.5- 5.5	10	2.5	0.3- 4.7	140	17.0	13.5-20.5	18	3.3	1.3- 5.3
\$75,000+	1189	1,390,406	887	76.3	73.2-79.4	25	3.4	1.6- 5.2	50	4.6	3.0- 6.2	22	2.8	1.2- 4.4	189	11.9	9.7-14.1	16	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2064	2,541,034	1197	61.4	58.7-64.1	121	7.9	5.9- 9.9	9	0.5	0.1- 0.9	68	4.1	2.9- 5.3	515	19.2	17.2-21.2	154	6.9	5.5- 8.3
White/Non-Hisp	1690	1,880,005	993	62.5	59.6-65.4	80	5.7	3.9- 7.5	5	0.3	0.0- 0.7	47	3.4	2.2- 4.6	452	22.3	19.9-24.7	113	5.8	4.6- 7.0
Black or Afr. Am./Non-Hisp	161	340,313	76	53.0	43.0-63.0	21	16.6	9.0-24.2	7	3.6	0.0- 7.3	34	14.8	8.5-21.1	23	12.0	5.7-18.3	6	5.7	0.8-10.6
Oth. Race/Non-Hisp.	70	69,474	41	59.4	44.9-73.9	5	5.5	0.0-11.0	2	4.3	0.0-11.0	8	18.5	5.2-31.8	8	6.5	1.4-11.6	3	2.8	0.0- 6.1
Hispanic	68	158,049	49	74.9	61.4-88.4	8	14.4	2.1-26.7	1	0.9	0.0- 2.7	4	4.8	0.0-10.1	3	2.1	0.0- 5.4	3	2.8	0.0- 6.1
18-24	175	313,514	110	62.3	53.1-71.5	16	12.1	5.6-18.6				46	23.9	15.9-31.9				3	1.8	0.0- 4.0
25-34	270	455,269	227	82.0	75.3-88.7	20	10.6	4.3-16.9	2	0.6	0.0- 1.6	13	4.6	1.7- 7.5	2	0.4	0.0- 1.0	6	1.7	0.1- 3.3
35-44	289	408,623	241	82.4	76.3-88.5	25	9.6	4.7-14.5	3	1.1	0.0- 2.5	7	1.7	0.1- 3.3	1	0.3	0.0- 0.9	12	4.9	1.0- 8.8
45-54	349	406,249	262	72.5	66.4-78.6	26	10.8	6.1-15.5	4	1.0	0.0- 2.2	2	0.3	0.0- 0.7	18	6.3	2.8- 9.8	37	9.0	5.5-12.5
55-64	385	425,312	234	61.1	54.8-67.4	22	5.7	2.4- 9.0							66	16.2	11.3-21.1	63	17.1	12.4-21.8
65+	596	532,066	123	19.1	15.0-23.2	12	1.3	0.3- 2.3							428	73.5	69.0-78.0	33	6.1	3.6- 8.6
Less Than H.S.	172	338,096	58	42.2	32.0-52.4	16	12.9	5.6-20.2	2	0.9	0.0- 2.3				51	23.7	16.1-31.3	45	20.3	13.4-27.2
H.S. or G.E.D.	648	841,203	369	61.6	56.7-66.5	41	7.9	5.0-10.8	3	0.6	0.0- 1.4	25	4.8	2.4- 7.2	153	19.0	15.5-22.5	57	6.1	4.1- 8.1
Some Post-H.S.	499	697,516	279	61.4	55.9-66.9	32	8.4	4.3-12.5	2	0.2	0.0- 0.6	27	6.8	3.7- 9.9	132	18.5	14.8-22.2	27	4.8	2.8- 6.8
College Graduate	723	629,536	477	71.2	67.1-75.3	29	4.3	2.3- 6.3	2	0.3	0.0- 0.7	16	2.6	1.0- 4.2	174	18.2	15.1-21.3	25	3.5	1.3- 5.7
Less than \$15,000	146	184,545	28	27.0	16.0-38.0	19	11.9	5.8-18.0	2	1.5	0.0- 3.9	10	7.8	1.3-14.3	29	17.6	10.0-25.2	58	34.2	24.2-44.2
\$15,000- 24,999	255	333,261	93	40.0	31.8-48.2	30	16.8	9.9-23.7	3	1.7	0.0- 3.7	7	3.6	0.3- 6.9	80	24.4	17.9-30.9	42	13.4	8.5-18.3
\$25,000- 34,999	158	191,077	67	41.4	30.8-52.0	14	14.2	4.6-23.8				7	5.1	0.8- 9.4	64	35.1	24.9-45.3	6	4.2	0.3- 8.1
\$35,000- 49,999	249	335,631	136	62.2	54.6-69.8	18	6.9	2.6-11.2				13	6.4	2.5-10.3	70	18.0	12.7-23.3	12	6.5	2.6-10.4
\$50,000- 74,999	289	360,560	198	75.9	69.6-82.2	4	1.6	0.0- 3.4	2	0.5	0.0- 1.3	4	1.4	0.0- 3.0	71	17.6	12.1-23.1	10	3.0	0.5- 5.5
\$75,000+	619	732,415	499	81.9	77.6-86.2	12	3.4	0.7- 6.1	2	0.2	0.0- 0.6	12	2.8	0.8- 4.8	91	11.5	8.6-14.4	3	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2509	2,743,334	1140	48.2	45.7-50.7	134	6.3	4.9- 7.7	223	10.9	9.1-12.7	69	4.6	3.0- 6.2	683	19.9	18.1-21.7	260	10.2	8.6-11.8
White/Non-Hisp	2021	2,037,242	923	47.7	44.8-50.6	86	4.4	3.2- 5.6	184	10.9	8.9-12.9	47	4.1	2.3- 5.9	590	23.4	21.2-25.6	191	9.4	7.6-11.2
Black or Afr. Am./Non-Hisp	292	475,246	132	50.2	42.6-57.8	31	13.1	7.8-18.4	14	6.3	2.6-10.0	9	6.8	1.9-11.7	67	11.0	7.5-14.5	39	12.7	7.6-17.8
Oth. Race/Non-Hisp.	57	51,420	17	35.8	15.4-56.2	7	9.7	1.1-18.3	6	17.4	0.0-35.2	7	9.2	0.2-18.2	8	12.0	2.0-22.0	12	15.8	4.4-27.2
Hispanic	63	103,006	40	63.7	45.9-81.5	6	12.1	0.9-23.3	5	13.5	0.0-30.4	5	5.4	0.0-11.5	2	1.2	0.0- 3.4	5	4.1	0.0- 8.2
18-24	158	305,969	83	49.0	38.0-60.0	11	7.4	2.1-12.7	7	6.2	0.0-12.7	53	35.8	24.8-46.8				4	1.5	0.0- 3.1
25-34	302	456,374	220	72.6	66.1-79.1	32	11.5	6.8-16.2	37	10.4	6.3-14.5	4	1.8	0.0- 3.8				9	3.6	0.5- 6.7
35-44	347	423,502	234	66.7	60.2-73.2	29	10.4	5.5-15.3	45	13.0	8.9-17.1	5	1.3	0.0- 2.7	1	0.5	0.0- 1.5	33	8.2	4.9-11.5
45-54	411	439,108	268	60.1	53.4-66.8	24	4.5	2.1- 6.9	41	14.3	8.6-20.0	3	0.7	0.0- 1.7	12	3.5	1.0- 6.0	63	16.8	11.7-21.9
55-64	475	461,465	223	45.0	39.3-50.7	28	5.9	3.4- 8.4	33	10.2	5.5-14.9	1	0.0	0.0- 0.0	99	18.7	14.4-23.0	91	20.1	15.4-24.8
65+	816	656,916	112	13.1	10.2-16.0	10	0.9	0.3- 1.5	60	10.1	6.8-13.4	3	0.1	0.0- 0.3	571	67.3	62.6-72.0	60	8.6	5.5-11.7
Less Than H.S.	189	323,160	37	24.4	14.6-34.2	9	3.7	0.6- 6.8	31	22.3	12.9-31.7	5	9.3	0.0-19.3	58	19.8	13.1-26.5	49	20.5	13.1-27.9
H.S. or G.E.D.	767	849,482	274	39.3	34.8-43.8	50	8.9	5.8-12.0	87	13.7	10.2-17.2	23	4.4	2.4- 6.4	223	20.9	17.6-24.2	110	12.7	9.8-15.6
Some Post-H.S.	673	858,275	310	51.1	46.4-55.8	37	5.2	2.8- 7.6	51	7.7	5.2-10.2	22	5.3	2.8- 7.8	183	21.2	17.7-24.7	70	9.6	6.7-12.5
College Graduate	853	685,250	504	65.8	61.9-69.7	38	5.8	3.4- 8.2	53	6.0	3.8- 8.2	18	2.1	0.9- 3.3	211	17.4	14.7-20.1	29	2.9	1.7- 4.1
Less than \$15,000	251	298,622	39	19.3	11.3-27.3	28	14.5	7.8-21.2	23	8.7	4.0-13.4	8	8.9	0.0-19.1	55	14.2	9.1-19.3	98	34.4	26.0-42.8
\$15,000- 24,999	395	401,054	119	34.8	27.7-41.9	31	6.8	3.7- 9.9	32	13.6	6.9-20.3	17	5.2	2.3- 8.1	130	22.9	17.8-28.0	66	16.7	11.4-22.0
\$25,000- 34,999	228	260,727	96	41.7	32.7-50.7	15	5.4	1.5- 9.3	18	13.3	5.9-20.7	5	2.9	0.0- 5.8	77	27.9	20.1-35.7	17	8.7	2.6-14.8
\$35,000- 49,999	290	306,954	154	54.9	47.3-62.5	9	5.3	0.8- 9.8	27	12.3	6.8-17.8	6	2.1	0.0- 4.3	84	21.1	15.4-26.8	10	4.4	1.1- 7.7
\$50,000- 74,999	305	336,699	186	63.1	55.8-70.4	13	6.4	2.1-10.7	23	6.8	3.1-10.5	6	3.6	0.0- 7.5	69	16.5	11.8-21.2	8	3.7	1.0- 6.4
\$75,000+	570	657,991	388	70.2	65.5-74.9	13	3.5	1.3- 5.7	48	9.4	6.1-12.7	10	2.8	0.6- 5.0	98	12.5	9.6-15.4	13	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4532	5,223,646	581	15.8	14.2-17.4	452	11.4	10.0-12.8	222	6.0	5.0- 7.0	67	1.9	1.3- 2.5	33	0.7	0.3- 1.1	3177	64.2	62.2-66.2
Male	2039	2,494,744	226	14.2	11.8-16.6	196	10.5	8.7-12.3	93	5.3	3.9- 6.7	29	1.8	0.8- 2.8	15	0.5	0.3- 0.7	1480	67.8	64.9-70.7
Female	2493	2,728,902	355	17.2	15.0-19.4	256	12.2	10.2-14.2	129	6.6	5.0- 8.2	38	2.0	1.2- 2.8	18	0.9	0.3- 1.5	1697	60.9	58.2-63.6
White/Non-Hisp	3676	3,869,662	461	15.2	13.6-16.8	368	11.7	10.1-13.3	166	5.5	4.3- 6.7	52	1.8	1.2- 2.4	21	0.6	0.4- 0.8	2608	65.3	63.1-67.5
Black or Afr. Am./Non-Hisp	450	806,735	59	18.4	13.3-23.5	42	9.7	6.2-13.2	23	5.9	2.8- 9.0	8	2.0	0.2- 3.8	5	1.3	0.0- 2.7	313	62.7	56.6-68.8
Oth. Race/Non-Hisp.	129	124,013	23	15.7	8.1-23.3	10	5.9	1.4-10.4	11	11.9	1.9-21.9	5	6.8	0.0-14.1				80	59.7	47.7-71.7
MultiRacial/Non-Hisp.	73	62,479	3	3.5	0.0- 7.4	6	7.8	1.1-14.5	5	7.5	0.2-14.8				1	1.2	0.0- 3.6	58	80.1	69.7-90.5
Hispanic	129	258,894	21	18.5	8.7-28.3	20	17.1	7.5-26.7	15	12.6	4.0-21.2	2	1.7	0.0- 4.4	4	2.0	0.0- 4.4	67	48.2	36.2-60.2
18-24	333	611,936	50	17.4	11.7-23.1	32	10.8	5.9-15.7	11	5.2	1.3- 9.1	5	0.9	0.0- 1.9	3	0.3	0.0- 0.7	232	65.4	58.1-72.7
25-34	568	898,880	105	20.3	16.0-24.6	115	19.1	15.0-23.2	59	12.4	8.3-16.5	18	3.9	1.7- 6.1	5	1.0	0.0- 2.2	266	43.3	38.0-48.6
35-44	628	826,614	133	23.2	18.7-27.7	162	24.6	20.3-28.9	96	13.2	10.1-16.3	31	5.4	3.0- 7.8	16	2.5	1.1- 3.9	190	31.1	26.4-35.8
45-54	746	827,622	156	22.7	18.6-26.8	94	13.3	10.0-16.6	34	4.6	2.8- 6.4	4	1.0	0.0- 2.4	7	0.7	0.1- 1.3	451	57.8	53.1-62.5
55-64	848	872,466	70	10.2	7.1-13.3	27	2.4	1.4- 3.4	15	1.8	0.8- 2.8	7	0.6	0.0- 1.2	2	0.2	0.0- 0.6	727	84.8	81.5-88.1
65+	1409	1,186,128	67	5.6	3.8- 7.4	22	2.0	1.0- 3.0	7	0.5	0.1- 0.9	2	0.0	0.0- 0.0				1311	91.8	89.8-93.8
Less Than H.S.	361	643,541	48	15.0	9.9-20.1	19	7.3	2.6-12.0	11	6.4	1.9-10.9	12	4.2	1.5- 6.9	4	1.0	0.0- 2.0	267	66.1	58.8-73.4
H.S. or G.E.D.	1405	1,681,945	183	15.6	13.1-18.1	131	10.6	8.4-12.8	80	7.0	5.0- 9.0	20	2.0	0.8- 3.2	10	0.8	0.2- 1.4	981	64.0	60.5-67.5
Some Post-H.S.	1161	1,535,242	165	18.2	14.9-21.5	113	12.0	9.5-14.5	50	5.1	3.3- 6.9	12	1.5	0.5- 2.5	10	0.8	0.2- 1.4	811	62.4	58.7-66.1
College Graduate	1556	1,301,069	179	13.4	11.0-15.8	185	13.6	11.2-16.0	77	5.2	3.8- 6.6	23	1.2	0.6- 1.8	9	0.5	0.1- 0.9	1083	66.1	63.0-69.2
Less than \$15,000	397	482,289	42	12.8	7.3-18.3	29	9.7	4.8-14.6	23	6.4	3.1- 9.7	1	0.0	0.0- 0.0	4	1.4	0.0- 3.4	298	69.7	62.4-77.0
\$15,000- 24,999	651	735,189	82	15.5	11.6-19.4	60	11.1	7.2-15.0	36	6.9	3.6-10.2	10	2.0	0.4- 3.6	3	0.6	0.0- 1.2	460	63.9	58.4-69.4
\$25,000- 34,999	385	451,001	45	14.2	9.1-19.3	36	10.5	6.0-15.0	18	7.9	3.4-12.4	10	3.3	0.8- 5.8	4	0.6	0.0- 1.2	272	63.6	56.5-70.7
\$35,000- 49,999	538	640,772	76	16.8	12.3-21.3	50	10.0	6.5-13.5	17	4.1	1.4- 6.8	9	1.6	0.0- 3.2	5	0.8	0.0- 1.6	381	66.7	61.0-72.4
\$50,000- 74,999	596	698,938	87	17.6	13.1-22.1	58	9.7	6.4-13.0	35	7.1	4.0-10.2	7	1.8	0.0- 3.6	3	0.7	0.0- 1.5	406	63.1	57.6-68.6
\$75,000+	1188	1,389,764	177	17.7	14.8-20.6	175	17.1	14.2-20.0	71	5.9	3.9- 7.9	17	1.9	0.7- 3.1	9	0.6	0.2- 1.0	739	56.8	53.1-60.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2039	2,494,744	226	14.2	12.0-16.4	196	10.5	8.7-12.3	93	5.3	3.9- 6.7	29	1.8	0.8- 2.8	15	0.5	0.3- 0.7	1480	67.8	64.9-70.7
White/Non-Hisp	1670	1,852,370	184	14.4	12.0-16.8	164	11.3	9.1-13.5	73	5.4	3.6- 7.2	22	1.6	0.6- 2.6	10	0.4	0.2- 0.6	1217	66.9	63.8-70.0
Black or Afr. Am./Non-Hisp	159	328,440	13	9.6	3.1-16.1	12	5.6	1.9- 9.3	4	2.5	0.0- 5.4	3	2.6	0.0- 5.9	2	0.9	0.0- 2.1	125	78.7	70.5-86.9
Oth. Race/Non-Hisp.	71	68,773	12	18.0	6.6-29.4	5	7.1	0.0-14.5	6	8.3	1.2-15.4	2	3.6	0.0-10.1				46	63.0	48.9-77.1
Hispanic	67	156,936	9	19.6	5.3-33.9	10	13.5	2.1-24.9	6	8.6	0.8-16.4	2	2.7	0.0- 7.2	1	0.5	0.0- 1.5	39	55.1	38.8-71.4
18-24	176	308,852	21	16.1	8.5-23.7	16	8.4	3.7-13.1	4	2.4	0.0- 5.3	4	1.0	0.0- 2.0	3	0.6	0.0- 1.4	128	71.5	62.9-80.1
25-34	267	439,852	38	17.6	10.9-24.3	46	13.5	8.8-18.2	20	10.3	4.4-16.2	4	2.8	0.0- 5.7	2	0.4	0.0- 1.0	157	55.3	47.3-63.3
35-44	285	403,643	52	19.6	13.3-25.9	62	23.2	16.5-29.9	42	11.4	7.1-15.7	15	5.3	1.8- 8.8	6	1.3	0.1- 2.5	108	39.1	31.5-46.7
45-54	341	400,390	59	19.3	14.0-24.6	51	14.4	9.7-19.1	17	5.7	2.6- 8.8	1	1.4	0.0- 4.1	2	0.4	0.0- 1.0	211	58.9	52.0-65.8
55-64	378	413,755	31	9.9	5.6-14.2	11	2.5	0.7- 4.3	6	1.6	0.0- 3.2	4	0.4	0.0- 0.8	2	0.5	0.0- 1.3	324	85.1	80.4-89.8
65+	592	528,252	25	5.4	2.9- 7.9	10	2.7	0.7- 4.7	4	0.8	0.0- 1.8	1	0.0	0.0- 0.0				552	91.1	88.0-94.2
Less Than H.S.	168	314,100	20	14.4	7.3-21.5	7	3.7	0.6- 6.8	7	7.8	0.9-14.7	6	5.4	0.7-10.1	2	0.7	0.0- 1.7	126	68.1	58.5-77.7
H.S. or G.E.D.	645	839,362	74	13.6	9.9-17.3	64	11.4	8.1-14.7	31	5.1	2.7- 7.5	9	1.5	0.1- 2.9	5	0.5	0.0- 1.1	462	67.9	63.0-72.8
Some Post-H.S.	493	683,579	61	17.8	12.5-23.1	43	10.7	7.0-14.4	19	5.1	2.4- 7.8	5	1.6	0.0- 3.4	1	0.2	0.0- 0.6	364	64.6	58.7-70.5
College Graduate	711	623,021	67	10.6	7.7-13.5	80	12.0	8.7-15.3	35	4.4	2.8- 6.0	9	0.7	0.1- 1.3	7	0.9	0.3- 1.5	513	71.5	67.2-75.8
Less than \$15,000	146	184,545	9	8.4	0.6-16.2	7	7.1	0.4-13.8	4	1.5	0.0- 3.1	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	124	82.7	73.1-92.3
\$15,000- 24,999	257	336,088	25	12.9	7.2-18.6	21	10.1	5.4-14.8	11	5.8	1.9- 9.7	6	3.3	0.2- 6.4	1	0.3	0.0- 0.9	193	67.5	59.7-75.3
\$25,000- 34,999	158	191,077	12	5.8	1.5-10.1	11	6.8	1.5-12.1	8	7.4	1.1-13.7				2	0.7	0.0- 1.9	125	79.3	70.7-87.9
\$35,000- 49,999	248	333,818	28	15.0	8.5-21.5	15	5.5	1.8- 9.2	8	4.5	0.6- 8.4	4	1.0	0.0- 2.0	3	0.6	0.0- 1.2	190	73.4	65.8-81.0
\$50,000- 74,999	288	358,606	35	15.9	9.2-22.6	25	10.2	4.7-15.7	19	7.9	3.6-12.2	4	2.1	0.0- 4.8	1	0.3	0.0- 0.9	204	63.6	55.4-71.8
\$75,000+	617	731,990	82	16.3	12.0-20.6	96	17.3	13.4-21.2	34	5.2	2.3- 8.1	9	2.2	0.2- 4.2	5	0.7	0.1- 1.3	391	58.4	53.1-63.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2493	2,728,902	355	17.2	15.0-19.4	256	12.2	10.2-14.2	129	6.6	5.0- 8.2	38	2.0	1.2- 2.8	18	0.9	0.3- 1.5	1697	60.9	58.2-63.6
White/Non-Hisp	2006	2,017,293	277	15.9	13.7-18.1	204	12.1	9.9-14.3	93	5.5	4.1- 6.9	30	2.0	1.0- 3.0	11	0.7	0.3- 1.1	1391	63.8	60.9-66.7
Black or Afr. Am./Non-Hisp	291	478,295	46	24.4	17.3-31.5	30	12.5	7.4-17.6	19	8.2	3.5-12.9	5	1.6	0.0- 3.6	3	1.6	0.0- 3.6	188	51.7	44.1-59.3
Oth. Race/Non-Hisp.	58	55,241	11	12.9	3.5-22.3	5	4.3	0.2- 8.4	5	16.3	0.0-35.9	3	10.9	0.0-24.6				34	55.6	35.6-75.6
Hispanic	62	101,958	12	16.8	5.6-28.0	10	22.7	6.2-39.2	9	18.6	1.4-35.8				3	4.4	0.0-10.1	28	37.5	21.4-53.6
18-24	157	303,084	29	18.8	10.6-27.0	16	13.2	4.8-21.6	7	7.9	0.6-15.2	1	0.8	0.0- 2.4				104	59.2	48.0-70.4
25-34	301	459,028	67	22.8	16.9-28.7	69	24.5	18.0-31.0	39	14.5	8.8-20.2	14	5.0	1.7- 8.3	3	1.5	0.0- 3.5	109	31.7	25.4-38.0
35-44	343	422,971	81	26.6	20.3-32.9	100	25.9	20.2-31.6	54	15.0	10.3-19.7	16	5.4	2.1- 8.7	10	3.6	1.2- 6.0	82	23.5	17.8-29.2
45-54	405	427,232	97	25.8	20.1-31.5	43	12.2	7.5-16.9	17	3.6	1.6- 5.6	3	0.6	0.0- 1.4	5	0.9	0.0- 1.9	240	56.8	50.3-63.3
55-64	470	458,711	39	10.4	6.1-14.7	16	2.3	1.1- 3.5	9	1.9	0.5- 3.3	3	0.8	0.0- 1.8				403	84.5	79.8-89.2
65+	817	657,876	42	5.8	3.6- 8.0	12	1.4	0.4- 2.4	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0				759	92.5	90.1-94.9
Less Than H.S.	193	329,441	28	15.7	8.1-23.3	12	10.7	2.1-19.3	4	5.0	0.0-11.1	6	3.1	0.2- 6.0	2	1.3	0.0- 3.1	141	64.2	53.4-75.0
H.S. or G.E.D.	760	842,583	109	17.6	13.9-21.3	67	9.7	7.0-12.4	49	8.9	5.8-12.0	11	2.6	0.8- 4.4	5	1.1	0.0- 2.3	519	60.1	55.4-64.8
Some Post-H.S.	668	851,664	104	18.5	14.6-22.4	70	13.0	9.5-16.5	31	5.1	2.7- 7.5	7	1.3	0.1- 2.5	9	1.4	0.4- 2.4	447	60.7	55.8-65.6
College Graduate	845	678,048	112	16.1	12.6-19.6	105	15.0	11.7-18.3	42	6.0	4.0- 8.0	14	1.7	0.5- 2.9	2	0.1	0.0- 0.3	570	61.1	56.8-65.4
Less than \$15,000	251	297,744	33	15.5	8.1-22.9	22	11.3	4.4-18.2	19	9.4	4.1-14.7				3	2.1	0.0- 5.2	174	61.7	52.1-71.3
\$15,000- 24,999	394	399,100	57	17.6	12.1-23.1	39	12.1	6.0-18.2	25	7.8	2.7-12.9	4	0.9	0.0- 1.9	2	0.8	0.0- 1.8	267	60.9	53.3-68.5
\$25,000- 34,999	227	259,924	33	20.3	12.5-28.1	25	13.2	6.5-19.9	10	8.3	2.2-14.4	10	5.7	1.6- 9.8	2	0.4	0.0- 1.2	147	52.0	42.8-61.2
\$35,000- 49,999	290	306,954	48	18.7	12.8-24.6	35	14.9	9.0-20.8	9	3.7	0.2- 7.2	5	2.4	0.0- 5.3	2	1.1	0.0- 2.7	191	59.3	51.5-67.1
\$50,000- 74,999	308	340,332	52	19.3	13.2-25.4	33	9.2	5.3-13.1	16	6.3	1.8-10.8	3	1.6	0.0- 4.0	2	1.1	0.0- 2.7	202	62.5	55.1-69.9
\$75,000+	571	657,774	95	19.3	15.0-23.6	79	16.9	12.8-21.0	37	6.7	4.3- 9.1	8	1.7	0.3- 3.1	4	0.5	0.0- 1.1	348	55.0	49.7-60.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3767	4,414,882	184	5.3	4.1- 6.5	214	5.7	4.7- 6.7	285	7.3	6.1- 8.5	367	9.4	8.2-10.6	386	10.2	8.8-11.6	2331	62.1	59.9-64.3
Male	1722	2,147,702	63	3.5	2.3- 4.7	83	5.1	3.7- 6.5	113	6.6	5.0- 8.2	144	9.1	7.1-11.1	158	8.9	7.1-10.7	1161	66.9	63.8-70.0
Female	2045	2,267,180	121	7.0	5.0- 9.0	131	6.2	4.8- 7.6	172	8.0	6.0-10.0	223	9.7	8.1-11.3	228	11.5	9.5-13.5	1170	57.6	54.5-60.7
White/Non-Hisp	3064	3,253,675	118	3.7	2.5- 4.9	150	4.3	3.5- 5.1	212	6.4	5.2- 7.6	288	9.3	7.9-10.7	303	9.3	7.9-10.7	1993	67.0	64.8-69.2
Black or Afr. Am./Non-Hisp	385	709,819	39	10.6	6.5-14.7	39	10.3	6.4-14.2	42	9.3	5.8-12.8	46	9.2	5.7-12.7	52	14.4	9.5-19.3	167	46.2	39.7-52.7
Oth. Race/Non-Hisp.	97	95,742	10	8.4	2.3-14.5	6	3.1	0.2- 6.0	7	5.2	0.7- 9.7	11	12.5	3.3-21.7	9	11.3	0.3-22.3	54	59.6	45.9-73.3
MultiRacial/Non-Hisp.	58	49,196	3	5.4	0.0-12.1	3	4.0	0.0- 9.1	4	11.2	0.0-23.5	6	8.5	1.1-15.9	6	12.0	1.8-22.2	36	59.0	43.3-74.7
Hispanic	113	232,850	9	9.1	1.3-16.9	12	9.8	2.7-16.9	13	11.6	2.6-20.6	12	11.4	2.0-20.8	11	8.4	2.3-14.5	56	49.6	36.5-62.7
18-24	253	486,067	9	6.2	0.0-12.7	15	6.4	2.5-10.3	18	10.4	3.9-16.9	42	13.0	7.5-18.5	30	13.4	7.9-18.9	139	50.6	42.0-59.2
25-34	527	843,288	20	4.8	2.1- 7.5	19	3.0	1.2- 4.8	35	5.9	3.4- 8.4	43	6.8	4.4- 9.2	57	11.5	7.8-15.2	353	68.1	63.0-73.2
35-44	564	727,020	28	5.8	3.1- 8.5	27	6.7	3.4-10.0	29	4.4	2.4- 6.4	33	6.4	3.7- 9.1	46	6.9	4.4- 9.4	401	69.7	64.6-74.8
45-54	622	683,532	48	6.6	4.1- 9.1	19	1.7	0.7- 2.7	41	7.4	4.7-10.1	51	9.2	5.7-12.7	35	5.4	3.0- 7.8	428	69.6	64.7-74.5
55-64	729	753,500	43	6.4	3.7- 9.1	56	6.6	4.4- 8.8	47	6.3	3.9- 8.7	69	9.8	7.1-12.5	64	9.0	5.7-12.3	450	61.9	57.0-66.8
65+	1072	921,474	36	3.0	1.6- 4.4	78	9.1	6.6-11.6	115	9.9	7.4-12.4	129	12.0	9.3-14.7	154	14.7	11.8-17.6	560	51.3	47.2-55.4
Less Than H.S.	284	531,166	55	20.4	12.8-28.0	52	12.9	8.4-17.4	60	21.2	14.1-28.3	40	15.3	9.2-21.4	26	10.0	5.3-14.7	51	20.2	13.5-26.9
H.S. or G.E.D.	1125	1,377,490	75	6.0	4.2- 7.8	89	7.5	5.5- 9.5	117	8.5	6.5-10.5	160	12.1	9.7-14.5	156	12.9	10.4-15.4	528	53.1	49.2-57.0
Some Post-H.S.	961	1,298,519	30	2.2	1.2- 3.2	48	4.5	2.7- 6.3	68	5.4	3.8- 7.0	103	9.3	7.1-11.5	132	12.8	10.1-15.5	580	65.9	62.0-69.8
College Graduate	1357	1,158,482	22	1.1	0.5- 1.7	24	1.7	0.5- 2.9	38	1.9	1.1- 2.7	63	3.9	2.7- 5.1	71	4.5	3.1- 5.9	1139	86.9	84.5-89.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1722	2,147,702	63	3.5	2.3- 4.7	83	5.1	3.7- 6.5	113	6.6	5.0- 8.2	144	9.1	7.1-11.1	158	8.9	7.1-10.7	1161	66.9	63.8-70.0
White/Non-Hisp	1410	1,578,746	44	2.7	1.9- 3.5	54	3.3	2.1- 4.5	84	5.7	4.1- 7.3	106	8.2	6.2-10.2	130	8.0	6.2- 9.8	992	72.2	69.3-75.1
Black or Afr. Am./Non-Hisp	142	300,375	8	5.0	0.5- 9.5	18	11.5	5.0-18.0	16	10.6	4.5-16.7	19	11.5	5.4-17.6	14	13.2	5.2-21.2	67	48.2	37.6-58.8
Oth. Race/Non-Hisp.	59	61,300	5	7.0	0.3-13.7	2	1.8	0.0- 4.5	2	2.2	0.0- 5.3	10	18.1	4.6-31.6	3	6.4	0.0-15.4	37	64.5	49.0-80.0
Hispanic	57	140,927	2	3.7	0.0- 9.8	8	14.2	2.8-25.6	6	8.2	0.8-15.6	7	13.0	0.0-27.1	6	10.8	1.4-20.2	28	50.1	32.5-67.7
18-24	129	242,036	2	0.7	0.0- 1.9	6	6.6	0.7-12.5	11	9.0	3.1-14.9	16	13.5	4.3-22.7	18	15.3	7.3-23.3	76	54.9	43.7-66.1
25-34	247	415,100	5	1.5	0.0- 3.1	10	3.3	0.8- 5.8	11	4.1	1.2- 7.0	14	6.2	2.3-10.1	20	9.4	4.5-14.3	187	75.5	68.4-82.6
35-44	259	365,310	9	4.0	0.3- 7.7	10	5.8	1.1-10.5	8	3.3	0.8- 5.8	12	7.6	2.7-12.5	17	4.9	1.8- 8.0	203	74.3	66.7-81.9
45-54	287	334,778	21	6.4	3.1- 9.7	6	0.9	0.1- 1.7	21	8.5	4.2-12.8	27	9.8	5.3-14.3	13	4.5	1.6- 7.4	199	69.8	62.9-76.7
55-64	323	354,815	16	7.0	3.1-10.9	21	5.6	2.9- 8.3	16	5.7	2.2- 9.2	30	9.0	5.3-12.7	21	6.0	1.9-10.1	219	66.7	60.0-73.4
65+	477	435,663	10	1.5	0.5- 2.5	30	8.1	4.6-11.6	46	9.5	5.8-13.2	45	10.0	6.5-13.5	69	14.0	9.9-18.1	277	57.0	51.1-62.9
Less Than H.S.	142	275,700	22	12.7	6.4-19.0	21	12.0	5.5-18.5	30	20.4	12.6-28.2	22	16.6	7.8-25.4	14	9.6	4.1-15.1	33	28.8	18.4-39.2
H.S. or G.E.D.	531	711,849	21	3.2	1.4- 5.0	32	5.9	3.2- 8.6	52	7.7	5.0-10.4	62	10.8	7.5-14.1	67	11.8	7.9-15.7	297	60.6	55.1-66.1
Some Post-H.S.	408	580,771	10	1.9	0.5- 3.3	17	3.1	1.3- 4.9	17	3.4	1.4- 5.4	36	9.2	5.5-12.9	50	9.1	5.8-12.4	278	73.2	67.9-78.5
College Graduate	626	556,468	10	1.2	0.2- 2.2	12	2.8	0.4- 5.2	14	1.9	0.5- 3.3	24	3.5	1.9- 5.1	26	4.4	2.2- 6.6	540	86.3	82.6-90.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2045	2,267,180	121	7.0	5.0- 9.0	131	6.2	4.8- 7.6	172	8.0	6.0-10.0	223	9.7	8.1-11.3	228	11.5	9.5-13.5	1170	57.6	54.7-60.5
White/Non-Hisp	1654	1,674,930	74	4.6	2.6- 6.6	96	5.3	3.9- 6.7	128	7.1	5.1- 9.1	182	10.3	8.5-12.1	173	10.6	8.6-12.6	1001	62.1	58.8-65.4
Black or Afr. Am./Non-Hisp	243	409,445	31	14.7	8.4-21.0	21	9.4	4.3-14.5	26	8.3	4.2-12.4	27	7.6	3.3-11.9	38	15.3	9.2-21.4	100	44.7	36.7-52.7
Hispanic	56	91,924	7	17.4	0.7-34.1	4	3.1	0.0- 6.6	7	16.7	0.0-35.5	5	9.1	0.3-17.9	5	4.7	0.0-10.0	28	48.9	30.1-67.7
18-24	124	244,031	7	11.6	0.0-23.8	9	6.2	0.9-11.5	7	11.9	0.5-23.3	26	12.5	6.6-18.4	12	11.5	4.1-18.9	63	46.5	33.8-59.2
25-34	280	428,188	15	8.0	2.9-13.1	9	2.7	0.3- 5.1	24	7.7	3.8-11.6	29	7.3	4.4-10.2	37	13.5	8.2-18.8	166	60.8	53.5-68.1
35-44	305	361,711	19	7.6	3.5-11.7	17	7.6	3.1-12.1	21	5.6	2.5- 8.7	21	5.1	2.4- 7.8	29	9.0	4.7-13.3	198	65.1	58.2-72.0
45-54	335	348,754	27	6.8	2.9-10.7	13	2.5	0.7- 4.3	20	6.4	3.1- 9.7	24	8.7	3.6-13.8	22	6.2	2.9- 9.5	229	69.4	62.5-76.3
55-64	406	398,686	27	5.9	3.2- 8.6	35	7.5	4.4-10.6	31	6.8	3.9- 9.7	39	10.5	6.6-14.4	43	11.7	6.8-16.6	231	57.6	51.3-63.9
65+	595	485,811	26	4.4	2.0- 6.8	48	9.9	6.4-13.4	69	10.3	6.8-13.8	84	13.9	10.0-17.8	85	15.2	10.9-19.5	283	46.3	40.8-51.8
Less Than H.S.	142	255,466	33	28.8	15.9-41.7	31	13.8	7.3-20.3	30	22.1	10.3-33.9	18	13.8	5.6-22.0	12	10.5	2.7-18.3	18	11.0	4.7-17.3
H.S. or G.E.D.	594	665,641	54	8.9	5.8-12.0	57	9.1	6.2-12.0	65	9.3	6.4-12.2	98	13.6	10.5-16.7	89	14.1	10.4-17.8	231	45.0	39.7-50.3
Some Post-H.S.	553	717,748	20	2.5	1.1- 3.9	31	5.6	2.9- 8.3	51	7.0	4.6- 9.4	67	9.4	6.7-12.1	82	15.7	11.4-20.0	302	59.9	54.6-65.2
College Graduate	731	602,014	12	1.0	0.2- 1.8	12	0.8	0.2- 1.4	24	1.9	0.9- 2.9	39	4.4	2.6- 6.2	45	4.6	3.0- 6.2	599	87.4	84.9-89.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	967	1,338,459	32	3.8	2.2- 5.4	935	96.2	94.6-97.8
White/Non-Hisp	721	888,062	22	3.4	1.6- 5.2	699	96.6	94.8-98.4
Black or Afr. Am./Non-Hisp	138	300,660	6	5.4	0.5-10.3	132	94.6	89.7-99.5
18-24	151	294,641	8	6.0	1.5-10.5	143	94.0	89.5-98.5
25-34	302	460,464	20	6.5	3.0-10.0	282	93.5	90.0-97.0
35-44	335	407,175	4	0.8	0.0- 1.6	331	99.2	98.4- 100
45-54	179	176,178				179	100.0	100.0- 100
Less Than H.S.	50	125,907				50	100.0	100.0- 100
H.S. or G.E.D.	277	403,824	10	4.4	1.1- 7.7	267	95.6	92.3-98.9
Some Post-H.S.	248	406,047	8	4.0	0.7- 7.3	240	96.0	92.7-99.3
College Graduate	382	386,229	14	4.4	1.7- 7.1	368	95.6	92.9-98.3
Less than \$15,000	93	159,229	5	4.8	0.0-10.1	88	95.2	89.9- 100
\$15,000- 24,999	147	183,764	5	3.8	0.0- 8.1	142	96.2	91.9- 100
\$25,000- 34,999	90	127,424	9	16.8	5.4-28.2	81	83.2	71.8-94.6
\$35,000- 49,999	113	155,317	2	1.1	0.0- 3.1	111	98.9	96.9- 100
\$50,000- 74,999	141	180,003	7	5.1	0.6- 9.6	134	94.9	90.4-99.4
\$75,000+	275	370,211	3	0.8	0.0- 2.0	272	99.2	98.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4223	4,889,962	26	0.7	0.3- 1.1	1056	24.7	22.9-26.5	1865	43.8	41.8-45.8	918	22.1	20.3-23.9	351	8.6	7.4- 9.8	7	0.2	0.0- 0.4
Male	1974	2,419,309	2	0.1	0.0- 0.3	182	10.9	8.9-12.9	954	48.2	45.3-51.1	581	28.0	25.3-30.7	250	12.5	10.5-14.5	5	0.3	0.1- 0.5
Female	2249	2,470,654	24	1.2	0.4- 2.0	874	38.1	35.4-40.8	911	39.5	36.8-42.2	337	16.3	14.1-18.5	101	4.7	3.5- 5.9	2	0.1	0.0- 0.3
White/Non-Hisp	3437	3,633,069	21	0.6	0.2- 1.0	877	25.3	23.3-27.3	1516	43.8	41.6-46.0	748	22.3	20.3-24.3	272	7.9	6.7- 9.1	3	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	414	744,076	2	0.1	0.0- 0.3	69	17.8	12.9-22.7	201	47.0	40.5-53.5	98	23.3	18.0-28.6	43	11.4	7.1-15.7	1	0.4	0.0- 1.2
Oth. Race/Non-Hisp.	115	112,798				39	33.0	20.8-45.2	46	43.6	31.1-56.1	17	13.6	6.3-20.9	10	7.3	1.8-12.8	3	2.5	0.0- 5.4
MultiRacial/Non-Hisp.	71	59,167				19	27.6	15.1-40.1	29	40.4	26.5-54.3	14	15.6	6.2-25.0	9	16.4	4.6-28.2			
Hispanic	123	249,628	2	3.9	0.0-11.2	32	25.2	14.8-35.6	53	41.8	29.8-53.8	26	21.5	10.3-32.7	10	7.6	2.3-12.9			
18-24	311	575,650	2	1.9	0.0- 5.2	113	35.5	28.4-42.6	110	35.1	27.8-42.4	58	19.7	13.2-26.2	26	7.1	3.6-10.6	2	0.7	0.0- 1.7
25-34	547	861,714				152	27.9	23.0-32.8	235	44.1	38.6-49.6	113	20.6	16.3-24.9	44	7.0	4.3- 9.7	3	0.3	0.0- 0.7
35-44	592	780,771	3	0.5	0.0- 1.1	132	21.0	16.9-25.1	241	40.2	35.1-45.3	148	27.8	22.9-32.7	67	10.4	7.3-13.5	1	0.1	0.0- 0.3
45-54	669	746,136	1	0.2	0.0- 0.6	132	19.4	15.3-23.5	289	44.2	39.3-49.1	171	24.7	20.4-29.0	76	11.6	8.3-14.9			
55-64	797	819,079	8	0.8	0.2- 1.4	153	17.3	14.0-20.6	356	46.6	42.1-51.1	200	23.6	19.9-27.3	79	11.7	8.6-14.8	1	0.1	0.0- 0.3
65+	1307	1,106,612	12	0.9	0.1- 1.7	374	28.0	24.7-31.3	634	48.4	44.7-52.1	228	17.7	14.8-20.6	59	5.0	3.4- 6.6			
Less Than H.S.	337	603,291	6	2.4	0.0- 5.5	86	24.1	17.8-30.4	145	43.5	35.9-51.1	69	20.6	14.1-27.1	31	9.4	5.3-13.5			
H.S. or G.E.D.	1310	1,557,290	5	0.4	0.0- 0.8	338	26.7	23.4-30.0	560	40.7	37.2-44.2	282	22.0	18.9-25.1	124	10.2	8.0-12.4	1	0.1	0.0- 0.3
Some Post-H.S.	1082	1,450,241	6	0.5	0.1- 0.9	249	23.1	19.8-26.4	482	44.3	40.4-48.2	260	24.1	20.8-27.4	85	8.0	5.8-10.2			
College Graduate	1448	1,219,031	9	0.4	0.0- 0.8	373	24.0	21.3-26.7	650	47.0	43.7-50.3	301	21.0	18.3-23.7	109	6.9	5.1- 8.7	6	0.6	0.0- 1.2
Less than \$15,000	374	452,596	5	0.5	0.0- 1.1	96	30.7	23.4-38.0	147	41.2	33.4-49.0	77	15.6	11.3-19.9	48	11.9	7.0-16.8	1	0.2	0.0- 0.6
\$15,000- 24,999	618	702,717	8	3.0	0.1- 5.9	154	23.9	19.4-28.4	267	36.8	31.7-41.9	125	24.8	19.1-30.5	63	11.1	7.8-14.4	1	0.4	0.0- 1.2
\$25,000- 34,999	370	432,507	1	0.3	0.0- 0.9	91	21.4	15.7-27.1	172	52.3	45.0-59.6	80	18.4	13.3-23.5	26	7.6	3.5-11.7			
\$35,000- 49,999	515	615,159	2	0.3	0.0- 0.7	122	23.6	18.7-28.5	240	42.8	37.1-48.5	113	25.5	20.0-31.0	38	7.8	4.7-10.9			
\$50,000- 74,999	570	677,780				122	22.2	17.5-26.9	278	48.8	43.1-54.5	120	19.1	14.8-23.4	49	9.8	6.3-13.3	1	0.1	0.0- 0.3
\$75,000+	1139	1,338,559	3	0.1	0.0- 0.3	263	22.5	19.4-25.6	503	44.7	40.8-48.6	284	25.1	21.8-28.4	83	7.3	5.1- 9.5	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1974	2,419,309	2	0.1	0.0- 0.3	182	10.9	8.9-12.9	954	48.2	45.3-51.1	581	28.0	25.3-30.7	250	12.5	10.5-14.5	5	0.3	0.1- 0.5
White/Non-Hisp	1618	1,789,837	2	0.1	0.0- 0.3	132	9.3	7.3-11.3	784	48.5	45.4-51.6	495	29.5	26.6-32.4	204	12.5	10.3-14.7	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	151	316,776				18	11.6	4.9-18.3	76	51.3	41.1-61.5	39	23.8	15.6-32.0	17	12.4	5.5-19.3	1	0.9	0.0- 2.7
Oth. Race/Non-Hisp.	69	68,998				10	16.5	5.3-27.7	34	53.5	39.0-68.0	13	15.2	6.0-24.4	9	10.7	2.1-19.3	3	4.1	0.0- 8.8
Hispanic	66	154,536				11	16.8	5.4-28.2	35	49.3	32.8-65.8	13	25.0	8.7-41.3	7	8.9	1.5-16.3			
18-24	170	296,662				42	29.0	20.0-38.0	74	39.4	30.2-48.6	34	19.5	11.1-27.9	19	11.0	4.9-17.1	1	1.0	0.0- 3.0
25-34	264	434,579				37	12.6	7.9-17.3	127	51.7	43.7-59.7	65	23.9	17.2-30.6	33	11.4	6.3-16.5	2	0.4	0.0- 1.0
35-44	278	399,046				21	9.2	4.3-14.1	119	42.5	34.9-50.1	101	39.2	31.4-47.0	36	8.8	5.5-12.1	1	0.2	0.0- 0.6
45-54	321	374,993	1	0.3	0.0- 0.9	15	5.0	1.7- 8.3	141	46.5	39.4-53.6	110	31.5	25.0-38.0	54	16.7	11.4-22.0			
55-64	369	402,796				22	6.6	2.7-10.5	167	45.9	39.2-52.6	120	28.7	23.0-34.4	59	18.7	13.6-23.8	1	0.1	0.0- 0.3
65+	572	511,232	1	0.1	0.0- 0.3	45	7.9	4.8-11.0	326	58.1	52.8-63.4	151	24.5	20.0-29.0	49	9.4	6.1-12.7			
Less Than H.S.	161	302,590				22	15.8	8.0-23.6	76	46.9	36.7-57.1	42	24.1	15.1-33.1	21	13.3	7.6-19.0			
H.S. or G.E.D.	620	801,294	1	0.0	0.0- 0.0	83	15.2	11.3-19.1	280	41.4	36.3-46.5	162	27.2	22.5-31.9	93	16.2	12.3-20.1	1	0.1	0.0- 0.3
Some Post-H.S.	477	670,814				37	8.9	5.4-12.4	227	50.3	44.4-56.2	160	31.5	26.0-37.0	53	9.3	6.6-12.0			
College Graduate	694	609,712	1	0.2	0.0- 0.6	39	5.3	3.3- 7.3	356	54.8	49.9-59.7	213	27.7	23.6-31.8	81	11.1	7.8-14.4	4	0.9	0.0- 1.9
Less than \$15,000	141	174,872				17	20.4	9.0-31.8	68	46.2	35.2-57.2	29	16.1	9.6-22.6	26	17.0	10.3-23.7	1	0.5	0.0- 1.5
\$15,000- 24,999	253	328,593	1	0.4	0.0- 1.2	34	13.5	7.8-19.2	113	39.8	32.0-47.6	66	28.4	20.0-36.8	38	17.0	10.9-23.1	1	0.9	0.0- 2.7
\$25,000- 34,999	154	188,046				18	15.1	6.5-23.7	79	57.4	46.8-68.0	38	17.5	10.4-24.6	19	10.0	4.1-15.9			
\$35,000- 49,999	243	321,936				20	9.1	4.2-14.0	120	48.3	39.9-56.7	76	32.1	24.1-40.1	27	10.5	6.2-14.8			
\$50,000- 74,999	286	359,515				17	7.7	3.2-12.2	153	53.5	45.5-61.5	76	24.3	17.4-31.2	39	14.3	8.4-20.2	1	0.1	0.0- 0.3
\$75,000+	612	727,842				39	6.7	4.0- 9.4	284	48.0	42.7-53.3	215	33.6	28.7-38.5	72	11.4	7.9-14.9	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 52: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2249	2,470,654	24	1.2	0.4- 2.0	874	38.1	35.4-40.8	911	39.5	36.8-42.2	337	16.3	14.1-18.5	101	4.7	3.5- 5.9	2	0.1	0.0- 0.3
White/Non-Hisp	1819	1,843,231	19	1.0	0.4- 1.6	745	40.9	38.0-43.8	732	39.2	36.3-42.1	253	15.3	12.9-17.7	68	3.4	2.4- 4.4	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	263	427,299	2	0.2	0.0- 0.6	51	22.4	15.5-29.3	125	43.8	35.8-51.8	59	22.9	15.8-30.0	26	10.7	5.4-16.0			
Hispanic	57	95,091	2	10.2	0.0-28.2	21	38.7	20.3-57.1	18	29.8	14.5-45.1	13	15.7	5.3-26.1	3	5.5	0.0-12.4			
18-24	141	278,987	2	3.9	0.0-10.6	71	42.4	31.2-53.6	36	30.4	18.6-42.2	24	19.9	9.7-30.1	7	3.0	0.0- 6.3	1	0.5	0.0- 1.5
25-34	283	427,135				115	43.5	36.1-50.9	108	36.4	29.3-43.5	48	17.1	11.6-22.6	11	2.6	0.8- 4.4	1	0.3	0.0- 0.9
35-44	314	381,725	3	1.0	0.0- 2.2	111	33.3	26.8-39.8	122	37.8	30.9-44.7	47	15.8	10.7-20.9	31	12.1	6.8-17.4			
45-54	348	371,143				117	34.0	27.3-40.7	148	41.9	35.0-48.8	61	17.8	12.3-23.3	22	6.4	2.9- 9.9			
55-64	428	416,283	8	1.5	0.3- 2.7	131	27.6	22.3-32.9	189	47.3	41.0-53.6	80	18.6	13.9-23.3	20	5.0	2.1- 7.9			
65+	735	595,380	11	1.6	0.2- 3.0	329	45.3	40.4-50.2	308	40.0	35.3-44.7	77	11.9	8.4-15.4	10	1.1	0.1- 2.1			
Less Than H.S.	176	300,701	6	4.8	0.0-11.1	64	32.4	22.4-42.4	69	40.1	28.7-51.5	27	17.2	8.0-26.4	10	5.5	1.2- 9.8			
H.S. or G.E.D.	690	755,996	4	0.7	0.0- 1.5	255	39.0	34.1-43.9	280	39.9	35.2-44.6	120	16.4	12.7-20.1	31	3.9	2.1- 5.7			
Some Post-H.S.	605	779,427	6	0.9	0.1- 1.7	212	35.4	30.5-40.3	255	39.2	34.3-44.1	100	17.7	13.6-21.8	32	6.8	3.9- 9.7			
College Graduate	754	609,318	8	0.6	0.0- 1.4	334	42.6	38.1-47.1	294	39.2	34.7-43.7	88	14.3	10.8-17.8	28	2.8	1.4- 4.2	2	0.4	0.0- 1.0
Less than \$15,000	233	277,724	5	0.9	0.0- 1.9	79	37.2	27.4-47.0	79	38.0	27.4-48.6	48	15.2	9.7-20.7	22	8.7	3.2-14.2			
\$15,000- 24,999	365	374,124	7	5.2	0.0-10.5	120	33.1	26.4-39.8	154	34.2	27.7-40.7	59	21.5	13.9-29.1	25	5.9	3.0- 8.8			
\$25,000- 34,999	216	244,461	1	0.6	0.0- 1.8	73	26.2	18.6-33.8	93	48.4	38.8-58.0	42	19.1	12.0-26.2	7	5.8	0.1-11.5			
\$35,000- 49,999	272	293,223	2	0.6	0.0- 1.4	102	39.5	31.7-47.3	120	36.8	29.5-44.1	37	18.2	11.3-25.1	11	4.9	1.0- 8.8			
\$50,000- 74,999	284	318,266				105	38.5	30.9-46.1	125	43.6	36.0-51.2	44	13.2	8.3-18.1	10	4.7	1.2- 8.2			
\$75,000+	527	610,717	3	0.2	0.0- 0.6	224	41.3	36.0-46.6	219	40.9	35.6-46.2	69	15.0	10.9-19.1	11	2.4	0.8- 4.0	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4401	5,067,084	208	4.2	3.4- 5.0	1883	41.2	39.2-43.2	1866	44.0	42.0-46.0	430	10.1	8.9-11.3	8	0.2	0.0- 0.4	6	0.3	0.1- 0.5
Male	1990	2,435,708	9	0.3	0.1- 0.5	173	9.1	7.3-10.9	1372	69.0	66.3-71.7	422	20.6	18.2-23.0	8	0.4	0.0- 0.8	6	0.6	0.0- 1.2
Female	2411	2,631,376	199	7.8	6.2- 9.4	1710	70.9	68.4-73.4	494	20.8	18.4-23.2	8	0.5	0.1- 0.9						
White/Non-Hisp	3577	3,770,969	159	4.0	3.2- 4.8	1518	41.3	39.1-43.5	1526	44.1	41.9-46.3	366	10.4	9.0-11.8	6	0.2	0.0- 0.4	2	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	435	777,245	28	4.4	2.0- 6.8	206	42.3	36.2-48.4	164	41.9	35.6-48.2	35	10.4	6.3-14.5				2	1.0	0.0- 2.6
Oth. Race/Non-Hisp.	121	120,782	7	5.9	0.0-12.6	44	36.6	24.4-48.8	58	47.1	34.9-59.3	11	8.8	2.9-14.7	1	1.6	0.0- 4.7			
MultiRacial/Non-Hisp.	73	61,415	2	2.5	0.0- 6.0	27	32.2	19.5-44.9	36	53.1	39.2-67.0	8	12.2	2.6-21.8						
Hispanic	122	237,553	6	5.6	0.0-12.3	54	39.7	28.1-51.3	59	49.3	37.0-61.6	2	4.1	0.0- 9.6				1	1.4	0.0- 4.1
18-24	321	586,903	11	3.9	1.0- 6.8	107	34.3	27.0-41.6	162	48.7	41.3-56.1	38	12.1	7.6-16.6	2	0.4	0.0- 1.2	1	0.5	0.0- 1.5
25-34	558	872,066	21	4.3	1.8- 6.8	220	38.8	33.5-44.1	249	44.2	38.7-49.7	68	12.7	9.0-16.4						
35-44	614	808,764	33	5.4	3.0- 7.8	248	38.8	33.9-43.7	248	41.4	36.3-46.5	84	13.7	10.2-17.2				1	0.7	0.0- 2.1
45-54	721	803,963	20	2.5	1.1- 3.9	322	42.7	37.8-47.6	303	44.3	39.4-49.2	71	9.5	6.6-12.4	2	0.3	0.0- 0.7	3	0.7	0.0- 1.7
55-64	834	857,020	31	3.3	1.7- 4.9	361	42.5	38.0-47.0	364	45.3	40.8-49.8	76	8.5	6.0-11.0	2	0.5	0.0- 1.1			
65+	1353	1,138,369	92	5.3	3.9- 6.7	625	46.2	42.7-49.7	540	42.0	38.5-45.5	93	6.4	4.8- 8.0	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Less Than H.S.	349	617,514	29	7.7	3.6-11.8	156	41.7	34.3-49.1	133	41.0	33.6-48.4	27	7.5	4.0-11.0	2	0.7	0.0- 1.7	2	1.4	0.0- 3.4
H.S. or G.E.D.	1353	1,613,056	87	4.5	3.1- 5.9	598	42.2	38.7-45.7	542	42.6	39.1-46.1	122	10.5	8.1-12.9	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0
Some Post-H.S.	1130	1,500,606	39	2.9	1.7- 4.1	495	42.1	38.4-45.8	492	45.9	42.2-49.6	102	9.1	6.9-11.3	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0
College Graduate	1522	1,276,057	51	3.7	2.5- 4.9	612	38.7	35.6-41.8	680	44.9	41.6-48.2	175	12.2	9.8-14.6	2	0.2	0.0- 0.6	2	0.4	0.0- 1.0
Less than \$15,000	382	462,660	31	7.9	3.4-12.4	182	46.2	38.6-53.8	136	34.1	27.2-41.0	30	10.9	5.6-16.2	2	0.8	0.0- 2.0	1	0.1	0.0- 0.3
\$15,000- 24,999	634	714,404	49	5.7	3.5- 7.9	296	42.3	37.0-47.6	242	42.5	36.8-48.2	43	8.4	5.3-11.5	1	0.1	0.0- 0.3	3	0.9	0.0- 2.1
\$25,000- 34,999	378	435,244	24	4.7	2.3- 7.1	166	42.9	35.8-50.0	162	46.4	39.3-53.5	26	5.9	2.6- 9.2						
\$35,000- 49,999	532	630,662	18	3.5	1.5- 5.5	244	42.4	36.7-48.1	221	46.1	40.2-52.0	49	7.9	5.0-10.8						
\$50,000- 74,999	586	691,666	16	2.0	0.8- 3.2	249	43.5	38.0-49.0	257	42.2	36.7-47.7	64	12.3	8.6-16.0						
\$75,000+	1176	1,377,105	26	2.0	1.0- 3.0	422	35.5	32.0-39.0	566	49.0	45.3-52.7	159	13.3	10.8-15.8	3	0.2	0.0- 0.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1990	2,435,708	9	0.3	0.1- 0.5	173	9.1	7.3-10.9	1372	69.0	66.3-71.7	422	20.6	18.2-23.0	8	0.4	0.0- 0.8	6	0.6	0.0- 1.2
White/Non-Hisp	1631	1,806,958	8	0.4	0.0- 0.8	124	7.8	6.0- 9.6	1132	69.9	67.0-72.8	359	21.3	18.8-23.8	6	0.4	0.0- 0.8	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	152	316,798				17	7.0	2.9-11.1	99	66.4	56.8-76.0	34	24.1	15.1-33.1				2	2.6	0.0- 6.3
Oth. Race/Non-Hisp.	68	68,688	1	1.0	0.0- 3.0	9	10.7	3.4-18.0	46	70.0	57.3-82.7	11	15.5	5.5-25.5	1	2.8	0.0- 8.3			
Hispanic	65	151,811				16	25.9	11.8-40.0	46	65.6	50.1-81.1	2	6.4	0.0-15.0				1	2.1	0.0- 6.2
18-24	173	306,231				15	12.4	5.0-19.8	118	64.2	54.8-73.6	37	21.7	13.9-29.5	2	0.8	0.0- 2.2	1	0.9	0.0- 2.7
25-34	263	425,121	1	0.1	0.0- 0.3	23	9.1	4.6-13.6	173	65.5	57.9-73.1	66	25.4	18.5-32.3						
35-44	279	397,926	1	0.4	0.0- 1.2	22	8.5	3.8-13.2	174	62.9	55.3-70.5	81	26.9	20.2-33.6				1	1.3	0.0- 3.8
45-54	332	387,220	2	0.5	0.0- 1.3	36	8.3	5.0-11.6	219	69.5	63.2-75.8	70	19.7	14.2-25.2	2	0.6	0.0- 1.4	3	1.4	0.0- 3.4
55-64	373	408,795	2	0.5	0.0- 1.3	28	7.0	3.7-10.3	265	73.7	68.4-79.0	76	17.7	13.4-22.0	2	1.0	0.0- 2.4			
65+	570	510,415	3	0.2	0.0- 0.6	49	9.8	6.3-13.3	423	75.5	70.8-80.2	92	14.2	10.7-17.7	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3
Less Than H.S.	164	308,487	2	0.8	0.0- 2.0	27	12.9	6.6-19.2	104	67.1	58.3-75.9	27	15.0	9.3-20.7	2	1.4	0.0- 3.4	2	2.8	0.0- 6.7
H.S. or G.E.D.	625	814,156	3	0.1	0.0- 0.3	69	11.1	7.8-14.4	428	67.8	62.9-72.7	121	20.6	16.3-24.9	3	0.4	0.0- 0.8	1	0.0	0.0- 0.0
Some Post-H.S.	484	670,284	2	0.3	0.0- 0.9	34	7.7	4.2-11.2	348	72.8	67.5-78.1	98	19.0	14.5-23.5	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
College Graduate	696	609,737	2	0.3	0.0- 0.7	41	6.3	3.8- 8.8	477	67.2	62.3-72.1	172	25.1	20.6-29.6	2	0.4	0.0- 1.2	2	0.8	0.0- 1.8
Less than \$15,000	141	177,995	2	0.5	0.0- 1.3	17	10.5	4.0-17.0	92	62.3	51.5-73.1	27	24.3	14.5-34.1	2	2.2	0.0- 5.1	1	0.2	0.0- 0.6
\$15,000- 24,999	252	331,483	3	1.0	0.0- 2.4	31	10.9	6.4-15.4	172	68.1	60.5-75.7	42	17.7	11.4-24.0	1	0.3	0.0- 0.9	3	2.0	0.0- 4.5
\$25,000- 34,999	152	179,965	1	0.4	0.0- 1.2	11	7.9	1.6-14.2	114	77.3	68.1-86.5	26	14.4	6.8-22.0						
\$35,000- 49,999	247	329,295				27	13.1	6.6-19.6	173	72.0	64.4-79.6	47	14.8	9.3-20.3						
\$50,000- 74,999	288	360,720				30	11.1	5.8-16.4	196	66.1	58.5-73.7	62	22.8	16.1-29.5						
\$75,000+	611	724,585	2	0.3	0.0- 0.7	35	5.7	3.2- 8.2	412	68.2	63.3-73.1	159	25.4	20.9-29.9	3	0.4	0.0- 1.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 55: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2411	2,631,376	199	7.8	6.2- 9.4	1710	70.9	68.4-73.4	494	20.8	18.4-23.2	8	0.5	0.1- 0.9
White/Non-Hisp	1946	1,964,011	151	7.3	5.7- 8.9	1394	72.0	69.3-74.7	394	20.3	17.9-22.7	7	0.4	0.0- 0.8
Black or Afr. Am./Non-Hisp	283	460,448	28	7.5	3.6-11.4	189	66.5	58.9-74.1	65	25.0	17.9-32.1	1	1.0	0.0- 3.0
Oth. Race/Non-Hisp.	53	52,094	6	12.5	0.0-27.0	35	70.7	53.1-88.3	12	16.9	4.7-29.1			
Hispanic	57	85,742	6	15.4	0.0-32.5	38	64.2	46.4-82.0	13	20.4	7.9-32.9			
18-24	148	280,672	11	8.2	2.1-14.3	92	58.3	46.9-69.7	44	31.9	20.9-42.9	1	1.6	0.0- 4.7
25-34	295	446,945	20	8.3	3.6-13.0	197	67.2	60.3-74.1	76	24.0	18.1-29.9	2	0.6	0.0- 1.4
35-44	335	410,837	32	10.3	6.0-14.6	226	68.0	61.5-74.5	74	20.7	15.2-26.2	3	1.0	0.0- 2.2
45-54	389	416,743	18	4.3	1.8- 6.8	286	74.7	69.0-80.4	84	20.9	15.6-26.2	1	0.1	0.0- 0.3
55-64	461	448,225	29	5.8	3.3- 8.3	333	74.8	69.9-79.7	99	19.4	14.9-23.9			
65+	783	627,953	89	9.4	6.9-11.9	576	75.8	71.9-79.7	117	14.8	11.7-17.9	1	0.1	0.0- 0.3
Less Than H.S.	185	309,027	27	14.7	7.1-22.3	129	70.5	60.3-80.7	29	14.9	6.7-23.1			
H.S. or G.E.D.	728	798,900	84	9.0	6.5-11.5	529	74.0	69.7-78.3	114	16.9	13.2-20.6	1	0.1	0.0- 0.3
Some Post-H.S.	646	830,322	37	4.9	2.9- 6.9	461	70.0	65.3-74.7	144	24.1	19.6-28.6	4	1.1	0.0- 2.3
College Graduate	826	666,320	49	6.8	4.6- 9.0	571	68.3	64.2-72.4	203	24.6	20.9-28.3	3	0.3	0.0- 0.7
Less than \$15,000	241	284,665	29	12.5	5.4-19.6	165	68.5	59.3-77.7	44	16.5	9.8-23.2	3	2.5	0.0- 5.8
\$15,000- 24,999	382	382,921	46	9.8	5.9-13.7	265	69.5	62.4-76.6	70	20.4	13.5-27.3	1	0.3	0.0- 0.9
\$25,000- 34,999	226	255,279	23	7.7	4.2-11.2	155	67.6	58.8-76.4	48	24.7	16.3-33.1			
\$35,000- 49,999	285	301,367	18	7.3	3.2-11.4	217	74.4	67.5-81.3	48	17.9	11.8-24.0	2	0.4	0.0- 1.0
\$50,000- 74,999	298	330,946	16	4.2	1.8- 6.6	219	78.9	73.4-84.4	61	16.2	11.3-21.1	2	0.8	0.0- 2.0
\$75,000+	565	652,521	24	3.9	1.9- 5.9	387	68.5	63.6-73.4	154	27.7	22.8-32.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 9: DISABILITY CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
1 MALES AND FEMALES	143
2 MALES ONLY	144
3 FEMALES ONLY	145
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
4 MALES AND FEMALES	146
5 MALES ONLY	147
6 FEMALES ONLY	148
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
7 MALES AND FEMALES	149
8 MALES ONLY	150
9 FEMALES ONLY	151
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
10 MALES AND FEMALES	152
11 MALES ONLY	153
12 FEMALES ONLY	154
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
13 MALES AND FEMALES	155
14 MALES ONLY	156
15 FEMALES ONLY	157
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
16 MALES AND FEMALES	158
17 MALES ONLY	159
18 FEMALES ONLY	160

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 1: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4439	5,124,773	405	7.8	6.8- 8.8	4034	92.2	91.2-93.2
Male	2001	2,451,191	227	9.6	8.0-11.2	1774	90.4	88.8-92.0
Female	2438	2,673,582	178	6.1	4.9- 7.3	2260	93.9	92.7-95.1
White/Non-Hisp	3595	3,787,525	339	8.5	7.3- 9.7	3256	91.5	90.3-92.7
Black or Afr. Am./Non-Hisp	440	782,184	27	4.7	2.2- 7.2	413	95.3	92.8-97.8
Oth. Race/Non-Hisp.	122	121,187	12	9.5	3.0-16.0	110	90.5	84.0-97.0
MultiRacial/Non-Hisp.	73	61,415	9	7.9	1.4-14.4	64	92.1	85.6-98.6
Hispanic	130	259,163	12	5.3	1.6- 9.0	118	94.7	91.0-98.4
18-24	321	589,277	8	2.8	0.4- 5.2	313	97.2	94.8-99.6
25-34	564	891,425	12	1.8	0.6- 3.0	552	98.2	97.0-99.4
35-44	617	811,942	23	3.4	1.8- 5.0	594	96.6	95.0-98.2
45-54	735	822,000	46	5.4	3.4- 7.4	689	94.6	92.6-96.6
55-64	833	856,176	78	10.6	7.7-13.5	755	89.4	86.5-92.3
65+	1369	1,153,954	238	17.5	14.8-20.2	1131	82.5	79.8-85.2
Less Than H.S.	354	635,859	61	14.9	10.2-19.6	293	85.1	80.4-89.8
H.S. or G.E.D.	1361	1,627,590	137	8.4	6.6-10.2	1224	91.6	89.8-93.4
Some Post-H.S.	1132	1,500,405	107	6.7	5.1- 8.3	1025	93.3	91.7-94.9
College Graduate	1541	1,291,331	97	4.9	3.7- 6.1	1444	95.1	93.9-96.3
Less than \$15,000	387	474,409	56	10.4	7.1-13.7	331	89.6	86.3-92.9
\$15,000- 24,999	637	725,655	83	10.9	8.0-13.8	554	89.1	86.2-92.0
\$25,000- 34,999	380	444,187	43	8.5	4.8-12.2	337	91.5	87.8-95.2
\$35,000- 49,999	531	629,047	49	8.6	5.5-11.7	482	91.4	88.3-94.5
\$50,000- 74,999	589	695,134	49	8.1	5.0-11.2	540	91.9	88.8-95.0
\$75,000+	1176	1,369,578	54	3.9	2.5- 5.3	1122	96.1	94.7-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 2: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2001	2,451,191	227	9.6	8.0-11.2	1774	90.4	88.8-92.0
White/Non-Hisp	1633	1,805,779	192	10.6	8.6-12.6	1441	89.4	87.4-91.4
Black or Afr. Am./Non-Hisp	156	321,048	14	6.9	2.0-11.8	142	93.1	88.2-98.0
Oth. Race/Non-Hisp.	68	68,328	9	14.5	3.7-25.3	59	85.5	74.7-96.3
Hispanic	68	157,992	5	3.8	0.0- 7.7	63	96.2	92.3- 100
18-24	172	304,590	6	4.4	0.1- 8.7	166	95.6	91.3-99.9
25-34	266	434,310	3	1.0	0.0- 2.4	263	99.0	97.6- 100
35-44	282	398,655	8	2.6	0.4- 4.8	274	97.4	95.2-99.6
45-54	336	393,489	35	8.7	5.0-12.4	301	91.3	87.6-95.0
55-64	372	407,256	41	11.1	7.0-15.2	331	88.9	84.8-93.0
65+	573	512,890	134	24.7	19.8-29.6	439	75.3	70.4-80.2
Less Than H.S.	165	309,408	35	19.0	11.6-26.4	130	81.0	73.6-88.4
H.S. or G.E.D.	621	808,954	73	10.1	7.2-13.0	548	89.9	87.0-92.8
Some Post-H.S.	485	675,514	56	7.7	5.2-10.2	429	92.3	89.8-94.8
College Graduate	705	614,534	60	6.5	4.5- 8.5	645	93.5	91.5-95.5
Less than \$15,000	145	184,002	27	11.2	6.3-16.1	118	88.8	83.9-93.7
\$15,000- 24,999	252	331,425	41	15.2	9.7-20.7	211	84.8	79.3-90.3
\$25,000- 34,999	154	188,670	19	10.8	3.7-17.9	135	89.2	82.1-96.3
\$35,000- 49,999	245	326,790	25	9.4	4.3-14.5	220	90.6	85.5-95.7
\$50,000- 74,999	289	361,735	35	10.5	5.8-15.2	254	89.5	84.8-94.2
\$75,000+	612	724,626	43	5.7	3.5- 7.9	569	94.3	92.1-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 3: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2438	2,673,582	178	6.1	4.9- 7.3	2260	93.9	92.7-95.1
White/Non-Hisp	1962	1,981,746	147	6.6	5.2- 8.0	1815	93.4	92.0-94.8
Black or Afr. Am./Non-Hisp	284	461,136	13	3.2	0.5- 5.9	271	96.8	94.1-99.5
Oth. Race/Non-Hisp.	54	52,860	3	3.0	0.0- 6.9	51	97.0	93.1- 100
Hispanic	62	101,171	7	7.7	0.4-15.0	55	92.3	85.0-99.6
18-24	149	284,687	2	1.1	0.0- 2.9	147	98.9	97.1- 100
25-34	298	457,115	9	2.6	0.4- 4.8	289	97.4	95.2-99.6
35-44	335	413,287	15	4.1	1.7- 6.5	320	95.9	93.5-98.3
45-54	399	428,511	11	2.5	0.5- 4.5	388	97.5	95.5-99.5
55-64	461	448,920	37	10.0	6.1-13.9	424	90.0	86.1-93.9
65+	796	641,063	104	11.8	9.1-14.5	692	88.2	85.5-90.9
Less Than H.S.	189	326,451	26	11.1	5.6-16.6	163	88.9	83.4-94.4
H.S. or G.E.D.	740	818,636	64	6.8	4.8- 8.8	676	93.2	91.2-95.2
Some Post-H.S.	647	824,891	51	5.8	3.8- 7.8	596	94.2	92.2-96.2
College Graduate	836	676,797	37	3.5	2.1- 4.9	799	96.5	95.1-97.9
Less than \$15,000	242	290,407	29	9.9	5.6-14.2	213	90.1	85.8-94.4
\$15,000- 24,999	385	394,230	42	7.4	4.7-10.1	343	92.6	89.9-95.3
\$25,000- 34,999	226	255,517	24	6.8	3.5-10.1	202	93.2	89.9-96.5
\$35,000- 49,999	286	302,256	24	7.7	4.0-11.4	262	92.3	88.6-96.0
\$50,000- 74,999	300	333,399	14	5.5	1.4- 9.6	286	94.5	90.4-98.6
\$75,000+	564	644,953	11	1.8	0.4- 3.2	553	98.2	96.8-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 4: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4433	5,107,657	292	6.4	5.4- 7.4	4141	93.6	92.6-94.6
Male	2002	2,449,473	112	5.0	3.8- 6.2	1890	95.0	93.8-96.2
Female	2431	2,658,184	180	7.6	5.8- 9.4	2251	92.4	90.6-94.2
White/Non-Hisp	3589	3,773,069	225	5.7	4.5- 6.9	3364	94.3	93.1-95.5
Black or Afr. Am./Non-Hisp	440	780,538	41	10.1	6.2-14.0	399	89.9	86.0-93.8
Oth. Race/Non-Hisp.	122	119,861	9	6.6	1.3-11.9	113	93.4	88.1-98.7
MultiRacial/Non-Hisp.	73	61,415	3	2.5	0.0- 5.8	70	97.5	94.2- 100
Hispanic	129	258,324	7	5.3	0.8- 9.8	122	94.7	90.2-99.2
18-24	320	588,718	15	8.4	2.5-14.3	305	91.6	85.7-97.5
25-34	563	891,158	18	2.2	0.8- 3.6	545	97.8	96.4-99.2
35-44	615	808,001	16	3.1	1.1- 5.1	599	96.9	94.9-98.9
45-54	733	818,253	64	8.0	5.3-10.7	669	92.0	89.3-94.7
55-64	830	846,967	63	8.0	5.6-10.4	767	92.0	89.6-94.4
65+	1372	1,154,560	116	8.6	6.6-10.6	1256	91.4	89.4-93.4
Less Than H.S.	349	626,657	58	13.2	7.9-18.5	291	86.8	81.5-92.1
H.S. or G.E.D.	1361	1,625,899	96	6.6	4.8- 8.4	1265	93.4	91.6-95.2
Some Post-H.S.	1132	1,498,043	79	6.3	4.5- 8.1	1053	93.7	91.9-95.5
College Graduate	1538	1,285,776	56	3.0	2.0- 4.0	1482	97.0	96.0-98.0
Less than \$15,000	387	475,012	71	19.9	12.8-27.0	316	80.1	73.0-87.2
\$15,000- 24,999	636	719,619	77	10.1	7.4-12.8	559	89.9	87.2-92.6
\$25,000- 34,999	381	444,293	22	6.5	2.8-10.2	359	93.5	89.8-97.2
\$35,000- 49,999	530	628,819	28	4.5	2.3- 6.7	502	95.5	93.3-97.7
\$50,000- 74,999	586	686,624	22	4.0	1.5- 6.5	564	96.0	93.5-98.5
\$75,000+	1174	1,364,577	26	2.5	1.3- 3.7	1148	97.5	96.3-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 5: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2002	2,449,473	112	5.0	3.8- 6.2	1890	95.0	93.8-96.2
White/Non-Hisp	1632	1,799,884	85	4.0	2.8- 5.2	1547	96.0	94.8-97.2
Black or Afr. Am./Non-Hisp	157	326,355	15	11.1	4.6-17.6	142	88.9	82.4-95.4
Oth. Race/Non-Hisp.	69	67,199	4	6.0	0.0-13.6	65	94.0	86.4- 100
Hispanic	68	157,992	5	5.2	0.0-10.5	63	94.8	89.5- 100
18-24	172	304,590	6	6.2	0.7-11.7	166	93.8	88.3-99.3
25-34	265	434,043	4	0.6	0.0- 1.2	261	99.4	98.8- 100
35-44	280	396,630	4	1.1	0.0- 2.7	276	98.9	97.3- 100
45-54	335	391,177	30	7.8	3.9-11.7	305	92.2	88.3-96.1
55-64	373	408,234	30	7.5	4.2-10.8	343	92.5	89.2-95.8
65+	577	514,800	38	7.0	4.3- 9.7	539	93.0	90.3-95.7
Less Than H.S.	164	310,003	23	8.5	4.2-12.8	141	91.5	87.2-95.8
H.S. or G.E.D.	623	809,502	36	5.0	2.6- 7.4	587	95.0	92.6-97.4
Some Post-H.S.	486	674,540	25	5.7	3.0- 8.4	461	94.3	91.6-97.0
College Graduate	703	612,103	26	2.5	1.3- 3.7	677	97.5	96.3-98.7
Less than \$15,000	144	183,509	24	12.5	6.4-18.6	120	87.5	81.4-93.6
\$15,000- 24,999	253	330,897	32	9.3	5.4-13.2	221	90.7	86.8-94.6
\$25,000- 34,999	155	188,776	6	4.9	0.0-10.4	149	95.1	89.6- 100
\$35,000- 49,999	245	326,790	12	2.8	0.8- 4.8	233	97.2	95.2-99.2
\$50,000- 74,999	287	358,921	10	5.5	1.0-10.0	277	94.5	90.0-99.0
\$75,000+	611	721,393	13	2.4	0.6- 4.2	598	97.6	95.8-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 6: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2431	2,658,184	180	7.6	5.8- 9.4	2251	92.4	90.6-94.2
White/Non-Hisp	1957	1,973,185	140	7.3	5.3- 9.3	1817	92.7	90.7-94.7
Black or Afr. Am./Non-Hisp	283	454,183	26	9.4	4.7-14.1	257	90.6	85.9-95.3
Oth. Race/Non-Hisp.	53	52,662	5	7.4	0.0-14.8	48	92.6	85.2- 100
Hispanic	61	100,332	2	5.4	0.0-13.2	59	94.6	86.8- 100
18-24	148	284,128	9	10.7	0.3-21.1	139	89.3	78.9-99.7
25-34	298	457,115	14	3.7	1.2- 6.2	284	96.3	93.8-98.8
35-44	335	411,371	12	5.0	1.7- 8.3	323	95.0	91.7-98.3
45-54	398	427,076	34	8.1	4.4-11.8	364	91.9	88.2-95.6
55-64	457	438,734	33	8.6	5.3-11.9	424	91.4	88.1-94.7
65+	795	639,760	78	9.8	7.1-12.5	717	90.2	87.5-92.9
Less Than H.S.	185	316,654	35	17.8	8.4-27.2	150	82.2	72.8-91.6
H.S. or G.E.D.	738	816,397	60	8.3	5.6-11.0	678	91.7	89.0-94.4
Some Post-H.S.	646	823,503	54	6.7	4.3- 9.1	592	93.3	90.9-95.7
College Graduate	835	673,672	30	3.4	1.8- 5.0	805	96.6	95.0-98.2
Less than \$15,000	243	291,503	47	24.6	14.4-34.8	196	75.4	65.2-85.6
\$15,000- 24,999	383	388,722	45	10.7	6.6-14.8	338	89.3	85.2-93.4
\$25,000- 34,999	226	255,517	16	7.7	2.8-12.6	210	92.3	87.4-97.2
\$35,000- 49,999	285	302,029	16	6.3	2.6-10.0	269	93.7	90.0-97.4
\$50,000- 74,999	299	327,703	12	2.4	0.8- 4.0	287	97.6	96.0-99.2
\$75,000+	563	643,184	13	2.6	1.0- 4.2	550	97.4	95.8-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 7: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4406	5,079,275	577	12.5	11.1-13.9	3829	87.5	86.1-88.9
Male	1989	2,426,771	238	11.5	9.7-13.3	1751	88.5	86.7-90.3
Female	2417	2,652,504	339	13.5	11.7-15.3	2078	86.5	84.7-88.3
White/Non-Hisp	3569	3,754,604	457	12.3	10.9-13.7	3112	87.7	86.3-89.1
Black or Afr. Am./Non-Hisp	438	776,402	58	13.2	8.9-17.5	380	86.8	82.5-91.1
Oth. Race/Non-Hisp.	118	116,246	20	16.4	7.6-25.2	98	83.6	74.8-92.4
MultiRacial/Non-Hisp.	73	61,415	15	23.2	10.9-35.5	58	76.8	64.5-89.1
Hispanic	129	257,310	14	9.5	3.4-15.6	115	90.5	84.4-96.6
18-24	318	582,613	52	15.7	11.0-20.4	266	84.3	79.6-89.0
25-34	562	885,335	70	12.1	8.8-15.4	492	87.9	84.6-91.2
35-44	614	807,444	77	11.5	8.0-15.0	537	88.5	85.0-92.0
45-54	726	812,180	106	13.6	10.3-16.9	620	86.4	83.1-89.7
55-64	828	849,916	122	14.2	11.3-17.1	706	85.8	82.9-88.7
65+	1358	1,141,786	150	10.0	7.8-12.2	1208	90.0	87.8-92.2
Less Than H.S.	349	626,375	90	19.4	14.3-24.5	259	80.6	75.5-85.7
H.S. or G.E.D.	1352	1,618,814	225	15.2	12.8-17.6	1127	84.8	82.4-87.2
Some Post-H.S.	1124	1,486,122	143	12.3	9.8-14.8	981	87.7	85.2-90.2
College Graduate	1531	1,280,230	117	6.6	5.0- 8.2	1414	93.4	91.8-95.0
Less than \$15,000	384	471,877	128	32.1	25.2-39.0	256	67.9	61.0-74.8
\$15,000- 24,999	634	721,412	148	21.3	17.2-25.4	486	78.7	74.6-82.8
\$25,000- 34,999	377	433,630	51	9.9	6.2-13.6	326	90.1	86.4-93.8
\$35,000- 49,999	527	622,343	67	14.4	10.1-18.7	460	85.6	81.3-89.9
\$50,000- 74,999	584	690,224	43	7.5	4.6-10.4	541	92.5	89.6-95.4
\$75,000+	1173	1,361,514	54	4.8	3.2- 6.4	1119	95.2	93.6-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 8: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1989	2,426,771	238	11.5	9.7-13.3	1751	88.5	86.7-90.3
White/Non-Hisp	1625	1,788,069	193	11.3	9.3-13.3	1432	88.7	86.7-90.7
Black or Afr. Am./Non-Hisp	156	320,532	17	10.4	4.3-16.5	139	89.6	83.5-95.7
Oth. Race/Non-Hisp.	65	63,986	7	15.0	2.1-27.9	58	85.0	72.1-97.9
Hispanic	67	156,139	8	11.7	2.5-20.9	59	88.3	79.1-97.5
18-24	171	302,665	22	12.6	6.7-18.5	149	87.4	81.5-93.3
25-34	264	428,220	35	10.7	6.4-15.0	229	89.3	85.0-93.6
35-44	279	396,086	24	10.1	4.8-15.4	255	89.9	84.6-95.2
45-54	332	387,512	46	12.1	7.6-16.6	286	87.9	83.4-92.4
55-64	373	406,439	54	12.8	8.7-16.9	319	87.2	83.1-91.3
65+	570	505,848	57	11.0	7.3-14.7	513	89.0	85.3-92.7
Less Than H.S.	160	300,013	46	24.4	16.0-32.8	114	75.6	67.2-84.0
H.S. or G.E.D.	622	809,639	92	12.2	9.1-15.3	530	87.8	84.7-90.9
Some Post-H.S.	482	667,238	53	10.4	7.1-13.7	429	89.6	86.3-92.9
College Graduate	701	608,953	45	5.9	3.7- 8.1	656	94.1	91.9-96.3
Less than \$15,000	143	181,584	48	33.2	22.6-43.8	95	66.8	56.2-77.4
\$15,000- 24,999	252	330,684	57	19.5	13.4-25.6	195	80.5	74.4-86.6
\$25,000- 34,999	154	182,954	19	8.7	4.2-13.2	135	91.3	86.8-95.8
\$35,000- 49,999	244	321,248	31	13.2	7.7-18.7	213	86.8	81.3-92.3
\$50,000- 74,999	287	358,921	25	9.8	4.7-14.9	262	90.2	85.1-95.3
\$75,000+	610	718,330	24	3.9	1.9- 5.9	586	96.1	94.1-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 9: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2417	2,652,504	339	13.5	11.7-15.3	2078	86.5	84.7-88.3
White/Non-Hisp	1944	1,966,534	264	13.3	11.3-15.3	1680	86.7	84.7-88.7
Black or Afr. Am./Non-Hisp	282	455,869	41	15.2	9.3-21.1	241	84.8	78.9-90.7
Oth. Race/Non-Hisp.	53	52,259	13	18.0	6.0-30.0	40	82.0	70.0-94.0
Hispanic	62	101,171	6	5.9	0.0-12.0	56	94.1	88.0- 100
18-24	147	279,948	30	19.1	11.7-26.5	117	80.9	73.5-88.3
25-34	298	457,115	35	13.3	8.0-18.6	263	86.7	81.4-92.0
35-44	335	411,358	53	12.9	8.4-17.4	282	87.1	82.6-91.6
45-54	394	424,668	60	14.9	10.0-19.8	334	85.1	80.2-90.0
55-64	455	443,477	68	15.5	11.0-20.0	387	84.5	80.0-89.0
65+	788	635,938	93	9.3	6.9-11.7	695	90.7	88.3-93.1
Less Than H.S.	189	326,362	44	14.8	8.9-20.7	145	85.2	79.3-91.1
H.S. or G.E.D.	730	809,175	133	18.3	14.6-22.0	597	81.7	78.0-85.4
Some Post-H.S.	642	818,884	90	13.9	10.2-17.6	552	86.1	82.4-89.8
College Graduate	830	671,277	72	7.3	5.1- 9.5	758	92.7	90.5-94.9
Less than \$15,000	241	290,293	80	31.4	22.8-40.0	161	68.6	60.0-77.2
\$15,000- 24,999	382	390,728	91	22.9	17.2-28.6	291	77.1	71.4-82.8
\$25,000- 34,999	223	250,676	32	10.8	5.3-16.3	191	89.2	83.7-94.7
\$35,000- 49,999	283	301,096	36	15.8	9.1-22.5	247	84.2	77.5-90.9
\$50,000- 74,999	297	331,303	18	5.1	2.4- 7.8	279	94.9	92.2-97.6
\$75,000+	563	643,184	30	5.8	3.3- 8.3	533	94.2	91.7-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 10: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4393	5,070,948	765	15.3	13.9-16.7	3628	84.7	83.3-86.1
Male	1977	2,424,532	288	13.0	11.0-15.0	1689	87.0	85.0-89.0
Female	2416	2,646,416	477	17.4	15.2-19.6	1939	82.6	80.4-84.8
White/Non-Hisp	3566	3,753,279	617	15.9	14.3-17.5	2949	84.1	82.5-85.7
Black or Afr. Am./Non-Hisp	434	770,458	90	16.9	12.4-21.4	344	83.1	78.6-87.6
Oth. Race/Non-Hisp.	120	119,018	23	15.5	8.2-22.8	97	84.5	77.2-91.8
MultiRacial/Non-Hisp.	69	59,559	7	5.2	0.9- 9.5	62	94.8	90.5-99.1
Hispanic	129	257,310	13	4.6	1.7- 7.5	116	95.4	92.5-98.3
18-24	319	583,762	8	3.7	0.0- 7.8	311	96.3	92.2- 100
25-34	559	878,558	14	2.8	1.0- 4.6	545	97.2	95.4-99.0
35-44	612	802,604	50	7.8	4.9-10.7	562	92.2	89.3-95.1
45-54	725	812,269	120	18.3	14.2-22.4	605	81.7	77.6-85.8
55-64	824	849,731	187	23.0	19.3-26.7	637	77.0	73.3-80.7
65+	1354	1,144,023	386	28.2	24.9-31.5	968	71.8	68.5-75.1
Less Than H.S.	346	627,447	132	31.9	25.2-38.6	214	68.1	61.4-74.8
H.S. or G.E.D.	1354	1,618,689	285	16.2	13.8-18.6	1069	83.8	81.4-86.2
Some Post-H.S.	1122	1,482,514	206	15.1	12.6-17.6	916	84.9	82.4-87.4
College Graduate	1521	1,274,563	135	6.7	5.1- 8.3	1386	93.3	91.7-94.9
Less than \$15,000	380	465,291	166	35.0	28.3-41.7	214	65.0	58.3-71.7
\$15,000- 24,999	633	716,799	200	27.8	22.7-32.9	433	72.2	67.1-77.3
\$25,000- 34,999	377	433,869	79	15.7	11.2-20.2	298	84.3	79.8-88.8
\$35,000- 49,999	528	627,848	75	13.9	10.0-17.8	453	86.1	82.2-90.0
\$50,000- 74,999	583	689,721	66	11.0	7.5-14.5	517	89.0	85.5-92.5
\$75,000+	1170	1,359,966	51	4.0	2.6- 5.4	1119	96.0	94.6-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 11: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1977	2,424,532	288	13.0	11.0-15.0	1689	87.0	85.0-89.0
White/Non-Hisp	1617	1,786,034	233	13.8	11.6-16.0	1384	86.2	84.0-88.4
Black or Afr. Am./Non-Hisp	155	320,210	28	14.1	7.6-20.6	127	85.9	79.4-92.4
Oth. Race/Non-Hisp.	67	66,376	13	13.6	5.6-21.6	54	86.4	78.4-94.4
Hispanic	67	156,139	5	4.2	0.1- 8.3	62	95.8	91.7-99.9
18-24	171	302,665	3	1.1	0.0- 2.3	168	98.9	97.7- 100
25-34	263	426,707	7	2.2	0.2- 4.2	256	97.8	95.8-99.8
35-44	278	395,275	11	6.6	1.7-11.5	267	93.4	88.5-98.3
45-54	330	386,535	48	14.5	9.4-19.6	282	85.5	80.4-90.6
55-64	370	406,039	67	19.1	14.0-24.2	303	80.9	75.8-86.0
65+	565	507,310	152	28.2	23.3-33.1	413	71.8	66.9-76.7
Less Than H.S.	161	306,895	59	30.6	22.0-39.2	102	69.4	60.8-78.0
H.S. or G.E.D.	620	808,581	103	13.0	9.9-16.1	517	87.0	83.9-90.1
Some Post-H.S.	481	665,081	76	12.2	8.7-15.7	405	87.8	84.3-91.3
College Graduate	691	603,047	47	5.7	3.7- 7.7	644	94.3	92.3-96.3
Less than \$15,000	141	180,611	54	32.0	22.4-41.6	87	68.0	58.4-77.6
\$15,000- 24,999	252	329,804	84	27.8	20.7-34.9	168	72.2	65.1-79.3
\$25,000- 34,999	154	182,954	32	16.2	9.3-23.1	122	83.8	76.9-90.7
\$35,000- 49,999	245	326,790	27	11.0	5.7-16.3	218	89.0	83.7-94.3
\$50,000- 74,999	286	358,418	32	11.2	5.9-16.5	254	88.8	83.5-94.1
\$75,000+	607	716,783	16	2.7	1.1- 4.3	591	97.3	95.7-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 12: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2416	2,646,416	477	17.4	15.2-19.6	1939	82.6	80.4-84.8
White/Non-Hisp	1949	1,967,245	384	17.7	15.3-20.1	1565	82.3	79.9-84.7
Black or Afr. Am./Non-Hisp	279	450,248	62	18.9	12.6-25.2	217	81.1	74.8-87.4
Oth. Race/Non-Hisp.	53	52,642	10	17.7	5.0-30.4	43	82.3	69.6-95.0
Hispanic	62	101,171	8	5.3	1.2- 9.4	54	94.7	90.6-98.8
18-24	148	281,097	5	6.5	0.0-14.5	143	93.5	85.5- 100
25-34	296	451,850	7	3.3	0.4- 6.2	289	96.7	93.8-99.6
35-44	334	407,329	39	8.9	5.4-12.4	295	91.1	87.6-94.6
45-54	395	425,735	72	21.8	15.7-27.9	323	78.2	72.1-84.3
55-64	454	443,692	120	26.6	21.3-31.9	334	73.4	68.1-78.7
65+	789	636,713	234	28.2	23.9-32.5	555	71.8	67.5-76.1
Less Than H.S.	185	320,553	73	33.2	23.4-43.0	112	66.8	57.0-76.6
H.S. or G.E.D.	734	810,108	182	19.3	15.8-22.8	552	80.7	77.2-84.2
Some Post-H.S.	641	817,433	130	17.5	13.8-21.2	511	82.5	78.8-86.2
College Graduate	830	671,516	88	7.5	5.3- 9.7	742	92.5	90.3-94.7
Less than \$15,000	239	284,680	112	36.8	28.0-45.6	127	63.2	54.4-72.0
\$15,000- 24,999	381	386,995	116	27.8	20.5-35.1	265	72.2	64.9-79.5
\$25,000- 34,999	223	250,914	47	15.4	9.3-21.5	176	84.6	78.5-90.7
\$35,000- 49,999	283	301,058	48	17.1	11.0-23.2	235	82.9	76.8-89.0
\$50,000- 74,999	297	331,303	34	10.7	5.8-15.6	263	89.3	84.4-94.2
\$75,000+	563	643,184	35	5.6	3.2- 8.0	528	94.4	92.0-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 13: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4393	5,063,327	188	4.4	3.6- 5.2	4205	95.6	94.8-96.4
Male	1981	2,423,743	85	4.7	3.3- 6.1	1896	95.3	93.9-96.7
Female	2412	2,639,585	103	4.0	3.0- 5.0	2309	96.0	95.0-97.0
White/Non-Hisp	3562	3,744,927	145	4.2	3.2- 5.2	3417	95.8	94.8-96.8
Black or Afr. Am./Non-Hisp	435	771,045	24	5.5	2.6- 8.4	411	94.5	91.6-97.4
Oth. Race/Non-Hisp.	120	118,860	5	3.2	0.5- 5.9	115	96.8	94.1-99.5
MultiRacial/Non-Hisp.	70	59,016	4	4.0	0.0- 8.3	66	96.0	91.7- 100
Hispanic	129	257,310	4	2.3	0.0- 4.7	125	97.7	95.3- 100
18-24	318	582,989	3	1.0	0.0- 2.2	315	99.0	97.8- 100
25-34	554	876,325	3	0.5	0.0- 1.1	551	99.5	98.9- 100
35-44	611	799,791	14	3.4	1.0- 5.8	597	96.6	94.2-99.0
45-54	725	812,109	43	6.3	3.8- 8.8	682	93.7	91.2-96.2
55-64	825	847,175	53	7.5	5.0-10.0	772	92.5	90.0-95.0
65+	1360	1,144,938	72	5.9	4.1- 7.7	1288	94.1	92.3-95.9
Less Than H.S.	346	627,139	34	9.0	5.1-12.9	312	91.0	87.1-94.9
H.S. or G.E.D.	1353	1,616,700	63	4.2	2.8- 5.6	1290	95.8	94.4-97.2
Some Post-H.S.	1120	1,479,419	56	4.5	2.9- 6.1	1064	95.5	93.9-97.1
College Graduate	1524	1,272,337	34	2.4	1.6- 3.2	1490	97.6	96.8-98.4
Less than \$15,000	379	464,731	59	13.8	9.3-18.3	320	86.2	81.7-90.7
\$15,000- 24,999	633	716,749	43	7.0	4.3- 9.7	590	93.0	90.3-95.7
\$25,000- 34,999	378	434,138	18	3.3	1.5- 5.1	360	96.7	94.9-98.5
\$35,000- 49,999	528	628,276	14	3.4	1.0- 5.8	514	96.6	94.2-99.0
\$50,000- 74,999	583	688,908	17	4.1	1.6- 6.6	566	95.9	93.4-98.4
\$75,000+	1169	1,354,425	5	0.4	0.0- 0.8	1164	99.6	99.2- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 14: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1981	2,423,743	85	4.7	3.3- 6.1	1896	95.3	93.9-96.7
White/Non-Hisp	1620	1,786,366	64	4.3	2.9- 5.7	1556	95.7	94.3-97.1
Black or Afr. Am./Non-Hisp	156	320,532	11	8.3	2.4-14.2	145	91.7	85.8-97.6
Oth. Race/Non-Hisp.	66	65,919	4	4.4	0.1- 8.7	62	95.6	91.3-99.9
Hispanic	67	156,139	3	2.4	0.0- 5.3	64	97.6	94.7- 100
18-24	170	301,892				170	100.0	100.0- 100
25-34	262	426,383	2	0.7	0.0- 1.7	260	99.3	98.3- 100
35-44	278	395,275	4	4.0	0.0- 8.3	274	96.0	91.7- 100
45-54	330	386,535	19	7.9	3.6-12.2	311	92.1	87.8-96.4
55-64	372	406,750	31	8.4	4.5-12.3	341	91.6	87.7-95.5
65+	569	506,908	29	6.1	3.4- 8.8	540	93.9	91.2-96.6
Less Than H.S.	161	306,547	20	13.6	6.5-20.7	141	86.4	79.3-93.5
H.S. or G.E.D.	621	807,452	24	3.5	1.7- 5.3	597	96.5	94.7-98.3
Some Post-H.S.	480	664,803	25	4.7	2.2- 7.2	455	95.3	92.8-97.8
College Graduate	695	604,014	15	2.2	1.0- 3.4	680	97.8	96.6-99.0
Less than \$15,000	142	180,773	27	18.2	9.6-26.8	115	81.8	73.2-90.4
\$15,000- 24,999	252	329,804	19	7.4	3.5-11.3	233	92.6	88.7-96.5
\$25,000- 34,999	154	182,954	6	3.3	0.6- 6.0	148	96.7	94.0-99.4
\$35,000- 49,999	244	326,465	9	5.0	0.9- 9.1	235	95.0	90.9-99.1
\$50,000- 74,999	287	358,921	10	5.1	1.0- 9.2	277	94.9	90.8-99.0
\$75,000+	608	717,171	3	0.5	0.0- 1.1	605	99.5	98.9- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 15: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2412	2,639,585	103	4.0	3.0- 5.0	2309	96.0	95.0-97.0
White/Non-Hisp	1942	1,958,561	81	4.2	3.0- 5.4	1861	95.8	94.6-97.0
Black or Afr. Am./Non-Hisp	279	450,513	13	3.5	1.0- 6.0	266	96.5	94.0-99.0
Oth. Race/Non-Hisp.	54	52,941	1	1.7	0.0- 5.0	53	98.3	95.0- 100
Hispanic	62	101,171	1	2.1	0.0- 6.2	61	97.9	93.8- 100
18-24	148	281,097	3	2.1	0.0- 4.6	145	97.9	95.4- 100
25-34	292	449,943	1	0.4	0.0- 1.2	291	99.6	98.8- 100
35-44	333	404,515	10	2.8	0.4- 5.2	323	97.2	94.8-99.6
45-54	395	425,575	24	5.0	2.3- 7.7	371	95.0	92.3-97.7
55-64	453	440,425	22	6.7	3.4-10.0	431	93.3	90.0-96.6
65+	791	638,030	43	5.7	3.5- 7.9	748	94.3	92.1-96.5
Less Than H.S.	185	320,592	14	4.6	1.7- 7.5	171	95.4	92.5-98.3
H.S. or G.E.D.	732	809,248	39	4.9	2.9- 6.9	693	95.1	93.1-97.1
Some Post-H.S.	640	814,616	31	4.3	2.3- 6.3	609	95.7	93.7-97.7
College Graduate	829	668,323	19	2.5	1.3- 3.7	810	97.5	96.3-98.7
Less than \$15,000	237	283,958	32	11.0	6.3-15.7	205	89.0	84.3-93.7
\$15,000- 24,999	381	386,945	24	6.6	2.9-10.3	357	93.4	89.7-97.1
\$25,000- 34,999	224	251,184	12	3.4	1.6- 5.2	212	96.6	94.8-98.4
\$35,000- 49,999	284	301,811	5	1.7	0.0- 3.7	279	98.3	96.3- 100
\$50,000- 74,999	296	329,987	7	3.0	0.1- 5.9	289	97.0	94.1-99.9
\$75,000+	561	637,254	2	0.4	0.0- 1.0	559	99.6	99.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 16: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4369	5,031,296	390	8.9	7.7-10.1	3979	91.1	89.9-92.3
Male	1970	2,403,799	142	7.4	5.8- 9.0	1828	92.6	91.0-94.2
Female	2399	2,627,497	248	10.3	8.7-11.9	2151	89.7	88.1-91.3
White/Non-Hisp	3538	3,719,458	300	8.5	7.3- 9.7	3238	91.5	90.3-92.7
Black or Afr. Am./Non-Hisp	434	765,492	48	11.2	7.1-15.3	386	88.8	84.7-92.9
Oth. Race/Non-Hisp.	120	119,119	16	12.3	5.2-19.4	104	87.7	80.6-94.8
MultiRacial/Non-Hisp.	72	59,612	6	5.7	0.6-10.8	66	94.3	89.2-99.4
Hispanic	129	257,310	9	5.5	1.0-10.0	120	94.5	90.0-99.0
18-24	316	581,172	19	7.4	3.7-11.1	297	92.6	88.9-96.3
25-34	556	876,522	22	4.4	2.0- 6.8	534	95.6	93.2-98.0
35-44	606	788,234	39	4.8	2.6- 7.0	567	95.2	93.0-97.4
45-54	719	805,649	72	10.9	7.6-14.2	647	89.1	85.8-92.4
55-64	820	842,470	101	13.8	10.5-17.1	719	86.2	82.9-89.5
65+	1352	1,137,248	137	11.0	8.6-13.4	1215	89.0	86.6-91.4
Less Than H.S.	343	615,063	74	17.7	12.6-22.8	269	82.3	77.2-87.4
H.S. or G.E.D.	1343	1,609,007	137	10.1	7.9-12.3	1206	89.9	87.7-92.1
Some Post-H.S.	1113	1,468,494	111	8.8	6.6-11.0	1002	91.2	89.0-93.4
College Graduate	1520	1,270,998	66	3.6	2.4- 4.8	1454	96.4	95.2-97.6
Less than \$15,000	378	463,999	107	25.8	19.5-32.1	271	74.2	67.9-80.5
\$15,000- 24,999	631	709,653	102	14.6	11.1-18.1	529	85.4	81.9-88.9
\$25,000- 34,999	374	430,163	29	8.5	3.8-13.2	345	91.5	86.8-96.2
\$35,000- 49,999	525	625,799	37	9.3	5.4-13.2	488	90.7	86.8-94.6
\$50,000- 74,999	580	687,089	24	4.2	2.0- 6.4	556	95.8	93.6-98.0
\$75,000+	1165	1,348,153	22	2.0	0.8- 3.2	1143	98.0	96.8-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 17: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1970	2,403,799	142	7.4	5.8- 9.0	1828	92.6	91.0-94.2
White/Non-Hisp	1609	1,771,767	106	6.5	4.9- 8.1	1503	93.5	91.9-95.1
Black or Afr. Am./Non-Hisp	154	314,406	18	12.3	5.4-19.2	136	87.7	80.8-94.6
Oth. Race/Non-Hisp.	67	66,376	8	10.5	1.9-19.1	59	89.5	80.9-98.1
Hispanic	67	156,139	6	7.3	0.2-14.4	61	92.7	85.6-99.8
18-24	168	300,076	8	6.8	1.5-12.1	160	93.2	87.9-98.5
25-34	262	425,735	12	4.6	1.5- 7.7	250	95.4	92.3-98.5
35-44	274	384,440	9	2.9	0.0- 5.8	265	97.1	94.2- 100
45-54	328	384,407	28	8.1	4.2-12.0	300	91.9	88.0-95.8
55-64	371	406,100	44	13.6	8.7-18.5	327	86.4	81.5-91.3
65+	567	503,041	41	8.0	4.7-11.3	526	92.0	88.7-95.3
Less Than H.S.	158	295,646	33	19.9	12.5-27.3	125	80.1	72.7-87.5
H.S. or G.E.D.	616	803,099	47	7.9	4.8-11.0	569	92.1	89.0-95.2
Some Post-H.S.	477	660,112	37	5.7	3.3- 8.1	440	94.3	91.9-96.7
College Graduate	695	604,014	24	3.0	1.6- 4.4	671	97.0	95.6-98.4
Less than \$15,000	141	180,124	37	28.0	18.2-37.8	104	72.0	62.2-81.8
\$15,000- 24,999	251	325,648	37	14.0	8.7-19.3	214	86.0	80.7-91.3
\$25,000- 34,999	152	179,695	12	10.5	1.5-19.5	140	89.5	80.5-98.5
\$35,000- 49,999	243	324,999	19	8.2	3.1-13.3	224	91.8	86.7-96.9
\$50,000- 74,999	286	358,231	10	3.0	0.3- 5.7	276	97.0	94.3-99.7
\$75,000+	606	714,668	8	1.5	0.3- 2.7	598	98.5	97.3-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 18: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2399	2,627,497	248	10.3	8.7-11.9	2151	89.7	88.1-91.3
White/Non-Hisp	1929	1,947,692	194	10.3	8.5-12.1	1735	89.7	87.9-91.5
Black or Afr. Am./Non-Hisp	280	451,086	30	10.4	5.5-15.3	250	89.6	84.7-94.5
Oth. Race/Non-Hisp.	53	52,744	8	14.5	2.9-26.1	45	85.5	73.9-97.1
Hispanic	62	101,171	3	2.8	0.0- 6.5	59	97.2	93.5- 100
18-24	148	281,097	11	8.0	2.7-13.3	137	92.0	86.7-97.3
25-34	294	450,787	10	4.2	0.9- 7.5	284	95.8	92.5-99.1
35-44	332	403,794	30	6.7	3.8- 9.6	302	93.3	90.4-96.2
45-54	391	421,243	44	13.4	8.3-18.5	347	86.6	81.5-91.7
55-64	449	436,370	57	13.9	9.6-18.2	392	86.1	81.8-90.4
65+	785	634,207	96	13.3	10.2-16.4	689	86.7	83.6-89.8
Less Than H.S.	185	319,417	41	15.7	9.6-21.8	144	84.3	78.2-90.4
H.S. or G.E.D.	727	805,908	90	12.2	8.9-15.5	637	87.8	84.5-91.1
Some Post-H.S.	636	808,381	74	11.4	8.1-14.7	562	88.6	85.3-91.9
College Graduate	825	666,984	42	4.2	2.6- 5.8	783	95.8	94.2-97.4
Less than \$15,000	237	283,875	70	24.5	17.2-31.8	167	75.5	68.2-82.8
\$15,000- 24,999	380	384,005	65	15.1	10.2-20.0	315	84.9	80.0-89.8
\$25,000- 34,999	222	250,468	17	7.1	2.6-11.6	205	92.9	88.4-97.4
\$35,000- 49,999	282	300,800	18	10.6	4.7-16.5	264	89.4	83.5-95.3
\$50,000- 74,999	294	328,858	14	5.6	1.9- 9.3	280	94.4	90.7-98.1
\$75,000+	559	633,484	14	2.6	0.6- 4.6	545	97.4	95.4-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 10: TOBACCO USE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	158
2 MALES ONLY	159
3 FEMALES ONLY	160
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	161
5 MALES ONLY	162
6 FEMALES ONLY	163
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	164
8 MALES ONLY	165
9 FEMALES ONLY	166
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	167
11 MALES ONLY	168
12 FEMALES ONLY	169
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	170
14 MALES ONLY	171
15 FEMALES ONLY	172

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4349	5,011,104	1962	44.7	42.7-46.7	2387	55.3	53.3-57.3
Male	1961	2,392,500	985	50.3	47.4-53.2	976	49.7	46.8-52.6
Female	2388	2,618,603	977	39.6	36.9-42.3	1411	60.4	57.7-63.1
White/Non-Hisp	3524	3,703,242	1659	48.3	46.1-50.5	1865	51.7	49.5-53.9
Black or Afr. Am./Non-Hisp	429	763,710	144	31.9	26.0-37.8	285	68.1	62.2-74.0
Oth. Race/Non-Hisp.	121	119,561	51	46.0	33.8-58.2	70	54.0	41.8-66.2
MultiRacial/Non-Hisp.	72	59,612	36	46.6	32.5-60.7	36	53.4	39.3-67.5
Hispanic	128	256,785	46	32.4	21.0-43.8	82	67.6	56.2-79.0
18-24	315	580,057	57	20.2	13.3-27.1	258	79.8	72.9-86.7
25-34	553	874,361	217	41.5	36.2-46.8	336	58.5	53.2-63.8
35-44	600	783,331	291	46.4	41.1-51.7	309	53.6	48.3-58.9
45-54	719	805,787	348	48.4	43.5-53.3	371	51.6	46.7-56.5
55-64	818	838,652	403	50.7	46.2-55.2	415	49.3	44.8-53.8
65+	1344	1,128,915	646	51.7	48.0-55.4	698	48.3	44.6-52.0
Less Than H.S.	341	618,949	238	65.8	58.4-73.2	103	34.2	26.8-41.6
H.S. or G.E.D.	1342	1,607,085	725	51.6	48.1-55.1	617	48.4	44.9-51.9
Some Post-H.S.	1103	1,457,375	530	44.2	40.5-47.9	573	55.8	52.1-59.5
College Graduate	1513	1,262,503	454	27.2	24.3-30.1	1059	72.8	69.9-75.7
Less than \$15,000	378	463,266	234	57.3	49.7-64.9	144	42.7	35.1-50.3
\$15,000- 24,999	624	706,051	354	57.1	51.4-62.8	270	42.9	37.2-48.6
\$25,000- 34,999	374	429,676	188	51.0	43.7-58.3	186	49.0	41.7-56.3
\$35,000- 49,999	523	623,430	242	45.7	39.8-51.6	281	54.3	48.4-60.2
\$50,000- 74,999	577	681,565	238	40.1	34.6-45.6	339	59.9	54.4-65.4
\$75,000+	1159	1,343,732	417	36.2	32.5-39.9	742	63.8	60.1-67.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1961	2,392,500	985	50.3	47.4-53.2	976	49.7	46.8-52.6
White/Non-Hisp	1602	1,762,118	831	53.5	50.4-56.6	771	46.5	43.4-49.6
Black or Afr. Am./Non-Hisp	152	315,299	65	42.6	32.6-52.6	87	57.4	47.4-67.4
Oth. Race/Non-Hisp.	68	66,920	31	47.0	32.1-61.9	37	53.0	38.1-67.9
Hispanic	67	156,139	25	39.3	23.0-55.6	42	60.7	44.4-77.0
18-24	168	300,109	37	26.6	17.2-36.0	131	73.4	64.0-82.8
25-34	263	426,707	120	48.8	40.8-56.8	143	51.2	43.2-59.2
35-44	272	382,030	135	49.0	41.0-57.0	137	51.0	43.0-59.0
45-54	327	383,335	179	54.6	47.5-61.7	148	45.4	38.3-52.5
55-64	366	399,127	183	52.4	45.7-59.1	183	47.6	40.9-54.3
65+	565	501,191	331	62.0	56.7-67.3	234	38.0	32.7-43.3
Less Than H.S.	158	300,715	122	72.9	63.5-82.3	36	27.1	17.7-36.5
H.S. or G.E.D.	616	802,343	366	57.9	52.6-63.2	250	42.1	36.8-47.4
Some Post-H.S.	469	651,030	246	46.7	40.8-52.6	223	53.3	47.4-59.2
College Graduate	694	600,027	240	33.3	28.8-37.8	454	66.7	62.2-71.2
Less than \$15,000	142	180,773	90	57.9	46.5-69.3	52	42.1	30.7-53.5
\$15,000- 24,999	248	322,942	163	65.7	57.9-73.5	85	34.3	26.5-42.1
\$25,000- 34,999	152	179,695	90	54.5	43.3-65.7	62	45.5	34.3-56.7
\$35,000- 49,999	242	323,839	128	50.6	42.0-59.2	114	49.4	40.8-58.0
\$50,000- 74,999	283	352,821	134	49.8	41.8-57.8	149	50.2	42.2-58.2
\$75,000+	605	713,338	246	41.7	36.4-47.0	359	58.3	53.0-63.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2388	2,618,603	977	39.6	36.9-42.3	1411	60.4	57.7-63.1
White/Non-Hisp	1922	1,941,124	828	43.6	40.7-46.5	1094	56.4	53.5-59.3
Black or Afr. Am./Non-Hisp	277	448,411	79	24.4	17.7-31.1	198	75.6	68.9-82.3
Oth. Race/Non-Hisp.	53	52,642	20	44.7	24.3-65.1	33	55.3	34.9-75.7
Hispanic	61	100,646	21	21.7	10.5-32.9	40	78.3	67.1-89.5
18-24	147	279,948	20	13.5	3.3-23.7	127	86.5	76.3-96.7
25-34	290	447,654	97	34.6	27.7-41.5	193	65.4	58.5-72.3
35-44	328	401,301	156	43.9	37.0-50.8	172	56.1	49.2-63.0
45-54	392	422,453	169	42.9	36.2-49.6	223	57.1	50.4-63.8
55-64	452	439,525	220	49.0	43.1-54.9	232	51.0	45.1-56.9
65+	779	627,724	315	43.4	38.5-48.3	464	56.6	51.7-61.5
Less Than H.S.	183	318,233	116	59.0	47.8-70.2	67	41.0	29.8-52.2
H.S. or G.E.D.	726	804,742	359	45.3	40.6-50.0	367	54.7	50.0-59.4
Some Post-H.S.	634	806,345	284	42.1	37.2-47.0	350	57.9	53.0-62.8
College Graduate	819	662,476	214	21.7	18.4-25.0	605	78.3	75.0-81.6
Less than \$15,000	236	282,493	144	56.9	46.9-66.9	92	43.1	33.1-53.1
\$15,000- 24,999	376	383,108	191	49.8	42.2-57.4	185	50.2	42.6-57.8
\$25,000- 34,999	222	249,981	98	48.5	39.1-57.9	124	51.5	42.1-60.9
\$35,000- 49,999	281	299,592	114	40.3	32.7-47.9	167	59.7	52.1-67.3
\$50,000- 74,999	294	328,744	104	29.8	23.3-36.3	190	70.2	63.7-76.7
\$75,000+	554	630,395	171	30.0	25.1-34.9	383	70.0	65.1-74.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1954	2,232,102	633	33.8	30.9-36.7	190	9.8	8.0-11.6	1131	56.3	53.2-59.4
Male	982	1,200,848	293	31.8	27.7-35.9	88	9.1	6.6-11.6	601	59.1	54.8-63.4
Female	972	1,031,253	340	36.2	31.7-40.7	102	10.7	8.2-13.2	530	53.0	48.5-57.5
White/Non-Hisp	1652	1,780,961	514	32.5	29.4-35.6	150	9.2	7.4-11.0	988	58.3	55.0-61.6
Black or Afr. Am./Non-Hisp	144	243,738	56	41.4	30.6-52.2	21	15.7	7.7-23.7	67	42.9	32.1-53.7
Oth. Race/Non-Hisp.	50	54,286	22	32.1	17.2-47.0	6	4.8	0.5- 9.1	22	63.2	47.5-78.9
18-24	57	117,428	17	34.8	13.8-55.8	19	31.5	15.4-47.6	21	33.7	15.7-51.7
25-34	217	362,740	89	38.2	30.2-46.2	28	11.5	6.2-16.8	100	50.3	41.7-58.9
35-44	290	362,551	118	36.5	29.2-43.8	30	10.0	5.7-14.3	142	53.5	45.9-61.1
45-54	344	384,352	141	40.6	33.5-47.7	34	8.9	5.4-12.4	169	50.5	43.4-57.6
55-64	403	424,842	142	38.0	31.3-44.7	39	9.1	5.6-12.6	222	52.9	46.2-59.6
65+	643	580,187	126	21.7	17.2-26.2	40	5.5	3.1- 7.9	477	72.8	67.9-77.7
Less Than H.S.	237	403,690	109	44.8	35.6-54.0	25	9.0	4.7-13.3	103	46.1	37.1-55.1
H.S. or G.E.D.	723	827,173	259	37.6	32.9-42.3	84	11.6	8.7-14.5	380	50.9	46.0-55.8
Some Post-H.S.	528	641,487	185	32.6	27.5-37.7	45	9.6	6.1-13.1	298	57.8	52.3-63.3
College Graduate	451	341,872	77	14.9	10.8-19.0	36	7.6	4.5-10.7	338	77.5	72.6-82.4
Less than \$15,000	234	265,294	100	44.8	34.4-55.2	39	18.0	10.9-25.1	95	37.1	28.1-46.1
\$15,000- 24,999	354	402,984	154	43.8	36.5-51.1	43	12.4	7.9-16.9	157	43.8	36.4-51.2
\$25,000- 34,999	188	219,157	80	45.6	35.8-55.4	8	3.4	0.7- 6.1	100	51.0	41.2-60.8
\$35,000- 49,999	241	284,577	74	28.9	21.3-36.5	27	13.2	6.9-19.5	140	57.9	49.5-66.3
\$50,000- 74,999	238	273,644	60	31.6	22.6-40.6	15	4.7	1.8- 7.6	163	63.7	54.7-72.7
\$75,000+	414	483,300	80	19.7	15.0-24.4	28	7.5	4.4-10.6	306	72.8	67.5-78.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	982	1,200,848	293	31.8	27.9-35.7	88	9.1	6.6-11.6	601	59.1	55.0-63.2
White/Non-Hisp	828	939,768	235	30.2	26.1-34.3	67	7.9	5.5-10.3	526	61.9	57.6-66.2
Black or Afr. Am./Non-Hisp	65	134,268	25	39.7	24.4-55.0	9	16.0	4.0-28.0	31	44.3	29.2-59.4
25-34	120	208,028	43	37.5	26.3-48.7	18	13.2	5.4-21.0	59	49.3	37.5-61.1
35-44	135	187,328	50	31.8	21.2-42.4	11	7.5	2.0-13.0	74	60.7	49.7-71.7
45-54	177	206,873	68	36.7	27.5-45.9	18	7.5	3.4-11.6	91	55.7	46.3-65.1
55-64	183	209,265	65	42.5	33.1-51.9	14	5.4	1.9- 8.9	104	52.1	42.7-61.5
65+	330	309,666	59	19.6	13.9-25.3	14	4.6	1.3- 7.9	257	75.8	69.5-82.1
Less Than H.S.	122	219,330	58	41.5	30.5-52.5	13	10.5	3.8-17.2	51	48.0	36.2-59.8
H.S. or G.E.D.	365	462,933	127	38.9	32.0-45.8	34	8.7	5.0-12.4	204	52.4	45.5-59.3
Some Post-H.S.	245	303,451	72	28.4	21.0-35.8	19	9.1	3.6-14.6	154	62.5	54.5-70.5
College Graduate	239	199,230	34	10.7	7.0-14.4	22	9.0	4.5-13.5	183	80.4	74.7-86.1
Less than \$15,000	90	104,589	43	47.7	34.4-61.0	13	19.1	6.9-31.3	34	33.2	21.6-44.8
\$15,000- 24,999	163	212,287	64	40.7	30.5-50.9	18	10.9	4.6-17.2	81	48.4	37.8-59.0
\$25,000- 34,999	90	97,937	34	46.6	32.3-60.9	1	0.3	0.0- 0.9	55	53.1	38.8-67.4
\$35,000- 49,999	128	163,912	40	29.8	19.4-40.2	15	14.5	5.3-23.7	73	55.7	43.7-67.7
\$50,000- 74,999	134	175,601	35	32.7	20.4-45.0	8	4.4	0.3- 8.5	91	62.9	50.7-75.1
\$75,000+	244	294,946	38	16.6	10.7-22.5	20	7.2	3.7-10.7	186	76.2	69.7-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	972	1,031,253	340	36.2	31.7-40.7	102	10.7	8.2-13.2	530	53.0	48.5-57.5
White/Non-Hisp	824	841,193	279	35.0	30.3-39.7	83	10.7	8.0-13.4	462	54.3	49.6-59.0
Black or Afr. Am./Non-Hisp	79	109,469	31	43.6	28.1-59.1	12	15.3	5.1-25.5	36	41.2	25.9-56.5
25-34	97	154,713	46	39.2	27.6-50.8	10	9.2	2.9-15.5	41	51.5	39.3-63.7
35-44	155	175,223	68	41.6	31.6-51.6	19	12.7	6.0-19.4	68	45.7	35.3-56.1
45-54	167	177,479	73	45.1	34.5-55.7	16	10.5	4.4-16.6	78	44.4	34.2-54.6
55-64	220	215,577	77	33.6	25.4-41.8	25	12.7	7.0-18.4	118	53.7	44.9-62.5
65+	313	270,521	67	24.1	17.2-31.0	26	6.5	3.0-10.0	220	69.4	62.1-76.7
Less Than H.S.	115	184,360	51	48.9	34.8-63.0	12	7.3	2.4-12.2	52	43.9	30.4-57.4
H.S. or G.E.D.	358	364,240	132	35.9	29.4-42.4	50	15.2	10.5-19.9	176	48.9	42.2-55.6
Some Post-H.S.	283	338,036	113	36.3	29.4-43.2	26	10.0	5.5-14.5	144	53.7	46.4-61.0
College Graduate	212	142,642	43	20.7	13.4-28.0	14	5.7	1.6- 9.8	155	73.6	65.8-81.4
Less than \$15,000	144	160,705	57	43.0	28.7-57.3	26	17.3	9.1-25.5	61	39.7	27.2-52.2
\$15,000- 24,999	191	190,697	90	47.2	37.2-57.2	25	14.1	7.6-20.6	76	38.7	29.1-48.3
\$25,000- 34,999	98	121,219	46	44.8	31.9-57.7	7	5.9	0.8-11.0	45	49.4	36.1-62.7
\$35,000- 49,999	113	120,665	34	27.6	17.0-38.2	12	11.5	4.1-18.9	67	61.0	49.2-72.8
\$50,000- 74,999	104	98,043	25	29.8	17.3-42.3	7	5.2	0.9- 9.5	72	65.0	52.5-77.5
\$75,000+	170	188,354	42	24.5	16.5-32.5	8	8.0	1.9-14.1	120	67.5	58.5-76.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	816	956,135	409	50.0	45.1-54.9	407	50.0	45.1-54.9
Male	376	475,234	181	50.7	43.8-57.6	195	49.3	42.4-56.2
Female	440	480,902	228	49.2	42.5-55.9	212	50.8	44.1-57.5
White/Non-Hisp	660	729,861	325	48.1	42.8-53.4	335	51.9	46.6-57.2
Black or Afr. Am./Non-Hisp	77	139,191	40	53.2	38.5-67.9	37	46.8	32.1-61.5
25-34	116	179,789	60	52.8	41.2-64.4	56	47.2	35.6-58.8
35-44	147	165,084	77	50.9	40.1-61.7	70	49.1	38.3-59.9
45-54	173	187,155	83	41.9	32.5-51.3	90	58.1	48.7-67.5
55-64	179	192,227	99	60.9	51.7-70.1	80	39.1	29.9-48.3
65+	166	157,828	69	41.5	31.3-51.7	97	58.5	48.3-68.7
Less Than H.S.	132	208,928	66	45.8	33.5-58.1	66	54.2	41.9-66.5
H.S. or G.E.D.	341	399,785	166	50.6	43.5-57.7	175	49.4	42.3-56.5
Some Post-H.S.	228	269,238	121	52.1	43.5-60.7	107	47.9	39.3-56.5
College Graduate	113	76,791	55	50.4	38.8-62.0	58	49.6	38.0-61.2
Less than \$15,000	137	159,389	78	52.7	38.0-67.4	59	47.3	32.6-62.0
\$15,000- 24,999	197	226,503	110	53.5	44.5-62.5	87	46.5	37.5-55.5
\$25,000- 34,999	87	106,720	35	40.8	26.3-55.3	52	59.2	44.7-73.7
\$35,000- 49,999	100	114,762	51	53.1	40.8-65.4	49	46.9	34.6-59.2
\$50,000- 74,999	74	98,766	39	59.9	44.2-75.6	35	40.1	24.4-55.8
\$75,000+	107	128,477	40	38.9	27.9-49.9	67	61.1	50.1-72.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	376	475,234	181	50.7	43.8-57.6	195	49.3	42.4-56.2
White/Non-Hisp	299	348,343	142	48.4	41.1-55.7	157	51.6	44.3-58.9
25-34	61	105,427	33	56.0	40.1-71.9	28	44.0	28.1-59.9
35-44	60	69,946	29	46.7	28.9-64.5	31	53.3	35.5-71.1
45-54	84	88,444	38	40.1	26.6-53.6	46	59.9	46.4-73.4
55-64	78	95,274	44	64.0	51.7-76.3	34	36.0	23.7-48.3
65+	73	75,001	27	40.1	25.0-55.2	46	59.9	44.8-75.0
Less Than H.S.	69	105,414	34	52.3	38.4-66.2	35	47.7	33.8-61.6
H.S. or G.E.D.	160	216,547	76	48.6	38.2-59.0	84	51.4	41.0-61.8
Some Post-H.S.	90	113,242	44	53.8	39.7-67.9	46	46.2	32.1-60.3
College Graduate	56	39,117	26	48.3	32.6-64.0	30	51.7	36.0-67.4
Less than \$15,000	54	62,496	34	62.1	44.7-79.5	20	37.9	20.5-55.3
\$15,000- 24,999	82	109,546	45	56.2	43.1-69.3	37	43.8	30.7-56.9
\$35,000- 49,999	54	67,683	23	46.7	28.7-64.7	31	53.3	35.3-71.3
\$75,000+	58	70,074	22	39.2	24.1-54.3	36	60.8	45.7-75.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	440	480,902	228	49.2	42.7-55.7	212	50.8	44.3-57.3
White/Non-Hisp	361	381,518	183	47.7	40.4-55.0	178	52.3	45.0-59.6
25-34	55	74,362	27	48.2	32.1-64.3	28	51.8	35.7-67.9
35-44	87	95,139	48	54.0	40.9-67.1	39	46.0	32.9-59.1
45-54	89	98,711	45	43.6	30.3-56.9	44	56.4	43.1-69.7
55-64	101	96,953	55	57.8	45.6-70.0	46	42.2	30.0-54.4
65+	93	82,827	42	42.9	30.6-55.2	51	57.1	44.8-69.4
Less Than H.S.	63	103,514	32	39.1	21.5-56.7	31	60.9	43.3-78.5
H.S. or G.E.D.	181	183,238	90	53.0	44.0-62.0	91	47.0	38.0-56.0
Some Post-H.S.	138	155,996	77	50.8	40.4-61.2	61	49.2	38.8-59.6
College Graduate	57	37,673	29	52.6	35.2-70.0	28	47.4	30.0-64.8
Less than \$15,000	83	96,894	44	46.7	27.7-65.7	39	53.3	34.3-72.3
\$15,000- 24,999	115	116,958	65	50.9	39.1-62.7	50	49.1	37.3-60.9
\$25,000- 34,999	52	60,775	23	41.3	24.6-58.0	29	58.7	42.0-75.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1120	1,246,666	106	13.8	10.5-17.1	182	17.3	14.4-20.2	144	14.0	11.3-16.7	685	54.4	50.5-58.3	3	0.4	0.0- 1.0
Male	595	706,967	63	16.5	11.6-21.4	94	15.1	11.6-18.6	67	11.4	8.1-14.7	369	56.4	50.9-61.9	2	0.7	0.0- 1.7
Female	525	539,699	43	10.4	6.3-14.5	88	20.2	15.3-25.1	77	17.5	13.0-22.0	316	51.8	46.1-57.5	1	0.1	0.0- 0.3
White/Non-Hisp	980	1,033,750	86	12.6	9.5-15.7	146	15.3	12.4-18.2	130	14.8	11.9-17.7	615	56.8	52.7-60.9	3	0.5	0.0- 1.1
Black or Afr. Am./Non-Hisp	65	103,113	11	14.7	4.1-25.3	14	17.4	5.8-29.0	5	13.0	0.7-25.3	35	54.9	38.6-71.2			
25-34	100	182,354	30	32.6	20.4-44.8	41	33.2	22.2-44.2	20	21.8	11.6-32.0	9	12.4	1.6-23.2			
35-44	140	189,246	26	22.1	12.3-31.9	33	21.1	12.9-29.3	35	24.7	15.7-33.7	46	32.2	21.8-42.6			
45-54	168	193,718	11	7.9	2.0-13.8	40	19.3	12.4-26.2	27	13.1	7.2-19.0	90	59.7	50.5-68.9			
55-64	220	223,252	7	2.9	0.4- 5.4	34	18.3	10.7-25.9	33	15.4	9.3-21.5	145	61.9	53.1-70.7	1	1.4	0.0- 4.1
65+	471	418,494	19	4.9	2.2- 7.6	28	6.8	3.5-10.1	29	6.8	3.7- 9.9	395	81.5	76.6-86.4			
Less Than H.S.	101	181,533	14	21.4	8.5-34.3	10	13.0	3.6-22.4	13	9.8	3.9-15.7	64	55.8	42.1-69.5			
H.S. or G.E.D.	374	416,889	43	15.5	10.0-21.0	56	13.9	9.4-18.4	53	17.3	11.6-23.0	220	52.9	46.4-59.4	2	0.4	0.0- 1.2
Some Post-H.S.	296	369,433	23	10.8	5.5-16.1	55	21.2	15.3-27.1	37	14.9	9.6-20.2	180	52.3	45.0-59.6	1	0.8	0.0- 2.4
College Graduate	337	264,827	26	11.1	5.8-16.4	60	20.9	14.8-27.0	38	10.5	6.6-14.4	213	57.6	50.5-64.7			
Less than \$15,000	92	96,351	11	17.3	6.7-27.9	14	18.1	6.9-29.3	13	12.1	4.7-19.5	54	52.5	39.2-65.8			
\$15,000- 24,999	154	175,028	16	16.6	4.4-28.8	20	16.3	8.3-24.3	23	15.7	7.9-23.5	95	51.4	39.6-63.2			
\$25,000- 34,999	100	111,839	8	13.0	2.0-24.0	14	17.0	4.8-29.2	9	7.8	0.9-14.7	69	62.2	48.1-76.3			
\$35,000- 49,999	140	164,807	21	22.8	11.8-33.8	25	20.1	11.3-28.9	13	12.2	3.8-20.6	81	44.9	34.1-55.7			
\$50,000- 74,999	162	174,001	15	14.4	6.8-22.0	33	16.7	10.2-23.2	22	15.4	7.8-23.0	90	52.5	42.5-62.5	2	1.1	0.0- 2.9
\$75,000+	305	351,556	22	8.1	4.0-12.2	57	21.0	14.9-27.1	44	16.9	11.2-22.6	182	54.0	46.6-61.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	595	706,967	63	16.5	11.6-21.4	94	15.1	11.6-18.6	67	11.4	8.1-14.7	369	56.4	50.9-61.9	2	0.7	0.0- 1.7
White/Non-Hisp	521	579,641	51	14.4	9.9-18.9	78	13.6	10.1-17.1	59	10.9	7.6-14.2	331	60.2	54.7-65.7	2	0.8	0.0- 2.0
25-34	59	102,601	17	32.9	16.6-49.2	25	33.0	18.3-47.7	9	14.0	2.8-25.2	8	20.1	2.7-37.5			
35-44	74	113,785	17	30.9	16.4-45.4	14	13.5	4.9-22.1	22	25.8	13.8-37.8	21	29.8	16.3-43.3			
45-54	90	114,950	6	7.2	0.3-14.1	23	19.9	11.3-28.5	13	11.7	3.7-19.7	48	61.1	49.1-73.1			
55-64	103	108,055	5	3.8	0.1- 7.5	15	14.5	5.5-23.5	12	11.0	3.4-18.6	70	67.9	56.3-79.5	1	2.8	0.0- 8.3
65+	253	232,805	7	3.5	0.8- 6.2	13	5.7	2.0- 9.4	11	4.8	1.1- 8.5	222	86.1	80.4-91.8			
Less Than H.S.	51	105,310	9	30.5	10.7-50.3	4	7.2	0.0-15.2	5	6.1	0.0-12.4	33	56.2	36.8-75.6			
H.S. or G.E.D.	200	240,651	22	16.8	9.2-24.4	37	18.2	11.5-24.9	25	13.7	7.0-20.4	115	50.7	41.9-59.5	1	0.6	0.0- 1.8
Some Post-H.S.	153	188,660	16	11.6	5.1-18.1	25	16.7	10.0-23.4	12	10.3	3.6-17.0	99	59.8	50.2-69.4	1	1.6	0.0- 4.7
College Graduate	182	159,858	16	13.8	6.0-21.6	28	15.2	8.3-22.1	24	12.4	6.9-17.9	114	58.6	48.8-68.4			
\$15,000- 24,999	78	101,289	7	19.8	1.0-38.6	10	15.7	4.9-26.5	9	9.5	0.3-18.7	52	54.9	37.5-72.3			
\$25,000- 34,999	55	51,992	5	10.8	1.2-20.4	6	9.4	0.6-18.2	4	9.6	0.0-22.1	40	70.2	54.3-86.1			
\$35,000- 49,999	73	91,221	14	29.2	13.1-45.3	13	19.5	7.0-32.0	5	5.5	0.4-10.6	41	45.9	30.8-61.0			
\$50,000- 74,999	90	110,279	13	19.4	8.2-30.6	16	14.2	6.6-21.8	13	16.4	5.6-27.2	47	48.6	35.3-61.9	1	1.4	0.0- 4.1
\$75,000+	185	224,364	14	10.9	4.6-17.2	33	17.5	10.6-24.4	25	14.4	7.9-20.9	113	57.2	47.6-66.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	525	539,699	43	10.4	6.3-14.5	88	20.2	15.3-25.1	77	17.5	13.0-22.0	316	51.8	46.1-57.5	1	0.1	0.0- 0.3
White/Non-Hisp	459	454,109	35	10.3	5.8-14.8	68	17.4	12.9-21.9	71	19.8	14.5-25.1	284	52.5	46.6-58.4	1	0.1	0.0- 0.3
35-44	66	75,462	9	8.7	1.8-15.6	19	32.6	17.5-47.7	13	23.0	9.3-36.7	25	35.8	19.7-51.9			
45-54	78	78,768	5	9.0	0.0-19.8	17	18.3	8.1-28.5	14	15.2	6.2-24.2	42	57.5	43.4-71.6			
55-64	117	115,197	2	2.2	0.0- 5.7	19	21.9	10.1-33.7	21	19.6	10.0-29.2	75	56.4	44.1-68.7			
65+	218	185,689	12	6.8	1.7-11.9	15	8.1	2.6-13.6	18	9.4	3.9-14.9	173	75.7	67.5-83.9			
Less Than H.S.	50	76,223	5	8.7	0.1-17.3	6	21.1	3.5-38.7	8	15.1	4.5-25.7	31	55.1	36.9-73.3			
H.S. or G.E.D.	174	176,238	21	13.9	6.5-21.3	19	8.0	4.1-11.9	28	22.0	12.4-31.6	105	55.9	46.1-65.7	1	0.2	0.0- 0.6
Some Post-H.S.	143	180,773	7	9.8	1.4-18.2	30	25.9	16.5-35.3	25	19.8	11.8-27.8	81	44.5	34.5-54.5			
College Graduate	155	104,969	10	6.9	1.2-12.6	32	29.6	19.2-40.0	14	7.5	2.8-12.2	99	56.0	45.8-66.2			
Less than \$15,000	58	61,630	7	20.8	5.9-35.7	11	25.1	8.8-41.4	8	8.8	1.4-16.2	32	45.4	27.8-63.0			
\$15,000- 24,999	76	73,739	9	12.3	0.5-24.1	10	17.0	6.8-27.2	14	24.1	11.2-37.0	43	46.6	31.3-61.9			
\$35,000- 49,999	67	73,587	7	14.8	0.9-28.7	12	20.8	8.1-33.5	8	20.7	4.0-37.4	40	43.7	28.4-59.0			
\$50,000- 74,999	72	63,722	2	5.6	0.0-13.8	17	21.0	9.8-32.2	9	13.6	4.4-22.8	43	59.3	45.4-73.2	1	0.5	0.0- 1.5
\$75,000+	120	127,192	8	3.2	0.8- 5.6	24	27.1	15.9-38.3	19	21.4	10.6-32.2	69	48.3	36.3-60.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4350	4,998,832	147	3.8	3.0- 4.6	96	2.7	1.9- 3.5	4107	93.4	92.2-94.6
Male	1953	2,376,812	132	7.4	5.8- 9.0	75	3.8	2.6- 5.0	1746	88.8	86.8-90.8
Female	2397	2,622,021	15	0.6	0.2- 1.0	21	1.8	0.6- 3.0	2361	97.6	96.4-98.8
White/Non-Hisp	3525	3,701,209	129	4.6	3.6- 5.6	77	2.8	1.8- 3.8	3319	92.6	91.2-94.0
Black or Afr. Am./Non-Hisp	431	759,887	6	0.4	0.0- 0.8	7	3.1	0.6- 5.6	418	96.5	94.0-99.0
Oth. Race/Non-Hisp.	119	118,325	5	5.5	0.4-10.6	4	2.2	0.0- 4.6	110	92.3	86.8-97.8
MultiRacial/Non-Hisp.	72	59,612	2	1.2	0.0- 3.0	3	3.3	0.0- 7.4	67	95.6	91.1- 100
Hispanic	129	257,310	1	1.6	0.0- 4.7	4	1.5	0.0- 3.1	124	96.8	93.3- 100
18-24	315	578,592	20	5.0	2.5- 7.5	11	5.2	0.5- 9.9	284	89.8	84.7-94.9
25-34	554	875,568	34	6.1	3.6- 8.6	19	3.5	1.3- 5.7	501	90.4	87.1-93.7
35-44	602	779,765	23	3.8	1.8- 5.8	12	2.1	0.5- 3.7	567	94.1	91.6-96.6
45-54	715	797,706	27	4.1	2.1- 6.1	21	2.4	1.0- 3.8	667	93.5	91.1-95.9
55-64	819	839,916	21	3.3	1.7- 4.9	8	0.7	0.1- 1.3	790	96.0	94.2-97.8
65+	1345	1,127,285	22	1.7	0.9- 2.5	25	3.0	1.4- 4.6	1298	95.3	93.5-97.1
Less Than H.S.	339	606,939	11	2.5	0.5- 4.5	12	4.9	0.6- 9.2	316	92.6	88.1-97.1
H.S. or G.E.D.	1345	1,608,675	67	6.0	4.2- 7.8	44	3.7	2.1- 5.3	1234	90.3	87.9-92.7
Some Post-H.S.	1108	1,461,464	43	3.9	2.5- 5.3	23	2.2	1.0- 3.4	1042	93.9	92.1-95.7
College Graduate	1509	1,259,064	26	1.8	1.0- 2.6	17	1.2	0.4- 2.0	1466	97.0	95.8-98.2
Less than \$15,000	380	461,850	11	2.2	0.4- 4.0	14	3.0	0.8- 5.2	355	94.8	92.1-97.5
\$15,000- 24,999	627	708,834	17	2.7	0.7- 4.7	24	5.9	2.2- 9.6	586	91.4	87.3-95.5
\$25,000- 34,999	374	429,979	10	2.9	0.9- 4.9	7	2.7	0.3- 5.1	357	94.4	91.5-97.3
\$35,000- 49,999	522	621,019	22	5.3	2.6- 8.0	11	2.8	0.8- 4.8	489	92.0	88.7-95.3
\$50,000- 74,999	577	681,839	24	5.7	2.8- 8.6	18	4.2	1.5- 6.9	535	90.1	86.2-94.0
\$75,000+	1157	1,342,244	49	4.6	3.0- 6.2	10	0.6	0.2- 1.0	1098	94.8	93.2-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1953	2,376,812	132	7.4	5.8- 9.0	75	3.8	2.6- 5.0	1746	88.8	86.8-90.8
White/Non-Hisp	1597	1,756,068	118	9.0	7.0-11.0	61	4.2	2.8- 5.6	1418	86.9	84.5-89.3
Black or Afr. Am./Non-Hisp	151	308,801	2	0.2	0.0- 0.6	3	2.6	0.0- 5.9	146	97.1	93.8- 100
Oth. Race/Non-Hisp.	67	66,281	5	9.8	1.2-18.4	4	3.9	0.0- 8.0	58	86.3	76.9-95.7
Hispanic	67	156,139	1	2.7	0.0- 7.8	3	2.2	0.0- 4.7	63	95.1	89.4- 100
18-24	167	297,495	20	9.7	4.8-14.6	8	5.2	0.3-10.1	139	85.2	78.5-91.9
25-34	263	426,707	31	11.7	6.6-16.8	15	3.8	1.6- 6.0	217	84.5	79.0-90.0
35-44	271	376,904	21	7.4	3.3-11.5	8	3.3	0.6- 6.0	242	89.3	84.4-94.2
45-54	324	378,100	24	8.0	4.1-11.9	18	3.8	1.4- 6.2	282	88.2	83.7-92.7
55-64	366	399,491	18	5.9	2.8- 9.0	6	1.1	0.1- 2.1	342	92.9	89.6-96.2
65+	562	498,115	18	2.9	1.3- 4.5	20	5.6	2.5- 8.7	524	91.6	88.1-95.1
Less Than H.S.	157	295,254	7	3.2	0.1- 6.3	11	6.1	1.8-10.4	139	90.6	85.3-95.9
H.S. or G.E.D.	615	800,279	63	11.5	8.0-15.0	31	4.4	2.0- 6.8	521	84.1	80.2-88.0
Some Post-H.S.	470	650,944	38	8.0	4.9-11.1	17	3.5	1.3- 5.7	415	88.5	85.0-92.0
College Graduate	688	594,450	24	3.6	1.8- 5.4	16	2.5	0.9- 4.1	648	94.0	91.6-96.4
Less than \$15,000	142	180,773	8	3.1	0.6- 5.6	10	4.0	1.3- 6.7	124	92.9	89.2-96.6
\$15,000- 24,999	249	323,426	13	5.0	1.1- 8.9	16	6.3	2.4-10.2	220	88.8	83.5-94.1
\$25,000- 34,999	152	179,695	7	4.2	0.9- 7.5	7	6.5	1.0-12.0	138	89.3	83.0-95.6
\$35,000- 49,999	240	320,097	20	9.6	4.3-14.9	10	4.4	1.1- 7.7	210	86.0	79.9-92.1
\$50,000- 74,999	282	352,199	23	10.9	5.4-16.4	15	6.7	1.8-11.6	244	82.4	75.5-89.3
\$75,000+	602	711,331	48	8.6	5.9-11.3	8	1.0	0.2- 1.8	546	90.4	87.5-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2397	2,622,021	15	0.6	0.2- 1.0	21	1.8	0.6- 3.0	2361	97.6	96.4-98.8
White/Non-Hisp	1928	1,945,141	11	0.7	0.1- 1.3	16	1.6	0.2- 3.0	1901	97.7	96.3-99.1
Black or Afr. Am./Non-Hisp	280	451,086	4	0.5	0.0- 1.1	4	3.4	0.0- 6.9	272	96.2	92.7-99.7
Oth. Race/Non-Hisp.	52	52,044							52	100.0	100.0- 100
Hispanic	62	101,171				1	0.5	0.0- 1.5	61	99.5	98.5- 100
18-24	148	281,097				3	5.3	0.0-13.3	145	94.7	86.7- 100
25-34	291	448,860	3	0.8	0.0- 1.8	4	3.2	0.0- 6.7	284	95.9	92.4-99.4
35-44	331	402,862	2	0.4	0.0- 1.0	4	1.1	0.0- 2.7	325	98.5	96.9- 100
45-54	391	419,607	3	0.5	0.0- 1.1	3	1.2	0.0- 2.8	385	98.3	96.5- 100
55-64	453	440,425	3	0.9	0.0- 2.1	2	0.3	0.0- 0.7	448	98.7	97.5-99.9
65+	783	629,169	4	0.8	0.0- 1.8	5	0.9	0.0- 2.1	774	98.2	96.6-99.8
Less Than H.S.	182	311,685	4	1.8	0.0- 4.0	1	3.8	0.0-11.1	177	94.4	87.0- 100
H.S. or G.E.D.	730	808,396	4	0.4	0.0- 1.0	13	3.1	0.9- 5.3	713	96.5	94.3-98.7
Some Post-H.S.	638	810,519	5	0.7	0.1- 1.3	6	1.1	0.0- 2.3	627	98.2	96.8-99.6
College Graduate	821	664,614	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	818	99.6	99.2- 100
Less than \$15,000	238	281,076	3	1.6	0.0- 3.8	4	2.4	0.0- 5.5	231	96.0	92.1-99.9
\$15,000- 24,999	378	385,409	4	0.8	0.0- 1.6	8	5.5	0.0-11.6	366	93.6	87.5-99.7
\$25,000- 34,999	222	250,284	3	1.9	0.0- 4.3				219	98.1	95.7- 100
\$35,000- 49,999	282	300,923	2	0.6	0.0- 1.6	1	1.0	0.0- 3.0	279	98.4	96.2- 100
\$50,000- 74,999	295	329,640	1	0.2	0.0- 0.6	3	1.4	0.0- 3.8	291	98.4	96.0- 100
\$75,000+	555	630,913	1	0.2	0.0- 0.6	2	0.2	0.0- 0.4	552	99.6	99.2- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 11: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	174
2 MALES ONLY	175
3 FEMALES ONLY	176
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)	
4 MALES AND FEMALES	177
5 MALES ONLY	178
6 FEMALES ONLY	179
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	180
8 MALES ONLY	181
9 FEMALES ONLY	182
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	183
11 MALES ONLY	184
12 FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4270	4,904,480	494	12.6	11.2-14.0	87	1.9	1.3- 2.5	969	24.6	22.8-26.4	313	7.8	6.6- 9.0	2407	53.2	51.2-55.2
Male	1919	2,339,588	259	15.4	13.0-17.8	49	2.4	1.4- 3.4	457	25.9	23.2-28.6	206	10.6	8.8-12.4	948	45.7	42.8-48.6
Female	2351	2,564,892	235	10.0	8.4-11.6	38	1.4	0.8- 2.0	512	23.4	20.9-25.9	107	5.2	3.8- 6.6	1459	60.1	57.4-62.8
White/Non-Hisp	3466	3,638,302	391	11.9	10.5-13.3	68	1.7	1.1- 2.3	761	23.3	21.3-25.3	269	8.6	7.2-10.0	1977	54.5	52.3-56.7
Black or Afr. Am./Non-Hisp	422	744,700	60	15.6	11.1-20.1	5	1.1	0.0- 2.3	115	31.2	25.1-37.3	18	4.6	1.9- 7.3	224	47.5	41.2-53.8
Oth. Race/Non-Hisp.	116	113,500	15	9.3	3.2-15.4	3	3.0	0.0- 6.9	25	20.1	10.9-29.3	11	11.0	3.7-18.3	62	56.6	44.6-68.6
MultiRacial/Non-Hisp.	70	57,881	5	16.4	2.9-29.9	3	4.8	0.0-11.7	22	34.0	20.7-47.3	1	1.3	0.0- 3.8	39	43.5	29.8-57.2
Hispanic	126	253,510	13	12.9	4.3-21.5	7	5.3	0.6-10.0	29	19.6	10.4-28.8	11	6.9	1.8-12.0	66	55.4	43.4-67.4
18-24	309	568,493	47	14.7	9.6-19.8	4	1.7	0.0- 3.7	83	25.9	18.8-33.0	18	6.1	1.6-10.6	157	51.6	44.0-59.2
25-34	542	852,540	86	16.8	12.5-21.1	10	1.4	0.4- 2.4	181	32.3	27.2-37.4	53	10.6	7.1-14.1	212	38.9	33.6-44.2
35-44	590	771,335	81	13.0	9.7-16.3	11	2.2	0.4- 4.0	184	33.1	28.0-38.2	46	7.0	4.5- 9.5	268	44.7	39.4-50.0
45-54	705	787,476	90	13.3	10.0-16.6	13	1.5	0.5- 2.5	192	25.9	21.6-30.2	56	9.2	6.1-12.3	354	50.0	45.1-54.9
55-64	800	816,120	89	10.9	8.2-13.6	15	1.8	0.6- 3.0	157	19.1	15.6-22.6	52	7.1	4.9- 9.3	487	61.1	56.8-65.4
65+	1324	1,108,516	101	8.5	6.3-10.7	34	2.3	1.3- 3.3	172	15.3	12.4-18.2	88	6.5	4.7- 8.3	929	67.4	63.9-70.9
Less Than H.S.	336	600,741	22	7.5	3.4-11.6	5	0.7	0.0- 1.5	43	16.9	10.2-23.6	21	8.1	3.2-13.0	245	66.8	59.0-74.6
H.S. or G.E.D.	1324	1,576,480	115	10.3	7.9-12.7	22	2.0	0.8- 3.2	237	19.1	16.2-22.0	72	6.1	4.3- 7.9	878	62.6	59.1-66.1
Some Post-H.S.	1085	1,432,972	123	12.4	9.9-14.9	27	2.2	1.2- 3.2	264	28.2	24.5-31.9	61	6.2	4.2- 8.2	610	51.0	47.1-54.9
College Graduate	1476	1,229,803	227	18.0	15.3-20.7	33	2.0	1.2- 2.8	412	30.9	27.8-34.0	156	11.7	9.5-13.9	648	37.3	34.2-40.4
Less than \$15,000	372	447,775	23	6.5	3.2- 9.8	7	2.0	0.2- 3.8	55	18.7	11.3-26.1	16	2.9	1.1- 4.7	271	69.9	62.3-77.5
\$15,000- 24,999	617	693,250	50	9.6	6.3-12.9	6	1.5	0.0- 3.1	128	22.9	18.2-27.6	38	7.3	3.6-11.0	395	58.8	53.1-64.5
\$25,000- 34,999	362	418,993	37	8.6	4.7-12.5	4	0.6	0.0- 1.4	76	24.1	17.6-30.6	18	4.6	1.7- 7.5	227	62.1	55.0-69.2
\$35,000- 49,999	516	611,841	58	12.8	8.5-17.1	8	1.4	0.0- 3.0	124	28.1	22.6-33.6	36	6.9	3.8-10.0	290	50.8	44.9-56.7
\$50,000- 74,999	568	674,849	66	13.3	9.6-17.0	15	1.8	0.6- 3.0	151	27.8	22.7-32.9	53	10.5	6.8-14.2	283	46.6	41.1-52.1
\$75,000+	1140	1,322,410	199	19.0	15.9-22.1	36	2.8	1.6- 4.0	331	29.1	25.6-32.6	120	11.4	9.0-13.8	454	37.8	34.1-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	2,339,588	259	15.4	13.0-17.8	49	2.4	1.4- 3.4	457	25.9	23.2-28.6	206	10.6	8.8-12.4	948	45.7	42.8-48.6
White/Non-Hisp	1570	1,727,972	195	13.5	11.1-15.9	39	2.1	1.1- 3.1	372	25.0	22.3-27.7	178	11.7	9.5-13.9	786	47.6	44.5-50.7
Black or Afr. Am./Non-Hisp	148	309,542	34	23.2	14.8-31.6	2	1.6	0.0- 4.0	36	31.7	21.9-41.5	8	5.7	0.6-10.8	68	37.8	28.0-47.6
Oth. Race/Non-Hisp.	65	61,550	9	13.5	3.3-23.7	2	4.3	0.0-11.0	12	20.8	7.7-33.9	9	18.9	6.6-31.2	33	42.5	28.4-56.6
Hispanic	67	156,139	9	18.5	5.4-31.6	4	5.9	0.0-12.8	13	18.4	5.7-31.1	8	8.9	1.5-16.3	33	48.4	32.1-64.7
18-24	163	292,401	26	18.6	10.6-26.6	3	2.5	0.0- 5.8	45	27.0	18.4-35.6	12	6.2	2.1-10.3	77	45.6	35.6-55.6
25-34	256	414,674	45	19.3	12.2-26.4	5	1.4	0.0- 2.8	87	32.6	25.0-40.2	31	14.3	8.4-20.2	88	32.4	24.8-40.0
35-44	269	381,241	47	16.0	10.7-21.3	5	3.3	0.2- 6.4	86	34.0	26.2-41.8	32	9.1	4.8-13.4	99	37.7	29.9-45.5
45-54	319	374,273	46	17.9	12.2-23.6	10	2.9	0.7- 5.1	95	27.1	21.0-33.2	35	11.8	6.7-16.9	133	40.4	33.3-47.5
55-64	358	386,970	47	13.0	8.5-17.5	7	2.3	0.0- 4.7	65	19.5	14.0-25.0	39	10.6	6.7-14.5	200	54.6	47.9-61.3
65+	554	490,030	48	9.6	6.3-12.9	19	2.2	1.0- 3.4	79	17.6	12.9-22.3	57	10.5	7.2-13.8	351	60.1	54.6-65.6
Less Than H.S.	156	290,659	18	14.6	6.6-22.6	2	0.8	0.0- 2.2	20	15.7	8.1-23.3	16	11.0	4.3-17.7	100	57.9	47.5-68.3
H.S. or G.E.D.	606	786,923	70	14.0	9.9-18.1	14	2.9	0.9- 4.9	125	22.7	18.2-27.2	51	8.5	5.6-11.4	346	51.9	46.6-57.2
Some Post-H.S.	458	636,344	58	13.6	9.5-17.7	17	3.4	1.4- 5.4	125	29.9	24.2-35.6	41	8.9	5.4-12.4	217	44.2	38.1-50.3
College Graduate	676	587,985	109	19.4	15.3-23.5	16	1.6	0.6- 2.6	183	31.7	26.8-36.6	95	15.1	11.6-18.6	273	32.3	28.2-36.4
Less than \$15,000	138	172,703	10	10.5	3.4-17.6	2	2.1	0.0- 5.0	27	22.8	12.4-33.2	10	4.0	1.1- 6.9	89	60.6	49.4-71.8
\$15,000- 24,999	246	315,385	24	12.7	6.8-18.6	4	2.3	0.0- 5.2	49	23.9	16.6-31.2	25	8.4	4.5-12.3	144	52.6	44.2-61.0
\$25,000- 34,999	151	179,504	16	12.1	4.3-19.9	1	0.1	0.0- 0.3	29	19.8	11.0-28.6	14	9.2	2.7-15.7	91	58.8	47.8-69.8
\$35,000- 49,999	238	316,257	35	15.7	8.8-22.6	5	2.2	0.0- 5.3	60	30.4	22.4-38.4	24	10.2	4.9-15.5	114	41.5	33.3-49.7
\$50,000- 74,999	277	349,512	35	13.9	8.4-19.4	10	2.4	0.6- 4.2	82	32.3	24.3-40.3	32	13.6	7.5-19.7	118	37.8	30.2-45.4
\$75,000+	593	701,095	110	21.8	17.1-26.5	25	3.5	1.7- 5.3	164	27.8	23.1-32.5	79	13.2	9.7-16.7	215	33.7	28.6-38.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2351	2,564,892	235	10.0	8.4-11.6	38	1.4	0.8- 2.0	512	23.4	20.9-25.9	107	5.2	3.8- 6.6	1459	60.1	57.4-62.8
White/Non-Hisp	1896	1,910,329	196	10.4	8.6-12.2	29	1.4	0.8- 2.0	389	21.8	19.1-24.5	91	5.7	3.9- 7.5	1191	60.7	57.8-63.6
Black or Afr. Am./Non-Hisp	274	435,158	26	10.2	5.7-14.7	3	0.7	0.0- 1.9	79	30.9	23.5-38.3	10	3.8	0.9- 6.7	156	54.3	46.3-62.3
Oth. Race/Non-Hisp.	51	51,950	6	4.4	0.1- 8.7	1	1.4	0.0- 4.1	13	19.3	6.6-32.0	2	1.7	0.0- 4.8	29	73.3	58.8-87.8
Hispanic	59	97,371	4	3.9	0.0- 8.0	3	4.3	0.0- 9.6	16	21.5	8.8-34.2	3	3.7	0.0- 9.2	33	66.5	51.2-81.8
18-24	146	276,093	21	10.6	5.1-16.1	1	0.8	0.0- 2.4	38	24.7	13.5-35.9	6	6.1	0.0-14.3	80	57.9	45.9-69.9
25-34	286	437,867	41	14.5	9.6-19.4	5	1.3	0.0- 2.7	94	32.0	25.1-38.9	22	7.2	3.7-10.7	124	45.0	37.7-52.3
35-44	321	390,094	34	10.1	6.0-14.2	6	1.2	0.0- 2.4	98	32.2	25.5-38.9	14	5.0	1.9- 8.1	169	51.5	44.4-58.6
45-54	386	413,202	44	9.2	5.7-12.7	3	0.4	0.0- 1.0	97	24.8	19.1-30.5	21	6.9	3.2-10.6	221	58.7	52.0-65.4
55-64	442	429,150	42	9.0	5.7-12.3	8	1.4	0.2- 2.6	92	18.7	14.2-23.2	13	3.9	1.5- 6.3	287	67.0	61.5-72.5
65+	770	618,486	53	7.6	4.9-10.3	15	2.5	1.1- 3.9	93	13.5	9.6-17.4	31	3.2	1.6- 4.8	578	73.2	68.7-77.7
Less Than H.S.	180	310,082	4	0.8	0.0- 1.6	3	0.6	0.0- 1.4	23	18.0	7.6-28.4	5	5.3	0.0-12.6	145	75.2	63.6-86.8
H.S. or G.E.D.	718	789,558	45	6.5	4.1- 8.9	8	1.1	0.1- 2.1	112	15.4	12.1-18.7	21	3.6	1.6- 5.6	532	73.2	68.9-77.5
Some Post-H.S.	627	796,628	65	11.5	8.2-14.8	10	1.1	0.3- 1.9	139	27.0	22.1-31.9	20	4.0	2.0- 6.0	393	56.4	51.3-61.5
College Graduate	800	641,818	118	16.8	13.3-20.3	17	2.4	1.2- 3.6	229	30.2	26.1-34.3	61	8.7	6.0-11.4	375	41.9	37.6-46.2
Less than \$15,000	234	275,072	13	3.9	1.2- 6.6	5	1.9	0.0- 4.1	28	16.2	5.8-26.6	6	2.2	0.0- 4.4	182	75.7	65.3-86.1
\$15,000- 24,999	371	377,865	26	7.0	3.9-10.1	2	0.7	0.0- 1.9	79	22.0	15.7-28.3	13	6.4	0.1-12.7	251	63.9	56.3-71.5
\$25,000- 34,999	211	239,488	21	5.9	2.6- 9.2	3	1.0	0.0- 2.2	47	27.3	18.3-36.3	4	1.1	0.0- 2.5	136	64.7	55.5-73.9
\$35,000- 49,999	278	295,584	23	9.6	4.5-14.7	3	0.5	0.0- 1.5	64	25.7	18.4-33.0	12	3.4	0.9- 5.9	176	60.8	53.0-68.6
\$50,000- 74,999	291	325,336	31	12.7	7.6-17.8	5	1.2	0.0- 2.6	69	23.0	16.7-29.3	21	7.1	3.2-11.0	165	56.0	48.4-63.6
\$75,000+	547	621,315	89	15.8	11.9-19.7	11	1.9	0.5- 3.3	167	30.6	25.7-35.5	41	9.3	6.0-12.6	239	42.4	37.1-47.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRKN3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1810	2,230,819	776	40.9	37.8-44.0	525	29.7	26.8-32.6	212	11.9	9.7-14.1	96	5.2	4.0- 6.4	183	11.6	9.4-13.8	18	0.7	0.3- 1.1
Male	939	1,231,320	316	33.4	29.3-37.5	274	29.2	25.3-33.1	140	13.8	11.1-16.5	62	6.2	4.4- 8.0	139	16.9	13.4-20.4	8	0.5	0.1- 0.9
Female	871	999,498	460	50.2	45.5-54.9	251	30.4	25.9-34.9	72	9.6	6.5-12.7	34	4.0	2.2- 5.8	44	4.9	2.9- 6.9	10	0.8	0.2- 1.4
White/Non-Hisp	1453	1,619,857	619	40.5	37.2-43.8	422	29.4	26.1-32.7	178	12.8	10.3-15.3	76	5.7	4.1- 7.3	145	11.0	8.8-13.2	13	0.6	0.2- 1.0
Black or Afr. Am./Non-Hisp	187	372,212	90	45.3	36.3-54.3	61	35.7	26.9-44.5	13	7.5	2.8-12.2	8	3.6	0.7- 6.5	13	7.7	2.6-12.8	2	0.2	0.0- 0.6
Oth. Race/Non-Hisp.	51	46,657	21	33.3	17.6-49.0	12	23.8	9.7-37.9	3	6.0	0.0-12.9	7	11.1	2.3-19.9	7	20.6	4.3-36.9	1	5.3	0.0-15.3
Hispanic	59	109,905	21	38.0	21.1-54.9	17	24.8	10.7-38.9	6	6.6	0.5-12.7	4	4.0	0.0- 8.3	11	26.6	9.4-43.8			
18-24	149	271,700	42	23.1	14.5-31.7	41	29.4	18.2-40.6	25	19.5	9.1-29.9	9	5.6	1.5- 9.7	32	22.4	13.2-31.6			
25-34	323	512,466	108	33.0	26.1-39.9	96	33.5	26.8-40.2	55	15.7	10.8-20.6	24	6.0	3.5- 8.5	38	11.3	6.8-15.8	2	0.5	0.0- 1.5
35-44	314	419,193	108	34.7	27.8-41.6	104	32.7	25.8-39.6	34	9.4	5.7-13.1	25	7.9	4.2-11.6	39	15.0	9.1-20.9	4	0.4	0.0- 0.8
45-54	337	371,270	132	42.7	35.6-49.8	105	29.5	23.0-36.0	44	11.8	7.7-15.9	18	4.6	1.7- 7.5	36	10.9	6.6-15.2	2	0.5	0.0- 1.3
55-64	305	307,150	160	54.1	46.8-61.4	80	25.1	19.0-31.2	27	7.9	4.4-11.4	8	2.7	0.5- 4.9	24	8.8	4.5-13.1	6	1.3	0.0- 2.7
65+	382	349,040	226	60.4	53.9-66.9	99	25.3	19.6-31.0	27	7.1	3.6-10.6	12	3.5	1.0- 6.0	14	2.5	0.9- 4.1	4	1.3	0.0- 2.9
Less Than H.S.	87	192,431	39	46.0	30.7-61.3	14	22.8	7.7-37.9	9	10.9	0.0-22.5	12	5.8	1.5-10.1	12	14.1	5.3-22.9	1	0.3	0.0- 0.9
H.S. or G.E.D.	425	569,523	164	36.3	30.2-42.4	119	30.0	24.1-35.9	50	11.2	7.3-15.1	27	7.1	4.2-10.0	61	15.2	10.5-19.9	4	0.2	0.0- 0.4
Some Post-H.S.	453	673,216	188	40.5	34.8-46.2	131	28.7	23.4-34.0	60	14.4	10.1-18.7	17	3.2	1.2- 5.2	52	12.1	8.0-16.2	5	0.9	0.0- 1.9
College Graduate	822	762,767	371	42.7	38.4-47.0	257	32.9	28.6-37.2	89	10.2	7.8-12.6	40	5.6	3.6- 7.6	57	7.7	5.0-10.4	8	0.9	0.1- 1.7
Less than \$15,000	95	127,808	37	36.3	21.4-51.2	22	35.4	16.6-54.2	13	12.8	3.8-21.8	9	6.2	1.5-10.9	13	8.9	2.8-15.0	1	0.4	0.0- 1.2
\$15,000- 24,999	212	270,400	93	42.6	33.2-52.0	56	25.8	18.0-33.6	26	16.6	7.4-25.8	11	3.3	0.9- 5.7	22	11.1	5.8-16.4	4	0.7	0.0- 1.5
\$25,000- 34,999	133	157,428	56	35.3	23.9-46.7	40	31.3	20.1-42.5	12	10.3	3.6-17.0	7	7.5	1.0-14.0	16	14.6	6.2-23.0	2	1.0	0.0- 2.4
\$35,000- 49,999	220	292,466	89	37.8	29.0-46.6	66	30.8	22.4-39.2	21	8.9	4.0-13.8	12	5.0	1.5- 8.5	29	16.2	8.9-23.5	3	1.3	0.0- 3.1
\$50,000- 74,999	276	353,219	126	43.1	35.3-50.9	76	27.6	20.9-34.3	33	10.8	5.9-15.7	15	5.5	2.6- 8.4	24	12.4	5.9-18.9	2	0.5	0.0- 1.5
\$75,000+	681	814,807	280	41.1	36.2-46.0	218	31.1	26.6-35.6	84	11.7	8.8-14.6	34	5.1	2.9- 7.3	61	10.6	7.3-13.9	4	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	939	1,231,320	316	33.4	29.3-37.5	274	29.2	25.3-33.1	140	13.8	11.1-16.5	62	6.2	4.4- 8.0	139	16.9	13.4-20.4	8	0.5	0.1- 0.9
White/Non-Hisp	758	878,793	262	34.9	30.4-39.4	214	26.9	22.8-31.0	115	14.4	11.3-17.5	50	7.2	4.8- 9.6	112	16.3	12.8-19.8	5	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	78	187,206	23	30.7	18.0-43.4	34	44.6	31.1-58.1	10	10.8	3.2-18.4	3	2.7	0.0- 5.8	8	11.3	2.3-20.3			
18-24	84	157,683	20	19.6	9.8-29.4	21	21.3	11.7-30.9	13	19.0	7.2-30.8	5	6.5	0.4-12.6	25	33.5	20.4-46.6			
25-34	164	275,349	39	27.1	16.9-37.3	50	32.7	23.1-42.3	28	12.8	7.1-18.5	15	8.0	3.7-12.3	31	18.5	10.5-26.5	1	0.9	0.0- 2.7
35-44	164	233,026	41	27.0	17.8-36.2	55	33.7	24.1-43.3	25	13.6	7.3-19.9	15	7.6	2.9-12.3	26	17.9	9.3-26.5	2	0.3	0.0- 0.7
45-54	178	209,366	57	36.5	27.1-45.9	51	28.2	19.6-36.8	34	16.3	9.8-22.8	10	3.6	1.1- 6.1	24	14.5	7.6-21.4	2	0.9	0.0- 2.1
55-64	156	171,550	64	45.0	34.6-55.4	43	24.9	16.7-33.1	20	10.4	5.1-15.7	6	4.1	0.6- 7.6	21	14.9	7.6-22.2	2	0.7	0.0- 1.7
65+	193	184,347	95	48.5	39.3-57.7	54	29.9	21.1-38.7	20	11.2	5.3-17.1	11	6.2	1.7-10.7	12	3.9	1.2- 6.6	1	0.3	0.0- 0.9
Less Than H.S.	52	115,586	22	52.5	35.4-69.6	6	13.1	0.8-25.4	6	5.7	0.6-10.8	8	7.7	1.0-14.4	10	21.0	7.9-34.1			
H.S. or G.E.D.	245	365,501	77	29.9	22.1-37.7	67	29.4	21.8-37.0	40	13.5	8.2-18.8	14	6.6	2.9-10.3	45	20.5	13.4-27.6	2	0.2	0.0- 0.4
Some Post-H.S.	231	340,705	78	33.1	25.3-40.9	68	28.8	21.5-36.1	34	16.5	10.0-23.0	11	3.7	1.0- 6.4	37	17.2	10.5-23.9	3	0.8	0.0- 1.8
College Graduate	400	392,610	134	31.2	25.3-37.1	130	34.4	28.1-40.7	58	13.6	9.7-17.5	29	7.8	4.5-11.1	46	12.2	7.5-16.9	3	0.8	0.0- 2.0
\$15,000- 24,999	98	143,863	37	37.0	24.7-49.3	26	29.1	17.5-40.7	11	12.4	3.4-21.4	7	4.0	0.7- 7.3	15	16.6	7.6-25.6	2	0.8	0.0- 2.0
\$25,000- 34,999	58	72,864	15	22.1	6.6-37.6	20	29.5	12.8-46.2	7	11.7	0.7-22.7	5	14.3	1.0-27.6	11	22.4	7.7-37.1			
\$35,000- 49,999	122	181,326	40	33.5	22.1-44.9	35	29.2	18.0-40.4	13	7.4	2.7-12.1	5	4.2	0.0- 8.5	27	23.9	13.3-34.5	2	1.9	0.0- 4.6
\$50,000- 74,999	152	211,176	56	33.6	23.2-44.0	40	26.3	17.5-35.1	27	15.0	7.4-22.6	12	7.8	3.1-12.5	16	17.3	7.3-27.3	1	0.1	0.0- 0.3
\$75,000+	374	458,658	124	33.2	26.7-39.7	119	31.7	25.6-37.8	55	13.6	9.5-17.7	23	5.5	2.8- 8.2	50	15.5	10.4-20.6	3	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	871	999,498	460	50.2	45.5-54.9	251	30.4	25.9-34.9	72	9.6	6.5-12.7	34	4.0	2.2- 5.8	44	4.9	2.9- 6.9	10	0.8	0.0- 1.6
White/Non-Hisp	695	741,064	357	47.1	42.0-52.2	208	32.3	27.2-37.4	63	11.0	7.1-14.9	26	4.0	2.0- 6.0	33	4.6	2.4- 6.8	8	1.0	0.0- 2.0
Black or Afr. Am./Non-Hisp	109	185,006	67	60.1	48.1-72.1	27	26.6	15.6-37.6	3	4.2	0.0- 9.7	5	4.5	0.0- 9.4	5	4.1	0.0- 8.4	2	0.5	0.0- 1.1
18-24	65	114,017	22	27.9	12.2-43.6	20	40.5	19.5-61.5	12	20.1	1.7-38.5	4	4.4	0.0- 9.5	7	7.0	0.0-14.4			
25-34	159	237,117	69	39.9	30.7-49.1	46	34.3	24.9-43.7	27	19.1	11.3-26.9	9	3.6	1.1- 6.1	7	3.0	0.6- 5.4	1	0.1	0.0- 0.3
35-44	150	186,168	67	44.4	34.4-54.4	49	31.4	22.2-40.6	9	4.2	0.9- 7.5	10	8.2	2.3-14.1	13	11.3	4.2-18.4	2	0.6	0.0- 1.4
45-54	159	161,904	75	50.7	40.3-61.1	54	31.1	21.5-40.7	10	6.1	1.4-10.8	8	5.8	0.1-11.5	12	6.3	1.6-11.0			
55-64	149	135,600	96	65.5	56.1-74.9	37	25.4	16.6-34.2	7	4.8	0.7- 8.9	2	1.0	0.0- 2.4	3	1.1	0.0- 2.5	4	2.2	0.0- 4.7
65+	189	164,693	131	73.8	66.2-81.4	45	20.0	13.7-26.3	7	2.5	0.0- 5.2	1	0.4	0.0- 1.2	2	0.8	0.0- 2.2	3	2.4	0.0- 5.7
H.S. or G.E.D.	180	204,023	87	47.7	38.5-56.9	52	31.1	22.1-40.1	10	7.1	2.2-12.0	13	8.0	2.7-13.3	16	5.8	2.5- 9.1	2	0.3	0.0- 0.9
Some Post-H.S.	222	332,511	110	48.2	40.0-56.4	63	28.7	21.3-36.1	26	12.4	6.7-18.1	6	2.8	0.0- 5.7	15	6.9	2.4-11.4	2	1.0	0.0- 2.8
College Graduate	422	370,157	237	54.8	48.7-60.9	127	31.3	25.6-37.0	31	6.5	4.0- 9.0	11	3.3	0.9- 5.7	11	3.1	1.1- 5.1	5	1.0	0.0- 2.0
\$15,000- 24,999	114	126,536	56	48.9	34.2-63.6	30	21.9	12.3-31.5	15	21.3	5.0-37.6	4	2.5	0.0- 5.8	7	4.8	0.7- 8.9	2	0.5	0.0- 1.3
\$25,000- 34,999	75	84,564	41	46.7	31.0-62.4	20	32.9	17.6-48.2	5	9.1	0.9-17.3	2	1.6	0.0- 3.8	5	7.9	0.0-16.9	2	1.8	0.0- 4.3
\$35,000- 49,999	98	111,140	49	44.8	31.5-58.1	31	33.4	20.5-46.3	8	11.5	1.5-21.5	7	6.3	0.4-12.2	2	3.7	0.0-10.2	1	0.3	0.0- 0.9
\$50,000- 74,999	124	142,043	70	57.4	46.2-68.6	36	29.6	19.4-39.8	6	4.6	0.0- 9.3	3	2.2	0.0- 5.1	8	5.2	0.9- 9.5	1	1.1	0.0- 3.3
\$75,000+	307	356,149	156	51.3	44.2-58.4	99	30.3	23.8-36.8	29	9.3	5.2-13.4	11	4.7	1.6- 7.8	11	4.3	1.2- 7.4	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1801	2,215,045	141	9.3	7.3-11.3	99	6.3	4.7- 7.9	52	3.3	2.1- 4.5	44	3.1	1.9- 4.3	147	8.7	6.7-10.7	1318	69.3	66.4-72.2
Male	932	1,219,060	66	7.6	5.4- 9.8	56	6.4	4.2- 8.6	34	4.8	2.8- 6.8	31	4.4	2.4- 6.4	105	12.4	9.3-15.5	640	64.5	60.2-68.8
Female	869	995,986	75	11.5	8.0-15.0	43	6.1	3.7- 8.5	18	1.5	0.5- 2.5	13	1.4	0.6- 2.2	42	4.2	2.4- 6.0	678	75.2	70.9-79.5
White/Non-Hisp	1445	1,614,627	114	10.0	7.5-12.5	81	6.4	4.6- 8.2	41	3.3	1.9- 4.7	34	2.9	1.7- 4.1	115	7.9	6.1- 9.7	1060	69.4	66.1-72.7
Black or Afr. Am./Non-Hisp	188	366,481	15	8.2	3.5-12.9	12	5.4	0.9- 9.9	7	4.1	0.4- 7.8	4	1.8	0.0- 3.6	9	7.4	1.5-13.3	141	73.2	64.8-81.6
Oth. Race/Non-Hisp.	53	48,964	2	2.3	0.0- 6.2				3	8.2	0.0-18.8	2	4.7	0.0-11.4	6	15.0	1.7-28.3	40	69.8	53.5-86.1
Hispanic	55	103,085	5	5.2	0.0-10.7	3	8.8	0.0-19.4	1	0.7	0.0- 2.1	2	7.7	0.0-19.7	12	23.5	7.4-39.6	32	54.1	35.9-72.3
18-24	149	273,552	16	11.0	2.6-19.4	19	11.9	5.0-18.8	7	6.4	0.5-12.3	5	5.0	0.0-10.5	21	13.9	6.8-21.0	81	51.8	40.2-63.4
25-34	321	504,076	45	16.7	11.2-22.2	24	7.9	4.2-11.6	15	5.2	2.1- 8.3	7	2.4	0.0- 4.8	36	11.8	6.9-16.7	194	56.0	48.7-63.3
35-44	314	418,683	27	7.7	4.2-11.2	25	9.4	4.7-14.1	7	2.6	0.2- 5.0	13	4.4	1.5- 7.3	30	9.4	4.5-14.3	212	66.4	59.3-73.5
45-54	331	367,759	30	9.8	5.3-14.3	15	3.1	0.7- 5.5	14	3.3	1.1- 5.5	8	2.7	0.5- 4.9	22	5.6	2.7- 8.5	242	75.5	69.4-81.6
55-64	304	305,204	15	5.3	2.4- 8.2	8	3.2	0.7- 5.7	4	1.2	0.0- 2.4	8	3.8	0.9- 6.7	23	8.0	4.3-11.7	246	78.4	72.7-84.1
65+	382	345,770	8	2.2	0.0- 4.4	8	1.6	0.0- 3.2	5	0.9	0.0- 1.9	3	0.6	0.0- 1.4	15	3.3	1.3- 5.3	343	91.3	88.0-94.6
Less Than H.S.	85	190,120	7	10.3	0.0-22.3	3	6.2	0.0-13.8	4	3.1	0.0- 6.4	5	4.0	0.0- 8.7	14	10.8	3.7-17.9	52	65.6	51.1-80.1
H.S. or G.E.D.	419	558,057	30	7.9	4.4-11.4	24	5.8	2.9- 8.7	14	5.5	2.0- 9.0	13	3.8	1.3- 6.3	42	11.0	6.7-15.3	296	66.0	59.7-72.3
Some Post-H.S.	459	677,134	40	10.6	6.7-14.5	23	5.7	2.8- 8.6	15	3.0	1.0- 5.0	10	3.2	0.7- 5.7	42	9.1	5.6-12.6	329	68.3	62.6-74.0
College Graduate	817	761,008	62	8.7	6.2-11.2	48	7.2	4.7- 9.7	19	2.2	1.0- 3.4	16	2.3	0.9- 3.7	48	6.4	3.9- 8.9	624	73.2	69.1-77.3
Less than \$15,000	97	129,552	8	10.6	2.4-18.8	6	5.7	0.0-13.7	1	0.1	0.0- 0.3	5	4.4	0.1- 8.7	15	10.1	3.4-16.8	62	69.0	55.5-82.5
\$15,000- 24,999	208	266,191	16	8.5	0.1-16.9	6	2.5	0.1- 4.9	7	4.2	0.0- 8.7	7	3.1	0.6- 5.6	14	7.0	2.9-11.1	158	74.6	65.2-84.0
\$25,000- 34,999	130	151,010	13	10.9	2.9-18.9	6	3.8	0.7- 6.9	4	3.4	0.0- 7.5				12	12.5	3.9-21.1	95	69.4	58.0-80.8
\$35,000- 49,999	217	282,856	16	9.3	3.8-14.8	12	7.4	2.3-12.5	5	1.7	0.1- 3.3	7	6.4	0.3-12.5	18	9.6	3.7-15.5	159	65.6	56.4-74.8
\$50,000- 74,999	277	351,594	23	7.8	3.5-12.1	13	3.7	1.3- 6.1	11	6.6	1.5-11.7	3	1.5	0.0- 3.3	23	11.1	4.8-17.4	204	69.3	61.3-77.3
\$75,000+	679	813,708	53	10.2	7.1-13.3	46	8.3	5.4-11.2	21	3.1	1.5- 4.7	20	3.6	1.6- 5.6	50	7.4	4.7-10.1	489	67.4	62.7-72.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	932	1,219,060	66	7.6	5.4- 9.8	56	6.4	4.2- 8.6	34	4.8	2.8- 6.8	31	4.4	2.4- 6.4	105	12.4	9.3-15.5	640	64.5	60.2-68.8
White/Non-Hisp	757	880,001	56	9.1	6.2-12.0	46	6.0	3.8- 8.2	29	5.3	2.8- 7.8	24	4.1	1.9- 6.3	84	11.2	8.3-14.1	518	64.3	59.6-69.0
Black or Afr. Am./Non-Hisp	74	178,170	3	2.1	0.0- 4.6	5	5.4	0.0-11.9	3	4.6	0.0-10.3	2	2.4	0.0- 5.7	4	11.9	0.7-23.1	57	73.7	60.8-86.6
18-24	84	157,590	7	5.7	1.2-10.2	13	14.1	4.7-23.5	5	9.7	0.0-19.5	3	7.5	0.0-16.7	14	17.8	7.6-28.0	42	45.1	32.0-58.2
25-34	162	272,067	21	14.4	7.1-21.7	10	6.4	1.7-11.1	9	7.0	2.1-11.9	6	4.0	0.0- 8.1	27	18.8	10.4-27.2	89	49.5	39.1-59.9
35-44	165	233,702	9	4.5	1.0- 8.0	16	10.9	3.8-18.0	5	3.3	0.0- 7.0	8	5.7	0.8-10.6	18	11.4	4.0-18.8	109	64.3	54.1-74.5
45-54	174	205,568	16	8.7	3.6-13.8	6	1.4	0.0- 2.8	10	5.4	1.5- 9.3	6	3.4	0.3- 6.5	15	7.6	2.9-12.3	121	73.5	65.5-81.5
55-64	151	165,178	7	5.2	1.1- 9.3	5	3.8	0.1- 7.5	3	1.7	0.0- 3.7	5	5.4	0.3-10.5	19	12.4	6.1-18.7	112	71.5	62.5-80.5
65+	196	184,954	6	3.8	0.0- 7.7	6	1.9	0.0- 3.9	2	1.3	0.0- 3.1	3	1.2	0.0- 2.6	12	5.1	1.6- 8.6	167	86.7	80.8-92.6
Less Than H.S.	51	114,003	2	2.0	0.0- 4.9	3	10.3	0.0-22.6	4	5.2	0.0-10.7	4	6.1	0.0-13.7	9	13.4	3.2-23.6	29	63.0	46.7-79.3
H.S. or G.E.D.	240	356,970	18	8.6	3.9-13.3	11	3.1	1.1- 5.1	11	7.1	2.0-12.2	9	5.1	1.2- 9.0	30	14.6	8.1-21.1	161	61.5	53.1-69.9
Some Post-H.S.	234	345,128	21	8.6	4.3-12.9	13	5.8	1.7- 9.9	11	4.9	1.4- 8.4	5	4.2	0.0- 8.7	30	13.1	7.2-19.0	154	63.4	55.2-71.6
College Graduate	397	389,330	23	6.6	3.3- 9.9	28	8.6	4.5-12.7	8	2.5	0.5- 4.5	13	3.7	1.3- 6.1	36	9.8	5.3-14.3	289	68.8	62.5-75.1
\$15,000- 24,999	94	137,785	6	3.6	0.3- 6.9	3	2.2	0.0- 4.7	3	7.1	0.0-15.5	2	1.6	0.0- 4.0	10	10.7	3.6-17.8	70	74.8	63.8-85.8
\$25,000- 34,999	55	66,446	4	3.9	0.0- 8.0	2	2.9	0.0- 7.0	3	6.8	0.0-15.8				7	18.5	3.0-34.0	39	68.0	50.8-85.2
\$35,000- 49,999	121	176,300	5	4.9	0.0- 9.8	8	6.3	1.2-11.4	4	2.4	0.0- 4.8	5	9.3	0.0-18.7	15	12.9	4.3-21.5	84	64.1	52.1-76.1
\$50,000- 74,999	152	208,891	11	8.0	1.7-14.3	9	3.7	0.8- 6.6	6	7.7	0.3-15.1	2	1.6	0.0- 3.8	17	16.9	6.9-26.9	107	62.1	50.7-73.5
\$75,000+	373	460,375	28	9.9	5.6-14.2	23	6.9	3.4-10.4	16	4.4	1.9- 6.9	16	5.6	2.5- 8.7	38	10.6	6.3-14.9	252	62.6	55.9-69.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

**Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	869	995,986	75	11.5	8.0-15.0	43	6.1	3.7- 8.5	18	1.5	0.5- 2.5	13	1.4	0.6- 2.2	42	4.2	2.4- 6.0	678	75.2	70.9-79.5
White/Non-Hisp	688	734,626	58	11.1	7.0-15.2	35	6.8	4.1- 9.5	12	1.0	0.2- 1.8	10	1.5	0.5- 2.5	31	4.0	2.0- 6.0	542	75.5	70.6-80.4
Black or Afr. Am./Non-Hisp	114	188,311	12	13.9	5.3-22.5	7	5.4	0.0-11.7	4	3.6	0.0- 8.3	2	1.2	0.0- 2.8	5	3.2	0.0- 6.7	84	72.7	61.9-83.5
18-24	65	115,962	9	18.2	0.0-36.4	6	8.9	0.0-19.1	2	1.8	0.0- 4.5	2	1.7	0.0- 4.1	7	8.5	0.3-16.7	39	60.9	41.1-80.7
25-34	159	232,010	24	19.3	10.9-27.7	14	9.7	3.8-15.6	6	3.1	0.0- 6.6	1	0.5	0.0- 1.5	9	3.6	0.7- 6.5	105	63.7	54.1-73.3
35-44	149	184,981	18	11.8	5.5-18.1	9	7.7	2.0-13.4	2	1.7	0.0- 4.2	5	2.8	0.0- 5.7	12	7.0	1.7-12.3	103	69.0	59.6-78.4
45-54	157	162,191	14	11.3	3.7-18.9	9	5.2	0.5- 9.9	4	0.6	0.0- 1.4	2	1.7	0.0- 4.4	7	3.1	0.4- 5.8	121	78.0	69.0-87.0
55-64	153	140,026	8	5.3	1.0- 9.6	3	2.6	0.0- 5.9	1	0.7	0.0- 2.1	3	2.0	0.0- 4.4	4	2.8	0.0- 5.9	134	86.6	80.1-93.1
65+	186	160,816	2	0.3	0.0- 0.7	2	1.3	0.0- 3.7	3	0.5	0.0- 1.1				3	1.2	0.0- 2.8	176	96.7	93.8-99.6
H.S. or G.E.D.	179	201,087	12	6.7	2.2-11.2	13	10.5	3.4-17.6	3	2.6	0.0- 6.5	4	1.6	0.0- 3.2	12	4.5	1.4- 7.6	135	74.1	65.5-82.7
Some Post-H.S.	225	332,006	19	12.8	6.3-19.3	10	5.7	1.4-10.0	4	1.0	0.0- 2.4	5	2.1	0.1- 4.1	12	4.9	1.2- 8.6	175	73.4	65.6-81.2
College Graduate	420	371,678	39	10.9	7.0-14.8	20	5.7	2.8- 8.6	11	1.8	0.4- 3.2	3	0.9	0.0- 2.1	12	2.7	0.9- 4.5	335	77.9	72.8-83.0
Less than \$15,000	50	63,839	4	13.6	0.0-28.3	2	1.1	0.0- 3.1	1	0.3	0.0- 0.9				7	11.4	0.6-22.2	36	73.6	54.8-92.4
\$15,000- 24,999	114	128,406	10	13.7	0.0-29.8	3	2.9	0.0- 6.8	4	1.2	0.0- 2.4	5	4.8	0.3- 9.3	4	3.2	0.0- 7.3	88	74.3	58.6-90.0
\$25,000- 34,999	75	84,564	9	16.4	3.1-29.7	4	4.5	0.0- 9.0	1	0.7	0.0- 2.1				5	7.9	0.0-17.1	56	70.5	55.4-85.6
\$35,000- 49,999	96	106,557	11	16.5	5.1-27.9	4	9.1	0.0-19.5	1	0.7	0.0- 2.1	2	1.6	0.0- 3.8	3	4.2	0.0-11.1	75	68.0	53.9-82.1
\$50,000- 74,999	125	142,703	12	7.5	2.4-12.6	4	3.8	0.0- 7.9	5	5.0	0.0-10.9	1	1.4	0.0- 4.1	6	2.7	0.0- 5.4	97	79.7	70.9-88.5
\$75,000+	306	353,333	25	10.8	5.9-15.7	23	10.2	5.3-15.1	5	1.5	0.0- 3.1	4	1.0	0.0- 2.0	12	3.2	1.2- 5.2	237	73.5	66.8-80.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having not consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1749	2,149,485	497	25.6	22.9-28.3	436	24.7	21.8-27.6	294	16.9	14.5-19.3	152	7.9	6.3- 9.5	370	24.9	22.0-27.8
Male	905	1,179,172	188	19.5	16.0-23.0	200	21.5	17.8-25.2	169	17.8	14.7-20.9	79	7.5	5.5- 9.5	269	33.7	29.4-38.0
Female	844	970,313	309	33.1	28.8-37.4	236	28.6	24.1-33.1	125	15.8	12.7-18.9	73	8.4	6.0-10.8	101	14.1	10.4-17.8
White/Non-Hisp	1409	1,565,466	391	24.2	21.5-26.9	352	25.4	22.1-28.7	241	16.9	14.4-19.4	122	8.3	6.5-10.1	303	25.2	21.9-28.5
Black or Afr. Am./Non-Hisp	179	356,811	59	30.6	22.0-39.2	48	24.8	17.0-32.6	31	20.5	13.1-27.9	16	6.6	2.9-10.3	25	17.5	9.7-25.3
Oth. Race/Non-Hisp.	50	47,069	19	32.9	16.4-49.4	8	8.2	1.5-14.9	3	9.5	0.0-20.9	10	22.3	8.8-35.8	10	27.1	10.4-43.8
Hispanic	54	102,770	11	26.7	9.5-43.9	13	19.9	7.0-32.8	7	6.3	1.0-11.6	4	5.6	0.0-11.5	19	41.5	23.1-59.9
18-24	143	263,401	23	13.0	6.1-19.9	31	22.6	11.4-33.8	16	9.3	4.2-14.4	16	10.0	4.3-15.7	57	45.2	33.2-57.2
25-34	313	500,081	57	16.3	11.0-21.6	57	18.5	12.6-24.4	72	22.5	16.8-28.2	24	6.7	3.8- 9.6	103	36.0	28.9-43.1
35-44	298	393,555	75	24.1	17.8-30.4	68	25.2	18.5-31.9	48	16.8	11.5-22.1	39	10.7	6.8-14.6	68	23.2	16.7-29.7
45-54	328	363,714	93	29.8	23.1-36.5	81	26.1	19.6-32.6	46	14.4	9.1-19.7	39	9.8	5.9-13.7	69	19.8	14.3-25.3
55-64	296	295,570	97	33.6	26.5-40.7	82	26.7	20.4-33.0	56	17.8	12.3-23.3	17	5.4	2.5- 8.3	44	16.5	11.2-21.8
65+	371	333,164	152	39.6	32.7-46.5	117	31.9	25.4-38.4	56	16.8	11.5-22.1	17	4.8	1.7- 7.9	29	7.0	3.9-10.1
Less Than H.S.	80	175,115	26	27.5	14.8-40.2	13	27.4	10.0-44.8	9	11.6	2.8-20.4	7	3.9	0.2- 7.6	25	29.6	14.9-44.3
H.S. or G.E.D.	410	551,780	112	23.8	18.5-29.1	106	25.8	20.1-31.5	61	14.5	10.2-18.8	34	8.4	5.1-11.7	97	27.5	21.4-33.6
Some Post-H.S.	439	649,501	121	25.4	20.3-30.5	115	25.6	20.5-30.7	71	16.8	12.3-21.3	31	5.9	3.4- 8.4	101	26.2	20.5-31.9
College Graduate	798	743,496	227	25.6	21.7-29.5	199	23.3	19.6-27.0	151	20.4	16.9-23.9	78	10.1	7.4-12.8	143	20.7	16.8-24.6
Less than \$15,000	90	119,017	31	33.8	18.5-49.1	16	24.5	4.1-44.9	9	9.4	1.2-17.6	10	12.3	2.9-21.7	24	20.0	9.6-30.4
\$15,000- 24,999	201	262,944	62	26.2	18.0-34.4	51	25.7	17.5-33.9	34	20.1	12.3-27.9	15	5.2	1.9- 8.5	39	22.8	13.2-32.4
\$25,000- 34,999	128	151,191	36	24.6	14.4-34.8	31	24.4	13.6-35.2	24	17.1	9.1-25.1	11	7.9	1.6-14.2	26	26.0	14.8-37.2
\$35,000- 49,999	215	285,927	55	24.5	16.5-32.5	63	24.0	16.6-31.4	34	16.9	10.2-23.6	19	7.4	3.5-11.3	44	27.2	18.4-36.0
\$50,000- 74,999	267	334,634	74	25.1	18.2-32.0	70	25.1	18.2-32.0	48	17.0	11.5-22.5	25	9.3	5.2-13.4	50	23.6	15.6-31.6
\$75,000+	668	800,152	167	22.7	18.8-26.6	163	23.6	19.3-27.9	120	18.1	14.4-21.8	56	7.7	5.3-10.1	162	27.9	23.4-32.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	905	1,179,172	188	19.5	16.2-22.8	200	21.5	17.8-25.2	169	17.8	14.7-20.9	79	7.5	5.5- 9.5	269	33.7	29.4-38.0
White/Non-Hisp	736	848,153	152	18.9	15.4-22.4	164	22.3	18.2-26.4	134	16.9	13.4-20.4	65	7.9	5.5-10.3	221	34.0	29.5-38.5
Black or Afr. Am./Non-Hisp	70	170,377	13	17.3	6.5-28.1	20	26.5	14.2-38.8	17	26.8	14.5-39.1	7	7.2	1.5-12.9	13	22.2	9.5-34.9
18-24	80	152,777	9	7.7	2.2-13.2	18	18.8	8.8-28.8	7	7.5	1.6-13.4	10	12.9	4.3-21.5	36	53.0	39.5-66.5
25-34	161	268,592	21	12.9	5.8-20.0	22	14.5	6.1-22.9	39	19.4	12.0-26.8	8	3.5	0.6- 6.4	71	49.6	39.2-60.0
35-44	156	217,773	27	17.6	9.4-25.8	33	23.0	14.2-31.8	28	20.3	12.3-28.3	17	7.2	3.1-11.3	51	31.9	21.9-41.9
45-54	168	198,237	38	23.6	15.6-31.6	35	23.9	14.9-32.9	23	16.3	8.3-24.3	23	10.9	5.8-16.0	49	25.3	17.3-33.3
55-64	150	162,822	29	23.1	13.3-32.9	40	25.6	17.2-34.0	34	19.3	11.5-27.1	10	5.7	1.8- 9.6	37	26.3	17.7-34.9
65+	190	178,972	64	33.8	25.0-42.6	52	26.0	17.8-34.2	38	21.7	13.5-29.9	11	6.8	1.7-11.9	25	11.7	6.0-17.4
H.S. or G.E.D.	235	355,761	49	19.1	12.4-25.8	54	22.3	15.2-29.4	41	14.5	9.0-20.0	16	6.6	2.9-10.3	75	37.5	29.1-45.9
Some Post-H.S.	224	326,403	44	17.1	11.2-23.0	54	25.5	18.1-32.9	40	18.9	12.2-25.6	16	5.2	2.3- 8.1	70	33.4	25.2-41.6
College Graduate	388	381,267	78	19.3	13.8-24.8	85	19.0	14.3-23.7	81	20.8	15.7-25.9	43	10.7	6.8-14.6	101	30.2	23.7-36.7
\$15,000- 24,999	95	142,287	26	24.0	13.6-34.4	23	20.8	10.8-30.8	16	24.9	12.7-37.1	6	4.9	0.4- 9.4	24	25.5	14.5-36.5
\$25,000- 34,999	54	67,671	6	7.4	0.7-14.1	15	30.8	11.6-50.0	11	16.7	4.4-29.0	7	12.3	0.1-24.5	15	32.8	15.4-50.2
\$35,000- 49,999	120	176,200	26	22.9	12.5-33.3	32	22.0	12.8-31.2	16	12.8	4.8-20.8	10	7.1	1.8-12.4	36	35.2	23.2-47.2
\$50,000- 74,999	147	198,919	29	16.9	8.9-24.9	32	21.9	12.9-30.9	32	15.0	9.1-20.9	13	9.0	3.7-14.3	41	37.2	25.6-48.8
\$75,000+	366	450,138	68	16.5	11.8-21.2	77	21.6	15.5-27.7	71	19.2	13.9-24.5	33	6.3	3.8- 8.8	117	36.3	29.6-43.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	844	970,313	309	33.1	28.8-37.4	236	28.6	24.1-33.1	125	15.8	12.7-18.9	73	8.4	6.0-10.8	101	14.1	10.4-17.8
White/Non-Hisp	673	717,313	239	30.5	26.2-34.8	188	29.1	23.8-34.4	107	16.8	13.3-20.3	57	8.7	6.0-11.4	82	14.8	10.3-19.3
Black or Afr. Am./Non-Hisp	109	186,435	46	42.7	30.4-55.0	28	23.2	13.4-33.0	14	14.8	6.4-23.2	9	6.1	1.2-11.0	12	13.3	4.1-22.5
18-24	63	110,624	14	20.2	5.9-34.5	13	27.7	5.6-49.8	9	11.8	2.6-21.0	6	5.9	0.8-11.0	21	34.4	14.0-54.8
25-34	152	231,489	36	20.3	12.7-27.9	35	23.2	15.0-31.4	33	26.1	17.5-34.7	16	10.3	4.8-15.8	32	20.2	12.0-28.4
35-44	142	175,782	48	32.2	22.6-41.8	35	27.9	18.1-37.7	20	12.4	6.3-18.5	22	15.0	7.9-22.1	17	12.5	5.2-19.8
45-54	160	165,478	55	37.3	27.3-47.3	46	28.7	19.3-38.1	23	12.2	6.1-18.3	16	8.6	2.5-14.7	20	13.3	5.9-20.7
55-64	146	132,748	68	46.4	36.0-56.8	42	28.1	18.9-37.3	22	16.0	8.6-23.4	7	5.0	0.5- 9.5	7	4.6	0.5- 8.7
65+	181	154,192	88	46.3	35.9-56.7	65	38.7	28.7-48.7	18	11.1	5.2-17.0	6	2.5	0.0- 5.2	4	1.4	0.0- 3.0
H.S. or G.E.D.	175	196,020	63	32.3	24.1-40.5	52	32.2	23.0-41.4	20	14.4	7.3-21.5	18	11.7	5.4-18.0	22	9.4	4.5-14.3
Some Post-H.S.	215	323,099	77	33.8	25.8-41.8	61	25.8	18.9-32.7	31	14.8	8.9-20.7	15	6.6	2.7-10.5	31	19.0	11.4-26.6
College Graduate	410	362,229	149	32.1	26.4-37.8	114	27.8	22.1-33.5	70	19.9	14.8-25.0	35	9.4	5.7-13.1	42	10.8	7.1-14.5
\$15,000- 24,999	106	120,657	36	28.9	16.0-41.8	28	31.4	17.9-44.9	18	14.4	6.2-22.6	9	5.7	0.8-10.6	15	19.7	2.8-36.6
\$25,000- 34,999	74	83,520	30	38.6	22.9-54.3	16	19.2	8.2-30.2	13	17.4	6.8-28.0	4	4.4	0.0-10.1	11	20.4	5.7-35.1
\$35,000- 49,999	95	109,727	29	27.0	15.8-38.2	31	27.2	15.0-39.4	18	23.4	11.8-35.0	9	8.1	2.0-14.2	8	14.3	2.5-26.1
\$50,000- 74,999	120	135,715	45	37.2	25.6-48.8	38	29.8	19.6-40.0	16	19.8	9.8-29.8	12	9.6	3.3-15.9	9	3.6	0.9- 6.3
\$75,000+	302	350,014	99	30.7	24.4-37.0	86	26.2	19.9-32.5	49	16.6	11.5-21.7	23	9.4	4.9-13.9	45	17.0	11.1-22.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 12: IMMUNIZATION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1 MALES AND FEMALES	187
2 MALES ONLY	188
3 FEMALES ONLY	189
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4 MALES AND FEMALES	190
5 MALES ONLY	191
6 FEMALES ONLY	192
HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
7 MALES AND FEMALES	193
8 MALES ONLY	194
9 FEMALES ONLY	195
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10 MALES AND FEMALES	196
11 MALES ONLY	197
12 FEMALES ONLY	198

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4278	4,907,070	2013	42.3	40.3-44.3	2265	57.7	55.7-59.7
Male	1925	2,333,112	857	39.9	37.0-42.8	1068	60.1	57.2-63.0
Female	2353	2,573,959	1156	44.5	41.8-47.2	1197	55.5	52.8-58.2
White/Non-Hisp	3471	3,638,901	1737	46.6	44.4-48.8	1734	53.4	51.2-55.6
Black or Afr. Am./Non-Hisp	421	739,382	145	29.7	24.0-35.4	276	70.3	64.6-76.0
Oth. Race/Non-Hisp.	119	118,656	46	42.0	29.8-54.2	73	58.0	45.8-70.2
MultiRacial/Non-Hisp.	70	58,026	27	34.6	21.5-47.7	43	65.4	52.3-78.5
Hispanic	127	253,265	37	28.0	17.6-38.4	90	72.0	61.6-82.4
18-24	311	569,130	101	32.8	26.1-39.5	210	67.2	60.5-73.9
25-34	541	857,287	186	33.2	28.1-38.3	355	66.8	61.7-71.9
35-44	591	770,597	212	32.6	27.7-37.5	379	67.4	62.5-72.3
45-54	702	778,703	265	34.5	30.0-39.0	437	65.5	61.0-70.0
55-64	809	825,607	398	48.3	43.8-52.8	411	51.7	47.2-56.2
65+	1324	1,105,747	851	61.8	58.3-65.3	473	38.2	34.7-41.7
Less Than H.S.	336	605,444	132	31.4	24.9-37.9	204	68.6	62.1-75.1
H.S. or G.E.D.	1322	1,579,918	514	35.7	32.4-39.0	808	64.3	61.0-67.6
Some Post-H.S.	1081	1,423,082	513	43.9	40.0-47.8	568	56.1	52.2-60.0
College Graduate	1490	1,236,141	828	53.9	50.6-57.2	662	46.1	42.8-49.4
Less than \$15,000	376	454,743	153	36.3	29.2-43.4	223	63.7	56.6-70.8
\$15,000- 24,999	616	697,680	251	34.1	29.0-39.2	365	65.9	60.8-71.0
\$25,000- 34,999	363	414,380	158	39.0	31.9-46.1	205	61.0	53.9-68.1
\$35,000- 49,999	512	607,157	253	42.2	36.5-47.9	259	57.8	52.1-63.5
\$50,000- 74,999	563	657,491	264	45.2	39.7-50.7	299	54.8	49.3-60.3
\$75,000+	1147	1,325,825	613	49.1	45.4-52.8	534	50.9	47.2-54.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	2,333,112	857	39.9	37.0-42.8	1068	60.1	57.2-63.0
White/Non-Hisp	1575	1,723,124	737	43.3	40.2-46.4	838	56.7	53.6-59.8
Black or Afr. Am./Non-Hisp	148	304,577	60	35.6	25.8-45.4	88	64.4	54.6-74.2
Oth. Race/Non-Hisp.	68	66,920	22	35.4	21.5-49.3	46	64.6	50.7-78.5
Hispanic	66	152,848	19	24.5	11.2-37.8	47	75.5	62.2-88.8
18-24	164	289,183	49	32.1	23.1-41.1	115	67.9	58.9-76.9
25-34	253	411,422	75	28.5	21.4-35.6	178	71.5	64.4-78.6
35-44	270	381,848	94	33.5	26.1-40.9	176	66.5	59.1-73.9
45-54	318	368,024	110	33.6	26.9-40.3	208	66.4	59.7-73.1
55-64	364	396,704	175	44.2	37.5-50.9	189	55.8	49.1-62.5
65+	556	485,932	354	60.3	54.8-65.8	202	39.7	34.2-45.2
Less Than H.S.	157	294,891	58	33.1	23.7-42.5	99	66.9	57.5-76.3
H.S. or G.E.D.	606	786,747	220	34.2	29.3-39.1	386	65.8	60.9-70.7
Some Post-H.S.	457	629,131	197	38.8	32.9-44.7	260	61.2	55.3-67.1
College Graduate	682	586,663	370	51.6	46.7-56.5	312	48.4	43.5-53.3
Less than \$15,000	140	177,396	60	41.4	30.2-52.6	80	58.6	47.4-69.8
\$15,000- 24,999	247	321,080	93	31.7	24.1-39.3	154	68.3	60.7-75.9
\$25,000- 34,999	148	173,565	72	42.6	31.8-53.4	76	57.4	46.6-68.2
\$35,000- 49,999	237	312,207	108	40.3	31.9-48.7	129	59.7	51.3-68.1
\$50,000- 74,999	274	334,141	120	42.2	34.4-50.0	154	57.8	50.0-65.6
\$75,000+	596	702,973	294	44.4	39.1-49.7	302	55.6	50.3-60.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2353	2,573,959	1156	44.5	41.8-47.2	1197	55.5	52.8-58.2
White/Non-Hisp	1896	1,915,776	1000	49.6	46.7-52.5	896	50.4	47.5-53.3
Black or Afr. Am./Non-Hisp	273	434,805	85	25.6	18.7-32.5	188	74.4	67.5-81.3
Oth. Race/Non-Hisp.	51	51,736	24	50.5	29.7-71.3	27	49.5	28.7-70.3
Hispanic	61	100,417	18	33.3	17.2-49.4	43	66.7	50.6-82.8
18-24	147	279,948	52	33.5	23.5-43.5	95	66.5	56.5-76.5
25-34	288	445,865	111	37.6	30.5-44.7	177	62.4	55.3-69.5
35-44	321	388,749	118	31.8	25.3-38.3	203	68.2	61.7-74.7
45-54	384	410,679	155	35.3	29.0-41.6	229	64.7	58.4-71.0
55-64	445	428,903	223	52.2	46.1-58.3	222	47.8	41.7-53.9
65+	768	619,815	497	63.0	58.3-67.7	271	37.0	32.3-41.7
Less Than H.S.	179	310,553	74	29.8	20.8-38.8	105	70.2	61.2-79.2
H.S. or G.E.D.	716	793,171	294	37.1	32.6-41.6	422	62.9	58.4-67.4
Some Post-H.S.	624	793,951	316	47.9	42.8-53.0	308	52.1	47.0-57.2
College Graduate	808	649,478	458	56.0	51.5-60.5	350	44.0	39.5-48.5
Less than \$15,000	236	277,347	93	33.1	24.5-41.7	143	66.9	58.3-75.5
\$15,000- 24,999	369	376,601	158	36.1	29.2-43.0	211	63.9	57.0-70.8
\$25,000- 34,999	215	240,815	86	36.3	27.1-45.5	129	63.7	54.5-72.9
\$35,000- 49,999	275	294,950	145	44.4	36.8-52.0	130	55.6	48.0-63.2
\$50,000- 74,999	289	323,350	144	48.4	40.8-56.0	145	51.6	44.0-59.2
\$75,000+	551	622,852	319	54.5	49.2-59.8	232	45.5	40.2-50.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1242	1,229,482	1	0.1	0.0- 0.3	35	3.8	2.2- 5.4	1206	96.1	94.5-97.7
Male	505	515,989				16	4.7	2.0- 7.4	489	95.3	92.6-98.0
Female	737	713,493	1	0.2	0.0- 0.6	19	3.1	1.1- 5.1	717	96.7	94.5-98.9
White/Non-Hisp	1110	1,045,831	1	0.1	0.0- 0.3	26	3.2	1.8- 4.6	1083	96.7	95.1-98.3
Black or Afr. Am./Non-Hisp	76	119,487				5	8.7	0.0-18.9	71	91.3	81.1- 100
18-24	53	93,610				3	4.4	0.0- 9.5	50	95.6	90.5- 100
25-34	101	150,383				5	4.5	0.6- 8.4	96	95.5	91.6-99.4
35-44	118	130,158				2	2.5	0.0- 6.2	116	97.5	93.8- 100
45-54	164	162,094	1	0.8	0.0- 2.4	5	2.9	0.0- 6.2	158	96.4	92.9-99.9
55-64	253	259,345				8	3.6	0.9- 6.3	245	96.4	93.7-99.1
65+	553	433,891				12	4.3	0.8- 7.8	541	95.7	92.2-99.2
Less Than H.S.	68	89,625	1	1.4	0.0- 4.1	4	13.5	0.0-28.0	63	85.1	70.4-99.8
H.S. or G.E.D.	311	333,443				5	1.2	0.0- 2.4	306	98.8	97.6- 100
Some Post-H.S.	307	363,345				12	4.4	1.7- 7.1	295	95.6	92.9-98.3
College Graduate	535	416,972				14	3.5	1.3- 5.7	521	96.5	94.3-98.7
Less than \$15,000	84	85,132				3	3.6	0.0- 8.1	81	96.4	91.9- 100
\$15,000- 24,999	157	143,269				6	10.0	0.4-19.6	151	90.0	80.4-99.6
\$25,000- 34,999	95	87,097				1	1.3	0.0- 3.8	94	98.7	96.2- 100
\$35,000- 49,999	157	147,167				5	2.2	0.0- 4.4	152	97.8	95.6- 100
\$50,000- 74,999	178	177,646				8	6.8	1.5-12.1	170	93.2	87.9-98.5
\$75,000+	403	421,945				9	2.4	0.4- 4.4	394	97.6	95.6-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	505	515,989	16	4.7	2.0- 7.4	489	95.3	92.6-98.0	
White/Non-Hisp	455	428,789	12	4.9	1.8- 8.0	443	95.1	92.0-98.2	
35-44	50	57,203	1	4.2	0.0-12.2	49	95.8	87.8- 100	
45-54	64	72,252	2	3.7	0.0-10.2	62	96.3	89.8- 100	
55-64	108	108,448	3	3.0	0.0- 6.5	105	97.0	93.5- 100	
65+	224	178,341	5	5.1	0.0-10.6	219	94.9	89.4- 100	
H.S. or G.E.D.	127	151,617	1	1.0	0.0- 3.0	126	99.0	97.0- 100	
Some Post-H.S.	110	129,402	6	7.2	0.7-13.7	104	92.8	86.3-99.3	
College Graduate	233	184,210	7	5.2	0.9- 9.5	226	94.8	90.5-99.1	
\$35,000- 49,999	64	73,398				64	100.0	100.0- 100	
\$50,000- 74,999	80	79,354	3	8.5	0.0-18.1	77	91.5	81.9- 100	
\$75,000+	186	194,488	7	4.6	0.7- 8.5	179	95.4	91.5-99.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	737	713,493	1	0.2	0.0- 0.6	19	3.1	1.1- 5.1	717	96.7	94.5-98.9
White/Non-Hisp	655	617,042	1	0.2	0.0- 0.6	14	2.0	0.8- 3.2	640	97.8	96.4-99.2
25-34	62	87,168				2	3.3	0.0- 7.8	60	96.7	92.2- 100
35-44	68	72,955				1	1.1	0.0- 3.3	67	98.9	96.7- 100
45-54	100	89,842	1	1.4	0.0- 4.1	3	2.2	0.0- 4.7	96	96.4	92.7- 100
55-64	145	150,896				5	4.0	0.1- 7.9	140	96.0	92.1-99.9
65+	329	255,550				7	3.7	0.0- 8.4	322	96.3	91.6- 100
H.S. or G.E.D.	184	181,826				4	1.4	0.0- 2.8	180	98.6	97.2- 100
Some Post-H.S.	197	233,942				6	2.8	0.4- 5.2	191	97.2	94.8-99.6
College Graduate	302	232,762				7	2.1	0.1- 4.1	295	97.9	95.9-99.9
Less than \$15,000	52	53,564				1	2.5	0.0- 7.4	51	97.5	92.6- 100
\$15,000- 24,999	110	90,363				4	10.4	0.0-23.3	106	89.6	76.7- 100
\$25,000- 34,999	58	56,240							58	100.0	100.0- 100
\$35,000- 49,999	93	73,768				5	4.3	0.0- 8.6	88	95.7	91.4- 100
\$50,000- 74,999	98	98,292				5	5.4	0.0-10.9	93	94.6	89.1- 100
\$75,000+	217	227,457				2	0.6	0.0- 1.4	215	99.4	98.6- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 7. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2495	2,370,783	741	27.6	25.2-30.0	1754	72.4	70.0-74.8
Male	1082	1,090,439	308	26.3	22.8-29.8	774	73.7	70.2-77.2
Female	1413	1,280,344	433	28.8	25.7-31.9	980	71.2	68.1-74.3
White/Non-Hisp	2112	1,917,997	672	30.0	27.5-32.5	1440	70.0	67.5-72.5
Black or Afr. Am./Non-Hisp	223	292,603	37	15.0	8.5-21.5	186	85.0	78.5-91.5
45-54	387	458,065	40	9.0	5.3-12.7	347	91.0	87.3-94.7
55-64	792	810,512	159	18.9	15.4-22.4	633	81.1	77.6-84.6
65+	1311	1,097,309	541	41.9	38.2-45.6	770	58.1	54.4-61.8
Less Than H.S.	242	356,569	47	21.8	14.2-29.4	195	78.2	70.6-85.8
H.S. or G.E.D.	769	753,225	191	24.5	20.6-28.4	578	75.5	71.6-79.4
Some Post-H.S.	646	683,222	181	27.9	23.6-32.2	465	72.1	67.8-76.4
College Graduate	806	544,592	309	34.3	30.2-38.4	497	65.7	61.6-69.8
Less than \$15,000	241	228,549	46	24.8	16.4-33.2	195	75.2	66.8-83.6
\$15,000- 24,999	391	369,698	89	23.3	17.2-29.4	302	76.7	70.6-82.8
\$25,000- 34,999	223	209,755	69	31.1	22.3-39.9	154	68.9	60.1-77.7
\$35,000- 49,999	293	275,900	100	32.4	25.5-39.3	193	67.6	60.7-74.5
\$50,000- 74,999	285	285,869	100	27.8	21.3-34.3	185	72.2	65.7-78.7
\$75,000+	578	562,382	186	26.8	22.3-31.3	392	73.2	68.7-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 8: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1082	1,090,439	308	26.3	23.0-29.6	774	73.7	70.4-77.0
White/Non-Hisp	920	869,684	283	29.3	25.6-33.0	637	70.7	67.0-74.4
Black or Afr. Am./Non-Hisp	82	137,277	12	11.9	4.3-19.5	70	88.1	80.5-95.7
45-54	176	221,829	20	10.6	4.3-16.9	156	89.4	83.1-95.7
55-64	354	387,553	67	18.6	13.7-23.5	287	81.4	76.5-86.3
65+	550	479,458	220	39.6	34.3-44.9	330	60.4	55.1-65.7
Less Than H.S.	110	167,184	15	17.4	9.0-25.8	95	82.6	74.2-91.0
H.S. or G.E.D.	326	351,652	73	21.6	15.9-27.3	253	78.4	72.7-84.1
Some Post-H.S.	259	282,657	69	25.8	18.9-32.7	190	74.2	67.3-81.1
College Graduate	370	265,834	143	36.0	29.9-42.1	227	64.0	57.9-70.1
Less than \$15,000	93	102,198	13	21.7	11.5-31.9	80	78.3	68.1-88.5
\$15,000- 24,999	159	162,465	26	16.8	9.0-24.6	133	83.2	75.4-91.0
\$25,000- 34,999	95	87,606	30	31.1	18.6-43.6	65	68.9	56.4-81.4
\$35,000- 49,999	125	132,337	40	29.3	19.5-39.1	85	70.7	60.9-80.5
\$50,000- 74,999	134	139,236	52	31.6	21.6-41.6	82	68.4	58.4-78.4
\$75,000+	296	295,833	94	26.7	20.2-33.2	202	73.3	66.8-79.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 9: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1413	1,280,344	433	28.8	25.7-31.9	980	71.2	68.1-74.3
White/Non-Hisp	1192	1,048,313	389	30.6	27.1-34.1	803	69.4	65.9-72.9
Black or Afr. Am./Non-Hisp	141	155,327	25	17.7	7.7-27.7	116	82.3	72.3-92.3
45-54	211	236,236	20	7.5	3.0-12.0	191	92.5	88.0-97.0
55-64	438	422,960	92	19.1	14.6-23.6	346	80.9	76.4-85.4
65+	761	617,851	321	43.6	38.7-48.5	440	56.4	51.5-61.3
Less Than H.S.	132	189,385	32	25.7	14.9-36.5	100	74.3	63.5-85.1
H.S. or G.E.D.	443	401,573	118	27.0	21.5-32.5	325	73.0	67.5-78.5
Some Post-H.S.	387	400,565	112	29.4	23.7-35.1	275	70.6	64.9-76.3
College Graduate	436	278,758	166	32.6	27.1-38.1	270	67.4	61.9-72.9
Less than \$15,000	148	126,351	33	27.3	16.7-37.9	115	72.7	62.1-83.3
\$15,000- 24,999	232	207,232	63	28.3	19.5-37.1	169	71.7	62.9-80.5
\$25,000- 34,999	128	122,149	39	31.1	18.9-43.3	89	68.9	56.7-81.1
\$35,000- 49,999	168	143,563	60	35.3	25.7-44.9	108	64.7	55.1-74.3
\$50,000- 74,999	151	146,633	48	24.2	16.2-32.2	103	75.8	67.8-83.8
\$75,000+	282	266,548	92	26.9	20.6-33.2	190	73.1	66.8-79.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3874	4,352,956	1526	34.2	32.2-36.2	2348	65.8	63.8-67.8
Male	1713	2,052,581	612	30.5	27.8-33.2	1101	69.5	66.8-72.2
Female	2161	2,300,375	914	37.4	34.7-40.1	1247	62.6	59.9-65.3
White/Non-Hisp	3149	3,234,396	1299	37.4	35.2-39.6	1850	62.6	60.4-64.8
Black or Afr. Am./Non-Hisp	392	682,912	136	25.7	20.2-31.2	256	74.3	68.8-79.8
Oth. Race/Non-Hisp.	98	90,669	27	25.8	15.4-36.2	71	74.2	63.8-84.6
MultiRacial/Non-Hisp.	61	48,949	25	36.9	21.6-52.2	36	63.1	47.8-78.4
Hispanic	108	207,379	15	13.3	5.1-21.5	93	86.7	78.5-94.9
18-24	232	434,983	60	24.5	17.4-31.6	172	75.5	68.4-82.6
25-34	433	682,672	77	17.3	13.0-21.6	356	82.7	78.4-87.0
35-44	509	663,656	73	14.9	10.6-19.2	436	85.1	80.8-89.4
45-54	644	718,270	134	20.4	16.3-24.5	510	79.6	75.5-83.7
55-64	783	796,999	248	29.8	25.7-33.9	535	70.2	66.1-74.3
65+	1273	1,056,375	934	73.8	70.7-76.9	339	26.2	23.1-29.3
Less Than H.S.	323	545,514	155	41.3	34.0-48.6	168	58.7	51.4-66.0
H.S. or G.E.D.	1191	1,403,651	463	30.6	27.5-33.7	728	69.4	66.3-72.5
Some Post-H.S.	977	1,262,811	413	38.0	34.1-41.9	564	62.0	58.1-65.9
College Graduate	1338	1,085,976	478	31.3	28.2-34.4	860	68.7	65.6-71.8
Less than \$15,000	354	408,647	160	36.8	29.9-43.7	194	63.2	56.3-70.1
\$15,000- 24,999	555	610,907	255	37.7	32.2-43.2	300	62.3	56.8-67.8
\$25,000- 34,999	335	386,241	155	42.3	34.9-49.7	180	57.7	50.3-65.1
\$35,000- 49,999	455	526,823	183	34.9	29.2-40.6	272	65.1	59.4-70.8
\$50,000- 74,999	507	589,199	179	33.6	28.1-39.1	328	66.4	60.9-71.9
\$75,000+	1041	1,170,779	312	26.7	23.4-30.0	729	73.3	70.0-76.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1713	2,052,581	612	30.5	27.8-33.2	1101	69.5	66.8-72.2
White/Non-Hisp	1402	1,520,385	535	34.2	31.1-37.3	867	65.8	62.7-68.9
Black or Afr. Am./Non-Hisp	137	275,919	41	21.3	13.7-28.9	96	78.7	71.1-86.3
Oth. Race/Non-Hisp.	56	55,563	12	18.2	6.6-29.8	44	81.8	70.2-93.4
Hispanic	57	129,491	8	14.7	2.9-26.5	49	85.3	73.5-97.1
18-24	122	236,469	34	27.1	17.1-37.1	88	72.9	62.9-82.9
25-34	206	324,703	31	12.2	6.9-17.5	175	87.8	82.5-93.1
35-44	219	316,631	27	14.2	7.7-20.7	192	85.8	79.3-92.3
45-54	283	336,239	56	17.1	11.6-22.6	227	82.9	77.4-88.4
55-64	351	380,977	95	25.8	20.3-31.3	256	74.2	68.7-79.7
65+	532	457,563	369	70.2	65.1-75.3	163	29.8	24.7-34.9
Less Than H.S.	151	281,303	65	39.2	29.4-49.0	86	60.8	51.0-70.6
H.S. or G.E.D.	538	683,304	169	25.1	20.6-29.6	369	74.9	70.4-79.4
Some Post-H.S.	397	542,467	151	32.7	26.8-38.6	246	67.3	61.4-73.2
College Graduate	607	515,035	218	30.9	26.4-35.4	389	69.1	64.6-73.6
Less than \$15,000	129	160,139	51	30.5	21.7-39.3	78	69.5	60.7-78.3
\$15,000- 24,999	222	286,580	89	31.4	23.8-39.0	133	68.6	61.0-76.2
\$25,000- 34,999	140	167,109	66	42.3	31.1-53.5	74	57.7	46.5-68.9
\$35,000- 49,999	208	268,623	79	32.9	24.7-41.1	129	67.1	58.9-75.3
\$50,000- 74,999	239	297,102	91	35.4	27.2-43.6	148	64.6	56.4-72.8
\$75,000+	529	604,153	152	24.7	20.0-29.4	377	75.3	70.6-80.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2161	2,300,375	914	37.4	34.7-40.1	1247	62.6	59.9-65.3
White/Non-Hisp	1747	1,714,012	764	40.3	37.4-43.2	983	59.7	56.8-62.6
Black or Afr. Am./Non-Hisp	255	406,993	95	28.7	21.3-36.1	160	71.3	63.9-78.7
Hispanic	51	77,888	7	10.9	0.5-21.3	44	89.1	78.7-99.5
18-24	110	198,515	26	21.4	11.6-31.2	84	78.6	68.8-88.4
25-34	227	357,970	46	21.8	15.1-28.5	181	78.2	71.5-84.9
35-44	290	347,025	46	15.7	10.0-21.4	244	84.3	78.6-90.0
45-54	361	382,031	78	23.2	17.3-29.1	283	76.8	70.9-82.7
55-64	432	416,022	153	33.4	27.9-38.9	279	66.6	61.1-72.1
65+	741	598,813	565	76.5	72.4-80.6	176	23.5	19.4-27.6
Less Than H.S.	172	264,211	90	43.5	33.1-53.9	82	56.5	46.1-66.9
H.S. or G.E.D.	653	720,347	294	35.8	31.3-40.3	359	64.2	59.7-68.7
Some Post-H.S.	580	720,344	262	42.0	36.7-47.3	318	58.0	52.7-63.3
College Graduate	731	570,941	260	31.7	27.4-36.0	471	68.3	64.0-72.6
Less than \$15,000	225	248,508	109	40.9	32.1-49.7	116	59.1	50.3-67.9
\$15,000- 24,999	333	324,327	166	43.3	35.7-50.9	167	56.7	49.1-64.3
\$25,000- 34,999	195	219,132	89	42.3	32.5-52.1	106	57.7	47.9-67.5
\$35,000- 49,999	247	258,200	104	37.0	29.4-44.6	143	63.0	55.4-70.6
\$50,000- 74,999	268	292,097	88	31.7	24.3-39.1	180	68.3	60.9-75.7
\$75,000+	512	566,626	160	28.8	23.9-33.7	352	71.2	66.3-76.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020

SECTION 13: FALLS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	200
2	MALES ONLY	201
3	FEMALES ONLY	202
	HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)	
4	MALES AND FEMALES	203
5	MALES ONLY	204
6	FEMALES ONLY	205

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2801	2,690,971	338	11.8	10.2-13.4	193	6.6	5.4- 7.8	123	4.5	3.5- 5.5	47	1.4	0.8- 2.0	105	3.1	2.3- 3.9	1995	72.5	70.3-74.7
Male	1216	1,235,416	120	10.3	7.9-12.7	76	6.1	4.3- 7.9	42	3.4	2.0- 4.8	25	1.9	0.9- 2.9	48	3.6	2.0- 5.2	905	74.8	71.5-78.1
Female	1585	1,455,555	218	13.2	11.0-15.4	117	7.1	5.5- 8.7	81	5.5	3.9- 7.1	22	1.1	0.5- 1.7	57	2.6	1.6- 3.6	1090	70.5	67.6-73.4
White/Non-Hisp	2355	2,142,313	282	11.7	9.9-13.5	171	7.1	5.7- 8.5	104	4.5	3.3- 5.7	41	1.6	1.0- 2.2	91	3.4	2.4- 4.4	1666	71.8	69.4-74.2
Black or Afr. Am./Non-Hisp	259	363,895	31	13.0	7.3-18.7	8	2.5	0.1- 4.9	11	5.9	1.8-10.0	3	0.9	0.0- 2.3	5	1.1	0.0- 2.3	201	76.6	69.5-83.7
Oth. Race/Non-Hisp.	53	42,100	5	10.3	0.1-20.5	4	7.9	0.0-15.9	3	4.2	0.0- 9.5	2	3.1	0.0- 7.4	5	6.9	0.4-13.4	34	67.8	52.5-83.1
45-54	694	770,040	65	9.3	6.6-12.0	45	6.3	3.9- 8.7	29	4.9	2.5- 7.3	14	1.8	0.4- 3.2	20	2.4	0.8- 4.0	521	75.3	71.0-79.6
55-64	794	813,635	93	12.3	9.2-15.4	43	5.4	3.2- 7.6	39	4.6	2.8- 6.4	10	1.3	0.3- 2.3	39	3.9	1.9- 5.9	570	72.5	68.4-76.6
65+	1307	1,098,865	179	13.2	10.8-15.6	105	7.7	5.9- 9.5	55	4.3	2.7- 5.9	23	1.3	0.7- 1.9	46	3.0	2.0- 4.0	899	70.5	67.4-73.6
Less Than H.S.	258	380,214	30	9.4	5.1-13.7	26	10.2	5.3-15.1	18	6.0	2.5- 9.5	8	2.3	0.5- 4.1	13	4.6	0.9- 8.3	163	67.6	60.2-75.0
H.S. or G.E.D.	835	829,957	96	12.7	9.6-15.8	47	4.2	2.8- 5.6	37	4.2	2.6- 5.8	14	1.1	0.3- 1.9	37	3.9	2.1- 5.7	604	73.9	70.0-77.8
Some Post-H.S.	717	784,915	99	13.6	10.5-16.7	60	7.7	5.3-10.1	38	5.6	3.2- 8.0	15	1.7	0.5- 2.9	24	2.3	1.1- 3.5	481	69.0	64.7-73.3
College Graduate	951	652,287	111	10.6	8.2-13.0	60	6.8	4.6- 9.0	30	3.2	1.8- 4.6	9	1.1	0.3- 1.9	30	2.2	1.2- 3.2	711	76.2	72.9-79.5
Less than \$15,000	261	246,613	35	14.1	8.6-19.6	30	13.0	6.5-19.5	20	8.2	3.1-13.3	6	2.2	0.0- 4.4	30	9.0	3.5-14.5	140	53.5	45.1-61.9
\$15,000- 24,999	420	413,465	57	11.4	7.9-14.9	39	9.3	5.8-12.8	34	7.9	4.6-11.2	13	2.6	0.6- 4.6	29	7.1	3.8-10.4	248	61.8	55.5-68.1
\$25,000- 34,999	237	218,373	28	13.3	6.2-20.4	25	10.9	5.8-16.0	11	2.6	0.8- 4.4	8	1.9	0.3- 3.5	8	1.9	0.3- 3.5	157	69.5	61.3-77.7
\$35,000- 49,999	317	305,262	49	15.6	10.5-20.7	22	6.3	3.2- 9.4	10	2.4	0.8- 4.0	5	1.6	0.0- 3.2	10	3.0	0.1- 5.9	221	71.1	64.8-77.4
\$50,000- 74,999	337	336,334	43	12.3	7.4-17.2	17	4.9	2.2- 7.6	12	3.1	0.7- 5.5	5	1.2	0.0- 2.4	7	1.2	0.2- 2.2	253	77.2	71.3-83.1
\$75,000+	713	690,878	69	9.3	6.4-12.2	38	4.8	3.0- 6.6	16	3.4	1.2- 5.6	3	0.8	0.0- 1.8	8	0.9	0.3- 1.5	579	80.9	77.0-84.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1216	1,235,416	120	10.3	7.9-12.7	76	6.1	4.3- 7.9	42	3.4	2.0- 4.8	25	1.9	0.9- 2.9	48	3.6	2.4- 4.8	905	74.8	71.7-77.9
White/Non-Hisp	1031	986,995	96	9.1	6.7-11.5	65	6.2	4.2- 8.2	34	3.4	2.0- 4.8	23	2.1	0.9- 3.3	45	4.3	2.9- 5.7	768	74.9	71.6-78.2
Black or Afr. Am./Non-Hisp	93	155,515	12	16.1	5.3-26.9	4	1.8	0.0- 4.0	4	4.4	0.0- 9.3	2	1.8	0.0- 5.1	1	0.4	0.0- 1.2	70	75.5	63.9-87.1
45-54	316	365,659	26	9.1	4.6-13.6	18	6.3	2.8- 9.8	7	1.5	0.1- 2.9	9	3.1	0.4- 5.8	8	2.1	0.0- 4.5	248	77.9	71.6-84.2
55-64	355	389,183	38	12.1	7.2-17.0	20	6.1	2.4- 9.8	18	5.4	2.5- 8.3	5	1.3	0.1- 2.5	16	4.2	2.6- 5.8	258	70.9	64.6-77.2
65+	543	478,974	56	9.7	6.6-12.8	38	6.0	3.6- 8.4	17	3.2	1.0- 5.4	11	1.4	0.2- 2.6	24	4.3	2.3- 6.3	397	75.4	70.9-79.9
Less Than H.S.	117	176,597	7	6.9	0.2-13.6	15	14.4	5.6-23.2	9	6.2	0.7-11.7	5	3.7	0.2- 7.2	11	9.2	5.1-13.3	70	59.5	48.3-70.7
H.S. or G.E.D.	359	393,051	37	12.5	7.6-17.4	16	3.2	1.4- 5.0	10	3.3	0.9- 5.7	6	1.3	0.0- 2.9	18	4.1	1.6- 6.6	272	75.6	69.7-81.5
Some Post-H.S.	291	328,988	31	10.7	6.0-15.4	18	5.6	2.3- 8.9	10	2.3	0.5- 4.1	7	2.1	0.0- 4.5	10	2.1	0.3- 3.9	215	77.2	71.1-83.3
College Graduate	429	308,480	43	9.4	6.3-12.5	27	6.0	3.1- 8.9	13	3.3	1.1- 5.5	6	1.5	0.0- 3.1	9	1.8	0.4- 3.2	331	78.1	73.2-83.0
Less than \$15,000	99	106,250	10	9.4	3.1-15.7	11	15.8	4.0-27.6	6	6.6	0.0-14.6	3	2.6	0.0- 5.9	16	14.9	9.2-20.6	53	50.7	38.2-63.2
\$15,000- 24,999	173	189,748	14	7.2	2.7-11.7	17	11.3	4.8-17.8	13	8.1	2.8-13.4	10	5.0	0.9- 9.1	10	5.4	1.5- 9.3	109	63.0	53.8-72.2
\$25,000- 34,999	97	88,447	11	14.8	1.5-28.1	8	12.2	2.6-21.8	4	2.4	0.0- 4.9	4	2.7	0.0- 6.0	5	4.0	0.3- 7.7	65	64.0	49.7-78.3
\$35,000- 49,999	136	144,688	20	13.7	7.0-20.4	9	4.7	0.6- 8.8	4	2.6	0.0- 5.3				5	4.2	0.0- 9.9	98	74.8	65.6-84.0
\$50,000- 74,999	156	163,414	19	10.8	3.7-17.9	7	3.1	0.6- 5.6	8	4.6	0.7- 8.5	5	2.5	0.0- 5.0	3	1.1	0.0- 2.7	114	77.9	69.5-86.3
\$75,000+	364	359,223	27	8.7	4.2-13.2	15	2.3	0.9- 3.7	4	1.1	0.0- 2.3	1	1.0	0.0- 3.0	4	1.2	0.0- 2.4	313	85.8	80.7-90.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1585	1,455,555	218	13.2	11.0-15.4	117	7.1	5.5- 8.7	81	5.5	3.9- 7.1	22	1.1	0.5- 1.7	57	2.6	1.6- 3.6	1090	70.5	67.6-73.4
White/Non-Hisp	1324	1,155,319	186	13.9	11.5-16.3	106	7.8	6.0- 9.6	70	5.5	3.9- 7.1	18	1.2	0.6- 1.8	46	2.6	1.6- 3.6	898	69.1	66.0-72.2
Black or Afr. Am./Non-Hisp	166	208,380	19	10.6	4.7-16.5	4	3.1	0.0- 7.0	7	7.0	0.9-13.1	1	0.2	0.0- 0.6	4	1.7	0.0- 3.7	131	77.3	68.7-85.9
45-54	378	404,381	39	9.4	5.9-12.9	27	6.4	3.5- 9.3	22	8.0	3.9-12.1	5	0.7	0.1- 1.3	12	2.6	0.2- 5.0	273	72.9	66.8-79.0
55-64	439	424,452	55	12.5	8.6-16.4	23	4.8	2.6- 7.0	21	3.8	1.6- 6.0	5	1.3	0.1- 2.5	23	3.6	1.6- 5.6	312	74.0	68.9-79.1
65+	764	619,891	123	15.9	12.6-19.2	67	9.1	6.4-11.8	38	5.2	3.2- 7.2	12	1.2	0.4- 2.0	22	2.0	1.0- 3.0	502	66.7	62.4-71.0
Less Than H.S.	141	203,617	23	11.6	5.9-17.3	11	6.5	1.8-11.2	9	5.8	0.9-10.7	3	1.0	0.0- 2.2	2	0.6	0.0- 1.4	93	74.5	65.9-83.1
H.S. or G.E.D.	476	436,906	59	12.9	9.2-16.6	31	5.0	2.8- 7.2	27	4.9	2.7- 7.1	8	1.0	0.0- 2.0	19	3.8	1.4- 6.2	332	72.4	67.3-77.5
Some Post-H.S.	426	455,927	68	15.7	11.4-20.0	42	9.3	6.2-12.4	28	8.0	4.3-11.7	8	1.5	0.3- 2.7	14	2.5	0.7- 4.3	266	63.1	57.2-69.0
College Graduate	522	343,806	68	11.7	8.4-15.0	33	7.4	4.5-10.3	17	3.1	1.3- 4.9	3	0.7	0.0- 1.7	21	2.6	1.4- 3.8	380	74.5	69.8-79.2
Less than \$15,000	162	140,363	25	17.7	9.7-25.7	19	10.8	4.3-17.3	14	9.4	2.7-16.1	3	1.8	0.0- 4.5	14	4.5	1.8- 7.2	87	55.7	45.3-66.1
\$15,000- 24,999	247	223,716	43	14.9	9.6-20.2	22	7.5	3.8-11.2	21	7.8	3.9-11.7	3	0.5	0.0- 1.1	19	8.6	3.3-13.9	139	60.7	52.3-69.1
\$25,000- 34,999	140	129,927	17	12.3	5.0-19.6	17	10.0	4.5-15.5	7	2.7	0.3- 5.1	4	1.3	0.0- 2.7	3	0.5	0.0- 1.1	92	73.2	63.8-82.6
\$35,000- 49,999	181	160,573	29	17.3	9.9-24.7	13	7.7	3.0-12.4	6	2.1	0.3- 3.9	5	3.1	0.4- 5.8	5	1.9	0.1- 3.7	123	67.8	59.2-76.4
\$50,000- 74,999	181	172,920	24	13.8	6.7-20.9	10	6.5	1.6-11.4	4	1.7	0.0- 4.2	4	1.3	0.0- 2.7	4	1.3	0.0- 2.7	139	76.6	68.2-85.0
\$75,000+	349	331,655	42	10.0	6.5-13.5	23	7.4	3.9-10.9	12	5.9	1.8-10.0	2	0.6	0.0- 1.6	4	0.5	0.0- 1.1	266	75.5	69.6-81.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	794	724,682	214	26.9	22.8-31.0	58	8.6	5.5-11.7	25	3.3	1.3- 5.3	10	1.0	0.4- 1.6	17	1.7	0.7- 2.7	470	58.6	53.7-63.5
Male	306	300,888	70	25.5	18.4-32.6	21	8.2	3.1-13.3	8	1.9	0.3- 3.5	6	1.4	0.0- 2.8	6	2.0	0.0- 4.0	195	61.0	53.2-68.8
Female	488	423,794	144	27.8	22.7-32.9	37	8.9	5.2-12.6	17	4.2	1.3- 7.1	4	0.6	0.0- 1.2	11	1.6	0.4- 2.8	275	56.9	51.2-62.6
White/Non-Hisp	681	597,982	178	25.5	21.2-29.8	50	8.5	5.2-11.8	22	2.9	1.1- 4.7	9	1.1	0.3- 1.9	14	1.7	0.7- 2.7	408	60.3	55.2-65.4
Black or Afr. Am./Non-Hisp	56	82,111	18	32.3	15.8-48.8	3	9.4	0.0-21.2	2	6.7	0.0-16.7				1	0.7	0.0- 2.1	32	50.9	33.3-68.5
45-54	171	188,992	52	31.7	22.3-41.1	18	11.5	4.6-18.4	8	7.1	0.6-13.6	1	0.4	0.0- 1.2	4	1.3	0.0- 2.7	88	48.0	38.0-58.0
55-64	218	214,004	54	26.4	18.8-34.0	20	12.1	4.8-19.4	8	2.5	0.1- 4.9	2	0.7	0.0- 1.7	6	1.9	0.0- 3.9	128	56.4	46.8-66.0
65+	404	319,503	108	24.5	19.2-29.8	20	4.6	2.1- 7.1	9	1.5	0.3- 2.7	7	1.5	0.1- 2.9	7	1.9	0.1- 3.7	253	66.0	60.1-71.9
Less Than H.S.	92	114,249	24	22.5	11.9-33.1	8	14.0	2.2-25.8	6	5.9	0.0-13.0	1	0.6	0.0- 1.8	3	1.9	0.0- 4.3	50	55.0	41.3-68.7
H.S. or G.E.D.	227	214,061	69	30.7	22.7-38.7	18	7.2	3.3-11.1	9	5.9	1.0-10.8	4	1.2	0.0- 2.4	6	2.2	0.0- 4.4	121	52.8	44.2-61.4
Some Post-H.S.	233	240,094	60	29.1	21.5-36.7	19	10.2	4.5-15.9	7	1.0	0.2- 1.8				6	2.1	0.0- 4.3	141	57.7	49.5-65.9
College Graduate	239	154,711	60	21.1	14.8-27.4	13	4.1	1.4- 6.8	3	1.2	0.0- 3.0	5	2.4	0.0- 4.8	2	0.5	0.0- 1.3	156	70.7	63.6-77.8
Less than \$15,000	116	105,552	28	23.2	12.6-33.8	10	15.6	3.4-27.8	12	10.3	1.7-18.9				7	3.9	0.6- 7.2	59	46.9	34.2-59.6
\$15,000- 24,999	168	153,325	52	27.0	18.8-35.2	13	7.5	2.8-12.2	5	6.4	0.1-12.7	3	1.0	0.0- 2.2	5	3.8	0.0- 7.7	90	54.4	44.6-64.2
\$25,000- 34,999	80	66,691	18	21.2	9.8-32.6	10	9.4	2.1-16.7	1	0.6	0.0- 1.8	1	1.5	0.0- 4.4	1	0.2	0.0- 0.6	49	67.1	53.6-80.6
\$35,000- 49,999	96	88,177	24	25.6	13.8-37.4	7	5.3	1.0- 9.6				2	1.4	0.0- 3.4	1	0.7	0.0- 2.1	62	67.0	54.8-79.2
\$50,000- 74,999	84	76,679	19	25.7	11.2-40.2				1	0.4	0.0- 1.2	2	1.5	0.0- 3.9	2	2.1	0.0- 5.2	60	70.3	55.8-84.8
\$75,000+	133	131,413	36	25.5	15.5-35.5	8	11.8	2.4-21.2				1	1.1	0.0- 3.3	1	0.3	0.0- 0.9	87	61.3	49.7-72.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	306	300,888	70	25.5	18.4-32.6	21	8.2	5.1-11.3	8	1.9	0.3- 3.5	6	1.4	0.0- 2.8	6	2.0	0.0- 4.0	195	61.0	53.6-68.4
White/Non-Hisp	260	244,066	52	22.5	15.2-29.8	19	8.7	5.4-12.0	6	1.5	0.0- 3.1	6	1.8	0.0- 3.6	5	2.2	0.0- 4.6	172	63.2	55.4-71.0
45-54	67	80,152	19	32.5	16.6-48.4	8	9.7	1.7-17.7	3	3.7	0.0- 8.4				2	1.1	0.0- 2.7	35	52.9	36.4-69.4
55-64	94	105,356	19	25.7	13.5-37.9	7	13.5	7.2-19.8	4	2.3	0.0- 5.2	1	0.9	0.0- 2.7				63	57.6	44.9-70.3
65+	145	115,381	32	20.4	12.2-28.6	6	2.3	0.3- 4.3	1	0.3	0.0- 0.9	5	2.9	0.0- 6.0	4	4.4	0.0- 9.1	97	69.6	60.0-79.2
H.S. or G.E.D.	86	94,568	21	28.3	15.0-41.6	9	9.5	2.1-16.9	3	2.7	0.0- 6.4	2	1.3	0.0- 3.3	1	1.2	0.0- 3.6	50	57.1	42.8-71.4
Some Post-H.S.	75	74,274	21	42.0	25.9-58.1	3	1.9	0.0- 4.1	1	0.5	0.0- 1.5				2	3.7	0.0- 9.8	48	52.0	36.5-67.5
College Graduate	98	67,710	19	17.3	7.7-26.9	4	2.8	0.0- 5.7	2	2.3	0.0- 6.2	4	4.5	0.0- 9.6				69	73.1	61.9-84.3
\$15,000- 24,999	62	67,283	13	15.0	5.4-24.6	8	13.0	3.0-23.0	2	4.6	0.0-11.1	2	1.0	0.0- 2.4	1	3.4	0.0- 9.9	36	62.9	48.0-77.8
\$75,000+	51	51,053	11	31.6	12.0-51.2	1	1.1	0.0- 3.5				1	2.9	0.0- 8.6				38	64.4	44.6-84.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	488	423,794	144	27.8	22.7-32.9	37	8.9	5.2-12.6	17	4.2	1.1- 7.3	4	0.6	0.0- 1.2	11	1.6	0.4- 2.8	275	56.9	51.2-62.6
White/Non-Hisp	421	353,916	126	27.6	22.3-32.9	31	8.3	4.6-12.0	16	3.9	1.0- 6.8	3	0.6	0.0- 1.2	9	1.3	0.3- 2.3	236	58.4	52.3-64.5
45-54	104	108,840	33	31.1	19.5-42.7	10	12.9	2.7-23.1	5	9.6	0.0-20.0	1	0.7	0.0- 2.1	2	1.4	0.0- 3.4	53	44.3	32.0-56.6
55-64	124	108,649	35	26.9	17.7-36.1	13	10.8	4.1-17.5	4	2.7	0.0- 6.2	1	0.5	0.0- 1.5	6	3.8	0.1- 7.5	65	55.2	44.8-65.6
65+	259	204,121	76	26.8	19.9-33.7	14	5.8	1.9- 9.7	8	2.2	0.4- 4.0	2	0.7	0.0- 1.7	3	0.5	0.0- 1.1	156	64.0	56.6-71.4
H.S. or G.E.D.	141	119,492	48	32.5	22.5-42.5	9	5.5	1.4- 9.6	6	8.5	0.5-16.5	2	1.1	0.0- 2.7	5	3.0	0.0- 6.3	71	49.5	39.1-59.9
Some Post-H.S.	158	165,820	39	23.3	15.9-30.7	16	13.9	6.1-21.7	6	1.2	0.2- 2.2				4	1.4	0.0- 3.0	93	60.2	51.0-69.4
College Graduate	141	87,001	41	24.0	15.6-32.4	9	5.2	0.9- 9.5	1	0.4	0.0- 1.2	1	0.8	0.0- 2.4	2	0.9	0.0- 2.1	87	68.8	59.6-78.0
Less than \$15,000	73	61,029	20	30.8	15.3-46.3	5	6.9	0.2-13.6	7	14.1	0.4-27.8				4	3.2	0.0- 6.5	37	45.1	30.2-60.0
\$15,000- 24,999	106	86,042	39	36.3	24.7-47.9	5	3.2	0.7- 5.7	3	7.8	0.0-17.8	1	0.9	0.0- 2.7	4	4.1	0.0- 8.8	54	47.7	35.7-59.7
\$35,000- 49,999	58	51,666	13	21.4	8.9-33.9	5	6.9	0.2-13.6				2	2.4	0.0- 5.7	1	1.1	0.0- 3.3	37	68.1	54.0-82.2
\$75,000+	82	80,361	25	21.6	12.0-31.2	7	18.6	4.3-32.9							1	0.5	0.0- 1.5	49	59.4	45.1-73.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020

SECTION 14: SEATBELT USE AND DRINKING AND DRIVING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY- (SEATBELT)	
1	MALES AND FEMALES	207
2	MALES ONLY	208
3	FEMALES ONLY	209
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
4	MALES AND FEMALES	210
5	MALES ONLY	211
6	FEMALES ONLY	212

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**TENNESSEE CORE QUESTIONS DATA REPORT, 2020**  
**SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**  
**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4258	4,899,269	3752	86.9	85.3-88.5	272	7.0	5.8- 8.2	127	3.4	2.6- 4.2	32	1.2	0.6- 1.8	69	1.4	1.0- 1.8	6	0.1	0.0- 0.3
Male	1911	2,327,277	1605	82.8	80.3-85.3	164	9.1	7.1-11.1	78	4.9	3.3- 6.5	15	1.2	0.4- 2.0	44	1.9	1.1- 2.7	5	0.2	0.0- 0.4
Female	2347	2,571,992	2147	90.7	88.9-92.5	108	5.1	3.9- 6.3	49	2.0	1.2- 2.8	17	1.2	0.2- 2.2	25	1.1	0.5- 1.7	1	0.1	0.0- 0.3
White/Non-Hisp	3455	3,632,987	3055	87.4	85.8-89.0	227	7.1	5.9- 8.3	95	2.7	1.9- 3.5	25	1.3	0.5- 2.1	50	1.4	0.8- 2.0	3	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	418	739,206	363	86.5	82.0-91.0	26	6.5	3.2- 9.8	15	4.6	1.9- 7.3	5	1.1	0.0- 2.5	8	0.9	0.1- 1.7	1	0.4	0.0- 1.2
Oth. Race/Non-Hisp.	117	116,829	106	90.4	83.5-97.3	4	5.1	0.0-10.8	2	1.0	0.0- 2.8	4	2.9	0.0- 6.2	1	0.6	0.0- 1.8			
MultiRacial/Non-Hisp.	69	56,102	57	82.9	71.7-94.1	6	8.3	1.6-15.0	4	7.7	0.0-17.3				2	1.1	0.0- 2.7			
Hispanic	125	251,119	105	80.4	69.4-91.4	7	8.9	0.7-17.1	7	6.7	0.0-14.7	1	0.3	0.0- 0.9	4	3.2	0.0- 6.5	1	0.5	0.0- 1.5
18-24	310	573,264	255	79.0	72.1-85.9	30	8.5	4.8-12.2	14	6.1	1.6-10.6	6	4.4	0.0- 9.1	4	1.5	0.0- 3.1	1	0.5	0.0- 1.5
25-34	537	853,206	460	82.8	78.1-87.5	46	11.4	7.3-15.5	17	3.4	1.4- 5.4	4	0.8	0.0- 1.6	9	1.5	0.1- 2.9	1	0.2	0.0- 0.6
35-44	588	769,307	505	85.7	82.0-89.4	54	8.8	5.9-11.7	17	3.1	0.9- 5.3	5	1.3	0.0- 2.7	7	1.2	0.2- 2.2			
45-54	703	779,589	630	90.4	87.7-93.1	45	5.9	3.7- 8.1	13	2.1	0.7- 3.5	3	0.3	0.0- 0.7	11	1.3	0.1- 2.5	1	0.1	0.0- 0.3
55-64	805	823,286	727	92.4	90.0-94.8	37	3.4	2.0- 4.8	26	2.8	1.0- 4.6	4	0.5	0.0- 1.1	11	1.0	0.2- 1.8			
65+	1315	1,100,617	1175	88.5	86.0-91.0	60	4.9	3.1- 6.7	40	3.5	2.1- 4.9	10	0.9	0.3- 1.5	27	2.0	1.0- 3.0	3	0.2	0.0- 0.4
Less Than H.S.	335	602,873	278	80.1	73.2-87.0	17	7.4	2.9-11.9	26	8.1	3.6-12.6	4	2.5	0.0- 6.2	8	1.5	0.1- 2.9	2	0.4	0.0- 1.0
H.S. or G.E.D.	1314	1,578,442	1121	86.4	83.9-88.9	109	7.1	5.5- 8.7	46	4.0	2.4- 5.6	7	1.0	0.0- 2.0	30	1.6	0.8- 2.4	1	0.0	0.0- 0.0
Some Post-H.S.	1077	1,419,442	942	85.4	82.3-88.5	67	8.5	6.0-11.0	36	2.9	1.5- 4.3	15	1.5	0.5- 2.5	17	1.7	0.5- 2.9			
College Graduate	1483	1,236,026	1363	92.0	90.2-93.8	79	5.3	3.9- 6.7	19	0.9	0.5- 1.3	6	0.5	0.0- 1.1	13	1.0	0.4- 1.6	3	0.4	0.0- 1.0
Less than \$15,000	377	456,558	320	86.1	81.0-91.2	29	7.0	3.7-10.3	15	4.3	1.0- 7.6	3	0.6	0.0- 1.4	7	1.5	0.0- 3.3	3	0.6	0.0- 1.4
\$15,000- 24,999	608	694,316	518	83.5	78.4-88.6	36	4.7	2.5- 6.9	24	5.6	2.1- 9.1	8	2.6	0.0- 5.9	20	3.1	1.3- 4.9	2	0.6	0.0- 1.6
\$25,000- 34,999	364	416,645	319	85.0	79.5-90.5	24	8.4	4.3-12.5	11	4.0	0.5- 7.5	5	2.2	0.0- 4.6	5	0.5	0.1- 0.9			
\$35,000- 49,999	512	607,547	438	83.1	78.4-87.8	37	9.1	5.6-12.6	21	4.9	2.0- 7.8	5	1.1	0.0- 2.3	10	1.8	0.4- 3.2	1	0.1	0.0- 0.3
\$50,000- 74,999	559	656,566	507	90.8	87.5-94.1	30	4.7	2.3- 7.1	11	1.4	0.4- 2.4	4	1.5	0.0- 3.5	7	1.5	0.0- 3.1			
\$75,000+	1143	1,323,378	1028	87.6	84.5-90.7	69	8.4	5.7-11.1	28	2.4	1.2- 3.6	7	0.8	0.0- 1.6	11	0.8	0.2- 1.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1911	2,327,277	1605	82.8	80.3-85.3	164	9.1	7.1-11.1	78	4.9	3.3- 6.5	15	1.2	0.4- 2.0	44	1.9	1.1- 2.7	5	0.2	0.0- 0.4
White/Non-Hisp	1564	1,719,014	1316	83.4	80.9-85.9	138	9.0	6.8-11.2	61	4.3	2.9- 5.7	12	1.3	0.3- 2.3	35	1.9	1.1- 2.7	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	147	303,817	126	85.4	78.1-92.7	10	7.5	2.0-13.0	6	4.2	0.0- 8.5	1	0.9	0.0- 2.7	3	1.0	0.0- 2.2	1	0.9	0.0- 2.7
Oth. Race/Non-Hisp.	66	65,093	60	89.4	79.4-99.4	3	7.8	0.0-17.4							2	1.8	0.0- 4.5	1	1.0	0.0- 3.0
Hispanic	64	150,702	48	71.7	55.0-88.4	7	14.8	1.7-27.9	4	8.5	0.0-21.4	1	0.6	0.0- 1.8	3	3.6	0.0- 8.1	1	0.9	0.0- 2.7
18-24	162	292,168	131	76.3	66.7-85.9	17	8.9	4.0-13.8	9	9.4	1.4-17.4	3	3.6	0.0- 8.3	1	0.8	0.0- 2.4	1	1.0	0.0- 3.0
25-34	250	407,753	207	77.5	69.7-85.3	24	15.3	7.9-22.7	9	3.3	0.6- 6.0	3	1.4	0.0- 3.0	6	2.2	0.0- 4.6	1	0.3	0.0- 0.9
35-44	269	382,210	215	81.0	74.9-87.1	36	11.6	7.1-16.1	11	5.0	0.9- 9.1	2	1.2	0.0- 3.0	5	1.2	0.2- 2.2			
45-54	319	368,814	276	89.3	85.4-93.2	28	7.2	3.9-10.5	8	2.6	0.4- 4.8	1	0.1	0.0- 0.3	5	0.7	0.1- 1.3	1	0.2	0.0- 0.6
55-64	362	395,477	307	88.0	83.7-92.3	25	4.9	2.5- 7.3	18	4.6	1.3- 7.9	2	0.6	0.0- 1.4	10	1.9	0.5- 3.3			
65+	549	480,855	469	83.2	78.7-87.7	34	6.6	3.3- 9.9	23	5.4	2.7- 8.1	4	0.9	0.0- 1.9	17	3.7	1.5- 5.9	2	0.2	0.0- 0.4
Less Than H.S.	155	292,133	117	70.0	59.4-80.6	11	12.6	4.2-21.0	20	14.5	5.9-23.1	1	0.5	0.0- 1.5	5	2.1	0.0- 4.3	1	0.2	0.0- 0.6
H.S. or G.E.D.	603	789,716	482	82.9	79.0-86.8	69	8.8	6.3-11.3	24	4.4	2.0- 6.8	6	1.8	0.0- 3.8	21	2.0	1.0- 3.0	1	0.0	0.0- 0.0
Some Post-H.S.	455	625,824	385	82.1	77.0-87.2	34	9.7	5.4-14.0	18	4.2	1.7- 6.7	7	1.7	0.1- 3.3	11	2.3	0.5- 4.1			
College Graduate	675	583,925	598	88.6	85.7-91.5	50	7.5	5.0-10.0	16	1.7	0.7- 2.7	1	0.1	0.0- 0.3	7	1.2	0.2- 2.2	3	0.8	0.0- 1.8
Less than \$15,000	141	179,211	109	84.7	76.9-92.5	18	7.1	3.0-11.2	9	6.6	0.0-13.5				3	1.1	0.0- 2.5	2	0.6	0.0- 1.4
\$15,000- 24,999	243	317,866	199	78.5	70.5-86.5	16	6.5	2.2-10.8	14	9.5	2.4-16.6	2	0.8	0.0- 2.2	10	3.4	1.0- 5.8	2	1.3	0.0- 3.3
\$25,000- 34,999	149	175,179	130	85.3	76.7-93.9	10	8.0	1.9-14.1	5	5.5	0.0-12.0	1	0.5	0.0- 1.5	3	0.7	0.0- 1.7			
\$35,000- 49,999	236	312,031	183	73.9	66.1-81.7	29	14.9	8.4-21.4	12	6.4	1.7-11.1	2	1.4	0.0- 3.4	9	3.4	0.9- 5.9	1	0.1	0.0- 0.3
\$50,000- 74,999	270	333,223	234	85.4	79.3-91.5	18	7.7	3.4-12.0	8	1.6	0.4- 2.8	4	2.9	0.0- 6.8	6	2.4	0.0- 5.1			
\$75,000+	593	701,667	507	84.2	79.5-88.9	49	9.3	5.2-13.4	22	4.0	1.6- 6.4	6	1.5	0.1- 2.9	9	0.9	0.1- 1.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2347	2,571,992	2147	90.7	88.9-92.5	108	5.1	3.9- 6.3	49	2.0	1.2- 2.8	17	1.2	0.2- 2.2	25	1.1	0.5- 1.7	1	0.1	0.0- 0.3
White/Non-Hisp	1891	1,913,973	1739	91.1	89.1-93.1	89	5.4	4.0- 6.8	34	1.3	0.7- 1.9	13	1.3	0.1- 2.5	15	0.9	0.1- 1.7	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	271	435,389	237	87.2	81.5-92.9	16	5.8	1.7- 9.9	9	4.9	1.2- 8.6	4	1.3	0.0- 3.3	5	0.8	0.0- 1.8			
Oth. Race/Non-Hisp.	51	51,736	46	91.7	83.1- 100	1	1.8	0.0- 5.3	2	2.3	0.0- 6.4				2	4.2	0.0-10.7			
Hispanic	61	100,417	57	93.4	86.5- 100				3	4.0	0.0- 8.7				1	2.6	0.0- 7.7			
18-24	148	281,097	124	81.8	72.0-91.6	13	8.2	2.5-13.9	5	2.7	0.0- 5.8	3	5.2	0.0-13.2	3	2.1	0.0- 5.0			
25-34	287	445,453	253	87.7	82.8-92.6	22	7.7	4.0-11.4	8	3.4	0.5- 6.3	1	0.2	0.0- 0.6	3	0.9	0.0- 2.3			
35-44	319	387,097	290	90.2	85.7-94.7	18	6.1	2.4- 9.8	6	1.2	0.0- 2.6	3	1.4	0.0- 3.6	2	1.2	0.0- 2.8			
45-54	384	410,775	354	91.4	87.5-95.3	17	4.7	2.0- 7.4	5	1.7	0.0- 3.5	2	0.4	0.0- 1.2	6	1.8	0.0- 4.2			
55-64	443	427,809	420	96.5	94.7-98.3	12	2.0	0.6- 3.4	8	1.1	0.3- 1.9	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3			
65+	766	619,762	706	92.6	90.1-95.1	26	3.6	1.6- 5.6	17	1.9	0.7- 3.1	6	0.9	0.1- 1.7	10	0.7	0.3- 1.1	1	0.2	0.0- 0.6
Less Than H.S.	180	310,740	161	89.5	81.7-97.3	6	2.5	0.0- 5.0	6	2.1	0.1- 4.1	3	4.3	0.0-11.6	3	1.0	0.0- 2.6	1	0.5	0.0- 1.5
H.S. or G.E.D.	711	788,726	639	90.0	86.9-93.1	40	5.3	3.1- 7.5	22	3.6	1.4- 5.8	1	0.1	0.0- 0.3	9	1.1	0.0- 2.3			
Some Post-H.S.	622	793,619	557	88.0	84.5-91.5	33	7.6	4.5-10.7	18	1.9	0.7- 3.1	8	1.3	0.1- 2.5	6	1.3	0.0- 2.7			
College Graduate	808	652,101	765	94.9	92.9-96.9	29	3.3	1.7- 4.9	3	0.2	0.0- 0.4	5	0.8	0.0- 1.8	6	0.8	0.0- 1.8			
Less than \$15,000	236	277,347	211	87.0	80.5-93.5	11	6.9	2.0-11.8	6	2.9	0.0- 6.2	3	1.0	0.0- 2.4	4	1.7	0.0- 4.4	1	0.5	0.0- 1.5
\$15,000- 24,999	365	376,451	319	87.6	81.1-94.1	20	3.1	1.5- 4.7	10	2.3	0.3- 4.3	6	4.1	0.0-10.2	10	2.9	0.2- 5.6			
\$25,000- 34,999	215	241,466	189	84.7	77.3-92.1	14	8.7	3.2-14.2	6	2.9	0.0- 6.6	4	3.4	0.0- 7.5	2	0.3	0.0- 0.7			
\$35,000- 49,999	276	295,517	255	92.7	88.8-96.6	8	3.0	0.6- 5.4	9	3.3	0.2- 6.4	3	0.8	0.0- 1.8	1	0.1	0.0- 0.3			
\$50,000- 74,999	289	323,344	273	96.5	94.3-98.7	12	1.6	0.4- 2.8	3	1.3	0.0- 2.7				1	0.6	0.0- 1.8			
\$75,000+	550	621,711	521	91.4	87.7-95.1	20	7.3	3.8-10.8	6	0.5	0.1- 0.9	1	0.1	0.0- 0.3	2	0.6	0.0- 1.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 4: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	No Times			1-5 Times			6-10 Times			11-30 Times			> 30 Times			6		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1870	2,297,378	17	0.9	0.3- 1.5	12	0.6	0.2- 1.0	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	7	0.3	0.0- 0.7	1832	98.1	97.3-98.9
Male	973	1,265,716	13	1.3	0.5- 2.1	8	0.8	0.0- 1.6	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	6	0.4	0.0- 0.8	944	97.3	96.1-98.5
Female	897	1,031,662	4	0.4	0.0- 0.8	4	0.3	0.0- 0.7							1	0.3	0.0- 0.9	888	99.0	98.2-99.8
White/Non-Hisp	1492	1,660,935	17	1.2	0.4- 2.0	8	0.4	0.0- 0.8	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	4	0.2	0.0- 0.4	1461	98.1	97.3-98.9
Black or Afr. Am./Non-Hisp	197	381,924				2	0.5	0.0- 1.3										195	99.5	98.7- 100
Oth. Race/Non-Hisp.	55	52,153													1	0.7	0.0- 2.1	54	99.3	97.9- 100
Hispanic	61	112,887				2	4.5	0.0-11.8							1	2.3	0.0- 6.8	58	93.2	84.8- 100
18-24	155	281,242	1	0.3	0.0- 0.9	2	0.4	0.0- 1.0	1	0.4	0.0- 1.2							151	98.9	97.7- 100
25-34	328	522,210	8	2.4	0.6- 4.2	4	0.6	0.0- 1.2							1	0.1	0.0- 0.3	315	96.9	94.9-98.9
35-44	322	425,543	2	0.4	0.0- 1.0	2	1.2	0.0- 3.2							3	1.1	0.0- 2.7	315	97.3	94.8-99.8
45-54	349	384,827	6	1.5	0.0- 3.1	2	0.5	0.0- 1.1				1	0.1	0.0- 0.3	1	0.4	0.0- 1.2	339	97.6	95.6-99.6
55-64	319	325,286				2	0.8	0.0- 2.0							2	0.4	0.0- 1.0	315	98.8	97.6- 100
65+	397	358,270																397	100.0	100.0- 100
Less Than H.S.	91	203,270				1	2.1	0.0- 6.0							2	2.2	0.0- 5.3	88	95.7	90.6- 100
H.S. or G.E.D.	445	593,253	5	1.2	0.0- 2.4	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6				1	0.1	0.0- 0.3	437	98.3	97.1-99.5
Some Post-H.S.	477	697,344	4	1.0	0.0- 2.2	2	0.3	0.0- 0.7							3	0.4	0.0- 0.8	468	98.3	96.9-99.7
College Graduate	834	772,628	8	0.8	0.0- 1.6	8	0.8	0.2- 1.4				1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	816	98.3	97.3-99.3
Less than \$15,000	106	146,045	1	0.5	0.0- 1.5	1	0.3	0.0- 0.9							2	1.3	0.0- 3.5	102	97.9	95.5- 100
\$15,000- 24,999	219	288,106	1	0.7	0.0- 2.1	2	0.7	0.0- 1.7							2	0.9	0.0- 2.3	214	97.7	95.5-99.9
\$25,000- 34,999	137	156,641	1	0.2	0.0- 0.6	1	0.5	0.0- 1.5							1	0.2	0.0- 0.8	134	99.0	97.8- 100
\$35,000- 49,999	223	294,794	2	0.7	0.0- 1.7													221	99.3	98.3- 100
\$50,000- 74,999	280	349,216	3	1.8	0.0- 4.0	3	1.8	0.0- 4.3										274	96.4	93.1-99.7
\$75,000+	690	821,673	9	1.1	0.1- 2.1	5	0.5	0.1- 0.9				1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	674	98.3	97.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 5: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	No Times			1-5 Times			6-10 Times			11-30 Times			> 30 Times			6		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	973	1,265,716	13	1.3	0.5- 2.1	8	0.8	0.0- 1.6	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	6	0.4	0.0- 0.8	944	97.3	96.1-98.5
White/Non-Hisp	787	905,809	13	1.8	0.6- 3.0	7	0.7	0.1- 1.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	4	0.3	0.0- 0.7	761	97.0	95.6-98.4
Black or Afr. Am./Non-Hisp	78	183,967													78	100.0	100.0- 100			
18-24	87	159,921	1	0.5	0.0- 1.5				1	0.8	0.0- 2.4							85	98.7	96.9- 100
25-34	166	279,990	7	4.0	0.7- 7.3	3	0.8	0.0- 1.8							1	0.1	0.0- 0.3	155	95.0	91.5-98.5
35-44	170	237,804	2	0.7	0.0- 1.7	2	2.1	0.0- 5.6							2	0.9	0.0- 2.5	164	96.3	92.4- 100
45-54	187	218,226	3	1.4	0.0- 3.6	2	0.8	0.0- 2.0				1	0.2	0.0- 0.6	1	0.7	0.0- 2.1	180	97.0	94.3-99.7
55-64	162	182,361				1	0.8	0.0- 2.4							2	0.7	0.0- 1.7	159	98.6	96.8- 100
65+	201	187,415													201	100.0	100.0- 100			
Less Than H.S.	57	126,678				1	3.3	0.0- 9.6							1	1.5	0.0- 4.4	55	95.2	88.3- 100
H.S. or G.E.D.	259	382,679	4	1.4	0.0- 2.8				1	0.3	0.0- 0.9				1	0.1	0.0- 0.3	253	98.2	96.6-99.8
Some Post-H.S.	245	351,960	4	2.0	0.0- 4.4	1	0.3	0.0- 0.9							3	0.7	0.0- 1.7	237	97.0	94.5-99.5
College Graduate	401	389,477	5	1.1	0.0- 2.3	6	1.3	0.1- 2.5				1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	388	97.4	95.8-99.0
Less than \$15,000	52	74,530	1	1.0	0.0- 3.0	1	0.5	0.0- 1.5							2	2.6	0.0- 6.7	48	95.9	91.2- 100
\$15,000- 24,999	101	152,621													2	1.7	0.0- 4.2	99	98.3	95.8- 100
\$25,000- 34,999	58	69,931	1	0.5	0.0- 1.5										1	0.6	0.0- 1.8	56	98.9	97.3- 100
\$35,000- 49,999	122	178,481	1	0.4	0.0- 1.2													121	99.6	98.8- 100
\$50,000- 74,999	155	207,755	3	3.0	0.0- 6.5	3	3.0	0.0- 7.1										149	94.0	88.5-99.5
\$75,000+	378	462,408	7	1.9	0.3- 3.5	4	0.8	0.0- 1.6				1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	365	97.1	95.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 6: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			> 30 Times			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	897	1,031,662	4	0.4	0.0- 0.8	4	0.3	0.0- 0.7	1	0.3	0.0- 0.9	888	99.0	98.2-99.8
White/Non-Hisp	705	755,126	4	0.5	0.0- 1.1	1	0.0	0.0- 0.0				700	99.4	98.8- 100
Black or Afr. Am./Non-Hisp	119	197,958				2	1.0	0.0- 2.4				117	99.0	97.6- 100
18-24	68	121,321				2	0.9	0.0- 2.5				66	99.1	97.5- 100
25-34	162	242,220	1	0.6	0.0- 1.8	1	0.3	0.0- 0.9				160	99.1	97.7- 100
35-44	152	187,739							1	1.4	0.0- 4.1	151	98.6	95.9- 100
45-54	162	166,602	3	1.6	0.0- 4.0							159	98.4	96.0- 100
55-64	157	142,926				1	0.8	0.0- 2.4				156	99.2	97.6- 100
65+	196	170,854										196	100.0	100.0- 100
H.S. or G.E.D.	186	210,574	1	0.9	0.0- 2.7	1	0.4	0.0- 1.2				184	98.6	96.6- 100
Some Post-H.S.	232	345,384				1	0.4	0.0- 1.2				231	99.6	98.8- 100
College Graduate	433	383,150	3	0.6	0.0- 1.4	2	0.3	0.0- 0.7				428	99.2	98.2- 100
Less than \$15,000	54	71,515										54	100.0	100.0- 100
\$15,000- 24,999	118	135,485	1	1.4	0.0- 4.1	2	1.6	0.0- 3.8				115	97.0	93.5- 100
\$25,000- 34,999	79	86,710				1	0.9	0.0- 2.7				78	99.1	97.3- 100
\$35,000- 49,999	101	116,313	1	1.3	0.0- 3.8							100	98.7	96.2- 100
\$50,000- 74,999	125	141,462										125	100.0	100.0- 100
\$75,000+	312	359,265	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3				309	99.7	99.3- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)	
1 FEMALES ONLY	214
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)	
2 FEMALES ONLY	215
HAVE YOU EVER HAD A PAP TEST? (HADPAP2)	
3 FEMALES ONLY	216
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)	
4 FEMALES ONLY	217
AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)	
5 FEMALES ONLY	218
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)	
6 FEMALES ONLY	219
HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)	
7 FEMALES ONLY	220

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 15: BREAST/CERVICAL CANCER SCREENING  
 TABLE 1: HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2324	2,553,751	1761	68.5	65.8-71.2	563	31.5	28.8-34.2
White/Non-Hisp	1873	1,900,321	1440	69.3	66.4-72.2	433	30.7	27.8-33.6
Black or Afr. Am./Non-Hisp	270	431,082	205	72.0	64.4-79.6	65	28.0	20.4-35.6
Oth. Race/Non-Hisp.	51	51,736	31	57.6	36.6-78.6	20	42.4	21.4-63.4
Hispanic	60	99,892	33	39.1	23.0-55.2	27	60.9	44.8-77.0
18-24	148	281,097	18	10.0	4.3-15.7	130	90.0	84.3-95.7
25-34	284	443,042	71	28.4	21.5-35.3	213	71.6	64.7-78.5
35-44	314	380,918	157	53.3	46.2-60.4	157	46.7	39.6-53.8
45-54	377	406,287	348	92.9	89.8-96.0	29	7.1	4.0-10.2
55-64	440	424,039	427	97.8	96.2-99.4	13	2.2	0.6-3.8
65+	761	618,368	740	97.0	95.4-98.6	21	3.0	1.4-4.6
Less Than H.S.	177	307,733	149	72.0	59.5-84.5	28	28.0	15.5-40.5
H.S. or G.E.D.	707	787,209	525	67.3	62.6-72.0	182	32.7	28.0-37.4
Some Post-H.S.	614	785,879	480	70.7	65.8-75.6	134	29.3	24.4-34.2
College Graduate	800	646,124	586	65.6	61.1-70.1	214	34.4	29.9-38.9
Less than \$15,000	233	276,406	176	66.2	55.0-77.4	57	33.8	22.6-45.0
\$15,000- 24,999	364	376,136	272	68.7	60.9-76.5	92	31.3	23.5-39.1
\$25,000- 34,999	211	234,965	160	72.2	63.4-81.0	51	27.8	19.0-36.6
\$35,000- 49,999	274	294,611	207	68.9	60.9-76.9	67	31.1	23.1-39.1
\$50,000- 74,999	287	322,074	203	62.5	54.9-70.1	84	37.5	29.9-45.1
\$75,000+	546	618,494	410	67.1	61.8-72.4	136	32.9	27.6-38.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1729	1,711,958	952	55.7	52.6-58.8	356	19.5	17.0-22.0	125	6.9	5.3- 8.5	118	7.2	5.6- 8.8	178	10.7	8.5-12.9
White/Non-Hisp	1416	1,291,616	777	55.8	52.5-59.1	298	20.4	17.7-23.1	102	6.4	4.8- 8.0	97	7.1	5.3- 8.9	142	10.3	8.1-12.5
Black or Afr. Am./Non-Hisp	200	300,443	117	56.4	47.0-65.8	39	17.5	10.2-24.8	13	9.2	3.1-15.3	11	7.0	1.9-12.1	20	9.9	4.2-15.6
25-34	70	119,788	23	35.8	21.7-49.9	14	20.6	8.8-32.4	9	9.6	1.6-17.6	13	22.0	9.7-34.3	11	12.0	4.0-20.0
35-44	153	197,916	68	46.7	36.7-56.7	37	20.6	13.2-28.0	6	3.9	0.6- 7.2	20	13.6	6.7-20.5	22	15.2	7.2-23.2
45-54	344	371,821	181	52.3	45.0-59.6	69	22.7	16.4-29.0	36	10.1	6.0-14.2	25	5.7	3.0- 8.4	33	9.3	4.6-14.0
55-64	420	406,704	237	59.3	53.2-65.4	102	20.6	15.9-25.3	22	5.2	2.1- 8.3	22	4.5	2.1- 6.9	37	10.5	6.4-14.6
65+	725	588,878	434	62.4	57.7-67.1	131	16.1	12.8-19.4	51	6.6	4.2- 9.0	35	4.9	2.7- 7.1	74	10.0	7.1-12.9
Less Than H.S.	141	213,287	70	47.7	36.5-58.9	33	21.8	13.4-30.2	10	9.7	2.3-17.1	8	3.7	0.4- 7.0	20	17.1	7.9-26.3
H.S. or G.E.D.	514	514,885	257	51.0	45.3-56.7	106	20.7	16.0-25.4	49	7.8	4.9-10.7	37	7.7	4.6-10.8	65	12.7	9.0-16.4
Some Post-H.S.	475	549,201	268	58.6	52.7-64.5	95	17.7	13.4-22.0	32	6.1	3.6- 8.6	35	9.2	5.7-12.7	45	8.4	5.3-11.5
College Graduate	579	418,271	347	62.3	57.2-67.4	121	19.8	15.7-23.9	30	4.7	2.5- 6.9	35	5.5	3.1- 7.9	46	7.7	5.0-10.4
Less than \$15,000	169	174,467	77	41.2	31.2-51.2	37	21.5	12.7-30.3	18	11.5	4.4-18.6	14	8.1	2.0-14.2	23	17.8	8.6-27.0
\$15,000- 24,999	265	253,623	120	48.1	39.7-56.5	53	19.7	13.4-26.0	27	8.1	4.4-11.8	18	5.0	2.3- 7.7	47	19.0	11.9-26.1
\$25,000- 34,999	160	169,727	78	54.3	42.9-65.7	40	17.7	10.6-24.8	18	9.1	2.8-15.4	15	10.4	3.1-17.7	9	8.5	1.2-15.8
\$35,000- 49,999	203	197,978	105	50.5	41.5-59.5	46	21.5	14.2-28.8	14	7.8	2.7-12.9	18	11.3	5.0-17.6	20	8.8	4.3-13.3
\$50,000- 74,999	201	200,063	118	62.2	53.2-71.2	39	17.2	10.3-24.1	13	8.0	1.5-14.5	10	4.2	1.1- 7.3	21	8.4	4.1-12.7
\$75,000+	409	413,977	253	62.0	56.1-67.9	87	20.1	15.2-25.0	21	4.4	2.2- 6.6	25	7.6	4.3-10.9	23	5.8	2.9- 8.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 15: BREAST/CERVICAL CANCER SCREENING  
 TABLE 3: HAVE YOU EVER HAD A PAP TEST? (HADPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2306	2,531,198	2155	90.3	88.1-92.5	151	9.7	7.5-11.9
White/Non-Hisp	1858	1,882,470	1763	91.9	89.5-94.3	95	8.1	5.7-10.5
Black or Afr. Am./Non-Hisp	267	426,380	238	86.4	80.3-92.5	29	13.6	7.5-19.7
Oth. Race/Non-Hisp.	51	51,736	38	73.6	56.4-90.8	13	26.4	9.2-43.6
Hispanic	60	99,892	49	81.0	67.7-94.3	11	19.0	5.7-32.3
18-24	147	279,854	72	43.0	31.8-54.2	75	57.0	45.8-68.2
25-34	280	437,736	261	94.6	91.7-97.5	19	5.4	2.5- 8.3
35-44	313	377,154	305	95.9	92.6-99.2	8	4.1	0.8- 7.4
45-54	375	401,735	365	96.6	94.1-99.1	10	3.4	0.9- 5.9
55-64	439	423,209	431	97.9	96.1-99.7	8	2.1	0.3- 3.9
65+	752	611,510	721	96.1	94.3-97.9	31	3.9	2.1- 5.7
Less Than H.S.	176	308,512	160	81.6	69.6-93.6	16	18.4	6.4-30.4
H.S. or G.E.D.	702	778,806	635	87.9	84.6-91.2	67	12.1	8.8-15.4
Some Post-H.S.	607	773,131	568	91.3	88.0-94.6	39	8.7	5.4-12.0
College Graduate	795	643,942	766	95.9	94.1-97.7	29	4.1	2.3- 5.9
Less than \$15,000	231	273,491	205	80.7	69.5-91.9	26	19.3	8.1-30.5
\$15,000- 24,999	361	370,779	334	88.5	81.8-95.2	27	11.5	4.8-18.2
\$25,000- 34,999	211	234,965	198	94.0	88.9-99.1	13	6.0	0.9-11.1
\$35,000- 49,999	272	289,975	262	94.3	90.2-98.4	10	5.7	1.6- 9.8
\$50,000- 74,999	285	320,908	270	91.9	86.6-97.2	15	8.1	2.8-13.4
\$75,000+	545	615,304	528	96.1	93.7-98.5	17	3.9	1.5- 6.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2058	2,195,113	788	41.2	38.3-44.1	381	19.2	16.8-21.6	203	9.4	7.8-11.0	163	8.0	6.4- 9.6	523	22.2	19.8-24.6
White/Non-Hisp	1684	1,663,680	604	37.8	34.9-40.7	309	18.5	16.1-20.9	164	9.7	7.9-11.5	143	8.7	6.9-10.5	464	25.3	22.8-27.8
Black or Afr. Am./Non-Hisp	230	354,241	118	54.2	45.6-62.8	49	20.9	13.5-28.3	21	8.3	4.0-12.6	12	6.5	1.8-11.2	30	10.1	5.0-15.2
18-24	71	119,192	46	65.1	49.2-81.0	16	28.0	11.7-44.3	6	4.7	0.0- 9.6	1	0.9	0.0- 2.7	2	1.3	0.0- 3.1
25-34	258	402,428	156	57.8	50.2-65.4	53	19.8	13.5-26.1	28	11.5	6.8-16.2	13	8.4	3.7-13.1	8	2.5	0.5- 4.5
35-44	300	351,216	137	44.0	36.9-51.1	69	26.1	19.4-32.8	31	11.2	6.9-15.5	24	6.8	3.7- 9.9	39	11.8	7.5-16.1
45-54	361	382,927	150	43.1	36.2-50.0	81	22.5	16.6-28.4	36	7.8	4.5-11.1	30	10.1	5.8-14.4	64	16.5	11.0-22.0
55-64	415	402,939	155	40.0	33.7-46.3	76	16.8	12.5-21.1	42	10.0	6.5-13.5	30	6.3	3.0- 9.6	112	26.9	21.4-32.4
65+	653	536,411	144	21.1	17.0-25.2	86	11.8	8.7-14.9	60	8.4	5.7-11.1	65	9.7	6.8-12.6	298	49.0	43.7-54.3
Less Than H.S.	144	233,428	38	24.3	15.1-33.5	20	19.3	8.5-30.1	16	9.9	4.0-15.8	14	9.4	2.9-15.9	56	37.1	26.1-48.1
H.S. or G.E.D.	599	653,194	203	39.1	33.8-44.4	101	16.6	12.7-20.5	58	10.1	7.0-13.2	54	8.4	5.5-11.3	183	25.8	21.5-30.1
Some Post-H.S.	553	686,431	201	41.0	35.7-46.3	112	21.5	17.0-26.0	47	7.0	4.6- 9.4	49	9.5	6.4-12.6	144	20.9	17.0-24.8
College Graduate	738	598,125	339	50.2	45.5-54.9	148	20.2	16.3-24.1	80	11.4	8.3-14.5	43	4.7	2.9- 6.5	128	13.5	10.6-16.4
Less than \$15,000	190	203,778	52	30.1	21.1-39.1	32	25.6	15.0-36.2	25	11.7	5.8-17.6	18	9.0	3.1-14.9	63	23.6	16.2-31.0
\$15,000- 24,999	319	317,720	97	33.8	26.5-41.1	55	17.4	10.7-24.1	29	9.9	5.8-14.0	24	4.9	2.7- 7.1	114	33.9	26.5-41.3
\$25,000- 34,999	189	216,033	77	50.1	39.9-60.3	38	12.0	7.5-16.5	16	5.4	2.3- 8.5	15	7.8	2.7-12.9	43	24.7	15.7-33.7
\$35,000- 49,999	255	266,137	80	35.7	27.5-43.9	50	18.5	12.6-24.4	27	11.8	6.1-17.5	32	14.0	8.1-19.9	66	20.0	14.3-25.7
\$50,000- 74,999	266	292,031	122	46.0	38.2-53.8	42	14.4	9.1-19.7	22	8.5	4.2-12.8	16	9.5	3.6-15.4	64	21.6	15.3-27.9
\$75,000+	521	583,776	247	48.5	43.0-54.0	117	24.2	19.3-29.1	52	9.7	6.6-12.8	30	5.4	3.0- 7.8	75	12.3	9.0-15.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1693	1,899,420	736	45.3	42.0-48.6	957	54.7	51.4-58.0
White/Non-Hisp	1332	1,353,290	570	43.8	40.3-47.3	762	56.2	52.7-59.7
Black or Afr. Am./Non-Hisp	220	363,934	97	52.1	43.3-60.9	123	47.9	39.1-56.7
18-24	129	244,442	47	26.9	17.3-36.5	82	73.1	63.5-82.7
25-34	234	370,751	170	73.8	66.4-81.2	64	26.2	18.8-33.6
35-44	234	278,418	160	65.7	57.9-73.5	74	34.3	26.5-42.1
45-54	258	287,917	137	50.0	41.6-58.4	121	50.0	41.6-58.4
55-64	311	290,884	130	41.7	34.4-49.0	181	58.3	51.0-65.6
65+	527	427,008	92	16.9	12.2-21.6	435	83.1	78.4-87.8
Less Than H.S.	125	237,067	35	24.1	13.5-34.7	90	75.9	65.3-86.5
H.S. or G.E.D.	515	590,945	188	40.0	34.3-45.7	327	60.0	54.3-65.7
Some Post-H.S.	434	561,357	190	48.1	42.0-54.2	244	51.9	45.8-58.0
College Graduate	598	489,928	314	58.1	53.0-63.2	284	41.9	36.8-47.0
Less than \$15,000	179	221,927	70	38.0	27.0-49.0	109	62.0	51.0-73.0
\$15,000- 24,999	282	295,151	108	39.9	31.5-48.3	174	60.1	51.7-68.5
\$25,000- 34,999	150	160,067	75	55.4	44.0-66.8	75	44.6	33.2-56.0
\$35,000- 49,999	188	208,750	79	44.9	35.3-54.5	109	55.1	45.5-64.7
\$50,000- 74,999	210	240,782	113	56.3	47.1-65.5	97	43.7	34.5-52.9
\$75,000+	410	477,030	216	55.8	49.7-61.9	194	44.2	38.1-50.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	677	794,171	271	40.7	35.8-45.6	118	18.7	14.6-22.8	72	11.6	8.3-14.9	65	10.4	7.1-13.7	151	18.6	15.1-22.1
White/Non-Hisp	516	532,012	191	35.9	30.6-41.2	89	18.4	13.9-22.9	59	14.1	9.8-18.4	50	9.1	6.2-12.0	127	22.6	18.1-27.1
Black or Afr. Am./Non-Hisp	97	189,581	48	48.0	35.5-60.5	20	22.4	11.4-33.4	7	6.7	0.8-12.6	9	13.3	3.3-23.3	13	9.6	2.9-16.3
25-34	158	251,394	80	49.4	39.8-59.0	23	16.8	9.4-24.2	22	16.5	9.1-23.9	14	7.5	2.8-12.2	19	9.8	4.3-15.3
35-44	144	163,850	56	32.4	23.2-41.6	35	24.0	14.2-33.8	12	12.8	4.8-20.8	15	12.1	5.2-19.0	26	18.7	10.9-26.5
45-54	119	129,982	39	31.0	20.0-42.0	26	27.2	16.0-38.4	13	8.5	2.8-14.2	15	10.2	3.9-16.5	26	23.0	12.6-33.4
55-64	124	117,716	42	39.7	27.4-52.0	20	10.0	4.9-15.1	10	9.0	2.7-15.3	11	12.2	2.0-22.4	41	29.1	19.3-38.9
65+	85	65,572	23	22.8	10.3-35.3	5	7.9	0.0-16.3	11	7.4	2.1-12.7	10	24.3	6.3-42.3	36	37.6	23.1-52.1
H.S. or G.E.D.	173	222,533	64	42.8	33.2-52.4	29	15.0	8.1-21.9	15	7.7	2.6-12.8	22	12.7	6.4-19.0	43	21.8	14.7-28.9
Some Post-H.S.	172	239,472	63	37.3	28.3-46.3	34	26.1	16.7-35.5	20	12.5	6.0-19.0	16	6.9	3.0-10.8	39	17.2	10.7-23.7
College Graduate	290	263,598	130	43.6	36.2-51.0	54	19.5	13.8-25.2	34	14.9	9.2-20.6	21	7.0	3.3-10.7	51	15.0	9.7-20.3
Less than \$15,000	67	83,147	26	42.3	25.6-59.0	13	26.2	9.5-42.9	5	6.5	0.0-13.6	5	10.7	0.0-22.1	18	14.3	5.7-22.9
\$15,000- 24,999	105	115,086	34	35.4	23.2-47.6	17	11.4	5.3-17.5	8	9.1	1.1-17.1	8	8.9	0.0-19.1	38	35.1	23.7-46.5
\$25,000- 34,999	67	75,332	32	67.7	54.2-81.2	6	6.3	1.0-11.6	4	4.2	0.0- 9.1	6	3.9	0.2- 7.6	19	17.9	7.7-28.1
\$35,000- 49,999	74	87,697	26	35.9	20.8-51.0	17	24.6	11.3-37.9	12	17.8	4.7-30.9	6	8.2	0.8-15.6	13	13.5	5.5-21.5
\$50,000- 74,999	103	126,092	51	46.2	33.9-58.5	12	12.6	3.8-21.4	12	12.2	4.2-20.2	6	9.0	0.0-18.2	22	20.0	9.8-30.2
\$75,000+	198	246,575	75	33.9	25.9-41.9	45	25.3	17.1-33.5	27	16.0	9.3-22.7	21	11.1	5.6-16.6	30	13.7	7.8-19.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 15: BREAST/CERVICAL CANCER SCREENING  
 TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2266	2,473,455	718	27.5	25.1-29.9	1548	72.5	70.1-74.9
White/Non-Hisp	1831	1,849,407	601	29.7	27.0-32.4	1230	70.3	67.6-73.0
Black or Afr. Am./Non-Hisp	261	410,153	83	24.1	17.4-30.8	178	75.9	69.2-82.6
Oth. Race/Non-Hisp.	50	50,365	9	15.7	3.4-28.0	41	84.3	72.0-96.6
Hispanic	58	96,328	7	4.2	0.5- 7.9	51	95.8	92.1-99.5
18-24	139	262,137				139	100.0	100.0- 100
25-34	258	403,449	5	2.3	0.0- 4.7	253	97.7	95.3- 100
35-44	308	372,385	40	11.0	6.9-15.1	268	89.0	84.9-93.1
45-54	375	405,481	106	31.7	25.0-38.4	269	68.3	61.6-75.0
55-64	434	419,848	173	37.4	31.5-43.3	261	62.6	56.7-68.5
65+	752	610,155	394	56.4	51.7-61.1	358	43.6	38.9-48.3
Less Than H.S.	176	308,742	81	35.2	25.2-45.2	95	64.8	54.8-74.8
H.S. or G.E.D.	690	762,382	250	31.0	26.7-35.3	440	69.0	64.7-73.3
Some Post-H.S.	598	755,860	199	28.3	24.0-32.6	399	71.7	67.4-76.0
College Graduate	776	619,665	178	18.9	15.4-22.4	598	81.1	77.6-84.6
Less than \$15,000	224	263,509	92	28.8	21.0-36.6	132	71.2	63.4-79.0
\$15,000- 24,999	356	367,265	111	28.6	21.7-35.5	245	71.4	64.5-78.3
\$25,000- 34,999	200	212,441	76	28.7	20.5-36.9	124	71.3	63.1-79.5
\$35,000- 49,999	269	286,743	81	26.0	19.3-32.7	188	74.0	67.3-80.7
\$50,000- 74,999	278	311,751	87	28.1	21.0-35.2	191	71.9	64.8-79.0
\$75,000+	540	609,565	129	20.2	16.1-24.3	411	79.8	75.7-83.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 16: PROSTATE CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
1	222
2	223
3	224
4	225
5	226
6	227

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST?  
(PCPSAAD3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1301	1,377,023	611	44.8	41.3-48.3	690	55.2	51.7-58.7
White/Non-Hisp	1090	1,074,657	546	47.8	43.9-51.7	544	52.2	48.3-56.1
Black or Afr. Am./Non-Hisp	101	173,108	35	36.8	24.5-49.1	66	63.2	50.9-75.5
35-44	128	185,909	17	16.9	6.7-27.1	111	83.1	72.9-93.3
45-54	310	357,285	102	34.4	27.5-41.3	208	65.6	58.7-72.5
55-64	348	384,119	181	52.8	45.9-59.7	167	47.2	40.3-54.1
65+	515	449,710	311	57.8	52.1-63.5	204	42.2	36.5-47.9
Less Than H.S.	120	191,276	27	27.7	17.3-38.1	93	72.3	61.9-82.7
H.S. or G.E.D.	378	426,802	149	37.4	30.9-43.9	229	62.6	56.1-69.1
Some Post-H.S.	315	372,804	149	46.9	39.6-54.2	166	53.1	45.8-60.4
College Graduate	469	357,061	273	58.2	52.5-63.9	196	41.8	36.1-47.5
Less than \$15,000	103	114,330	26	31.4	20.2-42.6	77	68.6	57.4-79.8
\$15,000- 24,999	178	202,183	60	26.5	18.7-34.3	118	73.5	65.7-81.3
\$25,000- 34,999	100	90,412	46	40.1	27.2-53.0	54	59.9	47.0-72.8
\$35,000- 49,999	144	164,573	72	48.8	37.8-59.8	72	51.2	40.2-62.2
\$50,000- 74,999	171	191,083	90	52.5	41.7-63.3	81	47.5	36.7-58.3
\$75,000+	406	419,248	220	51.7	45.4-58.0	186	48.3	42.0-54.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1289	1,362,782	234	18.8	16.1-21.5	1055	81.2	78.5-83.9
White/Non-Hisp	1086	1,074,742	200	18.1	15.4-20.8	886	81.9	79.2-84.6
Black or Afr. Am./Non-Hisp	98	166,195	21	24.8	13.0-36.6	77	75.2	63.4-87.0
35-44	127	182,311	14	14.5	4.5-24.5	113	85.5	75.5-95.5
45-54	311	356,345	52	16.9	11.8-22.0	259	83.1	78.0-88.2
55-64	346	383,175	68	19.6	14.3-24.9	278	80.4	75.1-85.7
65+	505	440,951	100	21.3	16.6-26.0	405	78.7	74.0-83.4
Less Than H.S.	120	189,960	9	6.9	1.0-12.8	111	93.1	87.2-99.0
H.S. or G.E.D.	377	424,727	56	16.3	11.0-21.6	321	83.7	78.4-89.0
Some Post-H.S.	310	368,010	49	17.6	12.1-23.1	261	82.4	76.9-87.9
College Graduate	463	351,007	113	28.2	22.7-33.7	350	71.8	66.3-77.3
Less than \$15,000	103	106,531	9	8.1	2.4-13.8	94	91.9	86.2-97.6
\$15,000- 24,999	176	203,965	21	8.7	3.6-13.8	155	91.3	86.2-96.4
\$25,000- 34,999	98	91,240	11	12.1	3.1-21.1	87	87.9	78.9-96.9
\$35,000- 49,999	144	162,830	26	21.0	12.0-30.0	118	79.0	70.0-88.0
\$50,000- 74,999	169	190,435	35	25.0	14.6-35.4	134	75.0	64.6-85.4
\$75,000+	404	417,813	89	21.3	16.4-26.2	315	78.7	73.8-83.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A P.S.A. TEST? (PCPSARE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1287	1,374,306	560	40.1	36.6-43.6	727	59.9	56.4-63.4
White/Non-Hisp	1083	1,073,573	499	43.2	39.3-47.1	584	56.8	52.9-60.7
Black or Afr. Am./Non-Hisp	98	173,848	33	31.7	19.9-43.5	65	68.3	56.5-80.1
35-44	129	191,215	13	7.2	2.5-11.9	116	92.8	88.1-97.5
45-54	305	352,421	90	32.2	25.1-39.3	215	67.8	60.7-74.9
55-64	338	375,100	166	49.7	42.8-56.6	172	50.3	43.4-57.2
65+	515	455,570	291	52.2	46.5-57.9	224	47.8	42.1-53.5
Less Than H.S.	122	201,631	26	22.1	13.1-31.1	96	77.9	68.9-86.9
H.S. or G.E.D.	371	421,679	127	33.2	26.9-39.5	244	66.8	60.5-73.1
Some Post-H.S.	311	370,270	134	44.0	36.7-51.3	177	56.0	48.7-63.3
College Graduate	464	351,647	261	52.1	46.2-58.0	203	47.9	42.0-53.8
Less than \$15,000	106	117,020	26	29.5	18.5-40.5	80	70.5	59.5-81.5
\$15,000- 24,999	173	202,846	48	19.7	13.2-26.2	125	80.3	73.8-86.8
\$25,000- 34,999	97	88,540	43	37.7	24.8-50.6	54	62.3	49.4-75.2
\$35,000- 49,999	140	160,360	65	46.6	35.6-57.6	75	53.4	42.4-64.4
\$50,000- 74,999	170	190,796	84	46.6	35.8-57.4	86	53.4	42.6-64.2
\$75,000+	408	423,070	203	46.8	40.5-53.1	205	53.2	46.9-59.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 4: HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	551	540,165	511	91.4	87.9-94.9	40	8.6	5.1-12.1
White/Non-Hisp	492	459,372	460	93.8	91.3-96.3	32	6.2	3.7- 8.7
45-54	88	111,836	72	83.1	72.1-94.1	16	16.9	5.9-27.9
55-64	164	182,899	158	95.3	90.6- 100	6	4.7	0.0- 9.4
65+	286	231,699	272	93.8	89.9-97.7	14	6.2	2.3-10.1
H.S. or G.E.D.	126	136,395	114	86.2	77.0-95.4	12	13.8	4.6-23.0
Some Post-H.S.	128	156,288	115	90.3	83.2-97.4	13	9.7	2.6-16.8
College Graduate	259	182,610	248	95.7	92.8-98.6	11	4.3	1.4- 7.2
\$35,000- 49,999	65	74,682	56	87.1	76.5-97.7	9	12.9	2.3-23.5
\$50,000- 74,999	82	87,384	76	80.5	65.2-95.8	6	19.5	4.2-34.8
\$75,000+	202	196,978	192	96.2	93.7-98.7	10	3.8	1.3- 6.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST P.S.A. TEST? (PSATIME)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.  
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	592	575,799	370	60.4	55.3-65.5	95	15.7	12.2-19.2	42	9.1	5.6-12.6	37	7.6	4.9-10.3	48	7.2	4.3-10.1
White/Non-Hisp	530	497,507	334	60.5	55.0-66.0	82	15.4	11.5-19.3	38	9.8	5.9-13.7	31	7.1	4.4- 9.8	45	7.1	4.0-10.2
45-54	82	101,557	48	53.3	39.8-66.8	18	20.8	12.0-29.6	5	8.3	0.0-17.5	5	9.3	0.3-18.3	6	8.2	0.2-16.2
55-64	183	201,764	113	58.9	49.9-67.9	30	15.5	8.8-22.2	18	13.6	6.5-20.7	10	7.2	2.9-11.5	12	4.9	1.8- 8.0
65+	313	254,968	201	64.1	56.8-71.4	46	13.9	9.2-18.6	18	6.3	2.4-10.2	19	6.9	3.2-10.6	29	8.8	3.9-13.7
H.S. or G.E.D.	145	146,040	85	60.1	49.9-70.3	25	14.2	7.7-20.7	12	7.1	2.4-11.8	9	10.3	2.5-18.1	14	8.1	3.0-13.2
Some Post-H.S.	136	158,711	77	56.8	46.4-67.2	23	18.3	10.3-26.3	13	11.8	4.5-19.1	7	3.9	0.8- 7.0	16	9.2	3.3-15.1
College Graduate	269	198,819	187	70.2	63.3-77.1	40	16.7	10.8-22.6	10	3.7	1.0- 6.4	19	6.1	2.8- 9.4	13	3.2	1.2- 5.2
\$15,000- 24,999	61	59,546	29	41.3	26.6-56.0	10	14.7	3.5-25.9	11	29.6	13.9-45.3	5	7.6	0.0-15.6	6	6.8	0.7-12.9
\$35,000- 49,999	65	77,453	41	56.5	39.8-73.2	13	16.4	8.8-24.0	5	10.2	0.0-22.5	2	7.6	0.0-18.6	4	9.3	0.0-22.6
\$50,000- 74,999	83	72,008	54	60.0	45.9-74.1	12	15.9	5.9-25.9	2	1.6	0.0- 4.1	7	12.9	1.7-24.1	8	9.6	2.2-17.0
\$75,000+	213	211,845	150	70.5	62.5-78.5	31	14.6	8.5-20.7	10	6.4	1.1-11.7	12	4.0	0.9- 7.1	10	4.6	0.7- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST – WAS IT ...? (PCPSARS1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.  
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	607	594,228	434	71.1	66.6-75.6	46	7.7	5.3-10.1	48	8.4	5.5-11.3	30	5.0	2.8- 7.2	49	7.7	5.2-10.2
White/Non-Hisp	544	513,069	390	71.2	66.3-76.1	41	8.2	5.5-10.9	40	8.2	5.1-11.3	27	5.0	2.8- 7.2	46	7.4	4.7-10.1
45-54	84	106,536	65	76.5	65.5-87.5	6	5.8	0.0-12.3	8	11.3	1.9-20.7	1	0.6	0.0- 1.8	4	5.9	3.5- 8.3
55-64	183	201,488	132	73.5	66.4-80.6	18	11.8	7.1-16.5	16	6.7	2.6-10.8	4	2.1	1.1- 3.1	13	5.9	2.0- 9.8
65+	325	267,895	227	66.4	59.3-73.5	22	6.0	2.7- 9.3	20	8.1	3.8-12.4	25	9.3	4.8-13.8	31	10.1	5.6-14.6
H.S. or G.E.D.	150	150,304	93	64.1	54.3-73.9	20	11.1	5.2-17.0	10	9.5	2.2-16.8	8	5.0	0.5- 9.5	19	10.3	4.8-15.8
Some Post-H.S.	138	161,890	98	70.5	61.5-79.5	9	7.3	1.4-13.2	12	6.7	1.6-11.8	9	7.6	2.5-12.7	10	7.9	3.8-12.0
College Graduate	278	207,875	212	76.2	69.9-82.5	15	5.0	1.9- 8.1	23	10.0	5.7-14.3	10	2.9	0.7- 5.1	18	6.0	2.3- 9.7
\$15,000- 24,999	63	61,067	36	59.5	44.6-74.4	9	9.7	2.3-17.1	3	2.1	0.0- 4.8	6	13.7	3.7-23.7	9	15.1	2.8-27.4
\$35,000- 49,999	66	77,597	44	67.9	54.0-81.8	4	2.7	0.0- 5.4	5	7.5	0.0-17.1	6	6.5	0.8-12.2	7	15.4	6.4-24.4
\$50,000- 74,999	89	81,562	63	73.0	60.7-85.3	7	7.8	0.9-14.7	10	12.5	1.9-23.1	3	2.3	0.0- 5.0	6	4.5	0.0- 9.2
\$75,000+	215	213,146	166	74.9	67.5-82.3	11	5.8	1.3-10.3	20	10.7	5.6-15.8	8	4.1	0.4- 7.8	10	4.5	1.0- 8.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 17: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)	
1 MALES AND FEMALES	230
2 MALES ONLY	231
3 FEMALES ONLY	232
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)	
4 MALES AND FEMALES	233
5 MALES ONLY	234
6 FEMALES ONLY	235
A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)	
7 MALES AND FEMALES	236
8 MALES ONLY	237
9 FEMALES ONLY	238
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)	
10 MALES AND FEMALES	239
11 MALES ONLY	240
12 FEMALES ONLY	241
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)	
13 MALES AND FEMALES	242
14 MALES ONLY	243
15 FEMALES ONLY	244
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)	
16 MALES AND FEMALES	245
17 MALES ONLY	246
18 FEMALES ONLY	247
ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)	
19 MALES AND FEMALES	248
20 MALES ONLY	249
21 FEMALES ONLY	250
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
22	MALES AND FEMALES	251
23	MALES ONLY	252
24	FEMALES ONLY	253
	FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)	
25	MALES AND FEMALES	254
26	MALES ONLY	255
27	FEMALES ONLY	256
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)	
28	MALES AND FEMALES	257
29	MALES ONLY	258
30	FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2437	2,308,841	1850	74.1	71.6-76.6	587	25.9	23.4-28.4
Male	1053	1,055,369	776	72.6	68.9-76.3	277	27.4	23.7-31.1
Female	1384	1,253,472	1074	75.3	72.0-78.6	310	24.7	21.4-28.0
White/Non-Hisp	2076	1,885,659	1586	75.2	72.7-77.7	490	24.8	22.3-27.3
Black or Afr. Am./Non-Hisp	210	275,604	164	74.3	65.3-83.3	46	25.7	16.7-34.7
45-54	375	438,674	177	48.8	41.9-55.7	198	51.2	44.3-58.1
55-64	783	798,384	602	75.8	71.5-80.1	181	24.2	19.9-28.5
65+	1279	1,071,783	1071	83.2	80.5-85.9	208	16.8	14.1-19.5
Less Than H.S.	232	345,096	156	66.7	58.3-75.1	76	33.3	24.9-41.7
H.S. or G.E.D.	755	738,158	567	73.7	69.4-78.0	188	26.3	22.0-30.6
Some Post-H.S.	636	676,400	465	72.8	68.3-77.3	171	27.2	22.7-31.7
College Graduate	784	522,855	641	81.9	78.4-85.4	143	18.1	14.6-21.6
Less than \$15,000	234	221,319	160	69.5	61.5-77.5	74	30.5	22.5-38.5
\$15,000- 24,999	376	354,976	263	70.4	64.1-76.7	113	29.6	23.3-35.9
\$25,000- 34,999	220	207,115	163	65.6	55.6-75.6	57	34.4	24.4-44.4
\$35,000- 49,999	289	275,941	231	81.8	76.1-87.5	58	18.2	12.5-23.9
\$50,000- 74,999	285	286,671	226	73.6	65.8-81.4	59	26.4	18.6-34.2
\$75,000+	572	556,302	445	74.5	69.6-79.4	127	25.5	20.6-30.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 2: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1053	1,055,369	776	72.6	69.1-76.1	277	27.4	23.9-30.9
White/Non-Hisp	903	856,190	674	75.0	71.5-78.5	229	25.0	21.5-28.5
Black or Afr. Am./Non-Hisp	76	125,581	55	66.4	51.5-81.3	21	33.6	18.7-48.5
45-54	174	212,390	80	45.9	36.3-55.5	94	54.1	44.5-63.7
55-64	347	376,669	264	77.9	72.0-83.8	83	22.1	16.2-28.0
65+	532	466,311	432	80.5	76.2-84.8	100	19.5	15.2-23.8
Less Than H.S.	105	160,066	64	68.6	57.8-79.4	41	31.4	20.6-42.2
H.S. or G.E.D.	314	340,635	218	68.1	61.2-75.0	96	31.9	25.0-38.8
Some Post-H.S.	257	279,600	177	69.6	62.5-76.7	80	30.4	23.3-37.5
College Graduate	363	259,090	306	84.5	80.0-89.0	57	15.5	11.0-20.0
Less than \$15,000	90	96,105	51	60.9	47.8-74.0	39	39.1	26.0-52.2
\$15,000- 24,999	150	151,932	102	70.8	62.0-79.6	48	29.2	20.4-38.0
\$25,000- 34,999	92	84,802	65	68.7	54.2-83.2	27	31.3	16.8-45.8
\$35,000- 49,999	121	130,642	95	80.3	72.9-87.7	26	19.7	12.3-27.1
\$50,000- 74,999	134	141,910	108	74.5	62.9-86.1	26	25.5	13.9-37.1
\$75,000+	295	295,989	230	73.6	66.7-80.5	65	26.4	19.5-33.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1384	1,253,472	1074	75.3	72.0-78.6	310	24.7	21.4-28.0
White/Non-Hisp	1173	1,029,468	912	75.3	72.0-78.6	261	24.7	21.4-28.0
Black or Afr. Am./Non-Hisp	134	150,023	109	80.9	70.3-91.5	25	19.1	8.5-29.7
45-54	201	226,284	97	51.6	42.0-61.2	104	48.4	38.8-58.0
55-64	436	421,715	338	73.9	68.0-79.8	98	26.1	20.2-32.0
65+	747	605,473	639	85.2	81.5-88.9	108	14.8	11.1-18.5
Less Than H.S.	127	185,030	92	65.0	52.8-77.2	35	35.0	22.8-47.2
H.S. or G.E.D.	441	397,523	349	78.5	73.2-83.8	92	21.5	16.2-26.8
Some Post-H.S.	379	396,800	288	75.1	69.6-80.6	91	24.9	19.4-30.4
College Graduate	421	263,765	335	79.4	74.1-84.7	86	20.6	15.3-25.9
Less than \$15,000	144	125,214	109	76.2	67.0-85.4	35	23.8	14.6-33.0
\$15,000- 24,999	226	203,044	161	70.1	61.3-78.9	65	29.9	21.1-38.7
\$25,000- 34,999	128	122,313	98	63.5	49.8-77.2	30	36.5	22.8-50.2
\$35,000- 49,999	168	145,299	136	83.2	76.5-89.9	32	16.8	10.1-23.5
\$50,000- 74,999	151	144,760	118	72.8	62.2-83.4	33	27.2	16.6-37.8
\$75,000+	277	260,313	215	75.5	68.4-82.6	62	24.5	17.4-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1821	1,688,679	345	20.1	17.6-22.6	280	15.4	13.2-17.6	644	36.0	33.1-38.9	356	19.7	17.3-22.1	196	8.8	7.2-10.4
Male	768	761,048	153	23.2	19.1-27.3	118	14.9	11.6-18.2	268	34.9	30.6-39.2	142	18.6	15.1-22.1	87	8.4	6.2-10.6
Female	1053	927,631	192	17.6	14.7-20.5	162	15.8	12.9-18.7	376	37.0	33.3-40.7	214	20.6	17.3-23.9	109	9.0	6.8-11.2
White/Non-Hisp	1561	1,399,319	274	18.9	16.4-21.4	247	15.9	13.5-18.3	561	36.4	33.5-39.3	309	19.6	17.1-22.1	170	9.2	7.4-11.0
Black or Afr. Am./Non-Hisp	162	201,979	45	28.2	18.8-37.6	22	14.5	7.2-21.8	56	32.8	23.4-42.2	30	22.1	12.7-31.5	9	2.4	0.2- 4.6
45-54	175	210,746	49	28.7	19.7-37.7	22	15.1	7.8-22.4	58	31.2	22.4-40.0	22	14.0	7.1-20.9	24	11.0	4.9-17.1
55-64	596	601,569	110	19.0	15.1-22.9	118	19.4	15.3-23.5	200	33.0	28.3-37.7	119	22.1	17.8-26.4	49	6.6	4.4- 8.8
65+	1050	876,364	186	18.8	15.7-21.9	140	12.8	10.3-15.3	386	39.3	35.4-43.2	215	19.4	16.1-22.7	123	9.7	7.5-11.9
Less Than H.S.	153	226,144	31	19.8	12.2-27.4	32	16.3	9.4-23.2	53	36.8	26.8-46.8	22	19.8	11.4-28.2	15	7.3	2.8-11.8
H.S. or G.E.D.	556	535,050	98	20.5	16.0-25.0	72	14.5	10.6-18.4	211	38.2	33.1-43.3	119	19.9	15.6-24.2	56	6.8	4.6- 9.0
Some Post-H.S.	460	489,493	90	19.2	14.7-23.7	67	16.8	12.3-21.3	169	35.2	29.7-40.7	80	18.3	13.8-22.8	54	10.5	7.0-14.0
College Graduate	632	422,957	122	20.6	16.5-24.7	104	14.3	11.2-17.4	207	34.7	30.0-39.4	131	20.6	16.5-24.7	68	9.8	6.9-12.7
Less than \$15,000	158	152,459	29	18.5	10.9-26.1	30	18.1	10.7-25.5	55	37.6	27.4-47.8	24	19.3	12.0-26.6	20	6.5	3.0-10.0
\$15,000- 24,999	261	248,747	42	18.7	11.8-25.6	40	15.6	9.3-21.9	94	37.3	29.3-45.3	45	16.6	9.7-23.5	40	11.8	7.1-16.5
\$25,000- 34,999	162	135,362	29	14.6	8.3-20.9	23	14.7	7.6-21.8	58	41.7	31.7-51.7	33	19.1	11.5-26.7	19	9.9	5.0-14.8
\$35,000- 49,999	226	221,281	48	22.1	14.7-29.5	28	14.3	7.6-21.0	78	34.4	26.2-42.6	51	19.4	12.5-26.3	21	9.7	4.6-14.8
\$50,000- 74,999	223	208,331	47	23.9	16.1-31.7	38	11.5	7.0-16.0	76	31.9	24.1-39.7	43	23.3	15.1-31.5	19	9.4	4.1-14.7
\$75,000+	442	413,019	74	17.6	12.9-22.3	70	16.3	12.0-20.6	158	36.6	30.9-42.3	97	20.9	16.0-25.8	43	8.5	5.4-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	768	761,048	153	23.2	19.1-27.3	118	14.9	11.6-18.2	268	34.9	30.6-39.2	142	18.6	15.1-22.1	87	8.4	6.2-10.6
White/Non-Hisp	668	639,400	127	22.6	18.3-26.9	105	15.4	11.7-19.1	235	34.9	30.4-39.4	123	18.0	14.3-21.7	78	9.0	6.5-11.5
Black or Afr. Am./Non-Hisp	54	81,317	11	27.1	10.8-43.4	8	13.7	3.1-24.3	21	34.4	18.9-49.9	12	23.1	8.4-37.8	2	1.7	0.0- 4.1
45-54	79	96,809	28	42.6	28.3-56.9	9	13.0	3.4-22.6	23	24.2	13.0-35.4	5	5.3	0.2-10.4	14	14.9	4.5-25.3
55-64	264	293,347	47	20.0	13.7-26.3	56	20.4	14.1-26.7	87	30.9	23.6-38.2	55	23.4	16.9-29.9	19	5.3	2.6- 8.0
65+	425	370,892	78	20.6	15.3-25.9	53	11.1	7.4-14.8	158	40.8	34.7-46.9	82	18.2	13.3-23.1	54	9.2	6.5-11.9
Less Than H.S.	64	109,868	13	21.7	9.5-33.9	14	16.4	5.8-27.0	20	32.0	17.5-46.5	8	20.7	8.7-32.7	9	9.2	1.6-16.8
H.S. or G.E.D.	216	230,875	45	26.6	18.8-34.4	27	13.6	7.7-19.5	79	37.9	29.9-45.9	40	13.8	8.5-19.1	25	8.0	4.1-11.9
Some Post-H.S.	176	193,900	36	22.1	13.5-30.7	25	17.4	9.8-25.0	67	35.7	26.7-44.7	32	19.9	11.7-28.1	16	4.9	2.2- 7.6
College Graduate	301	215,525	56	20.7	14.6-26.8	49	13.2	8.9-17.5	101	33.9	27.2-40.6	60	21.0	14.9-27.1	35	11.2	6.9-15.5
Less than \$15,000	50	57,798	6	12.8	1.8-23.8	10	17.1	5.9-28.3	19	40.7	23.3-58.1	8	23.2	12.8-33.6	7	6.2	0.3-12.1
\$15,000- 24,999	100	106,379	16	22.4	10.6-34.2	14	13.1	4.9-21.3	38	39.5	27.0-52.0	14	12.0	3.6-20.4	18	13.1	5.1-21.1
\$25,000- 34,999	65	58,218	15	22.1	9.6-34.6	8	11.6	0.2-23.0	24	38.3	22.8-53.8	11	16.7	4.9-28.5	7	11.3	2.7-19.9
\$35,000- 49,999	95	104,965	19	20.9	9.7-32.1	11	12.2	2.2-22.2	32	32.6	20.8-44.4	24	24.3	12.1-36.5	9	9.9	2.3-17.5
\$50,000- 74,999	107	103,662	28	31.2	18.7-43.7	15	8.1	3.8-12.4	35	29.2	18.2-40.2	22	25.8	13.8-37.8	7	5.8	0.5-11.1
\$75,000+	228	217,020	39	21.0	13.6-28.4	43	19.6	12.7-26.5	80	36.5	28.5-44.5	42	15.6	9.5-21.7	24	7.3	4.0-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1053	927,631	192	17.6	14.7-20.5	162	15.8	12.9-18.7	376	37.0	33.3-40.7	214	20.6	17.3-23.9	109	9.0	6.8-11.2
White/Non-Hisp	893	759,919	147	15.7	12.8-18.6	142	16.3	13.2-19.4	326	37.7	33.6-41.8	186	21.0	17.5-24.5	92	9.3	6.8-11.8
Black or Afr. Am./Non-Hisp	108	120,662	34	28.9	17.3-40.5	14	15.1	5.3-24.9	35	31.8	20.0-43.6	18	21.4	9.1-33.7	7	2.9	0.0- 6.2
45-54	96	113,938	21	16.9	7.3-26.5	13	16.8	6.4-27.2	35	37.1	24.4-49.8	17	21.5	10.1-32.9	10	7.6	0.9-14.3
55-64	332	308,221	63	18.1	13.2-23.0	62	18.5	13.0-24.0	113	34.9	28.4-41.4	64	20.8	15.1-26.5	30	7.7	4.4-11.0
65+	625	505,472	108	17.4	13.5-21.3	87	14.0	10.5-17.5	228	38.2	33.1-43.3	133	20.3	16.0-24.6	69	10.1	7.0-13.2
Less Than H.S.	89	116,276	18	18.0	8.6-27.4	18	16.2	7.4-25.0	33	41.3	27.4-55.2	14	19.0	7.0-31.0	6	5.5	0.6-10.4
H.S. or G.E.D.	340	304,175	53	15.9	10.6-21.2	45	15.2	9.9-20.5	132	38.4	31.7-45.1	79	24.5	18.4-30.6	31	5.9	3.4- 8.4
Some Post-H.S.	284	295,593	54	17.3	12.4-22.2	42	16.4	10.7-22.1	102	34.9	28.2-41.6	48	17.3	11.8-22.8	38	14.1	8.8-19.4
College Graduate	331	207,432	66	20.5	14.8-26.2	55	15.4	10.9-19.9	106	35.5	28.6-42.4	71	20.3	14.4-26.2	33	8.4	4.9-11.9
Less than \$15,000	108	94,661	23	22.1	11.9-32.3	20	18.7	9.1-28.3	36	35.7	23.5-47.9	16	16.9	6.9-26.9	13	6.6	2.3-10.9
\$15,000- 24,999	161	142,368	26	16.0	8.4-23.6	26	17.5	8.5-26.5	56	35.7	25.1-46.3	31	20.0	10.0-30.0	22	10.8	4.9-16.7
\$25,000- 34,999	97	77,144	14	8.9	3.6-14.2	15	17.1	8.3-25.9	34	44.3	31.6-57.0	22	21.0	11.0-31.0	12	8.8	3.3-14.3
\$35,000- 49,999	131	116,316	29	23.1	13.1-33.1	17	16.2	7.6-24.8	46	36.1	25.1-47.1	27	15.0	8.1-21.9	12	9.6	2.9-16.3
\$50,000- 74,999	116	104,668	19	16.8	8.2-25.4	23	14.9	7.3-22.5	41	34.6	23.6-45.6	21	20.8	9.4-32.2	12	13.0	3.8-22.2
\$75,000+	214	195,999	35	13.9	8.8-19.0	27	12.7	7.4-18.0	78	36.7	28.7-44.7	55	26.8	19.4-34.2	19	9.9	4.4-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2273	2,181,312	256	11.6	9.8-13.4	2017	88.4	86.6-90.2
Male	974	995,611	109	12.0	9.3-14.7	865	88.0	85.3-90.7
Female	1299	1,185,701	147	11.2	8.8-13.6	1152	88.8	86.4-91.2
White/Non-Hisp	1935	1,775,971	222	11.9	9.9-13.9	1713	88.1	86.1-90.1
Black or Afr. Am./Non-Hisp	197	267,458	23	11.9	5.8-18.0	174	88.1	82.0-94.2
45-54	366	430,797	18	6.8	2.9-10.7	348	93.2	89.3-97.1
55-64	731	761,193	73	11.4	8.3-14.5	658	88.6	85.5-91.7
65+	1176	989,322	165	13.8	11.3-16.3	1011	86.2	83.7-88.7
Less Than H.S.	214	330,590	14	5.5	2.0- 9.0	200	94.5	91.0-98.0
H.S. or G.E.D.	690	693,265	81	12.3	9.0-15.6	609	87.7	84.4-91.0
Some Post-H.S.	595	634,902	72	13.8	9.9-17.7	523	86.2	82.3-90.1
College Graduate	746	497,867	87	12.0	9.1-14.9	659	88.0	85.1-90.9
Less than \$15,000	213	205,592	16	6.9	3.0-10.8	197	93.1	89.2-97.0
\$15,000- 24,999	350	339,005	34	11.0	6.9-15.1	316	89.0	84.9-93.1
\$25,000- 34,999	204	192,169	27	14.6	7.3-21.9	177	85.4	78.1-92.7
\$35,000- 49,999	276	269,230	33	13.5	7.8-19.2	243	86.5	80.8-92.2
\$50,000- 74,999	275	273,751	40	17.9	11.0-24.8	235	82.1	75.2-89.0
\$75,000+	540	530,033	49	8.1	5.4-10.8	491	91.9	89.2-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	974	995,611	109	12.0	9.3-14.7	865	88.0	85.3-90.7
White/Non-Hisp	836	802,379	91	11.5	8.8-14.2	745	88.5	85.8-91.2
Black or Afr. Am./Non-Hisp	67	121,511	11	17.0	5.8-28.2	56	83.0	71.8-94.2
45-54	166	205,136	13	10.1	3.4-16.8	153	89.9	83.2-96.6
55-64	322	361,477	37	12.3	7.6-17.0	285	87.7	83.0-92.4
65+	486	428,998	59	12.8	8.9-16.7	427	87.2	83.3-91.1
Less Than H.S.	94	150,079	8	8.6	1.7-15.5	86	91.4	84.5-98.3
H.S. or G.E.D.	285	317,965	29	10.3	6.0-14.6	256	89.7	85.4-94.0
Some Post-H.S.	239	263,595	26	13.7	7.2-20.2	213	86.3	79.8-92.8
College Graduate	344	249,641	45	14.6	9.7-19.5	299	85.4	80.5-90.3
Less than \$15,000	83	91,104	10	10.8	3.7-17.9	73	89.2	82.1-96.3
\$15,000- 24,999	136	144,288	16	13.6	6.5-20.7	120	86.4	79.3-93.5
\$25,000- 34,999	86	80,260	9	12.4	2.4-22.4	77	87.6	77.6-97.6
\$35,000- 49,999	116	128,406	11	11.0	3.6-18.4	105	89.0	81.6-96.4
\$50,000- 74,999	126	130,923	21	21.0	10.2-31.8	105	79.0	68.2-89.8
\$75,000+	278	284,508	25	8.2	4.1-12.3	253	91.8	87.7-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1299	1,185,701	147	11.2	8.8-13.6	1152	88.8	86.4-91.2
White/Non-Hisp	1099	973,591	131	12.3	9.6-15.0	968	87.7	85.0-90.4
Black or Afr. Am./Non-Hisp	130	145,946	12	7.6	2.1-13.1	118	92.4	86.9-97.9
45-54	200	225,662	5	3.8	0.0- 7.9	195	96.2	92.1- 100
55-64	409	399,716	36	10.6	6.5-14.7	373	89.4	85.3-93.5
65+	690	560,324	106	14.6	11.1-18.1	584	85.4	81.9-88.9
Less Than H.S.	120	180,511	6	2.9	0.0- 5.8	114	97.1	94.2- 100
H.S. or G.E.D.	405	375,300	52	14.0	9.1-18.9	353	86.0	81.1-90.9
Some Post-H.S.	356	371,308	46	13.9	9.2-18.6	310	86.1	81.4-90.8
College Graduate	402	248,227	42	9.3	5.8-12.8	360	90.7	87.2-94.2
Less than \$15,000	130	114,488	6	3.9	0.0- 8.0	124	96.1	92.0- 100
\$15,000- 24,999	214	194,717	18	9.1	4.0-14.2	196	90.9	85.8-96.0
\$25,000- 34,999	118	111,910	18	16.2	6.2-26.2	100	83.8	73.8-93.8
\$35,000- 49,999	160	140,824	22	15.7	7.5-23.9	138	84.3	76.1-92.5
\$50,000- 74,999	149	142,828	19	15.1	6.7-23.5	130	84.9	76.5-93.3
\$75,000+	262	245,525	24	8.1	4.4-11.8	238	91.9	88.2-95.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	230	231,749	29	13.7	7.6-19.8	12	7.4	2.7-12.1	34	10.6	6.3-14.9	38	20.1	13.4-26.8	117	48.2	40.2-56.2
Male	103	113,829	16	17.9	7.7-28.1	5	8.1	0.5-15.7	15	13.6	6.2-21.0	16	18.6	7.4-29.8	51	41.8	29.1-54.5
Female	127	117,919	13	9.6	2.9-16.3	7	6.7	1.2-12.2	19	7.8	3.5-12.1	22	21.5	13.9-29.1	66	54.4	44.6-64.2
White/Non-Hisp	198	193,726	21	10.8	5.3-16.3	9	5.4	1.3-9.5	29	11.6	6.7-16.5	31	18.1	12.2-24.0	108	54.0	45.6-62.4
55-64	70	84,469	11	18.5	7.5-29.5	7	11.9	2.3-21.5	12	13.8	6.0-21.6	11	20.3	6.8-33.8	29	35.6	23.6-47.6
65+	142	118,073	16	7.9	3.2-12.6	4	4.5	0.0-9.6	20	9.8	4.1-15.5	24	17.4	10.1-24.7	78	60.5	50.7-70.3
H.S. or G.E.D.	71	74,962	7	9.1	2.0-16.2	1	0.6	0.0- 1.8	13	13.2	4.4-22.0	14	24.3	14.9-33.7	36	52.8	40.5-65.1
Some Post-H.S.	66	82,211	10	15.7	3.7-27.7	5	11.8	1.0-22.6	6	6.1	1.0-11.2	14	21.3	7.0-35.6	31	45.1	30.6-59.6
College Graduate	79	56,314	12	21.4	9.2-33.6	4	8.5	0.0-17.3	10	10.5	3.1-17.9	7	10.0	1.0-19.0	46	49.6	36.1-63.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	103	113,829	16	17.9	7.7-28.1	5	8.1	0.3-15.9	15	13.6	6.2-21.0	16	18.6	7.4-29.8	51	41.8	28.9-54.7
White/Non-Hisp	86	87,939	10	13.7	4.7-22.7	3	5.5	0.0-12.6	13	15.6	6.4-24.8	12	14.6	4.8-24.4	48	50.6	36.3-64.9
65+	54	49,990	6	8.7	0.7-16.7	1	5.4	0.0-15.6	6	12.6	1.0-24.2	9	14.9	2.9-26.9	32	58.4	41.3-75.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	127	117,919	13	9.6	2.7-16.5	7	6.7	1.2-12.2	19	7.8	3.5-12.1	22	21.5	13.9-29.1	66	54.4	44.8-64.0
White/Non-Hisp	112	105,787	11	8.4	1.3-15.5	6	5.4	0.7-10.1	16	8.3	3.6-13.0	19	21.1	13.5-28.7	60	56.9	46.7-67.1
65+	88	68,083	10	7.2	1.5-12.9	3	3.8	0.0- 8.3	14	7.7	2.8-12.6	15	19.3	10.3-28.3	46	62.0	50.8-73.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 13: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	253	251,560	106	38.9	31.6-46.2	147	61.1	53.8-68.4
Male	108	119,804	45	35.7	24.5-46.9	63	64.3	53.1-75.5
Female	145	131,756	61	41.7	32.3-51.1	84	58.3	48.9-67.7
White/Non-Hisp	220	211,139	87	37.3	29.7-44.9	133	62.7	55.1-70.3
55-64	73	86,785	25	30.7	18.5-42.9	48	69.3	57.1-81.5
65+	162	135,568	74	43.5	34.1-52.9	88	56.5	47.1-65.9
H.S. or G.E.D.	81	85,104	31	43.9	31.6-56.2	50	56.1	43.8-68.4
Some Post-H.S.	71	87,089	32	36.6	23.1-50.1	39	63.4	49.9-76.9
College Graduate	86	59,574	31	28.4	16.8-40.0	55	71.6	60.0-83.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 14: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	108	119,804	45	35.7	25.1-46.3	63	64.3	53.7-74.9
White/Non-Hisp	91	92,657	34	33.6	22.2-45.0	57	66.4	55.0-77.8
65+	58	54,599	26	34.7	20.6-48.8	32	65.3	51.2-79.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 15: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	145	131,756	61	41.7	31.9-51.5	84	58.3	48.5-68.1
White/Non-Hisp	129	118,483	53	40.3	30.1-50.5	76	59.7	49.5-69.9
65+	104	80,969	48	49.4	37.2-61.6	56	50.6	38.4-62.8
H.S. or G.E.D.	52	52,506	23	53.4	38.1-68.7	29	46.6	31.3-61.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 16: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	809	745,559	241	28.1	23.8-32.4	148	19.0	15.3-22.7	98	14.3	10.8-17.8	91	11.8	8.9-14.7	231	26.9	23.2-30.6
Male	340	326,219	97	28.5	21.8-35.2	64	17.8	12.5-23.1	42	12.9	8.4-17.4	36	10.6	6.1-15.1	101	30.2	23.7-36.7
Female	469	419,340	144	27.9	22.6-33.2	84	19.9	15.0-24.8	56	15.3	10.2-20.4	55	12.7	8.8-16.6	130	24.3	19.6-29.0
White/Non-Hisp	684	602,417	203	28.0	23.5-32.5	125	19.8	15.7-23.9	81	13.8	10.5-17.1	78	11.3	8.2-14.4	197	27.1	23.0-31.2
Black or Afr. Am./Non-Hisp	85	107,320	25	23.9	12.3-35.5	16	14.5	6.9-22.1	12	18.9	4.6-33.2	11	16.2	6.2-26.2	21	26.5	13.2-39.8
45-54	65	81,772	23	24.4	12.6-36.2	12	23.1	8.8-37.4	4	7.7	0.0-17.7	7	11.7	1.3-22.1	19	33.2	17.1-49.3
55-64	236	246,365	69	29.7	21.9-37.5	47	17.7	11.6-23.8	24	11.9	5.6-18.2	22	10.5	5.4-15.6	74	30.1	22.8-37.4
65+	508	417,423	149	28.0	22.7-33.3	89	18.9	14.6-23.2	70	16.9	12.2-21.6	62	12.5	8.8-16.2	138	23.7	19.4-28.0
Less Than H.S.	83	117,393	22	35.0	20.1-49.9	20	19.0	9.8-28.2	15	21.9	8.4-35.4	5	5.6	0.3-10.9	21	18.5	9.3-27.7
H.S. or G.E.D.	253	239,739	74	27.9	21.0-34.8	50	21.1	14.6-27.6	31	12.6	7.7-17.5	29	13.8	7.9-19.7	69	24.5	17.8-31.2
Some Post-H.S.	223	228,747	72	25.3	18.6-32.0	35	18.9	11.6-26.2	26	12.6	7.1-18.1	29	14.7	8.8-20.6	61	28.6	21.2-36.0
College Graduate	240	151,320	71	28.5	21.4-35.6	40	14.4	9.3-19.5	24	13.4	6.7-20.1	28	9.6	5.3-13.9	77	34.1	26.1-42.1
Less than \$15,000	89	93,450	27	42.7	28.0-57.4	19	16.8	7.8-25.8	11	13.0	3.8-22.2	7	7.4	0.7-14.1	25	20.1	10.9-29.3
\$15,000- 24,999	135	100,978	43	23.7	15.3-32.1	22	19.5	11.1-27.9	19	16.2	4.8-27.6	20	19.2	9.4-29.0	31	21.4	12.6-30.2
\$25,000- 34,999	83	77,173	26	32.1	18.0-46.2	16	18.6	6.1-31.1	13	18.8	8.6-29.0	8	14.0	3.2-24.8	20	16.4	7.8-25.0
\$35,000- 49,999	103	101,869	23	28.5	16.2-40.8	23	25.3	15.5-35.1	5	2.1	0.1- 4.1	17	14.9	6.7-23.1	35	29.2	19.4-39.0
\$50,000- 74,999	87	90,902	25	21.5	11.1-31.9	11	10.6	2.0-19.2	14	22.8	8.3-37.3	11	8.5	2.2-14.8	26	36.6	22.1-51.1
\$75,000+	157	139,958	46	24.1	16.5-31.7	33	21.6	13.0-30.2	17	10.7	5.2-16.2	13	11.2	3.9-18.5	48	32.4	23.2-41.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 17: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	340	326,219	97	28.5	22.4-34.6	64	17.8	13.3-22.3	42	12.9	8.6-17.2	36	10.6	6.3-14.9	101	30.2	23.9-36.5
White/Non-Hisp	289	264,072	80	28.3	21.8-34.8	55	18.1	12.8-23.4	34	14.0	8.9-19.1	33	10.0	5.7-14.3	87	29.6	23.3-35.9
55-64	103	102,011	28	32.1	22.3-41.9	17	10.9	5.0-16.8	15	15.1	6.1-24.1	9	10.2	2.2-18.2	34	31.8	21.0-42.6
65+	209	183,479	60	27.7	19.3-36.1	41	20.9	14.0-27.8	27	14.6	8.7-20.5	24	10.9	5.2-16.6	57	25.9	19.0-32.8
H.S. or G.E.D.	101	103,846	32	34.4	22.2-46.6	18	15.2	7.2-23.2	17	14.1	6.3-21.9	13	17.2	6.8-27.6	21	19.1	8.9-29.3
Some Post-H.S.	91	97,781	26	18.5	10.5-26.5	16	19.8	10.8-28.8	11	14.6	5.2-24.0	9	9.9	2.1-17.7	29	37.3	24.4-50.2
College Graduate	112	76,695	30	25.4	16.2-34.6	20	15.4	8.9-21.9	11	11.8	4.9-18.7	13	8.4	2.1-14.7	38	39.0	27.6-50.4
\$15,000- 24,999	52	36,945	15	24.0	10.9-37.1	9	18.3	5.4-31.2	8	14.9	3.7-26.1	9	27.6	8.8-46.4	11	15.2	5.2-25.2
\$75,000+	82	68,648	22	24.3	13.7-34.9	19	20.3	11.5-29.1	9	12.6	4.6-20.6	7	10.2	0.8-19.6	25	32.6	19.9-45.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 18: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	469	419,340	144	27.9	22.6-33.2	84	19.9	15.2-24.6	56	15.3	10.2-20.4	55	12.7	8.8-16.6	130	24.3	19.6-29.0
White/Non-Hisp	395	338,345	123	27.8	22.3-33.3	70	21.1	15.8-26.4	47	13.6	9.3-17.9	45	12.3	8.0-16.6	110	25.1	19.8-30.4
Black or Afr. Am./Non-Hisp	56	62,094	14	19.5	6.2-32.8	13	18.6	7.6-29.6	8	28.3	6.9-49.7	8	14.9	3.7-26.1	13	18.7	5.6-31.8
55-64	133	144,353	41	28.0	18.2-37.8	30	22.5	13.3-31.7	9	9.7	1.1-18.3	13	10.8	4.1-17.5	40	29.0	19.4-38.6
65+	299	233,944	89	28.2	21.7-34.7	48	17.3	12.2-22.4	43	18.8	11.9-25.7	38	13.8	8.7-18.9	81	21.9	16.2-27.6
Less Than H.S.	51	74,829	13	28.6	11.5-45.7	12	19.0	7.2-30.8	12	28.7	9.9-47.5	4	8.1	0.1-16.1	10	15.7	4.3-27.1
H.S. or G.E.D.	152	135,893	42	23.0	15.4-30.6	32	25.7	16.5-34.9	14	11.5	5.2-17.8	16	11.2	4.5-17.9	48	28.7	20.1-37.3
Some Post-H.S.	132	130,966	46	30.4	21.2-39.6	19	18.2	10.0-26.4	15	11.1	4.4-17.8	20	18.2	9.8-26.6	32	22.1	14.1-30.1
College Graduate	128	74,626	41	31.7	21.7-41.7	20	13.3	6.4-20.2	13	15.0	3.6-26.4	15	10.9	4.6-17.2	39	29.1	17.9-40.3
Less than \$15,000	58	55,813	16	33.5	16.6-50.4	13	18.6	6.4-30.8	6	15.5	1.6-29.4	4	7.1	0.0-15.5	19	25.3	12.6-38.0
\$15,000- 24,999	83	64,033	28	23.5	12.7-34.3	13	20.2	9.0-31.4	11	17.0	0.1-33.9	11	14.3	4.5-24.1	20	25.0	12.3-37.7
\$25,000- 34,999	50	46,499	15	33.8	15.4-52.2	12	27.4	12.5-42.3	6	13.2	6.7-19.7	5	11.6	1.0-22.2	12	14.0	5.4-22.6
\$35,000- 49,999	57	51,129	13	25.3	10.2-40.4	13	26.6	10.9-42.3	3	2.5	0.0- 5.6	12	26.0	11.3-40.7	16	19.6	8.4-30.8
\$75,000+	75	71,310	24	23.9	13.1-34.7	14	22.9	9.2-36.6	8	8.9	1.5-16.3	6	12.1	0.7-23.5	23	32.3	19.0-45.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 19: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2383	2,261,149	183	7.3	5.9- 8.7	2200	92.7	91.3-94.1
Male	1034	1,036,340	79	7.2	5.0- 9.4	955	92.8	90.6-95.0
Female	1349	1,224,809	104	7.4	5.4- 9.4	1245	92.6	90.6-94.6
White/Non-Hisp	2026	1,842,598	152	7.3	5.7- 8.9	1874	92.7	91.1-94.3
Black or Afr. Am./Non-Hisp	208	273,314	19	5.8	2.5- 9.1	189	94.2	90.9-97.5
45-54	375	436,398	17	5.3	2.0- 8.6	358	94.7	91.4-98.0
55-64	762	779,911	53	8.2	5.3-11.1	709	91.8	88.9-94.7
65+	1246	1,044,840	113	7.5	5.7- 9.3	1133	92.5	90.7-94.3
Less Than H.S.	225	341,443	24	11.3	5.2-17.4	201	88.7	82.6-94.8
H.S. or G.E.D.	735	710,485	66	7.0	5.0- 9.0	669	93.0	91.0-95.0
Some Post-H.S.	625	668,008	54	7.6	5.1-10.1	571	92.4	89.9-94.9
College Graduate	768	514,879	39	5.3	3.1- 7.5	729	94.7	92.5-96.9
Less than \$15,000	224	213,381	30	16.6	9.0-24.2	194	83.4	75.8-91.0
\$15,000- 24,999	370	351,961	45	10.3	6.6-14.0	325	89.7	86.0-93.4
\$25,000- 34,999	217	201,752	12	6.8	0.1-13.5	205	93.2	86.5-99.9
\$35,000- 49,999	281	264,343	16	4.6	1.9- 7.3	265	95.4	92.7-98.1
\$50,000- 74,999	280	283,230	13	3.9	1.4- 6.4	267	96.1	93.6-98.6
\$75,000+	562	548,537	23	4.8	2.3- 7.3	539	95.2	92.7-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 20: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1034	1,036,340	79	7.2	5.4- 9.0	955	92.8	91.0-94.6
White/Non-Hisp	886	839,767	63	7.2	5.2- 9.2	823	92.8	90.8-94.8
Black or Afr. Am./Non-Hisp	76	124,125	10	6.6	1.7-11.5	66	93.4	88.5-98.3
45-54	173	208,823	12	7.4	2.5-12.3	161	92.6	87.7-97.5
55-64	339	368,967	27	8.5	5.6-11.4	312	91.5	88.6-94.4
65+	522	458,550	40	6.1	3.9- 8.3	482	93.9	91.7-96.1
Less Than H.S.	103	160,542	11	12.4	6.1-18.7	92	87.6	81.3-93.9
H.S. or G.E.D.	307	325,588	30	7.1	4.0-10.2	277	92.9	89.8-96.0
Some Post-H.S.	255	277,061	18	5.4	2.7- 8.1	237	94.6	91.9-97.3
College Graduate	355	257,171	20	6.5	3.2- 9.8	335	93.5	90.2-96.8
Less than \$15,000	88	95,931	16	23.7	14.3-33.1	72	76.3	66.9-85.7
\$15,000- 24,999	148	150,974	20	12.0	5.5-18.5	128	88.0	81.5-94.5
\$25,000- 34,999	92	84,100	4	3.7	0.0- 8.4	88	96.3	91.6- 100
\$35,000- 49,999	117	121,882	6	3.4	0.5- 6.3	111	96.6	93.7-99.5
\$50,000- 74,999	130	138,589	8	5.4	0.7-10.1	122	94.6	89.9-99.3
\$75,000+	291	295,432	11	3.3	1.1- 5.5	280	96.7	94.5-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 21: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1349	1,224,809	104	7.4	5.4- 9.4	1245	92.6	90.6-94.6
White/Non-Hisp	1140	1,002,830	89	7.4	5.4- 9.4	1051	92.6	90.6-94.6
Black or Afr. Am./Non-Hisp	132	149,189	9	5.1	0.6- 9.6	123	94.9	90.4-99.4
45-54	202	227,575	5	3.4	0.0- 7.7	197	96.6	92.3- 100
55-64	423	410,944	26	7.9	3.8-12.0	397	92.1	88.0-96.2
65+	724	586,290	73	8.7	6.2-11.2	651	91.3	88.8-93.8
Less Than H.S.	122	180,901	13	10.4	2.4-18.4	109	89.6	81.6-97.6
H.S. or G.E.D.	428	384,897	36	6.9	4.2- 9.6	392	93.1	90.4-95.8
Some Post-H.S.	370	390,946	36	9.1	5.2-13.0	334	90.9	87.0-94.8
College Graduate	413	257,708	19	4.0	1.6- 6.4	394	96.0	93.6-98.4
Less than \$15,000	136	117,450	14	10.9	3.5-18.3	122	89.1	81.7-96.5
\$15,000- 24,999	222	200,987	25	9.1	5.0-13.2	197	90.9	86.8-95.0
\$25,000- 34,999	125	117,653	8	8.9	0.0-19.5	117	91.1	80.5- 100
\$35,000- 49,999	164	142,461	10	5.6	1.1-10.1	154	94.4	89.9-98.9
\$50,000- 74,999	150	144,641	5	2.5	0.1- 4.9	145	97.5	95.1-99.9
\$75,000+	271	253,105	12	6.6	1.9-11.3	259	93.4	88.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING  
 TABLE 22: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)  
 Denominator excludes: Respondents with do not know/refused/missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	171	157,711	65	47.8	37.8-57.8	24	15.6	8.7-22.5	26	12.0	6.9-17.1	16	7.6	3.1-12.1	40	17.1	11.0-23.2
Male	77	72,812	33	49.4	36.9-61.9	11	17.7	7.5-27.9	8	7.7	1.8-13.6	6	6.2	1.1-11.3	19	18.9	9.1-28.7
Female	94	84,900	32	46.3	31.0-61.6	13	13.9	4.5-23.3	18	15.6	7.6-23.6	10	8.7	1.3-16.1	21	15.5	8.1-22.9
White/Non-Hisp	143	128,814	53	44.5	33.9-55.1	21	17.4	9.4-25.4	24	13.9	7.8-20.0	13	6.5	1.8-11.2	32	17.8	10.7-24.9
55-64	50	61,196	17	51.0	34.3-67.7	11	23.8	8.9-38.7	4	4.6	0.0-10.1	5	6.9	0.0-13.8	13	13.6	4.8-22.4
65+	104	73,288	41	41.2	29.4-53.0	10	9.5	3.0-16.0	21	21.2	12.2-30.2	9	8.3	0.9-15.7	23	19.8	11.4-28.2
H.S. or G.E.D.	62	48,178	22	37.5	23.2-51.8	9	20.0	7.3-32.7	9	14.0	5.2-22.8	6	5.7	0.8-10.6	16	22.7	10.0-35.4
Some Post-H.S.	52	49,535	20	44.7	25.7-63.7	8	17.5	3.8-31.2	7	8.4	1.7-15.1	7	14.9	2.2-27.6	10	14.6	6.0-23.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 23: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	77	72,812	33	49.4	37.2-61.6	11	17.7	7.9-27.5	8	7.7	2.0-13.4	6	6.2	1.3-11.1	19	18.9	8.9-28.9
White/Non-Hisp	61	58,679	25	47.8	34.1-61.5	9	18.6	7.0-30.2	7	8.7	1.6-15.8	5	6.1	1.0-11.2	15	18.9	7.7-30.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 24: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	94	84,900	32	46.3	31.8-60.8	13	13.9	4.1-23.7	18	15.6	7.4-23.8	10	8.7	1.4-16.0	21	15.5	8.1-22.9
White/Non-Hisp	82	70,134	28	41.7	25.6-57.8	12	16.3	4.5-28.1	17	18.2	8.8-27.6	8	6.9	0.0-14.2	17	16.9	8.3-25.5
65+	66	47,220	21	36.4	23.3-49.5	7	8.7	1.4-16.0	17	27.0	15.0-39.0	7	9.5	0.0-19.7	14	18.4	9.4-27.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 25: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2331	2,225,422	122	6.3	4.7- 7.9	2209	93.7	92.1-95.3
Male	993	996,579	50	7.4	4.7-10.1	943	92.6	89.9-95.3
Female	1338	1,228,843	72	5.5	3.9- 7.1	1266	94.5	92.9-96.1
White/Non-Hisp	1988	1,817,444	91	5.3	3.7- 6.9	1897	94.7	93.1-96.3
Black or Afr. Am./Non-Hisp	196	263,920	19	10.4	4.9-15.9	177	89.6	84.1-95.1
45-54	370	431,666	6	2.3	0.0- 4.8	364	97.7	95.2- 100
55-64	759	776,022	37	6.2	3.5- 8.9	722	93.8	91.1-96.5
65+	1202	1,017,734	79	8.1	5.7-10.5	1123	91.9	89.5-94.3
Less Than H.S.	218	330,287	22	13.2	6.5-19.9	196	86.8	80.1-93.5
H.S. or G.E.D.	719	707,338	45	5.4	3.4- 7.4	674	94.6	92.6-96.6
Some Post-H.S.	611	654,854	22	5.3	2.6- 8.0	589	94.7	92.0-97.4
College Graduate	753	506,610	32	4.4	2.4- 6.4	721	95.6	93.6-97.6
Less than \$15,000	229	217,968	22	15.0	6.8-23.2	207	85.0	76.8-93.2
\$15,000- 24,999	351	333,145	25	8.2	4.5-11.9	326	91.8	88.1-95.5
\$25,000- 34,999	212	200,715	13	10.0	3.1-16.9	199	90.0	83.1-96.9
\$35,000- 49,999	278	266,378	12	4.0	1.3- 6.7	266	96.0	93.3-98.7
\$50,000- 74,999	275	279,210	10	5.8	1.3-10.3	265	94.2	89.7-98.7
\$75,000+	560	544,801	17	2.6	1.2- 4.0	543	97.4	96.0-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 26: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	993	996,579	50	7.4	5.0- 9.8	943	92.6	90.2-95.0
White/Non-Hisp	854	808,117	38	6.5	4.3- 8.7	816	93.5	91.3-95.7
Black or Afr. Am./Non-Hisp	69	116,864	8	11.0	1.8-20.2	61	89.0	79.8-98.2
45-54	168	204,469	3	3.9	0.0- 9.2	165	96.1	90.8- 100
55-64	330	359,334	22	10.0	5.5-14.5	308	90.0	85.5-94.5
65+	495	432,776	25	6.8	3.5-10.1	470	93.2	89.9-96.5
Less Than H.S.	97	148,301	9	17.7	7.9-27.5	88	82.3	72.5-92.1
H.S. or G.E.D.	294	317,721	12	4.1	1.4- 6.8	282	95.9	93.2-98.6
Some Post-H.S.	243	266,007	11	7.7	2.4-13.0	232	92.3	87.0-97.6
College Graduate	345	248,573	18	5.4	2.3- 8.5	327	94.6	91.5-97.7
Less than \$15,000	87	93,635	7	20.6	8.1-33.1	80	79.4	66.9-91.9
\$15,000- 24,999	133	134,384	8	8.6	1.7-15.5	125	91.4	84.5-98.3
\$25,000- 34,999	86	79,197	7	15.1	2.6-27.6	79	84.9	72.4-97.4
\$35,000- 49,999	113	121,799	3	2.7	0.0- 6.6	110	97.3	93.4- 100
\$50,000- 74,999	127	136,502	7	9.1	0.9-17.3	120	90.9	82.7-99.1
\$75,000+	287	287,150	11	3.0	1.0- 5.0	276	97.0	95.0-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 27: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1338	1,228,843	72	5.5	3.9- 7.1	1266	94.5	92.9-96.1
White/Non-Hisp	1134	1,009,327	53	4.4	2.8- 6.0	1081	95.6	94.0-97.2
Black or Afr. Am./Non-Hisp	127	147,056	11	10.0	3.3-16.7	116	90.0	83.3-96.7
45-54	202	227,196	3	0.8	0.0- 2.0	199	99.2	98.0- 100
55-64	429	416,688	15	2.9	1.1- 4.7	414	97.1	95.3-98.9
65+	707	584,958	54	9.1	6.0-12.2	653	90.9	87.8-94.0
Less Than H.S.	121	181,986	13	9.6	2.7-16.5	108	90.4	83.5-97.3
H.S. or G.E.D.	425	389,617	33	6.4	3.9- 8.9	392	93.6	91.1-96.1
Some Post-H.S.	368	388,847	11	3.7	1.2- 6.2	357	96.3	93.8-98.8
College Graduate	408	258,038	14	3.5	1.1- 5.9	394	96.5	94.1-98.9
Less than \$15,000	142	124,333	15	10.9	4.4-17.4	127	89.1	82.6-95.6
\$15,000- 24,999	218	198,761	17	7.9	3.4-12.4	201	92.1	87.6-96.6
\$25,000- 34,999	126	121,518	6	6.7	0.0-14.5	120	93.3	85.5- 100
\$35,000- 49,999	165	144,579	9	5.2	1.5- 8.9	156	94.8	91.1-98.5
\$50,000- 74,999	148	142,708	3	2.6	0.0- 6.3	145	97.4	93.7- 100
\$75,000+	273	257,652	6	2.1	0.1- 4.1	267	97.9	95.9-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING  
 TABLE 28: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)  
 Denominator excludes: Respondents with do not know/refused/missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	110	118,839	24	26.8	14.5-39.1	14	10.5	3.2-17.8	16	12.4	4.4-20.4	20	17.0	8.0-26.0	36	33.3	22.1-44.5
Female	64	56,872	13	22.8	9.3-36.3	11	13.6	5.0-22.2	9	12.2	1.8-22.6	11	17.0	7.4-26.6	20	34.5	19.8-49.2
White/Non-Hisp	82	79,295	15	20.9	7.6-34.2	10	10.9	1.5-20.3	12	15.6	4.6-26.6	17	17.0	7.6-26.4	28	35.6	22.7-48.5
65+	71	69,868	14	20.7	8.5-32.9	8	12.7	1.5-23.9	13	19.9	7.4-32.4	14	15.1	6.5-23.7	22	31.6	18.1-45.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING

TABLE 29: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 30: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	64	56,872	13	22.8	9.5-36.1	11	13.6	5.4-21.8	9	12.2	1.2-23.2	11	17.0	9.2-24.8	20	34.5	19.8-49.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 18: HIV/AIDS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V.? (HIVTST7)	
1 MALES AND FEMALES	261
2 MALES ONLY	262
3 FEMALES ONLY	263
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4 MALES AND FEMALES	264
5 MALES ONLY	265
6 FEMALES ONLY	266
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7 MALES AND FEMALES	267
8 MALES ONLY	268
9 FEMALES ONLY	269

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3877	4,508,556	1357	38.6	36.4-40.8	2520	61.4	59.2-63.6
Male	1755	2,160,579	593	36.8	33.7-39.9	1162	63.2	60.1-66.3
Female	2122	2,347,977	764	40.2	37.3-43.1	1358	59.8	56.9-62.7
White/Non-Hisp	3141	3,329,188	980	33.0	30.8-35.2	2161	67.0	64.8-69.2
Black or Afr. Am./Non-Hisp	385	686,600	213	60.1	53.6-66.6	172	39.9	33.4-46.4
Oth. Race/Non-Hisp.	107	108,485	42	39.1	26.8-51.4	65	60.9	48.6-73.2
MultiRacial/Non-Hisp.	65	54,318	34	45.4	30.9-59.9	31	54.6	40.1-69.1
Hispanic	118	242,140	64	52.2	39.5-64.9	54	47.8	35.1-60.5
18-24	295	550,983	77	24.0	17.9-30.1	218	76.0	69.9-82.1
25-34	505	808,864	227	49.3	43.6-55.0	278	50.7	45.0-56.4
35-44	550	716,464	285	54.3	48.8-59.8	265	45.7	40.2-51.2
45-54	639	706,178	281	48.9	43.6-54.2	358	51.1	45.8-56.4
55-64	731	747,924	268	37.6	32.9-42.3	463	62.4	57.7-67.1
65+	1157	978,144	219	19.8	16.7-22.9	938	80.2	77.1-83.3
Less Than H.S.	301	566,187	99	30.8	23.9-37.7	202	69.2	62.3-76.1
H.S. or G.E.D.	1195	1,462,758	396	37.5	33.8-41.2	799	62.5	58.8-66.2
Some Post-H.S.	966	1,279,807	371	42.3	38.2-46.4	595	57.7	53.6-61.8
College Graduate	1369	1,143,554	480	40.1	36.6-43.6	889	59.9	56.4-63.4
Less than \$15,000	340	421,971	159	50.3	42.1-58.5	181	49.7	41.5-57.9
\$15,000- 24,999	560	650,952	232	40.7	35.0-46.4	328	59.3	53.6-65.0
\$25,000- 34,999	331	376,437	113	38.1	30.5-45.7	218	61.9	54.3-69.5
\$35,000- 49,999	477	566,514	167	41.1	34.8-47.4	310	58.9	52.6-65.2
\$50,000- 74,999	526	625,948	164	36.6	30.7-42.5	362	63.4	57.5-69.3
\$75,000+	1057	1,219,740	379	39.8	35.9-43.7	678	60.2	56.3-64.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1755	2,160,579	593	36.8	33.7-39.9	1162	63.2	60.1-66.3
White/Non-Hisp	1439	1,601,070	445	31.7	28.6-34.8	994	68.3	65.2-71.4
Black or Afr. Am./Non-Hisp	135	279,714	70	55.4	44.6-66.2	65	44.6	33.8-55.4
Oth. Race/Non-Hisp.	60	58,775	23	45.5	29.4-61.6	37	54.5	38.4-70.6
Hispanic	60	143,779	27	50.5	33.3-67.7	33	49.5	32.3-66.7
18-24	155	283,407	34	21.5	13.3-29.7	121	78.5	70.3-86.7
25-34	250	410,929	104	44.5	36.1-52.9	146	55.5	47.1-63.9
35-44	256	358,967	109	45.5	37.3-53.7	147	54.5	46.3-62.7
45-54	287	328,690	116	47.6	40.2-55.0	171	52.4	45.0-59.8
55-64	323	347,363	124	38.5	31.6-45.4	199	61.5	54.6-68.4
65+	484	431,221	106	22.8	17.9-27.7	378	77.2	72.3-82.1
Less Than H.S.	143	271,396	43	31.7	22.1-41.3	100	68.3	58.7-77.9
H.S. or G.E.D.	554	737,137	179	35.8	30.3-41.3	375	64.2	58.7-69.7
Some Post-H.S.	410	570,267	157	39.9	33.6-46.2	253	60.1	53.8-66.4
College Graduate	627	551,840	211	38.6	33.3-43.9	416	61.4	56.1-66.7
Less than \$15,000	130	167,300	59	52.9	41.1-64.7	71	47.1	35.3-58.9
\$15,000- 24,999	221	295,192	88	38.7	30.3-47.1	133	61.3	52.9-69.7
\$25,000- 34,999	136	161,648	41	33.6	22.2-45.0	95	66.4	55.0-77.8
\$35,000- 49,999	219	294,434	78	40.5	31.7-49.3	141	59.5	50.7-68.3
\$50,000- 74,999	260	326,793	86	39.6	31.2-48.0	174	60.4	52.0-68.8
\$75,000+	547	645,203	186	35.6	30.1-41.1	361	64.4	58.9-69.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2122	2,347,977	764	40.2	37.3-43.1	1358	59.8	56.9-62.7
White/Non-Hisp	1702	1,728,118	535	34.2	31.1-37.3	1167	65.8	62.7-68.9
Black or Afr. Am./Non-Hisp	250	406,886	143	63.3	55.3-71.3	107	36.7	28.7-44.7
Hispanic	58	98,361	37	54.8	36.0-73.6	21	45.2	26.4-64.0
18-24	140	267,576	43	26.7	17.3-36.1	97	73.3	63.9-82.7
25-34	255	397,934	123	54.2	46.6-61.8	132	45.8	38.2-53.4
35-44	294	357,497	176	63.1	56.2-70.0	118	36.9	30.0-43.8
45-54	352	377,488	165	49.9	42.8-57.0	187	50.1	43.0-57.2
55-64	408	400,560	144	36.8	30.5-43.1	264	63.2	56.9-69.5
65+	673	546,923	113	17.3	13.6-21.0	560	82.7	79.0-86.4
Less Than H.S.	158	294,791	56	29.9	20.5-39.3	102	70.1	60.7-79.5
H.S. or G.E.D.	641	725,621	217	39.1	34.0-44.2	424	60.9	55.8-66.0
Some Post-H.S.	556	709,540	214	44.2	38.7-49.7	342	55.8	50.3-61.3
College Graduate	742	591,714	269	41.4	36.7-46.1	473	58.6	53.9-63.3
Less than \$15,000	210	254,672	100	48.6	37.8-59.4	110	51.4	40.6-62.2
\$15,000- 24,999	339	355,760	144	42.4	34.8-50.0	195	57.6	50.0-65.2
\$25,000- 34,999	195	214,789	72	41.6	31.4-51.8	123	58.4	48.2-68.6
\$35,000- 49,999	258	272,080	89	41.8	33.4-50.2	169	58.2	49.8-66.6
\$50,000- 74,999	266	299,155	78	33.3	25.5-41.1	188	66.7	58.9-74.5
\$75,000+	510	574,538	193	44.4	38.9-49.9	317	55.6	50.1-61.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	744	928,926	29	3.5	1.7- 5.3	55	5.4	3.8- 7.0	125	14.5	11.4-17.6	52	6.0	3.5- 8.5	285	38.8	34.1-43.5	198	31.9	27.2-36.6
Male	313	414,160	14	3.7	1.0- 6.4	23	5.5	3.1- 7.9	47	12.3	7.6-17.0	21	7.0	2.1-11.9	120	38.0	30.9-45.1	88	33.5	26.2-40.8
Female	431	514,766	15	3.3	1.3- 5.3	32	5.3	3.3- 7.3	78	16.2	11.9-20.5	31	5.2	2.8- 7.6	165	39.5	33.4-45.6	110	30.5	24.4-36.6
White/Non-Hisp	554	601,232	24	4.0	2.2- 5.8	51	7.5	5.3- 9.7	104	17.6	13.7-21.5	40	5.9	3.7- 8.1	207	39.4	34.3-44.5	128	25.6	20.7-30.5
Black or Afr. Am./Non-Hisp	111	232,754	1	2.4	0.0- 6.9				13	10.9	3.6-18.2	4	2.7	0.0- 6.2	52	42.0	30.4-53.6	41	42.0	30.0-54.0
25-34	146	251,454							4	2.7	0.0- 6.2	5	5.6	0.0-12.9	80	46.2	35.8-56.6	57	45.6	34.8-56.4
35-44	161	195,308	2	3.2	0.0- 8.7	2	0.7	0.0- 1.7	28	19.1	11.1-27.1	13	5.2	1.9- 8.5	69	42.4	32.6-52.2	47	29.3	19.9-38.7
45-54	174	190,445	11	6.7	2.6-10.8	25	11.6	7.3-15.9	41	20.8	13.7-27.9	14	7.9	3.2-12.6	56	33.4	24.2-42.6	27	19.5	11.3-27.7
55-64	137	134,632	13	8.7	3.0-14.4	20	14.8	7.5-22.1	34	25.6	15.0-36.2	10	6.5	0.8-12.2	36	28.2	17.8-38.6	24	16.2	9.1-23.3
65+	81	71,700	3	2.1	0.0- 5.2	8	8.8	2.3-15.3	18	22.6	10.1-35.1	10	10.5	2.7-18.3	26	35.1	20.6-49.6	16	20.8	9.0-32.6
H.S. or G.E.D.	196	267,087	11	4.3	1.4- 7.2	11	4.9	2.4- 7.4	19	8.2	3.5-12.9	10	3.9	0.6- 7.2	84	39.9	31.1-48.7	61	38.8	29.6-48.0
Some Post-H.S.	208	304,647	5	1.9	0.0- 3.9	14	4.5	2.0- 7.0	41	18.7	11.8-25.6	14	7.6	1.3-13.9	93	43.9	34.9-52.9	41	23.5	15.7-31.3
College Graduate	287	271,240	12	4.7	0.4- 9.0	27	6.6	3.7- 9.5	55	16.1	10.8-21.4	26	7.4	4.1-10.7	88	33.2	25.9-40.5	79	32.0	24.4-39.6
Less than \$15,000	71	87,639	2	0.5	0.0- 1.1	3	1.7	0.0- 3.7	4	1.3	0.0- 2.7	4	3.8	0.0- 7.9	30	39.1	24.2-54.0	28	53.8	38.3-69.3
\$15,000- 24,999	116	129,623	4	4.7	1.0- 8.4	7	5.6	1.3- 9.9	17	10.4	4.9-15.9	11	6.0	2.1- 9.9	46	35.8	24.8-46.8	31	37.5	25.3-49.7
\$25,000- 34,999	68	85,000	4	4.8	0.0-10.5	7	7.3	0.8-13.8	11	7.6	1.7-13.5	2	2.5	0.0- 6.0	29	54.4	37.7-71.1	15	23.4	7.9-38.9
\$35,000- 49,999	87	116,314	3	5.6	0.0-14.6	8	8.0	3.9-12.1	13	10.7	2.3-19.1	4	2.5	0.0- 5.2	35	42.2	28.3-56.1	24	31.0	18.1-43.9
\$50,000- 74,999	102	139,769	1	0.5	0.0- 1.5	9	4.8	1.3- 8.3	16	13.4	4.6-22.2	5	4.2	0.1- 8.3	38	39.3	26.8-51.8	33	37.8	25.3-50.3
\$75,000+	240	305,905	12	3.5	1.3- 5.7	18	5.2	2.3- 8.1	56	23.6	16.7-30.5	19	9.2	2.7-15.7	81	33.3	25.7-40.9	54	25.2	17.4-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	313	414,160	14	3.7	1.0- 6.4	23	5.5	3.1- 7.9	47	12.3	7.6-17.0	21	7.0	2.1-11.9	120	38.0	30.9-45.1	88	33.5	26.1-40.9
White/Non-Hisp	230	251,526	10	2.8	1.2- 4.4	22	8.6	5.1-12.1	37	15.2	9.1-21.3	15	6.0	2.5- 9.5	87	37.9	30.1-45.7	59	29.5	22.1-36.9
25-34	69	113,449							2	1.4	0.0- 3.4	3	10.2	0.0-25.3	36	36.8	22.3-51.3	28	51.7	34.8-68.6
35-44	57	72,958	2	8.5	0.0-22.4				12	21.0	6.5-35.5	4	4.0	0.0- 8.3	26	41.0	24.5-57.5	13	25.4	10.3-40.5
45-54	64	79,541	5	7.1	2.2-12.0	11	12.7	7.0-18.4	12	12.2	3.8-20.6	8	12.7	2.9-22.5	19	39.4	23.9-54.9	9	15.9	4.1-27.7
55-64	62	65,067	5	4.5	0.4- 8.6	9	15.2	4.0-26.4	15	25.7	9.8-41.6	2	1.9	0.0- 4.8	16	31.1	16.0-46.2	15	21.6	10.0-33.2
H.S. or G.E.D.	87	131,322	4	2.5	1.3- 3.7	6	7.3	2.6-12.0	5	2.7	0.2- 5.2	3	2.2	0.0- 5.5	40	42.6	30.3-54.9	29	42.8	29.5-56.1
Some Post-H.S.	81	122,468	1	0.8	0.0- 2.4	7	5.8	0.9-10.7	11	16.4	4.4-28.4	5	11.1	0.0-25.4	38	43.6	28.7-58.5	19	22.4	10.8-34.0
College Graduate	128	133,253	9	8.2	0.0-16.4	10	4.5	1.4- 7.6	27	17.5	9.3-25.7	12	8.4	3.1-13.7	35	26.4	16.6-36.2	35	35.0	22.7-47.3
\$50,000- 74,999	52	79,657				4	3.5	0.0- 7.2	7	12.9	0.0-26.4	1	1.8	0.0- 5.3	24	44.7	26.7-62.7	16	37.1	19.3-54.9
\$75,000+	116	146,755	6	3.6	0.5- 6.7	9	5.8	1.1-10.5	25	21.0	10.8-31.2	11	15.0	2.7-27.3	34	25.2	15.6-34.8	31	29.3	17.1-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	431	514,766	15	3.3	1.3- 5.3	32	5.3	3.3- 7.3	78	16.2	11.9-20.5	31	5.2	2.8- 7.6	165	39.5	33.4-45.6	110	30.5	24.4-36.6
White/Non-Hisp	324	349,706	14	4.8	1.9- 7.7	29	6.8	4.3- 9.3	67	19.3	14.0-24.6	25	5.8	3.3- 8.3	120	40.5	33.6-47.4	69	22.9	16.6-29.2
Black or Afr. Am./Non-Hisp	70	131,443							8	10.6	1.6-19.6	2	2.7	0.0- 7.8	30	38.0	23.7-52.3	30	48.7	33.8-63.6
25-34	77	138,005							2	3.7	0.0-10.0	2	1.7	0.0- 4.2	44	54.0	40.1-67.9	29	40.6	26.7-54.5
35-44	104	122,350				2	1.2	0.0- 3.0	16	18.0	8.6-27.4	9	5.9	1.2-10.6	43	43.3	31.1-55.5	34	31.6	19.6-43.6
45-54	110	110,904	6	6.4	0.1-12.7	14	10.9	4.6-17.2	29	27.0	17.0-37.0	6	4.5	0.6- 8.4	37	29.1	18.5-39.7	18	22.1	10.7-33.5
55-64	75	69,565	8	12.6	2.6-22.6	11	14.5	5.7-23.3	19	25.5	11.4-39.6	8	10.9	0.5-21.3	20	25.4	11.1-39.7	9	11.1	2.7-19.5
H.S. or G.E.D.	109	135,765	7	6.0	0.3-11.7	5	2.6	0.2- 5.0	14	13.6	5.0-22.2	7	5.6	0.1-11.1	44	37.3	25.5-49.1	32	34.9	22.4-47.4
Some Post-H.S.	127	182,179	4	2.7	0.0- 5.6	7	3.6	0.9- 6.3	30	20.2	11.8-28.6	9	5.2	1.5- 8.9	55	44.0	32.8-55.2	22	24.2	13.6-34.8
College Graduate	159	137,987	3	1.3	0.0- 3.1	17	8.7	3.8-13.6	28	14.7	8.0-21.4	14	6.4	2.1-10.7	53	39.8	29.8-49.8	44	29.0	19.8-38.2
Less than \$15,000	50	59,142	1	0.4	0.0- 1.2	3	2.5	0.0- 5.4	4	1.9	0.0- 3.9	3	3.5	0.0- 8.0	20	35.6	18.2-53.0	19	56.2	37.8-74.6
\$15,000- 24,999	79	82,216	3	4.6	0.0-10.3	5	7.3	0.8-13.8	11	11.0	3.6-18.4	8	7.3	1.8-12.8	33	35.4	22.1-48.7	19	34.4	19.7-49.1
\$50,000- 74,999	50	60,112	1	1.2	0.0- 3.6	5	6.5	0.2-12.8	9	14.1	3.7-24.5	4	7.3	0.0-15.5	14	32.1	15.2-49.0	17	38.8	21.6-56.0
\$75,000+	124	159,149	6	3.4	0.3- 6.5	9	4.7	1.2- 8.2	31	26.0	16.6-35.4	8	3.8	0.5- 7.1	47	40.8	30.0-51.6	23	21.3	11.1-31.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4097	4,724,849	171	5.9	4.7- 7.1	3926	94.1	92.9-95.3
Male	1828	2,236,826	99	7.5	5.5- 9.5	1729	92.5	90.5-94.5
Female	2269	2,488,023	72	4.5	3.1- 5.9	2197	95.5	94.1-96.9
White/Non-Hisp	3339	3,535,686	113	4.6	3.4- 5.8	3226	95.4	94.2-96.6
Black or Afr. Am./Non-Hisp	394	690,991	26	9.2	4.9-13.5	368	90.8	86.5-95.1
Oth. Race/Non-Hisp.	112	112,767	12	12.9	4.1-21.7	100	87.1	78.3-95.9
MultiRacial/Non-Hisp.	66	55,148	8	19.5	6.6-32.4	58	80.5	67.6-93.4
Hispanic	121	241,399	9	9.2	0.2-18.2	112	90.8	81.8-99.8
18-24	304	560,991	45	16.5	10.6-22.4	259	83.5	77.6-89.4
25-34	524	839,614	52	10.5	7.0-14.0	472	89.5	86.0-93.0
35-44	566	741,069	35	7.4	4.3-10.5	531	92.6	89.5-95.7
45-54	667	732,631	21	2.7	0.9- 4.5	646	97.3	95.5-99.1
55-64	772	789,750	11	2.2	0.2- 4.2	761	97.8	95.8-99.8
65+	1264	1,060,793	7	0.5	0.0- 1.1	1257	99.5	98.9- 100
Less Than H.S.	321	587,991	15	7.8	2.9-12.7	306	92.2	87.3-97.1
H.S. or G.E.D.	1264	1,528,793	50	5.1	3.1- 7.1	1214	94.9	92.9-96.9
Some Post-H.S.	1037	1,361,311	49	7.1	4.7- 9.5	988	92.9	90.5-95.3
College Graduate	1427	1,189,095	55	4.7	3.1- 6.3	1372	95.3	93.7-96.9
Less than \$15,000	363	443,067	22	8.6	3.5-13.7	341	91.4	86.3-96.5
\$15,000- 24,999	584	672,751	32	6.4	2.9- 9.9	552	93.6	90.1-97.1
\$25,000- 34,999	347	396,335	21	10.4	5.1-15.7	326	89.6	84.3-94.9
\$35,000- 49,999	496	582,409	21	6.5	3.2- 9.8	475	93.5	90.2-96.8
\$50,000- 74,999	543	647,886	24	7.5	3.8-11.2	519	92.5	88.8-96.2
\$75,000+	1109	1,277,788	41	4.0	2.6- 5.4	1068	96.0	94.6-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1828	2,236,826	99	7.5	5.7- 9.3	1729	92.5	90.7-94.3
White/Non-Hisp	1506	1,674,661	66	5.7	4.1- 7.3	1440	94.3	92.7-95.9
Black or Afr. Am./Non-Hisp	136	280,436	11	11.3	3.9-18.7	125	88.7	81.3-96.1
Oth. Race/Non-Hisp.	61	61,031	8	18.0	4.1-31.9	53	82.0	68.1-95.9
Hispanic	62	143,172	5	12.5	0.0-26.8	57	87.5	73.2- 100
18-24	159	284,294	22	17.2	8.2-26.2	137	82.8	73.8-91.8
25-34	250	411,128	31	12.7	7.4-18.0	219	87.3	82.0-92.6
35-44	257	368,459	22	9.9	5.0-14.8	235	90.1	85.2-95.0
45-54	298	343,174	13	3.3	0.6- 6.0	285	96.7	94.0-99.4
55-64	341	370,713	9	4.5	2.3- 6.7	332	95.5	93.3-97.7
65+	523	459,059	2	0.3	0.0- 0.7	521	99.7	99.3- 100
Less Than H.S.	149	286,067	12	14.5	5.9-23.1	137	85.5	76.9-94.1
H.S. or G.E.D.	570	754,482	28	6.1	3.2- 9.0	542	93.9	91.0-96.8
Some Post-H.S.	441	603,513	25	6.9	3.8-10.0	416	93.1	90.0-96.2
College Graduate	646	561,912	33	6.6	4.1- 9.1	613	93.4	90.9-95.9
Less than \$15,000	136	173,231	11	13.4	5.6-21.2	125	86.6	78.8-94.4
\$15,000- 24,999	227	301,760	13	7.5	0.6-14.4	214	92.5	85.6-99.4
\$25,000- 34,999	142	169,145	8	10.6	2.8-18.4	134	89.4	81.6-97.2
\$35,000- 49,999	226	296,253	14	6.6	2.5-10.7	212	93.4	89.3-97.5
\$50,000- 74,999	262	331,879	18	12.3	5.6-19.0	244	87.7	81.0-94.4
\$75,000+	571	673,948	30	5.1	2.9- 7.3	541	94.9	92.7-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2269	2,488,023	72	4.5	3.1- 5.9	2197	95.5	94.1-96.9
White/Non-Hisp	1833	1,861,024	47	3.7	2.3- 5.1	1786	96.3	94.9-97.7
Black or Afr. Am./Non-Hisp	258	410,555	15	7.8	2.7-12.9	243	92.2	87.1-97.3
Oth. Race/Non-Hisp.	51	51,736	4	6.8	0.0-15.0	47	93.2	85.0- 100
Hispanic	59	98,227	4	4.4	0.0- 9.9	55	95.6	90.1- 100
18-24	145	276,697	23	15.7	8.3-23.1	122	84.3	76.9-91.7
25-34	274	428,487	21	8.3	3.8-12.8	253	91.7	87.2-96.2
35-44	309	372,610	13	4.9	1.0- 8.8	296	95.1	91.2-99.0
45-54	369	389,457	8	2.2	0.0- 4.4	361	97.8	95.6- 100
55-64	431	419,037	2	0.1	0.0- 0.3	429	99.9	99.7- 100
65+	741	601,734	5	0.7	0.0- 1.7	736	99.3	98.3- 100
Less Than H.S.	172	301,924	3	1.4	0.0- 3.4	169	98.6	96.6- 100
H.S. or G.E.D.	694	774,310	22	4.1	1.7- 6.5	672	95.9	93.5-98.3
Some Post-H.S.	596	757,799	24	7.3	4.0-10.6	572	92.7	89.4-96.0
College Graduate	781	627,184	22	2.9	1.3- 4.5	759	97.1	95.5-98.7
Less than \$15,000	227	269,836	11	5.5	0.4-10.6	216	94.5	89.4-99.6
\$15,000- 24,999	357	370,991	19	5.6	2.5- 8.7	338	94.4	91.3-97.5
\$25,000- 34,999	205	227,190	13	10.2	2.9-17.5	192	89.8	82.5-97.1
\$35,000- 49,999	270	286,156	7	6.4	1.1-11.7	263	93.6	88.3-98.9
\$50,000- 74,999	281	316,007	6	2.4	0.2- 4.6	275	97.6	95.4-99.8
\$75,000+	538	603,840	11	2.6	0.6- 4.6	527	97.4	95.4-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2020**

End of Core Data Report