


TENNESSEE

2018 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 24, 2019



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3830	3,893,191	2314	58.2	56.0-60.4	1516	41.8	39.6-44.0
Male	1711	1,812,291	1024	57.3	54.2-60.4	687	42.7	39.6-45.8
Female	2119	2,080,900	1290	59.0	56.1-61.9	829	41.0	38.1-43.9
White/Non-Hisp	3102	2,971,160	1883	58.6	56.2-61.0	1219	41.4	39.0-43.8
Black or Afr. Am./Non-Hisp	429	621,178	258	55.7	49.2-62.2	171	44.3	37.8-50.8
Oth. Race/Non-Hisp.	91	101,937	54	64.8	50.9-78.7	37	35.2	21.3-49.1
MultiRacial/Non-Hisp.	85	39,254	52	54.8	41.5-68.1	33	45.2	31.9-58.5
Hispanic	69	108,069	39	60.1	43.8-76.4	30	39.9	23.6-56.2
18-24	232	431,684	84	39.9	31.3-48.5	148	60.1	51.5-68.7
25-34	491	699,710	212	46.2	40.3-52.1	279	53.8	47.9-59.7
35-44	553	675,353	300	53.7	48.2-59.2	253	46.3	40.8-51.8
45-54	669	693,306	440	66.7	62.0-71.4	229	33.3	28.6-38.0
55-64	769	631,607	536	68.9	64.6-73.2	233	31.1	26.8-35.4
65+	1116	761,532	742	67.0	63.3-70.7	374	33.0	29.3-36.7
Less Than H.S.	335	470,217	174	51.7	44.6-58.8	161	48.3	41.2-55.4
H.S. or G.E.D.	1194	1,327,140	649	53.2	49.3-57.1	545	46.8	42.9-50.7
Some Post-H.S.	1002	1,147,764	649	62.9	58.8-67.0	353	37.1	33.0-41.2
College Graduate	1288	934,852	837	62.9	59.4-66.4	451	37.1	33.6-40.6
Less than \$15,000	397	362,017	228	58.0	51.1-64.9	169	42.0	35.1-48.9
\$15,000- 24,999	577	590,149	327	51.9	46.0-57.8	250	48.1	42.2-54.0
\$25,000- 34,999	341	336,730	204	56.7	49.4-64.0	137	43.3	36.0-50.6
\$35,000- 49,999	478	495,592	276	55.9	49.6-62.2	202	44.1	37.8-50.4
\$50,000- 74,999	479	498,335	300	63.9	58.0-69.8	179	36.1	30.2-42.0
\$75,000+	939	966,394	640	64.0	59.7-68.3	299	36.0	31.7-40.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1711	1,812,291	1024	57.3	54.2-60.4	687	42.7	39.6-45.8
White/Non-Hisp	1393	1,393,736	846	59.1	55.8-62.4	547	40.9	37.6-44.2
Black or Afr. Am./Non-Hisp	167	255,896	92	48.6	38.4-58.8	75	51.4	41.2-61.6
18-24	125	218,247	38	32.5	22.7-42.3	87	67.5	57.7-77.3
25-34	234	334,679	87	40.9	32.3-49.5	147	59.1	50.5-67.7
35-44	247	319,457	131	53.0	44.8-61.2	116	47.0	38.8-55.2
45-54	316	322,285	218	69.3	62.8-75.8	98	30.7	24.2-37.2
55-64	333	299,028	237	70.3	64.0-76.6	96	29.7	23.4-36.0
65+	456	318,596	313	71.3	66.2-76.4	143	28.7	23.6-33.8
Less Than H.S.	167	241,773	87	55.4	45.8-65.0	80	44.6	35.0-54.2
H.S. or G.E.D.	543	643,850	286	49.7	44.0-55.4	257	50.3	44.6-56.0
Some Post-H.S.	419	485,342	261	61.0	54.9-67.1	158	39.0	32.9-45.1
College Graduate	576	433,030	386	65.7	60.6-70.8	190	34.3	29.2-39.4
Less than \$15,000	138	143,527	77	62.2	52.2-72.2	61	37.8	27.8-47.8
\$15,000- 24,999	225	229,924	123	50.3	41.1-59.5	102	49.7	40.5-58.9
\$25,000- 34,999	149	142,491	83	49.9	39.3-60.5	66	50.1	39.5-60.7
\$35,000- 49,999	229	226,751	124	50.6	41.8-59.4	105	49.4	40.6-58.2
\$50,000- 74,999	226	248,411	145	64.2	56.2-72.2	81	35.8	27.8-43.8
\$75,000+	512	550,231	353	65.0	59.5-70.5	159	35.0	29.5-40.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2119	2,080,900	1290	59.0	56.1-61.9	829	41.0	38.1-43.9
White/Non-Hisp	1709	1,577,424	1037	58.1	54.8-61.4	672	41.9	38.6-45.2
Black or Afr. Am./Non-Hisp	262	365,282	166	60.7	52.5-68.9	96	39.3	31.1-47.5
18-24	107	213,437	46	47.4	33.9-60.9	61	52.6	39.1-66.1
25-34	257	365,031	125	51.0	42.8-59.2	132	49.0	40.8-57.2
35-44	306	355,896	169	54.3	46.7-61.9	137	45.7	38.1-53.3
45-54	353	371,021	222	64.4	57.9-70.9	131	35.6	29.1-42.1
55-64	436	332,579	299	67.6	61.5-73.7	137	32.4	26.3-38.5
65+	660	442,936	429	63.9	58.8-69.0	231	36.1	31.0-41.2
Less Than H.S.	168	228,444	87	47.9	37.7-58.1	81	52.1	41.9-62.3
H.S. or G.E.D.	651	683,290	363	56.6	51.3-61.9	288	43.4	38.1-48.7
Some Post-H.S.	583	662,422	388	64.4	58.7-70.1	195	35.6	29.9-41.3
College Graduate	712	501,822	451	60.6	55.7-65.5	261	39.4	34.5-44.3
Less than \$15,000	259	218,490	151	55.2	46.6-63.8	108	44.8	36.2-53.4
\$15,000- 24,999	352	360,225	204	53.0	45.4-60.6	148	47.0	39.4-54.6
\$25,000- 34,999	192	194,239	121	61.6	51.8-71.4	71	38.4	28.6-48.2
\$35,000- 49,999	249	268,841	152	60.5	52.1-68.9	97	39.5	31.1-47.9
\$50,000- 74,999	253	249,923	155	63.5	55.3-71.7	98	36.5	28.3-44.7
\$75,000+	427	416,163	287	62.7	56.0-69.4	140	37.3	30.6-44.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			Yes, during pregnancy			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)		%	C.I. (95%)	
TOTAL	3957	4,052,189	468	10.8	09.4-12.2	43	1.3	00.7-01.9	3446	87.9	86.5-89.3		
Male	1766	1,886,796	201	11.0	09.0-13.0				1565	89.0	87.0-91.0		
Female	2191	2,165,393	267	10.6	09.0-12.2	43	2.4	01.4-03.4	1881	87.0	85.2-88.8		
White/Non-Hisp	3216	3,108,110	363	10.5	09.1-11.9	31	1.1	00.7-01.5	2822	88.4	87.0-89.8		
Black or Afr. Am./Non-Hisp	435	629,977	68	13.3	09.4-17.2	6	1.6	00.0-03.4	361	85.1	80.8-89.4		
Oth. Race/Non-Hisp.	92	102,985	11	12.7	03.7-21.7	4	7.2	00.0-15.4	77	80.1	68.5-91.7		
MultiRacial/Non-Hisp.	87	40,065	12	11.0	03.4-18.6	1	1.5	00.0-04.4	74	87.5	79.3-95.7		
Hispanic	72	118,217	6	3.4	00.5-06.3	1	0.4	00.0-01.2	65	96.1	93.0-99.2		
18-24	251	477,169	14	4.3	01.6-07.0	4	1.2	00.0-02.4	233	94.5	91.6-97.4		
25-34	498	715,905	31	8.1	04.8-11.4	7	1.0	00.0-02.0	460	90.9	87.4-94.4		
35-44	565	696,502	51	7.9	05.2-10.6	12	2.9	00.7-05.1	502	89.2	85.9-92.5		
45-54	687	712,714	87	12.4	08.9-15.9	10	1.2	00.2-02.2	590	86.4	82.9-89.9		
55-64	791	651,443	111	14.5	11.4-17.6	4	0.7	00.0-01.5	676	84.8	81.7-87.9		
65+	1165	798,456	174	15.3	12.6-18.0	6	0.8	00.0-01.6	985	83.9	81.0-86.8		
Less Than H.S.	339	483,249	49	12.7	08.0-17.4	6	1.7	00.0-03.5	284	85.7	80.8-90.6		
H.S. or G.E.D.	1244	1,401,275	161	10.8	08.6-13.0	12	1.0	00.4-01.6	1071	88.3	86.1-90.5		
Some Post-H.S.	1032	1,189,586	124	10.8	08.3-13.3	15	1.8	00.6-03.0	893	87.4	84.7-90.1		
College Graduate	1329	963,663	133	9.8	07.6-12.0	10	0.9	00.1-01.7	1186	89.3	87.1-91.5		
Less than \$15,000	405	368,981	66	14.1	09.8-18.4	6	1.1	00.1-02.1	333	84.8	80.5-89.1		
\$15,000- 24,999	594	602,662	75	10.6	07.3-13.9	7	1.6	00.0-03.2	512	87.8	84.1-91.5		
\$25,000- 34,999	353	350,950	57	12.1	08.4-15.8	5	1.5	00.1-02.9	291	86.4	82.5-90.3		
\$35,000- 49,999	491	508,054	61	13.5	09.2-17.8	7	1.2	00.2-02.2	423	85.3	81.0-89.6		
\$50,000- 74,999	490	523,561	48	9.9	06.4-13.4	5	2.5	00.1-04.9	437	87.6	83.5-91.7		
\$75,000+	970	1,011,230	91	9.6	07.1-12.1	8	0.7	00.1-01.3	871	89.7	87.0-92.4		

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1766	1,886,796	201	11.0	09.0-13.0	1565	89.0	87.0-91.0
White/Non-Hisp	1443	1,464,219	161	10.7	08.5-12.9	1282	89.3	87.1-91.5
Black or Afr. Am./Non-Hisp	169	258,969	25	14.3	07.4-21.2	144	85.7	78.8-92.6
18-24	133	236,349	6	4.9	00.4-09.4	127	95.1	90.6-99.6
25-34	239	344,131	11	7.1	02.2-12.0	228	92.9	88.0-97.8
35-44	252	333,558	15	6.4	02.5-10.3	237	93.6	89.7-97.5
45-54	324	330,981	42	14.4	08.5-20.3	282	85.6	79.7-91.5
55-64	342	305,277	54	16.8	11.9-21.7	288	83.2	78.3-88.1
65+	476	336,501	73	15.5	11.2-19.8	403	84.5	80.2-88.8
Less Than H.S.	168	248,784	27	16.2	08.8-23.6	141	83.8	76.4-91.2
H.S. or G.E.D.	565	681,200	62	10.0	06.9-13.1	503	90.0	86.9-93.1
Some Post-H.S.	432	501,003	51	10.9	07.0-14.8	381	89.1	85.2-93.0
College Graduate	593	446,315	60	9.5	06.6-12.4	533	90.5	87.6-93.4
Less than \$15,000	142	145,681	23	15.6	08.0-23.2	119	84.4	76.8-92.0
\$15,000- 24,999	230	232,427	30	11.8	06.3-17.3	200	88.2	82.7-93.7
\$25,000- 34,999	153	147,234	25	10.9	06.0-15.8	128	89.1	84.2-94.0
\$35,000- 49,999	234	232,941	29	15.3	08.4-22.2	205	84.7	77.8-91.6
\$50,000- 74,999	232	268,640	24	11.5	06.0-17.0	208	88.5	83.0-94.0
\$75,000+	529	572,047	51	10.0	06.3-13.7	478	90.0	86.3-93.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2191	2,165,393	267	10.6	09.0-12.2	43	2.4	01.4-03.4	1881	87.0	85.2-88.8
White/Non-Hisp	1773	1,643,891	202	10.3	08.5-12.1	31	2.0	01.2-02.8	1540	87.7	85.7-89.7
Black or Afr. Am./Non-Hisp	266	371,008	43	12.6	07.9-17.3	6	2.8	00.0-05.7	217	84.7	79.2-90.2
18-24	118	240,820	8	3.8	00.9-06.7	4	2.3	00.0-04.7	106	93.9	90.0-97.8
25-34	259	371,773	20	8.9	04.2-13.6	7	1.9	00.0-03.9	232	89.1	84.0-94.2
35-44	313	362,944	36	9.3	05.6-13.0	12	5.5	01.6-09.4	265	85.2	80.1-90.3
45-54	363	381,733	45	10.6	06.7-14.5	10	2.2	00.4-04.0	308	87.2	82.9-91.5
55-64	449	346,167	57	12.5	08.6-16.4	4	1.3	00.0-02.9	388	86.2	82.1-90.3
65+	689	461,956	101	15.1	11.4-18.8	6	1.4	00.0-02.8	582	83.5	79.6-87.4
Less Than H.S.	171	234,465	22	8.9	03.8-14.0	6	3.4	00.0-07.1	143	87.6	81.3-93.9
H.S. or G.E.D.	679	720,075	99	11.5	08.8-14.2	12	1.9	00.5-03.3	568	86.6	83.7-89.5
Some Post-H.S.	600	688,583	73	10.7	07.4-14.0	15	3.1	01.1-05.1	512	86.2	82.5-89.9
College Graduate	736	517,348	73	10.0	07.1-12.9	10	1.7	00.3-03.1	653	88.3	85.2-91.4
Less than \$15,000	263	223,299	43	13.1	08.4-17.8	6	1.8	00.2-03.4	214	85.0	80.1-89.9
\$15,000- 24,999	364	370,235	45	9.8	05.3-14.3	7	2.6	00.1-05.1	312	87.6	82.7-92.5
\$25,000- 34,999	200	203,716	32	13.0	07.7-18.3	5	2.5	00.0-05.0	163	84.5	78.8-90.2
\$35,000- 49,999	257	275,113	32	12.1	06.8-17.4	7	2.2	00.4-04.0	218	85.7	80.2-91.2
\$50,000- 74,999	258	254,921	24	8.2	03.9-12.5	5	5.1	00.6-09.6	229	86.7	80.8-92.6
\$75,000+	441	439,184	40	9.0	05.5-12.5	8	1.6	00.2-03.0	393	89.4	85.7-93.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
 MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	826	691,865	286	35.5	30.8-40.2	540	64.5	59.8-69.2
Male	365	338,390	137	37.8	31.1-44.5	228	62.2	55.5-68.9
Female	461	353,475	149	33.2	26.7-39.7	312	66.8	60.3-73.3
White/Non-Hisp	651	544,820	228	35.1	30.0-40.2	423	64.9	59.8-70.0
Black or Afr. Am./Non-Hisp	116	105,187	35	32.7	19.8-45.6	81	67.3	54.4-80.2
45-54	101	102,798	32	34.6	20.5-48.7	69	65.4	51.3-79.5
55-64	234	193,538	91	43.9	35.3-52.5	143	56.1	47.5-64.7
65+	426	309,590	141	32.8	26.5-39.1	285	67.2	60.9-73.5
Less Than H.S.	121	168,862	50	41.3	30.1-52.5	71	58.7	47.5-69.9
H.S. or G.E.D.	285	237,210	92	32.4	24.8-40.0	193	67.6	60.0-75.2
Some Post-H.S.	216	183,843	77	34.3	25.9-42.7	139	65.7	57.3-74.1
College Graduate	199	98,670	66	35.3	26.3-44.3	133	64.7	55.7-73.7
Less than \$15,000	137	134,958	56	38.4	26.6-50.2	81	61.6	49.8-73.4
\$15,000- 24,999	181	143,927	66	36.4	26.4-46.4	115	63.6	53.6-73.6
\$25,000- 34,999	82	65,359	32	47.9	32.8-63.0	50	52.1	37.0-67.2
\$35,000- 49,999	88	76,772	26	28.5	16.3-40.7	62	71.5	59.3-83.7
\$50,000- 74,999	76	59,908	27	40.0	24.9-55.1	49	60.0	44.9-75.1
\$75,000+	101	87,122	31	31.1	19.7-42.5	70	68.9	57.5-80.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	365	338,390	137	37.8	31.3-44.3	228	62.2	55.7-68.7
White/Non-Hisp	289	268,685	107	38.1	31.0-45.2	182	61.9	54.8-69.0
45-54	53	59,514	19	40.1	20.9-59.3	34	59.9	40.7-79.1
55-64	103	91,541	42	47.4	35.1-59.7	61	52.6	40.3-64.9
65+	180	153,334	64	33.3	24.7-41.9	116	66.7	58.1-75.3
H.S. or G.E.D.	124	116,570	49	39.0	27.6-50.4	75	61.0	49.6-72.4
Some Post-H.S.	88	91,499	33	33.1	21.5-44.7	55	66.9	55.3-78.5
College Graduate	108	57,450	39	34.9	22.9-46.9	69	65.1	53.1-77.1
\$15,000- 24,999	67	69,546	28	40.0	24.1-55.9	39	60.0	44.1-75.9
\$75,000+	62	57,200	22	36.2	21.1-51.3	40	63.8	48.7-78.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	461	353,475	149	33.2	26.7-39.7	312	66.8	60.3-73.3
White/Non-Hisp	362	276,135	121	32.1	25.2-39.0	241	67.9	61.0-74.8
Black or Afr. Am./Non-Hisp	67	53,493	18	33.5	15.7-51.3	49	66.5	48.7-84.3
55-64	131	101,998	49	40.8	29.4-52.2	82	59.2	47.8-70.6
65+	246	156,256	77	32.2	23.8-40.6	169	67.8	59.4-76.2
Less Than H.S.	79	97,762	35	39.6	24.9-54.3	44	60.4	45.7-75.1
H.S. or G.E.D.	161	120,640	43	25.9	16.1-35.7	118	74.1	64.3-83.9
Some Post-H.S.	128	92,344	44	35.5	23.5-47.5	84	64.5	52.5-76.5
College Graduate	91	41,220	27	35.8	21.7-49.9	64	64.2	50.1-78.3
Less than \$15,000	90	84,129	37	37.1	22.0-52.2	53	62.9	47.8-78.0
\$15,000- 24,999	114	74,380	38	33.2	21.0-45.4	76	66.8	54.6-79.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never						< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	805	674,858	74	9.5	06.8-12.2	199	24.1	19.8-28.4	511	63.4	58.7-68.1	21	3.0	01.0-05.0			
Male	356	328,027	24	7.9	04.2-11.6	97	27.1	20.8-33.4	225	62.7	55.8-69.6	10	2.3	00.7-03.9			
Female	449	346,832	50	11.0	06.9-15.1	102	21.3	15.8-26.8	286	64.0	57.3-70.7	11	3.6	00.3-06.9			
White/Non-Hisp	632	528,703	54	9.3	06.4-12.2	163	24.4	19.7-29.1	396	62.6	57.3-67.9	19	3.7	01.3-06.1			
Black or Afr. Am./Non-Hisp	115	104,370	13	12.5	02.7-22.3	26	24.1	11.8-36.4	76	63.4	49.7-77.1						
45-54	100	101,599	11	5.5	01.8-09.2	23	29.7	14.8-44.6	62	62.5	47.8-77.2	4	2.4	00.0-04.9			
55-64	230	190,757	15	7.5	02.2-12.8	57	17.3	12.0-22.6	155	74.0	66.9-81.1	3	1.2	00.0-02.8			
65+	412	301,588	38	10.9	06.6-15.2	107	27.9	21.8-34.0	260	59.7	53.2-66.2	7	1.5	00.1-02.9			
Less Than H.S.	119	166,940	12	14.5	06.9-22.1	22	19.8	10.0-29.6	83	64.0	52.6-75.4	2	1.7	00.0-04.1			
H.S. or G.E.D.	275	229,698	28	7.8	03.9-11.7	59	22.9	15.5-30.3	184	68.2	60.4-76.0	4	1.0	00.0-02.2			
Some Post-H.S.	212	177,152	19	9.7	04.0-15.4	55	26.0	18.7-33.3	132	59.9	50.9-68.9	6	4.5	00.0-10.2			
College Graduate	194	97,788	15	5.1	02.2-08.0	61	30.8	22.4-39.2	109	56.8	47.6-66.0	9	7.3	01.6-13.0			
Less than \$15,000	133	132,142	16	15.6	06.2-25.0	27	20.7	10.1-31.3	89	63.6	51.1-76.1	1	0.2	00.0-00.6			
\$15,000- 24,999	178	142,125	20	8.1	03.8-12.4	37	27.9	17.3-38.5	116	61.2	50.4-72.0	5	2.8	00.3-05.3			
\$25,000- 34,999	81	63,902	7	11.6	01.0-22.2	22	20.6	10.2-31.0	51	66.5	52.8-80.2	1	1.3	00.0-03.8			
\$35,000- 49,999	87	72,641	5	6.1	00.0-14.7	27	26.6	14.8-38.4	53	63.8	50.5-77.1	2	3.5	00.0-08.6			
\$50,000- 74,999	72	57,885	9	10.5	01.1-19.9	23	27.3	14.6-40.0	39	61.8	47.5-76.1	1	0.4	00.0-01.2			
\$75,000+	101	87,122	5	3.2	00.1-06.3	31	32.6	20.4-44.8	59	57.1	44.6-69.6	6	7.1	00.8-13.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	356	328,027	24	7.9	04.2-11.6	97	27.1	20.8-33.4	225	62.7	56.0-69.4	10	2.3	00.7-03.9	
White/Non-Hisp	280	258,322	17	7.9	03.8-12.0	81	27.1	20.6-33.6	174	62.3	55.2-69.4	8	2.8	00.8-04.8	
45-54	53	59,514	7	5.1	00.8-09.4	13	31.0	12.0-50.0	31	62.3	43.3-81.3	2	1.6	00.0-04.1	
55-64	100	89,034	4	5.7	00.0-12.6	25	16.6	09.5-23.7	68	75.0	65.2-84.8	3	2.7	00.0-05.8	
65+	175	149,608	12	10.2	04.1-16.3	53	33.3	24.5-42.1	108	54.8	46.0-63.6	2	1.7	00.0-04.1	
H.S. or G.E.D.	120	112,809	10	6.5	00.6-12.4	28	26.5	14.5-38.5	80	65.9	53.7-78.1	2	1.1	00.0-02.7	
Some Post-H.S.	85	85,339	5	4.9	00.0-11.2	23	29.4	17.8-41.0	54	63.6	51.1-76.1	3	2.1	00.0-04.6	
College Graduate	106	57,007	3	2.3	00.0-05.0	37	37.8	25.6-50.0	63	56.5	44.2-68.8	3	3.3	00.0-07.4	
\$15,000- 24,999	67	69,546	6	4.2	00.5-07.9	14	37.6	20.4-54.8	45	56.1	39.2-73.0	2	2.2	00.0-05.5	
\$75,000+	62	57,200				20	31.7	16.6-46.8	38	62.7	47.2-78.2	4	5.6	00.1-11.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	449	346,832	50	11.0	06.9-15.1	102	21.3	15.8-26.8	286	64.0	57.3-70.7	11	3.6	00.3-06.9	
White/Non-Hisp	352	270,381	37	10.7	06.4-15.0	82	21.9	15.6-28.2	222	62.8	55.4-70.2	11	4.7	00.6-08.8	
Black or Afr. Am./Non-Hisp	66	52,676	7	14.3	00.0-29.8	15	20.0	06.9-33.1	44	65.7	47.9-83.5				
55-64	130	101,724	11	9.1	01.3-16.9	32	17.8	10.4-25.2	87	73.1	63.5-82.7				
65+	237	151,980	26	11.5	05.4-17.6	54	22.6	15.2-30.0	152	64.4	55.8-73.0	5	1.4	00.0-03.0	
Less Than H.S.	77	95,841	6	11.5	01.5-21.5	14	22.2	07.9-36.5	57	66.3	51.0-81.6				
H.S. or G.E.D.	155	116,888	18	9.1	04.0-14.2	31	19.4	11.0-27.8	104	70.5	60.9-80.1	2	1.0	00.0-02.8	
Some Post-H.S.	127	91,814	14	14.1	04.7-23.5	32	22.7	14.1-31.3	78	56.5	44.2-68.8	3	6.7	00.0-17.1	
College Graduate	88	40,781	12	8.9	02.8-15.0	24	21.0	10.6-31.4	46	57.2	43.3-71.1	6	12.9	01.1-24.7	
Less than \$15,000	87	82,080	11	15.4	03.8-27.0	18	21.9	07.2-36.6	58	62.7	47.0-78.4				
\$15,000- 24,999	111	72,579	14	11.8	04.2-19.4	23	18.7	09.1-28.3	71	66.2	54.2-78.2	3	3.3	00.0-07.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	790	663,490	459	60.6	55.9-65.3	157	17.7	14.0-21.4	50	4.7	02.9-06.5	28	4.0	02.4-05.6	96	13.1	09.6-16.6
Male	344	319,382	196	57.2	50.3-64.1	75	20.9	14.8-27.0	19	4.4	01.9-06.9	13	3.8	02.0-05.6	41	13.7	08.2-19.2
Female	446	344,108	263	63.7	57.4-70.0	82	14.7	10.6-18.8	31	5.0	02.6-07.4	15	4.1	01.6-06.6	55	12.5	08.0-17.0
White/Non-Hisp	622	521,238	355	58.6	53.3-63.9	122	16.8	13.1-20.5	42	5.5	03.3-07.7	26	4.5	02.7-06.3	77	14.4	10.3-18.5
Black or Afr. Am./Non-Hisp	113	103,788	74	71.6	58.9-84.3	22	19.1	06.8-31.4	6	2.2	00.2-04.2	1	2.3	00.0-06.6	10	4.8	01.1-08.5
45-54	99	101,585	55	57.8	42.3-73.3	22	22.0	09.5-34.5	6	4.6	00.5-08.7	2	0.5	00.0-01.3	14	15.1	02.0-28.2
55-64	228	188,517	147	67.6	59.6-75.6	42	16.2	09.7-22.7	16	6.1	02.2-10.0	5	2.0	00.0-04.0	18	8.2	03.3-13.1
65+	398	287,449	224	57.4	51.1-63.7	86	20.2	14.9-25.5	23	4.1	01.7-06.5	19	6.8	03.7-09.9	46	11.5	07.4-15.6
Less Than H.S.	115	163,352	72	61.9	50.5-73.3	20	13.3	06.0-20.6	4	5.0	00.0-10.1	4	5.5	02.2-08.8	15	14.4	05.2-23.6
H.S. or G.E.D.	270	224,840	167	66.3	58.3-74.3	52	20.9	13.5-28.3	18	4.3	02.1-06.5	9	2.7	00.5-04.9	24	5.8	03.1-08.5
Some Post-H.S.	209	177,351	120	56.5	47.5-65.5	39	16.5	10.6-22.4	11	3.4	01.0-05.8	7	3.6	00.1-07.1	32	20.1	11.9-28.3
College Graduate	192	95,565	98	52.8	43.4-62.2	45	19.3	12.8-25.8	17	8.0	03.3-12.7	8	5.0	00.7-09.3	24	15.0	07.7-22.3
Less than \$15,000	135	134,022	89	61.1	48.6-73.6	20	11.8	04.7-18.9	7	7.3	00.8-13.8	3	3.4	00.0-07.3	16	16.3	05.5-27.1
\$15,000- 24,999	175	140,748	100	63.6	52.8-74.4	42	24.7	14.3-35.1	11	3.4	01.0-05.8	2	0.3	00.0-00.9	20	8.0	03.9-12.1
\$25,000- 34,999	81	63,902	48	60.1	45.2-75.0	14	19.8	07.8-31.8	6	4.2	00.7-07.7	4	4.0	00.0-10.1	9	12.0	01.8-22.2
\$35,000- 49,999	84	73,248	43	60.7	47.6-73.8	16	12.8	05.0-20.6	5	3.8	00.0-07.9	6	7.3	00.8-13.8	14	15.4	06.8-24.0
\$50,000- 74,999	73	56,168	44	65.8	51.7-79.9	18	22.0	09.8-34.2	3	1.8	00.0-04.2	1	0.7	00.0-02.1	7	9.6	00.0-19.2
\$75,000+	98	85,571	53	54.0	41.7-66.3	17	19.7	09.1-30.3	8	5.9	01.2-10.6	5	4.6	00.0-09.3	15	15.7	07.1-24.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	344	319,382	196	57.2	50.7-63.7	75	20.9	15.2-26.6	19	4.4	01.9-06.9	13	3.8	02.0-05.6	41	13.7	08.4-19.0
White/Non-Hisp	274	253,255	150	54.2	47.5-60.9	60	20.4	14.7-26.1	18	5.5	02.2-08.8	13	4.9	02.7-07.1	33	15.0	08.7-21.3
45-54	52	58,527	26	46.5	26.1-66.9	13	29.6	11.2-48.0	4	5.0	00.0-10.3	1	0.5	00.0-01.5	8	18.4	00.0-39.6
55-64	98	86,863	64	67.6	55.4-79.8	20	15.9	07.1-24.7	7	8.2	00.4-16.0	2	1.7	00.0-04.1	5	6.6	00.0-13.9
65+	165	139,991	90	54.4	45.8-63.0	39	23.4	15.2-31.6	6	1.9	00.0-04.1	9	6.8	03.3-10.3	21	13.4	06.9-19.9
H.S. or G.E.D.	115	106,911	73	61.7	49.4-74.0	26	28.7	16.4-41.0	6	3.5	00.6-06.4	5	4.0	00.0-08.3	5	2.1	00.1-04.1
Some Post-H.S.	83	86,444	51	63.9	51.6-76.2	12	14.2	05.2-23.2	2	0.9	00.0-02.1	3	1.9	00.0-04.3	15	19.1	08.7-29.5
College Graduate	104	55,797	51	51.9	39.6-64.2	28	22.1	12.7-31.5	9	8.9	01.8-16.0	4	3.4	00.0-07.5	12	13.7	04.7-22.7
\$15,000- 24,999	64	67,855	38	59.1	42.0-76.2	16	30.0	12.8-47.2	3	2.5	00.0-05.6				7	8.4	01.7-15.1
\$75,000+	61	56,213	33	55.1	39.4-70.8	14	24.7	10.6-38.8	4	4.7	00.0-10.0	3	3.7	00.0-08.2	7	11.8	02.6-21.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	446	344,108	263	63.7	57.4-70.0	82	14.7	10.8-18.6	31	5.0	02.6-07.4	15	4.1	01.6-06.6	55	12.5	08.0-17.0
White/Non-Hisp	348	267,983	205	62.8	55.7-69.9	62	13.5	09.8-17.2	24	5.5	02.6-08.4	13	4.2	01.3-07.1	44	13.9	08.4-19.4
Black or Afr. Am./Non-Hisp	66	52,277	42	72.4	56.3-88.5	12	15.6	01.3-29.9	6	4.3	00.4-08.2	1	4.5	00.0-13.1	5	3.1	00.0-06.6
55-64	130	101,655	83	67.5	57.1-77.9	22	16.5	07.9-25.1	9	4.2	01.3-07.1	3	2.2	00.0-05.1	13	9.5	03.0-16.0
65+	233	147,458	134	60.2	51.8-68.6	47	17.2	11.3-23.1	17	6.2	01.9-10.5	10	6.7	01.6-11.8	25	9.7	04.8-14.6
Less Than H.S.	76	94,895	52	72.7	60.0-85.4	12	12.0	02.8-21.2	2	3.6	00.0-09.3	3	4.8	00.0-10.5	7	6.9	00.8-13.0
H.S. or G.E.D.	155	117,929	94	70.5	62.3-78.7	26	13.8	08.1-19.5	12	4.9	01.8-08.0	4	1.5	00.0-03.3	19	9.2	04.3-14.1
Some Post-H.S.	126	90,907	69	49.5	37.5-61.5	27	18.6	10.8-26.4	9	5.8	01.5-10.1	4	5.1	00.0-11.4	17	21.0	08.5-33.5
College Graduate	88	39,768	47	54.1	39.6-68.6	17	15.3	06.7-23.9	8	6.6	01.1-12.1	4	7.3	00.0-15.9	12	16.7	05.1-28.3
Less than \$15,000	90	84,129	59	66.9	52.8-81.0	13	11.5	02.3-20.7	3	4.5	00.0-11.0	3	5.4	00.0-11.7	12	11.7	03.9-19.5
\$15,000- 24,999	111	72,893	62	67.7	57.1-78.3	26	19.7	11.9-27.5	8	4.3	00.8-07.8	2	0.6	00.0-01.8	13	7.6	02.5-12.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	796	668,680	105	11.6	08.9-14.3	152	18.8	14.9-22.7	115	15.4	11.9-18.9	192	24.3	20.2-28.4	142	16.8	13.3-20.3	90	13.2	09.3-17.1			
Male	359	331,917	53	12.2	08.5-15.9	73	20.5	14.6-26.4	57	15.0	10.1-19.9	80	23.4	17.5-29.3	55	15.5	10.6-20.4	41	13.5	07.8-19.2			
Female	437	336,764	52	11.0	07.1-14.9	79	17.1	12.2-22.0	58	15.8	10.5-21.1	112	25.2	19.5-30.9	87	18.0	12.9-23.1	49	12.8	07.1-18.5			
White/Non-Hisp	633	530,907	83	11.5	08.6-14.4	121	18.9	14.8-23.0	99	15.4	11.7-19.1	164	25.2	20.7-29.7	100	15.1	11.4-18.8	66	13.9	09.2-18.6			
Black or Afr. Am./Non-Hisp	109	98,780	17	11.2	03.0-19.4	20	21.3	08.2-34.4	12	15.4	04.4-26.4	13	13.3	03.5-23.1	29	26.4	15.2-37.6	18	12.4	04.8-20.0			
45-54	100	102,412	14	10.6	04.3-16.9	20	22.4	09.9-34.9	16	19.4	07.6-31.2	17	14.4	06.0-22.8	17	11.6	04.3-18.9	16	21.6	05.9-37.3			
55-64	226	186,492	34	13.4	07.5-19.3	35	13.0	07.5-18.5	35	19.1	11.8-26.4	55	27.1	19.3-34.9	49	22.3	15.0-29.6	18	5.1	02.4-07.8			
65+	407	298,829	48	10.4	06.7-14.1	85	19.7	14.8-24.6	57	13.1	08.8-17.4	112	28.8	22.5-35.1	61	14.7	10.0-19.4	44	13.2	08.3-18.1			
Less Than H.S.	112	159,425	15	10.6	04.3-16.9	14	12.4	06.5-18.3	12	14.4	05.4-23.4	31	24.5	14.3-34.7	26	18.6	10.2-27.0	14	19.5	07.5-31.5			
H.S. or G.E.D.	274	228,233	39	12.4	07.7-17.1	52	23.0	15.4-30.6	40	14.3	08.6-20.0	66	25.5	18.4-32.6	46	14.0	08.7-19.3	31	10.9	04.8-17.0			
Some Post-H.S.	211	181,288	33	13.0	07.9-18.1	37	19.3	11.7-26.9	28	14.6	08.1-21.1	51	23.7	16.1-31.3	37	18.0	10.9-25.1	25	11.3	06.0-16.6			
College Graduate	196	97,962	18	8.9	03.6-14.2	48	18.4	11.9-24.9	35	21.3	13.5-29.1	44	22.7	15.1-30.3	32	17.4	10.0-24.8	19	11.4	05.3-17.5			
Less than \$15,000	128	127,964	19	14.5	06.5-22.5	20	13.2	05.8-20.6	14	11.7	03.5-19.9	26	18.8	09.6-28.0	35	23.8	13.6-34.0	14	17.9	04.2-31.6			
\$15,000- 24,999	176	141,055	23	12.6	06.3-18.9	27	18.8	09.0-28.6	24	10.8	05.1-16.5	47	26.5	17.1-35.9	32	17.4	10.1-24.7	23	13.8	04.4-23.2			
\$25,000- 34,999	81	64,659	10	7.9	01.0-14.8	18	16.0	07.4-24.6	14	25.9	11.2-40.6	15	21.3	07.0-35.6	13	11.2	04.1-18.3	11	17.6	06.4-28.8			
\$35,000- 49,999	88	76,772	11	12.0	03.6-20.4	20	20.5	08.9-32.1	16	18.5	08.1-28.9	20	24.7	12.2-37.2	13	14.9	03.7-26.1	8	9.4	02.0-16.8			
\$50,000- 74,999	76	59,908	10	10.5	03.4-17.6	15	16.3	06.7-25.9	9	16.0	02.9-29.1	25	32.9	19.6-46.2	10	11.6	01.8-21.4	7	12.8	01.8-23.8			
\$75,000+	101	87,122	16	13.1	05.7-20.5	18	15.7	06.3-25.1	19	22.3	11.9-32.7	26	28.9	17.3-40.5	13	12.6	03.8-21.4	9	7.4	01.9-12.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	359	331,917	53	12.2	08.7-15.7	73	20.5	14.6-26.4	57	15.0	10.7-19.3	80	23.4	17.7-29.1	55	15.5	10.6-20.4	41	13.5	07.8-19.2				
White/Non-Hisp	286	264,285	45	13.3	09.0-17.6	55	17.9	12.2-23.6	49	17.0	11.9-22.1	68	23.9	17.6-30.2	35	13.3	08.0-18.6	34	14.6	07.9-21.3				
45-54	53	59,514	8	11.0	02.4-19.6	12	25.2	06.4-44.0	7	16.2	03.9-28.5	11	15.9	04.7-27.1	6	9.1	00.0-19.3	9	22.6	01.6-43.6				
55-64	101	87,835	19	13.5	06.4-20.6	15	13.1	04.9-21.3	17	17.5	08.1-26.9	23	30.3	18.0-42.6	22	22.8	12.0-33.6	5	2.8	00.1-05.5				
65+	177	151,824	20	10.0	05.1-14.9	39	21.6	14.0-29.2	28	13.2	08.1-18.3	44	26.6	18.0-35.2	21	12.0	06.3-17.7	25	16.5	08.7-24.3				
H.S. or G.E.D.	123	115,875	22	14.0	07.1-20.9	22	26.9	14.7-39.1	17	12.6	05.7-19.5	29	25.9	15.9-35.9	19	12.7	06.0-19.4	14	7.9	02.6-13.2				
Some Post-H.S.	88	91,499	13	11.0	04.3-17.7	18	17.5	08.5-26.5	11	14.2	04.8-23.6	20	23.2	11.6-34.8	14	20.2	08.0-32.4	12	13.9	05.1-22.7				
College Graduate	107	57,331	11	12.2	03.8-20.6	28	19.1	10.7-27.5	24	24.2	14.2-34.2	23	22.5	12.5-32.5	12	10.9	02.7-19.1	9	11.1	02.9-19.3				
\$15,000- 24,999	67	69,546	9	10.7	03.1-18.3	12	25.5	08.8-42.2	11	10.8	03.2-18.4	15	25.4	11.5-39.3	12	17.8	06.8-28.8	8	9.8	00.8-18.8				
\$75,000+	62	57,200	10	12.7	03.5-21.9	11	15.4	03.2-27.6	12	21.5	08.4-34.6	17	31.9	17.2-46.6	5	9.5	00.0-19.9	7	9.0	01.4-16.6				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	437	336,764	52	11.0	07.3-14.7	79	17.1	12.2-22.0	58	15.8	10.5-21.1	112	25.2	19.5-30.9	87	18.0	12.9-23.1	49	12.8	07.1-18.5
White/Non-Hisp	347	266,623	38	9.8	06.3-13.3	66	19.8	14.1-25.5	50	13.8	08.9-18.7	96	26.5	20.2-32.8	65	16.9	11.4-22.4	32	13.2	06.3-20.1
Black or Afr. Am./Non-Hisp	62	48,463	12	17.3	02.0-32.6	9	6.6	00.0-13.5	6	25.4	06.2-44.6	8	10.2	00.2-20.2	15	28.0	11.9-44.1	12	12.6	04.0-21.2
55-64	125	98,657	15	13.3	05.3-21.3	20	12.9	07.2-18.6	18	20.5	09.7-31.3	32	24.3	14.5-34.1	27	21.8	11.8-31.8	13	7.2	02.5-11.9
65+	230	147,004	28	10.9	05.6-16.2	46	17.9	11.8-24.0	29	13.0	06.5-19.5	68	31.0	22.4-39.6	40	17.5	10.1-24.9	19	9.7	04.0-15.4
Less Than H.S.	74	93,985	8	10.4	01.4-19.4	10	11.1	03.5-18.7	7	15.6	03.1-28.1	23	27.3	13.8-40.8	17	19.9	08.5-31.3	9	15.7	02.2-29.2
H.S. or G.E.D.	151	112,358	17	10.7	05.2-16.2	30	18.9	11.6-26.2	23	16.0	07.8-24.2	37	25.1	16.1-34.1	27	15.2	07.0-23.4	17	14.1	03.1-25.1
Some Post-H.S.	123	89,789	20	15.0	07.2-22.8	19	21.2	09.4-33.0	17	15.0	06.0-24.0	31	24.2	14.4-34.0	23	15.8	08.5-23.1	13	8.7	03.0-14.4
College Graduate	89	40,631	7	4.1	00.0-08.4	20	17.4	07.2-27.6	11	17.2	05.8-28.6	21	23.0	11.0-35.0	20	26.5	13.4-39.6	10	11.7	02.9-20.5
Less than \$15,000	84	80,959	9	13.5	02.5-24.5	13	12.3	03.9-20.7	10	16.4	03.7-29.1	19	17.5	07.1-27.9	26	29.6	15.3-43.9	7	10.7	00.0-24.6
\$15,000- 24,999	109	71,509	14	14.5	06.7-22.3	15	12.4	04.2-20.6	13	10.8	02.4-19.2	32	27.6	16.6-38.6	20	17.0	07.6-26.4	15	17.7	02.0-33.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	780	642,560	348	44.7	39.8-49.6	316	38.1	33.4-42.8	47	5.6	03.4-07.8	19	2.9	00.7-05.1	47	8.5	05.4-11.6	3	0.2	00.0-00.4
Male	343	305,123	162	42.3	35.4-49.2	134	39.9	33.0-46.8	19	6.7	02.8-10.6	3	2.0	00.0-05.5	23	8.7	04.8-12.6	2	0.3	00.0-00.7
Female	437	337,438	186	46.8	39.9-53.7	182	36.5	30.0-43.0	28	4.6	02.4-06.8	16	3.7	01.3-06.1	24	8.3	03.4-13.2	1	0.1	00.0-00.3
White/Non-Hisp	619	508,980	278	46.4	40.9-51.9	257	38.7	33.6-43.8	36	5.5	03.0-08.0	13	1.7	00.5-02.9	33	7.6	04.1-11.1	2	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	108	97,412	46	39.7	26.0-53.4	40	30.6	18.1-43.1	7	6.5	00.6-12.4	4	9.3	00.0-21.1	10	13.4	03.0-23.8	1	0.4	00.0-01.2
45-54	99	94,931	43	44.9	30.2-59.6	38	32.9	20.4-45.4	7	6.5	00.8-12.2	4	8.1	00.0-19.3	6	7.0	00.0-15.4	1	0.6	00.0-01.8
55-64	221	181,339	99	42.8	34.0-51.6	93	43.6	34.8-52.4	12	6.6	01.9-11.3	6	1.9	00.3-03.5	11	5.0	01.7-08.3			
65+	396	280,907	178	44.7	38.2-51.2	168	42.1	35.6-48.6	24	4.4	02.4-06.4	7	1.7	00.0-03.7	17	6.9	03.2-10.6	2	0.3	00.0-00.7
Less Than H.S.	105	138,555	42	42.6	30.4-54.8	45	41.2	29.0-53.4	6	3.1	00.2-06.0	1	0.8	00.0-02.4	10	11.9	03.3-20.5	1	0.3	00.0-00.9
H.S. or G.E.D.	268	224,249	120	43.9	35.5-52.3	103	35.7	27.9-43.5	17	5.5	02.4-08.6	8	4.9	00.0-10.2	19	9.8	03.3-16.3	1	0.2	00.0-00.6
Some Post-H.S.	208	180,049	98	50.0	41.0-59.0	84	36.2	27.8-44.6	8	5.5	00.0-11.0	4	1.3	00.0-02.9	14	6.9	02.6-11.2			
College Graduate	195	97,327	87	40.2	31.0-49.4	84	43.6	34.4-52.8	15	8.5	02.8-14.2	5	3.6	00.0-08.3	4	4.0	00.0-08.3			
Less than \$15,000	128	115,617	53	52.5	40.0-65.0	47	26.4	16.6-36.2	13	6.4	01.9-10.9	3	1.2	00.0-02.8	11	13.1	03.3-22.9	1	0.4	00.0-01.2
\$15,000- 24,999	171	138,865	72	38.4	27.6-49.2	70	35.3	25.3-45.3	7	5.5	01.0-10.0	7	8.1	00.0-16.5	15	12.7	03.3-22.1			
\$25,000- 34,999	76	62,334	42	51.3	37.0-65.6	24	36.3	22.0-50.6	5	3.9	00.0-07.8	2	2.2	00.0-05.5	3	6.3	00.0-13.9			
\$35,000- 49,999	86	74,078	38	41.1	27.2-55.0	37	44.4	30.1-58.7	5	7.7	00.0-18.3	2	0.9	00.0-02.3	4	5.8	00.0-11.9			
\$50,000- 74,999	73	58,617	32	37.2	23.3-51.1	32	46.4	31.3-61.5	5	7.0	00.0-14.4	3	8.4	00.0-18.4	3	8.4	00.0-18.4	1	0.9	00.0-02.9
\$75,000+	99	83,259	45	44.2	32.0-56.4	44	42.5	30.3-54.7	4	6.3	00.0-13.7	2	2.8	00.0-07.9	4	4.2	00.0-08.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	343	305,123	162	42.3	35.6-49.0	134	39.9	33.2-46.6	19	6.7	02.8-10.6	3	2.0	00.0-05.5	23	8.7	04.8-12.6	2	0.3	00.0-00.7
White/Non-Hisp	272	242,417	134	45.0	37.6-52.4	106	40.7	33.3-48.1	13	6.3	01.8-10.8	2	0.2	00.0-00.6	16	7.5	03.4-11.6	1	0.2	00.0-00.6
45-54	51	51,647	24	42.6	24.8-60.4	19	37.6	20.0-55.2	3	4.6	00.0-11.1	1	10.9	00.0-30.3	3	3.1	00.0-06.8	1	1.1	00.0-03.3
55-64	98	84,210	49	39.1	27.3-50.9	37	47.5	34.4-60.6	6	8.6	00.2-17.0				6	4.9	00.8-09.0			
65+	165	135,264	76	43.9	33.9-53.9	68	40.3	30.9-49.7	8	4.8	01.3-08.3	2	0.4	00.0-01.0	10	10.4	03.7-17.1	1	0.3	00.0-00.9
H.S. or G.E.D.	117	107,947	58	48.2	36.2-60.2	41	35.0	23.4-46.6	7	6.1	00.8-11.4	2	5.5	00.0-15.3	8	4.8	01.1-08.5	1	0.5	00.0-01.5
Some Post-H.S.	86	89,789	46	47.8	34.5-61.1	31	35.5	22.6-48.4	3	8.2	00.0-18.6				6	8.6	01.2-16.0			
College Graduate	104	56,106	48	38.3	26.1-50.5	46	47.8	35.6-60.0	6	7.0	00.1-13.9	1	0.3	00.0-00.9	3	6.5	00.0-13.8			
\$15,000- 24,999	64	67,697	29	39.4	23.9-54.9	24	37.3	21.6-53.0	4	8.3	00.1-16.5	1	8.4	00.0-23.7	6	6.7	00.8-12.6			
\$75,000+	60	53,336	26	37.4	22.3-52.5	30	50.3	34.0-66.6	2	8.4	00.0-19.8				2	3.9	00.0-10.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	437	337,438	186	46.8	40.1-53.5	182	36.5	30.2-42.8	28	4.6	02.4-06.8	16	3.7	01.3-06.1	24	8.3	03.6-13.0	1	0.1	00.0-00.3
White/Non-Hisp	347	266,563	144	47.7	40.4-55.0	151	36.8	29.9-43.7	23	4.7	02.3-07.1	11	3.0	00.6-05.4	17	7.6	02.5-12.7	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	62	50,280	30	46.5	27.3-65.7	21	28.7	12.2-45.2	3	4.6	00.0-11.1	3	6.9	00.0-16.3	5	13.3	00.0-28.8			
55-64	123	97,128	50	46.1	34.3-57.9	56	40.3	28.9-51.7	6	4.9	00.2-09.6	6	3.5	00.4-06.6	5	5.2	02.3-08.1			
65+	231	145,643	102	45.3	36.3-54.3	100	43.7	34.7-52.7	16	4.0	01.8-06.2	5	3.0	00.0-06.5	7	3.7	00.8-06.6	1	0.3	00.0-00.9
Less Than H.S.	72	89,046	33	52.5	36.2-68.8	29	35.7	20.6-50.8	4	3.1	00.0-06.8	1	1.2	00.0-03.6	4	7.1	00.0-16.3	1	0.5	00.0-01.5
H.S. or G.E.D.	151	116,302	62	39.9	28.9-50.9	62	36.4	26.2-46.6	10	4.9	01.2-08.6	6	4.3	00.0-08.8	11	14.4	03.8-25.0			
Some Post-H.S.	122	90,260	52	52.2	40.4-64.0	53	37.0	25.8-48.2	5	2.9	00.2-05.6	4	2.7	00.0-05.6	8	5.2	01.3-09.1			
College Graduate	91	41,220	39	42.9	28.8-57.0	38	38.0	25.1-50.9	9	10.6	01.2-20.0	4	8.0	00.0-18.6	1	0.6	00.0-01.8			
Less than \$15,000	87	81,345	34	57.4	42.3-72.5	32	24.3	12.9-35.7	12	8.6	02.3-14.9	3	1.8	00.0-04.0	5	7.3	00.0-17.1	1	0.6	00.0-01.8
\$15,000- 24,999	107	71,168	43	37.5	23.6-51.4	46	33.4	21.4-45.4	3	2.8	00.0-06.5	6	7.9	00.3-15.5	9	18.4	02.9-33.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	796	665,522	151	19.0	15.5-22.5	158	17.8	14.3-21.3	73	8.2	05.7-10.7	115	13.8	10.5-17.1	85	12.2	08.5-15.9	214	29.0	24.3-33.7
Male	351	327,647	68	18.2	13.5-22.9	80	20.0	14.5-25.5	30	7.9	04.2-11.6	49	13.3	08.8-17.8	30	13.3	07.4-19.2	94	27.3	20.8-33.8
Female	445	337,875	83	19.8	14.5-25.1	78	15.7	11.4-20.0	43	8.5	05.0-12.0	66	14.2	09.5-18.9	55	11.1	06.8-15.4	120	30.7	23.8-37.6
White/Non-Hisp	635	532,311	120	18.8	14.9-22.7	128	18.5	14.6-22.4	60	8.2	05.5-10.9	94	13.7	10.4-17.0	62	10.4	06.7-14.1	171	30.5	25.2-35.8
Black or Afr. Am./Non-Hisp	107	95,252	21	17.3	07.9-26.7	19	17.3	06.5-28.1	10	8.7	00.9-16.5	14	12.6	02.2-23.0	15	21.2	07.9-34.5	28	22.8	11.4-34.2
45-54	101	102,798	17	14.6	06.2-23.0	14	13.9	04.7-23.1	10	8.7	02.4-15.0	10	9.3	00.1-18.5	10	13.3	01.3-25.3	40	40.1	25.4-54.8
55-64	229	188,530	48	20.6	13.7-27.5	39	14.7	08.8-20.6	16	8.6	03.5-13.7	36	19.0	11.7-26.3	28	11.7	06.4-17.0	62	25.3	17.9-32.7
65+	404	293,315	75	20.8	15.5-26.1	98	23.2	17.5-28.9	42	8.8	04.9-12.7	67	15.3	11.0-19.6	39	11.2	06.1-16.3	83	20.8	15.5-26.1
Less Than H.S.	115	160,472	14	13.9	06.6-21.2	17	11.0	05.1-16.9	10	9.6	02.7-16.5	18	13.1	05.7-20.5	14	12.5	04.3-20.7	42	39.9	27.9-51.9
H.S. or G.E.D.	267	223,120	63	21.4	15.1-27.7	42	18.4	11.7-25.1	19	5.9	02.2-09.6	37	12.7	07.4-18.0	31	14.8	07.5-22.1	75	26.8	19.2-34.4
Some Post-H.S.	212	180,618	47	24.1	16.8-31.4	41	17.4	11.1-23.7	23	8.9	04.2-13.6	31	14.6	07.9-21.3	18	9.3	03.2-15.4	52	25.7	17.7-33.7
College Graduate	197	98,032	27	13.2	06.9-19.5	58	28.7	20.3-37.1	21	10.1	04.8-15.4	28	15.2	08.5-21.9	22	11.5	05.4-17.6	41	21.3	13.7-28.9
Less than \$15,000	130	130,232	24	17.2	08.8-25.6	18	11.5	04.6-18.4	11	9.5	02.8-16.2	19	13.8	04.8-22.8	20	10.8	03.9-17.7	38	37.2	23.9-50.5
\$15,000- 24,999	176	140,214	33	17.4	10.0-24.8	30	17.9	09.7-26.1	15	5.4	01.3-09.5	29	14.7	07.8-21.6	20	15.5	05.9-25.1	49	29.2	18.6-39.8
\$25,000- 34,999	80	63,667	18	18.1	08.3-27.9	15	21.8	09.6-34.0	4	10.9	00.0-23.1	12	10.8	02.2-19.4	9	13.1	00.2-26.0	22	25.4	12.9-37.9
\$35,000- 49,999	87	76,217	17	24.4	12.2-36.6	21	13.1	06.2-20.0	10	11.6	02.2-21.0	10	7.5	02.0-13.0	8	17.4	03.1-31.7	21	26.0	14.2-37.8
\$50,000- 74,999	74	58,725	14	22.3	09.0-35.6	20	22.0	11.2-32.8	4	3.7	00.0-07.6	14	20.5	08.5-32.5	5	9.9	00.0-21.3	17	21.5	09.7-33.3
\$75,000+	101	87,122	15	13.6	05.6-21.6	26	23.6	13.0-34.2	16	10.4	04.5-16.3	14	18.5	07.9-29.1	7	8.0	00.4-15.6	23	25.9	14.7-37.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	351	327,647	68	18.2	13.5-22.9	80	20.0	14.5-25.5	30	7.9	05.0-10.8	49	13.3	08.8-17.8	30	13.3	07.4-19.2	94	27.3	21.0-33.6
White/Non-Hisp	282	264,208	56	19.2	13.7-24.7	67	20.5	14.6-26.4	23	7.6	04.5-10.7	40	14.0	08.9-19.1	20	10.2	04.7-15.7	76	28.6	21.5-35.7
45-54	53	59,514	7	10.0	01.2-18.8	10	17.6	05.4-29.8	5	8.7	00.0-17.7	4	6.6	00.0-15.6	6	19.7	00.5-38.9	21	37.4	17.8-57.0
55-64	100	89,054	21	18.9	09.7-28.1	17	15.1	06.3-23.9	6	7.3	00.8-13.8	18	20.4	09.4-31.4	9	11.4	02.6-20.2	29	26.8	15.6-38.0
65+	170	145,850	36	22.7	15.1-30.3	49	25.4	16.6-34.2	15	7.5	04.4-10.6	26	13.9	07.6-20.2	11	8.9	02.4-15.4	33	21.6	13.2-30.0
H.S. or G.E.D.	114	109,974	30	22.5	13.3-31.7	21	22.3	11.9-32.7	6	3.5	00.4-06.6	18	13.5	06.1-20.9	12	20.4	07.7-33.1	27	17.9	10.6-25.2
Some Post-H.S.	86	89,789	19	21.0	11.0-31.0	17	16.7	07.7-25.7	8	8.1	01.2-15.0	10	13.7	03.1-24.3	7	13.5	02.3-24.7	25	27.1	15.9-38.3
College Graduate	108	57,450	16	14.8	05.6-24.0	35	31.6	20.0-43.2	12	12.4	04.4-20.4	18	20.5	10.1-30.9	7	5.3	00.8-09.8	20	15.4	06.8-24.0
\$15,000- 24,999	65	67,699	11	11.9	03.1-20.7	12	20.2	07.3-33.1	6	3.6	00.0-07.5	8	13.9	02.5-25.3	6	20.4	03.2-37.6	22	30.1	17.2-43.0
\$75,000+	62	57,200	8	12.7	02.9-22.5	20	27.0	12.5-41.5	7	7.9	01.4-14.4	11	24.9	09.6-40.2	2	4.7	00.0-12.9	14	22.8	09.7-35.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	445	337,875	83	19.8	14.5-25.1	78	15.7	11.4-20.0	43	8.5	05.2-11.8	66	14.2	09.5-18.9	55	11.1	06.8-15.4	120	30.7	24.0-37.4
White/Non-Hisp	353	268,102	64	18.3	13.0-23.6	61	16.4	11.3-21.5	37	8.7	05.4-12.0	54	13.5	09.0-18.0	42	10.6	05.7-15.5	95	32.4	24.8-40.0
Black or Afr. Am./Non-Hisp	62	47,169	13	19.7	05.2-34.2	12	15.5	03.5-27.5	5	7.6	00.0-19.6	7	14.4	00.0-30.9	9	17.5	04.2-30.8	16	25.3	08.4-42.2
55-64	129	99,477	27	22.1	11.9-32.3	22	14.4	06.6-22.2	10	9.8	03.3-16.3	18	17.8	08.0-27.6	19	11.9	05.4-18.4	33	24.0	14.8-33.2
65+	234	147,465	39	18.9	11.5-26.3	49	21.1	13.8-28.4	27	10.0	04.5-15.5	41	16.6	10.5-22.7	28	13.5	05.7-21.3	50	20.0	13.7-26.3
Less Than H.S.	75	91,810	11	16.1	04.9-27.3	10	10.7	03.1-18.3	6	8.3	00.7-15.9	16	18.8	07.0-30.6	10	15.3	03.3-27.3	22	30.7	15.4-46.0
H.S. or G.E.D.	153	113,146	33	20.3	11.7-28.9	21	14.7	06.9-22.5	13	8.2	02.7-13.7	19	11.9	04.5-19.3	19	9.4	03.7-15.1	48	35.6	24.2-47.0
Some Post-H.S.	126	90,829	28	27.1	16.7-37.5	24	18.2	09.8-26.6	15	9.8	03.5-16.1	21	15.5	07.3-23.7	11	5.2	01.9-08.5	27	24.2	12.2-36.2
College Graduate	89	40,583	11	10.9	02.7-19.1	23	24.6	11.9-37.3	9	7.0	01.7-12.3	10	7.7	01.6-13.8	15	20.2	07.5-32.9	21	29.6	16.1-43.1
Less than \$15,000	86	81,135	15	18.6	07.6-29.6	11	9.1	01.5-16.7	8	9.0	01.2-16.8	15	18.7	05.2-32.2	16	15.1	04.7-25.5	21	29.4	13.3-45.5
\$15,000- 24,999	111	72,515	22	22.5	10.9-34.1	18	15.7	05.5-25.9	9	7.1	03.4-10.8	21	15.5	07.3-23.7	14	11.0	03.2-18.8	27	28.3	13.2-43.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	804	671,702	161	18.1	14.6-21.6	383	44.1	39.4-48.8	100	14.1	10.4-17.8	134	19.2	15.3-23.1	26	4.5	02.0-07.0
Male	355	329,546	72	16.2	11.7-20.7	181	51.3	44.4-58.2	33	9.7	06.0-13.4	53	15.9	11.0-20.8	16	6.9	02.0-11.8
Female	449	342,156	89	19.9	14.8-25.0	202	37.2	30.9-43.5	67	18.3	12.2-24.4	81	22.4	16.3-28.5	10	2.2	00.6-03.8
White/Non-Hisp	635	534,289	121	16.9	13.2-20.6	297	41.9	36.6-47.2	83	15.3	11.0-19.6	116	21.1	16.6-25.6	18	4.8	01.7-07.9
Black or Afr. Am./Non-Hisp	114	100,563	22	21.9	11.5-32.3	65	54.8	41.3-68.3	12	10.0	01.8-18.2	9	10.1	02.1-18.1	6	3.3	00.0-06.6
45-54	95	98,647	13	10.8	03.4-18.2	43	45.9	30.4-61.4	6	11.3	00.0-23.5	26	20.0	10.2-29.8	7	12.0	00.0-25.5
55-64	229	188,589	43	17.0	10.7-23.3	96	39.1	30.7-47.5	36	17.0	10.5-23.5	48	25.5	17.5-33.5	6	1.4	00.0-02.8
65+	419	305,011	97	23.6	18.1-29.1	220	48.9	42.4-55.4	50	11.7	08.0-15.4	44	13.0	08.5-17.5	8	2.8	00.3-05.3
Less Than H.S.	118	165,044	20	14.3	06.7-21.9	48	40.8	29.4-52.2	21	17.0	07.8-26.2	25	21.1	12.3-29.9	4	6.8	00.0-15.4
H.S. or G.E.D.	275	227,692	52	15.8	10.5-21.1	125	45.8	37.6-54.0	40	15.3	08.4-22.2	48	18.1	11.8-24.4	10	4.9	00.6-09.2
Some Post-H.S.	211	179,891	43	21.2	13.9-28.5	100	43.4	34.6-52.2	27	12.7	07.0-18.4	36	21.1	12.7-29.5	5	1.7	00.1-03.3
College Graduate	195	95,795	42	22.2	14.6-29.8	110	48.7	39.5-57.9	11	8.3	03.0-13.6	25	15.8	08.7-22.9	7	4.9	00.4-09.4
Less than \$15,000	133	132,082	21	8.0	03.5-12.5	55	38.5	26.5-50.5	22	18.8	08.0-29.6	31	27.3	15.9-38.7	4	7.4	00.0-17.8
\$15,000- 24,999	178	141,520	42	20.2	12.8-27.6	83	42.9	31.9-53.9	21	15.0	05.6-24.4	27	17.9	09.5-26.3	5	4.0	00.0-08.7
\$25,000- 34,999	78	60,707	7	13.2	00.0-26.9	38	41.7	26.4-57.0	11	9.6	03.1-16.1	20	33.7	19.0-48.4	2	1.8	00.0-05.1
\$35,000- 49,999	88	76,772	13	13.1	03.9-22.3	52	51.9	37.8-66.0	14	23.0	11.0-35.0	6	4.8	00.5-09.1	3	7.2	00.0-16.6
\$50,000- 74,999	73	58,371	16	21.5	09.9-33.1	34	52.5	37.8-67.2	7	12.1	01.7-22.5	14	11.9	04.8-19.0	2	2.0	00.0-04.7
\$75,000+	98	83,768	26	29.4	17.1-41.7	48	45.6	32.9-58.3	7	6.7	01.2-12.2	13	14.8	05.4-24.2	4	3.5	00.0-07.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	355	329,546	72	16.2	11.7-20.7	181	51.3	44.8-57.8	33	9.7	05.8-13.6	53	15.9	11.2-20.6	16	6.9	02.0-11.8
White/Non-Hisp	281	261,836	53	15.7	10.6-20.8	141	48.8	41.7-55.9	28	10.5	06.0-15.0	49	17.9	12.6-23.2	10	7.2	01.3-13.1
55-64	101	90,063	17	15.0	06.0-24.0	47	47.1	34.6-59.6	13	10.9	04.6-17.2	20	24.6	12.8-36.4	4	2.4	00.0-05.1
65+	177	150,178	45	20.5	13.6-27.4	95	54.1	45.3-62.9	14	9.6	03.9-15.3	18	11.4	06.3-16.5	5	4.3	00.0-09.0
H.S. or G.E.D.	120	113,223	25	13.0	06.9-19.1	56	57.8	47.0-68.6	12	8.8	03.1-14.5	21	12.5	07.2-17.8	6	7.9	00.0-15.9
Some Post-H.S.	85	88,687	16	20.1	09.1-31.1	44	48.1	35.0-61.2	8	11.7	02.7-20.7	13	17.9	07.1-28.7	4	2.2	00.0-04.4
College Graduate	106	55,581	23	22.9	12.3-33.5	61	50.2	38.2-62.2	6	8.1	00.7-15.5	13	15.0	05.8-24.2	3	3.8	00.0-08.7
\$15,000- 24,999	65	67,925	10	13.3	03.9-22.7	36	53.9	37.8-70.0	7	12.8	03.0-22.6	8	12.0	01.4-22.6	4	7.9	00.0-17.1
\$75,000+	60	54,612	19	30.0	14.5-45.5	25	42.8	26.7-58.9	4	6.9	00.0-14.2	9	17.8	04.9-30.7	3	2.4	00.0-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	449	342,156	89	19.9	14.8-25.0	202	37.2	30.9-43.5	67	18.3	12.2-24.4	81	22.4	16.3-28.5	10	2.2	00.6-03.8
White/Non-Hisp	354	272,453	68	18.1	12.8-23.4	156	35.3	28.8-41.8	55	19.8	12.9-26.7	67	24.1	17.0-31.2	8	2.6	00.4-04.8
Black or Afr. Am./Non-Hisp	65	48,869	15	33.2	15.4-51.0	34	43.2	24.2-62.2	9	14.1	00.0-28.6	5	8.9	00.1-17.7	2	0.6	00.0-01.6
55-64	128	98,526	26	18.7	10.3-27.1	49	31.8	21.6-42.0	23	22.5	12.9-32.1	28	26.3	15.9-36.7	2	0.6	00.0-01.4
65+	242	154,833	52	26.7	18.5-34.9	125	43.8	35.0-52.6	36	13.6	08.3-18.9	26	14.5	07.2-21.8	3	1.3	00.0-03.5
Less Than H.S.	77	94,762	15	18.3	06.9-29.7	28	36.2	21.5-50.9	14	22.1	08.0-36.2	19	21.8	10.2-33.4	1	1.7	00.0-05.0
H.S. or G.E.D.	155	114,468	27	18.7	10.5-26.9	69	34.0	24.4-43.6	28	21.8	10.6-33.0	27	23.6	13.8-33.4	4	1.9	00.0-04.1
Some Post-H.S.	126	91,204	27	22.2	12.8-31.6	56	38.7	27.9-49.5	19	13.7	06.6-20.8	23	24.2	11.5-36.9	1	1.1	00.0-03.3
College Graduate	89	40,214	19	21.3	10.1-32.5	49	46.7	32.6-60.8	5	8.5	00.7-16.3	12	17.0	06.0-28.0	4	6.5	00.0-14.9
Less than \$15,000	88	82,464	14	9.3	02.6-16.0	31	32.4	18.1-46.7	19	27.3	11.6-43.0	23	29.5	16.2-42.8	1	1.4	00.0-04.1
\$15,000- 24,999	113	73,594	32	26.6	15.4-37.8	47	32.7	20.7-44.7	14	17.0	01.7-32.3	19	23.4	12.2-34.6	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	813	682,579	154	20.0	16.1-23.9	659	80.0	76.1-83.9
Male	360	335,560	70	20.5	15.0-26.0	290	79.5	74.0-85.0
Female	453	347,019	84	19.5	14.0-25.0	369	80.5	75.0-86.0
White/Non-Hisp	641	540,329	122	18.5	14.4-22.6	519	81.5	77.4-85.6
Black or Afr. Am./Non-Hisp	114	103,577	17	23.3	11.1-35.5	97	76.7	64.5-88.9
45-54	101	102,798	24	25.3	13.3-37.3	77	74.7	62.7-86.7
55-64	232	192,400	51	23.2	15.9-30.5	181	76.8	69.5-84.1
65+	415	301,442	66	15.4	10.7-20.1	349	84.6	79.9-89.3
Less Than H.S.	119	165,059	27	21.4	12.2-30.6	92	78.6	69.4-87.8
H.S. or G.E.D.	278	233,166	55	21.9	14.5-29.3	223	78.1	70.7-85.5
Some Post-H.S.	215	182,851	42	18.8	12.3-25.3	173	81.2	74.7-87.7
College Graduate	196	98,224	30	15.8	08.9-22.7	166	84.2	77.3-91.1
Less than \$15,000	133	130,023	42	28.0	17.2-38.8	91	72.0	61.2-82.8
\$15,000- 24,999	179	143,313	42	26.4	16.2-36.6	137	73.6	63.4-83.8
\$25,000- 34,999	79	63,271	9	11.4	02.6-20.2	70	88.6	79.8-97.4
\$35,000- 49,999	87	76,682	8	15.4	03.2-27.6	79	84.6	72.4-96.8
\$50,000- 74,999	76	59,908	8	10.0	00.4-19.6	68	90.0	80.4-99.6
\$75,000+	101	87,122	20	23.8	13.0-34.6	81	76.2	65.4-87.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	360	335,560	70	20.5	15.0-26.0	290	79.5	74.0-85.0
White/Non-Hisp	285	266,846	51	17.8	12.3-23.3	234	82.2	76.7-87.7
45-54	53	59,514	15	29.3	13.2-45.4	38	70.7	54.6-86.8
55-64	102	91,145	23	26.7	15.1-38.3	79	73.3	61.7-84.9
65+	176	150,899	25	12.1	06.0-18.2	151	87.9	81.8-94.0
H.S. or G.E.D.	121	114,821	26	21.9	12.3-31.5	95	78.1	68.5-87.7
Some Post-H.S.	87	90,507	17	20.4	10.2-30.6	70	79.6	69.4-89.8
College Graduate	107	57,360	18	16.4	06.4-26.4	89	83.6	73.6-93.6
\$15,000- 24,999	67	69,546	18	25.7	12.0-39.4	49	74.3	60.6-88.0
\$75,000+	62	57,200	14	28.4	13.5-43.3	48	71.6	56.7-86.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	453	347,019	84	19.5	14.0-25.0	369	80.5	75.0-86.0
White/Non-Hisp	356	273,483	71	19.1	13.0-25.2	285	80.9	74.8-87.0
Black or Afr. Am./Non-Hisp	66	52,875	8	22.5	06.0-39.0	58	77.5	61.0-94.0
55-64	130	101,255	28	20.1	11.5-28.7	102	79.9	71.3-88.5
65+	239	150,543	41	18.7	11.8-25.6	198	81.3	74.4-88.2
Less Than H.S.	77	93,959	18	21.0	08.7-33.3	59	79.0	66.7-91.3
H.S. or G.E.D.	157	118,345	29	21.9	10.9-32.9	128	78.1	67.1-89.1
Some Post-H.S.	128	92,344	25	17.2	09.6-24.8	103	82.8	75.2-90.4
College Graduate	89	40,864	12	14.8	05.8-23.8	77	85.2	76.2-94.2
Less than \$15,000	86	79,193	26	28.5	14.4-42.6	60	71.5	57.4-85.6
\$15,000- 24,999	112	73,767	24	27.0	12.1-41.9	88	73.0	58.1-87.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	822	688,603	417	48.2	43.3-53.1	405	51.8	46.9-56.7
Male	362	335,829	190	50.0	42.9-57.1	172	50.0	42.9-57.1
Female	460	352,774	227	46.4	39.7-53.1	233	53.6	46.9-60.3
White/Non-Hisp	647	541,558	333	49.6	44.3-54.9	314	50.4	45.1-55.7
Black or Afr. Am./Non-Hisp	116	105,187	58	47.1	33.4-60.8	58	52.9	39.2-66.6
45-54	99	100,433	49	53.0	38.3-67.7	50	47.0	32.3-61.7
55-64	234	193,538	116	48.7	40.1-57.3	118	51.3	42.7-59.9
65+	424	308,693	223	45.7	39.2-52.2	201	54.3	47.8-60.8
Less Than H.S.	121	168,862	41	33.3	21.9-44.7	80	66.7	55.3-78.1
H.S. or G.E.D.	284	236,510	133	49.5	41.3-57.7	151	50.5	42.3-58.7
Some Post-H.S.	215	181,560	108	51.1	42.3-59.9	107	48.9	40.1-57.7
College Graduate	197	98,392	131	63.5	54.5-72.5	66	36.5	27.5-45.5
Less than \$15,000	136	132,675	55	36.6	23.9-49.3	81	63.4	50.7-76.1
\$15,000- 24,999	180	143,845	89	47.9	37.3-58.5	91	52.1	41.5-62.7
\$25,000- 34,999	81	64,659	43	49.3	34.0-64.6	38	50.7	35.4-66.0
\$35,000- 49,999	88	76,772	46	57.1	43.6-70.6	42	42.9	29.4-56.4
\$50,000- 74,999	76	59,908	43	53.0	38.5-67.5	33	47.0	32.5-61.5
\$75,000+	100	86,926	65	58.7	46.0-71.4	35	41.3	28.6-54.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	362	335,829	190	50.0	43.1-56.9	172	50.0	43.1-56.9
White/Non-Hisp	286	266,124	149	49.1	41.5-56.7	137	50.9	43.3-58.5
45-54	51	57,149	25	58.8	39.4-78.2	26	41.2	21.8-60.6
55-64	103	91,541	61	60.7	48.5-72.9	42	39.3	27.1-51.5
65+	179	153,138	90	41.8	33.2-50.4	89	58.2	49.6-66.8
H.S. or G.E.D.	124	116,570	60	49.7	37.9-61.5	64	50.3	38.5-62.1
Some Post-H.S.	87	89,216	44	53.7	40.6-66.8	43	46.3	33.2-59.4
College Graduate	106	57,172	70	61.9	50.3-73.5	36	38.1	26.5-49.7
\$15,000- 24,999	66	69,464	32	48.1	31.8-64.4	34	51.9	35.6-68.2
\$75,000+	61	57,004	38	56.9	40.6-73.2	23	43.1	26.8-59.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	460	352,774	227	46.4	39.5-53.3	233	53.6	46.7-60.5
White/Non-Hisp	361	275,435	184	50.1	42.7-57.5	177	49.9	42.5-57.3
Black or Afr. Am./Non-Hisp	67	53,493	30	40.0	21.0-59.0	37	60.0	41.0-79.0
55-64	131	101,998	55	37.9	27.5-48.3	76	62.1	51.7-72.5
65+	245	155,555	133	49.5	40.7-58.3	112	50.5	41.7-59.3
Less Than H.S.	79	97,762	27	31.8	17.9-45.7	52	68.2	54.3-82.1
H.S. or G.E.D.	160	119,940	73	49.3	38.1-60.5	87	50.7	39.5-61.9
Some Post-H.S.	128	92,344	64	48.7	36.9-60.5	64	51.3	39.5-63.1
College Graduate	91	41,220	61	65.8	52.3-79.3	30	34.2	20.7-47.7
Less than \$15,000	90	84,129	33	33.0	18.3-47.7	57	67.0	52.3-81.7
\$15,000- 24,999	114	74,380	57	47.7	33.8-61.6	57	52.3	38.4-66.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018

MODULE 6: E-CIGARETTES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4351	4,284,892	1064	28.5	26.5-30.5	3287	71.5	69.5-73.5
Male	1939	2,017,334	519	31.6	28.7-34.5	1420	68.4	65.5-71.3
Female	2412	2,267,558	545	25.7	23.2-28.2	1867	74.3	71.8-76.8
White/Non-Hisp	3528	3,306,951	868	28.9	26.7-31.1	2660	71.1	68.9-73.3
Black or Afr. Am./Non-Hisp	492	652,521	89	22.4	16.9-27.9	403	77.6	72.1-83.1
Oth. Race/Non-Hisp.	102	101,885	29	33.8	18.7-48.9	73	66.2	51.1-81.3
MultiRacial/Non-Hisp.	96	41,072	36	45.8	32.5-59.1	60	54.2	40.9-67.5
Hispanic	80	124,275	28	32.6	17.7-47.5	52	67.4	52.5-82.3
18-24	229	439,647	138	52.0	43.0-61.0	91	48.0	39.0-57.0
25-34	461	650,034	213	48.6	42.5-54.7	248	51.4	45.3-57.5
35-44	559	683,593	175	30.2	24.9-35.5	384	69.8	64.5-75.1
45-54	708	734,799	197	27.1	22.8-31.4	511	72.9	68.6-77.2
55-64	943	777,825	193	20.5	17.0-24.0	750	79.5	76.0-83.0
65+	1451	998,995	148	11.1	08.9-13.3	1303	88.9	86.7-91.1
Less Than H.S.	426	593,200	126	32.1	26.0-38.2	300	67.9	61.8-74.0
H.S. or G.E.D.	1360	1,454,609	389	31.5	28.0-35.0	971	68.5	65.0-72.0
Some Post-H.S.	1138	1,248,564	339	33.0	29.1-36.9	799	67.0	63.1-70.9
College Graduate	1415	974,288	206	15.7	13.2-18.2	1209	84.3	81.8-86.8
Less than \$15,000	513	472,685	174	33.8	27.9-39.7	339	66.2	60.3-72.1
\$15,000- 24,999	708	663,999	195	32.5	27.2-37.8	513	67.5	62.2-72.8
\$25,000- 34,999	407	377,536	126	35.9	29.2-42.6	281	64.1	57.4-70.8
\$35,000- 49,999	544	556,564	144	30.5	25.0-36.0	400	69.5	64.0-75.0
\$50,000- 74,999	533	545,854	130	31.3	25.4-37.2	403	68.7	62.8-74.6
\$75,000+	1009	1,035,840	174	21.7	18.0-25.4	835	78.3	74.6-82.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1939	2,017,334	519	31.6	28.7-34.5	1420	68.4	65.5-71.3
White/Non-Hisp	1580	1,570,901	420	31.6	28.5-34.7	1160	68.4	65.3-71.5
Black or Afr. Am./Non-Hisp	194	279,751	38	25.4	16.4-34.4	156	74.6	65.6-83.6
Oth. Race/Non-Hisp.	58	61,898	15	28.5	08.7-48.3	43	71.5	51.7-91.3
18-24	120	206,707	77	59.5	48.1-70.9	43	40.5	29.1-51.9
25-34	224	317,445	111	51.3	42.7-59.9	113	48.7	40.1-57.3
35-44	253	332,513	95	36.9	28.9-44.9	158	63.1	55.1-71.1
45-54	335	349,234	91	26.5	20.2-32.8	244	73.5	67.2-79.8
55-64	411	371,077	81	21.1	15.8-26.4	330	78.9	73.6-84.2
65+	596	440,359	64	13.4	09.5-17.3	532	86.6	82.7-90.5
Less Than H.S.	194	289,941	68	36.5	27.3-45.7	126	63.5	54.3-72.7
H.S. or G.E.D.	607	705,324	189	33.5	28.4-38.6	418	66.5	61.4-71.6
Some Post-H.S.	483	550,528	158	38.8	32.9-44.7	325	61.2	55.3-67.1
College Graduate	648	462,299	102	17.2	13.3-21.1	546	82.8	78.9-86.7
Less than \$15,000	183	192,391	71	37.8	27.4-48.2	112	62.2	51.8-72.6
\$15,000- 24,999	269	265,929	78	34.5	26.3-42.7	191	65.5	57.3-73.7
\$25,000- 34,999	183	165,154	56	35.4	26.4-44.4	127	64.6	55.6-73.6
\$35,000- 49,999	255	255,570	78	37.2	28.8-45.6	177	62.8	54.4-71.2
\$50,000- 74,999	264	288,561	75	36.5	28.1-44.9	189	63.5	55.1-71.9
\$75,000+	556	593,516	103	22.8	17.9-27.7	453	77.2	72.3-82.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2412	2,267,558	545	25.7	23.2-28.2	1867	74.3	71.8-76.8
White/Non-Hisp	1948	1,736,049	448	26.5	23.6-29.4	1500	73.5	70.6-76.4
Black or Afr. Am./Non-Hisp	298	372,771	51	20.1	13.4-26.8	247	79.9	73.2-86.6
18-24	109	232,940	61	45.3	32.4-58.2	48	54.7	41.8-67.6
25-34	237	332,589	102	46.0	37.4-54.6	135	54.0	45.4-62.6
35-44	306	351,081	80	23.8	17.1-30.5	226	76.2	69.5-82.9
45-54	373	385,565	106	27.6	21.5-33.7	267	72.4	66.3-78.5
55-64	532	406,747	112	20.0	15.5-24.5	420	80.0	75.5-84.5
65+	855	558,636	84	9.3	06.8-11.8	771	90.7	88.2-93.2
Less Than H.S.	232	303,259	58	27.8	19.6-36.0	174	72.2	64.0-80.4
H.S. or G.E.D.	753	749,285	200	29.6	24.7-34.5	553	70.4	65.5-75.3
Some Post-H.S.	655	698,035	181	28.4	23.3-33.5	474	71.6	66.5-76.7
College Graduate	767	511,989	104	14.4	11.1-17.7	663	85.6	82.3-88.9
Less than \$15,000	330	280,294	103	31.0	24.1-37.9	227	69.0	62.1-75.9
\$15,000- 24,999	439	398,070	117	31.2	24.3-38.1	322	68.8	61.9-75.7
\$25,000- 34,999	224	212,382	70	36.3	26.7-45.9	154	63.7	54.1-73.3
\$35,000- 49,999	289	300,994	66	24.9	17.8-32.0	223	75.1	68.0-82.2
\$50,000- 74,999	269	257,293	55	25.5	17.7-33.3	214	74.5	66.7-82.3
\$75,000+	453	442,324	71	20.1	14.4-25.8	382	79.9	74.2-85.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1064	1,219,786	77	6.9	04.7-09.1	131	12.7	09.8-15.6	856	80.4	77.1-83.7
Male	519	638,084	44	9.6	05.9-13.3	64	12.9	09.0-16.8	411	77.5	72.6-82.4
Female	545	581,702	33	4.0	02.4-05.6	67	12.5	08.2-16.8	445	83.5	79.0-88.0
White/Non-Hisp	868	956,143	70	8.2	05.7-10.7	103	12.5	09.4-15.6	695	79.4	75.5-83.3
Black or Afr. Am./Non-Hisp	89	146,046	2	0.6	00.0-01.4	17	16.6	06.4-26.8	70	82.8	72.6-93.0
18-24	138	228,444	11	11.3	03.7-18.9	25	19.8	11.0-28.6	102	68.9	58.5-79.3
25-34	213	315,962	23	9.9	05.2-14.6	28	13.2	06.7-19.7	162	76.9	69.5-84.3
35-44	175	206,267	15	4.6	01.9-07.3	21	10.1	04.8-15.4	139	85.3	79.4-91.2
45-54	197	198,892	7	3.8	00.5-07.1	22	13.1	06.2-20.0	168	83.1	75.8-90.4
55-64	193	159,448	12	3.6	01.2-06.0	20	8.1	02.8-13.4	161	88.3	82.6-94.0
65+	148	110,773	9	3.9	01.0-06.8	15	7.9	03.6-12.2	124	88.2	82.9-93.5
Less Than H.S.	126	190,236	6	3.0	00.1-05.9	11	7.1	01.2-13.0	109	89.9	83.4-96.4
H.S. or G.E.D.	389	458,353	27	7.5	03.6-11.4	49	12.9	08.0-17.8	313	79.6	73.7-85.5
Some Post-H.S.	339	412,153	29	7.5	04.0-11.0	47	16.8	11.1-22.5	263	75.6	69.3-81.9
College Graduate	206	153,340	15	8.5	03.2-13.8	21	6.5	03.2-09.8	170	85.0	78.9-91.1
Less than \$15,000	174	159,572	10	5.2	01.5-08.9	24	11.0	05.5-16.5	140	83.8	77.1-90.5
\$15,000- 24,999	195	215,839	9	2.1	00.5-03.7	23	11.4	04.5-18.3	163	86.4	79.3-93.5
\$25,000- 34,999	126	135,616	11	8.9	01.8-16.0	14	11.8	04.5-19.1	101	79.3	69.7-88.9
\$35,000- 49,999	144	170,018	12	8.3	03.2-13.4	18	12.3	04.7-19.9	114	79.4	70.6-88.2
\$50,000- 74,999	130	170,706	10	8.4	01.0-15.8	17	13.5	05.3-21.7	103	78.1	67.7-88.5
\$75,000+	174	224,410	14	7.9	02.0-13.8	20	16.9	08.5-25.3	140	75.3	65.9-84.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	519	638,084	44	9.6	05.9-13.3	64	12.9	09.2-16.6	411	77.5	72.6-82.4
White/Non-Hisp	420	495,881	39	11.3	06.8-15.8	47	10.4	06.9-13.9	334	78.4	72.9-83.9
18-24	77	122,907	7	16.8	03.7-29.9	14	16.9	07.3-26.5	56	66.3	52.0-80.6
25-34	111	162,913	18	16.5	08.1-24.9	20	19.1	08.9-29.3	73	64.3	52.3-76.3
35-44	95	122,615	11	6.4	02.1-10.7	9	11.4	03.4-19.4	75	82.2	73.0-91.4
45-54	91	92,492	2	3.4	00.0-08.3	7	7.9	00.6-15.2	82	88.7	80.1-97.3
55-64	81	78,239	3	1.1	00.0-02.3	7	7.9	00.5-15.3	71	91.0	83.4-98.6
65+	64	58,918	3	2.5	00.0-05.4	7	5.1	01.0-09.2	54	92.4	87.3-97.5
Less Than H.S.	68	105,952	3	3.7	00.0-08.4	7	8.2	00.0-17.0	58	88.0	78.2-97.8
H.S. or G.E.D.	189	236,602	16	11.5	04.2-18.8	21	9.5	04.6-14.4	152	78.9	70.7-87.1
Some Post-H.S.	158	213,785	15	9.2	03.3-15.1	23	20.1	11.5-28.7	120	70.7	61.1-80.3
College Graduate	102	79,361	10	12.8	03.6-22.0	11	7.3	02.4-12.2	81	79.9	69.9-89.9
Less than \$15,000	71	72,720	5	5.2	00.0-10.5	7	4.5	00.8-08.2	59	90.2	83.5-96.9
\$15,000- 24,999	78	91,622	3	1.6	00.0-03.6	8	7.9	01.6-14.2	67	90.5	84.0-97.0
\$25,000- 34,999	56	58,450	7	18.5	03.8-33.2	8	16.3	04.7-27.9	41	65.2	49.1-81.3
\$35,000- 49,999	78	95,167	8	11.2	03.0-19.4	12	15.4	04.4-26.4	58	73.4	60.5-86.3
\$50,000- 74,999	75	105,199	7	11.4	00.0-23.0	10	16.5	04.2-28.8	58	72.1	56.8-87.4
\$75,000+	103	135,345	9	10.3	01.5-19.1	11	13.9	05.1-22.7	83	75.9	64.5-87.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	545	581,702	33	4.0	02.4-05.6	67	12.5	08.2-16.8	445	83.5	79.2-87.8
White/Non-Hisp	448	460,262	31	4.8	02.8-06.8	56	14.7	09.6-19.8	361	80.5	75.2-85.8
Black or Afr. Am./Non-Hisp	51	74,906	2	1.2	00.0-03.0	5	2.5	00.0-05.4	44	96.2	92.7-99.7
18-24	61	105,537	4	4.8	00.0-09.9	11	23.2	08.1-38.3	46	72.0	56.7-87.3
25-34	102	153,050	5	2.9	00.2-05.6	8	6.8	00.0-14.2	89	90.3	82.5-98.1
35-44	80	83,652	4	1.9	00.0-03.9	12	8.1	02.8-13.4	64	90.0	84.3-95.7
45-54	106	106,399	5	4.1	00.0-08.4	15	17.7	07.1-28.3	86	78.2	67.0-89.4
55-64	112	81,208	9	6.1	01.8-10.4	13	8.3	01.0-15.6	90	85.7	77.5-93.9
65+	84	51,855	6	5.4	00.0-10.9	8	11.1	03.7-18.5	70	83.5	74.5-92.5
Less Than H.S.	58	84,283	3	2.2	00.0-05.1	4	5.6	00.0-12.9	51	92.3	84.5-0100
H.S. or G.E.D.	200	221,750	11	3.1	00.7-05.5	28	16.5	08.1-24.9	161	80.3	71.9-88.7
Some Post-H.S.	181	198,368	14	5.8	02.3-09.3	24	13.3	06.2-20.4	143	80.9	73.3-88.5
College Graduate	104	73,978	5	4.0	00.3-07.7	10	5.6	01.1-10.1	89	90.4	84.7-96.1
Less than \$15,000	103	86,852	5	5.2	00.0-10.5	17	16.4	07.2-25.6	81	78.4	68.2-88.6
\$15,000- 24,999	117	124,217	6	2.5	00.3-04.7	15	14.0	03.2-24.8	96	83.4	72.4-94.4
\$25,000- 34,999	70	77,166	4	1.7	00.0-03.5	6	8.3	00.0-17.7	60	90.0	80.4-99.6
\$35,000- 49,999	66	74,851	4	4.5	00.0-09.2	6	8.4	00.0-18.2	56	87.1	76.5-97.7
\$50,000- 74,999	55	65,507	3	3.7	00.0-08.4	7	8.6	01.3-15.9	45	87.7	79.1-96.3
\$75,000+	71	89,065	5	4.3	00.0-09.2	9	21.4	05.5-37.3	57	74.3	58.4-90.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018**

MODULE 15: MARIJUANA USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1 MALES AND FEMALES	46
2 MALES ONLY	47
3 FEMALES ONLY	48
DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN2)	
4 MALES AND FEMALES	49
5 MALES ONLY	50
6 FEMALES ONLY	51
WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)	
7 MALES AND FEMALES	52
8 MALES ONLY	53
9 FEMALES ONLY	54

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 15: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			Data was weighted using _LLCPWT.						6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4318	4,234,177	4027	90.5	89.1-91.9	35	1.1	00.7-01.5	77	2.3	01.7-02.9	29	1.0	00.4-01.6	26	0.9	00.5-01.3	124	4.2	03.2-05.2
Male	1918	1,978,775	1741	87.9	85.7-90.1	18	1.2	00.4-02.0	50	2.9	01.9-03.9	18	1.4	00.6-02.2	15	1.3	00.5-02.1	76	5.3	03.7-06.9
Female	2400	2,255,402	2286	92.8	91.0-94.6	17	0.9	00.3-01.5	27	1.8	00.8-02.8	11	0.7	00.1-01.3	11	0.6	00.2-01.0	48	3.2	01.8-04.6
White/Non-Hisp	3508	3,282,346	3297	92.2	90.8-93.6	31	1.1	00.5-01.7	50	1.7	01.1-02.3	27	1.2	00.6-01.8	18	0.7	00.3-01.1	85	3.1	02.3-03.9
Black or Afr. Am./Non-Hisp	486	641,264	440	84.1	78.6-89.6	2	0.3	00.0-00.7	18	4.5	01.8-07.2				6	1.8	00.0-03.8	20	9.2	04.3-14.1
Oth. Race/Non-Hisp.	101	95,540	93	88.8	79.6-98.0				1	0.4	00.0-01.2				1	3.6	00.0-10.5	6	7.2	00.5-13.9
MultiRacial/Non-Hisp.	93	39,067	85	87.7	77.3-98.1				2	5.4	00.0-13.4	1	1.0	00.0-03.0				5	5.9	00.0-13.0
Hispanic	80	124,275	68	85.7	74.7-96.7	2	4.6	00.0-12.8	3	4.0	00.0-10.3				1	0.5	00.0-01.5	6	5.1	00.4-09.8
18-24	225	428,769	188	80.8	73.4-88.2	4	2.7	00.0-05.6	8	3.4	00.7-06.1	5	3.6	00.0-07.3	5	1.7	00.0-03.5	15	7.8	02.1-13.5
25-34	451	631,140	375	81.6	76.9-86.3	5	1.1	00.1-02.1	16	3.9	01.4-06.4	8	2.0	00.2-03.8	7	1.8	00.4-03.2	40	9.6	06.1-13.1
35-44	556	682,053	488	84.2	79.7-88.7	9	2.0	00.4-03.6	18	4.7	02.2-07.2	6	1.0	00.0-02.0	6	2.0	00.0-04.0	29	6.1	03.0-09.2
45-54	703	724,294	663	94.6	92.4-96.8	4	0.6	00.0-01.2	10	1.3	00.3-02.3	5	0.8	00.0-01.8	3	0.2	00.0-00.4	18	2.4	00.8-04.0
55-64	938	774,886	888	94.3	92.3-96.3	10	0.7	00.1-01.3	18	1.8	00.8-02.8	4	0.3	00.1-00.5	3	0.4	00.0-01.0	15	2.5	00.9-04.1
65+	1445	993,036	1425	98.8	98.2-99.4	3	0.3	00.0-00.7	7	0.3	00.1-00.5	1	0.0	00.0-00.0	2	0.1	00.1-00.1	7	0.4	00.0-00.8
Less Than H.S.	423	584,708	384	88.7	84.4-93.0	6	0.9	00.1-01.7	12	2.9	00.9-04.9	1	0.2	00.0-00.6	1	0.3	00.0-00.9	19	7.0	03.1-10.9
H.S. or G.E.D.	1344	1,432,650	1238	88.7	86.0-91.4	9	1.2	00.2-02.2	28	2.4	01.2-03.6	13	1.4	00.4-02.4	8	1.1	00.1-02.1	48	5.2	03.0-07.4
Some Post-H.S.	1131	1,232,527	1048	90.5	88.0-93.0	9	1.0	00.2-01.8	19	2.4	01.0-03.8	8	1.2	00.0-02.4	12	1.3	00.5-02.1	35	3.6	02.0-05.2
College Graduate	1409	972,530	1347	94.6	92.8-96.4	11	1.0	00.2-01.8	18	1.7	00.7-02.7	7	0.7	00.1-01.3	5	0.5	00.0-01.1	21	1.6	00.6-02.6
Less than \$15,000	510	461,800	454	83.4	78.1-88.7	7	1.3	00.3-02.3	16	6.0	02.3-09.7	6	1.6	00.0-03.4	4	0.6	00.0-01.2	23	7.1	03.2-11.0
\$15,000- 24,999	697	651,825	634	88.6	84.9-92.3	7	1.1	00.0-02.3	15	1.4	00.4-02.4	4	0.4	00.0-00.8	5	1.3	00.0-03.1	32	7.1	04.0-10.2
\$25,000- 34,999	404	373,588	367	89.0	84.9-93.1	3	0.8	00.0-01.8	8	2.3	00.1-04.5	3	1.1	00.0-02.5	4	1.3	00.0-02.7	19	5.4	02.5-08.3
\$35,000- 49,999	541	554,560	499	90.9	87.6-94.2	3	0.9	00.0-01.9	14	3.2	01.0-05.4	2	0.4	00.0-01.2	6	1.5	00.0-03.1	17	3.1	01.1-05.1
\$50,000- 74,999	532	545,637	504	92.2	88.7-95.7	2	0.7	00.0-02.1	10	2.7	00.9-04.5	6	1.4	00.0-03.0				10	3.0	00.5-05.5
\$75,000+	1006	1,029,642	960	93.3	90.9-95.7	11	1.4	00.2-02.6	12	1.2	00.4-02.0	5	1.2	00.0-02.4	6	1.1	00.1-02.1	12	1.8	00.6-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 15: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1918	1,978,775	1741	87.9	85.7-90.1	18	1.2	00.4-02.0	50	2.9	01.9-03.9	18	1.4	00.6-02.2	15	1.3	00.5-02.1	76	5.3	03.7-06.9
White/Non-Hisp	1570	1,555,123	1441	89.6	87.4-91.8	16	1.4	00.6-02.2	36	2.5	01.5-03.5	16	1.5	00.5-02.5	9	0.7	00.1-01.3	52	4.2	02.6-05.8
Black or Afr. Am./Non-Hisp	188	270,329	166	82.5	74.1-90.9	1	0.4	00.0-01.2	7	4.0	00.3-07.7				4	3.6	00.0-08.3	10	9.5	02.8-16.2
Oth. Race/Non-Hisp.	57	55,553	50	81.4	66.1-96.7										1	6.2	00.0-18.0	6	12.4	01.2-23.6
18-24	116	195,829	98	83.1	74.7-91.5	2	2.3	00.0-05.6	4	4.0	00.0-08.3	3	4.2	00.0-09.3	2	2.1	00.0-05.4	7	4.3	01.0-07.6
25-34	216	302,466	171	76.7	69.3-84.1	1	0.7	00.0-02.1	10	4.1	01.0-07.2	6	3.2	00.0-06.5	4	1.7	00.0-03.5	24	13.6	07.3-19.9
35-44	252	331,884	208	78.1	70.7-85.5	8	3.5	00.4-06.6	11	5.6	02.1-09.1	4	1.8	00.0-03.8	4	3.6	00.0-07.5	17	7.4	02.1-12.7
45-54	333	342,930	305	93.2	90.1-96.3	2	0.4	00.0-01.0	8	2.0	00.4-03.6	3	0.6	00.0-01.4	2	0.4	00.0-01.0	13	3.3	00.8-05.8
55-64	408	369,171	380	91.7	88.0-95.4	4	0.7	00.0-01.5	10	2.3	00.7-03.9	2	0.2	00.0-00.6	2	0.6	00.0-01.6	10	4.5	01.2-07.8
65+	593	436,495	579	98.0	96.8-99.2	1	0.3	00.0-00.9	7	0.8	00.2-01.4				1	0.1	00.0-00.3	5	0.8	00.0-01.6
Less Than H.S.	193	284,705	167	83.7	76.3-91.1	3	1.1	00.0-02.3	7	3.2	00.7-05.7	1	0.4	00.0-01.2	1	0.6	00.0-01.8	14	10.9	04.0-17.8
H.S. or G.E.D.	595	686,144	533	87.0	83.1-90.9	5	1.4	00.0-02.8	16	2.8	01.0-04.6	9	2.5	00.5-04.5	5	1.6	00.0-03.6	27	4.6	02.4-06.8
Some Post-H.S.	479	539,892	431	87.9	83.8-92.0	4	1.1	00.0-02.5	12	2.7	00.9-04.5	4	0.9	00.0-02.1	6	1.5	00.1-02.9	22	5.9	02.8-09.0
College Graduate	645	461,262	605	92.0	89.1-94.9	6	1.1	00.0-02.3	15	3.2	01.2-05.2	4	0.7	00.0-01.7	3	0.9	00.0-02.1	12	2.0	00.4-03.6
Less than \$15,000	181	182,714	151	77.4	67.8-87.0	3	1.7	00.0-03.7	9	7.3	01.6-13.0	4	3.2	00.0-07.7	2	0.6	00.0-01.4	12	9.8	02.2-17.4
\$15,000- 24,999	267	262,738	233	84.1	77.4-90.8	4	1.9	00.0-04.4	9	2.8	00.6-05.0	3	0.9	00.0-02.1	4	3.3	00.0-07.6	14	7.1	02.6-11.6
\$25,000- 34,999	182	163,374	160	82.3	74.5-90.1	2	1.4	00.0-03.4	4	4.5	00.0-09.0	3	2.4	00.0-05.7	1	0.9	00.0-02.7	12	8.5	02.6-14.4
\$35,000- 49,999	253	254,381	225	87.9	82.6-93.2				9	3.0	00.8-05.2	1	0.8	00.0-02.4	4	2.9	00.0-06.0	14	5.5	01.8-09.2
\$50,000- 74,999	264	288,561	242	88.2	82.3-94.1	2	1.3	00.0-03.7	9	4.0	01.3-06.7	3	1.1	00.0-02.9				8	5.4	00.7-10.1
\$75,000+	553	587,318	519	91.9	88.8-95.0	6	1.1	00.1-02.1	10	1.8	00.4-03.2	4	1.6	00.0-03.4	4	1.2	00.0-02.6	10	2.5	00.7-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 15: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2400	2,255,402	2286	92.8	91.0-94.6	17	0.9	00.3-01.5	27	1.8	00.8-02.8	11	0.7	00.1-01.3	11	0.6	00.2-01.0	48	3.2	01.8-04.6
White/Non-Hisp	1938	1,727,223	1856	94.6	93.0-96.2	15	0.8	00.2-01.4	14	1.0	00.2-01.8	11	1.0	00.2-01.8	9	0.6	00.2-01.0	33	2.0	01.2-02.8
Black or Afr. Am./Non-Hisp	298	370,935	274	85.3	77.9-92.7	1	0.3	00.0-00.9	11	4.9	01.0-08.8				2	0.5	00.0-01.3	10	9.0	02.1-15.9
18-24	109	232,940	90	79.0	67.2-90.8	2	3.1	00.0-07.8	4	2.9	00.0-06.6	2	3.0	00.0-08.3	3	1.4	00.0-03.2	8	10.7	00.9-20.5
25-34	235	328,674	204	86.2	80.5-91.9	4	1.4	00.0-03.0	6	3.7	00.0-07.4	2	0.9	00.0-02.3	3	1.9	00.0-04.1	16	5.8	02.1-09.5
35-44	304	350,169	280	90.1	85.0-95.2	1	0.5	00.0-01.5	7	3.8	00.1-07.5	2	0.3	00.0-00.7	2	0.5	00.0-01.3	12	4.9	01.4-08.4
45-54	370	381,363	358	95.9	93.0-98.8	2	0.8	00.0-02.0	2	0.6	00.0-01.8	2	1.0	00.0-02.8	1	0.1	00.0-00.3	5	1.6	00.0-03.6
55-64	530	405,715	508	96.7	95.1-98.3	6	0.7	00.0-01.5	8	1.3	00.1-02.5	2	0.3	00.0-00.7	1	0.2	00.0-00.6	5	0.8	00.0-01.6
65+	852	556,541	846	99.4	98.8-0100	2	0.3	00.0-00.7				1	0.1	00.0-00.3	1	0.0	00.0-00.0	2	0.2	00.0-00.4
Less Than H.S.	230	300,002	217	93.3	88.6-98.0	3	0.8	00.0-02.0	5	2.7	00.0-05.8							5	3.2	00.0-06.5
H.S. or G.E.D.	749	746,507	705	90.2	86.1-94.3	4	1.1	00.0-02.5	12	2.0	00.2-03.8	4	0.4	00.0-00.8	3	0.6	00.0-01.4	21	5.8	02.3-09.3
Some Post-H.S.	652	692,635	617	92.4	89.3-95.5	5	0.9	00.1-01.7	7	2.2	00.2-04.2	4	1.5	00.0-03.5	6	1.1	00.1-02.1	13	1.8	00.4-03.2
College Graduate	764	511,268	742	96.9	95.1-98.7	5	0.9	00.0-01.9	3	0.4	00.0-01.0	3	0.6	00.0-01.6	2	0.1	00.1-00.1	9	1.2	00.2-02.2
Less than \$15,000	329	279,087	303	87.3	81.2-93.4	4	1.0	00.0-02.2	7	5.2	00.5-09.9	2	0.5	00.0-01.1	2	0.7	00.0-01.7	11	5.3	01.4-09.2
\$15,000- 24,999	430	389,087	401	91.7	87.6-95.8	3	0.6	00.0-01.4	6	0.5	00.1-00.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	18	7.0	02.9-11.1
\$25,000- 34,999	222	210,214	207	94.2	90.7-97.7	1	0.4	00.0-01.2	4	0.7	00.1-01.3				3	1.7	00.0-03.7	7	3.0	00.3-05.7
\$35,000- 49,999	288	300,179	274	93.4	89.3-97.5	3	1.6	00.0-03.4	5	3.4	00.0-06.9	1	0.1	00.0-00.3	2	0.3	00.0-00.9	3	1.2	00.0-02.6
\$50,000- 74,999	268	257,076	262	96.7	93.2-0100				1	1.2	00.0-03.6	3	1.7	00.0-04.2				2	0.4	00.0-01.0
\$75,000+	453	442,324	441	95.1	91.6-98.6	5	1.9	00.0-04.4	2	0.4	00.0-01.2	1	0.5	00.0-01.5	2	1.1	00.0-02.7	2	0.9	00.0-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 15: MARIJUANA USE**

TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	285	390,823	250	89.2	84.9-93.5	14	4.2	01.3-07.1	3	0.6	00.0-01.4	10	4.6	01.5-07.7	6	1.2	00.2-02.2	2	0.1	00.0-00.3
Male	171	229,400	151	90.8	86.3-95.3	6	1.9	00.1-03.7	1	0.6	00.0-01.8	7	4.7	01.2-08.2	6	2.1	00.3-03.9			
Female	114	161,423	99	86.9	78.5-95.3	8	7.6	00.9-14.3	2	0.6	00.0-01.6	3	4.5	00.0-10.4				2	0.3	00.0-00.7
White/Non-Hisp	206	247,368	181	87.9	82.2-93.6	12	5.0	01.7-08.3	1	0.6	00.0-01.8	7	5.1	00.6-09.6	3	1.2	00.0-02.8	2	0.2	00.0-00.6
25-34	73	108,318	61	84.9	75.5-94.3	5	7.9	00.6-15.2	1	0.1	00.0-00.3	2	3.7	00.0-08.8	4	3.4	00.0-06.9			
35-44	68	107,532	61	88.9	79.3-98.5	2	1.7	00.0-04.1				5	9.4	00.0-18.8						
H.S. or G.E.D.	102	154,545	92	92.9	87.6-98.2	3	3.3	00.0-07.6	2	0.6	00.0-01.6	3	2.2	00.0-04.9	2	1.0	00.0-02.6			
Some Post-H.S.	83	117,688	76	89.7	79.9-99.5	4	4.8	00.0-11.5				1	3.9	00.0-11.3	1	1.2	00.0-03.6	1	0.3	00.0-00.9
College Graduate	60	50,773	44	66.3	50.4-82.2	7	11.4	02.0-20.8				6	19.7	05.2-34.2	2	2.3	00.0-05.6	1	0.3	00.0-00.9
Less than \$15,000	56	76,762	52	96.5	93.0-100				1	1.1	00.0-03.3				3	2.5	00.0-05.2			
\$15,000- 24,999	63	74,226	58	97.8	95.4-100	3	1.6	00.0-03.6	1	0.2	00.0-00.6							1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 15: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Smoke It		N	Eat It		N	Drink It		N	Vaporize It		N	Dab It	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	171	229,400	151	90.8	86.3-95.3	6	1.9	00.1-03.7	1	0.6	00.0-01.8	7	4.7	01.2-08.2	6	2.1	00.3-03.9
White/Non-Hisp	124	153,529	110	91.0	85.7-96.3	6	2.8	00.3-05.3	1	0.9	00.0-02.7	4	3.5	00.0-07.2	3	1.9	00.0-04.3
H.S. or G.E.D.	58	81,510	54	95.4	90.3-0100							2	2.6	00.0-06.7	2	2.0	00.0-04.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 15: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Smoke It		N	Eat It		N	Drink It		N	Vaporize It		N	Dab It	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	171	229,400	151	90.8	86.3-95.3	6	1.9	00.1-03.7	1	0.6	00.0-01.8	7	4.7	01.2-08.2	6	2.1	00.3-03.9
White/Non-Hisp	124	153,529	110	91.0	85.7-96.3	6	2.8	00.3-05.3	1	0.9	00.0-02.7	4	3.5	00.0-07.2	3	1.9	00.0-04.3
H.S. or G.E.D.	58	81,510	54	95.4	90.3-0100							2	2.6	00.0-06.7	2	2.0	00.0-04.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 15: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only for medical reasons treat or decrease symptoms			Only for non-medical purposes get pleasure or satisfaction			Both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	286	395,848	81	24.3	18.2-30.4	114	36.9	29.6-44.2	91	38.7	30.9-46.5
Male	173	234,757	44	22.4	15.1-29.7	76	43.0	33.4-52.6	53	34.6	25.6-43.6
Female	113	161,091	37	27.2	16.4-38.0	38	28.1	18.3-37.9	38	44.7	31.2-58.2
White/Non-Hisp	208	252,557	59	24.1	17.2-31.0	85	44.0	35.8-52.2	64	31.9	24.3-39.5
25-34	75	114,103	22	28.4	15.3-41.5	28	32.1	19.8-44.4	25	39.5	25.2-53.8
35-44	67	107,200	19	26.3	13.8-38.8	24	38.6	23.3-53.9	24	35.0	21.3-48.7
55-64	50	44,169	16	30.8	12.8-48.8	24	46.6	28.2-65.0	10	22.5	08.6-36.4
H.S. or G.E.D.	105	161,080	29	26.8	15.6-38.0	41	30.7	19.1-42.3	35	42.5	28.6-56.4
Some Post-H.S.	82	117,525	28	28.3	16.3-40.3	33	39.6	27.4-51.8	21	32.1	18.8-45.4
College Graduate	59	49,427	14	17.2	06.2-28.2	29	56.6	40.3-72.9	16	26.2	11.3-41.1
Less than \$15,000	56	76,762	20	28.9	14.4-43.4	17	21.2	09.8-32.6	19	49.9	33.8-66.0
\$15,000- 24,999	63	74,226	23	37.6	20.7-54.5	22	38.6	21.2-56.0	18	23.8	10.1-37.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 15: MARIJUANA USE**

TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only for medical reasons treat or decrease symptoms			Only for non-medical purposes get pleasure or satisfaction			Both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	173	234,757	44	22.4	15.3-29.5	76	43.0	33.4-52.6	53	34.6	25.6-43.6
White/Non-Hisp	127	159,049	33	22.6	14.6-30.6	58	47.4	37.0-57.8	36	30.0	20.8-39.2
H.S. or G.E.D.	61	88,044	17	24.8	13.2-36.4	27	43.1	26.6-59.6	17	32.1	16.2-48.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
 MODULE 15: MARIJUANA USE**

TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only for medical reasons treat or decrease symptoms			Only for non-medical purposes get pleasure or satisfaction			Both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	113	161,091	37	27.2	16.2-38.2	38	28.1	18.5-37.7	38	44.7	31.2-58.2
White/Non-Hisp	81	93,508	26	26.7	14.7-38.7	27	38.2	25.7-50.7	28	35.2	22.1-48.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018**

MODULE 08: Sleep Disorder CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)	
1 MALES AND FEMALES	56
2 MALES ONLY	57
3 FEMALES ONLY	58
OVER THE LAST 2 WEEKS, HOW MANY DAYS DID YOU UNINTENTIONALLY FALL ASLEEP DURING THE DAY? (SLEPDAY1)	
4 MALES AND FEMALES	59
5 MALES ONLY	60
6 FEMALES ONLY	61
HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)	
7 MALES AND FEMALES	62
8 MALES ONLY	63
9 FEMALES ONLY	64
HAS ANYONE EVER OBSERVED THAT YOU STOP BREATHING DURING YOUR SLEEP? (SLEPBRTH)	
10 MALES AND FEMALES	65
11 MALES ONLY	66
12 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

**TABLE 1: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4250	4,199,723	388	9.7	08.5-10.9	347	8.8	07.6-10.0	311	8.0	06.8-09.2	180	3.8	03.0-04.6	643	15.3	13.7-16.9	2381	54.4	52.2-56.6
Male	1901	1,982,165	159	8.9	07.1-10.7	146	8.1	06.3-09.9	108	5.4	04.0-06.8	62	3.1	02.1-04.1	238	13.3	11.1-15.5	1188	61.2	58.3-64.1
Female	2349	2,217,558	229	10.3	08.5-12.1	201	9.5	07.7-11.3	203	10.4	08.2-12.6	118	4.5	03.5-05.5	405	17.1	14.9-19.3	1193	48.2	45.3-51.1
White/Non-Hisp	3453	3,237,158	323	10.2	08.8-11.6	274	8.0	06.8-09.2	246	7.3	06.1-08.5	146	4.0	03.2-04.8	533	16.2	14.4-18.0	1931	54.3	51.9-56.7
Black or Afr. Am./Non-Hisp	475	645,969	36	7.3	04.4-10.2	45	11.4	07.3-15.5	40	10.4	05.7-15.1	21	3.8	01.6-06.0	52	9.5	06.0-13.0	281	57.6	51.3-63.9
Oth. Race/Non-Hisp.	98	100,333	10	7.9	01.4-14.4	9	13.5	02.1-24.9	7	6.7	00.0-14.7	3	1.8	00.0-04.0	17	26.3	11.2-41.4	52	43.8	29.1-58.5
MultiRacial/Non-Hisp.	95	40,751	8	6.1	01.2-11.0	8	13.3	02.5-24.1	5	4.6	00.0-09.3	3	2.9	00.0-07.2	27	26.9	15.1-38.7	44	46.3	33.2-59.4
Hispanic	79	122,004	8	10.6	00.0-22.8	6	9.4	00.6-18.2	6	11.0	00.0-22.8	5	3.2	00.3-06.1	5	7.3	00.0-16.1	49	58.6	41.9-75.3
18-24	225	435,622	27	10.8	05.7-15.9	19	6.9	03.2-10.6	23	9.9	04.0-15.8	11	2.3	00.7-03.9	32	19.1	11.5-26.7	113	50.9	41.9-59.9
25-34	460	648,791	44	8.7	05.6-11.8	36	8.7	05.0-12.4	42	9.8	05.9-13.7	24	4.9	02.5-07.3	86	18.4	13.7-23.1	228	49.6	43.5-55.7
35-44	553	679,946	57	10.9	07.6-14.2	46	8.1	05.2-11.0	43	7.7	04.6-10.8	32	4.5	02.5-06.5	85	12.9	09.4-16.4	290	56.0	50.5-61.5
45-54	693	720,354	52	8.2	05.5-10.9	56	9.7	06.4-13.0	61	9.2	06.1-12.3	35	5.3	03.1-07.5	133	18.3	14.4-22.2	356	49.2	44.1-54.3
55-64	919	759,421	79	9.9	07.2-12.6	81	10.3	07.4-13.2	65	7.9	05.4-10.4	40	3.9	02.5-05.3	163	15.6	12.9-18.3	491	52.5	48.2-56.8
65+	1400	955,589	129	9.8	07.6-12.0	109	8.5	06.3-10.7	77	5.3	03.7-06.9	38	2.2	01.2-03.2	144	10.8	08.4-13.2	903	63.4	59.9-66.9
Less Than H.S.	404	560,938	31	7.1	04.2-10.0	42	12.1	07.6-16.6	39	12.0	07.3-16.7	11	1.8	00.6-03.0	96	21.0	15.9-26.1	185	46.0	39.5-52.5
H.S. or G.E.D.	1324	1,427,507	106	7.7	05.7-09.7	102	7.8	05.8-09.8	90	7.2	05.0-09.4	58	3.8	02.6-05.0	223	16.9	14.0-19.8	745	56.6	52.7-60.5
Some Post-H.S.	1109	1,227,278	101	11.1	08.4-13.8	83	9.0	06.5-11.5	76	7.3	04.9-09.7	52	3.9	02.5-05.3	177	15.4	12.5-18.3	620	53.2	49.1-57.3
College Graduate	1401	969,768	149	12.1	09.7-14.5	120	8.2	06.2-10.2	106	7.9	05.9-09.9	59	5.1	03.5-06.7	143	9.2	07.2-11.2	824	57.4	53.9-60.9
Less than \$15,000	486	449,497	38	8.3	05.0-11.6	39	9.5	05.8-13.2	39	9.7	05.6-13.8	27	3.8	01.8-05.8	137	27.6	21.7-33.5	206	41.1	34.8-47.4
\$15,000- 24,999	695	655,264	50	8.1	05.4-10.8	60	8.5	05.4-11.6	68	9.1	06.4-11.8	36	3.5	02.1-04.9	157	20.4	16.1-24.7	324	50.5	45.0-56.0
\$25,000- 34,999	399	371,340	30	8.1	04.8-11.4	32	11.6	06.5-16.7	35	10.3	05.6-15.0	16	3.8	01.3-06.3	57	16.7	11.2-22.2	229	49.4	42.7-56.1
\$35,000- 49,999	535	550,717	55	10.3	07.0-13.6	40	7.2	04.5-09.9	30	6.6	03.5-09.7	16	2.4	01.0-03.8	76	15.0	10.9-19.1	318	58.5	52.8-64.2
\$50,000- 74,999	523	535,314	51	11.3	07.0-15.6	45	7.3	04.4-10.2	30	4.7	02.2-07.2	28	7.2	04.1-10.3	52	13.0	08.5-17.5	317	56.5	50.4-62.6
\$75,000+	1005	1,032,961	118	11.3	08.8-13.8	77	8.4	06.0-10.8	70	7.4	05.0-09.8	44	4.4	02.8-06.0	79	9.3	06.6-12.0	617	59.3	55.0-63.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

TABLE 2: HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	1,982,165	159	8.9	07.1-10.7	146	8.1	06.3-09.9	108	5.4	04.0-06.8	62	3.1	02.1-04.1	238	13.3	11.1-15.5	1188	61.2	58.3-64.1
White/Non-Hisp	1553	1,543,511	134	9.4	07.4-11.4	114	7.0	05.4-08.6	83	4.9	03.7-06.1	50	3.3	02.3-04.3	196	13.9	11.4-16.4	976	61.5	58.2-64.8
Black or Afr. Am./Non-Hisp	187	276,811	13	8.0	02.9-13.1	15	9.4	03.3-15.5	15	7.5	02.0-13.0	5	1.9	00.0-03.9	15	8.0	02.9-13.1	124	65.2	55.8-74.6
Oth. Race/Non-Hisp.	56	61,264	2	0.9	00.0-02.3	5	17.2	00.0-34.4	4	2.6	00.0-05.3	2	1.6	00.0-04.3	11	32.2	11.8-52.6	32	45.4	25.4-65.4
18-24	120	206,707	15	12.2	05.1-19.3	13	11.0	04.3-17.7	7	4.4	00.1-08.7	6	2.7	00.3-05.1	12	13.2	03.8-22.6	67	56.6	45.2-68.0
25-34	223	316,202	26	12.0	06.5-17.5	18	9.7	03.8-15.6	17	4.8	02.3-07.3	6	3.0	00.5-05.5	36	17.2	10.5-23.9	120	53.3	44.7-61.9
35-44	251	330,281	27	11.1	06.2-16.0	20	6.7	03.4-10.0	15	6.8	02.3-11.3	9	2.9	00.7-05.1	35	11.7	06.6-16.8	145	60.8	53.0-68.6
45-54	331	342,822	24	7.3	03.8-10.8	23	7.0	03.1-10.9	24	6.2	03.3-09.1	13	4.3	01.6-07.0	49	16.2	10.3-22.1	198	58.9	51.6-66.2
55-64	401	365,203	28	6.7	03.4-10.0	37	9.4	05.7-13.1	18	4.6	01.9-07.3	14	3.4	01.2-05.6	60	13.6	09.7-17.5	244	62.3	56.2-68.4
65+	575	420,951	39	6.5	03.6-09.4	35	6.1	03.4-08.8	27	5.3	02.8-07.8	14	2.1	00.9-03.3	46	9.2	05.9-12.5	414	70.7	65.6-75.8
Less Than H.S.	190	278,797	12	7.1	02.6-11.6	17	8.2	03.5-12.9	13	8.0	02.7-13.3	7	3.0	00.6-05.4	43	20.1	12.8-27.4	98	53.5	44.1-62.9
H.S. or G.E.D.	589	691,130	36	6.1	03.6-08.6	47	8.2	05.1-11.3	28	4.2	02.2-06.2	18	2.3	00.9-03.7	79	14.5	10.2-18.8	381	64.7	59.4-70.0
Some Post-H.S.	474	543,400	45	11.1	07.2-15.0	38	9.7	05.8-13.6	22	4.1	02.1-06.1	16	3.1	01.3-04.9	60	13.4	09.3-17.5	293	58.6	52.7-64.5
College Graduate	641	459,598	65	11.4	08.1-14.7	44	5.9	03.7-08.1	45	7.4	04.9-09.9	21	4.3	02.1-06.5	54	7.1	04.7-09.5	412	64.0	59.1-68.9
Less than \$15,000	175	182,439	12	7.6	02.1-13.1	15	9.0	03.3-14.7	10	7.6	01.5-13.7	10	4.5	01.2-07.8	46	26.7	16.5-36.9	82	44.5	34.1-54.9
\$15,000- 24,999	264	259,551	14	7.1	02.4-11.8	28	8.6	03.7-13.5	24	8.5	04.4-12.6	10	2.8	00.6-05.0	55	17.8	12.1-23.5	133	55.1	46.7-63.5
\$25,000- 34,999	178	162,880	15	8.0	03.3-12.7	12	8.1	02.6-13.6	15	7.6	03.1-12.1	3	1.0	00.0-02.4	23	17.3	08.7-25.9	110	58.0	48.4-67.6
\$35,000- 49,999	251	253,003	22	9.8	05.1-14.5	16	7.4	03.3-11.5	8	3.4	00.3-06.5	6	1.9	00.1-03.7	29	11.6	06.3-16.9	170	65.9	58.1-73.7
\$50,000- 74,999	258	281,428	24	9.6	05.1-14.1	19	6.3	02.0-10.6	11	2.6	00.8-04.4	8	3.7	00.8-06.6	19	11.6	05.1-18.1	177	66.1	58.1-74.1
\$75,000+	554	591,820	63	10.8	07.3-14.3	38	7.2	04.3-10.1	35	6.4	03.7-09.1	20	4.2	02.2-06.2	35	8.1	04.8-11.4	363	63.3	57.8-68.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

TABLE 3: HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2349	2,217,558	229	10.3	08.5-12.1	201	9.5	07.7-11.3	203	10.4	08.2-12.6	118	4.5	03.5-05.5	405	17.1	14.9-19.3	1193	48.2	45.3-51.1
White/Non-Hisp	1900	1,693,647	189	11.0	09.0-13.0	160	9.0	07.0-11.0	163	9.5	07.5-11.5	96	4.5	03.3-05.7	337	18.4	15.9-20.9	955	47.7	44.6-50.8
Black or Afr. Am./Non-Hisp	288	369,158	23	6.7	03.4-10.0	30	12.9	07.4-18.4	25	12.6	05.5-19.7	16	5.1	01.6-08.6	37	10.6	05.7-15.5	157	52.0	43.6-60.4
18-24	105	228,916	12	9.6	02.0-17.2	6	3.3	00.0-06.6	16	14.9	04.5-25.3	5	2.0	00.0-04.0	20	24.4	12.6-36.2	46	45.9	32.4-59.4
25-34	237	332,589	18	5.6	02.3-08.9	18	7.7	02.8-12.6	25	14.6	07.7-21.5	18	6.6	02.9-10.3	50	19.5	13.0-26.0	108	46.0	37.6-54.4
35-44	302	349,664	30	10.7	06.4-15.0	26	9.4	04.7-14.1	28	8.5	04.4-12.6	23	6.0	02.7-09.3	50	14.0	09.3-18.7	145	51.5	43.9-59.1
45-54	362	377,532	28	9.0	04.9-13.1	33	12.2	07.1-17.3	37	12.0	06.9-17.1	22	6.1	03.0-09.2	84	20.3	15.0-25.6	158	40.4	33.5-47.3
55-64	518	394,219	51	12.9	08.8-17.0	44	11.1	06.8-15.4	47	11.0	06.9-15.1	26	4.3	02.3-06.3	103	17.4	13.5-21.3	247	43.4	37.7-49.1
65+	825	534,639	90	12.4	09.3-15.5	74	10.3	07.4-13.2	50	5.3	03.3-07.3	24	2.3	01.1-03.5	98	12.0	08.9-15.1	489	57.6	52.9-62.3
Less Than H.S.	214	282,141	19	7.1	03.2-11.0	25	15.9	08.5-23.3	26	16.0	08.6-23.4	4	0.6	00.0-01.4	53	21.9	14.8-29.0	87	38.5	29.9-47.1
H.S. or G.E.D.	735	736,377	70	9.2	06.5-11.9	55	7.4	04.9-09.9	62	10.0	06.1-13.9	40	5.1	02.9-07.3	144	19.2	14.9-23.5	364	49.1	43.8-54.4
Some Post-H.S.	635	683,879	56	11.1	07.4-14.8	45	8.5	05.4-11.6	54	9.9	06.2-13.6	36	4.5	02.5-06.5	117	17.0	12.9-21.1	327	48.9	43.2-54.6
College Graduate	760	510,171	84	12.8	09.5-16.1	76	10.4	07.5-13.3	61	8.4	05.7-11.1	38	5.8	03.4-08.2	89	11.0	08.1-13.9	412	51.6	46.7-56.5
Less than \$15,000	311	267,058	26	8.7	04.4-13.0	24	9.8	04.9-14.7	29	11.1	05.8-16.4	17	3.4	01.2-05.6	91	28.3	21.0-35.6	124	38.8	31.0-46.6
\$15,000- 24,999	431	395,713	36	8.7	05.4-12.0	32	8.4	04.5-12.3	44	9.4	05.7-13.1	26	4.0	02.2-05.8	102	22.1	16.0-28.2	191	47.5	40.4-54.6
\$25,000- 34,999	221	208,460	15	8.2	03.5-12.9	20	14.4	06.4-22.4	20	12.5	05.1-19.9	13	6.0	01.7-10.3	34	16.2	09.1-23.3	119	42.7	33.7-51.7
\$35,000- 49,999	284	297,715	33	10.7	06.2-15.2	24	7.0	03.3-10.7	22	9.2	04.1-14.3	10	2.8	00.8-04.8	47	18.0	12.1-23.9	148	52.2	44.0-60.4
\$50,000- 74,999	265	253,887	27	13.2	05.9-20.5	26	8.3	04.4-12.2	19	7.0	02.1-11.9	20	11.1	05.2-17.0	33	14.6	08.5-20.7	140	45.8	37.4-54.2
\$75,000+	451	441,142	55	12.0	08.1-15.9	39	10.0	05.9-14.1	35	8.7	05.0-12.4	24	4.6	02.4-06.8	44	10.8	06.3-15.3	254	53.9	47.2-60.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

**TABLE 4: OVER THE LAST 2 WEEKS, HOW MANY DAYS DID YOU UNINTENTIONALLY FALL ASLEEP DURING THE DAY? (SLEPDAY1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4242	4,171,876	483	11.2	09.8-12.6	233	5.9	04.7-07.1	154	3.2	02.6-03.8	67	1.4	01.0-01.8	132	3.1	02.3-03.9	3173	75.1	73.3-76.9
Male	1891	1,961,953	213	11.4	09.4-13.4	84	4.8	03.4-06.2	60	2.6	01.8-03.4	33	1.5	00.9-02.1	61	3.5	02.3-04.7	1440	76.2	73.7-78.7
Female	2351	2,209,923	270	11.0	09.0-13.0	149	7.0	05.2-08.8	94	3.8	02.8-04.8	34	1.4	00.8-02.0	71	2.8	01.8-03.8	1733	74.1	71.6-76.6
White/Non-Hisp	3450	3,235,040	351	9.6	08.2-11.0	165	4.6	03.6-05.6	122	3.2	02.4-04.0	54	1.6	01.0-02.2	103	3.2	02.2-04.2	2655	77.9	75.9-79.9
Black or Afr. Am./Non-Hisp	466	621,546	85	16.6	12.1-21.1	40	10.8	05.9-15.7	17	3.6	01.2-06.0	8	0.8	00.2-01.4	24	4.1	01.7-06.5	292	64.0	57.7-70.3
Oth. Race/Non-Hisp.	102	101,885	13	14.1	04.3-23.9	9	10.8	01.4-20.2	1	0.6	00.0-01.8				3	1.7	00.0-04.2	76	72.9	60.2-85.6
MultiRacial/Non-Hisp.	95	40,912	15	19.3	07.1-31.5	7	5.4	00.3-10.5	7	8.2	00.0-16.6	2	1.9	00.0-04.8	1	0.2	00.0-00.6	63	65.0	51.7-78.3
Hispanic	78	118,936	10	17.3	03.8-30.8	7	7.0	00.3-13.7	3	1.8	00.0-04.0	3	2.6	00.0-06.1				55	71.3	56.6-86.0
18-24	226	436,855	35	13.6	08.3-18.9	14	7.5	02.0-13.0	7	1.7	00.3-03.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3	168	76.9	69.6-84.2
25-34	457	642,887	46	10.1	06.6-13.6	17	4.6	01.7-07.5	12	1.8	00.4-03.2	6	1.8	00.0-03.8	6	1.0	00.0-02.0	370	80.7	75.8-85.6
35-44	550	674,303	50	8.2	05.1-11.3	25	6.6	03.3-09.9	15	3.2	01.0-05.4	4	0.5	00.0-01.1	9	2.0	00.2-03.8	447	79.6	74.7-84.5
45-54	693	712,704	68	11.5	08.0-15.0	25	3.7	01.9-05.5	17	2.2	00.8-03.6	11	1.9	00.5-03.3	18	3.3	00.9-05.7	554	77.4	72.9-81.9
55-64	921	753,164	91	11.1	08.4-13.8	56	5.8	04.0-07.6	34	3.9	02.3-05.5	17	1.4	00.6-02.2	36	4.2	02.4-06.0	687	73.6	69.9-77.3
65+	1395	951,964	193	12.9	10.5-15.3	96	7.4	05.4-09.4	69	5.2	03.6-06.8	28	2.1	01.1-03.1	62	5.8	03.8-07.8	947	66.6	63.3-69.9
Less Than H.S.	402	559,292	56	13.1	08.6-17.6	36	10.5	06.4-14.6	19	4.1	01.9-06.3	9	2.2	00.4-04.0	36	10.3	06.0-14.6	246	59.8	53.3-66.3
H.S. or G.E.D.	1308	1,400,206	149	10.5	08.3-12.7	88	6.8	04.6-09.0	59	3.7	02.5-04.9	20	1.3	00.3-02.3	51	3.2	02.0-04.4	941	74.6	71.3-77.9
Some Post-H.S.	1119	1,232,824	141	13.1	10.4-15.8	61	5.1	03.3-06.9	41	3.4	02.0-04.8	24	1.8	01.0-02.6	21	1.3	00.5-02.1	831	75.3	72.0-78.6
College Graduate	1402	968,069	136	8.8	06.8-10.8	47	3.1	01.9-04.3	34	1.7	00.9-02.5	14	0.7	00.3-01.1	24	1.3	00.5-02.1	1147	84.3	81.8-86.8
Less than \$15,000	487	439,223	65	10.7	07.4-14.0	48	11.4	07.1-15.7	31	5.4	03.0-07.8	11	1.7	00.3-03.1	38	10.3	05.8-14.8	294	60.5	54.2-66.8
\$15,000- 24,999	693	647,131	111	14.3	10.8-17.8	47	8.5	05.4-11.6	42	5.2	03.2-07.2	14	2.1	00.5-03.7	37	5.0	02.6-07.4	442	64.9	59.8-70.0
\$25,000- 34,999	400	373,391	51	15.9	10.6-21.2	20	6.7	02.6-10.8	11	2.3	00.7-03.9	12	3.9	00.6-07.2	10	3.6	00.3-06.9	296	67.6	60.7-74.5
\$35,000- 49,999	533	549,794	51	8.8	05.5-12.1	26	4.0	02.0-06.0	19	3.5	01.5-05.5	6	1.2	00.2-02.2	10	2.1	00.5-03.7	421	80.3	75.8-84.8
\$50,000- 74,999	527	542,743	45	8.3	05.0-11.6	25	3.9	02.1-05.7	11	3.3	00.8-05.8	9	1.7	00.3-03.1	7	1.0	00.2-01.8	430	81.8	77.3-86.3
\$75,000+	1001	1,030,716	88	9.7	07.2-12.2	29	3.0	01.4-04.6	15	1.3	00.3-02.3	10	0.5	00.1-00.9	7	0.6	00.0-01.2	852	84.8	81.7-87.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

**TABLE 5: OVER THE LAST 2 WEEKS, HOW MANY DAYS DID YOU UNINTENTIONALLY FALL ASLEEP DURING THE DAY? (SLEPDAY1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	1,961,953	213	11.4	09.4-13.4	84	4.8	03.4-06.2	60	2.6	01.8-03.4	33	1.5	00.9-02.1	61	3.5	02.3-04.7	1440	76.2	73.7-78.7
White/Non-Hisp	1550	1,543,246	150	9.5	07.5-11.5	55	3.1	02.1-04.1	51	2.8	01.8-03.8	27	1.7	00.9-02.5	53	3.7	02.3-05.1	1214	79.2	76.5-81.9
Black or Afr. Am./Non-Hisp	180	260,855	37	18.1	11.0-25.2	16	10.7	03.8-17.6	7	2.7	00.0-05.4	3	0.5	00.0-01.1	6	3.9	00.0-07.8	111	64.0	54.6-73.4
Oth. Race/Non-Hisp.	58	61,898	10	20.7	05.2-36.2	5	8.4	00.0-17.2						1	2.0	00.0-05.9	42	69.0	51.6-86.4	
18-24	120	206,707	20	14.3	07.2-21.4	6	5.7	00.4-11.0	2	1.0	00.0-02.4	1	0.3	00.0-00.9				91	78.8	70.2-87.4
25-34	222	314,395	24	10.7	05.6-15.8	5	3.8	00.0-07.7	2	0.4	00.0-01.0	3	0.9	00.0-02.1	2	0.8	00.0-02.0	186	83.3	76.8-89.8
35-44	246	326,237	24	10.1	05.2-15.0	7	4.3	00.0-08.6	5	1.5	00.0-03.3	2	0.7	00.0-01.7	5	2.9	00.0-06.2	203	80.4	73.3-87.5
45-54	325	329,753	30	10.4	05.9-14.9	6	2.6	00.2-05.0	6	1.9	00.0-03.9	5	2.5	00.0-05.2	7	3.3	00.0-07.6	271	79.4	72.7-86.1
55-64	400	355,823	38	10.5	06.6-14.4	23	5.3	02.8-07.8	14	3.3	01.1-05.5	10	1.9	00.5-03.3	22	6.2	03.1-09.3	293	72.9	67.4-78.4
65+	578	429,039	77	13.0	09.3-16.7	37	6.6	04.1-09.1	31	5.8	03.3-08.3	12	2.1	00.7-03.5	25	5.7	03.0-08.4	396	66.8	61.7-71.9
Less Than H.S.	189	280,452	24	10.8	05.7-15.9	12	6.8	01.9-11.7	8	3.4	00.5-06.3	6	3.3	00.4-06.2	16	10.6	04.1-17.1	123	65.2	56.2-74.2
H.S. or G.E.D.	580	673,683	65	11.5	08.0-15.0	32	4.7	02.3-07.1	13	1.4	00.4-02.4	7	0.9	00.1-01.7	19	3.4	01.4-05.4	444	78.1	73.6-82.6
Some Post-H.S.	475	542,555	64	14.3	10.2-18.4	23	5.5	02.6-08.4	19	3.8	01.6-06.0	9	1.7	00.3-03.1	8	1.0	00.0-02.0	352	73.7	68.6-78.8
College Graduate	641	458,767	60	8.3	05.6-11.0	17	2.8	01.0-04.6	20	2.4	01.0-03.8	11	1.2	00.2-02.2	18	2.5	01.1-03.9	515	82.7	79.0-86.4
Less than \$15,000	173	175,233	19	8.8	03.7-13.9	17	10.1	03.6-16.6	13	6.6	01.9-11.3	2	0.6	00.0-01.4	15	12.1	03.3-20.9	107	61.8	51.0-72.6
\$15,000- 24,999	263	255,258	41	17.1	10.8-23.4	16	9.0	03.3-14.7	14	3.8	01.1-06.5	7	3.9	00.4-07.4	12	4.8	01.5-08.1	173	61.3	53.1-69.5
\$25,000- 34,999	179	162,938	28	21.1	12.7-29.5	4	1.5	00.0-03.1	3	1.7	00.0-04.1	6	2.9	00.0-05.8	6	7.2	00.0-14.6	132	65.7	55.7-75.7
\$35,000- 49,999	248	250,788	24	8.8	04.5-13.1	12	4.5	01.4-07.6	8	2.5	00.5-04.5	3	1.2	00.0-02.6	5	2.1	00.0-04.3	196	80.9	75.0-86.8
\$50,000- 74,999	262	288,063	23	6.1	02.8-09.4	7	1.9	00.3-03.5	3	1.7	00.0-03.9	7	2.4	00.0-04.8	6	1.7	00.1-03.3	216	86.1	81.0-91.2
\$75,000+	552	590,101	54	11.1	07.6-14.6	18	3.0	00.8-05.2	11	1.8	00.4-03.2	7	0.6	00.2-01.0	7	1.0	00.2-01.8	455	82.4	78.1-86.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

**TABLE 6: OVER THE LAST 2 WEEKS, HOW MANY DAYS DID YOU UNINTENTIONALLY FALL ASLEEP DURING THE DAY? (SLEPDAY1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2351	2,209,923	270	11.0	09.0-13.0	149	7.0	05.2-08.8	94	3.8	02.8-04.8	34	1.4	00.8-02.0	71	2.8	01.8-03.8	1733	74.1	71.6-76.6
White/Non-Hisp	1900	1,691,794	201	9.7	07.9-11.5	110	6.0	04.4-07.6	71	3.5	02.5-04.5	27	1.5	00.7-02.3	50	2.7	01.7-03.7	1441	76.7	74.0-79.4
Black or Afr. Am./Non-Hisp	286	360,691	48	15.5	09.4-21.6	24	10.9	04.0-17.8	10	4.3	00.6-08.0	5	1.1	00.0-02.3	18	4.3	01.6-07.0	181	63.9	55.5-72.3
18-24	106	230,149	15	12.9	05.1-20.7	8	9.2	00.0-18.6	5	2.4	00.0-04.9				1	0.2	00.0-00.6	77	75.3	63.7-86.9
25-34	235	328,492	22	9.5	04.8-14.2	12	5.4	01.3-09.5	10	3.1	00.6-05.6	3	2.6	00.0-06.1	4	1.3	00.0-02.7	184	78.1	71.0-85.2
35-44	304	348,066	26	6.4	02.5-10.3	18	8.7	03.8-13.6	10	4.7	00.8-08.6	2	0.2	00.0-00.6	4	1.1	00.0-02.3	244	78.9	72.0-85.8
45-54	368	382,950	38	12.4	06.9-17.9	19	4.8	02.4-07.2	11	2.5	00.7-04.3	6	1.4	00.2-02.6	11	3.2	00.8-05.6	283	75.8	69.5-82.1
55-64	521	397,341	53	11.6	07.5-15.7	33	6.2	03.7-08.7	20	4.5	02.1-06.9	7	1.0	00.0-02.0	14	2.4	00.4-04.4	394	74.2	68.9-79.5
65+	817	522,925	116	12.8	09.9-15.7	59	8.0	05.3-10.7	38	4.7	02.7-06.7	16	2.2	00.8-03.6	37	5.8	02.9-08.7	551	66.5	62.0-71.0
Less Than H.S.	213	278,840	32	15.4	08.1-22.7	24	14.2	07.5-20.9	11	4.8	01.7-07.9	3	1.2	00.0-03.2	20	10.1	04.6-15.6	123	54.3	45.1-63.5
H.S. or G.E.D.	728	726,523	84	9.5	07.0-12.0	56	8.7	05.0-12.4	46	5.8	03.6-08.0	13	1.7	00.1-03.3	32	2.9	01.5-04.3	497	71.3	66.6-76.0
Some Post-H.S.	644	690,269	77	12.2	08.5-15.9	38	4.8	02.8-06.8	22	3.1	01.3-04.9	15	1.9	00.7-03.1	13	1.4	00.2-02.6	479	76.6	72.1-81.1
College Graduate	761	509,301	76	9.2	06.3-12.1	30	3.4	01.6-05.2	14	1.0	00.2-01.8	3	0.3	00.0-00.7	6	0.3	00.1-00.5	632	85.9	82.6-89.2
Less than \$15,000	314	263,990	46	12.0	07.7-16.3	31	12.3	06.6-18.0	18	4.5	02.1-06.9	9	2.5	00.1-04.9	23	9.0	04.3-13.7	187	59.7	52.1-67.3
\$15,000- 24,999	430	391,873	70	12.4	08.5-16.3	31	8.1	04.4-11.8	28	6.1	03.4-08.8	7	1.0	00.2-01.8	25	5.2	02.1-08.3	269	67.3	61.0-73.6
\$25,000- 34,999	221	210,454	23	11.9	05.0-18.8	16	10.7	03.6-17.8	8	2.7	00.5-04.9	6	4.7	00.0-10.2	4	0.8	00.0-01.6	164	69.1	59.5-78.7
\$35,000- 49,999	285	299,006	27	8.9	03.6-14.2	14	3.6	01.2-06.0	11	4.4	01.1-07.7	3	1.2	00.0-02.8	5	2.1	00.0-04.5	225	79.8	73.1-86.5
\$50,000- 74,999	265	254,680	22	10.8	04.7-16.9	18	6.2	03.1-09.3	8	5.1	00.2-10.0	2	0.8	00.0-02.0	1	0.3	00.0-00.9	214	76.9	69.3-84.5
\$75,000+	449	440,615	34	7.9	04.4-11.4	11	2.9	00.7-05.1	4	0.7	00.0-01.7	3	0.4	00.0-01.0				397	88.0	83.9-92.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

**TABLE 7: HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4302	4,225,338	1936	45.0	42.8-47.2	2366	55.0	52.8-57.2
Male	1917	1,985,081	1006	53.4	50.3-56.5	911	46.6	43.5-49.7
Female	2385	2,240,257	930	37.5	34.8-40.2	1455	62.5	59.8-65.2
White/Non-Hisp	3486	3,263,221	1583	46.0	43.6-48.4	1903	54.0	51.6-56.4
Black or Afr. Am./Non-Hisp	491	649,371	214	42.2	35.9-48.5	277	57.8	51.5-64.1
Oth. Race/Non-Hisp.	102	101,885	36	36.3	22.2-50.4	66	63.7	49.6-77.8
MultiRacial/Non-Hisp.	94	39,948	51	57.5	44.6-70.4	43	42.5	29.6-55.4
Hispanic	77	116,056	31	34.9	18.6-51.2	46	65.1	48.8-81.4
18-24	226	436,855	51	23.7	16.1-31.3	175	76.3	68.7-83.9
25-34	456	639,704	146	34.5	28.6-40.4	310	65.5	59.6-71.4
35-44	555	680,362	249	45.0	39.3-50.7	306	55.0	49.3-60.7
45-54	703	719,484	342	51.4	46.3-56.5	361	48.6	43.5-53.7
55-64	931	766,512	490	55.3	51.2-59.4	441	44.7	40.6-48.8
65+	1431	982,422	658	48.5	45.0-52.0	773	51.5	48.0-55.0
Less Than H.S.	419	579,168	200	51.3	45.0-57.6	219	48.7	42.4-55.0
H.S. or G.E.D.	1337	1,428,780	604	46.8	42.9-50.7	733	53.2	49.3-57.1
Some Post-H.S.	1128	1,235,380	528	42.9	39.0-46.8	600	57.1	53.2-61.0
College Graduate	1406	967,778	600	41.1	37.8-44.4	806	58.9	55.6-62.2
Less than \$15,000	506	459,116	212	44.7	38.4-51.0	294	55.3	49.0-61.6
\$15,000- 24,999	695	654,301	315	47.2	41.7-52.7	380	52.8	47.3-58.3
\$25,000- 34,999	403	370,862	196	48.8	42.1-55.5	207	51.2	44.5-57.9
\$35,000- 49,999	534	547,571	258	44.2	38.3-50.1	276	55.8	49.9-61.7
\$50,000- 74,999	531	545,459	246	50.8	44.9-56.7	285	49.2	43.3-55.1
\$75,000+	1004	1,027,246	466	45.0	40.7-49.3	538	55.0	50.7-59.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

TABLE 8: HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1917	1,985,081	1006	53.4	50.3-56.5	911	46.6	43.5-49.7
White/Non-Hisp	1562	1,547,224	841	55.2	51.9-58.5	721	44.8	41.5-48.1
Black or Afr. Am./Non-Hisp	192	275,451	85	47.9	38.3-57.5	107	52.1	42.5-61.7
Oth. Race/Non-Hisp.	58	61,898	25	40.4	21.2-59.6	33	59.6	40.4-78.8
18-24	120	206,707	27	25.6	15.2-36.0	93	74.4	64.0-84.8
25-34	222	311,642	85	39.1	30.5-47.7	137	60.9	52.3-69.5
35-44	250	329,594	153	64.1	56.5-71.7	97	35.9	28.3-43.5
45-54	331	340,363	185	57.0	49.7-64.3	146	43.0	35.7-50.3
55-64	403	362,240	229	61.2	55.1-67.3	174	38.8	32.7-44.9
65+	591	434,536	327	59.4	54.3-64.5	264	40.6	35.5-45.7
Less Than H.S.	191	287,834	100	59.7	50.9-68.5	91	40.3	31.5-49.1
H.S. or G.E.D.	596	687,581	294	51.5	45.8-57.2	302	48.5	42.8-54.2
Some Post-H.S.	477	539,704	254	51.9	46.0-57.8	223	48.1	42.2-54.0
College Graduate	646	460,720	355	54.0	48.9-59.1	291	46.0	40.9-51.1
Less than \$15,000	178	181,043	73	48.1	37.5-58.7	105	51.9	41.3-62.5
\$15,000- 24,999	265	260,532	128	55.0	46.6-63.4	137	45.0	36.6-53.4
\$25,000- 34,999	182	164,566	97	54.0	44.6-63.4	85	46.0	36.6-55.4
\$35,000- 49,999	252	252,803	146	54.7	46.3-63.1	106	45.3	36.9-53.7
\$50,000- 74,999	264	288,561	150	59.0	51.2-66.8	114	41.0	33.2-48.8
\$75,000+	551	584,922	302	54.1	48.4-59.8	249	45.9	40.2-51.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

TABLE 9: HAVE YOU EVER BEEN TOLD THAT YOU SNORE LOUDLY? (SLEPSNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2385	2,240,257	930	37.5	34.8-40.2	1455	62.5	59.8-65.2
White/Non-Hisp	1924	1,715,997	742	37.7	34.6-40.8	1182	62.3	59.2-65.4
Black or Afr. Am./Non-Hisp	299	373,920	129	38.0	30.2-45.8	170	62.0	54.2-69.8
18-24	106	230,149	24	22.0	11.2-32.8	82	78.0	67.2-88.8
25-34	234	328,062	61	30.1	21.9-38.3	173	69.9	61.7-78.1
35-44	305	350,768	96	27.0	20.5-33.5	209	73.0	66.5-79.5
45-54	372	379,120	157	46.4	39.5-53.3	215	53.6	46.7-60.5
55-64	528	404,272	261	50.1	44.4-55.8	267	49.9	44.2-55.6
65+	840	547,887	331	39.8	35.3-44.3	509	60.2	55.7-64.7
Less Than H.S.	228	291,334	100	43.0	34.4-51.6	128	57.0	48.4-65.6
H.S. or G.E.D.	741	741,200	310	42.5	37.2-47.8	431	57.5	52.2-62.8
Some Post-H.S.	651	695,676	274	36.0	30.7-41.3	377	64.0	58.7-69.3
College Graduate	760	507,059	245	29.4	25.1-33.7	515	70.6	66.3-74.9
Less than \$15,000	328	278,073	139	42.5	34.9-50.1	189	57.5	49.9-65.1
\$15,000- 24,999	430	393,769	187	42.0	35.1-48.9	243	58.0	51.1-64.9
\$25,000- 34,999	221	206,296	99	44.6	35.2-54.0	122	55.4	46.0-64.8
\$35,000- 49,999	282	294,769	112	35.2	27.6-42.8	170	64.8	57.2-72.4
\$50,000- 74,999	267	256,898	96	41.7	33.1-50.3	171	58.3	49.7-66.9
\$75,000+	453	442,324	164	33.1	27.0-39.2	289	66.9	60.8-73.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

**TABLE 10: HAS ANYONE EVER OBSERVED THAT YOU STOP BREATHING DURING YOUR SLEEP? (SLEPBRTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4297	4,226,015	781	17.0	15.4-18.6	3516	83.0	81.4-84.6
Male	1916	1,992,587	443	22.0	19.5-24.5	1473	78.0	75.5-80.5
Female	2381	2,233,428	338	12.5	10.5-14.5	2043	87.5	85.5-89.5
White/Non-Hisp	3483	3,265,473	641	17.7	15.9-19.5	2842	82.3	80.5-84.1
Black or Afr. Am./Non-Hisp	487	640,825	77	12.4	08.5-16.3	410	87.6	83.7-91.5
Oth. Race/Non-Hisp.	102	101,885	19	20.6	07.3-33.9	83	79.4	66.1-92.7
MultiRacial/Non-Hisp.	96	41,072	24	22.3	11.7-32.9	72	77.7	67.1-88.3
Hispanic	80	124,275	12	18.2	03.5-32.9	68	81.8	67.1-96.5
18-24	225	435,586	12	7.5	01.8-13.2	213	92.5	86.8-98.2
25-34	456	639,531	46	11.2	07.1-15.3	410	88.8	84.7-92.9
35-44	553	677,251	97	18.4	13.7-23.1	456	81.6	76.9-86.3
45-54	700	721,636	146	19.8	15.7-23.9	554	80.2	76.1-84.3
55-64	925	763,937	197	18.6	15.5-21.7	728	81.4	78.3-84.5
65+	1438	988,073	283	20.5	17.6-23.4	1155	79.5	76.6-82.4
Less Than H.S.	416	581,873	90	21.8	16.1-27.5	326	78.2	72.5-83.9
H.S. or G.E.D.	1340	1,433,698	259	18.4	15.5-21.3	1081	81.6	78.7-84.5
Some Post-H.S.	1124	1,228,971	210	15.7	12.8-18.6	914	84.3	81.4-87.2
College Graduate	1405	967,243	218	13.1	10.9-15.3	1187	86.9	84.7-89.1
Less than \$15,000	505	461,101	132	25.0	19.1-30.9	373	75.0	69.1-80.9
\$15,000- 24,999	696	655,714	141	19.9	15.6-24.2	555	80.1	75.8-84.4
\$25,000- 34,999	401	368,723	70	18.2	12.3-24.1	331	81.8	75.9-87.7
\$35,000- 49,999	538	551,739	93	14.5	10.8-18.2	445	85.5	81.8-89.2
\$50,000- 74,999	531	544,473	89	16.7	12.2-21.2	442	83.3	78.8-87.8
\$75,000+	1001	1,022,987	155	14.4	11.5-17.3	846	85.6	82.7-88.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

TABLE 11: HAS ANYONE EVER OBSERVED THAT YOU STOP BREATHING DURING YOUR SLEEP? (SLEPBRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1916	1,992,587	443	22.0	19.5-24.5	1473	78.0	75.5-80.5
White/Non-Hisp	1560	1,551,178	365	23.2	20.3-26.1	1195	76.8	73.9-79.7
Black or Afr. Am./Non-Hisp	193	279,223	38	15.7	08.6-22.8	155	84.3	77.2-91.4
Oth. Race/Non-Hisp.	58	61,898	14	28.9	09.1-48.7	44	71.1	51.3-90.9
18-24	119	205,438	5	7.0	00.0-14.6	114	93.0	85.4-0100
25-34	222	315,888	28	13.6	07.3-19.9	194	86.4	80.1-92.7
35-44	250	328,927	60	25.7	18.1-33.3	190	74.3	66.7-81.9
45-54	328	337,086	89	25.6	19.1-32.1	239	74.4	67.9-80.9
55-64	405	366,562	106	23.6	18.3-28.9	299	76.4	71.1-81.7
65+	592	438,686	155	28.1	23.2-33.0	437	71.9	67.0-76.8
Less Than H.S.	190	286,144	45	25.5	16.9-34.1	145	74.5	65.9-83.1
H.S. or G.E.D.	598	694,192	140	23.7	19.0-28.4	458	76.3	71.6-81.0
Some Post-H.S.	476	543,561	108	19.6	15.1-24.1	368	80.4	75.9-84.9
College Graduate	645	459,449	147	19.2	15.7-22.7	498	80.8	77.3-84.3
Less than \$15,000	179	184,969	53	34.2	23.0-45.4	126	65.8	54.6-77.0
\$15,000- 24,999	267	265,357	66	25.9	18.6-33.2	201	74.1	66.8-81.4
\$25,000- 34,999	180	163,221	39	21.9	13.5-30.3	141	78.1	69.7-86.5
\$35,000- 49,999	252	252,442	59	20.4	14.1-26.7	193	79.6	73.3-85.9
\$50,000- 74,999	263	287,397	60	19.7	13.4-26.0	203	80.3	74.0-86.6
\$75,000+	550	587,520	120	20.7	16.2-25.2	430	79.3	74.8-83.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 08: Sleep Disorder**

**TABLE 12: OVER THE LAST 2 WEEKS, HOW MANY DAYS DID YOU UNINTENTIONALLY FALL ASLEEP DURING THE DAY? (SLEPDAY1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2381	2,233,428	338	12.5	10.5-14.5	2043	87.5	85.5-89.5
White/Non-Hisp	1923	1,714,295	276	12.7	10.5-14.9	1647	87.3	85.1-89.5
Black or Afr. Am./Non-Hisp	294	361,603	39	9.9	05.8-14.0	255	90.1	86.0-94.2
18-24	106	230,149	7	7.9	00.0-16.3	99	92.1	83.7-0100
25-34	234	323,644	18	9.0	03.5-14.5	216	91.0	85.5-96.5
35-44	303	348,324	37	11.5	06.2-16.8	266	88.5	83.2-93.8
45-54	372	384,550	57	14.7	09.8-19.6	315	85.3	80.4-90.2
55-64	520	397,375	91	13.9	10.6-17.2	429	86.1	82.8-89.4
65+	846	549,387	128	14.5	11.2-17.8	718	85.5	82.2-88.8
Less Than H.S.	226	295,729	45	18.2	10.9-25.5	181	81.8	74.5-89.1
H.S. or G.E.D.	742	739,506	119	13.4	10.1-16.7	623	86.6	83.3-89.9
Some Post-H.S.	648	685,410	102	12.6	08.9-16.3	546	87.4	83.7-91.1
College Graduate	760	507,794	71	7.5	05.0-10.0	689	92.5	90.0-95.0
Less than \$15,000	326	276,132	79	18.9	13.6-24.2	247	81.1	75.8-86.4
\$15,000- 24,999	429	390,358	75	15.8	10.5-21.1	354	84.2	78.9-89.5
\$25,000- 34,999	221	205,502	31	15.2	07.0-23.4	190	84.8	76.6-93.0
\$35,000- 49,999	286	299,297	34	9.6	04.9-14.3	252	90.4	85.7-95.1
\$50,000- 74,999	268	257,076	29	13.5	06.6-20.4	239	86.5	79.6-93.4
\$75,000+	451	435,466	35	6.0	03.5-08.5	416	94.0	91.5-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018**

MODULE 09: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADPLEAS1)	
1 MALES AND FEMALES	70
2 MALES ONLY	71
3 FEMALES ONLY	72
OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY FEELING DOWN, DEPRESSED OR HOPELESS? WOULD YOU SAY THIS HAPPENS... (ADDOWN1)	
4 MALES AND FEMALES	73
5 MALES ONLY	74
6 FEMALES ONLY	75
OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY FEELING NERVOUS, ANXIOUS OR ON EDGE? WOULD YOU SAY THIS HAPPENS... (FEELNERV)	
7 MALES AND FEMALES	76
8 MALES ONLY	77
9 FEMALES ONLY	78
OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY NOT BEING ABLE TO STOP OR CONTROL WORRYING? WOULD YOU SAY THIS HAPPENS... (STOPWOR1)	
10 MALES AND FEMALES	79
11 MALES ONLY	80
12 FEMALES ONLY	81

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

**TABLE 1: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADPLEAS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			For several days			For more than half the days			Nearly every day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4234	4,160,786	3074	70.9	68.9-72.9	591	15.2	13.6-16.8	231	5.7	04.7-06.7	338	8.2	07.0-09.4	
Male	1894	1,961,613	1444	73.8	71.1-76.5	213	13.1	10.7-15.5	105	6.1	04.5-07.7	132	7.1	05.5-08.7	
Female	2340	2,199,173	1630	68.3	65.6-71.0	378	17.1	14.7-19.5	126	5.4	04.0-06.8	206	9.2	07.4-11.0	
White/Non-Hisp	3436	3,216,666	2532	72.3	70.1-74.5	472	14.9	13.1-16.7	166	5.1	04.1-06.1	266	7.7	06.5-08.9	
Black or Afr. Am./Non-Hisp	477	634,076	321	66.6	60.5-72.7	72	15.2	10.5-19.9	39	8.8	05.1-12.5	45	9.4	05.7-13.1	
Oth. Race/Non-Hisp.	101	101,524	65	62.5	48.0-77.0	16	19.0	06.8-31.2	11	7.5	01.6-13.4	9	11.0	01.0-21.0	
MultiRacial/Non-Hisp.	94	40,615	65	64.3	51.4-77.2	9	9.0	02.3-15.7	10	13.0	04.8-21.2	10	13.8	02.8-24.8	
Hispanic	76	114,822	56	72.3	56.6-88.0	14	19.2	06.1-32.3	2	1.1	00.0-02.9	4	7.3	00.0-17.9	
18-24	225	435,741	149	62.8	54.0-71.6	49	25.1	16.9-33.3	15	5.9	02.2-09.6	12	6.2	01.7-10.7	
25-34	455	641,662	320	68.8	63.1-74.5	91	19.9	15.2-24.6	21	4.7	02.0-07.4	23	6.5	03.4-09.6	
35-44	547	665,200	398	74.2	69.1-79.3	80	15.1	10.6-19.6	22	3.6	01.6-05.6	47	7.1	04.6-09.6	
45-54	693	713,709	503	71.5	66.8-76.2	88	12.0	08.9-15.1	43	7.2	04.5-09.9	59	9.2	05.7-12.7	
55-64	917	754,477	636	68.6	64.7-72.5	118	13.2	10.3-16.1	63	7.5	05.1-09.9	100	10.7	08.2-13.2	
65+	1397	949,997	1068	74.9	71.8-78.0	165	11.7	09.3-14.1	67	5.2	03.6-06.8	97	8.2	06.0-10.4	
Less Than H.S.	403	554,431	233	57.8	51.3-64.3	55	15.6	10.5-20.7	38	7.9	05.0-10.8	77	18.7	13.6-23.8	
H.S. or G.E.D.	1311	1,408,188	872	67.0	63.5-70.5	213	15.8	13.1-18.5	99	8.2	06.0-10.4	127	9.0	06.8-11.2	
Some Post-H.S.	1110	1,220,577	796	70.3	66.4-74.2	168	17.7	14.2-21.2	56	4.7	02.9-06.5	90	7.3	05.3-09.3	
College Graduate	1399	963,665	1167	85.1	82.7-87.5	152	10.7	08.5-12.9	37	1.9	01.1-02.7	43	2.2	01.2-03.2	
Less than \$15,000	495	450,146	240	47.2	40.9-53.5	88	15.8	11.1-20.5	54	11.4	07.3-15.5	113	25.6	19.7-31.5	
\$15,000- 24,999	690	652,079	420	61.5	56.2-66.8	136	22.1	17.2-27.0	50	6.3	03.8-08.8	84	10.1	07.0-13.2	
\$25,000- 34,999	390	360,052	267	65.6	58.9-72.3	73	18.7	13.2-24.2	25	8.7	04.0-13.4	25	7.1	03.8-10.4	
\$35,000- 49,999	530	541,575	398	73.2	67.9-78.5	71	14.6	10.1-19.1	23	4.6	02.2-07.0	38	7.6	04.7-10.5	
\$50,000- 74,999	524	537,133	427	77.6	72.5-82.7	63	14.7	10.4-19.0	13	2.1	00.3-03.9	21	5.6	02.7-08.5	
\$75,000+	997	1,021,041	871	84.0	80.3-87.7	85	11.3	08.0-14.6	26	3.3	01.7-04.9	15	1.4	00.2-02.6	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 2: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADPLEAS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			For several days			For more than half the days			Nearly every day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1894	1,961,613	1444	73.8	71.1-76.5	213	13.1	10.7-15.5	105	6.1	04.5-07.7	132	7.1	05.5-08.7	
White/Non-Hisp	1542	1,531,169	1193	75.2	72.3-78.1	174	12.9	10.5-15.3	71	4.9	03.5-06.3	104	7.0	05.2-08.8	
Black or Afr. Am./Non-Hisp	192	276,546	136	69.2	60.0-78.4	21	12.0	05.1-18.9	18	11.1	04.6-17.6	17	7.7	02.4-13.0	
Oth. Race/Non-Hisp.	58	61,898	38	64.6	45.6-83.6	6	14.5	00.0-30.6	10	11.8	02.0-21.6	4	9.1	00.0-20.3	
18-24	119	205,592	84	71.3	60.9-81.7	23	20.1	10.7-29.5	9	7.6	01.9-13.3	3	1.0	00.0-02.2	
25-34	221	310,645	168	71.5	63.5-79.5	30	16.6	09.9-23.3	10	4.1	01.2-07.0	13	7.8	02.9-12.7	
35-44	248	322,891	182	74.0	66.6-81.4	34	15.6	08.7-22.5	7	2.1	00.5-03.7	25	8.3	04.6-12.0	
45-54	325	331,988	240	71.3	64.0-78.6	38	10.5	06.0-15.0	23	9.5	04.6-14.4	24	8.7	03.6-13.8	
55-64	398	360,950	299	74.7	69.0-80.4	34	9.6	05.7-13.5	31	8.3	04.6-12.0	34	7.4	04.5-10.3	
65+	583	429,547	471	77.4	72.7-82.1	54	10.3	06.8-13.8	25	5.4	02.7-08.1	33	6.9	04.0-09.8	
Less Than H.S.	190	282,687	119	63.3	54.3-72.3	21	12.0	05.3-18.7	17	6.9	03.4-10.4	33	17.8	10.5-25.1	
H.S. or G.E.D.	585	679,464	416	69.9	64.6-75.2	76	14.9	10.6-19.2	45	9.3	05.8-12.8	48	6.0	03.8-08.2	
Some Post-H.S.	471	533,608	356	73.5	68.2-78.8	59	14.9	10.4-19.4	26	4.7	02.5-06.9	30	6.9	03.8-10.0	
College Graduate	642	456,918	549	86.6	83.3-89.9	56	8.7	05.8-11.6	16	2.3	00.9-03.7	21	2.4	01.2-03.6	
Less than \$15,000	178	184,633	87	47.1	36.5-57.7	25	13.6	05.6-21.6	25	14.3	07.0-21.6	41	25.1	15.5-34.7	
\$15,000- 24,999	265	262,072	166	65.0	57.0-73.0	47	16.8	10.9-22.7	18	7.7	02.8-12.6	34	10.5	05.0-16.0	
\$25,000- 34,999	176	156,886	123	66.8	57.6-76.0	31	19.3	11.1-27.5	10	6.3	01.6-11.0	12	7.7	03.0-12.4	
\$35,000- 49,999	248	247,426	191	71.6	63.6-79.6	23	13.0	06.1-19.9	13	5.9	02.0-09.8	21	9.6	05.1-14.1	
\$50,000- 74,999	261	284,223	221	82.3	75.6-89.0	25	12.1	06.0-18.2	7	1.6	00.0-03.2	8	4.0	00.7-07.3	
\$75,000+	546	580,688	481	83.7	79.2-88.2	41	11.4	07.3-15.5	17	3.9	01.7-06.1	7	1.0	00.0-02.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 3: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADPLEAS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			For several days			For more than half the days			Nearly every day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2340	2,199,173	1630	68.3	65.6-71.0	378	17.1	14.7-19.5	126	5.4	04.0-06.8	206	9.2	07.4-11.0	
White/Non-Hisp	1894	1,685,498	1339	69.6	66.5-72.7	298	16.8	14.3-19.3	95	5.2	03.8-06.6	162	8.5	06.7-10.3	
Black or Afr. Am./Non-Hisp	285	357,530	185	64.6	56.4-72.8	51	17.7	11.0-24.4	21	7.0	02.5-11.5	28	10.7	05.4-16.0	
18-24	106	230,149	65	55.1	41.6-68.6	26	29.7	16.8-42.6	6	4.4	00.0-09.1	9	10.9	02.5-19.3	
25-34	234	331,016	152	66.3	58.5-74.1	61	23.1	16.4-29.8	11	5.4	01.1-09.7	10	5.3	01.4-09.2	
35-44	299	342,310	216	74.5	67.6-81.4	46	14.5	08.8-20.2	15	5.1	01.6-08.6	22	5.9	02.6-09.2	
45-54	368	381,721	263	71.6	65.3-77.9	50	13.4	09.1-17.7	20	5.3	02.4-08.2	35	9.7	05.0-14.4	
55-64	519	393,528	337	63.0	57.3-68.7	84	16.4	12.3-20.5	32	6.7	03.6-09.8	66	13.8	09.7-17.9	
65+	814	520,450	597	72.8	68.5-77.1	111	12.8	09.5-16.1	42	5.1	03.1-07.1	64	9.3	06.4-12.2	
Less Than H.S.	213	271,744	114	52.0	43.0-61.0	34	19.4	11.8-27.0	21	9.0	04.5-13.5	44	19.6	12.2-27.0	
H.S. or G.E.D.	726	728,724	456	64.3	59.2-69.4	137	16.7	13.2-20.2	54	7.3	04.6-10.0	79	11.8	08.3-15.3	
Some Post-H.S.	639	686,969	440	67.8	62.1-73.5	109	19.8	14.5-25.1	30	4.8	02.3-07.3	60	7.6	05.1-10.1	
College Graduate	757	506,747	618	83.8	80.5-87.1	96	12.5	09.4-15.6	21	1.6	00.8-02.4	22	2.1	00.7-03.5	
Less than \$15,000	317	265,513	153	47.2	39.4-55.0	63	17.4	11.5-23.3	29	9.5	05.0-14.0	72	25.9	18.5-33.3	
\$15,000- 24,999	425	390,007	254	59.1	52.0-66.2	89	25.6	18.7-32.5	32	5.4	03.0-07.8	50	9.8	06.1-13.5	
\$25,000- 34,999	214	203,166	144	64.6	55.0-74.2	42	18.2	10.6-25.8	15	10.5	03.2-17.8	13	6.6	01.9-11.3	
\$35,000- 49,999	282	294,149	207	74.6	67.9-81.3	48	16.0	10.3-21.7	10	3.5	01.0-06.0	17	5.9	02.4-09.4	
\$50,000- 74,999	263	252,910	206	72.3	64.5-80.1	38	17.6	11.3-23.9	6	2.8	00.0-06.1	13	7.4	02.3-12.5	
\$75,000+	451	440,353	390	84.3	78.2-90.4	44	11.1	05.6-16.6	9	2.5	00.3-04.7	8	2.0	00.0-04.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 4: OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY FEELING DOWN, DEPRESSED OR HOPELESS? WOULD YOU SAY THIS HAPPENS... (ADDOWN1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			For several days			For more than half the days			Nearly every day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4256	4,187,681	3140	72.1	70.1-74.1	634	15.6	14.0-17.2	230	5.7	04.7-06.7	252	6.6	05.4-07.8
Male	1902	1,981,924	1481	77.0	74.5-79.5	232	13.2	11.0-15.4	93	5.1	03.7-06.5	96	4.6	03.4-05.8
Female	2354	2,205,757	1659	67.8	64.9-70.7	402	17.6	15.4-19.8	137	6.3	04.7-07.9	156	8.3	06.5-10.1
White/Non-Hisp	3452	3,231,307	2584	73.7	71.5-75.9	496	14.7	13.1-16.3	170	5.4	04.2-06.6	202	6.3	05.1-07.5
Black or Afr. Am./Non-Hisp	480	637,677	333	65.9	59.6-72.2	84	19.7	14.4-25.0	39	7.9	04.8-11.0	24	6.5	02.8-10.2
Oth. Race/Non-Hisp.	101	101,444	72	74.1	61.9-86.3	15	11.5	04.4-18.6	7	5.6	00.0-12.5	7	8.8	00.2-17.4
MultiRacial/Non-Hisp.	93	39,509	62	66.9	54.2-79.6	16	13.0	05.6-20.4	6	5.3	00.6-10.0	9	14.8	03.4-26.2
Hispanic	80	124,275	57	74.3	60.4-88.2	13	14.9	04.3-25.5	6	3.3	00.4-06.2	4	7.5	00.0-17.7
18-24	224	434,195	142	60.4	51.6-69.2	48	22.8	15.5-30.1	20	8.7	03.0-14.4	14	8.2	02.5-13.9
25-34	455	642,172	305	66.5	60.8-72.2	101	20.2	15.5-24.9	22	5.5	02.6-08.4	27	7.9	04.2-11.6
35-44	549	669,197	390	74.3	69.6-79.0	95	15.8	11.7-19.9	26	4.0	02.0-06.0	38	6.0	03.6-08.4
45-54	692	713,338	508	73.3	68.8-77.8	101	14.2	10.7-17.7	33	4.7	02.7-06.7	50	7.8	04.9-10.7
55-64	917	759,682	650	69.9	66.0-73.8	121	13.4	10.5-16.3	72	9.1	06.4-11.8	74	7.5	05.3-09.7
65+	1419	969,098	1145	80.6	77.9-83.3	168	11.7	09.3-14.1	57	4.0	02.6-05.4	49	3.7	02.3-05.1
Less Than H.S.	411	572,138	256	63.5	57.4-69.6	60	15.2	10.7-19.7	33	7.2	04.3-10.1	62	14.1	09.8-18.4
H.S. or G.E.D.	1322	1,414,186	915	69.7	66.2-73.2	220	16.6	13.9-19.3	98	7.3	05.3-09.3	89	6.4	04.4-08.4
Some Post-H.S.	1112	1,221,628	811	71.0	67.1-74.9	175	16.7	13.6-19.8	60	5.7	03.3-08.1	66	6.6	04.2-09.0
College Graduate	1400	966,554	1148	82.2	79.7-84.7	178	12.8	10.4-15.2	39	2.7	01.5-03.9	35	2.4	01.4-03.4
Less than \$15,000	498	451,662	259	53.1	46.8-59.4	94	18.1	13.4-22.8	51	10.4	06.7-14.1	94	18.4	13.5-23.3
\$15,000- 24,999	688	653,759	433	62.7	57.4-68.0	150	21.7	17.2-26.2	38	5.0	02.6-07.4	67	10.6	06.9-14.3
\$25,000- 34,999	395	357,798	270	67.3	60.8-73.8	81	20.8	14.9-26.7	25	6.9	03.6-10.2	19	5.0	02.1-07.9
\$35,000- 49,999	534	547,932	404	73.6	68.5-78.7	76	15.0	10.7-19.3	34	7.4	04.5-10.3	20	4.0	01.8-06.2
\$50,000- 74,999	526	537,959	429	78.8	73.7-83.9	71	15.1	10.8-19.4	18	3.3	01.3-05.3	8	2.8	00.4-05.2
\$75,000+	1001	1,027,531	887	85.8	82.3-89.3	73	8.2	05.8-10.6	26	3.5	01.1-05.9	15	2.5	00.7-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 5: OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY FEELING DOWN, DEPRESSED OR HOPELESS? WOULD YOU SAY THIS HAPPENS... (ADDOWN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			For several days			For more than half the days			Nearly every day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1902	1,981,924	1481	77.0	74.5-79.5	232	13.2	11.0-15.4	93	5.1	03.7-06.5	96	4.6	03.4-05.8	
White/Non-Hisp	1547	1,541,119	1225	78.4	75.7-81.1	181	12.6	10.4-14.8	66	4.6	03.2-06.0	75	4.4	03.0-05.8	
Black or Afr. Am./Non-Hisp	192	277,918	138	72.2	63.4-81.0	28	15.0	07.9-22.1	17	8.1	03.2-13.0	9	4.7	00.2-09.2	
Oth. Race/Non-Hisp.	58	61,898	45	78.9	64.4-93.4	5	7.3	00.0-15.1	5	8.4	00.0-19.4	3	5.5	00.0-12.6	
18-24	119	205,993	79	69.1	59.1-79.1	29	25.1	15.5-34.7	7	4.1	00.8-07.4	4	1.7	00.0-03.9	
25-34	223	316,795	162	71.6	63.8-79.4	39	17.0	10.7-23.3	10	3.1	00.7-05.5	12	8.3	02.8-13.8	
35-44	249	328,037	185	79.9	74.0-85.8	36	10.8	06.3-15.3	13	4.8	01.7-07.9	15	4.5	02.0-07.0	
45-54	325	334,553	258	78.9	72.8-85.0	34	11.0	05.9-16.1	12	4.0	01.5-06.5	21	6.1	03.0-09.2	
55-64	399	361,862	307	76.6	71.1-82.1	39	9.3	05.8-12.8	26	8.9	04.6-13.2	27	5.3	03.1-07.5	
65+	587	434,684	490	81.5	77.0-86.0	55	11.7	07.8-15.6	25	5.0	02.5-07.5	17	1.7	00.7-02.7	
Less Than H.S.	191	288,241	125	70.0	62.4-77.6	24	12.2	06.7-17.7	18	8.7	04.4-13.0	24	9.1	05.0-13.2	
H.S. or G.E.D.	591	689,806	446	75.7	71.0-80.4	78	14.7	10.6-18.8	40	6.5	04.0-09.0	27	3.1	01.7-04.5	
Some Post-H.S.	471	537,057	361	75.4	70.1-80.7	61	14.3	10.0-18.6	21	4.2	02.2-06.2	28	6.1	02.8-09.4	
College Graduate	642	457,579	542	85.0	81.7-88.3	69	10.6	07.7-13.5	14	2.0	00.8-03.2	17	2.4	01.0-03.8	
Less than \$15,000	177	183,848	87	54.0	43.6-64.4	29	16.5	09.1-23.9	27	15.5	08.2-22.8	34	14.0	08.7-19.3	
\$15,000- 24,999	263	262,604	165	64.4	56.2-72.6	51	19.1	12.2-26.0	15	6.0	02.5-09.5	32	10.5	05.0-16.0	
\$25,000- 34,999	177	159,465	128	71.3	62.5-80.1	34	18.1	10.5-25.7	9	7.2	02.1-12.3	6	3.4	00.1-06.7	
\$35,000- 49,999	249	249,292	201	77.6	70.3-84.9	25	11.2	05.3-17.1	17	8.9	04.0-13.8	6	2.4	00.2-04.6	
\$50,000- 74,999	263	287,884	225	85.6	79.9-91.3	27	11.1	06.0-16.2	7	1.3	00.1-02.5	4	2.0	00.0-04.4	
\$75,000+	550	588,045	499	88.1	84.4-91.8	34	7.9	05.0-10.8	9	1.8	00.4-03.2	8	2.2	00.2-04.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 6: OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY FEELING DOWN, DEPRESSED OR HOPELESS? WOULD YOU SAY THIS HAPPENS... (ADDOWN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			For several days			For more than half the days			Nearly every day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2354	2,205,757	1659	67.8	64.9-70.7	402	17.6	15.4-19.8	137	6.3	04.7-07.9	156	8.3	06.5-10.1	
White/Non-Hisp	1905	1,690,188	1359	69.4	66.3-72.5	315	16.5	14.1-18.9	104	6.2	04.2-08.2	127	7.9	05.9-09.9	
Black or Afr. Am./Non-Hisp	288	359,758	195	61.1	52.7-69.5	56	23.3	15.9-30.7	22	7.8	03.5-12.1	15	7.9	02.4-13.4	
18-24	105	228,201	63	52.5	38.8-66.2	19	20.7	10.1-31.3	13	12.9	02.7-23.1	10	13.9	03.7-24.1	
25-34	232	325,377	143	61.6	53.4-69.8	62	23.3	16.4-30.2	12	7.7	02.6-12.8	15	7.5	02.8-12.2	
35-44	300	341,160	205	68.8	61.5-76.1	59	20.6	13.9-27.3	13	3.1	00.7-05.5	23	7.5	03.8-11.2	
45-54	367	378,785	250	68.4	61.7-75.1	67	17.1	12.2-22.0	21	5.3	02.4-08.2	29	9.3	04.6-14.0	
55-64	518	397,820	343	63.8	58.1-69.5	82	17.2	12.9-21.5	46	9.4	05.9-12.9	47	9.6	05.9-13.3	
65+	832	534,414	655	79.8	76.3-83.3	113	11.7	09.0-14.4	32	3.1	01.7-04.5	32	5.4	03.0-07.8	
Less Than H.S.	220	283,897	131	56.9	48.1-65.7	36	18.2	10.9-25.5	15	5.7	02.0-09.4	38	19.2	11.9-26.5	
H.S. or G.E.D.	731	724,380	469	64.0	58.9-69.1	142	18.3	14.4-22.2	58	8.2	05.5-10.9	62	9.5	06.2-12.8	
Some Post-H.S.	641	684,571	450	67.5	61.8-73.2	114	18.6	14.3-22.9	39	6.9	03.0-10.8	38	7.0	03.7-10.3	
College Graduate	758	508,975	606	79.7	75.8-83.6	109	14.8	11.3-18.3	25	3.2	01.4-05.0	18	2.3	00.9-03.7	
Less than \$15,000	321	267,814	172	52.5	44.7-60.3	65	19.2	13.1-25.3	24	7.0	03.3-10.7	60	21.4	14.3-28.5	
\$15,000- 24,999	425	391,155	268	61.5	54.4-68.6	99	23.5	17.6-29.4	23	4.3	01.2-07.4	35	10.7	05.6-15.8	
\$25,000- 34,999	218	198,333	142	64.1	54.9-73.3	47	23.0	14.6-31.4	16	6.7	02.4-11.0	13	6.3	01.8-10.8	
\$35,000- 49,999	285	298,640	203	70.2	62.9-77.5	51	18.1	12.0-24.2	17	6.2	02.7-09.7	14	5.4	01.9-08.9	
\$50,000- 74,999	263	250,075	204	71.0	62.8-79.2	44	19.7	12.6-26.8	11	5.6	01.5-09.7	4	3.6	00.0-07.9	
\$75,000+	451	439,486	388	82.7	76.4-89.0	39	8.7	05.2-12.2	17	5.8	00.7-10.9	7	2.8	00.0-05.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

**TABLE 7: OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY FEELING NERVOUS, ANXIOUS OR ON EDGE? WOULD YOU SAY THIS HAPPENS... (FEELNERV)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		For several days			For more than half the days			Nearly every day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4228	4,169,968	2857	66.0	64.0-68.0	775	18.3	16.7-19.9	274	7.1	05.9-08.3	322	8.6	07.2-10.0
Male	1890	1,971,265	1382	70.9	68.2-73.6	285	15.8	13.6-18.0	102	6.2	04.6-07.8	121	7.0	05.2-08.8
Female	2338	2,198,703	1475	61.6	58.7-64.5	490	20.4	18.0-22.8	172	7.9	06.3-09.5	201	10.0	07.8-12.2
White/Non-Hisp	3429	3,215,827	2323	66.3	64.1-68.5	623	18.1	16.3-19.9	214	6.8	05.6-08.0	269	8.8	07.2-10.4
Black or Afr. Am./Non-Hisp	476	637,676	341	68.0	61.9-74.1	78	16.7	12.0-21.4	37	9.6	05.5-13.7	20	5.8	02.3-09.3
Oth. Race/Non-Hisp.	101	101,502	62	60.2	45.7-74.7	24	25.5	12.6-38.4	10	10.1	01.3-18.9	5	4.2	00.0-08.7
MultiRacial/Non-Hisp.	94	38,602	51	46.1	33.2-59.0	24	32.2	19.3-45.1	7	7.2	01.1-13.3	12	14.6	04.6-24.6
Hispanic	79	123,145	49	65.1	50.0-80.2	19	21.1	09.5-32.7	3	1.2	00.0-03.0	8	12.6	00.8-24.4
18-24	222	432,118	117	56.0	47.0-65.0	55	17.5	12.0-23.0	25	10.1	05.0-15.2	25	16.4	08.6-24.2
25-34	450	642,808	242	54.4	48.3-60.5	125	26.1	21.0-31.2	41	9.9	06.4-13.4	42	9.6	05.5-13.7
35-44	546	666,748	339	62.9	57.4-68.4	119	23.5	18.6-28.4	26	5.0	02.5-07.5	62	8.6	05.9-11.3
45-54	694	714,514	455	66.0	61.1-70.9	128	17.2	13.5-20.9	50	8.1	05.4-10.8	61	8.7	05.6-11.8
55-64	914	754,070	618	67.5	63.6-71.4	154	15.7	12.8-18.6	58	7.3	05.1-09.5	84	9.5	07.0-12.0
65+	1402	959,710	1086	79.4	76.7-82.1	194	12.5	10.3-14.7	74	4.6	03.2-06.0	48	3.6	02.2-05.0
Less Than H.S.	406	562,864	239	61.4	55.1-67.7	58	14.7	10.2-19.2	47	10.3	06.8-13.8	62	13.6	09.1-18.1
H.S. or G.E.D.	1314	1,410,732	861	66.5	63.0-70.0	243	15.9	13.4-18.4	94	7.6	05.4-09.8	116	10.0	07.5-12.5
Some Post-H.S.	1107	1,219,734	714	62.0	57.9-66.1	228	21.0	17.7-24.3	69	7.6	05.2-10.0	96	9.5	06.6-12.4
College Graduate	1389	962,407	1035	73.5	70.4-76.6	243	20.0	17.1-22.9	64	4.1	02.7-05.5	47	2.4	01.6-03.2
Less than \$15,000	493	445,557	259	55.2	48.9-61.5	88	14.7	11.0-18.4	48	11.6	07.1-16.1	98	18.5	14.0-23.0
\$15,000- 24,999	686	652,393	403	61.2	55.9-66.5	149	19.5	15.6-23.4	59	8.0	05.3-10.7	75	11.3	07.4-15.2
\$25,000- 34,999	392	359,517	252	62.3	55.4-69.2	81	21.8	15.9-27.7	36	9.3	05.4-13.2	23	6.6	02.7-10.5
\$35,000- 49,999	529	543,620	360	66.2	60.7-71.7	104	18.4	14.3-22.5	34	8.5	05.0-12.0	31	6.9	03.6-10.2
\$50,000- 74,999	524	538,207	398	69.9	64.2-75.6	88	20.4	15.3-25.5	18	5.8	02.5-09.1	20	4.0	01.8-06.2
\$75,000+	994	1,021,124	757	72.9	68.8-77.0	171	18.1	14.8-21.4	40	4.5	02.5-06.5	26	4.5	01.8-07.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 8: OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY FEELING NERVOUS, ANXIOUS OR ON EDGE? WOULD YOU SAY THIS HAPPENS... (FEELNERV)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	N	Never		For several days			For more than half the days			Nearly every day		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1890	1,971,265	1382	70.9	68.2-73.6	285	15.8	13.6-18.0	102	6.2	04.6-07.8	121	7.0	05.2-08.8
White/Non-Hisp	1540	1,532,625	1134	71.5	68.4-74.6	226	15.3	12.9-17.7	83	6.7	04.9-08.5	97	6.6	04.8-08.4
Black or Afr. Am./Non-Hisp	191	278,747	149	75.3	66.5-84.1	23	12.0	05.5-18.5	9	4.7	01.0-08.4	10	8.0	01.5-14.5
Oth. Race/Non-Hisp.	57	61,515	38	63.5	44.1-82.9	12	25.5	07.1-43.9	5	7.1	00.0-14.5	2	4.0	00.0-10.5
18-24	118	205,040	70	66.6	56.4-76.8	29	18.3	10.7-25.9	10	6.3	02.0-10.6	9	8.9	02.0-15.8
25-34	219	313,006	126	54.5	45.7-63.3	58	24.2	17.1-31.3	18	10.3	04.6-16.0	17	11.0	04.5-17.5
35-44	248	328,034	168	66.3	58.5-74.1	47	22.5	15.4-29.6	8	3.2	00.8-05.6	25	7.9	03.4-12.4
45-54	328	337,438	238	72.4	65.9-78.9	44	12.2	07.3-17.1	22	9.3	05.2-13.4	24	6.2	03.1-09.3
55-64	397	355,312	292	73.4	67.7-79.1	57	14.9	10.2-19.6	18	4.8	02.1-07.5	30	6.9	04.0-09.8
65+	580	432,434	488	85.2	81.5-88.9	50	7.2	04.7-09.7	26	4.4	02.0-06.8	16	3.2	01.0-05.4
Less Than H.S.	186	278,724	116	65.3	56.7-73.9	24	13.1	06.8-19.4	22	9.9	05.4-14.4	24	11.7	05.8-17.6
H.S. or G.E.D.	588	687,542	434	73.0	67.9-78.1	81	12.6	08.9-16.3	33	6.4	03.7-09.1	40	7.9	04.6-11.2
Some Post-H.S.	471	537,281	317	64.9	59.2-70.6	93	20.7	16.0-25.4	25	7.0	03.7-10.3	36	7.4	04.1-10.7
College Graduate	638	458,476	510	78.6	74.3-82.9	85	16.0	12.1-19.9	22	3.0	01.4-04.6	21	2.4	01.2-03.6
Less than \$15,000	174	180,502	90	58.4	48.4-68.4	34	14.4	08.3-20.5	17	10.2	04.7-15.7	33	17.1	10.0-24.2
\$15,000- 24,999	263	263,110	168	67.5	59.9-75.1	41	13.5	08.4-18.6	21	8.5	04.4-12.6	33	10.6	05.1-16.1
\$25,000- 34,999	174	156,388	123	67.2	57.4-77.0	31	19.7	11.1-28.3	14	9.2	02.7-15.7	6	3.9	00.2-07.6
\$35,000- 49,999	250	249,260	182	68.7	60.7-76.7	39	15.3	09.6-21.0	14	7.2	02.7-11.7	15	8.7	02.6-14.8
\$50,000- 74,999	261	286,628	211	73.6	66.0-81.2	34	19.0	11.9-26.1	7	3.5	00.4-06.6	9	3.9	01.0-06.8
\$75,000+	547	585,207	438	77.9	73.2-82.6	78	15.5	11.4-19.6	17	3.7	01.3-06.1	14	2.9	01.1-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 9: OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY FEELING NERVOUS, ANXIOUS OR ON EDGE? WOULD YOU SAY THIS HAPPENS... (FEELNERV)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	N	Never	For several days			For more than half the days			Nearly every day			
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2338	2,198,703	1475	61.6	58.7-64.5	490	20.4	18.0-22.8	172	7.9	06.3-09.5	201	10.0	07.8-12.2
White/Non-Hisp	1889	1,683,202	1189	61.6	58.5-64.7	397	20.6	18.1-23.1	131	6.9	05.3-08.5	172	10.9	08.4-13.4
Black or Afr. Am./Non-Hisp	285	358,930	192	62.3	53.9-70.7	55	20.3	13.6-27.0	28	13.3	06.8-19.8	10	4.1	00.6-07.6
18-24	104	227,078	47	46.4	32.7-60.1	26	16.7	08.7-24.7	15	13.6	04.8-22.4	16	23.3	10.4-36.2
25-34	231	329,802	116	54.4	46.0-62.8	67	27.8	20.4-35.2	23	9.5	04.8-14.2	25	8.3	03.6-13.0
35-44	298	338,714	171	59.6	52.2-67.0	72	24.5	17.8-31.2	18	6.7	02.4-11.0	37	9.3	05.8-12.8
45-54	366	377,076	217	60.3	53.4-67.2	84	21.7	16.2-27.2	28	7.0	03.3-10.7	37	11.0	05.9-16.1
55-64	517	398,757	326	62.3	56.6-68.0	97	16.5	12.6-20.4	40	9.5	06.0-13.0	54	11.7	07.4-16.0
65+	822	527,275	598	74.6	70.7-78.5	144	16.8	13.5-20.1	48	4.7	02.9-06.5	32	3.9	02.3-05.5
Less Than H.S.	220	284,141	123	57.5	48.7-66.3	34	16.2	09.7-22.7	25	10.8	05.5-16.1	38	15.6	08.9-22.3
H.S. or G.E.D.	726	723,189	427	60.3	55.2-65.4	162	18.9	15.2-22.6	61	8.8	05.7-11.9	76	12.0	08.1-15.9
Some Post-H.S.	636	682,453	397	59.7	54.0-65.4	135	21.2	16.7-25.7	44	8.0	04.9-11.1	60	11.2	06.7-15.7
College Graduate	751	503,931	525	68.8	64.3-73.3	158	23.7	19.4-28.0	42	5.1	02.9-07.3	26	2.4	01.2-03.6
Less than \$15,000	319	265,055	169	53.1	45.3-60.9	54	14.9	10.0-19.8	31	12.5	06.0-19.0	65	19.5	13.4-25.6
\$15,000- 24,999	423	389,283	235	57.0	49.9-64.1	108	23.6	17.9-29.3	38	7.6	03.9-11.3	42	11.8	06.3-17.3
\$25,000- 34,999	218	203,129	129	58.6	49.2-68.0	50	23.3	15.1-31.5	22	9.3	04.6-14.0	17	8.7	02.4-15.0
\$35,000- 49,999	279	294,360	178	64.0	56.4-71.6	65	21.0	14.9-27.1	20	9.6	04.3-14.9	16	5.4	02.3-08.5
\$50,000- 74,999	263	251,578	187	65.7	57.3-74.1	54	21.9	14.8-29.0	11	8.3	02.4-14.2	11	4.0	01.3-06.7
\$75,000+	447	435,918	319	66.1	59.2-73.0	93	21.7	16.2-27.2	23	5.6	02.5-08.7	12	6.6	00.7-12.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 10: OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY NOT BEING ABLE TO STOP OR CONTROL WORRYING? WOULD YOU SAY THIS HAPPENS... (STOPWORD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		For several days			For more than half the days			Nearly every day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4227	4,166,373	2882	66.8	64.8-68.8	671	16.8	15.2-18.4	249	6.2	05.2-07.2	425	10.3	08.9-11.7
Male	1892	1,964,192	1436	74.6	71.9-77.3	235	13.3	11.1-15.5	97	5.5	04.1-06.9	124	6.7	05.1-08.3
Female	2335	2,202,181	1446	59.8	56.9-62.7	436	19.9	17.4-22.4	152	6.8	05.2-08.4	301	13.4	11.2-15.6
White/Non-Hisp	3423	3,215,490	2358	67.9	65.7-70.1	533	15.9	14.1-17.7	186	5.8	04.6-07.0	346	10.4	08.8-12.0
Black or Afr. Am./Non-Hisp	477	630,962	320	64.2	57.7-70.7	89	20.9	15.2-26.6	37	7.3	04.0-10.6	31	7.6	03.9-11.3
Oth. Race/Non-Hisp.	101	101,727	64	54.3	39.0-69.6	17	23.2	08.5-37.9	7	7.0	00.0-14.1	13	15.5	04.7-26.3
MultiRacial/Non-Hisp.	94	39,063	52	53.5	40.4-66.6	14	14.7	05.9-23.5	9	13.4	03.4-23.4	19	18.5	09.3-27.7
Hispanic	80	124,275	54	67.8	52.1-83.5	13	15.2	02.7-27.7	5	5.3	00.0-11.4	8	11.7	00.3-23.1
18-24	221	428,129	142	60.0	50.8-69.2	41	20.4	12.4-28.4	15	7.4	02.5-12.3	23	12.2	05.3-19.1
25-34	452	643,330	286	64.3	58.4-70.2	90	19.7	15.0-24.4	30	6.7	03.8-09.6	46	9.3	05.8-12.8
35-44	546	666,843	352	67.3	62.0-72.6	102	16.8	12.7-20.9	26	4.6	02.2-07.0	66	11.3	07.8-14.8
45-54	695	713,936	453	63.6	58.7-68.5	115	18.8	14.7-22.9	32	4.5	02.3-06.7	95	13.0	09.5-16.5
55-64	917	754,536	615	66.3	62.2-70.4	129	14.8	11.9-17.7	66	7.9	05.5-10.3	107	11.0	08.5-13.5
65+	1396	959,600	1034	74.0	70.9-77.1	194	13.1	10.7-15.5	80	6.4	04.6-08.2	88	6.6	04.8-08.4
Less Than H.S.	411	570,023	228	57.5	51.2-63.8	44	11.5	07.4-15.6	47	10.4	06.9-13.9	92	20.7	15.6-25.8
H.S. or G.E.D.	1310	1,404,146	828	64.6	60.9-68.3	218	16.3	13.4-19.2	96	8.3	06.1-10.5	168	10.8	08.6-13.0
Some Post-H.S.	1108	1,217,430	739	64.4	60.3-68.5	206	20.7	17.2-24.2	49	4.3	02.5-06.1	114	10.6	07.7-13.5
College Graduate	1386	960,542	1078	78.6	75.9-81.3	201	15.5	13.0-18.0	57	3.1	02.1-04.1	50	2.8	01.8-03.8
Less than \$15,000	501	450,403	242	48.7	42.4-55.0	72	14.5	10.0-19.0	53	12.6	08.5-16.7	134	24.2	19.1-29.3
\$15,000- 24,999	685	642,515	396	58.6	53.1-64.1	135	20.9	16.0-25.8	51	7.9	04.8-11.0	103	12.6	09.5-15.7
\$25,000- 34,999	393	364,992	254	67.0	60.7-73.3	77	16.7	11.8-21.6	28	6.8	03.5-10.1	34	9.5	05.4-13.6
\$35,000- 49,999	529	545,262	371	67.6	62.1-73.1	85	15.0	11.1-18.9	28	7.5	04.0-11.0	45	9.9	06.4-13.4
\$50,000- 74,999	519	534,368	399	70.9	65.0-76.8	82	20.4	14.9-25.9	14	2.3	00.3-04.3	24	6.3	03.0-09.6
\$75,000+	990	1,019,184	805	78.7	74.8-82.6	123	13.7	10.8-16.6	36	3.5	01.9-05.1	26	4.2	01.5-06.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 11: OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY NOT BEING ABLE TO STOP OR CONTROL WORRYING? WOULD YOU SAY THIS HAPPENS... (STOPWORD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	N	Never		For several days			For more than half the days			Nearly every day		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1892	1,964,192	1436	74.6	71.9-77.3	235	13.3	11.1-15.5	97	5.5	04.1-06.9	124	6.7	05.1-08.3
White/Non-Hisp	1538	1,529,235	1187	76.2	73.5-78.9	181	11.8	09.6-14.0	71	5.1	03.7-06.5	99	6.8	05.0-08.6
Black or Afr. Am./Non-Hisp	190	271,607	138	70.8	61.8-79.8	30	19.0	11.2-26.8	13	5.1	01.0-09.2	9	5.1	00.2-10.0
Oth. Race/Non-Hisp.	58	61,898	41	57.4	36.6-78.2	10	27.6	06.4-48.8	2	2.8	00.0-06.7	5	12.2	00.0-24.7
18-24	117	201,051	87	76.2	66.4-86.0	20	16.0	07.6-24.4	6	6.5	00.4-12.6	4	1.3	00.0-02.7
25-34	220	313,015	155	69.1	61.1-77.1	33	13.7	08.0-19.4	15	7.6	03.1-12.1	17	9.6	04.1-15.1
35-44	248	328,315	173	70.5	63.2-77.8	43	16.7	11.0-22.4	12	4.0	01.3-06.7	20	8.8	03.9-13.7
45-54	328	336,202	235	70.5	63.6-77.4	49	17.0	10.9-23.1	10	2.3	00.7-03.9	34	10.2	06.1-14.3
55-64	398	353,281	302	75.5	70.2-80.8	39	10.6	06.7-14.5	26	6.9	03.8-10.0	31	7.0	03.9-10.1
65+	581	432,328	484	83.4	79.3-87.5	51	8.3	05.2-11.4	28	5.8	03.1-08.5	18	2.5	01.1-03.9
Less Than H.S.	189	281,195	122	67.8	59.6-76.0	15	6.7	02.8-10.6	19	9.3	04.6-14.0	33	16.1	09.6-22.6
H.S. or G.E.D.	585	678,550	419	72.2	67.3-77.1	82	14.8	10.9-18.7	40	6.8	04.1-09.5	44	6.2	03.8-08.6
Some Post-H.S.	472	537,384	349	72.6	67.3-77.9	75	16.9	12.4-21.4	18	4.1	01.7-06.5	30	6.3	03.2-09.4
College Graduate	639	457,821	540	84.4	80.7-88.1	62	10.6	07.3-13.9	20	2.9	01.3-04.5	17	2.2	01.0-03.4
Less than \$15,000	176	178,347	90	52.1	41.7-62.5	26	17.1	08.5-25.7	21	14.8	07.4-22.2	39	15.9	10.0-21.8
\$15,000- 24,999	261	254,591	165	63.9	55.7-72.1	42	16.3	09.4-23.2	21	8.7	04.2-13.2	33	11.2	06.5-15.9
\$25,000- 34,999	179	161,866	136	78.4	70.8-86.0	27	10.9	05.8-16.0	11	7.3	01.8-12.8	5	3.4	00.3-06.5
\$35,000- 49,999	249	249,297	194	74.7	66.9-82.5	27	9.3	05.0-13.6	10	5.5	01.2-09.8	18	10.5	04.4-16.6
\$50,000- 74,999	258	285,376	212	78.1	71.0-85.2	32	16.5	10.2-22.8	7	1.5	00.0-03.1	7	3.8	00.5-07.1
\$75,000+	548	586,433	466	83.6	79.5-87.7	54	11.1	07.8-14.4	18	2.8	01.2-04.4	10	2.5	00.3-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 09: ANXIETY AND DEPRESSION**

TABLE 12: OVER THE LAST 2 WEEKS, HOW OFTEN HAVE YOU BEEN BOTHERED BY NOT BEING ABLE TO STOP OR CONTROL WORRYING? WOULD YOU SAY THIS HAPPENS... (STOPWORY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		For several days			For more than half the days			Nearly every day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2335	2,202,181	1446	59.8	56.9-62.7	436	19.9	17.4-22.4	152	6.8	05.2-08.4	301	13.4	11.2-15.6
White/Non-Hisp	1885	1,686,256	1171	60.3	57.2-63.4	352	19.6	17.1-22.1	115	6.5	04.9-08.1	247	13.7	11.3-16.1
Black or Afr. Am./Non-Hisp	287	359,355	182	59.3	50.7-67.9	59	22.4	14.6-30.2	24	8.9	03.8-14.0	22	9.4	03.9-14.9
18-24	104	227,078	55	45.6	32.3-58.9	21	24.4	11.7-37.1	9	8.2	00.9-15.5	19	21.8	09.6-34.0
25-34	232	330,315	131	59.7	51.5-67.9	57	25.4	18.0-32.8	15	5.8	02.1-09.5	29	9.0	04.7-13.3
35-44	298	338,527	179	64.2	56.8-71.6	59	16.9	11.2-22.6	14	5.2	01.5-08.9	46	13.8	08.5-19.1
45-54	367	377,734	218	57.5	50.4-64.6	66	20.5	14.8-26.2	22	6.4	02.5-10.3	61	15.6	10.3-20.9
55-64	519	401,254	313	58.1	52.4-63.8	90	18.5	14.0-23.0	40	8.7	05.0-12.4	76	14.6	10.5-18.7
65+	815	527,272	550	66.2	61.7-70.7	143	17.0	13.5-20.5	52	6.8	04.4-09.2	70	9.9	07.0-12.8
Less Than H.S.	222	288,829	106	47.3	38.5-56.1	29	16.2	08.9-23.5	28	11.4	06.3-16.5	59	25.1	17.5-32.7
H.S. or G.E.D.	725	725,596	409	57.5	52.2-62.8	136	17.6	13.5-21.7	56	9.8	06.3-13.3	124	15.1	11.4-18.8
Some Post-H.S.	636	680,046	390	57.8	51.9-63.7	131	23.7	18.6-28.8	31	4.4	02.0-06.8	84	14.1	09.6-18.6
College Graduate	747	502,720	538	73.3	69.2-77.4	139	19.9	16.0-23.8	37	3.3	01.9-04.7	33	3.5	01.9-05.1
Less than \$15,000	325	272,056	152	46.5	38.9-54.1	46	12.8	07.9-17.7	32	11.1	06.0-16.2	95	29.6	22.3-36.9
\$15,000- 24,999	424	387,924	231	55.1	47.8-62.4	93	23.9	17.4-30.4	30	7.4	03.3-11.5	70	13.5	09.6-17.4
\$25,000- 34,999	214	203,126	118	57.9	48.7-67.1	50	21.4	13.6-29.2	17	6.5	02.8-10.2	29	14.3	07.4-21.2
\$35,000- 49,999	280	295,965	177	61.5	53.7-69.3	58	19.8	13.7-25.9	18	9.2	03.7-14.7	27	9.4	05.3-13.5
\$50,000- 74,999	261	248,993	187	62.5	53.5-71.5	50	24.9	16.3-33.5	7	3.3	00.0-07.0	17	9.2	03.3-15.1
\$75,000+	442	432,751	339	72.1	65.2-79.0	69	17.2	12.3-22.1	18	4.3	01.2-07.4	16	6.4	00.9-11.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018

MODULE 10: Respiratory Health CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 3 MONTHS, DID YOU HAVE A COUGH ON MOST DAYS? (COPDCOGH)	
1 MALES AND FEMALES	83
2 MALES ONLY	84
3 FEMALES ONLY	85
DURING THE PAST 3 MONTHS, DID YOU COUGH UP PHLEGM [FLEM] OR MUCUS ON MOST DAYS? (COPDFLEM)	
4 MALES AND FEMALES	86
5 MALES ONLY	87
6 FEMALES ONLY	88
DO YOU HAVE SHORTNESS OF BREATH EITHER WHEN HURRYING ON LEVEL GROUND OR WHEN WALKING UP A SLIGHT HILL OR STAIRS? (COPDBRTH)	
7 MALES AND FEMALES	89
8 MALES ONLY	90
9 FEMALES ONLY	91
HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE BREATHING PROBLEMS? (COPDBTST)	
10 MALES AND FEMALES	92
11 MALES ONLY	93
12 FEMALES ONLY	94
OVER YOUR LIFETIME, HOW MANY YEARS HAVE YOU SMOKED TOBACCO PRODUCTS? (COPDSMOK)	
13 MALES AND FEMALES	95
14 MALES ONLY	96
15 FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

**TABLE 1: DURING THE PAST 3 MONTHS, DID YOU HAVE A COUGH ON MOST DAYS? (COPDCOGH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4270	4,194,503	836	19.5	17.7-21.3	3434	80.5	78.7-82.3
Male	1902	1,973,754	340	17.2	14.8-19.6	1562	82.8	80.4-85.2
Female	2368	2,220,749	496	21.6	19.1-24.1	1872	78.4	75.9-80.9
White/Non-Hisp	3461	3,238,410	672	19.9	17.9-21.9	2789	80.1	78.1-82.1
Black or Afr. Am./Non-Hisp	482	635,641	98	19.5	14.4-24.6	384	80.5	75.4-85.6
Oth. Race/Non-Hisp.	100	101,008	19	8.9	03.6-14.2	81	91.1	85.8-96.4
MultiRacial/Non-Hisp.	96	41,072	25	24.0	13.0-35.0	71	76.0	65.0-87.0
Hispanic	80	124,275	11	16.4	01.9-30.9	69	83.6	69.1-98.1
18-24	220	427,895	29	14.9	08.2-21.6	191	85.1	78.4-91.8
25-34	450	638,182	63	14.5	10.0-19.0	387	85.5	81.0-90.0
35-44	547	667,962	68	14.1	10.0-18.2	479	85.9	81.8-90.0
45-54	697	717,287	125	19.1	15.0-23.2	572	80.9	76.8-85.0
55-64	922	760,461	214	23.9	20.2-27.6	708	76.1	72.4-79.8
65+	1434	982,717	337	25.5	22.4-28.6	1097	74.5	71.4-77.6
Less Than H.S.	415	575,157	135	31.7	25.6-37.8	280	68.3	62.2-74.4
H.S. or G.E.D.	1323	1,407,896	292	20.6	17.7-23.5	1031	79.4	76.5-82.3
Some Post-H.S.	1120	1,229,525	224	19.9	16.6-23.2	896	80.1	76.8-83.4
College Graduate	1400	967,693	184	10.4	08.4-12.4	1216	89.6	87.6-91.6
Less than \$15,000	501	453,938	150	30.6	24.7-36.5	351	69.4	63.5-75.3
\$15,000- 24,999	694	648,522	170	25.6	20.7-30.5	524	74.4	69.5-79.3
\$25,000- 34,999	397	366,814	89	21.6	16.1-27.1	308	78.4	72.9-83.9
\$35,000- 49,999	531	542,150	99	19.2	14.5-23.9	432	80.8	76.1-85.5
\$50,000- 74,999	523	536,531	84	14.3	10.0-18.6	439	85.7	81.4-90.0
\$75,000+	997	1,023,405	116	12.0	09.3-14.7	881	88.0	85.3-90.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 2: DURING THE PAST 3 MONTHS, DID YOU HAVE A COUGH ON MOST DAYS? (COPDCOGH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1902	1,973,754	340	17.2	14.8-19.6	1562	82.8	80.4-85.2
White/Non-Hisp	1547	1,535,589	282	19.0	16.3-21.7	1265	81.0	78.3-83.7
Black or Afr. Am./Non-Hisp	191	274,814	29	12.0	05.9-18.1	162	88.0	81.9-94.1
Oth. Race/Non-Hisp.	58	61,898	11	7.5	01.8-13.2	47	92.5	86.8-98.2
18-24	116	200,412	10	7.0	01.7-12.3	106	93.0	87.7-98.3
25-34	218	309,889	30	14.7	08.0-21.4	188	85.3	78.6-92.0
35-44	248	326,865	24	10.3	05.0-15.6	224	89.7	84.4-95.0
45-54	329	338,035	58	19.0	12.7-25.3	271	81.0	74.7-87.3
55-64	399	359,515	89	21.8	16.5-27.1	310	78.2	72.9-83.5
65+	592	439,037	129	23.7	19.0-28.4	463	76.3	71.6-81.0
Less Than H.S.	190	285,278	55	22.6	15.3-29.9	135	77.4	70.1-84.7
H.S. or G.E.D.	587	677,404	111	16.7	12.8-20.6	476	83.3	79.4-87.2
Some Post-H.S.	475	541,436	90	19.5	14.6-24.4	385	80.5	75.6-85.4
College Graduate	643	460,395	83	11.6	08.5-14.7	560	88.4	85.3-91.5
Less than \$15,000	178	184,831	55	28.0	18.4-37.6	123	72.0	62.4-81.6
\$15,000- 24,999	263	257,809	53	20.3	13.4-27.2	210	79.7	72.8-86.6
\$25,000- 34,999	178	161,167	38	21.8	13.4-30.2	140	78.2	69.8-86.6
\$35,000- 49,999	248	245,088	45	18.6	12.1-25.1	203	81.4	74.9-87.9
\$50,000- 74,999	261	286,726	41	12.7	08.4-17.0	220	87.3	83.0-91.6
\$75,000+	549	585,515	68	13.3	09.2-17.4	481	86.7	82.6-90.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 3: DURING THE PAST 3 MONTHS, DID YOU HAVE A COUGH ON MOST DAYS? (COPDCOGH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2368	2,220,749	496	21.6	19.1-24.1	1872	78.4	75.9-80.9
White/Non-Hisp	1914	1,702,821	390	20.8	18.3-23.3	1524	79.2	76.7-81.7
Black or Afr. Am./Non-Hisp	291	360,827	69	25.2	17.8-32.6	222	74.8	67.4-82.2
18-24	104	227,483	19	21.8	10.6-33.0	85	78.2	67.0-89.4
25-34	232	328,293	33	14.3	08.0-20.6	199	85.7	79.4-92.0
35-44	299	341,097	44	17.8	11.7-23.9	255	82.2	76.1-88.3
45-54	368	379,251	67	19.2	13.5-24.9	301	80.8	75.1-86.5
55-64	523	400,945	125	25.8	20.5-31.1	398	74.2	68.9-79.5
65+	842	543,680	208	26.9	22.6-31.2	634	73.1	68.8-77.4
Less Than H.S.	225	289,880	80	40.6	31.8-49.4	145	59.4	50.6-68.2
H.S. or G.E.D.	736	730,492	181	24.1	19.8-28.4	555	75.9	71.6-80.2
Some Post-H.S.	645	688,090	134	20.1	15.6-24.6	511	79.9	75.4-84.4
College Graduate	757	507,298	101	9.4	06.9-11.9	656	90.6	88.1-93.1
Less than \$15,000	323	269,107	95	32.4	24.8-40.0	228	67.6	60.0-75.2
\$15,000- 24,999	431	390,713	117	29.2	22.5-35.9	314	70.8	64.1-77.5
\$25,000- 34,999	219	205,647	51	21.5	14.2-28.8	168	78.5	71.2-85.8
\$35,000- 49,999	283	297,062	54	19.7	13.0-26.4	229	80.3	73.6-87.0
\$50,000- 74,999	262	249,806	43	16.1	08.8-23.4	219	83.9	76.6-91.2
\$75,000+	448	437,889	48	10.1	06.4-13.8	400	89.9	86.2-93.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

**TABLE 4: DURING THE PAST 3 MONTHS, DID YOU COUGH UP PHLEGM [FLEM] OR MUCUS ON MOST DAYS? (COPDFLEM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4262	4,186,310	806	19.6	17.8-21.4	3456	80.4	78.6-82.2
Male	1898	1,967,396	399	22.0	19.5-24.5	1499	78.0	75.5-80.5
Female	2364	2,218,914	407	17.5	15.1-19.9	1957	82.5	80.1-84.9
White/Non-Hisp	3453	3,232,499	631	19.0	17.2-20.8	2822	81.0	79.2-82.8
Black or Afr. Am./Non-Hisp	481	632,640	103	20.4	15.5-25.3	378	79.6	74.7-84.5
Oth. Race/Non-Hisp.	101	101,727	20	19.5	06.6-32.4	81	80.5	67.6-93.4
MultiRacial/Non-Hisp.	96	41,072	29	32.1	19.4-44.8	67	67.9	55.2-80.6
Hispanic	80	124,275	14	27.1	11.0-43.2	66	72.9	56.8-89.0
18-24	222	429,252	40	19.6	12.3-26.9	182	80.4	73.1-87.7
25-34	449	637,957	73	13.6	09.7-17.5	376	86.4	82.5-90.3
35-44	546	666,091	81	18.8	13.9-23.7	465	81.2	76.3-86.1
45-54	693	712,614	121	18.6	14.5-22.7	572	81.4	77.3-85.5
55-64	922	758,640	205	23.0	19.3-26.7	717	77.0	73.3-80.7
65+	1430	981,756	286	22.1	19.0-25.2	1144	77.9	74.8-81.0
Less Than H.S.	416	576,293	138	35.0	28.7-41.3	278	65.0	58.7-71.3
H.S. or G.E.D.	1320	1,404,375	283	20.1	17.2-23.0	1037	79.9	77.0-82.8
Some Post-H.S.	1117	1,226,449	230	19.8	16.5-23.1	887	80.2	76.9-83.5
College Graduate	1397	964,960	152	9.1	07.1-11.1	1245	90.9	88.9-92.9
Less than \$15,000	501	454,164	154	30.6	24.9-36.3	347	69.4	63.7-75.1
\$15,000- 24,999	693	649,399	172	24.5	19.8-29.2	521	75.5	70.8-80.2
\$25,000- 34,999	396	363,581	83	20.8	15.5-26.1	313	79.2	73.9-84.5
\$35,000- 49,999	528	539,724	91	17.7	13.2-22.2	437	82.3	77.8-86.8
\$50,000- 74,999	522	534,983	81	17.8	12.7-22.9	441	82.2	77.1-87.3
\$75,000+	996	1,021,767	104	12.0	09.1-14.9	892	88.0	85.1-90.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

**TABLE 5: DURING THE PAST 3 MONTHS, DID YOU COUGH UP PHLEGM [FLEM] OR MUCUS ON MOST DAYS? (COPDFLEM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	1,967,396	399	22.0	19.5-24.5	1499	78.0	75.5-80.5
White/Non-Hisp	1543	1,529,231	320	21.7	18.8-24.6	1223	78.3	75.4-81.2
Black or Afr. Am./Non-Hisp	191	274,814	48	25.1	16.5-33.7	143	74.9	66.3-83.5
Oth. Race/Non-Hisp.	58	61,898	10	16.0	00.0-32.3	48	84.0	67.7-0100
18-24	117	201,051	18	16.6	08.2-25.0	99	83.4	75.0-91.8
25-34	218	309,889	40	16.6	10.3-22.9	178	83.4	77.1-89.7
35-44	249	328,806	45	25.9	17.5-34.3	204	74.1	65.7-82.5
45-54	327	334,343	58	17.3	11.6-23.0	269	82.7	77.0-88.4
55-64	399	357,720	101	26.0	20.5-31.5	298	74.0	68.5-79.5
65+	588	435,586	137	25.7	20.8-30.6	451	74.3	69.4-79.2
Less Than H.S.	190	285,278	67	38.3	28.9-47.7	123	61.7	52.3-71.1
H.S. or G.E.D.	585	673,432	135	21.0	16.5-25.5	450	79.0	74.5-83.5
Some Post-H.S.	473	538,791	108	22.9	18.0-27.8	365	77.1	72.2-82.0
College Graduate	643	460,653	86	11.6	08.7-14.5	557	88.4	85.5-91.3
Less than \$15,000	178	184,831	68	35.0	25.2-44.8	110	65.0	55.2-74.8
\$15,000- 24,999	264	259,750	74	26.0	18.9-33.1	190	74.0	66.9-81.1
\$25,000- 34,999	176	157,234	41	24.1	15.3-32.9	135	75.9	67.1-84.7
\$35,000- 49,999	245	241,630	49	23.2	15.8-30.6	196	76.8	69.4-84.2
\$50,000- 74,999	261	286,726	47	19.2	12.3-26.1	214	80.8	73.9-87.7
\$75,000+	549	584,689	71	15.3	10.8-19.8	478	84.7	80.2-89.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

**TABLE 6: DURING THE PAST 3 MONTHS, DID YOU COUGH UP PHLEGM [FLEM] OR MUCUS ON MOST DAYS? (COPDFLEM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2364	2,218,914	407	17.5	15.1-19.9	1957	82.5	80.1-84.9
White/Non-Hisp	1910	1,703,268	311	16.5	14.1-18.9	1599	83.5	81.1-85.9
Black or Afr. Am./Non-Hisp	290	357,826	55	16.8	11.1-22.5	235	83.2	77.5-88.9
18-24	105	228,201	22	22.2	10.8-33.6	83	77.8	66.4-89.2
25-34	231	328,068	33	10.9	06.4-15.4	198	89.1	84.6-93.6
35-44	297	337,285	36	11.8	07.1-16.5	261	88.2	83.5-92.9
45-54	366	378,270	63	19.7	13.6-25.8	303	80.3	74.2-86.4
55-64	523	400,920	104	20.5	15.6-25.4	419	79.5	74.6-84.4
65+	842	546,171	149	19.3	15.4-23.2	693	80.7	76.8-84.6
Less Than H.S.	226	291,015	71	31.8	23.4-40.2	155	68.2	59.8-76.6
H.S. or G.E.D.	735	730,943	148	19.3	15.2-23.4	587	80.7	76.6-84.8
Some Post-H.S.	644	687,658	122	17.4	13.1-21.7	522	82.6	78.3-86.9
College Graduate	754	504,307	66	6.9	04.5-09.3	688	93.1	90.7-95.5
Less than \$15,000	323	269,333	86	27.7	20.8-34.6	237	72.3	65.4-79.2
\$15,000- 24,999	429	389,649	98	23.4	17.1-29.7	331	76.6	70.3-82.9
\$25,000- 34,999	220	206,347	42	18.3	12.0-24.6	178	81.7	75.4-88.0
\$35,000- 49,999	283	298,094	42	13.3	08.2-18.4	241	86.7	81.6-91.8
\$50,000- 74,999	261	248,257	34	16.1	08.5-23.7	227	83.9	76.3-91.5
\$75,000+	447	437,078	33	7.6	03.9-11.3	414	92.4	88.7-96.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 7: DO YOU HAVE SHORTNESS OF BREATH EITHER WHEN HURRYING ON LEVEL GROUND OR WHEN WALKING UP A SLIGHT HILL OR STAIRS? (COPDBRTH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4254	4,162,157	1369	29.6	27.6-31.6	2885	70.4	68.4-72.4
Male	1897	1,956,355	516	25.5	22.8-28.2	1381	74.5	71.8-77.2
Female	2357	2,205,801	853	33.2	30.5-35.9	1504	66.8	64.1-69.5
White/Non-Hisp	3449	3,224,993	1105	29.8	27.8-31.8	2344	70.2	68.2-72.2
Black or Afr. Am./Non-Hisp	477	615,992	157	30.3	24.2-36.4	320	69.7	63.6-75.8
Oth. Race/Non-Hisp.	101	101,727	37	25.7	13.7-37.7	64	74.3	62.3-86.3
MultiRacial/Non-Hisp.	96	41,072	38	42.5	29.4-55.6	58	57.5	44.4-70.6
Hispanic	80	124,275	17	20.6	06.3-34.9	63	79.4	65.1-93.7
18-24	221	428,539	39	18.4	11.0-25.8	182	81.6	74.2-89.0
25-34	448	631,345	81	18.5	13.8-23.2	367	81.5	76.8-86.2
35-44	544	658,884	110	20.4	15.7-25.1	434	79.6	74.9-84.3
45-54	691	704,946	190	28.3	23.6-33.0	501	71.7	67.0-76.4
55-64	921	757,386	340	37.8	33.7-41.9	581	62.2	58.1-66.3
65+	1429	981,058	609	42.3	38.8-45.8	820	57.7	54.2-61.2
Less Than H.S.	412	561,810	238	53.0	46.5-59.5	174	47.0	40.5-53.5
H.S. or G.E.D.	1323	1,407,422	495	32.6	29.1-36.1	828	67.4	63.9-70.9
Some Post-H.S.	1114	1,217,368	355	26.2	22.9-29.5	759	73.8	70.5-77.1
College Graduate	1393	961,325	277	15.6	13.2-18.0	1116	84.4	82.0-86.8
Less than \$15,000	501	453,968	295	56.8	50.5-63.1	206	43.2	36.9-49.5
\$15,000- 24,999	690	647,363	293	38.0	32.9-43.1	397	62.0	56.9-67.1
\$25,000- 34,999	393	360,409	137	32.6	26.3-38.9	256	67.4	61.1-73.7
\$35,000- 49,999	528	536,460	148	26.0	20.9-31.1	380	74.0	68.9-79.1
\$50,000- 74,999	523	535,051	117	22.0	17.3-26.7	406	78.0	73.3-82.7
\$75,000+	994	1,012,859	149	13.6	10.9-16.3	845	86.4	83.7-89.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 8: DO YOU HAVE SHORTNESS OF BREATH EITHER WHEN HURRYING ON LEVEL GROUND OR WHEN WALKING UP A SLIGHT HILL OR STAIRS? (COPDBRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1897	1,956,355	516	25.5	22.8-28.2	1381	74.5	71.8-77.2
White/Non-Hisp	1544	1,525,262	422	26.6	23.7-29.5	1122	73.4	70.5-76.3
Black or Afr. Am./Non-Hisp	189	267,742	50	21.5	13.3-29.7	139	78.5	70.3-86.7
Oth. Race/Non-Hisp.	58	61,898	19	23.7	06.8-40.6	39	76.3	59.4-93.2
18-24	116	200,338	13	11.0	03.6-18.4	103	89.0	81.6-96.4
25-34	217	304,199	25	13.6	06.9-20.3	192	86.4	79.7-93.1
35-44	247	321,161	41	17.4	10.7-24.1	206	82.6	75.9-89.3
45-54	328	337,548	71	25.1	18.0-32.2	257	74.9	67.8-82.0
55-64	399	357,259	143	36.0	29.9-42.1	256	64.0	57.9-70.1
65+	590	435,851	223	38.2	33.1-43.3	367	61.8	56.7-66.9
Less Than H.S.	187	271,942	95	46.2	36.8-55.6	92	53.8	44.4-63.2
H.S. or G.E.D.	588	676,042	174	25.2	20.5-29.9	414	74.8	70.1-79.5
Some Post-H.S.	473	540,235	131	25.7	20.6-30.8	342	74.3	69.2-79.4
College Graduate	642	458,895	114	13.4	10.3-16.5	528	86.6	83.5-89.7
Less than \$15,000	178	184,635	102	52.9	42.1-63.7	76	47.1	36.3-57.9
\$15,000- 24,999	261	256,551	94	35.8	27.6-44.0	167	64.2	56.0-72.4
\$25,000- 34,999	176	157,002	60	30.0	21.6-38.4	116	70.0	61.6-78.4
\$35,000- 49,999	248	245,088	66	26.8	19.0-34.6	182	73.2	65.4-81.0
\$50,000- 74,999	261	286,726	50	18.7	12.2-25.2	211	81.3	74.8-87.8
\$75,000+	549	580,464	76	12.6	08.9-16.3	473	87.4	83.7-91.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 9: DO YOU HAVE SHORTNESS OF BREATH EITHER WHEN HURRYING ON LEVEL GROUND OR WHEN WALKING UP A SLIGHT HILL OR STAIRS? (COPDBRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2357	2,205,801	853	33.2	30.5-35.9	1504	66.8	64.1-69.5
White/Non-Hisp	1905	1,699,731	683	32.7	29.8-35.6	1222	67.3	64.4-70.2
Black or Afr. Am./Non-Hisp	288	348,250	107	37.0	28.4-45.6	181	63.0	54.4-71.6
18-24	105	228,201	26	25.0	12.8-37.2	79	75.0	62.8-87.2
25-34	231	327,146	56	23.1	16.2-30.0	175	76.9	70.0-83.8
35-44	297	337,723	69	23.2	16.5-29.9	228	76.8	70.1-83.5
45-54	363	367,397	119	31.2	24.7-37.7	244	68.8	62.3-75.3
55-64	522	400,127	197	39.4	33.7-45.1	325	60.6	54.9-66.3
65+	839	545,207	386	45.5	40.8-50.2	453	54.5	49.8-59.2
Less Than H.S.	225	289,869	143	59.5	50.7-68.3	82	40.5	31.7-49.3
H.S. or G.E.D.	735	731,380	321	39.4	34.3-44.5	414	60.6	55.5-65.7
Some Post-H.S.	641	677,133	224	26.6	22.1-31.1	417	73.4	68.9-77.9
College Graduate	751	502,430	163	17.7	14.2-21.2	588	82.3	78.8-85.8
Less than \$15,000	323	269,333	193	59.4	51.8-67.0	130	40.6	33.0-48.2
\$15,000- 24,999	429	390,812	199	39.4	32.7-46.1	230	60.6	53.9-67.3
\$25,000- 34,999	217	203,407	77	34.6	25.6-43.6	140	65.4	56.4-74.4
\$35,000- 49,999	280	291,373	82	25.4	18.7-32.1	198	74.6	67.9-81.3
\$50,000- 74,999	262	248,325	67	25.9	19.0-32.8	195	74.1	67.2-81.0
\$75,000+	445	432,395	73	15.0	10.9-19.1	372	85.0	80.9-89.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 10: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE BREATHING PROBLEMS? (COPDBTST)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4213	4,143,775	1425	30.7	28.7-32.7	2788	69.3	67.3-71.3
Male	1882	1,953,493	666	31.7	29.0-34.4	1216	68.3	65.6-71.0
Female	2331	2,190,281	759	29.9	27.4-32.4	1572	70.1	67.6-72.6
White/Non-Hisp	3413	3,193,820	1152	31.4	29.2-33.6	2261	68.6	66.4-70.8
Black or Afr. Am./Non-Hisp	476	631,727	151	29.8	24.1-35.5	325	70.2	64.5-75.9
Oth. Race/Non-Hisp.	101	101,727	42	25.6	14.2-37.0	59	74.4	63.0-85.8
MultiRacial/Non-Hisp.	93	40,394	44	50.2	36.9-63.5	49	49.8	36.5-63.1
Hispanic	80	124,275	13	13.0	02.8-23.2	67	87.0	76.8-97.2
18-24	219	423,717	42	18.7	11.6-25.8	177	81.3	74.2-88.4
25-34	444	634,025	104	23.9	18.6-29.2	340	76.1	70.8-81.4
35-44	544	659,722	119	19.4	15.1-23.7	425	80.6	76.3-84.9
45-54	685	703,477	196	27.2	22.9-31.5	489	72.8	68.5-77.1
55-64	915	754,245	364	42.3	38.0-46.6	551	57.7	53.4-62.0
65+	1406	968,589	600	41.8	38.3-45.3	806	58.2	54.7-61.7
Less Than H.S.	408	569,172	176	35.7	29.8-41.6	232	64.3	58.4-70.2
H.S. or G.E.D.	1311	1,394,140	457	32.5	29.0-36.0	854	67.5	64.0-71.0
Some Post-H.S.	1104	1,212,235	384	29.6	26.1-33.1	720	70.4	66.9-73.9
College Graduate	1379	956,261	403	26.5	23.6-29.4	976	73.5	70.6-76.4
Less than \$15,000	496	452,908	221	40.5	34.4-46.6	275	59.5	53.4-65.6
\$15,000- 24,999	681	636,975	260	34.4	29.3-39.5	421	65.6	60.5-70.7
\$25,000- 34,999	390	360,027	136	35.8	29.1-42.5	254	64.2	57.5-70.9
\$35,000- 49,999	529	540,415	168	27.4	22.5-32.3	361	72.6	67.7-77.5
\$50,000- 74,999	518	531,708	160	30.3	24.8-35.8	358	69.7	64.2-75.2
\$75,000+	984	1,006,665	260	24.1	20.6-27.6	724	75.9	72.4-79.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 11: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE BREATHING PROBLEMS? (COPDBTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1882	1,953,493	666	31.7	29.0-34.4	1216	68.3	65.6-71.0
White/Non-Hisp	1528	1,515,628	550	33.8	30.7-36.9	978	66.2	63.1-69.3
Black or Afr. Am./Non-Hisp	191	274,814	58	24.4	16.6-32.2	133	75.6	67.8-83.4
Oth. Race/Non-Hisp.	58	61,898	20	16.4	05.8-27.0	38	83.6	73.0-94.2
18-24	115	197,781	20	15.5	07.3-23.7	95	84.5	76.3-92.7
25-34	214	307,241	54	24.7	17.1-32.3	160	75.3	67.7-82.9
35-44	248	324,534	56	19.2	13.1-25.3	192	80.8	74.7-86.9
45-54	324	334,269	90	26.4	20.3-32.5	234	73.6	67.5-79.7
55-64	396	355,081	173	45.1	38.8-51.4	223	54.9	48.6-61.2
65+	585	434,587	273	46.6	41.3-51.9	312	53.4	48.1-58.7
Less Than H.S.	185	280,111	71	31.0	23.0-39.0	114	69.0	61.0-77.0
H.S. or G.E.D.	582	665,851	205	31.8	26.7-36.9	377	68.2	63.1-73.3
Some Post-H.S.	472	539,925	184	35.4	29.9-40.9	288	64.6	59.1-70.1
College Graduate	636	458,364	204	27.7	23.4-32.0	432	72.3	68.0-76.6
Less than \$15,000	178	185,003	79	38.8	29.0-48.6	99	61.2	51.4-71.0
\$15,000- 24,999	258	251,659	110	38.5	30.5-46.5	148	61.5	53.5-69.5
\$25,000- 34,999	175	156,604	74	39.9	30.5-49.3	101	60.1	50.7-69.5
\$35,000- 49,999	247	244,769	85	29.5	22.4-36.6	162	70.5	63.4-77.6
\$50,000- 74,999	259	285,395	89	33.5	25.9-41.1	170	66.5	58.9-74.1
\$75,000+	543	579,060	151	25.9	21.0-30.8	392	74.1	69.2-79.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 12: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE BREATHING PROBLEMS? (COPDBTST)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2331	2,190,281	759	29.9	27.2-32.6	1572	70.1	67.4-72.8
White/Non-Hisp	1885	1,678,192	602	29.2	26.3-32.1	1283	70.8	67.9-73.7
Black or Afr. Am./Non-Hisp	285	356,912	93	33.9	26.1-41.7	192	66.1	58.3-73.9
18-24	104	225,936	22	21.5	10.5-32.5	82	78.5	67.5-89.5
25-34	230	326,784	50	23.0	15.9-30.1	180	77.0	69.9-84.1
35-44	296	335,187	63	19.6	13.3-25.9	233	80.4	74.1-86.7
45-54	361	369,207	106	28.0	21.9-34.1	255	72.0	65.9-78.1
55-64	519	399,164	191	39.8	34.1-45.5	328	60.2	54.5-65.9
65+	821	534,003	327	37.9	33.4-42.4	494	62.1	57.6-66.6
Less Than H.S.	223	289,062	105	40.4	31.8-49.0	118	59.6	51.0-68.2
H.S. or G.E.D.	729	728,289	252	33.1	28.2-38.0	477	66.9	62.0-71.8
Some Post-H.S.	632	672,309	200	25.0	20.3-29.7	432	75.0	70.3-79.7
College Graduate	743	497,897	199	25.3	21.2-29.4	544	74.7	70.6-78.8
Less than \$15,000	318	267,906	142	41.7	34.1-49.3	176	58.3	50.7-65.9
\$15,000- 24,999	423	385,315	150	31.8	24.9-38.7	273	68.2	61.3-75.1
\$25,000- 34,999	215	203,423	62	32.6	23.2-42.0	153	67.4	58.0-76.8
\$35,000- 49,999	282	295,645	83	25.7	19.0-32.4	199	74.3	67.6-81.0
\$50,000- 74,999	259	246,313	71	26.5	19.2-33.8	188	73.5	66.2-80.8
\$75,000+	441	427,604	109	21.6	16.3-26.9	332	78.4	73.1-83.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 13: OVER YOUR LIFETIME, HOW MANY YEARS HAVE YOU SMOKED TOBACCO PRODUCTS? (COPDSMOK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 yrs			14-26 yrs			27-39 yrs			40-52 yrs			53-76 yrs			Never smoked or smoked < 1 year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5034	5,162,617	1651	38.2	36.2-40.2	623	10.5	09.3-11.7	300	5.1	04.3-05.9	285	4.6	03.8-05.4	64	1.1	00.7-01.5	2111	40.4	38.4-42.4
Male	2279	2,491,471	807	41.9	39.2-44.6	302	10.8	09.2-12.4	154	5.6	04.4-06.8	145	5.6	04.4-06.8	41	1.6	01.0-02.2	830	34.4	31.9-36.9
Female	2755	2,671,147	844	34.8	32.1-37.5	321	10.3	08.9-11.7	146	4.6	03.6-05.6	140	3.7	02.9-04.5	23	0.6	00.2-01.0	1281	46.0	43.3-48.7
White/Non-Hisp	4044	3,885,200	1273	35.6	33.4-37.8	502	11.0	09.8-12.2	257	6.0	05.0-07.0	245	5.3	04.3-06.3	55	1.2	00.8-01.6	1712	41.0	38.8-43.2
Black or Afr. Am./Non-Hisp	575	807,825	208	43.3	37.6-49.0	62	9.0	05.9-12.1	27	2.9	01.5-04.3	15	2.1	00.9-03.3	5	0.8	00.0-01.8	258	41.9	36.4-47.4
Oth. Race/Non-Hisp.	121	138,502	41	47.6	34.1-61.1	21	11.4	04.7-18.1	7	3.0	00.5-05.5	10	6.2	00.0-12.9	1	0.3	00.0-00.9	41	31.6	19.4-43.8
MultiRacial/Non-Hisp.	108	47,868	34	33.8	22.4-45.2	23	23.9	12.3-35.5	4	1.4	00.0-03.0	9	7.1	01.8-12.4	2	2.2	00.0-06.1	36	31.6	20.4-42.8
Hispanic	116	208,245	62	57.5	44.4-70.6	8	2.2	00.2-04.2	3	0.6	00.0-01.4	1	0.2	00.0-00.6				42	39.4	26.1-52.7
18-24	300	628,598	148	53.2	45.8-60.6	1	0.1	00.0-00.3										151	46.7	39.3-54.1
25-34	603	889,737	327	58.3	53.2-63.4	48	7.4	04.9-09.9										228	34.3	29.4-39.2
35-44	669	827,399	235	38.0	33.1-42.9	142	19.1	15.4-22.8	17	2.4	00.6-04.2	1	0.8	00.0-02.4				274	39.6	34.7-44.5
45-54	821	863,578	239	31.1	26.8-35.4	110	11.1	08.4-13.8	94	10.0	07.5-12.5	27	3.9	02.1-05.7				351	43.9	39.2-48.6
55-64	1057	860,485	287	26.6	23.1-30.1	131	11.9	09.4-14.4	105	10.9	08.4-13.4	117	11.4	08.9-13.9	6	0.4	00.0-00.8	411	38.8	34.9-42.7
65+	1584	1,092,821	415	28.2	25.1-31.3	191	11.1	09.1-13.1	84	5.8	04.2-07.4	140	9.1	07.1-11.1	58	4.7	02.9-06.5	696	41.0	37.7-44.3
Less Than H.S.	461	678,789	148	39.5	33.2-45.8	70	13.5	09.6-17.4	50	8.8	05.7-11.9	57	9.7	06.2-13.2	21	3.9	01.7-06.1	115	24.6	19.3-29.9
H.S. or G.E.D.	1557	1,705,491	523	37.5	34.0-41.0	256	13.9	11.7-16.1	119	6.2	04.8-07.6	100	5.1	03.7-06.5	14	0.8	00.2-01.4	545	36.5	33.0-40.0
Some Post-H.S.	1319	1,520,285	425	38.4	34.7-42.1	151	9.2	07.4-11.0	80	4.5	03.1-05.9	85	4.1	02.9-05.3	15	0.6	00.2-01.0	563	43.2	39.5-46.9
College Graduate	1680	1,243,158	544	38.0	34.9-41.1	145	6.0	04.8-07.2	51	2.4	01.6-03.2	42	1.7	01.1-02.3	14	0.5	00.1-00.9	884	51.4	48.3-54.5
Less than \$15,000	539	516,732	148	36.2	29.9-42.5	90	14.8	10.9-18.7	64	9.0	06.5-11.5	64	9.9	06.6-13.2	10	1.3	00.3-02.3	163	28.9	23.2-34.6
\$15,000- 24,999	802	816,654	252	39.0	33.9-44.1	114	13.1	10.0-16.2	55	4.5	02.9-06.1	63	6.1	04.1-08.1	18	2.8	01.0-04.6	300	34.6	29.9-39.3
\$25,000- 34,999	449	435,427	133	34.6	28.3-40.9	80	15.2	11.1-19.3	28	7.9	04.0-11.8	24	3.5	01.7-05.3	9	0.9	00.1-01.7	175	37.7	31.6-43.8
\$35,000- 49,999	610	619,320	191	32.6	27.5-37.7	85	12.3	09.0-15.6	41	6.7	04.0-09.4	38	5.2	03.0-07.4	8	1.5	00.1-02.9	247	41.6	36.1-47.1
\$50,000- 74,999	623	666,856	200	38.4	33.1-43.7	81	11.1	08.2-14.0	36	5.1	02.9-07.3	26	4.8	02.1-07.5	6	0.6	00.0-01.4	274	40.0	34.7-45.3
\$75,000+	1173	1,242,555	371	36.5	32.6-40.4	98	5.9	04.1-07.7	45	3.5	02.1-04.9	29	1.7	00.9-02.5	4	0.2	00.0-00.4	626	52.2	48.3-56.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 14: OVER YOUR LIFETIME, HOW MANY YEARS HAVE YOU SMOKED TOBACCO PRODUCTS? (COPDSMOK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 yrs			14-26 yrs			27-39 yrs			40-52 yrs			53-76 yrs			Never smoked or smoked < 1 year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2279	2,491,471	807	41.9	39.2-44.6	302	10.8	09.2-12.4	154	5.6	04.4-06.8	145	5.6	04.4-06.8	41	1.6	01.0-02.2	830	34.4	31.9-36.9
White/Non-Hisp	1839	1,877,142	626	38.7	35.8-41.6	244	11.4	09.6-13.2	133	6.8	05.4-08.2	121	6.5	04.9-08.1	33	1.6	00.8-02.4	682	35.0	32.1-37.9
Black or Afr. Am./Non-Hisp	239	377,207	96	48.1	39.7-56.5	25	8.6	03.5-13.7	10	1.9	00.3-03.5	10	3.1	00.9-05.3	5	1.8	00.0-04.0	93	36.5	28.5-44.5
Oth. Race/Non-Hisp.	66	83,614	20	48.8	30.6-67.0	15	14.2	03.8-24.6	6	3.8	00.3-07.3	5	2.0	00.0-04.2				20	31.2	14.5-47.9
MultiRacial/Non-Hisp.	53	24,422	15	30.9	15.4-46.4	14	29.3	11.5-47.1	3	2.5	00.0-05.4	7	11.6	02.2-21.0	2	4.3	00.0-11.7	12	21.4	07.3-35.5
18-24	162	320,879	81	58.7	49.5-67.9													81	41.3	32.1-50.5
25-34	291	438,696	172	62.0	54.7-69.3	18	7.5	03.2-11.8										101	30.5	23.8-37.2
35-44	307	408,439	110	38.9	31.5-46.3	69	21.3	15.4-27.2	12	2.8	01.0-04.6	1	1.7	00.0-04.8				115	35.3	28.4-42.2
45-54	401	427,368	129	36.8	30.1-43.5	50	10.0	06.3-13.7	49	10.7	07.2-14.2	16	4.5	01.8-07.2				157	37.9	31.4-44.4
55-64	461	407,489	135	30.2	24.7-35.7	65	11.9	08.6-15.2	38	10.0	06.5-13.5	58	13.8	09.7-17.9	4	0.7	00.0-01.7	161	33.4	27.9-38.9
65+	657	488,599	180	29.7	25.0-34.4	100	11.9	09.0-14.8	55	8.6	05.9-11.3	70	11.9	08.4-15.4	37	7.3	04.4-10.2	215	30.7	26.0-35.4
Less Than H.S.	214	336,718	72	39.6	30.8-48.4	35	14.6	08.7-20.5	25	8.1	04.6-11.6	32	12.8	06.9-18.7	16	5.4	02.3-08.5	34	19.5	12.4-26.6
H.S. or G.E.D.	709	852,015	261	40.2	35.1-45.3	120	12.9	09.8-16.0	61	6.6	04.4-08.8	47	5.5	03.3-07.7	8	1.0	00.0-02.0	212	33.7	28.8-38.6
Some Post-H.S.	570	706,945	207	45.8	40.3-51.3	72	10.1	07.2-13.0	35	4.9	02.9-06.9	39	4.9	02.9-06.9	8	0.9	00.0-01.9	209	33.5	28.6-38.4
College Graduate	777	587,967	262	41.0	36.3-45.7	74	6.4	04.6-08.2	33	3.7	02.1-05.3	26	2.5	01.3-03.7	9	0.9	00.1-01.7	373	45.6	41.1-50.1
Less than \$15,000	192	211,373	54	40.2	29.6-50.8	32	11.8	06.5-17.1	32	13.5	08.4-18.6	30	13.0	07.1-18.9	5	0.8	00.0-01.6	39	20.7	11.9-29.5
\$15,000- 24,999	307	342,652	102	43.2	35.2-51.2	45	13.7	08.4-19.0	25	5.6	02.7-08.5	31	8.1	04.4-11.8	11	4.4	01.3-07.5	93	24.9	18.4-31.4
\$25,000- 34,999	201	194,811	64	34.3	25.5-43.1	40	17.2	10.3-24.1	12	8.0	03.1-12.9	15	6.1	02.6-09.6	6	1.6	00.2-03.0	64	32.8	24.0-41.6
\$35,000- 49,999	291	300,501	105	43.5	35.7-51.3	39	10.4	06.3-14.5	22	5.7	02.8-08.6	23	6.8	03.3-10.3	6	2.9	00.2-05.6	96	30.7	23.3-38.1
\$50,000- 74,999	314	362,346	107	40.5	33.1-47.9	51	13.0	08.7-17.3	22	5.5	02.6-08.4	15	6.2	01.7-10.7	4	1.1	00.0-02.7	115	33.8	26.9-40.7
\$75,000+	654	721,240	226	41.2	35.9-46.5	60	6.4	04.0-08.8	31	4.3	02.5-06.1	16	1.7	00.5-02.9	2	0.2	00.0-00.6	319	46.1	41.0-51.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 10: Respiratory Health**

TABLE 15: OVER YOUR LIFETIME, HOW MANY YEARS HAVE YOU SMOKED TOBACCO PRODUCTS? (COPDSMOK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 yrs			14-26 yrs			27-39 yrs			40-52 yrs			53-76 yrs			Never smoked or smoked < 1 year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2755	2,671,147	844	34.8	32.1-37.5	321	10.3	08.9-11.7	146	4.6	03.6-05.6	140	3.7	02.9-04.5	23	0.6	00.2-01.0	1281	46.0	43.3-48.7
White/Non-Hisp	2205	2,008,057	647	32.7	29.8-35.6	258	10.6	09.0-12.2	124	5.2	03.8-06.6	124	4.1	03.1-05.1	22	0.8	00.2-01.4	1030	46.5	43.6-49.4
Black or Afr. Am./Non-Hisp	336	430,618	112	39.0	31.4-46.6	37	9.4	05.3-13.5	17	3.7	01.3-06.1	5	1.2	00.0-02.6				165	46.8	39.2-54.4
Oth. Race/Non-Hisp.	55	54,888	21	45.8	26.2-65.4	6	7.2	00.9-13.5	1	1.7	00.0-05.0	5	12.5	00.0-28.0	1	0.7	00.0-02.1	21	32.3	15.1-49.5
MultiRacial/Non-Hisp.	55	23,446	19	36.8	20.3-53.3	9	18.4	04.7-32.1	1	0.3	00.0-00.9	2	2.5	00.0-06.6				24	42.1	25.4-58.8
Hispanic	69	122,141	34	51.0	33.0-69.0	7	3.4	00.3-06.5	2	0.7	00.0-01.7	1	0.4	00.0-01.2				25	44.6	26.4-62.8
18-24	138	307,719	67	47.5	35.9-59.1	1	0.2	00.0-00.6										70	52.3	40.7-63.9
25-34	312	451,041	155	54.7	47.4-62.0	30	7.3	04.4-10.2										127	38.1	31.0-45.2
35-44	362	418,959	125	37.2	30.3-44.1	73	17.0	12.3-21.7	5	2.0	00.0-04.9							159	43.9	37.0-50.8
45-54	420	436,209	110	25.6	19.9-31.3	60	12.1	08.2-16.0	45	9.3	05.8-12.8	11	3.4	00.9-05.9				194	49.7	43.2-56.2
55-64	596	452,996	152	23.4	18.9-27.9	66	11.9	08.0-15.8	67	11.7	08.2-15.2	59	9.2	06.3-12.1	2	0.1	00.0-00.3	250	43.7	38.4-49.0
65+	927	604,221	235	27.1	23.2-31.0	91	10.5	07.6-13.4	29	3.5	01.7-05.3	70	6.9	04.9-08.9	21	2.7	00.7-04.7	481	49.4	45.1-53.7
Less Than H.S.	247	342,071	76	39.4	30.8-48.0	35	12.3	07.0-17.6	25	9.6	04.5-14.7	25	6.7	03.0-10.4	5	2.4	00.0-05.3	81	29.6	22.0-37.2
H.S. or G.E.D.	848	853,475	262	34.7	29.8-39.6	136	14.8	11.7-17.9	58	5.7	03.7-07.7	53	4.7	02.9-06.5	6	0.5	00.0-01.1	333	39.4	34.7-44.1
Some Post-H.S.	749	813,341	218	32.1	27.2-37.0	79	8.5	06.1-10.9	45	4.1	02.3-05.9	46	3.4	02.2-04.6	7	0.3	00.1-00.5	354	51.6	46.3-56.9
College Graduate	903	655,191	282	35.3	31.0-39.6	71	5.6	03.8-07.4	18	1.1	00.5-01.7	16	1.0	00.2-01.8	5	0.2	00.0-00.4	511	56.6	52.3-60.9
Less than \$15,000	347	305,359	94	33.4	26.0-40.8	58	16.8	11.3-22.3	32	5.8	03.4-08.2	34	7.8	04.1-11.5	5	1.6	00.0-03.2	124	34.6	27.3-41.9
\$15,000- 24,999	495	474,002	150	35.9	29.2-42.6	69	12.6	08.7-16.5	30	3.7	01.9-05.5	32	4.6	02.6-06.6	7	1.6	00.0-03.8	207	41.5	35.0-48.0
\$25,000- 34,999	248	240,616	69	34.9	26.1-43.7	40	13.6	08.5-18.7	16	7.9	02.0-13.8	9	1.5	00.3-02.7	3	0.4	00.0-01.0	111	41.7	33.3-50.1
\$35,000- 49,999	319	318,819	86	22.3	16.4-28.2	46	14.0	08.9-19.1	19	7.7	03.2-12.2	15	3.7	01.2-06.2	2	0.2	00.0-00.6	151	52.0	44.4-59.6
\$50,000- 74,999	309	304,510	93	35.8	28.4-43.2	30	8.9	04.8-13.0	14	4.7	01.6-07.8	11	3.2	01.0-05.4	2	0.1	00.0-00.3	159	47.3	39.5-55.1
\$75,000+	519	521,315	145	30.1	24.4-35.8	38	5.1	02.9-07.3	14	2.4	00.8-04.0	13	1.6	00.6-02.6	2	0.3	00.0-00.7	307	60.6	54.5-66.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018**

MODULE 17: Adult Human Papillomavirus (HPV) - Vaccination CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR H.P.V. INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, H.P.V. SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE H.P.V. VACCINATION? (HPVADVC2)	
1 MALES AND FEMALES	99
2 MALES ONLY	100
3 FEMALES ONLY	101
HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4 MALES AND FEMALES	102
5 MALES ONLY	103
6 FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 17: Adult Human Papillomavirus (HPV) - Vaccination**

**TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR H.P.V. INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, H.P.V. SHOT,
[FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE H.P.V. VACCINATION? (HPVADV2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1414	1,868,604	192	16.4	13.5-19.3	1221	83.6	80.7-86.5	1	0.0	00.0-00.0
Male	673	889,191	45	6.8	04.3-09.3	628	93.2	90.7-95.7			
Female	741	979,413	147	25.2	20.3-30.1	593	74.8	69.9-79.7	1	0.0	00.0-00.0
White/Non-Hisp	1106	1,363,635	152	17.4	13.9-20.9	954	82.6	79.1-86.1			
Black or Afr. Am./Non-Hisp	169	329,822	26	14.8	08.5-21.1	142	85.2	78.9-91.5	1	0.1	00.0-00.3
Hispanic	50	83,171	4	15.6	00.0-34.0	46	84.4	66.0-0100			
18-24	201	389,576	80	40.7	31.3-50.1	121	59.3	49.9-68.7			
25-34	413	578,636	82	19.6	14.5-24.7	331	80.4	75.3-85.5			
35-44	499	603,232	24	4.5	02.1-06.9	474	95.5	93.1-97.9	1	0.0	00.0-00.0
45-54	301	297,160	6	2.8	00.1-05.5	295	97.2	94.5-99.9			
Less Than H.S.	79	153,180	8	6.4	00.7-12.1	71	93.6	87.9-99.3			
H.S. or G.E.D.	430	661,898	50	14.2	09.5-18.9	380	85.8	81.1-90.5			
Some Post-H.S.	401	610,860	76	23.7	17.2-30.2	325	76.3	69.8-82.8			
College Graduate	501	438,337	57	12.8	08.9-16.7	443	87.1	83.2-91.0	1	0.1	00.0-00.3
Less than \$15,000	125	150,983	17	13.8	06.4-21.2	108	86.2	78.8-93.6			
\$15,000- 24,999	196	270,909	38	23.2	14.2-32.2	158	76.8	67.8-85.8			
\$25,000- 34,999	148	176,605	24	20.4	11.0-29.8	124	79.6	70.2-89.0			
\$35,000- 49,999	192	252,359	24	13.4	07.1-19.7	168	86.6	80.3-92.9			
\$50,000- 74,999	210	283,227	25	15.0	07.2-22.8	184	84.9	77.1-92.7	1	0.1	00.0-00.3
\$75,000+	404	517,044	38	13.1	07.4-18.8	366	86.9	81.2-92.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 17: Adult Human Papillomavirus (HPV) - Vaccination**

TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR H.P.V. INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, H.P.V. SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE H.P.V. VACCINATION? (HPVADVC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	673	889,191	45	6.8	04.3-09.3	628	93.2	90.7-95.7
White/Non-Hisp	530	648,050	36	7.5	04.4-10.6	494	92.5	89.4-95.6
Black or Afr. Am./Non-Hisp	74	149,373	6	6.9	00.6-13.2	68	93.1	86.8-99.4
18-24	103	170,523	28	23.3	13.3-33.3	75	76.7	66.7-86.7
25-34	195	267,012	11	5.6	01.5-09.7	184	94.4	90.3-98.5
35-44	229	306,294	5	0.9	00.1-01.7	224	99.1	98.3-99.9
45-54	146	145,362	1	2.1	00.0-06.2	145	97.9	93.8-0100
H.S. or G.E.D.	221	331,326	11	6.3	01.8-10.8	210	93.7	89.2-98.2
Some Post-H.S.	189	272,912	25	12.1	06.4-17.8	164	87.9	82.2-93.6
College Graduate	216	190,427	9	3.3	00.9-05.7	207	96.7	94.3-99.1
\$15,000- 24,999	71	97,314	8	8.0	00.9-15.1	63	92.0	84.9-99.1
\$25,000- 34,999	60	68,741	1	0.6	00.0-01.8	59	99.4	98.2-0100
\$35,000- 49,999	93	118,211	4	3.7	00.0-07.6	89	96.3	92.4-0100
\$50,000- 74,999	110	158,236	10	9.0	01.9-16.1	100	91.0	83.9-98.1
\$75,000+	220	274,623	10	6.5	01.4-11.6	210	93.5	88.4-98.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 17: Adult Human Papillomavirus (HPV) - Vaccination**

TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR H.P.V. INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, H.P.V. SHOT, [FILL: IF FEMALE "GARDASIL OR CERVARIX", IF MALE "GARDASIL"]. HAVE YOU EVER HAD THE H.P.V. VACCINATION? (HPVADV2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	741	979,413	147	25.2	20.5-29.9	593	74.8	70.1-79.5	1	0.0	00.0-00.0
White/Non-Hisp	576	715,585	116	26.4	20.9-31.9	460	73.6	68.1-79.1			
Black or Afr. Am./Non-Hisp	95	180,449	20	21.3	11.3-31.3	74	78.6	68.6-88.6	1	0.1	00.0-00.3
18-24	98	219,053	52	54.2	40.1-68.3	46	45.8	31.7-59.9			
25-34	218	311,624	71	31.5	23.3-39.7	147	68.5	60.3-76.7			
35-44	270	296,938	19	8.2	03.9-12.5	250	91.7	87.4-96.0	1	0.1	00.0-00.3
45-54	155	151,798	5	3.4	00.0-07.3	150	96.6	92.7-0100			
H.S. or G.E.D.	209	330,571	39	22.1	14.3-29.9	170	77.9	70.1-85.7			
Some Post-H.S.	212	337,948	51	33.0	23.2-42.8	161	67.0	57.2-76.8			
College Graduate	285	247,910	48	20.1	13.8-26.4	236	79.8	73.5-86.1	1	0.1	00.0-00.3
Less than \$15,000	83	91,000	14	18.1	07.9-28.3	69	81.9	71.7-92.1			
\$15,000- 24,999	125	173,595	30	31.8	19.3-44.3	95	68.2	55.7-80.7			
\$25,000- 34,999	88	107,864	23	32.9	18.6-47.2	65	67.1	52.8-81.4			
\$35,000- 49,999	99	134,147	20	22.0	11.4-32.6	79	78.0	67.4-88.6			
\$50,000- 74,999	100	124,991	15	22.7	08.4-37.0	84	77.1	63.0-91.2	1	0.2	00.0-00.6
\$75,000+	184	242,421	28	20.7	10.5-30.9	156	79.3	69.1-89.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 17: Adult Human Papillomavirus (HPV) - Vaccination
TABLE 4: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	160	257,026	32	19.7	11.1-28.3	35	23.1	14.7-31.5	93	57.2	47.0-67.4
Female	126	213,404	15	12.3	04.5-20.1	32	26.1	16.3-35.9	79	61.5	49.9-73.1
White/Non-Hisp	129	206,829	20	16.3	07.1-25.5	27	23.8	14.4-33.2	82	60.0	49.0-71.0
18-24	69	144,460	18	24.3	10.6-38.0	13	21.6	10.2-33.0	38	54.1	38.6-69.6
25-34	65	85,765	8	9.7	02.4-17.0	15	23.6	08.9-38.3	42	66.7	51.2-82.2
Some Post-H.S.	60	117,218	14	18.7	06.2-31.2	14	23.6	08.9-38.3	32	57.8	40.0-75.6
College Graduate	52	52,602	8	11.1	02.7-19.5	7	13.0	02.0-24.0	37	75.9	62.4-89.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 17: Adult Human Papillomavirus (HPV) - Vaccination
TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)**
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
 MODULE 17: Adult Human Papillomavirus (HPV) - Vaccination
 TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	126	213,404	15	12.3	04.7-19.9	32	26.1	16.3-35.9	79	61.5	50.1-72.9
White/Non-Hisp	102	171,268	8	9.3	00.9-17.7	25	27.2	16.0-38.4	69	63.5	51.0-76.0
25-34	59	80,517	5	7.8	00.7-14.9	13	22.7	07.6-37.8	41	69.6	53.9-85.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018

MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	M21.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	M21.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111
	M21.02 Do you consider yourself to be transgender? (TRNSGNDR)	
7	MALES AND FEMALES	112
8	MALES ONLY	113
9	FEMALES ONLY	114

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY**

TABLE 1: M21.01.a Which of the following best represents how you think of yourself? (SOMALE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1852	1,919,510	33	1.6	01.0-02.2	1756	94.4	93.0-95.8	28	1.9	01.1-02.7	35	2.1	01.1-03.1	
White/Non-Hisp	1516	1,500,005	28	1.6	00.8-02.4	1443	94.9	93.5-96.3	25	2.1	01.1-03.1	20	1.4	00.6-02.2	
Black or Afr. Am./Non-Hisp	178	259,840	1	1.4	00.0-03.9	173	97.7	94.8-0100	1	0.1	00.0-00.3	3	0.8	00.0-02.2	
Oth. Race/Non-Hisp.	55	59,764	1	0.8	00.0-02.4	48	79.3	59.9-98.7				6	20.0	00.6-39.4	
18-24	115	196,982	1	0.3	00.0-00.9	107	90.9	83.1-98.7	4	3.7	00.0-08.2	3	5.0	00.0-11.7	
25-34	210	299,174	7	3.1	00.2-06.0	189	91.6	87.1-96.1	7	2.8	00.3-05.3	7	2.4	00.2-04.6	
35-44	246	320,455	7	1.9	00.1-03.7	230	94.5	91.6-97.4	4	1.5	00.0-03.1	5	2.1	00.1-04.1	
45-54	326	336,356	13	2.7	00.9-04.5	307	95.7	93.3-98.1	3	1.2	00.0-02.8	3	0.3	00.0-00.7	
55-64	387	349,764	3	0.8	00.0-01.8	377	96.8	94.4-99.2	3	1.6	00.0-03.6	4	0.7	00.0-01.5	
65+	568	416,780	2	0.4	00.0-01.0	546	94.8	92.1-97.5	7	1.7	00.1-03.3	13	3.1	00.9-05.3	
Less Than H.S.	182	269,695	5	1.9	00.1-03.7	163	90.5	85.8-95.2	3	2.0	00.0-04.4	11	5.6	01.9-09.3	
H.S. or G.E.D.	564	652,533	7	0.9	00.1-01.7	537	94.9	92.2-97.6	8	1.8	00.2-03.4	12	2.4	00.2-04.6	
Some Post-H.S.	465	532,782	2	0.3	00.0-00.7	449	96.0	93.6-98.4	9	2.7	00.7-04.7	5	1.1	00.0-02.3	
College Graduate	634	455,259	19	3.8	01.4-06.2	600	93.9	91.4-96.4	8	1.3	00.1-02.5	7	0.9	00.1-01.7	
Less than \$15,000	174	182,788	4	2.1	00.0-04.3	160	84.5	75.3-93.7	5	5.9	00.2-11.6	5	7.5	00.0-15.1	
\$15,000- 24,999	256	252,037	8	2.3	00.5-04.1	234	93.4	90.3-96.5	6	1.7	00.3-03.1	8	2.6	00.4-04.8	
\$25,000- 34,999	172	154,619	4	2.2	00.0-04.9	163	95.3	91.4-99.2	4	2.4	00.0-05.1	1	0.2	00.0-00.6	
\$35,000- 49,999	242	240,579	3	0.7	00.0-01.5	228	95.7	93.2-98.2	3	1.6	00.0-03.6	8	2.1	00.5-03.7	
\$50,000- 74,999	254	272,518	8	3.2	00.3-06.1	242	95.7	92.6-98.8	1	0.3	00.0-00.9	3	0.8	00.0-01.8	
\$75,000+	545	582,213	5	1.0	00.0-02.0	531	96.9	95.1-98.7	5	1.4	00.2-02.6	4	0.8	00.0-01.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY**

TABLE 2: M21.01.b Which of the following best represents how you think of yourself? (SOFEMALE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2300	2,152,887	22	1.4	00.6-02.2	2182	93.1	91.1-95.1	72	4.7	02.9-06.5	24	0.8	00.4-01.2
White/Non-Hisp	1869	1,663,372	16	1.6	00.6-02.6	1784	94.1	92.3-95.9	50	3.4	02.0-04.8	19	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	280	341,287	3	0.5	00.0-01.3	262	88.8	81.4-96.2	12	10.1	02.7-17.5	3	0.5	00.0-01.3
18-24	104	227,273	1	2.8	00.0-08.3	89	79.5	67.3-91.7	11	15.8	04.4-27.2	3	1.8	00.0-04.0
25-34	226	317,207	7	1.2	00.2-02.2	196	91.6	87.5-95.7	20	6.5	02.6-10.4	3	0.6	00.0-01.4
35-44	294	328,482	2	0.4	00.0-01.0	269	90.9	86.0-95.8	20	8.2	03.3-13.1	3	0.5	00.0-01.1
45-54	363	374,726	8	4.0	00.9-07.1	347	92.3	88.0-96.6	7	2.8	00.0-05.7	1	0.8	00.0-02.4
55-64	514	393,784	3	0.6	00.0-01.4	497	97.3	95.7-98.9	10	1.4	00.4-02.4	4	0.8	00.0-01.8
65+	799	511,416	1	0.1	00.0-00.3	784	98.8	98.0-99.6	4	0.4	00.0-01.0	10	0.7	00.3-01.1
Less Than H.S.	213	269,850	1	0.2	00.0-00.6	199	92.2	86.9-97.5	8	6.6	01.3-11.9	5	1.1	00.0-02.3
H.S. or G.E.D.	711	710,931	6	1.7	00.0-03.7	675	92.0	87.9-96.1	22	5.4	01.9-08.9	8	0.9	00.1-01.7
Some Post-H.S.	631	671,548	7	1.6	00.2-03.0	601	92.6	89.1-96.1	19	5.2	02.1-08.3	4	0.6	00.0-01.6
College Graduate	741	496,114	8	1.2	00.0-02.4	703	95.9	94.1-97.7	23	2.3	01.1-03.5	7	0.7	00.1-01.3
Less than \$15,000	309	251,577	2	0.6	00.0-01.6	289	90.9	85.8-96.0	13	7.3	02.4-12.2	5	1.1	00.0-02.3
\$15,000- 24,999	418	383,682	4	1.9	00.0-05.2	395	92.2	87.3-97.1	15	5.5	01.8-09.2	4	0.4	00.0-00.8
\$25,000- 34,999	212	197,209				203	98.2	96.8-99.6	7	1.2	00.2-02.2	2	0.6	00.0-01.6
\$35,000- 49,999	282	293,225	5	2.4	00.0-05.1	264	92.0	87.1-96.9	10	4.0	00.3-07.7	3	1.6	00.0-03.8
\$50,000- 74,999	258	246,542	5	2.2	00.0-04.4	242	92.9	88.4-97.4	8	4.3	00.4-08.2	3	0.7	00.0-01.5
\$75,000+	445	434,088	4	1.6	00.0-03.4	432	95.4	92.1-98.7	9	3.0	00.1-05.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 3: M21.02 Do you consider yourself to be transgender? (TRNSGNDR)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4195	4,118,931	5	0.2	00.0-00.4	3	0.1	00.0-00.3	3	0.1	00.0-00.3	4184	99.6	99.4-99.8
Male	1866	1,935,062	5	0.4	00.0-00.8	1	0.1	00.0-00.3	2	0.2	00.0-00.4	1858	99.3	98.7-99.9
Female	2329	2,183,869				2	0.1	00.1-00.1	1	0.1	00.0-00.3	2326	99.9	99.7-0100
White/Non-Hisp	3414	3,190,049	2	0.1	00.0-00.3	3	0.1	00.0-00.3	3	0.1	00.0-00.3	3406	99.6	99.2-0100
Black or Afr. Am./Non-Hisp	466	615,529	1	0.5	00.0-01.5							465	99.5	98.5-0100
Oth. Race/Non-Hisp.	97	99,173										97	100.0	0100-0100
MultiRacial/Non-Hisp.	96	41,072										96	100.0	0100-0100
Hispanic	79	123,910										79	100.0	0100-0100
18-24	219	424,254							1	0.7	00.0-02.1	218	99.3	97.9-0100
25-34	442	626,020	1	0.1	00.0-00.3				1	0.2	00.0-00.6	440	99.7	99.3-0100
35-44	539	648,571				2	0.4	00.0-01.0				537	99.6	99.0-0100
45-54	689	711,286	1	0.4	00.0-01.2							688	99.6	98.8-0100
55-64	909	752,200	2	0.5	00.0-01.3	1	0.1	00.0-00.3				906	99.4	98.6-0100
65+	1397	956,600	1	0.1	00.0-00.3				1	0.0	00.0-00.0	1395	99.9	99.7-0100
Less Than H.S.	401	555,046	3	0.8	00.0-02.0	1	0.4	00.0-01.2				397	98.8	97.4-0100
H.S. or G.E.D.	1298	1,381,477	1	0.2	00.0-00.6	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1293	99.6	99.2-0100
Some Post-H.S.	1104	1,213,394							1	0.2	00.0-00.6	1103	99.8	99.4-0100
College Graduate	1382	955,694	1	0.0	00.0-00.0							1381	100.0	0100-0100
Less than \$15,000	494	447,333	2	0.9	00.0-02.3							492	99.1	97.7-0100
\$15,000- 24,999	678	636,168	1	0.5	00.0-01.5				1	0.1	00.0-00.3	676	99.5	98.5-0100
\$25,000- 34,999	389	355,069							1	0.4	00.0-01.2	388	99.6	98.8-0100
\$35,000- 49,999	525	534,916	1	0.1	00.0-00.3	1	0.1	00.0-00.3				523	99.8	99.4-0100
\$50,000- 74,999	518	525,807				1	0.4	00.0-01.2				517	99.6	98.8-0100
\$75,000+	988	1,013,799										988	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 5: M21.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1866	1,935,062	5	0.4	00.0-00.8	1	0.1	00.0-00.3	2	0.2	00.0-00.4	1858	99.3	98.7-99.9
White/Non-Hisp	1527	1,510,777	2	0.2	00.0-00.6	1	0.1	00.0-00.3	2	0.2	00.0-00.6	1522	99.4	98.8-0100
Black or Afr. Am./Non-Hisp	181	264,211	1	1.1	00.0-03.3							180	98.9	96.7-0100
Oth. Race/Non-Hisp.	56	60,774										56	100.0	0100-0100
18-24	115	196,982							1	1.4	00.0-04.1	114	98.6	95.9-0100
25-34	213	303,782	1	0.1	00.0-00.3							212	99.9	99.7-0100
35-44	245	320,089				1	0.7	00.0-01.9				244	99.3	98.1-0100
45-54	326	335,987	1	0.9	00.0-02.7							325	99.1	97.3-0100
55-64	393	354,838	2	1.1	00.0-02.9							391	98.9	97.1-0100
65+	574	423,384	1	0.2	00.0-00.6				1	0.1	00.0-00.3	572	99.7	99.3-0100
Less Than H.S.	182	271,629	3	1.7	00.0-04.1	1	0.8	00.0-02.4				178	97.5	94.8-0100
H.S. or G.E.D.	573	660,649	1	0.5	00.0-01.3				1	0.1	00.0-00.3	571	99.5	98.5-0100
Some Post-H.S.	466	534,319							1	0.5	00.0-01.5	465	99.5	98.5-0100
College Graduate	639	459,590	1	0.1	00.0-00.3							638	99.9	99.7-0100
Less than \$15,000	177	183,988	2	2.2	00.0-05.5							175	97.8	94.5-0100
\$15,000- 24,999	255	251,110	1	1.2	00.0-03.6				1	0.2	00.0-00.6	253	98.7	96.3-0100
\$25,000- 34,999	172	154,426										172	100.0	0100-0100
\$35,000- 49,999	242	241,189	1	0.1	00.0-00.3							241	99.9	99.7-0100
\$50,000- 74,999	258	278,557				1	0.7	00.0-02.1				257	99.3	97.9-0100
\$75,000+	545	581,528										545	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2018
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 6: M21.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2329	2,183,869	2	0.1	00.1-00.1	1	0.1	00.0-00.3	2326	99.9	99.7-0100
White/Non-Hisp	1887	1,679,272	2	0.1	00.0-00.3	1	0.1	00.0-00.3	1884	99.8	99.6-0100
Black or Afr. Am./Non-Hisp	285	351,318							285	100.0	0100-0100
18-24	104	227,273							104	100.0	0100-0100
25-34	229	322,238				1	0.4	00.0-01.2	228	99.6	98.8-0100
35-44	294	328,482	1	0.2	00.0-00.6				293	99.8	99.4-0100
45-54	363	375,299							363	100.0	0100-0100
55-64	516	397,362	1	0.2	00.0-00.6				515	99.8	99.4-0100
65+	823	533,216							823	100.0	0100-0100
Less Than H.S.	219	283,417							219	100.0	0100-0100
H.S. or G.E.D.	725	720,829	2	0.2	00.0-00.4	1	0.2	00.0-00.6	722	99.6	99.2-0100
Some Post-H.S.	638	679,075							638	100.0	0100-0100
College Graduate	743	496,104							743	100.0	0100-0100
Less than \$15,000	317	263,345							317	100.0	0100-0100
\$15,000- 24,999	423	385,058							423	100.0	0100-0100
\$25,000- 34,999	217	200,643				1	0.7	00.0-02.1	216	99.3	97.9-0100
\$35,000- 49,999	283	293,727	1	0.3	00.0-00.9				282	99.7	99.1-0100
\$50,000- 74,999	260	247,251							260	100.0	0100-0100
\$75,000+	443	432,272							443	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2018**

End of Module Data Report