



**2016**

DRIVE YOUR COUNTY TO THE  
**TOP TEN**

INFORMING • CONNECTING • ACCELERATING


DeKalb County

**TN**

Department of  
**Health**


Demographics

<b>Population:</b>	19,268	<b>&lt;18 YOA:</b>	22.56%	<b>65+ YOA:</b>	17.47%	<b>% Rural:</b>	78.40%
<b>Unemployment:</b>	7.97%	<b>% Females:</b>	50.40%	<b>% Males:</b>	49.60%	<b>Graduation Rate:</b>	97.50%
<b>Single parent households:</b>	23.22%	<b>MHI:</b>	\$38,595				




### Top Third

Measure	Value
Severe Housing Problems	8.87%
High School Graduation	97.50%
Food Environment Index	7.70
Children in Single-Parent Households	23.22%
Diabetic Monitoring	88.56%
Income Inequality	4.34
Poor Mental Health Days	4.60



### Middle Third

Measure	Value
Primary Care Physicians	2129:1
Driving Alone to Work	84.04%
Poor or Fair Health	22.10%
Poor Physical Health Days	4.80
Violent Crime	326.71
Adult Obesity	32.50%
Sexually Transmitted Infections	280.41
Adult Smoking	23.40%
Unemployment	7.97%
Long Commute - Driving Alone	38.70%



### Bottom Third

Measure	Value
Physical Inactivity	40.40%
Uninsured	19.78%
Injury Deaths	120.81
Access to Exercise Opportunities	20.66%
Premature Death	11358.60
Alcohol-Impaired Driving Deaths	42.11%
Teen Births	59.69
Preventable Hospital Stays	97.20
Mental Health Providers	6423:1
Mammography Screening	54.00%



### Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

### Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.

Health Outcomes	Length of Life	Premature Death									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		81	Knox	11358.60	7735.80	3622.80	↑Bad ↓Good	6,600.00	Guernsey, OH	8679.90	
		For every 100 people in the county, 1 people in the county need to live one year closer to age 75.							Randolph, IN	8328.50	
		Source		National Center for Health Statistics - Mortality files			Year(s)	2011-2013	Lawrence, OH	9427.20	
Health Outcomes	Quality of Life	Poor or Fair Health*									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		40	Rutherford	22.10%	19.60%	2.50%	↑Bad ↓Good	18.00%	Guernsey, OH	18.00%	
		Improve the health of 3 out of every 100 people in the county who, in general, report being in poor or fair health.							Randolph, IN	17.60%	
		Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Lawrence, OH	18.30%	
		Percentage of adults reporting fair or poor health (age-adjusted)									
			Poor Physical Health Days*								
	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	40	Knox	4.80	4.30	0.50	↑Bad ↓Good	3.8	Guernsey, OH	4.10		
	Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.							Randolph, IN	4.00		
	Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Lawrence, OH	4.30		
	Average number of physically unhealthy days reported in past 30 days (age-adjusted)										
		Poor Mental Health Days*									
Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value			
26	Williamson	4.60	3.80	0.80	↑Bad ↓Good	2.8	Guernsey, OH	4.30			
Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.							Randolph, IN	4.10			
Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Lawrence, OH	4.50			
Average number of mentally unhealthy days reported in past 30 days (age-adjusted)											
		Low Birthweight									
Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value			
68	Pickett	9.31%	7.24%	2.07%	↑Bad ↓Good	8.00%	Guernsey, OH	8.11%			
Reduce the number of low birth weight babies by 3 for every 100 live births.							Randolph, IN	9.25%			
Source		National Center for Health Statistics - Natality files			Year(s)	2007-2013	Lawrence, OH	10.07%			
Percentage of live births with low birthweight (< 2500 grams)											
Health Factors	Health Behaviors	Adult Smoking*									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		50	Humphreys	23.40%	21.10%	2.30%	↑Bad ↓Good	17.00%	Guernsey, OH	21.00%	
		Get 10 out of every 100 current adult smokers in the county to quit smoking.							Randolph, IN	20.20%	
		Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Lawrence, OH	20.90%	
		Percentage of adults who are current smokers									
			Adult Obesity								
	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	44	Hamilton	32.50%	29.90%	2.60%	↑Bad ↓Good	27.00%	Guernsey, OH	36.40%		
	Get 8 out of every 100 current obese adults in the county to reduce their BMI below 30.							Randolph, IN	33.80%		
	Source		CDC Diabetes Interactive Atlas			Year(s)	2012	Lawrence, OH	38.90%		
	Percentage of adults that report a BMI of 30 or more										
		Food Environment Index									
Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value			
7	Cannon	7.70	7.9	0.2	↑Good ↓Bad	7.20	Guernsey, OH	7.00			
Increase the county's food index score by 0.2.							Randolph, IN	6.80			
Source		USDA Food Environment Atlas, Map the Meal Gap			Year(s)	2013	Lawrence, OH	7.00			
Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best)											

Prepared by the Division of Administrative Services, Tennessee Department of Health, Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: <http://tn.gov/health/topic/specialreports>. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. \*The action statements are based on the assumption that no new additional cases occur. \*\*Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

Health Factors		Health Behaviors		Physical Inactivity							Peer County		Peer Value	
				Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
		92	Shelby	40.40%	30.20%	10.20%	↑Bad ↓Good	23.00%	Guernsey, OH	34.20%				
		Get 26 out of every 100 currently physically inactive adults to exercise during leisure time.							Randolph, IN	32.40%				
		Source CDC Diabetes Interactive Atlas							Year(s)	2012	Lawrence, OH	37.30%		
Health Behaviors		Access to Exercise Opportunities							Peer County		Peer Value			
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		85	Loudon	20.66%	78.48%	57.82%	↑Good ↓Bad	84.00%	Guernsey, OH	48.09%				
		Consider how to remove barriers to access exercise locations to reach an additional 57.82 percent of the county's population.							Randolph, IN	33.21%				
		Source Business Analyst, Delorme, ESRI, & US Census Tigerline Files							Year(s)	2010 & 2014	Lawrence, OH	96.23%		
Health Behaviors		Excessive Drinking							Peer County		Peer Value			
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		58	Benton	11.70%	10.60%	1.10%	↑Bad ↓Good	17.00%	Guernsey, OH	17.60%				
		Get 10 out of every 100 adults in the county that currently drink to excess (binge and heavy drinkers) to stop drinking more than one (women) or two (men) drinks per day on average.							Randolph, IN	14.20%				
		Source Behavioral Risk Factor Surveillance System							Year(s)	2014	Lawrence, OH	15.20%		
Health Behaviors		Alcohol-Impaired Driving Deaths							Peer County		Peer Value			
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		81	Sullivan	42.11%	19.17%	22.94%	↑Bad ↓Good	31.00%	Guernsey, OH	30.56%				
		Reduce the number of alcohol related driving deaths by 22.94 percent.							Randolph, IN	22.22%				
		Source Fatality Analysis Reporting System							Year(s)	2010-2014	Lawrence, OH	35.48%		
Health Behaviors		Sexually Transmitted Infections							Peer County		Peer Value			
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		45	Overton	280.41	153.22	127.19	↑Bad ↓Good	446.60	Guernsey, OH	296.36				
		Consider ways to educate 5 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia.							Randolph, IN	278.91				
		Source National Center for HIV/AIDS, Viral Hepatitis, STD, & TB Prevention							Year(s)	2013	Lawrence, OH	175.50		
Health Behaviors		Teen Births							Peer County		Peer Value			
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		79	Putnam	59.69	34.87	24.81	↑Bad ↓Good	35.00	Guernsey, OH	39.09				
		For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 42 teen(s) from becoming pregnant.							Randolph, IN	44.54				
		Source National Center for Health Statistics - Natality files							Year(s)	2007-2013	Lawrence, OH	47.68		
Clinical Care		Uninsured							Peer County		Peer Value			
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		89	Cheatham	19.78%	14.54%	5.24%	↑Bad ↓Good	17.00%	Guernsey, OH	14.10%				
		Get 27 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance.							Randolph, IN	16.94%				
		Source Small Area Health Insurance Estimates							Year(s)	2013	Lawrence, OH	13.43%		
Clinical Care		Primary Care Physicians							Peer County		Peer Value			
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		39	Coffee	2129:1	1368:1	761	↑Bad ↓Good	1320:1	Guernsey, OH	2086:1				
		To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 32 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area.							Randolph, IN	3661:1				
		Source Area Health Resource File/American Medical Association							Year(s)	2013	Lawrence, OH	1876:1		
Clinical Care		Dentists							Peer County		Peer Value			
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		73	Dickson	4817:1	1744:1	3073	↑Bad ↓Good	1540:1	Guernsey, OH	2084:1				
		To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 45 dental care providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area.							Randolph, IN	4231:1				
		Source Area Health Resource File/National Provider Identification file							Year(s)	2014	Lawrence, OH	2934:1		



Health Factors	Social & Economic Factors	Children in Single-Parent Households								
		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		8	Grainger	23.22%	21.60%	1.62%	↑Bad ↓Good	34.00%	Guernsey, OH	32.59%
		For every 100 single parent households in the county, investigate ways to encourage 7 households to be a multi-parent household.							Randolph, IN	34.44%
		Source		American Community Survey		Year(s)		2010-2014	Lawrence, OH	37.01%
		Percentage of children that live in a household headed by single parent								
Health Factors	Social & Economic Factors	Social Associations								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		61	Johnson	9.91	16.13	6.22	↑Good ↓Bad	9.00	Guernsey, OH	15.64
		For every 100 people in the county, increase the number of membership associations by 1.							Randolph, IN	19.90
		Source		County Business Patterns		Year(s)		2013	Lawrence, OH	10.50
		Number of membership associations per 10,000 population								
Health Factors	Social & Economic Factors	Violent Crime								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		43	Carter	326.71	206.33	120.38	↑Bad ↓Good	392.00	Guernsey, OH	141.84
		For every 100 persons in the county, prevent 37 people from committing a violent crime.							Randolph, IN	24.93
		Source		Uniform Crime Reporting - FBI		Year(s)		2010-2012	Lawrence, OH	166.55
		Number of reported violent crime offenses per 100,000 population								
Health Factors	Social & Economic Factors	Injury Deaths								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		87	Washington	120.81	70.04	50.77	↑Bad ↓Good	60.00	Guernsey, OH	71.10
		For every 1,000 population consider ways to prevent 421 deaths as a result of intentional and unintentional injury.							Randolph, IN	65.41
		Source		CDC WONDER mortality data		Year(s)		2009-2013	Lawrence, OH	73.81
		Number of deaths due to injury per 100,000 population								
Health Factors	Social & Economic Factors	Air Pollution - Particulate Matter								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		72	Greene	14.11	13.14	0.97	↑Bad ↓Good	11.40	Guernsey, OH	13.73
		Reduce the average daily measure of fine particulate matter by 0.97 micrograms per cubic meter (PM2.5).							Randolph, IN	13.46
		Source		CDC WONDER Environmental data		Year(s)		2011	Lawrence, OH	13.13
		Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)								
Health Factors	Physical Environment	Drinking Water Violations								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		No Rank	NA	No	No	NA	NA	NA	Guernsey, OH	No
		There were no health-based drinking water violations.							Randolph, IN	No
		Source		Safe Drinking Water Information System		Year(s)		FY2013-14	Lawrence, OH	No
		Percentage of population potentially exposed to water exceeding a violation limit during the past year								
Health Factors	Physical Environment	Severe Housing Problems								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		1	DeKalb	8.87%	8.87%	0.00%	↑Bad ↓Good	19.00%	Guernsey, OH	12.71%
		No action required.							Randolph, IN	12.45%
		Source		Comprehensive Housing Affordability Strategy (CHAS) data		Year(s)		2008-2012	Lawrence, OH	12.07%
		Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities								
Health Factors	Physical Environment	Driving Alone to Work								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		39	Grundy	84.04%	80.27%	3.77%	↑Bad ↓Good	76.00%	Guernsey, OH	85.38%
		For every 100 persons that currently drive alone to work, convince 5 to carpool or take mass-transportation.							Randolph, IN	83.75%
		Source		American Community Survey		Year(s)		2010-2014	Lawrence, OH	89.07%
		Percentage of the workforce that drives alone to work								
Health Factors	Physical Environment	Long Commute - Driving Alone								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		54	Hamilton	38.70%	25.20%	13.50%	↑Bad ↓Good	31.00%	Guernsey, OH	27.40%
		For every 100 persons that currently drive more than 30 minutes alone to work, convince 35 to carpool or take mass-transportation.							Randolph, IN	34.00%
		Source		American Community Survey		Year(s)		2010-2014	Lawrence, OH	29.20%
		Among workers who commute in their car alone, the percentage that commute more than 30 minutes								