



**2016**

DRIVE YOUR COUNTY TO THE  
**TOP TEN**

INFORMING • CONNECTING • ACCELERATING




Gibson County

**TN**

Department of  
**Health**

Demographics

<b>Population:</b>	49,472	<b>&lt;18 YOA:</b>	24.28%	<b>65+ YOA:</b>	17.58%	<b>% Rural:</b>	47.70%
<b>Unemployment:</b>	9.03%	<b>% Females:</b>	52.30%	<b>% Males:</b>	47.70%	<b>Graduation Rate:</b>	93.80%
<b>Single parent households:</b>	33.65%	<b>MHI:</b>	\$37,498				



### Top Third

Measure	Value
Social Associations	20.02
Excessive Drinking	10.70%
Preventable Hospital Stays	59.60
High School Graduation	93.80%
Some College	52.48%
Adult Obesity	30.90%
Uninsured	15.55%
Physical Inactivity	34.10%
Mammography Screening	62.00%
Primary Care Physicians	1978:1

### Middle Third

Measure	Value
Income Inequality	4.45
Diabetic Monitoring	87.52%
Dentists	2910:1
Poor Physical Health Days	4.80
Children in Poverty	27.00%
Poor Mental Health Days	4.70
Access to Exercise Opportunities	54.45%
Injury Deaths	91.43
Long Commute - Driving Alone	36.20%
Poor or Fair Health	22.60%

### Bottom Third

Measure	Value
Driving Alone to Work	89.80%
Sexually Transmitted Infections	503.77
Violent Crime	576.71
Food Environment Index	6.30
Adult Smoking	25.10%
Unemployment	9.03%
Alcohol-Impaired Driving Deaths	38.46%
Premature Death	10859.00
Air Pollution - Particulate Matter	14.10
Low Birthweight	9.16%



### Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

### Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.

Health Outcomes	Length of Life	Premature Death									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		70	Knox	10859.00	7735.80	3123.20	↑Bad ↓Good	6,600.00	Guernsey, OH	8679.90	
		For every 100 people in the county, 1 people in the county need to live one year closer to age 75.							Randolph, IN	8328.50	
		Source		National Center for Health Statistics - Mortality files			Year(s)	2011-2013	Lawrence, OH	9427.20	
Health Outcomes	Quality of Life	Poor or Fair Health*									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		54	Rutherford	22.60%	19.60%	3.00%	↑Bad ↓Good	18.00%	Guernsey, OH	18.00%	
		Improve the health of 3 out of every 100 people in the county who, in general, report being in poor or fair health.							Randolph, IN	17.60%	
		Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Lawrence, OH	18.30%	
		Percentage of adults reporting fair or poor health (age-adjusted)									
			Poor Physical Health Days*								
	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	40	Knox	4.80	4.30	0.50	↑Bad ↓Good	3.8	Guernsey, OH	4.10		
	Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.							Randolph, IN	4.00		
	Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Lawrence, OH	4.30		
	Average number of physically unhealthy days reported in past 30 days (age-adjusted)										
		Poor Mental Health Days*									
Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value			
41	Williamson	4.70	3.80	0.90	↑Bad ↓Good	2.8	Guernsey, OH	4.30			
Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.							Randolph, IN	4.10			
Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Lawrence, OH	4.50			
Average number of mentally unhealthy days reported in past 30 days (age-adjusted)											
		Low Birthweight									
Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value			
64	Pickett	9.16%	7.24%	1.92%	↑Bad ↓Good	8.00%	Guernsey, OH	8.11%			
Reduce the number of low birth weight babies by 2 for every 100 live births.							Randolph, IN	9.25%			
Source		National Center for Health Statistics - Natality files			Year(s)	2007-2013	Lawrence, OH	10.07%			
Percentage of live births with low birthweight (< 2500 grams)											
Health Factors	Health Behaviors	Adult Smoking*									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		81	Humphreys	25.10%	21.10%	4.00%	↑Bad ↓Good	17.00%	Guernsey, OH	21.00%	
	Get 16 out of every 100 current adult smokers in the county to quit smoking.							Randolph, IN	20.20%		
	Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Lawrence, OH	20.90%		
	Percentage of adults who are current smokers										
			Adult Obesity								
	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	24	Hamilton	30.90%	29.90%	1.00%	↑Bad ↓Good	27.00%	Guernsey, OH	36.40%		
Get 4 out of every 100 current obese adults in the county to reduce their BMI below 30.							Randolph, IN	33.80%			
Source		CDC Diabetes Interactive Atlas			Year(s)	2012	Lawrence, OH	38.90%			
Percentage of adults that report a BMI of 30 or more											
		Food Environment Index									
Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value			
82	Cannon	6.30	7.9	1.6	↑Good ↓Bad	7.20	Guernsey, OH	7.00			
Increase the county's food index score by 1.6.							Randolph, IN	6.80			
Source		USDA Food Environment Atlas, Map the Meal Gap			Year(s)	2013	Lawrence, OH	7.00			
Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best)											

Prepared by the Division of Administrative Services, Tennessee Department of Health, Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: <http://tn.gov/health/topic/specialreports>. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. \*The action statements are based on the assumption that no new additional cases occur. \*\*Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

Health Factors

Health Behaviors

Physical Inactivity	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	26	Shelby	34.10%	30.20%	3.90%	↑Bad ↓Good	23.00%	Guernsey, OH	34.20%
<a href="#">Percentage of adults aged 20 and over reporting no leisure-time physical activity</a>	Get 12 out of every 100 currently physically inactive adults to exercise during leisure time.							Randolph, IN	32.40%
<b>Source</b>	CDC Diabetes Interactive Atlas			<b>Year(s)</b>	2012		Lawrence, OH	37.30%	
Access to Exercise Opportunities	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	41	Loudon	54.45%	78.48%	24.03%	↑Good ↓Bad	84.00%	Guernsey, OH	48.09%
<a href="#">Percentage of population with adequate access to locations for physical activity</a>	Consider how to remove barriers to access exercise locations to reach an additional 24.03 percent of the county's population.							Randolph, IN	33.21%
<b>Source</b>	Business Analyst, Delorme, ESRI, & US Census Tigerline Files			<b>Year(s)</b>	2010 & 2014		Lawrence, OH	96.23%	
Excessive Drinking	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	12	Benton	10.70%	10.60%	0.10%	↑Bad ↓Good	17.00%	Guernsey, OH	17.60%
<a href="#">Percentage of adults reporting binge or heavy drinking</a>	Get 1 out of every 100 adults in the county that currently drink to excess (binge and heavy drinkers) to stop drinking more than one (women) or two (men) drinks per day on average.							Randolph, IN	14.20%
<b>Source</b>	Behavioral Risk Factor Surveillance System			<b>Year(s)</b>	2014		Lawrence, OH	15.20%	
Alcohol-Impaired Driving Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	76	Sullivan	38.46%	19.17%	19.29%	↑Bad ↓Good	31.00%	Guernsey, OH	30.56%
<a href="#">Percentage of driving deaths with alcohol involvement</a>	Reduce the number of alcohol related driving deaths by 19.29 percent.							Randolph, IN	22.22%
<b>Source</b>	Fatality Analysis Reporting System			<b>Year(s)</b>	2010-2014		Lawrence, OH	35.48%	
Sexually Transmitted Infections	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	85	Overton	503.77	153.22	350.55	↑Bad ↓Good	446.60	Guernsey, OH	296.36
<a href="#">Number of newly diagnosed chlamydia cases per 100,000 population</a>	Consider ways to educate 7 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia.							Randolph, IN	278.91
<b>Source</b>	National Center for HIV/AIDS, Viral Hepatitis, STD, & TB Prevention			<b>Year(s)</b>	2013		Lawrence, OH	175.50	
Teen Births	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	54	Putnam	50.76	34.87	15.89	↑Bad ↓Good	35.00	Guernsey, OH	39.09
<a href="#">Teen birth rate per 1,000 female population, ages 15-19</a>	For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 32 teen(s) from becoming pregnant.							Randolph, IN	44.54
<b>Source</b>	National Center for Health Statistics - Natality files			<b>Year(s)</b>	2007-2013		Lawrence, OH	47.68	

Clinical Care

Uninsured	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	25	Cheatham	15.55%	14.54%	1.01%	↑Bad ↓Good	17.00%	Guernsey, OH	14.10%
<a href="#">Percentage of population under age 65 without health insurance</a>	Get 7 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance.							Randolph, IN	16.94%
<b>Source</b>	Small Area Health Insurance Estimates			<b>Year(s)</b>	2013		Lawrence, OH	13.43%	
Primary Care Physicians	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	31	Coffee	1978:1	1368:1	610	↑Bad ↓Good	1320:1	Guernsey, OH	2086:1
<a href="#">Ratio of population to primary care physicians</a>	To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 28 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area.							Randolph, IN	3661:1
<b>Source</b>	Area Health Resource File/American Medical Association			<b>Year(s)</b>	2013		Lawrence, OH	1876:1	
Dentists	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	36	Dickson	2910:1	1744:1	1166	↑Bad ↓Good	1540:1	Guernsey, OH	2084:1
<a href="#">Ratio of population to dentists</a>	To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 29 dental care providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area.							Randolph, IN	4231:1
<b>Source</b>	Area Health Resource File/National Provider Identification file			<b>Year(s)</b>	2014		Lawrence, OH	2934:1	

Health Factors	Clinical Care	Mental Health Providers	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Ratio of population to mental health providers</a>	57	Henry	3298:1	644:1	2654	↑Bad ↓Good	490:1	Guernsey, OH	1042:1
To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 153 mental health providers would need to be recruited to the county. More importantly, if the county's value is greater than 30,000, this county would be considered a Health Professional Shortage Area.									Randolph, IN	3626:1	
	Source	CMS, National Provider Identification file			Year(s)	2015		Lawrence, OH	1712:1		
Preventable Hospital Stays	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	15	Anderson	59.60	50.27	9.33	↑Bad ↓Good	54.00	Guernsey, OH	96.44		
<a href="#">Number of hospital stays for ambulatory-care sensitive conditions per 1,000 Medicare enrollees</a>	For every 100 Medicare enrollees, prevent 1 Medicare enrollees from being hospitalized for ambulatory-care sensitive conditions.									Randolph, IN	78.71
	Source	Dartmouth Atlas of Health Care			Year(s)	2013		Lawrence, OH	105.81		
Diabetic Monitoring	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	34	Giles	87.52%	89.20%	1.68%	↑Good ↓Bad	63.00%	Guernsey, OH	84.23%		
<a href="#">Percentage of diabetic Medicare enrollees ages 65-75 that receive HbA1c monitoring</a>	For every 100 diabetic Medicare enrollees, get 2 additional Medicare enrollees to receive HbA1c screening.									Randolph, IN	85.27%
	Source	Dartmouth Atlas of Health Care			Year(s)	2013		Lawrence, OH	85.02%		
Mammography Screening	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	26	Cumberland	62.00%	71.00%	9.00%	↑Good ↓Bad	63.00%	Guernsey, OH	64.00%		
<a href="#">Percentage of female Medicare enrollees ages 67-69 that receive mammography screening</a>	For every 100 female Medicare enrollees, get 9 additional Medicare enrollees to receive their mammography screening.									Randolph, IN	71.00%
	Source	Dartmouth Atlas of Health Care			Year(s)	2013		Lawrence, OH	56.00%		
High School Graduation	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	19	Tipton	93.80%	98.00%	4.20%	↑Good ↓Bad	82.00%	Guernsey, OH	88.53%		
<a href="#">Percentage of ninth-grade cohort that graduates in four years</a>	For every 100 ninth graders, assist 5 additional ninth graders to graduate within four years.									Randolph, IN	87.15%
	Source	EDFacts			Year(s)	2012-2013		Lawrence, OH	92.20%		
Some College	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	23	Shelby	52.48%	62.28%	9.80%	↑Good ↓Bad	64.00%	Guernsey, OH	49.67%		
<a href="#">Percentage of adults ages 25-44 years with some post-secondary education</a>	For every 100 adults between 25-44 years of age, assist 10 additional adults to complete some coursework at the collegiate level.									Randolph, IN	55.48%
	Source	American Community Survey			Year(s)	2010-2014		Lawrence, OH	48.02%		
Unemployment	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	77	Robertson	9.03%	5.69%	3.34%	↑Bad ↓Good	6.20%	Guernsey, OH	6.67%		
<a href="#">Percentage of population ages 16 and older unemployed but seeking work</a>	For every 100 persons ages 16 years and older, help 4 persons successfully find employment.									Randolph, IN	6.58%
	Source	Bureau of Labor Statistics			Year(s)	2014		Lawrence, OH	6.53%		
Children in Poverty	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	40	Dickson	27.00%	21.10%	5.90%	↑Bad ↓Good	22.00%	Guernsey, OH	26.40%		
<a href="#">Percentage of children under age 18 in poverty</a>	For every 100 children (under 18 years) in poverty, help 22 children to find assistance to get out of poverty.									Randolph, IN	23.70%
	Source	Small Area Income and Poverty Estimates			Year(s)	2014		Lawrence, OH	27.40%		
Income Inequality	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	32	Houston	4.45	4.11	0.34	↑Bad ↓Good	4.70	Guernsey, OH	4.37		
<a href="#">Ratio of household income at the 80th percentile to income at the 20th percentile</a>	To reach a household income ratio at or below that of the 10th ranking county reduce the gap between the 80th percentile and 20th percentile by 1 household(s).									Randolph, IN	4.18
	Source	American Community Survey			Year(s)	2010-2014		Lawrence, OH	4.78		

Health Factors	Social & Economic Factors	Children in Single-Parent Households								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		61	Lawrence	33.65%	23.36%	10.28%	↑Bad ↓Good	34.00%	Guernsey, OH	32.59%
		For every 100 single parent households in the county, investigate ways to encourage 31 households to be a multi-parent household.							Randolph, IN	34.44%
		Source		American Community Survey		Year(s)		2010-2014	Lawrence, OH	37.01%
		<a href="#">Percentage of children that live in a household headed by single parent</a>								
Health Factors	Social & Economic Factors	Social Associations								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		2	Haywood	20.02	23.60	3.58	↑Good ↓Bad	9.00	Guernsey, OH	15.64
		For every 100 people in the county, increase the number of membership associations by 1.							Randolph, IN	19.90
		Source		County Business Patterns		Year(s)		2013	Lawrence, OH	10.50
		<a href="#">Number of membership associations per 10,000 population</a>								
Health Factors	Social & Economic Factors	Violent Crime								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		84	Carter	576.71	206.33	370.38	↑Bad ↓Good	392.00	Guernsey, OH	141.84
		For every 100 persons in the county, prevent 65 people from committing a violent crime.							Randolph, IN	24.93
		Source		Uniform Crime Reporting - FBI		Year(s)		2010-2012	Lawrence, OH	166.55
		<a href="#">Number of reported violent crime offenses per 100,000 population</a>								
Health Factors	Social & Economic Factors	Injury Deaths								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		42	Washington	91.43	70.04	21.39	↑Bad ↓Good	60.00	Guernsey, OH	71.10
		For every 1,000 population consider ways to prevent 234 deaths as a result of intentional and unintentional injury.							Randolph, IN	65.41
		Source		CDC WONDER mortality data		Year(s)		2009-2013	Lawrence, OH	73.81
		<a href="#">Number of deaths due to injury per 100,000 population</a>								
Health Factors	Social & Economic Factors	Air Pollution - Particulate Matter								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		70	Greene	14.10	13.14	0.96	↑Bad ↓Good	11.40	Guernsey, OH	13.73
		Reduce the average daily measure of fine particulate matter by 0.96 micrograms per cubic meter (PM2.5).							Randolph, IN	13.46
		Source		CDC WONDER Environmental data		Year(s)		2011	Lawrence, OH	13.13
		<a href="#">Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)</a>								
Health Factors	Physical Environment	Drinking Water Violations								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		No Rank	NA	No	No	NA	NA	NA	Guernsey, OH	No
		There were no health-based drinking water violations.							Randolph, IN	No
		Source		Safe Drinking Water Information System		Year(s)		FY2013-14	Lawrence, OH	No
		<a href="#">Percentage of population potentially exposed to water exceeding a violation limit during the past year</a>								
Health Factors	Physical Environment	Severe Housing Problems								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		55	Unicoi	14.34%	11.70%	2.64%	↑Bad ↓Good	19.00%	Guernsey, OH	12.71%
		For every 100 persons in the county experiencing housing problems, help 19 person(s) to find housing assistance.							Randolph, IN	12.45%
		Source		Comprehensive Housing Affordability Strategy (CHAS) data		Year(s)		2008-2012	Lawrence, OH	12.07%
		<a href="#">Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities</a>								
Health Factors	Physical Environment	Driving Alone to Work								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		92	Grundy	89.80%	80.27%	9.53%	↑Bad ↓Good	76.00%	Guernsey, OH	85.38%
		For every 100 persons that currently drive alone to work, convince 11 to carpool or take mass-transportation.							Randolph, IN	83.75%
		Source		American Community Survey		Year(s)		2010-2014	Lawrence, OH	89.07%
		<a href="#">Percentage of the workforce that drives alone to work</a>								
Health Factors	Physical Environment	Long Commute - Driving Alone								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		46	Hamilton	36.20%	25.20%	11.00%	↑Bad ↓Good	31.00%	Guernsey, OH	27.40%
		For every 100 persons that currently drive more than 30 minutes alone to work, convince 31 to carpool or take mass-transportation.							Randolph, IN	34.00%
		Source		American Community Survey		Year(s)		2010-2014	Lawrence, OH	29.20%
		<a href="#">Among workers who commute in their car alone, the percentage that commute more than 30 minutes</a>								