



**2016**

DRIVE YOUR COUNTY TO THE  
**TOP TEN**

INFORMING • CONNECTING • ACCELERATING


Lewis County

**TN**

Department of  
**Health**


Demographics

<b>Population:</b>	11,906	<b>&lt;18 YOA:</b>	22.17%	<b>65+ YOA:</b>	18.73%	<b>% Rural:</b>	70.20%
<b>Unemployment:</b>	9.00%	<b>% Females:</b>	51.10%	<b>% Males:</b>	48.90%	<b>Graduation Rate:</b>	92.50%
<b>Single parent households:</b>	27.04%	<b>MHI:</b>	\$36,255				




### Top Third

Measure	Value
Driving Alone to Work	76.98%
Low Birthweight	7.10%
Mammography Screening	66.00%
Children in Single-Parent Households	27.04%
Income Inequality	4.23
Sexually Transmitted Infections	210.15
Premature Death	8904.20
High School Graduation	92.50%



### Middle Third

Measure	Value
Adult Obesity	31.80%
Food Environment Index	7.20
Excessive Drinking	11.20%
Dentists	2977:1
Preventable Hospital Stays	69.24
Severe Housing Problems	13.44%
Poor or Fair Health	22.10%
Poor Physical Health Days	4.80
Poor Mental Health Days	4.70
Physical Inactivity	35.80%



### Bottom Third

Measure	Value
Diabetic Monitoring	78.65%
Uninsured	19.35%
Air Pollution - Particulate Matter	14.19
Unemployment	9.00%
Children in Poverty	31.80%
Alcohol-Impaired Driving Deaths	37.50%
Access to Exercise Opportunities	33.10%
Some College	39.71%
Teen Births	54.08



### Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

### Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.

Health Outcomes	Length of Life	Premature Death		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Years of potential life lost before age 75 per 100,000 population (age-adjusted)</a>		27	Knox	8904.20	7735.80	1168.40	↑Bad ↓Good	6,600.00	Starke, IN	11081.90
		For every 100 people in the county, 1 people in the county need to live one year closer to age 75.								Itawamba, MS	10659.20	
		Source		National Center for Health Statistics - Mortality files		Year(s)		2011-2013		Prentiss, MS	10711.20	
Health Outcomes	Quality of Life	Poor or Fair Health*		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Percentage of adults reporting fair or poor health (age-adjusted)</a>		40	Rutherford	22.10%	19.60%	2.50%	↑Bad ↓Good	18.00%	Starke, IN	18.90%
		Improve the health of 3 out of every 100 people in the county who, in general, report being in poor or fair health.								Itawamba, MS	17.40%	
		Source		Behavioral Risk Factor Surveillance System		Year(s)		2014		Prentiss, MS	19.60%	
Health Outcomes	Quality of Life	Poor Physical Health Days*		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Average number of physically unhealthy days reported in past 30 days (age-adjusted)</a>		40	Knox	4.80	4.30	0.50	↑Bad ↓Good	3.8	Starke, IN	4.20
		Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.								Itawamba, MS	3.80	
		Source		Behavioral Risk Factor Surveillance System		Year(s)		2014		Prentiss, MS	4.00	
Health Outcomes	Quality of Life	Poor Mental Health Days*		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Average number of mentally unhealthy days reported in past 30 days (age-adjusted)</a>		41	Williamson	4.70	3.80	0.90	↑Bad ↓Good	2.8	Starke, IN	4.20
		Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.								Itawamba, MS	3.90	
		Source		Behavioral Risk Factor Surveillance System		Year(s)		2014		Prentiss, MS	4.00	
Health Outcomes	Quality of Life	Low Birthweight		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Percentage of live births with low birthweight (&lt; 2500 grams)</a>		8	Putnam	7.10%	6.97%	0.13%	↑Bad ↓Good	8.00%	Starke, IN	6.89%
		Reduce the number of low birth weight babies by 1 for every 100 live births.								Itawamba, MS	9.19%	
		Source		National Center for Health Statistics - Natality files		Year(s)		2007-2013		Prentiss, MS	10.72%	
Health Factors	Health Behaviors	Adult Smoking*		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Percentage of adults who are current smokers</a>		57	Humphreys	23.90%	21.10%	2.80%	↑Bad ↓Good	17.00%	Starke, IN	22.50%
		Get 12 out of every 100 current adult smokers in the county to quit smoking.								Itawamba, MS	19.30%	
		Source		Behavioral Risk Factor Surveillance System		Year(s)		2014		Prentiss, MS	20.10%	
Health Factors	Health Behaviors	Adult Obesity		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Percentage of adults that report a BMI of 30 or more</a>		32	Hamilton	31.80%	29.90%	1.90%	↑Bad ↓Good	27.00%	Starke, IN	35.70%
		Get 6 out of every 100 current obese adults in the county to reduce their BMI below 30.								Itawamba, MS	32.90%	
		Source		CDC Diabetes Interactive Atlas		Year(s)		2012		Prentiss, MS	31.20%	
Health Factors	Health Behaviors	Food Environment Index		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best)</a>		35	Cannon	7.20	7.9	0.7	↑Good ↓Bad	7.20	Starke, IN	7.50
		Increase the county's food index score by 0.7.								Itawamba, MS	7.00	
		Source		USDA Food Environment Atlas, Map the Meal Gap		Year(s)		2013		Prentiss, MS	6.50	

Prepared by the Division of Administrative Services, Tennessee Department of Health, Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: <http://tn.gov/health/topic/specialreports>. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. \*The action statements are based on the assumption that no new additional cases occur. \*\*Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

Health Factors		Health Behaviors		Physical Inactivity							Peer County		Peer Value
				Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
<a href="#">Percentage of adults aged 20 and over reporting no leisure-time physical activity</a>		45	Shelby	35.80%	30.20%	5.60%	↑Bad ↓Good	23.00%	Starke, IN	34.10%			
		Get 16 out of every 100 currently physically inactive adults to exercise during leisure time.							Itawamba, MS	38.10%			
		Source		CDC Diabetes Interactive Atlas			Year(s)		2012	Prentiss, MS	37.60%		
		<a href="#">Percentage of population with adequate access to locations for physical activity</a>		71	Loudon	33.10%	78.48%	45.38%	↑Good ↓Bad	84.00%	Starke, IN	54.52%	
Consider how to remove barriers to access exercise locations to reach an additional 45.38 percent of the county's population.							Itawamba, MS	29.24%					
Source				Business Analyst, Delorme, ESRI, & US Census Tigerline Files			Year(s)		2010 & 2014	Prentiss, MS	43.95%		
<a href="#">Percentage of adults reporting binge or heavy drinking</a>				35	Benton	11.20%	10.60%	0.60%	↑Bad ↓Good	17.00%	Starke, IN	15.00%	
		Get 6 out of every 100 adults in the county that currently drink to excess (binge and heavy drinkers) to stop drinking more than one (women) or two (men) drinks per day on average.							Itawamba, MS	15.00%			
		Source		Behavioral Risk Factor Surveillance System			Year(s)		2014	Prentiss, MS	14.10%		
		<a href="#">Percentage of driving deaths with alcohol involvement</a>		73	Sullivan	37.50%	19.17%	18.33%	↑Bad ↓Good	31.00%	Starke, IN	20.69%	
Reduce the number of alcohol related driving deaths by 18.33 percent.							Itawamba, MS	6.25%					
Source				Fatality Analysis Reporting System			Year(s)		2010-2014	Prentiss, MS	40.00%		
<a href="#">Number of newly diagnosed chlamydia cases per 100,000 population</a>				23	Overton	210.15	153.22	56.93	↑Bad ↓Good	446.60	Starke, IN	168.01	
		Consider ways to educate 3 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia.							Itawamba, MS	359.90			
		Source		National Center for HIV/AIDS, Viral Hepatitis, STD, & TB Prevention			Year(s)		2013	Prentiss, MS	244.19		
		<a href="#">Teen birth rate per 1,000 female population, ages 15-19</a>		66	Putnam	54.08	34.87	19.21	↑Bad ↓Good	35.00	Starke, IN	44.11	
For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 36 teen(s) from becoming pregnant.							Itawamba, MS	45.25					
Source				National Center for Health Statistics - Natality files			Year(s)		2007-2013	Prentiss, MS	64.90		
<a href="#">Percentage of population under age 65 without health insurance</a>				88	Cheatham	19.35%	14.54%	4.81%	↑Bad ↓Good	17.00%	Starke, IN	17.08%	
		Get 25 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance.							Itawamba, MS	20.13%			
		Source		Small Area Health Insurance Estimates			Year(s)		2013	Prentiss, MS	21.46%		
		<a href="#">Ratio of population to primary care physicians</a>		48	Coffee	2392:1	1368:1	1024	↑Bad ↓Good	1320:1	Starke, IN	2900:1	
To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 39 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area.							Itawamba, MS	3906:1					
Source				Area Health Resource File/American Medical Association			Year(s)		2013	Prentiss, MS	1953:1		
<a href="#">Ratio of population to dentists</a>				38	Dickson	2977:1	1744:1	1233	↑Bad ↓Good	1540:1	Starke, IN	11537:1	
		To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 29 dental care providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area.							Itawamba, MS	5882:1			
		Source		Area Health Resource File/National Provider Identification file			Year(s)		2014	Prentiss, MS	2543:1		



Health Factors	Clinical Care	Mental Health Providers	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<a href="#">Ratio of population to mental health providers</a>	49	Henry	2381:1	644:1	1737	↑Bad ↓Good	490:1	Starke, IN	7691:1
<b>To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 139 mental health providers would need to be recruited to the county. More importantly, if the county's value is greater than 30,000, this county would be considered a Health Professional Shortage Area.</b>								Itawamba, MS	5882:1		
	Source	CMS, National Provider Identification file			Year(s)	2015		Prentiss, MS	1695:1		
Preventable Hospital Stays	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	38	Anderson	69.24	50.27	18.97	↑Bad ↓Good	54.00	Starke, IN	91.32		
<a href="#">Number of hospital stays for ambulatory-care sensitive conditions per 1,000 Medicare enrollees</a>	<b>For every 100 Medicare enrollees, prevent 1 Medicare enrollees from being hospitalized for ambulatory-care sensitive conditions.</b>								Itawamba, MS	57.65	
	Source	Dartmouth Atlas of Health Care			Year(s)	2013		Prentiss, MS	82.34		
Diabetic Monitoring	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	94	Giles	78.65%	89.20%	10.56%	↑Good ↓Bad	63.00%	Starke, IN	84.79%		
<a href="#">Percentage of diabetic Medicare enrollees ages 65-75 that receive HbA1c monitoring</a>	<b>For every 100 diabetic Medicare enrollees, get 11 additional Medicare enrollees to receive HbA1c screening.</b>								Itawamba, MS	89.27%	
	Source	Dartmouth Atlas of Health Care			Year(s)	2013		Prentiss, MS	87.22%		
Mammography Screening	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	8	Cumberland	66.00%	71.00%	5.00%	↑Good ↓Bad	63.00%	Starke, IN	42.00%		
<a href="#">Percentage of female Medicare enrollees ages 67-69 that receive mammography screening</a>	<b>For every 100 female Medicare enrollees, get 5 additional Medicare enrollees to receive their mammography screening.</b>								Itawamba, MS	58.00%	
	Source	Dartmouth Atlas of Health Care			Year(s)	2013		Prentiss, MS	48.00%		
High School Graduation	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	30	Tipton	92.50%	98.00%	5.50%	↑Good ↓Bad	82.00%	Starke, IN	87.11%		
<a href="#">Percentage of ninth-grade cohort that graduates in four years</a>	<b>For every 100 ninth graders, assist 6 additional ninth graders to graduate within four years.</b>								Itawamba, MS	82.00%	
	Source	EDFacts			Year(s)	2012-2013		Prentiss, MS	83.83%		
Some College	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	68	Shelby	39.71%	62.28%	22.58%	↑Good ↓Bad	64.00%	Starke, IN	50.40%		
<a href="#">Percentage of adults ages 25-44 years with some post-secondary education</a>	<b>For every 100 adults between 25-44 years of age, assist 23 additional adults to complete some coursework at the collegiate level.</b>								Itawamba, MS	52.09%	
	Source	American Community Survey			Year(s)	2010-2014		Prentiss, MS	48.01%		
Unemployment	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	75	Robertson	9.00%	5.69%	3.31%	↑Bad ↓Good	6.20%	Starke, IN	7.43%		
<a href="#">Percentage of population ages 16 and older unemployed but seeking work</a>	<b>For every 100 persons ages 16 years and older, help 4 persons successfully find employment.</b>								Itawamba, MS	7.43%	
	Source	Bureau of Labor Statistics			Year(s)	2014		Prentiss, MS	7.86%		
Children in Poverty	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	75	Dickson	31.80%	21.10%	10.70%	↑Bad ↓Good	22.00%	Starke, IN	23.60%		
<a href="#">Percentage of children under age 18 in poverty</a>	<b>For every 100 children (under 18 years) in poverty, help 34 children to find assistance to get out of poverty.</b>								Itawamba, MS	23.80%	
	Source	Small Area Income and Poverty Estimates			Year(s)	2014		Prentiss, MS	29.90%		
Income Inequality	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	16	Houston	4.23	4.11	0.12	↑Bad ↓Good	4.70	Starke, IN	3.81		
<a href="#">Ratio of household income at the 80th percentile to income at the 20th percentile</a>	<b>To reach a household income ratio at or below that of the 10th ranking county reduce the gap between the 80th percentile and 20th percentile by 1 household(s).</b>								Itawamba, MS	4.56	
	Source	American Community Survey			Year(s)	2010-2014		Prentiss, MS	4.43		

Health Factors	Social & Economic Factors	Children in Single-Parent Households								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		15	Lawrence	27.04%	23.36%	3.67%	↑Bad ↓Good	34.00%	Starke, IN	30.76%
		For every 100 single parent households in the county, investigate ways to encourage 14 households to be a multi-parent household.							Itawamba, MS	25.91%
		Source		American Community Survey		Year(s)		2010-2014	Prentiss, MS	35.96%
		Percentage of children that live in a household headed by single parent								
Health Factors	Social & Economic Factors	Social Associations								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		50	Johnson	10.87	16.13	5.26	↑Good ↓Bad	9.00	Starke, IN	11.64
		For every 100 people in the county, increase the number of membership associations by 1.							Itawamba, MS	10.24
		Source		County Business Patterns		Year(s)		2013	Prentiss, MS	10.63
		Number of membership associations per 10,000 population								
Health Factors	Social & Economic Factors	Violent Crime								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		59	Carter	389.92	206.33	183.59	↑Bad ↓Good	392.00	Starke, IN	178.27
		For every 100 persons in the county, prevent 48 people from committing a violent crime.							Itawamba, MS	121.61
		Source		Uniform Crime Reporting - FBI		Year(s)		2010-2012	Prentiss, MS	NA
		Number of reported violent crime offenses per 100,000 population								
Health Factors	Social & Economic Factors	Injury Deaths								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		52	Washington	94.62	70.04	24.59	↑Bad ↓Good	60.00	Starke, IN	105.75
		For every 1,000 population consider ways to prevent 260 deaths as a result of intentional and unintentional injury.							Itawamba, MS	111.27
		Source		CDC WONDER mortality data		Year(s)		2009-2013	Prentiss, MS	85.87
		Number of deaths due to injury per 100,000 population								
Health Factors	Social & Economic Factors	Air Pollution - Particulate Matter								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		76	Greene	14.19	13.14	1.05	↑Bad ↓Good	11.40	Starke, IN	13.21
		Reduce the average daily measure of fine particulate matter by 1.05 micrograms per cubic meter (PM2.5).							Itawamba, MS	12.16
		Source		CDC WONDER Environmental data		Year(s)		2011	Prentiss, MS	12.52
		Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)								
Health Factors	Physical Environment	Drinking Water Violations								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		No Rank	NA	No	No	NA	NA	NA	Starke, IN	No
		There were no health-based drinking water violations.							Itawamba, MS	No
		Source		Safe Drinking Water Information System		Year(s)		FY2013-14	Prentiss, MS	No
		Percentage of population potentially exposed to water exceeding a violation limit during the past year								
Health Factors	Physical Environment	Severe Housing Problems								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		38	Unicoi	13.44%	11.70%	1.74%	↑Bad ↓Good	19.00%	Starke, IN	15.04%
		For every 100 persons in the county experiencing housing problems, help 13 person(s) to find housing assistance.							Itawamba, MS	9.44%
		Source		Comprehensive Housing Affordability Strategy (CHAS) data		Year(s)		2008-2012	Prentiss, MS	12.92%
		Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities								
Health Factors	Physical Environment	Driving Alone to Work								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		4	Perry	76.98%	75.39%	1.59%	↑Bad ↓Good	76.00%	Starke, IN	81.49%
		For every 100 persons that currently drive alone to work, convince 3 to carpool or take mass-transportation.							Itawamba, MS	88.28%
		Source		American Community Survey		Year(s)		2010-2014	Prentiss, MS	83.56%
		Percentage of the workforce that drives alone to work								
Health Factors	Physical Environment	Long Commute - Driving Alone								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		49	Hamilton	37.10%	25.20%	11.90%	↑Bad ↓Good	31.00%	Starke, IN	41.10%
		For every 100 persons that currently drive more than 30 minutes alone to work, convince 33 to carpool or take mass-transportation.							Itawamba, MS	36.50%
		Source		American Community Survey		Year(s)		2010-2014	Prentiss, MS	34.30%
		Among workers who commute in their car alone, the percentage that commute more than 30 minutes								