





RHEA COUNTY Summary




Population: Unemployment: Single parent households:

32,641 8.49% 36.43%


<18 YOA: % Females: MHI:

23.08% **65+ YOA:** 50.80% **% Males:** \$37,952


17.59% 49.20% % Rural: 68.00% Graduation Rate: 81.00%



Top Third								
Measure	Value							
Alcohol-Impaired Driving Deaths	11.54%							
Driving Alone to Work	79.95%							
Mammography Screening	65.00%							
Long Commute - Driving Alone	28.90%							



Middle Third	
Measure	Value
Social Associations	12.00
Uninsured	16.33%
Preventable Hosptial Stays	69.78
Poor Mental Health Days	4.70
Violent Crime	339.74
Air Pollution - Particulate Matter	13.64
Excessive Drinking	11.50%
Adult Smoking	23.40%
Sexually Transmitted Infections	300.80
Severe Housing Problems	14.17%



Bottom Third							
Measure	Value						
Physical Inactivity	40.20%						
High School Graduation	81.00%						
Teen Births	61.37						
Children in Single-Parent Households	36.43%						
Adult Obesity	35.00%						
Some College	38.16%						
Dentists	4663:1						
Children in Poverty	31.00%						
Unemployment	8.49%						



Tobacco Use







Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.





	Life	Premature Death	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	of		56	Knox	10163.50	7735.80	2427.70	↑Bad ↓Good	6,600.00	Starke, IN	11081.90
	Length	Years of potential life lost before age 75 per 100,000 population (age-adjusted)	For ever	ry 100 people in	the county	, 1 people in the	county need to	o live one year clos	ser to age 75.	Itawamba, MS	10659.20
	Ĭ	populario (age as)socio)	Source	National C	enter for H	ealth Statistics - N	Iortality files	Year(s)	2011-2013	Prentiss, MS	10711.20
		Poor or Fair	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Health*	54	Rutherford	22.60%	19.60%	3.00%	↑Bad ↓Good	18.00%	Starke, IN	18.90%
တ		Percentage of adults reporting fair or poor health (age-adjusted)	Improve th	he health of 3 ou	it of every	100 people in the	•	n general, report b	peing in poor or	Itawamba, MS	17.40%
l e			Source	Behav	ioral Risk F	actor Surveillance	System	Year(s)	2014	Prentiss, MS	19.60%
con		Poor Physical Health Days*	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
1 =		Ticallii Days	54	Knox	4.90	4.30	0.60	↑Bad ↓Good	3.8	Starke, IN	4.20
Health Outcomes	of Life	Average number of physically unhealthy days reported in past 30 days (age-adjusted)	Engage	people in the co	•	ays to reduce nu esidents by 1 day		hysical health day	s reported by	Itawamba, MS	3.80
ल			Source	Behav	ioral Risk F	actor Surveillance	System	Year(s)	2014	Prentiss, MS	4.00
He	Quality	Poor Mental Health Days*	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	Ιõ	Days	41	Williamson	4.70	3.80	0.90	↑Bad ↓Good	2.8	Starke, IN	4.20
		Average number of mentally unhealthy days reported in past 30 days (age-adjusted)	Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.							Itawamba, MS	3.90
			Source	Behav	ioral Risk F	actor Surveillance	System	Year(s)	2014	Prentiss, MS	4.00
		Low Birthweight	Rank	10th Ranked	Value	10th Ranked	Difference	Shift in Value	US Average	Peer County	Peer Value
		Low Birthweight				Value				Teer county	
		Low Birthweight	52	Pickett	8.86%	7.24%	1.62%	↑Bad ↓Good	8.00%	Starke, IN	6.89%
		Percentage of live births with low birthweight (<		Pickett	8.86%	7.24%	1.62%		8.00%	•	
		Percentage of live births		Pickett Reduce the n	8.86% umber of le	7.24%	1.62% babies by 2 for	↑Bad ↓Good	8.00%	Starke, IN	6.89%
		Percentage of live births with low birthweight (<	52	Pickett Reduce the n	8.86% umber of le	7.24% ow birth weight	1.62% babies by 2 for	↑Bad ↓Good every 100 live birt	8.00% hs.	Starke, IN Itawamba, MS	6.89% 9.19%
		Percentage of live births with low birthweight (< 2500 grams)	52 Source	Pickett Reduce the n National 0	8.86% umber of le	7.24% ow birth weight Health Statistics - N 10th Ranked	1.62% babies by 2 for Natality files	↑Bad ↓Good every 100 live birt Year(s)	8.00% hs.	Starke, IN Itawamba, MS Prentiss, MS	6.89% 9.19% 10.72%
		Percentage of live births with low birthweight (< 2500 grams)	52 Source Rank	Pickett Reduce the n National (10th Ranked Humphreys	8.86% umber of le Center for F Value 23.40%	7.24% ow birth weight Health Statistics - 1 10th Ranked Value 21.10%	1.62% babies by 2 for Natality files Difference 2.30%	↑Bad ↓Good every 100 live birt Year(s) Shift in Value	8.00% hs. 2007-2013 US Average 17.00%	Starke, IN Itawamba, MS Prentiss, MS Peer County	6.89% 9.19% 10.72% Peer Value
g		Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who	52 Source Rank	Pickett Reduce the n National C 10th Ranked Humphreys Get 10 out of c	8.86% umber of le Center for F Value 23.40% every 100 c	7.24% ow birth weight Health Statistics - 1 10th Ranked Value 21.10%	1.62% babies by 2 for Natality files Difference 2.30% okers in the cou	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good	8.00% hs. 2007-2013 US Average 17.00%	Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN	6.89% 9.19% 10.72% Peer Value 22.50%
ctors	viors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who	52 Source Rank 50	Pickett Reduce the n National C 10th Ranked Humphreys Get 10 out of c	8.86% umber of le Center for F Value 23.40% every 100 c	7.24% ow birth weight Health Statistics - 1 10th Ranked Value 21.10% urrent adult smo	1.62% babies by 2 for Natality files Difference 2.30% okers in the cou	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good unty to quit smoking	8.00% hs. 2007-2013 US Average 17.00%	Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS	6.89% 9.19% 10.72% Peer Value 22.50% 19.30%
actors	haviors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers	Source Rank 50	Pickett Reduce the n National C 10th Ranked Humphreys Get 10 out of c	8.86% umber of le Center for H Value 23.40% every 100 c	7.24% ow birth weight Health Statistics - 1 10th Ranked Value 21.10% urrent adult smo	1.62% babies by 2 for Natality files Difference 2.30% bkers in the cou	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good unty to quit smoking Year(s)	8.00% hs. 2007-2013 US Average 17.00% ng.	Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Prentiss, MS	6.89% 9.19% 10.72% Peer Value 22.50% 19.30% 20.10%
11th Factors	ulth Behaviors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers	Source Rank 50 Source Rank 76	Pickett Reduce the n National C 10th Ranked Humphreys Get 10 out of G Behav 10th Ranked Hamilton 15 out of every 3	8.86% umber of le Center for F Value 23.40% every 100 c ioral Risk F Value 35.00%	7.24% ow birth weight Health Statistics - N 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90%	1.62% babies by 2 for Natality files Difference 2.30% okers in the council System Difference 5.10% the county to respect to the county to the county to the county to the county to respect to the county to the count	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good inty to quit smokin Year(s) Shift in Value	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% below 30.	Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Prentiss, MS Prentiss, MS	6.89% 9.19% 10.72% Peer Value 22.50% 19.30% 20.10% Peer Value 35.70% 32.90%
		Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or	Source Rank 50 Source Rank 76	Pickett Reduce the n National C 10th Ranked Humphreys Get 10 out of G Behav 10th Ranked Hamilton 15 out of every 3	8.86% umber of le Center for F Value 23.40% every 100 c ioral Risk F Value 35.00%	7.24% ow birth weight Health Statistics - 1 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90%	1.62% babies by 2 for Natality files Difference 2.30% okers in the council System Difference 5.10% the county to respect to the county to the county to the county to the county to respect to the county to the count	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good inty to quit smokin Year(s) Shift in Value ↑Bad ↓Good	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00%	Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Prentiss, MS Prentiss, MS Peer County	6.89% 9.19% 10.72% Peer Value 22.50% 19.30% 20.10% Peer Value 35.70%
Health Factors	Health Behaviors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more Food Environment	Source Rank 50 Source Rank 76 Get Source Rank	Pickett Reduce the n National C 10th Ranked Humphreys Get 10 out of G Behav 10th Ranked Hamilton 15 out of every 3	8.86% umber of le Center for F Value 23.40% every 100 c ioral Risk F Value 35.00%	7.24% ow birth weight Health Statistics - N 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90%	1.62% babies by 2 for Natality files Difference 2.30% okers in the council System Difference 5.10% the county to reas Difference	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good inty to quit smokin Year(s) Shift in Value ↑Bad ↓Good educe their BMI lead	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% below 30.	Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS	6.89% 9.19% 10.72% Peer Value 22.50% 19.30% 20.10% Peer Value 35.70% 32.90%
		Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more	Source Rank 50 Source Rank 76 Get Source	Pickett Reduce the n National C 10th Ranked Humphreys Get 10 out of c Behav 10th Ranked Hamilton	8.86% umber of le Center for F Value 23.40% every 100 c ioral Risk F Value 35.00% 100 current	7.24% ow birth weight Health Statistics - N 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90% to obese adults in tes Interactive Atl 5th Ranked	1.62% babies by 2 for Natality files Difference 2.30% okers in the county System Difference 5.10% the county to r	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good anty to quit smokin Year(s) Shift in Value ↑Bad ↓Good educe their BMI livear(s)	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% below 30.	Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Prentiss, MS	6.89% 9.19% 10.72% Peer Value 22.50% 19.30% 20.10% Peer Value 35.70% 32.90% 31.20%
		Percentage of live births with low birthweight (≤ 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more Food Environment Index Index of factors that contribute to a healthy food environment, 0	Source Rank 50 Source Rank 76 Get Source Rank	Pickett Reduce the n National C 10th Ranked Humphreys Get 10 out of c Behav 10th Ranked Hamilton 15 out of every 3	8.86% umber of le Center for F Value 23.40% every 100 c ioral Risk F Value 35.00% 100 current CDC Diabe Value 6.70	7.24% ow birth weight Health Statistics - N 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90% t obese adults in tes Interactive Atl 5th Ranked Value	1.62% babies by 2 for Natality files Difference 2.30% okers in the council System Difference 5.10% the county to r as Difference 1.2	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good unty to quit smokin Year(s) Shift in Value ↑Bad ↓Good reduce their BMI I Year(s) Shift in Value ↑Good ↓Bad	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% below 30. 2012 US Average	Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Peer County Starke, IN Itawamba, MS Prentiss, MS Prentiss, MS	6.89% 9.19% 10.72% Peer Value 22.50% 19.30% Peer Value 35.70% 32.90% 31.20% Peer Value
		Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more Food Environment Index Index of factors that contribute to a healthy.	Source Rank 50 Source Rank 76 Get Source Rank	Pickett Reduce the n National C 10th Ranked Humphreys Get 10 out of G Behav 10th Ranked Hamilton 15 out of every 3 5th Ranked Cannon	8.86% umber of le Center for F Value 23.40% every 100 c ioral Risk F Value 35.00% 100 current CDC Diabe Value 6.70 Increase	7.24% ow birth weight Health Statistics - N 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90% to obese adults in stes Interactive Atl 5th Ranked Value 7.9	1.62% babies by 2 for Natality files Difference 2.30% okers in the council System Difference 5.10% the county to r as Difference 1.2 d index score be	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good unty to quit smokin Year(s) Shift in Value ↑Bad ↓Good reduce their BMI I Year(s) Shift in Value ↑Good ↓Bad	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% below 30. 2012 US Average	Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Prentiss, MS Peer County Starke, IN Itawamba, MS Peer County Starke, IN Itawamba, MS Prentiss, MS Prentiss, MS Prentiss, MS	6.89% 9.19% 10.72% Peer Value 22.50% 19.30% 20.10% Peer Value 35.70% 32.90% 31.20% Peer Value 7.50

Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: http://tn.gov/health/topic/specialreports. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. *The action statements are based on the assumption that no new additional cases occur. **Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

		Physical Inactivity	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			91	Shelby	40.20%	30.20%	10.00%	↑Bad ↓Good	23.00%	Starke, IN	34.10%
		Percentage of adults aged 20 and over reporting no leisure-time physical	Get	Itawamba, MS	38.10%						
		<u>activity</u>	Source	(CDC Diabo	etes Interactive Atl	las	Year(s)	2012	Prentiss, MS	37.60%
		Access to Exercise Opportunities	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		· PP ·································	54	Loudon	44.43%	78.48%	34.05%	↑Good ↓Bad	84.00%	Starke, IN	54.52%
		Percentage of population with adequate access to locations for physical	Consider			the county's p	opulation.	ch an additional 3	4.05 percent of	Itawamba, MS	29.24%
		<u>activity</u>	Source	Business Analy	st, Delorme	, ESRI, & US Cens	sus Tigerline Files	Year(s)	2010 & 2014	Prentiss, MS	43.95%
		Excessive Drinking	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	rs.		49	Benton	11.50%	10.60%	0.90%	↑Bad ↓Good	17.00%	Starke, IN	15.00%
	Health Behaviors	Percentage of adults reporting binge or heavy drinking	Get 8 out o	stop drinking n	nore than	one (women) or	two (men) drin	ess (binge and he ks per day on aver	• /	Itawamba, MS	15.00%
	Ве		Source	Behav	ioral Risk I	actor Surveillance	System	Year(s)	2014	Prentiss, MS	14.10%
	alth	Alcohol-Impaired Driving Deaths	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	He		4	Johnson	11.54%	5.56%	5.98%	↑Bad ↓Good	31.00%	Starke, IN	20.69%
		Percentage of driving deaths with alcohol involvement		Reduce th	e number	of alcohol related	d driving death	s by 5.98 percent.		Itawamba, MS	6.25%
S		mvoivement	Source	Fa	itality Anal	ysis Reporting Sys	tem	Year(s)	2010-2014	Prentiss, MS	40.00%
cto		Sexually Transmitted	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Fa		Infections	51	Overton	300.80	153.22	147.58	↑Bad ↓Good	446.60	Starke, IN	168.01
Health Factors		Number of newly diagnosed chlamydia cases per 100,000 population		to commit to	using safe		prevent the infe	be involved in any	lia.	Itawamba, MS	359.90
$\overline{1}e$			300	irce ivanonai Center for	HIV/AIDS, VI	10th Ranked	Prevention	Year(s)	2013	Prentiss, MS	244.19
I		Teen Births	Rank 86	10th Ranked Putnam	Value 61.37	Value 34.87	Difference	Shift in Value ↑Bad ↓Good	US Average	Peer County Starke, IN	Peer Value
		m 1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	For every					nsider ways to pro			
		Teen birth rate per 1,000 female population, ages 15- 19				from becoming	g pregnant.			Itawamba, MS	45.25
			Source	National (Center for I	Health Statistics - 1	Natality files	Year(s)	2007-2013	Prentiss, MS	64.90
		Uninsured	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			40	Cheatham	16.33%	14.54%	1.79%	↑Bad ↓Good	17.00%	Starke, IN	17.08%
		Percentage of population under age 65 without health insurance	Get	t 11 out of every 1	00 curren	tly uninsured ad	ults ages 18-64 t	o obtain health in	surance.	Itawamba, MS	20.13%
			Source	Sma	ll Area Hea	alth Insurance Esti	mates	Year(s)	2013	Prentiss, MS	21.46%
	are	Primary Care Physicians	Rank 52	10th Ranked	Value 2501:1	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	1 C			Coffee		1368:1		↑Bad ↓Good		Starke, IN	2900:1
	Clinical Care	Ratio of population to primary care physicians	care prov	viders would nee tter than 3,500, tl	d to be re	would be consid	unty. More imp	10th ranking cour portantly, if the cor Professional Short	unty's value is tage Area.	Itawamba, MS	3906:1
			Source	Area Health F	lesource Fi	le/American Med	ical Association	Year(s)	2013	Prentiss, MS	1953:1
		Dentists	Rank 71	10th Ranked Dickson	Value 4663:1	10th Ranked Value 1744:1	Difference	Shift in Value ↑Bad ↓Good	US Average	Peer County	Peer Value
								TBad ↓Good Oth ranking count		Starke, IN	1133/:1
		Ratio of population to dentists	providers	would need to b	e recruite	l to the county. I	More important	ly, if the county's essional Shortage	value is greater	Itawamba, MS	5882:1
			Source			/National Provider l		Year(s)	2014	Prentiss, MS	2543:1

		Mental Health	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Providers	63	Henry	3627:1	644:1	2983	↑Bad ↓Good	490:1	Starke, IN	7691:1
		Ratio of population to mental health providers	To reach	a population-to oviders would ne ter than 30,000, t	Itawamba, MS	5882:1					
		•	Source			Provider Identificat		Year(s)	2015	Prentiss, MS	1695:1
		Preventable	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Hospital Stays	40	Anderson	69.78	50.27	19.51	↑Bad ↓Good	54.00	Starke, IN	91.32
	Care	Number of hospital stays for ambulatory-care sensitive conditions per	For e	very 100 Medica		es, prevent 1 Med oulatory-care sens		s from being hospi is.	talized for	Itawamba, MS	57.65
	al (1,000 Medicare enrollees	Source	I	Dartmouth	Atlas of Health Ca	ıre	Year(s)	2013	Prentiss, MS	82.34
	Clinical Care	Diabetic Monitoring	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	C	Monitoring	57	Giles	86.06%	89.20%	3.14%	↑Good ↓Bad	63.00%	Starke, IN	84.79%
		Percentage of diabetic Medicare enrollees ages 65- 75 that receive HbA1c	For eve	ry 100 diabetic M	Λedicare ε	enrollees, get 4 ad screenii		care enrollees to re	ceive HbA1c	Itawamba, MS	89.27%
		monitoring	Source	I	Dartmouth	Atlas of Health Ca	ire	Year(s)	2013	Prentiss, MS	87.22%
		Mammography Screening	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			11	Cumberland	65.00%	71.00%	6.00%	↑Good ↓Bad	63.00%	Starke, IN	42.00%
		Percentage of female Medicare enrollees ages 67- 69 that receive	For ev	very 100 female I	Medicare	enrollees, get 6 ac mammography		care enrollees to re	eceive their	Itawamba, MS	58.00%
ĽS		mammography screening	Source	I	Dartmouth	Atlas of Health Ca	ire	Year(s)	2013	Prentiss, MS	48.00%
cto		High School Graduation	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Fа			87	Tipton	81.00%	98.00%	17.00%	↑Good ↓Bad	82.00%	Starke, IN	87.11%
Health Factors		Percentage of ninth-grade cohort that graduates in four years	For every 100 ninth graders, assist 17 additional ninth graders to graduate within four years.								82.00%
Ie			Source			EDFacts		Year(s)	2012-2013	Prentiss, MS	83.83%
H		Some College	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			74	Shelby	38.16%	62.28%	24.12%	↑Good ↓Bad	64.00%	Starke, IN	50.40%
	tors	Percentage of adults ages 25-44 years with some post-secondary education	For ev	ery 100 adults b		-44 years of age, a ursework at the c		onal adults to com	plete some	Itawamba, MS	52.09%
	⁷ ac	- , ———	Source		American	Community Surve	у	Year(s)	2010-2014	Prentiss, MS	48.01%
	onomic Factors	Unemployment	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	10r		64	Robertson	8.49%	5.69%	2.80%	↑Bad ↓Good	6.20%	Starke, IN	7.43%
	$\mathbf{E}\mathbf{c}$	Percentage of population ages 16 and older unemployed but seeking	For every 100 persons ages 16 years and older, help 3 persons successfully find employment.							Itawamba, MS	7.43%
	18	<u>work</u>	Source		Bureau	of Labor Statistics		Year(s)	2014	Prentiss, MS	7.86%
	Social	Children in Poverty	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	S		69	Dickson	31.00%	21.10%	9.90%	↑Bad ↓Good	22.00%	Starke, IN	23.60%
		Percentage of children under age 18 in poverty	For every 100 children (under 18 years) in poverty, help 32 children to find assistance to get out of poverty.							Itawamba, MS	23.80%
			For ever	`						,	
			Source	`		me and Poverty Es		Year(s)	2014	Prentiss, MS	29.90%
			Source Rank	Small 10th Ranked	Area Incor	me and Poverty Es 10th Ranked Value	timates Difference	Shift in Value	US Average	Prentiss, MS Peer County	Peer Value
		under age 18 in poverty Income Inequality	Source	Small	Area Incor	me and Poverty Es 10th Ranked	timates	. ,		Prentiss, MS	
		under age 18 in poverty	Source Rank 57	Small 10th Ranked Houston ch a household	Area Incor Value 4.71 income ra	me and Poverty Es 10th Ranked Value 4.11	Difference 0.60 at of the 10th r	Shift in Value ↑Bad ↓Good anking county red	US Average 4.70	Prentiss, MS Peer County	Peer Value

		Children in Single-	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Parent Households	81	Lawrence	36.43%	23.36%	13.07%	↑Bad ↓Good	34.00%	Starke, IN	30.76%
		Percentage of children that live in a household headed by single parent	For every 1	100 single paren	Itawamba, MS	25.91%					
		by single parent	Source		American	Community Surve	у	Year(s)	2010-2014	Prentiss, MS	35.96%
		Social Associations	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			32	Johnson	12.00	16.13	4.14	↑Good ↓Bad	9.00	Starke, IN	11.64
	tors	Number of membership associations per 10,000 population	For e	For every 100 people in the county, increase the number of membership associations by 1.							
	ac	роршанон	Source		County	Business Patterns		Year(s)	2013	Prentiss, MS	10.63
	nic F	Violent Crime	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	lon		47	Carter	339.74	206.33	133.41	↑Bad ↓Good	392.00	Starke, IN	178.27
	z Economic Factors	Number of reported violent crime offenses per 100,000 population	For	every 100 person	ns in the c	county, prevent 40) people from o	committing a viole		Itawamba, MS	121.61
	18		Source	Ţ	Uniform C	rime Reporting - F	BI	Year(s)	2010-2012	Prentiss, MS	NA
	Social	Injury Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	S		58	Washington	96.03	70.04	25.99	↑Bad ↓Good	60.00	Starke, IN	105.75
		Number of deaths due to injury per 100,000 population	For ev	very 1,000 popul	ation cons	sider ways to prev unintentiona		as a result of inter	ntional and	Itawamba, MS	111.27
(0)			Source	(CDC WO	NDER mortality da	ıta	Year(s)	2009-2013	Prentiss, MS	85.87
tors		Air Pollution - Particulate Matter	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
ac			47	Greene	13.64	13.14	0.50	↑Bad ↓Good	11.40	Starke, IN	13.21
Health Factors		Average daily density of fine particulate matter in micrograms per cubic	Reduce the average daily measure of fine particulate matter by 0.5 micrograms per cubic meter (PM2.5).								12.16
व		meter (PM2.5)	Source	CD	C WOND	ER Environmenta	l data	Year(s)	2011	Prentiss, MS	12.52
He		Drinking Water Violations	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Violations	No Rank	NA	Yes	No	NA	NA	NA	Starke, IN	No
		Percentage of population potentially exposed to water exceeding a violation	At least or	ne community w	ater syste	m in the county r	eceive a violati	ion during the spe	cific timeframe	Itawamba, MS	No
		limit during the past year	Source	Safe	Drinking V	Vater Information	System	Year(s)	FY2013-14	Prentiss, MS	No
		Severe Housing	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	ıt	Problems	51	Unicoi	14.17%	11.70%	2.47%	†Bad ↓Good	19.00%	Starke, IN	15.04%
	Physical Environment	Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing	For every 1	00 persons in th	e county	experiencing hou assistan		, help 18 person(s)	to find housing	Itawamba, MS	9.44%
	Er	<u>facilities</u>	Source	Comprehensiv	e Housing	Affordability Strate	egy (CHAS) data	Year(s)	2008-2012	Prentiss, MS	12.92%
	ical	Driving Alone to	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	ıys	Work	8	Johnson	79.95%	79.19%	0.76%	↑Bad ↓Good	76.00%	Starke, IN	81.49%
	Pl	Percentage of the workforce that drives	For ev	very 100 persons	that curre	ently drive alone transporta		nce 1 to carpool or	take mass-	Itawamba, MS	88.28%
		alone to work	Source		American	Community Surve		Year(s)	2010-2014	Prentiss, MS	83.56%
		Long Commute - Driving Alone	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Ü	24	Hamilton	28.90%	25.20%	3.70%	↑Bad ↓Good	31.00%	Starke, IN	41.10%
		Among workers who commute in their car alone, the percentage that	For every 1	00 persons that	currently	drive more than a or take mass-tra		ne to work, convin	ice 13 to carpool	Itawamba, MS	36.50%
		commute more than 30 minutes	Source		American	Community Surve	у	Year(s)	2010-2014	Prentiss, MS	34.30%