



2016

DRIVE YOUR COUNTY TO THE
TOP TEN

INFORMING • CONNECTING • ACCELERATING


Wilson County

TN

Department of
Health


Demographics

Population:	125,376	<18 YOA:	24.24%	65+ YOA:	14.51%	% Rural:	38.50%
Unemployment:	5.30%	% Females:	50.90%	% Males:	49.10%	Graduation Rate:	95.00%
Single parent households:	27.08%	MHI:	\$60,955				




Top Third

Measure	Value
Poor or Fair Health	17.30%
Poor Physical Health Days	4.00
Poor Mental Health Days	4.10
Uninsured	13.05%
Children in Poverty	14.00%
Premature Death	6514.50
Adult Smoking	20.10%
Food Environment Index	8.00
Teen Births	31.36
Unemployment	5.30%



Middle Third

Measure	Value
Dentists	2726:1
Sexually Transmitted Infections	250.50
Mental Health Providers	1871:1
Preventable Hospital Stays	70.02
Social Associations	10.58
Adult Obesity	33.20%
Primary Care Physicians	2541:1
Violent Crime	388.64



Bottom Third

Measure	Value
Excessive Drinking	13.20%
Air Pollution - Particulate Matter	14.25
Long Commute - Driving Alone	46.40%
Diabetic Monitoring	85.08%
Alcohol-Impaired Driving Deaths	35.56%
Driving Alone to Work	86.11%



Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.

Health Outcomes	Length of Life	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<p>Premature Death</p> <p>3 Williamson 6514.50 3683.80 2830.70 ↑Bad ↓Good 6,600.00 Le Sueur, MN 4973.30</p> <p><i>Years of potential life lost before age 75 per 100,000 population (age-adjusted)</i></p> <p>For every 100 people in the county, 1 people in the county need to live one year closer to age 75.</p> <p>Clinton, MI 4896.80</p> <p>Source National Center for Health Statistics - Mortality files Year(s) 2011-2013 Benton, IA 4780.80</p>								
Health Outcomes	Quality of Life	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<p>Poor or Fair Health*</p> <p>2 Williamson 17.30% 13.70% 3.60% ↑Bad ↓Good 18.00% Le Sueur, MN 10.80%</p> <p><i>Percentage of adults reporting fair or poor health (age-adjusted)</i></p> <p>Improve the health of 4 out of every 100 people in the county who, in general, report being in poor or fair health.</p> <p>Clinton, MI 11.10%</p> <p>Source Behavioral Risk Factor Surveillance System Year(s) 2014 Benton, IA 10.60%</p>								
Health Outcomes	Quality of Life	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<p>Poor Physical Health Days*</p> <p>2 Williamson 4.00 3.40 0.60 ↑Bad ↓Good 3.8 Le Sueur, MN 2.70</p> <p><i>Average number of physically unhealthy days reported in past 30 days (age-adjusted)</i></p> <p>Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.</p> <p>Clinton, MI 3.20</p> <p>Source Behavioral Risk Factor Surveillance System Year(s) 2014 Benton, IA 2.70</p>								
Health Outcomes	Quality of Life	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<p>Poor Mental Health Days*</p> <p>2 Williamson 4.10 3.80 0.30 ↑Bad ↓Good 2.8 Le Sueur, MN 2.70</p> <p><i>Average number of mentally unhealthy days reported in past 30 days (age-adjusted)</i></p> <p>Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.</p> <p>Clinton, MI 3.30</p> <p>Source Behavioral Risk Factor Surveillance System Year(s) 2014 Benton, IA 2.80</p>								
Health Outcomes	Quality of Life	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<p>Low Birthweight</p> <p>21 Pickett 7.92% 7.24% 0.68% ↑Bad ↓Good 8.00% Le Sueur, MN 5.35%</p> <p><i>Percentage of live births with low birthweight (< 2500 grams)</i></p> <p>Reduce the number of low birth weight babies by 1 for every 100 live births.</p> <p>Clinton, MI 6.75%</p> <p>Source National Center for Health Statistics - Natality files Year(s) 2007-2013 Benton, IA 6.90%</p>								
Health Factors	Health Behaviors	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<p>Adult Smoking*</p> <p>4 Williamson 20.10% 16.20% 3.90% ↑Bad ↓Good 17.00% Le Sueur, MN 15.30%</p> <p><i>Percentage of adults who are current smokers</i></p> <p>Get 20 out of every 100 current adult smokers in the county to quit smoking.</p> <p>Clinton, MI 16.00%</p> <p>Source Behavioral Risk Factor Surveillance System Year(s) 2014 Benton, IA 16.80%</p>								
Health Factors	Health Behaviors	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<p>Adult Obesity</p> <p>52 Hamilton 33.20% 29.90% 3.30% ↑Bad ↓Good 27.00% Le Sueur, MN 33.00%</p> <p><i>Percentage of adults that report a BMI of 30 or more</i></p> <p>Get 10 out of every 100 current obese adults in the county to reduce their BMI below 30.</p> <p>Clinton, MI 32.70%</p> <p>Source CDC Diabetes Interactive Atlas Year(s) 2012 Benton, IA 33.20%</p>								
Health Factors	Health Behaviors	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		<p>Food Environment Index</p> <p>4 Williamson 8.00 8.8 0.8 ↑Good ↓Bad 7.20 Le Sueur, MN 9.00</p> <p><i>Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best)</i></p> <p>Increase the county's food index score by 0.8.</p> <p>Clinton, MI 8.30</p> <p>Source USDA Food Environment Atlas, Map the Meal Gap Year(s) 2013 Benton, IA 8.30</p>								

Prepared by the Division of Administrative Services, Tennessee Department of Health, Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: <http://tn.gov/health/topic/specialreports>. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. *The action statements are based on the assumption that no new additional cases occur. **Data should not be compared with prior years due to changes in definition/methods. **All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.**

Health Factors		Health Behaviors		Physical Inactivity							Peer County		Peer Value	
				Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
Percentage of adults aged 20 and over reporting no leisure-time physical activity		19	Shelby	32.80%	30.20%	2.60%	↑Bad ↓Good	23.00%	Le Sueur, MN	19.20%				
		Get 8 out of every 100 currently physically inactive adults to exercise during leisure time.							Clinton, MI	20.70%				
		Source			CDC Diabetes Interactive Atlas			Year(s)	2012	Benton, IA	28.10%			
		Access to Exercise Opportunities		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
Percentage of population with adequate access to locations for physical activity		12	Loudon	76.53%	78.48%	1.95%	↑Good ↓Bad	84.00%	Le Sueur, MN	66.93%				
		Consider how to remove barriers to access exercise locations to reach an additional 1.95 percent of the county's population.							Clinton, MI	71.04%				
		Source			Business Analyst, Delorme, ESRI, & US Census Tigerline Files			Year(s)	2010 & 2014	Benton, IA	64.59%			
Percentage of adults reporting binge or heavy drinking		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		91	Benton	13.20%	10.60%	2.60%	↑Bad ↓Good	17.00%	Le Sueur, MN	23.10%				
		Get 20 out of every 100 adults in the county that currently drink to excess (binge and heavy drinkers) to stop drinking more than one (women) or two (men) drinks per day on average.							Clinton, MI	21.70%				
		Source			Behavioral Risk Factor Surveillance System			Year(s)	2014	Benton, IA	20.50%			
Percentage of driving deaths with alcohol involvement		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		68	Sullivan	35.56%	19.17%	16.39%	↑Bad ↓Good	31.00%	Le Sueur, MN	50.00%				
		Reduce the number of alcohol related driving deaths by 16.39 percent.							Clinton, MI	17.24%				
		Source			Fatality Analysis Reporting System			Year(s)	2010-2014	Benton, IA	41.38%			
Number of newly diagnosed chlamydia cases per 100,000 population		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		36	Overton	250.50	153.22	97.28	↑Bad ↓Good	446.60	Le Sueur, MN	169.82				
		Consider ways to educate 4 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia.							Clinton, MI	219.73				
		Source			National Center for HIV/AIDS, Viral Hepatitis, STD, & TB Prevention			Year(s)	2013	Benton, IA	240.06			
Teen birth rate per 1,000 female population, ages 15-19		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		6	Knox	31.36	31.09	0.27	↑Bad ↓Good	35.00	Le Sueur, MN	20.53				
		For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 1 teen(s) from becoming pregnant.							Clinton, MI	15.01				
		Source			National Center for Health Statistics - Natality files			Year(s)	2007-2013	Benton, IA	18.05			
Percentage of population under age 65 without health insurance		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		2	Williamson	13.05%	8.89%	4.16%	↑Bad ↓Good	17.00%	Le Sueur, MN	8.94%				
		Get 32 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance.							Clinton, MI	9.93%				
		Source			Small Area Health Insurance Estimates			Year(s)	2013	Benton, IA	8.07%			
Ratio of population to primary care physicians		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		53	Coffee	2541:1	1368:1	1173	↑Bad ↓Good	1320:1	Le Sueur, MN	9270:1				
		To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 42 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area.							Clinton, MI	2646:1				
		Source			Area Health Resource File/American Medical Association			Year(s)	2013	Benton, IA	6425:1			
Ratio of population to dentists		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		32	Dickson	2726:1	1744:1	982	↑Bad ↓Good	1540:1	Le Sueur, MN	3471:1				
		To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 26 dental care providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area.							Clinton, MI	3681:1				
		Source			Area Health Resource File/National Provider Identification file			Year(s)	2014	Benton, IA	4280:1			

Health Factors	Clinical Care	Mental Health Providers	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Ratio of population to mental health providers To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 125 mental health providers would need to be recruited to the county. More importantly, if the county's value is greater than 30,000, this county would be considered a Health Professional Shortage Area. Source: CMS, National Provider Identification file Year(s): 2015	37	Henry	1871:1	644:1	1227	↑Bad ↓Good	490:1	Le Sueur, MN	4628:1
Preventable Hospital Stays	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	Number of hospital stays for ambulatory-care sensitive conditions per 1,000 Medicare enrollees For every 100 Medicare enrollees, prevent 1 Medicare enrollees from being hospitalized for ambulatory-care sensitive conditions. Source: Dartmouth Atlas of Health Care Year(s): 2013	41	Anderson	70.02	50.27	19.75	↑Bad ↓Good	54.00	Le Sueur, MN	33.87	Clinton, MI
Diabetic Monitoring	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	Percentage of diabetic Medicare enrollees ages 65-75 that receive HbA1c monitoring For every 100 diabetic Medicare enrollees, get 5 additional Medicare enrollees to receive HbA1c screening. Source: Dartmouth Atlas of Health Care Year(s): 2013	69	Giles	85.08%	89.20%	4.12%	↑Good ↓Bad	63.00%	Le Sueur, MN	93.44%	Clinton, MI
Mammography Screening	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	Percentage of female Medicare enrollees ages 67-69 that receive mammography screening For every 100 female Medicare enrollees, get 9 additional Medicare enrollees to receive their mammography screening. Source: Dartmouth Atlas of Health Care Year(s): 2013	26	Cumberland	62.00%	71.00%	9.00%	↑Good ↓Bad	63.00%	Le Sueur, MN	61.00%	Clinton, MI
High School Graduation	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	Percentage of ninth-grade cohort that graduates in four years For every 100 ninth graders, assist 3 additional ninth graders to graduate within four years. Source: ED Facts Year(s): 2012-2013	13	Tipton	95.00%	98.00%	3.00%	↑Good ↓Bad	82.00%	Le Sueur, MN	89.75%	Clinton, MI
Some College	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	Percentage of adults ages 25-44 years with some post-secondary education For every 100 adults between 25-44 years of age, assist 4 additional adults to complete some coursework at the collegiate level. Source: American Community Survey Year(s): 2010-2014	8	Davidson	63.66%	67.02%	3.36%	↑Good ↓Bad	64.00%	Le Sueur, MN	64.33%	Clinton, MI
Unemployment	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	Percentage of population ages 16 and older unemployed but seeking work For every 100 persons ages 16 years and older, help 1 persons successfully find employment. Source: Bureau of Labor Statistics Year(s): 2014	6	Sumner	5.30%	5.28%	0.02%	↑Bad ↓Good	6.20%	Le Sueur, MN	5.25%	Clinton, MI
Children in Poverty	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	Percentage of children under age 18 in poverty For every 100 children (under 18 years) in poverty, help 58 children to find assistance to get out of poverty. Source: Small Area Income and Poverty Estimates Year(s): 2014	2	Williamson	14.00%	6.00%	8.00%	↑Bad ↓Good	22.00%	Le Sueur, MN	10.90%	Clinton, MI
Income Inequality	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	Ratio of household income at the 80th percentile to income at the 20th percentile To reach a household income ratio at or below that of the 5th ranking county reduce the gap between the 80th percentile and 20th percentile by 1 household(s). Source: American Community Survey Year(s): 2010-2014	9	Rutherford	4.05	3.82	0.23	↑Bad ↓Good	4.70	Le Sueur, MN	3.69	Clinton, MI
								Benton, IA	3.70		

Health Factors	Social & Economic Factors	Children in Single-Parent Households								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		16	Lawrence	27.08%	23.36%	3.72%	↑Bad ↓Good	34.00%	Le Sueur, MN	27.09%
		For every 100 single parent households in the county, investigate ways to encourage 14 households to be a multi-parent household.							Clinton, MI	25.16%
		Source		American Community Survey		Year(s)		2010-2014	Benton, IA	22.45%
		Percentage of children that live in a household headed by single parent								
Health Factors	Social & Economic Factors	Social Associations								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		51	Johnson	10.58	16.13	5.55	↑Good ↓Bad	9.00	Le Sueur, MN	16.90
		For every 100 people in the county, increase the number of membership associations by 1.							Clinton, MI	8.34
		Source		County Business Patterns		Year(s)		2013	Benton, IA	15.95
		Number of membership associations per 10,000 population								
Health Factors	Social & Economic Factors	Violent Crime								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		58	Carter	388.64	206.33	182.31	↑Bad ↓Good	392.00	Le Sueur, MN	64.25
		For every 100 persons in the county, prevent 47 people from committing a violent crime.							Clinton, MI	105.64
		Source		Uniform Crime Reporting - FBI		Year(s)		2010-2012	Benton, IA	83.27
		Number of reported violent crime offenses per 100,000 population								
Health Factors	Social & Economic Factors	Injury Deaths								
		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		6	Madison	63.37	63.25	0.12	↑Bad ↓Good	60.00	Le Sueur, MN	50.51
		For every 1,000 population consider ways to prevent 2 deaths as a result of intentional and unintentional injury.							Clinton, MI	39.64
		Source		CDC WONDER mortality data		Year(s)		2009-2013	Benton, IA	62.40
		Number of deaths due to injury per 100,000 population								
Health Factors	Social & Economic Factors	Air Pollution - Particulate Matter								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		79	Greene	14.25	13.14	1.11	↑Bad ↓Good	11.40	Le Sueur, MN	12.55
		Reduce the average daily measure of fine particulate matter by 1.11 micrograms per cubic meter (PM2.5).							Clinton, MI	12.14
		Source		CDC WONDER Environmental data		Year(s)		2011	Benton, IA	11.01
		Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)								
Health Factors	Physical Environment	Drinking Water Violations								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		No Rank	NA	No	No	NA	NA	NA	Le Sueur, MN	No
		There were no health-based drinking water violations.							Clinton, MI	Yes
		Source		Safe Drinking Water Information System		Year(s)		FY2013-14	Benton, IA	Yes
		Percentage of population potentially exposed to water exceeding a violation limit during the past year								
Health Factors	Physical Environment	Severe Housing Problems								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		22	Unicoi	12.49%	11.70%	0.79%	↑Bad ↓Good	19.00%	Le Sueur, MN	11.56%
		For every 100 persons in the county experiencing housing problems, help 7 person(s) to find housing assistance.							Clinton, MI	12.66%
		Source		Comprehensive Housing Affordability Strategy (CHAS) data		Year(s)		2008-2012	Benton, IA	8.65%
		Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities								
Health Factors	Physical Environment	Driving Alone to Work								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		67	Grundy	86.11%	80.27%	5.84%	↑Bad ↓Good	76.00%	Le Sueur, MN	81.65%
		For every 100 persons that currently drive alone to work, convince 7 to carpool or take mass-transportation.							Clinton, MI	83.78%
		Source		American Community Survey		Year(s)		2010-2014	Benton, IA	79.82%
		Percentage of the workforce that drives alone to work								
Health Factors	Physical Environment	Long Commute - Driving Alone								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		73	Hamilton	46.40%	25.20%	21.20%	↑Bad ↓Good	31.00%	Le Sueur, MN	37.30%
		For every 100 persons that currently drive more than 30 minutes alone to work, convince 46 to carpool or take mass-transportation.							Clinton, MI	26.30%
		Source		American Community Survey		Year(s)		2010-2014	Benton, IA	39.70%
		Among workers who commute in their car alone, the percentage that commute more than 30 minutes								