TENNESSEE DEPARTMENT OF HEALTH



DRIVE YOUR COUNTY TO THE TOP TEN:

Accelerating Action Towards Improving County Health

Bedford County



WWW.TN.GOV/HEALTH/TOPIC/SPECIALREPORTS

| TN Department of 2015 Dr | BEDFORD COUNTY: O ^r ive Your County to the T | | | | |
|---|--|--|--|--|--|
| Single parent households: 45,901 <18 YOA: 26.34% 65+ YOA: Unemployment: 8.38% % Females: 50.61% % Males: | 14.22% % Rural: 49.39% Graduation Rate: | 55.60% 92.00 | | | |
| Adult Smoking | Top Third Measure | Value | | | |
| Lawrence, OH Randolph, IN Guernsey, OH South Central Region Bedford 0% 5% 10% 15% 20% 25% 30% 35% Good HP 2020 Top US Performers | Drinking Water Violations Mammography Screening Unemployment | 0.00% 64.43% 8.38% | | | |
| | Middle Third | | | | |
| Adult Obesity Lawrence, OH Randolph, IN Guernsey, OH South Central Region Bedford 10% 15% 20% 25% 30% 35% 40% Good — TN Average — HP 2020 — Top US Performers | Measure Premature Death Access to Exercise Opportunities Mental Health Providers Diabetic Monitoring Driving Alone to Work Injury Deaths Children in Poverty Poor Mental Health Days Income Inequality Adult Smoking Bottom Third | Value 9,089.76 64.48% 1765:1 87.46% 83.33% 84.75 27.70% 3.70 4.45 25.20% | | | |
| Physical Inactivity Lawrence, OH Randolph, IN Guernsey, OH South Central Region Bedford 10% 15% 20% 25% 30% 35% 40% | Measure Uninsured Physical Inactivity Alcohol-Impaired Driving Deaths Severe Housing Problems Adult Obesity Sexually Transmitted Infections Some College | Value 20.08% 37.00% 40.82% 15.95% 35.10% 460.80 27.42% | | | |
| Good TN Average US Average HP 2020 Top US Performers | Teen Births Children in Single-Parent Households Social Associations | 37.43% 58.72 35.39% 9.22 | | | |

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health. Nashville, TN. opm.health@tn.gov or 615-741-5001.

WWW.TN.GOV/HEALTH/TOPIC/SPECIALREPORTS

| | NI - | | | | | | | | BEDFORD C | OUNTY, TE | NNESSEE |
|-----------------|-----------|---|-----------|--------------------|---------------|---------------------------------------|------------------|----------------------|------------------|--------------|------------|
| | | epartment of lealth | | | | | | 2015 Dr | ive Your Co | unty to the | Top Ten |
| | of Life | Premature Death | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | of] | | 32 | Lewis | 9089.76 | 7769.75 | 1320.01 | †Bad ↓Good | 6,811.00 | Guernsey, OH | 8186.66 |
| | Length | Years of potential life lost before age 75 per 100,000 population (age- | For eve | ery 100 people in | the count | y, 1 people in the | county need to | o live one year clos | ser to age 75. | Randolph, IN | 7617.48 |
| | Ľ | <u>adjusted)</u> | Source | National (| Center for H | lealth Statistics - N | Iortality files | Year(s) | 2010-2012 | Lawrence, OH | 9705.35 |
| | | Poor or Fair Health | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 42 | Putnam | 22.30% | 16.60% | 5.70% | †Bad ↓Good | 12.40% | Guernsey, OH | 15.40% |
| S | | Percentage of adults reporting fair or poor health (age-adjusted) | Improve t | the health of 6 or | at of every | 100 people in the fair hea | • | n general, report b | being in poor or | Randolph, IN | 20.10% |
| Je | | | Source | Behav | rioral Risk I | Factor Surveillance | e System | Year(s) | 2006-2012 | Lawrence, OH | 27.90% |
| con | | Poor Physical Health Days* | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| ut | | | 50 | Chester | 5.20 | 3.40 | 1.80 | †Bad ↓Good | 3.70 | Guernsey, OH | 4.20 |
| Health Outcomes | of Life | Average number of physically unhealthy days reported in past 30 days (age-adjusted) | Engage | people in the co | • | ays to reduce nuesidents by 2 day | | bhysical health day | rs reported by | Randolph, IN | 5.00 |
| ea] | | | Source | Behav | rioral Risk I | actor Surveillance | e System | Year(s) | 2006-2012 | Lawrence, OH | 7.10 |
| H | Quality | Poor Mental Health Days | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | Õ | <u>Average number of</u> mentally unhealthy days reported in past 30 days (age-adjusted) | 39 | Henderson | 3.70 | 2.80 | 0.90 | †Bad ↓Good | 3.50 | Guernsey, OH | 4.40 |
| | | | Engage | people in the co | • | ays to reduce nu esidents by 1 day | | hysical health day | vs reported by | Randolph, IN | 3.60 |
| | | | Source | Behav | rioral Risk I | Factor Surveillance | e System | Year(s) | 2006-2012 | Lawrence, OH | 6.10 |
| | | Low Birthweight Percentage of live births with low birthweight (< 2500 grams) | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 61 | Lewis | 8.99% | 7.29% | 1.71% | †Bad ↓Good | 8.10% | Guernsey, OH | 8.32% |
| | | | | Reduce the n | umber of I | ow birth weight | babies by 2 for | every 100 live birt | hs. | Randolph, IN | 8.35% |
| | | | Source | National | Center for I | Tealth Statistics - 1 | Natality files | Year(s) | 2006-2012 | Lawrence, OH | 10.89% |
| | | Adult Smoking | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 41 | Knox | 25.20% | 18.50% | 6.70% | †Bad ↓Good | 18.10% | Guernsey, OH | 29.70% |
| | | Percentage of adults who are current smokers | | Get 27 out of | every 100 o | current adult smo | okers in the cou | unty to quit smoki | ng. | Randolph, IN | 23.50% |
| S | | | Source | Behav | rioral Risk I | actor Surveillance | System | Year(s) | 2006-2012 | Lawrence, OH | 26.30% |
| ctor | Behaviors | Adult Obesity | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| Ha | eha | | 80 | Hamilton | 35.10% | 29.10% | 6.00% | †Bad ↓Good | 28.00% | Guernsey, OH | 36.40% |
| Health Factors | Health Bo | Percentage of adults that report a BMI of 30 or more | Ger | t 18 out of every | 100 curren | t obese adults in | the county to r | educe their BMI b | below 30. | Randolph, IN | 32.80% |
| le, | He | | Source | | CDC Diabo | etes Interactive At | las | Year(s) | 2011 | Lawrence, OH | 36.30% |
| H | Н | Food Environment Index | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 55 | Williamson | 7.10 | 8.9 | 1.8 | ↑Good ↓Bad | 7.60 | Guernsey, OH | 7.20 |
| | | Index of factors that contribute to a healthy food environment, 0 | | | Increase | the county's foo | od index score l | by 1.8. | | Randolph, IN | 6.90 |
| | | (worst) to 10 (best) | Source | USDA Foo | od Environ | ment Atlas, Map t | he Meal Gap | Year(s) | 2012 | Lawrence, OH | 7.30 |
| | | | | | | . 1 | * | . / | | | |

Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health. Nashville, TN. April 2015. opm.health@tn.gov or 615-741-5001. The full report can be accessed at: http://health.tn.gov/statistics/specialprojects.htm. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015. *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. The action statements are based on the assumption that no new additional cases occur. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

| | | Physical Inactivity | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
|----------------|----------------------|--|--|-------------------------|---------------|-------------------------------------|---------------------|--|------------------|--------------|------------|
| | | | 82 | Wilson | 37.00% | 28.50% | 8.50% | †Bad ↓Good | 30.00% | Guernsey, OH | 33.90% |
| | | Percentage of adults aged 20 and over reporting no leisure-time physical | Get 23 out of every 100 currently physically inactive adults to exercise during leisure time. | | | | | | | Randolph, IN | 34.80% |
| | | activity | Source | | CDC Diabe | etes Interactive Atl | as | Year(s) | 2011 | Lawrence, OH | 36.50% |
| | | Access to Exercise Opportunities | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | Opportunities | 33 | Loudon | 64.48% | 78.50% | 14.03% | †Good ↓Bad | 77.00% | Guernsey, OH | 48.47% |
| | | Percentage of population with adequate access to locations for physical | Consider | how to remove | barriers to | access exercise 1 the county's p | | ch an additional 1 | 4.03 percent of | Randolph, IN | 32.15% |
| | | <u>activity</u> | Source | Business Analy | rst, Delorme | e, ESRI, & US Cens | sus Tigerline Files | Year(s) | 2010 & 2013 | Lawrence, OH | 95.51% |
| | | Excessive Drinking | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | S | | NA | Greene | NA | 3.30% | NA | †Bad ↓Good | 15.00% | Guernsey, OH | 13.80% |
| | Health Behaviors | Percentage of adults. reporting binge or heavy drinking | | | | No information | n available | | | Randolph, IN | 16.00% |
| | Be] | | Source | Behav | vioral Risk I | Factor Surveillance | System | Year(s) | 2006-2012 | Lawrence, OH | 13.30% |
| | alth | Alcohol-Impaired Driving Deaths | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | He | | 82 | McNairy | 40.82% | 18.75% | 22.07% | †Bad ↓Good | 32.00% | Guernsey, OH | 33.33% |
| | | Percentage of driving deaths with alcohol involvement | | Reduce the | e number o | of alcohol related | driving deaths | by 22.07 percent. | | Randolph, IN | 17.65% |
| LS | | | Source | F | atality Anal | ysis Reporting Syst | tem | Year(s) | 2009-2013 | Lawrence, OH | 35.29% |
| cto | | Sexually Transmitted | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| Fa | | Infections | 78 | Scott | 460.80 | 144.30 | 316.50 | †Bad ↓Good | 458.00 | Guernsey, OH | 268.70 |
| Health Factors | | Number of newly diagnosed chlamydia cases per 100,000 population | Consider | • | | • • | | be involved in any ection of Chlamyc | Randolph, IN | 232.40 | |
| Ieć | | ter color total | Sou | rce National Center for | HIV/AIDS, Vi | ral Hepatitis, STD, & TB | Prevention | Year(s) | 2012 | Lawrence, OH | 215.70 |
| іЩі | | Teen Births | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 73 | Putnam | 58.72 | 37.04 | 21.68 | †Bad ↓Good | 31.00 | Guernsey, OH | 40.89 |
| | | Teen birth rate per 1,000 female population, ages 15- 19 | For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 37 teen(s) from becoming pregnant. | | | | | | Randolph, IN | 45.17 | |
| | | | Source | National (| Center for I | Health Statistics - 1 | Natality files | Year(s) | 2006-2012 | Lawrence, OH | 48.78 |
| | | Uninsured | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 94 | Blount | 20.08% | 14.64% | 5.44% | †Bad ↓Good | 18.00% | Guernsey, OH | 14.71% |
| | | Percentage of population. under age 65 without health insurance | out | | | | | | | | 17.78% |
| | | | Source | Sma | ll Area Hea | llth Insurance Esti | mates | Year(s) | 2012 | Lawrence, OH | 14.06% |
| | ure | Primary Care Physicians | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | C | , | 64 | Anderson | 3038:1 | 1397:1 | 1641 | †Bad ↓Good | 1,355.00 | Guernsey, OH | 1991:1 |
| | Clinical Care | Ratio of population to primary care physicians | To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 18 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area. | | | | | | | Randolph, IN | 4303:1 |
| | - | | Source | Area Health I | Resource Fi | le/American Med | cal Association | Year(s) | 2012 | Lawrence, OH | 2142:1 |
| | | Dentists | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 53 | Maury | 3531:1 | 1675:1 | 1856 | ↑Bad ↓Good | 1,663.00 | Guernsey, OH | 2086:1 |
| | | Ratio of population to <u>dentists</u> | providers | would need to b | e recruited | l to the county. N | Aore important | Oth ranking count ly, if the county's ressional Shortage | value is greater | Randolph, IN | 5125:1 |
| | | | Source | | | le/American Medi | | Year(s) | 2013 | Lawrence, OH | 3642:1 |
| | | | | | | | | | | | |

| | | Mental Health | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
|----------------|----------|--|--|--|-----------------------------|--|---------------------------------------|--|-------------------------|-------------------|------------|
| | | Providers | 33 | McNairy | 1765:1 | 688:1 | 1077 | †Bad ↓Good | 753 | Guernsey, OH | 1132:1 |
| | | Ratio of population to mental health providers | To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 41 mental health providers would need to be recruited to the county. More importantly, if the county's value is greater than 30,000, this county would be considered a Health Professional Shortage Area. | | | | | | | | 4271:1 |
| | | | Source | CMS, | National I | Provider Identificat | ion file | Year(s) | 2014 | Lawrence, OH | 2135:1 |
| | | Preventable Hospital Stays | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | 110spitai Stays | 46 | Marshall | 84.56 | 58.47 | 26.09 | †Bad ↓Good | 65.00 | Guernsey, OH | 116.49 |
| Care | Calc | Number of hospital stays for ambulatory-care sensitive conditions per | For every 1 | 00 Medicare en | ollees, pro | event 1 Medicare care sensitive c | | being hospitalized | d for ambulatory- | Randolph, IN | 80.22 |
| | | 1,000 Medicare enrollees | Source | I | Dartmouth | Atlas of Health Ca | re | Year(s) | 2012 | Lawrence, OH | 91.63 |
| Clinical | | Diabetic Monitoring | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| U U |) | | 33 | Crockett | 87.46% | 88.92% | 1.47% | †Good ↓Bad | 84.00% | Guernsey, OH | 78.74% |
| | <u>N</u> | Percentage of diabetic Medicare enrollees ages 65- 75 that receive HbA1c | For eve | ry 100 diabetic N | Aedicare e | enrollees, get 2 ad screenii | | care enrollees to re | ceive HbA1c | Randolph, IN | 86.45% |
| | | monitoring | Source | 1 | Dartmouth | Atlas of Health Ca | re | Year(s) | 2012 | Lawrence, OH | 79.39% |
| | | Mammography Screening | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | concerning | 17 | Knox | 64.43% | 65.71% | 1.29% | †Good ↓Bad | 63.00% | Guernsey, OH | 63.84% |
| | | Percentage of female Medicare enrollees ages 67- 69 that receive | For e | very 100 female 1 | Medicare | enrollees, get 2 ac mammography | | care enrollees to re | eceive their | Randolph, IN | 64.69% |
| LS | | mammography screening | Source | I | Dartmouth | Atlas of Health Ca | re | Year(s) | 2012 | Lawrence, OH | 56.79% |
| Icto | | High School Graduation | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| Ľ | | | 44 | Carroll | 92.00% | 95.32% | 3.32% | †Good ↓Bad | 80.00% | Guernsey, OH 90.7 | 90.71% |
| Health Factors |] | Percentage of ninth-grade cohort that graduates in four years | For every 100 ninth graders, assist 4 additional ninth graders to graduate within four years. | | | | | | | | 90.00% |
| F | ⊢ | four years | Source | data.gov, suppler | nented w/ N | National Center for F | ducation Statistic | s Year(s) | 2011-2012 | Lawrence, OH | 90.96% |
| - | | Some College | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 75 | Shelby | 37.43% | 62.09% | 24.66% | †Good ↓Bad | 63.00% | Guernsey, OH | 47.78% |
| ors | | Percentage of adults ages_ 25-44 years with some post- secondary education | For eve | ery 100 adults be | | 44 years of age, as ursework at the c | | tional adults to cor | nplete some | Randolph, IN | 54.49% |
| act | ari | | Source | | American | Community Surve | y | Year(s) | 2009-2013 | Lawrence, OH | 48.43% |
| mic Factors | דרד. | Unemployment | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| uo Uo | 5 | | 30 | Blount | 8.38% | 6.89% | 1.48% | †Bad ↓Good | 8.10% | Guernsey, OH | 8.23% |
| Econor | | Percentage of population ages 16 and older unemployed but seeking | For e | very 100 persons | ages 16 ye | ears and older, he | lp 2 persons su | accessfully find em | nployment. | Randolph, IN | 8.56% |
| 8 | | work | Source | | Bureau o | of Labor Statistics | | Year(s) | 2013 | Lawrence, OH | 7.88% |
| Social | 0CIA | Children in Poverty | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| 0 | · | | 37 | Montgomery | 27.70% | 21.40% | 6.30% | †Bad ↓Good | 23.00% | Guernsey, OH | 33.90% |
| | | Percentage of children | For ever | y 100 children (u | ınder 18 ye | ears) in poverty, h povert | - | n to find assistance | e to get out of | Randolph, IN | 26.20% |
| | | under age 18 in poverty | | | | me and Poverty Es | timates | Year(s) | 2013 | Lawrence, OH | 28.50% |
| | | <u>under age 18 in poverty</u> | Source | Small | Area Incor | ine and Foverty Es | | Tear(8) | | Lawrence, OII | |
| | | under age 18 in poverty Income Inequality | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | | | | 10th Ranked | | | | , | |
| | | | Rank 39 | 10th Ranked Williamson household incom | Value 4.45 me ratio a | 10th Ranked Value 4.11 | Difference 0.35 the 10th rankin | Shift in Value ↑Bad ↓Good ng county reduce t | US Average NA | Peer County | Peer Value |

| | | Children in Single- Parent Households | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
|----------------|----------------------|--|--|-------------------|-------------|--|-----------------|----------------------|------------------|--|------------|
| | | i arent i fouscholus | 72 | Cheatham | 35.39% | 25.43% | 9.96% | †Bad ↓Good | 21.00% | Guernsey, OH | 32.44% |
| | | Percentage of children that live in a household headed by single parent | For every | Randolph, IN | 34.99% | | | | | | |
| | | by single parent | Source | | American | Community Surve | y | Year(s) | 2009-2013 | Lawrence, OH | 37.50% |
| | | Social Associations | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 65 | Henry | 9.22 | 16.70 | 7.48 | †Good ↓Bad | 33.00% | Guernsey, OH | 16.07 |
| | tors | Number of membership associations per 10,000 population | For every 100 people in the county, increase the number of membership associations by 1. | | | | | | | | 18.98 |
| | Fac | | Source | | County l | Business Patterns | | Year(s) | 2012 | Lawrence, OH | 11.11 |
| | Economic Factors | Violent Crime | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | iou | | 49 | Carter | 362.15 | 206.33 | 155.82 | †Bad ↓Good | 387.00 | Guernsey, OH | 141.84 |
| | & Eco | Number of reported violent crime offenses per 100,000 population | For | every 100 person | ns in the c | ounty, prevent 44 | people from c | ommitting a viole | nt crime. | Randolph, IN | 24.93 |
| | | | Source | Ţ | Uniform Cr | ime Reporting - Fl | BI | Year(s) | 2010-2012 | Lawrence, OH | 166.55 |
| | Social | Injury Deaths | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 36 | Fayette | 84.75 | 68.81 | 15.93 | †Bad ↓Good | 59.00 | Guernsey, OH | 66.36 |
| | | Number of deaths due to injury per 100,000 population | For e | very 1,000 popul | ation cons | ider ways to prev unintentiona | | as a result of inter | ntional and | Randolph, IN | 55.88 |
| | | | Source | (| CDC WON | IDER mortality da | ta | Year(s) | 2008-2012 | Lawrence, OH | 71.71 |
| tors | | Air Pollution - Particulate Matter | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| ac | | | 65 | Greene | 13.94 | 13.14 | 0.80 | †Bad ↓Good | 11.10 | Guernsey, OH | 13.73 |
| Health Factors | | Average daily density of fine particulate matter in micrograms per cubic | Reduce | e the average dai | ly measure | e of fine particula (PM2.5 | • | 8 micrograms per | cubic meter | Randolph, IN | 13.46 |
| al | | <u>meter (PM2.5)</u> | Source | CD | C WONDI | ER Environmental | data | Year(s) | 2011 | Lawrence, OH | 13.13 |
| He | | Drinking Water Violations | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 1 | Anderson | 0.00% | 0.00% | 0.00% | ↑Bad ↓Good | 8.00% | Guernsey, OH | 1.37% |
| | | Percentage of population potentially exposed to water exceeding a violation. | | | | No Action R | equired | | | Randolph, IN | 0.00% |
| | | limit during the past year | Source | Safe | Drinking W | ater Information S | System | Year(s) | FY2013-14 | Lawrence, OH | 0.00% |
| | | Severe Housing Problems | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | ŗ | | 81 | Lewis | 15.95% | 10.96% | 4.99% | †Bad ↓Good | 19.00% | Lawrence, OH37.Peer CountyPeerGuernsey, OH16Randolph, IN18Lawrence, OH11Peer CountyPeerGuernsey, OH141Randolph, IN24Lawrence, OH166Peer CountyPeerGuernsey, OH166Randolph, IN55Lawrence, OH71Peer CountyPeerGuernsey, OH13Randolph, IN55Lawrence, OH13Randolph, IN13Lawrence, OH13Randolph, IN13Lawrence, OH13Randolph, IN0.0Lawrence, OH13Randolph, IN0.0Lawrence, OH12.Guernsey, OH12.Randolph, IN12.Randolph, IN12.Cuernsey, OH12.Randolph, IN12.Lawrence, OH12.Randolph, IN83.Lawrence, OH84.Peer CountyPeerGuernsey, OH85.Randolph, IN83.Lawrence, OH84.Peer CountyPeerGuernsey, OH85.Randolph, IN83.Lawrence, OH84.Peer CountyPeerGuernsey, OH85.Randolph, IN83.Lawrence, OH84.Peer CountyPeerGuernsey, OH26.Randolph, IN33. | 12.38% |
| | Physical Environment | Percentage of households, with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing. | For every 1 | 100 persons in th | e county e | xperiencing hou assistan | . . | help 32 person(s) | to find housing | Randolph, IN | 12.18% |
| | ΙE | <u>facilities</u> | Source | Comprehensiv | e Housing A | Affordability Strate | egy (CHAS) data | Year(s) | 2007-2011 | Lawrence, OH | 12.62% |
| | vsica | Driving Alone to Work | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | Ph | - | 33 | Davidson | 83.33% | 80.03% | 3.30% | ↑Bad ↓Good | 76.00% | Guernsey, OH | 85.44% |
| | | Percentage of the workforce that drives alone | | very 100 persons | | transporta | tion. | ce 4 to carpool or | | 1 / | 83.25% |
| | | <u>to work</u> | Source | | American | Community Surve | У | Year(s) | 2009-2013 | Lawrence, OH | 88.89% |
| | | Long Commute - Driving Alone | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | - | Peer Value |
| | | 0 | 45 | Hamilton | 35.10% | 25.10% | 10.00% | †Bad ↓Good | 34.00% | Guernsey, OH | 26.40% |
| | | Among workers who commute in their car alone, the percentage that | For every | 100 persons that | • | drive more than 3 or take mass-tran | | e to work, convin | ce 29 to carpool | Randolph, IN | 33.40% |
| | | commute more than 30 minutes | Source | | American | Community Surve | y | Year(s) | 2009-2013 | Lawrence, OH | 29.60% |