TENNESSEE DEPARTMENT OF HEALTH




DRIVE YOUR COUNTY TO THE TOP TEN:

Accelerating Action Towards Improving County Health

Dyer County



WWW.TN.GOV/HEALTH/TOPIC/SPECIALREPORTS



YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health. Nashville, TN. opm.health@tn.gov or 615-741-5001.

WWW.TN.GOV/HEALTH/TOPIC/SPECIALREPORTS

| T | N | | | | | | | | DYER (| COUNTY, TE | NNESSEE |
|-----------------|-----------|--|--|--|---------------|---------------------------------------|------------------|----------------------|------------------|--------------|------------|
| | | epartment of lealth | | | | | | 2015 Dr | ive Your Co | unty to the | e Top Ten |
| | Life | Premature Death | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | of] | | 65 | Lewis | 10668.03 | 7769.75 | 2898.28 | †Bad ↓Good | 6,811.00 | Guernsey, OH | 8186.66 |
| | Length | | For eve | ery 100 people in | the county | 7, 1 people in the | e county need to | o live one year clos | ser to age 75. | Randolph, IN | 7617.48 |
| | Ľ | | Source | National C | Center for H | ealth Statistics - N | Aortality files | Year(s) | 2010-2012 | Lawrence, OH | 9705.35 |
| | | Poor or Fair Health | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 24 | Putnam | 19.30% | 16.60% | 2.70% | †Bad ↓Good | 12.40% | Guernsey, OH | 15.40% |
| (0) | | Percentage of adults reporting fair or poor health (age-adjusted) | Improve t | the health of 3 or | it of every | 100 people in the fair hea | • | n general, report b | being in poor or | Randolph, IN | 20.10% |
| Je | | | Source | Behav | rioral Risk F | actor Surveillance | e System | Year(s) | 2006-2012 | Lawrence, OH | 27.90% |
| con | | Poor Physical Health Days* | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| ut | | Treatin 2 ujo | 22 | Chester | 4.10 | 3.40 | 0.70 | †Bad ↓Good | 3.70 | Guernsey, OH | 4.20 |
| Health Outcomes | f Life | Average number of physically unhealthy days reported in past 30 days (age-adjusted) | Engage | people in the co | | ays to reduce nu esidents by 1 day | | bhysical health day | vs reported by | Randolph, IN | 5.00 |
| ca] | Jo 7 | | Source | Behav | vioral Risk F | actor Surveillance | e System | Year(s) | 2006-2012 | Lawrence, OH | 7.10 |
| H | Quality | Poor Mental Health Days | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 25 | Henderson | 3.20 | 2.80 | 0.40 | †Bad ↓Good | 3.50 | Guernsey, OH | 4.40 |
| | | Average number of <u>mentally unhealthy days</u> reported in past 30 days | Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month. | | | | | | | Randolph, IN | 3.60 |
| | | (age-adjusted) | Source | Behav | vioral Risk F | actor Surveillance | e System | Year(s) | 2006-2012 | Lawrence, OH | 6.10 |
| | | Low Birthweight Percentage of live births with low birthweight (< 2500 grams) | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 89 | Lewis | 11.02% | 7.29% | 3.73% | †Bad ↓Good | 8.10% | Guernsey, OH | 8.32% |
| | | | Reduce the number of low birth weight babies by 4 for every 100 live births. | | | | | | | Randolph, IN | 8.35% |
| | | | Source | National | Center for H | Iealth Statistics - I | Natality files | Year(s) | 2006-2012 | Lawrence, OH | 10.89% |
| | | Adult Smoking | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 82 | Knox | 33.30% | 18.50% | 14.80% | †Bad ↓Good | 18.10% | Guernsey, OH | 29.70% |
| | | Percentage of adults who are current smokers | | Get 45 out of | every 100 c | urrent adult smo | okers in the cou | unty to quit smoki | ng. | Randolph, IN | 23.50% |
| S | | | Source | Behav | rioral Risk F | actor Surveillance | e System | Year(s) | 2006-2012 | Lawrence, OH | 26.30% |
| ctor | Behaviors | Adult Obesity | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| ä | ha | | 57 | Hamilton | 33.30% | 29.10% | 4.20% | †Bad ↓Good | 28.00% | Guernsey, OH | 36.40% |
| Health Factors | Health Be | Percentage of adults that. report a BMI of 30 or more | Ger | Get 13 out of every 100 current obese adults in the county to reduce their BMI below 30. | | | | | | Randolph, IN | 32.80% |
| le; | Ieć | | Source | | CDC Diabe | tes Interactive At | las | Year(s) | 2011 | Lawrence, OH | 36.30% |
| Ŧ | | Food Environment Index | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 92 | Williamson | 5.60 | 8.9 | 3.3 | †Good ↓Bad | 7.60 | Guernsey, OH | 7.20 |
| | | Index of factors that contribute to a healthy food environment, 0 | | | Increase | the county's foo | od index score b | oy 3.3. | | Randolph, IN | 6.90 |
| | | (worst) to 10 (best) | Source | USDA Foo | od Environi | nent Atlas, Map t | he Meal Gap | Year(s) | 2012 | Lawrence, OH | 7.30 |
| | | 1 | | | | <i>i</i> 1 | 1 | × / | | . , | |

Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health. Nashville, TN. April 2015. opm.health@tn.gov or 615-741-5001. The full report can be accessed at: http://health.tn.gov/statistics/specialprojects.htm. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015. *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. The action statements are based on the assumption that no new additional cases occur. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

| T | | | | | | | | | | | |
|------------------|---|---|--|---|--|--|--|--|------------------------------|--------------------|--|
| | Physical Inactivity | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Valu | |
| | | 80 | Wilson | 36.60% | 28.50% | 8.10% | †Bad ↓Good | 30.00% | Guernsey, OH | 33.90% | |
| | Percentage of adults aged 20 and over reporting no- leisure-time physical | Get 23 out of every 100 currently physically inactive adults to exercise during leisure time. | | | | | | | | 34.80% | |
| | activity | Source | | CDC Diabe | tes Interactive Atl | as | Year(s) | 2011 | Lawrence, OH | 36.50% | |
| | Access to Exercise Opportunities | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Val | |
| | opportunities | 34 | Loudon | 63.95% | 78.50% | 14.56% | †Good ↓Bad | 77.00% | Guernsey, OH | 48.47% | |
| | Percentage of population with adequate access to locations for physical | Consider | how to remove | barriers to | access exercise l the county's p | | ch an additional 1 | 4.56 percent of | Randolph, IN | 32.15% | |
| | <u>activity</u> | Source | Business Analy | st, Delorme | , ESRI, & US Cens | sus Tigerline Files | S Year(s) | 2010 & 2013 | Lawrence, OH | 95.51 | |
| | Excessive Drinking | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Va | |
| S | | 19 | Greene | 10.00% | 3.30% | 6.70% | †Bad ↓Good | 15.00% | Guernsey, OH | 13.80% | |
| Health Behaviors | Percentage of adults reporting binge or heavy drinking | | | | | | xcess (binge and l nks per day on ave | | Randolph, IN | 16.00% | |
| Be | | Source | Behav | ioral Risk F | actor Surveillance | System | Year(s) | 2006-2012 | Lawrence, OH | 13.30% | |
| alth | Alcohol-Impaired Driving Deaths | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Val | |
| He | 5 | 24 | McNairy | 22.86% | 18.75% | 4.11% | †Bad ↓Good | 32.00% | Guernsey, OH | 33.33% | |
| | Percentage of driving deaths with alcohol involvement | Reduce the number of alcohol related driving deaths by 4.11 percent. | | | | | | | | 17.65% | |
| | | Source | F | atality Analy | vsis Reporting Syst | tem | Year(s) | 2009-2013 | Lawrence, OH | 35.29% | |
| | Sexually Transmitted Infections | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Va | |
| | | 88 | Scott | 739.80 | 144.30 | 595.50 | †Bad ↓Good | 458.00 | Guernsey, OH | 268.70 | |
| | Number of newly diagnosed chlamydia cases per 100,000 population | Consider ways to educate 9 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia. | | | | | | | | 232.40 | |
| | <u> </u> | Sou | arce National Center for | HIV/AIDS, Vi | ral Hepatitis, STD, & TB | Prevention | Year(s) | 2012 | Lawrence, OH | 215.70 | |
| | Teen Births | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Va | |
| | | 80 | Putnam | 61.87 | 37.04 | 24.82 | †Bad ↓Good | 31.00 | Guernsey, OH | 40.89 | |
| | Teen birth rate per 1,000 female population, ages 15- <u>19</u> | For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 41 teen(s) from becoming pregnant. | | | | | | | Randolph, IN | 45.17 | |
| | <u>12</u> | Source | National (| Center for H | Iealth Statistics - N | Natality files | Year(s) | 2006-2012 | Lawrence, OH | 48.78 | |
| | Uninsured | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Val | |
| | | 5 | Williamson | 13.85% | 8.17% | 5.68% | †Bad ↓Good | 18.00% | Guernsey, OH | 14.71% | |
| | Percentage of population under age 65 without health insurance | Get 42 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance. | | | | | | | | 17.78% | |
| | <u>incardir insurance</u> | Source | Sma | ll Area Hea | lth Insurance Esti | mates | Year(s) | 2012 | Lawrence, OH | 14.06% | |
| | Primary Care Physicians | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Va | |
| ure | Physicians | 19 | Anderson | 1530:1 | 1397:1 | 133 | †Bad ↓Good | 1,355.00 | Guernsey, OH | 1991:1 | |
| Care | | | | To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 3 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area. | | | | | | | |
| Clinical Care | Ratio of population to primary care physicians | providers | would need to b | e recruited | l to the county. N | Nore important | tly, if the county's | value is greater | Randolph, IN | 4303:1 | |
| Clinical Care | | providers | would need to b than 3,500, this o | e recruited | l to the county. N | More important d a Health Prof | tly, if the county's | value is greater | Randolph, IN Lawrence, OH | | |
| Clinical Care | | providers Source Rank | would need to b than 3,500, this o Area Health I 10th Ranked | e recruited county wou Resource Fil Value | l to the county. M ald be considered le/American Medi 10th Ranked Value | More important d a Health Prof ical Association Difference | tly, if the county's fessional Shortage Year(s) Shift in Value | value is greater Area. 2012 US Average | Lawrence, OH Peer County | 2142:1 Peer Val | |
| Clinical Care | primary care physicians | source Rank 17 | would need to b than 3,500, this o Area Health I 10th Ranked Maury | e recruited county wou Resource Fil Value 2011:1 | l to the county. M ald be considered le/American Medi 10th Ranked Value 1675:1 | More important d a Health Prof ical Association Difference 336 | tly, if the county's fessional Shortage Year(s) Shift in Value ↑Bad↓Good | value is greater Area. 2012 US Average 1,663.00 | Lawrence, OH | 2142:1 Peer Val | |
| Clinical Care | primary care physicians | source Rank 17 To reach providers | would need to b than 3,500, this of Area Health I 10th Ranked Maury a population-to- would need to b | e recruited county wou Resource Fil Value 2011:1 provider ra e recruited | I to the county. N ald be considered (American Medi 10th Ranked Value 1675:1 titio at or exceedi I to the county. N | More important d a Health Prof ical Association Difference 336 ng that of the 1 More important | tly, if the county's fessional Shortage Year(s) Shift in Value | value is greater Area. 2012 US Average 1,663.00 ty, 4 dental care value is greater | Lawrence, OH Peer County | 2142:1 | |

| | Providers | | | | Value | | | | | |
|----------------|---|--|---|-------------|--|--------------------------------------|----------------------|----------------|--------------|------------|
| | | 54 | McNairy | 2939:1 | 688:1 | 2251 | †Bad ↓Good | 753 | Guernsey, OH | 1132:1 |
| | Ratio of population to mental health providers | To reach health pro great | Randolph, IN | 4271:1 | | | | | | |
| | | Source | CMS, | National P | Provider Identificat | ion file | Year(s) | 2014 | Lawrence, OH | 2135:1 |
| | Preventable Hospital Stays | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | 110spital Stays | 66 | Marshall | 101.11 | 58.47 | 42.64 | †Bad ↓Good | 65.00 | Guernsey, OH | 116.49 |
| Care | Number of hospital stays for ambulatory-care sensitive conditions per | For every 100 Medicare enrollees, prevent 1 Medicare enrollees from being hospitalized for ambulatory- care sensitive conditions. | | | | | | | | 80.22 |
| | | Source | Ι | Dartmouth | Atlas of Health Ca | re | Year(s) | 2012 | Lawrence, OH | 91.63 |
| Clinical | Diabetic Monitoring | Rank | 5th Ranked | Value | 5th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| 0 | U U | 7 | Sullivan | 89.32% | 89.89% | 0.57% | †Good ↓Bad | 84.00% | Guernsey, OH | 78.74% |
| | Percentage of diabetic Medicare enrollees ages 65- 75 that receive HbA1c | For eve | ry 100 diabetic N | Aedicare e | enrollees, get 1 ad screenir | | are enrollees to re- | ceive HbA1c | Randolph, IN | 86.45% |
| | monitoring | Source | Ι | Dartmouth | Atlas of Health Ca | re | Year(s) | 2012 | Lawrence, OH | 79.39% |
| | Mammography Screening | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | cereening | 63 | Knox | 57.76% | 65.71% | 7.96% | †Good ↓Bad | 63.00% | Guernsey, OH | 63.84% |
| | Percentage of female Medicare enrollees ages 67- <u>69 that receive</u> | For every 100 female Medicare enrollees, get 8 additional Medicare enrollees to receive their mammography screening. | | | | | | | | 64.69% |
| LS | mammography screening | Source | Ι | Dartmouth | Atlas of Health Ca | re | Year(s) | 2012 | Lawrence, OH | 56.79% |
| icto | High School Graduation | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| Ë | | 6 | Morgan | 96.45% | 99.50% | 3.05% | ↑Good ↓Bad | 80.00% | Guernsey, OH | 90.71% |
| Health Factors | Percentage of ninth-grade cohort that graduates in four years | For e | Randolph, IN | 90.00% | | | | | | |
| He | | Source | data.gov, supplen | nented w/ N | Vational Center for E | ducation Statistic | • Year(s) | 2011-2012 | Lawrence, OH | 90.96% |
| | Some College | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | Percentage of adults ages 25-44 years with some post- secondary education | 28 | Shelby | 49.83% | 62.09% | 12.26% | †Good ↓Bad | 63.00% | Guernsey, OH | 47.78% |
| ors | | For eve | ery 100 adults be | | 14 years of age, as ursework at the c | | ional adults to cor | nplete some | Randolph, IN | 54.49% |
| act | | Source | | American | Community Surve | y | Year(s) | 2009-2013 | Lawrence, OH | 48.43% |
| mic Factors | Unemployment | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| on | | 78 | Blount | 11.24% | 6.89% | 4.34% | †Bad ↓Good | 8.10% | Guernsey, OH | 8.23% |
| Econor | | For e | For every 100 persons ages 16 years and older, help 5 persons successfully find employment. | | | | | | Randolph, IN | 8.56% |
| 8 | | Source | | Bureau o | of Labor Statistics | | Year(s) | 2013 | Lawrence, OH | 7.88% |
| Social | Children in Poverty | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| S | , | 44 | Montgomery | 28.60% | 21.40% | 7.20% | †Bad ↓Good | 23.00% | Guernsey, OH | 33.90% |
| | Percentage of children under age 18 in poverty | For every 100 children (under 18 years) in poverty, help 26 children to find assistance to get out of poverty. | | | | | | | | 26.20% |
| | | Source | Small | Area Incor | ne and Poverty Es | timates | Year(s) | 2013 | Lawrence, OH | 28.50% |
| | Income Inequality | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | 48 | Williamson | 4.59 | 4.11 | 0.48 | †Bad ↓Good | NA | Guernsey, OH | 4.46 |
| | Ratio of household income at the 80th percentile to | To reach a | | | | the 10th ranking the tentile by 1 ho | ng county reduce t | he gap between | Randolph, IN | 4.11 |
| | income at the 20th | | the 8 | oui percei | inne and 20th per | centile by 1 h | usenoid(s). | | | |

| | | Children in Single- Parent Households | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
|----------------|----------------------|---|---|-------------------|-------------|--|-----------------|----------------------|------------------|--------------|------------|
| | | Parent Households | 62 | Cheatham | 33.49% | 25.43% | 8.06% | †Bad ↓Good | 21.00% | Guernsey, OH | 32.44% |
| | | Percentage of children that live in a household headed by single parent | For every 100 single parent households in the county, investigate ways to encourage 25 households to be a multi-parent household. | | | | | | | | 34.99% |
| | | by single parent | Source | | American | Community Surve | y | Year(s) | 2009-2013 | Lawrence, OH | 37.50% |
| | | Social Associations | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 20 | Henry | 14.64 | 16.70 | 2.06 | †Good ↓Bad | 33.00% | Guernsey, OH | 16.07 |
| | tors | Number of membership associations per 10,000 population | For every 100 people in the county, increase the number of membership associations by 1. | | | | | | | | 18.98 |
| | Fac | | Source | | County l | Business Patterns | | Year(s) | 2012 | Lawrence, OH | 11.11 |
| | Economic Factors | Violent Crime | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | iou | | 87 | Carter | 622.39 | 206.33 | 416.06 | †Bad ↓Good | 387.00 | Guernsey, OH | 141.84 |
| | & Eco | Number of reported violent crime offenses per 100,000 population | For | every 100 person | ns in the c | ounty, prevent 67 | people from c | committing a viole | nt crime. | Randolph, IN | 24.93 |
| | | | Source | Ţ | Uniform Cr | ime Reporting - Fl | BI | Year(s) | 2010-2012 | Lawrence, OH | 166.55 |
| | Social | Injury Deaths | Rank | 5th Ranked | Value | 5th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 7 | Madison | 66.43 | 63.27 | 3.16 | †Bad ↓Good | 59.00 | Guernsey, OH | 66.36 |
| | | Number of deaths due to injury per 100,000 population | For e | every 1,000 popul | lation cons | ider ways to prev unintentiona | | as a result of inten | tional and | Randolph, IN | 55.88 |
| | | | Source | (| CDC WON | IDER mortality da | ta | Year(s) | 2008-2012 | Lawrence, OH | 71.71 |
| tors | | Air Pollution - Particulate Matter | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| ac | | | 53 | Greene | 13.72 | 13.14 | 0.58 | †Bad ↓Good | 11.10 | Guernsey, OH | 13.73 |
| Health Factors | | Average daily density of fine particulate matter in micrograms per cubic | Reduce the average daily measure of fine particulate matter by 0.58 micrograms per cubic meter (PM2.5). | | | | | | | | 13.46 |
| al | | <u>meter (PM2.5)</u> | Source | CD | C WONDI | ER Environmental | data | Year(s) | 2011 | Lawrence, OH | 13.13 |
| He | | Drinking Water Violations | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 1 | Anderson | 0.00% | 0.00% | 0.00% | †Bad ↓Good | 8.00% | Guernsey, OH | 1.37% |
| | | Percentage of population potentially exposed to water exceeding a violation | | | | No Action R | equired | | | Randolph, IN | 0.00% |
| | | limit during the past year | Source | Safe | Drinking W | ater Information S | System | Year(s) | FY2013-14 | Lawrence, OH | 0.00% |
| | | Severe Housing Problems | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | It | 1100101115 | 71 | Lewis | 14.85% | 10.96% | 3.90% | †Bad ↓Good | 19.00% | Guernsey, OH | 12.38% |
| | Physical Environment | Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing. | For every 1 | 00 persons in th | e county e | xperiencing hou assistan | | help 27 person(s) | to find housing | Randolph, IN | 12.18% |
| | Ē | facilities | Source | Comprehensiv | e Housing A | Affordability Strate | egy (CHAS) data | Year(s) | 2007-2011 | Lawrence, OH | 12.62% |
| | vsical | Driving Alone to Work | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | Phy | | 93 | Davidson | 90.06% | 80.03% | 10.02% | †Bad ↓Good | 76.00% | Guernsey, OH | 85.44% |
| | | Percentage of the workforce that drives alone to work | For every 100 persons that currently drive alone to work, convince 12 to carpool or take mass- transportation. | | | | | | | Randolph, IN | 83.25% |
| | | <u>to work</u> | Source | | American | Community Surve | У | Year(s) | 2009-2013 | Lawrence, OH | 88.89% |
| | | Long Commute - Driving Alone | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 2 | Madison | 18.20% | 15.80% | 2.40% | †Bad ↓Good | 34.00% | Guernsey, OH | 26.40% |
| | | Among workers who commute in their car alone, the percentage that | For every | 100 persons that | • | drive more than 3 or take mass-tran | | ne to work, convin | ce 14 to carpool | Randolph, IN | 33.40% |
| | | commute more than 30 | Source | | American | Community Surve | v | Year(s) | 2009-2013 | Lawrence, OH | 29.60% |