TENNESSEE DEPARTMENT OF HEALTH



DRIVE YOUR COUNTY TO THE TOP TEN:

Accelerating Action Towards Improving County Health


Haywood County






HAYWOOD COUNTY: Overview **2015 Drive Your County to the Top Ten**


| ohics | Population: | 18,224 | <18 YOA: | 23.84% | 65+ YOA: | 15.46% | % Rural: | 47.42% |
|-------|-------------------------------|--------|------------|----------|----------|--------|------------------|--------|
| ograp | Unemployment: | 11.79% | % Females: | 53.40% | % Males: | 46.60% | Graduation Rate: | 85.00 |
| Dem | Single parent households: 42. | | MHI: | \$34,557 | | | | |



| Top Third | |
|---------------------------|--------|
| Measure | Value |
| Social Associations | 22.48 |
| Drinking Water Violations | 0.00% |
| Adult Smoking | 17.30% |
| Injury Deaths | 65.34 |
| Poor Mental Health Days | 3.00 |
| Income Inequality | 4.24 |
| Diabetic Monitoring | 88.16% |
| Physical Inactivity | 31.90% |
| Poor Physical Health Days | 4.40 |
| Uninsured | 16.08% |



| Measure | Value |
|------------------------------------|--------|
| Air Pollution - Particulate Matter | 13.50 |
| Primary Care Physicians | 2027:1 |
| Long Commute - Driving Alone | 33.30% |
| Alcohol-Impaired Driving Deaths | 27.08% |
| Preventable Hosiptial Stays | 87.06 |
| Some College | 42.51% |
| Dentists | 3645:1 |
| Poor or Fair Health | 25.10% |



| Bottom Third | | | | | | | | |
|--------------------------------------|--------|--|--|--|--|--|--|--|
| Measure | Value | | | | | | | |
| Adult Obesity | 41.00% | | | | | | | |
| Food Environment Index | 5.40 | | | | | | | |
| Low Birthweight | 12.43% | | | | | | | |
| Severe Housing Problems | 21.60% | | | | | | | |
| Access to Exercise Opportunities | 8.11% | | | | | | | |
| Violent Crime | 986.41 | | | | | | | |
| Sexually Transmitted Infections | 844.30 | | | | | | | |
| Driving Alone to Work | 89.39% | | | | | | | |
| Teen Births | 65.51 | | | | | | | |
| Children in Single-Parent Households | 42.19% | | | | | | | |

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health. Nashville, TN. opm.health@tn.gov or 615-741-5001.

| | | partment of ealth | | | | | | | IAYWOOD (ive Your Co | COUNTY, TE ounty to the | |
|-----------------|------------------|--|--|--|---------------|-----------------------|-----------------|----------------------|--------------------------|----------------------------|------------|
| | of Life | Premature Death | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | of] | | 74 | Lewis | 10964.25 | 7769.75 | 3194.50 | †Bad ↓Good | 6,811.00 | Greenwood, SC | 8123.94 |
| | Length | Years of potential life lost before age 75 per 100,000 population (age- | For eve | ry 100 people in | the county | , 1 people in the | county need to | o live one year clos | ser to age 75. | Lenoir, NC | 9926.53 |
| | Ľ | <u>adjusted)</u> | Source | National C | Center for H | ealth Statistics - M | Iortality files | Year(s) | 2010-2012 | Lowndes, MS | 8137.68 |
| | | Poor or Fair Health | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 59 | Putnam | 25.10% | 16.60% | 8.50% | ↑Bad ↓Good | 12.40% | Greenwood, SC | 17.90% |
| တ | | Percentage of adults reporting fair or poor health (age-adjusted) | Improve t | | | fair heal | lth. | n general, report b | eing in poor or | Lenoir, NC | 25.00% |
| ne | | | Source | Behav | ioral Risk F | actor Surveillance | System | Year(s) | 2006-2012 | Lowndes, MS | 20.40% |
| con | | Poor Physical Health Days* | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| 5 | | A | 29 | Chester | 4.40 | 3.40 | 1.00 | ↑Bad ↓Good | 3.70 | Greenwood, SC | 3.60 |
| Health Outcomes | of Life | Average number of physically unhealthy days reported in past 30 days (age-adjusted) | Engage | Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month. | | | | | | | 4.10 |
| [a] | | | Source | Behav | rioral Risk F | actor Surveillance | System | Year(s) | 2006-2012 | Lowndes, MS | 3.90 |
| \dot{H} | Quality | Poor Mental Health Days | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | Qu | | 14 | Henderson | 3.00 | 2.80 | 0.20 | ↑Bad ↓Good | 3.50 | Greenwood, SC | 3.60 |
| | | Average number of mentally unhealthy days reported in past 30 days | Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month. | | | | | | | Lenoir, NC | 4.70 |
| | | (age-adjusted) | Source | Behav | ioral Risk F | actor Surveillance | System | Year(s) | 2006-2012 | Lowndes, MS | 3.90 |
| | | Low Birthweight | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 94 | Lewis | 12.43% | 7.29% | 5.14% | ↑Bad ↓Good | 8.10% | Greenwood, SC | 10.93% |
| | | Percentage of live births with low birthweight (< 2500 grams) | Reduce the number of low birth weight babies by 6 for every 100 live births. | | | | | | | | 10.89% |
| | | 87 | Source | National (| Center for F | Health Statistics - N | Natality files | Year(s) | 2006-2012 | Lowndes, MS | 11.55% |
| | | Adult Smoking | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 5 | Williamson | 17.30% | 10.90% | 6.40% | ↑Bad ↓Good | 18.10% | Greenwood, SC | 22.60% |
| | | Percentage of adults who are current smokers | | | • | | | anty to quit smoki | | Lenoir, NC | 16.10% |
| ည | S | | Source | Behav | ioral Risk F | actor Surveillance | System | Year(s) | 2006-2012 | Lowndes, MS | 25.40% |
| ctoı | avior | Adult Obesity | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| Б | eh? | - | 95 | Hamilton | 41.00% | 29.10% | 11.90% | ↑Bad ↓Good | 28.00% | Greenwood, SC | 32.40% |
| Health Factors | Health Behaviors | Percentage of adults that report a BMI of 30 or more | Get | 30 out of every | 100 current | obese adults in | the county to r | educe their BMI b | pelow 30. | Lenoir, NC | 35.30% |
| ea | Iea | | Source | (| CDC Diabe | tes Interactive Atl | as | Year(s) | 2011 | Lowndes, MS | 36.20% |
| H | H | Food Environment Index | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 95 | Williamson | 5.40 | 8.9 | 3.5 | ↑Good ↓Bad | 7.60 | Greenwood, SC | 6.60 |
| | | Index of factors that contribute to a healthy | | | | | | | | | |
| | | | | | Increase | the county's foo | d index score b | oy 3.5. | | Lenoir, NC | 5.80 |

Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health. Nashville, TN. April 2015. opm.health@tn.gov or 615-741-5001. The full report can be accessed at: http://health.tn.gov/statistics/specialprojects.htm. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 County Health Rankings and Roadmaps report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. The action statements are based on the assumption that no new additional cases occur. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

| | | | Rank | 10th Ranked | Value | 10th Ranked | Difference | Shift in Value | US Average | Peer County | Peer Value |
|----------------|------------------|---|---|--------------------------|--------------|-------------------------------|--------------------|---|------------------|---------------|------------|
| | | Physical Inactivity | 25 | Wilson | 31.90% | 28.50% | 3.40% | ↑Bad ↓Good | 30.00% | Greenwood, SC | 26.30% |
| | | Percentage of adults aged 20 and over reporting no leisure-time physical | | | | | | kercise during leis | | Lenoir, NC | 34.10% |
| | | activity | Source | (| CDC Diabe | etes Interactive Atl | as | Year(s) | 2011 | Lowndes, MS | 31.20% |
| | | Access to Exercise Opportunities | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | Opportunities | 93 | Loudon | 8.11% | 78.50% | 70.39% | ↑Good ↓Bad | 77.00% | Greenwood, SC | 86.28% |
| | | Percentage of population with adequate access to locations for physical | Consider how to remove barriers to access exercise locations to reach an additional 70.39 percent of the county's population. Source Business Analyst, Delorme, ESRI, & US Census Tigerline Files Year(s) 2010 & 2013 | | | | | | | Lenoir, NC | 55.88% |
| | | <u>activity</u> | Source | Business Analy | st, Delorme | , ESRI, & US Cens | us Tigerline Files | Year(s) | 2010 & 2013 | Lowndes, MS | 79.98% |
| | | Excessive Drinking | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | rs | | NA | Greene | NA | 3.30% | NA | ↑Bad ↓Good | 15.00% | Greenwood, SC | 13.20% |
| | Health Behaviors | Percentage of adults reporting binge or heavy drinking | | | | No information | n available | | | Lenoir, NC | 8.10% |
| | Bel | | Source | Behav | ioral Risk I | actor Surveillance | System | Year(s) | 2006-2012 | Lowndes, MS | 13.60% |
| | alth | Alcohol-Impaired Driving Deaths | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | Не | Ü | 43 | McNairy | 27.08% | 18.75% | 8.33% | ↑Bad ↓Good | 32.00% | Greenwood, SC | 54.55% |
| | | Percentage of driving deaths with alcohol involvement | Reduce the number of alcohol related driving deaths by 8.33 percent. | | | | | | | | 36.84% |
| rs. | | involvement | Source | Fa | atality Anal | ysis Reporting Syst | em | Year(s) | 2009-2013 | Lowndes, MS | 20.00% |
| cto | | Sexually Transmitted Infections | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| Fa | | | 90 | Scott | 844.30 | 144.30 | 700.00 | †Bad ↓Good | 458.00 | Greenwood, SC | 910.30 |
| Health Factors | | Number of newly diagnosed chlamydia cases per 100,000 population | Consider ways to educate 9 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia. | | | | | | | | 607.80 |
| Ie | | | Sou | arce National Center for | HIV/AIDS, Vi | ral Hepatitis, STD, & TB | Prevention | Year(s) | 2012 | Lowndes, MS | 625.10 |
| I | | Teen Births | Rank 89 | 10th Ranked | Value | 10th Ranked Value 37.04 | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | | Putnam | 65.51 | | | ↑Bad ↓Good | 31.00 | Greenwood, SC | 51.89 |
| | | Teen birth rate per 1,000 female population, ages 15- 19 | For every | 100 teenage fem | Lenoir, NC | 58.98 | | | | | |
| | | | Source | National (| Center for I | Health Statistics - N | Natality files | Year(s) | 2006-2012 | Lowndes, MS | 57.79 |
| | | Uninsured | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 31 | Blount | 16.08% | 14.64% | 1.44% | †Bad ↓Good | 18.00% | Greenwood, SC | 21.09% |
| | | Percentage of population under age 65 without health insurance | Get 9 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance. | | | | | | | | 20.56% |
| | | remen modulice | Source | Sma | ll Area Hea | lth Insurance Esti | mates | Year(s) | 2012 | Lowndes, MS | 19.01% |
| | ıre | Primary Care Physicians | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | I C | , | 37 | Anderson | 2027:1 | 1397:1 | 630 | ↑Bad ↓Good | 1,355.00 | Greenwood, SC | 969:1 |
| | Clinical Care | Ratio of population to primary care physicians | To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 5 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area. | | | | | | | | 2194:1 |
| | | | Source | Area Health I | Resource Fi | le/American Medi | cal Association | Year(s) | 2012 | Lowndes, MS | 2387:1 |
| | | Dentists | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 57 | Maury | 3645:1 | 1675:1 | 1970 | ↑Bad ↓Good | 1,663.00 | Greenwood, SC | 2051:1 |
| | | Ratio of population to dentists | providers | would need to b | e recruited | to the county. N | More important | Oth ranking count ly, if the county's essional Shortage | value is greater | Lenoir, NC | 2182:1 |
| | | | Source | Area Health I | Resource Fi | le/American Medi | cal Association | Year(s) | 2013 | Lowndes, MS | 1498:1 |

| | | Mental Health | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
|------------------|--------------------|---|---|-------------------|-------------|--|---------------------|----------------------------------|-------------------|---------------|------------|
| | | Providers | NA | McNairy | NA | 688:1 | NA | ↑Bad ↓Good | 753 | Greenwood, SC | 453:1 |
| | | Ratio of population to mental health providers | No information available | | | | | | | | 893:1 |
| | | | Source | CMS, | National I | Provider Identificat | ion file | Year(s) | 2014 | Lowndes, MS | 856:1 |
| | | Preventable Hospital Stays | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | 1100piun ounyo | 52 | Marshall | 87.06 | 58.47 | 28.59 | ↑Bad ↓Good | 65.00 | Greenwood, SC | 46.58 |
| | Care | Number of hospital stays for ambulatory-care sensitive conditions per | For every 1 | 00 Medicare enr | ollees, pre | event 1 Medicare care sensitive c | | being hospitalized | d for ambulatory- | Lenoir, NC | 67.73 |
| | | 1,000 Medicare enrollees | Source | I | Dartmouth | Atlas of Health Ca | re | Year(s) | 2012 | Lowndes, MS | 54.79 |
| | Clinical | Diabetic Monitoring | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | C | S | 19 | Crockett | 88.16% | 88.92% | 0.77% | ↑Good ↓Bad | 84.00% | Greenwood, SC | 89.69% |
| | | Percentage of diabetic Medicare enrollees ages 65- 75 that receive HbA1c | For eve | ry 100 diabetic N | Medicare e | enrollees, get 1 ad screenii | | are enrollees to re | ceive HbA1c | Lenoir, NC | 89.59% |
| | | monitoring | Source | Ι | Dartmouth | Atlas of Health Ca | re | Year(s) | 2012 | Lowndes, MS | 85.23% |
| | | Mammography Screening | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | 5 | 31 | Knox | 62.36% | 65.71% | 3.35% | ↑Good ↓Bad | 63.00% | Greenwood, SC | 70.44% |
| | | Percentage of female Medicare enrollees ages 67- 69 that receive | For every 100 female Medicare enrollees, get 4 additional Medicare enrollees to receive their mammography screening. | | | | | | | Lenoir, NC | 68.17% |
| ည | | mammography screening | Source | Ι | Dartmouth | Atlas of Health Ca | re | Year(s) | 2012 | Lowndes, MS | 57.45% |
| cto | | High School Graduation | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| \mathbf{F}_{2} | | | 77 | Carroll | 85.00% | 95.32% | 10.32% | ↑Good ↓Bad | 80.00% | Greenwood, SC | 77.57% |
| Health Factors | | Percentage of ninth-grade cohort that graduates in four years | For e | Lenoir, NC | 78.00% | | | | | | |
| -Ie | | | Source | data.gov, supplen | nented w/ N | National Center for E | ducation Statistics | s Year(s) | 2011-2012 | Lowndes, MS | 74.24% |
| I | | Some College | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 54 | Shelby | 42.51% | 62.09% | 19.59% | ↑Good ↓Bad | 63.00% | Greenwood, SC | 55.90% |
| | tors | Percentage of adults ages 25-44 years with some post- secondary education | For every 100 adults between 25-44 years of age, assist 1959 additional adults to complete some coursework at the collegiate level. | | | | | | | Lenoir, NC | 51.02% |
| | acı | , | Source | | American | Community Surve | У | Year(s) | 2009-2013 | Lowndes, MS | 58.46% |
| | nic F | Unemployment | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | lor | | 86 | Blount | 11.79% | 6.89% | 4.90% | ↑Bad ↓Good | 8.10% | Greenwood, SC | 8.72% |
| | : Economic Factors | Percentage of population ages 16 and older unemployed but seeking | For every 100 persons ages 16 years and older, help 5 persons successfully find employment. | | | | | | | | 8.81% |
| | 1 & | <u>work</u> | Source | | Bureau o | of Labor Statistics | | Year(s) | 2013 | Lowndes, MS | 9.65% |
| | Social | Children in Poverty | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | 0, | | 78 | Montgomery | 35.10% | 21.40% | 13.70% | ↑Bad ↓Good | 23.00% | Greenwood, SC | 34.70% |
| | | Percentage of children under age 18 in poverty | For ever | ` | | povert | y. ⁻ | n to find assistance | e to get out of | Lenoir, NC | 34.10% |
| | | | Source | Small | Area Incor | me and Poverty Es | timates | Year(s) | 2013 | Lowndes, MS | 36.10% |
| | | Income Inequality | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 16 | Williamson | 4.24 | 4.11 | 0.13 | ↑Bad ↓Good | NA | Greenwood, SC | 5.27 |
| | | Ratio of household income at the 80th percentile to income at the 20th | To reach a | | | t or below that of ntile and 20th per | | ng county reduce to busehold(s). | the gap between | Lenoir, NC | 5.16 |
| | | <u>percentile</u> | Source | | American | Community Surve | У | Year(s) | 2009-2013 | Lowndes, MS | 5.84 |

| | | Children in Single- Parent Households | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
|----------------|----------------------|--|-------------|-------------------|-----------------|--|-----------------|----------------------|------------------|---------------|------------|
| | | | 89 | Cheatham | 42.19% | 25.43% | 16.76% | ↑Bad ↓Good | 21.00% | Greenwood, SC | 48.74% |
| | | Percentage of children that live in a household headed by single parent | For every | 100 single paren |) households to | Lenoir, NC | 51.24% | | | | |
| | | by single parent | Source | | American (| Community Survey | у | Year(s) | 2009-2013 | Lowndes, MS | 45.18% |
| | | Social Associations | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 1 | Haywood | 22.48 | 22.48 | 0.00 | ↑Good ↓Bad | 33.00% | Greenwood, SC | 15.05 |
| | ctors | Number of membership associations per 10,000 population | | | | No action re | quired. | | | Lenoir, NC | 15.70 |
| | Fac | | Source | | County I | Business Patterns | | Year(s) | 2012 | Lowndes, MS | 14.75 |
| | Economic Factors | Violent Crime | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | noı | | 93 | Carter | 986.41 | 206.33 | 780.08 | ↑Bad ↓Good | 387.00 | Greenwood, SC | 1351.17 |
| | | Number of reported violent crime offenses per 100,000 population | For | every 100 person | Lenoir, NC | 621.42 | | | | | |
| | 11 & | | Source | Ţ | Uniform Cr | rime Reporting - FI | BI | Year(s) | 2010-2012 | Lowndes, MS | 230.53 |
| | Social | Injury Deaths | Rank | 5th Ranked | Value | 5th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | 0, | | 6 | Madison | 65.34 | 63.27 | 2.08 | ↑Bad ↓Good | 59.00 | Greenwood, SC | 71.90 |
| | | Number of deaths due to injury per 100,000 population | For e | | | unintentiona | ıl injury. | as a result of inten | | Lenoir, NC | 72.08 |
| | | | Source | | CDC WON | IDER mortality da | ta | Year(s) | 2008-2012 | Lowndes, MS | 64.78 |
| tors | | Air Pollution - Particulate Matter | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| ac | | | 35 | Greene | 13.50 | 13.14 | 0.36 | ↑Bad ↓Good | 11.10 | Greenwood, SC | 12.84 |
| Health Factors | | Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5) | Reduce | the average dail | Lenoir, NC | 11.82 | | | | | |
| [3] | | <u> </u> | Source | CD | C WONDE | ER Environmental | data | Year(s) | 2011 | Lowndes, MS | 12.5 |
| H | | Drinking Water Violations | Rank | 1st Ranked | Value | 1st Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | | 1 | Anderson | 0.00% | 0.00% | 0.00% | ↑Bad ↓Good | 8.00% | Greenwood, SC | 0.05% |
| | | Percentage of population potentially exposed to water exceeding a violation | | | | No Action Ro | equired | | | Lenoir, NC | 0.00% |
| | | limit during the past year | Source | Safe ! | Drinking W | Vater Information S | System | Year(s) | FY2013-14 | Lowndes, MS | 0.19% |
| | | Severe Housing Problems | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | Ħ | | 94 | Lewis | 21.60% | 10.96% | 10.64% | ↑Bad ↓Good | 19.00% | Greenwood, SC | 15.69% |
| | Physical Environment | Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing | For every 1 | 100 persons in th | e county e | experiencing hous assistan | | help 50 person(s) | to find housing | Lenoir, NC | 20.72% |
| | 1 E | <u>facilities</u> | Source | Comprehensiv | e Housing / | Affordability Strate | egy (CHAS) data | Year(s) | 2007-2011 | Lowndes, MS | 18.93% |
| | /sica. | Driving Alone to Work | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | Phy | | 90 | Davidson | 89.39% | 80.03% | 9.36% | ↑Bad ↓Good | 76.00% | Greenwood, SC | 87.14% |
| | | Percentage of the workforce that drives alone | For ev | very 100 persons | that currer | ntly drive alone to transporta | | ce 11 to carpool or | take mass- | Lenoir, NC | 78.19% |
| | | to work | Source | | American (| Community Survey | | Year(s) | 2009-2013 | Lowndes, MS | 84.30% |
| | | Long Commute - | Rank | 10th Ranked | Value | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County | Peer Value |
| | | Driving Alone | 40 | Hamilton | 33.30% | 25.10% | 8.20% | ↑Bad ↓Good | 34.00% | Greenwood, SC | 21.40% |
| | | Among workers who commute in their car alone, | For every 1 | 100 persons that | • | drive more than 3 or take mass-tran | | e to work, convinc | ce 25 to carpool | Lenoir, NC | 26.10% |
| | | the percentage that commute more than 30 | Source | | American I | Community Survey | | Year(s) | 2009-2013 | Lowndes, MS | 22.00% |