TENNESSEE DEPARTMENT OF HEALTH




DRIVE YOUR COUNTY TO THE TOP TEN:

Accelerating Action Towards Improving County Health

Marion County



WWW.TN.GOV/HEALTH/TOPIC/SPECIALREPORTS



YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health. Nashville, TN. opm.health@tn.gov or 615-741-5001.

WWW.TN.GOV/HEALTH/TOPIC/SPECIALREPORTS

T	N D								MARION C	OUNTY, TE	NNESSEE
		epartment of lealth						2015 Dr	ive Your Co	unty to the	Top Ten
	Life	Premature Death	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	of]		71	Lewis	10874.67	7769.75	3104.92	†Bad ↓Good	6,811.00	Starke, IN	11782.75
	Length	Years of potential life lost before age 75 per 100,000 population (age-	For eve	ery 100 people in	the county	y, 1 people in the	e county need to	o live one year clos	ser to age 75.	Itawamba, MS	9875.49
	Ľ	<u>adjusted)</u>	Source	National (Center for H	lealth Statistics - N	Iortality files	Year(s)	2010-2012	Prentiss, MS	11354.39
		Poor or Fair Health	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			77	Putnam	27.30%	16.60%	10.70%	†Bad ↓Good	12.40%	Starke, IN	20.40%
S		Percentage of adults reporting fair or poor health (age-adjusted)	Improve the health of 11 out of every 100 people in the county who, in general, report being in poor or							Itawamba, MS	26.80%
Je			Source	Behav	rioral Risk F	factor Surveillance	e System	Year(s)	2006-2012	Prentiss, MS	24.80%
con		Poor Physical Health Days*	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
nt		,	75	Chester	6.20	3.40	2.80	†Bad ↓Good	3.70	Starke, IN	4.40
Health Outcomes	Life	Average number of physically unhealthy days reported in past 30 days (age-adjusted)	Engage	Engage people in the county on ways to reduce number of poor physical health days reported by residents by 3 days per month.							4.90
ea.	v of		Source	Behav	rioral Risk F	actor Surveillance	e System	Year(s)	2006-2012	Prentiss, MS	4.80
H	Quality	Poor Mental Health Days	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			33	Henderson	3.50	2.80	0.70	†Bad ↓Good	3.50	Starke, IN	4.80
		<u>Average number of</u> <u>mentally unhealthy days</u> <u>reported in past 30 days</u>	Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.							Itawamba, MS	5.20
		(age-adjusted)	Source	Behav	rioral Risk F	factor Surveillance	e System	Year(s)	2006-2012	Prentiss, MS	4.60
		Low Birthweight	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Percentage of live births with low birthweight (< 2500 grams)	93	Lewis	11.89%	7.29%	4.60%	†Bad ↓Good	8.10%	Starke, IN	7.39%
										Itawamba, MS	8.59%
			Source	National	Center for H	Health Statistics - 1	Natality files	Year(s)	2006-2012	Prentiss, MS	10.36%
		Adult Smoking	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			37	Knox	24.70%	18.50%	6.20%	†Bad ↓Good	18.10%	Starke, IN	32.60%
		Percentage of adults who are current smokers		Get 26 out of	every 100 c	current adult smo	okers in the cou	inty to quit smoki	ng.	Itawamba, MS	27.70%
s			Source	Behav	rioral Risk F	factor Surveillance	e System	Year(s)	2006-2012	Prentiss, MS	24.10%
ctor	Behaviors	Adult Obesity	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
ă	ha		6	Loudon	28.30%	28.00%	0.30%	†Bad ↓Good	28.00%	Starke, IN	34.70%
Health Factors	Health Be	Percentage of adults that report a BMI of 30 or more	Ge	t 2 out of every 2	00 current	obese adults in	the county to re	educe their BMI b	pelow 30.	Itawamba, MS	33.20%
le;	Iea		Source		CDC Diabe	etes Interactive At	las	Year(s)	2011	Prentiss, MS	30.50%
Ŧ	Ŧ	Food Environment Index	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			24	Williamson	7.50	8.9	1.4	†Good ↓Bad	7.60	Starke, IN	7.50
		Index of factors that contribute to a healthy food environment, 0			Increase	the county's foo	od index score l	oy 1.4.		Itawamba, MS	7.40
		(worst) to 10 (best)	Source	USDA Fo	od Environi	ment Atlas, Map t	he Meal Gap	Year(s)	2012	Prentiss, MS	6.90
		<u></u>				<i>i</i> 1	1	~ /		, -	

Prepared by the Division of Policy, Planning and Assessment, Office of Performance Management, Tennessee Department of Health. Nashville, TN. April 2015. opm.health@tn.gov or 615-741-5001. The full report can be accessed at: http://health.tn.gov/statistics/specialprojects.htm. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015. *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. The action statements are based on the assumption that no new additional cases occur. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

		Physical Inactivity	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			77	Wilson	36.10%	28.50%	7.60%	†Bad ↓Good	30.00%	Starke, IN	37.20%
		Percentage of adults aged 20 and over reporting no- leisure-time physical	Get 22 out of every 100 currently physically inactive adults to exercise during leisure time.								36.70%
		activity	Source		CDC Diabe	etes Interactive Atl	as	Year(s)	2011	Prentiss, MS	34.20%
		Access to Exercise Opportunities	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Opportunities	24	Loudon	69.45%	78.50%	9.05%	†Good ↓Bad	77.00%	Starke, IN	60.57%
		Percentage of population with adequate access to locations for physical	Consider how to remove barriers to access exercise locations to reach an additional 9.05 percent of the county's population.								37.22%
		<u>activity</u>	Source	Business Analy	vst, Delorme	, ESRI, & US Cens	sus Tigerline Files	S Year(s)	2010 & 2013	Prentiss, MS	47.85%
		Excessive Drinking	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		0	NA	Greene	NA	3.30%	NA	†Bad ↓Good	15.00%	Starke, IN	20.10%
	Health Behaviors	Percentage of adults reporting binge or heavy drinking				No information	n available			Itawamba, MS	6.90%
	Bel		Source	Behav	vioral Risk H	actor Surveillance	System	Year(s)	2006-2012	Prentiss, MS	8.80%
	alth	Alcohol-Impaired Driving Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	He	8	53	McNairy	29.41%	18.75%	10.66%	†Bad ↓Good	32.00%	Starke, IN	31.03%
		Percentage of driving deaths with alcohol involvement	Reduce the number of alcohol related driving deaths by 10.66 percent.								8.82%
LS			Source	F	atality Anal	ysis Reporting Syst	tem	Year(s)	2009-2013	Prentiss, MS	34.62%
cto		Sexually Transmitted	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Fa		Infections	48	Scott	296.90	144.30	152.60	†Bad ↓Good	458.00	Starke, IN	81.90
Health Factors		Number of newly diagnosed chlamydia cases per 100,000 population	Consider ways to educate 6 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia.								488.40
Ie		*	Sou	arce National Center for	HIV/AIDS, Vi	ral Hepatitis, STD, & TB	Prevention	Year(s)	2012	Prentiss, MS	315.10
щ		Teen Births	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			75	Putnam	59.03	37.04	21.98	†Bad ↓Good	31.00	Starke, IN	46.61
		Teen birth rate per 1,000 female population, ages 15- 19	For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 38 teen(s) from becoming pregnant.							Itawamba, MS	47.14
		12	Source	National 0	Center for I	Health Statistics - 1	Natality files	Year(s)	2006-2012	Prentiss, MS	65.35
		Uninsured	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			33	Blount	16.23%	14.64%	1.59%	†Bad ↓Good	18.00%	Starke, IN	17.23%
		Percentage of population under age 65 without health insurance	Get 10 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance.								19.83%
		itearci nisurance	Source	Sma	ull Area Hea	lth Insurance Esti	mates	Year(s)	2012	Prentiss, MS	20.17%
	ure	Primary Care Physicians	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	Co	,	14	Anderson	1489:1	1397:1	92	†Bad ↓Good	1,355.00	Starke, IN	3316:1
	Clinical Care	Ratio of population to primary care physicians	To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 2 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area.								4668:1
	-		Source	Area Health I	Resource Fi	le/American Med	ical Association	Year(s)	2012	Prentiss, MS	1814:1
		Dentists	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			70	Maury	4729:1	1675:1	3054	↑Bad ↓Good	1,663.00	Starke, IN	11599:1
		Ratio of population to <u>dentists</u>	providers	would need to b	e recruited	l to the county. N	Nore important	0th ranking count ly, if the county's Tessional Shortage	value is greater	Itawamba, MS	5859:1
			Source			le/American Medi		Year(s)	2013	Prentiss, MS	2539:1
			oource								

		Mental Health	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Providers	64	McNairy	4053:1	688:1	3365	†Bad ↓Good	753	Starke, IN	7732:1
		Ratio of population to mental health providers	To reach health pro grea	Itawamba, MS	5859:1						
			Source	CMS,	National I	Provider Identificat	ion file	Year(s)	2014	Prentiss, MS	1813:1
		Preventable Hospital Stays	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		110spital Stays	51	Marshall	87.03	58.47	28.56	†Bad ↓Good	65.00	Starke, IN	93.78
	Care	Number of hospital stays for ambulatory-care sensitive conditions per	For every 100 Medicare enrollees, prevent 1 Medicare enrollees from being hospitalized for ambulatory- care sensitive conditions.								52.77
		1,000 Medicare enrollees	Source	I	Dartmouth	Atlas of Health Ca	ure	Year(s)	2012	Prentiss, MS	79.17
	Clinical	Diabetic Monitoring	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
1	0	8	57	Crockett	85.61%	88.92%	3.31%	†Good ↓Bad	84.00%	Starke, IN	84.39%
		Percentage of diabetic Medicare enrollees ages 65- 75 that receive HbA1c	For eve	ery 100 diabetic N	Aedicare e	enrollees, get 4 ad screenii		care enrollees to re	ceive HbA1c	Itawamba, MS	87.73%
		monitoring	Source	I	Dartmouth	Atlas of Health Ca	ire	Year(s)	2012	Prentiss, MS	87.33%
		Mammography Screening	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		······································	64	Knox	57.32%	65.71%	8.39%	†Good ↓Bad	63.00%	Starke, IN	44.03%
		Percentage of female. Medicare enrollees ages 67- 69 that receive. mammography screening	For every 100 female Medicare enrollees, get 9 additional Medicare enrollees to receive their mammography screening.							Itawamba, MS	50.90%
rs		mammography screening	Source	I	Dartmouth	Atlas of Health Ca	ıre	Year(s)	2012	Prentiss, MS	50.00%
icto		High School Graduation	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Ë			80	Carroll	84.11%	95.32%	11.22%	†Good ↓Bad	80.00%	Starke, IN	80.79%
Health Factors		Percentage of ninth-grade cohort that graduates in four years	For every 100 ninth graders, assist 12 additional ninth graders to graduate within four years.								81.00%
He			Source	data.gov, suppler	nented w/ N	National Center for F	ducation Statistic	s Year(s)	2011-2012	Prentiss, MS	83.83%
		Some College	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Percentage of adults ages 25-44 years with some post secondary education	51	Shelby	43.81%	62.09%	18.29%	†Good ↓Bad	63.00%	Starke, IN	51.40%
	tors		For eve	ery 100 adults be		44 years of age, as ursework at the c		ional adults to cor	nplete some	Itawamba, MS	53.03%
	acı		Source		American	Community Surve	У	Year(s)	2009-2013	Prentiss, MS	45.70%
	mic Factors	Unemployment	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	uou		42	Blount	9.02%	6.89%	2.13%	†Bad ↓Good	8.10%	Starke, IN	9.08%
	Econo:	Percentage of population ages 16 and older unemployed but seeking	For e	very 100 persons	ages 16 ye	ears and older, he	elp 3 persons su	accessfully find en	nployment.	Itawamba, MS	8.76%
	8	work	Source		Bureau o	of Labor Statistics		Year(s)	2013	Prentiss, MS	9.06%
	ia	Children in Poverty	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	00	Children in Poverty	Runn	Total Humileu							
	Social	Children in Poverty	25	Montgomery	26.40%	21.40%	5.00%	†Bad ↓Good	23.00%	Starke, IN	28.40%
	Soc	<u>Percentage of children</u> under age 18 in poverty	25	Montgomery ry 100 children (u	under 18 ye	21.40% ears) in poverty, l povert	nelp 19 children y.	†Bad ↓Good n to find assistance	e to get out of	Itawamba, MS	28.40% 27.00%
	Soc	Percentage of children	25	Montgomery ry 100 children (u	under 18 ye	21.40% ears) in poverty, l	nelp 19 children y.			,	
	Soc	Percentage of children	25 For ever Source Rank	Montgomery ry 100 children (t Small 10th Ranked	ander 18 ye Area Incor Value	21.40% ears) in poverty, I povert ne and Poverty Es 10th Ranked Value	nelp 19 children y. timates Difference	n to find assistance Year(s) Shift in Value	2013 US Average	Itawamba, MS Prentiss, MS Peer County	27.00% 31.70% Peer Value
	Soc	Percentage of children under age 18 in poverty	25 For even	Montgomery ry 100 children (t Small	ander 18 ye Area Incor	21.40% ears) in poverty, I poverty me and Poverty Es 10th Ranked	nelp 19 children y. timates	n to find assistance Year(s)	e to get out of 2013	Itawamba, MS Prentiss, MS	27.00%
	Soc	Percentage of children under age 18 in poverty	25 For even Source Rank 73	Montgomery ry 100 children (t Small 10th Ranked Williamson household inco	Area Incor Value 4.91 me ratio a	21.40% ears) in poverty, I poverty me and Poverty Es 10th Ranked Value 4.11	timates Difference 0.80 the 10th ranking	to find assistance Year(s) Shift in Value ↑Bad ↓Good ng county reduce to	2013 US Average NA	Itawamba, MS Prentiss, MS Peer County	27.00% 31.70% Peer Value

		Children in Single- Parent Households	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			80	Cheatham	36.99%	25.43%	11.56%	†Bad ↓Good	21.00%	Starke, IN	31.97%
		Percentage of children that live in a household headed	For every	Itawamba, MS	25.24%						
		<u>by single parent</u>	Source American Community Survey Year(s) 2009-2013							Prentiss, MS	36.93%
		Social Associations	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			72	Henry	8.48	16.70	8.21	†Good ↓Bad	33.00%	Starke, IN	12.49
	tors	Number of membership associations per 10,000 population	For	Itawamba, MS	11.14						
	Fac		Source		County l	Business Patterns		Year(s)	2012	Prentiss, MS	10.63
	Economic Factors	Violent Crime	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	iou		50	Carter	365.09	206.33	158.76	†Bad ↓Good	387.00	Starke, IN	178.27
	& Eco	Number of reported violent crime offenses per 100,000 population	For	every 100 person	ns in the c	ounty, prevent 44	people from c	ommitting a viole	nt crime.	Itawamba, MS	121.61
			Source	J	Uniform Cr	ime Reporting - Fl	BI	Year(s)	2010-2012	Prentiss, MS	NA
	Social	Injury Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			70	Fayette	104.94	68.81	36.13	†Bad ↓Good	59.00	Starke, IN	104.72
		Number of deaths due to injury per 100,000 population	For e	very 1,000 popul	ation cons	ider ways to prev unintentiona		as a result of inter	ntional and	Itawamba, MS	117.28
			Source	(CDC WON	IDER mortality da	ta	Year(s)	2008-2012	Prentiss, MS	81.87
tors		Air Pollution - Particulate Matter	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
ac			30	Greene	13.47	13.14	0.33	†Bad ↓Good	11.10	Starke, IN	13.21
Health Factors		Average daily density of fine particulate matter in micrograms per cubic	Reduce the average daily measure of fine particulate matter by 0.33 micrograms per cubic meter (PM2.5).								12.16
al		<u>meter (PM2.5)</u>	Source	CD	C WONDI	ER Environmental	data	Year(s)	2011	Prentiss, MS	12.52
He		Drinking Water Violations	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			1	Anderson	0.00%	0.00%	0.00%	†Bad ↓Good	8.00%	Starke, IN	0.00%
		Percentage of population potentially exposed to water exceeding a violation				No Action R	equired			Itawamba, MS	0.00%
		limit during the past year	Source	Safe	Drinking W	ater Information S	System	Year(s)	FY2013-14	Prentiss, MS	0.00%
		Severe Housing Problems	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	tt	_ 100101115	60	Lewis	14.28%	10.96%	3.32%	†Bad ↓Good	19.00%	Starke, IN	15.77%
	Physical Environment	Percentage of households, with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing.	For every 1	100 persons in th	e county e	xperiencing hou assistan		help 24 person(s)	to find housing	Itawamba, MS	8.91%
	Ε	<u>facilities</u>	Source	Comprehensiv	e Housing A	Affordability Strate	egy (CHAS) data	Year(s)	2007-2011	Prentiss, MS	12.19%
	'sical	Driving Alone to Work	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	phy	WOIR	19	Davidson	81.88%	80.03%	1.85%	†Bad ↓Good	76.00%	Starke, IN	81.74%
	Ч	Percentage of the workforce that drives alone	For e	very 100 persons	that curre	ntly drive alone t transporta		ce 3 to carpool or	take mass-	Itawamba, MS	88.41%
		<u>to work</u>	Source		American	Community Surve	У	Year(s)	2009-2013	Prentiss, MS	82.52%
		Long Commute - Driving Alone	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			75	Hamilton	46.30%	25.10%	21.20%	†Bad ↓Good	34.00%	Starke, IN	40.10%
		Among workers who commute in their car alone, the percentage that	For every	100 persons that	•	drive more than 3 or take mass-tran		e to work, convin	ce 46 to carpool	Itawamba, MS	35.00%