<u>، بسیر</u>			Time
SMART Emergency Dept. Medical Clearance Form Psychiatric Inpatient	No*	Yes	(Cleared or N/A)
Suspect new onset psychiatric condition? ·····	1		
Medical conditions that require screening?	2		
Diabetes (FSBS less than 60 or greater than 200)			
Possibility of pregnancy (age 12-50)			
Other complaints that require screening?			
Abnormal	3		
Vital Signs?			
Temp: greater than 38.0°C (100.4°F)			
HR: less than 50 or greater than 110 ······			
BP: less than 100 systolic or greater than 180/110 (2 consecutive readings 15 min apart)			
RR: less than 8 or greater than 22			
O ₂ : less than 95% on room air			
Mental Status?			
Cannot answer name, month/year and location (minimum A/O x 3)			
If clinically intoxicated, HII score 4 or more (next page)			
Physical exam (unclothed)?			
Risky Presentation?	4		
Age less than 12 or greater than 55			
Possibility of ingestion (screen all suicidal patients)			
Eating disorders			
Potential for alcohol withdrawal (daily use equal to or greater than 2 weeks) ••			
Ill-appearing, significant injury, prolonged struggle or "found down" ······			
Therapeutic levels needed?	5		
Phenytoin · · · · · · · · · · · · · · · · · · ·			
Valproic acid ·······			
Lithium			
Digoxin · · · · · · · · · · · · · · · · · · ·			
Warfarin (INR)			
Notes: Tennessee RMHI Specific Admission Criteria			
Tennessee Regional Mental Health Institutes are psychiatric care			
facilities with limited ability to care for patients with certain			
acute medical conditions. It is the obligation of the transferring			
physician to inform the receiving RMHI or private treatment			
center of these medical conditions. Patients who have C-collars, splints, tracheostomies or other devices should be identified to			
intake physician. Patients requiring IV therapy negative pressure			
isolation, cardiac or fetal monitoring, acute dialysis or daily PT			
cannot be accommodated. RMHI can accommodate patients in a			
wheelchair, or assistance with mobility and some assistance			
with activities of daily living (ADL's). Patients requiring total assist level of care cannot be accommodated.			
assist level of tale tallifor be attorished tea.			
The intake physician may request some special testing and Ideally this should be discussed with the transferring provider.			
Private facilities may have individual requirements and criteria For transfer and admission.			

Tennessee Modifications: June 2020

A/Ox3 = Alert and oriented x 3 (person, place, time) • FSBS = Finger stick blood sugar • HII score = H-Impairment index score INR = International normalized ration • O_2 Sat = blood oxygen saturation

***SMART Total**: If ALL five SMART categories are checked "NO" then the patient is considered medically cleared and no testing is indicated. If ANY category is checked "YES" then appropriate testing and/or documentation of rationale must be reflected in the medical record and time resolved must be documented above.

Date:	Time:	Completed by:		
			Print	
				, MD/DO
		Signature		

Visit the http://smartmedicalclearance.org website for research, references, frequently asked questions and more about the SMART Medical Clearance Form.

SMART Emergency Dept. Medical Clearance Form Psychiatric Inpatient	Notes*
Other considerations for all patients	
Patient age	
Current Location ·····	
When patient arrived at facility	
When patient was placed on hold (6401) · · · · · · · · · · · · · · · · · · ·	
When 6404 was filed ·····	
Is the patient likely to stabilize in the next 48 hours?	

Have suggested TN recommended protocols been initiated?	
Was it voluntary?	
Line metions modeled physical vectorists? If an urban use less use?	
Has patient needed physical restraints? If so, when was last use?	
Does patient require medical equipment (wheelchair, walking, oxygen, etc.)	
Communicable infectious disease (lice, scabies, etc.)	
Other clinical conditions not listed ·····	

^{*}Documentation of rationale must be reflected in the medical record.

Hospital-Specific Clinical Admission Criteria

Visit the http://smartmedicalclearance.org website for research, references, frequently asked questions and more about the SMART Medical Clearance Form.

H-Impairment Index (HII Score)

Time	0)	1)	2)	3)	4)
Gross Mo	tor Function	on			
Unable to cooperate; cannot sit up	4	4	4	4	4
Can sit up, but unsteady	3	3	3	3	3
Can sit up steadily	2	2	2	2	2
Can stand and walk, but unsteady	1	1	1	1	1
Can stand and walk steadily	0	0	0	0	0
Mentation	and Spee	ch			
Unable to cooperate; unintelligible speech/moans	4	4	4	4	4
Slurred speech; does not make sense	3	3	3	3	3
Slurred speech; answers some questions	2	2	2	2	2
Imperfect speech; answers most questions	1	1	1	1	1
Baseline speech; lucid and appropriate	0	0	0	0	0
Traci	ng Curve				
Unable to participate	4	4	4	4	4
Makes mark on paper	3	3	3	3	3
Traces mostly out side of line	2	2	2	2	2
Traces mostly inside lines	1	1	1	1	1
Traces curve perfectly	0	0	0	0	0
Nys	tagmus				
Unable to participate	4	4	4	4	4
Profound nystagmus / can't follow finger with eyes	3	3	3	3	3
Moderate nystagmus/ follows finger for short distance only	2	2	2	2	2
Minimal nystagmus/follows finger with eyes whole time	1	1	1	1	1
No nystagmus/ follows finger with eyes whole time	0	0	0	0	0
Finger to Nose Testing					
Unable to participate	4	4	4	4	4
Grossly unsteady/misses targets	3	3	3	3	3
Unsteady and inaccurate/barely touches targets	2	2	2	2	2
Steady/ touches targets, but inaccurate	1	1	1	1	1
Steady/ accurately touches targets	0	0	0	0	0
Total Score					
Health Care Provider Initials					

Scoring Reference

Gross Motor Function

Unable to cooperate; cannot sit up	○←	4
Can sit up, but is unsteady	((&))	3
Can sit up and is steady, but cannot stand	ζ	2
Can stand or walk, but is unsteady	(f) (f)	1
Can stand and walk and is steady		0

Mentation and Speech

Unable to cooperate; unintelligible speech or only moans	4
Slurred speech; does not make sense	3
Slurred speech; answers few questions appropriately	2
Imperfect speech; answers most questions appropriately	1
Normal or Baseline speech; Conversive and appropriate	0

Tracing Curve

	macing curve	
Unable to participate		4
Makes mark on paper		3
Traces mostly out side of line		2
Traces mostly inside lines	VM	1
Traces curve perfectly		0

Nystagmus

Unable to participate	Firm	4
Profound nystagmus; unable to follow finger with eyes		3
Moderate nystagmus; only follows finger with eyes for short distance		2
Minimal nystagmus; follows finger with eyes whole time		1
No nystagmus; Follows finger with eyes whole time		0

Finger to Nose Testing

Unable to participate	(a)	4	
Grossly unsteady; Misses finger to target	Mo	3	
Unsteady; Inaccurate/barely touches target	©	2	
Steady; Inaccurate but touches target	©	1	
Steady; Accurate finger to target	(a)	0	



Tracing Curve



