Pavement Condition Measures for Metropolitan Planning Organization 2021 Data





STATE OF TENNESSEE DEPARTMENT OF TRANSPORTATION

MAINTENANCE DIVISION

SUITE 400, JAMES K. POLK BUILDING 505 DEADERICK STREET NASHVILLE, TENNESSEE 37243-1402 (615) 741-2027

BUTCH ELEY
DEPUTY GOVERNOR &
COMMISSIONER OF TRANSPORTATION

BILL LEE GOVERNOR

April 29, 2022

Attached you will find the pavement condition measures report for calendar year 2021. This report aims to provide Metropolitan Planning Organizations (MPOs) with pavement condition measures in accordance with 23 CFR 490.313 - Calculation of "MAP-21" performance management measures. Performance metrics provided herein are collected according to Federal Highway Administration *Highway Performance Monitoring System (HPMS)-Field Manual (December 2016)*. The scope of this report includes the Interstates, state routes and local routes on National Highway System (NHS) that are within the boundary of MPO administration. Historical performance measures from 2017 to 2020 were also provided with the intention of assisting MPO personnel in evaluating the trend of pavement condition changes and determining the performance targets in accordance with 23 CFR 490.105 - Establishment of performance targets.

Please note that per 23 CFR 490.313, performance measures should be calculated with bridges being excluded prior to calculation. However, the performance measures in this report is calculated without removing bridge structures. The exclusion of bridge termini is conducted in Highway Performance Monitoring System (HPMS) software which is a national level highway information system. Therefore, all data provided herein are estimates. The official statewide performance measures with bridges being excluded can be found in State Performance Dashboard-Tennessee. The National "MAP-21" measures differ from State of Good Repair (SOGR) measures which are based on Tennessee DOT's Pavement Quality Index (PQI) in the Transportation Asset Management Plan (TAMP) and the Annual Pavement Condition Report.

Along with this report, the raw data of performance metrics and the corresponding performance measure with 0.1-mile increment are provided. In the "Column_Names" sheet, you will find the descriptions of each column heading in the spreadsheet. The "Category" column may be used to filter out local routes ("Category=NHS_ local Routes") that are within the boundary of each MPO administration. If you have any comments, questions, or suggestions concerning this report, please contact Mark Woods at (615) 532-3622.

Mark Woods
TDOT Maintenance Operations Division
Mark.Woods@tn.gov

Contents

| Performance Metrics | 1 |
|--|----|
| Pavement Condition Measure | 2 |
| 1. Summary of Statewide Pavement Conditions | 3 |
| 2. Summary of Statewide Pavement Conditions Within MPO Areas | 4 |
| 3. Pavement Conditions in Bristol | 5 |
| 4. Pavement Conditions in Chattanooga | 6 |
| 5. Pavement Conditions in Clarksville | 7 |
| 6. Pavement Conditions in Cleveland | 8 |
| 7. Pavement Conditions in Jackson | 9 |
| 8. Pavement Conditions in Johnson City | 10 |
| 9. Pavement Conditions in Kingsport | 11 |
| 10. Pavement Conditions in Knoxville | 12 |
| 11. Pavement Conditions in Memphis | 13 |
| 12. Pavement Conditions in Nashville | 14 |
| 13. Pavement Conditions in Lakeway | 15 |

Performance Metrics

IRI – International Roughness Index

- Measurement of the number of vertical deviations over a section of road.
- Measured in inches/mile.

Cracking percent

- Visual fissure or discontinuity of pavement surface.
- For asphalt pavements, cracking percent is the percentage of the area within two wheel paths subject to fatigue type cracking over the entire lane width.
- For jointed concrete pavements, cracking percent is the percentage of slabs subject to transverse cracking. All concrete surfaced pavements are reported as jointed concrete pavement in Tennessee.
- Measured in Area and calculated in Percentage.

Rutting depth

- Permanent deformation on the surface of asphalt pavements transverse to path of travel direction.
- Measured in each wheel path and reported as the averaged value within a segment.
- Measured in inches.

Faulting

- Difference of elevation across the two adjacent concrete slabs longitudinal to travel direction in concrete pavements.
- Measured in inches.

Pavement Condition Measure

Pavement condition measures are determined in accordance with 23 CFR 490.313- Calculation of performance management measures. The thresholds for individual metric are as follows,

| Metric | Good | Fair | Poor |
|---|-------|-----------|-------|
| IRI (in./mi.) | <95 | 95-170 | >170 |
| Cracking (%), Asphalt Pavements | <5 | 5-20 | >20 |
| Cracking (%), Jointed Concrete Pavements | <5 | 5-15 | >15 |
| Rutting, (in.) | <0.20 | 0.20-0.40 | >0.40 |
| Faulting (in.) | <0.10 | 0.10-0.15 | >0.15 |

The overall section condition is determined by the following rules.


| Three individual metric rating* | Overall section condition rating |
|--|----------------------------------|
| All three metrics rated "Good" per threshold | Good |
| 2 or more metrics rated "Poor" | Poor |
| Any other combination | Fair |


^{*} For asphalt pavements, the three metrics are IRI, rutting and cracking; for concrete pavements, the three metrics are IRI, faulting, and cracking.

1. Summary of Statewide Pavement Conditions

| Category | Lane miles | Pavement condition | | | | |
|------------------|---------------|--------------------|-------|-------|--|--|
| | | Good Fair Poor | | | | |
| Interstates | 5,794.4 | 69.5% | 30.0% | 0.5% | | |
| NHS State routes | 12,675.9 | 41.7% | 55.1% | 3.2% | | |
| NHS local routes | 653.7 | 7.5% | 69.1% | 23.4% | | |










2. Summary of Statewide Pavement Conditions Within MPO Areas

| Category | Lane miles | Pavement condition | | | |
|------------------|---------------|--------------------|-------|-------|--|
| | | Good Fair Poor | | | |
| Interstates | 3,494.7 | 68.5% | 30.9% | 0.6% | |
| NHS State routes | 6,075.1 | 37.3% | 58.0% | 4.7% | |
| NHS local routes | 642.8 | 7.5% | 68.8% | 23.7% | |








3. Pavement Conditions in Bristol

| Category | Lane miles | Paver | nent cond | ition |
|------------------|------------|-------|-----------|-------|
| Category | | | Fair | Poor |
| Interstates | 33.8 | 77.1% | 22.9% | 0.0% |
| NHS State routes | 157.3 | 30.1% | 69.2% | 0.7% |
| NHS local routes | 0.9 | 0.0% | 100.0% | 0.0% |



4. Pavement Conditions in Chattanooga

| Category | Lane miles | Paver | nent cond | ition | |
|------------------|------------|-----------|-----------|-------|------|
| Cuttegory | Lane miles | Good Fair | | | Poor |
| Interstates | 199.3 | 70.8% | 28.5% | 0.8% | |
| NHS State routes | 538.2 | 52.0% | 45.2% | 2.8% | |
| NHS local routes | 101.3 | 8.0% | 73.5% | 18.5% | |



5. Pavement Conditions in Clarksville

| Category | Lane miles | Paver | nent cond | ition |
|------------------|------------|-------|-----------|-------|
| Cuttegory | Good | | Fair | Poor |
| Interstates | 70.6 | 96.6% | 3.4% | 0.0% |
| NHS State routes | 194.7 | 54.4% | 45.4% | 0.2% |
| NHS local routes | N/A | N/A | N/A | N/A |



6. Pavement Conditions in Cleveland

| Category | Lane miles | Paver | nent cond | ition |
|------------------|---------------|---------|-----------|-------|
| | Zuite iiiites | Good Fa | | Poor |
| Interstates | 84.9 | 86.2% | 13.8% | 0.0% |
| NHS State routes | 132.2 | 67.4% | 32.2% | 0.5% |
| NHS local routes | 9.7 | 0.0% | 92.2% | 7.8% |



7. Pavement Conditions in Jackson

| Category | Lane miles | Paver | nent cond | ition | |
|------------------|------------|-----------|-----------|-------|------|
| | Lane miles | Good Fair | | | Poor |
| Interstates | 112.0 | 67.7% | 32.2% | 0.2% | |
| NHS State routes | 232.8 | 35.1% | 56.4% | 8.5% | |
| NHS local routes | 8.3 | 39.7% | 41.6% | 18.8% | |




8. Pavement Conditions in Johnson City

| Category | Lane miles | Paver | nent cond | ition |
|------------------|------------|--------------|-----------|-------|
| | Lane miles | Good Fair Po | | Poor |
| Interstates | 78.5 | 84.7% | 15.3% | 0.0% |
| NHS State routes | 260.8 | 61.3% | 38.1% | 0.6% |
| NHS local routes | N/A | N/A | N/A | N/A |



9. Pavement Conditions in Kingsport

| Category | Lane miles | Paver | nent cond | ition | |
|------------------|------------|-------------|-----------|-------|------|
| Category | Lane miles | Good Fair P | | | Poor |
| Interstates | 125.4 | 59.8% | 39.5% | 0.6% | |
| NHS State routes | 222.9 | 35.4% | 63.5% | 1.1% | |
| NHS local routes | 3.4 | 93.0% | 7.0% | 0.0% | |




10. Pavement Conditions in Knoxville

| Category | Lane miles | Pavement condition | | |
|------------------|------------|--------------------|-------|------|
| | | Good | Fair | Poor |
| Interstates | 529.3 | 65.6% | 33.5% | 0.9% |
| NHS State routes | 859.0 | 41.3% | 57.5% | 1.2% |
| NHS local routes | 20.6 | 14.3% | 83.2% | 2.5% |



11. Pavement Conditions in Memphis

| Category | Lane miles | Pavement condition | | |
|------------------|------------|--------------------|-------|-------|
| | | Good | Fair | Poor |
| Interstates | 523.6 | 58.3% | 40.3% | 1.4% |
| NHS State routes | 1,064.0 | 13.9% | 69.9% | 16.2% |
| NHS local routes | 442.0 | 5.5% | 66.0% | 28.4% |



12. Pavement Conditions in Nashville

| Category | Lane miles | Pavement condition | | |
|------------------|------------|--------------------|-------|-------|
| | | Good | Fair | Poor |
| Interstates | 1,654.8 | 69.0% | 30.7% | 0.3% |
| NHS State routes | 2,244.6 | 38.0% | 59.2% | 2.8% |
| NHS local routes | 40.9 | 14.6% | 74.1% | 11.3% |



13. Pavement Conditions in Lakeway

| Category | Lane miles | Pavement condition | | |
|------------------|------------|--------------------|-------|------|
| | | Good | Fair | Poor |
| Interstates | 82.6 | 88.1% | 11.4% | 0.5% |
| NHS State routes | 168.6 | 41.0% | 58.4% | 0.5% |
| NHS local routes | 15.6 | 2.6% | 94.9% | 2.6% |

