



**STATE OF TENNESSEE
DEPARTMENT OF HEALTH
ENVIRONMENTAL LABORATORIES**

TDH: Lab Services JRL
Lab Services - Jackson Regional Lab
Jackson, TN 38301
731-426-0686

TDH: Lab Services KRL
Lab Services - Knoxville Regional Lab
Knoxville, TN 37920
865-549-5201

TDH: Lab Services NCL
Lab Services - Nashville Central Lab
Nashville, TN 37243
615-262-6300

Sent To: Geoff Klein
TDEC-DWS
200 East Race St
Knoxville, TN 37763

Lab ID: N00004161
Nashville Central Laboratory

Sampling Agency: TDEC: Division of Water Supply

Billing Code: 327.39-12

This is to certify that the following results were determined using good laboratory practices and in accordance with federal or state approved methodologies.



Analytical Supervisor

Lab-Sample Number: N00004161001
Project Name:
Sample Description: ROCKWOOD WTP
Sampler Project Name: RAW
Project Site No.:
Station No.:
Date/Time Collected: 02/17/2009 09:40
Sampler's Name: BRANDY LONG
County: ROANE - 73
Sample Matrix: Water
EFO: Knoxville
Sampling Agency: TDEC-DWS
Billing Code: 327.39-12
Send Report To: TDEC-DWS
Agency Invoiced: TDEC-DWS
Priority Date:
Date/Time Received: 02/17/2009 12:35
Received By: L Barrociere

Field Determinations

pH:
Chlorine, residual:
Conductivity:
Temperature:
Dissolved Oxygen:
Other:
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	82	mg/L	3.8	10	M Chen	2/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	65	mg/L	0.7	1	P Leathers	2/18/2009

J - Estimated value between MDL and MQL

MDL - Method Detection Limit

MQL - Method Quantitation Limit

U - Undetected

Lab-Sample Number: N00004161002
Project Name:
Sample Description: ROCKWOOD WTP
Sampler Project Name: FINISH
Project Site No.:
Station No.:
Date/Time Collected: 02/17/2009 09:45
Sampler's Name: BRANDY LONG
County: ROANE - 73
Sample Matrix: Water
EFO: Knoxville
Sampling Agency: TDEC-DWS
Billing Code: 327.39-12
Send Report To: TDEC-DWS
Agency Invoiced: TDEC-DWS
Priority Date:
Date/Time Received: 02/17/2009 12:35
Received By: L Barrociere

Field Determinations
pH:
Chlorine, residual:
Conductivity:
Temperature:
Dissolved Oxygen:
Other:
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	80	mg/L	3.8	10	M Chen	2/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	75	mg/L	0.7	1	P Leathers	2/18/2009

J - Estimated value between MDL and MQL
MDL - Method Detection Limit
MQL - Method Quantitation Limit
U - Undetected

Lab-Sample Number: N00004161003
Project Name:
Sample Description: KINGSTON WTP
Sampler Project Name: RAW
Project Site No.:
Station No.:
Date/Time Collected: 02/17/2009 10:25
Sampler's Name: BRANDY LONG
County: ROANE - 73
Sample Matrix: Water
EFO: Knoxville
Sampling Agency: TDEC-DWS
Billing Code: 327.39-12
Send Report To: TDEC-DWS
Agency Invoiced: TDEC-DWS
Priority Date:
Date/Time Received: 02/17/2009 12:35
Received By: L Barrociere

Field Determinations

pH:
Chlorine, residual:
Conductivity:
Temperature:
Dissolved Oxygen:
Other:
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	65	mg/L	3.8	10	M Chen	2/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	63	mg/L	0.7	1	P Leathers	2/18/2009

J - Estimated value between MDL and MQL
MDL - Method Detection Limit
MQL - Method Quantitation Limit
U - Undetected

Lab-Sample Number: N00004161004
Project Name:
Sample Description: KINGSTON WTP
Sampler Project Name: FINISH
Project Site No.:
Station No.:
Date/Time Collected: 02/17/2009 10:30
Sampler's Name: BRANDY LONG
County: ROANE - 73
Sample Matrix: Water
EFO: Knoxville
Sampling Agency: TDEC-DWS
Billing Code: 327.39-12
Send Report To: TDEC-DWS
Agency Invoiced: TDEC-DWS
Priority Date:
Date/Time Received: 02/17/2009 12:35
Received By: L Barrociere

Field Determinations

pH:
Chlorine, residual:
Conductivity:
Temperature:
Dissolved Oxygen:
Other:
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	64	mg/L	3.8	10	M Chen	2/18/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	57	mg/L	0.7	1	P Leathers	2/18/2009

J - Estimated value between MDL and MQL
MDL - Method Detection Limit
MQL - Method Quantitation Limit
U - Undetected



**STATE OF TENNESSEE
DEPARTMENT OF HEALTH
ENVIRONMENTAL LABORATORIES**

TDH: Lab Services JRL
Lab Services - Jackson Regional Lab
Jackson, TN 38301
731-426-0686

TDH: Lab Services KRL
Lab Services - Knoxville Regional Lab
Knoxville, TN 37920
865-549-5201

TDH: Lab Services NCL
Lab Services - Nashville Central Lab
Nashville, TN 37243
615-262-6300


Sent To: Geoff Klein
TDEC-DWS
200 East Race St
Knoxville, TN 37763

Lab ID: N00004161
Nashville Central Laboratory

Sampling Agency: TDEC: Division of Water Supply

Billing Code: 327.39-12

This is to certify that the following results were determined using good laboratory practices and in accordance with federal or state approved methodologies.


Analytical Supervisor

Lab-Sample Number: N00004161001
Project Name:
Sample Description: ROCKWOOD WTP
Sampler Project Name: RAW
Project Site No.:
Station No.:
Date/Time Collected: 02/17/2009 09:40
Sampler's Name: BRANDY LONG
County: ROANE - 73
Sample Matrix: Water
EFO: Knoxville
Sampling Agency: TDEC-DWS
Billing Code: 327.39-12
Send Report To: TDEC-DWS
Agency Invoiced: TDEC-DWS
Priority Date:
Date/Time Received: 02/17/2009 12:35
Received By: L Barrociere

Field Determinations
pH:
Chlorine, residual:
Conductivity:
Temperature:
Dissolved Oxygen:
Other:
Flow: CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	02/18/2009				M Pattanayek	2/18/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	2/18/2009
Barium	27	µg/L	2.5	5	M Pattanayek	2/18/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	2/18/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	2/18/2009
Chromium	2.3J	µg/L	2.0	5	M Pattanayek	2/18/2009
Cobalt	0.12J	µg/L	0.04	1	M Pattanayek	2/18/2009
Lead	0.15J	µg/L	0.10	1	M Pattanayek	2/18/2009
Manganese	18	µg/L	0.42	1	M Pattanayek	2/18/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	2/18/2009
Thallium	0.77J	µg/L	0.03	1	M Pattanayek	2/18/2009
Vanadium	4.9J	µg/L	3.4	5	M Pattanayek	2/18/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	2/18/2009

J - Estimated value between MDL and MQL
 MDL - Method Detection Limit
 MQL - Method Quantitation Limit
 U - Undetected

Lab-Sample Number: N00004161002
Project Name:
Sample Description: ROCKWOOD WTP
Sampler Project Name: FINISH
Project Site No.:
Station No.:
Date/Time Collected: 02/17/2009 09:45
Sampler's Name: BRANDY LONG
County: ROANE - 73
Sample Matrix: Water
EFO: Knoxville
Sampling Agency: TDEC-DWS
Billing Code: 327.39-12
Send Report To: TDEC-DWS
Agency Invoiced: TDEC-DWS
Priority Date:
Date/Time Received: 02/17/2009 12:35
Received By: L Barrociere

Field Determinations
pH:
Chlorine, residual:
Conductivity:
Temperature:
Dissolved Oxygen:
Other:
Flow: CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	02/18/2009				M Pattanayek	2/18/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	2/18/2009
Barium	25	µg/L	2.5	5	M Pattanayek	2/18/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	2/18/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	2/18/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	2/18/2009
Cobalt	0.08J	µg/L	0.04	1	M Pattanayek	2/18/2009
Lead	U	µg/L	0.10	1	M Pattanayek	2/18/2009
Manganese	2.0	µg/L	0.42	1	M Pattanayek	2/18/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	2/18/2009
Thallium	0.23J	µg/L	0.03	1	M Pattanayek	2/18/2009
Vanadium	7.8	µg/L	3.4	5	M Pattanayek	2/18/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	2/17/2009

J - Estimated value between MDL and MQL
 MDL - Method Detection Limit
 MQL - Method Quantitation Limit
 U - Undetected

Lab-Sample Number: N00004161003
Project Name:
Sample Description: KINGSTON WTP
Sampler Project Name: RAW
Project Site No.:
Station No.:
Date/Time Collected: 02/17/2009 10:25
Sampler's Name: BRANDY LONG
County: ROANE - 73
Sample Matrix: Water
EFO: Knoxville
Sampling Agency: TDEC-DWS
Billing Code: 327.39-12
Send Report To: TDEC-DWS
Agency Invoiced: TDEC-DWS
Priority Date:
Date/Time Received: 02/17/2009 12:35
Received By: L Barrociere

Field Determinations
pH:
Chlorine, residual:
Conductivity:
Temperature:
Dissolved Oxygen:
Other:
Flow: CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	02/18/2009				M Pattanayek	2/18/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	2/18/2009
Barium	24	µg/L	2.5	5	M Pattanayek	2/18/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	2/18/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	2/18/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	2/18/2009
Cobalt	0.26J	µg/L	0.04	1	M Pattanayek	2/18/2009
Lead	0.45J	µg/L	0.10	1	M Pattanayek	2/18/2009
Manganese	70	µg/L	0.42	1	M Pattanayek	2/18/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	2/18/2009
Thallium	0.12J	µg/L	0.03	1	M Pattanayek	2/18/2009
Vanadium	9.3	µg/L	3.4	5	M Pattanayek	2/18/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	2/17/2009

J - Estimated value between MDL and MQL
 MDL - Method Detection Limit
 MQL - Method Quantitation Limit
 U - Undetected

Lab-Sample Number: N00004161004
Project Name:
Sample Description: KINGSTON WTP
Sampler Project Name: FINISH
Project Site No.:
Station No.:
Date/Time Collected: 02/17/2009 10:30
Sampler's Name: BRANDY LONG
County: ROANE - 73
Sample Matrix: Water
EFO: Knoxville
Sampling Agency: TDEC-DWS
Billing Code: 327.39-12
Send Report To: TDEC-DWS
Agency Invoiced: TDEC-DWS
Priority Date:
Date/Time Received: 02/17/2009 12:35
Received By: L Barrociere

Field Determinations
pH:
Chlorine, residual:
Conductivity:
Temperature:
Dissolved Oxygen:
Other:
Flow: CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	02/18/2009				M Pattanayek	2/18/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	2/18/2009
Barium	21	µg/L	2.5	5	M Pattanayek	2/18/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	2/18/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	2/18/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	2/18/2009
Cobalt	0.11J	µg/L	0.04	1	M Pattanayek	2/18/2009
Lead	U	µg/L	0.10	1	M Pattanayek	2/18/2009
Manganese	10	µg/L	0.42	1	M Pattanayek	2/18/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	2/18/2009
Thallium	0.07J	µg/L	0.03	1	M Pattanayek	2/18/2009
Vanadium	7.6	µg/L	3.4	5	M Pattanayek	2/18/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	2/17/2009

J - Estimated value between MDL and MQL
 MDL - Method Detection Limit
 MQL - Method Quantitation Limit
 U - Undetected