

**SEDAN, FOUR DOOR, INTERMEDIATE, 107.4" TO 112.3" WHEELBASE
2010 SPECIFICATIONS**

	CHEVROLET	CHRYSLER	DODGE	FORD	NISSAN	TOYOTA	
Previous Standard Specs.	Malibu 1ZG69	Sebring JSCH41	Avenger JSDH41	Fusion P0G 110A	Altima 2.5S 13110	Camry 2532	
1. Wheelbase minimum 107.4" to 112.3"	112.3	108.9	108.9	107.4	109.3	109.3	
2.a. Engine, Gasoline 2.4L 4 Cyl	2.4L 4 cyl 169 6400 160 4500	2.4L 4 cyl 172 6000 160 4400	2.4L 4 cyl 172 6000 160 4400	2.5 4 cyl	2.5L 4 cyl 175 5600 180 3900	2.5L 4 cyl 169 6000 167 4100	
2.b. Engine, Flex Fuel (E-85) 2.7L V6	3.5L V6 221 5800 221 4000	2.7L V6 190 6400 190 4000	2.7 V6 190 6400 190 4000	3.0L V6 P0H 240 6550 223 4500	N/A	N/A	
2.c. Engine, Hybrid 2.4L 4 Cyl	2.4L 4 cyl 164 6400 159 5000 (model 1ZF69)	N/A	N/A	2.5L 4 cyl P0L 156 6000 136 4500	2.5L 4 cyl	2.4L 4 cyl 147 6000 138 6000 (model 2560)	
3. Transmission Auto, 4 Speed	Std	4 Spd Auto	4 Spd Auto	6 Spd Auto	CVT Std	6 Spd	
4. Tires, Radial w/ Mfg. Standard Spare, BW	P215/55R17 All Season Spare: Sealant and Inflation Kit	PP215/65R16 All Season	215/65R16	205/60R16 Hybrid P225/50R17	P215/60R16	P21560/R16 All Season	
5. Brakes, Power ABS Required	4 Wheel ABS Std	Opt	Opt	Std	Std	Std	

SEDAN, FOUR DOOR, INTERMEDIATE, 107.4" TO 112.3" WHEELBASE
2010 SPECIFICATIONS

	CHEVROLET	CHRYSLER	DODGE	FORD	NISSAN	TOYOTA	
6. Battery, Minimum 500 CCA Maintenance Free	600	525	525	500	550	575	
7. Alternator 100 Amps	125	120	120	110	110	100	
8. Steering, Power	Std	Std	Std	Std	Std	Std	
9. Floor Mats May be Dealer Installed, Front and Rear	Std	Std	Std	Std	Opt	Opt	
10. Mirror, Exterior Power	Std	Std	Std	Std	Std Dual Rem	Std Dual	
11. Mirror, Interior Day/Night	Std	Std	Std	Std	Std	Std	
12. Interior, Cloth w/ Std Seating	Std	Std	Std	Std	Cloth	Cloth	
13. Air Bag: Driver & Passenger Side	Dual – Std Side – Std	Dual – Std Side – Std	Dual – Std Side – Std	Dual – Std Side – Std	Dual – Std Side Curtain - Std	Std Side Curtain – Std Driver's Knee - Std	

**SEDAN, FOUR DOOR, INTERMEDIATE, 107.4" TO 112.3" WHEELBASE
2010 SPECIFICATIONS**

	CHEVROLET	CHRYSLER	DODGE	FORD	NISSAN	TOYOTA	
14. Air Conditioner Factory Installed	Std	Std	Std	Std	Std	Std	
15. Glass Tinted All Windows	Std	Std	Std	Std	Std	Std	
16. Radio AM/FM Factory Installed	AM/FM/CD	AM/FM/CD/ Sirius	AM/FM/CD/ Sirius	AM/FM/CD/ MP3	AM/FM/CD	AM/FM/CD/ MP3	
17. Rear Window Defogger	Std	Std	Std	Std	Std	Std	
18. Power Outlet: 12-Volt	2 outlets	2 outlets	2 outlets	2 outlets	2 outlets	2 outlets	
19. Body Side Molding Prot Vinyl Inst. Factory Instl	Opt	Std	Std	N/A	Std	Opt	
20. Fuel, Minimum ¼ Tank on Delivery	Dealer	Dealer	Dealer	Dealer	Dealer	Dealer	
21. Standard Mfg. Warranty 36/36	3 Yr. 36,000 Mi 5 Yr. 100,000 Mi. Powertrain	3 Yr. 36,000 Mi	3 Yr. 36,000 Mi	3 Yr. 36,000 Mi 5 Yr. 60,000 Mi Powertrain	3 yr 36,000 Mi 5 Yr. 60,000 Mi Powertrain	3 yr 36,000 Mi 5 Yr. 60,000 Mi Powertrain	
22. Vehicle to be Completely Winterized	Yes	Dealer	Dealer	Dealer	Dealer	Std	

**SEDAN, FOUR DOOR, INTERMEDIATE, 107.4" TO 112.3" WHEELBASE
2010 SPECIFICATIONS**

CHEVROLET CHRYSLER DODGE FORD NISSAN TOYOTA

Optional Equipment							
A. Cruise Control	Std	Std	Std	Std	Std	Std	
B. Tilt Wheel	Std	Std	Std	Std	Std	Std	
C. Power Windows	Std	Std	Std	Std	Std	Std	
D. Power Door Locks	Std	Std	Std	Std	Std	Std	
E. Optional Engine Sizes	2.4L 4 cyl 170 6200 158 5200 Flex Fuel	None	None	None	3.5L V6 270 6000 258 4400	3.5L V6 268 6200 248 4700	

SEDAN, FOUR DOOR, INTERMEDIATE, 107.0" TO 109.0" WHEELBASE
2003 SPECIFICATIONS

BUICK

FORD

CHEVY (M)

PONTIAC

DODGE

NISSAN