

**TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET/GMC</b>	<b>FORD</b>	<b>TOYOTA</b>				
	<b>Colorado CS15403 Canyon TS15403</b>	<b>4x2 Ranger Shrt Whl Base R1A XL Series</b>	<b>Tacoma 7104</b>				
<b>1. All Std Equipment as listed by Mfg. Or as req. for GVWR 4300 6' Bed 110.0" to 113.0"</b>	1585 GVW 4850  111.3	1160 GVW 4300  112	1380 GVW 4900  110				
<b>2.a. Engine, Gasoline 2.3 Liter 4 Cylinder EFI</b>	2.9L 4 Cyl SFI 185 5600 190 2800	2.3L I-4 143 5250 154 3750	2.7L 4 Cyl 179 5200 180 3800				
<b>2.b. Engine, Flex Fuel (E-85)</b>	N/A	N/A	N/A				
<b>2.c. Engine, Hybrid</b>	N/A	N/A	N/A				
<b>3. Transmission Auto, 4 Speed Over Drive</b>	4 Speed Auto w/ Over Drive	5 Speed Auto w/ Over Drive	4 Speed Auto w/ Over Drive				
<b>3a. Optional Transmission</b>	5 Speed Manual	5 Speed Manual Over Drive	5 Speed Manual Over Drive				

**TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET/GMC</b>	<b>FORD</b>	<b>TOYOTA</b>				
<b>4. Tires w/ Mfg. Std Spare To meet GVWR 5 Blackwall Radials</b>	P215/70R16 Steel All Season	P225/70Rx15 BSW All Season	P21570R15 All Season				
<b>4a Optional Tires</b>	None	None	None				
<b>5. Brakes, Power Power, 4 wheel ABS Required</b>	Std ABS 4 Wheel	Std ABS 4 Wheel	Std ABS				
<b>6. Battery, Minimum 540 CCA Maintenance Free</b>	590	540	575				
<b>6a Optional Battery</b>	None	None	None				
<b>7. Alternator 80 Amps</b>	125	110	80				
<b>8. Steering, Power</b>	Std	Std	Std				
<b>9. Mirror Ext. Lf/Rt. Mounted</b>	Std-Manual	Opt- Power	Std-Manual				
<b>9a. Mirror Interior</b>	Std	Std	Std				

**TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET/GMC</b>	<b>FORD</b>	<b>TOYOTA</b>				
<b>10. Interior, Full Vinyl w/Std Seats</b>	60/40 Split Seat Std	Std	Cloth				
<b>11. Rear Bumper Step Type Mfg./Dealer Installed</b>	Std	Std	Std				
<b>12. Radio AM/FM Factory Installed</b>	AM/FM	AM/FM Stereo w/Digital Clock	AM/FM/CD/MP3				
<b>13. Dome Light</b>	Std	Std	Std				
<b>14. Carrier, Spare Wheel Underframe</b>	Std	Std	Std				
<b>15. Air Conditioning Factory Installed</b>	Std	Std.	Std				
<b>16. Tinted Glass All Windows</b>	Std	Std	Std				
<b>17. Air Bag Driver &amp; Passenger</b>	Dual – Std	Dual – Std	Std				

**TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET/GMC</b>	<b>FORD</b>	<b>TOYOTA</b>				
<b>18. Fuel Tank Capacity 17 Gal</b>	19	17	21				
<b>19. Power Outlet: 12-Volt</b>	2 Outlets	1 Outlet	1 Outlet				
<b>20. Vehicle to be completely winterized</b>	Std	Std	Std				
<b>21. Fuel Minimum 1/4 tank on delivery</b>	Dealer	Dealer	Dealer				
<b>22. Warranty will begin on date veh is put in service not to exceed 6 mths from delivery date.</b>	Opt Must Request	Opt. Must Request	Opt.				
<b>23. Standard Warranty</b>	3 Yr. 36,000 Mi 5 Yr 100,000 drive train	3 Yr. 36,000 Mi 5 Yr. 60,000 Mi. Powertrain	3 Yr. 36,000 Mi 5 Yr. 60,000 Mi. Powertrain				

**TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET/GMC</b>	<b>FORD</b>	<b>TOYOTA</b>				
<b>Optional Equipment</b>							
<b>A. Anti Lock Brakes</b>	Std	Std	Std				
<b>B. Factory Paint Dark Green</b>	No Min of their Green Spec Ord Std Paint is 47 U Metalic Flake Plastic Parts gloss Black	VSO Min order 5	N/A				
<b>C. Optional Engine Sizes</b>	3.7 L 5 cyl in line 242 5600 242 4600	4.0L V6 207 5250 238 3000	None				
<b>D. Front Axle Weight</b>	2633	2000- 2400	2380				
<b>E. Rear Axle Weight</b>	2900	2750	2685				