

**TRUCK, COMPACT, SIX (6) FOOT BED, PAYLOAD 1,435 LBS.  
2010 SPECIFICATIONS**

Previous Std. Specs.	CHEVROLET/GMC	DODGE	FORD	NISSAN	TOYOTA		
	<b>Colorado CT15653 Canyon TT15653</b>	<b>Dakota ND5L33 Club Cab</b>	<b>Ranger R1F</b>	<b>Frontier King Cab 4X4 SE 31210</b>	<b>Tacoma Access Cab 4X4</b>		
<b>1. All Std Equipment as listed by Mfg. or as required for 4700 GVWR Wheelbase 125.9" – 131"</b>	5300 GVW 126" Wheelbase 1606 PL	6010 GVW 131" Wheelbase 1740 PL	5150 GVW 126" Wheelbase 1360 PL	5690 GVW 125.9" Wheelbase 1435 PL.	5100 GVW 127.4" Wheelbase 1435 PL		
<b>2. Engine, 2.7 L 4 Cyl EFI</b>	3.7L 5 cyl 242 5600 242 4600	3.7L V6 210 5200 235 4000	4.0 2V V6 207 5250 238 3000	4.0L V6 EFI 261 5600 281 4000	2.7L 4 cyl 159 5200 136 5200		
<b>2.b. Engine, Flex Fuel (E-85) 4.7L V8</b>	N/A	4.7L V-8 302 5650 329 3900	N/A	N/A	N/A		
<b>2.c. Engine, Hybrid</b>	N/A	N/A	N/A	N/A	N/A		
<b>3. Transmission Automatic 4 Speed Over Drive</b>	4 Speed Auto w/ Over Drive	4 Speed Auto w/ Over Drive	5 Speed Auto w/ Over Drive Std.	5 Speed Auto w/ Over Drive	5 Speed Auto w/ Over Drive		
<b>3aOptional Transmission</b>	5 Speed Manual	None	5 Speed Manual	6 Speed Manual	5 Speed Manual w/ Over Drive		

**TRUCK, COMPACT, SIX (6) FOOT BED, PAYLOAD 1,435 LBS.  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET/GMC</b>	<b>DODGE</b>	<b>FORD</b>	<b>NISSAN</b>	<b>TOYOTA</b>		
<b>4. Tires, Radial w/ Mfg. Std Spare To meet GVWR</b>	P235/75R16 All Season	P245/70R16 On/Off Road	P235/75R15 All Terrain 4X4 Only	P265/70R16 All Season	P245/75R16		
<b>4a Optional Tires</b>	None	None	None	None	P265/65R17		
<b>5. Brakes, Power ABS Required</b>	Std	Opt	Std Rear	4 Wheel ABS	Std		
<b>6. Battery, Minimum 540 CCA Maintenance Free</b>	590	600	540	550	582		
<b>6a Optional Battery</b>	None	750	None	None	None		
<b>7. Alternator 80 Amps</b>	125	136	115	110	80		
<b>8. Steering, Power</b>	Std	Std	Std	Std	Std		
<b>9. Mirror Ext. Lf/Rt. Mounted, Power</b>	Opt	Opt	Opt	Std	Std		

**TRUCK, COMPACT, SIX (6) FOOT BED, PAYLOAD 1,435 LBS.  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET/GMC</b>	<b>DODGE</b>	<b>FORD</b>	<b>NISSAN</b>	<b>TOYOTA</b>		
<b>10. Interior, Full Vinyl w/Std Seats</b>	Std – Cloth Opt – Vinyl	Std – Cloth	Std – Cloth	Std – Cloth	Std – Cloth		
<b>11. Rear Bumper Step Type Mfg./Dealer Installed</b>	Std Dealer/Factory	Std	Std	Std	Std		
<b>12. Radio AM/FM Factory Installed</b>	Std	AM/FM/CD w/ Changer Control	Std	AM/FM/CD - STD	AM/FM/CD/MP3		
<b>13. Dome Light</b>	Std	Std	Std	Std	Std		
<b>14. Carrier, Spare Wheel Underframe</b>	Std	Std	Std	Std	Std		
<b>15. Air Conditioning Factory Installed</b>	Std	Std	Std	Std	Std		
<b>16. Tinted Glass</b>	Std	Std	Std	Std	Std		

**TRUCK, COMPACT, SIX (6) FOOT BED, PAYLOAD 1,435 LBS.  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET/GMC</b>	<b>DODGE</b>	<b>FORD</b>	<b>NISSAN</b>	<b>TOYOTA</b>		
<b>17. Air Bag D/S</b>	Dual Std	Dual Std	Dual Std	Std DS Side Curtain – Std	Std		
<b>18. Fuel Tank Capacity 19.0 Gallons</b>	19.0	22	20	21.1	21		
<b>19. Power Outlet: 12-Volt</b>	2 Outlets	2 Outlets	1 Outlet	2 Outlets	1 Outlet		
<b>20. Vehicle to be completely winterized</b>	Std	Std	Std	Dealer	Std		
<b>21. Fuel Minimum 1/4 tank on delivery</b>	Dealer	Dealer	Dealer	Dealer	Dealer		
<b>22. Standard Warranty 36/36</b>	3 Yr. 36,000 Mi 5 Yr 100,000 Mi Drive Train	3 Yr. 36,000 Mi	3 Yr. 36,000 Mi 5 Yr. 60,000 Mi. Powertrain	3 Yr 36,000 Mi. 5 Yr. 60,000 Mi. Powertrain	3 Yr 36,000 Mi. 5 Yr. 60,000 Mi. Powertrain		

**TRUCK, COMPACT, SIX (6) FOOT BED, PAYLOAD 1,435 LBS.  
2010 SPECIFICATIONS**

Previous Std. Specs.	CHEVROLET/GMC	DODGE	FORD	NISSAN	TOYOTA		
<b>Optional Equipment</b>							
<b>A. Anti Lock Brakes</b>	4 Wheel Anti Std	Rear Anti Lock	4 Wheel ABS Std	4 Wheel ABS Std	Std		
<b>B. Factory Paint Dark Green</b>	Woodland Green Plastic Parts gloss black	50 or more VSO	5 or more VSO	N/A	N/A		
<b>C. Optional Engine Sizes</b>	None	None	None	None	4.0L V6 180 3800 266 4000		
<b>D. Front Axle Weight</b>	2850	3300	2850	3296	2755		
<b>E. Rear Axle Weight</b>	2900 5300 GVWR	3850	2750	3197	3110		