

TRUCK, 4 X 4, EIGHT (8) FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS

| Previous Std. Specs. | CHEVROLET / GMC | DODGE | FORD | | |
|---|---|-----------------------|----------------------------|--|--|
| | Silverado CK10903 Sierra TK10903 | Ram DS6L62 | F150 F1E | | |
| 1 All Std Equipment as Listed by Mfg. or as Req. for GVWR 6400 | 6400 GVW 1746 Pay 133 WB | 6600 GVW 2175 Pay | 6650 1650 Pay 145 WB | | |
| 2. Axles, Front Suspension Min 3850 lb. Cap | 3950 | 3850 | 4400 | | |
| 3 Rear, Min 3800 lb. Cap | 4000 | 3900 | 3800 | | |
| 4. Springs, Front Min to meet GVWR | 3950 | 1925 | 1600 | | |
| 5 Rear, Min to meet GVWR | 4000 | 1950 | 1775 | | |

TRUCK, 4 X 4, EIGHT (8) FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS

| Previous Std. Specs. | CHEVROLET / GMC | DODGE | FORD | | |
|---|-------------------------------------|---------------------------------|----------------------------------|--|--|
| 6.a. Engine 4.6L V8 EFI Gasoline | 4.8L SFI V8 302 5600 305 4600 | N/A | 4.6L V8 248 4750 294 4000 | | |
| 6.b. Engine, Flex Fuel (E-85) 4.7L V8 | 5.3L V8 SFI 315 5200 335 4000 | 4.7L V8 310 5650 330 3900 | 5.4L V8 320 5200 390 3500 | | |
| 6.c. Engine, Hybrid | N/A | N/A | N/A | | |
| 7. Transmission 4 Speed w/Ext./Int. Aux Oil Cooler | 4 Speed OD Trans/Oil Cooler | 4 Spd Auto OD 5 Spd Manual | Electronic 4 Spd Auto OD | | |
| 8. Tires, 5, All Terrain Radial BW to be Mfg. Std to meet GVWR | P265/70R17 All Season | P265/70R17 All Season | P235/75R17 BSW All Terrain | | |
| 9. Brakes, Power Disc Front | Std | Std | Std | | |

**TRUCK, 4 X 4, EIGHT (8) FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

| Previous Std. Specs. | CHEVROLET / GMC | DODGE | FORD | | |
|--|------------------------|--------------|--|--|--|
| 10. Battery, 12V Min 600 CCA Mntc Free | 600 | 625 | 750 | | |
| 11. Alternator, Min 135 Amps | 145 | 160 | 135 | | |
| 11a Optional Alternator | | | 155 w/ 5.4L engine and 4.6L 3 Valve | | |
| 12. Power Steering | Std | Std | Std | | |
| 13. Mirrors Ext. Rt./Lft Side Min 40 Sq. Inch Swing Away Factory Installed, Power | Opt | Opt | Opt | | |
| 14. Bumper, Rear Step Type Painted Mfg./ Dealer Installed 400/4000 | Std | Std | Std 500/5000 | | |

TRUCK, 4 X 4, EIGHT (8) FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS

| Previous Std. Specs. | CHEVROLET / GMC | DODGE | FORD | | |
|---|------------------------|-------------------|---------------|--|--|
| 15. Radio AM Push-button Factory Installed | AM/FM Std | AM/FM w/ Cassette | AM/FM | | |
| 16. Dome Light | Std | Std | Std | | |
| 17. Carrier, Spare Wheel Underframe | Std | Std | Std | | |
| 18. Air Conditioner Factory Installed | Std | Std | Std | | |
| 19. Tinted Glass All Windows | Std | Std | Std | | |
| 20. Air Bag Driver and Passenger Side | Std DS & Pass | Std DS & Pass | Std DS & Pass | | |
| 21. Fuel Tank(s) Min 32 Gallons | 34 | 32 | 36 | | |

TRUCK, 4 X 4, EIGHT (8) FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS

| Previous Std. Specs. | CHEVROLET / GMC | DODGE | FORD | | |
|---|---|------------------------------------|--|--|--|
| 22. Differential Limited Slip | Opt | Std - Electronic Stability Program | Opt | | |
| 23. Transfer Case 2 Speed | Std | Std | Std | | |
| 24. Skid Plates - For Transfer Case & Fuel Tank - No Exception - May be Dealer Installed | Std – Transfer Case No Fuel Tank | Std – Transfer Case No Fuel Tank | Opt | | |
| 25. Hubs - Front Wheel Auto Locking | Std | Std | Std | | |
| 26. Power Outlet, 12V | Std | Std | Std | | |
| 27. Vehicle to be Comp Winterized | Std | Std | Std | | |
| 28. Fuel 1/4 Tank Upon Delivery | Opt | Opt | Opt | | |
| 29. Standard Warranty 36/36 | 3 Yr. 36,000 Mi 5 Yr 100,000 Drive Train | 3 Yr. 36,000 Mi | 3 Yr. 36,000 Mi 5 Yr. 60,000 Mi Powertrain | | |

**TRUCK, 4 X 4, EIGHT (8) FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

Previous Std. Specs.

CHEVROLET / GMC

DODGE

FORD

| Optional Equipment | | | | | |
|--|--------------------------------------|-----------------------------------|---------------------------------|--|--|
| A. Factory Paint Dark Green | Factory Green Plastic Parts Black | Green on 50 or More | 5 or more VSO | | |
| B. Optional Engine Size | 4.3L V6 SFI 195 4600 260 2800 | 5.7L Hemi 380 5600 404 4000 | 4.6L 3V 292 5700 320 4000 | | |