

**TRUCK04, PICKUP, 2 WHEEL DRIVE, SIX (6) FOOT STRAIGHT SIDE BED  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET</b>	<b>DODGE</b>	<b>FORD</b>		
	<b>Silverado CC10703 Sierra TC10703</b>	<b>Ram DS1L61</b>	<b>F150 F1C 6 ½ ' Box</b>		
<b>1. All Std Equipment as listed by Mfg. or as req for GVWR 6000 6' Straight Side Bed Payload 1600</b>	GVW 6400 Pay 2093 119" Wheelbase	GVW 6025 Pay 1640 119" – 120.5" Wheelbase	GVW 6450 Pay 1700 126" Wheelbase		
<b>2. Axles, Front Suspension Min. 3200 lb. Cap.</b>	3200	3650	4150		
<b>3. Rear, Min 3600 lb. Cap.</b>	3750	3600 to 3900	3800		
<b>4. Springs, Each Front Min. to meet GVWR</b>	3200	1400 to 1650	3150 to 3900		
<b>5. Rear Min to Meet GVWR</b>	3750	1820 to 1900	3850 to 4900		

**TRUCK04, PICKUP, 2 WHEEL DRIVE, SIX (6) FOOT STRAIGHT SIDE BED  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET</b>	<b>DODGE</b>	<b>FORD</b>		
<b>6. Engine, 4.6L 8 Cyl EFI</b>	4.8L V8 293 CID 302 5600 305 4600	N/A	4.6L EFI V8 248 4700 294 4000		
<b>6.b. Engine, Flex Fuel (E-85) 4.7L V8</b>	5.3L V8 315 5200 335 4000	4.7 V8 310 5650 330 3950)	N/A		
<b>6.c. Engine, Hybrid</b>	N/A	N/A	N/A		
<b>7. Transmission Auto 4 Speed</b>	4 Spd Auto OD	4 Spd Auto OD	4 Spd Auto OD		
<b>7a Optional Transmission</b>	6 Spd Auto w/Overdrive for Flex Fuel Engine	5 Speed Manual Overdrive	N/A		

**TRUCK04, PICKUP, 2 WHEEL DRIVE, SIX (6) FOOT STRAIGHT SIDE BED  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET</b>	<b>DODGE</b>	<b>FORD</b>		
<b>8. Tires, 5 Radial BW All Season To Meet GVWR</b>	P245/70R17 All Season	P265/70R17 All Season	P235/70R17 BSW-All Season		
<b>8a Optional Tires</b>	N/A	N/A	N/A		
<b>9. Brakes, Power Disc Front</b>	Std Disc Both	Std	4 Wheel ABS		
<b>10. Battery, 12V Min 600 CCA</b>	600	625	750		
<b>10aOptional Battery</b>	730	N/A	N/A		
<b>11. Alternator Min 135 Amp</b>	145	136	135		
<b>12. Power Steering</b>	Std	Std	Std		
<b>13. Mirror, Ext. Min 40 Sq. in Swing Away, Right/Left, Power</b>	Opt	Opt	Opt		

**TRUCK04, PICKUP, 2 WHEEL DRIVE, SIX (6) FOOT STRAIGHT SIDE BED**  
**2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET</b>	<b>DODGE</b>	<b>FORD</b>		
<b>14. Bumper, Rear Step 400/4000 Dealer/Factory Inst.</b>	Std	Std	Std		
<b>15. Radio, AM Factory Installed</b>	Std	Std	AM/FM Stereo w/ Clock		
<b>16. Dome Light</b>	Std	Std	Std		
<b>17. Carrier, Spare Wheel Underframe</b>	Std	Std	Std		
<b>18. Air Conditioner Factory Installed</b>	Std	Std	Opt		
<b>19. Tinted Glass All Windows</b>	Std	Std	Std		
<b>20. Power Outlet, 12V</b>	2 Outlets	1 Outlet	1 Outlet		
<b>21. Air Bag D/S</b>	Dual – Std	Dual – Std	Dual – Std		

**TRUCK04, PICKUP, 2 WHEEL DRIVE, SIX (6) FOOT STRAIGHT SIDE BED**  
**2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET</b>	<b>DODGE</b>	<b>FORD</b>		
<b>22. Fuel Tank Capacity 26 Gallons</b>	26	26	26		
<b>23. Shocks, Heavy Duty Front/Rear</b>	Std	Std	Std		
<b>24. Vehicle to be Comp Winterized</b>	Std	Std	Std		
<b>25. Fuel Min 1/4 Tank Upon Delivery</b>	Dealer	Dealer	Dealer		
<b>26. Standard Warranty 36/36</b>	3 Yr. 36,000 Mi 5 Yr 100,000 Drive Train	3 Yr. 36,000 Mi	3 Yr. 36,000 Mi 5 Yr. 60,000 Mi. Powertrain		

**TRUCK04, PICKUP, 2 WHEEL DRIVE, SIX (6) FOOT STRAIGHT SIDE BED  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET</b>	<b>DODGE</b>	<b>FORD</b>		
<b>Optional Equipment</b>					
<b>A. Differential Limited Slip</b>	Opt	Opt – Electronic Stability Program	Opt		
<b>B. Anti Lock Brakes</b>	4 Wheel ABS	Rear Std	4 Wheel ABS Std		
<b>C. Factory Paint Dark Green</b>	Yes Plastic parts black	50 or More	5 or More, VSO		
<b>D. Optional Engine Size</b>	4.3L V6 SFI 195 4600 260 2800  5.3L V8 SFI Gas 315 5200 335 4000 E85 AFM	3.7L V-6 215 5200 235 4000  5.7 L HEMI V –8 380 5600 404 4000	None		