

TRUCK, 4X4, EIGHT (8) FOOT BED
2010 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
	Silverado CK20903 Sierra TK20903	Ram DH7L62	F2B		
1 All Std Equipment as Listed by Mfg. or as Req. for 8600GVWR	9200 GVWR 3644 PL 133" WB	8650 GVWR 3820 PL 135" WB	9000 GVW 2890 Payload 137" WB		
2.a. Engine, 5.4L V8 EFI	6.0L SFI V8 360 5400 380 4200	5.7 L Hemi 345-5400 375-4200	5.4L V8 300 5000 365 3750		
2.b. Engine, Flex Fuel (E-85)	N/A	N/A	N/A		
2.c. Engine, Hybrid	N/A	N/A	N/A		

TRUCK, 4X4, EIGHT (8) FOOT BED
2010 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
3. Transmission 4 Speed Automatic w/Ext./Int. Aux Oil Cooler	Trans Cooler - Std 6 Spd Auto OD	Cooler - Opt 4 Spd Auto OD	5 Spd Auto		
3a Optional Transmission	None	None	None		
4. Tires, 5, All Terrain Radial BW to be Mfg. Std to Meet GVWR	LT245/75R16E All Season	LT245/70R17E All Terrain	LT245/75R17E BSW All Season		
4a Optional Tires	None	None	LT24575R17E All Terrain Lt265/75R17D All Terrain		
5. Brakes, Power 4 wheel, ABS Required	Std	Std	4 Wheel ABS Std		
6. Battery, 12V Min 600 CCA Mntc Free	600	700	650		
6a Optional Battery	730	None	None		

TRUCK, 4X4, EIGHT (8) FOOT BED
2010 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
7. Alternator Min 125 Amp	125	136	157		
8. Power Steering	Std	Std	Std		
9. Mirrors, Ext. Rt./Left Side Swing Away Power	Opt	Opt	Opt		
10. Bumper, Rear Step Type Painted Mfg. Dealer Installed 400/4000 or chrome	Std	Std	Std		
11. Radio AM Factory Installed	AM/FM	AM/FM w/Clock	AM/FM Stereo W/Digital Clock		
12. Dome Light	Std	Std	Std		
13. Carrier, Spare Wheel Underframe	Std	Std	Std		
14. Air Conditioner Factory Installed	Std	Std	Std		

TRUCK, 4X4, EIGHT (8) FOOT BED
2010 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
15. Tinted Glass All Windows	Std	Std	Std		
16. Power Outlet, 12V	2 Outlets	1 Outlet	2 Outlets		
17. Driver & Passenger Airbags	Dual – Std	Dual – Std	Dual – Std		
18. Fuel Tank - Min 34 Gallons	34	35	38		
19. Differential Limited Slip	Opt	Opt	Opt		
20. Transfer Case 2 Speed	Std	N/A	Std		
21. Skid Plates - For Transfer Case	Puncture Resistant Gas Tank	Opt Trans Case Dealer (No Skid Plate on Fuel Tank)	Opt		
22. Hubs - Front Wheel Auto Locking	Std	Auto w/Trans Case	Opt		
23. Vehicle to be Comp Winterized	Std	Std	Std		

**TRUCK, 4X4, EIGHT (8) FOOT BED
2010 SPECIFICATIONS**

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
24. Fuel 1/4 Tank Upon Delivery	Dealer	Dealer	Dealer		
25. Standard Warranty 36/36	3 Yr. 36,000 Mi 5 Yr 100,000 Mi Drive Train	3 Yr. 36,000 Mi	3 Yr. 36,000 Mi 5 Yr. 60,000 Mi Powertrain		
Optional Equipment					
A. Winch - Min 9000 lb. To be supplied with 95 feet of 5/16" cable Hook & Roller	Dealer	Dealer	Dealer		
B. Factory Paint Dark Green	Opt – Plastic Parts are Black	50 or More	Yes		
C. Optional Engine Size		6.7L in line 6 Cummins Diesel 350 3000 650 1500	6.8 V10 362 4750 457 3250 6.4 V8 Diesel 350 3000 650 2000		

TRUCK, 4X4, EIGHT (8) FOOT BED
2010 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
D. Grill Guard - Brush Type Full Coverage Wrap Around	Dealer	Dealer	Dealer		
E. Tow Hooks One Pair	Std	Opt	Std		
F. Shocks - Heavy Duty Front & Rear	Std	Std	Std		
G. Auxiliary Battery Minimum 600CCA To include an "isolator" which permits the aux. Battery to be depleted w/out reducing main battery charge which is needed to start vehicle. Alternator to charge both batteries. To be located under hood on the engine compartment and easily accessible to the operator.	Opt	Opt	N/A		