

**TRUCK, EXTENDED CAB, 4 X 4, 6 ½ FOOT STRAIGHT SIDE BED  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET / GMC</b>	<b>CHEVROLET / GMC</b>	<b>DODGE</b>	<b>FORD</b>	<b>NISSAN</b>
	<b>Silverado CK10753 Sierra TK10753</b>	<b>Silverado CK10543 Sierra TK10543 Hybrid Crew Cab</b>	<b>Ram DS6L41 Quad Cab</b>	<b>F150 X1E</b>	<b>Titan SE King Cab 4x4 34410</b>
<b>1 All Std Equipment as Listed by Mfg. or as Req. for GVWR 6600</b>	7000 GVW 1858 PL 6' Bed 143.5" WB	7300 GVW 5'9" Bed 143.5 WB	6650 GVW 2210 PL 6.3' Bed 140" WB	6850 GVWR 1980 PL 6 ½' Bed 145" WB	7101 GVW 1820 PL 79.1" Bed 139.8" WB
<b>2.a. Engine V8 EFI Gasoline 4.6L</b>	4.8L SFI V8 302 5600 305 4600	N/A	N/A	4.6L SFI V8 248 4750 294 4000	N/A
<b>2.b. Engine, Flex Fuel (E-85) 4.7L V8</b>	5.3L V8 SFI 315 5200 335 4000	N/A	4.7L V8 310 5650 330 3950	5.4L V8 310 5000 365 3500	5.6L V8 317 5200 385 3400
<b>2.c. Engine, Hybrid 6.0L V8</b>	N/A	6.0L 332 5100 367 4100	N/A	N/A	N/A

**TRUCK, EXTENDED CAB, 4 X 4, 6 ½ FOOT STRAIGHT SIDE BED  
2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET / GMC</b>	<b>CHEVROLET / GMC</b>	<b>DODGE</b>	<b>FORD</b>	<b>NISSAN</b>
<b>3. Transmission Automatic Overdrive 4 Speed</b>	4 Speed OD Trans/Oil Cooler	4 Spd Auto	4 Spd Auto OD 5 Spd Manual	Electronic 4 Spd Auto OD	5 Spd Auto w/Overdrive
<b>3a Optional Transmission</b>	None	None	None	None	None
<b>4. Tires, 5, All Terrain Radial BW to be Mfg. Std to meet GVWR</b>	P265/70R17 All Season	P265/65R18 All Season	P255/70R17 All Season	P235/70R17	P265/70 718 BSW
<b>4a Optional Tires</b>	P265/70R17 On/off Road	P265/70R17 All Terrain	None	LT245/70R17D All Terrain	None
<b>5. Brakes, Power ABS Disc Front</b>	Std	Std	Std	Std	4 Wheel ABS
<b>6. Battery, 12V Min 600 CCA Mntc Free</b>	600	300 Volt 600 CCA	730	750	650
<b>6a Optional Battery</b>	730	None	None	None	710

**TRUCK, EXTENDED CAB, 4 X 4, 6 ½ FOOT STRAIGHT SIDE BED**  
**2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET / GMC</b>	<b>CHEVROLET / GMC</b>	<b>DODGE</b>	<b>FORD</b>	<b>NISSAN</b>
<b>7. Alternator, Min 130 Amps</b>	145	N/A	160	135	130
<b>8. Power Steering</b>	Std	Std	Std	Std	Std
<b>9. Mirrors Ext. Rt./Lft Side Min 40 Sq. Inch Swing Away Factory Installed, Power</b>	Opt	Opt	Opt	Opt	Std
<b>10. Bumper, Rear Step Type Painted Mfg./ Dealer Installed 400/4000</b>	Std	Std	Std	Std	Std
<b>11. Radio AM/FM Push-button Factory Installed</b>	AM/FM/CD	AM/FM/CD	AM/FM	AM/FM Stereo	AM/FM/CD Stereo
<b>12. Dome Light Full Headliner</b>	Std	Std	Std	Std	Std
<b>13. Carrier, Spare Wheel Underframe</b>	Std	Std	Std	Std	Std
<b>14. Air Conditioner Factory Installed</b>	Std	Std	Std	Std	Std

**TRUCK, EXTENDED CAB, 4 X 4, 6 ½ FOOT STRAIGHT SIDE BED**  
**2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET / GMC</b>	<b>CHEVROLET / GMC</b>	<b>DODGE</b>	<b>FORD</b>	<b>NISSAN</b>
<b>15. Tinted Glass All Windows</b>	Std	Std	Std	Std	Std
<b>16. Power Outlet, 12V</b>	2 Outlets	2 Outlets	1 Outlet	2 Outlets	3 Outlets
<b>17. Air Bag D/S</b>	Dual – Std	Std	Dual – Std	Dual – Std	Dual – Std Side Curtain – Std
<b>18. Fuel Tank(s) Min 26 Gallons</b>	26	26	26	26	28
<b>19. Differential Limited Slip</b>	Opt	Opt	Electronic Stability Program	Opt	std
<b>20. Transfer Case 2 Speed</b>	Std	Std	Std	Std	Std
<b>21. Skid Plates - For Transfer Case &amp; Fuel Tank - No Exception - May be Dealer Installed</b>	Opt Plastic skid plate for fuel tank	Opt	Transfer Case Only	Opt	Dealer Opt
<b>22. Hubs - Front Wheel Auto Locking</b>	Std	Std	Std	Std	Std
<b>23. Vehicle to be Comp Winterized</b>	Std	Dealer	Std	Std	Dealer

**TRUCK, EXTENDED CAB, 4 X 4, 6 ½ FOOT STRAIGHT SIDE BED**  
**2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET / GMC</b>	<b>CHEVROLET / GMC</b>	<b>DODGE</b>	<b>FORD</b>	<b>NISSAN</b>
<b>24. Fuel 1/4 Tank Upon Delivery</b>	Dealer	Dealer	Dealer	Dealer	Dealer
<b>25. Standard Warranty 36/36</b>	3 Yr. 36,000 Mi 5 Yr 100,000 Mi Drive Train	3 Yr. 36,000 Mi 5 Yr 100,000 Mi Drive Train 8 Yr. 100,000 Mi Battery	3 Yr. 36,000 Mi	3 Yr. 36,000 Mi 5 Yr. 60,000 Mi. Power train	3 yr 36,000 Mi. 5 Yr. 60,000 Mi. Power train

<b>Optional Equipment</b>					
<b>A. Anti Lock Brakes</b>	Std	Std	Opt	Std	Std
<b>B. Factory Paint Dark Green</b>	Available – Plastic Parts in Gloss Black	N/A	50 or more	5 or more VSO	N/A
<b>C. Optional Engine Size</b>	None	None	5.7L hemi Mag 380 5600 404 4000	4.6L 3 Valve V8 292 5700 320 4000	None

**TRUCK, EXTENDED CAB, 4 X 4, 6 ½ FOOT STRAIGHT SIDE BED**  
**2010 SPECIFICATIONS**

<b>Previous Std. Specs.</b>	<b>CHEVROLET / GMC</b>	<b>CHEVROLET / GMC</b>	<b>DODGE</b>	<b>FORD</b>	<b>NISSAN</b>
<b>D. Auxiliary Battery; Minimum 600 CCA to include an “isolator” underhead.</b>	N/A	None	N/A	N/A	Dealer
<b>E. Winch Group</b> <b>1. Grill Guard – wrap around type, full coverage</b> <b>2. Tow Hooks</b> <b>3. Winch, min. 9000lbs, attached to front bumper and reinforced to frame rails 95 ft of 5/16 cable, hook and roller.</b>	Dealer	N/A	Dealer	Dealer	Dealer

**TRUCK, EXTENDED CAB, 4 X 4, 6 ½ FOOT STRAIGHT SIDE BED**  
2003 SPECIFICATIONS

**Previous Std. Specs.**

**CHEVROLET / GMC**

**DODGE**

**FORD**