

**TRUCK, CREW CAB, 4X2, 6 ½ FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
	Silverado CC20743 Sierra TC20743	Ram DJ2H91 Crew Cab	F250 W-2A Super Crew		
1. All Std Equipment as Listed by Mfg. or as Req. for 8800 GVWR	9200 GVW 3480 PL 153" WB	8800 GVW	9200 GVW 2920 PL 156" WB		
2. Axles, to meet GVWR	4800 Front 6900 Rear	4750 Front 6810 Rear	4850 Front 6200 Rear		
3. Springs, Min to Meet GVWR	2250 Front Each 3042 Rear Each	3000 Front 4600 Rear	4000 Front 6100 Rear		
4.a. Engine, 5.4L V8	6 L 360 5400 380 4200 Active Fuel Management	5.7 L Hemi 380 5600 404 4000	5.4L V-8 300 5000 365 3750		
4.b. Engine, Flex Fuel (E-85)	N/A	N/A	N/A		
4.c. Engine, Hybrid	N/A	N/A	N/A		

**TRUCK, CREW CAB, 4X2, 6 ½ FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
5. Transmission 4 Speed Automatic	6 Spd	5 Spd Auto OD	5 Spd Auto		
5a.Optional Transmission	None	6 SPD Manual only in diesel	6 SPD Manual OD 4 SPD Auto		
6. Tires, 5, All Terrain Radial BW to be Mfg. Std to Meet GVWR	LT245/75R16E All Season	LT245/70R17E All Season	LT245/75R17 BSW		
6a Optional Tires	Lt 245/ 75 R16E On/off Road	LT265/70R17E Off Road	LT265/70R17 All Terrain		
7. Brakes, Power Disc Front	4 Wheel ABS	4 Wheel ABS	4 Wheel ABS		

**TRUCK, CREW CAB, 4X2, 6 ½ FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
8. Battery, 12V Min 600 CCA Mntc Free	600	750	650		
8a.Optional Battery	730 Aux plus 600	None	None		
9. Alternator Min 125 Amp	125	136	157 gas 135 diesel		
9a.Optional Alternator	N/a	None	320 Dual W/Diesel 200 Single w/diesel X heavy duty		
10. Power Steering	Std	Std	Std		
11. Mirrors Ext Rt/Left Side Min 40 Sq Inch Swing Away, Power	Opt	Opt	Opt		
12. Bumper, Rear Step Factory/Dealer Installed 400/4000	Std	Std	Std		
13. Radio AM/FM Factory Installed	Std	AM/FM/CD	AM/FM Stereo w/ Digital Clock		

**TRUCK, CREW CAB, 4X2, 6 ½ FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
14. Dome Light	Std	Std	Std		
15. Carrier, Spare Wheel Underframe	Std	Std	Std		
16. Air Conditioner Factory Installed	Std	Std	Std		
17. Tinted Glass All Windows	Std	Std	Std		
18. Power Outlet, 12V	2 Outlets	1 Outlet	2 Outlets		
19. Air Bag D/S	Dual – Std	Dual – Std	Dual – Std		
20. Fuel Tank 26 gal	26	26	30.5		
21. Differential Limited Slip	Opt	Opt	Opt		

**TRUCK, CREW CAB, 4X2, 6 ½ FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
22 Shocks: Heavy duty to meet GVWR	Std	Std	Std		
23. Seats: Front & Rear Bench	Split 40/20/40 Front Bench Folding Rear	40/20/40 Std	Std 40/20/40 Opt		
24. Vehicle to be Comp Winterized	Std	Std	Std		
25. Fuel 1/4 Tank Upon Delivery	Dealer	Dealer	Dealer		
26. Standard Warranty 36/36	3 Yr. 36,000 Mi 5 Yr 100,000 Mi	3 Yr. 36,000 Mi	3 Yr. 36,000 Mi 5 Yr 60,000 Mi Powertrain		

**TRUCK, CREW CAB, 4X2, 6 ½ FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

Previous Std. Specs.	CHEVROLET / GMC	DODGE	FORD		
Optional Equipment					
A. Factory Paint Dark Green	Yes	50 or More	Yes		
B. Optional Engine Size	6.6 L 402 CU IN Diesel 365 3200 660 1600	6.7L Inline 6 305 2100 610 1400 Cummins	6.4 L Diesel 362 4750 457 3250 6.8L V10 Gas 350 3000 650 2000		
C. Sliding Glass Rear Windows	Dealer	Opt	Opt		
D. Transom 3 Spd Auto w/Ext. Aux Transom Oil Cooler in addition to Std or Increased Cooling Capacity	No	No	No		
E. Seat 60/40	Yes	Yes	Yes		
F. Rear Axle Ratio	3.73	3.73 Std 4.10 Opt	3.73		

TRUCK, CREW CAB, 4X2, 6 ½ FOOT STRAIGHT SIDE BED
2003 SPECIFICATIONS

Previous Std. Specs.

CHEVROLET

GMC

FORD