

**TRUCK, CREW CAB, 4X4, 6 FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

| Previous Std. Specs. | CHEVROLET/GMC | DODGE | FORD | | |
|--|---|---|---------------------------------|--|--|
| | Silverado CK20743 Sierra TK20743 | Ram DJ7H91 Crew Cab | F250 XL W2B | | |
| 1. All Std Equipment as Listed by Mfg. or as Req. for 8800 GVWR | 9200 GVW 3241 PL 153" WB | 8800 GVW | 9400 GVW 2920 PL 156" WB | | |
| 2. Axles, to meet GVWR | 4800 Front 6900 Rear | 5200 Front 6900 Rear | 6000 Front 6200 Rear | | |
| 3. Springs, Min to Meet GVWR | 2400 Front 3042 Rear | 3000 Front 5200 Rear | 4000 Front 6100 Rear | | |
| 4.a. Engine, 5.4L V8 | 6.0L 364 CU IN 360 5400 380 4200 | 5.7L V8 HEMI MAG 380 5600 404 4000 | 5.4L V8 300 5000 365 3750 | | |
| 4.b. Engine, Flex Fuel (E-85) | N/A | N/A | N/A | | |
| 4.c. Engine, Hybrid | N/A | N/A | N/A | | |

**TRUCK, CREW CAB, 4X4, 6 FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

| Previous Std. Specs. | CHEVROLET/GMC | DODGE | FORD | | |
|---|--|----------------------------|-----------------------------|--|--|
| 5. Transmission 4 Speed Automatic | 6 Speed Auto | 5 Speed OD | Electric 5 Speed OD | | |
| 5a. Optional Transmission | None | 5 Speed Manual | 6 Speed Manual | | |
| 6. Tires, 5, All Terrain Radial BW to be Mfg. Std to Meet GVWR | LT 245/75R16E All Season Or On / Off Road | LT 24570R17E All Season | LT245/75R17 | | |
| 6a Optional Tires | None | LT265/70R17E Off Road | LT265/70R17E All Terrain | | |
| 7. Brakes, Power Disc Front | 4 Wheel ABS | 4 Wheel ABS | 4 Wheel ABS | | |
| 8. Battery, 12V Min 600 CCA Mntc Free | 730 600 - Aux | 600 | 650 | | |

**TRUCK, CREW CAB, 4X4, 6 FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

| Previous Std. Specs. | CHEVROLET/GMC | DODGE | FORD | | |
|--|----------------------|--------------|---------------------------------|--|--|
| 8a.Optional Battery | 730 Aux 600 | None | None | | |
| 9. Alternator Min 125 Amp | 125 | 136 | 157 Gas 135 Diesel | | |
| 9a.Optional Alternator | None | None | 320 Dual W/Diesel 220 diesel | | |
| 10. Power Steering | Std | Std | Std | | |
| 11. Mirrors Ext Rt/Left Side Min 40 Sq Inch Swing Away, Power | Opt | Opt | Opt | | |
| 12. Bumper, Rear Step Factory/Dealer Installed 400/4000 | Std | Std | Std | | |
| 13. Radio AM/FM Factory Installed | Std | AM/FM/CD | AM/FM Stereo w/ Digital Clock | | |
| 14. Dome Light | Std | Std | Std | | |

**TRUCK, CREW CAB, 4X4, 6 FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

| Previous Std. Specs. | CHEVROLET/GMC | DODGE | FORD | | |
|--|----------------------|--------------|--------------|--|--|
| 15. Carrier, Spare Wheel Underframe | Std | Std | Std | | |
| 16. Air Conditioner Factory Installed | Std | Std | Std | | |
| 17. Tinted Glass All Windows | Std | Std | Std | | |
| 18. Power Outlet, 12V | 2 Outlets | 1 Outlet | 2 Outlets | | |
| 19. Air Bag D/S | Dual – Std | Dual – Std | Dual – Std | | |
| 20. Fuel Tank 26 gal | 26 | 34 | 30.5 | | |
| 21. Differential Limited Slip | Opt | Opt | Opt | | |
| 22. Transfer Case | 2 Spd Manual | Yes | 2 Spd Manual | | |

**TRUCK, CREW CAB, 4X4, 6 FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

| Previous Std. Specs. | CHEVROLET/GMC | DODGE | FORD | | |
|--|--------------------------------------|-----------------|--|--|--|
| 23. Shocks: Heavy duty to meet GVWR | Std | Std | Std | | |
| 24. Seats: Front & Rear Bench | 40/20/40 Split Folding Bench Rear | 40/20/40 Split | 40 Vinyl Bench 40/20/40 Opt | | |
| 25. Fuel 1/4 Tank Upon Delivery | Dealer | Dealer | Dealer | | |
| 26. Vehicle to be Comp Winterized | Std | Std | Std | | |
| 27. Standard Warranty 36/36 | 3 Yr. 36,000 Mi 5 Yr 100,000 Mi | 3 Yr. 36,000 Mi | 3 Yr. 36,000 Mi 5 Yr. 60,000 Mi Powertain | | |

**TRUCK, CREW CAB, 4X4, 6 FOOT STRAIGHT SIDE BED
2010 SPECIFICATIONS**

| Previous Std. Specs. | CHEVROLET/GMC | DODGE | FORD | | |
|---|---|---|--|--|--|
| Optional Equipment | | | | | |
| A. Factory Paint Dark Green | Yes | 50 or More | Yes | | |
| B. Optional Engine Size | 6.6L Diesel 402 CU IN 365 3200 660 1600 B10 – B20 | 6.7L Cummins Diesel 350 3000 650 1500 | 6.8L V-10 362 4750 457 3250 6.4L Diesel 350 3000 650 2000 | | |
| C. Sliding Glass Rear Windows | Dealer | Opt | Opt | | |
| D. Transom 3 Spd Auto w/Ext. Aux Transom Oil Cooler in addition to Std or Increased Cooling Capacity | None | None | None | | |
| E. Seat 60/40 | Rear-Std | Yes | Rear N/A Front Opt | | |
| F. Rear Axle Ratio | 3.73 | 4.10 3.73 | 3.73 | | |