Trauma Care Advisory Council

Trauma Care in Tennessee

2021 Report to the 112th General Assembly

Tennessee Department of Health Trauma Care Advisory Council January 24, 2022

AUTHORSHIP

Brian J. Daley, MD, MBA, FACS Professor of Surgery, UTHSC- Knoxville University of Tennessee Medical Center at Knoxville Chair, Trauma Care Advisory Council Chair, Tennessee Committee on Trauma

Robert E. Seesholtz, MHA, BSN, RN, EMT-P Trauma System Manager Tennessee Department of Health

Table of Contents

Page

Overview		Letter to the General Assembly	۷
		Executive Summary	5
System Components		Trauma Center Funding	7
		Trauma Registry	g
		Research	g
		Outreach	g
Appendices	l:	Trauma Center Locations	10
	II:	Trauma Registry Reports	11
	III:	Trauma Fund Distribution 2019	19
	IV:	Research Publication Listing	23



STATE OF TENNESSEE DEPARTMENT OF HEALTH DIVISION OF HEALTH LICENSURE AND REGULATION

TRAUMA CARE ADVISORY COUNCIL

665 MAINSTREAM DRIVE

NASHVILLE, TN 37243

January 25, 2022

Dear Members of the General Assembly,

As required by Tenn. Code Ann §68-59-103, we are pleased to submit our Annual Trauma Report. This report reflects activities and accomplishments of the Trauma Care Advisory Council (TCAC) and Tennessee's designated Trauma Hospitals.

The Trauma Care Advisory Council implemented in 1990 advises the Board for Licensing Health Care Facilities and the Emergency Medical Services (EMS) Board about the regulatory standards to ensure the adequacy of statewide trauma care. Rule promulgation is guided by national standards.

In 2007, the General Assembly enacted the Trauma Fund Law, providing valuable but limited financial resources to support and maintain Tennessee's statewide Trauma System.

The data in this publication give an overview of patients cared for in Tennessee designated Trauma Centers and Comprehensive Regional Pediatric Centers. With your ongoing support, the TCAC hopes to continue to expand access and quality trauma care for injured Tennesseans.

Respectfully Submitted,

Brian J. Daley, MD, MBA, FACS Professor of Surgery, UTHSC- Knoxville University of Tennessee Medical Center at Knoxville Chair, Trauma Care Advisory Council Chair, Tennessee Committee on Trauma

2020 EXECUTIVE SUMMARY

Over calendar year 2020, 39,861 patients received care in a state designated trauma center or a Comprehensive Regional Pediatric Center (CRPC) due to a trauma-related injury. Even with the COVID crisis, traumatic injuries and resource consumption increased in Tennessee. The total number of patients managed in centers designed to improve the care of the injured has risen consistently over the last eight years. The effect of the care to these patients in these institutions has been to reduce potential years of life lost, to return as close to pre-injury health and to increase the return to family, work, and community. While seemingly a large number, many injuries are underreported to our system as patients are treated in non-trauma hospitals.

Trauma centers are responsible for outreach and prevention. Raising awareness around both pediatric and adult causes of trauma from teen suicide and seatbelt use, to helmet use, along with fall prevention in the elderly has been paramount for the Trauma Care Advisory Council (TCAC) with the help of the Tennessee Committee on Trauma and other state agencies. Most importantly, though, is the maintenance of trauma center excellence to ensure optimal care of the injured. Our trauma centers provided care for Tennesseans from every county in the state, as well as patients from nearly every state in the continental US.

The Trauma Care Advisory Council (TCAC) was established in 1990 to advise the Office of Health Care Facilities regarding trauma care policy and regulation. Currently, Tennessee has 5 Level I trauma centers, 2 Level II centers, 6 level III centers, and 1 provisional Level III center, for 14 total adult centers. There are an associated 4 CRPC's, two of which have been verified by the ACS as Level 1 Pediatric Trauma Centers (LeBonheur in Memphis and Monroe Carrell in Nashville) treating those injured under the age of 16. TCAC constantly reviews the designation rules and integrates the verification process of the American College of Surgeons Committee on Trauma to assess the programs at the highest national standard for trauma care. TCAC has also provided support to the Council on Pediatric Emergency Care (CoPEC) to update the rules for pediatric trauma.

The epidemic of elder ground level falls continues unabated across Tennessee (and the nation) and is the number one cause of trauma admission and mortality. The admissions and death rates continue to climb as our population ages, accounting for greater than 50% of admissions in several trauma centers. Unfortunately, motor vehicle crashes (MVCs) remain lethal and are the second highest cause fatality rate in the state. Gun-related suicide deaths continues to overshadow homicides at a rate of 2 to 1 at both the state and national level. These are urgent issues we as Tennesseans need desperately to address.

This report provides information on injury patterns across the state, referral patterns, and financial statistics. Other key aspects of this report include Injury Prevention actions and

statewide research efforts. It is the goal of the TCAC to target future outreach and prevention activities through data from the state registry and to continually strive to improve patient outcomes through an array of performance improvement initiatives, research activities, and outcomes-based evidence research. Such efforts consist of outreach to nursing homes and specific communities to educate the elderly on fall risk, "Battle of the Belts" for high school student awareness of seatbelt use and motorcycle and ATV safety education. The 'Stop the Bleed' education about a simple method to ensure as many first responders, bystanders and others are prepared in any situation to stop active hemorrhage is ongoing. So far, the efforts of the trauma programs have led to educating over 5000 individuals across the state. This includes school nurses, teachers, Scouts, first responders and many members of the legislature and state offices.

This report also reflects the ongoing effort of the Trauma Centers as dedicated to caring for the injured patient. As the number of trauma patients continues to increase in the state, we believe the efforts of the trauma council are important to maintain and improve the outcomes of our citizens across the entire state. We are aware that there are areas of the state that remain outside the contiguous counties of the major metropolitan areas that are not within easy reach of a designated trauma center. We continue to advocate for formal universal system designation of all hospitals as Level I, II, III or IV, ensuring not only the capture of all injured patients data but rendering and maintaining the highest possible level of trauma care for all Tennesseans. This would require additional state dedicated funding to preserve the infrastructure of many of the smaller, rural hospitals to support a complete trauma system.

Lastly, the income and disbursement of the Trauma Fund monies is reported. The Trauma Fund, designated by the Trauma Center Funding Law of 2007, is slowly declining in revenue, placing our Trauma System at risk. Trauma Funds are allocated for Trauma Center readiness, for uncompensated care to all reporting hospitals, and to support a state-wide, multidisciplinary Trauma Symposium, focusing on the latest improvements in trauma care.

With your ongoing support and endorsement, we can continue with our mission of providing the highest level of care, injury prevention, education, and research to minimize the death and disability occurring because of injury across the state of Tennessee. As the Chair of the TCAC and TN Committee on Trauma, and working alongside Rob Seesholtz and the many other members of the state team, I am awed every day by their selfless dedication to the care of the injured in Tennessee.

Brian J. Daley, MD, MBA, FACS Chair, Trauma Care Advisory Council Chair, Tennessee Committee on Trauma

TRAUMA CENTER FUNDING

With the passage of the Tennessee Trauma Center Funding Law of 2007, the Trauma Care Advisory Council was charged with developing recommendations on how to distribute Trauma System Fund reserves. In keeping with the intent of the statute, three broad categories for disbursement were identified:

1. Money to support the **trauma system infrastructure** at the state level:

• The State Trauma System Manager is responsible for providing general oversight for Tennessee's system of trauma care. Responsibilities include oversight of Tennessee's trauma fund, trauma registry, administrative support to the Trauma Care Advisory Council, and the coordination of site visits for new and existing trauma centers. Trauma system infrastructure has been bolstered as monies were approved for the expenditure on trauma education, trauma registry improvements and for a state-wide trauma symposium.

2. **Readiness costs** to designated trauma centers and comprehensive regional pediatric centers:

• Tennessee trauma centers and CRPC's are ready at a moment's notice to treat those suffering from traumatic injury and are required to maintain life critical services 24 hours a day, 7 days a week, 365 days a year. While readiness costs disbursed from the trauma fund cannot realistically compensate centers for all of their costs, readiness funds help to ensure that these necessary life critical services are maintained. Readiness cost amounts for state designated trauma centers and CRPC's may be found in appendix III.

3. Money for **uncompensated care**:

- The trauma funding law provides for uncompensated care funding to be distributed to: 1) designated trauma centers 2) comprehensive regional pediatric centers and 3) other acute care hospitals functioning as a part of the trauma system.
- Distribution to eligible hospitals is based on: 1) the level of funding within the reserve account following infrastructure and readiness costs and 2) the documented level of each hospital's uncompensated trauma cost. Though this amount will vary from year to year, at the end of 2020, trauma fund disbursements totaled \$6,946,577.34 to eligible facilities. **Appendix III** shows quarterly payments made to eligible hospitals for calendar year 2020.


Trauma Fund disbursement totals have seen a steady decline since the funds inception. Since then, the trauma fund has decreased over \$2,100,000.00 dollars making finding alternative sources of funding a priority to ensure the viability of Tennessee's Trauma System.

Trauma Fund Disbursement Totals Since Inception

Calendar Year Trauma Fund Disbursement Totals

*Start of Trauma Fund	2008	\$9,086,822.57
	2009	\$9,192,013.69
	2010	\$8,973,548.13
	2011	\$8,762,345.31
	2012	\$8,328,132.57
	2013	\$8,316,610.13
	2014	\$7,768,758.15
	2015	\$7,867,741.77
	2016	\$7,717,970.86
	2017	\$7,548,708.50
	2018	\$7,283,384.96
	2019	\$7,022,767.11
	2020	\$6,946,577.34

\$2,140,245.23 below initial disbursement when trauma fund started



TRAUMA REGISTRY

The Tennessee Trauma Registry is the data repository for patients presenting for care at Tennessee's 14 participating trauma centers and 4 CRPC's. The registry allows for an in-depth review of injury related codes, comorbidities and complications to better determine the consequences of trauma in Tennessee. This report is based on registry abstractions completed through 2020. Contained registry reports represent injuries sustained and related hospital admissions in 2020 with additional volume trend reporting that includes the 9 years prior.

RESEARCH

Level 1 trauma centers are charged with performing research. These endeavors allow ongoing improvements in trauma care on a continuous basis. **Appendix IV** represents a sample of these state-wide research publication efforts.


OUTREACH & INJURY PREVENTION EFFORTS

Tennessee's trauma centers and CRPC's provide many different outreach and injury prevention opportunities for both the public and for those who are responsible for the specialized care of injured Tennesseans and visitors in our state. These outreach and injury prevention efforts are in part targeted to injury trends seen by trauma centers and CRPC's with the ultimate goal of reducing the incidence of traumatic injury through targeted outreach and education.



Appendix I: Current Trauma Center Location & Level of Designation

Level I Tennessee Trauma Centers



In addition to state designation "*" indicates verification as an American College of Surgeons Trauma Center

Level II Tennessee Trauma Centers



In addition to state designation "*" indicates verification as an American College of Surgeons Trauma Center

Level III Tennessee Trauma Centers

Holston Valley Medical Center

Horizon Medical Center

StoneCrest Medical Center

Horizon Medical Center

StoneCrest Medical Center

Turkey Creek Medical Center

provisional

Comprehensive Regional Pediatric Centers

*Monroe Carell Jr. Children's Hospital

East Tennessee Children's Hospital

*LeBonheur Children's Hospital


Children's Hospital at Erlanger

*Indicates verification as an American College of Surgeons Pediatric Trauma Center

Appendix II: 2020 Trauma Registry Reports

Figure		10 year trauma registry counts 2010 - 2019Injury Distribution by Facility Level	12
Figure		Patient Counts by Payor Source	13
Figure		Patient Counts by Gender Patient Counts by Age Group and Gender	14
Figure	4:	Patients Treated by State of Residence	15
Figure		Patient Counts by Transport Category Patient Counts by Top Causes of Injury	16
Figure		Patient Counts by Hospital Disposition Patient Counts by Emergency Department Disposition	17
Figure		Top Five Fatalities by Mechanism Fatalities by Age Group	18


Figure 1a:



In 2020, 39,861 patients were entered in the state trauma registry as a result of meeting inclusion criteria related to traumatic injury. The growth pattern of traumatic injury patient totals recorded in the registry since 2010 is shown above.


Figure 1b:

Distribution of Patients Treated at Trauma Centers & CRPC's




The chart above reflects the distribution of patients who received care at trauma centers and CRPC's for calendar year 2020.

Figure 2a:




Commercial Insurance continues as the number one payor source for those receiving care at a trauma center or CRPC in 2020.

Figure 2b:




The graph above reflects the top 10 surgical/medical admission services utilized when being admitted for a traumatic injury.

Figure 3a:



60% of all patients treated at a Tennessee trauma center or CRPC were male. This 2020 data reflects a one-point percentage change in the injury gender distribution from 2019.


Figure 3b



The information above is reflective of traumatic injury patient counts by age and gender for 2020.


Figure 4:

Trauma Patients Treated in Tennessee Trauma Centers and CRPC's by State of Residence




76% of all trauma cases treated in Tennessee trauma centers or CRPC's were Tennesseans (30,429); 24% of all cases (9,432) were residents of other states.

Figure 5a:




Patient transports by air travel to a trauma center or CRPC have again shown a year-to-year increase.

Figure 5b:




The graph above reflects the top ten causes of injury for seeking care at a trauma center or CRPC in 2020.

Figure 6a:




58% of patients admitted to a trauma facility in 2020 were discharged back to their home after hospital admission. 13% were admitted into a skilled nursing facility upon hospital discharge and approximately 4% of patients had an outcome of death.

Figure 6b:




Most patients who met inclusion criteria for trauma registry submissions for 2020 were admitted to a floor bed based on their Emergency Department discharge disposition.

Figure 7a:



Fatalities from falls, motor vehicle crashes, firearms, pedestrian injuries and motorcycle crashes remain the top 5 mechanisms for injury that lead to death.

Figure 7b:



The chart above is reflective of fatalities separated into their respective age groups.

Appendix III: 2020 Trauma Fund Distribution

FUNDS DISTRIBUTED TO TRAUMA CENTERS AND NON-TRAUMA CENTERS FROM TENNESSEE TRAUMA FUND - 2020 - 1st QUARTER DISTRIBUTION

Level	Hospital Name	Hospital Specific Pool Payment	Readiness Costs	Total Hospital Distribution Payment
	TOTAL	\$975,326.96	\$846,750.00	\$1,822,076.96
Lev 1	Regional One Health	\$399,406.62	\$97,250.00	\$496,656.62
Lev 1	Vanderbilt University Hospital	\$260,331.10	\$153,250.00	\$413,581.10
Lev 1	Erlanger Medical Center - Baroness	\$83,862.99	\$153,250.00	\$237,112.99
Lev 1	The University of Tennessee Medical Center	\$65,531.34	\$102,250.00	\$167,781.34
Lev 1	Johnson City Medical Center	\$24,556.36	\$72,500.00	\$97,056.36
Lev 2	TriStar Skyline Medical Center	\$46,340.51	\$37,750.00	\$84,090.51
PED	LeBonheur Children Medical Center	\$2,419.79	\$64,250.00	\$66,669.79
PED	East Tennessee Childrens Hospital		\$51,000.00	\$51,000.00
Lev 2	Bristol Regional Medical Center	\$6,865.87	\$37,750.00	\$44,615.87
Lev 3	Holston Valley Medical Center	\$15,947.26	\$15,500.00	\$31,447.26
Lev 3	TriStar Horizon Medical Center	\$3,246.53	\$15,500.00	\$18,746.53
Lev 3	TriStar Summit Medical Center	\$2,851.59	\$15,500.00	\$18,351.59
Lev 3	Sumner Regional Medical Center	\$1,619.05	\$15,500.00	\$17,119.05
Lev 3	TriStar Stonecrest Medical Center	\$689.30	\$15,500.00	\$16,189.30
	Methodist University Hospital	\$16,189.30		\$16,189.30
	Baptist Memorial Hospital-Memphis	\$7,878.78		\$7,878.78
	Jackson-Madison Cnty. General Hospital	\$4,002.08		\$4,002.08
	Saint Thomas West Hospital	\$3,818.10		\$3,818.10
	Fort Sanders Regional Medical Center	\$2,828.92		\$2,828.92
	TriStar Southern Hills Medical Center	\$2,684.75		\$2,684.75
	Tennova Healthcare Physicians Regional M C	\$2,390.97		\$2,390.97
	Williamson Medical Center	\$2,302.01		\$2,302.01
	Erlanger North Hospital	\$2,234.25		\$2,234.25
	Maury Regional Medical Center	\$1,955.49		\$1,955.49
	TriStar Hendersonville Medical Center	\$1,948.33		\$1,948.33
	Saint Francis Hospital	\$1,889.58		\$1,889.58
	Parkridge Medical Center	\$1,472.94		\$1,472.94
	Parkwest Medical Center	\$1,076.35		\$1,076.35
	Morristown-Hamblen Healthcare System	\$1,014.60		\$1,014.60
	Methodist North Hospital	\$1,009.42		\$1,009.42
	CHI Memorial Hospital Chattanooga	\$969.80		\$969.80
	Henry County Medical Center	\$902.15		\$902.15
	Indian Path Medical Center	\$816.77		\$816.77
	CHI Memorial Hospital Hixon	\$785.29		\$785.29
	Methodist Medical Center of Oak Ridge	\$685.23		\$685.23
	Blount Memorial Hospital	\$648.86		\$648.86
	Cookeville Regional Medical Center	\$591.57		\$591.57

Saint Francis Hospital-Bartlett	\$526.14	\$526.14
Cumberland Medical Center	\$483.86	\$483.86
West Tennessee Healthcare Dyersburg Hospital	\$319.25	\$319.25
Tennova Healthcare - Clarksville	\$139.57	\$139.57
Southern TN Reg. Health Sys Winchester	\$94.29	\$94.29

FUNDS DISTRIBUTED TO TRAUMA CENTERS AND NON-TRAUMA CENTERS FROM TENNESSEE TRAUMA FUND - 2020 - 2nd QUARTER DISTRIBUTION

Level	Hospital Name	Hospital Specific Pool Payment	Readiness Costs	Total Hospital Distribution Payment
	TOTAL	\$726,966.05	\$846,750.00	\$1,573,716.05
Lev 1	Vanderbilt University Hospital	\$252,237.91	\$153,250.00	\$405,487.91
Lev 1	Regional One Health	\$234,913.45	\$97,250.00	\$332,163.45
Lev 1	Erlanger Medical Center - Baroness	\$50,441.96	\$153,250.00	\$203,691.96
Lev 1	The University of Tennessee Medical Center	\$53,825.07	\$102,250.00	\$156,075.07
Lev 1	Johnson City Medical Center	\$19,372.68	\$72,500.00	\$91,872.68
Lev 2	TriStar Skyline Medical Center	\$41,597.30	\$37,750.00	\$79,347.30
PED	LeBonheur Children Medical Center	\$7,587.01	\$64,250.00	\$71,837.01
PED	East Tennessee Childrens Hospital		\$51,000.00	\$51,000.00
Lev 2	Bristol Regional Medical Center	\$12,070.04	\$37,750.00	\$49,820.04
Lev 3	Holston Valley Medical Center	\$17,934.96	\$15,500.00	\$33,434.96
Lev 3	TriStar Summit Medical Center	\$3,942.86	\$15,500.00	\$19,442.86
Lev 3	TriStar Horizon Medical Center	\$2,188.52	\$15,500.00	\$17,688.52
Lev 3	TriStar Stonecrest Medical Center	\$2,151.80	\$15,500.00	\$17,651.80
Lev 3	Sumner Regional Medical Center	\$1,329.93	\$15,500.00	\$16,829.93
	Methodist University Hospital	\$8,142.02		\$8,142.02
	Baptist Memorial Hospital-Memphis	\$4,421.46		\$4,421.46
	TriStar Southern Hills Medical Center	\$3,752.10		\$3,752.10
	Maury Regional Medical Center	\$3,051.13		\$3,051.13
	Jackson-Madison Cnty. General Hospital	\$2,211.20		\$2,211.20
	Saint Thomas West Hospital	\$2,142.75		\$2,142.75
	Methodist North Hospital	\$1,775.38		\$1,775.38
	Methodist Medical Center of Oak Ridge	\$975.67		\$975.67
	Williamson Medical Center	\$780.72		\$780.72
	CHI Memorial Hospital Chattanooga	\$120.15		\$120.15

FUNDS DISTRIBUTED TO TRAUMA CENTERS AND NON-TRAUMA CENTERS FROM TENNESSEE TRAUMA FUND - 2020 – 3rd QUARTER DISTRIBUTION

Level	Hospital Name	Hospital Specific Pool Payment	Readiness Costs	Total Hospital Distribution Payment
	TOTAL	\$900,488.74	\$846,750.00	\$1,747,238.74
Lev 1	Regional One Health	\$334,142.61	\$97,250.00	\$431,392.61

Lev 1	Vanderbilt University Hospital	\$216,846.75	\$153,250.00	\$370,096.75
Lev 1	Erlanger Medical Center - Baroness	\$103,337.57	\$153,250.00	\$256,587.57
Lev 1	The University of Tennessee Medical Center	\$67,657.26	\$102,250.00	\$169,907.26
Lev 1	Johnson City Medical Center	\$20,563.79	\$72,500.00	\$93,063.79
Lev 2	TriStar Skyline Medical Center	\$54,623.78	\$37,750.00	\$92,373.78
PED	LeBonheur Children Medical Center	\$10,442.26	\$64,250.00	\$74,692.26
PED	East Tennessee Childrens Hospital	\$1,693.39	\$51,000.00	\$52,693.39
Lev 2	Bristol Regional Medical Center	\$12,751.11	\$37,750.00	\$50,501.11
Lev 3	Holston Valley Medical Center	\$15,984.64	\$15,500.00	\$31,484.64
Lev 3	TriStar Horizon Medical Center	\$3,602.53	\$15,500.00	\$19,102.53
Lev 3	TriStar Summit Medical Center	\$2,615.28	\$15,500.00	\$18,115.28
Lev 3	Sumner Regional Medical Center	\$1,304.81	\$15,500.00	\$16,804.81
Lev 3	TriStar Stonecrest Medical Center	\$1,255.71	\$15,500.00	\$16,755.71
	Methodist University Hospital	\$16,755.71		\$16,755.71
	Erlanger North Hospital	\$11,601.55		\$11,601.55
	Jackson-Madison Cnty. General Hospital	\$4,535.19		\$4,535.19
	Baptist Memorial Hospital-Memphis	\$3,566.14		\$3,566.14
	Saint Thomas West Hospital	\$3,058.65		\$3,058.65
	TriStar Southern Hills Medical Center	\$2,523.80		\$2,523.80
	Williamson Medical Center	\$2,233.74		\$2,233.74
	Parkwest Medical Center	\$1,231.98		\$1,231.98
	Cookeville Regional Medical Center	\$1,231.88		\$1,231.88
	Blount Memorial Hospital	\$1,208.51		\$1,208.51
	Methodist North Hospital	\$1,153.10		\$1,153.10
	Henry County Medical Center	\$1,079.75		\$1,079.75
	Methodist Medical Center of Oak Ridge	\$1,051.24		\$1,051.24
	CHI Memorial Hospital Chattanooga	\$1,027.38		\$1,027.38
	Saint Francis Hospital-Bartlett	\$607.58		\$607.58
	CHI Memorial Hospital Hixon	\$309.99		\$309.99
	Greeneville Community Hospital East	\$254.55		\$254.55
	Morristown-Hamblen Healthcare System	\$236.51		\$236.51

FUNDS DISTRIBUTED TO TRAUMA CENTERS AND NON-TRAUMA CENTERS FROM TENNESSEE TRAUMA FUND - 2020 – 4th QUARTER DISTRIBUTION

Level	Hospital Name	Hospital Specific Pool Payment	Readiness Costs	Total Hospital Distribution Payment
	TOTAL	\$941,295.59	\$862,250.00	\$1,803,545.59
Lev 1	Regional One Health	\$377,201.72	\$97,250.00	\$474,451.72
Lev 1	Vanderbilt University Hospital	\$236,657.44	\$153,250.00	\$389,907.44
Lev 1	Erlanger Medical Center - Baroness	\$96,607.36	\$153,250.00	\$249,857.36
Lev 1	The University of Tennessee Medical Center	\$83,135.97	\$102,250.00	\$185,385.97
Lev 1	Johnson City Medical Center	\$13,289.99	\$72,500.00	\$85,789.99
Lev 2	TriStar Skyline Medical Center	\$46,363.97	\$37,750.00	\$84,113.97
PED	LeBonheur Children Medical Center	\$7,142.75	\$64,250.00	\$71,392.75
PED	East Tennessee Childrens Hospital	\$509.93	\$51,000.00	\$51,509.93

1 0	Distal Davis and Madical Contain	¢0.070.00	#07.750.00	£45,000,00
Lev 2	Bristol Regional Medical Center	\$8,078.22	\$37,750.00	\$45,828.22
Lev 3	Holston Valley Medical Center	\$22,863.56	\$15,500.00	\$38,363.56
Lev 3	TriStar Summit Medical Center	\$6,973.57	\$15,500.00	\$22,473.57
Lev 3	TriStar Horizon Medical Center	\$1,376.99	\$15,500.00	\$16,876.99
Lev 3	TriStar Stonecrest Medical Center	\$1,306.32	\$15,500.00	\$16,806.32
Lev 3	Sumner Regional Medical Center	\$559.03	\$15,500.00	\$16,059.03
Lev 3	TriStar Hendersonville Medical Center	\$192.68	\$15,500.00	\$15,692.68
	Methodist University Hospital	\$15,692.68		\$15,692.68
	Baptist Memorial Hospital-Memphis	\$4,074.81		\$4,074.81
	Jackson-Madison Cnty. General Hospital	\$3,102.11		\$3,102.11
	St. Thomas Rutherford Hospital	\$2,206.37		\$2,206.37
	Erlanger North Hospital	\$2,145.23		\$2,145.23
	Saint Thomas West Hospital	\$1,490.09		\$1,490.09
	Cookeville Regional Medical Center	\$1,429.97		\$1,429.97
	LeConte Medical Center	\$1,264.99		\$1,264.99
	Williamson Medical Center	\$1,000.39		\$1,000.39
	Blount Memorial Hospital	\$997.07		\$997.07
	TriStar Southern Hills Medical Center	\$898.56		\$898.56
	Maury Regional Medical Center	\$897.57		\$897.57
	Parkwest Medical Center	\$831.86		\$831.86
	Parkridge Medical Center	\$777.31		\$777.31
	Methodist North Hospital	\$742.83		\$742.83
	Henry County Medical Center	\$435.61		\$435.61
	CHI Memorial Hospital Chattanooga	\$318.92		\$318.92
	Greeneville Community Hospital East	\$301.13		\$301.13
	CHI Memorial Hospital Hixon	\$289.78		\$289.78
	Morristown-Hamblen Healthcare System	\$75.73		\$75.73
	Saint Francis Hospital-Bartlett	\$63.08		\$63.08

Appendix IV: Research Publications

- Impact of a New Helicopter Base on Transport Time and Survival in a Rural Adult Trauma Population. Sborov KD, Gallagher KC, Medvecz AJ, Brywczynski J, Gunter OL, Guillamondegui OD, Dennis BM, Smith MC. J Surg Res. 2020 Oct;254:135-141. doi: 10.1016/j.jss.2020.04.020. Epub 2020 May 21. PMID: 32445928
- Musculoskeletal Trauma in Critically Injured Patients: Factors Leading to Delayed Operative Fixation and Multiple Organ Failure. Richards JE, Medvecz AJ, O'Hara NN, Guillamondegui OD, O'Toole RV, Obremskey WT, Galvagno SM, Scalea TM. Anesth Analg. 2020 Dec;131(6):1781-1788. doi: 10.1213/ANE.0000000000005252. PMID: 33186164
- 3. Continuous Intrathecal Morphine Infusion for Pain Management in a Polytrauma Patient: A Case Report. Boncyk CS, Brennan KA, Guillamondegui O, Benson C. A Pract. 2020 Nov;14(13):e01338. doi: 10.1213/XAA.00000000001338. PMID: 33185403
- Is NBATS-2 up to the Task? Actual vs. Predicted Patient Volume Shifts With the Addition of Another Trauma Center. Dooley JH, Dennis BM, Magnotti LJ, Sharpe JP, Guillamondegui OD, Croce MA, Fischer PE. Am Surg. 2021 Apr;87(4):595-601. doi: 10.1177/0003134820952383. Epub 2020 Nov 1. PMID: 33131286
- 5. Pulmonary Complications After Trauma Pneumonectomy. Kazior MR, Streams JR, Dennis BM, King AB, Henson CP, Slinger P, McDonald S, Tong JL, Chaney MA. J Cardiothorac Vasc Anesth. 2020 Jul;34(7):1952-1961. doi: 10.1053/j.jvca.2020.01.057. Epub 2020 Feb 11. PMID: 32147324
- Management and Challenges of Severe Traumatic Brain Injury. Rakhit S, Nordness MF, Lombardo SR, Cook M, Smith L, Patel MB. Semin Respir Crit Care Med. 2021 Feb;42(1):127-144. doi: 10.1055/s-0040-1716493. Epub 2020 Sep 11. PMID: 32916746
- 7. The Effect of Comorbidities on Wound Healing. Robel T Beyene, Stephen Lentz Derryberry Jrr, Adrian Barbul. Surg Clin North Am. 2020 Aug;100(4):695-705. doi: 10.1016/j.suc.2020.05.002. Epub 2020 Jun 17. PMID: 32681870
- 8. Artificial intelligence in trauma systems. Stonko DP, Guillamondegui OD, Fischer PE, Dennis BM. Surgery. 2021 Jun;169(6):1295-1299. doi: 10.1016/j.surg.2020.07.038. Epub 2020 Sep 10. PMID: 32921479
- Surgical outcomes and complications of bedside tracheostomy in the ICU for patients on ECMO. Smith MC, Evans PT, Prendergast KM, Schneeberger SJ, Henson CP, McGrane S, Kopp EB, Collins NE, Guillamondegui OD, Dennis BM. Perfusion. 2020 Dec 7:267659120979564. doi: 10.1177/0267659120979564. Online ahead of print. PMID: 33280528
- Impact of a New Helicopter Base on Transport Time and Survival in a Rural Adult Trauma Population. Sborov KD, Gallagher KC, Medvecz AJ, Brywczynski J, Gunter OL, Guillamondegui OD, Dennis BM, Smith MC. J Surg Res. 2020 Oct;254:135-141. doi: 10.1016/j.jss.2020.04.020. Epub 2020 May 21. PMID: 32445928
- 11. Donahue A, Brown S, Singh S, Shokur N, Burns J, Duvall K, Tuell D. Before Disaster Strikes: A Pilot Intervention to Improve Pediatric Trainees' Knowledge of Disaster Medicine. Pediatric Emergency Care. 2020 Dec 07. doi: 10.1097/PEC.0000000000002318. Epub ahead of print. PMID: 33298822.

- 12. Proctor R, Taylor M, Quinn M, Burns J. Alarming Rate of Substance Use in Motor Vehicle Collisions at an Appalachian Trauma Center. Cureus 12(12). 2020 Dec 03: e11863. doi:10.7759/cureus.11863. PMID: 33409097
- 13. Smith L, Chu Q, Zibari R, et al. Shoulder-to-Shoulder Capacity Building with Colleagues in War-Torn Kurdistan, Iraq: An Equal Opportunity, Non-Partisan Endeavor In reply to Demirer and Colleagues. J Am Coll Surg. 2020 October 10;231(6):780-781. doi: 10.1016/j.jamcollsurg.2020.09.008. PMID: 33051152.
- 14. Hughes J, Bray S, Lawson C, Burns J. Two Cases of Isolated Ureteral Injury Secondary to Blunt Force Trauma. Cureus. 2020 Oct 01;12(10): e10755. doi:10.7759/cureus.10755. PMID: 33150107
- 15. Gray E, Quinn M, Yarger J, Brown S, Burns J. A Comparison of Injury Severity Score and Disposition Between Pediatric and Adult Patients Transported to a Rural Trauma Center Via Helicopter. Am Surg. 2020 Sep 23. doi: 10.1177/0003134820951481. PMID: 32967456
- 16. Smith L, Zibari R, Lagraff T, Chu Q, et al. Medical Capacity-Building in War-Torn Nations: Kurdistan, Iraq as a Model. J Am Coll Surg. 2020 Sep; 231(3):387-396. doi: 10.1016/j.jamcollsurg.2020.05.024. PMID: 32562767.
- 17. Tucker W, Cobble D, Lawson C, Burns J. Delayed Small Bowel Perforation in a Pre-Existing Ventral Hernia After Blunt Trauma. Cureus. 2020 Aug 31; 12(8): e10150. doi:10.7759/cureus.10150. PMID: 3301464
- 18. Lawson C, Morris L, Wilson V, Burns J. Hemorrhagic Anuria with Acute Kidney Injury After a Single Dose of Acetazolamide: A Case Study of a Rare Side Effect. Cureus. 2020 Aug 29; 12(8): e10107. doi:10.7759/cureus.10107. PMID: 33005525
- 19. Jameson M, Lawson C, Wheeler H, Leonard M, Quinn M, Burns J. Examining Effects of Age on Outcomes after Nontraditional Motorized Vehicle Accidents. Cureus. 2020 Aug 18; 12(8): e9834. doi:10.7759/cureus.9834. PMID: 32963895
- Proctor R, Leonard M, Lawson C, Linh H, Quinn M, Burns J. Impact of Injuries on Hospital Resource Utilization Among Trauma Patients Admitted due to Accidents Caused by Farm Animals. Cureus. 2020 May 25; 12(5): e8270. doi:10.7759/cureus.8270. PMID: 32596086
- 21. Ajmera S, Motiwala M, Weeks M, Oravec CS, Hersh DS, Fraser BD, Vaughn B, Klimo P. What Variables Correlate With Different Clinical Outcomes of Abusive head Injury. Neurosurgery. 2020 Oct; 87(4):803-810. doi: 10.1093/neuros/nyaa058. PMID: 32243538.
- 22. Polites SF, Moody S, Williams RF, Kayton ML, Alberto EC, Burd RS, Schroeppel TJ, Baerg JE, Munoz A, Rothstein WB, Boomer LA, Campion EM, Robinson C, Nygaard RM, Richardson CJ, Garcia DI, Streck CJ, Gaffley M, Petty JK, Greenwell C, Pandya S, Waters AM, Russell RT, Yorkgitis BK, Mull J, Pence J, Santore MT, MacArthur T, Klinkner DB, Safford SD, Trevilian T, Vogel AM, Cunningham M, Black C, Rea J, Spurrier RG, Jensen AR, Farr BJ, Mooney DP, Ketha B, Dassinger MS 3rd, Goldenberg-Sandau A, Roman JS, Jenkins TM, Falcone RA Jr. Timing and volume of crystalloid and blood products in pediatric trauma: An Eastern Association for the Surgery of Trauma multicenter prospective observational study. J Trauma Acute Care Surg. 2020 Jul; 89(1):36-42. doi: 10.1097/TA.00000000000002702. PMID: 32251263.
- 23. Mora MC, Veras L, Burke RV, Cassidy LD, Christopherson N, Cunningham A, Jafri M, Marion E, Lidsky K, Yanchar N, Wu L, Gosain A. Pediatric trauma triage: A Pediatric Trauma Society Research Committee systematic review. J Trauma Acute Care Surg. 2020 Oct; 89(4):623-630. doi: 10.1097/TA.0000000000002713. PMID: 32301877.

- 24. Apelt N, Greenwell C, Tweed J, Notrica DM, Maxson RT, Garcia NM, Lawson K, Eubanks JW 3rd, Letton RW Jr, Schindel D. Air Guns: A Contemporary Review of Injuries at Six Pediatric Level I Trauma Centers. J Surg Res. 2020 Apr; 248:1-6. doi: 10.1016/j.jss.2019.11.002. PMID: 31837505.
- 25. Richardson SM, Dove JH, Beaty JH, Sheffer BW, Spence DD, Warner WC Jr, Sawyer JR, Kelly DM. Flexible intramedullary nailing of femoral shaft fractures: closed versus open reduction. J Pediatr Orthop B. 2020 Sep; 29(5):472-477. doi: 10.1097/BPB.000000000000685. PMID: 31651747.
- 26. Sheffer BW, Villarreal ED, Ochsner MG 3rd, Sawyer JR, Spence DD, Kelly DM. Concurrent Ipsilateral Tibial Shaft and Distal Tibial Fractures in Pediatric Patients: Risk Factors, Frequency, and Risk of Missed Diagnosis. J Pediatr Orthop. 2020 Jan; 40(1):e1-e5. doi: 10.1097/BPO.000000000001384. PMID: 30969196.
- 27. Antonakakis M, Dimitriadis SI, Zervakis M, Papanicolaou AC, Zouridakis G. Aberrant Whole-Brain Transitions and Dynamics of Spontaneous Network Microstates in Mild Traumatic Brain Injury. Front Comput Neurosci. 2020 Jan 15; 13(90):1-19. doi: 10.3389/fncom.2019.00090. PMID: 32009921.
- 28. Nunez NP, Press SG. Enhanced Recovery after Surgery for the Outpatient Management of Maxillofacial Trauma. J Oral and Maxillofacial Surgery. 2020 Oct;78(10): e47-e48. ISSN 0278-2391, https://doi.org/10.1016/j.joms.2020.07.102.
- 29. Press SG, Miller AG, Luschen MC. Is There a Safe Zone for Lateral Border Fixation of Mandibular Angle Fractures? Craniomaxillofacial Trauma & Reconstruction. 2020 Dec;14(4): 284-288. https://doi.org/10.1177/1943387520983118.
- 30. Berning BJ, Magnotti LJ, Lewis RH, Corley CE, Lim GH, Doty JB, Fabian TC, Croce MA, Sharpe JP. Impact of Chemoprophylaxis on Thromboembolism Following Operative Fixation of Pelvic Fractures. Am Surg. 2020 Dec 23:3134820982577. doi:10.1177/0003134820982577. Epub ahead of print. PMID: 33356405.
- 31. Dooley JH, Dennis BM, Magnotti LJ, Sharpe JP, Guillamondegui OD, Croce MA, Fischer PE. Is NBATS-2 up to the Task? Actual vs. Predicted Patient Volume Shifts With the Addition of Another Trauma Center. Am Surg. 2021 Apr;87(4):595-601. doi: 10.1177/0003134820952383. Epub 2020 Nov 1. PMID: 33131286.
- 32. Zambetti BR, Huang DD, Lewis RH Jr, Fischer PE, Croce MA, Magnotti LJ. Use of Thoracic Endovascular Aortic Repair in Patients with Concomitant Blunt Aortic and Traumatic Brain Injury. J Am Coll Surg. 2021 Apr;232(4):416-422. doi:10.1016/j.jamcollsurg.2020.12.007. Epub 2020 Dec 19. PMID: 33348014.
- 33. Lenart EK, Lewis RH Jr, Sharpe JP, Fischer PE, Croce MA, Magnotti LJ. They only come out at night: Impact of time of day on outcomes after penetrating abdominal trauma. Surg Open Sci. 2020 Jun 5;2(4):1-4. doi: 10.1016/j.sopen.2020.05.001. PMID: 32803149; PMCID: PMC7419659.
- 34. Buckley CT, Van Matre ET, Fischer PE, Minard G, Dickerson RN. Improvement in Protein Delivery for Critically III Patients Requiring High-Dose Propofol Therapy and Enteral Nutrition. Nutr Clin Pract. 2021 Feb;36(1):212-218. doi: 10.1002/ncp.10546. Epub 2020 Jun 26. PMID: 32589810.
- 35. Farrar JE, Garner KM, Swanson JM, Magnotti LJ, Croce MA, Wood GC. Tigecycline to treat Stenotrophomonas maltophilia ventilator-associated pneumonia in a trauma intensive care unit as a result of a drug shortage: A case series. J Clin Pharm Ther. 2020 Aug;45(4):836-839. doi: 10.1111/jcpt.13158. Epub2020 May 14. PMID: 32406951.
- 36. Lewis RH Jr, Sharpe JP, Croce MA, Fabian TC, Magnotti LJ. How soon is too soon?: Optimal timing of split-thickness skin graft following polyglactin 910 mesh closure of the open abdomen. J

- Trauma Acute Care Surg. 2020 Aug;89(2):377-381. doi: 10.1097/TA.000000000002759. PMID: 32332254.
- 37. Filiberto DM, Afzal MO, Sharpe JP, Seger C, Shankar S, Croce MA, Fabian TC, Magnotti LJ. Radiographic predictors of therapeutic operative intervention after blunt abdominal trauma: the RAPTOR score. Eur J Trauma Emerg Surg. 2020 Apr 16. doi: 10.1007/s00068-020-01371-8. Epub ahead of print. PMID: 32300849.
- 38. Manley NR, Fischer PE, Sharpe JP, Stranch EW, Fabian TC, Croce MA, Magnotti LJ. Separating Truth from Alternative Facts: 37 Years of Guns, Murder, and Violence Across the US. J Am Coll Surg. 2020 Apr;230(4):475-481. doi: 10.1016/j.jamcollsurg.2019.12.040. Epub 2020 Feb 13. PMID: 32062005.
- 39. Dooley JH, Ozdenerol E, Sharpe JP, Magnotti LJ, Croce MA, Fischer PE. Location, location, location: Utilizing Needs-Based Assessment of Trauma Systems-2 in trauma system planning. J Trauma Acute Care Surg. 2020 Jan;88(1):94-100. doi: 10.1097/TA.0000000000002463. PMID: 31856019.
- 40. May LA, Harrell KN, Bell CM, Basham-Saif A, Barker DE, Maxwell RA. Intraoperative resuscitation by specialized trauma nurse clinicians improves adherence to massive transfusion protocol. Am Surg. 2020 Jan 1;86(1):35-41. PMID: 3207741
- 41. Harrell KN, Reynolds JK, Wilks GR, Stanley JD, Dart BW 4th, Maxwell RA. The effect of lung lavage volume return on the diagnosis of ventilator-associated pneumonia. J Surg Res. 2020 Apr;248:56-61. doi: 10.1016/j.jss.2019.11.016. Epub 2019 Dec 26. PMID: 31865159
- 42. Harrell KN, Brooks DE, Palm PH, Cowart JT, Maxwell RA, Barker DE. A comparison of prehospital non-physician and hospital physician placed tube thoracostomy. Am Surg. 2020 Jul;86(7):841-7. DOI: 10.1177/0003I34820940238. PMID: 32721169.
- 43. Harrell KN, Jean RJ, Bhattacharya SD, Hunt DJ, Barker DE, Maxwell RA. Late operative rib fixation is inferior to non-operative management. Am Surg. 2020 Aug;86(8):944-9. DOI: 10.1177/0003134820942185. PMID: 32841046.
- 44. Harrell KN, Spain SJ, Whiteaker KA, Poulson JL, Barker DE. Modified need for trauma intervention criteria reduces Cribari trauma overtriage rate. J Trauma Nurs. 2020 Jul/Aug;27(4):195-199. PMID: 32658059. DOI: 10.1097/JTN.000000000000514.
- 45. Bernard M, Martin MJ, Corsa J, Robinson B, Zeeshan M, Bellal J, Morris D, Shillinglaw W, Schurr M, Smith T, Lara S, Brown C, Harrell K, Maxwell R, et al. Into the wild and on to the table: A Western Trauma Association multicenter analysis and comparison of wilderness falls in rock climbers and non-climbers. J Trauma Acute Care Surg. 2020 September;89(3):570-75. DOI: 10.1097/TA.0000000000002705. PMID: 32265389
- 46. Spitler CA, Kiner D, Swafford R, Bruce J, Nowotarski P. Treatment of ipsilateral femoral neck and shaft fractures with cannulated screws and antegrade reconstruction nail. J Orthop Trauma. 2020 May;34(5):e176-e180. doi:10.1097/BOT.000000000001689. PMID: 31688439
- 47. Adams, JE. Elbow instability: evaluation and treatment. Hand Clin. 2020 Nov;36(4):485-494. doi: 10.1016/j.hcl.2020.07.013. PMID: 33040961
- 48. Cunningham BA, Warner S, Berkes M, Achor T, Choo A, Munz J, Routt ML Chip Jr, Gary JL. Effects of intraoperative multidimensional fluoroscopy versus conventional fluoroscopy on syndesmotic reduction. Foot Ankle Int. 2020 Sep 18;1071100720959025. doi: 10.1177/1071100720959025. Online ahead of print. PMID: 32945190

- Adams JE, Osterman AL. The Essex-Lopresti injury: evaluation and treatment considerations.
 Hand Clin. 2020 Nov;36(4):463-468. doi: 10.1016/j.hcl.2020.07.012. Eput 2020 Sep 2. PMID: 33040958
- 50. Abraham MP, Hinds M, Tayidia I, Jeffcoach DR, Corder JC, Hamilton LA, Lawson CM, Bollig RW, Heidel RE, Daley BJ, Taylor JE and McMillen JC. "Quetiapine for delirium prophylaxis in high-risk critically ill patients." The Surgeon Available online 23 March 2020 https://doi.org/10.1016/j.surge.2020.02.002.
- 51. Gruen DS, Brown JB, Guyette FX, Vodovotz Y, Johansson PI, Stensballe J, Barclay DA, Yin J,1 Daley BJ, Miller RS, Harbrecht BG, Claridge JA, Phelan HA, Neal MD, Zuckerbraun B, Billiar TR and Sperry JL. Prehospital plasma is associated with distinct biomarker expression following injury. Journal of Clinical Investigation Insight. Epub 3/31/2020. https://insight.jci.org/articles/view/135350.
- 52. Gruen DS, Guyette FX, Brown JB, Daley BJ, Miller RS, Harbrecht BG, Claridge JA, Phelan HA, Yazer MH, Neal MD, Zuckerbraun BS, Sperry JL. Characterization of unexpected survivors following a prehospital plasma randomized trial. The Journal of Trauma and Acute Care Surgery. 2020 May 27. [Epub ahead of print] PMID: 32472902 DOI: 10.1097/TA.000000000002816
- 53. Sim ES, Guyette FX, Brown JB, Daley BJ, Miller RS, Harbrecht BG, Claridge JA, Phelan HA, Neal MD, Forsythe R, Zuckerbraun BS, Sperry JL and the PAMPer study group. Massive Transfusion and the Response to Prehospital Plasma: It Is All in How You Define It. J Trauma Acute Care Surg. 2020 Jul;89(1):43-50. PMID: 32118820 DOI: 10.1097/TA.0000000000002639
- 54. Antill AC, Frye SW, McMillen JC, Haynes JC, Ford BR, Bollig RW and Daley BJ. Treatment With Oral Versus Intravenous Acetaminophen in Elderly Trauma Patients With Rib Fractures: A Prospective Randomized Trial. American Surgeon 2020 Aug 4;3134820940268. doi: 10.1177/0003134820940268. PMID: 32749863 DOI: 10.1177/0003134820940268
- 55. Gruen DS, Guyette FX, Brown, JB, Okonkwo DO, Puccio AM, Campwala IK, Tessmer MT, Daley BJ, Miller RS, Harbrecht BG, Claridge JA, Phelan HA, Neal MD, Zuckerbraun BS, Yazer MH, Billiar TR and Sperry JL. "Association of Prehospital Plasma With Survival in Patients With Traumatic Brain Injury: A Secondary Analysis of the PAMPer Cluster Randomized Clinical Trial" JAMA Network Open. 2020;3(10):e2016869. doi:10.1001/jamanetworkopen.2020.16869
- 56. Griffard J, Sappington B, Griffard M, Bollig R, McMillen J, McKinney A, Smith L, Daley B. "Administering DVT prophylaxis sooner than 48 hours does not increase failure of nonoperative management of high-grade (grades III-V) splenic injuries." The American Surgeon. 2020 Oct 19:3134820950303. [Epub ahead of print]
- 57. Manzano-Nunez R, McGreevy D, Orlas CP, Garcia AF, Horer TM, DuBose J, Ordonez CA, AAST-AORTA Investigators and the ABOTrauma Registry Group: Morrison J, Scalea TM, Moore LJ, Podbielski JM, Holcomb JB, Inaba K, Piccinini A, Kauvar DS, Baggenstoss VL, Bolig, R, Daley, B. "Outcomes and management approaches of resuscitative endovascular balloon occlusion of the aorta based on the income of countries." World Journal of Emergency Surgery. 2020 Oct 12;15(1):57.
- 58. Alley T, Taylor G, Owens A, Goodin JW, Rasnake N, Daley BJ, Clark CT. "Whole blood administration: Comparison of in vitro platelet function of pressure bag, pressure bag with fluid warming device, and rapid infuser methods." Journal of Trauma Nursing. 2020 Nov/Dec;27(6):351-354.

59. Griffard J, Daley B, Campbell M, Martins D, Beam Z, Rowe S, Taylor J. "Plate of ribs: Single institution's matched comparison of patients managed operatively and non-operatively for rib fractures." Trauma Surgery & Acute Care Open. 2020 Nov 5;5(1):e000519. eCollection 2020.